R3850-1.1-U

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, United States, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1988

LENGTH OF STAY

Copyright 1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0895-982x

Length of Stay by Diagnosis and Operation, Northeastern Region, 1987
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1987
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1987
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1987
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. The first edition of the Psychiatric Length of Stay series was introduced in 1987. Length of Stay by Psychiatric Diagnosis is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data v
Data Quality v
Geographic Coverage vi
1987 Length of Stay Hospital Characteristics viii

Organization of Length of Stay Tables ix

Patient Data Assignment
Definition of Multiple Diagnoses Patients
Definition of Operated Patients

Explanation of Statistics x

Application of Length of Stay Tables xi

Length of Stay Trends xii

AIDS Supplement xiv

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-398 4
Length of Stay Operation Groups 203
Summary of All Patients in Operation Groups 204
Operation Groups 501-764 205

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 271

Indexes 275

Diagnosis Index 277
Operation Index 299

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1987 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other sources are included in the 1987 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1987 LENGTH OF STAY BOOKS

Research Services
Linda Vanek, Product Manager
Jeanine DeLay, Assistant Director
James Chesney, Director

Development Services
Marion S. Morris, Senior Programmer Analyst
Joyce Beach, Senior Programmer Analyst

Operations
Lale A. Olson, Forms Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to Research Services staff: Carol Prevost, Research Associate, for her Length of Stay expertise, technical advice and patience; Roger Wroblewski, Statistician, for data analysis; Dorothy Kempter and Nancy Cauthen for reviewing the AIDS text; Rhonda Gregory and Kathy Lundquist for clerical and technical support.

Appreciation is extended to other individuals at CPHA: Robert Seeman, Senior Nosologist, for his explanation of coding issues and valuable assistance in producing the AIDS Supplement; John Hallfrisch, MD, Consultant, for his interpretation of clinical data; Robert Travis, Librarian, for meticulously checking the text through its many stages; and the staff of Operations, Client Services, and Word Processing.

INTRODUCTION

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The regional volumes of the Length of Stay series are defined by four census regions as described in the map below.



Most data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These data enhance CPHA as a national health information center.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

1987 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	342	43	12.6
25-49	1,196	208	17.4
50-99	1,254	281	22.4
100-199	1,251	281	22.4
200-299	721	188	26.1
300-399	434	102	23.5
400-499	213	55	25.8
500+	306	70	22.9
Total	**5,717**	**1,228**	**21.5**
Region and Census Division			
Northeast	811	295	36.4
New England	241	111	46.1
Middle Atlantic	570	184	32.3
North Central	1,660	333	20.0
East North Central	878	267	30.4
West North Central	782	66	8.4
South	2,120	269	12.7
South Atlantic	814	142	17.4
East South Central	491	65	13.2
West South Central	815	62	7.6
West	1,126	331	29.4
Mountain	378	146	38.6
Pacific	748	185	24.7
Location			
Rural	2,691	549	20.4
Urban	3,026	679	22.4
Teaching Intensity			
Low	4,702	934	19.9
Medium	611	156	25.5
High	340	74	21.8
Unknown	64	64	100.0

The Pediatric book was compiled from the data of 1,119 hospitals. The Geriatric book was compiled from the data of 1,178 hospitals.

---

[1] Hospitals with average stay less than 30 days.

[2] 1986 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

ORGANIZATION OF LENGTH OF STAY TABLES

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnoses, operated or nonoperated status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnoses and age.

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1987, are reflected in the index at the back of the book.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. The principal procedure is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Diagnoses Patients

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. The Class 1 procedure may or may not relate to the principal diagnosis (Dx). Patients with only Class 2-4 procedures are considered nonoperated.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one UHDDS Class 1 procedure was present. These tables contain procedures which are either therapeutic to the principal Dx or the only procedure.

While most List B groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. These miscellaneous groups are included for informational purposes only.

List B tables which contain no significant Class 1 procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay. Several tables which, as of October 1987, contain a single low volume Class 1 procedure continue to be identified with a disclaimer.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

[2] UHDDS Classes of Procedures, *ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple Dx, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

LENGTH OF STAY TRENDS

The Length of Stay series sets the industry standard for normative patient stay data from short-term, nonfederal hospitals. First created with 1963-1964 PAS data, the series currently incorporates PAS as well as data from other sources, e.g., hospital associations. The 1987 Length of Stay series is based on over six million patient records, representing 21.5 percent of the short-term, nonfederal hospitals in the United States.

CPHA's annual publication of a reliable, extensive database allows for analysis of length of stay trends. The following table illustrates hospital stay data for the nine year period, 1979-1987.

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1987

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8

All Patients Except Newborn

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0

Source: 1979-1987 *Length of Stay by Diagnosis*, U.S. and Regions

For the total United States the average length of stay fell 13% during the nine year period, from 6.7 days in 1979 to 5.8 days in 1987. While the largest decrease occurred between 1983 and 1984, average stay appears to have levelled off since 1986. Regional variations have remained consistent; hospital stays are highest in the Northeast region and lowest in the West (1.8 day difference).

In the following table the length of stay for normal delivery (*ICD-9-CM* Code 650, List A group 270) is displayed for the five years between 1983 and 1987. This example illustrates the overall decline in length of stay, as well as the regional variations described above.

AVERAGE LENGTH OF STAY: NORMAL DELIVERY
UNITED STATES AND REGIONS, 1983-1987

	1983	1984	1985	1986	1987
U.S.	2.8	2.6	2.5	2.3	2.2
Northeast	3.1	3.0	2.9	2.8	2.7
North Central	3.1	2.9	2.7	2.5	2.4
South	2.7	2.6	2.5	2.4	2.3
West	2.0	1.9	1.9	1.8	1.7

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1983 for frequently performed surgeries in the United States.

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES
UNITED STATES 1983-1987

	1983	1984	1985	1986	1987
Appendectomy	5.3	5.1	4.8	4.7	4.6
Cervical Cesarean Section	5.8	5.6	5.3	5.0	4.8
Cholecystectomy	9.9	9.1	8.2	7.7	7.2
Transurethral Prostatectomy	9.3	8.2	7.1	6.5	6.1
Unilateral Repair of Inguinal Hernia	4.1	3.7	3.2	2.8	2.6
Vaginal Hysterectomy	6.7	6.3	5.8	5.2	4.8

AIDS SUPPLEMENT

The national epidemic of Acquired Immunodeficiency Syndrome (AIDS) has had a major impact on every aspect of the healthcare system. While inpatient hospital stays represent only one of the resources used by AIDS patients, reliable hospital data can be a valuable tool for describing the health crisis. The annual collection of patient data from short-term nonfederal hospitals allows CPHA to present clinical and demographic data on AIDS diagnoses.

In October 1986, new diagnosis classification codes specific to Human Immunodeficiency Virus infection (HIV)[1] were created for *ICD-9-CM* to monitor the diagnoses and manifestations of the disease:

ICD-9-CM AIDS Related Diagnoses Codes (October, 1986)

CODE	TITLE
042	HTLV-III/LAV INFECTION WITH SPECIFIED CONDITIONS
042.0	HTLV-III/LAV INFECTION WITH SPECIFIED INFECTIONS
042.1	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED INFECTIONS
042.2	HTLV-III/LAV INFECTION WITH SPECIFIED MALIGNANT NEOPLASMS
042.9	ACQUIRED IMMUNODEFICIENCY SYNDROME WITH OR WITHOUT OTHER CONDITIONS
043	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED CONDITIONS
043.0	HTLV-III/LAV INFECTION CAUSING LYMPHADENOPATHY
043.1	HTLV-III/LAV INFECTION CAUSING SPECIFIED DISEASES OF THE CENTRAL NERVOUS SYSTEM
043.2	HTLV-III/LAV INFECTION CAUSING OTHER DISORDERS INVOLVING THE IMMUNE MECHANISM
043.3	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED CONDITIONS
043.9	ACQUIRED IMMUNODEFICIENCY SYNDROME-RELATED COMPLEX WITH OR WITHOUT OTHER CONDITIONS
044	OTHER HTLV-III/LAV INFECTION
044.0	HTLV-III/LAV INFECTION CAUSING SPECIFIED ACUTE INFECTIONS
044.9	HTLV-III/LAV INFECTION, NOT OTHERWISE SPECIFIED (WITH OR WITHOUT OTHER CONDITIONS NOT CLASSIFIABLE TO 042, 043, 044)
795.8	POSITIVE SEROLOGICAL OR VIRAL CULTURE FINDINGS FOR HUMAN T-CELL LYMPHOTROPIC VIRUS-III/LYMPHADENOPATHY ASSOCIATED VIRUS (HTLV-III/LAV)

The protocols[2] established by the Centers for Disease Control (CDC) instruct users to give priority to conditions classified by codes in categories 042 over those classified by codes in categories 043 and 044. Conditions classified by codes in category 043 are given priority over 044. Codes in categories 042, 043, and 044 are considered mutually exclusive, and are never to be listed together on the same record.

---

[1] Originally published as Human T-cell Lymphotropic Virus-III/Lymphadenopathy-Associated Virus (HTLV-III/LAV) infection, the terminology was revised effective January 1988 to Human Immunodeficiency Virus (HIV), as authorized by the Centers for Disease Control, Atlanta, Georgia and the National Center for Health Statistics.

[2] *HTLV-III LAV Infection Codes, Official Authorized Addendum, Effective October 1, 1986:* WHO Collaborating Center for Classification of Diseases for North America at the National Center for Health Statistics, with the Health Care Financing Administration.

The 1986 classification of HIV infection codes was intended as an interim system, to be reviewed after a period of use. In August 1987, a revision of the CDC Case Definition[3] attempted to provide clarification with examples of laboratory evidence for or against HIV infection, definitive diagnostic methods, and guidelines for presumptive diagnosis of diseases indicative of AIDS. (Since the reporting of the new definition was targeted for September 1 1987, its use would have little bearing on the 1987 Length of Stay data.)

Within the standard CPHA Length of Stay tables, AIDS diagnoses codes in *ICD-9-CM* categories 042, 043 and 044 fall into List A Group 12 along with a number of other viral diseases. *ICD-9-CM* Code 795.8, Positive HIV Findings, is found in List A Group 340, an aggregate group containing a large number of codes denoting signs, symptoms and ill-defined conditions. Since data pertaining to the AIDS codes are presently grouped with several disparate codes in each of the standard Length of Stay tables, the prevalence of AIDS is masked. This Supplement, therefore, examines each category of AIDS codes individually to provide additional information on AIDS as recorded in the 1987 Length of Stay database.

1987 AIDS DATABASE:

As in the 1987 Length of Stay tables, discharge records representing 21.5% of short-term general hospitals in the United States comprise the database. Unlike the standard Length of Stay tables, in which patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis, records are included in the AIDS Supplement if they have any AIDS code as either a principal or a secondary diagnosis. In addition, discharge records with an AIDS diagnosis are not excluded, as in the standard Length of Stay tables, when there is a death or transfer to a short-term hospital. While these adjustments augment the base of AIDS records, the resulting data should not be considered in the same manner as the traditional length of stay tables. The data presented in this section are intended to enhance knowledge and are not recommended for purposes of utilization review.

From over 6 million 1987 Length of Stay records, 11,477 (.2%) have an AIDS code as either a principal or secondary diagnosis, that is, one in every 500 hospital discharge records. In the majority of the records (73%), the AIDS code is listed as a secondary rather than as a principal diagnosis. There are 228 records where an AIDS code is both a principal and a secondary and 187 with multiple secondary AIDS codes.

Some precautions are suggested when reviewing the AIDS database:

1. The Length of Stay series is not based on a representative sample, but rather on a total count of discharge records from voluntary participating hospitals. (Refer to page viii for a description of these hospitals.)
2. Hospital records are based on occurrences of discharges, and may include the same patient more than once. With AIDS patients, there may be a relatively high number of readmissions within a year, possibly with a change in the assignment of the particular AIDS code as determined by the associated disease manifestations.

Given the cautions above, the AIDS Supplement is presented by CPHA as a research study and is not intended for comparing lengths of stay. The intent is to increase knowledge about one aspect of the AIDS health crisis, as well as to raise some issues about the coding of AIDS on medical records.

PROFILE OF AIDS RECORDS:

Table 1 presents a summary profile of the AIDS records from the 1987 Length of Stay database. (See page xviii.)

Regional Representation: The number of discharge records with an AIDS diagnosis is proportionally greater in the Northeast region of the United States (4 out of every 1000 hospital discharge records) and in the Western region (2 out of every 1000 discharge records) than in the North Central and Southern regions (1 out of 1000).

Sex/Age: Eighty-six percent of the AIDS discharge records represent male patients with almost half (45%) falling between the ages of 30 and 39.

---

[3] Revision of the CDC Surveillance Case Definition for Acquired Immunodeficiency Syndrome. *Morbidity and Mortality Weekly Report* (Vol. 36, No. 15) August 1987.

Disposition: Eighty-four percent of the AIDS discharge records represent live discharges. An overwhelming majority (88%) of these are discharged to home or self-care.

Payment: The sources of payment are private (self-pay, insurance or workers' compensation) for 51% of the records, and public for 36%. Medicaid constitutes 28% of all payment sources, representing over three-quarters of the public sources.

LENGTH OF STAY:

The average length of stay for the total AIDS base is 14.9 days, with the median (50th percentile) at 9 days. Other percentile distributions are as follows:

5%	1 day	90%	32 days
10%	2 days	95%	45 days
75%	19 days	99%	83 days

Table 2 shows the average length of stay for 3,140 records classified with any AIDS code (in categories 042, 043, 044, or code 795.8) as a principal diagnosis. (See page xix.)

Table 3 shows the average length of stay for 8,337 records classified with any AIDS code (in categories 042, 043, 044, or code 795.8) as a secondary diagnosis. (See page xx.)

For both tables 2 and 3 there appears to be a correlation between the length of stay and the particular AIDS code listed; the average overall length of stay is greater for codes in category 042 than for categories 043, 044, or for code 795.8.

Length of Stay by Operation:

The profile of AIDS records indicates that in more than one half of the hospital stays an operative procedure (*ICD-9-CM* codes 01.0-86.99) is performed. The majority of the reported procedures, e.g., bronchoscopies or CAT scans, are diagnostic rather than therapeutic procedures, and are not considered to affect length of stay.

DIAGNOSES FREQUENTLY ASSOCIATED WITH AIDS:

The following table shows those disease conditions which are most frequently listed with an AIDS code on discharge records, and displays the length of stay for that disease with each AIDS code, as well as the length of stay for the disease when it occurs without AIDS. For this table, each AIDS record is counted once, and may appear as a principal or secondary diagnosis code. In records where more than one AIDS code is listed, codes in category 042 are selected over those in categories 043 or 044, those in categories 043 over those in categories 044 or 795.8, and codes in category 044 over code 795.8.

The associated diseases are counted for each occurrence; one AIDS record may contain a number of other diagnoses codes. Multiple occurrences will also influence length of stay as one patient with a single hospital stay can appear more than once.

The most striking observation is that the length of stay increases significantly for any disease when reported in association with an AIDS diagnosis. For example, patients with anemia (*ICD-9-CM* codes 280.0-285.9) have an average hospital stay of 10.2 days when no AIDS diagnosis is present, but 17.3 days when accompanied by an AIDS diagnosis.

Frequently Associated Dx Codes with AIDS as Principal or Secondary

	Pneumocystosis (136.3)		Candidiasis (112.0,112.3,112.5-112.9)		Kaposi's Sarcoma (173.0-173.9)	
	OCCURRENCE	AVG LOS	OCCURRENCE	AVG LOS	OCCURRENCE	AVG LOS
With 042 Codes	2,762	18.1	2,183	19.7	1,073	44.3
With 043 Codes	54	22.4	3,172	18.9	40	15.9
With 044 Codes	20	11.2	68	13.6	5	11.4
With 795.8 Codes	47	21.9	120	16.7	3	9.3
With No AIDS Dx	745	16.9	16,931	14.8	6,924	7.9
Total Occurences:	3,628		19,694		8,045	

ISSUES:

The data collection for this AIDS Supplement indicates that there is considerable variation in the manner in which AIDS is reported. With AIDS patients presenting many disease manifestations, confusion may exist over the selection of the appropriate AIDS code:

1. Despite the fact that the October 1986 Addendum to the *ICD-9-CM* classification states that codes in categories 042, 043 and 044 are mutually exclusive, there is evidence of multiple coding of AIDS diagnoses.
2. The Addendum also instructs that certain disease manifestations are expected with specific AIDS codes; for example, Kaposi's sarcoma (173.0-173.9) should be linked only with one AIDS code (042.2). However, in this base, codes 173.0-173.9 are also found on discharge records in association with codes in categories 043, 044, and code 795.8.
3. There is some confusion with the coding of pneumocystosis (136.3). While pneumocystosis is found as either a principal or a secondary diagnosis on 3,628 of the Length of Stay records, 20% do not record any AIDS in association. On one hand this may indicate a reluctance to report AIDS. Or, on the other hand, this may be evidence of miscoding, since code 136.3 is sometimes reported in error for a benign form of pneumonia not intended as Pneumocystis carinii pneumonia.

SUMMARY:

The examination of 1987 discharge records from a collection of short-term general hospitals provides a base for analysis of records listing an AIDS code as either a principal or a secondary diagnosis. The data show a significant increase in hospital stay when a disease is recorded in association with an AIDS code. There is, however, evidence of some confusion over the coding of AIDS on hospital records. This study suggests the need for further exploration of the actual practice of AIDS coding and the formulation of recommendations for revision or clarification of the classification system.

Table 1
Profile of AIDS Records

	#	%
TOTAL DISCHARGE RECORDS WITH ANY AIDS Dx	11,477	100.0
AIDS as Principal Dx	3,140	27.4
AIDS as Secondary Dx	8,337	72.6

	#	% of Total Discharges
REGIONAL REPRESENTATION		
North Central	1,737	.1
Northeast	5,453	.4
South	2,712	.1
West	1,575	.2

	#	%
AGE		
Newborn - <1 yr	170	1.5
1 yr - 9 yrs	395	3.4
10 - 19 yrs	119	1.0
20 - 29 yrs	2,263	19.7
30 - 39 yrs	5,166	45.0
40 - 49 yrs	2,284	19.9
50 - 59 yrs	741	6.5
60+	339	3.0
SEX		
Male	9,852	85.8
Female	1,625	14.2
DISCHARGES		
Total Alive	9,585	83.5
Total Expired	1,892	16.5
DISPOSITION		
Home or Self-Care	8,408	87.7
Home Health Service	533	5.6
Short-Term Hospital	220	2.3
Skilled Nursing Facility	95	1.0
Inter. Care Facility	4	
Other Facility	325	3.4

	#	%
PAYMENT SOURCE		
Medicaid	3,230	28.1
Medicare	549	4.8
Other Government	333	2.9
Workers' Compensation	14	.1
Blue Cross	2,108	18.4
Other Insurance	2,327	20.3
Self-Pay	1,408	12.3
Other	1,508	13.1
LENGTH OF STAY		
<1 Day	119	1.1
1-7 Days	4,711	41.0
8-14 Days	2,710	23.6
15-21 Days	1,599	13.9
22-28 Days	919	8.0
29-36 Days	515	4.5
37-42 Days	253	2.2
43-49 Days	200	1.7
50+ Days	451	3.9
AVERAGE LOS IN DAYS:	14.9	
MEDIAN LOS IN DAYS:	9	

Table 2
Average Length of Stay
Discharge Records with AIDS as Principal Dx

CODE	TOTAL DISCHARGE RECORDS #	%	AVERAGE STAY	PERCENTILES 5TH	10TH	50TH	75TH	90TH	95TH	99TH
042										
AGE RANGES:										
Newborn-< 1 yr	35	1.4	48.1	2	3	22	42	80	99	99+
1 yr-9 yrs	104	4.3	12.5	1	1	5	13	38	57	76
10 yrs-19 yrs	31	1.3	5.9	<1	<1	1	7	20	25	32
20-29 yrs	492	20.2	15.7	1	2	11	20	34	52	84
30-39 yrs	1,087	44.6	19.9	1	3	13	24	43	59	99+
40-49 yrs	474	19.5	19.4	2	3	13	25	42	56	99
50-59 yrs	166	6.8	20.9	2	3	14	25	41	73	99
60+	47	1.9	24.9	3	4	17	30	62	76	99+
TOTAL	2,436	100.0	19.9	1	2	12	23	41	59	98
043										
AGE RANGES:										
Newborn-< 1 yr	8	1.3	36.5	1	2	18	27	80	99+	99+
1 yr-9 yrs	42	7.1	11.7	1	2	7	13	25	43	91
10 yrs-19 yrs	2	.3	43.0	5	5	43	81	81	81	81
20-29 yrs	122	20.5	12.2	1	2	7	14	28	46	83
30-39 yrs	273	46.0	15.1	1	2	9	19	35	47	97
40-49 yrs	94	15.8	22.7	1	4	12	28	65	69	99+
50-59 yrs	36	6.1	12.4	1	1	9	18	32	36	49
60+	17	2.9	16.5	3	4	14	20	43	53	56
TOTAL	594	100.0	15.7	1	2	7	17	40	55	99
044										
AGE RANGES:										
Newborn-< 1 yr	3	3.5	5.0	4	4	4	6	7	7	7
1 yr-9 yrs	5	5.8	20.6	2	2	7	43	50	50	50
10 yrs-19 yrs	2	2.3	13.5	3	3	13	24	24	24	24
20-29 yrs	16	18.6	8.9	1	2	7	13	19	24	26
30-39 yrs	40	46.5	11.9	2	2	8	14	20	29	87
40-49 yrs	14	16.3	10.3	2	2	6	14	27	32	33
50-59 yrs	3	3.5	5.7	2	2	6	8	9	9	9
60+	3	3.5	28.7	4	4	24	49	58	58	58
TOTAL	86	100.0	11.7	2	2	7	14	25	35	77
795.8										
AGE RANGES:										
Newborn-< 1 yr	4	16.7	11.0	6	6	9	15	19	19	19
1 yr-9 yrs	5	20.8	9.0	3	3	4	12	27	27	27
10 yrs-19 yrs	0	0.0	0.0	0	0	0	0	0	0	0
20-29 yrs	2	8.3	2.5	<1	<1	2	4	4	4	4
30-39 yrs	9	37.5	16.7	<1	<1	12	20	49	67	67
40-49 yrs	3	12.5	5.0	4	4	4	6	7	7	7
50-59 yrs	1	4.2	6.0	6	6	6	6	6	6	6
60+	0	0.0	0.0	0	0	0	0	0	0	0
TOTAL	24	100.0	11.0	<1	1	6	14	22	39	67

Table 3
Average Length of Stay
Discharge Records with AIDS as Secondary Dx

	TOTAL DISCHARGE RECORDS		AVERAGE	PERCENTILES						
CODE	#	%	STAY	5TH	10TH	50TH	75TH	90TH	95TH	99TH
042										
AGE RANGES:										
Newborn-< 1 yr	46	.8	25.7	1	2	11	26	55	68	99+
1 yr-9 yrs	127	2.3	18.7	2	3	8	15	34	49	99+
10 yrs-19 yrs	34	.6	9.5	1	1	8	13	23	25	30
20-29 yrs	1,000	18.1	13.5	1	2	9	18	29	39	73
30-39 yrs	2,592	46.8	13.8	1	2	10	18	28	37	75
40-49 yrs	1,221	22.1	14.6	1	2	10	19	31	43	72
50-59 yrs	365	6.6	16.5	1	2	12	21	32	42	81
60+	150	2.7	18.3	3	3	12	23	45	61	76
Total	5,535	100.0	14.4	1	2	10	19	29	40	76
043										
AGE RANGES:										
Newborn-< 1 yr	19	1.9	16.3	4	4	8	22	35	56	71
1 yr-9 yrs	56	5.7	11.3	1	2	5	13	26	42	89
10 yrs-19 yrs	10	1.0	4.8	1	1	4	7	10	10	10
20-29 yrs	190	19.3	12.8	1	2	7	12	30	49	90
30-39 yrs	446	45.2	11.6	1	2	7	14	26	36	59
40-49 yrs	169	17.1	12.2	1	1	8	15	29	41	64
50-59 yrs	61	6.2	13.6	2	2	11	18	26	34	62
60+	35	3.5	15.1	2	3	8	17	34	60	83
Total	986	100.0	12.2	1	2	7	15	28	41	69
044										
AGE RANGES:										
Newborn-< 1 yr	7	1.4	6.3	2	2	4	9	15	16	16
1 yr-9 yrs	17	3.4	6.8	1	1	4	8	12	31	41
10 yrs-19 yrs	15	3.0	7.6	<1	1	7	11	16	17	18
20-29 yrs	113	22.6	9.7	1	2	6	11	21	38	56
30-39 yrs	211	42.2	10.0	1	2	7	14	22	30	43
40-49 yrs	87	17.4	14.8	1	2	8	18	41	50	90
50-59 yrs	26	5.2	19.9	3	3	10	27	55	65	74
60+	24	4.8	15.5	2	2	7	19	49	60	85
Total	500	100.0	11.3	1	2	7	14	27	42	60
795.8										
AGE RANGES:										
Newborn-< 1 yr	48	3.6	25.7	2	2	13	31	67	98	99+
1 yr-9 yrs	39	3.0	10.0	1	2	5	12	17	26	91
10 yrs-19 yrs	25	1.9	7.4	<1	1	5	8	19	27	37
20-29 yrs	328	24.9	9.5	1	2	6	12	22	30	47
30-39 yrs	508	38.6	12.8	1	2	8	15	28	39	76
40-49 yrs	222	16.9	13.9	1	2	9	19	31	43	62
50-59 yrs	83	6.3	13.6	1	2	9	18	28	48	81
60+	63	4.8	12.4	1	2	9	19	30	35	42
Total	1,316	100.0	12.5	1	2	7	15	28	39	73

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	561152	2.8	10	1	1	2	3	4	5	12
20-34	277733	3.1	17	< 1	1	2	3	5	8	23
35-49	99639	4.4	32	1	1	3	5	9	14	29
50-64	60561	4.7	30	1	1	3	6	9	13	28
65 +	51381	5.4	35	1	1	4	6	10	15	32
B. Operated										
0-19 YRS	158048	2.9	12	< 1	1	2	3	6	8	16
20-34	316803	2.9	6	< 1	1	2	4	5	6	11
35-49	144874	3.6	11	< 1	1	3	5	7	9	15
50-64	109102	4.2	15	1	1	3	6	9	11	17
65 +	90319	5.3	23	< 1	1	4	7	11	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	546689	4.5	42	1	1	3	5	7	13	38
20-34	287065	5.8	55	1	1	3	6	14	22	35
35-49	270398	6.1	47	1	1	4	7	13	20	33
50-64	389102	6.2	39	1	2	4	7	12	17	32
65 +	904852	7.5	50	2	2	6	9	14	19	38
B. Operated										
0-19 YRS	169115	6.2	100	1	1	3	6	14	24	67
20-34	441699	4.7	31	1	1	4	5	8	12	30
35-49	304754	6.2	52	1	1	4	7	12	18	40
50-64	357855	7.9	76	1	1	6	10	16	23	48
65 +	612052	10.4	105	1	2	8	13	21	30	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1050466	3.3	17	1	1	2	3	5	8	21
B. Operated	819146	3.5	11	< 1	1	3	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	2398106	6.2	48	1	1	4	7	13	18	36
B. Operated	1885475	7.5	78	1	1	5	9	16	23	50
1. SINGLE DX	1869612	3.4	14	1	1	2	4	6	9	19
2. MULTIPLE DX	4283581	6.8	62	1	1	4	8	14	21	42
A. Not Operated	3448572	5.3	40	1	1	3	6	11	16	32
B. Operated	2704621	6.3	61	1	1	4	7	14	20	43
TOTAL										
0-19 YRS	1435004	3.8	34	1	1	3	4	6	10	33
20-34	1323300	4.2	28	1	1	3	4	7	12	29
35-49	819665	5.5	42	1	1	4	6	11	16	33
50-64	916620	6.5	52	1	1	5	8	13	19	37
65 +	1658604	8.4	71	1	2	6	10	17	23	47
GRAND TOTAL	**6153193**	**5.8**	**50**	**1**	**1**	**4**	**7**	**12**	**18**	**37**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	205558	3.3	23	1	1	2	3	6	8	25
20-34	277733	3.1	17	< 1	1	2	3	5	8	23
35-49	99639	4.4	32	1	1	3	5	9	14	29
50-64	60561	4.7	30	1	1	3	6	9	13	28
65 +	51381	5.4	35	1	1	4	6	10	15	32
B. Operated										
0-19 YRS	157868	2.8	11	< 1	1	2	3	6	8	16
20-34	316803	2.9	6	< 1	1	2	4	5	6	11
35-49	144874	3.6	11	< 1	1	3	5	7	9	15
50-64	109102	4.2	15	1	1	3	6	9	11	17
65 +	90319	5.3	23	< 1	1	4	7	11	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	304848	5.0	58	1	1	3	5	9	16	44
20-34	287065	5.8	55	1	1	3	6	14	22	35
35-49	270398	6.1	47	1	1	4	7	13	20	33
50-64	389102	6.2	39	1	2	4	7	12	17	32
65 +	904852	7.5	50	2	2	6	9	14	19	38
B. Operated										
0-19 YRS	160378	5.5	70	1	1	3	6	12	20	51
20-34	441699	4.7	31	1	1	4	5	8	12	30
35-49	304754	6.2	52	1	1	4	7	12	18	40
50-64	357855	7.9	76	1	1	6	10	16	23	48
65 +	612052	10.4	105	1	2	8	13	21	30	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	694872	3.7	24	1	1	2	4	7	10	27
B. Operated	818966	3.5	11	< 1	1	3	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	2156265	6.5	50	1	1	4	8	13	19	37
B. Operated	1876738	7.5	76	1	1	5	9	16	23	49
1. SINGLE DX	1513838	3.6	17	< 1	1	2	4	7	10	21
2. MULTIPLE DX	4033003	6.9	62	1	1	5	8	14	21	42
A. Not Operated	2851137	5.8	45	1	1	4	7	12	17	35
B. Operated	2695704	6.3	60	1	1	4	7	14	19	42
TOTAL										
0-19 YRS	828652	4.2	44	1	1	3	4	8	13	38
20-34	1323300	4.2	28	1	1	3	4	7	12	29
35-49	819665	5.5	42	1	1	4	6	11	16	33
50-64	916620	6.5	52	1	1	5	8	13	19	37
65 +	1658604	8.4	71	1	2	6	10	17	23	47
GRAND TOTAL	**5546841**	**6.0**	**52**	**1**	**1**	**4**	**7**	**13**	**18**	**38**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3833	2.7	4	1	1	2	3	5	6	10
20-34	1406	2.7	3	1	1	2	3	5	6	9
35-49	696	2.9	4	1	1	2	4	5	6	10
50-64	354	3.2	4	1	1	3	4	6	8	9
65 +	225	3.4	7	1	1	3	4	6	8	14
B. Operated										
0-19 YRS	93	5.8	54	1	2	4	6	9	17	43
20-34	117	4.6	9	2	2	4	5	8	10	17
35-49	58	4.8	7	1	2	4	5	7	10	15
50-64	24	6.0	22	1	2	5	7	13	16	20
65 +	11	6.7	12	2	3	6	10	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8828	3.3	9	1	1	3	4	6	7	14
20-34	2784	3.1	6	1	1	3	4	6	7	14
35-49	1808	3.8	9	1	1	3	5	7	9	15
50-64	1817	4.2	9	1	2	4	5	7	10	15
65 +	3440	5.4	28	1	2	4	6	10	14	28
B. Operated										
0-19 YRS	237	11.3	237	2	2	5	11	32	56	99 +
20-34	264	6.0	22	2	2	5	7	11	16	28
35-49	258	7.3	36	2	3	6	9	14	17	38
50-64	248	7.9	32	2	3	6	10	15	18	30
65 +	446	11.8	116	3	4	8	14	25	34	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6514	2.8	4	1	1	2	3	5	6	10
B. Operated	303	5.2	24	1	2	4	6	9	13	31
2. MULTIPLE DX										
A. Not Operated	18677	3.8	13	1	1	3	4	7	9	17
B. Operated	1453	9.2	96	2	3	6	11	19	28	62
1. SINGLE DX	6817	2.9	5	1	1	2	4	5	6	11
2. MULTIPLE DX	20130	4.2	21	1	1	3	5	8	11	23
A. Not Operated	25191	3.5	11	1	1	3	4	6	8	15
B. Operated	1756	8.5	86	2	3	6	10	17	26	59
TOTAL										
0-19 YRS	12991	3.3	13	1	1	3	4	6	7	15
20-34	4571	3.2	7	1	1	3	4	6	7	14
35-49	2820	3.9	12	1	1	3	5	7	10	16
50-64	2443	4.5	12	1	1	4	5	8	11	18
65 +	4122	6.0	41	1	2	4	7	11	16	35
GRAND TOTAL	**26947**	**3.9**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	5.4	18	1	2	4	7	10	13	22
20-34	57	10.6	76	3	3	8	14	19	26	46
35-49	49	7.8	18	1	2	8	11	14	15	16
50-64	22	10.2	36	3	4	9	14	17	21	26
65 +	11	9.2	26	1	3	9	12	17	19	19
B. Operated										
0-19 YRS	12	4.8	10	1	1	5	6	10	11	11
20-34	33	7.5	16	1	3	7	10	13	15	16
35-49	24	9.4	46	1	2	8	14	23	46	99 +
50-64	14	8.6	23	1	2	9	13	14	16	16
65 +	13	7.0	16	1	2	7	8	12	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	7.1	25	1	2	6	9	15	18	19
20-34	102	11.2	82	2	3	9	14	22	30	47
35-49	173	14.0	129	2	3	11	17	28	39	62
50-64	127	12.7	111	3	4	10	15	25	33	54
65 +	235	12.4	80	3	3	10	16	24	30	53
B. Operated										
0-19 YRS	16	10.1	48	2	4	8	14	18	26	29
20-34	81	14.8	97	5	7	13	19	23	36	87
35-49	95	18.2	200	4	6	13	25	43	55	99 +
50-64	135	17.7	184	4	6	14	22	34	50	74
65 +	263	17.1	207	3	4	13	22	37	51	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	8.7	43	1	3	7	12	16	19	40
B. Operated	96	7.7	25	1	2	7	10	14	17	66
2. MULTIPLE DX										
A. Not Operated	669	12.4	98	2	3	10	16	24	32	54
B. Operated	590	16.9	183	4	5	13	21	36	51	99 +
1. SINGLE DX	268	8.3	37	1	2	7	11	15	18	41
2. MULTIPLE DX	1259	14.5	143	3	4	11	18	29	41	71
A. Not Operated	841	11.6	89	2	3	9	15	22	30	53
B. Operated	686	15.6	171	3	4	12	20	32	49	99 +
TOTAL										
0-19 YRS	93	6.7	27	1	2	6	9	14	18	26
20-34	273	11.7	82	2	3	9	14	22	29	57
35-49	341	13.9	138	2	3	11	17	29	41	73
50-64	298	14.6	143	3	4	11	18	29	45	66
65 +	522	14.6	148	3	4	11	18	30	41	80
GRAND TOTAL	**1527**	**13.4**	**130**	**3**	**3**	**10**	**17**	**27**	**39**	**70**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	6.4	24	2	2	4	9	14	17	17
20-34	5	9.4	35	4	4	7	13	19	19	19
35-49	3	4.0	9	1	1	4	6	7	7	7
50-64	2	15.0	288	3	3	15	27	27	27	27
65 +	2	10.5	25	7	7	10	14	14	14	14
B. Operated										
0-19 YRS	28	5.1	28	1	1	3	7	13	17	23
20-34	14	10.5	57	2	4	7	18	23	25	25
35-49	9	5.6	25	< 1	< 1	3	9	13	15	15
50-64	8	7.0	37	1	1	6	12	15	16	16
65 +	9	9.7	187	1	1	6	11	34	41	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	14.4	126	2	2	14	21	30	38	38
20-34	16	8.1	40	1	2	5	12	18	20	21
35-49	19	10.0	63	1	2	7	13	22	28	30
50-64	19	9.9	71	1	2	7	16	27	67	99 +
65 +	30	13.0	141	2	3	9	20	31	55	99 +
B. Operated										
0-19 YRS	10	16.8	277	1	1	13	26	44	45	45
20-34	34	20.8	236	4	6	17	31	52	57	99 +
35-49	43	17.8	244	2	3	13	29	43	58	99 +
50-64	48	23.0	385	4	4	18	32	50	53	93
65 +	56	23.1	394	3	5	17	34	53	76	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	8.0	43	1	2	7	10	18	23	27
B. Operated	68	7.1	57	1	1	5	9	17	23	38
2. MULTIPLE DX										
A. Not Operated	94	11.1	93	2	2	8	18	23	34	99 +
B. Operated	191	21.1	323	2	4	17	31	50	59	99 +
1. SINGLE DX	89	7.3	53	1	1	5	9	18	23	36
2. MULTIPLE DX	285	17.8	269	2	3	13	25	44	56	99 +
A. Not Operated	115	10.5	85	2	2	7	16	22	32	99 +
B. Operated	259	17.5	291	1	2	12	25	44	54	99
TOTAL										
0-19 YRS	57	9.0	106	1	1	4	13	21	34	45
20-34	69	14.9	171	3	4	10	20	35	52	92
35-49	74	13.8	185	1	2	9	18	36	48	91
50-64	77	17.9	307	1	3	13	25	47	51	98
65 +	97	18.5	314	1	3	13	23	49	68	99 +
GRAND TOTAL	**374**	**15.3**	**237**	**1**	**2**	**10**	**21**	**40**	**52**	**99 +**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	480	2.5	3	1	1	2	3	4	5	8
20-34	165	2.8	2	1	1	3	3	4	5	8
35-49	47	3.0	1	2	2	3	4	5	5	6
50-64	22	3.9	2	2	2	4	5	6	7	7
65 +	4	2.5		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	117	1.1		1	1	1	1	1	2	2
20-34	24	1.2		1	1	1	1	2	3	4
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1361	2.8	6	1	1	2	3	5	6	9
20-34	499	3.2	5	1	1	3	4	5	6	10
35-49	173	3.4	3	1	2	3	4	5	6	10
50-64	101	4.5	11	2	2	4	5	7	9	21
65 +	56	5.2	41	1	2	4	6	9	11	46
B. Operated										
0-19 YRS	109	1.5	1	1	1	1	2	3	4	6
20-34	23	2.1	3	1	1	1	3	4	6	8
35-49	6	12.3	367	1	1	3	15	46	50	50
50-64	3	11.0	7	8	8	12	13	13	13	13
65 +	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	718	2.6	3	1	1	2	3	4	5	8
B. Operated	148	1.2		1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	2190	3.1	7	1	1	3	4	5	6	10
B. Operated	143	2.3	21	1	1	1	2	4	6	17
1. SINGLE DX	866	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2333	3.0	8	1	1	3	4	5	6	10
A. Not Operated	2908	3.0	6	1	1	3	4	5	6	9
B. Operated	291	1.7	11	1	1	1	1	3	4	13
TOTAL										
0-19 YRS	2067	2.6	5	1	1	2	3	4	6	8
20-34	711	3.0	4	1	1	3	4	5	6	9
35-49	231	3.5	13	1	2	3	4	5	6	15
50-64	127	4.5	11	2	2	4	5	8	10	17
65 +	63	5.0	37	1	2	4	6	9	11	43
GRAND TOTAL	**3199**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1226	4.5	9	1	2	4	5	9	11	15
20-34	56	5.4	22	1	2	4	7	9	10	28
35-49	46	6.5	21	1	2	5	9	13	16	22
50-64	58	7.2	15	2	3	7	10	13	15	16
65 +	139	7.6	29	2	3	6	10	15	17	49
B. Operated										
0-19 YRS	27	10.7	88	2	3	8	14	30	33	34
20-34	3	9.3	32	3	3	11	13	14	14	14
35-49	5	7.6	32	2	2	7	10	17	17	17
50-64	3	6.0	19	< 1	< 1	8	9	9	9	9
65 +	15	16.7	179	5	7	13	21	28	51	59
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2793	5.8	20	2	2	4	8	11	13	21
20-34	782	8.9	52	2	3	7	11	16	25	41
35-49	1005	9.7	51	3	4	8	12	17	23	41
50-64	2420	10.1	52	3	4	8	12	17	22	41
65 +	10799	10.9	58	4	5	9	13	19	24	42
B. Operated										
0-19 YRS	283	14.7	182	3	4	11	17	31	41	84
20-34	303	17.1	177	4	5	13	24	37	48	99 +
35-49	499	18.0	220	4	6	14	23	37	51	99 +
50-64	948	19.1	226	5	6	15	24	40	50	81
65 +	3320	19.3	186	6	7	16	24	39	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1525	5.0	13	2	2	4	6	10	12	17
B. Operated	53	11.8	108	2	3	9	15	24	33	58
2. MULTIPLE DX										
A. Not Operated	17799	9.9	54	3	3	8	12	17	23	40
B. Operated	5353	18.8	197	5	7	15	24	38	51	99 +
1. SINGLE DX	1578	5.2	18	2	2	4	7	10	13	22
2. MULTIPLE DX	23152	11.9	101	3	4	9	14	23	31	62
A. Not Operated	19324	9.5	52	2	3	8	12	17	22	39
B. Operated	5406	18.7	196	5	6	15	24	38	50	99 +
TOTAL										
0-19 YRS	4329	6.1	33	2	2	4	8	11	14	30
20-34	1144	10.9	98	2	3	8	13	25	31	56
35-49	1555	12.3	120	3	4	9	15	25	34	66
50-64	3429	12.5	116	3	4	9	15	23	33	63
65 +	14273	12.9	100	4	5	10	15	24	33	64
GRAND TOTAL	**24730**	**11.5**	**98**	**3**	**3**	**9**	**14**	**22**	**31**	**60**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	681	6.1	17	1	2	6	8	11	13	21
20-34	103	5.4	14	1	2	4	7	10	12	21
35-49	65	5.7	24	2	2	4	7	12	15	31
50-64	41	4.5	11	1	2	4	5	7	9	22
65 +	35	5.6	11	2	2	5	7	12	13	14
B. Operated										
0-19 YRS	37	9.8	117	< 1	1	6	12	23	29	55
20-34	9	8.6	14	2	3	10	11	13	14	14
35-49	7	4.0	12	1	1	3	6	9	10	10
50-64	9	6.1	28	2	2	5	7	15	19	19
65 +	3	11.7	46	4	4	14	16	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	697	7.5	26	2	2	7	10	13	16	25
20-34	226	7.1	28	2	2	6	10	14	17	29
35-49	205	7.4	39	2	3	6	10	13	15	31
50-64	270	7.9	53	2	3	6	10	15	18	28
65 +	505	8.4	48	3	3	7	10	15	20	36
B. Operated										
0-19 YRS	112	15.5	185	2	4	11	19	39	53	99 +
20-34	115	12.5	104	2	3	10	17	23	32	55
35-49	97	17.0	232	2	4	12	21	43	51	68
50-64	104	16.3	230	3	4	11	20	38	52	98
65 +	210	18.7	227	4	5	14	25	39	51	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	925	5.9	16	2	2	5	8	11	12	21
B. Operated	65	8.6	78	1	1	6	11	19	24	51
2. MULTIPLE DX										
A. Not Operated	1903	7.7	38	2	3	6	10	14	17	29
B. Operated	638	16.4	202	3	4	12	20	37	49	95
1. SINGLE DX	990	6.1	21	1	2	5	8	11	13	23
2. MULTIPLE DX	2541	9.9	93	2	3	7	11	19	28	57
A. Not Operated	2828	7.1	31	2	2	6	9	13	16	27
B. Operated	703	15.7	196	2	4	11	20	35	47	92
TOTAL										
0-19 YRS	1527	7.5	41	2	2	6	10	13	16	36
20-34	453	8.1	51	2	2	6	11	16	21	35
35-49	374	9.5	105	2	3	6	11	17	30	58
50-64	424	9.6	107	2	3	6	11	19	29	56
65 +	753	11.1	119	3	3	8	13	23	34	65
GRAND TOTAL	**3531**	**8.8**	**76**	**2**	**2**	**7**	**11**	**16**	**23**	**51**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3016	3.2	3	1	1	3	4	5	6	10
20-34	1100	3.4	4	1	1	3	4	6	8	11
35-49	261	3.8	6	1	1	3	5	7	9	12
50-64	42	4.5	6	2	2	4	6	8	9	12
65 +	15	6.3	53	1	2	4	7	10	26	31
B. Operated										
0-19 YRS	36	5.0	10	1	2	4	6	10	12	15
20-34	13	6.0	15	2	2	5	8	11	14	15
35-49	8	4.1	12	1	1	3	5	10	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1823	4.0	8	1	2	3	5	7	10	14
20-34	689	4.4	9	1	2	4	5	8	10	16
35-49	273	4.8	9	1	2	4	6	8	10	17
50-64	92	6.4	21	1	2	5	9	12	15	22
65 +	80	10.0	79	2	3	7	12	19	28	47
B. Operated										
0-19 YRS	45	9.4	123	3	3	6	11	15	23	74
20-34	35	11.0	79	3	3	7	15	24	32	38
35-49	24	11.1	63	3	3	8	16	22	52	99 +
50-64	13	12.8	81	4	5	10	18	27	33	35
65 +	14	21.1	211	6	7	16	28	40	56	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4434	3.3	4	1	1	3	4	5	7	10
B. Operated	58	5.1	11	1	2	4	6	10	12	15
2. MULTIPLE DX										
A. Not Operated	2957	4.4	11	1	2	4	5	8	10	17
B. Operated	131	11.7	114	3	4	8	15	24	35	79
1. SINGLE DX	4492	3.3	4	1	1	3	4	5	7	11
2. MULTIPLE DX	3088	4.7	18	1	2	4	5	9	11	22
A. Not Operated	7391	3.7	7	1	2	3	4	6	9	13
B. Operated	189	9.7	91	2	3	7	12	20	30	69
TOTAL										
0-19 YRS	4920	3.5	6	1	2	3	4	6	8	12
20-34	1837	3.9	9	1	2	3	5	7	9	15
35-49	566	4.6	12	1	2	4	6	8	11	19
50-64	148	6.4	26	2	2	5	8	12	16	25
65 +	109	10.9	107	2	3	8	14	25	31	54
GRAND TOTAL	**7580**	**3.9**	**10**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	535	3.6	7	1	1	3	4	7	8	14
20-34	207	4.2	6	1	1	4	6	8	9	12
35-49	70	4.5	6	1	1	4	6	8	10	10
50-64	110	5.2	14	1	1	4	7	9	10	23
65 +	179	4.9	9	1	2	4	6	9	10	15
B. Operated										
0-19 YRS	13	15.5	556	1	3	7	13	44	81	89
20-34	10	3.6	4	1	1	4	5	6	6	6
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	9	4.6	18	1	1	2	8	11	11	11
65 +	25	4.8	18	< 1	1	3	6	12	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1922	4.1	10	1	2	3	5	8	9	15
20-34	478	5.7	13	2	2	5	7	10	12	20
35-49	235	7.4	62	2	2	6	8	13	19	40
50-64	522	7.1	35	2	2	6	8	12	16	34
65 +	1869	7.9	44	2	3	6	10	14	19	37
B. Operated										
0-19 YRS	85	14.0	325	2	3	8	14	35	57	86
20-34	56	10.8	170	1	2	8	15	21	29	99 +
35-49	40	12.8	169	2	2	10	16	22	36	73
50-64	73	13.4	153	1	2	10	15	32	47	92
65 +	205	14.0	169	2	3	10	18	31	39	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1101	4.1	8	1	1	3	5	8	9	14
B. Operated	61	6.7	144	1	1	4	7	12	15	83
2. MULTIPLE DX										
A. Not Operated	5026	6.2	31	1	2	5	8	11	15	28
B. Operated	459	13.4	195	2	3	9	16	30	46	91
1. SINGLE DX	1162	4.3	16	1	1	3	5	8	10	15
2. MULTIPLE DX	5485	6.8	48	1	2	5	8	12	17	37
A. Not Operated	6127	5.8	27	1	2	5	7	11	14	26
B. Operated	520	12.6	193	1	2	8	15	29	41	90
TOTAL										
0-19 YRS	2555	4.4	26	1	1	3	5	8	10	18
20-34	751	5.6	25	1	2	5	7	10	12	24
35-49	349	7.3	67	2	2	6	8	14	19	44
50-64	714	7.4	48	2	2	6	8	13	18	40
65 +	2278	8.2	56	2	3	6	10	15	20	41
GRAND TOTAL	**6647**	**6.3**	**43**	**1**	**2**	**5**	**8**	**12**	**16**	**34**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	160	3.8	5	1	1	3	5	7	8	10
20-34	411	5.4	14	2	2	5	7	10	12	20
35-49	162	5.4	15	2	2	4	7	9	12	20
50-64	57	5.9	17	1	2	5	8	10	15	22
65 +	24	7.6	45	1	2	5	10	20	24	25
B. Operated										
0-19 YRS	8	3.6	11	1	1	2	5	9	11	11
20-34	22	3.6	18	1	1	2	5	9	14	18
35-49	11	4.6	32	1	1	1	8	14	18	18
50-64	17	3.5	12	< 1	1	2	5	8	11	13
65 +	6	2.7	10	1	1	1	3	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	185	4.3	8	1	2	4	5	7	9	15
20-34	646	5.9	15	2	2	5	7	11	14	21
35-49	320	6.4	23	2	2	5	8	11	14	25
50-64	198	7.1	31	2	3	6	9	13	18	29
65 +	191	8.2	61	2	3	7	10	14	17	67
B. Operated										
0-19 YRS	14	7.4	26	1	2	6	10	13	18	20
20-34	60	9.2	124	1	1	6	11	20	36	55
35-49	67	7.4	33	1	1	7	11	16	18	22
50-64	52	7.9	61	1	1	6	9	17	22	47
65 +	55	15.5	231	2	4	11	18	31	54	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	814	5.2	14	1	2	4	7	9	12	21
B. Operated	64	3.7	17	1	1	2	5	9	12	18
2. MULTIPLE DX										
A. Not Operated	1540	6.3	25	2	2	5	8	11	15	23
B. Operated	248	9.7	113	1	1	7	13	18	29	56
1. SINGLE DX	878	5.1	14	1	2	4	7	9	12	20
2. MULTIPLE DX	1788	6.7	38	1	2	5	8	13	16	31
A. Not Operated	2354	5.9	21	2	2	5	7	11	14	23
B. Operated	312	8.5	99	1	1	6	11	18	23	56
TOTAL										
0-19 YRS	367	4.2	8	1	1	4	6	7	9	14
20-34	1139	5.9	21	1	2	5	7	11	14	23
35-49	560	6.2	22	1	2	5	8	12	15	23
50-64	324	6.8	33	1	2	5	8	13	17	29
65 +	276	9.5	101	2	2	7	11	17	25	72
GRAND TOTAL	**2666**	**5.2**	**31**	**1**	**2**	**5**	**8**	**11**	**15**	**27**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	709	3.4	4	1	1	3	4	6	7	10
20-34	174	4.0	5	1	2	4	5	7	9	12
35-49	27	5.1	8	1	2	5	7	9	11	12
50-64	13	5.4	8	1	2	4	8	9	10	10
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	10	3.9	4	1	1	4	5	7	8	8
20-34	5	6.0	39	2	2	3	8	17	17	17
35-49	1	17.0		17	17	17	17	17	17	17
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1801	3.6	4	1	2	3	5	6	7	11
20-34	484	4.4	7	1	2	4	6	8	9	13
35-49	116	3.8	6	1	1	4	5	7	8	12
50-64	63	4.7	23	1	1	4	6	9	15	24
65 +	28	8.3	67	1	1	5	11	21	29	31
B. Operated										
0-19 YRS	59	6.4	22	2	2	6	8	11	13	30
20-34	38	8.8	57	2	2	6	11	17	26	38
35-49	15	8.2	69	2	2	5	9	23	30	32
50-64	10	10.8	27	2	4	11	16	17	17	17
65 +	9	7.0	17	2	2	8	9	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	924	3.6	4	1	2	3	4	6	8	11
B. Operated	16	5.4	24	1	2	4	6	16	17	17
2. MULTIPLE DX										
A. Not Operated	2492	3.9	6	1	2	3	5	7	8	13
B. Operated	131	7.7	38	2	2	6	9	15	18	33
1. SINGLE DX	940	3.6	5	1	2	3	4	6	8	12
2. MULTIPLE DX	2623	4.1	9	1	2	3	5	7	9	15
A. Not Operated	3416	3.8	6	1	2	3	5	7	8	12
B. Operated	147	7.4	37	2	2	6	9	15	17	32
TOTAL										
0-19 YRS	2579	3.6	5	1	2	3	5	6	8	11
20-34	701	4.6	11	1	2	4	6	8	10	17
35-49	159	4.5	15	1	1	4	6	8	10	22
50-64	86	5.5	24	1	1	4	7	12	17	23
65 +	38	7.9	54	1	1	6	10	19	26	31
GRAND TOTAL	**3563**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**8**	**13**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	90	1.6	2	< 1	< 1	< 1	1	3	5	9
20-34	316	1.5	1	< 1	< 1	1	2	3	3	7
35-49	104	1.4	1	< 1	< 1	1	1	2	3	7
50-64	26	1.2		< 1	< 1	1	1	2	2	2
65 +	11	2.1	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.3	7	1	1	2	4	8	9	9
20-34	10	2.7	16	< 1	< 1	1	2	8	14	14
35-49	3	5.7	6	3	3	6	7	8	8	8
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	42	3.2	18	< 1	< 1	1	3	10	13	20
20-34	176	2.2	3	< 1	< 1	1	3	4	6	10
35-49	110	2.6	7	< 1	< 1	2	3	5	6	16
50-64	42	2.5	2	< 1	1	2	3	4	5	5
65 +	21	4.0	10	1	1	3	6	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	6	1	1	2	4	7	7	7
B. Operated	547	1.5	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	22	3.3	11	< 1	< 1	2	4	8	11	14
B. Operated	391	2.5	6	< 1	< 1	2	3	5	7	14
1. SINGLE DX	552	1.5	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	413	2.6	6	< 1	< 1	2	3	5	8	14
A. Not Operated	27	3.2	10	< 1	< 1	2	4	8	10	14
B. Operated	938	1.9	4	< 1	< 1	1	2	4	5	11
TOTAL										
0-19 YRS	144	2.2	8	< 1	< 1	1	2	5	9	14
20-34	503	1.8	3	< 1	< 1	1	2	3	4	9
35-49	217	2.0	4	< 1	< 1	1	2	4	6	13
50-64	68	2.0	1	< 1	< 1	2	3	4	5	5
65 +	33	3.3	8	< 1	1	2	5	6	9	14
GRAND TOTAL	**965**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4649	2.8	3	1	1	3	3	4	5	8
20-34	688	3.0	5	1	1	3	4	6	7	12
35-49	309	4.2	38	1	1	3	5	8	11	17
50-64	131	3.8	14	1	1	3	4	8	11	23
65 +	99	3.9	9	1	1	3	5	9	11	13
B. Operated										
0-19 YRS	128	3.5	8	< 1	1	3	4	7	10	35
20-34	67	6.9	49	1	1	4	9	16	23	32
35-49	28	8.2	37	2	2	5	12	18	20	22
50-64	8	15.0	61	2	5	13	22	25	26	26
65 +	4	20.5	112	11	11	19	29	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6416	3.2	10	1	1	3	4	5	7	13
20-34	2076	5.5	49	1	1	3	6	11	18	39
35-49	1496	6.5	63	1	1	4	7	14	22	45
50-64	901	5.1	37	1	1	4	6	10	14	32
65 +	1389	5.4	26	1	2	4	6	10	13	26
B. Operated										
0-19 YRS	235	11.3	251	1	2	5	13	35	60	99 +
20-34	601	17.4	271	2	3	13	23	41	59	96
35-49	539	19.5	283	3	4	15	25	43	59	99 +
50-64	178	17.0	217	3	4	14	22	35	43	82
65 +	118	15.4	169	3	4	11	21	33	43	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5876	2.9	6	1	1	3	4	5	6	11
B. Operated	235	5.7	36	1	1	3	7	13	21	32
2. MULTIPLE DX										
A. Not Operated	12278	4.4	28	1	1	3	5	8	12	28
B. Operated	1671	17.0	265	2	3	12	23	40	56	99 +
1. SINGLE DX	6111	3.0	7	1	1	3	4	5	6	12
2. MULTIPLE DX	13949	5.9	74	1	1	3	6	13	21	50
A. Not Operated	18154	3.9	22	1	1	3	4	7	10	24
B. Operated	1906	15.6	251	2	2	11	22	37	54	99 +
TOTAL										
0-19 YRS	11428	3.2	14	1	1	3	4	5	6	14
20-34	3432	7.1	102	1	1	4	7	18	26	62
35-49	2372	9.2	142	1	2	5	11	23	34	72
50-64	1218	6.8	80	1	2	4	7	15	22	49
65 +	1610	6.0	44	1	2	4	7	11	16	34
GRAND TOTAL	**20060**	**5.0**	**55**	**1**	**1**	**3**	**5**	**10**	**17**	**43**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	4.6	12	1	2	4	6	10	12	15
20-34	95	4.1	8	1	1	3	5	8	10	14
35-49	63	4.1	11	1	1	3	6	8	10	17
50-64	24	5.3	12	2	2	4	7	10	12	15
65 +	18	5.8	53	1	1	3	6	15	26	30
B. Operated										
0-19 YRS	7	6.1	21	1	2	4	9	13	14	14
20-34	3	7.0	7	5	5	6	9	10	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	5.2	25	1	1	4	6	11	13	29
20-34	82	5.1	10	2	2	4	6	11	11	15
35-49	75	5.5	21	1	2	4	7	12	14	23
50-64	64	5.8	15	1	1	5	7	10	12	21
65 +	67	7.7	28	2	2	6	10	15	17	27
B. Operated										
0-19 YRS	6	8.5	16	3	3	8	12	14	14	14
20-34	9	8.4	66	1	2	5	9	23	27	27
35-49	5	7.0	21	4	4	5	8	15	15	15
50-64	8	16.5	61	6	7	16	21	28	30	30
65 +	9	18.6	92	3	5	19	24	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	309	4.5	13	1	1	3	6	9	11	16
B. Operated	14	5.9	12	1	3	5	7	11	13	14
2. MULTIPLE DX										
A. Not Operated	383	5.8	20	1	2	5	7	11	14	23
B. Operated	37	12.5	75	3	3	9	17	27	29	34
1. SINGLE DX	323	4.6	13	1	1	4	6	9	11	16
2. MULTIPLE DX	420	6.4	29	1	2	5	8	13	16	27
A. Not Operated	692	5.2	17	1	2	4	7	11	14	21
B. Operated	51	10.7	66	3	3	7	15	24	28	34
TOTAL										
0-19 YRS	217	5.0	18	1	2	4	6	11	14	16
20-34	189	4.8	12	1	2	4	6	10	11	16
35-49	144	5.0	17	1	1	4	6	10	13	22
50-64	97	6.5	27	1	2	5	9	13	16	28
65 +	96	8.3	49	2	2	6	11	18	24	32
GRAND TOTAL	**743**	**5.6**	**23**	**1**	**2**	**4**	**7**	**11**	**14**	**25**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	229	5.4	9	2	2	5	7	10	11	16
20-34	320	4.5	7	2	2	4	5	7	9	13
35-49	38	6.2	24	1	2	5	7	12	17	24
50-64	9	4.9	13	1	1	4	7	11	12	12
65 +	13	5.5	16	1	1	4	10	10	11	11
B. Operated										
0-19 YRS	20	4.8	17	< 1	1	4	7	11	14	15
20-34	46	3.3	7	< 1	< 1	2	5	7	8	12
35-49	14	4.2	57	< 1	< 1	2	4	8	25	30
50-64	4	7.0	25	2	2	6	11	13	13	13
65 +	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	271	6.2	24	2	2	5	8	11	14	23
20-34	364	5.4	28	2	2	4	6	9	12	28
35-49	93	6.8	24	1	2	6	10	13	16	24
50-64	45	8.9	46	1	2	8	10	21	24	32
65 +	73	8.4	33	1	2	7	11	18	21	83
B. Operated										
0-19 YRS	39	8.5	72	< 1	1	6	10	18	31	38
20-34	82	6.2	32	< 1	1	5	9	14	19	77
35-49	52	8.9	198	1	1	5	9	21	23	97
50-64	27	6.6	41	1	1	5	7	18	21	25
65 +	44	14.9	438	1	2	8	17	32	92	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	609	4.9	9	2	2	4	6	9	10	16
B. Operated	88	3.9	18	< 1	< 1	3	5	8	12	24
2. MULTIPLE DX										
A. Not Operated	846	6.2	29	2	2	5	8	11	15	26
B. Operated	244	8.8	155	1	1	6	10	19	26	99
1. SINGLE DX	697	4.8	11	1	2	4	6	9	10	16
2. MULTIPLE DX	1090	6.8	58	1	2	5	8	13	18	36
A. Not Operated	1455	5.7	21	2	2	5	7	10	13	23
B. Operated	332	7.5	123	< 1	1	5	8	16	23	95
TOTAL										
0-19 YRS	559	6.0	22	1	2	5	7	11	13	24
20-34	812	5.0	20	1	2	4	6	9	11	23
35-49	197	7.1	73	1	1	5	9	14	21	28
50-64	85	7.6	41	1	1	6	10	18	22	30
65 +	134	10.1	174	1	1	7	11	20	29	99 +
GRAND TOTAL	**1787**	**6.0**	**40**	**1**	**2**	**5**	**7**	**11**	**15**	**30**

1,228 Hospitals, United States, January-December 1987

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	4.4	12	1	1	3	5	10	12	14
20-34	23	4.3	6	1	1	4	6	8	9	10
35-49	17	5.3	13	1	1	5	7	10	13	14
50-64	5	7.2	45	1	1	3	14	15	15	15
65 +	10	3.9	4	< 1	1	4	5	7	8	8
B. Operated										
0-19 YRS	14	8.9	72	2	2	6	10	18	31	35
20-34	25	11.4	271	1	2	8	13	22	39	84
35-49	34	9.2	133	1	2	5	10	22	40	50
50-64	31	7.7	142	1	1	6	7	12	20	68
65 +	18	8.2	26	1	2	7	10	14	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	140	5.3	38	< 1	1	3	6	12	15	41
20-34	140	10.9	129	1	2	7	13	27	40	48
35-49	143	10.0	115	2	3	7	11	23	29	85
50-64	118	10.1	86	2	3	7	12	19	27	52
65 +	300	9.9	58	3	3	8	12	18	23	46
B. Operated										
0-19 YRS	39	23.6	397	3	4	18	28	51	66	87
20-34	149	20.4	278	4	5	15	27	43	57	77
35-49	146	19.0	307	2	3	14	29	50	75	99 +
50-64	170	16.3	251	2	4	11	21	42	58	99 +
65 +	226	17.9	251	2	4	12	23	42	56	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	4.6	11	1	1	4	6	10	12	15
B. Operated	122	9.1	138	1	1	6	10	16	28	72
2. MULTIPLE DX										
A. Not Operated	841	9.3	83	1	2	7	12	18	27	48
B. Operated	730	18.6	277	2	4	13	25	45	58	99 +
1. SINGLE DX	218	7.1	87	1	1	5	8	14	19	56
2. MULTIPLE DX	1571	13.6	194	2	3	9	17	32	47	84
A. Not Operated	937	8.9	78	1	2	6	11	18	26	47
B. Operated	852	17.2	268	2	3	12	23	43	57	99
TOTAL										
0-19 YRS	234	8.4	141	1	1	4	10	18	34	57
20-34	337	14.7	224	1	2	10	18	37	46	77
35-49	340	13.5	217	1	2	9	17	37	50	99 +
50-64	324	13.1	188	2	3	8	16	32	45	88
65 +	554	13.0	152	2	4	9	16	26	41	68
GRAND TOTAL	**1789**	**12.8**	**186**	**1**	**2**	**8**	**16**	**30**	**45**	**83**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.1	5	1	1	3	5	7	7	7
20-34	12	3.8	7	< 1	1	3	5	7	10	11
35-49	4	4.5	10	1	1	4	7	8	8	8
50-64	4	5.5	10	2	2	5	8	9	9	9
65 +	2	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	17	5.4	59	2	2	3	4	6	25	35
20-34	14	6.6	22	1	2	5	10	13	15	16
35-49	6	4.5	17	< 1	< 1	4	5	11	12	12
50-64	3	17.0	364	5	5	7	31	39	39	39
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.6	8	< 1	1	3	4	6	9	14
20-34	23	5.1	8	1	2	4	7	9	11	12
35-49	17	7.5	46	1	1	6	9	18	25	27
50-64	13	7.0	37	< 1	2	5	8	17	22	23
65 +	10	8.4	8	4	4	9	11	11	11	11
B. Operated										
0-19 YRS	17	7.6	172	1	2	3	7	12	42	57
20-34	7	9.7	85	2	2	5	17	24	25	25
35-49	9	11.3	45	4	4	9	14	22	26	26
50-64	9	27.0	622	3	4	19	59	87	99 +	99 +
65 +	10	24.2	130	6	8	26	32	38	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.3	8	1	1	3	6	9	9	11
B. Operated	40	6.6	62	1	2	4	6	13	25	39
2. MULTIPLE DX										
A. Not Operated	88	5.8	22	1	1	4	8	11	14	25
B. Operated	52	15.1	258	2	2	9	21	37	59	99
1. SINGLE DX	70	5.6	40	1	1	4	6	10	13	38
2. MULTIPLE DX	140	9.3	129	1	2	5	10	22	34	77
A. Not Operated	118	5.4	19	1	1	4	7	10	12	24
B. Operated	92	11.4	189	2	2	5	14	33	39	89
TOTAL										
0-19 YRS	67	5.0	63	1	1	3	5	7	13	53
20-34	56	5.8	22	1	2	4	8	12	15	25
35-49	36	7.6	41	< 1	1	6	10	17	24	27
50-64	29	14.0	309	2	2	7	17	49	75	99 +
65 +	22	15.6	123	4	5	10	21	33	38	39
GRAND TOTAL	**210**	**8.0**	**102**	**1**	**2**	**5**	**9**	**18**	**31**	**65**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	4.7	41	1	1	3	4	9	20	32
20-34	54	5.2	94	1	1	3	5	7	10	70
35-49	33	6.0	31	1	1	4	7	12	13	29
50-64	10	4.7	6	< 1	1	5	6	8	9	9
65 +	5	6.8	26	< 1	< 1	8	10	14	14	14
B. Operated										
0-19 YRS	7	15.4	385	1	1	6	25	49	54	54
20-34	157	4.4	20	< 1	1	3	6	10	13	21
35-49	141	4.5	19	< 1	1	2	7	11	15	18
50-64	56	4.9	31	< 1	1	3	7	12	18	28
65 +	10	5.0	10	< 1	< 1	5	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	5.6	30	1	2	4	7	12	14	30
20-34	353	9.4	69	1	2	7	13	20	23	48
35-49	440	10.8	82	2	3	8	15	23	26	43
50-64	156	10.1	77	2	3	8	13	21	24	51
65 +	138	10.4	100	3	3	8	12	20	26	61
B. Operated										
0-19 YRS	33	19.9	471	3	4	13	25	77	98	99 +
20-34	703	15.3	143	2	2	13	21	29	39	90
35-49	749	15.7	160	1	3	14	22	31	40	81
50-64	244	15.8	200	1	2	13	21	34	42	73
65 +	105	13.1	140	2	3	10	17	25	32	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	5.3	55	1	1	3	5	10	13	35
B. Operated	371	4.7	29	< 1	1	3	7	11	14	23
2. MULTIPLE DX										
A. Not Operated	1208	9.7	76	2	2	7	13	21	25	48
B. Operated	1834	15.5	163	2	2	13	21	30	40	88
1. SINGLE DX	514	4.9	36	1	1	3	6	11	14	29
2. MULTIPLE DX	3042	13.2	137	2	2	10	18	26	36	67
A. Not Operated	1351	9.3	76	1	2	7	12	20	24	48
B. Operated	2205	13.7	157	1	2	11	20	28	38	76
TOTAL										
0-19 YRS	202	8.1	143	1	2	4	8	17	31	95
20-34	1267	11.9	122	1	2	9	17	24	33	62
35-49	1363	12.7	131	1	2	10	18	26	35	64
50-64	466	12.3	149	1	2	9	17	25	35	62
65 +	258	11.2	114	2	3	8	14	23	28	61
GRAND TOTAL	**3556**	**12.0**	**131**	**1**	**2**	**9**	**17**	**25**	**34**	**64**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	0									
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	10.8	144	1	1	6	17	31	31	31
50-64	3	5.3	17	2	2	4	8	10	10	10
65 +	6	6.7	34	2	2	4	13	15	15	15
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	3	13.3	236	3	3	6	25	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0		3	3	3	3	3	3	3
B. Operated	6	7.7	27	2	2	7	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	18	7.0	53	1	2	4	10	14	25	31
B. Operated	8	6.8	100	1	1	3	6	24	31	31
1. SINGLE DX	8	6.5	24	2	2	4	12	13	13	13
2. MULTIPLE DX	26	6.9	64	1	1	4	6	15	31	31
A. Not Operated	20	6.6	49	1	2	4	8	14	23	31
B. Operated	14	7.1	64	1	1	4	11	15	27	31
TOTAL										
0-19 YRS	7	5.7	21	1	1	3	10	13	13	13
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	9	7.4	88	1	1	4	7	23	31	31
50-64	6	6.0	22	1	1	5	10	13	13	13
65 +	10	8.3	85	2	2	4	13	23	31	31
GRAND TOTAL	**34**	**6.8**	**54**	**1**	**2**	**4**	**10**	**13**	**28**	**31**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	16	4.1	7	1	1	4	6	8	8	8
50-64	32	4.4	9	< 1	1	4	6	8	9	12
65 +	23	6.0	74	< 1	1	4	6	12	31	36
B. Operated										
0-19 YRS	15	5.3	18	< 1	< 1	4	8	12	14	15
20-34	57	3.4	20	1	1	2	3	7	12	28
35-49	162	4.7	32	1	1	3	6	11	17	35
50-64	366	4.7	36	< 1	1	3	6	10	15	26
65 +	390	4.2	18	1	1	3	5	10	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	8.2	66	< 1	1	6	9	20	31	32
20-34	9	3.3	6	1	1	2	5	7	7	7
35-49	68	6.4	41	1	1	5	7	14	19	31
50-64	204	8.4	120	1	2	6	9	17	23	66
65 +	213	8.2	92	1	2	5	9	18	25	54
B. Operated										
0-19 YRS	31	11.1	233	1	1	6	13	30	73	99 +
20-34	33	8.8	121	1	1	5	10	32	36	41
35-49	339	12.5	152	1	2	9	16	28	36	65
50-64	1027	12.1	167	1	1	8	16	28	37	79
65 +	1392	11.0	159	1	2	7	15	26	37	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	4.8	29	< 1	1	4	6	8	9	34
B. Operated	990	4.5	27	1	1	3	6	10	14	27
2. MULTIPLE DX										
A. Not Operated	521	8.0	94	1	1	5	9	17	24	60
B. Operated	2822	11.6	162	1	1	8	15	27	37	79
1. SINGLE DX	1064	4.5	27	1	1	3	6	9	14	28
2. MULTIPLE DX	3343	11.0	153	1	1	7	14	26	35	74
A. Not Operated	595	7.6	87	1	1	5	8	16	23	58
B. Operated	3812	9.7	136	1	1	6	13	23	32	69
TOTAL										
0-19 YRS	74	8.8	128	< 1	1	5	11	23	32	94
20-34	101	5.2	57	1	1	2	5	12	23	38
35-49	585	9.4	115	1	1	6	13	23	31	61
50-64	1629	9.8	138	1	1	6	13	23	31	65
65 +	2018	9.4	131	1	1	5	12	22	31	70
GRAND TOTAL	**4407**	**9.4**	**130**	**1**	**1**	**6**	**12**	**22**	**31**	**65**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	11	5.3	10	1	2	4	8	10	10	10
50-64	19	5.8	27	< 1	1	6	6	15	19	19
65 +	17	7.6	74	1	2	5	7	23	31	33
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	15	8.5	47	< 1	1	9	12	17	22	24
50-64	56	9.5	90	1	1	8	12	16	33	48
65 +	79	7.7	41	< 1	1	6	12	17	19	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	18	12.3	87	2	2	9	23	27	28	28
50-64	148	9.4	93	1	2	7	11	17	24	49
65 +	217	7.5	42	1	2	5	10	15	22	32
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	93	18.7	171	2	5	16	24	34	40	70
50-64	451	17.8	238	2	4	13	24	39	56	88
65 +	720	15.7	198	2	3	12	21	33	46	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	6.3	40	1	1	5	7	10	20	33
B. Operated	150	8.5	60	1	1	7	12	17	19	40
2. MULTIPLE DX										
A. Not Operated	383	8.4	65	1	2	6	10	17	24	43
B. Operated	1267	16.7	211	2	3	13	22	34	49	80
1. SINGLE DX	197	8.0	56	1	1	6	11	16	19	40
2. MULTIPLE DX	1650	14.8	189	2	3	11	19	31	44	71
A. Not Operated	430	8.2	63	1	2	6	10	17	24	38
B. Operated	1417	15.8	201	2	3	12	21	33	46	73
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	137	15.7	155	2	3	13	22	29	38	68
50-64	674	14.9	205	1	2	11	19	33	46	72
65 +	1033	13.3	165	1	2	10	17	29	39	64
GRAND TOTAL	**1847**	**14.0**	**179**	**1**	**2**	**10**	**18**	**30**	**42**	**69**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	5.3	6	3	3	5	7	8	8	8
50-64	7	5.3	44	1	1	3	5	17	20	20
65 +	8	4.1	10	2	2	3	5	9	11	11
B. Operated										
0-19 YRS	0									
20-34	5	10.6	23	6	6	10	13	18	18	18
35-49	28	9.6	24	1	3	9	14	17	17	18
50-64	76	11.1	34	3	4	10	14	19	23	82
65 +	108	12.6	72	2	4	11	15	21	31	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	6.4	8	4	4	6	8	11	11	11
35-49	47	7.4	56	1	2	5	8	14	27	34
50-64	134	7.9	53	1	2	7	10	17	21	37
65 +	338	8.8	66	1	2	7	11	18	24	47
B. Operated										
0-19 YRS	4	18.3	134	9	9	16	27	33	33	33
20-34	36	13.6	50	5	7	12	16	23	27	41
35-49	202	15.4	122	4	6	12	19	30	37	71
50-64	755	15.7	116	4	7	13	19	29	38	62
65 +	2028	16.7	139	4	7	14	21	30	39	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.5	19	1	1	3	5	9	15	20
B. Operated	217	11.6	52	2	4	10	14	20	23	47
2. MULTIPLE DX										
A. Not Operated	525	8.4	62	1	2	7	10	18	23	44
B. Operated	3025	16.3	132	4	7	13	20	30	39	66
1. SINGLE DX	237	11.0	53	2	3	10	14	19	22	44
2. MULTIPLE DX	3550	15.2	129	3	5	12	19	29	37	64
A. Not Operated	545	8.3	60	1	2	6	10	17	22	43
B. Operated	3242	16.0	128	4	6	13	20	30	38	65
TOTAL										
0-19 YRS	6	13.7	136	1	2	9	22	32	33	33
20-34	47	12.3	48	4	5	11	16	20	24	41
35-49	280	13.4	110	2	4	10	17	27	34	68
50-64	972	14.2	109	3	4	11	18	28	35	61
65 +	2482	15.4	134	3	5	13	19	29	37	65
GRAND TOTAL	**3787**	**14.9**	**125**	**3**	**5**	**12**	**19**	**28**	**36**	**64**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	4.0	5	< 1	< 1	4	5	6	6	6
50-64	7	8.0	14	2	3	8	11	13	13	13
65 +	9	10.9	68	< 1	3	9	11	24	31	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	5.0	10	2	2	4	7	10	10	10
50-64	18	9.5	64	1	1	8	14	17	27	34
65 +	42	8.1	22	3	4	7	9	15	17	27
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	12	16.1	108	6	7	13	20	33	40	41
35-49	53	14.6	157	5	5	11	17	28	36	77
50-64	143	16.5	136	6	7	14	20	29	38	59
65 +	288	18.2	156	7	8	15	22	34	48	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	22	8.3	38	< 1	1	8	9	13	21	31
2. MULTIPLE DX										
A. Not Operated	67	8.1	32	2	3	7	10	16	17	33
B. Operated	497	17.3	149	6	7	14	20	32	42	70
1. SINGLE DX	23	8.1	37	< 1	2	8	9	13	20	31
2. MULTIPLE DX	564	16.2	144	4	6	13	19	29	40	68
A. Not Operated	68	8.1	32	2	3	7	10	16	17	33
B. Operated	519	16.9	148	5	7	14	20	31	41	70
TOTAL										
0-19 YRS	2	10.5	61	5	5	10	16	16	16	16
20-34	13	15.5	104	6	7	11	20	31	39	41
35-49	64	12.9	145	2	4	9	14	27	35	73
50-64	168	15.4	130	5	6	13	19	28	37	57
65 +	340	16.7	149	4	7	14	20	32	44	69
GRAND TOTAL	**587**	**15.9**	**142**	**4**	**6**	**13**	**19**	**29**	**40**	**67**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	4.2	1	3	3	4	5	5	5	5
50-64	20	5.1	14	< 1	1	4	9	11	11	11
65 +	27	4.7	37	< 1	1	3	5	12	20	28
B. Operated										
0-19 YRS	4	7.5	12	3	3	8	10	11	11	11
20-34	33	7.4	9	2	3	7	10	12	12	13
35-49	155	8.6	11	5	6	8	10	12	13	18
50-64	600	9.2	16	5	6	8	10	13	16	23
65 +	975	9.9	21	5	6	9	11	14	18	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.7	37	1	1	9	12	13	13	13
20-34	9	7.3	101	1	1	3	9	25	29	29
35-49	58	7.0	35	1	2	5	8	17	18	29
50-64	267	6.9	34	1	2	6	8	14	20	31
65 +	906	8.3	63	1	2	6	10	17	23	42
B. Operated										
0-19 YRS	7	12.4	31	3	4	11	18	18	18	18
20-34	123	10.8	28	3	5	10	13	19	22	25
35-49	672	12.1	57	5	6	10	14	20	26	46
50-64	3583	12.4	59	6	7	10	14	20	27	46
65 +	11969	14.6	88	7	7	12	17	25	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	4.8	24	1	1	3	5	11	13	28
B. Operated	1767	9.5	18	5	6	9	11	14	16	23
2. MULTIPLE DX										
A. Not Operated	1243	7.9	56	1	2	6	10	17	22	38
B. Operated	16354	13.9	81	6	7	11	16	24	31	54
1. SINGLE DX	1819	9.4	19	4	6	9	11	14	16	23
2. MULTIPLE DX	17597	13.5	82	5	7	11	16	23	30	52
A. Not Operated	1295	7.8	55	1	2	6	10	16	21	37
B. Operated	18121	13.5	77	6	7	11	16	23	30	51
TOTAL										
0-19 YRS	14	10.0	29	1	3	10	13	18	18	18
20-34	165	9.9	30	2	3	9	13	18	22	27
35-49	890	11.1	50	4	5	9	13	18	23	42
50-64	4470	11.6	54	5	6	10	13	19	25	43
65 +	13877	13.8	85	5	7	11	16	24	31	53
GRAND TOTAL	**19416**	**13.1**	**77**	**5**	**6**	**11**	**15**	**22**	**29**	**51**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	6.5	46	3	3	4	6	18	23	23
50-64	29	4.5	9	1	1	4	6	10	10	11
65 +	28	3.7	9	< 1	< 1	2	6	8	9	13
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	21	9.8	32	1	2	9	12	19	22	23
35-49	143	8.3	21	1	2	8	10	13	15	25
50-64	417	8.6	20	1	2	9	11	14	16	23
65 +	582	9.5	36	1	2	9	12	15	19	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	11	6.6	8	2	2	6	9	10	10	10
35-49	48	5.5	28	1	1	4	7	12	16	29
50-64	176	8.0	56	1	2	6	11	16	25	38
65 +	445	8.2	75	1	2	6	10	16	28	45
B. Operated										
0-19 YRS	9	14.0	83	5	6	12	16	29	35	35
20-34	54	14.8	176	2	3	11	17	29	46	69
35-49	375	11.5	53	3	5	10	14	18	23	43
50-64	1750	13.1	76	3	6	11	15	22	28	55
65 +	4699	14.8	112	3	6	12	18	26	35	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	4.3	14	1	1	3	6	9	10	21
B. Operated	1164	9.0	29	1	2	9	11	15	18	24
2. MULTIPLE DX										
A. Not Operated	682	7.9	66	1	2	5	10	16	26	43
B. Operated	6887	14.2	101	3	6	12	17	25	33	61
1. SINGLE DX	1230	8.8	29	1	2	9	11	14	17	24
2. MULTIPLE DX	7569	13.6	101	3	4	11	16	24	32	59
A. Not Operated	748	7.6	62	1	2	5	9	15	25	43
B. Operated	8051	13.4	94	3	5	11	16	23	31	57
TOTAL										
0-19 YRS	12	12.3	70	5	6	9	14	24	33	35
20-34	87	12.4	128	2	2	9	14	23	33	65
35-49	574	10.1	47	2	3	9	12	16	21	37
50-64	2372	11.9	69	2	4	10	14	20	25	49
65 +	5754	13.7	106	2	4	11	16	25	33	59
GRAND TOTAL	**8799**	**13.0**	**94**	**2**	**4**	**11**	**15**	**23**	**31**	**55**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.4	3	< 1	1	2	3	4	6	7
20-34	7	2.7	3	1	1	2	4	5	5	5
35-49	5	4.6	25	< 1	< 1	3	7	13	13	13
50-64	23	4.0	9	< 1	1	3	6	9	10	11
65 +	19	7.0	36	1	1	6	10	14	19	23
B. Operated										
0-19 YRS	47	8.9	47	2	3	7	11	16	22	41
20-34	16	7.0	13	1	2	7	9	10	14	16
35-49	39	9.8	74	1	2	8	11	18	26	47
50-64	71	8.0	26	1	1	7	12	14	19	23
65 +	96	8.1	37	1	1	7	11	16	19	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	6.0	37	< 1	1	5	7	13	18	33
20-34	19	8.9	82	1	1	5	13	25	27	27
35-49	52	6.4	22	1	2	5	9	13	15	22
50-64	112	8.2	51	2	2	6	11	17	21	39
65 +	288	8.9	73	1	2	7	11	18	24	35
B. Operated										
0-19 YRS	63	16.9	180	5	6	12	22	40	59	99 +
20-34	56	13.0	107	2	5	10	16	24	39	49
35-49	166	15.7	202	2	4	12	19	32	41	92
50-64	481	13.8	115	2	3	11	18	27	32	51
65 +	1265	16.0	142	3	5	13	20	31	39	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	4.4	18	1	1	3	6	10	13	21
B. Operated	269	8.4	40	1	1	7	11	16	19	30
2. MULTIPLE DX										
A. Not Operated	522	8.2	61	1	2	6	11	17	22	33
B. Operated	2031	15.4	142	3	5	12	19	30	38	71
1. SINGLE DX	339	7.6	38	1	1	7	10	14	18	29
2. MULTIPLE DX	2553	13.9	133	2	3	11	18	28	36	63
A. Not Operated	592	7.8	57	1	2	6	10	16	21	33
B. Operated	2300	14.6	135	2	4	12	18	29	37	64
TOTAL										
0-19 YRS	177	10.3	113	1	2	7	13	24	34	91
20-34	98	10.5	89	1	2	8	13	21	28	48
35-49	262	12.7	159	2	2	10	16	27	37	83
50-64	687	11.9	100	1	3	9	16	25	31	48
65 +	1668	14.2	133	2	4	11	18	28	36	59
GRAND TOTAL	**2892**	**13.2**	**126**	**2**	**3**	**10**	**17**	**27**	**34**	**58**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	30	4.0	6	< 1	1	3	6	7	9	11
65 +	30	5.5	23	< 1	1	4	6	14	15	20
B. Operated										
0-19 YRS	3	5.3	9	2	2	6	7	8	8	8
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	17	4.5	16	< 1	< 1	3	7	10	13	14
50-64	67	9.5	53	1	1	9	14	18	25	29
65 +	75	10.5	76	1	2	9	15	23	24	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.7	8	5	5	5	9	10	10	10
20-34	11	6.0	47	2	2	3	6	15	25	26
35-49	55	5.0	14	1	1	4	7	10	12	18
50-64	258	7.4	42	1	2	5	9	16	20	32
65 +	609	7.9	34	2	2	6	10	16	19	27
B. Operated										
0-19 YRS	3	8.3	42	2	2	8	13	15	15	15
20-34	23	13.3	69	2	4	12	18	23	31	36
35-49	165	15.0	114	3	4	13	20	29	35	55
50-64	865	16.5	150	3	5	14	21	30	40	70
65 +	1998	16.5	128	3	5	14	21	31	40	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	4.7	14	< 1	1	4	6	9	14	19
B. Operated	164	9.4	61	1	1	8	13	21	24	32
2. MULTIPLE DX										
A. Not Operated	936	7.5	35	1	2	6	10	16	19	27
B. Operated	3054	16.4	133	3	5	14	21	30	39	63
1. SINGLE DX	227	8.1	53	1	1	6	11	18	23	30
2. MULTIPLE DX	3990	14.3	124	2	3	12	19	28	36	57
A. Not Operated	999	7.4	34	1	2	6	9	16	19	27
B. Operated	3218	16.0	132	3	5	14	21	30	39	61
TOTAL										
0-19 YRS	9	6.8	17	2	2	6	9	13	15	15
20-34	37	10.9	67	2	3	8	16	21	28	36
35-49	239	11.9	105	1	2	9	15	27	32	51
50-64	1220	13.9	136	2	3	11	18	27	37	64
65 +	2712	14.3	118	2	3	12	19	27	36	56
GRAND TOTAL	**4217**	**14.0**	**122**	**2**	**3**	**11**	**18**	**27**	**36**	**56**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	37	2.4	2	< 1	1	2	3	5	6	7
50-64	148	4.2	32	1	1	3	5	8	10	39
65 +	113	6.0	25	1	2	5	8	11	15	27
B. Operated										
0-19 YRS	8	8.3	6	5	5	8	10	12	12	12
20-34	16	3.7	7	< 1	< 1	4	5	6	9	10
35-49	219	7.4	34	1	1	7	9	12	16	32
50-64	852	7.1	23	1	1	7	9	12	16	24
65 +	727	7.2	33	< 1	1	7	10	13	17	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.3	13	1	1	3	5	10	13	14
20-34	28	5.8	42	1	1	5	7	10	15	35
35-49	410	7.2	52	1	2	5	9	15	21	42
50-64	2238	7.7	55	1	2	5	10	16	21	35
65 +	3239	8.5	60	2	2	6	11	17	22	39
B. Operated										
0-19 YRS	12	13.4	97	1	3	10	20	27	34	35
20-34	84	11.3	76	2	2	8	15	25	28	38
35-49	1139	10.6	81	2	2	9	13	20	27	55
50-64	6059	11.1	73	2	3	9	14	21	28	45
65 +	8848	12.3	92	2	3	10	15	23	30	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	301	4.6	27	1	1	3	6	9	12	29
B. Operated	1822	7.1	29	1	1	7	9	13	16	27
2. MULTIPLE DX										
A. Not Operated	5927	8.1	58	1	2	6	10	16	22	37
B. Operated	16142	11.7	84	2	3	10	15	22	29	50
1. SINGLE DX	2123	6.8	29	1	1	6	9	13	16	27
2. MULTIPLE DX	22069	10.7	80	2	3	9	14	21	27	47
A. Not Operated	6228	7.9	57	1	2	6	10	16	21	37
B. Operated	17964	11.3	81	2	3	9	14	21	28	48
TOTAL										
0-19 YRS	32	8.7	57	1	2	7	11	20	24	35
20-34	131	9.0	68	1	1	7	10	24	27	36
35-49	1805	9.3	71	1	2	8	11	18	24	46
50-64	9297	9.8	67	1	2	8	12	19	25	42
65 +	12927	11.0	84	2	3	9	14	21	28	48
GRAND TOTAL	**24192**	**10.4**	**77**	**1**	**2**	**8**	**13**	**20**	**27**	**46**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.3	2	2	2	5	5	6	6	6
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	11	3.4	7	< 1	< 1	2	6	7	8	8
50-64	21	3.0	9	< 1	< 1	1	5	6	9	13
65 +	20	2.4	6	< 1	< 1	1	3	6	8	9
B. Operated										
0-19 YRS	36	6.6	17	1	1	6	9	13	15	16
20-34	25	8.4	68	1	1	5	12	16	27	36
35-49	99	7.4	47	1	1	5	11	17	22	33
50-64	285	7.4	41	< 1	1	6	11	16	18	28
65 +	212	6.5	54	< 1	1	4	10	14	19	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	9.2	140	1	1	5	13	26	35	49
20-34	12	10.1	150	1	2	5	10	30	42	44
35-49	26	9.1	78	1	2	7	10	25	32	36
50-64	109	6.0	37	1	1	4	8	12	15	34
65 +	161	6.9	[illegible]	1	2	5	9	13	19	28
B. Operated										
0-19 YRS	33	10.2	70	2	3	9	14	20	26	41
20-34	35	11.1	133	3	3	8	15	17	35	63
35-49	169	11.9	94	1	2	10	14	23	29	49
50-64	724	12.6	106	1	2	11	17	24	34	57
65 +	1003	12.6	122	1	1	11	16	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	3.1	7	< 1	< 1	2	5	7	8	13
B. Operated	657	7.1	46	< 1	1	5	11	15	19	30
2. MULTIPLE DX										
A. Not Operated	331	7.1	48	1	1	5	9	14	21	38
B. Operated	1964	12.5	113	1	2	11	16	24	33	57
1. SINGLE DX	718	6.8	43	< 1	1	5	10	15	18	29
2. MULTIPLE DX	2295	11.7	107	1	2	10	15	24	31	52
A. Not Operated	392	6.4	44	1	1	5	8	13	19	34
B. Operated	2621	11.1	101	1	1	9	15	22	30	51
TOTAL										
0-19 YRS	99	8.3	64	1	1	6	11	16	24	45
20-34	74	9.9	109	1	3	7	12	18	34	58
35-49	305	9.9	80	1	1	8	13	19	29	46
50-64	1139	10.5	90	1	1	9	14	21	27	46
65 +	1396	10.8	107	1	1	9	14	22	30	51
GRAND TOTAL	**3013**	**10.5**	**96**	**1**	**1**	**9**	**14**	**22**	**29**	**49**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	128	3.5	7	1	1	3	4	7	8	15
20-34	24	2.5	4	< 1	1	2	3	4	8	9
35-49	8	5.1	15	2	2	3	8	11	12	12
50-64	12	12.1	278	< 1	< 1	5	13	39	54	57
65 +	9	5.4	17	2	2	5	8	57	99 +	99 +
B. Operated										
0-19 YRS	327	5.9	38	1	1	4	8	12	16	34
20-34	132	4.3	10	1	1	3	6	9	9	14
35-49	135	5.6	23	1	1	4	8	10	13	28
50-64	138	5.9	29	1	1	5	8	12	15	29
65 +	162	5.5	22	1	1	4	8	12	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	272	4.6	21	1	1	3	5	10	12	25
20-34	56	5.4	25	< 1	1	4	6	12	14	24
35-49	39	8.1	178	< 1	1	4	8	15	35	74
50-64	44	7.9	34	1	2	7	12	16	25	99 +
65 +	96	7.3	31	1	1	6	10	14	18	28
B. Operated										
0-19 YRS	201	10.2	73	2	3	8	12	20	31	49
20-34	121	9.6	103	1	2	7	11	21	33	52
35-49	113	12.9	207	1	2	9	15	26	45	77
50-64	236	11.7	158	1	2	8	14	26	39	74
65 +	445	11.1	117	1	2	8	14	24	33	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	4.1	28	1	1	3	5	8	10	49
B. Operated	894	5.5	27	1	1	4	8	11	14	26
2. MULTIPLE DX										
A. Not Operated	507	5.8	38	1	1	4	7	12	16	31
B. Operated	1116	11.1	126	1	2	8	14	24	34	61
1. SINGLE DX	1075	5.3	28	1	1	4	7	11	14	27
2. MULTIPLE DX	1623	9.4	104	1	2	6	12	20	30	58
A. Not Operated	688	5.3	36	1	1	4	6	11	15	32
B. Operated	2010	8.6	89	1	1	6	11	18	26	52
TOTAL										
0-19 YRS	928	6.1	41	1	1	4	8	12	18	35
20-34	333	6.3	52	1	1	4	8	12	19	38
35-49	295	8.7	124	1	1	6	10	17	27	66
50-64	430	9.4	113	1	2	7	12	21	32	63
65 +	712	9.2	88	1	2	7	12	20	28	53
GRAND TOTAL	**2698**	**7.8**	**78**	**1**	**1**	**5**	**10**	**16**	**24**	**48**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0		3	3	3	3	3	3	3
35-49	3	3.3	4	< 1	< 1	4	5	5	5	5
50-64	7	4.3	14	1	1	3	7	10	10	10
65 +	5	3.4	6	< 1	< 1	2	5	7	7	7
B. Operated										
0-19 YRS	9	3.0	6	1	1	2	5	7	7	7
20-34	135	3.7	8	1	1	3	5	7	10	14
35-49	244	3.1	6	< 1	1	2	4	6	8	11
50-64	256	3.7	8	< 1	1	3	5	7	10	14
65 +	219	3.7	10	< 1	1	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	14	7.9	80	< 1	1	4	12	26	27	27
35-49	28	7.6	42	2	2	6	9	15	22	31
50-64	35	7.4	51	< 1	1	5	9	18	21	35
65 +	36	7.4	40	1	2	6	10	15	19	32
B. Operated										
0-19 YRS	6	4.3	9	1	1	4	5	9	10	10
20-34	76	4.8	23	1	1	3	6	10	14	27
35-49	126	5.6	38	1	1	4	6	12	16	32
50-64	265	5.7	25	1	1	4	8	11	15	24
65 +	407	6.9	66	1	1	5	9	15	21	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.7	8	< 1	< 1	3	5	8	9	10
B. Operated	863	3.5	8	< 1	1	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	114	7.5	47	1	2	5	9	16	21	33
B. Operated	880	6.2	46	1	1	4	8	13	18	31
1. SINGLE DX	880	3.5	8	< 1	1	3	5	7	9	14
2. MULTIPLE DX	994	6.3	46	1	1	4	8	14	18	32
A. Not Operated	131	7.0	44	< 1	1	5	8	15	21	33
B. Operated	1743	4.9	29	1	1	3	6	10	14	23
TOTAL										
0-19 YRS	16	3.8	8	1	1	3	6	8	9	10
20-34	227	4.3	18	1	1	3	5	9	12	26
35-49	401	4.2	20	< 1	1	3	5	8	12	23
50-64	563	4.9	20	1	1	4	7	10	13	21
65 +	667	5.9	48	1	1	4	8	13	17	32
GRAND TOTAL	**1874**	**5.0**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.3	6	< 1	< 1	3	5	6	6	6
50-64	4	1.8	2	< 1	< 1	1	3	4	4	4
65 +	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	11	4.0	18	1	1	1	6	11	12	12
20-34	42	2.8	5	< 1	< 1	2	4	6	6	12
35-49	102	2.1	3	< 1	< 1	1	3	4	6	9
50-64	254	2.4	9	< 1	< 1	1	2	5	8	14
65 +	468	2.4	5	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	6.7	5	5	5	6	8	10	11	11
20-34	16	6.8	31	< 1	1	5	10	16	18	19
35-49	25	7.2	22	< 1	1	8	11	13	14	16
50-64	13	12.5	327	< 1	< 1	5	17	35	60	66
65 +	47	7.3	51	< 1	1	6	9	15	22	37
B. Operated										
0-19 YRS	12	7.5	46	1	1	5	12	16	22	23
20-34	43	8.3	80	< 1	1	5	11	20	22	50
35-49	129	6.1	81	< 1	1	2	7	14	26	48
50-64	284	5.0	48	< 1	< 1	2	6	13	19	30
65 +	1153	5.4	52	< 1	1	3	7	13	17	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.6	3	< 1	< 1	2	4	5	6	6
B. Operated	877	2.4	6	< 1	< 1	1	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	108	7.8	71	< 1	1	6	10	16	19	49
B. Operated	1621	5.5	54	< 1	1	3	7	13	19	43
1. SINGLE DX	887	2.4	6	< 1	< 1	1	3	5	7	12
2. MULTIPLE DX	1729	5.6	56	< 1	1	3	7	13	19	43
A. Not Operated	118	7.4	67	< 1	1	6	9	15	18	46
B. Operated	2498	4.4	40	< 1	< 1	2	5	10	15	35
TOTAL										
0-19 YRS	30	6.0	27	1	1	5	11	12	13	23
20-34	101	5.8	47	< 1	1	3	7	13	19	36
35-49	259	4.6	48	< 1	< 1	2	6	10	15	42
50-64	555	4.0	39	< 1	< 1	2	4	10	15	29
65 +	1671	4.6	41	< 1	1	2	6	10	15	37
GRAND TOTAL	**2616**	**4.5**	**41**	**< 1**	**< 1**	**2**	**5**	**11**	**15**	**35**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	2.4	2	< 1	< 1	2	3	4	5	5
35-49	25	3.3	2	1	1	3	5	5	6	6
50-64	36	4.9	99	< 1	1	3	4	7	13	61
65 +	43	5.2	20	1	1	4	7	8	14	24
B. Operated										
0-19 YRS	7	2.7	3	1	1	2	4	5	5	5
20-34	319	3.8	5	< 1	1	3	5	6	8	11
35-49	2452	3.7	4	1	1	3	5	6	7	10
50-64	3698	4.0	5	1	2	4	5	6	8	11
65 +	3655	4.3	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	9	< 1	< 1	1	4	7	7	7
20-34	36	8.7	93	< 1	1	5	10	21	34	40
35-49	196	6.7	40	< 1	1	5	9	15	19	30
50-64	348	7.4	48	1	1	5	10	17	21	32
65 +	400	8.1	89	1	1	5	9	17	27	59
B. Operated										
0-19 YRS	11	7.0	17	3	3	5	9	14	15	15
20-34	413	4.9	18	1	2	4	6	8	10	25
35-49	2931	4.7	11	1	2	4	6	8	10	16
50-64	5805	5.4	24	2	2	5	6	9	12	24
65 +	9992	6.1	23	2	2	5	7	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	4.5	40	< 1	1	3	5	7	9	38
B. Operated	10131	4.0	5	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	984	7.5	65	1	1	5	9	17	22	42
B. Operated	19152	5.7	22	2	2	5	7	9	12	24
1. SINGLE DX	10243	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX	20136	5.8	24	2	2	5	7	9	13	26
A. Not Operated	1096	7.2	63	< 1	1	5	9	16	21	42
B. Operated	29283	5.1	16	1	2	4	6	8	11	21
TOTAL										
0-19 YRS	22	4.8	15	< 1	1	4	7	10	14	15
20-34	776	4.6	17	1	2	4	5	7	10	22
35-49	5604	4.3	9	1	2	4	5	7	9	15
50-64	9887	5.0	18	1	2	4	6	8	10	21
65 +	14090	5.7	21	2	2	5	7	9	12	25
GRAND TOTAL	**30379**	**5.2**	**18**	**1**	**2**	**4**	**6**	**8**	**11**	**22**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	2.5	1	1	1	2	3	4	4	5
35-49	52	3.5	33	1	2	3	3	4	5	42
50-64	65	2.7	1	1	1	3	3	4	4	7
65 +	50	3.0	1	1	2	3	4	4	5	8
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	181	5.0	9	1	1	4	7	9	10	14
35-49	244	5.4	12	1	2	4	8	10	12	16
50-64	129	4.7	17	< 1	1	3	6	10	12	19
65 +	83	4.5	11	< 1	1	3	7	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	54	6.1	49	1	2	4	6	13	17	42
35-49	147	5.4	26	1	1	4	6	11	17	26
50-64	138	5.1	22	1	1	4	6	11	13	24
65 +	141	6.4	42	1	2	4	8	12	19	32
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	265	7.8	56	1	2	6	9	14	19	40
35-49	471	8.5	61	1	2	7	11	17	22	44
50-64	372	9.2	85	1	2	7	11	19	27	48
65 +	424	9.3	91	2	2	7	12	18	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	3.0	10	1	2	3	3	4	4	10
B. Operated	638	5.0	12	1	1	4	7	9	12	15
2. MULTIPLE DX										
A. Not Operated	480	5.7	32	1	1	4	7	11	17	29
B. Operated	1533	8.8	75	1	2	6	11	17	23	47
1. SINGLE DX	827	4.5	12	1	1	3	6	9	11	15
2. MULTIPLE DX	2013	8.0	66	1	2	6	10	16	22	44
A. Not Operated	669	4.9	27	1	1	3	5	10	13	28
B. Operated	2171	7.7	59	1	2	6	9	15	20	42
TOTAL										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	521	6.4	39	1	2	5	8	11	15	38
35-49	914	6.9	44	1	2	5	9	13	18	29
50-64	704	7.0	58	1	1	4	9	15	20	42
65 +	698	7.7	70	1	2	5	9	16	22	46
GRAND TOTAL	**2840**	**7.0**	**53**	**1**	**2**	**5**	**9**	**14**	**19**	**40**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	13	3.6	18	1	1	2	3	8	15	17
50-64	34	2.6	1	1	1	3	3	4	4	4
65 +	51	3.0	3	1	1	3	3	5	5	11
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	5.2	4	3	3	5	7	8	8	8
35-49	132	5.2	3	2	3	5	6	8	8	9
50-64	416	5.5	6	1	3	5	7	8	9	14
65 +	496	5.6	9	1	2	5	7	9	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	11.5	85	5	5	11	18	18	18	18
35-49	27	5.8	59	1	1	3	7	11	24	37
50-64	86	5.1	34	1	1	3	5	11	16	34
65 +	189	6.7	66	1	2	4	7	14	21	46
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	46	5.8	17	1	2	5	7	11	12	25
35-49	435	6.2	14	3	3	5	7	10	13	22
50-64	1533	6.9	28	3	4	6	8	11	14	28
65 +	2644	8.0	40	2	4	7	9	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.9	4	1	1	3	3	4	5	14
B. Operated	1058	5.5	7	1	3	5	7	8	9	14
2. MULTIPLE DX										
A. Not Operated	304	6.2	56	1	1	4	7	13	18	41
B. Operated	4659	7.5	34	2	4	6	8	12	16	33
1. SINGLE DX	1159	5.3	7	1	2	5	6	8	9	14
2. MULTIPLE DX	4963	7.4	35	2	3	6	8	12	16	35
A. Not Operated	405	5.4	45	1	1	3	5	11	16	40
B. Operated	5717	7.1	29	2	3	6	8	11	15	31
TOTAL										
0-19 YRS	5	3.4	13	< 1	< 1	< 1	6	9	9	9
20-34	61	5.9	16	1	3	5	7	10	12	24
35-49	607	5.9	14	2	3	5	7	9	12	22
50-64	2069	6.5	24	2	3	6	7	10	13	25
65 +	3380	7.5	37	2	3	6	8	13	17	35
GRAND TOTAL	**6122**	**7.0**	**31**	**2**	**3**	**6**	**8**	**11**	**15**	**31**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.8	4	1	1	4	5	5	5	5
20-34	12	3.3	2	1	1	4	4	5	5	5
35-49	22	2.2	3	< 1	< 1	2	3	5	6	6
50-64	50	2.8	24	1	1	2	2	4	10	31
65 +	16	1.9	2	< 1	< 1	2	2	3	5	6
B. Operated										
0-19 YRS	27	6.6	21	1	3	5	8	10	15	25
20-34	74	5.4	6	2	3	5	6	9	10	12
35-49	106	6.1	10	1	2	6	8	9	12	19
50-64	126	8.2	89	2	3	6	8	14	16	49
65 +	103	8.1	27	2	4	8	10	13	15	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.1	5	1	1	4	4	6	8	9
20-34	19	4.2	41	1	1	2	5	8	20	29
35-49	79	4.5	40	1	1	2	5	9	19	34
50-64	255	4.7	29	1	1	3	6	11	17	27
65 +	290	7.7	56	1	1	6	10	17	21	41
B. Operated										
0-19 YRS	33	8.5	30	3	4	8	9	15	19	31
20-34	142	7.2	21	3	3	6	9	13	17	26
35-49	508	9.3	50	4	4	7	10	16	22	43
50-64	1114	11.8	75	4	5	9	14	21	29	47
65 +	1351	14.3	111	5	6	11	17	26	35	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	2.6	13	< 1	1	2	3	5	6	23
B. Operated	436	7.1	38	2	3	6	8	11	14	26
2. MULTIPLE DX										
A. Not Operated	674	5.9	44	1	1	4	8	14	19	35
B. Operated	3148	12.3	88	4	5	10	15	23	30	54
1. SINGLE DX	540	6.2	36	1	1	5	8	11	14	26
2. MULTIPLE DX	3822	11.1	86	2	3	9	14	21	29	53
A. Not Operated	778	5.5	41	1	1	3	7	13	18	34
B. Operated	3584	11.6	85	4	5	9	14	22	29	53
TOTAL										
0-19 YRS	95	6.0	23	1	1	5	8	10	14	28
20-34	247	6.2	19	1	2	5	7	11	14	26
35-49	715	8.1	45	1	2	7	9	15	20	36
50-64	1545	10.1	76	1	2	8	13	19	26	45
65 +	1760	12.8	104	2	4	10	15	24	33	55
GRAND TOTAL	**4362**	**10.5**	**83**	**1**	**3**	**8**	**13**	**20**	**27**	**51**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	6	4.7	22	2	2	3	5	13	14	14
50-64	6	2.7	2	1	1	2	3	5	5	5
65 +	14	6.4	77	1	2	3	4	26	28	28
B. Operated										
0-19 YRS	6	6.0	22	3	3	4	7	14	15	15
20-34	9	5.7	24	1	1	4	8	14	14	14
35-49	25	5.0	16	< 1	< 1	4	7	11	13	14
50-64	37	4.5	13	< 1	1	3	6	10	12	16
65 +	91	6.2	22	1	1	4	9	14	15	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.0	2	2	2	4	5	5	5	5
20-34	9	4.2	3	2	2	4	5	7	7	7
35-49	17	5.5	53	< 1	< 1	3	7	16	24	28
50-64	30	4.0	16	1	1	3	5	9	10	19
65 +	63	8.4	78	1	1	4	11	22	28	36
B. Operated										
0-19 YRS	8	11.4	199	1	1	8	14	36	43	43
20-34	16	5.8	14	< 1	1	5	7	11	14	15
35-49	52	9.2	59	2	2	7	11	20	25	41
50-64	148	10.8	103	1	2	8	14	21	32	55
65 +	396	10.5	92	1	2	8	13	21	27	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	4.9	43	1	1	3	4	11	26	28
B. Operated	168	5.6	19	1	1	4	8	13	15	18
2. MULTIPLE DX										
A. Not Operated	124	6.4	54	1	1	4	8	18	24	36
B. Operated	620	10.4	91	1	2	8	13	21	27	53
1. SINGLE DX	197	5.5	23	1	1	4	7	13	15	23
2. MULTIPLE DX	744	9.7	87	1	2	7	12	20	26	50
A. Not Operated	153	6.2	52	1	1	4	7	17	25	36
B. Operated	788	9.3	80	1	2	7	12	19	24	50
TOTAL										
0-19 YRS	20	7.4	92	1	1	4	8	17	31	43
20-34	36	5.3	13	1	2	4	7	11	14	15
35-49	100	7.2	48	< 1	1	5	9	16	22	34
50-64	221	8.6	83	1	1	6	11	17	24	51
65 +	564	9.5	81	1	2	8	12	19	25	50
GRAND TOTAL	**941**	**8.8**	**77**	**1**	**1**	**7**	**11**	**18**	**24**	**47**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	13	4.1	5	1	1	5	6	6	7	7
65 +	36	6.1	45	< 1	1	4	7	12	23	31
B. Operated										
0-19 YRS	10	5.9	11	3	3	5	7	11	14	14
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	23	6.0	13	< 1	1	6	9	11	12	12
50-64	841	5.6	15	1	1	5	8	11	13	18
65 +	2354	4.8	12	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.9	30	1	1	4	10	14	15	15
20-34	1	16.0		16	16	16	16	16	16	16
35-49	8	7.6	68	1	2	5	8	22	27	27
50-64	194	6.4	23	1	2	5	8	13	16	25
65 +	1152	7.6	56	1	2	5	9	15	21	40
B. Operated										
0-19 YRS	17	9.2	43	1	2	8	12	20	21	22
20-34	5	12.0	167	3	3	6	18	34	34	34
35-49	51	8.5	177	1	1	5	10	16	22	92
50-64	2257	7.3	39	1	2	6	9	14	19	31
65 +	13317	7.0	39	1	2	5	8	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	5.5	34	< 1	1	4	6	11	12	31
B. Operated	3231	5.0	13	1	1	4	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	1362	7.4	51	1	2	5	9	15	20	39
B. Operated	15647	7.1	40	1	2	5	9	14	18	31
1. SINGLE DX	3281	5.0	13	1	1	4	7	10	12	16
2. MULTIPLE DX	17009	7.1	41	1	2	5	9	14	18	32
A. Not Operated	1412	7.3	51	1	2	5	9	15	20	39
B. Operated	18878	6.7	36	1	2	5	8	13	17	29
TOTAL										
0-19 YRS	35	7.5	31	1	2	6	10	15	20	22
20-34	9	9.4	110	1	1	6	14	27	34	34
35-49	82	7.7	120	1	1	5	10	14	22	72
50-64	3305	6.8	32	1	2	5	8	13	17	28
65 +	16859	6.7	37	1	2	5	8	13	17	31
GRAND TOTAL	**20290**	**6.7**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.3	1	3	3	4	5	5	5	5
20-34	15	3.7	7	1	1	4	5	8	9	9
35-49	6	3.5	3	1	1	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	60	3.0	8	< 1	1	2	4	8	9	13
20-34	334	2.8	6	1	1	2	3	7	9	11
35-49	167	2.4	5	1	1	2	3	4	8	12
50-64	47	2.9	7	1	1	2	3	6	8	13
65 +	39	3.4	8	< 1	1	2	5	7	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.9	5	1	1	5	5	6	8	8
20-34	40	6.2	26	< 1	1	5	7	11	19	24
35-49	9	6.2	4	3	4	6	8	9	9	9
50-64	4	4.8	9	1	1	5	7	8	8	8
65 +	11	8.4	210	1	1	3	7	30	48	50
B. Operated										
0-19 YRS	22	5.0	15	1	1	4	8	11	12	13
20-34	177	6.7	49	1	1	5	9	14	22	41
35-49	122	5.7	37	1	1	3	8	12	16	34
50-64	58	8.1	118	1	1	4	11	21	23	68
65 +	113	6.8	46	1	1	5	9	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.7	5	1	1	4	5	6	8	9
B. Operated	647	2.8	6	1	1	2	3	7	9	12
2. MULTIPLE DX										
A. Not Operated	79	6.0	43	1	1	5	7	10	17	42
B. Operated	492	6.6	52	1	1	4	9	14	21	41
1. SINGLE DX	672	2.8	6	1	1	2	3	6	9	12
2. MULTIPLE DX	571	6.5	51	1	1	4	8	13	20	41
A. Not Operated	104	5.4	35	1	1	4	6	9	13	36
B. Operated	1139	4.4	30	1	1	2	6	10	13	28
TOTAL										
0-19 YRS	101	3.6	9	1	1	2	5	8	10	13
20-34	566	4.3	24	1	1	2	6	10	12	28
35-49	304	3.8	21	1	1	2	4	9	12	21
50-64	109	5.7	72	1	1	3	6	13	21	44
65 +	163	6.1	49	1	1	4	8	13	18	43
GRAND TOTAL	**1243**	**4.5**	**30**	**1**	**1**	**3**	**6**	**10**	**13**	**28**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	10	3.5	3	1	1	3	5	6	6	6
65 +	22	2.9	4	< 1	1	2	4	6	7	8
B. Operated										
0-19 YRS	11	5.1	20	1	1	4	7	13	13	13
20-34	44	2.0	2	< 1	1	2	2	4	5	6
35-49	254	2.9	8	< 1	1	2	3	5	10	15
50-64	1011	3.0	9	1	1	2	4	6	11	15
65 +	2039	3.3	12	1	1	2	4	7	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.7	26	1	1	2	3	13	15	15
20-34	0									
35-49	13	5.1	55	< 1	< 1	2	5	14	25	28
50-64	92	5.7	44	1	1	3	7	13	17	37
65 +	385	7.2	67	1	1	5	8	16	23	49
B. Operated										
0-19 YRS	23	8.9	78	1	1	8	11	14	25	45
20-34	38	4.4	23	< 1	1	3	5	11	17	19
35-49	245	6.1	52	1	1	3	8	15	21	34
50-64	2096	6.2	59	1	1	4	8	14	19	39
65 +	8251	6.8	64	1	1	4	8	15	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.8	4	< 1	1	2	4	6	7	8
B. Operated	3359	3.2	11	1	1	2	4	6	10	16
2. MULTIPLE DX										
A. Not Operated	497	6.8	62	1	1	4	8	15	22	40
B. Operated	10653	6.7	62	1	1	4	8	15	20	41
1. SINGLE DX	3396	3.2	11	1	1	2	4	6	10	16
2. MULTIPLE DX	11150	6.7	62	1	1	4	8	15	20	41
A. Not Operated	534	6.5	59	1	1	4	8	15	21	40
B. Operated	14012	5.9	52	1	1	3	7	13	18	36
TOTAL										
0-19 YRS	42	6.9	56	1	1	5	11	13	15	45
20-34	82	3.1	13	< 1	1	2	4	7	11	19
35-49	516	4.5	32	1	1	2	5	12	15	29
50-64	3209	5.2	45	1	1	3	6	12	16	34
65 +	10697	6.2	56	1	1	4	7	14	19	38
GRAND TOTAL	**14546**	**5.9**	**53**	**1**	**1**	**3**	**7**	**13**	**18**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.4	4	< 1	1	2	3	6	7	7
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	7	2.3	5	< 1	< 1	2	2	6	7	7
50-64	18	4.7	25	< 1	< 1	2	6	13	16	17
65 +	10	5.7	19	< 1	< 1	4	8	12	15	15
B. Operated										
0-19 YRS	101	8.8	17	2	4	8	12	14	17	20
20-34	27	7.1	8	2	3	7	9	11	12	14
35-49	150	7.2	14	1	2	7	9	11	12	15
50-64	279	7.2	12	1	2	7	9	11	13	17
65 +	295	7.8	21	1	2	8	9	12	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	5.4	20	1	1	4	8	12	15	18
20-34	6	4.0	9	< 1	< 1	4	5	9	9	9
35-49	53	6.8	54	1	2	5	8	13	26	39
50-64	157	7.7	74	1	2	5	9	16	20	60
65 +	304	8.4	89	1	2	6	10	17	25	43
B. Operated										
0-19 YRS	111	14.0	153	2	5	11	15	27	43	72
20-34	36	10.1	36	5	6	8	11	18	26	30
35-49	309	10.0	61	3	5	8	11	16	22	46
50-64	1044	10.7	50	3	5	9	13	18	23	35
65 +	1996	11.9	77	2	4	10	14	22	29	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.7	14	< 1	< 1	2	5	9	13	17
B. Operated	852	7.6	16	1	2	7	9	12	14	20
2. MULTIPLE DX										
A. Not Operated	569	7.7	75	1	2	5	9	16	22	40
B. Operated	3496	11.4	70	2	4	9	14	20	27	46
1. SINGLE DX	909	7.3	17	1	2	7	9	12	14	20
2. MULTIPLE DX	4065	10.9	72	2	3	9	13	20	26	46
A. Not Operated	626	7.4	71	1	1	5	9	15	20	39
B. Operated	4348	10.7	62	2	4	9	13	19	24	44
TOTAL										
0-19 YRS	281	9.8	84	1	2	8	12	16	24	47
20-34	71	8.2	26	2	3	7	9	14	18	30
35-49	519	8.8	49	2	3	8	10	14	20	40
50-64	1498	9.7	48	2	3	8	11	17	21	34
65 +	2605	11.0	74	2	3	9	13	20	27	46
GRAND TOTAL	**4974**	**10.3**	**64**	**2**	**3**	**9**	**12**	**18**	**24**	**44**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.3		< 1	< 1	1	1	2	3	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	53	2.6	4	< 1	< 1	2	3	6	7	10
20-34	11	3.0	4	1	1	2	5	6	7	7
35-49	31	2.9	3	1	1	2	3	5	7	9
50-64	31	3.3	9	1	1	3	3	5	8	18
65 +	38	2.4	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.3	5	< 1	< 1	3	5	7	7	7
20-34	0									
35-49	0									
50-64	3	4.3	24	1	1	2	8	10	10	10
65 +	8	3.0	3	< 1	< 1	3	4	5	6	6
B. Operated										
0-19 YRS	15	10.7	177	1	2	3	23	33	35	36
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	12	3.3	11	1	1	2	4	8	12	13
50-64	17	3.5	5	1	2	3	4	8	9	9
65 +	38	4.2	14	1	1	3	5	9	13	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.2		< 1	< 1	1	1	2	2	4
B. Operated	164	2.7	5	< 1	1	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	27	3.3	6	< 1	< 1	3	4	7	8	10
B. Operated	85	5.0	46	1	1	3	4	9	21	35
1. SINGLE DX	193	2.5	4	< 1	< 1	2	3	5	6	10
2. MULTIPLE DX	112	4.6	36	1	1	3	4	8	15	34
A. Not Operated	56	2.2	4	< 1	< 1	1	3	6	7	10
B. Operated	249	3.5	20	1	1	2	4	6	9	30
TOTAL										
0-19 YRS	110	3.5	34	< 1	< 1	2	3	6	7	34
20-34	15	2.6	4	1	1	2	4	5	7	7
35-49	43	3.0	5	1	1	2	3	5	8	13
50-64	51	3.4	8	1	1	3	3	7	9	18
65 +	86	3.2	9	1	1	3	4	6	9	18
GRAND TOTAL	**305**	**3.3**	**17**	**< 1**	**1**	**2**	**3**	**6**	**8**	**29**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	110	5.3	117	1	1	3	5	8	12	71
20-34	24	4.5	9	1	1	[illegible]	7	8	10	12
35-49	48	5.0	41	1	1	3	5	9	18	35
50-64	50	8.4	73	1	2	5	10	19	23	47
65 +	45	7.8	47	1	2	7	9	16	18	41
B. Operated										
0-19 YRS	247	8.6	47	1	1	7	11	18	21	32
20-34	144	8.3	30	1	2	8	10	16	20	26
35-49	212	8.2	53	1	2	7	10	15	19	31
50-64	253	9.3	47	2	2	8	13	17	20	29
65 +	154	10.5	47	2	2	10	14	19	23	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	206	5.5	72	1	1	3	5	12	17	66
20-34	98	8.2	128	1	2	5	8	17	35	86
35-49	181	7.5	65	1	2	5	9	15	21	45
50-64	324	9.0	90	1	2	6	11	20	28	53
65 +	419	10.9	136	2	2	8	13	22	33	73
B. Operated										
0-19 YRS	395	15.1	177	1	3	11	20	32	42	96
20-34	213	14.2	202	2	4	10	16	26	55	82
35-49	268	13.9	177	2	3	10	16	35	48	99 +
50-64	496	16.3	210	3	5	12	19	35	54	99 +
65 +	520	18.7	203	4	7	15	22	38	54	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	6.1	76	1	1	4	7	12	17	48
B. Operated	1010	8.9	46	1	2	8	11	17	21	33
2. MULTIPLE DX										
A. Not Operated	1228	8.8	105	1	2	6	11	19	27	61
B. Operated	1892	16.1	198	2	4	12	20	34	52	99
1. SINGLE DX	1287	8.3	54	1	2	7	11	16	21	35
2. MULTIPLE DX	3120	13.2	175	2	2	10	17	28	42	87
A. Not Operated	1505	8.3	101	1	1	5	10	17	26	59
B. Operated	2902	13.6	157	2	3	10	17	27	40	82
TOTAL										
0-19 YRS	958	10.2	132	1	1	7	13	23	32	73
20-34	479	10.7	135	1	2	8	13	20	32	74
35-49	709	10.0	112	1	2	7	12	20	33	71
50-64	1123	12.3	146	2	3	9	15	25	36	84
65 +	1138	14.3	167	2	3	11	17	28	41	73
GRAND TOTAL	**4407**	**11.8**	**144**	**1**	**2**	**9**	**15**	**25**	**36**	**75**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	27	10.7	136	2	3	8	12	16	25	65
20-34	9	9.0	16	2	4	9	11	15	16	16
35-49	24	8.5	9	4	4	9	10	11	13	17
50-64	15	12.1	292	1	1	7	9	50	55	57
65 +	7	8.7	13	4	5	8	9	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	6.1	45	< 1	1	3	9	15	22	26
20-34	10	11.6	156	2	2	5	21	32	39	39
35-49	9	14.1	223	2	2	7	20	39	49	49
50-64	21	8.2	74	1	1	6	11	19	29	36
65 +	16	12.1	253	1	2	7	10	38	55	61
B. Operated										
0-19 YRS	36	12.2	106	1	2	10	20	29	40	99 +
20-34	25	15.4	126	4	6	12	22	42	56	99 +
35-49	35	18.1	248	4	5	12	22	37	61	67
50-64	55	14.9	126	4	5	11	18	35	43	46
65 +	46	15.8	126	2	6	12	22	34	42	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.9	1	1	1	2	2	4	4	4
B. Operated	82	10.0	101	2	3	8	10	15	17	62
2. MULTIPLE DX										
A. Not Operated	74	9.7	134	1	1	6	11	24	38	58
B. Operated	197	15.2	144	3	4	12	21	35	44	84
1. SINGLE DX	91	9.2	97	1	2	8	10	15	17	62
2. MULTIPLE DX	271	13.7	147	1	2	10	18	33	43	67
A. Not Operated	83	8.9	126	1	1	5	10	23	37	57
B. Operated	279	13.7	137	2	4	10	17	29	43	67
TOTAL										
0-19 YRS	87	9.8	103	1	1	7	13	23	30	87
20-34	45	13.0	113	2	3	10	18	33	43	99 +
35-49	69	14.0	175	3	4	10	15	29	46	67
50-64	91	12.9	145	1	2	9	15	32	44	54
65 +	70	14.0	145	1	4	10	18	32	41	59
GRAND TOTAL	**362**	**12.6**	**138**	**1**	**2**	**9**	**16**	**28**	**41**	**66**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	4.6	78	< 1	< 1	2	4	9	23	48
20-34	41	2.1	1	< 1	1	2	3	3	4	5
35-49	53	1.9	2	1	1	2	2	3	4	9
50-64	22	2.2	1	1	1	2	3	3	4	4
65 +	9	3.3	9	< 1	< 1	2	4	8	10	10
B. Operated										
0-19 YRS	95	6.5	57	1	2	4	7	12	22	39
20-34	255	2.8	3	1	1	2	3	5	6	11
35-49	243	2.7	2	1	1	3	3	4	5	7
50-64	151	3.5	7	1	1	3	4	6	8	18
65 +	77	3.9	11	1	1	3	4	7	10	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116	4.2	28	< 1	1	3	5	9	11	33
20-34	46	4.8	70	1	1	2	3	12	20	44
35-49	35	3.8	20	1	1	2	4	7	15	23
50-64	64	4.4	22	1	1	3	5	9	11	30
65 +	65	6.1	28	1	2	4	9	11	17	28
B. Operated										
0-19 YRS	167	10.8	155	1	2	7	12	26	44	58
20-34	282	4.8	47	1	2	3	5	8	13	48
35-49	357	4.5	19	1	2	3	5	8	13	28
50-64	292	6.8	72	2	2	4	7	14	22	46
65 +	365	8.7	91	2	2	5	10	20	31	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	2.7	21	< 1	1	2	3	4	6	29
B. Operated	821	3.4	12	1	1	3	4	6	8	18
2. MULTIPLE DX										
A. Not Operated	326	4.7	32	1	1	3	6	9	15	33
B. Operated	1463	6.8	73	1	2	4	7	14	23	48
1. SINGLE DX	985	3.3	13	1	1	3	4	5	8	18
2. MULTIPLE DX	1789	6.4	66	1	2	4	7	13	22	44
A. Not Operated	490	4.0	29	1	1	2	4	8	11	33
B. Operated	2284	5.6	54	1	2	3	6	11	18	39
TOTAL										
0-19 YRS	417	7.4	98	1	1	4	9	15	31	50
20-34	624	3.8	29	1	1	3	4	6	9	23
35-49	688	3.6	12	1	1	3	4	6	9	22
50-64	529	5.4	47	1	2	3	5	10	16	34
65 +	516	7.6	73	1	2	4	9	17	27	40
GRAND TOTAL	**2774**	**5.3**	**50**	**1**	**1**	**3**	**5**	**10**	**17**	**37**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	4.6	24	< 1	< 1	4	5	7	13	26
20-34	5	3.2	1	2	2	3	4	4	4	4
35-49	33	5.6	31	1	2	4	6	9	23	25
50-64	85	6.6	70	1	1	4	8	14	17	52
65 +	92	6.6	42	1	1	5	8	16	20	34
B. Operated										
0-19 YRS	60	6.8	30	< 1	1	6	9	12	15	33
20-34	41	4.3	13	1	1	3	5	9	13	16
35-49	122	5.5	27	1	1	4	7	10	15	29
50-64	217	5.2	54	< 1	1	3	7	11	14	48
65 +	267	6.2	31	1	1	4	8	14	18	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	134	4.9	36	< 1	1	3	6	9	13	41
20-34	363	7.3	63	1	1	5	9	16	21	38
35-49	1765	7.9	64	1	2	6	10	17	23	42
50-64	5227	8.4	63	1	2	6	10	18	23	41
65 +	9465	9.2	65	2	2	7	12	19	24	40
B. Operated										
0-19 YRS	288	10.4	152	1	2	7	12	19	31	67
20-34	621	10.0	96	1	2	7	12	22	30	48
35-49	2653	10.5	96	1	2	8	14	22	30	50
50-64	7054	11.4	114	1	2	8	15	24	32	57
65 +	11024	12.4	124	1	2	9	16	25	34	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	6.2	47	< 1	1	4	7	13	19	40
B. Operated	707	5.7	36	< 1	1	4	8	12	16	28
2. MULTIPLE DX										
A. Not Operated	16954	8.7	64	2	2	6	11	18	24	41
B. Operated	21640	11.8	118	1	2	9	15	24	33	58
1. SINGLE DX	949	5.8	39	< 1	1	4	8	12	17	28
2. MULTIPLE DX	38594	10.4	96	1	2	8	13	22	29	51
A. Not Operated	17196	8.7	64	1	2	6	11	18	24	40
B. Operated	22347	11.6	116	1	2	9	15	24	32	57
TOTAL										
0-19 YRS	509	8.2	106	1	1	6	9	16	26	57
20-34	1030	8.8	83	1	2	6	11	18	25	46
35-49	4573	9.4	84	1	2	7	12	20	27	47
50-64	12583	10.0	94	1	2	7	13	21	29	52
65 +	20848	10.8	99	2	2	8	14	22	29	52
GRAND TOTAL	**39543**	**10.3**	**96**	**1**	**2**	**8**	**13**	**21**	**29**	**51**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.5	3	< 1	1	2	4	5	6	6
20-34	24	3.8	8	1	1	3	5	8	10	10
35-49	15	3.5	12	1	1	1	7	9	10	11
50-64	10	2.1	2	1	1	2	2	4	6	6
65 +	5	5.2	9	2	2	4	7	10	10	10
B. Operated										
0-19 YRS	235	5.6	20	1	1	5	7	10	12	30
20-34	327	5.1	19	1	1	5	7	9	11	24
35-49	119	4.6	14	< 1	1	4	6	9	12	18
50-64	62	5.4	20	1	1	4	7	12	16	20
65 +	27	6.1	103	< 1	< 1	3	5	17	31	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	4.6	12	1	1	4	6	10	12	14
20-34	95	5.5	27	1	1	5	7	11	13	31
35-49	60	5.3	20	< 1	1	4	7	12	14	21
50-64	35	6.2	29	1	1	5	7	13	17	25
65 +	43	9.5	82	1	1	7	12	26	29	37
B. Operated										
0-19 YRS	121	10.4	109	1	2	7	12	29	31	51
20-34	307	11.8	194	1	2	7	12	29	44	71
35-49	176	11.8	168	1	2	8	14	30	38	61
50-64	126	11.5	84	1	2	10	15	23	26	44
65 +	149	13.0	99	2	3	11	17	27	34	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.2	7	1	1	2	4	7	9	11
B. Operated	770	5.3	22	1	1	5	7	9	12	27
2. MULTIPLE DX										
A. Not Operated	282	6.0	33	1	1	5	8	12	16	30
B. Operated	879	11.8	145	1	2	8	14	28	36	62
1. SINGLE DX	848	5.1	21	1	1	4	7	9	12	22
2. MULTIPLE DX	1161	10.4	124	1	2	7	12	23	34	54
A. Not Operated	360	5.4	29	1	1	4	7	11	14	29
B. Operated	1649	8.7	98	1	1	6	10	19	29	51
TOTAL										
0-19 YRS	429	6.7	49	1	1	5	8	12	17	37
20-34	753	7.9	102	1	1	5	8	14	29	52
35-49	370	8.1	100	1	1	5	9	17	29	49
50-64	233	8.7	65	1	1	6	13	19	24	37
65 +	224	11.3	100	1	2	9	16	25	33	46
GRAND TOTAL	**2009**	**8.1**	**87**	**1**	**1**	**6**	**9**	**17**	**28**	**49**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	230	4.3	12	< 1	1	3	6	9	11	19
20-34	12	3.9	11	< 1	< 1	2	6	9	10	10
35-49	12	4.8	42	2	2	3	4	12	23	25
50-64	15	4.7	8	< 1	< 1	4	6	9	10	11
65 +	17	5.2	16	1	1	5	7	10	15	17
B. Operated										
0-19 YRS	394	7.7	60	1	1	6	9	17	24	40
20-34	27	18.4	383	< 1	1	11	27	52	62	71
35-49	16	9.4	150	1	2	4	8	30	38	42
50-64	23	6.2	56	< 1	1	4	7	13	28	30
65 +	13	6.5	25	1	1	5	9	13	18	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	525	5.7	32	1	1	4	7	13	17	29
20-34	33	7.1	59	1	1	5	9	14	18	41
35-49	48	9.3	135	1	2	6	10	20	31	69
50-64	140	7.8	56	1	2	6	10	16	20	45
65 +	322	8.0	62	1	2	6	10	16	23	38
B. Operated										
0-19 YRS	456	16.7	235	2	3	11	25	38	50	99
20-34	68	26.0	222	3	6	28	36	45	53	94
35-49	66	24.9	343	5	7	22	30	45	61	97
50-64	142	14.0	221	2	3	8	19	35	50	87
65 +	262	12.5	131	2	3	9	16	26	40	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	286	4.4	13	< 1	1	3	6	9	11	20
B. Operated	473	8.3	86	1	1	6	10	18	28	51
2. MULTIPLE DX										
A. Not Operated	1068	6.8	51	1	1	5	8	15	20	34
B. Operated	994	16.4	227	2	3	11	24	37	48	96
1. SINGLE DX	759	6.8	62	1	1	5	8	13	21	40
2. MULTIPLE DX	2062	11.4	158	1	2	7	14	29	38	69
A. Not Operated	1354	6.3	44	1	1	4	8	13	18	32
B. Operated	1467	13.8	195	1	2	9	19	33	43	86
TOTAL										
0-19 YRS	1605	9.1	117	1	1	6	11	23	31	81
20-34	140	18.2	270	1	2	12	30	40	52	74
35-49	142	16.2	290	2	2	9	25	35	46	92
50-64	320	10.3	138	1	2	7	12	24	36	62
65 +	614	9.8	95	1	2	7	12	21	30	52
GRAND TOTAL	**2821**	**10.2**	**137**	**1**	**2**	**6**	**12**	**26**	**35**	**62**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	5.0	26	< 1	< 1	4	6	11	16	26
20-34	24	4.3	14	< 1	1	4	6	8	12	18
35-49	32	4.1	32	< 1	< 1	2	5	9	14	30
50-64	33	5.2	99	1	1	3	5	8	21	56
65 +	43	3.0	8	< 1	1	2	5	7	8	14
B. Operated										
0-19 YRS	105	10.3	163	1	1	6	11	32	42	58
20-34	46	15.4	236	1	1	6	30	36	42	49
35-49	79	13.8	252	1	2	6	26	41	50	51
50-64	46	13.0	284	1	1	6	20	31	61	69
65 +	36	9.9	131	1	2	5	11	24	35	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	188	6.2	45	1	1	4	8	13	22	37
20-34	91	9.0	110	1	1	6	10	26	30	55
35-49	135	7.5	54	1	1	5	9	17	25	35
50-64	189	9.5	87	1	1	6	13	24	30	42
65 +	420	8.3	80	1	1	6	10	18	28	45
B. Operated										
0-19 YRS	224	24.3	426	2	4	18	38	56	68	99 +
20-34	182	26.9	314	3	5	27	38	49	59	99 +
35-49	266	28.5	377	4	5	28	40	57	66	97
50-64	359	26.7	374	3	4	26	37	54	62	87
65 +	600	19.8	301	3	4	12	31	47	56	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	4.5	32	< 1	1	3	5	9	14	31
B. Operated	312	12.3	212	1	1	6	18	35	43	61
2. MULTIPLE DX										
A. Not Operated	1023	8.1	75	1	1	5	10	18	28	42
B. Operated	1631	24.1	360	3	4	21	36	52	61	86
1. SINGLE DX	553	8.9	148	1	1	4	9	28	38	54
2. MULTIPLE DX	2654	18.0	311	1	2	10	29	44	56	76
A. Not Operated	1264	7.4	69	1	1	5	9	16	25	41
B. Operated	1943	22.2	355	2	3	17	34	50	59	84
TOTAL										
0-19 YRS	626	13.2	269	1	1	7	16	39	50	86
20-34	343	19.0	303	1	2	12	31	43	49	81
35-49	512	19.2	350	1	2	11	31	47	57	80
50-64	627	19.4	339	1	2	12	30	47	57	76
65 +	1099	14.4	235	1	2	8	20	37	50	64
GRAND TOTAL	**3207**	**16.4**	**295**	**1**	**2**	**9**	**27**	**42**	**53**	**74**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	3.1	8	1	1	2	4	6	7	16
20-34	23	3.7	19	< 1	1	2	4	7	13	21
35-49	37	5.1	17	1	1	4	7	10	13	21
50-64	96	5.2	23	1	1	4	6	10	19	66
65 +	97	5.6	21	< 1	1	4	8	12	15	23
B. Operated										
0-19 YRS	150	6.0	28	1	1	4	8	13	17	25
20-34	108	6.3	53	1	1	4	8	15	21	42
35-49	231	5.4	31	1	1	4	7	11	14	27
50-64	398	5.9	37	1	1	4	8	12	16	33
65 +	423	6.0	40	< 1	1	4	8	14	18	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	158	4.9	19	1	1	4	6	10	12	25
20-34	81	6.3	30	1	1	5	8	15	17	25
35-49	218	8.9	87	1	2	6	10	20	26	50
50-64	671	8.0	58	1	2	6	10	15	21	43
65 +	1436	9.9	81	2	2	7	12	19	26	49
B. Operated										
0-19 YRS	163	15.8	262	2	2	9	21	39	48	85
20-34	213	14.7	194	2	3	10	20	36	43	77
35-49	528	13.1	148	1	2	9	18	30	37	62
50-64	1280	13.6	169	2	3	10	17	29	44	72
65 +	2693	14.2	156	2	3	11	18	29	39	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	343	4.7	19	1	1	4	6	10	14	23
B. Operated	1310	5.9	37	1	1	4	8	13	17	30
2. MULTIPLE DX										
A. Not Operated	2564	8.9	72	1	2	7	11	18	24	44
B. Operated	4877	14.0	164	2	3	10	18	30	40	72
1. SINGLE DX	1653	5.6	34	1	1	4	7	12	17	27
2. MULTIPLE DX	7441	12.2	138	2	2	9	15	26	36	63
A. Not Operated	2907	8.4	67	1	2	6	11	17	23	43
B. Operated	6187	12.3	148	1	2	9	16	27	37	66
TOTAL										
0-19 YRS	561	8.0	115	1	1	4	9	17	28	55
20-34	425	10.4	136	1	1	6	13	25	37	59
35-49	1014	10.1	114	1	1	7	13	24	31	56
50-64	2445	10.5	123	1	2	7	13	23	33	61
65 +	4649	11.9	128	1	2	9	15	25	34	61
GRAND TOTAL	**9094**	**11.0**	**126**	**1**	**2**	**8**	**14**	**24**	**34**	**60**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	87	2.7	7	< 1	< 1	2	3	6	7	16
20-34	293	2.1	2	1	1	2	3	4	4	7
35-49	428	2.2	3	1	1	2	3	4	5	7
50-64	421	2.2	2	1	1	2	3	4	4	6
65 +	330	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	3	7.7	66	2	2	4	14	17	17	17
65 +	3	2.3	5	1	1	1	4	5	5	5
B. Operated										
0-19 YRS	35	3.2	7	< 1	< 1	2	4	8	9	10
20-34	75	3.0	13	1	1	2	3	6	7	24
35-49	152	2.8	5	1	1	2	4	5	7	13
50-64	288	2.9	3	1	1	2	4	5	6	10
65 +	423	3.3	13	1	1	3	4	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.9	1	< 1	< 1	2	2	3	3	3
B. Operated	1559	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	10	4.1	25	1	1	2	5	12	17	17
B. Operated	973	3.1	9	1	1	2	4	5	7	13
1. SINGLE DX	1569	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX	983	3.1	9	1	1	2	4	5	7	13
A. Not Operated	20	3.0	13	< 1	1	2	3	6	12	17
B. Operated	2532	2.5	5	1	1	2	3	4	6	11
TOTAL										
0-19 YRS	124	2.8	7	< 1	< 1	2	3	6	8	13
20-34	371	2.3	4	1	1	2	3	4	5	8
35-49	586	2.3	3	1	1	2	3	4	5	11
50-64	713	2.5	3	1	1	2	3	4	5	9
65 +	758	2.8	8	1	1	2	3	5	6	12
GRAND TOTAL	**2552**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.0	5	< 1	< 1	2	4	7	7	7
20-34	3	4.7	30	1	1	2	9	11	11	11
35-49	12	3.1	7	< 1	< 1	2	4	7	10	10
50-64	13	1.3	1	< 1	< 1	< 1	1	2	4	5
65 +	20	2.6	6	< 1	< 1	2	3	5	8	11
B. Operated										
0-19 YRS	65	5.4	21	< 1	1	4	8	11	15	19
20-34	74	6.2	13	< 1	1	6	8	10	12	17
35-49	126	4.7	12	< 1	< 1	4	7	8	10	15
50-64	325	4.4	14	< 1	< 1	3	7	9	10	16
65 +	373	4.0	16	< 1	< 1	2	7	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.9	5	1	1	2	3	7	9	9
20-34	20	4.2	8	< 1	1	3	5	8	11	13
35-49	27	4.1	15	1	1	3	5	7	11	20
50-64	83	3.8	8	< 1	1	3	5	8	9	15
65 +	166	5.0	23	< 1	1	4	7	11	14	19
B. Operated										
0-19 YRS	75	8.6	68	1	1	7	13	22	25	85
20-34	113	8.2	46	1	2	7	10	17	21	33
35-49	302	6.7	25	< 1	1	6	9	13	16	24
50-64	934	6.9	41	< 1	1	6	9	13	17	32
65 +	2350	8.1	55	1	1	7	10	15	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.6	6	< 1	< 1	2	3	6	9	11
B. Operated	963	4.5	15	< 1	< 1	3	7	10	11	16
2. MULTIPLE DX										
A. Not Operated	313	4.5	17	< 1	1	3	6	9	11	18
B. Operated	3774	7.7	49	1	1	7	10	15	20	35
1. SINGLE DX	1019	4.4	15	< 1	< 1	3	7	10	11	16
2. MULTIPLE DX	4087	7.5	48	1	1	6	10	15	19	35
A. Not Operated	369	4.2	16	< 1	1	3	6	9	11	18
B. Operated	4737	7.0	44	< 1	1	6	9	14	18	33
TOTAL										
0-19 YRS	165	6.5	44	1	1	4	9	15	21	42
20-34	210	7.1	32	< 1	1	6	9	14	18	29
35-49	467	5.9	22	< 1	1	5	8	12	15	21
50-64	1355	6.0	34	< 1	< 1	5	8	11	15	29
65 +	2909	7.4	50	< 1	1	6	10	15	19	35
GRAND TOTAL	**5106**	**6.8**	**43**	**< 1**	**1**	**6**	**9**	**14**	**18**	**32**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.7	2	< 1	< 1	1	2	3	5	6
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	8	2.6	2	1	1	2	3	5	5	5
65 +	0									
B. Operated										
0-19 YRS	326	1.9	5	< 1	1	1	2	4	7	12
20-34	75	3.0	8	< 1	< 1	2	4	8	9	11
35-49	105	3.8	9	< 1	1	3	6	8	9	14
50-64	124	4.6	38	< 1	1	3	6	8	10	30
65 +	97	4.6	22	< 1	1	3	7	9	10	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.3	1	2	2	3	4	5	5	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	4.3	27	1	1	2	7	12	12	12
50-64	7	5.4	18	1	1	5	7	13	14	14
65 +	17	5.6	24	1	2	3	8	14	16	17
B. Operated										
0-19 YRS	151	4.0	29	< 1	1	2	5	8	16	32
20-34	50	5.1	29	1	1	4	7	11	14	32
35-49	96	6.3	72	1	1	5	8	11	13	53
50-64	187	7.3	29	1	1	7	9	15	17	24
65 +	213	8.0	76	1	1	6	10	17	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.0	2	< 1	< 1	1	3	4	5	6
B. Operated	727	3.1	15	< 1	1	1	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	40	4.7	17	1	1	3	5	12	14	17
B. Operated	697	6.5	52	1	1	5	8	14	19	36
1. SINGLE DX	751	3.1	14	< 1	1	1	4	7	9	16
2. MULTIPLE DX	737	6.4	50	1	1	5	8	14	18	35
A. Not Operated	64	3.6	13	< 1	1	3	4	8	13	17
B. Operated	1424	4.8	36	< 1	1	2	7	10	15	31
TOTAL										
0-19 YRS	502	2.6	13	< 1	1	1	2	6	8	17
20-34	127	3.8	17	< 1	1	2	6	8	11	20
35-49	206	5.0	40	< 1	1	4	7	9	11	41
50-64	326	6.1	33	1	1	5	8	12	16	23
65 +	327	6.9	60	1	1	5	9	14	20	45
GRAND TOTAL	**1488**	**4.7**	**35**	**< 1**	**1**	**2**	**7**	**10**	**14**	**30**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.4	3	< 1	< 1	2	3	5	6	6
20-34	8	4.6	15	1	1	3	7	11	11	11
35-49	7	2.4	2	< 1	< 1	2	4	4	4	4
50-64	4	3.8	10	1	1	3	6	8	8	8
65 +	4	12.0	65	7	7	8	16	24	24	24
B. Operated										
0-19 YRS	984	2.4	5	< 1	1	2	3	5	6	12
20-34	660	2.2	4	< 1	< 1	1	3	4	6	11
35-49	673	2.4	11	< 1	< 1	1	3	5	7	13
50-64	529	2.1	4	< 1	< 1	1	2	5	7	11
65 +	259	2.2	5	< 1	< 1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.8	15	< 1	< 1	1	2	8	13	14
20-34	16	4.8	79	< 1	< 1	2	4	8	28	37
35-49	22	3.7	9	< 1	< 1	3	5	8	10	12
50-64	23	3.6	8	< 1	< 1	3	4	8	10	10
65 +	33	6.6	34	1	1	5	8	14	22	23
B. Operated										
0-19 YRS	236	4.7	40	1	1	3	6	11	14	35
20-34	251	3.5	19	< 1	1	2	4	8	11	24
35-49	422	3.7	19	< 1	< 1	2	5	8	11	21
50-64	539	4.2	32	< 1	1	3	5	9	12	31
65 +	502	5.6	44	1	1	3	7	13	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.9	18	< 1	1	3	4	9	10	24
B. Operated	3105	2.3	6	< 1	< 1	1	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	107	4.6	28	< 1	< 1	3	7	10	13	29
B. Operated	1950	4.4	32	< 1	1	3	5	10	14	30
1. SINGLE DX	3145	2.3	6	< 1	< 1	1	3	5	7	12
2. MULTIPLE DX	2057	4.4	32	< 1	1	3	5	10	14	30
A. Not Operated	147	4.4	26	< 1	< 1	3	6	9	12	24
B. Operated	5055	3.1	17	< 1	< 1	2	3	7	9	19
TOTAL										
0-19 YRS	1250	2.8	12	< 1	1	2	3	6	8	15
20-34	935	2.6	10	< 1	< 1	2	3	5	7	14
35-49	1124	2.9	14	< 1	< 1	2	3	6	9	15
50-64	1095	3.2	19	< 1	< 1	2	4	7	10	19
65 +	798	4.6	34	< 1	< 1	2	6	10	16	26
GRAND TOTAL	**5202**	**3.1**	**17**	**< 1**	**< 1**	**2**	**4**	**7**	**10**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	4.1	22	1	1	3	5	9	16	21
20-34	8	3.4	20	< 1	< 1	1	4	11	14	14
35-49	11	3.9	5	< 1	1	4	5	7	9	9
50-64	6	2.5	8	1	1	2	2	7	8	8
65 +	6	4.2	6	1	1	4	7	7	7	7
B. Operated										
0-19 YRS	1022	2.4	10	< 1	< 1	1	2	5	7	16
20-34	240	2.3	5	< 1	< 1	1	3	5	7	11
35-49	178	3.0	11	< 1	< 1	2	4	7	10	19
50-64	132	2.5	7	< 1	< 1	2	3	5	8	12
65 +	66	3.2	13	< 1	< 1	2	3	7	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	3.7	10	< 1	< 1	2	5	8	11	13
20-34	19	3.8	7	< 1	1	4	6	8	9	9
35-49	17	6.6	62	< 1	1	5	7	20	27	29
50-64	33	6.1	25	1	2	5	6	11	17	26
65 +	57	7.3	45	2	2	5	8	15	22	36
B. Operated										
0-19 YRS	329	4.8	82	< 1	< 1	2	5	11	16	61
20-34	138	4.6	36	< 1	< 1	2	6	11	16	38
35-49	181	4.5	31	< 1	< 1	2	5	11	16	27
50-64	167	6.3	98	< 1	< 1	3	7	14	21	65
65 +	219	7.2	71	< 1	1	5	9	15	21	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	3.9	17	< 1	1	3	5	8	14	21
B. Operated	1638	2.5	10	< 1	< 1	1	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	199	5.4	29	< 1	1	4	6	10	15	30
B. Operated	1034	5.5	68	< 1	< 1	3	6	12	18	38
1. SINGLE DX	1724	2.5	10	< 1	< 1	1	3	5	7	16
2. MULTIPLE DX	1233	5.4	62	< 1	< 1	3	6	12	17	37
A. Not Operated	285	4.9	26	< 1	1	4	6	9	15	28
B. Operated	2672	3.6	34	< 1	< 1	2	4	8	12	25
TOTAL										
0-19 YRS	1479	3.0	28	< 1	< 1	1	3	6	10	21
20-34	405	3.2	17	< 1	< 1	2	4	7	10	18
35-49	387	3.9	23	< 1	< 1	2	5	9	14	26
50-64	338	4.7	57	< 1	< 1	2	6	9	16	37
65 +	348	6.4	57	< 1	1	4	8	14	20	36
GRAND TOTAL	**2957**	**3.7**	**34**	**< 1**	**< 1**	**2**	**4**	**8**	**12**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	98	1.5	2	< 1	< 1	1	2	2	3	9
20-34	158	1.3		< 1	< 1	< 1	1	2	3	4
35-49	193	1.3		< 1	< 1	< 1	1	2	2	4
50-64	127	1.6	1	< 1	< 1	1	2	3	3	7
65 +	86	1.6	1	< 1	< 1	1	2	3	3	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.7	14	1	1	2	6	8	8	8
65 +	4	2.0	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	17	1.9	1	< 1	< 1	2	2	3	4	5
20-34	76	2.2	3	< 1	< 1	1	3	5	6	9
35-49	212	1.8	2	< 1	< 1	1	2	3	4	7
50-64	229	2.1	4	< 1	< 1	2	2	4	6	10
65 +	172	2.9	8	< 1	< 1	2	3	6	8	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	662	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	7	2.7	7	1	1	2	4	7	8	8
B. Operated	706	2.2	4	< 1	< 1	2	2	4	6	11
1. SINGLE DX	665	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	713	2.2	4	< 1	< 1	2	2	4	6	11
A. Not Operated	10	2.2	5	< 1	< 1	1	2	6	8	8
B. Operated	1368	1.8	3	< 1	< 1	1	2	3	5	9
TOTAL										
0-19 YRS	115	1.6	2	< 1	< 1	1	2	3	3	8
20-34	234	1.6	1	< 1	< 1	1	2	3	4	7
35-49	407	1.6	1	< 1	< 1	1	2	3	4	6
50-64	360	1.9	3	< 1	< 1	1	2	3	5	9
65 +	262	2.5	6	< 1	< 1	2	3	5	7	13
GRAND TOTAL	**1378**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	20	2.5	3	< 1	< 1	2	3	4	6	9
35-49	52	2.8	4	< 1	< 1	2	4	6	7	8
50-64	11	3.0	2	< 1	1	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	7	4.1	3	1	1	4	6	6	6	6
20-34	823	4.3	2	1	3	4	5	6	7	9
35-49	2467	4.6	2	2	3	5	5	6	7	8
50-64	327	4.7	2	2	3	5	5	7	7	8
65 +	35	5.0	3	< 1	3	5	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	99	2.5	4	< 1	< 1	2	4	5	6	10
35-49	310	2.7	6	< 1	< 1	2	4	6	7	11
50-64	62	3.0	8	< 1	< 1	2	4	7	9	12
55 +	20	3.8	7	< 1	< 1	3	5	8	9	11
B. Operated										
0-19 YRS	21	6.2	13	1	3	5	8	12	13	14
20-34	3462	5.0	6	3	3	5	6	7	8	13
35-49	22115	5.1	4	3	3	5	6	7	8	12
50-64	4033	5.5	6	3	4	5	6	8	9	15
65 +	494	7.5	33	2	4	6	8	12	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	2.8	3	< 1	< 1	2	4	5	6	9
B. Operated	3659	4.5	2	2	3	5	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	491	2.7	6	< 1	< 1	2	4	6	7	11
B. Operated	30125	5.2	5	3	3	5	6	7	8	13
1. SINGLE DX	3743	4.5	2	1	3	4	5	6	7	8
2. MULTIPLE DX	30616	5.2	5	3	3	5	6	7	8	13
A. Not Operated	575	2.7	5	< 1	< 1	2	4	6	7	11
B. Operated	33784	5.1	5	3	3	5	6	7	8	13
TOTAL										
0-19 YRS	29	5.7	11	1	2	4	7	11	13	14
20-34	4404	4.8	5	2	3	5	6	7	8	12
35-49	24944	5.1	4	3	3	5	6	7	8	12
50-64	4433	5.4	6	3	3	5	6	8	9	14
65 +	549	7.2	31	2	4	6	8	12	16	27
GRAND TOTAL	**34359**	**5.1**	**5**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	25	4.1	4	1	1	4	5	6	7	9
35-49	29	3.9	2	< 1	1	4	5	6	6	7
50-64	11	4.4	2	3	3	4	5	6	8	8
65 +	4	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	[illegible]	1	1	1	1
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.7	2	< 1	< 1	3	4	4	4	4
20-34	67	4.7	14	1	2	4	5	6	7	28
35-49	270	4.9	4	3	3	5	6	7	7	16
50-64	73	5.1	6	< 1	1	5	7	8	9	12
65 +	20	7.3	26	2	2	5	9	16	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	69	4.2	3	< 1	1	4	5	7	7	9
2. MULTIPLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	[illegible]	[illegible]	3
B. Operated	433	5.0	7	2	3	5	6	[illegible]	[illegible]	18
1. SINGLE DX	71	4.2	3	< 1	2	4	5	[illegible]	[illegible]	9
2. MULTIPLE DX	436	5.0	7	2	3	5	6	[illegible]	[illegible]	18
A. Not Operated	5	2.6	1	1	1	3	3	4	4	4
B. Operated	502	4.9	7	2	3	5	6	7	8	17
TOTAL										
0-19 YRS	3	2.7	2	< 1	< 1	3	4	4	4	4
20-34	93	4.5	11	1	2	4	5	6	7	22
35-49	302	4.8	4	2	3	5	6	6	7	16
50-64	85	4.9	5	1	2	5	6	8	9	11
65 +	24	7.2	22	2	3	6	8	14	19	19
GRAND TOTAL	**507**	**4.9**	**7**	**1**	**3**	**5**	**6**	**7**	**8**	**17**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	248	4.1	2	2	3	4	5	6	6	8
20-34	1072	4.0	1	2	3	4	5	5	6	8
35-49	456	4.4	2	3	3	4	5	6	7	8
50-64	223	5.2	3	3	4	5	6	7	8	11
65 +	123	6.2	11	3	4	5	7	8	12	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	6	4.3	11	< 1	< 1	4	5	10	10	10
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	2	6.5	1	6	6	6	7	7	7	7
65 +	4	8.8	17	5	5	8	12	14	14	14
B. Operated										
0-19 YRS	229	4.5	3	3	3	4	5	6	8	11
20-34	1352	4.7	4	3	3	4	5	7	8	11
35-49	1473	5.2	5	3	3	5	6	7	9	14
50-64	884	6.2	9	3	4	6	7	9	11	18
65 +	899	8.1	26	4	4	7	9	13	18	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.4	2	1	1	2	4	4	4	4
B. Operated	2122	4.4	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	19	4.9	12	< 1	1	4	6	10	12	14
B. Operated	4837	5.8	11	3	3	5	6	9	11	19
1. SINGLE DX	2129	4.3	3	2	3	4	5	6	7	9
2. MULTIPLE DX	4856	5.7	11	3	3	5	6	9	11	19
A. Not Operated	26	4.2	10	< 1	1	4	5	9	11	14
B. Operated	6959	5.3	9	3	3	5	6	8	10	18
TOTAL										
0-19 YRS	481	4.3	2	2	3	4	5	6	7	10
20-34	2433	4.4	3	2	3	4	5	6	7	10
35-49	1933	5.0	4	3	3	5	6	7	8	13
50-64	1111	6.0	8	3	4	5	7	9	11	17
65 +	1027	7.9	24	4	4	6	9	13	18	29
GRAND TOTAL	**6985**	**5.3**	**9**	**3**	**3**	**5**	**6**	**8**	**10**	**18**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.0	4	< 1	< 1	1	3	5	5	5
20-34	25	3.1	2	< 1	< 1	3	4	5	6	6
35-49	29	3.4	3	< 1	1	4	4	6	7	7
50-64	7	3.9	4	1	1	4	5	7	7	7
65 +	6	2.5	6	< 1	< 1	1	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	4.5		4	4	4	5	5	5	5
20-34	41	4.5	3	1	2	5	6	7	7	10
35-49	61	5.0	6	2	3	5	6	7	9	15
50-64	23	4.3	5	< 1	1	5	5	7	8	8
65 +	23	8.7	131	1	2	6	8	16	31	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	71	3.2	3	< 1	< 1	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	5	1.8	1	< 1	< 1	2	2	3	3	3
B. Operated	152	5.3	25	1	2	5	6	7	9	17
1. SINGLE DX	71	3.2	3	< 1	< 1	3	4	6	7	7
2. MULTIPLE DX	157	5.2	25	1	2	5	6	7	9	17
A. Not Operated	5	1.8	1	< 1	< 1	2	2	3	3	3
B. Operated	223	4.6	19	1	1	4	6	7	8	16
TOTAL										
0-19 YRS	9	3.0	4	< 1	< 1	4	5	5	5	5
20-34	67	4.0	3	1	1	4	5	6	7	10
35-49	93	4.4	5	1	1	4	6	7	7	14
50-64	30	4.2	4	1	1	4	5	7	8	8
65 +	29	7.4	110	< 1	1	6	7	13	19	58
GRAND TOTAL	**228**	**4.6**	**19**	**1**	**1**	**4**	**6**	**7**	**8**	**16**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	9	2.4	11	< 1	< 1	1	2	8	11	11
20-34	19	1.4	1	< 1	< 1	1	2	3	4	4
35-49	20	1.3		< 1	< 1	1	1	2	3	3
50-64	9	1.4		1	1	1	2	2	2	2
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	8	2.8	7	1	1	2	3	7	9	9
20-34	10	3.6	9	< 1	< 1	2	6	8	9	9
35-49	11	2.1	7	< 1	< 1	1	2	6	10	10
50-64	19	4.3	18	< 1	1	3	6	9	14	18
65 +	39	5.6	33	1	1	4	5	13	21	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.3	24	2	2	3	9	11	11	11
B. Operated	59	1.5	2	< 1	< 1	1	2	2	3	10
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	87	4.4	22	1	1	3	5	9	14	25
1. SINGLE DX	62	1.7	3	< 1	< 1	1	2	3	4	11
2. MULTIPLE DX	88	4.4	22	1	1	3	5	9	14	25
A. Not Operated	4	4.5	19	2	2	3	7	11	11	11
B. Operated	146	3.2	16	< 1	1	2	4	7	10	21
TOTAL										
0-19 YRS	17	2.6	9	< 1	1	1	3	8	10	11
20-34	31	2.2	4	< 1	< 1	1	3	5	8	9
35-49	31	1.5	3	< 1	< 1	1	1	3	3	10
50-64	28	3.4	14	< 1	1	2	4	8	10	18
65 +	43	5.5	31	1	2	4	5	13	20	27
GRAND TOTAL	**150**	**3.3**	**16**	**< 1**	**1**	**2**	**4**	**7**	**11**	**21**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	6	6.5	10	2	2	8	9	9	9	9
20-34	18	4.6	11	< 1	< 1	4	7	10	10	10
35-49	30	4.8	13	< 1	1	4	6	10	11	16
50-64	38	3.4	9	< 1	1	2	5	8	9	11
65 +	37	3.2	7	1	1	2	4	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	4.0	11	1	1	4	6	9	9	9
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	6	4.0	6	1	1	3	6	8	8	8
20-34	15	4.7	7	1	1	4	7	8	9	9
35-49	34	6.4	28	1	1	5	9	14	17	22
50-64	91	6.6	48	1	1	5	8	16	22	34
65 +	188	5.6	28	1	1	4	8	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated	129	4.0	10	< 1	1	3	6	9	10	12
2. MULTIPLE DX										
A. Not Operated	10	3.7	6	1	1	3	5	7	9	9
B. Operated	334	5.9	32	1	1	4	8	12	17	28
1. SINGLE DX	131	3.9	10	< 1	1	3	6	9	10	12
2. MULTIPLE DX	344	5.8	32	1	1	4	8	12	17	27
A. Not Operated	12	3.4	6	< 1	1	3	5	6	9	9
B. Operated	463	5.3	27	1	1	4	8	11	16	27
TOTAL										
0-19 YRS	14	5.2	8	1	2	5	8	9	9	9
20-34	34	4.6	9	< 1	1	4	7	9	10	10
35-49	65	5.6	21	< 1	1	5	8	12	16	21
50-64	135	5.6	37	1	1	3	8	12	18	32
65 +	227	5.1	25	1	1	3	7	11	16	27
GRAND TOTAL	**475**	**5.3**	**26**	**1**	**1**	**4**	**7**	**11**	**16**	**27**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	2.0	3	< 1	< 1	1	2	5	6	7
20-34	6	1.8		1	1	2	2	2	2	2
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.7	7	< 1	< 1	1	4	7	8	9
20-34	3	6.7	96	1	1	1	14	18	18	18
35-49	7	1.9	1	1	1	2	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	7	5.9	47	< 1	< 1	4	6	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	35	2.1	2	< 1	< 1	2	2	5	5	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	33	3.6	21	< 1	< 1	2	4	7	17	21
1. SINGLE DX	35	2.1	2	< 1	< 1	2	2	5	5	7
2. MULTIPLE DX	33	3.6	21	< 1	< 1	2	4	7	17	21
A. Not Operated	0									
B. Operated	68	2.8	12	< 1	< 1	2	3	6	7	20
TOTAL										
0-19 YRS	34	2.3	4	< 1	< 1	1	2	6	7	9
20-34	9	3.4	30	1	1	2	2	12	18	18
35-49	11	2.1	2	1	1	2	3	4	5	5
50-64	5	2.8	1	2	2	3	3	4	4	4
65 +	9	4.9	39	< 1	< 1	3	5	15	21	21
GRAND TOTAL	**68**	**2.8**	**12**	**< 1**	**< 1**	**2**	**3**	**6**	**7**	**20**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	4	7.3	43	3	3	4	11	17	17	17
35-49	11	3.5	7	1	1	2	6	7	8	8
50-64	14	3.4	9	1	1	2	4	8	10	11
65 +	8	3.1	5	< 1	< 1	2	5	6	6	6
B. Operated										
0-19 YRS	38	9.1	33	2	2	8	12	17	22	24
20-34	89	8.4	19	1	3	8	11	13	15	25
35-49	205	7.6	14	1	2	8	10	12	14	19
50-64	201	8.8	47	1	2	8	10	14	18	37
65 +	123	9.6	37	2	3	8	12	19	22	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.6	8	< 1	< 1	3	4	8	10	10
20-34	10	4.9	13	1	1	4	7	11	11	11
35-49	27	3.9	10	1	1	3	5	8	13	13
50-64	56	5.4	25	1	1	4	7	13	14	28
65 +	213	7.9	61	1	2	6	9	15	24	44
B. Operated										
0-19 YRS	53	12.7	80	4	6	11	15	21	23	57
20-34	95	12.7	129	3	5	9	14	24	45	56
35-49	257	11.3	98	2	3	9	13	18	27	47
50-64	468	12.9	136	2	4	9	16	25	35	85
65 +	573	16.7	176	3	6	13	21	32	47	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.9	12	1	1	3	5	8	11	17
B. Operated	656	8.6	30	1	2	8	10	14	18	27
2. MULTIPLE DX										
A. Not Operated	316	6.9	49	1	2	5	8	14	20	35
B. Operated	1446	14.1	147	2	5	11	17	27	39	80
1. SINGLE DX	696	8.3	30	1	2	8	10	14	17	26
2. MULTIPLE DX	1762	12.8	137	2	3	10	15	26	35	78
A. Not Operated	356	6.6	46	1	1	5	8	13	19	30
B. Operated	2102	12.4	117	2	4	9	14	23	32	72
TOTAL										
0-19 YRS	104	10.3	61	2	2	9	13	19	22	46
20-34	198	10.3	77	2	3	8	11	16	26	52
35-49	500	9.2	62	2	2	8	11	15	19	[illegible]
50-64	739	11.0	108	1	2	9	13	22	30	71
65 +	917	13.6	145	2	3	10	17	27	37	78
GRAND TOTAL	**2458**	**11.5**	**111**	**2**	**3**	**9**	**14**	**22**	**30**	**69**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.4		2	2	2	3	3	3	3
35-49	8	1.9		1	1	2	2	3	3	3
50-64	5	2.2	1	1	1	2	3	3	3	3
65 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	86	2.0	1	1	1	2	3	3	4	5
20-34	520	2.2	1	1	1	2	3	3	4	6
35-49	716	2.4	1	1	1	2	3	4	4	6
50-64	409	2.5	1	1	1	2	3	4	4	6
65 +	188	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	4.0	15	1	1	2	6	10	11	11
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	3	2.3		2	2	2	3	3	3	3
65 +	10	5.1	10	1	1	5	8	9	10	10
B. Operated										
0-19 YRS	23	2.7	1	1	1	3	3	4	5	5
20-34	195	2.4	1	1	1	2	3	4	4	6
35-49	365	2.9	6	1	1	3	3	4	5	11
50-64	355	3.3	14	1	1	3	4	5	7	13
65 +	325	4.2	22	1	2	3	4	7	9	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.0		1	1	2	2	3	3	3
B. Operated	1919	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	23	4.0	9	1	1	3	6	9	10	11
B. Operated	1263	3.3	12	1	1	3	4	5	7	16
1. SINGLE DX	1941	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX	1286	3.3	12	1	1	3	4	5	7	15
A. Not Operated	45	3.0	6	1	1	2	3	7	9	11
B. Operated	3182	2.7	6	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	110	2.1	1	1	1	2	3	4	4	5
20-34	726	2.3	1	1	1	2	3	4	4	6
35-49	1093	2.6	3	1	1	2	3	4	5	7
50-64	772	2.9	7	1	1	3	3	4	5	6
65 +	526	3.7	15	1	2	3	4	6	8	21
GRAND TOTAL	**3227**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	4	4.0	7	2	2	3	6	8	8	8
35-49	7	3.7	1	3	3	3	4	6	6	6
50-64	11	4.3	17	1	1	2	6	11	14	14
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	10	5.0	4	2	2	5	6	7	8	8
20-34	82	5.7	7	1	2	6	7	9	10	12
35-49	119	5.3	10	1	2	5	7	9	10	17
50-64	162	4.8	10	1	2	4	6	8	10	16
65 +	78	5.0	14	1	2	4	7	9	11	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	19	3.6	9	1	1	3	5	8	11	13
35-49	41	4.9	25	< 1	1	3	7	12	16	20
50-64	44	6.5	36	2	2	5	6	12	16	38
65 +	57	6.5	26	1	2	5	8	14	19	22
B. Operated										
0-19 YRS	16	13.1	408	2	2	7	10	39	69	80
20-34	150	7.0	24	2	3	6	8	12	18	24
35-49	250	7.2	42	2	2	6	8	12	20	40
50-64	461	7.5	85	2	2	5	8	15	20	47
65 +	464	8.6	78	2	3	5	10	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	4.1	8	1	1	3	6	8	10	14
B. Operated	451	5.2	10	1	2	5	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	163	5.7	27	1	1	4	7	12	17	22
B. Operated	1341	7.8	72	2	2	5	9	15	22	47
1. SINGLE DX	477	5.1	10	1	2	5	7	9	10	16
2. MULTIPLE DX	1504	7.6	67	2	2	5	9	15	21	44
A. Not Operated	189	5.5	25	1	1	4	6	12	16	21
B. Operated	1792	7.2	58	2	2	5	8	14	19	43
TOTAL										
0-19 YRS	30	9.1	232	2	2	5	8	12	42	80
20-34	255	6.3	18	1	2	6	8	10	14	23
35-49	417	6.4	31	1	2	5	8	11	17	36
50-64	678	6.8	64	2	2	5	8	13	17	41
65 +	601	7.9	66	2	2	5	10	16	23	46
GRAND TOTAL	1981	7.0	55	2	2	5	8	14	19	42

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	8	1.6	2	< 1	< 1	1	2	4	5	5
20-34	776	3.2	3	< 1	1	3	4	5	6	7
35-49	416	3.6	3	< 1	1	4	5	6	7	8
50-64	96	4.3	5	< 1	1	4	6	7	8	10
65 +	48	4.2	7	1	1	4	5	7	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	2.5	17	< 1	< 1	1	2	7	14	15
35-49	11	3.1	11	< 1	< 1	1	4	9	10	10
50-64	4	1.5	1	1	1	1	2	3	3	3
65 +	7	4.9	10	< 1	1	4	6	10	11	11
B. Operated										
0-19 YRS	8	4.0	18	1	1	3	6	11	13	13
20-34	1020	4.1	4	1	1	4	5	6	7	9
35-49	989	4.6	7	1	2	4	6	7	8	11
50-64	305	5.4	10	1	2	5	6	8	10	17
65 +	185	6.0	62	1	2	5	7	9	13	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	1	1	1	3	3	3	3
B. Operated	1344	3.4	3	< 1	1	3	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	33	3.1	12	< 1	< 1	1	4	9	11	15
B. Operated	2507	4.6	11	1	2	4	5	7	8	14
1. SINGLE DX	1347	3.4	3	< 1	1	3	5	6	6	8
2. MULTIPLE DX	2540	4.6	11	1	1	4	5	7	8	14
A. Not Operated	36	2.9	11	< 1	< 1	1	4	9	11	15
B. Operated	3851	4.2	8	1	1	4	5	6	8	12
TOTAL										
0-19 YRS	16	2.8	11	< 1	< 1	1	4	7	11	13
20-34	1807	3.7	4	< 1	1	4	5	6	7	9
35-49	1417	4.3	6	1	1	4	5	6	8	10
50-64	406	5.1	9	1	1	5	6	8	9	17
65 +	241	5.6	50	1	1	5	6	9	13	29
GRAND TOTAL	3887	4.2	8	1	1	4	5	6	8	12

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	11	3.2	5	< 1	< 1	2	5	7	8	8
65 +	3	4.3	1	3	3	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	43	3.1	4	< 1	< 1	3	4	6	7	8
35-49	223	3.7	5	< 1	1	3	5	6	8	10
50-64	335	3.6	8	< 1	1	3	5	6	9	16
65 +	255	3.9	11	< 1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	17.0		17	17	17	17	17	17	17
35-49	4	2.0	4	1	1	1	3	5	5	5
50-64	11	5.3	34	< 1	< 1	5	7	13	20	21
65 +	20	3.6	6	1	1	3	6	7	8	8
B. Operated										
0-19 YRS	6	11.0	117	1	1	8	23	24	24	24
20-34	65	4.6	12	1	1	4	5	8	11	19
35-49	279	4.7	11	1	1	4	6	9	11	17
50-64	559	6.1	42	1	1	4	8	12	16	32
65 +	951	7.2	74	1	1	5	9	15	20	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.3	4	< 1	1	3	5	6	7	8
B. Operated	856	3.7	8	< 1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	37	4.3	19	< 1	1	4	6	8	14	21
B. Operated	1860	6.4	54	1	1	5	8	13	17	35
1. SINGLE DX	871	3.7	8	< 1	1	3	5	7	9	15
2. MULTIPLE DX	1897	6.4	53	1	1	5	8	13	17	35
A. Not Operated	52	4.0	15	< 1	1	3	5	7	8	21
B. Operated	2716	5.6	41	1	1	4	7	11	15	31
TOTAL										
0-19 YRS	7	10.1	103	1	1	5	21	24	24	24
20-34	110	4.1	10	< 1	1	4	5	8	10	18
35-49	506	4.2	9	1	1	4	5	8	9	[illegible]
50-64	916	5.2	31	1	1	4	6	10	14	[illegible]
65 +	1229	6.4	62	1	1	4	8	13	18	45
GRAND TOTAL	**2768**	**5.5**	**41**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	2.6	8	< 1	< 1	2	3	5	8	17
20-34	39	2.7	5	< 1	1	2	3	5	6	13
35-49	39	3.0	7	1	1	2	4	6	8	14
50-64	64	3.7	14	< 1	1	2	5	7	14	18
65 +	51	3.5	9	< 1	< 1	2	5	9	10	11
B. Operated										
0-19 YRS	345	3.9	13	1	1	3	5	8	10	19
20-34	335	3.9	12	1	1	3	5	8	10	21
35-49	363	4.0	17	< 1	1	3	5	8	10	20
50-64	425	4.3	17	< 1	1	3	6	9	11	19
65 +	435	4.4	13	< 1	1	3	7	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	126	3.7	31	< 1	< 1	2	4	8	10	62
20-34	101	3.9	17	1	1	3	4	7	11	24
35-49	121	3.6	11	< 1	1	3	5	7	10	18
50-64	309	4.9	22	< 1	1	3	6	9	13	27
65 +	751	7.2	85	1	1	5	8	14	21	69
B. Operated										
0-19 YRS	245	9.7	196	1	1	6	10	22	38	98
20-34	415	7.2	75	1	1	5	8	15	21	55
35-49	583	6.3	32	1	1	5	7	12	18	32
50-64	927	7.5	61	1	1	6	9	14	20	37
65 +	1898	9.0	74	1	2	7	11	18	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	272	3.1	9	< 1	< 1	2	4	6	9	17
B. Operated	1903	4.1	15	< 1	1	3	6	9	10	19
2. MULTIPLE DX										
A. Not Operated	1408	5.8	57	< 1	1	4	7	12	18	44
B. Operated	4068	8.1	73	1	1	6	10	16	22	50
1. SINGLE DX	2175	4.0	14	< 1	1	3	6	9	10	18
2. MULTIPLE DX	5476	7.6	70	1	1	5	9	15	22	49
A. Not Operated	1680	5.4	51	< 1	1	3	6	11	17	36
B. Operated	5971	6.9	58	1	1	5	9	14	20	37
TOTAL										
0-19 YRS	795	5.5	79	1	1	3	7	11	18	71
20-34	890	5.4	44	1	1	4	6	10	15	33
35-49	1106	5.1	26	1	1	4	6	10	15	28
50-64	1725	6.1	43	1	1	5	8	12	17	32
65 +	3135	7.9	70	1	1	6	10	16	22	46
GRAND TOTAL	**7651**	**6.5**	**57**	**1**	**1**	**5**	**8**	**13**	**19**	**37**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	6	2.0	2	< 1	< 1	1	2	5	5	5
35-49	7	1.7	1	1	1	1	3	3	3	3
50-64	6	4.3	8	2	2	3	8	8	8	8
65 +	6	2.7	3	1	1	2	5	5	5	5
B. Operated										
0-19 YRS	66	2.3	1	1	1	2	3	3	4	5
20-34	390	2.4	1	1	1	2	3	4	4	6
35-49	666	2.6	3	1	1	2	3	4	5	7
50-64	453	2.8	1	1	1	3	3	4	5	6
65 +	238	2.9	3	1	1	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.3	5	< 1	< 1	1	2	7	7	7
20-34	14	2.6	5	< 1	< 1	[illegible]	4	6	8	8
35-49	22	2.7	6	< 1	< 1	2	3	5	9	11
50-64	18	2.6	3	< 1	1	2	4	5	6	6
65 +	53	4.2	12	< 1	1	3	6	7	12	19
B. Operated										
0-19 YRS	23	2.7	2	< 1	1	2	4	5	5	6
20-34	142	3.5	46	1	1	2	3	5	7	27
35-49	372	3.2	4	1	1	3	4	5	8	11
50-64	497	3.8	9	1	2	3	4	6	9	17
65 +	526	5.0	21	2	2	4	5	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.5	4	< 1	< 1	2	3	5	8	8
B. Operated	1813	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	113	3.4	9	< 1	< 1	2	5	7	8	15
B. Operated	1560	4.0	16	1	2	3	4	7	10	20
1. SINGLE DX	1840	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX	1673	4.0	15	1	1	3	4	7	10	20
A. Not Operated	140	3.2	8	< 1	< 1	2	4	7	8	14
B. Operated	3373	3.3	9	1	1	3	4	5	7	15
TOTAL										
0-19 YRS	97	2.4	1	1	1	2	3	4	4	7
20-34	552	2.7	13	1	1	2	3	4	5	8
35-49	1067	2.8	4	1	1	2	3	4	5	10
50-64	974	3.3	6	1	2	3	4	5	7	14
65 +	823	4.3	16	1	2	3	5	7	12	21
GRAND TOTAL	**3513**	**3.3**	**9**	**1**	**1**	**3**	**4**	**5**	**7**	**15**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	2.5	4	< 1	1	2	3	5	8	9
20-34	69	3.8	7	1	1	3	4	7	10	14
35-49	90	4.4	12	1	1	4	5	8	11	18
50-64	37	4.3	7	2	2	3	5	8	8	15
65 +	25	5.5	22	1	1	4	7	13	15	20
B. Operated										
0-19 YRS	73	3.5	5	1	1	3	4	5	9	13
20-34	293	2.9	3	1	1	3	4	5	5	11
35-49	271	2.9	2	1	1	3	4	5	5	7
50-64	192	2.7	2	1	1	2	3	4	5	7
65 +	75	3.3	8	1	1	3	4	5	6	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	5.2	100	1	1	3	5	9	13	69
20-34	194	5.1	14	1	2	4	6	10	13	17
35-49	281	5.8	35	1	2	5	8	11	13	25
50-64	310	6.6	38	1	2	5	8	13	17	29
65 +	675	8.9	59	2	3	7	11	17	23	44
B. Operated										
0-19 YRS	33	5.3	25	1	2	3	7	11	14	26
20-34	166	4.3	16	1	2	3	4	7	14	18
35-49	275	4.4	27	1	2	3	5	8	12	33
50-64	231	4.5	25	1	2	3	5	8	11	33
65 +	269	11.7	234	2	2	7	13	27	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	274	4.0	10	1	1	3	5	8	10	17
B. Operated	904	2.9	3	1	1	3	4	5	5	10
2. MULTIPLE DX										
A. Not Operated	1533	7.2	49	2	2	6	9	14	19	38
B. Operated	974	6.5	92	1	2	4	6	13	22	64
1. SINGLE DX	1178	3.2	5	1	1	3	4	5	7	13
2. MULTIPLE DX	2507	6.9	66	1	2	5	8	14	20	46
A. Not Operated	1807	6.7	45	1	2	5	8	13	17	33
B. Operated	1878	4.8	52	1	1	3	4	8	14	44
TOTAL										
0-19 YRS	232	4.1	39	1	1	3	4	7	11	27
20-34	722	3.9	10	1	1	3	4	7	10	16
35-49	917	4.4	22	1	2	3	5	8	11	24
50-64	770	4.9	26	1	2	3	6	9	14	26
65 +	1044	9.2	104	2	2	6	11	19	27	66
GRAND TOTAL	**3685**	**5.7**	**49**	**1**	**2**	**4**	**7**	**11**	**16**	**39**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	538	5.4	32	2	2	5	6	7	9	82
20-34	92	3.6	3	1	1	3	5	6	7	9
35-49	85	4.3	5	1	2	4	5	7	9	11
50-64	95	5.2	9	1	2	4	6	9	13	15
65 +	44	5.0	8	1	2	4	6	10	10	14
B. Operated										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	3.8	1	2	2	4	4	5	5	5
50-64	12	3.5	12	< 1	< 1	3	4	8	12	13
65 +	7	7.6	25	1	1	7	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	589	5.1	30	1	1	4	7	8	9	18
20-34	247	4.6	35	1	1	4	5	8	9	30
35-49	359	5.2	14	1	2	5	6	9	11	20
50-64	515	5.4	12	2	2	4	7	9	12	19
65 +	379	6.8	33	2	2	6	8	13	16	28
B. Operated										
0-19 YRS	10	7.0	25	1	2	7	8	14	19	19
20-34	18	13.6	332	2	2	5	15	47	56	61
35-49	32	6.5	20	1	2	5	9	12	15	21
50-64	91	8.5	54	2	2	6	11	17	20	41
65 +	58	9.8	106	1	2	7	12	17	20	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	854	5.0	23	1	2	4	6	7	9	40
B. Operated	28	4.7	14	1	1	4	6	11	13	15
2. MULTIPLE DX										
A. Not Operated	2089	5.5	25	1	2	5	7	9	12	23
B. Operated	209	8.9	87	1	2	6	11	17	20	53
1. SINGLE DX	882	5.0	22	1	2	4	6	7	9	38
2. MULTIPLE DX	2298	5.8	31	1	2	5	7	10	13	27
A. Not Operated	2943	5.3	24	1	2	4	7	9	11	24
B. Operated	237	8.4	80	1	2	6	10	16	20	50
TOTAL										
0-19 YRS	1140	5.3	31	1	2	5	6	8	9	50
20-34	358	4.8	45	1	1	4	5	8	9	45
35-49	481	5.1	13	1	2	4	6	9	11	20
50-64	713	5.8	18	1	2	5	7	10	14	22
65 +	488	7.0	40	2	2	6	8	13	17	32
GRAND TOTAL	**3180**	**5.6**	**29**	**1**	**2**	**5**	**7**	**9**	**13**	**28**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1939	3.6	6	1	1	3	5	7	8	12
20-34	1066	3.5	5	1	1	3	5	6	7	11
35-49	404	4.2	8	1	2	4	5	7	9	13
50-64	170	5.2	12	2	2	4	7	9	11	14
65 +	118	5.7	15	1	2	5	7	10	15	18
B. Operated										
0-19 YRS	20	3.8	8	1	1	3	4	7	10	13
20-34	26	5.7	13	2	2	5	6	11	14	16
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	3	6.3	4	4	4	7	8	8	8	8
65 +	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2685	4.2	16	1	1	3	5	8	10	18
20-34	3049	4.6	11	1	2	4	6	8	10	17
35-49	2092	5.7	19	2	2	5	7	10	13	20
50-64	1473	7.2	28	2	3	6	9	12	16	26
65 +	2239	9.5	60	2	3	8	11	17	23	44
B. Operated										
0-19 YRS	94	8.9	80	2	3	6	10	20	25	51
20-34	288	9.9	123	2	3	7	11	20	30	70
35-49	349	11.7	114	3	4	9	14	24	31	52
50-64	318	16.2	200	4	5	12	20	31	42	80
65 +	400	19.0	227	5	7	15	23	37	53	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3697	3.8	7	1	1	3	5	7	8	13
B. Operated	54	4.9	10	1	2	4	6	9	12	16
2. MULTIPLE DX										
A. Not Operated	11538	6.0	29	1	2	5	7	11	15	27
B. Operated	1449	14.2	177	3	4	10	18	28	40	81
1. SINGLE DX	3751	3.8	7	1	1	3	5	7	8	13
2. MULTIPLE DX	12987	6.9	52	2	2	5	8	13	18	37
A. Not Operated	15235	5.5	24	1	2	4	7	10	13	24
B. Operated	1503	13.8	174	3	4	10	17	28	39	81
TOTAL										
0-19 YRS	4738	4.1	13	1	1	3	5	7	9	17
20-34	4429	4.7	19	1	2	4	6	8	11	20
35-49	2848	6.2	33	2	2	5	7	11	15	28
50-64	1964	8.5	66	2	3	6	10	16	21	43
65 +	2759	10.7	94	3	3	8	13	21	27	65
GRAND TOTAL	**16738**	**6.2**	**44**	**1**	**2**	**4**	**7**	**12**	**16**	**33**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	998	4.9	10	1	2	5	6	8	9	14
20-34	703	4.2	7	1	2	4	5	7	9	13
35-49	864	4.6	6	2	2	4	6	8	9	14
50-64	961	5.0	8	2	2	4	6	8	10	14
65+	736	5.7	15	2	3	5	7	9	11	17
B. Operated										
0-19 YRS	15	3.3	5	1	1	2	5	6	8	8
20-34	22	3.1	5	< 1	1	3	4	7	8	8
35-49	33	5.5	47	1	1	3	6	12	16	37
50-64	67	4.2	20	1	1	3	5	8	13	22
65+	55	5.3	37	1	1	3	7	13	15	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1182	5.1	18	1	2	4	6	9	12	26
20-34	2725	5.4	24	1	2	4	7	10	13	24
35-49	5344	5.8	20	2	2	5	7	10	12	21
50-64	9083	6.5	21	2	3	5	8	11	14	24
65+	13393	7.6	41	2	3	6	9	13	17	35
B. Operated										
0-19 YRS	55	6.9	64	1	1	4	9	12	21	50
20-34	870	9.6	115	1	2	6	12	20	30	56
35-49	2163	11.7	138	2	2	8	15	25	35	70
50-64	4444	14.2	179	2	3	10	18	31	43	83
65+	6243	15.9	192	2	4	12	20	33	46	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4262	4.9	9	2	2	4	6	8	10	15
B. Operated	192	4.5	27	1	1	3	6	9	13	31
2. MULTIPLE DX										
A. Not Operated	31727	6.7	30	2	2	6	8	12	15	28
B. Operated	13775	14.3	178	2	3	10	18	31	43	83
1. SINGLE DX	4454	4.9	10	1	2	4	6	8	10	15
2. MULTIPLE DX	45502	9.0	87	2	3	6	10	18	26	56
A. Not Operated	35989	6.5	28	2	2	5	8	11	14	26
B. Operated	13967	14.1	177	2	3	10	18	31	43	81
TOTAL										
0-19 YRS	2250	5.0	15	1	2	4	6	9	11	22
20-34	4320	6.0	42	1	2	4	7	11	16	34
35-49	8404	7.2	56	2	2	5	8	14	19	42
50-64	14555	8.7	81	2	3	6	10	17	25	53
65+	20427	10.1	102	2	3	7	12	20	29	63
GRAND TOTAL	**49956**	**8.6**	**81**	**2**	**2**	**6**	**10**	**17**	**25**	**53**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.6	1	2	2	2	3	4	4	4
20-34	17	2.8	4	< 1	1	2	3	5	8	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	23	3.7	4	< 1	1	3	5	7	8	9
20-34	98	3.4	3	< 1	1	3	4	5	6	10
35-49	7	3.4	3	2	2	3	4	6	7	7
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.8	4	1	1	2	4	6	7	7
20-34	27	4.4	10	1	1	4	5	7	9	17
35-49	5	7.0	38	< 1	< 1	5	13	14	14	14
50-64	0									
65+	0									
B. Operated										
0-19 YRS	40	3.8	3	< 1	1	4	5	6	7	9
20-34	293	4.0	4	1	1	4	5	6	7	13
35-49	80	4.7	3	2	3	5	5	6	8	11
50-64	9	4.3	4	1	1	4	5	7	8	8
65+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.7	3	< 1	1	2	3	4	6	9
B. Operated	128	3.5	3	< 1	1	3	4	5	7	9
2. MULTIPLE DX										
A. Not Operated	41	4.4	13	< 1	1	4	5	8	13	17
B. Operated	423	4.2	4	1	2	4	5	6	7	11
1. SINGLE DX	151	3.4	3	< 1	1	3	4	5	7	9
2. MULTIPLE DX	464	4.2	5	1	2	4	5	6	7	14
A. Not Operated	64	3.8	10	< 1	1	3	5	7	10	17
B. Operated	551	4.0	4	1	1	4	5	6	7	11
TOTAL										
0-19 YRS	77	3.6	4	< 1	1	3	5	6	7	9
20-34	435	3.9	5	1	1	4	5	6	7	12
35-49	93	4.7	5	2	2	5	5	7	9	14
50-64	9	4.3	4	1	1	4	5	7	8	8
65+	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**615**	**4.0**	**5**	**1**	**1**	**4**	**5**	**6**	**7**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	538	2.1	7	< 1	< 1	1	2	4	5	11
20-34	96	2.9	4	1	1	2	4	5	8	11
35-49	102	3.4	5	1	1	3	4	6	8	13
50-64	72	3.8	12	1	1	3	5	7	11	16
65 +	100	3.1	7	< 1	1	2	4	7	9	11
B. Operated										
0-19 YRS	53	3.9	6	1	1	3	6	7	8	9
20-34	40	3.8	18	< 1	1	2	4	8	12	23
35-49	52	4.7	11	1	1	4	6	9	10	19
50-64	52	3.6	3	1	1	4	4	6	7	8
65 +	26	4.4	16	1	2	4	5	9	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1032	3.0	12	1	1	2	3	6	9	17
20-34	742	4.2	18	1	1	3	5	8	12	24
35-49	963	4.7	19	1	1	3	6	9	12	22
50-64	1719	5.2	23	1	1	4	7	10	13	26
65 +	5070	6.2	33	1	2	5	8	12	17	29
B. Operated										
0-19 YRS	75	7.9	104	1	1	5	9	19	42	99 +
20-34	134	7.6	47	1	1	6	10	15	23	37
35-49	256	8.2	75	2	2	6	10	18	21	62
50-64	426	9.0	104	2	2	6	10	19	31	57
65 +	726	12.5	132	2	3	9	16	25	37	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	908	2.6	7	< 1	1	2	3	5	7	12
B. Operated	223	4.0	10	1	1	3	5	7	9	20
2. MULTIPLE DX										
A. Not Operated	9526	5.4	28	1	1	4	7	11	14	26
B. Operated	1617	10.3	111	2	2	7	13	22	32	60
1. SINGLE DX	1131	2.9	8	< 1	1	2	4	6	8	15
2. MULTIPLE DX	11143	6.1	43	1	1	4	7	13	18	35
A. Not Operated	10434	5.2	27	1	1	4	7	10	14	25
B. Operated	1840	9.5	103	1	2	6	12	20	30	59
TOTAL										
0-19 YRS	1698	3.0	16	< 1	1	2	3	6	9	20
20-34	1012	4.5	22	1	1	3	6	9	14	24
35-49	1373	5.2	30	1	1	4	7	10	15	25
50-64	2269	5.9	40	1	1	4	7	11	16	34
65 +	5922	7.0	49	1	2	5	8	14	19	39
GRAND TOTAL	**12274**	**5.8**	**40**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	16.0	319	1	1	8	20	46	50	60
20-34	7	20.9	318	6	6	11	38	47	48	48
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	9	6.0	20	2	2	4	8	13	15	15
B. Operated										
0-19 YRS	5	8.2	50	2	2	5	12	20	20	20
20-34	5	12.4	110	< 1	< 1	18	21	21	21	21
35-49	5	2.4	4	1	1	1	4	5	5	5
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	11	3.9	9	< 1	< 1	3	5	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	225	15.0	275	2	2	8	17	41	53	70
20-34	81	10.7	168	1	2	6	14	35	48	85
35-49	104	11.1	188	2	2	6	12	27	35	74
50-64	175	10.5	115	2	3	7	13	20	32	74
65 +	830	10.0	115	2	3	7	11	20	28	61
B. Operated										
0-19 YRS	48	18.6	439	3	3	7	31	52	68	77
20-34	93	10.1	120	3	3	5	13	24	38	54
35-49	117	9.0	81	2	3	5	11	19	24	50
50-64	175	14.0	135	3	4	11	19	30	42	90
65 +	652	12.5	154	2	3	9	15	27	41	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	14.5	268	1	2	7	18	44	49	60
B. Operated	28	5.9	41	< 1	< 1	4	7	19	21	21
2. MULTIPLE DX										
A. Not Operated	1415	11.0	151	2	3	7	12	25	39	70
B. Operated	1085	12.5	156	2	3	8	16	28	42	79
1. SINGLE DX	74	11.3	198	1	1	5	15	41	47	58
2. MULTIPLE DX	2500	11.6	154	2	3	7	14	26	40	71
A. Not Operated	1461	11.1	155	2	3	7	12	26	41	69
B. Operated	1113	12.3	154	2	3	8	15	27	41	78
TOTAL										
0-19 YRS	307	15.5	301	2	2	8	19	42	54	72
20-34	186	10.9	149	1	2	6	14	29	44	57
35-49	226	9.9	130	2	2	6	12	22	30	67
50-64	353	12.2	128	2	3	9	16	27	38	77
65 +	1502	11.0	132	2	3	8	13	23	33	71
GRAND TOTAL	**2574**	**11.6**	**155**	**2**	**3**	**7**	**14**	**26**	**41**	**71**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	531	10.1	27	2	3	10	13	15	18	28
20-34	179	10.8	29	2	3	11	14	17	19	28
35-49	10	11.3	36	4	4	11	14	20	25	25
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	38	12.8	36	1	4	13	16	21	23	26
20-34	26	10.9	31	< 1	2	12	15	16	19	21
35-49	4	13.8		13	13	14	14	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1221	10.4	42	2	3	10	14	17	21	31
20-34	483	12.7	41	3	4	12	16	20	23	32
35-49	47	12.4	31	3	4	13	15	18	21	33
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	180	16.4	167	3	6	14	19	31	41	88
20-34	99	16.6	87	5	8	15	19	30	36	78
35-49	11	16.4	74	10	10	14	16	31	37	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	720	10.3	27	2	3	10	13	15	19	28
B. Operated	68	12.1	33	1	2	13	16	19	21	26
2. MULTIPLE DX										
A. Not Operated	1751	11.1	43	2	3	11	14	18	22	32
B. Operated	290	16.5	136	3	7	14	19	31	40	86
1. SINGLE DX	788	10.4	28	2	3	10	14	16	19	28
2. MULTIPLE DX	2041	11.8	60	2	3	11	15	20	23	41
A. Not Operated	2471	10.8	38	2	3	10	14	18	21	31
B. Operated	358	15.6	119	3	6	14	18	27	37	75
TOTAL										
0-19 YRS	1970	10.9	52	2	3	10	14	18	22	36
20-34	787	12.7	47	3	4	12	16	20	23	37
35-49	72	12.9	38	4	5	13	15	19	25	37
50-64	0									
65 +	0									
GRAND TOTAL	**2829**	**11.4**	**51**	**2**	**3**	**11**	**14**	**19**	**22**	**36**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.9	4	2	2	5	7	7	8	8
20-34	10	8.0	100	< 1	< 1	5	7	24	34	34
35-49	11	5.6	23	1	2	4	6	14	17	17
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	21	6.2	5	2	3	6	8	8	10	12
20-34	332	5.9	5	3	3	6	7	8	9	13
35-49	268	6.2	18	3	4	6	7	8	9	11
50-64	32	7.3	11	2	4	7	9	11	12	19
65 +	3	3.0	7	< 1	< 1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	11.3	248	1	1	4	11	42	57	99 +
20-34	31	8.7	331	< 1	< 1	1	8	20	45	93
35-49	61	6.3	192	< 1	< 1	3	6	10	20	90
50-64	37	8.2	105	1	1	4	9	25	36	38
65 +	8	5.1	14	2	2	4	7	11	12	12
B. Operated										
0-19 YRS	45	6.1	5	3	4	6	7	9	11	99 +
20-34	669	6.9	25	4	4	6	7	9	12	27
35-49	961	7.6	31	4	5	6	8	11	16	35
50-64	241	7.5	26	1	4	7	9	11	16	27
65 +	14	11.4	197	1	1	6	11	41	46	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	5.9	36	1	1	4	7	12	16	34
B. Operated	656	6.1	11	2	4	6	7	8	9	12
2. MULTIPLE DX										
A. Not Operated	185	8.3	205	< 1	1	3	8	22	41	94
B. Operated	1930	7.3	29	3	4	6	8	10	14	35
1. SINGLE DX	692	6.1	12	2	3	6	7	8	9	15
2. MULTIPLE DX	2115	7.4	44	2	4	6	8	11	16	42
A. Not Operated	221	7.9	178	< 1	1	4	7	19	37	94
B. Operated	2586	7.0	24	3	4	6	8	10	12	28
TOTAL										
0-19 YRS	128	7.9	102	1	2	6	8	13	41	99 +
20-34	1042	6.6	28	3	4	6	7	9	11	27
35-49	1301	7.2	36	2	4	6	8	10	14	34
50-64	311	7.6	33	1	2	7	9	12	18	37
65 +	25	8.4	124	1	1	5	10	12	42	47
GRAND TOTAL	**2807**	**7.1**	**36**	**2**	**4**	**6**	**8**	**10**	**13**	**36**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	321	3.3	20	< 1	< 1	2	4	7	10	23
20-34	119	3.4	10	< 1	< 1	2	5	8	9	15
35-49	88	2.9	8	< 1	< 1	2	3	7	10	13
50-64	46	5.7	39	< 1	1	3	8	17	20	21
65 +	43	5.2	42	1	2	3	6	9	16	40
B. Operated										
0-19 YRS	143	4.8	44	1	1	3	5	10	12	47
20-34	147	2.5	8	< 1	< 1	1	3	6	7	13
35-49	237	2.3	9	< 1	< 1	1	3	5	6	11
50-64	119	2.7	10	< 1	1	2	3	6	7	16
65 +	43	3.7	17	< 1	1	2	5	8	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	621	5.2	47	< 1	1	3	6	10	17	33
20-34	318	4.4	20	< 1	< 1	3	6	10	13	25
35-49	506	5.6	40	< 1	< 1	4	7	11	15	37
50-64	663	7.1	48	< 1	1	5	9	15	20	30
65 +	975	8.1	45	2	2	6	10	16	20	34
B. Operated										
0-19 YRS	187	12.0	205	1	2	7	17	32	63	99 +
20-34	180	7.3	92	1	1	5	9	15	19	61
35-49	393	6.4	74	1	1	4	8	14	22	40
50-64	390	8.7	98	1	1	6	11	21	29	53
65 +	420	11.2	121	1	2	8	14	23	33	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	617	3.6	20	< 1	< 1	2	4	8	12	20
B. Operated	689	3.0	17	< 1	< 1	2	3	6	8	19
2. MULTIPLE DX										
A. Not Operated	3083	6.5	44	< 1	1	5	8	14	19	33
B. Operated	1570	9.0	114	1	1	6	11	21	30	68
1. SINGLE DX	1306	3.3	19	< 1	< 1	2	4	7	10	20
2. MULTIPLE DX	4653	7.4	69	1	1	5	9	16	22	46
A. Not Operated	3700	6.0	41	< 1	1	4	8	13	18	32
B. Operated	2259	7.2	92	1	1	4	9	17	25	60
TOTAL										
0-19 YRS	1272	5.6	70	< 1	1	3	6	12	21	61
20-34	764	4.6	36	< 1	1	3	6	10	14	31
35-49	1224	5.0	45	< 1	1	3	6	11	15	34
50-64	1218	7.1	62	< 1	1	5	9	16	22	40
65 +	1481	8.7	69	1	2	7	11	18	23	42
GRAND TOTAL	**5959**	**6.5**	**61**	**< 1**	**1**	**4**	**8**	**14**	**20**	**42**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	27	2.6	1	1	1	2	3	4	4	5
35-49	50	3.3	4	1	1	3	4	6	7	11
50-64	52	4.1	12	1	1	3	5	7	12	19
65 +	41	3.2	4	1	2	2	4	6	8	9
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	13	4.2	19	1	1	2	6	12	14	14
50-64	21	3.8	17	< 1	< 1	2	4	12	14	15
65 +	13	3.2	9	< 1	< 1	3	4	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	31	3.9	10	1	1	3	5	9	10	13
35-49	110	4.2	7	1	2	3	5	8	9	14
50-64	263	5.3	11	2	2	4	7	9	12	17
65 +	698	6.4	39	2	2	5	8	12	16	28
B. Operated										
0-19 YRS	0									
20-34	11	6.1	23	2	2	4	8	13	18	18
35-49	41	5.8	79	1	1	3	6	11	16	56
50-64	69	7.7	72	1	1	5	9	16	18	55
65 +	153	10.5	112	1	2	7	14	23	28	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	170	3.4	6	1	1	3	4	6	8	14
B. Operated	49	3.8	15	< 1	1	2	4	11	14	15
2. MULTIPLE DX										
A. Not Operated	1104	5.9	29	2	2	5	7	11	14	22
B. Operated	274	8.9	96	1	2	6	12	20	24	61
1. SINGLE DX	219	3.5	8	1	1	3	4	7	9	15
2. MULTIPLE DX	1378	6.5	44	2	2	5	8	12	17	29
A. Not Operated	1274	5.6	27	1	2	4	7	10	13	22
B. Operated	323	8.1	87	1	1	5	10	19	23	61
TOTAL										
0-19 YRS	3	5.7	20	1	1	6	9	10	10	10
20-34	70	3.8	10	1	1	3	4	8	10	17
35-49	214	4.3	21	1	1	3	5	8	11	17
50-64	405	5.5	23	1	2	4	7	10	14	19
65 +	905	6.9	52	2	2	5	8	14	19	33
GRAND TOTAL	**1597**	**6.1**	**40**	**1**	**2**	**4**	**7**	**12**	**17**	**28**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	361	2.8	8	1	1	2	3	5	7	15
20-34	102	2.3	4	< 1	1	2	3	4	6	11
35-49	83	2.9	5	1	1	2	3	7	8	11
50-64	88	3.7	11	1	1	3	4	6	8	20
65 +	272	4.8	19	1	1	4	6	9	12	24
B. Operated										
0-19 YRS	7	5.1	22	1	1	3	8	13	14	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	3	22.7	105	14	14	20	30	34	34	34
65 +	13	7.7	62	< 1	1	4	14	20	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8955	3.1	8	1	1	2	4	5	7	14
20-34	2805	3.4	10	1	1	3	4	6	8	16
35-49	3121	4.4	19	1	1	3	5	8	11	21
50-64	5777	5.8	35	1	2	4	7	11	15	29
65 +	27266	7.4	50	2	2	6	9	14	19	41
B. Operated										
0-19 YRS	250	11.7	187	1	1	6	17	31	41	78
20-34	296	6.8	72	1	1	4	8	15	21	37
35-49	383	9.4	130	1	1	6	11	20	30	67
50-64	911	11.5	136	2	2	8	15	24	35	70
65 +	3616	14.9	181	3	4	11	19	32	46	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	906	3.4	12	1	1	2	4	7	9	17
B. Operated	28	7.7	72	1	1	4	13	20	23	34
2. MULTIPLE DX										
A. Not Operated	47924	5.9	39	1	2	4	7	12	16	32
B. Operated	5456	13.4	170	2	3	10	17	29	42	95
1. SINGLE DX	934	3.6	14	1	1	2	4	7	10	20
2. MULTIPLE DX	53380	6.7	58	1	2	5	8	14	19	43
A. Not Operated	48830	5.9	39	1	2	4	7	12	16	32
B. Operated	5484	13.3	170	2	3	10	17	28	42	95
TOTAL										
0-19 YRS	9573	3.3	15	1	1	2	4	5	8	20
20-34	3204	3.7	16	1	1	3	4	7	9	20
35-49	3591	4.9	33	1	1	3	6	9	13	27
50-64	6779	6.5	53	1	2	5	8	13	18	39
65 +	31167	8.2	71	2	2	6	10	16	22	53
GRAND TOTAL	**54314**	**6.6**	**57**	**1**	**2**	**4**	**8**	**13**	**19**	**43**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	3.5	7	1	1	3	4	7	8	14
20-34	32	2.8	3	1	1	2	4	5	6	9
35-49	47	2.9	4	< 1	1	2	4	5	6	12
50-64	28	3.6	6	< 1	1	3	5	7	8	11
65 +	83	3.4	6	< 1	1	3	5	7	8	12
B. Operated										
0-19 YRS	10	4.1	10	1	1	3	6	9	10	10
20-34	6	3.3	3	1	1	3	4	6	6	6
35-49	18	4.7	8	1	2	4	5	8	11	13
50-64	18	5.3	17	1	2	4	7	9	15	19
65 +	29	7.7	73	2	2	5	7	17	30	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	182	4.3	47	< 1	1	3	5	8	10	19
20-34	165	3.9	28	< 1	1	3	4	6	8	24
35-49	466	4.1	14	1	1	3	5	7	9	18
50-64	661	5.0	13	1	1	4	7	9	12	18
65 +	3208	5.8	30	1	2	5	7	11	14	27
B. Operated										
0-19 YRS	32	7.2	51	1	1	5	10	13	20	37
20-34	81	5.7	18	1	2	4	7	12	14	22
35-49	221	6.8	31	2	2	5	8	13	16	34
50-64	361	8.0	34	2	3	6	9	15	21	26
65 +	1301	9.1	49	2	3	7	11	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	270	3.3	6	1	1	3	4	6	8	12
B. Operated	81	5.8	35	1	2	4	6	9	17	37
2. MULTIPLE DX										
A. Not Operated	4682	5.4	27	1	1	4	7	10	13	24
B. Operated	1996	8.5	44	2	3	7	10	16	21	37
1. SINGLE DX	351	3.9	13	1	1	3	5	7	9	18
2. MULTIPLE DX	6678	6.3	34	1	2	5	8	12	16	29
A. Not Operated	4952	5.3	26	1	1	4	7	10	13	23
B. Operated	2077	8.4	44	2	3	7	10	16	21	37
TOTAL										
0-19 YRS	304	4.4	36	1	1	3	5	8	11	20
20-34	284	4.3	23	1	1	3	5	8	12	23
35-49	752	4.9	20	1	1	4	6	9	12	22
50-64	1068	6.0	22	1	2	5	8	11	15	24
65 +	4621	6.7	37	1	2	5	8	13	17	32
GRAND TOTAL	**7029**	**6.2**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1965	4.1	9	1	1	3	5	8	9	14
20-34	1680	5.7	18	1	2	5	7	10	13	23
35-49	313	5.7	12	2	2	5	7	10	11	21
50-64	23	5.2	6	1	2	6	6	8	9	10
65 +	6	4.8	9	2	2	4	6	10	10	10
B. Operated										
0-19 YRS	26	6.3	38	1	1	5	8	12	19	29
20-34	43	9.1	23	2	3	9	12	16	19	23
35-49	9	13.3	220	4	4	7	13	38	51	51
50-64	1	15.0		15	15	15	15	15	15	15
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1896	5.1	13	1	2	4	7	9	12	19
20-34	2097	7.4	34	2	3	6	9	13	16	30
35-49	654	7.0	22	2	2	6	9	13	16	25
50-64	94	6.6	18	2	2	6	9	11	15	23
65 +	17	4.5	13	1	1	4	6	9	13	14
B. Operated										
0-19 YRS	73	10.8	128	1	2	9	13	21	28	62
20-34	216	14.0	105	3	4	11	18	29	37	47
35-49	71	15.1	160	2	4	11	19	29	51	57
50-64	19	7.7	37	1	2	5	10	18	21	22
65 +	2	8.5	5	7	7	8	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3987	4.9	13	1	1	4	6	9	11	19
B. Operated	79	8.7	52	1	2	8	11	16	20	45
2. MULTIPLE DX										
A. Not Operated	4758	6.4	25	2	2	5	8	12	15	25
B. Operated	381	13.3	119	2	3	10	17	26	37	53
1. SINGLE DX	4066	5.0	14	1	1	4	6	9	11	19
2. MULTIPLE DX	5139	6.9	35	2	2	5	9	13	17	31
A. Not Operated	8745	5.7	20	1	2	5	7	11	13	23
B. Operated	460	12.5	110	2	3	10	16	25	35	52
TOTAL										
0-19 YRS	3960	4.7	14	1	1	4	6	9	11	19
20-34	4036	7.1	34	2	2	6	9	13	17	31
35-49	1047	7.2	35	2	2	6	9	13	17	28
50-64	137	6.6	19	2	2	6	9	12	15	22
65 +	25	4.9	12	1	1	4	7	10	11	14
GRAND TOTAL	**9205**	**6.1**	**27**	**1**	**2**	**5**	**8**	**11**	**15**	**26**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	504	2.6	6	< 1	1	2	3	5	7	11
20-34	142	3.1	10	< 1	1	2	4	7	9	15
35-49	103	2.5	6	< 1	< 1	2	3	5	8	12
50-64	137	2.7	7	< 1	< 1	2	4	7	9	13
65 +	320	3.0	10	< 1	1	2	4	6	8	15
B. Operated										
0-19 YRS	186	5.3	34	1	1	4	6	9	13	35
20-34	41	5.9	12	1	2	5	7	11	12	13
35-49	43	6.0	20	2	2	5	8	12	16	22
50-64	44	6.5	25	1	1	5	8	15	16	24
65 +	86	6.2	19	1	2	6	8	11	13	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	823	3.6	19	< 1	1	2	4	8	11	19
20-34	535	4.1	19	1	1	2	6	9	12	21
35-49	939	4.0	18	1	1	3	5	9	12	21
50-64	1766	4.6	23	1	1	3	6	10	12	19
65 +	5888	5.3	34	1	1	4	7	11	15	29
B. Operated										
0-19 YRS	273	10.7	173	1	2	6	13	25	41	62
20-34	202	9.0	112	1	2	6	10	15	31	60
35-49	343	8.6	87	1	2	6	10	16	26	44
50-64	717	9.4	81	2	2	7	11	20	26	40
65 +	2169	10.4	94	2	3	8	13	21	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1206	2.8	8	< 1	1	2	3	6	8	14
B. Operated	400	5.7	26	1	1	5	7	11	14	26
2. MULTIPLE DX										
A. Not Operated	9951	4.9	29	1	1	3	6	10	14	27
B. Operated	3704	10.0	98	2	2	7	12	20	28	57
1. SINGLE DX	1606	3.5	14	< 1	1	2	4	8	10	16
2. MULTIPLE DX	13655	6.3	53	1	1	4	8	13	18	37
A. Not Operated	11157	4.6	27	1	1	3	6	10	13	25
B. Operated	4104	9.6	92	1	2	7	12	20	27	53
TOTAL										
0-19 YRS	1786	4.6	48	< 1	1	3	5	9	14	40
20-34	920	5.1	42	1	1	3	6	11	14	36
35-49	1428	5.1	38	1	1	3	6	11	14	31
50-64	2664	5.8	43	1	1	4	8	12	17	32
65 +	8463	6.6	53	1	1	5	8	14	19	37
GRAND TOTAL	**15261**	**6.0**	**49**	**1**	**1**	**4**	**7**	**13**	**17**	**36**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	3.6	10	1	1	2	4	6	10	17
20-34	27	5.8	31	1	1	5	7	12	21	23
35-49	11	2.5	3	< 1	< 1	2	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	27.0		27	27	27	27	27	27	27
B. Operated										
0-19 YRS	6	8.2	11	3	3	8	11	12	12	12
20-34	10	10.2	26	2	4	9	14	17	19	19
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	105	4.5	16	1	1	4	5	10	14	21
20-34	61	8.8	155	1	2	5	7	23	41	60
35-49	33	5.4	14	1	1	5	7	9	13	18
50-64	10	7.6	26	2	2	6	13	15	15	15
65 +	16	7.9	34	3	3	6	10	14	22	26
B. Operated										
0-19 YRS	17	5.1	20	1	2	3	7	12	16	17
20-34	14	10.4	156	2	2	7	9	25	44	50
35-49	8	9.5	67	2	2	6	15	23	24	24
50-64	3	34.0	1456	10	10	14	62	78	78	78
65 +	6	21.8	414	2	2	19	32	54	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	4.2	19	1	1	3	5	8	13	24
B. Operated	17	9.0	22	2	2	9	12	15	18	19
2. MULTIPLE DX										
A. Not Operated	225	6.2	58	1	1	4	6	14	17	51
B. Operated	48	11.3	228	2	2	6	12	23	51	78
1. SINGLE DX	133	4.8	22	1	1	3	6	11	15	24
2. MULTIPLE DX	273	7.1	91	1	1	4	7	14	22	55
A. Not Operated	341	5.5	46	1	1	4	6	11	16	34
B. Operated	65	10.7	174	2	2	7	12	20	36	75
TOTAL										
0-19 YRS	204	4.3	15	1	1	3	5	9	13	19
20-34	112	8.4	114	1	2	5	9	20	28	56
35-49	53	5.3	23	<1	1	4	7	10	17	24
50-64	14	12.8	377	1	2	8	14	21	65	78
65 +	23	12.4	166	2	3	7	18	28	40	56
GRAND TOTAL	**406**	**6.3**	**69**	**1**	**1**	**4**	**7**	**14**	**20**	**52**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	779	3.1	7	1	1	2	4	6	8	13
20-34	88	4.3	12	< 1	1	3	5	8	12	18
35-49	100	3.2	7	< 1	< 1	3	4	6	8	14
50-64	83	3.2	7	< 1	< 1	2	4	8	9	12
65 +	95	3.4	11	< 1	1	2	4	7	10	18
B. Operated										
0-19 YRS	419	4.3	12	1	1	4	6	8	10	17
20-34	178	5.4	10	2	2	5	6	9	12	18
35-49	109	6.8	40	1	2	5	7	13	16	41
50-64	90	6.0	11	2	2	6	8	11	13	16
65 +	92	6.6	25	1	2	5	8	12	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1835	4.7	18	1	1	4	6	9	12	22
20-34	553	5.3	21	1	1	4	7	10	12	20
35-49	690	5.5	15	1	2	5	7	10	12	23
50-64	1226	5.9	19	1	1	5	7	11	14	22
65 +	2380	6.8	31	1	2	5	9	13	17	28
B. Operated										
0-19 YRS	408	9.4	121	1	2	6	12	19	32	60
20-34	335	9.0	85	2	3	7	10	17	24	71
35-49	420	10.7	127	2	3	7	12	23	31	64
50-64	666	11.3	101	2	3	9	14	23	30	45
65 +	1368	12.2	126	3	4	9	15	25	36	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1145	3.3	8	< 1	1	3	4	6	8	15
B. Operated	888	5.2	17	1	1	5	6	10	12	21
2. MULTIPLE DX										
A. Not Operated	6684	5.8	23	1	1	5	7	11	14	24
B. Operated	3197	11.1	117	2	3	8	13	23	32	59
1. SINGLE DX	2033	4.1	13	1	1	3	5	8	10	18
2. MULTIPLE DX	9881	7.5	60	1	2	5	9	15	21	41
A. Not Operated	7829	5.4	22	1	1	4	7	11	14	23
B. Operated	4085	9.8	101	2	2	7	12	20	29	55
TOTAL										
0-19 YRS	3441	4.9	30	1	1	3	6	10	13	29
20-34	1154	6.3	40	1	2	5	8	11	16	34
35-49	1319	7.1	59	1	2	5	8	13	20	51
50-64	2065	7.5	51	1	2	6	9	15	20	36
65 +	3935	8.6	70	1	2	6	10	17	23	44
GRAND TOTAL	**11914**	**6.9**	**53**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1167	1.7	1	1	1	1	2	3	4	6
20-34	304	2.0	1	1	1	2	2	3	4	6
35-49	75	2.0	1	<1	1	2	2	3	4	5
50-64	14	2.9	2	1	1	3	4	5	5	5
65+	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	799	3.1	2	1	2	3	4	4	5	7
20-34	282	3.2	2	1	2	3	4	5	6	8
35-49	43	3.7	1	2	2	4	4	5	6	7
50-64	5	3.8	1	3	3	4	4	5	5	5
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	780	2.1	2	1	1	2	3	4	5	7
20-34	173	2.3	2	1	1	2	3	4	5	8
35-49	56	3.1	4	1	1	2	4	6	7	10
50-64	27	3.2	3	1	1	3	4	6	6	7
65+	13	3.0	3	1	1	3	4	5	7	7
B. Operated										
0-19 YRS	453	4.0	4	2	2	4	5	6	8	11
20-34	235	4.4	5	2	2	4	5	7	8	14
35-49	42	5.4	9	2	3	5	7	10	12	15
50-64	19	6.9	13	3	4	6	8	13	16	16
65+	8	5.9	9	2	3	5	7	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1563	1.8	1	1	1	2	2	3	4	6
B. Operated	1132	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	1049	2.2	2	1	1	2	3	4	5	7
B. Operated	757	4.3	5	2	2	4	5	7	9	14
1. SINGLE DX	2695	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1806	3.1	4	1	1	3	4	6	7	11
A. Not Operated	2612	2.0	2	1	1	2	2	4	4	6
B. Operated	1889	3.6	3	2	2	3	4	6	7	10
TOTAL										
0-19 YRS	3199	2.5	2	1	1	2	3	4	5	8
20-34	994	3.0	3	1	1	3	4	5	6	9
35-49	216	3.3	5	1	1	3	4	6	7	12
50-64	65	4.3	8	1	1	4	5	8	9	16
65+	27	3.8	7	1	1	3	5	7	9	12
GRAND TOTAL	**4501**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	355	4.1	5	1	2	4	5	7	8	11
20-34	29	3.8	3	1	1	4	5	6	7	8
35-49	14	4.2	19	<1	1	3	5	9	15	17
50-64	3	3.0	7	<1	<1	2	5	6	6	6
65+	2	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	140	3.9	14	<1	<1	2	6	8	14	28
20-34	73	2.5	8	<1	<1	1	3	5	8	17
35-49	51	1.7	1	<1	<1	1	2	3	4	6
50-64	27	1.9	2	<1	<1	1	3	3	5	6
65+	13	3.2	9	<1	<1	2	4	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	335	4.2	4	1	2	4	5	7	8	11
20-34	36	3.6	4	<1	1	3	5	7	8	8
35-49	25	5.3	15	2	2	5	7	8	11	21
50-64	12	4.8	4	2	2	5	6	7	9	9
65+	18	6.7	21	2	3	5	9	14	18	19
B. Operated										
0-19 YRS	116	5.4	13	1	1	5	7	11	12	14
20-34	52	4.2	10	<1	1	3	6	8	11	13
35-49	37	4.8	69	<1	1	2	5	10	17	48
50-64	42	4.5	19	<1	1	3	7	13	14	16
65+	47	4.4	15	1	1	3	6	10	11	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	403	4.1	5	1	2	4	5	7	8	11
B. Operated	304	3.0	10	<1	<1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	426	4.3	6	1	2	4	5	7	8	14
B. Operated	294	4.8	21	1	1	4	7	10	12	18
1. SINGLE DX	707	3.6	7	<1	1	3	5	7	8	15
2. MULTIPLE DX	720	4.5	12	1	1	4	6	8	10	15
A. Not Operated	829	4.2	5	1	2	4	5	7	8	12
B. Operated	598	3.9	16	<1	1	2	6	9	11	18
TOTAL										
0-19 YRS	946	4.2	7	1	1	4	6	7	9	14
20-34	190	3.4	8	<1	1	3	5	7	8	13
35-49	127	3.6	27	<1	1	2	4	7	9	27
50-64	84	3.7	12	<1	<1	2	5	8	13	15
65+	80	4.8	17	1	1	4	7	10	11	21
GRAND TOTAL	**1427**	**4.1**	**10**	**1**	**1**	**3**	**5**	**8**	**9**	**15**

1,228 Hospitals, United States, January-December 1987

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	6.6	100	< 1	1	3	8	13	24	50
20-34	55	10.1	127	1	1	7	14	23	37	55
35-49	39	11.5	169	< 1	1	8	18	27	35	62
50-64	38	7.5	58	1	1	4	14	19	29	99 +
65 +	108	9.3	83	2	2	6	13	21	26	45
B. Operated										
0-19 YRS	0									
20-34	2	43.5	3445	2	2	43	85	85	85	85
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	14.8	234	1	1	11	23	40	45	95
20-34	303	14.2	185	1	2	10	20	29	41	63
35-49	228	12.4	165	1	1	7	19	28	32	65
50-64	364	11.5	153	1	2	8	15	25	36	77
65 +	1573	9.5	106	2	2	6	12	20	28	61
B. Operated										
0-19 YRS	0									
20-34	7	29.3	552	< 1	2	31	45	62	66	66
35-49	26	14.4	247	1	2	8	18	40	52	61
50-64	43	17.2	371	1	3	9	24	42	61	86
65 +	130	12.0	138	1	1	8	17	26	35	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	9.3	103	1	1	6	13	22	29	54
B. Operated	3	29.3	2324	< 1	< 1	2	64	85	85	85
2. MULTIPLE DX										
A. Not Operated	2535	10.7	134	1	2	7	14	25	33	69
B. Operated	206	14.0	222	1	1	9	18	34	44	[illegible]
1. SINGLE DX	269	9.5	124	1	1	6	13	22	29	61
2. MULTIPLE DX	2741	11.0	141	1	2	7	14	25	35	70
A. Not Operated	2801	10.6	131	1	2	7	14	24	33	68
B. Operated	209	14.2	244	1	1	9	18	35	46	80
TOTAL										
0-19 YRS	93	12.5	209	1	1	7	18	38	44	87
20-34	367	14.0	201	1	2	10	20	31	46	66
35-49	293	12.4	172	1	1	7	18	28	36	63
50-64	446	11.7	169	1	2	7	15	26	37	84
65 +	1811	9.7	108	1	2	7	12	21	29	60
GRAND TOTAL	**3010**	**10.6**	**140**	**1**	**2**	**7**	**14**	**25**	**35**	**69**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	280	2.1	16	< 1	1	1	2	3	5	23
20-34	161	3.7	26	< 1	1	2	4	8	12	31
35-49	105	4.8	49	< 1	1	3	5	10	19	42
50-64	79	7.5	88	1	1	4	10	16	26	53
65 +	538	11.6	148	1	2	8	15	25	35	63
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	5	4.4	10	1	1	4	7	9	9	9
65 +	6	8.2	49	2	2	5	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	376	8.3	200	1	1	3	9	30	58	99 +
20-34	783	8.5	134	1	1	5	9	18	29	74
35-49	587	8.8	83	2	2	6	10	18	25	56
50-64	650	11.0	125	2	3	7	14	24	31	66
65 +	5378	11.4	156	2	3	8	14	24	39	99 +
B. Operated										
0-19 YRS	23	8.9	449	< 1	1	2	8	98	99 +	99 +
20-34	33	10.8	167	1	1	6	20	48	99 +	99 +
35-49	31	17.6	370	1	3	13	31	55	98	99 +
50-64	68	13.8	132	2	2	11	22	35	51	99 +
65 +	552	17.8	276	2	3	13	24	44	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1163	7.3	104	1	1	3	9	19	27	53
B. Operated	15	5.3	28	1	1	4	6	17	17	17
2. MULTIPLE DX										
A. Not Operated	7774	10.7	[illegible]	1	2	7	13	23	37	96
B. Operated	707	16.8	271	2	3	12	24	45	79	99 +
1. SINGLE DX	1178	7.3	103	1	1	3	9	19	27	53
2. MULTIPLE DX	8481	11.2	162	1	2	7	14	25	40	99 +
A. Not Operated	8937	10.3	145	1	2	7	12	22	35	91
B. Operated	722	16.5	268	2	3	12	23	44	78	99 +
TOTAL										
0-19 YRS	681	5.8	141	1	1	2	4	18	41	99 +
20-34	977	7.8	121	1	1	5	8	17	29	78
35-49	725	8.6	95	1	2	6	10	19	28	76
50-64	802	10.8	123	1	2	7	14	25	32	85
65 +	6474	11.9	169	2	3	8	14	26	42	99 +
GRAND TOTAL	**9659**	**10.7**	**156**	**1**	**2**	**7**	**13**	**24**	**39**	**99 +**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	11.0	162	2	2	11	20	20	20	20
50-64	2	6.0	18	3	3	6	9	9	9	9
65 +	40	10.0	73	1	3	8	13	21	30	40
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	5.0	3	3	3	6	6	6	6	6
50-64	74	13.2	144	2	3	9	19	34	47	99 +
65 +	861	12.7	173	2	3	9	16	27	43	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	15	15.1	71	5	6	13	20	24	34	37
65 +	104	18.2	241	3	6	15	22	46	95	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	9.9	71	1	3	8	13	20	28	40
B. Operated	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	938	12.7	170	2	3	9	16	28	43	99 +
B. Operated	120	17.7	219	3	6	15	21	40	87	99 +
1. SINGLE DX	46	9.7	69	1	2	8	13	20	28	40
2. MULTIPLE DX	1058	13.3	178	2	3	9	17	29	45	99 +
A. Not Operated	982	12.6	166	2	3	9	16	28	41	99 +
B. Operated	122	17.5	218	3	6	15	21	39	86	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	6	7.3	42	2	2	6	7	19	20	20
50-64	92	13.2	130	2	3	10	18	34	41	99 +
65 +	1006	13.2	179	2	3	9	16	28	45	99 +
GRAND TOTAL	**1104**	**13.1**	**174**	**2**	**3**	**9**	**17**	**29**	**45**	**99 +**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.2	3	< 1	< 1	1	4	5	5	5
20-34	133	2.7	3	< 1	1	2	3	5	6	8
35-49	227	3.9	12	1	1	3	5	7	9	21
50-64	111	5.4	111	1	1	3	5	8	11	72
65 +	42	6.8	30	2	2	5	10	17	22	99 +
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	6.3	63	1	1	3	6	22	24	36
20-34	2545	5.9	31	1	2	5	5	12	21	28
35-49	4804	5.8	27	2	2	5	5	10	15	29
50-64	2645	6.6	44	2	2	5	7	13	21	34
65 +	1098	8.2	65	2	2	6	10	18	23	41
B. Operated										
0-19 YRS	0									
20-34	47	9.1	72	1	1	5	14	23	27	32
35-49	127	9.4	64	1	2	7	12	19	26	38
50-64	126	16.5	261	3	3	10	21	39	51	76
65 +	82	17.5	237	3	4	13	23	43	56	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	522	4.1	33	1	1	3	5	7	10	23
B. Operated	3	5.7	41	1	1	3	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	11156	6.3	36	2	2	5	6	12	20	30
B. Operated	382	13.4	180	2	3	9	18	29	43	74
1. SINGLE DX	525	4.1	33	1	1	3	5	7	10	23
2. MULTIPLE DX	11538	6.5	43	2	2	5	6	13	21	32
A. Not Operated	11678	6.2	36	2	2	5	6	12	19	30
B. Operated	385	13.4	179	2	3	9	18	29	43	74
TOTAL										
0-19 YRS	73	5.8	57	1	1	3	5	18	23	36
20-34	2726	5.8	31	1	2	5	5	12	21	28
35-49	5159	5.8	28	2	2	5	6	10	15	29
50-64	2882	7.0	60	2	2	5	7	14	23	40
65 +	1223	8.8	80	2	2	6	11	19	26	48
GRAND TOTAL	**12063**	**6.4**	**42**	**2**	**2**	**5**	**6**	**13**	**21**	**32**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	5.3	75	< 1	1	2	4	17	19	52
20-34	105	4.2	21	1	1	3	5	7	16	24
35-49	40	6.6	67	1	1	3	6	21	29	30
50-64	24	6.1	83	< 1	1	2	6	16	32	36
65 +	21	7.0	37	1	2	5	9	18	20	23
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	1	21.0		21	21	21	21	21	21	21
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	195	6.3	45	1	1	5	7	13	23	44
20-34	1503	5.8	37	1	2	4	6	11	19	31
35-49	849	6.1	41	1	2	4	7	11	19	32
50-64	373	6.9	44	1	2	5	9	15	22	31
65 +	895	7.8	63	2	2	6	9	15	21	42
B. Operated										
0-19 YRS	3	11.0	175	1	1	6	21	26	26	26
20-34	15	8.7	75	1	1	4	17	22	24	25
35-49	23	9.1	45	1	2	7	12	18	23	30
50-64	21	15.7	239	2	3	11	21	26	48	74
65 +	67	10.5	65	1	1	9	15	22	28	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	5.3	48	1	1	3	5	13	19	31
B. Operated	2	11.5	181	2	2	11	21	21	21	21
2. MULTIPLE DX										
A. Not Operated	3815	6.5	46	1	2	5	7	13	20	33
B. Operated	129	10.9	94	1	1	9	16	23	27	41
1. SINGLE DX	247	5.3	49	1	1	3	6	14	20	30
2. MULTIPLE DX	3944	6.6	48	1	2	5	8	14	21	33
A. Not Operated	4060	6.4	46	1	2	4	7	13	20	33
B. Operated	131	10.9	94	1	1	9	16	23	27	40
TOTAL										
0-19 YRS	254	6.1	52	1	1	4	7	14	22	51
20-34	1623	5.7	36	1	2	4	6	11	19	30
35-49	912	6.2	42	1	2	4	7	12	20	32
50-64	419	7.4	59	1	2	5	9	16	23	36
65 +	983	8.0	63	1	2	6	10	16	21	40
GRAND TOTAL	**4191**	**6.5**	**48**	**1**	**2**	**4**	**8**	**14**	**21**	**33**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	142	16.2	189	1	3	12	24	32	41	65
20-34	2390	14.3	170	2	3	11	20	30	42	66
35-49	1449	14.1	162	2	3	11	19	30	40	66
50-64	502	14.7	151	1	3	12	19	29	38	66
65 +	141	16.1	138	2	3	14	24	36	42	99 +
B. Operated										
0-19 YRS	0									
20-34	11	27.5	381	1	2	23	36	60	62	62
35-49	9	20.8	557	1	2	17	26	57	78	78
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	21.9	402	3	3	16	32	56	88	99 +
20-34	2114	15.6	195	2	3	12	20	33	45	74
35-49	1649	15.1	153	2	3	12	20	30	39	60
50-64	797	17.5	176	3	4	15	23	33	44	71
65 +	384	19.0	221	3	5	17	26	41	56	99 +
B. Operated										
0-19 YRS	3	19.7	104	8	8	24	26	27	27	27
20-34	57	20.8	246	4	6	16	27	37	57	75
35-49	46	27.6	387	5	8	24	35	57	80	99 +
50-64	41	25.0	358	6	7	20	33	55	84	99 +
65 +	29	22.7	272	6	8	18	29	36	67	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4624	14.4	165	2	3	11	20	31	41	66
B. Operated	21	24.0	431	1	2	22	28	60	69	78
2. MULTIPLE DX										
A. Not Operated	5068	16.1	187	2	3	13	21	33	44	76
B. Operated	176	23.9	312	5	7	19	30	49	72	97
1. SINGLE DX	4645	14.5	167	2	3	11	20	31	41	66
2. MULTIPLE DX	5244	16.4	193	2	4	13	22	34	45	77
A. Not Operated	9692	15.3	178	2	3	12	21	32	43	71
B. Operated	197	23.9	323	4	6	19	30	50	72	95
TOTAL										
0-19 YRS	269	18.9	293	2	3	14	27	45	61	99 +
20-34	4572	15.0	184	2	3	11	20	32	44	70
35-49	3153	14.8	164	2	3	11	20	31	41	70
50-64	1341	16.6	176	2	4	14	22	33	42	70
65 +	554	18.4	204	3	5	16	25	39	50	99 +
GRAND TOTAL	**9889**	**15.5**	**182**	**2**	**3**	**12**	**21**	**32**	**44**	**74**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	17.1	243	3	3	13	22	38	62	99 +
20-34	139	14.3	104	2	3	12	20	30	35	44
35-49	35	14.1	138	2	2	10	20	30	40	44
50-64	11	15.6	318	1	2	13	18	40	62	64
65 +	2	15.0	8	13	13	15	17	17	17	17
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	29.8	486	6	7	22	40	61	78	95
20-34	112	16.7	225	3	3	11	22	42	49	66
35-49	37	12.9	77	2	4	11	15	27	33	37
50-64	27	12.4	116	2	2	11	17	21	29	55
65 +	15	16.1	178	4	6	12	17	37	50	54
B. Operated										
0-19 YRS	0									
20-34	3	13.3	30	8	8	13	17	19	19	19
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	16.5	365	3	3	16	30	30	30	30
65 +	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	231	14.8	143	2	3	12	20	31	38	65
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	244	18.5	280	3	4	13	23	42	54	80
B. Operated	7	14.4	94	3	4	13	21	28	30	30
1. SINGLE DX	231	14.8	143	2	3	12	20	31	38	65
2. MULTIPLE DX	251	18.3	274	3	4	13	23	42	54	79
A. Not Operated	475	16.7	216	2	3	12	21	36	47	75
B. Operated	7	14.4	94	3	4	13	21	28	30	30
TOTAL										
0-19 YRS	97	24.0	412	3	4	17	32	60	70	98
20-34	254	15.3	157	2	3	12	20	35	43	55
35-49	73	13.4	105	2	3	11	17	29	34	44
50-64	40	13.5	171	1	2	11	18	24	42	64
65 +	18	16.3	149	4	6	13	18	33	47	54
GRAND TOTAL	**482**	**16.7**	**214**	**2**	**3**	**12**	**21**	**35**	**46**	**75**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	370	20.0	341	2	3	14	28	48	63	99
20-34	3219	14.3	173	1	3	11	19	31	41	72
35-49	2018	14.4	158	1	3	11	19	30	41	62
50-64	728	16.8	185	2	4	14	22	34	48	73
65 +	178	16.2	169	2	3	13	20	34	47	54
B. Operated										
0-19 YRS	2	15.0	32	11	11	15	19	19	19	19
20-34	7	23.3	1178	3	3	9	29	85	97	97
35-49	2	11.5	13	9	9	11	14	14	14	14
50-64	4	14.8	68	5	5	15	21	23	23	23
65 +	1	53.0		53	53	53	53	53	53	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	394	21.7	399	2	3	15	32	54	75	99 +
20-34	3843	15.8	179	2	3	13	21	33	42	74
35-49	2876	16.0	177	2	4	13	21	33	44	71
50-64	1620	17.5	183	3	4	14	23	35	44	71
65 +	699	18.1	206	3	4	15	25	36	51	99 +
B. Operated										
0-19 YRS	9	34.0	919	6	11	35	96	99 +	99 +	99 +
20-34	129	25.3	373	4	7	20	35	52	68	96
35-49	131	27.1	323	7	10	21	36	58	66	99 +
50-64	77	25.0	354	4	6	20	32	49	69	90
65 +	50	26.6	394	7	8	21	39	66	83	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6513	15.0	181	1	3	11	20	32	43	70
B. Operated	16	20.5	586	3	4	11	21	51	84	97
2. MULTIPLE DX										
A. Not Operated	9432	16.6	192	2	4	13	22	34	45	77
B. Operated	396	26.2	365	5	8	21	35	57	77	99 +
1. SINGLE DX	6529	15.0	182	1	3	11	20	32	43	71
2. MULTIPLE DX	9828	17.0	202	2	4	13	22	35	47	82
A. Not Operated	15945	15.9	188	2	3	12	21	34	44	75
B. Operated	412	26.0	373	5	8	21	35	57	77	99 +
TOTAL										
0-19 YRS	775	21.0	377	2	3	15	30	52	74	99 +
20-34	7198	15.3	183	2	3	12	21	33	42	75
35-49	5027	15.7	177	2	3	12	21	32	44	68
50-64	2429	17.5	190	3	4	14	23	35	46	73
65 +	928	18.2	214	3	4	15	24	38	51	99 +
GRAND TOTAL	**16357**	**16.2**	**195**	**2**	**3**	**13**	**21**	**34**	**45**	**77**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	21.3	465	< 1	2	10	45	54	70	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	131	26.8	607	1	2	27	45	88	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	32.0	633	3	3	51	66	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	21.3	465	< 1	2	10	45	54	70	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	131	26.8	607	1	2	27	45	88	99 +	99 +
B. Operated	4	32.0	633	3	3	51	66	99 +	99 +	99 +
1. SINGLE DX	47	21.3	465	< 1	2	10	45	54	70	99 +
2. MULTIPLE DX	135	27.0	604	1	2	28	45	89	99 +	99 +
A. Not Operated	178	25.4	573	1	2	20	45	74	99 +	99 +
B. Operated	4	32.0	633	3	3	51	66	99 +	99 +	99 +
TOTAL										
0-19 YRS	182	25.5	572	1	2	20	45	75	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**182**	**25.5**	**572**	**1**	**2**	**20**	**45**	**75**	**99 +**	**99 +**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	911	19.0	301	1	3	14	27	44	61	99 +
20-34	2524	12.2	127	1	2	9	16	26	35	54
35-49	2574	13.0	122	1	2	10	17	28	33	53
50-64	1619	15.1	128	2	3	13	20	29	36	56
65 +	1325	19.5	199	2	4	17	26	39	47	67
B. Operated										
0-19 YRS	4	21.8	212	3	3	23	32	38	38	38
20-34	9	9.6	37	2	2	12	15	16	16	16
35-49	15	18.4	285	2	4	13	22	35	61	70
50-64	10	14.2	68	< 1	3	13	21	25	28	28
65 +	11	21.9	249	4	5	18	36	43	44	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2179	24.2	409	2	4	19	37	57	74	99 +
20-34	6527	14.1	149	2	3	11	19	29	38	61
35-49	6829	14.8	139	2	3	12	20	29	37	61
50-64	4742	16.9	161	3	4	14	22	33	43	67
65 +	6036	19.0	189	3	5	16	25	38	47	69
B. Operated										
0-19 YRS	55	30.4	488	2	6	29	44	79	95	99 +
20-34	240	22.8	308	3	5	18	31	50	62	84
35-49	363	22.2	221	5	7	19	28	43	58	77
50-64	322	23.0	190	6	9	21	30	40	51	79
65 +	464	26.1	280	6	8	23	36	51	64	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8953	14.7	162	1	3	11	20	31	40	65
B. Operated	49	17.0	187	2	3	14	23	36	43	70
2. MULTIPLE DX										
A. Not Operated	26313	16.7	188	2	4	13	22	34	44	74
B. Operated	1444	24.0	261	5	7	21	31	47	61	99
1. SINGLE DX	9002	14.7	162	1	3	12	20	31	40	65
2. MULTIPLE DX	27757	17.1	194	2	4	14	23	35	45	76
A. Not Operated	35266	16.2	182	2	3	13	22	33	43	71
B. Operated	1493	23.8	260	5	7	20	31	47	60	96
TOTAL										
0-19 YRS	3149	22.8	385	2	3	18	34	54	71	99 +
20-34	9300	13.8	150	2	2	10	19	29	37	61
35-49	9781	14.6	141	2	3	12	20	29	37	62
50-64	6693	16.7	157	3	4	14	22	32	42	65
65 +	7836	19.5	199	3	5	17	26	39	48	74
GRAND TOTAL	**36759**	**16.5**	**187**	**2**	**3**	**13**	**22**	**34**	**44**	**73**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	351	19.7	313	1	3	14	28	46	59	95
20-34	1958	13.5	135	1	3	11	18	28	36	56
35-49	1936	13.5	122	2	3	11	18	27	35	58
50-64	948	14.5	112	2	4	12	20	29	36	49
65 +	389	18.3	190	2	5	15	24	35	43	75
B. Operated										
0-19 YRS	0									
20-34	5	8.6	71	1	1	6	12	23	23	23
35-49	19	13.9	113	< 1	2	13	19	32	37	37
50-64	3	40.7	345	28	28	32	54	62	62	62
65 +	2	15.0	32	11	11	15	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	607	23.7	378	3	4	19	35	54	72	99 +
20-34	2892	15.8	165	2	3	13	21	33	41	61
35-49	3127	15.3	145	2	4	13	21	30	38	62
50-64	2035	17.4	165	3	4	14	23	34	42	64
65 +	1520	19.0	194	3	5	16	25	38	47	73
B. Operated										
0-19 YRS	15	27.5	245	3	10	28	36	42	58	63
20-34	102	21.5	231	4	7	18	28	42	49	82
35-49	141	23.6	314	5	7	21	29	47	67	99 +
50-64	128	25.8	360	5	9	21	30	56	68	94
65 +	110	25.4	325	5	8	20	35	55	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5582	14.4	145	2	3	12	19	29	38	61
B. Operated	29	15.8	187	1	2	13	21	34	38	62
2. MULTIPLE DX										
A. Not Operated	10181	16.9	180	2	4	14	22	35	44	70
B. Operated	496	24.2	310	5	7	20	30	49	65	98
1. SINGLE DX	5611	14.4	145	2	3	12	19	29	38	62
2. MULTIPLE DX	10677	17.2	189	2	4	14	23	35	45	73
A. Not Operated	15763	16.0	169	2	3	13	21	32	42	67
B. Operated	525	23.8	306	5	7	20	29	49	65	98
TOTAL										
0-19 YRS	973	22.3	356	2	4	17	32	51	66	99 +
20-34	4957	15.0	157	2	3	12	20	31	39	59
35-49	5223	14.8	143	2	3	12	20	29	37	64
50-64	3114	16.9	163	3	4	14	22	33	42	63
65 +	2021	19.2	202	3	5	16	25	38	49	77
GRAND TOTAL	**16288**	**16.3**	**176**	**2**	**3**	**13**	**22**	**33**	**42**	**70**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	209	12.5	203	1	1	9	17	27	37	88
20-34	729	9.8	83	1	2	7	12	22	28	48
35-49	473	9.2	74	1	2	7	12	19	25	42
50-64	245	9.7	91	1	1	7	13	20	27	54
65 +	225	11.1	106	1	2	8	14	27	34	57
B. Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	6	6.7	55	1	1	4	8	20	21	21
35-49	6	9.3	174	1	1	5	6	33	36	36
50-64	1	4.0		4	4	4	4	4	4	4
65 +	5	3.2	3	< 1	< 1	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	339	16.0	258	1	2	10	24	42	56	69
20-34	1288	11.5	119	1	2	8	15	24	32	55
35-49	967	11.0	100	1	2	8	15	25	31	47
50-64	868	11.0	89	2	2	8	14	23	28	44
65 +	2258	11.2	133	2	2	7	14	24	33	64
B. Operated										
0-19 YRS	4	10.3	142	3	3	5	17	28	28	28
20-34	26	14.7	217	1	1	10	22	31	46	64
35-49	48	13.6	74	3	4	12	17	24	33	39
50-64	45	13.2	125	1	2	12	20	33	60	99 +
65 +	177	17.6	310	2	4	11	22	46	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1881	10.1	99	1	2	7	13	22	28	50
B. Operated	20	6.4	67	< 1	1	4	6	15	28	36
2. MULTIPLE DX										
A. Not Operated	5720	11.5	126	1	2	8	15	25	33	60
B. Operated	300	15.9	236	2	3	11	21	38	57	99 +
1. SINGLE DX	1901	10.1	98	1	2	7	13	22	28	50
2. MULTIPLE DX	6020	11.7	132	1	2	8	15	25	34	62
A. Not Operated	7601	11.1	120	1	2	8	14	24	31	56
B. Operated	320	15.3	231	1	3	11	20	36	56	99 +
TOTAL										
0-19 YRS	554	14.6	238	1	1	9	20	36	48	76
20-34	2049	11.0	108	1	2	8	14	24	30	53
35-49	1494	10.5	92	1	2	8	14	24	30	45
50-64	1159	10.8	91	1	2	8	14	23	28	51
65 +	2665	11.6	144	2	2	8	15	25	36	69
GRAND TOTAL	**7921**	**11.3**	**125**	**1**	**2**	**8**	**15**	**25**	**33**	**69**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	8.9	191	< 1	1	2	8	33	41	56
20-34	269	5.6	39	1	1	3	7	14	18	31
35-49	262	5.5	53	< 1	1	3	5	14	21	39
50-64	147	6.1	38	1	1	4	9	14	20	29
65 +	86	6.1	53	< 1	1	3	9	15	20	40
B. Operated										
0-19 YRS	0									
20-34	9	3.3	19	< 1	< 1	2	3	11	14	14
35-49	3	4.3		4	4	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	163	12.9	390	< 1	1	3	17	39	56	93
20-34	870	7.3	62	1	1	4	9	17	22	37
35-49	944	6.8	55	1	1	4	9	17	22	30
50-64	709	6.5	63	1	1	4	8	14	21	38
65 +	784	6.4	55	1	1	4	7	15	20	39
B. Operated										
0-19 YRS	3	8.7	116	1	1	4	17	21	21	21
20-34	28	9.5	103	1	1	6	11	27	36	37
35-49	48	11.2	244	1	1	6	12	28	41	79
50-64	30	8.3	98	1	2	5	9	19	27	49
65 +	57	10.5	119	1	2	7	14	27	34	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	833	6.0	58	< 1	1	3	7	15	21	39
B. Operated	15	3.1	12	< 1	1	2	4	6	12	14
2. MULTIPLE DX										
A. Not Operated	3470	7.0	76	1	1	4	9	17	23	43
B. Operated	166	10.1	146	1	1	6	13	25	36	77
1. SINGLE DX	848	5.9	57	< 1	1	3	7	15	21	39
2. MULTIPLE DX	3636	7.2	79	1	1	4	9	17	23	44
A. Not Operated	4303	6.8	72	1	1	4	8	16	22	41
B. Operated	181	9.5	139	1	1	6	12	22	34	76
TOTAL										
0-19 YRS	235	11.6	330	< 1	1	3	14	38	47	93
20-34	1176	6.9	58	1	1	4	9	17	22	36
35-49	1257	6.7	62	1	1	4	8	17	23	37
50-64	887	6.5	60	1	1	4	8	14	21	38
65 +	929	6.6	60	1	1	4	8	15	21	42
GRAND TOTAL	**4484**	**6.9**	**75**	**1**	**1**	**4**	**8**	**17**	**23**	**43**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	538	17.7	294	1	2	11	28	42	53	88
20-34	657	7.5	53	1	1	5	10	17	21	32
35-49	513	8.4	58	1	2	6	12	18	22	36
50-64	182	8.2	56	1	1	6	11	18	23	35
65 +	97	10.0	90	1	2	7	13	20	34	43
B. Operated										
0-19 YRS	0									
20-34	4	3.5	7	1	1	3	5	7	7	7
35-49	4	9.3	38	3	3	8	14	17	17	17
50-64	1	36.0		36	36	36	36	36	36	36
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1609	23.1	411	2	3	17	37	56	72	99 +
20-34	2342	10.6	96	1	2	7	15	24	30	45
35-49	1874	9.8	75	1	2	7	14	21	26	43
50-64	845	10.3	100	1	2	7	13	22	29	44
65 +	784	10.3	97	2	2	7	14	21	28	46
B. Operated										
0-19 YRS	32	27.6	623	2	3	24	51	69	99	99 +
20-34	73	13.5	106	1	2	12	21	27	33	42
35-49	68	15.5	63	3	6	14	21	25	28	38
50-64	41	16.3	143	2	4	13	22	33	44	48
65 +	57	17.7	319	4	4	13	21	38	73	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1987	10.7	140	1	1	7	14	26	37	59
B. Operated	10	9.9	109	1	1	6	12	26	36	36
2. MULTIPLE DX										
A. Not Operated	7454	13.0	187	1	2	8	17	30	42	79
B. Operated	271	17.0	220	2	4	13	22	38	50	99
1. SINGLE DX	1997	10.7	140	1	1	7	14	26	37	59
2. MULTIPLE DX	7725	13.2	189	1	2	8	17	30	42	79
A. Not Operated	9441	12.6	178	1	2	8	16	29	41	75
B. Operated	281	16.7	217	2	3	13	22	37	49	99
TOTAL										
0-19 YRS	2179	21.9	391	2	3	16	34	53	68	99 +
20-34	3076	10.0	89	1	2	7	14	23	28	43
35-49	2459	9.6	72	1	2	7	13	21	26	42
50-64	1069	10.2	97	1	2	7	14	22	29	45
65 +	939	10.7	112	2	2	7	14	22	30	57
GRAND TOTAL	**9722**	**12.7**	**180**	**1**	**2**	**8**	**17**	**29**	**42**	**76**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	483	11.1	271	1	1	4	12	35	51	98
20-34	733	8.1	112	< 1	1	4	10	20	31	56
35-49	327	7.9	91	< 1	1	5	11	18	26	45
50-64	120	7.4	107	< 1	1	4	9	16	29	57
65 +	66	7.0	47	1	1	5	10	16	22	32
B. Operated										
0-19 YRS	6	8.8	109	1	1	6	9	27	29	29
20-34	63	8.3	103	1	1	9	9	14	16	72
35-49	52	6.4	17	1	1	8	9	10	13	17
50-64	45	3.0	5	1	1	3	4	5	9	10
65 +	10	2.9	3	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	919	13.3	316	1	1	6	18	42	62	99 +
20-34	2094	8.8	106	1	1	5	11	21	29	60
35-49	1279	9.0	114	1	1	5	12	21	32	58
50-64	544	8.7	91	1	2	6	11	20	29	45
65 +	613	8.4	82	1	2	5	10	20	26	37
B. Operated										
0-19 YRS	32	12.4	313	< 1	1	5	13	42	53	72
20-34	140	13.2	192	1	2	9	16	33	41	57
35-49	96	11.4	167	1	1	7	13	25	38	61
50-64	70	9.4	103	1	1	4	14	25	31	49
65 +	73	11.3	152	2	2	7	14	30	44	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1729	8.8	151	< 1	1	4	11	22	36	77
B. Operated	176	6.1	51	1	1	4	9	10	14	26
2. MULTIPLE DX										
A. Not Operated	5449	9.6	142	1	1	5	12	24	34	72
B. Operated	411	11.7	173	1	1	7	15	30	40	61
1. SINGLE DX	1905	8.5	143	< 1	1	4	10	21	35	77
2. MULTIPLE DX	5860	9.7	144	1	1	5	12	24	35	71
A. Not Operated	7178	9.4	144	1	1	5	12	23	35	74
B. Operated	587	10.0	143	1	1	7	11	24	34	60
TOTAL										
0-19 YRS	1440	12.5	301	1	1	5	16	40	58	99 +
20-34	3030	8.9	112	1	1	5	11	21	31	57
35-49	1754	8.9	111	1	1	5	11	21	31	57
50-64	779	8.2	91	1	1	5	10	19	29	49
65 +	762	8.5	86	1	2	5	11	20	27	49
GRAND TOTAL	**7765**	**9.4**	**144**	**1**	**1**	**5**	**12**	**24**	**35**	**72**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	236	11.1	199	< 1	1	3	22	33	38	48
20-34	2156	7.9	83	1	1	4	7	25	28	32
35-49	2227	8.2	88	1	1	4	7	27	29	34
50-64	896	8.5	38	1	1	4	9	27	29	34
65 +	190	8.5	87	1	1	4	9	28	29	32
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	10.8	133	4	4	5	17	28	28	28
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2410	23.2	222	1	3	25	32	42	45	61
20-34	14072	14.6	121	1	2	12	25	29	30	40
35-49	13370	12.5	110	2	2	6	22	28	30	36
50-64	6647	12.2	109	2	2	7	22	28	30	35
65 +	2739	12.6	108	2	2	8	21	28	31	37
B. Operated										
0-19 YRS	36	22.8	329	1	2	24	30	44	51	92
20-34	293	18.8	157	2	3	21	28	33	41	47
35-49	376	16.6	145	2	3	14	26	30	35	52
50-64	256	17.0	169	3	4	13	25	32	38	69
65 +	164	16.2	135	3	4	14	25	33	41	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5705	8.3	91	1	1	4	8	27	29	35
B. Operated	6	7.5	105	1	1	4	6	26	28	28
2. MULTIPLE DX										
A. Not Operated	39238	13.9	128	2	2	9	24	29	31	42
B. Operated	1125	17.4	159	2	3	15	27	31	38	63
1. SINGLE DX	5711	8.3	91	1	1	4	8	27	29	35
2. MULTIPLE DX	40363	14.0	129	2	2	9	24	29	31	42
A. Not Operated	44943	13.1	126	1	2	7	23	29	31	42
B. Operated	1131	17.3	160	2	3	15	27	31	38	63
TOTAL										
0-19 YRS	2682	22.1	233	1	2	23	31	42	45	61
20-34	16522	13.8	123	1	2	9	24	28	30	39
35-49	15977	12.0	111	1	2	6	22	28	30	36
50-64	7800	11.9	111	2	2	6	21	28	30	36
65 +	3093	12.6	110	2	2	8	21	28	31	40
GRAND TOTAL	**46074**	**13.2**	**128**	**1**	**2**	**7**	**23**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	16.0	334	1	2	4	30	38	55	65
20-34	392	7.2	55	1	2	4	7	21	27	31
35-49	201	8.3	66	1	2	5	10	22	28	32
50-64	22	6.8	61	1	1	4	6	23	27	27
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	23.4	237	1	3	28	35	39	45	59
20-34	1422	12.4	111	2	2	7	21	28	31	41
35-49	834	12.4	103	2	3	8	21	28	31	39
50-64	111	14.4	107	2	3	10	25	29	31	35
65 +	51	13.6	104	2	3	8	22	28	34	35
B. Operated										
0-19 YRS	0									
20-34	34	14.6	136	2	4	10	23	29	33	55
35-49	37	17.1	107	3	3	18	26	30	31	38
50-64	5	16.8	74	7	7	15	24	28	28	28
65 +	1	29.0		29	29	29	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	635	7.8	68	1	2	4	7	21	28	34
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	2508	12.9	117	2	3	8	21	29	32	42
B. Operated	77	16.1	117	3	4	15	24	30	32	50
1. SINGLE DX	636	7.8	68	1	2	4	7	21	28	34
2. MULTIPLE DX	2585	13.0	117	2	3	8	22	29	32	42
A. Not Operated	3143	11.9	111	2	3	7	21	28	31	41
B. Operated	78	15.9	118	3	3	15	24	30	32	50
TOTAL										
0-19 YRS	108	22.1	258	1	2	26	35	39	45	63
20-34	1848	11.4	105	2	2	6	20	28	30	40
35-49	1072	11.8	100	2	3	7	21	28	30	38
50-64	139	13.2	105	2	3	9	22	28	30	35
65 +	54	13.5	107	2	3	8	23	28	34	35
GRAND TOTAL	**3221**	**12.0**	**112**	**2**	**3**	**7**	**21**	**28**	**31**	**41**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	176	16.4	256	1	2	9	29	42	45	68
20-34	1303	9.0	74	1	2	5	13	24	28	31
35-49	286	10.3	81	2	3	6	19	25	28	31
50-64	30	9.3	79	2	2	5	13	24	32	33
65 +	19	13.6	126	1	1	8	25	28	31	33
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	21.0		21	21	21	21	21	21	21
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1508	24.9	228	2	4	27	34	44	49	64
20-34	6209	15.8	117	2	3	16	25	29	31	42
35-49	1706	15.8	113	2	3	16	24	29	31	42
50-64	290	16.6	137	2	3	15	26	30	34	45
65 +	160	16.7	114	3	3	15	25	29	31	49
B. Operated										
0-19 YRS	26	36.2	248	16	21	35	45	51	59	90
20-34	120	22.8	122	4	6	24	29	39	42	44
35-49	51	18.9	140	3	5	21	25	40	48	99
50-64	10	21.4	137	2	4	21	30	36	42	42
65 +	5	25.2	18	21	21	25	29	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1814	10.0	98	1	2	5	15	26	29	42
B. Operated	2	15.5	61	10	10	15	21	21	21	21
2. MULTIPLE DX										
A. Not Operated	9873	17.2	144	2	3	18	27	30	37	48
B. Operated	212	23.5	163	4	6	24	30	42	45	66
1. SINGLE DX	1816	10.0	98	1	2	5	15	26	29	42
2. MULTIPLE DX	10085	17.4	145	2	3	19	27	30	37	49
A. Not Operated	11687	16.1	144	2	3	15	26	30	35	47
B. Operated	214	23.4	162	4	6	23	30	42	44	65
TOTAL										
0-19 YRS	1711	24.2	240	2	3	26	34	44	49	64
20-34	7633	14.8	117	2	3	14	24	29	31	42
35-49	2043	15.1	113	2	3	14	23	29	31	42
50-64	330	16.1	137	2	3	14	25	30	34	44
65 +	184	16.6	115	2	3	15	26	29	31	47
GRAND TOTAL	**11901**	**16.2**	**145**	**2**	**3**	**15**	**26**	**30**	**36**	**47**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	481	1.4	6	< 1	< 1	1	1	2	3	11
20-34	319	2.1	9	< 1	< 1	1	2	4	6	20
35-49	209	2.7	13	< 1	< 1	1	3	6	6	25
50-64	70	3.2	15	< 1	1	2	4	6	8	25
65 +	29	4.1	21	< 1	1	2	5	9	16	20
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	697	7.1	149	< 1	< 1	1	5	28	37	53
20-34	1035	6.9	88	< 1	< 1	3	7	26	29	34
35-49	736	6.5	65	< 1	1	4	6	20	28	33
50-64	368	6.0	54	1	1	4	6	14	28	34
65 +	187	5.1	40	1	1	3	6	11	19	33
B. Operated										
0-19 YRS	22	4.5	141	< 1	< 1	1	2	6	28	57
20-34	43	4.4	57	< 1	< 1	1	3	14	25	31
35-49	40	10.6	145	< 1	1	5	21	29	32	42
50-64	19	3.8	9	< 1	1	3	5	9	10	11
65 +	17	7.6	68	< 1	1	3	13	22	24	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1108	2.0	10	< 1	< 1	1	2	4	6	20
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	3023	6.6	89	< 1	1	3	6	22	29	42
B. Operated	141	6.5	96	< 1	< 1	2	6	23	29	43
1. SINGLE DX	1110	2.0	10	< 1	< 1	1	2	4	6	20
2. MULTIPLE DX	3164	6.6	90	< 1	< 1	3	6	22	29	42
A. Not Operated	4131	5.4	72	< 1	< 1	2	5	16	28	38
B. Operated	143	6.4	95	< 1	< 1	2	6	23	29	43
TOTAL										
0-19 YRS	1200	4.8	99	< 1	< 1	1	2	13	29	51
20-34	1398	5.7	73	< 1	< 1	2	6	21	28	33
35-49	986	5.9	60	< 1	1	3	6	16	28	33
50-64	457	5.4	47	< 1	1	3	6	12	26	33
65 +	233	5.1	40	1	1	3	6	11	20	30
GRAND TOTAL	**4274**	**5.4**	**73**	**<1**	**<1**	**2**	**5**	**16**	**28**	**39**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	8.4	169	< 1	< 1	2	7	30	41	54
20-34	387	6.5	60	< 1	1	3	6	21	25	30
35-49	85	6.4	62	< 1	1	3	8	20	25	36
50-64	5	10.8	146	1	1	4	21	28	28	28
65 +	7	3.7	5	1	1	4	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	4.0	18	< 1	< 1	3	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	574	16.9	287	1	1	10	28	42	51	76
20-34	1702	11.7	112	1	1	7	21	28	30	39
35-49	524	11.9	105	1	2	8	21	28	30	37
50-64	92	13.1	126	1	2	9	20	29	35	50
65 +	61	10.7	96	1	2	7	18	23	26	53
B. Operated										
0-19 YRS	9	24.7	276	1	2	28	36	45	50	50
20-34	54	16.9	162	1	3	15	26	31	38	58
35-49	24	15.1	146	1	2	14	22	30	36	48
50-64	5	15.2	240	5	5	8	22	42	42	42
65 +	6	12.5	28	8	8	12	20	84	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	585	6.8	80	< 1	1	3	7	22	27	41
B. Operated	5	2.4	7	< 1	< 1	1	3	7	7	7
2. MULTIPLE DX										
A. Not Operated	2953	12.7	149	1	1	7	21	29	33	52
B. Operated	98	16.8	165	1	2	15	26	35	43	80
1. SINGLE DX	590	6.8	79	< 1	1	3	7	22	27	41
2. MULTIPLE DX	3051	12.9	150	1	1	8	21	29	34	53
A. Not Operated	3538	11.8	142	1	1	6	21	28	32	50
B. Operated	103	16.1	167	1	2	14	25	35	42	78
TOTAL										
0-19 YRS	684	15.7	279	1	1	8	28	41	50	74
20-34	2146	10.8	109	1	1	6	19	28	30	39
35-49	635	11.3	104	1	1	7	21	28	30	38
50-64	102	13.1	129	1	2	9	20	29	36	49
65 +	74	10.2	86	1	2	7	15	23	26	89
GRAND TOTAL	**3641**	**11.9**	**143**	**1**	**1**	**6**	**21**	**29**	**32**	**51**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	3.5	21	1	1	2	4	7	11	28
20-34	51	2.3	4	< 1	< 1	1	3	4	6	9
35-49	40	3.5	24	< 1	1	2	4	8	12	28
50-64	22	2.7	21	< 1	< 1	2	3	3	11	23
65 +	17	3.4	6	1	1	2	5	5	9	11
B. Operated										
0-19 YRS	3	4.3	5	3	3	3	6	7	7	7
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	6	3.3	2	1	1	3	4	5	5	5
50-64	4	6.0	21	< 1	< 1	5	9	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	119	7.7	175	1	1	3	7	24	47	99 +
20-34	197	4.3	26	< 1	1	3	5	9	14	22
35-49	234	4.8	33	1	1	3	5	10	15	32
50-64	266	4.7	40	1	1	3	5	8	15	34
65 +	290	4.2	12	1	1	3	5	8	10	17
B. Operated										
0-19 YRS	9	7.1	10	3	3	7	8	12	14	14
20-34	15	7.1	10	3	3	7	10	11	12	12
35-49	28	5.7	19	1	2	5	7	10	13	22
50-64	20	6.2	9	2	2	6	7	9	12	15
65 +	26	8.7	161	2	2	5	8	18	33	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	3.1	15	< 1	1	2	3	5	9	26
B. Operated	17	3.8	8	< 1	1	3	5	7	10	12
2. MULTIPLE DX										
A. Not Operated	1106	4.8	44	1	1	3	5	9	15	40
B. Operated	98	6.9	52	2	2	6	8	11	15	46
1. SINGLE DX	205	3.1	15	< 1	1	2	3	6	9	25
2. MULTIPLE DX	1204	5.0	45	1	1	3	6	9	15	40
A. Not Operated	1294	4.6	40	1	1	3	5	9	14	37
B. Operated	115	6.5	47	1	2	6	8	10	14	39
TOTAL										
0-19 YRS	189	6.3	121	1	1	3	6	14	35	95
20-34	267	4.0	22	< 1	1	3	5	9	11	20
35-49	308	4.7	30	1	1	3	5	10	14	30
50-64	312	4.7	37	1	1	3	5	8	14	32
65 +	333	4.6	24	1	1	3	5	8	11	25
GRAND TOTAL	**1409**	**4.7**	**41**	**1**	**1**	**3**	**5**	**9**	**14**	**37**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1694	11.2	178	1	1	7	14	29	40	88
20-34	1674	5.4	36	< 1	1	3	7	12	16	28
35-49	989	6.1	44	1	1	4	8	14	19	28
50-64	231	5.9	31	1	1	4	8	13	15	30
65 +	120	8.8	69	1	1	6	12	19	24	42
B. Operated										
0-19 YRS	10	9.2	120	1	1	5	8	29	30	30
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49	8	5.0	7	1	2	5	6	9	10	10
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3301	13.4	218	1	2	8	18	34	45	88
20-34	4793	7.8	65	1	1	5	10	18	25	39
35-49	2965	7.9	63	1	1	5	10	18	24	35
50-64	1023	8.4	73	1	1	6	11	19	25	43
65 +	801	9.3	74	1	2	7	12	21	26	46
B. Operated										
0-19 YRS	77	13.5	292	< 1	1	8	22	49	91	99 +
20-34	156	9.1	75	1	1	6	13	22	28	43
35-49	93	12.1	127	1	2	8	17	28	34	84
50-64	47	13.2	119	2	2	10	18	29	42	44
65 +	56	12.4	86	1	3	11	18	26	30	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4708	7.8	96	1	1	4	10	18	27	56
B. Operated	25	6.2	55	1	1	4	7	10	29	30
2. MULTIPLE DX										
A. Not Operated	12883	9.4	111	1	1	6	12	22	30	57
B. Operated	429	11.4	134	1	1	8	16	28	35	99 +
1. SINGLE DX	4733	7.7	96	1	1	4	10	18	27	56
2. MULTIPLE DX	13312	9.5	112	1	1	6	12	22	30	57
A. Not Operated	17591	9.0	108	1	1	6	11	21	29	56
B. Operated	454	11.1	131	1	1	8	16	28	34	99 +
TOTAL										
0-19 YRS	5082	12.7	207	1	1	8	17	32	44	89
20-34	6626	7.2	59	1	1	5	9	16	22	37
35-49	4055	7.5	61	1	1	5	10	17	23	35
50-64	1305	8.1	69	1	1	6	11	18	24	43
65 +	977	9.5	75	1	2	7	12	21	27	45
GRAND TOTAL	**18045**	**9.0**	**108**	**1**	**1**	**6**	**11**	**21**	**30**	**57**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1608	18.8	391	1	1	12	29	50	66	99 +
20-34	601	12.2	198	1	1	5	18	33	39	60
35-49	362	8.3	125	1	1	4	10	22	33	58
50-64	146	8.9	78	1	1	5	14	21	29	36
65 +	88	9.8	158	1	1	5	11	22	40	63
B. Operated										
0-19 YRS	11	20.5	579	1	2	10	52	75	96	99 +
20-34	10	4.1	7	< 1	< 1	4	6	8	9	9
35-49	10	12.9	535	1	1	5	11	47	77	77
50-64	3	2.3	2	< 1	< 1	2	3	4	4	4
65 +	5	4.2	26	< 1	< 1	2	6	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4175	22.9	423	1	2	18	37	57	77	99 +
20-34	2252	14.2	243	1	2	8	21	39	47	74
35-49	1431	11.1	165	1	1	6	14	30	40	66
50-64	741	9.4	104	1	2	6	11	22	32	46
65 +	848	9.5	95	2	2	6	12	21	29	56
B. Operated										
0-19 YRS	93	21.0	358	1	2	19	38	76	99 +	99 +
20-34	104	18.0	392	1	1	10	30	48	68	99 +
35-49	91	17.9	339	1	2	11	26	48	58	96
50-64	48	12.7	175	2	3	7	17	25	32	70
65 +	87	15.0	251	2	3	9	17	42	50	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2805	15.2	310	1	1	8	23	41	56	95
B. Operated	39	10.9	336	< 1	< 1	4	10	52	71	99 +
2. MULTIPLE DX										
A. Not Operated	9447	16.8	319	1	2	10	26	45	59	99 +
B. Operated	423	17.4	323	1	2	11	28	49	66	99 +
1. SINGLE DX	2844	15.2	310	1	1	8	23	41	56	96
2. MULTIPLE DX	9870	16.8	319	1	2	10	26	45	59	99 +
A. Not Operated	12252	16.4	317	1	2	9	26	44	58	99 +
B. Operated	462	16.9	327	1	2	10	27	49	66	99 +
TOTAL										
0-19 YRS	5887	21.8	417	1	2	16	35	56	74	99 +
20-34	2967	13.9	239	1	1	7	21	38	46	74
35-49	1894	10.9	171	1	1	6	14	30	41	66
50-64	938	9.5	104	1	2	6	12	22	30	46
65 +	1028	10.0	116	1	2	6	12	22	33	59
GRAND TOTAL	**12714**	**16.5**	**317**	**1**	**2**	**9**	**26**	**44**	**58**	**99 +**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	11.7	204	1	2	8	14	26	49	60
20-34	26	9.4	78	1	1	6	14	25	27	30
35-49	11	4.6	17	1	1	3	6	12	13	13
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	16.2	439	1	2	9	26	79	99 +	99 +
20-34	85	13.5	192	1	3	10	16	27	34	81
35-49	62	11.5	96	2	3	8	16	23	34	46
50-64	24	13.8	257	2	3	9	13	30	57	68
65 +	5	15.0	204	2	2	7	27	35	35	35
B. Operated										
0-19 YRS	11	6.2	40	1	1	6	8	17	19	19
20-34	9	10.3	123	2	2	6	14	29	37	37
35-49	6	15.5	545	< 1	< 1	7	14	57	62	62
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	9.1	106	1	1	5	12	25	28	58
B. Operated	4	3.3	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	251	13.9	248	1	2	9	17	33	69	99 +
B. Operated	28	9.8	167	1	1	6	13	18	39	62
1. SINGLE DX	59	8.7	101	1	1	5	12	22	28	57
2. MULTIPLE DX	279	13.5	241	1	2	9	16	31	63	99 +
A. Not Operated	306	13.0	225	1	2	8	16	29	58	99 +
B. Operated	32	9.0	150	1	1	5	11	17	35	62
TOTAL										
0-19 YRS	106	14.1	358	1	2	8	19	63	99	99 +
20-34	120	12.4	163	1	2	9	16	26	31	77
35-49	80	10.8	119	1	2	7	14	23	34	57
50-64	25	13.4	249	2	3	9	13	27	57	68
65 +	7	13.4	153	2	2	7	22	33	35	35
GRAND TOTAL	**338**	**12.6**	**219**	**1**	**2**	**8**	**16**	**29**	**55**	**99 +**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1129	9.2	18	2	3	10	11	14	15	21
20-34	120	5.6	16	1	2	4	8	12	13	17
35-49	69	6.7	22	1	1	6	9	14	16	21
50-64	40	7.4	25	1	1	7	11	13	16	21
65 +	20	9.4	62	1	1	8	15	21	27	28
B. Operated										
0-19 YRS	59	10.8	32	2	5	10	12	17	22	33
20-34	36	6.8	59	< 1	1	5	8	13	20	43
35-49	66	6.8	62	1	1	4	10	17	23	39
50-64	37	5.0	34	1	1	2	7	14	20	23
65 +	14	7.4	45	< 1	1	5	12	15	22	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1451	10.3	28	2	3	10	12	16	20	27
20-34	217	8.8	58	1	2	7	12	16	22	35
35-49	205	10.7	65	2	3	9	14	19	23	41
50-64	173	11.0	79	2	3	9	14	21	25	54
65 +	217	15.7	139	2	4	13	20	31	43	58
B. Operated										
0-19 YRS	302	20.3	278	5	7	14	23	44	56	89
20-34	127	21.7	360	2	3	15	30	51	61	86
35-49	171	16.6	261	1	2	11	22	47	57	93
50-64	181	19.4	313	1	2	15	26	44	54	77
65 +	177	23.9	306	2	4	21	34	51	64	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1378	8.7	20	2	3	10	11	14	15	21
B. Operated	212	7.6	51	1	1	6	11	15	22	37
2. MULTIPLE DX										
A. Not Operated	2263	10.8	52	2	3	10	13	18	22	39
B. Operated	958	20.3	302	2	3	15	27	47	59	87
1. SINGLE DX	1590	8.6	24	1	2	10	11	14	15	24
2. MULTIPLE DX	3221	13.6	145	2	3	11	15	26	40	67
A. Not Operated	3641	10.0	41	2	3	10	12	16	20	33
B. Operated	1170	18.0	280	1	2	13	24	43	55	86
TOTAL										
0-19 YRS	2941	10.9	60	2	3	10	12	16	21	47
20-34	500	11.2	163	1	2	7	13	25	37	64
35-49	511	11.6	139	1	2	8	15	24	38	65
50-64	431	13.7	194	1	2	10	16	31	44	65
65 +	428	18.6	225	2	3	15	25	40	52	78
GRAND TOTAL	**4811**	**12.0**	**111**	**2**	**3**	**10**	**14**	**21**	**32**	**60**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	5	5.6	65	2	2	2	7	20	20	20
35-49	12	2.4	2	1	1	2	3	4	5	5
50-64	64	4.3	14	1	1	3	5	10	12	18
65 +	109	6.9	73	1	1	4	7	13	18	53
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	6	8.3	32	2	2	8	14	15	15	15
65 +	6	8.3	17	3	3	9	11	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	8	7.1	24	2	3	6	8	15	18	18
35-49	18	6.6	19	1	2	6	8	13	16	18
50-64	193	9.3	61	2	3	7	12	20	28	80
65 +	1550	10.1	82	2	3	8	12	19	27	69
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	52	99 +	99 +	99 +	99 +
50-64	27	13.6	180	1	2	10	16	30	44	62
65 +	205	18.6	290	4	5	14	25	55	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	5.9	53	1	1	4	7	11	17	47
B. Operated	13	8.5	21	2	3	9	12	14	15	15
2. MULTIPLE DX										
A. Not Operated	1771	10.0	79	2	3	8	12	19	27	68
B. Operated	233	18.0	278	3	4	14	23	51	90	99 +
1. SINGLE DX	204	6.0	51	1	1	4	7	12	17	45
2. MULTIPLE DX	2004	10.9	108	2	3	8	13	22	33	99 +
A. Not Operated	1962	9.5	78	2	3	7	12	19	26	60
B. Operated	246	17.5	269	2	4	13	22	46	87	99 +
TOTAL										
0-19 YRS	3	14.0	181	3	3	10	24	29	29	29
20-34	13	6.5	36	2	2	5	8	18	20	20
35-49	32	5.1	16	1	1	4	8	12	17	99 +
50-64	290	8.6	67	1	2	7	11	18	26	59
65 +	1870	10.9	112	2	3	8	13	22	33	99 +
GRAND TOTAL	**2208**	**10.5**	**155**	**2**	**3**	**8**	**13**	**21**	**32**	**99 +**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.7	18	1	1	3	6	12	15	15
20-34	318	6.4	20	1	1	6	9	12	14	23
35-49	454	7.0	24	1	2	6	9	12	14	27
50-64	145	6.8	18	2	2	6	9	13	14	20
65 +	14	6.1	21	1	2	4	8	12	17	19
B. Operated										
0-19 YRS	0									
20-34	36	7.6	57	1	1	5	10	20	22	35
35-49	56	3.7	13	1	1	3	5	7	9	20
50-64	9	3.7	17	1	1	1	5	11	13	13
65 +	3	4.7	22	1	1	3	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	11.8	235	1	1	9	13	24	51	65
20-34	421	8.4	44	2	2	7	11	14	19	31
35-49	764	9.6	71	2	3	8	12	18	23	49
50-64	386	10.0	77	2	3	9	12	17	24	49
65 +	73	11.1	144	1	3	8	14	22	34	95
B. Operated										
0-19 YRS	6	18.7	596	3	3	10	13	62	68	68
20-34	52	13.1	123	1	3	10	16	25	31	62
35-49	146	11.9	136	1	2	9	16	27	46	99 +
50-64	99	14.3	141	2	4	11	20	35	52	99 +
65 +	31	14.1	293	1	2	8	15	31	40	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	949	6.7	22	1	2	6	9	12	14	23
B. Operated	104	5.1	31	1	1	3	7	12	17	28
2. MULTIPLE DX										
A. Not Operated	1661	9.5	70	2	3	8	12	17	23	50
B. Operated	334	13.1	157	1	3	10	17	29	47	99 +
1. SINGLE DX	1053	6.6	23	1	1	6	9	12	14	23
2. MULTIPLE DX	1995	10.1	87	2	3	8	12	19	27	59
A. Not Operated	2610	8.5	54	1	2	7	10	15	20	38
B. Operated	438	11.2	139	1	1	8	15	26	40	99 +
TOTAL										
0-19 YRS	41	9.7	201	1	1	5	11	17	43	68
20-34	827	7.9	43	1	2	7	10	14	20	31
35-49	1420	8.8	63	1	2	7	11	16	21	49
50-64	639	9.9	78	2	3	8	12	18	27	53
65 +	121	11.1	169	1	2	8	14	23	36	91
GRAND TOTAL	**3048**	**8.9**	**67**	**1**	**2**	**7**	**11**	**16**	**22**	**52**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1985	3.0	12	1	1	2	3	6	8	15
20-34	927	3.0	9	1	1	2	4	6	8	15
35-49	491	2.9	5	1	1	2	4	5	8	14
50-64	301	3.1	5	1	1	2	4	6	7	13
65 +	249	3.6	7	1	1	3	5	6	8	14
B. Operated										
0-19 YRS	66	8.6	86	1	1	6	11	17	31	44
20-34	66	12.4	101	1	2	11	17	28	31	45
35-49	53	10.5	80	1	1	8	18	24	28	34
50-64	7	7.7	70	< 1	< 1	4	12	22	24	24
65 +	8	4.1	7	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3600	4.4	30	1	1	3	5	9	13	28
20-34	2065	5.1	46	1	1	3	6	10	17	35
35-49	1946	5.1	26	1	1	4	6	10	14	31
50-64	2044	5.6	30	1	2	4	7	11	15	29
65 +	3821	6.7	45	1	2	5	8	13	18	33
B. Operated										
0-19 YRS	208	12.4	126	1	2	9	18	29	37	75
20-34	202	12.2	160	1	1	7	17	33	38	56
35-49	222	11.2	184	1	1	7	16	28	42	99 +
50-64	226	11.5	134	2	3	8	16	25	45	99 +
65 +	385	14.9	199	2	3	11	19	34	47	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3953	3.0	9	1	1	2	4	6	8	14
B. Operated	200	10.1	89	1	1	8	15	23	30	42
2. MULTIPLE DX										
A. Not Operated	13476	5.4	37	1	1	4	6	11	15	31
B. Operated	1243	12.8	168	1	2	9	17	31	42	99 +
1. SINGLE DX	4153	3.4	15	1	1	2	4	6	9	22
2. MULTIPLE DX	14719	6.1	52	1	1	4	7	13	19	40
A. Not Operated	17429	4.9	32	1	1	3	6	10	14	29
B. Operated	1443	12.4	157	1	2	9	17	30	40	99
TOTAL										
0-19 YRS	5859	4.2	31	1	1	3	5	9	13	30
20-34	3260	5.1	49	1	1	3	6	11	17	36
35-49	2712	5.3	40	1	1	3	6	11	16	35
50-64	2578	5.9	40	1	2	4	7	12	17	36
65 +	4463	7.2	62	1	2	5	8	15	20	46
GRAND TOTAL	**18872**	**5.5**	**45**	**1**	**1**	**3**	**6**	**11**	**17**	**36**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	551	3.3	27	< 1	1	2	4	6	8	24
20-34	427	3.5	9	1	1	3	4	7	9	15
35-49	329	3.8	14	1	1	3	5	8	9	21
50-64	200	4.8	30	1	1	3	6	9	14	26
65 +	271	6.1	46	1	1	4	8	12	18	42
B. Operated										
0-19 YRS	817	5.0	42	1	1	4	6	8	13	31
20-34	368	5.0	21	1	1	4	7	10	14	24
35-49	353	4.6	17	1	1	3	7	10	13	20
50-64	258	4.4	16	1	1	3	6	10	12	18
65 +	203	5.9	40	1	1	5	8	12	16	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1437	6.2	129	1	1	4	6	18	99 +	99 +
20-34	1027	6.3	66	1	1	4	7	13	21	59
35-49	981	7.2	89	1	1	4	8	14	24	59
50-64	1398	8.6	108	1	2	5	10	18	29	56
65 +	4498	10.2	123	2	2	7	12	21	32	86
B. Operated										
0-19 YRS	1378	8.6	117	1	2	6	10	20	36	99 +
20-34	727	9.3	144	1	1	6	11	21	35	99 +
35-49	717	10.5	148	1	1	7	13	26	40	99 +
50-64	913	11.5	193	1	1	7	14	26	41	84
65 +	1863	14.1	181	2	3	10	18	31	46	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1778	4.0	24	1	1	3	5	8	11	24
B. Operated	1999	4.9	30	1	1	4	6	10	14	27
2. MULTIPLE DX										
A. Not Operated	9341	8.6	114	1	2	5	10	19	31	99 +
B. Operated	5598	11.2	163	1	2	8	14	26	41	99 +
1. SINGLE DX	3777	4.5	28	1	1	3	6	9	12	27
2. MULTIPLE DX	14939	9.6	134	1	2	6	11	22	35	99 +
A. Not Operated	11119	7.9	103	1	1	5	9	17	28	99 +
B. Operated	7597	9.6	136	1	1	6	11	22	34	95
TOTAL										
0-19 YRS	4183	6.4	98	1	1	4	7	14	31	99 +
20-34	2549	6.5	76	1	1	4	7	14	21	74
35-49	2380	7.3	91	1	1	4	8	16	25	63
50-64	2769	8.9	127	1	1	6	10	19	30	70
65 +	6835	11.0	138	2	2	8	13	24	35	90
GRAND TOTAL	**18716**	**8.6**	**117**	**1**	**1**	**5**	**10**	**19**	**31**	**99**

118: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	450	2.1	2	1	1	2	3	4	5	7
20-34	949	2.9	5	1	1	2	4	6	7	11
35-49	775	3.1	7	1	1	2	4	6	7	13
50-64	205	3.1	7	1	1	2	4	6	7	15
65 +	42	2.7	5	< 1	1	2	3	5	8	11
B. Operated										
0-19 YRS	13	2.8	2	1	1	3	3	5	6	6
20-34	68	3.7	18	1	1	3	5	7	8	29
35-49	85	4.2	72	1	1	2	5	7	10	56
50-64	25	2.9	3	1	1	2	3	6	6	7
65 +	4	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	474	3.0	7	1	1	2	4	6	8	12
20-34	1449	4.1	13	1	1	3	5	8	10	16
35-49	1609	4.3	12	1	1	3	5	8	11	18
50-64	702	3.9	10	1	1	3	5	8	10	16
65 +	304	4.3	11	1	1	3	6	9	10	18
B. Operated										
0-19 YRS	12	3.9	9	1	1	3	6	8	9	9
20-34	123	5.9	23	1	2	5	8	12	16	25
35-49	143	5.3	24	1	1	4	6	10	13	21
50-64	81	5.4	24	1	2	4	8	10	12	32
65 +	42	5.6	14	1	2	5	7	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2421	2.8	5	1	1	2	3	5	7	11
B. Operated	195	3.8	38	1	1	2	4	7	8	26
2. MULTIPLE DX										
A. Not Operated	4538	4.1	12	1	1	3	5	8	10	16
B. Operated	401	5.5	22	1	1	4	7	11	13	23
1. SINGLE DX	2616	2.9	8	1	1	2	3	5	7	11
2. MULTIPLE DX	4939	4.2	13	1	1	3	5	8	11	17
A. Not Operated	6959	3.6	10	1	1	3	5	7	9	15
B. Operated	596	4.9	28	1	1	4	6	9	12	23
TOTAL										
0-19 YRS	949	2.6	5	1	1	2	3	5	6	11
20-34	2589	3.7	11	1	1	3	5	8	10	15
35-49	2612	4.0	13	1	1	3	5	8	10	17
50-64	1013	3.8	10	1	1	3	5	8	10	16
65 +	392	4.3	11	1	1	3	6	8	11	18
GRAND TOTAL	**7555**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**16**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	5.0	22	1	1	2	9	11	11	11
35-49	6	2.5	2	1	1	2	4	4	4	4
50-64	7	3.9	5	1	1	4	5	7	8	8
65 +	0									
B. Operated										
0-19 YRS	22	1.5	1	< 1	< 1	1	1	3	4	6
20-34	246	1.3	1	< 1	< 1	< 1	1	2	3	5
35-49	400	1.2		< 1	< 1	< 1	1	2	3	3
50-64	298	1.4	1	< 1	< 1	< 1	1	2	3	6
65 +	197	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	10	2.6	4	1	1	2	3	6	7	7
35-49	26	4.2	17	< 1	1	3	5	10	14	17
50-64	47	4.0	10	< 1	1	3	6	8	9	17
65 +	38	3.9	6	< 1	1	3	5	8	9	11
B. Operated										
0-19 YRS	22	2.4	7	1	1	2	2	5	10	11
20-34	173	2.1	4	< 1	< 1	2	2	4	5	11
35-49	330	2.3	7	< 1	< 1	1	2	5	6	11
50-64	418	2.2	6	< 1	< 1	1	3	4	6	13
65 +	333	2.6	22	< 1	< 1	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.7	8	1	1	3	4	9	10	11
B. Operated	1163	1.3	1	< 1	< 1	< 1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	124	3.9	10	< 1	1	3	5	8	10	17
B. Operated	1276	2.3	10	< 1	< 1	2	3	4	6	13
1. SINGLE DX	1181	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX	1400	2.5	10	< 1	< 1	2	3	5	7	13
A. Not Operated	142	3.9	9	< 1	1	3	5	8	10	17
B. Operated	2439	1.8	6	< 1	< 1	1	2	3	5	9
TOTAL										
0-19 YRS	47	2.1	5	< 1	< 1	1	2	4	9	11
20-34	434	1.7	2	< 1	< 1	1	2	3	4	9
35-49	762	1.8	4	< 1	< 1	1	2	3	5	10
50-64	770	2.0	5	< 1	< 1	1	2	4	6	11
65 +	568	2.2	14	< 1	< 1	1	2	4	6	11
GRAND TOTAL	**2581**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	208	5.3	61	< 1	< 1	3	6	14	19	34
20-34	231	5.1	41	1	1	3	5	13	18	35
35-49	250	4.7	34	1	1	3	5	9	14	42
50-64	222	5.2	38	1	1	3	6	10	16	34
65 +	157	5.0	32	1	1	3	7	10	15	25
B. Operated										
0-19 YRS	189	4.0	45	1	1	2	4	7	15	40
20-34	915	2.9	12	< 1	1	2	4	5	7	18
35-49	1132	2.7	5	< 1	1	2	4	5	7	11
50-64	765	2.8	9	< 1	< 1	2	3	7	9	15
65 +	419	3.2	19	< 1	1	2	3	8	9	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	183	6.5	52	1	1	4	7	16	24	41
20-34	378	6.3	48	1	1	4	8	12	17	38
35-49	635	5.9	47	1	1	4	7	11	17	42
50-64	909	6.5	60	1	1	4	8	13	21	45
65 +	1493	7.4	60	1	2	5	9	15	21	43
B. Operated										
0-19 YRS	154	8.3	196	1	1	4	7	22	40	81
20-34	675	5.3	82	1	1	3	5	9	16	65
35-49	1005	5.1	60	1	1	3	6	10	15	51
50-64	945	5.8	67	1	1	3	7	14	21	68
65 +	1009	8.5	131	1	1	4	10	22	33	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1068	5.0	41	1	1	3	6	11	16	34
B. Operated	3420	2.9	12	< 1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated	3598	6.7	56	1	2	5	8	13	20	43
B. Operated	3788	6.3	92	1	1	3	7	14	24	66
1. SINGLE DX	4488	3.4	20	< 1	1	2	4	7	10	22
2. MULTIPLE DX	7386	6.5	75	1	1	4	8	14	22	54
A. Not Operated	4666	6.3	53	1	1	4	8	13	19	42
B. Operated	7208	4.7	57	1	1	2	5	9	16	49
TOTAL										
0-19 YRS	734	5.9	85	< 1	1	3	6	14	23	52
20-34	2199	4.5	44	< 1	1	3	5	9	13	38
35-49	3022	4.3	36	1	1	3	5	9	12	33
50-64	2841	5.2	49	1	1	3	6	11	17	44
65 +	3078	7.0	79	1	1	4	8	15	24	53
GRAND TOTAL	**11874**	**5.4**	**56**	**1**	**1**	**3**	**6**	**11**	**17**	**44**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4	1	< 1	< 1	1	2	3	3	3
20-34	5	3.0	1	2	2	3	3	4	4	4
35-49	2	3.0		3	3	3	3	3	3	3
50-64	10	2.8	6	1	1	2	4	7	8	8
65 +	7	2.9	3	1	1	3	4	6	6	6
B. Operated										
0-19 YRS	159	2.6	3	1	1	2	3	5	6	11
20-34	292	2.8	3	1	1	2	4	5	6	8
35-49	451	2.7	3	1	1	2	3	5	6	9
50-64	886	2.6	3	1	1	2	3	5	6	9
65 +	929	2.7	2	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.5	3	< 1	< 1	1	1	4	6	6
20-34	8	3.0	2	1	1	3	4	5	5	5
35-49	20	5.3	72	< 1	< 1	2	5	10	26	39
50-64	31	2.5	5	< 1	1	2	3	7	8	8
65 +	39	2.4	4	< 1	< 1	2	3	5	7	10
B. Operated										
0-19 YRS	176	3.3	6	1	1	3	4	6	8	13
20-34	340	3.7	23	1	1	3	4	6	9	19
35-49	505	3.4	6	1	1	3	4	6	8	14
50-64	1247	3.3	5	1	1	3	4	6	7	11
65 +	1969	3.5	6	1	1	3	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.5	3	1	1	2	3	5	6	8
B. Operated	2717	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	108	2.9	17	< 1	< 1	2	3	6	8	24
B. Operated	4237	3.4	7	1	1	3	4	6	8	12
1. SINGLE DX	2748	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	4345	3.4	7	1	1	3	4	6	8	13
A. Not Operated	139	2.8	14	< 1	< 1	2	3	6	8	16
B. Operated	6954	3.1	5	1	1	3	4	5	7	11
TOTAL										
0-19 YRS	352	2.9	5	1	1	2	4	5	7	12
20-34	645	3.3	14	1	1	3	4	6	7	11
35-49	978	3.1	6	1	1	3	4	5	8	12
50-64	2174	3.0	4	1	1	3	4	5	7	10
65 +	2944	3.2	5	1	1	3	4	6	7	12
GRAND TOTAL	**7093**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.0		< 1	< 1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	2.3	2	< 1	< 1	2	3	5	5	5
50-64	12	1.2		< 1	< 1	1	1	2	3	3
65 +	42	1.5	1	< 1	1	1	2	3	3	4
B. Operated										
0-19 YRS	24	1.9	1	1	1	2	2	3	5	6
20-34	10	2.6	2	1	1	2	4	5	5	5
35-49	43	2.3	6	< 1	< 1	1	2	5	8	14
50-64	127	2.5	3	< 1	1	2	3	4	5	11
65 +	213	2.4	2	< 1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.3	1	< 1	< 1	1	1	3	3	3
20-34	3	2.3		2	2	2	3	3	3	3
35-49	10	4.1	46	< 1	< 1	2	4	14	23	23
50-64	30	2.7	4	1	1	2	3	6	8	9
65 +	97	3.0	7	1	1	2	3	6	10	13
B. Operated										
0-19 YRS	22	2.3	6	< 1	< 1	1	3	4	8	12
20-34	21	2.8	4	1	1	2	3	4	7	10
35-49	46	2.3	5	< 1	1	2	3	4	6	13
50-64	226	3.4	11	1	1	2	4	7	9	17
65 +	713	3.6	17	1	1	2	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	1.5	1	< 1	< 1	1	2	3	3	5
B. Operated	417	2.4	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	147	2.9	9	1	1	2	3	6	9	14
B. Operated	1028	3.4	15	1	1	2	4	6	9	18
1. SINGLE DX	489	2.3	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX	1175	3.4	14	1	1	2	4	6	9	18
A. Not Operated	219	2.4	7	< 1	1	2	3	5	7	13
B. Operated	1445	3.1	11	1	1	2	4	6	8	16
TOTAL										
0-19 YRS	61	1.8	3	< 1	< 1	1	2	4	5	11
20-34	35	2.7	3	1	1	2	3	4	5	10
35-49	108	2.5	9	< 1	< 1	2	3	5	7	18
50-64	395	3.0	8	1	1	2	3	6	8	14
65 +	1065	3.2	13	1	1	2	4	6	9	17
GRAND TOTAL	**1664**	**3.0**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	5	1.4		1	1	1	2	2	2	2
50-64	5	2.0	1	1	1	2	3	3	3	3
65 +	12	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	21	2.9	9	< 1	< 1	2	4	5	10	14
20-34	17	2.2	2	< 1	1	2	3	4	5	6
35-49	24	2.5	2	1	1	2	3	4	5	6
50-64	63	2.4	5	< 1	< 1	2	3	5	7	12
65 +	141	2.2	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	1.5		< 1	< 1	1	2	3	3	3
20-34	6	4.7	33	< 1	< 1	3	4	15	16	16
35-49	7	2.4	5	< 1	< 1	2	3	6	7	7
50-64	16	4.3	14	1	1	3	6	12	13	13
65 +	57	3.3	13	1	1	2	4	6	12	20
B. Operated										
0-19 YRS	28	3.9	10	1	1	3	6	9	10	13
20-34	46	4.2	15	1	1	2	6	10	11	18
35-49	54	3.3	5	1	1	3	4	7	8	10
50-64	137	3.5	10	1	1	2	4	9	10	15
65 +	336	3.2	9	1	1	2	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	1.4		< 1	< 1	1	2	2	3	3
B. Operated	266	2.3	3	< 1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated	97	3.3	12	< 1	1	2	4	7	13	18
B. Operated	601	3.4	10	1	1	2	4	7	10	15
1. SINGLE DX	291	2.3	3	< 1	1	2	3	4	6	8
2. MULTIPLE DX	698	3.4	10	1	1	2	4	7	10	15
A. Not Operated	122	2.9	10	< 1	1	2	3	6	12	17
B. Operated	867	3.1	8	< 1	1	2	4	6	9	15
TOTAL										
0-19 YRS	63	3.0	8	< 1	< 1	2	4	6	9	14
20-34	69	3.8	14	1	1	2	4	9	11	18
35-49	90	2.9	4	1	1	2	4	6	7	10
50-64	221	3.2	9	< 1	1	2	4	8	9	15
65 +	546	2.9	8	< 1	1	2	3	5	7	14
GRAND TOTAL	**989**	**3.0**	**8**	**<1**	**1**	**2**	**4**	**6**	**9**	**15**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	5	1.2		< 1	< 1	< 1	1	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	75	1.3	1	< 1	< 1	< 1	1	2	3	5
50-64	502	1.3		< 1	< 1	< 1	1	2	2	4
65 +	2648	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	23	1.4	1	< 1	< 1	1	1	2	4	5
65 +	188	1.9	3	< 1	< 1	1	2	4	5	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	115	1.9	1	< 1	< 1	2	2	4	4	6
50-64	870	1.8	3	< 1	< 1	2	2	3	4	9
65 +	5625	1.9	4	< 1	< 1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.2		< 1	< 1	< 1	1	2	2	2
B. Operated	3225	1.3		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	213	1.8	3	< 1	< 1	1	2	3	5	10
B. Operated	6610	1.9	4	< 1	< 1	2	2	3	4	8
1. SINGLE DX	3231	1.3		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	6823	1.9	4	< 1	< 1	2	2	3	4	8
A. Not Operated	219	1.8	3	< 1	< 1	1	2	3	5	9
B. Operated	9835	1.7	3	< 1	< 1	1	2	2	3	7
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	192	1.7	1	< 1	< 1	1	2	3	4	6
50-64	1396	1.6	2	< 1	< 1	1	2	2	3	7
65 +	8466	1.7	3	< 1	< 1	1	2	2	3	7
GRAND TOTAL	**10054**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	51	1.4		< 1	< 1	1	1	3	3	3
20-34	23	2.2	2	< 1	< 1	2	4	4	5	5
35-49	26	1.3		< 1	< 1	1	2	2	2	2
50-64	39	1.3		< 1	< 1	1	1	2	3	3
65 +	52	1.6	1	< 1	< 1	1	2	2	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	6	5.0	32	< 1	< 1	3	5	15	16	16
B. Operated										
0-19 YRS	71	2.5	14	1	1	1	3	5	6	25
20-34	60	2.3	5	< 1	< 1	2	3	4	6	13
35-49	65	2.1	1	< 1	< 1	2	3	4	5	6
50-64	119	1.9	2	< 1	< 1	1	2	4	5	9
65 +	328	1.8	4	< 1	< 1	1	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	191	1.5	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	11	3.5	20	< 1	< 1	2	5	10	15	16
B. Operated	643	2.0	5	< 1	< 1	1	2	4	5	10
1. SINGLE DX	191	1.5	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	654	2.0	5	< 1	< 1	1	2	4	5	11
A. Not Operated	11	3.5	20	< 1	< 1	2	5	10	15	16
B. Operated	834	1.9	4	< 1	< 1	1	2	3	4	9
TOTAL										
0-19 YRS	123	2.0	8	< 1	< 1	1	2	4	5	13
20-34	83	2.2	4	< 1	< 1	2	3	4	5	12
35-49	92	1.9	1	< 1	< 1	2	2	3	4	6
50-64	161	1.7	2	< 1	< 1	1	2	3	5	8
65 +	386	1.9	4	< 1	< 1	1	2	3	4	11
GRAND TOTAL	**845**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.8	2	< 1	1	1	2	4	5	5
20-34	8	2.3	2	1	1	2	3	4	4	4
35-49	11	3.3	4	1	1	3	4	6	7	7
50-64	10	4.4	8	< 1	< 1	4	7	8	8	8
65 +	13	2.7	6	1	1	2	3	6	9	10
B. Operated										
0-19 YRS	976	1.1		< 1	< 1	< 1	1	1	2	2
20-34	71	1.3	1	< 1	< 1	1	1	2	2	6
35-49	44	1.3		< 1	< 1	1	2	2	2	2
50-64	24	2.0	2	1	1	2	2	4	5	5
65 +	22	1.7	5	< 1	< 1	1	1	3	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.9	20	< 1	< 1	2	3	5	6	28
20-34	15	2.9	2	1	1	3	4	5	6	6
35-49	23	4.7	15	1	2	4	5	10	14	18
50-64	56	4.5	15	1	1	4	6	8	10	25
65 +	93	4.4	9	1	2	4	6	7	10	17
B. Operated										
0-19 YRS	409	1.1		< 1	< 1	1	1	2	2	3
20-34	60	1.7	2	< 1	< 1	1	2	3	4	10
35-49	47	2.4	6	< 1	< 1	1	3	5	7	15
50-64	58	3.2	10	< 1	1	2	4	7	10	16
65 +	74	4.6	23	1	1	2	5	11	15	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.8	5	1	1	2	4	6	7	10
B. Operated	1137	1.1		< 1	< 1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	224	4.1	13	< 1	1	3	5	7	10	20
B. Operated	648	1.9	6	< 1	< 1	1	2	3	6	14
1. SINGLE DX	1195	1.2	1	< 1	< 1	1	1	2	2	5
2. MULTIPLE DX	872	2.4	8	< 1	< 1	1	3	5	7	16
A. Not Operated	282	3.8	11	1	1	3	5	7	9	18
B. Operated	1785	1.4	2	< 1	< 1	1	1	2	3	10
TOTAL										
0-19 YRS	1438	1.2	1	< 1	< 1	1	1	2	2	3
20-34	154	1.7	2	< 1	< 1	1	2	3	4	6
35-49	125	2.5	7	< 1	< 1	1	3	5	7	16
50-64	148	3.6	11	1	1	2	5	7	9	16
65 +	202	4.1	14	1	1	3	5	9	11	18
GRAND TOTAL	**2067**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	291	2.9	4	< 1	< 1	2	4	6	7	11
20-34	68	4.0	10	1	1	3	5	7	12	17
35-49	45	4.3	10	1	2	3	5	8	10	15
50-64	31	4.4	9	1	2	4	5	8	8	16
65 +	61	4.4	10	1	1	4	6	9	11	15
B. Operated										
0-19 YRS	182	1.5	2	< 1	< 1	1	1	3	4	6
20-34	223	1.8	3	< 1	< 1	1	2	3	4	9
35-49	288	1.8	2	< 1	< 1	1	2	3	4	8
50-64	307	1.6	1	< 1	< 1	1	2	3	3	6
65 +	699	2.2	3	< 1	< 1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	376	3.3	4	1	1	3	4	6	7	12
20-34	85	4.5	10	1	1	4	7	9	10	15
35-49	72	4.4	11	< 1	1	4	6	9	10	17
50-64	89	6.4	22	< 1	1	5	8	13	16	21
65 +	213	6.7	28	1	1	6	9	13	16	26
B. Operated										
0-19 YRS	161	3.1	17	< 1	< 1	2	4	7	8	15
20-34	207	2.4	5	< 1	< 1	2	3	5	6	9
35-49	338	2.4	14	< 1	< 1	1	3	4	7	22
50-64	635	2.3	5	< 1	1	2	2	4	7	14
65 +	1936	2.8	10	< 1	1	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	496	3.5	7	< 1	1	3	4	7	8	14
B. Operated	1699	1.9	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	835	4.7	16	1	1	4	6	10	12	19
B. Operated	3277	2.7	10	< 1	1	2	3	5	7	18
1. SINGLE DX	2195	2.2	4	< 1	< 1	2	3	4	6	11
2. MULTIPLE DX	4112	3.1	11	< 1	1	2	4	6	9	18
A. Not Operated	1331	4.3	13	< 1	1	3	5	8	11	17
B. Operated	4976	2.4	7	< 1	< 1	2	3	4	6	14
TOTAL										
0-19 YRS	1010	2.8	6	< 1	< 1	2	4	6	7	12
20-34	583	2.7	7	< 1	1	2	3	5	7	12
35-49	743	2.5	10	< 1	< 1	1	3	5	8	15
50-64	1062	2.5	7	< 1	1	2	3	5	8	16
65 +	2909	3.0	11	< 1	1	2	3	6	8	18
GRAND TOTAL	**6307**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1199	3.3	4	1	1	3	4	6	7	10
20-34	106	3.5	5	1	1	3	5	7	7	12
35-49	63	4.2	10	1	1	4	6	8	12	15
50-64	67	3.8	12	1	1	3	5	8	11	18
65 +	65	3.8	5	1	1	4	5	7	8	9
B. Operated										
0-19 YRS	159	2.6	6	< 1	1	2	2	6	8	14
20-34	85	3.0	9	1	1	2	3	7	9	17
35-49	91	2.4	4	< 1	1	2	3	5	7	11
50-64	190	2.6	5	< 1	1	2	3	6	7	10
65 +	404	2.4	4	< 1	< 1	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1527	4.0	7	1	2	3	5	7	9	13
20-34	192	4.9	21	1	1	4	6	10	14	26
35-49	194	5.1	18	1	2	4	6	9	15	25
50-64	228	4.5	13	1	1	3	6	8	11	19
65 +	440	5.2	17	1	1	4	7	10	13	22
B. Operated										
0-19 YRS	296	5.5	43	1	1	4	7	10	14	36
20-34	299	4.1	18	1	1	3	5	8	13	21
35-49	355	3.8	16	1	1	3	4	8	11	19
50-64	690	3.6	16	1	1	2	4	7	10	22
65 +	1426	3.9	23	< 1	1	2	4	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1500	3.4	4	1	1	3	4	6	7	11
B. Operated	929	2.5	5	< 1	< 1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	2581	4.4	11	1	2	4	5	8	10	18
B. Operated	3066	4.0	23	< 1	1	3	5	8	12	22
1. SINGLE DX	2429	3.1	5	< 1	1	2	4	6	7	11
2. MULTIPLE DX	5647	4.2	17	1	1	3	5	8	11	21
A. Not Operated	4081	4.0	9	1	1	3	5	7	9	16
B. Operated	3995	3.6	19	< 1	1	2	4	8	11	21
TOTAL										
0-19 YRS	3181	3.8	9	1	1	3	5	7	9	14
20-34	682	4.1	16	1	1	3	5	8	12	20
35-49	703	4.0	15	1	1	3	5	8	11	19
50-64	1175	3.6	14	1	1	2	4	7	10	20
65 +	2335	3.9	19	< 1	1	3	5	8	11	19
GRAND TOTAL	**8076**	**3.8**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.8	1	< 1	1	1	2	4	5	5
20-34	15	2.9	4	< 1	< 1	3	4	6	7	7
35-49	14	3.4	27	< 1	< 1	2	3	7	18	21
50-64	11	2.7	4	< 1	< 1	2	4	6	7	7
65 +	9	2.7	3	1	1	2	3	5	6	6
B. Operated										
0-19 YRS	21	1.8	1	< 1	< 1	1	2	4	4	5
20-34	10	1.5	1	1	1	1	2	3	3	3
35-49	16	1.8	3	< 1	< 1	1	2	4	6	7
50-64	15	1.8	2	1	1	1	2	3	5	6
65 +	14	2.1	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	2.5	2	< 1	1	2	3	5	6	8
20-34	37	3.3	5	1	1	3	4	6	9	11
35-49	66	3.6	11	1	1	3	4	7	9	20
50-64	86	3.9	7	1	1	3	5	7	9	14
65 +	143	4.9	17	1	1	4	6	10	13	20
B. Operated										
0-19 YRS	33	1.8	2	< 1	< 1	1	2	3	5	6
20-34	40	2.4	5	1	1	2	3	5	6	12
35-49	45	2.9	10	< 1	1	2	3	6	9	16
50-64	64	3.3	15	1	1	2	4	6	8	26
65 +	99	3.4	17	1	1	2	4	7	11	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	2.6	8	< 1	1	2	3	5	6	18
B. Operated	76	1.8	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	375	4.0	11	1	1	3	5	8	11	19
B. Operated	281	3.0	12	1	1	2	3	6	8	17
1. SINGLE DX	147	2.2	5	< 1	1	2	3	4	6	8
2. MULTIPLE DX	656	3.6	12	1	1	3	4	7	10	18
A. Not Operated	446	3.8	11	1	1	3	5	8	10	20
B. Operated	357	2.7	10	< 1	1	2	3	5	7	16
TOTAL										
0-19 YRS	119	2.1	2	< 1	1	2	3	4	5	7
20-34	102	2.7	5	1	1	2	4	5	7	11
35-49	141	3.2	11	< 1	1	2	3	6	8	21
50-64	176	3.4	10	1	1	3	4	7	8	14
65 +	265	4.1	17	1	1	3	5	9	12	20
GRAND TOTAL	**803**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1022	2.7	4	1	1	2	3	4	6	9
20-34	11	2.5	2	1	1	2	3	5	6	6
35-49	18	3.9	5	< 1	1	4	5	7	8	8
50-64	17	3.6	5	< 1	1	3	6	7	7	7
65 +	10	3.4	15	1	1	2	4	48	96	99 +
B. Operated										
0-19 YRS	2201	1.2	1	< 1	< 1	1	1	1	2	5
20-34	289	1.2		< 1	1	1	1	2	2	5
35-49	273	1.2		< 1	1	1	1	2	2	3
50-64	263	1.3		< 1	1	1	1	2	2	3
65 +	117	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3971	3.0	5	1	1	3	4	5	6	11
20-34	113	4.3	15	1	1	3	5	7	10	23
35-49	76	4.6	16	1	1	4	6	8	12	24
50-64	60	4.4	12	< 1	1	4	6	9	11	16
65 +	70	5.2	13	1	1	4	7	11	14	15
B. Operated										
0-19 YRS	3020	1.7	6	< 1	< 1	1	1	3	5	12
20-34	463	1.6	3	1	1	1	2	2	4	10
35-49	465	1.6	3	1	1	1	2	2	3	10
50-64	461	1.7	4	1	1	1	2	3	4	12
65 +	278	2.2	22	1	1	2	2	3	6	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1078	2.7	4	1	1	2	3	4	6	10
B. Operated	3143	1.2	1	< 1	< 1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	4290	3.1	6	1	1	3	4	5	7	12
B. Operated	4687	1.7	6	< 1	< 1	1	1	3	5	12
1. SINGLE DX	4221	1.6	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	8977	2.4	6	< 1	1	2	3	4	6	12
A. Not Operated	5368	3.0	5	1	1	3	4	5	7	12
B. Operated	7830	1.5	4	< 1	< 1	1	1	2	3	10
TOTAL										
0-19 YRS	10214	2.2	5	< 1	< 1	1	3	4	5	10
20-34	876	1.8	5	1	1	1	2	4	5	10
35-49	832	1.8	4	1	1	1	2	3	5	11
50-64	801	1.8	4	1	1	1	2	3	5	12
65 +	475	2.5	17	1	1	2	2	5	7	21
GRAND TOTAL	**13198**	**2.1**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	315	3.3	4	1	2	3	4	5	7	11
20-34	97	3.7	3	1	2	3	5	6	8	9
35-49	68	3.7	4	1	2	3	4	7	7	10
50-64	39	4.8	11	1	2	4	6	9	13	16
65 +	26	5.3	12	2	2	4	7	10	14	15
B. Operated										
0-19 YRS	255	2.4	7	< 1	< 1	1	3	6	8	14
20-34	69	2.0	3	1	1	1	3	4	6	8
35-49	63	1.5	1	< 1	1	1	2	3	4	5
50-64	54	1.9	3	1	1	1	2	3	4	12
65 +	32	3.3	17	1	1	2	5	7	8	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	913	3.7	6	1	1	3	4	7	9	13
20-34	229	4.7	9	1	2	4	6	8	10	14
35-49	204	4.8	10	2	2	4	6	8	11	19
50-64	147	6.7	65	2	2	5	8	10	12	39
65 +	195	7.8	65	2	2	5	8	15	25	43
B. Operated										
0-19 YRS	524	3.5	22	< 1	1	2	4	8	12	27
20-34	191	3.5	19	1	1	2	4	8	12	17
35-49	170	3.3	21	1	1	2	3	8	14	23
50-64	168	5.0	74	1	1	2	4	12	29	45
65 +	170	9.9	179	1	1	4	11	26	44	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	545	3.6	5	1	2	3	4	6	8	12
B. Operated	473	2.2	6	< 1	< 1	1	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	1688	4.7	21	1	2	4	5	8	11	22
B. Operated	1223	4.6	55	1	1	2	5	10	17	43
1. SINGLE DX	1018	3.0	6	< 1	1	2	4	6	7	13
2. MULTIPLE DX	2911	4.6	35	1	1	3	5	9	13	38
A. Not Operated	2233	4.4	17	1	2	3	5	8	10	19
B. Operated	1696	3.9	43	< 1	1	2	4	9	14	40
TOTAL										
0-19 YRS	2007	3.4	10	< 1	1	3	4	7	9	16
20-34	586	3.8	11	1	1	3	5	7	9	15
35-49	505	3.7	13	1	1	3	5	7	11	19
50-64	408	5.2	58	1	1	3	6	10	14	40
65 +	423	8.1	107	1	1	5	8	19	32	48
GRAND TOTAL	**3929**	**4.2**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	2.2	1	1	1	2	3	3	3	4
20-34	187	2.4	3	1	1	2	3	5	6	8
35-49	305	2.5	3	1	1	2	3	4	5	9
50-64	507	2.7	3	1	1	2	3	5	6	9
65 +	410	2.9	4	1	1	2	4	5	7	10
B. Operated										
0-19 YRS	41	1.6	7	< 1	< 1	1	1	2	3	18
20-34	100	2.6	6	1	1	2	3	6	8	13
35-49	157	2.3	4	1	1	2	3	5	7	8
50-64	159	2.3	3	1	1	2	3	5	6	8
65 +	78	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	2.8	3	1	1	3	4	4	6	9
20-34	301	3.1	4	1	1	3	4	6	6	10
35-49	733	3.3	4	1	1	3	4	6	7	10
50-64	1702	3.4	5	1	1	3	4	6	8	12
65 +	3806	4.0	8	1	1	3	5	7	9	15
B. Operated										
0-19 YRS	35	1.5	1	< 1	1	1	2	3	4	7
20-34	49	3.9	11	1	1	3	5	9	12	12
35-49	97	4.2	11	1	1	3	5	8	10	19
50-64	177	4.6	13	1	1	4	6	9	11	17
65 +	289	6.1	32	1	1	5	8	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1448	2.6	3	1	1	2	3	5	6	10
B. Operated	535	2.3	4	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	6596	3.7	7	1	1	3	5	7	8	13
B. Operated	647	5.0	[illegible]	1	1	4	6	10	13	24
1. SINGLE DX	1983	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	7243	3.8	8	1	1	3	5	7	9	14
A. Not Operated	8044	3.5	7	1	1	3	4	6	8	13
B. Operated	1182	3.8	16	1	1	2	5	8	10	20
TOTAL										
0-19 YRS	169	2.1	3	1	1	2	3	4	4	9
20-34	637	2.9	5	1	1	2	4	6	7	11
35-49	1292	3.0	5	1	1	2	4	6	7	11
50-64	2545	3.3	6	1	1	3	4	6	8	12
65 +	4583	4.0	10	1	1	3	5	7	9	16
GRAND TOTAL	**9226**	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**8**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	11	1.3		1	1	1	2	2	2	2
35-49	18	1.3		<1	<1	1	2	2	2	2
50-64	21	1.2		1	1	1	1	2	3	4
65 +	24	1.8		1	1	2	2	2	3	3
B. Operated										
0-19 YRS	35	1.3		1	1	1	2	2	2	3
20-34	288	1.4		1	1	1	2	2	3	3
35-49	487	1.4		1	1	1	2	2	3	4
50-64	393	1.5		1	1	1	2	2	3	4
65 +	143	1.6	1	1	1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	8	1.1		<1	<1	1	1	2	2	2
50-64	8	1.9		1	1	2	2	3	3	3
65 +	10	1.7		<1	<1	2	2	2	2	2
B. Operated										
0-19 YRS	12	1.1		<1	<1	1	1	2	2	2
20-34	116	1.3		1	1	1	1	2	2	4
35-49	193	1.4	1	1	1	1	2	2	3	6
50-64	207	1.6	1	1	1	1	2	3	3	6
65 +	145	1.9	2	1	1	2	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	1.5		1	1	1	2	2	3	4
B. Operated	1346	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	30	1.6		<1	<1	2	2	2	2	3
B. Operated	673	1.6	1	1	1	1	2	2	3	5
1. SINGLE DX	1424	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX	703	1.6	1	1	1	1	2	2	3	5
A. Not Operated	108	1.5		<1	1	1	2	2	3	4
B. Operated	2019	1.5	1	1	1	1	2	2	3	4
TOTAL										
0-19 YRS	53	1.3		1	1	1	2	2	3	4
20-34	417	1.4		1	1	1	2	2	3	4
35-49	706	1.4	1	1	1	1	2	2	3	4
50-64	629	1.5	1	1	1	1	2	2	3	4
65 +	322	1.8	2	1	1	2	2	3	3	5
GRAND TOTAL	**2127**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	2.0	3	<1	<1	1	3	4	6	7
20-34	21	4.2	8	1	1	3	7	8	9	9
35-49	29	3.4	3	1	1	4	4	6	6	7
50-64	38	4.9	42	1	1	4	5	7	15	39
65 +	20	3.2	2	1	1	3	4	5	6	6
B. Operated										
0-19 YRS	1150	1.2	1	<1	<1	1	1	2	2	4
20-34	538	1.3	1	<1	1	1	1	2	3	6
35-49	418	1.3	1	<1	1	1	1	2	3	5
50-64	322	1.4	1	<1	1	1	2	2	3	5
65 +	151	1.6	3	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	3.3	12	<1	<1	2	4	9	10	17
20-34	37	4.2	35	<1	<1	2	5	9	11	35
35-49	46	3.9	7	1	1	4	5	7	10	12
50-64	69	3.6	9	<1	<1	3	4	6	13	14
65 +	103	4.4	8	1	2	4	6	9	10	13
B. Operated										
0-19 YRS	1012	1.4	3	<1	1	1	1	2	3	9
20-34	628	1.6	6	<1	1	1	2	2	3	7
35-49	529	1.6	4	<1	1	1	1	3	4	10
50-64	531	1.6	2	1	1	1	2	3	4	8
65 +	311	2.3	10	1	1	1	2	4	9	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	3.5	14	1	1	3	4	6	7	19
B. Operated	2579	1.3	1	<1	1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	325	3.9	12	<1	1	3	5	8	10	14
B. Operated	3011	1.6	4	<1	1	1	2	3	4	11
1. SINGLE DX	2730	1.4	2	<1	1	1	1	2	3	7
2. MULTIPLE DX	3336	1.8	5	<1	1	1	2	3	5	12
A. Not Operated	476	3.8	13	<1	1	3	5	7	10	14
B. Operated	5590	1.5	3	<1	1	1	1	2	3	8
TOTAL										
0-19 YRS	2275	1.4	2	<1	1	1	1	2	3	8
20-34	1224	1.6	5	<1	1	1	1	2	4	9
35-49	1022	1.6	3	<1	1	1	2	3	4	9
50-64	960	1.8	4	<1	1	1	2	3	5	10
65 +	585	2.5	8	<1	1	2	3	5	8	15
GRAND TOTAL	**6066**	**1.6**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**10**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	148	5.9	24	2	2	4	7	12	15	27
20-34	24	6.2	15	2	2	5	8	12	15	16
35-49	12	4.1	6	1	1	3	6	7	8	8
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	19.0		19	19	19	19	19	19	19
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	5.9	36	2	2	4	7	11	19	37
20-34	33	6.9	18	2	2	6	10	13	15	18
35-49	37	5.9	11	2	2	5	8	10	11	17
50-64	42	5.6	39	1	2	4	6	8	14	39
65 +	54	9.5	130	2	3	6	11	19	22	63
B. Operated										
0-19 YRS	7	25.0	280	2	2	28	39	44	44	44
20-34	6	11.5	40	3	3	14	17	17	17	17
35-49	13	7.7	34	1	1	8	12	16	18	18
50-64	27	9.9	88	1	1	8	14	21	34	38
65 +	29	13.3	106	1	2	9	21	30	33	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	5.8	21	2	2	4	7	12	15	25
B. Operated	5	7.4	52	1	1	6	11	19	19	19
2. MULTIPLE DX										
A. Not Operated	287	6.7	50	2	2	5	8	12	18	39
B. Operated	82	12.2	113	1	1	9	17	29	34	43
1. SINGLE DX	190	5.8	22	2	2	4	7	12	15	25
2. MULTIPLE DX	369	7.9	69	1	2	5	9	17	24	41
A. Not Operated	472	6.3	39	2	2	5	8	12	17	34
B. Operated	87	11.9	110	1	1	9	16	29	34	43
TOTAL										
0-19 YRS	278	6.4	43	2	2	4	7	13	20	37
20-34	64	7.0	21	2	2	5	10	14	16	18
35-49	62	5.9	16	1	2	5	8	11	14	18
50-64	71	7.5	62	1	2	5	8	16	22	39
65 +	84	10.8	122	2	2	7	13	24	31	62
GRAND TOTAL	**559**	**7.2**	**54**	**2**	**2**	**5**	**8**	**15**	**21**	**38**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	7.6	38	< 1	< 1	6	12	17	17	17
20-34	9	2.9	2	1	1	2	4	5	5	5
35-49	16	2.8	3	< 1	1	2	3	6	7	7
50-64	13	3.4	9	1	1	2	4	9	11	11
65 +	11	5.4	10	< 1	1	6	8	9	10	10
B. Operated										
0-19 YRS	22	5.3	10	1	1	7	8	9	9	9
20-34	43	4.6	15	1	1	2	8	10	12	15
35-49	127	5.8	26	1	1	3	10	13	15	18
50-64	142	5.1	25	1	1	2	9	13	14	18
65 +	73	5.0	38	< 1	1	2	7	15	17	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.3	11	1	1	3	5	11	12	12
20-34	62	5.3	52	1	1	4	5	9	14	49
35-49	147	5.1	31	1	1	4	6	9	13	28
50-64	301	5.6	25	1	1	4	7	10	14	26
65 +	701	7.6	47	2	3	6	9	14	20	36
B. Operated										
0-19 YRS	53	8.3	67	1	1	7	12	18	28	36
20-34	116	8.2	121	1	1	7	10	16	23	62
35-49	470	8.9	82	1	1	8	12	18	22	46
50-64	1093	9.9	103	1	1	9	13	20	27	52
65 +	1182	11.7	143	1	1	9	16	26	34	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.9	10	< 1	1	3	5	8	10	17
B. Operated	407	5.3	26	1	1	2	9	13	15	18
2. MULTIPLE DX										
A. Not Operated	1227	6.7	41	1	2	5	8	13	17	35
B. Operated	2914	10.4	117	1	1	9	14	22	31	56
1. SINGLE DX	461	5.1	24	1	1	2	9	13	15	18
2. MULTIPLE DX	4141	9.3	98	1	1	7	12	20	27	53
A. Not Operated	1281	6.5	40	1	2	5	8	13	17	34
B. Operated	3321	9.7	109	1	1	8	13	21	28	54
TOTAL										
0-19 YRS	96	6.9	45	1	1	5	9	16	19	33
20-34	230	6.5	81	1	1	4	8	13	18	46
35-49	760	7.6	64	1	1	6	11	15	19	42
50-64	1549	8.5	84	1	1	7	11	18	24	46
65 +	1967	10.0	109	1	2	7	13	22	31	55
GRAND TOTAL	**4602**	**8.9**	**92**	**1**	**1**	**7**	**12**	**19**	**26**	**52**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	2.9	4	1	[illegible]	2	3	5	6	12
20-34	143	3.2	6	< 1	1	3	4	6	8	11
35-49	482	3.3	4	1	1	3	4	6	7	10
50-64	498	3.3	7	1	1	3	4	6	7	13
65 +	322	3.5	6	1	1	3	4	6	8	13
B. Operated										
0-19 YRS	200	2.6	4	1	1	2	3	4	5	13
20-34	55	2.5	6	< 1	< 1	2	3	6	8	11
35-49	103	2.9	6	< 1	1	2	4	6	8	10
50-64	97	2.7	8	< 1	1	2	4	6	8	16
65 +	43	3.8	13	< 1	1	2	5	10	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	3.8	9	1	1	3	5	7	9	20
20-34	539	4.1	16	1	1	3	5	8	11	19
35-49	2156	4.1	8	1	1	3	5	7	9	15
50-64	3410	4.6	13	1	2	4	6	8	11	17
65 +	4268	5.3	22	1	2	4	6	10	12	22
B. Operated										
0-19 YRS	46	6.9	117	1	1	3	7	16	20	68
20-34	134	6.5	82	1	1	4	8	12	16	60
35-49	403	6.7	44	1	1	5	8	14	20	31
50-64	626	7.0	52	1	1	5	9	14	21	43
65 +	696	8.5	92	1	1	6	11	20	27	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1511	3.3	5	1	1	3	4	6	7	12
B. Operated	498	2.8	6	< 1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	10506	4.7	16	1	2	4	6	9	11	19
B. Operated	1905	7.5	69	1	1	5	9	16	23	49
1. SINGLE DX	2009	3.2	6	1	1	2	4	6	7	12
2. MULTIPLE DX	12411	5.1	25	1	2	4	6	10	13	25
A. Not Operated	12017	4.5	15	1	2	4	6	8	11	18
B. Operated	2403	7.5	60	1	1	4	8	14	20	40
TOTAL										
0-19 YRS	445	3.4	19	1	1	2	4	6	8	18
20-34	871	4.2	25	1	1	3	5	8	11	22
35-49	3144	4.2	13	1	1	3	5	8	10	19
50-64	4631	4.7	19	1	1	4	6	9	12	22
65 +	5329	5.6	32	1	2	4	7	10	14	30
GRAND TOTAL	**14420**	**4.9**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	12.0	72	6	6	12	18	18	18	18
20-34	7	3.6	3	1	1	3	4	6	7	7
35-49	58	4.2	4	2	2	4	5	7	9	10
50-64	95	4.2	5	2	2	4	5	7	8	12
65 +	187	5.2	12	2	2	4	6	9	12	23
B. Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	15	4.1	15	1	1	2	6	10	13	14
50-64	33	2.6	6	1	1	2	3	7	8	9
65 +	25	4.1	10	1	1	2	6	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	6.6	19	1	1	6	11	12	13	13
20-34	64	4.8	6	2	2	4	6	8	9	12
35-49	378	5.6	14	2	2	5	7	10	13	19
50-64	1507	6.5	19	2	2	5	8	11	14	23
65 +	5478	7.8	40	2	3	6	9	14	19	35
B. Operated										
0-19 YRS	3	5.0	12	3	3	3	8	9	9	9
20-34	23	7.5	59	1	2	4	9	21	27	27
35-49	96	6.0	34	1	1	5	8	14	18	30
50-64	424	8.0	86	1	1	5	10	17	23	53
65 +	784	12.8	152	1	2	10	16	27	37	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	349	4.7	9	2	2	4	6	8	10	18
B. Operated	75	3.4	9	1	1	2	5	8	10	13
2. MULTIPLE DX										
A. Not Operated	7438	7.4	35	2	3	6	9	14	17	32
B. Operated	1330	10.7	127	1	2	8	14	22	32	63
1. SINGLE DX	424	4.5	9	1	2	4	6	8	10	17
2. MULTIPLE DX	8768	7.9	50	2	2	6	10	15	20	38
A. Not Operated	7787	7.3	34	2	3	6	9	13	17	31
B. Operated	1405	10.3	123	1	1	8	13	21	32	62
TOTAL										
0-19 YRS	16	7.0	23	1	1	6	10	13	16	18
20-34	96	5.3	20	2	2	4	7	9	12	27
35-49	547	5.5	17	1	2	4	7	10	13	21
50-64	2059	6.6	33	1	2	5	8	12	16	27
65 +	6474	8.4	56	2	3	6	10	16	21	43
GRAND TOTAL	**9192**	**7.8**	**49**	**2**	**2**	**6**	**9**	**15**	**19**	**37**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.4	7	< 1	1	4	6	8	9	10
20-34	19	4.2	9	< 1	< 1	3	6	9	9	9
35-49	24	5.0	21	1	2	4	7	7	13	24
50-64	25	4.9	6	1	2	5	6	8	10	12
65 +	23	5.4	37	1	1	3	7	10	20	28
B. Operated										
0-19 YRS	15	4.9	37	< 1	1	2	7	9	20	24
20-34	33	4.7	25	1	1	3	6	9	13	28
35-49	56	4.4	17	1	1	3	6	10	11	19
50-64	90	4.3	21	1	1	3	5	9	12	26
65 +	61	3.8	20	1	1	2	5	9	12	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	112	4.7	18	1	1	3	7	9	12	22
20-34	78	5.5	29	< 1	1	4	7	11	19	26
35-49	174	5.6	18	1	2	5	7	10	13	22
50-64	272	6.6	44	1	2	5		12	16	41
65 +	655	9.1	64	2	3	7	1	18	23	48
B. Operated										
0-19 YRS	89	10.0	130	1	2	6	13	30	38	84
20-34	232	8.2	55	1	2	6	11	16	20	44
35-49	360	8.3	60	1	2	6	1	18	24	42
50-64	598	9.1	84	1	2	7	11	19	26	50
65 +	748	11.1	132	1	2	8	15	24	32	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	4.8	16	1	1	4	7	8	9	26
B. Operated	255	4.3	21	1	1	3	5	9	12	27
2. MULTIPLE DX										
A. Not Operated	1291	7.5	50	1	2	6	9	14	20	39
B. Operated	2027	9.6	98	1	2	7	12	20	28	51
1. SINGLE DX	364	4.4	20	1	1	3	6	9	12	27
2. MULTIPLE DX	3318	8.8	80	1	2	6	11	18	25	46
A. Not Operated	1400	7.3	48	1	2	5	9	14	20	37
B. Operated	2282	9.0	92	1	2	6	12	19	27	49
TOTAL										
0-19 YRS	234	6.7	67	1	1	4	8	14	23	52
20-34	362	7.1	46	1	1	5	9	15	19	31
35-49	614	7.0	45	1	2	5	9	15	21	35
50-64	985	7.8	68	1	2	6	10	16	24	44
65 +	1487	9.8	99	1	2	7	12	20	28	56
GRAND TOTAL	**3682**	**8.4**	**76**	**1**	**2**	**6**	**10**	**18**	**24**	**45**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	9.8	12	6	6	9	12	15	15	15
20-34	66	6.6	10	1	2	7	9	10	11	15
35-49	936	7.2	10	1	2	7	9	11	12	14
50-64	1920	7.6	10	2	3	8	9	11	13	16
65 +	1675	8.0	10	3	4	8	10	12	13	17
B. Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	77	6.3	10	1	2	7	8	10	11	16
35-49	549	7.4	11	2	3	7	9	11	13	17
50-64	797	7.6	12	2	3	7	10	12	14	19
65 +	318	8.4	17	2	4	8	10	13	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	7.8	14	2	3	7	10	11	16	19
20-34	215	7.3	17	2	2	7	9	12	14	19
35-49	3519	8.1	18	2	3	8	10	12	14	23
50-64	12398	8.9	18	3	4	8	11	13	16	24
65 +	31404	10.2	31	4	5	9	12	16	20	32
B. Operated										
0-19 YRS	17	9.3	16	2	3	10	11	15	16	17
20-34	263	9.0	52	3	4	8	10	14	16	47
35-49	3399	9.2	32	2	4	8	11	15	18	31
50-64	8281	10.7	47	3	5	9	13	18	22	38
65 +	9031	13.9	96	4	6	11	16	24	32	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4602	7.6	10	2	3	8	10	11	13	16
B. Operated	1743	7.6	13	2	3	7	9	12	14	19
2. MULTIPLE DX										
A. Not Operated	47581	9.7	27	4	5	9	11	15	18	29
B. Operated	20991	11.8	69	3	5	10	14	20	26	49
1. SINGLE DX	6345	7.6	11	2	3	8	10	11	13	17
2. MULTIPLE DX	68572	10.3	41	3	5	9	12	16	21	36
A. Not Operated	52183	9.5	26	3	5	9	11	15	18	28
B. Operated	22734	11.5	66	3	5	10	13	20	25	48
TOTAL										
0-19 YRS	69	8.3	15	2	3	8	10	14	15	19
20-34	621	7.8	31	2	2	7	10	12	15	22
35-49	8403	8.4	23	2	3	8	10	13	16	25
50-64	23396	9.3	29	3	4	9	11	15	18	30
65 +	42428	10.9	46	4	5	9	13	18	22	39
GRAND TOTAL	**74917**	**10.1**	**39**	**3**	**5**	**9**	**12**	**16**	**20**	**35**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	110	2.6	3	1	1	2	3	5	6	8
35-49	796	2.6	2	1	1	2	3	5	5	8
50-64	1200	2.7	2	1	1	2	3	5	5	7
65 +	1118	3.0	4	1	1	3	4	5	6	9
B. Operated										
0-19 YRS	0									
20-34	39	2.3	3	1	1	2	3	5	6	7
35-49	335	2.3	5	< 1	1	2	2	4	7	12
50-64	614	2.2	4	1	1	2	2	4	6	10
65 +	280	2.5	11	1	1	2	2	5	7	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.8	3	2	2	4	5	6	7	8
20-34	406	3.3	12	1	1	3	4	5	6	14
35-49	4027	3.4	5	1	1	3	4	6	7	12
50-64	10729	3.7	6	1	1	3	5	7	8	12
65 +	20730	4.3	12	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	7	3.4	12	1	1	2	8	73	99 +	99 +
20-34	112	3.5	8	1	1	2	4	8	9	14
35-49	2495	3.7	15	1	1	2	5	8	10	15
50-64	7452	4.0	19	1	1	2	5	9	12	19
65 +	6388	5.5	36	1	1	3	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3229	2.8	3	1	1	2	3	5	6	8
B. Operated	1268	2.3	6	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	35921	4.0	10	1	2	3	5	7	9	14
B. Operated	16454	4.5	26	1	1	3	6	10	13	23
1. SINGLE DX	4497	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	52375	4.2	15	1	1	3	5	8	10	18
A. Not Operated	39150	3.9	9	1	1	3	5	7	9	14
B. Operated	17722	4.4	24	1	1	2	6	10	13	23
TOTAL										
0-19 YRS	41	3.7	4	1	1	3	5	7	9	99 +
20-34	667	3.2	9	1	1	3	4	6	7	13
35-49	7653	3.4	8	1	1	3	4	7	8	13
50-64	19995	3.7	11	1	1	3	5	7	9	16
65 +	28516	4.5	18	1	1	3	5	8	11	20
GRAND TOTAL	**56872**	**4.0**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
20-34	90	3.1	15	1	1	2	4	5	6	25
35-49	868	3.1	3	1	1	3	4	5	6	9
50-64	1855	3.4	5	1	1	3	4	6	7	10
65 +	2171	3.7	8	1	2	3	5	6	8	12
B. Operated										
0-19 YRS	0									
20-34	8	1.6	1	1	1	2	2	3	3	3
35-49	217	3.7	8	1	1	3	5	7	9	15
50-64	594	4.0	10	1	1	3	5	8	10	15
65 +	432	4.9	21	1	1	3	7	10	13	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	4.6	20	1	2	3	5	10	16	23
20-34	319	3.7	5	1	1	3	5	7	9	12
35-49	5063	4.0	7	1	2	3	5	7	9	13
50-64	17350	4.5	10	1	2	4	6	8	10	15
65 +	40419	5.3	16	2	2	4	6	9	12	20
B. Operated										
0-19 YRS	5	9.0	26	3	3	8	13	16	16	16
20-34	133	6.4	33	1	2	5	8	11	14	33
35-49	3088	6.3	25	1	2	5	8	12	15	23
50-64	10803	7.3	37	1	2	6	10	14	17	28
65 +	12782	9.3	69	1	2	8	12	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4988	3.5	6	1	1	3	4	6	7	11
B. Operated	1251	4.2	14	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. Not Operated	63192	5.0	14	2	2	4	6	9	11	18
B. Operated	26811	8.1	52	1	2	7	11	16	20	36
1. SINGLE DX	6239	3.6	8	1	1	3	4	6	8	13
2. MULTIPLE DX	90003	5.9	27	1	2	5	7	11	15	26
A. Not Operated	68180	4.9	13	1	2	4	6	8	11	18
B. Operated	28062	8.0	51	1	2	6	11	16	20	36
TOTAL										
0-19 YRS	50	4.8	21	1	1	3	5	12	16	23
20-34	550	4.2	15	1	1	3	5	8	10	16
35-49	9236	4.7	14	1	2	4	6	9	11	18
50-64	30602	5.4	21	1	2	4	7	10	14	23
65 +	55804	6.2	31	2	2	5	7	12	15	28
GRAND TOTAL	**96242**	**5.8**	**26**	**1**	**2**	**4**	**7**	**11**	**14**	**25**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	2.6	4	1	1	2	2	6	7	7
35-49	98	2.9	4	<1	1	2	4	6	8	9
50-64	146	3.1	5	1	1	2	4	7	8	10
65+	129	4.1	11	1	1	3	5	8	11	18
B. Operated										
0-19 YRS	15	4.3	20	<1	1	2	7	11	14	15
20-34	47	3.0	6	1	1	2	3	8	8	11
35-49	1518	3.2	9	1	1	2	4	8	10	14
50-64	4495	3.2	10	1	1	2	3	8	10	14
65+	2391	4.0	17	1	1	2	5	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3	2	<1	<1	2	3	5	5	5
20-34	67	3.6	6	1	1	3	5	7	8	12
35-49	679	3.5	9	1	1	3	4	7	8	13
50-64	2136	4.1	11	1	1	3	5	8	10	15
65+	3294	5.3	21	1	2	4	7	10	13	25
B. Operated										
0-19 YRS	23	3.0	9	<1	<1	2	4	8	10	11
20-34	231	5.3	44	1	1	3	7	12	18	23
35-49	6375	5.0	26	1	1	3	8	11	14	23
50-64	21924	5.9	39	1	1	3	9	13	16	29
65+	18292	7.8	70	1	1	6	11	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	388	3.4	7	1	1	3	4	7	8	14
B. Operated	8466	3.4	12	1	1	2	4	9	11	16
2. MULTIPLE DX										
A. Not Operated	6183	4.7	17	1	1	4	6	9	11	20
B. Operated	46845	6.5	51	1	1	4	9	14	18	34
1. SINGLE DX	8854	3.4	12	1	1	2	4	9	11	16
2. MULTIPLE DX	53028	6.3	47	1	1	4	9	14	18	32
A. Not Operated	6571	4.6	16	1	1	4	6	9	11	20
B. Operated	55311	6.0	46	1	1	3	9	13	17	32
TOTAL										
0-19 YRS	46	3.3	11	<1	1	2	4	9	11	15
20-34	359	4.6	31	1	1	3	6	10	14	20
35-49	8670	4.6	22	1	1	3	7	10	13	21
50-64	28701	5.3	33	1	1	3	8	12	15	26
65+	24106	7.1	60	1	1	4	10	15	20	37
GRAND TOTAL	**61882**	**5.9**	**43**	**1**	**1**	**3**	**8**	**13**	**17**	**31**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	8.6	9	5	5	9	11	13	14	14
20-34	169	7.4	11	2	3	7	9	12	13	17
35-49	228	8.0	9	4	5	8	9	11	13	18
50-64	215	7.9	9	3	4	8	10	11	13	18
65+	227	8.6	14	4	5	8	10	12	15	23
B. Operated										
0-19 YRS	4	7.3	28	1	1	7	11	13	13	13
20-34	56	8.6	13	4	5	8	11	12	13	22
35-49	40	10.9	26	4	5	10	13	19	23	24
50-64	49	8.6	16	2	3	8	10	13	14	25
65+	37	8.3	11	1	4	8	10	12	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	7.3	12	2	3	7	9	12	14	15
20-34	363	8.5	13	3	5	8	10	12	14	19
35-49	758	9.3	21	3	5	9	11	14	17	26
50-64	1506	9.5	19	4	5	9	11	14	17	25
65+	3559	11.0	32	5	6	10	13	17	21	32
B. Operated										
0-19 YRS	16	10.4	66	2	3	8	14	32	78	99+
20-34	149	12.8	91	4	6	10	15	22	27	61
35-49	302	11.8	38	5	6	10	14	19	23	37
50-64	607	13.4	87	5	7	11	15	24	31	57
65+	1088	15.5	122	6	7	12	18	29	41	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	854	8.0	11	3	4	8	10	12	13	19
B. Operated	186	9.0	17	2	5	9	11	13	16	24
2. MULTIPLE DX										
A. Not Operated	6218	10.3	27	4	6	9	12	16	19	28
B. Operated	2162	14.2	100	5	7	11	16	25	34	64
1. SINGLE DX	1040	8.2	12	3	4	8	10	12	14	21
2. MULTIPLE DX	8380	11.3	49	5	6	10	13	18	23	42
A. Not Operated	7072	10.0	26	4	5	9	12	16	19	28
B. Operated	2348	13.7	95	5	6	11	16	24	32	63
TOTAL										
0-19 YRS	67	8.3	25	2	3	8	11	14	15	88
20-34	737	9.1	32	3	4	8	11	14	17	28
35-49	1328	9.7	25	4	5	9	11	15	18	28
50-64	2377	10.4	39	4	5	9	12	16	21	36
65+	4911	11.9	55	5	6	10	14	19	24	46
GRAND TOTAL	**9420**	**10.9**	**45**	**4**	**6**	**9**	**13**	**18**	**22**	**40**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	19.7	228	1	1	19	32	38	42	42
20-34	8	9.0	31	2	3	8	11	18	20	20
35-49	4	14.0	72	2	2	16	19	22	22	22
50-64	10	11.5	103	1	1	8	16	28	29	29
65 +	7	9.1	22	3	4	8	11	17	18	18
B. Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	6	13.0	95	2	3	12	13	29	31	31
35-49	2	27.5	925	6	6	27	49	49	49	49
50-64	0									
65 +	3	22.0	19	19	19	20	25	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	17.3	128	2	3	15	27	31	38	43
20-34	225	20.5	151	3	6	18	29	38	42	47
35-49	193	19.0	157	3	4	16	29	37	44	49
50-64	173	21.1	154	4	7	17	30	39	45	49
65 +	361	23.6	189	5	7	21	31	43	48	62
B. Operated										
0-19 YRS	29	30.3	243	13	14	29	43	52	65	69
20-34	153	30.1	230	8	12	29	40	47	52	79
35-49	129	30.0	325	7	10	29	42	48	65	92
50-64	120	28.8	289	7	9	26	43	50	59	80
65 +	207	29.9	272	8	10	29	40	54	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	12.9	112	1	2	10	18	30	33	42
B. Operated	12	18.2	165	2	5	16	23	36	47	49
2. MULTIPLE DX										
A. Not Operated	1008	21.2	168	4	6	18	30	40	45	56
B. Operated	638	29.8	273	8	10	29	41	50	60	90
1. SINGLE DX	51	14.2	126	2	2	11	20	31	34	49
2. MULTIPLE DX	1646	24.5	226	5	7	23	33	45	50	75
A. Not Operated	1047	20.9	169	3	6	18	30	39	45	56
B. Operated	650	29.6	273	7	10	29	41	50	59	90
TOTAL										
0-19 YRS	96	21.5	202	2	4	19	31	42	45	67
20-34	392	23.9	206	4	7	25	32	42	47	67
35-49	328	23.3	252	4	6	20	32	44	48	89
50-64	303	23.8	224	5	7	20	33	46	49	64
65 +	578	25.6	228	6	8	23	34	46	55	76
GRAND TOTAL	**1697**	**24.2**	**226**	**4**	**7**	**22**	**32**	**44**	**50**	**74**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	2.6	7	< 1	1	2	3	4	8	16
20-34	68	1.9	2	< 1	1	2	2	4	5	7
35-49	153	1.9	2	< 1	1	1	2	3	4	10
50-64	199	2.1	2	< 1	1	2	3	4	5	7
65 +	134	2.4	3	1	1	2	3	5	7	9
B. Operated										
0-19 YRS	3	4.3	33	< 1	< 1	< 1	8	11	11	11
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	6	2.5	2	1	1	2	4	4	4	4
50-64	7	5.1	13	< 1	< 1	4	8	10	11	11
65 +	5	2.2	3	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	3.0	8	1	1	2	4	6	8	15
20-34	189	2.9	5	< 1	1	2	4	6	7	10
35-49	392	2.8	4	1	1	2	4	5	6	9
50-64	1000	3.4	9	1	1	3	4	[illegible]	9	14
65 +	2239	4.5	16	1	1	4	6	8	11	19
B. Operated										
0-19 YRS	7	5.0	18	1	1	5	8	11	12	12
20-34	14	4.7	7	1	2	4	7	8	10	10
35-49	27	5.9	26	1	1	4	8	13	18	21
50-64	77	7.4	81	1	2	4	8	14	21	56
65 +	156	8.4	45	2	2	7	11	18	22	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	630	2.2	3	< 1	1	2	3	4	5	8
B. Operated	23	3.4	9	< 1	< 1	2	4	9	11	11
2. MULTIPLE DX										
A. Not Operated	3907	3.9	13	1	1	3	5	7	10	16
B. Operated	281	7.6	51	1	2	6	10	16	21	56
1. SINGLE DX	653	2.2	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX	4188	4.2	16	1	1	3	5	8	11	20
A. Not Operated	4537	3.7	12	1	1	3	5	7	9	15
B. Operated	304	7.3	49	1	2	5	10	15	20	53
TOTAL										
0-19 YRS	173	3.0	8	< 1	1	2	4	6	8	15
20-34	273	2.7	4	< 1	1	2	3	6	7	10
35-49	578	2.7	5	1	1	2	3	5	7	11
50-64	1283	3.5	13	1	1	3	4	7	9	16
65 +	2534	4.6	19	1	1	4	6	9	11	21
GRAND TOTAL	**4841**	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.8	1	< 1	< 1	1	2	4	4	5
20-34	264	1.9	2	< 1	1	1	2	4	4	7
35-49	514	2.0	2	< 1	< 1	2	2	4	5	6
50-64	998	2.2	3	< 1	< 1	2	3	4	6	9
65 +	1135	2.8	5	< 1	1	2	3	5	7	10
B. Operated										
0-19 YRS	5	4.0	6	2	2	3	5	8	8	8
20-34	6	3.2	7	1	1	2	4	8	8	8
35-49	14	3.1	6	1	1	2	5	7	8	8
50-64	34	2.7	3	1	1	2	4	5	6	7
65 +	35	4.2	20	< 1	1	2	7	9	11	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	4.0	16	1	1	3	5	8	12	22
20-34	489	2.6	9	< 1	1	2	3	5	6	12
35-49	1501	3.3	8	1	1	2	4	7	8	14
50-64	5643	4.1	14	1	1	3	5	8	10	17
65 +	18287	5.3	24	1	2	4	7	10	13	23
B. Operated										
0-19 YRS	24	5.9	27	1	1	4	8	14	17	22
20-34	33	5.5	23	1	1	4	8	10	16	23
35-49	121	7.0	55	1	1	5	8	16	23	40
50-64	592	7.8	41	1	2	6	10	15	21	32
65 +	1892	10.6	109	2	2	8	13	21	31	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2942	2.3	3	< 1	1	2	3	4	6	9
B. Operated	94	3.4	10	1	1	2	5	8	9	17
2. MULTIPLE DX										
A. Not Operated	26023	4.8	21	1	1	4	6	9	12	21
B. Operated	2662	9.7	92	1	2	7	12	19	27	53
1. SINGLE DX	3036	2.4	4	< 1	1	2	3	5	6	9
2. MULTIPLE DX	28685	5.3	29	1	1	4	7	10	14	26
A. Not Operated	28965	4.6	20	1	1	3	6	9	12	21
B. Operated	2756	9.5	90	1	2	7	12	19	26	52
TOTAL										
0-19 YRS	163	3.8	16	< 1	1	2	5	8	12	21
20-34	792	2.5	7	< 1	1	2	3	5	6	11
35-49	2150	3.2	11	< 1	1	2	4	6	8	15
50-64	7267	4.1	16	1	1	3	5	8	11	19
65 +	21349	5.6	33	1	1	4	7	11	15	29
GRAND TOTAL	**31721**	**5.0**	**28**	**1**	**1**	**4**	**6**	**10**	**13**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	263	3.0	7	< 1	1	2	4	6	9	13
20-34	315	2.6	4	1	1	2	3	5	7	11
35-49	575	2.6	3	1	1	2	3	5	6	8
50-64	703	3.0	5	1	1	2	4	6	7	11
65 +	844	3.7	8	1	1	3	5	7	9	15
B. Operated										
0-19 YRS	71	3.6	7	1	1	3	4	8	8	14
20-34	79	3.9	10	< 1	1	3	6	8	9	17
35-49	115	3.8	12	1	1	3	5	7	9	21
50-64	234	3.9	9	1	1	3	5	8	10	15
65 +	624	4.4	13	1	1	3	5	8	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	512	4.0	18	1	1	3	5	8	11	25
20-34	1090	3.4	15	1	1	2	4	7	9	15
35-49	2522	3.7	10	1	1	3	5	7	9	15
50-64	6931	4.6	17	1	1	4	6	9	11	20
65 +	19808	5.7	23	1	2	4	7	10	14	24
B. Operated										
0-19 YRS	222	6.4	68	1	1	4	7	15	21	56
20-34	226	7.5	73	1	1	5	8	14	26	39
35-49	537	6.5	46	1	1	5	8	13	18	40
50-64	2320	7.9	60	1	2	6	10	15	21	45
65 +	11156	8.5	60	2	2	7	10	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2700	3.1	6	1	1	2	4	6	7	11
B. Operated	1123	4.1	11	1	1	3	5	8	11	17
2. MULTIPLE DX										
A. Not Operated	30863	5.2	21	1	2	4	6	10	13	22
B. Operated	14461	8.3	60	2	2	6	10	16	21	42
1. SINGLE DX	3823	3.4	8	1	1	3	4	7	8	15
2. MULTIPLE DX	45324	6.2	35	1	2	5	8	12	16	30
A. Not Operated	33563	5.0	20	1	1	4	6	9	12	22
B. Operated	15584	8.0	58	1	2	6	10	15	21	40
TOTAL										
0-19 YRS	1068	4.2	26	1	1	3	5	9	12	27
20-34	1710	3.8	22	1	1	3	4	7	10	23
35-49	3749	4.0	15	1	1	3	5	8	10	20
50-64	10188	5.3	28	1	1	4	6	10	14	26
65 +	32432	6.6	37	1	2	5	8	13	16	31
GRAND TOTAL	**49147**	**6.0**	**34**	**1**	**2**	**4**	**7**	**12**	**15**	**30**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.7	5	1	1	3	5	7	8	8
20-34	13	5.0	17	< 1	1	4	7	10	15	16
35-49	63	4.2	6	1	2	4	6	8	9	11
50-64	340	5.1	18	1	2	4	6	9	12	20
65 +	1473	5.2	15	1	2	4	7	9	12	20
B. Operated										
0-19 YRS	6	22.7	877	2	2	13	23	75	81	81
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64	30	7.6	60	1	1	4	10	18	22	34
65 +	35	6.1	35	1	1	5	7	12	21	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	540	6.0	37	1	2	4	7	12	17	33
20-34	431	6.3	21	1	2	5	8	12	14	24
35-49	2641	6.4	22	2	2	5	8	12	15	25
50-64	15696	7.1	30	2	3	6	9	13	16	28
65 +	77917	7.9	42	2	3	6	10	15	19	34
B. Operated										
0-19 YRS	107	15.9	330	2	2	10	20	39	72	90
20-34	148	8.3	74	1	1	6	11	16	23	58
35-49	605	10.8	96	1	2	8	14	22	29	53
50-64	2621	12.0	117	2	3	9	15	23	34	62
65 +	8883	14.3	131	3	4	11	18	28	37	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1905	5.1	15	1	2	4	6	9	12	20
B. Operated	75	7.9	119	1	1	4	10	18	23	69
2. MULTIPLE DX										
A. Not Operated	97225	7.7	39	2	3	6	9	14	18	32
B. Operated	12364	13.6	129	2	4	11	17	27	36	72
1. SINGLE DX	1980	5.2	19	1	2	4	7	9	12	22
2. MULTIPLE DX	109589	8.4	53	2	3	6	10	16	21	39
A. Not Operated	99130	7.7	39	2	3	6	9	14	18	32
B. Operated	12439	13.5	129	2	4	11	17	27	36	73
TOTAL										
0-19 YRS	669	7.7	105	1	2	5	9	15	23	74
20-34	593	6.7	35	1	2	5	9	13	17	29
35-49	3312	7.2	38	2	2	6	9	14	18	32
50-64	18687	7.7	45	2	3	6	9	14	19	36
65 +	88308	8.5	54	2	3	7	10	16	21	40
GRAND TOTAL	**111569**	**8.3**	**53**	**2**	**3**	**6**	**10**	**16**	**21**	**39**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	3.5	8	1	1	3	4	7	9	14
20-34	397	3.1	6	1	1	2	4	6	7	10
35-49	520	3.2	5	1	1	3	4	6	7	13
50-64	300	3.5	6	1	1	3	4	6	9	11
65 +	200	4.4	14	< 1	1	3	5	8	12	20
B. Operated										
0-19 YRS	185	4.3	45	1	1	2	5	9	13	21
20-34	144	4.2	17	< 1	1	2	6	10	12	17
35-49	364	3.5	14	1	1	2	5	9	11	16
50-64	556	3.8	17	1	1	2	5	10	12	19
65 +	437	4.2	22	1	1	2	6	12	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	358	5.3	27	1	1	4	7	11	15	32
20-34	967	4.6	20	1	1	3	6	9	12	26
35-49	2020	5.1	20	1	2	4	6	10	13	23
50-64	3576	6.5	32	1	2	5	8	12	17	29
65 +	5931	7.6	41	2	2	6	9	15	19	32
B. Operated										
0-19 YRS	418	8.5	125	1	1	4	11	21	30	64
20-34	465	8.9	118	1	1	6	11	20	28	90
35-49	1413	8.0	93	1	1	6	10	16	22	58
50-64	3374	8.7	92	1	1	7	11	18	26	52
65 +	4989	10.1	102	1	1	8	14	21	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1562	3.4	7	1	1	3	4	6	8	14
B. Operated	1686	4.0	21	1	1	2	5	10	12	19
2. MULTIPLE DX										
A. Not Operated	12852	6.6	34	1	2	5	8	13	17	29
B. Operated	10659	9.2	100	1	1	7	12	20	27	53
1. SINGLE DX	3248	3.7	14	1	1	2	4	8	11	18
2. MULTIPLE DX	23511	7.8	66	1	2	6	10	16	22	42
A. Not Operated	14414	6.3	32	1	2	5	8	12	16	28
B. Operated	12345	8.5	92	1	1	6	11	19	25	50
TOTAL										
0-19 YRS	1106	6.1	68	1	1	3	7	14	21	41
20-34	1973	5.3	45	1	1	3	6	11	16	34
35-49	4317	5.7	45	1	1	4	7	12	16	32
5[illegible]	7806	7.1	58	1	1	5	9	15	20	38
6[illegible]	11557	8.5	69	1	2	6	11	17	23	43
GRAND TOTAL	**26759**	**7.3**	**61**	**1**	**1**	**5**	**9**	**15**	**21**	**40**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	3	1.7		1	1	2	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	42	4.6	15	1	1	4	5	10	11	23
50-64	121	4.9	27	1	2	3	6	9	12	27
65 +	271	7.6	99	1	2	5	8	14	23	55
B. Operated										
0-19 YRS	0									
20-34	5	5.8	74	1	1	2	6	21	21	21
35-49	45	3.3	10	1	1	2	4	7	10	15
50-64	144	4.2	36	1	1	2	5	10	13	35
65 +	119	6.0	49	1	1	3	8	12	17	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7	5	1	1	5	5	5	5	5
B. Operated	6	3.5	10	< 1	< 1	2	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	435	6.5	72	1	2	4	7	12	18	48
B. Operated	313	4.8	39	1	1	2	7	10	14	38
1. SINGLE DX	9	3.6	8	< 1	< 1	2	6	8	8	8
2. MULTIPLE DX	748	5.8	59	1	1	4	7	11	16	42
A. Not Operated	438	6.5	72	1	2	4	7	12	18	48
B. Operated	319	4.8	38	1	1	2	7	10	14	38
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	5.8	74	1	1	2	8	21	21	21
35-49	90	4.0	13	1	1	3	5	8	11	20
50-64	268	4.5	32	1	1	3	5	9	13	31
65 +	393	7.1	84	1	2	5	8	14	20	49
GRAND TOTAL	**757**	**5.8**	**58**	**1**	**1**	**4**	**7**	**11**	**16**	**42**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.8	4	< 1	< 1	2	4	6	6	6
20-34	6	4.5	22	< 1	< 1	2	10	11	11	11
35-49	13	5.6	49	< 1	< 1	2	9	18	21	22
50-64	10	7.1	49	1	1	5	12	18	21	21
65 +	12	6.2	36	< 1	< 1	4	10	14	19	20
B. Operated										
0-19 YRS	6	12.5	98	4	4	10	15	29	31	31
20-34	62	11.0	36	1	3	11	14	20	22	25
35-49	118	13.5	101	1	3	12	18	25	34	52
50-64	99	14.4	178	1	2	11	17	33	45	64
65 +	26	19.8	182	5	7	18	25	33	50	63
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	6.8	20	1	1	5	11	13	14	14
20-34	16	7.1	49	< 1	< 1	4	15	17	20	21
35-49	32	7.7	34	1	1	6	12	16	17	25
50-64	48	10.9	191	< 1	< 1	5	14	23	38	70
65 +	154	16.0	250	1	2	13	20	32	49	96
B. Operated										
0-19 YRS	14	10.9	54	1	2	11	16	22	24	25
20-34	90	20.3	240	4	7	15	27	42	50	79
35-49	259	22.0	232	5	9	18	27	43	59	99 +
50-64	292	23.8	292	5	8	20	33	55	81	99 +
65 +	231	26.2	301	7	9	22	34	50	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	5.6	35	< 1	< 1	2	10	14	20	22
B. Operated	311	13.8	123	1	3	11	18	26	35	59
2. MULTIPLE DX										
A. Not Operated	259	13.2	204	1	1	9	17	28	37	83
B. Operated	886	23.3	273	5	8	19	31	48	66	99 +
1. SINGLE DX	358	12.7	119	1	1	11	17	25	34	57
2. MULTIPLE DX	1145	21.0	275	2	5	17	28	46	61	99 +
A. Not Operated	306	12.0	186	< 1	1	8	16	26	34	79
B. Operated	1197	20.9	251	3	6	17	27	45	59	99 +
TOTAL										
0-19 YRS	35	8.7	52	1	1	6	13	16	24	31
20-34	174	15.2	171	1	2	12	19	33	42	60
35-49	422	18.1	203	2	4	15	23	37	48	91
50-64	449	20.0	279	1	3	16	27	47	67	99 +
65 +	423	21.5	296	2	5	18	30	47	61	99 +
GRAND TOTAL	**1503**	**19.1**	**251**	**1**	**4**	**15**	**25**	**4[illegible]**	**57**	**99 +**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	9.0		9	9	9	9	9	9	9
35-49	3	27.3	362	9	9	26	42	47	47	47
50-64	6	17.8	279	1	2	12	25	46	48	48
65 +	19	14.4	96	2	5	14	21	33	69	99 +
B. Operated										
0-19 YRS	6	31.2	360	13	14	30	55	91	99 +	99 +
20-34	10	22.6	110	9	9	22	25	38	45	45
35-49	23	25.0	188	7	10	25	32	52	68	99 +
50-64	40	34.6	495	8	13	29	53	93	99 +	99 +
65 +	34	34.4	303	15	19	28	43	68	79	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	31	15.7	149	1	5	12	23	41	48	99 +
B. Operated	113	31.3	346	9	12	27	43	68	97	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	144	28.0	343	6	9	25	38	65	93	99 +
A. Not Operated	31	15.7	149	1	5	12	23	41	48	99 +
B. Operated	113	31.3	346	9	12	27	43	68	97	99 +
TOTAL										
0-19 YRS	7	27.9	376	8	9	24	54	87	99 +	99 +
20-34	12	20.3	118	9	9	21	24	36	44	45
35-49	26	25.2	195	7	9	25	32	51	62	99 +
50-64	46	32.4	493	5	10	28	48	85	99 +	99 +
65 +	53	27.2	320	5	7	25	36	61	79	99 +
GRAND TOTAL	**144**	**28.0**	**343**	**6**	**9**	**25**	**38**	**65**	**93**	**99 +**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.8	4	1	1	2	4	6	7	7
20-34	13	4.9	22	< 1	< 1	3	7	13	15	15
35-49	22	7.3	44	< 1	1	5	12	14	21	29
50-64	42	6.8	35	1	1	5	11	14	15	31
65 +	153	8.1	43	1	2	6	10	16	19	34
B. Operated										
0-19 YRS	31	7.2	59	< 1	1	5	9	13	15	43
20-34	34	8.7	70	1	2	6	12	18	24	42
35-49	48	8.6	49	1	2	7	12	20	24	27
50-64	76	9.4	76	2	3	7	10	21	25	47
65 +	178	9.4	41	2	3	8	11	17	21	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	6.9	40	< 1	1	5	10	14	20	29
20-34	46	7.5	32	1	1	7	12	15	17	25
35-49	117	10.3	99	1	2	7	13	24	29	53
50-64	390	11.3	125	2	3	8	14	23	33	97
65 +	1874	12.5	113	3	4	10	15	25	33	53
B. Operated										
0-19 YRS	88	16.9	288	3	4	11	22	38	58	85
20-34	101	15.7	250	2	3	11	19	31	42	92
35-49	173	17.9	293	3	5	12	23	49	72	99 +
50-64	358	18.[illegible]	219	4	5	14	24	41	57	99 +
65 +	966	19.9	255	5	6	15	25	45	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	[illegible]	[illegible]	40	1	1	6	10	15	18	31
B. Operated	367	9.[illegible]	53	2	3	7	11	18	22	42
2. MULTIPLE DX										
A. Not Operated	2473	[illegible].0	112	2	3	9	15	24	32	63
B. Operated	1686	[illegible]	254	4	6	14	24	43	59	99 +
1. SINGLE DX	608	[illegible]	49	1	2	7	11	16	21	42
2. MULTIPLE DX	4159	[illegible]	181	3	4	11	18	31	44	94
A. Not Operated	2714	[illegible]	108	2	3	9	14	23	31	56
B. Operated	2053	1[illegible]	232	3	5	12	22	39	55	99 +
TOTAL										
0-19 YRS	176	11.7	192	1	2	7	13	26	42	66
20-34	194	11.8	167	1	2	9	14	25	34	81
35-49	360	13.5	199	2	3	9	16	28	50	99
50-64	866	13.7	169	2	3	10	17	31	46	99 +
65 +	3171	14.4	163	3	4	11	18	29	42	85
GRAND TOTAL	**4767**	**14.0**	**169**	**2**	**4**	**10**	**17**	**29**	**42**	**91**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	13.0	96	5	5	11	21	25	25	25
20-34	13	15.5	202	3	3	10	19	36	50	53
35-49	50	17.8	210	2	4	12	27	40	50	59
50-64	165	16.4	189	4	5	12	21	34	46	98
65 +	724	15.2	170	4	5	11	18	30	43	71
B. Operated										
0-19 YRS	10	23.1	277	4	6	31	68	99 +	99 +	99 +
20-34	11	21.1	86	9	10	23	31	55	94	99 +
35-49	52	26.6	303	8	11	24	38	80	99 +	99 +
50-64	86	26.7	342	7	10	24	36	67	99	99 +
65 +	242	25.2	289	7	9	21	36	55	73	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	956	15.5	175	3	5	12	19	31	43	71
B. Operated	401	25.6	295	7	9	22	36	58	93	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	1357	18.5	231	4	5	14	24	41	57	99 +
A. Not Operated	956	15.5	175	3	5	12	19	31	43	71
B. Operated	401	25.6	295	7	9	22	36	58	93	99 +
TOTAL										
0-19 YRS	14	20.2	236	4	5	25	40	99 +	99 +	99 +
20-34	24	18.0	151	3	6	16	27	36	65	99 +
35-49	102	22.3	275	4	6	19	30	50	85	99 +
50-64	251	19.9	264	4	5	16	26	46	68	99 +
65 +	966	17.7	218	4	5	13	22	39	54	88
GRAND TOTAL	**1357**	**18.5**	**231**	**4**	**5**	**14**	**24**	**41**	**57**	**99 +**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	11	5.5	59	< 1	< 1	3	6	17	26	27
50-64	48	3.0	7	1	1	2	4	6	9	14
65 +	93	3.2	5	< 1	1	2	5	6	8	10
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	10	3.5	9	< 1	< 1	3	4	8	11	11
35-49	100	4.4	13	1	1	4	5	8	11	21
50-64	905	3.9	5	1	1	4	5	7	8	12
65 +	1682	4.2	8	1	1	4	5	7	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	17.0	631	2	2	3	35	46	46	46
20-34	2	9.0	18	6	6	9	12	12	12	12
35-49	46	4.8	12	1	1	4	6	10	12	14
50-64	363	4.9	13	1	1	4	6	10	12	17
65 +	1363	6.7	56	1	2	5	8	12	16	40
B. Operated										
0-19 YRS	9	9.2	91	3	3	6	9	24	34	34
20-34	20	14.0	597	< 1	1	4	10	58	80	86
35-49	353	6.3	37	1	2	5	7	11	15	32
50-64	3687	5.7	19	1	2	5	7	11	13	24
65 +	9636	6.7	36	1	2	5	8	13	16	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	3.3	10	1	1	2	5	6	9	14
B. Operated	2698	4.1	7	1	1	4	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	1777	6.3	48	1	2	5	7	11	15	36
B. Operated	13705	6.4	33	1	2	5	8	12	16	28
1. SINGLE DX	2852	4.1	8	1	1	4	5	7	9	13
2. MULTIPLE DX	15482	6.4	34	1	2	5	8	12	16	29
A. Not Operated	1931	6.0	45	1	1	5	7	11	15	35
B. Operated	16403	6.1	29	1	2	5	7	11	15	26
TOTAL										
0-19 YRS	13	10.4	185	< 1	2	5	9	36	44	46
20-34	34	10.1	370	< 1	1	4	7	15	68	86
35-49	510	5.8	31	1	2	5	7	10	15	30
50-64	5003	5.3	17	1	2	4	6	10	12	21
65 +	12774	6.3	35	1	2	5	8	12	16	28
GRAND TOTAL	**18334**	**6.0**	**31**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	10	7.7	40	1	1	7	12	17	18	18
50-64	38	11.7	105	4	4	10	14	25	45	99 +
65 +	142	9.0	48	2	3	7	12	18	22	41
B. Operated										
0-19 YRS	3	12.7	16	9	9	12	16	17	17	17
20-34	5	18.6	225	6	6	14	25	44	44	44
35-49	27	12.3	201	1	2	7	16	36	45	60
50-64	203	9.8	99	1	2	7	11	23	31	62
65 +	500	9.9	83	2	3	7	12	19	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	190	9.5	60	2	3	7	12	19	24	53
B. Operated	738	10.0	92	2	2	7	12	20	29	57
1. SINGLE DX	0									
2. MULTIPLE DX	928	9.9	86	2	3	7	12	20	28	58
A. Not Operated	190	9.5	60	2	3	7	12	19	24	53
B. Operated	738	10.0	92	2	2	7	12	20	29	57
TOTAL										
0-19 YRS	3	12.7	16	9	9	12	16	17	17	17
20-34	5	18.6	225	6	6	14	25	44	44	44
35-49	37	11.0	159	1	2	7	15	21	41	60
50-64	241	10.1	100	2	2	7	12	24	31	69
65 +	642	9.7	75	2	3	7	12	19	26	44
GRAND TOTAL	**928**	**9.9**	**86**	**2**	**3**	**7**	**12**	**20**	**28**	**58**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.3	11	1	1	6	7	10	10	10
20-34	20	3.5	5	< 1	1	3	5	7	8	8
35-49	64	5.0	8	1	2	4	7	9	10	12
50-64	289	6.0	30	1	2	5	7	11	14	32
65 +	844	7.4	39	2	2	6	9	13	18	36
B. Operated										
0-19 YRS	12	4.8	8	1	1	5	7	8	10	10
20-34	33	6.5	37	1	1	5	8	13	18	29
35-49	44	7.4	51	1	2	5	10	14	20	38
50-64	87	5.5	14	1	1	5	8	11	12	16
65 +	77	7.1	55	1	2	5	9	15	19	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	8.0	49	2	2	6	10	20	29	99 +
20-34	115	8.8	86	1	2	7	11	17	25	54
35-49	639	8.1	48	2	2	6	10	15	21	34
50-64	3638	8.8	72	2	3	6	10	17	23	48
65 +	18975	10.4	85	3	3	8	12	20	28	58
B. Operated										
0-19 YRS	23	16.0	243	2	3	10	20	36	54	66
20-34	77	9.3	32	2	4	8	13	16	19	81
35-49	241	11.4	100	2	3	9	14	26	39	99 +
50-64	882	13.1	193	2	3	9	15	32	53	99 +
65 +	2990	18.4	269	3	5	13	24	45	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1223	6.8	35	2	2	6	8	12	16	34
B. Operated	253	6.4	36	1	1	5	8	12	16	30
2. MULTIPLE DX										
A. Not Operated	23414	10.0	83	2	3	8	12	19	27	56
B. Operated	4213	16.7	246	3	4	12	22	42	62	99 +
1. SINGLE DX	1476	6.8	35	1	2	5	8	12	16	34
2. MULTIPLE DX	27627	11.1	113	2	3	8	13	22	33	73
A. Not Operated	24637	9.9	81	2	3	7	12	19	26	56
B. Operated	4466	16.1	240	2	4	11	21	41	60	99 +
TOTAL										
0-19 YRS	88	9.5	105	1	2	7	10	22	30	87
20-34	245	8.2	58	1	2	6	11	16	21	50
35-49	988	8.7	61	2	2	7	10	17	26	51
50-64	4896	9.3	94	2	3	7	11	18	27	63
65 +	22886	11.3	115	3	3	8	13	23	33	75
GRAND TOTAL	**29103**	**10.8**	**110**	**2**	**3**	**8**	**13**	**22**	**32**	**73**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	11.8	175	2	3	8	13	19	42	63
20-34	42	11.5	92	2	3	9	14	21	31	52
35-49	283	11.7	135	2	3	8	14	24	34	96
50-64	1778	12.0	126	3	4	9	14	24	33	72
65 +	8835	12.5	112	3	4	10	15	24	34	65
B. Operated										
0-19 YRS	12	16.3	312	2	4	9	20	47	58	60
20-34	33	19.3	339	3	5	11	27	62	68	99 +
35-49	115	17.1	231	3	5	11	22	40	49	91
50-64	388	18.9	323	4	5	13	23	52	79	99 +
65 +	1240	21.2	315	5	6	16	29	53	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10958	12.4	115	3	4	9	15	24	34	67
B. Operated	1788	20.4	313	4	6	14	27	52	74	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	12746	13.5	150	3	4	10	16	28	40	87
A. Not Operated	10958	12.4	115	3	4	9	15	24	34	67
B. Operated	1788	20.4	313	4	6	14	27	52	74	99 +
TOTAL										
0-19 YRS	32	13.5	223	2	4	9	13	32	58	63
20-34	75	14.9	213	3	3	10	17	38	59	92
35-49	398	13.3	168	3	3	9	16	31	42	94
50-64	2166	13.3	168	3	4	9	15	27	42	89
65 +	10075	13.6	145	3	4	10	16	28	39	85
GRAND TOTAL	**12746**	**13.5**	**150**	**3**	**4**	**10**	**16**	**28**	**40**	**87**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.9	1	1	1	3	4	4	4	4
20-34	48	3.1	5	1	1	2	4	6	7	10
35-49	210	2.8	3	1	1	2	4	5	7	9
50-64	636	3.1	4	1	1	3	4	6	7	11
65 +	1353	3.4	6	1	1	3	4	6	8	12
B. Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	19	2.9	4	1	1	3	4	5	7	9
35-49	79	3.1	5	< 1	1	2	4	6	8	12
50-64	260	3.1	5	1	1	2	4	6	8	9
65 +	273	3.3	9	1	1	2	4	7	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	4.0	7	1	1	3	6	7	10	13
20-34	129	3.6	11	1	1	3	4	6	8	18
35-49	879	4.1	9	1	1	3	5	7	9	15
50-64	4257	4.5	13	1	2	4	6	8	10	16
65 +	21108	5.7	31	1	2	4	7	10	14	30
B. Operated										
0-19 YRS	7	3.3	6	1	1	3	6	72	99 +	99 +
20-34	40	5.2	14	1	1	4	8	11	11	17
35-49	277	4.9	11	1	2	4	7	9	11	15
50-64	1278	5.9	25	1	2	5	8	11	14	26
65 +	3251	8.5	79	1	2	6	10	16	24	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2256	3.2	5	1	1	3	4	6	7	11
B. Operated	633	3.2	7	1	1	2	4	7	8	12
2. MULTIPLE DX										
A. Not Operated	26412	5.4	28	1	2	4	7	10	13	27
B. Operated	4853	7.6	62	1	2	6	9	15	20	48
1. SINGLE DX	2889	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	31265	5.8	34	1	2	4	7	10	14	32
A. Not Operated	28668	5.3	26	1	2	4	6	9	12	26
B. Operated	5486	7.1	58	1	2	5	9	14	19	45
TOTAL										
0-19 YRS	57	3.7	6	1	1	3	5	7	10	93
20-34	236	3.7	10	1	1	3	5	7	10	15
35-49	1445	4.0	9	1	1	3	5	7	9	14
50-64	6431	4.6	15	1	1	4	6	8	11	18
65 +	25985	5.9	37	1	2	4	7	11	15	34
GRAND TOTAL	**34154**	**5.5**	**32**	**1**	**2**	**4**	**7**	**10**	**14**	**30**

1,228 Hospitals, United States, January-December 1987

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	8.4	124	1	1	5	11	28	28	28
20-34	14	3.9	11	<1	1	3	5	9	10	10
35-49	58	4.2	7	1	2	3	6	8	10	11
50-64	195	5.9	49	1	2	4	7	10	14	36
65 +	649	6.9	42	2	2	6	9	12	15	29
B. Operated										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	20	4.1	12	1	1	3	6	10	11	12
50-64	45	4.7	18	1	1	3	6	12	15	18
65 +	54	9.4	186	1	2	5	9	21	33	87
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	7.5	46	1	2	5	9	18	20	33
20-34	34	4.5	8	2	2	4	5	9	11	11
35-49	282	7.3	56	2	2	5	9	14	18	33
50-64	1723	7.7	57	2	2	6	9	15	19	46
65 +	8840	9.0	68	2	3	7	11	17	23	50
B. Operated										
0-19 YRS	11	10.5	36	3	4	8	15	20	22	22
20-34	19	10.7	111	1	2	8	13	25	35	44
35-49	83	9.3	50	2	3	8	11	20	24	83
50-64	353	11.0	102	2	3	9	14	23	30	99 +
65 +	1123	15.0	182	3	4	11	19	36	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	921	6.5	42	1	2	5	8	12	15	29
B. Operated	124	6.7	95	1	1	4	7	12	20	48
2. MULTIPLE DX										
A. Not Operated	10911	8.7	66	2	3	7	10	16	22	50
B. Operated	1589	13.7	159	3	4	10	17	31	44	99 +
1. SINGLE DX	1045	6.5	48	1	2	5	8	12	15	34
2. MULTIPLE DX	12500	9.4	80	2	3	7	11	18	25	59
A. Not Operated	11832	8.6	64	2	3	7	10	16	22	49
B. Operated	1713	13.2	158	2	3	9	17	30	43	99 +
TOTAL										
0-19 YRS	50	8.2	49	1	2	6	10	18	22	33
20-34	70	6.1	43	1	1	4	8	11	15	40
35-49	443	7.1	49	1	2	5	9	14	18	35
50-64	2316	8.0	64	2	2	6	10	16	21	55
65 +	10666	9.5	82	2	3	7	11	18	26	59
GRAND TOTAL	**13545**	**9.2**	**78**	**2**	**3**	**7**	**11**	**17**	**25**	**57**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	9.9	61	1	3	7	14	19	27	30
20-34	21	6.8	22	1	2	6	9	11	16	22
35-49	85	11.6	188	3	3	8	13	18	44	76
50-64	638	9.6	81	2	3	7	11	17	26	43
65 +	3359	10.1	76	3	3	8	12	18	24	53
B. Operated										
0-19 YRS	3	11.3	37	6	6	10	16	18	18	18
20-34	9	14.0	396	1	2	6	14	47	65	65
35-49	31	14.4	150	2	3	10	20	35	43	46
50-64	112	15.1	193	3	4	10	19	34	52	76
65 +	386	16.8	202	4	5	12	21	36	49	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4118	10.1	79	3	3	8	12	18	25	54
B. Operated	541	16.2	199	3	5	11	20	36	49	87
1. SINGLE DX	0									
2. MULTIPLE DX	4659	10.8	96	3	3	8	13	20	29	63
A. Not Operated	4118	10.1	79	3	3	8	12	18	25	54
B. Operated	541	16.2	199	3	5	11	20	36	49	87
TOTAL										
0-19 YRS	18	10.1	55	1	3	8	15	19	26	30
20-34	30	8.9	136	1	2	6	10	16	22	65
35-49	116	12.3	178	3	3	8	14	23	43	71
50-64	750	10.4	101	2	3	8	12	20	29	61
65 +	3745	10.8	93	3	3	8	13	20	29	63
GRAND TOTAL	**4659**	**10.8**	**96**	**3**	**3**	**8**	**13**	**20**	**29**	**63**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.1	5	< 1	< 1	2	4	7	7	7
20-34	45	2.5	3	< 1	< 1	2	3	5	6	10
35-49	94	3.1	4	1	1	2	4	6	7	12
50-64	162	3.5	19	1	1	3	4	6	7	11
65 +	176	4.4	15	1	1	3	5	9	11	20
B. Operated										
0-19 YRS	17	5.2	14	1	1	4	9	11	12	12
20-34	41	4.5	18	< 1	1	3	7	10	15	16
35-49	94	6.4	23	1	1	5	10	13	14	22
50-64	122	4.9	41	1	1	3	8	10	12	32
65 +	66	3.2	12	1	1	2	4	8	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	5.3	21	1	1	4	7	12	15	20
20-34	136	4.3	10	1	1	3	5	9	10	16
35-49	565	4.6	13	1	2	4	6	9	10	16
50-64	1090	5.5	32	1	2	4	7	9	12	24
65 +	3542	7.1	57	2	2	5	8	13	19	46
B. Operated										
0-19 YRS	32	7.9	102	1	1	5	8	22	46	99 +
20-34	74	8.7	81	1	2	5	14	19	25	49
35-49	223	9.9	119	1	2	8	12	21	33	58
50-64	446	9.2	108	1	1	6	12	21	28	70
65 +	754	10.5	134	1	2	7	13	24	33	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	491	3.7	13	1	1	3	5	7	9	17
B. Operated	340	5.0	27	1	1	3	8	11	13	20
2. MULTIPLE DX										
A. Not Operated	5379	6.4	47	1	2	5	8	12	17	37
B. Operated	1529	9.9	121	1	2	7	12	22	30	76
1. SINGLE DX	831	4.2	19	1	1	3	5	9	11	19
2. MULTIPLE DX	6908	7.2	65	1	2	5	8	14	20	49
A. Not Operated	5870	6.2	45	1	2	5	7	11	16	36
B. Operated	1869	9.0	108	1	1	6	11	20	28	69
TOTAL										
0-19 YRS	109	5.7	43	< 1	1	4	7	12	18	68
20-34	296	5.1	32	1	1	3	6	11	16	25
35-49	976	5.8	43	1	1	4	7	11	15	36
50-64	1820	6.2	54	1	1	4	7	12	18	42
65 +	4538	7.5	70	1	2	5	9	15	21	54
GRAND TOTAL	7739	6.9	61	1	2	5	8	13	20	48

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	11	2.9	5	< 1	1	2	3	7	9	9
65 +	23	3.1	16	< 1	1	1	4	7	11	19
B. Operated										
0-19 YRS	7	4.7	16	< 1	< 1	4	8	11	11	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	71	3.8	18	< 1	1	2	5	9	10	25
50-64	331	3.9	14	1	1	2	6	9	11	16
65 +	330	4.6	21	1	1	2	7	11	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	21	2.8	3	< 1	< 1	2	4	6	6	6
50-64	126	4.1	16	< 1	1	3	6	9	11	20
65 +	417	6.6	50	1	1	5	8	14	18	33
B. Operated										
0-19 YRS	25	8.0	45	1	2	6	10	18	33	27
20-34	35	6.9	65	1	1	5	8	13	[illegible]	40
35-49	471	7.3	56	1	1	6	9	14	21	43
50-64	2319	9.6	110	1	1	7	12	20	30	58
65 +	6009	12.1	133	1	2	9	15	25	35	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.8	11	< 1	1	2	3	6	8	19
B. Operated	740	4.2	17	1	1	2	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	569	5.9	42	1	1	4	7	13	16	30
B. Operated	8859	11.1	125	1	1	8	14	23	32	63
1. SINGLE DX	780	4.1	17	1	1	2	6	10	12	19
2. MULTIPLE DX	9428	10.8	121	1	1	8	14	23	32	62
A. Not Operated	609	5.7	40	1	1	4	7	13	16	29
B. Operated	9599	10.6	120	1	1	8	13	22	31	62
TOTAL										
0-19 YRS	34	7.1	38	1	2	6	9	17	21	27
20-34	40	6.4	59	1	1	4	7	12	22	40
35-49	568	6.6	51	1	1	5	9	13	20	33
50-64	2787	8.6	99	1	1	6	11	18	28	54
65 +	6779	11.3	126	1	1	9	15	24	33	64
GRAND TOTAL	10208	10.3	116	1	1	8	13	22	31	61

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	20	2.0	3	< 1	< 1	1	2	4	6	8
65 +	42	4.5	39	< 1	< 1	2	5	12	21	28
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.0	21	< 1	< 1	4	8	11	11	11
35-49	16	7.1	20	1	1	7	9	14	15	16
50-64	190	8.3	18	1	2	8	10	13	14	24
65 +	391	9.1	29	1	2	9	11	13	16	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	8	2.6	5	< 1	< 1	2	4	6	7	7
35-49	10	3.9	3	1	2	4	5	6	6	6
50-64	101	4.7	33	< 1	1	3	5	10	15	33
65 +	629	6.0	47	< 1	1	4	8	11	16	33
B. Operated										
0-19 YRS	13	10.2	86	1	1	8	11	27	32	33
20-34	32	10.1	28	1	2	10	13	18	20	21
35-49	96	11.6	102	2	2	9	13	19	34	58
50-64	1628	12.4	106	2	6	10	14	21	28	75
65 +	4970	13.6	106	2	6	11	16	23	32	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	3.6	27	< 1	< 1	2	3	8	16	27
B. Operated	602	8.8	25	1	2	9	11	13	16	27
2. MULTIPLE DX										
A. Not Operated	749	5.7	44	< 1	1	4	7	11	16	32
B. Operated	6739	13.2	106	2	6	11	15	23	31	70
1. SINGLE DX	663	8.3	28	1	1	9	11	13	15	28
2. MULTIPLE DX	7488	12.5	105	2	3	10	15	22	30	66
A. Not Operated	815	5.6	43	< 1	1	4	7	11	16	31
B. Operated	7341	12.9	101	2	5	10	15	22	30	67
TOTAL										
0-19 YRS	16	8.6	81	< 1	1	7	10	24	31	33
20-34	44	8.3	32	< 1	1	8	11	16	19	21
35-49	125	10.2	88	1	2	8	12	18	28	51
50-64	1939	11.5	98	1	3	10	13	20	27	65
65 +	6032	12.4	101	2	3	10	15	22	30	64
GRAND TOTAL	**8156**	**12.1**	**100**	**1**	**3**	**10**	**14**	**22**	**29**	**64**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.3	16	2	2	4	8	11	11	11
35-49	6	2.7	13	1	1	1	2	9	10	10
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	11	1.5		1	1	1	2	3	3	3
20-34	30	3.6	14	< 1	< 1	2	4	8	12	17
35-49	52	5.0	11	1	1	5	7	9	10	17
50-64	91	6.4	32	1	1	5	8	13	20	25
65 +	113	5.6	15	1	1	5	8	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	10.0	127	3	3	4	18	23	23	23
35-49	7	3.4	8	< 1	< 1	3	4	8	9	9
50-64	9	4.0	10	< 1	< 1	4	5	9	11	11
65 +	40	5.4	22	1	1	4	7	11	13	25
B. Operated										
0-19 YRS	14	4.0	8	1	1	3	5	9	10	10
20-34	41	10.9	71	2	2	9	14	21	32	36
35-49	118	9.2	51	1	2	8	13	20	24	32
50-64	448	9.4	75	2	2	7	11	18	22	48
65 +	889	11.9	137	2	3	9	13	24	33	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.3	11	1	1	2	4	10	11	11
B. Operated	297	5.4	20	1	1	5	7	10	14	23
2. MULTIPLE DX										
A. Not Operated	60	5.1	23	< 1	1	4	7	11	13	25
B. Operated	1510	10.8	111	2	3	8	13	21	29	58
1. SINGLE DX	310	5.3	19	1	1	4	7	10	13	23
2. MULTIPLE DX	1570	10.6	108	2	2	8	13	21	29	58
A. Not Operated	73	4.8	21	1	1	4	6	10	13	25
B. Operated	1807	9.9	100	1	2	8	12	19	27	55
TOTAL										
0-19 YRS	26	2.8	6	1	1	2	3	7	9	10
20-34	78	7.8	58	1	1	5	11	18	22	36
35-49	183	7.6	41	1	1	6	10	18	21	30
50-64	550	8.8	68	1	2	7	11	17	22	44
65 +	1043	10.9	124	1	2	8	13	22	30	63
GRAND TOTAL	**1880**	**9.7**	**98**	**1**	**2**	**7**	**12**	**19**	**26**	**55**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	7.8	10	3	3	9	10	10	10	10
20-34	18	6.5	6	3	3	6	7	9	12	13
35-49	23	4.9	9	1	1	6	8	8	9	10
50-64	58	4.3	10	1	1	4	6	8	11	14
65 +	59	4.3	15	< 1	< 1	3	6	11	13	14
B. Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	46	6.2	19	1	1	6	9	12	14	15
35-49	270	5.6	20	1	1	5	8	11	12	24
50-64	729	5.6	18	1	1	5	8	10	13	19
65 +	743	6.1	22	1	1	5	9	12	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.0	9	< 1	< 1	4	7	8	8	8
20-34	41	6.6	15	1	2	6	8	11	16	18
35-49	91	6.0	19	< 1	1	6	8	11	13	22
50-64	249	6.3	29	1	1	5	9	12	14	30
65 +	760	7.2	33	1	1	6	9	14	17	30
B. Operated										
0-19 YRS	28	8.7	25	1	2	9	12	16	17	18
20-34	126	10.1	73	2	3	8	12	17	24	50
35-49	885	9.4	74	1	2	8	11	17	24	46
50-64	3830	9.9	85	1	2	8	12	18	26	56
65 +	8025	11.8	115	1	2	9	14	23	32	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	162	4.7	12	< 1	1	5	7	9	12	14
B. Operated	1790	5.8	20	1	1	5	8	11	13	20
2. MULTIPLE DX										
A. Not Operated	1149	6.9	30	1	1	6	9	13	16	30
B. Operated	12894	11.1	104	1	2	9	13	21	30	59
1. SINGLE DX	1952	5.7	19	1	1	5	8	11	13	20
2. MULTIPLE DX	14043	10.7	99	1	2	8	13	21	29	58
A. Not Operated	1311	6.6	29	1	1	6	9	12	16	27
B. Operated	14684	10.4	97	1	2	8	13	20	28	57
TOTAL										
0-19 YRS	42	7.5	23	< 1	1	7	11	14	17	18
20-34	231	8.4	49	1	2	7	10	15	18	41
35-49	1269	8.3	60	1	1	7	10	15	21	41
50-64	4866	9.0	74	1	1	8	11	17	23	49
65 +	9587	11.0	105	1	2	9	13	22	30	59
GRAND TOTAL	**15995**	**10.1**	**92**	**1**	**2**	**8**	**12**	**19**	**28**	**55**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	335	5.0	13	1	2	4	6	8	11	17
20-34	35	4.3	13	< 1	1	4	5	9	14	16
35-49	47	4.4	19	< 1	1	3	5	10	12	24
50-64	60	4.0	16	< 1	1	3	5	8	12	22
65 +	67	4.3	19	< 1	1	2	5	12	15	18
B. Operated										
0-19 YRS	52	4.3	12	< 1	1	3	6	10	12	13
20-34	66	4.2	28	1	1	3	5	8	11	35
35-49	212	3.3	9	1	1	2	5	8	10	11
50-64	461	3.9	18	1	1	2	6	9	12	18
65 +	522	4.2	18	< 1	1	2	6	10	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	281	6.1	18	1	2	5	7	11	15	22
20-34	104	5.9	29	1	2	5	7	11	14	32
35-49	201	4.9	16	1	1	4	6	10	14	21
50-64	384	5.2	28	1	1	4	7	10	13	28
65 +	976	7.1	57	1	2	5	9	14	20	35
B. Operated										
0-19 YRS	76	10.0	184	1	1	6	13	25	30	82
20-34	177	10.5	144	1	1	7	13	26	37	97
35-49	570	7.9	107	1	1	5	9	18	28	60
50-64	1890	8.1	93	1	1	5	11	17	24	55
65 +	3613	10.3	117	1	1	7	13	22	32	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	544	4.7	15	1	1	4	6	8	12	18
B. Operated	1313	3.9	17	1	1	2	6	9	12	18
2. MULTIPLE DX										
A. Not Operated	1946	6.3	41	1	1	5	8	12	17	30
B. Operated	6326	9.4	112	1	1	7	12	21	30	61
1. SINGLE DX	1857	4.2	16	1	1	3	6	9	12	18
2. MULTIPLE DX	8272	8.7	97	1	1	6	11	19	27	56
A. Not Operated	2490	5.9	35	1	1	4	7	11	16	29
B. Operated	7639	8.5	100	1	1	6	11	19	27	56
TOTAL										
0-19 YRS	744	5.9	34	1	2	4	7	11	15	29
20-34	382	7.6	88	1	1	5	9	17	26	56
35-49	1030	6.2	69	1	1	4	8	12	21	46
50-64	2795	6.9	73	1	1	4	9	15	21	43
65 +	5178	9.0	99	1	1	6	11	20	28	56
GRAND TOTAL	**10129**	**7.8**	**85**	**1**	**1**	**5**	**10**	**17**	**24**	**52**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	6.1	13	1	1	6	8	10	15	15
20-34	451	6.0	10	1	2	6	8	10	11	14
35-49	677	6.5	10	1	2	6	8	10	12	16
50-64	657	6.8	11	2	3	7	9	11	13	16
65 +	552	6.9	12	2	3	7	8	11	13	19
B. Operated										
0-19 YRS	33	5.5	11	1	2	5	7	9	14	15
20-34	273	5.9	20	1	1	5	8	10	12	20
35-49	364	6.3	16	1	2	6	8	11	13	19
50-64	342	6.3	13	1	2	6	8	11	14	17
65 +	292	6.7	12	1	2	7	9	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	7.8	25	2	2	7	10	14	17	25
20-34	545	7.5	19	2	3	7	9	13	15	21
35-49	1334	7.5	18	2	3	7	9	12	15	24
50-64	2228	7.9	20	2	3	7	10	13	15	23
65 +	4227	8.6	24	3	4	8	10	14	16	25
B. Operated										
0-19 YRS	35	8.4	56	2	2	8	11	14	18	44
20-34	387	8.6	44	2	3	7	10	15	18	37
35-49	824	8.2	30	2	2	7	10	15	18	27
50-64	1314	9.1	44	2	3	8	11	15	18	38
65 +	2631	9.9	42	3	4	9	12	17	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2384	6.6	11	2	3	6	8	11	12	16
B. Operated	1304	6.3	15	1	2	6	8	11	13	17
2. MULTIPLE DX										
A. Not Operated	8399	8.2	22	3	4	7	10	13	16	24
B. Operated	5191	9.3	41	2	3	8	11	16	20	37
1. SINGLE DX	3688	6.5	12	1	2	6	8	11	12	17
2. MULTIPLE DX	13590	8.6	30	2	4	8	10	14	17	28
A. Not Operated	10783	7.8	20	2	3	7	10	13	15	23
B. Operated	6495	8.7	38	2	3	8	11	15	18	33
TOTAL										
0-19 YRS	180	7.1	26	1	2	6	9	13	15	24
20-34	1656	7.1	24	1	2	6	9	12	15	23
35-49	3199	7.3	20	2	3	7	9	12	15	23
50-64	4541	8.0	26	2	3	7	10	13	16	25
65 +	7702	8.8	30	3	4	8	11	14	18	29
GRAND TOTAL	**17278**	**8.1**	**27**	**2**	**3**	**7**	**10**	**13**	**16**	**27**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	3.9	10	< 1	1	3	6	10	10	10
35-49	38	4.7	15	< 1	1	4	7	10	13	17
50-64	50	8.2	44	1	2	7	9	16	23	34
65 +	68	7.9	27	2	2	6	11	16	18	21
B. Operated										
0-19 YRS	32	1.8	1	< 1	1	2	2	3	3	4
20-34	984	2.3	4	1	1	2	3	4	5	11
35-49	1641	2.4	6	1	1	2	3	4	5	12
50-64	1042	2.9	10	1	1	2	3	5	8	17
65 +	354	6.0	61	1	1	3	6	16	22	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.7	16	2	2	5	9	10	10	10
20-34	38	6.7	22	< 1	1	6	10	14	15	20
35-49	144	7.4	43	< 1	1	6	9	15	18	35
50-64	315	8.7	44	1	3	7	11	17	22	40
65 +	977	10.8	82	3	4	8	13	20	27	52
B. Operated										
0-19 YRS	16	2.9	5	1	1	2	4	7	8	8
20-34	321	4.6	44	1	1	3	5	10	16	32
35-49	778	4.8	50	1	1	3	4	10	17	33
50-64	875	7.4	93	1	1	4	8	18	25	49
65 +	1227	14.0	177	1	2	11	20	31	41	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	6.9	30	1	1	5	9	14	18	26
B. Operated	4053	2.8	12	1	1	2	3	5	7	19
2. MULTIPLE DX										
A. Not Operated	1477	9.9	70	2	3	8	12	19	24	46
B. Operated	3217	9.0	126	1	1	4	12	23	32	57
1. SINGLE DX	4226	3.0	13	1	1	2	3	5	8	19
2. MULTIPLE DX	4694	9.3	108	1	1	6	12	22	30	55
A. Not Operated	1650	9.6	66	2	3	8	12	18	23	46
B. Operated	7270	5.6	72	1	1	3	5	15	22	43
TOTAL										
0-19 YRS	52	2.4	4	1	1	2	3	5	7	10
20-34	1359	3.0	16	1	1	2	3	5	9	20
35-49	2601	3.5	23	1	1	2	4	6	11	22
50-64	2282	5.5	53	1	1	3	6	13	19	37
65 +	2626	11.6	129	1	2	8	15	26	35	64
GRAND TOTAL	**8920**	**6.3**	**73**	**1**	**1**	**3**	**7**	**16**	**23**	**44**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.1	5	< 1	< 1	2	2	4	8	10
20-34	53	2.3	3	1	1	2	3	4	4	13
35-49	71	2.3	2	1	1	2	3	4	5	7
50-64	46	2.4	2	< 1	< 1	2	3	4	5	7
65 +	36	2.4	2	< 1	< 1	2	4	4	5	7
B. Operated										
0-19 YRS	27	2.4	3	< 1	1	2	3	5	6	8
20-34	518	2.8	4	1	1	2	4	5	6	9
35-49	858	2.8	3	1	1	2	4	5	6	9
50-64	491	2.8	3	1	1	3	4	5	6	9
65 +	191	3.0	3	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.1		1	1	2	3	3	3	3
20-34	137	2.8	3	< 1	1	2	4	6	6	8
35-49	263	3.3	6	< 1	1	3	4	6	8	12
50-64	278	3.5	8	< 1	1	3	4	6	9	16
65 +	501	4.6	15	1	1	4	6	9	11	18
B. Operated										
0-19 YRS	52	2.3	2	1	1	2	3	4	5	9
20-34	2319	3.1	8	1	1	3	4	5	6	10
35-49	4531	3.1	4	1	1	3	4	5	6	10
50-64	3566	3.5	8	1	1	3	4	6	8	13
65 +	2196	4.3	15	1	1	3	5	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	2.3	3	< 1	1	2	3	4	5	8
B. Operated	2085	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	1191	3.8	10	< 1	1	3	5	7	9	17
B. Operated	12664	3.4	8	1	1	3	4	6	7	13
1. SINGLE DX	2308	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	13855	3.5	8	1	1	3	4	6	8	14
A. Not Operated	1414	3.6	9	< 1	1	3	4	7	9	16
B. Operated	14749	3.4	7	1	1	3	4	6	7	13
TOTAL										
0-19 YRS	108	2.3	3	1	1	2	3	4	5	9
20-34	3027	3.1	7	1	1	3	4	5	6	10
35-49	5723	3.1	4	1	1	3	4	5	6	10
50-64	4381	3.4	7	1	1	3	4	6	7	13
65 +	2924	4.3	15	1	1	3	5	8	10	19
GRAND TOTAL	**16163**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108	4.7	18	1	1	3	6	9	15	20
20-34	331	6.2	13	1	2	6	8	10	13	15
35-49	402	6.4	11	1	2	7	8	11	12	16
50-64	422	6.3	11	1	2	6	8	10	12	16
65 +	464	6.8	15	1	2	6	9	11	13	21
B. Operated										
0-19 YRS	231	3.2	21	< 1	< 1	1	3	9	11	22
20-34	474	4.4	14	< 1	1	3	7	10	11	16
35-49	402	5.7	19	1	1	6	8	11	12	23
50-64	302	6.7	15	1	1	7	9	12	13	17
65 +	318	7.4	17	1	2	7	9	12	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	222	4.7	30	< 1	1	3	6	11	15	31
20-34	729	6.0	19	1	1	5	8	11	13	21
35-49	1398	6.5	24	1	2	6	9	11	14	22
50-64	2821	6.6	22	1	2	6	9	12	14	23
65 +	7394	6.9	32	2	2	6	9	12	15	28
B. Operated										
0-19 YRS	210	7.3	130	1	1	3	8	18	26	92
20-34	831	7.0	65	1	1	5	9	14	19	43
35-49	1186	8.5	54	1	2	7	11	16	22	39
50-64	1976	9.4	61	1	2	8	11	16	23	42
65 +	3610	10.5	66	2	3	9	12	18	25	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1727	6.3	13	1	2	6	8	11	12	17
B. Operated	1727	5.5	19	1	1	5	8	11	13	20
2. MULTIPLE DX										
A. Not Operated	12564	6.7	28	1	2	6	9	12	[illegible]	26
B. Operated	7813	9.5	66	1	2	8	12	17	[illegible]	47
1. SINGLE DX	3454	5.9	16	1	1	6	8	11	[illegible]	18
2. MULTIPLE DX	20377	7.8	44	1	2	7	10	14	18	35
A. Not Operated	14291	6.7	26	1	2	6	9	12	15	25
B. Operated	9540	8.8	60	1	1	8	11	16	22	42
TOTAL										
0-19 YRS	771	5.0	55	< 1	1	2	6	11	18	42
20-34	2365	6.1	34	1	1	5	8	12	14	27
35-49	3388	7.1	34	1	1	6	9	13	16	30
50-64	5521	7.6	37	1	2	7	9	13	17	32
65 +	11786	8.0	44	2	2	7	10	14	18	36
GRAND TOTAL	**23831**	**7.5**	**41**	**1**	**2**	**7**	**9**	**14**	**17**	**33**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8042	2.2	2	1	1	2	3	4	5	8
20-34	719	2.9	4	1	1	2	3	5	5	10
35-49	309	3.0	3	1	1	3	4	5	6	8
50-64	133	3.5	5	1	1	3	4	6	7	13
65 +	75	3.1	3	1	1	3	4	5	6	9
B. Operated										
0-19 YRS	660	1.8	6	< 1	1	1	1	3	5	14
20-34	239	1.9	4	1	1	1	2	4	6	11
35-49	60	3.8	8	< 1	1	3	6	8	9	13
50-64	31	4.6	28	< 1	< 1	3	6	11	14	26
65 +	13	2.8	7	1	1	2	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12264	2.9	4	1	1	2	4	5	6	10
20-34	1917	3.4	4	1	1	3	4	6	7	10
35-49	987	3.9	6	1	2	3	5	7	9	14
50-64	1021	5.0	19	1	2	4	6	9	11	19
65 +	1499	6.0	22	2	2	5	7	11	14	23
B. Operated										
0-19 YRS	992	3.6	40	< 1	1	1	4	8	13	38
20-34	342	4.1	28	1	1	2	5	9	12	30
35-49	263	5.6	38	1	1	4	7	12	17	34
50-64	197	6.3	46	1	1	4	8	13	18	39
65 +	222	8.0	66	1	1	6	10	16	20	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9278	2.3	2	1	1	2	3	4	5	8
B. Operated	1003	2.0	7	< 1	1	1	2	4	7	14
2. MULTIPLE DX										
A. Not Operated	17688	3.4	7	1	1	3	4	6	8	13
B. Operated	2016	4.7	43	1	1	2	6	11	16	36
1. SINGLE DX	10281	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	19704	3.6	11	1	1	3	4	7	9	16
A. Not Operated	26966	3.0	6	1	1	2	4	5	7	12
B. Operated	3019	3.8	32	1	1	2	4	9	13	28
TOTAL										
0-19 YRS	21958	2.7	5	1	1	2	3	5	6	10
20-34	3217	3.2	7	1	1	3	4	6	7	13
35-49	1619	4.0	11	1	1	3	5	7	10	17
50-64	1382	5.0	22	1	2	4	6	9	12	21
65 +	1809	6.1	27	1	2	5	8	12	15	27
GRAND TOTAL	**29985**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7558	3.0	3	1	1	3	4	5	6	9
20-34	295	3.3	3	1	2	3	4	5	6	9
35-49	332	3.9	5	1	2	3	5	7	7	12
50-64	296	4.4	9	1	2	4	5	7	9	15
65 +	321	5.0	9	2	2	4	6	8	10	16
B. Operated										
0-19 YRS	42	5.0	90	< 1	< 1	2	6	9	11	62
20-34	11	3.1	4	< 1	< 1	3	5	6	6	6
35-49	17	4.0	9	< 1	< 1	3	6	9	10	10
50-64	11	5.1	18	< 1	< 1	4	6	12	15	15
65 +	4	4.3	16	1	1	3	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13019	3.8	6	1	2	3	5	7	8	13
20-34	1539	4.6	12	1	2	4	5	8	11	18
35-49	2606	5.0	11	2	2	4	6	9	11	16
50-64	8230	6.5	22	2	3	5	8	11	14	24
65 +	20499	7.2	28	2	3	6	9	13	16	27
B. Operated										
0-19 YRS	175	11.9	253	1	2	7	13	25	42	91
20-34	122	9.5	79	1	2	6	12	23	32	39
35-49	225	8.7	77	2	3	6	10	17	22	48
50-64	615	11.5	124	2	3	8	14	21	38	80
65 +	1434	12.9	131	3	4	10	15	25	36	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8802	3.2	4	1	1	3	4	5	7	10
B. Operated	85	4.5	49	< 1	< 1	3	6	9	10	46
2. MULTIPLE DX										
A. Not Operated	45893	5.9	22	2	2	5	7	11	14	23
B. Operated	2571	12.0	132	2	3	9	14	23	34	77
1. SINGLE DX	8887	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	48464	6.2	29	2	2	5	8	11	15	27
A. Not Operated	54695	5.5	20	1	2	4	7	10	13	22
B. Operated	2656	11.7	131	2	3	9	14	23	33	77
TOTAL										
0-19 YRS	20794	3.6	8	1	1	3	4	6	8	12
20-34	1967	4.7	16	1	2	4	5	9	12	23
35-49	3180	5.2	16	2	2	4	6	9	11	19
50-64	9152	6.8	30	2	3	6	8	12	15	29
65 +	22258	7.6	37	2	3	6	9	13	17	32
GRAND TOTAL	**57351**	**5.8**	**27**	**1**	**2**	**4**	**7**	**11**	**14**	**25**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	5	1.8	3	1	1	1	2	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	472	1.2		< 1	1	1	1	2	2	3
20-34	1191	1.3	1	< 1	1	1	1	2	2	4
35-49	621	1.2		< 1	1	1	1	2	2	3
50-64	270	1.3		< 1	1	1	1	2	2	4
65 +	55	1.3		1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	22	1.0		< 1	< 1	< 1	1	1	1	1
35-49	17	1.6	1	< 1	< 1	1	2	3	4	5
50-64	11	1.0		< 1	< 1	< 1	1	1	1	1
65 +	3	6.3	24	3	3	4	10	12	12	12
B. Operated										
0-19 YRS	1327	1.3		1	1	1	1	2	2	3
20-34	3516	1.4	1	1	1	1	2	2	3	4
35-49	2485	1.4	1	1	1	1	2	2	3	5
50-64	1326	1.5	1	1	1	1	2	2	3	5
65 +	422	1.8	3	1	1	1	2	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.1	2	1	1	1	3	5	5	5
B. Operated	2609	1.3	1	< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	59	1.5	3	< 1	< 1	1	1	2	4	11
B. Operated	9076	1.4	1	1	1	1	2	2	3	5
1. SINGLE DX	2618	1.3	1	< 1	1	1	1	2	2	4
2. MULTIPLE DX	9135	1.4	1	1	1	1	2	2	3	5
A. Not Operated	68	1.5	3	< 1	< 1	1	1	3	4	11
B. Operated	11685	1.4	1	1	1	1	2	2	3	5
TOTAL										
0-19 YRS	1807	1.3		< 1	1	1	1	2	2	3
20-34	4734	1.3	1	1	1	1	1	2	3	4
35-49	3125	1.4	1	1	1	1	2	2	3	5
50-64	1607	1.4	1	1	1	1	2	2	3	5
65 +	480	1.8	3	1	1	1	2	3	4	8
GRAND TOTAL	**11753**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	44	1.5	1	< 1	1	1	2	3	4	4
20-34	58	1.3		< 1	1	1	1	2	3	4
35-49	83	1.4	1	< 1	< 1	1	1	2	3	5
50-64	87	1.3		< 1	< 1	1	1	2	3	4
65 +	43	1.6	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.0	87	< 1	< 1	1	11	20	20	20
20-34	6	2.3	2	1	1	2	3	5	5	5
35-49	9	1.6	2	< 1	< 1	1	2	4	5	5
50-64	12	3.8	18	< 1	< 1	2	5	10	14	15
65 +	8	2.0	1	< 1	< 1	2	2	4	4	4
B. Operated										
0-19 YRS	147	2.3	6	< 1	1	1	2	5	8	14
20-34	253	1.7	1	< 1	1	1	2	3	4	6
35-49	454	1.7	2	< 1	1	1	2	3	4	7
50-64	416	1.9	2	1	1	1	2	3	5	8
65 +	308	2.1	3	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	315	1.4	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	39	2.9	15	< 1	< 1	2	3	6	12	20
B. Operated	1578	1.9	3	< 1	1	1	2	3	5	9
1. SINGLE DX	319	1.4	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	1617	1.9	3	< 1	1	1	2	3	5	9
A. Not Operated	43	2.7	14	< 1	< 1	1	3	6	10	20
B. Operated	1893	1.8	2	< 1	1	1	2	3	4	8
TOTAL										
0-19 YRS	195	2.2	7	< 1	1	1	2	4	7	15
20-34	319	1.6	1	< 1	1	1	2	3	4	6
35-49	546	1.7	2	< 1	1	1	2	3	4	7
50-64	517	1.8	2	< 1	1	1	2	3	4	8
65 +	359	2.0	3	1	1	1	2	4	5	10
GRAND TOTAL	**1936**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	122	1.7	1	< 1	1	1	2	3	4	6
20-34	50	1.4	1	1	1	1	1	3	3	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	19152	1.1		< 1	1	1	1	1	2	2
20-34	4416	1.2		1	1	1	1	2	2	3
35-49	512	1.2		1	1	1	1	2	2	4
50-64	61	1.4	1	1	1	1	1	2	3	6
65 +	25	1.8	7	< 1	1	1	2	2	6	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	310	1.8	7	< 1	< 1	1	2	3	5	7
20-34	43	1.9	1	< 1	< 1	1	3	3	4	6
35-49	6	2.7	1	< 1	< 1	3	3	3	3	3
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	14416	1.2	1	< 1	1	1	1	2	2	4
20-34	1410	1.3	1	1	1	1	1	2	3	6
35-49	281	1.6	1	1	1	1	2	3	4	6
50-64	71	1.9	3	1	1	1	2	3	6	10
65 +	30	2.5	5	< 1	1	2	3	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	1.6	1	< 1	1	1	2	3	4	5
B. Operated	24166	1.1		< 1	1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	364	1.9	7	< 1	< 1	1	2	3	4	6
B. Operated	16208	1.2	1	< 1	1	1	1	2	2	5
1. SINGLE DX	24341	1.1		< 1	1	1	1	1	2	3
2. MULTIPLE DX	16572	1.2	1	< 1	1	1	1	2	2	5
A. Not Operated	539	1.8	5	< 1	< 1	1	2	3	4	6
B. Operated	40374	1.1	1	< 1	1	1	1	1	2	3
TOTAL										
0-19 YRS	34000	1.1	1	< 1	1	1	1	1	2	3
20-34	5919	1.2		1	1	1	1	2	2	4
35-49	801	1.3	1	1	1	1	1	2	3	5
50-64	136	1.7	2	1	1	1	2	3	4	8
65 +	57	2.2	6	< 1	1	1	2	4	8	14
GRAND TOTAL	**40913**	**1.2**	**1**	**< 1**	**1**	**1**	**1**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1112	2.7	3	1	1	2	3	5	5	9
20-34	544	2.7	2	1	1	3	3	4	5	7
35-49	223	2.8	2	1	1	3	3	5	6	8
50-64	109	3.2	6	< 1	1	3	4	6	7	15
65 +	35	3.2	10	< 1	1	3	4	5	9	18
B. Operated										
0-19 YRS	1314	2.5	15	< 1	1	2	3	5	6	15
20-34	1201	2.0	3	< 1	1	1	2	4	5	8
35-49	936	1.8	2	< 1	< 1	1	2	3	4	8
50-64	678	1.6	1	< 1	< 1	1	2	3	4	7
65 +	356	1.8	3	< 1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1415	3.4	7	1	1	3	4	6	8	14
20-34	657	3.4	5	1	1	3	4	6	7	13
35-49	448	3.5	6	< 1	1	3	4	6	8	12
50-64	364	4.1	10	< 1	1	3	5	8	10	16
65 +	428	5.0	19	1	1	4	6	9	13	24
B. Operated										
0-19 YRS	1834	3.5	31	1	1	2	3	8	12	28
20-34	1882	2.6	14	1	1	1	3	5	7	17
35-49	2127	2.3	9	1	1	1	2	4	7	15
50-64	1875	3.1	30	1	1	2	3	6	9	25
65 +	1266	4.3	45	1	1	2	4	10	17	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2023	2.8	3	1	1	2	3	5	6	8
B. Operated	4485	2.0	6	< 1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	3312	3.7	9	1	1	3	4	7	9	16
B. Operated	8984	3.1	24	1	1	2	3	6	10	25
1. SINGLE DX	6508	2.3	5	< 1	1	2	3	4	5	9
2. MULTIPLE DX	12296	3.2	20	1	1	2	4	7	10	23
A. Not Operated	5335	3.3	7	1	1	3	4	6	8	14
B. Operated	13469	2.7	19	1	1	1	3	5	9	22
TOTAL										
0-19 YRS	5675	3.1	16	1	1	2	3	6	8	21
20-34	4284	2.6	8	1	1	2	3	5	6	13
35-49	3734	2.4	7	1	1	2	3	5	7	13
50-64	3026	2.9	21	< 1	1	2	3	6	9	19
65 +	2085	4.0	33	1	1	2	4	9	14	32
GRAND TOTAL	**18804**	**2.9**	**15**	**1**	**1**	**2**	**3**	**6**	**8**	**19**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13042	3.6	4	1	2	3	4	6	7	11
20-34	3177	4.5	6	2	2	4	6	7	9	12
35-49	2329	4.9	8	2	2	4	6	8	10	13
50-64	1756	5.4	9	2	3	5	7	9	10	15
65 +	2420	6.0	12	2	3	5	7	10	12	16
B. Operated										
0-19 YRS	98	6.0	35	< 1	1	4	7	12	17	33
20-34	81	6.8	16	2	2	6	10	13	14	17
35-49	128	7.4	19	2	3	7	10	14	16	20
50-64	138	8.4	25	2	3	7	11	14	18	28
65 +	144	9.7	43	1	3	8	13	19	23	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26886	4.5	12	1	2	4	5	8	10	17
20-34	6404	6.1	23	2	2	5	7	11	14	23
35-49	7536	6.5	20	2	3	5	8	11	14	22
50-64	14780	7.6	28	2	3	6	9	13	17	27
65 +	58326	9.1	43	3	4	8	11	16	20	35
B. Operated										
0-19 YRS	815	13.4	165	2	3	10	16	27	40	90
20-34	877	14.3	184	3	4	10	18	28	42	90
35-49	1367	13.7	133	3	4	11	17	26	36	80
50-64	2831	14.6	132	4	5	11	18	28	39	78
65 +	8446	17.1	173	5	6	13	21	33	47	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22724	4.3	7	1	2	4	5	7	9	13
B. Operated	589	7.9	30	2	2	7	11	15	18	27
2. MULTIPLE DX										
A. Not Operated	113932	7.5	35	2	3	6	9	14	17	30
B. Operated	14336	15.9	163	4	5	12	19	31	44	92
1. SINGLE DX	23313	4.4	8	1	2	4	5	7	9	14
2. MULTIPLE DX	128268	8.4	56	2	3	7	10	16	21	41
A. Not Operated	136656	7.0	31	2	2	6	9	13	16	28
B. Operated	14925	15.6	161	4	5	12	19	30	43	90
TOTAL										
0-19 YRS	40841	4.4	14	1	2	4	5	8	10	18
20-34	10539	6.3	37	2	2	5	7	11	15	30
35-49	11360	7.1	38	2	3	6	8	13	17	31
50-64	19505	8.4	48	3	3	7	10	15	20	39
65 +	69336	10.0	65	3	4	8	12	18	24	47
GRAND TOTAL	**151581**	**7.8**	**51**	**2**	**2**	**6**	**9**	**15**	**20**	**39**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	223	2.5	2	1	1	2	3	4	5	8
20-34	200	2.7	3	1	1	3	3	4	5	9
35-49	115	3.1	3	1	1	3	4	5	6	8
50-64	59	3.2	3	1	1	3	4	6	7	8
65 +	61	4.2	8	1	1	4	5	8	10	14
B. Operated										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	4	5.0	8	1	1	6	7	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	553	3.4	7	1	1	3	4	6	8	15
20-34	556	3.2	5	1	1	3	4	6	7	15
35-49	394	4.0	6	1	1	3	5	7	9	12
50-64	468	5.0	12	1	2	4	6	9	11	18
65 +	1081	5.8	19	2	2	5	7	10	13	24
B. Operated										
0-19 YRS	10	6.2	33	1	1	4	7	16	17	17
20-34	20	6.1	65	1	1	3	6	18	27	33
35-49	18	12.2	117	3	3	8	15	29	38	43
50-64	31	10.6	100	2	3	7	13	21	39	43
65 +	44	15.3	238	4	4	10	16	26	63	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	658	2.9	3	1	1	2	4	5	6	9
B. Operated	11	4.1	6	1	1	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	3052	4.6	13	1	2	4	6	8	11	18
B. Operated	123	11.4	150	1	2	8	14	25	35	70
1. SINGLE DX	669	2.9	3	1	1	2	4	5	7	9
2. MULTIPLE DX	3175	4.8	20	1	2	4	6	9	12	20
A. Not Operated	3710	4.3	11	1	1	3	5	8	10	17
B. Operated	134	10.8	142	1	2	7	13	21	33	70
TOTAL										
0-19 YRS	789	3.2	6	1	1	3	4	6	8	15
20-34	779	3.2	6	1	1	3	4	5	7	15
35-49	531	4.1	11	1	1	3	5	7	9	16
50-64	559	5.1	18	1	2	4	6	9	12	19
65 +	1186	6.1	29	2	2	5	7	11	14	27
GRAND TOTAL	**3844**	**4.5**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	853	2.6	2	1	1	2	3	5	6	7
20-34	88	3.4	5	1	1	3	5	6	8	11
35-49	109	4.2	4	1	2	4	5	6	7	12
50-64	224	5.3	13	1	2	4	7	9	11	21
65 +	234	5.5	17	2	2	4	7	10	12	15
B. Operated										
0-19 YRS	19	2.3	5	< 1	< 1	1	2	5	8	10
20-34	8	3.6	3	< 1	< 1	4	5	6	6	6
35-49	15	6.3	26	< 1	< 1	5	11	13	15	16
50-64	27	4.9	23	< 1	< 1	3	7	9	14	23
65 +	19	5.1	21	< 1	< 1	4	7	12	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1471	3.5	8	1	1	3	4	6	9	14
20-34	346	4.5	11	1	2	4	5	8	11	18
35-49	564	4.9	11	2	2	4	6	8	10	18
50-64	1813	6.7	29	2	2	5	8	12	16	28
65 +	3662	7.4	37	2	3	6	9	14	18	32
B. Operated										
0-19 YRS	66	6.6	31	< 1	1	6	9	16	21	87
20-34	35	9.2	155	1	1	7	12	17	20	73
35-49	118	7.0	23	1	2	6	10	14	16	48
50-64	306	8.7	107	1	2	6	11	19	24	87
65 +	464	10.5	84	1	3	9	13	20	30	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1508	3.6	8	1	1	3	5	7	9	13
B. Operated	88	4.5	18	< 1	< 1	3	6	10	13	21
2. MULTIPLE DX										
A. Not Operated	7856	6.2	29	2	2	5	8	12	15	27
B. Operated	989	9.2	84	1	2	7	12	18	25	99 +
1. SINGLE DX	1596	3.7	9	1	1	3	5	7	9	14
2. MULTIPLE DX	8845	6.5	36	1	2	5	8	12	17	32
A. Not Operated	9364	5.8	27	1	2	4	7	11	14	26
B. Operated	1077	8.8	81	1	1	7	11	18	24	97
TOTAL										
0-19 YRS	2409	3.3	7	1	1	3	4	6	8	13
20-34	477	4.6	22	1	1	4	5	9	12	19
35-49	806	5.1	13	1	2	4	6	9	12	19
50-64	2370	6.8	38	2	2	5	8	12	17	31
65 +	4379	7.6	42	2	3	6	9	14	18	36
GRAND TOTAL	**10441**	**6.1**	**33**	**1**	**2**	**5**	**8**	**12**	**15**	**30**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	4.8	10	2	2	5	7	8	8	8
35-49	27	5.3	13	1	2	5	7	10	12	17
50-64	177	5.9	16	1	2	5	7	11	12	22
65 +	252	6.5	22	2	2	6	8	12	15	27
B. Operated										
0-19 YRS	8	7.0	14	< 1	1	7	8	12	14	14
20-34	15	8.1	32	3	4	6	10	16	22	24
35-49	7	6.7	8	1	2	7	8	10	10	10
50-64	7	8.1	52	2	2	4	13	20	21	21
65 +	5	7.4	27	1	1	7	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.9	3	1	1	3	5	72	99 +	99 +
20-34	14	4.4	12	2	2	3	6	8	13	15
35-49	161	7.4	51	2	3	5	9	14	20	32
50-64	1358	7.8	35	2	3	6	9	14	18	33
65 +	3425	8.2	44	2	3	7	10	15	19	36
B. Operated										
0-19 YRS	16	15.3	429	5	5	9	13	26	71	90
20-34	44	10.8	43	2	3	9	14	20	24	32
35-49	53	14.2	94	5	6	12	18	22	56	99 +
50-64	193	18.1	346	3	4	11	22	51	78	99 +
65 +	334	17.0	200	4	5	13	21	35	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	462	6.2	19	2	2	5	8	11	13	25
B. Operated	42	7.6	25	1	3	7	9	14	18	24
2. MULTIPLE DX										
A. Not Operated	4965	8.1	42	2	3	7	10	15	19	35
B. Operated	640	16.6	232	3	5	12	20	37	62	99 +
1. SINGLE DX	504	6.3	20	1	2	5	8	11	14	25
2. MULTIPLE DX	5605	9.1	71	2	3	7	11	17	23	58
A. Not Operated	5427	7.9	40	2	3	6	9	14	19	35
B. Operated	682	16.1	224	3	5	12	20	35	60	99 +
TOTAL										
0-19 YRS	33	9.9	236	1	2	7	9	19	77	99 +
20-34	77	8.8	40	2	2	7	11	17	22	31
35-49	248	8.6	63	2	3	6	11	18	21	67
50-64	1735	8.8	79	2	3	7	10	16	22	63
65 +	4016	8.9	61	2	3	7	10	17	22	47
GRAND TOTAL	**6109**	**8.8**	**67**	**2**	**3**	**7**	**10**	**16**	**22**	**53**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23137	2.7	2	1	1	2	3	5	5	7
20-34	4637	3.5	4	1	1	3	4	6	7	10
35-49	4046	3.9	6	1	2	3	5	7	8	12
50-64	2652	4.4	7	1	2	4	6	8	9	13
65 +	1543	4.8	8	1	2	4	6	8	10	14
B. Operated										
0-19 YRS	108	4.6	40	1	1	4	5	7	11	37
20-34	38	3.3	6	< 1	1	2	4	7	9	10
35-49	35	5.4	32	1	1	4	6	10	15	32
50-64	26	6.0	17	1	2	4	9	13	14	15
65 +	17	6.6	43	1	1	4	10	17	22	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18675	3.3	6	1	1	3	4	6	7	11
20-34	5450	4.3	8	1	2	4	5	7	9	14
35-49	7150	5.1	12	2	2	4	6	9	11	18
50-64	10139	6.0	17	2	2	5	7	11	13	21
65 +	13670	6.9	27	2	3	6	8	12	15	26
B. Operated										
0-19 YRS	264	7.5	52	1	2	6	9	15	19	40
20-34	195	8.2	47	1	2	7	10	15	19	37
35-49	358	10.1	72	2	3	7	12	19	27	47
50-64	536	11.5	83	3	4	9	14	23	31	64
65 +	730	13.8	130	3	4	11	17	26	37	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36015	3.2	4	1	1	3	4	5	7	10
B. Operated	224	4.8	31	1	1	4	6	10	13	26
2. MULTIPLE DX										
A. Not Operated	55084	5.0	16	1	2	4	6	9	12	20
B. Operated	2083	11.2	95	2	3	9	14	22	30	61
1. SINGLE DX	36239	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	57167	5.3	20	1	2	4	6	10	13	22
A. Not Operated	91099	4.3	12	1	2	3	5	8	10	17
B. Operated	2307	10.6	93	2	3	8	13	22	29	60
TOTAL										
0-19 YRS	42184	3.0	5	1	1	3	4	5	6	10
20-34	10320	4.0	7	1	1	3	5	7	9	13
35-49	11589	4.8	13	1	2	4	6	9	11	18
50-64	13353	5.9	19	2	2	5	7	10	13	23
65 +	15960	7.0	32	2	3	6	9	13	16	29
GRAND TOTAL	**93406**	**4.5**	**15**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	4.1	15	1	1	3	4	8	14	17
20-34	28	4.2	9	1	1	3	6	9	10	13
35-49	121	4.6	7	1	2	4	6	8	10	13
50-64	730	5.5	19	1	2	5	7	10	12	20
65 +	1005	5.8	19	2	2	5	7	10	12	23
B. Operated										
0-19 YRS	9	3.8	10	< 1	< 1	2	7	8	9	9
20-34	8	8.4	25	2	3	7	11	16	18	18
35-49	22	6.6	44	< 1	1	4	10	14	21	28
50-64	29	5.0	17	< 1	1	5	7	10	13	19
65 +	38	4.3	13	< 1	1	3	6	10	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	168	9.6	62	2	2	9	12	16	19	41
20-34	96	6.5	24	1	2	5	9	13	14	28
35-49	691	6.4	20	2	2	5	8	11	14	24
50-64	5303	7.4	35	2	3	6	9	13	18	31
65 +	11095	7.8	40	2	3	6	10	14	19	33
B. Operated										
0-19 YRS	65	13.5	246	1	1	10	16	27	61	99
20-34	39	10.0	42	2	3	8	14	20	23	29
35-49	134	10.0	65	1	2	8	13	23	26	35
50-64	624	13.9	212	2	3	9	16	33	49	94
65 +	1211	15.0	206	2	4	11	18	34	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1901	5.6	18	1	2	5	7	10	12	21
B. Operated	106	5.2	22	< 1	1	4	7	12	13	23
2. MULTIPLE DX										
A. Not Operated	17353	7.6	38	2	3	6	9	14	18	32
B. Operated	2073	14.2	198	2	3	10	17	32	50	99 +
1. SINGLE DX	2007	5.6	18	1	2	5	7	10	12	21
2. MULTIPLE DX	19426	8.3	59	2	3	6	10	15	21	46
A. Not Operated	19254	7.4	36	2	3	6	9	13	18	31
B. Operated	2179	13.7	194	2	3	10	17	32	49	99 +
TOTAL										
0-19 YRS	259	10.1	109	1	2	9	13	19	25	75
20-34	171	7.0	29	1	2	6	9	14	17	28
35-49	968	6.6	27	2	2	5	8	12	16	27
50-64	6686	7.8	54	2	3	6	9	14	19	40
65 +	13349	8.3	58	2	3	6	10	15	21	46
GRAND TOTAL	**21433**	**8.1**	**56**	**2**	**3**	**6**	**10**	**15**	**20**	**44**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	110	2.5	4	1	1	2	3	5	7	9
20-34	313	2.9	6	1	1	2	4	6	7	12
35-49	68	3.0	4	1	1	3	4	6	7	10
50-64	27	3.1	4	< 1	1	3	4	6	7	8
65 +	12	3.6	12	1	1	2	4	9	12	13
B. Operated										
0-19 YRS	359	6.0	15	2	2	5	7	11	14	19
20-34	1348	5.5	13	2	2	5	7	10	12	19
35-49	423	5.9	14	2	3	5	7	11	13	19
50-64	131	7.5	47	2	3	5	8	15	23	35
65 +	81	5.8	23	1	2	5	6	12	14	79
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	3.8	9	< 1	1	3	4	7	10	17
20-34	124	4.4	16	1	1	3	5	8	11	25
35-49	73	4.8	12	1	2	4	6	8	11	19
50-64	122	5.3	16	1	1	4	7	10	13	20
65 +	226	7.0	41	1	2	5	9	15	19	33
B. Operated										
0-19 YRS	159	9.9	51	3	4	7	14	19	24	33
20-34	616	8.9	40	3	3	7	11	17	22	33
35-49	417	8.7	41	2	3	7	11	17	21	34
50-64	667	10.5	71	2	3	8	14	21	28	40
65 +	1056	11.4	100	3	3	8	14	23	31	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	530	2.9	5	[illegible]	1	2	4	6	7	11
B. Operated	2342	5.8	16	2	2	5	7	10	13	22
2. MULTIPLE DX										
A. Not Operated	604	5.5	26	1	1	4	7	11	16	26
B. Operated	2915	10.2	71	3	3	7	13	20	27	42
1. SINGLE DX	2872	5.2	15	1	2	4	6	10	12	20
2. MULTIPLE DX	3519	9.4	66	2	3	7	12	19	25	41
A. Not Operated	1134	4.3	18	1	1	3	5	8	12	22
B. Operated	5257	8.2	51	2	3	6	10	16	22	37
TOTAL										
0-19 YRS	687	6.1	27	1	2	5	8	13	16	25
20-34	2401	6.0	23	1	2	5	7	11	16	25
35-49	981	6.8	28	2	2	5	9	13	17	27
50-64	947	9.2	64	2	3	7	12	19	25	39
65 +	1375	10.2	89	2	3	7	13	21	29	50
GRAND TOTAL	**6391**	**7.5**	**47**	**2**	**2**	**5**	**9**	**15**	**21**	**36**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1565	2.7	4	1	1	2	3	5	6	12
20-34	370	3.6	13	1	1	2	4	7	9	22
35-49	353	3.4	9	1	1	3	4	7	9	13
50-64	275	3.8	9	1	1	3	5	7	9	14
65 +	337	4.8	18	1	1	4	6	9	12	23
B. Operated										
0-19 YRS	255	4.3	28	< 1	1	2	5	11	15	31
20-34	155	5.8	31	< 1	1	4	8	12	16	32
35-49	256	5.6	21	1	1	5	7	10	14	27
50-64	326	5.7	22	1	1	5	8	11	14	24
65 +	269	6.5	45	< 1	1	5	8	13	17	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3608	5.1	40	1	1	3	6	11	15	30
20-34	1195	5.7	40	1	1	4	7	12	16	32
35-49	1890	5.6	25	1	1	4	7	11	15	26
50-64	4780	6.7	35	1	2	5	8	13	16	29
65 +	14498	8.5	49	2	3	7	11	16	20	37
B. Operated										
0-19 YRS	1194	10.3	208	1	1	5	14	29	48	99 +
20-34	702	12.1	153	1	2	8	16	28	38	77
35-49	1305	12.0	140	1	2	8	15	26	36	63
50-64	2724	12.3	150	1	2	9	15	26	37	73
65 +	5493	14.7	175	2	3	11	19	30	42	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2900	3.3	8	1	1	2	4	6	8	14
B. Operated	1261	5.6	29	< 1	1	4	8	11	15	28
2. MULTIPLE DX										
A. Not Operated	25971	7.3	45	1	2	6	9	14	19	34
B. Operated	11418	13.2	169	1	2	10	17	28	40	87
1. SINGLE DX	4161	4.0	16	1	1	3	5	8	11	20
2. MULTIPLE DX	37389	9.1	90	1	2	6	11	19	26	57
A. Not Operated	28871	6.9	43	1	2	5	9	14	18	33
B. Operated	12679	12.4	161	1	2	9	16	27	39	84
TOTAL										
0-19 YRS	6622	5.4	68	1	1	3	6	12	19	55
20-34	2422	7.2	78	1	1	4	9	16	24	47
35-49	3804	7.6	73	1	1	5	9	16	23	44
50-64	8105	8.4	80	1	2	6	10	17	24	54
65 +	20597	10.0	90	2	3	7	12	20	27	57
GRAND TOTAL	**41550**	**8.6**	**85**	**1**	**2**	**6**	**11**	**18**	**25**	**54**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	2.7	6	<1	1	2	3	5	5	17
20-34	76	4.2	30	<1	1	3	4	7	14	35
35-49	50	2.9	4	1	1	2	3	6	8	10
50-64	19	3.2	4	<1	<1	3	5	6	7	7
65 +	11	4.6	19	<1	<1	4	6	11	16	16
B. Operated										
0-19 YRS	1989	2.0	2	<1	<1	2	3	4	4	6
20-34	2387	2.3	3	1	1	2	3	4	4	7
35-49	1205	2.3	2	1	1	2	3	4	4	6
50-64	454	2.1	2	1	1	2	3	4	4	7
65 +	132	2.2	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	268	2.8	3	<1	1	3	4	5	6	8
20-34	240	2.8	4	1	1	2	3	5	7	11
35-49	181	3.7	11	<1	1	3	4	8	10	18
50-64	120	4.3	16	<1	1	3	5	8	11	24
65 +	127	5.2	19	1	1	4	7	11	13	21
B. Operated										
0-19 YRS	2496	2.4	4	<1	<1	2	3	4	5	9
20-34	2241	2.9	7	1	1	2	3	5	6	15
35-49	1366	3.0	6	1	1	2	4	5	7	12
50-64	887	3.1	16	1	1	2	3	6	8	19
65 +	727	3.3	19	1	1	2	3	6	10	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	3.4	15	<1	1	2	4	6	8	19
B. Operated	6167	2.2	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	936	3.5	9	<1	1	3	4	7	9	17
B. Operated	7717	2.8	8	<1	1	2	3	5	7	13
1. SINGLE DX	6387	2.2	3	<1	1	2	3	4	4	7
2. MULTIPLE DX	8653	2.9	8	<1	1	2	3	5	7	14
A. Not Operated	1156	3.5	10	<1	1	3	4	7	9	18
B. Operated	13884	2.5	6	<1	1	2	3	4	5	11
TOTAL										
0-19 YRS	4817	2.3	3	<1	<1	2	3	4	5	8
20-34	4944	2.6	5	1	1	2	3	4	5	10
35-49	2802	2.7	5	1	1	2	3	5	6	12
50-64	1480	2.9	12	1	1	2	3	5	8	16
65 +	997	3.4	18	1	1	2	4	7	11	22
GRAND TOTAL	**15040**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	240	3.4	4	1	1	3	4	6	7	10
20-34	110	3.2	3	1	1	3	4	6	6	8
35-49	68	4.3	11	1	2	3	5	7	12	17
50-64	62	4.0	4	1	2	4	5	6	8	11
65 +	40	4.2	6	1	2	4	5	7	9	13
B. Operated										
0-19 YRS	286	2.5	4	<1	1	2	3	4	7	11
20-34	242	2.3	5	<1	1	2	3	5	7	10
35-49	315	2.3	5	1	1	2	2	5	7	12
50-64	251	2.1	3	<1	1	1	2	4	6	9
65 +	195	2.1	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	496	3.7	4	1	2	3	5	7	8	11
20-34	159	4.2	9	1	1	4	5	7	9	17
35-49	142	5.2	14	1	2	4	7	9	15	17
50-64	202	5.6	21	1	2	4	7	10	14	21
65 +	444	6.9	23	2	2	6	9	13	16	27
B. Operated										
0-19 YRS	312	3.5	18	1	1	3	4	7	9	16
20-34	260	3.7	14	1	1	3	5	8	10	20
35-49	362	3.6	30	1	1	2	4	7	10	23
50-64	413	3.4	15	1	1	2	4	8	11	20
65 +	497	5.3	57	1	1	3	6	12	19	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	520	3.6	5	1	1	3	4	6	8	12
B. Operated	1289	2.3	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	1443	5.1	16	1	2	4	7	9	13	19
B. Operated	1844	4.0	30	1	1	2	4	8	12	29
1. SINGLE DX	1809	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	3287	4.5	24	1	1	3	5	9	12	24
A. Not Operated	1963	4.7	13	1	2	4	6	9	11	18
B. Operated	3133	3.3	20	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	1334	3.3	8	1	1	3	4	6	8	11
20-34	771	3.3	9	1	1	2	4	7	8	17
35-49	887	3.4	18	1	1	2	4	7	9	17
50-64	928	3.6	14	1	1	2	5	8	10	17
65 +	1176	5.3	36	1	1	3	7	11	16	32
GRAND TOTAL	**5096**	**3.9**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1024	2.7	7	1	1	2	3	5	7	10
20-34	237	2.3	2	< 1	1	2	3	4	5	8
35-49	426	2.4	3	< 1	1	2	3	4	6	9
50-64	318	2.6	3	1	1	2	3	5	6	10
65 +	201	3.0	11	< 1	1	2	4	5	7	16
B. Operated										
0-19 YRS	349	5.0	21	1	1	4	7	10	13	23
20-34	120	4.1	8	1	1	4	6	8	9	13
35-49	222	4.9	10	1	1	4	7	9	11	15
50-64	198	5.4	52	< 1	1	4	7	9	11	40
65 +	208	4.3	11	< 1	1	4	6	8	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1818	4.2	24	1	1	3	5	8	11	20
20-34	1100	3.6	9	1	1	3	4	6	8	14
35-49	2209	3.7	10	1	1	3	5	7	9	15
50-64	2884	4.0	11	1	1	3	5	7	9	16
65 +	4689	5.0	21	1	2	4	6	9	12	24
B. Operated										
0-19 YRS	1104	11.9	156	1	2	3	15	26	40	85
20-34	557	7.3	70	1	2	5	8	14	20	56
35-49	1102	6.7	45	1	2	5	8	13	18	39
50-64	1775	7.4	64	1	2	6	9	14	20	46
65 +	3537	8.7	76	1	2	6	10	18	25	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2206	2.6	5	1	1	2	3	5	6	10
B. Operated	1097	4.8	21	1	1	4	6	9	11	19
2. MULTIPLE DX										
A. Not Operated	12700	4.3	16	1	1	3	5	8	10	19
B. Operated	8075	8.5	82	1	2	6	10	17	25	52
1. SINGLE DX	3303	3.3	12	1	1	2	4	7	8	14
2. MULTIPLE DX	20775	5.9	46	1	1	4	7	12	17	37
A. Not Operated	14906	4.0	15	1	1	3	5	7	10	18
B. Operated	9172	8.0	76	1	2	6	9	16	24	49
TOTAL										
0-19 YRS	4295	5.9	67	1	1	3	7	13	19	46
20-34	2014	4.5	28	1	1	3	5	8	12	26
35-49	3959	4.5	21	1	1	3	6	8	11	23
50-64	5175	5.1	33	1	1	4	6	10	13	28
65 +	8635	6.4	46	1	2	5	8	13	18	38
GRAND TOTAL	**24078**	**5.6**	**42**	**1**	**1**	**4**	**7**	**11**	**16**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.8	3	< 1	1	2	3	6	6	6
20-34	94	3.6	6	1	1	3	4	7	8	14
35-49	147	3.3	4	1	1	3	4	5	7	11
50-64	103	3.9	6	1	2	3	5	7	9	13
65 +	62	3.8	5	< 1	1	3	5	7	9	9
B. Operated										
0-19 YRS	9	2.8	4	< 1	< 1	3	4	6	6	6
20-34	56	5.5	7	1	2	5	7	8	10	15
35-49	103	5.8	11	1	2	5	8	9	10	19
50-64	96	5.8	12	1	2	6	8	10	12	17
65 +	43	5.3	8	1	2	5	7	9	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	4.3	15	1	2	3	5	8	11	24
20-34	240	4.1	8	1	2	3	5	8	9	15
35-49	549	4.4	9	1	2	4	6	8	10	16
50-64	691	4.8	9	2	2	4	6	9	11	15
65 +	1143	5.8	21	2	2	5	7	10	14	24
B. Operated										
0-19 YRS	12	5.3	18	1	1	4	8	12	13	13
20-34	136	6.6	23	2	2	5	8	14	16	24
35-49	520	7.3	41	2	2	6	9	14	18	27
50-64	693	6.8	30	1	2	5	9	12	16	32
65 +	1201	8.2	38	2	3	7	10	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	419	3.5	5	1	1	3	4	7	8	11
B. Operated	307	5.6	10	1	2	5	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	2669	5.1	14	1	2	4	6	9	12	19
B. Operated	2562	7.5	36	2	3	6	9	14	18	31
1. SINGLE DX	726	4.4	8	1	1	4	6	8	10	14
2. MULTIPLE DX	5231	6.3	26	2	2	5	8	11	15	26
A. Not Operated	3088	4.9	14	1	2	4	6	9	11	18
B. Operated	2869	7.3	33	2	2	6	9	13	17	29
TOTAL										
0-19 YRS	80	4.0	12	1	1	3	5	8	11	21
20-34	526	4.8	13	1	2	4	6	9	12	17
35-49	1319	5.5	23	1	2	4	7	10	13	23
50-64	1583	5.7	19	1	2	5	7	10	13	24
65 +	2449	6.9	30	2	2	6	8	13	16	29
GRAND TOTAL	**5957**	**6.1**	**25**	**1**	**2**	**5**	**7**	**11**	**15**	**25**

1,228 Hospitals, United States, January-December 1987

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.9	3	1	1	2	4	5	7	8
20-34	85	3.2	3	1	1	3	4	6	6	9
35-49	168	3.7	3	1	2	3	5	6	7	10
50-64	246	4.0	4	1	2	4	5	6	7	12
65 +	258	4.6	6	2	2	4	6	8	9	13
B. Operated										
0-19 YRS	8	6.6	10	3	3	7	8	11	12	12
20-34	77	6.4	11	2	3	6	8	9	14	19
35-49	136	6.8	21	2	3	6	8	11	13	29
50-64	167	6.4	12	2	3	6	8	11	13	16
65 +	202	6.4	12	2	3	6	9	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.6	4	1	1	3	5	7	8	8
20-34	244	4.8	17	1	2	4	6	9	10	23
35-49	642	4.6	9	2	2	4	5	8	10	16
50-64	1406	5.0	10	2	2	4	6	8	10	16
65 +	3736	6.4	24	2	3	5	8	11	15	25
B. Operated										
0-19 YRS	26	8.6	58	1	2	7	10	21	29	31
20-34	171	8.8	72	2	2	7	10	17	24	70
35-49	554	8.9	75	2	3	7	10	17	24	52
50-64	1324	9.0	73	2	3	7	11	17	24	47
65 +	4061	10.8	94	3	3	8	13	20	28	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	780	4.0	5	1	2	4	5	7	8	11
B. Operated	590	6.5	14	2	3	6	8	11	13	18
2. MULTIPLE DX										
A. Not Operated	6065	5.8	19	2	2	5	7	10	13	22
B. Operated	6136	10.2	88	3	3	8	12	19	27	58
1. SINGLE DX	1370	5.1	10	2	2	4	6	9	11	16
2. MULTIPLE DX	12201	8.0	58	2	3	6	9	15	21	41
A. Not Operated	6845	5.6	18	2	2	5	7	10	12	21
B. Operated	6726	9.8	82	2	3	7	12	19	26	53
TOTAL										
0-19 YRS	94	5.1	25	1	1	4	7	9	12	30
20-34	577	5.9	34	1	2	5	7	11	15	27
35-49	1500	6.3	38	2	2	5	7	11	16	33
50-64	3143	6.7	40	2	2	5	8	12	16	34
65 +	8257	8.5	63	2	3	6	10	16	22	44
GRAND TOTAL	**13571**	**7.7**	**54**	**2**	**3**	**6**	**9**	**15**	**20**	**40**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	2.8	3	1	1	2	4	4	5	10
20-34	460	3.1	4	1	1	3	4	6	7	9
35-49	524	3.2	3	1	1	3	4	5	7	9
50-64	288	3.4	4	1	1	3	4	6	7	11
65 +	127	3.3	4	< 1	1	3	4	6	7	10
B. Operated										
0-19 YRS	13	4.7	6	< 1	2	4	6	9	9	9
20-34	57	6.9	12	3	3	6	9	12	13	18
35-49	125	7.0	9	3	3	7	8	11	13	15
50-64	52	7.2	10	3	4	7	8	11	14	17
65 +	25	6.2	20	< 1	< 1	5	8	11	16	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	143	3.7	5	1	2	3	5	7	8	11
20-34	841	3.7	6	1	1	3	5	6	8	12
35-49	1316	4.1	7	1	2	3	5	7	9	13
50-64	1461	4.4	9	1	2	4	5	8	9	16
65 +	2101	5.6	18	2	2	5	7	10	13	21
B. Operated										
0-19 YRS	22	9.5	107	1	2	6	11	22	36	45
20-34	162	8.2	34	2	3	7	10	16	21	31
35-49	367	7.8	30	2	3	7	9	14	18	27
50-64	443	8.3	44	2	3	7	10	15	22	37
65 +	609	9.0	60	2	3	7	10	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1515	3.2	4	1	1	3	4	6	7	9
B. Operated	272	6.8	11	2	3	7	8	11	14	17
2. MULTIPLE DX										
A. Not Operated	5862	4.6	12	1	2	4	6	8	10	18
B. Operated	1603	8.5	47	2	3	7	10	16	21	36
1. SINGLE DX	1787	3.7	6	1	1	3	5	7	8	14
2. MULTIPLE DX	7465	5.5	22	1	2	4	7	10	13	24
A. Not Operated	7377	4.3	10	1	2	4	5	8	10	17
B. Operated	1875	8.2	42	2	3	7	10	15	20	33
TOTAL										
0-19 YRS	294	3.8	14	1	1	3	4	7	9	17
20-34	1520	4.1	11	1	1	3	5	8	10	18
35-49	2332	4.6	13	1	2	4	6	9	11	18
50-64	2244	5.1	18	1	2	4	6	9	12	23
65 +	2862	6.2	28	2	2	5	7	11	15	29
GRAND TOTAL	**9252**	**5.1**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	3.3	3	1	2	3	4	6	6	8
20-34	319	3.6	5	1	1	3	4	6	8	13
35-49	468	3.6	4	1	2	3	5	6	8	10
50-64	432	4.0	4	2	2	4	5	7	8	11
65 +	332	4.4	6	2	2	4	6	7	9	12
B. Operated										
0-19 YRS	22	6.1	6	2	3	6	7	9	10	10
20-34	198	7.1	8	3	4	7	8	11	12	16
35-49	232	7.3	10	3	4	7	8	11	14	17
50-64	231	7.3	9	3	4	7	9	11	14	16
65 +	198	8.8	20	3	4	8	11	13	17	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	4.2	7	1	2	4	5	8	9	15
20-34	634	4.0	9	1	2	4	5	6	8	15
35-49	1201	4.6	8	2	2	4	6	8	9	14
50-64	1962	5.0	12	2	2	4	6	8	10	18
65 +	4858	6.7	32	2	3	5	8	11	15	27
B. Operated										
0-19 YRS	30	7.6	24	2	3	7	10	14	16	24
20-34	270	8.8	33	3	3	7	10	15	20	33
35-49	642	9.8	72	3	3	8	11	18	24	50
50-64	1115	10.5	79	3	4	8	12	20	27	49
65 +	2994	13.5	137	3	4	10	16	26	36	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1597	3.9	5	1	2	3	5	6	8	11
B. Operated	881	7.6	12	3	4	7	9	12	14	19
2. MULTIPLE DX										
A. Not Operated	8742	5.8	23	2	2	5	7	10	13	23
B. Operated	5051	12.1	112	3	4	9	14	23	32	64
1. SINGLE DX	2478	5.2	10	2	2	4	7	9	11	16
2. MULTIPLE DX	13793	8.1	65	2	3	6	9	15	21	46
A. Not Operated	10339	5.5	21	2	2	4	7	9	12	22
B. Operated	5932	11.4	100	3	4	9	13	21	29	59
TOTAL										
0-19 YRS	185	4.8	10	1	2	4	6	9	10	16
20-34	1421	5.3	17	1	2	4	7	9	12	21
35-49	2543	6.0	29	2	2	5	7	10	14	28
50-64	3740	6.7	38	2	2	5	8	12	16	33
65 +	8382	9.1	79	2	3	7	11	17	24	51
GRAND TOTAL	**16271**	**7.7**	**58**	**2**	**3**	**6**	**9**	**14**	**20**	**42**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	6	2	2	3	5	7	7	7
20-34	20	4.3	11	1	2	4	5	6	12	17
35-49	54	4.2	4	2	2	4	5	7	8	11
50-64	46	4.5	4	2	3	4	6	7	8	10
65 +	37	5.4	6	1	3	5	7	9	9	10
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	29	9.8	33	2	3	9	14	19	20	20
35-49	86	9.7	22	4	5	8	12	16	19	25
50-64	79	9.8	27	3	4	9	12	17	20	30
65 +	50	11.1	63	2	3	9	13	23	26	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.2	3	3	3	6	6	7	7	7
20-34	38	5.4	25	2	2	4	7	10	15	28
35-49	95	5.7	16	2	2	5	7	9	14	22
50-64	129	5.6	9	2	2	5	7	10	11	16
65 +	387	7.2	21	2	3	6	9	12	15	20
B. Operated										
0-19 YRS	5	9.6	26	3	3	11	13	16	16	16
20-34	40	11.2	71	3	4	10	12	26	31	39
35-49	192	12.5	121	4	5	10	15	20	26	73
50-64	344	14.5	118	4	5	11	18	26	38	65
65 +	698	15.6	139	4	6	13	19	28	40	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	4.6	5	2	2	4	6	7	9	11
B. Operated	245	10.0	33	3	4	9	12	18	20	33
2. MULTIPLE DX										
A. Not Operated	654	6.6	18	2	3	6	8	11	14	20
B. Operated	1279	14.7	129	4	5	12	18	26	37	65
1. SINGLE DX	406	7.9	29	2	3	7	10	15	18	27
2. MULTIPLE DX	1933	11.9	106	3	4	9	15	23	29	56
A. Not Operated	815	6.2	16	2	2	5	8	11	13	20
B. Operated	1524	13.9	117	4	5	11	17	25	34	63
TOTAL										
0-19 YRS	15	6.3	16	2	2	6	7	12	15	16
20-34	127	8.1	46	2	2	6	10	17	21	34
35-49	427	9.4	74	2	3	8	11	17	21	40
50-64	598	11.2	90	3	3	8	14	21	27	56
65 +	1172	12.3	109	3	4	9	15	24	31	57
GRAND TOTAL	**2339**	**11.2**	**95**	**2**	**3**	**8**	**14**	**21**	**28**	**54**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	666	2.2	2	1	1	2	3	4	5	9
20-34	1048	2.6	3	1	1	2	3	4	6	8
35-49	781	2.9	3	1	1	3	4	5	7	10
50-64	444	2.7	3	1	1	2	3	5	6	9
65 +	255	3.0	5	< 1	1	2	4	5	8	11
B. Operated										
0-19 YRS	53	2.8	4	1	1	2	3	5	9	9
20-34	105	4.6	21	< 1	1	3	6	9	10	31
35-49	98	4.7	11	< 1	1	4	7	9	11	16
50-64	76	4.9	18	< 1	< 1	4	8	10	12	22
65 +	58	4.2	15	< 1	< 1	4	6	8	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1926	2.6	3	1	1	2	3	4	6	9
20-34	3286	3.4	6	1	1	3	4	6	8	13
35-49	4112	4.0	8	1	1	3	5	7	9	14
50-64	4208	4.3	10	1	2	4	5	8	10	16
65 +	6623	5.5	21	2	2	4	7	10	13	23
B. Operated										
0-19 YRS	127	5.6	79	1	2	4	6	10	15	49
20-34	558	5.8	29	1	2	4	7	11	14	27
35-49	933	6.4	26	1	2	5	8	12	15	27
50-64	1201	7.0	38	2	2	5	8	13	17	32
65 +	2117	8.6	55	2	3	7	11	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3194	2.6	3	1	1	2	3	5	6	9
B. Operated	390	4.4	15	< 1	< 1	3	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	20155	4.3	13	1	2	3	5	8	10	18
B. Operated	4936	7.4	44	2	2	6	9	14	18	36
1. SINGLE DX	3584	2.8	5	1	1	2	3	5	7	11
2. MULTIPLE DX	25091	4.9	21	1	2	4	6	9	12	22
A. Not Operated	23349	4.1	12	1	1	3	5	7	10	17
B. Operated	5326	7.2	43	1	2	6	9	14	17	35
TOTAL										
0-19 YRS	2772	2.7	7	1	1	2	3	4	6	11
20-34	4997	3.6	9	1	1	3	4	6	8	14
35-49	5924	4.2	11	1	1	3	5	8	10	17
50-64	5929	4.8	17	1	2	4	6	9	11	21
65 +	9053	6.1	31	1	2	5	7	11	15	28
GRAND TOTAL	**28675**	**4.7**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	3.0	11	1	1	2	3	6	7	13
20-34	183	3.6	28	1	1	2	4	6	8	33
35-49	154	3.6	26	1	1	2	4	6	8	30
50-64	101	3.1	5	1	1	3	4	6	8	10
65 +	67	3.3	6	1	1	3	4	7	9	12
B. Operated										
0-19 YRS	155	3.5	12	2	2	3	4	5	7	11
20-34	25	6.6	20	< 1	1	6	8	12	16	21
35-49	47	10.8	50	2	4	9	13	20	27	29
50-64	49	9.0	42	1	2	9	12	17	18	34
65 +	36	9.6	40	< 1	1	9	13	19	22	.25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	484	4.1	37	1	1	3	4	7	11	39
20-34	553	4.6	33	1	1	3	5	9	12	34
35-49	667	4.6	17	1	1	4	6	9	11	24
50-64	839	4.6	15	1	1	4	6	8	11	17
65 +	1375	6.0	40	1	2	4	7	11	16	29
B. Operated										
0-19 YRS	165	9.3	213	1	2	4	10	21	36	99
20-34	173	10.5	117	1	2	7	13	25	35	58
35-49	389	12.1	118	2	3	9	16	25	35	55
50-64	449	12.6	146	2	3	9	16	25	32	73
65 +	843	13.9	156	3	4	10	16	28	40	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	651	3.4	18	1	1	2	4	6	8	21
B. Operated	312	6.4	35	1	2	4	9	13	18	29
2. MULTIPLE DX										
A. Not Operated	3918	5.0	30	1	1	4	6	9	13	26
B. Operated	2019	12.6	149	2	3	9	15	26	37	76
1. SINGLE DX	963	4.3	25	1	1	3	5	9	13	28
2. MULTIPLE DX	5937	7.6	83	1	2	5	9	16	24	50
A. Not Operated	4569	4.8	29	1	1	3	6	9	12	26
B. Operated	2331	11.8	138	2	2	8	15	25	35	69
TOTAL										
0-19 YRS	950	4.7	64	1	1	3	4	8	13	45
20-34	934	5.5	53	1	1	3	6	11	18	39
35-49	1257	7.0	63	1	1	4	8	15	22	46
50-64	1438	7.1	70	1	1	5	8	15	21	43
65 +	2321	8.9	96	1	2	6	11	19	25	52
GRAND TOTAL	**6900**	**7.1**	**77**	**1**	**1**	**4**	**8**	**15**	**22**	**47**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	2.1	1	< 1	1	2	3	3	4	6
20-34	105	2.2	1	1	1	2	3	4	5	6
35-49	35	3.2	3	1	1	3	4	5	6	10
50-64	9	3.0	3	1	1	3	3	6	7	7
65 +	5	3.6	4	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	11948	3.0	2	1	2	3	3	4	5	7
20-34	8910	3.2	3	2	2	3	4	5	5	8
35-49	3105	3.5	2	2	2	3	4	5	6	9
50-64	1018	3.9	3	2	2	4	5	6	7	10
65 +	289	4.3	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	2.3	6	< 1	1	2	2	4	5	18
20-34	48	2.7	2	1	1	2	4	5	6	6
35-49	20	3.2	8	1	1	2	5	8	9	10
50-64	11	5.7	10	2	2	5	7	11	11	11
65 +	14	6.9	12	2	3	7	9	10	14	15
B. Operated										
0-19 YRS	2235	4.1	8	2	2	3	5	7	9	16
20-34	2219	4.3	6	2	2	4	5	7	9	13
35-49	1168	5.0	9	2	2	4	6	8	11	17
50-64	711	5.9	16	2	3	5	7	10	13	21
65 +	484	6.9	24	3	3	6	8	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	2.4	2	1	1	2	3	4	5	6
B. Operated	25270	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	146	3.2	8	1	1	2	4	6	9	15
B. Operated	6817	4.7	10	2	2	4	5	8	10	17
1. SINGLE DX	25529	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX	6963	4.7	10	2	2	4	5	8	10	17
A. Not Operated	405	2.7	4	1	1	2	3	5	6	11
B. Operated	32087	3.5	4	2	2	3	4	5	7	11
TOTAL										
0-19 YRS	14341	3.1	3	1	2	3	4	5	6	9
20-34	11282	3.4	3	2	2	3	4	5	6	9
35-49	4328	3.9	5	2	2	3	5	6	8	12
50-64	1749	4.7	10	2	2	4	6	8	10	17
65 +	792	5.9	18	2	3	5	7	10	12	27
GRAND TOTAL	**32492**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	7.3	16	1	2	7	9	13	15	18
20-34	34	6.9	11	1	3	7	9	11	12	16
35-49	20	6.9	19	1	2	6	10	13	16	18
50-64	12	8.0	15	4	4	7	11	14	16	16
65 +	4	7.3	11	3	3	7	9	11	11	11
B. Operated										
0-19 YRS	2734	6.4	9	2	3	6	8	10	11	16
20-34	1449	5.8	8	2	3	5	7	9	10	14
35-49	1056	6.4	8	3	3	6	8	10	11	16
50-64	641	6.9	9	3	3	7	8	10	12	15
65 +	285	7.7	12	3	4	7	9	11	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	6.0	12	< 1	1	5	8	11	13	15
20-34	16	8.1	8	3	4	7	11	12	13	13
35-49	30	8.3	17	2	3	8	11	14	16	16
50-64	20	11.2	30	3	5	10	15	19	21	22
65 +	33	11.2	19	5	6	11	13	16	19	24
B. Operated										
0-19 YRS	1883	9.0	30	3	4	8	10	15	19	31
20-34	1275	8.3	22	3	4	7	10	14	17	26
35-49	1145	9.2	27	4	5	8	11	15	18	27
50-64	1322	10.3	40	4	5	9	12	17	22	39
65 +	1307	12.4	74	5	6	10	14	20	27	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	7.2	14	1	2	7	9	12	15	18
B. Operated	6165	6.3	9	2	3	6	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	122	9.1	21	2	3	9	12	15	17	23
B. Operated	6932	9.8	40	4	5	8	11	17	21	34
1. SINGLE DX	6285	6.4	9	2	3	6	8	10	11	16
2. MULTIPLE DX	7054	9.8	40	4	5	8	11	17	20	34
A. Not Operated	242	8.1	19	2	3	7	11	14	16	20
B. Operated	13097	8.2	28	3	4	7	10	13	17	28
TOTAL										
0-19 YRS	4690	7.4	19	3	3	7	9	12	15	24
20-34	2774	6.9	16	2	3	6	8	11	14	22
35-49	2251	7.8	20	3	4	7	9	13	16	23
50-64	1995	9.2	32	3	4	8	11	15	19	33
65 +	1629	11.6	65	5	5	10	13	19	25	46
GRAND TOTAL	**13339**	**8.2**	**28**	**3**	**4**	**7**	**10**	**14**	**17**	**28**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	1.9	2	< 1	1	1	2	3	5	9
20-34	85	2.3	3	< 1	1	2	3	4	5	9
35-49	41	2.4	2	< 1	1	2	3	5	5	6
50-64	15	2.7	2	< 1	1	2	4	5	6	6
65 +	5	3.0	7	< 1	< 1	2	5	7	7	7
B. Operated										
0-19 YRS	851	3.0	2	1	2	3	4	5	6	8
20-34	580	3.5	3	2	2	3	4	5	6	11
35-49	189	3.6	3	1	2	3	4	6	6	9
50-64	56	4.3	4	2	2	4	5	7	8	10
65 +	20	5.5	5	2	3	5	7	9	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	2.4	4	1	1	2	3	5	8	10
20-34	56	2.1	2	1	1	2	2	4	6	9
35-49	23	3.1	6	< 1	1	2	5	6	8	9
50-64	17	3.9	7	< 1	< 1	3	5	9	9	9
65 +	19	6.1	17	2	2	5	8	10	15	19
B. Operated										
0-19 YRS	466	3.9	6	2	2	3	4	6	8	14
20-34	461	4.5	8	2	2	4	5	7	9	15
35-49	194	5.5	11	2	3	5	7	10	11	18
50-64	86	6.3	14	3	3	5	8	13	15	18
65 +	68	7.6	20	2	3	7	10	14	17	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	2.2	3	< 1	1	2	3	4	5	9
B. Operated	1696	3.3	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	195	2.9	7	1	1	2	3	7	9	11
B. Operated	1275	4.7	10	2	2	4	5	8	10	17
1. SINGLE DX	1973	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1470	4.5	10	1	2	4	5	8	10	16
A. Not Operated	472	2.5	4	< 1	1	2	3	5	7	9
B. Operated	2971	3.9	6	2	2	3	5	6	8	14
TOTAL										
0-19 YRS	1528	3.2	4	1	1	3	4	5	6	10
20-34	1182	3.7	5	1	2	3	4	6	8	13
35-49	447	4.3	8	1	2	4	5	8	10	13
50-64	174	5.1	11	1	2	4	6	9	12	17
65 +	112	6.8	17	2	2	6	9	12	16	20
GRAND TOTAL	**3443**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	1.4	1	< 1	< 1	1	1	2	3	6
20-34	21	1.7	1	< 1	< 1	2	2	2	4	5
35-49	33	1.6	1	< 1	< 1	1	2	3	3	6
50-64	28	2.5	5	< 1	1	2	3	4	5	12
65 +	36	2.6	6	1	1	2	3	6	8	12
B. Operated										
0-19 YRS	3392	1.3		< 1	< 1	1	1	2	3	4
20-34	4073	1.7	1	< 1	1	1	2	3	4	5
35-49	4350	1.8	1	1	1	1	2	3	4	6
50-64	5877	1.9	1	1	1	2	2	3	4	6
65 +	4371	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	151	1.4	2	< 1	< 1	1	1	2	4	11
20-34	46	1.7	2	< 1	< 1	1	2	3	5	9
35-49	54	2.2	5	< 1	< 1	1	3	5	8	12
50-64	133	2.2	4	< 1	< 1	1	3	5	7	12
65 +	200	3.0	15	< 1	< 1	2	3	6	9	22
B. Operated										
0-19 YRS	2725	1.7	4	< 1	< 1	1	2	3	4	9
20-34	1815	2.1	2	1	1	2	3	4	5	7
35-49	3061	2.4	4	1	1	2	3	4	5	9
50-64	6174	2.7	6	1	1	2	3	5	6	12
65 +	9759	3.4	10	1	1	3	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	2.0	3	< 1	< 1	1	2	3	5	12
B. Operated	22063	1.8	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	584	2.2	8	< 1	< 1	1	2	5	7	15
B. Operated	23534	2.8	7	1	1	2	3	5	7	13
1. SINGLE DX	22216	1.8	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	24118	2.8	7	1	1	2	3	5	7	13
A. Not Operated	737	2.2	7	< 1	< 1	1	2	4	7	14
B. Operated	45597	2.3	5	< 1	1	2	3	4	5	10
TOTAL										
0-19 YRS	6303	1.5	2	< 1	< 1	1	2	2	3	6
20-34	5955	1.8	1	1	1	1	2	3	4	6
35-49	7498	2.1	2	1	1	2	3	4	5	7
50-64	12212	2.3	4	1	1	2	3	4	5	9
65 +	14366	3.0	8	1	1	2	4	5	7	14
GRAND TOTAL	**46334**	**2.3**	**5**	**< 1**	**1**	**2**	**3**	**4**	**5**	**10**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	1.3	1	< 1	< 1	1	1	2	2	5
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	9	2.1	5	< 1	< 1	1	2	6	8	8
50-64	13	1.4		< 1	< 1	1	2	2	2	2
65 +	24	3.8	35	< 1	< 1	2	4	7	15	30
B. Operated										
0-19 YRS	749	1.6	1	< 1	1	1	2	3	3	5
20-34	339	2.2	2	1	1	2	3	4	5	6
35-49	247	2.3	2	1	1	2	3	4	5	6
50-64	378	2.8	3	1	1	2	3	5	7	9
65 +	600	3.5	7	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	1.7	2	< 1	< 1	1	2	3	5	7
20-34	4	1.3		1	1	1	2	2	2	2
35-49	9	2.7	3	< 1	< 1	3	4	5	5	5
50-64	21	3.2	9	< 1	< 1	1	4	8	10	11
65 +	114	5.1	27	1	1	3	7	10	16	53
B. Operated										
0-19 YRS	693	2.3	7	< 1	1	2	3	4	6	11
20-34	159	3.2	9	1	1	2	4	6	7	14
35-49	220	4.4	21	1	1	3	5	8	11	27
50-64	591	4.9	30	1	1	3	6	9	13	28
65 +	2310	6.8	42	1	2	5	8	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.1	12	< 1	< 1	1	2	3	6	22
B. Operated	2313	2.5	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	189	3.9	20	< 1	1	2	5	9	11	28
B. Operated	3973	5.4	35	1	1	4	7	11	16	33
1. SINGLE DX	2398	2.4	4	1	1	2	3	5	6	9
2. MULTIPLE DX	4162	5.4	34	1	1	4	7	11	16	33
A. Not Operated	274	3.4	18	< 1	< 1	2	4	8	10	28
B. Operated	6286	4.3	26	1	1	3	5	9	13	26
TOTAL										
0-19 YRS	1518	1.9	4	< 1	1	1	2	3	4	8
20-34	506	2.5	4	1	1	2	3	4	6	8
35-49	485	3.2	12	1	1	2	4	6	8	17
50-64	1003	4.0	20	1	1	3	5	8	10	20
65 +	3048	6.1	[illegible]	1	2	4	7	12	17	33
GRAND TOTAL	**6560**	**4.3**	**25**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	5	2.8	6	1	1	2	3	7	7	7
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	373	1.6	4	< 1	< 1	1	2	2	3	10
20-34	228	1.8	1	< 1	< 1	1	2	3	4	6
35-49	375	1.8	1	< 1	< 1	1	2	3	4	5
50-64	288	2.0	2	< 1	1	1	3	4	5	6
65 +	110	2.0	2	< 1	1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.4	1	< 1	< 1	< 1	1	3	4	4
20-34	13	2.5	5	< 1	< 1	2	3	6	8	8
35-49	24	1.7	3	< 1	< 1	1	1	5	6	7
50-64	16	2.6	7	< 1	< 1	1	3	5	9	11
65 +	10	3.7	8	< 1	< 1	3	4	8	10	10
B. Operated										
0-19 YRS	160	2.8	35	< 1	< 1	1	2	5	7	43
20-34	166	3.1	6	1	1	3	4	6	7	15
35-49	367	3.2	9	1	1	3	4	6	7	15
50-64	485	3.7	13	1	1	3	4	7	9	17
65 +	356	4.1	12	1	1	3	5	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.6	5	< 1	< 1	2	3	7	7	7
B. Operated	1374	1.8	2	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	75	2.3	5	< 1	< 1	1	3	5	7	11
B. Operated	1534	3.5	14	1	1	3	4	7	9	17
1. SINGLE DX	1386	1.8	2	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	1609	3.5	13	1	1	3	4	7	9	17
A. Not Operated	87	2.3	5	< 1	< 1	1	3	6	7	11
B. Operated	2908	2.7	9	< 1	1	2	3	5	7	14
TOTAL										
0-19 YRS	548	1.9	13	< 1	< 1	1	2	3	4	16
20-34	412	2.4	4	< 1	1	2	3	4	6	10
35-49	768	2.5	5	< 1	1	2	3	5	6	10
50-64	791	3.1	9	1	1	2	4	6	8	14
65 +	476	3.6	11	1	1	3	5	7	9	18
GRAND TOTAL	**2995**	**2.7**	**9**	**< 1**	**1**	**2**	**3**	**5**	**7**	**13**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	1.8	2	< 1	< 1	1	2	4	4	4
35-49	18	2.7	2	1	1	3	3	5	6	6
50-64	17	3.2	6	< 1	< 1	2	5	7	8	8
65 +	16	4.8	8	1	2	4	6	8	11	12
B. Operated										
0-19 YRS	111	1.9	3	< 1	< 1	1	2	4	6	9
20-34	552	2.7	4	1	1	2	4	5	6	9
35-49	1181	3.1	4	1	1	3	4	6	7	9
50-64	1324	3.4	4	1	1	3	4	6	7	9
65 +	867	3.8	5	1	1	3	5	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.1	7	< 1	< 1	1	2	6	9	9
20-34	16	2.3	3	< 1	< 1	2	4	4	6	6
35-49	87	3.4	16	< 1	< 1	2	4	8	10	24
50-64	72	3.2	12	< 1	< 1	2	4	6	8	22
65 +	130	4.2	18	< 1	1	3	6	8	11	41
B. Operated										
0-19 YRS	93	4.0	21	< 1	1	3	5	8	10	28
20-34	501	4.2	12	1	1	3	5	7	10	15
35-49	1537	4.8	23	1	2	4	6	8	11	20
50-64	2376	5.1	15	1	2	4	6	9	11	20
65 +	2781	6.0	28	1	2	5	7	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	3.3	5	< 1	1	3	4	7	8	12
B. Operated	4035	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	314	3.6	15	< 1	< 1	2	4	7	10	26
B. Operated	7288	5.3	22	1	2	4	7	9	12	21
1. SINGLE DX	4096	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	7602	5.2	22	1	2	4	6	9	12	22
A. Not Operated	375	3.5	14	< 1	< 1	2	4	7	10	26
B. Operated	11323	4.6	16	1	1	4	6	8	10	18
TOTAL										
0-19 YRS	214	2.8	12	< 1	< 1	2	3	6	9	13
20-34	1078	3.4	8	1	1	3	4	6	8	13
35-49	2823	4.1	15	1	1	3	5	7	9	16
50-64	3789	4.5	12	1	1	4	6	8	10	17
65 +	3794	5.4	23	1	2	5	7	9	12	23
GRAND TOTAL	**11698**	**4.5**	**16**	**1**	**1**	**4**	**6**	**8**	**10**	**19**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	35	2.9	2	1	1	3	4	4	6	8
35-49	82	2.7	2	< 1	1	2	4	5	5	7
50-64	96	2.9	2	1	1	3	4	5	6	8
65 +	68	3.4	5	< 1	< 1	3	5	6	7	11
B. Operated										
0-19 YRS	12	7.2	11	2	4	7	9	12	15	15
20-34	5	7.2	16	3	3	8	9	13	13	13
35-49	32	5.8	6	1	2	6	8	9	10	10
50-64	47	6.6	10	1	2	6	8	10	12	15
65 +	38	7.7	13	3	5	7	9	10	11	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.2	10	1	1	2	4	7	11	14
20-34	195	3.2	4	< 1	1	3	4	6	7	10
35-49	655	3.6	7	1	1	3	4	6	8	14
50-64	1030	3.6	6	1	1	3	5	6	7	12
65 +	1618	4.7	16	1	2	4	6	8	11	19
B. Operated										
0-19 YRS	53	11.5	90	3	5	9	13	26	35	98
20-34	140	7.0	16	2	3	6	8	10	13	27
35-49	406	6.9	19	2	3	6	8	11	14	22
50-64	569	7.4	24	2	3	7	9	12	15	26
65 +	669	9.3	58	2	3	8	11	17	23	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	285	3.0	3	< 1	1	3	4	5	6	9
B. Operated	134	6.8	10	1	3	7	8	10	11	17
2. MULTIPLE DX										
A. Not Operated	3518	4.1	11	1	2	3	5	7	9	16
B. Operated	1837	8.1	38	2	3	7	9	14	18	35
1. SINGLE DX	419	4.2	8	1	1	3	6	8	10	13
2. MULTIPLE DX	5355	5.5	23	1	2	4	7	10	13	25
A. Not Operated	3803	4.0	10	1	1	3	5	7	9	16
B. Operated	1971	8.0	36	2	3	7	9	13	18	35
TOTAL										
0-19 YRS	89	8.6	71	1	2	7	10	19	27	82
20-34	375	4.6	12	1	1	4	6	8	10	16
35-49	1175	4.7	13	1	2	4	6	8	10	18
50-64	1742	4.9	15	1	2	4	6	9	11	20
65 +	2393	6.0	32	1	2	5	7	11	15	29
GRAND TOTAL	**5774**	**5.4**	**23**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	4.0		4	4	4	4	4	4	4
65 +	2	7.5	1	7	7	7	8	8	8	8
B. Operated										
0-19 YRS	19	1.6	1	< 1	< 1	1	2	3	4	4
20-34	73	2.3	4	1	1	2	2	6	7	11
35-49	125	2.2	2	1	1	2	3	4	5	6
50-64	129	2.4	3	1	1	2	3	5	5	7
65 +	122	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	5	< 1	< 1	1	4	5	5	5
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49	8	4.5	36	< 1	< 1	2	4	15	19	19
50-64	18	4.5	8	< 1	1	4	7	9	9	9
65 +	18	5.4	12	< 1	1	5	8	10	11	12
B. Operated										
0-19 YRS	17	4.1	25	< 1	< 1	2	5	10	16	20
20-34	60	3.3	8	1	1	3	4	6	9	16
35-49	101	4.3	18	1	1	3	6	8	13	24
50-64	169	4.7	28	1	1	3	5	10	14	34
65 +	323	4.2	18	1	1	3	5	8	10	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.7	5	2	2	3	4	7	8	8
B. Operated	468	2.3	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	51	4.5	13	< 1	1	4	7	9	10	19
B. Operated	670	4.3	20	1	1	3	5	8	12	23
1. SINGLE DX	478	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX	721	4.3	20	1	1	3	5	8	12	22
A. Not Operated	61	4.4	12	< 1	1	4	6	9	10	18
B. Operated	1138	3.5	14	1	1	2	4	7	9	19
TOTAL										
0-19 YRS	41	2.7	12	< 1	< 1	1	3	5	9	20
20-34	139	2.7	6	1	1	2	3	6	8	13
35-49	236	3.2	11	1	1	2	4	6	8	19
50-64	318	3.8	17	1	1	3	4	7	11	22
65 +	465	3.8	15	1	1	3	5	7	9	19
GRAND TOTAL	**1199**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	14	2.3	3	1	1	2	3	6	6	6
50-64	14	2.9	3	1	1	3	4	6	6	6
65 +	42	3.3	5	< 1	1	3	5	7	8	10
B. Operated										
0-19 YRS	67	2.3	8	< 1	1	1	2	5	7	18
20-34	272	2.7	4	1	1	2	4	5	6	10
35-49	561	3.1	5	1	1	2	4	6	8	12
50-64	618	3.5	6	1	1	3	4	7	9	12
65 +	575	4.8	15	1	1	4	6	9	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	9	5.0	38	1	1	3	5	15	21	21
35-49	28	4.5	18	1	1	3	5	9	12	22
50-64	88	3.9	6	1	1	3	5	7	8	13
65 +	336	5.6	16	1	2	5	7	10	13	19
B. Operated										
0-19 YRS	45	5.1	24	1	1	3	6	11	14	26
20-34	207	5.0	20	1	1	4	7	11	15	22
35-49	733	6.0	42	1	1	5	7	11	15	42
50-64	1331	7.2	42	1	2	6	9	14	18	35
65 +	3001	10.2	81	2	3	8	13	19	26	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	2.9	4	1	1	2	4	6	7	10
B. Operated	2093	3.6	9	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	464	5.1	15	1	2	4	7	10	13	21
B. Operated	5317	8.6	66	1	2	7	11	17	23	46
1. SINGLE DX	2168	3.6	9	1	1	3	5	7	9	13
2. MULTIPLE DX	5781	8.3	63	1	2	6	10	16	22	45
A. Not Operated	539	4.8	14	1	1	4	6	9	11	19
B. Operated	7410	7.2	55	1	1	5	9	14	20	40
TOTAL										
0-19 YRS	117	3.4	16	< 1	1	2	4	7	11	22
20-34	491	3.7	13	1	1	3	4	8	10	19
35-49	1336	4.7	28	1	1	3	6	9	12	24
50-64	2051	5.9	33	1	1	4	8	11	16	30
65 +	3954	8.9	70	1	2	7	11	17	23	46
GRAND TOTAL	**7949**	**7.0**	**53**	**1**	**1**	**5**	**9**	**14**	**19**	**38**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	524	2.3	4	<1	1	2	3	5	6	9
20-34	590	3.6	6	1	1	3	5	7	8	13
35-49	957	3.7	6	1	1	3	5	7	8	13
50-64	1023	3.9	7	1	1	3	5	7	9	13
65 +	1174	4.4	12	1	2	4	5	7	9	17
B. Operated										
0-19 YRS	487	5.7	12	2	2	5	7	9	12	18
20-34	361	8.2	15	3	4	7	10	12	14	21
35-49	500	8.5	19	4	5	8	10	13	16	25
50-64	416	9.6	22	5	5	9	11	15	17	28
65 +	474	11.0	34	5	6	10	13	17	23	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	529	3.9	30	1	1	3	4	7	10	22
20-34	880	4.7	13	1	2	4	6	8	11	18
35-49	1766	5.0	12	1	2	4	6	9	11	18
50-64	3366	5.4	15	1	2	4	7	10	13	20
65 +	9747	6.7	27	2	2	5	8	12	16	27
B. Operated										
0-19 YRS	678	9.6	69	3	4	7	11	17	25	56
20-34	767	12.0	93	4	5	9	14	22	32	58
35-49	1393	12.6	88	4	5	10	15	24	30	58
50-64	2291	14.3	118	5	6	11	17	26	34	70
65 +	6026	16.1	124	6	7	13	19	29	38	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4268	3.7	8	1	1	3	5	7	8	13
B. Operated	2238	8.6	24	3	4	8	10	14	17	28
2. MULTIPLE DX										
A. Not Operated	16288	6.1	23	1	2	5	7	11	14	24
B. Operated	11155	14.6	116	5	6	12	17	27	35	67
1. SINGLE DX	6506	5.4	19	1	1	4	7	10	13	21
2. MULTIPLE DX	27443	9.5	78	2	3	7	12	19	26	48
A. Not Operated	20556	5.6	21	1	2	4	7	10	14	23
B. Operated	13393	13.6	106	4	5	11	16	25	33	62
TOTAL										
0-19 YRS	2218	5.7	40	1	1	4	7	11	15	33
20-34	2598	7.1	47	1	2	5	9	13	18	39
35-49	4616	7.4	48	1	2	6	9	14	19	35
50-64	7096	8.3	66	2	2	6	10	16	22	42
65 +	17421	9.9	81	2	3	7	12	19	26	48
GRAND TOTAL	**33949**	**8.7**	**70**	**2**	**2**	**6**	**11**	**17**	**24**	**44**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6376	2.2	2	1	1	2	3	4	5	7
20-34	3031	2.2	2	1	1	2	3	4	5	7
35-49	1449	2.6	3	1	1	2	3	5	6	9
50-64	769	2.8	4	1	1	2	4	5	6	9
65 +	583	3.0	6	1	1	3	4	5	6	10
B. Operated										
0-19 YRS	202	4.2	17	1	2	3	4	7	11	26
20-34	269	4.0	5	1	2	4	5	7	8	13
35-49	139	5.0	10	1	2	4	7	9	10	17
50-64	76	4.7	9	1	1	4	6	8	11	15
65 +	45	5.3	19	<1	1	4	7	10	11	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17119	2.9	5	1	1	2	3	5	6	10
20-34	5453	2.9	4	1	1	2	4	5	6	10
35-49	4007	3.5	6	1	1	3	4	6	8	13
50-64	4281	4.1	11	1	1	3	5	7	9	16
65 +	9057	5.2	23	1	2	4	6	10	13	23
B. Operated										
0-19 YRS	431	9.2	134	2	2	5	10	24	37	71
20-34	538	6.0	28	1	2	5	7	11	14	26
35-49	563	7.5	47	2	3	6	9	14	20	39
50-64	720	8.7	72	2	3	7	10	16	21	41
65 +	1311	10.9	101	3	4	8	13	22	31	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12208	2.3	3	1	1	2	3	4	5	8
B. Operated	731	4.4	11	1	2	4	5	8	9	17
2. MULTIPLE DX										
A. Not Operated	39917	3.6	11	1	1	3	4	7	9	15
B. Operated	3563	9.0	83	2	3	6	10	18	26	51
1. SINGLE DX	12939	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX	43480	4.0	19	1	1	3	5	7	10	21
A. Not Operated	52125	3.3	9	1	1	3	4	6	8	14
B. Operated	4294	8.2	73	2	2	6	9	16	24	49
TOTAL										
0-19 YRS	24128	2.8	8	1	1	2	3	5	6	12
20-34	9291	2.9	6	1	1	2	4	5	7	11
35-49	6158	3.7	11	1	1	3	4	7	9	16
50-64	5846	4.5	20	1	1	3	5	8	11	21
65 +	10996	5.8	35	1	2	4	7	11	15	31
GRAND TOTAL	**56419**	**3.7**	**16**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.5	1	4	4	4	5	6	6	6
20-34	170	4.4	5	1	2	4	6	7	8	12
35-49	1053	4.6	5	2	2	4	6	8	9	12
50-64	1557	4.9	6	2	2	5	6	8	9	12
65 +	1285	4.8	8	1	2	4	6	8	10	14
B. Operated										
0-19 YRS	8	9.6	74	4	4	6	10	25	30	30
20-34	96	7.7	9	4	5	7	9	13	15	17
35-49	308	8.6	16	4	5	8	10	13	16	25
50-64	454	9.0	13	4	5	8	10	14	16	21
65 +	302	9.9	20	4	6	9	11	16	19	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	6.0	18	1	2	5	7	13	15	16
20-34	114	5.2	9	2	2	5	6	9	11	16
35-49	1109	5.4	8	2	2	5	7	9	10	14
50-64	3483	5.6	9	2	2	5	7	9	11	16
65 +	11215	6.4	20	2	3	5	8	11	14	22
B. Operated										
0-19 YRS	13	9.7	25	5	5	9	12	16	22	23
20-34	202	9.5	20	4	5	8	11	15	20	22
35-49	1056	11.1	50	4	5	10	13	18	24	36
50-64	2714	11.7	55	4	5	10	14	20	25	42
65 +	5598	13.9	104	4	5	11	17	25	33	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4069	4.8	6	1	2	4	6	8	9	13
B. Operated	1168	9.0	16	4	5	8	10	14	16	24
2. MULTIPLE DX										
A. Not Operated	15935	6.1	17	2	2	5	7	10	13	21
B. Operated	9583	12.9	84	4	5	11	15	23	30	52
1. SINGLE DX	5237	5.7	12	2	2	5	7	10	12	17
2. MULTIPLE DX	25518	8.7	53	2	3	7	10	16	21	39
A. Not Operated	20004	5.9	15	2	2	5	7	10	12	19
B. Operated	10751	12.4	78	4	5	10	15	22	29	49
TOTAL										
0-19 YRS	39	7.8	32	2	3	6	9	14	20	30
20-34	582	6.9	17	2	3	6	9	12	15	21
35-49	3526	7.2	28	2	3	6	9	12	16	27
50-64	8208	7.6	33	2	3	6	9	14	17	30
65 +	18400	8.6	57	2	3	7	10	16	22	41
GRAND TOTAL	**30755**	**8.2**	**47**	**2**	**3**	**6**	**10**	**15**	**20**	**36**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.5	7	< 1	1	2	3	5	7	15
20-34	50	2.9	3	< 1	1	3	4	5	6	7
35-49	63	2.8	3	1	2	2	3	5	6	10
50-64	23	3.4	5	< 1	1	3	4	6	9	10
65 +	15	4.5	16	< 1	1	3	6	10	14	15
B. Operated										
0-19 YRS	244	2.2	3	< 1	1	2	3	4	5	8
20-34	1538	2.4	4	1	1	2	3	4	5	8
35-49	1643	2.3	3	1	1	2	3	4	5	10
50-64	818	2.5	3	1	1	2	3	5	6	10
65 +	247	2.8	6	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	4.3	12	1	1	3	6	10	12	16
20-34	94	4.0	15	< 1	1	3	5	7	8	23
35-49	116	4.3	7	1	1	4	6	8	9	14
50-64	134	5.3	25	< 1	1	4	7	11	14	21
65 +	151	6.5	26	1	1	6	8	13	20	98
B. Operated										
0-19 YRS	215	4.7	36	1	1	3	5	10	15	33
20-34	1633	3.4	21	1	1	2	4	6	8	19
35-49	2408	3.4	14	1	1	2	4	6	9	19
50-64	1802	4.0	20	1	1	3	4	8	12	22
65 +	1211	6.3	68	1	1	4	7	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	3.0	5	< 1	1	2	4	5	7	13
B. Operated	4490	2.4	4	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	573	5.1	19	1	1	4	7	10	14	24
B. Operated	7269	4.1	28	1	1	3	4	8	12	26
1. SINGLE DX	4678	2.4	4	1	1	2	3	4	6	10
2. MULTIPLE DX	7842	4.2	27	1	1	3	5	8	12	26
A. Not Operated	761	4.6	17	1	1	3	6	9	13	22
B. Operated	11759	3.4	19	1	1	2	4	6	10	21
TOTAL										
0-19 YRS	574	3.4	18	1	1	2	4	7	10	22
20-34	3315	2.9	13	1	1	2	3	5	7	15
35-49	4230	3.0	10	1	1	2	4	6	8	16
50-64	2777	3.6	16	1	1	3	4	7	10	19
65 +	1624	5.8	56	1	1	3	7	13	18	36
GRAND TOTAL	**12520**	**3.5**	**19**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1015	3.1	10	1	1	2	4	7	9	14
20-34	1201	4.3	12	1	1	3	6	8	10	17
35-49	938	4.1	11	1	1	3	5	8	10	17
50-64	528	4.2	11	1	1	3	5	9	10	16
65 +	557	4.0	14	< 1	1	3	5	8	11	21
B. Operated										
0-19 YRS	531	6.4	43	1	1	5	8	12	17	29
20-34	929	7.0	28	1	2	6	9	13	16	26
35-49	748	7.0	34	1	1	6	9	13	18	30
50-64	559	7.1	37	1	1	6	9	14	17	33
65 +	509	6.5	28	1	1	5	9	13	16	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1710	4.4	23	1	1	3	5	9	12	26
20-34	2517	5.2	20	1	2	4	7	10	13	22
35-49	2668	5.2	19	1	2	4	6	10	13	23
50-64	3025	5.7	22	1	2	4	7	11	14	25
65 +	8251	6.5	38	1	2	5	8	12	16	32
B. Operated										
0-19 YRS	1035	10.7	132	1	2	7	13	23	35	86
20-34	2825	9.9	81	2	3	7	12	21	27	46
35-49	3197	10.5	106	2	3	8	13	22	31	60
50-64	3566	11.9	132	2	3	9	15	25	34	63
65 +	7192	13.3	145	2	3	10	17	28	39	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4239	3.9	12	1	1	3	5	8	10	17
B. Operated	3276	6.8	33	1	1	6	9	13	17	28
2. MULTIPLE DX										
A. Not Operated	18171	5.8	29	1	2	4	7	11	15	28
B. Operated	17815	11.8	126	2	3	9	15	25	34	65
1. SINGLE DX	7515	5.2	23	1	1	4	7	10	13	25
2. MULTIPLE DX	35986	8.8	86	1	2	6	11	18	26	52
A. Not Operated	22410	5.4	27	1	1	4	7	10	14	26
B. Operated	21091	11.0	115	2	2	8	14	23	32	61
TOTAL										
0-19 YRS	4291	5.8	57	1	1	3	7	12	19	42
20-34	7472	7.1	48	1	2	5	9	14	20	35
35-49	7551	7.5	64	1	2	5	9	15	22	42
50-64	7678	8.6	84	1	2	6	10	17	26	49
65 +	16509	9.3	96	1	2	6	11	20	28	56
GRAND TOTAL	**43501**	**8.2**	**77**	**1**	**2**	**6**	**10**	**17**	**24**	**49**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	22	4.7	10	1	2	4	6	7	11	16
35-49	51	5.3	23	1	2	4	6	12	16	25
50-64	36	4.3	7	1	2	4	6	9	10	11
65 +	9	4.9	13	1	1	5	7	11	11	11
B. Operated										
0-19 YRS	0									
20-34	9	3.6	7	1	1	2	6	7	8	8
35-49	30	7.0	57	1	1	5	7	20	28	28
50-64	21	4.5	39	< 1	< 1	2	5	14	22	22
65 +	9	4.4	14	1	1	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.3	102	1	1	2	15	19	19	19
20-34	399	8.7	74	2	3	6	10	18	23	44
35-49	1365	8.9	59	2	3	7	11	17	23	41
50-64	1463	9.5	63	2	3	7	12	19	25	42
65 +	867	10.1	78	2	3	8	12	19	25	53
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	99	12.4	174	1	2	8	15	31	44	62
35-49	526	12.7	167	1	2	9	16	28	41	64
50-64	733	12.3	141	1	2	9	15	27	36	78
65 +	390	11.8	91	2	3	9	15	25	32	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	4.8	15	1	2	4	6	9	12	22
B. Operated	69	5.5	40	1	1	4	7	12	22	28
2. MULTIPLE DX										
A. Not Operated	4097	9.3	66	2	3	7	11	18	24	45
B. Operated	1749	12.3	140	1	2	9	15	27	36	64
1. SINGLE DX	187	5.1	24	1	1	4	6	10	16	27
2. MULTIPLE DX	5846	10.2	90	2	3	8	13	20	28	52
A. Not Operated	4215	9.2	65	2	3	7	11	18	24	45
B. Operated	1818	12.0	138	1	2	9	15	26	36	64
TOTAL										
0-19 YRS	4	7.0	69	1	1	4	12	19	19	19
20-34	529	9.1	92	2	2	6	10	19	25	54
35-49	1972	9.8	90	2	2	7	12	20	28	51
50-64	2253	10.3	90	2	3	8	13	21	29	52
65 +	1275	10.6	82	2	3	8	13	20	28	52
GRAND TOTAL	**6033**	**10.1**	**89**	**2**	**3**	**7**	**12**	**20**	**28**	**52**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.2	31	1	1	2	3	14	19	20
20-34	27	4.3	15	1	1	3	5	9	11	19
35-49	21	3.7	12	1	1	2	4	9	12	14
50-64	46	4.5	15	< 1	1	3	6	11	13	16
65 +	21	6.6	20	1	2	6	8	14	16	17
B. Operated										
0-19 YRS	59	2.5	20	1	1	2	2	4	5	32
20-34	130	1.6	3	< 1	1	1	1	3	4	11
35-49	181	1.8	4	1	1	1	2	3	6	12
50-64	161	2.0	5	< 1	1	1	2	5	7	11
65 +	83	3.0	23	< 1	1	1	3	6	11	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	5.1	14	1	1	4	6	9	14	18
20-34	100	7.9	42	1	2	7	10	15	18	36
35-49	265	7.2	41	1	2	6	9	13	19	29
50-64	535	8.2	44	2	3	7	10	15	20	30
65 +	849	9.6	54	2	3	8	12	18	23	37
B. Operated										
0-19 YRS	124	6.8	114	1	1	3	6	20	32	56
20-34	159	6.1	80	1	1	3	8	14	21	65
35-49	389	7.5	114	1	1	3	9	19	27	64
50-64	713	7.7	63	1	1	5	11	17	23	38
65 +	804	10.4	108	1	1	8	14	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	4.6	18	1	1	3	6	10	15	19
B. Operated	614	2.0	8	< 1	1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	1832	8.6	48	2	3	7	11	16	21	35
B. Operated	2189	8.5	95	1	1	6	12	19	27	49
1. SINGLE DX	747	2.5	11	< 1	1	1	2	6	9	16
2. MULTIPLE DX	4021	8.5	74	1	1	6	11	18	24	45
A. Not Operated	1965	8.3	47	1	2	7	11	16	21	34
B. Operated	2803	7.1	83	1	1	4	10	17	24	45
TOTAL										
0-19 YRS	284	5.3	62	1	1	3	5	11	20	42
20-34	416	5.0	49	< 1	1	2	7	12	16	38
35-49	856	6.1	71	1	1	3	8	14	20	45
50-64	1455	7.1	52	1	1	5	10	16	20	34
65 +	1757	9.6	79	1	1	7	13	19	26	45
GRAND TOTAL	**4768**	**7.6**	**68**	**1**	**1**	**5**	**10**	**17**	**23**	**43**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	3.9	9	1	1	3	5	8	11	15
20-34	193	4.4	11	1	2	4	6	8	9	15
35-49	96	4.7	20	1	2	4	5	9	14	26
50-64	86	4.7	29	1	2	4	5	8	11	36
65 +	46	4.8	13	1	2	4	6	9	12	18
B. Operated										
0-19 YRS	48	5.2	101	1	1	2	3	13	21	60
20-34	43	4.8	41	1	1	1	7	13	17	31
35-49	82	5.0	59	1	1	2	5	12	19	42
50-64	57	4.5	23	< 1	1	2	8	11	14	22
65 +	45	7.7	103	1	1	4	10	16	25	57
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	162	4.7	17	1	1	4	6	9	11	24
20-34	408	5.7	20	1	2	4	7	11	13	25
35-49	678	7.5	61	2	2	5	9	14	20	44
50-64	1181	7.6	50	2	3	6	9	14	19	35
65 +	1528	8.9	69	2	3	7	11	17	22	41
B. Operated										
0-19 YRS	128	12.3	330	1	1	4	16	39	78	99 +
20-34	159	9.9	86	1	1	8	13	20	33	45
35-49	320	11.0	127	1	1	8	14	25	35	53
50-64	469	12.9	128	1	2	10	18	28	34	65
65 +	611	14.8	188	1	2	11	20	32	45	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	507	4.5	15	1	1	4	6	8	10	18
B. Operated	275	5.3	63	1	1	2	7	12	18	42
2. MULTIPLE DX										
A. Not Operated	3957	7.8	56	2	2	6	9	15	20	36
B. Operated	1687	12.9	163	1	2	9	17	29	38	78
1. SINGLE DX	782	4.8	32	1	1	3	6	10	13	32
2. MULTIPLE DX	5644	9.3	94	1	2	7	11	20	28	54
A. Not Operated	4464	7.4	53	2	2	6	9	14	19	35
B. Operated	1962	11.8	156	1	1	8	16	28	36	72
TOTAL										
0-19 YRS	424	6.9	131	1	1	4	6	16	30	88
20-34	803	6.2	36	1	2	4	8	13	16	33
35-49	1176	8.1	79	1	2	5	9	17	23	47
50-64	1793	8.8	75	1	2	6	11	18	25	46
65 +	2230	10.4	109	2	3	7	13	22	29	62
GRAND TOTAL	**6426**	**8.8**	**88**	**1**	**2**	**6**	**10**	**18**	**26**	**52**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	2.3	2	1	1	2	3	4	5	7
20-34	635	2.2	2	< 1	1	2	3	4	5	7
35-49	692	2.4	3	< 1	1	2	3	5	6	8
50-64	587	2.7	4	< 1	1	2	4	5	7	11
65 +	377	3.5	7	1	1	3	4	7	9	13
B. Operated										
0-19 YRS	732	4.7	4	2	3	4	5	7	8	11
20-34	8424	4.6	3	2	3	4	5	7	8	10
35-49	8130	4.7	4	2	3	4	6	7	8	11
50-64	6143	5.1	4	3	3	5	6	8	9	13
65 +	2961	6.1	8	3	4	6	7	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	3.5	10	1	1	3	4	6	9	19
20-34	748	3.3	9	< 1	1	3	4	6	8	13
35-49	952	3.4	7	< 1	1	3	4	7	8	14
50-64	1835	4.1	11	1	1	3	5	8	10	15
65 +	4189	5.9	23	1	2	5	7	11	14	23
B. Operated										
0-19 YRS	745	6.4	15	3	3	5	8	10	13	24
20-34	8316	5.8	11	3	3	5	7	9	11	18
35-49	11333	6.1	12	3	3	5	7	10	12	20
50-64	14153	7.1	20	3	4	6	8	12	15	23
65 +	18568	9.8	45	4	4	8	12	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2363	2.6	4	< 1	1	2	3	5	6	10
B. Operated	26390	4.9	4	3	3	5	6	7	9	12
2. MULTIPLE DX										
A. Not Operated	7860	4.9	18	1	1	4	6	9	12	20
B. Operated	53115	7.6	28	3	4	6	9	13	16	28
1. SINGLE DX	28753	4.7	5	2	3	4	6	7	9	12
2. MULTIPLE DX	60975	7.3	28	2	3	6	9	13	16	27
A. Not Operated	10223	4.4	16	1	1	3	6	9	11	18
B. Operated	79505	6.7	22	3	3	6	8	11	14	25
TOTAL										
0-19 YRS	1645	5.3	10	2	3	5	6	9	10	18
20-34	18123	5.0	8	2	3	4	6	8	9	15
35-49	21147	5.3	9	2	3	5	6	8	10	16
50-64	22718	6.2	16	2	3	5	7	10	13	21
65 +	26095	8.7	40	3	4	7	10	15	19	34
GRAND TOTAL	**89728**	**6.5**	**22**	**2**	**3**	**5**	**8**	**11**	**14**	**24**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	2.7	4	< 1	1	2	4	5	6	12
20-34	338	3.1	4	1	1	3	4	6	7	10
35-49	315	2.9	3	1	1	3	4	5	6	9
50-64	215	3.0	3	< 1	1	3	4	5	7	9
65 +	143	3.9	5	1	1	4	5	7	9	11
B. Operated										
0-19 YRS	54	4.8	7	1	2	5	6	8	12	96
20-34	682	5.0	7	2	3	4	6	8	10	15
35-49	657	5.3	7	2	3	5	6	8	10	16
50-64	346	5.8	8	3	3	5	7	10	11	15
65 +	183	7.5	14	3	4	7	9	12	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	4.5	7	1	2	4	6	8	10	12
20-34	405	3.7	7	1	1	3	5	7	8	14
35-49	517	4.2	8	1	1	4	6	7	8	13
50-64	629	4.7	10	1	1	4	6	9	11	15
65 +	1200	6.8	37	2	2	5	9	12	15	31
B. Operated										
0-19 YRS	84	6.7	24	2	3	5	8	13	15	29
20-34	1015	6.3	14	3	3	5	7	11	13	22
35-49	1480	6.7	20	3	3	6	8	11	14	23
50-64	1318	8.1	23	3	4	7	10	14	17	27
65 +	1759	11.5	63	4	5	9	14	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1057	3.1	4	1	1	3	4	6	7	10
B. Operated	1922	5.5	8	2	3	5	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	2812	5.4	22	1	2	4	7	10	13	22
B. Operated	5656	8.4	38	3	4	7	10	15	19	33
1. SINGLE DX	2979	4.6	8	1	2	4	6	8	10	15
2. MULTIPLE DX	8468	7.4	35	2	3	6	9	13	17	30
A. Not Operated	3869	4.7	18	1	1	4	6	9	11	19
B. Operated	7578	7.7	32	3	3	6	9	14	17	30
TOTAL										
0-19 YRS	245	5.0	14	1	2	4	6	9	12	21
20-34	2440	5.0	11	1	2	4	6	9	11	18
35-49	2969	5.5	15	1	2	5	7	9	12	20
50-64	2508	6.5	19	2	2	5	8	12	14	24
65 +	3285	9.2	54	2	3	8	11	17	22	39
GRAND TOTAL	**11447**	**6.7**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	43	2.6	2	< 1	1	3	3	4	5	6
35-49	42	2.8	4	< 1	1	2	4	6	7	8
50-64	40	2.9	3	1	1	3	3	6	7	7
65 +	57	3.9	10	1	1	3	5	7	10	18
B. Operated										
0-19 YRS	31	6.1	13	2	2	5	8	11	12	16
20-34	267	5.6	9	1	2	5	7	9	10	16
35-49	228	5.9	11	1	1	6	8	10	12	16
50-64	229	5.8	16	1	1	5	7	11	13	20
65 +	353	7.5	30	1	1	7	10	13	17	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.7	10	1	1	4	6	10	11	11
20-34	58	4.2	5	< 1	1	4	5	7	9	10
35-49	75	3.7	7	1	1	3	5	7	9	13
50-64	153	4.7	13	1	2	4	6	8	10	20
65 +	563	6.4	28	2	2	5	8	12	15	30
B. Operated										
0-19 YRS	65	9.4	22	4	5	8	11	17	19	23
20-34	437	8.2	25	3	4	7	10	13	15	30
35-49	506	9.0	49	3	4	8	11	14	18	36
50-64	826	10.5	66	2	3	9	13	18	23	51
65 +	2753	12.5	74	3	5	11	15	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	3.1	5	1	1	3	4	6	7	11
B. Operated	1108	6.3	18	1	1	6	8	11	13	19
2. MULTIPLE DX										
A. Not Operated	856	5.7	23	1	2	5	7	10	14	26
B. Operated	4587	11.3	67	3	4	10	14	20	25	45
1. SINGLE DX	1293	5.9	18	1	1	5	8	11	13	19
2. MULTIPLE DX	5443	10.4	64	2	3	9	13	19	24	42
A. Not Operated	1041	5.2	21	1	2	4	6	10	13	21
B. Operated	5695	10.3	61	2	3	9	13	18	24	42
TOTAL										
0-19 YRS	106	7.9	21	2	3	7	10	15	18	22
20-34	805	6.7	20	1	2	6	8	12	13	21
35-49	851	7.4	37	1	2	6	9	13	15	27
50-64	1248	8.7	55	1	2	7	11	16	21	41
65 +	3726	11.0	69	2	3	9	14	20	25	43
GRAND TOTAL	**6736**	**9.6**	**59**	**1**	**2**	**8**	**12**	**17**	**23**	**38**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	6.9	20	1	1	6	9	14	16	17
20-34	46	3.8	4	1	1	4	5	6	7	8
35-49	55	4.2	9	1	1	3	6	9	11	12
50-64	34	4.4	8	1	1	4	6	9	9	13
65 +	61	4.5	12	1	1	4	6	8	12	19
B. Operated										
0-19 YRS	15	9.6	33	1	2	9	13	20	20	20
20-34	44	5.4	23	1	1	4	8	11	17	20
35-49	74	5.3	18	1	1	4	8	13	14	16
50-64	79	4.1	16	1	1	2	6	8	10	22
65 +	65	7.2	62	< 1	1	5	10	21	24	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	7.4	28	1	2	6	10	15	18	26
20-34	85	4.8	14	2	2	4	6	7	10	25
35-49	151	5.5	18	1	2	4	7	10	14	20
50-64	240	6.0	31	1	2	4	8	13	16	24
65 +	708	7.1	34	2	2	6	9	13	16	29
B. Operated										
0-19 YRS	57	17.7	264	1	3	15	23	37	61	99
20-34	128	9.3	123	1	1	7	11	17	22	69
35-49	298	10.9	129	1	2	8	13	21	29	72
50-64	475	11.0	96	1	2	9	15	21	30	64
65 +	1123	13.1	131	1	2	10	17	27	35	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	4.4	10	1	1	4	6	8	11	16
B. Operated	277	5.7	31	1	1	4	8	13	17	25
2. MULTIPLE DX										
A. Not Operated	1299	6.6	30	1	2	5	8	13	16	28
B. Operated	2081	12.2	128	1	2	10	15	25	34	68
1. SINGLE DX	489	5.1	22	1	1	4	7	10	14	23
2. MULTIPLE DX	3380	10.1	98	1	2	7	13	20	28	61
A. Not Operated	1511	6.3	28	1	2	5	8	12	15	26
B. Operated	2358	11.4	121	1	2	9	15	24	31	65
TOTAL										
0-19 YRS	203	10.4	114	1	2	8	14	20	27	75
20-34	303	6.6	65	1	1	5	8	13	18	42
35-49	578	8.1	83	1	2	6	10	16	22	50
50-64	828	8.6	74	1	2	6	11	17	23	53
65 +	1957	10.5	99	1	2	8	13	21	29	57
GRAND TOTAL	**3869**	**9.4**	**91**	**1**	**2**	**7**	**12**	**19**	**26**	**57**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	184	4.3	5	1	2	4	6	7	8	11
20-34	925	4.9	10	1	2	4	6	9	11	17
35-49	1032	5.1	9	1	2	5	6	9	11	16
50-64	596	5.1	12	1	2	4	6	9	11	21
65 +	363	5.5	15	2	2	5	7	9	11	17
B. Operated										
0-19 YRS	35	10.2	70	2	3	8	16	18	20	43
20-34	113	7.9	66	1	1	7	10	14	19	49
35-49	154	7.7	31	1	1	7	10	15	18	24
50-64	117	7.7	54	1	1	6	10	15	22	41
65 +	67	8.9	170	1	1	7	10	14	25	79
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	277	5.6	32	1	2	4	6	11	14	36
20-34	2786	6.1	19	2	2	5	7	10	13	23
35-49	4586	6.6	25	2	2	5	8	12	15	27
50-64	3220	6.8	24	2	3	6	8	12	16	24
65 +	3934	7.3	28	2	3	6	9	13	16	27
B. Operated										
0-19 YRS	99	20.5	253	3	5	16	30	47	52	62
20-34	647	15.5	185	3	4	11	20	37	46	99
35-49	1356	15.5	197	2	4	11	19	34	48	83
50-64	1207	14.9	161	3	4	11	19	31	43	98
65 +	1687	15.5	172	3	5	12	18	31	45	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3100	5.0	11	1	2	4	6	9	11	17
B. Operated	486	8.1	67	1	1	7	10	16	20	42
2. MULTIPLE DX										
A. Not Operated	14803	6.7	25	2	3	5	8	12	16	26
B. Operated	4996	15.4	180	3	5	11	19	33	46	85
1. SINGLE DX	3586	5.4	19	1	2	5	7	10	12	21
2. MULTIPLE DX	19799	8.9	78	2	3	6	10	17	25	54
A. Not Operated	17903	6.4	23	2	2	5	8	11	15	25
B. Operated	5482	14.8	174	2	4	11	18	32	45	82
TOTAL										
0-19 YRS	595	8.0	95	2	2	5	8	17	30	51
20-34	4471	7.2	54	2	2	5	8	13	20	44
35-49	7128	8.1	69	2	2	6	9	16	22	49
50-64	5140	8.5	68	2	3	6	10	17	23	49
65 +	6051	9.5	83	2	3	7	11	18	25	58
GRAND TOTAL	**23385**	**8.4**	**71**	**2**	**3**	**6**	**10**	**16**	**23**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	184	2.5	5	< 1	1	2	3	5	6	12
20-34	206	2.5	3	< 1	1	2	3	4	6	9
35-49	189	3.0	3	< 1	1	3	4	5	6	8
50-64	284	3.1	3	1	1	3	4	5	7	9
65 +	420	4.1	9	1	1	4	5	7	9	19
B. Operated										
0-19 YRS	14	4.2	12	< 1	1	3	5	7	13	15
20-34	14	3.4	2	1	1	3	5	5	6	6
35-49	25	4.2	10	1	1	4	5	7	11	16
50-64	41	5.7	8	1	2	5	8	9	11	13
65 +	61	6.0	21	1	1	5	8	11	15	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	567	3.6	10	1	1	3	4	7	10	18
20-34	1137	3.6	10	1	1	3	4	7	9	18
35-49	1889	4.4	10	1	2	4	5	8	10	17
50-64	3454	5.1	19	1	2	4	6	9	12	21
65 +	12104	6.3	28	2	2	5	8	11	15	28
B. Operated										
0-19 YRS	95	7.2	101	1	1	4	8	16	23	58
20-34	228	6.9	69	1	2	5	8	13	19	54
35-49	523	7.4	54	1	2	6	9	14	20	42
50-64	1237	8.4	77	2	3	6	10	16	23	47
65 +	4058	9.8	74	2	3	7	12	20	26	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1283	3.2	6	1	1	3	4	6	7	13
B. Operated	155	5.2	14	1	1	4	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	19151	5.7	24	1	2	4	7	10	14	25
B. Operated	6141	9.1	74	2	3	7	11	18	25	51
1. SINGLE DX	1438	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX	25292	6.5	38	1	2	5	8	12	17	33
A. Not Operated	20434	5.5	23	1	2	4	7	10	13	24
B. Operated	6296	9.1	73	2	3	7	11	18	25	50
TOTAL										
0-19 YRS	860	3.8	21	1	1	3	4	7	11	21
20-34	1585	4.0	19	1	1	3	5	7	10	20
35-49	2626	4.9	20	1	2	4	6	9	12	22
50-64	5016	5.8	35	1	2	4	7	10	14	31
65 +	16643	7.1	41	2	2	5	8	13	18	36
GRAND TOTAL	**26730**	**6.3**	**37**	**1**	**2**	**5**	**7**	**12**	**16**	**33**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	4.4	73	1	1	3	4	6	10	58
20-34	7	2.4	1	< 1	< 1	3	3	4	4	4
35-49	8	5.9	64	1	1	3	6	20	25	25
50-64	2	6.0	8	4	4	6	8	8	8	8
65 +	5	7.6	36	2	2	5	12	17	17	17
B. Operated										
0-19 YRS	24	6.5	73	1	1	3	6	17	30	35
20-34	8	4.3	11	< 1	< 1	4	7	8	8	8
35-49	11	8.1	36	4	4	7	8	17	24	25
50-64	8	4.8	13	< 1	< 1	5	7	9	10	10
65 +	4	15.5	263	2	2	10	25	39	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	317	5.6	42	1	1	4	6	13	20	40
20-34	26	4.8	7	1	1	5	7	8	9	11
35-49	75	9.7	173	2	2	6	11	21	26	85
50-64	76	9.2	126	2	2	6	11	20	23	74
65 +	137	10.4	125	2	2	7	13	22	27	62
B. Operated										
0-19 YRS	89	20.1	506	2	2	12	32	75	99 +	99 +
20-34	44	9.9	50	2	3	8	13	22	23	34
35-49	86	14.3	142	4	5	10	17	35	43	56
50-64	96	18.2	272	3	5	12	23	40	54	83
65 +	136	17.0	220	3	5	13	20	29	52	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	4.5	66	1	1	3	4	7	11	52
B. Operated	55	6.9	63	< 1	1	5	8	12	27	39
2. MULTIPLE DX										
A. Not Operated	631	7.5	89	1	1	5	9	16	22	59
B. Operated	451	16.7	263	2	4	12	21	41	59	99 +
1. SINGLE DX	203	5.2	66	1	1	3	5	10	16	45
2. MULTIPLE DX	1082	11.3	181	1	2	7	14	25	42	87
A. Not Operated	779	7.0	86	1	1	4	8	15	22	56
B. Operated	506	15.6	250	2	3	11	20	38	55	99 +
TOTAL										
0-19 YRS	556	7.7	153	1	1	4	7	20	36	99 +
20-34	85	7.2	37	1	1	6	9	16	22	30
35-49	180	11.6	151	2	3	8	13	25	40	56
50-64	182	13.7	219	2	3	9	17	27	44	84
65 +	282	13.6	181	2	3	9	16	26	43	67
GRAND TOTAL	**1285**	**10.4**	**168**	**1**	**2**	**6**	**12**	**24**	**39**	**83**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	318	3.4	6	< 1	1	3	5	7	8	13
20-34	31	3.7	7	1	1	3	5	6	11	12
35-49	22	4.2	18	1	1	3	6	9	14	19
50-64	13	6.9	43	1	2	4	9	19	21	21
65 +	7	4.0	7	1	1	5	6	8	8	8
B. Operated										
0-19 YRS	271	2.7	7	1	1	2	3	5	9	14
20-34	115	2.1	3	1	1	2	2	5	6	9
35-49	104	2.1	4	1	1	1	2	5	6	10
50-64	64	2.1	4	< 1	1	1	2	5	7	9
65 +	32	1.9	2	< 1	1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	459	5.4	37	< 1	1	4	7	11	15	35
20-34	114	5.4	34	1	1	4	6	10	15	32
35-49	81	5.5	16	1	1	5	7	9	14	22
50-64	132	6.7	25	1	1	6	9	13	16	25
65 +	225	8.8	35	2	3	7	12	17	21	32
B. Operated										
0-19 YRS	248	6.9	65	1	1	4	9	17	24	99 +
20-34	238	6.1	54	1	1	3	8	13	19	36
35-49	207	5.6	37	1	1	3	8	13	17	34
50-64	296	8.1	97	1	1	4	10	20	27	47
65 +	292	9.8	113	1	1	6	14	22	30	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	391	3.6	8	< 1	1	3	5	7	9	15
B. Operated	586	2.4	5	1	1	2	2	5	7	12
2. MULTIPLE DX										
A. Not Operated	1011	6.3	35	1	1	4	8	13	17	30
B. Operated	1281	7.5	79	1	1	4	10	18	25	48
1. SINGLE DX	977	2.9	7	1	1	2	4	6	8	13
2. MULTIPLE DX	2292	7.0	60	1	1	4	9	16	21	41
A. Not Operated	1402	5.6	29	< 1	1	4	7	12	15	26
B. Operated	1867	5.9	61	1	1	3	7	15	21	40
TOTAL										
0-19 YRS	1296	4.6	31	< 1	1	3	5	10	15	36
20-34	498	4.9	37	1	1	3	6	11	15	34
35-49	414	4.6	26	1	1	3	6	11	15	25
50-64	505	6.9	68	1	1	4	9	17	24	39
65 +	556	8.9	77	1	1	6	12	20	25	46
GRAND TOTAL	**3269**	**5.8**	**47**	**1**	**1**	**3**	**7**	**13**	**19**	**36**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	3.8	6	1	1	3	5	7	10	12
20-34	13	3.6	3	1	2	3	5	6	7	7
35-49	8	6.5	18	3	3	5	7	14	16	16
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	13	3.5	9	1	1	2	6	8	10	10
20-34	8	3.9	17	1	1	2	6	11	11	11
35-49	3	5.3	12	2	2	5	8	9	9	9
50-64	4	5.0	13	1	1	5	8	9	9	9
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	184	5.0	16	1	2	4	6	8	11	24
20-34	32	4.8	7	2	2	4	6	9	9	13
35-49	24	4.7	7	2	2	4	5	8	11	14
50-64	31	6.5	11	2	3	6	8	11	13	16
65 +	110	8.6	38	2	3	7	11	17	21	59
B. Operated										
0-19 YRS	38	9.0	73	2	2	6	13	22	30	34
20-34	44	8.0	91	1	1	5	10	17	23	56
35-49	42	11.4	168	1	2	8	12	22	42	70
50-64	42	8.8	50	1	2	6	14	18	23	29
65 +	72	15.0	227	1	2	10	19	38	44	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	4.0	7	1	1	3	5	7	10	14
B. Operated	30	3.8	11	1	1	2	6	9	10	11
2. MULTIPLE DX										
A. Not Operated	381	6.1	23	2	2	5	7	11	15	30
B. Operated	238	11.0	142	1	1	7	14	24	36	58
1. SINGLE DX	132	4.0	8	1	1	3	5	8	10	13
2. MULTIPLE DX	619	8.0	74	1	2	6	9	16	24	44
A. Not Operated	483	5.7	20	1	2	5	7	10	14	28
B. Operated	268	10.2	132	1	1	7	13	23	33	55
TOTAL										
0-19 YRS	313	5.1	22	1	2	4	6	10	12	30
20-34	97	6.0	48	1	1	4	7	13	17	41
35-49	77	8.6	105	1	2	6	10	14	25	63
50-64	78	7.6	33	1	2	6	10	16	18	28
65 +	186	10.9	121	1	2	8	13	24	34	76
GRAND TOTAL	**751**	**7.3**	**65**	**1**	**2**	**5**	**9**	**15**	**21**	**43**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	5.1	203	< 1	< 1	2	3	6	29	70
20-34	7	2.1	7	< 1	< 1	< 1	2	7	8	8
35-49	6	1.0		< 1	< 1	1	1	1	1	1
50-64	25	2.0	3	< 1	< 1	1	2	5	6	8
65 +	15	4.5	22	< 1	< 1	2	7	13	13	13
B. Operated										
0-19 YRS	93	9.8	107	1	2	7	14	21	28	59
20-34	73	5.5	58	< 1	1	2	7	14	19	44
35-49	87	4.2	13	< 1	1	3	5	10	12	16
50-64	108	2.7	7	< 1	< 1	2	3	6	8	14
65 +	106	3.5	14	1	1	2	4	8	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	4.2	18	< 1	1	3	5	10	14	20
20-34	118	4.3	20	< 1	1	3	5	8	12	28
35-49	176	5.1	25	< 1	1	4	6	12	14	26
50-64	292	7.2	40	1	2	6	10	14	18	35
65 +	951	9.1	76	2	2	7	11	17	25	50
B. Operated										
0-19 YRS	459	13.8	145	2	2	11	19	32	43	95
20-34	781	9.8	103	1	2	7	13	21	28	53
35-49	1086	9.3	87	1	2	6	13	21	29	46
50-64	1384	9.7	118	1	2	6	13	23	31	60
65 +	1592	12.6	168	1	2	9	16	28	37	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.4	67	< 1	< 1	1	2	7	11	55
B. Operated	467	5.0	44	< 1	1	3	6	13	17	29
2. MULTIPLE DX										
A. Not Operated	1692	7.6	59	1	1	5	10	15	20	40
B. Operated	5302	10.9	130	1	2	7	15	24	33	62
1. SINGLE DX	543	4.8	47	< 1	1	2	5	12	16	29
2. MULTIPLE DX	6994	10.1	114	1	2	7	13	22	31	57
A. Not Operated	1768	7.4	60	1	1	5	9	15	19	40
B. Operated	5769	10.4	125	1	2	7	14	23	32	61
TOTAL										
0-19 YRS	730	11.0	130	1	1	7	16	26	37	66
20-34	979	8.8	93	1	1	6	12	19	26	49
35-49	1355	8.4	77	1	1	5	11	20	27	45
50-64	1809	8.8	101	1	1	5	11	21	28	53
65 +	2664	11.0	134	1	2	8	14	24	32	65
GRAND TOTAL	**7537**	**9.7**	**111**	**1**	**2**	**6**	**13**	**22**	**30**	**54**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.2	10	< 1	1	2	3	7	12	13
20-34	9	3.2	2	2	2	3	4	6	6	6
35-49	11	4.0	9	< 1	1	4	5	8	12	12
50-64	5	3.4	3	< 1	< 1	4	5	5	5	5
65 +	20	6.5	43	< 1	1	4	8	16	22	27
B. Operated										
0-19 YRS	7	6.7	45	1	1	5	11	18	19	19
20-34	14	4.1	13	1	1	3	5	9	13	14
35-49	9	3.0	14	< 1	< 1	1	4	10	10	10
50-64	17	7.9	292	< 1	1	2	6	15	52	72
65 +	18	3.7	9	< 1	< 1	2	5	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	6.8	31	1	1	5	10	13	21	23
20-34	92	6.0	34	2	2	4	7	12	15	36
35-49	156	7.4	86	2	2	6	8	12	18	49
50-64	492	8.7	47	2	3	7	11	17	20	37
65 +	2454	10.2	67	3	3	8	13	19	24	44
B. Operated										
0-19 YRS	65	17.1	243	3	4	13	22	3	49	87
20-34	145	10.6	95	1	2	8	15	25	33	43
35-49	234	12.0	98	2	3	9	16	24	31	87
50-64	518	15.1	149	2	3	12	19	30	40	72
65 +	1420	17.4	177	4	5	14	22	34	44	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	4.5	21	< 1	1	3	5	9	15	26
B. Operated	65	5.1	88	< 1	1	2	6	10	14	64
2. MULTIPLE DX										
A. Not Operated	3244	9.7	64	2	3	8	12	18	23	44
B. Operated	2382	15.9	164	3	4	13	20	32	42	84
1. SINGLE DX	123	4.8	56	< 1	1	3	5	10	15	39
2. MULTIPLE DX	5626	12.3	116	2	3	9	15	24	33	64
A. Not Operated	3302	9.6	64	2	3	8	12	18	23	44
B. Operated	2447	15.6	165	2	4	13	20	31	41	83
TOTAL										
0-19 YRS	135	11.4	162	1	1	8	14	23	33	66
20-34	260	8.4	73	1	2	6	10	19	27	43
35-49	410	9.8	96	1	2	7	12	20	29	63
50-64	1032	11.9	112	2	3	9	15	25	34	59
65 +	3912	12.8	119	3	4	10	16	25	34	66
GRAND TOTAL	**5749**	**12.2**	**116**	**2**	**3**	**9**	**15**	**24**	**33**	**64**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	712	3.6	3	1	2	3	5	6	7	9
20-34	1095	3.8	3	2	2	4	5	6	7	10
35-49	338	3.8	3	1	2	4	5	6	7	10
50-64	176	4.1	4	2	2	4	5	7	8	12
65 +	120	5.1	11	2	2	4	6	9	11	17
B. Operated										
0-19 YRS	33	5.1	5	2	3	5	6	8	10	10
20-34	39	4.7	4	2	3	5	6	7	8	13
35-49	12	5.6	4	2	3	5	7	8	9	9
50-64	11	6.8	10	3	3	6	9	11	12	12
65 +	10	5.4	2	3	3	6	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1767	4.2	5	2	2	4	5	7	8	12
20-34	2940	4.5	5	2	2	4	5	7	9	12
35-49	1493	5.2	9	2	2	5	6	8	10	17
50-64	1554	6.2	14	2	3	5	7	10	13	19
65 +	3372	7.0	25	3	3	6	8	12	15	25
B. Operated										
0-19 YRS	160	7.5	25	3	3	7	10	12	14	32
20-34	301	7.6	33	2	3	6	9	13	19	31
35-49	245	8.8	32	3	4	7	11	15	19	29
50-64	306	10.3	50	4	4	8	12	19	23	43
65 +	654	13.0	95	4	5	10	16	24	32	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2441	3.9	4	1	2	4	5	6	7	10
B. Operated	105	5.2	5	2	3	5	6	8	10	12
2. MULTIPLE DX										
A. Not Operated	11126	5.5	14	2	2	5	7	9	12	18
B. Operated	1666	10.4	65	3	4	8	12	19	25	43
1. SINGLE DX	2546	3.9	4	1	2	4	5	6	7	11
2. MULTIPLE DX	12792	6.2	23	2	3	5	7	11	14	25
A. Not Operated	13567	5.2	13	2	2	4	6	9	11	18
B. Operated	1771	10.1	63	3	4	8	12	19	25	43
TOTAL										
0-19 YRS	2672	4.3	6	2	2	4	5	7	9	12
20-34	4375	4.5	7	2	2	4	5	7	9	14
35-49	2088	5.4	13	2	2	5	7	9	12	19
50-64	2047	6.6	21	2	3	5	8	12	15	24
65 +	4156	7.9	40	3	3	6	9	14	18	34
GRAND TOTAL	**15338**	**5.8**	**21**	**2**	**2**	**5**	**7**	**10**	**13**	**23**

1,228 Hospitals, United States, January-December 1987

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	673	3.4	3	1	2	3	4	5	7	9
20-34	752	3.7	14	1	2	3	4	6	7	9
35-49	238	3.9	6	1	2	3	5	6	8	13
50-64	123	4.3	5	1	2	4	6	7	9	12
65 +	83	4.5	7	1	2	4	5	8	10	13
B. Operated										
0-19 YRS	51	5.8	9	< 1	2	5	8	10	11	14
20-34	48	5.3	11	2	2	5	6	10	11	18
35-49	38	6.7	34	1	2	5	7	11	17	34
50-64	17	6.1	8	2	3	5	8	10	13	14
65 +	10	10.3	26	3	5	8	16	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1166	4.3	6	2	2	4	5	7	9	13
20-34	1687	4.5	8	2	2	4	6	7	9	13
35-49	863	5.1	9	2	2	4	7	9	10	16
50-64	843	6.0	12	2	3	5	8	10	13	18
65 +	1502	7.2	26	2	3	6	9	12	16	27
B. Operated										
0-19 YRS	180	7.0	20	3	3	6	8	12	16	34
20-34	317	8.6	52	3	3	7	10	16	19	38
35-49	267	10.0	64	2	4	8	12	19	23	42
50-64	305	11.9	106	3	4	9	15	24	33	65
65 +	490	13.9	136	3	5	11	16	26	34	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1869	3.7	8	1	2	3	4	6	7	10
B. Operated	164	6.2	17	2	2	5	8	10	14	21
2. MULTIPLE DX										
A. Not Operated	6061	5.4	14	2	2	5	7	9	12	19
B. Operated	1559	11.0	93	3	4	8	13	21	28	64
1. SINGLE DX	2033	3.9	10	1	2	3	5	6	8	12
2. MULTIPLE DX	7620	6.6	35	2	2	5	8	12	16	31
A. Not Operated	7930	5.0	13	2	2	4	6	9	11	18
B. Operated	1723	10.5	88	3	4	8	13	20	27	61
TOTAL										
0-19 YRS	2070	4.3	7	1	2	4	5	7	9	15
20-34	2804	4.8	17	2	2	4	6	8	10	18
35-49	1406	5.9	24	2	2	5	7	10	14	25
50-64	1288	7.2	41	2	3	6	8	13	17	33
65 +	2085	8.6	60	2	3	7	10	16	21	44
GRAND TOTAL	**9653**	**6.0**	**31**	**2**	**2**	**5**	**7**	**11**	**15**	**28**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	1.9	1	< 1	< 1	2	2	3	4	6
20-34	1073	1.7	1	< 1	1	1	2	3	4	6
35-49	1570	1.6	1	< 1	1	1	2	3	4	6
50-64	932	1.7	1	< 1	1	1	2	3	4	6
65 +	358	1.8	2	1	1	1	2	3	4	6
B. Operated										
0-19 YRS	51	4.6	37	1	1	3	5	7	18	38
20-34	564	3.3	9	1	1	2	4	7	9	14
35-49	881	3.0	8	1	1	2	4	6	8	13
50-64	757	3.1	9	1	1	2	4	7	9	14
65 +	349	3.5	15	1	1	2	4	8	10	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	2.5	4	< 1	1	2	3	5	7	10
20-34	859	2.5	6	< 1	1	2	3	5	6	12
35-49	1289	2.4	4	< 1	1	2	3	5	6	10
50-64	1164	2.7	4	1	1	2	3	5	7	11
65 +	950	3.5	11	1	1	3	4	7	9	15
B. Operated										
0-19 YRS	84	8.2	59	2	2	6	9	18	24	41
20-34	505	5.6	40	1	1	4	7	11	14	32
35-49	987	5.8	42	1	1	4	7	12	16	31
50-64	1272	6.2	46	1	1	4	8	12	16	33
65 +	1295	7.4	51	1	2	5	10	15	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4066	1.7	1	< 1	1	1	2	3	4	6
B. Operated	2602	3.2	10	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	4382	2.7	6	1	1	2	3	5	7	12
B. Operated	4143	6.4	47	1	1	5	8	13	18	35
1. SINGLE DX	6668	2.3	5	< 1	1	2	2	5	7	11
2. MULTIPLE DX	3525	4.5	29	1	1	3	6	10	13	26
A. Not Operated	8448	2.2	4	< 1	1	2	3	4	6	10
B. Operated	6745	5.2	35	1	1	3	7	11	15	29
TOTAL										
0-19 YRS	388	3.8	25	< 1	1	2	4	8	11	27
20-34	3001	2.9	12	< 1	1	2	3	6	8	15
35-49	4727	3.0	14	< 1	1	2	3	6	9	17
50-64	4125	3.6	20	1	1	2	4	8	11	20
65 +	2952	5.0	33	1	1	3	7	11	15	30
GRAND TOTAL	**15193**	**3.5**	**20**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	403	1.8	1	<1	1	2	2	3	4	5
20-34	3527	1.7	1	<1	1	1	2	3	4	5
35-49	4997	1.7	1	<1	1	1	2	3	4	5
50-64	2535	1.8	1	<1	1	1	2	3	4	6
65 +	710	2.1	2	1	1	2	3	4	4	6
B. Operated										
0-19 YRS	250	3.0	4	1	1	3	4	6	7	9
20-34	2507	3.3	5	1	1	3	4	6	8	11
35-49	3590	3.2	5	1	1	3	4	6	8	11
50-64	2405	3.4	6	1	1	3	4	7	8	12
65 +	831	3.8	11	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	194	2.2	2	1	1	2	3	4	5	7
20-34	1806	2.1	2	1	1	2	3	4	5	8
35-49	2850	2.0	2	1	1	2	3	4	5	7
50-64	2482	2.4	3	1	1	2	3	4	5	9
65 +	1519	2.9	7	1	1	2	4	6	7	11
B. Operated										
0-19 YRS	144	5.3	41	1	1	4	7	9	14	22
20-34	1522	4.5	11	1	1	4	6	9	10	16
35-49	2624	4.6	13	1	1	4	6	9	11	16
50-64	2824	5.1	17	1	1	4	7	10	13	21
65 +	2502	6.5	27	1	2	5	9	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12172	1.7	1	<1	1	1	2	3	4	5
B. Operated	9583	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	8851	2.3	3	1	1	2	3	4	5	9
B. Operated	9616	5.3	19	1	1	4	7	10	13	21
1. SINGLE DX	21755	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	18467	3.8	13	1	1	3	5	8	11	18
A. Not Operated	21023	2.0	2	<1	1	2	2	4	4	7
B. Operated	19199	4.3	13	1	1	3	6	8	11	18
TOTAL										
0-19 YRS	991	2.7	9	1	1	2	3	5	7	11
20-34	9362	2.7	5	1	1	2	3	5	7	11
35-49	14061	2.7	6	1	1	2	3	5	7	12
50-64	10246	3.2	9	1	1	2	4	7	9	14
65 +	5562	4.6	19	1	1	3	6	10	13	22
GRAND TOTAL	**40222**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	2.6	4	1	1	2	3	5	7	10
20-34	73	2.2	5	1	1	2	3	4	5	14
35-49	81	2.4	3	<1	1	2	3	4	5	10
50-64	59	2.4	3	<1	1	2	3	5	7	8
65 +	38	3.6	10	1	1	3	4	7	8	19
B. Operated										
0-19 YRS	1041	5.3	7	1	2	5	7	9	10	13
20-34	308	5.1	12	1	1	5	7	9	11	17
35-49	270	4.6	13	1	1	4	7	9	11	18
50-64	309	4.0	11	<1	1	3	6	9	10	13
65 +	164	4.1	18	<1	1	3	6	9	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	254	3.7	15	<1	1	3	4	7	11	22
20-34	239	3.3	9	1	1	2	4	6	9	17
35-49	241	4.6	32	1	1	3	6	9	12	28
50-64	309	4.7	19	1	1	3	6	9	13	24
65 +	634	6.6	33	1	2	5	8	13	17	31
B. Operated										
0-19 YRS	1205	6.5	25	1	2	6	8	11	14	22
20-34	734	6.9	25	1	2	6	9	13	16	24
35-49	877	6.9	40	1	1	6	9	12	17	34
50-64	1241	7.8	51	1	1	6	10	16	21	34
65 +	1747	9.0	67	1	1	7	11	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	2.5	4	1	1	2	3	5	7	11
B. Operated	2092	4.9	10	1	1	5	7	9	10	15
2. MULTIPLE DX										
A. Not Operated	1677	5.0	26	1	1	4	6	10	14	26
B. Operated	5804	7.6	46	1	2	6	9	15	20	35
1. SINGLE DX	2412	4.6	10	1	1	4	6	8	10	15
2. MULTIPLE DX	7481	7.0	43	1	1	6	9	14	19	34
A. Not Operated	1997	4.6	23	1	1	3	6	9	13	25
B. Operated	7896	6.9	38	1	1	6	8	13	18	32
TOTAL										
0-19 YRS	2569	5.6	17	1	1	5	7	10	12	19
20-34	1354	5.6	20	1	1	5	8	11	14	21
35-49	1469	5.8	34	1	1	5	8	11	15	30
50-64	1918	6.5	41	1	1	5	8	14	19	31
65 +	2583	8.0	57	1	1	6	10	17	23	40
GRAND TOTAL	**9893**	**6.4**	**36**	**1**	**1**	**5**	**8**	**12**	**17**	**31**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.3	7	< 1	1	1	3	4	9	13
20-34	123	1.8	1	< 1	< 1	1	2	3	4	6
35-49	176	1.7	1	< 1	< 1	1	2	3	4	5
50-64	85	1.7	1	< 1	1	1	2	3	4	6
65 +	35	2.7	4	< 1	1	2	4	6	7	10
B. Operated										
0-19 YRS	16	2.4	4	< 1	1	1	4	6	7	7
20-34	76	2.8	6	< 1	1	2	4	6	8	13
35-49	92	3.2	5	< 1	1	3	5	7	8	8
50-64	97	3.5	11	< 1	1	2	4	7	11	17
65 +	87	3.1	9	< 1	1	2	4	7	8	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.4	2	1	1	2	3	4	5	6
20-34	94	2.6	4	< 1	1	2	3	6	7	11
35-49	131	2.5	4	< 1	1	2	3	5	7	10
50-64	124	3.1	8	< 1	1	2	4	6	8	17
65 +	110	3.3	7	1	1	3	4	7	9	13
B. Operated										
0-19 YRS	43	6.1	88	1	1	4	7	12	15	61
20-34	114	4.6	16	1	1	4	6	9	12	22
35-49	155	4.1	10	1	1	3	5	8	10	16
50-64	309	4.4	16	1	1	3	6	9	11	21
65 +	864	6.0	36	1	1	4	8	12	15	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	439	1.9	2	< 1	1	1	2	3	4	7
B. Operated	368	3.2	8	< 1	1	2	4	7	8	15
2. MULTIPLE DX										
A. Not Operated	481	2.9	6	< 1	1	2	3	6	8	12
B. Operated	1485	5.4	29	1	1	4	7	11	13	27
1. SINGLE DX	807	2.4	5	< 1	1	2	3	5	7	12
2. MULTIPLE DX	1966	4.8	25	1	1	3	6	10	12	25
A. Not Operated	920	2.4	4	< 1	1	2	3	5	6	11
B. Operated	1853	4.9	26	1	1	4	6	10	13	25
TOTAL										
0-19 YRS	101	4.0	43	1	1	2	5	7	12	38
20-34	407	3.0	8	< 1	1	2	4	6	8	14
35-49	554	2.8	6	< 1	1	2	4	6	8	12
50-64	615	3.6	12	< 1	1	2	5	8	10	17
65 +	1096	5.4	31	1	1	4	7	11	13	28
GRAND TOTAL	**2773**	**4.1**	**20**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	2.4	4	< 1	1	2	3	4	5	13
20-34	58	2.5	2	< 1	1	2	3	5	6	7
35-49	48	2.6	2	1	1	2	3	5	6	7
50-64	26	2.6	2	< 1	1	2	4	5	5	6
65 +	26	3.1	3	1	1	3	4	5	6	7
B. Operated										
0-19 YRS	39	2.9	3	< 1	< 1	3	4	6	6	7
20-34	106	3.0	7	< 1	1	2	4	7	9	13
35-49	150	2.4	8	< 1	< 1	1	3	5	7	14
50-64	125	2.0	3	< 1	< 1	1	2	5	6	7
65 +	164	3.2	10	< 1	< 1	2	4	8	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	171	3.3	4	1	1	3	4	6	7	11
20-34	174	3.8	11	1	1	3	4	7	8	19
35-49	184	4.3	10	1	1	4	6	8	10	15
50-64	260	4.7	16	1	2	4	6	8	11	19
65 +	766	6.7	39	2	2	5	8	12	15	34
B. Operated										
0-19 YRS	93	4.4	19	< 1	1	3	5	10	13	24
20-34	254	4.8	22	1	1	4	6	10	13	25
35-49	401	5.2	31	< 1	1	4	6	11	14	28
50-64	629	5.3	37	1	1	4	7	11	15	29
65 +	1832	7.2	70	1	1	5	9	14	21	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	221	2.6	3	1	1	2	3	5	6	7
B. Operated	584	2.7	7	< 1	< 1	2	3	6	8	13
2. MULTIPLE DX										
A. Not Operated	1555	5.4	26	1	2	4	7	10	12	24
B. Operated	3209	6.3	54	1	1	4	8	13	18	42
1. SINGLE DX	805	2.6	6	< 1	1	2	3	5	7	13
2. MULTIPLE DX	4764	6.0	45	1	1	4	7	12	16	37
A. Not Operated	1776	5.0	24	1	2	4	6	9	12	23
B. Operated	3793	5.8	49	1	1	4	7	12	16	38
TOTAL										
0-19 YRS	366	3.4	8	< 1	1	3	4	6	8	14
20-34	592	4.0	15	1	1	3	5	8	11	23
35-49	783	4.3	21	< 1	1	3	5	9	12	23
50-64	1040	4.7	28	1	1	3	6	10	13	27
65 +	2788	6.8	58	1	1	5	8	13	18	47
GRAND TOTAL	**5569**	**5.5**	**41**	**1**	**1**	**4**	**7**	**11**	**15**	**34**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	5	1.4		1	1	1	2	2	2	2
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	5	1.6	1	1	1	1	2	3	3	3
65 +	12	3.1	9	< 1	< 1	2	4	7	10	11
B. Operated										
0-19 YRS	247	1.5	2	< 1	< 1	1	1	3	4	8
20-34	307	2.0	3	< 1	1	1	2	4	6	9
35-49	225	2.1	3	< 1	< 1	1	3	4	6	9
50-64	207	2.0	2	< 1	1	1	2	4	5	7
65 +	268	2.4	4	< 1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.5	1	< 1	< 1	1	2	3	4	4
20-34	8	2.3	2	1	1	2	3	4	4	4
35-49	7	2.0	1	1	1	2	3	4	4	4
50-64	23	3.8	8	< 1	1	3	5	7	10	13
65 +	104	4.2	15	< 1	1	3	5	10	13	18
B. Operated										
0-19 YRS	256	2.6	13	< 1	< 1	1	3	[illegible]	8	24
20-34	321	3.3	18	< 1	1	2	4	7	10	19
35-49	388	3.0	8	< 1	1	2	4	6	8	15
50-64	587	3.7	18	1	1	3	4	7	10	23
65 +	1546	4.5	28	1	1	3	5	9	12	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.3	5	< 1	1	1	3	5	6	11
B. Operated	1254	2.0	3	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	154	3.7	12	1	1	3	4	8	12	18
B. Operated	3098	3.9	21	1	1	3	5	8	11	22
1. SINGLE DX	1283	2.0	3	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX	3252	3.9	21	1	1	3	5	8	11	22
A. Not Operated	183	3.5	11	< 1	1	2	4	7	11	18
B. Operated	4352	3.3	17	< 1	1	2	4	7	9	19
TOTAL										
0-19 YRS	517	2.1	7	< 1	< 1	1	2	4	6	18
20-34	641	2.6	11	< 1	1	2	3	5	7	14
35-49	625	2.7	6	< 1	1	2	3	6	8	13
50-64	822	3.3	14	1	1	2	4	6	9	22
65 +	1930	4.2	24	1	1	3	5	9	11	22
GRAND TOTAL	**4535**	**3.4**	**17**	**< 1**	**1**	**2**	**4**	**7**	**9**	**19**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	937	3.0	4	1	1	3	4	5	7	10
20-34	375	2.9	4	1	1	3	4	5	6	[illegible]
35-49	221	3.0	4	1	1	3	4	5	7	10
50-64	196	3.6	7	1	1	3	5	6	8	11
65 +	392	5.0	23	1	1	4	6	9	12	28
B. Operated										
0-19 YRS	352	2.4	4	< 1	< 1	2	3	5	7	10
20-34	237	2.6	6	< 1	1	2	3	5	7	11
35-49	332	2.9	8	< 1	< 1	2	4	6	9	13
50-64	387	2.6	5	< 1	1	2	3	5	6	13
65 +	661	3.2	19	< 1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3516	4.0	10	1	2	3	5	7	9	14
20-34	2124	4.5	13	1	1	4	5	8	10	18
35-49	2103	5.5	24	1	2	4	7	10	13	24
50-64	3630	6.3	26	2	2	5	8	11	14	28
65 +	19778	8.0	48	2	3	6	10	14	19	37
B. Operated										
0-19 YRS	861	5.7	42	< 1	1	4	7	11	15	32
20-34	783	6.5	77	1	1	4	7	13	19	48
35-49	1125	7.2	84	1	1	5	9	15	22	64
50-64	2252	7.6	78	1	1	5	9	15	22	50
65 +	8136	9.8	105	1	2	7	12	21	29	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2121	3.4	8	1	1	3	4	6	8	13
B. Operated	1969	2.8	10	< 1	1	2	3	6	7	14
2. MULTIPLE DX										
A. Not Operated	31151	7.0	39	2	2	5	8	13	17	32
B. Operated	13157	8.8	95	1	2	6	11	18	26	60
1. SINGLE DX	4090	3.1	9	< 1	1	2	4	6	8	13
2. MULTIPLE DX	44308	7.5	57	1	2	6	9	14	19	42
A. Not Operated	33272	6.7	38	2	2	5	8	12	16	31
B. Operated	15126	8.0	88	1	1	5	10	17	24	55
TOTAL										
0-19 YRS	5666	4.0	14	1	1	3	5	8	10	17
20-34	3519	4.6	27	1	1	3	5	8	11	25
35-49	3781	5.6	41	1	1	4	7	11	15	31
50-64	6465	6.4	44	1	2	5	8	12	16	36
65 +	28967	8.4	65	2	2	6	10	16	21	47
GRAND TOTAL	**48398**	**7.1**	**54**	**1**	**2**	**5**	**9**	**14**	**19**	**40**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	19	4.4	72	< 1	< 1	2	4	5	24	39
65 +	26	3.0	6	< 1	1	2	4	8	9	9
B. Operated										
0-19 YRS	7	4.9	2	3	3	5	6	7	7	7
20-34	11	2.5	2	< 1	< 1	2	3	5	5	5
35-49	136	3.2	6	< 1	1	3	4	5	6	13
50-64	3119	3.9	3	1	2	4	5	6	7	10
65 +	5865	4.3	4	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.3	1	< 1	< 1	2	3	3	3	3
35-49	8	3.4	1	1	2	4	4	4	4	4
50-64	248	3.4	10	< 1	< 1	3	4	7	9	14
65 +	897	4.4	20	< 1	1	3	5	9	12	26
B. Operated										
0-19 YRS	16	6.4	14	2	2	5	8	11	14	16
20-34	22	4.4	14	< 1	1	4	5	10	13	17
35-49	347	4.3	31	1	1	4	5	7	8	12
50-64	9828	4.8	9	2	2	4	6	8	10	16
65 +	33787	5.9	21	2	3	5	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	3.5	32	< 1	1	2	4	6	9	39
B. Operated	9138	4.1	4	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	1157	4.1	18	< 1	1	3	5	8	12	24
B. Operated	44000	5.6	18	2	2	5	6	10	12	21
1. SINGLE DX	9185	4.1	4	1	2	4	5	6	7	11
2. MULTIPLE DX	45157	5.6	18	2	2	5	6	10	12	21
A. Not Operated	1204	4.1	18	< 1	1	3	5	8	12	24
B. Operated	53138	5.4	16	2	2	4	6	9	12	20
TOTAL										
0-19 YRS	23	5.9	11	2	3	5	7	10	13	16
20-34	37	3.6	10	< 1	1	3	4	6	10	17
35-49	493	3.9	24	1	1	4	5	6	8	12
50-64	13214	4.6	8	1	2	4	5	7	9	15
65 +	40575	5.6	19	2	2	5	6	10	12	22
GRAND TOTAL	**54342**	**5.3**	**16**	**2**	**2**	**4**	**6**	**9**	**12**	**20**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.4	7	1	1	3	4	7	10	10
20-34	64	3.2	3	< 1	1	3	4	5	7	8
35-49	104	3.9	3	1	2	4	5	6	7	8
50-64	92	3.7	3	1	2	3	5	6	7	10
65 +	37	3.5	2	1	2	3	5	5	6	6
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	33	3.2	15	< 1	< 1	2	3	6	8	22
35-49	58	2.8	5	< 1	< 1	2	4	6	7	10
50-64	63	2.8	5	< 1	1	2	4	6	8	10
65 +	42	4.2	22	< 1	1	3	5	8	12	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.8	3	1	1	2	4	5	6	7
20-34	144	3.8	5	1	2	3	4	6	8	15
35-49	350	4.3	5	1	2	4	6	7	9	12
50-64	528	4.6	6	2	2	4	6	7	9	12
65 +	544	5.3	21	2	2	5	6	8	10	19
B. Operated										
0-19 YRS	9	3.2	11	< 1	< 1	1	5	9	10	10
20-34	68	4.4	8	1	1	4	6	8	9	13
35-49	180	4.9	16	1	1	4	7	10	13	21
50-64	355	5.1	15	1	1	4	7	10	13	19
65 +	641	6.2	41	1	2	5	7	11	16	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	307	3.6	3	1	2	3	5	6	7	9
B. Operated	197	3.2	10	< 1	< 1	2	4	6	8	19
2. MULTIPLE DX										
A. Not Operated	1587	4.7	11	2	2	4	6	8	9	15
B. Operated	1253	5.6	29	1	1	4	7	11	14	24
1. SINGLE DX	504	3.4	6	< 1	1	3	4	6	7	10
2. MULTIPLE DX	2840	5.1	19	1	2	4	6	9	11	20
A. Not Operated	1894	4.5	10	1	2	4	6	7	9	14
B. Operated	1450	5.2	27	1	1	4	7	10	13	24
TOTAL										
0-19 YRS	41	3.0	5	< 1	1	2	4	6	8	10
20-34	309	3.7	6	< 1	1	3	5	7	8	14
35-49	692	4.3	8	1	1	4	6	8	9	14
50-64	1038	4.6	9	1	2	4	6	8	10	16
65 +	1264	5.6	31	1	2	4	7	10	13	27
GRAND TOTAL	**3344**	**4.8**	**17**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	1.3		1	1	1	2	2	2	2
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	312	1.3		< 1	< 1	1	1	2	2	4
20-34	112	1.7	2	1	1	1	2	3	3	8
35-49	171	1.6	1	< 1	1	1	2	3	3	5
50-64	266	1.8	1	< 1	1	1	2	3	4	7
65 +	200	1.9	3	< 1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	1.9	2	< 1	< 1	1	2	4	6	7
20-34	3	1.3		1	1	1	2	2	2	2
35-49	7	2.3	5	< 1	< 1	2	2	6	7	7
50-64	9	2.3	2	< 1	< 1	2	3	5	5	5
65 +	9	2.3	4	< 1	< 1	1	3	6	7	7
B. Operated										
0-19 YRS	300	1.5	1	< 1	< 1	1	2	3	4	5
20-34	77	2.2	3	1	1	2	3	4	6	9
35-49	156	2.3	3	1	1	2	3	4	7	10
50-64	325	2.4	7	1	1	2	3	4	6	18
65 +	428	3.2	13	1	1	2	4	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.3		< 1	< 1	1	1	2	3	3
B. Operated	1061	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	47	2.1	3	< 1	< 1	2	2	4	7	7
B. Operated	1286	2.4	7	< 1	1	2	3	5	6	14
1. SINGLE DX	1076	1.6	1	< 1	< 1	1	2	3	3	6
2. MULTIPLE DX	1333	2.4	7	< 1	1	2	3	5	6	14
A. Not Operated	62	1.9	2	< 1	< 1	1	2	4	6	7
B. Operated	2347	2.1	5	< 1	1	1	2	4	5	10
TOTAL										
0-19 YRS	638	1.4	1	< 1	< 1	1	1	2	3	5
20-34	192	1.9	2	1	1	1	2	3	4	9
35-49	335	2.0	2	< 1	1	1	2	3	5	8
50-64	604	2.1	4	1	1	2	2	4	5	11
65 +	640	2.8	10	< 1	1	2	3	5	8	15
GRAND TOTAL	**2409**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**	**10**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	213	3.5	5	1	1	3	5	7	8	10
20-34	402	3.9	5	1	1	3	5	7	8	11
35-49	272	4.6	9	1	2	4	6	8	9	12
50-64	141	4.8	6	2	2	5	6	8	9	14
65 +	81	4.9	3	2	3	5	6	7	8	11
B. Operated										
0-19 YRS	99	2.3	3	< 1	1	2	3	5	6	7
20-34	109	2.9	4	1	1	2	4	6	7	10
35-49	113	2.5	5	1	1	2	3	5	7	11
50-64	67	3.3	14	< 1	1	2	3	7	12	19
65 +	53	4.2	12	1	1	3	7	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	4.3	7	1	1	4	5	8	9	14
20-34	248	4.3	7	1	2	4	6	8	9	13
35-49	289	5.2	8	2	3	5	6	8	10	16
50-64	346	5.7	10	2	3	5	7	9	11	15
65 +	488	6.5	23	2	3	6	8	11	13	24
B. Operated										
0-19 YRS	65	4.0	15	< 1	1	3	5	9	11	23
20-34	116	5.2	17	1	1	4	8	10	12	22
35-49	156	5.7	26	1	1	5	7	11	15	30
50-64	183	6.0	47	1	1	4	8	12	17	57
65 +	331	8.0	59	1	1	6	10	16	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1109	4.2	6	1	2	4	5	7	8	12
B. Operated	441	2.9	7	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	1474	5.5	14	2	2	5	7	9	12	17
B. Operated	851	6.5	43	1	1	5	9	13	18	34
1. SINGLE DX	1550	3.8	7	1	1	3	5	7	8	12
2. MULTIPLE DX	2325	5.9	25	1	2	5	7	11	14	24
A. Not Operated	2583	4.9	11	1	2	4	6	8	10	15
B. Operated	1292	5.2	34	1	1	3	7	11	15	27
TOTAL										
0-19 YRS	480	3.5	7	1	1	3	5	7	8	12
20-34	875	4.0	7	1	1	3	5	8	9	13
35-49	830	4.7	13	1	1	4	6	8	10	17
50-64	737	5.4	29	1	2	5	7	10	12	19
65 +	953	6.8	34	1	2	5	8	12	16	32
GRAND TOTAL	**3875**	**5.0**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.7	2	<1	<1	1	2	4	5	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	6	2.0	2	1	1	2	3	4	4	4
50-64	0									
65 +	4	1.8	1	<1	<1	1	2	3	3	3
B. Operated										
0-19 YRS	448	1.1		<1	<1	<1	1	1	2	2
20-34	67	1.3		<1	<1	1	1	2	3	4
35-49	42	1.4	4	<1	<1	<1	1	2	3	13
50-64	46	1.2		<1	<1	1	1	2	2	4
65 +	28	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	1.7	2	<1	<1	1	2	4	5	5
20-34	7	4.1	39	<1	<1	1	4	15	18	18
35-49	7	2.9	5	1	1	2	4	7	7	7
50-64	11	2.3	7	<1	<1	1	2	6	10	10
65 +	22	3.8	15	<1	<1	3	5	7	12	18
B. Operated										
0-19 YRS	138	1.4	1	<1	<1	1	2	2	3	5
20-34	48	1.7	4	<1	<1	1	2	3	4	14
35-49	77	1.9	4	<1	<1	1	2	3	6	12
50-64	122	2.0	5	<1	<1	1	2	4	5	14
65 +	135	3.2	22	<1	1	2	3	7	10	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	1.8	1	<1	<1	1	2	4	4	5
B. Operated	631	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	79	2.7	10	<1	<1	1	3	5	8	18
B. Operated	520	2.1	9	<1	<1	1	2	4	6	15
1. SINGLE DX	662	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	599	2.2	9	<1	<1	1	2	4	6	17
A. Not Operated	110	2.4	8	<1	<1	1	3	5	7	18
B. Operated	1151	1.6	4	<1	<1	1	1	2	4	12
TOTAL										
0-19 YRS	637	1.2		<1	<1	<1	1	2	2	5
20-34	124	1.6	4	<1	<1	1	2	3	4	15
35-49	132	1.8	4	<1	<1	1	2	3	5	12
50-64	179	1.8	4	<1	<1	1	2	4	5	11
65 +	189	3.0	18	<1	<1	1	3	7	8	23
GRAND TOTAL	**1261**	**1.7**	**5**	**<1**	**<1**	**1**	**1**	**3**	**4**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	1.9	1	<1	<1	2	2	3	4	6
20-34	49	2.6	4	1	1	2	3	5	8	9
35-49	35	4.0	20	<1	1	2	5	10	12	22
50-64	28	2.5	4	<1	1	2	3	5	7	8
65 +	10	4.4	15	1	1	3	7	10	13	13
B. Operated										
0-19 YRS	1488	1.4	1	<1	<1	1	1	2	3	5
20-34	603	1.9	2	<1	1	1	2	4	5	8
35-49	412	2.3	5	<1	<1	1	3	5	7	12
50-64	580	2.3	2	1	1	2	3	4	5	7
65 +	303	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	3.0	5	<1	1	2	4	6	8	13
20-34	84	3.9	35	<1	1	3	5	7	9	39
35-49	107	4.7	14	1	1	4	6	9	12	19
50-64	102	3.7	13	<1	<1	2	5	8	10	17
65 +	120	5.8	22	1	1	4	8	12	14	21
B. Operated										
0-19 YRS	634	2.2	10	<1	1	1	2	4	6	14
20-34	429	3.1	13	1	1	2	4	7	8	20
35-49	723	3.7	18	1	1	3	4	7	9	25
50-64	1363	3.8	22	1	1	3	4	7	10	25
65 +	1033	4.5	40	1	1	3	5	9	14	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	234	2.5	6	<1	1	2	3	5	8	12
B. Operated	3386	1.8	2	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	523	4.3	18	<1	1	3	6	9	12	20
B. Operated	4182	3.6	23	1	1	2	4	7	10	26
1. SINGLE DX	3620	1.9	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	4705	3.7	23	1	1	2	4	7	11	25
A. Not Operated	757	3.7	15	<1	1	3	5	8	10	19
B. Operated	7568	2.8	15	<1	1	2	3	5	8	19
TOTAL										
0-19 YRS	2344	1.7	4	<1	1	1	2	3	4	8
20-34	1165	2.5	9	<1	1	2	3	5	7	12
35-49	1277	3.3	14	<1	1	2	4	7	9	20
50-64	2073	3.3	16	1	1	2	4	6	8	20
65 +	1466	4.2	31	1	1	3	5	8	13	29
GRAND TOTAL	**8325**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	8	< 1	< 1	1	5	6	6	6
35-49	6	1.2		< 1	< 1	< 1	1	2	2	2
50-64	6	1.8	1	< 1	< 1	1	2	4	4	4
65 +	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	33	1.8	1	< 1	< 1	2	2	4	4	6
20-34	300	2.0	2	< 1	< 1	1	3	4	5	7
35-49	1009	1.8	2	< 1	< 1	1	2	4	4	6
50-64	629	1.6	1	< 1	< 1	1	2	3	3	6
65 +	276	1.4	1	< 1	< 1	1	2	2	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	4.3	17	< 1	< 1	3	7	9	9	9
35-49	9	3.7	13	< 1	< 1	2	6	10	10	10
50-64	9	1.6	1	1	1	1	2	3	4	4
65 +	6	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	19	1.9	3	< 1	< 1	1	2	3	6	8
20-34	253	2.7	3	< 1	< 1	2	4	5	6	8
35-49	1060	2.7	4	< 1	< 1	2	4	5	6	9
50-64	825	2.4	5	< 1	< 1	2	3	4	6	10
65 +	578	2.6	10	< 1	< 1	2	3	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.6	2	< 1	< 1	1	2	3	5	6
B. Operated	2247	1.7	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	28	2.6	7	< 1	< 1	1	3	8	9	10
B. Operated	2735	2.6	5	< 1	< 1	2	3	5	6	9
1. SINGLE DX	2265	1.7	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	2763	2.6	5	< 1	< 1	2	3	5	6	9
A. Not Operated	46	2.2	5	< 1	< 1	1	2	5	9	10
B. Operated	4982	2.2	4	< 1	< 1	2	3	4	5	8
TOTAL										
0-19 YRS	53	1.9	2	< 1	< 1	1	2	4	4	8
20-34	559	2.3	3	< 1	< 1	2	3	4	6	8
35-49	2084	2.2	3	< 1	< 1	2	3	4	5	8
50-64	1469	2.0	3	< 1	< 1	1	2	4	5	8
65 +	863	2.2	7	< 1	< 1	2	2	4	5	9
GRAND TOTAL	**5028**	**2.2**	**4**	**< 1**	**< 1**	**2**	**3**	**4**	**5**	**8**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	3.5	4	1	[illegible]	3	5	7	8	9
20-34	90	3.0	2	1	1	3	4	5	6	7
35-49	59	3.8	5	1	2	3	5	7	8	91
50-64	18	3.6	6	< 1	< 1	3	5	8	9	9
65 +	8	5.0	5	1	2	5	6	8	8	8
B. Operated										
0-19 YRS	821	2.0	1	1	1	2	3	3	4	6
20-34	1496	2.3	2	1	1	2	3	4	4	6
35-49	938	2.3	2	< 1	1	2	3	4	5	7
50-64	619	2.3	2	< 1	< 1	2	3	4	5	9
65 +	212	2.1	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.1	5	< 1	< 1	3	4	6	8	10
20-34	78	3.6	10	< 1	1	3	4	6	9	19
35-49	101	4.1	14	< 1	< 1	3	5	8	13	18
50-64	77	4.7	19	< 1	< 1	4	7	10	12	23
65 +	71	4.7	14	< 1	1	[illegible]	7	10	13	17
B. Operated										
0-19 YRS	272	2.5	4	1	1	2	3	4	5	13
20-34	830	2.7	3	1	1	2	3	5	6	9
35-49	1129	2.9	6	1	1	2	4	5	6	12
50-64	870	3.2	15	1	1	2	4	5	7	17
65 +	493	3.5	21	< 1	1	2	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	234	3.5	4	1	1	3	5	6	7	10
B. Operated	4086	2.2	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	358	4.1	14	< 1	< 1	3	5	9	12	18
B. Operated	3594	3.0	9	1	1	2	3	5	7	14
1. SINGLE DX	4320	2.3	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	3952	3.1	10	1	1	2	4	5	7	15
A. Not Operated	592	3.9	10	< 1	1	3	5	7	10	17
B. Operated	7680	2.6	5	< 1	1	2	3	4	5	10
TOTAL										
0-19 YRS	1183	2.2	2	1	1	2	3	4	5	8
20-34	2494	2.5	3	1	1	2	3	4	5	8
35-49	2227	2.7	5	< 1	1	2	3	5	6	11
50-64	1584	2.9	10	< 1	1	2	3	5	7	13
65 +	784	3.2	16	< 1	< 1	2	4	6	9	18
GRAND TOTAL	**8272**	**2.7**	**6**	**< 1**	**1**	**2**	**3**	**5**	**6**	**11**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	792	1.9	1	1	1	2	2	3	4	6
20-34	1235	2.0	2	< 1	1	2	2	4	4	7
35-49	309	2.2	2	< 1	1	2	3	4	5	8
50-64	12	2.1	1	1	1	2	3	4	4	4
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	856	3.4	3	1	1	3	4	6	7	8
20-34	2636	3.4	3	1	1	3	4	6	6	9
35-49	824	4.1	4	1	1	4	5	6	7	10
50-64	156	4.8	3	2	3	5	6	7	8	12
65 +	71	5.7	6	3	3	5	7	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	506	2.4	2	1	1	2	3	4	5	8
20-34	1065	2.5	3	< 1	1	2	3	4	6	8
35-49	290	2.8	4	< 1	1	2	4	5	7	10
50-64	25	2.6	3	< 1	< 1	2	3	6	6	7
65 +	19	5.2	11	< 1	< 1	6	8	9	10	10
B. Operated										
0-19 YRS	979	3.9	6	1	1	4	5	6	7	12
20-34	5934	4.3	6	1	2	4	5	7	8	12
35-49	3690	5.1	9	2	3	5	6	8	9	16
50-64	584	5.8	11	3	3	5	6	9	11	21
65 +	385	7.8	22	4	4	6	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2350	2.0	2	< 1	1	2	2	4	4	6
B. Operated	4543	3.6	4	1	1	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	1905	2.5	3	< 1	1	2	3	5	6	9
B. Operated	11572	4.7	8	1	2	4	6	7	9	15
1. SINGLE DX	6893	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX	13477	4.4	8	1	2	4	5	7	9	14
A. Not Operated	4255	2.2	2	< 1	1	2	3	4	5	8
B. Operated	16115	4.4	7	1	2	4	5	7	8	13
TOTAL										
0-19 YRS	3133	3.0	4	1	1	3	4	5	6	9
20-34	10870	3.6	5	1	1	3	5	6	7	11
35-49	5113	4.6	8	1	2	4	6	7	9	14
50-64	777	5.5	10	2	3	5	6	8	11	21
65 +	477	7.4	20	3	4	6	9	13	16	27
GRAND TOTAL	**20370**	**3.9**	**7**	**1**	**1**	**4**	**5**	**7**	**8**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1913	3.8	4	1	2	3	5	6	7	12
20-34	4477	3.8	4	1	2	4	5	6	7	10
35-49	664	4.5	6	2	2	4	6	7	9	14
50-64	32	6.3	12	1	2	6	8	11	14	16
65 +	11	5.0	19	1	1	3	8	12	15	15
B. Operated										
0-19 YRS	293	4.8	10	1	2	4	6	8	10	17
20-34	1436	4.2	6	< 1	1	4	5	7	9	13
35-49	517	4.7	7	< 1	2	4	6	8	10	14
50-64	70	5.8	21	< 1	2	5	6	10	17	27
65 +	14	4.7	5	1	2	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1653	4.5	7	1	2	4	6	8	10	14
20-34	4087	4.5	6	2	2	4	5	7	9	12
35-49	896	5.2	9	2	2	4	6	9	12	16
50-64	88	6.2	14	2	2	5	8	12	14	17
65 +	67	7.2	18	2	2	7	10	13	17	20
B. Operated										
0-19 YRS	736	5.7	14	2	2	5	7	10	12	21
20-34	7138	4.9	8	1	2	4	6	8	10	16
35-49	3487	5.6	13	2	3	5	6	9	12	20
50-64	419	7.7	46	3	4	6	9	14	18	32
65 +	171	10.9	79	3	4	8	14	21	25	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7097	3.9	4	1	2	4	5	6	7	11
B. Operated	2330	4.5	7	< 1	1	4	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	6791	4.6	7	2	2	4	6	8	10	14
B. Operated	11951	5.3	13	1	2	5	6	9	12	19
1. SINGLE DX	9427	4.0	5	1	2	4	5	7	8	12
2. MULTIPLE DX	18742	5.1	11	1	2	4	6	8	11	17
A. Not Operated	13888	4.3	6	1	2	4	5	7	9	13
B. Operated	14281	5.2	12	1	2	4	6	9	11	18
TOTAL										
0-19 YRS	4595	4.4	8	1	2	4	5	8	9	14
20-34	17138	4.4	6	1	2	4	5	7	9	14
35-49	5564	5.3	11	2	2	5	6	9	11	18
50-64	609	7.2	37	2	3	6	8	13	17	29
65 +	263	9.4	61	2	3	7	12	18	22	44
GRAND TOTAL	**28169**	**4.7**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.8	4	1	1	2	4	4	8	9
20-34	100	2.7	3	1	1	2	4	5	6	8
35-49	27	2.3	2	< 1	< 1	2	3	4	4	5
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	60	2.6	3	< 1	< 1	2	4	5	6	7
20-34	1171	3.7	3	< 1	1	4	5	6	6	8
35-49	963	4.2	3	1	2	4	5	6	7	8
50-64	58	5.1	2	3	3	5	6	8	8	9
65 +	7	5.4	14	< 1	1	4	6	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.3	5	< 1	1	3	4	7	8	8
20-34	147	3.1	3	< 1	1	3	4	6	6	7
35-49	83	3.0	8	< 1	< 1	2	4	5	8	17
50-64	4	2.5	4	< 1	< 1	2	4	5	5	5
65 +	3	4.7	10	1	1	6	7	7	7	7
B. Operated										
0-19 YRS	166	3.9	7	< 1	1	4	5	7	9	13
20-34	7629	4.4	3	1	3	4	5	6	7	10
35-49	10893	4.9	4	3	3	5	6	7	8	12
50-64	1076	5.3	4	3	4	5	6	7	9	14
65 +	125	6.9	22	2	3	6	7	12	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	2.6	3	1	1	2	4	5	6	9
B. Operated	2259	3.9	3	< 1	1	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	252	3.1	5	< 1	< 1	3	4	6	7	9
B. Operated	19889	4.8	4	2	3	5	5	7	8	12
1. SINGLE DX	2402	3.9	3	< 1	1	4	5	6	7	8
2. MULTIPLE DX	20141	4.7	4	2	3	5	5	7	8	12
A. Not Operated	395	2.9	4	< 1	1	2	4	5	6	9
B. Operated	22148	4.7	4	2	3	5	5	7	8	11
TOTAL										
0-19 YRS	256	3.5	6	< 1	1	3	5	7	8	12
20-34	9047	4.3	3	1	2	4	5	6	7	10
35-49	11966	4.9	4	3	3	5	6	7	8	12
50-64	1139	5.3	4	3	4	5	6	7	9	13
65 +	135	6.8	22	2	3	6	7	12	16	27
GRAND TOTAL	**22543**	**4.7**	**4**	**2**	**3**	**4**	**5**	**7**	**8**	**11**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	7	2.9	3	1	1	3	4	6	6	6
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	2.0	1	1	1	2	3	3	3	3
20-34	44	2.6	5	< 1	< 1	1	4	5	7	11
35-49	37	3.0	32	< 1	< 1	1	3	5	6	35
50-64	14	2.3	3	< 1	< 1	2	4	5	5	5
65 +	6	2.3	4	< 1	< 1	1	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.3	1	1	1	2	3	4	4	4
20-34	20	3.5	7	< 1	1	3	4	7	9	11
35-49	7	3.1	7	< 1	< 1	2	6	7	7	7
50-64	0									
65 +	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
0-19 YRS	18	2.6	2	< 1	< 1	2	4	4	5	6
20-34	444	4.1	4	< 1	1	4	5	6	7	10
35-49	575	4.3	5	< 1	1	4	6	7	8	11
50-64	134	3.5	8	< 1	< 1	3	5	7	8	13
65 +	47	4.8	9	1	1	4	7	9	10	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.2	3	1	1	3	4	6	6	6
B. Operated	108	2.6	13	< 1	< 1	1	3	5	6	21
2. MULTIPLE DX										
A. Not Operated	41	3.1	5	< 1	1	2	4	7	8	11
B. Operated	1218	4.1	5	< 1	1	4	5	7	8	11
1. SINGLE DX	119	2.7	12	< 1	< 1	2	4	5	6	18
2. MULTIPLE DX	1259	4.1	5	< 1	1	4	5	7	8	11
A. Not Operated	52	3.1	5	< 1	1	2	4	6	7	11
B. Operated	1326	4.0	6	< 1	< 1	4	5	7	8	11
TOTAL										
0-19 YRS	39	2.5	2	< 1	1	2	3	4	5	6
20-34	515	3.9	4	< 1	1	4	5	6	7	10
35-49	621	4.2	7	< 1	< 1	4	5	7	8	11
50-64	148	3.4	8	< 1	< 1	3	5	7	8	12
65 +	55	4.5	9	< 1	1	4	7	8	10	12
GRAND TOTAL	**1378**	**4.0**	**6**	**< 1**	**< 1**	**4**	**5**	**7**	**8**	**11**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	3.1	4	< 1	1	2	4	5	8	10
20-34	208	3.3	3	1	1	3	4	5	6	9
35-49	55	3.4	3	1	1	3	4	6	7	8
50-64	10	3.0	1	< 1	1	3	4	4	4	4
65 +	3	5.0	3	4	4	4	6	7	7	7
B. Operated										
0-19 YRS	71	2.3	3	< 1	< 1	2	3	4	7	9
20-34	403	1.7	1	< 1	< 1	1	2	3	4	7
35-49	203	1.6	2	< 1	< 1	1	2	3	5	7
50-64	50	1.5	1	< 1	< 1	1	2	3	3	3
65 +	18	3.7	27	< 1	< 1	1	3	10	17	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	167	3.9	6	1	1	3	5	7	10	12
20-34	342	3.9	5	1	2	3	5	6	8	13
35-49	128	4.3	5	1	2	4	6	8	8	11
50-64	61	6.2	20	1	2	5	8	11	17	22
65 +	71	7.0	17	2	2	7	9	13	15	20
B. Operated										
0-19 YRS	74	3.7	8	1	1	3	5	7	9	14
20-34	407	3.9	9	< 1	1	4	5	7	8	14
35-49	344	4.0	13	< 1	1	3	5	7	9	16
50-64	119	5.8	42	< 1	1	4	7	13	22	31
65 +	123	6.8	40	1	1	5	9	13	21	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	353	3.3	3	1	1	3	4	5	7	10
B. Operated	745	1.8	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	769	4.4	9	1	2	4	5	8	10	16
B. Operated	1067	4.5	18	< 1	1	4	5	8	11	26
1. SINGLE DX	1098	2.3	3	< 1	< 1	2	3	4	6	8
2. MULTIPLE DX	1836	4.4	14	1	1	4	5	8	11	21
A. Not Operated	1122	4.1	7	1	2	3	5	7	9	14
B. Operated	1812	3.4	14	< 1	< 1	2	4	7	9	21
TOTAL										
0-19 YRS	389	3.4	6	1	1	3	4	7	9	12
20-34	1360	3.1	6	< 1	1	3	4	6	7	12
35-49	730	3.4	9	< 1	1	3	5	7	8	12
50-64	240	4.9	29	< 1	< 1	3	6	10	16	28
65 +	215	6.6	32	1	1	5	8	13	19	30
GRAND TOTAL	**2934**	**3.6**	**11**	**< 1**	**1**	**3**	**5**	**7**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	3	2.3	2	< 1	< 1	2	3	4	4	4
50-64	5	4.6	9	1	1	4	7	9	9	9
65 +	12	3.1	7	< 1	< 1	2	6	7	7	7
B. Operated										
0-19 YRS	7	3.3	3	< 1	< 1	4	4	6	6	6
20-34	471	4.2	3	2	2	4	5	6	7	9
35-49	1100	4.4	3	2	2	4	5	6	7	10
50-64	1892	4.9	4	2	3	5	6	7	8	11
65 +	1804	5.1	5	2	3	5	6	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	1.6	2	< 1	< 1	1	1	4	5	5
35-49	53	2.2	4	< 1	< 1	1	3	5	7	8
50-64	85	1.9	3	< 1	< 1	1	2	4	6	8
65 +	154	3.1	10	< 1	< 1	2	4	8	11	15
B. Operated										
0-19 YRS	22	6.7	70	1	2	5	6	10	25	42
20-34	2531	4.6	3	2	3	4	5	7	8	10
35-49	6119	5.1	5	3	3	5	6	7	8	12
50-64	5922	5.5	5	3	3	5	6	8	9	13
65 +	6897	6.1	9	3	3	6	7	[illegible]	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	3.2	6	< 1	< 1	2	5	7	8	9
B. Operated	5274	4.8	4	2	3	5	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	311	2.5	7	< 1	< 1	1	3	6	8	13
B. Operated	21491	5.5	6	3	3	5	6	8	9	14
1. SINGLE DX	5297	4.8	4	2	3	5	6	7	8	11
2. MULTIPLE DX	21802	5.4	6	3	3	5	6	8	9	14
A. Not Operated	334	2.6	7	< 1	< 1	1	3	6	8	12
B. Operated	26765	5.3	6	3	3	5	6	8	9	14
TOTAL										
0-19 YRS	30	5.7	54	1	1	4	6	8	14	42
20-34	3023	4.5	3	2	3	4	5	6	7	10
35-49	7275	5.0	5	2	3	5	6	7	8	12
50-64	7904	5.3	5	2	3	5	6	8	9	13
65 +	8867	5.9	8	2	3	5	7	9	10	16
GRAND TOTAL	**27099**	**5.3**	**6**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	5	2.0	1	< 1	< 1	2	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	41	1.8	2	< 1	< 1	1	3	4	5	6
35-49	70	1.8	2	< 1	< 1	1	2	4	5	6
50-64	9	1.8	2	< 1	< 1	< 1	2	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	2	< 1	< 1	2	3	4	4	4
20-34	14	2.5	2	< 1	1	2	3	5	6	6
35-49	12	2.9	4	1	1	2	4	6	7	7
50-64	4	2.3	4	1	1	2	3	5	5	5
65 +	0									
B. Operated										
0-19 YRS	7	2.9	3	1	1	3	5	5	5	5
20-34	130	3.6	4	< 1	< 1	4	5	6	7	11
35-49	283	3.7	5	< 1	< 1	4	5	6	7	10
50-64	34	3.5	3	< 1	< 1	4	5	6	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.0	1	< 1	< 1	2	3	4	4	4
B. Operated	123	1.8	2	< 1	< 1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	34	2.6	3	< 1	1	2	3	5	6	7
B. Operated	454	3.6	5	< 1	< 1	4	5	6	7	11
1. SINGLE DX	133	1.8	2	< 1	< 1	1	2	4	5	6
2. MULTIPLE DX	488	3.6	5	< 1	< 1	4	5	6	7	10
A. Not Operated	44	2.5	2	< 1	1	2	3	5	6	7
B. Operated	577	3.2	5	< 1	< 1	3	5	6	7	9
TOTAL										
0-19 YRS	17	2.4	2	< 1	1	2	4	5	5	5
20-34	190	3.1	4	< 1	< 1	3	4	6	6	10
35-49	367	3.3	5	< 1	< 1	3	5	6	7	9
50-64	47	3.1	3	< 1	< 1	3	4	6	6	7
65 +	0									
GRAND TOTAL	**621**	**3.2**	**5**	**< 1**	**< 1**	**3**	**5**	**6**	**7**	**9**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	2.0	2	< 1	1	2	3	4	5	7
20-34	186	1.5	1	< 1	< 1	1	2	2	3	4
35-49	72	1.6	1	< 1	< 1	1	2	3	4	4
50-64	6	1.3		1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	94	1.6	1	< 1	< 1	1	2	2	3	6
20-34	1040	2.3	3	< 1	< 1	1	4	5	5	7
35-49	1496	2.4	3	< 1	< 1	1	4	5	6	7
50-64	167	1.8	2	< 1	< 1	1	2	5	6	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	190	2.3	2	1	1	2	3	4	5	7
20-34	378	2.3	4	< 1	< 1	2	3	4	6	9
35-49	328	2.2	5	< 1	< 1	1	3	4	6	12
50-64	30	2.1	2	< 1	< 1	2	3	4	5	5
65 +	0									
B. Operated										
0-19 YRS	161	2.4	3	< 1	1	2	3	5	6	10
20-34	4573	4.0	6	< 1	1	4	5	6	7	10
35-49	9912	4.3	5	< 1	1	4	5	7	7	11
50-64	916	4.4	7	< 1	1	4	6	7	8	13
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	357	1.6	1	< 1	< 1	1	2	3	3	5
B. Operated	2797	2.3	3	< 1	< 1	1	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	926	2.3	4	< 1	< 1	2	3	4	6	9
B. Operated	15562	4.2	5	< 1	1	4	5	6	7	11
1. SINGLE DX	3154	2.2	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX	16488	4.0	5	< 1	1	4	5	6	7	11
A. Not Operated	1283	2.1	3	< 1	< 1	2	3	4	5	8
B. Operated	18359	3.[illegible]	5	< 1	< 1	4	5	6	7	10
TOTAL										
0-19 YRS	538	2.2	2	< 1	1	2	3	4	5	8
20-34	6177	3.5	6	< 1	< 1	4	5	6	7	9
35-49	11808	3.9	5	< 1	1	4	5	6	7	10
50-64	1119	3.9	[illegible]	< 1	< 1	4	5	7	8	12
65 +	0									
GRAND TOTAL	**19642**	**3.8**	**5**	**< 1**	**< 1**	**4**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	5	2.8	12	< 1	< 1	1	4	9	9	9
50-64	8	1.3		< 1	< 1	1	2	2	2	2
65 +	5	1.2		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	3.9	10	< 1	< 1	3	6	8	11	11
35-49	81	1.7	2	< 1	< 1	1	2	4	5	6
50-64	313	1.5	2	< 1	< 1	< 1	1	3	4	7
65 +	114	1.8	3	< 1	< 1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.5		< 1	< 1	1	2	2	2	2
35-49	21	2.6	3	< 1	1	2	4	5	6	7
50-64	45	2.6	5	< 1	1	2	4	5	7	11
65 +	72	3.6	7	1	1	3	5	7	9	16
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	71	4.2	4	1	2	4	5	6	7	15
35-49	384	3.8	6	< 1	< 1	4	5	6	7	13
50-64	1031	3.4	10	< 1	< 1	2	5	6	8	12
65 +	755	3.8	23	< 1	1	2	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.6	3	< 1	< 1	1	2	2	6	9
B. Operated	521	1.6	2	< 1	< 1	1	1	4	5	7
2. MULTIPLE DX										
A. Not Operated	142	3.1	6	< 1	1	3	4	6	7	12
B. Operated	2242	3.6	14	< 1	< 1	3	5	7	8	15
1. SINGLE DX	540	1.6	2	< 1	< 1	1	1	4	5	7
2. MULTIPLE DX	2384	3.6	13	< 1	< 1	3	5	7	8	15
A. Not Operated	161	2.9	6	< 1	1	2	4	6	7	11
B. Operated	2763	3.2	12	< 1	< 1	2	5	6	8	14
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	88	4.0	5	< 1	1	4	5	6	7	15
35-49	491	3.4	6	< 1	< 1	3	5	6	7	12
50-64	1397	2.9	9	< 1	< 1	2	4	6	7	11
65 +	946	3.5	20	< 1	< 1	2	5	7	9	18
GRAND TOTAL	**2924**	**3.2**	**12**	**< 1**	**< 1**	**2**	**5**	**6**	**8**	**14**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	2.1	2	< 1	< 1	1	3	4	6	7
20-34	124	2.2	3	< 1	< 1	2	3	4	6	9
35-49	47	1.9	2	< 1	< 1	2	2	3	4	8
50-64	8	2.3	1	< 1	< 1	2	3	4	4	4
65 +	12	2.0	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	174	3.1	4	< 1	< 1	3	4	5	7	10
20-34	1349	2.8	4	< 1	< 1	2	4	5	6	9
35-49	911	3.2	5	< 1	< 1	3	5	6	7	11
50-64	412	3.4	5	< 1	< 1	3	5	6	8	10
65 +	159	3.1	6	< 1	< 1	2	5	6	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	2.3	4	< 1	< 1	2	3	5	6	10
20-34	188	2.5	5	< 1	< 1	2	3	6	7	11
35-49	142	3.8	33	< 1	< 1	2	5	8	11	19
50-64	70	4.4	35	< 1	1	3	5	9	13	38
65 +	110	5.2	20	1	1	4	7	11	15	55
B. Operated										
0-19 YRS	237	3.9	6	1	1	4	5	6	8	13
20-34	3024	4.1	7	< 1	1	4	5	6	7	12
35-49	4536	4.6	8	1	1	4	6	7	8	14
50-64	2429	5.3	19	1	1	5	6	8	10	23
65 +	1363	6.9	46	1	1	5	8	14	19	34
SUBTOTALS.										
1. SINGLE DX										
A. Not Operated	250	2.1	3	< 1	< 1	2	3	4	6	8
B. Operated	3005	3.1	4	< 1	< 1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	576	3.6	19	< 1	< 1	2	4	8	11	18
B. Operated	11589	4.9	15	1	1	4	6	7	10	21
1. SINGLE DX	3255	3.0	4	< 1	< 1	3	4	6	7	10
2. MULTIPLE DX	12165	4.8	15	1	1	4	6	7	10	20
A. Not Operated	826	3.1	15	< 1	< 1	2	4	7	9	16
B. Operated	14594	4.5	13	< 1	1	4	5	7	9	19
TOTAL										
0-19 YRS	536	3.2	5	< 1	< 1	3	4	6	7	10
20-34	4685	3.6	6	< 1	1	4	5	6	7	11
35-49	5636	4.3	8	< 1	1	4	5	7	8	14
50-64	2919	5.0	18	< 1	1	5	6	8	10	23
65 +	1644	6.3	41	1	1	5	8	13	18	33
GRAND TOTAL	**15420**	**4.4**	**14**	**< 1**	**1**	**4**	**5**	**7**	**9**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	280	1.8	1	< 1	1	1	2	3	4	6
20-34	420	1.9	2	< 1	1	1	2	4	4	7
35-49	88	2.0	2	< 1	< 1	1	2	4	5	8
50-64	8	3.0	4	< 1	< 1	2	4	6	7	7
65 +	5	3.0	4	< 1	< 1	3	5	5	5	5
B. Operated										
0-19 YRS	138	2.5	6	< 1	< 1	2	3	5	6	12
20-34	1203	3.0	4	< 1	< 1	3	4	5	6	8
35-49	1428	4.2	4	< 1	1	4	5	7	7	9
50-64	919	4.7	4	2	2	5	6	7	8	10
65 +	480	5.2	7	2	2	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	234	2.4	8	< 1	1	2	3	4	5	16
20-34	647	2.6	10	< 1	< 1	2	3	5	6	19
35-49	208	4.4	68	< 1	< 1	2	4	7	19	45
50-64	47	6.0	89	< 1	< 1	3	6	20	28	49
65 +	37	3.5	16	< 1	1	2	4	8	12	20
B. Operated										
0-19 YRS	176	3.3	5	< 1	< 1	3	5	6	7	11
20-34	5276	4.1	4	< 1	1	4	5	6	7	10
35-49	4693	4.8	5	1	3	5	6	7	8	11
50-64	1806	5.6	7	3	3	5	7	8	10	13
65 +	1246	6.2	10	3	3	6	8	9	12	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	801	1.9	2	< 1	1	1	2	3	4	7
B. Operated	4168	4.0	5	< 1	1	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	1173	3.1	24	< 1	< 1	2	3	5	7	30
B. Operated	13197	4.7	6	1	2	4	6	7	8	12
1. SINGLE DX	4969	3.7	5	< 1	1	4	5	6	7	10
2. MULTIPLE DX	14370	4.6	7	1	2	4	6	7	8	13
A. Not Operated	1974	2.6	15	< 1	< 1	2	3	4	6	22
B. Operated	17365	4.5	5	1	2	4	6	7	8	12
TOTAL										
0-19 YRS	828	2.4	5	< 1	1	2	3	5	5	9
20-34	7546	3.6	5	< 1	1	4	5	6	7	10
35-49	6417	4.6	7	1	2	4	6	7	8	11
50-64	2780	5.3	7	2	3	5	6	8	9	13
65 +	1768	5.8	10	2	3	5	7	9	11	16
GRAND TOTAL	**19339**	**4.3**	**7**	**< 1**	**1**	**4**	**5**	**7**	**8**	**12**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.6	1	< 1	< 1	1	2	2	5	6
20-34	128	2.0	2	< 1	1	2	3	4	5	7
35-49	7	1.1		< 1	< 1	1	1	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	417	3.7	2	2	2	4	4	5	6	7
20-34	5105	3.7	2	2	2	4	4	5	6	7
35-49	782	3.7	2	1	2	4	4	5	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.1	1	< 1	< 1	2	3	4	4	4
20-34	71	1.9	1	< 1	< 1	1	3	4	4	6
35-49	7	6.0	52	1	1	2	11	18	19	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	383	4.2	2	2	3	4	5	6	7	9
20-34	5917	4.1	3	2	3	4	5	6	7	10
35-49	1110	4.3	4	2	3	4	5	6	7	11
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	1.9	2	< 1	< 1	1	2	4	5	7
B. Operated	6304	3.7	2	1	2	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	96	2.3	6	< 1	< 1	2	3	4	5	16
B. Operated	7411	4.2	3	2	3	4	5	6	7	10
1. SINGLE DX	6456	3.6	2	1	2	4	4	5	6	7
2. MULTIPLE DX	7507	4.1	3	2	3	4	5	6	7	10
A. Not Operated	248	2.1	3	< 1	< 1	1	3	4	5	8
B. Operated	13715	3.9	3	2	2	4	5	6	6	9
TOTAL										
0-19 YRS	835	3.9	2	1	2	4	5	6	6	8
20-34	11221	3.9	2	2	2	4	5	5	6	9
35-49	1906	4.1	3	1	2	4	5	6	7	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**13963**	**3.9**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**9**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	1.4	1	< 1	< 1	1	2	2	3	4
20-34	80	1.5	1	< 1	1	1	2	3	4	6
35-49	15	1.5	1	< 1	1	1	2	2	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	511	1.4	1	< 1	< 1	1	2	2	3	5
20-34	820	1.4	1	< 1	< 1	1	1	2	3	5
35-49	148	1.4	2	< 1	< 1	1	1	2	4	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	2.1	3	< 1	< 1	2	2	4	6	10
20-34	169	2.0	6	< 1	1	1	2	3	6	12
35-49	43	1.5	1	< 1	< 1	1	2	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	725	1.4	3	< 1	< 1	< 1	< 1	2	3	10
20-34	2306	1.6	4	< 1	< 1	< 1	1	3	5	10
35-49	346	1.9	6	< 1	< 1	1	2	4	6	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	1.5	1	< 1	1	1	2	2	4	6
B. Operated	1479	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	248	1.9	5	< 1	1	1	2	3	5	10
B. Operated	3377	1.6	4	< 1	< 1	< 1	1	3	5	10
1. SINGLE DX	1615	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	3625	1.6	4	< 1	< 1	< 1	1	3	5	10
A. Not Operated	384	1.8	3	< 1	1	1	2	3	4	10
B. Operated	4856	1.5	3	< 1	< 1	< 1	1	2	4	9
TOTAL										
0-19 YRS	1313	1.4	2	< 1	< 1	< 1	1	2	3	8
20-34	3375	1.6	3	< 1	< 1	< 1	1	3	4	9
35-49	552	1.8	5	< 1	< 1	1	2	3	5	6
50-64	0									
65 +	0									
GRAND TOTAL	**5240**	**1.6**	**3**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	3.0	3	< 1	< 1	3	4	5	5	5
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	11	2.5	2	< 1	< 1	3	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	6	2.5	2	1	1	2	4	4	4	4
1. SINGLE DX	12	2.5	2	< 1	< 1	3	3	5	5	5
2. MULTIPLE DX	7	2.7	2	1	1	3	4	4	4	4
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	17	2.5	2	< 1	< 1	3	3	5	5	5
TOTAL										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	11	3.0	2	< 1	< 1	3	4	5	5	5
35-49	5	1.6	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**19**	**2.6**	**2**	**<1**	**<1**	**3**	**4**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	413	1.4	1	< 1	< 1	1	2	2	3	4
20-34	1344	1.4	1	< 1	< 1	1	2	2	3	5
35-49	163	1.4	1	< 1	< 1	1	1	2	3	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2449	1.3	1	< 1	< 1	1	1	2	3	4
20-34	13237	1.2		< 1	< 1	1	1	2	2	4
35-49	2460	1.2		< 1	< 1	1	1	2	2	4
50-64	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	2.1	3	< 1	1	2	3	4	5	11
20-34	445	2.1	3	< 1	< 1	1	2	4	5	9
35-49	59	1.9	2	< 1	< 1	1	2	4	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	551	1.9	3	< 1	< 1	1	2	4	5	8
20-34	3009	1.9	3	< 1	< 1	1	2	4	5	9
35-49	759	1.8	3	< 1	< 1	1	2	3	5	10
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1920	1.4	1	< 1	< 1	1	2	2	3	5
B. Operated	18149	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	622	2.1	3	< 1	< 1	1	2	4	5	9
B. Operated	4321	1.9	3	< 1	< 1	1	2	4	5	9
1. SINGLE DX	20069	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	4943	1.9	3	< 1	< 1	1	2	4	5	9
A. Not Operated	2542	1.6	1	< 1	< 1	1	2	3	4	6
B. Operated	22470	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL										
0-19 YRS	3531	1.4	1	< 1	< 1	1	1	2	3	5
20-34	18035	1.3	1	< 1	< 1	1	1	2	3	5
35-49	3441	1.3	1	< 1	< 1	1	1	2	3	5
50-64	5	1.4	1	< 1	< 1	< 1	1	3	3	3
65 +	0									
GRAND TOTAL	**25012**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	161	2.4	3	< 1	1	2	3	4	5	11
20-34	617	1.9	2	< 1	1	1	2	4	5	8
35-49	100	1.9	2	< 1	< 1	1	2	4	5	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	357	1.6	4	< 1	< 1	1	2	3	3	6
20-34	2758	1.3	1	< 1	< 1	1	1	2	3	5
35-49	485	1.3	1	< 1	< 1	1	1	2	3	6
50-64	3	1.3		1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	3.4	10	1	1	3	4	6	8	20
20-34	363	2.9	5	1	1	2	4	5	7	12
35-49	45	2.6	6	< 1	1	2	3	5	7	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	194	2.5	5	< 1	1	2	3	5	6	11
20-34	1169	2.4	10	< 1	< 1	1	3	5	6	12
35-49	260	2.2	5	< 1	< 1	1	2	5	7	12
50-64	4	3.3	4	1	1	3	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	879	2.0	2	< 1	< 1	1	3	4	5	8
B. Operated	3603	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	491	3.0	6	1	1	2	4	5	7	12
B. Operated	1627	2.4	9	< 1	< 1	1	3	5	6	11
1. SINGLE DX	4482	1.5	1	< 1	< 1	1	1	3	3	6
2. MULTIPLE DX	2118	2.5	8	< 1	< 1	2	3	5	7	12
A. Not Operated	1370	2.4	4	< 1	1	2	3	5	6	10
B. Operated	5230	1.7	4	< 1	< 1	1	2	3	4	8
TOTAL										
0-19 YRS	795	2.2	5	< 1	< 1	1	3	4	5	11
20-34	4907	1.8	4	< 1	< 1	1	2	3	5	8
35-49	890	1.7	3	< 1	< 1	1	2	3	5	9
50-64	8	2.5	3	1	1	2	4	5	5	5
65 +	0									
GRAND TOTAL	**6600**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	302	1.7	1	< 1	< 1	1	2	3	3	5
20-34	1812	1.8	4	< 1	1	1	2	3	4	6
35-49	156	1.8	1	< 1	< 1	1	2	4	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	1.6	1	< 1	< 1	1	2	3	4	5
20-34	79	1.8	5	< 1	< 1	1	2	4	5	15
35-49	12	1.5	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	[illegible]	2.2	2	< 1	< 1	2	3	4	5	8
20-34	650	2.7	15	< 1	1	2	3	4	6	12
35-49	87	2.7	5	1	1	2	3	6	7	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.2	1	< 1	1	2	3	4	5	5
20-34	80	3.3	23	< 1	1	2	4	6	8	32
35-49	4	2.0	4	< 1	< 1	1	3	5	5	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2270	1.8	4	< 1	< 1	1	2	3	4	6
B. Operated	114	1.7	4	< 1	< 1	1	2	3	5	11
2. MULTIPLE DX										
A. Not Operated	846	2.6	12	< 1	1	2	3	4	6	11
B. Operated	98	3.1	19	< 1	1	2	3	6	8	29
1. SINGLE DX	2384	1.8	4	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	944	2.7	13	< 1	1	2	3	4	6	12
A. Not Operated	3116	2.0	6	< 1	1	2	2	4	4	8
B. Operated	212	2.3	11	< 1	< 1	1	2	5	7	19
TOTAL										
0-19 YRS	446	1.8	1	< 1	< 1	1	2	3	4	6
20-34	2621	2.1	8	< 1	1	2	2	4	4	8
35-49	259	2.1	3	< 1	1	2	3	4	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**3328**	**2.1**	**6**	**< 1**	**1**	**2**	**2**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.3		< 1	1	1	2	2	3	3
20-34	223	1.7	1	< 1	< 1	1	2	3	4	5
35-49	17	2.1	1	< 1	1	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	10	1.3		< 1	< 1	1	1	2	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	1.6	1	< 1	< 1	1	2	3	3	3
20-34	114	2.4	5	< 1	1	2	3	5	6	13
35-49	10	2.6	4	1	1	2	3	6	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	7	2.4	2	< 1	< 1	2	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	1.7	1	< 1	< 1	1	2	3	4	5
B. Operated	13	1.2		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	140	2.3	4	< 1	1	2	3	4	6	12
B. Operated	11	2.1	2	< 1	< 1	1	3	4	4	4
1. SINGLE DX	278	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	151	2.3	4	< 1	1	2	3	4	6	12
A. Not Operated	405	1.9	2	< 1	< 1	1	2	3	4	8
B. Operated	24	1.6	1	< 1	< 1	1	2	4	4	4
TOTAL										
0-19 YRS	47	1.4		< 1	< 1	1	2	3	3	3
20-34	354	2.0	2	< 1	< 1	1	2	4	4	8
35-49	28	2.3	2	< 1	1	2	3	3	4	8
50-64	0									
65 +	0									
GRAND TOTAL	**429**	**1.9**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	621	2.7	4	< 1	1	2	3	5	6	11
20-34	3089	2.7	4	< 1	1	2	3	5	6	10
35-49	340	2.9	6	< 1	1	2	3	5	7	12
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	52	3.5	20	< 1	< 1	2	4	7	13	27
20-34	337	2.9	6	< 1	1	2	4	5	7	14
35-49	37	3.1	12	< 1	< 1	2	3	8	10	18
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	208	2.8	4	< 1	1	2	3	5	7	11
20-34	1184	3.2	7	< 1	1	2	4	6	8	13
35-49	194	3.4	6	< 1	1	3	4	7	9	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	79	3.0	7	< 1	< 1	2	4	7	8	13
20-34	357	3.5	25	< 1	< 1	2	4	8	11	22
35-49	57	3.1	9	< 1	< 1	2	4	6	10	16
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4051	2.7	4	< 1	1	2	3	5	6	10
B. Operated	426	3.0	8	< 1	< 1	2	4	5	8	15
2. MULTIPLE DX										
A. Not Operated	1586	3.2	6	< 1	1	2	4	6	8	13
B. Operated	493	3.4	21	< 1	< 1	2	4	7	11	20
1. SINGLE DX	4477	2.7	4	< 1	1	2	3	5	6	11
2. MULTIPLE DX	2079	3.2	10	< 1	< 1	2	4	6	9	14
A. Not Operated	5637	2.8	5	< 1	1	2	3	5	7	11
B. Operated	919	3.2	15	< 1	< 1	2	4	7	9	17
TOTAL										
0-19 YRS	960	2.8	5	< 1	1	2	3	5	7	11
20-34	4967	2.9	6	< 1	1	2	3	5	7	12
35-49	628	3.1	7	< 1	1	2	4	6	8	13
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**6556**	**2.9**	**6**	**< 1**	**1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	834	2.9	3	1	1	3	3	5	6	10
20-34	4624	3.4	6	1	1	3	4	6	7	12
35-49	231	3.8	7	1	1	3	5	7	9	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	4.4	19	< 1	< 1	2	7	11	12	12
20-34	60	5.0	49	< 1	< 1	2	5	12	26	29
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	557	3.1	7	1	1	2	4	5	7	13
20-34	3096	3.6	7	1	1	3	4	6	8	14
35-49	150	4.2	8	1	2	3	5	8	10	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	4.7	15	1	1	4	6	9	14	15
20-34	148	9.0	116	1	1	5	11	22	29	54
35-49	9	9.2	96	2	2	5	11	27	29	29
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5689	3.3	5	1	1	3	4	6	7	12
B. Operated	72	4.8	43	< 1	< 1	2	5	11	25	29
2. MULTIPLE DX										
A. Not Operated	3803	3.5	7	1	1	3	4	6	8	14
B. Operated	170	8.7	108	1	1	5	11	22	29	52
1. SINGLE DX	5761	3.4	6	1	1	3	4	6	7	12
2. MULTIPLE DX	3973	3.8	13	1	1	3	4	7	9	18
A. Not Operated	9492	3.4	6	1	1	3	4	6	8	13
B. Operated	242	7.5	91	< 1	1	4	9	21	27	47
TOTAL										
0-19 YRS	1412	3.0	5	1	1	3	4	5	7	12
20-34	7928	3.6	9	1	1	3	4	6	8	15
35-49	394	4.0	10	1	1	3	5	7	9	18
50-64	0									
65 +	0									
GRAND TOTAL	**9734**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2186	1.1	1	< 1	< 1	< 1	1	1	2	3
20-34	9016	1.1		< 1	< 1	< 1	1	1	2	3
35-49	622	1.1	2	< 1	< 1	< 1	1	1	2	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	393	1.1		< 1	< 1	< 1	1	1	2	5
20-34	1682	1.1		< 1	< 1	< 1	1	1	2	4
35-49	97	1.3	3	< 1	< 1	< 1	1	1	2	11
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	305	1.5	2	< 1	< 1	1	1	2	3	8
20-34	1221	1.5	2	< 1	< 1	1	1	3	4	8
35-49	107	1.3	1	< 1	< 1	1	1	2	3	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	62	1.5	1	< 1	< 1	1	2	3	4	7
20-34	259	1.8	12	< 1	< 1	1	1	3	5	13
35-49	20	1.2		< 1	< 1	1	1	2	2	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11824	1.1	1	< 1	< 1	< 1	1	1	2	3
B. Operated	2173	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	1633	1.5	2	< 1	< 1	1	1	3	4	8
B. Operated	341	1.7	9	< 1	< 1	1	1	3	4	9
1. SINGLE DX	13997	1.1	1	< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX	1974	1.5	3	< 1	< 1	1	1	3	4	8
A. Not Operated	13457	1.1	1	< 1	< 1	< 1	1	1	2	4
B. Operated	2514	1.2	2	< 1	< 1	< 1	1	1	2	5
TOTAL										
0-19 YRS	2946	1.2	1	< 1	< 1	< 1	1	1	2	4
20-34	12178	1.2	1	< 1	< 1	< 1	1	1	2	4
35-49	846	1.2	2	< 1	< 1	< 1	1	1	2	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**15971**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	2.6	7	< 1	< 1	2	3	4	7	18
20-34	1105	2.9	12	< 1	1	2	3	5	7	20
35-49	154	2.8	7	< 1	1	2	3	5	7	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	3.2	8	< 1	< 1	2	4	7	10	11
20-34	107	4.5	39	< 1	1	2	4	10	14	38
35-49	21	3.0	4	< 1	1	3	4	5	7	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	3.1	13	< 1	< 1	2	4	5	6	23
20-34	464	4.2	21	1	1	3	5	9	14	24
35-49	82	4.5	64	< 1	1	3	5	7	10	55
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	16.5	185	3	3	14	26	35	35	35
20-34	78	6.5	85	< 1	1	4	6	14	24	50
35-49	12	7.3	102	< 1	1	5	7	18	35	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1330	2.9	11	< 1	1	2	3	5	7	18
B. Operated	140	4.2	31	< 1	1	3	4	9	13	36
2. MULTIPLE DX										
A. Not Operated	586	4.2	26	< 1	1	3	5	8	12	24
B. Operated	94	7.0	93	< 1	1	4	7	15	33	49
1. SINGLE DX	1470	3.0	13	< 1	1	2	3	5	8	20
2. MULTIPLE DX	680	4.6	36	< 1	1	3	5	9	15	31
A. Not Operated	1916	3.3	16	< 1	1	2	4	6	9	22
B. Operated	234	5.3	58	< 1	1	3	5	11	17	43
TOTAL										
0-19 YRS	127	3.2	19	< 1	< 1	2	3	5	9	26
20-34	1754	3.5	20	< 1	1	2	4	7	11	24
35-49	269	3.5	29	< 1	1	2	4	6	9	23
50-64	0									
65 +	0									
GRAND TOTAL	**2150**	**3.5**	**21**	**<1**	**1**	**2**	**4**	**7**	**10**	**24**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	255	1.8	2	< 1	< 1	1	2	3	5	8
20-34	1414	2.0	4	< 1	< 1	1	2	4	5	10
35-49	135	1.7	2	< 1	< 1	1	2	3	4	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	1.3		< 1	< 1	1	1	2	3	3
20-34	173	1.9	3	< 1	< 1	1	2	3	6	9
35-49	14	2.6	5	< 1	1	2	3	6	8	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	143	2.6	7	< 1	< 1	2	3	6	8	14
20-34	761	2.9	13	< 1	< 1	2	3	6	8	20
35-49	77	2.7	8	< 1	< 1	2	3	6	8	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	3.3	24	< 1	1	2	3	6	14	24
20-34	99	3.7	14	< 1	< 1	2	5	7	10	21
35-49	9	3.3	6	1	1	3	4	7	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1804	1.9	4	< 1	< 1	1	2	4	5	9
B. Operated	209	1.9	3	< 1	< 1	1	2	3	6	9
2. MULTIPLE DX										
A. Not Operated	981	2.8	12	< 1	< 1	2	3	6	8	18
B. Operated	130	3.6	15	< 1	1	2	4	7	9	24
1. SINGLE DX	2013	1.9	4	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX	1111	2.9	12	< 1	< 1	2	3	6	8	19
A. Not Operated	2785	2.3	7	< 1	< 1	1	3	4	6	14
B. Operated	339	2.5	8	< 1	< 1	1	3	6	7	16
TOTAL										
0-19 YRS	442	2.1	5	< 1	< 1	1	2	4	6	12
20-34	2447	2.3	8	< 1	< 1	1	3	4	6	14
35-49	235	2.2	5	< 1	< 1	1	2	4	6	11
50-64	0									
65 +	0									
GRAND TOTAL	**3124**	**2.3**	**7**	**<1**	**<1**	**1**	**3**	**4**	**6**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	441	3.0	3	< 1	1	3	4	5	6	7
20-34	1052	2.7	3	< 1	1	3	4	5	5	7
35-49	45	2.5	2	< 1	< 1	2	3	4	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	39	2.1	3	< 1	< 1	1	2	5	6	7
20-34	87	2.3	4	< 1	< 1	2	3	5	6	12
35-49	4	2.0	4	1	1	1	3	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1466	3.2	3	< 1	1	3	4	5	6	9
20-34	3255	3.1	4	< 1	1	3	4	5	6	10
35-49	106	3.2	4	< 1	1	3	4	5	6	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	80	4.2	12	< 1	1	3	5	9	11	16
20-34	259	3.7	8	< 1	1	3	5	7	9	14
35-49	10	3.5	9	1	1	2	7	8	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1538	2.8	3	< 1	1	3	4	5	6	7
B. Operated	130	2.2	4	< 1	< 1	1	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	4827	3.1	4	< 1	1	3	4	5	6	10
B. Operated	349	3.8	9	< 1	1	3	5	8	9	15
1. SINGLE DX	1668	2.8	3	< 1	1	3	4	5	6	7
2. MULTIPLE DX	5176	3.2	4	< 1	1	3	4	5	7	10
A. Not Operated	6365	3.0	3	< 1	1	3	4	5	6	9
B. Operated	479	3.4	8	< 1	< 1	2	4	7	9	14
TOTAL										
0-19 YRS	2026	3.2	4	< 1	1	3	4	5	6	10
20-34	4653	3.0	4	< 1	1	3	4	5	6	10
35-49	165	3.0	4	< 1	1	3	4	5	6	11
50-64	0									
65 +	0									
GRAND TOTAL	**6844**	**3.1**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	189	2.9	4	<1	<1	2	4	6	8	9
20-34	1597	3.2	6	1	1	3	4	6	8	12
35-49	326	3.5	5	1	1	3	4	6	7	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	2.4	3	<1	<1	2	3	5	6	6
20-34	140	3.0	7	<1	<1	2	4	6	8	15
35-49	22	2.5	3	<1	<1	2	3	5	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1234	2.9	11	<1	<1	2	3	6	8	14
20-34	6388	3.4	15	<1	1	2	4	7	9	18
35-49	701	3.8	11	<1	1	3	5	7	9	16
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	175	3.5	12	<1	<1	3	4	7	10	18
20-34	918	4.3	25	<1	1	3	5	8	11	28
35-49	98	4.2	20	<1	<1	3	5	8	11	27
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2112	3.2	6	<1	1	3	4	6	8	12
B. Operated	183	2.9	6	<1	<1	2	4	5	8	13
2. MULTIPLE DX										
A. Not Operated	8324	3.4	14	<1	1	2	4	7	9	17
B. Operated	1191	4.2	23	<1	1	3	5	8	11	27
1. SINGLE DX	2295	3.2	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	9515	3.5	15	<1	1	2	4	7	9	18
A. Not Operated	10436	3.4	12	<1	1	2	4	7	8	16
B. Operated	1374	4.0	21	<1	1	3	5	8	11	26
TOTAL										
0-19 YRS	1619	3.0	10	<1	<1	2	4	6	8	14
20-34	9043	3.5	14	<1	1	3	4	7	9	18
35-49	1147	3.7	10	<1	1	3	5	7	8	16
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**11810**	**3.4**	**13**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2733	2.0	8	<1	<1	1	2	4	5	10
20-34	12266	2.1	7	<1	<1	1	2	4	6	13
35-49	905	2.3	11	<1	<1	1	2	4	7	13
50-64	5	1.6	1	1	1	1	2	3	3	3
65 +	0									
B. Operated										
0-19 YRS	809	2.3	7	<1	<1	1	3	4	6	15
20-34	4480	2.2	9	<1	<1	1	2	4	6	14
35-49	448	2.3	11	<1	<1	1	2	4	6	17
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1610	2.9	11	<1	<1	2	3	6	8	18
20-34	7216	3.0	19	<1	<1	2	3	6	9	22
35-49	651	3.7	29	<1	<1	2	4	7	12	34
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	558	3.2	17	<1	<1	2	4	7	10	24
20-34	3347	3.1	19	<1	<1	2	3	6	9	23
35-49	340	3.2	39	<1	<1	1	3	5	12	23
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15909	2.1	8	<1	<1	1	2	4	6	12
B. Operated	5737	2.2	9	<1	<1	1	2	4	6	14
2. MULTIPLE DX										
A. Not Operated	9478	3.1	18	<1	<1	2	3	6	9	22
B. Operated	4245	3.1	20	<1	<1	2	3	6	9	23
1. SINGLE DX	21646	2.1	8	<1	<1	1	2	4	6	13
2. MULTIPLE DX	13723	3.1	19	<1	[illegible]	2	3	6	9	22
A. Not Operated	25387	2.5	12	<1	<1	1	3	5	7	16
B. Operated	9982	2.6	14	<1	[illegible]	1	3	5	8	19
TOTAL										
0-19 YRS	5710	2.4	10	<1	<1	1	3	5	6	15
20-34	27309	2.5	12	<1	<1	1	3	5	7	17
35-49	2344	2.8	20	<1	<1	1	3	6	9	21
50-64	6	1.5	1	1	1	1	2	3	3	3
65 +	0									
GRAND TOTAL	**35369**	**2.5**	**12**	**<1**	**<1**	**1**	**3**	**5**	**7**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	305	2.3	1	1	1	2	3	3	4	4
20-34	1794	2.4	1	1	1	2	3	3	4	5
35-49	205	2.5	1	1	1	3	3	3	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	170	2.9	4	1	1	3	3	4	5	13
20-34	1270	3.0	2	1	2	3	4	4	5	6
35-49	162	3.0	2	1	2	3	4	5	6	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	632	2.5	2	1	1	2	3	3	4	6
20-34	3305	2.6	4	1	1	2	3	4	4	7
35-49	314	2.7	2	1	1	3	3	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	853	3.9	19	1	2	3	4	6	8	24
20-34	7724	3.9	15	1	2	3	4	6	7	22
35-49	1176	4.0	10	2	2	3	5	6	8	17
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2305	2.4	1	1	1	2	3	3	4	5
B. Operated	1603	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	4252	2.6	3	1	1	2	3	4	4	7
B. Operated	9754	3.9	15	1	2	3	4	6	7	22
1. SINGLE DX	3908	2.6	1	1	1	2	3	4	4	6
2. MULTIPLE DX	14006	3.5	12	1	2	3	4	5	7	17
A. Not Operated	6557	2.5	2	1	1	2	3	4	4	6
B. Operated	11357	3.8	13	1	2	3	4	6	7	19
TOTAL										
0-19 YRS	1960	3.1	10	1	1	3	3	5	6	16
20-34	14093	3.3	10	1	2	3	4	5	6	14
35-49	1857	3.5	7	1	2	3	4	5	7	14
50-64	4	3.0	3	1	1	3	4	5	5	5
65 +	0									
GRAND TOTAL	**17914**	**3.3**	**10**	**1**	**2**	**3**	**4**	**5**	**6**	**14**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14522	2.1	1	1	1	2	3	3	3	4
20-34	89650	2.2	1	1	1	2	3	3	3	4
35-49	6448	2.2	1	1	1	2	3	3	4	4
50-64	13	2.2	1	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	4942	2.1	1	1	1	2	3	3	3	4
20-34	27929	2.2	1	1	1	2	3	3	3	4
35-49	1896	2.3	1	1	1	2	3	3	3	4
50-64	8	2.4	1	1	1	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	601	2.4	1	1	1	2	3	3	4	6
20-34	3154	2.4	1	1	1	2	3	3	4	5
35-49	277	2.6	1	1	1	3	3	4	4	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	381	2.4	1	1	1	2	3	3	4	4
20-34	12525	2.7	1	1	2	3	3	4	4	5
35-49	1748	2.8	1	1	2	3	3	4	4	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110633	2.2	1	1	1	2	3	3	3	4
B. Operated	34775	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	4034	2.4	1	1	1	2	3	3	4	5
B. Operated	14655	2.7	1	1	2	3	3	4	4	5
1. SINGLE DX	145408	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX	18689	2.6	1	1	2	3	3	4	4	5
A. Not Operated	114667	2.2	1	1	1	2	3	3	3	4
B. Operated	49430	2.3	1	1	1	2	3	3	4	5
TOTAL										
0-19 YRS	20446	2.2	1	1	1	2	3	3	3	4
20-34	133258	2.2	1	1	1	2	3	3	4	4
35-49	10369	2.3	1	1	1	2	3	3	4	5
50-64	24	2.3	1	1	1	2	3	3	4	4
65 +	0									
GRAND TOTAL	**164097**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.0	1	< 1	< 1	2	3	3	3	3
20-34	54	2.4	2	1	1	2	3	4	5	8
35-49	7	2.1		1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	7.1	114	1	2	4	5	14	33	49
20-34	400	6.0	51	2	3	4	5	8	19	35
35-49	76	7.3	101	3	3	4	5	11	35	58
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.6	3	1	1	2	3	5	7	8
20-34	80	4.0	25	1	1	3	4	7	15	30
35-49	9	5.1	30	< 1	1	3	5	15	18	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	62	8.9	161	2	3	5	7	17	42	63
20-34	1344	8.4	100	3	3	5	7	18	29	56
35-49	315	10.4	185	3	3	5	9	25	42	74
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.4	1	1	1	2	3	3	4	8
B. Operated	495	6.2	61	2	3	4	5	8	20	46
2. MULTIPLE DX										
A. Not Operated	105	3.9	22	1	1	3	3	7	14	29
B. Operated	1721	8.8	118	3	3	5	8	20	32	60
1. SINGLE DX	563	5.8	56	2	2	4	5	7	17	42
2. MULTIPLE DX	1826	8.5	114	2	3	5	7	19	30	58
A. Not Operated	173	3.3	15	1	1	2	3	5	8	25
B. Operated	2216	8.2	107	3	3	5	7	18	29	59
TOTAL										
0-19 YRS	104	7.1	123	1	2	4	6	13	30	60
20-34	1878	7.5	86	2	3	5	6	16	27	54
35-49	407	9.6	165	3	3	5	8	23	39	67
50-64	0									
65 +	0									
GRAND TOTAL	**2389**	**7.9**	**102**	**2**	**3**	**5**	**6**	**17**	**28**	**57**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.0	1	1	1	2	2	3	3	6
20-34	327	2.2	3	1	1	2	3	3	4	6
35-49	36	1.9	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	81	3.5	2	1	2	3	4	5	5	7
20-34	496	3.5	2	1	2	3	5	5	6	7
35-49	39	3.7	3	1	2	4	5	6	6	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	2.2	2	< 1	1	2	3	4	5	9
20-34	477	2.7	5	1	1	2	3	4	6	13
35-49	45	3.2	8	1	1	2	4	6	10	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	279	4.1	6	1	2	4	5	6	8	15
20-34	2169	4.6	22	2	2	4	5	7	9	25
35-49	266	5.1	15	2	2	4	6	8	10	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	419	2.2	2	1	1	2	3	3	4	6
B. Operated	616	3.5	2	1	2	3	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	613	2.7	5	1	1	2	3	4	6	13
B. Operated	2714	4.6	20	2	2	4	5	7	9	22
1. SINGLE DX	1035	3.0	3	1	1	3	4	5	5	7
2. MULTIPLE DX	3327	4.3	18	1	2	4	5	6	9	21
A. Not Operated	1032	2.5	4	1	1	2	3	4	5	10
B. Operated	3330	4.4	17	1	2	4	5	6	8	20
TOTAL										
0-19 YRS	507	3.4	5	1	1	3	4	5	7	12
20-34	3469	4.0	16	1	2	3	5	6	8	20
35-49	386	4.4	13	1	2	4	5	7	10	20
50-64	0									
65 +	0									
GRAND TOTAL	**4362**	**4.0**	**15**	**1**	**1**	**3**	**5**	**6**	**8**	**19**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.0	1	< 1	< 1	2	3	3	3	3
20-34	92	2.2	1	1	1	2	3	3	4	4
35-49	5	2.6	3	< 1	< 1	2	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	140	2.2	1	1	1	2	3	3	4	5
20-34	1369	2.3	1	1	1	2	3	3	4	5
35-49	111	2.3	1	1	1	2	3	3	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.4	1	1	1	2	3	4	5	5
20-34	68	2.2	1	1	1	2	3	3	4	4
35-49	5	2.4	2	< 1	< 1	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	140	2.5	2	1	1	2	3	4	5	7
20-34	1193	2.7	2	1	1	2	3	4	5	7
35-49	139	3.1	11	1	1	3	4	5	6	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	2.2	1	1	1	2	3	3	4	5
B. Operated	1620	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	86	2.3	1	1	1	2	3	3	4	5
B. Operated	1472	2.7	3	1	1	2	3	4	5	7
1. SINGLE DX	1728	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1558	2.7	3	1	1	2	3	4	5	7
A. Not Operated	194	2.2	1	1	1	2	3	3	4	5
B. Operated	3092	2.5	2	1	1	2	3	4	4	7
TOTAL										
0-19 YRS	304	2.3	1	1	1	2	3	4	4	6
20-34	2722	2.4	1	1	1	2	3	4	4	6
35-49	260	2.7	6	1	1	2	3	4	5	10
50-64	0									
65 +	0									
GRAND TOTAL	**3286**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	2.1	1	1	1	2	3	3	4	5
20-34	547	2.2	1	1	1	2	3	3	4	4
35-49	30	2.2	1	< 1	1	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	62	2.2	1	1	1	2	3	4	4	5
20-34	347	2.3	1	1	1	2	3	3	4	5
35-49	34	2.4	1	2	2	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	2.5	1	1	1	3	3	4	4	7
20-34	438	2.6	1	1	2	2	3	4	4	6
35-49	28	2.8	1	1	1	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	92	2.6	2	< 1	1	2	3	4	5	10
20-34	658	2.9	2	1	1	3	3	4	5	7
35-49	60	3.2	4	1	1	3	4	5	7	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	668	2.2	1	1	1	2	3	3	4	5
B. Operated	443	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	535	2.6	1	1	1	2	3	4	4	6
B. Operated	810	2.8	2	1	1	3	3	4	5	8
1. SINGLE DX	1111	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1345	2.7	2	1	1	3	3	4	5	7
A. Not Operated	1203	2.4	1	1	1	2	3	3	4	5
B. Operated	1253	2.7	2	1	1	2	3	4	5	7
TOTAL										
0-19 YRS	314	2.4	1	1	1	2	3	4	4	7
20-34	1990	2.5	1	1	1	2	3	4	4	6
35-49	152	2.7	2	1	1	3	3	4	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**2456**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.6	1	1	2	3	3	4	4	4
20-34	194	2.8	1	1	2	3	3	4	4	6
35-49	12	2.8	1	1	1	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	3.7	6	1	1	3	4	8	10	10
20-34	228	3.6	2	2	2	3	5	6	6	8
35-49	25	3.1	1	1	2	3	3	5	5	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	3.1	3	1	1	3	4	5	7	8
20-34	304	3.0	3	1	1	3	4	5	6	12
35-49	22	2.6	1	< 1	1	3	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	170	4.5	7	2	2	4	5	7	10	18
20-34	2353	5.3	29	2	2	4	5	7	11	35
35-49	278	5.6	31	2	3	5	6	8	12	32
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	2.8	1	1	2	3	3	4	4	6
B. Operated	273	3.6	2	2	2	3	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	369	3.0	3	1	1	3	4	5	6	11
B. Operated	2801	5.3	27	2	2	4	5	7	11	33
1. SINGLE DX	500	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX	3170	5.0	25	2	2	4	5	7	10	31
A. Not Operated	596	2.9	2	1	1	3	3	4	5	9
B. Operated	3074	5.1	25	2	2	4	5	7	10	32
TOTAL										
0-19 YRS	253	4.1	6	1	2	4	5	7	8	16
20-34	3079	4.8	23	2	2	4	5	7	9	29
35-49	337	5.1	26	2	2	4	5	8	10	30
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**3670**	**4.8**	**22**	**2**	**2**	**4**	**5**	**7**	**9**	**28**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE CF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.1	1	1	1	2	2	3	4	6
20-34	255	2.2	1	1	1	2	3	3	4	5
35-49	31	2.4	1	1	1	2	3	4	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	615	4.0	1	3	3	4	5	5	6	7
20-34	4862	4.0	1	2	3	4	5	5	6	7
35-49	353	4.1	1	2	3	4	5	5	6	7
50-64	3	4.7	1	4	4	4	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.2	2	< 1	1	2	3	4	5	6
20-34	151	2.5	5	< 1	1	2	3	4	5	6
35-49	22	3.2	5	1	1	3	4	6	8	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	741	4.7	5	2	3	4	5	7	8	14
20-34	6516	4.4	5	2	3	4	5	6	7	11
35-49	906	4.5	3	2	3	4	5	6	7	12
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	310	2.2	1	1	1	2	3	3	4	6
B. Operated	5833	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	199	2.5	5	< 1	1	2	3	4	5	8
B. Operated	8164	4.5	5	2	3	4	5	6	7	12
1. SINGLE DX	6143	3.9	1	2	3	4	5	5	6	7
2. MULTIPLE DX	8363	4.4	5	2	3	4	5	6	7	11
A. Not Operated	509	2.3	2	1	1	2	3	4	4	6
B. Operated	13997	4.3	3	2	3	4	5	6	6	10
TOTAL										
0-19 YRS	1406	4.3	4	2	3	4	5	6	7	11
20-34	11784	4.2	3	2	3	4	5	6	6	10
35-49	1312	4.3	3	2	3	4	5	6	7	11
50-64	4	4.5	1	4	4	4	5	6	6	6
65 +	0									
GRAND TOTAL	**14506**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	2.2	1	1	1	2	3	3	3	4
20-34	1371	2.2	1	1	1	2	3	3	3	4
35-49	126	2.2	1	1	1	2	3	3	3	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	294	3.1	2	1	1	3	4	5	6	7
20-34	2301	3.2	2	1	2	3	4	5	6	7
35-49	200	3.5	3	1	2	3	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	117	2.4	1	1	1	2	3	4	4	6
20-34	1063	2.3	1	1	1	2	3	3	4	5
35-49	111	2.4	1	1	1	2	3	3	4	6
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	1232	3.9	4	1	2	4	5	6	7	11
20-34	10490	3.8	4	2	2	4	5	5	6	9
35-49	1236	4.1	5	2	2	4	5	6	7	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1647	2.2	1	1	1	2	3	3	3	4
B. Operated	2795	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	1292	2.3	1	1	1	2	3	3	4	5
B. Operated	12958	3.8	4	2	2	4	5	6	6	9
1. SINGLE DX	4442	2.8	2	1	1	3	4	5	5	6
2. MULTIPLE DX	14250	3.7	4	1	2	4	5	5	6	9
A. Not Operated	2939	2.3	1	1	1	2	3	3	4	5
B. Operated	15753	3.7	4	1	2	4	5	5	6	9
TOTAL										
0-19 YRS	1792	3.5	4	1	2	3	4	5	7	10
20-34	15225	3.4	4	1	2	3	4	5	6	8
35-49	1673	3.7	5	1	2	4	5	6	6	10
50-64	2	5.0	32	1	1	5	9	9	9	9
65 +	0									
GRAND TOTAL	**18692**	**3.5**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.4	2	1	1	2	3	5	5	5
20-34	60	2.7	1	1	1	3	3	4	5	6
35-49	5	2.8	1	1	1	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	772	4.4	1	3	3	4	5	6	6	8
20-34	4530	4.5	2	3	3	4	5	6	6	7
35-49	265	4.6	1	3	3	5	5	6	6	7
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.5	3	1	1	3	5	6	7	7
20-34	85	3.0	2	1	1	3	4	5	5	7
35-49	6	3.7	3	2	2	3	5	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2699	4.9	3	3	3	5	5	7	8	12
20-34	16307	4.7	2	3	3	5	5	6	7	10
35-49	1385	4.8	3	3	3	5	5	6	7	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	2.6	1	1	1	3	3	4	5	6
B. Operated	5568	4.5	2	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	102	3.1	2	1	1	3	4	5	6	7
B. Operated	20391	4.7	2	3	3	5	5	6	7	10
1. SINGLE DX	5640	4.4	2	3	3	4	5	6	6	7
2. MULTIPLE DX	20493	4.7	2	3	3	5	5	6	7	10
A. Not Operated	174	2.9	2	1	1	3	4	5	5	7
B. Operated	25959	4.7	2	3	3	5	5	6	7	10
TOTAL										
0-19 YRS	3489	4.7	3	3	3	4	5	6	7	11
20-34	20982	4.6	2	3	3	4	5	6	7	9
35-49	1661	4.8	3	3	3	5	5	6	7	10
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
GRAND TOTAL	**26133**	**4.7**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	322	2.4	1	1	1	2	3	3	4	4
20-34	2201	2.5	1	1	1	2	3	4	4	5
35-49	161	2.3	1	1	1	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	639	3.5	2	1	2	4	4	5	6	7
20-34	4588	3.5	2	1	2	3	4	5	6	7
35-49	339	3.6	2	1	2	4	5	5	6	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	260	2.7	2	1	1	3	3	4	5	9
20-34	1624	2.6	2	1	1	3	3	4	4	6
35-49	142	2.6	1	1	1	3	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1820	4.2	6	2	2	4	5	6	8	13
20-34	13049	3.9	4	2	2	4	5	6	6	9
35-49	1301	4.2	8	2	2	4	5	6	7	10
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2684	2.5	1	1	1	2	3	4	4	5
B. Operated	5567	3.5	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	2026	2.6	2	1	1	3	3	4	4	6
B. Operated	16172	3.9	4	2	2	4	5	6	7	10
1. SINGLE DX	8251	3.1	2	1	2	3	4	5	5	6
2. MULTIPLE DX	18198	3.8	4	1	2	4	5	6	6	9
A. Not Operated	4710	2.5	1	1	1	2	3	4	4	5
B. Operated	21739	3.8	4	2	2	4	5	6	6	9
TOTAL										
0-19 YRS	3041	3.7	4	1	2	3	5	6	7	12
20-34	21462	3.5	3	1	2	3	5	5	6	8
35-49	1943	3.8	6	1	2	4	5	6	6	9
50-64	3	4.7	9	2	2	4	7	8	8	8
65 +	0									
GRAND TOTAL	**26449**	**3.6**	**3**	**1**	**2**	**3**	**5**	**5**	**6**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.5	1	1	1	3	3	3	4	4
20-34	286	2.4	1	1	1	2	3	3	4	5
35-49	42	2.5	1	1	1	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	153	4.0	2	1	2	4	5	6	6	7
20-34	925	3.6	3	1	2	4	5	5	6	7
35-49	90	3.7	3	1	2	4	5	6	6	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.4	2	1	1	2	3	4	5	7
20-34	277	2.8	12	1	1	2	3	4	5	21
35-49	51	3.6	51	1	1	2	3	4	5	53
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	347	4.2	6	2	2	4	5	6	7	9
20-34	3261	4.3	10	2	2	4	5	6	7	13
35-49	496	4.6	19	2	2	4	5	6	7	16
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	361	2.4	1	1	1	2	3	3	4	5
B. Operated	1168	3.7	3	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	357	2.9	17	1	1	2	3	4	5	23
B. Operated	4105	4.3	10	2	2	4	5	6	7	13
1. SINGLE DX	1529	3.4	3	1	2	3	4	5	6	7
2. MULTIPLE DX	4462	4.2	11	2	2	4	5	6	7	13
A. Not Operated	718	2.7	9	1	1	2	3	4	4	7
B. Operated	5273	4.2	9	2	2	4	5	6	7	11
TOTAL										
0-19 YRS	562	4.0	5	1	2	4	5	6	7	9
20-34	4749	3.9	8	1	2	4	5	6	7	11
35-49	679	4.3	18	1	2	4	5	6	7	12
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**5991**	**4.0**	**9**	**1**	**2**	**4**	**5**	**6**	**7**	**11**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.3	1	< 1	1	2	3	4	5	6
20-34	839	2.2	1	1	1	2	3	3	4	5
35-49	89	2.3	1	1	1	2	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	946	4.1	1	2	3	4	5	5	6	7
20-34	18180	4.1	1	3	3	4	5	5	6	7
35-49	1651	4.3	1	3	3	4	5	6	6	7
50-64	3	4.3	1	3	3	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.1	1	< 1	1	2	2	4	5	5
20-34	426	2.4	2	1	1	2	3	4	4	7
35-49	55	2.5	1	1	1	2	3	4	4	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	868	4.3	2	2	3	4	5	6	7	9
20-34	27897	4.3	3	3	3	4	5	6	6	9
35-49	3995	4.6	3	3	3	4	5	6	7	10
50-64	3	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	951	2.2	1	1	1	2	3	3	4	5
B. Operated	20780	4.2	1	3	3	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	498	2.4	2	1	1	2	3	4	4	7
B. Operated	32763	4.4	3	3	3	4	5	6	6	9
1. SINGLE DX	21731	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX	33261	4.3	3	2	3	4	5	6	6	9
A. Not Operated	1449	2.3	1	1	1	2	3	3	4	5
B. Operated	53543	4.3	2	3	3	4	5	6	6	8
TOTAL										
0-19 YRS	1854	4.1	2	2	3	4	5	6	6	8
20-34	47342	4.2	2	2	3	4	5	6	6	8
35-49	5790	4.4	3	2	3	4	5	6	7	9
50-64	6	4.7	1	3	3	5	5	5	5	5
65 +	0									
GRAND TOTAL	**54992**	**4.2**	**2**	**2**	**3**	**4**	**5**	**6**	**6**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	469	2.7	2	1	2	3	3	4	4	7
20-34	3209	2.6	1	1	1	3	3	4	4	5
35-49	290	2.7	2	1	2	3	3	4	4	7
50-64	0									
65 +	0									
B Operated										
0-19 YRS	380	2.7	3	1	1	2	3	4	4	10
20-34	2688	2.8	3	1	2	3	3	4	5	6
35-49	214	2.8	2	1	1	3	3	4	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	529	3.2	8	1	2	3	3	5	6	13
20-34	2975	3.1	5	1	2	3	3	5	6	11
35-49	317	3.1	3	1	2	3	3	4	6	12
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1391	3.9	6	1	2	3	5	6	8	14
20-34	11046	3.9	11	1	2	3	5	6	7	16
35-49	1350	4.2	12	1	2	3	5	6	8	17
50-64	3	3.7	1	3	3	3	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3968	2.6	1	1	1	3	3	4	4	6
B. Operated	3282	2.8	3	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	3822	3.1	5	1	2	3	3	5	6	12
B. Operated	13790	4.0	10	1	2	3	5	6	7	16
1. SINGLE DX	7250	2.7	2	1	1	3	3	4	4	6
2. MULTIPLE DX	17612	3.8	9	1	2	3	4	6	7	15
A. Not Operated	7790	2.8	3	1	1	3	3	4	5	9
B. Operated	17072	3.7	9	1	2	3	4	6	7	14
TOTAL										
0-19 YRS	2769	3.4	6	1	2	3	4	5	7	12
20-34	19918	3.4	8	1	2	3	4	5	6	12
35-49	2171	3.7	9	1	2	3	4	6	7	14
50-64	4	3.5	1	3	3	3	4	5	5	5
65 +	0									
GRAND TOTAL	**24862**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1578	2.1	1	1	1	2	3	3	3	4
20-34	13165	2.2	1	1	1	2	3	3	3	4
35-49	1026	2.3	1	1	1	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	967	2.2	1	1	1	2	3	3	3	4
20-34	7349	2.3	1	1	1	2	3	3	4	5
35-49	618	2.4	1	1	1	2	3	3	4	6
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	537	2.2	1	1	1	2	3	3	4	5
20-34	3981	2.3	1	1	1	2	3	3	4	5
35-49	365	2.4	1	1	1	2	3	3	4	5
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1125	2.5	1	1	1	2	3	4	5	7
20-34	10369	2.6	2	1	1	2	3	4	5	6
35-49	1143	2.7	2	1	1	3	3	4	5	6
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15769	2.2	1	1	1	2	3	3	3	4
B. Operated	8936	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	4885	2.3	1	1	1	2	3	3	4	5
B. Operated	12639	2.6	2	1	1	2	3	4	5	6
1. SINGLE DX	24705	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX	17524	2.5	2	1	1	2	3	4	4	6
A. Not Operated	20654	2.2	1	1	1	2	3	3	3	4
B. Operated	21575	2.5	2	1	1	2	3	4	4	6
TOTAL										
0-19 YRS	4207	2.2	1	1	1	2	3	3	4	5
20-34	34864	2.4	1	1	1	2	3	3	4	5
35-49	3152	2.5	1	1	1	2	3	4	4	6
50-64	6	2.5	3	1	1	2	4	5	5	5
65 +	0									
GRAND TOTAL	**42229**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	396	2.0	1	1	1	2	2	3	3	4
20-34	2148	2.0	1	1	1	2	2	3	3	4
35-49	205	1.9	1	< 1	1	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3362	2.1	1	1	1	2	3	3	3	4
20-34	26343	2.1	1	1	1	2	3	3	3	4
35-49	2562	2.1	1	1	1	2	3	3	3	4
50-64	3	2.3		2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	255	2.8	24	1	1	2	3	3	4	28
20-34	1222	2.3	4	1	1	2	3	3	4	6
35-49	105	2.0	1	< 1	1	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2123	2.3	2	1	1	2	3	3	4	6
20-34	19473	2.4	3	1	1	2	3	3	4	5
35-49	2462	2.5	2	1	1	2	3	4	4	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2749	2.0	1	1	1	2	2	3	3	4
B. Operated	32270	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	1582	2.3	7	1	1	2	3	3	4	6
B. Operated	24059	2.4	3	1	1	2	3	3	4	5
1. SINGLE DX	35019	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	25641	2.4	3	1	1	2	3	3	4	6
A. Not Operated	4331	2.1	3	1	1	2	3	3	3	4
B. Operated	56329	2.2	2	1	1	2	3	3	4	5
TOTAL										
0-19 YRS	6136	2.2	2	1	1	2	3	3	4	5
20-34	49186	2.2	2	1	1	2	3	3	4	5
35-49	5334	2.3	1	1	1	2	3	3	4	5
50-64	4	2.3		2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**60660**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	127	2.2	1	1	1	2	3	3	4	4
20-34	532	2.2	1	1	1	2	3	3	3	4
35-49	20	2.4	1	< 1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2530	2.3	1	1	1	2	3	3	4	4
20-34	10906	2.4	1	1	1	2	3	3	4	4
35-49	545	2.4	1	1	1	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	2.5	2	1	1	2	3	4	5	10
20-34	266	2.4	1	1	1	2	3	4	4	5
35-49	14	3.4	3	2	2	3	3	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1946	2.6	2	1	1	2	3	4	4	7
20-34	10199	2.7	2	1	2	3	3	4	4	6
35-49	672	2.8	1	1	2	3	3	4	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	679	2.2	1	1	1	2	3	3	3	4
B. Operated	13981	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	365	2.4	2	1	1	2	3	4	4	7
B. Operated	12817	2.7	2	1	2	3	3	4	4	6
1. SINGLE DX	14660	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX	13182	2.6	2	1	2	3	3	4	4	6
A. Not Operated	1044	2.3	1	1	1	2	3	3	4	5
B. Operated	26798	2.5	2	1	1	2	3	4	4	5
TOTAL										
0-19 YRS	4688	2.4	1	1	1	2	3	3	4	6
20-34	21903	2.5	2	1	1	2	3	4	4	5
35-49	1251	2.6	1	1	1	3	3	4	4	6
50-64	0									
65 +	0									
GRAND TOTAL	**27842**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	178	2.1	1	1	1	2	3	3	3	4
20-34	824	2.1	1	1	1	2	3	3	3	4
35-49	42	2.5	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	900	2.2	1	1	1	2	3	3	3	4
20-34	4449	2.2	1	1	1	2	3	3	3	4
35-49	182	2.2	1	1	1	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	2.5	2	1	1	2	3	3	4	11
20-34	438	2.4	1	1	1	2	3	3	4	6
35-49	18	2.3	1	< 1	1	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	822	2.6	5	1	1	2	3	4	4	6
20-34	4697	2.6	2	1	1	2	3	4	4	7
35-49	319	2.7	1	1	1	3	3	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1044	2.1	1	1	1	2	3	3	3	4
B. Operated	5531	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	549	2.4	2	1	1	2	3	3	4	7
B. Operated	5838	2.6	3	1	1	2	3	4	4	7
1. SINGLE DX	6575	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX	6387	2.6	2	1	1	2	3	4	4	7
A. Not Operated	1593	2.2	1	1	1	2	3	3	3	5
B. Operated	11369	2.4	2	1	1	2	3	3	4	6
TOTAL										
0-19 YRS	1993	2.4	3	1	1	2	3	3	4	6
20-34	10408	2.4	1	1	1	2	3	3	4	6
35-49	561	2.5	1	1	1	2	3	4	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**12962**	**2.4**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3137	2.3	2	1	1	2	3	3	4	7
20-34	15735	2.3	2	1	1	2	3	3	4	6
35-49	1301	2.4	3	1	1	2	3	3	4	6
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	5828	2.8	3	1	1	2	3	4	5	8
20-34	30831	2.7	2	1	1	3	3	4	5	7
35-49	2242	2.9	4	1	1	3	3	5	5	7
50-64	5	3.6	2	2	2	3	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2543	2.7	8	1	1	2	3	4	5	11
20-34	12536	2.6	4	1	1	2	3	4	5	10
35-49	1303	2.8	7	1	1	2	3	4	5	13
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	11360	3.7	9	1	2	3	5	6	8	14
20-34	68285	3.7	10	1	2	3	4	6	7	15
35-49	7568	4.2	14	1	2	3	5	6	8	19
50-64	7	3.9	3	2	2	4	5	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20174	2.3	2	1	1	2	3	3	4	6
B. Operated	38906	2.8	3	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	16383	2.6	5	1	1	2	3	4	5	10
B. Operated	87220	3.7	10	1	2	3	4	6	7	15
1. SINGLE DX	59080	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	103603	3.6	10	1	2	3	4	6	7	15
A. Not Operated	36557	2.4	3	1	1	2	3	4	4	8
B. Operated	126126	3.4	8	1	2	3	4	5	7	13
TOTAL										
0-19 YRS	22868	3.2	7	1	1	3	4	5	7	12
20-34	127387	3.2	7	1	1	3	4	5	6	12
35-49	12414	3.6	11	1	1	3	4	6	7	16
50-64	14	3.4	3	< 1	1	3	5	6	6	6
65 +	0									
GRAND TOTAL	**162683**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	152	3.4	3	1	2	3	4	5	6	10
20-34	576	3.4	3	1	2	3	4	5	6	9
35-49	39	4.1	8	1	1	4	5	6	8	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	3.7	7	< 1	< 1	3	5	8	9	9
20-34	35	4.5	10	< 1	2	4	5	11	12	14
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	119	3.6	2	2	2	3	4	6	7	9
20-34	441	3.9	5	2	2	3	5	6	8	14
35-49	47	3.8	2	2	2	3	4	6	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	4.5	9	1	1	4	5	10	12	12
20-34	103	6.3	24	1	2	5	8	13	17	25
35-49	10	8.6	122	2	2	4	9	26	38	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	767	3.4	3	1	2	3	4	5	6	9
B. Operated	43	4.3	10	< 1	1	4	5	9	12	14
2. MULTIPLE DX										
A. Not Operated	607	3.8	4	2	2	3	5	6	7	13
B. Operated	131	6.2	30	1	2	5	7	13	16	29
1. SINGLE DX	810	3.4	3	1	2	3	4	6	6	11
2. MULTIPLE DX	738	4.2	9	2	2	4	5	7	9	15
A. Not Operated	1374	3.6	4	2	2	3	4	6	7	12
B. Operated	174	5.8	25	1	2	4	6	13	15	26
TOTAL										
0-19 YRS	296	3.5	3	1	2	3	4	6	7	10
20-34	1155	3.9	6	1	2	3	4	6	8	14
35-49	97	4.4	18	1	2	4	5	7	8	28
50-64	0									
65 +	0									
GRAND TOTAL	**1548**	**3.8**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.2		< 1	< 1	1	1	2	2	2
20-34	145	1.4		< 1	< 1	1	2	2	3	4
35-49	12	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	56	1.3		< 1	< 1	1	2	2	2	4
20-34	413	1.4	1	< 1	< 1	1	2	2	3	5
35-49	35	1.3	1	< 1	< 1	1	1	2	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	1.8	1	< 1	< 1	2	3	3	3	3
20-34	102	2.1	2	< 1	< 1	2	3	4	5	6
35-49	11	1.6		< 1	< 1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	48	1.9	2	< 1	1	2	2	3	5	7
20-34	382	2.5	5	< 1	1	2	3	5	6	11
35-49	36	3.2	8	< 1	1	2	4	8	9	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	1.4		< 1	< 1	1	2	2	3	4
B. Operated	504	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	131	2.0	1	< 1	< 1	2	3	4	4	6
B. Operated	466	2.5	5	< 1	1	2	3	5	6	11
1. SINGLE DX	677	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	597	2.4	4	< 1	1	2	3	5	6	10
A. Not Operated	304	1.7	1	< 1	< 1	1	2	3	4	5
B. Operated	970	1.9	3	< 1	< 1	1	2	4	5	9
TOTAL										
0-19 YRS	138	1.6	1	< 1	< 1	1	2	3	3	5
20-34	1042	1.9	3	< 1	< 1	1	2	4	5	8
35-49	94	2.1	4	< 1	< 1	1	2	4	7	11
50-64	0									
65 +	0									
GRAND TOTAL	**1274**	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**8**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	3.2	5	1	1	3	4	6	8	13
20-34	318	3.7	9	1	1	3	5	8	9	15
35-49	32	3.8	6	1	1	3	5	8	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	94	2.6	6	1	1	2	3	4	5	16
20-34	439	2.8	5	1	1	2	3	6	8	12
35-49	49	2.6	4	< 1	1	2	3	6	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	4.0	10	1	1	3	5	8	9	16
20-34	310	4.2	18	1	1	3	5	8	11	19
35-49	32	5.2	12	1	2	4	6	10	13	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	85	3.8	9	1	2	3	5	7	10	18
20-34	426	4.2	19	1	1	3	5	9	13	21
35-49	58	4.3	11	1	1	3	6	8	10	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	399	3.7	8	1	1	3	4	8	9	14
B. Operated	582	2.8	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
A. Not Operated	400	4.3	16	1	1	3	5	8	11	17
B. Operated	569	4.1	17	1	1	3	5	9	13	21
1. SINGLE DX	981	3.1	7	1	1	2	3	7	8	13
2. MULTIPLE DX	969	4.2	17	1	1	3	5	9	12	20
A. Not Operated	799	4.0	12	1	1	3	5	8	10	16
B. Operated	1151	3.4	12	1	1	2	4	8	10	18
TOTAL										
0-19 YRS	286	3.4	8	1	1	3	4	6	8	16
20-34	1493	3.7	13	1	1	3	4	8	10	18
35-49	171	3.9	9	1	1	3	5	8	9	15
50-64	0									
65 +	0									
GRAND TOTAL	**1950**	**3.7**	**12**	**1**	**1**	**3**	**4**	**8**	**10**	**17**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2069	3.5	4	1	2	3	4	6	7	11
20-34	1592	3.8	5	1	2	3	5	6	8	11
35-49	1249	4.3	7	2	2	4	5	8	9	13
50-64	788	4.8	7	2	2	4	6	8	10	13
65 +	629	5.6	12	2	2	5	7	10	11	18
B. Operated										
0-19 YRS	750	4.3	12	1	1	4	6	8	10	19
20-34	747	4.7	14	1	1	4	6	9	11	19
35-49	586	5.0	13	1	2	4	7	9	11	16
50-64	303	6.0	20	1	2	5	8	11	16	22
65 +	206	6.5	21	2	2	5	8	13	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2633	4.2	8	2	2	3	5	7	9	14
20-34	2934	5.0	13	2	2	4	6	9	11	17
35-49	3772	6.0	16	2	2	5	7	11	13	20
50-64	4827	7.0	24	2	3	6	9	12	15	25
65 +	9213	8.3	42	3	3	7	10	14	19	34
B. Operated										
0-19 YRS	1084	6.2	30	1	2	5	7	12	16	28
20-34	2062	8.0	61	2	2	6	9	15	22	44
35-49	2379	9.5	87	2	3	7	11	19	26	51
50-64	2534	11.7	120	2	3	9	14	23	32	64
65 +	3775	13.4	131	3	4	10	17	27	37	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6327	4.1	7	1	2	3	5	7	9	13
B. Operated	2592	5.0	15	1	1	4	6	9	12	21
2. MULTIPLE DX										
A. Not Operated	23379	6.8	29	2	3	5	8	12	15	27
B. Operated	11834	10.6	104	2	3	8	13	22	30	59
1. SINGLE DX	8919	4.3	9	1	2	4	5	8	10	15
2. MULTIPLE DX	35213	8.1	57	2	3	6	10	15	21	43
A. Not Operated	29706	6.2	25	2	2	5	8	11	14	25
B. Operated	14426	9.6	93	2	2	7	12	20	28	55
TOTAL										
0-19 YRS	6536	4.3	12	1	2	3	5	8	10	17
20-34	7335	5.5	27	1	2	4	6	10	13	28
35-49	7986	6.7	39	2	2	5	8	12	16	35
50-64	8452	8.2	57	2	3	6	10	15	20	41
65 +	13823	9.6	71	3	3	7	11	18	25	49
GRAND TOTAL	**44132**	**7.3**	**50**	**2**	**2**	**5**	**9**	**14**	**19**	**39**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	583	3.7	5	1	1	3	5	7	8	10
20-34	264	3.6	9	1	2	3	4	6	7	11
35-49	138	3.8	7	1	2	3	5	7	9	15
50-64	101	4.5	8	1	2	4	6	8	11	14
65 +	48	5.5	29	2	2	4	6	8	9	39
B. Operated										
0-19 YRS	385	3.6	11	< 1	< 1	3	5	8	10	14
20-34	259	4.2	13	1	1	3	5	8	10	19
35-49	150	4.0	9	1	1	3	5	8	9	15
50-64	101	4.4	22	< 1	< 1	3	5	10	12	26
65 +	48	4.9	16	< 1	< 1	4	7	10	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	917	4.1	9	1	2	3	5	7	9	14
20-34	474	4.5	10	1	2	4	5	8	10	18
35-49	447	6.0	24	2	2	5	7	11	14	26
50-64	487	6.1	16	2	2	5	8	11	14	20
65 +	777	7.5	33	2	3	6	9	13	16	32
B. Operated										
0-19 YRS	454	5.5	22	1	1	4	7	10	12	28
20-34	415	6.6	45	1	2	5	8	12	17	43
35-49	454	8.4	78	1	2	6	9	17	26	46
50-64	545	8.3	47	2	2	7	10	17	23	38
65 +	650	10.5	97	2	3	8	13	20	29	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1134	3.8	7	1	2	3	5	7	8	12
B. Operated	943	4.0	13	< 1	1	3	5	8	10	19
2. MULTIPLE DX										
A. Not Operated	3102	5.6	20	2	2	4	7	10	13	23
B. Operated	2518	8.1	64	1	2	6	10	16	23	44
1. SINGLE DX	2077	3.9	10	1	1	3	5	7	9	15
2. MULTIPLE DX	5620	6.7	41	1	2	5	8	13	17	36
A. Not Operated	4236	5.1	17	1	2	4	6	9	12	21
B. Operated	3461	7.0	53	1	1	5	9	14	20	40
TOTAL										
0-19 YRS	2339	4.2	11	1	1	3	5	8	10	15
20-34	1412	4.9	22	1	2	4	6	9	12	22
35-49	1189	6.4	44	1	2	5	7	12	17	40
50-64	1234	6.8	32	1	2	5	8	13	18	29
65 +	1523	8.7	63	2	3	7	10	16	23	44
GRAND TOTAL	**7697**	**6.0**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**32**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.9	1	< 1	1	2	3	3	4	4
20-34	20	3.1	7	< 1	< 1	2	4	7	9	9
35-49	6	1.5		< 1	< 1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1126	2.0	2	< 1	1	2	3	4	4	7
20-34	2043	2.1	2	< 1	1	2	3	4	5	7
35-49	361	2.2	4	1	1	2	3	4	5	10
50-64	63	2.8	7	< 1	1	2	3	6	9	14
65 +	16	3.6	21	< 1	1	2	4	6	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.1	6	< 1	< 1	2	5	7	8	8
20-34	26	3.2	7	< 1	< 1	2	5	6	10	11
35-49	8	5.0	24	< 1	< 1	3	8	13	13	13
50-64	3	6.7	17	2	2	8	9	10	10	10
65 +	4	4.8	7	1	1	5	6	7	7	7
B. Operated										
0-19 YRS	181	2.9	5	1	1	2	4	5	7	13
20-34	458	2.8	5	1	1	2	3	5	7	12
35-49	133	3.2	14	1	1	2	4	6	9	24
50-64	72	4.6	43	1	1	3	5	7	24	35
65 +	31	5.7	49	1	1	3	7	11	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.4	4	< 1	< 1	2	3	5	7	9
B. Operated	3609	2.1	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	60	3.7	10	< 1	< 1	3	5	6	11	13
B. Operated	875	3.1	12	1	1	2	4	6	8	18
1. SINGLE DX	3650	2.1	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX	935	3.2	11	1	1	2	4	6	8	18
A. Not Operated	101	3.2	8	< 1	< 1	2	4	7	9	12
B. Operated	4484	2.3	4	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	1340	2.2	3	< 1	1	2	3	4	5	8
20-34	2547	2.2	3	1	1	2	3	4	5	9
35-49	508	2.5	7	1	1	2	3	5	6	15
50-64	139	3.8	26	1	1	3	4	7	11	32
65 +	51	5.0	37	1	1	3	6	10	20	35
GRAND TOTAL	**4585**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	127	1.4	1	< 1	< 1	1	1	2	3	6
20-34	142	1.6	2	< 1	< 1	1	2	3	4	7
35-49	104	1.5	2	< 1	< 1	< 1	1	3	4	8
50-64	74	1.4	1	< 1	< 1	< 1	1	2	4	6
65 +	31	2.0	5	< 1	< 1	1	2	5	6	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.2	11	< 1	< 1	2	4	9	9	9
20-34	6	1.8	1	< 1	< 1	2	3	3	3	3
35-49	5	7.0	19	3	3	6	9	14	14	14
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	5	7.0	74	< 1	< 1	4	10	22	22	22
B. Operated										
0-19 YRS	33	2.1	9	< 1	< 1	1	2	3	7	17
20-34	57	3.1	6	< 1	1	2	4	7	7	14
35-49	77	3.0	8	< 1	< 1	2	4	6	8	16
50-64	62	2.7	6	< 1	< 1	2	3	6	8	12
65 +	86	3.3	6	< 1	< 1	3	4	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.6	4	< 1	< 1	2	4	6	6	6
B. Operated	478	1.5	2	< 1	< 1	1	1	3	4	7
2. MULTIPLE DX										
A. Not Operated	23	4.5	24	< 1	< 1	3	5	10	17	22
B. Operated	315	2.9	7	< 1	< 1	2	4	7	8	13
1. SINGLE DX	486	1.5	2	< 1	< 1	1	1	3	4	7
2. MULTIPLE DX	338	3.0	8	< 1	< 1	2	4	7	8	15
A. Not Operated	31	4.0	20	< 1	< 1	3	5	8	14	22
B. Operated	793	2.1	4	< 1	< 1	1	2	4	6	10
TOTAL										
0-19 YRS	167	1.6	3	< 1	< 1	1	2	3	4	9
20-34	208	2.0	4	< 1	< 1	1	2	4	6	10
35-49	187	2.3	6	< 1	< 1	1	3	6	7	13
50-64	139	2.0	4	< 1	< 1	1	2	4	6	10
65 +	123	3.1	9	< 1	< 1	2	4	7	8	15
GRAND TOTAL	**824**	**2.2**	**5**	**< 1**	**< 1**	**1**	**2**	**5**	**6**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	676	4.3	27	1	1	3	4	9	16	26
20-34	347	5.6	35	1	1	3	7	15	20	24
35-49	309	5.5	35	1	1	3	5	15	21	25
50-64	188	5.8	36	1	1	3	7	17	21	25
65 +	128	9.0	105	1	2	7	13	20	22	47
B. Operated										
0-19 YRS	542	2.9	17	< 1	< 1	1	3	6	11	19
20-34	695	4.3	43	< 1	< 1	2	5	10	15	31
35-49	677	4.1	27	< 1	< 1	2	5	10	15	24
50-64	605	3.8	26	< 1	< 1	2	4	10	16	25
65 +	449	6.4	60	< 1	< 1	3	9	16	21	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1135	4.4	28	1	1	3	5	8	13	24
20-34	908	7.2	72	1	1	5	8	15	21	44
35-49	1060	7.8	47	1	2	5	10	18	21	32
50-64	1346	8.5	62	1	2	6	11	20	23	35
65 +	3540	10.4	89	2	3	8	13	21	26	59
B. Operated										
0-19 YRS	816	8.3	162	< 1	1	3	9	24	40	73
20-34	1403	13.8	281	1	1	8	19	40	59	99 +
35-49	1861	12.8	271	1	1	7	16	37	52	98
50-64	2294	12.4	232	1	1	7	16	32	48	94
65 +	5066	17.4	255	2	3	13	23	40	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1648	5.3	39	1	1	3	6	14	20	25
B. Operated	2968	4.2	35	< 1	< 1	2	5	11	16	27
2. MULTIPLE DX										
A. Not Operated	7989	8.5	72	1	2	6	11	19	23	47
B. Operated	11440	14.6	258	1	1	10	20	37	53	99 +
1. SINGLE DX	4616	4.6	36	< 1	< 1	2	5	12	17	26
2. MULTIPLE DX	19429	12.1	190	1	2	8	16	29	43	92
A. Not Operated	9637	8.0	68	1	2	5	10	18	23	43
B. Operated	14408	12.5	229	1	1	7	17	33	48	99
TOTAL										
0-19 YRS	3169	5.1	64	< 1	1	3	5	11	19	47
20-34	3353	9.2	166	1	1	4	11	23	39	92
35-49	3907	9.3	162	1	1	5	11	23	37	78
50-64	4433	9.8	153	1	1	6	13	23	35	76
65 +	9183	14.1	194	1	3	10	18	31	46	98
GRAND TOTAL	**24045**	**10.7**	**169**	**1**	**1**	**6**	**14**	**25**	**39**	**85**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	3.5	26	1	1	2	4	8	10	61
20-34	145	3.5	13	< 1	1	2	5	7	8	15
35-49	90	5.9	41	1	2	4	7	13	19	35
50-64	37	4.4	8	1	1	4	6	8	10	14
65 +	8	5.4	9	1	2	5	7	10	11	11
B. Operated										
0-19 YRS	48	4.6	44	1	1	3	5	9	11	45
20-34	66	3.9	17	1	1	2	5	10	11	21
35-49	50	4.1	20	1	1	3	4	8	13	28
50-64	17	4.5	16	< 1	1	3	7	11	13	14
65 +	15	5.4	32	1	1	3	7	13	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	257	6.5	66	1	1	4	8	14	20	43
20-34	451	5.9	24	1	2	4	8	11	14	28
35-49	424	6.7	36	1	2	5	8	12	17	35
50-64	308	8.0	54	2	2	6	10	15	20	32
65 +	353	9.6	79	2	3	7	11	19	27	42
B. Operated										
0-19 YRS	95	12.0	186	1	2	7	14	35	45	88
20-34	287	10.3	92	1	2	8	14	24	29	48
35-49	246	12.8	170	1	2	8	17	30	41	64
50-64	245	12.9	182	2	2	9	15	28	37	99 +
65 +	240	15.0	179	3	4	11	18	29	39	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	403	4.2	23	1	1	3	5	8	11	29
B. Operated	196	4.3	25	1	1	3	5	10	12	25
2. MULTIPLE DX										
A. Not Operated	1793	7.3	50	1	2	5	9	14	20	36
B. Operated	1113	12.6	158	1	2	9	16	28	37	80
1. SINGLE DX	599	4.2	24	1	1	3	5	9	11	26
2. MULTIPLE DX	2906	9.3	98	1	2	7	11	20	26	56
A. Not Operated	2196	6.7	47	1	2	5	8	13	19	36
B. Operated	1309	11.3	147	1	2	8	14	26	35	75
TOTAL										
0-19 YRS	523	6.6	84	1	1	4	8	15	25	56
20-34	949	6.7	48	1	1	5	9	14	21	34
35-49	810	8.3	85	1	2	6	9	18	27	47
50-64	607	9.6	110	1	2	7	11	20	29	84
65 +	616	11.5	123	2	3	8	14	25	30	65
GRAND TOTAL	**3505**	**8.4**	**89**	**1**	**2**	**6**	**10**	**18**	**27**	**51**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	193	5.2	17	1	2	4	7	11	13	18
20-34	81	5.0	13	1	2	4	6	9	12	21
35-49	127	4.9	10	1	2	4	6	9	10	17
50-64	128	5.8	19	2	2	5	7	10	13	27
65 +	106	5.6	15	1	2	4	8	11	14	18
B. Operated										
0-19 YRS	45	6.0	53	1	1	3	6	16	25	32
20-34	142	5.2	16	1	1	4	7	10	12	19
35-49	339	4.7	14	1	1	3	6	10	12	16
50-64	705	5.9	18	1	1	5	9	12	14	18
65 +	504	6.8	23	1	1	6	10	13	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	202	7.1	80	1	2	4	8	14	22	40
20-34	108	6.7	32	1	2	5	8	16	20	25
35-49	250	6.5	36	1	2	5	8	13	16	31
50-64	509	6.9	43	1	2	6	9	13	17	27
65 +	940	7.7	39	2	2	6	9	14	19	32
B. Operated										
0-19 YRS	71	9.9	165	1	1	6	11	21	35	69
20-34	155	7.1	55	1	1	5	9	14	23	43
35-49	487	6.8	55	1	1	4	9	14	19	36
50-64	1304	8.0	62	1	2	6	11	15	20	44
65 +	1485	9.8	66	2	2	9	13	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	635	5.3	15	1	2	4	7	10	12	21
B. Operated	1735	5.9	20	1	1	5	9	12	14	19
2. MULTIPLE DX										
A. Not Operated	2009	7.3	44	1	2	6	9	14	18	32
B. Operated	3502	8.6	65	1	2	7	11	16	22	44
1. SINGLE DX	2370	5.7	19	1	1	4	8	12	14	19
2. MULTIPLE DX	5511	8.1	58	1	2	6	11	16	21	40
A. Not Operated	2644	6.8	38	1	2	5	8	13	17	31
B. Operated	5237	7.7	52	1	2	6	10	15	19	37
TOTAL										
0-19 YRS	511	6.7	68	1	2	4	8	13	20	40
20-34	486	6.1	32	1	1	5	8	12	17	28
35-49	1203	5.9	36	1	1	4	8	12	15	28
50-64	2646	7.1	45	1	2	5	10	14	17	31
65 +	3035	8.5	50	2	2	7	11	16	20	38
GRAND TOTAL	**7881**	**7.4**	**47**	**1**	**2**	**6**	**10**	**14**	**18**	**34**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	6.2	12	2	2	7	8	11	11	11
20-34	9	4.4	8	1	1	4	6	9	10	10
35-49	15	5.1	15	1	2	4	6	11	15	16
50-64	53	5.4	15	1	1	5	8	10	13	15
65 +	129	6.3	24	1	1	5	9	13	15	23
B. Operated										
0-19 YRS	29	4.1	14	1	1	3	5	10	11	15
20-34	346	3.5	9	< 1	1	2	5	8	10	13
35-49	1009	4.9	13	1	1	4	8	10	12	14
50-64	3789	7.6	17	1	2	8	10	13	14	18
65 +	6073	9.9	16	4	6	10	12	15	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.8	12	3	3	3	6	11	11	11
20-34	29	3.5	12	< 1	< 1	3	4	8	12	15
35-49	101	5.6	15	1	1	5	8	11	13	18
50-64	393	4.4	16	< 1	1	3	6	9	12	20
65 +	1661	6.2	48	< 1	1	5	8	13	17	43
B. Operated										
0-19 YRS	36	7.3	48	< 1	1	6	10	15	24	29
20-34	416	5.3	29	1	1	4	7	11	16	26
35-49	1158	6.1	27	1	1	5	9	12	14	23
50-64	5992	9.3	29	1	2	9	12	15	17	27
65 +	17203	11.8	38	4	6	11	14	18	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	5.9	20	1	1	5	8	12	15	20
B. Operated	11246	8.5	19	1	2	9	11	14	15	20
2. MULTIPLE DX										
A. Not Operated	2189	5.8	41	< 1	1	4	8	12	16	34
B. Operated	24805	10.8	38	2	4	10	13	17	20	33
1. SINGLE DX	11457	8.4	19	1	2	9	11	14	15	20
2. MULTIPLE DX	26994	10.4	40	2	3	10	13	16	20	33
A. Not Operated	2400	5.8	39	< 1	1	4	8	12	16	32
B. Operated	36051	10.1	33	2	3	10	13	16	19	29
TOTAL										
0-19 YRS	75	5.8	31	1	1	4	9	13	15	29
20-34	800	4.4	20	1	1	3	6	10	12	21
35-49	2283	5.5	20	1	1	4	8	11	13	19
50-64	10227	8.5	25	1	2	8	11	14	16	24
65 +	25066	11.0	36	3	5	10	13	16	20	32
GRAND TOTAL	**38451**	**9.8**	**35**	**1**	**3**	**10**	**12**	**16**	**19**	**29**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	279	6.3	24	1	2	5	8	14	16	23
20-34	152	4.2	7	1	2	3	5	7	9	14
35-49	94	5.0	13	1	2	4	6	10	13	17
50-64	64	4.8	16	1	1	4	5	10	15	18
65 +	69	5.6	20	2	2	4	7	12	15	21
B. Operated										
0-19 YRS	282	9.9	42	1	2	9	13	19	22	30
20-34	446	4.0	15	1	1	3	5	8	10	19
35-49	526	4.1	12	1	1	3	5	8	11	18
50-64	446	5.4	21	1	1	4	8	11	14	19
65 +	248	8.1	37	1	1	8	11	14	18	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	283	7.4	36	1	2	5	10	15	20	29
20-34	242	6.3	28	1	2	5	8	12	16	34
35-49	243	6.9	32	1	2	5	9	14	18	25
50-64	294	6.7	41	1	2	5	8	14	18	39
65 +	670	8.7	74	2	2	6	10	17	27	43
B. Operated										
0-19 YRS	351	13.1	91	2	4	11	17	23	29	52
20-34	510	8.7	113	1	1	5	10	20	32	50
35-49	681	8.9	109	1	1	5	11	21	30	54
50-64	842	10.2	116	1	2	7	13	22	29	54
65 +	964	14.4	149	2	3	11	18	31	42	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	658	5.4	18	1	2	4	7	11	15	21
B. Operated	1948	5.7	27	1	1	4	8	12	15	23
2. MULTIPLE DX										
A. Not Operated	1732	7.6	51	1	2	5	9	15	21	40
B. Operated	3348	11.2	126	1	2	8	14	25	35	56
1. SINGLE DX	2606	5.6	25	1	1	4	8	12	15	23
2. MULTIPLE DX	5080	10.0	104	1	2	7	12	22	30	54
A. Not Operated	2390	7.0	43	1	2	5	9	14	19	35
B. Operated	5296	9.2	97	1	1	6	12	20	29	52
TOTAL										
0-19 YRS	1195	9.4	58	1	2	7	13	20	23	36
20-34	1350	6.2	58	1	1	4	7	12	19	42
35-49	1544	6.7	63	1	1	4	8	14	21	45
50-64	1646	8.0	78	1	1	5	10	16	24	49
65 +	1951	11.3	114	1	2	9	14	25	34	56
GRAND TOTAL	**7686**	**8.5**	**81**	**1**	**2**	**6**	**11**	**18**	**26**	**49**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.0	2	< 1	< 1	2	3	4	5	5
20-34	14	3.5	12	< 1	1	2	5	10	10	10
35-49	8	2.6	7	< 1	< 1	1	4	7	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	7	5.9	10	2	2	4	8	11	11	11
B. Operated										
0-19 YRS	711	2.3	2	< 1	< 1	2	3	4	5	6
20-34	1450	2.5	3	< 1	< 1	2	3	4	5	8
35-49	678	2.1	2	< 1	< 1	2	3	4	5	8
50-64	246	1.9	3	< 1	< 1	1	2	4	5	8
65 +	81	1.9	4	< 1	< 1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.1	5	< 1	< 1	1	2	4	7	10
20-34	33	2.0	3	< 1	< 1	1	3	5	6	7
35-49	33	2.4	4	< 1	< 1	1	3	5	7	9
50-64	27	2.2	6	< 1	< 1	1	2	5	9	10
65 +	24	5.0	25	< 1	< 1	4	6	9	16	24
B. Operated										
0-19 YRS	751	2.7	3	< 1	< 1	2	4	5	5	8
20-34	1944	2.8	3	< 1	< 1	2	4	5	6	9
35-49	1178	2.5	4	< 1	< 1	2	3	5	6	10
50-64	760	2.3	6	< 1	< 1	2	3	4	6	13
65 +	457	2.8	10	< 1	< 1	2	3	5	8	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.4	9	< 1	< 1	2	4	9	10	11
B. Operated	3166	2.3	3	< 1	< 1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	137	2.7	9	< 1	< 1	1	4	6	8	14
B. Operated	5090	2.6	5	< 1	< 1	2	3	5	6	10
1. SINGLE DX	3205	2.3	3	< 1	< 1	2	3	4	5	8
2. MULTIPLE DX	5227	2.6	5	< 1	< 1	2	3	5	6	10
A. Not Operated	176	2.8	9	< 1	< 1	1	4	7	9	12
B. Operated	8256	2.5	4	< 1	< 1	2	3	5	6	9
TOTAL										
0-19 YRS	1490	2.5	3	< 1	< 1	2	3	4	5	7
20-34	3441	2.7	3	< 1	< 1	2	4	5	6	9
35-49	1897	2.4	4	< 1	< 1	2	3	4	6	9
50-64	1035	2.2	5	< 1	< 1	1	3	4	6	12
65 +	569	2.8	10	< 1	< 1	2	3	5	8	20
GRAND TOTAL	**8432**	**2.5**	**4**	**< 1**	**< 1**	**2**	**3**	**5**	**6**	**10**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	239	2.9	6	< 1	1	2	4	5	8	11
20-34	134	3.3	9	< 1	1	2	4	6	9	16
35-49	88	3.4	7	< 1	1	3	4	6	8	16
50-64	74	3.4	7	< 1	1	3	4	7	9	13
65 +	93	4.0	11	1	1	3	5	8	10	16
B. Operated										
0-19 YRS	2196	2.3	3	1	1	2	3	4	5	7
20-34	3510	2.4	2	1	1	2	3	4	5	7
35-49	1262	2.6	5	< 1	1	2	3	5	6	11
50-64	362	2.9	6	< 1	1	2	4	5	8	13
65 +	167	4.4	18	< 1	1	3	6	10	13	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	319	3.7	15	< 1	1	3	4	7	10	22
20-34	242	3.4	10	< 1	< 1	2	4	7	9	18
35-49	259	4.8	29	< 1	1	3	5	11	18	31
50-64	296	4.3	23	< 1	1	3	5	9	12	23
65 +	776	6.6	48	1	2	5	8	14	20	46
B. Operated										
0-19 YRS	1616	3.5	16	1	1	3	4	6	9	21
20-34	1979	3.2	11	1	1	2	4	6	8	19
35-49	1204	3.5	18	< 1	1	3	4	7	9	19
50-64	769	4.6	32	1	1	3	5	10	14	27
65 +	708	7.4	61	1	1	5	10	15	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	628	3.3	8	< 1	1	3	4	6	9	14
B. Operated	7497	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	1892	5.1	33	1	1	3	6	10	16	35
B. Operated	6276	4.0	23	1	1	3	4	8	12	24
1. SINGLE DX	8125	2.6	4	1	1	2	3	4	6	10
2. MULTIPLE DX	8168	4.2	26	1	1	3	5	9	13	26
A. Not Operated	2520	4.6	27	1	1	3	5	9	14	30
B. Operated	13773	3.2	13	1	1	2	4	6	9	18
TOTAL										
0-19 YRS	4370	2.9	9	1	1	2	3	5	7	15
20-34	5865	2.8	6	1	1	2	3	5	6	11
35-49	2813	3.2	13	< 1	1	2	4	6	8	18
50-64	1501	4.1	23	1	1	3	5	9	12	23
65 +	1744	6.6	49	1	1	5	9	14	20	44
GRAND TOTAL	**16293**	**3.4**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	6	9.3	55	2	2	8	11	22	23	23
50-64	5	5.4	9	2	2	5	8	9	9	9
65 +	0									
B. Operated										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	3	6.3	30	1	1	6	10	12	12	12
35-49	8	6.8	22	1	1	6	9	13	15	15
50-64	5	14.8	71	8	8	12	20	28	28	28
65 +	4	10.0	135	1	1	6	17	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	6	5.2	16	1	1	4	9	11	11	11
35-49	18	6.7	19	< 1	1	6	9	11	16	19
50-64	32	6.6	13	1	2	6	9	11	12	15
65 +	40	7.8	44	2	3	6	9	14	18	39
B. Operated										
0-19 YRS	0									
20-34	9	10.1	36	3	3	9	14	19	22	22
35-49	18	12.7	108	1	2	12	16	27	36	41
50-64	25	12.3	99	2	5	10	14	21	41	43
65 +	14	10.1	55	1	2	8	14	23	25	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	6.6	29	2	2	5	9	11	20	23
B. Operated	22	9.2	54	1	1	8	12	21	27	28
2. MULTIPLE DX										
A. Not Operated	97	7.0	27	1	2	6	9	11	15	31
B. Operated	66	11.6	82	2	3	9	14	23	31	43
1. SINGLE DX	37	8.2	44	1	1	7	10	17	26	28
2. MULTIPLE DX	163	8.9	54	2	2	8	11	15	22	41
A. Not Operated	112	6.9	27	2	2	6	9	11	15	29
B. Operated	88	11.0	75	1	2	9	14	23	28	42
TOTAL										
0-19 YRS	5	6.6	3	5	5	7	8	9	9	9
20-34	20	7.4	30	1	1	6	11	14	18	22
35-49	50	9.2	61	1	2	7	11	18	23	41
50-64	67	9.2	57	2	2	8	11	15	22	43
65 +	58	8.5	51	2	2	7	9	16	25	38
GRAND TOTAL	**200**	**8.7**	**52**	**1**	**2**	**8**	**11**	**16**	**23**	**41**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.5	27	1	1	3	8	12	12	12
20-34	39	4.1	12	1	1	3	6	9	10	16
35-49	135	4.2	16	<1	1	3	6	9	11	25
50-64	198	4.2	13	<1	1	3	6	9	12	17
65+	195	4.2	9	<1	1	4	6	8	10	15
B. Operated										
0-19 YRS	11	4.8	6	1	1	5	6	8	8	8
20-34	224	3.9	15	1	1	3	6	8	10	17
35-49	954	3.8	10	1	1	3	5	8	10	15
50-64	1024	4.3	15	1	1	4	6	9	11	18
65+	568	5.0	20	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.8	34	1	1	4	7	16	20	20
20-34	69	5.0	14	1	1	4	7	10	12	18
35-49	428	5.6	19	1	1	5	7	10	14	20
50-64	958	5.8	21	1	1	5	7	10	14	24
65+	2423	7.1	35	2	2	6	9	13	17	29
B. Operated										
0-19 YRS	7	11.0	26	5	6	11	17	75	99+	99+
20-34	223	5.6	21	1	1	5	7	11	15	23
35-49	1164	5.5	25	1	1	4	7	11	14	23
50-64	1929	6.1	34	1	1	5	8	12	16	29
65+	2149	9.1	75	1	1	7	11	18	25	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	571	4.2	12	<1	1	3	6	9	10	16
B. Operated	2781	4.2	14	1	1	3	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	3889	6.6	30	1	2	5	8	12	16	27
B. Operated	5472	7.1	50	1	1	6	9	14	19	37
1. SINGLE DX	3352	4.2	14	1	1	3	6	9	11	17
2. MULTIPLE DX	9361	6.9	42	1	1	5	9	14	18	33
A. Not Operated	4460	6.3	28	1	2	5	8	12	15	26
B. Operated	8253	6.2	40	1	1	5	8	12	17	32
TOTAL										
0-19 YRS	33	6.4	26	1	1	5	8	17	20	99+
20-34	555	4.8	18	1	1	4	7	10	12	21
35-49	2681	4.8	19	1	1	4	7	10	12	21
50-64	4109	5.5	26	1	1	4	7	10	14	24
65+	5335	7.6	51	1	1	6	10	15	19	38
GRAND TOTAL	**12713**	**6.2**	**36**	**1**	**1**	**5**	**8**	**12**	**16**	**30**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	5.8	16	<1	1	5	8	10	13	21
20-34	1767	5.1	13	1	1	4	7	10	12	17
35-49	2635	5.4	15	1	1	5	7	10	12	19
50-64	1229	5.7	15	1	1	5	8	10	13	18
65+	345	5.7	17	1	1	5	8	11	13	19
B. Operated										
0-19 YRS	402	4.4	11	1	1	4	6	8	9	19
20-34	9820	4.8	13	1	1	4	6	9	11	18
35-49	14262	4.9	13	1	1	4	7	9	12	18
50-64	5608	5.1	16	1	1	4	7	10	12	19
65+	1363	5.7	19	1	1	5	8	11	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	6.5	37	1	1	5	8	10	16	36
20-34	993	6.0	21	1	1	5	8	11	14	23
35-49	2242	6.4	19	1	1	6	8	12	14	22
50-64	2029	7.0	23	1	2	6	9	12	15	25
65+	2229	7.7	25	2	3	7	10	14	17	26
B. Operated										
0-19 YRS	114	6.4	30	1	2	5	7	12	16	31
20-34	3426	6.7	27	1	2	6	8	12	16	27
35-49	7455	7.1	31	1	2	6	9	13	17	29
50-64	5720	7.6	40	1	1	6	9	14	18	29
65+	3606	9.7	60	1	2	8	13	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6059	5.4	15	1	1	5	7	10	12	19
B. Operated	31455	4.9	14	1	1	4	7	9	12	18
2. MULTIPLE DX										
A. Not Operated	7533	6.9	22	1	2	6	9	13	15	24
B. Operated	20321	7.6	39	1	2	6	9	14	19	31
1. SINGLE DX	37514	5.0	14	1	1	4	7	9	12	18
2. MULTIPLE DX	27854	7.4	35	1	2	6	9	14	18	29
A. Not Operated	13592	6.2	20	1	1	5	8	11	14	22
B. Operated	51776	6.0	25	1	1	5	8	11	15	24
TOTAL										
0-19 YRS	639	5.0	17	1	1	4	6	9	12	20
20-34	16006	5.3	17	1	1	4	7	10	13	21
35-49	26594	5.7	20	1	1	5	7	11	14	22
50-64	14586	6.4	27	1	1	5	8	12	15	24
65+	7543	8.2	42	1	2	7	10	16	20	33
GRAND TOTAL	**65368**	**6.0**	**24**	**1**	**1**	**5**	**8**	**11**	**15**	**24**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	4.9	7	1	1	6	7	8	8	8
20-34	175	4.5	11	1	1	4	7	9	11	15
35-49	361	5.2	20	1	1	4	7	10	12	26
50-64	163	5.2	14	1	1	5	7	10	12	17
65 +	35	4.4	8	1	1	4	6	6	12	99 +
B. Operated										
0-19 YRS	22	3.1	6	1	1	2	4	8	9	9
20-34	993	4.0	10	1	1	3	5	8	9	16
35-49	2839	4.1	10	1	1	4	5	8	10	15
50-64	1129	4.1	10	1	1	4	6	8	10	15
65 +	152	5.0	25	1	1	4	7	11	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	7.1	37	1	2	6	8	17	22	22
20-34	152	5.8	25	< 1	1	5	7	10	14	32
35-49	446	6.1	19	1	1	5	8	12	15	19
50-64	418	5.7	21	1	2	5	7	11	13	20
65 +	336	6.3	15	2	2	5	8	12	14	18
B. Operated										
0-19 YRS	12	6.5	14	1	2	6	8	12	14	14
20-34	498	5.2	21	1	1	4	7	10	13	25
35-49	1929	5.4	21	1	1	4	7	10	14	23
50-64	1380	5.9	26	1	1	5	7	11	15	25
65 +	452	8.6	77	1	1	6	11	17	23	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	749	5.0	16	1	1	4	7	10	12	18
B. Operated	5135	4.1	10	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	1361	6.0	20	1	2	5	8	11	15	19
B. Operated	4271	5.9	29	1	1	5	7	11	15	27
1. SINGLE DX	5884	4.2	11	1	1	4	6	8	10	16
2. MULTIPLE DX	5632	5.9	27	1	1	5	7	11	15	25
A. Not Operated	2110	5.6	18	1	1	5	7	11	14	19
B. Operated	9406	4.9	20	1	1	4	6	9	13	22
TOTAL										
0-19 YRS	58	4.9	14	1	1	4	7	8	10	21
20-34	1818	4.5	15	1	1	4	6	8	11	20
35-49	5575	4.8	16	1	1	4	6	9	12	19
50-64	3090	5.2	20	1	1	4	7	10	13	21
65 +	975	7.1	47	1	1	5	9	14	18	38
GRAND TOTAL	**11516**	**5.1**	**20**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	4.5	8	1	2	3	7	9	9	9
20-34	96	5.1	13	1	1	4	7	11	12	16
35-49	118	5.3	9	1	2	5	7	9	11	15
50-64	61	6.1	15	1	1	6	9	11	12	18
65 +	9	2.6	2	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	8	6.0	21	1	1	7	9	12	13	13
20-34	122	3.7	14	1	1	2	5	9	11	16
35-49	183	3.9	13	1	1	2	6	8	10	15
50-64	59	3.9	14	1	1	2	6	10	12	16
65 +	6	2.7	13	< 1	< 1	1	2	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	15.1	98	3	3	14	22	28	29	29
20-34	106	5.7	18	1	1	5	7	13	15	20
35-49	174	6.2	29	1	2	5	8	11	13	26
50-64	138	6.4	17	1	2	5	9	12	13	18
65 +	110	6.6	15	2	3	6	9	12	13	19
B. Operated										
0-19 YRS	5	5.6	42	< 1	< 1	2	10	16	16	16
20-34	131	6.9	38	1	1	7	9	12	15	44
35-49	207	6.7	33	1	1	6	9	12	16	29
50-64	103	7.0	23	1	1	7	10	13	14	22
65 +	31	12.2	80	1	1	11	16	22	34	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	297	5.3	11	1	1	5	7	10	12	16
B. Operated	378	3.9	14	1	1	2	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	535	6.3	22	1	2	5	8	12	14	22
B. Operated	477	7.2	37	1	1	7	10	13	16	34
1. SINGLE DX	675	4.5	13	1	1	4	7	10	11	16
2. MULTIPLE DX	1012	6.7	29	1	1	6	9	13	15	27
A. Not Operated	832	6.0	19	1	2	5	8	11	13	20
B. Operated	855	5.7	29	1	1	5	8	12	14	25
TOTAL										
0-19 YRS	33	7.3	49	1	1	5	9	17	23	29
20-34	455	5.4	23	1	1	4	8	11	14	19
35-49	682	5.6	24	1	1	5	8	11	13	25
50-64	361	6.1	19	1	1	6	9	12	13	20
65 +	156	7.3	34	1	2	6	10	14	18	34
GRAND TOTAL	**1687**	**5.8**	**24**	**1**	**1**	**5**	**8**	**12**	**14**	**23**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	6.0	12	3	3	5	7	12	14	14
20-34	116	5.0	8	1	2	5	7	8	9	14
35-49	212	5.4	11	2	2	5	7	10	12	17
50-64	132	5.3	12	1	1	5	8	10	11	16
65 +	53	5.0	11	< 1	1	4	6	9	11	16
B. Operated										
0-19 YRS	6	3.2	4	1	1	3	4	6	6	6
20-34	120	2.5	8	1	1	1	3	5	9	15
35-49	157	3.1	13	1	1	1	3	8	10	20
50-64	95	3.5	18	1	1	2	4	8	11	23
65 +	25	3.0	15	< 1	1	1	2	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	6.9	13	1	3	6	10	11	13	14
20-34	119	6.4	19	1	2	6	9	12	14	22
35-49	258	6.8	19	2	2	6	9	12	13	22
50-64	270	6.7	17	1	2	6	9	12	14	22
65 +	444	7.6	26	2	3	6	10	13	17	27
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	78	5.3	33	1	1	3	7	10	15	31
35-49	162	6.3	47	1	1	4	8	15	20	29
50-64	131	7.5	38	1	1	6	9	14	21	32
65 +	117	9.3	112	1	1	7	12	19	25	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	521	5.3	11	1	2	5	7	9	11	16
B. Operated	403	3.0	13	1	1	1	3	8	10	18
2. MULTIPLE DX										
A. Not Operated	1105	7.0	21	1	2	6	9	13	15	24
B. Operated	489	7.2	59	1	1	5	9	15	22	32
1. SINGLE DX	924	4.3	13	1	1	3	6	9	11	17
2. MULTIPLE DX	1594	7.1	33	1	1	6	9	13	17	28
A. Not Operated	1626	6.5	18	1	2	6	8	12	14	22
B. Operated	892	5.3	43	1	1	3	7	13	17	30
TOTAL										
0-19 YRS	29	5.8	12	1	2	5	7	11	14	14
20-34	433	4.7	18	1	1	3	7	9	13	20
35-49	789	5.6	23	1	1	4	8	11	14	25
50-64	628	6.1	22	1	1	5	8	11	14	23
65 +	639	7.5	41	1	2	6	10	14	17	29
GRAND TOTAL	**2518**	**6.1**	**27**	**1**	**1**	**5**	**8**	**12**	**15**	**25**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	194	3.1	9	1	1	2	4	6	9	16
20-34	1505	4.4	13	1	1	4	6	9	11	17
35-49	2186	4.6	15	1	1	4	6	9	11	19
50-64	1094	4.5	13	1	1	4	6	9	11	16
65 +	421	4.4	15	1	1	3	6	9	12	18
B. Operated										
0-19 YRS	133	3.2	10	1	1	2	4	7	9	17
20-34	1870	2.7	9	1	1	1	3	6	8	14
35-49	3000	3.1	10	1	1	2	4	7	9	15
50-64	2103	3.9	14	1	1	2	6	9	11	17
65 +	1363	5.6	22	1	1	5	8	11	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	235	4.1	25	1	1	3	5	8	14	27
20-34	1861	6.0	32	1	1	5	7	12	17	25
35-49	3315	6.3	26	1	1	5	8	12	17	25
50-64	2856	6.2	24	1	1	5	8	12	15	24
65 +	3485	6.9	34	1	2	6	9	13	17	29
B. Operated										
0-19 YRS	125	5.4	22	1	1	4	7	10	13	24
20-34	1655	4.7	29	1	1	3	6	10	14	26
35-49	3296	5.3	31	1	1	4	7	11	15	28
50-64	3639	6.7	36	1	1	6	9	13	18	28
65 +	4438	9.6	66	1	1	8	12	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5400	4.5	14	1	1	4	6	9	11	18
B. Operated	8469	3.6	13	1	1	2	5	8	11	17
2. MULTIPLE DX										
A. Not Operated	11752	6.3	29	1	2	5	8	12	16	26
B. Operated	13153	7.1	48	1	1	6	9	14	19	34
1. SINGLE DX	13869	3.9	14	1	1	3	6	9	11	17
2. MULTIPLE DX	24905	6.7	39	1	1	5	9	13	18	30
A. Not Operated	17152	5.8	25	1	1	5	7	11	15	25
B. Operated	21622	5.7	37	1	1	4	8	12	16	29
TOTAL										
0-19 YRS	687	3.9	18	1	1	2	5	8	11	22
20-34	6891	4.5	22	1	1	3	6	9	12	22
35-49	11797	4.9	23	1	1	4	7	10	14	24
50-64	9692	5.7	26	1	1	5	8	11	15	24
65 +	9707	7.8	49	1	1	7	10	15	20	35
GRAND TOTAL	**38774**	**5.7**	**32**	**1**	**1**	**4**	**8**	**12**	**16**	**27**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	447	3.0	4	1	1	3	4	5	7	11
20-34	200	3.4	3	1	1	3	4	6	7	9
35-49	159	3.5	5	1	1	3	4	6	8	12
50-64	147	3.6	7	1	1	3	5	7	8	15
65 +	74	4.4	11	1	1	3	5	9	11	18
B. Operated										
0-19 YRS	357	2.3	7	< 1	< 1	1	2	5	7	15
20-34	1118	2.2	3	< 1	< 1	2	3	4	5	10
35-49	1908	2.1	3	< 1	< 1	2	3	4	5	9
50-64	1184	2.2	3	< 1	< 1	2	3	4	5	9
65 +	340	2.7	5	< 1	< 1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	247	3.4	5	1	1	3	4	6	9	11
20-34	247	4.2	8	1	1	4	6	7	8	13
35-49	386	4.6	14	1	1	4	6	8	11	20
50-64	463	5.2	20	1	2	4	6	9	11	26
65 +	619	5.7	19	1	2	5	7	11	14	21
B. Operated										
0-19 YRS	220	3.8	17	< 1	1	2	5	8	11	23
20-34	935	3.2	14	< 1	1	2	4	7	9	16
35-49	1774	2.9	8	1	1	2	3	6	8	15
50-64	1814	3.5	18	1	1	2	4	7	10	19
65 +	967	5.0	35	1	1	3	6	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1027	3.3	5	1	1	3	4	6	8	11
B. Operated	4907	2.2	3	< 1	< 1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	1962	4.9	16	1	1	4	6	9	12	20
B. Operated	5710	3.5	17	< 1	1	2	4	7	10	20
1. SINGLE DX	5934	2.4	4	< 1	< 1	2	3	5	6	10
2. MULTIPLE DX	7672	3.9	17	1	1	3	5	8	11	20
A. Not Operated	2989	4.4	13	1	1	3	5	8	10	18
B. Operated	10617	2.9	11	< 1	1	2	3	6	8	16
TOTAL										
0-19 YRS	1271	3.0	8	< 1	1	2	4	6	8	14
20-34	2500	2.8	8	< 1	1	2	3	6	8	14
35-49	4227	2.7	6	< 1	1	2	3	5	7	13
50-64	3608	3.3	14	< 1	1	2	4	6	9	17
65 +	2000	4.8	25	< 1	1	3	6	10	13	27
GRAND TOTAL	**13606**	**3.2**	**12**	**<1**	**1**	**2**	**4**	**6**	**9**	**16**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	1.7	1	< 1	< 1	1	2	3	3	3
35-49	6	1.7	1	1	1	1	2	4	4	4
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	3	2.7		2	2	3	3	3	3	3
B. Operated										
0-19 YRS	385	1.9	1	< 1	1	2	2	3	4	6
20-34	701	1.9	1	< 1	< 1	1	2	3	4	6
35-49	952	2.0	1	< 1	< 1	2	3	3	4	6
50-64	884	2.1	2	< 1	1	2	3	4	5	7
65 +	365	1.9	2	< 1	< 1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	21	3.2	27	< 1	< 1	1	4	6	15	24
35-49	28	1.4	1	< 1	< 1	1	2	2	3	4
50-64	35	1.6	2	< 1	< 1	< 1	1	4	5	6
65 +	34	2.1	5	< 1	< 1	1	2	4	7	11
B. Operated										
0-19 YRS	466	2.2	2	< 1	1	2	3	4	5	6
20-34	1187	2.3	9	< 1	1	2	3	4	5	7
35-49	1991	2.3	3	< 1	1	2	3	4	5	8
50-64	3117	2.5	4	1	1	2	3	4	5	8
65 +	2351	2.8	6	1	1	2	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.0	1	< 1	1	2	3	3	4	4
B. Operated	3287	2.0	1	< 1	< 1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	122	2.0	7	< 1	< 1	1	2	4	6	15
B. Operated	9112	2.5	5	< 1	1	2	3	4	5	8
1. SINGLE DX	3305	2.0	1	< 1	< 1	2	3	4	4	6
2. MULTIPLE DX	9234	2.5	5	< 1	1	2	3	4	5	8
A. Not Operated	140	2.0	6	< 1	< 1	1	2	4	5	12
B. Operated	12399	2.3	4	< 1	1	2	3	4	5	8
TOTAL										
0-19 YRS	857	2.1	1	< 1	1	2	3	4	4	6
20-34	1912	2.2	7	< 1	< 1	2	3	4	5	7
35-49	2977	2.1	2	< 1	1	2	3	4	5	7
50-64	4040	2.4	3	< 1	1	2	3	4	5	8
65 +	2753	2.7	5	< 1	1	2	3	5	6	10
GRAND TOTAL	**12539**	**2.3**	**4**	**<1**	**1**	**2**	**3**	[illegible]	**5**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	3.0	10	< 1	< 1	2	3	8	11	11
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64	10	2.3	3	1	1	2	2	5	6	6
65 +	4	3.3	4	1	1	3	5	5	5	5
B. Operated										
0-19 YRS	201	1.3	1	< 1	< 1	1	1	2	3	5
20-34	262	1.3	1	< 1	< 1	< 1	1	2	3	5
35-49	251	1.6	1	< 1	< 1	1	2	3	4	7
50-64	194	1.9	2	< 1	< 1	1	2	4	5	7
65 +	84	2.1	3	< 1	< 1	1	3	4	5	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	5	1.0		< 1	< 1	1	1	1	1	1
35-49	13	4.9	29	< 1	< 1	2	7	14	17	18
50-64	20	3.9	5	< 1	1	4	5	7	9	10
65 +	30	3.8	7	1	1	3	5	7	11	12
B. Operated										
0-19 YRS	37	2.4	16	< 1	< 1	1	2	5	8	24
20-34	126	2.1	3	< 1	< 1	2	2	4	5	10
35-49	174	2.3	3	< 1	< 1	2	3	5	6	9
50-64	217	2.9	6	< 1	1	2	4	6	8	13
65 +	192	4.1	15	< 1	1	3	5	9	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.6	5	< 1	1	2	3	5	6	11
B. Operated	992	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	72	3.7	10	< 1	1	3	5	8	11	17
B. Operated	746	2.9	8	< 1	< 1	2	4	6	8	13
1. SINGLE DX	1020	1.6	2	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	818	3.0	9	< 1	< 1	2	4	6	9	14
A. Not Operated	100	3.4	9	< 1	1	2	4	6	10	15
B. Operated	1738	2.1	5	< 1	< 1	1	2	4	6	11
TOTAL										
0-19 YRS	242	1.5	3	< 1	< 1	1	1	2	3	7
20-34	402	1.6	2	< 1	< 1	1	2	3	4	8
35-49	443	2.0	3	< 1	< 1	1	2	4	5	9
50-64	441	2.5	4	< 1	< 1	2	3	5	7	11
65 +	310	3.5	12	< 1	< 1	3	4	7	10	16
GRAND TOTAL	**1838**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**5**	**6**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	233	10.0	59	2	3	8	13	20	26	41
20-34	74	7.8	52	1	2	6	10	16	22	38
35-49	55	8.6	64	2	2	7	11	16	28	40
50-64	44	8.7	62	1	2	6	13	21	27	31
65 +	44	10.5	98	2	2	6	15	25	31	43
B. Operated										
0-19 YRS	270	10.7	72	2	3	8	14	22	28	42
20-34	217	8.7	78	1	1	6	10	21	27	42
35-49	199	9.2	90	1	2	6	12	18	27	44
50-64	173	9.8	100	< 1	2	7	12	21	33	51
65 +	107	9.1	85	1	2	7	11	16	27	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	311	13.0	90	2	3	10	17	27	34	42
20-34	178	11.1	114	1	2	7	14	27	34	50
35-49	229	13.1	128	3	4	10	16	29	41	51
50-64	352	12.8	120	2	3	9	16	28	37	48
65 +	581	15.5	167	3	4	11	20	33	42	70
B. Operated										
0-19 YRS	484	17.5	184	3	4	14	23	34	44	61
20-34	653	16.1	221	2	3	11	21	39	52	99 +
35-49	845	16.0	212	2	4	12	20	37	47	84
50-64	1310	17.6	226	3	4	13	23	40	51	79
65 +	1580	18.4	238	3	5	14	23	42	52	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	450	9.4	63	1	2	7	13	20	27	41
B. Operated	966	9.6	84	1	2	7	12	21	29	44
2. MULTIPLE DX										
A. Not Operated	1651	13.6	133	2	4	10	17	30	39	53
B. Operated	4872	17.3	223	3	4	13	22	40	50	83
1. SINGLE DX	1416	9.5	77	1	2	7	12	21	28	43
2. MULTIPLE DX	6523	16.4	203	2	4	12	21	37	47	78
A. Not Operated	2101	12.7	121	2	3	9	16	28	36	50
B. Operated	5838	16.1	208	2	3	12	21	37	47	79
TOTAL										
0-19 YRS	1298	13.6	125	2	3	10	18	29	37	52
20-34	1122	13.3	176	2	3	9	17	33	43	78
35-49	1328	14.2	180	2	3	10	17	33	43	72
50-64	1879	15.8	199	2	3	11	21	36	46	75
65 +	2312	17.1	215	3	4	13	21	38	48	80
GRAND TOTAL	**7939**	**15.2**	**187**	**2**	**3**	**11**	**20**	**34**	**44**	**73**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	293	4.9	50	< 1	1	3	6	9	13	23
20-34	163	2.9	7	< 1	1	2	3	6	8	15
35-49	238	2.7	5	1	1	2	3	4	6	14
50-64	203	3.4	8	1	1	3	4	6	8	14
65 +	301	5.6	33	1	1	4	7	11	14	24
B. Operated										
0-19 YRS	2165	3.8	16	1	1	3	5	8	10	17
20-34	1627	3.2	7	1	1	2	4	7	8	12
35-49	1057	4.1	14	1	1	3	6	9	10	16
50-64	728	4.8	15	1	1	4	7	10	12	18
65 +	466	7.4	33	1	2	7	10	14	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	247	5.4	52	< 1	1	3	6	12	17	29
20-34	379	3.6	10	< 1	1	3	4	7	9	16
35-49	1023	4.1	17	1	1	3	5	8	11	23
50-64	1563	6.1	36	1	2	4	8	13	16	30
65 +	7730	8.4	51	2	3	7	10	16	20	39
B. Operated										
0-19 YRS	1036	5.0	35	1	1	3	6	11	15	29
20-34	1703	5.1	39	1	1	3	6	10	14	33
35-49	1687	6.8	55	1	1	5	9	14	17	42
50-64	1988	9.5	75	1	2	8	12	19	26	48
65 +	3759	13.3	110	2	4	11	16	24	34	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1198	4.1	25	1	1	3	5	8	11	19
B. Operated	6043	4.1	15	1	1	3	5	9	11	17
2. MULTIPLE DX										
A. Not Operated	10942	7.4	47	1	2	6	9	14	19	35
B. Operated	10173	9.3	86	1	1	7	12	19	26	51
1. SINGLE DX	7241	4.1	17	1	1	3	5	9	11	17
2. MULTIPLE DX	21115	8.3	67	1	2	6	11	17	22	44
A. Not Operated	12140	7.1	46	1	2	5	9	14	18	34
B. Operated	16216	7.3	66	1	1	5	10	16	21	43
TOTAL										
0-19 YRS	3741	4.3	27	1	1	3	5	9	12	23
20-34	3872	4.0	22	1	1	3	5	8	11	21
35-49	4005	5.1	34	1	1	3	7	11	14	31
50-64	4482	7.3	52	1	1	5	9	15	20	38
65 +	12256	9.8	74	2	3	8	12	18	24	48
GRAND TOTAL	**28356**	**7.2**	**58**	**1**	**1**	**5**	**9**	**15**	**20**	**40**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.7	13	1	1	3	5	9	13	13
20-34	4	5.5	20	1	1	5	9	11	11	11
35-49	6	3.2	4	< 1	< 1	3	5	6	6	6
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	618	3.2	12	1	1	3	4	5	7	17
20-34	151	2.9	5	< 1	< 1	2	4	5	7	13
35-49	103	2.8	5	< 1	< 1	2	4	6	7	10
50-64	58	3.0	7	< 1	< 1	2	4	6	8	14
65 +	44	4.6	21	< 1	1	3	6	12	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	6.5	316	< 1	< 1	1	2	13	38	97
20-34	11	2.5	5	< 1	< 1	< 1	4	6	8	8
35-49	10	5.2	21	< 1	< 1	4	5	12	17	17
50-64	20	9.4	195	< 1	< 1	3	10	34	46	48
65 +	36	8.6	64	< 1	1	7	11	18	20	43
B. Operated										
0-19 YRS	1074	3.6	16	1	1	3	4	6	8	21
20-34	368	4.0	18	1	1	3	5	8	10	20
35-49	312	3.7	12	1	1	3	5	7	9	18
50-64	289	4.5	27	1	1	3	5	9	12	30
65 +	236	6.4	33	1	1	5	8	13	19	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.8	11	< 1	< 1	3	5	8	12	13
B. Operated	974	3.1	11	< 1	1	2	4	5	7	15
2. MULTIPLE DX										
A. Not Operated	123	7.1	171	< 1	< 1	2	8	17	26	78
B. Operated	2279	4.1	20	1	1	3	5	8	10	24
1. SINGLE DX	996	3.2	11	< 1	1	2	4	6	8	15
2. MULTIPLE DX	2402	4.2	28	1	1	3	5	8	11	28
A. Not Operated	145	6.6	148	< 1	< 1	3	7	14	21	72
B. Operated	3253	3.8	17	1	1	3	4	7	9	22
TOTAL										
0-19 YRS	1749	3.5	22	1	1	3	4	6	8	23
20-34	534	3.6	14	< 1	1	3	4	7	10	17
35-49	431	3.5	11	< 1	1	3	4	7	9	15
50-64	368	4.5	34	< 1	1	3	5	9	13	40
65 +	316	6.4	35	1	1	5	8	14	19	29
GRAND TOTAL	**3398**	**3.9**	**23**	**< 1**	**1**	**3**	**5**	**7**	**10**	**24**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	1	1	1	2	3	3	3	3
20-34	44	3.1	5	< 1	< 1	3	4	5	7	13
35-49	47	4.3	15	< 1	< 1	3	5	9	11	22
50-64	22	4.7	19	< 1	1	3	7	12	15	16
65 +	21	2.8	5	< 1	< 1	2	3	6	8	9
B. Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	25	4.0	19	< 1	1	3	5	9	13	21
35-49	45	3.6	11	< 1	1	2	5	9	10	12
50-64	26	3.7	14	< 1	1	2	5	10	12	16
65 +	5	2.4	5	1	1	1	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	24	4.3	8	< 1	1	4	6	8	11	12
35-49	66	6.4	20	1	1	5	9	12	14	20
50-64	83	5.9	29	1	2	5	7	11	14	34
65 +	120	6.8	23	1	2	6	9	12	15	25
B. Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	24	6.8	29	1	2	4	11	15	16	17
35-49	45	7.7	55	1	1	6	10	17	23	31
50-64	36	5.7	32	1	1	4	9	13	15	27
65 +	33	5.4	25	1	1	4	7	9	13	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	3.6	11	< 1	< 1	3	4	7	10	16
B. Operated	103	3.7	13	< 1	1	2	5	9	10	18
2. MULTIPLE DX										
A. Not Operated	296	6.2	23	1	2	5	9	12	14	21
B. Operated	142	6.3	37	1	1	4	9	15	17	27
1. SINGLE DX	245	3.7	12	< 1	1	3	5	8	10	16
2. MULTIPLE DX	438	6.3	28	1	1	5	9	12	16	26
A. Not Operated	438	5.4	20	< 1	1	4	7	11	13	21
B. Operated	245	5.2	29	1	1	3	7	12	16	26
TOTAL										
0-19 YRS	17	2.3	1	1	1	2	3	4	5	5
20-34	117	4.3	15	< 1	1	3	5	10	14	18
35-49	203	5.6	27	< 1	1	4	8	12	16	24
50-64	167	5.4	26	1	1	4	7	11	15	25
65 +	179	5.9	23	1	1	5	8	11	14	25
GRAND TOTAL	**683**	**5.3**	**23**	**1**	**1**	**4**	**7**	**11**	**14**	**23**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	289	2.1	2	< 1	< 1	1	3	4	5	7
20-34	329	3.5	7	1	1	3	5	7	9	12
35-49	382	3.7	14	1	1	3	5	7	9	18
50-64	214	3.2	6	1	1	3	4	6	8	10
65 +	136	3.8	15	1	1	2	4	8	10	26
B. Operated										
0-19 YRS	1290	5.5	18	< 1	1	6	8	10	12	19
20-34	1053	3.5	13	< 1	1	2	5	8	10	17
35-49	1051	3.0	10	< 1	1	2	4	7	9	15
50-64	933	2.7	8	< 1	1	2	3	6	9	14
65 +	502	2.6	6	< 1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	445	3.4	18	< 1	< 1	2	4	7	12	23
20-34	668	4.1	17	1	1	3	5	8	11	21
35-49	1085	4.5	24	1	1	3	5	9	12	24
50-64	1089	4.7	23	1	1	3	6	9	12	22
65 +	1475	6.0	36	1	2	4	7	12	16	32
B. Operated										
0-19 YRS	1955	6.1	60	1	1	3	8	14	21	36
20-34	1673	4.8	39	1	1	3	6	11	16	32
35-49	1852	5.4	46	1	1	3	7	12	19	34
50-64	1852	5.6	52	1	1	3	7	12	18	34
65 +	1641	6.8	65	1	1	4	9	15	22	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1350	3.2	9	< 1	1	2	4	7	8	15
B. Operated	4829	3.7	13	< 1	1	2	6	9	10	16
2. MULTIPLE DX										
A. Not Operated	4762	4.9	26	1	1	3	6	10	13	25
B. Operated	8973	5.7	53	1	1	3	7	13	19	37
1. SINGLE DX	6179	3.6	12	< 1	1	2	5	8	10	16
2. MULTIPLE DX	13735	5.4	44	1	1	3	7	12	17	33
A. Not Operated	6112	4.5	23	1	1	3	6	9	12	23
B. Operated	13802	5.0	40	1	1	3	7	11	16	31
TOTAL										
0-19 YRS	3979	5.3	39	< 1	1	3	8	11	16	30
20-34	3723	4.2	25	1	1	3	5	9	13	25
35-49	4370	4.4	30	1	1	3	5	10	14	27
50-64	4088	4.6	33	1	1	3	6	10	14	27
65 +	3754	5.8	46	1	1	4	7	12	17	38
GRAND TOTAL	**19914**	**4.9**	**35**	**1**	**1**	**3**	**6**	**10**	**15**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	3.4	4	1	1	3	5	6	6	6
35-49	7	3.9	4	1	1	4	5	7	7	7
50-64	3	3.0		3	3	3	3	3	3	3
65 +	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	10	2.2	10	1	1	1	2	7	11	11
35-49	13	2.2	5	< 1	< 1	1	3	6	8	8
50-64	5	1.6	1	1	1	1	2	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	6	< 1	< 1	3	5	6	6	6
20-34	38	5.1	12	1	2	5	6	8	13	19
35-49	37	4.2	6	1	2	4	5	7	10	12
50-64	24	4.9	11	1	2	4	6	10	12	15
65 +	16	3.4	4	1	1	3	4	6	7	8
B. Operated										
0-19 YRS	0									
20-34	12	3.8	9	1	1	3	6	8	8	8
35-49	13	5.5	21	1	1	6	8	10	16	17
50-64	12	4.6	15	1	1	4	7	10	13	13
65 +	5	2.2	3	1	1	1	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.7	3	1	1	4	5	6	7	7
B. Operated	30	2.2	6	1	1	1	2	6	8	11
2. MULTIPLE DX										
A. Not Operated	118	4.5	9	1	2	4	6	8	10	17
B. Operated	42	4.4	14	1	1	3	8	8	11	17
1. SINGLE DX	49	2.8	5	1	1	2	4	6	7	11
2. MULTIPLE DX	160	4.5	10	1	1	4	6	8	10	17
A. Not Operated	137	4.4	8	1	2	4	6	7	10	16
B. Operated	72	3.5	12	1	1	2	5	8	9	16
TOTAL										
0-19 YRS	5	3.4	6	< 1	< 1	3	6	6	6	6
20-34	67	4.3	11	1	1	4	6	8	9	18
35-49	70	4.1	9	1	1	3	5	8	9	16
50-64	44	4.3	11	1	1	3	6	9	12	15
65 +	23	3.3	4	1	1	3	5	6	7	8
GRAND TOTAL	**209**	**4.1**	**9**	**1**	**1**	**3**	**5**	**8**	**9**	**16**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	3.2	31	< 1	< 1	1	3	5	9	34
20-34	9	2.4	3	< 1	< 1	2	4	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	317	5.0	13	1	1	4	6	9	11	21
20-34	22	5.1	16	1	1	5	7	12	13	15
35-49	45	7.1	21	1	1	7	9	13	18	18
50-64	13	6.9	25	1	1	7	9	15	17	17
65 +	4	4.8	15	< 1	< 1	4	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	292	7.1	242	< 1	1	3	6	15	75	99 +
20-34	16	6.2	54	1	2	3	6	20	24	26
35-49	12	9.0	163	< 1	1	6	8	23	44	48
50-64	17	6.8	61	1	2	5	7	15	27	33
65 +	17	6.9	41	1	1	4	10	17	21	23
B. Operated										
0-19 YRS	610	9.4	137	1	2	6	10	20	35	75
20-34	52	12.5	188	2	4	9	13	26	29	87
35-49	61	10.8	105	2	3	8	12	22	35	55
50-64	36	16.9	203	2	4	12	22	36	45	67
65 +	28	13.3	152	3	4	8	16	31	44	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	3.0	27	< 1	< 1	1	3	5	7	34
B. Operated	401	5.3	15	1	1	5	7	9	12	19
2. MULTIPLE DX										
A. Not Operated	354	7.1	211	< 1	1	3	6	16	52	99 +
B. Operated	787	10.2	144	1	2	7	11	22	35	71
1. SINGLE DX	482	4.9	17	1	1	4	7	9	12	21
2. MULTIPLE DX	1141	9.2	167	1	1	6	10	21	38	99
A. Not Operated	435	6.3	179	< 1	1	3	6	11	35	99 +
B. Operated	1188	8.6	106	1	2	6	9	17	28	64
TOTAL										
0-19 YRS	1287	7.5	129	1	1	5	8	14	29	94
20-34	99	8.9	125	1	1	6	11	18	27	69
35-49	120	9.1	80	1	1	7	11	17	27	50
50-64	66	12.3	155	1	2	9	15	32	37	64
65 +	51	10.0	110	1	2	7	10	24	33	52
GRAND TOTAL	**1623**	**8.0**	**126**	**1**	**1**	**5**	**9**	**16**	**30**	**90**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	1.3	2	<1	<1	<1	1	2	2	10
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	0									
50-64	0									
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	887	1.8	6	<1	<1	1	2	3	5	11
20-34	151	1.8	2	<1	1	1	2	3	5	8
35-49	97	1.9	4	<1	1	1	2	3	6	12
50-64	58	1.8	4	<1	<1	1	2	3	3	14
65+	17	1.6	1	<1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	1.9	4	<1	<1	1	2	4	7	10
20-34	6	3.8	11	1	1	3	5	9	10	10
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+	5	2.2	1	<1	<1	3	3	3	3	3
B. Operated										
0-19 YRS	449	2.3	11	<1	1	1	2	5	6	15
20-34	89	2.5	5	<1	1	2	3	6	7	11
35-49	49	2.9	23	<1	<1	2	3	4	8	30
50-64	47	1.9	2	<1	1	1	2	4	4	10
65+	49	3.4	16	1	1	2	4	8	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	1.4	2	<1	<1	<1	1	2	3	10
B. Operated	1210	1.8	5	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	101	2.0	4	<1	<1	1	2	4	7	10
B. Operated	683	2.4	11	<1	1	1	3	5	7	18
1. SINGLE DX	1324	1.8	5	<1	<1	1	2	3	5	10
2. MULTIPLE DX	784	2.3	10	<1	<1	1	3	5	7	15
A. Not Operated	215	1.7	3	<1	<1	1	1	3	5	10
B. Operated	1893	2.0	7	<1	<1	1	2	4	6	13
TOTAL										
0-19 YRS	1530	1.9	7	<1	<1	1	2	4	5	11
20-34	250	2.1	3	<1	1	2	2	4	6	10
35-49	148	2.2	10	<1	1	1	2	4	7	19
50-64	108	1.8	3	<1	<1	1	2	3	4	12
65+	72	2.9	12	<1	1	2	4	5	10	19
GRAND TOTAL	**2108**	**2.0**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154	2.4	5	<1	<1	2	3	5	7	13
20-34	23	2.4	2	<1	1	2	3	4	5	5
35-49	13	2.5	12	<1	<1	1	2	7	12	13
50-64	6	1.5	1	1	1	1	2	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	2734	4.4	16	1	1	3	6	9	10	17
20-34	189	4.3	15	<1	1	2	7	10	11	16
35-49	132	4.0	13	1	1	2	7	9	11	15
50-64	68	3.8	12	1	1	2	6	10	11	13
65+	28	4.4	21	<1	1	2	6	14	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1035	4.1	44	<1	1	2	4	8	13	36
20-34	91	3.3	8	<1	1	2	4	6	11	14
35-49	64	4.1	13	1	1	4	5	8	11	19
50-64	44	5.6	12	1	2	5	8	11	12	14
65+	89	5.4	32	1	1	4	7	10	13	36
B. Operated										
0-19 YRS	6514	7.9	96	1	1	6	10	17	26	59
20-34	393	6.5	47	1	1	5	9	13	17	40
35-49	279	7.4	67	1	1	6	9	16	25	48
50-64	237	7.7	68	1	1	6	10	16	22	44
65+	214	10.0	95	1	1	8	13	21	30	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	197	2.4	5	<1	<1	2	3	5	6	13
B. Operated	3151	4.4	16	1	1	3	6	9	10	16
2. MULTIPLE DX										
A. Not Operated	1323	4.2	38	<1	1	2	5	8	12	35
B. Operated	7637	7.8	92	1	1	6	10	17	26	56
1. SINGLE DX	3348	4.2	15	1	1	3	6	9	10	16
2. MULTIPLE DX	8960	7.3	86	1	1	5	9	16	24	54
A. Not Operated	1520	3.9	34	<1	1	2	4	8	11	35
B. Operated	10788	6.8	72	1	1	5	9	14	21	48
TOTAL										
0-19 YRS	10437	6.5	72	1	1	4	8	14	21	48
20-34	696	5.3	34	1	1	3	8	11	14	32
35-49	488	6.0	47	1	1	4	8	12	17	41
50-64	355	6.6	52	1	1	4	9	13	18	41
65+	332	8.3	77	1	1	6	11	18	26	51
GRAND TOTAL	**12308**	**6.5**	**68**	**1**	**1**	**4**	**8**	**14**	**20**	**46**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.3	4	< 1	< 1	1	3	5	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1611	2.8	2	1	1	3	3	5	6	7
20-34	27	2.0	1	1	1	2	3	4	4	4
35-49	8	2.3	1	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	1.7	5	< 1	< 1	1	1	3	5	16
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1696	3.1	8	1	1	3	4	5	7	11
20-34	39	2.5	2	1	1	2	3	4	5	6
35-49	9	2.8	5	1	1	3	3	6	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.3	4	< 1	< 1	1	3	5	6	6
B. Operated	1647	2.8	2	1	1	3	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	107	1.7	5	< 1	< 1	1	1	3	5	15
B. Operated	1747	3.1	8	1	1	3	4	5	7	11
1. SINGLE DX	1657	2.8	2	1	1	3	3	5	6	7
2. MULTIPLE DX	1854	3.0	8	1	1	3	4	5	7	11
A. Not Operated	117	1.7	5	< 1	< 1	1	1	3	5	14
B. Operated	3394	2.9	5	1	1	3	4	5	6	9
TOTAL										
0-19 YRS	3421	2.9	5	1	1	3	4	5	6	10
20-34	68	2.2	1	1	1	2	3	4	4	6
35-49	18	2.6	3	1	1	2	3	4	7	8
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**3511**	**2.9**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	1.9	1	< 1	< 1	2	3	3	4	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1565	3.2	2	2	2	3	4	5	5	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	3.5	8	1	1	3	4	6	9	15
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	552	4.4	6	2	2	4	5	7	9	14
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	1.9	1	< 1	< 1	2	3	3	4	6
B. Operated	1565	3.2	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	35	3.5	8	1	1	3	4	6	9	15
B. Operated	552	4.4	6	2	2	4	5	7	9	14
1. SINGLE DX	1627	3.1	2	2	2	3	4	5	5	7
2. MULTIPLE DX	587	4.3	6	2	2	4	5	7	9	15
A. Not Operated	97	2.5	4	< 1	1	2	3	4	6	13
B. Operated	2117	3.5	3	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	2214	3.5	3	2	2	3	4	5	6	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2214**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (S)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	216	3.7	45	< 1	< 1	2	3	5	14	44
20-34	4	1.5	1	< 1	< 1	1	2	3	3	3
35-49	9	4.3	8	1	1	4	7	8	9	9
50-64	[illegible]	3.5	13	< 1	< 1	3	6	6	6	6
65 +	2	8.0	72	2	2	8	14	14	14	14
B. Operated										
0-19 YRS	1043	5.7	34	1	1	4	8	11	15	31
20-34	93	4.6	12	1	1	4	6	9	10	19
35-49	57	3.8	11	1	1	2	6	8	10	16
50-64	37	5.1	25	< 1	1	3	7	14	16	19
65 +	11	3.6	11	1	1	2	5	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	496	5.5	64	< 1	1	3	6	12	19	55
20-34	12	4.4	13	1	1	3	7	9	12	13
35-49	22	5.0	15	1	1	4	7	11	13	15
50-64	18	4.1	3	< 1	1	4	5	5	7	8
65 +	47	5.6	19	1	1	4	8	10	13	24
B. Operated										
0-19 YRS	1575	10.0	176	1	1	6	11	24	38	99 +
20-34	178	6.4	49	1	1	5	8	12	17	47
35-49	130	6.6	19	1	1	6	9	11	15	23
50-64	107	7.6	38	1	1	7	10	15	19	67
65 +	152	12.3	155	1	2	9	15	30	41	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	233	3.7	43	< 1	< 1	2	4	6	14	43
B. Operated	1241	5.5	31	1	1	4	8	11	15	28
2. MULTIPLE DX										
A. Not Operated	595	5.4	56	1	1	3	6	11	17	[illegible]
B. Operated	2142	9.5	149	1	1	6	11	21	34	91
1. SINGLE DX	1474	5.2	34	< 1	1	4	7	11	15	30
2. MULTIPLE DX	2737	8.6	132	1	1	6	10	19	31	89
A. Not Operated	828	4.9	53	< 1	1	3	5	10	16	48
B. Operated	3383	8.1	110	1	1	6	9	17	28	81
TOTAL										
0-19 YRS	3330	7.6	112	1	1	5	9	16	28	82
20-34	287	5.7	36	1	1	5	7	10	14	36
35-49	218	5.6	18	1	1	5	8	11	13	19
50-64	164	6.6	33	1	1	5	9	13	18	41
65 +	212	10.4	126	1	1	8	12	22	33	58
GRAND TOTAL	**4211**	**7.4**	**100**	**1**	**1**	**5**	**9**	**15**	**25**	**72**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.5	1	< 1	< 1	1	2	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	890	1.4	1	< 1	< 1	1	2	2	3	5
20-34	56	1.6	1	< 1	< 1	1	2	3	4	5
35-49	18	1.6	1	< 1	< 1	1	2	3	4	4
50-64	4	1.5		1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	1.1		< 1	< 1	< 1	1	1	2	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	873	1.6	2	< 1	< 1	1	2	3	4	6
20-34	74	2.0	3	1	1	2	2	3	4	11
35-49	29	2.7	12	1	1	2	3	5	9	19
50-64	9	2.4	3	1	1	2	3	5	7	7
65 +	4	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	968	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	38	1.1		< 1	< 1	< 1	1	1	2	3
B. Operated	989	1.6	2	< 1	< 1	1	2	3	4	7
1. SINGLE DX	976	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	1027	1.6	2	< 1	< 1	1	2	3	4	7
A. Not Operated	46	1.2		< 1	< 1	1	1	2	3	3
B. Operated	1957	1.5	2	< 1	< 1	1	2	3	3	6
TOTAL										
0-19 YRS	1808	1.5	1	< 1	< 1	1	2	3	3	6
20-34	131	1.8	2	< 1	1	1	2	3	4	7
35-49	47	2.3	8	< 1	1	1	3	3	6	19
50-64	13	2.2	2	1	1	2	2	4	6	7
65 +	4	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	**2003**	**1.5**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**3**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	1.8	2	< 1	1	1	2	4	5	7
20-34	14	2.9	6	< 1	1	2	4	6	8	9
35-49	5	2.2	2	< 1	< 1	2	3	4	4	4
50-64	2	5.5	1	5	5	5	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	2102	3.5	10	< 1	1	2	5	8	10	14
20-34	239	3.6	6	1	1	3	5	7	8	12
35-49	103	4.1	8	1	1	4	5	7	10	13
50-64	36	4.6	11	< 1	1	4	8	9	10	12
65 +	13	3.9	6	< 1	1	3	6	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	175	2.9	16	< 1	< 1	2	3	5	8	28
20-34	63	3.1	6	< 1	1	2	4	7	8	13
35-49	80	4.1	8	1	2	3	5	8	11	14
50-64	33	4.0	5	1	2	4	5	6	10	11
65 +	34	4.7	16	1	1	4	5	9	15	18
B. Operated										
0-19 YRS	1526	5.9	45	1	1	4	8	12	16	32
20-34	411	5.0	15	1	1	4	6	9	14	21
35-49	302	5.2	10	1	1	5	7	9	11	15
50-64	166	6.5	23	1	2	6	8	12	15	37
65 +	126	8.5	77	1	1	6	10	17	24	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	2.1	3	< 1	1	1	2	5	5	8
B. Operated	2493	3.6	9	< 1	1	3	5	8	10	14
2. MULTIPLE DX										
A. Not Operated	385	3.4	12	< 1	1	3	4	7	9	25
B. Operated	2531	5.8	37	1	1	4	7	12	15	30
1. SINGLE DX	2579	3.5	9	< 1	1	3	5	8	10	14
2. MULTIPLE DX	2916	5.5	34	1	1	4	7	11	15	28
A. Not Operated	471	3.2	11	< 1	1	2	4	6	9	23
B. Operated	5024	4.7	24	1	1	4	6	10	13	23
TOTAL										
0-19 YRS	3868	4.4	25	< 1	1	3	6	10	12	24
20-34	727	4.3	11	1	1	4	5	8	11	20
35-49	490	4.7	9	1	1	4	6	9	11	15
50-64	237	5.9	20	1	1	5	8	11	14	28
65 +	173	7.4	63	1	1	6	9	15	19	41
GRAND TOTAL	**5495**	**4.6**	**23**	**1**	**1**	**3**	**6**	**10**	**12**	**23**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.7	8	< 1	< 1	1	4	5	9	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1148	2.6	3	1	1	2	3	4	5	8
20-34	34	3.0	4	1	1	3	4	5	7	10
35-49	20	3.0	3	1	1	3	4	5	6	7
50-64	9	1.2		< 1	< 1	1	1	2	3	3
65 +	6	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	1.7	2	< 1	< 1	1	1	4	6	8
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	694	3.0	8	1	1	2	4	5	6	15
20-34	145	2.9	4	1	1	2	4	5	6	10
35-49	106	2.7	2	1	1	2	3	5	6	8
50-64	117	2.9	3	1	1	3	4	5	6	10
65 +	55	2.7	4	1	1	2	3	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.7	8	< 1	< 1	1	4	5	9	13
B. Operated	1217	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	62	1.7	2	< 1	< 1	1	2	4	6	8
B. Operated	1117	2.9	6	1	1	2	4	5	6	12
1. SINGLE DX	1237	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1179	2.9	6	1	1	2	4	5	6	12
A. Not Operated	82	2.0	4	< 1	< 1	1	2	4	6	11
B. Operated	2334	2.7	4	1	1	2	3	5	6	10
TOTAL										
0-19 YRS	1921	2.7	5	1	1	2	3	5	6	10
20-34	180	2.9	4	1	1	2	4	5	7	10
35-49	126	2.7	2	1	1	2	3	5	6	8
50-64	127	2.8	3	1	1	2	4	5	6	9
65 +	62	2.8	4	1	1	2	3	5	7	11
GRAND TOTAL	**2416**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	363	2.8	22	< 1	< 1	1	3	5	9	21
20-34	41	3.8	8	1	1	3	5	8	9	13
35-49	32	5.2	18	2	2	4	6	8	18	20
50-64	28	4.1	21	< 1	1	3	6	7	10	24
65 +	6	3.8	11	< 1	< 1	2	7	9	9	9
B. Operated										
0-19 YRS	3561	3.7	17	< 1	1	2	5	7	10	23
20-34	649	3.0	8	< 1	1	2	4	8	9	12
35-49	417	3.4	13	< 1	1	2	5	9	10	16
50-64	194	3.8	16	1	1	2	5	9	11	20
65 +	45	3.2	6	< 1	1	3	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	711	4.7	56	< 1	< 1	3	5	10	16	56
20-34	101	5.0	19	< 1	1	4	7	10	13	24
35-49	72	4.7	11	1	1	4	6	9	12	17
50-64	96	5.6	19	1	1	5	7	11	14	21
65 +	100	6.5	27	1	2	5	8	13	18	26
B. Operated										
0-19 YRS	2253	6.3	88	1	1	4	7	12	23	63
20-34	498	5.5	40	1	1	4	8	11	14	31
35-49	483	5.9	32	1	1	5	8	12	15	25
50-64	377	7.1	59	1	1	6	9	13	18	27
65 +	210	8.3	57	1	1	7	11	18	22	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	470	3.1	21	< 1	< 1	2	4	7	9	21
B. Operated	4866	3.6	15	< 1	1	2	5	8	10	21
2. MULTIPLE DX										
A. Not Operated	1080	5.0	44	< 1	1	3	6	10	16	32
B. Operated	3821	6.4	71	1	1	4	8	12	19	57
1. SINGLE DX	5336	3.6	16	< 1	1	2	5	8	10	21
2. MULTIPLE DX	4901	6.0	65	1	1	4	7	12	18	54
A. Not Operated	1550	4.4	38	< 1	1	3	5	9	14	30
B. Operated	8687	4.8	42	1	1	3	6	10	14	33
TOTAL										
0-19 YRS	6888	4.6	46	< 1	1	3	5	9	15	39
20-34	1289	4.1	23	< 1	1	2	6	9	11	20
35-49	1004	4.7	23	1	1	3	7	10	12	22
50-64	695	5.9	42	1	1	4	8	11	15	24
65 +	361	7.1	45	1	1	5	9	15	21	38
GRAND TOTAL	**10237**	**4.8**	**41**	**< 1**	**1**	**3**	**6**	**10**	**14**	**32**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7091	3.0	13	1	1	2	3	5	8	19
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	146	6.1	102	1	1	4	7	12	16	94
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6395	8.4	124	1	2	4	10	20	31	62
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	868	22.6	600	2	3	13	40	88	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7091	3.0	13	1	1	2	3	5	8	19
B. Operated	146	6.1	102	1	1	4	7	12	16	94
2. MULTIPLE DX										
A. Not Operated	6395	8.4	124	1	2	4	10	20	31	62
B. Operated	868	22.6	600	2	3	13	40	88	99 +	99 +
1. SINGLE DX	7237	3.0	15	1	1	2	3	5	9	20
2. MULTIPLE DX	7263	10.1	202	1	2	5	12	26	45	99 +
A. Not Operated	13486	5.5	73	1	1	3	5	13	21	47
B. Operated	1014	20.3	562	1	2	11	32	83	99 +	99 +
TOTAL										
0-19 YRS	14500	6.6	121	1	1	3	6	15	28	79
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**14500**	**6.6**	**121**	**1**	**1**	**3**	**6**	**15**	**28**	**79**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3964	2.4	5	1	1	2	3	4	6	9
20-34	1167	2.5	7	1	1	2	3	4	6	10
35-49	651	2.7	4	1	1	2	3	5	6	10
50-64	397	2.9	3	1	1	2	4	5	6	10
65 +	314	3.5	9	1	1	3	4	6	8	19
B. Operated										
0-19 YRS	27	5.9	209	1	1	2	5	9	21	77
20-34	20	4.9	20	< 1	1	3	6	11	15	18
35-49	16	3.1	4	1	1	3	4	5	7	8
50-64	22	3.8	6	1	1	3	6	6	8	10
65 +	7	5.0	6	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7619	3.0	9	1	1	2	4	5	7	14
20-34	2115	3.6	9	1	1	3	5	7	9	15
35-49	2229	4.6	33	1	1	3	5	8	11	24
50-64	2579	5.0	26	1	2	4	6	9	13	27
65 +	4680	6.5	43	2	2	5	8	12	16	35
B. Operated										
0-19 YRS	211	8.9	152	1	2	5	9	20	38	92
20-34	180	7.8	131	1	1	4	9	18	25	78
35-49	188	7.4	61	1	2	5	9	15	19	51
50-64	244	9.8	69	1	2	8	13	20	25	45
65 +	412	13.8	186	2	3	10	18	32	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6493	2.5	5	1	1	2	3	5	6	10
B. Operated	92	4.6	67	1	1	3	5	8	11	52
2. MULTIPLE DX										
A. Not Operated	19222	4.4	24	1	1	3	5	8	12	23
B. Operated	1235	10.3	136	1	2	7	13	23	34	86
1. SINGLE DX	6585	2.6	6	1	1	2	3	5	6	10
2. MULTIPLE DX	20457	4.7	33	1	1	3	5	9	13	29
A. Not Operated	25715	3.9	20	1	1	3	5	8	10	20
B. Operated	1327	9.9	134	1	2	6	12	22	34	82
TOTAL										
0-19 YRS	11821	2.9	11	1	1	2	3	5	7	14
20-34	3482	3.4	16	1	1	3	4	6	9	18
35-49	3084	4.3	30	1	1	3	5	8	11	23
50-64	3242	5.1	28	1	1	4	6	10	14	29
65 +	5413	6.9	57	1	2	5	8	13	18	44
GRAND TOTAL	**27042**	**4.2**	**27**	**1**	**1**	**3**	**5**	**8**	**12**	**26**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1426	2.8	2	1	1	3	3	4	6	8
20-34	162	3.5	5	1	1	3	4	6	8	10
35-49	127	4.2	6	2	2	4	6	8	10	11
50-64	108	4.3	7	1	1	4	6	8	9	13
65 +	94	4.6	16	1	2	4	5	8	10	26
B. Operated										
0-19 YRS	25	7.6	72	1	2	4	9	22	29	32
20-34	13	6.9	8	3	4	6	9	11	12	12
35-49	18	6.8	12	2	3	6	11	12	13	13
50-64	19	10.2	48	4	5	8	9	21	28	32
65 +	12	9.5	22	3	4	9	12	15	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4192	3.5	7	1	1	3	4	6	8	13
20-34	772	4.8	15	1	2	4	6	9	11	21
35-49	808	5.1	17	1	2	4	6	9	12	21
50-64	1318	5.7	18	2	2	5	7	10	13	24
65 +	2831	6.6	33	2	2	5	8	12	15	28
B. Operated										
0-19 YRS	196	8.3	80	1	2	6	11	18	27	47
20-34	149	8.7	64	2	2	7	10	18	26	62
35-49	204	10.7	107	2	3	8	13	22	34	71
50-64	319	10.7	76	3	3	9	13	20	30	47
65 +	506	13.8	129	3	4	11	17	27	35	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1917	3.1	4	1	1	3	4	5	7	10
B. Operated	87	8.2	38	2	3	7	10	13	22	32
2. MULTIPLE DX										
A. Not Operated	9921	4.9	19	1	2	4	6	9	12	21
B. Operated	1374	11.3	104	2	3	9	14	23	31	65
1. SINGLE DX	2004	3.3	7	1	1	3	4	6	8	12
2. MULTIPLE DX	11295	5.7	34	1	2	4	7	11	15	30
A. Not Operated	11838	4.6	17	1	2	3	6	9	11	19
B. Operated	1461	11.1	100	2	3	8	14	22	30	61
TOTAL										
0-19 YRS	5839	3.5	10	1	1	3	4	6	8	15
20-34	1096	5.2	22	1	2	4	6	10	13	27
35-49	1157	6.0	36	1	2	4	7	11	16	34
50-64	1764	6.6	32	2	2	5	8	12	16	33
65 +	3443	7.6	53	2	2	6	9	14	19	40
GRAND TOTAL	**13299**	**5.3**	**30**	**1**	**2**	**4**	**6**	**10**	**14**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	245	2.3	3	1	1	2	3	4	5	11
20-34	535	3.0	7	1	1	2	4	5	8	11
35-49	340	2.8	5	1	1	2	4	5	6	11
50-64	142	2.9	4	1	1	2	4	5	7	11
65+	39	2.8	3	1	1	3	4	5	6	7
B. Operated										
0-19 YRS	17	3.0	4	1	1	2	4	6	7	7
20-34	100	2.8	7	1	1	2	3	6	8	15
35-49	95	2.9	7	1	1	2	3	6	8	15
50-64	38	2.0	2	1	1	2	2	4	4	7
65+	8	2.5	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	497	2.7	4	1	1	2	3	5	6	9
20-34	1146	3.9	11	1	1	3	5	7	10	18
35-49	1005	4.2	14	1	1	3	5	8	10	19
50-64	628	4.0	13	1	1	3	5	8	10	14
65+	580	4.1	10	1	1	3	5	8	10	16
B. Operated										
0-19 YRS	37	3.1	4	1	1	2	4	6	7	9
20-34	102	4.4	36	1	1	3	6	9	12	35
35-49	161	5.2	39	1	1	3	6	11	13	34
50-64	124	5.6	22	1	1	4	8	12	15	23
65+	112	6.7	32	1	1	5	8	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1301	2.8	6	1	1	2	3	5	7	11
B. Operated	258	2.7	6	1	1	2	3	6	7	14
2. MULTIPLE DX										
A. Not Operated	3856	3.9	11	1	1	3	5	7	10	17
B. Operated	536	5.3	32	1	1	4	7	11	14	26
1. SINGLE DX	1559	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX	4392	4.0	14	1	1	3	5	8	10	18
A. Not Operated	5157	3.6	10	1	1	3	4	7	9	16
B. Operated	794	4.5	25	1	1	3	6	9	13	22
TOTAL										
0-19 YRS	796	2.6	4	1	1	2	3	5	6	10
20-34	1883	3.6	11	1	1	3	4	7	9	17
35-49	1601	3.9	15	1	1	3	5	8	10	18
50-64	932	4.0	13	1	1	3	5	8	10	16
65+	739	4.4	13	1	1	3	6	9	11	19
GRAND TOTAL	**5951**	**3.7**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.3	3	<1	<1	2	3	5	6	8
20-34	66	2.5	1	1	1	2	3	4	5	6
35-49	121	2.8	2	1	1	3	4	5	5	8
50-64	167	3.1	4	<1	1	3	4	6	6	10
65+	167	2.8	4	<1	1	2	4	5	7	10
B. Operated										
0-19 YRS	39	2.8	5	<1	<1	2	4	6	8	8
20-34	95	3.3	3	1	1	3	5	6	6	8
35-49	147	3.8	4	1	1	4	5	7	7	9
50-64	223	3.7	5	1	1	3	5	6	8	11
65+	209	3.5	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	2.3	3	<1	1	2	3	5	6	7
20-34	83	3.1	4	<1	1	3	4	6	7	11
35-49	213	3.4	5	1	1	3	4	6	8	11
50-64	520	3.8	7	1	1	3	5	7	9	13
65+	1037	4.0	15	1	1	3	5	7	10	16
B. Operated										
0-19 YRS	49	3.4	8	1	1	3	5	7	10	12
20-34	118	4.5	11	1	1	4	6	8	11	18
35-49	236	4.7	16	1	2	4	6	8	10	24
50-64	618	5.0	24	1	2	4	6	8	11	21
65+	1054	5.4	22	1	2	4	7	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	554	2.8	3	<1	1	2	4	5	6	9
B. Operated	713	3.5	4	1	1	3	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	1940	3.8	11	1	1	3	5	7	9	15
B. Operated	2075	5.1	21	1	2	4	6	9	12	22
1. SINGLE DX	1267	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX	4015	4.5	17	1	1	4	6	8	11	19
A. Not Operated	2494	3.6	9	1	1	3	4	7	8	14
B. Operated	2788	4.7	17	1	1	4	6	8	11	20
TOTAL										
0-19 YRS	208	2.7	4	<1	1	2	4	6	7	10
20-34	362	3.5	6	1	1	3	4	6	7	12
35-49	717	3.8	8	1	1	3	5	7	8	12
50-64	1528	4.2	14	1	1	4	5	7	9	16
65+	2467	4.5	17	1	1	4	6	8	11	19
GRAND TOTAL	**5282**	**4.2**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	2.9	4	< 1	1	2	3	6	7	10
20-34	41	2.1	2	< 1	1	2	3	4	5	6
35-49	59	2.2	3	1	1	2	3	5	5	9
50-64	42	2.0	2	< 1	1	2	2	4	6	8
65 +	37	3.7	47	1	1	2	4	5	7	43
B. Operated										
0-19 YRS	179	2.3	8	< 1	< 1	1	2	6	10	14
20-34	163	2.0	4	< 1	< 1	1	2	3	7	12
35-49	127	2.0	3	< 1	< 1	1	2	4	6	8
50-64	91	2.2	3	< 1	< 1	1	3	5	6	10
65 +	41	2.3	9	< 1	< 1	1	2	6	8	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	158	4.6	20	1	1	3	5	10	15	24
20-34	171	3.5	16	1	1	2	4	6	10	28
35-49	264	3.6	11	1	1	3	4	8	11	15
50-64	363	4.5	38	1	1	3	6	9	12	24
65 +	851	6.5	35	1	1	5	9	14	18	30
B. Operated										
0-19 YRS	125	6.5	85	< 1	1	3	9	14	37	99 +
20-34	150	4.9	46	< 1	1	3	6	10	18	37
35-49	164	6.8	94	1	1	3	8	17	25	56
50-64	208	8.9	130	1	1	5	12	25	30	79
65 +	277	10.3	127	1	1	7	15	23	37	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	2.6	10	1	1	2	3	5	6	10
B. Operated	601	2.2	5	< 1	< 1	1	2	5	7	12
2. MULTIPLE DX										
A. Not Operated	1807	5.2	30	1	1	3	7	11	15	27
B. Operated	924	8.0	106	1	1	4	10	20	29	64
1. SINGLE DX	849	2.3	7	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX	2731	6.1	58	1	1	4	8	14	20	42
A. Not Operated	2055	4.9	29	1	1	3	6	11	15	27
B. Operated	1525	5.7	74	< 1	< 1	2	7	15	22	56
TOTAL										
0-19 YRS	531	4.1	31	< 1	< 1	2	5	10	13	38
20-34	525	3.3	21	< 1	1	2	4	7	10	21
35-49	614	4.0	34	< 1	1	2	4	9	14	27
50-64	704	5.3	64	< 1	1	3	6	12	21	52
65 +	1206	7.1	59	1	1	5	9	16	21	43
GRAND TOTAL	**3580**	**5.2**	**48**	**< 1**	**1**	**3**	**6**	**12**	**17**	**37**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	2	13.0	32	9	9	13	17	17	17	17
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	10	5.8	15	1	2	5	7	11	15	15
B. Operated										
0-19 YRS	18	2.9	7	< 1	< 1	2	4	7	8	9
20-34	45	6.8	68	1	1	4	8	12	34	35
35-49	21	6.3	52	1	1	4	9	13	24	31
50-64	71	8.5	167	< 1	1	4	10	16	28	82
65 +	116	9.5	32	2	3	9	12	17	20	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	7.2	32	3	3	5	9	17	17	17
20-34	12	7.1	46	1	1	4	11	18	21	21
35-49	27	7.2	27	1	1	6	10	15	18	23
50-64	59	7.5	34	1	2	6	11	15	19	32
65 +	295	9.3	77	1	2	7	11	18	26	50
B. Operated										
0-19 YRS	38	8.4	79	< 1	1	4	12	21	27	37
20-34	109	13.3	184	1	2	9	16	30	40	69
35-49	215	16.9	290	1	3	11	23	44	63	99 +
50-64	677	16.6	196	2	4	13	22	35	46	82
65 +	2210	16.9	180	4	5	13	21	34	46	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	6.1	21	1	1	5	7	14	16	17
B. Operated	271	8.1	75	1	1	7	11	16	21	37
2. MULTIPLE DX										
A. Not Operated	398	8.8	66	1	2	7	11	17	23	42
B. Operated	3249	16.6	191	3	4	13	21	35	46	84
1. SINGLE DX	287	8.0	73	1	1	6	10	16	20	36
2. MULTIPLE DX	3647	15.7	183	2	4	12	20	33	45	81
A. Not Operated	414	8.7	65	1	2	7	11	17	22	40
B. Operated	3520	15.9	187	2	4	12	21	34	45	83
TOTAL										
0-19 YRS	64	6.5	57	< 1	1	3	9	17	22	36
20-34	168	11.1	150	1	2	7	14	27	36	50
35-49	263	15.1	259	1	2	9	20	37	56	99
50-64	808	15.2	191	2	3	11	20	33	44	81
65 +	2631	15.7	169	3	4	12	20	32	44	80
GRAND TOTAL	**3934**	**15.2**	**179**	**2**	**3**	**11**	**19**	**32**	**44**	**80**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	158	2.4	2	1	1	2	3	4	5	8
20-34	1630	2.1	3	1	1	2	3	4	5	7
35-49	5602	2.2	2	1	1	2	3	4	5	7
50-64	4199	2.4	4	1	1	2	3	4	5	8
65 +	1624	2.5	4	1	1	2	3	4	5	9
B. Operated										
0-19 YRS	6	3.7	11	1	1	3	4	9	10	10
20-34	189	2.2	4	1	1	2	2	4	6	12
35-49	1434	2.1	3	< 1	1	2	2	4	6	8
50-64	1830	2.0	3	< 1	1	2	2	4	5	8
65 +	578	2.1	2	< 1	1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	276	2.6	5	< 1	1	2	3	5	6	13
20-34	3377	2.7	4	1	1	2	3	5	6	10
35-49	14262	2.8	4	1	1	2	3	5	6	9
50-64	18170	3.1	5	1	1	3	4	5	7	11
65 +	16248	3.6	9	1	1	3	4	6	8	14
B. Operated										
0-19 YRS	22	4.5	60	< 1	1	3	4	7	20	38
20-34	413	3.2	7	1	1	2	4	6	8	14
35-49	3349	3.1	7	1	1	2	4	6	8	12
50-64	5611	3.3	10	1	1	2	4	7	9	15
65 +	3312	4.3	24	1	1	3	5	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13213	2.3	3	1	1	2	3	4	5	7
B. Operated	4037	2.0	3	< 1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	52333	3.1	6	1	1	3	4	6	7	11
B. Operated	12707	3.5	13	1	1	2	5	7	9	16
1. SINGLE DX	17250	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	65040	3.2	7	1	1	3	4	6	7	12
A. Not Operated	65546	3.0	5	1	1	2	4	5	7	11
B. Operated	16744	3.2	11	1	1	2	4	7	9	15
TOTAL										
0-19 YRS	462	2.6	7	1	1	2	3	5	6	11
20-34	5609	2.5	4	1	1	2	3	5	6	10
35-49	24647	2.7	4	1	1	2	3	5	6	10
50-64	29810	3.0	6	1	1	2	4	5	7	11
65 +	21762	3.6	11	1	1	3	4	7	8	15
GRAND TOTAL	**82290**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1239	2.7	6	1	1	2	3	5	7	10
20-34	50	2.7	12	< 1	< 1	2	3	4	10	18
35-49	74	2.3	4	< 1	< 1	2	3	5	6	13
50-64	74	2.4	3	< 1	1	2	3	4	5	8
65 +	76	3.4	13	1	1	2	4	7	10	21
B. Operated										
0-19 YRS	106	2.9	12	< 1	1	2	3	6	8	20
20-34	56	2.8	5	1	1	2	4	6	8	10
35-49	94	2.9	7	< 1	1	2	4	6	7	15
50-64	166	2.8	6	< 1	< 1	2	3	6	7	13
65 +	99	2.8	6	< 1	< 1	2	4	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2579	4.3	25	1	1	3	5	8	12	27
20-34	285	3.5	13	< 1	1	2	4	7	10	22
35-49	433	3.9	26	1	1	3	4	7	10	21
50-64	1066	4.7	16	1	1	4	6	9	12	19
65 +	1892	5.5	26	1	1	4	7	10	14	28
B. Operated										
0-19 YRS	372	9.3	182	1	1	4	11	25	44	99 +
20-34	132	5.2	21	1	1	4	8	11	14	20
35-49	285	4.9	23	1	1	3	7	11	14	23
50-64	651	5.8	37	1	1	4	7	13	18	30
65 +	856	6.9	47	1	1	5	9	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1513	2.7	6	1	1	2	3	5	7	12
B. Operated	521	2.8	7	< 1	< 1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	6255	4.7	24	1	1	3	6	9	13	25
B. Operated	2296	6.6	63	1	1	4	8	14	21	43
1. SINGLE DX	2034	2.8	6	< 1	1	2	3	5	7	13
2. MULTIPLE DX	8551	5.2	35	1	1	3	6	11	15	31
A. Not Operated	7768	4.3	21	1	1	3	5	8	12	23
B. Operated	2817	5.9	55	1	1	4	7	13	19	40
TOTAL										
0-19 YRS	4296	4.3	36	1	1	3	5	8	13	32
20-34	523	3.8	14	< 1	1	2	5	8	11	19
35-49	886	4.0	21	1	1	3	5	8	11	20
50-64	1957	4.8	22	1	1	3	6	10	14	25
65 +	2923	5.7	32	1	1	4	7	11	15	30
GRAND TOTAL	**10585**	**4.7**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	1.9	3	< 1	1	1	2	3	5	9
20-34	520	1.9	2	< 1	1	1	2	3	4	7
35-49	736	1.8	1	< 1	1	1	2	3	4	6
50-64	402	1.8	1	< 1	1	1	2	3	4	5
65 +	154	2.2	3	1	1	2	3	4	5	9
B. Operated										
0-19 YRS	79	2.8	7	< 1	< 1	2	4	7	9	12
20-34	97	3.5	5	1	1	3	5	7	7	10
35-49	103	3.7	5	< 1	1	3	5	7	9	11
50-64	85	3.7	6	< 1	1	3	5	7	7	12
65 +	89	4.3	12	< 1	1	4	5	8	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	186	3.0	16	< 1	1	2	3	5	7	29
20-34	555	2.6	4	1	1	2	3	5	7	12
35-49	748	2.5	3	1	1	2	3	5	6	8
50-64	772	3.0	6	1	1	2	4	6	7	13
65 +	1403	5.2	31	1	1	4	6	10	14	31
B. Operated										
0-19 YRS	139	5.6	59	< 1	< 1	2	8	13	19	32
20-34	197	4.4	14	1	1	3	5	9	12	21
35-49	314	4.6	24	1	1	4	6	8	10	15
50-64	467	5.8	22	1	1	5	7	12	14	22
65 +	1163	7.3	44	1	2	6	9	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1945	1.9	2	< 1	1	1	2	3	4	7
B. Operated	453	3.6	7	< 1	1	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	3664	3.7	17	1	1	3	4	7	10	19
B. Operated	2280	6.3	37	1	1	5	8	13	16	28
1. SINGLE DX	2398	2.2	3	< 1	1	2	3	4	6	9
2. MULTIPLE DX	5944	4.7	26	1	1	3	6	10	13	24
A. Not Operated	5609	3.1	12	1	1	2	4	6	8	16
B. Operated	2733	5.8	33	1	1	4	7	12	15	26
TOTAL										
0-19 YRS	537	3.4	24	< 1	1	2	4	7	11	27
20-34	1369	2.7	5	< 1	1	2	3	5	7	13
35-49	1901	2.6	7	< 1	1	2	3	5	7	10
50-64	1726	3.5	11	1	1	3	4	7	10	16
65 +	2809	5.9	36	1	1	4	7	12	16	31
GRAND TOTAL	**8342**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**12**	**21**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4196	1.9	2	< 1	1	1	2	3	4	7
20-34	3962	2.3	3	< 1	1	2	3	4	5	8
35-49	2110	2.6	4	< 1	1	2	3	5	6	10
50-64	1104	2.8	3	1	1	2	4	5	6	9
65 +	571	3.1	9	< 1	1	2	4	6	7	14
B. Operated										
0-19 YRS	541	3.0	3	1	1	3	4	5	6	10
20-34	695	3.4	4	1	1	3	4	6	7	11
35-49	301	3.8	10	1	1	3	5	7	9	13
50-64	121	4.3	27	1	1	3	5	8	11	27
65 +	49	4.4	13	< 1	[illegible]	4	6	8	10	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3180	2.3	4	< 1	1	2	3	4	6	9
20-34	4651	3.0	6	1	1	2	4	6	7	12
35-49	3708	3.6	8	1	1	3	5	7	9	14
50-64	3378	3.9	10	1	1	3	5	7	9	14
65 +	5051	4.8	18	1	1	4	6	9	12	19
B. Operated										
0-19 YRS	500	3.8	8	1	1	3	5	7	8	15
20-34	1163	4.9	17	1	1	4	6	9	12	20
35-49	826	5.8	24	1	1	5	7	12	15	23
50-64	661	6.6	28	1	2	5	9	13	16	24
65 +	931	8.0	57	1	2	7	10	15	21	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11943	2.3	3	< 1	1	2	3	4	5	9
B. Operated	1707	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	19968	3.6	11	1	1	3	5	7	9	15
B. Operated	4081	5.9	30	1	1	4	8	12	15	25
1. SINGLE DX	13650	2.4	4	< 1	1	2	3	5	6	9
2. MULTIPLE DX	24049	4.0	15	1	1	3	5	8	10	18
A. Not Operated	31911	3.1	8	1	1	2	4	6	8	13
B. Operated	5788	5.2	25	1	1	4	6	10	14	24
TOTAL										
0-19 YRS	8417	2.2	3	< 1	1	2	3	4	5	8
20-34	10471	2.9	6	1	1	2	4	6	7	12
35-49	6945	3.6	10	1	1	3	5	7	9	16
50-64	5264	4.0	13	1	1	3	5	8	10	16
65 +	6602	5.1	24	1	1	4	6	10	13	24
GRAND TOTAL	**37699**	**3.4**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	391	2.5	9	1	1	2	3	5	6	10
20-34	160	2.8	4	1	1	2	4	6	7	8
35-49	110	2.5	5	< 1	1	2	3	5	7	13
50-64	77	2.9	7	< 1	1	2	4	5	8	14
65 +	81	3.2	8	< 1	1	2	4	7	8	14
B. Operated										
0-19 YRS	53	3.1	4	1	1	3	4	6	7	7
20-34	92	3.6	7	< 1	1	3	5	8	9	11
35-49	72	3.5	7	< 1	1	3	5	8	9	12
50-64	54	4.5	16	1	1	4	6	8	13	21
65 +	46	4.4	21	1	1	3	5	11	13	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1592	3.1	15	1	1	2	3	6	8	17
20-34	808	3.3	10	1	1	3	4	6	8	16
35-49	989	4.4	17	1	1	3	5	8	12	21
50-64	1524	4.7	16	1	1	4	6	9	12	22
65 +	3156	5.6	28	1	2	4	7	11	14	25
B. Operated										
0-19 YRS	410	4.3	37	1	1	2	5	12	15	33
20-34	444	4.0	38	1	1	2	5	8	13	24
35-49	496	5.1	39	1	1	3	7	11	16	28
50-64	608	7.0	56	1	1	5	10	16	22	32
65 +	1067	8.1	80	1	1	6	11	17	24	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	819	2.7	7	< 1	1	2	3	5	7	11
B. Operated	317	3.8	10	< 1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	8069	4.5	21	1	1	3	6	9	12	23
B. Operated	3025	6.3	59	1	1	4	8	15	20	36
1. SINGLE DX	1136	3.0	8	< 1	1	2	4	6	8	12
2. MULTIPLE DX	11094	5.0	32	1	1	3	6	11	15	28
A. Not Operated	8888	4.4	20	1	1	3	5	9	12	22
B. Operated	3342	6.0	55	1	1	4	8	14	19	36
TOTAL										
0-19 YRS	2446	3.2	18	1	1	2	4	6	9	20
20-34	1504	3.5	17	1	1	2	4	7	9	21
35-49	1667	4.4	23	1	1	3	5	9	12	24
50-64	2263	5.3	28	1	1	4	7	11	15	26
65 +	4350	6.1	41	1	1	4	7	13	17	30
GRAND TOTAL	**12230**	**4.8**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2876	3.2	15	1	1	2	4	6	8	20
20-34	845	2.9	19	< 1	1	2	3	5	6	29
35-49	987	2.7	12	< 1	1	2	3	5	6	12
50-64	1108	2.5	4	< 1	1	2	3	5	6	10
65 +	1447	3.4	18	1	1	2	4	6	8	19
B. Operated										
0-19 YRS	290	2.9	16	< 1	1	1	3	6	10	23
20-34	245	2.2	6	< 1	1	1	2	5	6	14
35-49	410	2.0	3	< 1	1	1	2	4	5	8
50-64	399	2.4	6	< 1	1	1	3	5	7	13
65 +	184	3.9	44	< 1	1	2	4	7	12	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5640	4.8	35	1	1	3	6	10	14	30
20-34	2662	3.6	17	1	1	3	4	7	9	19
35-49	4218	3.8	16	1	1	3	4	7	10	20
50-64	8451	4.5	21	1	1	3	5	9	12	22
65 +	23982	5.4	30	1	2	4	7	10	14	27
B. Operated										
0-19 YRS	718	9.3	192	1	1	4	11	26	43	99 +
20-34	607	3.9	21	1	1	2	5	9	12	28
35-49	1005	5.2	76	1	1	3	5	11	18	62
50-64	1785	6.9	94	1	1	4	8	16	25	70
65 +	3585	9.6	109	1	1	7	12	21	31	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7263	3.0	14	1	1	2	3	5	7	17
B. Operated	1528	2.5	12	< 1	1	1	3	5	7	16
2. MULTIPLE DX										
A. Not Operated	44953	4.9	27	1	1	4	6	9	13	25
B. Operated	7700	7.9	106	1	1	5	10	18	28	71
1. SINGLE DX	8791	2.9	14	< 1	1	2	3	5	7	17
2. MULTIPLE DX	52653	5.4	40	1	1	4	6	11	15	34
A. Not Operated	52216	4.7	26	1	1	3	6	9	12	25
B. Operated	9228	7.0	95	1	1	4	8	17	26	65
TOTAL										
0-19 YRS	9524	4.6	43	1	1	3	5	9	14	34
20-34	4359	3.4	17	1	1	2	4	7	9	22
35-49	6620	3.8	24	1	1	3	4	7	10	23
50-64	11743	4.6	31	1	1	3	5	9	13	27
65 +	29198	5.8	42	1	2	4	7	11	16	35
GRAND TOTAL	**61444**	**5.0**	**37**	**1**	**1**	**3**	**6**	**10**	**14**	**32**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1062	1.8	3	< 1	1	1	2	3	4	9
20-34	73	3.2	9	< 1	1	2	4	7	10	14
35-49	22	5.6	35	1	1	4	7	13	18	25
50-64	8	6.3	52	1	1	2	10	18	21	21
65 +	6	3.0	16	< 1	< 1	1	3	10	11	11
B. Operated										
0-19 YRS	229	5.1	55	1	1	4	5	8	12	59
20-34	53	5.3	13	1	1	4	7	10	12	17
35-49	26	6.3	13	2	2	6	10	11	12	13
50-64	7	6.6	50	1	1	3	12	18	19	19
65 +	3	15.3	44	11	11	12	20	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	888	3.6	24	1	1	2	4	7	11	25
20-34	193	4.5	19	1	1	3	6	10	14	29
35-49	95	5.4	31	< 1	1	4	6	13	19	27
50-64	59	6.6	33	1	1	5	8	14	19	27
65 +	84	10.0	124	1	2	7	13	21	24	70
B. Operated										
0-19 YRS	479	10.3	155	1	1	6	13	25	39	93
20-34	335	14.4	259	1	2	9	19	39	64	99 +
35-49	157	12.8	199	2	3	8	15	33	53	99 +
50-64	77	18.6	304	1	3	12	25	49	68	99 +
65 +	61	16.1	234	2	3	12	23	44	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1171	2.0	5	< 1	1	1	2	4	5	13
B. Operated	318	5.3	45	1	1	4	6	10	12	34
2. MULTIPLE DX										
A. Not Operated	1319	4.4	33	1	1	3	5	10	14	28
B. Operated	1109	12.8	213	1	2	8	17	34	54	99 +
1. SINGLE DX	1489	2.7	15	< 1	1	2	3	5	8	14
2. MULTIPLE DX	2428	8.2	133	1	1	4	10	20	34	91
A. Not Operated	2490	3.2	21	1	1	2	3	7	11	22
B. Operated	1427	11.1	185	1	2	6	13	28	49	99 +
TOTAL										
0-19 YRS	2658	4.2	51	1	1	2	4	9	15	44
20-34	654	9.5	166	1	1	5	11	25	42	99 +
35-49	300	9.4	131	1	1	6	11	21	36	93
50-64	151	12.7	[illegible]	1	1	8	17	34	49	99
65 +	154	12.3	[illegible]	1	2	8	16	29	45	99
GRAND TOTAL	**3917**	**6.1**	**95**	**1**	**1**	**3**	**7**	**15**	**24**	**69**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	529	2.0	3	1	1	1	2	4	5	9
20-34	110	3.5	9	1	1	2	5	8	10	15
35-49	37	4.5	11	1	1	4	6	8	12	16
50-64	14	6.3	89	< 1	< 1	3	7	14	32	37
65 +	13	4.2	15	1	1	3	5	9	14	15
B. Operated										
0-19 YRS	69	5.8	29	1	1	4	7	11	15	32
20-34	49	5.8	23	1	1	5	8	13	16	19
35-49	11	8.6	230	1	2	4	6	26	52	54
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	3	10.3	44	6	6	7	15	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	777	4.0	21	1	1	3	5	9	12	23
20-34	439	5.5	35	1	1	4	7	11	14	24
35-49	194	6.1	39	1	1	4	8	13	16	36
50-64	125	7.7	96	1	2	6	9	15	21	47
65 +	151	11.0	168	2	2	8	13	20	33	82
B. Operated										
0-19 YRS	363	13.6	235	1	2	8	18	34	53	98
20-34	443	14.5	265	1	2	9	21	45	84	99 +
35-49	192	13.4	192	1	2	9	19	33	44	91
50-64	107	15.5	283	2	3	9	18	39	54	98
65 +	98	20.4	464	2	3	14	31	69	91	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	703	2.5	7	1	1	2	3	5	7	13
B. Operated	135	6.0	42	1	1	4	7	12	16	37
2. MULTIPLE DX										
A. Not Operated	1686	5.6	50	1	1	3	7	12	16	34
B. Operated	1203	14.6	264	1	2	9	20	39	65	99 +
1. SINGLE DX	838	3.1	14	1	1	2	4	7	9	17
2. MULTIPLE DX	2889	9.3	159	1	1	5	11	23	38	99 +
A. Not Operated	2389	4.7	39	1	1	3	6	10	14	27
B. Operated	1338	13.7	249	1	2	8	18	37	60	99 +
TOTAL										
0-19 YRS	1738	5.5	79	1	1	3	6	12	21	56
20-34	1041	9.1	151	1	1	5	11	24	40	99 +
35-49	434	9.3	122	1	2	6	11	22	33	71
50-64	249	10.9	190	1	2	6	13	27	37	95
65 +	265	14.1	292	2	2	9	17	34	68	99 +
GRAND TOTAL	**3727**	**7.9**	**133**	**1**	**1**	**4**	**9**	**19**	**33**	**90**

1,228 Hospitals, United States, January-December 1987

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	1.6	1	<1	1	1	2	3	4	5
20-34	98	1.6	1	<1	<1	1	2	3	4	5
35-49	27	1.5		<1	<1	1	2	2	3	3
50-64	8	1.9	2	1	1	2	2	4	5	5
65 +	16	3.1	5	<1	1	3	4	7	8	9
B. Operated										
0-19 YRS	1029	1.7	2	<1	<1	1	2	3	4	7
20-34	1617	2.1	3	<1	1	1	3	4	6	10
35-49	527	2.4	5	<1	1	2	3	5	6	12
50-64	121	2.4	6	<1	1	2	3	5	8	12
65 +	57	3.2	11	1	1	2	3	8	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	259	2.2	6	<1	<1	2	3	5	5	11
20-34	379	2.5	16	<1	<1	2	3	5	6	10
35-49	191	2.7	6	<1	1	2	4	5	7	16
50-64	122	3.3	8	1	1	2	4	6	10	15
65 +	204	5.5	28	1	1	4	7	11	16	32
B. Operated										
0-19 YRS	1658	3.7	21	1	1	2	4	8	11	23
20-34	3049	4.1	26	1	1	3	5	9	12	25
35-49	1226	4.6	29	1	1	3	5	9	13	30
50-64	459	5.0	34	1	1	3	6	11	15	25
65 +	443	7.8	91	1	1	5	9	18	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	237	1.7	1	<1	<1	1	2	3	4	6
B. Operated	3351	2.1	3	<1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	1155	3.1	15	<1	1	2	4	6	9	17
B. Operated	6835	4.4	31	1	1	3	5	9	13	29
1. SINGLE DX	3588	2.1	3	<1	1	1	2	4	5	10
2. MULTIPLE DX	7990	4.2	29	1	1	3	5	9	13	28
A. Not Operated	1392	2.9	13	<1	1	2	3	6	8	16
B. Operated	10186	3.6	23	1	1	2	4	8	11	25
TOTAL										
0-19 YRS	3034	2.8	13	<1	1	2	3	6	8	18
20-34	5143	3.3	19	1	1	2	4	7	10	20
35-49	1971	3.8	21	1	1	2	4	8	11	24
50-64	710	4.2	26	1	1	3	5	9	13	23
65 +	720	6.7	67	1	1	4	8	14	23	43
GRAND TOTAL	**11578**	**3.5**	**22**	**<1**	**1**	**2**	**4**	**7**	**11**	**24**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	504	3.4	8	1	1	3	4	7	9	13
20-34	920	4.2	14	1	1	3	5	8	10	19
35-49	526	4.5	18	1	1	4	6	8	10	17
50-64	379	5.3	21	1	2	5	7	9	10	19
65 +	546	6.2	20	1	2	5	8	12	14	25
B. Operated										
0-19 YRS	104	9.0	66	1	2	7	11	17	24	45
20-34	195	8.8	31	1	3	8	11	17	21	25
35-49	73	9.5	45	1	2	9	12	19	25	30
50-64	37	10.4	62	2	4	8	11	24	29	35
65 +	29	8.8	38	1	2	9	12	14	24	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	509	4.4	28	1	1	3	5	8	10	27
20-34	1265	5.3	25	1	1	4	7	10	13	26
35-49	839	5.9	33	1	2	5	7	11	13	22
50-64	1114	7.1	30	2	2	6	9	13	17	31
65 +	5393	8.8	51	2	3	7	11	16	21	41
B. Operated										
0-19 YRS	264	10.8	112	2	3	8	14	22	32	64
20-34	728	11.1	128	2	2	8	14	22	33	56
35-49	385	12.4	131	2	3	9	16	26	43	73
50-64	278	13.6	156	2	3	11	16	25	39	71
65 +	698	16.5	208	3	5	12	21	35	49	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2875	4.6	16	1	1	4	6	9	11	19
B. Operated	438	9.1	45	1	2	8	11	17	23	31
2. MULTIPLE DX										
A. Not Operated	9120	7.6	44	2	2	6	9	14	18	36
B. Operated	2353	13.2	159	2	3	9	16	27	40	75
1. SINGLE DX	3313	5.2	22	1	1	4	7	10	13	24
2. MULTIPLE DX	11473	8.8	73	2	2	7	11	17	23	48
A. Not Operated	11995	6.9	39	1	2	5	9	13	17	32
B. Operated	2791	12.5	143	2	3	9	15	25	37	72
TOTAL										
0-19 YRS	1381	5.6	48	1	1	4	7	11	17	43
20-34	3108	6.5	54	1	1	5	8	13	18	41
35-49	1823	7.0	58	1	2	5	8	14	20	46
50-64	1808	7.8	55	1	2	6	9	15	21	39
65 +	6666	9.4	71	2	3	7	11	18	23	48
GRAND TOTAL	**14786**	**8.0**	**64**	**1**	**2**	**6**	**10**	**16**	**21**	**44**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	5.0	24	< 1	1	3	6	13	17	19
20-34	27	3.4	7	1	1	2	5	7	9	11
35-49	10	3.8	13	1	1	3	5	9	13	13
50-64	11	6.8	88	2	2	4	5	20	33	34
65 +	5	9.6	68	2	2	8	14	23	23	23
B. Operated										
0-19 YRS	32	14.3	106	3	4	13	18	26	41	45
20-34	40	12.1	58	3	4	11	15	23	27	34
35-49	14	10.1	30	1	2	9	14	17	19	19
50-64	7	12.1	37	3	4	12	17	19	20	20
65 +	5	12.8	7	10	10	13	14	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	10.8	154	1	1	7	15	23	41	53
20-34	33	12.5	265	1	2	6	12	34	48	77
35-49	30	15.3	289	1	2	7	16	49	51	58
50-64	28	8.8	79	2	2	7	11	15	24	46
65 +	67	11.7	157	3	3	8	12	26	42	96
B. Operated										
0-19 YRS	83	24.6	292	4	6	20	35	58	72	99 +
20-34	246	25.2	389	6	8	19	35	66	95	99 +
35-49	101	27.9	438	9	10	19	41	65	93	99 +
50-64	56	26.5	310	6	8	23	38	64	75	99 +
65 +	47	25.0	339	7	8	17	39	55	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	4.8	29	1	[illegible]	[illegible]	6	11	15	31
B. Operated	98	12.5	66	3	[illegible]	12	16	21	26	44
2. MULTIPLE DX										
A. Not Operated	178	11.9	186	1	2	[illegible]	13	30	49	79
B. Operated	533	25.7	369	6	8	[illegible]	37	62	88	99 +
1. SINGLE DX	171	9.2	65	1	2	[illegible]	[illegible]	19	24	41
2. MULTIPLE DX	711	22.3	359	3	5	[illegible]	[illegible]	56	78	99 +
A. Not Operated	251	9.8	151	1	2	[illegible]	[illegible]	22	42	77
B. Operated	631	23.7	345	4	7	18	[illegible]	58	79	99 +
TOTAL										
0-19 YRS	155	18.1	254	1	2	16	25	46	59	99 +
20-34	346	20.8	361	2	4	15	29	53	79	99 +
35-49	155	22.3	408	2	4	15	34	57	79	99 +
50-64	102	18.5	280	2	3	13	25	46	66	99 +
65 +	124	16.7	256	3	4	11	19	48	57	99 +
GRAND TOTAL	**882**	**19.7**	**328**	**2**	**4**	**15**	**27**	**51**	**69**	**99 +**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	1.6	1	< 1	< 1	1	2	3	3	4
20-34	169	2.2	2	1	1	2	3	4	5	6
35-49	235	2.4	3	< 1	1	2	3	4	5	10
50-64	179	2.7	3	1	1	2	4	5	7	9
65 +	185	3.5	8	1	1	3	5	7	8	15
B. Operated										
0-19 YRS	4	6.0	13	3	3	6	9	10	10	10
20-34	14	3.0	2	1	1	3	4	5	5	5
35-49	17	3.9	5	1	2	4	5	8	8	8
50-64	6	5.8	3	3	3	6	6	8	8	8
65 +	4	9.5	20	4	4	9	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	220	3.2	7	1	1	2	4	6	8	16
20-34	797	3.4	7	1	1	3	4	7	8	14
35-49	1069	4.1	12	1	1	3	5	8	10	17
50-64	1279	5.0	23	1	1	4	6	9	12	18
65 +	2981	6.8	39	1	2	5	9	13	17	34
B. Operated										
0-19 YRS	91	5.7	20	1	1	5	7	11	15	22
20-34	386	6.9	38	1	2	5	9	13	19	33
35-49	375	8.4	68	1	2	6	10	17	23	47
50-64	367	9.7	88	2	2	7	11	19	29	49
65 +	531	12.6	154	2	3	9	16	25	38	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	829	2.6	4	1	1	2	3	5	6	9
B. Operated	45	4.6	8	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	6346	5.4	28	1	1	4	7	11	14	26
B. Operated	1750	9.5	95	1	2	7	11	20	28	63
1. SINGLE DX	874	2.7	4	1	1	2	3	5	7	10
2. MULTIPLE DX	8096	6.3	45	1	1	5	8	13	17	36
A. Not Operated	7175	5.1	26	1	1	4	6	10	13	25
B. Operated	1795	9.4	93	1	2	7	11	19	27	61
TOTAL										
0-19 YRS	376	3.6	11	1	1	3	5	7	10	19
20-34	1366	4.2	18	1	1	3	5	9	12	22
35-49	1696	4.8	27	1	1	3	6	9	13	27
50-64	1831	5.7	38	1	1	4	7	11	14	33
65 +	3701	7.5	59	1	2	6	9	15	20	43
GRAND TOTAL	**8970**	**6.0**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	177	4.0	10	1	1	3	5	8	11	16
20-34	209	6.3	49	1	1	5	7	12	15	43
35-49	128	6.2	39	1	1	4	8	12	17	35
50-64	168	7.6	91	2	2	5	8	12	21	53
65 +	576	7.3	28	2	2	6	9	13	16	29
B. Operated										
0-19 YRS	26	11.4	126	1	2	9	12	28	41	47
20-34	58	11.0	98	1	2	8	13	25	29	55
35-49	17	11.3	32	1	3	11	17	19	20	21
50-64	10	17.0	174	4	4	12	21	39	46	46
65 +	14	15.6	222	3	4	10	26	52	88	99 +
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	452	7.4	66	1	2	5	8	16	22	43
20-34	645	8.4	62	1	2	6	10	17	24	45
35-49	405	9.5	86	2	3	7	12	19	26	48
50-64	535	10.2	88	2	3	7	12	19	28	50
65 +	4123	10.8	84	3	4	9	13	20	26	61
B. Operated										
0-19 YRS	258	14.7	175	3	4	11	19	34	44	65
20-34	485	18.7	238	3	5	13	26	43	54	79
35-49	301	22.8	358	4	6	16	31	49	62	90
50-64	185	21.1	306	4	6	15	30	50	65	99 +
65 +	579	20.5	246	5	6	16	27	46	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1258	6.6	40	1	2	5	8	12	16	33
B. Operated	125	12.1	115	2	3	10	15	28	40	67
2. MULTIPLE DX										
A. Not Operated	6160	10.2	82	2	3	8	12	19	26	53
B. Operated	1808	19.6	264	4	5	14	27	44	57	99 +
1. SINGLE DX	1383	7.1	49	1	2	5	9	13	18	42
2. MULTIPLE DX	7968	12.3	139	2	3	9	15	26	39	72
A. Not Operated	7418	9.5	77	2	3	7	12	18	25	50
B. Operated	1933	19.1	258	4	5	14	26	44	57	99 +
TOTAL										
0-19 YRS	913	8.9	103	1	2	5	11	21	32	50
20-34	1397	11.7	149	2	2	7	14	29	41	63
35-49	851	13.8	220	2	3	9	16	33	46	78
50-64	898	12.0	157	2	3	8	14	28	41	70
65 +	5292	11.5	107	3	4	9	14	22	32	72
GRAND TOTAL	**9351**	**11.5**	**129**	**2**	**3**	**8**	**14**	**24**	**36**	**68**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	356	2.6	16	< 1	< 1	1	2	5	13	20
20-34	81	2.2	6	< 1	1	1	3	4	5	16
35-49	61	2.3	5	< 1	< 1	2	3	4	5	14
50-64	81	2.8	8	1	1	2	3	6	8	16
65 +	235	3.7	12	1	1	3	5	8	10	16
B. Operated										
0-19 YRS	3093	2.6	11	1	1	2	2	5	9	19
20-34	355	3.4	12	1	1	3	4	6	8	21
35-49	314	3.5	14	1	1	3	4	6	8	21
50-64	387	3.5	8	1	1	3	4	6	9	16
65 +	529	4.9	33	1	1	4	6	10	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	185	4.3	29	1	1	2	4	11	19	27
20-34	113	3.7	15	< 1	1	2	4	7	11	22
35-49	114	4.3	15	1	1	3	5	9	12	23
50-64	259	6.0	45	1	1	4	7	14	20	29
65 +	1618	7.4	80	1	2	5	8	15	23	51
B. Operated										
0-19 YRS	935	4.8	39	1	1	3	5	13	18	27
20-34	537	6.9	58	1	1	5	8	15	22	37
35-49	436	6.9	80	1	1	4	8	16	22	44
50-64	675	6.9	50	1	2	5	8	13	20	38
65 +	1873	9.1	84	1	2	6	11	19	28	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	814	2.9	12	< 1	1	2	3	6	11	18
B. Operated	4678	3.0	14	1	1	2	3	6	10	19
2. MULTIPLE DX										
A. Not Operated	2289	6.7	67	1	1	4	8	14	21	44
B. Operated	4456	7.4	68	1	1	5	9	16	23	46
1. SINGLE DX	5492	3.0	14	1	1	2	3	6	10	19
2. MULTIPLE DX	6745	7.1	68	1	1	5	9	16	22	45
A. Not Operated	3103	5.7	56	1	1	3	7	12	18	39
B. Operated	9134	5.2	45	1	1	3	6	12	17	35
TOTAL										
0-19 YRS	4569	3.1	19	1	1	2	3	6	13	22
20-34	1086	5.1	38	1	1	3	6	10	16	32
35-49	925	5.1	48	1	1	3	5	10	16	37
50-64	1402	5.6	38	1	1	4	7	12	16	30
65 +	4255	7.6	75	1	2	5	9	16	23	50
GRAND TOTAL	**12237**	**5.3**	**48**	**1**	**1**	**3**	**6**	**12**	**17**	**35**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	216	1.6	1	< 1	1	1	2	3	3	5
20-34	71	1.9	2	< 1	< 1	2	2	3	4	10
35-49	29	2.1	2	< 1	1	2	3	4	5	5
50-64	45	2.5	8	< 1	< 1	1	3	4	10	15
65 +	32	3.2	34	< 1	1	1	3	5	18	30
B. Operated										
0-19 YRS	4262	1.6	1	< 1	1	1	2	3	4	6
20-34	1409	2.5	5	1	1	2	3	4	6	11
35-49	1076	2.2	3	1	1	2	3	4	5	9
50-64	980	2.2	3	1	1	2	3	4	5	8
65 +	934	2.6	6	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	132	2.4	4	1	1	2	3	5	6	9
20-34	156	3.0	13	< 1	1	2	3	6	7	20
35-49	98	4.3	18	< 1	1	3	6	10	15	19
50-64	107	4.5	22	1	1	3	6	10	15	24
65 +	336	5.9	46	1	1	4	7	12	20	35
B. Operated										
0-19 YRS	1169	3.2	19	1	1	2	3	6	10	25
20-34	1341	5.4	36	1	1	4	6	11	16	30
35-49	907	5.0	35	1	1	3	6	10	15	30
50-64	1069	4.7	40	1	1	3	5	9	14	31
65 +	1966	5.7	50	1	1	4	7	11	17	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	393	1.9	5	< 1	1	1	2	3	4	12
B. Operated	8661	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	829	4.4	29	1	1	3	5	9	13	31
B. Operated	6452	4.9	38	1	1	3	6	10	15	30
1. SINGLE DX	9054	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	7281	4.9	37	1	1	3	6	10	15	30
A. Not Operated	1222	3.6	22	< 1	1	2	4	7	11	29
B. Operated	15113	3.2	20	1	1	2	4	7	10	22
TOTAL										
0-19 YRS	5779	1.9	5	< 1	1	1	2	3	5	10
20-34	2977	3.8	21	1	1	2	4	8	11	24
35-49	2110	3.5	19	1	1	2	4	7	10	23
50-64	2201	3.5	23	1	1	2	4	7	10	23
65 +	3268	4.8	39	1	1	3	6	10	14	30
GRAND TOTAL	**16335**	**3.3**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	1.9	2	< 1	1	2	2	3	4	9
20-34	60	2.5	5	< 1	1	2	3	5	6	13
35-49	31	2.2	3	< 1	< 1	1	3	5	5	7
50-64	24	2.3	4	< 1	1	2	3	5	6	9
65 +	10	3.3	3	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	811	1.6	2	< 1	< 1	1	2	3	4	8
20-34	1092	1.8	2	< 1	< 1	1	2	3	4	8
35-49	523	1.9	5	< 1	< 1	1	2	3	5	10
50-64	241	1.9	5	< 1	< 1	1	2	4	5	7
65 +	76	2.1	2	< 1	< 1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	2.2	3	< 1	< 1	2	3	4	6	10
20-34	131	2.9	12	< 1	1	2	3	5	7	24
35-49	64	2.8	5	< 1	1	2	4	6	7	10
50-64	48	3.6	9	1	1	3	4	9	10	13
65 +	62	5.5	33	1	1	4	7	12	15	34
B. Operated										
0-19 YRS	472	2.9	9	< 1	1	2	3	6	9	17
20-34	1116	3.0	15	< 1	1	2	4	6	8	16
35-49	680	3.1	14	1	1	2	3	6	9	20
50-64	425	3.0	8	1	1	2	4	6	8	17
65 +	307	4.1	45	1	1	3	4	7	11	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	2.3	3	< 1	1	2	3	5	5	11
B. Operated	2743	1.8	3	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	376	3.3	13	< 1	1	2	4	7	9	21
B. Operated	3000	3.1	16	< 1	1	2	4	6	9	19
1. SINGLE DX	2915	1.8	3	< 1	< 1	1	2	3	5	8
2. MULTIPLE DX	3376	3.1	16	< 1	1	2	4	6	9	20
A. Not Operated	548	3.0	10	< 1	1	2	3	6	8	15
B. Operated	5743	2.5	10	< 1	< 1	2	3	5	7	15
TOTAL										
0-19 YRS	1401	2.1	5	< 1	< 1	1	2	4	6	11
20-34	2399	2.5	9	< 1	< 1	2	3	5	7	11
35-49	1298	2.6	10	< 1	1	2	3	5	7	16
50-64	738	2.6	7	< 1	1	2	3	5	8	15
65 +	455	4.0	36	< 1	1	2	4	7	11	28
GRAND TOTAL	**6291**	**2.5**	**10**	**< 1**	**< 1**	**2**	**3**	**5**	**7**	**15**

1,228 Hospitals, United States, January-December 1987

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	10.1	128	1	1	4	18	28	33	46
20-34	14	2.2	4	< 1	1	1	3	6	6	6
35-49	21	8.0	130	1	1	4	6	28	36	45
50-64	57	7.6	106	< 1	2	5	8	14	19	60
65 +	300	7.4	42	1	1	6	10	15	20	28
B. Operated										
0-19 YRS	326	7.6	57	1	2	5	9	17	23	38
20-34	180	8.1	52	3	3	6	9	16	18	63
35-49	308	8.1	49	3	3	7	9	13	16	26
50-64	851	9.0	17	4	5	8	11	13	15	25
65 +	4647	11.3	31	5	6	10	13	17	20	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	14.7	226	1	1	9	23	40	56	99 +
20-34	34	12.1	276	< 1	1	4	12	44	54	57
35-49	52	9.1	97	2	3	6	10	19	29	54
50-64	146	10.4	158	1	2	6	13	20	39	63
65 +	2012	10.9	108	2	3	8	13	22	32	86
B. Operated										
0-19 YRS	282	14.4	188	3	4	11	19	28	45	83
20-34	423	13.6	98	4	5	11	16	26	37	52
35-49	609	13.3	127	4	5	10	15	24	37	75
50-64	2493	13.6	93	5	6	11	15	23	32	66
65 +	30149	15.1	106	6	7	13	17	26	35	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	474	7.8	69	1	1	5	10	18	25	45
B. Operated	6312	10.5	34	4	5	10	13	16	20	31
2. MULTIPLE DX										
A. Not Operated	2319	11.0	118	2	3	8	14	23	35	82
B. Operated	33956	15.0	106	6	7	12	17	26	35	73
1. SINGLE DX	6786	10.3	37	3	5	9	13	16	20	32
2. MULTIPLE DX	36275	14.7	108	5	7	12	17	25	35	74
A. Not Operated	2793	10.4	111	1	2	7	13	22	32	69
B. Operated	40268	14.3	97	5	7	12	16	24	33	69
TOTAL										
0-19 YRS	765	11.0	139	1	2	7	14	25	33	71
20-34	651	11.8	100	2	3	9	14	23	36	55
35-49	990	11.4	107	3	4	9	13	21	28	66
50-64	3547	12.3	82	4	5	10	14	20	28	61
65 +	37108	14.3	99	5	7	12	16	24	33	71
GRAND TOTAL	**43061**	**14.0**	**99**	**5**	**6**	**12**	**16**	**24**	**33**	**69**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1120	14.5	136	1	1	14	22	29	35	47
20-34	19	7.4	91	< 1	1	4	8	29	65	99 +
35-49	22	14.3	308	< 1	1	6	23	44	53	61
50-64	34	14.5	301	1	2	7	18	45	48	65
65 +	105	10.6	159	1	2	6	13	30	43	80
B. Operated										
0-19 YRS	1329	10.7	115	1	1	6	17	26	32	45
20-34	348	9.8	62	2	3	8	12	18	23	46
35-49	136	9.5	60	2	3	7	12	20	25	43
50-64	100	12.9	150	3	4	10	14	24	42	62
65 +	231	12.7	71	4	5	11	16	22	28	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	616	17.1	196	1	2	17	24	34	42	71
20-34	77	14.1	371	1	1	6	18	37	59	99 +
35-49	67	17.9	375	1	2	10	24	56	61	97
50-64	115	15.3	309	2	2	8	19	39	60	93
65 +	778	14.8	301	2	3	8	16	40	61	99
B. Operated										
0-19 YRS	1430	16.1	170	2	3	13	22	33	42	65
20-34	1123	15.6	161	3	5	12	19	30	44	77
35-49	459	17.4	225	2	5	13	21	37	50	75
50-64	435	19.1	264	5	7	14	23	42	60	91
65 +	1765	17.8	193	5	7	14	21	35	51	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1300	14.1	145	1	1	12	22	29	36	51
B. Operated	2144	10.8	101	1	2	8	15	24	31	46
2. MULTIPLE DX										
A. Not Operated	1653	15.8	269	1	2	10	22	37	54	97
B. Operated	5212	17.0	190	3	5	13	21	34	48	81
1. SINGLE DX	3444	12.0	120	1	1	9	19	26	33	48
2. MULTIPLE DX	6865	16.7	209	2	4	13	21	35	49	83
A. Not Operated	2953	15.0	215	1	2	11	22	33	44	79
B. Operated	7356	15.2	171	2	3	12	19	31	43	74
TOTAL										
0-19 YRS	4495	14.3	154	1	2	11	22	30	37	56
20-34	1567	14.1	155	3	4	11	17	28	42	76
35-49	684	15.8	219	2	3	11	19	35	49	75
50-64	684	17.3	262	3	4	12	21	41	57	90
65 +	2879	16.4	215	3	5	12	19	35	51	98
GRAND TOTAL	**10309**	**15.1**	**184**	**1**	**2**	**12**	**20**	**31**	**43**	**75**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	633	2.2	5	< 1	1	2	3	4	6	11
20-34	275	2.9	7	< 1	1	2	4	5	7	15
35-49	195	3.1	7	< 1	1	2	4	6	9	16
50-64	135	3.9	8	1	1	3	5	7	10	15
65 +	172	5.8	27	1	2	5	7	11	14	25
B. Operated										
0-19 YRS	1968	3.1	9	1	1	2	4	6	8	15
20-34	1535	4.8	13	1	1	4	6	9	12	17
35-49	1074	5.0	14	1	2	4	6	9	11	17
50-64	675	5.9	24	1	2	5	7	11	14	23
65 +	312	7.3	37	2	2	6	9	13	17	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	292	3.3	16	1	1	2	4	6	9	19
20-34	272	4.3	24	1	1	3	5	8	13	22
35-49	222	5.4	29	1	1	4	7	12	17	26
50-64	293	6.7	57	1	1	5	8	13	20	32
65 +	777	9.2	91	2	3	6	11	18	25	52
B. Operated										
0-19 YRS	1124	7.7	94	1	1	5	9	16	25	54
20-34	1782	9.5	100	2	2	6	12	20	28	62
35-49	1176	10.6	135	2	3	7	13	22	35	72
50-64	985	12.0	154	2	3	9	14	24	35	78
65 +	1164	12.8	131	3	4	10	16	26	38	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1410	3.1	10	< 1	1	2	4	6	8	16
B. Operated	5564	4.5	16	1	1	4	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	1856	6.7	62	1	1	5	8	14	20	42
B. Operated	6231	10.4	123	2	2	7	13	21	32	68
1. SINGLE DX	6974	4.2	15	1	1	3	5	8	11	17
2. MULTIPLE DX	8087	9.6	111	1	2	6	12	20	28	64
A. Not Operated	3266	5.2	43	1	1	3	6	11	16	29
B. Operated	11795	7.6	81	1	1	5	9	16	23	53
TOTAL										
0-19 YRS	4017	4.3	37	1	1	3	5	9	13	32
20-34	3864	6.8	60	1	2	5	8	14	20	45
35-49	2667	7.4	77	1	2	5	8	15	21	48
50-64	2088	8.8	98	1	2	6	10	17	25	56
65 +	2425	10.4	105	2	3	8	13	21	29	66
GRAND TOTAL	**15061**	**7.1**	**74**	**1**	**1**	**5**	**8**	**15**	**21**	**49**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	316	2.3	4	< 1	1	2	3	4	6	10
20-34	320	2.9	6	< 1	1	2	4	5	7	13
35-49	250	3.1	11	< 1	1	2	4	6	8	12
50-64	166	3.1	6	< 1	1	3	4	6	9	13
65 +	171	4.6	19	1	1	3	6	10	13	24
B. Operated										
0-19 YRS	2475	2.8	6	1	1	2	3	5	6	12
20-34	3950	3.4	8	1	1	3	4	6	7	12
35-49	3256	3.7	6	1	1	3	5	7	8	12
50-64	2479	4.1	6	1	2	4	5	7	9	12
65 +	1316	5.4	22	2	2	5	6	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	237	4.0	81	< 1	1	2	3	7	10	66
20-34	378	3.7	12	< 1	1	3	5	7	10	16
35-49	295	4.4	23	1	1	3	5	8	11	28
50-64	387	5.1	34	1	1	4	6	9	14	40
65 +	847	6.8	54	1	2	5	8	13	19	39
B. Operated										
0-19 YRS	1463	5.1	32	1	1	3	6	10	15	31
20-34	2992	5.8	39	1	2	4	6	11	16	34
35-49	2428	6.1	42	1	2	4	7	11	15	36
50-64	2483	7.0	46	2	2	5	8	13	19	34
65 +	2918	8.5	61	2	3	6	10	15	22	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1223	3.0	9	< 1	1	2	4	6	8	15
B. Operated	13476	3.7	9	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	2144	5.3	43	1	1	4	6	10	14	37
B. Operated	12284	6.7	47	1	2	5	8	13	18	38
1. SINGLE DX	14699	3.6	9	1	1	3	5	7	8	13
2. MULTIPLE DX	14428	6.5	47	1	2	5	7	12	18	38
A. Not Operated	3367	4.5	32	1	1	3	5	9	12	27
B. Operated	25760	5.1	29	1	1	4	6	9	13	28
TOTAL										
0-19 YRS	4491	3.6	20	1	1	2	4	7	9	24
20-34	7640	4.3	21	1	1	3	5	8	11	26
35-49	6229	4.6	22	1	1	4	5	8	11	24
50-64	5515	5.5	28	1	2	4	6	10	13	27
65 +	5252	7.3	51	2	2	6	9	13	19	41
GRAND TOTAL	**29127**	**5.0**	**29**	**1**	**1**	**4**	**6**	**9**	**13**	**28**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	2.1	8	< 1	< 1	1	2	3	7	18
20-34	63	1.9	2	< 1	1	2	2	3	4	9
35-49	23	2.0	2	< 1	< 1	2	3	4	5	6
50-64	14	2.1	3	1	1	1	2	5	5	5
65 +	17	3.4	33	< 1	< 1	2	3	6	19	25
B. Operated										
0-19 YRS	77	1.6	1	1	1	1	2	3	3	4
20-34	111	2.2	5	< 1	1	2	3	4	5	12
35-49	49	4.0	75	1	1	2	3	5	15	59
50-64	18	3.5	9	1	1	2	3	9	10	11
65 +	6	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	229	2.5	4	1	1	2	3	5	6	11
20-34	328	3.0	8	1	1	2	4	5	7	13
35-49	209	3.1	6	1	1	2	4	7	7	12
50-64	166	4.5	13	1	1	3	6	10	13	17
65 +	280	6.8	61	1	1	5	9	13	17	80
B. Operated										
0-19 YRS	122	3.5	11	1	1	3	4	7	10	17
20-34	207	4.5	21	< 1	1	3	6	10	14	25
35-49	97	4.9	30	1	1	3	6	9	15	32
50-64	55	7.1	94	1	1	4	7	13	25	54
65 +	66	9.5	82	1	2	7	14	20	35	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166	2.1	7	< 1	< 1	1	2	4	5	17
B. Operated	261	2.4	17	1	1	2	3	4	5	19
2. MULTIPLE DX										
A. Not Operated	1212	4.0	22	1	1	3	5	8	12	22
B. Operated	547	5.2	38	1	1	3	6	12	16	36
1. SINGLE DX	427	2.3	13	< 1	1	2	2	4	5	18
2. MULTIPLE DX	1759	4.4	28	1	1	3	5	10	13	25
A. Not Operated	1378	3.8	21	1	1	2	4	8	12	22
B. Operated	808	4.3	33	1	1	3	5	10	15	31
TOTAL										
0-19 YRS	477	2.6	6	1	1	2	3	5	7	15
20-34	709	3.2	11	< 1	1	2	4	6	9	18
35-49	378	3.6	21	1	1	2	4	7	9	23
50-64	253	4.9	31	1	1	3	6	10	13	27
65 +	369	7.0	64	1	1	5	10	[illegible]	21	97
GRAND TOTAL	**2186**	**4.0**	**25**	**1**	**1**	**2**	**5**	**9**	**13**	**25**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.0	11	< 1	1	2	4	5	9	17
20-34	13	4.2	8	1	2	3	5	9	11	11
35-49	6	8.2	33	3	3	6	12	17	18	18
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	8	3.1	4	< 1	< 1	3	5	6	6	6
20-34	6	6.0	25	1	1	4	8	14	15	15
35-49	3	5.3	14	1	1	7	8	8	8	8
50-64	4	16.8	353	1	1	11	28	44	44	44
65 +	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	5.0	55	1	1	2	6	8	23	38
20-34	22	8.1	68	1	1	6	11	28	57	99 +
35-49	8	12.5	100	2	3	9	20	28	29	29
50-64	5	18.2	341	5	5	11	26	50	50	50
65 +	17	9.6	42	2	3	9	12	20	25	26
B. Operated										
0-19 YRS	35	20.9	460	2	3	15	29	58	86	99 +
20-34	50	15.2	210	1	2	12	25	52	95	99 +
35-49	29	17.6	561	3	3	8	17	53	81	98
50-64	18	25.1	364	3	6	22	31	60	64	64
65 +	14	16.6	92	4	5	16	24	28	32	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	4.1	15	1	1	3	5	8	13	18
B. Operated	23	7.0	80	< 1	1	5	8	13	25	44
2. MULTIPLE DX										
A. Not Operated	87	8.1	82	1	1	5	10	25	29	81
B. Operated	146	18.4	350	1	3	13	26	53	71	99 +
1. SINGLE DX	67	5.1	39	1	1	4	6	11	15	40
2. MULTIPLE DX	233	14.6	274	1	2	9	20	35	64	99 +
A. Not Operated	131	6.8	63	1	1	4	8	17	26	59
B. Operated	169	16.8	328	1	3	12	24	51	69	99 +
TOTAL										
0-19 YRS	102	9.9	241	1	1	4	10	28	51	96
20-34	91	11.3	153	1	2	7	16	33	66	99 +
35-49	46	14.7	387	2	3	8	15	29	69	98
50-64	27	22.6	345	1	5	18	31	53	63	64
65 +	34	12.2	73	2	3	10	18	26	27	33
GRAND TOTAL	**300**	**12.4**	**236**	**1**	**1**	**7**	**16**	**31**	**54**	**99 +**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.7	1	< 1	< 1	2	2	3	3	3
20-34	28	2.0	2	< 1	< 1	2	2	4	5	5
35-49	7	1.9	1	< 1	< 1	2	2	4	4	4
50-64	4	2.5	4	1	1	2	4	5	5	5
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	233	1.9	2	1	1	2	2	3	4	6
20-34	751	1.9	1	1	1	2	2	3	4	5
35-49	292	1.8	1	< 1	1	2	2	3	4	5
50-64	90	1.7	2	< 1	< 1	1	2	3	5	8
65 +	73	2.0	8	< 1	< 1	1	2	3	6	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.1	2	1	1	2	3	4	5	5
20-34	62	2.4	5	< 1	< 1	1	3	5	6	13
35-49	23	2.6	3	< 1	< 1	2	4	5	6	6
50-64	28	5.9	42	1	1	3	8	12	24	27
65 +	41	4.7	14	1	1	4	7	10	12	15
B. Operated										
0-19 YRS	66	3.1	11	1	1	2	3	5	9	22
20-34	201	2.8	5	1	1	2	4	5	7	12
35-49	144	3.3	29	< 1	1	2	3	6	9	14
50-64	106	3.4	16	1	1	2	4	7	12	24
65 +	179	5.1	56	1	1	3	6	12	13	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	1.9	1	< 1	< 1	2	2	4	5	5
B. Operated	1439	1.9	1	< 1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	169	3.6	14	< 1	1	2	4	8	10	22
B. Operated	696	3.6	26	1	1	2	4	7	11	23
1. SINGLE DX	1487	1.9	1	< 1	1	2	2	3	4	5
2. MULTIPLE DX	865	3.6	24	1	1	2	4	7	11	23
A. Not Operated	217	3.2	12	< 1	< 1	2	4	7	10	18
B. Operated	2135	2.4	10	< 1	1	2	3	4	6	13
TOTAL										
0-19 YRS	321	2.2	4	1	1	2	3	4	4	12
20-34	1042	2.1	2	< 1	1	2	3	4	4	8
35-49	466	2.3	10	< 1	1	2	3	4	5	10
50-64	228	3.0	15	< 1	1	2	3	6	10	24
65 +	295	4.3	40	< 1	1	3	5	9	13	24
GRAND TOTAL	**2352**	**2.5**	**10**	**< 1**	**1**	**2**	**3**	**4**	**6**	**13**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.2	5	< 1	< 1	1	2	5	7	10
20-34	23	1.8	3	< 1	< 1	1	2	4	6	8
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	7	2.4	3	1	1	2	3	5	6	6
65 +	4	1.5		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	592	2.1	4	< 1	< 1	2	3	4	5	6
20-34	999	2.0	3	< 1	< 1	1	2	4	5	8
35-49	553	1.9	3	< 1	< 1	1	2	4	5	8
50-64	210	1.9	3	< 1	< 1	1	2	4	6	8
65 +	69	2.9	8	< 1	< 1	2	4	6	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.3	3	< 1	< 1	2	3	5	6	7
20-34	25	2.2	3	< 1	< 1	1	3	5	6	6
35-49	27	2.6	12	< 1	< 1	2	3	4	7	19
50-64	20	2.4	2	< 1	< 1	2	4	5	5	5
65 +	22	7.1	43	1	2	5	9	17	22	28
B. Operated										
0-19 YRS	617	2.5	3	< 1	1	2	3	5	6	8
20-34	1253	2.8	8	< 1	< 1	2	4	5	7	16
35-49	782	2.6	6	< 1	< 1	2	3	5	7	11
50-64	574	2.5	7	< 1	< 1	1	3	5	7	15
65 +	348	3.8	52	1	1	2	4	8	10	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.0	3	< 1	< 1	1	2	4	6	10
B. Operated	2423	2.0	3	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	114	3.3	16	< 1	< 1	2	4	6	11	22
B. Operated	3574	2.8	11	< 1	< 1	2	3	5	7	15
1. SINGLE DX	2483	2.0	3	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX	3688	2.8	11	< 1	< 1	2	3	5	7	15
A. Not Operated	174	2.8	12	< 1	< 1	2	3	5	8	19
B. Operated	5997	2.5	8	< 1	< 1	2	3	5	6	12
TOTAL										
0-19 YRS	1251	2.3	3	< 1	< 1	2	3	4	5	8
20-34	2300	2.5	6	< 1	< 1	2	3	5	6	11
35-49	1366	2.3	5	< 1	< 1	1	3	5	6	10
50-64	811	2.3	6	< 1	< 1	1	3	5	7	13
65 +	443	3.8	44	< 1	1	2	4	8	11	30
GRAND TOTAL	**6171**	**2.5**	**8**	**< 1**	**< 1**	**2**	**3**	**5**	**6**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	2.6	7	< 1	< 1	2	3	6	7	16
20-34	75	4.2	13	< 1	1	3	6	10	12	15
35-49	58	5.0	18	1	1	4	7	10	15	19
50-64	26	6.2	35	< 1	1	5	8	14	18	27
65 +	15	5.2	35	< 1	1	3	8	9	20	24
B. Operated										
0-19 YRS	472	3.0	17	< 1	1	1	3	7	10	23
20-34	491	3.0	8	< 1	1	2	4	6	9	13
35-49	284	3.6	17	1	1	2	4	8	10	22
50-64	129	3.1	16	< 1	1	2	4	6	8	20
65 +	75	3.2	12	< 1	1	2	4	7	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	4.8	23	< 1	1	3	7	11	14	27
20-34	170	5.2	12	< 1	1	5	7	9	11	18
35-49	137	6.5	32	1	1	5	8	11	17	29
50-64	90	6.7	31	1	1	6	9	13	21	23
65 +	94	7.2	55	1	2	5	9	13	20	46
B. Operated										
0-19 YRS	394	6.0	46	1	1	4	7	14	19	36
20-34	589	6.5	70	1	1	4	8	15	22	50
35-49	369	7.5	102	1	1	5	9	16	25	78
50-64	259	8.2	122	1	1	5	10	20	29	66
65 +	251	7.9	94	1	1	5	10	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	257	4.1	17	< 1	1	3	6	9	12	19
B. Operated	1451	3.1	13	< 1	1	2	4	7	10	20
2. MULTIPLE DX										
A. Not Operated	570	6.0	29	1	1	5	8	11	15	25
B. Operated	1862	7.0	82	1	1	4	9	16	23	59
1. SINGLE DX	1708	3.3	14	< 1	1	2	4	7	10	20
2. MULTIPLE DX	2432	6.8	70	1	1	4	8	15	21	49
A. Not Operated	827	5.4	26	1	1	4	7	11	14	24
B. Operated	3313	5.3	56	1	1	3	6	12	18	38
TOTAL										
0-19 YRS	1028	4.3	30	< 1	1	2	5	10	14	25
20-34	1325	4.9	39	1	1	3	6	10	15	32
35-49	848	5.9	59	1	1	4	7	12	18	45
50-64	504	6.5	78	1	1	4	8	14	22	53
65 +	435	6.9	72	1	1	5	8	16	21	41
GRAND TOTAL	**4140**	**5.3**	**50**	**1**	**1**	**3**	**7**	**12**	**17**	**36**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	1.9	1	< 1	< 1	2	2	3	4	6
20-34	55	2.3	3	< 1	< 1	2	3	5	6	9
35-49	40	3.1	5	< 1	1	2	4	7	8	9
50-64	28	2.5	3	1	1	2	3	3	7	8
65 +	23	4.0	9	< 1	1	3	7	9	10	10
B. Operated										
0-19 YRS	788	2.7	2	< 1	< 1	3	4	5	5	7
20-34	1216	3.0	3	< 1	1	3	4	5	6	8
35-49	385	3.2	3	< 1	1	3	4	6	7	8
50-64	87	4.3	8	1	2	4	5	7	9	18
65 +	58	4.3	13	1	1	3	5	7	10	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	3.0	6	< 1	< 1	2	4	5	8	15
20-34	96	2.6	4	< 1	< 1	2	3	5	7	11
35-49	72	3.2	13	< 1	1	2	4	6	13	18
50-64	94	4.5	11	1	1	4	6	9	12	16
65 +	255	6.3	33	1	2	5	8	12	15	43
B. Operated										
0-19 YRS	1097	3.3	4	1	1	3	4	5	6	10
20-34	2010	3.6	5	1	1	3	4	6	7	12
35-49	847	3.9	8	1	1	3	5	6	8	16
50-64	217	4.9	27	1	1	4	5	9	12	29
65 +	154	7.3	22	2	2	7	10	13	17	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	2.6	4	< 1	< 1	2	3	6	7	9
B. Operated	2534	3.0	3	< 1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	575	4.7	22	< 1	1	3	6	10	13	21
B. Operated	4325	3.8	8	1	1	3	5	6	8	15
1. SINGLE DX	2722	3.0	3	< 1	1	3	4	5	6	9
2. MULTIPLE DX	4900	3.9	9	1	1	3	5	7	9	16
A. Not Operated	763	4.2	18	< 1	1	3	5	9	11	20
B. Operated	6859	3.5	6	< 1	1	3	4	6	7	13
TOTAL										
0-19 YRS	1985	3.0	3	< 1	1	3	4	5	6	9
20-34	3377	3.4	4	< 1	1	3	4	6	7	10
35-49	1344	3.6	7	1	1	3	4	6	8	14
50-64	426	4.6	18	1	1	4	5	8	11	21
65 +	490	6.3	27	1	2	5	8	12	15	25
GRAND TOTAL	**7622**	**3.6**	**7**	**< 1**	**1**	**3**	**4**	**6**	**8**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	3.4	5	1	1	3	5	7	8	10
20-34	1124	4.5	8	1	2	4	6	8	10	15
35-49	1227	5.0	10	1	2	4	6	9	11	15
50-64	429	5.0	9	1	2	4	6	9	11	16
65 +	127	5.0	9	1	2	4	7	9	11	15
B. Operated										
0-19 YRS	9	3.7	2	< 1	1	4	4	5	5	5
20-34	279	3.7	15	1	1	2	5	8	10	17
35-49	205	3.9	15	1	1	2	5	9	11	20
50-64	48	4.3	16	1	1	2	7	9	13	16
65 +	2	5.5	41	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	3.9	7	1	1	3	5	7	9	13
20-34	1251	5.5	14	1	2	5	7	10	13	21
35-49	1761	5.9	14	2	2	5	7	10	12	20
50-64	1119	5.9	15	2	2	5	8	10	13	20
65 +	1199	6.6	22	2	2	6	8	12	15	23
B. Operated										
0-19 YRS	4	10.3	57	5	5	8	15	21	21	21
20-34	231	7.3	34	1	1	6	11	15	18	24
35-49	285	6.7	30	1	1	5	9	14	17	23
50-64	119	7.6	28	1	1	7	10	16	18	22
65 +	81	9.9	37	2	2	10	13	18	24	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3023	4.8	9	1	2	4	6	9	10	15
B. Operated	543	3.9	15	1	1	2	5	9	10	17
2. MULTIPLE DX										
A. Not Operated	5451	5.9	16	2	2	5	7	10	13	21
B. Operated	720	7.4	33	1	1	6	10	16	18	25
1. SINGLE DX	3566	4.6	10	1	1	4	6	9	10	15
2. MULTIPLE DX	6171	6.1	18	1	2	5	8	11	14	22
A. Not Operated	8474	5.5	14	1	2	5	7	10	12	19
B. Operated	1263	5.9	28	1	1	4	8	13	16	24
TOTAL										
0-19 YRS	250	3.8	7	1	1	3	5	7	9	13
20-34	2885	5.1	14	1	1	4	7	10	12	19
35-49	3478	5.5	15	1	2	5	7	10	12	19
50-64	1715	5.8	15	1	2	5	7	10	13	19
65 +	1409	6.7	22	2	2	6	8	12	15	24
GRAND TOTAL	**9737**	**5.6**	**16**	**1**	**2**	**5**	**7**	**10**	**13**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	304	2.3	7	< 1	1	1	3	5	6	13
20-34	1003	4.0	10	1	1	3	5	7	9	15
35-49	897	4.4	10	1	1	4	6	8	10	13
50-64	336	4.2	7	1	1	4	6	8	9	14
65 +	77	3.9	7	1	1	3	5	7	9	14
B. Operated										
0-19 YRS	11	2.3	2	1	1	2	4	5	5	5
20-34	300	2.6	8	1	1	1	3	7	9	15
35-49	247	2.7	6	1	1	2	4	6	8	13
50-64	45	3.0	11	1	1	2	3	7	11	16
65 +	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	434	2.9	5	1	1	2	4	6	8	11
20-34	2076	4.7	12	1	1	4	6	9	11	16
35-49	2043	5.3	12	1	2	5	7	10	11	17
50-64	1185	5.6	14	1	2	5	7	10	12	18
65 +	1019	5.9	24	1	2	5	8	11	14	25
B. Operated										
0-19 YRS	32	5.2	29	< 1	< 1	3	7	16	17	19
20-34	370	5.0	22	1	1	3	7	11	15	20
35-49	400	5.7	31	1	1	4	3	13	16	26
50-64	142	5.8	23	1	1	5	8	13	16	21
65 +	91	10.3	75	1	2	8	13	19	32	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2617	4.0	10	1	1	3	5	8	9	14
B. Operated	607	2.7	8	1	1	2	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	6757	5.1	14	1	1	4	7	9	12	18
B. Operated	1035	5.9	32	1	1	4	8	14	16	27
1. SINGLE DX	3224	3.7	9	1	1	3	5	7	9	14
2. MULTIPLE DX	7792	5.2	17	1	1	4	7	10	12	20
A. Not Operated	9374	4.8	13	1	1	4	6	9	11	17
B. Operated	1642	4.7	26	1	1	3	7	11	15	24
TOTAL										
0-19 YRS	781	2.8	7	< 1	1	2	3	6	8	14
20-34	3749	4.4	13	1	1	4	6	8	11	16
35-49	3587	4.9	14	1	1	4	7	9	12	18
50-64	1708	5.3	13	1	1	4	7	10	12	18
65 +	1191	6.1	28	1	2	5	8	11	15	28
GRAND TOTAL	**11016**	**4.8**	**15**	**1**	**1**	**4**	**6**	**9**	**12**	**18**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	2.4	4	< 1	< 1	2	3	5	7	10
20-34	169	2.6	5	< 1	1	2	3	5	6	11
35-49	107	2.2	2	< 1	1	2	3	4	6	8
50-64	61	2.5	3	< 1	1	2	3	5	6	10
65 +	58	3.6	5	1	1	3	5	7	8	10
B. Operated										
0-19 YRS	253	1.8	1	< 1	1	1	2	3	4	7
20-34	1045	2.1	2	< 1	1	2	3	4	4	6
35-49	1480	2.3	2	1	1	2	3	4	5	7
50-64	1445	2.7	2	1	1	2	3	5	6	8
65 +	541	3.2	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	2.5	5	< 1	1	2	3	5	8	11
20-34	218	2.8	5	< 1	1	2	3	6	8	11
35-49	224	3.5	10	< 1	1	3	4	7	10	15
50-64	214	3.7	15	1	1	3	5	8	11	21
65 +	495	5.3	44	1	1	4	6	9	13	21
B. Operated										
0-19 YRS	130	2.2	5	< 1	1	2	2	4	6	14
20-34	365	2.8	5	< 1	1	2	3	5	7	14
35-49	747	2.8	4	1	1	2	3	5	6	11
50-64	1404	3.5	8	1	1	3	4	6	8	14
65 +	968	4.6	22	1	2	4	5	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	498	2.6	4	< 1	1	2	3	5	6	10
B. Operated	4764	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	1241	4.1	24	< 1	1	3	5	8	11	20
B. Operated	3614	3.5	11	1	1	3	4	6	8	16
1. SINGLE DX	5262	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	4855	3.7	15	1	1	3	4	7	9	17
A. Not Operated	1739	3.6	19	< 1	1	3	4	7	10	18
B. Operated	8378	2.9	6	1	1	2	4	5	7	12
TOTAL										
0-19 YRS	576	2.1	3	< 1	1	2	2	4	5	11
20-34	1797	2.4	3	< 1	1	2	3	4	5	10
35-49	2558	2.5	4	1	1	2	3	4	6	10
50-64	3124	3.1	6	1	1	3	4	5	7	11
65 +	2062	4.4	22	1	1	3	5	8	10	20
GRAND TOTAL	**10117**	**3.0**	**9**	**1**	**1**	**2**	**4**	**5**	**7**	**13**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4009	1.3	1	< 1	1	1	1	2	2	4
20-34	956	1.7	1	< 1	< 1	1	2	3	4	6
35-49	321	1.9	4	< 1	1	1	2	4	5	10
50-64	119	2.1	7	< 1	1	1	2	4	6	13
65 +	96	2.3	3	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	523	3.2	30	1	1	2	3	4	7	30
20-34	14	2.1	8	< 1	1	1	2	3	10	12
35-49	6	2.7	3	1	1	2	5	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5013	1.8	3	< 1	1	1	2	3	4	9
20-34	3514	2.6	8	< 1	1	2	3	5	7	13
35-49	1701	3.0	10	1	1	2	4	6	8	14
50-64	970	3.5	13	1	1	2	4	7	9	18
65 +	1493	4.9	35	1	1	3	6	10	14	36
B. Operated										
0-19 YRS	1273	2.7	17	< 1	1	1	3	5	7	23
20-34	1552	3.2	19	< 1	1	2	4	6	10	20
35-49	626	4.1	48	< 1	1	2	4	7	12	38
50-64	396	4.4	37	1	1	3	5	9	15	29
65 +	572	6.3	73	1	1	4	7	14	21	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5501	1.4	1	< 1	1	1	2	2	3	6
B. Operated	547	3.1	29	1	1	2	3	4	6	30
2. MULTIPLE DX										
A. Not Operated	12691	2.7	11	< 1	1	2	3	5	8	15
B. Operated	4519	3.7	32	1	1	2	4	7	1[illegible]	29
1. SINGLE DX	6048	1.6	4	< 1	1	1	2	2	4	6
2. MULTIPLE DX	17210	2.9	16	< 1	1	2	3	6	8	19
A. Not Operated	18192	2.3	8	< 1	1	1	2	5	[illegible]	13
B. Operated	5066	3.6	32	1	1	2	4	7	1[illegible]	29
TOTAL										
0-19 YRS	10918	1.8	5	< 1	1	1	2	3	4	9
20-34	6036	2.6	10	< 1	1	2	3	5	7	14
35-49	2654	3.1	19	1	1	2	4	6	8	19
50-64	1487	3.6	19	1	1	2	4	7	10	22
65 +	2163	5.1	45	1	1	3	6	11	15	44
GRAND TOTAL	**23258**	**2.6**	**14**	**< 1**	**1**	**2**	**3**	**5**	**7**	**17**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1908	1.6	4	< 1	< 1	1	2	3	4	10
20-34	485	2.8	11	< 1	1	2	3	5	9	15
35-49	165	2.6	6	< 1	1	2	3	6	7	14
50-64	57	3.6	12	1	1	2	4	7	10	19
65 +	83	4.5	37	< 1	1	2	5	13	19	30
B. Operated										
0-19 YRS	129	8.3	115	1	1	5	8	19	30	62
20-34	65	8.6	72	2	3	6	9	18	25	47
35-49	60	5.6	8	1	2	6	7	9	11	13
50-64	48	8.2	55	1	2	6	9	18	22	43
65 +	101	9.1	34	2	3	8	12	18	22	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3122	3.0	28	< 1	1	1	3	6	11	30
20-34	1748	4.2	42	< 1	1	2	4	9	15	36
35-49	861	4.2	41	1	1	2	5	9	13	32
50-64	579	5.8	74	1	1	3	6	13	20	45
65 +	1248	7.7	77	1	1	5	10	16	24	58
B. Operated										
0-19 YRS	1080	11.8	228	1	1	5	17	34	48	85
20-34	1210	13.2	312	1	1	6	18	42	61	99 +
35-49	553	12.7	309	1	1	6	15	42	64	99 +
50-64	405	16.2	350	1	2	10	22	44	77	99 +
65 +	973	15.2	232	2	2	11	19	37	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2698	2.0	7	< 1	< 1	1	2	4	6	14
B. Operated	403	8.1	65	1	2	6	9	16	23	43
2. MULTIPLE DX										
A. Not Operated	7558	4.4	47	< 1	1	2	5	10	16	36
B. Operated	4221	13.5	277	1	1	7	18	39	58	99 +
1. SINGLE DX	3101	2.8	19	< 1	1	1	3	6	9	22
2. MULTIPLE DX	11779	7.7	148	1	1	3	8	20	35	82
A. Not Operated	10256	3.8	38	< 1	1	2	4	9	14	33
B. Operated	4624	13.1	261	1	1	7	17	37	56	99 +
TOTAL										
0-19 YRS	6239	4.2	70	< 1	1	1	3	10	20	51
20-34	3508	7.2	151	< 1	1	3	7	19	35	88
35-49	1639	7.0	143	1	1	3	7	16	31	80
50-64	1089	9.7	198	1	1	5	11	25	41	96
65 +	2405	10.7	150	1	2	7	13	25	38	81
GRAND TOTAL	**14880**	**6.7**	**125**	**< 1**	**1**	**2**	**7**	**17**	**30**	**73**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	2.0	2	< 1	1	2	3	4	5	7
20-34	137	2.6	5	1	1	2	3	5	7	12
35-49	59	2.7	7	< 1	1	2	3	5	7	17
50-64	24	2.6	5	1	1	2	3	6	8	9
65 +	16	3.4	10	< 1	1	3	4	5	11	14
B. Operated										
0-19 YRS	93	4.6	8	2	2	4	6	7	9	16
20-34	281	4.9	10	1	2	4	6	9	10	18
35-49	101	4.9	12	1	2	4	6	9	11	18
50-64	20	3.7	3	1	2	3	5	6	7	8
65 +	12	5.3	11	1	2	5	7	10	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	257	3.1	6	1	1	3	4	6	8	10
20-34	452	3.5	6	1	1	3	4	7	8	12
35-49	360	4.3	9	1	1	4	6	8	11	15
50-64	311	5.1	17	1	1	4	6	10	13	23
65 +	489	6.6	22	1	2	5	8	13	16	25
B. Operated										
0-19 YRS	396	8.5	98	2	2	6	9	16	21	67
20-34	1184	8.1	66	2	3	6	9	14	20	46
35-49	631	8.4	57	2	3	6	10	17	21	44
50-64	380	10.3	110	2	3	7	11	22	32	69
65 +	500	12.0	116	3	4	9	15	23	32	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	316	2.5	5	< 1	1	2	3	5	7	12
B. Operated	507	4.8	10	1	2	4	6	9	10	18
2. MULTIPLE DX										
A. Not Operated	1869	4.7	14	1	1	4	6	9	12	19
B. Operated	3091	9.1	84	2	3	7	10	18	24	51
1. SINGLE DX	823	3.9	9	1	1	3	5	8	9	17
2. MULTIPLE DX	4960	7.4	62	1	2	5	9	14	20	44
A. Not Operated	2185	4.4	13	1	1	3	6	9	12	18
B. Operated	3598	8.5	75	2	3	6	10	17	23	48
TOTAL										
0-19 YRS	826	5.7	57	1	1	4	7	10	16	50
20-34	2054	6.3	46	1	2	5	8	12	16	38
35-49	1151	6.5	40	1	2	5	8	13	18	37
50-64	735	7.6	72	1	2	5	9	15	23	46
65 +	1017	9.2	76	2	3	7	11	19	24	44
GRAND TOTAL	**5783**	**6.9**	**56**	**1**	**2**	**5**	**8**	**13**	**19**	**42**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	600	3.5	8	1	1	2	5	8	9	12
20-34	258	3.2	9	1	1	2	4	7	8	14
35-49	92	3.1	7	1	1	2	4	6	8	14
50-64	26	3.5	5	1	1	3	5	7	8	8
65 +	13	3.1	5	1	1	2	4	7	7	7
B. Operated										
0-19 YRS	286	6.0	16	2	3	5	7	9	10	18
20-34	311	6.1	9	2	3	6	7	9	10	18
35-49	101	6.3	11	2	3	6	8	10	12	20
50-64	31	6.2	18	1	2	6	8	10	11	24
65 +	12	5.4	13	1	2	4	8	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	957	4.4	16	1	1	3	6	9	13	20
20-34	751	3.9	13	1	1	3	5	8	11	16
35-49	337	4.2	13	1	1	3	5	9	12	20
50-64	167	4.8	14	1	1	4	6	10	12	18
65 +	237	6.7	58	1	2	5	8	13	17	40
B. Operated										
0-19 YRS	1078	10.7	95	3	4	8	12	21	31	66
20-34	1926	11.3	120	3	4	8	12	23	36	61
35-49	834	12.4	155	3	4	9	13	26	35	77
50-64	385	14.0	171	4	5	10	15	29	43	78
65 +	351	14.8	180	2	4	11	18	31	41	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	989	3.4	8	1	1	2	5	8	9	13
B. Operated	741	6.1	12	2	3	6	7	9	10	19
2. MULTIPLE DX										
A. Not Operated	2449	4.5	19	1	1	3	6	9	12	20
B. Operated	4574	11.9	131	3	4	8	13	24	36	72
1. SINGLE DX	1730	4.5	12	1	1	4	6	8	10	14
2. MULTIPLE DX	7023	9.3	104	1	2	7	10	19	29	59
A. Not Operated	3438	4.1	16	1	1	3	5	9	11	18
B. Operated	5315	11.0	118	3	4	8	12	22	33	66
TOTAL										
0-19 YRS	2921	6.7	53	1	1	5	8	13	18	44
20-34	3246	8.5	88	1	2	6	9	16	26	52
35-49	1364	9.3	115	1	2	7	10	19	29	67
50-64	609	10.6	132	2	2	8	12	21	31	73
65 +	613	11.2	143	2	2	8	14	26	37	78
GRAND TOTAL	**8753**	**8.3**	**90**	**1**	**1**	**6**	**9**	**16**	**26**	**55**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.2	2	< 1	1	2	3	4	5	5
20-34	19	2.3	1	< 1	< 1	2	3	4	4	4
35-49	9	3.0	2	1	1	3	4	5	5	5
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	2	9.5	85	3	3	9	16	16	16	16
B. Operated										
0-19 YRS	437	2.3	4	< 1	1	2	3	5	6	9
20-34	293	2.7	3	< 1	1	2	4	5	6	9
35-49	137	2.8	3	< 1	1	3	4	5	6	8
50-64	49	2.7	4	1	1	2	3	6	8	8
65 +	29	3.1	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	2.5	3	< 1	< 1	2	3	5	6	7
20-34	35	3.1	8	< 1	< 1	2	4	5	11	13
35-49	24	3.4	6	< 1	1	2	5	7	8	9
50-64	7	2.7	2	1	1	2	4	5	5	5
65 +	8	3.5	4	1	1	3	5	6	7	7
B. Operated										
0-19 YRS	602	3.1	6	1	1	2	4	6	8	12
20-34	626	3.7	11	1	1	3	5	7	9	17
35-49	296	4.1	26	1	1	3	5	8	11	19
50-64	139	4.2	15	1	1	3	5	8	10	16
65 +	167	5.5	72	1	1	4	6	10	12	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.6	4	< 1	1	2	3	4	5	14
B. Operated	945	2.6	3	< 1	1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	131	2.9	5	< 1	< 1	2	4	6	7	12
B. Operated	1830	3.8	18	1	1	3	5	7	9	17
1. SINGLE DX	1013	2.6	4	< 1	1	2	3	5	6	8
2. MULTIPLE DX	1961	3.7	17	1	1	3	5	7	9	16
A. Not Operated	199	2.8	5	< 1	1	2	4	5	7	13
B. Operated	2775	3.4	13	1	1	3	4	6	8	16
TOTAL										
0-19 YRS	1132	2.8	5	1	1	2	4	5	7	11
20-34	973	3.3	9	1	1	3	4	6	8	16
35-49	466	3.7	18	< 1	1	3	5	7	8	16
50-64	197	3.7	12	1	1	3	5	8	9	13
65 +	206	5.1	60	1	1	4	6	9	12	47
GRAND TOTAL	**2974**	**3.3**	**13**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	251	2.2	2	<1	1	2	3	4	5	8
20-34	139	2.2	3	<1	<1	2	3	4	6	10
35-49	52	2.1	1	<1	<1	2	3	4	4	6
50-64	12	1.8	1	<1	<1	2	3	3	3	3
65 +	17	2.8	18	1	1	1	2	7	14	18
B. Operated										
0-19 YRS	652	1.6	2	<1	<1	1	2	3	4	7
20-34	312	1.9	2	<1	<1	1	2	4	5	9
35-49	137	1.9	3	<1	1	1	2	4	6	8
50-64	49	2.2	2	<1	1	2	3	5	5	6
65 +	25	2.5	5	<1	1	2	3	4	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	442	2.4	7	<1	1	2	3	4	5	10
20-34	480	2.5	6	<1	<1	2	3	4	6	14
35-49	224	2.9	5	<1	1	2	4	6	8	11
50-64	122	3.7	26	<1	1	2	5	6	9	37
65 +	256	4.3	13	1	1	3	6	9	12	17
B. Operated										
0-19 YRS	1612	2.8	14	<1	1	2	3	6	8	19
20-34	1973	3.0	18	<1	1	2	3	6	9	20
35-49	825	3.2	13	<1	1	2	4	6	9	17
50-64	460	3.9	25	<1	1	2	5	8	11	23
65 +	639	5.2	57	1	1	3	6	10	15	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	471	2.2	3	<1	1	2	3	4	5	8
B. Operated	1175	1.8	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	1524	2.9	9	<1	1	2	3	6	8	14
B. Operated	5509	3.3	22	<1	1	2	4	7	9	22
1. SINGLE DX	1646	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	7033	3.2	19	<1	1	2	4	6	9	20
A. Not Operated	1995	2.7	8	<1	1	2	3	5	8	13
B. Operated	6684	3.0	19	<1	1	2	3	6	9	20
TOTAL										
0-19 YRS	2957	2.4	10	<1	1	1	3	5	7	15
20-34	2904	2.8	14	<1	1	2	3	5	8	17
35-49	1238	3.0	10	<1	1	2	4	6	8	16
50-64	643	3.7	24	<1	1	2	4	7	10	23
65 +	937	4.8	43	1	1	3	6	9	13	38
GRAND TOTAL	**8679**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	268	1.9	3	<1	<1	1	2	3	4	8
20-34	527	1.7	1	<1	<1	1	2	3	4	6
35-49	149	1.9	2	<1	<1	1	2	4	5	8
50-64	31	1.8	3	<1	<1	1	2	3	4	10
65 +	6	1.8	2	1	1	1	3	4	4	4
B. Operated										
0-19 YRS	377	2.2	3	<1	1	1	3	4	6	9
20-34	442	3.2	8	<1	1	2	4	7	8	12
35-49	157	3.0	8	<1	1	2	4	6	7	15
50-64	26	3.3	9	<1	<1	2	5	7	10	11
65 +	14	3.3	5	<1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	3.1	32	<1	1	2	3	5	6	35
20-34	459	2.5	13	<1	<1	2	3	5	7	11
35-49	154	2.7	8	<1	1	2	3	5	6	19
50-64	47	3.2	10	<1	1	2	4	7	8	17
65 +	38	5.9	20	1	2	4	7	14	15	21
B. Operated										
0-19 YRS	420	5.4	58	1	1	3	6	12	17	40
20-34	909	5.7	50	1	1	4	7	11	16	35
35-49	324	6.0	51	1	1	4	7	11	16	33
50-64	99	6.2	29	1	1	4	8	13	18	27
65 +	63	8.6	100	1	1	5	10	20	36	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	981	1.8	2	<1	<1	1	2	3	4	7
B. Operated	1016	2.8	6	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	891	2.9	17	<1	1	2	3	5	7	17
B. Operated	1815	5.8	53	1	1	4	7	12	17	38
1. SINGLE DX	1997	2.3	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	2706	4.8	43	<1	1	3	6	10	14	35
A. Not Operated	1872	2.3	9	<1	<1	2	3	4	6	12
B. Operated	2831	4.7	38	<1	1	3	6	9	13	32
TOTAL										
0-19 YRS	1258	3.3	28	<1	1	2	4	7	9	32
20-34	2337	3.7	26	<1	1	2	4	7	10	23
35-49	784	4.0	28	<1	1	2	5	8	11	24
50-64	203	4.5	21	<1	1	3	6	10	15	23
65 +	121	6.8	63	1	1	4	8	15	21	42
GRAND TOTAL	**4703**	**3.8**	**28**	**<1**	**1**	**2**	**4**	**8**	**11**	**26**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	345	2.6	3	1	1	2	3	5	6	8
20-34	516	2.6	3	< 1	1	2	3	5	6	9
35-49	215	2.7	3	< 1	1	2	3	4	6	8
50-64	68	3.1	4	1	1	3	4	5	6	12
65 +	34	3.6	4	2	2	3	5	6	6	12
B. Operated										
0-19 YRS	1469	2.0	3	< 1	< 1	1	2	4	6	10
20-34	2379	2.2	5	< 1	< 1	1	3	4	6	11
35-49	1012	2.3	8	< 1	< 1	1	2	5	7	16
50-64	477	2.2	6	< 1	1	1	3	4	6	12
65 +	194	2.0	5	< 1	1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	296	3.9	33	< 1	1	3	4	7	9	29
20-34	572	3.3	10	< 1	1	2	4	6	8	16
35-49	266	3.8	8	1	1	3	5	7	9	12
50-64	135	4.3	18	1	2	4	5	7	10	21
65 +	130	5.0	24	1	1	4	6	9	10	31
B. Operated										
0-19 YRS	1448	3.0	12	< 1	1	2	3	6	9	16
20-34	2965	3.4	17	1	1	2	4	7	10	23
35-49	1329	3.5	19	< 1	1	2	4	8	11	20
50-64	697	3.7	25	1	1	2	4	8	12	24
65 +	538	5.1	70	1	1	3	5	10	16	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1178	2.7	3	< 1	1	2	3	5	6	9
B. Operated	5531	2.2	5	< 1	< 1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	1399	3.8	17	1	1	3	5	7	9	18
B. Operated	6977	3.5	22	< 1	1	2	4	7	11	23
1. SINGLE DX	6709	2.3	5	< 1	< 1	2	3	4	6	11
2. MULTIPLE DX	8376	3.5	21	< 1	1	2	4	7	10	23
A. Not Operated	2577	3.3	11	< 1	1	3	4	6	8	14
B. Operated	12508	2.9	15	< 1	1	2	3	6	9	19
TOTAL										
0-19 YRS	3558	2.6	9	< 1	1	2	3	5	7	14
20-34	6432	2.9	11	< 1	1	2	3	6	8	17
35-49	2822	3.0	13	< 1	1	2	4	6	9	18
50-64	1377	3.2	17	< 1	1	2	4	6	9	20
65 +	896	4.4	48	1	1	2	5	9	12	37
GRAND TOTAL	**15085**	**3.0**	**14**	**< 1**	**1**	**2**	**3**	**6**	**8**	**18**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	456	2.7	4	< 1	1	2	3	5	7	11
20-34	378	2.8	5	< 1	1	2	4	5	7	13
35-49	110	3.4	5	1	1	3	4	7	8	11
50-64	45	3.5	7	< 1	1	3	4	7	9	11
65 +	25	4.6	13	< 1	1	3	6	10	12	14
B. Operated										
0-19 YRS	1275	3.3	14	< 1	1	2	4	7	9	19
20-34	1052	3.4	13	1	1	2	4	7	9	17
35-49	401	3.6	16	1	1	2	4	7	11	21
50-64	174	4.1	19	1	1	3	5	8	12	23
65 +	78	5.6	29	< 1	1	4	7	13	15	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	277	4.0	22	1	1	3	5	7	9	20
20-34	284	3.4	7	1	1	3	4	6	7	12
35-49	150	4.8	12	1	1	4	6	9	13	18
50-64	137	5.7	13	1	2	5	7	12	13	14
65 +	181	7.5	65	2	3	5	8	14	20	44
B. Operated										
0-19 YRS	909	5.9	57	1	1	4	6	12	20	42
20-34	1018	7.1	87	1	1	4	8	16	24	50
35-49	517	6.7	54	1	1	4	8	16	22	41
50-64	306	10.0	127	1	2	7	12	22	32	62
65 +	356	11.9	144	1	2	8	15	26	36	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1014	2.9	5	< 1	1	2	4	6	7	11
B. Operated	2980	3.5	14	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. Not Operated	1029	4.8	25	1	1	4	6	9	12	22
B. Operated	3106	7.5	87	1	1	4	9	17	25	49
1. SINGLE DX	3994	3.3	12	< 1	1	2	4	7	9	17
2. MULTIPLE DX	4135	6.8	73	1	1	4	8	15	22	46
A. Not Operated	2043	3.8	16	1	1	3	5	7	10	17
B. Operated	6086	5.5	55	1	1	3	6	12	19	39
TOTAL										
0-19 YRS	2917	4.1	28	< 1	1	3	5	8	12	26
20-34	2732	4.7	42	1	1	3	5	9	15	34
35-49	1178	5.1	33	1	1	3	6	11	16	31
50-64	662	7.1	74	1	1	4	8	15	22	43
65 +	640	9.6	109	1	2	7	12	21	31	59
GRAND TOTAL	**8129**	**5.1**	**46**	**1**	**1**	**3**	**6**	**11**	**16**	**36**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	6	< 1	< 1	1	4	6	6	6
20-34	5	2.0	2	1	1	1	3	4	4	4
35-49	6	3.2	4	1	1	3	5	6	6	6
50-64	3	3.3	6	< 1	< 1	3	5	6	6	6
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	43	3.0	13	< 1	< 1	1	4	7	16	99 +
20-34	73	3.5	12	< 1	< 1	2	4	9	12	14
35-49	30	4.0	10	1	1	3	6	8	9	15
50-64	16	3.3	6	1	1	3	5	6	9	10
65 +	8	2.8	7	1	1	2	3	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.2	19	< 1	< 1	1	2	11	14	15
20-34	12	4.6	10	< 1	1	4	7	9	10	10
35-49	10	4.1	5	1	1	4	5	7	8	8
50-64	6	3.7	7	< 1	< 1	3	6	8	8	8
65 +	16	6.4	28	1	2	4	8	15	18	20
B. Operated										
0-19 YRS	190	8.4	186	1	1	4	8	19	40	75
20-34	407	7.4	90	1	1	5	9	17	24	65
35-49	185	8.7	131	< 1	1	5	11	22	40	62
50-64	90	11.3	258	1	1	5	12	30	50	79
65 +	69	9.6	245	1	1	5	9	20	25	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.9	4	< 1	< 1	3	5	6	6	6
B. Operated	170	3.4	11	< 1	1	2	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	61	4.5	17	< 1	1	3	6	10	14	19
B. Operated	941	8.4	146	1	1	5	9	19	30	75
1. SINGLE DX	189	3.3	10	< 1	1	2	5	8	10	17
2. MULTIPLE DX	1002	8.1	139	1	1	5	9	19	29	75
A. Not Operated	80	4.1	14	< 1	1	3	6	9	12	19
B. Operated	1111	7.6	128	1	1	4	9	18	28	75
TOTAL										
0-19 YRS	254	7.0	148	< 1	1	3	7	16	27	75
20-34	497	6.7	78	< 1	1	4	8	14	21	61
35-49	231	7.8	110	1	1	5	9	19	35	54
50-64	115	9.5	214	1	1	4	9	23	44	78
65 +	94	8.4	188	1	1	4	9	19	22	86
GRAND TOTAL	**1191**	**7.4**	**121**	**1**	**1**	**4**	**8**	**17**	**27**	**72**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.1	15	< 1	1	2	3	6	14	16
20-34	15	4.9	9	1	1	4	7	9	10	10
35-49	6	3.8	19	1	1	1	9	10	10	10
50-64	4	4.0	5	1	1	4	5	6	6	6
65 +	5	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated										
0-19 YRS	79	3.5	14	< 1	1	2	5	8	11	21
20-34	140	3.4	16	< 1	1	2	4	7	10	21
35-49	64	3.5	8	< 1	1	3	6	8	8	12
50-64	37	3.4	8	< 1	1	2	5	8	9	10
65 +	10	3.5	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	8.9	307	< 1	< 1	3	8	60	78	99 +
20-34	33	9.1	340	< 1	1	4	9	88	99 +	99 +
35-49	38	7.3	129	1	1	4	8	14	46	99 +
50-64	24	5.2	40	< 1	1	3	6	11	18	31
65 +	21	8.9	110	2	2	6	11	15	31	51
B. Operated										
0-19 YRS	67	4.0	19	1	1	3	5	9	15	23
20-34	160	4.4	39	1	1	2	5	9	14	27
35-49	108	5.4	93	1	1	4	6	9	16	55
50-64	81	6.7	101	1	1	4	7	12	21	62
65 +	30	6.9	52	1	1	5	9	21	30	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	3.8	11	< 1	1	3	5	9	10	16
B. Operated	330	3.5	12	< 1	1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	138	7.8	186	1	1	4	9	15	68	99 +
B. Operated	446	5.2	62	1	1	3	6	10	17	45
1. SINGLE DX	374	3.5	12	< 1	1	2	5	8	9	17
2. MULTIPLE DX	584	5.8	92	1	1	3	6	12	21	97
A. Not Operated	182	6.8	147	1	1	4	7	14	59	99 +
B. Operated	776	4.4	41	1	1	3	5	9	14	29
TOTAL										
0-19 YRS	182	4.3	53	< 1	1	2	5	9	15	63
20-34	348	4.5	58	1	1	2	5	9	15	91
35-49	216	5.1	73	1	1	3	6	9	14	78
50-64	146	5.5	66	1	1	4	6	10	13	46
65 +	66	6.7	63	1	1	4	8	15	24	92
GRAND TOTAL	**958**	**4.9**	**62**	**1**	**1**	**3**	**6**	**10**	**15**	**69**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	397	3.8	3	1	1	4	5	6	7	9
20-34	144	3.4	4	<1	1	3	5	5	6	11
35-49	49	3.5	3	1	1	4	5	6	6	7
50-64	13	4.5	3	2	3	4	5	7	9	9
65 +	9	4.1	15	1	1	2	5	11	13	13
B. Operated										
0-19 YRS	10	5.9	26	<1	<1	4	11	13	14	14
20-34	12	3.4	6	1	1	3	5	7	7	7
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	290	3.7	4	1	1	4	5	6	7	10
20-34	180	3.3	4	<1	1	3	5	6	7	10
35-49	77	4.0	5	1	1	4	6	6	8	11
50-64	40	3.1	6	<1	1	2	4	6	7	14
65 +	51	4.5	20	1	1	3	6	8	10	29
B. Operated										
0-19 YRS	75	4.4	13	1	1	4	6	10	11	17
20-34	66	4.2	7	<1	1	4	5	9	10	11
35-49	36	4.6	27	1	1	3	5	8	13	30
50-64	15	4.3	9	2	2	3	5	9	12	13
65 +	25	5.8	23	<1	1	4	9	14	15	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	612	3.7	4	1	1	4	5	6	7	10
B. Operated	28	4.0	14	1	1	3	6	10	13	14
2. MULTIPLE DX										
A. Not Operated	638	3.7	6	1	1	3	5	6	7	10
B. Operated	217	4.5	14	1	1	4	6	9	12	17
1. SINGLE DX	640	3.7	4	1	1	4	5	6	7	11
2. MULTIPLE DX	855	3.9	8	1	1	3	5	7	8	15
A. Not Operated	1250	3.7	5	1	1	4	5	6	7	10
B. Operated	245	4.5	14	1	1	4	6	9	12	17
TOTAL										
0-19 YRS	772	3.9	5	1	1	4	5	6	7	11
20-34	402	3.5	5	<1	1	3	5	6	7	11
35-49	167	3.9	9	1	1	4	5	6	8	14
50-64	68	3.6	7	1	1	3	5	6	9	14
65 +	86	4.8	21	1	1	4	6	10	14	25
GRAND TOTAL	**1495**	**3.8**	**6**	**1**	**1**	**4**	**5**	**6**	**8**	**13**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1226	1.6	1	<1	<1	1	2	3	4	6
20-34	924	2.0	4	<1	1	1	2	4	5	9
35-49	453	2.2	3	<1	1	2	3	4	5	10
50-64	243	2.4	4	1	1	2	3	5	7	9
65 +	258	3.3	9	1	1	2	4	7	8	16
B. Operated										
0-19 YRS	198	2.0	3	<1	<1	1	3	4	6	10
20-34	163	2.2	3	<1	<1	2	3	4	6	8
35-49	107	3.0	14	<1	<1	2	3	5	8	23
50-64	48	3.4	8	1	1	3	5	7	8	14
65 +	50	4.1	10	<1	<1	3	6	8	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2259	2.0	3	<1	1	1	2	4	5	8
20-34	2596	2.4	4	<1	1	2	3	5	6	10
35-49	1537	3.0	12	1	1	2	4	6	8	14
50-64	1236	3.9	13	1	1	3	5	8	11	20
65 +	3610	5.9	40	1	1	4	7	12	16	33
B. Operated										
0-19 YRS	338	3.3	28	1	1	2	4	6	9	19
20-34	543	3.6	22	<1	1	2	4	7	11	24
35-49	321	4.4	23	1	1	3	5	10	12	27
50-64	251	6.8	64	1	1	4	9	16	23	54
65 +	532	9.7	134	1	1	6	12	22	31	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3104	2.0	3	<1	1	1	2	4	5	9
B. Operated	566	2.6	7	<1	<1	2	3	6	7	11
2. MULTIPLE DX										
A. Not Operated	11238	3.7	20	1	1	2	4	8	11	21
B. Operated	1985	5.7	65	1	1	3	7	13	19	49
1. SINGLE DX	3670	2.1	4	<1	1	1	2	4	6	10
2. MULTIPLE DX	13223	4.0	27	1	1	2	5	8	12	25
A. Not Operated	14342	3.3	17	<1	1	2	4	7	10	19
B. Operated	2551	5.0	54	<1	1	3	6	11	17	40
TOTAL										
0-19 YRS	4021	2.0	5	<1	1	1	2	4	5	9
20-34	4226	2.4	7	<1	1	2	3	5	6	12
35-49	2418	3.1	12	<1	1	2	4	6	8	15
50-64	1778	4.1	21	1	1	3	5	9	12	23
65 +	4450	6.2	51	1	1	4	7	12	17	40
GRAND TOTAL	**16893**	**3.6**	**23**	**<1**	**1**	**2**	**4**	**7**	**11**	**23**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	2.1	4	1	1	1	2	4	5	13
20-34	92	2.5	7	1	1	2	3	5	7	15
35-49	46	2.8	6	1	1	2	4	5	8	13
50-64	18	1.6	1	< 1	< 1	1	2	3	3	3
65 +	3	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	68	3.1	13	< 1	1	2	3	8	11	20
20-34	125	3.3	11	< 1	1	2	4	7	12	15
35-49	61	3.2	6	< 1	1	3	5	7	8	11
50-64	31	4.5	57	1	1	2	3	8	29	33
65 +	6	8.3	66	1	1	5	17	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	2.3	7	1	1	2	2	4	6	18
20-34	116	2.9	4	1	1	2	4	5	6	10
35-49	65	3.1	5	1	1	2	4	6	9	9
50-64	37	3.9	12	1	1	3	6	9	12	15
65 +	20	6.5	42	< 1	1	4	9	16	21	25
B. Operated										
0-19 YRS	101	6.2	77	1	1	4	7	14	16	54
20-34	291	6.8	59	1	1	5	9	14	22	43
35-49	178	6.3	72	1	1	3	8	16	26	52
50-64	83	5.8	56	1	1	3	7	14	18	44
65 +	30	9.4	104	1	1	5	13	27	34	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	270	2.3	5	1	1	2	3	4	6	13
B. Operated	291	3.4	17	< 1	1	2	4	7	11	21
2. MULTIPLE DX										
A. Not Operated	314	3.1	9	1	1	2	4	6	9	16
B. Operated	683	6.6	67	1	1	4	8	15	22	45
1. SINGLE DX	561	2.9	11	< 1	1	2	3	6	10	17
2. MULTIPLE DX	997	5.5	51	1	1	3	6	13	18	41
A. Not Operated	584	2.7	7	1	1	2	3	5	7	14
B. Operated	974	5.7	54	1	1	3	7	13	19	41
TOTAL										
0-19 YRS	356	3.5	30	1	1	2	4	7	13	21
20-34	624	4.7	35	1	1	3	6	11	14	29
35-49	350	4.7	42	1	1	3	5	9	16	42
50-64	169	4.7	42	1	1	3	5	11	16	36
65 +	59	7.9	75	1	1	4	11	21	28	35
GRAND TOTAL	**1558**	**4.6**	**38**	**1**	**1**	**2**	**5**	**10**	**15**	**33**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.8	2	< 1	< 1	1	3	4	4	4
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.9	17	< 1	< 1	1	2	10	13	13
20-34	3	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	10	3.1	4	< 1	< 1	3	5	6	6	6
20-34	3	2.3	1	< 1	< 1	3	3	3	3	3
35-49	6	3.3	5	< 1	< 1	3	5	7	7	7
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.7	2	< 1	< 1	1	2	4	4	4
B. Operated	21	1.3	1	< 1	< 1	< 1	1	2	4	5
2. MULTIPLE DX										
A. Not Operated	13	2.2	11	< 1	< 1	1	2	5	11	13
B. Operated	21	2.9	3	< 1	< 1	2	4	6	6	7
1. SINGLE DX	30	1.4	1	< 1	< 1	1	1	3	4	5
2. MULTIPLE DX	34	2.6	6	< 1	< 1	2	3	5	7	13
A. Not Operated	22	2.0	7	< 1	< 1	1	2	4	8	13
B. Operated	42	2.1	3	< 1	< 1	1	3	5	6	7
TOTAL										
0-19 YRS	43	2.0	5	< 1	< 1	1	2	4	6	13
20-34	8	2.3	2	< 1	< 1	2	3	4	5	5
35-49	10	2.5	4	< 1	< 1	2	3	6	7	7
50-64	3	1.3		1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**64**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**5**	**6**	**12**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1443	1.2	1	< 1	< 1	1	1	2	2	4
20-34	201	1.4	2	< 1	< 1	1	1	2	3	6
35-49	181	1.3		< 1	< 1	1	1	2	2	4
50-64	160	1.3	1	< 1	< 1	1	1	2	3	6
65 +	128	1.4	1	< 1	< 1	1	1	2	4	6
B. Operated										
0-19 YRS	560	1.6	2	< 1	< 1	1	2	3	4	8
20-34	54	3.0	6	< 1	1	2	4	7	8	11
35-49	42	2.5	7	< 1	< 1	1	2	6	10	11
50-64	31	2.3	5	< 1	< 1	1	2	6	9	9
65 +	39	2.6	8	< 1	< 1	2	3	5	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	504	2.2	6	< 1	1	1	2	4	5	10
20-34	137	2.9	11	< 1	< 1	1	4	7	10	17
35-49	173	2.5	6	< 1	1	2	3	6	8	15
50-64	262	3.1	21	< 1	1	2	3	7	9	17
65 +	669	3.9	25	1	1	2	5	9	11	23
B. Operated										
0-19 YRS	270	4.0	38	< 1	1	2	4	8	13	36
20-34	98	5.9	30	< 1	1	5	7	12	17	27
35-49	116	4.7	30	< 1	1	3	6	10	12	28
50-64	190	5.5	29	1	1	4	8	13	14	26
65 +	437	6.8	88	1	1	4	7	16	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2113	1.3	1	< 1	< 1	1	1	2	2	5
B. Operated	726	1.9	3	< 1	< 1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	1745	3.1	16	< 1	1	2	3	6	9	19
B. Operated	1111	5.6	56	1	1	3	7	13	18	39
1. SINGLE DX	2839	1.4	2	< 1	< 1	1	1	2	3	7
2. MULTIPLE DX	2856	4.1	33	< 1	1	2	5	9	13	30
A. Not Operated	3858	2.1	9	< 1	< 1	1	2	4	6	15
B. Operated	1837	4.1	38	< 1	1	2	5	9	14	32
TOTAL										
0-19 YRS	2777	1.7	6	< 1	< 1	1	2	3	5	10
20-34	490	2.9	13	< 1	< 1	1	3	7	10	19
35-49	512	2.6	11	< 1	< 1	1	3	6	9	16
50-64	643	3.3	20	< 1	< 1	1	4	8	12	19
65 +	1273	4.6	47	1	1	2	5	10	15	34
GRAND TOTAL	**5695**	**2.7**	**19**	**< 1**	**< 1**	**1**	**3**	**6**	**9**	**21**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	5.3	15	1	1	5	8	10	12	19
20-34	25	3.7	9	< 1	< 1	3	5	8	9	13
35-49	16	3.8	18	< 1	1	2	4	12	14	15
50-64	5	6.0	8	3	3	7	8	9	9	9
65 +	4	24.0	1095	1	1	11	43	73	73	73
B. Operated										
0-19 YRS	199	8.0	60	1	1	5	11	20	24	36
20-34	117	7.4	41	1	2	5	9	17	22	30
35-49	75	7.9	73	1	2	5	10	17	31	38
50-64	39	8.6	84	1	1	5	10	22	29	43
65 +	22	9.1	56	1	2	7	11	22	24	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	181	6.6	34	1	1	5	10	14	20	77
20-34	148	6.8	58	1	1	4	9	15	18	35
35-49	105	6.6	61	1	1	4	8	16	25	41
50-64	69	8.1	65	1	1	7	9	17	19	47
65 +	100	10.7	106	1	3	8	13	22	39	77
B. Operated										
0-19 YRS	461	16.6	222	1	2	13	24	35	46	99
20-34	438	15.8	214	1	3	12	22	36	53	99 +
35-49	318	16.8	214	1	3	13	22	38	50	99 +
50-64	210	18.6	281	2	3	15	24	40	59	95
65 +	247	22.3	324	3	4	18	33	52	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	5.4	54	1	1	4	7	10	13	37
B. Operated	452	7.9	59	1	1	5	10	19	25	37
2. MULTIPLE DX										
A. Not Operated	603	7.5	62	1	1	5	10	16	22	51
B. Operated	1674	17.5	245	1	3	14	24	40	55	99 +
1. SINGLE DX	570	7.4	59	1	1	5	9	16	23	36
2. MULTIPLE DX	2277	14.9	216	1	2	10	20	36	49	99 +
A. Not Operated	721	7.2	61	1	1	5	9	15	20	50
B. Operated	2126	15.5	221	1	2	11	22	37	49	99 +
TOTAL										
0-19 YRS	909	11.9	157	1	1	8	17	29	37	92
20-34	728	12.2	167	1	2	8	17	30	41	99 +
35-49	514	13.0	180	1	2	9	17	33	42	79
50-64	323	14.9	231	1	2	10	20	35	46	87
65 +	373	18.4	285	2	3	14	24	49	59	99 +
GRAND TOTAL	**2847**	**13.4**	**193**	**1**	**2**	**9**	**18**	**32**	**46**	**99**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	598	3.9	15	1	1	2	5	9	11	19
20-34	241	3.7	28	1	1	2	5	8	11	20
35-49	143	4.1	19	1	1	2	6	10	14	19
50-64	48	3.0	6	1	1	2	4	7	8	11
65 +	18	6.6	24	< 1	1	7	9	14	16	17
B. Operated										
0-19 YRS	156	6.3	48	1	1	4	8	14	16	41
20-34	86	5.1	16	1	1	4	8	11	13	17
35-49	46	5.5	24	1	1	4	7	11	17	20
50-64	20	8.3	86	< 1	< 1	5	11	23	32	34
65 +	4	4.5	7	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1721	5.4	26	1	1	4	8	12	15	24
20-34	819	4.2	17	1	1	3	5	10	13	19
35-49	511	5.5	31	1	1	4	7	12	16	27
50-64	249	6.1	50	1	1	4	8	14	19	35
65 +	261	9.9	105	1	2	7	12	20	30	46
B. Operated										
0-19 YRS	519	10.6	89	1	2	8	15	22	28	48
20-34	335	8.4	63	1	2	6	12	18	23	47
35-49	215	11.6	173	1	1	8	14	28	36	87
50-64	152	13.0	219	1	2	9	17	27	39	86
65 +	114	17.1	199	3	4	14	25	39	46	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1048	3.9	18	1	1	2	5	9	12	19
B. Operated	312	5.9	38	1	1	4	8	13	16	32
2. MULTIPLE DX										
A. Not Operated	3561	5.5	34	1	1	4	7	12	16	27
B. Operated	1335	11.1	125	1	2	8	15	24	32	64
1. SINGLE DX	1360	4.4	23	1	1	3	6	10	13	20
2. MULTIPLE DX	4896	7.0	65	1	1	4	9	16	21	40
A. Not Operated	4609	5.2	31	1	1	3	7	12	15	26
B. Operated	1647	10.1	113	1	1	7	13	22	30	54
TOTAL										
0-19 YRS	2994	6.1	41	1	1	4	8	14	19	30
20-34	1481	5.1	32	1	1	3	7	12	15	25
35-49	915	6.7	70	1	1	4	9	15	21	40
50-64	469	8.1	114	1	1	4	10	19	26	60
65 +	397	11.8	139	1	2	8	15	29	38	73
GRAND TOTAL	**6256**	**6.5**	**57**	**1**	**1**	**4**	**8**	**15**	**20**	**38**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	2.5	4	< 1	1	2	3	6	7	11
20-34	74	3.9	36	< 1	< 1	2	3	8	20	31
35-49	48	3.2	7	1	1	2	5	7	8	13
50-64	16	4.4	8	1	1	4	7	9	9	9
65 +	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	93	2.3	6	< 1	< 1	1	3	5	6	15
20-34	205	2.2	10	< 1	< 1	1	2	4	6	19
35-49	96	2.4	7	< 1	1	2	3	5	7	16
50-64	38	2.8	9	< 1	1	2	4	6	13	99 +
65 +	9	6.3	47	1	1	3	11	17	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	4.0	30	< 1	1	2	5	8	16	33
20-34	125	4.1	24	1	1	2	5	8	14	28
35-49	89	5.8	42	1	1	4	7	12	15	39
50-64	66	6.8	89	1	1	5	8	12	17	65
65 +	113	8.6	70	1	2	6	11	19	26	45
B. Operated										
0-19 YRS	248	3.5	39	< 1	1	2	3	6	14	36
20-34	487	3.6	38	< 1	1	2	3	7	12	38
35-49	218	6.5	150	< 1	1	2	5	19	34	88
50-64	109	6.6	173	< 1	1	2	6	13	42	89
65 +	63	10.4	174	1	2	6	15	26	40	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	3.2	15	< 1	1	2	4	7	9	22
B. Operated	441	2.4	9	< 1	< 1	1	3	5	6	19
2. MULTIPLE DX										
A. Not Operated	481	5.8	51	1	1	4	7	12	18	35
B. Operated	1125	4.8	84	< 1	1	2	4	11	21	58
1. SINGLE DX	682	2.7	12	< 1	< 1	1	3	6	7	21
2. MULTIPLE DX	1606	5.1	74	< 1	1	2	5	12	20	50
A. Not Operated	722	4.9	41	1	1	3	6	11	15	33
B. Operated	1566	4.1	64	< 1	1	2	4	9	17	49
TOTAL										
0-19 YRS	528	3.2	26	< 1	1	2	3	6	10	31
20-34	891	3.4	30	< 1	< 1	2	3	7	12	32
35-49	451	5.1	86	< 1	1	2	5	11	21	49
50-64	229	5.9	112	1	1	3	6	11	19	85
65 +	189	9.0	103	1	1	6	11	21	30	68
GRAND TOTAL	**2288**	**4.4**	**57**	**< 1**	**1**	**2**	**5**	**10**	**16**	**42**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLF DX										
A. Not Operated										
0-19 YRS	660	1.9	2	< 1	1	1	2	3	5	8
20-34	470	2.3	5	< 1	1	2	3	4	6	12
35-49	230	2.7	6	1	1	2	3	6	7	12
50-64	79	3.1	11	1	1	2	3	6	10	20
65 +	56	3.5	6	< 1	1	3	5	6	7	14
B. Operated										
0-19 YRS	155	4.4	24	< 1	1	2	6	11	15	24
20-34	188	4.4	17	1	1	3	6	11	14	17
35-49	94	5.0	31	< 1	1	3	6	12	20	25
50-64	45	5.5	30	< 1	< 1	3	7	11	16	28
65 +	16	4.1	10	1	1	3	6	9	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	794	2.6	5	< 1	1	2	3	5	7	13
20-34	1000	3.0	6	< 1	1	2	4	6	8	14
35-49	559	3.7	17	1	1	3	5	7	10	20
50-64	433	4.5	15	1	1	3	6	9	13	18
65 +	696	6.7	39	1	2	5	8	13	19	30
B. Operated										
0-19 YRS	336	7.9	78	1	1	5	10	19	27	44
20-34	531	6.9	88	1	1	4	8	15	23	52
35-49	316	7.6	78	1	1	5	9	16	25	47
50-64	221	10.3	120	1	2	7	14	23	31	47
65 +	245	13.5	198	2	2	9	17	30	41	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1495	2.3	4	< 1	1	2	3	4	6	11
B. Operated	498	4.6	23	< 1	1	3	6	11	15	24
2. MULTIPLE DX										
A. Not Operated	3482	3.9	18	1	1	3	5	8	11	20
B. Operated	1649	8.7	110	1	1	5	10	20	30	57
1. SINGLE DX	1993	2.8	10	< 1	1	2	3	6	9	17
2. MULTIPLE DX	5131	5.5	52	1	1	3	6	12	18	36
A. Not Operated	4977	3.4	14	1	1	2	4	7	10	19
B. Operated	2147	7.7	93	1	1	5	9	17	26	47
TOTAL										
0-19 YRS	1945	3.4	23	< 1	1	2	4	7	11	25
20-34	2189	3.9	30	< 1	1	2	4	8	12	26
35-49	1199	4.7	35	1	1	3	6	10	15	31
50-64	778	6.1	52	1	1	4	8	14	19	33
65 +	1013	8.1	85	1	2	5	10	17	24	46
GRAND TOTAL	**7124**	**4.7**	**42**	**1**	**1**	**3**	**5**	**10**	**15**	**33**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4024	1.6	4	< 1	< 1	1	2	3	3	6
20-34	1457	1.7	2	< 1	< 1	1	2	3	4	6
35-49	572	1.8	3	< 1	< 1	1	2	3	4	7
50-64	164	2.1	3	< 1	1	2	2	4	5	8
65 +	107	2.9	5	< 1	1	2	4	6	7	10
B. Operated										
0-19 YRS	25	4.1	62	< 1	< 1	2	4	5	15	41
20-34	9	1.9	2	< 1	< 1	1	2	4	5	5
35-49	0									
50-64	0									
65 +	4	4.0	13	< 1	< 1	3	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7010	3.1	26	< 1	1	2	3	6	9	26
20-34	8960	3.3	25	< 1	1	2	3	6	11	26
35-49	5135	3.7	29	< 1	1	2	4	8	12	29
50-64	2321	4.7	32	1	1	3	6	9	14	27
65 +	3151	5.8	42	1	1	4	7	11	15	32
B. Operated										
0-19 YRS	111	7.2	138	< 1	1	4	7	15	26	65
20-34	308	8.2	161	1	1	4	9	18	34	77
35-49	216	10.6	197	1	1	6	13	25	38	88
50-64	159	10.2	114	1	2	7	13	22	29	79
65 +	277	13.3	163	2	3	10	17	30	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6324	1.7	4	< 1	< 1	1	2	3	4	7
B. Operated	38	3.6	42	< 1	< 1	2	4	6	7	41
2. MULTIPLE DX										
A. Not Operated	26577	3.7	29	< 1	1	2	4	8	12	28
B. Operated	1071	10.2	164	1	1	6	12	23	37	85
1. SINGLE DX	6362	1.7	4	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	27648	4.0	36	< 1	1	2	4	8	13	31
A. Not Operated	32901	3.3	25	< 1	1	2	4	7	11	25
B. Operated	1109	10.0	161	1	1	6	12	23	37	83
TOTAL										
0-19 YRS	11170	2.6	20	< 1	1	1	2	4	7	23
20-34	10734	3.2	26	< 1	1	2	3	6	10	27
35-49	5923	3.8	35	< 1	1	2	4	8	13	31
50-64	2644	4.8	37	1	1	3	6	10	15	30
65 +	3539	6.3	55	1	1	4	7	12	18	43
GRAND TOTAL	**34010**	**3.6**	**31**	**< 1**	**1**	**2**	**4**	**7**	**12**	**28**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2062	2.2	5	< 1	1	1	3	6	6	9
20-34	634	1.7	3	< 1	< 1	1	2	3	4	7
35-49	407	1.7	2	< 1	< 1	1	2	3	5	7
50-64	178	1.6	3	< 1	1	1	2	3	4	11
65 +	85	1.6	1	< 1	1	1	2	3	4	6
B. Operated										
0-19 YRS	30	3.2	9	1	1	2	4	6	11	14
20-34	17	3.0	5	1	1	2	4	7	8	8
35-49	13	4.1	8	1	1	4	6	8	10	10
50-64	6	5.5	18	1	1	4	10	11	11	11
65 +	2	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1498	2.8	8	< 1	1	2	4	6	7	14
20-34	1042	2.8	18	< 1	1	2	3	5	8	17
35-49	766	3.1	25	< 1	1	2	3	6	9	22
50-64	537	3.5	22	1	1	2	4	7	13	27
65 +	507	4.1	23	1	1	3	5	9	11	25
B. Operated										
0-19 YRS	69	9.1	158	1	1	5	11	27	32	97
20-34	110	7.7	120	1	1	4	10	17	27	68
35-49	56	8.5	133	< 1	1	5	9	24	48	97
50-64	56	9.8	169	1	1	5	10	25	36	70
65 +	56	14.2	225	1	1	9	22	44	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3366	2.0	4	< 1	1	1	2	5	6	8
B. Operated	68	3.7	10	1	1	3	5	9	11	14
2. MULTIPLE DX										
A. Not Operated	4350	3.1	17	< 1	1	2	4	6	9	20
B. Operated	347	9.5	158	1	1	5	11	26	41	99 +
1. SINGLE DX	3434	2.0	4	< 1	1	1	2	5	6	9
2. MULTIPLE DX	4697	3.6	30	< 1	1	2	4	7	11	28
A. Not Operated	7716	2.6	12	< 1	1	1	3	6	7	16
B. Operated	415	8.6	128	1	1	4	10	24	36	88
TOTAL										
0-19 YRS	3659	2.6	10	< 1	1	1	3	6	7	13
20-34	1803	2.7	21	< 1	1	1	3	5	8	19
35-49	1242	2.9	24	< 1	1	2	3	6	8	23
50-64	777	3.5	32	1	1	2	3	7	15	29
65 +	650	4.7	47	1	1	2	5	10	15	44
GRAND TOTAL	**8131**	**2.9**	**20**	**< 1**	**1**	**2**	**3**	**6**	**8**	**22**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	902	1.9	3	< 1	1	1	2	4	5	9
20-34	511	1.8	2	< 1	1	1	2	3	4	8
35-49	346	1.8	2	< 1	1	1	2	3	5	7
50-64	245	1.9	2	< 1	1	1	2	3	4	7
65 +	179	2.7	4	1	1	2	3	6	8	10
B. Operated										
0-19 YRS	8	2.9	24	< 1	< 1	1	2	11	15	15
20-34	17	5.4	88	1	1	2	4	12	31	40
35-49	12	6.6	113	1	1	3	6	19	36	39
50-64	13	6.8	58	< 1	1	3	14	18	22	23
65 +	5	6.8	23	1	1	6	9	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1173	3.6	31	1	1	2	4	8	12	28
20-34	973	3.1	14	1	1	2	3	6	8	20
35-49	1088	3.3	13	1	1	2	4	6	8	18
50-64	1259	4.4	21	1	1	3	5	9	12	22
65 +	2920	5.8	39	1	1	4	7	11	15	33
B. Operated										
0-19 YRS	123	10.2	320	1	1	3	10	32	62	93
20-34	149	3.8	58	1	1	1	3	8	13	48
35-49	166	9.2	241	1	1	3	10	27	47	88
50-64	201	10.7	236	1	1	5	12	31	45	89
65 +	402	10.6	173	1	1	7	13	25	41	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2183	1.9	3	< 1	1	1	2	4	5	9
B. Operated	55	5.7	69	< 1	1	2	6	15	21	40
2. MULTIPLE DX										
A. Not Operated	7413	4.5	29	1	1	3	5	9	13	27
B. Operated	1041	9.4	202	1	1	4	11	25	43	82
1. SINGLE DX	2238	2.0	5	< 1	1	1	2	4	5	10
2. MULTIPLE DX	8454	5.1	53	1	1	3	6	10	16	40
A. Not Operated	9596	3.9	24	1	1	2	5	8	11	24
B. Operated	1096	9.2	196	1	1	4	10	24	41	81
TOTAL										
0-19 YRS	2206	3.3	39	< 1	1	2	3	6	10	31
20-34	1650	2.8	16	1	1	2	3	5	8	18
35-49	1612	3.6	38	1	1	2	4	7	10	35
50-64	1718	4.8	49	1	1	3	5	10	14	37
65 +	3506	6.2	56	1	1	4	7	12	18	43
GRAND TOTAL	**10692**	**4.5**	**44**	**1**	**1**	**3**	**5**	**9**	**14**	**35**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	193	3.9	17	< 1	1	2	5	9	13	22
20-34	102	3.5	9	< 1	1	3	5	7	10	15
35-49	87	4.5	21	1	1	3	6	9	14	22
50-64	97	4.8	15	1	1	4	7	10	12	19
65 +	155	5.2	26	< 1	1	4	7	11	14	28
B. Operated										
0-19 YRS	1226	4.4	25	1	1	3	5	8	13	25
20-34	935	4.0	19	< 1	1	2	5	9	11	22
35-49	1033	5.0	29	1	1	3	7	11	14	24
50-64	1390	6.1	29	1	1	4	9	13	16	24
65 +	2520	6.3	36	1	1	4	9	14	16	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	858	6.0	34	1	1	4	8	13	18	29
20-34	529	5.1	20	1	1	4	6	10	14	21
35-49	635	5.7	23	1	1	4	8	11	15	21
50-64	857	6.3	38	1	1	5	8	13	18	30
65 +	1778	7.2	55	1	1	5	9	14	20	42
B. Operated										
0-19 YRS	3195	8.3	105	1	1	5	10	20	30	57
20-34	2751	7.4	71	1	1	5	9	17	23	42
35-49	4129	7.8	81	1	1	5	10	17	24	51
50-64	7462	8.8	100	1	1	6	11	19	27	57
65 +	13972	10.0	111	1	2	7	13	21	30	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	634	4.4	19	< 1	1	3	6	9	13	22
B. Operated	7104	5.4	30	1	1	3	8	12	15	25
2. MULTIPLE DX										
A. Not Operated	4657	6.4	40	1	1	5	8	13	18	32
B. Operated	31509	9.0	101	1	1	6	12	20	28	55
1. SINGLE DX	7738	5.4	29	1	1	3	8	12	15	25
2. MULTIPLE DX	36166	8.7	94	1	1	6	11	19	27	53
A. Not Operated	5291	6.1	38	1	1	4	8	13	17	31
B. Operated	38613	8.4	90	1	1	5	11	18	26	51
TOTAL										
0-19 YRS	5472	6.9	76	1	1	4	8	16	24	47
20-34	4317	6.3	54	1	1	4	8	14	20	38
35-49	5884	7.1	66	1	1	5	9	15	21	44
50-64	9806	8.1	85	1	1	6	10	17	24	51
65 +	18425	9.2	97	1	1	7	12	19	27	52
GRAND TOTAL	**43904**	**8.1**	**84**	**1**	**1**	**5**	**10**	**17**	**25**	**49**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	507	1.4	1	< 1	< 1	1	2	2	3	5
20-34	376	2.0	3	< 1	< 1	1	2	4	5	9
35-49	281	2.6	5	< 1	1	2	3	5	7	11
50-64	301	2.6	3	1	1	2	3	4	5	9
65 +	475	3.0	5	1	1	3	4	5	7	11
B. Operated										
0-19 YRS	561	1.5	1	< 1	< 1	1	2	3	4	6
20-34	541	2.2	6	< 1	1	1	3	4	6	11
35-49	348	2.5	4	< 1	1	2	3	5	7	10
50-64	221	2.8	5	< 1	1	2	4	5	7	14
65 +	216	3.5	14	1	1	2	4	6	9	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	174	1.9	2	< 1	1	1	2	4	4	7
20-34	300	3.0	6	1	1	2	4	7	8	13
35-49	327	3.0	7	1	1	2	4	6	8	13
50-64	558	3.4	7	1	1	3	4	6	8	14
65 +	1397	4.0	12	1	1	3	5	7	10	16
B. Operated										
0-19 YRS	352	2.1	6	1	1	1	2	4	7	13
20-34	612	2.9	12	1	1	2	3	6	10	17
35-49	535	3.6	23	1	1	2	4	8	12	25
50-64	784	4.4	45	1	1	2	5	10	15	29
65 +	1813	4.7	42	1	1	2	5	11	15	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1940	2.3	3	< 1	1	2	3	4	5	10
B. Operated	1887	2.3	5	< 1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	2756	3.5	9	1	1	3	4	7	9	15
B. Operated	4096	4.0	33	1	1	2	5	9	13	28
1. SINGLE DX	3827	2.3	4	< 1	1	2	3	4	6	10
2. MULTIPLE DX	6852	3.8	24	1	1	2	4	8	11	23
A. Not Operated	4696	3.0	7	1	1	2	4	6	8	13
B. Operated	5983	3.5	25	1	1	2	4	8	11	24
TOTAL										
0-19 YRS	1594	1.7	2	< 1	< 1	1	2	3	4	8
20-34	1829	2.5	7	< 1	1	2	3	5	7	14
35-49	1491	3.0	12	1	1	2	4	6	9	18
50-64	1864	3.6	23	1	1	2	4	7	10	22
65 +	3901	4.2	25	1	1	3	5	8	12	24
GRAND TOTAL	**10679**	**3.3**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	235	4.7	10	1	2	4	6	9	11	14
20-34	415	4.2	7	2	2	4	5	7	9	16
35-49	346	4.8	13	1	2	4	6	9	11	18
50-64	222	5.8	20	1	2	5	7	10	13	28
65 +	185	6.3	21	2	2	5	7	11	15	26
B. Operated										
0-19 YRS	183	6.8	38	1	2	5	8	15	21	40
20-34	306	6.9	43	1	2	5	9	14	18	36
35-49	286	6.3	35	1	1	5	8	11	16	30
50-64	197	7.4	43	1	2	5	10	16	21	30
65 +	152	8.1	57	1	1	6	11	16	22	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	319	5.7	23	1	2	4	7	11	14	23
20-34	615	5.4	17	2	2	4	7	10	13	21
35-49	693	6.8	27	2	2	6	8	13	16	31
50-64	796	7.4	30	2	3	6	9	14	18	29
65 +	1232	8.4	50	2	3	7	10	15	20	37
B. Operated										
0-19 YRS	346	10.3	112	1	2	7	13	22	31	59
20-34	715	10.4	102	1	2	8	13	21	31	58
35-49	905	12.1	130	2	3	9	16	26	35	64
50-64	1115	14.1	175	2	3	10	18	31	40	70
65 +	1685	15.5	191	2	4	11	20	34	44	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1403	5.0	13	1	2	4	6	9	11	18
B. Operated	1124	7.0	42	1	2	5	9	14	19	34
2. MULTIPLE DX										
A. Not Operated	3655	7.2	35	2	2	6	9	13	17	30
B. Operated	4766	13.4	161	2	3	9	17	29	40	71
1. SINGLE DX	2527	5.9	27	1	2	4	7	11	15	29
2. MULTIPLE DX	8421	10.7	115	2	3	7	13	23	32	60
A. Not Operated	5058	6.6	30	2	2	5	8	12	16	29
B. Operated	5890	12.2	144	2	3	8	15	27	37	66
TOTAL										
0-19 YRS	1083	7.1	56	1	2	5	9	14	21	45
20-34	2051	7.1	55	1	2	5	9	14	20	42
35-49	2230	8.6	77	2	2	6	10	18	25	43
50-64	2330	10.5	112	2	3	7	12	22	31	57
65 +	3254	12.0	135	2	3	8	15	26	36	69
GRAND TOTAL	**10948**	**9.6**	**99**	**2**	**2**	**7**	**11**	**20**	**29**	**55**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	2.7	7	1	1	2	3	6	7	14
20-34	275	3.2	7	1	1	2	4	7	8	13
35-49	255	4.1	17	1	1	3	5	9	11	23
50-64	208	4.2	13	1	1	3	6	9	10	13
65 +	165	4.2	36	1	1	3	5	8	10	31
B. Operated										
0-19 YRS	179	3.9	16	< 1	1	3	5	8	11	23
20-34	346	4.6	21	< 1	1	3	6	11	14	22
35-49	391	5.3	27	< 1	1	4	7	10	15	28
50-64	309	5.4	41	1	1	4	7	11	15	25
65 +	321	5.4	39	< 1	1	4	7	11	14	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	663	2.9	16	1	1	2	3	6	9	17
20-34	1081	3.4	10	1	1	2	4	7	9	16
35-49	1264	4.2	14	1	1	3	6	9	11	18
50-64	1428	5.0	26	1	1	4	7	10	13	25
65 +	2294	6.0	35	1	1	5	8	12	15	29
B. Operated										
0-19 YRS	1385	3.8	56	1	1	1	3	9	16	39
20-34	2428	3.9	40	1	1	2	4	9	14	36
35-49	2718	5.5	65	1	1	2	7	13	20	45
50-64	3137	7.1	88	1	1	4	9	17	26	52
65 +	5297	7.8	99	1	1	4	10	19	28	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1052	3.7	15	1	1	3	5	8	10	17
B. Operated	1546	5.0	30	< 1	1	4	7	10	14	25
2. MULTIPLE DX										
A. Not Operated	6730	4.7	25	1	1	3	6	10	13	25
B. Operated	14965	6.2	79	1	1	3	8	15	23	47
1. SINGLE DX	2598	4.5	24	1	1	3	6	9	13	24
2. MULTIPLE DX	21695	5.8	63	1	1	3	7	13	20	42
A. Not Operated	7782	4.6	23	1	1	3	6	9	12	24
B. Operated	16511	6.1	75	1	1	3	8	15	22	46
TOTAL										
0-19 YRS	2376	3.5	39	1	1	1	3	8	13	31
20-34	4130	3.8	28	1	1	2	4	8	12	27
35-49	4628	5.0	46	1	1	3	6	11	17	36
50-64	5082	6.3	66	1	1	4	8	14	21	43
65 +	8077	7.1	78	1	1	4	9	16	24	46
GRAND TOTAL	**24293**	**5.6**	**59**	**1**	**1**	**3**	**7**	**13**	**19**	**41**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	2.1	2	< 1	1	2	2	4	5	7
20-34	34	3.0	3	1	1	3	4	5	7	8
35-49	19	2.5	3	< 1	1	2	3	5	6	7
50-64	13	3.7	8	< 1	1	3	5	8	9	9
65 +	12	5.6	24	1	1	3	8	14	15	15
B. Operated										
0-19 YRS	5	3.0	9	1	1	2	4	8	8	8
20-34	7	3.4	7	1	1	3	6	7	7	7
35-49	3	5.0	3	4	4	4	6	7	7	7
50-64	2	4.0		4	4	4	4	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	154	3.0	5	1	1	2	3	6	8	10
20-34	80	4.5	8	1	1	4	6	9	11	14
35-49	97	4.9	17	1	1	4	6	9	13	25
50-64	121	5.1	19	1	1	4	7	10	13	25
65 +	252	4.9	37	1	1	3	6	10	14	30
B. Operated										
0-19 YRS	21	11.0	72	< 1	1	8	17	21	27	31
20-34	37	9.6	142	1	1	7	12	16	25	71
35-49	42	9.2	78	1	1	6	12	20	24	46
50-64	55	10.4	185	1	2	7	10	19	27	77
65 +	77	10.0	186	1	2	6	10	24	35	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	2.8	5	1	1	2	3	5	8	14
B. Operated	18	3.7	6	1	1	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	704	4.5	21	1	1	3	6	9	12	23
B. Operated	232	10.0	147	1	2	7	12	19	28	73
1. SINGLE DX	168	2.9	5	1	1	2	4	6	8	13
2. MULTIPLE DX	936	5.8	58	1	1	4	7	12	17	37
A. Not Operated	854	4.2	19	1	1	3	5	8	11	22
B. Operated	250	9.5	139	1	1	6	11	19	28	72
TOTAL										
0-19 YRS	252	3.4	15	1	1	2	4	7	10	19
20-34	158	5.3	44	1	1	4	6	10	14	27
35-49	161	5.7	36	1	1	4	7	12	18	27
50-64	191	6.5	72	1	1	4	8	12	17	51
65 +	342	6.1	74	1	1	4	7	12	19	46
GRAND TOTAL	**1104**	**5.4**	**51**	**1**	**1**	**3**	**7**	**11**	**16**	**31**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	1.3	1	< 1	< 1	1	1	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	1.1		< 1	< 1	< 1	1	1	2	2
20-34	1741	1.3		< 1	< 1	1	1	2	3	4
35-49	837	1.3	1	< 1	< 1	1	1	2	3	4
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	41	1.5	3	< 1	< 1	< 1	1	2	4	11
35-49	16	1.1		< 1	< 1	< 1	1	1	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	14	2.1	2	< 1	1	2	3	4	5	5
20-34	1374	1.8	2	< 1	< 1	1	2	3	4	6
35-49	826	1.9	2	< 1	< 1	1	2	4	5	6
50-64	3	1.3		< 1	< 1	< 1	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.3	1	< 1	< 1	1	1	3	3	3
B. Operated	2594	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	58	1.4	2	< 1	< 1	< 1	1	2	3	11
B. Operated	2217	1.8	2	< 1	< 1	1	2	4	4	6
1. SINGLE DX	2601	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	2275	1.8	2	< 1	< 1	1	2	4	4	6
A. Not Operated	65	1.4	2	< 1	< 1	< 1	1	2	3	10
B. Operated	4811	1.5	1	< 1	< 1	1	2	3	4	5
TOTAL										
0-19 YRS	26	1.6	1	< 1	< 1	1	2	3	4	5
20-34	3163	1.5	1	< 1	< 1	1	2	3	4	5
35-49	1679	1.6	1	< 1	< 1	1	2	3	4	6
50-64	7	1.1		< 1	< 1	1	1	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
GRAND TOTAL	**4876**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	2	56.0	338	43	43	84	99+	99+	99+	99+
1000-1499	10	42.3	239	21	24	42	51	63	74	74
1500-1749	10	28.7	142	8	14	27	31	47	51	51
1750-2499	4896	2.8	5	1	1	2	3	5	5	10
2500+	345665	2.5	1	1	1	2	3	4	5	6
B. Operated										
1-999 G	3	70.7	9	68	68	74	99+	99+	99+	99+
1000-1499	8	50.5	191	25	29	59	61	99+	99+	99+
1500-1749	2	39.0	162	30	30	39	48	48	48	48
1750-2499	16	23.1	355	<1	1	21	30	54	61	64
2500+	138	4.9	69	1	1	3	4	9	13	57
2. MULTIPLE DX										
A. Not Operated										
1-999 G	113	67.0	349	34	44	76	99	99+	99+	99+
1000-1499	790	38.9	256	15	20	37	48	62	73	99+
1500-1749	1095	23.6	123	10	12	22	29	38	44	64
1750-2499	17677	6.8	45	1	2	5	8	15	20	33
2500+	214521	3.3	5	1	2	3	4	5	6	10
B. Operated										
1-999 G	298	74.5	254	50	57	88	99+	99+	99+	99+
1000-1499	809	50.4	330	25	29	50	64	85	99+	99+
1500-1749	473	33.3	195	16	19	31	40	53	67	99+
1750-2499	1743	17.8	184	3	5	15	23	35	47	98
2500+	4592	7.7	78	1	2	5	9	15	21	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350583	2.5	2	1	1	2	3	4	5	6
B. Operated	167	10.4	292	1	1	3	8	48	64	99+
2. MULTIPLE DX										
A. Not Operated	234196	3.8	18	1	2	3	4	6	8	22
B. Operated	7915	18.3	444	2	3	10	27	59	83	99+
1. SINGLE DX	350750	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	242111	4.3	39	1	2	3	4	6	10	37
A. Not Operated	584779	3.0	9	1	1	2	4	5	6	12
B. Operated	8082	18.2	442	2	2	9	27	59	82	99+
TOTAL										
1-999 G	416	72.3	289	44	54	85	99+	99+	99+	99+
1000-1499	1617	44.7	325	19	24	44	57	76	89	99+
1500-1749	1580	26.6	164	11	13	24	32	43	52	82
1750-2499	24332	6.8	59	1	2	4	8	16	21	39
2500+	564916	2.8	4	1	1	2	3	5	5	8
GRAND TOTAL	**592861**	**3.2**	**18**	**1**	**1**	**2**	**4**	**5**	**6**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	3	72.7	92	64	64	71	80	83	83	83
1000-1499	2	40.5	545	24	24	40	57	57	57	57
1500-1749	4	17.8	84	8	8	18	25	27	27	27
1750-2499	722	4.1	7	2	2	4	5	6	7	15
2500+	3338	3.8	2	2	2	4	5	5	6	8
B. Operated										
1-999 G	3	77.0	148	69	69	71	86	91	91	91
1000-1499	4	60.0	50	52	52	59	65	69	69	69
1500-1749	0									
1750-2499	1	3.0		3	3	3	3	3	3	3
2500+	3	8.0	49	3	3	5	13	16	16	16
2. MULTIPLE DX										
A. Not Operated										
1-999 G	20	69.6	455	32	38	76	90	96	99+	99+
1000-1499	168	37.3	213	17	21	37	47	61	78	99+
1500-1749	308	23.3	116	11	12	22	28	37	43	66
1750-2499	3295	8.3	45	2	3	6	11	17	20	30
2500+	3084	4.6	5	2	3	4	5	6	8	13
B. Operated										
1-999 G	40	71.0	289	47	55	93	99+	99+	99+	99+
1000-1499	181	48.8	328	23	29	46	60	84	92	99+
1500-1749	145	32.3	157	15	20	30	39	48	56	76
1750-2499	295	19.0	188	4	6	16	23	35	46	76
2500+	94	10.5	136	3	3	7	10	21	43	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4069	3.9	8	2	2	4	5	6	6	9
B. Operated	11	45.3	1039	3	3	58	69	79	90	91
2. MULTIPLE DX										
A. Not Operated	6875	8.2	83	2	3	5	9	18	25	49
B. Operated	755	30.4	483	4	6	27	46	75	97	99+
1. SINGLE DX	4080	4.0	15	2	2	4	5	6	6	10
2. MULTIPLE DX	7630	10.4	167	2	3	5	12	25	40	83
A. Not Operated	10944	6.6	59	2	2	4	6	13	20	43
B. Operated	766	30.6	492	4	6	27	46	75	96	99+
TOTAL										
1-999 G	66	70.9	316	40	52	84	99+	99+	99+	99+
1000-1499	355	43.4	305	19	23	42	55	75	90	99+
1500-1749	457	26.1	146	11	13	24	32	41	48	66
1750-2499	4313	8.3	59	2	3	6	11	18	22	37
2500+	6519	4.3	6	2	2	4	5	6	7	13
GRAND TOTAL	**11710**	**8.2**	**123**	**2**	**2**	**5**	**7**	**18**	**30**	**71**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	46	3.3	12	1	1	2	3	6	14	18
2500 +	896	2.1	1	1	1	2	3	3	4	6
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
1-999 G	2	46.0	242	35	35	46	57	57	57	57
1000-1499	17	33.6	170	17	19	31	40	56	57	57
1500-1749	14	31.4	270	18	20	27	33	49	75	83
1750-2499	200	8.7	63	1	2	6	13	20	25	36
2500 +	537	4.3	40	1	1	3	5	8	13	39
B. Operated										
1-999 G	6	67.5	934	27	30	88	99 +	99 +	99 +	99 +
1000-1499	7	44.3	259	27	29	38	60	68	68	68
1500-1749	6	46.7	251	30	30	46	56	69	71	71
1750-2499	18	15.8	181	1	2	16	26	76	99 +	99 +
2500 +	30	10.6	133	1	2	6	11	32	41	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	942	2.2	2	1	1	2	3	3	4	7
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	770	6.7	89	1	1	3	7	18	27	54
B. Operated	67	23.8	581	1	3	17	40	74	99 +	99 +
1. SINGLE DX	944	2.2	2	1	1	2	3	3	4	7
2. MULTIPLE DX	837	8.1	149	1	1	3	8	23	35	84
A. Not Operated	1712	4.2	46	1	1	2	3	8	16	36
B. Operated	69	23.2	578	1	2	16	39	72	99 +	99 +
TOTAL										
1-999 G	8	62.1	801	27	31	71	99	99 +	99 +	99 +
1000-1499	24	36.8	210	17	21	35	44	58	67	68
1500-1749	20	36.0	302	18	21	30	43	63	77	83
1750-2499	264	8.3	70	1	1	5	13	20	27	50
2500 +	1465	3.1	20	1	1	2	3	5	7	28
GRAND TOTAL	**1781**	**4.9**	**60**	**1**	**1**	**2**	**4**	**11**	**22**	**56**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.8	1	< 1	< 1	2	3	3	3	3
20-34	18	2.7	8	< 1	< 1	1	5	8	9	9
35-49	8	3.1	19	< 1	< 1	1	4	11	13	13
50-64	4	3.3	20	< 1	< 1	1	6	10	10	10
65 +	6	3.3	3	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	1011	1.7	1	< 1	< 1	1	2	3	4	5
20-34	1266	1.9	6	< 1	< 1	1	2	3	5	6
35-49	640	2.0	2	< 1	< 1	1	2	4	5	7
50-64	443	2.0	2	< 1	< 1	1	2	4	5	9
65 +	265	2.6	5	< 1	< 1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	1.7	2	< 1	< 1	1	1	4	5	6
20-34	20	1.3	1	< 1	< 1	1	1	2	3	4
35-49	15	3.6	71	< 1	< 1	1	2	4	26	34
50-64	8	1.6	1	< 1	< 1	1	2	3	4	4
65 +	16	11.0	284	< 1	< 1	2	10	44	48	50
B. Operated										
0-19 YRS	673	2.3	8	< 1	1	2	3	4	5	14
20-34	478	3.2	14	< 1	1	2	4	6	6	17
35-49	333	3.2	25	< 1	1	2	4	6	8	20
50-64	298	3.3	17	1	1	2	4	6	9	23
65 +	279	4.5	26	< 1	1	3	6	10	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	2.6	7	< 1	< 1	1	3	6	9	13
B. Operated	3625	1.9	3	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	89	3.6	73	< 1	< 1	1	2	5	12	48
B. Operated	2061	3.1	16	< 1	1	2	4	6	9	19
1. SINGLE DX	3675	1.9	3	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX	2150	3.1	19	< 1	1	2	3	6	9	21
A. Not Operated	139	3.2	50	< 1	< 1	1	2	6	10	46
B. Operated	5686	2.3	8	< 1	< 1	2	3	4	6	12
TOTAL										
0-19 YRS	1728	1.9	4	< 1	< 1	1	2	4	4	8
20-34	1782	2.2	8	< 1	< 1	1	3	4	6	10
35-49	996	2.4	11	< 1	< 1	2	3	4	6	13
50-64	753	2.5	9	< 1	< 1	2	3	5	7	12
65 +	566	3.8	25	< 1	1	2	4	8	11	26
GRAND TOTAL	**5825**	**2.4**	**9**	**< 1**	**< 1**	**2**	**3**	**4**	**6**	**13**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.1	2	1	1	2	2	5	6	6
20-34	72	1.8	1	1	1	2	2	2	3	5
35-49	138	1.9	1	1	1	2	2	2	3	7
50-64	145	1.8	1	1	1	2	2	3	3	5
65 +	109	2.2	10	1	1	2	2	2	4	22
B. Operated										
0-19 YRS	21	8.7	238	1	1	5	7	16	44	73
20-34	70	4.0	20	1	1	2	5	8	10	27
35-49	135	4.4	24	1	1	3	4	8	14	28
50-64	202	3.8	22	< 1	< 1	3	4	8	12	25
65 +	203	6.5	59	1	1	4	8	16	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	481	1.9	3	1	1	2	2	2	3	8
B. Operated	631	5.0	43	1	1	3	5	11	17	33
1. SINGLE DX	5	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX	1112	3.7	28	1	1	2	4	8	12	29
A. Not Operated	481	1.9	3	1	1	2	2	2	3	8
B. Operated	636	5.0	43	< 1	1	3	5	11	17	33
TOTAL										
0-19 YRS	38	5.7	141	1	1	3	6	8	18	73
20-34	144	2.9	11	1	1	2	3	5	8	17
35-49	273	3.1	14	1	1	2	3	5	8	24
50-64	347	3.0	14	< 1	1	2	3	6	9	19
65 +	315	5.0	46	1	1	2	5	12	20	41
GRAND TOTAL	**1117**	**3.7**	**28**	**1**	**1**	**2**	**4**	**8**	**12**	**29**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2262	2.4	10	< 1	< 1	1	3	4	6	15
20-34	2416	2.0	7	< 1	< 1	1	2	4	5	12
35-49	933	2.4	28	< 1	< 1	1	2	4	5	25
50-64	852	2.0	3	< 1	< 1	1	2	4	6	8
65 +	815	4.3	60	< 1	< 1	2	4	11	18	49
B. Operated										
0-19 YRS	853	3.5	20	< 1	< 1	2	5	8	9	15
20-34	1632	3.3	8	< 1	1	2	4	7	9	12
35-49	1222	3.7	9	< 1	1	3	6	8	10	12
50-64	859	4.3	13	< 1	1	3	7	9	10	14
65 +	518	5.2	22	< 1	< 1	4	8	11	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10335	3.7	39	< 1	1	2	4	6	9	39
20-34	6362	4.6	69	< 1	< 1	2	4	8	24	56
35-49	10893	4.1	47	1	1	2	4	7	13	38
50-64	25980	4.0	40	1	1	2	4	6	12	36
65 +	31471	6.9	100	1	1	3	6	19	29	51
B. Operated										
0-19 YRS	3316	4.2	53	1	1	2	5	9	13	48
20-34	3350	4.4	54	1	1	2	5	9	13	43
35-49	4736	4.7	51	1	1	3	6	9	14	41
50-64	6815	5.9	71	1	1	3	7	12	19	49
65 +	8279	7.8	115	1	1	4	9	17	29	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7278	2.4	16	< 1	< 1	1	3	4	6	20
B. Operated	5084	3.8	13	< 1	< 1	2	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	85041	5.1	67	1	1	3	5	11	22	45
B. Operated	26496	5.9	79	1	1	3	7	12	21	52
1. SINGLE DX	12362	3.0	15	< 1	< 1	2	4	7	9	16
2. MULTIPLE DX	111537	5.3	70	1	1	3	5	11	21	46
A. Not Operated	92319	4.9	64	1	1	2	5	10	21	44
B. Operated	31580	5.5	69	1	1	3	7	11	18	49
TOTAL										
0-19 YRS	16766	3.6	38	< 1	1	2	4	6	10	38
20-34	13760	3.9	48	< 1	< 1	2	4	7	13	42
35-49	17784	4.2	45	1	1	2	5	8	12	37
50-64	34506	4.3	45	1	1	2	5	8	14	38
65 +	41083	7.0	102	1	1	3	7	18	29	52
GRAND TOTAL	**123899**	**5.0**	**65**	**1**	**1**	**2**	**5**	**10**	**20**	**45**

Length of Stay Tables
Operation Groups

1,228 Hospitals, United States, January-December 1987, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223883	2.9	14	< 1	1	2	3	5	8	18
20-34	481590	2.8	6	1	1	2	3	5	6	11
35-49	183330	3.6	12	< 1	1	3	5	7	9	16
50-64	130505	4.2	16	1	1	3	6	9	11	18
65 +	108765	5.3	24	1	1	4	7	11	14	22
2. MULTIPLE DX										
0-19 YRS	260574	5.8	84	1	1	3	6	12	21	58
20-34	550143	4.7	31	1	1	3	5	8	12	30
35-49	403456	6.1	48	1	1	4	7	12	17	37
50-64	515255	7.5	65	1	1	5	9	15	21	43
65 +	1018456	9.5	86	1	2	7	12	19	26	53
TOTAL SINGLE DX	1128073	3.4	12	1	1	2	4	7	9	16
TOTAL MULTIPLE DX	2747884	7.3	69	1	1	5	9	15	22	46
TOTAL										
0-19 YRS	484457	4.5	54	1	1	2	4	9	15	43
20-34	1031733	3.8	20	1	1	3	4	6	9	23
35-49	586786	5.3	38	1	1	4	6	10	15	32
50-64	645760	6.9	56	1	1	5	9	14	19	40
65 +	1127221	9.1	82	1	2	7	11	18	25	51
GRAND TOTAL	**3875957**	**6.2**	**56**	**1**	**1**	**4**	**7**	**13**	**19**	**40**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	447	7.6	45	1	2	6	9	14	19	34
20-34	304	9.0	41	1	2	8	11	16	20	38
35-49	440	8.3	25	2	3	8	10	14	18	27
50-64	462	9.8	56	2	3	8	12	17	22	43
65 +	434	10.3	42	2	4	9	13	19	22	35
2. MULTIPLE DX										
0-19 YRS	964	14.4	217	2	2	10	18	32	51	99
20-34	612	17.9	257	4	6	13	23	43	65	99 +
35-49	882	15.4	179	3	5	11	19	33	46	99 +
50-64	1505	17.2	221	4	6	13	21	37	54	99 +
65 +	2234	19.3	213	5	7	15	24	41	55	99 +
TOTAL SINGLE DX	2087	9.0	44	2	2	8	11	16	21	35
TOTAL MULTIPLE DX	6197	17.3	219	3	5	13	22	38	55	99 +
TOTAL										
0-19 YRS	1411	12.2	173	1	2	8	15	26	40	88
20-34	916	15.0	203	2	4	10	18	34	53	99 +
35-49	1322	13.0	139	3	4	10	15	27	38	95
50-64	1967	15.4	193	3	5	11	19	33	48	99 +
65 +	2668	17.8	197	4	6	14	22	38	51	92
GRAND TOTAL	**8284**	**15.2**	**188**	**2**	**4**	**11**	**19**	**33**	**47**	**99 +**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	267	7.3	76	2	3	5	8	11	16	60
20-34	103	8.1	24	2	3	7	11	16	19	23
35-49	102	10.1	57	3	4	8	12	20	23	44
50-64	100	9.7	39	4	5	8	10	18	24	35
65 +	102	9.3	28	3	4	8	11	17	19	30
2. MULTIPLE DX										
0-19 YRS	415	16.2	289	4	4	10	18	40	61	99
20-34	276	19.9	327	5	6	13	29	52	76	99 +
35-49	290	18.7	303	4	6	12	23	46	69	99 +
50-64	334	20.8	316	5	7	15	30	50	75	99 +
65 +	491	19.2	225	5	6	15	25	40	55	99 +
TOTAL SINGLE DX	674	8.5	54	2	3	7	10	15	20	33
TOTAL MULTIPLE DX	1806	18.8	287	4	5	13	24	46	64	99 +
TOTAL										
0-19 YRS	682	12.7	225	3	3	8	14	29	52	90
20-34	379	16.7	273	3	5	11	20	44	63	99 +
35-49	392	16.5	254	4	5	11	20	42	58	99 +
50-64	434	18.2	274	4	6	12	24	43	64	99 +
65 +	593	17.5	205	4	6	13	23	37	50	98
GRAND TOTAL	**2480**	**16.0**	**245**	**3**	**4**	**10**	**19**	**39**	**56**	**99 +**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	646	4.4	11	1	2	4	5	7	8	14
20-34	114	4.8	9	1	1	4	7	9	10	15
35-49	62	5.6	39	1	2	4	6	9	11	45
50-64	30	4.4	8	1	2	4	5	7	11	15
65 +	18	5.0	9	1	2	4	5	11	12	12
2. MULTIPLE DX										
0-19 YRS	504	8.3	79	2	2	6	9	17	25	51
20-34	289	10.8	192	1	2	7	11	27	42	99
35-49	136	10.4	128	2	2	7	13	23	35	99 +
50-64	87	11.0	128	2	3	8	12	19	36	63
65 +	43	12.7	285	2	3	7	11	35	47	93
TOTAL SINGLE DX	870	4.5	13	1	2	4	5	8	9	15
TOTAL MULTIPLE DX	1059	9.6	130	2	2	6	11	20	33	84
TOTAL										
0-19 YRS	1150	6.1	45	2	2	4	7	11	17	42
20-34	403	9.1	148	1	2	6	9	19	34	94
35-49	198	8.9	105	2	2	6	11	18	28	99
50-64	117	9.3	105	2	2	6	11	17	31	57
65 +	61	10.4	215	2	3	6	9	20	42	88
GRAND TOTAL	**1929**	**7.3**	**84**	**1**	**2**	**5**	**8**	**14**	**22**	**54**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	451	5.1	25	2	2	4	6	8	13	33
20-34	48	7.3	23	3	3	6	9	11	15	32
35-49	37	6.4	11	2	3	6	8	10	13	18
50-64	44	6.4	16	2	2	5	8	11	17	18
65 +	75	8.6	49	2	4	7	9	16	19	46
2. MULTIPLE DX										
0-19 YRS	822	13.4	292	2	3	7	15	41	65	99 +
20-34	119	13.9	202	3	4	10	19	36	75	99 +
35-49	104	15.5	253	3	4	10	19	38	68	99 +
50-64	179	17.5	240	3	5	12	24	37	61	99 +
65 +	518	18.2	218	4	6	14	23	38	58	99 +
TOTAL SINGLE DX	655	5.8	28	2	2	4	7	10	14	32
TOTAL MULTIPLE DX	1742	15.4	261	2	3	10	20	38	62	99 +
TOTAL										
0-19 YRS	1273	10.5	214	2	2	5	10	28	52	99 +
20-34	167	12.0	160	3	4	8	14	29	53	99 +
35-49	141	13.1	205	3	3	8	16	30	51	99 +
50-64	223	15.3	216	3	4	10	21	35	50	99 +
65 +	593	17.0	208	4	5	12	21	36	56	99 +
GRAND TOTAL	**2397**	**12.8**	**216**	**2**	**3**	**8**	**16**	**33**	**53**	**99 +**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	841	5.0	33	1	2	3	5	9	15	33
20-34	134	8.9	55	1	2	7	12	17	23	38
35-49	87	8.1	50	1	2	6	10	17	27	33
50-64	47	6.9	31	1	1	6	10	11	17	31
65 +	39	8.5	45	1	1	7	12	19	23	29
2. MULTIPLE DX										
0-19 YRS	2031	9.7	154	1	2	5	12	26	39	99
20-34	463	14.6	218	2	3	9	20	37	48	99 +
35-49	300	17.0	290	2	3	11	25	45	76	99 +
50-64	264	16.4	218	2	3	12	21	39	55	99 +
65 +	307	17.7	262	3	4	13	23	41	56	99 +
TOTAL SINGLE DX	1148	5.9	40	1	2	4	7	12	17	33
TOTAL MULTIPLE DX	3365	12.3	201	1	2	7	17	33	47	99 +
TOTAL										
0-19 YRS	2872	8.3	124	1	2	4	9	21	32	78
20-34	597	13.4	188	2	3	9	17	33	44	99 +
35-49	387	15.0	251	2	3	10	21	39	65	99 +
50-64	311	15.0	202	2	3	10	20	36	52	99 +
65 +	346	16.6	246	2	3	12	22	39	51	99 +
GRAND TOTAL	4513	10.7	168	1	2	6	13	28	41	99 +

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	8.5	29	3	4	7	10	14	17	34
20-34	477	6.5	20	2	3	5	8	11	14	22
35-49	1088	6.4	16	2	3	5	8	11	13	24
50-64	1088	6.6	12	3	3	6	8	10	13	20
65 +	935	8.1	17	3	4	7	10	13	16	22
2. MULTIPLE DX										
0-19 YRS	190	12.4	149	3	4	8	14	28	37	65
20-34	590	9.9	81	3	4	7	11	19	30	52
35-49	1552	8.9	50	3	4	7	10	16	21	39
50-64	2534	10.2	84	3	4	8	11	18	25	50
65 +	3711	12.3	88	4	5	9	14	22	30	55
TOTAL SINGLE DX	3681	7.0	17	3	3	6	8	11	14	22
TOTAL MULTIPLE DX	8577	10.9	83	4	4	8	12	20	28	52
TOTAL										
0-19 YRS	283	11.1	114	3	4	8	12	22	35	57
20-34	1067	8.4	57	3	3	6	9	15	22	40
35-49	2640	7.9	38	3	3	6	9	13	18	35
50-64	3622	9.1	65	3	4	7	10	16	22	45
65 +	4646	11.4	77	4	5	9	13	21	28	52
GRAND TOTAL	12258	9.7	66	3	4	8	11	17	24	47

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	304	8.8	60	1	3	7	9	18	26	36
20-34	290	5.4	21	1	1	4	7	12	14	23
35-49	354	5.2	19	1	1	4	7	11	14	21
50-64	187	6.7	43	1	1	5	9	15	17	34
65 +	81	6.1	16	1	1	5	9	11	14	17
2. MULTIPLE DX										
0-19 YRS	555	12.7	150	2	3	9	15	27	38	68
20-34	481	10.3	101	1	2	7	13	22	33	51
35-49	598	10.5	129	1	2	7	13	23	31	60
50-64	562	13.1	158	2	3	9	16	28	41	69
65 +	545	15.1	186	2	3	11	19	32	43	82
TOTAL SINGLE DX	1216	6.4	36	1	1	5	8	13	17	31
TOTAL MULTIPLE DX	2741	12.3	149	2	2	9	15	26	38	66
TOTAL										
0-19 YRS	859	11.3	122	2	3	8	13	25	33	63
20-34	771	8.4	77	1	1	6	11	18	25	45
35-49	952	8.5	95	1	1	6	10	18	25	51
50-64	749	11.5	138	1	2	8	14	24	37	66
65 +	626	13.9	174	1	3	10	17	30	42	79
GRAND TOTAL	3957	10.5	122	1	2	7	13	23	32	61

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	3.2	10	1	1	2	4	6	11	18
20-34	212	3.0	11	<1	<1	2	3	6	9	18
35-49	278	3.0	6	<1	<1	2	4	7	8	11
50-64	256	2.9	6	<1	<1	2	4	7	8	11
65 +	127	2.9	6	<1	1	2	3	7	8	12
2. MULTIPLE DX										
0-19 YRS	100	5.8	114	1	1	3	6	12	25	99 +
20-34	209	4.4	35	<1	1	3	5	9	12	23
35-49	290	5.0	32	<1	1	3	6	11	16	29
50-64	310	5.7	64	1	1	3	7	11	20	45
65 +	306	7.6	83	1	1	4	10	19	28	42
TOTAL SINGLE DX	930	2.9	8	<1	<1	2	4	7	8	12
TOTAL MULTIPLE DX	1215	5.8	62	1	1	3	7	12	20	42
TOTAL										
0-19 YRS	157	4.9	78	1	1	3	5	11	16	99
20-34	421	3.7	24	<1	<1	2	5	8	11	22
35-49	568	4.0	21	<1	1	2	5	9	11	23
50-64	566	4.4	40	<1	<1	2	6	9	11	38
65 +	433	6.2	66	1	1	3	8	15	24	40
GRAND TOTAL	2145	4.6	41	<1	1	2	6	10	14	37

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	251	2.0	3	<1	<1	1	2	5	6	8
20-34	813	1.7	2	<1	<1	1	2	3	5	8
35-49	966	1.8	2	<1	<1	1	2	3	5	8
50-64	701	1.9	3	<1	<1	1	2	4	6	10
65 +	411	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	419	2.6	12	<1	1	1	3	5	9	24
20-34	1000	2.9	17	<1	1	2	3	6	9	18
35-49	1030	3.2	32	<1	1	2	3	6	9	24
50-64	938	3.2	17	<1	1	2	3	7	11	24
65 +	801	3.8	27	<1	1	2	4	8	13	26
TOTAL SINGLE DX	3142	1.8	3	<1	<1	1	2	4	5	9
TOTAL MULTIPLE DX	4188	3.2	23	<1	1	2	3	7	10	24
TOTAL										
0-19 YRS	670	2.4	9	<1	<1	1	3	5	7	19
20-34	1813	2.4	11	<1	<1	1	2	5	7	15
35-49	1996	2.5	18	<1	<1	1	3	5	7	19
50-64	1639	2.6	12	<1	<1	1	3	6	9	17
65 +	1212	3.2	20	<1	<1	2	3	7	11	23
GRAND TOTAL	7330	2.6	15	<1	<1	1	3	5	8	18

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.3	3	2	2	4	6	7	7	7
20-34	54	4.9	26	1	2	4	5	7	9	37
35-49	64	5.0	5	2	2	5	7	9	10	11
50-64	34	5.9	12	1	1	6	8	9	14	16
65 +	12	8.3	29	1	2	7	11	18	19	19
2. MULTIPLE DX										
0-19 YRS	7	6.9	21	1	1	6	9	14	15	15
20-34	85	5.7	35	2	2	4	5	8	16	38
35-49	88	7.8	62	1	2	6	9	14	23	43
50-64	131	11.3	112	3	4	8	13	24	28	62
65 +	241	11.7	88	4	4	9	14	21	31	44
TOTAL SINGLE DX	173	5.3	18	1	2	5	7	9	11	19
TOTAL MULTIPLE DX	552	10.0	85	3	3	7	12	20	28	44
TOTAL										
0-19 YRS	16	5.4	12	1	2	5	7	9	13	15
20-34	139	5.4	32	2	2	4	5	8	14	38
35-49	152	6.6	40	2	2	5	8	10	18	39
50-64	165	10.2	96	2	3	7	12	21	27	55
65 +	253	11.5	84	4	4	9	14	20	30	44
GRAND TOTAL	725	8.9	72	2	3	6	10	18	25	41

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.3	19	1	1	3	5	12	15	15
20-34	61	3.3	7	<1	<1	3	5	7	8	13
35-49	49	4.4	29	<1	<1	3	5	9	12	34
50-64	59	5.5	31	<1	<1	3	7	15	18	23
65 +	29	3.3	11	1	1	2	4	9	11	14
2. MULTIPLE DX										
0-19 YRS	16	6.0	51	1	1	3	8	21	23	24
20-34	70	8.0	93	<1	1	5	10	18	37	90
35-49	136	7.5	76	1	2	4	9	17	23	44
50-64	125	8.7	64	1	1	7	11	22	26	37
65 +	142	8.9	65	1	2	7	12	19	27	57
TOTAL SINGLE DX	207	4.2	21	<1	<1	3	5	10	14	21
TOTAL MULTIPLE DX	489	8.2	72	1	1	6	10	18	26	50
TOTAL										
0-19 YRS	25	5.4	40	1	1	3	7	15	22	24
20-34	131	5.8	58	<1	1	4	7	13	18	61
35-49	185	6.7	66	<1	1	4	8	15	20	42
50-64	184	7.7	56	1	1	6	10	18	23	33
65 +	171	7.9	60	1	1	6	10	17	25	50
GRAND TOTAL	696	7.0	60	1	1	5	9	16	22	44

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	255	2.5	2	1	1	2	3	4	5	10
20-34	1459	2.5	1	1	1	2	3	4	5	7
35-49	1884	2.6	2	1	1	2	3	4	5	7
50-64	1171	2.7	1	1	1	3	3	4	5	7
65 +	556	3.0	3	1	1	3	4	4	5	8
2. MULTIPLE DX										
0-19 YRS	117	3.8	8	1	1	3	4	7	10	15
20-34	757	3.5	15	1	1	3	4	6	8	18
35-49	1276	3.4	10	1	1	3	4	5	8	15
50-64	1268	4.0	16	1	2	3	4	7	9	22
65 +	1270	5.7	48	2	2	4	6	11	17	40
TOTAL SINGLE DX	5325	2.6	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	4688	4.2	24	1	2	3	4	7	11	28
TOTAL										
0-19 YRS	372	2.9	5	1	1	3	4	5	6	13
20-34	2216	2.8	7	1	1	2	3	4	5	11
35-49	3160	2.9	6	1	1	2	3	5	6	11
50-64	2439	3.4	10	1	2	3	4	5	7	16
65 +	1826	4.9	36	1	2	3	5	9	14	35
GRAND TOTAL	10013	3.4	13	1	1	3	4	5	7	18

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	488	1.5	1	<1	1	1	2	3	3	7
20-34	208	2.2	3	1	1	2	3	4	5	10
35-49	212	2.2	2	1	1	2	3	4	5	8
50-64	215	2.7	2	1	1	2	4	5	5	9
65 +	109	3.1	2	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	132	3.7	20	1	1	2	4	9	12	26
20-34	230	6.3	95	1	1	4	7	12	20	87
35-49	351	6.0	43	1	2	4	6	13	19	39
50-64	621	5.2	37	1	2	4	5	10	15	38
65 +	696	8.1	82	2	2	5	9	19	26	50
TOTAL SINGLE DX	1232	2.1	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	2030	6.4	61	1	2	4	7	14	21	43
TOTAL										
0-19 YRS	620	2.0	6	<1	1	1	2	4	6	13
20-34	438	4.4	56	1	1	2	5	9	13	39
35-49	563	4.6	32	1	1	3	5	9	14	32
50-64	836	4.6	30	1	1	3	5	9	13	34
65 +	805	7.4	74	2	2	4	8	18	25	49
GRAND TOTAL	3262	4.8	43	1	1	3	5	10	16	35

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	6.1	9	1	2	6	8	9	11	17
20-34	97	6.5	7	2	4	6	8	10	11	16
35-49	97	6.5	8	3	4	6	8	10	11	18
50-64	100	7.0	19	2	3	6	8	10	14	28
65 +	42	8.2	32	2	4	7	9	13	19	33
2. MULTIPLE DX										
0-19 YRS	65	11.7	123	3	4	8	13	26	34	96
20-34	155	9.2	66	4	5	7	10	16	22	34
35-49	220	10.4	67	4	5	7	11	21	29	48
50-64	315	11.8	112	3	5	9	13	23	32	59
65 +	299	13.3	110	3	5	10	16	29	38	62
TOTAL SINGLE DX	402	6.7	14	2	4	6	8	10	13	19
TOTAL MULTIPLE DX	1054	11.5	98	4	5	8	13	23	32	55
TOTAL										
0-19 YRS	131	8.9	73	1	4	7	10	16	26	79
20-34	252	8.2	46	3	4	7	9	14	19	25
35-49	317	9.2	52	4	5	7	9	18	25	45
50-64	415	10.6	94	3	5	8	11	19	30	46
65 +	341	12.7	103	3	5	9	15	28	35	56
GRAND TOTAL	1456	10.2	79	3	4	8	11	20	29	49

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	1.3	1	<1	<1	<1	1	2	3	7
20-34	18	1.3		<1	<1	<1	1	3	4	4
35-49	18	1.4		<1	<1	<1	1	3	4	4
50-64	47	1.3		<1	<1	1	1	2	4	6
65+	48	1.5		<1	<1	1	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	33	2.2	4	<1	<1	1	2	6	7	9
20-34	23	5.2	52	<1	<1	2	8	14	20	31
35-49	43	5.3	57	<1	<1	2	6	14	28	32
50-64	71	4.9	47	<1	<1	2	5	14	22	32
65+	150	6.7	123	<1	1	3	8	14	25	73
TOTAL SINGLE DX	222	1.3	1	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	320	5.5	82	<1	<1	2	6	13	23	59
TOTAL										
0-19 YRS	124	1.5	2	<1	<1	1	1	2	5	8
20-34	41	3.5	33	<1	<1	1	3	11	14	31
35-49	61	4.1	43	<1	<1	1	4	10	21	32
50-64	118	3.5	32	<1	<1	1	3	8	17	30
65+	198	5.4	99	<1	<1	2	6	12	22	69
GRAND TOTAL	542	3.8	53	<1	<1	1	3	9	14	48

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	294	1.3	1	<1	<1	1	1	2	3	7
20-34	84	1.5	1	<1	<1	1	2	3	4	8
35-49	110	1.4		<1	<1	1	1	2	4	6
50-64	127	1.3	1	<1	<1	1	1	2	3	6
65+	137	1.4	1	<1	<1	<1	1	2	4	9
2. MULTIPLE DX										
0-19 YRS	648	2.7	8	<1	1	2	3	6	8	13
20-34	750	3.4	30	<1	1	2	4	6	9	25
35-49	490	3.2	18	<1	1	2	4	6	8	20
50-64	496	3.1	17	<1	1	2	3	6	10	20
65+	768	6.7	134	<1	1	3	7	15	32	90
TOTAL SINGLE DX	752	1.4	1	<1	<1	1	1	2	3	7
TOTAL MULTIPLE DX	3152	4.0	50	<1	1	2	4	8	13	43
TOTAL										
0-19 YRS	942	2.3	6	<1	<1	1	2	5	7	12
20-34	834	3.2	28	<1	1	2	3	6	9	24
35-49	600	2.8	16	<1	<1	2	3	5	7	19
50-64	623	2.7	15	<1	1	1	3	5	9	19
65+	905	5.9	118	<1	<1	2	6	13	25	81
GRAND TOTAL	3904	3.5	41	<1	<1	2	3	7	11	38

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	78	1.4	1	<1	<1	1	1	2	3	8
20-34	63	1.3		<1	<1	1	1	2	3	3
35-49	59	1.2		<1	1	1	1	2	2	3
50-64	77	1.4		<1	<1	1	2	2	3	7
65+	106	1.5	1	<1	1	1	2	2	3	7
2. MULTIPLE DX										
0-19 YRS	67	2.1	6	<1	<1	1	2	6	9	12
20-34	62	2.2	5	<1	1	1	2	4	7	13
35-49	74	2.3	29	<1	1	1	2	3	4	37
50-64	113	2.0	3	1	1	1	2	4	5	11
65+	274	2.5	28	<1	1	1	2	4	8	20
TOTAL SINGLE DX	383	1.4	1	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	590	2.3	19	<1	1	1	2	4	7	15
TOTAL										
0-19 YRS	145	1.7	4	<1	<1	1	1	3	7	10
20-34	125	1.7	3	<1	<1	1	2	3	4	12
35-49	133	1.8	17	<1	1	1	1	2	3	28
50-64	190	1.7	2	<1	1	1	2	3	4	10
65+	380	2.2	21	<1	1	1	2	3	6	15
GRAND TOTAL	973	1.9	12	<1	1	1	2	3	5	12

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	1.2		<1	<1	1	1	2	2	3
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	3	6.7	54	1	1	4	12	15	15	15
50-64	4	2.0	2	1	1	2	3	4	4	4
65+	12	5.7	28	<1	<1	5	8	13	17	18
2. MULTIPLE DX										
0-19 YRS	28	2.6	10	<1	1	1	3	5	8	17
20-34	20	4.5	24	<1	<1	3	5	11	17	21
35-49	14	17.9	548	<1	2	6	29	57	74	79
50-64	14	4.5	16	<1	1	3	6	11	13	14
65+	39	6.0	43	1	1	4	8	13	19	33
TOTAL SINGLE DX	50	2.8	13	<1	<1	1	3	7	11	18
TOTAL MULTIPLE DX	115	6.2	106	<1	1	3	6	14	21	63
TOTAL										
0-19 YRS	54	1.9	6	<1	<1	1	2	3	5	17
20-34	25	4.1	20	<1	1	3	5	9	15	21
35-49	17	15.9	472	<1	1	5	19	50	71	79
50-64	18	3.9	14	<1	1	3	5	10	13	14
65+	51	5.9	39	<1	1	4	8	13	18	33
GRAND TOTAL	165	5.2	80	<1	<1	2	5	12	18	52

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	2.4	5	1	1	2	3	5	6	15
20-34	153	1.9	1	1	1	1	2	3	4	6
35-49	137	2.2	2	1	1	2	3	3	4	8
50-64	130	2.0	1	1	1	2	3	3	4	6
65 +	524	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	75	3.4	27	1	1	3	4	5	7	36
20-34	118	3.1	32	1	1	2	3	5	6	27
35-49	125	2.9	5	1	1	2	3	5	7	12
50-64	278	2.8	8	1	1	2	3	5	7	14
65 +	1537	2.9	8	1	1	2	3	5	6	14
TOTAL SINGLE DX	1001	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	2133	2.9	10	1	1	2	3	5	6	15
TOTAL										
0-19 YRS	132	3.0	18	1	1	2	3	5	7	20
20-34	271	2.4	15	1	1	2	3	4	5	9
35-49	262	2.5	4	1	1	2	3	4	6	10
50-64	408	2.6	7	1	1	2	3	4	6	10
65 +	2061	2.8	7	1	1	2	3	5	6	11
GRAND TOTAL	3134	2.7	8	1	1	2	3	4	6	11

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	206	2.7	3	<1	1	2	4	5	6	8
20-34	125	3.1	4	1	1	3	4	5	6	11
35-49	81	2.8	3	<1	<1	2	4	6	7	8
50-64	43	2.2	2	<1	<1	2	3	4	5	6
65 +	45	2.1	4	<1	<1	1	2	5	6	13
2. MULTIPLE DX										
0-19 YRS	249	3.5	6	<1	1	3	5	6	7	12
20-34	196	3.8	7	1	1	3	5	7	10	17
35-49	109	4.1	8	1	1	4	5	8	9	53
50-64	85	3.8	24	<1	<1	2	5	8	9	30
65 +	150	4.2	29	<1	<1	2	5	10	15	28
TOTAL SINGLE DX	500	2.7	4	<1	<1	2	4	5	6	9
TOTAL MULTIPLE DX	789	3.8	13	<1	1	3	5	7	10	20
TOTAL										
0-19 YRS	455	3.1	5	<1	1	3	4	6	7	12
20-34	321	3.5	7	1	1	3	4	6	9	16
35-49	190	3.5	7	<1	1	3	5	7	8	17
50-64	128	3.3	17	<1	<1	2	4	7	9	18
65 +	195	3.7	24	<1	<1	2	5	9	12	24
GRAND TOTAL	1289	3.4	10	<1	1	3	4	6	9	17

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	1.9	2	<1	<1	1	2	4	5	8
20-34	28	3.0	6	1	1	2	4	5	7	14
35-49	58	2.5	5	<1	1	2	3	5	7	14
50-64	167	2.6	4	<1	1	2	3	5	7	12
65 +	310	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	75	2.7	9	<1	<1	2	3	6	9	18
20-34	59	4.2	16	<1	1	2	5	10	14	19
35-49	98	2.8	4	1	1	2	4	7	8	56
50-64	312	3.7	13	1	1	3	4	8	10	18
65 +	894	3.6	24	1	1	2	4	7	10	20
TOTAL SINGLE DX	693	2.4	3	<1	1	2	3	4	5	9
TOTAL MULTIPLE DX	1438	3.5	20	1	1	2	4	7	10	20
TOTAL										
0-19 YRS	205	2.2	5	<1	<1	1	2	4	6	14
20-34	87	3.8	14	1	1	2	4	10	13	18
35-49	156	2.7	5	1	1	2	3	6	8	14
50-64	479	3.3	10	1	1	2	4	7	9	15
65 +	1204	3.3	19	1	1	2	4	6	8	18
GRAND TOTAL	2131	3.2	15	1	1	2	4	6	9	17

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	3.3	8	1	1	2	5	6	9	15
20-34	66	3.2	4	1	1	3	4	6	7	12
35-49	39	2.6	2	<1	1	2	4	5	6	7
50-64	50	2.4	4	<1	<1	2	3	6	7	10
65 +	87	2.8	5	<1	<1	2	4	7	9	10
2. MULTIPLE DX										
0-19 YRS	129	4.4	11	<1	1	4	6	8	11	17
20-34	114	4.8	20	1	1	4	5	9	14	28
35-49	72	4.1	14	<1	1	3	6	9	11	20
50-64	118	3.9	16	1	1	2	5	9	12	21
65 +	413	4.4	20	<1	1	3	6	10	13	20
TOTAL SINGLE DX	304	2.9	5	<1	1	2	4	6	7	12
TOTAL MULTIPLE DX	846	4.4	18	<1	1	3	6	9	13	20
TOTAL										
0-19 YRS	191	4.0	10	1	1	3	6	8	11	16
20-34	180	4.2	15	1	1	3	5	7	11	24
35-49	111	3.6	11	<1	1	3	5	7	10	18
50-64	168	3.4	14	<1	1	2	4	8	9	17
65 +	500	4.1	18	<1	1	3	5	9	12	19
GRAND TOTAL	1150	4.0	15	<1	1	3	5	8	11	18

525. Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	1.5		<1	<1	1	2	3	4	4
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	13	1.9	1	<1	<1	1	3	4	5	5
50-64	53	1.4		<1	<1	1	2	2	3	4
65+	226	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	58	2.9	16	<1	1	2	3	5	7	28
20-34	24	3.4	13	1	1	2	4	6	12	18
35-49	50	3.8	27	<1	<1	3	4	6	8	30
50-64	174	2.4	7	<1	<1	2	2	5	8	17
65+	784	2.7	32	<1	1	2	2	4	6	19
TOTAL SINGLE DX	352	1.5		<1	<1	1	2	2	3	4
TOTAL MULTIPLE DX	1090	2.7	27	<1	1	2	2	4	7	19
TOTAL										
0-19 YRS	115	2.2	9	<1	<1	1	3	4	5	16
20-34	27	3.2	13	<1	1	2	4	6	11	18
35-49	63	3.4	23	<1	<1	2	4	6	7	29
50-64	227	2.2	6	<1	<1	1	2	4	7	15
65+	1010	2.4	26	<1	<1	2	2	4	5	18
GRAND TOTAL	1442	2.4	21	<1	<1	2	2	4	6	18

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	1.8	14	<1	<1	1	2	3	3	18
20-34	20	2.0	1	<1	<1	1	3	4	4	4
35-49	95	1.3		<1	<1	<1	2	2	2	5
50-64	499	1.3		<1	<1	<1	1	2	2	4
65+	2441	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	103	2.4	17	<1	1	1	2	4	6	29
20-34	53	2.7	4	<1	<1	2	4	6	7	9
35-49	183	2.5	21	<1	<1	2	2	4	6	14
50-64	997	2.2	8	<1	<1	2	2	4	6	15
65+	6149	2.5	29	<1	<1	2	2	4	7	29
TOTAL SINGLE DX	3174	1.3	1	<1	<1	<1	1	2	2	4
TOTAL MULTIPLE DX	7485	2.5	26	<1	<1	2	2	4	7	24
TOTAL										
0-19 YRS	222	2.1	16	<1	<1	1	2	3	5	27
20-34	73	2.5	4	<1	<1	2	4	6	7	9
35-49	278	2.1	14	<1	<1	1	2	4	5	12
50-64	1496	1.9	6	<1	<1	1	2	3	5	12
65+	8590	2.2	22	<1	<1	1	2	3	5	20
GRAND TOTAL	10659	2.1	19	<1	<1	1	2	3	5	18

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.5	26	<1	<1	1	2	13	14	14
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	15	1.3		<1	<1	1	1	2	3	3
50-64	38	1.4		<1	<1	1	2	2	3	3
65+	165	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
0-19 YRS	11	2.4	3	<1	<1	2	3	5	7	7
20-34	5	8.2	93	1	1	5	11	25	25	25
35-49	19	1.4		<1	<1	1	1	3	4	4
50-64	81	2.1	2	<1	<1	2	2	4	5	10
65+	335	2.6	28	<1	<1	1	2	5	9	27
TOTAL SINGLE DX	227	1.4	1	<1	<1	1	2	2	3	4
TOTAL MULTIPLE DX	451	2.5	23	<1	<1	2	2	4	8	22
TOTAL										
0-19 YRS	17	2.8	11	<1	<1	2	3	6	12	14
20-34	8	6.0	63	1	1	3	6	20	25	25
35-49	34	1.3	1	<1	<1	1	1	2	3	4
50-64	119	1.9	2	<1	<1	2	2	3	4	9
65+	500	2.2	19	<1	<1	1	2	3	7	16
GRAND TOTAL	678	2.1	16	<1	<1	1	2	3	6	15

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	2.6	2	1	1	2	3	5	6	10
20-34	294	2.9	4	1	1	2	4	5	7	9
35-49	436	2.6	3	1	1	2	3	5	6	9
50-64	867	2.6	2	1	1	2	3	5	6	9
65+	910	2.7	2	1	1	2	3	5	5	8
2. MULTIPLE DX										
0-19 YRS	206	3.9	63	1	1	3	4	6	8	51
20-34	401	4.1	22	1	1	3	5	7	10	21
35-49	555	3.7	8	1	1	3	4	7	9	16
50-64	1263	3.3	4	1	1	3	4	6	7	11
65+	2002	3.5	6	1	1	3	4	6	8	13
TOTAL SINGLE DX	2672	2.7	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	4427	3.5	10	1	1	3	4	6	8	14
TOTAL										
0-19 YRS	371	3.4	37	1	1	2	3	6	7	14
20-34	695	3.6	15	1	1	3	4	6	8	17
35-49	991	3.3	6	1	1	3	4	6	8	12
50-64	2130	3.0	4	1	1	3	4	5	7	10
65+	2912	3.3	5	1	1	3	4	6	7	12
GRAND TOTAL	7099	3.2	8	1	1	3	4	6	7	12

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	2.2	3	<1	1	2	2	4	7	72
20-34	57	2.6	2	1	1	2	3	5	6	8
35-49	59	2.8	4	1	1	2	4	5	7	13
50-64	140	2.6	3	1	1	2	3	6	7	8
65+	263	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	132	4.5	106	1	1	2	4	8	15	99+
20-34	324	3.6	28	1	1	2	4	7	8	13
35-49	383	3.3	9	1	1	2	4	6	10	17
50-64	631	3.2	6	1	1	2	4	6	8	16
65+	1106	3.6	18	<1	1	3	4	7	10	18
TOTAL SINGLE DX	601	2.6	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	2576	3.5	21	1	1	2	4	7	10	18
TOTAL										
0-19 YRS	214	3.6	68	1	1	2	3	6	11	99+
20-34	381	3.4	25	1	1	2	4	7	8	12
35-49	442	3.3	9	1	1	2	4	6	9	15
50-64	771	3.1	8	1	1	2	4	6	7	15
65+	1369	3.4	16	1	1	2	4	7	9	17
GRAND TOTAL	3177	3.3	18	1	1	2	4	6	9	17

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	973	1.1		<1	<1	<1	1	1	2	2
20-34	66	1.2		<1	<1	1	1	2	2	2
35-49	37	1.2		<1	<1	1	1	2	2	2
50-64	17	1.4	1	1	1	1	2	2	4	5
65+	15	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	479	1.2		<1	<1	1	1	2	2	5
20-34	60	2.2	44	<1	<1	1	2	2	3	48
35-49	34	1.4	1	<1	<1	1	1	2	4	6
50-64	37	1.5	1	<1	<1	1	2	2	2	8
65+	36	1.6		<1	1	1	2	3	4	5
TOTAL SINGLE DX	1108	1.1		<1	<1	1	1	1	2	2
TOTAL MULTIPLE DX	646	1.3	5	<1	<1	1	1	2	2	6
TOTAL										
0-19 YRS	1452	1.1		<1	<1	1	1	1	2	3
20-34	126	1.7	22	<1	<1	1	1	2	2	16
35-49	71	1.3	1	<1	<1	1	1	2	2	6
50-64	54	1.5	1	<1	1	1	2	2	2	8
65+	51	1.5	1	<1	1	1	2	2	3	5
GRAND TOTAL	1754	1.2	2	<1	<1	1	1	2	2	3

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	8	1.6	3	<1	<1	1	1	5	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	0									
65+	2	1.5	1	1	1	1	2	2	2	2
TOTAL SINGLE DX	6	2.0	4	<1	<1	1	2	6	6	6
TOTAL MULTIPLE DX	15	1.5	2	<1	<1	1	1	2	5	6
TOTAL										
0-19 YRS	11	1.9	4	<1	<1	1	1	6	6	6
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	0									
65+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	21	1.6	2	<1	<1	1	2	4	6	6

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	245	3.4	7	<1	1	2	6	7	8	14
20-34	153	2.5	3	1	1	2	3	5	6	10
35-49	116	2.5	2	<1	1	2	3	5	6	9
50-64	102	2.7	6	<1	1	2	3	4	8	16
65+	90	2.4	4	<1	1	2	3	4	6	13
2. MULTIPLE DX										
0-19 YRS	236	5.3	35	1	1	3	7	11	16	39
20-34	275	4.6	48	1	1	3	5	9	12	39
35-49	206	4.1	46	1	1	2	4	8	13	39
50-64	222	4.4	63	1	1	3	4	8	13	56
65+	442	5.7	61	1	1	3	6	14	17	49
TOTAL SINGLE DX	706	2.8	6	<1	1	2	4	6	8	13
TOTAL MULTIPLE DX	1381	5.0	53	1	1	3	6	10	15	42
TOTAL										
0-19 YRS	481	4.3	22	<1	1	3	6	9	12	32
20-34	428	3.9	33	1	1	2	4	7	10	23
35-49	322	3.5	31	1	1	2	3	6	9	27
50-64	324	3.9	46	1	1	2	4	8	12	37
65+	532	5.2	54	1	1	3	6	12	16	44
GRAND TOTAL	2087	4.3	38	1	1	3	5	9	13	35

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	490	1.9	4	<1	<1	1	2	4	6	11
20-34	139	2.0	4	<1	<1	1	2	4	6	11
35-49	76	1.6	2	<1	<1	1	1	4	4	11
50-64	47	2.1	6	<1	<1	1	2	6	7	14
65 +	68	2.1	4	<1	<1	1	2	5	7	12
2. MULTIPLE DX										
0-19 YRS	564	3.3	16	<1	1	2	4	6	9	24
20-34	316	4.2	35	<1	1	2	4	10	16	32
35-49	144	5.0	37	<1	1	2	6	12	18	32
50-64	146	5.6	89	<1	1	2	7	12	21	47
65 +	360	7.2	72	1	1	4	9	16	24	52
TOTAL SINGLE DX	820	1.9	4	<1	<1	1	2	4	6	11
TOTAL MULTIPLE DX	1530	4.7	45	<1	1	2	5	11	17	40
TOTAL										
0-19 YRS	1054	2.6	11	<1	<1	2	3	5	7	18
20-34	455	3.5	27	<1	1	2	4	8	13	29
35-49	220	3.8	28	<1	<1	2	4	10	14	28
50-64	193	4.8	71	<1	1	2	5	10	16	43
65 +	428	6.4	65	<1	1	4	8	15	20	47
GRAND TOTAL	2350	3.8	32	<1	<1	2	4	8	14	32

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	1.3	1	<1	1	1	1	2	2	8
20-34	341	1.4		1	1	1	2	2	3	3
35-49	541	1.3		1	1	1	2	2	2	4
50-64	433	1.5		1	1	1	2	2	3	4
65 +	159	1.6	1	1	1	1	2	2	3	6
2. MULTIPLE DX										
0-19 YRS	75	1.3		1	1	1	1	2	2	6
20-34	198	1.4	1	1	1	1	1	2	3	5
35-49	271	1.4		1	1	1	2	2	3	6
50-64	268	1.6	1	1	1	1	2	2	3	6
65 +	189	1.8	1	1	1	2	2	3	3	4
TOTAL SINGLE DX	1558	1.4	1	1	1	1	2	2	3	4
TOTAL MULTIPLE DX	1001	1.5	1	1	1	1	2	2	3	8
TOTAL										
0-19 YRS	159	1.3	1	<1	1	1	1	2	2	7
20-34	539	1.4	1	1	1	1	2	2	3	4
35-49	812	1.4	1	1	1	1	2	2	3	4
50-64	701	1.5	1	1	1	1	2	2	3	5
65 +	348	1.7	1	1	1	1	2	3	3	5
GRAND TOTAL	2559	1.4	1	1	1	1	2	2	3	5

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	900	1.1		<1	<1	1	1	1	2	2
20-34	427	1.1		<1	1	1	1	2	2	3
35-49	355	1.2		<1	1	1	1	2	2	3
50-64	279	1.2		<1	1	1	1	2	2	3
65 +	116	1.3		<1	<1	1	1	2	2	5
2. MULTIPLE DX										
0-19 YRS	924	1.2		<1	1	1	1	2	2	4
20-34	454	1.3		<1	1	1	1	2	2	5
35-49	428	1.5	11	<1	1	1	1	2	3	9
50-64	423	1.5	1	1	1	1	2	2	3	6
65 +	238	1.9	4	<1	1	1	2	3	5	18
TOTAL SINGLE DX	2077	1.1		<1	1	1	1	2	2	3
TOTAL MULTIPLE DX	2467	1.4	3	<1	1	1	1	2	3	6
TOTAL										
0-19 YRS	1824	1.1		<1	1	1	1	2	2	3
20-34	881	1.2		<1	1	1	1	2	2	4
35-49	783	1.4	6	<1	1	1	1	2	2	6
50-64	702	1.4	1	<1	1	1	1	2	3	5
65 +	354	1.7	4	<1	1	1	2	3	4	11
GRAND TOTAL	4544	1.3	2	<1	1	1	1	2	2	5

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1864	1.2		<1	<1	<1	1	1	2	6
20-34	44	1.9	6	<1	<1	1	1	4	6	16
35-49	35	1.4	1	<1	<1	1	1	3	4	6
50-64	35	1.5	1	<1	<1	1	1	3	5	7
35 +	17	2.8	30	<1	<1	1	2	4	17	24
2. MULTIPLE DX										
0-19 YRS	3163	2.3	14	<1	<1	1	2	5	8	17
20-34	97	3.7	30	<1	1	2	4	9	15	32
35-49	88	3.1	14	<1	<1	1	4	9	11	19
50-64	86	6.1	57	<1	<1	2	9	15	21	36
65 +	91	9.5	153	1	1	5	14	21	26	69
TOTAL SINGLE DX	1995	1.2	1	<1	<1	1	1	1	2	6
TOTAL MULTIPLE DX	3525	2.6	21	<1	<1	1	2	6	10	23
TOTAL										
0-19 YRS	5027	1.9	10	<1	<1	1	1	4	7	14
20-34	141	3.1	24	<1	<1	1	3	8	11	26
35-49	123	2.6	11	<1	<1	1	2	8	10	18
50-64	121	4.8	46	<1	<1	1	7	14	16	33
65 +	108	8.4	140	1	1	3	13	21	25	67
GRAND TOTAL	5520	2.1	15	<1	<1	1	1	4	8	18

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	95TH (11)
1. SINGLE DX										
0-19 YRS	450	1.5	2	1	1	1	1	2	3	8
20-34	[illegible]	1.5	1	1	1	1	2	3	4	6
35-49	205	1.4		1	1	1	2	2	3	4
50-64	197	1.6	1	1	1	1	2	3	3	8
65 +	100	1.7	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	816	2.3	13	1	1	1	2	5	9	20
20-34	522	1.9	7	1	1	1	2	3	5	9
35-49	471	2.0	6	1	1	1	2	3	5	16
50-64	471	2.3	21	1	1	1	2	3	6	29
65 +	327	4.3	67	1	1	2	3	10	17	46
TOTAL SINGLE DX	1187	1.5	2	1	1	1	2	2	3	8
TOTAL MULTIPLE DX	2607	2.4	20	1	1	1	2	4	7	23
TOTAL										
0-19 YRS	1266	2.0	10	1	1	1	2	3	7	18
20-34	757	1.8	6	1	1	1	2	3	5	8
35-49	676	1.8	4	1	1	1	2	3	5	13
50-64	668	2.1	15	1	1	1	2	3	5	17
65 +	427	3.7	53	1	1	2	3	6	13	45
GRAND TOTAL	3794	2.1	14	1	1	1	2	3	6	18

539: Miscellaneous operations on middle ear and inner ear (19.[illegible]9.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	333	1.4	2	<1	<1	1	1	2	4	11
20-34	217	1.6	1	<1	1	1	2	3	3	6
35-49	237	1.7	1	1	1	1	2	3	4	7
50-64	215	1.8	1	1	1	1	2	3	4	7
65 +	111	2.2	4	1	1	2	2	4	7	11
2. MULTIPLE DX										
0-19 YRS	364	2.3	13	<1	<1	1	2	5	9	23
20-34	192	2.2	7	1	1	1	2	4	7	12
35-49	235	2.2	4	1	1	1	2	5	7	11
50-64	263	2.6	13	1	1	2	2	5	9	18
65 +	183	4.0	80	1	1	2	3	7	13	58
TOTAL SINGLE DX	1113	1.7	2	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	1237	2.6	21	<1	1	1	2	5	9	19
TOTAL										
0-19 YRS	697	1.9	8	<1	<1	1	1	3	6	14
20-34	409	1.9	4	<1	1	1	2	3	5	11
35-49	472	2.0	3	1	1	1	2	4	6	10
50-64	478	2.2	8	1	1	1	2	4	6	16
65 +	294	3.3	52	1	1	2	3	6	9	43
GRAND TOTAL	2350	2.1	12	<1	1	1	2	4	6	14

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	1.3		<1	1	1	2	2	2	3
20-34	397	1.3		1	1	1	2	2	3	3
35-49	188	1.4		<1	1	1	2	2	3	5
50-64	98	1.4		1	1	1	2	2	4	5
65 +	25	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	621	1.4		1	1	1	2	2	3	4
20-34	1433	1.5	3	1	1	1	2	2	3	5
35-49	1071	1.7	5	1	1	1	2	3	4	9
50-64	628	1.7	2	1	1	1	2	3	4	8
65 +	197	2.3	5	1	1	2	3	5	7	14
TOTAL SINGLE DX	866	1.4	1	<1	1	1	2	2	3	4
TOTAL MULTIPLE DX	3950	1.6	3	1	1	1	2	3	3	7
TOTAL										
0-19 YRS	779	1.4	1	1	1	1	2	2	3	4
20-34	1830	1.5	3	1	1	1	2	2	3	5
35-49	1259	1.7	5	1	1	1	2	3	3	8
50-64	726	1.6	2	1	1	1	2	3	4	7
65 +	222	2.2	5	1	1	1	2	4	6	14
GRAND TOTAL	4816	1.6	3	1	1	1	2	2	3	7

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	736	1.5	1	<1	1	1	2	2	3	5
20-34	1186	1.3		<1	1	1	1	2	2	4
35-49	660	1.3		<1	1	1	1	2	2	5
50-64	291	1.4		<1	1	1	2	2	3	6
65 +	88	1.6	2	<1	1	1	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	1541	1.6	3	1	1	1	2	3	4	7
20-34	3082	1.6	3	1	1	1	2	2	3	7
35-49	2149	1.6	2	1	1	1	2	3	3	8
50-64	1137	1.9	4	1	1	1	2	3	5	11
65 +	569	3.2	18	1	1	2	3	7	12	22
TOTAL SINGLE DX	2961	1.4	1	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	8478	1.7	5	1	1	1	2	3	4	10
TOTAL										
0-19 YRS	2277	1.6	3	<1	1	1	2	3	3	6
20-34	4268	1.5	3	<1	1	1	2	2	3	6
35-49	2809	1.5	2	<1	1	1	2	2	3	8
50-64	1428	1.8	4	1	1	1	2	3	4	10
65 +	657	3.0	17	1	1	1	3	7	11	22
GRAND TOTAL	11439	1.6	4	1	1	1	2	3	4	9

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	1.9	4	<1	<1	1	2	4	5	13
20-34	125	1.5	1	<1	<1	1	1	3	4	8
35-49	144	1.8	2	<1	<1	1	2	4	5	10
50-64	136	1.6	1	<1	<1	1	2	3	4	8
65 +	137	1.7	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	398	2.2	7	1	1	1	2	5	8	14
20-34	595	2.0	16	1	1	1	2	3	5	21
35-49	628	1.8	4	<1	1	1	2	3	4	12
50-64	555	2.5	12	1	1	1	2	5	8	18
65 +	601	4.4	41	1	1	2	5	10	15	23
TOTAL SINGLE DX	669	1.7	2	<1	<1	1	2	3	4	9
TOTAL MULTIPLE DX	2777	2.6	18	1	1	1	2	5	9	20
TOTAL										
0-19 YRS	525	2.2	7	<1	1	1	2	5	7	14
20-34	720	1.9	14	<1	1	1	2	3	5	19
35-49	772	1.8	4	<1	1	1	2	3	5	12
50-64	691	2.3	11	<1	1	1	2	4	7	17
65 +	738	3.9	35	<1	1	2	4	10	14	22
GRAND TOTAL	3446	2.4	15	<1	1	1	2	5	8	19

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	427	1.4	1	<1	<1	1	1	2	3	7
20-34	399	1.9	2	<1	<1	1	2	4	6	7
35-49	241	3.1	4	<1	1	2	4	6	7	10
50-64	245	3.3	4	<1	1	3	4	6	7	9
65 +	207	3.2	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
0-19 YRS	506	3.1	33	<1	1	1	3	6	9	30
20-34	831	2.8	8	1	1	2	3	6	9	13
35-49	523	3.8	16	1	1	3	5	7	10	24
50-64	705	4.9	27	1	1	4	6	8	12	24
65 +	1246	5.6	30	1	2	4	7	10	15	28
TOTAL SINGLE DX	1519	2.4	4	<1	<1	1	3	5	6	8
TOTAL MULTIPLE DX	3811	4.3	25	1	1	3	5	8	11	24
TOTAL										
0-19 YRS	933	2.3	19	<1	<1	1	2	5	7	19
20-34	1230	2.5	6	<1	1	1	3	6	7	12
35-49	764	3.6	13	1	1	3	5	7	9	20
50-64	550	4.5	22	1	1	4	6	8	10	23
65 +	1453	5.3	27	1	1	4	6	10	14	25
GRAND TOTAL	5330	3.7	20	<1	1	3	5	7	10	21

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	1.8	3	<1	1	1	2	3	4	12
20-34	228	1.6	1	1-	1	1	2	3	3	6
35-49	274	1.7	1	1	1	1	2	3	4	6
50-64	206	1.7	2	1	1	1	2	3	4	10
65+	101	1.9	2	1	1	1	2	4	5	10
2. MULTIPLE DX										
0-19 YRS	147	3.6	41	<1	1	1	2	9	15	42
20-34	477	2.9	36	1	1	2	2	5	8	35
35-49	622	2.7	16	1	1	2	2	5	9	26
50-64	523	3.1	31	1	1	2	3	5	9	35
65+	377	4.0	38	1	1	2	3	9	16	34
TOTAL SINGLE DX	902	1.7	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	2146	3.1	30	1	1	2	3	6	11	30
TOTAL										
0-19 YRS	240	2.9	27	<1	1	1	2	6	13	22
20-34	705	2.5	25	1	1	1	2	4	7	21
35-49	896	2.4	12	1	1	1	2	4	7	23
50-64	729	2.7	24	1	1	2	2	4	8	22
65+	478	3.6	31	1	1	2	3	7	14	29
GRAND TOTAL	3048	2.7	22	1	1	2	2	4	8	24

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2, 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	185	2.8	10	<1	1	1	3	6	9	15
20-34	274	2.6	7	1	1	1	3	6	8	14
35-49	279	2.4	5	<1	1	1	3	5	7	13
50-64	221	2.3	7	<1	1	1	3	5	7	16
65+	114	2.7	6	1	1	2	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	582	4.9	60	<1	1	2	6	12	15	43
20-34	786	3.4	29	1	1	1	3	8	13	27
35-49	997	2.7	15	1	1	1	3	6	9	20
50-64	824	3.4	20	1	1	2	3	8	11	25
65+	644	5.2	58	1	1	2	6	14	20	41
TOTAL SINGLE DX	1073	2.5	7	<1	1	1	3	6	8	14
TOTAL MULTIPLE DX	3833	3.8	34	1	1	2	4	9	14	32
TOTAL										
0-19 YRS	767	4.4	50	<1	1	2	5	10	14	41
20-34	1060	3.2	23	1	1	1	3	7	11	25
35-49	1276	2.6	13	1	1	1	3	6	8	18
50-64	1045	3.1	18	1	1	2	3	7	10	22
65+	758	4.9	51	1	1	2	5	13	18	40
GRAND TOTAL	4906	3.5	29	1	1	2	4	8	12	28

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	367	1.4	3	<1	<1	1	1	2	2	10
20-34	203	1.5	1	<1	<1	1	1	2	4	8
35-49	55	2.3	5	<1	<1	1	3	5	[illegible]	15
50-64	38	1.9	2	<1	<1	1	2	4	7	8
65+	33	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	713	2.7	26	<1	<1	1	2	5	7	29
20-34	720	5.3	68	<1	1	2	5	14	23	46
35-49	487	6.6	121	1	1	3	7	16	28	60
50-64	559	6.4	89	1	1	3	7	15	26	56
65+	725	7.2	111	1	1	3	9	16	29	81
TOTAL SINGLE DX	696	[illegible]	3	<1	<1	1	1	2	4	9
TOTAL MULTIPLE DX	3204	5.5	83	<1	1	2	6	14	23	55
TOTAL										
0-19 YRS	1080	2.3	19	<1	<1	1	2	4	6	23
20-34	923	4.5	57	<1	<1	2	4	11	20	45
35-49	542	6.1	111	<1	1	2	6	15	26	59
50-64	597	6.1	85	<1	1	2	7	15	25	55
65+	758	7.0	108	1	1	3	9	16	27	80
GRAND TOTAL	3900	4.8	71	<1	<1	2	5	12	20	48

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	173	1.1		<1	<1	<1	1	1	1	4
20-34	18	2.1	2	<1	<1	2	3	5	5	5
35-49	10	1.3		1	1	1	2	2	2	2
50-64	16	1.6		1	1	2	2	2	4	4
65+	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	448	2.1	24	<1	<1	1	2	2	6	83
20-34	80	3.1	19	<1	1	2	2	7	12	25
35-49	29	2.9	12	<1	<1	2	3	7	12	16
50-64	31	5.0	44	1	1	2	5	14	23	26
65+	19	5.5	86	1	1	2	2	23	31	32
TOTAL SINGLE DX	222	1.2	1	<1	<1	<1	1	2	3	5
TOTAL MULTIPLE DX	607	2.6	27	<1	<1	1	2	4	10	34
TOTAL										
0-19 YRS	621	1.9	18	<1	<1	1	2	2	4	33
20-34	98	2.9	16	<1	<1	2	2	6	11	23
35-49	39	2.5	10	<1	<1	1	2	5	10	16
50-64	47	3.8	32	1	1	2	3	13	16	26
65+	24	4.6	71	<1	1	2	2	15	30	32
GRAND TOTAL	829	2.2	20	<1	<1	1	2	3	7	29

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	173	1.6	1	<1	<1	1	2	3	4	7
20-34	39	2.6	3	<1	1	2	3	6	6	9
35-49	81	1.8	3	<1	<1	1	2	3	3	14
50-64	121	2.0	1	1	1	2	2	3	4	6
65+	38	2.8	3	1	1	2	3	6	7	8
2. MULTIPLE DX										
0-19 YRS	309	2.3	8	<1	<1	1	3	4	6	27
20-34	172	3.2	15	1		2	4	6	8	26
35-49	160	3.3	12	<1	1	2	4	8	11	17
50-64	235	4.0	31	1	1	2	4	8	14	30
65+	213	4.9	64	1	1	2	5	13	17	52
TOTAL SINGLE DX	452	1.9	3	<1	<1	1	2	3	5	8
TOTAL MULTIPLE DX	1089	3.5	27	<1	1	2	4	7	13	29
TOTAL										
0-19 YRS	482	2.1	6	<1	<1	1	2	4	5	18
20-34	211	3.1	13	1	1	2	4	6	8	22
35-49	241	2.8	10	<1	1	2	3	6	9	17
50-64	356	3.3	22	1	1	2	3	6	10	29
65+	251	4.6	56	1	1	2	5	12	16	31
GRAND TOTAL	1541	3.0	20	<1	1	2	3	6	10	24

550: Operations on salivary glar[illegible] and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	218	2.1	4	1	1	2	3	4	4	11
20-34	555	2.1	2	1	1	2	2	3	4	8
35-49	794	2.2	2	1	1	2	3	4	5	9
50-64	707	2.1	1	1	1	2	3	4	4	7
65+	584	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	159	3.5	14	1	1	2	4	8	11	22
20-34	264	2.8	8	1	1	2	3	5	7	13
35-49	462	2.9	16	1	1	2	3	5	8	14
50-64	687	3.1	9	1	1	2	4	6	8	15
65+	1081	4.3	19	1	1	3	5	9	12	25
TOTAL SINGLE DX	2858	2.2	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	2653	3.6	15	1	1	2	4	7	10	20
TOTAL										
0-19 YRS	377	2.7	9	1	1	2	3	5	9	15
20-34	819	2.3	5	1	1	2	3	4	5	10
35-49	1256	2.4	8	1	1	2	3	4	6	12
50-64	1394	2.6	6	1	1	2	3	5	6	12
65+	1665	3.6	14	1	1	2	4	7	10	21
GRAND TOTAL	5511	2.8	9	1	1	2	3	5	8	15

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	941	2.9	2	1	1	3	4	5	6	8
20-34	30	2.3	1	1	1	2	3	4	4	6
35-49	28	1.7	1	<1	1	1	2	4	4	5
50-64	15	2.9	14	1	1	2	3	4	13	16
65+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	1182	3.3	12	1	1	3	4	5	7	13
20-34	57	2.9	17	1	1	2	3	5	5	29
35-49	84	2.8	5	1	1	2	4	5	7	14
50-64	65	4.1	50	1	1	2	4	6	21	42
65+	22	3.5	20	1	1	2	3	8	14	21
TOTAL SINGLE DX	1017	2.8	2	1	1	3	3	5	6	8
TOTAL MULTIPLE DX	1410	3.3	14	1	1	3	4	5	7	16
TOTAL										
0-19 YRS	2123	3.1	8	1	1	3	4	5	6	11
20-34	87	2.7	12	1	1	2	3	4	5	24
35-49	112	2.5	5	1	1	2	3	5	7	12
50-64	80	3.9	44	1	1	2	3	6	18	39
65+	25	3.3	18	1	1	2	3	7	12	21
GRAND TOTAL	2427	3.1	9	1	1	3	4	5	6	12

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1141	2.5	3	<1	1	2	3	5	6	9
20-34	213	3.7	14	<1	1	3	5	7	9	20
35-49	218	3.2	9	<1	1	2	4	7	10	18
50-64	320	3.6	14	<1	1	2	5	8	10	18
65+	310	3.4	13	<1	1	2	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	1451	3.3	20	1	1	2	4	6	9	19
20-34	800	4.2	24	<1	1	3	5	9	12	27
35-49	657	6.1	56	1	1	3	7	14	23	36
50-64	840	7.5	82	1	1	4	10	18	26	51
65+	1171	8.5	109	1	1	5	10	21	29	54
TOTAL SINGLE DX	2202	3.0	8	<1	1	2	4	6	8	15
TOTAL MULTIPLE DX	4919	5.8	62	1	1	3	7	13	21	43
TOTAL										
0-19 YRS	2592	3.0	13	<1	1	2	4	6	7	14
20-34	1013	4.1	22	<1	1	3	5	8	12	26
35-49	875	5.4	48	1	1	3	6	12	20	36
50-64	1160	6.4	67	1	1	3	8	16	23	43
65+	1481	7.4	93	1	1	4	9	18	26	50
GRAND TOTAL	7121	4.9	47	1	1	3	5	11	17	37

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7533	1.1		<1	1	1	1	1	2	3
20-34	4368	1.2		1	1	1	1	2	2	3
35-49	542	1.3		1	1	1	1	2	3	5
50-64	76	1.4		1	1	1	2	2	4	6
65 +	31	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	2884	1.4	3	1	1	1	1	2	3	7
20-34	1527	1.5	2	1	1	1	2	2	4	8
35-49	350	1.9	5	1	1	1	2	4	6	14
50-64	115	4.0	35	1	1	1	3	12	18	29
65 +	48	3.9	19	1	1	2	5	7	9	29
TOTAL SINGLE DX	12550	1.2		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	4924	1.5	4	1	1	1	1	2	4	9
TOTAL										
0-19 YRS	10417	1.2	1	1	1	1	1	2	2	4
20-34	5895	1.3	1	1	1	1	1	2	2	5
35-49	892	1.6	3	1	1	1	2	2	4	8
50-64	191	3.0	23	1	1	1	2	6	14	25
65 +	79	3.0	13	1	1	2	4	6	8	23
GRAND TOTAL	17474	1.3	1	1	1	1	1	2	2	5

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12269	1.1		<1	1	1	1	1	2	2
20-34	392	1.3	2	1	1	1	1	2	2	5
35-49	17	1.4		<1	1	1	2	3	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	9	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	12122	1.3	2	<1	1	1	1	2	2	6
20-34	241	1.4		1	1	1	1	2	3	5
35-49	21	1.7	1	1	1	1	2	3	4	5
50-64	4	5.0	15	1	1	4	8	10	10	10
65 +	12	3.0	8	<1	<1	1	5	8	8	8
TOTAL SINGLE DX	12689	1.1	1	<1	1	1	1	1	2	2
TOTAL MULTIPLE DX	12400	1.3	3	<1	1	1	1	2	2	6
TOTAL										
0-19 YRS	24391	1.2	2	<1	1	1	1	1	2	4
20-34	633	1.3	2	1	1	1	1	2	2	5
35-49	38	1.6	1	1	1	1	2	3	4	5
50-64	6	3.8	13	1	1	2	6	10	10	10
65 +	21	2.1	6	<1	<1	1	2	7	8	8
GRAND TOTAL	25089	1.2	2	<1	1	1	1	1	2	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	418	1.1		<1	<1	1	1	1	1	4
20-34	8	1.4		<1	<1	1	2	2	2	2
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1310	1.6	10	<1	<1	1	1	1	3	23
20-34	23	2.7	29	1	1	1	2	4	13	27
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	6.0	50	<1	<1	11	78	99 +	99 +	99 +
TOTAL SINGLE DX	434	1.1		<1	<1	1	1	1	1	4
TOTAL MULTIPLE DX	1338	1.6	11	<1	<1	1	1	2	3	24
TOTAL										
0-19 YRS	1728	1.4	8	<1	<1	1	1	1	2	14
20-34	31	2.4	22	1	1	1	2	3	5	27
35-49	7	1.0		<1	<1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	4	3.5	25	<1	<1	1	33	99 +	99 +	99 +
GRAND TOTAL	1772	1.5	9	<1	<1	1	1	1	2	16

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1131	2.1	5	<1	1	1	3	4	5	10
20-34	696	2.2	3	<1	1	2	3	4	5	9
35-49	340	2.2	2	1	1	2	3	4	6	8
50-64	190	2.7	8	<1	<1	2	3	6	7	17
65 +	127	3.2	9	1	1	2	4	7	10	15
2. MULTIPLE DX										
0-19 YRS	604	3.7	42	1	1	2	4	7	9	40
20-34	431	3.4	17	1	1	2	4	6	8	18
35-49	439	4.0	36	1	1	2	4	9	14	33
50-64	447	5.9	73	1	1	2	7	15	21	52
65 +	414	8.4	106	1	1	4	11	22	30	57
TOTAL SINGLE DX	2484	2.3	5	<1	1	2	3	4	6	11
TOTAL MULTIPLE DX	2335	4.9	57	1	1	2	5	11	18	40
TOTAL										
0-19 YRS	1735	2.7	19	<1	1	2	3	5	7	17
20-34	1127	2.7	9	1	1	2	3	5	6	14
35-49	779	3.2	23	1	1	2	3	6	10	25
50-64	637	5.0	56	1	1	2	5	13	18	41
65 +	541	7.2	88	1	1	4	9	19	28	45
GRAND TOTAL	4815	3.6	32	1	1	2	3	7	12	32

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	2.0	2	< 1	< 1	1	2	4	5	8
20-34	44	2.6	2	< 1	1	2	4	5	5	6
35-49	64	2.7	2	< 1	1	3	4	5	5	8
50-64	81	2.7	3	< 1	< 1	2	4	6	7	9
65 +	83	3.5	11	< 1	1	2	4	7	9	20
2. MULTIPLE DX										
0-19 YRS	270	4.1	34	1	1	3	4	7	11	47
20-34	69	4.7	76	1	1	3	5	7	9	57
35-49	123	4.4	15	1	1	3	6	9	13	44
50-64	293	5.3	39	1	1	4	6	10	17	28
65 +	547	5.6	44	1	1	4	6	11	15	42
TOTAL SINGLE DX	345	2.7	5	< 1	< 1	2	4	5	6	10
TOTAL MULTIPLE DX	1302	5.0	41	1	1	3	6	9	14	42
TOTAL										
0-19 YRS	343	3.6	28	< 1	1	3	4	6	9	30
20-34	113	3.9	48	1	1	3	4	6	8	51
35-49	187	3.8	11	1	1	3	5	8	11	21
50-64	374	4.7	33	1	1	3	5	9	14	24
65 +	630	5.3	41	1	1	4	6	10	14	42
GRAND TOTAL	1647	4.5	34	1	1	3	5	9	13	30

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	324	1.8	6	< 1	1	1	2	3	5	15
20-34	81	1.5	1	< 1	< 1	1	1	2	4	8
35-49	157	1.7	9	< 1	< 1	1	1	2	2	25
50-64	220	1.6	17	< 1	< 1	1	1	2	3	8
65 +	147	2.2	33	< 1	< 1	1	2	3	5	27
2. MULTIPLE DX										
0-19 YRS	252	4.1	32	< 1	1	2	5	10	17	32
20-34	70	3.2	14	< 1	< 1	2	4	6	9	24
35-49	152	4.0	51	< 1	< 1	1	3	10	18	37
50-64	403	4.5	62	< 1	1	2	4	12	21	45
65 +	419	5.5	93	< 1	1	2	6	13	20	59
TOTAL SINGLE DX	929	1.8	14	< 1	< 1	1	1	2	4	15
TOTAL MULTIPLE DX	1296	4.6	63	< 1	1	2	5	11	19	51
TOTAL										
0-19 YRS	576	2.8	19	< 1	1	1	2	7	10	29
20-34	151	2.3	9	< 1	< 1	1	2	5	7	15
35-49	309	2.8	32	< 1	< 1	1	2	6	11	32
50-64	623	3.5	49	< 1	< 1	1	2	8	15	34
65 +	566	4.6	80	< 1	1	2	4	11	17	57
GRAND TOTAL	2225	3.4	45	< 1	< 1	1	2	8	14	35

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	3.6	32	< 1	1	2	3	12	13	35
20-34	14	3.3	11	< 1	1	2	5	10	11	11
35-49	28	5.8	27	< 1	< 1	5	8	11	18	23
50-64	46	8.5	45	1	1	8	12	16	19	32
65 +	42	8.5	46	1	1	8	13	18	21	29
2. MULTIPLE DX										
0-19 YRS	126	6.1	91	1	1	3	6	18	25	99 +
20-34	27	6.9	39	1	1	5	9	19	21	22
35-49	49	10.1	40	1	2	10	14	19	22	26
50-64	159	12.7	105	1	1	12	18	26	33	96
65 +	139	13.2	212	1	2	10	16	28	40	93
TOTAL SINGLE DX	184	6.3	41	< 1	1	4	10	14	18	31
TOTAL MULTIPLE DX	500	10.6	130	1	1	8	15	23	31	95
TOTAL										
0-19 YRS	180	5.4	75	1	1	2	5	15	23	91
20-34	41	5.7	33	1	1	3	7	15	20	22
35-49	77	8.6	40	< 1	1	7	13	18	21	25
50-64	205	11.8	95	1	1	10	17	24	31	79
65 +	181	12.1	177	1	1	10	15	25	33	90
GRAND TOTAL	684	[illegible]	110	1	1	6	14	21	28	82

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	22	13.7	59	4	7	12	17	25	32	34
50-64	95	12.3	22	7	8	11	13	18	24	28
65 +	51	12.2	30	6	8	11	13	17	25	37
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	69	17.6	147	7	8	14	19	33	43	66
50-64	347	18.5	151	8	9	15	21	35	43	76
65 +	397	19.1	168	8	9	15	23	33	48	86
TOTAL SINGLE DX	169	12.4	30	6	8	11	13	19	25	33
TOTAL MULTIPLE DX	814	18.7	159	8	9	15	22	34	44	79
TOTAL										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	0									
35-49	91	16.7	128	6	8	13	18	31	39	66
50-64	442	17.2	130	8	9	13	19	30	39	66
65 +	448	18.3	158	8	9	14	22	32	43	85
GRAND TOTAL	983	17.6	143	8	9	14	20	32	40	73

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	19.0	228	7	7	18	25	44	44	44
20-34	3	15.0	219	5	5	8	26	32	32	32
35-49	6	6.8	13	1	1	7	9	12	12	12
50-64	13	11.9	384	< 1	1	4	10	38	56	72
65 +	7	8.4	84	1	1	7	9	24	28	28
2. MULTIPLE DX										
0-19 YRS	48	34.4	501	6	10	40	99 +	99 +	99 +	99 +
20-34	50	33.6	917	1	3	22	74	99 +	99 +	99 +
35-49	94	31.1	628	4	5	26	51	92	99 +	99 +
50-64	212	29.4	583	3	5	27	52	94	99 +	99 +
65 +	365	33.3	608	4	6	33	61	99 +	99 +	99 +
TOTAL SINGLE DX	34	11.6	214	1	2	7	12	30	42	72
TOTAL MULTIPLE DX	769	32.1	618	4	6	31	62	99 +	99 +	99 +
TOTAL										
0-19 YRS	53	33.0	492	7	8	37	88	99 +	99 +	99 +
20-34	53	32.5	892	1	4	22	73	99 +	99 +	99 +
35-49	100	29.6	625	3	5	24	48	91	99 +	99 +
50-64	225	28.4	587	2	4	26	50	93	99 +	99 +
65 +	372	32.8	610	4	6	32	61	99 +	99 +	99 +
GRAND TOTAL	803	31.2	617	3	5	29	60	99 +	99 +	99 +

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	167	8.5	150	1	1	5	9	20	34	69
20-34	32	5.7	104	1	1	3	5	11	28	53
35-49	43	5.2	12	1	1	5	8	9	11	14
50-64	53	3.5	17	< 1	1	2	5	9	14	97
65 +	32	8.3	125	1	1	3	10	28	39	42
2. MULTIPLE DX										
0-19 YRS	597	15.6	351	1	1	9	23	54	91	99 +
20-34	210	22.4	575	1	2	12	41	75	99 +	99 +
35-49	263	23.1	460	1	3	19	42	74	99 +	99 +
50-64	582	27.1	598	1	2	23	50	80	99 +	99 +
65 +	807	31.2	554	1	3	31	53	34	99 +	99 +
TOTAL SINGLE DX	327	6.9	107	1	1	4	8	15	27	57
TOTAL MULTIPLE DX	2459	24.8	543	1	2	20	45	76	99 +	99 +
TOTAL										
0-19 YRS	764	14.0	316	1	1	8	20	47	76	99 +
20-34	242	20.2	545	1	1	10	35	69	99	99 +
35-49	306	20.6	436	1	2	14	37	66	99 +	99 +
50-64	635	25.1	593	1	1	20	48	78	99 +	99 +
65 +	839	30.3	558	1	2	30	52	83	99 +	99 +
GRAND TOTAL	2786	22.7	525	1	1	16	42	72	99 +	99 +

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	5.3	23	< 1	1	4	6	13	16	21
20-34	130	6.9	61	< 1	1	5	8	16	22	38
35-49	184	6.1	30	< 1	1	5	9	13	15	25
50-64	343	5.4	23	< 1	1	4	8	12	15	24
65 +	299	6.0	42	< 1	< 1	4	8	14	17	35
2. MULTIPLE DX										
0-19 YRS	92	9.4	140	1	1	5	11	23	29	68
20-34	741	14.7	156	2	3	12	20	29	39	67
35-49	1405	12.7	130	2	3	10	17	26	35	67
50-64	3429	10.9	89	2	3	9	14	22	29	51
65 +	6397	12.3	104	2	3	10	16	24	31	56
TOTAL SINGLE DX	996	5.9	35	< 1	1	4	8	13	16	29
TOTAL MULTIPLE DX	12064	12.1	107	2	3	10	15	24	31	58
TOTAL										
0-19 YRS	132	8.1	108	1	1	5	10	18	25	52
20-34	871	13.6	150	1	2	10	19	28	38	66
35-49	1589	12.0	123	1	2	9	15	24	33	66
50-64	3772	10.4	86	1	2	8	13	21	28	50
65 +	6696	12.1	103	1	3	10	15	23	31	55
GRAND TOTAL	13060	11.6	105	1	2	9	15	23	31	56

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	6.8	14	1	1	7	9	11	11	11
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	10.0	40	< 1	< 1	11	14	16	16	16
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	5	19.8	205	6	6	18	34	36	36	36
50-64	10	7.3	65	1	1	5	8	19	29	29
65 +	10	13.0	132	1	1	12	22	30	31	31
TOTAL SINGLE DX	10	7.8	24	< 1	< 1	8	11	14	16	16
TOTAL MULTIPLE DX	31	10.3	119	1	1	6	14	30	33	36
TOTAL										
0-19 YRS	8	5.6	13	1	1	6	8	10	11	11
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	6	17.2	206	4	4	12	33	36	36	36
50-64	14	8.1	56	< 1	1	6	11	17	26	29
65 +	10	13.0	132	1	1	12	22	30	31	31
GRAND TOTAL	41	9.7	96	1	1	6	12	29	32	36

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	8.0	39	3	4	7	9	12	16	44
20-34	164	7.6	23	1	3	6	9	14	16	24
35-49	264	7.0	26	1	2	6	8	13	16	27
50-64	439	6.9	22	1	1	6	9	11	15	24
65 +	362	6.7	23	< 1	1	6	9	13	15	23
2. MULTIPLE DX										
0-19 YRS	245	14.4	232	4	4	9	16	38	59	99 +
20-34	549	12.7	97	3	4	10	17	24	32	55
35-49	1000	12.4	116	2	4	9	15	24	33	71
50-64	2683	11.3	88	2	3	9	14	22	30	52
65 +	4071	12.2	103	2	3	10	15	24	31	59
TOTAL SINGLE DX	1314	7.0	25	1	1	6	9	12	16	25
TOTAL MULTIPLE DX	8548	12.0	104	2	3	9	15	23	31	60
TOTAL										
0-19 YRS	330	12.7	190	3	4	8	14	29	53	99 +
20-34	713	11.5	85	3	4	9	15	22	29	50
35-49	1264	11.2	102	2	3	8	14	22	30	60
50-64	3122	10.6	81	1	3	8	13	21	28	48
65 +	4433	11.8	100	1	3	9	15	23	30	56
GRAND TOTAL	9862	11.4	96	1	3	9	14	22	30	57

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	9.9	50	3	4	8	11	17	27	35
20-34	15	9.3	35	4	4	8	10	22	23	24
35-49	96	8.3	13	4	5	8	9	11	15	27
50-64	311	9.4	16	5	6	8	11	14	17	26
65 +	203	10.0	14	6	6	9	12	14	17	24
2. MULTIPLE DX										
0-19 YRS	51	23.9	628	5	6	12	50	97	99 +	99 +
20-34	104	14.0	148	6	6	9	16	25	42	67
35-49	328	13.5	129	6	6	10	14	25	44	71
50-64	1618	13.1	62	6	7	11	15	22	28	53
65 +	2024	14.7	88	7	7	12	17	26	34	65
TOTAL SINGLE DX	645	9.4	17	5	6	8	11	14	17	25
TOTAL MULTIPLE DX	4125	14.1	92	6	7	11	16	25	34	68
TOTAL										
0-19 YRS	71	20.0	503	4	5	12	23	79	99 +	99 +
20-34	119	13.4	136	5	6	9	16	24	41	65
35-49	424	12.3	108	5	6	9	13	21	35	62
50-64	1929	12.5	57	6	7	10	14	21	27	49
65 +	2227	14.3	84	6	7	12	17	25	33	61
GRAND TOTAL	4770	13.5	84	6	7	11	15	23	31	62

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	830	2.6	13	< 1	< 1	1	2	5	10	19
20-34	157	5.3	27	< 1	1	4	7	12	15	27
35-49	206	6.3	39	< 1	1	5	8	14	18	32
50-64	330	5.4	26	< 1	< 1	4	8	12	15	24
65 +	248	5.7	29	< 1	< 1	4	8	13	18	27
2. MULTIPLE DX										
0-19 YRS	1409	8.0	130	1	1	4	10	19	29	89
20-34	972	12.2	121	2	2	9	18	25	31	68
35-49	1540	11.7	113	2	2	8	15	24	33	59
50-64	3016	10.9	96	1	2	8	14	22	30	54
65 +	5520	13.0	114	2	3	10	17	26	33	60
TOTAL SINGLE DX	1771	4.3	25	< 1	< 1	2	6	10	14	25
TOTAL MULTIPLE DX	12457	11.7	115	1	2	9	15	24	32	61
TOTAL										
0-19 YRS	2239	6.0	94	< 1	1	2	7	15	22	72
20-34	1129	11.2	114	1	2	8	15	23	30	62
35-49	1746	11.1	107	1	2	8	14	23	31	58
50-64	3346	10.4	92	1	2	8	13	22	29	52
65 +	5768	12.7	113	2	3	10	16	25	33	59
GRAND TOTAL	14228	10.8	110	1	2	8	14	23	31	59

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	4.7	11	1	2	4	6	9	13	14
20-34	104	5.1	12	1	2	4	6	9	12	20
35-49	41	6.2	19	1	2	5	9	12	13	23
50-64	21	6.7	32	1	1	5	9	18	19	20
65 +	21	5.4	30	< 1	1	4	9	15	55	99 +
2. MULTIPLE DX										
0-19 YRS	83	9.8	153	2	2	6	10	18	30	78
20-34	112	9.1	53	2	3	7	12	17	20	41
35-49	110	11.4	90	2	3	9	14	25	32	45
50-64	155	14.5	214	1	3	10	19	33	45	96
65 +	224	14.3	192	2	4	10	17	31	42	87
TOTAL SINGLE DX	221	5.4	17	1	2	4	7	11	14	24
TOTAL MULTIPLE DX	684	12.5	158	2	3	9	15	27	37	71
TOTAL										
0-19 YRS	117	8.3	117	1	2	5	9	15	26	57
20-34	216	7.2	38	1	2	5	9	15	17	34
35-49	151	10.0	76	2	2	8	13	22	28	44
50-64	176	13.6	199	1	3	9	18	31	41	90
65 +	245	13.5	185	2	3	10	16	30	41	92
GRAND TOTAL	905	10.8	133	2	2	7	13	22	33	66

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	439	6.4	66	2	2	5	7	11	14	57
20-34	1439	5.1	10	2	2	4	6	9	11	17
35-49	502	5.5	12	2	2	4	7	10	12	17
50-64	226	6.7	22	2	3	6	8	12	16	25
65 +	196	7.4	34	2	2	6	9	13	17	34
2. MULTIPLE DX										
0-19 YRS	925	14.2	271	2	3	8	16	38	58	99 +
20-34	1643	9.1	83	2	3	6	10	18	26	51
35-49	1398	9.9	90	2	3	7	12	20	27	50
50-64	2261	10.8	88	2	3	8	13	21	30	52
65 +	3681	12.3	96	3	4	10	16	24	32	53
TOTAL SINGLE DX	2802	5.7	23	2	2	5	7	10	12	22
TOTAL MULTIPLE DX	9908	11.3	110	2	3	8	14	23	32	62
TOTAL										
0-19 YRS	1364	11.7	219	2	3	7	13	27	49	99
20-34	3082	7.3	53	2	2	5	8	13	19	41
35-49	1900	8.7	74	2	3	6	10	18	23	44
50-64	2487	10.4	84	2	3	8	13	20	28	51
65 +	3877	12.1	94	3	4	9	16	24	32	53
GRAND TOTAL	12710	10.0	96	2	3	7	12	20	29	57

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	478	5.3	10	1	2	5	6	8	9	14
20-34	286	5.0	20	1	1	4	7	11	14	22
35-49	276	4.9	32	< 1	1	3	7	10	12	27
50-64	258	4.7	19	< 1	1	3	7	10	14	20
65 +	191	5.2	31	< 1	1	3	8	11	17	26
2. MULTIPLE DX										
0-19 YRS	317	10.4	133	2	3	7	11	21	31	78
20-34	510	11.3	126	1	2	8	14	24	31	66
35-49	693	11.2	127	1	1	8	15	25	36	64
50-64	1431	10.9	110	1	1	8	15	23	31	53
65 +	2102	12.2	126	1	2	10	16	26	34	67
TOTAL SINGLE DX	1489	5.0	21	1	1	4	7	9	12	22
TOTAL MULTIPLE DX	5053	11.5	123	1	2	8	15	24	33	63
TOTAL										
0-19 YRS	795	7.3	66	1	2	6	7	13	19	44
20-34	796	9.0	98	1	1	6	[illegible]	19	28	56
35-49	969	9.4	109	1	1	7	12	22	29	55
50-64	1689	9.9	102	1	1	7	14	22	29	49
65 +	2293	11.6	123	1	2	9	16	25	33	65
GRAND TOTAL	6542	10.0	107	1	1	7	13	22	29	56

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	884	7.3	33	2	3	6	8	11	13	25
20-34	99	8.5	42	2	3	8	10	11	15	44
35-49	143	9.7	15	4	6	9	11	15	17	23
50-64	178	10.3	15	5	7	10	12	14	18	24
65 +	140	10.7	27	3	4	10	14	17	20	29
2. MULTIPLE DX										
0-19 YRS	2489	13.0	134	4	5	9	15	25	37	77
20-34	338	13.7	116	6	7	10	15	26	39	50
35-49	798	15.7	181	7	7	11	17	30	45	84
50-64	2002	15.9	130	7	8	12	18	29	41	71
65 +	2978	17.1	138	5	8	14	20	31	41	70
TOTAL SINGLE DX	1444	8.3	31	2	4	7	10	13	16	24
TOTAL MULTIPLE DX	8605	15.4	141	5	7	12	18	29	40	74
TOTAL										
0-19 YRS	3373	11.5	114	3	5	8	13	22	33	73
20-34	437	12.5	104	4	6	9	14	22	35	50
35-49	941	14.8	161	6	7	11	16	27	41	81
50-64	2180	15.4	123	7	8	12	17	28	39	69
65 +	3118	16.8	135	5	8	14	20	31	40	70
GRAND TOTAL	10049	14.3	132	4	6	11	17	27	37	70

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.5	17	1	1	5	9	10	10	10
20-34	13	4.0	9	< 1	< 1	3	7	8	9	9
35-49	239	9.1	8	6	6	8	11	13	14	20
50-64	669	9.8	10	6	7	9	11	13	16	21
65 +	459	11.5	17	7	8	11	13	16	19	29
2. MULTIPLE DX										
0-19 YRS	15	13.1	102	3	4	9	14	31	33	33
20-34	84	13.1	152	3	5	10	14	20	22	78
35-49	3041	11.2	38	6	7	9	12	17	21	36
50-64	12252	12.4	51	7	7	10	14	19	25	44
65 +	12465	15.0	91	7	8	12	17	25	32	64
TOTAL SINGLE DX	1384	10.2	14	6	7	9	12	14	16	22
TOTAL MULTIPLE DX	27857	13.5	70	7	8	11	15	22	28	54
TOTAL										
0-19 YRS	19	11.5	93	2	3	8	13	31	32	33
20-34	97	11.9	143	1	3	9	14	20	22	76
35-49	3280	11.1	36	6	7	9	12	17	21	35
50-64	12921	12.3	49	7	7	10	14	19	24	44
65 +	12924	14.9	90	7	8	12	17	25	32	63
GRAND TOTAL	29241	13.3	68	7	8	11	15	22	28	52

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1321	2.0	7	<1	1	2	2	2	4	12
20-34	519	2.6	6	1	1	2	3	6	8	14
35-49	3571	2.6	6	<1	1	2	3	6	8	12
50-64	6577	2.4	5	<1	1	2	2	5	8	11
65 +	2994	2.5	6	1	1	2	2	6	8	13
2. MULTIPLE DX										
0-19 YRS	3498	2.8	24	<1	1	2	2	5	9	23
20-34	1418	4.5	23	1	1	3	6	10	13	21
35-49	13240	4.0	16	1	1	2	6	9	11	18
50-64	34737	4.1	19	1	1	2	6	10	12	20
65 +	29174	5.3	31	1	1	3	7	12	16	26
TOTAL SINGLE DX	14982	2.4	6	<1	1	2	2	5	8	12
TOTAL MULTIPLE DX	82067	4.5	24	1	1	2	6	10	13	22
TOTAL										
0-19 YRS	4819	2.6	20	<1	1	2	2	4	8	21
20-34	1937	4.0	20	1	1	2	5	9	12	19
35-49	16811	3.7	14	1	1	2	5	9	11	17
50-64	41314	3.9	18	1	1	2	5	9	12	19
65 +	32168	5.0	30	1	1	3	7	11	15	25
GRAND TOTAL	97049	4.2	22	1	1	2	6	10	13	21

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.5	4	1	1	3	4	6	8	9
20-34	52	3.1	4	1	1	3	4	6	7	12
35-49	93	4.5	11	1	1	4	6	8	12	18
50-64	267	4.2	16	1	1	3	5	8	12	20
65 +	1242	3.3	9	1	1	2	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	249	6.3	49	1	2	4	7	13	19	39
20-34	142	7.3	110	1	1	5	7	14	26	51
35-49	449	8.0	42	2	2	6	11	16	20	31
50-64	2425	8.9	60	1	2	7	11	17	22	43
65 +	15781	9.0	65	2	2	7	12	18	23	42
TOTAL SINGLE DX	1729	3.5	11	1	1	3	4	7	10	17
TOTAL MULTIPLE DX	19046	9.0	64	2	2	7	11	18	23	42
TOTAL										
0-19 YRS	324	5.7	41	1	2	4	7	11	16	39
20-34	194	6.2	85	1	1	4	6	12	19	46
35-49	542	7.4	39	1	2	6	10	15	19	30
50-64	2692	8.4	58	1	2	6	11	16	21	39
65 +	17023	8.6	63	1	2	7	11	17	23	41
GRAND TOTAL	20775	8.5	62	1	2	6	11	17	22	41

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	4.5	8	1	1	4	7	8	9	12
20-34	84	5.7	20	1	1	5	7	9	11	30
35-49	787	4.4	10	1	2	3	6	8	10	14
50-64	1789	3.8	6	1	2	3	5	7	9	13
65 +	934	4.3	11	1	2	3	5	8	10	19
2. MULTIPLE DX										
0-19 YRS	326	10.2	133	1	1	7	12	23	37	89
20-34	400	9.2	123	2	2	7	11	16	24	83
35-49	4020	5.7	24	1	2	4	7	11	14	24
50-64	10407	5.7	25	1	2	4	7	11	14	24
65 +	8114	7.0	42	2	2	5	9	13	18	33
TOTAL SINGLE DX	3710	4.1	9	1	2	3	5	8	10	14
TOTAL MULTIPLE DX	23267	6.3	35	1	2	4	8	12	16	29
TOTAL										
0-19 YRS	442	8.7	107	1	1	6	10	19	29	57
20-34	484	8.6	107	1	2	6	10	15	22	80
35-49	4807	5.5	22	1	2	4	7	10	13	24
50-64	12196	5.4	23	1	2	4	7	11	14	23
65 +	9048	6.7	40	2	2	5	9	13	17	31
GRAND TOTAL	26977	6.0	32	1	2	4	8	12	15	28

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1117	2.8	10	<1	1	2	3	5	7	13
20-34	233	3.4	10	<1	<1	2	5	8	9	17
35-49	325	3.4	13	<1	<1	2	5	8	10	20
50-64	383	3.0	10	<1	<1	2	4	7	11	16
65 +	337	3.7	17	<1	<1	2	5	9	11	20
2. MULTIPLE DX										
0-19 YRS	3056	5.3	54	1	1	3	5	11	17	52
20-34	790	9.5	98	1	2	7	12	20	27	54
35-49	1474	9.1	76	1	2	7	12	19	26	46
50-64	3424	8.7	71	1	1	7	11	18	24	42
65 +	9109	11.4	96	2	2	9	15	23	29	51
TOTAL SINGLE DX	2395	3.1	12	<1	1	2	4	7	9	16
TOTAL MULTIPLE DX	17853	9.6	88	1	2	7	13	20	27	50
TOTAL										
0-19 YRS	4173	4.6	44	1	1	3	5	9	15	40
20-34	1023	8.1	85	1	1	5	11	18	25	46
35-49	1799	8.1	70	1	1	6	11	17	24	44
50-64	3807	8.2	68	1	1	6	11	17	23	41
65 +	9446	11.1	96	1	2	9	14	23	29	51
GRAND TOTAL	20248	8.8	83	1	1	6	12	19	26	47

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	2.0	1	<1	1	2	3	3	4	7
20-34	976	2.1	2	1	1	2	3	4	5	7
35-49	1607	2.3	3	1	1	2	3	4	5	8
50-64	988	2.6	4	1	1	2	3	4	6	12
65 +	274	3.2	8	1	1	2	4	5	8	19
2. MULTIPLE DX										
0-19 YRS	20	4.4	15	1	1	3	6	10	13	15
20-34	321	3.3	12	1	1	2	4	6	8	19
35-49	753	3.5	21	1	1	2	4	6	8	21
50-64	701	4.2	15	1	1	3	5	9	12	19
65 +	498	6.1	70	1	1	3	6	14	20	44
TOTAL SINGLE DX	3880	2.4	4	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	2293	4.2	30	1	1	3	4	8	13	27
TOTAL										
0-19 YRS	55	2.9	8	1	1	2	3	6	9	15
20-34	1297	2.4	5	1	1	2	3	4	5	10
35-49	2360	2.7	10	1	1	2	3	4	6	14
50-64	1689	3.2	10	1	1	2	4	6	9	16
65 +	772	5.1	50	1	1	3	5	11	18	34
GRAND TOTAL	6173	3.1	14	1	1	2	3	5	8	18

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	7.7	29	2	3	7	9	13	17	35
20-34	60	4.7	20	<1	1	3	7	10	13	23
35-49	209	6.7	15	1	2	7	9	11	12	21
50-64	629	7.3	15	2	3	7	9	12	13	20
65 +	671	7.8	18	2	2	7	10	13	15	20
2. MULTIPLE DX										
0-19 YRS	528	12.0	124	3	4	9	13	25	36	7[illegible]
20-34	598	10.3	117	1	2	7	13	22	30	63
35-49	1641	10.9	100	1	2	8	13	21	30	57
50-64	5977	12.4	115	3	4	9	15	24	33	65
65 +	10592	15.0	148	4	5	11	18	29	40	74
TOTAL SINGLE DX	1679	7.4	18	1	2	7	9	12	14	21
TOTAL MULTIPLE DX	19336	13.6	135	3	4	10	16	27	37	69
TOTAL										
0-19 YRS	638	11.2	110	3	4	8	12	22	35	70
20-34	658	9.8	111	1	1	7	13	21	29	61
35-49	1850	10.4	92	1	2	8	12	20	28	56
50-64	6606	11.9	108	2	4	9	14	23	32	61
65 +	11263	14.6	144	4	5	11	17	29	38	72
GRAND TOTAL	21015	13.1	129	3	4	10	16	26	36	67

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	10.0	16	6	6	10	13	14	14	14
20-34	0									
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	55	17.5	191	6	7	13	22	30	54	74
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	2	9.0		9	9	9	9	9	9	9
50-64	8	17.3	50	11	11	15	20	29	32	32
65 +	5	11.2	8	9	9	10	13	16	16	16
TOTAL SINGLE DX	4	9.8	11	6	6	9	12	14	14	14
TOTAL MULTIPLE DX	72	16.6	156	6	7	13	20	30	43	72
TOTAL										
0-19 YRS	58	17.1	184	6	7	13	22	30	52	74
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	2	9.0		9	9	9	9	9	9	9
50-64	9	16.3	52	9	10	13	19	28	32	32
65 +	5	11.2	9	9	9	10	13	16	16	16
GRAND TOTAL	76	16.3	151	6	7	13	19	29	40	71

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	9.2	247	1	1	3	13	18	50	66
20-34	19	3.4	27	<1	1	2	3	8	17	23
35-49	18	2.7	5	<1	<1	1	5	7	7	7
50-64	33	3.2	8	<1	<1	2	4	7	9	15
65 +	20	4.7	31	<1	<1	3	5	11	18	24
MULTIPLE DX										
0-19 YRS	170	5.6	42	1	1	3	6	12	15	37
20-34	1252	5.4	36	1	1	4	6	10	15	34
35-49	1663	6.1	50	1	1	4	7	12	17	37
50-64	2883	6.5	47	1	2	5	8	13	18	35
65 +	3670	7.4	58	1	2	5	9	15	21	41
TOTAL SINGLE DX	107	4.4	56	<1	<1	2	5	10	14	42
TOTAL MULTIPLE DX	9638	6.6	51	1	2	4	8	13	19	37
TOTAL										
0-19 YRS	187	5.9	61	1	1	3	7	13	16	42
20-34	1271	5.4	36	1	1	4	6	10	15	34
35-49	1681	6.1	50	1	1	4	7	12	17	37
50-64	2916	6.5	47	1	2	5	8	13	18	35
65 +	3690	7.3	59	1	2	5	9	15	21	41
GRAND TOTAL	9745	6.6	51	1	2	4	8	13	19	37

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1008	5.9	56	1	1	5	6	10	13	53
20-34	480	5.0	28	<1	1	3	6	12	15	25
35-49	682	5.7	38	1	1	4	7	12	18	28
50-64	1824	5.7	30	1	1	4	7	11	14	26
65+	2548	5.9	22	1	2	5	8	11	13	23
2. MULTIPLE DX										
0-19 YRS	6929	17.7	388	2	3	10	24	53	77	99+
20-34	2293	9.2	114	1	1	6	12	21	30	60
35-49	3996	9.5	109	1	1	6	12	22	31	57
50-64	12578	9.5	99	1	2	7	11	20	28	61
65+	26233	10.8	104	2	3	8	13	22	30	59
TOTAL SINGLE DX	6542	5.8	32	1	1	4	7	11	14	27
TOTAL MULTIPLE DX	52029	11.3	149	1	2	8	13	24	36	81
TOTAL										
0-19 YRS	7937	16.2	361	1	2	9	21	49	73	99+
20-34	2773	8.4	102	1	1	5	11	19	28	55
35-49	4678	9.0	101	1	1	6	11	20	29	54
50-64	14402	9.1	92	1	2	6	11	19	27	57
65+	28781	10.4	99	2	3	8	13	21	29	57
GRAND TOTAL	58571	10.6	139	1	2	7	13	23	34	78

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	725	3.5	17	<1	<1	2	4	8	11	21
20-34	424	3.4	14	<1	<1	2	4	8	11	20
35-49	426	2.9	8	<1	1	2	4	6	8	16
50-64	487	3.3	9	<1	1	2	4	7	9	17
65+	375	4.4	28	<1	1	3	6	9	13	21
2. MULTIPLE DX										
0-19 YRS	488	6.6	74	1	1	5	8	13	17	50
20-34	629	7.7	72	1	1	5	10	17	21	38
35-49	878	7.9	86	1	1	5	10	18	28	48
50-64	1498	8.3	80	1	1	6	10	17	24	49
65+	2235	9.4	93	1	2	7	12	20	27	51
TOTAL SINGLE DX	2437	3.5	16	<1	<1	2	4	7	10	19
TOTAL MULTIPLE DX	5728	8.4	86	1	1	6	11	18	25	49
TOTAL										
0-19 YRS	1213	4.7	43	<1	1	3	6	10	14	26
20-34	1053	6.0	54	<1	1	4	8	14	19	31
35-49	1304	6.3	66	<1	1	3	7	15	22	43
50-64	1985	7.1	68	1	1	4	9	15	22	44
65+	2610	8.6	87	1	1	6	11	19	25	50
GRAND TOTAL	8165	7.0	70	<1	1	4	9	16	22	44

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	4.4	20	1	1	3	5	11	14	21
20-34	72	4.7	8	1	1	4	7	8	10	11
35-49	147	3.8	8	1	1	3	5	8	11	14
50-64	268	5.0	39	1	1	4	6	8	11	20
65+	214	4.9	11	1	2	4	6	9	12	17
2. MULTIPLE DX										
0-19 YRS	39	5.7	13	1	1	6	8	10	11	18
20-34	167	6.5	19	1	2	6	8	10	13	19
35-49	327	7.2	58	1	2	5	8	16	22	34
50-64	764	8.1	75	1	2	5	9	17	23	49
65+	1098	8.6	76	2	3	6	10	17	23	58
TOTAL SINGLE DX	733	4.7	21	1	1	4	6	8	11	17
TOTAL MULTIPLE DX	2395	8.1	69	1	2	6	9	16	23	48
TOTAL										
0-19 YRS	71	5.1	17	1	1	4	8	10	12	20
20-34	239	6.0	17	1	2	6	8	10	11	18
35-49	474	6.2	45	1	1	4	8	12	18	31
50-64	1032	7.3	68	1	2	5	8	15	21	46
65+	1312	8.0	68	2	2	6	9	16	22	56
GRAND TOTAL	3128	7.3	60	1	2	5	8	14	20	41

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	4	6.0	17	1	1	6	6	11	11	11
35-49	0									
50-64	2	8.5	85	2	2	8	15	15	15	15
65+	3	7.0	21	2	2	8	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	5	19.2	329	5	5	11	31	48	48	48
20-34	5	7.0	54	1	1	7	10	19	19	19
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	7	7.7	73	1	1	4	11	23	25	25
65+	10	15.5	335	1	1	6	30	45	53	53
TOTAL SINGLE DX	11	6.2	22	1	1	5	10	13	15	15
TOTAL MULTIPLE DX	29	12.2	205	1	1	6	15	35	48	53
TOTAL										
0-19 YRS	7	14.6	284	1	2	6	22	44	48	48
20-34	9	6.6	34	1	1	7	8	16	19	19
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	9	7.9	65	1	1	4	13	21	25	25
65+	13	13.5	269	1	2	7	17	41	51	53
GRAND TOTAL	40	10.5	160	1	1	6	12	28	43	53

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	37.3	180	8	25	36	49	54	54	54
20-34	11	22.6	186	3	3	25	31	40	41	41
35-49	7	20.9	223	3	3	25	30	40	43	43
50-64	2	29.0	18	26	26	29	32	32	32	32
65 +	0									
2. MULTIPLE DX										
0-19 YRS	87	47.1	267	28	31	44	57	84	89	99 +
20-34	69	38.2	252	14	24	36	43	62	69	86
35-49	49	37.3	390	3	6	36	47	59	76	99
50-64	7	43.4	170	24	26	42	56	59	59	59
65 +	0									
TOTAL SINGLE DX	36	29.1	226	3	3	30	39	51	53	54
TOTAL MULTIPLE DX	212	41.8	305	16	25	39	51	69	84	99 +
TOTAL										
0-19 YRS	103	45.6	265	26	30	43	54	82	88	99 +
20-34	80	36.0	270	3	21	35	43	53	68	85
35-49	56	35.2	395	3	4	35	43	58	74	98
50-64	9	40.2	171	24	25	36	53	58	59	59
65 +	0									
GRAND TOTAL	248	40.0	313	4	23	38	49	66	83	99 +

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1173	5.4	26	1	1	4	7	10	13	30
20-34	564	6.0	23	2	2	5	7	10	13	31
35-49	373	6.9	54	1	2	5	7	13	21	41
50-64	329	7.1	43	2	2	5	8	14	19	35
65 +	316	7.4	39	1	2	6	9	15	20	31
2. MULTIPLE DX										
0-19 YRS	1775	9.7	108	1	2	7	11	20	29	60
20-34	1783	11.8	152	2	3	8	13	25	38	73
35-49	1972	12.2	142	2	3	8	15	28	36	65
50-64	3357	11.8	113	2	3	9	14	25	32	57
65 +	9160	12.1	106	3	4	9	15	24	32	57
TOTAL SINGLE DX	2755	6.2	34	1	2	5	7	11	16	32
TOTAL MULTIPLE DX	18047	11.8	117	2	3	9	14	24	33	59
TOTAL										
0-19 YRS	2948	8.0	80	1	2	6	9	16	25	51
20-34	2347	10.4	127	2	3	7	11	22	34	69
35-49	2345	11.4	132	2	3	8	14	26	35	62
50-64	3686	11.4	109	2	3	8	14	24	32	57
65 +	9476	12.0	105	3	4	9	15	23	32	56
GRAND TOTAL	20802	11.1	110	2	3	8	13	23	31	57

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	534	8.0	99	1	1	5	10	18	27	57
20-34	265	9.3	90	1	1	6	12	21	31	45
35-49	184	8.1	95	< 1	1	5	10	19	26	51
50-64	166	7.5	115	< 1	1	4	9	17	25	67
65 +	127	7.9	72	1	1	5	11	21	27	41
2. MULTIPLE DX										
0-19 YRS	1839	16.2	303	1	2	10	23	43	61	99 +
20-34	1597	13.9	173	2	2	10	18	31	42	73
35-49	2392	12.1	142	1	2	9	16	27	37	64
50-64	3724	12.1	149	1	2	8	16	27	37	65
65 +	5236	14.3	159	2	3	11	19	31	40	68
TOTAL SINGLE DX	1276	8.2	96	1	1	5	11	19	27	51
TOTAL MULTIPLE DX	14788	13.6	176	1	2	10	18	30	41	76
TOTAL										
0-19 YRS	2373	14.4	269	1	2	9	19	39	56	99 +
20-34	1862	13.2	164	1	2	9	17	30	40	71
35-49	2576	11.8	140	1	2	8	15	26	36	62
50-64	3890	11.9	149	1	2	8	16	27	36	66
65 +	5363	14.1	158	2	3	11	19	30	40	67
GRAND TOTAL	16064	13.2	171	1	2	9	17	30	40	74

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	213	3.4	24	< 1	1	2	3	9	12	21
20-34	73	4.4	16	1	1	4	7	8	13	20
35-49	137	4.7	16	1	1	3	7	10	14	17
50-64	189	5.6	65	< 1	1	4	7	11	16	51
65 +	187	5.3	24	< 1	1	4	7	11	15	21
2. MULTIPLE DX										
0-19 YRS	481	7.2	104	1	1	3	9	19	30	56
20-34	425	7.9	60	1	1	5	10	17	25	48
35-49	1016	8.3	79	1	2	6	10	17	24	59
50-64	1916	9.3	108	1	2	6	11	21	29	59
65 +	3790	10.3	108	1	2	7	13	21	30	60
TOTAL SINGLE DX	799	4.7	33	< 1	1	3	6	10	14	21
TOTAL MULTIPLE DX	7628	9.5	103	1	2	6	12	20	29	59
TOTAL										
0-19 YRS	694	6.0	83	1	1	2	7	15	26	51
20-34	498	7.4	56	1	1	5	10	16	24	44
35-49	1153	7.8	73	1	1	6	9	16	22	53
50-64	2105	9.0	106	1	1	6	11	20	28	58
65 +	3977	10.1	106	1	2	7	12	21	30	59
GRAND TOTAL	8427	9.0	98	1	1	6	11	20	27	58

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1688	3.2	1	2	2	3	4	5	5	7
20-34	13	5.8	8	1	3	5	8	10	11	11
35-49	7	5.0	15	1	1	4	6	12	13	13
50-64	4	8.8	7	5	5	9	10	11	11	11
65 +	8	8.9	7	5	5	9	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	632	4.9	29	2	2	4	5	7	10	32
20-34	32	9.5	59	3	5	7	11	15	19	46
35-49	41	11.5	32	4	5	11	14	20	23	27
50-64	50	14.1	119	7	7	11	14	21	34	70
65 +	137	16.8	133	6	7	13	20	34	40	76
TOTAL SINGLE DX	1720	3.2	2	2	2	3	4	5	6	9
TOTAL MULTIPLE DX	892	7.7	72	2	3	5	9	15	23	50
TOTAL										
0-19 YRS	2320	3.6	10	2	2	3	4	5	7	11
20-34	45	8.4	47	2	4	7	10	12	17	46
35-49	48	10.5	35	2	4	10	14	18	22	27
50-64	54	13.7	113	6	7	11	14	21	32	69
65 +	145	16.3	130	6	7	13	19	32	39	74
GRAND TOTAL	2612	4.8	31	2	2	3	5	9	13	31

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	10.1	164	1	2	6	11	24	37	60
20-34	8	9.8	32	1	2	10	12	18	20	20
35-49	17	14.5	320	2	3	10	17	28	60	77
50-64	25	9.6	107	1	1	5	11	25	32	40
65 +	60	11.3	219	1	1	6	16	26	33	86
2. MULTIPLE DX										
0-19 YRS	365	17.3	336	2	3	12	25	45	74	99 +
20-34	125	19.6	484	3	4	13	26	78	95	99 +
35-49	228	18.1	288	2	3	13	26	46	64	99 +
50-64	642	18.1	273	2	3	14	25	43	68	99 +
65 +	4542	19.5	285	3	4	15	26	45	65	99 +
TOTAL SINGLE DX	135	11.1	188	1	1	6	15	25	32	79
TOTAL MULTIPLE DX	5902	19.2	292	2	4	15	26	45	67	99 +
TOTAL										
0-19 YRS	390	16.9	328	2	3	11	24	44	73	99 +
20-34	133	19.0	462	3	4	12	24	75	95	99 +
35-49	245	17.9	291	2	3	12	25	45	65	99 +
50-64	667	17.8	270	2	3	13	24	42	68	99 +
65 +	4602	19.4	286	3	4	15	26	45	65	99 +
GRAND TOTAL	6037	19.0	291	2	4	14	25	45	67	99 +

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	5.8	34	<1	1	4	7	11	23	25
20-34	101	4.6	8	<1	1	4	6	8	10	15
35-49	157	5.0	12	1	2	4	6	9	11	14
50-64	165	5.2	27	<1	1	4	6	9	10	15
65 +	188	5.2	12	<1	1	5	7	9	12	16
2. MULTIPLE DX										
0-19 YRS	94	7.4	56	1	2	5	9	17	30	72
20-34	562	6.9	41	2	2	5	8	12	16	39
35-49	1179	6.9	35	2	2	5	8	12	17	33
50-64	2222	7.8	51	2	3	6	9	14	21	42
65 +	6117	9.4	59	2	3	7	11	18	23	43
TOTAL SINGLE DX	644	5.1	17	<1	1	4	6	9	11	16
TOTAL MULTIPLE DX	10174	8.6	55	2	3	7	10	16	22	42
TOTAL										
0-19 YRS	127	7.0	51	1	1	5	8	15	25	52
20-34	663	6.6	37	1	2	5	8	11	15	37
35-49	1336	6.7	33	2	2	5	8	12	16	31
50-64	2387	7.6	50	2	2	6	9	14	20	42
65 +	6305	9.3	59	2	3	7	11	17	23	43
GRAND TOTAL	10818	8.4	54	2	3	6	10	16	22	41

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	8.9	82	1	1	8	9	24	28	28
20-34	82	8.9	20	3	4	8	11	15	18	26
35-49	165	9.8	17	5	6	9	11	15	18	27
50-64	177	10.5	26	6	7	9	12	16	18	34
65 +	140	11.8	30	7	7	10	13	19	22	33
2. MULTIPLE DX										
0-19 YRS	13	15.8	118	5	6	13	17	35	41	43
20-34	170	13.3	95	5	6	11	15	26	30	70
35-49	585	13.9	95	6	7	11	16	24	30	54
50-64	1019	16.2	144	7	8	12	18	29	40	74
65 +	2093	19.2	169	8	9	15	22	35	48	80
TOTAL SINGLE DX	571	10.4	26	5	6	9	12	16	20	30
TOTAL MULTIPLE DX	3880	17.3	153	7	8	14	20	31	43	75
TOTAL										
0-19 YRS	20	13.4	112	1	3	10	16	30	38	43
20-34	252	11.9	75	4	6	10	14	21	28	64
35-49	750	13.0	81	6	7	10	15	22	28	51
50-64	1196	15.4	131	7	7	12	17	28	39	71
65 +	2233	18.7	164	7	8	15	22	34	47	79
GRAND TOTAL	4451	16.4	142	7	7	13	19	30	40	73

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	1	18.0		18	18	18	18	18	18	18
35-49	11	12.5	9	8	9	12	15	17	18	18
50-64	27	12.0	7	7	8	12	14	16	25	99 +
65 +	21	14.7	36	7	8	14	17	22	27	33
2. MULTIPLE DX										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	7	12.1	9	8	8	12	15	16	16	16
35-49	80	21.6	239	9	10	16	24	40	62	72
50-64	253	20.5	200	9	10	16	24	39	50	85
65 +	386	22.4	185	9	10	19	28	41	50	79
TOTAL SINGLE DX	60	13.1	19	7	8	13	15	19	22	93
TOTAL MULTIPLE DX	728	21.5	196	9	10	17	26	40	50	79
TOTAL										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	8	12.9	13	8	8	12	16	17	18	18
35-49	91	20.5	220	9	10	15	21	39	61	72
50-64	280	19.7	188	8	10	15	23	36	50	92
65 +	407	22.0	181	9	10	18	27	40	50	79
GRAND TOTAL	788	20.9	187	9	10	16	26	39	50	79

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	7.7	5	5	5	7	9	11	12	12
20-34	62	7.7	9	4	5	7	9	13	14	16
35-49	142	8.3	11	5	5	8	9	13	14	20
50-64	95	9.3	14	5	5	8	11	15	16	23
65 +	35	10.9	23	7	7	10	11	14	24	29
2. MULTIPLE DX										
0-19 YRS	7	15.1	158	6	6	11	17	37	42	42
20-34	129	10.0	32	4	5	9	11	16	20	35
35-49	279	11.8	83	5	6	9	13	19	26	6[illegible]
50-64	360	12.9	55	5	6	11	15	22	27	40
65 +	514	18.1	157	7	8	14	22	34	48	78
TOTAL SINGLE DX	343	8.7	14	5	5	8	10	13	15	25
TOTAL MULTIPLE DX	1289	14.5	110	6	7	11	17	26	35	63
TOTAL										
0-19 YRS	16	10.9	81	5	5	9	11	18	35	42
20-34	191	9.3	26	4	5	8	10	15	17	33
35-49	421	10.6	62	5	6	8	12	17	21	57
50-64	455	12.1	49	5	6	10	15	21	26	37
65 +	549	17.7	152	7	8	14	21	32	46	77
GRAND TOTAL	1632	13.3	95	5	6	10	15	24	31	58

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	244	7.5	58	2	3	6	8	12	19	36
20-34	540	6.5	19	3	4	6	7	9	10	16
35-49	579	6.8	15	3	4	6	8	9	11	16
50-64	258	8.1	9	5	5	8	9	12	14	19
65 +	198	9.9	26	5	5	9	11	16	21	32
2. MULTIPLE DX										
0-19 YRS	1087	16.9	247	3	5	12	23	42	68	99 +
20-34	1228	8.3	51	4	4	7	8	13	20	52
35-49	2118	9.4	70	4	5	7	10	16	23	51
50-64	1610	12.4	106	5	5	9	14	23	32	69
65 +	2545	17.4	181	6	7	13	20	33	47	84
TOTAL SINGLE DX	1819	7.3	24	3	4	7	8	11	13	25
TOTAL MULTIPLE DX	8588	13.1	144	4	5	9	15	26	38	84
TOTAL										
0-19 YRS	1331	15.2	226	3	4	10	20	37	59	99 +
20-34	1768	7.8	43	3	4	6	8	11	17	41
35-49	2697	8.8	60	4	5	7	9	14	21	47
50-64	1868	11.8	96	5	5	9	13	22	30	64
65 +	2743	16.9	174	6	7	13	20	33	45	82
GRAND TOTAL	10407	12.1	128	4	5	8	14	24	35	79

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	266	4.7	15	1	1	4	6	9	12	20
20-34	358	5.4	12	1	2	5	7	9	12	21
35-49	322	5.1	12	< 1	< 1	5	7	9	11	19
50-64	391	4.2	15	< 1	< 1	3	6	9	12	18
65 +	366	4.5	28	< 1	< 1	3	7	9	11	22
2. MULTIPLE DX										
0-19 YRS	532	7.7	86	1	2	5	9	17	25	71
20-34	1027	7.4	43	2	2	6	9	14	19	38
35-49	1560	7.5	50	1	2	6	9	14	19	41
50-64	3188	7.9	51	1	2	6	9	15	20	37
65 +	8747	9.6	75	1	2	7	12	19	26	48
TOTAL SINGLE DX	1703	4.8	17	< 1	< 1	4	6	9	12	20
TOTAL MULTIPLE DX	15054	8.8	67	1	2	7	11	17	24	44
TOTAL										
0-19 YRS	798	6.7	65	1	2	5	7	14	20	45
20-34	1385	6.9	36	1	2	5	8	13	18	33
35-49	1882	7.1	45	1	2	5	8	13	18	38
50-64	3579	7.5	49	1	2	6	9	15	19	35
65 +	9113	9.4	74	1	2	7	12	19	25	48
GRAND TOTAL	16757	8.4	63	1	2	6	10	17	23	42

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	7.8	14	4	5	7	9	11	14	26
20-34	102	10.0	40	5	5	8	10	17	22	39
35-49	118	9.8	24	5	6	8	12	14	22	29
50-64	101	10.8	48	5	6	9	12	16	21	46
65 +	105	10.7	20	5	6	10	13	17	19	27
2. MULTIPLE DX										
0-19 YRS	350	19.1	452	5	6	11	25	80	99 +	99 +
20-34	523	13.5	109	5	6	9	16	27	41	56
35-49	701	15.2	159	6	6	11	17	29	43	82
50-64	1082	18.1	201	6	7	13	21	37	52	89
65 +	2521	18.4	157	7	8	15	22	35	46	82
TOTAL SINGLE DX	505	9.9	31	5	5	9	11	16	20	30
TOTAL MULTIPLE DX	5177	17.5	185	6	7	13	21	35	49	97
TOTAL										
0-19 YRS	429	17.1	390	5	6	10	19	65	94	99 +
20-34	625	13.0	100	5	6	9	14	25	39	56
35-49	819	14.4	143	5	6	10	16	28	41	76
50-64	1183	17.5	192	6	7	13	21	35	50	85
65 +	2626	18.1	155	7	8	14	22	34	46	81
GRAND TOTAL	5682	16.8	176	6	7	12	20	34	47	92

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	137	9.2	31	3	4	8	10	15	19	31
20-34	294	9.4	18	5	6	9	11	15	18	27
35-49	594	9.5	20	5	6	9	10	13	17	32
50-64	1232	9.3	13	6	6	9	10	13	16	23
65 +	1450	10.2	19	6	7	9	11	15	18	27
2. MULTIPLE DX										
0-19 YRS	339	17.0	252	5	6	10	21	42	56	99 +
20-34	965	13.1	90	5	6	10	15	22	30	58
35-49	2195	12.7	68	6	7	10	15	21	28	51
50-64	6661	13.2	80	6	7	10	15	22	30	57
65 +	17890	15.4	102	7	8	12	18	27	35	65
TOTAL SINGLE DX	3707	9.7	18	6	6	9	11	14	17	27
TOTAL MULTIPLE DX	28050	14.6	97	7	7	12	17	25	34	62
TOTAL										
0-19 YRS	476	14.8	202	4	5	10	17	34	52	97
20-34	1259	12.2	76	5	6	10	14	21	28	54
35-49	2789	12.1	60	6	7	10	14	20	26	47
50-64	7893	12.6	72	6	7	10	14	20	28	54
65 +	19340	15.0	98	7	8	12	17	26	34	63
GRAND TOTAL	31757	14.0	90	6	7	11	16	24	32	59

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	8.2	34	3	3	7	9	16	22	31
20-34	16	7.3	21	2	2	6	9	15	16	16
35-49	34	9.9	18	6	6	9	11	16	18	27
50-64	44	7.8	13	5	5	7	8	10	17	21
65 +	44	10.1	30	5	6	9	11	18	24	29
2. MULTIPLE DX										
0-19 YRS	103	16.4	340	4	5	10	16	43	63	95
20-34	60	13.7	168	3	3	10	15	32	44	58
35-49	146	14.6	124	4	6	11	18	27	45	99 +
50-64	317	15.8	124	6	7	12	19	30	39	61
65 +	855	17.8	171	7	8	14	21	32	42	84
TOTAL SINGLE DX	172	8.8	24	3	5	8	10	15	18	29
TOTAL MULTIPLE DX	1481	16.8	170	6	7	13	20	31	43	88
TOTAL										
0-19 YRS	137	14.4	276	3	4	8	15	33	57	92
20-34	76	12.3	144	2	3	8	14	27	40	58
35-49	180	13.7	108	4	6	10	17	26	43	89
50-64	361	14.8	118	5	6	11	18	28	37	57
65 +	899	17.4	167	6	8	14	21	31	41	83
GRAND TOTAL	1653	16.0	160	5	6	12	19	30	42	84

1,228 Hospitals, United States, January-December 1987, by Operation

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	515	5.9	9	2	3	6	8	10	11	16
20-34	278	7.2	8	3	4	7	9	11	13	15
35-49	342	7.7	10	3	4	8	9	11	12	19
50-64	355	8.0	26	3	4	8	9	11	12	22
65+	390	7.9	15	2	3	8	10	12	14	21
2. MULTIPLE DX										
0-19 YRS	939	11.0	125	3	4	8	12	23	38	99+
20-34	742	10.9	78	4	5	8	12	20	28	53
35-49	1049	11.5	86	4	5	9	12	21	29	54
50-64	1691	12.3	96	4	6	9	13	23	33	59
65+	3256	13.5	107	4	6	10	16	25	34	62
TOTAL SINCLE DX	1880	7.2	15	2	3	7	9	11	12	18
TOTAL MULTIPLE DX	7677	12.4	102	4	5	9	14	23	33	63
TOTAL										
0-19 YRS	1454	9.2	90	3	3	7	10	16	28	97
20-34	1020	9.9	62	4	5	8	10	16	24	43
35-49	1391	10.6	71	4	5	8	11	18	26	50
50-64	2046	11.6	87	4	5	9	12	21	30	55
65+	3646	12.9	100	4	5	10	15	24	33	59
GRAND TOTAL	9557	11.4	89	4	5	9	13	21	30	59

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	9.4	36	4	5	8	11	17	21	33
20-34	26	9.6	39	2	5	8	10	23	26	26
35-49	32	8.3	41	1	2	7	10	14	19	35
50-64	45	9.0	30	1	3	8	11	15	18	31
65+	50	11.9	49	4	5	10	14	20	29	37
2. MULTIPLE DX										
0-19 YRS	150	17.5	213	4	6	13	24	42	56	99+
20-34	134	19.6	404	4	6	13	22	63	92	99+
35-49	230	18.9	219	5	7	14	25	38	58	87
50-64	562	18.7	222	6	7	14	23	35	56	93
65+	1615	19.3	181	6	8	16	24	38	51	99+
TOTAL SINGLE DX	228	9.7	40	2	4	8	11	17	22	34
TOTAL MULTIPLE DX	2691	19.1	206	6	7	15	24	39	55	99+
TOTAL										
0-19 YRS	225	14.8	169	4	5	10	20	35	52	99+
20-34	160	18.0	358	4	5	11	21	58	80	99+
35-49	262	17.6	209	4	6	13	23	35	51	83
50-64	607	18.0	215	5	7	14	22	34	55	92
65+	1665	19.1	179	6	8	16	24	37	50	99+
GRAND TOTAL	2919	18.3	199	5	7	14	23	37	52	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16754	3.5	4	2	2	3	4	6	8	11
20-34	11733	3.5	3	2	2	3	4	6	7	10
35-49	4512	4.1	5	2	2	4	5	7	9	12
50-64	1727	5.0	7	2	2	4	6	8	10	13
65+	599	5.8	9	2	3	5	7	10	11	18
2. MULTIPLE DX										
0-19 YRS	5471	5.7	20	2	2	4	7	10	14	24
20-34	4795	5.3	12	2	2	4	6	9	12	19
35-49	2656	6.7	19	2	3	6	8	12	15	21
50-64	2086	8.3	34	3	3	7	10	14	18	31
65+	1794	10.3	60	3	4	9	12	18	22	43
TOTAL SINGLE DX	35325	3.7	5	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	16802	6.6	27	2	3	5	8	12	16	26
TOTAL										
0-19 YRS	22225	4.1	9	2	2	3	5	7	9	16
20-34	16528	4.0	7	2	2	3	5	7	9	14
35-49	7168	5.1	12	2	2	4	6	9	11	18
50-64	3813	6.8	25	2	3	6	8	12	15	25
65+	2393	9.2	52	3	3	8	11	16	20	37
GRAND TOTAL	52127	4.6	13	2	2	4	5	6	11	19

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	134	4.0	8	2	2	3	5	6	8	19
20-34	84	4.0	4	2	2	3	5	7	8	12
35-49	23	4.0	1	2	2	4	5	6	7	7
50-64	10	6.4	9	3	3	6	9	11	11	11
65+	4	3.5	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	74	5.3	18	2	2	4	6	7	14	26
20-34	85	6.7	34	3	3	5	7	11	16	38
35-49	41	6.2	12	2	3	5	7	11	13	18
50-64	27	10.9	72	3	3	9	12	22	30	41
65+	17	8.9	16	4	5	10	12	15	15	15
TOTAL SINGLE DX	255	4.1	7	2	2	3	5	7	9	16
TOTAL MULTIPLE DX	244	6.8	31	2	3	5	7	12	16	29
TOTAL										
0-19 YRS	208	4.5	13	2	2	4	5	7	9	21
20-34	169	5.3	21	2	2	4	6	9	11	26
35-49	64	5.4	10	2	3	5	6	9	12	18
50-64	37	9.7	59	3	3	8	11	17	26	41
65+	21	7.9	18	2	3	6	12	14	15	15
GRAND TOTAL	499	5.4	21	2	2	4	6	10	13	25

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	7.7	12	2	4	7	10	12	14	18
20-34	40	7.3	12	2	3	7	9	12	14	18
35-49	26	8.1	6	4	4	8	9	11	13	14
50-64	9	9.8	26	4	5	9	11	18	22	22
65+	4	9.8	7	6	6	10	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	45	8.6	20	2	4	8	11	14	18	23
20-34	25	10.9	46	3	4	9	12	19	27	33
35-49	28	12.8	66	4	5	11	15	25	32	37
50-64	29	11.5	23	5	6	10	15	18	20	22
65+	20	15.1	60	7	8	12	19	26	31	36
TOTAL SINGLE DX	112	7.9	12	3	4	8	10	12	14	20
TOTAL MULTIPLE DX	147	11.3	43	3	4	10	14	19	25	36
TOTAL										
0-19 YRS	78	8.2	17	2	4	8	11	13	17	22
20-34	65	8.6	28	2	3	7	11	14	18	32
35-49	54	10.5	42	4	5	9	12	17	25	37
50-64	38	11.1	24	4	6	10	14	18	21	22
65+	24	14.2	55	6	8	11	17	25	30	36
GRAND TOTAL	259	9.8	32	3	4	9	11	17	21	33

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	3.4	7	<1	1	2	5	8	9	12
20-34	74	3.6	15	<1	1	2	4	8	15	18
35-49	101	3.1	7	<1	<1	2	4	7	9	13
50-64	198	3.1	13	<1	1	2	3	5	9	21
65+	341	3.0	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	205	8.2	144	1	1	4	8	19	31	74
20-34	150	5.5	44	1	1	4	6	11	16	35
35-49	242	6.0	39	1	1	4	7	12	17	38
50-64	532	6.6	42	1	1	4	9	15	19	29
65+	1757	7.9	75	1	2	5	10	17	24	54
TOTAL SINGLE DX	852	3.1	9	<1	1	2	4	6	9	15
TOTAL MULTIPLE DX	2886	7.4	71	1	1	5	9	16	22	49
TOTAL										
0-19 YRS	343	6.3	95	1	1	3	7	12	21	54
20-34	224	4.8	36	1	1	3	6	10	15	31
35-49	343	5.1	32	1	1	4	6	11	16	30
50-64	730	5.7	38	1	1	4	7	14	18	28
65+	2098	7.1	68	1	1	5	9	15	22	49
GRAND TOTAL	3738	6.4	60	1	1	4	8	14	20	41

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	2.7	4	1	1	2	3	5	7	12
20-34	466	2.6	3	1	1	2	3	5	6	11
35-49	419	2.4	2	1	1	2	3	5	5	9
50-64	230	2.9	3	1	1	3	4	5	6	10
65+	64	3.9	9	1	1	3	5	7	10	15
2. MULTIPLE DX										
0-19 YRS	89	5.0	24	1	1	4	6	11	15	27
20-34	435	4.5	48	1	1	3	5	9	12	25
35-49	541	4.6	28	1	1	3	5	10	15	32
50-64	455	5.7	36	1	1	4	7	12	16	27
65+	344	8.6	95	1	2	6	10	18	29	60
TOTAL SINGLE DX	1279	2.7	4	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	1864	5.6	50	1	1	4	6	11	17	37
TOTAL										
0-19 YRS	189	3.8	16	1	1	3	4	8	11	19
20-34	901	3.5	26	1	1	2	4	7	9	20
35-49	960	3.6	19	1	1	3	4	7	11	23
50-64	685	4.8	27	1	1	3	6	10	13	24
65+	408	7.9	85	1	2	5	9	16	26	58
GRAND TOTAL	3143	4.4	33	1	1	3	5	9	13	30

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	9.1	18	4	6	9	10	14	15	25
20-34	58	9.8	32	2	5	9	11	15	20	33
35-49	137	9.6	19	3	6	9	11	13	16	32
50-64	284	10.2	11	6	7	10	12	15	16	22
65+	372	11.5	27	6	7	11	13	17	21	30
2. MULTIPLE DX										
0-19 YRS	197	11.0	38	5	6	9	12	18	24	36
20-34	166	14.7	107	6	7	12	18	24	30	54
35-49	455	13.5	66	7	7	11	15	23	31	51
50-64	1566	14.1	69	7	8	12	16	22	29	56
65+	3805	16.8	121	7	9	14	19	29	39	76
TOTAL SINGLE DX	972	10.5	22	5	6	10	12	15	18	28
TOTAL MULTIPLE DX	6189	15.6	103	7	8	13	18	27	35	66
TOTAL										
0-19 YRS	318	10.3	32	5	6	9	11	16	20	35
20-34	224	13.4	92	6	6	11	16	23	28	53
35-49	592	12.6	59	6	7	10	14	21	29	46
50-64	1850	13.5	62	7	8	11	15	22	27	50
65+	4177	16.3	115	7	8	13	19	28	38	73
GRAND TOTAL	7161	14.9	96	7	8	12	17	25	33	63

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	728	3.3	8	1	1	2	4	7	8	14
20-34	1728	4.1	9	1	1	3	5	8	9	17
35-49	1849	4.2	13	1	1	4	5	7	9	16
50-64	1610	4.4	9	1	1	4	5	8	10	16
65 +	1374	4.9	18	< 1	1	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	1769	6.2	75	1	1	4	7	12	19	62
20-34	7157	6.1	38	1	2	4	7	11	16	33
35-49	11605	6.3	34	1	2	5	7	12	16	31
50-64	16954	7.0	45	2	2	5	8	13	18	35
65 +	38833	8.6	60	2	3	6	10	16	22	43
TOTAL SINGLE DX	7289	4.3	13	1	1	4	5	8	10	17
TOTAL MULTIPLE DX	76318	7.6	52	2	2	6	9	15	20	39
TOTAL										
0-19 YRS	2497	5.3	58	1	1	3	6	10	16	49
20-34	8885	5.7	33	1	2	4	7	10	15	30
35-49	13454	6.0	32	1	2	5	7	11	15	29
50-64	18564	6.8	43	2	2	5	8	13	17	35
65 +	40207	8.4	59	2	3	6	10	16	22	42
GRAND TOTAL	**83607**	**7.3**	**50**	**2**	**2**	**5**	**9**	**14**	**19**	**38**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	1.7	1	< 1	< 1	1	2	3	4	6
20-34	485	2.2	3	1	1	2	3	4	5	8
35-49	595	2.0	2	1	1	2	3	4	4	6
50-64	300	1.9	1	< 1	1	2	2	3	4	6
65 +	92	2.1	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	43	2.8	7	< 1	1	2	4	5	7	16
20-34	439	2.7	5	1	1	2	3	5	7	13
35-49	713	2.8	6	1	1	2	3	5	7	11
50-64	586	3.0	8	1	1	2	4	5	7	13
65 +	313	4.1	19	1	1	3	4	8	13	26
TOTAL SINGLE DX	1530	2.0	2	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	2094	3.0	9	1	1	2	4	5	8	15
TOTAL										
0-19 YRS	101	2.2	4	< 1	1	1	3	4	5	12
20-34	924	2.4	4	1	1	2	3	4	5	12
35-49	1308	2.4	4	1	1	2	3	4	6	10
50-64	886	2.7	6	1	1	2	3	5	6	12
65 +	405	3.6	16	1	1	2	4	7	12	23
GRAND TOTAL	**3624**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	1.8	1	< 1	< 1	1	2	3	4	7
20-34	290	1.8	1	< 1	1	1	2	3	4	7
35-49	203	1.8	1	< 1	< 1	1	2	3	4	6
50-64	107	2.3	2	< 1	1	2	3	4	5	10
65 +	78	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	38	4.8	37	1	1	3	5	12	17	32
20-34	452	2.6	8	1	1	2	3	4	6	10
35-49	666	2.8	8	1	1	2	4	5	6	16
50-64	485	3.2	12	1	1	2	4	6	8	18
65 +	462	5.0	47	1	1	3	5	10	14	35
TOTAL SINGLE DX	707	1.9	2	< 1	1	1	2	3	4	8
TOTAL MULTIPLE DX	2103	3.4	19	1	1	2	4	6	9	20
TOTAL										
0-19 YRS	67	3.5	24	< 1	1	2	4	7	13	30
20-34	742	2.3	6	< 1	1	2	3	4	5	9
35-49	869	2.6	7	1	1	2	3	5	6	15
50-64	592	3.1	11	1	1	2	4	5	8	14
65 +	540	4.6	42	1	1	3	5	9	13	35
GRAND TOTAL	**2810**	**3.0**	**15**	**1**	**1**	**2**	**3**	**5**	**8**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.9	3	< 1	< 1	2	4	5	7	8
20-34	499	2.9	4	1	1	2	4	5	6	9
35-49	827	2.8	2	1	1	2	4	5	6	9
50-64	475	2.8	3	1	1	3	3	5	5	9
65 +	192	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
0-19 YRS	53	2.3	1	1	1	2	3	4	5	5
20-34	2376	3.2	9	1	1	3	4	5	6	12
35-49	4559	3.2	4	1	1	3	4	5	7	11
50-64	3579	3.6	11	1	1	3	4	6	8	17
65 +	2238	4.6	22	1	1	3	5	9	12	24
TOTAL SINGLE DX	2012	2.8	3	1	1	2	4	5	6	9
TOTAL MULTIPLE DX	12805	3.5	11	1	1	3	4	6	8	16
TOTAL										
0-19 YRS	72	2.4	2	1	1	2	3	4	5	7
20-34	2875	3.1	8	1	1	3	4	5	6	11
35-49	5386	3.1	5	1	1	3	4	5	6	10
50-64	4054	3.5	10	1	1	3	4	6	8	16
65 +	2430	4.5	21	1	1	3	5	8	11	23
GRAND TOTAL	**14817**	**3.4**	**10**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	186	3.2	5	< 1	1	3	4	7	8	10
20-34	489	2.6	3	1	1	2	3	5	7	9
35-49	486	2.7	4	1	1	2	3	5	7	11
50-64	242	2.9	5	1	1	2	4	6	8	13
65 +	140	3.4	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	250	6.0	24	1	1	5	7	14	15	34
20-34	543	3.7	11	1	1	3	4	7	10	19
35-49	746	4.4	34	1	1	3	5	8	12	29
50-64	592	5.2	56	1	1	3	6	10	15	38
65 +	625	6.9	76	1	1	4	8	15	22	46
TOTAL SINGLE DX	1543	2.8	5	1	1	2	4	6	7	11
TOTAL MULTIPLE DX	2756	5.1	44	1	1	3	6	10	15	37
TOTAL										
0-19 YRS	436	4.8	18	1	1	4	6	10	14	27
20-34	1032	3.2	8	1	1	2	4	6	8	15
35-49	1232	3.7	23	1	1	3	4	7	10	23
50-64	834	4.5	43	1	1	3	5	9	13	35
65 +	765	6.3	65	1	1	4	7	13	19	45
GRAND TOTAL	**4299**	**4.3**	**31**	**1**	**1**	**3**	**5**	**9**	**12**	**28**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	8.3	54	1	1	5	15	19	20	20
20-34	17	8.5	48	1	1	7	11	21	23	23
35-49	18	10.9	126	1	2	7	15	27	39	44
50-64	11	8.8	44	1	1	10	11	19	22	22
65 +	14	7.9	42	1	1	7	12	17	21	22
2. MULTIPLE DX										
0-19 YRS	21	13.7	110	3	5	10	16	29	37	44
20-34	52	12.9	114	2	3	9	15	33	41	98
35-49	68	15.0	152	2	3	13	20	33	42	54
50-64	89	17.4	181	2	4	15	22	29	57	90
65 +	199	19.7	204	2	5	16	25	44	51	61
TOTAL SINGLE DX	68	9.0	66	1	1	7	13	20	22	42
TOTAL MULTIPLE DX	429	17.3	181	2	4	14	23	37	50	67
TOTAL										
0-19 YRS	29	12.2	99	1	2	9	15	26	33	44
20-34	69	11.8	100	1	2	9	15	30	40	89
35-49	86	14.1	149	2	3	12	18	31	42	54
50-64	100	16.5	173	2	3	15	21	28	48	87
65 +	213	18.9	203	2	4	15	24	43	51	61
GRAND TOTAL	**497**	**16.2**	**173**	**2**	**3**	**13**	**21**	**34**	**46**	**64**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	282	4.7	49	1	1	2	6	10	15	39
20-34	326	3.3	31	1	1	1	4	8	10	17
35-49	420	2.6	15	1	1	1	2	6	10	20
50-64	382	2.9	15	< 1	1	1	2	8	11	21
65 +	196	4.0	36	1	1	1	5	10	14	28
2. MULTIPLE DX										
0-19 YRS	603	13.5	297	1	1	7	18	40	63	99 +
20-34	744	9.5	135	1	1	6	11	22	35	56
35-49	1215	8.7	130	1	1	6	11	19	28	64
50-64	1892	8.7	80	1	1	7	12	19	25	46
65 +	2486	10.6	95	1	1	8	14	22	29	51
TOTAL SINGLE DX	1606	3.4	28	1	1	1	4	8	12	23
TOTAL MULTIPLE DX	6940	9.9	121	1	1	7	13	22	31	63
TOTAL										
0-19 YRS	885	10.7	235	1	1	5	13	31	56	99 +
20-34	1070	7.6	112	1	1	4	9	17	28	52
35-49	1635	7.1	108	1	1	3	9	17	24	58
50-64	2274	7.7	74	1	1	5	11	18	24	42
65 +	2682	10.1	94	1	1	8	14	21	28	51
GRAND TOTAL	**8546**	**8.7**	**110**	**1**	**1**	**6**	**11**	**20**	**28**	**60**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	813	4.9	5	2	3	4	6	7	9	15
20-34	9277	4.6	3	2	3	4	5	7	8	11
35-49	8896	4.8	3	3	3	4	6	7	8	11
50-64	6577	5.2	4	3	3	5	6	8	9	13
65 +	3277	6.4	9	3	4	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	934	6.9	20	3	3	6	8	12	16	28
20-34	9882	6.2	18	3	3	5	7	10	12	22
35-49	13378	6.5	19	3	3	5	7	11	13	23
50-64	16278	7.6	28	3	4	6	9	13	16	28
65 +	22617	10.7	57	4	5	9	13	18	24	44
TOTAL SINGLE DX	28840	5.0	5	3	3	5	6	8	9	13
TOTAL MULTIPLE DX	63089	8.3	39	3	4	7	10	14	19	34
TOTAL										
0-19 YRS	1747	6.0	15	3	3	5	7	10	13	23
20-34	19159	5.4	12	3	3	5	6	9	10	17
35-49	22274	5.8	14	3	3	5	7	9	11	20
50-64	22855	6.9	23	3	3	6	8	12	15	25
65 +	25894	10.1	54	4	4	8	12	18	23	42
GRAND TOTAL	**91929**	**7.2**	**31**	**3**	**3**	**6**	**8**	**13**	**16**	**29**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	11.3	90	1	2	10	14	21	34	44
20-34	174	4.3	12	1	1	3	7	9	11	17
35-49	225	5.1	18	1	1	4	8	11	13	20
50-64	258	5.2	21	1	1	4	8	11	15	23
65 +	320	6.7	39	1	1	5	9	14	17	27
2. MULTIPLE DX										
0-19 YRS	107	16.9	208	2	4	13	23	31	47	92
20-34	380	8.9	80	1	1	7	12	19	24	47
35-49	831	10.2	94	1	2	8	13	21	29	53
50-64	1544	11.9	105	1	2	9	15	24	30	52
65 +	4248	13.3	116	2	3	11	17	26	34	60
TOTAL SINGLE DX	1024	5.8	30	1	1	4	8	12	16	24
TOTAL MULTIPLE DX	7110	12.4	113	1	2	10	16	25	32	58
TOTAL										
0-19 YRS	154	15.2	179	1	3	12	20	31	43	87
20-34	554	7.5	64	1	1	6	9	16	21	42
35-49	1056	9.1	83	1	1	7	12	18	27	50
50-64	1802	10.9	99	1	2	9	14	22	29	50
65 +	4568	12.8	114	1	2	10	16	25	33	60
GRAND TOTAL	8134	11.6	107	1	2	9	15	24	31	57

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	8.3	28	1	2	7	13	16	18	19
20-34	87	6.7	60	1	1	6	8	12	15	50
35-49	163	6.6	30	1	1	5	9	13	17	27
50-64	159	6.9	45	< 1	1	5	9	17	22	29
65 +	128	7.4	79	1	1	5	10	17	24	41
2. MULTIPLE DX										
0-19 YRS	79	20.6	254	1	4	18	28	46	52	64
20-34	296	15.4	237	1	3	10	19	39	52	94
35-49	700	14.9	243	1	2	10	20	36	54	98
50-64	984	14.6	201	1	3	11	19	33	47	98
65 +	1683	14.6	183	2	3	11	19	32	44	81
TOTAL SINGLE DX	563	7.0	50	1	1	5	9	15	19	29
TOTAL MULTIPLE DX	3742	14.9	206	1	3	10	19	34	47	91
TOTAL										
0-19 YRS	105	17.5	226	1	3	12	23	45	49	61
20-34	383	13.4	210	1	2	8	16	34	47	83
35-49	863	13.4	214	1	1	9	17	33	47	88
50-64	1143	13.6	187	1	2	10	17	30	45	94
65 +	1811	14.1	179	1	2	10	18	31	43	80
GRAND TOTAL	4305	13.8	192	1	2	10	18	32	45	86

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	360	4.0	27	1	1	3	5	8	9	17
20-34	635	4.6	14	1	1	4	6	8	11	19
35-49	602	4.5	13	< 1	1	4	6	8	11	21
50-64	662	4.4	12	< 1	< 1	4	6	9	11	17
65 +	649	4.8	29	< 1	< 1	4	6	9	12	30
2. MULTIPLE DX										
0-19 YRS	663	5.9	61	1	1	4	7	11	17	33
20-34	1582	6.5	39	1	2	5	7	12	18	32
35-49	2589	6.6	38	1	2	5	8	13	17	34
50-64	4737	7.2	43	2	2	5	9	14	18	36
65 +	13843	8.5	62	2	3	7	10	16	22	46
TOTAL SINGLE DX	2908	4.5	19	< 1	1	4	6	8	11	20
TOTAL MULTIPLE DX	23414	7.8	55	2	2	6	9	15	20	42
TOTAL										
0-19 YRS	1023	5.2	50	1	1	4	6	10	13	31
20-34	2217	5.9	33	1	2	4	7	11	16	30
35-49	3191	6.2	35	1	2	5	7	12	16	30
50-64	5399	6.8	40	1	2	5	8	13	18	34
65 +	14492	8.3	61	2	2	6	10	16	21	45
GRAND TOTAL	26322	7.4	52	1	2	6	9	14	19	40

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2741	1.4		< 1	< 1	1	2	2	3	4
20-34	3968	1.7	1	< 1	1	1	2	3	4	5
35-49	3941	1.8	1	1	1	1	2	3	4	6
50-64	5381	1.9	1	1	1	2	2	3	4	7
65 +	4401	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	2120	2.3	38	< 1	< 1	1	2	3	5	52
20-34	1970	2.2	5	1	1	2	3	4	5	10
35-49	3014	2.5	7	1	1	2	3	5	6	14
50-64	6065	2.8	8	1	1	2	3	5	7	15
65 +	11327	4.0	21	1	1	3	5	8	12	22
TOTAL SINGLE DX	20432	1.9	2	< 1	1	1	2	3	4	6
TOTAL MULTIPLE DX	24496	3.2	17	1	1	2	4	6	9	19
TOTAL										
0-19 YRS	4861	1.8	17	< 1	< 1	1	2	3	4	11
20-34	5938	1.9	2	1	1	1	2	3	4	7
35-49	6955	2.1	4	1	1	2	3	4	5	9
50-64	11446	2.4	5	1	1	2	3	4	6	11
65 +	15728	3.5	17	1	1	3	4	7	10	20
GRAND TOTAL	44928	2.6	11	1	1	2	3	5	7	15

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1411	1.3		<1	<1	1	1	2	2	4
20-34	438	2.0	1	1	1	2	3	3	4	6
35-49	665	2.1	1	1	1	2	3	4	5	7
50-64	877	2.2	1	1	1	2	3	4	4	6
65+	565	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	1703	3.7	113	<1	<1	1	2	5	14	99+
20-34	301	2.2	1	1	1	2	3	4	5	7
35-49	563	2.7	5	1	1	2	3	5	6	12
50-64	1071	2.9	4	1	1	2	4	5	7	11
65+	1597	4.2	18	1	1	3	5	8	11	22
TOTAL SINGLE DX	3956	1.9	2	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	5235	3.5	45	1	1	2	4	6	9	45
TOTAL										
0-19 YRS	3114	2.6	64	<1	<1	1	2	3	6	78
20-34	739	2.1	2	1	1	2	3	4	4	7
35-49	1228	2.4	3	1	1	2	3	4	5	9
50-64	1948	2.6	4	1	1	2	3	4	6	10
65+	2162	3.8	15	1	1	3	4	7	10	19
GRAND TOTAL	**9191**	**2.8**	**27**	**<1**	**1**	**2**	**3**	**5**	**7**	**22**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.7	1	<1	<1	1	2	3	4	7
20-34	95	2.0	1	1	1	2	2	3	4	6
35-49	189	2.3	2	1	1	2	3	4	6	10
50-64	221	2.5	2	1	1	2	3	5	5	8
65+	309	3.2	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	12	2.4	8	1	1	1	2	7	10	11
20-34	67	2.6	4	1	1	2	3	5	5	14
35-49	132	3.1	6	1	1	2	4	6	9	13
50-64	291	4.2	19	1	1	3	5	9	12	17
65+	984	7.4	63	1	2	5	9	15	22	45
TOTAL SINGLE DX	841	2.6	4	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	1486	6.2	50	1	1	4	7	13	17	41
TOTAL										
0-19 YRS	39	1.9	4	<1	1	1	2	4	6	11
20-34	162	2.2	3	1	1	2	3	4	5	6
35-49	321	2.6	4	1	1	2	3	5	7	11
50-64	512	3.5	13	1	1	3	4	7	10	16
65+	1293	6.4	53	1	1	4	8	13	19	43
GRAND TOTAL	**2327**	**4.9**	**36**	**1**	**1**	**3**	**6**	**11**	**15**	**31**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	406	1.8	11	<1	<1	1	2	2	3	13
20-34	341	2.0	1	<1	1	2	2	4	4	8
35-49	608	2.0	1	<1	1	2	3	4	4	7
50-64	517	2.3	2	<1	1	2	3	4	5	8
65+	234	2.9	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	237	5.0	136	<1	1	2	3	8	27	76
20-34	264	3.4	28	1	1	2	4	6	9	18
35-49	671	3.9	21	1	1	3	5	7	10	22
50-64	941	4.6	20	1	1	3	6	9	12	24
65+	972	6.4	53	1	1	4	8	13	16	32
TOTAL SINGLE DX	2106	2.1	4	<1	<1	2	3	4	5	8
TOTAL MULTIPLE DX	3085	4.9	42	1	1	3	6	10	14	32
TOTAL										
0-19 YRS	643	3.0	60	<1	<1	1	2	4	8	54
20-34	605	2.6	14	<1	1	2	3	4	6	13
35-49	1279	3.0	13	1	1	2	4	6	8	15
50-64	1458	3.8	16	1	1	3	4	8	10	20
65+	1206	5.7	46	1	1	4	7	12	15	29
GRAND TOTAL	**5191**	**3.8**	**28**	**<1**	**1**	**2**	**4**	**8**	**11**	**24**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	125	2.1	5	<1	<1	1	2	4	6	12
20-34	673	2.7	3	1	1	2	4	5	6	9
35-49	1383	3.2	3	1	1	3	4	6	7	10
50-64	1557	3.4	4	1	1	3	5	6	7	10
65+	1059	4.1	8	1	1	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	107	4.3	33	1	1	3	5	9	12	32
20-34	597	4.3	16	1	1	3	5	8	11	19
35-49	1870	5.0	20	1	1	4	6	9	11	23
50-64	2980	5.6	21	1	2	5	7	10	13	26
65+	3926	6.9	41	1	2	5	8	13	17	33
TOTAL SINGLE DX	4797	3.4	5	1	1	3	4	6	7	10
TOTAL MULTIPLE DX	9480	5.9	30	1	2	5	7	11	15	29
TOTAL										
0-19 YRS	232	3.1	19	<1	<1	2	4	6	9	18
20-34	1270	3.5	10	1	1	3	4	6	8	14
35-49	3253	4.2	14	1	1	3	5	7	9	18
50-64	4537	4.8	17	1	1	4	6	9	11	21
65+	4985	6.3	36	1	2	5	8	12	16	31
GRAND TOTAL	**14277**	**5.1**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	6.3	19	1	2	5	7	10	14	25
20-34	22	6.3	16	1	1	6	8	12	14	15
35-49	44	6.0	9	1	2	6	8	10	10	16
50-64	69	6.3	10	1	2	6	8	10	11	16
65 +	56	8.0	12	2	5	8	10	11	14	21
2. MULTIPLE DX										
0-19 YRS	110	15.5	245	3	4	9	18	49	58	99 +
20-34	106	7.5	23	1	3	7	9	12	17	29
35-49	227	8.7	52	4	5	7	9	13	20	56
50-64	340	9.6	45	4	4	8	11	16	22	38
65 +	520	12.6	89	4	5	10	15	22	27	55
TOTAL SINGLE DX	224	6.7	13	1	2	7	9	10	13	19
TOTAL MULTIPLE DX	1303	11.0	84	4	5	8	12	19	26	59
TOTAL										
0-19 YRS	143	13.4	208	2	4	7	15	37	56	99 +
20-34	128	7.3	22	1	2	7	9	12	15	28
35-49	271	8.3	46	3	4	7	9	12	18	49
50-64	409	9.0	41	3	4	8	10	15	19	37
65 +	576	12.2	84	4	5	10	14	21	26	53
GRAND TOTAL	1527	10.3	76	3	4	8	12	18	24	56

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	401	4.4	26	< 1	1	3	6	9	14	25
20-34	495	3.7	11	< 1	1	3	5	7	10	15
35-49	371	5.0	23	1	1	4	7	10	12	24
50-64	294	5.5	21	1	1	4	7	11	14	20
65 +	242	6.6	33	1	1	6	9	13	17	25
2. MULTIPLE DX										
0-19 YRS	502	8.4	84	1	2	6	10	17	28	53
20-34	1103	8.0	71	1	1	5	10	17	23	44
35-49	1824	9.7	87	1	2	7	12	21	27	50
50-64	2939	10.6	90	2	3	8	13	22	28	49
65 +	4136	12.3	112	2	3	9	15	24	32	57
TOTAL SINGLE DX	1803	4.8	23	< 1	1	4	6	10	13	22
TOTAL MULTIPLE DX	10504	10.7	98	1	2	8	14	22	29	53
TOTAL										
0-19 YRS	903	6.6	63	1	1	4	8	15	21	47
20-34	1598	6.7	57	1	1	4	8	15	21	38
35-49	2195	8.9	80	1	2	6	11	19	26	49
50-64	3233	10.2	86	1	2	8	13	21	27	47
65 +	4378	11.9	109	2	3	9	15	23	32	56
GRAND TOTAL	12307	9.9	92	1	2	7	13	20	27	51

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1012	4.2	23	1	1	3	5	8	12	24
20-34	879	5.0	12	1	2	4	6	8	11	17
35-49	424	5.9	17	2	2	5	7	10	12	24
50-64	210	8.4	45	2	3	7	10	14	17	41
65 +	176	9.4	66	2	4	7	11	15	20	46
2. MULTIPLE DX										
0-19 YRS	749	9.9	126	2	3	7	10	20	33	66
20-34	1967	7.7	57	2	3	5	9	15	21	42
35-49	1299	11.0	118	3	4	7	12	22	32	70
50-64	1430	13.6	130	4	5	10	17	27	37	78
65 +	2168	16.6	167	4	6	13	21	33	43	82
TOTAL SINGLE DX	2701	5.4	26	1	2	4	7	10	14	24
TOTAL MULTIPLE DX	7613	12.1	132	3	4	8	15	25	35	69
TOTAL										
0-19 YRS	1761	6.6	75	1	2	4	7	13	20	46
20-34	2846	6.8	46	2	2	5	8	13	18	37
35-49	1723	9.7	98	2	3	7	11	20	29	59
50-64	1640	12.9	123	4	4	10	15	26	35	73
65 +	2344	16.0	163	4	5	12	20	32	42	80
GRAND TOTAL	10314	10.3	113	2	3	7	12	22	31	62

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	604	2.9	5	< 1	< 1	2	4	6	7	11
20-34	2163	2.5	4	< 1	< 1	2	4	5	6	9
35-49	413	2.4	5	< 1	< 1	1	3	5	7	12
50-64	45	2.3	4	< 1	< 1	1	3	6	7	9
65 +	21	4.9	34	< 1	< 1	2	6	16	19	21
2. MULTIPLE DX										
0-19 YRS	743	3.6	8	< 1	1	3	5	7	8	13
20-34	3538	3.2	10	< 1	< 1	2	4	7	8	14
35-49	998	3.3	13	< 1	< 1	2	4	7	10	21
50-64	159	6.6	78	< 1	1	3	9	17	21	43
65 +	166	8.7	76	1	1	6	12	19	21	37
TOTAL SINGLE DX	3246	2.6	5	< 1	< 1	2	4	5	7	10
TOTAL MULTIPLE DX	5604	3.5	16	< 1	< 1	2	5	7	10	19
TOTAL										
0-19 YRS	1347	3.3	7	< 1	1	3	5	6	8	12
20-34	5701	2.9	8	< 1	< 1	2	4	6	8	13
35-49	1411	3.0	11	< 1	< 1	2	4	6	9	16
50-64	204	5.6	65	< 1	< 1	3	7	14	21	39
65 +	187	8.3	73	< 1	1	6	12	19	21	37
GRAND TOTAL	8850	3.2	12	<1	<1	2	4	6	8	16

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	297	7.5	36	2	3	6	8	12	18	30
20-34	724	5.9	14	1	2	5	8	11	13	18
35-49	670	6.5	18	1	2	6	8	11	14	23
50-64	469	8.2	37	2	3	7	10	14	16	22
65 +	422	9.6	27	2	4	9	12	15	20	29
2. MULTIPLE DX										
0-19 YRS	813	12.5	175	2	3	8	15	28	44	99 +
20-34	2695	6.7	48	1	2	5	8	12	18	36
35-49	2524	9.0	73	2	3	6	11	18	26	46
50-64	2554	11.9	100	2	3	9	15	24	32	58
65 +	4338	14.8	120	3	5	12	18	28	36	72
TOTAL SINGLE DX	2582	7.3	26	1	2	7	9	13	15	25
TOTAL MULTIPLE DX	12924	11.2	106	2	3	8	14	23	31	61
TOTAL										
0-19 YRS	1110	11.1	143	2	3	7	13	24	38	91
20-34	3419	6.5	42	1	2	5	8	12	16	34
35-49	3194	8.5	63	1	2	6	10	16	23	43
50-64	3023	11.3	92	2	3	9	14	22	30	53
65 +	4760	14.3	115	3	5	12	17	27	35	70
GRAND TOTAL	15506	10.6	94	2	3	8	13	21	29	56

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	332	4.5	12	1	1	4	6	9	12	18
20-34	153	6.6	4	4	4	7	8	9	11	12
35-49	234	7.4	6	4	5	7	9	11	12	16
50-64	272	8.1	8	5	5	8	9	12	14	19
65 +	245	9.1	15	5	6	8	10	13	16	24
2. MULTIPLE DX										
0-19 YRS	395	9.6	89	2	3	7	11	20	32	99 +
20-34	334	10.6	101	4	4	7	11	20	30	65
35-49	558	10.4	66	5	5	8	12	17	23	46
50-64	1257	11.6	60	5	6	9	13	20	27	43
65 +	1952	14.1	92	6	7	11	16	26	34	57
TOTAL SINGLE DX	1236	7.0	13	2	2	7	9	11	13	18
TOTAL MULTIPLE DX	4496	12.3	83	5	5	9	14	23	31	58
TOTAL										
0-19 YRS	727	7.3	61	1	2	5	9	14	21	59
20-34	487	9.4	74	4	4	7	9	16	24	62
35-49	792	9.5	51	4	5	8	10	15	19	42
50-64	1529	11.0	53	5	6	9	12	19	25	39
65 +	2197	13.5	86	6	7	10	16	24	33	54
GRAND TOTAL	5732	11.2	73	4	5	9	13	20	28	50

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	913	4.6	17	1	1	3	6	9	12	19
20-34	587	4.9	16	1	1	4	7	9	12	21
35-49	518	4.5	12	1	1	4	7	9	11	15
50-64	419	4.9	13	1	1	4	7	10	11	18
65 +	206	5.4	25	1	1	4	7	10	14	29
2. MULTIPLE DX										
0-19 YRS	1232	9.7	106	1	2	7	13	21	31	57
20-34	1463	9.6	81	1	2	7	13	19	26	46
35-49	1627	9.8	85	1	1	7	13	21	28	50
50-64	1864	9.9	87	1	2	8	13	20	28	45
65 +	2312	11.8	119	1	2	9	15	25	32	61
TOTAL SINGLE DX	2643	4.8	16	1	1	4	7	9	12	19
TOTAL MULTIPLE DX	8498	10.3	98	1	2	8	13	22	29	52
TOTAL										
0-19 YRS	2145	7.5	75	1	1	5	9	17	24	48
20-34	2050	8.3	67	1	1	6	10	17	23	41
35-49	2145	8.5	73	1	1	6	11	18	26	43
50-64	2283	9.0	77	1	1	7	11	19	26	43
65 +	2518	11.3	115	1	2	8	15	24	32	59
GRAND TOTAL	11141	9.0	84	1	1	7	12	19	27	48

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	4.2	8	1	1	4	6	8	10	12
20-34	179	5.4	10	1	2	5	8	10	11	15
35-49	257	5.4	12	1	1	5	7	9	12	15
50-64	239	6.1	12	1	1	6	8	11	13	16
65 +	104	6.3	23	1	2	5	8	12	15	26
2. MULTIPLE DX										
0-19 YRS	40	10.3	160	1	1	7	11	16	39	69
20-34	201	7.6	29	1	2	7	10	15	18	31
35-49	316	7.8	38	1	2	7	10	14	17	27
50-64	436	9.1	49	1	2	8	12	17	21	33
65 +	547	10.3	51	2	3	9	13	18	23	40
TOTAL SINGLE DX	809	5.7	14	1	1	5	8	10	12	17
TOTAL MULTIPLE DX	1540	9.1	49	1	2	8	12	16	21	34
TOTAL										
0-19 YRS	70	7.7	104	1	1	6	8	14	16	64
20-34	380	6.6	22	1	2	6	9	12	16	25
35-49	573	6.7	28	1	2	6	9	13	15	22
50-64	675	8.0	39	1	2	7	10	14	19	31
65 +	651	9.6	49	2	3	8	12	18	23	38
GRAND TOTAL	2349	7.9	39	1	2	7	10	14	19	31

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	671	5.9	7	2	3	6	7	9	10	16
20-34	33	7.6	12	3	4	7	9	14	14	15
35-49	26	7.7	8	3	3	8	10	10	14	14
50-64	19	9.9	22	3	4	9	14	17	17	17
65 +	20	10.6	53	1	2	10	14	18	26	33
2. MULTIPLE DX										
0-19 YRS	773	8.1	26	3	4	7	9	14	17	27
20-34	131	9.3	24	3	5	8	11	15	22	43
35-49	129	13.1	72	5	6	10	15	25	34	62
50-64	150	14.7	102	5	7	12	17	27	39	99 +
65 +	304	17.6	156	5	7	14	22	32	44	79
TOTAL SINGLE DX	769	6.3	10	2	3	6	8	10	12	17
TOTAL MULTIPLE DX	1487	11.2	79	3	4	9	14	22	29	51
TOTAL										
0-19 YRS	1444	7.1	19	3	3	6	8	11	15	24
20-34	164	8.9	22	3	4	8	11	14	19	29
35-49	155	12.2	66	5	6	10	14	23	33	52
50-64	169	14.2	96	5	6	12	17	26	37	97
65 +	324	17.2	153	4	6	14	22	31	44	79
GRAND TOTAL	2256	9.6	61	3	4	7	11	18	24	45

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	192	3.8	8	1	1	3	5	8	9	13
20-34	1417	3.1	4	1	1	3	4	6	7	11
35-49	1910	3.1	4	1	1	3	4	6	7	10
50-64	1226	3.1	4	1	1	3	4	6	7	11
65 +	437	3.4	6	1	1	3	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	249	6.6	37	1	1	5	8	13	16	27
20-34	895	4.5	11	1	1	4	6	8	10	16
35-49	1432	4.5	13	1	1	4	6	8	11	18
50-64	1515	5.1	22	1	1	4	6	10	13	24
65 +	1534	6.6	42	1	1	5	9	13	18	34
TOTAL SINGLE DX	5182	3.1	5	1	1	3	4	6	7	11
TOTAL MULTIPLE DX	5625	5.3	25	1	1	4	7	10	14	25
TOTAL										
0-19 YRS	441	5.4	27	1	1	4	8	11	14	23
20-34	2312	3.6	8	1	1	3	5	7	8	13
35-49	3342	3.7	9	1	1	3	5	7	9	13
50-64	2741	4.2	16	1	1	3	5	8	11	18
65 +	1971	5.9	36	1	1	4	8	12	16	30
GRAND TOTAL	10807	4.3	17	1	1	3	5	8	11	20

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	443	2.7	6	<1	<1	2	4	6	8	12
20-34	1098	3.3	7	<1	1	3	4	6	8	13
35-49	1437	3.1	6	<1	1	2	4	6	8	11
50-64	1277	3.1	6	<1	<1	2	4	6	8	12
65 +	881	3.3	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	780	4.5	24	<1	<1	3	6	9	13	31
20-34	1978	5.9	46	1	1	4	7	11	16	32
35-49	3072	6.4	53	1	1	5	8	12	17	37
50-64	4628	7.2	64	1	1	5	9	15	21	46
65 +	11029	9.4	91	1	2	7	12	19	27	56
TOTAL SINGLE DX	5136	3.1	7	<1	<1	2	4	6	8	13
TOTAL MULTIPLE DX	21487	8.0	76	1	1	6	10	17	23	49
TOTAL										
0-19 YRS	1223	3.8	19	<1	<1	3	5	8	11	23
20-34	3076	5.0	34	1	1	4	6	9	13	28
35-49	4509	5.3	41	<1	1	4	7	11	14	32
50-64	5905	6.3	55	1	1	4	8	13	18	40
65 +	11910	9.0	88	1	2	6	11	19	26	54
GRAND TOTAL	26623	7.1	67	1	1	5	9	15	21	45

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	2.5	3	< 1	1	2	3	6	7	8
20-34	106	2.1	3	< 1	< 1	1	2	5	7	9
35-49	349	2.3	3	< 1	1	2	3	5	5	10
50-64	1121	2.3	2	< 1	1	2	3	4	5	8
65 +	2314	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	56	5.3	31	1	1	3	7	11	13	32
20-34	192	4.6	39	1	1	3	5	10	12	35
35-49	560	4.3	34	1	1	3	5	9	14	34
50-64	2669	4.4	30	1	1	3	5	9	13	30
65 +	10671	5.7	48	1	1	4	7	12	17	36
TOTAL SINGLE DX	3915	2.5	5	< 1	1	2	3	5	6	11
TOTAL MULTIPLE DX	14148	5.3	44	1	1	3	6	11	16	34
TOTAL										
0-19 YRS	81	4.4	25	1	1	3	6	10	11	30
20-34	298	3.7	28	< 1	1	2	4	9	11	21
35-49	909	3.5	23	1	1	2	4	7	11	27
50-64	3790	3.8	23	1	1	2	4	7	11	25
65 +	12985	5.1	42	1	1	3	6	11	16	32
GRAND TOTAL	**18063**	**4.7**	**37**	**1**	**1**	**3**	**5**	**10**	**14**	**30**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	189	4.8	15	1	1	4	6	9	13	20
20-34	153	4.5	9	1	1	4	6	9	11	14
35-49	267	4.5	10	1	1	4	6	8	11	16
50-64	338	4.8	17	1	1	4	7	11	13	17
65 +	500	5.0	24	1	1	3	7	12	14	22
2. MULTIPLE DX										
0-19 YRS	653	9.6	113	1	2	7	12	20	30	66
20-34	432	9.4	125	1	1	6	11	21	32	65
35-49	609	8.0	83	1	2	5	10	17	25	52
50-64	1359	9.4	120	1	1	6	12	19	28	59
65 +	4292	10.7	126	1	2	8	14	23	31	63
TOTAL SINGLE DX	1447	4.8	17	1	1	4	6	11	13	20
TOTAL MULTIPLE DX	7345	10.1	121	1	2	7	13	21	30	63
TOTAL										
0-19 YRS	842	8.5	95	[illegible]	2	6	11	18	25	60
20-34	585	8.1	99	1	1	5	9	17	26	57
35-49	876	6.9	63	1	1	5	8	14	20	46
50-64	1697	8.5	104	1	1	6	11	17	23	56
65 +	4792	10.1	119	1	2	7	13	21	30	62
GRAND TOTAL	**8792**	**9.2**	**108**	**1**	**1**	**6**	**12**	**19**	**28**	**60**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	1.4	2	< 1	< 1	< 1	< 1	1	3	11
20-34	8	1.9	1	< 1	< 1	1	2	4	5	5
35-49	6	2.3	2	< 1	< 1	2	4	4	4	4
50-64	12	2.3	3	< 1	< 1	2	3	5	7	7
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	48	2.7	6	< 1	< 1	1	4	7	10	99 +
20-34	20	5.2	34	< 1	1	2	8	14	18	21
35-49	16	3.8	5	1	1	3	5	7	8	9
50-64	28	5.6	35	< 1	1	4	6	13	23	24
65 +	47	8.1	79	1	1	5	10	18	30	40
TOTAL SINGLE DX	112	1.6	3	< 1	< 1	< 1	1	3	4	10
TOTAL MULTIPLE DX	159	5.2	40	< 1	< 1	3	7	12	19	39
TOTAL										
0-19 YRS	132	1.8	5	< 1	< 1	< 1	1	4	7	28
20-34	28	4.3	27	< 1	1	2	7	12	16	21
35-49	22	3.4	5	< 1	1	3	5	7	8	9
50-64	40	4.6	28	< 1	1	3	6	8	19	24
65 +	49	7.8	77	1	1	5	9	18	29	40
GRAND TOTAL	**271**	**3.7**	**28**	**<1**	**<1**	**1**	**4**	**9**	**13**	**34**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1546	3.1	7	1	1	2	4	7	9	12
20-34	176	2.9	6	< 1	< 1	2	4	6	8	14
35-49	172	3.4	6	< 1	1	3	5	7	9	13
50-64	132	3.0	4	< 1	1	2	4	6	7	11
65 +	114	3.9	62	1	1	3	4	6	8	39
2. MULTIPLE DX										
0-19 YRS	873	4.3	32	1	1	2	5	10	14	27
20-34	156	5.2	41	< 1	1	3	6	12	18	44
35-49	195	4.3	39	1	1	3	5	8	9	23
50-64	228	4.6	24	1	1	3	5	9	12	26
65 +	464	5.5	32	1	1	4	7	11	15	28
TOTAL SINGLE DX	2140	3.2	10	< 1	1	2	4	7	9	13
TOTAL MULTIPLE DX	1916	4.7	33	1	1	3	6	10	14	27
TOTAL										
0-19 YRS	2419	3.6	17	1	1	2	5	8	11	18
20-34	332	4.0	24	< 1	< 1	2	5	8	13	31
35-49	367	3.9	24	1	1	3	5	7	9	19
50-64	360	4.0	18	1	1	3	5	8	11	25
65 +	578	5.2	38	1	1	4	6	11	15	28
GRAND TOTAL	**4056**	**3.9**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	1.7	3	< 1	< 1	1	2	3	5	11
20-34	61	2.3	2	< 1	< 1	2	3	5	6	7
35-49	69	3.6	71	< 1	< 1	2	4	5	9	60
50-64	63	2.8	3	< 1	< 1	2	4	5	6	11
65 +	52	3.4	6	< 1	1	3	4	7	10	11
2. MULTIPLE DX										
0-19 YRS	140	3.2	10	< 1	< 1	2	4	6	10	17
20-34	247	6.8	83	1	1	4	7	14	25	58
35-49	311	7.4	78	1	1	5	9	15	23	41
50-64	463	6.7	41	1	1	5	8	13	18	31
65 +	1613	9.3	76	1	2	7	12	19	26	55
TOTAL SINGLE DX	312	2.7	19	< 1	< 1	2	3	5	7	12
TOTAL MULTIPLE DX	2774	8.1	71	1	1	6	10	17	24	48
TOTAL										
0-19 YRS	207	2.7	9	< 1	< 1	1	4	6	9	16
20-34	308	5.9	71	< 1	1	4	6	11	23	47
35-49	380	6.7	80	< 1	1	4	8	14	20	42
50-64	526	6.2	39	1	1	5	8	13	17	29
65 +	1665	9.1	75	1	2	7	11	19	26	54
GRAND TOTAL	3086	7.6	68	1	1	5	10	16	23	47

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	1.7	2	< 1	< 1	1	2	3	5	10
20-34	206	2.3	35	< 1	1	1	2	4	5	8
35-49	162	2.0	2	< 1	1	1	2	4	5	9
50-64	154	2.4	5	1	1	1	3	5	7	14
65 +	236	2.4	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	136	3.5	44	1	1	2	4	7	10	41
20-34	280	3.6	38	1	1	2	4	7	9	36
35-49	323	4.1	23	1	1	2	5	9	14	24
50-64	540	4.8	38	1	1	3	5	10	15	29
65 +	1681	5.9	53	1	1	4	7	12	16	38
TOTAL SINGLE DX	848	2.2	12	< 1	1	1	3	4	6	10
TOTAL MULTIPLE DX	2960	5.2	46	1	1	3	6	11	15	36
TOTAL										
0-19 YRS	226	2.8	29	< 1	1	1	3	6	8	21
20-34	486	3.1	38	1	1	2	3	6	8	28
35-49	485	3.4	18	1	1	2	4	7	11	22
50-64	694	4.2	32	1	1	3	5	9	13	26
65 +	1917	5.5	48	1	1	4	6	11	15	37
GRAND TOTAL	3808	4.5	40	1	1	3	5	9	14	31

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	111	4.8	2	2	3	5	6	7	8	11
35-49	567	5.1	2	3	3	5	6	7	8	10
50-64	440	5.2	3	2	3	5	6	7	8	11
65 +	227	5.8	8	2	3	5	7	9	10	13
2. MULTIPLE DX										
0-19 YRS	5	4.4	3	2	2	5	6	6	6	6
20-34	159	5.5	3	3	4	5	7	8	9	13
35-49	861	6.0	10	3	4	5	7	8	10	17
50-64	933	6.4	11	3	4	6	7	9	11	18
65 +	678	7.2	13	3	4	7	8	11	13	23
TOTAL SINGLE DX	1346	5.2	4	2	3	5	6	8	8	11
TOTAL MULTIPLE DX	2636	6.4	11	3	4	6	7	9	11	19
TOTAL										
0-19 YRS	6	4.7	3	2	2	5	6	6	6	6
20-34	270	5.2	4	3	3	5	6	7	8	13
35-49	1428	5.6	8	3	3	5	6	8	9	15
50-64	1373	6.0	9	3	3	5	7	9	10	17
65 +	905	6.8	13	3	4	6	8	10	12	22
GRAND TOTAL	3982	6.0	9	3	3	5	7	9	10	17

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.8	1	1	1	1	2	4	4	4
20-34	82	4.1	2	1	2	4	6	6	7	8
35-49	410	4.1	2	2	2	4	5	6	7	9
50-64	404	1.3	4	1	2	4	5	7	8	11
65 +	225	[illegible]	6	2	2	4	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	13	6.1	20	1	2	4	12	12	13	13
20-34	114	4.5	3	2	2	4	6	7	8	10
35-49	585	4.9	6	2	3	4	6	7	8	13
50-64	724	5.0	5	2	3	4	6	8	9	13
65 +	711	5.7	10	2	3	5	7	9	12	16
TOTAL SINGLE DX	1126	4.3	4	2	2	4	5	7	8	10
TOTAL MULTIPLE DX	2147	5.2	7	2	3	5	6	8	9	15
TOTAL										
0-19 YRS	18	4.9	19	1	1	4	6	12	13	13
20-34	196	4.3	3	2	2	4	6	7	7	10
35-49	995	4.5	5	2	2	4	5	7	8	11
50-64	1128	4.7	5	2	2	4	6	8	9	12
65 +	936	5.5	10	2	3	5	7	9	11	16
GRAND TOTAL	3273	4.9	6	2	2	4	6	8	9	13

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	3.5	6	1	1	2	6	7	9	10
20-34	257	3.0	4	1	1	2	4	6	8	10
35-49	444	3.0	4	1	1	2	4	6	7	10
50-64	310	3.1	7	1	1	2	4	7	8	13
65 +	135	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	86	5.0	20	1	1	3	6	12	15	21
20-34	385	5.4	36	1	1	4	7	11	14	33
35-49	578	5.1	20	1	1	4	6	10	14	22
50-64	735	7.1	68	1	1	5	8	15	22	37
65 +	946	8.4	64	1	2	6	11	18	23	40
TOTAL SINGLE DX	1187	3.1	6	1	1	2	4	6	8	11
TOTAL MULTIPLE DX	2730	6.8	53	1	1	5	9	15	20	37
TOTAL										
0-19 YRS	127	4.5	16	1	1	3	6	10	13	19
20-34	642	4.5	25	1	1	3	6	9	12	24
35-49	1022	4.2	15	1	1	3	5	8	11	19
50-64	1045	5.9	53	1	1	4	7	12	19	34
65 +	1081	7.7	60	1	1	5	10	17	22	40
GRAND TOTAL	**3917**	**5.7**	**41**	**1**	**1**	**4**	**7**	**12**	**17**	**32**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	2.6	4	1	1	2	3	6	7	9
20-34	691	1.9	2	1	1	1	2	3	4	9
35-49	1179	1.9	3	<1	1	1	2	3	5	8
50-64	991	1.9	2	<1	1	1	2	3	5	9
65 +	444	2.1	5	1	1	1	2	4	5	13
2. MULTIPLE DX										
0-19 YRS	35	6.0	21	1	1	4	10	14	15	15
20-34	348	4.1	21	1	1	2	5	10	13	26
35-49	655	3.7	24	1	1	2	4	8	12	28
50-64	824	3.9	22	1	1	2	4	9	12	27
65 +	850	4.8	34	1	1	2	6	11	15	32
TOTAL SINGLE DX	3365	1.9	3	<1	1	1	2	3	5	9
TOTAL MULTIPLE DX	2712	4.2	27	1	1	2	5	10	14	30
TOTAL										
0-19 YRS	95	3.9	13	1	1	2	5	9	13	15
20-34	1039	2.6	10	1	1	2	3	5	9	16
35-49	1834	2.5	12	1	1	2	2	5	7	18
50-64	1815	2.8	12	1	1	2	3	6	9	20
65 +	1294	3.9	26	1	1	2	4	9	13	30
GRAND TOTAL	**6077**	**2.9**	**15**	**1**	**1**	**2**	**3**	**6**	**10**	**22**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.0	3	<1	1	4	5	6	7	7
20-34	13	3.3	1	1	2	3	5	5	5	5
35-49	109	3.6	3	1	2	3	4	5	7	11
50-64	3056	4.0	2	2	2	4	5	6	7	9
65 +	6579	4.4	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	29	8.9	71	2	2	7	10	17	21	45
20-34	25	4.7	15	<1	1	4	5	11	14	17
35-49	364	5.5	60	1	2	4	6	8	12	25
50-64	10736	5.2	16	2	2	4	6	9	12	21
65 +	43436	6.7	36	2	3	5	7	12	17	32
TOTAL SINGLE DX	9767	4.3	4	2	2	4	5	6	7	11
TOTAL MULTIPLE DX	54590	6.4	33	2	3	5	7	12	16	30
TOTAL										
0-19 YRS	39	7.6	58	1	2	5	8	15	19	45
20-34	38	4.2	11	1	1	3	5	8	12	17
35-49	473	5.0	48	1	2	4	5	8	11	25
50-64	13792	4.9	13	2	2	4	6	8	11	20
65 +	50015	6.4	33	2	3	5	7	12	16	30
GRAND TOTAL	**64357**	**6.1**	**29**	**2**	**3**	**5**	**7**	**11**	**15**	**28**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	0									
35-49	12	7.2	7	1	3	7	9	10	11	11
50-64	356	8.8	11	5	5	8	10	13	15	20
65 +	538	8.6	8	5	5	8	10	12	14	16
2. MULTIPLE DX										
0-19 YRS	3	8.7	97	2	2	12	60	99 +	99 +	99 +
20-34	2	14.0	98	7	7	14	21	21	21	21
35-49	20	9.7	31	3	4	8	11	19	22	23
50-64	903	10.2	23	5	6	9	12	17	20	28
65 +	2781	11.2	46	5	6	10	13	18	22	40
TOTAL SINGLE DX	908	8.6	10	5	5	8	10	13	14	17
TOTAL MULTIPLE DX	3709	11.0	41	5	6	9	13	17	21	37
TOTAL										
0-19 YRS	5	7.0	57	2	2	5	20	92	99 +	99 +
20-34	2	14.0	98	7	7	14	21	21	21	21
35-49	32	8.7	23	2	4	8	11	15	21	23
50-64	1259	9.8	21	5	6	9	11	15	19	26
65 +	3319	10.8	41	5	6	9	12	17	21	38
GRAND TOTAL	4617	10.5	36	5	6	9	12	16	20	34

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	7.5	21	3	3	6	10	14	14	14
20-34	15	3.2	27	< 1	1	2	2	3	17	22
35-49	48	2.3	12	< 1	< 1	1	2	4	5	24
50-64	340	1.9	3	< 1	< 1	1	2	3	5	11
65 +	507	2.0	4	< 1	< 1	1	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	7	5.9	9	1	2	7	8	10	10	10
20-34	10	3.9	11	< 1	< 1	3	6	9	12	12
35-49	76	3.8	13	1	1	2	5	9	13	15
50-64	656	4.2	23	1	1	2	5	10	13	24
65 +	2055	5.8	47	1	1	3	8	14	18	35
TOTAL SINGLE DX	914	2.0	5	< 1	< 1	1	2	4	5	12
TOTAL MULTIPLE DX	2804	5.4	41	1	1	3	7	13	17	31
TOTAL										
0-19 YRS	11	6.5	13	1	2	7	8	12	14	14
20-34	25	3.5	20	< 1	1	2	3	6	14	22
35-49	124	3.2	13	< 1	< 1	2	4	8	11	18
50-64	996	3.4	18	< 1	1	2	4	8	12	22
65 +	2562	5.0	41	< 1	1	3	6	12	17	29
GRAND TOTAL	3718	4.5	34	<1	1	2	6	11	15	28

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	1.6	1	< 1	< 1	1	2	3	4	6
20-34	176	2.4	4	1	1	2	3	5	7	11
35-49	155	2.7	6	< 1	1	2	3	6	8	13
50-64	139	2.2	3	< 1	1	1	2	4	6	11
65 +	121	2.4	6	< 1	1	1	3	4	7	15
2. MULTIPLE DX										
0-19 YRS	211	2.8	10	< 1	< 1	2	3	5	9	20
20-34	165	4.8	26	1	1	3	7	9	12	29
35-49	217	4.8	25	1	1	3	6	9	15	29
50-64	264	5.9	63	1	1	3	7	15	21	41
65 +	402	5.6	42	1	1	3	7	13	18	37
TOTAL SINGLE DX	881	2.1	4	< 1	1	1	2	4	6	11
TOTAL MULTIPLE DX	1259	4.9	38	1	1	3	6	11	17	31
TOTAL										
0-19 YRS	501	2.1	6	< 1	< 1	1	2	4	6	12
20-34	341	3.6	16	1	1	2	4	8	10	25
35-49	372	3.9	19	1	1	2	5	8	11	24
50-64	403	4.6	46	1	1	2	5	12	18	33
65 +	523	4.8	36	1	1	3	6	11	17	32
GRAND TOTAL	2140	3.8	26	<1	1	2	4	9	13	28

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	356	1.6	1	< 1	1	1	2	3	4	6
20-34	435	2.3	5	1	1	2	3	4	6	11
35-49	245	2.3	3	1	1	2	3	4	6	10
50-64	146	2.6	8	< 1	1	2	3	5	8	16
65 +	419	2.4	5	< 1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	343	2.3	7	< 1	1	1	2	4	6	13
20-34	305	4.0	24	1	1	2	4	9	13	29
35-49	234	4.6	25	1	1	3	6	12	15	25
50-64	491	6.6	81	1	1	3	8	16	23	44
65 +	2675	6.8	73	1	1	4	9	16	22	46
TOTAL SINGLE DX	1601	2.2	5	< 1	1	1	2	4	6	11
TOTAL MULTIPLE DX	4048	6.0	64	1	1	3	8	15	21	43
TOTAL										
0-19 YRS	699	1.9	5	< 1	1	1	2	3	5	12
20-34	740	3.0	14	1	1	2	3	6	10	23
35-49	479	3.4	16	1	1	2	4	8	12	20
50-64	637	5.6	67	1	1	3	7	13	21	36
65 +	3094	6.2	66	1	1	3	8	15	21	44
GRAND TOTAL	5649	4.9	50	1	1	2	6	12	18	36

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1514	1.4		<1	<1	1	1	2	3	4
20-34	246	1.5		<1	1	1	2	3	3	5
35-49	26	1.7		<1	1	2	2	3	3	4
50-64	4	3.5	7	1	[illegible]	3	5	7	7	7
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	1022	1.7	12	<1	<1	1	2	3	4	7
20-34	85	2.6	18	1	1	1	3	4	6	30
35-49	14	2.4	4	<1	1	1	3	6	7	7
50-64	6	4.0	4	1	1	4	5	7	7	7
65 +	6	3.2	3	2	2	3	3	7	7	7
TOTAL SINGLE DX	1791	1.4	1	<1	<1	1	2	2	3	4
TOTAL MULTIPLE DX	1133	1.8	13	<1	<1	1	2	3	4	8
TOTAL										
0-19 YRS	2536	1.5	6	<1	<1	1	2	2	3	6
20-34	331	1.8	5	<1	1	1	2	3	4	7
35-49	40	1.9	2	<1	1	1	2	4	5	7
50-64	10	3.8	5	1	1	4	5	7	7	7
65 +	7	2.9	4	<1	<1	2	3	6	7	7
GRAND TOTAL	**2924**	**1.6**	**6**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	386	1.4		<1	<1	1	1	2	3	5
20-34	122	2.1	3	<1	<1	1	2	5	6	11
35-49	66	2.0	5	<1	1	1	2	4	6	13
50-64	24	1.7	2	<1	1	1	2	2	4	8
65 +	6	4.0	14	1	1	3	5	10	11	11
2. MULTIPLE DX										
0-19 YRS	186	2.3	31	<1	1	1	2	3	5	31
20-34	79	3.4	76	<1	1	1	2	6	10	60
35-49	62	3.3	31	<1	1	2	3	5	9	34
50-64	30	4.2	20	1	1	3	5	9	13	22
65 +	26	4.3	16	1	1	3	5	11	13	18
TOTAL SINGLE DX	604	1.6	2	<1	<1	1	2	3	4	9
TOTAL MULTIPLE DX	383	3.0	39	<1	1	1	3	5	8	33
TOTAL										
0-19 YRS	572	1.7	11	<1	1	1	2	3	4	6
20-34	201	2.7	33	<1	1	1	2	5	7	20
35-49	128	2.6	19	<1	1	1	3	5	9	30
50-64	54	3.1	13	<1	1	2	4	6	11	22
65 +	32	4.3	16	1	1	3	5	11	11	18
GRAND TOTAL	**987**	**2.2**	**17**	**<1**	**1**	**1**	**2**	**4**	**5**	**13**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	52	1.0		<1	<1	<1	<1	1	1	2
35-49	42	1.1		<1	<1	<1	<1	1	2	3
50-64	0									
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	1	48.0		48	48	48	48	48	48	48
20-34	26	2.7	9	<1	<1	1	2	7	9	14
35-49	28	4.2	87	<1	<1	1	2	6	30	44
50-64	8	4.5	10	<1	1	3	7	9	10	10
65 +	2	12.5	113	5	5	12	20	20	20	20
TOTAL SINGLE DX	96	1.1		<1	<1	<1	<1	1	2	5
TOTAL MULTIPLE DX	65	4.6	76	<1	<1	2	4	8	22	47
TOTAL										
0-19 YRS	2	27.5	841	7	7	27	48	48	48	48
20-34	78	1.6	4	<1	<1	<1	1	2	6	12
35-49	70	2.3	37	<1	<1	<1	1	3	5	41
50-64	8	4.5	10	<1	1	3	7	9	10	10
65 +	3	8.7	100	<1	<1	5	16	20	20	20
GRAND TOTAL	**161**	**2.5**	**34**	**<1**	**<1**	**<1**	**1**	**5**	**7**	**42**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	479	1.3		<1	<1	1	1	2	3	4
20-34	469	1.5	1	<1	<1	1	2	3	3	7
35-49	435	1.5	1	<1	<1	1	2	3	3	6
50-64	314	1.7	1	<1	1	1	2	3	4	6
65 +	158	1.8	1	<1	1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	348	1.9	13	<1	<1	1	2	3	4	11
20-34	373	1.8	3	<1	1	1	2	3	5	11
35-49	354	2.2	9	<1	1	1	2	4	6	11
50-64	405	2.4	8	1	1	2	3	4	6	15
65 +	443	3.5	17	1	1	2	4	7	10	23
TOTAL SINGLE DX	1855	1.5	1	<1	<1	1	2	3	3	6
TOTAL MULTIPLE DX	1923	2.4	11	<1	1	1	3	4	7	16
TOTAL										
0-19 YRS	827	1.6	6	<1	<1	1	2	3	3	8
20-34	842	1.7	2	<1	1	1	2	3	4	8
35-49	789	1.8	5	<1	1	1	2	3	4	11
50-64	719	2.1	6	1	1	2	2	4	5	9
65 +	601	3.1	14	1	1	2	3	6	9	20
GRAND TOTAL	**3778**	**2.0**	**6**	**<1**	**1**	**1**	**2**	**3**	**5**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	473	1.1		<1	<1	<1	1	1	2	4
20-34	85	1.3		<1	<1	1	1	2	3	4
35-49	56	1.4	2	<1	<1	<1	1	2	3	12
50-64	59	1.4	1	<1	<1	1	1	2	3	8
65 +	39	1.3		<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-19 YRS	227	4.4	66	<1	<1	1	3	15	21	74
20-34	82	2.8	12	<1	<1	1	3	7	11	18
35-49	159	3.7	49	<1	<1	1	4	9	11	30
50-64	210	4.0	44	<1	<1	2	4	9	15	40
65 +	251	5.6	54	1	1	2	8	15	19	34
TOTAL SINGLE DX	712	1.2	1	<1	<1	<1	1	2	2	5
TOTAL MULTIPLE DX	929	4.4	51	<1	<1	2	4	11	17	40
TOTAL										
0-19 YRS	700	2.2	24	<1	<1	<1	1	3	8	30
20-34	167	2.0	7	<1	<1	1	2	4	7	15
35-49	215	3.1	38	<1	<1	1	2	7	11	27
50-64	269	3.4	36	<1	<1	1	3	[illegible]	14	38
65 +	290	5.0	50	<1	1	2	7	14	19	33
GRAND TOTAL	1641	3.0	32	<1	<1	1	2	7	13	30

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	181	2.2	5	<1	<1	1	3	5	7	13
20-34	119	3.3	9	<1	<1	2	4	6	11	16
35-49	212	3.0	10	<1	1	2	4	6	8	16
50-64	555	2.5	2	1	1	2	3	5	5	7
65 +	304	2.7	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	200	4.4	60	<1	1	2	5	9	13	32
20-34	187	5.6	73	1	1	3	6	10	18	42
35-49	638	4.2	23	1	1	3	5	7	10	27
50-64	1421	3.5	11	1	1	3	4	6	8	18
65 +	963	4.3	30	1	1	3	5	8	11	31
TOTAL SINGLE DX	1371	2.7	5	<1	1	2	3	5	6	12
TOTAL MULTIPLE DX	3409	4.0	25	1	1	3	4	7	10	26
TOTAL										
0-19 YRS	381	3.4	35	<1	<1	2	4	8	10	26
20-34	306	4.7	50	<1	1	3	5	9	14	27
35-49	850	3.9	20	1	1	3	5	7	10	26
50-64	1976	3.2	9	1	1	3	4	5	7	16
65 +	1267	3.9	24	1	1	3	4	7	10	26
GRAND TOTAL	4780	3.6	20	1	1	3	4	6	9	22

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	587	4.0	3	2	2	4	5	6	7	9
20-34	1787	3.9	2	2	2	4	5	6	6	9
35-49	316	4.3	6	2	2	4	5	6	7	9
50-64	38	5.5	4	3	3	5	7	8	9	11
65 +	15	7.3	13	3	4	7	9	12	16	17
2. MULTIPLE DX										
0-19 YRS	695	4.4	5	2	2	4	5	7	8	14
20-34	4022	4.4	4	2	3	4	5	6	8	12
35-49	960	4.8	8	1	2	4	5	7	9	18
50-64	126	8.7	46	4	4	7	10	15	25	59
65 +	173	12.2	90	4	5	10	14	23	31	53
TOTAL SINGLE DX	2743	4.0	3	2	2	4	5	6	7	9
TOTAL MULTIPLE DX	5976	4.8	10	2	3	4	5	7	9	17
TOTAL										
0-19 YRS	1282	4.3	4	2	2	4	5	6	7	12
20-34	5809	4.2	4	2	2	4	5	6	7	11
35-49	1276	4.6	8	2	2	4	5	7	8	16
50-64	164	8.0	39	3	4	6	9	14	20	45
65 +	188	11.8	86	4	5	9	13	22	30	51
GRAND TOTAL	8719	4.5	8	2	2	4	5	7	8	15

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	282	4.4	2	2	3	4	5	6	7	10
20-34	1612	4.2	2	2	3	4	5	6	7	9
35-49	788	4.5	2	2	3	4	5	6	7	10
50-64	108	4.7	3	2	3	4	6	8	8	11
65 +	53	6.0	6	2	3	5	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	459	5.4	17	3	3	5	6	8	10	16
20-34	4370	4.9	6	3	3	4	5	7	9	14
35-49	2806	5.3	9	3	3	5	6	8	10	18
50-64	398	7.4	26	3	3	6	9	13	18	33
65 +	447	11.7	91	4	4	9	14	22	30	62
TOTAL SINGLE DX	2843	4.3	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	8480	5.5	16	3	3	5	6	8	12	22
TOTAL										
0-19 YRS	741	5.0	12	3	3	4	6	7	9	14
20-34	5982	4.7	5	2	3	4	5	7	8	14
35-49	3594	5.1	9	3	3	4	6	8	10	16
50-64	506	6.8	23	3	3	6	8	11	16	31
65 +	500	11.1	85	4	4	8	13	21	29	58
GRAND TOTAL	**11323**	**5.2**	**13**	**3**	**3**	**4**	**6**	**8**	**10**	**20**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.4	7	< 1	< 1	4	6	8	8	8
20-34	148	4.6	2	2	3	4	5	6	7	11
35-49	342	4.7	3	3	3	4	6	7	8	12
50-64	192	5.1	3	3	3	5	6	7	9	13
65 +	114	6.1	7	3	4	5	7	10	11	17
2. MULTIPLE DX										
0-19 YRS	23	5.9	10	2	3	5	7	11	13	14
20-34	1072	5.0	6	3	3	4	6	7	9	16
35-49	2312	5.5	8	3	3	5	6	8	10	19
50-64	943	7.9	40	3	4	6	9	14	18	35
65 +	741	10.6	68	4	5	8	13	19	25	45
TOTAL SINGLE DX	801	5.0	4	3	3	5	6	7	8	13
TOTAL MULTIPLE DX	5091	6.6	27	3	3	5	7	11	15	28
TOTAL										
0-19 YRS	28	5.6	10	1	3	5	7	10	13	14
20-34	1220	4.9	6	3	3	4	6	7	9	15
35-49	2654	5.4	8	3	3	5	6	8	10	19
50-64	1135	7.4	35	3	4	6	8	13	17	34
65 +	855	10.0	63	4	4	8	12	18	24	44
GRAND TOTAL	**5892**	**6.3**	**24**	**3**	**3**	**5**	**7**	**11**	**14**	**25**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	129	2.8	5	< 1	< 1	2	3	5	6	15
20-34	415	2.6	3	< 1	< 1	2	4	5	6	8
35-49	97	2.4	3	< 1	< 1	1	4	5	6	9
50-64	7	5.1	28	< 1	< 1	4	7	14	16	16
65 +	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	181	3.9	8	< 1	1	3	5	8	10	14
20-34	1619	3.7	4	< 1	1	4	5	6	7	11
35-49	417	3.7	7	< 1	1	4	5	6	8	15
50-64	20	4.8	11	1	2	4	6	7	12	17
65 +	23	12.2	227	< 1	1	9	15	26	42	71
TOTAL SINGLE DX	651	2.6	4	< 1	< 1	2	4	5	6	9
TOTAL MULTIPLE DX	2260	3.8	8	< 1	1	4	5	6	8	13
TOTAL										
0-19 YRS	310	3.4	8	< 1	1	3	4	7	8	14
20-34	2034	3.5	4	< 1	1	3	4	6	7	10
35-49	514	3.5	7	< 1	< 1	3	4	6	8	14
50-64	27	4.9	15	< 1	1	4	6	8	16	17
65 +	26	11.0	210	< 1	1	7	14	25	36	71
GRAND TOTAL	**2911**	**3.5**	**8**	**<1**	**1**	**3**	**4**	**6**	**8**	**12**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
20-34	664	1.1		< 1	< 1	< 1	< 1	1	2	5
35-49	340	1.1		< 1	< 1	< 1	< 1	1	2	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5	1.6	1	< 1	< 1	1	2	3	3	3
20-34	852	1.9	4	< 1	< 1	1	2	3	4	10
35-49	391	1.6	5	< 1	< 1	1	2	3	4	9
50-64	3	4.0	3	2	2	5	5	5	5	5
65 +	0									
TOTAL SINGLE DX	1007	1.1		< 1	< 1	< 1	< 1	1	2	4
TOTAL MULTIPLE DX	1251	1.8	5	< 1	< 1	1	2	3	4	9
TOTAL										
0-19 YRS	8	1.6	1	< 1	< 1	1	2	3	3	3
20-34	1516	1.6	3	< 1	< 1	< 1	1	3	4	7
35-49	731	1.4	3	< 1	< 1	< 1	1	2	3	7
50-64	3	4.0	3	2	2	5	5	5	5	5
65 +	0									
GRAND TOTAL	**2258**	**1.5**	**3**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	2.0	2	< 1	< 1	1	3	4	5	5
20-34	1366	1.8	1	< 1	< 1	1	2	3	4	5
35-49	533	1.8	1	< 1	< 1	1	2	3	4	6
50-64	5	2.6	5	< 1	< 1	1	5	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	39	3.3	5	1	1	3	4	6	9	11
20-34	6958	2.8	2	1	1	3	3	4	5	7
35-49	1669	2.8	5	1	1	3	3	4	5	10
50-64	12	6.6	13	1	2	6	10	12	12	12
65 +	0									
TOTAL SINGLE DX	1914	1.8	1	< 1	< 1	1	2	3	4	6
TOTAL MULTIPLE DX	8678	2.8	3	1	1	3	3	4	5	8
TOTAL										
0-19 YRS	49	3.0	5	< 1	1	2	4	5	7	11
20-34	8324	2.6	2	1	1	3	3	4	4	7
35-49	2202	2.6	5	< 1	1	2	3	4	5	9
50-64	17	5.4	14	< 1	1	5	9	11	12	12
65 +	0									
GRAND TOTAL	10592	2.6	3	1	1	3	3	4	5	7

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	376	3.9	2	2	3	4	4	5	6	9
20-34	4697	3.7	1	2	2	4	4	5	6	7
35-49	853	3.7	1	1	2	4	4	5	6	8
50-64	10	4.5	6	< 1	1	4	4	9	10	10
65 +	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	373	4.7	27	2	3	4	5	6	8	14
20-34	6614	4.1	2	2	3	4	5	6	7	10
35-49	1410	4.3	4	2	2	4	5	6	7	11
50-64	26	6.8	33	1	1	5	9	17	39	99 +
65 +	15	9.6	60	2	4	6	13	24	27	28
TOTAL SINGLE DX	5938	3.7	2	2	2	4	4	5	6	8
TOTAL MULTIPLE DX	8438	4.2	5	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	749	4.3	15	2	3	4	5	6	7	11
20-34	11311	3.9	2	2	2	4	5	5	6	9
35-49	2263	4.1	4	2	2	4	5	6	7	11
50-64	36	6.1	26	1	1	4	8	11	24	99 +
65 +	17	9.0	56	2	3	6	12	22	27	28
GRAND TOTAL	14376	4.0	3	2	2	4	5	6	6	9

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.2		< 1	< 1	1	1	2	2	2
20-34	486	1.4		< 1	< 1	1	1	2	3	5
35-49	229	1.5	1	< 1	< 1	1	2	3	4	6
50-64	74	1.6	2	< 1	< 1	1	2	3	3	11
65 +	40	1.6	2	< 1	< 1	1	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	13	1.6	1	1	1	1	2	3	4	4
20-34	421	2.0	17	< 1	< 1	1	2	3	5	12
35-49	289	2.5	20	< 1	< 1	1	2	5	7	25
50-64	130	2.0	7	< 1	< 1	1	2	3	6	15
65 +	97	3.8	69	1	1	2	2	6	14	50
TOTAL SINGLE DX	848	1.4	1	< 1	< 1	1	1	2	3	6
TOTAL MULTIPLE DX	950	2.3	23	< 1	< 1	1	2	4	6	21
TOTAL										
0-19 YRS	32	1.3	1	< 1	< 1	1	1	2	3	4
20-34	907	1.7	9	< 1	< 1	1	2	3	4	7
35-49	518	2.1	12	< 1	< 1	1	2	4	5	20
50-64	204	1.9	6	< 1	< 1	1	2	3	6	13
65 +	137	3.2	50	< 1	1	2	2	5	8	48
GRAND TOTAL	1798	1.9	13	<1	<1	1	2	3	5	13

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.6	2	< 1	< 1	< 1	1	3	5	8
20-34	185	1.3	1	< 1	< 1	1	1	2	3	7
35-49	142	1.6	2	< 1	< 1	1	1	3	5	9
50-64	61	2.6	18	< 1	< 1	1	3	5	7	29
65 +	60	4.1	8	< 1	< 1	3	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	39	3.8	42	< 1	< 1	2	3	8	17	35
20-34	379	2.7	18	< 1	< 1	1	3	6	9	22
35-49	537	3.1	22	< 1	< 1	1	3	7	13	25
50-64	363	4.9	48	< 1	< 1	2	6	10	17	33
65 +	458	6.3	44	1	1	4	8	14	21	40
TOTAL SINGLE DX	469	1.9	6	< 1	< 1	1	2	4	7	10
TOTAL MULTIPLE DX	1776	4.2	35	< 1	< 1	2	5	10	16	33
TOTAL										
0-19 YRS	60	3.0	30	< 1	< 1	1	3	7	9	34
20-34	564	2.3	13	< 1	< 1	1	2	5	7	19
35-49	679	2.7	19	< 1	< 1	1	2	6	10	24
50-64	424	4.6	45	< 1	< 1	2	5	10	16	32
65 +	518	6.0	41	1	1	4	7	13	19	39
GRAND TOTAL	2245	3.7	30	<1	<1	2	4	8	14	31

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	2.4	2	1	1	2	3	4	6	8
20-34	1500	1.8	2	1	1	1	2	3	4	7
35-49	240	1.8	1	<1	1	1	2	3	4	7
50-64	4	1.3		<1	<1	1	1	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	32	3.2	4	1	1	3	4	6	9	10
20-34	676	3.5	21	1	1	2	4	7	10	23
35-49	106	3.5	78	1	1	2	3	5	9	53
50-64	4	2.8	8	1	1	2	4	7	7	7
65+	4	1.8	1	1	1	2	2	3	3	3
TOTAL SINGLE DX	1827	1.9	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	822	3.4	28	1	1	2	4	6	9	25
TOTAL										
0-19 YRS	114	2.6	3	1	1	2	3	5	7	9
20-34	2176	2.3	9	1	1	2	3	4	6	13
35-49	346	2.4	25	1	1	1	3	4	5	12
50-64	8	2.0	4	<1	<1	1	2	6	7	7
65+	5	1.6	1	1	1	1	2	3	3	3
GRAND TOTAL	**2649**	**2.4**	**11**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.7	2	<1	<1	3	3	5	7	7
20-34	570	4.1	2	1	2	4	5	6	7	8
35-49	247	3.8	3	1	1	4	5	6	7	8
50-64	12	2.2	2	<1	<1	2	3	5	6	6
65+	12	2.7	5	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	37	3.9	6	1	1	3	5	8	9	11
20-34	1356	4.8	9	1	2	4	6	7	8	16
35-49	871	4.4	9	1	1	4	6	7	8	15
50-64	114	6.4	57	<1	1	3	9	16	22	37
65+	121	8.4	91	1	1	5	11	18	28	53
TOTAL SINGLE DX	854	4.0	3	1	2	4	5	6	7	8
TOTAL MULTIPLE DX	2499	4.9	16	1	1	4	6	7	10	21
TOTAL										
0-19 YRS	50	3.6	6	<1	1	3	5	7	9	11
20-34	1926	4.6	7	1	2	4	5	7	8	13
35-49	1118	4.3	8	1	1	4	5	7	8	15
50-64	126	6.0	54	<1	1	3	8	15	21	35
65+	133	7.9	86	1	1	5	10	17	25	52
GRAND TOTAL	**3353**	**4.7**	**13**	**1**	**1**	**4**	**5**	**7**	**8**	**19**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	5.1	5	2	3	4	6	9	10	11
20-34	1801	4.8	2	3	3	5	5	6	7	10
35-49	3946	4.9	1	3	3	5	6	6	7	9
50-64	1261	5.5	3	3	4	5	6	7	8	13
65+	683	6.3	8	4	4	6	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	107	6.3	31	2	3	5	8	10	13	34
20-34	15499	5.2	5	3	4	5	6	7	8	14
35-49	43723	5.4	4	3	4	5	6	7	9	14
50-64	11004	6.2	11	4	4	5	7	9	11	19
65+	5299	8.5	35	4	4	7	9	15	20	35
TOTAL SINGLE DX	7708	5.1	3	3	3	5	6	7	8	11
TOTAL MULTIPLE DX	75632	5.7	9	3	4	5	6	8	10	17
TOTAL										
0-19 YRS	124	6.2	28	2	3	5	7	10	12	28
20-34	17300	5.1	5	3	4	5	6	7	8	13
35-49	47669	5.3	4	3	4	5	6	7	8	13
50-64	12265	6.1	11	4	4	5	7	9	11	18
65+	5982	8.3	33	4	4	7	9	14	19	34
GRAND TOTAL	**83340**	**5.6**	**8**	**3**	**4**	**5**	**6**	**8**	**10**	**17**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.8	10	1	1	4	7	10	10	10
20-34	1158	3.9	1	2	3	4	5	5	6	7
35-49	1374	4.0	2	2	3	4	5	6	7	9
50-64	761	5.2	2	3	3	5	6	7	8	10
65+	722	5.7	3	3	4	5	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	22	4.0	9	1	1	4	5	7	10	14
20-34	5629	4.2	2	2	3	4	5	6	7	9
35-49	11169	4.4	3	2	3	4	5	6	7	11
50-64	3649	5.5	4	3	3	5	6	8	9	13
65+	3482	6.4	9	4	4	6	7	9	11	17
TOTAL SINGLE DX	4023	4.5	3	2	3	4	5	7	7	10
TOTAL MULTIPLE DX	23951	4.8	5	3	3	4	6	7	8	12
TOTAL										
0-19 YRS	30	4.2	9	1	1	4	5	8	10	14
20-34	6787	4.2	2	2	3	4	5	6	7	9
35-49	12543	4.4	3	2	3	4	5	6	7	10
50-64	4410	5.4	4	3	3	5	6	8	9	13
65+	4204	6.3	8	3	4	6	7	9	10	16
GRAND TOTAL	**27974**	**4.8**	**4**	**3**	**3**	**4**	**6**	**7**	**8**	**12**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	51	8.7	10	5	6	8	10	13	14	23
35-49	63	8.8	8	5	6	8	10	12	16	19
50-64	30	9.8	13	5	6	9	12	15	15	22
65 +	17	10.2	10	6	7	10	11	14	17	19
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	89	9.7	26	5	6	9	11	14	16	38
35-49	170	11.6	58	5	6	10	13	19	24	41
50-64	120	13.9	111	5	6	11	17	27	41	99 +
65 +	121	16.1	137	5	7	13	17	28	40	65
TOTAL SINGLE DX	161	9.1	10	5	6	8	10	14	15	22
TOTAL MULTIPLE DX	501	12.9	89	5	6	10	15	22	29	67
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	140	9.3	21	5	6	9	10	14	15	28
35-49	233	10.8	47	5	6	9	12	18	22	32
50-64	150	13.1	95	5	6	10	15	24	33	99
65 +	138	15.4	125	5	7	12	17	26	40	61
GRAND TOTAL	662	12.0	73	5	6	10	13	19	26	57

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	1.3		< 1	< 1	1	1	2	3	5
20-34	289	1.5	1	< 1	< 1	1	1	3	4	7
35-49	61	1.4		< 1	< 1	1	1	2	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	52	2.8	12	< 1	< 1	1	4	6	9	20
20-34	339	3.7	44	< 1	< 1	2	4	7	12	34
35-49	72	2.8	31	< 1	< 1	1	3	5	7	39
50-64	0									
65 +	0									
TOTAL SINGLE DX	440	1.5	1	< 1	< 1	1	1	3	4	6
TOTAL MULTIPLE DX	463	3.5	39	< 1	< 1	2	4	7	11	32
TOTAL										
0-19 YRS	142	1.9	5	< 1	< 1	1	2	4	5	14
20-34	628	2.7	26	< 1	< 1	1	3	5	8	21
35-49	133	2.2	18	< 1	< 1	1	2	4	6	19
50-64	0									
65 +	0									
GRAND TOTAL	903	2.5	22	<1	<1	1	2	5	7	20

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2492	1.4	1	< 1	< 1	1	1	2	3	5
20-34	14236	1.3		< 1	< 1	1	1	2	3	5
35-49	3592	1.3	1	< 1	< 1	1	1	2	3	5
50-64	593	1.3		< 1	< 1	< 1	1	2	3	6
65 +	221	1.8	3	< 1	< 1	1	2	3	7	10
2. MULTIPLE DX										
0-19 YRS	1096	2.4	8	< 1	< 1	2	3	5	6	14
20-34	6917	2.5	10	< 1	< 1	2	3	5	6	12
35-49	4712	2.4	11	< 1	< 1	1	2	5	7	15
50-64	1710	3.4	30	< 1	< 1	1	3	8	12	29
65 +	1476	5.2	59	< 1	1	2	6	12	18	39
TOTAL SINGLE DX	21134	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	15911	2.8	18	< 1	< 1	1	3	6	8	21
TOTAL										
0-19 YRS	3588	1.7	4	< 1	< 1	1	2	3	4	8
20-34	21153	1.7	4	< 1	< 1	1	2	3	4	8
35-49	8304	1.9	8	< 1	< 1	1	2	4	6	13
50-64	2303	2.8	24	< 1	< 1	1	2	6	10	25
65 +	1697	4.8	53	< 1	< 1	2	5	12	17	34
GRAND TOTAL	37045	2.0	9	<1	<1	1	2	4	5	13

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	184	1.2		< 1	< 1	< 1	1	1	3	6
20-34	564	1.2	1	< 1	< 1	< 1	1	1	2	6
35-49	126	1.1		< 1	< 1	< 1	1	1	2	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	646	1.4	5	< 1	< 1	< 1	< 1	1	3	13
20-34	1941	1.6	7	< 1	< 1	< 1	< 1	2	4	13
35-49	270	2.4	20	< 1	< 1	< 1	2	5	8	28
50-64	0									
65 +	0									
TOTAL SINGLE DX	874	1.2	1	< 1	< 1	< 1	1	1	2	6
TOTAL MULTIPLE DX	2857	1.6	9	< 1	< 1	< 1	< 1	2	5	16
TOTAL										
0-19 YRS	830	1.4	5	< 1	< 1	< 1	< 1	1	3	10
20-34	2505	1.5	6	< 1	< 1	< 1	< 1	2	4	12
35-49	396	2.0	14	< 1	< 1	< 1	1	4	6	24
50-64	0									
65 +	0									
GRAND TOTAL	3731	1.5	7	<1	<1	<1	<1	2	4	13

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	511	1.4	2	< 1	< 1	1	1	2	3	5
20-34	3385	1.2		< 1	< 1	1	1	2	2	4
35-49	657	1.2		< 1	< 1	1	1	1	2	4
50-64	6	1.2		< 1	< 1	1	1	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	157	2.5	8	< 1	1	2	3	4	7	13
20-34	1036	2.3	11	< 1	< 1	1	2	4	6	13
35-49	264	2.3	9	< 1	< 1	1	2	4	7	18
50-64	16	6.5	154	< 1	< 1	2	3	31	40	42
65 +	15	7.9	50	1	1	6	14	15	23	25
TOTAL SINGLE DX	4560	1.2	1	< 1	< 1	1	1	2	2	4
TOTAL MULTIPLE DX	1488	2.4	13	< 1	< 1	1	2	4	6	15
TOTAL										
0-19 YPS	668	1.6	5	< 1	< 1	1	2	3	4	9
20-34	4421	1.4	3	< 1	< 1	1	1	2	3	7
35-49	921	1.5	3	< 1	< 1	1	1	2	4	10
50-64	22	5.0	116	< 1	< 1	1	3	13	37	42
65 +	16	7.5	50	1	1	5	12	15	22	25
GRAND TOTAL	6048	1.5	4	<1	<1	1	1	2	3	8

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	32	3.4	2	1	1	4	4	5	6	7
35-49	7	4.3	4	< 1	< 1	5	6	6	6	6
50-64	7	5.1	5	3	3	4	7	9	9	9
65 +	6	5.3	8	2	2	6	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	19	4.2	3	1	2	4	5	6	8	9
20-34	189	4.0	4	1	1	4	5	6	8	13
35-49	30	4.1	4	1	2	4	5	7	8	12
50-64	14	7.1	12	4	4	6	8	12	16	17
65 +	26	6.2	14	2	2	5	8	10	13	19
TOTAL SINGLE DX	56	3.9	4	1	1	4	5	6	7	9
TOTAL MULTIPLE DX	278	4.4	7	1	2	4	5	7	9	16
TOTAL										
0-19 YRS	23	4.0	3	1	2	4	5	6	7	9
20-34	221	3.9	4	1	1	4	5	6	7	11
35-49	37	4.2	4	1	2	4	5	6	8	12
50-64	21	6.5	10	3	3	6	8	10	14	17
65 +	32	6.0	13	2	2	6	8	10	12	19
GRAND TOTAL	334	4.3	6	1	2	4	5	7	9	14

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	2.7	3	< 1	1	2	4	5	6	8
20-34	285	2.6	22	< 1	< 1	2	4	5	5	7
35-49	95	2.5	3	< 1	< 1	2	3	5	6	9
50-64	29	3.0	1	1	1	3	4	4	5	6
65 +	22	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	84	3.7	4	1	1	3	5	7	8	11
20-34	564	3.5	14	< 1	< 1	3	4	6	8	20
35-49	220	3.7	12	< 1	< 1	3	5	6	8	12
50-64	88	4.4	45	1	1	3	4	5	17	40
65 +	107	5.8	98	1	2	3	4	8	21	64
TOTAL SINGLE DX	497	2.6	14	< 1	< 1	2	3	5	6	8
TOTAL MULTIPLE DX	1063	3.9	25	< 1	1	3	4	6	8	26
TOTAL										
0-19 YRS	150	3.3	4	< 1	1	3	4	6	8	10
20-34	849	3.2	18	< 1	< 1	3	4	5	7	18
35-49	315	3.3	10	< 1	< 1	3	4	6	7	11
50-64	117	4.1	35	1	1	3	4	5	11	40
65 +	129	5.2	84	1	2	3	4	8	18	61
GRAND TOTAL	1560	3.5	22	<1	1	3	4	6	8	21

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
20-34	109	3.5	5	1	1	3	4	6	8	13
35-49	473	4.0	3	2	2	4	5	6	7	10
50-64	1002	4.6	4	2	2	4	6	7	8	10
65 +	836	4.7	4	2	2	4	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	292	4.3	5	1	2	4	5	7	8	12
35-49	1197	5.0	6	2	3	5	6	8	9	15
50-64	2059	5.2	6	2	3	5	6	8	9	14
65 +	2315	5.7	8	2	3	5	7	9	10	15
TOTAL SINGLE DX	2423	4.5	4	2	2	4	6	7	8	11
TOTAL MULTIPLE DX	5866	5.3	7	2	3	5	6	8	10	15
TOTAL										
0-19 YRS	6	2.8	4	< 1	< 1	3	5	5	5	5
20-34	401	4.1	6	1	2	4	5	7	8	12
35-49	1670	4.8	6	2	2	4	6	7	8	14
50-64	3061	5.0	6	2	3	5	6	8	9	13
65 +	3151	5.4	8	2	3	5	7	8	10	14
GRAND TOTAL	8289	5.1	6	2	3	5	6	8	9	14

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	3.2	13	<1	1	2	3	9	12	17
20-34	316	2.9	4	<1	1	2	4	6	7	10
35-49	151	3.1	4	<1	1	3	4	6	7	10
50-64	84	4.5	7	1	1	4	6	8	10	13
65+	71	5.0	9	1	2	5	6	8	9	18
2. MULTIPLE DX										
0-19 YRS	118	4.7	22	1	1	3	6	10	13	25
20-34	248	3.7	11	1	1	3	5	7	9	18
35-49	164	5.5	38	1	1	4	6	10	20	36
50-64	175	6.1	27	1	3	5	7	10	13	30
65+	261	7.8	45	2	3	6	9	14	19	40
TOTAL SINGLE DX	712	3.4	7	<1	1	3	5	7	9	13
TOTAL MULTIPLE DX	966	5.7	32	1	1	4	7	10	14	33
TOTAL										
0-19 YRS	208	4.0	19	1	1	2	5	10	13	20
20-34	564	3.3	8	<1	1	3	4	6	8	13
35-49	315	4.3	24	1	1	3	5	8	11	28
50-64	259	5.5	22	1	2	5	7	9	12	25
65+	332	7.2	39	2	3	6	9	13	18	37
GRAND TOTAL	1678	4.7	23	1	1	4	6	9	12	24

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	2.9	15	<1	<1	2	3	6	9	19
20-34	359	3.1	5	<1	<1	3	4	6	8	11
35-49	171	3.9	11	<1	<1	3	5	9	11	18
50-64	90	4.1	14	1	1	3	5	7	10	25
65+	157	4.4	10	1	1	4	5	7	9	21
2. MULTIPLE DX										
0-19 YRS	199	4.2	20	<1	1	3	5	9	13	24
20-34	774	4.1	22	<1	1	3	5	8	12	21
35-49	343	5.4	22	<1	1	4	7	11	16	23
50-64	403	6.2	37	1	2	5	7	11	18	28
65+	763	6.6	59	1	2	5	7	13	19	44
TOTAL SINGLE DX	905	3.6	10	<1	1	3	4	7	10	15
TOTAL MULTIPLE DX	2482	5.4	37	1	1	4	6	10	15	29
TOTAL										
0-19 YRS	327	3.7	19	<1	1	2	4	9	12	23
20-34	1133	3.8	17	<1	1	3	5	7	10	19
35-49	514	4.9	19	<1	1	4	6	10	15	22
50-64	493	5.8	34	1	2	4	7	11	17	28
65+	920	6.2	52	1	2	4	7	11	18	41
GRAND TOTAL	3367	4.9	31	1	1	4	6	10	14	26

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	133	2.2	2	<1	<1	2	3	4	6	8
20-34	516	1.6	1	<1	<1	1	2	3	4	6
35-49	272	1.6	2	<1	<1	1	1	3	4	9
50-64	96	1.7	1	<1	<1	1	2	3	4	8
65+	65	2.8	4	<1	<1	2	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	146	3.9	21	<1	1	3	5	8	10	23
20-34	451	3.2	15	<1	1	2	4	6	9	18
35-49	270	3.9	22	<1	1	2	5	9	12	27
50-64	194	6.5	58	<1	1	4	8	15	25	38
65+	290	6.9	79	1	1	4	9	16	24	35
TOTAL SINGLE DX	1082	1.8	2	<1	<1	1	2	3	4	8
TOTAL MULTIPLE DX	1351	4.7	40	<1	1	3	5	10	15	31
TOTAL										
0-19 YRS	279	3.1	13	<1	<1	2	4	6	8	19
20-34	967	2.3	9	<1	<1	2	3	4	6	14
35-49	542	2.7	14	<1	<1	1	3	6	9	21
50-64	290	4.9	45	<1	<1	2	6	12	18	35
65+	355	6.2	68	1	1	3	8	14	22	33
GRAND TOTAL	2433	3.4	25	<1	<1	2	3	7	11	28

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	13	3.7	4	<1	1	4	5	6	8	8
35-49	34	4.5	13	<1	1	3	6	11	13	14
50-64	31	5.6	22	1	1	4	9	14	15	16
65+	65	7.0	24	1	1	6	11	15	15	19
2. MULTIPLE DX										
0-19 YRS	6	12.3	276	<1	<1	5	19	41	43	43
20-34	36	5.3	24	<1	1	4	7	11	18	21
35-49	41	6.1	29	1	1	4	8	13	17	26
50-64	78	10.0	88	1	2	7	14	21	29	48
65+	207	11.8	118	2	3	9	14	22	36	61
TOTAL SINGLE DX	145	5.7	21	1	1	4	9	13	15	17
TOTAL MULTIPLE DX	368	10.2	100	1	2	8	13	20	27	56
TOTAL										
0-19 YRS	8	10.0	217	<1	<1	3	14	36	43	43
20-34	49	4.9	19	<1	1	4	6	10	15	21
35-49	75	5.4	23	<1	1	4	7	12	15	24
50-64	109	8.8	73	1	1	6	13	17	24	46
65+	272	10.6	100	1	2	9	13	20	26	59
GRAND TOTAL	513	8.9	81	1	1	7	12	18	23	50

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	1.6	1	<1	<1	1	2	2	4	7
20-34	92	2.3	2	<1	1	2	3	4	5	10
35-49	31	2.5	2	<1	<1	2	3	5	6	7
50-64	3	2.3		2	2	2	3	3	3	3
65+	4	2.0		<1	<1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	54	2.4	3	1	1	2	3	5	6	10
20-34	109	3.0	11	1	1	2	3	6	7	20
35-49	44	4.0	10	1	1	3	5	9	11	12
50-64	19	4.2	14	1	1	4	6	8	13	16
65+	13	8.4	123	2	3	5	7	19	39	44
TOTAL SINGLE DX	224	2.0	2	<1	1	2	2	4	5	7
TOTAL MULTIPLE DX	239	3.5	17	1	1	2	4	7	10	18
TOTAL										
0-19 YRS	148	1.9	2	<1	1	1	2	4	5	7
20-34	201	2.7	8	1	1	2	3	5	6	13
35-49	75	3.3	8	<1	1	2	4	8	10	12
50-64	22	4.0	13	1	1	3	4	8	12	16
65+	17	6.9	101	1	2	5	6	12	33	44
GRAND TOTAL	463	2.8	10	<1	1	2	3	5	7	13

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.5	2	<1	<1	1	1	2	6	7
20-34	11	3.3	8	<1	<1	3	5	7	10	10
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	25	8.2	227	<1	<1	3	6	19	51	65
20-34	19	4.9	43	<1	1	4	4	8	21	31
35-49	15	8.8	231	<1	1	3	12	16	49	60
50-64	7	3.4	7	<1	<1	3	5	8	8	8
65+	15	8.1	68	<1	1	7	10	21	26	28
TOTAL SINGLE DX	29	2.3	5	<1	<1	1	3	6	7	10
TOTAL MULTIPLE DX	81	7.1	134	<1	<1	3	7	17	29	63
TOTAL										
0-19 YRS	39	5.8	155	<1	<1	1	5	10	34	65
20-34	30	4.3	30	<1	<1	3	5	7	10	31
35-49	16	8.6	217	<1	1	3	10	16	47	60
50-64	9	2.9	6	<1	<1	2	4	7	8	8
65+	16	7.7	66	<1	1	6	9	21	26	28
GRAND TOTAL	110	5.8	105	<1	<1	3	6	12	21	62

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2498	2.4	2	1	1	2	3	3	4	5
20-34	13254	2.5		1	2	2	3	3	4	5
35-49	837	2.6		1	2	3	3	4	4	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	0									
2. MULTIPLE DX										
0-19 YRS	3074	2.8	3	1	2	3	3	4	5	8
20-34	18121	2.8	3	1	2	3	3	4	5	7
35-49	1551	3.1	3	1	2	3	3	4	5	10
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
TOTAL SINGLE DX	16592	2.5	1	1	2	2	3	3	4	5
TOTAL MULTIPLE DX	22747	2.9	4	1	2	3	3	4	5	8
TOTAL										
0-19 YRS	5572	2.6	3	1	2	2	3	4	4	7
20-34	31375	2.7	2	1	2	3	3	4	4	6
35-49	2388	2.9	3	1	2	3	3	4	5	8
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	0									
GRAND TOTAL	39339	2.7	3	1	2	3	3	4	4	7

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	2.1		1	1	2	3	3	3	3
20-34	259	2.2		1	1	2	3	3	3	4
35-49	31	2.3	1	1	1	2	3	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	105	2.3	2	1	1	2	3	4	5	9
20-34	735	2.9	8	1	1	2	3	5	7	15
35-49	95	3.2	9	1	1	3	3	5	8	19
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
TOTAL SINGLE DX	312	2.2	1	1	1	2	3	3	3	4
TOTAL MULTIPLE DX	936	2.9	8	1	1	2	3	5	7	15
TOTAL										
0-19 YRS	127	2.3	2	1	1	2	3	4	5	8
20-34	994	2.7	7	1	1	2	3	4	6	13
35-49	126	3.0	7	1	1	3	3	4	6	15
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
GRAND TOTAL	1248	2.7	6	1	1	2	3	4	6	11

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1217	2.3	1	1	1	2	3	3	4	5
20-34	8409	2.3	1	1	1	2	3	3	4	5
35-49	683	2.3	2	1	1	2	3	3	4	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1879	2.6	1	1	1	2	3	4	5	7
20-34	13437	2.7	2	1	1	3	3	4	4	7
35-49	1406	2.9	5	1	2	3	3	4	5	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	10310	2.3	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	16723	2.7	3	1	1	2	3	4	4	7
TOTAL										
0-19 YRS	3096	2.4	2	1	1	2	3	4	4	7
20-34	21846	2.5	2	1	1	2	3	4	4	6
35-49	2089	2.7	4	1	1	2	3	4	5	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	27033	2.5	2	1	1	2	3	4	4	6

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29485	2.2	1	1	1	2	3	3	4	5
20-34	178093	2.2	1	1	1	2	3	3	4	4
35-49	13105	2.3	1	1	1	2	3	3	4	5
50-64	23	2.6	3	< 1	1	2	3	4	6	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12277	2.7	4	1	1	2	3	4	5	10
20-34	83918	2.7	3	1	1	2	3	4	5	8
35-49	8945	2.9	6	1	1	3	3	4	5	10
50-64	13	4.8	50	1	1	3	4	10	25	28
65 +	0									
TOTAL SINGLE DX	220706	2.2	1	1	1	2	3	3	4	4
TOTAL MULTIPLE DX	105153	2.7	4	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	41762	2.3	2	1	1	2	3	3	4	7
20-34	262011	2.4	2	1	1	2	3	3	4	6
35-49	22050	2.5	3	1	1	2	3	4	4	7
50-64	36	3.4	20	1	1	3	3	5	8	28
65 +	0									
GRAND TOTAL	325859	2.4	2	1	1	2	3	3	4	6

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3686	4.4	1	3	3	4	5	6	6	8
20-34	35232	4.3	2	3	3	4	5	6	6	8
35-49	3000	4.6	5	3	3	4	5	6	6	8
50-64	13	4.2	2	1	2	4	5	6	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	10576	5.2	7	3	3	5	6	7	[illegible]	15
20-34	95019	4.9	8	3	3	4	5	6	[illegible]	15
35-49	12045	5.2	13	3	3	5	6	7	8	20
50-64	15	5.5	4	3	3	5	6	8	10	11
65 +	0									
TOTAL SINGLE DX	41931	4.4	2	3	3	4	5	6	6	8
TOTAL MULTIPLE DX	117655	5.0	9	3	3	5	5	6	8	15
TOTAL										
0-19 YRS	14262	5.0	6	3	3	4	5	7	8	14
20-34	130251	4.8	7	3	3	4	5	6	7	13
35-49	15045	5.1	12	3	3	5	5	7	8	18
50-64	28	4.9	4	2	3	5	6	7	9	11
65 +	0									
GRAND TOTAL	159586	4.8	7	3	3	4	5	6	7	14

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	182	4.3	1	3	3	4	5	6	6	8
20-34	983	4.2	1	3	3	4	5	6	6	8
35-49	80	4.2	1	3	3	4	5	6	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	382	5.7	19	3	3	5	6	9	11	23
20-34	2981	5.9	33	3	3	5	6	8	12	32
35-49	467	6.3	26	3	3	5	6	9	15	33
50-64	0									
65 +	0									
TOTAL SINGLE DX	1245	4.2	1	3	3	4	5	6	6	8
TOTAL MULTIPLE DX	3830	5.9	31	3	3	5	6	8	12	31
TOTAL										
0-19 YRS	564	5.3	14	3	3	4	6	7	10	18
20-34	3964	5.5	26	3	3	5	5	7	10	27
35-49	547	6.0	23	3	3	5	6	9	13	33
50-64	0									
65 +	0									
GRAND TOTAL	5075	5.5	24	3	3	5	6	7	10	27

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	3.3	1	1	2	3	4	5	5	6
20-34	356	3.3	1	1	1	3	4	5	5	7
35-49	37	3.4	2	1	1	3	4	5	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	39	3.8	1	2	2	4	4	5	6	7
20-34	425	3.9	3	2	2	4	4	6	7	10
35-49	57	3.8	3	1	2	4	5	6	7	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	434	3.3	2	1	1	3	4	5	5	7
TOTAL MULTIPLE DX	521	3.9	3	1	2	4	4	6	7	10
TOTAL										
0-19 YRS	80	3.6	1	2	2	4	4	5	6	7
20-34	781	3.7	3	1	2	4	4	5	6	9
35-49	94	3.7	3	1	2	4	4	6	6	10
50-64	0									
65 +	0									
GRAND TOTAL	955	3.7	2	1	2	4	4	5	6	9

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	241	1.5		< 1	1	1	2	2	3	3
20-34	232	1.6		< 1	1	1	2	3	3	5
35-49	35	1.7	1	< 1	1	1	2	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	41	2.5	5	< 1	1	2	2	6	8	11
20-34	105	2.0	3	< 1	< 1	1	2	4	6	10
35-49	37	2.0	4	< 1	< 1	1	2	3	8	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	508	1.6	1	< 1	1	1	2	2	3	5
TOTAL MULTIPLE DX	183	2.1	4	< 1	< 1	1	2	4	6	11
TOTAL										
0-19 YRS	282	1.7	1	< 1	1	1	2	2	3	7
20-34	337	1.7	2	< 1	1	1	2	3	4	6
35-49	72	1.8	3	< 1	< 1	1	2	3	5	10
50-64	0									
65 +	0									
GRAND TOTAL	691	1.7	2	<1	1	1	2	3	3	7

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	4.1	27	< 1	1	2	4	8	17	29
20-34	702	4.4	27	< 1	1	3	5	10	15	23
35-49	58	4.7	54	< 1	< 1	2	4	9	18	45
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	197	5.2	33	1	1	3	6	11	14	36
20-34	874	5.9	48	1	1	4	7	13	21	36
35-49	89	5.9	39	1	1	4	7	15	20	32
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
TOTAL SINGLE DX	918	4.4	29	< 1	1	3	5	9	15	29
TOTAL MULTIPLE DX	1161	5.8	45	1	1	4	7	13	20	36
TOTAL										
0-19 YRS	355	4.7	31	< 1	1	3	5	10	15	30
20-34	1576	5.2	40	< 1	1	3	6	12	17	30
35-49	147	5.4	45	< 1	1	3	6	15	20	38
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
GRAND TOTAL	2079	5.2	39	<1	1	3	6	12	17	30

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2273	1.9	1	< 1	< 1	2	2	3	4	6
20-34	12460	2.0	1	< 1	< 1	2	2	3	3	5
35-49	917	2.1	1	< 1	< 1	2	3	3	4	5
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1120	2.3	4	< 1	1	2	3	4	5	10
20-34	6372	2.5	6	< 1	1	2	3	4	5	9
35-49	605	2.5	2	< 1	1	2	3	4	5	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	15654	2.0	1	< 1	< 1	2	2	3	3	5
TOTAL MULTIPLE DX	8097	2.5	6	< 1	1	2	3	4	5	9
TOTAL										
0-19 YRS	3393	2.1	2	< 1	< 1	2	3	3	4	7
20-34	18832	2.1	3	< 1	< 1	2	3	3	4	7
35-49	1522	2.2	2	< 1	< 1	2	3	3	4	8
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	0									
GRAND TOTAL	23751	2.1	3	<1	<1	2	3	3	4	7

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4539	2.2		1	1	2	3	3	3	4
20-34	29847	2.1		1	1	2	3	3	3	4
35-49	2599	2.1		1	1	2	3	3	3	4
50-64	5	2.6	1	2	2	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5100	2.5	2	1	1	2	3	4	5	7
20-34	35469	2.5	3	1	1	2	3	4	4	7
35-49	3843	2.6	3	1	1	2	3	4	4	8
50-64	5	4.0	26	1	1	2	5	13	13	13
65 +	0									
TOTAL SINGLE DX	36990	2.1	1	1	1	2	3	3	3	4
TOTAL MULTIPLE DX	44417	2.5	3	1	1	2	3	4	4	7
TOTAL										
0-19 YRS	9639	2.3	2	1	1	2	3	3	4	6
20-34	65316	2.3	2	1	1	2	3	3	4	5
35-49	6442	2.4	2	1	1	2	3	3	4	7
50-64	10	3.3	12	1	1	2	3	8	13	13
65 +	0									
GRAND TOTAL	81407	2.3	2	1	1	2	3	3	4	6

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	3.1	13	<1	1	2	3	7	11	19
20-34	83	2.7	4	1	1	2	3	5	6	13
35-49	66	4.8	37	1	1	3	5	11	17	31
50-64	58	3.7	16	1	1	2	4	9	12	21
65 +	52	4.6	10	1	1	4	7	10	12	12
2. MULTIPLE DX										
0-19 YRS	81	4.9	21	1	1	3	6	11	14	26
20-34	98	6.3	70	1	1	3	6	13	29	45
35-49	93	5.7	31	1	1	4	8	14	15	29
50-64	150	10.3	173	1	1	6	11	26	42	59
65 +	204	9.9	104	1	1	7	13	22	33	56
TOTAL SINGLE DX	321	3.7	16	1	1	2	4	8	11	21
TOTAL MULTIPLE DX	626	8.2	99	1	1	5	10	18	29	52
TOTAL										
0-19 YRS	143	4.1	18	1	1	3	5	8	13	20
20-34	181	4.7	43	1	1	3	4	9	16	38
35-49	159	5.3	34	1	1	3	7	13	15	30
50-64	208	8.5	138	1	1	5	9	19	37	58
65 +	256	8.8	90	1	1	6	12	20	29	53
GRAND TOTAL	947	6.7	75	1	1	4	8	15	22	49

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1287	2.6	2	1	1	2	3	4	5	8
20-34	2145	2.3	1	1	1	2	3	4	4	6
35-49	1068	2.3	1	1	1	2	3	4	4	6
50-64	253	2.2	1	1	1	2	3	4	4	6
65 +	55	2.6	4	1	1	2	3	4	6	14
2. MULTIPLE DX										
0-19 YRS	1279	3.1	4	1	1	3	4	5	6	11
20-34	1643	3.0	4	1	1	3	4	5	6	9
35-49	916	3.1	12	1	1	3	4	5	6	14
50-64	287	3.7	20	1	1	2	4	6	11	26
65 +	97	4.2	26	1	1	2	4	8	18	28
TOTAL SINGLE DX	4808	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	4222	3.1	8	1	1	3	4	5	6	13
TOTAL										
0-19 YRS	2566	2.9	3	1	1	3	3	5	6	10
20-34	3788	2.6	3	1	1	2	3	4	5	8
35-49	1984	2.7	7	1	1	2	3	4	5	9
50-64	540	3.0	12	1	1	2	3	5	7	19
65 +	152	3.6	19	1	1	2	4	6	13	26
GRAND TOTAL	9030	2.7	5	1	1	2	3	4	5	10

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	281	2.0	1	1	1	2	2	4	4	6
20-34	423	2.2	3	1	1	2	3	4	5	8
35-49	93	2.1	1	1	1	2	2	4	6	6
50-64	15	4.6	17	1	1	3	7	12	12	12
65 +	15	2.9	6	1	1	2	3	6	9	10
2. MULTIPLE DX										
0-19 YRS	449	4.0	30	1	1	2	4	7	12	30
20-34	662	4.2	20	1	1	3	5	8	11	28
35-49	231	4.4	11	1	1	3	5	9	12	16
50-64	74	6.0	47	1	1	3	6	16	21	34
65 +	64	7.9	108	1	2	5	10	13	21	71
TOTAL SINGLE DX	827	2.2	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1500	4.4	28	1	1	3	5	8	13	28
TOTAL										
0-19 YRS	730	3.2	20	1	1	2	3	6	8	25
20-34	1105	3.4	15	1	1	2	4	7	8	23
35-49	324	3.7	10	1	1	3	5	7	10	15
50-64	89	5.8	42	1	1	3	6	14	19	33
65 +	79	6.9	93	1	1	5	9	13	17	63
GRAND TOTAL	2327	3.6	20	1	1	2	4	7	10	25

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	333	2.2	2	1	1	2	3	4	5	8
20-34	832	2.5	5	1	1	2	3	5	7	11
35-49	327	2.7	4	1	1	2	3	5	7	12
50-64	74	2.6	4	1	1	2	3	4	7	12
65 +	29	3.2	9	1	1	2	3	7	10	15
2. MULTIPLE DX										
0-19 YRS	746	6.3	60	1	1	4	7	13	21	41
20-34	1620	5.7	46	1	1	4	7	12	16	34
35-49	686	5.6	39	1	1	4	6	11	17	31
50-64	259	6.9	58	1	1	5	8	14	20	35
65 +	217	9.6	109	1	2	6	12	21	29	69
TOTAL SINGLE DX	1595	2.5	5	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	3528	6.1	54	1	1	4	7	13	19	37
TOTAL										
0-19 YRS	1079	5.0	46	1	1	3	5	11	15	38
20-34	2452	4.6	35	1	1	3	5	10	14	28
35-49	1013	4.7	30	1	1	3	5	9	14	25
50-64	333	5.9	50	1	1	4	7	13	18	35
65 +	246	8.9	102	1	1	6	12	19	29	67
GRAND TOTAL	5123	5.0	41	1	1	3	6	11	15	33

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	2.8	4	1	1	2	3	5	8	11
20-34	84	2.6	5	<1	1	2	3	4	6	15
35-49	73	2.1	1	1	1	2	3	3	4	8
50-64	69	2.0	1	<1	1	1	2	4	5	7
65 +	20	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	116	4.6	55	1	1	3	4	7	12	46
20-34	99	4.1	22	1	1	2	5	8	13	27
35-49	91	4.4	30	1	1	3	4	9	13	33
50-64	87	3.7	21	<1	1	2	4	7	13	27
65 +	67	5.3	41	1	1	3	6	12	19	33
TOTAL SINGLE DX	325	2.4	4	<1	1	2	3	4	6	10
TOTAL MULTIPLE DX	460	4.4	35	1	1	3	4	8	14	33
TOTAL										
0-19 YRS	195	3.9	36	1	1	3	4	6	9	33
20-34	183	3.4	15	1	1	2	4	7	11	19
35-49	164	3.4	19	1	1	2	3	6	10	27
50-64	156	2.9	14	<1	1	2	3	5	8	25
65 +	87	4.5	35	<1	1	2	5	11	18	33
GRAND TOTAL	785	3.5	23	1	1	2	4	7	11	28

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1033	4.4	19	1	1	3	5	8	12	23
20-34	450	4.0	22	<1	1	3	5	7	11	25
35-49	490	4.1	15	<1	1	3	5	7	9	21
50-64	514	4.5	10	1	1	4	5	8	9	15
65 +	133	4.6	11	1	1	4	5	10	11	16
2. MULTIPLE DX										
0-19 YRS	1192	5.8	44	1	2	4	6	11	18	37
20-34	617	6.5	85	1	1	3	7	14	24	53
35-49	639	5.3	45	<1	1	4	6	10	15	33
50-64	768	6.0	53	1	1	4	7	11	17	43
65 +	439	9.7	119	1	2	6	11	23	37	53
TOTAL SINGLE DX	2620	4.3	17	1	1	3	5	8	10	22
TOTAL MULTIPLE DX	3655	6.3	64	1	1	4	7	13	21	44
TOTAL										
0-19 YRS	2225	5.2	33	1	1	4	6	10	15	29
20-34	1067	5.4	61	1	1	3	6	11	19	43
35-49	1129	4.8	33	<1	1	3	5	9	12	30
50-64	1282	5.4	37	1	1	4	6	9	13	36
65 +	572	8.5	99	1	2	5	10	18	29	49
GRAND TOTAL	6275	5.5	45	1	1	4	6	10	16	39

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	346	1.9	1	<1	1	2	2	3	4	6
20-34	573	1.9	1	<1	<1	2	2	3	4	6
35-49	774	2.1	1	<1	<1	2	3	4	5	6
50-64	675	2.1	1	<1	1	2	3	4	5	7
65 +	223	2.2	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	509	2.2	1	<1	1	2	3	4	5	7
20-34	1120	2.3	9	<1	1	2	3	4	5	7
35-49	1780	2.3	3	1	1	2	3	4	5	9
50-64	2742	2.6	4	1	1	2	3	4	5	9
65 +	1906	3.0	11	1	1	2	4	5	6	16
TOTAL SINGLE DX	2591	2.0	2	<1	1	2	3	4	4	6
TOTAL MULTIPLE DX	8057	2.6	7	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	855	2.1	2	<1	1	2	3	4	4	6
20-34	1693	2.2	7	<1	1	2	3	4	5	6
35-49	2554	2.2	3	<1	1	2	3	4	5	8
50-64	3417	2.5	4	1	1	2	3	4	5	8
65 +	2129	2.9	10	1	1	2	4	5	6	15
GRAND TOTAL	10648	2.4	5	<1	1	2	3	4	5	8

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2495	3.2	18	<1	1	2	3	6	9	24
20-34	2385	3.1	14	<1	1	2	4	6	8	18
35-49	1980	3.0	9	<1	1	2	3	6	8	16
50-64	1230	3.6	18	<1	1	2	4	7	11	21
65+	558	4.5	27	<1	1	3	6	9	13	32
2. MULTIPLE DX										
0-19 YRS	1535	8.0	133	1	1	3	9	22	35	60
20-34	2718	7.2	103	1	1	4	8	18	29	56
35-49	2693	6.9	115	1	1	3	7	16	28	58
50-64	2825	8.5	136	1	1	4	10	21	33	62
65+	2925	11.3	162	1	1	7	15	26	40	73
TOTAL SINGLE DX	8648	3.3	16	<1	1	2	4	6	9	20
TOTAL MULTIPLE DX	12696	8.5	133	1	1	4	10	21	33	65
TOTAL										
0-19 YRS	4030	5.0	68	1	1	2	5	11	20	47
20-34	5103	5.3	66	<1	1	3	5	12	20	47
35-49	4673	5.2	74	<1	1	3	5	11	19	46
50-64	4055	7.0	106	1	1	3	8	17	27	59
65+	3483	10.2	147	1	1	6	13	24	36	70
GRAND TOTAL	**21344**	**6.4**	**92**	**1**	**1**	**3**	**7**	**15**	**25**	**54**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1440	4.8	32	1	1	3	5	9	14	31
20-34	734	3.8	12	1	1	3	4	7	11	19
35-49	377	4.2	22	1	1	3	5	8	10	19
50-64	297	5.3	16	1	1	5	7	10	11	18
65+	389	8.5	21	2	3	8	11	15	17	21
2. MULTIPLE DX										
0-19 YRS	858	7.1	84	1	1	4	8	18	25	51
20-34	821	7.1	79	1	1	4	8	15	25	48
35-49	487	8.1	105	1	1	5	9	17	28	65
50-64	664	9.9	107	1	2	7	12	20	28	70
65+	1959	13.2	112	4	5	11	16	24	33	75
TOTAL SINGLE DX	3237	5.0	26	1	1	4	6	10	14	26
TOTAL MULTIPLE DX	4789	10.1	108	1	2	7	13	21	29	60
TOTAL										
0-19 YRS	2298	5.6	54	1	1	3	6	11	21	39
20-34	1555	5.5	51	1	1	3	6	11	17	37
35-49	864	6.4	73	1	1	4	7	13	21	51
50-64	961	8.5	84	1	2	6	10	17	25	61
65+	2348	12.4	101	3	4	10	15	22	30	66
GRAND TOTAL	**8026**	**8.0**	**81**	**1**	**1**	**5**	**10**	**17**	**24**	**49**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1230	2.3	10	<1	<1	1	2	4	5	21
20-34	1672	2.2	8	<1	<1	1	3	4	6	11
35-49	911	2.4	5	<1	<1	2	3	5	7	11
50-64	657	2.7	11	<1	<1	2	3	5	8	21
65+	507	3.6	15	<1	1	2	4	8	12	18
2. MULTIPLE DX										
0-19 YRS	994	3.7	49	<1	1	2	3	7	14	45
20-34	1060	4.8	48	1	1	3	5	10	16	45
35-49	791	5.6	68	1	1	3	6	11	20	49
50-64	805	6.3	86	1	1	3	7	14	24	50
65+	1250	9.4	127	1	1	6	12	22	34	66
TOTAL SINGLE DX	4977	2.5	9	<1	<1	2	3	5	7	16
TOTAL MULTIPLE DX	4900	6.1	83	1	1	3	7	15	23	52
TOTAL										
0-19 YRS	2224	2.9	28	<1	<1	2	3	5	8	29
20-34	2732	3.2	25	<1	1	2	3	6	10	27
35-49	1702	3.9	37	<1	1	2	4	8	12	31
50-64	1462	4.7	56	<1	1	2	5	10	17	42
65+	1757	7.7	102	1	1	4	9	18	28	58
GRAND TOTAL	**9877**	**4.3**	**49**	**<1**	**1**	**2**	**4**	**9**	**15**	**41**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	313	13.1	127	1	3	9	19	29	37	48
20-34	106	8.4	48	2	3	6	10	13	24	42
35-49	68	9.0	149	3	3	7	9	13	18	86
50-64	126	7.8	16	4	4	7	9	13	14	21
65+	326	10.4	45	4	5	9	12	16	20	37
2. MULTIPLE DX										
0-19 YRS	328	15.4	134	4	5	12	20	30	35	58
20-34	274	14.9	124	5	6	12	18	27	44	65
35-49	141	13.7	150	4	5	10	16	24	35	76
50-64	310	12.6	93	4	5	10	14	23	33	56
65+	2298	14.0	116	5	6	11	15	24	33	80
TOTAL SINGLE DX	939	10.6	80	3	4	8	13	21	28	45
TOTAL MULTIPLE DX	3351	14.1	119	5	6	11	16	25	34	75
TOTAL										
0-19 YRS	641	14.3	132	2	3	11	20	30	36	52
20-34	380	13.1	112	3	4	10	15	25	39	61
35-49	209	12.2	154	3	4	9	14	21	29	78
50-64	436	11.3	76	4	5	9	13	19	30	50
65+	2624	13.5	109	5	6	11	15	22	32	75
GRAND TOTAL	**4290**	**13.3**	**112**	**4**	**5**	**11**	**15**	**24**	**33**	**68**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	404	6.8	22	2	2	6	9	12	15	21
20-34	341	8.2	25	2	3	7	10	15	18	25
35-49	337	8.1	20	3	3	7	10	13	18	24
50-64	569	9.2	24	4	5	8	11	14	17	28
65 +	2561	11.4	35	5	6	10	14	17	21	34
2. MULTIPLE DX										
0-19 YRS	636	13.5	137	3	4	11	16	25	36	73
20-34	970	14.9	125	4	6	12	18	27	38	76
35-49	802	14.9	154	4	5	11	17	28	41	74
50-64	1924	14.9	129	5	6	12	17	27	40	70
65 +	17289	15.6	118	6	7	13	18	27	37	82
TOTAL SINGLE DX	4212	10.2	33	3	5	9	12	16	20	31
TOTAL MULTIPLE DX	21621	15.5	122	6	7	13	18	27	38	79
TOTAL										
0-19 YRS	1040	10.9	104	2	3	8	13	20	28	63
20-34	1311	13.2	108	3	5	10	16	24	32	68
35-49	1139	12.9	125	3	5	10	15	24	35	72
50-64	2493	13.6	111	5	6	11	15	25	34	65
65 +	19850	15.1	109	6	7	12	17	26	35	76
GRAND TOTAL	25833	14.6	111	5	6	12	17	25	35	73

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	800	8.6	100	1	1	4	14	23	28	41
20-34	44	11.6	209	1	2	5	14	34	44	66
35-49	27	15.7	256	2	2	11	24	36	55	59
50-64	34	10.6	167	1	1	6	10	33	43	52
65 +	57	8.8	98	1	1	6	11	16	21	66
2. MULTIPLE DX										
0-19 YRS	484	14.1	186	1	2	8	21	34	44	62
20-34	118	17.1	245	2	4	11	23	43	55	99 +
35-49	60	16.4	319	1	2	11	18	42	54	88
50-64	82	20.5	440	2	2	13	31	51	71	99
65 +	363	16.5	274	2	4	11	21	35	53	82
TOTAL SINGLE DX	962	9.0	113	1	1	4	13	24	31	46
TOTAL MULTIPLE DX	1107	15.8	250	2	2	10	22	37	49	87
TOTAL										
0-19 YRS	1284	10.7	140	1	1	5	17	27	34	53
20-34	162	15.6	241	2	2	10	21	41	49	98
35-49	87	16.2	297	1	2	11	20	41	55	82
50-64	116	17.6	378	1	2	10	24	44	63	97
65 +	420	15.4	257	2	3	10	18	34	50	81
GRAND TOTAL	2069	12.7	198	1	2	7	18	31	41	69

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1035	2.6	11	1	1	2	2	5	9	19
20-34	562	2.8	4	< 1	1	2	4	6	7	10
35-49	401	2.8	4	< 1	1	2	4	6	7	10
50-64	349	2.7	5	1	1	2	3	5	7	15
65 +	290	2.9	13	1	1	2	3	6	8	13
2. MULTIPLE DX										
0-19 YRS	320	6.1	53	1	1	3	9	16	21	38
20-34	398	6.4	46	1	1	5	8	13	19	39
35-49	299	6.4	81	1	1	4	7	14	20	51
50-64	329	6.4	63	1	1	4	7	16	23	43
65 +	560	7.4	81	1	1	5	9	17	26	56
TOTAL SINGLE DX	2637	2.7	9	< 1	1	2	3	6	8	16
TOTAL MULTIPLE DX	1906	6.6	66	1	1	4	8	15	22	47
TOTAL										
0-19 YRS	1355	3.5	24	1	1	2	3	9	15	25
20-34	960	4.3	25	< 1	1	3	5	9	12	24
35-49	700	4.3	41	1	1	3	5	8	12	28
50-64	678	4.5	37	1	1	3	5	10	16	32
65 +	850	5.9	63	1	1	3	7	12	21	51
GRAND TOTAL	4543	4.4	37	1	1	2	5	9	15	33

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4750	2.5	4	1	1	2	3	4	6	10
20-34	5934	3.2	6	1	1	3	4	6	8	12
35-49	4284	3.6	6	1	1	3	5	7	8	12
50-64	3053	4.2	7	1	1	4	5	7	9	13
65 +	1827	5.1	21	1	2	4	6	9	11	18
2. MULTIPLE DX										
0-19 YRS	2417	5.1	41	1	1	3	6	11	16	33
20-34	5062	6.3	54	1	1	4	7	13	19	43
35-49	3804	6.6	55	1	2	5	8	13	20	41
50-64	3680	7.5	65	1	2	5	9	15	21	47
65 +	4660	9.0	74	2	3	7	11	17	24	49
TOTAL SINGLE DX	19848	3.5	8	1	1	3	4	6	8	13
TOTAL MULTIPLE DX	19623	7.1	62	1	2	5	8	14	21	44
TOTAL										
0-19 YRS	7167	3.4	18	1	1	2	4	6	9	23
20-34	10996	4.7	31	1	1	3	5	9	13	29
35-49	8088	5.0	32	1	1	4	6	9	13	29
50-64	6733	6.0	42	1	2	4	7	11	16	35
65 +	6487	7.9	63	2	2	6	9	15	21	44
GRAND TOTAL	39471	5.3	38	1	1	4	6	10	15	32

713: Other reduction of fracture without internal fixation, except maxillo- facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5TH	10TH	50TH	75TH	90TH	95TH	99TH
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	6454	1.9	6	<1	1	1	2	3	5	15
20-34	1530	3.1	8	<1	1	2	4	6	8	15
35-49	1220	3.2	11	1	1	2	4	6	8	13
50-64	1062	3.1	12	<1	1	2	4	6	8	16
65 +	861	3.8	29	1	1	2	4	7	10	24
2. MULTIPLE DX										
0-19 YRS	2261	4.5	41	1	1	2	5	10	16	32
20-34	1617	5.9	70	1	1	3	7	13	19	47
35-49	1226	6.9	94	1	1	4	8	15	22	57
50-64	1332	6.5	78	1	1	4	7	13	20	55
65 +	2916	8.1	86	1	1	5	10	18	26	60
TOTAL SINGLE DX	11127	2.5	10	<1	1	1	3	5	7	16
TOTAL MULTIPLE DX	9352	6.5	75	1	1	4	7	15	21	51
TOTAL										
0-19 YRS	8715	2.6	17	<1	1	1	2	5	8	21
20-34	3147	4.5	43	1	1	3	5	9	14	34
35-49	2446	5.1	57	1	1	3	5	10	15	44
50-64	2394	5.0	52	1	1	3	5	10	15	38
65 +	3777	7.1	77	1	1	4	9	16	24	54
GRAND TOTAL	**20479**	**4.3**	**44**	**1**	**1**	**2**	**5**	**10**	**15**	**35**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5TH	10TH	50TH	75TH	90TH	95TH	99TH
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	526	4.2	32	<1	1	2	5	11	17	28
20-34	346	2.4	9	<1	<1	1	3	5	7	13
35-49	195	2.4	15	<1	<1	1	3	5	6	19
50-64	205	3.2	20	<1	<1	2	3	7	10	27
65 +	406	4.3	24	<1	1	2	5	9	15	23
2. MULTIPLE DX										
0-19 YRS	276	7.0	113	1	1	3	8	16	22	56
20-34	428	6.5	77	1	1	4	8	15	21	59
35-49	257	6.3	75	<1	1	3	7	15	24	45
50-64	306	6.7	81	1	1	4	7	15	22	50
65 +	839	7.4	71	1	1	5	9	17	22	43
TOTAL SINGLE DX	1678	3.5	23	<1	<1	2	4	8	13	24
TOTAL MULTIPLE DX	2106	6.9	80	1	1	4	8	16	22	50
TOTAL										
0-19 YRS	802	5.2	62	<1	1	2	6	14	19	34
20-34	774	4.7	51	<1	1	2	5	10	16	37
35-49	452	4.6	53	<1	1	2	5	11	17	44
50-64	511	5.3	60	<1	1	3	6	11	19	44
65 +	1245	6.4	58	1	1	4	8	15	21	42
GRAND TOTAL	**3784**	**5.4**	**58**	**<1**	**1**	**3**	**6**	**13**	**19**	**41**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5TH	10TH	50TH	75TH	90TH	95TH	99TH
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	389	3.5	15	1	1	2	4	7	11	24
20-34	394	2.3	3	1	1	2	3	4	5	11
35-49	208	2.6	6	1	1	2	3	4	7	14
50-64	75	3.4	6	1	1	3	5	7	9	12
65 +	50	4.4	12	1	1	3	6	9	12	15
2. MULTIPLE DX										
0-19 YRS	217	5.1	25	1	1	4	6	12	15	26
20-34	212	6.1	52	1	1	4	7	13	25	36
35-49	137	5.4	73	1	1	3	5	10	13	60
50-64	111	8.0	131	1	1	5	9	15	26	73
65 +	156	10.7	124	2	2	8	13	23	30	74
TOTAL SINGLE DX	1116	2.9	9	1	1	2	3	5	8	16
TOTAL MULTIPLE DX	833	6.8	77	1	1	4	8	14	23	54
TOTAL										
0-19 YRS	606	4.1	19	1	1	3	4	9	13	25
20-34	606	3.6	24	1	1	2	4	7	11	27
35-49	345	3.7	35	1	1	2	4	7	10	23
50-64	186	6.1	86	1	1	4	7	12	17	58
65 +	206	9.2	104	1	2	6	12	18	27	67
GRAND TOTAL	**1949**	**4.6**	**42**	**1**	**1**	**3**	**5**	**10**	**14**	**30**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5TH	10TH	50TH	75TH	90TH	95TH	99TH
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1093	3.9	21	<1	1	2	4	10	14	23
20-34	771	2.7	7	<1	1	2	3	6	9	15
35-49	505	3.3	24	<1	1	2	3	6	9	26
50-64	262	4.1	28	<1	1	2	4	9	13	27
65 +	184	7.5	58	1	1	5	11	17	22	40
2. MULTIPLE DX										
0-19 YRS	1024	6.6	83	1	1	3	8	17	23	47
20-34	1031	5.3	64	<1	1	3	5	12	19	42
35-43	825	6.7	103	<1	1	3	7	16	27	53
50-64	785	9.9	174		1	5	12	22	40	70
65 +	1022	15.9	269	1	2	10	22	41	55	87
TOTAL SINGLE DX	2815	3.7	22	<1	1	2	4	9	13	23
TOTAL MULTIPLE DX	4687	8.9	154	1	1	4	11	22	35	68
TOTAL										
0-19 YRS	2117	5.2	53	<1	1	3	6	14	20	33
20-34	1802	4.2	41	<1	1	2	4	9	14	35
35-49	1330	5.4	76	<1	1	2	5	13	21	49
50-64	1047	8.4	144	1	1	4	10	20	32	65
65 +	1206	14.6	246	1	2	9	20	36	50	86
GRAND TOTAL	**7502**	**7.0**	**111**	**<1**	**1**	**3**	**8**	**17**	**27**	**60**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	312	5.1	14	1	2	4	6	8	10	25
20-34	7658	5.5	11	2	2	5	7	9	12	18
35-49	12194	5.6	11	2	3	5	7	10	12	18
50-64	4744	6.1	13	2	3	5	8	10	13	20
65 +	1156	7.4	16	3	3	7	9	13	16	23
2. MULTIPLE DX										
0-19 YRS	137	10.2	106	2	3	7	12	20	26	59
20-34	2828	7.6	31	3	3	6	9	13	18	31
35-49	6868	7.6	31	3	3	6	9	13	18	30
50-64	5573	8.4	44	3	3	7	10	15	19	34
65 +	3599	11.2	74	4	4	9	14	20	27	51
TOTAL SINGLE DX	26064	5.7	12	2	3	5	7	10	12	19
TOTAL MULTIPLE DX	19005	8.5	46	3	3	7	10	15	20	36
TOTAL										
0-19 YRS	449	6.7	48	2	2	5	7	12	19	42
20-34	10486	6.1	18	2	3	5	7	10	13	23
35-49	19062	6.4	19	2	3	5	8	11	14	23
50-64	10317	7.3	31	2	3	6	9	13	17	28
65 +	4755	10.3	63	3	4	8	12	18	24	47
GRAND TOTAL	45069	6.9	28	2	3	6	8	12	16	27

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	321	1.7	1	<1	<1	1	2	3	4	6
20-34	838	1.7	1	<1	<1	1	2	3	4	6
35-49	577	1.7	1	<1	<1	1	2	3	4	6
50-64	346	1.9	2	<1	<1	1	2	4	5	8
65 +	110	1.7	1	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	572	2.3	2	<1	<1	2	3	4	5	7
20-34	1571	2.5	4	<1	<1	2	3	5	6	9
35-49	1170	2.3	7	<1	<1	1	3	5	6	11
50-64	1109	2.4	13	<1	<1	1	3	4	6	14
65 +	751	2.7	11	<1	1	2	3	5	8	18
TOTAL SINGLE DX	2192	1.7	2	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	5173	2.4	8	<1	<1	2	3	5	6	12
TOTAL										
0-19 YRS	893	2.1	2	<1	<1	2	3	4	5	7
20-34	2409	2.2	3	<1	<1	2	3	4	5	8
35-49	1747	2.1	6	<1	<1	1	3	4	5	10
50-64	1455	2.3	11	<1	<1	1	3	4	6	13
65 +	861	2.6	11	<1	1	2	3	5	8	17
GRAND TOTAL	7365	2.2	6	<1	<1	1	3	4	5	10

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1007	2.5	17	<1	<1	1	2	5	7	22
20-34	1517	2.0	5	<1	<1	1	2	4	5	11
35-49	1089	2.1	4	<1	<1	1	2	4	5	12
50-64	587	2.8	13	<1	<1	1	3	6	11	17
65 +	251	3.9	48	<1	<1	2	4	8	14	35
2. MULTIPLE DX										
0-19 YRS	922	4.0	45	<1	<1	2	3	10	18	32
20-34	1913	3.4	29	<1	<1	2	3	7	12	30
35-49	1562	3.7	41	<1	<1	2	3	8	13	38
50-64	1446	5.4	79	<1	1	2	5	13	22	51
65 +	1196	8.0	110	<1	1	3	10	23	31	46
TOTAL SINGLE DX	4451	2.4	11	<1	<1	1	2	5	7	16
TOTAL MULTIPLE DX	7039	4.7	61	<1	<1	2	4	11	20	42
TOTAL										
0-19 YRS	1929	3.2	31	<1	<1	1	3	7	13	29
20-34	3430	2.8	19	<1	<1	1	3	5	8	24
35-49	2651	3.0	27	<1	<1	2	3	6	10	24
50-64	2033	4.7	62	<1	<1	2	5	11	18	45
65 +	1447	7.3	102	<1	1	3	9	20	29	45
GRAND TOTAL	11490	3.8	43	<1	<1	2	3	8	15	36

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	898	8.6	14	5	6	8	10	13	16	24
20-34	612	8.0	16	3	4	7	9	13	15	24
35-49	859	7.0	14	2	3	7	9	11	13	22
50-64	398	7.5	23	2	3	6	9	13	15	25
65 +	94	7.6	20	2	3	7	10	13	15	28
2. MULTIPLE DX										
0-19 YRS	985	12.1	82	5	6	9	14	23	30	62
20-34	959	12.3	119	4	5	9	14	23	33	96
35-49	1400	10.6	80	3	4	8	12	18	25	60
50-64	999	11.2	83	3	4	9	13	21	26	57
65 +	538	14.2	124	4	5	11	17	28	39	96
TOTAL SINGLE DX	2861	7.8	17	3	4	7	9	12	15	24
TOTAL MULTIPLE DX	4881	11.8	95	4	5	9	13	22	30	66
TOTAL										
0-19 YRS	1883	10.5	53	5	6	9	11	17	24	45
20-34	1571	10.6	83	4	4	8	12	18	27	68
35-49	2259	9.2	58	3	4	8	10	15	21	46
50-64	1397	10.1	69	3	4	8	12	18	23	50
65 +	632	13.3	115	3	5	10	16	26	38	86
GRAND TOTAL	7742	10.3	70	3	4	8	11	18	24	54

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	195	3.1	3	1	1	3	4	5	7	10
20-34	577	3.2	5	< 1	1	3	4	6	7	10
35-49	568	3.3	4	1	1	3	4	6	7	11
50-64	514	3.3	8	< 1	1	3	4	6	8	13
65 +	202	3.1	7	< 1	< 1	2	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	303	3.9	7	1	1	3	5	7	8	13
20-34	528	4.3	20	1	1	3	5	7	10	25
35-49	665	4.1	19	1	1	3	5	7	10	24
50-64	822	4.3	16	1	1	3	5	8	10	19
65 +	582	5.6	57	1	1	4	6	10	16	54
TOTAL SINGLE DX	2056	3.2	6	1	1	3	4	6	7	11
TOTAL MULTIPLE DX	2900	4.5	25	1	1	3	5	8	11	27
TOTAL										
0-19 YRS	498	3.6	6	1	1	3	4	6	8	12
20-34	1105	3.7	13	1	1	3	4	7	9	15
35-49	1233	3.7	13	1	1	3	4	6	8	17
50-64	1336	3.9	14	1	1	3	5	7	10	17
65 +	784	5.0	45	1	1	3	6	10	14	40
GRAND TOTAL	4956	3.9	18	1	1	3	5	7	9	20

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	11.4	70	3	3	9	12	27	30	32
20-34	202	8.7	13	4	5	8	10	12	14	25
35-49	541	9.0	9	5	6	9	11	13	15	19
50-64	1817	9.6	10	6	6	9	11	13	15	19
65 +	3406	10.7	15	6	7	10	12	15	17	24
2. MULTIPLE DX										
0-19 YRS	28	13.2	90	2	4	10	16	26	30	44
20-34	403	10.9	39	5	6	9	12	17	21	32
35-49	1028	11.1	45	5	6	10	12	17	23	47
50-64	3668	11.9	42	6	7	10	13	17	22	38
65 +	11955	13.8	67	7	8	12	15	22	28	52
TOTAL SINGLE DX	5984	10.1	14	6	6	10	12	14	16	23
TOTAL MULTIPLE DX	17082	13.2	61	6	7	11	15	20	27	50
TOTAL										
0-19 YRS	46	12.5	82	3	4	10	15	26	30	44
20-34	605	10.2	32	5	6	9	11	16	20	31
35-49	1569	10.4	34	5	6	9	12	15	19	39
50-64	5485	11.1	33	6	7	10	12	16	19	34
65 +	15361	13.1	57	7	7	11	15	20	26	49
GRAND TOTAL	23066	12.4	51	6	7	11	14	19	24	44

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	6.0	15	1	1	5	8	11	16	16
20-34	45	8.4	18	2	4	9	10	13	19	21
35-49	69	10.3	98	4	5	8	11	14	22	71
50-64	261	10.7	20	6	7	10	12	15	18	36
65 +	1569	11.6	28	6	7	11	14	17	20	28
2. MULTIPLE DX										
0-19 YRS	50	9.5	58	3	3	8	12	19	21	39
20-34	74	11.7	82	2	5	10	12	23	35	48
35-49	167	12.9	93	5	6	11	14	21	28	75
50-64	851	15.1	111	6	7	12	17	25	36	69
65 +	9890	15.3	98	6	8	13	17	26	35	71
TOTAL SINGLE DX	1974	11.2	30	5	6	10	13	17	20	29
TOTAL MULTIPLE DX	11032	15.2	100	6	7	13	17	26	35	71
TOTAL										
0-19 YRS	80	8.2	45	1	2	6	11	16	20	38
20-34	119	10.5	61	2	4	9	11	18	28	42
35-49	236	12.1	96	4	6	10	14	19	26	77
50-64	1112	14.0	93	6	7	11	15	23	34	65
65 +	11459	14.8	91	6	7	12	17	25	33	68
GRAND TOTAL	13006	14.6	91	6	7	12	16	25	33	68

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1461	3.0	3	1	1	3	4	5	6	8
20-34	2253	3.3	3	1	1	3	4	5	6	9
35-49	789	4.8	12	1	1	4	6	10	12	16
50-64	1759	9.2	13	4	5	9	11	14	15	19
65 +	3586	10.3	13	5	6	10	12	15	16	22
2. MULTIPLE DX										
0-19 YRS	1546	3.5	5	1	2	3	4	5	7	11
20-34	2994	3.9	8	1	2	3	5	6	8	16
35-49	1497	5.3	26	1	2	4	6	10	14	25
50-64	3366	10.5	33	3	5	10	13	16	19	30
65 +	10795	12.3	38	6	7	11	14	18	22	36
TOTAL SINGLE DX	9848	7.0	20	1	2	6	10	13	15	19
TOTAL MULTIPLE DX	20198	9.6	43	2	3	9	13	16	19	31
TOTAL										
0-19 YRS	3007	3.3	5	1	1	3	4	5	6	10
20-34	5247	3.7	6	1	2	3	4	6	7	13
35-49	2286	5.1	22	1	1	4	6	10	13	23
50-64	5125	10.1	27	3	5	9	12	15	18	27
65 +	14381	11.8	33	6	7	11	14	17	20	32
GRAND TOTAL	30046	8.7	37	2	2	8	12	15	18	28

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1538	2.0	1	1	1	2	3	3	4	6
20-34	3242	2.2	1	1	1	2	3	4	4	6
35-49	1811	2.3	2	1	1	2	3	4	5	7
50-64	1477	2.7	3	1	1	2	3	5	6	11
65 +	713	3.8	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	450	2.6	7	1	1	2	3	4	6	12
20-34	1354	2.8	11	1	1	2	3	5	7	12
35-49	1590	2.9	10	1	1	2	3	5	7	16
50-64	2136	3.5	10	1	1	3	4	6	9	17
65 +	1850	5.2	28	1	1	4	6	11	15	27
TOTAL SINGLE DX	8781	2.4	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	7380	3.6	16	1	1	3	4	7	10	20
TOTAL										
0-19 YRS	1988	2.2	3	1	1	2	3	4	4	8
20-34	4596	2.4	4	1	1	2	3	4	5	8
35-49	3401	2.6	6	1	1	2	3	4	6	12
50-64	3613	3.2	8	1	1	2	4	6	8	15
65 +	2563	4.9	23	1	1	4	6	10	13	23
GRAND TOTAL	**16161**	**3.0**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	812	3.7	27	< 1	1	2	4	7	12	24
20-34	489	3.4	10	< 1	1	2	4	8	10	16
35-49	424	3.0	7	< 1	< 1	2	4	7	9	15
50-64	235	2.9	10	< 1	< 1	2	4	6	9	17
65 +	150	3.8	16	< 1	< 1	2	5	9	12	18
2. MULTIPLE DX										
0-19 YRS	1286	5.2	49	1	1	3	5	10	16	42
20-34	687	6.9	77	1	1	4	8	15	22	56
35-49	639	6.5	69	1	1	4	8	14	20	46
50-64	575	7.0	75	< 1	1	4	8	15	23	56
65 +	599	9.1	94	1	1	6	11	21	29	43
TOTAL SINGLE DX	2110	3.4	17	< 1	< 1	2	4	7	10	18
TOTAL MULTIPLE DX	3786	6.6	71	1	1	4	8	14	22	45
TOTAL										
0-19 YRS	2098	4.6	42	< 1	1	3	5	9	14	36
20-34	1176	5.5	53	< 1	1	3	6	11	16	39
35-49	1063	5.1	48	< 1	1	3	6	11	15	40
50-64	810	5.8	60	< 1	< 1	3	7	13	19	44
65 +	749	8.1	83	< 1	1	5	10	19	27	39
GRAND TOTAL	**5896**	**5.5**	**54**	**<1**	**1**	**3**	**6**	**12**	**18**	**39**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	537	2.3	8	< 1	< 1	1	2	5	6	12
20-34	456	2.1	7	< 1	< 1	1	2	5	7	16
35-49	442	2.0	5	< 1	< 1	1	2	4	6	11
50-64	370	2.4	6	< 1	< 1	1	3	5	7	13
65 +	227	2.9	7	< 1	< 1	2	3	6	9	13
2. MULTIPLE DX										
0-19 YRS	269	7.1	93	< 1	1	3	9	17	27	60
20-34	324	5.5	56	< 1	1	3	7	14	20	39
35-49	404	7.1	123	< 1	1	3	8	18	28	67
50-64	648	7.6	83	1	1	4	10	17	26	47
65 +	783	9.7	139	1	1	6	12	22	34	73
TOTAL SINGLE DX	2032	2.3	7	< 1	< 1	1	2	5	7	12
TOTAL MULTIPLE DX	2428	7.9	107	< 1	1	4	10	19	28	58
TOTAL										
0-19 YRS	806	3.9	42	< 1	< 1	2	4	9	14	41
20-34	780	3.5	31	< 1	< 1	1	3	9	14	28
35-49	846	4.5	68	< 1	< 1	2	4	10	18	46
50-64	1018	5.7	62	< 1	< 1	3	7	14	20	41
65 +	1010	8.1	117	< 1	1	4	10	19	28	64
GRAND TOTAL	**4460**	**5.3**	**69**	**<1**	**<1**	**2**	**6**	**13**	**20**	**46**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.0	16	< 1	< 1	2	3	7	13	18
20-34	69	2.0	1	< 1	< 1	1	3	4	5	7
35-49	122	1.8	4	< 1	< 1	1	2	3	5	12
50-64	311	1.5	1	< 1	< 1	1	2	3	3	8
65 +	228	1.5		< 1	< 1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	29	3.2	10	1	1	2	4	7	12	14
20-34	71	5.8	55	< 1	1	3	7	11	26	37
35-49	120	3.8	58	< 1	1	2	4	7	9	43
50-64	248	2.8	34	< 1	1	2	2	5	7	24
65 +	312	2.4	6	1	1	2	3	4	8	14
TOTAL SINGLE DX	752	1.7	2	< 1	< 1	1	2	3	4	8
TOTAL MULTIPLE DX	780	3.1	29	< 1	1	2	3	6	9	25
TOTAL										
0-19 YRS	51	3.1	13	< 1	1	2	3	7	12	18
20-34	140	3.9	32	< 1	< 1	2	4	8	11	36
35-49	242	2.8	32	< 1	< 1	1	3	6	8	19
50-64	559	2.1	16	< 1	< 1	1	2	3	5	13
65 +	540	2.0	4	< 1	1	1	2	3	5	11
GRAND TOTAL	**1532**	**2.4**	**16**	**<1**	**<1**	**1**	**2**	**4**	**7**	**16**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	567	1.6	1	<1	<1	1	2	3	4	8
20-34	810	1.7	1	<1	<1	1	2	3	4	6
35-49	348	1.6		<1	<1	1	2	3	3	6
50-64	178	1.6	1	<1	<1	1	2	3	4	6
65 +	44	1.9	3	<1	1	1	2	3	4	13
2. MULTIPLE DX										
0-19 YRS	611	2.1	4	<1	1	1	2	4	6	12
20-34	1093	2.5	8	<1	1	2	3	5	7	16
35-49	488	2.5	10	<1	1	2	3	5	7	14
50-64	279	3.0	19	<1	1	2	3	5	10	25
65 +	149	3.9	76	<1	1	2	3	6	10	57
TOTAL SINGLE DX	1947	1.7	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	2620	2.5	13	<1	1	2	3	5	7	16
TOTAL										
0-19 YRS	1178	1.9	3	<1	<1	1	2	3	5	10
20-34	1903	2.1	5	<1	1	1	2	4	5	13
35-49	836	2.1	7	<1	<1	1	2	4	6	10
50-64	457	2.5	13	<1	1	1	2	5	7	23
65 +	193	3.5	60	<1	1	2	3	5	10	51
GRAND TOTAL	4567	2.2	8	<1	1	1	2	4	5	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	398	2.2	5	<1	1	2	2	4	6	12
20-34	953	2.3	2	<1	1	2	3	4	5	8
35-49	1232	2.5	4	1	1	2	3	4	6	10
50-64	1293	2.8	3	1	1	2	3	5	6	8
65 +	536	3.2	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	310	4.0	44	1	1	2	4	7	13	41
20-34	667	3.6	21	1	1	2	4	7	10	22
35-49	1032	3.7	22	1	1	3	4	7	10	21
50-64	1417	3.9	20	1	1	3	4	7	10	19
65 +	1094	5.4	40	1	1	4	6	11	16	37
TOTAL SINGLE DX	4412	2.6	4	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	4520	4.2	28	1	1	3	5	8	11	29
TOTAL										
0-19 YRS	708	3.0	23	<1	1	2	3	5	8	31
20-34	1620	2.8	11	<1	1	2	3	5	7	16
35-49	2264	3.1	13	1	1	2	4	5	8	16
50-64	2710	3.4	12	1	1	3	4	6	8	16
65 +	1630	4.7	30	1	1	3	5	9	13	32
GRAND TOTAL	8932	3.4	17	1	1	2	4	6	9	19

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1291	2.6	6	1	1	2	3	4	5	10
20-34	750	2.7	5	1	1	2	3	5	6	13
35-49	740	2.4	3	1	1	2	3	4	5	12
50-64	344	2.8	4	1	1	2	4	5	7	9
65 +	148	4.1	11	1	1	3	5	8	10	22
2. MULTIPLE DX										
0-19 YRS	1648	3.0	11	1	1	2	3	5	7	16
20-34	567	5.4	75	1	1	3	5	11	21	59
35-49	454	5.6	84	1	1	3	5	11	23	60
50-64	412	5.7	91	1	1	3	5	11	16	59
65 +	390	7.7	90	1	2	5	8	17	29	68
TOTAL SINGLE DX	3273	2.7	6	1	1	2	3	5	6	12
TOTAL MULTIPLE DX	3471	4.6	53	1	1	3	4	8	15	48
TOTAL										
0-19 YRS	2939	2.8	9	1	1	2	3	5	7	15
20-34	1317	3.9	38	1	1	2	4	6	11	43
35-49	1194	3.6	37	1	1	2	4	6	10	40
50-64	756	4.4	54	1	1	3	4	8	12	40
65 +	538	6.7	72	1	1	4	8	14	24	57
GRAND TOTAL	6744	3.7	31	1	1	2	4	6	10	34

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	142	1.6	3	<1	<1	1	1	3	4	13
20-34	245	2.0	3	<1	1	1	2	4	6	11
35-49	156	2.1	5	<1	<1	1	2	3	6	15
50-64	107	2.0	4	<1	<1	1	2	4	5	14
65 +	64	1.9	3	<1	1	1	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	107	4.9	80	1	1	2	5	10	16	59
20-34	283	3.9	27	1	1	2	4	8	14	31
35-49	281	4.5	35	1	1	3	5	10	16	37
50-64	263	6.1	105	1	1	3	6	14	22	55
65 +	233	8.0	119	1	1	4	11	18	29	63
TOTAL SINGLE DX	714	1.9	4	<1	<1	1	2	3	6	12
TOTAL MULTIPLE DX	1167	5.5	72	1	1	3	6	13	19	49
TOTAL										
0-19 YRS	249	3.0	39	<1	<1	1	2	5	10	21
20-34	528	3.0	17	<1	1	2	3	6	10	23
35-49	437	3.6	26	<1	1	2	4	8	13	31
50-64	370	4.9	80	<1	1	2	5	12	18	49
65 +	297	6.7	101	1	1	3	9	15	25	55
GRAND TOTAL	1881	4.1	49	<1	1	2	4	10	15	36

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	4.0	9	<1	1	4	5	8	11	12
20-34	23	4.9	19	<1	1	4	6	11	14	19
35-49	17	4.8	22	<1	<1	2	7	12	16	18
50-64	7	4.4	7	1	1	4	7	8	8	8
65+	5	11.8	19	8	8	10	16	17	17	17
2. MULTIPLE DX										
0-19 YRS	13	9.5	106	1	1	4	17	25	30	31
20-34	42	10.6	125	1	2	6	14	27	38	47
35-49	29	9.1	100	1	1	6	14	18	39	40
50-64	23	11.7	173	2	4	8	13	23	49	57
65+	42	14.4	263	2	3	9	16	31	39	95
TOTAL SINGLE DX	64	5.2	20	<1	1	4	8	12	16	19
TOTAL MULTIPLE DX	149	11.4	165	1	2	7	14	28	39	57
TOTAL										
0-19 YRS	25	6.8	65	<1	1	4	8	23	25	31
20-34	65	8.6	95	1	1	4	12	19	29	46
35-49	46	7.5	75	1	1	4	8	17	22	40
50-64	30	10.0	143	1	2	7	10	16	45	57
65+	47	14.1	237	2	3	9	16	30	38	95
GRAND TOTAL	**213**	**9.6**	**130**	**1**	**1**	**6**	**12**	**20**	**32**	**51**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	3.0	33	<1	1	2	3	4	7	41
20-34	60	4.1	12	<1	1	3	6	8	11	18
35-49	50	5.0	24	<1	1	3	7	11	13	22
50-64	62	6.3	143	<1	1	3	6	12	21	82
65+	78	5.3	20	<1	<1	4	8	12	15	18
2. MULTIPLE DX										
0-19 YRS	70	5.8	73	1	1	3	7	14	25	89
20-34	189	10.8	135	1	2	7	15	23	32	65
35-49	525	13.4	121	2	3	11	17	27	36	80
50-64	1361	15.4	176	2	3	12	19	32	41	74
65+	2338	14.9	164	2	3	11	19	30	41	71
TOTAL SINGLE DX	299	4.8	48	<1	1	3	6	10	14	26
TOTAL MULTIPLE DX	4483	14.5	163	2	3	11	19	30	41	73
TOTAL										
0-19 YRS	119	4.7	58	1	1	2	4	10	19	63
20-34	249	9.2	114	1	1	6	12	21	30	49
35-49	575	12.6	119	2	3	10	17	26	36	73
50-64	1423	15.0	178	2	3	12	19	31	41	75
65+	2416	14.6	163	2	3	11	19	30	41	71
GRAND TOTAL	**4782**	**13.9**	**161**	**2**	**2**	**11**	**18**	**29**	**39**	**72**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	7.3	10	4	4	7	10	12	12	12
20-34	11	9.7	229	2	3	5	7	27	53	55
35-49	20	11.3	65	3	4	8	14	25	29	31
50-64	21	13.3	156	4	4	10	12	33	45	54
65+	51	12.6	42	5	6	11	16	21	30	32
2. MULTIPLE DX										
0-19 YRS	20	15.8	283	2	3	11	25	50	87	99+
20-34	113	17.8	229	3	5	12	26	45	53	99+
35-49	254	21.6	296	5	7	16	28	50	66	99+
50-64	877	22.1	264	6	7	17	29	47	63	99+
65+	2576	20.4	235	6	7	16	26	42	56	99+
TOTAL SINGLE DX	110	11.9	84	4	4	10	13	22	31	54
TOTAL MULTIPLE DX	3840	20.8	247	6	7	16	27	43	60	99+
TOTAL										
0-19 YRS	27	13.6	224	2	3	9	18	30	78	99+
20-34	124	17.1	233	3	4	11	24	45	53	99+
35-49	274	20.9	287	5	6	15	28	49	64	99+
50-64	898	21.9	263	6	7	16	29	47	63	99+
65+	2627	20.3	233	6	7	16	25	42	55	99+
GRAND TOTAL	**3950**	**20.5**	**244**	**6**	**7**	**16**	**26**	**43**	**59**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	7.1	9	3	3	7	9	12	12	13
20-34	9	7.6	13	2	3	7	9	13	15	15
35-49	9	11.9	94	1	2	9	15	28	30	30
50-64	18	11.9	54	4	5	10	17	21	28	32
65+	61	10.8	37	4	6	9	13	20	25	31
2. MULTIPLE DX										
0-19 YRS	28	15.1	329	2	2	9	15	39	50	84
20-34	30	19.8	238	5	7	16	30	55	97	99+
35-49	102	22.5	412	4	6	15	29	56	74	97
50-64	420	22.8	349	5	7	17	28	54	74	99+
65+	2812	17.8	211	5	6	14	22	39	58	99+
TOTAL SINGLE DX	119	10.1	39	3	4	8	12	18	25	31
TOTAL MULTIPLE DX	3392	18.6	238	5	6	14	23	41	62	99+
TOTAL										
0-19 YRS	50	11.6	202	2	3	8	11	27	40	84
20-34	39	17.0	212	4	5	14	22	45	86	99+
35-49	111	21.6	394	4	6	15	28	53	72	97
50-64	438	22.3	342	5	6	17	28	53	71	99+
65+	2873	17.7	209	5	6	14	22	38	58	99+
GRAND TOTAL	**3511**	**18.3**	**234**	**5**	**6**	**14**	**23**	**40**	**61**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	6.4	35	1	2	4	8	17	19	21
20-34	11	12.9	236	< 1	1	5	28	37	40	40
35-49	13	8.4	42	1	[illegible]	5	11	17	23	25
50-64	12	10.8	61	3	[illegible]	9	11	22	31	33
65 +	17	11.2	49	2	[illegible]	10	15	22	24	25
2. MULTIPLE DX										
0-19 YRS	29	7.4	83	2	2	4	9	14	27	46
20-34	61	16.6	186	3	4	12	22	36	45	68
35-49	140	19.0	230	3	5	15	24	38	47	85
50-64	455	21.7	280	4	6	17	29	43	65	99 +
65 +	712	21.0	260	4	6	17	27	43	60	99 +
TOTAL SINGLE DX	72	9.6	76	1	2	7	12	22	32	39
TOTAL MULTIPLE DX	1397	20.5	262	4	6	16	27	42	59	99 +
TOTAL										
0-19 YRS	48	7.0	64	2	2	4	9	16	21	46
20-34	72	16.0	193	1	3	12	22	36	43	65
35-49	153	18.1	223	3	4	14	24	38	46	84
50-64	467	21.4	278	4	6	17	29	43	64	99 +
65 +	729	20.7	258	4	6	16	27	43	60	99 +
GRAND TOTAL	1469	20.0	258	3	5	16	26	41	58	99

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	4.4	9	< 1	1	4	7	8	10	16
20-34	56	4.6	10	1	1	4	6	9	11	15
35-49	35	5.8	36	< 1	1	5	7	10	12	35
50-64	12	4.4	7	< 1	1	4	6	9	10	10
65 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	36	5.0	17	1	1	4	7	10	14	20
20-34	52	8.2	63	1	2	6	8	14	29	40
35-49	39	6.5	20	1	2	5	9	13	16	19
50-64	15	10.1	68	2	3	8	10	23	30	32
65 +	12	5.0	24	< 1	1	4	6	11	18	19
TOTAL SINGLE DX	159	4.7	16	< 1	1	4	7	9	11	16
TOTAL MULTIPLE DX	154	6.9	41	1	1	6	8	14	19	38
TOTAL										
0-19 YRS	89	4.7	13	< 1	1	4	7	9	11	18
20-34	108	6.3	39	1	1	5	7	11	15	39
35-49	74	6.2	28	1	1	5	8	12	14	31
50-64	27	7.6	48	1	2	5	9	16	24	32
65 +	15	4.3	21	< 1	< 1	2	6	7	16	19
GRAND TOTAL	313	5.8	29	1	1	5	7	11	15	33

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	2.6	9	< 1	1	2	3	5	6	20
20-34	71	2.3	6	< 1	< 1	2	3	5	6	15
35-49	60	4.6	34	< 1	1	3	5	9	22	28
50-64	42	5.3	39	< 1	1	4	6	11	20	30
65 +	51	6.5	91	1	1	4	8	14	18	65
2. MULTIPLE DX										
0-19 YRS	36	3.6	24	< 1	< 1	2	4	7	8	30
20-34	85	5.5	42	1	1	4	6	12	15	37
35-49	126	10.8	160	1	1	7	16	22	32	74
50-64	215	11.1	159	1	2	7	14	25	36	64
65 +	505	12.1	141	2	3	8	15	24	39	66
TOTAL SINGLE DX	265	4.2	37	< 1	1	2	5	8	15	28
TOTAL MULTIPLE DX	967	10.8	140	1	2	7	14	23	33	65
TOTAL										
0-19 YRS	77	3.1	17	< 1	1	2	3	5	7	27
20-34	156	4.1	28	< 1	1	2	5	10	14	28
35-49	186	8.8	128	1	1	5	11	20	29	61
50-64	257	10.2	144	1	1	6	13	24	32	61
65 +	556	11.6	139	1	2	8	14	24	36	66
GRAND TOTAL	1232	9.4	125	1	1	6	12	21	30	62

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	5	1.6		1	1	2	2	2	2	2
35-49	3	6.0	13	2	2	7	8	9	9	9
50-64	6	3.0	6	1	1	2	3	8	8	8
65 +	6	10.3	33	2	3	9	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	7	15.1	235	1	1	10	29	38	39	39
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	7	10.7	136	1	1	4	21	28	29	29
50-64	9	10.1	91	< 1	1	7	14	26	30	30
65 +	22	9.7	39	2	3	10	15	23	50	99 +
TOTAL SINGLE DX	22	5.1	23	1	1	3	8	12	17	17
TOTAL MULTIPLE DX	48	10.3	88	1	1	8	14	27	35	99 +
TOTAL										
0-19 YRS	9	12.6	203	1	2	8	16	37	39	39
20-34	8	2.0	1	1	1	2	3	4	4	4
35-49	10	9.3	99	1	1	6	11	27	29	29
50-64	15	7.3	68	< 1	1	4	8	21	28	30
65 +	28	9.9	37	2	2	9	15	21	27	99 +
GRAND TOTAL	70	8.7	73	1	1	7	12	23	30	87

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	1.5	1	<1	<1	1	2	3	3	5
20-34	533	1.5	1	<1	<1	1	2	3	4	6
35-49	1709	1.8	1	<1	<1	1	2	4	4	7
50-64	1627	2.1	3	<1	<1	1	3	4	5	8
65 +	1090	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	61	2.7	13	<1	<1	1	3	6	9	23
20-34	409	3.7	41	<1	<1	2	4	7	13	30
35-49	1781	3.3	25	<1	<1	2	4	7	11	23
50-64	2324	4.2	43	<1	<1	2	4	9	15	35
65 +	3063	6.0	63	<1	1	3	7	14	21	45
TOTAL SINGLE DX	5115	2.0	3	<1	<1	1	2	4	5	8
TOTAL MULTIPLE DX	7638	4.7	48	<1	<1	2	5	11	16	35
TOTAL										
0-19 YRS	217	1.9	5	<1	<1	1	2	3	5	10
20-34	942	2.5	20	<1	<1	1	3	4	7	21
35-49	3490	2.6	14	<1	<1	1	3	5	8	17
50-64	3951	3.3	28	<1	<1	2	4	7	11	25
65 +	4153	5.1	50	<1	<1	3	6	12	18	40
GRAND TOTAL	**12753**	**3.6**	**32**	**<1**	**<1**	**2**	**4**	**8**	**13**	**28**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	1.7	1	<1	<1	1	2	3	3	6
20-34	71	2.9	4	<1	1	3	4	6	7	10
35-49	258	3.7	3	1	2	3	5	6	8	10
50-64	296	3.6	4	1	1	3	4	6	7	12
65 +	350	4.1	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	10	3.1	7	1	1	2	4	8	8	8
20-34	63	3.3	2	1	1	3	4	5	7	8
35-49	431	4.1	8	1	2	4	5	6	8	14
50-64	561	4.8	16	1	2	4	6	8	11	21
65 +	1047	6.6	44	1	2	5	8	12	19	52
TOTAL SINGLE DX	1019	3.7	4	1	1	3	5	6	7	12
TOTAL MULTIPLE DX	2112	5.5	30	1	2	4	6	10	14	32
TOTAL										
0-19 YRS	54	1.9	2	<1	<1	1	2	3	6	8
20-34	134	3.1	4	1	1	3	4	6	7	9
35-49	689	3.9	7	1	2	4	5	6	8	13
50-64	857	4.4	13	1	2	4	5	7	10	18
65 +	1397	6.0	35	1	2	5	7	11	17	41
GRAND TOTAL	**3131**	**4.9**	**22**	**1**	**2**	**4**	**6**	**8**	**12**	**26**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.0	7	1	1	4	5	8	10	10
20-34	212	4.3	4	2	2	4	5	7	8	12
35-49	1625	4.2	3	2	2	4	5	7	8	10
50-64	2596	4.4	3	2	2	4	5	7	8	11
65 +	2655	4.6	4	2	2	4	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	12	5.5	21	<1	1	4	7	14	15	15
20-34	308	5.0	9	2	2	5	6	8	10	18
35-49	2264	4.9	7	2	2	4	6	8	9	16
50-64	4578	5.4	11	2	3	5	6	8	10	18
65 +	7919	6.2	19	2	3	5	7	10	13	24
TOTAL SINGLE DX	7097	4.5	4	2	2	4	5	7	8	11
TOTAL MULTIPLE DX	15081	5.7	15	2	3	5	7	9	11	21
TOTAL										
0-19 YRS	21	4.9	16	<1	1	4	5	12	14	15
20-34	520	4.7	8	2	2	4	6	7	9	15
35-49	3889	4.6	6	2	2	4	6	7	8	13
50-64	7174	5.0	9	2	2	4	6	8	9	16
65 +	10574	5.8	16	2	3	5	7	9	11	21
GRAND TOTAL	**22178**	**5.3**	**12**	**2**	**3**	**5**	**6**	**8**	**10**	**18**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	807	2.1	1	1	1	2	3	3	4	6
20-34	1732	2.3	1	1	1	2	3	4	4	7
35-49	1358	2.5	2	1	1	2	3	4	5	8
50-64	707	2.6	2	1	1	2	3	4	5	8
65 +	150	2.7	3	1	1	2	3	5	5	11
2. MULTIPLE DX										
0-19 YRS	325	2.6	8	1	1	2	3	4	5	13
20-34	1188	2.9	10	1	1	2	3	5	6	13
35-49	2390	3.0	11	1	1	2	4	5	7	13
50-64	1594	3.0	8	1	1	2	4	5	7	13
65 +	554	4.1	19	1	1	3	4	8	13	24
TOTAL SINGLE DX	4754	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	6051	3.1	11	1	1	2	4	5	7	15
TOTAL										
0-19 YRS	1132	2.2	4	1	1	2	3	4	4	7
20-34	2920	2.6	5	1	1	2	3	4	5	9
35-49	3748	2.8	8	1	1	2	3	5	6	10
50-64	2301	2.9	7	1	1	2	3	5	7	12
65 +	704	3.8	16	1	1	3	4	7	11	24
GRAND TOTAL	10805	2.8	7	1	1	2	3	5	6	11

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1088	2.0	2	<1	1	2	3	4	4	7
20-34	1987	2.1	2	<1	1	2	3	4	5	7
35-49	349	2.2	4	1	1	2	3	4	5	13
50-64	60	2.8	7	<1	1	2	3	6	9	14
65 +	19	4.0	22	<1	1	2	4	10	17	20
2. MULTIPLE DX										
0-19 YRS	199	2.6	4	1	1	2	3	5	6	9
20-34	501	3.2	30	1	1	2	3	5	8	27
35-49	142	3.6	28	1	1	2	4	6	10	29
50-64	78	4.4	32	1	1	3	5	7	19	30
65 +	36	5.8	46	1	1	3	9	13	30	99 +
TOTAL SINGLE DX	3503	2.1	3	<1	1	2	3	4	5	8
TOTAL MULTIPLE DX	956	3.3	26	1	1	2	4	6	9	27
TOTAL										
0-19 YRS	1287	2.1	2	<1	1	2	3	4	5	8
20-34	2488	2.3	8	1	1	2	3	4	5	10
35-49	491	2.6	12	1	1	2	3	5	6	17
50-64	138	3.7	22	1	1	3	4	7	11	27
65 +	55	5.1	38	1	1	3	7	13	21	96
GRAND TOTAL	4459	2.4	8	1	1	2	3	4	5	11

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1167	2.2	14	<1	<1	1	2	4	7	14
20-34	877	2.5	10	<1	<1	1	3	5	8	16
35-49	857	2.5	8	<1	<1	1	3	5	8	16
50-64	683	2.8	17	<1	<1	1	3	6	10	22
65 +	459	3.4	21	<1	<1	1	4	8	12	26
2. MULTIPLE DX										
0-19 YRS	856	5.8	75	<1	1	3	6	15	23	51
20-34	1134	8.3	115	1	1	4	10	21	28	56
35-49	1513	8.2	104	<1	1	5	10	21	29	56
50-64	1826	8.3	97	<1	1	5	11	19	26	54
65 +	3236	10.4	126	1	1	7	13	22	32	74
TOTAL SINGLE DX	4043	2.6	14	<1	<1	1	3	5	8	17
TOTAL MULTIPLE DX	8565	8.8	112	1	1	6	11	21	29	62
TOTAL										
0-19 YRS	2023	3.7	44	<1	<1	2	3	8	14	40
20-34	2011	5.8	78	<1	<1	2	6	15	24	45
35-49	2370	6.1	77	<1	<1	3	7	15	24	46
50-64	2509	6.8	82	<1	<1	4	9	16	23	48
65 +	3695	9.5	119	<1	1	7	12	21	30	70
GRAND TOTAL	12608	6.8	89	<1	<1	3	8	17	25	52

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3453	3.6	16	<1	1	2	4	8	11	21
20-34	3532	3.9	19	<1	1	3	5	8	11	23
35-49	2125	4.3	22	<1	1	3	5	9	12	22
50-64	1341	5.2	32	<1	1	3	6	11	17	27
65 +	1128	6.4	54	1	1	4	8	14	18	45
2. MULTIPLE DX										
0-19 YRS	7618	5.8	74	1	1	3	6	13	22	52
20-34	11325	6.7	90	1	1	4	7	15	25	60
35-49	8256	9.5	143	1	1	6	11	23	34	75
50-64	8520	11.6	159	1	2	8	15	27	38	77
65 +	16084	14.6	218	2	2	10	19	35	50	99 +
TOTAL SINGLE DX	11579	4.3	25	<1	1	3	5	9	13	25
TOTAL MULTIPLE DX	51803	10.3	160	1	1	6	13	25	38	81
TOTAL										
0-19 YRS	11071	5.1	58	1	1	3	5	11	18	44
20-34	14857	6.0	75	1	1	3	7	13	21	52
35-49	10381	8.5	123	1	1	5	10	20	31	69
50-64	9861	10.8	148	1	2	7	14	25	36	72
65 +	17212	14.1	211	1	2	10	18	34	48	99 +
GRAND TOTAL	63382	9.2	140	1	1	5	11	22	34	74

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	462	5.4	43	1	1	3	7	13	18	34
20-34	420	5.7	47	<1	1	4	7	12	18	35
35-49	287	6.1	43	<1	1	4	8	14	19	36
50-64	197	6.3	47	1	1	4	9	13	19	37
65+	230	8.4	66	1	1	6	13	16	24	39
2. MULTIPLE DX										
0-19 YRS	705	13.8	191	1	1	10	20	30	43	80
20-34	820	13.6	195	1	1	9	19	33	44	90
35-49	728	14.6	199	1	2	11	20	33	46	85
50-64	811	15.2	229	1	2	10	21	36	46	80
65+	1534	18.5	233	2	3	15	25	40	51	99+
TOTAL SINGLE DX	1596	6.1	49	<1	1	4	8	14	20	37
TOTAL MULTIPLE DX	4598	15.7	218	1	2	12	22	36	48	90
TOTAL										
0-19 YRS	1167	10.5	150	1	1	6	15	26	37	65
20-34	1240	10.9	159	1	1	7	15	27	38	70
35-49	1015	12.2	170	1	1	8	17	28	41	81
50-64	1008	13.4	206	1	1	9	19	33	42	76
65+	1764	17.2	224	1	3	14	24	37	50	96
GRAND TOTAL	6194	13.2	192	1	1	9	19	31	43	81

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	151	3.2	18	<1	<1	2	3	8	10	26
20-34	185	3.5	20	<1	<1	2	4	8	12	24
35-49	136	4.4	49	<1	<1	2	5	9	14	42
50-64	57	4.2	27	<1	<1	3	6	11	15	31
65+	33	3.8	23	<1	1	1	4	11	17	19
2. MULTIPLE DX										
0-19 YRS	187	8.6	177	1	1	3	10	24	48	91
20-34	323	12.3	267	1	1	5	17	38	53	99+
35-49	235	17.2	371	1	1	10	27	50	69	99+
50-64	249	14.6	329	1	1	7	20	36	50	91
65+	357	18.9	374	1	2	13	28	50	69	99+
TOTAL SINGLE DX	562	3.7	28	<1	<1	2	4	8	13	26
TOTAL MULTIPLE DX	1351	14.8	324	1	1	8	21	43	61	99+
TOTAL										
0-19 YRS	338	6.2	114	<1	1	2	6	16	26	70
20-34	508	9.1	195	<1	1	3	10	28	42	92
35-49	371	12.5	291	<1	1	5	17	41	58	99+
50-64	306	12.7	289	<1	1	6	17	34	45	89
65+	390	17.6	363	1	1	11	26	49	65	99+
GRAND TOTAL	1913	11.5	262	<1	1	4	15	36	51	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.93; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	582	1.9	2	<1	<1	1	2	4	5	10
20-34	310	2.2	5	<1	<1	1	2	5	7	9
35-49	456	2.2	5	<1	<1	1	3	4	6	11
50-64	421	2.0	3	<1	1	1	2	4	6	8
65+	138	1.8	4	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	562	3.7	41	<1	1	2	3	7	12	45
20-34	512	4.7	56	1	1	3	5	8	15	42
35-49	904	4.6	61	1	1	3	5	8	15	49
50-64	922	4.2	41	1	1	2	4	9	15	36
65+	718	9.1	133	1	1	6	12	23	35	99+
TOTAL SINGLE DX	1907	2.0	4	<1	<1	1	2	4	6	9
TOTAL MULTIPLE DX	3618	5.3	71	1	1	3	6	12	20	56
TOTAL										
0-19 YRS	1144	2.8	23	<1	<1	2	3	5	8	35
20-34	822	3.7	38	<1	1	2	4	7	10	32
35-49	1360	3.8	44	<1	1	2	4	7	11	43
50-64	1343	3.5	31	1	1	2	4	7	11	27
65+	856	7.9	120	1	1	4	10	20	28	99+
GRAND TOTAL	5525	4.1	50	<1	1	2	4	8	15	44

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	3.4	15	1	1	2	4	7	14	21
20-34	32	4.6	37	1	1	3	4	8	16	33
35-49	38	3.9	15	1	1	3	4	8	14	19
50-64	21	3.1	8	<1	1	2	3	6	10	14
65+	24	4.9	56	<1	1	3	5	9	22	37
2. MULTIPLE DX										
0-19 YRS	103	7.6	187	1	1	3	7	15	38	76
20-34	87	7.1	98	1	1	4	8	16	27	58
35-49	115	6.8	67	1	1	4	8	12	20	46
50-64	130	6.4	20	1	2	5	9	13	14	22
65+	339	9.4	71	2	3	7	12	18	23	39
TOTAL SINGLE DX	170	3.9	24	1	1	3	4	8	15	31
TOTAL MULTIPLE DX	774	8.0	82	1	2	5	10	15	22	47
TOTAL										
0-19 YRS	158	6.2	131	1	1	3	6	13	21	73
20-34	119	6.4	83	1	1	3	7	15	25	49
35-49	153	6.1	56	1	1	4	7	11	16	45
50-64	151	5.9	20	1	2	5	8	13	14	21
65+	363	9.1	72	2	2	7	12	17	23	38
GRAND TOTAL	944	7.3	74	1	1	5	9	15	21	44

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	419	2.5	10	<1	1	1	3	5	8	19
20-34	5653	2.4	8	1	1	1	2	6	8	14
35-49	8293	2.3	7	1	1	1	2	5	8	14
50-64	4211	2.2	6	1	1	1	2	5	8	13
65+	1461	2.2	9	<1	1	1	2	5	8	14
2. MULTIPLE DX										
0-19 YRS	368	3.5	24	1	1	2	4	8	12	23
20-34	3446	4.2	26	1	1	2	5	10	14	25
35-49	6281	3.9	23	1	1	2	5	9	12	22
50-64	5497	4.4	35	1	1	2	6	10	15	28
65+	4124	6.2	61	1	1	3	8	15	20	37
TOTAL SINGLE DX	20037	2.3	8	1	1	1	2	5	8	14
TOTAL MULTIPLE DX	19716	4.6	36	1	1	2	6	11	15	28
TOTAL										
0-19 YRS	787	3.0	17	1	1	2	3	7	9	20
20-34	9099	3.1	16	1	1	2	3	8	10	18
35-49	14574	3.0	15	1	1	1	3	7	10	18
50-64	9708	3.4	24	1	1	1	4	8	12	23
65+	5585	5.2	51	1	1	2	7	13	18	33
GRAND TOTAL	39753	3.4	23	1	1	2	4	8	12	22

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	206	3.3	13	1	1	2	3	8	11	17
20-34	443	3.4	20	1	1	2	4	7	11	20
35-49	673	3.5	23	1	1	2	4	7	11	20
50-64	961	3.0	13	1	1	2	4	6	9	16
65+	934	2.9	11	1	1	2	3	6	9	15
2. MULTIPLE DX										
0-19 YRS	251	6.6	83	1	1	4	7	14	28	49
20-34	649	5.7	43	1	1	3	8	13	17	30
35-49	1348	6.3	53	1	1	4	8	12	18	43
50-64	3507	5.9	36	1	1	4	8	13	17	29
65+	6278	6.2	41	1	1	5	8	13	17	31
TOTAL SINGLE DX	3217	3.1	16	1	1	2	4	7	10	18
TOTAL MULTIPLE DX	12033	6.1	42	1	1	4	8	13	17	32
TOTAL										
0-19 YRS	457	5.1	55	1	1	2	6	11	18	34
20-34	1092	4.8	36	1	1	3	6	11	15	28
35-49	2021	5.3	45	1	1	3	7	11	16	38
50-64	4468	5.3	33	1	1	3	7	12	15	28
65+	7212	5.8	39	1	1	4	8	12	16	30
GRAND TOTAL	15250	5.5	38	1	1	4	7	12	16	30

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	3.4	5	1	1	3	5	7	8	9
35-49	73	2.9	7	<1	1	2	3	7	8	14
50-64	139	2.5	6	<1	<1	1	3	6	8	13
65+	87	2.5	7	<1	<1	1	3	6	9	14
2. MULTIPLE DX										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	37	4.3	14	1	1	3	6	10	14	15
35-49	435	4.1	12	<1	1	3	6	9	11	16
50-64	1073	4.2	14	<1	1	2	6	9	12	17
65+	1047	5.4	33	<1	1	3	7	12	15	28
TOTAL SINGLE DX	317	2.6	7	<1	<1	2	3	6	9	13
TOTAL MULTIPLE DX	2594	4.7	22	<1	1	3	7	10	13	20
TOTAL										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	54	4.0	11	1	1	3	6	9	12	15
35-49	508	4.0	12	<1	1	2	5	9	11	15
50-64	1212	4.0	14	<1	1	2	6	9	11	17
65+	1134	5.2	32	<1	1	3	7	12	15	27
GRAND TOTAL	2911	4.4	21	<1	1	3	6	10	13	19

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	392	3.3	12	<1	1	2	4	8	11	16
20-34	1269	4.7	23	1	1	3	7	10	12	18
35-49	1478	4.5	15	1	1	3	7	10	11	17
50-64	1760	3.9	13	1	1	2	6	9	11	15
65 +	1609	4.1	13	1	1	2	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	489	6.0	87	<1	1	3	7	13	19	71
20-34	1858	6.6	42	1	1	5	9	13	17	28
35-49	3718	6.4	30	1	1	5	9	13	16	26
50-64	7621	6.4	34	1	1	5	9	13	16	28
65 +	13846	7.5	50	1	1	6	10	15	20	36
TOTAL SINGLE DX	6508	4.2	16	1	1	3	6	9	11	16
TOTAL MULTIPLE DX	27532	7.0	44	1	1	6	9	14	18	32
TOTAL										
0-19 YRS	881	4.8	56	<1	1	2	6	10	15	50
20-34	3127	5.8	36	1	1	4	8	11	14	26
35-49	5196	5.9	27	1	1	5	8	12	15	24
50-64	9381	5.9	32	1	1	5	8	12	15	26
65 +	15455	7.2	48	1	1	6	10	14	19	34
GRAND TOTAL	34040	6.4	40	1	1	5	9	13	17	30

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19356	3.4	24	1	1	2	4	6	9	23
20-34	25510	3.8	16	1	1	3	4	7	9	21
35-49	17370	3.9	17	1	1	3	5	8	10	21
50-64	11650	4.4	19	1	1	3	6	9	11	21
65 +	9662	5.4	24	1	1	4	7	10	13	26
2. MULTIPLE DX										
0-19 YRS	35774	5.5	59	1	1	3	6	11	17	43
20-34	47019	5.5	43	1	1	4	6	11	16	35
35-49	52234	6.0	38	1	2	4	7	12	16	31
50-64	80928	6.8	41	2	2	5	8	13	17	34
65 +	207097	8.4	58	2	3	7	10	16	21	43
TOTAL SINGLE DX	83548	4.0	21	1	1	3	5	8	10	22
TOTAL MULTIPLE DX	423052	7.3	53	1	2	5	9	14	19	39
TOTAL										
0-19 YRS	55130	4.8	48	1	1	3	5	9	14	39
20-34	72529	4.8	35	1	1	3	5	9	14	31
35-49	69604	5.5	34	1	1	4	7	11	15	29
50-64	92578	6.5	39	1	2	5	8	12	17	33
65 +	216759	8.3	57	2	3	6	10	15	21	42
GRAND TOTAL	506600	6.7	49	1	2	5	8	13	18	37

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13177	4.5	40	1	1	3	4	8	17	35
20-34	4436	6.6	56	1	1	4	8	14	21	38
35-49	4071	6.8	47	1	2	5	8	14	20	36
50-64	2668	5.9	35	1	1	4	7	11	16	30
65 +	2239	7.0	56	1	2	5	8	14	20	44
2. MULTIPLE DX										
0-19 YRS	20260	6.5	91	1	1	4	6	14	24	56
20-34	8873	8.4	87	1	2	5	10	18	27	50
35-49	10547	8.1	70	1	2	6	10	17	24	46
50-64	15387	8.2	68	2	2	6	10	16	23	46
65 +	41965	9.9	89	2	3	7	12	19	28	57
TOTAL SINGLE DX	26591	5.5	46	1	1	3	6	12	19	36
TOTAL MULTIPLE DX	97032	8.6	86	1	2	6	10	18	26	53
TOTAL										
0-19 YRS	33437	5.7	72	1	1	3	5	12	21	47
20-34	13309	7.8	77	1	2	5	9	17	25	45
35-49	14618	7.7	65	1	2	5	9	16	23	43
50-64	18055	7.9	65	1	2	6	9	15	22	43
65 +	44204	9.7	88	2	3	7	12	19	27	56
GRAND TOTAL	123623	7.9	79	1	2	5	9	17	24	49

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.6; 99.8-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13230	3.3	22	<1	1	2	4	5	8	23
20-34	9870	3.2	22	<1	<1	2	3	6	9	24
35-49	6736	3.9	22	1	1	3	4	8	11	24
50-64	5882	4.2	19	1	1	3	5	8	10	24
65 +	5371	4.8	19	1	1	4	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	31491	6.0	86	1	1	3	6	12	22	58
20-34	19147	5.2	48	1	1	3	6	11	17	38
35-49	26467	5.5	40	1	1	4	6	11	16	33
50-64	50561	6.1	36	1	2	5	8	12	16	31
65 +	128205	7.6	50	2	2	6	9	14	19	39
TOTAL SINGLE DX	41089	3.7	22	<1	1	3	4	7	10	24
TOTAL MULTIPLE DX	255871	6.7	52	1	2	5	8	13	18	39
TOTAL										
0-19 YRS	44721	5.2	69	1	1	3	5	10	17	51
20-34	29017	4.5	41	<1	1	3	5	9	15	34
35-49	33203	5.1	37	1	1	3	6	10	15	32
50-64	56443	5.9	36	1	2	4	7	11	15	31
65 +	133576	7.5	49	2	2	6	9	14	19	38
GRAND TOTAL	296960	6.3	49	1	1	4	8	13	18	37

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30: 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.34; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29; 37.79
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1987 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No. **Title**

- Abdominal
  - 211 angina
  - 165 aortic aneurysm
  - 338 pain
- 258 Abortion, except spontaneous, elective, legal, therapeutic and threatened
  - 255 elective
  - 256 illegal
  - 258 missed
  - 256 self-induced
  - 257 spontaneous
  - 255 therapeutic
  - 259 threatened
- Abscess
  - 210 anal
  - 312 bone
  - 292 digit
  - 188 mouth
  - 188 salivary gland
  - 291 skin and subcutaneous tissue, except digit
  - 188 tongue
- 81 Acidosis, except diabetic
  - 72 diabetic
- 12 Acquired immunodeficiency syndrome (AIDS)
- Addiction-*see Dependence*
- Adenocarcinoma-*see Neoplasm, malignant*
- 245 Adenomyosis
- 110 Adjustment reaction
- 207 Adynamic ileus
- 12 AIDS, including AIDS-related complex or condition
- Alcohol
  - 107 abuse
  - 104 dependence
  - 107 intoxication, except in chronic alcoholism
    - 104 in chronic alcoholism
- 92 Alcoholic psychosis

Group No. **Title**

- 104 Alcoholism, chronic
- 81 Alkalosis
- 183 Allergic bronchitis
- 90 Alzheimer's dementia
- 1 Amebiasis
- 140 AMI
- 340 Amnesia
- Amputation, traumatic
  - 372 lower limb
  - 371 upper limb
- 79 Amyloidosis
- 210 Anal abscess, fissure, fistula
- 391 Anaphylactic shock, except due to drugs
  - 386 due to drugs
- 84 Anemia, except iron deficiency, sickle cell, and of pregnancy
  - 84 aplastic
  - 82 iron deficiency
  - 267 of pregnancy
    - 269 with delivery
  - 83 sickle cell
- 166 Aneurysm, except aorta
  - 165 aorta
- 141 Angina pectoris
- 54 Angioma
- 301 Ankylosis
- Anomaly, congenital
  - 318 central nervous system
  - 320 circulatory system
  - 323 digestive system, except cleft palate and lip, and pyloric stenosis
  - 319 ear
  - 319 eye
  - 327 generalized
  - 325 genitourinary system, except undescended testis and urethral stenosis
  - 320 heart

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
317	musculoskeletal system, except clubfoot
323	respiratory system
340	Anorexia, except nervosa
111	nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	depression
165	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	acute, without peritonitis
198	with peritonitis
199	recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
163	cerebral
143	coronary
164	lower limb
	Arteriosclerotic
151	cardiovascular disease
91	dementia or psychosis
143	heart disease
164	vascular disease
299	Arthritis, except osteo- and rheumatoid
298	osteo-, except spine
303	spine
299	pyogenic
297	rheumatoid, except spine
302	spine
339	Ascites
151	ASCVD
143	ASHD

Group No.	Title
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	menopausal
251	postmenopausal
250	uterine, dysfunctional
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
242	Breast disease, except fibrocystic
241	fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis
174	acute
181	chronic
179	Bronchopneumonia
6	Brucellosis

DIAGNOSIS INDEX (continued)

Group No.	Title
376	Bruise, except eye and orbit
375	eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	third degree
309	Bursitis
	Calculus
217	bile duct, except cystic
231	bladder
215	cystic bile duct
215	gallbladder
228	renal
188	salivary gland
229	ureter
231	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	cervix
148	Cardiac arrest
390	postoperative
150	Cardiomyopathy
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	diabetic
124	senile
221	Celiac disease
	Cellulitis
292	digit
291	skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
	Chemical
340	diabetes mellitus
385	poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis
212	alcoholic
213	biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
	Colic
215	biliary
337	renal
208	Colitis, except mucous and ulcerative
211	mucous
211	ulcerative
296	Collagen disease, NOS

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Coma, except diabetic and hepatic
72	diabetic
214	hepatic
11	Common warts
	Complication of
390	amputation stump
387	cardiac pacemaker
	drugs-*see Effect, adverse*
387	grafts
387	internal orthopedic device
391	medical care, except drugs
387	prosthesis, any
390	surgery, not elsewhere classified
387	transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	eye and orbit
329	Convulsions, except epileptic
116	epileptic
184	COPD
	Coronary
143	artery disease
142	insufficiency, except chronic
143	chronic
140	occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	chest
377	limbs
75	Cushing's syndrome

Group No.	Title
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	mouth
243	ovarian
293	pilonidal
121	retinal
294	sebaceous
311	synovial
	Cystic
241	breast
218	duct remnant
77	fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
12	Cytomegalic inclusion disease
134	Deafness
295	Decubitus
	Deficiency
112	mental
76	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
316	musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	acute or subacute
	Delivery, complicated by:
278	abnormality, bony pelvis
272	abruptio placentae
287	acute toxemia

DIAGNOSIS INDEX (continued)

Group No.	Title
	Delivery, complicated by: **(continued)**
276	breech presentation
278	cephalopelvic disproportion
287	complication, not elsewhere classified
287	eclampsia
278	fetopelvic disproportion
287	hypertensive disorder
277	malpresentation, except breech
275	multiple fetation
	placenta
272	abruptio
271	previa
287	pre-eclampsia
	premature
282	rupture of membranes
272	separation of placenta
281	previous cesarean section
279	prolonged labor, not otherwise specified
287	toxemia
279	uterine inertia
270	Delivery, normal or uncomplicated
	Dementia
90	Alzheimer's
91	arteriosclerotic
90	presenile
90	senile
	Dependence
104	alcoholic
106	amphetamine
106	barbiturate
106	cocaine
105	heroin
106	LSD
106	marijuana
105	methadone
105	morphine
105	opioid
111	Depression, except neurotic, postpartum, and psychotic
102	neurotic
267	postpartum
98	psychotic
	Depressive
102	neurosis
98	psychosis
102	reaction
301	Derangement, joint except knee
300	knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	chemical
71	uncomplicated
73	uncontrolled
	Diabetic complications
72	acidosis
73	cataract
73	circulatory disorder
72	coma
73	gangrene
73	nephropathy
73	neuropathy
73	retinopathy
73	ulcer
	Dialysis
397	peritoneal
397	renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	functional
1	infectious
6	Diphtheria

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease
199	appendix, except acute appendicitis
151	arteriosclerotic cardiovascular
168	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	arthropod-borne
79	autoimmune, except AIDS
12	AIDS
6	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	biliary ducts
234	bladder, except calculus and cystitis
313	bone, except osteomyelitis and osteoarthritis
242	breast, except fibrocystic
241	fibrocystic
221	celiac
	central nervous system
7	enteroviral
113	inflammatory, except enteroviral
117	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
136	chronic rheumatic heart
296	connective tissue, diffuse
143	coronary artery
211	Crohn's
75	Cushing's
12	cytomegalic inclusion
187	dental
209	diverticular
196	duodenum, except ulcer and inflammatory
134	ear, except inflammatory and otosclerosis
145	endocarditis, bacterial
75	endocrine, except ovary, thyroid, and diabetes mellitus
189	esophagus
129	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment

Group No.	Title
	Disease (continued)
	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment (continued)
128	inflammatory, except lacrimal tract
252	fallopian tube, except endometriosis
316	fascia
252	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	gallbladder
252	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
138	hypertensive
143	ischemic, except infarction and angina pectoris
136	rheumatic, chronic
150	other, except arrhythmia and bacterial endocarditis
86	hematopoietic, except anemia, hemophilia, and leukemia
328	hemolytic, newborn
12	HIV infection (AIDS)
46	Hodgkin's
137	hypertensive, except heart and renal
138	heart
139	renal
17	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	infectious
143	ischemic heart, except acute infarction and angina pectoris
187	jaw
301	joint, except internal derangement, ruptured disc, and sacroiliac
306	sacroiliac
230	kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	lacrimal tract, inflammation
188	lip

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease **(continued)**
214	liver, except infectious and serum hepatitis, and cirrhosis
186	lung, except pneumonia, obstructive, and pneumothorax
184	obstructive, except asthma, bronchitis, and emphysema
240	male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	mouth, except dental
117	muscle, except deformity
120	nervous system, except CNS and sciatica
184	obstructive lung, except asthma, bronchitis, and emphysema
252	ovary, except endometriosis
	Paget's
313	bone
32	breast
219	pancreas
252	parametrium, except endometriosis
17	parasitic, except helminthiasis
114	Parkinson's
244	pelvic inflammatory
196	peptic
328	perinatal
120	peripheral nervous system, except sciatica
211	peritoneum
186	pleura
236	prostate, except hypertrophy
186	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	rheumatic
135	active
136	chronic
188	salivary gland
83	sickle-cell
295	skin, except infective, pilonidal and sebaceous cysts
196	stomach, except ulcer and inflammatory
187	teeth
316	tendon, except tenosynovitis

Group No.	Title
	Disease **(continued)**
188	tongue
340	undiagnosed
186	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	ureter, except calculus
234	urethra, except calculus and stricture
14	venereal
12	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	with exanthem
359	Dislocation, joint, except knee and shoulder
358	knee
357	shoulder
	Disorder
111	behavior
81	electrolyte
79	immunodeficiency, except AIDS
12	AIDS
250	menstruation, except metrorrhagia
103	personality
109	psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	lumbar
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
	Diverticulum
189	esophagus
209	intestine
	Drug
108	abuse, except alcohol
106	dependence, except opioid
105	opioid
93	induced psychosis
384	poisoning or overdose
93	withdrawal syndrome or symptoms

DIAGNOSIS INDEX (continued)

Group No.	Title
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
	Dysfunction
74	ovarian
317	somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
102	Dysthymia
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	with delivery
254	Ectopic pregnancy
	Effect, adverse
386	drugs, not otherwise specified
384	overdose or wrong substance given or taken
386	external conditions
385	nonmedical substance
386	radiation
386	temperature
268	Elderly primigravida
287	with delivery
	Elective
255	abortion
392	sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	arterial, except cerebral and precerebral
	cerebral
158	without paralysis
159	with paralysis

Group No.	Title
	Embolism (continued)
167	lower limb
	precerebral
156	without paralysis
157	with paralysis
144	pulmonary, except postoperative
390	postoperative
172	vein
182	Emphysema
113	Encephalitis, except viral
12	viral
18	late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	bacterial
208	noninfectious
211	regional
1	viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	follow-up
298	medical

DIAGNOSIS INDEX (continued)

Group No.	Title
	Failure
149	heart
390	postoperative
225	renal, except chronic
224	chronic
186	respiratory (acute)
340	Fainting
263	False labor
	Fever
135	active rheumatic
330	of undetermined origin (FUO)
1	paratyphoid
288	puerperal
4	scarlet
1	typhoid
12	yellow
	Fibrillation or flutter
147	atrial
148	ventricular
	Fibrocystic disease
241	breast
77	pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	in eye
	Fracture
354	ankle
349	arm, except upper
348	upper
354	bimalleolar
350	carpal
355	clavicle

Group No.	Title
	Fracture (continued)
349	Colles'
343	face bone
352	femur, except upper end
351	upper end
353	fibula, except lateral malleolus
350	finger
354	foot
350	hand
398	healed, aftercare, except removal of fixation device
396	removal of fixation device
351	hip
348	humerus
354	knee
354	lateral malleolus
353	leg, lower, except ankle and upper
352	upper, except hip
343	mandible
354	medial malleolus
350	metacarpal
354	metatarsal
356	multiple bones
343	nose
354	patella
347	pelvis
349	radius
346	rib
355	scapula
	skull
342	base
341	vault
	spine
344	without cord injury
345	with cord injury
346	sternum
354	tarsal
346	thorax

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
353	tibia
354	toe
354	trimalleolar
349	ulna
	vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	gas
	Gastric ulcer-*see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	infectious
208	noninfectious
1	viral
220	Gastrointestinal hemorrhage
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	acute
122	closed-angle
122	open-angle
222	Glomerulonephritis, except acute
223	acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	bone marrow

Group No.	Title
116	Grand mal epilepsy
268	Grand multiparity
392	without pregnancy
268	Habitual aborter
252	without pregnancy
310	Hallux valgus or varus, except congenital
327	congenital
310	Hammer toe
331	Headache, except migraine and tension
118	migraine
111	tension
398	Healed fracture aftercare, except removal of fixation device
396	removal of fixation device
	Heart
140	attack
149	failure
390	postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma-*see also Contusion*
388	postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	hereditary
328	newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	antepartum, except early
260	early
172	blood vessel, spontaneous
250	dysfunctional uterine
220	gastrointestinal
	intracerebral, except subarachnoid
155	with paralysis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hemorrhage (continued)
	intracerebral, except subarachnoid (continued)
154	without paralysis
258	postabortal
388	postoperative wound
274	postpartum, except delayed or secondary
289	delayed or secondary
260	pregnancy, early
289	puerperal, after 24 hours
	subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	chronic
9	infectious
9	serum
9	viral
	Hernia
205	abdominal, except inguinal
206	with complication
204	diaphragmatic
206	with complication
205	femoral
206	with complication
204	hiatal
206	with complication
203	incisional
206	with complication
200	inguinal
206	with complication
203	postoperative
206	with complication
202	umbilical
206	with complication
203	ventral
206	with complication

Group No.	Title
105	Heroin dependence or addiction
8	Herpes simplex
18	late effect
8	Herpes zoster
18	late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	with delivery
139	renal
139	renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Ill-defined conditions
328	Immaturity of newborn
79	Immunodeficiency disorder, except AIDS
12	AIDS
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
140	Infarction, acute myocardial
	Infection
232	bladder
312	bone
246	cervix
227	kidney, except nephritis, nephrosis, and acute pyelonephritis
6	meningococcal
389	postoperative wound
288	puerperal, major
292	skin and subcutaneous tissue, except cellulitis and abscess
173	upper respiratory, except streptococcal
234	urinary tract
266	in pregnancy
247	uterine, except cervix
247	vaginal
247	vulvar
389	wound, postoperative
10	Infectious mononucleosis
	Infertility
252	female
240	male
	Inflammation
113	central nervous system
129	eye, except lacrimal tract
127	lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication

Group No.	Title
	Inguinal hernia **(continued)**
201	with complication
	Injury
328	birth
373	blood vessel
377	crush, except abdomen and chest
367	abdomen
366	chest
365	head, except concussion
367	internal, except chest
366	chest
358	knee ligament or meniscus
374	late effect
363	musculoskeletal, except back and sacroiliac region
362	back
361	sacroiliac region
382	nerve
386	radiation
374	late effect
382	spinal cord
376	superficial
	Insufficiency
	heart valve-*see Valvular disease*
186	respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ischemic
163	cerebrovascular disease, generalized
143	heart disease, except acute or subacute
142	acute or subacute, except infarction
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	abdominal wall
371	arm
370	back
365	cerebral
370	chest
368	eye
371	hand
369	head, except eye
372	leg
372	lower limb
370	multiple sites
369	neck
285	perineum, in delivery, except first and second degree
284	first and second degree
370	trunk
371	upper limb
212	Laennec's cirrhosis
255	Legal abortion
48	Leukemia, except lymphocytic

Group No.	Title
	Leukemia, except lymphocytic **(continued)**
47	lymphocytic
214	Liver disease, except infectious and serum hepatitis and cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia and obstructive
179	pneumonia
184	obstructive
88	Lymphadenitis, except acute and mesenteric
292	acute
87	mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
242	Mastitis, except puerperal
290	puerperal
8	Measles
18	late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	tuberculous
7	viral
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	bladder
53	bone
63	brain
55	breast
52	bronchus
50	buccal cavity
57	cervix
53	connective tissue
51	digestive

Group No.	Title
	Neoplasm, benign **(continued)**
65	endocrine, except thyroid
62	eye
	genitalia
59	female, except uterus and ovary
60	male
61	kidney
52	larynx
52	lung
53	muscle
63	nervous system
58	ovary
50	pharynx
60	prostate
52	respiratory
60	scrotum
54	skin
52	thymus
64	thyroid
61	ureter
61	urethra
61	urinary
57	uterus, except fibroma
56	fibroma
59	vagina
59	vulva
	Neoplasm, malignant
44	adrenal gland
39	bladder
29	bone
42	brain
32	breast
27	bronchus
19	buccal cavity
43	cerebral meninges
33	cervix uteri
23	colon

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
29	connective tissue
44	endocrine glands
20	esophagus
41	eye
36	fallopian tube
	genitalia
36	female, except uterus and ovary
38	male, except prostate
45	ill-defined sites
25	intestine, except colon and rectum
23	large, except rectum
22	small
40	kidney
23	large intestine, except rectum
27	lung
49	lymphatic, except Hodgkin's disease
45	metastatic
19	mouth
43	nervous system, except brain
35	ovary
26	pancreas
19	pharynx
44	pituitary gland
36	placenta
37	prostate
24	rectum
28	respiratory system, except bronchus and lung
38	scrotum
45	secondary
31	skin, except genitalia
22	small intestine
43	spinal cord and meninges
21	stomach
44	thyroid gland
40	ureter
40	urethra
	Neoplasm, malignant **(continued)**
40	urinary tract, except bladder
34	uterus, except cervix
36	vagina
36	vulva
68	Neoplasm, uncertain behavior or unspecified type, any site
222	Nephritis, except acute
223	acute
222	Nephrosis, except tubular
225	tubular
222	Nephropathy, except diabetic
73	diabetic
315	Neuralgia, except sciatic and trigeminal
307	sciatic
120	trigeminal
315	Neuritis, except median and sciatic
119	median
307	sciatic
120	Neuroma, except amputation stump
390	amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	anxiety
109	cardiac
102	depressive
	Nevus
54	skin
327	vascular
	Newborn, hospital
394	multiple
393	single term
394	twin
	Newborn, nonhospital
395	multiple
395	single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia

DIAGNOSIS INDEX (continued)

Group No.	Title
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	bile duct, except calculus
207	intestinal, except postoperative
390	postoperative
172	portal vein
172	vena cava
184	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
158	cerebral, without paralysis
159	with paralysis
156	precerebral, without paralysis
157	with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
	Organic brain syndrome
89	acute
90	Alzheimer's dementia
91	arteriosclerotic
89	transient
298	Osteoarthritis
298	hip
298	knee
303	spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	chronic and unspecified
131	acute
133	Otosclerosis

Group No.	Title
	Ovarian
243	cyst
252	disease, except endometriosis
74	dysfunction
254	pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
338	abdominal
335	chest
253	female genital organ
331	head
335	precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except in appendicitis
198	in appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID

DIAGNOSIS INDEX (continued)

Group No.	Title
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
17	Pneumocystosis
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	spontaneous
366	traumatic
385	Poisoning, except food and drug
384	drug
1	food
7	Poliomyelitis
18	late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	secondary
268	Polyhydramnios
287	with delivery
	Polyp
211	anal
68	bladder
252	cervix
211	intestinal
178	laryngeal
176	nasal
211	rectal
176	sinus
178	vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome

Group No.	Title
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
	Postoperative wound
390	dehiscence
388	hemorrhage
389	infection
	Postpartum
290	complication, not elsewhere classified
267	depression
269	with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	ectopic
254	ovarian
268	post-term
287	with delivery
254	tubal
398	undelivered
268	Premature rupture of membranes
282	with delivery
328	Prematurity of newborn
253	Premenstrual tension
90	Presenile dementia or psychosis
	Prolapse
128	iris
248	uterovaginal
236	Prostatic disease, except hypertrophy
235	hypertrophy
	Proteinuria
340	except postural

DIAGNOSIS INDEX (continued)

Group No.	Title
	Proteinuria **(continued)**
223	postural or orthostatic
	Psychogenic
109	diarrhea
109	hyperventilation
109	paralysis
109	vomiting
116	Psychomotor epilepsy
100	Psychosis
92	alcoholic
90	Alzheimer's
91	arteriosclerotic
98	depressive
93	drug-induced
99	manic-depressive
89	organic, acute or transient
90	chronic, except arteriosclerotic
90	senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
	Pulmonary
144	embolism
182	emphysema
1	tuberculosis
	valve disease-*see Valvular disease*
227	Pyelitis, except acute
226	acute
227	Pyelonephritis, except acute
226	acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash

Group No.	Title
	Reaction
101	anxiety
102	depressive
386	drug, not elsewhere classified
391	transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
	Renal
228	calculus
397	dialysis treatment
225	failure, except chronic
224	chronic
139	hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	cyst
121	detachment
121	hemorrhage
121	tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	spine
13	Rickettsiosis
8	Rubella
18	late effect

DIAGNOSIS INDEX (continued)

Group No. Title

- Rupture
  - 172 blood vessel
  - 305 intervertebral disc, except lumbar
    - 304 lumbar disc
  - 243 ovarian cyst
  - 268 uterus
    - 290 postpartum
    - 286 with delivery
- 198 Ruptured appendix
- 306 Sacroiliac instability

- 1 Salmonellosis
- 244 Salpingitis
- Sarcoma-*see Neoplasm, malignant, connective tissue*
- 96 Schizophrenia, except paranoid, childhood, and acute episode
  - 95 acute episode
  - 97 childhood
  - 94 paranoid
- 307 Sciatica
- 115 Sclerosis, multiple
- 316 Scoliosis
- 294 Sebaceous cyst
- 329 Seizure, except epileptic
  - 116 epileptic
- 256 Self-induced abortion
- 124 Senile cataract
- 90 Senile dementia or psychosis
- 340 Senility
- 357 Separation, shoulder
- 5 Sepsis
  - 288 puerperal
- 5 Septicemia
  - 288 puerperal
- 9 Serum hepatitis
- 391 Serum sickness

Group No. Title

- Shock
  - 391 anaphylactic, except due to drug
    - 386 due to drug
  - 333 nontraumatic
  - 390 postoperative
  - 383 traumatic
- 83 Sickle cell anemia or crisis
- 178 Sinusitis
- 295 Skin disease, except infective and pilonidal and sebaceous cysts
- 292 Skin infection, except cellulitis
- 305 Slipped intervertebral disc, except lumbar
  - 304 lumbar disc
- 8 Smallpox
- 317 Somatic dysfunction, osteopathic
- 240 Spermatocele
- 318 Spina bifida
- 302 Spondylitis, ankylosing
- 303 Spondylosis
- Spontaneous
  - 257 abortion
  - 185 pneumothorax
- 363 Sprain, except back, knee, and sacroiliac region
  - 362 back
  - 360 knee
  - 361 sacroiliac region
- 170 Stasis dermatitis
- 116 Status epilepticus
- 221 Steatorrhea
- 74 Stein-Leventhal syndrome
- 48 Stem cell leukemia
- Stenosis
  - heart valve-*see Valvular disease*
  - 322 pyloric, congenital
  - 233 urethral, except congenital
    - 325 congenital
- 392 Sterilization, elective

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	paroxysmal, except atrial
146	atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	medial meniscus, current injury
300	old
121	retinal
309	Tenosynovitis, except spine
308	spine
111	Tension headache
255	Termination of pregnancy

Group No.	Title
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	migrans
	Thrombosis
167	arterial, except cerebral and precerebral
158	cerebral, without paralysis
159	with paralysis
172	portal vein
156	precerebral, without paralysis
157	with paralysis
172	vein
70	Thyroid disease, except nodule or goiter
69	nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	chemotherapy
397	dialysis
398	physical therapy
398	radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
120	Trigeminal neuralgia

DIAGNOSIS INDEX (continued)

Group No. Title

- 232 Trigonitis
- 254 Tubal pregnancy
- Tuberculosis
  - 3 bone
  - 18 late effect
  - 2 lung
  - 3 nonrespiratory
  - 2 respiratory
- 13 Typhus

- Ulcer
  - 192 duodenal
    - 193 with hemorrhage or perforation
    - 194 with obstruction
  - 190 gastric
    - 191 with hemorrhage or perforation
    - 194 with obstruction
  - 192 gastrojejunal
    - 193 with hemorrhage or perforation
    - 194 with obstruction
  - 192 peptic, except gastric
    - 193 with hemorrhage or perforation
    - 194 with obstruction
  - 295 skin
  - 170 varicose, lower extremity
- 211 Ulcerative colitis
- 73 Uncontrolled diabetes mellitus
- 324 Undescended testis
- 340 Undiagnosed disease
- 306 Unstable low back
- 173 Upper respiratory infection, acute, except streptococcal
  - 4 streptococcal
- 225 Uremia, except chronic
  - 224 chronic
- Ureteral
  - 230 disease, except calculus
    - 229 calculus

Group No. Title

- Urethral
  - 230 disease, except calculus
    - 229 calculus
  - 234 disease, except calculus and stricture
    - 231 calculus
  - 233 stenosis, except congenital
    - 325 congenital
  - 233 stricture, except congenital
    - 325 congenital
- 234 Urethritis
  - 266 in pregnancy
- 173 URI
- 234 Urinary tract infection
  - 266 in pregnancy
- Uterine
  - 57 fibroma
  - 248 prolapse
- 128 Uveitis

- 247 Vaginitis, except atrophic and senile
  - 251 atrophic or senile
- 314 Valgus deformity, limb
- Valvular disease
  - 150 nonrheumatic
  - 136 rheumatic
- 172 Varices, esophagus
- 170 Varicose veins of lower extremities
- 314 Varus deformity, limb
- Veneral
  - 14 disease
  - 11 wart
- 308 Vertebrogenic pain syndrome
- 340 Vertigo
- Viral
  - 12 encephalitis
    - 18 late effect
  - 1 gastroenteritis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Viral (continued)
9	hepatitis
7	meningitis
18	late effect
11	wart
	Vitreous
128	abscess
128	prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	of pregnancy
247	Vulvar infection
247	Vulvitis

Group No.	Title
11	Warts, viral
6	Whooping cough
	Withdrawal
92	alcohol
93	drug
	Wound
390	dehiscence
	infection
389	postoperative
383	posttraumatic
	open-*see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	cervix
732	finger
737	foot
733	forearm
733	hand
737	hip
736	leg, above knee
735	below knee
739	revision (any site)
732	thumb
734	toe
733	upper arm
	Anastomosis
617	bile duct
581	blood vessel
617	gallbladder
601	intestine
609	rectum
757	Angiocardiography, except coronary vessels
756	coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	cardiac vessels
755	cerebral vessels
581	Angioplasty, except coronary
575	coronary artery
581	percutaneous transluminal, except coronary
	Angioplasty, except coronary **(continued)**
	percutaneous transluminal, except coronary (continued)
575	coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	incidental
	Arteriography
757	aorta
755	cerebral
756	coronary
757	femoral
755	head
756	heart
757	renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	hip, except total replacement
722	total replacement
724	knee
699	temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	insemination
690	rupture of membranes for delivery
	Aspiration
752	breast, except for biopsy
742	biopsy
741	bursa
682	cul-de-sac

OPERATION INDEX (continued)

Group No.	Title
	Aspiration **(continued)**
677	curettage, uterus, except for termination of pregnancy
674	termination of pregnancy
651	hydrocele, except of spermatic cord
656	spermatic cord
632	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
537	middle ear
546	nasal sinus
663	ovary
752	skin
656	spermatocele
529	vitreous
	Augmentation
745	breast
699	chin
	Balloon
581	angioplasty, except coronary
575	coronary
571	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
638	bladder, except transurethral approach
637	transurethral approach
705	bone, except facial
698	facial
586	bone marrow
501	brain
742	breast
563	bronchus
501	cerebral meninges
668	cervix
597	colon
597	duodenum

Group No.	Title
	Biopsy **(continued)**
668	endocervical
588	esophagus
532	eyeball
517	eyelid
666	fallopian tubes
597	intestine (large) (small)
719	joint structure
632	kidney
597	large intestine
558	larynx
552	lip
615	liver
565	lung
582	lymph nodes
570	mediastinum
	meninges
501	cerebral
507	spinal
727	muscle
543	nose
532	orbit
660	ovary, except by aspiration
663	aspiration
618	pancreas
658	penis
508	peripheral nerve
626	peritoneum
556	pharynx
570	pleura
650	prostate
606	rectum
651	scrotum
747	skin
597	small intestine
507	spinal meninges
654	testes

OPERATION INDEX (continued)

Group No. **Title**

- Biopsy (continued)
  - 514 thyroid
  - 552 tongue
  - 559 trachea
  - 635 ureter
  - 670 uterine ligaments
  - 670 uterus
  - 552 uvula
  - 682 vagina
  - 558 vocal cord
  - 683 vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery
- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 aortocoronary
  - 578 blood vessels (systemic)
  - 572 coronary
  - 596 gastric
  - 572 heart
  - 579 heart-lung
  - 601 intestine
  - 596 stomach
  - 634 urinary

- 763 Cancer chemotherapy
- Cardiac
  - 573 catheterization
  - 576 electrophysiologic stimulation studies

Group No. **Title**

- Cardiac (continued)
  - 764 function tests
  - 576 mapping studies
  - massage
    - 763 closed
    - 575 open
  - 574 pacemaker insertion or replacement
  - 575 revascularization, except coronary bypass
    - 572 coronary bypass
  - 764 stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 intracapsular
- Catheterization
  - 647 bladder, except suprapubic approach
    - 638 suprapubic approach
  - 581 blood vessel
  - 573 cardiac
  - 512 spinal canal (for infusion of agents)
  - 645 ureteral
  - 647 urethral, indwelling
  - 587 vein, except umbilical
    - 581 umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 low cervical
- 717 Chemonucleolysis
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn

OPERATION INDEX (continued)

Group No.	Title
	Closure
617	cholecystostomy
601	colostomy
	fistula-*see Fistulectomy*
596	gastric anastomosis
601	sigmoidostomy
570	thoracostomy
635	ureterostomy
640	urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	surgical approach (transabdominal)
602	Colostomy, except loop
600	loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
760	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
638	bladder
581	blood vessel
569	chest
627	laparotomy site
544	nose, except by anterior packing
557	anterior packing
569	pleura
581	postoperative, not elsewhere classified
650	prostate
590	stomach
556	tonsil
521	Corneal transplant
572	Coronary bypass
760	CPAP (continuous positive airway pressure)

Group No.	Title
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	burn (skin)
705	fracture, except of skull
503	skull
752	nail, nail bed, nail fold
748	skin (infection) (wound)
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
690	artificial rupture of membranes
688	breech extraction
692	cesarean section, except low cervical
691	low cervical
689	forceps, except low forceps
687	low forceps
689	internal and combined version
751	Dermabrasion

OPERATION INDEX (continued)

Group No.	Title
601	Derotation, intestine
580	Dialysis, except peritoneal
629	peritoneal
	Dilation
638	bladder (neck)
635	ureteral meatus
645	ureterovesical orifice
641	urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	closed
715	open
702	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
726	fascia, except of hand
728	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
647	bladder, except surgical approach
638	surgical approach (suprapubic)
569	chest
537	middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
579	ECMO (extracorporeal membrane oxygenation)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)

Group No.	Title
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
617	biliary tract
636	bladder
567	bronchus
619	colon, except surgical approach
609	surgical approach (transabdominal)
682	cul-de-sac, except for tubal ligation
664	tubal ligation
589	esophagus
589	gastric, except surgical approach
596	surgical approach (transabdominal)
647	ileal conduit
576	larynx
628	peritoneum
557	pharynx
609	small intestine
589	stomach, except surgical approach
596	surgical approach (transabdominal)
570	thorax, transpleural
636	urethra
679	uterus
686	vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	low forceps
689	other forceps
544	Epistaxis control, except by anterior packing
557	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac

OPERATION INDEX (continued)

Group No.	Title
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	biliary tract
763	Erythrocytapheresis
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	eyeball
673	pelvic
	Examination
764	eye
764	general physical
764	gynecologic
764	pelvic
761	psychiatric
763	Exchange transfusion, except intrauterine
696	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
727	Baker's cyst
705	bone, except facial
699	facial, except partial
698	partial
556	branchial cleft cyst
704	bunion
517	chalazion, eyelid
599	colon
665	fallopian tubes, bilateral, except endoscopic approach
664	endoscopic approach
670	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
727	tendon (of hand)

Group No.	Title
	Excision **(continued)**
612	hemorrhoids
	hydrocele
679	round ligament
656	spermatic cord
651	tunica vaginalis
717	intervertebral disc or cartilage
719	joint, except intervertebral disc and cartilage of knee
717	intervertebral disc
718	knee cartilage
631	kidney, except partial
632	partial
718	knee cartilage (semilunar)
582	lymph nodes, except radical
583	radical
508	neuroma, peripheral nerve
	ovary
662	bilateral
661	unilateral
550	parotid gland
746	pilonidal cyst or sinus
515	pituitary gland
649	prostate, except transurethral approach
648	transurethral approach
522	pterygium
747	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
718	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
751	toenail
552	tongue
553	tonsil, except with adenoids
554	with adenoids
556	tonsil tag

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
	tubes and ovaries
662	bilateral
661	unilateral
670	uterine fibroid
577	varicocele, except of spermatic cord
656	spermatic cord
	Excision of lesion (and destruction of tissue)
626	abdominal wall
611	anus
617	bile duct
638	bladder, except transurethral approach
637	transurethral approach
705	bone, except facial
698	facial
501	brain
742	breast
563	bronchus
501	cerebral meninges
668	cervix, except by conization
667	conization
597	colon
520	conjunctiva
522	cornea
597	duodenum
534	ear, external
588	esophagus
532	eye
517	eyelid
666	fallopian tube
549	gingiva, gums
597	intestine
524	iris
632	kidney
597	large intestine
558	larynx
552	lip

Group No.	Title
	Excision of lesion (continued)
565	lung
	meninges
501	cerebral
507	spinal
727	muscle
	nerve
508	peripheral
511	sympathetic
543	nose, except submucous resection
541	submucous resection
660	ovary
550	parotid gland
658	penis
	perineum
683	female
747	male
508	peripheral nerve
607	perirectal tissue
626	peritoneum
606	rectum
550	salivary gland
524	sclera
651	scrotum
747	skin, except radical and of pilonidal cyst or sinus
746	pilonidal cyst or sinus
748	radical
501	skull
597	small intestine
507	spinal meninges
592	stomach
727	tendon
654	testis
552	tongue
559	trachea
635	ureter
640	urethra

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
679	uterine ligament
670	uterus
682	vagina
559	vocal cord
683	vulva
	Exenteration
532	eyeball, orbit
673	pelvic
	Exploration
627	abdominal cavity
617	bile duct
632	kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
	Extracorporeal
579	circulation
579	membrane oxygenation (ECMO)
508	shock wave lithotripsy (ESWL)
	Extraction
688	breech, for delivery
547	dental
686	menstrual
547	teeth
689	vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	hand
726	Fasciotomy, except of hand
728	hand
	Fistulectomy
610	anal
638	bladder
556	branchial cleft
564	bronchus
601	intestine

Group No.	Title
	Fistulectomy **(continued)**
542	nasal
542	nasolabial
546	oroantral
609	perirectal
556	pharynx
640	rectourethral
679	rectouterine
681	rectovaginal
638	rectovesical
609	rectum
562	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction-*see Fracture-reduction*
689	Forceps delivery, except low forceps
687	low forceps
	Formation
581	arteriovenous shunt for dialysis
601	endoileal rectal pouch
634	ileal conduit or bladder
	Fracture-reduction
701	facial bone, except closed reduction
700	closed reduction
	femur
710	closed, except with internal fixation
708	with internal fixation
710	open, except with internal fixation
709	with internal fixation
701	mandible, except closed reduction
700	closed reduction
701	maxillofacial, except closed reduction
700	closed reduction
544	nose
	other sites
713	closed, except with internal fixation

OPERATION INDEX (continued)

Group No. Title

Fracture-reduction **(continued)**
  other sites (continued)
    closed, except with internal fixation (continued)
711 with internal fixation
713 open, except with internal fixation
712 with internal fixation
552 Frenectomy (labial) (tongue)
557 Frenotomy (labial) (tongue)
721 Fusion, joint, except spinal
720 spinal

508 Ganglionectomy, except of tendon
727 tendon (of hand)
508 Gasserian ganglionectomy
593 Gastrectomy, except total
594 total
589 Gastroscopy, except surgical approach
596 surgical approach (transabdominal)
591 Gastrostomy
590 Gastrotomy
699 Genioplasty
758 G.I. series x-ray
549 Gingivectomy, gingivoplasty
523 Glaucoma operation
552 Glossectomy
Graft
706 bone, except facial and skull
702 facial
503 skull
749 free, of skin
552 lip
731 muscle, except of hand
729 hand
750 pedicle, of skin
skin
749 free
750 pedicle

Group No. Title

Graft **(continued)**
731 tendon, except of hand
729 hand
573 Heart catheterization
579 Heart-lung bypass
599 Hemicolectomy
580 Hemodialysis
612 Hemorrhoidectomy
615 Hepatectomy
Herniorrhaphy
625 diaphragmatic
624 epigastric
622 femoral
624 incisional
inguinal
621 bilateral
620 unilateral
623 umbilical
624 ventral
723 Hip replacement, except total
722 total
576 His bundle study
763 Hyperalimentation
760 Hyperthermia, except localized
763 localized, for treatment of malignancy and other lesions
515 Hypophysectomy
671 Hysterectomy, except radical and vaginal
673 radical
672 vaginal
678 Hysteropexy
679 Hysteroscopy
670 Hysterotomy, except for termination of pregnancy
693 termination of pregnancy

602 Ileostomy, except loop
600 loop
634 Ileoureterostomy

OPERATION INDEX (continued)

Group No.	Title
	Implant, implantation
642	artificial urinary sphincter
745	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
539	cochlear prosthetic device
539	electromagnetic hearing device (bone) (cochlea)
740	limb prosthesis
	Incision (and drainage)
626	abdominal wall
610	anal fistula
605	appendix
683	Bartholin's gland or abscess
703	bone, except facial
702	facial
501	brain
745	breast
501	cerebral meninges
569	chest (wall)
522	cornea
502	cranial sinus
534	ear, external
518	eyelid
552	floor of mouth
617	gallbladder
549	gingiva, gums
600	intestine
716	joint
519	lacrimal gland or sac
614	liver
582	lymph nodes
539	mastoid
	meninges
501	cerebral
506	spinal
537	middle ear
726	muscle

Group No.	Title
	Incision (and drainage) **(continued)**
	nasal sinus-*see Sinusotomy*
726	palmar space (hand)
618	pancreas
613	perianal tissue
	perineum
683	female
748	male
607	perirectal tissue
627	peritoneum, except via cul-de-sac
682	via cul-de-sac
746	pilonidal cyst or sinus
569	pleura
607	rectovaginal septum
607	rectum
626	retroperitoneal abscess
651	scrotum
	sinus (nasal)-*see Sinusotomy*
748	skin, except pilonidal cyst or sinus
746	pilonidal cyst or sinus
506	spinal meninges
726	tendon
569	thorax
633	ureter
682	vagina
683	vulva
690	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
764	enteral
763	parenteral (PPN) (TPN)
	Injection
694	intra-amniotic, for termination of pregnancy
763	therapeutic agent (drugs)
745	breast
741	bursa
741	joint

OPERATION INDEX (continued)

Group No.	Title
	Injection **(continued)**
	therapeutic agent (drugs) (continued)
741	tendon
686	Insemination, artificial
	Insertion
706	bone growth stimulator
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
748	infusion pump
686	intrauterine contraceptive device
679	laminaria, uterus
658	penile prosthesis
751	tissue expander, except breast
745	breast
645	ureteral stent, except by incision
633	by incision
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular

Group No.	Title
	Lens extraction, except intracapsular **(continued)**
525	intracapsular
763	Leukopheresis
	Ligation
665	fallopian tubes (bilateral), except endoscopic approach
664	endoscopic approach
612	hemorrhoids
577	varicose veins
655	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	bladder
646	extracorporeal shock wave (ESWL)
635	kidney
646	ultrasonic
635	ureter
	Lobectomy
501	brain
615	liver
566	lung, except partial
565	partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	abdominal
741	hand
524	iris
716	joint
731	muscle, except of hand
741	hand
630	pelvis
630	peritoneum
731	tendon, except of hand
741	hand
758	Magnetic resonance imaging (MRI)
745	Mammectomy

OPERATION INDEX (continued)

Group No.	Title
758	Mammography
745	Mammoplasty, augmentation or reduction
699	Mandibulectomy, except partial
698	partial
699	Mandibulotomy
	Mastectomy
743	complete
743	simple, except extended
744	extended
742	subtotal
744	radical
743	partial
538	Mastoidectomy, except revision
539	revision
745	Mastotomy
	Meatotomy
635	ureteral
639	urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
758	MRI (magnetic resonance imaging)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
764	enteral
763	parenteral (PPN) (TPN)
682	Obliteration, vagina or vaginal vault
751	Onychectomy

Group No.	Title
751	Onychoplasty
	Oophorectomy
662	bilateral
661	unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	suspension
705	Ostectomy, except facial bone
699	facial bone, except partial
698	partial
706	Osteoplasty, except facial bone
699	facial bone
703	Osteotomy, except facial bone
699	facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
763	Photopheresis

OPERATION INDEX (continued)

Group No.	Title
540	Piercing, ear
763	Plasmapheresis
763	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
570	Pleurosclerosis
	Plication
644	urethral, urethrovesical
581	vena cava
753	Pneumoencephalography
566	Pneumonectomy
764	Polysomnogram
763	PPN (peripheral parenteral nutrition)
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy

Group No.	Title
	Radiography
757	arteries, except cerebral and coronary
755	cerebral
756	coronary
758	breast
755	cerebral
755	arteries
753	ventricles
758	chest
758	gallbladder
758	kidney
758	skeletal
758	spine, except myelogram
754	myelogram
757	veins
	Reattachment
738	extremity
528	retina
731	tendon, except of hand
729	hand
530	Recession, ocular muscle
	Reconstruction
535	ear ossicles
699	mandible
729	thumb
680	Rectocele repair
	Reduction
	dislocation, except temporomandibular
714	closed
715	open
702	temporomandibular (joint)
	fracture
701	facial bone, except closed reduction
700	closed reduction
	femur
710	closed, except with internal fixation
708	with internal fixation

OPERATION INDEX (continued)

Group No. Title

- Reduction **(continued)**
  - fracture (continued)
    - femur (continued)
      - 710 open, except with internal fixation
        - 709 with internal fixation
    - 701 mandible, except closed reduction
      - 700 closed reduction
    - 701 maxillofacial, except closed reduction
      - 700 closed reduction
    - 544 nose
    - site, other than above
      - 713 closed, except with internal fixation
        - 711 with internal fixation
      - 713 open, except with internal fixation
        - 712 with internal fixation
  - 619 hemorrhoids
  - hernia-*see also Herniorrhaphy*
    - 764 manual
  - 601 intestinal torsion
  - 601 intussusception, intestine
  - 745 mammoplasty
  - 601 volvulus, intestine
- Release
  - adhesions-*see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 scar contracture, skin
  - 642 urethral stricture
- Removal
  - 707 bone growth stimulator
  - calculus
    - 617 biliary tract
    - 638 bladder
    - 632 kidney, except transurethral approach
      - 635 transurethral approach
    - 519 lacrimal tract (by incision)
      - 533 without incision
    - 633 ureter, except transurethral approach

Group No. Title

- Removal **(continued)**
  - calculus (continued)
    - ureter, except transurethral approach (continued)
      - 635 transurethral approach
  - 764 catheter, nonoperatively
  - 764 cholecystotomy tube
  - 693 ectopic fetus
  - 707 fixation device, internal
  - foreign body
    - 762 bronchus, except with incision
      - 563 with incision
    - 532 eye, except as below
      - 524 anterior chamber
      - 520 conjunctiva
      - 524 iris
      - 527 lens
    - prosthesis
      - 745 breast
      - 716 joint
  - 596 gastric balloon
  - 658 penile prosthesis
  - 697 retained placenta, manually
  - 764 sutures
  - 764 t-tube, gallbladder
  - 764 therapeutic device, nonoperatively
  - 748 tissue expander, except breast
    - 745 breast
  - 529 vitreous
- 580 Renal dialysis
- Repair
  - 630 abdominal wall
  - 613 anal fistula, except by excision
    - 610 excision
  - 581 aneurysm (arteriovenous)
  - 638 bladder, except obstetric laceration
    - 697 obstetric laceration
  - 518 blepharoptosis

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
581	blood vessel
706	bone, except facial
699	facial
745	breast
564	bronchial fistula
704	bunion
571	cardiac septal defect
669	cervix, except obstetric laceration
697	obstetric laceration
570	chest wall
551	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
680	cystocele, vagina
730	diastasis recti
534	ear, external
518	ectropion or entropion, eyelid
697	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
704	hallux valgus
729	hand
	hernia-*see Herniorrhaphy*
723	hip, except total replacement
722	total replacement
	hydrocephalus, by ventricular shunt
504	extracranial
505	intracranial (ventriculostomy)
601	intestine
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
724	knee (joint)

Group No.	Title
	Repair (continued)
	Laceration-*see also Repair, by site*
697	obstetric
562	larynx
552	lip
615	liver
568	lung
731	muscle, except extraocular and of hand
531	extraocular
729	hand
556	nasopharyngeal atresia
542	nose
663	ovary
551	palate
658	penis
685	perineum, female, except obstetric laceration
697	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
680	rectocele, vagina
609	rectum
528	retinal detachment or tear
730	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
596	stomach
644	stress incontinence, except urethral suspension
643	urethral suspension
731	tendon, except of hand
729	hand
654	testis
562	trachea
635	ureter
640	urethra
679	uterus, except obstetric laceration and supporting structures
697	obstetric laceration

OPERATION INDEX (continued)

Group No.	Title
	Repair **(continued)**
	uterus, except obstetric laceration and supporting structures (continued)
678	supporting structures
681	vagina, except for cystocele and rectocele, and obstetric laceration
680	cystocele and rectocele
697	obstetric laceration
552	vestibular arch (mouth)
685	vulva, except obstetric laceration
697	obstetric laceration
	Replacement
574	cardiac pacemaker
571	heart valve
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
658	penile prosthesis
647	urinary catheter
	Resection
638	bladder
581	blood vessel
564	bronchus
599	large intestine
730	muscle, except of hand
728	hand
541	nasal septum, submucous
530	ocular muscle
660	ovary
608	rectum (abdominoperineal) (pull-through)
549	root of tooth
598	small intestine
730	tendon, except of hand
728	hand
548	Restoration, tooth
758	Retrograde pyelogram

Group No.	Title
	Revision
739	amputation stump
581	arteriovenous shunt for dialysis
596	gastric anastomosis
601	intestinal anastomosis
539	mastoidectomy
562	tracheostomy
539	tympanoplasty
505	ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	bilateral
666	unilateral
	Salpingo-oophorectomy
662	bilateral
661	unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt-*see also Bypass*
504	cerebral ventricles, except intracranial and revision
505	intracranial
505	revision
578	peripheral vessels
630	peritoneovenous
578	systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy

OPERATION INDEX (continued)

Group No.	Title
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	radical maxillary
751	Size-reduction, skin tissue except breast
745	breast
	Sphincterotomy
617	ampullary (of Vater) (pancreas)
613	anus
638	bladder neck
	Spinal
720	fusion
512	tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	foot
724	knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	urethral suspension
	Stress test
764	cardiac
764	fetal
764	uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	urethra, except with bladder neck
644	with bladder neck
644	urethrovesical
	Suture-*see also Repair, by site*
730	muscle, except of hand
729	hand
748	skin
730	tendon, except of hand
729	hand
510	Sympathectomy

Group No.	Title
719	Synovectomy
554	T and A
	Takedown-*see Closure*
730	Tenosynovectomy, except of hand
728	hand
726	Tenotomy, except of hand
728	hand
	Termination of pregnancy
676	aspiration curettage
674	dilation and curettage
691	hysterotomy
694	intra-amniotic injection
	Therapy
761	behavior
763	cancer (chemical)
761	electroconvulsive (ECT)
760	occupational
760	physical
761	psychiatric
759	radiation
761	shock (EST)
760	speech
760	ventilation
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
581	Thromboendarterectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	with adenoidectomy
548	Tooth restoration
763	TPN (total parenteral nutrition)
562	Tracheostomy, except permanent

OPERATION INDEX (continued)

Group No.	Title
	Tracheostomy, except permanent **(continued)**
561	permanent
760	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
763	blood, except intrauterine exchange
696	intrauterine
585	bone marrow
763	coagulation factor
763	gamma globulin
763	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
571	heart
632	kidney
731	muscle, except of hand
729	hand
731	tendon, except of hand
729	hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	revision
537	Tympanotomy
	Ultrasonic fragmentation of calculus
617	biliary
646	urinary, except by percutaneous nephrostomy
632	percutaneous nephrostomy

Group No.	Title
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
571	Valvuloplasty, cardiac
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	revision
753	Ventriculography
684	Vulvectomy
	X-ray-*see Radiography*
751	Z-plasty, skin

R3850-1.2-u

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, North Central Region, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1988

LENGTH OF STAY

Copyright 1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0895-982x

Length of Stay by Diagnosis and Operation, Northeastern Region, 1987
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1987
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1987
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1987
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. The first edition of the Psychiatric Length of Stay series was introduced in 1987. Length of Stay by Psychiatric Diagnosis is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data v
Data Quality v
Geographic Coverage vi
1987 Length of Stay Hospital Characteristics viii

Organization of Length of Stay Tables ix

Patient Data Assignment
Definition of Multiple Diagnoses Patients
Definition of Operated Patients

Explanation of Statistics x

Application of Length of Stay Tables xi

Length of Stay Trends xii

AIDS Supplement xiv

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-398 4
Length of Stay Operation Groups 203
Summary of All Patients in Operation Groups 204
Operation Groups 501-764 205

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 271

Indexes 275

Diagnosis Index 277
Operation Index 299

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1987 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other sources are included in the 1987 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1987 LENGTH OF STAY BOOKS

Research Services
Linda Vanek, Product Manager
Jeanine DeLay, Assistant Director
James Chesney, Director

Development Services
Marion S. Morris, Senior Programmer Analyst
Joyce Beach, Senior Programmer Analyst

Operations
Lale A. Olson, Forms Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to Research Services staff: Carol Prevost, Research Associate, for her Length of Stay expertise, technical advice and patience; Roger Wroblewski, Statistician, for data analysis; Dorothy Kempter and Nancy Cauthen for reviewing the AIDS text; Rhonda Gregory and Kathy Lundquist for clerical and technical support.

Appreciation is extended to other individuals at CPHA: Robert Seeman, Senior Nosologist, for his explanation of coding issues and valuable assistance in producing the AIDS Supplement; John Hallfrisch, MD, Consultant, for his interpretation of clinical data; Robert Travis, Librarian, for meticulously checking the text through its many stages; and the staff of Operations, Client Services, and Word Processing.

INTRODUCTION

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The regional volumes of the Length of Stay series are defined by four census regions as described in the map below.



Most data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These data enhance CPHA as a national health information center.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

1987 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	342	43	12.6
25-49	1,196	208	17.4
50-99	1,254	281	22.4
100-199	1,251	281	22.4
200-299	721	188	26.1
300-399	434	102	23.5
400-499	213	55	25.8
500+	306	70	22.9
Total	**5,717**	**1,228**	**21.5**
Region and Census Division			
Northeast	811	295	36.4
New England	241	111	46.1
Middle Atlantic	570	184	32.3
North Central	1,660	333	20.0
East North Central	878	267	30.4
West North Central	782	66	8.4
South	2,120	269	12.7
South Atlantic	814	142	17.4
East South Central	491	65	13.2
West South Central	815	62	7.6
West	1,126	331	29.4
Mountain	378	146	38.6
Pacific	748	185	24.7
Location			
Rural	2,691	549	20.4
Urban	3,026	679	22.4
Teaching Intensity			
Low	4,702	934	19.9
Medium	611	156	25.5
High	340	74	21.8
Unknown	64	64	100.0

The Pediatric book was compiled from the data of 1,119 hospitals. The Geriatric book was compiled from the data of 1,178 hospitals.

---

[1] Hospitals with average stay less than 30 days.

[2] 1986 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

ORGANIZATION OF LENGTH OF STAY TABLES

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnoses, operated or nonoperated status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnoses and age.

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1987, are reflected in the index at the back of the book.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. The principal procedure is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Diagnoses Patients

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. The Class 1 procedure may or may not relate to the principal diagnosis (Dx). Patients with only Class 2-4 procedures are considered nonoperated.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one UHDDS Class 1 procedure was present. These tables contain procedures which are either therapeutic to the principal Dx or the only procedure.

While most List B groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. These miscellaneous groups are included for informational purposes only.

List B tables which contain no significant Class 1 procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay. Several tables which, as of October 1987, contain a single low volume Class 1 procedure continue to be identified with a disclaimer.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

[2] UHDDS Classes of Procedures, *ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple Dx, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

LENGTH OF STAY TRENDS

The Length of Stay series sets the industry standard for normative patient stay data from short-term, nonfederal hospitals. First created with 1963-1964 PAS data, the series currently incorporates PAS as well as data from other sources, e.g., hospital associations. The 1987 Length of Stay series is based on over six million patient records, representing 21.5 percent of the short-term, nonfederal hospitals in the United States.

CPHA's annual publication of a reliable, extensive database allows for analysis of length of stay trends. The following table illustrates hospital stay data for the nine year period, 1979-1987.

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1987

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8
All Patients Except Newborn									
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0

Source: 1979-1987 *Length of Stay by Diagnosis*, U.S. and Regions

For the total United States the average length of stay fell 13% during the nine year period, from 6.7 days in 1979 to 5.8 days in 1987. While the largest decrease occurred between 1983 and 1984, average stay appears to have levelled off since 1986. Regional variations have remained consistent; hospital stays are highest in the Northeast region and lowest in the West (1.8 day difference).

In the following table the length of stay for normal delivery (*ICD-9-CM* Code 650, List A group 270) is displayed for the five years between 1983 and 1987. This example illustrates the overall decline in length of stay, as well as the regional variations described above.

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1983-1987

	1983	1984	1985	1986	1987
U.S.	2.8	2.6	2.5	2.3	2.2
Northeast	3.1	3.0	2.9	2.8	2.7
North Central	3.1	2.9	2.7	2.5	2.4
South	2.7	2.6	2.5	2.4	2.3
West	2.0	1.9	1.9	1.8	1.7

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1983 for frequently performed surgeries in the United States.

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1983-1987

	1983	1984	1985	1986	1987
Appendectomy	5.3	5.1	4.8	4.7	4.6
Cervical Cesarean Section	5.8	5.6	5.3	5.0	4.8
Cholecystectomy	9.9	9.1	8.2	7.7	7.2
Transurethral Prostatectomy	9.3	8.2	7.1	6.5	6.1
Unilateral Repair of Inguinal Hernia	4.1	3.7	3.2	2.8	2.6
Vaginal Hysterectomy	6.7	6.3	5.8	5.2	4.8

AIDS SUPPLEMENT

The national epidemic of Acquired Immunodeficiency Syndrome (AIDS) has had a major impact on every aspect of the healthcare system. While inpatient hospital stays represent only one of the resources used by AIDS patients, reliable hospital data can be a valuable tool for describing the health crisis. The annual collection of patient data from short-term nonfederal hospitals allows CPHA to present clinical and demographic data on AIDS diagnoses.

In October 1986, new diagnosis classification codes specific to Human Immunodeficiency Virus infection (HIV)[1] were created for *ICD-9-CM* to monitor the diagnoses and manifestations of the disease:

ICD-9-CM AIDS Related Diagnoses Codes (October, 1986)

CODE	TITLE
042	HTLV-III/LAV INFECTION WITH SPECIFIED CONDITIONS
042.0	HTLV-III/LAV INFECTION WITH SPECIFIED INFECTIONS
042.1	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED INFECTIONS
042.2	HTLV-III/LAV INFECTION WITH SPECIFIED MALIGNANT NEOPLASMS
042.9	ACQUIRED IMMUNODEFICIENCY SYNDROME WITH OR WITHOUT OTHER CONDITIONS
043	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED CONDITIONS
043.0	HTLV-III/LAV INFECTION CAUSING LYMPHADENOPATHY
043.1	HTLV-III/LAV INFECTION CAUSING SPECIFIED DISEASES OF THE CENTRAL NERVOUS SYSTEM
043.2	HTLV-III/LAV INFECTION CAUSING OTHER DISORDERS INVOLVING THE IMMUNE MECHANISM
043.3	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED CONDITIONS
043.9	ACQUIRED IMMUNODEFICIENCY SYNDROME-RELATED COMPLEX WITH OR WITHOUT OTHER CONDITIONS
044	OTHER HTLV-III/LAV INFECTION
044.0	HTLV-III/LAV INFECTION CAUSING SPECIFIED ACUTE INFECTIONS
044.9	HTLV-III/LAV INFECTION, NOT OTHERWISE SPECIFIED (WITH OR WITHOUT OTHER CONDITIONS NOT CLASSIFIABLE TO 042, 043, 044)
795.8	POSITIVE SEROLOGICAL OR VIRAL CULTURE FINDINGS FOR HUMAN T-CELL LYMPHOTROPIC VIRUS-III/LYMPHADENOPATHY ASSOCIATED VIRUS (HTLV-III/LAV)

The protocols[2] established by the Centers for Disease Control (CDC) instruct users to give priority to conditions classified by codes in categories 042 over those classified by codes in categories 043 and 044. Conditions classified by codes in category 043 are given priority over 044. Codes in categories 042, 043, and 044 are considered mutually exclusive, and are never to be listed together on the same record.

---

[1] Originally published as Human T-cell Lymphotropic Virus-III/Lymphadenopathy-Associated Virus (HTLV-III/LAV) infection, the terminology was revised effective January 1988 to Human Immunodeficiency Virus (HIV), as authorized by the Centers for Disease Control, Atlanta, Georgia and the National Center for Health Statistics.

[2] *HTLV-III LAV Infection Codes, Official Authorized Addendum, Effective October 1, 1986:* WHO Collaborating Center for Classification of Diseases for North America at the National Center for Health Statistics, with the Health Care Financing Administration.

The 1986 classification of HIV infection codes was intended as an interim system, to be reviewed after a period of use. In August 1987, a revision of the CDC Case Definition[3] attempted to provide clarification with examples of laboratory evidence for or against HIV infection, definitive diagnostic methods, and guidelines for presumptive diagnosis of diseases indicative of AIDS. (Since the reporting of the new definition was targeted for September 1 1987, its use would have little bearing on the 1987 Length of Stay data.)

Within the standard CPHA Length of Stay tables, AIDS diagnoses codes in *ICD-9-CM* categories 042, 043 and 044 fall into List A Group 12 along with a number of other viral diseases. *ICD-9-CM* Code 795.8, Positive HIV Findings, is found in List A Group 340, an aggregate group containing a large number of codes denoting signs, symptoms and ill-defined conditions. Since data pertaining to the AIDS codes are presently grouped with several disparate codes in each of the standard Length of Stay tables, the prevalence of AIDS is masked. This Supplement, therefore, examines each category of AIDS codes individually to provide additional information on AIDS as recorded in the 1987 Length of Stay database.

1987 AIDS DATABASE:

As in the 1987 Length of Stay tables, discharge records representing 21.5% of short-term general hospitals in the United States comprise the database. Unlike the standard Length of Stay tables, in which patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis, records are included in the AIDS Supplement if they have any AIDS code as either a principal or a secondary diagnosis. In addition, discharge records with an AIDS diagnosis are not excluded, as in the standard Length of Stay tables, when there is a death or transfer to a short-term hospital. While these adjustments augment the base of AIDS records, the resulting data should not be considered in the same manner as the traditional length of stay tables. The data presented in this section are intended to enhance knowledge and are not recommended for purposes of utilization review.

From over 6 million 1987 Length of Stay records, 11,477 (.2%) have an AIDS code as either a principal or secondary diagnosis, that is, one in every 500 hospital discharge records. In the majority of the records (73%), the AIDS code is listed as a secondary rather than as a principal diagnosis. There are 228 records where an AIDS code is both a principal and a secondary and 187 with multiple secondary AIDS codes.

Some precautions are suggested when reviewing the AIDS database:

1. The Length of Stay series is not based on a representative sample, but rather on a total count of discharge records from voluntary participating hospitals. (Refer to page viii for a description of these hospitals.)
2. Hospital records are based on occurrences of discharges, and may include the same patient more than once. With AIDS patients, there may be a relatively high number of readmissions within a year, possibly with a change in the assignment of the particular AIDS code as determined by the associated disease manifestations.

Given the cautions above, the AIDS Supplement is presented by CPHA as a research study and is not intended for comparing lengths of stay. The intent is to increase knowledge about one aspect of the AIDS health crisis, as well as to raise some issues about the coding of AIDS on medical records.

PROFILE OF AIDS RECORDS:

Table 1 presents a summary profile of the AIDS records from the 1987 Length of Stay database. (See page xviii.)

Regional Representation: The number of discharge records with an AIDS diagnosis is proportionally greater in the Northeast region of the United States (4 out of every 1000 hospital discharge records) and in the Western region (2 out of every 1000 discharge records) than in the North Central and Southern regions (1 out of 1000).

Sex/Age: Eighty-six percent of the AIDS discharge records represent male patients with almost half (45%) falling between the ages of 30 and 39.

---

[3] Revision of the CDC Surveillance Case Definition for Acquired Immunodeficiency Syndrome. *Morbidity and Mortality Weekly Report* (Vol. 36, No. 15) August 1987.

Disposition: Eighty-four percent of the AIDS discharge records represent live discharges. An overwhelming majority (88%) of these are discharged to home or self-care.

Payment: The sources of payment are private (self-pay, insurance or workers' compensation) for 51% of the records, and public for 36%. Medicaid constitutes 28% of all payment sources, representing over three-quarters of the public sources.

LENGTH OF STAY:

The average length of stay for the total AIDS base is 14.9 days, with the median (50th percentile) at 9 days. Other percentile distributions are as follows:

5%	1 day	90%	32 days
10%	2 days	95%	45 days
75%	19 days	99%	83 days

Table 2 shows the average length of stay for 3,140 records classified with any AIDS code (in categories 042, 043, 044, or code 795.8) as a principal diagnosis. (See page xix.)

Table 3 shows the average length of stay for 8,337 records classified with any AIDS code (in categories 042, 043, 044, or code 795.8) as a secondary diagnosis. (See page xx.)

For both tables 2 and 3 there appears to be a correlation between the length of stay and the particular AIDS code listed; the average overall length of stay is greater for codes in category 042 than for categories 043, 044, or for code 795.8.

Length of Stay by Operation:

The profile of AIDS records indicates that in more than one half of the hospital stays an operative procedure (*ICD-9-CM* codes 01.0-86.99) is performed. The majority of the reported procedures, e.g., bronchoscopies or CAT scans, are diagnostic rather than therapeutic procedures, and are not considered to affect length of stay.

DIAGNOSES FREQUENTLY ASSOCIATED WITH AIDS:

The following table shows those disease conditions which are most frequently listed with an AIDS code on discharge records, and displays the length of stay for that disease with each AIDS code, as well as the length of stay for the disease when it occurs without AIDS. For this table, each AIDS record is counted once, and may appear as a principal or secondary diagnosis code. In records where more than one AIDS code is listed, codes in category 042 are selected over those in categories 043 or 044, those in categories 043 over those in categories 044 or 795.8, and codes in category 044 over code 795.8.

The associated diseases are counted for each occurrence; one AIDS record may contain a number of other diagnoses codes. Multiple occurrences will also influence length of stay as one patient with a single hospital stay can appear more than once.

The most striking observation is that the length of stay increases significantly for any disease when reported in association with an AIDS diagnosis. For example, patients with anemia (*ICD-9-CM* codes 280.0-285.9) have an average hospital stay of 10.2 days when no AIDS diagnosis is present, but 17.3 days when accompanied by an AIDS diagnosis.

Frequently Associated Dx Codes with AIDS as Principal or Secondary

	Pneumocystosis (136.3)		Candidiasis (112.0,112.3,112.5-112.9)		Kaposi's Sarcoma (173.0-173.9)	
	OCCURRENCE	AVG LOS	OCCURRENCE	AVG LOS	OCCURRENCE	AVG LOS
With 042 Codes	2,762	18.1	2,183	19.7	1,073	44.3
With 043 Codes	54	22.4	3,172	18.9	40	15.9
With 044 Codes	20	11.2	68	13.6	5	11.4
With 795.8 Codes	47	21.9	120	16.7	3	9.3
With No AIDS Dx	745	16.9	16,931	14.8	6,924	7.9
Total Occurences:	3,628		19,694		8,045	

ISSUES:

The data collection for this AIDS Supplement indicates that there is considerable variation in the manner in which AIDS is reported. With AIDS patients presenting many disease manifestations, confusion may exist over the selection of the appropriate AIDS code:

1. Despite the fact that the October 1986 Addendum to the *ICD-9-CM* classification states that codes in categories 042, 043 and 044 are mutually exclusive, there is evidence of multiple coding of AIDS diagnoses.
2. The Addendum also instructs that certain disease manifestations are expected with specific AIDS codes; for example, Kaposi's sarcoma (173.0-173.9) should be linked only with one AIDS code (042.2). However, in this base, codes 173.0-173.9 are also found on discharge records in association with codes in categories 043, 044, and code 795.8.
3. There is some confusion with the coding of pneumocystosis (136.3). While pneumocystosis is found as either a principal or a secondary diagnosis on 3,628 of the Length of Stay records, 20% do not record any AIDS in association. On one hand this may indicate a reluctance to report AIDS. Or, on the other hand, this may be evidence of miscoding, since code 136.3 is sometimes reported in error for a benign form of pneumonia not intended as Pneumocystis carinii pneumonia.

SUMMARY:

The examination of 1987 discharge records from a collection of short-term general hospitals provides a base for analysis of records listing an AIDS code as either a principal or a secondary diagnosis. The data show a significant increase in hospital stay when a disease is recorded in association with an AIDS code. There is, however, evidence of some confusion over the coding of AIDS on hospital records. This study suggests the need for further exploration of the actual practice of AIDS coding and the formulation of recommendations for revision or clarification of the classification system.

Table 1
Profile of AIDS Records

	#	%
TOTAL DISCHARGE RECORDS WITH ANY AIDS Dx	11,477	100.0
AIDS as Principal Dx	3,140	27.4
AIDS as Secondary Dx	8,337	72.6

	#	% of Total Discharges
REGIONAL REPRESENTATION		
North Central	1,737	.1
Northeast	5,453	.4
South	2,712	.1
West	1,575	.2

	#	%
AGE		
Newborn - <1 yr	170	1.5
1 yr - 9 yrs	395	3.4
10 - 19 yrs	119	1.0
20 - 29 yrs	2,263	19.7
30 - 39 yrs	5,166	45.0
40 - 49 yrs	2,284	19.9
50 - 59 yrs	741	6.5
60+	339	3.0
SEX		
Male	9,852	85.8
Female	1,625	14.2
DISCHARGES		
Total Alive	9,585	83.5
Total Expired	1,892	16.5
DISPOSITION		
Home or Self-Care	8,408	87.7
Home Health Service	533	5.6
Short-Term Hospital	220	2.3
Skilled Nursing Facility	95	1.0
Inter. Care Facility	4	
Other Facility	325	3.4

	#	%
PAYMENT SOURCE		
Medicaid	3,230	28.1
Medicare	549	4.8
Other Government	333	2.9
Workers' Compensation	14	.1
Blue Cross	2,108	18.4
Other Insurance	2,327	20.3
Self-Pay	1,408	12.3
Other	1,508	13.1
LENGTH OF STAY		
<1 Day	119	1.1
1-7 Days	4,711	41.0
8-14 Days	2,710	23.6
15-21 Days	1,599	13.9
22-28 Days	919	8.0
29-36 Days	515	4.5
37-42 Days	253	2.2
43-49 Days	200	1.7
50+ Days	451	3.9

AVERAGE LOS IN DAYS: 14.9

MEDIAN LOS IN DAYS: 9

Table 2
Average Length of Stay
Discharge Records with AIDS as Principal Dx

CODE	TOTAL DISCHARGE RECORDS #	%	AVERAGE STAY	PERCENTILES 5TH	10TH	50TH	75TH	90TH	95TH	99TH
042										
AGE RANGES:										
Newborn-< 1 yr	35	1.4	48.1	2	3	22	42	80	99	99+
1 yr-9 yrs	104	4.3	12.5	1	1	5	13	38	57	76
10 yrs-19 yrs	31	1.3	5.9	<1	<1	1	7	20	25	32
20-29 yrs	492	20.2	15.7	1	2	11	20	34	52	84
30-39 yrs	1,087	44.6	19.9	1	3	13	24	43	59	99+
40-49 yrs	474	19.5	19.4	2	3	13	25	42	56	99
50-59 yrs	166	6.8	20.9	2	3	14	25	41	73	99
60+	47	1.9	24.9	3	4	17	30	62	76	99+
TOTAL	2,436	100.0	19.9	1	2	12	23	41	59	98
043										
AGE RANGES:										
Newborn-< 1 yr	8	1.3	36.5	1	2	18	27	80	99+	99+
1 yr-9 yrs	42	7.1	11.7	1	2	7	13	25	43	91
10 yrs-19 yrs	2	.3	43.0	5	5	43	81	81	81	81
20-29 yrs	122	20.5	12.2	1	2	7	14	28	46	83
30-39 yrs	273	46.0	15.1	1	2	9	19	35	47	97
40-49 yrs	94	15.8	22.7	1	4	12	28	65	69	99+
50-59 yrs	36	6.1	12.4	1	1	9	18	32	36	49
60+	17	2.9	16.5	3	4	14	20	43	53	56
TOTAL	594	100.0	15.7	1	2	7	17	40	55	99
044										
AGE RANGES:										
Newborn-< 1 yr	3	3.5	5.0	4	4	4	6	7	7	7
1 yr-9 yrs	5	5.8	20.6	2	2	7	43	50	50	50
10 yrs-19 yrs	2	2.3	13.5	3	3	13	24	24	24	24
20-29 yrs	16	18.6	8.9	1	2	7	13	19	24	26
30-39 yrs	40	46.5	11.9	2	2	8	14	20	29	87
40-49 yrs	14	16.3	10.3	2	2	6	14	27	32	33
50-59 yrs	3	3.5	5.7	2	2	6	8	9	9	9
60+	3	3.5	28.7	4	4	24	49	58	58	58
TOTAL	86	100.0	11.7	2	2	7	14	25	35	77
795.8										
AGE RANGES:										
Newborn-< 1 yr	4	16.7	11.0	6	6	9	15	19	19	19
1 yr-9 yrs	5	20.8	9.0	3	3	4	12	27	27	27
10 yrs-19 yrs	0	0.0	0.0	0	0	0	0	0	0	0
20-29 yrs	2	8.3	2.5	<1	<1	2	4	4	4	4
30-39 yrs	9	37.5	16.7	<1	<1	12	20	49	67	67
40-49 yrs	3	12.5	5.0	4	4	4	6	7	7	7
50-59 yrs	1	4.2	6.0	6	6	6	6	6	6	6
60+	0	0.0	0.0	0	0	0	0	0	0	0
TOTAL	24	100.0	11.0	<1	1	6	14	22	39	67

Table 3
Average Length of Stay
Discharge Records with AIDS as Secondary Dx

CODE	TOTAL DISCHARGE RECORDS #	%	AVERAGE STAY	PERCENTILES 5TH	10TH	50TH	75TH	90TH	95TH	99TH
042										
AGE RANGES:										
Newborn-< 1 yr	46	.8	25.7	1	2	11	26	55	68	99+
1 yr-9 yrs	127	2.3	18.7	2	3	8	15	34	49	99+
10 yrs-19 yrs	34	.6	9.5	1	1	8	13	23	25	30
20-29 yrs	1,000	18.1	13.5	1	2	9	18	29	39	73
30-39 yrs	2,592	46.8	13.8	1	2	10	18	28	37	75
40-49 yrs	1,221	22.1	14.6	1	2	10	19	31	43	72
50-59 yrs	365	6.6	16.5	1	2	12	21	32	42	81
60+	150	2.7	18.3	3	3	12	23	45	61	76
Total	5,535	100.0	14.4	1	2	10	19	29	40	76
043										
AGE RANGES:										
Newborn-< 1 yr	19	1.9	16.3	4	4	8	22	35	56	71
1 yr-9 yrs	56	5.7	11.3	1	2	5	13	26	42	89
10 yrs-19 yrs	10	1.0	4.8	1	1	4	7	10	10	10
20-29 yrs	190	19.3	12.8	1	2	7	12	30	49	90
30-39 yrs	446	45.2	11.6	1	2	7	14	26	36	59
40-49 yrs	169	17.1	12.2	1	1	8	15	29	41	64
50-59 yrs	61	6.2	13.6	2	2	11	18	26	34	62
60+	35	3.5	15.1	2	3	8	17	34	60	83
Total	986	100.0	12.2	1	2	7	15	28	41	69
044										
AGE RANGES:										
Newborn-< 1 yr	7	1.4	6.3	2	2	4	9	15	16	16
1 yr-9 yrs	17	3.4	6.8	1	1	4	8	12	31	41
10 yrs-19 yrs	15	3.0	7.6	<1	1	7	11	16	17	18
20-29 yrs	113	22.6	9.7	1	2	6	11	21	38	56
30-39 yrs	211	42.2	10.0	1	2	7	14	22	30	43
40-49 yrs	87	17.4	14.8	1	2	8	18	41	50	90
50-59 yrs	26	5.2	19.9	3	3	10	27	55	65	74
60+	24	4.8	15.5	2	2	7	19	49	60	85
Total	500	100.0	11.3	1	2	7	14	27	42	60
795.8										
AGE RANGES:										
Newborn-< 1 yr	48	3.6	25.7	2	2	13	31	67	98	99+
1 yr-9 yrs	39	3.0	10.0	1	2	5	12	17	26	91
10 yrs-19 yrs	25	1.9	7.4	<1	1	5	8	19	27	37
20-29 yrs	328	24.9	9.5	1	2	6	12	22	30	47
30-39 yrs	508	38.6	12.8	1	2	8	15	28	39	76
40-49 yrs	222	16.9	13.9	1	2	9	19	31	43	62
50-59 yrs	83	6.3	13.6	1	2	9	18	28	48	81
60+	63	4.8	12.4	1	2	9	19	30	35	42
Total	1,316	100.0	12.5	1	2	7	15	28	39	73

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	174465	2.9	11	1	1	2	3	4	6	14
20-34	80804	3.5	23	< 1	1	2	3	6	10	27
35-49	29160	4.9	41	1	1	3	5	10	17	32
50-64	17171	5.1	36	1	1	3	6	10	15	31
65 +	14083	5.7	40	1	1	4	7	11	16	34
B. Operated										
0-19 YRS	47478	3.0	12	1	1	2	3	6	8	17
20-34	88456	3.0	5	1	1	3	4	5	6	11
35-49	40498	3.7	11	1	1	3	5	7	9	15
50-64	33896	4.2	15	1	1	3	6	9	11	17
65 +	27248	5.5	23	1	1	4	8	11	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	189869	4.7	47	1	1	3	5	8	14	41
20-34	93852	6.3	60	1	1	3	7	16	24	35
35-49	86061	6.5	49	1	1	4	7	14	22	33
50-64	119760	6.2	37	1	2	5	8	12	17	31
65 +	258889	7.2	35	2	2	6	9	14	18	30
B. Operated										
0-19 YRS	55640	6.5	111	1	1	3	7	15	26	72
20-34	124333	4.8	31	1	1	4	5	8	12	30
35-49	87828	6.4	50	1	1	5	7	12	18	38
50-64	111804	8.0	71	1	1	6	10	16	23	45
65 +	179971	10.2	87	1	2	8	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	315683	3.5	20	1	1	2	4	6	9	25
B. Operated	237576	3.6	12	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. Not Operated	748431	6.2	44	1	2	4	7	13	19	33
B. Operated	559576	7.6	72	1	1	5	9	16	23	46
1. SINGLE DX	553259	3.5	16	1	1	2	4	6	9	21
2. MULTIPLE DX	1308007	6.8	57	1	2	5	8	14	21	39
A. Not Operated	1064114	5.4	39	1	1	3	6	11	16	31
B. Operated	797152	6.4	58	1	1	4	8	14	19	40
TOTAL										
0-19 YRS	467452	4.1	39	1	1	3	4	7	11	36
20-34	387445	4.5	32	1	1	3	5	8	14	30
35-49	243547	5.8	43	1	1	4	7	12	18	32
50-64	282631	6.6	49	1	1	5	8	13	19	36
65 +	480191	8.2	57	1	2	6	10	16	21	39
GRAND TOTAL	**1861266**	**5.8**	**47**	**1**	**1**	**4**	**7**	**12**	**18**	**35**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69829	3.4	24	1	1	2	4	6	8	27
20-34	80804	3.5	23	<1	1	2	3	6	10	27
35-49	29160	4.9	41	1	1	3	5	10	17	32
50-64	17171	5.1	36	1	1	3	6	10	15	31
65+	14083	5.7	40	1	1	4	7	11	16	34
B. Operated										
0-19 YRS	47434	3.0	12	1	1	2	3	6	8	17
20-34	88456	3.0	5	1	1	3	4	5	6	11
35-49	40498	3.7	11	1	1	3	5	7	9	15
50-64	33896	4.2	15	1	1	3	6	9	11	17
65+	27248	5.5	23	1	1	4	8	11	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116130	5.2	63	1	1	3	5	9	17	45
20-34	93852	6.3	60	1	1	3	7	16	24	35
35-49	86061	6.5	49	1	1	4	7	14	22	33
50-64	119760	6.2	37	1	2	5	8	12	17	31
65+	258889	7.2	35	2	2	6	9	14	18	30
B. Operated										
0-19 YRS	53130	5.8	82	1	1	3	6	13	21	58
20-34	124333	4.8	31	1	1	4	5	8	12	30
35-49	87828	6.4	50	1	1	5	7	12	18	38
50-64	111804	8.0	71	1	1	6	10	16	23	45
65+	179971	10.2	87	1	2	8	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211047	3.9	29	1	1	2	4	7	12	29
B. Operated	237532	3.6	11	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. Not Operated	674692	6.5	46	1	2	4	8	13	19	34
B. Operated	557066	7.5	70	1	1	5	9	16	22	44
1. SINGLE DX	448579	3.7	20	1	1	3	4	7	10	23
2. MULTIPLE DX	1231758	7.0	57	1	1	5	8	15	21	39
A. Not Operated	885739	5.9	43	1	1	4	7	12	18	33
B. Operated	794598	6.4	56	1	1	4	8	14	19	39
TOTAL										
0-19 YRS	286523	4.5	50	1	1	3	4	8	14	42
20-34	387445	4.5	32	1	1	3	5	8	14	30
35-49	243547	5.8	43	1	1	4	7	12	18	32
50-64	282631	6.6	49	1	1	5	8	13	19	36
65+	480191	8.2	57	1	2	6	10	16	21	39
GRAND TOTAL	**1680337**	**6.1**	**49**	**1**	**1**	**4**	**7**	**13**	**19**	**36**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1316	2.7	4	1	1	2	3	4	6	12
20-34	361	2.5	3	1	1	2	3	4	6	9
35-49	158	3.1	4	1	1	3	4	6	7	10
50-64	89	3.4	4	1	1	3	4	6	8	11
65 +	47	3.2	5	< 1	1	3	5	6	8	8
B. Operated										
0-19 YRS	25	6.8	99	1	2	4	6	8	37	43
20-34	40	5.0	7	2	3	4	6	8	9	17
35-49	15	6.1	9	3	4	5	8	11	13	14
50-64	9	5.2	11	2	2	4	6	10	13	13
65 +	4	7.0	11	5	5	6	9	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3411	3.3	6	1	1	3	4	6	7	12
20-34	813	3.3	6	1	1	3	4	6	8	13
35-49	532	3.8	7	1	1	3	5	7	9	15
50-64	509	4.2	7	1	2	4	5	7	9	13
65 +	926	5.4	27	1	2	4	7	10	12	25
B. Operated										
0-19 YRS	85	14.7	369	2	3	6	21	53	73	99 +
20-34	78	6.4	19	2	3	5	8	11	17	24
35-49	68	7.3	28	2	3	6	10	13	14	34
50-64	71	7.5	34	2	2	6	10	15	18	29
65 +	118	12.7	118	3	4	9	14	29	38	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1971	2.7	4	1	1	2	3	5	6	10
B. Operated	93	5.8	32	2	3	4	6	8	13	40
2. MULTIPLE DX										
A. Not Operated	6191	3.7	10	1	1	3	4	7	8	15
B. Operated	420	10.2	132	2	3	7	11	22	37	74
1. SINGLE DX	2064	2.9	5	1	1	2	4	5	6	12
2. MULTIPLE DX	6611	4.1	20	1	1	3	5	7	10	21
A. Not Operated	8162	3.5	8	1	1	3	4	6	8	14
B. Operated	513	9.4	116	2	3	6	10	20	32	69
TOTAL										
0-19 YRS	4837	3.3	14	1	1	3	4	5	7	15
20-34	1292	3.3	7	1	1	3	4	6	8	14
35-49	773	4.0	9	1	1	3	5	8	10	15
50-64	678	4.4	10	1	2	4	6	8	11	17
65 +	1095	6.1	41	1	2	4	7	11	15	36
GRAND TOTAL	**8675**	**3.8**	**17**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.6	6	2	2	3	6	8	10	10
20-34	17	11.5	111	2	3	8	13	26	38	44
35-49	13	10.0	14	3	5	10	12	14	16	16
50-64	3	6.3	2	5	5	6	7	8	8	8
65 +	4	6.3	21	1	1	6	9	12	12	12
B. Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	7	6.6	8	2	2	7	9	10	10	10
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65 +	4	4.3	8	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	7.4	31	1	2	6	11	16	18	18
20-34	19	7.9	22	1	2	7	13	14	15	15
35-49	29	11.7	183	< 1	1	8	13	30	42	62
50-64	28	13.3	129	4	4	11	14	22	46	53
65 +	65	12.2	71	2	3	10	15	25	31	38
B. Operated										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	13	9.8	19	3	5	8	12	15	19	20
35-49	16	14.9	68	4	5	13	25	27	74	99 +
50-64	38	17.1	155	6	7	14	20	29	41	70
65 +	58	19.3	230	3	4	15	28	37	48	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	8.9	54	2	3	7	11	16	20	44
B. Operated	15	5.8	6	1	2	6	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	150	11.4	96	2	3	10	14	22	34	53
B. Operated	127	16.9	170	4	5	13	23	33	43	80
1. SINGLE DX	61	8.1	43	2	3	7	10	13	17	42
2. MULTIPLE DX	277	13.9	137	3	3	11	16	29	37	69
A. Not Operated	196	10.8	87	2	3	9	13	21	29	49
B. Operated	142	15.7	164	3	5	12	21	31	39	76
TOTAL										
0-19 YRS	22	5.9	16	2	2	5	7	11	16	18
20-34	56	9.3	48	2	3	8	11	15	19	43
35-49	59	12.1	113	1	3	10	14	26	40	96
50-64	70	14.9	142	4	5	11	18	28	45	67
65 +	131	14.9	155	3	3	12	19	32	37	69
GRAND TOTAL	**338**	**12.9**	**125**	**3**	**3**	**10**	**16**	**27**	**36**	**68**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT ([illegible])	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.8	11	2	2	6	8	9	9	9
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	7.5	45	2	2	5	8	19	23	23
20-34	2	6.0		6	6	6	6	6	6	6
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	5.5	41	1	1	5	10	10	10	10
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	12.0	13	8	8	13	14	15	15	15
20-34	0									
35-49	4	4.0	15	1	1	3	7	9	9	9
50-64	3	10.3	30	4	4	13	14	14	14	14
65 +	4	14.5	68	6	6	14	21	23	23	23
B. Operated										
0-19 YRS	2	13.5	313	1	1	13	26	26	26	26
20-34	4	21.3	373	4	4	19	37	43	43	43
35-49	3	21.3	652	1	1	13	41	50	50	50
50-64	10	26.1	675	8	8	14	31	67	93	93
65 +	12	17.6	183	5	6	13	21	38	51	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.0	9	2	2	7	8	9	9	9
B. Operated	14	6.7	31	1	1	6	9	12	20	23
2. MULTIPLE DX										
A. Not Operated	14	10.1	44	1	1	9	14	20	22	23
B. Operated	31	20.9	378	1	5	14	30	46	53	93
1. SINGLE DX	19	6.5	25	1	1	6	9	10	17	23
2. MULTIPLE DX	45	17.5	296	1	4	13	22	42	51	93
A. Not Operated	19	9.0	37	1	2	8	13	18	22	23
B. Operated	45	16.5	311	1	2	10	22	42	51	93
TOTAL										
0-19 YRS	17	8.6	51	1	2	8	10	21	25	26
20-34	7	14.9	250	4	4	6	26	41	43	43
35-49	8	11.3	267	1	1	7	11	39	50	50
50-64	15	20.2	518	2	4	13	23	42	80	93
65 +	17	15.9	155	2	5	13	21	29	45	53
GRAND TOTAL	**64**	**14.3**	**240**	**1**	**2**	**9**	**17**	**31**	**45**	**87**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154	2.3	2	1	1	2	3	4	5	6
20-34	37	2.6	2	1	1	2	3	4	5	7
35-49	11	3.2	3	1	1	3	5	6	6	6
50-64	7	3.6	2	2	2	3	4	6	6	6
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	35	1.1		1	1	1	1	1	2	2
20-34	5	1.2		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	506	2.9	12	1	1	2	3	5	6	9
20-34	175	3.0	3	1	1	3	4	5	7	10
35-49	47	3.5	1	2	2	3	4	5	5	6
50-64	25	3.8	5	1	2	3	4	6	8	12
65 +	11	4.4	5	2	2	4	6	8	9	9
B. Operated										
0-19 YRS	36	1.5	1	1	1	1	1	4	4	5
20-34	3	4.7	12	1	1	5	7	8	8	8
35-49	3	22.3	616	2	2	15	41	50	50	50
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	2.5	2	1	1	2	3	4	5	7
B. Operated	41	1.1		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	764	3.0	9	1	1	3	4	5	6	10
B. Operated	43	3.3	60	1	1	1	2	6	11	50
1. SINGLE DX	252	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	807	3.1	12	1	1	3	4	5	6	10
A. Not Operated	975	2.9	7	1	1	3	3	5	6	9
B. Operated	84	2.2	32	1	1	1	1	4	6	38
TOTAL										
0-19 YRS	731	2.6	9	1	1	2	3	5	6	8
20-34	220	2.9	3	1	1	3	4	5	7	9
35-49	62	4.3	38	1	2	3	4	5	6	46
50-64	33	3.8	4	2	2	3	4	6	8	12
65 +	13	4.1	5	2	2	3	6	7	9	9
GRAND TOTAL	**1059**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	362	5.0	11	2	2	4	7	10	11	15
20-34	18	4.8	7	1	2	4	7	9	10	10
35-49	13	6.6	27	2	2	4	8	16	18	18
50-64	19	6.9	11	2	3	7	10	11	13	14
65 +	45	7.1	14	2	3	7	9	11	17	99 +
B. Operated										
0-19 YRS	4	7.5	30	3	3	7	12	14	14	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	980	6.1	21	2	2	5	8	11	14	20
20-34	237	9.2	56	2	3	7	10	16	27	41
35-49	326	9.3	35	3	4	8	12	17	20	33
50-64	774	10.1	46	3	4	8	12	17	22	35
65 +	3412	10.6	40	4	5	9	13	18	22	34
B. Operated										
0-19 YRS	94	16.8	241	4	4	12	19	38	51	83
20-34	102	16.1	139	4	5	13	22	32	42	79
35-49	173	16.9	159	4	6	14	21	34	46	98
50-64	309	19.4	225	5	7	15	24	39	50	89
65 +	1062	19.1	144	7	8	16	24	34	44	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	457	5.3	12	2	2	4	7	10	12	16
B. Operated	8	10.1	55	3	3	9	15	21	23	23
2. MULTIPLE DX										
A. Not Operated	5729	9.6	40	3	4	8	12	17	21	33
B. Operated	1740	18.6	165	5	7	16	23	34	46	84
1. SINGLE DX	465	5.4	13	2	2	4	7	10	13	18
2. MULTIPLE DX	7469	11.7	84	3	4	9	14	22	29	49
A. Not Operated	6186	9.3	40	2	3	8	11	16	21	33
B. Operated	1748	18.6	165	5	7	15	23	34	46	84
TOTAL										
0-19 YRS	1440	6.5	40	2	2	5	8	12	15	31
20-34	358	10.9	88	2	3	8	13	24	32	51
35-49	513	11.8	90	3	4	9	15	22	33	49
50-64	1103	12.7	113	4	5	10	15	23	32	68
65 +	4520	12.5	77	4	5	10	15	23	29	48
GRAND TOTAL	**7934**	**11.3**	**82**	**3**	**4**	**9**	**14**	**21**	**28**	**48**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	198	6.1	18	2	2	5	8	11	13	24
20-34	25	5.4	10	1	2	5	7	10	12	12
35-49	18	7.9	63	2	2	5	10	16	27	34
50-64	14	4.0	3	1	2	4	4	6	8	8
65 +	11	4.8	6	2	2	5	7	8	9	9
B. Operated										
0-19 YRS	13	8.2	37	1	2	8	11	15	22	24
20-34	3	11.7	4	10	10	11	13	14	14	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	7.2	20	2	3	6	10	11	14	23
20-34	60	6.4	19	2	3	5	8	13	15	24
35-49	57	7.0	17	2	3	6	9	13	16	21
50-64	83	6.8	20	2	3	5	8	12	16	23
65 +	138	7.8	27	3	3	7	9	14	17	28
B. Operated										
0-19 YRS	37	15.3	230	2	4	11	16	42	52	64
20-34	33	13.3	112	1	3	11	15	28	38	47
35-49	22	16.6	191	3	4	10	27	42	45	47
50-64	27	17.4	230	3	4	11	29	48	61	99 +
65 +	53	17.1	194	3	5	12	24	39	45	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	6.0	19	2	2	5	8	11	13	25
B. Operated	19	8.6	35	1	1	8	11	16	21	24
2. MULTIPLE DX										
A. Not Operated	557	7.2	21	2	3	6	9	13	15	25
B. Operated	172	16.0	189	3	4	11	20	39	47	65
1. SINGLE DX	285	6.2	21	2	2	5	8	11	14	25
2. MULTIPLE DX	729	9.3	74	2	3	7	11	17	27	48
A. Not Operated	823	6.8	21	2	2	6	9	12	15	25
B. Operated	191	15.2	178	2	4	11	18	38	46	65
TOTAL										
0-19 YRS	467	7.4	41	2	2	6	10	12	16	39
20-34	121	8.2	52	2	2	6	11	15	23	41
35-49	98	9.3	78	2	3	6	10	17	31	45
50-64	125	8.8	83	3	3	6	9	18	31	67
65 +	203	10.1	86	3	3	7	12	19	30	48
GRAND TOTAL	**1014**	**8.4**	**61**	**2**	**2**	**6**	**10**	**15**	**23**	**44**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1090	3.1	3	1	2	3	4	5	7	10
20-34	252	3.4	4	1	1	3	4	6	7	10
35-49	57	3.7	5	1	1	3	5	8	8	12
50-64	12	4.9	5	2	2	5	6	8	9	9
65 +	3	4.7	8	3	3	3	7	8	8	8
B. Operated										
0-19 YRS	14	4.3	6	2	2	4	5	8	10	10
20-34	4	8.0	25	4	4	6	11	15	15	15
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	746	4.1	8	1	2	3	5	7	10	15
20-34	191	4.3	6	1	2	4	6	8	10	12
35-49	75	5.1	11	2	2	5	6	8	9	20
50-64	23	4.6	13	1	1	3	7	12	13	13
65 +	22	10.7	81	3	4	8	12	24	33	40
B. Operated										
0-19 YRS	12	16.3	383	4	5	8	20	40	69	74
20-34	10	11.5	96	2	2	7	20	27	32	32
35-49	10	11.2	47	3	3	15	18	53	96	99 +
50-64	3	9.0	3	8	8	8	10	11	11	11
65 +	4	24.0	625	6	6	14	38	61	61	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1414	3.2	3	1	1	3	4	5	7	10
B. Operated	20	5.5	12	2	2	4	7	11	13	15
2. MULTIPLE DX										
A. Not Operated	1057	4.4	10	1	2	3	5	8	10	17
B. Operated	39	14.0	212	3	4	9	18	28	67	99 +
1. SINGLE DX	1434	3.3	3	1	1	3	4	5	7	10
2. MULTIPLE DX	1096	4.7	20	1	2	4	5	9	11	22
A. Not Operated	2471	3.7	7	1	2	3	4	6	8	13
B. Operated	59	11.1	160	2	3	7	15	22	46	97
TOTAL										
0-19 YRS	1862	3.6	8	1	2	3	4	6	8	13
20-34	457	4.0	9	1	2	3	5	7	9	15
35-49	144	5.0	15	1	2	4	6	8	16	25
50-64	38	5.1	11	1	1	4	7	10	12	13
65 +	29	11.9	156	3	3	8	14	26	41	61
GRAND TOTAL	**2530**	**3.9**	**11**	**1**	**2**	**3**	**4**	**7**	**9**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	161	3.3	7	1	1	3	4	7	8	11
20-34	46	4.9	6	1	2	4	6	9	9	11
35-49	19	4.8	7	1	2	4	6	10	10	10
50-64	30	5.4	21	1	1	4	7	9	11	25
65 +	40	5.9	18	1	2	5	7	10	14	24
B. Operated										
0-19 YRS	4	7.0	35	1	1	6	11	15	15	15
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.8	8	1	1	2	4	7	7	7
65 +	9	3.9	18	< 1	< 1	2	5	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	666	4.1	8	1	2	3	5	8	10	15
20-34	141	5.5	9	2	2	5	7	9	12	15
35-49	61	6.3	14	2	2	6	8	11	14	19
50-64	163	6.6	20	2	2	6	8	11	14	28
65 +	525	7.5	26	2	3	6	9	14	16	26
B. Operated										
0-19 YRS	24	16.0	322	3	3	8	16	54	57	58
20-34	15	9.4	51	1	1	9	15	24	77	99 +
35-49	10	10.0	21	4	4	10	14	16	17	17
50-64	18	7.7	38	1	1	6	13	15	20	23
65 +	62	11.7	95	2	3	9	15	29	34	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	296	4.2	11	1	1	3	6	8	10	19
B. Operated	19	4.1	18	< 1	1	2	6	11	14	15
2. MULTIPLE DX										
A. Not Operated	1556	5.7	18	1	2	5	7	11	14	22
B. Operated	129	11.6	122	2	2	8	14	27	38	99 +
1. SINGLE DX	315	4.2	11	1	1	3	6	8	10	18
2. MULTIPLE DX	1685	6.2	28	1	2	5	8	11	15	29
A. Not Operated	1852	5.5	17	1	2	4	7	10	13	22
B. Operated	148	10.6	115	1	2	8	13	24	37	99 +
TOTAL										
0-19 YRS	855	4.3	21	1	1	3	5	8	10	17
20-34	203	5.6	12	1	2	5	7	10	12	22
35-49	91	6.3	15	2	2	5	8	11	15	19
50-64	215	6.5	21	2	2	6	8	12	14	26
65 +	636	7.7	34	2	3	7	9	14	18	31
GRAND TOTAL	**2000**	**5.9**	**26**	**1**	**2**	**5**	**7**	**11**	**14**	**28**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	4.7	6	1	1	5	7	8	9	11
20-34	124	6.1	21	2	2	5	7	11	14	26
35-49	48	5.8	12	2	2	5	7	11	13	16
50-64	16	4.6	7	1	1	4	6	8	10	11
65 +	4	8.0	73	< 1	< 1	5	14	20	20	20
B. Operated										
0-19 YRS	5	3.8	17	1	1	2	5	11	11	11
20-34	9	4.6	14	1	1	4	6	10	12	12
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.8	12	1	1	3	6	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	4.7	12	1	2	4	6	8	11	22
20-34	171	6.3	16	2	2	5	8	11	16	23
35-49	99	6.7	16	2	2	6	9	11	14	23
50-64	49	8.2	58	3	3	6	9	15	22	46
65 +	42	7.5	17	2	3	7	10	13	14	21
B. Operated										
0-19 YRS	4	8.3	4	6	6	8	10	10	10	10
20-34	18	7.9	36	1	1	6	11	16	20	23
35-49	18	7.1	35	1	1	6	10	15	20	23
50-64	14	7.4	53	1	1	5	10	22	23	23
65 +	10	16.0	312	1	2	11	16	43	63	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	5.7	16	2	2	5	7	9	13	22
B. Operated	19	4.0	12	1	1	2	6	10	12	12
2. MULTIPLE DX										
A. Not Operated	414	6.5	21	2	2	6	8	11	15	23
B. Operated	64	8.8	85	1	1	7	11	17	23	58
1. SINGLE DX	273	5.5	16	1	2	5	7	9	12	22
2. MULTIPLE DX	478	6.8	30	2	2	6	8	12	16	24
A. Not Operated	668	6.2	19	2	2	5	8	11	14	23
B. Operated	83	7.7	72	1	1	6	10	15	23	50
TOTAL										
0-19 YRS	124	4.8	9	1	2	4	6	8	10	15
20-34	322	6.3	19	2	2	5	8	11	16	23
35-49	166	6.4	17	2	2	6	8	12	14	23
50-64	83	7.1	46	1	2	5	8	12	22	41
65 +	56	9.1	78	2	2	7	11	14	21	61
GRAND TOTAL	**751**	**6.4**	**25**	**1**	**2**	**5**	**8**	**11**	**15**	**23**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	249	3.5	4	1	2	3	4	6	7	10
20-34	57	3.9	5	1	2	3	5	7	9	12
35-49	3	6.3	2	5	5	6	7	8	8	8
50-64	4	8.0	2	6	6	8	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	719	3.7	4	1	2	3	5	6	7	11
20-34	166	4.3	5	2	2	4	5	7	8	13
35-49	33	4.5	4	2	2	4	6	7	8	10
50-64	8	7.0	33	3	3	5	6	17	21	21
65 +	5	7.4	13	3	3	7	10	12	12	12
B. Operated										
0-19 YRS	24	6.4	15	1	2	6	9	12	14	15
20-34	13	8.0	21	3	4	7	10	13	19	21
35-49	7	9.3	104	3	3	5	8	27	32	32
50-64	1	16.0		16	16	16	16	16	16	16
65 +	4	8.3	26	3	3	7	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	313	3.7	4	1	2	3	5	6	8	11
B. Operated	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	931	3.9	4	1	2	4	5	6	8	11
B. Operated	49	7.6	30	2	3	6	9	14	16	32
1. SINGLE DX	315	3.7	4	1	2	3	5	6	8	11
2. MULTIPLE DX	980	4.1	6	1	2	4	5	7	8	13
A. Not Operated	1244	3.8	4	1	2	3	5	6	8	11
B. Operated	51	7.5	29	2	3	6	9	14	16	32
TOTAL										
0-19 YRS	994	3.7	4	1	2	3	5	6	7	11
20-34	236	4.4	7	2	2	4	5	8	9	13
35-49	43	5.4	21	2	2	5	6	8	9	32
50-64	13	8.0	26	3	4	6	9	17	20	21
65 +	9	7.8	17	3	3	7	10	14	15	15
GRAND TOTAL	**1295**	**4.0**	**6**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	1.5	1	< 1	< 1	1	2	3	4	5
20-34	46	1.9	4	< 1	< 1	1	2	4	5	13
35-49	20	1.3		< 1	< 1	1	1	2	3	3
50-64	6	1.2		< 1	< 1	1	1	2	2	2
65 +	4	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.3		2	2	2	3	3	3	3
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	3.9	31	1	1	1	4	13	19	20
20-34	45	2.2	4	< 1	< 1	1	3	4	7	10
35-49	29	2.3	1	< 1	< 1	3	3	4	4	4
50-64	14	2.9	1	1	2	3	3	4	5	5
65 +	9	3.6	5	1	1	3	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	92	1.7	2	< 1	< 1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	6	3.0	2	2	2	3	3	6	6	6
B. Operated	110	2.7	6	< 1	1	2	3	5	6	15
1. SINGLE DX	93	1.7	2	< 1	< 1	1	2	3	5	10
2. MULTIPLE DX	116	2.7	6	< 1	1	2	3	5	6	14
A. Not Operated	7	2.9	2	2	2	2	3	5	6	6
B. Operated	202	2.2	5	< 1	< 1	1	3	4	5	12
TOTAL										
0-19 YRS	31	2.5	14	< 1	< 1	1	2	5	11	20
20-34	94	2.1	4	< 1	< 1	1	2	4	6	12
35-49	51	2.0	1	< 1	< 1	1	3	4	4	6
50-64	20	2.4	1	< 1	1	2	3	4	5	5
65 +	13	3.3	4	1	1	3	5	6	7	7
GRAND TOTAL	**209**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**12**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1313	2.7	2	1	1	3	3	4	5	8
20-34	161	2.9	3	1	1	3	4	5	6	9
35-49	60	3.6	7	1	1	3	4	7	10	13
50-64	22	4.1	18	1	1	3	4	6	14	22
65 +	16	3.2	6	1	2	2	4	6	9	11
B. Operated										
0-19 YRS	28	4.3	11	1	1	3	5	10	12	14
20-34	14	5.6	19	1	2	4	7	13	15	16
35-49	8	6.9	28	2	2	4	10	15	17	17
50-64	1	23.0		23	23	23	23	23	23	23
65 +	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2275	3.2	7	1	1	3	4	5	7	11
20-34	471	4.4	16	1	1	3	5	8	12	21
35-49	292	4.6	17	1	1	3	6	9	12	22
50-64	250	5.2	49	1	2	4	5	8	11	54
65 +	279	5.3	12	2	2	4	7	10	13	17
B. Operated										
0-19 YRS	67	10.2	197	2	2	6	11	29	40	97
20-34	108	12.3	128	2	2	9	16	28	36	79
35-49	69	16.4	222	3	4	12	20	39	49	77
50-64	49	12.7	50	3	4	12	17	22	24	30
65 +	29	10.9	52	3	3	10	14	23	26	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1572	2.8	3	1	1	3	3	4	5	10
B. Operated	52	5.9	31	1	2	4	7	13	17	27
2. MULTIPLE DX										
A. Not Operated	3567	3.8	13	1	1	3	4	7	9	16
B. Operated	322	12.7	147	2	3	9	16	27	38	82
1. SINGLE DX	1624	2.9	4	1	1	3	3	4	6	12
2. MULTIPLE DX	3889	4.5	30	1	1	3	5	8	13	28
A. Not Operated	5139	3.5	10	1	1	3	4	6	8	15
B. Operated	374	11.7	136	2	2	8	15	25	34	77
TOTAL										
0-19 YRS	3683	3.1	10	1	1	3	4	5	6	12
20-34	754	5.3	38	1	1	3	6	11	16	31
35-49	429	6.4	68	1	2	4	7	14	19	47
50-64	322	6.3	55	1	2	4	7	14	20	37
65 +	325	5.7	19	2	2	4	7	11	14	25
GRAND TOTAL	**5513**	**4.0**	**23**	**1**	**1**	**3**	**4**	**7**	**11**	**24**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.5	4	1	1	3	4	7	8	9
20-34	14	5.1	10	2	3	4	6	11	13	13
35-49	8	6.8	22	1	1	6	10	13	14	14
50-64	2	6.5	25	3	3	6	10	10	10	10
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	7.2	55	1	2	5	9	11	23	38
20-34	12	5.9	14	2	2	4	9	12	13	13
35-49	11	4.8	16	1	1	4	6	12	14	14
50-64	14	4.4	6	1	1	4	6	8	9	9
65 +	14	6.0	9	2	3	6	9	10	11	11
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	1	15.0		15	15	15	15	15	15	15
50-64	1	14.0		14	14	14	14	14	14	14
65 +	2	21.0	338	8	8	21	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	4.8	11	1	2	4	6	10	12	14
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	76	5.9	26	1	2	5	7	11	13	33
B. Operated	7	11.7	123	1	1	8	15	30	34	34
1. SINGLE DX	45	4.8	10	1	2	4	6	10	12	14
2. MULTIPLE DX	83	6.4	35	1	2	5	8	11	15	37
A. Not Operated	120	5.5	20	1	2	4	7	11	12	24
B. Operated	8	10.9	111	1	2	7	14	28	34	34
TOTAL										
0-19 YRS	45	5.6	35	1	2	4	6	10	13	38
20-34	28	5.4	11	2	2	4	7	11	13	13
35-49	20	6.1	22	1	1	5	10	14	15	15
50-64	17	5.2	12	1	1	4	7	10	13	14
65 +	18	7.5	51	2	3	6	9	11	25	34
GRAND TOTAL	**128**	**5.8**	**27**	**1**	**2**	**4**	**7**	**11**	**14**	**35**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	4.7	5	2	2	4	6	7	8	14
20-34	71	4.3	4	2	2	4	5	6	9	13
35-49	8	7.1	49	2	2	5	7	19	24	24
50-64	0									
65 +	2	6.0	50	1	1	6	11	11	11	11
B. Operated										
0-19 YRS	8	3.6	6	1	1	3	5	7	8	8
20-34	11	2.8	6	< 1	< 1	2	5	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	13.0		13	13	13	13	13	13	13
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	5.7	11	2	2	5	7	10	12	18
20-34	114	5.2	16	2	3	4	6	8	10	30
35-49	18	6.4	26	2	2	5	9	14	19	21
50-64	7	9.9	27	5	5	8	10	19	21	21
65 +	15	7.5	29	1	3	6	10	18	19	19
B. Operated										
0-19 YRS	14	7.8	94	1	1	5	8	18	34	38
20-34	20	5.2	9	1	1	5	8	10	52	99 +
35-49	22	12.4	423	1	2	5	11	23	53	99
50-64	7	5.7	38	1	1	3	6	16	19	19
65 +	11	13.1	101	1	3	8	18	30	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	4.6	8	2	2	4	5	7	9	15
B. Operated	22	3.5	10	< 1	< 1	2	6	7	10	13
2. MULTIPLE DX										
A. Not Operated	221	5.7	17	2	2	5	7	10	13	23
B. Operated	74	9.0	169	1	1	5	9	21	31	99 +
1. SINGLE DX	169	4.5	8	1	2	4	5	7	9	15
2. MULTIPLE DX	295	6.6	57	2	2	5	7	11	19	35
A. Not Operated	368	5.3	14	2	2	4	6	9	11	21
B. Operated	96	7.8	138	1	1	5	8	19	26	99 +
TOTAL										
0-19 YRS	155	5.3	16	1	2	5	6	8	11	18
20-34	216	4.8	11	1	2	4	5	8	10	30
35-49	49	9.1	211	1	2	5	9	21	23	99
50-64	15	8.1	34	1	2	7	10	19	20	21
65 +	29	9.3	62	1	2	7	12	19	28	32
GRAND TOTAL	**464**	**5.8**	**40**	**1**	**2**	**4**	**7**	**10**	**15**	**31**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.7	6	1	1	3	4	8	9	9
20-34	4	3.5	10	1	1	2	5	8	8	8
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	2	14.5	1	14	14	14	15	15	15	15
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	7	11.0	123	2	3	7	11	30	35	35
20-34	7	9.1	68	2	2	6	14	22	24	24
35-49	13	9.1	97	< 1	1	7	11	20	35	38
50-64	6	4.3	7	1	1	5	6	7	7	7
65 +	5	12.2	37	7	7	10	16	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	4.7	13	1	1	3	6	11	12	15
20-34	31	10.0	85	2	3	7	12	24	33	40
35-49	35	7.0	13	3	3	6	10	12	14	17
50-64	38	10.3	91	3	3	8	15	18	32	48
65 +	98	9.0	30	2	3	8	12	16	18	29
B. Operated										
0-19 YRS	15	20.3	231	4	5	16	25	48	52	54
20-34	37	19.5	166	4	5	16	28	39	44	47
35-49	42	15.8	242	2	3	12	18	49	86	99 +
50-64	62	16.5	245	2	3	12	25	44	55	96
65 +	69	19.1	220	3	6	13	26	42	51	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.9	16	1	1	3	6	12	15	15
B. Operated	38	9.1	73	1	1	7	12	20	31	38
2. MULTIPLE DX										
A. Not Operated	260	8.1	43	1	2	6	11	15	18	38
B. Operated	225	17.9	222	3	4	13	25	44	51	99 +
1. SINGLE DX	57	7.7	57	1	1	6	10	15	23	38
2. MULTIPLE DX	485	12.6	150	2	3	9	16	30	43	68
A. Not Operated	279	7.9	42	1	2	6	11	15	17	38
B. Operated	263	16.7	209	2	4	12	23	40	49	96
TOTAL										
0-19 YRS	89	7.7	90	1	1	4	9	16	25	52
20-34	79	14.0	143	2	3	9	19	35	40	46
35-49	92	11.3	145	2	3	8	13	30	48	99 +
50-64	108	13.6	185	1	3	8	18	36	48	80
65 +	174	13.0	129	2	4	10	15	27	39	57
GRAND TOTAL	**542**	**12.1**	**142**	**2**	**3**	**8**	**15**	**29**	**40**	**67**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.8	10	1	1	4	6	7	7	7
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.7	1	2	2	4	5	5	5	5
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	1	12.0		12	12	12	12	12	12	12
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.7	3	1	1	4	5	6	7	7
20-34	8	5.8	11	2	2	5	8	11	12	12
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	5	7.0	27	2	2	7	10	15	15	15
65 +	3	9.7	5	7	7	11	11	11	11	11
B. Operated										
0-19 YRS	6	5.7	17	2	2	5	7	12	13	13
20-34	1	19.0		19	19	19	19	19	19	19
35-49	2	13.0	32	9	9	13	17	17	17	17
50-64	2	38.0	882	17	17	38	59	59	59	59
65 +	4	18.0	106	6	6	17	25	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.2	9	1	1	6	6	7	7	7
B. Operated	9	5.0	12	2	2	4	6	11	12	12
2. MULTIPLE DX										
A. Not Operated	28	5.6	12	2	2	5	7	11	12	15
B. Operated	15	15.1	211	2	3	13	18	31	52	59
1. SINGLE DX	14	4.7	10	1	1	4	6	9	11	12
2. MULTIPLE DX	43	9.0	99	2	2	6	11	18	23	59
A. Not Operated	33	5.4	11	1	2	5	7	11	12	15
B. Operated	24	11.3	158	2	2	7	16	20	39	59
TOTAL										
0-19 YRS	26	4.2	7	1	1	4	5	7	8	13
20-34	11	6.9	27	2	2	5	9	15	19	19
35-49	6	9.2	21	5	5	8	12	16	17	17
50-64	7	15.9	393	2	2	8	16	51	59	59
65 +	7	14.4	75	6	6	11	18	29	31	31
GRAND TOTAL	**57**	**7.9**	**80**	**1**	**2**	**5**	**9**	**17**	**19**	**57**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	5.1	42	1	2	3	6	9	22	28
20-34	10	3.8	1	3	3	4	5	5	5	5
35-49	14	6.6	54	1	2	4	10	15	26	29
50-64	3	5.0	7	2	2	6	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	33	4.0	13	1	1	3	6	10	12	12
35-49	41	3.9	14	< 1	1	2	6	10	11	16
50-64	8	6.0	14	< 1	1	7	8	11	12	12
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	4.6	9	1	2	4	6	9	12	13
20-34	64	6.8	55	1	2	5	8	14	22	41
35-49	71	7.8	90	2	2	5	8	15	22	63
50-64	39	9.0	88	1	2	6	11	19	26	52
65 +	48	9.2	55	3	3	7	11	16	28	41
B. Operated										
0-19 YRS	14	19.6	505	2	3	15	43	97	99 +	99 +
20-34	141	11.9	107	1	2	10	18	24	29	67
35-49	146	11.2	117	1	1	7	16	23	36	46
50-64	50	13.3	250	1	1	9	17	25	37	99
65 +	29	12.0	91	2	2	10	17	26	30	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	5.3	34	1	2	3	5	10	18	29
B. Operated	84	4.2	13	< 1	1	3	7	10	11	15
2. MULTIPLE DX										
A. Not Operated	255	7.6	65	1	2	5	9	15	22	41
B. Operated	380	12.1	143	1	2	9	17	26	36	92
1. SINGLE DX	127	4.5	20	1	1	3	6	10	12	28
2. MULTIPLE DX	635	10.3	117	1	2	7	14	23	30	65
A. Not Operated	298	7.3	61	1	2	5	8	14	22	41
B. Operated	464	10.7	129	1	1	7	15	23	35	75
TOTAL										
0-19 YRS	64	8.0	158	1	2	4	8	24	64	99 +
20-34	248	9.2	87	1	1	6	13	21	27	53
35-49	272	9.0	98	1	1	5	13	20	29	45
50-64	100	10.8	166	1	2	7	13	22	27	75
65 +	78	10.2	69	2	3	8	12	24	29	40
GRAND TOTAL	**762**	**9.3**	**105**	**1**	**2**	**6**	**12**	**21**	**28**	**60**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	21.5	181	12	12	21	31	31	31	31
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	1	31.0		31	31	31	31	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	7.8	37	2	2	8	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	4	12.3	175	2	2	8	21	31	31	31
B. Operated	3	12.7	258	1	1	6	25	31	31	31
1. SINGLE DX	4	7.8	37	2	2	8	13	13	13	13
2. MULTIPLE DX	7	12.4	174	1	1	6	26	31	31	31
A. Not Operated	4	12.3	175	2	2	8	21	31	31	31
B. Operated	7	9.9	111	1	1	6	13	27	31	31
TOTAL										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	0									
35-49	4	12.0	181	2	2	7	21	31	31	31
50-64	5	5.2	23	1	1	4	8	13	13	13
65 +	1	31.0		31	31	31	31	31	31	31
GRAND TOTAL	**11**	**10.7**	**121**	**1**	**1**	**6**	**13**	**31**	**31**	**31**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	4	4.0	6	2	2	4	6	7	7	7
50-64	14	4.4	8	< 1	1	4	6	7	11	12
65 +	12	5.4	96	< 1	< 1	2	5	15	33	36
B. Operated										
0-19 YRS	4	7.8	10	5	5	7	10	12	12	12
20-34	16	3.2	15	1	1	2	3	8	14	16
35-49	52	4.3	23	1	1	2	6	12	15	20
50-64	113	4.9	24	1	1	3	7	10	15	25
65 +	119	3.9	16	1	1	2	5	9	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	9.0	47	5	5	6	11	21	21	21
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	22	6.3	26	1	2	5	7	14	16	18
50-64	71	9.7	176	1	2	6	10	20	39	71
65 +	60	9.3	142	1	2	5	12	21	27	70
B. Operated										
0-19 YRS	9	20.6	507	2	3	14	24	57	77	77
20-34	11	11.0	192	1	2	4	16	36	41	41
35-49	111	13.9	173	1	2	11	19	30	36	65
50-64	336	13.2	213	1	2	9	17	29	39	86
65 +	429	12.2	179	1	2	8	16	28	40	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.7	39	< 1	1	4	5	7	12	36
B. Operated	304	4.3	20	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. Not Operated	160	9.0	137	1	2	5	10	19	25	71
B. Operated	896	12.8	194	1	2	9	17	29	39	84
1. SINGLE DX	336	4.4	22	1	1	3	6	9	14	24
2. MULTIPLE DX	1056	12.3	187	1	2	8	16	28	38	79
A. Not Operated	192	8.3	123	1	1	5	9	17	24	67
B. Operated	1200	10.7	164	1	1	7	14	25	35	76
TOTAL										
0-19 YRS	18	14.5	290	3	5	9	16	25	57	77
20-34	31	6.0	87	1	1	3	6	17	32	41
35-49	189	10.2	131	1	1	6	14	24	31	64
50-64	534	10.7	174	1	1	7	14	24	34	74
65 +	620	10.2	153	1	1	6	13	24	35	81
GRAND TOTAL	**1392**	**10.3**	**159**	**1**	**1**	**6**	**14**	**24**	**34**	**73**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	7.7	10	4	4	9	10	10	10	10
50-64	9	7.2	46	1	1	6	9	19	19	19
65 +	3	12.7	142	3	3	9	22	26	26	26
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	8	11.8	54	1	2	11	16	22	24	24
50-64	14	8.4	29	1	2	8	13	16	17	17
65 +	23	7.3	35	1	1	5	11	18	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	23.0		23	23	23	23	23	23	23
50-64	48	9.6	94	2	2	7	11	17	26	49
65 +	52	6.7	29	1	2	6	8	15	19	28
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	6.0		6	6	6	6	6	6	6
35-49	26	18.0	175	4	9	14	21	31	41	71
50-64	152	17.6	249	2	3	12	22	39	62	72
65 +	206	16.2	171	3	4	13	21	33	41	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	8.4	53	1	1	6	10	19	24	26
B. Operated	45	8.4	37	1	1	6	12	17	19	24
2. MULTIPLE DX										
A. Not Operated	101	8.2	63	1	2	6	9	17	23	48
B. Operated	386	16.8	201	2	4	13	22	34	48	70
1. SINGLE DX	60	8.4	40	1	1	6	12	18	20	26
2. MULTIPLE DX	487	15.0	184	2	3	12	19	32	44	68
A. Not Operated	116	8.3	61	1	2	6	10	17	23	48
B. Operated	431	16.0	190	2	3	12	20	33	44	69
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	6.0		6	6	6	6	6	6	6
35-49	38	16.0	142	3	4	13	19	27	33	71
50-64	223	14.9	208	2	3	11	18	34	49	69
65 +	284	13.7	150	1	3	11	18	29	36	60
GRAND TOTAL	**547**	**14.3**	**173**	**1**	**3**	**11**	**18**	**31**	**40**	**68**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	9	9.2	30	1	2	7	14	16	17	17
50-64	20	11.1	17	5	7	11	14	18	58	99 +
65 +	20	10.5	48	1	2	10	14	16	25	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	15	6.5	45	1	2	5	8	10	24	29
50-64	26	10.1	140	2	2	6	10	23	38	56
65 +	81	8.5	34	2	3	8	11	19	21	26
B. Operated										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	13	14.6	90	5	6	12	17	27	38	41
35-49	57	18.1	181	5	6	14	22	36	40	72
50-64	181	16.1	106	6	7	13	20	29	39	62
65 +	529	17.2	140	6	7	14	21	30	40	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.4	5	2	2	4	6	8	8	8
B. Operated	49	10.5	31	2	3	10	14	16	23	99 +
2. MULTIPLE DX										
A. Not Operated	124	8.6	57	2	3	7	10	19	22	39
B. Operated	781	17.0	134	6	7	14	21	30	40	65
1. SINGLE DX	54	9.9	32	2	3	10	14	15	22	97
2. MULTIPLE DX	905	15.8	132	4	6	13	20	29	39	63
A. Not Operated	129	8.5	56	2	3	7	10	19	22	38
B. Operated	830	16.6	130	5	7	14	20	30	40	67
TOTAL										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	16	13.2	84	4	5	11	15	23	36	41
35-49	82	14.9	160	2	4	12	18	29	39	69
50-64	228	14.9	107	4	6	12	19	29	38	71
65 +	632	15.9	133	4	6	13	20	29	38	61
GRAND TOTAL	**959**	**15.5**	**128**	**3**	**5**	**13**	**19**	**29**	**38**	**64**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	9.0	18	6	6	9	12	12	12	12
65 +	3	18.0	133	9	9	14	27	31	31	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	3	6.3	2	5	5	6	7	8	8	8
65 +	13	8.3	18	2	3	8	10	16	16	16
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	10.0		10	10	10	10	10	10	10
35-49	19	19.8	307	5	5	13	28	35	59	78
50-64	40	15.9	102	6	7	13	21	28	31	57
65 +	88	19.4	132	8	9	17	23	34	42	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	14.4	95	6	6	12	18	31	31	31
2. MULTIPLE DX										
A. Not Operated	18	7.8	14	3	4	7	9	15	16	16
B. Operated	149	18.4	145	7	8	16	23	33	38	69
1. SINGLE DX	5	14.4	95	6	6	12	18	31	31	31
2. MULTIPLE DX	167	17.3	141	5	7	14	22	30	37	68
A. Not Operated	18	7.8	14	3	4	7	9	15	16	16
B. Operated	154	18.3	143	6	8	15	23	33	38	69
TOTAL										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	10.0		10	10	10	10	10	10	10
35-49	21	18.6	291	5	5	12	27	35	55	78
50-64	45	14.9	98	5	6	12	19	28	30	57
65 +	104	18.0	130	6	8	16	22	33	39	67
GRAND TOTAL	**172**	**17.2**	**140**	**5**	**7**	**14**	**22**	**30**	**37**	**68**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	8	4.4	12	1	1	3	6	10	11	11
65 +	8	5.8	44	1	1	3	8	17	19	19
B. Operated										
0-19 YRS	3	9.0	4	7	7	9	10	11	11	11
20-34	7	8.0	5	5	5	8	10	11	11	11
35-49	51	8.2	4	5	6	8	9	11	11	13
50-64	159	9.4	14	5	6	9	10	14	18	23
65 +	271	10.1	18	6	7	9	11	15	17	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	17.3	174	3	3	20	27	29	29	29
35-49	20	8.1	34	< 1	1	6	13	17	18	18
50-64	95	7.3	31	2	2	6	8	15	21	28
65 +	254	8.4	51	2	2	7	10	16	20	44
B. Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	31	11.1	22	6	6	10	13	18	19	24
35-49	198	11.7	40	5	7	10	15	19	23	32
50-64	1073	12.8	65	6	7	10	14	21	28	44
65 +	3238	14.4	74	7	8	12	17	24	30	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.9	25	1	1	3	5	13	17	19
B. Operated	491	9.6	15	5	6	9	11	14	17	23
2. MULTIPLE DX										
A. Not Operated	373	8.2	46	2	2	6	10	17	20	37
B. Operated	4542	13.9	70	7	7	11	16	23	29	47
1. SINGLE DX	508	9.5	16	4	6	9	11	14	17	23
2. MULTIPLE DX	4915	13.4	71	5	7	11	16	23	29	46
A. Not Operated	390	8.1	46	2	2	6	10	17	20	37
B. Operated	5033	13.4	66	6	7	11	16	22	28	45
TOTAL										
0-19 YRS	6	8.0	8	3	3	9	9	11	11	11
20-34	41	11.0	30	4	6	9	13	19	22	29
35-49	270	10.7	35	4	6	9	12	18	22	31
50-64	1335	11.9	59	5	6	10	14	20	26	43
65 +	3771	13.6	71	6	7	11	16	23	29	47
GRAND TOTAL	**5423**	**13.1**	**67**	**5**	**7**	**11**	**15**	**22**	**28**	**45**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	15	4.5	9	1	1	4	6	10	10	10
65 +	6	2.3	2	< 1	< 1	2	3	5	5	5
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	10.3	46	2	3	8	16	20	21	21
35-49	30	9.9	42	1	2	9	12	16	24	32
50-64	110	8.7	20	1	2	9	11	14	16	23
65 +	171	10.0	44	2	2	10	12	15	18	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	6.8	10	2	2	7	9	10	10	10
35-49	14	4.6	9	< 1	1	4	7	9	10	10
50-64	58	7.3	35	1	2	6	9	14	18	36
65 +	119	7.8	65	1	2	5	9	17	26	40
B. Operated										
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	14	19.4	372	1	2	12	22	51	65	69
35-49	103	10.6	28	3	4	9	13	18	21	27
50-64	520	12.8	54	4	6	11	15	22	27	41
65 +	1308	14.5	84	4	6	12	17	25	31	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.9	7	< 1	1	3	5	9	10	10
B. Operated	319	9.5	35	1	2	9	12	15	17	34
2. MULTIPLE DX										
A. Not Operated	197	7.4	51	1	2	5	9	15	20	40
B. Operated	1947	13.9	76	3	6	12	17	23	30	52
1. SINGLE DX	343	9.1	35	1	2	9	12	15	17	33
2. MULTIPLE DX	2144	13.3	77	3	4	11	16	23	29	49
A. Not Operated	221	7.0	47	1	2	5	9	14	19	40
B. Operated	2266	13.2	73	3	5	11	16	23	28	49
TOTAL										
0-19 YRS	4	9.0	21	5	5	8	12	15	15	15
20-34	26	14.5	236	2	2	9	18	34	53	69
35-49	150	9.8	32	2	3	9	12	17	21	28
50-64	703	11.5	51	2	4	10	14	20	25	39
65 +	1604	13.5	83	2	4	12	16	23	30	51
GRAND TOTAL	**2487**	**12.7**	**74**	**2**	**4**	**11**	**15**	**22**	**28**	**48**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	7	6.4	10	3	3	5	9	11	11	11
65 +	8	7.9	56	1	1	6	11	20	23	23
B. Operated										
0-19 YRS	9	10.2	23	3	4	9	14	16	16	16
20-34	5	7.8	4	5	5	8	9	10	10	10
35-49	9	10.0	26	3	5	10	10	18	22	22
50-64	18	7.4	27	1	1	7	9	13	19	23
65 +	25	9.8	51	1	2	9	14	17	25	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	8.5	93	2	2	5	11	24	32	33
20-34	3	18.3	200	2	2	26	27	27	27	27
35-49	8	6.6	19	2	2	6	10	13	13	13
50-64	37	8.4	74	2	3	6	10	16	21	50
65 +	77	7.9	35	1	2	7	9	16	20	33
B. Operated										
0-19 YRS	25	15.5	88	6	6	14	19	33	54	99 +
20-34	16	16.0	144	5	5	13	17	37	44	47
35-49	56	16.6	206	3	5	13	20	37	53	99
50-64	157	14.7	88	3	5	13	18	28	33	47
65 +	336	16.5	144	4	6	14	21	32	39	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	6.4	30	1	1	5	9	13	19	23
B. Operated	66	9.1	34	1	2	8	12	17	22	28
2. MULTIPLE DX										
A. Not Operated	136	8.2	53	2	2	6	10	17	22	38
B. Operated	590	16.0	132	4	6	13	19	32	38	59
1. SINGLE DX	84	8.5	34	1	2	8	11	16	22	27
2. MULTIPLE DX	726	14.5	127	3	4	12	18	29	37	55
A. Not Operated	154	8.0	50	2	2	6	10	16	22	36
B. Operated	656	15.3	127	3	5	13	19	30	38	57
TOTAL										
0-19 YRS	45	12.7	83	2	2	11	18	28	36	99 +
20-34	26	13.7	126	2	4	10	17	29	40	47
35-49	74	14.5	174	2	3	12	16	32	41	96
50-64	219	12.8	87	2	3	10	17	26	32	49
65 +	446	14.5	131	2	4	11	18	29	37	54
GRAND TOTAL	**810**	**13.9**	**120**	**2**	**4**	**11**	**17**	**28**	**36**	**54**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	8	5.6	4	3	3	5	7	9	9	9
65 +	8	6.8	25	1	1	5	10	14	15	15
B. Operated										
0-19 YRS	0									
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64	17	11.5	93	1	2	10	19	26	28	29
65 +	17	8.1	44	1	1	7	11	20	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	7.4	71	3	3	3	7	22	26	26
35-49	18	4.8	9	1	2	4	7	9	11	11
50-64	83	6.9	39	2	2	5	8	14	17	37
65 +	161	8.0	37	2	2	6	10	16	20	29
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	7.3	4	5	5	8	8	10	10	10
35-49	55	16.9	137	4	6	15	21	30	45	56
50-64	257	17.1	151	4	6	14	21	30	38	77
65 +	561	16.8	110	4	6	15	21	30	38	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	6.2	14	1	2	5	8	13	14	15
B. Operated	39	9.5	64	1	2	9	13	23	26	29
2. MULTIPLE DX										
A. Not Operated	270	7.4	37	2	2	6	9	15	18	29
B. Operated	880	16.8	124	4	6	15	21	30	38	63
1. SINGLE DX	55	8.5	51	1	2	6	11	21	24	29
2. MULTIPLE DX	1150	14.6	119	3	4	13	19	27	36	55
A. Not Operated	286	7.4	36	2	2	6	9	15	18	29
B. Operated	919	16.5	123	3	5	14	21	29	38	62
TOTAL										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	15	7.9	34	3	3	8	10	12	22	26
35-49	76	13.5	131	2	2	9	19	29	34	54
50-64	365	14.3	140	3	3	12	19	26	37	64
65 +	747	14.6	106	3	4	13	19	27	34	55
GRAND TOTAL	**1205**	**14.3**	**118**	**2**	**3**	**12**	**19**	**27**	**35**	**55**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	2.5	2	1	1	2	4	5	5	5
50-64	42	5.7	60	1	1	4	7	11	15	49
65 +	31	5.5	15	< 1	1	5	7	12	13	15
B. Operated										
0-19 YRS	3	8.0	4	6	6	8	9	10	10	10
20-34	2	5.5	41	< 1	< 1	5	10	10	10	10
35-49	60	6.5	14	1	1	6	8	10	14	18
50-64	259	7.5	27	1	1	7	10	14	17	24
65 +	205	8.1	51	< 1	1	8	10	15	22	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.5	7	2	2	4	6	8	8	8
20-34	6	5.3	19	1	1	4	7	12	13	13
35-49	102	8.1	62	1	2	6	10	18	25	40
50-64	735	8.1	55	1	2	6	10	16	21	38
65 +	950	8.5	44	2	2	7	11	16	21	35
B. Operated										
0-19 YRS	3	5.3	20	1	1	5	9	10	10	10
20-34	24	12.3	76	3	5	8	20	26	27	28
35-49	332	11.1	85	2	3	9	14	21	31	55
50-64	1811	11.6	70	2	4	10	15	21	28	45
65 +	2451	12.4	83	2	4	10	15	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	5.2	37	1	1	4	6	12	14	38
B. Operated	529	7.6	35	1	1	7	10	14	18	29
2. MULTIPLE DX										
A. Not Operated	1797	8.3	49	2	2	6	10	16	21	36
B. Operated	4621	12.0	78	2	4	10	15	22	29	48
1. SINGLE DX	613	7.3	35	1	1	7	9	14	17	29
2. MULTIPLE DX	6418	11.0	73	2	3	9	14	21	27	45
A. Not Operated	1881	8.1	49	1	2	6	10	16	21	37
B. Operated	5150	11.5	75	2	3	9	15	22	28	47
TOTAL										
0-19 YRS	10	5.8	10	1	1	6	8	10	10	10
20-34	33	10.3	70	1	2	7	14	25	27	28
35-49	504	9.8	74	1	2	8	12	20	28	49
50-64	2847	10.2	65	2	3	8	13	19	25	43
65 +	3637	11.1	74	2	3	9	14	21	27	45
GRAND TOTAL	**7031**	**10.6**	**71**	**2**	**3**	**9**	**14**	**20**	**26**	**45**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	4.3	6	1	1	4	6	7	7	7
50-64	8	2.4	4	< 1	< 1	1	4	5	6	6
65 +	9	2.4	5	< 1	< 1	1	3	6	7	7
B. Operated										
0-19 YRS	16	7.7	14	2	3	7	10	14	15	15
20-34	3	9.7	42	3	3	10	14	16	16	16
35-49	36	8.0	70	1	1	4	11	18	29	34
50-64	85	8.6	51	1	1	8	12	17	21	35
65 +	53	6.6	30	1	1	6	10	12	16	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	13.9	341	1	1	2	24	45	49	49
20-34	4	7.8	8	4	4	8	10	10	10	10
35-49	5	16.2	139	5	5	13	27	31	31	31
50-64	30	7.7	84	1	1	5	9	15	24	48
65 +	44	8.1	37	1	2	7	11	18	19	30
B. Operated										
0-19 YRS	11	10.3	55	2	3	11	14	20	26	27
20-34	10	6.9	25	2	2	5	8	15	17	17
35-49	57	13.6	141	3	3	11	13	29	38	66
50-64	253	13.1	105	1	2	11	17	25	35	59
65 +	291	13.6	106	1	2	12	19	26	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.0	4	< 1	1	2	5	6	7	7
B. Operated	193	7.9	46	1	1	7	11	16	20	33
2. MULTIPLE DX										
A. Not Operated	90	8.8	81	1	1	7	11	19	28	49
B. Operated	622	13.2	107	1	2	11	18	26	34	50
1. SINGLE DX	219	7.3	43	1	1	6	11	16	19	32
2. MULTIPLE DX	712	12.7	106	1	2	11	17	25	33	50
A. Not Operated	116	7.5	70	1	1	5	9	16	25	48
B. Operated	815	11.9	98	1	1	11	16	24	31	49
TOTAL										
0-19 YRS	38	9.2	85	1	2	7	12	16	28	49
20-34	18	7.4	21	2	3	6	10	15	17	17
35-49	102	11.4	118	1	2	9	13	27	33	57
50-64	376	11.4	95	1	1	10	15	24	30	49
65 +	397	11.8	95	1	1	11	17	23	30	48
GRAND TOTAL	**931**	**11.4**	**96**	**1**	**1**	**10**	**15**	**23**	**30**	**49**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.9	3	1	1	3	4	6	6	6
20-34	5	1.4		< 1	< 1	1	2	2	2	2
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	2	6.5	25	3	3	6	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	83	5.1	13	1	1	4	8	10	12	17
20-34	30	3.3	6	1	1	2	5	7	9	9
35-49	36	6.4	32	1	1	4	9	11	13	32
50-64	35	5.5	19	1	1	4	8	12	14	21
65 +	43	6.4	30	1	1	4	8	14	18	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	4.4	25	< 1	1	2	5	11	12	31
20-34	12	4.8	16	1	1	3	6	12	14	14
35-49	10	4.8	23	< 1	< 1	3	5	12	17	17
50-64	19	7.4	32	< 1	1	6	10	14	20	24
65 +	30	7.1	19	1	1	7	11	13	14	16
B. Operated										
0-19 YRS	65	9.5	66	2	3	8	11	15	31	42
20-34	29	10.7	84	2	2	8	13	26	31	33
35-49	27	15.0	296	1	1	10	16	42	64	67
50-64	74	12.0	188	1	2	8	15	24	40	78
65 +	117	10.6	86	2	2	9	14	20	26	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.0	5	< 1	1	2	4	6	7	10
B. Operated	227	5.4	20	1	1	4	8	11	13	22
2. MULTIPLE DX										
A. Not Operated	128	5.5	25	< 1	1	4	8	12	14	26
B. Operated	312	11.1	124	2	2	8	14	22	33	60
1. SINGLE DX	251	5.1	19	1	1	4	7	10	13	21
2. MULTIPLE DX	440	9.5	102	1	2	7	12	19	27	57
A. Not Operated	152	5.1	22	< 1	1	4	7	11	14	24
B. Operated	539	8.7	88	1	2	6	11	17	24	53
TOTAL										
0-19 YRS	219	6.1	36	1	1	4	8	12	15	34
20-34	76	6.2	49	1	1	4	8	14	23	32
35-49	76	9.1	140	1	1	6	10	17	29	66
50-64	130	9.5	125	1	2	6	12	18	27	63
65 +	190	9.1	66	1	2	7	13	18	22	47
GRAND TOTAL	**691**	**7.9**	**76**	**1**	**1**	**6**	**10**	**16**	**23**	**48**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	2.5	5	< 1	< 1	2	4	4	4	4
50-64	4	6.8	9	3	3	7	9	10	10	10
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	53	4.5	7	1	2	4	6	8	11	13
35-49	74	3.6	8	< 1	1	3	5	7	10	13
50-64	59	4.2	6	1	1	5	6	7	7	12
65 +	56	3.9	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	10.7	202	< 1	< 1	4	21	27	27	27
35-49	11	9.8	85	1	2	5	13	25	30	31
50-64	9	8.7	45	1	2	7	11	20	21	21
65 +	10	8.1	30	< 1	2	7	11	16	20	20
B. Operated										
0-19 YRS	0									
20-34	19	4.6	13	< 1	1	3	7	10	12	13
35-49	37	7.3	84	1	1	5	7	20	25	48
50-64	67	5.6	28	1	1	4	7	11	12	32
65 +	104	6.9	46	1	2	5	9	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.3	9	< 1	1	5	7	9	10	10
B. Operated	245	4.0	8	1	1	4	5	7	10	13
2. MULTIPLE DX										
A. Not Operated	34	9.0	58	< 1	1	7	12	21	26	31
B. Operated	227	6.4	44	1	1	4	8	12	19	37
1. SINGLE DX	253	4.0	8	1	1	4	5	7	10	13
2. MULTIPLE DX	261	6.8	46	1	1	5	9	14	21	34
A. Not Operated	42	8.3	50	< 1	1	6	10	20	24	31
B. Operated	472	5.2	27	1	1	4	7	10	13	26
TOTAL										
0-19 YRS	4	4.3	8	2	2	4	6	8	8	8
20-34	76	4.8	15	1	1	4	6	9	11	23
35-49	124	5.2	41	1	1	4	6	11	16	35
50-64	139	5.2	20	1	1	5	7	10	11	23
65 +	171	6.0	35	1	1	4	8	12	17	30
GRAND TOTAL	**514**	**5.4**	**29**	**1**	**1**	**4**	**7**	**11**	**14**	**29**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	12	3.5	4	< 1	< 1	4	5	6	6	6
35-49	26	2.5	4	< 1	< 1	2	3	4	8	9
50-64	52	3.1	19	< 1	< 1	1	4	6	10	29
65 +	104	2.4	7	< 1	1	1	3	6	7	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	4	4.5	19	2	2	3	7	11	11	11
35-49	3	7.3	32	1	1	9	11	12	12	12
50-64	1	2.0		2	2	2	2	2	2	2
65 +	16	9.1	110	< 1	1	5	12	25	34	37
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	5.9	22	2	2	4	10	13	15	15
35-49	19	3.8	7	1	1	3	6	8	9	9
50-64	50	6.0	47	< 1	1	4	7	16	19	33
65 +	236	5.9	45	1	1	4	7	14	17	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	197	2.7	9	< 1	1	1	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	25	8.0	78	< 1	1	5	11	21	29	37
B. Operated	317	5.7	42	1	1	3	7	14	17	33
1. SINGLE DX	198	2.7	9	< 1	1	1	3	6	8	14
2. MULTIPLE DX	342	5.9	45	1	1	4	7	14	18	34
A. Not Operated	26	7.8	76	1	1	4	11	20	28	37
B. Operated	514	4.6	32	1	1	3	5	11	14	27
TOTAL										
0-19 YRS	6	3.3	15	1	1	2	3	10	11	11
20-34	26	4.6	13	1	1	4	6	11	13	15
35-49	48	3.3	8	< 1	1	2	4	8	9	12
50-64	103	4.5	34	< 1	1	2	5	11	17	31
65 +	357	5.0	40	1	1	3	6	13	16	33
GRAND TOTAL	**540**	**4.7**	**34**	**1**	**1**	**3**	**5**	**11**	**15**	**29**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3	1	< 1	< 1	3	3	3	3	3
35-49	5	3.0	2	1	1	3	4	5	5	5
50-64	9	2.9	2	1	1	3	4	5	5	5
65 +	10	6.1	46	1	1	4	8	16	24	24
B. Operated										
0-19 YRS	5	3.2	3	1	1	3	5	5	5	5
20-34	77	3.9	4	1	2	4	5	6	8	11
35-49	644	3.9	4	1	2	4	5	6	8	11
50-64	1002	4.0	3	1	2	4	5	6	7	9
65 +	984	4.5	4	2	2	4	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	18	< 1	< 1	3	7	7	7	7
20-34	13	8.1	38	< 1	2	8	12	17	20	21
35-49	61	6.9	42	< 1	1	4	9	15	23	28
50-64	97	7.4	42	1	2	5	11	17	19	33
65 +	104	7.9	59	1	2	6	9	17	26	41
B. Operated										
0-19 YRS	5	6.0	6	4	4	5	8	9	9	9
20-34	135	4.4	5	2	2	4	5	6	7	15
35-49	877	4.9	9	2	2	4	6	8	10	17
50-64	1667	5.4	15	2	3	5	6	8	11	20
65 +	2797	6.2	19	2	3	5	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	4.0	20	1	1	3	5	7	11	24
B. Operated	2712	4.2	4	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	277	7.5	48	1	2	5	9	17	21	37
B. Operated	5481	5.7	16	2	3	5	7	9	12	21
1. SINGLE DX	2739	4.1	4	1	2	4	5	7	8	10
2. MULTIPLE DX	5758	5.8	17	2	3	5	7	9	13	23
A. Not Operated	304	7.2	46	1	1	5	9	16	20	34
B. Operated	8193	5.2	12	2	2	5	6	8	10	19
TOTAL										
0-19 YRS	12	4.5	7	< 1	1	4	6	8	9	9
20-34	228	4.4	7	2	2	4	5	7	8	16
35-49	1587	4.6	9	2	2	4	5	7	9	16
50-64	2775	5.0	12	2	2	4	6	8	10	18
65 +	3895	5.8	17	2	3	5	7	9	12	22
GRAND TOTAL	**8497**	**5.3**	**14**	**2**	**2**	**5**	**6**	**8**	**11**	**20**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	2.5	1	2	2	2	3	4	5	5
35-49	19	5.3	87	1	2	3	4	8	29	43
50-64	23	2.6	1	< 1	1	3	3	4	4	4
65 +	22	3.3	2	1	2	3	4	5	6	8
B. Operated										
0-19 YRS	0									
20-34	50	4.8	6	1	1	4	7	8	10	10
35-49	80	5.6	7	1	2	5	8	9	10	13
50-64	35	5.7	13	1	2	5	8	10	13	16
65 +	28	5.5	17	2	2	4	8	11	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	4.7	9	1	2	4	7	9	10	10
35-49	50	5.9	31	1	2	4	7	13	17	26
50-64	47	6.1	24	1	1	5	9	12	13	26
65 +	41	6.7	42	1	2	5	7	14	24	30
B. Operated										
0-19 YRS	0									
20-34	77	7.7	48	1	2	6	9	12	14	43
35-49	135	9.2	90	2	3	7	10	17	23	57
50-64	115	11.2	159	1	2	7	12	22	45	63
65 +	147	9.7	66	2	3	8	13	17	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	3.5	24	1	2	3	3	4	5	36
B. Operated	193	5.4	9	1	2	5	7	10	10	15
2. MULTIPLE DX										
A. Not Operated	153	6.1	29	1	2	4	7	12	20	26
B. Operated	474	9.6	93	1	3	7	11	17	25	53
1. SINGLE DX	266	4.9	14	1	2	4	6	9	10	16
2. MULTIPLE DX	627	8.7	80	1	2	6	10	17	24	50
A. Not Operated	226	5.2	29	1	2	4	6	10	14	27
B. Operated	667	8.4	73	1	2	6	10	15	21	49
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	150	6.1	30	1	2	5	8	10	12	38
35-49	284	7.3	59	1	2	6	9	13	18	44
50-64	220	8.3	100	1	1	5	9	16	24	53
65 +	238	8.1	55	2	2	6	10	16	22	38
GRAND TOTAL	**893**	**7.6**	**63**	**1**	**2**	**6**	**9**	**14**	**20**	**47**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	4.0	28	1	1	2	3	13	17	17
50-64	18	2.3	1	1	1	2	3	3	4	4
65 +	19	3.5	4	1	2	3	4	5	8	11
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	4.6	3	3	3	4	6	7	8	8
35-49	47	5.0	4	< 1	2	5	6	8	8	9
50-64	128	5.4	5	1	3	5	7	8	9	12
65 +	170	5.6	6	1	2	5	7	9	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	13	5.3	31	< 1	1	4	6	12	20	22
50-64	37	5.0	19	1	2	3	6	12	16	18
65 +	66	5.9	29	2	2	4	6	13	15	33
B. Operated										
0-19 YRS	0									
[illegible]-34	19	4.8	6	1	1	5	6	8	10	11
35-49	125	6.1	14	3	4	5	7	9	12	20
50-64	451	7.4	26	3	4	6	8	12	16	36
65 +	748	8.1	30	3	4	7	9	14	17	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.1	7	1	1	3	3	5	7	17
B. Operated	354	5.4	5	1	2	5	7	8	9	12
2. MULTIPLE DX										
A. Not Operated	116	5.6	26	1	2	4	6	13	15	27
B. Operated	1343	7.6	27	3	4	6	9	13	16	33
1. SINGLE DX	399	5.2	6	1	2	5	7	8	9	13
2 MULTIPLE DX	1459	7.5	28	2	4	6	9	13	16	33
A. Not Operated	161	4.9	22	1	2	3	5	12	15	22
B. Operated	1697	7.2	24	2	4	6	8	12	15	31
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	27	4.7	5	1	2	5	6	8	9	11
35-49	193	5.7	13	2	3	5	6	9	11	20
50-64	634	6.7	22	2	3	6	7	11	15	29
65 +	1003	7.4	27	2	3	6	8	13	16	32
GRAND TOTAL	**1858**	**7.0**	**24**	**2**	**3**	**6**	**8**	**12**	**15**	**30**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	20	2.5	14	1	1	1	2	6	12	17
65 +	6	2.7	3	< 1	< 1	2	3	6	6	6
B. Operated										
0-19 YRS	6	4.5	5	1	1	4	5	8	8	8
20-34	30	6.1	8	2	3	6	8	10	12	12
35-49	38	6.4	7	2	4	6	8	10	12	13
50-64	43	9.7	217	3	4	6	8	14	22	98
65 +	29	8.8	65	3	4	7	10	12	18	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.1	9	1	1	1	6	8	8	8
20-34	7	4.4	7	1	1	5	7	8	8	8
35-49	15	7.7	88	1	1	4	9	20	31	35
50-64	70	4.6	19	1	1	3	6	12	14	19
65 +	78	7.7	52	1	2	6	9	15	22	40
B. Operated										
0-19 YRS	14	9.9	62	3	3	7	11	20	29	31
20-34	41	6.7	11	2	3	7	8	11	13	17
35-49	144	9.7	53	4	4	8	11	16	23	53
50-64	315	11.8	81	4	5	9	13	20	29	46
65 +	423	13.9	93	5	6	11	16	25	35	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.4	9	1	1	1	2	5	7	17
B. Operated	146	7.7	82	2	4	6	8	11	13	49
2. MULTIPLE DX										
A. Not Operated	178	6.1	40	1	1	4	8	13	17	35
B. Operated	937	12.2	82	4	5	9	14	22	30	49
1. SINGLE DX	180	6.7	72	1	1	6	8	11	13	43
2. MULTIPLE DX	1115	11.2	80	2	4	9	13	21	29	47
A. Not Operated	212	5.5	37	1	1	3	7	13	17	34
B. Operated	1083	11.6	84	4	5	9	13	21	29	48
TOTAL										
0-19 YRS	30	6.5	42	1	1	5	8	14	19	31
20-34	80	6.2	10	1	2	6	8	10	12	16
35-49	201	8.8	48	2	4	7	10	15	21	44
50-64	448	10.1	90	1	2	8	12	18	25	45
65 +	536	12.6	91	3	4	10	15	24	34	49
GRAND TOTAL	**1295**	**10.6**	**82**	**1**	**3**	**8**	**13**	**20**	**28**	**47**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	6	7.0	88	1	1	4	4	24	26	26
B. Operated										
0-19 YRS	0									
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	10	7.3	15	1	2	7	11	12	13	13
50-64	8	6.5	8	3	3	6	8	11	11	11
65 +	37	6.8	22	1	1	5	10	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.0	6	2	2	5	7	7	7	7
35-49	5	12.8	101	4	4	8	20	28	28	28
50-64	7	4.0	7	1	1	4	6	8	8	8
65 +	21	8.8	58	1	2	5	13	21	25	28
B. Operated										
0-19 YRS	3	3.7	21	1	1	1	7	9	9	9
20-34	4	7.8	25	4	4	6	11	15	15	15
35-49	18	11.4	98	4	4	8	11	26	35	41
50-64	46	11.0	127	2	4	7	11	20	40	57
65 +	138	10.2	55	2	3	8	13	19	23	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.6	60	1	1	3	4	17	26	26
B. Operated	57	6.9	18	1	1	6	10	14	15	16
2. MULTIPLE DX										
A. Not Operated	38	7.9	52	1	2	5	9	19	25	28
B. Operated	209	10.3	73	2	3	8	12	19	25	53
1. SINGLE DX	66	6.8	23	1	1	5	10	14	15	24
2. MULTIPLE DX	247	9.9	70	2	3	8	12	19	25	50
A. Not Operated	47	7.4	53	1	2	4	9	20	26	28
B. Operated	266	9.6	63	2	3	8	12	17	22	49
TOTAL										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	10	6.9	19	2	3	6	7	14	15	15
35-49	34	10.2	73	3	4	7	11	25	28	41
50-64	63	9.3	102	2	2	7	10	18	28	56
65 +	202	9.3	51	1	2	8	12	17	22	29
GRAND TOTAL	**313**	**9.3**	**62**	**1**	**2**	**7**	**12**	**18**	**23**	**44**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	10	5.2	15	< 1	< 1	4	8	11	12	12
B. Operated										
0-19 YRS	6	6.5	16	4	4	5	8	13	14	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	5.4	9	< 1	1	6	8	9	9	9
50-64	262	6.1	15	1	2	6	8	11	14	18
65 +	700	5.0	11	1	1	4	6	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	0									
35-49	3	12.0	169	4	4	5	21	27	27	27
50-64	56	5.9	19	< 1	2	5	7	10	14	26
65 +	346	7.6	43	1	2	6	9	16	20	31
B. Operated										
0-19 YRS	5	11.8	36	7	7	10	14	22	22	22
20-34	0									
35-49	17	7.8	40	2	3	5	11	20	22	22
50-64	710	7.8	38	2	3	6	10	15	20	30
65 +	3738	7.1	31	1	2	6	9	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.1	12	< 1	1	4	7	10	12	12
B. Operated	977	5.3	12	1	1	4	7	10	12	17
2. MULTIPLE DX										
A. Not Operated	407	7.4	41	1	2	6	9	15	20	30
B. Operated	4470	7.3	32	1	2	6	9	14	18	30
1. SINGLE DX	990	5.3	12	1	1	4	7	10	12	17
2. MULTIPLE DX	4877	7.3	33	1	2	6	9	14	18	30
A. Not Operated	420	7.4	40	1	2	6	9	15	20	30
B. Operated	5447	6.9	29	1	2	6	9	13	17	28
TOTAL										
0-19 YRS	14	8.5	27	4	4	7	12	15	20	22
20-34	1	2.0		2	2	2	2	2	2	2
35-49	28	7.5	42	2	2	5	8	19	23	27
50-64	1030	7.3	32	1	2	6	9	14	18	28
65 +	4794	6.9	30	1	2	5	8	13	17	28
GRAND TOTAL	**5867**	**6.9**	**30**	**1**	**2**	**6**	**9**	**13**	**17**	**28**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.3	12	1	1	4	7	8	8	8
35-49	3	4.3	1	3	3	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	2.6	6	1	1	2	3	6	9	10
20-34	95	2.8	6	1	1	2	3	8	9	11
35-49	46	2.1	3	1	1	2	2	4	6	9
50-64	12	3.8	18	1	1	2	4	12	13	13
65 +	10	2.6	2	< 1	< 1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	7.0	42	1	2	4	10	15	23	24
35-49	3	5.7	1	5	5	5	7	7	7	7
50-64	3	4.3	12	1	1	4	7	8	8	8
65 +	4	5.5	50	1	1	2	9	16	16	16
B. Operated										
0-19 YRS	5	5.4	21	2	2	4	8	13	13	13
20-34	54	6.2	63	1	1	3	8	14	27	41
35-49	30	5.6	26	1	1	4	7	14	19	19
50-64	14	9.3	63	1	2	6	20	21	23	23
65 +	29	5.3	21	1	1	5	7	9	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.3	5	1	1	4	5	8	8	8
B. Operated	182	2.6	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	22	6.2	31	1	1	4	8	13	19	24
B. Operated	132	6.2	44	1	1	4	8	14	21	32
1. SINGLE DX	188	2.7	6	1	1	2	3	7	8	12
2. MULTIPLE DX	154	6.2	42	1	1	4	8	14	21	30
A. Not Operated	28	5.8	26	1	1	4	8	11	17	24
B. Operated	314	4.1	25	1	1	2	5	9	13	25
TOTAL										
0-19 YRS	24	3.2	9	1	1	2	4	7	11	13
20-34	164	4.2	30	1	1	2	5	10	11	30
35-49	82	3.6	14	1	1	2	4	8	11	19
50-64	29	6.5	44	1	1	4	8	20	21	23
65 +	43	4.7	19	1	1	4	6	8	15	23
GRAND TOTAL	**342**	**4.3**	**25**	**1**	**1**	**2**	**5**	**9**	**13**	**24**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	4.0	1	3	3	4	5	5	5	5
65 +	8	3.1	4	1	1	3	4	6	7	7
B. Operated										
0-19 YRS	5	6.8	36	1	1	6	13	13	13	13
20-34	6	1.2		1	1	1	1	2	2	2
35-49	63	3.0	7	< 1	1	2	3	6	10	12
50-64	260	3.5	11	1	1	2	4	9	12	16
65 +	519	3.4	11	1	1	2	4	7	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.0	98	1	1	8	15	15	15	15
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	19	5.7	16	2	2	5	8	12	15	15
65 +	111	6.5	35	1	1	4	9	14	17	31
B. Operated										
0-19 YRS	7	8.9	16	1	2	9	11	13	14	14
20-34	13	4.9	25	1	1	3	6	12	18	19
35-49	60	7.6	69	1	1	4	12	19	26	34
50-64	536	7.1	61	1	1	4	10	16	20	40
65 +	2119	7.5	77	1	1	5	9	16	22	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.4	3	1	1	4	4	6	7	7
B. Operated	853	3.4	11	1	1	2	4	7	12	16
2. MULTIPLE DX										
A. Not Operated	133	6.4	32	1	1	4	9	14	16	28
B. Operated	2735	7.4	73	1	1	5	9	16	22	46
1. SINGLE DX	864	3.4	11	1	1	2	4	7	11	16
2. MULTIPLE DX	2868	7.4	71	1	1	5	9	16	22	45
A. Not Operated	144	6.2	31	1	1	4	8	13	16	27
B. Operated	3588	6.5	61	1	1	4	8	15	20	42
TOTAL										
0-19 YRS	14	8.0	27	1	1	9	13	14	15	15
20-34	19	3.7	20	1	1	2	4	9	15	19
35-49	124	5.3	42	1	1	3	6	13	19	34
50-64	818	5.9	46	1	1	4	8	14	17	34
65 +	2757	6.7	65	1	1	4	8	15	20	44
GRAND TOTAL	**3732**	**6.5**	**60**	**1**	**1**	**4**	**8**	**15**	**19**	**41**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.7	21	< 1	< 1	1	7	9	9	9
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	38	8.3	17	2	3	7	11	14	17	19
20-34	10	9.2	6	6	6	9	11	13	14	14
35-49	45	6.6	10	1	2	7	8	10	11	13
50-64	86	6.8	9	1	2	7	9	10	12	15
65 +	87	8.8	27	1	2	8	11	13	17	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	5.4	18	< 1	1	5	7	11	15	16
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	20	8.4	84	1	2	6	8	20	32	39
50-64	46	7.2	43	1	2	5	8	18	22	30
65 +	83	7.4	50	2	2	5	9	14	25	38
B. Operated										
0-19 YRS	49	14.7	131	6	6	12	16	28	36	69
20-34	9	10.8	68	1	3	9	13	24	30	30
35-49	106	10.9	89	3	5	9	12	18	27	61
50-64	327	10.7	46	2	5	9	12	18	24	34
65 +	599	11.6	64	2	4	10	14	20	24	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.0	8	< 1	< 1	2	4	8	9	9
B. Operated	266	7.7	17	1	2	8	9	12	14	21
2. MULTIPLE DX										
A. Not Operated	164	7.3	49	1	2	5	8	15	25	38
B. Operated	1090	11.4	64	2	4	9	14	20	26	44
1. SINGLE DX	274	7.6	17	1	2	7	9	12	14	21
2. MULTIPLE DX	1254	10.8	64	2	3	9	13	19	26	43
A. Not Operated	172	7.1	48	1	2	5	8	15	24	38
B. Operated	1356	10.6	57	2	4	9	13	18	23	42
TOTAL										
0-19 YRS	103	10.8	85	2	3	9	13	19	27	54
20-34	21	9.6	32	3	5	9	11	14	22	30
35-49	172	9.4	70	1	2	8	11	15	25	48
50-64	462	9.6	41	1	3	8	11	17	23	33
65 +	770	10.8	60	2	3	9	14	19	23	43
GRAND TOTAL	**1528**	**10.2**	**57**	**2**	**3**	**9**	**12**	**18**	**23**	**40**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	3.4	4	1	1	3	5	6	7	7
20-34	8	3.3	5	1	1	3	5	6	7	7
35-49	13	3.5	5	1	1	3	4	7	9	9
50-64	15	3.9	18	1	1	3	4	8	15	18
65 +	20	2.7	4	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.5	10	1	1	2	7	7	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	3	14.3	265	3	3	7	26	33	33	33
20-34	0									
35-49	5	4.8	25	1	1	2	8	13	13	13
50-64	4	4.0	11	2	2	3	6	9	9	9
65 +	13	6.0	31	1	1	4	8	16	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	76	3.3	7	1	1	3	4	7	8	16
2. MULTIPLE DX										
A. Not Operated	7	3.3	7	1	1	2	6	7	7	7
B. Operated	25	6.4	52	1	1	3	8	15	22	33
1. SINGLE DX	79	3.2	7	1	1	3	4	6	8	15
2. MULTIPLE DX	32	5.8	44	1	1	3	7	14	19	33
A. Not Operated	10	2.6	6	1	1	2	3	7	7	7
B. Operated	101	4.1	19	1	1	3	5	8	11	26
TOTAL										
0-19 YRS	31	4.2	33	1	1	3	5	7	7	33
20-34	8	3.3	5	1	1	3	5	6	7	7
35-49	18	3.9	10	1	1	3	5	8	11	13
50-64	19	3.9	16	1	1	3	4	9	14	18
65 +	35	3.9	16	1	1	3	4	9	14	19
GRAND TOTAL	**111**	**4.0**	**18**	**1**	**1**	**3**	**5**	**7**	**10**	**24**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	3.8	12	1	1	2	6	8	12	14
20-34	7	4.7	17	1	1	4	7	11	12	12
35-49	18	6.4	44	2	2	4	6	15	24	28
50-64	13	12.0	62	3	3	12	16	24	28	29
65 +	18	8.9	83	1	2	6	10	17	31	41
B. Operated										
0-19 YRS	91	9.1	54	1	1	7	11	20	23	34
20-34	46	9.3	32	2	2	9	11	19	21	23
35-49	61	7.6	27	1	1	7	9	14	19	25
50-64	63	9.6	37	2	2	9	14	17	20	29
65 +	45	12.0	50	2	5	[illegible]	14	22	25	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	4.4	19	< 1	1	3	5	10	12	26
20-34	36	5.9	18	2	2	5	7	10	15	22
35-49	52	7.4	37	2	2	5	9	15	18	32
50-64	107	8.0	48	1	2	6	10	10	23	35
65 +	106	9.7	88	1	2	7	12	21	26	54
B. Operated										
0-19 YRS	150	15.6	224	1	3	11	20	30	43	88
20-34	69	14.2	178	3	4	11	16	28	53	73
35-49	79	13.7	187	2	3	9	16	34	46	96
50-64	141	16.2	197	3	5	13	19	34	49	89
65 +	157	17.6	132	5	8	14	22	32	43	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	6.6	47	1	1	4	8	15	17	36
B. Operated	306	9.4	42	1	2	8	12	19	22	31
2. MULTIPLE DX										
A. Not Operated	365	7.6	53	1	2	5	9	16	22	38
B. Operated	596	15.9	184	2	5	12	19	31	46	82
1. SINGLE DX	396	8.7	45	1	1	7	12	18	22	32
2. MULTIPLE DX	961	12.7	150	2	3	9	16	26	37	67
A. Not Operated	455	7.4	52	1	2	5	9	15	22	39
B. Operated	902	13.7	145	2	3	11	16	26	37	68
TOTAL										
0-19 YRS	339	10.6	142	1	1	7	13	22	31	61
20-34	158	10.5	104	2	2	8	13	18	25	59
35-49	210	9.8	100	2	2	8	11	18	28	67
50-64	324	12.0	125	2	3	9	15	23	32	68
65 +	326	13.8	117	2	3	11	17	26	38	57
GRAND TOTAL	**1357**	**11.5**	**123**	**1**	**2**	**9**	**15**	**23**	**32**	**59**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	9.8	19	3	5	9	13	16	18	18
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	7	9.0	6	4	5	9	11	11	11	11
50-64	4	3.5	10	1	1	2	5	8	8	8
65 +	3	6.7	5	4	4	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.9	17	1	1	4	7	12	14	14
20-34	5	19.2	204	3	3	21	28	39	39	39
35-49	2	25.5	1105	2	2	25	49	49	49	49
50-64	6	10.7	162	2	2	6	10	33	36	36
65 +	5	8.0	12	4	4	9	10	12	12	12
B. Operated										
0-19 YRS	17	8.3	46	1	2	6	11	21	23	23
20-34	5	10.0	23	6	6	9	12	18	18	18
35-49	12	17.6	282	3	6	12	20	38	63	67
50-64	11	10.4	41	4	5	9	11	20	27	28
65 +	15	18.4	134	2	6	17	24	35	42	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	28	8.2	15	2	3	8	10	13	15	18
2. MULTIPLE DX										
A. Not Operated	27	10.9	156	2	2	7	12	34	40	49
B. Operated	60	13.2	125	2	3	10	18	25	31	65
1. SINGLE DX	30	7.7	17	1	2	8	10	13	15	18
2. MULTIPLE DX	87	12.5	134	2	2	9	16	26	36	60
A. Not Operated	29	10.3	151	1	2	6	11	32	39	49
B. Operated	88	11.6	95	2	3	9	14	23	26	58
TOTAL										
0-19 YRS	39	7.8	33	1	2	7	11	16	20	23
20-34	13	12.5	111	2	3	8	19	28	37	39
35-49	21	15.5	239	3	4	11	16	35	57	67
50-64	21	9.1	70	1	2	8	10	20	32	36
65 +	23	14.6	116	3	4	10	23	28	38	44
GRAND TOTAL	**117**	**11.3**	**108**	**2**	**2**	**9**	**14**	**24**	**33**	**55**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.8	18	1	1	2	6	11	11	11
20-34	13	2.3	2	< 1	1	2	3	4	5	5
35-49	15	1.8	1	1	1	2	2	3	4	4
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	4	3.5	3	1	1	4	5	5	5	5
B. Operated										
0-19 YRS	37	6.5	65	1	2	4	7	11	29	38
20-34	74	3.0	4	1	1	2	3	5	7	12
35-49	73	2.9	2	1	1	3	4	5	5	8
50-64	44	3.1	4	1	1	3	4	5	6	12
65 +	19	3.8	6	1	1	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	4.4	26	1	1	3	4	8	13	27
20-34	17	2.2	1	1	1	2	3	3	4	4
35-49	12	5.1	36	1	1	3	6	12	21	23
50-64	18	5.8	55	1	1	3	6	11	25	33
65 +	24	5.7	14	1	2	5	8	10	14	15
B. Operated										
0-19 YRS	63	10.6	183	1	2	6	13	22	38	72
20-34	86	5.5	91	2	2	4	5	8	11	64
35-49	98	4.5	13	1	2	4	5	9	12	22
50-64	92	8.1	103	2	2	4	8	22	31	51
65 +	114	8.4	90	2	2	5	9	20	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.5	3	1	1	2	3	4	5	11
B. Operated	247	3.6	14	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	97	4.7	26	1	1	3	5	9	13	30
B. Operated	453	7.3	92	2	2	4	8	15	25	52
1. SINGLE DX	287	3.4	13	1	1	3	4	6	8	13
2. MULTIPLE DX	550	6.8	82	1	2	4	7	14	23	52
A. Not Operated	137	4.0	20	1	1	3	4	8	11	28
B. Operated	700	6.0	68	1	2	4	6	11	20	46
TOTAL										
0-19 YRS	131	8.0	118	1	1	4	9	16	31	62
20-34	190	4.0	44	1	2	3	4	7	9	23
35-49	198	3.8	10	1	1	3	4	7	9	21
50-64	157	6.4	72	1	2	4	6	12	28	49
65 +	161	7.3	69	1	2	5	9	15	25	42
GRAND TOTAL	**837**	**5.6**	**60**	**1**	**2**	**3**	**6**	**10**	**18**	**42**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	0									
35-49	6	9.2	55	4	4	7	8	22	24	24
50-64	26	5.2	26	< 1	1	4	6	14	16	21
65 +	24	6.4	28	1	2	5	9	16	18	19
B. Operated										
0-19 YRS	23	8.3	55	1	1	8	11	14	24	35
20-34	11	6.4	24	1	2	5	9	15	16	16
35-49	32	6.3	31	1	2	4	7	15	27	31
50-64	56	5.1	24	< 1	1	3	6	13	17	21
65 +	80	6.3	27	1	1	5	9	15	18	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	4.8	13	1	1	4	7	10	12	15
20-34	135	7.4	68	1	2	5	9	15	21	41
35-49	566	7.7	61	1	2	6	10	16	20	36
50-64	1640	8.5	61	2	2	6	10	17	23	42
65 +	2701	9.1	51	2	3	7	12	18	24	35
B. Operated										
0-19 YRS	135	10.3	139	1	2	7	12	19	31	57
20-34	215	10.8	97	2	2	8	13	24	34	44
35-49	833	10.8	92	1	2	8	14	22	31	48
50-64	2186	11.8	104	1	2	9	15	25	32	51
65 +	3266	12.9	124	2	3	10	17	26	34	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	5.8	29	1	1	4	7	14	18	24
B. Operated	202	6.2	33	1	1	5	8	14	18	29
2. MULTIPLE DX										
A. Not Operated	5092	8.6	56	2	2	7	11	18	23	37
B. Operated	6635	12.1	113	2	3	9	16	25	33	56
1. SINGLE DX	263	6.1	32	1	1	4	8	14	18	27
2. MULTIPLE DX	11727	10.6	91	2	2	8	14	22	29	49
A. Not Operated	5153	8.6	56	2	2	7	11	18	23	37
B. Operated	6837	12.0	112	2	2	9	16	25	33	56
TOTAL										
0-19 YRS	213	8.6	103	1	1	6	10	18	27	47
20-34	361	9.4	87	1	2	6	12	20	29	43
35-49	1437	9.5	81	1	2	7	12	20	28	46
50-64	3908	10.3	87	1	2	8	13	22	29	48
65 +	6071	11.1	94	2	3	8	14	22	29	51
GRAND TOTAL	**11990**	**10.5**	**91**	**2**	**2**	**8**	**14**	**22**	**29**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.3	5	< 1	< 1	3	6	6	6	6
20-34	5	2.6	7	1	1	1	4	7	7	7
35-49	10	3.0	11	1	1	1	7	8	9	9
50-64	6	1.8	1	1	1	2	2	3	3	3
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	64	5.6	16	1	1	5	7	11	14	19
20-34	120	4.9	10	1	1	5	6	9	11	16
35-49	40	4.8	14	1	1	4	7	9	12	17
50-64	16	5.2	12	1	1	5	7	8	13	15
65 +	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.6	13	1	1	4	6	11	12	12
20-34	32	7.3	52	1	2	5	9	13	21	38
35-49	20	4.7	13	< 1	< 1	4	8	10	12	12
50-64	8	7.5	66	< 1	< 1	5	10	21	25	25
65 +	9	10.4	110	2	3	7	11	27	37	37
B. Operated										
0-19 YRS	50	15.1	183	1	3	10	21	34	39	66
20-34	116	15.6	298	1	2	9	19	39	51	81
35-49	55	13.7	180	2	2	8	21	35	42	49
50-64	33	10.0	59	1	1	9	15	18	23	36
65 +	41	15.4	93	3	4	14	20	30	35	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.8	6	< 1	1	2	4	7	7	9
B. Operated	243	5.1	12	1	1	5	7	9	12	17
2. MULTIPLE DX										
A. Not Operated	83	6.6	45	< 1	1	5	9	12	16	38
B. Operated	295	14.5	202	2	2	10	19	35	43	68
1. SINGLE DX	271	4.9	12	1	1	5	7	9	12	17
2. MULTIPLE DX	378	12.8	178	1	2	8	16	33	39	67
A. Not Operated	111	5.6	38	< 1	1	4	7	12	13	37
B. Operated	538	10.3	138	1	2	6	12	27	36	54
TOTAL										
0-19 YRS	134	8.9	99	1	1	6	11	20	31	48
20-34	273	9.7	163	1	2	6	10	24	38	69
35-49	125	8.5	107	1	1	5	9	26	34	49
50-64	63	7.7	49	1	1	6	11	16	21	35
65 +	54	13.7	99	2	3	11	18	28	36	44
GRAND TOTAL	**649**	**9.5**	**124**	**1**	**1**	**6**	**11**	**23**	**35**	**51**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	3.9	7	< 1	1	3	5	8	9	11
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	6	5.0	13	< 1	< 1	4	7	11	11	11
65 +	8	6.5	26	1	1	5	8	15	17	17
B. Operated										
0-19 YRS	119	8.6	57	2	2	7	10	15	23	48
20-34	6	4.0	9	1	1	3	6	9	9	9
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	7	7.4	105	1	1	4	7	26	30	30
65 +	4	6.3	25	1	1	6	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	5.3	27	1	1	4	7	12	13	33
20-34	9	5.9	31	1	1	3	11	15	15	15
35-49	14	5.1	28	1	1	3	6	11	19	21
50-64	56	7.2	62	1	1	5	9	16	19	49
65 +	95	8.1	38	1	2	7	11	15	21	32
B. Operated										
0-19 YRS	164	17.2	235	2	4	12	24	41	44	93
20-34	25	26.3	191	6	7	29	36	41	47	58
35-49	19	25.1	374	5	6	20	30	43	72	91
50-64	52	12.2	132	2	2	7	16	32	39	51
65 +	90	12.5	109	3	3	10	15	26	37	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	4.2	9	< 1	1	4	6	8	10	15
B. Operated	139	8.2	55	2	2	6	10	14	23	47
2. MULTIPLE DX										
A. Not Operated	310	6.5	38	1	2	5	8	13	17	34
B. Operated	350	16.3	207	3	4	11	23	37	43	79
1. SINGLE DX	221	6.7	42	1	1	5	8	12	16	35
2. MULTIPLE DX	660	11.7	151	1	2	8	14	28	38	62
A. Not Operated	392	6.0	33	1	1	4	8	12	16	30
B. Operated	489	14.0	177	2	3	10	18	33	41	65
TOTAL										
0-19 YRS	484	10.0	131	1	2	7	11	24	35	63
20-34	41	18.0	235	1	2	12	31	38	42	58
35-49	38	14.8	301	1	2	8	20	33	43	91
50-64	121	9.2	97	1	2	6	10	21	32	51
65 +	197	10.0	74	2	3	8	12	20	26	42
GRAND TOTAL	**881**	**10.4**	**129**	**1**	**2**	**7**	**12**	**25**	**35**	**55**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	6.3	47	< 1	1	5	9	11	16	36
20-34	6	2.2	2	< 1	< 1	2	4	4	4	4
35-49	6	7.2	135	< 1	< 1	1	9	28	30	30
50-64	9	3.7	7	1	1	3	5	8	8	8
65 +	9	3.7	8	< 1	< 1	3	5	8	9	9
B. Operated										
0-19 YRS	35	10.9	197	1	1	6	10	37	43	54
20-34	17	12.4	225	1	2	4	23	39	40	40
35-49	19	11.4	228	1	1	4	10	37	45	50
50-64	9	6.3	68	1	1	2	9	21	25	25
65 +	11	9.3	76	1	1	5	19	22	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	7.0	52	1	1	5	9	15	22	39
20-34	22	7.0	39	1	1	6	8	11	21	31
35-49	36	8.5	77	1	1	5	9	21	28	41
50-64	61	10.5	93	1	3	7	11	29	32	40
65 +	95	8.5	78	1	2	6	10	16	25	46
B. Operated										
0-19 YRS	81	24.5	466	3	4	18	39	55	88	99 +
20-34	65	25.7	310	3	5	27	38	49	62	96
35-49	87	27.3	356	4	6	26	39	53	65	80
50-64	108	26.8	368	3	5	26	37	52	63	87
65 +	170	21.6	332	4	4	14	34	51	56	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	5.2	40	< 1	1	3	8	10	14	35
B. Operated	91	10.6	177	1	1	5	12	35	40	52
2. MULTIPLE DX										
A. Not Operated	281	8.5	72	1	1	6	10	19	29	42
B. Operated	511	24.7	365	3	4	22	36	52	63	91
1. SINGLE DX	153	8.4	128	1	1	4	9	29	37	50
2. MULTIPLE DX	792	18.9	321	2	3	11	30	46	56	85
A. Not Operated	343	7.9	68	1	1	6	9	17	28	41
B. Operated	602	22.5	361	2	3	17	35	50	60	87
TOTAL										
0-19 YRS	215	14.1	296	1	1	8	17	41	52	97
20-34	110	18.6	300	1	2	10	32	44	49	85
35-49	148	19.9	339	1	2	13	31	44	62	71
50-64	187	19.4	323	2	3	12	30	45	54	82
65 +	285	16.2	270	2	3	9	24	42	53	66
GRAND TOTAL	**945**	**17.2**	**304**	**1**	**2**	**9**	**28**	**43**	**53**	**76**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.2	4	< 1	1	1	3	5	6	9
20-34	9	3.1	4	< 1	< 1	3	4	6	7	7
35-49	12	6.7	33	1	2	5	7	17	20	21
50-64	30	4.9	14	1	2	4	7	8	8	21
65 +	16	4.9	13	< 1	2	4	6	8	14	16
B. Operated										
0-19 YRS	45	5.8	19	1	1	5	8	11	13	22
20-34	25	7.7	75	1	1	5	10	17	26	39
35-49	65	6.1	52	1	1	4	7	13	19	43
50-64	130	5.8	25	1	1	4	8	12	15	21
65 +	116	6.2	35	1	1	5	8	15	18	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	4.7	9	1	2	3	8	9	11	12
20-34	25	5.9	19	1	2	5	9	11	15	16
35-49	74	9.4	117	1	2	6	11	21	30	60
50-64	219	7.7	44	2	2	6	10	15	18	40
65 +	355	9.5	67	2	3	8	12	18	23	35
B. Operated										
0-19 YRS	53	15.8	289	2	2	10	16	39	54	87
20-34	65	12.9	146	2	2	8	15	33	40	51
35-49	154	14.2	191	1	3	9	17	34	43	58
50-64	419	14.1	178	2	3	10	18	31	44	64
65 +	778	13.8	123	2	3	11	18	27	36	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	4.2	14	1	1	3	5	8	9	21
B. Operated	381	6.1	35	1	1	4	8	13	17	32
2. MULTIPLE DX										
A. Not Operated	710	8.6	62	2	2	7	11	16	21	41
B. Operated	1469	13.9	152	2	3	10	18	29	39	58
1. SINGLE DX	474	5.7	31	1	1	4	8	12	17	27
2. MULTIPLE DX	2179	12.2	129	2	3	9	15	25	35	55
A. Not Operated	803	8.1	58	1	2	6	10	16	21	39
B. Operated	1850	12.3	138	1	2	9	16	26	37	56
TOTAL										
0-19 YRS	161	8.3	132	1	1	5	9	15	27	62
20-34	124	9.7	107	1	2	6	12	24	36	46
35-49	305	11.0	148	1	2	7	13	26	37	58
50-64	798	10.6	124	1	2	7	14	22	34	56
65 +	1265	11.8	105	2	3	9	15	24	31	49
GRAND TOTAL	**2653**	**11.0**	**118**	**1**	**2**	**8**	**14**	**23**	**33**	**53**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	27	3.4	6	< 1	1	3	4	7	8	10
20-34	78	2.1	1	1	1	2	2	3	5	7
35-49	142	2.2	5	1	1	2	3	4	5	12
50-64	133	2.1	1	1	1	2	3	4	4	5
65 +	90	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
0-19 YRS	10	3.9	9	1	1	2	6	8	9	9
20-34	20	2.6	4	1	1	2	3	5	7	9
35-49	50	2.4	2	1	1	2	3	4	5	7
50-64	97	2.9	3	1	1	3	3	5	6	9
65 +	129	3.0	6	1	1	3	4	5	6	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	470	2.2	3	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	3	2.3	5	1	1	1	4	5	5	5
B. Operated	306	2.9	4	1	1	2	4	5	6	9
1. SINGLE DX	472	2.2	3	1	1	2	3	4	4	7
2. MULTIPLE DX	309	2.8	4	1	1	2	4	5	6	9
A. Not Operated	5	2.4	3	1	1	2	3	5	5	5
B. Operated	776	2.5	3	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	38	3.5	7	1	1	3	6	8	9	10
20-34	98	2.2	2	1	1	2	3	4	5	8
35-49	193	2.3	4	1	1	2	3	4	5	9
50-64	230	2.4	2	1	1	2	3	4	5	7
65 +	222	2.6	4	1	1	2	3	4	5	11
GRAND TOTAL	**781**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	1.7	3	< 1	< 1	1	1	5	5	5
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	15	6.5	33	1	1	6	9	17	18	19
20-34	16	6.8	16	1	2	7	8	11	16	18
35-49	25	4.4	7	< 1	1	4	7	8	8	8
50-64	61	4.8	11	< 1	< 1	6	7	9	10	13
65 +	86	4.0	13	< 1	< 1	2	7	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.9	1	1	1	2	2	3	4	4
20-34	6	4.5	8	< 1	< 1	4	6	9	9	9
35-49	9	3.4	3	1	1	3	5	6	6	6
50-64	23	3.4	6	< 1	1	3	4	8	9	9
65 +	34	5.2	13	1	1	5	7	11	13	15
B. Operated										
0-19 YRS	23	11.0	107	1	2	9	15	32	61	99 +
20-34	27	7.7	53	1	2	6	9	15	20	37
35-49	74	7.3	29	1	2	6	9	14	17	27
50-64	233	8.5	62	1	2	7	10	15	22	46
65 +	577	8.7	54	1	2	8	11	16	22	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.9	2	< 1	< 1	1	3	4	5	5
B. Operated	203	4.7	14	< 1	< 1	4	8	9	11	17
2. MULTIPLE DX										
A. Not Operated	82	4.0	9	< 1	1	3	5	8	10	14
B. Operated	934	8.6	55	1	2	7	11	15	22	45
1. SINGLE DX	214	4.6	14	< 1	< 1	4	7	9	11	17
2. MULTIPLE DX	1016	8.2	53	1	2	7	10	15	21	44
A. Not Operated	93	3.8	9	< 1	1	3	5	8	9	14
B. Operated	1137	7.9	50	1	1	7	10	15	20	42
TOTAL										
0-19 YRS	49	7.6	72	1	1	5	11	18	31	99 +
20-34	49	7.0	35	1	2	6	8	13	17	37
35-49	109	6.3	24	1	1	5	8	13	15	27
50-64	323	7.3	51	1	1	6	9	14	19	43
65 +	700	8.0	49	1	1	7	10	15	20	40
GRAND TOTAL	**1230**	**7.6**	**48**	**1**	**1**	**6**	**10**	**14**	**19**	**41**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.1	3	1	1	1	3	5	6	6
20-34	0									
35-49	0									
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	119	2.3	7	< 1	1	1	2	6	7	14
20-34	29	3.9	8	< 1	1	3	7	8	9	9
35-49	38	3.8	13	1	1	3	6	8	10	17
50-64	39	4.3	16	1	1	3	7	9	11	19
65 +	19	4.3	14	< 1	1	2	8	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.3	1	2	2	3	4	4	4	4
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	6	7.0	28	2	2	5	13	14	14	14
B. Operated										
0-19 YRS	52	2.9	8	< 1	< 1	1	5	7	8	15
20-34	10	6.8	95	1	1	3	6	23	32	32
35-49	31	6.9	110	1	1	5	8	10	25	57
50-64	66	7.5	30	1	1	7	9	16	19	23
65 +	60	7.7	53	1	1	7	10	13	18	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.4	3	1	1	2	3	5	6	6
B. Operated	244	3.2	11	< 1	1	1	5	8	9	16
2. MULTIPLE DX										
A. Not Operated	14	4.8	16	1	2	3	4	13	14	14
B. Operated	219	6.4	48	1	1	5	8	13	16	36
1. SINGLE DX	256	3.1	10	< 1	1	1	5	8	9	16
2. MULTIPLE DX	233	6.3	46	1	1	5	8	13	16	34
A. Not Operated	26	3.7	11	1	1	3	4	7	13	14
B. Operated	463	4.7	31	1	1	2	7	9	14	26
TOTAL										
0-19 YRS	186	2.5	7	< 1	1	1	3	6	7	14
20-34	39	4.6	30	< 1	1	3	7	9	12	32
35-49	70	5.2	57	1	1	4	7	9	11	51
50-64	109	6.2	27	1	1	6	8	14	16	23
65 +	85	6.9	44	1	1	6	9	13	15	41
GRAND TOTAL	**489**	**4.6**	**30**	**1**	**1**	**3**	**7**	**9**	**14**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	271	2.4	5	< 1	1	2	3	6	7	10
20-34	152	2.4	3	< 1	< 1	2	3	4	6	8
35-49	163	2.4	4	< 1	< 1	2	3	5	6	9
50-64	126	2.4	5	< 1	< 1	2	3	6	7	11
65 +	62	2.2	3	< 1	< 1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	9	< 1	< 1	1	4	7	7	7
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	7	5.6	14	1	1	5	8	11	12	12
50-64	8	3.3	9	< 1	< 1	2	4	8	10	10
65 +	6	5.7	12	1	1	5	9	10	10	10
B. Operated										
0-19 YRS	79	4.2	28	1	1	2	5	10	11	32
20-34	74	3.7	21	< 1	1	2	4	8	11	29
35-49	119	4.7	31	1	1	3	5	11	15	32
50-64	138	5.0	38	1	1	3	7	9	15	32
65 +	127	6.2	45	1	1	4	8	15	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.2	3	3	3	4	5	7	7	7
B. Operated	774	2.4	4	< 1	< 1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	28	4.1	11	< 1	< 1	3	6	10	10	12
B. Operated	537	4.9	35	1	1	3	6	11	16	33
1. SINGLE DX	779	2.4	4	< 1	< 1	2	3	5	7	10
2. MULTIPLE DX	565	4.9	34	1	1	3	6	11	15	33
A. Not Operated	33	4.2	10	< 1	1	3	6	9	10	12
B. Operated	1311	3.4	18	< 1	1	2	4	7	10	22
TOTAL										
0-19 YRS	357	2.8	10	< 1	1	2	3	6	8	14
20-34	229	2.8	9	< 1	1	2	3	5	7	14
35-49	289	3.4	16	< 1	1	2	4	7	11	21
50-64	273	3.7	23	< 1	1	2	4	8	11	24
65 +	196	4.9	34	< 1	1	3	6	11	18	30
GRAND TOTAL	**1344**	**3.4**	**18**	**< 1**	**1**	**2**	**4**	**7**	**10**	**21**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.5	19	< 1	1	2	4	7	14	20
20-34	3	1.7		1	1	2	2	2	2	2
35-49	6	4.2	8	1	1	4	5	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	358	2.6	17	< 1	1	2	3	5	7	14
20-34	57	2.1	3	< 1	< 1	1	3	4	6	8
35-49	41	3.3	9	< 1	< 1	2	4	7	9	15
50-64	37	2.3	3	< 1	1	2	3	4	5	8
65 +	11	4.5	22	1	1	2	7	12	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.9	6	< 1	< 1	2	4	8	8	9
20-34	7	5.3	11	1	1	6	8	9	9	9
35-49	6	6.5	69	1	1	4	6	21	23	23
50-64	15	6.9	34	1	2	6	8	10	22	26
65 +	5	4.6	3	2	2	5	6	7	7	7
B. Operated										
0-19 YRS	112	5.2	125	1	1	2	5	11	16	78
20-34	40	6.2	71	< 1	< 1	4	7	11	26	40
35-49	41	4.7	18	< 1	1	3	8	11	13	16
50-64	54	6.5	46	1	1	4	8	15	18	36
65 +	63	6.7	37	1	2	5	8	14	17	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.5	15	< 1	1	2	4	7	10	20
B. Operated	504	2.6	14	< 1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	57	4.8	22	< 1	1	4	6	9	10	26
B. Operated	310	5.8	72	1	1	3	8	12	16	39
1. SINGLE DX	532	2.7	14	< 1	1	2	3	6	8	15
2. MULTIPLE DX	367	5.6	64	1	1	3	7	11	15	38
A. Not Operated	85	4.3	20	< 1	1	3	6	8	10	25
B. Operated	814	3.8	38	< 1	1	2	4	8	12	26
TOTAL										
0-19 YRS	513	3.2	41	< 1	1	2	3	6	10	21
20-34	107	3.8	32	< 1	< 1	2	5	8	10	39
35-49	94	4.2	17	< 1	1	3	5	10	12	20
50-64	106	5.1	33	1	1	3	6	11	16	31
65 +	79	6.3	33	1	2	5	8	14	16	33
GRAND TOTAL	**899**	**3.9**	**38**	**< 1**	**1**	**2**	**4**	**8**	**12**	**25**

333 Hospitals, North Central Region, January-December 1987

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	2.2	6	< 1	< 1	1	2	5	9	10
20-34	17	1.5	1	< 1	< 1	1	2	3	3	3
35-49	24	1.4	2	< 1	< 1	1	1	2	4	7
50-64	19	1.9	3	< 1	< 1	1	2	5	6	7
65 +	12	2.3	7	< 1	< 1	1	3	6	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	3	2.0	3	1	1	1	3	4	4	4
B. Operated										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	5	2.6	9	< 1	< 1	1	3	8	8	8
35-49	27	2.6	7	< 1	< 1	2	3	4	8	14
50-64	39	2.9	11	< 1	< 1	1	3	8	9	17
65 +	33	3.5	8	< 1	1	3	4	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	85	1.8	3	< 1	< 1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	4	3.5	11	1	1	3	6	8	8	8
B. Operated	107	3.0	9	< 1	< 1	2	3	7	8	15
1. SINGLE DX	86	1.8	3	< 1	< 1	1	2	3	5	10
2. MULTIPLE DX	111	3.0	9	< 1	< 1	2	4	7	8	15
A. Not Operated	5	3.0	10	< 1	< 1	1	5	8	8	8
B. Operated	192	2.4	6	< 1	< 1	1	3	6	8	14
TOTAL										
0-19 YRS	16	2.3	6	< 1	< 1	1	3	5	8	10
20-34	22	1.8	2	< 1	< 1	1	2	3	5	8
35-49	52	2.0	5	< 1	< 1	1	2	4	7	14
50-64	59	2.7	9	< 1	< 1	1	3	7	8	16
65 +	48	3.1	8	< 1	< 1	2	4	8	10	13
GRAND TOTAL	**197**	**2.5**	**7**	**< 1**	**< 1**	**1**	**3**	**6**	**8**	**14**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	2.2	1	< 1	< 1	2	3	3	3	3
35-49	17	2.4	3	< 1	< 1	2	4	5	6	6
50-64	3	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	217	4.4	3	1	3	4	5	6	7	9
35-49	677	4.6	2	2	3	5	5	6	7	8
50-64	81	4.7	2	3	3	5	5	6	7	8
65 +	10	5.1	3	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	21	2.8	6	< 1	< 1	1	4	5	8	11
35-49	55	3.2	6	< 1	1	3	4	6	9	12
50-64	11	2.7	8	< 1	< 1	1	3	8	10	10
65 +	6	3.3	1	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	4	5.3	22	1	1	4	8	12	12	12
20-34	905	5.2	9	3	3	5	6	7	9	14
35-49	5706	5.1	3	3	4	5	6	7	8	12
50-64	1029	5.5	5	3	4	5	6	8	9	14
65 +	132	7.1	19	3	4	6	8	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.6	2	< 1	< 1	2	4	4	5	6
B. Operated	987	4.5	2	2	3	5	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	93	3.1	6	< 1	< 1	2	4	6	9	12
B. Operated	7776	5.2	5	3	4	5	6	7	8	[illegible]
1. SINGLE DX	1013	4.5	2	1	3	5	5	6	7	8
2. MULTIPLE DX	7869	5.2	5	3	4	5	6	7	8	13
A. Not Operated	119	3.0	5	< 1	< 1	2	4	6	7	11
B. Operated	8763	5.1	4	3	4	5	6	7	8	13
TOTAL										
0-19 YRS	7	4.1	14	1	1	4	4	10	12	12
20-34	1148	5.0	8	2	3	5	6	7	8	13
35-49	6455	5.0	3	3	3	5	6	7	8	12
50-64	1124	5.4	5	3	4	5	6	8	9	14
65 +	148	6.8	18	2	4	6	8	11	15	26
GRAND TOTAL	**8882**	**5.1**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	9	4.9	3	4	4	4	5	8	9	9
35-49	6	3.8	3	< 1	< 1	4	5	6	6	6
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	19	4.2	4	1	2	4	5	6	9	11
35-49	68	5.4	2	3	4	5	6	7	8	11
50-64	16	6.3	7	1	4	6	8	10	11	12
65 +	7	4.3	3	2	2	5	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	18	4.6	3	1	3	4	5	7	8	9
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	112	5.2	4	2	3	5	6	7	8	12
1. SINGLE DX	18	4.6	3	1	3	4	5	7	8	9
2. MULTIPLE DX	113	5.2	4	2	3	5	6	7	8	12
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	130	5.1	4	2	3	5	6	7	8	11
TOTAL										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	28	4.4	4	2	2	4	5	6	9	11
35-49	75	5.2	3	3	3	5	6	7	7	11
50-64	18	6.1	6	1	4	6	7	9	11	12
65 +	8	4.6	3	2	2	5	6	7	7	7
GRAND TOTAL	131	5.1	4	2	3	5	6	7	8	11

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	75	4.0	2	2	3	4	5	6	6	8
20-34	275	3.9	1	2	3	4	4	5	6	7
35-49	148	4.3	2	3	3	4	5	6	6	8
50-64	46	5.2	3	3	4	5	6	7	9	11
65 +	40	5.6	3	2	3	5	7	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	5.3	20	1	1	5	9	10	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	74	4.9	4	3	3	5	6	7	8	15
20-34	381	4.5	3	2	3	4	5	7	7	10
35-49	411	5.2	4	3	3	5	6	7	9	14
50-64	[illegible]	6.2	6	4	4	5	7	10	11	16
65 +	[illegible]	8.0	18	4	4	7	9	12	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	584	4.2	2	2	3	4	5	6	6	9
2. MULTIPLE DX										
A. Not Operated	[illegible]	6.3	23	1	1	5	10	14	14	14
B. Operated	[illegible]	5.7	8	3	3	5	6	9	11	18
1. SINGLE DX	[illegible]	4.2	2	2	3	4	5	6	6	9
2. MULTIPLE DX	[illegible]	5.7	8	3	3	5	6	9	11	18
A. Not Operated	3	5.0	22	1	1	4	7	13	14	14
B. Operated	1978	5.3	7	3	3	5	6	8	10	16
TOTAL										
0-19 YRS	150	4.5	3	3	3	4	5	6	7	10
20-34	660	4.3	2	2	3	4	5	6	7	9
35-49	560	5.0	4	3	3	5	6	7	8	13
50-64	310	6.0	6	4	4	5	7	9	11	14
65 +	306	7.7	17	4	4	6	9	12	16	27
GRAND TOTAL	1986	5.3	7	3	3	5	6	8	10	16

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	8	2.8	3	< 1	< 1	2	4	5	5	5
35-49	10	3.4	4	1	1	3	4	6	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	3.9	3	1	1	4	5	6	7	7
35-49	16	5.5	4	3	4	5	6	7	11	12
50-64	4	5.5	3	4	4	5	7	8	8	8
65 +	6	14.3	463	2	2	6	9	53	58	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	20	3.1	3	< 1	1	3	4	6	6	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	36	6.5	82	2	3	5	6	8	11	58
1. SINGLE DX	20	3.1	3	< 1	1	3	4	6	6	7
2. MULTIPLE DX	36	6.5	82	2	3	5	6	8	11	58
A. Not Operated	0									
B. Operated	56	5.3	56	1	1	4	6	7	9	55
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	17	3.4	3	< 1	1	4	5	5	6	7
35-49	26	4.7	5	1	1	4	6	7	8	12
50-64	6	4.7	4	2	2	4	5	8	8	8
65 +	6	14.3	463	2	2	6	9	53	58	58
GRAND TOTAL	**56**	**5.3**	**56**	**1**	**1**	**4**	**6**	**7**	**9**	**55**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	7	1.6	1	< 1	< 1	1	2	4	4	4
35-49	7	1.0		< 1	< 1	1	1	1	1	1
50-64	3	1.7		1	1	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	2.6	13	< 1	< 1	1	3	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	1.3		< 1	< 1	1	2	2	2	2
65 +	7	4.4	5	2	2	4	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	19	1.4	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	20	2.7	6	< 1	< 1	2	4	7	9	9
1. SINGLE DX	19	1.4	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX	20	2.7	6	< 1	< 1	2	4	7	9	9
A. Not Operated	0									
B. Operated	39	2.1	4	< 1	< 1	1	2	5	7	9
TOTAL										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	12	2.0	6	< 1	< 1	1	2	5	8	9
35-49	8	1.0		< 1	< 1	1	1	1	1	1
50-64	7	1.4		< 1	< 1	1	2	2	2	2
65 +	8	4.1	5	2	2	4	5	8	9	9
GRAND TOTAL	**39**	**2.1**	**4**	**< 1**	**< 1**	**1**	**2**	**5**	**7**	**9**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	4.5	5	< 1	< 1	5	6	7	7	7
35-49	10	3.9	6	< 1	< 1	4	5	7	9	9
50-64	8	3.6	14	1	1	2	5	10	11	11
65 +	11	4.1	11	1	1	3	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	5.0	9	2	2	4	7	9	9	9
35-49	8	7.5	49	1	1	6	10	19	22	22
50-64	18	7.2	63	< 1	1	5	8	17	26	32
65 +	49	5.5	22	1	1	4	7	11	12	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	36	4.1	9	< 1	1	3	6	9	10	11
2. MULTIPLE DX										
A. Not Operated	3	3.0	4	1	1	3	4	5	5	5
B. Operated	81	6.1	32	1	1	5	8	12	17	30
1. SINGLE DX	37	4.1	9	< 1	1	3	6	9	10	11
2. MULTIPLE DX	84	6.0	31	1	1	4	8	12	17	30
A. Not Operated	4	2.5	4	< 1	< 1	2	4	5	5	5
B. Operated	117	5.5	26	1	1	4	7	11	13	29
TOTAL										
0-19 YRS	3	7.3	4	5	5	8	9	9	9	9
20-34	12	4.6	6	< 1	1	4	6	8	9	9
35-49	18	5.5	27	< 1	1	4	7	11	18	22
50-64	27	5.9	48	< 1	1	3	8	14	20	32
65 +	61	5.2	20	1	1	4	7	11	12	26
GRAND TOTAL	**121**	**5.4**	**25**	**1**	**1**	**4**	**7**	**11**	**13**	**28**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	4	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	3.6	6	< 1	< 1	4	6	6	6	6
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	4.5	5	3	3	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	11	3.1	5	< 1	< 1	3	5	6	6	6
1. SINGLE DX	11	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX	11	3.1	5	< 1	< 1	3	5	6	6	6
A. Not Operated	0									
B. Operated	22	2.7	3	< 1	1	2	3	6	6	6
TOTAL										
0-19 YRS	8	3.5	4	< 1	< 1	3	5	6	6	6
20-34	6	1.7		1	1	2	2	2	2	2
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	3	3.3	6	1	1	3	5	6	6	6
GRAND TOTAL	**22**	**2.7**	**3**	**< 1**	**1**	**2**	**3**	**6**	**6**	**6**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	10.5	85	4	4	10	17	17	17	17
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	3.3	4	1	1	4	5	5	5	5
65 +	3	4.3	4	2	2	5	6	6	6	6
B. Operated										
0-19 YRS	14	9.0	38	1	2	9	12	16	22	24
20-34	26	7.6	12	1	2	8	10	13	13	14
35-49	64	6.3	12	1	2	6	8	11	13	16
50-64	59	7.9	17	1	2	8	10	14	16	19
65 +	35	9.7	24	3	5	8	12	16	21	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.5		< 1	< 1	1	2	2	2	2
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	6	5.5	22	1	1	5	8	12	13	13
50-64	10	4.6	14	1	1	3	8	10	10	10
65 +	62	5.7	11	1	2	5	8	10	13	15
B. Operated										
0-19 YRS	21	11.4	22	6	7	11	14	20	21	22
20-34	28	16.0	227	6	7	10	15	46	53	60
35-49	86	10.7	48	3	4	9	12	20	27	39
50-64	130	13.4	168	2	4	10	16	27	41	99 +
65 +	202	15.9	160	3	6	12	20	30	39	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.8	21	1	1	4	5	11	17	17
B. Operated	198	7.7	19	1	2	8	10	14	15	22
2. MULTIPLE DX										
A. Not Operated	85	5.2	12	1	1	4	7	10	13	15
B. Operated	467	14.0	142	3	5	10	17	27	38	80
1. SINGLE DX	208	7.6	19	1	2	7	10	14	15	21
2. MULTIPLE DX	552	12.7	132	2	3	10	15	26	35	79
A. Not Operated	95	5.2	13	1	1	4	7	10	13	16
B. Operated	665	12.2	114	2	4	9	14	24	31	67
TOTAL										
0-19 YRS	39	9.5	34	1	2	9	12	17	22	24
20-34	59	11.4	134	2	3	8	11	21	43	59
35-49	158	8.6	37	1	2	8	11	15	20	30
50-64	202	11.2	123	1	2	9	13	22	31	96
65 +	302	12.9	130	2	3	10	16	26	34	63
GRAND TOTAL	**760**	**11.3**	**106**	**2**	**3**	**9**	**13**	**22**	**30**	**60**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	1.6		1	1	1	2	3	3	3
20-34	152	2.1	1	1	1	2	3	3	4	6
35-49	210	2.3	1	1	1	2	3	4	4	6
50-64	115	2.4	1	1	1	2	3	4	4	5
65 +	59	2.8	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	8	2.8	2	1	1	3	4	5	5	5
20-34	56	2.5	1	1	1	2	3	4	4	7
35-49	111	2.8	2	1	1	2	3	5	5	8
50-64	115	3.0	2	1	1	3	4	4	5	8
65 +	94	4.5	31	1	2	3	4	8	10	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	556	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	5	2.0	1	1	1	2	3	3	3	3
B. Operated	384	3.2	9	1	1	3	4	5	6	14
1. SINGLE DX	557	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX	389	3.2	9	1	1	3	4	5	6	14
A. Not Operated	6	2.2	1	1	1	2	3	3	3	3
B. Operated	940	2.7	5	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	28	1.9	1	1	1	2	3	3	4	5
20-34	210	2.2	1	1	1	2	3	4	4	6
35-49	322	2.5	1	1	1	2	3	4	5	6
50-64	232	2.7	1	1	1	3	3	4	5	8
65 +	154	3.8	20	1	2	3	4	6	8	20
GRAND TOTAL	**946**	**2.7**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	4.3	10	2	2	3	7	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	24	5.3	7	2	2	5	6	10	10	10
35-49	23	6.3	15	2	3	5	7	10	16	20
50-64	48	4.7	8	1	2	4	6	8	10	13
65 +	26	5.2	12	2	2	4	6	9	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.0	2	1	1	3	4	5	5	5
35-49	12	7.3	26	< 1	1	7	11	13	16	16
50-64	8	5.9	5	4	4	5	6	10	11	11
65 +	16	6.6	17	1	3	6	9	11	16	18
B. Operated										
0-19 YRS	7	12.4	185	2	2	9	12	36	42	42
20-34	49	7.4	37	2	2	5	8	17	20	32
35-49	77	7.7	42	2	3	6	9	14	18	39
50-64	116	7.2	57	2	2	5	8	16	19	44
65 +	126	8.7	56	2	3	6	11	19	23	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.1	4	2	2	3	5	8	8	8
B. Operated	122	5.2	10	1	2	5	6	9	10	16
2. MULTIPLE DX										
A. Not Operated	42	6.1	16	1	2	5	9	11	14	18
B. Operated	375	7.9	53	2	3	6	10	16	22	41
1. SINGLE DX	129	5.1	9	2	2	5	6	9	10	16
2. MULTIPLE DX	417	7.7	50	2	2	6	9	16	21	41
A. Not Operated	49	5.9	15	1	2	5	8	11	12	18
B. Operated	497	7.3	44	2	2	5	9	14	20	38
TOTAL										
0-19 YRS	9	10.3	156	2	2	8	11	30	42	42
20-34	82	6.4	26	2	2	5	8	11	18	29
35-49	113	7.4	34	2	3	6	9	13	17	37
50-64	174	6.4	42	2	2	5	7	12	17	41
65 +	168	7.9	47	2	3	6	10	17	21	34
GRAND TOTAL	**546**	**7.1**	**41**	**2**	**2**	**5**	**9**	**14**	**19**	**36**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	224	3.5	2	1	1	4	4	5	6	7
35-49	109	3.9	2	< 1	1	4	5	6	6	8
50-64	24	4.7	3	1	2	5	6	7	8	8
65 +	7	3.3	8	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	5	3.4	11	< 1	< 1	2	5	9	9	9
50-64	0									
65 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	297	4.4	3	2	3	4	5	5	7	9
35-49	269	4.7	2	2	3	5	5	6	7	9
50-64	72	5.5	5	2	3	5	6	8	10	13
65 +	48	6.2	25	1	1	5	7	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	365	3.7	3	1	1	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	10	3.1	7	< 1	< 1	2	4	7	9	9
B. Operated	689	4.7	5	1	3	4	5	7	8	12
1. SINGLE DX	365	3.7	3	1	1	4	5	6	6	8
2. MULTIPLE DX	699	4.7	5	1	3	4	5	7	8	12
A. Not Operated	10	3.1	7	< 1	< 1	2	4	7	9	9
B. Operated	1054	4.3	4	1	2	4	5	6	7	10
TOTAL										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	524	4.0	3	1	1	4	5	6	7	8
35-49	383	4.4	3	1	3	4	5	6	7	9
50-64	96	5.3	5	1	2	5	6	8	9	12
65 +	57	5.8	23	1	1	5	7	10	15	27
GRAND TOTAL	**1064**	**4.3**	**4**	**1**	**2**	**4**	**5**	**6**	**7**	**10**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	1.8	2	< 1	< 1	1	3	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	13	3.4	3	1	1	3	5	6	7	7
35-49	73	3.9	4	1	2	4	5	6	8	9
50-64	104	4.2	11	1	1	4	5	7	10	19
65 +	66	4.1	13	< 1	1	3	5	8	10	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	4	2.5	6	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	4.5	13	1	1	4	5	9	12	16
35-49	81	4.8	15	1	1	4	6	9	12	24
50-64	176	6.3	20	1	2	5	8	12	15	25
65 +	276	7.6	56	1	2	5	9	15	19	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated	256	4.1	9	1	1	4	5	7	9	18
2. MULTIPLE DX										
A. Not Operated	6	2.7	5	1	1	2	5	6	6	6
B. Operated	556	6.6	38	1	2	5	9	13	16	33
1. SINGLE DX	261	4.0	9	1	1	4	5	7	9	18
2. MULTIPLE DX	562	6.6	38	1	2	5	9	13	16	33
A. Not Operated	11	2.4	3	< 1	< 1	1	4	5	6	6
B. Operated	812	5.8	30	1	1	4	7	11	15	29
TOTAL										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	35	4.1	9	1	1	4	5	7	10	16
35-49	155	4.4	10	1	1	4	5	8	9	15
50-64	284	5.5	18	1	2	4	6	10	14	20
65 +	347	6.8	49	1	1	5	9	14	18	35
GRAND TOTAL	**823**	**5.8**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.3	2	1	1	2	3	4	5	5
20-34	12	2.3	4	1	1	2	3	6	6	6
35-49	9	2.3	4	1	1	2	3	5	7	7
50-64	19	3.9	25	< 1	< 1	2	3	13	18	18
65 +	6	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	142	4.1	16	1	1	3	6	8	11	21
20-34	100	4.1	17	1	1	3	5	8	11	23
35-49	120	3.8	20	< 1	< 1	3	5	8	9	30
50-64	112	4.2	12	< 1	1	3	6	9	10	19
65 +	141	4.3	12	< 1	1	3	7	9	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	2.5	4	< 1	< 1	2	3	5	5	12
20-34	28	4.1	20	1	1	3	5	7	18	19
35-49	38	3.7	10	< 1	1	3	5	7	11	15
50-64	68	5.1	29	1	1	4	6	9	16	31
65 +	191	7.0	80	1	1	4	9	14	20	77
B. Operated										
0-19 YRS	85	9.5	238	1	1	5	9	22	36	88
20-34	126	6.8	73	1	1	5	8	13	16	42
35-49	169	6.3	30	1	2	5	7	11	16	34
50-64	273	7.8	80	1	1	7	10	13	18	42
65 +	530	9.0	53	1	2	8	11	17	22	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	2.8	9	1	1	2	3	5	6	18
B. Operated	615	4.1	15	< 1	1	3	6	9	10	20
2. MULTIPLE DX										
A. Not Operated	375	5.5	52	1	1	3	7	12	18	31
B. Operated	1183	8.1	72	1	2	6	10	15	21	42
1. SINGLE DX	686	4.0	15	< 1	1	3	6	8	10	20
2. MULTIPLE DX	1558	7.5	68	1	1	6	9	15	20	41
A. Not Operated	446	5.1	46	1	1	3	6	11	16	30
B. Operated	1798	6.8	56	1	1	5	9	13	18	34
TOTAL										
0-19 YRS	302	5.2	82	1	1	3	6	10	15	52
20-34	266	[illegible]	45	1	1	4	6	11	15	23
35-49	336	5.0	25	< 1	1	4	6	9	14	30
50-64	472	6.4	57	1	1	5	8	11	17	31
65 +	868	7.7	55	1	1	6	10	15	20	31
GRAND TOTAL	**2244**	**6.4**	**55**	**1**	**1**	**5**	**8**	**13**	**18**	**32**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	6.3	8	3	3	8	8	8	8	8
65+	0									
B. Operated										
0-19 YRS	17	1.8	1	1	1	2	2	3	4	4
20-34	102	2.4	1	1	1	2	3	4	4	5
35-49	173	2.5	1	1	1	2	3	4	4	6
50-64	101	2.7	1	1	1	3	3	4	5	6
65+	72	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	5	2.6	2	<1	<1	3	4	4	4	4
65+	15	3.9	4	1	2	3	6	7	8	8
B. Operated										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	47	2.6	2	1	2	2	3	4	4	10
35-49	120	3.1	5	1	1	3	4	5	8	12
50-64	140	3.7	7	1	1	3	4	6	8	15
65+	152	5.2	26	2	2	4	5	11	12	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.0	13	1	1	5	8	8	8	8
B. Operated	465	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	28	3.1	4	<1	1	3	4	6	7	8
B. Operated	464	3.9	13	1	1	3	4	7	10	20
1. SINGLE DX	469	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	492	3.9	12	1	1	3	4	7	10	19
A. Not Operated	32	3.4	5	<1	1	3	4	7	8	8
B. Operated	929	3.2	7	1	1	3	4	5	7	14
TOTAL										
0-19 YRS	22	1.6	1	<1	1	2	2	3	3	4
20-34	153	2.4	1	1	1	2	3	4	4	5
35-49	298	2.7	3	1	1	2	3	4	5	10
50-64	249	3.3	5	1	1	3	4	5	7	14
65+	239	4.4	18	1	2	3	5	8	11	22
GRAND TOTAL	**961**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.7	4	<1	1	2	4	6	6	7
20-34	24	3.6	5	1	1	3	5	6	9	10
35-49	31	4.8	20	1	1	3	6	11	17	18
50-64	7	6.4	21	2	2	6	8	14	15	15
65+	6	6.2	17	2	2	5	9	13	13	13
B. Operated										
0-19 YRS	21	3.0	2	1	1	3	4	5	5	5
20-34	71	2.9	3	1	1	3	4	4	5	12
35-49	82	2.8	1	1	1	3	3	4	5	6
50-64	47	2.8	2	1	1	2	3	5	6	8
65+	25	3.2	11	1	1	3	3	4	8	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	3.6	7	1	2	3	4	6	7	15
20-34	63	4.8	9	1	2	4	6	10	11	15
35-49	102	5.9	22	1	2	5	7	10	13	27
50-64	93	7.1	33	2	2	6	8	14	20	30
65+	215	8.3	38	2	3	7	10	15	21	37
B. Operated										
0-19 YRS	9	5.2	12	1	1	4	8	10	11	11
20-34	43	4.4	26	1	2	3	4	6	14	32
35-49	88	4.3	25	1	1	3	4	8	12	33
50-64	60	3.6	5	1	1	3	4	6	8	12
65+	84	10.6	102	1	2	7	13	24	30	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	4.2	13	1	1	3	5	8	13	18
B. Operated	246	2.9	3	1	1	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated	501	6.9	30	2	2	6	8	13	19	27
B. Operated	284	6.1	52	1	2	4	6	13	22	43
1. SINGLE DX	335	3.2	6	1	1	3	4	5	7	16
2. MULTIPLE DX	785	6.6	38	2	2	5	8	13	20	30
A. Not Operated	590	6.5	29	1	2	5	8	12	17	26
B. Operated	530	4.6	32	1	1	3	4	9	14	31
TOTAL										
0-19 YRS	79	3.4	6	1	1	3	4	6	7	14
20-34	201	3.9	11	1	1	3	4	7	10	15
35-49	303	4.5	18	1	1	3	5	8	12	25
50-64	207	5.1	21	1	2	3	7	10	14	26
65+	330	8.4	55	2	2	6	10	18	23	46
GRAND TOTAL	**1120**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	174	5.1	7	2	2	5	6	7	8	11
20-34	42	3.0	3	1	1	3	4	5	6	8
35-49	31	4.0	7	1	1	3	5	8	11	11
50-64	37	4.5	6	1	2	4	5	8	10	11
65 +	18	5.1	6	1	2	5	6	9	10	10
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	3.0	4	1	1	3	4	5	5	5
65 +	3	3.7	9	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	180	5.2	6	1	2	5	7	8	9	14
20-34	90	5.1	30	1	1	4	6	9	14	31
35-49	129	5.5	16	1	2	5	7	10	13	22
50-64	177	5.2	9	1	2	5	7	9	11	14
65 +	118	6.1	15	2	2	5	7	12	14	20
B. Operated										
0-19 YRS	6	8.0	39	1	1	8	9	18	19	19
20-34	5	16.4	628	2	2	5	22	61	61	61
35-49	12	7.7	34	1	1	8	11	15	20	21
50-64	38	8.9	78	1	2	6	11	17	28	46
65 +	16	6.1	21	< 1	1	5	8	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	302	4.6	6	1	2	4	6	7	8	11
B. Operated	8	3.9	5	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	694	5.4	13	1	2	5	7	9	12	20
B. Operated	77	8.5	88	1	2	6	10	17	21	57
1. SINGLE DX	310	4.6	6	1	2	4	6	7	8	11
2. MULTIPLE DX	771	5.7	22	1	2	5	7	10	13	22
A. Not Operated	996	5.2	11	1	2	5	7	8	10	18
B. Operated	85	8.1	82	1	1	6	10	15	20	56
TOTAL										
0-19 YRS	361	5.2	7	1	2	5	7	8	8	15
20-34	137	4.9	45	1	1	4	5	8	13	35
35-49	173	5.4	16	1	1	5	7	10	12	21
50-64	255	5.6	21	1	2	5	7	10	12	22
65 +	155	5.9	14	1	2	5	7	11	14	19
GRAND TOTAL	**1081**	**5.4**	**17**	**1**	**2**	**5**	**7**	**9**	**11**	**21**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	684	3.7	6	1	1	3	5	7	8	12
20-34	297	3.6	4	1	1	3	5	6	7	10
35-49	123	4.3	5	1	2	4	5	7	9	11
50-64	31	4.7	5	2	2	5	6	8	9	9
65 +	36	6.8	25	1	2	6	9	15	16	22
B. Operated										
0-19 YRS	8	3.9	4	1	2	4	4	7	8	8
20-34	5	8.4	25	4	4	6	12	16	16	16
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1060	4.4	12	1	2	4	5	8	10	20
20-34	1009	5.0	11	2	2	4	6	9	11	18
35-49	594	6.2	14	2	2	5	8	11	14	20
50-64	447	7.1	23	2	3	6	8	12	15	25
65 +	579	9.1	31	3	3	8	11	15	21	28
B. Operated										
0-19 YRS	31	8.2	41	1	3	6	12	20	21	25
20-34	101	12.3	148	3	4	8	13	29	34	63
35-49	114	12.8	179	3	4	9	15	25	30	91
50-64	107	14.6	148	4	5	11	18	24	36	70
65 +	129	17.6	154	7	7	15	22	32	46	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1171	3.9	6	1	1	3	5	7	8	12
B. Operated	16	5.6	13	2	3	4	7	11	14	16
2. MULTIPLE DX										
A. Not Operated	3689	5.9	19	2	2	5	7	11	14	23
B. Operated	482	14.1	156	3	4	10	18	26	37	79
1. SINGLE DX	1187	3.9	7	1	1	3	5	7	8	12
2. MULTIPLE DX	4171	6.9	42	2	2	5	8	13	18	32
A. Not Operated	4860	5.4	17	1	2	4	7	10	13	21
B. Operated	498	13.8	153	3	4	10	18	25	35	78
TOTAL										
0-19 YRS	1783	4.2	11	1	1	3	5	8	9	17
20-34	1412	5.2	23	1	2	4	6	9	12	25
35-49	833	6.8	41	2	2	5	8	12	16	27
50-64	586	8.4	53	2	3	7	9	16	20	38
65 +	744	10.4	63	3	4	8	13	19	24	45
GRAND TOTAL	**5358**	**6.2**	**35**	**1**	**2**	**5**	**7**	**12**	**16**	**29**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	345	5.0	7	1	2	5	6	8	9	14
20-34	250	4.1	6	1	2	4	5	7	9	12
35-49	309	4.8	5	2	2	5	6	8	8	11
50-64	374	4.9	6	2	2	4	6	8	10	13
65 +	248	5.3	6	2	3	5	7	8	10	14
B. Operated										
0-19 YRS	7	2.9	4	1	1	2	4	6	6	6
20-34	5	2.4	1	2	2	2	3	4	4	4
35-49	7	5.6	30	1	1	4	7	15	17	17
50-64	28	3.9	16	1	1	3	5	8	12	20
65 +	11	4.2	18	1	1	2	6	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	466	5.3	16	1	2	4	7	10	11	22
20-34	1030	5.7	19	1	2	5	7	10	13	24
35-49	1977	5.8	13	2	2	5	7	10	12	20
50-64	3215	6.5	17	2	3	6	8	11	14	22
65 +	4304	7.2	23	2	3	6	9	12	15	24
B. Operated										
0-19 YRS	23	7.9	120	< 1	1	4	9	19	33	51
20-34	257	11.4	140	1	2	8	13	27	38	74
35-49	546	11.3	115	1	2	8	14	24	37	53
50-64	1201	13.4	135	2	3	10	17	28	37	61
65 +	1690	14.7	141	3	4	12	18	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1526	4.8	6	2	2	4	6	8	9	13
B. Operated	58	3.9	15	1	1	2	5	8	13	20
2. MULTIPLE DX										
A. Not Operated	10992	6.5	19	2	3	6	8	11	14	23
B. Operated	3717	13.5	137	2	3	10	17	28	37	63
1. SINGLE DX	1584	4.8	7	2	2	4	6	8	10	14
2. MULTIPLE DX	14709	8.3	58	2	3	6	10	16	22	41
A. Not Operated	12518	6.3	18	2	3	5	8	11	14	22
B. Operated	3775	13.4	137	2	3	10	17	28	37	62
TOTAL										
0-19 YRS	841	5.2	15	1	2	5	7	9	11	20
20-34	1542	6.4	42	1	2	5	7	11	17	37
35-49	2839	6.8	37	2	2	5	8	12	17	37
50-64	4818	8.1	55	2	3	6	9	15	21	40
65 +	6253	9.2	66	2	3	7	11	17	23	42
GRAND TOTAL	**16293**	**8.0**	**54**	**2**	**3**	**6**	**9**	**15**	**21**	**40**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	2.3	1	1	1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.0	3	< 1	< 1	3	4	5	5	5
20-34	28	3.3	2	1	1	3	4	5	6	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.4	7	1	1	3	5	7	7	7
20-34	9	4.1	3	1	2	4	5	6	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	4.0	2	1	2	4	5	6	6	6
20-34	78	4.1	3	1	2	4	5	7	7	9
35-49	17	5.2	5	2	3	5	6	8	11	12
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.3	1	1	1	2	3	4	4	4
B. Operated	33	3.2	2	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	15	3.9	4	1	1	4	5	7	7	7
B. Operated	107	4.3	4	2	2	4	5	7	8	10
1. SINGLE DX	42	3.0	2	1	1	3	4	5	5	8
2. MULTIPLE DX	122	4.3	4	1	2	4	5	7	8	10
A. Not Operated	24	3.3	3	1	1	3	5	6	7	7
B. Operated	140	4.1	3	1	2	4	5	6	8	10
TOTAL										
0-19 YRS	20	3.5	3	< 1	1	4	5	6	6	7
20-34	121	3.8	3	1	2	4	5	6	7	9
35-49	20	5.0	5	2	2	5	5	8	10	12
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**164**	**4.0**	**3**	**1**	**2**	**4**	**5**	**6**	**7**	**9**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	2.0	6	< 1	< 1	1	2	4	6	13
20-34	39	2.9	4	1	1	2	4	5	7	11
35-49	30	3.8	7	1	1	3	4	6	7	15
50-64	25	3.8	9	1	1	3	5	9	10	11
65 +	31	4.3	10	1	1	3	7	9	10	12
B. Operated										
0-19 YRS	13	5.0	7	1	1	6	7	8	9	9
20-34	13	3.5	6	< 1	< 1	2	5	7	9	9
35-49	20	4.4	9	< 1	1	4	6	9	10	11
50-64	15	3.1	2	1	1	3	4	4	6	6
65 +	9	3.7	1	2	2	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	377	3.4	13	1	1	2	4	8	9	18
20-34	245	4.4	18	1	1	3	6	9	11	24
35-49	285	4.5	13	1	1	3	6	9	11	20
50-64	555	5.3	18	1	2	4	7	11	14	23
65 +	1545	6.1	26	1	2	5	8	12	15	22
B. Operated										
0-19 YRS	22	8.0	202	< 1	1	4	7	64	99 +	99 +
20-34	46	8.0	55	1	2	6	10	17	24	38
35-49	90	8.0	42	2	3	6	10	18	22	31
50-64	141	8.5	90	2	2	5	10	20	32	77
65 +	223	12.0	96	3	3	9	15	23	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	316	2.7	7	< 1	< 1	2	3	6	9	13
B. Operated	70	4.0	6	1	1	4	5	8	9	11
2. MULTIPLE DX										
A. Not Operated	3007	5.3	22	1	1	4	7	11	14	22
B. Operated	522	9.8	89	2	3	7	13	22	31	56
1. SINGLE DX	386	2.9	7	< 1	< 1	2	4	6	9	12
2. MULTIPLE DX	3529	6.0	34	1	1	4	7	12	17	30
A. Not Operated	3323	5.1	21	1	1	4	7	10	14	22
B. Operated	592	9.1	82	2	2	6	12	20	28	54
TOTAL										
0-19 YRS	603	3.2	18	< 1	1	2	3	7	9	24
20-34	343	4.7	23	1	1	3	6	9	13	25
35-49	425	5.2	20	1	1	4	7	10	15	22
50-64	736	5.9	33	1	2	4	7	12	15	32
65 +	1808	6.8	38	1	2	5	8	14	18	31
GRAND TOTAL	**3915**	**5.7**	**32**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	14.0	383	1	1	7	16	48	60	60
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	4	4.0	15	1	1	3	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	15.3	261	1	2	9	19	41	53	68
20-34	28	11.0	177	1	1	6	13	28	48	53
35-49	36	12.8	269	2	2	6	15	28	55	75
50-64	66	9.7	49	1	3	8	13	19	29	88
65 +	273	9.2	90	2	3	7	10	16	23	47
B. Operated										
0-19 YRS	21	23.6	612	2	3	15	37	70	75	77
20-34	17	11.5	120	1	2	7	13	27	40	45
35-49	22	11.9	93	2	3	9	15	25	32	41
50-64	62	15.9	141	2	4	13	21	31	41	54
65 +	259	11.4	112	1	2	8	15	24	29	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	12.8	306	1	1	7	13	39	60	60
B. Operated	6	4.3	9	1	1	5	5	9	9	9
2. MULTIPLE DX										
A. Not Operated	490	10.7	137	2	3	7	12	22	33	68
B. Operated	381	12.9	151	1	3	9	16	26	35	66
1. SINGLE DX	16	9.6	204	1	1	6	9	18	48	60
2. MULTIPLE DX	871	11.6	144	2	3	8	14	26	34	67
A. Not Operated	500	10.8	140	2	3	7	12	22	33	67
B. Operated	387	12.7	149	1	3	9	16	26	35	65
TOTAL										
0-19 YRS	117	16.6	334	1	2	9	20	45	59	74
20-34	45	11.2	152	1	1	7	13	28	46	53
35-49	58	12.4	200	2	2	7	15	27	38	74
50-64	130	12.6	101	1	3	10	17	27	33	64
65 +	537	10.2	101	2	3	7	13	20	27	51
GRAND TOTAL	**887**	**11.6**	**145**	**2**	**3**	**8**	**14**	**26**	**34**	**67**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	132	9.7	22	1	2	10	13	14	15	24
20-34	43	10.0	28	1	1	11	14	15	17	23
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	14.8	42	3	6	15	19	23	26	26
20-34	6	15.0	10	9	10	16	16	18	18	18
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	437	11.0	46	2	4	10	14	17	21	32
20-34	141	13.0	40	3	5	13	16	21	23	32
35-49	12	12.4	23	3	6	13	15	18	21	21
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	69	15.2	147	3	4	13	17	32	40	95
20-34	21	16.2	57	4	7	16	19	27	33	34
35-49	1	12.0		12	12	12	12	12	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	9.8	23	1	2	10	13	14	16	23
B. Operated	16	14.9	28	5	9	16	18	20	24	26
2. MULTIPLE DX										
A. Not Operated	590	11.5	45	3	4	11	14	19	22	32
B. Operated	91	15.4	124	3	5	14	18	32	36	89
1. SINGLE DX	191	10.2	25	1	2	10	14	15	18	25
2. MULTIPLE DX	681	12.0	57	3	4	11	15	19	23	41
A. Not Operated	765	11.1	40	2	3	11	14	17	21	30
B. Operated	107	15.3	110	3	5	14	18	26	35	85
TOTAL										
0-19 YRS	648	11.3	54	2	3	11	14	18	22	40
20-34	211	12.7	41	3	4	13	16	20	23	33
35-49	13	12.4	21	4	6	12	15	17	20	21
50-64	0									
65 +	0									
GRAND TOTAL	**872**	**11.6**	**51**	**2**	**3**	**11**	**14**	**19**	**22**	**36**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	5.0	5	2	2	4	7	8	8	8
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	6.8	2	5	5	7	8	8	8	8
20-34	92	6.3	5	3	4	6	7	8	9	14
35-49	49	7.5	84	4	4	6	7	9	11	69
50-64	6	8.5	7	5	5	9	11	11	11	11
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	10.3	292	1	2	4	10	32	57	68
20-34	13	14.5	709	< 1	< 1	1	12	55	86	93
35-49	19	4.3	38	< 1	< 1	2	5	8	19	28
50-64	14	9.9	146	1	2	4	11	33	36	37
65 +	3	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	14	6.6	12	1	3	6	8	10	15	16
20-34	199	7.3	11	5	5	7	8	9	11	24
35-49	332	7.6	17	5	5	7	8	10	15	29
50-64	74	7.5	13	4	5	7	8	11	13	24
65 +	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.0	13	1	2	4	7	9	14	15
B. Operated	153	6.8	30	3	4	6	7	8	11	15
2. MULTIPLE DX										
A. Not Operated	67	9.0	258	< 1	1	3	9	27	42	89
B. Operated	621	7.4	14	4	5	7	8	10	13	27
1. SINGLE DX	167	6.6	29	3	4	6	7	8	11	15
2. MULTIPLE DX	688	7.6	38	3	4	7	8	10	13	36
A. Not Operated	81	8.3	217	< 1	1	3	7	18	39	85
B. Operated	774	7.3	18	4	5	7	8	10	12	26
TOTAL										
0-19 YRS	46	7.8	119	2	2	6	8	11	21	68
20-34	306	7.3	40	3	5	7	8	9	11	31
35-49	403	7.4	26	4	5	6	8	10	13	29
50-64	94	7.9	32	2	4	7	9	12	22	35
65 +	6	4.0	2	2	2	4	5	6	6	6
GRAND TOTAL	**855**	**7.4**	**36**	**3**	**4**	**7**	**8**	**10**	**13**	**35**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	3.0	7	< 1	1	2	4	7	8	15
20-34	62	3.4	11	< 1	< 1	2	5	8	10	14
35-49	28	3.6	13	< 1	1	2	5	10	11	14
50-64	14	5.8	29	< 1	1	4	10	13	16	17
65 +	13	5.1	12	2	2	4	7	9	13	14
B. Operated										
0-19 YRS	52	7.1	98	1	1	4	8	13	32	49
20-34	34	3.6	21	1	1	1	5	8	12	23
35-49	58	3.2	23	1	1	2	4	6	8	34
50-64	37	2.7	3	1	1	2	4	6	7	7
65 +	11	5.5	33	< 1	< 1	3	8	16	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	235	4.8	40	1	1	3	5	9	12	33
20-34	117	4.5	31	< 1	< 1	3	5	11	15	32
35-49	206	4.7	20	< 1	< 1	3	7	10	14	21
50-64	238	6.0	31	< 1	< 1	4	8	13	17	27
65 +	261	7.7	40	1	2	6	9	16	20	33
B. Operated										
0-19 YRS	69	12.4	236	1	1	7	17	32	63	94
20-34	64	7.3	120	1	1	5	7	12	24	62
35-49	129	7.3	115	1	1	4	7	15	29	71
50-64	105	8.5	87	1	1	5	10	22	29	41
65 +	109	11.7	109	1	2	9	15	24	35	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	222	3.5	11	< 1	1	2	5	8	10	15
B. Operated	192	4.4	42	1	1	2	5	8	12	42
2. MULTIPLE DX										
A. Not Operated	1057	5.7	35	< 1	< 1	4	7	12	16	28
B. Operated	476	9.3	129	1	1	5	11	22	33	65
1. SINGLE DX	414	3.9	26	< 1	1	2	5	8	11	27
2. MULTIPLE DX	1533	6.8	67	< 1	1	4	8	15	21	41
A. Not Operated	1279	5.4	31	< 1	< 1	4	7	11	16	27
B. Operated	668	7.9	109	1	1	4	9	19	30	63
TOTAL										
0-19 YRS	461	5.8	77	1	1	3	6	11	20	62
20-34	277	4.8	47	< 1	< 1	3	6	10	14	39
35-49	421	5.2	51	< 1	< 1	3	6	11	15	35
50-64	394	6.4	46	< 1	< 1	4	8	15	21	35
65 +	394	8.7	62	1	2	7	11	17	23	42
GRAND TOTAL	**1947**	**6.2**	**59**	**< 1**	**1**	**4**	**8**	**13**	**19**	**40**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	2.3	1	< 1	1	2	3	4	4	4
35-49	15	4.0	8	1	1	3	6	8	10	11
50-64	17	5.2	25	1	1	4	5	14	18	19
65 +	8	4.3	8	2	2	3	6	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	6.0	32	2	2	4	10	14	14	14
50-64	6	2.2	3	< 1	< 1	2	3	5	5	5
65 +	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	12	3.8	13	1	1	2	4	10	13	13
35-49	38	4.1	5	2	2	4	5	7	9	11
50-64	69	5.8	11	2	3	5	7	11	14	17
65 +	195	5.8	16	2	2	5	7	11	15	19
B. Operated										
0-19 YRS	0									
20-34	2	10.5	113	3	3	10	18	18	18	18
35-49	14	3.8	7	< 1	1	3	6	7	9	10
50-64	25	7.2	30	1	1	7	10	16	17	18
65 +	36	9.2	57	< 1	2	7	14	22	23	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	4.0	13	1	1	3	5	8	11	19
B. Operated	14	3.4	12	< 1	1	2	4	7	12	14
2. MULTIPLE DX										
A. Not Operated	315	5.6	14	2	2	5	7	11	14	19
B. Operated	77	7.6	42	1	1	6	10	18	22	27
1. SINGLE DX	66	3.9	12	1	1	3	5	8	12	18
2. MULTIPLE DX	392	6.0	20	1	2	5	7	12	16	22
A. Not Operated	367	5.3	14	1	2	4	7	10	14	19
B. Operated	91	7.0	40	1	1	4	9	17	21	27
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	26	3.6	15	1	1	2	3	9	14	18
35-49	71	4.1	7	1	1	3	5	8	10	13
50-64	117	5.9	18	1	1	5	7	12	15	18
65 +	243	6.2	23	1	2	5	8	12	18	23
GRAND TOTAL	**458**	**5.7**	**20**	**1**	**2**	**4**	**7**	**11**	**15**	**22**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	2.7	11	1	1	2	3	4	7	19
20-34	38	2.4	6	1	1	2	2	4	7	14
35-49	24	3.5	7	1	1	3	5	8	9	10
50-64	37	3.8	19	1	1	3	4	6	11	25
65 +	93	4.5	10	1	2	4	5	9	11	17
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	17.0	18	14	14	17	20	20	20	20
65 +	3	9.7	92	1	1	8	17	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3518	3.1	7	1	1	3	4	5	7	13
20-34	916	3.4	6	1	1	3	4	6	8	13
35-49	1017	4.5	15	1	1	3	5	8	11	18
50-64	1959	5.7	24	1	2	4	7	10	14	27
65 +	8437	6.9	25	2	3	6	9	13	16	25
B. Operated										
0-19 YRS	123	11.8	209	1	1	5	18	32	41	66
20-34	79	7.7	42	1	2	6	9	18	21	32
35-49	142	10.0	133	1	1	7	11	20	31	59
50-64	296	12.4	125	2	3	9	16	24	37	69
65 +	1221	14.0	117	3	5	11	18	26	35	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	304	3.4	11	1	1	2	4	7	9	17
B. Operated	8	10.3	62	1	1	11	17	20	20	20
2. MULTIPLE DX										
A. Not Operated	15847	5.5	22	1	2	4	7	11	14	22
B. Operated	1861	13.0	125	2	3	10	17	25	35	67
1. SINGLE DX	312	3.6	14	1	1	2	4	7	10	20
2. MULTIPLE DX	17708	6.3	38	1	2	5	8	13	17	30
A. Not Operated	16151	5.5	22	1	2	4	7	11	14	22
B. Operated	1869	13.0	124	2	3	10	17	25	35	67
TOTAL										
0-19 YRS	3754	3.4	16	1	1	3	4	6	8	20
20-34	1034	3.6	10	1	1	3	4	7	9	17
35-49	1184	5.1	32	1	1	4	6	10	13	27
50-64	2294	6.5	42	1	2	5	8	13	18	35
65 +	9754	7.8	42	2	3	6	9	15	19	33
GRAND TOTAL	**18020**	**6.3**	**38**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	2.8	3	1	1	2	3	5	6	8
20-34	10	2.7	5	1	1	2	3	6	9	9
35-49	12	3.8	5	1	1	4	5	6	9	9
50-64	6	2.5	1	1	1	2	3	4	4	4
65 +	19	3.3	5	< 1	1	3	4	6	8	10
B. Operated										
0-19 YRS	4	2.8		2	2	3	3	3	3	3
20-34	4	3.3	1	2	2	3	4	4	4	4
35-49	5	5.0	23	1	1	4	7	13	13	13
50-64	7	4.0	7	1	1	4	5	8	9	9
65 +	7	4.3	3	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	5.2	111	1	1	3	5	8	11	75
20-34	57	4.3	23	1	1	3	5	6	18	24
35-49	161	4.2	7	1	1	4	5	8	10	15
50-64	205	5.1	11	1	2	4	7	9	12	16
65 +	936	5.8	14	2	2	5	7	10	13	18
B. Operated										
0-19 YRS	13	6.3	16	1	1	6	9	13	13	13
20-34	25	6.1	15	2	3	5	8	12	14	18
35-49	79	6.9	38	2	2	5	8	13	17	38
50-64	133	8.1	29	2	3	7	10	15	21	26
65 +	399	8.5	33	3	4	7	10	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	3.0	4	1	1	3	4	5	7	10
B. Operated	27	4.0	6	1	2	3	5	7	10	13
2. MULTIPLE DX										
A. Not Operated	1426	5.4	18	1	2	5	7	10	12	18
B. Operated	649	8.1	32	2	3	7	10	15	20	31
1. SINGLE DX	115	3.2	5	1	1	3	4	6	8	11
2. MULTIPLE DX	2075	6.3	24	1	2	5	8	11	15	25
A. Not Operated	1514	5.3	18	1	2	4	7	10	12	17
B. Operated	676	7.9	32	2	3	7	10	15	20	31
TOTAL										
0-19 YRS	125	4.5	63	1	1	3	5	8	11	34
20-34	96	4.5	19	1	1	3	5	9	13	24
35-49	257	5.0	18	1	2	4	6	9	13	21
50-64	351	6.2	20	1	2	5	8	11	14	23
65 +	1361	6.5	21	2	2	5	8	12	15	25
GRAND TOTAL	**2190**	**6.1**	**24**	**1**	**2**	**5**	**8**	**11**	**15**	**24**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	895	4.2	9	1	1	3	5	8	10	16
20-34	710	5.8	20	1	2	5	7	10	13	25
35-49	146	5.6	13	2	2	5	7	9	11	23
50-64	6	5.7	3	4	4	5	6	9	9	9
65 +	4	4.0	3	2	2	4	5	6	6	6
B. Operated										
0-19 YRS	11	6.2	63	1	1	3	7	16	28	29
20-34	25	9.2	29	3	3	8	11	19	21	23
35-49	5	18.6	354	6	6	10	27	51	51	51
50-64	1	15.0		15	15	15	15	15	15	15
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	788	5.2	13	1	2	4	7	10	12	18
20-34	937	7.4	38	2	3	6	9	13	17	31
35-49	258	6.9	20	2	3	6	9	12	15	26
50-64	23	5.6	8	1	3	5	8	9	11	12
65 +	3	5.0	21	1	1	4	8	10	10	10
B. Operated										
0-19 YRS	25	11.8	44	3	3	10	15	21	26	28
20-34	94	15.0	111	3	5	12	19	29	39	49
35-49	29	12.0	59	4	4	10	16	24	26	32
50-64	4	5.8	40	1	1	3	9	15	15	15
65 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1761	4.9	15	1	2	4	6	9	11	19
B. Operated	42	9.7	80	2	2	7	10	19	25	51
2. MULTIPLE DX										
A. Not Operated	2009	6.5	27	2	2	5	8	12	15	25
B. Operated	153	13.6	91	3	4	11	17	26	35	45
1. SINGLE DX	1803	5.1	17	1	2	4	6	9	12	20
2. MULTIPLE DX	2162	7.0	34	2	2	5	9	13	17	29
A. Not Operated	3770	5.8	22	1	2	5	7	10	13	23
B. Operated	195	12.8	91	2	3	10	16	25	32	48
TOTAL										
0-19 YRS	1719	4.8	13	1	2	4	6	9	12	18
20-34	1766	7.2	39	2	2	6	9	13	17	35
35-49	438	6.9	27	2	3	6	8	12	17	26
50-64	34	5.9	12	1	3	5	8	10	14	15
65 +	8	4.8	9	1	1	4	6	9	10	10
GRAND TOTAL	**3965**	**6.1**	**27**	**1**	**2**	**5**	**8**	**11**	**15**	**26**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	2.5	6	< 1	< 1	2	3	6	8	14
20-34	29	3.8	12	1	1	3	5	9	12	15
35-49	20	2.9	5	< 1	1	2	4	6	8	9
50-64	37	2.2	3	< 1	1	2	3	4	5	8
65 +	71	3.7	21	< 1	1	2	4	8	12	26
B. Operated										
0-19 YRS	54	6.2	70	1	2	4	6	11	14	51
20-34	19	5.8	8	2	2	6	7	11	12	12
35-49	11	5.3	8	2	2	4	7	10	11	11
50-64	11	6.1	19	2	2	5	6	14	15	15
65 +	19	6.7	17	1	2	6	9	13	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	300	4.1	29	< 1	1	2	5	9	14	30
20-34	136	3.9	11	1	1	3	6	8	11	14
35-49	226	4.5	16	1	1	3	6	10	12	22
50-64	479	5.3	22	1	1	4	7	11	14	22
65 +	1544	5.5	29	1	1	4	7	11	14	26
B. Operated										
0-19 YRS	96	11.6	243	1	2	5	13	38	43	77
20-34	52	8.1	33	2	3	6	11	14	18	29
35-49	99	8.6	88	2	2	6	10	18	26	55
50-64	226	9.6	100	2	2	7	11	19	24	63
65 +	657	9.8	63	2	3	8	12	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	297	2.9	10	< 1	< 1	2	3	7	9	15
B. Operated	114	6.1	39	1	2	5	7	11	14	43
2. MULTIPLE DX										
A. Not Operated	2685	5.2	26	1	1	4	7	11	13	25
B. Operated	1130	9.8	86	2	3	7	11	19	26	46
1. SINGLE DX	411	3.8	20	< 1	1	2	5	8	11	19
2. MULTIPLE DX	3815	6.5	48	1	1	5	8	13	18	34
A. Not Operated	2982	4.9	25	1	1	4	6	10	13	25
B. Operated	1244	9.4	83	2	3	7	11	18	25	46
TOTAL										
0-19 YRS	590	5.1	71	< 1	1	3	5	11	15	48
20-34	236	5.0	19	1	1	4	7	11	13	20
35-49	356	5.6	39	1	1	4	7	12	15	27
50-64	753	6.4	49	1	1	5	8	13	18	32
65 +	2291	6.7	42	1	1	5	8	13	18	31
GRAND TOTAL	**4226**	**6.3**	**46**	**1**	**1**	**4**	**8**	**13**	**17**	**33**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	4.7	13	1	2	4	6	10	13	15
20-34	14	6.4	33	< 1	1	5	8	12	21	23
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	4	9.0	18	6	6	8	12	15	15	15
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	4.3	16	1	1	3	5	7	12	22
20-34	23	9.8	237	1	2	5	8	28	54	61
35-49	14	5.4	19	1	1	4	7	10	16	18
50-64	1	3.0		3	3	3	3	3	3	3
65 +	4	7.3	21	4	4	5	10	14	14	14
B. Operated										
0-19 YRS	4	4.8	7	2	2	5	7	7	7	7
20-34	3	12.3	72	6	6	9	19	22	22	22
35-49	3	16.7	89	6	6	20	23	24	24	24
50-64	1	14.0		14	14	14	14	14	14	14
65 +	3	20.0	972	2	2	2	43	56	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	5.1	18	1	1	4	6	11	13	23
B. Operated	5	9.4	14	6	6	9	12	15	15	15
2. MULTIPLE DX										
A. Not Operated	86	6.1	79	1	1	4	6	11	19	57
B. Operated	14	12.9	212	2	2	7	20	27	50	56
1. SINGLE DX	51	5.5	19	1	1	4	7	11	15	23
2. MULTIPLE DX	100	7.0	101	1	1	4	7	15	22	58
A. Not Operated	132	5.7	57	1	1	4	6	11	16	53
B. Operated	19	11.9	158	2	2	7	15	23	42	56
TOTAL										
0-19 YRS	77	4.5	14	1	1	3	5	10	12	20
20-34	44	8.8	139	1	1	6	9	22	31	61
35-49	21	6.6	40	1	2	4	7	19	22	24
50-64	2	8.5	61	3	3	8	14	14	14	14
65 +	7	12.7	381	2	2	5	12	48	56	56
GRAND TOTAL	**151**	**6.5**	**73**	**1**	**1**	**4**	**7**	**14**	**22**	**56**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	238	2.9	3	1	1	2	4	5	7	9
20-34	20	4.4	7	2	2	4	5	8	11	12
35-49	33	3.7	12	< 1	< 1	3	5	8	11	17
50-64	16	3.9	7	1	1	3	5	8	9	9
65 +	25	4.2	14	1	2	3	5	7	10	20
B. Operated										
0-19 YRS	137	4.2	8	1	1	4	5	7	10	15
20-34	33	4.6	4	2	2	4	5	8	9	9
35-49	29	8.3	39	2	3	5	12	18	21	26
50-64	33	6.2	8	2	3	6	7	10	12	13
65 +	27	7.2	32	1	1	6	10	15	18	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	624	4.8	24	1	1	3	6	9	13	25
20-34	165	5.4	26	1	1	4	7	11	13	22
35-49	227	5.6	19	1	2	5	7	10	13	26
50-64	409	5.8	15	1	1	5	7	11	14	19
65 +	706	7.1	25	1	2	6	9	13	17	25
B. Operated										
0-19 YRS	153	11.2	185	1	2	7	14	25	40	85
20-34	87	8.5	45	1	2	7	11	16	19	38
35-49	134	9.5	60	2	3	7	11	20	25	43
50-64	198	10.8	62	2	3	9	14	24	28	37
65 +	436	11.5	109	3	4	8	14	22	31	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	332	3.2	6	1	1	3	4	6	8	11
B. Operated	259	5.3	15	1	2	5	6	10	13	21
2. MULTIPLE DX										
A. Not Operated	2131	5.9	23	1	2	5	7	11	14	24
B. Operated	1008	10.8	100	2	3	8	13	21	29	57
1. SINGLE DX	591	4.1	11	1	1	3	5	8	10	18
2. MULTIPLE DX	3139	7.5	53	1	2	6	9	15	20	39
A, Not Operated	2463	5.5	22	1	1	4	7	11	14	23
B. Operated	1267	9.6	88	2	2	7	12	19	27	48
TOTAL										
0-19 YRS	1152	5.2	45	1	1	3	6	10	15	40
20-34	305	6.1	30	1	2	5	7	12	16	27
35-49	423	6.9	36	1	2	5	8	13	20	28
50-64	656	7.3	34	1	2	6	9	14	18	30
65 +	1194	8.6	61	2	2	7	11	16	22	41
GRAND TOTAL	**3730**	**6.9**	**48**	**1**	**2**	**5**	**8**	**14**	**19**	**37**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	455	1.8	1	1	1	2	2	3	4	6
20-34	108	1.8	1	1	1	2	2	3	4	6
35-49	26	1.8	1	< 1	1	2	2	3	4	4
50-64	3	3.0	3	2	2	2	4	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	215	3.0	1	2	2	3	4	4	5	7
20-34	79	3.4	2	1	2	3	4	5	7	8
35-49	10	3.3	1	2	2	3	4	5	5	5
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	319	2.2	2	1	1	2	3	4	5	7
20-34	60	2.5	2	1	1	2	3	5	5	6
35-49	23	3.6	5	< 1	1	3	5	7	8	8
50-64	11	3.5	3	1	1	4	5	6	7	7
65 +	6	2.7	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	159	3.9	4	2	2	3	5	7	8	10
20-34	68	4.8	6	2	2	4	6	8	9	16
35-49	8	5.8	7	3	3	5	7	10	11	11
50-64	3	6.3	4	4	4	7	8	8	8	8
65 +	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	593	1.8	1	1	1	2	2	3	4	6
B. Operated	306	3.1	2	2	2	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated	419	2.4	2	1	1	2	3	4	5	7
B. Operated	239	4.3	5	2	2	4	5	7	9	10
1. SINGLE DX	899	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	658	3.1	4	1	1	3	4	6	7	10
A. Not Operated	1012	2.0	2	1	1	2	2	4	4	7
B. Operated	545	3.6	3	2	2	3	4	6	7	10
TOTAL										
0-19 YRS	1148	2.4	2	1	1	2	3	4	5	8
20-34	315	3.0	4	1	1	3	4	5	7	9
35-49	67	3.1	4	1	1	3	4	6	7	10
50-64	19	3.9	4	1	2	4	5	7	8	8
65 +	8	2.[illegible]	3	1	1	2	4	5	5	5
GRAND TOTAL	**1557**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

8[illegible].ymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	164	3.9	5	1	1	3	5	7	8	12
20-34	12	3.4	3	1	1	3	4	6	7	7
35-49	5	1.8	1	< 1	< 1	1	3	3	3	3
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	35	5.3	18	1	1	5	7	8	13	21
20-34	23	2.0	2	< 1	1	2	2	4	5	6
35-49	15	1.9	2	< 1	1	2	2	4	5	6
50-64	6	2.3	4	1	1	2	3	6	6	6
65 +	3	4.7	16	1	1	4	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	151	4.0	3	2	2	4	5	7	8	9
20-34	15	3.6	4	< 1	1	4	5	7	8	8
35-49	5	4.4	1	3	3	4	5	6	6	6
50-64	4	5.5		5	5	5	6	6	6	6
65 +	4	8.8	30	3	3	8	12	16	16	16
B. Operated										
0-19 YRS	39	5.6	10	1	2	5	8	10	11	15
20-34	13	5.2	14	1	1	5	8	11	13	13
35-49	9	4.0	10	1	1	4	5	9	11	11
50-64	15	3.9	16	1	1	3	4	13	14	14
65 +	11	5.1	16	1	1	5	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	3.8	5	1	1	3	5	7	8	11
B. Operated	82	3.5	12	1	1	2	5	8	9	19
2. MULTIPLE DX										
A. Not Operated	179	4.1	4	1	2	4	5	7	8	10
B. Operated	87	5.0	12	1	1	4	7	11	12	15
1. SINGLE DX	265	3.7	7	1	1	3	5	7	8	13
2. MULTIPLE DX	266	4.4	7	1	2	4	5	8	10	14
A. Not Operated	362	4.0	4	1	2	4	5	7	8	10
B. Operated	169	4.3	13	1	1	3	6	9	11	15
TOTAL										
0-19 YRS	389	4.2	6	1	2	4	5	7	9	13
20-34	63	3.3	6	1	1	3	4	7	8	13
35-49	34	2.8	5	< 1	1	2	4	6	6	11
50-64	26	3.7	11	< 1	1	3	5	6	13	14
65 +	19	5.9	18	1	1	6	9	11	14	16
GRAND TOTAL	**531**	**4.1**	**7**	**1**	**1**	**4**	**5**	**7**	**9**	**13**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.9	14	< 1	< 1	2	7	10	10	10
20-34	13	14.5	189	1	3	11	15	31	50	55
35-49	8	10.3	53	2	2	9	16	21	22	22
50-64	14	7.0	78	1	2	2	11	18	29	32
65 +	30	11.3	117	1	2	8	17	20	36	50
B. Operated										
0-19 YRS	0									
20-34	2	43.5	3445	2	2	43	85	85	85	85
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	15.7	200	< 1	1	16	20	43	44	44
20-34	116	16.5	190	1	2	15	24	34	52	75
35-49	86	13.5	104	1	2	10	21	29	31	37
50-64	124	12.4	141	2	2	8	16	28	36	62
65 +	510	10.4	92	2	2	8	14	21	28	47
B. Operated										
0-19 YRS	0									
20-34	3	22.0	432	10	10	10	37	46	46	46
35-49	6	21.7	544	6	6	8	40	59	61	61
50-64	18	16.7	254	2	4	10	25	43	48	52
65 +	49	11.6	120	1	2	9	16	25	29	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	10.2	110	1	1	7	14	20	31	54
B. Operated	2	43.5	3445	2	2	43	85	85	85	85
2. MULTIPLE DX										
A. Not Operated	859	11.9	120	1	2	8	16	26	32	57
B. Operated	76	14.0	195	1	2	9	17	37	45	61
1. SINGLE DX	74	11.1	184	1	2	7	14	21	35	78
2. MULTIPLE DX	935	12.1	127	1	2	8	16	27	34	58
A. Not Operated	931	11.8	120	1	2	8	16	26	32	56
B. Operated	78	14.8	257	1	2	9	18	39	50	78
TOTAL										
0-19 YRS	30	13.0	180	< 1	1	10	19	36	44	44
20-34	134	16.8	226	1	2	14	23	36	53	87
35-49	100	13.8	125	1	2	10	21	29	31	50
50-64	156	12.4	151	2	2	8	16	32	37	59
65 +	589	10.5	95	2	2	8	14	21	28	50
GRAND TOTAL	**1009**	**12.0**	**131**	**1**	**2**	**8**	**16**	**26**	**35**	**58**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	2.0	14	< 1	1	1	2	3	4	26
20-34	56	4.8	53	1	1	2	5	12	15	41
35-49	25	4.2	20	1	1	3	5	11	15	19
50-64	25	7.9	51	1	2	6	10	17	24	31
65 +	143	11.2	105	1	2	8	14	26	35	43
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	6.5	13	4	4	6	9	9	9	9
65 +	2	10.0	98	3	3	10	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123	9.4	303	1	1	2	7	39	70	99 +
20-34	190	10.3	196	1	1	5	12	26	40	73
35-49	162	9.6	75	1	2	6	14	21	28	40
50-64	197	12.3	123	2	3	8	17	25	34	49
65 +	1635	9.7	64	2	3	7	12	19	24	41
B. Operated										
0-19 YRS	9	8.2	408	1	1	1	2	39	62	62
20-34	16	15.1	264	1	2	7	36	47	82	99 +
35-49	12	19.4	234	3	4	14	29	45	46	46
50-64	25	12.4	115	2	2	9	22	29	56	99 +
65 +	169	15.4	156	2	4	12	20	32	39	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	330	7.1	78	1	1	3	9	18	27	42
B. Operated	6	6.7	31	2	2	4	9	16	17	17
2. MULTIPLE DX										
A. Not Operated	2307	10.0	94	1	2	7	13	21	28	53
B. Operated	231	15.0	172	2	3	11	21	34	44	74
1. SINGLE DX	336	7.1	77	1	1	3	9	18	27	42
2. MULTIPLE DX	2538	10.4	103	1	2	7	13	21	30	59
A. Not Operated	2637	9.6	93	1	2	7	12	21	28	51
B. Operated	237	14.8	170	2	2	11	21	34	43	72
TOTAL										
0-19 YRS	214	6.5	207	1	1	1	3	21	49	99 +
20-34	262	9.4	175	1	1	4	10	26	40	74
35-49	200	9.5	85	1	2	6	14	21	29	44
50-64	249	11.8	115	2	3	8	16	25	33	49
65 +	1949	10.3	78	2	3	8	13	21	27	42
GRAND TOTAL	**2874**	**10.0**	**101**	**1**	**2**	**7**	**13**	**21**	**29**	**54**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	8	9.8	57	3	3	8	12	22	26	26
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	24	11.1	83	3	4	9	16	24	31	39
65 +	236	11.8	65	3	4	10	16	23	28	43
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	7	12.3	23	5	6	12	16	18	18	18
65 +	42	13.4	46	3	5	14	19	21	23	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	9.7	50	3	3	8	12	21	26	26
B. Operated	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	260	11.8	67	3	4	10	16	23	28	41
B. Operated	49	13.2	42	3	5	14	18	21	22	29
1. SINGLE DX	11	8.8	45	2	3	8	11	18	25	26
2. MULTIPLE DX	309	12.0	63	3	4	10	16	22	28	40
A. Not Operated	269	11.7	66	3	4	10	16	23	28	41
B. Operated	51	12.9	43	2	5	14	18	21	22	29
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	33	11.0	67	2	3	10	16	19	27	39
65 +	287	12.0	62	3	4	10	16	22	28	40
GRAND TOTAL	**320**	**11.9**	**63**	**3**	**4**	**10**	**16**	**22**	**28**	**40**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	50	2.6	2	< 1	< 1	2	3	5	6	8
35-49	75	4.0	12	1	2	3	5	7	9	22
50-64	20	3.8	5	< 1	1	3	5	7	8	8
65 +	9	4.1	7	2	2	3	8	54	99 +	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	6.7	73	1	2	3	5	23	24	32
20-34	692	6.1	48	1	2	3	6	19	23	29
35-49	971	6.3	48	2	2	3	6	15	24	31
50-64	537	7.0	55	2	2	4	8	16	24	34
65 +	221	9.3	69	2	3	7	11	21	28	38
B. Operated										
0-19 YRS	0									
20-34	8	15.5	93	1	2	17	23	26	27	27
35-49	32	9.3	53	2	2	7	13	20	25	30
50-64	42	16.9	246	3	4	10	23	40	49	72
65 +	25	19.7	310	3	4	13	25	56	58	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	3.5	8	1	1	3	4	7	8	23
B. Operated	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	2450	6.7	52	2	2	4	7	18	24	31
B. Operated	107	15.2	203	2	4	10	21	33	48	67
1. SINGLE DX	159	3.6	8	1	1	3	4	7	8	23
2. MULTIPLE DX	2557	7.0	61	2	2	4	7	19	26	34
A. Not Operated	2608	6.5	50	1	2	3	7	17	24	31
B. Operated	108	15.1	202	2	4	10	20	33	47	67
TOTAL										
0-19 YRS	33	6.2	67	1	1	3	4	22	23	32
20-34	750	5.9	47	1	2	3	5	18	23	29
35-49	1078	6.2	46	2	2	3	6	15	24	31
50-64	599	7.6	73	2	2	4	8	19	28	41
65 +	256	10.2	100	2	3	7	12	24	32	56
GRAND TOTAL	**2716**	**6.8**	**59**	**2**	**2**	**4**	**7**	**18**	**25**	**34**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	8.1	194	< 1	1	3	5	19	45	54
20-34	42	4.7	24	1	1	3	5	9	19	21
35-49	10	8.9	121	2	2	4	8	29	30	30
50-64	6	5.2	27	< 1	< 1	3	9	13	14	14
65 +	5	10.2	97	1	1	7	19	23	23	23
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	1	21.0		21	21	21	21	21	21	21
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	8.2	110	1	1	4	7	22	32	52
20-34	556	4.7	37	1	2	3	4	9	17	33
35-49	351	4.5	34	1	2	3	4	7	11	37
50-64	135	5.6	27	1	2	4	6	12	16	25
65 +	242	7.3	37	2	2	6	9	14	19	32
B. Operated										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	5	6.2	52	2	2	3	8	19	19	19
35-49	7	10.3	41	3	3	10	16	19	19	19
50-64	3	19.0	93	8	8	23	25	26	26	26
65 +	23	10.0	59	1	1	8	15	22	26	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	6.3	73	1	1	3	5	19	22	47
B. Operated	2	11.5	181	2	2	11	21	21	21	21
2. MULTIPLE DX										
A. Not Operated	1335	5.3	39	1	2	3	5	11	17	33
B. Operated	39	10.6	66	1	2	8	17	24	26	27
1. SINGLE DX	80	6.4	74	1	1	3	6	19	22	47
2. MULTIPLE DX	1374	5.5	40	1	2	3	5	11	19	33
A. Not Operated	1413	5.4	40	1	2	3	5	11	19	33
B. Operated	41	10.7	67	1	2	8	18	24	26	27
TOTAL										
0-19 YRS	58	8.4	131	1	1	4	7	23	33	54
20-34	613	4.7	36	1	2	3	4	9	18	31
35-49	368	4.7	37	1	2	3	4	8	14	36
50-64	145	6.0	32	1	2	4	7	15	20	26
65 +	270	7.6	40	1	2	6	9	15	21	31
GRAND TOTAL	**1454**	**5.5**	**42**	**1**	**2**	**3**	**5**	**11**	**19**	**33**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	18.2	133	3	5	16	27	31	36	56
20-34	754	16.3	179	2	3	13	21	33	46	63
35-49	447	15.3	129	2	4	13	21	31	40	58
50-64	173	15.7	133	2	3	14	22	30	39	54
65 +	39	16.9	119	3	5	15	25	35	42	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	32.0	1651	1	1	17	63	78	78	78
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	30.1	473	3	8	26	46	91	99 +	99 +
20-34	738	17.4	184	3	4	14	23	35	45	69
35-49	590	16.3	118	4	4	14	21	31	38	49
50-64	304	18.5	154	4	5	16	25	33	41	67
65 +	137	19.5	150	5	7	17	26	36	44	61
B. Operated										
0-19 YRS	0									
20-34	19	21.8	229	5	8	17	28	35	55	72
35-49	22	22.8	147	5	7	22	31	37	46	51
50-64	13	24.1	208	10	12	19	32	44	59	62
65 +	6	14.8	60	6	6	14	20	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1456	16.0	155	2	4	13	21	32	42	63
B. Operated	4	27.3	1191	1	1	15	47	78	78	78
2. MULTIPLE DX										
A. Not Operated	1812	17.6	166	3	5	15	23	34	43	70
B. Operated	60	22.0	176	6	8	18	30	35	46	71
1. SINGLE DX	1460	16.0	158	2	4	13	21	32	43	63
2. MULTIPLE DX	1872	17.8	167	3	5	15	24	34	43	70
A. Not Operated	3268	16.9	162	3	4	14	22	33	43	66
B. Operated	64	22.3	223	5	8	18	30	36	54	77
TOTAL										
0-19 YRS	86	24.2	335	3	6	22	33	50	93	99 +
20-34	1511	16.9	182	2	4	14	22	34	45	68
35-49	1062	16.0	128	3	4	14	21	31	39	56
50-64	491	17.7	150	3	5	15	24	33	40	63
65 +	182	18.8	141	4	7	16	25	36	43	65
GRAND TOTAL	**3332**	**17.0**	**164**	**3**	**4**	**14**	**22**	**33**	**43**	**67**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	16.3	78	3	5	17	27	86	99 +	99 +
20-34	32	13.9	85	1	5	11	19	26	31	43
35-49	9	14.0	167	< 1	2	10	18	35	44	44
50-64	2	15.0	8	13	13	15	17	17	17	17
65 +	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	44.2	501	14	15	45	62	74	79	79
20-34	34	20.0	248	4	5	14	29	49	50	55
35-49	13	17.4	121	2	5	14	25	35	37	37
50-64	19	14.3	134	1	3	12	17	23	41	55
65 +	4	11.5	16	6	6	12	14	15	15	15
B. Operated										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	0									
50-64	1	30.0		30	30	30	30	30	30	30
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	14.3	90	1	4	12	20	29	42	99
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	81	21.1	306	4	6	15	28	49	58	76
B. Operated	2	21.5	145	13	13	21	30	30	30	30
1. SINGLE DX	50	14.3	90	1	4	12	20	29	42	99
2. MULTIPLE DX	83	21.1	300	4	6	15	29	49	57	76
A. Not Operated	131	18.5	233	3	5	14	23	43	54	83
B. Operated	2	21.5	145	13	13	21	30	30	30	30
TOTAL										
0-19 YRS	17	34.4	526	7	13	33	61	76	92	99 +
20-34	67	17.0	174	4	5	13	22	42	49	54
35-49	22	16.0	136	1	3	13	23	35	40	44
50-64	22	15.0	127	2	5	14	18	26	40	55
65 +	5	11.8	13	6	6	13	14	15	15	15
GRAND TOTAL	**133**	**18.5**	**231**	**3**	**5**	**14**	**23**	**43**	**54**	**82**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	21.6	269	4	5	19	30	43	65	99 +
20-34	1127	15.5	185	1	3	12	20	34	43	73
35-49	679	15.3	165	2	3	13	21	31	42	64
50-64	250	17.9	205	3	4	14	25	35	47	73
65 +	61	20.1	217	3	6	18	23	45	49	71
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	0									
35-49	0									
50-64	1	23.0		23	23	23	23	23	23	23
65 +	1	53.0		53	53	53	53	53	53	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	135	25.1	469	3	4	20	38	72	99	99 +
20-34	1543	16.8	156	2	4	14	22	33	41	59
35-49	1181	17.1	173	3	4	14	22	33	44	71
50-64	637	18.0	161	3	5	15	23	35	44	62
65 +	239	17.4	153	3	5	14	23	34	39	60
B. Operated										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	55	25.3	287	8	9	21	35	51	61	99 +
35-49	67	27.5	266	10	13	22	35	50	67	97
50-64	44	24.7	297	5	9	20	31	50	63	77
65 +	16	21.5	84	10	12	21	27	30	41	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2240	16.2	189	2	3	13	21	34	44	72
B. Operated	3	29.0	468	11	11	23	45	53	53	53
2. MULTIPLE DX										
A. Not Operated	3735	17.5	175	3	4	14	23	34	44	71
B. Operated	183	25.7	264	8	10	21	33	50	63	97
1. SINGLE DX	2243	16.2	190	2	3	13	21	34	44	72
2. MULTIPLE DX	3918	17.9	182	3	4	15	23	35	45	74
A. Not Operated	5975	17.0	181	2	4	14	22	34	44	72
B. Operated	186	25.8	265	8	10	21	33	50	63	97
TOTAL										
0-19 YRS	260	23.5	374	3	5	19	34	55	92	99 +
20-34	2725	16.4	172	2	4	13	22	33	42	63
35-49	1927	16.9	178	2	4	14	22	33	44	70
50-64	932	18.3	181	3	5	15	24	36	45	69
65 +	317	18.3	166	3	5	16	23	35	46	60
GRAND TOTAL	**6161**	**17.2**	**186**	**2**	**4**	**14**	**23**	**35**	**45**	**73**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	27.5	474	< 1	< 1	30	45	52	60	62
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	34.3	637	1	3	36	51	83	91	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	53.0	8	51	51	55	89	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	27.5	474	< 1	< 1	30	45	52	60	62
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	58	34.3	637	1	3	36	51	83	91	99 +
B. Operated	2	53.0	8	51	51	55	89	99 +	99 +	99 +
1. SINGLE DX	13	27.5	474	< 1	< 1	30	45	52	60	62
2. MULTIPLE DX	60	34.9	627	2	4	39	53	87	95	99 +
A. Not Operated	71	33.1	607	1	2	35	48	75	89	99 +
B. Operated	2	53.0	8	51	51	55	89	99 +	99 +	99 +
TOTAL										
0-19 YRS	73	33.6	601	1	2	37	51	78	91	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**73**	**33.6**	**601**	**1**	**2**	**37**	**51**	**78**	**91**	**99 +**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	308	21.2	394	1	3	14	32	53	65	92
20-34	1181	13.1	143	1	2	10	18	28	37	54
35-49	1097	13.7	131	2	3	11	18	29	35	58
50-64	622	15.9	143	2	3	14	21	30	41	57
65 +	460	20.3	195	3	5	18	28	40	48	67
B. Operated										
0-19 YRS	0									
20-34	4	12.8	16	7	7	14	15	16	16	16
35-49	10	19.8	371	4	6	13	24	50	70	70
50-64	5	19.0	41	13	13	17	24	28	28	28
65 +	5	25.8	295	7	7	33	39	44	44	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	893	25.5	426	2	4	21	39	59	74	99 +
20-34	2688	14.5	127	2	3	12	20	29	36	56
35-49	2935	15.0	119	3	4	13	20	29	35	55
50-64	1869	15.8	140	3	5	14	22	31	39	65
65 +	2132	19.0	171	3	6	16	25	36	46	66
B. Operated										
0-19 YRS	19	28.5	166	7	12	32	42	71	99 +	99 +
20-34	105	24.1	265	3	7	20	31	47	62	71
35-49	163	21.2	163	6	9	19	27	36	49	69
50-64	135	22.1	140	7	9	21	28	39	47	67
65 +	156	25.5	222	7	9	22	34	47	55	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3668	15.3	175	2	3	12	21	32	42	65
B. Operated	24	19.7	222	6	7	14	26	38	52	70
2. MULTIPLE DX										
A. Not Operated	10517	16.9	171	3	4	14	22	33	43	69
B. Operated	578	23.3	195	6	9	21	30	42	53	74
1. SINGLE DX	3692	15.4	176	2	3	12	21	32	42	65
2. MULTIPLE DX	11095	17.2	174	3	4	14	23	34	43	70
A. Not Operated	14185	16.5	172	2	4	14	22	33	43	68
B. Operated	602	23.2	196	6	8	20	29	42	53	73
TOTAL										
0-19 YRS	1220	24.5	417	2	4	20	37	58	73	99 +
20-34	3978	14.4	138	2	3	12	20	29	37	59
35-49	4205	14.9	126	2	4	13	20	29	36	57
50-64	2631	16.9	142	3	5	14	22	31	40	62
65 +	2753	19.6	181	3	6	17	26	38	47	66
GRAND TOTAL	**14787**	**16.8**	**175**	**2**	**4**	**14**	**22**	**34**	**43**	**69**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	139	19.1	296	2	3	14	25	44	58	95
20-34	636	14.8	135	2	3	13	20	30	37	55
35-49	706	14.7	136	2	3	12	19	29	38	55
50-64	311	15.1	105	2	4	13	21	28	35	47
65 +	136	19.2	149	3	6	18	27	34	43	60
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	14.5	34	6	6	16	18	19	19	19
50-64	1	62.0		62	62	62	62	62	62	62
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	280	27.4	461	3	6	23	41	63	77	99 +
20-34	1098	16.9	163	2	4	14	22	36	44	60
35-49	1127	15.9	123	3	4	14	21	30	37	51
50-64	720	18.7	156	4	5	16	26	36	42	59
65 +	503	19.7	170	4	7	17	25	38	45	61
B. Operated										
0-19 YRS	9	30.4	361	1	5	35	40	55	63	63
20-34	50	24.3	314	6	7	20	29	47	58	87
35-49	55	22.8	194	6	8	22	29	34	41	83
50-64	48	25.2	239	7	9	22	28	56	63	99 +
65 +	40	23.4	260	6	8	19	27	52	63	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1928	15.5	145	2	3	13	20	30	39	60
B. Operated	6	20.8	441	5	5	16	19	58	62	62
2. MULTIPLE DX										
A. Not Operated	3728	18.1	181	3	5	15	24	36	44	70
B. Operated	202	24.2	252	6	8	21	29	47	62	85
1. SINGLE DX	1934	15.5	146	2	3	13	20	30	39	62
2. MULTIPLE DX	3930	18.4	187	3	5	15	24	36	45	71
A. Not Operated	5656	17.2	171	2	4	14	22	34	43	68
B. Operated	208	24.1	256	6	8	21	29	47	62	85
TOTAL										
0-19 YRS	428	24.8	420	2	5	19	35	58	73	99 +
20-34	1785	16.4	160	2	4	13	21	34	42	61
35-49	1892	15.7	131	2	4	13	21	30	37	54
50-64	1080	18.0	151	3	5	15	24	35	42	61
65 +	679	19.8	172	4	6	17	26	38	46	63
GRAND TOTAL	**5864**	**17.5**	**175**	**2**	**4**	**14**	**23**	**35**	**43**	**69**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	14.2	349	< 1	1	7	20	30	42	96
20-34	218	10.7	81	1	2	8	14	24	28	36
35-49	157	9.6	65	1	2	8	13	19	27	39
50-64	84	10.7	76	1	2	8	15	22	27	47
65 +	64	10.2	71	1	2	9	14	21	28	45
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	36.0		36	36	36	36	36	36	36
50-64	0									
65 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116	17.9	257	1	2	14	24	43	57	64
20-34	439	13.2	143	2	3	10	17	26	36	63
35-49	341	12.9	93	1	2	10	19	28	31	40
50-64	310	11.9	95	2	3	10	[illegible]	23	27	48
65 +	672	10.8	85	2	3	8	15	22	27	46
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	17.1	162	1	3	14	25	36	41	41
35-49	15	13.4	60	1	3	15	18	22	28	30
50-64	10	11.2	66	1	2	9	18	23	27	27
65 +	49	12.7	152	2	3	9	14	24	52	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	584	10.7	103	1	2	8	14	23	29	42
B. Operated	3	15.0	331	4	4	5	28	36	36	36
2. MULTIPLE DX										
A. Not Operated	1878	12.4	115	2	3	10	17	25	31	58
B. Operated	84	13.0	124	1	3	10	17	25	35	55
1. SINGLE DX	587	10.7	104	1	2	8	14	23	29	42
2. MULTIPLE DX	1962	12.4	115	2	3	10	17	25	31	58
A. Not Operated	2462	12.0	113	1	2	9	16	25	30	55
B. Operated	87	13.1	128	1	3	10	17	26	37	55
TOTAL										
0-19 YRS	178	16.6	290	1	1	12	22	42	52	85
20-34	666	12.4	124	1	2	9	17	25	32	62
35-49	514	11.9	87	1	2	10	16	27	31	39
50-64	404	11.7	90	2	2	9	15	23	27	48
65 +	787	10.9	88	2	3	8	15	22	27	51
GRAND TOTAL	**2549**	**12.0**	**113**	**1**	**2**	**9**	**16**	**25**	**30**	**55**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	17.2	313	2	2	7	33	42	49	58
20-34	89	6.7	62	1	1	3	8	19	25	34
35-49	96	6.1	59	< 1	1	3	7	16	22	38
50-64	66	6.0	28	1	1	4	8	13	18	25
65 +	28	6.1	39	1	1	3	9	18	19	21
B. Operated										
0-19 YRS	0									
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	14.7	428	1	1	5	20	44	57	96
20-34	300	7.7	61	1	1	5	11	17	21	38
35-49	362	7.5	64	1	1	4	10	18	22	37
50-64	265	6.7	81	1	1	4	9	15	20	54
65 +	277	6.2	46	1	1	4	7	14	18	28
B. Operated										
0-19 YRS	3	8.7	116	1	1	4	17	21	21	21
20-34	11	9.0	53	2	3	7	10	19	28	29
35-49	23	8.7	47	1	3	6	13	15	22	33
50-64	11	5.8	31	1	1	4	7	13	20	21
65 +	25	10.8	65	2	3	8	15	22	28	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	307	7.3	83	1	1	4	8	20	27	42
B. Operated	5	3.6	4	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	1269	7.5	84	1	1	4	10	17	22	47
B. Operated	73	9.0	54	1	2	6	13	21	26	33
1. SINGLE DX	312	7.2	82	1	1	4	8	19	27	42
2. MULTIPLE DX	1342	7.6	83	1	1	4	10	17	22	45
A. Not Operated	1576	7.4	84	1	1	4	10	17	22	45
B. Operated	78	8.7	52	1	2	6	13	19	25	32
TOTAL										
0-19 YRS	96	15.2	383	1	1	5	22	43	53	95
20-34	403	7.5	60	1	1	5	10	17	21	34
35-49	483	7.3	62	1	1	4	10	18	22	37
50-64	342	6.5	69	1	1	4	8	14	20	35
65 +	330	6.5	48	1	1	4	8	15	20	29
GRAND TOTAL	**1654**	**7.5**	**82**	**1**	**1**	**4**	**10**	**17**	**22**	**45**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	253	22.3	335	2	3	17	36	44	57	86
20-34	295	8.1	52	1	2	6	11	17	21	36
35-49	192	9.5	64	1	2	8	13	20	27	35
50-64	62	9.0	58	1	1	7	14	19	23	36
65 +	37	12.1	127	1	2	8	14	28	39	46
B. Operated										
0-19 YRS	0									
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	36.0		36	36	36	36	36	36	36
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	632	26.1	419	2	4	21	41	58	72	99 +
20-34	1009	10.9	83	1	2	8	15	23	29	42
35-49	779	10.7	70	2	2	9	14	22	28	42
50-64	340	11.0	94	2	3	8	14	22	29	43
65 +	294	11.2	100	1	2	8	15	22	29	45
B. Operated										
0-19 YRS	18	30.9	728	4	5	39	53	98	99 +	99 +
20-34	35	11.4	67	1	1	10	20	23	25	27
35-49	30	15.8	47	7	7	15	21	24	26	33
50-64	18	19.8	98	6	7	19	25	29	41	48
65 +	15	15.7	110	5	7	12	21	37	38	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	839	13.0	182	1	2	8	16	34	41	63
B. Operated	4	16.0	209	4	4	12	26	36	36	36
2. MULTIPLE DX										
A. Not Operated	3054	14.0	190	2	3	10	18	31	43	77
B. Operated	116	17.4	209	2	4	14	23	39	47	99 +
1. SINGLE DX	843	13.0	182	1	2	8	16	34	41	63
2. MULTIPLE DX	3170	14.1	191	2	3	10	19	31	43	79
A. Not Operated	3893	13.8	188	2	2	9	18	32	42	73
B. Operated	120	17.4	207	2	4	14	23	38	47	99 +
TOTAL										
0-19 YRS	903	25.1	404	2	4	21	40	56	70	99 +
20-34	1341	10.3	77	1	2	8	14	22	28	41
35-49	1002	10.7	69	1	2	9	14	22	27	41
50-64	421	11.1	94	2	3	8	15	22	29	44
65 +	346	11.5	104	2	2	8	15	23	30	46
GRAND TOTAL	**4013**	**13.9**	**189**	**2**	**2**	**9**	**18**	**32**	**43**	**74**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	168	12.8	290	1	1	5	16	37	52	77
20-34	274	8.5	94	< 1	1	5	12	20	30	44
35-49	120	9.2	92	< 1	1	6	14	18	27	48
50-64	42	6.9	63	< 1	< 1	4	9	15	29	34
65 +	20	7.5	49	1	1	5	11	17	24	27
B. Operated										
0-19 YRS	3	13.0	208	1	1	9	24	29	29	29
20-34	14	8.3	38	< 1	< 1	7	14	16	16	16
35-49	19	6.0	28	< 1	1	6	9	15	17	17
50-64	14	2.9	2	1	1	3	4	5	5	5
65 +	4	3.5	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	340	15.8	391	1	2	8	24	45	90	99 +
20-34	662	10.3	123	1	1	6	14	23	31	63
35-49	415	9.8	117	1	1	6	13	23	35	55
50-64	146	8.7	79	1	2	6	12	22	26	41
65 +	132	10.0	96	2	2	6	15	24	30	42
B. Operated										
0-19 YRS	13	19.0	343	< 1	1	11	32	49	53	54
20-34	41	17.4	263	2	3	14	23	34	47	87
35-49	30	11.0	140	1	2	7	12	23	32	60
50-64	25	10.0	92	2	2	4	16	27	31	32
65 +	15	10.3	67	2	2	7	15	20	27	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	624	9.7	146	1	1	5	13	22	35	59
B. Operated	54	6.0	34	< 1	1	4	8	16	16	29
2. MULTIPLE DX										
A. Not Operated	1695	11.1	175	1	2	6	15	27	39	92
B. Operated	124	13.7	191	1	2	9	19	30	40	67
1. SINGLE DX	678	9.4	138	1	1	5	12	21	34	56
2. MULTIPLE DX	1819	11.3	176	1	2	7	15	27	40	91
A. Not Operated	2319	10.7	168	1	1	6	14	27	38	83
B. Operated	178	11.3	156	1	1	7	16	27	32	58
TOTAL										
0-19 YRS	524	14.9	357	1	2	7	20	43	68	99 +
20-34	991	10.1	123	1	1	6	14	23	31	60
35-49	584	9.6	110	1	1	6	13	22	32	54
50-64	227	8.2	75	1	2	5	11	21	27	36
65 +	171	9.6	86	2	2	6	13	22	29	36
GRAND TOTAL	**2497**	**10.8**	**167**	**1**	**1**	**6**	**14**	**27**	**38**	**81**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	102	10.8	217	< 1	< 1	3	19	31	43	69
20-34	1041	8.9	96	1	1	4	18	25	28	31
35-49	1007	9.0	96	1	2	4	17	27	28	32
50-64	377	9.5	97	1	2	4	18	26	29	32
65 +	56	8.8	93	1	1	4	17	26	29	33
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	16.0	288	4	4	16	28	28	28	28
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1124	25.5	231	2	4	27	35	43	47	75
20-34	5408	15.2	114	1	2	18	24	29	30	34
35-49	4742	13.4	113	2	2	10	23	28	30	33
50-64	2152	13.1	115	2	2	8	23	28	30	34
65 +	774	13.2	111	2	2	10	22	29	31	36
B. Operated										
0-19 YRS	18	24.5	433	1	2	23	30	41	74	92
20-34	103	19.8	100	2	3	22	27	30	35	39
35-49	122	17.2	103	2	3	20	26	29	30	37
50-64	83	16.3	133	3	4	14	24	29	34	57
65 +	38	19.1	129	2	4	19	27	33	39	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2583	9.1	101	1	1	4	18	26	28	32
B. Operated	2	16.0	288	4	4	16	28	28	28	28
2. MULTIPLE DX										
A. Not Operated	14200	15.0	133	2	2	14	25	29	31	43
B. Operated	364	18.3	130	2	3	21	27	29	34	46
1. SINGLE DX	2585	9.1	101	1	1	4	18	26	28	32
2. MULTIPLE DX	14564	15.1	133	2	2	14	25	29	31	43
A. Not Operated	16783	14.1	133	1	2	10	24	29	31	42
B. Operated	366	18.2	130	2	3	21	27	29	34	46
TOTAL										
0-19 YRS	1244	24.3	249	1	3	26	34	43	46	75
20-34	6552	14.3	117	1	2	14	24	28	30	33
35-49	5873	12.8	113	1	2	7	23	28	30	33
50-64	2612	12.7	115	2	2	7	22	28	30	34
65 +	868	13.2	113	2	2	10	22	29	31	37
GRAND TOTAL	**17149**	**14.2**	**133**	**1**	**2**	**11**	**24**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	15.0	532	2	2	4	20	56	65	65
20-34	208	7.2	60	2	2	4	7	21	24	35
35-49	119	8.1	63	2	2	4	10	21	25	30
50-64	14	5.6	41	3	3	4	4	12	24	27
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	22.7	312	1	1	23	30	54	59	61
20-34	598	11.1	99	2	2	6	21	26	30	37
35-49	428	11.2	86	2	3	6	20	25	28	34
50-64	43	14.4	109	2	3	14	23	29	32	34
65 +	15	17.3	122	3	5	20	27	34	35	35
B. Operated										
0-19 YRS	0									
20-34	13	15.7	111	2	4	13	24	31	33	33
35-49	13	12.8	96	3	3	8	22	26	27	27
50-64	3	22.0	43	15	15	23	27	28	28	28
65 +	1	29.0		29	29	29	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350	7.6	71	2	2	4	8	21	26	35
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1100	11.5	100	2	2	6	21	27	30	36
B. Operated	30	15.5	102	3	3	15	24	28	31	33
1. SINGLE DX	350	7.6	71	2	2	4	8	21	26	35
2. MULTIPLE DX	1130	11.6	100	2	2	6	21	27	30	36
A. Not Operated	1450	10.6	96	2	2	5	20	26	29	35
B. Operated	30	15.5	102	3	3	15	24	28	31	33
TOTAL										
0-19 YRS	24	20.1	379	1	2	17	30	56	62	65
20-34	819	10.2	92	2	2	5	20	25	29	36
35-49	560	10.6	83	2	3	5	20	24	28	34
50-64	60	12.7	106	2	3	8	21	28	30	34
65 +	17	17.1	128	2	3	20	28	33	35	35
GRAND TOTAL	**1480**	**10.7**	**96**	**2**	**2**	**5**	**20**	**26**	**29**	**35**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	16.8	310	2	2	10	30	45	46	74
20-34	732	9.9	81	2	2	5	19	24	27	30
35-49	173	11.5	87	2	3	7	21	24	27	33
50-64	11	7.6	41	2	2	5	10	18	22	22
65 +	5	13.4	183	2	2	6	25	33	33	33
B. Operated										
0-19 YRS	0									
20-34	1	21.0		21	21	21	21	21	21	21
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	555	25.5	252	2	5	26	35	44	52	75
20-34	2907	14.7	96	2	3	15	22	28	29	33
35-49	919	15.1	96	2	3	17	22	28	29	35
50-64	116	16.3	102	3	3	15	25	28	31	41
65 +	51	18.0	128	3	4	17	28	30	35	50
B. Operated										
0-19 YRS	10	37.2	483	10	14	34	45	68	90	90
20-34	50	18.6	90	4	5	21	26	29	31	36
35-49	25	16.8	68	4	4	21	23	29	44	99 +
50-64	6	24.5	23	20	20	23	30	30	30	30
65 +	2	29.5	1	29	29	29	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	999	10.7	103	2	2	5	21	24	29	43
B. Operated	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated	4548	16.2	127	2	3	17	23	29	32	48
B. Operated	93	20.7	153	4	5	21	28	32	41	96
1. SINGLE DX	1000	10.7	103	2	2	5	21	24	29	43
2. MULTIPLE DX	4641	16.3	128	2	3	18	24	29	32	48
A. Not Operated	5547	15.2	127	2	3	14	23	29	31	46
B. Operated	94	20.7	151	4	5	21	28	32	40	95
TOTAL										
0-19 YRS	643	24.6	272	2	3	25	35	44	51	79
20-34	3690	13.8	97	2	3	13	22	28	29	33
35-49	1117	14.6	95	2	3	14	22	28	29	35
50-64	133	15.9	102	3	3	15	24	28	30	41
65 +	58	18.0	131	3	4	18	28	31	34	49
GRAND TOTAL	**5641**	**15.3**	**128**	**2**	**3**	**14**	**23**	**29**	**32**	**46**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	180	1.5	3	< 1	< 1	1	1	2	3	11
20-34	146	2.1	15	< 1	< 1	1	1	3	5	22
35-49	75	2.7	23	< 1	< 1	1	2	4	9	29
50-64	20	2.7	10	< 1	< 1	2	3	6	10	14
65 +	11	4.6	45	< 1	< 1	2	4	18	20	20
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	242	6.4	114	< 1	< 1	2	6	24	32	52
20-34	410	7.0	88	< 1	1	2	8	27	30	33
35-49	239	6.6	66	< 1	1	3	7	20	29	32
50-64	108	5.4	41	< 1	1	4	6	10	20	34
65 +	59	5.7	53	< 1	1	3	6	18	23	35
B. Operated										
0-19 YRS	6	1.8	3	< 1	< 1	1	2	5	5	5
20-34	11	5.0	80	< 1	< 1	1	4	19	29	30
35-49	10	11.1	140	< 1	1	4	25	29	30	30
50-64	5	4.4	13	1	1	4	7	9	9	9
65 +	3	13.3	74	4	4	15	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	432	2.0	12	< 1	< 1	1	2	3	5	21
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1058	6.5	82	< 1	1	2	7	21	29	36
B. Operated	35	6.8	82	< 1	< 1	2	8	25	29	30
1. SINGLE DX	432	2.0	12	< 1	< 1	1	2	3	5	21
2. MULTIPLE DX	1093	6.5	82	< 1	< 1	2	7	21	29	36
A. Not Operated	1490	5.2	66	< 1	< 1	2	5	16	28	34
B. Operated	35	6.8	82	< 1	< 1	2	8	25	29	30
TOTAL										
0-19 YRS	428	4.3	72	< 1	< 1	1	3	9	27	46
20-34	567	5.7	74	< 1	< 1	2	5	21	29	32
35-49	324	5.8	61	< 1	1	3	5	17	28	32
50-64	133	4.9	36	< 1	1	3	6	10	14	34
65 +	73	5.8	54	< 1	1	3	6	18	21	34
GRAND TOTAL	**1525**	**5.3**	**67**	**< 1**	**< 1**	**2**	**5**	**16**	**28**	**34**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	7.3	101	1	1	2	9	23	30	41
20-34	185	8.0	81	< 1	1	3	12	24	26	33
35-49	27	9.3	111	< 1	1	3	10	26	32	38
50-64	0									
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	19.0	437	1	1	11	27	54	64	99
20-34	658	11.7	111	1	2	6	22	28	30	35
35-49	202	13.1	101	1	2	10	22	27	29	32
50-64	32	11.9	152	1	2	7	16	27	36	56
65 +	14	12.2	197	1	1	8	15	24	49	56
B. Operated										
0-19 YRS	3	30.3	562	4	4	37	47	50	50	50
20-34	18	19.3	95	3	4	22	27	29	32	34
35-49	12	14.0	99	1	1	14	21	27	30	30
50-64	2	11.5	25	8	8	11	15	15	15	15
65 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	8.0	86	< 1	1	3	12	24	27	38
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	1026	12.9	154	1	2	7	22	28	32	58
B. Operated	36	17.8	134	1	2	19	26	30	36	50
1. SINGLE DX	249	8.0	86	< 1	1	3	11	24	27	38
2. MULTIPLE DX	1062	13.0	154	1	2	8	22	28	32	57
A. Not Operated	1274	11.9	144	1	1	6	21	28	31	56
B. Operated	37	17.3	138	1	2	19	25	30	36	50
TOTAL										
0-19 YRS	157	16.7	389	1	1	8	26	50	59	96
20-34	861	11.1	108	1	1	5	21	27	30	35
35-49	242	12.7	103	1	2	9	21	27	29	32
50-64	34	11.9	144	1	2	8	16	26	35	56
65 +	17	10.9	171	1	1	7	13	21	44	56
GRAND TOTAL	**1311**	**12.1**	**145**	**1**	**1**	**6**	**21**	**28**	**31**	**56**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	4.9	49	1	1	3	5	11	24	29
20-34	15	2.3	2	< 1	1	2	3	4	6	6
35-49	10	6.0	70	< 1	< 1	2	7	19	28	28
50-64	7	4.6	67	< 1	< 1	1	3	19	23	23
65 +	3	2.7	4	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	2	3.0	8	< 1	< 1	2	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	10.0	298	1	1	4	9	44	65	99 +
20-34	70	4.4	17	< 1	1	3	5	10	15	19
35-49	77	5.8	56	1	1	3	7	12	22	41
50-64	91	5.4	42	1	1	3	5	11	20	36
65 +	89	4.6	14	1	2	4	5	8	10	22
B. Operated										
0-19 YRS	3	6.3	4	4	4	7	8	8	8	8
20-34	3	8.0	21	3	3	9	11	12	12	12
35-49	11	7.5	38	1	1	8	10	16	21	22
50-64	9	6.9	12	2	3	6	7	12	15	15
65 +	6	3.5	4	1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	4.2	38	<.1	1	2	4	9	22	29
B. Operated	6	3.5	6	< 1	< 1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	369	5.6	65	1	1	3	6	11	18	49
B. Operated	32	6.5	20	1	2	6	8	12	15	22
1. SINGLE DX	57	4.1	35	< 1	1	2	4	7	19	29
2. MULTIPLE DX	401	5.7	61	1	1	3	6	11	18	46
A. Not Operated	420	5.4	61	1	1	3	6	11	19	45
B. Operated	38	6.1	19	1	1	6	8	11	14	22
TOTAL										
0-19 YRS	63	8.4	215	1	1	4	7	23	52	98
20-34	88	4.1	16	< 1	1	3	5	10	13	18
35-49	100	5.9	54	1	1	3	8	12	23	39
50-64	109	5.4	40	1	1	3	6	11	20	35
65 +	98	4.4	13	1	2	4	5	8	10	21
GRAND TOTAL	**458**	**5.5**	**58**	**1**	**1**	**3**	**6**	**11**	**18**	**42**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	611	12.4	174	1	1	8	18	31	41	74
20-34	573	5.7	34	< 1	1	4	8	12	17	29
35-49	317	6.7	55	1	1	4	9	15	20	33
50-64	81	6.5	31	1	2	5	9	14	16	29
65 +	50	8.9	56	1	2	6	11	19	25	37
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1157	14.6	211	1	2	9	21	35	45	89
20-34	1621	9.0	81	1	1	6	12	21	28	43
35-49	953	9.4	74	1	2	7	13	21	28	34
50-64	318	9.1	64	1	2	7	11	20	28	40
65 +	212	10.5	71	2	3	8	14	22	29	36
B. Operated										
0-19 YRS	24	16.3	399	< 1	1	10	25	54	88	99 +
20-34	45	9.4	73	1	1	8	14	25	33	99 +
35-49	30	16.0	186	2	3	13	22	30	47	63
50-64	14	13.1	71	2	3	12	19	26	29	30
65 +	19	12.8	62	2	4	13	17	22	29	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1632	8.6	100	1	1	5	11	21	30	53
B. Operated	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	4261	10.7	119	1	2	7	14	26	32	56
B. Operated	132	13.0	160	1	2	10	19	29	37	99 +
1. SINGLE DX	1635	8.5	100	1	1	5	11	21	29	53
2. MULTIPLE DX	4393	10.8	120	1	2	7	14	26	32	56
A. Not Operated	5893	10.1	115	1	1	7	13	24	31	55
B. Operated	135	12.8	158	1	2	10	19	29	36	99 +
TOTAL										
0-19 YRS	1792	13.9	202	1	2	9	20	34	44	87
20-34	2239	8.1	71	1	1	5	11	19	26	40
35-49	1302	8.9	74	1	1	6	12	21	27	35
50-64	414	8.8	59	1	2	7	11	19	26	36
65 +	281	10.3	68	2	3	8	14	22	29	36
GRAND TOTAL	**6028**	**10.2**	**116**	**1**	**1**	**7**	**13**	**24**	**32**	**56**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	554	17.3	332	1	2	11	27	43	55	95
20-34	177	11.0	164	< 1	1	5	15	29	36	56
35-49	104	7.4	98	< 1	1	3	10	18	30	50
50-64	34	7.9	89	1	1	4	10	22	31	36
65 +	20	9.8	81	< 1	1	7	14	19	30	39
B. Operated										
0-19 YRS	2	22.5	925	1	1	22	44	44	44	44
20-34	5	5.6	7	2	2	6	7	9	9	9
35-49	4	23.8	1277	1	1	8	44	77	77	77
50-64	0									
65 +	4	5.0	30	1	1	3	8	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1648	24.1	414	2	3	20	38	58	78	99 +
20-34	725	14.7	255	1	1	8	22	37	49	75
35-49	411	11.1	131	1	2	7	14	30	36	52
50-64	227	8.6	75	1	1	6	11	20	29	41
65 +	273	9.7	87	2	2	6	13	20	27	56
B. Operated										
0-19 YRS	43	19.2	319	2	2	16	37	92	99 +	99 +
20-34	37	22.1	430	1	2	15	33	48	62	90
35-49	26	16.5	160	1	3	14	23	31	47	51
50-64	19	9.5	61	1	2	6	15	21	25	29
65 +	24	11.1	117	2	3	9	13	23	33	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	889	14.4	271	1	1	8	22	38	47	90
B. Operated	15	12.5	432	1	1	6	10	44	69	77
2. MULTIPLE DX										
A. Not Operated	3284	18.1	331	1	2	12	29	46	61	99 +
B. Operated	149	16.9	268	1	3	11	27	46	64	99 +
1. SINGLE DX	904	14.3	273	1	1	8	21	38	47	89
2. MULTIPLE DX	3433	18.0	328	1	2	12	29	46	61	99 +
A. Not Operated	4173	17.3	321	1	2	11	28	44	59	99 +
B. Operated	164	16.5	282	1	2	10	24	46	66	99 +
TOTAL										
0-19 YRS	2247	22.3	400	1	2	18	35	55	74	99 +
20-34	944	14.2	247	1	1	8	21	36	46	74
35-49	545	10.7	137	1	1	6	14	29	35	52
50-64	280	8.6	75	1	1	6	11	20	29	39
65 +	321	9.7	88	1	2	7	13	20	26	55
GRAND TOTAL	**4337**	**17.3**	**319**	**1**	**2**	**11**	**27**	**44**	**59**	**99 +**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	6.7	22	3	3	5	10	12	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	19.2	572	1	2	11	26	70	89	99 +
20-34	37	13.5	271	1	3	8	14	30	49	85
35-49	24	12.8	61	4	5	12	16	22	27	38
50-64	12	10.3	62	2	3	8	13	24	27	27
65 +	3	22.3	201	7	7	25	32	35	35	35
B. Operated										
0-19 YRS	5	5.6	61	1	1	1	9	19	19	19
20-34	2	14.5	5	13	13	14	16	16	16	16
35-49	2	38.0	1152	14	14	38	62	62	62	62
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	6.8	24	3	3	4	12	14	14	14
B. Operated	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	105	14.8	283	2	3	9	17	35	61	94
B. Operated	9	14.8	362	1	1	13	17	45	62	62
1. SINGLE DX	8	5.9	20	2	2	4	8	13	14	14
2. MULTIPLE DX	114	14.8	286	1	2	9	17	35	61	93
A. Not Operated	111	14.4	272	2	3	9	17	34	58	93
B. Operated	11	12.6	313	1	1	6	15	36	60	62
TOTAL										
0-19 YRS	37	16.4	485	1	1	6	19	67	81	99 +
20-34	41	13.0	249	2	3	8	14	29	48	85
35-49	29	13.9	141	4	4	12	16	23	39	62
50-64	12	10.3	62	2	3	8	13	24	27	27
65 +	3	22.3	201	7	7	25	32	35	35	35
GRAND TOTAL	**122**	**14.2**	**273**	**1**	**2**	**9**	**17**	**34**	**60**	**92**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	366	9.4	19	2	3	10	11	14	15	21
20-34	29	6.8	16	2	2	7	10	13	14	15
35-49	22	7.0	17	1	2	7	8	14	16	17
50-64	10	6.4	22	1	1	5	11	13	15	15
65 +	5	9.8	137	1	1	4	18	28	28	28
B. Operated										
0-19 YRS	20	9.9	17	3	5	10	11	15	18	21
20-34	10	10.6	140	< 1	2	8	9	27	43	43
35-49	28	6.9	63	1	1	4	7	23	24	24
50-64	14	4.4	22	1	1	2	8	11	14	15
65 +	4	4.3	8	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	554	10.3	25	2	4	10	12	16	20	27
20-34	56	8.0	41	2	2	6	11	15	17	33
35-49	56	10.9	31	3	4	11	15	18	21	23
50-64	43	11.5	41	1	4	11	15	21	23	26
65 +	50	14.6	127	3	4	13	17	25	49	52
B. Operated										
0-19 YRS	99	20.6	204	6	10	16	26	43	53	87
20-34	31	19.2	277	1	3	14	27	46	59	62
35-49	54	13.6	231	1	1	9	21	38	66	99 +
50-64	58	15.2	164	1	1	14	20	40	43	46
65 +	52	21.3	246	1	2	19	30	48	52	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	432	9.0	21	2	3	10	11	14	15	22
B. Operated	76	7.6	53	1	1	6	10	16	23	38
2. MULTIPLE DX										
A. Not Operated	759	10.5	36	2	3	10	13	17	21	30
B. Operated	294	18.2	222	1	2	14	25	42	53	88
1. SINGLE DX	508	8.8	26	1	2	10	11	14	15	25
2. MULTIPLE DX	1053	12.7	100	2	3	11	15	23	32	57
A. Not Operated	1191	10.0	31	2	3	10	12	16	20	28
B. Operated	370	16.0	206	1	1	13	22	39	48	75
TOTAL										
0-19 YRS	1039	11.0	50	2	3	10	12	17	21	42
20-34	126	10.7	123	2	2	8	12	22	34	60
35-49	160	10.6	108	1	1	8	15	22	29	96
50-64	125	12.0	107	1	1	10	15	23	39	45
65 +	111	17.2	195	1	2	14	24	37	49	55
GRAND TOTAL	**1561**	**11.4**	**79**	**2**	**3**	**10**	**14**	**20**	**28**	**52**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	17	4.6	21	1	1	4	7	11	15	17
65 +	28	7.4	107	1	1	5	8	15	21	55
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	9.0	17	4	4	9	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	7	5.3	6	2	2	4	8	8	8	8
50-64	70	8.5	29	2	3	7	11	16	19	26
65 +	453	8.6	36	2	3	7	11	16	20	31
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	8	11.3	49	1	2	11	16	20	22	22
65 +	59	14.9	95	6	7	11	19	30	40	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	6.1	73	1	1	4	7	14	17	55
B. Operated	5	7.6	22	2	2	9	10	14	14	14
2. MULTIPLE DX										
A. Not Operated	531	8.5	35	2	3	7	11	16	20	29
B. Operated	68	14.3	91	4	6	11	18	26	37	91
1. SINGLE DX	52	6.3	68	1	1	4	8	14	17	54
2. MULTIPLE DX	599	9.2	45	2	3	8	11	18	22	36
A. Not Operated	578	8.4	38	2	3	7	10	16	20	30
B. Operated	73	13.9	88	4	6	11	18	25	36	89
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	4.7	6	1	1	4	7	8	8	8
50-64	96	7.9	32	1	1	7	11	16	19	25
65 +	544	9.2	50	2	3	8	11	18	22	39
GRAND TOTAL	**651**	**9.0**	**47**	**2**	**3**	**7**	**11**	**17**	**21**	**36**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.3	7	1	1	3	4	8	8	8
20-34	138	6.2	13	1	2	6	9	11	13	15
35-49	169	7.0	17	1	2	7	9	11	13	21
50-64	49	7.2	13	2	3	7	9	12	14	16
65 +	4	10.8	39	4	4	10	15	19	19	19
B. Operated										
0-19 YRS	0									
20-34	15	7.8	34	< 1	2	5	12	15	20	22
35-49	19	3.3	11	< 1	1	3	4	6	11	15
50-64	6	4.0	25	1	1	1	7	12	13	13
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	173	8.4	27	2	3	7	11	14	18	28
35-49	289	9.6	45	3	3	9	12	17	20	37
50-64	153	9.0	30	3	3	9	12	14	17	34
65 +	25	9.5	33	1	3	8	15	16	19	24
B. Operated										
0-19 YRS	3	8.0	19	3	3	10	11	11	11	11
20-34	19	13.8	43	4	6	14	17	23	26	27
35-49	61	13.7	161	2	3	10	17	37	47	96
50-64	35	13.3	109	3	4	11	17	29	48	99 +
65 +	7	24.0	896	4	4	14	27	76	88	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	366	6.7	16	1	2	7	9	11	13	19
B. Operated	42	5.0	24	< 1	1	3	6	13	15	22
2. MULTIPLE DX										
A. Not Operated	642	9.2	36	2	3	8	12	15	19	34
B. Operated	125	14.1	164	3	3	11	17	29	46	99 +
1. SINGLE DX	408	6.5	17	1	1	6	9	11	13	19
2. MULTIPLE DX	767	10.0	60	2	3	9	12	17	24	45
A. Not Operated	1008	8.3	30	2	3	8	10	14	17	30
B. Operated	167	11.8	144	1	2	9	15	26	38	98
TOTAL										
0-19 YRS	11	5.9	31	1	1	3	9	14	19	19
20-34	345	7.8	25	1	2	7	10	14	17	25
35-49	538	9.1	53	2	3	8	11	16	20	41
50-64	243	9.2	41	2	3	8	12	15	19	36
65 +	38	11.9	207	1	3	8	15	22	27	88
GRAND TOTAL	**1175**	**8.8**	**48**	**1**	**3**	**8**	**11**	**15**	**19**	**38**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	536	3.1	7	1	1	2	4	6	8	12
20-34	287	3.6	16	1	1	2	4	7	9	27
35-49	152	3.1	5	1	1	2	4	5	7	14
50-64	85	2.8	3	1	1	2	3	6	7	10
65 +	63	3.2	4	1	1	3	4	6	7	9
B. Operated										
0-19 YRS	28	7.9	57	1	1	5	13	16	22	33
20-34	40	14.0	95	1	2	15	20	28	32	37
35-49	32	10.3	91	1	1	8	18	25	30	34
50-64	5	8.0	87	1	1	4	12	24	24	24
65 +	3	5.3	6	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1176	4.6	34	1	1	3	5	9	14	33
20-34	710	6.2	60	1	1	3	7	15	25	37
35-49	634	5.5	31	1	2	4	6	11	16	32
50-64	620	5.9	30	1	2	4	7	12	16	28
65 +	998	6.4	26	2	2	5	8	12	16	26
B. Operated										
0-19 YRS	62	14.2	149	1	3	10	20	33	46	94
20-34	85	14.6	174	1	1	10	24	36	40	44
35-49	91	13.8	246	1	1	9	20	29	33	94
50-64	70	10.7	86	2	2	8	15	22	34	44
65 +	97	13.3	133	3	3	9	16	31	39	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1123	3.2	9	1	1	2	4	6	8	15
B. Operated	108	10.8	86	1	1	9	16	24	30	35
2. MULTIPLE DX										
A. Not Operated	4138	5.6	36	1	1	4	7	11	16	32
B. Operated	405	13.4	161	1	2	9	18	32	37	58
1. SINGLE DX	1231	3.9	20	1	1	3	4	8	12	26
2. MULTIPLE DX	4543	6.3	52	1	1	4	7	14	20	37
A. Not Operated	5261	5.1	31	1	1	3	6	10	15	29
B. Operated	513	12.8	146	1	2	9	18	30	36	50
TOTAL										
0-19 YRS	1802	4.5	34	1	1	3	5	9	14	33
20-34	1122	6.4	67	1	1	3	7	16	28	39
35-49	909	6.1	58	1	1	4	7	13	21	34
50-64	780	6.0	36	1	2	4	7	12	18	29
65 +	1161	6.8	38	2	2	5	8	13	18	31
GRAND TOTAL	**5774**	**5.8**	**46**	**1**	**1**	**4**	**7**	**12**	**19**	**35**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	228	3.3	9	< 1	1	2	4	6	8	19
20-34	126	3.5	9	1	1	3	4	7	9	16
35-49	103	4.0	11	1	1	3	5	8	9	18
50-64	57	6.0	30	1	1	4	7	14	18	29
65 +	79	5.8	26	1	1	4	8	12	17	23
B. Operated										
0-19 YRS	307	4.8	14	1	1	4	7	8	10	20
20-34	139	4.8	19	1	1	4	7	10	13	20
35-49	131	4.4	17	1	1	3	6	9	11	22
50-64	88	4.3	13	1	1	3	6	10	12	16
65 +	80	5.8	23	1	1	5	8	13	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	434	5.0	41	1	1	3	6	10	16	47
20-34	372	6.1	43	1	1	4	7	12	18	42
35-49	309	7.0	71	1	2	5	8	13	19	42
50-64	478	8.9	109	1	2	6	10	19	30	51
65 +	1307	9.4	79	2	3	7	11	18	28	46
B. Operated										
0-19 YRS	524	8.3	114	1	2	6	10	19	36	99 +
20-34	229	10.1	192	1	1	6	11	26	43	99 +
35-49	225	11.6	176	1	1	8	14	26	41	79
50-64	288	10.8	152	1	1	7	14	25	38	81
65 +	539	13.5	141	2	3	10	18	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	593	4.0	15	1	1	3	5	8	11	21
B. Operated	745	4.8	16	1	1	4	7	9	12	19
2. MULTIPLE DX										
A. Not Operated	2900	8.0	76	1	2	6	9	16	24	47
B. Operated	1805	10.9	149	1	2	7	14	25	37	96
1. SINGLE DX	1338	4.4	16	1	1	3	6	9	11	20
2. MULTIPLE DX	4705	9.1	106	1	2	6	11	20	29	65
A. Not Operated	3493	7.3	67	1	2	5	9	15	22	45
B. Operated	2550	9.1	118	1	1	6	11	21	31	77
TOTAL										
0-19 YRS	1493	5.9	60	1	1	4	7	11	18	66
20-34	866	6.6	79	1	1	4	8	14	22	76
35-49	768	7.5	92	1	1	5	9	16	24	57
50-64	911	8.9	112	1	1	6	10	19	31	59
65 +	2005	10.2	96	2	2	7	12	21	29	51
GRAND TOTAL	**6043**	**8.1**	**90**	**1**	**1**	**5**	**9**	**18**	**26**	**58**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	157	2.2	2	1	1	2	3	4	5	7
20-34	295	3.2	6	1	1	2	4	6	8	12
35-49	231	3.2	8	1	1	3	4	6	7	14
50-64	72	3.4	11	1	1	2	4	7	9	19
65 +	12	2.8	4	< 1	1	2	4	6	8	8
B. Operated										
0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	29	4.3	36	1	1	3	5	8	9	33
35-49	38	5.1	153	1	1	2	4	6	14	77
50-64	12	2.7	2	1	1	2	3	5	6	6
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	3.4	7	1	1	3	5	7	8	13
20-34	567	4.9	19	1	1	4	7	10	12	16
35-49	643	5.1	15	1	2	4	7	10	12	19
50-64	253	4.9	15	1	1	4	6	10	12	17
65 +	101	4.8	11	1	2	4	7	9	10	16
B. Operated										
0-19 YRS	5	2.6	3	1	1	3	4	5	5	5
20-34	61	6.3	26	1	2	5	9	12	16	26
35-49	62	5.1	11	1	2	4	6	10	11	17
50-64	41	4.8	11	1	1	4	7	10	11	13
65 +	21	5.8	12	1	2	5	8	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	767	3.0	6	1	1	2	4	6	7	12
B. Operated	85	4.3	80	1	1	2	4	7	8	62
2. MULTIPLE DX										
A. Not Operated	1757	4.8	15	1	1	4	6	9	12	17
B. Operated	190	5.4	16	1	1	4	8	10	12	21
1. SINGLE DX	852	3.1	14	1	1	2	4	6	7	13
2. MULTIPLE DX	1947	4.8	15	1	1	4	7	10	12	17
A. Not Operated	2524	4.2	13	1	1	3	6	9	11	16
B. Operated	275	5.1	36	1	1	4	6	10	12	25
TOTAL										
0-19 YRS	360	2.8	5	1	1	2	4	6	7	11
20-34	952	4.4	17	1	1	3	6	9	11	16
35-49	974	4.6	19	1	1	3	6	9	11	19
50-64	378	4.5	14	1	1	3	6	10	12	17
65 +	135	4.8	11	1	2	4	7	9	11	15
GRAND TOTAL	**2799**	**4.3**	**16**	**1**	**1**	**3**	**6**	**9**	**11**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	5.7	4	4	4	5	7	8	8	8
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	44	1.5	1	< 1	< 1	1	2	4	4	4
35-49	60	1.3		< 1	< 1	1	1	2	3	3
50-64	49	1.9	3	< 1	< 1	1	2	4	6	10
65 +	14	1.5	3	< 1	< 1	< 1	1	2	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	9	4.2	13	1	1	3	5	10	13	13
50-64	11	4.6	6	2	2	4	7	8	9	9
65 +	12	3.7	4	1	2	3	4	7	9	9
B. Operated										
0-19 YRS	3	4.7	30	1	1	2	9	11	11	11
20-34	37	2.1	2	< 1	1	2	3	4	5	8
35-49	79	2.5	10	< 1	1	1	3	5	8	20
50-64	104	3.0	13	< 1	1	2	3	7	9	22
65 +	77	3.2	13	1	1	2	3	6	10	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.0	8	1	1	4	6	8	8	8
B. Operated	168	1.5	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	36	3.8	7	1	1	3	5	7	9	13
B. Operated	300	2.8	11	< 1	1	2	3	6	9	21
1. SINGLE DX	173	1.6	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX	336	2.9	11	1	1	2	3	6	9	20
A. Not Operated	41	3.9	7	1	1	3	5	8	9	13
B. Operated	468	2.4	8	< 1	< 1	1	3	4	7	17
TOTAL										
0-19 YRS	5	3.2	19	1	1	1	4	11	11	11
20-34	85	1.8	2	< 1	< 1	1	2	4	4	7
35-49	149	2.1	7	< 1	< 1	1	2	4	6	13
50-64	167	2.8	10	< 1	< 1	2	3	7	8	19
65 +	103	3.0	11	< 1	1	2	3	6	9	20
GRAND TOTAL	**509**	**2.5**	**8**	**<1**	**<1**	**1**	**3**	**5**	**8**	**15**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	5.5	27	1	1	4	8	13	16	26
20-34	74	4.9	45	1	1	3	5	13	16	38
35-49	79	5.3	51	1	1	3	5	11	16	43
50-64	70	4.8	46	1	1	3	5	9	12	41
65 +	53	4.8	12	1	1	4	8	9	12	16
B. Operated										
0-19 YRS	60	3.6	33	1	1	2	4	5	13	32
20-34	238	3.3	27	< 1	1	2	4	6	8	27
35-49	329	2.8	5	1	1	2	4	6	7	11
50-64	238	2.7	7	1	1	2	3	7	8	14
65 +	119	3.4	22	1	1	2	4	8	9	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	6.1	37	1	2	3	7	15	22	25
20-34	111	6.8	48	1	1	5	9	14	20	38
35-49	235	5.7	37	1	2	4	7	11	16	32
50-64	327	6.1	47	1	2	4	7	12	16	37
65 +	481	6.9	39	1	2	5	9	13	18	32
B. Operated										
0-19 YRS	44	8.0	134	< 1	1	3	8	24	39	51
20-34	162	5.6	103	1	1	3	5	10	17	63
35-49	315	5.2	42	1	1	3	6	11	16	36
50-64	319	5.9	72	1	1	3	7	15	22	84
65 +	332	8.9	132	1	1	5	11	22	35	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	336	5.1	38	1	1	3	6	10	15	39
B. Operated	984	3.0	15	1	1	2	4	6	8	18
2. MULTIPLE DX										
A. Not Operated	1211	6.4	42	1	2	5	8	13	17	32
B. Operated	1172	6.6	90	1	1	3	8	15	25	68
1. SINGLE DX	1320	3.5	21	1	1	2	4	8	10	26
2. MULTIPLE DX	2383	6.5	65	1	1	4	8	14	20	50
A. Not Operated	1547	6.1	41	1	1	4	8	12	17	33
B. Operated	2156	5.0	59	1	1	3	5	11	17	48
TOTAL										
0-19 YRS	221	5.7	54	1	1	3	7	13	22	39
20-34	585	4.8	56	1	1	3	5	10	15	38
35-49	958	4.5	30	1	1	3	5	9	13	29
50-64	954	5.1	47	1	1	3	6	11	16	44
65 +	985	7.0	70	1	1	4	9	14	22	50
GRAND TOTAL	**3703**	**5.4**	**52**	**1**	**1**	**3**	**6**	**12**	**17**	**40**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	3	2.7	8	1	1	1	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	37	2.2	2	1	1	2	3	4	6	6
20-34	94	2.6	3	1	1	2	3	5	6	8
35-49	154	2.1	1	1	1	2	3	4	5	6
50-64	252	2.1	3	1	1	2	2	4	5	9
65 +	300	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	4	11.3	343	< 1	< 1	2	21	39	39	39
50-64	10	2.8	8	< 1	< 1	2	3	8	8	8
65 +	7	1.9	2	< 1	< 1	1	3	5	5	5
B. Operated										
0-19 YRS	53	3.3	4	1	1	3	4	6	8	9
20-34	115	3.7	8	1	1	3	5	8	10	46
35-49	140	3.1	6	1	1	2	4	6	8	12
50-64	322	2.8	5	1	1	2	4	5	7	11
65 +	448	2.9	5	1	1	3	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.9	3	1	1	1	2	5	6	6
B. Operated	837	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	26	3.7	56	< 1	< 1	2	3	7	14	39
B. Operated	1078	3.0	5	1	1	3	4	6	8	11
1. SINGLE DX	846	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1104	3.0	6	1	1	2	4	6	8	11
A. Not Operated	35	3.2	42	< 1	< 1	1	3	6	8	39
B. Operated	1915	2.6	4	1	1	2	3	5	6	10
TOTAL										
0-19 YRS	96	2.8	3	1	1	2	4	5	7	9
20-34	214	3.2	6	1	1	2	4	6	9	13
35-49	298	2.7	8	1	1	2	3	5	6	11
50-64	587	2.5	4	1	1	2	3	5	6	10
65 +	755	2.6	4	1	1	2	3	5	6	10
GRAND TOTAL	**1950**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	1.5	1	< 1	< 1	1	2	3	3	3
65 +	11	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	7	2.0	4	1	1	1	3	5	6	6
20-34	8	2.5	1	1	1	2	3	4	4	4
35-49	18	2.8	12	< 1	1	2	2	8	12	14
50-64	54	2.9	3	1	1	3	4	5	6	11
65 +	99	2.7	2	1	1	2	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.3		2	2	2	3	3	3	3
35-49	6	5.2	78	< 1	< 1	1	4	21	23	23
50-64	11	2.5	3	< 1	< 1	2	3	5	7	7
65 +	34	3.0	6	1	1	2	4	6	9	10
B. Operated										
0-19 YRS	6	2.0	2	1	1	2	3	4	4	4
20-34	14	3.0	5	1	1	2	4	5	9	10
35-49	18	2.4	2	1	1	2	3	5	6	6
50-64	97	3.5	13	1	1	2	4	7	9	22
65 +	315	3.3	9	1	1	2	4	6	8	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.5	1	< 1	1	1	2	3	3	3
B. Operated	186	2.8	3	1	1	2	4	5	5	10
2. MULTIPLE DX										
A. Not Operated	55	3.1	12	< 1	1	2	4	6	9	22
B. Operated	450	3.3	10	1	1	2	4	6	8	20
1. SINGLE DX	204	2.7	3	1	1	2	4	4	5	10
2. MULTIPLE DX	505	3.2	10	1	1	2	4	6	8	20
A. Not Operated	73	2.7	10	< 1	1	2	3	6	7	20
B. Operated	636	3.1	8	1	1	2	4	5	7	16
TOTAL										
0-19 YRS	14	2.1	2	1	1	1	3	4	6	6
20-34	26	2.7	3	1	1	2	3	4	6	10
35-49	44	2.9	15	< 1	1	2	3	5	10	23
50-64	166	3.2	9	1	1	2	4	6	7	13
65 +	459	3.1	7	1	1	2	4	5	7	16
GRAND TOTAL	**709**	**3.1**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**16**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	5	1.4		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	9	4.1	16	< 1	< 1	4	4	10	14	14
20-34	9	2.7	3	1	1	2	3	5	6	6
35-49	12	2.9	2	1	1	3	4	5	6	6
50-64	18	2.2	3	< 1	1	2	3	4	7	8
65 +	64	2.1	2	< 1	1	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	3	4.3	6	2	2	4	6	7	7	7
65 +	14	2.6	3	1	1	2	4	5	6	6
B. Operated										
0-19 YRS	11	4.8	16	1	1	5	8	11	13	13
20-34	12	4.4	20	1	1	2	7	11	14	15
35-49	16	4.1	6	1	2	3	6	9	9	9
50-64	47	4.2	12	1	1	3	7	9	10	15
65 +	108	3.1	8	1	1	2	3	6	11	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.6	1	< 1	< 1	1	2	3	3	3
B. Operated	112	2.4	3	< 1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	20	2.9	3	1	1	2	4	5	6	7
B. Operated	194	3.6	10	1	1	2	5	8	11	15
1. SINGLE DX	123	2.3	3	< 1	1	2	3	4	5	10
2. MULTIPLE DX	214	3.6	9	1	1	2	4	8	10	15
A. Not Operated	31	2.4	3	1	1	2	3	5	6	7
B. Operated	306	3.2	8	1	1	2	4	7	9	14
TOTAL										
0-19 YRS	23	4.1	15	< 1	1	2	6	10	13	14
20-34	22	3.7	12	1	1	2	4	9	12	15
35-49	29	3.5	5	1	1	3	4	7	9	9
50-64	72	3.6	10	1	1	2	5	8	9	14
65 +	191	2.7	5	1	1	2	3	5	6	14
GRAND TOTAL	**337**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**9**	**14**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	17	1.1		< 1	< 1	< 1	< 1	1	2	2
50-64	81	1.2	1	< 1	< 1	< 1	1	2	2	6
65 +	337	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	4	1.3		< 1	< 1	1	2	2	2	2
65 +	22	1.4	1	< 1	< 1	1	2	3	3	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	20	1.9	1	< 1	< 1	2	2	4	4	4
50-64	150	1.8	1	1	1	2	2	3	4	7
65 +	818	1.9	3	< 1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	435	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	27	1.4	1	< 1	< 1	1	2	2	3	4
B. Operated	988	1.9	3	< 1	1	2	2	3	4	8
1. SINGLE DX	436	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	1015	1.9	3	< 1	1	2	2	3	4	8
A. Not Operated	28	1.4	1	< 1	< 1	1	2	2	3	4
B. Operated	1423	1.7	2	< 1	< 1	1	2	3	4	7
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	38	1.5	1	< 1	< 1	1	2	3	4	4
50-64	235	1.6	1	< 1	< 1	1	2	3	3	7
65 +	1178	1.7	2	< 1	< 1	1	2	3	4	7
GRAND TOTAL	**1451**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	1.5	1	1	1	1	2	3	3	3
20-34	6	2.5	3	1	1	2	4	5	5	5
35-49	0									
50-64	6	1.3	1	1	1	1	1	3	3	3
65 +	18	1.8	1	1	1	2	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	22	2.5	4	1	1	1	3	6	7	7
20-34	27	1.7	1	1	1	1	2	3	3	4
35-49	13	2.2	1	1	1	2	3	3	4	4
50-64	22	3.0	7	1	1	2	4	7	9	11
65 +	60	2.4	4	1	1	2	3	4	4	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	41	1.7	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	144	2.3	4	1	1	2	3	4	6	11
1. SINGLE DX	41	1.7	1	1	1	1	2	3	4	5
2. MULTIPLE DX	146	2.3	4	1	1	2	3	4	6	11
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	185	2.2	3	1	1	2	3	4	5	11
TOTAL										
0-19 YRS	33	2.1	3	1	1	1	3	6	6	7
20-34	33	1.9	1	1	1	2	2	3	4	5
35-49	14	2.4	1	1	1	2	3	4	4	4
50-64	29	2.6	6	1	1	2	3	6	8	11
65 +	78	2.2	3	1	1	2	3	4	4	12
GRAND TOTAL	**187**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	5	4.0	14	1	1	2	6	10	10	10
B. Operated										
0-19 YRS	111	1.1		< 1	< 1	1	1	1	2	3
20-34	22	1.5	2	< 1	< 1	1	1	3	5	6
35-49	7	1.0		1	1	1	1	1	1	1
50-64	7	1.6	1	1	1	1	2	4	4	4
65 +	4	3.5	25	1	1	1	6	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.3	2	< 1	< 1	2	3	4	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	13	4.2	5	1	2	5	5	7	9	9
50-64	19	6.2	31	1	2	5	7	11	19	26
65 +	38	4.7	11	1	1	4	6	9	11	17
B. Operated										
0-19 YRS	68	1.3		< 1	< 1	1	2	2	2	2
20-34	13	2.5	8	< 1	< 1	2	3	6	10	11
35-49	14	1.6	1	< 1	< 1	1	1	4	4	4
50-64	16	3.0	5	< 1	1	2	5	7	7	7
65 +	20	4.2	21	< 1	1	2	5	10	15	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.2	8	1	1	2	3	8	10	10
B. Operated	151	1.3	1	< 1	< 1	1	1	2	2	6
2. MULTIPLE DX										
A. Not Operated	83	4.6	14	1	1	4	6	8	11	23
B. Operated	131	2.1	6	< 1	< 1	1	2	5	7	13
1. SINGLE DX	164	1.4	2	< 1	< 1	1	1	2	3	10
2. MULTIPLE DX	214	3.1	11	< 1	1	2	4	7	9	18
A. Not Operated	96	4.4	13	1	1	3	6	8	11	22
B. Operated	282	1.6	3	< 1	< 1	1	1	2	5	11
TOTAL										
0-19 YRS	195	1.2		< 1	< 1	1	1	2	2	4
20-34	37	2.0	4	< 1	< 1	1	2	4	6	11
35-49	35	2.4	4	1	1	1	4	5	6	9
50-64	44	4.2	19	1	1	3	6	8	10	26
65 +	67	4.4	14	1	1	3	6	10	11	19
GRAND TOTAL	**378**	**2.3**	**7**	**< 1**	**< 1**	**1**	**2**	**5**	**7**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	3.0	4	< 1	1	2	4	6	8	11
20-34	24	4.1	3	2	2	3	6	7	7	7
35-49	9	5.7	17	2	2	5	7	12	15	15
50-64	10	4.5	5	2	2	4	7	8	8	8
65 +	10	6.0	13	2	2	5	9	11	11	11
B. Operated										
0-19 YRS	41	1.6	1	< 1	1	1	2	3	4	5
20-34	73	1.6	1	< 1	1	1	2	3	3	3
35-49	115	2.0	3	< 1	1	2	3	3	4	10
50-64	104	1.9	2	< 1	1	2	2	3	4	8
65 +	302	2.6	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	144	3.5	5	1	1	3	4	6	8	11
20-34	33	4.5	8	< 1	1	4	6	8	10	12
35-49	23	6.2	17	1	2	5	8	13	16	17
50-64	32	8.2	27	3	3	7	10	17	20	21
65 +	75	6.8	19	1	2	6	11	13	15	16
B. Operated										
0-19 YRS	44	3.1	7	< 1	1	2	4	6	8	12
20-34	59	2.2	2	1	1	2	3	4	6	8
35-49	109	2.2	4	1	1	2	3	4	5	12
50-64	192	2.3	5	1	1	2	3	4	7	14
65 +	711	2.8	7	1	1	2	3	5	7	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	3.6	6	1	1	3	5	7	9	11
B. Operated	635	2.2	3	< 1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	307	5.1	15	1	2	4	7	11	13	18
B. Operated	1115	2.7	6	1	1	2	3	5	7	14
1. SINGLE DX	811	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	1422	3.2	9	1	1	2	4	6	9	16
A. Not Operated	483	4.5	12	1	1	3	6	9	12	16
B. Operated	1750	2.5	5	1	1	2	3	4	6	12
TOTAL										
0-19 YRS	352	3.1	5	1	1	3	4	6	7	11
20-34	189	2.6	4	1	1	2	3	6	7	10
35-49	256	2.6	7	1	1	2	3	5	8	15
50-64	338	2.8	9	1	1	2	3	6	8	17
65 +	1098	3.1	8	1	1	2	4	5	9	15
GRAND TOTAL	**2233**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	372	3.4	3	1	2	3	4	6	7	10
20-34	42	3.5	7	1	1	3	5	7	8	14
35-49	18	3.7	5	1	1	3	6	7	7	7
50-64	21	3.7	8	< 1	< 1	3	5	8	9	10
65 +	24	3.5	4	1	1	3	5	6	8	9
B. Operated										
0-19 YRS	68	2.3	3	< 1	1	2	2	5	6	9
20-34	39	2.6	3	1	1	2	3	5	6	7
35-49	32	2.3	3	1	1	2	2	6	6	7
50-64	66	2.3	3	< 1	1	2	2	5	7	8
65 +	139	2.6	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	561	4.0	6	1	2	3	5	7	9	13
20-34	61	4.3	13	1	1	3	5	9	13	18
35-49	66	5.4	16	1	2	4	7	10	14	23
50-64	67	5.1	13	1	1	4	7	9	11	19
65 +	137	5.5	19	1	1	4	7	11	13	24
B. Operated										
0-19 YRS	120	6.0	52	1	1	4	8	12	14	36
20-34	103	4.3	17	1	1	2	5	9	15	20
35-49	109	2.9	6	1	1	2	4	6	9	12
50-64	220	3.4	12	1	1	2	4	7	10	19
65 +	459	4.0	25	1	1	2	5	9	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	477	3.5	4	1	1	3	4	6	7	10
B. Operated	344	2.5	4	< 1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	892	4.4	10	1	2	4	5	8	10	17
B. Operated	1011	4.0	23	1	1	2	5	9	13	21
1. SINGLE DX	821	3.0	4	1	1	2	4	6	7	10
2. MULTIPLE DX	1903	4.2	17	1	1	3	5	8	11	19
A. Not Operated	1369	4.1	8	1	2	3	5	7	9	15
B. Operated	1355	3.6	19	1	1	2	4	8	11	20
TOTAL										
0-19 YRS	1121	3.9	11	1	2	3	5	7	9	14
20-34	245	3.9	12	1	1	3	5	7	12	18
35-49	225	3.6	10	1	1	3	5	7	9	15
50-64	374	3.5	11	1	1	2	4	7	10	19
65 +	759	4.0	20	1	1	3	5	9	12	20
GRAND TOTAL	**2724**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.9	1	1	1	2	2	3	5	5
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49	6	4.7	64	< 1	< 1	1	2	19	21	21
50-64	5	1.2		< 1	< 1	1	1	2	2	2
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49	6	2.2	6	1	1	1	2	6	7	7
50-64	8	1.4		1	1	1	2	2	2	2
65 +	5	1.8	2	< 1	< 1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.5	2	1	1	2	3	4	5	6
20-34	19	3.4	6	1	1	3	5	6	9	11
35-49	25	4.1	20	1	1	3	4	6	16	21
50-64	28	4.0	7	1	2	3	5	7	9	13
65 +	39	5.9	28	1	2	3	9	13	17	22
B. Operated										
0-19 YRS	13	2.1	3	< 1	< 1	1	2	5	6	6
20-34	22	2.0	1	1	1	2	2	4	5	5
35-49	18	2.6	11	1	1	2	2	4	11	15
50-64	27	3.0	5	1	1	3	4	6	8	11
65 +	45	3.1	10	1	1	2	4	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.8	15	< 1	1	2	2	6	8	21
B. Operated	28	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	131	4.3	16	1	1	3	5	10	13	21
B. Operated	125	2.7	7	1	1	2	3	5	7	15
1. SINGLE DX	55	2.2	9	< 1	1	1	2	4	6	20
2. MULTIPLE DX	256	3.5	12	1	1	2	4	6	12	20
A. Not Operated	158	4.0	16	1	1	3	5	9	13	21
B. Operated	153	2.5	6	1	1	2	3	5	6	15
TOTAL										
0-19 YRS	48	2.2	2	1	1	2	3	4	5	6
20-34	49	2.6	4	1	1	2	3	5	6	11
35-49	55	3.4	19	1	1	2	3	6	15	21
50-64	68	3.1	6	1	1	2	4	6	7	13
65 +	91	4.3	19	1	1	3	5	11	13	21
GRAND TOTAL	**311**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**11**	**20**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	350	2.8	4	1	1	2	3	4	6	10
20-34	5	3.0	4	1	1	2	4	6	6	6
35-49	5	4.6	8	2	2	4	7	8	8	8
50-64	3	6.0	1	5	5	6	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	356	1.4	1	< 1	< 1	1	1	2	3	8
20-34	147	1.2		1	1	1	1	2	2	4
35-49	129	1.2		1	1	1	1	2	2	3
50-64	131	1.3	1	1	1	1	2	2	2	5
65 +	60	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1484	3.0	5	1	1	3	4	5	6	10
20-34	49	4.2	8	< 1	1	4	5	7	10	13
35-49	28	4.4	8	< 1	1	4	6	8	9	12
50-64	22	4.6	10	< 1	1	4	6	10	11	11
65 +	17	5.9	17	1	1	5	7	14	15	15
B. Operated										
0-19 YRS	863	1.6	5	< 1	1	1	1	3	5	12
20-34	173	1.5	2	1	1	1	1	2	4	11
35-49	175	1.6	3	1	1	1	2	2	4	9
50-64	173	1.7	5	1	1	1	2	2	4	14
65 +	99	1.8	2	1	1	2	2	3	5	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	363	2.8	4	1	1	2	3	5	6	10
B. Operated	823	1.3	1	< 1	< 1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	1600	3.1	6	1	1	3	4	5	7	11
B. Operated	1483	1.6	4	1	1	1	1	2	4	12
1. SINGLE DX	1186	1.8	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	3083	2.4	5	1	1	2	3	5	6	11
A. Not Operated	1963	3.1	5	1	1	3	4	5	7	11
B. Operated	2306	1.5	3	< 1	1	1	1	2	4	10
TOTAL										
0-19 YRS	3053	2.4	5	< 1	1	2	3	4	6	10
20-34	374	1.8	3	1	1	1	2	4	5	11
35-49	337	1.7	3	1	1	1	2	3	5	9
50-64	329	1.8	4	1	1	1	2	3	5	12
65 +	176	2.1	4	1	1	2	2	4	7	15
GRAND TOTAL	**4269**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	106	3.3	4	1	2	3	4	5	8	10
20-34	36	3.6	4	1	2	3	5	6	8	8
35-49	26	3.7	2	2	2	3	4	7	7	7
50-64	10	4.3	11	2	2	3	5	9	13	13
65 +	4	8.5	26	4	4	7	12	15	15	15
B. Operated										
0-19 YRS	60	2.9	7	< 1	1	2	3	6	9	13
20-34	21	1.5	1	1	1	1	2	3	4	4
35-49	18	1.2		< 1	< 1	1	1	2	3	3
50-64	17	2.3	7	1	1	1	2	4	9	12
65 +	8	5.3	51	< 1	< 1	3	6	17	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	265	3.7	6	1	2	3	4	6	9	14
20-34	69	4.5	5	2	2	4	5	8	9	12
35-49	67	4.6	7	2	2	4	6	9	10	12
50-64	44	5.7	10	2	2	5	8	10	11	15
65 +	52	7.0	31	2	3	5	8	14	20	29
B. Operated										
0-19 YRS	139	3.4	15	1	1	1	4	8	11	18
20-34	64	4.1	39	1	1	2	4	10	13	39
35-49	48	3.1	20	1	1	1	3	10	13	23
50-64	51	5.4	86	1	1	2	6	11	28	46
65 +	58	10.0	216	1	1	3	10	27	45	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	3.6	5	1	2	3	4	6	8	12
B. Operated	124	2.5	9	< 1	1	1	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	497	4.5	10	1	2	4	5	8	10	15
B. Operated	360	4.8	67	1	1	2	5	11	18	45
1. SINGLE DX	306	3.1	7	1	1	3	4	6	8	13
2. MULTIPLE DX	857	4.6	34	1	1	3	5	9	12	29
A. Not Operated	679	4.2	9	1	2	4	5	8	10	15
B. Operated	484	4.2	53	1	1	2	4	10	15	44
TOTAL										
0-19 YRS	570	3.5	8	1	1	3	4	7	9	14
20-34	190	3.9	16	1	1	3	5	8	10	15
35-49	159	3.7	10	1	1	3	5	7	10	16
50-64	122	5.0	42	1	1	3	6	10	12	43
65 +	122	8.3	121	1	1	5	8	21	29	62
GRAND TOTAL	**1163**	**4.2**	**27**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.2	1	< 1	< 1	2	3	4	4	4
20-34	64	2.5	4	1	1	2	3	4	6	12
35-49	93	2.3	2	1	1	2	3	4	5	7
50-64	173	2.6	3	1	1	2	3	4	5	9
65 +	124	3.0	4	1	1	2	4	6	7	11
B. Operated										
0-19 YRS	11	2.9	26	1	1	1	2	9	17	18
20-34	34	2.6	4	1	1	2	3	6	8	9
35-49	79	2.5	4	1	1	2	4	5	8	9
50-64	75	2.4	3	1	1	2	3	5	6	8
65 +	27	2.6	3	1	1	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.2	3	1	1	3	4	6	7	9
20-34	104	3.3	5	1	1	3	4	6	7	11
35-49	270	3.4	4	1	1	3	4	6	7	11
50-64	553	3.4	5	1	1	3	4	6	7	13
65 +	1133	4.0	7	1	2	3	5	7	9	14
B. Operated										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	12	3.8	6	1	1	4	5	8	9	9
35-49	25	4.6	6	1	2	5	6	8	9	10
50-64	62	5.3	16	1	1	5	7	9	13	22
65 +	95	6.6	34	1	2	6	8	12	16	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	464	2.7	3	1	1	2	3	4	6	10
B. Operated	226	2.5	4	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	2090	3.7	6	1	1	3	5	7	8	13
B. Operated	199	5.6	23	1	1	5	7	10	14	25
1. SINGLE DX	690	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	2289	3.9	8	1	1	3	5	7	9	14
A. Not Operated	2554	3.5	6	1	1	3	4	6	8	12
B. Operated	425	4.0	16	1	1	3	5	8	10	19
TOTAL										
0-19 YRS	56	2.8	7	1	1	2	3	5	7	17
20-34	214	3.0	5	1	1	2	4	6	7	11
35-49	467	3.1	4	1	1	3	4	6	7	10
50-64	863	3.3	5	1	1	3	4	6	7	13
65 +	1379	4.0	9	1	1	3	5	7	9	16
GRAND TOTAL	**2979**	**3.6**	**7**	**1**	**1**	**3**	**4**	**7**	**8**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	1.3		1	1	1	2	2	2	2
20-34	132	1.4		1	1	1	2	2	3	3
35-49	207	1.4	1	1	1	1	2	2	3	4
50-64	192	1.5	1	1	1	1	2	3	3	4
65 +	63	1.6	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	33	1.3		1	1	1	2	2	2	4
35-49	53	1.3		1	1	1	2	2	2	3
50-64	75	1.5	1	1	1	1	2	3	3	5
65 +	52	1.9	1	1	1	2	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	610	1.5		1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	6	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	217	1.5	1	1	1	1	2	2	3	4
1. SINGLE DX	611	1.5		1	1	1	2	2	3	4
2. MULTIPLE DX	223	1.5	1	1	1	1	2	2	3	4
A. Not Operated	7	1.4	1	< 1	< 1	1	2	3	3	3
B. Operated	827	1.5	1	1	1	1	2	2	3	4
TOTAL										
0-19 YRS	20	1.3		1	1	1	2	2	2	2
20-34	166	1.4		1	1	1	2	2	3	3
35-49	262	1.4		1	1	1	2	2	3	4
50-64	268	1.5	1	1	1	1	2	3	3	4
65 +	118	1.7	1	1	1	2	2	3	3	4
GRAND TOTAL	**834**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.6	3	< 1	1	4	5	6	7	7
20-34	4	5.3	11	2	2	5	8	9	9	9
35-49	10	3.7	2	1	1	4	4	5	6	6
50-64	14	3.9	1	2	2	4	4	5	6	6
65 +	7	3.3	3	1	1	4	4	5	5	5
B. Operated										
0-19 YRS	428	1.1		< 1	1	1	1	2	2	3
20-34	187	1.4	2	1	1	1	1	2	3	7
35-49	125	1.3	1	1	1	1	1	2	3	5
50-64	112	1.3		1	1	1	1	2	3	4
65 +	51	1.6	5	< 1	1	1	1	2	3	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	4.5	20	< 1	< 1	3	6	10	15	18
20-34	7	5.4	17	1	1	5	9	11	11	11
35-49	19	4.2	5	1	1	4	6	7	8	8
50-64	30	3.7	5	< 1	1	4	4	5	6	13
65 +	31	4.5	7	1	2	4	6	9	10	11
B. Operated										
0-19 YRS	355	1.4	1	1	1	1	1	2	3	7
20-34	206	1.4	2	1	1	1	1	2	3	5
35-49	175	1.4	1	1	1	1	1	2	3	7
50-64	154	1.6	2	1	1	1	2	3	3	11
65 +	103	2.7	14	1	1	1	3	5	10	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.8	3	1	1	4	4	6	7	9
B. Operated	903	1.2	1	< 1	1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	113	4.3	9	1	1	4	5	8	10	15
B. Operated	993	1.5	3	1	1	1	1	2	4	10
1. SINGLE DX	949	1.4	1	< 1	1	1	1	2	4	6
2. MULTIPLE DX	1106	1.8	4	1	1	1	2	4	5	11
A. Not Operated	159	4.1	8	1	1	4	5	8	10	14
B. Operated	1896	1.4	2	1	1	1	1	2	3	8
TOTAL										
0-19 YRS	820	1.4	2	< 1	1	1	1	2	3	8
20-34	404	1.5	3	1	1	1	1	2	3	9
35-49	329	1.6	2	1	1	1	1	3	4	7
50-64	310	1.8	2	1	1	1	2	4	4	9
65 +	192	2.7	11	1	1	1	3	6	10	17
GRAND TOTAL	**2055**	**1.6**	**3**	**1**	**1**	**1**	**1**	**3**	**4**	**10**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	4.8	12	2	2	4	6	8	11	21
20-34	12	6.3	18	2	2	4	9	12	15	16
35-49	4	3.5	6	2	2	3	5	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	5.7	38	2	2	4	6	9	18	38
20-34	10	5.3	5	2	3	5	7	9	10	10
35-49	15	7.5	15	2	4	6	10	12	16	17
50-64	12	4.8	4	2	2	5	6	8	8	8
65 +	16	10.3	181	1	2	7	10	13	45	59
B. Operated										
0-19 YRS	2	43.0	2	42	42	43	44	44	44	44
20-34	3	7.0	37	3	3	4	11	14	14	14
35-49	5	7.8	52	1	1	8	13	18	18	18
50-64	12	10.3	154	1	1	6	11	34	37	38
65 +	8	17.1	131	6	6	14	28	32	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	5.0	12	2	2	4	7	9	12	20
B. Operated	3	5.7	12	2	2	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	104	6.5	51	2	2	5	7	10	14	48
B. Operated	30	13.5	178	1	1	8	20	36	42	44
1. SINGLE DX	78	5.0	12	2	2	4	7	9	12	20
2. MULTIPLE DX	134	8.1	87	2	2	5	8	17	32	46
A. Not Operated	179	5.9	35	2	2	5	7	10	13	34
B. Operated	33	12.8	167	1	2	8	18	34	41	44
TOTAL										
0-19 YRS	114	5.9	48	2	2	4	6	9	17	43
20-34	25	6.0	14	2	3	4	8	11	14	16
35-49	24	6.9	21	1	2	6	10	12	17	18
50-64	24	7.5	83	1	2	5	8	15	34	38
65 +	25	12.4	163	2	4	8	12	30	39	59
GRAND TOTAL	**212**	**7.0**	**61**	**2**	**2**	**5**	**8**	**12**	**22**	**43**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	5	3.0	9	1	1	2	4	8	8	8
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	8	5.4	10	1	1	7	8	8	8	8
20-34	16	4.2	13	< 1	1	2	8	9	10	11
35-49	52	6.8	29	1	1	6	12	14	16	18
50-64	59	5.6	24	1	1	2	10	13	14	17
65 +	25	7.4	63	1	1	3	13	18	23	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.8	18	1	1	4	7	11	12	12
20-34	20	4.3	27	1	1	3	4	7	16	25
35-49	33	6.2	71	1	2	4	6	12	21	47
50-64	87	4.9	13	1	1	4	6	10	12	19
65 +	178	7.0	32	2	2	5	9	13	19	29
B. Operated										
0-19 YRS	33	8.0	73	< 1	1	6	11	18	28	36
20-34	30	9.2	301	1	1	7	9	13	18	98
35-49	136	10.1	126	1	1	8	14	19	26	65
50-64	330	10.7	107	1	1	9	15	22	28	48
65 +	316	12.3	185	1	1	9	17	27	36	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.0	8	< 1	< 1	2	3	8	10	10
B. Operated	160	6.1	30	1	1	3	10	14	15	20
2. MULTIPLE DX										
A. Not Operated	324	6.2	31	1	2	5	7	12	15	28
B. Operated	845	11.0	145	1	1	9	15	23	32	64
1. SINGLE DX	173	5.9	29	1	1	3	10	13	15	20
2. MULTIPLE DX	1169	9.7	118	1	1	7	13	20	28	55
A. Not Operated	337	6.0	31	1	2	5	7	12	15	28
B. Operated	1005	10.3	130	1	1	8	14	21	30	59
TOTAL										
0-19 YRS	48	7.2	55	1	1	6	9	17	20	36
20-34	69	6.3	146	1	1	3	8	10	14	84
35-49	224	8.7	97	1	1	7	12	17	22	54
50-64	481	9.0	86	1	1	7	12	19	24	44
65 +	520	10.2	133	1	2	7	13	23	31	66
GRAND TOTAL	**1342**	**9.2**	**109**	**1**	**1**	**7**	**12**	**19**	**27**	**53**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.8	4	< 1	1	2	4	5	7	9
20-34	45	3.3	4	1	1	3	4	6	7	10
35-49	150	3.2	4	1	1	3	4	6	7	11
50-64	156	3.2	7	1	1	2	4	6	7	12
65 +	94	3.3	5	1	2	3	4	5	7	14
B. Operated										
0-19 YRS	10	2.2	1	1	1	2	2	3	4	4
20-34	12	2.9	4	< 1	< 1	2	4	6	7	7
35-49	35	3.7	6	1	1	3	5	8	9	10
50-64	27	3.7	19	1	1	2	5	10	12	20
65 +	13	3.6	18	1	1	2	5	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	4.0	8	1	1	3	5	7	8	19
20-34	154	4.5	31	1	1	3	5	9	13	28
35-49	764	4.2	8	1	1	4	5	8	9	15
50-64	1146	4.6	12	1	1	4	6	9	10	16
65 +	1312	5.2	13	1	2	4	6	9	11	18
B. Operated										
0-19 YRS	19	9.8	247	< 1	1	4	10	24	50	68
20-34	39	8.5	92	1	2	6	10	16	21	59
35-49	165	6.9	40	1	1	6	8	14	18	25
50-64	230	7.0	43	1	1	5	[illegible]	14	21	31
65 +	236	7.7	68	1	1	5	9	17	23	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	471	3.2	5	1	1	3	4	6	7	12
B. Operated	97	3.4	10	1	1	2	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	3439	4.7	12	1	2	4	6	9	11	17
B. Operated	689	7.4	59	1	1	5	9	15	21	35
1. SINGLE DX	568	3.2	6	1	1	2	4	6	8	12
2. MULTIPLE DX	4128	5.2	21	1	2	4	6	9	12	24
A. Not Operated	3910	4.5	12	1	2	4	6	8	10	16
B. Operated	786	6.9	55	1	1	5	8	15	20	32
TOTAL										
0-19 YRS	118	4.5	49	1	1	3	5	7	11	41
20-34	250	4.8	37	1	1	3	5	9	13	28
35-49	1114	4.4	13	1	1	4	6	8	10	17
50-64	1559	4.8	17	1	1	4	6	9	12	24
65 +	1655	5.4	21	1	2	4	7	10	13	23
GRAND TOTAL	**4696**	**4.9**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	18	4.6	4	1	2	4	6	8	9	9
50-64	25	4.2	4	2	2	4	5	7	8	9
65 +	46	5.5	12	2	2	5	7	11	13	16
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	3.8	15	1	1	2	6	10	10	10
50-64	18	2.6	7	1	1	2	2	7	9	9
65 +	6	3.0	8	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.3	14	4	4	10	11	11	11	11
20-34	28	4.6	4	2	3	4	6	7	8	11
35-49	125	5.5	10	1	2	5	7	9	11	17
50-64	465	6.4	18	2	2	5	8	12	14	23
65 +	1430	7.5	28	2	3	6	9	13	16	28
B. Operated										
0-19 YRS	0									
20-34	9	6.3	35	1	1	4	9	16	19	19
35-49	35	6.1	27	1	1	5	9	14	16	22
50-64	121	8.2	115	1	1	6	10	17	21	64
65 +	201	11.9	109	1	2	10	15	22	30	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	4.9	8	2	2	4	6	9	11	15
B. Operated	29	2.9	8	1	1	2	5	8	9	10
2. MULTIPLE DX										
A. Not Operated	2051	7.1	24	2	3	6	9	12	16	26
B. Operated	366	10.0	106	1	1	8	13	19	27	53
1. SINGLE DX	118	4.4	9	1	1	4	6	9	10	15
2. MULTIPLE DX	2417	7.5	38	2	2	6	9	14	17	30
A. Not Operated	2140	7.0	24	2	3	6	9	12	16	26
B. Operated	395	9.5	102	1	1	7	13	19	26	53
TOTAL										
0-19 YRS	3	8.3	14	4	4	10	11	11	11	11
20-34	37	5.1	11	2	2	4	6	9	11	19
35-49	183	5.5	13	1	2	5	7	9	13	18
50-64	629	6.6	37	1	2	5	8	12	16	27
65 +	1683	8.0	39	2	3	7	10	14	18	33
GRAND TOTAL	**2535**	**7.4**	**37**	**2**	**2**	**6**	**9**	**13**	**17**	**30**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	4.4	9	< 1	1	4	7	9	10	10
20-34	3	1.3		< 1	< 1	< 1	2	2	2	2
35-49	8	5.9	60	1	1	3	7	19	24	24
50-64	7	4.6	5	2	2	4	6	8	8	8
65 +	6	3.8	7	2	2	3	4	8	9	9
B. Operated										
0-19 YRS	6	6.8	77	< 1	< 1	4	7	22	24	24
20-34	9	3.7	6	1	1	3	5	8	8	8
35-49	12	3.6	8	1	1	2	6	8	9	9
50-64	21	3.6	11	1	1	2	5	9	11	12
65 +	17	2.9	10	1	1	2	3	5	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	4.3	12	1	1	3	6	9	12	13
20-34	27	7.1	41	< 1	1	6	10	18	21	26
35-49	49	5.6	20	1	1	5	8	11	14	23
50-64	72	5.8	19	1	2	5	7	10	16	23
65 +	191	8.8	44	3	3	7	11	17	21	32
B. Operated										
0-19 YRS	15	10.7	162	2	2	7	17	48	85	99 +
20-34	38	7.4	36	1	2	6	12	17	19	20
35-49	77	9.6	81	1	2	7	13	23	28	43
50-64	163	8.8	78	1	1	7	12	17	22	60
65 +	186	10.1	92	2	2	8	14	19	27	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	4.4	18	< 1	1	3	6	8	10	24
B. Operated	65	3.7	15	1	1	2	5	8	10	22
2. MULTIPLE DX										
A. Not Operated	383	7.2	35	1	2	6	9	14	18	26
B. Operated	479	9.4	83	1	2	7	12	19	26	50
1. SINGLE DX	100	4.0	16	1	1	2	5	8	10	24
2. MULTIPLE DX	862	8.4	63	1	2	6	11	17	22	41
A. Not Operated	418	6.9	34	1	2	6	9	13	18	26
B. Operated	544	8.7	78	1	1	7	11	18	25	49
TOTAL										
0-19 YRS	76	5.8	50	1	1	3	7	12	21	87
20-34	77	6.6	34	< 1	1	4	9	16	20	24
35-49	146	7.6	58	1	1	5	9	15	24	42
50-64	263	7.4	58	1	1	6	9	15	19	33
65 +	400	9.0	66	2	2	7	11	18	24	35
GRAND TOTAL	**962**	**7.9**	**60**	**1**	**2**	**6**	**10**	**17**	**22**	**35**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	8.5	4	6	6	8	10	11	11	11
20-34	16	7.0	6	2	2	8	9	9	10	11
35-49	225	7.0	8	2	3	7	9	10	11	14
50-64	465	7.6	10	2	3	8	10	11	13	16
65 +	454	7.9	9	3	4	8	10	11	12	16
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	31	6.5	13	1	2	7	9	11	12	17
35-49	241	7.5	8	3	4	7	9	11	12	16
50-64	367	7.7	11	2	4	6	10	12	13	18
65 +	139	8.5	12	3	4	8	10	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	6.4	7	1	2	7	8	10	10	10
20-34	57	7.5	15	2	2	7	10	13	15	17
35-49	891	7.9	15	2	3	8	10	12	14	21
50-64	3022	8.7	16	3	4	8	10	13	15	22
65 +	7935	9.9	22	4	5	9	12	15	18	27
B. Operated										
0-19 YRS	4	9.3	26	2	2	10	12	14	14	14
20-34	75	9.0	48	2	3	8	10	13	15	49
35-49	1077	9.6	34	2	4	9	11	16	20	34
50-64	2630	10.7	43	3	5	9	12	17	21	34
65 +	2636	13.7	78	5	6	11	16	24	31	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1164	7.6	9	2	3	8	9	11	12	16
B. Operated	779	7.8	10	2	4	8	9	11	13	18
2. MULTIPLE DX										
A. Not Operated	11917	9.5	20	4	5	9	11	14	17	25
B. Operated	6422	11.7	59	3	5	10	14	20	25	45
1. SINGLE DX	1943	7.7	10	2	4	8	9	11	13	17
2. MULTIPLE DX	18339	10.3	35	4	5	9	12	16	20	34
A. Not Operated	13081	9.3	20	3	5	9	11	14	17	25
B. Operated	7201	11.3	55	3	5	10	13	19	25	43
TOTAL										
0-19 YRS	21	7.4	10	1	2	7	10	11	12	14
20-34	179	7.9	28	2	2	8	10	12	14	17
35-49	2434	8.6	23	2	4	8	10	13	16	26
50-64	6484	9.4	28	3	5	9	11	15	18	29
65 +	11164	10.7	37	4	5	10	12	17	21	35
GRAND TOTAL	**20282**	**10.0**	**33**	**3**	**5**	**9**	**12**	**16**	**20**	**33**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	50	2.6	3	1	1	2	3	5	6	7
35-49	293	2.6	3	1	1	2	3	4	5	8
50-64	341	2.7	2	1	1	2	4	5	5	9
65 +	276	3.1	7	1	1	3	4	5	6	9
B. Operated										
0-19 YRS	0									
20-34	21	2.3	3	1	1	2	3	5	6	7
35-49	156	2.3	6	1	1	2	2	4	6	14
50-64	282	2.4	4	1	1	2	3	5	6	10
65 +	117	2.9	23	1	1	2	3	6	8	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.1	2	1	1	3	4	5	5	5
20-34	158	3.8	18	1	1	3	4	6	7	14
35-49	1415	3.6	7	1	1	3	4	6	8	14
50-64	3372	3.8	7	1	1	3	5	7	8	13
65 +	6062	4.3	7	1	2	4	5	7	9	14
B. Operated										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	33	4.0	9	1	1	3	6	8	9	13
35-49	967	3.7	16	1	1	2	4	8	10	17
50-64	2870	3.9	18	1	1	2	5	9	11	18
65 +	2171	5.1	28	1	1	3	7	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	960	2.8	4	1	1	2	4	5	6	9
B. Operated	576	2.5	8	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	11019	4.1	8	1	2	3	5	7	9	14
B. Operated	6044	4.3	22	1	1	2	6	10	13	22
1. SINGLE DX	1536	2.7	5	1	1	2	3	5	6	10
2. MULTIPLE DX	17063	4.1	13	1	1	3	5	8	10	17
A. Not Operated	11979	4.0	7	1	2	3	5	7	9	13
B. Operated	6620	4.1	21	1	1	2	5	9	13	22
TOTAL										
0-19 YRS	15	3.3	5	1	1	3	4	5	9	10
20-34	262	3.5	13	1	1	3	4	6	7	13
35-49	2831	3.5	10	1	1	3	4	7	9	14
50-64	6865	3.7	11	1	1	3	5	7	10	16
65 +	8626	4.5	13	1	1	4	6	8	11	18
GRAND TOTAL	**18599**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	37	3.8	34	1	1	2	4	5	6	37
35-49	293	3.2	3	1	1	3	4	5	6	8
50-64	500	3.2	6	1	1	3	4	6	7	11
65 +	556	4.0	17	1	2	3	5	7	9	17
B. Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	61	4.7	12	1	1	4	6	9	13	16
50-64	191	4.4	12	1	1	3	6	9	12	15
65 +	131	6.5	28	1	2	5	9	14	15	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	6.4	38	1	2	4	6	16	21	23
20-34	128	3.7	6	1	1	3	5	7	9	14
35-49	1742	3.9	6	1	2	3	5	7	8	12
50-64	4987	4.5	10	1	2	4	5	8	9	15
65 +	10859	5.2	11	2	2	4	6	9	11	17
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	46	6.0	19	1	2	5	8	13	14	21
35-49	1055	6.5	26	1	2	6	9	12	15	23
50-64	3622	7.6	37	1	2	7	10	15	18	28
65 +	3925	9.8	75	1	2	8	13	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1387	3.5	11	1	1	3	4	6	7	11
B. Operated	386	5.1	18	1	1	4	7	11	14	21
2. MULTIPLE DX										
A. Not Operated	17733	4.8	10	2	2	4	6	8	10	16
B. Operated	8649	8.5	55	1	2	7	11	16	21	37
1. SINGLE DX	1773	3.9	13	1	1	3	5	7	9	16
2. MULTIPLE DX	26382	6.0	28	1	2	5	7	11	15	26
A. Not Operated	19120	4.7	10	2	2	4	6	8	10	16
B. Operated	9035	8.3	54	1	2	7	11	16	21	37
TOTAL										
0-19 YRS	19	6.1	34	1	2	4	6	16	20	23
20-34	214	4.2	14	1	1	3	5	7	11	18
35-49	3151	4.7	14	1	2	4	6	9	11	18
50-64	9300	5.6	23	1	2	4	7	11	14	24
65 +	15471	6.3	32	2	2	5	8	12	15	29
GRAND TOTAL	**28155**	**5.9**	**27**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.8		1	1	2	2	2	2	2
35-49	42	2.9	4	< 1	1	2	4	7	7	8
50-64	34	2.7	4	1	1	2	4	6	7	8
65 +	41	4.2	12	1	1	3	5	8	13	18
B. Operated										
0-19 YRS	7	3.4	13	1	1	2	4	10	11	11
20-34	15	2.5	2	1	1	2	3	4	5	6
35-49	770	3.2	9	1	1	2	4	7	9	14
50-64	2298	3.4	10	1	1	2	4	8	11	14
65 +	1257	4.5	21	1	1	2	6	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.4	2	< 1	< 1	2	3	5	5	5
20-34	26	3.2	4	< 1	1	3	5	6	7	8
35-49	223	3.3	6	1	1	3	4	6	8	13
50-64	713	4.0	9	1	1	3	5	8	10	14
65 +	942	5.2	18	1	2	4	6	9	13	21
B. Operated										
0-19 YRS	8	3.5	11	< 1	< 1	2	4	9	11	11
20-34	85	5.5	25	1	1	3	8	12	17	20
35-49	2273	5.4	31	1	1	3	8	12	15	24
50-64	8121	6.1	42	1	1	4	9	13	17	30
65 +	6569	8.4	78	1	1	6	11	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	3.2	7	1	1	2	4	7	8	15
B. Operated	4347	3.7	13	1	1	2	4	9	11	16
2. MULTIPLE DX										
A. Not Operated	1909	4.5	13	1	1	4	6	8	11	19
B. Operated	17056	6.9	56	1	1	4	10	15	20	35
1. SINGLE DX	4469	3.7	13	1	1	2	4	9	11	16
2. MULTIPLE DX	18965	6.6	52	1	1	4	9	14	19	33
A. Not Operated	2031	4.4	13	1	1	4	5	8	11	19
B. Operated	21403	6.2	49	1	1	3	9	14	18	32
TOTAL										
0-19 YRS	21	3.1	9	< 1	< 1	2	4	7	11	11
20-34	130	4.6	19	1	1	3	6	11	15	19
35-49	3308	4.7	25	1	1	3	7	10	14	22
50-64	11166	5.4	35	1	1	3	8	12	15	27
65 +	8809	7.5	66	1	1	5	10	16	21	38
GRAND TOTAL	**23434**	**6.1**	**46**	**1**	**1**	**3**	**9**	**13**	**18**	**31**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	52	7.6	10	2	3	8	10	12	13	15
35-49	66	7.8	6	5	6	8	9	10	11	16
50-64	55	8.0	9	4	5	8	10	11	13	19
65 +	57	7.9	15	3	4	7	9	11	13	27
B. Operated										
0-19 YRS	3	5.3	20	1	1	5	9	10	10	10
20-34	21	8.6	8	4	5	9	11	12	13	13
35-49	11	10.7	7	5	7	11	13	14	14	14
50-64	14	8.4	11	2	3	9	11	12	13	14
65 +	10	7.9	11	1	3	8	10	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	7.5	14	3	3	7	11	13	15	15
20-34	124	8.5	13	4	5	8	10	13	16	20
35-49	207	9.6	24	4	5	9	11	15	19	30
50-64	479	9.6	19	4	6	9	11	14	16	29
65 +	1050	11.0	23	5	6	10	13	17	20	27
B. Operated										
0-19 YRS	6	7.3	11	2	2	8	10	11	11	11
20-34	51	13.6	126	3	5	11	15	23	32	61
35-49	98	12.9	49	6	7	12	15	22	27	38
50-64	205	13.7	93	6	7	11	15	25	33	56
65 +	316	15.7	135	6	7	12	18	29	41	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	232	7.8	10	3	5	7	9	11	13	18
B. Operated	59	8.6	11	2	5	9	11	13	14	14
2. MULTIPLE DX										
A. Not Operated	1873	10.3	22	5	6	9	12	16	19	28
B. Operated	676	14.4	110	6	7	11	16	26	35	68
1. SINGLE DX	291	8.0	10	3	5	8	10	12	13	17
2. MULTIPLE DX	2549	11.4	49	5	6	10	13	18	23	39
A. Not Operated	2105	10.0	21	5	6	9	12	15	18	27
B. Operated	735	14.0	104	5	7	11	15	24	35	65
TOTAL										
0-19 YRS	24	7.0	13	2	3	6	10	11	13	15
20-34	248	9.4	40	3	5	8	11	14	17	32
35-49	382	10.2	30	5	6	9	12	15	20	36
50-64	753	10.5	42	5	6	9	12	15	21	37
65 +	1433	11.9	52	5	6	10	14	19	23	45
GRAND TOTAL	**2840**	**11.0**	**46**	**5**	**6**	**10**	**13**	**17**	**22**	**38**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	2	7.5	41	3	3	7	12	12	12	12
B. Operated										
0-19 YRS	0									
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	20.8	215	2	2	23	31	41	42	43
20-34	40	20.6	182	2	4	19	29	42	43	47
35-49	44	17.1	147	2	3	15	28	33	40	44
50-64	45	19.8	130	4	5	18	29	34	41	46
65 +	96	22.3	190	5	6	20	30	43	47	64
B. Operated										
0-19 YRS	7	25.6	313	15	15	20	24	57	65	65
20-34	46	31.5	211	11	13	32	40	51	58	75
35-49	28	32.0	443	7	10	29	41	62	84	90
50-64	33	32.3	293	8	9	34	44	53	57	78
65 +	47	34.1	298	10	13	32	45	55	64	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.9	22	1	1	5	11	12	12	12
B. Operated	3	9.0	13	6	6	8	12	13	13	13
2. MULTIPLE DX										
A. Not Operated	241	20.5	172	3	4	18	30	40	44	51
B. Operated	161	32.3	293	9	12	31	43	54	64	87
1. SINGLE DX	10	6.8	20	1	1	6	12	13	13	13
2. MULTIPLE DX	402	25.2	253	4	6	24	34	45	53	76
A. Not Operated	248	20.1	173	2	4	18	29	40	43	50
B. Operated	164	31.8	298	8	11	30	42	54	64	87
TOTAL										
0-19 YRS	25	21.0	239	2	2	19	30	41	48	65
20-34	89	25.9	228	4	7	26	35	43	52	69
35-49	73	22.7	310	3	4	18	30	42	53	88
50-64	80	24.6	240	4	7	20	35	46	50	72
65 +	145	25.9	256	5	7	24	35	48	54	73
GRAND TOTAL	**412**	**24.8**	**255**	**4**	**6**	**23**	**34**	**45**	**52**	**76**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.1	13	1	1	2	3	6	10	19
20-34	22	2.1	2	< 1	< 1	2	3	4	5	5
35-49	52	2.1	3	< 1	< 1	1	3	4	5	11
50-64	54	2.3	2	1	1	2	3	3	4	8
65 +	41	2.5	5	1	1	2	3	5	7	12
B. Operated										
0-19 YRS	2	6.0	50	< 1	< 1	5	11	11	11	11
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	8.7	4	7	7	8	10	11	11	11
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.7	10	1	1	3	4	7	12	15
20-34	75	3.1	4	1	1	3	4	6	8	9
35-49	133	[illegible].8	3	1	1	2	4	5	6	8
50-64	288	3.4	6	1	1	3	4	7	9	12
65 +	585	4.5	11	1	2	4	6	8	11	18
B. Operated										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	9	6.2	34	1	2	4	6	16	21	21
50-64	26	11.5	187	2	2	7	13	29	47	60
65 +	53	9.1	33	2	3	8	12	18	20	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	2.3	4	1	1	2	3	4	5	12
B. Operated	10	4.9	16	< 1	< 1	3	8	11	11	11
2. MULTIPLE DX										
A. Not Operated	1112	3.9	9	1	1	3	5	7	9	15
B. Operated	93	9.3	76	2	2	7	11	18	21	53
1. SINGLE DX	205	2.5	5	1	1	2	3	4	7	12
2. MULTIPLE DX	1205	4.3	16	1	1	3	5	8	11	19
A. Not Operated	1307	3.7	8	1	1	3	5	7	9	15
B. Operated	103	8.9	72	1	2	7	11	17	21	52
TOTAL										
0-19 YRS	62	3.6	12	1	1	2	4	7	11	19
20-34	101	2.9	4	< 1	1	2	4	6	7	9
35-49	196	2.7	5	1	1	2	4	5	6	10
50-64	371	3.9	22	1	1	3	4	7	10	16
65 +	680	4.8	14	1	1	4	6	9	12	19
GRAND TOTAL	**1410**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.6	1	< 1	< 1	1	2	3	3	3
20-34	97	2.0	2	< 1	1	1	3	4	4	6
35-49	148	2.0	2	< 1	< 1	2	3	4	5	6
50-64	245	2.3	3	< 1	1	2	3	4	6	8
65 +	271	3.1	6	< 1	1	2	4	6	8	13
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	1.7		1	1	2	2	2	2	2
35-49	6	2.5	3	1	1	2	4	5	5	5
50-64	15	2.7	3	1	1	2	4	5	6	6
65 +	14	3.6	12	1	1	2	5	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	4.3	9	< 1	1	4	6	8	11	13
20-34	133	2.4	3	< 1	1	2	3	4	5	10
35-49	399	3.4	8	1	1	3	4	7	8	13
50-64	1524	4.2	13	1	1	3	5	8	10	18
65 +	4947	5.2	15	1	2	4	7	10	12	19
B. Operated										
0-19 YRS	10	5.9	39	1	1	4	6	16	22	22
20-34	12	7.6	31	1	2	7	9	13	22	23
35-49	51	7.7	63	1	2	6	8	19	22	47
50-64	203	7.7	34	1	2	7	11	14	18	26
65 +	543	9.7	67	1	2	8	13	19	26	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	772	2.5	4	< 1	1	2	3	5	6	10
B. Operated	39	3.0	7	1	1	2	5	7	9	11
2. MULTIPLE DX										
A. Not Operated	7035	4.8	15	1	1	4	6	9	12	18
B. Operated	819	9.0	58	1	2	7	12	18	24	41
1. SINGLE DX	811	2.5	4	< 1	1	2	3	5	6	10
2. MULTIPLE DX	7854	5.3	21	1	1	4	7	10	13	23
A. Not Operated	7807	4.6	14	1	1	4	6	9	11	18
B. Operated	858	8.7	57	1	2	7	11	18	23	41
TOTAL										
0-19 YRS	54	4.1	14	< 1	1	3	6	8	11	22
20-34	245	2.5	5	< 1	1	2	3	5	6	10
35-49	604	3.4	13	1	1	2	4	7	8	20
50-64	1987	4.3	15	1	1	3	6	8	11	19
65 +	5775	5.5	22	1	2	4	7	11	14	23
GRAND TOTAL	**8665**	**5.0**	**20**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	2.9	4	1	1	2	4	6	7	10
20-34	120	2.7	6	1	1	2	3	5	7	15
35-49	191	2.7	3	1	1	2	3	5	6	7
50-64	250	3.2	4	1	1	3	4	6	8	10
65 +	252	4.0	9	1	1	3	5	8	9	12
B. Operated										
0-19 YRS	34	3.4	6	< 1	1	3	4	6	9	11
20-34	27	4.0	9	< 1	< 1	3	6	8	9	14
35-49	41	4.6	22	1	1	4	5	8	16	24
50-64	83	4.5	11	1	1	4	6	9	11	17
65 +	182	4.9	14	1	2	4	7	9	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	220	3.8	15	1	1	3	4	8	10	22
20-34	378	3.4	16	1	1	3	4	7	9	13
35-49	858	3.7	7	1	1	3	5	7	9	13
50-64	2217	4.6	15	1	2	4	6	8	10	19
65 +	5990	5.6	17	2	2	5	7	10	13	21
B. Operated										
0-19 YRS	81	6.7	99	1	1	4	7	15	22	91
20-34	82	7.6	73	1	1	5	8	20	29	40
35-49	168	6.4	53	1	1	5	8	12	17	48
50-64	775	8.1	58	1	2	6	10	16	22	38
65 +	3231	8.9	58	2	3	7	11	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	908	3.2	6	1	1	3	4	6	8	11
B. Operated	367	4.6	13	1	1	3	6	9	11	19
2. MULTIPLE DX										
A. Not Operated	9663	5.1	16	1	2	4	6	9	12	20
B. Operated	4337	8.6	59	2	2	7	10	16	22	39
1. SINGLE DX	1275	3.6	8	1	1	3	5	7	9	14
2. MULTIPLE DX	14000	6.2	32	1	2	5	8	12	15	28
A. Not Operated	10571	4.9	15	1	2	4	6	9	12	20
B. Operated	4704	8.3	56	2	2	6	10	16	21	39
TOTAL										
0-19 YRS	430	4.1	29	1	1	3	5	8	11	26
20-34	607	3.9	24	1	1	3	4	7	10	27
35-49	1258	4.0	14	1	1	3	5	7	10	17
50-64	3325	5.3	27	1	2	4	6	10	14	26
65 +	9655	6.7	33	2	2	5	8	12	16	28
GRAND TOTAL	**15275**	**6.0**	**30**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.9	7	1	1	3	6	8	8	8
20-34	4	9.0	23	5	5	7	12	16	16	16
35-49	21	3.6	3	1	2	3	4	6	7	8
50-64	122	5.8	28	2	2	4	7	10	13	33
65 +	455	5.4	13	2	2	5	7	9	12	20
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	16	9.1	83	1	2	6	13	21	30	34
65 +	8	3.9	9	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	179	6.6	49	1	2	4	9	13	17	41
20-34	139	6.8	27	2	2	6	9	12	16	28
35-49	805	6.4	19	2	2	5	8	12	14	22
50-64	5016	7.0	24	2	3	6	9	12	16	25
65 +	22872	7.6	26	2	3	6	9	14	17	27
B. Operated										
0-19 YRS	35	19.3	362	2	3	14	23	48	70	78
20-34	38	8.5	30	1	2	9	13	15	17	22
35-49	204	11.4	90	2	3	9	14	22	28	61
50-64	856	12.5	105	2	4	10	15	23	32	56
65 +	2752	14.1	105	4	5	12	17	26	34	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	609	5.4	16	2	2	4	7	9	12	20
B. Operated	26	7.0	60	1	1	4	9	17	24	34
2. MULTIPLE DX										
A. Not Operated	29011	7.5	26	2	3	6	9	14	17	26
B. Operated	3885	13.6	107	3	4	11	17	25	33	57
1. SINGLE DX	635	5.5	18	2	2	4	7	10	12	22
2. MULTIPLE DX	32896	8.2	39	2	3	7	10	15	19	32
A. Not Operated	29620	7.4	26	2	3	6	9	13	17	26
B. Operated	3911	13.5	107	3	4	11	17	25	33	57
TOTAL										
0-19 YRS	221	8.5	119	1	2	5	10	18	27	66
20-34	182	7.2	27	2	2	6	9	14	16	28
35-49	1031	7.3	37	2	2	6	9	14	19	32
50-64	6010	7.8	39	2	3	6	9	14	18	33
65 +	26087	8.3	39	2	3	7	10	15	20	32
GRAND TOTAL	**33531**	**8.2**	**39**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	3.4	5	1	1	3	4	7	8	11
20-34	125	3.3	8	1	1	3	4	5	8	15
35-49	140	3.3	4	1	1	3	4	6	7	9
50-64	84	3.9	8	1	1	3	5	6	8	18
65 +	68	4.9	22	1	2	4	5	9	15	25
B. Operated										
0-19 YRS	93	3.9	9	1	1	2	5	8	10	14
20-34	51	3.9	12	< 1	1	2	6	9	10	16
35-49	155	3.5	12	1	1	2	5	8	11	14
50-64	238	4.1	19	1	1	2	6	10	12	22
65 +	174	4.8	25	1	1	2	7	13	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	135	5.1	26	1	2	3	6	11	16	28
20-34	319	4.4	14	1	1	3	5	8	11	16
35-49	597	5.1	14	1	2	4	6	10	13	21
50-64	1086	6.6	30	2	2	5	8	12	16	26
65 +	1593	7.6	31	2	3	6	10	14	18	27
B. Operated										
0-19 YRS	168	7.9	128	1	1	4	10	17	23	93
20-34	171	8.7	73	1	1	7	12	19	24	45
35-49	466	8.2	99	1	1	6	11	16	22	62
50-64	1158	9.1	99	1	1	7	12	20	27	53
65 +	1532	10.2	103	1	1	8	14	21	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	466	3.6	9	1	1	3	4	6	8	18
B. Operated	711	4.1	17	1	1	2	6	10	12	20
2. MULTIPLE DX										
A. Not Operated	3730	6.5	28	2	2	5	8	13	16	26
B. Operated	3495	9.4	101	1	1	7	13	20	27	52
1. SINGLE DX	1177	3.9	14	1	1	3	5	9	12	20
2. MULTIPLE DX	7225	7.9	65	1	2	6	10	16	22	40
A. Not Operated	4196	6.2	26	1	2	5	8	12	16	26
B. Operated	4206	8.5	91	1	1	6	12	18	25	48
TOTAL										
0-19 YRS	445	5.7	62	1	1	3	7	13	18	40
20-34	666	5.2	32	1	1	3	6	11	16	29
35-49	1358	5.8	46	1	1	4	7	12	15	31
50-64	2566	7.4	62	1	1	5	10	15	21	37
65 +	3367	8.6	66	1	2	7	11	17	23	41
GRAND TOTAL	**8402**	**7.4**	**60**	**1**	**1**	**5**	**10**	**15**	**21**	**39**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	3.0	3	< 1	< 1	3	4	5	5	5
50-64	20	4.2	8	1	2	3	6	9	10	10
65 +	53	7.2	73	1	2	5	8	14	18	56
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	3.0	16	1	1	2	2	10	12	12
50-64	41	4.8	68	1	1	2	6	9	11	52
65 +	33	8.6	99	1	1	6	10	19	37	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	81	6.0	52	1	2	4	6	12	15	47
B. Operated	82	6.2	78	1	1	2	8	12	21	49
1. SINGLE DX	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX	163	6.1	65	1	1	4	7	12	16	51
A. Not Operated	81	6.0	52	1	2	4	6	12	15	47
B. Operated	84	6.2	77	1	1	2	8	12	20	49
TOTAL										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	17	3.5	10	< 1	1	2	5	8	11	12
50-64	61	4.6	48	1	1	2	6	9	11	48
65 +	86	7.7	82	1	2	5	9	15	26	52
GRAND TOTAL	**165**	**6.1**	**64**	**1**	**1**	**4**	**7**	**12**	**16**	**50**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	7.7	69	1	1	5	14	17	17	17
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	16	13.6	34	4	8	13	18	21	24	25
35-49	25	12.9	68	< 1	3	12	17	26	28	33
50-64	23	18.5	142	4	7	15	24	39	43	49
65 +	9	24.1	152	8	9	25	31	41	47	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	4	2.5	4	< 1	< 1	2	4	5	5	5
35-49	11	8.6	48	3	3	6	11	20	25	25
50-64	9	5.4	27	< 1	< 1	4	8	14	15	15
65 +	36	13.6	95	2	4	12	18	26	32	44
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	26	19.5	251	6	7	13	19	45	56	62
35-49	68	22.1	246	5	9	17	28	44	62	98
50-64	75	24.6	368	4	7	20	34	47	65	92
65 +	66	23.2	151	7	10	21	29	44	48	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.3	38	< 1	< 1	2	9	16	17	17
B. Operated	74	16.4	106	3	5	14	22	31	38	49
2. MULTIPLE DX										
A. Not Operated	62	10.8	80	1	2	8	15	25	27	43
B. Operated	236	22.9	258	5	7	19	31	45	54	90
1. SINGLE DX	81	15.5	110	1	3	13	21	30	36	48
2. MULTIPLE DX	298	20.4	245	3	5	16	27	41	50	89
A. Not Operated	69	10.2	78	< 1	1	6	14	24	26	42
B. Operated	310	21.3	229	5	7	17	28	41	50	88
TOTAL										
0-19 YRS	5	13.4	120	< 1	< 1	11	18	31	31	31
20-34	47	15.7	177	2	4	12	18	35	47	62
35-49	107	18.2	206	3	5	15	24	37	46	92
50-64	108	21.5	320	2	4	16	30	40	55	91
65 +	112	20.1	151	5	6	18	27	40	46	52
GRAND TOTAL	**379**	**19.3**	**219**	**3**	**5**	**16**	**26**	**38**	**47**	**86**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	2	17.5	145	9	9	17	26	26	26	26
50-64	1	25.0		25	25	25	25	25	25	25
65 +	9	16.7	130	5	5	14	23	34	39	39
B. Operated										
0-19 YRS	2	24.0	72	18	18	24	30	30	30	30
20-34	3	21.0	133	9	9	22	29	32	32	32
35-49	7	29.0	213	13	13	31	35	51	55	55
50-64	17	39.1	519	13	18	35	63	87	97	99 +
65 +	7	24.6	11	21	21	25	27	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	13	16.8	111	5	6	14	25	29	37	39
B. Operated	36	32.0	337	12	15	27	37	66	86	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	49	27.9	319	7	9	25	35	59	73	[illegible] +
A. Not Operated	13	16.8	111	5	6	14	25	29	37	[illegible]
B. Operated	36	32.0	337	12	15	27	37	66	86	[illegible]
TOTAL										
0-19 YRS	3	18.7	121	8	8	18	27	30	30	30
20-34	3	21.0	133	9	9	22	29	32	32	32
35-49	9	26.4	204	9	11	26	34	47	55	55
50-64	18	38.3	499	14	18	35	59	85	97	99 +
65 +	16	20.1	90	5	6	22	26	30	36	39
GRAND TOTAL	**49**	**27.9**	**319**	**7**	**9**	**25**	**35**	**59**	**73**	**99 +**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	5	7.6	22	2	2	6	12	13	13	13
50-64	12	7.0	15	1	2	6	10	12	14	14
65 +	32	7.5	16	1	3	7	10	13	16	17
B. Operated										
0-19 YRS	11	5.1	12	1	2	4	6	11	13	13
20-34	8	5.1	14	1	1	4	8	10	11	11
35-49	11	7.3	37	1	2	5	9	17	22	22
50-64	28	7.8	34	2	3	6	9	18	21	25
65 +	44	10.3	58	3	4	8	13	19	24	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	7.9	40	1	1	7	13	15	20	22
20-34	15	7.1	28	< 1	2	6	11	16	17	17
35-49	27	10.1	110	2	2	7	13	23	34	47
50-64	97	9.4	46	1	3	7	13	19	24	30
65 +	474	10.3	45	3	4	9	13	18	23	40
B. Operated										
0-19 YRS	31	19.0	438	4	4	12	23	49	66	96
20-34	37	14.6	121	3	4	10	22	33	39	42
35-49	52	20.8	406	5	6	12	26	55	75	99 +
50-64	121	16.4	137	4	5	13	22	38	46	99 +
65 +	291	19.7	233	5	6	15	24	40	55	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	7.0	16	1	2	6	10	13	14	17
B. Operated	102	8.3	43	2	3	6	10	17	21	35
2. MULTIPLE DX										
A. Not Operated	630	10.0	48	2	3	8	13	18	24	39
B. Operated	532	18.7	233	4	5	13	24	40	54	91
1. SINGLE DX	157	7.9	34	1	2	6	10	14	19	29
2. MULTIPLE DX	1162	14.0	151	3	4	10	17	28	41	75
A. Not Operated	685	9.8	46	2	3	8	13	18	23	38
B. Operated	634	17.0	217	3	5	12	22	37	51	87
TOTAL										
0-19 YRS	63	12.5	268	1	2	7	14	24	48	92
20-34	62	11.3	95	2	2	9	13	25	35	42
35-49	95	15.5	291	2	3	10	18	45	56	95
50-64	258	12.4	100	2	4	9	16	25	37	54
65 +	841	13.4	130	3	5	10	17	26	36	64
GRAND TOTAL	**1319**	**13.2**	**141**	**3**	**4**	**10**	**16**	**27**	**39**	**72**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	1	32.0		32	32	32	32	32	32	32
35-49	9	23.0	334	2	4	20	34	52	58	58
50-64	45	18.0	117	6	6	17	23	34	42	99 +
65 +	174	13.1	93	4	5	10	15	23	39	44
B. Operated										
0-19 YRS	4	29.8	472	4	4	31	68	99 +	99 +	99 +
20-34	2	14.0	2	13	13	14	15	15	15	15
35-49	13	25.5	185	9	11	22	32	47	55	57
50-64	25	30.6	457	6	11	25	48	89	99 +	99 +
65 +	72	25.3	336	7	9	18	35	55	63	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	230	14.6	113	4	5	11	18	30	39	59
B. Operated	116	26.4	342	7	9	21	37	57	76	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	346	18.5	220	4	6	14	24	40	56	99 +
A. Not Operated	230	14.6	113	4	5	11	18	30	39	59
B. Operated	116	26.4	342	7	9	21	37	57	76	99 +
TOTAL										
0-19 YRS	5	28.8	358	4	6	29	57	96	99 +	99 +
20-34	3	20.0	109	13	13	15	28	32	32	32
35-49	22	24.5	235	4	8	21	32	48	57	58
50-64	70	22.5	270	6	7	20	28	57	90	99 +
65 +	246	16.7	194	4	5	12	19	39	44	69
GRAND TOTAL	**346**	**18.5**	**220**	**4**	**6**	**14**	**24**	**40**	**56**	**99 +**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	2.4	5	< 1	< 1	1	4	6	6	6
50-64	22	2.4	2	1	1	2	3	5	5	5
65 +	39	3.5	7	< 1	1	2	6	6	9	10
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	35	4.8	22	1	1	4	5	7	17	24
50-64	391	4.0	5	1	1	4	5	7	8	12
65 +	670	4.2	8	1	1	4	5	7	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	16	4.6	16	1	1	3	6	12	14	14
50-64	112	4.3	14	1	1	4	5	8	11	22
65 +	471	6.3	26	1	2	5	8	12	16	26
B. Operated										
0-19 YRS	4	5.5	2	4	4	5	6	7	7	7
20-34	5	5.6	8	3	3	6	7	10	10	10
35-49	108	6.6	35	2	2	5	7	12	22	30
50-64	1400	5.9	19	1	2	5	7	11	14	24
65 +	3742	6.8	30	1	2	5	9	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	3.1	5	< 1	1	2	5	6	7	10
B. Operated	1100	4.2	7	1	1	4	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	599	5.9	24	1	2	5	7	11	15	25
B. Operated	5259	6.6	27	1	2	5	8	13	16	26
1. SINGLE DX	1167	4.1	7	1	1	4	5	7	9	14
2. MULTIPLE DX	5858	6.5	27	1	2	5	8	12	16	26
A. Not Operated	666	5.6	23	1	1	5	7	11	14	24
B. Operated	6359	6.2	25	1	2	5	8	12	15	25
TOTAL										
0-19 YRS	5	4.6	5	< 1	< 1	5	6	7	7	7
20-34	9	4.8	6	2	2	4	6	8	10	10
35-49	164	5.9	30	1	2	5	7	10	19	29
50-64	1925	5.4	16	1	2	5	6	10	13	20
65 +	4922	6.4	27	1	2	5	8	12	16	26
GRAND TOTAL	**7025**	**6.1**	**24**	**1**	**2**	**5**	**7**	**12**	**15**	**25**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	12.3	54	2	2	14	17	18	18	18
50-64	12	12.1	55	4	5	10	17	24	25	25
65 +	59	9.5	46	3	4	8	12	17	21	42
B. Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	1	44.0		44	44	44	44	44	44	44
35-49	9	11.1	173	1	1	7	12	34	42	42
50-64	75	10.5	92	1	2	7	15	24	33	41
65 +	196	10.2	67	2	3	8	14	19	27	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	75	10.1	47	3	4	9	12	20	22	39
B. Operated	282	10.5	79	2	2	8	14	21	30	43
1. SINGLE DX	0									
2. MULTIPLE DX	357	10.4	73	2	3	8	14	21	28	44
A. Not Operated	75	10.1	47	3	4	9	12	20	22	39
B. Operated	282	10.5	79	2	2	8	14	21	30	43
TOTAL										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	1	44.0		44	44	44	44	44	44	44
35-49	13	11.5	129	1	2	8	17	26	39	42
50-64	87	10.7	86	2	2	7	15	24	31	40
65 +	255	10.1	62	2	4	8	13	19	24	44
GRAND TOTAL	**357**	**10.4**	**73**	**2**	**3**	**8**	**14**	**21**	**28**	**44**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	6	2.8	7	1	1	2	3	8	8	8
35-49	12	6.3	10	< 1	2	7	9	10	11	11
50-64	68	6.9	58	1	2	6	7	12	17	50
65 +	225	7.3	29	2	2	6	8	12	16	31
B. Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	7	8.6	22	3	3	9	12	14	15	15
35-49	15	8.7	44	2	4	8	11	11	25	30
50-64	38	6.0	12	1	2	6	8	11	13	15
65 +	23	8.1	45	1	2	5	11	17	23	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	7.3	39	1	2	6	9	12	22	29
20-34	33	6.5	20	2	2	5	8	12	17	21
35-49	161	7.4	24	2	3	6	9	13	17	27
50-64	944	8.5	45	2	3	7	10	16	22	35
65 +	5071	9.1	38	3	3	8	11	16	21	33
B. Operated										
0-19 YRS	5	9.8	45	3	3	9	12	21	21	21
20-34	27	9.2	37	2	4	8	11	14	21	33
35-49	100	10.1	72	2	3	8	12	20	28	46
50-64	322	12.2	150	2	3	8	13	27	41	65
65 +	994	15.9	164	3	5	12	20	34	43	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	312	7.1	34	2	2	6	8	12	16	35
B. Operated	85	7.2	28	2	2	6	10	13	15	29
2. MULTIPLE DX										
A. Not Operated	6228	9.0	39	3	3	7	11	16	21	33
B. Operated	1448	14.5	156	3	4	11	18	31	42	66
1. SINGLE DX	397	7.1	33	2	2	6	9	12	16	32
2. MULTIPLE DX	7676	10.0	66	3	3	8	12	18	25	44
A. Not Operated	6540	8.9	39	3	3	7	11	16	21	33
B. Operated	1533	14.1	152	3	4	10	17	30	41	65
TOTAL										
0-19 YRS	27	7.7	36	2	2	7	10	13	22	29
20-34	73	7.4	28	1	2	7	10	13	17	30
35-49	288	8.3	42	2	3	7	10	16	20	32
50-64	1372	9.2	72	2	3	7	11	18	25	46
65 +	6313	10 1	64	3	4	8	12	19	25	44
GRAND TOTAL	**8073**	**9.9**	**65**	**3**	**3**	**8**	**12**	**18**	**25**	**44**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	11.0	53	1	1	12	16	18	18	18
20-34	13	10.9	54	2	3	10	13	22	28	29
35-49	77	12.7	104	3	5	9	15	24	37	53
50-64	510	11.7	79	3	4	9	14	22	31	45
65 +	2462	11.3	54	4	5	10	14	20	26	39
B. Operated										
0-19 YRS	5	24.2	632	2	2	11	46	60	60	60
20-34	9	14.7	134	2	3	11	27	69	99 +	99 +
35-49	34	15.9	346	4	5	9	13	36	64	87
50-64	158	17.1	221	5	6	12	20	38	58	98
65 +	369	17.6	177	4	6	14	23	34	41	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3066	11.4	59	4	5	10	14	20	27	42
B. Operated	575	17.4	200	4	6	13	22	36	49	93
1. SINGLE DX	0									
2. MULTIPLE DX	3641	12.4	86	4	5	10	15	23	31	50
A. Not Operated	3066	11.4	59	4	5	10	14	20	27	42
B. Operated	575	17.4	200	4	6	13	22	36	49	93
TOTAL										
0-19 YRS	9	18.3	384	1	1	11	24	52	60	60
20-34	22	12.5	86	2	3	11	15	31	60	99 +
35-49	111	13.7	178	3	5	9	15	27	44	76
50-64	668	13.0	118	3	4	10	15	26	35	67
65 +	2831	12.1	74	4	5	10	15	22	29	45
GRAND TOTAL	**3641**	**12.4**	**86**	**4**	**5**	**10**	**15**	**23**	**31**	**50**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	13	2.4	2	1	1	2	3	5	5	5
35-49	66	3.2	4	1	1	3	4	6	7	10
50-64	178	3.1	4	1	1	3	4	6	7	13
65 +	338	3.5	5	1	1	3	4	6	7	11
B. Operated										
0-19 YRS	0									
20-34	8	3.0	2	1	1	3	4	5	5	5
35-49	34	3.0	3	< 1	1	3	4	6	6	7
50-64	88	3.4	5	1	1	3	5	7	8	11
65 +	98	3.4	7	1	1	2	5	7	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	4.2	8	1	1	4	5	7	11	13
20-34	44	3.3	3	1	1	3	4	6	7	8
35-49	268	4.1	6	1	2	4	5	7	8	11
50-64	1301	4.4	8	1	2	4	5	8	9	16
65 +	6040	5.2	13	2	2	4	6	9	11	18
B. Operated										
0-19 YRS	0									
20-34	18	6.4	17	1	2	5	9	11	15	17
35-49	111	4.8	7	2	2	4	7	8	9	13
50-64	511	6.2	23	1	2	5	8	11	15	24
65 +	1202	7.8	51	2	2	6	10	15	19	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	598	3.3	4	1	1	3	4	6	7	11
B. Operated	228	3.3	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	7670	5.0	12	2	2	4	6	9	11	17
B. Operated	1842	7.1	41	1	2	6	9	13	17	34
1. SINGLE DX	826	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	9512	5.4	18	2	2	4	7	10	13	21
A. Not Operated	8268	4.9	12	1	2	4	6	9	11	17
B. Operated	2070	6.7	38	1	2	5	8	13	16	32
TOTAL										
0-19 YRS	20	4.1	7	1	1	4	5	9	52	99 +
20-34	83	3.8	8	1	1	3	5	7	10	15
35-49	479	4.1	6	1	2	4	5	7	8	11
50-64	2078	4.7	12	1	2	4	6	8	11	17
65 +	7678	5.5	20	2	2	4	7	10	13	21
GRAND TOTAL	**10338**	**5.3**	**18**	**1**	**2**	**4**	**7**	**9**	**12**	**20**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.8	10	1	1	3	5	9	9	9
35-49	19	4.4	5	1	1	4	6	7	8	9
50-64	57	6.4	54	1	2	4	8	13	22	42
65+	220	7.2	33	2	3	6	9	12	14	30
B. Operated										
0-19 YRS	0									
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	6	3.5	19	1	1	2	4	11	12	12
50-64	18	5.8	27	<1	1	4	7	15	17	18
65+	19	8.9	57	2	3	6	9	20	26	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	8.9	70	1	2	6	12	18	29	33
20-34	8	4.4	6	2	2	4	6	8	9	9
35-49	83	6.5	40	2	2	5	8	11	15	41
50-64	454	8.0	47	2	3	6	10	14	18	35
65+	2605	8.4	34	2	3	7	10	15	18	31
B. Operated										
0-19 YRS	3	16.0	52	8	8	18	21	22	22	22
20-34	7	10.0	61	1	2	9	13	23	25	25
35-49	25	9.2	44	2	3	7	12	20	23	30
50-64	131	11.3	106	2	3	9	15	22	29	81
65+	405	13.4	117	3	4	10	16	30	38	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	302	6.8	35	2	2	6	8	12	14	32
B. Operated	45	6.8	40	1	1	5	8	16	20	31
2. MULTIPLE DX										
A. Not Operated	3166	8.3	36	2	3	7	10	14	18	32
B. Operated	571	12.7	112	3	4	10	16	27	36	55
1. SINGLE DX	347	6.8	36	1	2	6	8	12	15	31
2. MULTIPLE DX	3737	9.0	50	2	3	7	11	16	21	39
A. Not Operated	3468	8.2	37	2	3	7	10	14	18	32
B. Operated	616	12.3	109	2	3	9	15	26	35	55
TOTAL										
0-19 YRS	20	9.7	71	1	2	7	15	20	27	33
20-34	22	6.1	29	1	2	5	9	11	18	25
35-49	133	6.6	37	1	2	5	8	12	16	34
50-64	660	8.4	61	2	2	7	10	16	21	44
65+	3249	9.0	48	2	3	7	11	16	21	38
GRAND TOTAL	**4084**	**8.8**	**50**	**2**	**3**	**7**	**11**	**16**	**21**	**38**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.0	8	4	4	5	7	11	11	11
20-34	7	7.4	10	3	3	9	10	11	11	11
35-49	23	13.8	312	2	3	8	14	24	61	82
50-64	202	10.0	117	2	3	7	12	16	30	68
65+	1028	9.5	47	3	4	8	12	16	20	35
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	27.7	1061	5	5	13	52	65	65	65
35-49	11	22.3	247	2	4	20	38	44	46	46
50-64	48	15.3	201	4	4	11	17	28	53	62
65+	135	15.2	167	4	6	11	17	30	38	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1265	9.7	63	3	4	8	12	16	21	44
B. Operated	198	15.8	190	4	5	11	18	32	45	74
1. SINGLE DX	0									
2. MULTIPLE DX	1463	10.5	84	3	4	8	12	18	24	61
A. Not Operated	1265	9.7	63	3	4	8	12	16	21	44
B. Operated	198	15.8	190	4	5	11	18	32	45	74
TOTAL										
0-19 YRS	6	6.0	6	4	4	5	6	10	11	11
20-34	10	13.5	338	3	3	9	11	39	65	65
35-49	34	16.6	299	2	3	10	20	43	48	82
50-64	250	11.0	137	3	3	8	12	21	34	65
65+	1163	10.2	64	3	4	8	12	18	22	43
GRAND TOTAL	**1463**	**10.5**	**84**	**3**	**4**	**8**	**12**	**18**	**24**	**61**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	2	< 1	< 1	2	4	4	4	4
20-34	17	2.3	1	< 1	< 1	2	3	4	5	5
35-49	25	2.7	2	< 1	1	2	4	5	5	5
50-64	60	4.3	43	1	2	3	5	6	8	48
65 +	46	3.8	9	1	1	3	5	7	10	15
B. Operated										
0-19 YRS	4	8.3	5	6	6	8	10	11	11	11
20-34	13	4.7	19	1	1	3	7	11	15	16
35-49	41	6.2	21	< 1	1	6	9	13	13	20
50-64	50	4.8	74	1	1	2	6	10	13	59
65 +	30	2.3	6	1	1	2	2	5	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.4	29	1	1	4	6	15	19	20
20-34	52	4.5	13	1	2	4	5	8	12	21
35-49	173	4.8	15	1	2	4	6	9	10	25
50-64	367	5.5	15	1	2	4	7	10	12	21
65 +	1132	6.4	26	2	2	5	8	11	15	24
B. Operated										
0-19 YRS	10	5.7	8	1	1	6	7	9	10	10
20-34	29	7.8	43	1	1	6	14	17	20	25
35-49	92	9.9	86	1	2	8	12	20	27	46
50-64	163	9.4	117	1	1	7	12	21	28	97
65 +	289	9.1	66	1	2	7	12	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	3.6	20	1	1	3	4	6	7	15
B. Operated	138	4.8	38	1	1	2	7	11	13	25
2. MULTIPLE DX										
A. Not Operated	1738	6.0	23	2	2	5	7	11	14	22
B. Operated	583	9.2	81	1	2	7	12	20	25	53
1. SINGLE DX	291	4.2	29	1	1	3	5	9	11	18
2. MULTIPLE DX	2321	6.8	39	1	2	5	8	13	17	32
A. Not Operated	1891	5.8	23	1	2	5	7	11	14	22
B. Operated	721	8.3	76	1	1	6	11	17	23	50
TOTAL										
0-19 YRS	33	5.4	17	1	1	5	7	10	14	20
20-34	111	5.1	23	1	1	4	6	13	15	23
35-49	331	6.2	40	1	2	4	8	13	17	36
50-64	640	6.3	51	1	2	4	7	12	17	52
65 +	1497	6.8	35	1	2	5	8	13	16	30
GRAND TOTAL	**2612**	**6.5**	**39**	**1**	**2**	**5**	**8**	**13**	**16**	**32**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.0		1	1	1	1	1	1	1
50-64	6	3.8	8	2	2	3	5	9	9	9
65 +	11	4.1	29	< 1	< 1	2	5	12	18	19
B. Operated										
0-19 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	25	3.8	10	< 1	1	2	6	9	9	10
50-64	133	3.7	12	1	1	2	6	8	10	15
65 +	117	4.9	26	1	1	2	7	12	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	8	2.5	5	< 1	< 1	2	4	6	6	6
50-64	49	3.6	14	< 1	1	2	5	7	10	18
65 +	146	5.6	28	1	1	4	7	12	15	25
B. Operated										
0-19 YRS	10	6.8	26	1	1	6	11	14	17	17
20-34	9	4.9	18	1	1	4	8	12	12	12
35-49	171	6.0	25	1	1	5	8	12	16	22
50-64	769	8.5	92	1	1	6	11	17	26	56
65 +	1865	10.8	90	1	2	9	14	22	29	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.6	18	< 1	1	2	4	8	14	19
B. Operated	279	4.2	17	1	1	2	7	9	13	19
2. MULTIPLE DX										
A. Not Operated	205	5.0	25	< 1	1	4	6	10	14	23
B. Operated	2824	9.9	88	1	1	8	13	20	28	46
1. SINGLE DX	299	4.1	17	1	1	2	6	9	13	19
2. MULTIPLE DX	3029	9.5	85	1	1	7	12	20	27	45
A. Not Operated	225	4.9	24	< 1	1	3	6	10	14	23
B. Operated	3103	9.3	84	1	1	7	12	20	27	45
TOTAL										
0-19 YRS	13	5.7	24	< 1	1	4	9	12	16	17
20-34	12	4.4	15	1	1	3	6	11	12	12
35-49	207	5.5	23	1	1	5	8	11	14	21
50-64	957	7.6	80	1	1	5	10	16	22	49
65 +	2139	10.1	85	1	1	8	14	21	28	43
GRAND TOTAL	**3328**	**9.0**	**81**	**1**	**1**	**7**	**12**	**19**	**26**	**44**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	5	2.8	9	< 1	< 1	1	4	8	8	8
65 +	8	7.4	80	1	1	4	9	23	28	28
B. Operated										
0-19 YRS	0									
20-34	2	8.5	13	6	6	8	11	11	11	11
35-49	8	8.5	25	2	2	9	12	15	16	16
50-64	68	9.1	25	1	2	9	10	13	19	27
65 +	138	9.8	38	1	2	9	11	15	20	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	3.0	2	1	1	3	4	5	5	5
50-64	29	4.0	6	1	1	4	5	8	9	10
65 +	185	5.9	57	1	1	4	7	11	16	35
• *B. Operated*										
0-19 YRS	6	4.7	16	1	1	4	7	11	11	11
20-34	14	11.1	41	1	1	11	16	20	21	21
35-49	25	10.2	40	1	1	11	12	16	22	31
50-64	519	12.5	90	2	6	10	14	21	29	59
65 +	1474	13.6	90	2	6	11	16	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.3	53	< 1	< 1	3	6	13	25	28
B. Operated	216	9.5	33	1	2	9	11	14	19	28
2. MULTIPLE DX										
A. Not Operated	221	5.6	49	1	1	4	7	10	16	30
B. Operated	2038	13.2	89	2	6	11	16	23	31	59
1. SINGLE DX	230	9.3	35	1	2	9	11	14	19	28
2. MULTIPLE DX	2259	12.5	90	2	3	10	15	22	29	58
A. Not Operated	235	5.6	49	< 1	1	4	7	10	16	30
B. Operated	2254	12.9	85	2	5	11	15	22	29	57
TOTAL										
0-19 YRS	7	4.1	15	< 1	< 1	2	7	10	11	11
20-34	17	10.4	38	1	2	10	14	20	21	21
35-49	39	8.7	38	1	1	9	12	15	18	31
50-64	621	11.7	83	1	4	10	13	20	27	54
65 +	1805	12.5	88	2	3	11	15	22	29	57
GRAND TOTAL	**2489**	**12.2**	**86**	**2**	**3**	**10**	**14**	**22**	**29**	**57**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.0	27	1	1	1	8	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	8	3.5	13	< 1	< 1	2	4	10	12	12
35-49	19	4.9	7	< 1	1	4	7	9	10	10
50-64	35	7.2	34	1	2	6	9	14	22	26
65 +	55	5.9	16	1	1	6	8	10	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	3	5.3	10	3	3	4	8	9	9	9
50-64	3	3.3	4	< 1	< 1	4	5	5	5	5
65 +	12	6.3	43	1	1	5	8	14	23	25
B. Operated										
0-19 YRS	5	3.2	5	2	2	2	4	7	7	7
20-34	7	12.9	33	4	5	14	17	20	20	20
35-49	43	10.0	46	1	2	8	16	20	22	24
50-64	171	9.6	104	2	2	7	12	17	19	55
65 +	285	10.8	80	2	3	8	13	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.0	27	1	1	1	8	10	10	10
B. Operated	121	5.8	20	1	1	5	8	11	13	25
2. MULTIPLE DX										
A. Not Operated	19	5.4	30	< 1	1	4	7	10	18	25
B. Operated	511	10.3	84	2	3	8	13	19	25	53
1. SINGLE DX	124	5.8	20	1	1	5	8	10	13	25
2. MULTIPLE DX	530	10.1	83	2	2	8	12	19	25	52
A. Not Operated	22	5.2	29	< 1	1	4	8	10	16	25
B. Operated	632	9.4	75	1	2	7	12	18	24	49
TOTAL										
0-19 YRS	10	2.2	3	1	1	2	2	5	7	7
20-34	15	7.9	44	< 1	1	4	13	18	19	20
35-49	68	8.1	38	1	1	7	10	19	21	24
50-64	209	9.1	92	2	2	7	11	16	20	48
65 +	352	9.9	72	1	2	8	12	19	25	51
GRAND TOTAL	**654**	**9.3**	**74**	**1**	**2**	**7**	**11**	**18**	**24**	**48**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	7.3	14	3	3	9	10	10	10	10
20-34	4	6.3	3	4	4	6	7	8	8	8
35-49	6	5.3	9	1	1	6	8	8	8	8
50-64	14	3.3	8	1	1	2	6	7	8	8
65 +	19	4.4	13	< 1	< 1	5	6	9	12	13
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	6.3	19	< 1	1	7	8	13	15	15
35-49	104	4.5	11	1	1	4	7	9	11	13
50-64	275	5.6	18	1	1	5	8	11	13	21
65 +	263	6.4	25	1	1	6	9	13	17	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	16	6.6	15	1	2	6	9	11	15	16
35-49	27	6.4	8	< 1	2	6	9	10	11	12
50-64	66	6.9	48	1	1	5	9	14	20	38
65 +	204	7.2	22	1	2	7	9	13	16	24
B. Operated										
0-19 YRS	13	9.4	29	1	2	11	13	16	18	18
20-34	40	10.1	69	2	3	9	11	19	27	46
35-49	321	9.4	75	1	2	8	12	17	23	49
50-64	1314	9.6	68	1	2	8	12	18	23	44
65 +	2526	11.5	93	1	2	9	14	23	30	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	4.5	11	< 1	1	4	7	8	10	13
B. Operated	661	5.8	20	1	1	5	8	11	14	21
2. MULTIPLE DX										
A. Not Operated	315	7.0	26	1	1	6	9	12	16	25
B. Operated	4214	10.7	84	1	2	9	13	20	28	49
1. SINGLE DX	707	5.7	20	1	1	5	8	11	13	21
2. MULTIPLE DX	4529	10.5	81	1	2	9	13	20	27	48
A. Not Operated	361	6.7	25	1	1	6	9	12	16	25
B. Operated	4875	10.0	79	1	2	8	13	19	26	46
TOTAL										
0-19 YRS	19	7.9	28	1	1	9	12	15	17	18
20-34	78	8.3	46	1	2	7	10	15	20	41
35-49	458	8.0	60	1	1	7	10	15	20	39
50-64	1669	8.7	61	1	1	8	11	17	21	42
65 +	3012	10.7	85	1	2	9	13	21	28	48
GRAND TOTAL	**5236**	**9.8**	**76**	**1**	**2**	**8**	**12**	**19**	**26**	**45**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	5.4	16	1	2	4	7	9	13	22
20-34	15	4.5	15	< 1	1	3	6	11	14	15
35-49	16	4.9	33	< 1	1	3	6	11	20	24
50-64	18	4.7	16	< 1	< 1	3	7	11	14	14
65 +	21	5.1	19	< 1	1	3	7	13	14	14
B. Operated										
0-19 YRS	20	4.2	11	1	1	3	5	9	11	12
20-34	25	2.7	5	< 1	1	2	4	6	7	8
35-49	84	3.4	10	1	1	2	6	9	10	11
50-64	189	3.8	21	1	1	2	5	9	12	26
65 +	217	4.4	20	1	1	3	7	10	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	6.3	20	1	2	5	8	12	16	23
20-34	36	5.8	25	1	2	4	8	12	16	23
35-49	63	4.4	10	1	2	3	5	9	11	16
50-64	103	4.8	11	1	1	4	7	9	12	15
65 +	279	6.2	33	1	1	5	8	12	15	25
B. Operated										
0-19 YRS	34	13.5	328	< 1	1	8	17	30	41	96
20-34	49	9.6	45	1	2	9	13	21	29	99 +
35-49	204	7.7	110	1	1	4	9	19	28	53
50-64	609	7.9	89	1	1	5	11	16	22	55
65 +	1033	10.0	106	1	1	7	13	21	30	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	5.2	17	1	1	4	7	10	14	22
B. Operated	535	3.9	18	1	1	2	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	583	5.7	24	1	2	5	7	11	14	23
B. Operated	1929	9.1	105	1	1	7	12	20	26	55
1. SINGLE DX	731	4.3	18	1	1	3	6	9	12	20
2. MULTIPLE DX	2512	8.4	88	1	1	6	11	18	24	51
A. Not Operated	779	5.6	23	1	1	4	7	11	14	23
B. Operated	2464	8.0	90	1	1	5	10	17	24	50
TOTAL										
0-19 YRS	282	6.6	60	1	2	5	8	13	17	32
20-34	125	6.5	35	1	1	4	10	14	20	46
35-49	367	6.0	70	1	1	3	8	12	22	40
50-64	919	6.7	68	1	1	4	9	14	19	43
65 +	1550	8.5	85	1	1	6	11	18	24	47
GRAND TOTAL	**3243**	**7.4**	**75**	**1**	**1**	**5**	**9**	**16**	**22**	**45**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	6.0	11	< 1	1	7	8	10	11	12
20-34	156	5.8	11	1	2	5	8	10	11	15
35-49	237	6.4	10	2	2	6	8	10	12	16
50-64	206	6.7	13	2	3	6	8	11	13	18
65 +	155	7.3	14	3	3	7	9	11	13	22
B. Operated										
0-19 YRS	11	6.1	15	1	2	6	8	11	15	15
20-34	86	5.9	33	1	2	5	8	9	11	38
35-49	116	6.1	15	1	2	6	8	11	12	19
50-64	125	6.6	15	1	2	6	8	10	14	20
65 +	83	6.7	9	2	3	7	9	11	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	8.1	28	3	3	7	9	14	22	25
20-34	174	6.8	15	1	2	6	9	12	14	19
35-49	419	7.5	20	2	3	7	9	12	15	24
50-64	718	7.8	16	3	3	7	10	12	16	21
65 +	1286	8.2	16	3	4	8	10	13	15	24
B. Operated										
0-19 YRS	20	7.1	20	1	2	6	10	12	16	19
20-34	146	8.6	41	2	3	8	10	15	17	38
35-49	272	8.1	38	2	2	7	10	14	18	32
50-64	466	8.9	48	2	3	8	11	14	18	41
65 +	771	9.7	39	3	4	9	12	16	20	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	769	6.6	12	2	2	6	8	11	12	18
B. Operated	421	6.3	17	1	2	6	8	10	13	18
2. MULTIPLE DX										
A. Not Operated	2626	7.9	17	3	4	7	10	13	15	23
B. Operated	1675	9.1	41	2	3	8	11	15	19	33
1. SINGLE DX	1190	6.5	14	2	2	6	8	11	12	18
2. MULTIPLE DX	4301	8.4	27	2	4	8	10	14	17	26
A. Not Operated	3395	7.6	16	2	3	7	9	12	15	22
B. Operated	2096	8.5	38	2	3	8	10	14	18	31
TOTAL										
0-19 YRS	75	7.1	21	1	2	7	9	12	15	24
20-34	562	6.9	24	1	2	6	9	12	14	24
35-49	1044	7.3	22	2	2	7	9	12	15	24
50-64	1515	7.9	26	2	3	7	10	13	16	24
65 +	2295	8.6	24	3	4	8	10	14	16	26
GRAND TOTAL	**5491**	**8.0**	**24**	**2**	**3**	**7**	**10**	**13**	**16**	**25**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.3	11	3	3	4	7	10	10	10
35-49	7	2.4	5	< 1	< 1	2	3	6	7	7
50-64	12	6.1	6	1	3	6	8	9	10	10
65 +	11	5.1	17	2	2	4	5	10	16	17
B. Operated										
0-19 YRS	9	1.9	1	1	1	2	2	3	3	3
20-34	293	2.1	1	1	1	2	3	3	4	6
35-49	449	2.3	3	1	1	2	3	4	5	9
50-64	309	2.8	6	1	1	2	3	5	8	15
65 +	87	6.2	65	1	1	3	7	17	22	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	13	8.0	17	2	3	8	11	14	15	15
35-49	43	6.1	21	< 1	1	5	9	14	16	16
50-64	101	8.5	30	3	3	7	10	16	19	31
65 +	281	9.7	52	3	4	8	11	16	22	44
B. Operated										
0-19 YRS	6	3.7	7	1	1	3	6	8	8	8
20-34	101	5.7	84	1	1	3	5	12	23	52
35-49	224	4.6	36	1	1	3	4	12	17	33
50-64	253	6.5	58	1	1	3	8	16	22	37
65 +	333	13.3	161	1	2	11	17	30	36	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	4.9	11	1	1	4	6	9	10	17
B. Operated	1147	2.7	9	1	1	2	3	4	6	17
2. MULTIPLE DX										
A. Not Operated	440	9.0	44	2	3	7	11	16	21	36
B. Operated	917	8.4	107	1	1	4	12	22	30	51
1. SINGLE DX	1181	2.7	9	1	1	2	3	5	7	17
2. MULTIPLE DX	1357	8.6	86	1	2	6	11	19	27	44
A. Not Operated	474	8.7	42	2	3	7	11	15	20	35
B. Operated	2064	5.2	61	1	1	2	5	13	21	36
TOTAL										
0-19 YRS	17	3.2	7	1	1	2	4	8	9	10
20-34	411	3.2	25	1	1	2	3	5	10	27
35-49	723	3.2	16	1	1	2	3	6	10	22
50-64	675	5.1	34	1	1	3	6	12	16	31
65 +	712	10.9	110	1	2	8	14	24	32	54
GRAND TOTAL	**2538**	**5.9**	**59**	**1**	**1**	**3**	**7**	**14**	**21**	**36**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	11	3.0	12	1	1	2	3	8	13	13
35-49	17	1.9	1	1	1	1	3	4	4	4
50-64	12	2.8	2	< 1	1	3	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	6	3.2	8	1	1	2	5	8	8	8
20-34	133	2.6	3	1	1	2	3	4	5	10
35-49	185	3.1	4	1	1	2	4	6	7	10
50-64	106	2.8	3	1	1	3	4	5	5	8
65 +	54	3.3	5	1	1	3	4	5	5	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.1		1	1	2	3	3	3	3
20-34	34	2.8	3	< 1	1	2	4	5	7	8
35-49	65	3.1	3	1	1	3	4	5	6	10
50-64	70	3.6	8	< 1	1	3	5	7	8	16
65 +	121	4.6	11	1	2	4	5	9	11	17
B. Operated										
0-19 YRS	15	2.3	4	1	1	2	3	4	8	9
20-34	710	3.1	3	1	1	3	4	5	6	8
35-49	1317	3.1	3	1	1	3	4	5	6	8
50-64	1048	3.4	5	1	1	3	4	5	7	12
65 +	622	4.3	12	1	2	3	5	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.3	4	< 1	1	2	3	4	5	13
B. Operated	484	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	298	3.8	8	1	1	3	5	7	10	17
B. Operated	3712	3.4	5	1	1	3	4	6	7	12
1. SINGLE DX	529	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	4010	3.4	5	1	1	3	4	6	7	12
A. Not Operated	343	3.6	8	1	1	3	4	6	9	17
B. Operated	4196	3.3	5	1	1	3	4	6	7	12
TOTAL										
0-19 YRS	34	2.2	4	1	1	2	3	4	7	9
20-34	888	3.0	3	1	1	3	4	5	6	9
35-49	1584	3.1	3	1	1	3	4	5	6	9
50-64	1236	3.3	5	1	1	3	4	5	7	12
65 +	797	4.3	11	1	2	3	5	8	11	18
GRAND TOTAL	**4539**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	5.7	17	2	2	5	7	11	15	21
20-34	93	6.1	12	2	2	6	8	10	13	15
35-49	124	6.3	10	1	2	6	8	11	12	14
50-64	122	6.4	11	1	2	6	8	10	12	17
65 +	138	6.8	17	1	2	6	9	12	14	18
B. Operated										
0-19 YRS	59	4.3	43	1	1	2	5	11	14	38
20-34	120	5.3	14	1	1	5	8	10	12	18
35-49	132	6.5	16	1	1	6	9	11	12	20
50-64	111	6.7	13	1	1	7	9	12	12	16
65 +	124	7.6	14	2	3	7	10	12	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	5.5	42	1	1	3	7	14	20	32
20-34	239	6.2	19	1	1	6	9	11	13	19
35-49	469	6.5	18	1	2	6	9	11	14	17
50-64	921	6.9	22	1	2	6	9	12	15	25
65 +	2384	6.9	23	2	2	6	9	12	15	23
B. Operated										
0-19 YRS	59	7.0	106	1	1	4	8	13	24	67
20-34	280	7.3	55	1	1	6	9	14	18	40
35-49	384	8.3	41	1	2	7	11	16	19	36
50-64	641	9.4	59	1	3	8	11	16	23	42
65 +	1199	10.5	58	2	4	9	12	18	25	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	516	6.4	13	1	2	6	8	11	13	15
B. Operated	546	6.3	19	1	1	6	9	11	13	20
2. MULTIPLE DX										
A. Not Operated	4090	6.8	22	1	2	6	9	12	15	23
B. Operated	2563	9.5	58	1	2	8	11	17	23	42
1. SINGLE DX	1062	6.3	16	1	1	6	8	11	13	19
2. MULTIPLE DX	6653	7.8	38	1	2	7	10	14	18	32
A. Not Operated	4606	6.8	21	1	2	6	9	12	14	23
B. Operated	3109	8.9	52	1	2	8	11	16	22	38
TOTAL										
0-19 YRS	234	5.6	54	1	1	3	7	12	18	34
20-34	732	6.5	31	1	1	6	9	12	14	28
35-49	1109	7.1	26	1	2	7	9	13	16	25
50-64	1795	7.7	35	1	2	7	10	13	17	29
65 +	3845	8.0	36	2	2	7	10	14	18	33
GRAND TOTAL	**7715**	**7.6**	**35**	**1**	**2**	**7**	**10**	**14**	**17**	**31**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2606	2.3	2	1	1	2	3	4	5	7
20-34	197	2.8	2	1	1	2	3	4	5	11
35-49	88	3.3	3	1	1	3	4	6	7	8
50-64	27	3.1	2	1	1	3	5	5	6	6
65 +	18	2.9	1	1	1	3	4	4	5	5
B. Operated										
0-19 YRS	164	2.0	7	1	1	1	2	4	6	14
20-34	67	2.0	3	1	1	1	2	5	6	10
35-49	17	3.8	7	1	1	3	5	8	9	9
50-64	8	2.8	3	1	1	2	4	5	5	5
65 +	4	3.3	15	1	1	2	5	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4556	3.0	4	1	1	3	4	5	7	10
20-34	628	3.4	4	1	2	3	4	6	7	10
35-49	306	4.0	8	1	2	3	5	7	10	15
50-64	283	5.0	14	1	2	4	6	9	11	22
65 +	362	6.1	20	2	2	5	7	11	15	23
B. Operated										
0-19 YRS	247	4.5	45	1	1	2	6	10	14	43
20-34	73	5.4	57	1	1	3	7	10	14	47
35-49	48	5.7	19	1	1	4	8	12	14	21
50-64	45	7.4	64	1	1	6	10	14	19	49
65 +	56	7.3	55	1	1	5	9	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2936	2.4	2	1	1	2	3	4	5	8
B. Operated	260	2.1	6	1	1	1	2	5	7	14
2. MULTIPLE DX										
A. Not Operated	6135	3.4	6	1	1	3	4	6	8	13
B. Operated	469	5.4	48	1	1	3	7	11	15	42
1. SINGLE DX	3196	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	6604	3.5	10	1	1	3	4	6	8	15
A. Not Operated	9071	3.0	5	1	1	3	4	5	7	12
B. Operated	729	4.2	36	1	1	2	5	10	14	36
TOTAL										
0-19 YRS	7573	2.8	5	1	1	2	3	5	6	10
20-34	965	3.4	8	1	1	3	4	6	7	13
35-49	459	4.0	8	1	1	3	5	7	10	15
50-64	363	5.1	20	1	2	4	6	10	12	24
65 +	440	6.1	24	1	2	5	7	12	15	27
GRAND TOTAL	**9800**	**3.1**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2911	3.1	3	1	1	3	4	5	6	9
20-34	104	3.5	3	1	2	3	4	5	7	12
35-49	100	3.8	5	1	2	3	4	7	8	13
50-64	88	4.2	6	1	2	4	6	7	9	12
65 +	77	5.0	6	2	3	4	6	8	11	13
B. Operated										
0-19 YRS	12	4.8	15	1	1	4	7	11	12	12
20-34	4	3.5	4	1	1	3	5	6	6	6
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64	4	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5336	3.9	6	1	2	3	5	7	8	14
20-34	526	4.5	10	1	2	4	5	8	10	18
35-49	865	4.9	11	2	2	4	6	8	10	15
50-64	2357	6.5	18	2	3	5	8	11	14	23
65 +	5376	7.0	19	2	3	6	9	12	15	22
B. Operated										
0-19 YRS	79	14.7	379	2	3	9	14	28	67	93
20-34	48	10.4	71	1	2	9	13	24	32	33
35-49	75	9.1	73	2	3	7	10	19	24	52
50-64	191	11.9	101	3	4	9	13	21	37	64
65 +	373	13.0	114	3	4	11	16	24	32	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3280	3.2	3	1	1	3	4	5	7	10
B. Operated	24	4.1	9	1	1	4	6	7	11	12
2. MULTIPLE DX										
A. Not Operated	14460	5.5	15	2	2	5	7	10	12	20
B. Operated	766	12.4	133	3	4	10	14	23	32	72
1. SINGLE DX	3304	3.2	3	1	1	3	4	6	7	10
2. MULTIPLE DX	15226	5.9	23	2	2	5	7	11	14	23
A. Not Operated	17740	5.1	14	1	2	4	6	9	12	19
B. Operated	790	12.1	131	2	3	9	14	23	32	71
TOTAL										
0-19 YRS	8338	3.7	10	1	1	3	4	6	8	13
20-34	682	4.8	16	1	2	4	5	9	13	23
35-49	1044	5.1	16	1	2	4	6	9	11	19
50-64	2640	6.8	25	2	3	6	8	12	15	28
65 +	5826	7.3	27	2	3	6	9	13	16	26
GRAND TOTAL	**18530**	**5.4**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	103	1.2		1	1	1	1	2	2	4
20-34	309	1.4	1	1	1	1	1	2	3	6
35-49	160	1.3	1	1	1	1	1	2	2	5
50-64	69	1.3		1	1	1	2	2	2	4
65 +	11	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	1.0		< 1	< 1	< 1	1	1	1	1
35-49	5	1.6		< 1	< 1	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	457	1.2		1	1	1	1	2	2	3
20-34	1089	1.3	1	1	1	1	1	2	2	4
35-49	822	1.4	1	1	1	1	1	2	3	4
50-64	449	1.4		1	1	1	2	2	3	3
65 +	154	1.8	2	1	1	1	2	3	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	652	1.3	1	1	1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	15	1.4	1	< 1	< 1	1	2	2	4	4
B. Operated	2971	1.3	1	1	1	1	1	2	3	4
1. SINGLE DX	653	1.3	1	1	1	1	1	2	2	5
2. MULTIPLE DX	2986	1.3	1	1	1	1	1	2	3	4
A. Not Operated	16	1.5	1	< 1	< 1	1	2	3	4	4
B. Operated	3623	1.3	1	1	1	1	1	2	3	5
TOTAL										
0-19 YRS	561	1.2		1	1	1	1	2	2	3
20-34	1405	1.3	1	1	1	1	1	2	3	5
35-49	987	1.4	1	1	1	1	1	2	3	4
50-64	520	1.4		1	1	1	2	2	3	4
65 +	166	1.8	2	1	1	1	2	3	5	7
GRAND TOTAL	**3639**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	15	1.5	1	< 1	1	1	2	3	4	4
20-34	16	1.3		< 1	< 1	1	2	2	2	2
35-49	11	1.2		1	1	1	1	2	3	3
50-64	21	1.3	1	< 1	1	1	1	3	4	4
65 +	12	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	3	7.0	48	3	3	3	12	15	15	15
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	46	2.3	8	< 1	1	1	2	5	9	14
20-34	77	1.5	1	1	1	1	2	3	4	6
35-49	133	1.5	1	1	1	1	2	2	3	7
50-64	134	1.7	2	1	1	1	2	3	4	8
65 +	98	2.1	5	1	1	1	2	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	75	1.3		< 1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	8	4.4	21	< 1	< 1	3	5	12	15	15
B. Operated	488	1.8	3	1	1	1	2	3	5	9
1. SINGLE DX	78	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	496	1.8	3	1	1	1	2	3	5	9
A. Not Operated	11	3.5	17	< 1	< 1	2	4	9	15	15
B. Operated	563	1.7	2	1	1	1	2	3	4	8
TOTAL										
0-19 YRS	62	2.1	6	< 1	1	1	2	4	6	14
20-34	95	1.5	1	< 1	1	1	2	3	4	6
35-49	146	1.5	1	1	1	1	2	2	3	7
50-64	160	1.7	3	1	1	1	2	3	4	9
65 +	111	2.0	4	1	1	1	2	4	5	12
GRAND TOTAL	**574**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.0	2	< 1	1	2	3	3	5	6
20-34	5	3.0	1	2	2	3	3	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6398	1.1		1	1	1	1	1	1	2
20-34	1243	1.1		1	1	1	1	2	2	3
35-49	152	1.3	1	1	1	1	1	2	2	5
50-64	15	1.1		< 1	1	1	1	1	2	2
65 +	8	3.3	20	< 1	< 1	2	3	11	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	111	1.7	2	< 1	< 1	1	2	3	5	7
20-34	14	2.0	1	< 1	< 1	2	3	3	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	4962	1.2	1	1	1	1	1	1	2	4
20-34	381	1.4	1	1	1	1	1	2	3	6
35-49	85	1.8	3	1	1	1	2	4	5	10
50-64	23	1.4		1	1	1	2	2	3	3
65 +	10	2.3	8	< 1	< 1	1	1	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.2	2	< 1	1	2	3	4	4	6
B. Operated	7816	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	128	1.8	2	< 1	< 1	1	2	3	4	6
B. Operated	5461	1.2	1	1	1	1	1	2	2	5
1. SINGLE DX	7845	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX	5589	1.2	1	1	1	1	1	2	2	5
A. Not Operated	157	1.9	2	< 1	< 1	1	3	3	4	6
B. Operated	13277	1.1		1	1	1	1	1	2	3
TOTAL										
0-19 YRS	11495	1.1		1	1	1	1	1	2	3
20-34	1643	1.2		1	1	1	1	2	2	4
35-49	238	1.5	1	1	1	1	1	2	4	7
50-64	40	1.3		1	1	1	1	2	3	3
65 +	18	2.7	12	< 1	< 1	1	2	8	12	14
GRAND TOTAL	**13434**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	311	2.7	4	1	1	2	3	5	5	12
20-34	162	2.6	2	1	1	2	3	4	5	7
35-49	77	3.0	2	1	1	3	4	5	6	8
50-64	24	3.1	5	1	1	3	4	6	8	10
65 +	8	3.1	1	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	366	2.7	12	1	1	2	3	5	7	20
20-34	326	1.9	2	1	1	1	2	3	5	7
35-49	243	2.1	4	1	1	1	2	4	6	10
50-64	168	1.5	1	< 1	1	1	2	3	3	7
65 +	90	1.9	3	1	1	1	2	4	4	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	492	3.4	10	1	1	3	4	6	7	15
20-34	196	3.4	6	1	1	3	4	6	7	14
35-49	132	3.6	5	1	1	3	4	6	8	12
50-64	110	4.3	11	1	1	4	5	8	10	19
65 +	113	4.6	9	1	1	4	6	8	11	15
B. Operated										
0-19 YRS	626	4.2	43	1	1	2	4	10	15	38
20-34	525	2.6	16	1	1	1	3	5	7	17
35-49	614	2.3	7	1	1	1	2	5	8	14
50-64	575	3.1	36	1	1	2	3	6	9	22
65 +	385	4.3	47	1	1	2	4	10	15	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	582	2.8	3	1	1	2	3	5	5	9
B. Operated	1193	2.1	6	1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	1043	3.7	9	1	1	3	4	7	8	14
B. Operated	2725	3.2	29	1	1	2	3	7	11	28
1. SINGLE DX	1775	2.3	5	1	1	2	3	4	5	10
2. MULTIPLE DX	3768	3.4	24	1	1	2	4	7	10	24
A. Not Operated	1625	3.3	7	1	1	3	4	6	7	13
B. Operated	3918	2.9	22	1	1	2	3	6	9	23
TOTAL										
0-19 YRS	1795	3.4	21	1		2	4	6	10	24
20-34	1209	2.6	9	1	1	2	3	5	6	14
35-49	1066	2.5	6	1	1	2	3	5	7	13
50-64	877	2.9	26	1	1	2	3	6	9	20
65 +	596	3.9	33	1	1	2	4	9	13	35
GRAND TOTAL	**5543**	**3.0**	**18**	**1**	**1**	**2**	**3**	**6**	**9**	**20**

333 Hospitals, North Central Region, January-December 1987

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4902	3.6	4	1	2	3	4	6	7	10
20-34	990	4.5	4	2	2	4	6	7	8	12
35-49	686	4.9	5	2	3	4	6	8	9	11
50-64	496	5.4	7	2	3	5	7	8	10	14
65 +	690	6.0	9	2	3	6	7	10	12	15
B. Operated										
0-19 YRS	25	4.4	10	1	1	3	7	9	11	13
20-34	18	7.1	14	1	2	6	10	13	13	13
35-49	30	7.6	19	1	2	7	12	14	15	17
50-64	42	9.9	44	2	4	8	12	19	25	32
65 +	28	9.6	42	1	3	8	13	19	21	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10496	4.6	12	2	2	4	5	8	11	17
20-34	2011	6.3	20	2	3	5	8	12	15	23
35-49	2255	6.2	14	2	3	5	8	11	13	20
50-64	4471	7.5	26	3	3	6	9	13	16	24
65 +	16491	8.8	30	3	4	8	11	15	19	29
B. Operated										
0-19 YRS	292	15.3	199	3	4	11	19	30	43	85
20-34	275	13.6	161	3	4	9	18	26	35	80
35-49	384	13.7	125	4	5	11	17	25	33	89
50-64	895	14.6	123	4	6	11	18	27	37	64
65 +	2524	16.6	135	5	6	14	20	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7764	4.2	5	2	2	4	5	7	8	12
B. Operated	143	8.0	32	1	2	7	11	14	19	28
2. MULTIPLE DX										
A. Not Operated	35724	7.1	26	2	3	6	9	13	16	25
B. Operated	4370	15.7	139	4	6	13	19	29	39	73
1. SINGLE DX	7907	4.3	6	2	2	4	5	7	9	13
2. MULTIPLE DX	40094	8.1	45	2	3	6	10	15	20	34
A. Not Operated	43488	6.6	24	2	2	5	8	12	15	24
B. Operated	4513	15.4	137	4	6	12	19	28	39	72
TOTAL										
0-19 YRS	15715	4.5	15	2	2	4	5	8	10	18
20-34	3294	6.4	32	2	2	5	7	12	15	28
35-49	3355	6.8	31	2	3	5	8	12	16	27
50-64	5904	8.4	46	3	3	7	10	15	20	37
65 +	19733	9.7	50	3	4	8	12	17	22	38
GRAND TOTAL	**48001**	**7.4**	**41**	**2**	**2**	**6**	**9**	**14**	**18**	**32**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.4	2	1	1	2	3	4	5	7
20-34	51	2.4	1	1	1	2	3	4	5	6
35-49	26	2.9	2	1	2	2	4	5	5	6
50-64	11	3.2	3	1	1	3	4	6	7	7
65 +	20	4.2	9	< 1	1	4	5	7	11	14
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.3	9	1	1	5	6	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	162	4.1	12	1	2	3	4	8	11	19
20-34	166	3.3	5	1	1	3	4	6	7	10
35-49	100	3.7	5	1	1	3	5	7	8	11
50-64	125	4.9	10	1	2	4	6	9	10	17
65 +	278	5.6	18	2	2	5	7	10	14	27
B. Operated										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	2	11.0	32	7	7	11	15	15	15	15
35-49	6	6.2	15	3	3	5	8	12	13	13
50-64	4	9.8	48	1	1	10	14	18	18	18
65 +	9	12.3	63	4	5	10	14	26	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	2.8	3	1	1	2	4	5	6	7
B. Operated	5	3.8	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	831	4.5	12	1	2	4	6	8	11	18
B. Operated	23	9.6	42	2	3	8	12	18	23	30
1. SINGLE DX	169	2.8	3	1	1	2	4	5	6	7
2. MULTIPLE DX	854	4.7	14	1	2	4	6	9	11	19
A. Not Operated	995	4.2	11	1	2	3	5	8	10	18
B. Operated	28	8.5	40	1	3	7	10	17	21	30
TOTAL										
0-19 YRS	221	3.7	10	1	1	3	4	6	9	19
20-34	220	3.1	5	1	1	3	4	6	7	12
35-49	135	3.7	5	1	2	3	5	7	8	12
50-64	140	4.9	11	1	2	4	6	9	11	18
65 +	307	5.7	20	2	2	5	7	11	14	27
GRAND TOTAL	**1023**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**11**	**18**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	401	2.7	2	1	1	2	3	5	6	8
20-34	21	2.8	5	< 1	1	2	3	5	8	11
35-49	30	4.0	2	2	3	4	5	6	7	7
50-64	55	5.9	15	2	3	6	7	9	11	26
65 +	50	5.7	10	2	2	5	8	10	12	14
B. Operated										
0-19 YRS	6	2.0	2	< 1	< 1	1	2	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.5	9	< 1	< 1	< 1	4	7	7	7
50-64	6	8.3	65	< 1	< 1	8	9	22	23	23
65 +	3	4.7		4	4	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	653	3.7	11	1	1	3	4	6	9	14
20-34	119	4.8	11	1	2	4	6	10	13	16
35-49	186	5.0	12	2	2	4	6	8	11	17
50-64	541	6.8	33	2	3	5	8	12	15	31
65 +	1061	7.5	33	2	3	6	9	14	18	32
B. Operated										
0-19 YRS	32	6.9	23	1	1	7	9	13	17	22
20-34	10	8.1	43	< 1	2	5	10	19	20	20
35-49	37	7.3	28	1	2	6	10	14	18	25
50-64	84	8.8	86	1	2	6	10	20	26	90
65 +	126	11.0	100	2	3	10	12	18	34	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	557	3.3	6	1	1	3	4	6	8	11
B. Operated	20	4.5	27	< 1	< 1	3	6	9	16	23
2. MULTIPLE DX										
A. Not Operated	2560	6.1	27	2	2	5	7	11	15	26
B. Operated	289	9.3	78	1	2	8	11	18	25	89
1. SINGLE DX	577	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	2849	6.4	34	1	2	5	8	12	16	31
A. Not Operated	3117	5.6	25	1	2	4	7	11	14	24
B. Operated	309	9.0	76	1	2	7	11	18	25	84
TOTAL										
0-19 YRS	1092	3.4	9	1	1	3	4	6	8	14
20-34	151	4.7	13	1	2	4	6	10	13	19
35-49	257	5.2	14	2	2	4	6	9	12	19
50-64	686	7.0	38	2	2	6	9	12	16	34
65 +	1240	7.8	40	2	3	6	10	14	18	33
GRAND TOTAL	**3426**	**5.9**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	5.7	10	2	2	7	8	8	8	8
35-49	13	4.5	5	1	1	4	6	8	8	8
50-64	71	5.3	9	1	2	5	7	10	11	15
65 +	101	6.6	21	2	3	6	8	11	18	24
B. Operated										
0-19 YRS	5	7.6	22	< 1	< 1	7	10	14	14	14
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	5.3	14	1	1	7	8	8	8	8
50-64	4	9.0	69	3	3	6	14	21	21	21
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	5.8	29	2	2	4	8	15	15	15
35-49	59	8.0	24	3	3	7	10	15	20	22
50-64	547	7.6	26	2	3	7	9	13	16	25
65 +	1227	8.2	30	3	3	7	10	15	18	29
B. Operated										
0-19 YRS	5	25.6	1322	5	5	9	36	90	90	90
20-34	13	10.8	40	2	3	9	15	21	23	23
35-49	15	15.2	70	6	6	12	21	22	33	37
50-64	60	17.5	289	3	4	12	19	37	60	84
65 +	112	18.9	270	5	6	14	24	46	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	5.9	16	2	2	5	7	10	13	21
B. Operated	13	7.4	29	< 1	1	7	8	15	20	21
2. MULTIPLE DX										
A. Not Operated	1839	8.0	28	2	3	7	10	14	18	28
B. Operated	205	17.9	269	3	6	13	21	39	55	99
1. SINGLE DX	202	6.0	16	1	2	5	7	10	14	21
2. MULTIPLE DX	2044	9.0	61	2	3	7	11	16	21	43
A. Not Operated	2028	7.8	28	2	3	7	10	14	17	28
B. Operated	218	17.3	261	3	5	12	21	38	53	99
TOTAL										
0-19 YRS	12	14.3	593	< 1	1	7	12	40	83	90
20-34	22	8.7	36	2	2	7	11	18	21	23
35-49	90	8.6	38	2	3	7	11	19	21	31
50-64	682	8.3	56	2	3	7	10	14	19	38
65 +	1440	8.9	56	3	3	7	10	16	21	43
GRAND TOTAL	**2246**	**8.7**	**58**	**2**	**3**	**7**	**10**	**16**	**21**	**39**

333 Hospitals, North Central Region, January-December 1987

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9119	2.8	2	1	1	2	3	5	5	7
20-34	1300	3.5	4	1	1	3	4	6	7	9
35-49	1022	3.8	4	1	2	3	5	6	8	10
50-64	657	4.6	7	1	2	4	6	8	10	13
65 +	409	4.9	7	2	2	4	6	8	10	14
B. Operated										
0-19 YRS	32	5.4	13	1	2	4	7	11	12	18
20-34	7	4.3	5	1	1	4	6	7	7	7
35-49	5	10.8	145	2	2	7	13	32	32	32
50-64	2	7.5	61	2	2	7	13	13	13	13
65 +	3	5.0	9	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8166	3.4	5	1	1	3	4	6	7	11
20-34	1697	4.2	6	1	2	4	5	7	9	14
35-49	2035	4.9	9	2	2	4	6	9	10	16
50-64	2836	5.8	12	2	3	5	7	10	12	18
65 +	3598	6.8	18	2	3	6	8	12	14	23
B. Operated										
0-19 YRS	104	8.3	58	2	3	7	10	15	18	50
20-34	67	7.5	24	1	2	6	10	15	18	22
35-49	102	9.7	56	3	4	7	12	19	24	41
50-64	163	11.2	85	3	4	8	13	22	32	48
65 +	192	13.0	100	3	4	11	16	24	29	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12507	3.1	3	1	1	3	4	5	6	9
B. Operated	49	5.9	26	1	2	5	7	11	13	32
2. MULTIPLE DX										
A. Not Operated	18332	4.7	11	1	2	4	6	9	11	17
B. Operated	628	10.7	78	3	3	8	13	21	26	47
1. SINGLE DX	12556	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	18960	4.9	14	1	2	4	6	9	11	19
A. Not Operated	30839	4.0	8	1	2	3	5	7	9	15
B. Operated	677	10.3	75	2	3	8	13	21	26	46
TOTAL										
0-19 YRS	17421	3.1	4	1	1	3	4	5	6	10
20-34	3071	4.0	6	1	1	3	5	7	8	13
35-49	3164	4.7	10	1	2	4	6	8	10	17
50-64	3658	5.9	16	2	2	5	7	10	12	20
65 +	4202	6.9	23	2	3	6	8	12	15	25
GRAND TOTAL	**31516**	**4.2**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	10	4.7	14	1	1	4	7	10	13	13
35-49	41	5.1	7	1	2	5	7	9	10	13
50-64	210	5.5	13	1	2	5	7	9	11	23
65 +	246	5.8	11	2	2	5	7	10	12	15
B. Operated										
0-19 YRS	0									
20-34	2	13.0	50	8	8	13	18	18	18	18
35-49	[illegible]	4.9	13	1	1	4	7	10	11	11
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6	9	16	19	19
65 +	8	3.6	6	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	5.2	16	1	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	24	6.1	11	2	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	229	6.3	16	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	1581	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	28
65 +	3017	7.8	35	[illegible]	[illegible]	[illegible]	[illegible]	14	18	30
B. Operated										
0-19 YRS	12	16.6	676	1	2	8	15	49	88	95
20-34	7	8.3	47	1	1	7	14	18	19	19
35-49	34	10.7	69	2	3	8	15	25	30	33
50-64	189	13.2	176	2	3	10	17	27	45	99 +
65 +	339	15.4	217	2	4	11	19	36	49	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	512	5.6	12	1	2	5	7	9	12	17
B. Operated	27	5.9	24	1	1	6	8	13	18	19
2. MULTIPLE DX										
A. Not Operated	4878	7.5	32	2	3	6	9	14	17	29
B. Operated	581	14.4	203	2	4	10	17	32	46	99
1. SINGLE DX	539	5.6	12	1	2	5	7	10	12	18
2. MULTIPLE DX	5459	8.3	55	2	3	6	10	15	20	41
A. Not Operated	5390	7.4	30	2	3	6	9	13	17	28
B. Operated	608	14.0	198	2	3	10	17	30	46	98
TOTAL										
0-19 YRS	44	8.0	212	1	2	4	7	14	21	95
20-34	43	6.4	20	1	2	5	8	13	17	19
35-49	311	6.6	23	2	2	5	8	12	15	27
50-64	1990	7.7	45	2	3	6	9	14	19	34
65 +	3610	8.3	56	2	3	6	10	15	20	43
GRAND TOTAL	**5398**	**8.0**	**51**	**2**	**3**	**6**	**10**	**15**	**19**	**38**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.5	4	1	1	2	3	5	7	8
20-34	109	2.6	4	1	1	2	3	5	7	9
35-49	22	2.4	2	< 1	1	2	3	4	6	7
50-64	6	3.2	4	1	1	3	5	6	6	6
65 +	5	5.0	26	1	1	3	8	13	13	13
B. Operated										
0-19 YRS	95	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	117	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	37	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65 +	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5	6	9	15
35-49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4	6	9	14	19
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6	10	18	19	21
65 +	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	5	10	15	18	39
B. Operated										
0-19 YRS	59	10.6	49	3	4	7	16	21	23	30
20-34	185	8.4	28	3	4	7	11	16	18	28
35-49	119	8.5	41	2	3	6	12	17	21	33
50-64	202	10.5	83	2	3	7	14	20	27	47
65 +	311	10.0	53	3	3	8	13	19	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	2.6	4	1	1	2	3	5	7	10
B. Operated	632	5.7	14	2	2	5	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	194	6.0	28	1	1	4	7	13	17	23
B. Operated	876	9.6	53	2	3	7	13	18	23	36
1. SINGLE DX	807	5.0	13	1	2	4	6	10	12	18
2. MULTIPLE DX	1070	8.9	51	2	3	7	12	18	22	36
A. Not Operated	369	4.4	20	1	1	3	5	10	13	20
B. Operated	1508	8.0	41	2	3	6	10	16	20	34
TOTAL										
0-19 YRS	209	6.7	30	1	2	5	8	15	19	24
20-34	706	5.6	18	1	2	5	7	11	14	21
35-49	280	6.7	29	2	2	5	8	14	18	28
50-64	281	9.5	70	2	3	7	13	19	25	44
65 +	401	9.2	51	2	3	7	12	18	22	38
GRAND TOTAL	**1877**	**7.3**	**38**	**1**	**2**	**6**	**9**	**15**	**19**	**32**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	741	2.5	2	1	1	2	3	4	5	8
20-34	120	2.9	7	1	1	2	4	5	8	14
35-49	91	3.1	5	1	1	3	4	6	8	12
50-64	77	4.0	14	1	1	3	5	7	9	24
65 +	86	5.6	23	1	2	4	7	11	15	24
B. Operated										
0-19 YRS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65 +	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	426	6.1	41	1	1	4	7	14	19	34
35-49	583	5.5	20	1	1	4	7	11	14	22
50-64	1517	6.5	23	2	2	5	8	12	16	25
65 +	4121	8.1	35	2	3	7	10	15	19	29
B. Operated										
0-19 YRS	602	9.0	174	1	1	4	11	23	39	96
20-34	216	11.6	162	1	1	8	14	24	32	78
35-49	395	11.1	94	1	2	8	14	23	31	52
50-64	831	12.3	139	1	2	9	15	26	36	[illegible]
65 +	1612	13.7	132	2	3	11	18	28	37	[illegible]
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1115	2.9	6	1	1	2	3	5	7	13
B. Operated	410	5.3	20	1	1	5	7	11	14	22
2. MULTIPLE DX										
A. Not Operated	8479	6.9	34	1	2	5	9	14	18	29
B. Operated	3656	12.2	141	1	2	9	16	26	36	70
1. SINGLE DX	1525	3.5	11	1	1	3	4	7	9	16
2. MULTIPLE DX	12135	8.5	72	1	2	6	11	18	24	47
A. Not Operated	9594	6.4	32	1	2	5	8	13	17	28
B. Operated	4066	11.5	133	1	1	8	15	25	34	67
TOTAL										
0-19 YRS	3279	5.2	57	1	1	3	5	12	18	46
20-34	813	7.1	75	1	1	4	9	16	22	45
35-49	1166	7.1	52	1	1	5	9	15	20	38
50-64	2517	8.3	69	1	2	6	10	17	23	48
65 +	5885	9.6	68	2	3	7	12	19	25	44
GRAND TOTAL	**13660**	**7.9**	**68**	**1**	**2**	**6**	**10**	**17**	[illegible]	[illegible]

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.4	2	< 1	< 1	2	3	5	5	5
20-34	17	4.4	16	< 1	1	3	5	12	14	14
35-49	13	2.7	2	1	1	3	3	4	6	6
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	2	4.0	18	1	1	4	7	7	7	7
B. Operated										
0-19 YRS	560	2.4	1	1	1	2	3	4	4	5
20-34	700	2.4	4	1	1	2	3	4	5	8
35-49	354	2.4	3	1	1	2	3	4	5	6
50-64	132	2.0	2	1	1	2	3	4	4	9
65 +	48	2.3	4	< 1	< 1	2	2	4	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	2.6	2	< 1	1	2	3	5	5	7
20-34	58	3.4	4	1	1	3	5	6	8	11
35-49	50	3.6	8	1	1	3	5	7	8	16
50-64	32	3.8	10	1	1	3	4	9	11	13
65 +	36	4.5	10	1	1	4	6	9	13	13
B. Operated										
0-19 YRS	765	2.6	6	1	1	2	3	4	5	8
20-34	597	3.0	5	1	1	2	3	5	6	14
35-49	329	3.0	7	1	1	2	3	5	7	14
50-64	272	3.5	29	1	1	2	4	7	10	27
65 +	226	3.7	34	< 1	1	2	3	7	13	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.1	7	< 1	1	2	3	6	9	14
B. Operated	1794	2.3	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	269	3.3	6	1	1	3	4	6	8	13
B. Operated	2189	3.0	12	1	1	2	3	5	7	17
1. SINGLE DX	1848	2.4	3	1	1	2	3	4	5	7
2. MULTIPLE DX	2458	3.0	11	1	1	2	3	5	7	16
A. Not Operated	323	3.3	6	< 1	1	3	4	6	8	13
B. Operated	3983	2.7	8	1	1	2	3	4	5	12
TOTAL										
0-19 YRS	1437	2.5	4	1	1	2	3	4	5	7
20-34	1372	2.7	5	1	1	2	3	4	6	10
35-49	746	2.7	5	1	1	2	3	4	5	12
50-64	439	3.0	20	1	1	2	3	6	8	21
65 +	312	3.6	27	< 1	1	2	4	7	12	34
GRAND TOTAL	**4306**	**2.7**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	3.3	2	1	2	3	4	5	7	8
20-34	28	3.4	3	1	1	3	5	6	7	8
35-49	19	4.8	17	1	2	4	5	11	16	17
50-64	17	4.5	3	2	2	5	5	6	8	9
65 +	11	3.8	2	2	2	4	5	6	6	6
B. Operated										
0-19 YRS	108	2.6	5	1	1	2	3	4	6	12
20-34	94	1.9	2	1	1	1	2	3	5	9
35-49	92	2.2	3	1	1	2	3	4	5	11
50-64	87	1.7	1	< 1	1	1	2	3	4	7
65 +	61	2.2	4	1	1	2	2	3	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	220	3.9	5	1	2	3	5	7	9	11
20-34	56	3.8	6	1	2	4	5	6	7	16
35-49	46	6.3	17	2	3	5	7	14	16	18
50-64	78	5.9	17	1	2	5	7	10	15	22
65 +	130	6.9	19	2	2	6	9	11	15	21
B. Operated										
0-19 YRS	129	3.3	7	1	1	3	4	6	8	15
20-34	75	3.5	16	1	1	2	4	7	10	26
35-49	103	3.3	11	1	1	2	4	8	12	15
50-64	124	3.7	22	1	1	2	4	7	10	31
65 +	154	5.1	41	1	1	3	5	12	19	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	3.7	4	1	2	3	4	6	7	14
B. Operated	442	2.1	3	1	1	2	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	530	5.1	13	1	2	4	7	10	11	18
B. Operated	585	3.9	21	1	1	3	4	8	12	30
1. SINGLE DX	592	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	1115	4.5	18	1	1	3	5	9	12	22
A. Not Operated	680	4.8	11	1	2	4	6	9	11	18
B. Operated	1027	3.1	14	1	1	2	3	6	10	20
TOTAL										
0-19 YRS	532	3.4	5	1	1	3	4	6	8	12
20-34	253	3.0	8	1	1	2	4	6	7	13
35-49	260	3.6	12	1	1	2	4	8	11	17
50-64	306	3.8	16	1	1	3	5	7	10	23
65 +	356	5.2	28	1	1	3	7	11	15	31
GRAND TOTAL	**1707**	**3.8**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

333 Hospitals, North Central Region, January-December 1987

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	394	2.6	3	1	1	2	3	5	6	8
20-34	63	2.2	2	< 1	1	2	3	4	5	8
35-49	114	2.7	5	1	1	2	3	5	7	13
50-64	81	2.7	4	1	1	2	3	5	7	10
65 +	55	3.2	7	1	1	3	4	6	8	14
B. Operated										
0-19 YRS	120	5.2	18	1	1	4	7	10	14	19
20-34	32	3.8	8	1	1	3	6	8	9	11
35-49	63	5.3	12	1	1	6	8	9	11	15
50-64	67	5.6	14	1	1	5	7	10	12	20
65 +	65	4.8	11	1	1	5	6	10	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	710	4.1	20	1	1	3	5	7	10	19
20-34	319	3.6	7	1	1	3	4	6	9	13
35-49	608	4.0	11	1	1	3	5	8	10	17
50-64	796	3.9	8	1	1	3	5	7	9	15
65 +	1200	5.0	15	1	2	4	6	9	12	21
B. Operated										
0-19 YRS	406	12.4	172	1	2	8	16	26	40	92
20-34	162	7.6	58	2	2	6	9	15	22	39
35-49	339	6.6	27	1	2	6	8	12	15	25
50-64	547	7.4	52	1	2	6	9	14	19	34
65 +	1037	9.0	72	2	2	7	11	18	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	707	2.7	3	1	1	2	3	5	6	9
B. Operated	347	5.1	14	1	1	5	7	10	13	18
2. MULTIPLE DX										
A. Not Operated	3633	4.3	13	1	1	3	5	8	10	18
B. Operated	2491	8.8	80	1	2	6	10	18	25	50
1. SINGLE DX	1054	3.5	8	1	1	2	5	7	9	14
2. MULTIPLE DX	6124	6.1	45	1	2	4	7	12	17	35
A. Not Operated	4340	4.0	12	1	1	3	5	7	10	17
B. Operated	2838	8.3	73	1	2	6	10	17	23	48
TOTAL										
0-19 YRS	1630	5.9	68	1	1	4	7	13	19	43
20-34	576	4.6	24	1	1	3	5	9	12	25
35-49	1124	4.7	17	1	1	4	6	9	12	21
50-64	1491	5.2	27	1	1	4	6	10	13	25
65 +	2357	6.7	44	1	2	5	8	13	18	36
GRAND TOTAL	**7178**	**5.7**	**41**	**1**	**1**	**4**	**7**	**11**	**16**	**33**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	26	3.7	4	1	2	3	4	7	8	9
35-49	49	3.4	5	1	1	3	4	5	10	11
50-64	26	3.6	4	1	2	3	4	5	8	11
65 +	12	3.3	1	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	20	5.4	3	3	3	6	7	8	8	8
35-49	31	6.1	13	2	3	5	8	9	10	21
50-64	29	7.1	19	2	2	7	10	13	15	18
65 +	15	7.1	8	3	5	7	9	10	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.9	5	1	1	3	6	7	8	8
20-34	95	4.3	6	2	2	3	6	8	9	13
35-49	194	4.8	8	1	2	4	6	8	10	16
50-64	218	5.3	12	2	2	4	7	10	11	18
65 +	340	5.5	11	2	2	5	7	9	12	19
B. Operated										
0-19 YRS	4	8.3	12	4	4	8	11	12	12	12
20-34	40	7.4	23	2	3	6	9	15	16	21
35-49	181	7.0	21	2	3	6	9	13	17	24
50-64	234	6.8	23	2	3	5	9	12	16	27
65 +	373	8.1	31	3	3	7	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	3.4	4	1	2	3	4	5	8	11
B. Operated	97	6.4	12	2	3	6	8	10	13	20
2. MULTIPLE DX										
A. Not Operated	862	5.1	10	2	2	4	6	9	11	16
B. Operated	832	7.5	26	2	3	6	9	14	17	26
1. SINGLE DX	214	4.8	10	1	2	4	6	9	10	16
2. MULTIPLE DX	1694	6.3	19	2	2	5	8	11	15	22
A. Not Operated	979	4.9	10	2	2	4	6	9	11	16
B. Operated	929	7.3	25	2	3	6	9	14	16	26
TOTAL										
0-19 YRS	25	4.2	8	1	1	3	6	8	10	12
20-34	181	5.0	11	2	2	4	6	9	12	16
35-49	455	5.6	15	1	2	5	7	10	13	21
50-64	507	6.0	18	2	2	5	7	11	14	21
65 +	740	6.8	23	2	3	6	8	13	15	24
GRAND TOTAL	**1908**	**6.1**	**19**	**2**	**2**	**5**	**7**	**11**	**14**	**22**

333 Hospitals, North Central Region, January-December 1987

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	16	3.2	2	1	2	3	4	6	6	6
35-49	48	3.7	3	1	1	3	5	6	7	8
50-64	50	4.2	2	2	2	4	5	6	6	7
65 +	67	4.4	7	2	2	4	5	7	8	18
B. Operated										
0-19 YRS	3	5.3	10	3	3	4	8	9	9	9
20-34	21	6.0	6	2	3	6	7	9	11	13
35-49	40	6.8	12	2	3	6	9	11	14	17
50-64	44	6.6	16	3	3	5	8	13	15	19
65 +	57	6.4	11	2	3	6	9	11	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.1	4	1	1	2	4	6	7	7
20-34	74	5.7	14	1	2	5	7	10	13	21
35-49	188	5.1	9	2	2	4	6	9	10	16
50-64	354	5.1	8	2	2	5	6	8	10	13
65 +	1054	6.4	16	2	3	6	8	11	13	21
B. Operated										
0-19 YRS	10	8.5	14	4	4	8	10	14	17	17
20-34	55	8.5	32	2	3	7	10	16	21	27
35-49	155	8.9	73	2	3	7	10	16	24	52
50-64	400	8.5	57	2	3	6	10	16	24	42
65 +	1187	10.5	82	3	4	8	13	20	27	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	4.0	4	1	2	4	5	6	7	10
B. Operated	165	6.5	12	2	3	6	8	11	14	17
2. MULTIPLE DX										
A. Not Operated	1678	6.0	14	2	3	5	7	10	12	19
B. Operated	1807	9.8	75	3	3	7	12	18	26	50
1. SINGLE DX	352	5.2	9	2	2	4	6	9	11	16
2. MULTIPLE DX	3485	8.0	49	2	3	6	9	15	20	41
A. Not Operated	1865	5.8	13	2	3	5	7	10	12	18
B. Operated	1972	9.6	70	3	3	7	11	18	24	49
TOTAL										
0-19 YRS	27	5.1	14	1	1	4	8	10	12	17
20-34	166	6.4	20	2	2	5	8	12	15	26
35-49	431	6.5	35	2	2	5	8	11	15	42
50-64	848	6.7	34	2	3	5	8	12	16	33
65 +	2365	8.4	53	3	3	6	10	16	20	41
GRAND TOTAL	**3837**	**7.7**	**46**	**2**	**3**	**6**	**9**	**14**	**19**	**39**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.0	2	1	2	3	4	4	5	7
20-34	103	3.2	4	1	1	3	4	6	7	9
35-49	131	2.9	3	1	1	3	4	5	6	9
50-64	73	3.4	4	1	1	3	4	6	7	11
65 +	29	3.1	2	1	1	3	4	5	5	6
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	12	8.7	21	3	3	8	11	16	18	18
35-49	43	6.4	8	3	3	6	8	10	13	15
50-64	9	6.8	4	3	4	7	8	9	10	10
65 +	4	6.5	10	2	2	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	4.3	7	1	2	3	6	8	9	13
20-34	267	3.9	7	1	1	3	5	7	8	13
35-49	366	4.1	5	1	2	4	6	7	9	11
50-64	422	4.7	8	1	2	4	6	8	10	15
65 +	561	5.4	12	2	2	5	7	9	11	18
B. Operated										
0-19 YRS	4	3.5	3	2	2	3	5	5	5	5
20-34	54	9.6	59	2	3	7	13	21	26	33
35-49	133	8.2	39	2	3	7	9	17	20	35
50-64	153	8.4	39	2	3	7	10	17	22	37
65 +	204	8.4	29	3	3	7	10	15	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	369	3.1	3	1	1	3	4	5	7	9
B. Operated	70	6.8	10	3	3	7	8	11	14	17
2. MULTIPLE DX										
A. Not Operated	1655	4.7	9	1	2	4	6	8	10	16
B. Operated	548	8.4	37	2	3	7	10	16	21	33
1. SINGLE DX	439	3.7	6	1	1	3	5	7	8	14
2. MULTIPLE DX	2203	5.6	18	1	2	5	7	10	13	22
A. Not Operated	2024	4.4	8	1	2	4	6	8	9	15
B. Operated	618	8.2	34	2	3	7	10	15	20	32
TOTAL										
0-19 YRS	78	3.7	5	1	2	3	4	7	8	12
20-34	436	4.6	17	1	1	3	5	8	11	22
35-49	673	4.9	15	1	2	4	6	9	11	20
50-64	657	5.5	17	1	2	4	7	9	13	22
65 +	798	6.1	18	2	2	5	8	11	14	22
GRAND TOTAL	**2642**	**5.3**	**17**	**1**	**2**	**4**	**7**	**9**	**13**	**21**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.1	1	2	2	3	4	5	6	6
20-34	70	3.8	6	1	1	3	5	7	9	12
35-49	113	3.7	5	1	2	3	5	7	8	11
50-64	107	4.0	4	2	2	4	5	6	8	11
65 +	76	4.4	3	2	3	4	5	7	8	11
B. Operated										
0-19 YRS	6	5.2	11	2	2	5	7	10	10	10
20-34	45	6.8	7	3	4	6	8	10	12	15
35-49	61	6.8	8	3	4	7	8	10	13	17
50-64	58	7.3	8	3	3	7	9	10	12	17
65 +	55	9.0	14	4	5	8	11	12	18	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	4.2	6	1	1	4	5	8	9	11
20-34	167	4.5	18	2	2	4	5	7	9	22
35-49	305	4.8	8	2	2	4	6	8	9	14
50-64	504	5.2	18	2	2	4	6	8	11	17
65 +	1305	6.7	19	2	3	6	8	11	14	23
B. Operated										
0-19 YRS	8	8.3	17	4	4	7	12	14	14	14
20-34	80	9.0	42	3	4	8	11	16	20	39
35-49	199	10.0	91	3	3	8	11	17	22	59
50-64	303	9.8	50	3	4	8	11	19	25	40
65 +	861	13.2	132	3	4	10	16	24	32	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	381	3.9	4	1	2	4	5	7	8	11
B. Operated	225	7.4	10	3	4	7	9	11	13	19
2. MULTIPLE DX										
A. Not Operated	2307	5.9	18	2	2	5	7	10	12	22
B. Operated	1451	11.8	106	3	4	9	14	21	30	62
1. SINGLE DX	606	5.2	9	2	2	5	7	9	11	16
2. MULTIPLE DX	3758	8.2	60	2	3	6	10	15	21	42
A. Not Operated	2688	5.6	16	2	2	5	7	10	12	21
B. Operated	1676	11.3	96	3	4	9	13	21	28	59
TOTAL										
0-19 YRS	55	4.6	9	1	2	4	6	9	11	14
20-34	362	5.8	24	2	2	5	7	10	14	28
35-49	678	6.3	38	2	2	5	8	11	15	27
50-64	972	6.7	31	2	2	5	8	12	16	32
65 +	2297	9.1	71	3	3	7	11	18	23	48
GRAND TOTAL	**4364**	**7.8**	**54**	**2**	**3**	**6**	**9**	**14**	**20**	**36**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	3.0	1	2	2	3	4	4	4	4
35-49	16	4.1	2	2	2	4	5	6	7	7
50-64	8	4.6	5	2	2	4	6	8	8	8
65 +	8	4.8	5	2	2	4	6	8	8	8
B. Operated										
0-19 YRS	0									
20-34	9	9.0	15	5	5	8	11	15	16	16
35-49	24	8.7	13	4	5	8	10	13	18	18
50-64	19	9.2	12	4	6	9	10	14	17	18
65 +	[illegible]	8.7	20	2	3	9	11	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	5.9	22	2	2	5	8	13	17	17
35-49	19	5.7	11	2	2	5	8	11	12	13
50-64	24	4.9	4	2	3	4	6	7	9	10
65 +	91	7.1	13	2	4	7	8	11	15	19
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	11	10.6	40	3	3	10	12	19	25	26
35-49	52	12.7	156	5	6	9	14	20	23	90
50-64	91	13.9	87	4	5	13	18	23	28	58
65 +	209	15.0	140	5	6	11	18	27	35	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	4.1	3	2	2	4	5	7	8	8
B. Operated	67	8.9	14	3	5	8	10	15	17	18
2. MULTIPLE DX										
A. Not Operated	144	6.5	12	2	2	6	8	11	14	19
B. Operated	365	14.2	126	4	6	11	17	26	32	69
1. SINGLE DX	106	7.1	15	2	3	7	9	12	16	18
2. MULTIPLE DX	509	12.0	106	3	4	9	15	22	28	56
A. Not Operated	183	6.0	11	2	2	5	7	10	13	13
B. Operated	432	13.4	112	4	6	10	16	23	29	64
TOTAL										
0-19 YRS	4	3.5	3	2	2	3	5	6	6	6
20-34	35	7.8	29	2	2	7	10	15	17	26
35-49	111	9.4	89	3	3	8	10	16	20	58
50-64	142	11.2	72	3	4	9	15	19	26	43
65 +	323	12.3	109	3	4	9	15	23	29	55
GRAND TOTAL	**615**	**11.2**	**94**	**3**	**4**	**9**	**14**	**20**	**27**	**51**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	261	2.2	2	1	1	2	3	4	5	8
20-34	328	2.8	3	1	1	2	4	5	5	9
35-49	256	2.9	3	1	1	3	4	5	6	9
50-64	126	2.8	3	1	1	2	4	5	6	10
65 +	67	2.9	6	1	1	2	3	5	11	13
B. Operated										
0-19 YRS	6	3.5	6	1	1	3	4	8	8	8
20-34	31	4.5	8	1	1	3	6	9	11	11
35-49	26	5.5	20	1	1	4	9	12	14	18
50-64	13	9.1	34	3	3	9	10	18	23	24
65 +	10	8.1	25	4	4	6	9	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	795	2.7	4	1	1	2	3	5	6	10
20-34	1147	3.7	7	1	1	3	5	7	8	12
35-49	1380	4.1	8	1	2	3	5	7	9	15
50-64	1334	4.4	10	1	2	4	5	8	10	16
65 +	1822	5.4	15	2	2	5	7	10	12	20
B. Operated										
0-19 YRS	29	5.6	42	1	2	4	6	10	14	36
20-34	205	6.1	34	2	2	5	7	11	15	23
35-49	318	6.9	28	2	3	6	8	12	15	35
50-64	379	7.2	24	2	3	6	9	13	18	26
65 +	573	8.2	32	3	3	7	10	15	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1038	2.7	3	1	1	2	3	5	5	9
B. Operated	88	5.8	20	1	2	4	8	11	16	22
2. MULTIPLE DX										
A. Not Operated	6478	4.3	10	1	2	4	5	8	10	16
B. Operated	1504	7.3	30	2	3	6	9	14	17	30
1. SINGLE DX	1126	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	7982	4.9	15	1	2	4	6	9	12	21
A. Not Operated	7516	4.1	10	1	1	3	5	7	9	15
B. Operated	1592	7.3	30	2	3	6	9	13	17	30
TOTAL										
0-19 YRS	1091	2.7	5	1	1	2	3	5	6	10
20-34	1711	3.8	10	1	1	3	5	7	9	14
35-49	1982	4.4	12	1	2	4	6	8	10	16
50-64	1852	4.9	14	1	2	4	6	9	11	21
65 +	2472	6.0	20	2	2	5	7	11	14	24
GRAND TOTAL	**9108**	**4.6**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	3.5	24	< 1	1	2	4	6	8	34
20-34	48	5.1	89	1	1	2	4	8	29	51
35-49	50	4.2	56	1	1	2	4	7	10	53
50-64	36	4.0	7	1	1	3	6	8	9	10
65 +	24	3.8	6	1	1	3	5	7	9	10
B. Operated										
0-19 YRS	47	3.3	3	1	2	3	4	6	7	11
20-34	7	5.9	10	1	1	6	8	10	10	10
35-49	12	9.0	55	1	2	8	11	18	27	29
50-64	16	8.6	18	2	2	9	11	13	16	18
65 +	7	11.3	53	4	4	11	17	22	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	190	5.0	57	1	1	3	4	8	19	45
20-34	172	5.7	78	1	1	4	5	10	21	72
35-49	201	5.0	23	1	1	4	6	10	13	29
50-64	248	4.8	9	1	2	4	6	9	11	15
65 +	406	6.0	25	1	2	5	7	12	16	22
B. Operated										
0-19 YRS	57	10.2	275	1	2	4	10	25	66	99
20-34	61	12.5	178	1	2	8	14	34	41	63
35-49	126	12.6	86	3	4	10	17	26	33	60
50-64	145	12.6	131	2	3	9	16	25	31	73
65 +	247	14.5	165	2	4	11	18	29	40	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	4.2	41	1	1	3	4	7	9	41
B. Operated	89	5.9	25	1	2	4	9	12	13	27
2. MULTIPLE DX										
A. Not Operated	1217	5.4	34	1	2	4	6	10	14	35
B. Operated	636	13.1	153	2	3	9	17	27	37	80
1. SINGLE DX	300	4.7	37	1	1	3	5	9	12	35
2. MULTIPLE DX	1853	8.1	88	1	2	5	9	18	26	51
A. Not Operated	1428	5.2	35	1	1	4	6	10	14	35
B. Operated	725	12.2	143	2	3	9	16	26	35	78
TOTAL										
0-19 YRS	347	5.4	84	1	1	3	5	10	21	47
20-34	288	7.1	107	1	1	4	7	17	30	62
35-49	389	7.5	61	1	2	5	9	17	25	40
50-64	445	7.4	63	1	2	5	9	16	20	33
65 +	684	9.1	92	1	2	6	11	19	25	55
GRAND TOTAL	**2153**	**7.6**	**83**	**1**	**2**	**5**	**9**	**17**	**25**	**50**

333 Hospitals, North Central Region, January-December 1987

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.9	2	< 1	1	2	2	4	5	5
20-34	12	2.0	1	1	1	2	3	3	3	3
35-49	5	3.0	1	2	2	3	4	4	4	4
50-64	0									
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	3417	3.0	2	2	2	3	4	4	5	7
20-34	2421	3.2	3	2	2	3	4	5	5	7
35-49	771	3.5	2	2	2	3	4	5	6	8
50-64	241	3.9	3	2	2	4	5	6	7	10
65 +	69	4.6	4	3	3	4	5	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.9	1	< 1	< 1	2	3	3	4	4
20-34	15	2.5	2	1	1	2	3	5	6	6
35-49	5	4.0	14	1	1	2	6	10	10	10
50-64	3	6.7	14	4	4	5	9	11	11	11
65 +	4	4.8	8	2	2	4	7	8	8	8
B. Operated										
0-19 YRS	680	4.1	7	2	2	4	5	6	8	15
20-34	650	4.5	7	2	2	4	5	7	9	13
35-49	317	4.8	7	2	2	4	6	8	10	17
50-64	225	6.0	20	2	3	5	7	10	12	22
65 +	126	6.8	19	3	3	6	8	11	14	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.1	1	1	1	2	3	4	5	5
B. Operated	6919	3.2	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	42	3.0	6	< 1	1	2	4	6	9	11
B. Operated	1998	4.7	10	2	2	4	5	8	10	16
1. SINGLE DX	6958	3.1	2	2	2	3	4	5	5	8
2. MULTIPLE DX	2040	4.7	10	2	2	4	5	8	10	16
A. Not Operated	81	2.5	4	< 1	1	2	3	5	6	11
B. Operated	8917	3.5	4	2	2	3	4	5	7	11
TOTAL										
0-19 YRS	4132	3.2	3	2	2	3	4	5	6	9
20-34	3098	3.4	4	2	2	3	4	5	6	10
35-49	1098	3.9	4	2	2	3	5	6	7	11
50-64	469	4.9	12	2	2	4	6	8	10	17
65 +	201	6.0	15	3	3	5	7	10	12	22
GRAND TOTAL	**8998**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	7.1	13	2	4	6	9	11	15	16
20-34	9	7.4	8	4	4	8	9	12	12	12
35-49	4	6.5	6	4	4	6	8	10	10	10
50-64	3	6.3	16	4	4	4	9	11	11	11
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	751	6.5	9	3	3	6	8	10	11	16
20-34	377	5.8	6	2	3	6	7	9	10	14
35-49	255	6.3	7	2	3	6	8	9	11	13
50-64	166	6.8	9	3	3	6	8	10	12	15
65 +	78	8.9	18	3	5	9	11	14	17	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.0	8	1	1	5	8	8	8	8
20-34	5	9.4	3	7	7	9	11	11	11	11
35-49	9	5.6	11	2	2	5	7	11	12	12
50-64	9	9.0	23	3	3	7	14	15	15	15
65 +	6	12.0	8	7	7	12	14	15	15	15
B. Operated										
0-19 YRS	553	8.8	24	4	4	8	10	15	19	27
20-34	351	8.1	21	3	4	7	10	14	18	25
35-49	303	9.3	39	4	5	8	11	14	20	32
50-64	363	10.0	32	4	5	9	11	15	22	46
65 +	376	12.1	47	5	6	10	14	20	26	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	6.9	10	3	4	6	9	11	12	16
B. Operated	1627	6.4	9	3	3	6	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	36	7.9	17	2	3	7	11	14	15	15
B. Operated	1946	9.6	34	4	5	8	11	16	20	33
1. SINGLE DX	1658	6.4	9	3	3	6	8	10	12	16
2. MULTIPLE DX	1982	9.6	33	4	5	8	11	16	20	33
A. Not Operated	67	7.5	14	2	3	7	10	12	15	16
B. Operated	3573	8.1	25	3	4	7	10	13	17	28
TOTAL										
0-19 YRS	1325	7.4	16	3	4	7	9	11	15	24
20-34	742	6.9	14	2	3	6	8	11	14	21
35-49	571	7.9	26	3	4	7	9	12	15	26
50-64	541	8.9	27	3	4	8	10	14	18	34
65 +	461	11.5	43	5	6	10	13	19	24	36
GRAND TOTAL	**3640**	**8.1**	**25**	**3**	**4**	**7**	**10**	**13**	**17**	**28**

(1)									
1. SINGLE DX									
A. Not Operated									
0-19 YRS	43	1.9	4	< 1	< 1	1	2	3	6	11
20-34	35	1.8	1	< 1	1	1	2	4	4	5
35-49	10	1.5		< 1	< 1	1	2	2	2	2
50-64	5	2.0	1	< 1	< 1	2	3	3	3	3
65 +	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
0-19 YRS	294	3.1	2	2	2	3	4	5	5	8
20-34	179	3.7	4	2	2	3	4	6	7	12
35-49	56	3.8	2	2	2	4	4	6	6	7
50-64	18	4.9	4	2	2	5	6	8	8	8
65 +	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.1	2	< 1	1	2	3	4	5	7
20-34	23	2.3	1	< 1	1	2	3	4	5	6
35-49	8	2.9	3	1	1	3	4	5	5	5
50-64	3	2.3	1	< 1	< 1	3	3	3	3	3
65 +	9	4.7	9	2	2	3	8	9	9	9
B. Operated										
0-19 YRS	174	4.0	4	2	2	4	5	6	8	11
20-34	132	4.3	5	2	2	4	5	7	9	13
35-49	46	5.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65 +	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SUBTOTALS										
1. SINGLE DX										
A. Not Operated	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
B. Operated	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
A. Not Operated	70	2.6	3	< 1	1	2	3	[illegible]	[illegible]	[illegible]
B. Operated	407	4.7	8	2	2	4	5	8	10	15
1. SINGLE DX	644	3.2	3	1	1	3	4	5	6	10
2. MULTIPLE DX	477	4.4	8	1	2	4	5	8	10	15
A. Not Operated	165	2.2	3	< 1	1	2	3	4	6	9
B. Operated	956	4.0	5	2	2	3	5	6	8	13
TOTAL										
0-19 YRS	538	3.3	3	1	1	[illegible]	4	5	[illegible]	[illegible]
20-34	369	3.6	4	1	2	3	4	6	7	12
35-49	120	4.4	8	1	2	4	5	8	9	16
50-64	56	5.4	14	1	2	4	6	12	15	16
65 +	38	6.2	12	2	2	5	8	10	13	17
GRAND TOTAL										

0-19 YRS	9	1.4	1	< 1	< 1	1	2	3	3	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	1.2		< 1	< 1	1	1	2	2	2
50-64	4	1.8	2	1	1	1	3	4	4	4
65 +	5	4.0	21	< 1	< 1	3	5	12	12	12
B. Operated									
0-19 YRS	693	1.3	1	< 1	< 1	1	1	2	2	4
20-34	1207	1.6	1	1	1	1	2	3	3	5
35-49	1275	1.7	1	1	1	1	2	3	4	5
50-64	1799	1.8	1	1	1	1	2	3	4	6
65 +	1218	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX									
A. Not Operated									
0-19 YRS	36	1.4	1	< 1	< 1	1	1	3	4	4
20-34	12	2.0	5	< 1	< 1	1	2	4	8	9
35-49	11	2.7	11	< 1	< 1	1	3	7	12	12
50-64	22	2.5	6	< 1	< 1	1	3	7	8	8
65 +	35	3.4	13	< 1	< 1	2	4	7	12	18
B. Operated									
0-19 YRS	744	1.6	5	< 1	1	1	2	3	4	9
20-34	541	2.0	2	1	1	2	2	4	5	7
B. Operated	6734	2.6	7	1	1	2	3	5	7	[illegible]
1. SINGLE DX	6217	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX	6850	2.6	7	1	1	2	3	5	7	12
A. Not Operated	141	2.3	7	< 1	< 1	1	3	5	8	14
B. Operated	12926	2.2	4	1	1	2	3	4	5	10
TOTAL									
0-19 YRS	1482	1.5	3	< 1	< 1	1	1	2	3	7
20-34	1762	1.7	1	1	1	1	2	3	4	6
35-49	2206	1.9	2	1	1	1	2	3	4	8
50-64	3668	2.1	3	1	1	2	3	4	5	9
65 +	3949	2.9	8	1	1	2	4	5	7	14

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.3		< 1	< 1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	6	3.3	7	< 1	< 1	3	4	8	8	8
B. Operated										
0-19 YRS	225	1.6	1	< 1	1	1	2	3	3	5
20-34	93	2.0	1	1	1	2	3	3	4	5
35-49	64	2.2	1	1	1	2	3	4	5	6
50-64	109	2.4	2	1	1	2	3	4	6	7
65 +	163	3.8	10	1	1	3	5	7	8	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.2	4	1	1	1	3	5	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0		3	3	3	3	3	3	3
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	31	5.4	33	1	1	4	6	11	20	27
B. Operated										
0-19 YRS	214	2.5	16	1	1	2	3	4	6	13
20-34	43	2.7	5	1	1	2	3	5	8	11
35-49	67	3.9	22	1	1	3	4	7	11	31
50-64	176	4.9	48	1	1	4	6	9	13	34
65 +	644	6.7	34	1	2	5	8	12	16	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.9	3	< 1	< 1	1	2	4	7	8
B. Operated	654	2.4	4	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	49	4.2	24	1	1	3	5	9	11	27
B. Operated	1144	5.3	34	1	1	4	7	11	15	34
1. SINGLE DX	671	2.4	4	1	1	2	3	4	6	9
2. MULTIPLE DX	1193	5.3	34	1	1	4	7	11	15	33
A. Not Operated	66	3.6	20	< 1	1	2	4	7	10	26
B. Operated	1798	4.2	25	1	1	3	5	9	12	23
TOTAL										
0-19 YRS	459	2.0	8	1	1	1	2	3	4	9
20-34	138	2.2	2	1	1	2	3	4	5	9
35-49	133	3.1	12	1	1	2	3	5	7	18
50-64	290	3.9	32	1	1	3	4	7	10	18
65 +	844	6.0	31	1	2	4	8	12	16	31
GRAND TOTAL	**1864**	**4.2**	**25**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	69	1.6	5	< 1	< 1	1	1	2	4	13
20-34	53	1.6	1	< 1	< 1	1	2	3	4	5
35-49	106	1.7	1	< 1	< 1	1	2	3	4	5
50-64	78	2.0	1	1	1	2	3	4	5	6
65 +	41	2.2	3	1	1	1	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	2.3	1	< 1	< 1	2	3	3	3	3
35-49	7	1.9	5	< 1	< 1	1	1	6	7	7
50-64	7	3.6	13	< 1	< 1	3	5	10	11	11
65 +	4	4.5	3	3	3	4	6	7	7	7
B. Operated										
0-19 YRS	37	2.2	7	< 1	1	1	2	5	6	16
20-34	42	2.7	7	1	1	2	3	5	8	15
35-49	102	3.0	16	1	1	2	4	6	6	25
50-64	146	3.8	16	1	1	3	5	7	10	23
65 +	118	4.0	12	1	1	3	5	7	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated	347	1.8	2	< 1	< 1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	25	2.7	6	< 1	< 1	1	3	7	8	11
B. Operated	445	3.4	14	1	1	2	4	6	8	16
1. SINGLE DX	350	1.8	2	< 1	< 1	1	2	3	4	9
2. MULTIPLE DX	470	3.4	13	1	1	2	4	6	8	16
A. Not Operated	28	2.6	6	< 1	< 1	1	3	6	8	11
B. Operated	792	2.7	9	< 1	1	2	3	5	7	14
TOTAL										
0-19 YRS	111	1.8	5	< 1	< 1	1	2	3	5	14
20-34	100	2.1	4	< 1	1	2	3	4	5	12
35-49	215	2.3	9	< 1	1	2	3	4	6	10
50-64	231	3.2	12	1	1	2	4	6	8	16
65 +	163	3.6	10	1	1	3	4	7	9	15
GRAND TOTAL	**820**	**2.7**	**9**	**< 1**	**1**	**2**	**3**	**5**	**7**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	1.6	2	< 1	< 1	1	2	4	4	4
35-49	3	2.7		2	2	3	3	3	3	3
50-64	4	2.0	2	< 1	< 1	1	3	4	4	4
65 +	4	4.5	12	1	1	4	7	8	8	8
B. Operated										
0-19 YRS	36	2.5	5	< 1	< 1	2	3	6	8	9
20-34	154	2.7	5	1	1	2	3	5	7	12
35-49	321	3.0	3	1	1	3	4	5	6	9
50-64	374	3.5	4	1	1	3	5	6	7	9
65 +	231	3.8	4	1	1	3	5	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	24	3.8	10	< 1	< 1	3	6	10	10	11
50-64	23	3.0	6	< 1	1	3	4	6	8	10
65 +	35	3.2	5	< 1	< 1	2	5	6	7	11
B. Operated										
0-19 YRS	30	5.2	15	1	1	4	8	10	11	17
20-34	169	4.4	17	1	1	4	5	8	11	27
35-49	459	4.8	14	1	2	4	6	9	11	19
50-64	732	5.1	16	1	2	4	6	9	12	22
65 +	778	6.3	34	1	2	5	8	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.6	5	< 1	< 1	2	3	7	8	8
B. Operated	1116	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	88	3.2	7	< 1	< 1	2	4	7	10	11
B. Operated	2168	5.4	23	1	2	4	7	10	13	23
1. SINGLE DX	1132	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	2256	5.3	22	1	2	4	7	9	12	23
A. Not Operated	104	3.1	6	< 1	< 1	2	4	7	9	11
B. Operated	3284	4.7	17	1	1	4	6	9	11	19
TOTAL										
0-19 YRS	69	3.6	11	< 1	1	2	6	9	10	16
20-34	331	3.6	11	1	1	3	4	6	9	16
35-49	807	4.1	11	1	1	3	5	7	9	16
50-64	1133	4.5	13	1	1	4	6	8	10	18
65 +	1048	5.6	27	1	2	5	7	10	13	23
GRAND TOTAL	**3388**	**4.6**	**17**	**1**	**1**	**4**	**6**	**8**	**11**	**19**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	2.7	1	1	1	3	4	4	4	4
35-49	18	2.9	3	< 1	1	3	4	5	6	7
50-64	22	3.2	2	1	1	3	4	5	6	6
65 +	13	3.2	2	1	1	3	4	5	6	6
B. Operated										
0-19 YRS	4	8.3	21	5	5	6	11	15	15	15
20-34	1	8.0		8	8	8	8	8	8	8
35-49	8	6.4	9	1	2	7	8	9	10	10
50-64	10	6.2	10	1	2	7	8	10	11	11
65 +	12	6.8	5	1	4	7	8	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	6	1	1	2	3	7	7	7
20-34	54	3.6	5	1	1	3	5	7	8	9
35-49	166	3.6	6	1	1	3	5	7	8	11
50-64	265	3.8	7	1	2	3	5	6	8	19
65 +	439	4.6	8	1	2	4	6	8	10	15
B. Operated										
0-19 YRS	22	12.6	155	4	5	8	13	40	70	99 +
20-34	31	9.1	37	3	4	8	9	13	25	33
35-49	113	7.2	15	2	3	7	9	11	13	25
50-64	151	7.3	16	2	3	7	9	12	14	23
65 +	164	9.2	36	2	3	8	11	17	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	3.1	2	1	1	3	4	5	6	7
B. Operated	35	6.7	8	1	3	7	8	10	11	15
2. MULTIPLE DX										
A. Not Operated	929	4.1	8	1	2	4	5	7	9	15
B. Operated	481	8.3	32	2	3	7	10	14	18	34
1. SINGLE DX	95	4.4	7	1	1	4	6	8	9	13
2. MULTIPLE DX	1410	5.6	20	1	2	5	7	10	13	24
A. Not Operated	989	4.1	7	1	2	4	5	7	9	15
B. Operated	516	8.2	30	2	3	7	9	14	18	33
TOTAL										
0-19 YRS	31	10.4	126	1	2	7	12	30	52	99 +
20-34	93	5.5	22	1	2	4	8	9	12	30
35-49	305	5.0	12	1	2	4	7	9	11	20
50-64	448	5.0	13	1	2	4	7	9	11	20
65 +	628	5.8	19	1	2	5	7	11	14	22
GRAND TOTAL	**1505**	**5.5**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	19	2.8	5	1	1	2	4	7	8	8
35-49	39	2.1	1	1	1	2	3	4	5	5
50-64	37	2.7	3	1	1	2	4	5	6	9
65 +	34	2.4	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	10.5	145	2	2	10	19	19	19	19
50-64	3	3.3	6	1	1	3	5	6	6	6
65 +	4	6.0	9	3	3	6	8	9	9	9
B. Operated										
0-19 YRS	5	3.6	12	1	1	2	6	9	9	9
20-34	16	3.7	14	1	1	2	5	6	13	16
35-49	22	5.4	35	1	1	4	6	10	20	27
50-64	46	4.2	21	1	1	2	5	11	14	23
65 +	88	4.0	15	1	1	3	5	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	131	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	12	5.2	26	1	1	4	7	12	18	19
B. Operated	177	4.2	19	1	1	3	5	8	12	26
1. SINGLE DX	133	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX	189	4.3	19	1	1	3	5	9	13	25
A. Not Operated	14	4.7	23	1	1	3	6	10	17	19
B. Operated	308	3.4	13	1	1	2	4	6	9	19
TOTAL										
0-19 YRS	9	2.6	8	< 1	< 1	1	3	7	9	9
20-34	38	3.2	9	1	1	2	5	6	8	16
35-49	63	3.5	19	1	1	2	4	6	11	26
50-64	86	3.5	13	1	1	2	4	7	11	20
65 +	126	3.6	12	1	1	3	5	7	10	19
GRAND TOTAL	**322**	**3.5**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	6	3.0	2	2	2	3	3	6	6	6
65 +	7	2.3	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	20	3.1	19	< 1	1	2	2	6	13	20
20-34	73	2.9	5	1	1	2	4	6	9	12
35-49	149	3.0	5	1	1	2	4	6	7	12
50-64	176	3.2	5	1	1	3	4	7	8	10
65 +	125	4.8	12	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	9.7	97	3	3	5	17	21	21	21
35-49	11	4.3	12	1	1	3	6	10	11	11
50-64	30	3.3	6	< 1	< 1	3	4	7	8	11
65 +	91	5.8	14	2	2	5	7	10	15	19
B. Operated										
0-19 YRS	19	5.2	10	2	2	4	7	11	12	12
20-34	59	4.4	11	1	1	3	6	9	10	16
35-49	250	5.4	31	1	1	4	7	10	13	26
50-64	413	7.2	47	1	2	6	9	13	17	38
65 +	901	9.8	73	2	3	8	12	18	24	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.5	2	1	1	2	3	5	6	6
B. Operated	543	3.5	8	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	137	5.2	15	1	2	4	6	10	14	19
B. Operated	1642	8.3	61	1	2	6	10	16	21	44
1. SINGLE DX	563	3.4	7	1	1	3	4	7	9	13
2. MULTIPLE DX	1779	8.0	58	1	2	6	10	15	21	44
A. Not Operated	157	4.8	14	1	1	4	6	9	12	19
B. Operated	2185	7.1	52	1	1	5	9	14	18	36
TOTAL										
0-19 YRS	43	3.9	14	1	1	2	5	9	11	20
20-34	136	3.7	10	1	1	3	5	8	10	18
35-49	414	4.5	22	1	1	3	6	9	11	23
50-64	625	5.8	36	1	1	4	8	11	15	29
65 +	1124	8.9	65	2	2	7	11	16	22	45
GRAND TOTAL	**2342**	**6.9**	**49**	**1**	**1**	**5**	**9**	**14**	**18**	**35**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	193	2.2	5	< 1	1	2	3	4	6	8
20-34	150	3.9	6	1	1	4	5	7	9	11
35-49	257	3.6	5	1	1	3	5	7	8	11
50-64	236	4.3	10	1	1	4	5	7	11	16
65 +	284	4.6	14	1	2	4	5	7	10	23
B. Operated										
0-19 YRS	177	5.6	13	2	2	5	7	9	12	19
20-34	103	8.5	13	4	4	8	10	12	15	21
35-49	142	9.1	30	4	5	8	10	14	18	36
50-64	116	9.3	27	5	5	8	11	14	18	33
65 +	134	10.9	32	5	6	9	12	17	24	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	209	3.7	12	1	1	3	4	7	11	18
20-34	290	5.1	16	1	2	4	6	10	12	20
35-49	572	5.1	10	1	2	4	7	9	11	17
50-64	1076	5.6	14	2	2	5	7	10	13	19
65 +	2881	6.7	24	2	2	6	8	12	15	23
B. Operated										
0-19 YRS	229	9.3	47	3	4	7	11	16	24	42
20-34	270	12.4	106	4	5	10	14	20	25	58
35-49	414	12.8	78	4	5	11	15	25	31	62
50-64	694	14.5	124	5	6	11	17	26	33	59
65 +	1813	16.0	121	6	7	13	19	29	36	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1120	3.8	9	1	1	3	5	7	9	15
B. Operated	672	8.5	26	3	4	8	10	13	17	29
2. MULTIPLE DX										
A. Not Operated	5028	6.1	20	2	2	5	8	11	14	22
B. Operated	3420	14.6	114	5	6	12	17	26	34	62
1. SINGLE DX	1792	5.5	20	1	1	4	7	11	13	24
2. MULTIPLE DX	8448	9.5	75	2	3	7	12	18	25	46
A. Not Operated	6148	5.7	19	1	2	5	7	11	13	21
B. Operated	4092	13.6	105	4	5	11	16	24	32	58
TOTAL										
0-19 YRS	808	5.4	28	1	1	4	7	11	14	28
20-34	813	7.7	56	1	2	6	10	15	18	42
35-49	1385	7.5	45	2	2	6	9	14	20	35
50-64	2122	8.5	68	2	2	6	11	16	22	43
65 +	5112	10.0	78	2	3	8	13	19	26	44
GRAND TOTAL	**10240**	**8.8**	**68**	**2**	**2**	**7**	**11**	**17**	**23**	**42**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2095	2.3	2	1	1	2	3	4	5	7
20-34	815	2.2	2	1	1	2	3	4	5	7
35-49	366	2.7	3	1	1	2	3	5	6	9
50-64	210	2.9	4	1	1	2	4	5	7	10
65 +	151	3.1	3	1	1	3	4	5	7	10
B. Operated										
0-19 YRS	48	4.0	5	1	2	4	5	8	9	12
20-34	61	4.1	6	1	1	4	5	7	8	15
35-49	31	5.8	13	2	2	5	8	11	15	16
50-64	20	4.7	5	1	2	5	5	6	9	12
65 +	10	6.3	9	2	2	6	8	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6969	3.0	5	1	1	3	4	5	6	11
20-34	1817	3.0	5	1	1	2	4	5	7	11
35-49	1265	3.8	8	1	1	3	5	7	9	15
50-64	1325	4.2	8	1	2	4	5	7	9	16
65 +	2624	5.2	15	1	2	4	6	10	12	20
B. Operated										
0-19 YRS	145	11.1	212	2	2	6	11	32	51	99 +
20-34	161	6.3	22	2	2	5	7	10	14	26
35-49	163	7.6	35	2	3	6	10	13	18	30
50-64	226	8.5	67	2	3	7	10	16	21	37
65 +	397	10.9	79	3	4	8	13	22	28	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3637	2.4	2	1	1	2	3	4	5	8
B. Operated	170	4.6	8	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	14000	3.6	8	1	1	3	4	6	8	15
B. Operated	1092	9.3	82	2	3	7	10	18	26	51
1. SINGLE DX	3807	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX	15092	4.0	16	1	1	3	5	7	10	20
A. Not Operated	17637	3.3	7	1	1	3	4	6	8	14
B. Operated	1262	8.6	75	2	3	6	10	17	25	49
TOTAL										
0-19 YRS	9257	3.0	9	1	1	2	3	5	6	11
20-34	2854	3.0	6	1	1	2	4	5	7	11
35-49	1825	3.9	11	1	1	3	5	7	10	16
50-64	1781	4.6	18	1	2	4	5	8	11	21
65 +	3182	5.8	26	1	2	4	7	11	15	28
GRAND TOTAL	**18899**	**3.7**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	43	4.0	4	1	1	4	5	6	8	9
35-49	271	4.5	4	2	2	4	6	7	8	10
50-64	398	4.8	6	2	2	5	6	8	9	14
65 +	343	4.7	7	1	2	4	6	8	10	15
B. Operated										
0-19 YRS	3	8.0	12	6	6	6	11	12	12	12
20-34	22	8.3	12	4	5	8	10	14	16	17
35-49	87	8.8	14	5	5	8	10	14	16	25
50-64	129	8.7	14	4	5	8	10	12	17	21
65 +	80	10.7	23	5	6	10	12	18	20	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.4	35	1	1	6	9	16	16	16
20-34	37	5.2	7	2	2	5	6	8	10	15
35-49	341	5.2	7	2	2	5	7	8	10	13
50-64	957	5.5	8	2	3	5	7	9	11	16
65 +	2986	6.1	13	2	3	5	8	11	13	19
B. Operated										
0-19 YRS	2	17.0	72	11	11	17	23	23	23	23
20-34	59	9.6	24	4	5	8	11	19	21	22
35-49	315	10.9	42	4	5	10	13	17	22	38
50-64	744	11.2	39	4	5	10	14	19	23	34
65 +	1536	13.5	93	4	5	11	16	24	31	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1055	4.7	6	1	2	4	6	8	9	13
B. Operated	321	9.2	17	5	6	8	10	14	17	26
2. MULTIPLE DX										
A. Not Operated	4326	5.9	11	2	3	5	7	10	12	18
B. Operated	2656	12.5	72	4	5	10	15	21	28	47
1. SINGLE DX	1376	5.7	12	2	2	5	7	10	11	17
2. MULTIPLE DX	6982	8.4	45	2	3	7	10	15	20	35
A. Not Operated	5381	5.7	11	2	2	5	7	10	12	17
B. Operated	2977	12.1	67	4	5	10	14	21	27	46
TOTAL										
0-19 YRS	10	9.0	45	1	1	7	12	19	23	23
20-34	161	6.9	19	2	3	6	8	13	17	21
35-49	1014	7.1	25	2	3	6	9	12	16	25
50-64	2228	7.5	26	2	3	6	9	13	17	29
65 +	4945	8.4	50	2	3	7	10	16	20	37
GRAND TOTAL	**8358**	**8.0**	**40**	**2**	**3**	**6**	**10**	**15**	**19**	**33**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.3	13	< 1	1	1	2	3	12	15
20-34	15	2.5	2	< 1	< 1	2	3	5	6	6
35-49	20	3.4	3	1	2	3	4	6	7	7
50-64	8	3.0	1	1	1	3	4	5	5	5
65 +	4	2.5	3	1	1	2	4	[illegible]	5	5
B. Operated										
0-19 YRS	66	2.1	2	1	1	2	3	4	5	7
20-34	384	2.5	6	1	1	2	3	4	6	9
35-49	368	2.3	3	1	1	2	3	4	5	9
50-64	193	2.5	3	1	1	2	3	4	6	9
65 +	64	2.7	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	4.1	12	1	1	3	4	10	12	15
20-34	31	3.7	7	< 1	1	3	5	7	7	14
35-49	35	4.5	8	1	2	4	6	8	9	14
50-64	36	7.0	50	1	2	5	10	13	17	40
65 +	48	5.8	13	1	1	5	8	11	13	16
B. Operated										
0-19 YRS	68	4.3	36	1	1	3	5	8	12	41
20-34	461	3.0	16	1	1	2	3	5	8	20
35-49	679	3.2	8	1	1	2	4	6	9	14
50-64	503	3.8	21	1	1	3	4	8	12	20
65 +	326	5.6	37	1	1	3	7	12	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.8	5	< 1	1	2	3	5	6	14
B. Operated	1075	2.4	4	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	189	5.1	19	1	1	4	6	10	13	17
B. Operated	2037	3.7	19	1	1	2	4	8	11	20
1. SINGLE DX	1137	2.4	4	1	1	2	3	4	6	9
2. MULTIPLE DX	2226	3.8	20	1	1	3	4	8	11	20
A. Not Operated	251	4.5	16	1	1	3	6	9	12	16
B. Operated	3112	3.3	15	1	1	2	4	6	9	18
TOTAL										
0-19 YRS	188	3.3	18	1	1	2	4	6	10	15
20-34	891	2.8	11	1	1	2	3	5	7	15
35-49	1102	2.9	7	1	1	2	4	6	8	13
50-64	740	3.6	18	1	1	2	4	7	11	18
65 +	442	5.1	30	1	1	3	6	11	15	30
GRAND TOTAL	**3363**	**3.4**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	329	3.0	7	1	1	2	3	7	8	16
20-34	335	4.0	10	1	1	3	5	7	9	17
35-49	256	4.0	11	1	1	3	5	7	9	17
50-64	137	4.6	12	1	1	4	6	9	10	15
65 +	118	4.3	17	1	1	3	5	8	12	23
B. Operated										
0-19 YRS	175	6.4	49	1	1	5	8	10	16	26
20-34	283	7.2	25	1	2	6	9	13	16	26
35-49	226	7.1	38	1	2	6	9	13	18	30
50-64	157	7.5	33	1	2	6	10	13	17	33
65 +	133	6.9	36	1	2	5	9	14	19	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	661	4.3	22	1	1	3	5	9	12	19
20-34	802	5.1	18	1	2	4	6	10	12	19
35-49	787	5.3	17	1	2	4	7	10	13	23
50-64	833	5.5	22	1	2	4	7	10	13	23
65 +	2119	6.1	22	1	2	5	8	11	14	24
B. Operated										
0-19 YRS	356	9.9	112	2	2	7	12	20	31	91
20-34	913	10.2	73	2	3	8	13	21	28	44
35-49	958	10.5	91	2	3	8	13	22	30	50
50-64	1066	11.5	124	2	3	9	14	24	33	58
65 +	1998	13.2	126	2	3	10	17	27	35	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1175	3.8	11	1	1	3	5	7	9	17
B. Operated	974	7.0	35	1	2	6	9	13	17	28
2. MULTIPLE DX										
A. Not Operated	5202	5.5	21	1	2	4	7	10	13	23
B. Operated	5291	11.6	111	2	3	9	15	24	32	58
1. SINGLE DX	2149	5.3	24	1	1	4	7	10	13	26
2. MULTIPLE DX	10493	8.6	76	1	2	6	10	18	25	46
A. Not Operated	6377	5.2	19	1	1	4	7	10	13	21
B. Operated	6265	10.9	102	2	3	8	14	23	30	54
TOTAL										
0-19 YRS	1521	5.6	50	1	1	3	7	12	16	39
20-34	2333	7.2	46	1	2	5	9	14	21	33
35-49	2227	7.6	57	1	2	6	9	15	22	39
50-64	2193	8.5	81	1	2	6	10	17	25	50
65 +	4368	9.3	83	2	2	7	11	19	26	48
GRAND TOTAL	**12642**	**8.0**	**68**	**1**	**2**	**6**	**10**	**17**	**23**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	4.8	3	2	2	5	6	6	6	6
35-49	14	5.4	21	1	2	4	6	15	16	16
50-64	14	3.8	5	2	2	3	5	6	9	10
65 +	4	2.5	6	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	0									
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	9	7.4	70	1	1	5	8	22	28	28
50-64	4	2.8	2	1	1	3	4	4	4	4
65 +	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	158	8.9	70	2	3	6	10	18	25	35
35-49	349	9.1	56	2	3	7	11	18	23	38
50-64	388	8.8	50	2	3	7	11	17	22	37
65 +	201	9.3	45	2	3	8	12	18	21	36
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	32	12.3	150	2	3	8	11	35	40	52
35-49	145	11.7	129	1	2	9	15	26	35	59
50-64	196	12.6	124	1	2	10	16	27	33	54
65 +	85	13.3	91	1	3	11	17	28	32	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	4.4	11	1	2	3	6	6	13	16
B. Operated	17	5.6	41	1	1	4	6	11	22	28
2. MULTIPLE DX										
A. Not Operated	1097	9.0	54	2	3	7	11	18	24	36
B. Operated	459	12.4	121	1	2	10	16	27	34	53
1. SINGLE DX	54	4.8	20	1	1	4	6	7	14	28
2. MULTIPLE DX	1556	10.0	76	2	3	8	12	20	28	46
A. Not Operated	1134	8.8	53	2	3	7	11	17	23	36
B. Operated	476	12.1	119	1	2	9	16	27	33	53
TOTAL										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	197	9.3	82	2	3	6	10	20	27	46
35-49	517	9.7	77	2	3	7	12	20	27	52
50-64	602	9.9	77	2	3	8	12	19	28	44
65 +	292	10.3	62	2	3	8	14	20	27	36
GRAND TOTAL	**1610**	**9.8**	**75**	**2**	**3**	**7**	**12**	**20**	**27**	**44**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	12	2.8	7	1	1	2	3	8	9	9
35-49	3	1.3		1	1	1	2	2	2	2
50-64	16	4.7	10	1	1	4	7	8	11	12
65 +	4	5.8	1	5	5	6	6	7	7	7
B. Operated										
0-19 YRS	24	2.3	1	1	1	2	3	4	5	5
20-34	31	1.5	1	1	1	1	1	3	4	6
35-49	54	1.7	2	1	1	1	2	5	5	7
50-64	38	1.9	3	1	1	1	2	4	6	8
65 +	18	4.9	69	< 1	< 1	2	6	7	25	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	4.3	7	1	1	4	6	9	10	12
20-34	31	7.4	16	< 1	1	8	9	13	14	18
35-49	57	8.3	65	2	3	7	9	14	19	56
50-64	164	8.4	29	2	3	8	10	15	21	25
65 +	226	9.3	42	2	3	8	13	17	20	36
B. Operated										
0-19 YRS	38	6.2	125	1	1	3	4	18	29	60
20-34	54	5.9	93	1	1	2	7	13	29	98
35-49	114	8.6	111	1	1	4	14	22	26	74
50-64	188	8.8	77	1	1	6	14	20	28	46
65 +	219	11.3	108	1	1	9	16	26	32	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.7	8	1	1	3	5	8	9	12
B. Operated	165	2.1	10	1	1	1	2	5	6	8
2. MULTIPLE DX										
A. Not Operated	505	8.5	38	2	3	7	11	15	19	28
B. Operated	613	9.3	101	1	1	6	14	22	30	58
1. SINGLE DX	205	2.4	10	1	1	1	3	5	7	10
2. MULTIPLE DX	1118	8.9	73	1	1	7	12	19	25	48
A. Not Operated	545	8.2	38	1	2	7	11	15	19	27
B. Operated	778	7.7	90	1	1	4	11	19	28	52
TOTAL										
0-19 YRS	94	4.4	55	1	1	3	4	7	12	47
20-34	128	4.9	49	1	1	2	7	11	14	70
35-49	228	6.8	80	1	1	3	9	18	22	59
50-64	406	7.8	52	1	1	6	11	17	23	34
65 +	467	10.1	76	1	2	8	13	19	27	45
GRAND TOTAL	**1323**	**7.9**	**69**	**1**	**1**	**6**	**11**	**18**	**23**	**46**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	4.4	8	1	1	4	6	9	11	11
20-34	52	4.6	20	1	2	4	6	8	9	32
35-49	29	6.0	25	2	2	5	6	13	18	24
50-64	18	3.8	5	< 1	1	4	5	7	9	9
65 +	10	3.6	4	1	1	3	4	7	8	8
B. Operated										
0-19 YRS	17	5.5	74	1	1	2	3	18	28	33
20-34	12	6.5	24	1	1	6	10	13	14	14
35-49	25	4.6	30	< 1	1	2	6	16	19	19
50-64	14	3.3	14	< 1	< 1	1	4	10	11	11
65 +	13	7.4	40	1	2	4	10	18	21	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	5.7	31	1	1	4	6	11	20	28
20-34	123	5.8	20	1	2	5	7	10	14	27
35-49	179	7.8	65	2	2	6	9	15	19	45
50-64	350	6.8	21	2	3	6	9	13	15	25
65 +	361	8.5	36	2	3	7	11	16	21	30
B. Operated										
0-19 YRS	39	19.4	447	1	1	13	35	45	81	99 +
20-34	53	11.0	114	1	1	8	14	27	38	47
35-49	78	12.3	135	1	1	9	16	31	37	53
50-64	145	13.6	126	1	2	11	19	29	34	79
65 +	157	15.5	185	2	3	11	21	34	47	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	4.7	16	1	2	4	6	8	10	25
B. Operated	81	5.3	37	< 1	1	3	7	13	19	30
2. MULTIPLE DX										
A. Not Operated	1062	7.4	35	2	2	6	9	14	18	30
B. Operated	472	14.2	175	1	2	10	19	33	42	75
1. SINGLE DX	222	4.9	23	1	1	4	6	10	14	26
2. MULTIPLE DX	1534	9.5	88	2	2	7	11	20	29	48
A. Not Operated	1203	7.1	33	2	2	6	9	14	18	30
B. Operated	553	12.9	165	1	1	9	18	31	40	66
TOTAL										
0-19 YRS	137	9.3	188	1	1	4	8	31	39	85
20-34	240	6.7	46	1	2	5	8	13	18	39
35-49	311	8.5	81	1	2	6	10	18	25	46
50-64	527	8.5	60	1	2	6	11	18	25	42
65 +	541	10.4	90	2	3	8	12	22	30	52
GRAND TOTAL	**1753**	**8.9**	**82**	**1**	**2**	**6**	**11**	**19**	**28**	**47**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.2	2	< 1	1	2	3	5	5	7
20-34	217	2.1	2	< 1	1	2	3	4	4	6
35-49	218	2.4	2	< 1	1	2	3	5	6	7
50-64	159	2.5	4	< 1	1	2	3	5	6	12
65 +	108	2.8	3	< 1	1	2	4	5	7	10
B. Operated										
0-19 YRS	207	4.6	4	3	3	4	5	7	8	13
20-34	2561	4.5	3	2	3	4	5	7	8	10
35-49	2368	4.6	3	2	3	4	5	7	8	11
50-64	1813	5.1	4	3	3	5	6	7	9	12
65 +	883	6.1	8	3	4	6	7	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	3.1	6	< 1	1	2	4	6	8	11
20-34	250	3.2	5	< 1	1	3	4	6	8	11
35-49	332	3.5	8	1	1	3	5	6	8	14
50-64	565	4.1	11	1	1	3	5	8	10	17
65 +	1284	5.7	14	1	2	5	7	11	13	18
B. Operated										
0-19 YRS	243	6.3	14	3	3	5	7	10	13	20
20-34	2515	5.8	10	3	3	5	7	9	11	16
35-49	3441	6.2	13	3	3	5	7	10	12	20
50-64	4283	7.1	19	3	4	6	8	12	15	24
65 +	5294	9.6	39	4	4	8	12	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	730	2.4	3	< 1	1	2	3	4	6	8
B. Operated	7832	4.9	4	3	3	4	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	2466	4.8	12	1	1	4	6	9	12	17
B. Operated	15776	7.5	25	3	4	6	9	13	16	27
1. SINGLE DX	8562	4.6	5	2	3	4	6	7	8	12
2. MULTIPLE DX	18242	7.1	24	3	3	6	9	12	15	26
A. Not Operated	3196	4.2	11	1	1	3	5	8	11	16
B. Operated	23608	6.6	20	3	3	5	8	11	14	24
TOTAL										
0-19 YRS	513	5.2	10	2	2	5	6	8	10	15
20-34	5543	4.9	7	2	3	4	6	8	9	13
35-49	6359	5.3	10	2	3	5	6	9	10	16
50-64	6820	6.2	16	2	3	5	7	10	13	20
65 +	7569	8.4	34	3	4	7	10	14	18	31
GRAND TOTAL	**26804**	**6.3**	**19**	**2**	**3**	**5**	**8**	**11**	**14**	**23**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.7	4	< 1	1	2	4	5	7	7
20-34	123	3.0	3	1	1	3	4	5	6	8
35-49	107	3.1	4	< 1	1	3	4	6	7	9
50-64	69	2.9	3	< 1	1	3	4	5	7	9
65 +	39	3.9	5	1	2	3	5	8	9	10
B. Operated										
0-19 YRS	23	4.6	5	1	2	5	6	8	36	99 +
20-34	237	5.2	7	3	3	5	6	8	11	14
35-49	183	4.9	5	2	3	4	6	8	9	12
50-64	96	5.3	5	3	3	5	6	9	10	12
65 +	60	7.3	9	3	4	7	9	11	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	4.6	8	1	1	4	6	9	11	12
20-34	149	3.8	8	1	1	3	5	7	8	19
35-49	192	4.1	6	1	1	3	5	8	8	13
50-64	222	4.5	9	1	2	4	6	9	11	14
65 +	347	6.5	17	2	2	6	9	12	14	20
B. Operated										
0-19 YRS	29	7.7	41	3	3	5	8	15	21	33
20-34	313	6.4	15	3	3	5	8	12	14	21
35-49	479	6.7	27	3	3	6	8	11	13	21
50-64	419	8.1	25	3	4	7	10	14	18	27
65 +	517	11.3	58	4	5	10	14	19	25	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	353	3.1	4	1	1	3	4	5	7	9
B. Operated	599	5.3	7	2	3	5	6	9	10	13
2. MULTIPLE DX										
A. Not Operated	938	5.1	12	1	2	4	7	9	12	16
B. Operated	1757	8.4	37	3	3	7	10	15	18	29
1. SINGLE DX	952	4.5	7	1	2	4	5	8	10	12
2. MULTIPLE DX	2695	7.2	31	2	3	6	9	13	16	27
A. Not Operated	1291	4.5	11	1	1	4	6	9	11	16
B. Operated	2356	7.6	31	3	3	6	9	13	17	27
TOTAL										
0-19 YRS	95	5.3	19	1	2	4	7	10	13	69
20-34	822	5.1	11	1	2	4	6	9	12	19
35-49	961	5.4	18	1	2	5	7	9	12	16
50-64	806	6.4	20	2	2	5	8	12	14	22
65 +	963	9.0	44	2	3	8	11	16	20	29
GRAND TOTAL	**3647**	**6.5**	**26**	**2**	**2**	**5**	**8**	**12**	**15**	**25**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	10	2.9	3	1	1	3	4	5	6	6
35-49	14	2.6	4	<1	1	2	4	6	7	7
50-64	8	3.3	4	1	1	3	4	6	7	7
65+	14	3.1	7	1	1	2	4	6	10	11
B. Operated										
0-19 YRS	6	3.8	10	1	1	3	4	9	10	10
20-34	65	6.0	9	1	2	6	8	9	11	14
35-49	70	5.8	11	1	2	5	7	10	11	17
50-64	58	6.0	21	1	1	5	8	12	16	23
65+	94	7.8	20	1	2	8	10	13	17	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	26	3.6	5	<1	1	3	5	7	8	9
35-49	24	3.6	6	<1	1	3	5	7	9	10
50-64	35	5.5	18	2	2	5	7	9	10	26
65+	145	5.6	23	2	2	4	6	10	13	30
B. Operated										
0-19 YRS	30	10.0	23	5	5	9	12	17	20	24
20-34	121	8.6	21	4	4	8	11	13	17	26
35-49	139	9.4	64	2	3	8	11	15	21	47
50-64	234	10.7	50	3	4	10	13	17	21	46
65+	794	12.5	59	3	5	11	16	21	25	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	3.0	4	1	1	2	4	6	7	11
B. Operated	293	6.5	16	1	1	6	9	11	14	19
2. MULTIPLE DX										
A. Not Operated	233	5.1	19	1	2	4	6	9	12	27
B. Operated	1318	11.4	56	3	5	10	14	19	24	38
1. SINGLE DX	341	6.0	16	1	1	5	8	10	13	19
2. MULTIPLE DX	1551	10.5	55	2	3	9	13	19	23	36
A. Not Operated	281	4.7	17	1	1	4	6	9	11	24
B. Operated	1611	10.5	52	2	4	9	13	18	23	35
TOTAL										
0-19 YRS	41	8.3	27	2	2	7	11	16	19	24
20-34	222	7.0	19	1	2	7	9	12	14	22
35-49	247	7.4	45	1	2	6	9	13	16	38
50-64	335	9.2	46	1	2	8	11	16	20	34
65+	1047	11.0	57	2	3	10	14	19	24	35
GRAND TOTAL	**1892**	**9.7**	**51**	**2**	**3**	**8**	**13**	**17**	**21**	**34**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	6.3	20	1	1	6	7	13	15	15
20-34	14	4.0	3	2	2	4	5	6	7	7
35-49	10	3.6	3	1	1	3	4	6	7	7
50-64	6	5.8	9	1	1	6	9	9	9	9
65+	14	4.6	5	2	2	4	6	8	9	9
B. Operated										
0-19 YRS	9	10.3	23	3	4	10	12	18	20	20
20-34	11	6.8	28	1	2	5	8	15	20	20
35-49	20	5.0	9	1	1	5	7	9	10	10
50-64	11	4.5	8	<1	1	6	7	8	8	8
65+	16	10.4	126	1	1	5	16	24	36	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	9.3	42	<1	1	8	13	19	22	24
20-34	28	4.5	10	1	2	4	6	7	13	15
35-49	48	5.5	10	1	2	5	7	9	12	15
50-64	75	6.3	31	1	2	5	9	13	15	30
65+	201	6.7	22	2	2	6	9	12	16	27
B. Operated										
0-19 YRS	17	17.0	175	2	5	15	23	50	84	99+
20-34	43	12.1	206	1	2	9	14	21	31	88
35-49	87	10.4	94	1	2	8	12	25	30	52
50-64	122	11.8	78	2	3	10	16	24	31	99+
65+	298	14.0	126	2	3	12	17	27	34	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	4.6	7	1	2	4	6	8	9	15
B. Operated	67	7.2	46	1	1	6	9	14	21	38
2. MULTIPLE DX										
A. Not Operated	372	6.5	23	1	2	5	8	13	16	24
B. Operated	567	12.9	120	2	3	10	17	25	32	70
1. SINGLE DX	118	6.1	31	1	2	5	8	10	18	29
2. MULTIPLE DX	939	10.4	91	1	2	8	14	21	28	60
A. Not Operated	423	6.2	22	1	2	5	8	12	15	24
B. Operated	634	12.3	115	1	2	10	16	24	30	68
TOTAL										
0-19 YRS	53	11.5	91	1	2	10	16	23	26	98
20-34	96	8.1	111	1	2	5	10	15	21	69
35-49	165	7.9	61	1	2	6	9	16	25	33
50-64	214	9.3	64	1	2	7	13	20	26	72
65+	529	10.9	96	2	3	8	14	21	28	52
GRAND TOTAL	**1057**	**9.9**	**86**	**1**	**2**	**7**	**13**	**20**	**27**	**58**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	3.6	3	1	2	3	5	6	8	8
20-34	305	4.8	9	1	2	4	6	8	10	15
35-49	286	5.0	9	2	2	5	6	8	10	16
50-64	154	5.1	11	2	2	5	6	9	10	17
65 +	94	5.6	10	2	2	5	7	8	12	17
B. Operated										
0-19 YRS	8	10.6	193	1	2	5	12	35	43	43
20-34	35	7.2	21	1	1	7	10	11	18	20
35-49	41	7.5	18	2	3	7	9	14	16	18
50-64	29	8.3	66	1	1	6	10	21	25	35
65 +	14	9.9	44	2	2	8	11	18	26	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	4.8	19	1	2	3	5	9	11	28
20-34	991	5.9	16	2	2	5	7	10	13	23
35-49	1358	6.5	21	2	3	5	8	11	14	26
50-64	975	6.7	22	2	3	5	8	12	15	25
65 +	1153	7.2	21	2	3	6	9	13	16	24
B. Operated										
0-19 YRS	36	22.5	275	3	5	18	31	47	52	67
20-34	212	14.9	136	3	5	12	20	33	45	99 +
35-49	424	14.4	133	3	5	11	18	30	37	63
50-64	335	15.1	147	4	5	11	17	32	46	99 +
65 +	482	16.9	200	5	6	13	20	32	47	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	902	4.9	9	1	2	4	6	8	10	16
B. Operated	127	8.0	42	1	2	7	10	16	20	37
2. MULTIPLE DX										
A. Not Operated	4580	6.5	20	2	3	5	8	12	15	24
B. Operated	1489	15.7	163	4	5	12	19	32	45	82
1. SINGLE DX	1029	5.3	14	1	2	5	6	9	11	20
2. MULTIPLE DX	6069	8.8	71	2	3	6	10	17	25	49
A. Not Operated	5482	6.3	19	2	2	5	8	11	14	24
B. Operated	1616	15.1	158	3	5	11	18	31	44	79
TOTAL										
0-19 YRS	210	7.7	110	1	2	4	8	18	32	51
20-34	1543	7.0	41	2	2	5	8	13	18	40
35-49	2109	7.9	53	2	3	6	9	15	21	39
50-64	1493	8.4	63	2	3	6	10	16	23	48
65 +	1743	9.8	90	2	3	7	12	18	26	58
GRAND TOTAL	**7098**	**8.3**	**64**	**2**	**3**	**6**	**10**	**16**	**23**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	2.2	3	< 1	1	2	3	4	4	13
20-34	62	2.6	3	< 1	1	2	3	4	6	11
35-49	55	3.4	3	1	1	3	4	5	7	9
50-64	66	3.3	4	1	1	3	5	7	7	9
65 +	118	4.7	10	1	2	4	6	9	11	18
B. Operated										
0-19 YRS	5	3.8	5	< 1	< 1	4	6	6	6	6
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	7	4.7	7	3	3	3	6	9	10	10
50-64	19	6.2	9	2	3	5	9	10	12	13
65 +	16	5.4	5	2	3	5	7	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	211	3.8	11	1	1	3	5	7	10	19
20-34	305	3.9	12	1	1	3	5	7	9	19
35-49	518	4.7	10	1	2	4	6	8	11	17
50-64	901	5.2	18	1	2	4	6	9	[illegible]	21
65 +	3330	6.3	21	2	2	5	8	11	14	23
B. Operated										
0-19 YRS	26	8.3	58	1	1	5	12	18	25	31
20-34	69	6.4	35	1	2	4	7	15	20	30
35-49	152	7.8	64	2	2	6	8	15	20	50
50-64	380	8.5	90	2	3	6	9	16	23	54
65 +	1183	9.7	66	3	3	7	11	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	356	3.5	7	1	1	3	4	6	8	14
B. Operated	51	5.3	7	2	3	5	7	9	10	13
2. MULTIPLE DX										
A. Not Operated	5265	5.7	19	2	2	5	7	10	13	22
B. Operated	1810	9.1	70	2	3	7	11	18	24	44
1. SINGLE DX	407	3.7	7	1	1	3	5	7	9	14
2. MULTIPLE DX	7075	6.6	34	2	2	5	8	12	16	31
A. Not Operated	5621	5.6	19	1	2	5	7	10	13	21
B. Operated	1861	9.0	69	2	3	7	11	18	24	44
TOTAL										
0-19 YRS	297	3.9	15	1	1	3	4	7	12	20
20-34	440	4.1	15	1	1	3	5	8	10	22
35-49	732	5.2	22	1	2	4	6	9	12	22
50-64	1366	6.1	39	1	2	5	7	10	15	33
65 +	4647	7.1	34	2	3	6	8	13	17	31
GRAND TOTAL	**7482**	**6.4**	**33**	**2**	**2**	**5**	**8**	**12**	**16**	**30**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	3.5	10	< 1	1	2	4	7	10	17
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	6	8.2	104	2	2	4	10	26	28	28
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	3	6.3	4	4	4	7	8	8	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	6.4	39	1	2	4	8	14	21	32
20-34	9	5.9	8	3	3	6	7	10	11	11
35-49	29	9.0	68	2	3	7	10	19	27	41
50-64	26	8.2	38	2	3	6	11	19	21	22
65 +	29	8.5	37	2	3	7	10	14	26	28
B. Operated										
0-19 YRS	40	21.9	710	2	2	8	41	77	97	99 +
20-34	17	9.9	32	4	5	9	11	21	23	23
35-49	31	12.7	106	5	6	9	16	28	40	43
50-64	27	17.7	200	3	5	12	24	35	50	63
65 +	43	15.3	144	3	5	13	19	26	41	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.5	10	< 1	1	2	4	7	10	17
B. Operated	12	7.3	49	2	2	6	8	15	26	28
2. MULTIPLE DX										
A. Not Operated	199	7.3	42	1	2	5	9	15	21	33
B. Operated	158	16.3	287	2	4	11	20	40	62	99
1. SINGLE DX	57	4.3	20	< 1	1	3	6	9	11	27
2. MULTIPLE DX	357	11.3	170	2	2	7	13	24	40	81
A. Not Operated	244	6.6	38	1	2	4	8	14	21	29
B. Operated	170	15.7	275	2	3	10	19	39	62	99
TOTAL										
0-19 YRS	193	9.0	215	1	2	4	8	23	48	98
20-34	29	8.2	26	3	3	7	10	15	22	23
35-49	64	10.5	87	3	4	8	11	21	39	43
50-64	55	12.8	138	3	3	10	16	25	34	62
65 +	73	12.5	110	3	4	10	15	23	29	60
GRAND TOTAL	**414**	**10.3**	**155**	**1**	**2**	**6**	**12**	**23**	**34**	**77**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	3.2	6	1	1	3	4	6	8	14
20-34	9	3.0	2	2	2	2	4	5	6	6
35-49	6	1.8	1	1	1	2	3	3	3	3
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	3	5.0	9	2	2	5	7	8	8	8
B. Operated										
0-19 YRS	80	2.7	5	1	1	2	3	6	8	12
20-34	18	2.3	3	1	1	2	2	6	7	7
35-49	32	1.9	2	1	1	1	2	5	5	7
50-64	10	1.2		< 1	< 1	1	1	2	2	2
65 +	8	1.8	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	149	5.8	35	1	1	4	8	12	16	36
20-34	32	6.0	30	< 1	1	4	7	11	22	24
35-49	26	5.4	14	1	1	5	7	9	15	15
50-64	53	5.9	23	1	2	5	7	11	17	24
65 +	73	10.5	51	2	3	9	14	21	22	36
B. Operated										
0-19 YRS	80	8.1	69	1	1	5	14	18	22	85
20-34	66	6.0	52	1	1	3	8	15	21	35
35-49	58	7.1	48	1	1	5	10	16	21	35
50-64	92	9.3	95	1	1	6	13	24	30	44
65 +	92	9.1	72	1	1	7	13	21	26	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	3.2	5	1	1	3	4	6	8	14
B. Operated	148	2.3	4	1	1	2	2	5	6	11
2. MULTIPLE DX										
A. Not Operated	333	6.9	38	1	2	5	9	15	20	33
B. Operated	388	8.1	71	1	1	5	11	20	26	42
1. SINGLE DX	271	2.7	5	1	1	2	3	6	7	12
2. MULTIPLE DX	721	7.5	56	1	1	5	10	17	23	36
A. Not Operated	456	5.9	32	1	1	4	8	13	17	31
B. Operated	536	6.5	59	1	1	3	9	17	23	36
TOTAL										
0-19 YRS	412	5.0	32	1	1	3	6	12	16	33
20-34	125	5.3	37	1	1	3	6	10	17	33
35-49	122	5.1	31	1	1	3	7	12	16	26
50-64	157	7.6	69	1	1	5	10	20	25	36
65 +	176	9.3	62	1	1	7	13	21	25	35
GRAND TOTAL	**992**	**6.2**	**46**	**1**	**1**	**4**	**8**	**16**	**21**	**34**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	3.7	6	1	1	3	4	6	10	12
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49	4	4.3	2	3	3	4	5	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	5.3	17	2	2	5	6	9	13	26
20-34	9	3.6	6	1	1	3	5	7	9	9
35-49	7	4.4	4	2	2	4	6	7	7	7
50-64	10	5.9	14	3	3	5	6	11	16	16
65 +	34	7.9	20	2	4	7	10	13	20	21
B. Operated										
0-19 YRS	11	9.4	110	1	1	4	13	28	33	33
20-34	7	9.0	61	1	1	10	13	20	22	22
35-49	17	7.8	20	1	2	7	11	13	16	18
50-64	11	11.9	92	2	3	7	17	28	29	29
65 +	14	12.6	134	2	4	8	14	26	41	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.8	5	1	2	3	4	6	8	12
B. Operated	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	121	5.9	17	2	2	5	7	10	14	23
B. Operated	60	10.1	79	1	2	7	13	24	28	44
1. SINGLE DX	31	3.6	5	1	1	3	4	6	8	12
2. MULTIPLE DX	181	7.3	41	2	2	5	9	14	22	32
A. Not Operated	149	5.5	16	2	2	5	7	10	13	21
B. Operated	63	9.7	79	1	1	7	13	24	28	43
TOTAL										
0-19 YRS	94	5.4	27	1	2	4	6	11	14	31
20-34	20	5.5	29	1	1	3	7	13	18	22
35-49	28	6.4	16	1	2	6	8	12	13	18
50-64	21	9.0	62	2	3	5	15	21	28	29
65 +	49	9.1	56	2	3	7	10	18	24	45
GRAND TOTAL	**212**	**6.7**	**38**	**1**	**2**	**5**	**8**	**13**	**20**	**31**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.4	4	2	2	4	6	7	7	7
20-34	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	12	1.5	2	< 1	< 1	1	1	4	5	5
65 +	7	4.9	28	1	1	2	10	13	13	13
B. Operated										
0-19 YRS	38	9.1	90	1	1	7	13	18	25	50
20-34	16	5.6	52	< 1	1	3	7	12	24	29
35-49	32	4.3	15	< 1	1	3	6	10	13	16
50-64	37	2.9	6	< 1	< 1	2	4	6	7	12
65 +	26	3.4	15	< 1	1	2	5	7	10	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	4.6	18	< 1	1	3	6	11	15	20
20-34	44	4.2	18	< 1	1	3	6	9	11	25
35-49	63	4.7	18	< 1	1	4	6	9	12	24
50-64	100	7.2	34	1	1	5	11	14	17	31
65 +	299	8.6	41	2	3	7	11	17	21	35
B. Operated										
0-19 YRS	123	15.6	147	2	3	13	21	33	45	99 +
20-34	219	9.5	74	1	2	8	12	20	25	39
35-49	323	9.7	81	1	1	8	13	21	29	52
50-64	360	9.5	88	1	1	6	13	22	29	39
65 +	404	11.3	116	1	2	8	15	23	31	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.6	10	< 1	< 1	1	3	6	12	13
B. Operated	149	5.2	41	< 1	1	3	7	13	18	29
2. MULTIPLE DX										
A. Not Operated	563	7.2	36	1	2	5	9	15	19	29
B. Operated	1429	10.5	100	1	2	8	14	23	30	52
1. SINGLE DX	180	4.7	36	< 1	< 1	3	6	12	16	28
2. MULTIPLE DX	1992	9.6	84	1	2	7	13	21	28	46
A. Not Operated	594	7.0	36	1	1	5	9	14	19	28
B. Operated	1578	10.0	97	1	1	7	13	22	29	50
TOTAL										
0-19 YRS	223	11.4	124	1	2	8	16	28	35	71
20-34	283	8.3	68	< 1	1	6	11	19	24	38
35-49	421	8.5	71	1	1	6	11	19	26	47
50-64	509	8.3	73	1	1	5	11	20	26	38
65 +	736	9.9	84	1	2	7	13	21	27	42
GRAND TOTAL	**2172**	**9.2**	**82**	**1**	**1**	**7**	**12**	**21**	**27**	**46**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	4	5.8	11	2	2	6	8	9	9	9
B. Operated										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	3	6.7	65	2	2	2	13	16	16	16
65 +	9	3.1	8	< 1	< 1	2	5	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	6.5	31	1	1	4	9	12	19	23
20-34	26	5.5	16	1	2	4	8	11	15	15
35-49	51	6.7	24	2	2	6	8	12	19	28
50-64	158	9.3	65	2	3	7	12	18	22	49
65 +	825	9.8	39	3	4	9	13	17	21	34
B. Operated										
0-19 YRS	21	11.7	105	3	3	8	16	28	35	39
20-34	40	9.4	81	1	1	7	12	21	28	[illegible]
35-49	66	10.8	42	3	4	9	14	19	22	[illegible]
50-64	152	15.5	124	3	5	12	21	30	37	55
65 +	471	16.6	161	4	6	13	20	32	40	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	6.1	17	1	1	5	9	12	13	13
B. Operated	18	4.2	20	< 1	< 1	2	5	11	14	16
2. MULTIPLE DX										
A. Not Operated	1077	9.5	42	2	3	8	12	17	21	35
B. Operated	750	15.4	142	3	5	12	19	30	38	59
1. SINGLE DX	28	4.9	19	< 1	< 1	3	8	12	13	16
2. MULTIPLE DX	1827	11.9	92	3	4	10	14	23	30	50
A. Not Operated	1087	9.4	42	2	3	8	12	17	21	35
B. Operated	768	15.1	142	3	4	12	19	29	37	58
TOTAL										
0-19 YRS	42	9.2	73	1	2	7	12	22	28	39
20-34	69	7.7	57	1	2	5	10	16	23	41
35-49	120	8.9	39	2	3	7	12	17	20	31
50-64	315	12.2	103	2	3	9	16	26	34	52
65 +	1309	12.2	94	3	4	10	15	22	30	51
GRAND TOTAL	**1855**	**11.8**	**91**	**2**	**4**	**9**	**14**	**22**	**30**	**50**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	240	3.8	3	1	2	4	5	6	7	9
20-34	308	3.7	3	2	2	3	5	6	7	10
35-49	103	3.7	2	2	2	4	5	6	6	8
50-64	46	4.5	5	2	2	4	6	8	9	12
65 +	28	4.6	5	2	2	5	6	7	8	10
B. Operated										
0-19 YRS	14	4.9	4	2	3	5	6	8	9	9
20-34	10	4.7	2	3	3	5	6	7	7	7
35-49	3	5.3	2	4	4	5	6	7	7	7
50-64	3	6.3	10	4	4	5	9	10	10	10
65 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	565	4.2	5	2	2	4	5	7	8	13
20-34	898	4.7	5	2	2	4	6	8	9	12
35-49	469	5.2	7	2	3	5	6	8	9	15
50-64	480	6.6	16	2	3	6	8	11	15	24
65 +	915	7.0	18	3	3	6	9	12	15	22
B. Operated										
0-19 YRS	45	6.8	18	3	3	5	9	12	14	25
20-34	101	7.4	25	2	3	6	9	12	15	31
35-49	89	8.9	23	3	4	8	10	14	19	29
50-64	106	11.1	76	4	5	9	12	21	31	75
65 +	198	11.9	53	5	6	10	14	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	725	3.8	3	2	2	4	5	6	7	10
B. Operated	32	5.0	4	3	3	5	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	3327	5.6	12	2	3	5	7	9	12	18
B. Operated	539	10.0	48	3	4	8	12	18	23	42
1. SINGLE DX	757	3.9	3	2	2	4	5	6	7	10
2. MULTIPLE DX	3866	6.2	19	2	3	5	7	11	14	23
A. Not Operated	4052	5.3	10	2	2	5	6	9	11	18
B. Operated	571	9.7	47	3	4	8	12	18	22	42
TOTAL										
0-19 YRS	864	4.3	5	2	2	4	5	7	8	13
20-34	1317	4.6	7	2	2	4	6	8	9	13
35-49	664	5.5	10	2	3	5	7	9	11	19
50-64	635	7.2	28	2	3	6	8	12	16	30
65 +	1143	7.8	27	3	3	7	9	13	18	26
GRAND TOTAL	**4623**	**5.8**	**17**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	254	3.6	3	1	2	3	4	5	7	10
20-34	198	4.0	45	2	2	3	4	6	6	9
35-49	71	4.3	12	1	2	3	5	8	9	23
50-64	37	4.3	4	2	2	4	6	7	8	9
65 +	25	4.1	5	1	2	4	4	7	8	12
B. Operated										
0-19 YRS	20	5.0	7	2	2	4	6	9	10	11
20-34	16	6.6	19	3	3	5	8	14	17	18
35-49	14	9.1	70	3	4	6	8	22	31	34
50-64	3	7.0	3	5	5	8	8	8	8	8
65 +	5	11.6	30	7	7	9	17	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	449	4.4	5	2	2	4	5	7	8	12
20-34	473	4.4	5	2	2	4	5	7	9	12
35-49	256	5.2	9	2	2	5	7	9	11	15
50-64	231	6.1	12	2	3	5	8	11	13	16
65 +	438	7.2	26	2	3	6	8	12	16	31
B. Operated										
0-19 YRS	85	6.5	20	3	3	5	7	10	12	31
20-34	102	9.7	90	3	4	7	11	18	24	63
35-49	92	9.8	84	2	3	8	12	17	23	56
50-64	98	11.1	82	3	4	9	13	20	31	53
65 +	146	12.4	70	3	4	10	15	24	28	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	585	3.9	19	2	2	3	5	6	7	11
B. Operated	58	7.1	30	2	3	6	8	14	18	33
2. MULTIPLE DX										
A. Not Operated	1847	5.4	12	2	2	5	7	9	11	18
B. Operated	523	10.2	74	3	4	8	12	19	25	46
1. SINGLE DX	643	4.2	20	2	2	3	5	6	8	18
2. MULTIPLE DX	2370	6.4	30	2	2	5	7	11	15	28
A. Not Operated	2432	5.0	14	2	2	4	6	8	11	17
B. Operated	581	9.9	70	3	4	7	12	18	24	42
TOTAL										
0-19 YRS	808	4.4	7	2	2	4	5	7	9	13
20-34	789	5.0	29	2	2	4	6	8	11	23
35-49	433	6.1	31	2	2	5	7	11	15	25
50-64	369	7.2	35	2	3	6	8	13	15	32
65 +	614	8.3	41	2	3	7	10	15	21	36
GRAND TOTAL	**3013**	**6.0**	**29**	**2**	**2**	**5**	**7**	**11**	**15**	**27**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	1.7	2	< 1	< 1	1	2	4	5	6
20-34	332	1.6	1	< 1	1	1	2	3	4	7
35-49	490	1.5	1	< 1	1	1	2	3	3	5
50-64	335	1.5	1	< 1	1	1	2	3	3	5
65 +	139	1.6	1	1	1	1	2	3	4	5
B. Operated										
0-19 YRS	16	5.9	91	1	1	3	4	17	32	38
20-34	160	3.3	8	1	1	2	5	7	9	12
35-49	279	2.6	6	1	1	2	3	6	7	10
50-64	232	3.0	9	1	1	2	4	7	9	15
65 +	123	2.7	6	1	1	1	4	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	2.8	5	< 1	1	2	4	6	8	9
20-34	285	2.5	5	< 1	1	2	3	4	7	13
35-49	345	2.5	4	1	1	2	3	5	6	10
50-64	353	2.4	3	1	1	2	3	5	6	9
65 +	275	3.2	7	1	1	2	4	7	9	15
B. Operated										
0-19 YRS	36	8.9	67	2	2	6	11	22	26	36
20-34	163	6.1	75	1	1	4	7	11	15	61
35-49	289	5.5	31	1	1	4	7	11	15	29
50-64	355	5.8	24	1	1	5	8	12	15	24
65 +	372	6.9	49	1	1	5	9	14	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1338	1.5	1	< 1	1	1	2	3	3	6
B. Operated	810	2.9	9	1	1	2	4	7	8	13
2. MULTIPLE DX										
A. Not Operated	1306	2.6	5	1	1	2	3	5	7	11
B. Operated	1215	6.2	42	1	1	5	8	12	17	31
1. SINGLE DX	2148	2.1	4	1	1	1	2	4	6	10
2. MULTIPLE DX	2521	4.3	26	1	1	3	5	9	12	24
A. Not Operated	2644	2.1	3	< 1	1	1	2	4	5	10
B. Operated	2025	4.9	31	1	1	3	6	10	14	26
TOTAL										
0-19 YRS	142	4.4	37	< 1	1	2	5	9	18	36
20-34	940	2.9	19	1	1	2	3	6	9	15
35-49	1403	2.8	11	1	1	2	3	6	8	15
50-64	1275	3.2	12	1	1	2	4	7	10	17
65 +	909	4.4	28	1	1	3	5	10	13	26
GRAND TOTAL	**4669**	**3.3**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

333 Hospitals, North Central Region, January-December 1987

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	94	1.8	1	< 1	1	2	2	3	4	6
20-34	1015	1.7	1	< 1	1	1	2	3	4	5
35-49	1447	1.7	1	< 1	1	1	2	3	3	5
50-64	713	1.9	1	< 1	1	2	2	3	4	6
65 +	187	2.1	2	< 1	1	2	3	4	4	7
B. Operated										
0-19 YRS	70	3.0	3	1	1	3	4	5	6	8
20-34	681	3.5	5	1	1	3	4	6	8	12
35-49	961	3.3	5	1	1	3	4	6	7	11
50-64	657	3.5	6	1	1	3	5	7	8	11
65 +	233	4.1	12	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	2.1	2	< 1	1	2	3	4	4	7
20-34	585	2.2	3	1	1	2	3	4	5	10
35-49	973	2.1	2	1	1	2	3	4	5	7
50-64	734	2.3	2	1	1	2	3	4	5	8
65 +	429	2.9	6	1	1	2	3	5	7	11
B. Operated										
0-19 YRS	42	5.3	15	1	2	4	7	10	13	19
20-34	519	4.6	10	1	1	4	6	9	11	16
35-49	853	4.6	10	1	1	4	6	9	11	16
50-64	846	5.1	15	1	1	4	6	9	11	19
65 +	681	6.5	28	1	2	5	8	12	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3456	1.8	1	< 1	1	1	2	3	4	5
B. Operated	2602	3.4	6	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. Not Operated	2783	2.3	3	1	1	2	3	4	5	8
B. Operated	2941	5.2	16	1	1	4	7	10	12	21
1. SINGLE DX	6058	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	5724	3.8	12	1	1	3	5	8	10	17
A. Not Operated	6239	2.0	2	< 1	1	2	2	4	4	7
B. Operated	5543	4.4	12	1	1	4	6	8	11	17
TOTAL										
0-19 YRS	268	2.8	5	1	1	2	4	5	7	12
20-34	2800	2.8	5	1	1	2	3	6	7	12
35-49	4234	2.7	5	1	1	2	3	6	7	12
50-64	2950	3.3	8	1	1	2	4	7	9	13
65 +	1530	4.6	19	1	1	3	6	10	12	23
GRAND TOTAL	**11782**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.1	1	< 1	1	2	3	4	4	4
20-34	25	2.2	3	< 1	1	2	3	4	6	8
35-49	28	2.0	2	< 1	1	2	2	4	5	5
50-64	14	2.1	4	< 1	1	1	2	5	7	8
65 +	11	4.5	25	1	1	3	5	11	18	19
B. Operated										
0-19 YRS	355	5.2	7	1	2	5	7	9	10	11
20-34	86	5.4	12	1	1	5	7	9	11	20
35-49	73	4.6	15	1	1	3	7	10	11	19
50-64	91	4.1	12	1	1	3	6	9	11	15
65 +	52	4.6	26	< 1	< 1	3	6	10	12	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	3.8	14	< 1	1	2	5	9	12	18
20-34	82	3.2	9	1	1	2	4	5	9	19
35-49	69	4.5	17	1	1	4	6	9	11	23
50-64	83	4.4	8	1	1	4	6	9	10	11
65 +	182	6.1	18	1	2	5	8	12	14	22
B. Operated										
0-19 YRS	429	6.7	34	1	2	6	8	11	13	25
20-34	222	7.1	22	1	2	7	9	12	15	21
35-49	231	6.8	37	1	1	6	8	12	16	30
50-64	364	8.0	59	1	1	6	10	16	22	32
65 +	505	9.0	54	1	2	8	11	19	24	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	2.4	5	1	1	2	3	5	5	14
B. Operated	657	5.0	11	1	1	5	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	517	4.7	15	1	1	4	6	9	12	20
B. Operated	1751	7.7	45	1	2	6	10	15	20	32
1. SINGLE DX	757	4.6	11	1	1	4	6	9	10	14
2. MULTIPLE DX	2268	7.0	39	1	1	6	9	13	18	30
A. Not Operated	617	4.3	14	1	1	3	6	9	12	20
B. Operated	2408	7.0	37	1	1	6	9	12	17	30
TOTAL										
0-19 YRS	907	5.7	21	1	1	5	7	10	11	18
20-34	415	5.7	19	1	1	5	8	10	14	21
35-49	401	5.7	29	1	1	5	8	11	14	26
50-64	552	6.6	45	1	1	5	9	13	19	30
65 +	750	8.0	46	1	1	7	10	16	22	34
GRAND TOTAL	**3025**	**6.4**	**33**	**1**	**1**	**5**	**8**	**12**	**16**	**28**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.6	1	1	1	1	2	3	3	3
20-34	40	2.0	1	<1	<1	2	2	3	4	5
35-49	48	1.7	2	<1	1	1	2	3	3	10
50-64	28	1.8	1	<1	1	2	2	3	4	6
65+	10	3.3	10	<1	<1	2	6	8	10	10
B. Operated										
0-19 YRS	9	2.2	4	<1	<1	1	4	5	6	6
20-34	19	3.2	10	1	1	2	4	8	11	13
35-49	32	3.3	6	1	1	3	5	8	8	8
50-64	30	3.0	6	1	1	2	4	6	8	12
65+	21	3.1	20	<1	<1	1	3	6	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.3	3	1	1	2	3	5	6	6
20-34	29	2.6	3	<1	<1	2	3	5	6	7
35-49	35	2.5	4	<1	1	2	2	6	7	8
50-64	43	2.8	4	<1	1	2	4	5	7	9
65+	33	3.2	6	1	1	3	4	7	9	10
B. Operated										
0-19 YRS	18	4.5	11	1	1	4	7	10	12	12
20-34	40	5.0	21	1	1	4	6	10	14	24
35-49	59	3.9	7	1	1	3	5	7	9	15
50-64	76	5.2	20	1	1	4	7	10	14	24
65+	242	6.6	49	1	2	5	8	12	15	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	1.9	2	<1	1	1	2	3	4	10
B. Operated	111	3.1	9	1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated	149	2.7	4	<1	1	2	3	6	7	9
B. Operated	435	5.8	35	1	1	4	7	11	14	29
1. SINGLE DX	245	2.4	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	584	5.0	29	1	1	4	6	10	13	26
A. Not Operated	283	2.3	3	<1	1	2	3	5	6	10
B. Operated	546	5.2	31	1	1	4	7	11	13	26
TOTAL										
0-19 YRS	44	3.1	7	1	1	2	4	7	8	12
20-34	128	3.2	10	<1	1	2	4	6	9	19
35-49	174	2.9	5	1	1	2	4	6	8	10
50-64	177	3.7	13	1	1	2	5	8	10	19
65+	306	5.9	43	1	1	4	8	12	14	42
GRAND TOTAL	**829**	**4.2**	**23**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.3	1	<1	1	2	3	4	4	4
20-34	19	2.5	2	<1	1	3	4	4	5	5
35-49	13	2.9	1	1	1	3	4	4	5	5
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	11	3.5	3	1	1	3	5	6	7	7
B. Operated										
0-19 YRS	13	2.7	2	<1	1	2	3	5	6	6
20-34	28	3.9	11	1	1	2	6	10	11	12
35-49	42	3.0	10	<1	<1	2	4	7	11	14
50-64	26	2.8	5	<1	<1	2	5	6	7	8
65+	46	2.9	7	<1	1	2	4	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	3.3	3	1	2	3	4	6	7	9
20-34	66	3.6	16	1	1	3	4	5	7	29
35-49	63	4.2	8	1	1	3	6	8	9	14
50-64	103	5.0	24	2	2	4	6	8	10	32
65+	272	6.0	11	2	3	5	7	10	13	16
B. Operated										
0-19 YRS	26	4.4	13	1	1	3	6	11	13	14
20-34	82	4.9	12	1	1	4	6	10	12	16
35-49	141	5.5	30	1	1	4	7	11	13	21
50-64	190	5.5	31	1	1	4	6	11	14	25
65+	522	8.5	86	1	2	6	10	16	21	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.7	2	1	1	3	4	4	5	7
B. Operated	155	3.1	8	<1	1	2	4	7	10	12
2. MULTIPLE DX										
A. Not Operated	573	5.0	14	1	2	4	6	8	11	17
B. Operated	961	7.0	61	1	2	5	8	14	18	44
1. SINGLE DX	224	2.9	6	<1	1	2	4	6	8	12
2. MULTIPLE DX	1534	6.3	44	1	2	5	8	12	16	38
A. Not Operated	642	4.8	13	1	2	4	6	8	10	16
B. Operated	1116	6.5	55	1	1	5	8	13	17	43
TOTAL										
0-19 YRS	130	3.3	5	1	1	3	4	6	7	13
20-34	195	4.1	13	1	1	3	5	8	11	16
35-49	259	4.6	21	1	1	3	6	10	12	16
50-64	323	5.1	27	1	1	4	6	9	13	24
65+	851	7.3	59	1	2	6	9	14	18	44
GRAND TOTAL	**1758**	**5.8**	**40**	**1**	**1**	**4**	**7**	**11**	**15**	**36**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	1.8	2	< 1	< 1	1	3	4	4	4
B. Operated										
0-19 YRS	76	1.6	3	< 1	< 1	1	1	3	4	11
20-34	90	2.1	2	1	1	2	3	4	6	7
35-49	63	2.4	4	< 1	1	2	3	5	7	9
50-64	51	1.8	1	< 1	1	1	2	3	4	7
65 +	67	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	3.8	6	1	1	3	5	7	8	8
65 +	33	3.3	8	1	1	2	5	7	10	12
B. Operated										
0-19 YRS	81	2.4	5	< 1	< 1	1	3	5	7	10
20-34	96	2.9	5	1	1	2	3	7	8	10
35-49	118	3.0	8	1	1	2	4	7	10	15
50-64	203	3.8	21	1	1	3	4	7	10	28
65 +	472	4.4	14	1	1	3	6	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.3	1	< 1	< 1	1	1	3	4	4
B. Operated	347	1.9	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	51	3.1	7	1	1	2	5	7	8	12
B. Operated	970	3.8	13	1	1	3	5	8	10	18
1. SINGLE DX	356	1.9	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX	1021	3.7	13	1	1	3	5	8	10	17
A. Not Operated	60	2.9	6	1	1	2	4	6	8	12
B. Operated	1317	3.3	11	1	1	2	4	7	9	16
TOTAL										
0-19 YRS	161	2.0	4	< 1	< 1	1	2	4	6	10
20-34	192	2.5	4	1	1	2	3	6	7	9
35-49	184	2.7	7	< 1	1	2	3	6	8	13
50-64	264	3.4	17	1	1	2	4	7	8	23
65 +	576	4.0	13	1	1	3	5	8	10	18
GRAND TOTAL	**1377**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	318	2.8	3	1	1	2	4	5	6	9
20-34	101	3.1	3	1	1	3	4	5	7	9
35-49	63	3.1	5	< 1	1	2	4	6	7	12
50-64	59	3.7	14	1	1	3	5	5	9	26
65 +	115	5.1	26	1	1	4	6	9	10	34
B. Operated										
0-19 YRS	89	2.6	4	< 1	1	2	3	6	6	9
20-34	69	2.6	4	< 1	1	2	4	5	6	9
35-49	97	3.1	8	< 1	1	2	4	6	7	17
50-64	127	2.7	7	< 1	1	2	3	5	6	16
65 +	210	3.1	6	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1250	4.0	7	1	2	3	5	7	9	14
20-34	649	4.7	13	1	2	4	6	9	11	17
35-49	656	5.7	23	2	2	4	7	10	14	26
50-64	1064	6.3	20	2	2	5	8	11	14	21
65 +	5791	7.7	28	2	3	7	10	13	17	27
B. Operated										
0-19 YRS	269	6.0	45	1	1	4	8	13	17	31
20-34	285	7.0	122	1	1	4	8	12	20	80
35-49	342	8.0	106	1	1	5	9	17	23	66
50-64	737	7.5	63	1	1	5	9	16	22	41
65 +	2630	9.7	88	1	2	7	12	20	27	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	656	3.3	9	1	1	3	4	6	7	13
B. Operated	592	2.9	6	< 1	1	2	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	9410	6.7	25	2	2	5	8	12	15	25
B. Operated	4263	8.8	86	1	2	6	11	18	25	48
1. SINGLE DX	1248	3.1	8	1	1	2	4	6	7	13
2. MULTIPLE DX	13673	7.4	45	1	2	6	9	14	18	34
A. Not Operated	10066	6.5	25	2	2	5	8	12	15	25
B. Operated	4855	8.1	80	1	1	5	10	17	23	47
TOTAL										
0-19 YRS	1926	4.0	13	1	1	3	5	7	10	18
20-34	1104	5.0	41	1	1	4	6	9	12	27
35-49	1158	6.0	47	1	2	4	7	11	17	33
50-64	1987	6.4	36	1	2	5	8	12	16	31
65 +	8746	8.2	47	2	3	7	10	15	20	35
GRAND TOTAL	**14921**	**7.0**	**43**	**1**	**2**	**5**	**9**	**13**	**18**	**32**

333 Hospitals, North Central Region, January-December 1987

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	7	4.1	8	1	1	4	6	8	9	9
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	42	3.2	2	< 1	1	3	4	5	6	7
50-64	860	3.9	3	1	2	4	5	6	7	9
65 +	1666	4.3	4	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.7		3	3	4	4	4	4	4
50-64	65	3.9	12	< 1	1	3	5	7	10	21
65 +	230	4.5	16	< 1	1	3	6	9	11	22
B. Operated										
0-19 YRS	5	3.4	2	2	2	3	5	5	5	5
20-34	5	2.8	2	1	1	3	4	4	4	4
35-49	87	4.0	3	1	1	4	5	7	8	8
50-64	2827	4.9	9	2	3	4	6	8	10	17
65 +	9277	5.9	16	2	3	5	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.3	7	1	1	3	4	7	9	9
B. Operated	2570	4.1	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	298	4.4	15	< 1	1	3	5	8	11	22
B. Operated	12201	5.7	15	2	3	5	6	9	12	20
1. SINGLE DX	2580	4.1	3	2	2	4	5	6	7	10
2. MULTIPLE DX	12499	5.6	15	2	3	5	6	9	12	20
A. Not Operated	308	4.3	15	< 1	1	3	5	8	11	22
B. Operated	14771	5.4	13	2	3	5	6	9	12	19
TOTAL										
0-19 YRS	6	3.5	2	2	2	3	5	5	5	5
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49	133	3.7	3	1	1	4	5	6	7	8
50-64	3754	4.6	8	2	2	4	5	7	9	16
65 +	11180	5.7	15	2	3	5	6	9	12	20
GRAND TOTAL	**15079**	**5.4**	**13**	**2**	**3**	**5**	**6**	**9**	**12**	**19**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.7	11	1	1	3	4	9	10	10
20-34	18	3.5	4	< 1	1	3	4	7	8	8
35-49	25	3.8	2	2	2	4	4	5	6	7
50-64	19	3.4	6	1	1	3	4	5	9	12
65 +	8	3.1		3	3	3	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	7	3.7	7	< 1	< 1	3	6	8	8	8
35-49	14	2.5	4	< 1	< 1	1	4	5	7	7
50-64	20	2.9	6	< 1	1	2	4	7	8	8
65 +	14	5.1	44	1	1	3	5	9	23	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.0	1	1	1	2	2	3	4	4
20-34	33	3.1	4	1	1	3	4	5	6	11
35-49	74	4.4	6	1	2	4	6	7	11	13
50-64	131	4.6	5	2	2	4	6	7	8	12
65 +	131	5.2	12	1	2	5	6	9	10	21
B. Operated										
0-19 YRS	2	5.5	41	< 1	< 1	5	10	10	10	10
20-34	20	4.8	9	< 1	1	4	6	9	11	13
35-49	55	4.8	11	1	1	4	7	10	11	16
50-64	97	5.5	13	1	2	4	8	10	13	17
65 +	185	5.6	20	2	2	4	7	10	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.5	4	1	2	3	4	5	7	11
B. Operated	55	3.4	15	< 1	< 1	2	5	7	8	26
2. MULTIPLE DX										
A. Not Operated	379	4.6	8	1	2	4	6	8	9	13
B. Operated	359	5.4	16	1	2	4	7	10	13	23
1. SINGLE DX	131	3.5	8	< 1	1	3	4	6	8	15
2. MULTIPLE DX	738	5.0	12	1	2	4	6	9	11	18
A. Not Operated	455	4.4	7	1	2	4	5	8	9	13
B. Operated	414	5.2	16	1	1	4	7	10	13	23
TOTAL										
0-19 YRS	18	2.9	7	< 1	1	2	3	8	10	10
20-34	78	3.7	6	< 1	1	3	4	7	8	12
35-49	168	4.3	7	1	1	4	5	8	10	13
50-64	267	4.7	8	1	2	4	6	8	10	16
65 +	338	5.4	17	1	2	4	7	9	13	24
GRAND TOTAL	**869**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	67	1.2		< 1	< 1	1	1	2	2	4
20-34	24	1.6	1	< 1	1	1	2	2	3	4
35-49	42	1.4	1	< 1	< 1	1	1	3	4	5
50-64	67	1.4		< 1	1	1	2	2	3	4
65 +	50	1.7	2	1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.6	4	1	1	2	3	6	7	7
20-34	1	1.0		1	1	1	1	1	1	
35-49	0									
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	68	1.9	3	< 1	1	1	2	3	5	10
20-34	18	1.8	5	1	1	1	2	3	7	10
35-49	38	1.9	2	1	1	2	2	3	5	6
50-64	102	2.1	5	1	1	2	2	3	5	14
65 +	130	3.3	12	1	1	2	4	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		1	1	1	1	1	1	1
B. Operated	250	1.4	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	12	2.7	4	1	1	2	4	6	7	7
B. Operated	356	2.5	7	1	1	2	3	5	7	12
1. SINGLE DX	254	1.4	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX	368	2.5	7	1	1	2	3	5	7	12
A. Not Operated	16	2.3	3	1	1	2	3	5	6	7
B. Operated	606	2.1	5	< 1	1	1	2	4	5	10
TOTAL										
0-19 YRS	145	1.6	2	< 1	< 1	1	2	3	4	8
20-34	43	1.7	2	1	1	1	2	3	4	10
35-49	80	1.7	1	< 1	1	1	2	3	4	6
50-64	173	1.9	3	1	1	1	2	3	4	8
65 +	181	2.9	9	1	1	2	3	6	8	18
GRAND TOTAL	**622**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**	**10**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	3.6	4	1	2	3	5	7	7	9
20-34	135	3.7	5	1	1	3	5	6	8	11
35-49	79	4.5	6	2	2	4	6	8	9	11
50-64	40	4.4	4	1	2	4	5	7	8	10
65 +	37	4.5	3	2	2	5	6	6	7	9
B. Operated										
0-19 YRS	38	2.4	3	1	1	2	3	5	6	7
20-34	34	3.1	4	1	1	3	4	5	7	9
35-49	26	2.3	4	1	1	2	3	6	7	8
50-64	29	4.3	21	1	1	2	5	11	14	20
65 +	19	4.8	19	1	1	3	8	11	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	4.9	10	1	2	4	6	9	11	15
20-34	68	4.4	6	1	2	4	6	8	9	12
35-49	104	5.2	6	2	3	5	7	7	10	14
50-64	121	5.3	8	2	2	5	7	9	10	16
65 +	144	6.5	11	3	3	6	8	11	12	21
B. Operated										
0-19 YRS	25	3.6	9	< 1	1	3	5	8	10	12
20-34	43	5.7	15	1	1	5	9	12	13	15
35-49	48	6.2	20	1	2	6	8	11	17	21
50-64	57	7.0	40	1	1	5	8	16	19	33
65 +	123	7.7	57	1	1	6	9	16	20	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	368	4.0	5	1	2	4	5	7	8	10
B. Operated	146	3.3	9	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. Not Operated	474	5.5	9	2	2	5	7	9	11	15
B. Operated	296	6.7	39	1	1	5	9	14	18	31
1. SINGLE DX	514	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX	770	5.9	21	1	2	5	7	10	14	21
A. Not Operated	842	4.8	8	1	2	4	6	8	10	14
B. Operated	442	5.6	32	1	1	4	7	11	16	24
TOTAL										
0-19 YRS	177	3.6	6	1	1	3	5	7	9	12
20-34	280	4.1	7	1	1	4	5	8	9	13
35-49	257	4.9	10	1	2	4	7	8	10	17
50-64	247	5.4	17	1	2	5	7	9	13	20
65 +	323	6.6	29	1	2	6	8	11	15	25
GRAND TOTAL	**1284**	**5.1**	**16**	**1**	**1**	**4**	**7**	**9**	**12**	**20**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.3		< 1	< 1	1	1	2	2	2
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	45	1.0		< 1	< 1	< 1	1	1	2	2
20-34	4	1.3		< 1	< 1	1	2	2	2	2
35-49	6	1.2		< 1	< 1	1	1	2	2	2
50-64	11	1.3	1	< 1	< 1	< 1	1	2	4	4
65 +	7	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	< 1	< 1	1	3	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	3	4.3	24	< 1	< 1	2	8	10	10	10
65 +	6	6.2	40	1	1	4	8	17	18	18
B. Operated										
0-19 YRS	29	1.9	2	1	1	1	2	4	5	6
20-34	8	1.8	2	< 1	< 1	1	2	4	5	5
35-49	12	3.7	12	< 1	< 1	2	5	9	12	12
50-64	29	2.6	7	< 1	< 1	1	4	6	9	12
65 +	24	3.1	7	1	1	2	5	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated	73	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	15	4.2	22	< 1	< 1	3	5	10	16	18
B. Operated	102	2.6	6	< 1	1	1	4	6	8	12
1. SINGLE DX	82	1.1		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	117	2.8	8	< 1	1	1	4	6	9	14
A. Not Operated	24	3.2	15	< 1	< 1	2	4	8	12	18
B. Operated	175	2.0	4	< 1	< 1	1	2	5	6	11
TOTAL										
0-19 YRS	87	1.4	1	< 1	< 1	1	1	2	3	6
20-34	13	1.7	2	< 1	< 1	1	2	4	5	5
35-49	19	2.9	9	< 1	< 1	2	4	7	10	12
50-64	43	2.3	7	< 1	< 1	1	2	5	9	12
65 +	37	3.2	12	< 1	< 1	1	5	8	9	18
GRAND TOTAL	**199**	**2.1**	**6**	**< 1**	**< 1**	**1**	**2**	**5**	**7**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	1.7	1	< 1	< 1	1	2	3	3	5
20-34	11	2.2	3	1	1	1	3	5	5	5
35-49	6	3.3	7	1	1	2	6	7	7	7
50-64	9	2.7	5	< 1	< 1	2	4	6	7	7
65 +	2	4.5	25	1	1	4	8	8	8	8
B. Operated										
0-19 YRS	431	1.3		< 1	1	1	2	2	3	4
20-34	162	2.0	3	< 1	1	1	2	4	5	8
35-49	118	2.3	4	< 1	1	1	3	4	7	11
50-64	193	2.4	2	1	1	2	3	5	5	7
65 +	78	2.6	3	1	1	2	4	5	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.1	5	< 1	1	3	4	5	7	12
20-34	27	5.4	98	1	1	3	5	10	17	53
35-49	31	5.5	21	1	1	4	7	10	15	23
50-64	36	3.5	9	< 1	1	2	5	9	9	12
65 +	35	5.7	17	1	1	4	9	12	14	15
B. Operated										
0-19 YRS	186	2.2	8	1	1	1	2	4	6	14
20-34	130	3.4	11	1	1	2	4	8	9	16
35-49	232	3.9	14	1	1	3	5	7	10	18
50-64	467	3.8	17	1	1	3	4	6	10	19
65 +	267	4.9	45	1	1	3	5	10	16	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	2.1	3	< 1	< 1	1	3	5	6	8
B. Operated	982	1.9	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	183	4.4	25	1	1	3	6	9	12	20
B. Operated	1282	3.8	21	1	1	3	4	7	10	21
1. SINGLE DX	1053	1.9	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX	1465	3.9	21	1	1	3	4	7	11	21
A. Not Operated	254	3.8	20	< 1	1	2	5	8	10	15
B. Operated	2264	3.0	14	1	1	2	4	5	7	17
TOTAL										
0-19 YRS	714	1.7	3	< 1	1	1	2	3	4	8
20-34	330	2.8	15	1	1	2	3	6	8	13
35-49	387	3.5	12	1	1	3	4	7	9	16
50-64	705	3.4	13	1	1	3	4	6	7	16
65 +	382	4.5	34	1	1	3	5	9	13	31
GRAND TOTAL	**2518**	**3.0**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	5	2.4	1	2	2	2	3	4	4	4
20-34	44	2.9	4	< 1	< 1	2	3	6	7	9
35-49	176	2.2	2	< 1	< 1	2	3	4	5	6
50-64	87	1.8	2	< 1	< 1	1	2	3	5	8
65 +	33	1.3	1	< 1	< 1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	51	3.4	4	< 1	1	3	4	6	8	10
35-49	231	3.1	5	< 1	1	3	4	5	6	9
50-64	138	3.2	6	< 1	1	3	4	6	8	15
65 +	87	3.0	5	1	1	2	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.3	4	< 1	< 1	1	3	6	6	6
B. Operated	345	2.1	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	7	3.6	8	< 1	< 1	3	5	8	9	9
B. Operated	507	3.1	5	< 1	1	3	4	6	7	10
1. SINGLE DX	352	2.1	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX	514	3.1	5	< 1	1	3	4	6	7	10
A. Not Operated	14	2.9	6	< 1	< 1	2	4	6	8	9
B. Operated	852	2.7	4	< 1	< 1	2	4	5	6	9
TOTAL										
0-19 YRS	6	2.7	1	2	2	2	4	4	4	4
20-34	98	3.2	5	< 1	< 1	3	4	6	8	10
35-49	411	2.7	4	< 1	< 1	2	4	5	6	8
50-64	228	2.6	5	< 1	< 1	2	4	5	7	10
65 +	123	2.5	4	< 1	< 1	2	3	5	7	10
GRAND TOTAL	**866**	**2.7**	**4**	**< 1**	**< 1**	**2**	**4**	**5**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.0	6	< 1	1	4	6	7	8	9
20-34	24	3.1	2	1	1	3	4	6	6	6
35-49	13	4.1	4	< 1	2	3	6	7	7	7
50-64	6	5.2	11	2	2	4	9	9	9	9
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	221	2.1	1	1	1	2	3	4	4	7
20-34	450	2.5	2	1	1	2	3	4	5	8
35-49	273	2.4	2	< 1	1	2	3	4	5	7
50-64	163	2.4	2	< 1	1	2	3	4	5	7
65 +	47	2.2	1	< 1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.9	4	1	1	3	3	6	8	8
20-34	21	5.0	21	< 1	1	4	6	10	17	20
35-49	23	5.1	17	1	2	4	6	10	16	17
50-64	19	6.3	10	2	3	6	8	11	12	12
65 +	19	5.0	11	< 1	1	5	7	10	12	13
B. Operated										
0-19 YRS	89	2.3	5	1	1	2	3	4	5	14
20-34	217	2.8	3	1	1	2	3	5	6	9
35-49	304	3.1	5	1	1	2	4	6	7	12
50-64	223	3.6	25	1	1	3	4	6	8	27
65 +	112	3.7	9	1	1	3	5	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.8	5	< 1	1	3	6	7	8	9
B. Operated	1154	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	94	5.0	14	1	1	4	6	9	13	19
B. Operated	945	3.1	10	1	1	2	4	5	8	4
1. SINGLE DX	1216	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1039	3.3	10	1	1	3	4	6	8	14
A. Not Operated	156	4.6	11	1	1	4	6	9	11	17
B. Operated	2099	2.7	6	1	1	2	3	5	6	11
TOTAL										
0-19 YRS	340	2.3	3	1	1	2	3	4	5	8
20-34	712	2.7	3	1	1	2	3	5	6	9
35-49	613	2.9	4	1	1	2	4	5	6	12
50-64	411	3.2	16	1	1	2	4	6	8	16
65 +	179	3.5	8	< 1	1	3	4	7	9	13
GRAND TOTAL	**2255**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	248	2.0	1	< 1	1	2	3	4	4	7
20-34	310	1.9	1	1	1	2	2	3	4	6
35-49	75	2.3	2	< 1	1	2	3	4	5	8
50-64	7	1.7	1	1	1	1	2	4	4	4
65 +	0									
B. Operated										
0-19 YRS	217	3.5	3	< 1	1	3	4	6	7	10
20-34	640	3.5	3	1	1	3	4	5	6	10
35-49	195	4.3	3	1	2	4	5	6	8	10
50-64	40	5.2	4	3	3	5	6	7	10	12
65 +	15	5.8	7	3	3	5	8	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	164	2.4	3	< 1	1	2	3	4	5	7
20-34	340	2.7	3	1	1	2	3	5	6	8
35-49	83	2.9	4	1	1	2	4	5	6	12
50-64	6	2.5	4	1	1	2	3	6	6	6
65 +	6	4.8	13	1	1	5	8	9	9	9
B. Operated										
0-19 YRS	290	4.3	8	1	2	4	5	7	8	13
20-34	1675	4.4	8	1	2	4	5	7	9	13
35-49	1024	5.3	9	2	3	5	6	8	10	17
50-64	176	6.0	10	3	4	5	7	10	11	20
65 +	119	8.3	27	4	4	7	10	13	16	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	640	2.0	1	1	1	2	3	4	4	6
B. Operated	1107	3.7	3	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	599	2.7	3	1	1	2	3	5	6	9
B. Operated	3284	4.9	10	2	2	4	6	8	10	16
1. SINGLE DX	1747	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX	3883	4.6	9	1	2	4	5	7	9	15
A. Not Operated	1239	2.3	2	1	1	2	3	4	5	8
B. Operated	4391	4.6	8	1	2	4	5	7	9	14
TOTAL										
0-19 YRS	919	3.1	5	1	1	3	4	5	7	10
20-34	2965	3.8	6	1	1	4	5	6	8	11
35-49	1377	4.8	8	1	2	4	6	8	9	16
50-64	229	5.6	10	2	3	5	6	9	11	18
65 +	140	7.9	25	3	4	7	10	13	16	30
GRAND TOTAL	**5630**	**4.1**	**8**	**1**	**1**	**4**	**5**	**7**	**8**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	584	3.6	3	1	2	3	4	6	7	10
20-34	1256	3.7	3	1	2	3	5	6	7	10
35-49	164	4.1	5	2	2	4	5	7	8	14
50-64	12	6.8	12	3	4	6	8	11	15	16
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	94	4.9	6	1	2	5	6	8	9	13
20-34	386	4.3	5	1	1	4	5	7	8	13
35-49	121	4.9	8	1	2	4	6	9	11	13
50-64	17	6.1	13	3	4	5	7	8	15	19
65 +	5	3.6	10	1	1	2	5	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	548	4.1	5	1	2	4	5	7	8	11
20-34	1259	4.4	5	2	2	4	5	7	8	11
35-49	261	4.7	6	2	2	4	6	8	9	13
50-64	26	6.8	14	2	3	6	9	13	15	18
65 +	22	6.4	10	2	2	7	8	11	13	13
B. Operated										
0-19 YRS	225	5.6	13	2	2	5	7	10	12	24
20-34	1877	5.1	8	2	3	4	6	8	10	17
35-49	918	6.0	15	3	3	5	7	10	13	22
50-64	118	8.6	89	3	4	6	10	17	20	96
65 +	56	12.0	91	3	4	9	14	21	33	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2018	3.7	3	1	2	3	5	6	7	10
B. Operated	623	4.5	6	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	2116	4.4	5	1	2	4	5	7	9	12
B. Operated	3194	5.6	16	2	3	5	6	9	12	21
1. SINGLE DX	2641	3.9	4	1	2	4	5	6	7	11
2. MULTIPLE DX	5310	5.1	12	2	3	4	6	8	11	18
A. Not Operated	4134	4.1	4	1	2	4	5	7	8	11
B. Operated	3817	5.5	14	2	3	5	6	9	12	21
TOTAL										
0-19 YRS	1451	4.2	6	1	2	4	5	7	9	13
20-34	4778	4.5	6	1	2	4	5	7	9	14
35-49	1464	5.5	12	2	3	5	6	9	12	21
50-64	173	8.0	65	3	4	6	9	16	18	78
65 +	85	9.8	72	2	2	7	13	19	25	48
GRAND TOTAL	**7951**	**4.7**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	22	2.6	3	1	1	2	4	5	6	7
35-49	7	2.3	1	< 1	< 1	2	3	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	12	3.5	5	1	1	4	5	6	7	7
20-34	324	3.9	2	1	2	4	5	5	6	8
35-49	281	4.3	2	2	3	4	5	6	6	9
50-64	20	5.0	2	3	4	5	5	7	8	9
65 +	2	8.5	41	4	4	8	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.5	7	1	1	3	6	7	7	7
20-34	49	3.2	3	< 1	1	3	4	6	7	7
35-49	23	3.1	4	< 1	1	3	4	5	7	9
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	39	4.2	8	< 1	1	4	5	8	11	14
20-34	2093	4.5	3	2	3	4	5	6	7	10
35-49	2998	5.0	4	3	3	5	6	7	8	12
50-64	328	5.4	4	3	4	5	6	7	9	14
65 +	26	7.3	12	3	4	7	9	12	14	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.5	2	1	1	2	4	5	5	7
B. Operated	639	4.1	2	1	2	4	5	6	6	9
2. MULTIPLE DX										
A. Not Operated	80	3.2	3	< 1	1	3	4	6	7	9
B. Operated	5484	4.9	4	3	3	5	5	7	8	12
1. SINGLE DX	673	4.1	2	1	2	4	5	6	6	9
2. MULTIPLE DX	5564	4.8	4	3	3	5	5	7	8	12
A. Not Operated	114	3.0	3	< 1	1	3	4	5	7	8
B. Operated	6123	4.8	4	3	3	5	5	7	8	12
TOTAL										
0-19 YRS	61	3.8	7	< 1	1	4	5	7	9	14
20-34	2488	4.4	3	2	3	4	5	6	7	10
35-49	3309	4.9	4	3	3	5	5	7	8	12
50-64	351	5.3	4	3	4	5	6	7	9	14
65 +	28	7.4	13	3	4	7	9	13	14	18
GRAND TOTAL	**6237**	**4.7**	**4**	**2**	**3**	**5**	**5**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	11	2.8	10	1	1	1	4	8	11	11
35-49	7	7.4	150	< 1	< 1	3	5	29	35	35
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	3	3.3	6	< 1	< 1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	5	3.2	4	< 1	< 1	3	4	6	6	6
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	6	3.2	4	1	1	3	4	6	6	6
20-34	144	4.8	3	2	3	5	5	7	7	10
35-49	145	5.2	6	1	3	5	6	8	9	18
50-64	25	5.9	4	1	4	6	7	9	9	10
65 +	10	5.1	4	1	2	5	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	1	1	1	3	3	3	3
B. Operated	26	4.0	45	< 1	< 1	2	4	6	16	35
2. MULTIPLE DX										
A. Not Operated	13	3.2	4	< 1	1	3	4	6	7	7
B. Operated	330	5.0	4	2	3	5	6	7	9	12
1. SINGLE DX	29	3.7	41	< 1	< 1	2	4	6	12	35
2. MULTIPLE DX	343	5.0	5	1	3	5	6	7	9	12
A. Not Operated	16	2.9	4	< 1	1	2	4	6	7	7
B. Operated	356	5.0	7	1	2	5	6	7	9	12
TOTAL										
0-19 YRS	13	2.6	2	1	1	2	4	5	6	6
20-34	163	4.5	3	1	2	5	5	6	7	11
35-49	155	5.3	12	1	3	5	6	8	9	18
50-64	27	5.7	5	< 1	2	6	7	9	9	10
65 +	14	4.7	4	< 1	1	5	6	7	7	7
GRAND TOTAL	**372**	**4.9**	**7**	**1**	**2**	**5**	**6**	**7**	**9**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	3.0	2	1	1	3	4	5	6	6
20-34	72	3.0	3	1	1	3	4	5	6	12
35-49	13	3.9	5	< 1	1	4	6	7	7	7
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	16	2.6	3	1	1	2	3	6	7	7
20-34	73	2.1	2	< 1	1	2	3	4	4	7
35-49	23	2.0	3	< 1	< 1	1	3	5	6	6
50-64	9	1.4	1	< 1	< 1	1	2	3	3	3
65 +	5	4.4	22	1	1	2	7	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	3.5	4	1	1	3	5	7	7	10
20-34	93	3.6	2	2	2	4	5	5	6	8
35-49	30	4.6	4	2	3	4	6	8	8	9
50-64	14	7.1	12	3	3	7	9	11	15	16
65 +	28	7.7	21	2	2	7	9	15	17	18
B. Operated										
0-19 YRS	25	4.4	12	1	1	3	6	9	13	14
20-34	119	4.2	10	1	1	4	5	7	8	18
35-49	83	4.6	13	1	1	4	6	8	10	21
50-64	25	7.2	29	1	2	5	8	11	25	27
65 +	34	7.0	30	< 1	1	6	9	15	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	3.1	3	1	1	3	4	5	6	10
B. Operated	126	2.2	3	< 1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated	214	4.5	8	1	2	4	6	8	9	16
B. Operated	286	4.9	17	1	1	4	6	8	12	24
1. SINGLE DX	233	2.6	3	1	1	2	4	5	6	8
2. MULTIPLE DX	500	4.8	13	1	1	4	6	8	11	20
A. Not Operated	321	4.0	7	1	2	3	5	7	9	15
B. Operated	412	4.1	14	1	1	3	5	8	11	22
TOTAL										
0-19 YRS	111	3.5	6	1	1	3	5	7	7	13
20-34	357	3.4	6	1	1	3	4	6	7	12
35-49	149	4.1	9	1	1	4	6	8	8	15
50-64	49	6.0	28	< 1	1	5	8	10	16	27
65 +	67	7.1	26	1	1	6	9	15	18	21
GRAND TOTAL	**733**	**4.1**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	120	4.3	2	2	3	4	5	6	7	9
35-49	315	4.3	3	2	2	4	5	6	7	9
50-64	606	4.8	3	2	3	5	6	7	8	10
65 +	538	5.2	4	2	3	5	6	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	1.2		< 1	< 1	1	1	2	2	2
35-49	16	2.6	3	< 1	< 1	2	4	5	5	5
50-64	24	2.4	4	< 1	< 1	1	3	6	7	7
65 +	46	3.1	10	< 1	< 1	1	4	9	11	12
B. Operated										
0-19 YRS	4	6.8	32	1	1	6	11	14	14	14
20-34	619	4.7	3	2	3	4	5	7	8	12
35-49	1554	5.3	4	3	3	5	6	7	9	13
50-64	1669	5.6	5	3	3	5	7	8	9	15
65 +	1938	6.2	8	3	4	6	7	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8		< 1	< 1	2	2	2	2	2
B. Operated	1581	4.8	3	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	91	2.7	7	< 1	< 1	1	4	6	9	12
B. Operated	5784	5.6	6	3	3	5	7	8	10	14
1. SINGLE DX	1585	4.8	3	2	3	5	6	7	8	10
2. MULTIPLE DX	5875	5.6	6	3	3	5	7	8	10	14
A. Not Operated	95	2.7	7	< 1	< 1	1	4	6	9	12
B. Operated	7365	5.4	5	3	3	5	6	8	9	14
TOTAL										
0-19 YRS	6	5.2	25	< 1	< 1	3	8	13	14	14
20-34	745	4.6	3	2	3	4	5	7	7	11
35-49	1886	5.1	4	3	3	5	6	7	8	12
50-64	2299	5.4	5	2	3	5	6	8	9	13
65 +	2524	5.9	7	3	3	6	7	9	10	15
GRAND TOTAL	**7460**	**5.4**	**6**	**2**	**3**	**5**	**6**	**8**	**9**	**14**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	9	1.9	1	< 1	< 1	1	3	4	4	4
35-49	13	2.2	2	< 1	< 1	1	3	4	4	4
50-64	3	2.0	3	< 1	< 1	< 1	3	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	34	3.6	2	1	1	4	5	5	6	6
35-49	71	4.4	6	1	1	4	5	7	8	15
50-64	10	3.7	2	1	2	4	4	5	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	25	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	10	2.6	3	< 1	< 1	2	3	5	6	6
B. Operated	117	4.1	4	1	1	4	5	6	7	11
1. SINGLE DX	27	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX	127	4.0	4	1	1	4	5	6	7	11
A. Not Operated	12	2.4	3	< 1	< 1	2	3	5	6	6
B. Operated	142	3.7	5	< 1	1	4	5	6	7	10
TOTAL										
0-19 YRS	4	1.8	2	< 1	< 1	1	3	4	4	4
20-34	49	3.2	2	< 1	1	4	4	5	6	6
35-49	87	4.0	6	< 1	1	4	5	7	8	13
50-64	14	3.1	3	< 1	< 1	3	4	5	6	6
65 +	0									
GRAND TOTAL	**154**	**3.6**	**4**	**< 1**	**1**	**4**	**5**	**6**	**7**	**9**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	1.8	1	< 1	< 1	2	2	3	3	6
20-34	64	1.4		< 1	< 1	1	2	2	3	3
35-49	20	1.3		< 1	< 1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	26	1.[illegible]	1	< 1	< 1	1	2	2	3	4
20-34	256	2.6	3	< 1	< 1	2	4	5	5	7
35-49	356	2.8	4	< 1	< 1	2	4	5	6	8
50-64	48	2.0	3	< 1	< 1	1	2	5	6	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	2.4	2	1	1	2	3	4	5	7
20-34	111	2.6	6	< 1	< 1	2	3	5	7	14
35-49	101	2.6	10	< 1	< 1	1	3	5	7	21
50-64	9	2.0	1	< 1	< 1	2	3	4	4	4
65 +	0									
B. Operated										
0-19 YRS	62	2.6	3	< 1	1	2	3	5	6	10
20-34	1331	4.2	10	1	1	4	5	6	7	10
35-49	2971	4.6	4	1	2	5	5	7	8	11
50-64	295	4.8	5	1	2	5	6	7	8	13
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	1.5	1	< 1	< 1	1	2	3	3	4
B. Operated	686	2.6	3	< 1	< 1	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	287	2.5	6	< 1	1	2	3	5	6	14
B. Operated	4659	4.5	6	1	2	4	5	7	7	11
1. SINGLE DX	809	2.4	3	< 1	< 1	2	4	5	6	7
2. MULTIPLE [illegible]	4946	4.4	6	1	1	4	5	7	7	11
A. Not Operated	410	2.2	5	< 1	< 1	2	3	4	6	9
B. Operated	5345	4.2	6	< 1	1	4	5	6	7	11
TOTAL										
0-19 YRS	192	2.3	2	< 1	1	2	3	4	5	7
20-34	1762	3.8	9	< 1	1	4	5	6	7	9
35-49	3448	4.3	5	< 1	1	4	5	7	7	11
50-64	353	4.4	6	< 1	1	4	6	7	8	13
65 +	0									
GRAND TOTAL	**5755**	**4.1**	**6**	**< 1**	**1**	**4**	**5**	**6**	**7**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	3	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	5	5.6	13	< 1	< 1	5	7	11	11	11
35-49	19	1.6	2	< 1	< 1	1	1	4	5	5
50-64	51	1.8	3	< 1	< 1	1	2	4	7	8
65 +	16	2.1	3	< 1	< 1	1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	5	3.0	6	1	1	3	4	7	7	7
50-64	9	2.8	4	1	1	2	3	6	8	8
65 +	16	5.4	18	< 1	1	4	7	10	16	18
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	3.4	3	< 1	1	3	5	6	6	6
35-49	101	4.6	4	1	2	4	5	7	8	13
50-64	239	4.2	10	< 1	1	4	5	7	9	12
65 +	176	4.1	10	< 1	1	3	5	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.0		< 1	< 1	1	1	1	1	1
B. Operated	91	2.0	4	< 1	< 1	1	2	5	7	10
2. MULTIPLE DX										
A. Not Operated	32	4.1	13	< 1	1	3	5	8	10	18
B. Operated	533	4.2	9	< 1	1	4	5	7	9	13
1. SINGLE DX	97	2.0	4	< 1	< 1	1	2	5	7	10
2. MULTIPLE DX	565	4.2	9	< 1	1	4	5	7	9	14
A. Not Operated	38	3.6	12	< 1	< 1	3	5	8	10	18
B. Operated	624	3.9	9	< 1	< 1	4	5	7	9	13
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	24	3.6	6	< 1	< 1	3	5	6	8	11
35-49	127	4.0	5	< 1	1	4	5	6	7	13
50-64	302	3.7	9	< 1	< 1	3	5	7	8	12
65 +	208	4.0	10	< 1	1	3	5	8	10	16
GRAND TOTAL	**662**	**3.9**	**9**	**< 1**	**< 1**	**4**	**5**	**7**	**9**	**13**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.0	1	< 1	< 1	2	3	3	4	4
20-34	31	2.1	4	< 1	< 1	1	3	5	8	8
35-49	12	2.2	3	1	1	2	3	4	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	49	3.5	4	< 1	1	3	4	5	7	11
20-34	288	3.1	4	< 1	1	3	4	5	7	9
35-49	230	3.7	5	< 1	1	4	5	6	8	12
50-64	99	3.7	5	< 1	< 1	4	5	7	9	55
65 +	37	3.9	8	< 1	1	4	6	6	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	2.7	6	< 1	1	2	3	7	9	10
20-34	56	2.9	6	< 1	1	2	3	6	9	12
35-49	50	4.6	76	< 1	1	2	4	10	14	60
50-64	27	4.0	9	< 1	< 1	3	6	9	10	12
65 +	34	4.7	16	< 1	1	3	6	11	13	18
B. Operated										
0-19 YRS	78	4.3	6	1	1	4	5	7	9	14
20-34	769	4.5	8	1	2	4	5	7	9	16
35-49	1291	5.0	8	1	3	5	6	7	9	14
50-64	682	5.6	24	1	2	5	6	8	11	26
65 +	353	7.1	43	1	2	5	9	14	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.1	3	< 1	< 1	1	3	4	6	8
B. Operated	703	3.5	5	< 1	1	3	5	6	8	11
2. MULTIPLE DX										
A. Not Operated	190	3.8	27	< 1	1	2	5	8	11	17
B. Operated	3173	5.2	16	1	2	5	6	8	11	23
1. SINGLE DX	761	3.3	5	< 1	1	3	4	6	8	11
2. MULTIPLE DX	3363	5.2	17	1	2	5	6	8	11	22
A. Not Operated	248	3.4	22	< 1	1	2	4	8	10	15
B. Operated	3876	4.9	14	1	1	4	6	8	10	21
TOTAL										
0-19 YRS	163	3.6	6	1	1	3	5	6	8	13
20-34	1144	4.0	7	1	1	4	5	7	8	12
35-49	1583	4.8	10	1	2	5	6	7	9	14
50-64	809	5.3	22	1	1	5	6	8	10	25
65 +	425	6.6	39	1	1	5	8	13	19	29
GRAND TOTAL	**4124**	**4.8**	**15**	**1**	**1**	**4**	**6**	**8**	**10**	**21**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	1.7	1	< 1	< 1	1	2	3	4	6
20-34	98	1.9	2	< 1	1	1	2	4	5	8
35-49	18	1.7	1	< 1	< 1	1	2	4	4	4
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	24	3.5	7	< 1	1	3	4	7	10	11
20-34	277	3.3	4	< 1	1	3	5	6	6	9
35-49	414	4.5	3	1	2	4	6	7	7	9
50-64	288	5.0	4	2	3	5	6	8	8	11
65 +	144	5.3	4	2	3	5	7	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	2.2	2	1	1	2	3	4	5	7
20-34	168	2.7	4	< 1	1	2	3	6	6	9
35-49	50	3.1	4	1	1	3	4	5	7	11
50-64	9	4.0	8	< 1	< 1	3	6	8	10	10
65 +	8	3.5	45	< 1	< 1	1	2	15	20	20
B. Operated										
0-19 YRS	48	3.7	4	< 1	1	4	5	6	7	8
20-34	1281	4.4	4	1	2	4	5	6	7	11
35-49	1293	5.0	5	2	3	5	6	7	8	12
50-64	574	5.7	8	3	3	5	7	8	9	13
65 +	374	6.3	9	3	3	6	8	10	12	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	203	1.8	2	< 1	1	1	2	3	4	7
B. Operated	1147	4.4	4	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	315	2.7	5	< 1	1	2	3	5	6	10
B. Operated	3570	5.0	6	2	3	5	6	8	9	13
1. SINGLE DX	1350	4.0	5	1	1	4	5	7	8	10
2. MULTIPLE DX	3885	4.8	6	1	2	5	6	7	9	13
A. Not Operated	518	2.3	4	< 1	1	2	3	5	6	9
B. Operated	4717	4.9	6	1	3	5	6	7	9	12
TOTAL										
0-19 YRS	235	2.5	3	< 1	1	2	3	5	6	8
20-34	1824	3.9	5	1	1	4	5	6	7	10
35-49	1775	4.8	5	2	3	5	6	7	8	11
50-64	874	5.5	7	2	3	5	7	8	9	13
65 +	527	6.0	8	2	3	6	7	9	11	16
GRAND TOTAL	**5235**	**4.6**	**6**	**1**	**2**	**4**	**6**	**7**	**8**	**12**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.3	3	1	1	2	2	6	6	6
20-34	48	1.7	1	< 1	1	1	2	3	3	6
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	112	3.8	2	2	2	4	5	5	6	9
20-34	1326	3.8	2	2	2	4	4	5	6	7
35-49	187	3.6	2	1	2	4	4	5	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.6		< 1	< 1	2	2	2	2	2
20-34	22	2.0	2	< 1	< 1	1	2	4	5	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	115	4.2	2	1	2	4	5	6	7	8
20-34	1545	4.3	3	2	3	4	5	6	7	9
35-49	247	4.4	4	2	3	4	5	6	7	11
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	1.8	1	< 1	1	1	2	3	4	6
B. Operated	1625	3.8	2	2	2	4	4	5	8	7
2. MULTIPLE DX										
A. Not Operated	31	1.8	2	< 1	< 1	1	2	4	5	6
B. Operated	1908	4.3	3	2	3	4	5	6	7	10
1. SINGLE DX	1681	3.7	2	1	2	4	4	5	6	7
2. MULTIPLE DX	1939	4.2	3	2	3	4	5	6	7	9
A. Not Operated	87	1.8	1	< 1	< 1	1	2	3	4	6
B. Operated	3533	4.0	2	2	3	4	5	6	6	9
TOTAL										
0-19 YRS	240	3.9	2	1	2	4	5	6	6	8
20-34	2941	4.0	2	2	2	4	5	6	6	9
35-49	438	4.0	3	1	2	4	5	6	7	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**3620**	**4.0**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**9**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.3		< 1	< 1	1	2	2	2	2
20-34	19	1.1		< 1	< 1	1	1	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	1.4		< 1	1	1	2	2	2	2
20-34	56	1.9	5	< 1	< 1	1	2	3	5	15
35-49	7	1.1		1	1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.3	9	1	1	2	4	8	10	10
20-34	48	1.6	1	1	1	1	2	3	3	7
35-49	15	1.3		< 1	1	1	1	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	38	3.5	10	1	1	2	5	9	10	13
20-34	149	3.7	20	1	1	2	4	7	9	18
35-49	29	2.5	3	1	1	2	3	5	6	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	1.2		< 1	< 1	1	1	2	2	2
B. Operated	77	1.7	4	< 1	< 1	1	2	3	4	13
2. MULTIPLE DX										
A. Not Operated	71	1.7	2	1	1	1	2	3	4	9
B. Operated	216	3.5	16	1	1	2	4	7	9	18
1. SINGLE DX	114	1.5	3	< 1	< 1	1	2	2	3	10
2. MULTIPLE DX	287	3.0	13	1	1	2	4	6	9	17
A. Not Operated	108	1.6	1	< 1	1	1	2	3	3	8
B. Operated	293	3.0	13	1	1	2	4	6	9	17
TOTAL										
0-19 YRS	75	2.7	7	< 1	1	2	3	7	9	12
20-34	272	2.8	13	< 1	1	2	3	5	8	18
35-49	54	1.9	2	1	1	1	3	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**401**	**2.6**	**10**	**< 1**	**1**	**2**	**3**	**5**	**8**	**16**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. Not Operated	0									
B. Operated	4	2.0	4	1	1	1	3	5	5	5
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
GRAND TOTAL	**4**	**2.0**	**4**	**1**	**1**	**1**	**3**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	1.3		< 1	< 1	1	1	2	2	3
20-34	427	1.3	1	< 1	< 1	1	1	2	3	5
35-49	40	1.4	1	< 1	< 1	1	1	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	791	1.3	1	< 1	< 1	1	1	2	3	4
20-34	3447	1.2	1	< 1	< 1	1	1	2	2	4
35-49	510	1.2		< 1	< 1	1	1	2	2	4
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.1	1	< 1	1	2	3	4	4	5
20-34	146	2.0	2	< 1	< 1	1	2	4	5	7
35-49	12	1.9	2	< 1	< 1	2	2	4	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	179	2.0	5	< 1	< 1	1	2	4	5	8
20-34	859	1.9	3	< 1	< 1	1	2	4	5	8
35-49	174	1.9	3	< 1	< 1	1	2	3	5	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	601	1.3		< 1	< 1	1	1	2	3	5
B. Operated	4749	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	202	2.0	2	< 1	< 1	1	3	4	5	7
B. Operated	1212	1.9	3	< 1	< 1	1	2	4	5	8
1. SINGLE DX	5350	1.3	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	1414	1.9	3	< 1	< 1	1	2	4	5	8
A. Not Operated	803	1.5	1	< 1	< 1	1	2	3	3	6
B. Operated	5961	1.4	1	< 1	< 1	1	1	2	3	6
TOTAL										
0-19 YRS	1148	1.4	1	< 1	< 1	1	2	2	3	5
20-34	4879	1.4	1	< 1	< 1	1	1	2	3	6
35-49	736	1.4	1	< 1	< 1	1	1	2	3	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
GRAND TOTAL	6764	1.4	1	< 1	< 1	1	1	2	3	6

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.1	2	< 1	< 1	2	3	4	4	6
20-34	166	1.8	2	< 1	1	1	2	3	4	8
35-49	23	1.4		< 1	< 1	1	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	89	2.0	12	< 1	< 1	1	2	3	4	24
20-34	602	1.4	1	< 1	< 1	1	1	2	3	6
35-49	76	1.4	1	< 1	< 1	1	1	2	3	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.9	2	< 1	1	3	4	5	5	5
20-34	113	2.7	4	< 1	1	2	3	5	7	11
35-49	7	3.7	20	< 1	< 1	1	5	12	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	64	2.3	3	< 1	< 1	2	3	5	6	7
20-34	300	2.6	7	< 1	< 1	2	3	5	7	15
35-49	52	2.1	3	< 1	< 1	2	2	4	6	10
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	233	1.8	2	< 1	< 1	1	2	3	4	8
B. Operated	768	1.4	2	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	145	2.8	4	< 1	1	2	3	5	6	11
B. Operated	417	2.5	6	< 1	< 1	2	3	5	7	13
1. SINGLE DX	1001	1.5	2	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	562	2.5	5	< 1	< 1	2	3	5	7	12
A. Not Operated	378	2.2	3	< 1	< 1	2	3	4	5	10
B. Operated	1185	1.8	4	< 1	< 1	1	2	3	5	9
TOTAL										
0-19 YRS	222	2.2	6	< 1	< 1	2	3	4	5	8
20-34	1181	1.9	3	< 1	< 1	1	2	4	5	9
35-49	158	1.7	3	< 1	< 1	1	2	3	4	10
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	1563	1.9	4	<1	<1	1	2	4	5	9

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	117	1.7	1	< 1	1	2	2	3	3	5
20-34	638	1.9	8	< 1	1	1	2	3	4	5
35-49	49	1.8	1	< 1	1	1	2	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.8	1	< 1	< 1	2	2	3	3	3
20-34	28	2.4	12	< 1	< 1	1	2	5	8	18
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	2.1	2	< 1	< 1	2	3	4	4	6
20-34	257	3.1	32	1	1	2	3	5	7	11
35-49	28	3.0	5	1	1	2	4	6	7	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.7	1	< 1	< 1	2	2	3	3	3
20-34	24	2.7	3	1	1	2	4	6	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	804	1.8	7	< 1	1	1	2	3	4	5
B. Operated	38	2.2	9	< 1	< 1	1	2	5	6	18
2. MULTIPLE DX										
A. Not Operated	336	2.9	25	< 1	1	2	3	5	7	11
B. Operated	32	2.4	3	1	1	2	3	5	7	7
1. SINGLE DX	842	1.8	7	< 1	1	1	2	3	4	6
2. MULTIPLE DX	368	2.9	23	< 1	1	2	3	5	7	11
A. Not Operated	1140	2.1	12	< 1	1	2	2	4	5	8
B. Operated	70	2.3	6	< 1	< 1	2	2	5	7	16
TOTAL										
0-19 YRS	183	1.8	1	< 1	< 1	2	2	3	4	5
20-34	947	2.2	15	< 1	1	2	2	4	5	8
35-49	80	2.2	3	1	1	2	3	4	6	9
50-64	0									
65 +	0									
GRAND TOTAL	**1210**	**2.2**	**12**	**< 1**	**1**	**2**	**2**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	62	1.8	1	< 1	< 1	1	2	3	4	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.4		< 1	< 1	1	2	2	2	2
20-34	34	2.5	3	< 1	1	2	3	5	6	9
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	1.8	1	< 1	< 1	1	2	3	4	7
B. Operated	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	41	2.4	3	< 1	< 1	2	3	5	6	9
B. Operated	5	2.2	2	1	1	2	3	4	4	4
1. SINGLE DX	72	1.7	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	46	2.3	3	< 1	1	2	3	5	6	9
A. Not Operated	110	2.0	2	< 1	< 1	2	3	3	5	8
B. Operated	8	1.8	1	1	1	1	2	4	4	4
TOTAL										
0-19 YRS	15	1.5	1	< 1	< 1	1	2	3	3	3
20-34	99	2.1	2	< 1	1	2	3	4	5	9
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**118**	**2.0**	**2**	**< 1**	**1**	**1**	**3**	**3**	**5**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	215	2.5	2	< 1	1	2	3	4	6	8
20-34	877	2.7	3	1	1	2	3	5	6	9
35-49	76	3.1	7	1	1	2	3	5	7	16
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	12	2.4	3	< 1	< 1	2	3	5	6	6
20-34	116	2.6	4	< 1	1	2	3	5	6	11
35-49	9	2.4	6	< 1	< 1	2	2	6	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	2.7	2	< 1	1	3	3	4	5	8
20-34	374	3.2	6	< 1	1	3	4	6	6	13
35-49	70	3.8	5	1	1	3	5	7	8	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	3.0	9	< 1	< 1	2	4	6	9	14
20-34	93	3.5	14	< 1	< 1	2	5	9	12	18
35-49	22	3.1	5	< 1	< 1	3	5	6	7	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1169	2.7	3	1	1	2	3	5	6	9
B. Operated	137	2.6	4	< 1	< 1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	512	3.2	6	< 1	1	3	4	6	8	12
B. Operated	139	3.4	12	< 1	< 1	2	5	7	12	16
1. SINGLE DX	1306	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	651	3.3	7	< 1	1	3	4	6	8	14
A. Not Operated	1681	2.9	4	1	1	2	3	5	7	11
B. Operated	276	3.0	8	< 1	< 1	2	4	6	9	14
TOTAL										
0-19 YRS	319	2.6	3	< 1	1	2	3	4	6	8
20-34	1460	2.9	5	< 1	1	2	3	5	7	12
35-49	177	3.3	6	< 1	1	3	4	6	8	15
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**1957**	**2.9**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	280	2.9	2	1	1	3	3	5	6	8
20-34	1329	3.4	5	1	2	3	4	6	7	12
35-49	61	4.0	4	1	2	4	5	6	8	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	5.3	34	< 1	< 1	3	10	12	12	12
20-34	12	7.7	52	< 1	1	7	11	16	25	26
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	222	3.4	7	1	1	3	4	5	8	14
20-34	1053	3.8	8	1	2	3	4	6	8	14
35-49	49	4.6	5	2	2	4	6	8	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.0	3	1	1	3	4	5	5	5
20-34	28	10.8	112	1	1	6	15	25	29	46
35-49	3	12.7	206	2	2	7	23	29	29	29
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1670	3.4	4	1	1	3	4	6	7	12
B. Operated	16	6.8	46	< 1	< 1	4	11	12	22	26
2. MULTIPLE DX										
A. Not Operated	1324	3.7	8	1	2	3	4	6	8	14
B. Operated	35	10.0	108	1	1	5	14	26	28	46
1. SINGLE DX	1686	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX	1359	3.9	11	1	2	3	4	7	9	17
A. Not Operated	2994	3.5	6	1	2	3	4	6	8	13
B. Operated	51	9.0	90	< 1	1	5	12	24	27	46
TOTAL										
0-19 YRS	509	3.1	5	1	1	3	4	5	7	12
20-34	2422	3.7	8	1	2	3	4	6	8	14
35-49	114	4.4	10	1	2	4	6	7	10	17
50-64	0									
65 +	0									
GRAND TOTAL	**3045**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	662	1.1	1	< 1	< 1	1	1	1	2	3
20-34	2727	1.1	1	< 1	< 1	< 1	1	1	2	4
35-49	156	1.1		< 1	< 1	< 1	1	1	1	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	186	1.1		< 1	< 1	< 1	1	1	1	4
20-34	729	1.1		< 1	< 1	< 1	1	1	2	4
35-49	39	1.1		< 1	< 1	< 1	1	1	2	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	1.6	3	< 1	< 1	1	2	2	6	11
20-34	384	1.6	2	< 1	< 1	1	1	3	5	9
35-49	29	1.6	3	< 1	< 1	1	1	3	4	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	31	1.4	1	< 1	< 1	< 1	1	3	4	5
20-34	109	1.6	6	< 1	< 1	1	1	3	5	13
35-49	6	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3545	1.1	1	< 1	< 1	< 1	1	1	2	4
B. Operated	954	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	519	1.6	3	< 1	< 1	1	1	3	5	10
B. Operated	146	1.6	5	< 1	< 1	1	1	3	5	7
1. SINGLE DX	4499	1.1	1	< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX	665	1.6	3	< 1	< 1	1	1	3	5	10
A. Not Operated	4064	1.2	1	< 1	< 1	< 1	1	1	2	5
B. Operated	1100	1.2	1	< 1	< 1	< 1	1	1	2	5
TOTAL										
0-19 YRS	985	1.2	1	< 1	< 1	1	1	1	2	6
20-34	3949	1.2	1	< 1	< 1	< 1	1	1	2	5
35-49	230	1.1	1	< 1	< 1	< 1	1	1	2	4
50-64	0									
65 +	0									
GRAND TOTAL	**5164**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.5	3	< 1	< 1	2	3	4	6	7
20-34	339	2.9	8	< 1	1	2	3	5	6	17
35-49	36	2.8	4	1	1	2	4	5	7	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.7	30	< 1	< 1	2	9	11	11	11
20-34	28	6.3	95	1	1	3	6	13	36	42
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.8	2	1	1	3	4	5	5	5
20-34	177	3.8	11	1	1	3	5	8	11	15
35-49	21	6.2	217	< 1	1	3	4	7	35	70
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	25	5.6	42	1	2	3	5	16	22	27
35-49	4	5.5	12	2	2	5	8	10	10	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	399	2.8	7	< 1	1	2	3	5	6	16
B. Operated	34	5.7	81	1	1	3	5	13	31	42
2. MULTIPLE DX										
A. Not Operated	211	4.0	30	1	1	3	5	8	10	18
B. Operated	30	5.8	37	1	2	3	6	15	20	27
1. SINGLE DX	433	3.1	13	< 1	1	2	4	5	7	18
2. MULTIPLE DX	241	4.2	31	1	1	3	5	8	11	22
A. Not Operated	610	3.2	15	< 1	1	2	4	6	8	16
B. Operated	64	5.8	60	1	1	3	6	13	22	41
TOTAL										
0-19 YRS	41	3.0	6	< 1	< 1	2	4	6	9	11
20-34	569	3.4	15	< 1	1	2	4	6	10	22
35-49	64	4.0	74	1	1	2	4	6	8	62
50-64	0									
65 +	0									
GRAND TOTAL	**674**	**3.5**	**20**	**< 1**	**1**	**2**	**4**	**6**	**10**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	1.9	4	< 1	< 1	1	2	4	5	12
20-34	379	2.2	8	< 1	< 1	1	2	4	6	18
35-49	24	1.8	2	< 1	< 1	1	2	4	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.0		< 1	< 1	1	1	1	1	1
20-34	42	1.9	2	< 1	< 1	1	2	3	5	8
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	2.3	4	< 1	< 1	2	3	5	6	10
20-34	213	2.8	6	< 1	1	2	4	5	8	12
35-49	23	1.8	1	< 1	1	1	2	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	2.5	3	< 1	< 1	2	4	5	7	7
20-34	30	3.7	20	< 1	< 1	2	5	7	8	24
35-49	3	5.7	8	4	4	4	8	9	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	482	2.1	7	< 1	< 1	1	2	4	6	15
B. Operated	51	1.9	3	< 1	< 1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	284	2.7	5	< 1	1	2	3	5	7	11
B. Operated	44	3.5	16	< 1	< 1	2	4	7	8	24
1. SINGLE DX	533	2.1	6	< 1	< 1	1	2	4	6	14
2. MULTIPLE DX	328	2.8	7	< 1	1	2	4	6	8	12
A. Not Operated	766	2.3	6	< 1	< 1	1	3	4	6	14
B. Operated	95	2.6	9	< 1	< 1	1	3	6	8	17
TOTAL										
0-19 YRS	145	2.0	4	< 1	< 1	1	2	4	6	10
20-34	664	2.4	7	< 1	< 1	2	3	5	7	16
35-49	52	2.2	3	< 1	< 1	2	3	4	6	9
50-64	0									
65 +	0									
GRAND TOTAL	**861**	**2.3**	**7**	**<1**	**<1**	**1**	**3**	**5**	**7**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	106	3.0	2	< 1	1	3	4	5	5	6
20-34	220	2.8	3	< 1	1	3	4	5	6	8
35-49	8	3.0	3	1	1	3	4	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.3	2	< 1	< 1	2	3	4	5	5
20-34	31	2.5	6	< 1	< 1	2	4	5	6	13
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	485	3.4	4	1	1	3	4	6	6	9
20-34	1005	3.2	3	< 1	1	3	4	5	7	10
35-49	27	3.7	4	1	2	3	4	6	7	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	34	3.9	8	< 1	1	3	5	9	10	11
20-34	91	3.5	10	< 1	< 1	3	5	7	9	17
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	334	2.9	3	< 1	1	3	4	5	6	7
B. Operated	46	2.4	5	< 1	< 1	2	3	5	5	13
2. MULTIPLE DX										
A. Not Operated	1517	3.2	3	1	1	3	4	5	7	10
B. Operated	128	3.6	9	< 1	< 1	3	5	8	9	13
1. SINGLE DX	380	2.8	3	< 1	1	3	4	5	6	8
2. MULTIPLE DX	1645	3.3	4	< 1	1	3	4	6	7	10
A. Not Operated	1851	3.2	3	1	1	3	4	5	6	9
B. Operated	174	3.3	8	< 1	< 1	2	4	7	9	13
TOTAL										
0-19 YRS	639	3.3	4	< 1	1	3	4	6	6	9
20-34	1347	3.1	4	< 1	1	3	4	5	7	10
35-49	39	3.4	4	1	1	3	4	6	7	11
50-64	0									
65 +	0									
GRAND TOTAL	**2025**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**5**	**7**	**10**

333 Hospitals, North Central Region, January-December 1987

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.8	4	< 1	1	2	3	5	7	12
20-34	444	3.0	4	1	1	3	4	6	7	10
35-49	82	3.2	3	1	1	3	4	6	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	2.2	3	< 1	< 1	2	3	5	5	5
20-34	57	2.9	7	< 1	< 1	2	4	5	9	14
35-49	6	1.5	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	457	3.1	10	< 1	1	2	4	6	8	11
20-34	2155	3.6	14	1	1	3	4	7	9	21
35-49	248	3.7	7	1	1	3	5	7	8	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	73	3.2	7	< 1	< 1	3	4	6	9	13
20-34	343	4.1	15	< 1	1	3	5	9	10	20
35-49	29	4.2	15	< 1	< 1	3	5	8	11	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	574	3.0	4	1	1	3	4	6	7	10
B. Operated	69	2.7	6	< 1	< 1	2	3	5	9	14
2. MULTIPLE DX										
A. Not Operated	2860	3.5	13	1	1	3	4	7	9	18
B. Operated	445	4.0	14	< 1	1	3	5	8	10	19
1. SINGLE DX	643	3.0	4	1	1	2	4	6	7	11
2. MULTIPLE DX	3305	3.6	13	< 1	1	3	4	7	9	18
A. Not Operated	3434	3.4	11	1	1	3	4	7	9	16
B. Operated	514	3.8	13	< 1	1	3	5	8	10	18
TOTAL										
0-19 YRS	584	3.0	9	< 1	1	2	4	6	8	12
20-34	2999	3.6	13	< 1	1	3	4	7	9	18
35-49	365	3.6	7	1	1	3	5	7	8	14
50-64	0									
65 +	0									
GRAND TOTAL	**3948**	**3.5**	**12**	**< 1**	**1**	**3**	**4**	**7**	**9**	**17**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	776	2.0	3	< 1	< 1	1	2	4	5	8
20-34	3267	2.2	8	< 1	< 1	1	2	4	6	14
35-49	237	2.2	11	< 1	< 1	1	2	4	7	12
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	297	2.2	5	< 1	< 1	1	3	4	7	10
20-34	1466	2.1	9	< 1	< 1	1	2	4	6	16
35-49	107	2.2	7	< 1	< 1	1	2	4	5	18
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	479	2.8	7	< 1	< 1	2	4	6	7	14
20-34	2244	3.0	13	< 1	< 1	2	3	6	8	16
35-49	172	3.6	23	< 1	< 1	3	5	7	8	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	207	3.4	19	< 1	< 1	2	4	7	10	23
20-34	1193	2.9	13	< 1	< 1	1	3	6	9	18
35-49	101	2.9	14	< 1	< 1	1	3	6	13	21
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4281	2.2	7	< 1	< 1	1	2	4	6	13
B. Operated	1870	2.2	8	< 1	< 1	1	2	4	6	16
2. MULTIPLE DX										
A. Not Operated	2895	3.0	13	< 1	< 1	2	4	6	8	16
B. Operated	1501	2.9	14	< 1	< 1	2	3	6	9	19
1. SINGLE DX	6151	2.2	7	< 1	< 1	1	2	4	6	14
2. MULTIPLE DX	4396	3.0	13	< 1	< 1	2	4	6	8	17
A. Not Operated	7176	2.5	9	< 1	< 1	2	3	5	7	14
B. Operated	3371	2.5	11	< 1	< 1	1	3	5	8	17
TOTAL										
0-19 YRS	1759	2.4	7	< 1	< 1	1	3	5	7	13
20-34	8170	2.5	10	< 1	< 1	1	3	5	7	16
35-49	617	2.7	14	< 1	< 1	2	3	5	7	17
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**10547**	**2.5**	**10**	**< 1**	**< 1**	**1**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	2.4	1	1	2	2	3	4	4	4
20-34	397	2.5	1	1	2	2	3	3	4	5
35-49	43	2.6		1	2	3	3	3	3	4
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	47	3.0	4	1	2	3	3	5	5	15
20-34	352	2.9	1	2	2	3	4	4	5	6
35-49	44	3.0	1	2	2	3	3	4	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	238	2.5	4	1	2	2	3	3	4	7
20-34	930	2.6	2	1	2	2	3	4	4	6
35-49	81	2.6	1	1	2	2	3	4	4	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	259	4.2	31	1	2	3	5	7	8	22
20-34	2277	4.1	21	2	2	3	4	6	8	25
35-49	294	4.0	10	1	2	3	4	6	9	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	500	2.5	1	1	2	2	3	3	4	5
B. Operated	443	2.9	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	1250	2.6	2	1	2	2	3	3	4	7
B. Operated	2830	4.1	20	2	2	3	4	6	8	24
1. SINGLE DX	943	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	4080	3.6	15	2	2	3	4	5	7	21
A. Not Operated	1750	2.5	2	1	2	2	3	3	4	6
B. Operated	3273	4.0	18	2	2	3	4	6	7	23
TOTAL										
0-19 YRS	603	3.3	16	1	2	2	3	5	7	18
20-34	3956	3.5	13	2	2	3	4	5	6	18
35-49	462	3.5	7	1	2	3	4	5	7	16
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
GRAND TOTAL	**5023**	**3.5**	**13**	**2**	**2**	**3**	**4**	**5**	**6**	**17**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4027	2.3	1	1	1	2	3	3	3	4
20-34	24962	2.3	1	1	1	2	3	3	3	4
35-49	1526	2.3	1	1	1	2	3	3	3	4
50-64	4	2.5		2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1635	2.3	1	1	2	2	3	3	3	4
20-34	8871	2.4	1	1	2	2	3	3	3	4
35-49	499	2.4	1	1	2	2	3	3	4	4
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	171	2.4	1	1	1	2	3	3	4	7
20-34	867	2.4	1	1	1	2	3	3	4	5
35-49	67	2.6	1	1	1	3	3	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	89	2.6	1	1	2	3	3	4	4	5
20-34	3414	2.8	1	2	2	3	3	4	4	5
35-49	371	3.0	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30519	2.3	1	1	1	2	3	3	3	4
B. Operated	11007	2.3	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	1105	2.4	1	1	1	2	3	3	4	5
B. Operated	3874	2.8	1	2	2	3	3	4	4	5
1. SINGLE DX	41526	2.3	1	1	1	2	3	3	3	4
2. MULTIPLE DX	4979	2.7	1	1	2	3	3	4	4	5
A. Not Operated	31624	2.3	1	1	1	2	3	3	3	4
B. Operated	14881	2.5	1	1	2	2	3	3	4	5
TOTAL										
0-19 YRS	5922	2.3	1	1	1	2	3	3	3	4
20-34	38114	2.4	1	1	2	2	3	3	3	4
35-49	2463	2.4	1	1	1	2	3	3	4	4
50-64	6	2.7	1	2	2	3	3	4	4	4
65 +	0									
GRAND TOTAL	**46505**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	16	2.7	3	1	1	2	3	4	7	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	95	5.8	30	2	3	4	5	8	21	32
35-49	23	4.4	6	2	3	4	5	5	9	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.4	5	2	2	3	4	7	8	8
20-34	27	4.9	46	1	2	2	3	16	20	31
35-49	4	2.5		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	8.0	142	3	3	5	6	10	37	55
20-34	366	8.9	117	3	3	5	8	22	30	62
35-49	57	14.1	314	3	4	6	16	34	53	89
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.5	3	1	1	2	3	4	6	8
B. Operated	121	5.4	26	2	3	4	5	6	17	31
2. MULTIPLE DX										
A. Not Operated	39	4.3	33	1	2	2	3	9	18	31
B. Operated	441	9.6	145	3	3	5	8	23	34	63
1. SINGLE DX	141	5.0	23	1	2	4	5	6	14	30
2. MULTIPLE DX	480	9.1	138	2	3	5	8	21	31	63
A. Not Operated	59	3.7	23	1	1	2	3	7	14	30
B. Operated	562	8.7	122	3	3	5	7	19	29	62
TOTAL										
0-19 YRS	32	5.7	86	1	2	4	5	8	11	55
20-34	504	7.9	96	2	3	5	7	18	28	58
35-49	85	10.8	233	2	3	5	9	25	51	84
50-64	0									
65 +	0									
GRAND TOTAL	**621**	**8.2**	**115**	**2**	**3**	**5**	**7**	**18**	**29**	**61**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.1		< 1	1	2	2	3	3	3
20-34	101	2.3	1	1	1	2	3	3	4	5
35-49	11	2.2		1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	3.4	2	1	1	3	5	5	5	6
20-34	143	3.6	3	1	2	3	4	5	6	9
35-49	9	3.7	3	2	2	3	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.3	3	1	1	2	3	4	7	8
20-34	137	2.7	2	1	1	2	3	4	6	9
35-49	13	3.5	5	1	1	3	5	7	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	87	4.2	8	2	2	4	5	6	8	19
20-34	628	4.4	7	2	2	4	5	6	8	15
35-49	69	4.2	4	2	2	4	5	6	8	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	2.3	1	1	1	2	3	3	3	5
B. Operated	180	3.5	2	1	2	3	5	5	6	8
2. MULTIPLE DX										
A. Not Operated	182	2.7	3	1	1	2	3	4	6	9
B. Operated	784	4.3	7	2	2	4	5	6	8	15
1. SINGLE DX	309	3.0	2	1	2	3	4	5	5	7
2. MULTIPLE DX	966	4.0	7	1	2	4	5	6	8	14
A. Not Operated	311	2.5	2	1	1	2	3	4	5	8
B. Operated	964	4.2	6	2	2	4	5	6	8	14
TOTAL										
0-19 YRS	164	3.5	5	1	1	3	4	5	7	15
20-34	1009	3.8	6	1	2	3	5	6	7	13
35-49	102	3.8	4	1	2	4	5	6	7	10
50-64	0									
65 +	0									
GRAND TOTAL	**1275**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**7**	**13**

333 Hospitals, North Central Region, January-December 1987

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	28	2.2	1	1	1	2	3	3	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	54	2.4	1	1	2	2	3	3	4	5
20-34	430	2.4	1	1	1	2	3	3	4	5
35-49	21	2.7	2	1	2	2	3	4	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	20	2.3	1	1	1	2	3	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	2.7	2	1	1	2	3	4	6	7
20-34	411	2.7	1	1	2	3	3	4	4	7
35-49	39	3.2	1	2	2	3	4	5	5	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.2	1	1	1	2	3	3	4	4
B. Operated	505	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	22	2.3	1	1	1	2	3	4	4	4
B. Operated	493	2.7	1	1	2	3	3	4	5	7
1. SINGLE DX	536	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	515	2.7	1	1	2	3	3	4	5	7
A. Not Operated	53	2.2	1	1	1	2	3	3	4	4
B. Operated	998	2.6	1	1	2	2	3	4	4	6
TOTAL										
0-19 YRS	102	2.5	1	1	1	2	3	4	5	7
20-34	889	2.5	1	1	1	2	3	4	4	6
35-49	60	3.0	1	2	2	3	4	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**1051**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.2	1	1	1	2	3	3	4	4
20-34	131	2.5	1	1	2	3	3	3	4	5
35-49	7	2.4		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	2.6	1	< 1	2	3	3	3	4	4
20-34	103	2.5	1	1	2	2	3	4	4	5
35-49	11	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.6		2	2	3	3	3	4	4
20-34	103	3.0	2	2	2	3	3	4	5	12
35-49	7	3.3	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	3.1	2	2	2	3	3	4	7	9
20-34	198	3.0	1	2	2	3	3	4	5	8
35-49	16	2.8	1	1	1	3	4	4	5	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	2.5	1	1	2	2	3	3	4	4
B. Operated	130	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	135	3.0	2	2	2	3	3	4	4	11
B. Operated	234	3.0	1	2	2	3	3	4	5	9
1. SINGLE DX	285	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX	369	3.0	2	2	2	3	3	4	5	9
A. Not Operated	290	2.7	1	2	2	3	3	4	4	6
B. Operated	364	2.8	1	2	2	3	3	4	5	7
TOTAL										
0-19 YRS	78	2.6	1	2	2	3	3	3	4	8
20-34	535	2.8	1	2	2	3	3	4	5	7
35-49	41	2.7	1	1	2	2	3	4	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**654**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.9	1	2	2	3	4	4	4	4
20-34	49	3.1	1	2	2	3	4	4	5	6
35-49	3	3.7		3	3	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.8	4	1	1	2	4	6	6	6
20-34	58	3.5	2	2	2	3	4	6	6	9
35-49	5	2.8		2	2	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.9	5	1	1	3	3	7	8	8
20-34	93	3.3	4	1	2	3	4	5	6	13
35-49	6	2.2	1	< 1	< 1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	42	4.8	9	2	2	4	5	7	10	18
20-34	735	5.4	30	2	3	4	5	7	11	35
35-49	64	5.3	15	2	3	4	6	9	11	24
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	3.1	1	2	2	3	4	4	5	6
B. Operated	69	3.4	2	2	2	3	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	114	3.2	4	1	2	3	4	5	7	11
B. Operated	841	5.4	28	2	3	4	5	7	11	35
1. SINGLE DX	128	3.2	2	2	2	3	4	5	6	7
2. MULTIPLE DX	955	5.1	26	2	2	4	5	7	11	34
A. Not Operated	173	3.2	3	1	2	3	4	5	6	8
B. Operated	910	5.2	26	2	2	4	5	7	11	34
TOTAL										
0-19 YRS	69	4.0	7	1	2	3	5	7	8	17
20-34	935	5.0	25	2	2	4	5	7	10	34
35-49	78	4.9	13	2	2	4	6	8	11	24
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**1083**	**4.9**	**23**	**2**	**2**	**4**	**5**	**7**	**10**	**30**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8		1	1	2	2	2	2	2
20-34	90	2.3	1	1	1	2	3	3	4	5
35-49	11	2.3	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	160	4.1	1	2	3	4	5	5	6	7
20-34	1319	4.0	1	2	3	4	5	5	5	6
35-49	84	4.3	1	2	3	4	5	6	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.4	3	< 1	< 1	3	3	5	6	6
20-34	51	2.4	1	< 1	1	2	3	4	4	5
35-49	11	3.2	7	1	1	2	4	7	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	224	4.7	3	2	3	4	5	7	8	12
20-34	1752	4.6	6	2	3	4	5	6	7	13
35-49	218	4.7	5	3	3	4	5	6	7	15
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	2.3	1	1	1	2	3	3	4	5
B. Operated	1563	4.1	1	2	3	4	5	5	5	6
2. MULTIPLE DX										
A. Not Operated	71	2.5	2	< 1	1	2	3	4	5	9
B. Operated	2195	4.6	5	2	3	4	5	6	7	13
1. SINGLE DX	1670	3.9	1	2	3	4	5	5	5	6
2. MULTIPLE DX	2266	4.5	5	2	3	4	5	6	7	12
A. Not Operated	178	2.4	1	1	1	2	3	4	4	6
B. Operated	3758	4.4	4	2	3	4	5	6	6	10
TOTAL										
0-19 YRS	399	4.4	3	2	3	4	5	6	7	11
20-34	3212	4.2	4	2	3	4	5	5	6	10
35-49	324	4.4	4	2	3	4	5	6	7	11
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**3936**	**4.3**	**4**	**2**	**3**	**4**	**5**	**6**	**6**	**10**

333 Hospitals, North Central Region, January-December 1987

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	2.4		1	2	2	3	3	4	4
20-34	424	2.4	1	1	2	2	3	3	4	4
35-49	43	2.3	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	79	3.2	2	1	2	3	4	5	6	6
20-34	630	3.3	2	2	2	3	4	5	6	7
35-49	49	3.4	1	2	2	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	2.7	1	1	2	3	3	4	4	4
20-34	298	2.6	1	1	2	2	3	3	4	5
35-49	30	2.4	1	1	1	2	3	4	4	4
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	379	4.1	5	2	2	4	5	6	7	12
20-34	3167	3.9	2	2	2	4	5	6	6	9
35-49	288	4.1	4	2	2	4	5	6	7	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	506	2.4	1	1	2	2	3	3	4	4
B. Operated	758	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	362	2.6	1	1	2	2	3	4	4	5
B. Operated	3834	3.9	3	2	2	4	5	6	6	9
1. SINGLE DX	1264	3.0	2	1	2	3	4	5	5	6
2. MULTIPLE DX	4196	3.8	3	2	2	4	5	5	6	9
A. Not Operated	868	2.5	1	1	2	2	3	3	4	5
B. Operated	4592	3.8	3	2	2	4	5	5	6	9
TOTAL										
0-19 YRS	530	3.8	5	2	2	4	5	5	6	11
20-34	4519	3.6	2	2	2	3	4	5	6	8
35-49	410	3.7	4	2	2	4	5	5	6	11
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
GRAND TOTAL	**5460**	**3.6**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	18	2.3	1	1	1	2	3	3	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	178	4.5	1	3	3	4	5	6	6	8
20-34	857	4.5	1	3	3	4	5	6	6	7
35-49	42	4.7	1	4	4	5	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	14	2.5	2	1	1	2	3	4	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	731	5.2	4	3	4	5	6	7	8	14
20-34	3736	4.8	2	3	4	5	5	6	7	9
35-49	254	4.7	2	3	4	4	5	6	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.5	1	1	1	2	3	4	4	5
B. Operated	1077	4.5	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	18	2.6	2	1	1	2	3	4	5	6
B. Operated	4721	4.8	2	3	4	5	5	6	7	10
1. SINGLE DX	1100	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX	4739	4.8	2	3	4	5	5	6	7	10
A. Not Operated	41	2.5	1	1	1	2	3	4	5	6
B. Operated	5798	4.8	2	3	4	5	5	6	7	10
TOTAL										
0-19 YRS	916	5.0	4	3	4	5	5	7	8	12
20-34	4625	4.7	2	3	4	5	5	6	7	9
35-49	298	4.7	2	3	4	4	5	6	7	9
50-64	0									
65 +	0									
GRAND TOTAL	**5839**	**4.7**	**2**	**3**	**4**	**5**	**5**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	2.5	1	1	1	2	3	4	4	4
20-34	544	2.6	1	2	2	2	3	3	4	5
35-49	34	2.1	1	< 1	1	2	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	155	3.6	2	2	2	4	5	5	6	7
20-34	1148	3.6	2	2	2	3	5	5	6	6
35-49	59	3.6	2	2	2	4	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	3.0	2	2	2	3	4	4	5	11
20-34	406	2.7	1	2	2	3	3	4	4	5
35-49	23	2.6	1	1	1	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	548	4.5	7	2	2	4	5	6	8	16
20-34	3348	4.1	3	2	2	4	5	6	6	9
35-49	263	4.3	5	2	2	4	5	6	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	673	2.5	1	1	2	2	3	3	4	5
B. Operated	1362	3.6	2	2	2	3	5	5	6	6
2. MULTIPLE DX										
A. Not Operated	501	2.7	1	2	2	3	3	4	4	6
B. Operated	4159	4.1	3	2	2	4	5	6	7	10
1. SINGLE DX	2035	3.2	2	2	2	3	4	5	5	6
2. MULTIPLE DX	4660	4.0	3	2	2	4	5	6	6	9
A. Not Operated	1174	2.6	1	1	2	3	3	4	4	5
B. Operated	5521	4.0	3	2	2	4	5	6	6	9
TOTAL										
0-19 YRS	870	4.0	5	2	2	4	5	6	7	13
20-34	5446	3.7	3	2	2	4	5	5	6	8
35-49	379	3.9	4	2	2	4	5	6	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**6695**	**3.8**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5		1	2	3	3	3	3	3
20-34	83	2.5	1	1	2	2	3	3	4	5
35-49	10	2.6	1	1	1	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	39	3.8	2	2	2	4	5	5	6	7
20-34	261	3.4	2	1	2	3	4	5	6	6
35-49	22	3.7	1	2	2	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.4	1	1	1	2	3	4	5	5
20-34	85	2.5	6	1	1	2	3	3	3	18
35-49	13	2.3	1	1	1	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	86	4.5	2	2	2	5	5	6	7	7
20-34	921	4.3	4	2	2	4	5	6	7	12
35-49	105	5.4	68	2	2	4	5	6	7	61
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	2.5	1	1	2	2	3	3	4	5
B. Operated	322	3.5	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	107	2.5	5	1	1	2	3	3	4	14
B. Operated	1112	4.4	10	2	2	4	5	6	7	12
1. SINGLE DX	430	3.2	2	2	2	3	4	5	5	6
2. MULTIPLE DX	1219	4.2	10	2	2	4	5	6	7	12
A. Not Operated	215	2.5	3	1	1	2	3	3	4	6
B. Operated	1434	4.2	9	2	2	4	5	6	7	10
TOTAL										
0-19 YRS	149	4.0	2	2	2	4	5	6	6	7
20-34	1350	3.9	4	2	2	4	5	6	7	10
35-49	150	4.7	49	2	2	4	5	6	6	52
50-64	0									
65 +	0									
GRAND TOTAL	**1649**	**4.0**	**8**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	187	2.3	1	1	2	2	3	3	4	4
35-49	14	2.4	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	277	4.1	1	3	3	4	5	5	6	6
20-34	5451	4.1	1	3	3	4	5	5	6	6
35-49	396	4.2	1	3	3	4	5	5	6	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	92	2.7	2	1	2	3	3	4	5	10
35-49	8	2.9	1	2	2	3	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	297	4.4	2	2	3	4	5	6	7	8
20-34	8036	4.4	3	3	3	4	5	6	6	9
35-49	994	4.5	2	3	3	4	5	6	6	9
50-64	2	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	2.3	1	1	2	2	3	3	4	4
B. Operated	6125	4.1	1	3	3	4	5	5	6	6
2. MULTIPLE DX										
A. Not Operated	106	2.7	2	1	2	2	3	4	5	9
B. Operated	9329	4.4	3	3	3	4	5	6	6	9
1. SINGLE DX	6330	4.1	1	2	3	4	5	5	6	6
2. MULTIPLE DX	9435	4.4	3	3	3	4	5	6	6	9
A. Not Operated	311	2.5	1	1	2	2	3	3	4	5
B. Operated	15454	4.3	2	3	3	4	5	5	6	8
TOTAL										
0-19 YRS	584	4.2	2	2	3	4	5	6	6	8
20-34	13766	4.3	2	3	3	4	5	5	6	8
35-49	1412	4.4	2	3	3	4	5	6	6	9
50-64	3	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**15765**	**4.3**	**2**	**3**	**3**	**4**	**5**	**5**	**6**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	143	2.5	1	1	2	2	3	3	4	5
20-34	793	2.6	1	1	2	3	3	3	4	5
35-49	72	2.6	1	2	2	3	3	4	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	119	2.7	2	1	2	3	3	4	4	12
20-34	821	2.8	3	2	2	3	3	4	4	6
35-49	43	2.9	1	1	2	3	3	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	172	3.5	10	2	2	3	4	5	7	19
20-34	856	3.0	3	1	2	3	3	4	6	10
35-49	76	3.2	3	2	2	3	4	4	5	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	410	4.0	6	2	2	3	5	6	9	14
20-34	3031	4.0	10	2	2	3	5	6	8	16
35-49	277	4.2	9	2	2	3	5	6	8	21
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1008	2.6	1	1	2	3	3	3	4	5
B. Operated	983	2.8	3	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	1104	3.1	4	1	2	3	3	5	6	11
B. Operated	3719	4.0	9	2	2	3	5	6	8	16
1. SINGLE DX	1991	2.7	2	1	2	3	3	4	4	6
2. MULTIPLE DX	4823	3.8	8	2	2	3	4	6	7	14
A. Not Operated	2112	2.9	3	1	2	3	3	4	5	9
B. Operated	4702	3.7	8	2	2	3	4	6	7	14
TOTAL										
0-19 YRS	844	3.5	6	1	2	3	4	5	7	13
20-34	5501	3.4	7	2	2	3	4	5	6	13
35-49	468	3.6	7	2	2	3	4	5	7	14
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**6814**	**3.5**	**7**	**2**	**2**	**3**	**4**	**5**	**6**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	540	2.3	1	1	1	2	3	3	3	4
20-34	4501	2.3	1	1	2	2	3	3	3	4
35-49	319	2.3		1	1	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	292	2.4	3	1	2	2	3	3	3	4
20-34	2159	2.4	1	1	2	2	3	3	4	5
35-49	166	2.4	1	1	2	2	3	4	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	201	2.4	1	1	2	2	3	3	4	6
20-34	1364	2.4	1	1	2	2	3	3	4	5
35-49	125	2.5	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	376	2.6	1	1	2	2	3	4	5	6
20-34	3304	2.8	2	2	2	3	3	4	5	7
35-49	304	2.8	1	1	2	3	3	4	5	6
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5360	2.3	1	1	2	2	3	3	3	4
B. Operated	2618	2.4	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	1690	2.4	1	1	2	2	3	3	4	5
B. Operated	3985	2.8	2	1	2	3	3	4	5	6
1. SINGLE DX	7978	2.3	1	1	2	2	3	3	3	4
2. MULTIPLE DX	5675	2.7	2	1	2	2	3	4	5	6
A. Not Operated	7050	2.3	1	1	2	2	3	3	3	4
B. Operated	6603	2.6	1	1	2	2	3	4	4	6
TOTAL										
0-19 YRS	1409	2.4	1	1	2	2	3	3	4	6
20-34	11328	2.5	1	1	2	2	3	3	4	5
35-49	914	2.5	1	1	2	2	3	4	4	6
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
GRAND TOTAL	**13653**	**2.5**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	2.3	1	1	1	2	3	3	3	4
20-34	477	2.2	1	1	1	2	3	3	3	4
35-49	32	2.0	1	< 1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	949	2.2	1	1	1	2	3	3	3	4
20-34	6827	2.2	1	1	1	2	3	3	3	4
35-49	600	2.2	1	1	1	2	3	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	3.5	88	1	1	2	3	3	4	65
20-34	256	2.4	1	1	2	2	3	3	4	5
35-49	24	2.2	1	< 1	1	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	677	2.4	1	1	2	2	3	3	4	7
20-34	5232	2.5	2	1	2	2	3	3	4	6
35-49	607	2.6	1	1	2	2	3	4	4	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	581	2.2	1	1	1	2	3	3	3	4
B. Operated	8377	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	325	2.5	13	1	1	2	3	3	4	5
B. Operated	6516	2.5	2	1	2	2	3	3	4	6
1. SINGLE DX	8958	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX	6841	2.5	2	1	2	2	3	3	4	6
A. Not Operated	906	2.3	5	1	1	2	3	3	3	4
B. Operated	14893	2.4	1	1	1	2	3	3	4	5
TOTAL										
0-19 YRS	1743	2.4	3	1	1	2	3	3	4	5
20-34	12792	2.4	1	1	1	2	3	3	4	5
35-49	1263	2.4	1	1	1	2	3	3	4	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**15799**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.4	1	1	1	2	3	4	4	4
20-34	138	2.3	1	1	1	2	3	3	3	4
35-49	4	2.5	1	1	1	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	909	2.5	1	1	2	2	3	3	4	5
20-34	3752	2.5	1	1	2	3	3	3	4	5
35-49	160	2.5	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.8	1	1	2	3	3	4	5	6
20-34	77	2.8	2	1	2	3	3	4	4	9
35-49	3	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	810	2.7	1	2	2	3	3	4	5	8
20-34	3510	2.8	2	2	2	3	3	4	4	6
35-49	193	2.9	1	2	2	3	3	4	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	2.3	1	1	1	2	3	3	3	4
B. Operated	4821	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	107	2.8	1	1	2	3	3	4	4	8
B. Operated	4513	2.8	2	2	2	3	3	4	4	6
1. SINGLE DX	4994	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX	4620	2.8	2	2	2	3	3	4	4	6
A. Not Operated	280	2.5	1	1	1	2	3	3	4	5
B. Operated	9334	2.6	1	2	2	3	3	4	4	5
TOTAL										
0-19 YRS	1777	2.6	1	2	2	2	3	3	4	6
20-34	7477	2.6	1	2	2	3	3	4	4	5
35-49	360	2.7	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**9614**	**2.6**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	2.3		1	2	2	3	3	4	4
20-34	290	2.2		1	1	2	3	3	3	4
35-49	14	2.6	1	1	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	364	2.4	1	1	2	2	3	3	4	4
20-34	1710	2.4	1	1	2	2	3	3	4	5
35-49	44	2.3	1	< 1	1	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.7	3	1	2	2	3	4	5	13
20-34	149	2.4	1	1	2	2	3	3	4	5
35-49	8	2.6	1	2	2	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	358	2.8	10	2	2	2	3	4	4	7
20-34	1871	2.7	3	1	2	3	3	4	4	8
35-49	125	2.9	1	2	2	3	3	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350	2.2		1	1	2	3	3	3	4
B. Operated	2118	2.4	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	199	2.5	1	1	2	2	3	3	4	6
B. Operated	2354	2.8	4	2	2	3	3	4	4	7
1. SINGLE DX	2468	2.4	1	1	2	2	3	3	4	4
2. MULTIPLE DX	2553	2.7	3	1	2	3	3	4	4	7
A. Not Operated	549	2.3	1	1	2	2	3	3	3	5
B. Operated	4472	2.6	2	1	2	2	3	4	4	6
TOTAL										
0-19 YRS	810	2.6	5	1	2	2	3	3	4	6
20-34	4020	2.5	2	1	2	2	3	3	4	6
35-49	191	2.8	1	1	2	3	3	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**5021**	**2.6**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	894	2.4	1	1	1	2	3	3	4	7
20-34	4223	2.4	1	1	1	2	3	3	4	5
35-49	296	2.5	6	1	1	2	3	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1527	2.9	2	1	2	3	4	5	5	7
20-34	7979	2.9	2	1	2	3	3	4	5	7
35-49	498	3.2	11	1	2	3	4	5	5	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	862	3.0	14	1	2	2	3	4	5	12
20-34	3621	2.7	4	1	1	2	3	4	5	10
35-49	325	2.7	3	1	1	2	3	4	5	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3384	4.0	9	2	2	3	5	7	9	15
20-34	18258	3.9	11	2	2	3	5	6	7	16
35-49	1788	4.3	17	2	2	4	5	7	9	18
50-64	3	4.0	4	2	2	4	5	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5413	2.4	1	1	1	2	3	3	4	5
B. Operated	10004	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	4808	2.7	5	1	1	2	3	4	5	10
B. Operated	23433	3.9	11	2	2	3	5	6	8	16
1. SINGLE DX	15417	2.7	2	1	2	2	3	4	5	7
2. MULTIPLE DX	28241	3.7	10	2	2	3	4	6	7	15
A. Not Operated	10221	2.6	3	1	1	2	3	4	4	8
B. Operated	33437	3.6	8	2	2	3	4	6	7	14
TOTAL										
0-19 YRS	6667	3.4	7	1	2	3	4	6	7	12
20-34	34081	3.3	7	1	2	3	4	5	6	12
35-49	2907	3.8	14	1	2	3	4	6	7	15
50-64	3	4.0	4	2	2	4	5	6	6	6
65 +	0									
GRAND TOTAL	**43658**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.8	1	1	1	3	4	4	5	7
20-34	157	3.3	2	2	2	3	4	5	6	8
35-49	11	3.3	2	1	1	3	4	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	5	6.2	8	4	4	6	7	11	11	11
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	3.4	2	1	2	3	4	5	6	9
20-34	111	4.3	7	2	2	4	5	6	13	15
35-49	14	4.1	2	3	3	4	5	6	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	5.2	12	1	1	4	7	11	11	11
20-34	26	7.1	30	1	2	5	10	15	20	23
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	3.2	2	1	2	3	4	5	6	7
B. Operated	7	6.4	7	4	4	6	8	11	11	11
2. MULTIPLE DX										
A. Not Operated	165	4.1	6	2	2	4	5	6	8	15
B. Operated	33	6.6	27	1	2	5	8	14	18	23
1. SINGLE DX	217	3.3	3	1	2	3	4	5	6	10
2. MULTIPLE DX	198	4.5	10	2	2	4	5	8	13	17
A. Not Operated	375	3.6	4	2	2	3	4	5	6	14
B. Operated	40	6.6	23	1	2	5	8	13	17	23
TOTAL										
0-19 YRS	90	3.3	3	1	2	3	4	5	7	10
20-34	299	4.1	8	2	2	3	5	6	9	15
35-49	26	3.7	2	1	2	4	4	6	7	8
50-64	0									
65 +	0									
GRAND TOTAL	**415**	**3.9**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
20-34	53	1.4	1	< 1	< 1	1	2	2	3	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	1.3		< 1	< 1	1	2	2	2	2
20-34	125	1.5	1	< 1	< 1	1	2	2	4	7
35-49	6	1.2		1	1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	36	2.1	1	< 1	< 1	2	3	4	4	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	1.8	1	< 1	1	1	2	3	5	5
20-34	109	2.2	3	1	1	2	3	5	6	10
35-49	6	3.0	4	< 1	< 1	2	3	7	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	1.4	1	< 1	< 1	1	2	2	3	5
B. Operated	151	1.5	1	< 1	< 1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	41	2.0	1	< 1	< 1	2	3	4	4	5
B. Operated	130	2.2	3	1	1	2	3	4	6	10
1. SINGLE DX	210	1.5	1	< 1	< 1	1	2	2	3	6
2. MULTIPLE DX	171	2.2	3	< 1	1	2	3	4	5	10
A. Not Operated	100	1.7	1	< 1	< 1	1	2	3	4	5
B. Operated	281	1.8	2	< 1	1	1	2	3	5	9
TOTAL										
0-19 YRS	44	1.5	1	< 1	< 1	1	2	2	3	5
20-34	323	1.8	2	< 1	1	1	2	3	5	8
35-49	14	2.0	3	< 1	1	2	2	4	6	7
50-64	0									
65 +	0									
GRAND TOTAL	**381**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.5	5	1	1	2	5	7	9	9
20-34	73	3.7	8	1	1	3	5	7	9	15
35-49	8	3.1	4	< 1	< 1	3	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	30	2.4	1	1	1	2	3	4	5	5
20-34	118	3.3	8	1	1	2	3	8	10	14
35-49	13	3.2	5	< 1	1	3	4	7	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.9	12	1	1	3	4	8	12	16
20-34	89	4.0	13	1	1	3	5	10	12	18
35-49	8	6.0	30	1	1	4	9	15	16	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	3.5	3	1	2	3	4	5	6	9
20-34	148	4.0	15	1	1	3	4	9	13	19
35-49	13	4.9	15	1	2	3	6	10	14	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	3.6	7	1	1	3	5	7	9	14
B. Operated	161	3.1	7	1	1	2	3	7	9	13
2. MULTIPLE DX										
A. Not Operated	116	4.1	14	1	1	3	5	10	13	18
B. Operated	189	4.0	13	1	1	3	4	9	13	19
1. SINGLE DX	261	3.3	7	1	1	2	4	7	9	13
2. MULTIPLE DX	305	4.0	14	1	1	3	4	9	13	18
A. Not Operated	216	3.9	11	1	1	3	5	8	11	16
B. Operated	350	3.6	10	1	1	2	4	8	11	17
TOTAL										
0-19 YRS	96	3.3	5	1	1	3	4	5	8	13
20-34	428	3.7	12	1	1	3	4	9	12	17
35-49	42	4.3	13	< 1	1	3	6	8	14	16
50-64	0									
65 +	0									
GRAND TOTAL	**566**	**3.7**	**11**	**1**	**1**	**3**	**4**	**8**	**11**	**16**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	695	3.5	3	1	2	3	4	6	7	10
20-34	445	3.8	5	1	2	3	5	6	8	12
35-49	359	4.1	5	2	2	4	5	7	8	12
50-64	205	4.5	5	2	2	4	6	8	10	12
65 +	163	5.4	10	2	2	4	7	9	11	18
B. Operated										
0-19 YRS	241	4.5	11	1	1	4	6	9	10	16
20-34	191	5.3	24	1	2	4	6	9	13	30
35-49	160	4.7	9	1	1	4	6	8	10	14
50-64	85	6.2	19	1	2	5	7	12	14	25
65 +	59	6.9	24	1	2	6	8	14	17	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	888	4.3	9	2	2	3	5	7	10	15
20-34	919	5.2	16	2	2	4	6	9	11	16
35-49	1147	5.9	14	2	2	5	7	10	13	18
50-64	1481	6.7	18	2	3	6	8	12	14	21
65 +	2626	7.8	25	3	3	7	10	13	16	25
B. Operated										
0-19 YRS	361	6.0	25	1	2	5	7	11	15	24
20-34	621	8.2	53	2	2	6	10	16	23	42
35-49	720	10.0	100	2	3	7	12	19	27	55
50-64	763	11.4	84	2	3	9	15	23	30	45
65 +	1133	12.5	88	3	4	10	16	24	32	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1867	4.0	5	1	2	3	5	7	8	12
B. Operated	736	5.1	16	1	2	4	7	9	12	21
2. MULTIPLE DX										
A. Not Operated	7061	6.5	20	2	3	5	8	12	14	22
B. Operated	3598	10.4	82	2	3	8	13	21	28	46
1. SINGLE DX	2603	4.3	9	1	2	4	5	8	9	14
2. MULTIPLE DX	10659	7.8	44	2	3	6	9	15	20	35
A. Not Operated	8928	5.9	18	2	2	5	7	11	13	21
B. Operated	4334	9.5	74	2	2	7	12	20	26	45
TOTAL										
0-19 YRS	2185	4.3	10	1	2	3	5	8	10	16
20-34	2176	5.8	28	2	2	4	7	11	14	30
35-49	2386	6.8	43	2	2	5	8	13	16	34
50-64	2534	8.0	42	2	3	6	10	15	20	33
65 +	3981	9.0	48	3	3	7	11	16	21	38
GRAND TOTAL	**13262**	**7.1**	**39**	**2**	**2**	**5**	**9**	**13**	**18**	**33**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	182	3.8	6	1	2	3	5	6	8	13
20-34	76	3.6	5	1	2	3	5	7	8	11
35-49	28	3.7	3	< 1	1	3	5	6	7	9
50-64	27	4.6	9	1	1	4	7	8	10	14
65 +	10	4.4	5	1	2	4	5	8	8	8
B. Operated										
0-19 YRS	105	3.9	11	1	1	3	5	7	11	17
20-34	73	4.3	9	1	1	3	6	8	10	16
35-49	35	5.1	15	1	1	4	7	9	12	19
50-64	29	5.0	12	1	2	4	7	11	12	12
65 +	11	6.7	14	2	3	6	8	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	337	3.9	6	1	2	3	5	7	8	12
20-34	134	4.2	7	2	2	3	5	7	9	14
35-49	111	5.5	20	1	2	4	6	10	13	26
50-64	152	6.2	17	2	2	5	8	11	13	20
65 +	192	8.2	52	2	3	6	9	14	19	40
B. Operated										
0-19 YRS	145	5.7	25	1	1	4	7	10	13	31
20-34	127	7.0	61	1	2	5	9	13	18	48
35-49	114	9.7	100	1	2	7	11	24	34	49
50-64	156	8.5	54	2	2	6	10	18	26	37
65 +	182	10.9	99	2	3	9	14	20	28	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	323	3.8	6	1	2	3	5	7	8	13
B. Operated	253	4.4	11	1	1	4	6	9	12	16
2. MULTIPLE DX										
A. Not Operated	926	5.4	22	2	2	4	7	10	13	27
B. Operated	724	8.5	71	1	2	6	10	17	26	44
1. SINGLE DX	576	4.1	8	1	1	3	5	7	10	14
2. MULTIPLE DX	1650	6.7	46	2	2	5	8	13	18	35
A. Not Operated	1249	5.0	18	1	2	4	6	9	11	21
B. Operated	977	7.4	59	1	2	5	9	15	22	40
TOTAL										
0-19 YRS	769	4.2	11	1	2	3	5	7	10	16
20-34	410	4.9	25	1	2	4	6	9	12	23
35-49	288	6.9	54	1	2	5	8	14	22	39
50-64	364	7.0	34	2	2	5	8	13	19	29
65 +	395	9.3	74	2	3	7	11	17	25	52
GRAND TOTAL	**2226**	**6.1**	**37**	**1**	**2**	**4**	**7**	**12**	**16**	**33**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	11	3.6	10	< 1	< 1	2	6	9	9	9
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	286	1.9	2	1	1	2	2	3	4	6
20-34	491	2.0	2	1	1	2	2	4	5	7
35-49	88	2.2	4	1	1	2	2	4	5	12
50-64	20	1.9	1	< 1	1	2	3	4	4	4
65 +	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.3	8	2	2	5	7	8	8	8
20-34	9	4.9	5	2	2	5	6	8	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	49	2.7	4	1	1	2	4	5	6	11
20-34	109	2.9	4	1	1	2	4	6	7	10
35-49	32	3.5	14	1	1	2	5	9	12	17
50-64	17	6.3	91	1	1	3	4	22	32	36
65 +	10	4.4	9	2	2	3	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.0	7	< 1	< 1	2	4	8	9	9
B. Operated	888	2.0	2	1	1	2	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	15	5.1	8	1	2	5	7	10	10	10
B. Operated	217	3.2	13	1	1	2	4	6	9	20
1. SINGLE DX	905	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX	232	3.4	13	1	1	2	4	7	9	19
A. Not Operated	32	4.0	8	< 1	1	3	6	9	10	10
B. Operated	1105	2.2	4	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	344	2.1	2	1	1	2	3	4	5	8
20-34	620	2.2	3	1	1	2	3	5	6	9
35-49	122	2.5	7	1	1	2	3	5	7	15
50-64	38	4.1	46	1	1	2	3	6	20	36
65 +	13	4.0	7	2	2	3	5	9	9	9
GRAND TOTAL	**1137**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	21	1.5	1	< 1	< 1	1	2	3	4	6
20-34	32	2.1	5	< 1	< 1	1	2	4	5	13
35-49	15	1.1		< 1	< 1	1	1	2	2	2
50-64	8	1.6	1	< 1	< 1	1	2	3	4	4
65 +	5	4.8	19	1	1	4	7	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	8.5	61	3	3	8	14	14	14	14
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	22	3.3	4	< 1	1	3	5	6	7	7
35-49	19	3.4	8	< 1	< 1	2	6	8	9	9
50-64	22	2.5	5	< 1	< 1	2	3	5	8	10
65 +	17	4.3	7	< 1	1	4	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.8	3	< 1	< 1	2	4	5	5	5
B. Operated	81	1.9	4	< 1	< 1	1	2	4	5	13
2. MULTIPLE DX										
A. Not Operated	8	4.6	21	< 1	< 1	3	6	12	14	14
B. Operated	84	3.3	6	< 1	1	3	5	7	8	10
1. SINGLE DX	85	1.9	4	< 1	< 1	1	2	4	5	13
2. MULTIPLE DX	92	3.4	7	< 1	1	3	5	8	9	12
A. Not Operated	12	4.0	15	< 1	< 1	3	4	10	13	14
B. Operated	165	2.6	5	< 1	< 1	2	4	6	8	12
TOTAL										
0-19 YRS	28	2.0	3	< 1	< 1	1	2	4	6	9
20-34	56	2.6	5	< 1	< 1	2	4	5	7	13
35-49	37	2.8	9	< 1	< 1	1	3	8	9	14
50-64	31	2.3	4	< 1	< 1	2	3	4	5	10
65 +	25	4.0	9	< 1	< 1	3	6	8	9	12
GRAND TOTAL	**177**	**2.7**	**6**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	277	5.1	37	1	1	3	5	16	19	27
20-34	129	8.0	57	1	1	4	14	21	23	25
35-49	112	7.4	52	1	1	4	11	20	21	29
50-64	63	8.5	61	1	2	6	14	21	22	29
65 +	52	11.7	60	1	2	11	17	21	26	34
B. Operated										
0-19 YRS	182	3.8	20	< 1	< 1	2	4	10	14	20
20-34	216	4.8	46	< 1	1	2	6	11	15	28
35-49	181	4.4	27	< 1	1	2	6	11	16	24
50-64	156	4.9	38	1	1	2	6	15	19	27
65 +	124	7.6	85	1	1	4	11	18	24	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	463	4.4	21	1	1	3	5	8	11	22
20-34	321	8.1	66	1	2	5	11	19	21	41
35-49	392	9.2	49	1	2	7	14	21	21	26
50-64	440	9.7	56	2	2	7	14	21	23	31
65 +	1153	9.7	57	2	3	8	12	19	23	43
B. Operated										
0-19 YRS	307	9.3	193	1	1	3	10	28	48	70
20-34	465	14.1	262	1	2	8	20	39	56	99 +
35-49	632	12.5	217	1	1	7	17	34	47	77
50-64	732	13.1	244	1	1	8	17	33	51	92
65 +	1623	16.8	197	2	4	13	22	35	46	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	633	7.0	51	1	1	4	10	20	21	27
B. Operated	859	4.9	42	< 1	1	2	6	12	17	29
2. MULTIPLE DX										
A. Not Operated	2769	8.5	54	1	2	6	11	20	22	34
B. Operated	3759	14.4	222	1	2	10	20	34	48	91
1. SINGLE DX	1492	5.8	47	1	1	3	7	16	21	28
2. MULTIPLE DX	6528	11.9	160	1	2	8	16	26	38	74
A. Not Operated	3402	8.2	54	1	2	6	11	20	22	32
B. Operated	4618	12.6	202	1	1	8	17	31	44	84
TOTAL										
0-19 YRS	1229	5.7	72	1	1	3	6	14	20	51
20-34	1131	9.9	155	1	1	5	13	23	38	88
35-49	1317	10.0	135	1	1	6	14	23	34	67
50-64	1391	10.9	160	1	1	7	15	24	34	74
65 +	2952	13.5	148	2	3	10	18	28	38	70
GRAND TOTAL	**8020**	**10.8**	**144**	**1**	**1**	**7**	**14**	**24**	**35**	**70**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	4.4	57	1	1	3	4	8	9	47
20-34	48	3.2	5	1	1	2	4	6	8	12
35-49	25	4.8	23	1	2	3	6	7	16	24
50-64	16	4.4	13	1	1	4	6	10	13	14
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	21	5.4	88	1	1	4	5	8	25	45
20-34	10	4.7	9	1	1	4	7	8	9	9
35-49	14	3.5	5	1	2	3	4	6	9	10
50-64	5	2.6	9	1	1	1	3	8	8	8
65 +	5	3.6	7	1	1	3	4	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	6.2	28	1	1	4	9	15	17	21
20-34	138	5.9	27	1	2	5	7	12	15	29
35-49	146	5.9	22	1	2	5	8	11	14	21
50-64	93	8.6	100	2	3	6	10	18	26	62
65 +	97	7.7	21	2	3	6	10	14	16	23
B. Operated										
0-19 YRS	38	11.3	153	1	2	7	13	33	50	99 +
20-34	80	9.5	67	1	2	7	13	21	29	35
35-49	79	12.0	113	1	2	9	15	25	33	57
50-64	76	13.4	161	2	2	10	15	30	36	66
65 +	56	13.8	152	2	4	10	17	26	31	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	4.1	25	1	1	3	5	8	10	29
B. Operated	55	4.4	37	1	1	3	5	8	9	43
2. MULTIPLE DX										
A. Not Operated	572	6.7	37	1	2	5	9	13	17	28
B. Operated	329	11.9	125	2	2	9	14	26	32	65
1. SINGLE DX	182	4.2	29	1	1	3	5	8	10	38
2. MULTIPLE DX	901	8.6	76	1	2	6	11	17	25	45
A. Not Operated	699	6.2	36	1	1	5	8	12	16	28
B. Operated	384	10.9	119	1	2	8	13	25	32	63
TOTAL										
0-19 YRS	194	6.8	69	1	1	4	9	15	21	52
20-34	276	6.5	38	1	2	5	8	13	20	31
35-49	264	7.5	57	1	2	5	9	16	22	37
50-64	190	10.0	124	1	2	7	12	21	30	65
65 +	159	9.7	75	2	3	8	12	17	25	47
GRAND TOTAL	**1083**	**7.9**	**70**	**1**	**2**	**6**	**10**	**16**	**24**	**44**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	4.9	15	1	1	4	7	11	13	18
20-34	21	4.4	6	<1	1	4	6	8	9	10
35-49	36	5.0	6	1	2	5	7	9	9	10
50-64	36	5.4	7	1	3	5	7	9	10	12
65+	42	5.6	9	2	3	4	8	10	12	14
B. Operated										
0-19 YRS	14	5.5	45	1	2	4	6	9	24	28
20-34	42	5.0	13	1	1	4	8	10	12	16
35-49	106	5.0	13	1	1	4	8	10	11	16
50-64	235	6.2	18	1	2	5	9	12	14	18
65+	173	7.2	18	1	2	7	11	13	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	7.3	112	1	2	4	7	13	26	64
20-34	33	6.7	26	1	2	5	8	13	20	20
35-49	77	6.2	12	1	2	6	8	11	13	17
50-64	196	7.0	25	1	2	6	9	12	15	27
65+	316	7.2	24	2	3	6	9	13	18	25
B. Operated										
0-19 YRS	29	11.8	295	1	1	6	11	31	65	70
20-34	48	6.3	56	1	1	4	7	19	23	38
35-49	158	7.2	69	1	2	5	9	13	22	56
50-64	433	7.8	43	1	2	6	10	14	16	35
65+	429	9.6	65	2	3	8	12	18	23	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	209	5.1	10	1	2	4	7	9	11	15
B. Operated	570	6.2	18	1	2	5	9	12	14	17
2. MULTIPLE DX										
A. Not Operated	717	7.0	35	2	2	6	9	12	18	29
B. Operated	1097	8.5	63	1	2	7	11	16	22	43
1. SINGLE DX	779	5.9	16	1	2	5	9	12	13	16
2. MULTIPLE DX	1814	7.9	52	1	2	6	10	15	20	37
A. Not Operated	926	6.6	30	1	2	5	8	12	16	28
B. Operated	1667	7.7	49	1	2	6	10	14	18	37
TOTAL										
0-19 YRS	212	7.0	102	1	2	4	7	12	21	67
20-34	144	5.7	30	1	1	4	7	11	19	25
35-49	377	6.2	36	1	2	5	8	11	14	32
50-64	900	7.1	31	1	2	6	10	13	16	29
65+	960	8.2	42	2	2	7	11	15	20	32
GRAND TOTAL	**2593**	**7.3**	**42**	**1**	**2**	**6**	**10**	**14**	**17**	**33**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	6.2	12	2	2	7	8	11	11	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	8.2	30	2	2	7	12	16	16	16
50-64	14	4.6	15	<1	1	3	8	10	11	11
65+	31	4.0	10	<1	<1	3	6	9	10	11
B. Operated										
0-19 YRS	11	2.8	7	1	1	2	3	6	10	10
20-34	116	3.8	10	1	1	3	5	9	10	14
35-49	357	5.3	13	1	1	4	8	10	12	14
50-64	1388	8.0	16	2	3	8	10	13	14	18
65+	2113	10.3	13	5	7	10	12	15	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	3.3	2	1	1	3	5	5	5	5
35-49	39	5.1	10	1	1	5	7	9	10	14
50-64	121	4.6	19	<1	1	3	6	9	12	24
65+	531	5.3	19	1	1	4	7	10	14	23
B. Operated										
0-19 YRS	16	6.6	23	1	1	7	10	15	16	16
20-34	115	4.6	15	1	1	3	7	10	12	18
35-49	357	6.5	21	1	1	6	10	13	15	20
50-64	2124	9.2	23	2	3	9	12	15	17	26
65+	5626	11.6	27	5	7	11	14	17	20	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	4.7	13	<1	1	3	7	10	11	16
B. Operated	3985	8.8	17	2	3	9	11	14	15	19
2. MULTIPLE DX										
A. Not Operated	703	5.1	18	1	1	4	7	10	13	23
B. Operated	8238	10.7	28	2	4	10	13	16	19	28
1. SINGLE DX	4041	8.8	17	2	3	9	11	14	15	19
2. MULTIPLE DX	8941	10.2	29	2	3	10	13	16	19	27
A. Not Operated	759	5.1	18	1	1	4	7	10	13	23
B. Operated	12223	10.1	25	2	4	10	12	15	18	26
TOTAL										
0-19 YRS	33	5.2	18	1	1	4	8	11	14	16
20-34	243	4.1	12	1	1	3	6	10	11	15
35-49	758	5.9	17	1	1	5	9	11	13	17
50-64	3647	8.6	21	2	2	9	11	14	16	23
65+	8301	10.9	25	3	6	10	13	16	19	27
GRAND TOTAL	**12982**	**9.8**	**26**	**2**	**3**	**10**	**12**	**15**	**17**	**25**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	5.6	22	1	1	4	8	14	15	21
20-34	37	4.5	9	1	2	4	6	7	9	17
35-49	32	5.8	16	2	2	4	7	12	15	17
50-64	14	4.2	18	< 1	1	3	4	11	15	16
65 +	23	5.1	14	1	2	4	7	10	13	15
B. Operated										
0-19 YRS	106	10.9	47	2	3	9	15	21	23	32
20-34	132	3.7	17	1	1	3	4	7	10	21
35-49	150	3.9	11	1	1	3	5	8	11	15
50-64	151	5.6	17	1	1	4	8	11	14	19
65 +	79	8.3	37	1	2	8	11	14	19	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	7.9	48	1	2	5	11	18	23	32
20-34	71	6.5	21	2	2	6	9	11	14	27
35-49	74	5.8	20	1	2	5	7	12	15	22
50-64	90	6.2	44	1	1	4	7	11	19	38
65 +	208	8.2	47	2	2	6	11	16	21	34
B. Operated										
0-19 YRS	112	14.7	120	2	3	13	20	27	31	63
20-34	134	10.3	150	1	1	6	13	24	38	56
35-49	179	9.9	138	1	1	6	12	23	41	56
50-64	264	10.0	89	1	2	8	12	21	30	50
65 +	339	14.4	141	2	3	11	18	29	39	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	5.3	17	1	2	4	7	11	15	17
B. Operated	618	6.0	30	1	1	4	8	13	17	28
2. MULTIPLE DX										
A. Not Operated	544	7.3	40	1	2	5	9	15	20	30
B. Operated	1028	12.0	131	1	2	9	15	28	38	56
1. SINGLE DX	802	5.9	27	1	1	4	8	13	16	23
2. MULTIPLE DX	1572	10.4	104	1	2	8	13	22	30	50
A. Not Operated	728	6.8	35	1	2	5	9	14	18	30
B. Operated	1646	9.7	101	1	2	7	12	21	29	50
TOTAL										
0-19 YRS	397	10.2	74	1	2	8	14	21	25	41
20-34	374	6.7	72	1	1	4	8	14	20	43
35-49	435	6.8	72	1	1	4	8	14	22	48
50-64	519	7.9	63	1	2	6	10	16	24	45
65 +	649	11.4	104	2	2	9	13	24	32	50
GRAND TOTAL	**2374**	**8.8**	**83**	**1**	**2**	**6**	**11**	**19**	**28**	**47**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	4.6	24	< 1	< 1	1	10	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	164	2.4	3	< 1	< 1	2	3	4	5	6
20-34	285	2.7	3	< 1	< 1	2	4	5	6	8
35-49	124	2.1	3	< 1	< 1	1	3	4	6	8
50-64	64	1.9	3	< 1	< 1	< 1	2	5	6	8
65 +	21	1.5	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.6	2	< 1	< 1	1	2	4	4	4
20-34	13	2.3	3	< 1	< 1	1	3	5	6	6
35-49	7	1.7	1	< 1	< 1	1	2	4	4	4
50-64	9	2.3	7	< 1	< 1	2	2	6	9	9
65 +	9	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated										
0-19 YRS	197	2.8	4	< 1	< 1	2	4	5	6	8
20-34	402	2.8	4	< 1	1	2	3	5	6	9
35-49	253	2.6	5	< 1	< 1	2	3	5	6	10
50-64	155	2.7	9	< 1	< 1	2	3	6	8	15
65 +	82	2.6	5	< 1	< 1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.5	16	< 1	< 1	2	6	10	10	10
B. Operated	658	2.4	3	< 1	< 1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	43	2.1	3	< 1	< 1	1	3	4	5	9
B. Operated	1089	2.7	5	< 1	< 1	2	3	5	6	10
1. SINGLE DX	666	2.4	3	< 1	< 1	2	3	5	6	8
2. MULTIPLE DX	1132	2.7	5	< 1	< 1	2	3	5	6	10
A. Not Operated	51	2.3	5	< 1	< 1	1	3	5	9	10
B. Operated	1747	2.6	4	< 1	< 1	2	3	5	6	10
TOTAL										
0-19 YRS	367	2.6	3	< 1	< 1	2	4	5	5	8
20-34	705	2.7	3	< 1	< 1	2	4	5	6	10
35-49	385	2.4	4	< 1	< 1	2	3	5	6	9
50-64	220	2.5	7	< 1	< 1	1	3	5	8	12
65 +	113	2.3	4	< 1	< 1	2	3	4	6	12
GRAND TOTAL	**1798**	**2.6**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	2.8	3	1	1	2	4	4	5	9
20-34	34	3.8	19	< 1	1	3	5	6	10	25
35-49	24	3.4	8	< 1	1	3	4	5	9	15
50-64	32	2.7	4	< 1	< 1	2	3	6	7	8
65 +	45	2.9	4	1	1	2	4	6	8	9
B. Operated										
0-19 YRS	629	2.3	2	1	1	2	3	4	5	7
20-34	929	2.4	2	1	1	2	3	4	5	8
35-49	348	2.7	4	1	1	2	3	5	6	10
50-64	98	3.2	6	1	1	3	4	6	8	14
65 +	52	4.2	12	1	1	3	6	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	3.3	7	< 1	1	3	4	7	8	14
20-34	64	3.5	12	< 1	1	3	4	7	8	21
35-49	83	5.2	32	1	1	3	6	9	19	30
50-64	96	4.0	12	1	1	3	5	7	10	21
65 +	243	5.9	20	1	1	5	8	11	15	23
B. Operated										
0-19 YRS	533	3.6	13	1	1	3	4	6	8	20
20-34	455	3.3	11	1	1	2	4	6	9	18
35-49	340	3.7	17	1	1	3	4	7	10	19
50-64	213	4.7	26	1	1	3	5	12	16	27
65 +	212	6.8	37	1	1	6	9	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	3.0	6	1	1	2	4	5	7	12
B. Operated	2056	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	616	4.7	18	1	1	3	6	10	13	24
B. Operated	1753	4.0	19	1	1	3	5	8	12	22
1. SINGLE DX	2266	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	2369	4.2	19	1	1	3	5	9	12	23
A. Not Operated	826	4.3	16	1	1	3	5	9	11	22
B. Operated	3809	3.2	11	1	1	2	4	6	9	17
TOTAL										
0-19 YRS	1367	2.9	7	1	1	2	3	5	7	15
20-34	1482	2.8	6	1	1	2	3	5	6	12
35-49	795	3.4	13	1	1	2	4	6	9	19
50-64	439	4.1	18	1	1	3	5	9	13	21
65 +	552	5.8	26	1	1	4	8	12	15	25
GRAND TOTAL	**4635**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**18**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	12.0		12	12	12	12	12	12	12
35-49	4	9.0	19	5	5	8	12	15	15	15
50-64	1	28.0		28	28	28	28	28	28	28
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	7.4	9	3	3	8	9	11	11	11
50-64	9	4.1	5	1	1	4	5	7	8	8
65 +	10	9.9	34	3	3	9	14	18	22	22
B. Operated										
0-19 YRS	0									
20-34	1	22.0		22	22	22	22	22	22	22
35-49	4	5.5	12	2	2	5	8	10	10	10
50-64	7	11.7	177	1	2	9	10	35	41	41
65 +	4	14.5	107	1	1	15	21	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.8	16	2	2	7	10	11	11	11
B. Operated	7	11.6	66	5	5	9	14	25	28	28
2. MULTIPLE DX										
A. Not Operated	25	7.0	24	1	2	6	9	14	16	22
B. Operated	16	11.5	114	1	1	9	15	26	36	41
1. SINGLE DX	11	9.8	50	2	4	9	12	20	27	28
2. MULTIPLE DX	41	8.7	62	1	2	6	10	19	24	41
A. Not Operated	29	6.9	22	1	2	6	9	13	15	22
B. Operated	23	11.5	96	1	2	9	15	26	33	41
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	11.7	110	1	1	12	19	22	22	22
35-49	15	7.7	12	2	3	8	10	11	14	15
50-64	18	8.3	104	1	1	5	9	23	36	41
65 +	15	10.8	52	1	3	9	14	22	25	26
GRAND TOTAL	**52**	**9.0**	**59**	**1**	**2**	**7**	**11**	**18**	**26**	**41**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.7	32	1	1	4	10	12	12	12
20-34	16	3.1	16	1	1	1	4	7	13	16
35-49	45	3.6	16	< 1	1	2	4	7	8	25
50-64	66	4.0	12	1	1	3	5	9	11	16
65 +	59	4.3	11	1	1	4	6	8	11	17
B. Operated										
0-19 YRS	4	5.5	4	4	4	5	7	8	8	8
20-34	78	4.3	14	1	1	3	7	9	11	15
35-49	346	3.8	11	1	1	3	5	8	10	15
50-64	363	4.0	13	1	1	3	6	9	11	15
65 +	191	4.7	17	1	1	4	7	10	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.0	109	1	1	3	16	20	20	20
20-34	26	4.7	10	1	1	4	7	10	11	12
35-49	162	5.3	12	1	1	5	7	10	11	17
50-64	309	6.0	19	1	2	5	7	11	14	25
65 +	761	6.5	19	2	2	5	8	12	15	21
B. Operated										
0-19 YRS	3	11.0	36	5	5	14	58	99 +	99 +	99 +
20-34	61	5.6	16	1	1	5	7	10	14	21
35-49	358	5.5	24	1	1	4	7	11	14	23
50-64	642	5.9	33	1	1	5	8	11	16	30
65 +	665	9.3	71	1	1	8	12	19	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	3.9	13	1	1	3	5	8	11	17
B. Operated	982	4.1	13	1	1	3	6	9	11	17
2. MULTIPLE DX										
A. Not Operated	1261	6.2	18	1	2	5	8	12	14	21
B. Operated	1729	7.1	48	1	1	6	9	15	20	37
1. SINGLE DX	1171	4.1	13	1	1	3	6	9	11	17
2. MULTIPLE DX	2990	6.7	36	1	1	5	9	13	18	31
A. Not Operated	1450	5.9	18	1	2	5	8	11	14	21
B. Operated	2711	6.0	38	1	1	5	8	12	17	31
TOTAL										
0-19 YRS	13	7.4	36	1	1	5	12	28	84	99 +
20-34	181	4.7	15	1	1	4	7	10	12	17
35-49	911	4.7	17	1	1	4	7	10	12	22
50-64	1380	5.4	24	1	1	4	7	10	14	26
65 +	1676	7.3	42	1	1	6	9	14	19	35
GRAND TOTAL	**4161**	**6.0**	**31**	**1**	**1**	**5**	**8**	**12**	**16**	**27**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	6.3	20	1	2	6	8	9	15	24
20-34	486	4.9	10	1	1	4	7	9	11	15
35-49	783	4.9	11	1	1	4	7	9	11	16
50-64	355	5.2	11	1	1	5	7	10	11	16
65 +	94	5.9	17	1	2	5	8	11	15	20
B. Operated										
0-19 YRS	134	4.3	11	1	1	4	6	7	10	17
20-34	2875	4.7	12	1	1	4	6	9	11	16
35-49	4215	4.9	13	1	1	4	7	9	12	17
50-64	1797	5.0	15	1	1	4	7	10	12	18
65 +	424	5.3	18	1	1	5	7	10	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	8.0	61	2	4	6	8	11	28	36
20-34	322	5.8	17	1	1	5	7	11	14	22
35-49	718	6.1	16	1	1	6	8	11	14	18
50-64	608	6.5	21	1	2	6	8	11	14	24
65 +	640	7.5	21	2	3	7	9	13	16	21
B. Operated										
0-19 YRS	34	6.6	24	1	2	5	8	15	18	20
20-34	1002	6.5	24	1	2	5	8	12	16	23
35-49	2329	6.9	29	1	2	6	9	13	16	26
50-64	1836	7.5	32	1	1	6	10	14	17	28
65 +	1091	9.8	59	1	2	8	13	19	23	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1750	5.1	11	1	1	5	7	9	11	16
B. Operated	9445	4.9	13	1	1	4	7	9	12	17
2. MULTIPLE DX										
A. Not Operated	2304	6.6	20	1	2	6	8	12	14	23
B. Operated	6292	7.5	36	1	2	6	9	14	18	29
1. SINGLE DX	11195	4.9	13	1	1	4	7	9	12	17
2. MULTIPLE DX	8596	7.3	31	1	2	6	9	14	17	27
A. Not Operated	4054	5.9	17	1	1	5	8	11	13	19
B. Operated	15737	5.9	24	1	1	5	8	11	15	23
TOTAL										
0-19 YRS	216	5.2	19	1	1	4	7	9	15	21
20-34	4685	5.2	15	1	1	4	7	10	12	19
35-49	8045	5.6	18	1	1	5	7	11	13	20
50-64	4596	6.2	24	1	1	5	8	12	15	23
65 +	2249	8.1	42	1	1	7	10	16	19	31
GRAND TOTAL	**19791**	**5.9**	**22**	**1**	**1**	**5**	**8**	**11**	**14**	**22**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.8	7	1	1	5	6	7	7	7
20-34	42	3.6	6	< 1	1	3	5	7	9	10
35-49	92	5.3	32	1	1	4	7	10	13	33
50-64	43	5.2	16	1	1	5	6	10	16	17
65 +	7	4.0	6	1	1	5	7	72	99 +	99 +
B. Operated										
0-19 YRS	7	3.7	6	1	1	4	5	7	8	8
20-34	277	4.0	10	1	1	3	5	7	10	16
35-49	752	3.9	8	1	1	3	5	8	9	12
50-64	332	4.0	10	1	1	4	5	7	9	15
65 +	53	4.2	17	1	1	3	6	12	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	26	4.8	22	< 1	1	3	8	11	13	19
35-49	101	6.1	21	1	1	5	7	15	16	18
50-64	111	6.0	41	1	1	5	8	11	13	34
65 +	89	6.2	13	2	2	5	8	11	15	18
B. Operated										
0-19 YRS	6	7.3	15	3	3	6	9	13	14	14
20-34	145	5.0	19	1	1	4	6	9	12	23
35-49	568	5.4	18	1	1	5	7	10	13	22
50-64	424	5.8	23	1	1	5	8	11	14	24
65 +	147	8.4	50	1	2	7	11	16	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	4.8	21	1	1	4	7	9	11	33
B. Operated	1421	4.0	9	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. Not Operated	328	6.0	25	1	1	5	8	12	15	19
B. Operated	1290	5.8	24	1	1	5	7	11	15	25
1. SINGLE DX	1609	4.1	11	1	1	3	5	8	10	15
2. MULTIPLE DX	1618	5.9	25	1	1	5	8	11	15	23
A. Not Operated	516	5.5	24	1	1	5	7	11	15	20
B. Operated	2711	4.9	17	1	1	4	6	10	12	20
TOTAL										
0-19 YRS	18	5.0	11	1	1	5	7	9	12	14
20-34	490	4.3	13	1	1	4	5	8	10	21
35-49	1513	4.7	15	1	1	4	6	9	12	17
50-64	910	5.2	21	1	1	4	7	10	13	20
65 +	296	6.9	35	1	1	6	9	14	17	29
GRAND TOTAL	**3227**	**5.0**	**18**	**1**	**1**	**4**	**6**	**10**	**12**	**20**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	50	4.9	10	1	2	4	6	9	11	17
35-49	43	5.4	8	1	2	5	6	9	12	13
50-64	26	5.3	11	< 1	1	5	8	10	11	12
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	50	2.6	5	1	1	2	3	6	8	9
35-49	98	3.3	9	1	1	2	5	8	9	13
50-64	39	3.0	8	1	1	2	4	7	9	12
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	52	6.0	21	1	2	5	7	13	16	22
35-49	79	6.0	13	1	2	5	8	11	13	15
50-64	59	6.4	14	1	2	5	9	12	14	17
65 +	43	6.2	11	2	3	6	7	12	14	15
B. Operated										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	59	6.3	37	1	1	6	8	9	13	41
35-49	98	5.5	17	1	1	6	8	10	12	20
50-64	50	6.8	25	1	1	7	11	13	13	22
65 +	10	9.8	61	1	1	10	16	20	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	5.1	9	1	2	4	7	9	11	14
B. Operated	191	3.0	7	1	1	2	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	235	6.1	15	1	2	5	8	12	14	17
B. Operated	219	6.3	27	1	1	6	9	12	14	22
1. SINGLE DX	315	3.8	9	1	1	3	6	8	10	13
2. MULTIPLE DX	454	6.2	20	1	1	6	8	12	14	22
A. Not Operated	359	5.8	13	1	2	5	7	11	13	17
B. Operated	410	4.8	20	1	1	3	7	10	12	19
TOTAL										
0-19 YRS	8	7.5	22	3	3	6	10	15	16	16
20-34	211	5.0	21	1	1	4	7	9	12	20
35-49	318	4.9	13	1	1	4	7	10	12	15
50-64	174	5.6	17	1	1	5	8	12	13	17
65 +	58	6.5	22	1	2	5	8	14	16	22
GRAND TOTAL	**769**	**5.2**	**17**	**1**	**1**	**4**	**7**	**11**	**13**	**17**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	27	4.7	6	1	1	5	6	9	10	11
35-49	43	5.0	7	1	2	5	6	9	10	12
50-64	25	3.7	7	1	1	3	5	8	9	10
65 +	11	4.6	10	< 1	< 1	6	6	9	10	10
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	40	1.9	4	1	1	1	2	4	5	11
35-49	60	2.8	10	1	1	1	3	8	10	15
50-64	37	4.0	30	1	1	1	4	10	16	27
65 +	15	2.7	15	1	1	1	2	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.0	9	4	4	7	9	10	10	10
20-34	39	6.5	18	2	2	5	8	12	15	22
35-49	81	6.8	21	1	2	6	8	11	13	29
50-64	85	6.1	11	1	2	5	8	11	12	15
65 +	111	6.8	11	2	3	7	9	12	13	15
B. Operated										
0-19 YRS	0									
20-34	27	6.8	50	1	1	5	9	15	21	32
35-49	45	6.5	36	1	1	5	9	13	18	29
50-64	45	6.0	29	1	1	4	9	13	19	22
65 +	41	7.8	41	1	1	7	12	17	20	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	4.7	8	1	1	4	5	9	10	13
B. Operated	153	2.8	14	1	1	1	3	8	11	17
2. MULTIPLE DX										
A. Not Operated	319	6.6	15	2	2	6	9	12	13	15
B. Operated	158	6.7	37	1	1	5	10	15	19	29
1. SINGLE DX	261	3.6	12	1	1	2	5	8	10	15
2. MULTIPLE DX	477	6.6	22	1	1	6	9	12	14	23
A. Not Operated	427	6.1	14	1	2	6	8	11	13	15
B. Operated	311	4.8	30	1	1	3	7	12	17	26
TOTAL										
0-19 YRS	6	6.7	22	1	1	6	10	14	14	14
20-34	133	4.8	21	1	1	3	6	10	14	24
35-49	229	5.3	21	1	1	5	8	11	13	21
50-64	192	5.3	19	1	1	4	8	10	13	22
65 +	178	6.5	20	1	1	6	9	13	14	22
GRAND TOTAL	**738**	**5.5**	**21**	**1**	**1**	**5**	**8**	**11**	**13**	**22**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	3.2	11	1	1	2	3	7	11	18
20-34	491	4.0	11	1	1	3	5	8	10	17
35-49	705	4.4	15	1	1	3	6	9	11	19
50-64	364	3.9	15	< 1	1	3	5	8	11	18
65 +	120	4.4	13	1	1	3	6	9	11	17
B. Operated										
0-19 YRS	46	3.1	13	1	1	2	4	9	11	17
20-34	534	2.8	8	1	1	1	4	7	8	14
35-49	969	3.0	9	1	1	2	4	7	9	14
50-64	776	3.8	14	1	1	2	6	8	10	17
65 +	482	5.7	21	1	1	5	9	12	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	4.8	36	1	1	3	5	8	16	37
20-34	615	5.9	32	1	1	5	7	11	14	23
35-49	1091	5.9	20	1	1	5	8	11	14	24
50-64	932	5.9	21	1	2	5	7	11	14	22
65 +	975	6.4	18	1	2	5	8	11	14	20
B. Operated										
0-19 YRS	43	5.1	24	1	1	3	7	10	17	22
20-34	522	4.8	21	1	1	3	7	10	13	22
35-49	1127	5.3	29	1	1	4	7	12	15	26
50-64	1257	6.6	33	1	1	6	9	13	17	25
65 +	1473	9.5	55	1	1	8	13	18	23	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1743	4.1	14	1	1	3	6	8	11	19
B. Operated	2807	3.7	13	1	1	2	5	9	11	17
2. MULTIPLE DX										
A. Not Operated	3698	6.0	22	1	2	5	8	11	14	22
B. Operated	4422	7.0	41	1	1	6	9	15	19	30
1. SINGLE DX	4550	3.8	14	1	1	3	5	8	11	18
2. MULTIPLE DX	8120	6.5	33	1	1	5	9	13	17	27
A. Not Operated	5441	5.4	20	1	1	4	7	10	13	21
B. Operated	7229	5.7	33	1	1	4	8	13	16	26
TOTAL										
0-19 YRS	237	4.1	23	1	1	2	5	9	13	23
20-34	2162	4.4	20	1	1	3	6	9	12	19
35-49	3892	4.7	20	1	1	4	6	10	13	22
50-64	3329	5.4	25	1	1	4	7	11	14	23
65 +	3050	7.7	39	1	1	7	10	15	19	31
GRAND TOTAL	**12670**	**5.6**	**28**	**1**	**1**	**4**	**8**	**12**	**15**	**24**

333 Hospitals, North Central Region, January-December 1987

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	187	3.1	3	1	1	3	4	6	6	10
20-34	54	3.4	3	1	2	3	4	5	8	9
35-49	42	3.7	6	1	1	3	5	7	8	11
50-64	36	3.3	4	< 1	1	3	4	6	7	8
65 +	19	4.5	11	1	2	3	5	9	12	15
B. Operated										
0-19 YRS	103	2.7	12	< 1	< 1	1	3	5	9	22
20-34	340	2.2	3	< 1	1	2	3	4	5	9
35-49	533	2.0	2	< 1	1	2	2	3	5	8
50-64	362	2.4	3	< 1	1	2	3	4	6	8
65 +	95	2.6	4	1	1	2	4	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	3.5	6	1	1	3	4	7	10	11
20-34	60	4.4	10	< 1	1	4	6	7	8	21
35-49	125	4.5	14	1	2	4	5	8	10	21
50-64	150	5.1	26	1	1	4	6	9	12	22
65 +	185	5.7	16	1	2	5	7	12	14	20
B. Operated										
0-19 YRS	58	4.3	14	< 1	1	3	6	9	10	21
20-34	257	3.5	22	1	1	2	4	7	9	16
35-49	509	3.0	9	1	1	2	4	6	8	17
50-64	548	3.4	19	1	1	2	4	6	10	20
65 +	293	5.1	24	1	1	3	6	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	338	3.3	4	1	1	3	4	6	7	11
B. Operated	1433	2.2	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	617	4.8	16	1	2	4	6	9	12	20
B. Operated	1665	3.6	18	1	1	2	4	7	10	19
1. SINGLE DX	1771	2.5	4	< 1	1	2	3	5	6	9
2. MULTIPLE DX	2282	3.9	18	1	1	3	5	8	11	20
A. Not Operated	955	4.3	12	1	1	3	5	8	10	19
B. Operated	3098	3.0	12	1	1	2	3	6	8	16
TOTAL										
0-19 YRS	445	3.2	7	1	1	2	4	6	9	12
20-34	711	3.0	11	< 1	1	2	4	5	7	15
35-49	1209	2.8	7	1	1	2	3	5	7	14
50-64	1096	3.3	15	1	1	2	4	6	8	17
65 +	592	4.9	19	1	1	4	6	10	13	21
GRAND TOTAL	**4053**	**3.3**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	136	2.0	1	1	1	2	3	3	4	5
20-34	226	2.0	1	1	1	2	3	4	4	5
35-49	332	1.9	1	1	1	2	2	3	4	5
50-64	287	2.2	1	1	1	2	3	4	4	6
65 +	108	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	2.0	2	< 1	< 1	2	3	4	4	4
50-64	7	1.6	2	< 1	< 1	1	1	4	5	5
65 +	9	2.3	2	< 1	< 1	2	3	5	5	5
B. Operated										
0-19 YRS	168	2.3	2	1	1	2	3	4	5	6
20-34	400	2.5	23	1	1	2	3	4	5	8
35-49	690	2.2	2	1	1	2	3	4	4	7
50-64	1105	2.5	4	1	1	2	3	4	5	8
65 +	861	2.7	3	1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	1	1	1	3	3	3	3	3
B. Operated	1089	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	24	1.9	2	< 1	< 1	1	3	4	5	5
B. Operated	3224	2.5	6	1	1	2	3	4	5	8
1. SINGLE DX	1092	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX	3248	2.5	6	1	1	2	3	4	5	8
A. Not Operated	27	1.9	2	< 1	< 1	1	3	4	5	5
B. Operated	4313	2.4	4	1	1	2	3	4	5	7
TOTAL										
0-19 YRS	306	2.1	1	1	1	2	3	4	4	6
20-34	629	2.3	15	1	1	2	3	4	4	7
35-49	1028	2.1	2	1	1	2	3	3	4	6
50-64	1399	2.4	3	1	1	2	3	4	5	8
65 +	978	2.6	3	1	1	2	3	5	6	9
GRAND TOTAL	**4340**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	34	1.2	1	< 1	< 1	1	1	2	2	5
20-34	34	1.4	1	< 1	< 1	1	1	2	4	4
35-49	62	1.9	1	< 1	< 1	2	3	4	4	5
50-64	52	2.2	3	< 1	< 1	1	3	5	6	7
65 +	25	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	6	2.5	4	< 1	< 1	2	4	6	6	6
50-64	4	3.0	1	2	2	3	4	4	4	4
65 +	9	4.2	11	1	1	3	5	10	12	12
B. Operated										
0-19 YRS	6	2.3	4	1	1	2	3	6	6	6
20-34	28	2.7	7	< 1	1	2	3	6	10	12
35-49	38	2.6	3	< 1	< 1	2	3	5	7	8
50-64	80	3.0	7	1	1	2	3	6	9	14
65 +	65	4.3	12	1	1	3	5	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.0	7	1	1	5	6	6	6	6
B. Operated	207	1.8	2	< 1	< 1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	23	3.0	6	< 1	< 1	2	4	6	8	12
B. Operated	217	3.3	8	1	1	2	4	7	9	15
1. SINGLE DX	210	1.9	2	< 1	< 1	1	2	4	5	6
2. MULTIPLE DX	240	3.2	8	< 1	1	2	4	7	9	15
A. Not Operated	26	3.1	6	< 1	< 1	2	4	6	7	12
B. Operated	424	2.6	5	< 1	< 1	2	3	5	7	12
TOTAL										
0-19 YRS	42	1.4	1	< 1	< 1	1	1	2	4	6
20-34	65	1.9	4	< 1	< 1	1	2	3	5	12
35-49	106	2.2	2	< 1	< 1	2	3	4	5	8
50-64	137	2.7	5	< 1	1	2	3	6	8	12
65 +	100	3.8	9	1	1	3	5	8	10	16
GRAND TOTAL	**450**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	9.7	55	2	3	7	14	18	22	41
20-34	28	7.4	75	< 1	1	4	7	19	24	41
35-49	20	9.3	103	1	2	6	12	24	34	40
50-64	12	6.3	45	1	1	3	11	17	20	21
65 +	14	8.9	57	1	2	7	11	21	26	28
B. Operated										
0-19 YRS	97	11.4	84	2	3	9	15	23	30	48
20-34	69	9.4	92	1	2	6	12	24	28	43
35-49	63	11.5	114	2	2	8	15	23	42	44
50-64	53	10.7	101	3	3	8	11	21	35	53
65 +	37	8.9	92	1	2	6	10	16	33	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	11.8	79	2	2	10	15	26	29	41
20-34	69	11.0	96	2	2	7	14	27	34	45
35-49	68	12.6	119	3	4	10	14	33	40	46
50-64	118	12.0	87	2	4	9	16	25	34	43
65 +	193	14.4	140	3	4	10	18	29	42	61
B. Operated										
0-19 YRS	155	17.8	161	2	4	15	24	36	43	58
20-34	211	17.9	283	3	4	12	24	43	58	79
35-49	222	15.8	198	2	4	12	20	38	48	75
50-64	391	17.6	229	2	4	13	23	40	51	84
65 +	419	17.7	193	3	5	14	22	38	47	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	8.8	65	1	2	6	13	20	23	41
B. Operated	319	10.6	95	2	3	8	13	23	34	45
2. MULTIPLE DX										
A. Not Operated	546	12.7	110	2	4	10	16	27	37	47
B. Operated	1398	17.4	214	3	4	13	22	39	50	77
1. SINGLE DX	458	10.0	87	1	2	7	13	22	29	44
2. MULTIPLE DX	1944	16.1	189	2	4	12	21	35	45	71
A. Not Operated	685	11.9	103	2	3	9	15	27	34	46
B. Operated	1717	16.1	199	2	4	12	21	36	47	72
TOTAL										
0-19 YRS	415	13.6	117	2	3	11	18	28	37	52
20-34	377	14.3	215	2	3	9	18	35	48	76
35-49	373	14.2	168	2	3	11	16	34	44	68
50-64	574	15.6	193	2	4	11	20	35	45	75
65 +	663	16.0	175	3	4	12	20	33	44	69
GRAND TOTAL	**2402**	**14.9**	**175**	**2**	**3**	**11**	**19**	**33**	**43**	**69**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	5.4	17	1	1	4	7	12	14	18
20-34	63	2.6	5	< 1	1	2	3	4	7	14
35-49	82	2.7	5	< 1	1	2	3	4	6	15
50-64	59	3.1	4	1	1	3	4	5	7	13
65 +	78	6.5	75	1	2	5	8	10	14	60
B. Operated										
0-19 YRS	683	3.8	13	1	1	3	5	8	11	16
20-34	476	3.2	7	1	1	2	4	7	8	12
35-49	325	4.0	10	1	1	3	5	8	10	15
50-64	216	4.6	13	1	1	3	7	10	11	14
65 +	140	7.0	23	1	2	6	10	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	4.6	18	< 1	< 1	3	6	10	12	22
20-34	130	3.4	7	< 1	1	3	4	7	8	14
35-49	363	3.9	14	1	1	3	5	8	10	23
50-64	502	5.5	24	1	2	4	7	11	15	24
65 +	2109	7.8	32	2	3	7	10	14	18	28
B. Operated										
0-19 YRS	317	5.6	45	1	1	3	7	13	17	35
20-34	481	5.2	41	1	1	3	6	11	14	33
35-49	480	6.8	55	1	1	5	9	13	17	47
50-64	570	9.8	74	1	2	8	12	19	28	45
65 +	1047	12.7	79	3	4	11	16	22	29	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	389	4.2	25	1	1	3	5	9	12	17
B. Operated	1840	4.1	13	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. Not Operated	3192	6.7	30	1	2	6	9	13	16	27
B. Operated	2895	9.1	73	1	2	7	12	18	25	44
1. SINGLE DX	2229	4.1	15	1	1	3	5	9	11	16
2. MULTIPLE DX	6087	7.9	52	1	2	6	10	16	20	37
A. Not Operated	3581	6.4	30	1	2	5	8	13	16	26
B. Operated	4735	7.1	56	1	1	5	10	15	20	39
TOTAL										
0-19 YRS	1195	4.5	23	1	1	3	6	10	13	20
20-34	1150	4.0	22	1	1	3	5	8	11	22
35-49	1250	5.0	30	1	1	3	6	10	14	25
50-64	1347	7.1	48	1	1	5	9	14	19	36
65 +	3374	9.2	52	2	3	8	12	17	22	38
GRAND TOTAL	**8316**	**6.8**	**45**	**1**	**1**	**5**	**9**	**14**	**18**	**33**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	1	1	1	2	3	3	3	3
20-34	0									
35-49	3	4.7	2	3	3	5	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	279	3.5	16	1	1	3	4	5	6	24
20-34	42	3.2	4	1	1	3	4	6	7	11
35-49	27	3.3	4	< 1	1	3	5	7	7	7
50-64	20	3.8	8	1	1	3	5	7	10	12
65 +	13	5.8	27	1	1	4	10	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.7	59	< 1	< 1	1	2	13	25	30
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	9	11.0	225	< 1	< 1	4	13	36	48	48
65 +	12	9.7	140	< 1	1	6	11	26	41	43
B. Operated										
0-19 YRS	363	3.4	8	1	1	3	4	5	7	14
20-34	100	3.7	8	1	1	3	4	8	9	15
35-49	109	3.8	10	1	1	3	5	8	9	16
50-64	93	4.5	12	1	1	4	6	9	10	18
65 +	62	5.7	28	1	1	4	7	13	15	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.8	3	1	1	3	4	6	6	6
B. Operated	381	3.5	14	1	1	3	4	6	7	21
2. MULTIPLE DX										
A. Not Operated	42	7.0	118	< 1	< 1	2	9	19	35	48
B. Operated	727	3.8	11	1	1	3	5	7	9	16
1. SINGLE DX	390	3.5	14	1	1	3	4	6	7	21
2. MULTIPLE DX	769	4.0	17	1	1	3	5	8	10	20
A. Not Operated	51	6.3	100	< 1	< 1	2	6	18	29	48
B. Operated	1108	3.7	12	1	1	3	4	6	9	16
TOTAL										
0-19 YRS	667	3.4	13	1	1	3	4	5	7	23
20-34	143	3.5	7	1	1	3	4	7	9	14
35-49	140	3.7	8	1	1	3	5	7	9	12
50-64	122	4.9	28	1	1	4	6	9	13	28
65 +	87	6.3	44	1	1	4	8	13	16	39
GRAND TOTAL	**1159**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

333 Hospitals, North Central Region, January-December 1987

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	12	2.8	3	< 1	< 1	2	4	5	6	6
35-49	20	3.8	7	< 1	< 1	3	6	8	9	10
50-64	9	4.8	23	1	1	5	6	12	16	16
65 +	6	2.8	10	< 1	< 1	1	3	8	9	9
B. Operated										
0-19 YRS	0									
20-34	10	3.7	10	< 1	< 1	3	4	9	10	10
35-49	17	2.7	7	1	1	1	4	8	9	9
50-64	4	6.3	50	1	1	4	11	16	16	16
65 +	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	4.6	7	2	2	4	5	9	10	10
35-49	20	8.0	30	2	3	6	12	15	18	21
50-64	28	6.6	17	1	2	6	8	13	16	17
65 +	39	5.8	10	1	2	5	8	10	11	14
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	3.8	12	2	2	3	4	10	12	12
35-49	14	6.4	47	1	1	5	7	18	23	25
50-64	8	4.5	23	< 1	< 1	2	7	12	13	13
65 +	12	2.6	5	1	1	1	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.6	9	< 1	< 1	3	5	7	9	16
B. Operated	33	3.5	13	1	1	2	5	9	10	16
2. MULTIPLE DX										
A. Not Operated	95	6.4	17	1	2	5	9	12	14	19
B. Operated	43	4.4	24	1	1	3	6	11	14	25
1. SINGLE DX	82	3.5	10	< 1	1	2	5	8	9	16
2. MULTIPLE DX	138	5.8	20	1	1	5	8	12	14	21
A. Not Operated	144	5.4	16	1	1	4	8	11	13	17
B. Operated	76	4.0	19	1	1	2	6	9	13	23
TOTAL										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	37	3.6	7	< 1	1	3	4	8	10	12
35-49	71	5.2	25	1	1	4	7	12	16	24
50-64	49	5.9	21	1	1	5	8	13	16	17
65 +	59	4.8	11	< 1	1	4	8	9	10	14
GRAND TOTAL	**220**	**4.9**	**17**	**1**	**1**	**4**	**7**	**10**	**13**	**18**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	2.4	3	< 1	1	2	3	5	6	7
20-34	117	3.7	7	1	1	3	5	8	9	13
35-49	133	3.8	14	1	1	3	5	7	9	24
50-64	66	3.1	5	1	1	3	4	6	8	9
65 +	42	4.2	11	1	1	3	5	8	10	16
B. Operated										
0-19 YRS	444	5.7	21	1	1	6	8	11	13	19
20-34	265	3.6	16	1	1	2	4	9	11	15
35-49	296	3.0	9	1	1	2	3	7	9	14
50-64	290	3.0	8	1	1	2	4	7	9	14
65 +	149	3.0	6	1	1	2	4	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	160	3.7	22	< 1	1	2	4	8	11	29
20-34	221	4.0	13	1	1	3	5	8	11	18
35-49	421	4.4	15	1	1	3	5	8	10	23
50-64	355	4.5	13	1	1	4	6	9	11	16
65 +	428	6.0	24	1	2	5	8	11	14	25
B. Operated										
0-19 YRS	747	6.3	64	1	1	3	9	15	22	33
20-34	533	5.0	34	1	1	3	7	11	16	28
35-49	594	5.1	38	1	1	3	7	12	20	29
50-64	601	5.7	62	1	1	3	7	12	20	39
65 +	495	6.7	48	1	1	4	9	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	451	3.4	8	1	1	3	5	7	8	15
B. Operated	1444	4.0	15	1	1	2	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	1585	4.7	18	1	1	4	6	9	12	24
B. Operated	2970	5.8	51	1	1	3	8	13	19	33
1. SINGLE DX	1895	3.8	13	1	1	2	6	8	10	16
2. MULTIPLE DX	4555	5.4	40	1	1	3	7	12	17	31
A. Not Operated	2036	4.5	16	1	1	3	6	9	11	22
B. Operated	4414	5.2	40	1	1	3	7	11	17	31
TOTAL										
0-19 YRS	1444	5.6	43	1	1	3	8	12	17	32
20-34	1136	4.3	23	1	1	3	6	9	13	25
35-49	1444	4.4	24	1	1	3	5	9	14	27
50-64	1312	4.6	35	1	1	3	5	9	14	30
65 +	1114	5.9	33	1	1	4	8	12	16	29
GRAND TOTAL	**6450**	**4.9**	**32**	**1**	**1**	**3**	**6**	**10**	**15**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	4	4.3	4	2	2	4	6	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.7	17	1	1	1	1	10	11	11
35-49	6	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	11	5.4	21	2	3	4	5	11	18	19
35-49	22	4.3	7	1	2	4	5	8	10	12
50-64	12	4.9	15	1	2	4	6	10	14	15
65 +	6	4.3	6	1	1	4	6	8	8	8
B. Operated										
0-19 YRS	0									
20-34	4	5.3	4	3	3	5	7	8	8	8
35-49	5	5.4	10	2	2	7	8	8	8	8
50-64	5	3.4	5	1	1	4	5	6	6	6
65 +	2	2.0	2	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.3	3	2	2	4	5	7	7	7
B. Operated	15	1.7	7	1	1	1	1	1	9	11
2. MULTIPLE DX										
A. Not Operated	53	4.7	11	1	2	4	6	8	12	19
B. Operated	16	4.3	7	1	1	4	6	8	8	8
1. SINGLE DX	23	2.6	7	1	1	1	4	6	8	11
2. MULTIPLE DX	69	4.6	10	1	2	4	6	8	9	18
A. Not Operated	61	4.6	10	1	2	4	6	8	10	19
B. Operated	31	3.0	8	1	1	1	5	8	8	11
TOTAL										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	23	4.5	16	1	1	4	5	9	14	19
35-49	37	3.9	7	1	1	3	5	8	9	12
50-64	20	4.1	11	1	1	3	5	7	11	15
65 +	9	4.0	6	1	1	4	6	7	8	8
GRAND TOTAL	**92**	**4.1**	**10**	**1**	**1**	**4**	**5**	**8**	**9**	**17**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	4.5	60	< 1	1	2	4	9	24	35
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	92	4.6	12	1	1	4	6	9	10	19
20-34	8	4.5	6	1	1	5	6	7	7	7
35-49	13	6.5	25	1	1	5	9	14	17	18
50-64	3	6.3	14	2	2	8	9	9	9	9
65 +	2	5.0	32	< 1	< 1	4	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	4.5	23	1	1	3	5	9	14	26
20-34	7	6.1	46	2	2	4	6	18	21	21
35-49	3	8.7	16	5	5	8	12	13	13	13
50-64	7	5.4	30	1	1	3	6	15	17	17
65 +	5	2.4	2	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	201	12.1	261	1	2	6	12	33	56	95
20-34	20	8.7	20	2	3	8	11	15	17	18
35-49	19	13.4	219	2	3	8	11	40	50	56
50-64	16	16.0	173	2	3	11	23	35	43	47
65 +	8	9.6	61	3	3	7	13	23	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.9	49	< 1	1	2	3	6	18	35
B. Operated	118	4.8	13	1	1	4	7	9	11	20
2. MULTIPLE DX										
A. Not Operated	101	4.7	24	1	1	3	6	9	16	25
B. Operated	264	12.1	228	2	2	7	13	33	53	88
1. SINGLE DX	142	4.7	19	1	1	4	6	9	11	24
2. MULTIPLE DX	365	10.0	182	1	2	6	10	25	45	78
A. Not Operated	125	4.6	28	1	1	3	5	9	16	28
B. Operated	382	9.8	173	1	2	6	10	23	45	77
TOTAL										
0-19 YRS	391	8.4	158	1	1	4	8	20	35	76
20-34	38	6.7	25	1	1	6	9	14	17	21
35-49	35	10.4	137	1	1	8	11	18	41	56
50-64	26	12.0	138	1	2	9	17	33	37	47
65 +	17	6.1	42	< 1	1	4	9	15	22	26
GRAND TOTAL	**507**	**8.5**	**142**	**1**	**1**	**5**	**9**	**19**	**34**	**70**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.2	9	< 1	< 1	1	2	5	10	14
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	240	1.9	5	< 1	1	1	2	4	4	11
20-34	47	1.7	1	< 1	1	1	2	3	4	5
35-49	30	2.4	7	< 1	1	1	3	4	9	14
50-64	16	1.8	1	1	1	2	3	3	4	4
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.4	5	< 1	< 1	1	3	6	8	9
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	138	2.3	21	1	1	1	2	4	6	13
20-34	30	2.6	5	1	1	2	3	6	7	10
35-49	15	2.1	3	1	1	2	2	4	6	7
50-64	14	2.0	6	1	1	1	2	4	9	10
65 +	10	5.2	32	1	1	3	10	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.2	9	< 1	< 1	1	2	5	10	14
B. Operated	336	1.9	4	< 1	1	1	2	3	4	11
2. MULTIPLE DX										
A. Not Operated	31	2.5	4	< 1	< 1	2	3	5	8	9
B. Operated	207	2.5	17	1	1	1	3	5	6	14
1. SINGLE DX	356	1.9	5	< 1	1	1	2	3	4	14
2. MULTIPLE DX	238	2.5	15	1	1	1	3	5	7	14
A. Not Operated	51	2.4	6	< 1	< 1	1	3	5	8	14
B. Operated	543	2.1	9	1	1	1	2	4	5	14
TOTAL										
0-19 YRS	423	2.1	10	< 1	1	1	2	4	5	12
20-34	80	2.1	3	1	1	2	3	4	5	9
35-49	45	2.3	6	< 1	1	1	3	4	7	14
50-64	31	1.9	3	1	1	1	2	3	4	10
65 +	15	4.1	24	1	1	1	4	14	15	15
GRAND TOTAL	**594**	**2.1**	**9**	**<1**	**1**	**1**	**2**	**4**	**6**	**14**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.2	2	< 1	1	2	3	5	5	7
20-34	7	2.6	2	1	1	3	3	5	5	5
35-49	4	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	994	4.5	12	1	1	4	6	9	10	16
20-34	61	4.1	11	< 1	1	3	7	10	11	11
35-49	36	4.6	13	1	1	3	7	10	11	12
50-64	31	3.5	12	1	1	2	4	9	12	13
65 +	9	3.9	18	1	1	2	5	11	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	434	3.8	45	< 1	1	2	4	7	11	35
20-34	33	2.9	5	1	1	2	4	5	7	11
35-49	22	4.4	20	1	1	4	5	9	17	19
50-64	13	5.8	9	2	2	6	8	10	10	10
65 +	18	3.9	4	1	1	4	5	7	8	8
B. Operated										
0-19 YRS	2544	7.9	104	1	1	6	10	17	26	74
20-34	124	7.3	50	1	1	6	9	13	18	40
35-49	83	8.0	76	1	1	7	9	16	29	43
50-64	84	7.5	61	1	1	7	10	14	19	42
65 +	68	9.0	62	1	1	8	12	20	30	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.2	2	1	1	2	3	4	5	7
B. Operated	1131	4.4	12	1	1	4	6	9	10	15
2. MULTIPLE DX										
A. Not Operated	520	3.8	39	< 1	1	2	4	7	10	32
B. Operated	2903	7.9	98	1	1	6	10	17	26	70
1. SINGLE DX	1200	4.3	11	1	1	3	6	9	10	15
2. MULTIPLE DX	3423	7.3	92	1	1	5	9	15	24	63
A. Not Operated	589	3.6	35	< 1	1	2	4	7	10	29
B. Operated	4034	6.9	77	1	1	5	8	14	21	56
TOTAL										
0-19 YRS	4028	6.5	77	1	1	4	8	13	21	56
20-34	225	5.6	34	1	1	4	8	11	14	37
35-49	145	6.4	53	1	1	4	8	12	20	43
50-64	130	6.3	46	1	1	4	9	13	16	39
65 +	95	7.6	52	1	1	6	10	16	25	71
GRAND TOTAL	**4623**	**6.5**	**73**	**1**	**1**	**4**	**8**	**13**	**20**	**53**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	560	2.9	3	1	1	2	4	5	6	8
20-34	11	2.0	1	1	1	2	3	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	2.0	13	< 1	< 1	1	1	3	8	21
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	714	3.0	7	1	1	2	4	5	7	12
20-34	16	2.3	1	1	1	2	3	4	4	4
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	1	1	1	3	3	3	3
B. Operated	573	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	40	2.0	12	< 1	< 1	1	1	3	8	21
B. Operated	736	3.0	6	1	1	2	4	5	7	12
1. SINGLE DX	576	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	776	2.9	7	1	1	2	3	5	7	13
A. Not Operated	43	2.0	12	< 1	< 1	1	1	3	7	21
B. Operated	1309	2.9	5	1	1	2	4	5	7	11
TOTAL										
0-19 YRS	1316	2.9	5	1	1	2	4	5	7	11
20-34	27	2.2	1	1	1	2	3	4	4	4
35-49	7	2.6	1	1	1	3	3	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**1352**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.1	2	< 1	1	2	3	3	5	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	513	3.2	2	2	2	3	4	5	6	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.3	14	1	1	4	4	9	14	15
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	204	4.3	6	2	2	4	5	7	8	12
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.1	2	< 1	1	2	3	3	5	6
B. Operated	513	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	11	4.3	14	1	1	4	4	9	14	15
B. Operated	204	4.3	6	2	2	4	5	7	8	12
1. SINGLE DX	528	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	215	4.3	7	2	2	4	5	7	8	14
A. Not Operated	26	3.0	8	< 1	1	3	4	5	8	15
B. Operated	717	3.6	3	2	2	3	4	6	7	9
TOTAL										
0-19 YRS	743	3.5	3	2	2	3	4	6	7	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**743**	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**7**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	3.2	23	< 1	1	2	3	5	7	28
20-34	0									
35-49	5	4.2	13	1	1	2	7	9	9	9
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	339	6.7	53	1	1	5	8	14	16	44
20-34	20	5.0	26	1	1	4	6	10	17	23
35-49	14	3.0	4	1	1	2	5	6	7	7
50-64	5	2.4	3	1	1	2	3	5	5	5
65 +	3	5.0	7	3	3	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	168	5.0	35	1	1	3	6	11	17	35
20-34	4	5.0	8	1	1	6	7	7	7	7
35-49	6	7.7	30	1	1	8	11	15	15	15
50-64	5	3.2	2	1	1	3	4	5	5	5
65 +	5	6.0	10	2	2	6	8	10	10	10
B. Operated										
0-19 YRS	603	10.7	192	1	1	7	12	25	47	99 +
20-34	56	6.7	63	1	1	5	7	10	22	50
35-49	38	6.8	24	1	1	6	10	13	16	22
50-64	33	7.8	27	1	2	7	12	17	19	99 +
65 +	42	12.5	123	2	3	10	15	27	38	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	3.3	22	< 1	1	2	4	6	8	28
B. Operated	381	6.4	49	1	1	5	8	13	16	42
2. MULTIPLE DX										
A. Not Operated	188	5.1	32	1	1	3	6	11	15	33
B. Operated	772	10.2	165	1	1	7	12	23	37	99 +
1. SINGLE DX	448	6.0	46	1	1	4	8	12	15	38
2. MULTIPLE DX	960	9.2	143	1	1	6	11	20	31	99
A. Not Operated	255	4.6	30	1	1	3	5	9	14	28
B. Operated	1153	8.9	130	1	1	6	10	19	31	91
TOTAL										
0-19 YRS	1171	8.3	127	1	1	5	10	18	30	90
20-34	80	6.2	51	1	1	5	7	10	20	44
35-49	63	5.9	22	1	1	5	9	12	15	21
50-64	44	6.7	25	1	1	5	11	15	18	99 +
65 +	50	11.4	111	2	2	9	13	22	33	53
GRAND TOTAL	**1408**	**8.2**	**115**	**1**	**1**	**5**	**10**	**17**	**28**	**87**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	205	1.4	1	< 1	1	1	2	2	3	5
20-34	13	1.4		1	1	1	2	2	3	3
35-49	6	2.0	2	< 1	< 1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.4	1	< 1	< 1	1	2	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	253	1.6	1	1	1	1	2	3	4	7
20-34	25	1.9	2	< 1	1	1	2	4	5	5
35-49	7	1.7	1	1	1	1	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	225	1.4	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	9	1.4	1	< 1	< 1	1	2	3	3	3
B. Operated	289	1.6	1	1	1	1	2	3	4	7
1. SINGLE DX	227	1.4	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	298	1.6	1	< 1	1	1	2	3	4	7
A. Not Operated	11	1.6	1	< 1	< 1	1	2	3	3	3
B. Operated	514	1.5	1	< 1	1	1	2	3	4	6
TOTAL										
0-19 YRS	469	1.5	1	< 1	1	1	2	3	4	6
20-34	38	1.7	1	1	1	1	2	3	4	5
35-49	13	1.8	1	< 1	< 1	1	3	3	4	4
50-64	3	1.7		1	1	2	2	2	2	2
65 +	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**525**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.8	2	<1	1	1	2	4	5	5
20-34	5	2.0	2	<1	<1	2	3	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	5.0		5	5	5	5	5	5	5
65+	0									
B. Operated										
0-19 YRS	574	3.3	8	1	1	2	4	7	8	14
20-34	65	3.8	9	1	1	3	5	7	10	15
35-49	26	3.6	6	1	1	3	5	6	8	12
50-64	11	3.1	8	<1	<1	2	4	7	10	10
65+	3	4.7	5	2	2	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	3.6	27	<1	<1	2	4	7	9	28
20-34	10	2.5	2	<1	<1	2	3	5	5	5
35-49	12	3.3	4	1	1	3	5	6	7	7
50-64	4	4.0	6	1	1	4	6	7	7	7
65+	11	6.5	28	2	2	5	7	16	18	18
B. Operated										
0-19 YRS	548	6.0	63	1	1	4	8	12	17	38
20-34	116	5.1	13	1	1	4	6	8	14	20
35-49	83	5.4	9	1	2	5	7	9	12	15
50-64	49	7.3	42	1	2	6	8	13	27	99+
65+	31	7.9	74	1	1	6	9	15	31	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	1.9	2	<1	<1	1	2	4	5	5
B. Operated	679	3.4	8	1	1	3	4	7	8	14
2. MULTIPLE DX										
A. Not Operated	108	3.8	22	<1	<1	2	4	7	10	27
B. Operated	827	6.0	50	1	1	4	7	12	16	38
1. SINGLE DX	710	3.3	8	1	1	2	4	7	8	14
2. MULTIPLE DX	935	5.7	47	1	1	4	7	12	15	35
A. Not Operated	139	3.4	18	<1	<1	2	4	6	8	25
B. Operated	1506	4.8	33	1	1	3	6	10	13	27
TOTAL										
0-19 YRS	1217	4.5	36	1	1	3	5	9	13	27
20-34	196	4.5	12	1	1	4	6	8	12	18
35-49	122	4.8	9	1	1	4	6	9	11	15
50-64	65	6.4	36	1	1	5	7	11	21	90
65+	45	7.3	58	1	1	6	8	15	21	41
GRAND TOTAL	**1645**	**4.7**	**32**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.9	2	1	1	4	5	6	6	6
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	460	2.6	2	1	1	2	3	4	5	7
20-34	14	2.8	2	1	1	3	4	5	5	5
35-49	9	2.8	3	1	1	2	3	6	7	7
50-64	0									
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	1.6	3	<1	<1	1	2	3	6	8
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	284	2.7	6	1	1	2	3	5	6	14
20-34	47	3.2	5	1	1	3	4	6	7	14
35-49	37	2.6	2	1	1	2	3	4	5	8
50-64	51	3.1	4	1	1	2	4	5	8	11
65+	22	2.5	5	1	1	2	3	4	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.9	2	1	1	4	5	6	6	6
B. Operated	485	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	19	1.6	3	<1	<1	1	2	3	6	8
B. Operated	441	2.8	5	1	1	2	3	5	6	12
1. SINGLE DX	492	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	460	2.8	5	1	1	2	3	5	6	12
A. Not Operated	26	2.2	4	<1	<1	1	3	5	6	8
B. Operated	926	2.7	4	1	1	2	3	5	5	10
TOTAL										
0-19 YRS	770	2.7	4	1	1	2	3	5	5	10
20-34	61	3.1	5	1	1	3	4	6	7	13
35-49	46	2.6	2	1	1	2	3	4	5	8
50-64	51	3.1	4	1	1	2	4	5	8	11
65+	24	2.5	4	1	1	2	3	4	6	11
GRAND TOTAL	**952**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	124	2.5	9	<1	1	1	3	5	7	20
20-34	15	3.1	5	1	1	2	4	6	8	9
35-49	13	5.5	24	2	2	4	6	11	18	20
50-64	12	5.3	40	1	1	4	8	12	22	24
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1197	4.1	23	1	1	3	5	8	11	25
20-34	186	3.2	9	1	1	2	4	8	10	13
35-49	124	3.8	14	<1	1	2	6	9	10	19
50-64	65	3.4	11	1	1	2	4	9	10	16
65 +	16	3.3	4	1	1	3	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	276	4.3	33	<1	1	3	5	10	15	31
20-34	44	4.5	11	<1	1	3	6	11	12	14
35-49	22	4.7	13	1	2	4	6	9	12	17
50-64	30	5.9	21	1	2	5	7	12	14	24
65 +	39	6.4	37	1	1	4	8	15	23	24
B. Operated										
0-19 YRS	837	7.4	124	1	1	4	7	17	30	73
20-34	165	5.5	36	1	1	4	8	11	13	33
35-49	167	6.4	35	1	1	5	9	12	16	21
50-64	127	7.8	93	1	1	7	10	13	18	44
65 +	57	8.0	49	1	1	8	11	19	22	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	3.0	13	<1	1	2	4	6	9	23
B. Operated	1588	3.9	20	1	1	3	5	8	11	23
2. MULTIPLE DX										
A. Not Operated	411	4.7	29	<1	1	3	6	11	14	26
B. Operated	1353	7.1	96	1	1	4	8	14	24	64
1. SINGLE DX	1753	3.9	20	1	1	2	5	8	11	23
2. MULTIPLE DX	1764	6.5	82	1	1	4	8	13	21	62
A. Not Operated	576	4.2	25	<1	1	3	5	9	14	24
B. Operated	2941	5.4	58	1	1	3	7	11	17	48
TOTAL										
0-19 YRS	2434	5.2	61	1	1	3	6	10	17	57
20-34	410	4.3	21	1	1	3	6	10	11	19
35-49	326	5.3	26	1	1	4	8	10	14	20
50-64	234	6.2	62	1	1	5	8	12	15	25
65 +	113	6.7	40	1	1	4	9	17	22	60
GRAND TOTAL	**3517**	**5.2**	**53**	**1**	**1**	**3**	**6**	**11**	**16**	**42**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1853	2.8	7	1	1	2	3	5	7	15
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	40	4.5	14	1	1	4	5	8	13	20
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2318	9.5	166	1	2	4	11	23	39	74
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	365	27.7	745	2	3	19	61	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1853	2.8	7	1	1	2	3	5	7	15
B. Operated	40	4.5	14	1	1	4	5	8	13	20
2. MULTIPLE DX										
A. Not Operated	2318	9.5	166	1	2	4	11	23	39	74
B. Operated	365	27.7	745	2	3	19	61	99 +	99 +	99 +
1. SINGLE DX	1893	2.9	8	1	1	2	3	5	7	16
2. MULTIPLE DX	2683	12.0	283	1	2	5	14	37	62	99 +
A. Not Operated	4171	6.5	107	1	1	3	6	15	26	60
B. Operated	405	25.4	721	2	3	16	54	97	99 +	99 +
TOTAL										
0-19 YRS	4576	8.2	189	1	1	3	8	22	42	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**4576**	**8.2**	**189**	**1**	**1**	**3**	**8**	**22**	**42**	**99 +**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1487	2.6	6	1	1	2	3	5	6	10
20-34	362	2.5	4	1	1	2	3	4	5	11
35-49	226	2.9	6	1	1	2	4	6	7	11
50-64	112	3.1	3	1	1	3	4	5	6	10
65 +	83	3.3	4	1	1	3	4	6	7	10
B. Operated										
0-19 YRS	8	3.4	4	1	1	3	5	6	7	7
20-34	5	3.0	2	1	1	3	4	4	4	4
35-49	7	4.1	5	1	1	4	5	7	8	8
50-64	10	3.8	9	1	1	3	6	8	10	10
65 +	6	4.8	7	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3080	3.2	9	1	1	2	4	6	8	15
20-34	756	3.7	8	1	1	3	5	7	9	17
35-49	708	4.8	32	1	1	4	6	9	12	23
50-64	829	5.1	19	1	2	4	6	10	13	21
65 +	1385	6.1	22	2	2	5	8	12	15	24
B. Operated										
0-19 YRS	92	10.9	202	2	2	6	13	30	46	95
20-34	66	8.3	132	1	1	4	11	20	28	68
35-49	62	7.8	64	2	2	5	9	15	18	54
50-64	109	8.8	40	2	2	7	13	16	20	31
65 +	125	13.3	131	2	4	10	18	28	39	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2270	2.7	5	1	1	2	3	5	6	10
B. Operated	36	3.8	5	1	1	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	6758	4.3	17	1	1	3	5	8	11	20
B. Operated	454	10.3	118	2	2	7	13	20	31	59
1. SINGLE DX	2306	2.7	5	1	1	2	3	5	6	10
2. MULTIPLE DX	7212	4.6	25	1	1	3	5	9	13	24
A. Not Operated	9028	3.9	14	1	1	3	5	7	10	18
B. Operated	490	9.8	113	1	2	6	13	20	30	57
TOTAL										
0-19 YRS	4667	3.2	13	1	1	2	4	6	8	15
20-34	1189	3.6	15	1	1	3	4	6	9	20
35-49	1003	4.6	29	1	1	3	5	9	12	21
50-64	1060	5.3	21	1	2	4	6	10	14	22
65 +	1599	6.5	34	2	2	5	8	13	17	31
GRAND TOTAL	**9518**	**4.2**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	502	2.8	2	1	1	3	3	4	5	7
20-34	49	3.4	4	1	1	3	4	6	7	9
35-49	31	4.2	6	1	2	4	6	7	10	10
50-64	29	4.8	9	1	1	4	6	9	12	12
65 +	20	3.8	4	1	1	4	5	6	8	10
B. Operated										
0-19 YRS	4	5.0	25	1	1	3	8	12	12	12
20-34	6	7.5	7	4	4	8	9	11	11	11
35-49	5	4.8	2	4	4	4	5	7	7	7
50-64	4	8.3	12	5	5	7	10	13	13	13
65 +	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1886	3.5	6	1	2	3	4	6	8	14
20-34	202	5.3	18	1	2	4	7	11	13	22
35-49	190	4.7	11	1	1	4	6	8	11	18
50-64	356	5.5	13	2	2	4	7	10	13	19
65 +	622	6.5	19	2	2	6	8	12	15	22
B. Operated										
0-19 YRS	71	10.1	147	1	2	6	13	24	30	68
20-34	40	8.5	75	2	2	5	9	21	27	42
35-49	60	10.7	172	2	3	8	12	18	42	99
50-64	73	10.4	73	2	3	8	11	19	30	46
65 +	99	13.8	116	3	4	11	18	28	36	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	631	3.0	3	1	1	3	4	5	6	9
B. Operated	21	6.6	11	2	3	5	9	12	12	13
2. MULTIPLE DX										
A. Not Operated	3256	4.5	12	1	2	3	5	8	11	18
B. Operated	343	11.1	120	2	3	8	14	23	31	73
1. SINGLE DX	652	3.1	3	1	1	3	4	5	6	11
2. MULTIPLE DX	3599	5.1	26	1	2	4	6	10	14	27
A. Not Operated	3887	4.2	11	1	2	3	5	8	10	17
B. Operated	364	10.9	115	2	3	8	13	22	31	72
TOTAL										
0-19 YRS	2463	3.5	11	1	2	3	4	6	8	16
20-34	297	5.5	25	1	2	4	7	11	14	28
35-49	286	5.9	50	1	2	4	7	11	15	43
50-64	462	6.2	26	2	2	5	8	12	15	28
65 +	743	7.4	37	2	3	6	9	15	19	32
GRAND TOTAL	**4251**	**4.8**	**23**	**1**	**2**	**3**	**6**	**9**	**13**	**23**

333 Hospitals, North Central Region, January-December 1987

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	2.1	3	<1	1	2	3	4	5	10
20-34	143	3.3	8	1	1	3	4	6	9	12
35-49	81	2.9	5	1	1	2	4	5	6	14
50-64	36	2.8	3	1	1	2	4	5	7	8
65 +	12	2.6	2	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	8	3.1	6	1	1	2	5	7	7	7
20-34	50	2.6	5	1	1	2	3	6	7	10
35-49	46	3.0	8	1	1	2	4	7	9	15
50-64	19	2.4	2	1	1	2	3	4	6	7
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	239	2.7	3	1	1	2	4	5	7	9
20-34	364	4.1	15	1	1	3	5	7	11	19
35-49	304	4.7	13	1	1	4	6	9	12	19
50-64	158	4.3	14	1	1	3	6	8	12	17
65 +	184	4.0	8	1	1	3	5	8	10	14
B. Operated										
0-19 YRS	15	2.3	1	1	1	2	3	4	4	4
20-34	31	3.8	10	1	1	3	6	8	9	13
35-49	68	5.2	29	1	1	3	7	11	13	33
50-64	55	5.1	18	1	1	3	7	11	14	21
65 +	31	6.2	22	1	1	5	8	15	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	354	2.9	6	1	1	2	3	5	7	11
B. Operated	124	2.8	6	1	1	2	3	6	8	11
2. MULTIPLE DX										
A. Not Operated	1249	4.0	11	1	1	3	5	8	10	18
B. Operated	200	4.9	21	1	1	3	7	11	13	19
1. SINGLE DX	478	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX	1449	4.1	13	1	1	3	5	8	11	18
A. Not Operated	1603	3.7	10	1	1	3	5	7	10	17
B. Operated	324	4.1	16	1	1	2	6	9	12	17
TOTAL										
0-19 YRS	344	2.6	3	1	1	2	3	5	6	9
20-34	588	3.8	12	1	1	3	5	7	10	19
35-49	499	4.3	14	1	1	3	6	9	12	19
50-64	268	4.1	13	1	1	3	5	8	11	17
65 +	228	4.2	10	1	1	3	5	9	11	16
GRAND TOTAL	**1927**	**3.8**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.9	2	<1	<1	1	2	4	5	5
20-34	20	2.4	1	1	1	2	3	4	5	5
35-49	37	2.4	1	1	1	2	3	4	5	5
50-64	54	3.3	4	1	1	3	4	6	6	11
65 +	46	2.7	4	<1	1	2	4	5	7	9
B. Operated										
0-19 YRS	14	2.3	3	<1	<1	2	3	5	6	6
20-34	31	3.1	2	1	1	3	4	5	6	8
35-49	48	3.0	3	1	1	3	4	5	6	9
50-64	67	3.6	4	1	1	3	5	6	8	9
65 +	68	3.5	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.4	3	1	1	2	3	5	6	7
20-34	28	3.5	7	1	1	3	5	7	8	12
35-49	59	3.3	3	1	1	3	4	6	7	8
50-64	166	3.9	8	1	1	3	5	7	10	13
65 +	317	3.6	6	1	1	3	5	7	8	12
B. Operated										
0-19 YRS	16	3.1	9	1	1	2	4	6	10	12
20-34	30	4.3	17	1	1	3	5	8	16	19
35-49	71	4.2	6	1	1	4	6	7	8	12
50-64	166	4.9	12	1	2	4	6	9	10	19
65 +	315	5.5	20	1	2	4	7	10	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	2.7	3	1	1	2	4	5	6	9
B. Operated	228	3.3	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	610	3.6	6	1	1	3	5	7	8	12
B. Operated	598	5.1	16	1	1	4	6	9	12	21
1. SINGLE DX	399	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1208	4.3	12	1	1	4	5	8	10	18
A. Not Operated	781	3.4	6	1	1	3	4	6	8	12
B. Operated	826	4.6	13	1	1	4	6	8	11	19
TOTAL										
0-19 YRS	84	2.4	4	<1	1	2	3	5	6	10
20-34	109	3.4	8	1	1	3	4	6	8	17
35-49	215	3.4	4	1	1	3	5	6	7	11
50-64	453	4.1	9	1	1	4	5	7	9	13
65 +	746	4.3	13	1	1	3	5	8	11	19
GRAND TOTAL	**1607**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	3.0	5	< 1	1	2	4	6	8	10
20-34	9	1.9	1	< 1	< 1	1	3	4	4	4
35-49	21	2.0	2	< 1	< 1	1	3	4	5	5
50-64	10	2.8	6	< 1	< 1	2	3	7	8	8
65 +	13	5.8	127	1	1	3	4	13	37	43
B. Operated										
0-19 YRS	44	2.4	6	< 1	< 1	2	2	5	7	14
20-34	41	2.0	4	< 1	1	1	2	3	7	9
35-49	36	2.2	4	< 1	< 1	1	2	6	7	8
50-64	33	2.5	5	< 1	< 1	2	3	6	8	11
65 +	8	2.6	9	1	1	2	3	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	5.5	30	< 1	1	4	7	13	18	27
20-34	56	3.9	23	< 1	1	3	5	6	12	32
35-49	93	3.4	7	< 1	1	3	4	6	10	14
50-64	117	5.4	86	1	1	3	6	9	15	50
65 +	278	6.6	30	1	2	5	9	13	17	23
B. Operated										
0-19 YRS	45	7.7	135	1	1	4	8	16	37	59
20-34	40	4.4	23	1	1	3	6	9	14	24
35-49	43	9.3	145	1	1	4	12	26	32	59
50-64	74	12.1	163	1	1	8	19	27	42	91
65 +	95	11.0	123	1	1	8	16	25	40	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	3.0	23	< 1	1	2	3	5	7	32
B. Operated	162	2.3	5	< 1	< 1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	615	5.5	38	1	1	4	7	12	16	25
B. Operated	297	9.6	129	1	1	5	13	25	34	64
1. SINGLE DX	246	2.5	11	< 1	1	2	3	5	7	11
2. MULTIPLE DX	912	6.8	71	1	1	4	8	16	23	44
A. Not Operated	699	5.2	36	1	1	3	6	11	15	26
B. Operated	459	7.0	98	1	1	3	8	19	27	60
TOTAL										
0-19 YRS	191	4.9	49	< 1	1	3	5	10	16	38
20-34	146	3.4	17	< 1	1	2	4	7	9	24
35-49	193	4.3	43	< 1	1	2	4	9	14	33
50-64	234	7.0	108	1	1	3	8	17	26	69
65 +	394	7.5	59	1	1	5	10	16	21	43
GRAND TOTAL	**1158**	**5.9**	**61**	**1**	**1**	**3**	**7**	**13**	**21**	**43**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	5	8.0	16	5	5	7	9	15	15	15
B. Operated										
0-19 YRS	5	3.4	11	< 1	< 1	2	5	9	9	9
20-34	9	5.7	22	1	1	4	9	13	14	14
35-49	8	4.9	32	1	1	3	6	15	18	18
50-64	24	6.4	31	1	1	4	9	14	18	22
65 +	49	10.1	32	3	3	9	12	17	21	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	3.8	12	1	1	3	6	8	8	8
35-49	7	8.7	13	4	4	8	11	14	15	15
50-64	20	6.7	24	1	2	5	8	13	18	21
65 +	85	8.5	39	1	2	7	13	17	19	31
B. Operated										
0-19 YRS	8	10.8	132	2	2	10	12	29	37	37
20-34	40	15.1	185	1	2	10	18	38	44	51
35-49	66	17.4	348	2	2	11	25	38	51	92
50-64	248	16.2	162	3	4	13	22	33	43	64
65 +	758	16.5	137	4	5	13	21	31	43	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	6.8	21	1	1	6	7	14	15	15
B. Operated	95	8.0	34	1	2	7	12	16	18	28
2. MULTIPLE DX										
A. Not Operated	117	8.0	35	1	2	6	11	16	18	29
B. Operated	1120	16.4	157	3	5	13	22	32	43	63
1. SINGLE DX	101	7.9	33	1	2	7	12	16	18	27
2. MULTIPLE DX	1237	15.6	151	2	4	12	21	31	43	62
A. Not Operated	123	7.9	34	1	2	6	11	16	18	29
B. Operated	1215	15.8	152	2	4	12	21	32	43	62
TOTAL										
0-19 YRS	15	7.4	84	< 1	1	4	10	12	31	37
20-34	53	12.6	162	1	1	8	15	36	43	51
35-49	81	15.4	305	1	2	9	18	37	47	91
50-64	292	14.7	153	2	3	11	20	31	42	62
65 +	897	15.4	129	3	5	12	20	30	40	60
GRAND TOTAL	**1338**	**15.0**	**146**	**2**	**4**	**12**	**19**	**30**	**42**	**61**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	2.4	2	1	1	2	3	4	5	6
20-34	541	2.2	3	1	1	2	3	4	5	7
35-49	1601	2.3	2	1	1	2	3	4	5	7
50-64	1101	2.4	10	1	1	2	3	4	5	8
65 +	418	2.5	2	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	83	2.3	7	< 1	1	1	2	5	8	14
35-49	648	2.1	3	1	1	2	2	4	6	8
50-64	853	2.0	3	1	1	2	2	4	5	7
65 +	278	2.1	2	1	1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	2.7	3	< 1	1	2	4	5	6	9
20-34	1154	2.8	4	1	1	2	4	5	6	10
35-49	4319	2.9	4	1	1	2	4	5	6	10
50-64	5080	3.2	4	1	1	3	4	5	7	10
65 +	4227	3.6	6	1	1	3	4	6	8	13
B. Operated										
0-19 YRS	10	3.7	7	1	1	4	6	7	8	8
20-34	141	3.2	8	1	1	2	4	6	8	14
35-49	1145	3.3	8	1	1	2	4	7	9	13
50-64	1919	3.4	10	1	1	2	5	7	9	16
65 +	1034	4.4	20	1	1	3	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3728	2.3	5	1	1	2	3	4	5	7
B. Operated	1864	2.1	3	1	1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	14898	3.2	5	1	1	3	4	6	7	11
B. Operated	4249	3.6	12	1	1	2	5	7	9	16
1. SINGLE DX	5592	2.2	4	1	1	2	3	4	5	8
2. MULTIPLE DX	19147	3.3	6	1	1	3	4	6	8	12
A. Not Operated	18626	3.0	5	1	1	3	4	5	7	10
B. Operated	6113	3.1	10	1	1	2	4	7	9	14
TOTAL										
0-19 YRS	197	2.6	3	1	1	2	4	5	6	8
20-34	1919	2.6	5	1	1	2	3	5	6	10
35-49	7713	2.7	4	1	1	2	3	5	6	10
50-64	8953	3.0	6	1	1	2	4	6	7	11
65 +	5957	3.6	8	1	1	3	4	7	8	14
GRAND TOTAL	**24739**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**11**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	515	2.8	3	1	1	2	4	5	7	9
20-34	16	2.1	1	1	1	2	3	3	4	4
35-49	19	1.9	1	< 1	< 1	2	3	3	4	4
50-64	18	3.2	4	1	1	3	4	6	8	8
65 +	16	2.4	3	1	1	2	4	4	6	7
B. Operated										
0-19 YRS	38	3.4	12	1	1	2	5	7	10	19
20-34	19	2.8	8	< 1	1	1	4	7	10	10
35-49	21	2.4	3	< 1	< 1	2	3	6	6	7
50-64	53	2.2	2	< 1	< 1	2	3	4	5	7
65 +	32	2.8	6	< 1	< 1	2	4	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1253	4.5	21	1	1	3	5	9	12	26
20-34	95	4.1	17	< 1	1	3	5	10	13	21
35-49	127	3.9	14	1	1	3	4	6	10	22
50-64	311	5.0	19	1	1	4	6	9	14	18
65 +	513	5.4	20	1	2	4	7	11	13	20
B. Operated										
0-19 YRS	201	11.1	224	1	1	6	14	36	59	99 +
20-34	42	5.1	22	1	1	4	7	11	16	20
35-49	84	5.3	27	1	1	4	8	11	15	26
50-64	206	6.4	45	1	1	4	8	13	23	33
65 +	249	7.1	42	1	1	6	9	14	18	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	584	2.7	3	1	1	2	3	5	7	9
B. Operated	163	2.7	6	< 1	1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated	2299	4.7	20	1	1	3	6	9	13	24
B. Operated	782	7.7	91	1	1	5	9	17	26	63
1. SINGLE DX	747	2.7	4	< 1	1	2	3	5	7	9
2. MULTIPLE DX	3081	5.5	40	1	1	4	7	11	16	36
A. Not Operated	2883	4.3	17	1	1	3	5	9	11	22
B. Operated	945	6.8	80	1	1	4	8	15	24	59
TOTAL										
0-19 YRS	2007	4.7	41	1	1	3	5	9	14	39
20-34	172	4.0	17	1	1	3	5	9	13	20
35-49	251	4.1	17	1	1	3	5	8	11	23
50-64	588	5.2	27	1	1	4	7	10	15	27
65 +	810	5.8	27	1	1	4	7	11	14	29
GRAND TOTAL	**3828**	**4.9**	**34**	**1**	**1**	**3**	**6**	**10**	**14**	**33**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.1	5	1	1	1	2	4	6	14
20-34	93	2.0	2	< 1	< 1	1	3	4	5	8
35-49	177	1.8	1	< 1	1	1	2	3	4	5
50-64	75	1.8	1	1	1	1	3	3	4	4
65 +	29	2.3	3	1	1	1	3	5	5	9
B. Operated										
0-19 YRS	29	3.3	10	< 1	1	2	4	8	11	13
20-34	31	3.2	4	1	1	3	4	6	7	9
35-49	27	3.7	5	1	1	3	5	8	8	9
50-64	32	4.0	8	< 1	1	4	6	7	8	12
65 +	32	4.9	14	1	1	4	6	11	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	2.7	3	1	1	2	4	5	6	8
20-34	165	2.8	5	1	1	2	4	6	7	12
35-49	211	2.6	4	< 1	1	2	3	5	7	9
50-64	198	3.1	6	1	1	2	4	6	8	15
65 +	436	5.4	19	1	1	4	7	11	15	19
B. Operated										
0-19 YRS	53	5.9	31	1	1	4	10	13	17	27
20-34	61	4.7	13	1	1	4	6	9	11	20
35-49	106	4.7	8	1	1	4	6	9	10	14
50-64	140	5.9	21	1	1	5	8	12	15	21
65 +	364	7.8	40	1	2	7	10	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	422	1.9	2	< 1	1	1	2	4	4	7
B. Operated	151	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	1094	3.8	12	1	1	3	5	8	11	18
B. Operated	724	6.6	30	1	1	5	9	13	17	25
1. SINGLE DX	573	2.4	4	< 1	1	2	3	5	7	12
2. MULTIPLE DX	1818	4.9	21	1	1	4	6	11	14	21
A. Not Operated	1516	3.3	10	1	1	2	4	7	9	16
B. Operated	875	6.1	27	1	1	5	8	12	16	25
TOTAL										
0-19 YRS	214	3.4	13	1	1	2	4	8	11	18
20-34	350	3.0	6	1	1	2	4	6	7	12
35-49	521	2.8	5	< 1	1	2	4	5	7	11
50-64	445	3.8	12	1	1	3	5	8	12	17
65 +	861	6.3	29	1	1	5	8	13	16	25
GRAND TOTAL	**2391**	**4.3**	**18**	**1**	**1**	**3**	**5**	**9**	**13**	**20**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1426	1.9	2	< 1	1	1	2	4	5	7
20-34	1061	2.3	2	< 1	1	2	3	4	5	8
35-49	518	2.5	4	< 1	1	2	3	5	6	10
50-64	278	2.9	4	1	1	2	4	6	7	9
65 +	139	3.1	5	1	1	2	4	6	7	10
B. Operated										
0-19 YRS	153	3.1	3	1	1	3	4	5	6	8
20-34	179	3.3	3	1	1	3	4	6	7	10
35-49	67	3.8	6	1	1	4	5	7	8	12
50-64	30	4.5	15	1	1	3	5	11	12	17
65 +	12	3.8	5	1	1	4	5	6	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1194	2.3	3	< 1	1	2	3	4	6	9
20-34	1323	3.0	7	1	1	2	4	6	7	13
35-49	1088	3.9	10	1	1	3	5	7	9	16
50-64	958	4.0	7	1	1	3	5	7	9	13
65 +	1340	4.9	12	1	2	4	6	9	11	18
B. Operated										
0-19 YRS	160	3.9	7	1	2	3	5	7	9	14
20-34	339	5.0	15	1	1	4	6	9	12	21
35-49	218	6.0	17	1	2	5	8	11	15	19
50-64	187	7.3	29	1	2	6	10	14	19	27
65 +	244	8.4	38	2	2	7	11	15	20	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3422	2.2	3	< 1	1	2	3	4	5	8
B. Operated	441	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	5903	3.6	9	1	1	3	5	7	9	15
B. Operated	1148	6.1	24	1	2	5	8	12	15	23
1. SINGLE DX	3863	2.4	3	< 1	1	2	3	4	6	9
2. MULTIPLE DX	7051	4.0	12	1	1	3	5	8	10	18
A. Not Operated	9325	3.1	7	1	1	2	4	6	8	13
B. Operated	1589	5.4	20	1	2	4	7	11	14	22
TOTAL										
0-19 YRS	2933	2.3	3	< 1	1	2	3	4	5	8
20-34	2902	3.0	6	1	1	2	4	6	7	12
35-49	1891	3.7	10	1	1	3	5	7	9	16
50-64	1453	4.2	11	1	1	3	5	8	10	19
65 +	1735	5.2	17	1	2	4	7	10	13	22
GRAND TOTAL	**10914**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	2.5	4	< 1	1	2	3	4	6	10
20-34	30	2.7	5	1	1	2	4	6	7	9
35-49	18	2.0	2	< 1	1	2	3	4	5	5
50-64	16	4.0	16	1	1	2	4	12	13	14
65 +	18	3.4	7	< 1	< 1	3	4	7	9	10
B. Operated										
0-19 YRS	23	3.6	3	1	1	3	4	7	7	7
20-34	18	3.4	5	< 1	1	3	5	7	8	8
35-49	22	3.3	5	< 1	1	3	4	6	8	9
50-64	16	5.4	31	< 1	1	5	7	13	19	21
65 +	12	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	671	3.3	21	1	1	2	3	6	8	17
20-34	203	3.2	7	1	1	3	4	6	7	15
35-49	241	4.6	19	1	1	4	5	9	12	24
50-64	377	4.8	18	1	1	4	6	9	12	24
65 +	776	5.6	34	1	2	4	7	10	14	23
B. Operated										
0-19 YRS	156	4.8	38	1	1	2	6	12	17	33
20-34	101	4.7	27	1	1	4	6	8	19	26
35-49	129	5.7	42	1	1	4	7	15	18	34
50-64	177	7.5	55	1	1	5	10	16	21	29
65 +	285	8.1	86	1	1	6	11	17	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	231	2.7	5	< 1	1	2	3	5	7	12
B. Operated	91	3.6	9	1	1	3	5	7	8	18
2. MULTIPLE DX										
A. Not Operated	2268	4.4	25	1	1	3	5	8	11	22
B. Operated	848	6.6	59	1	1	4	9	15	21	33
1. SINGLE DX	322	2.9	6	< 1	1	2	4	6	8	14
2. MULTIPLE DX	3116	5.0	35	1	1	3	6	10	14	26
A. Not Operated	2499	4.3	23	1	1	3	5	8	11	21
B. Operated	939	6.3	55	1	1	4	8	14	20	33
TOTAL										
0-19 YRS	999	3.4	21	1	1	2	4	7	9	21
20-34	352	3.6	13	1	1	3	4	6	9	21
35-49	410	4.8	25	1	1	3	6	10	15	26
50-64	586	5.6	31	1	1	4	7	12	16	26
65 +	1091	6.2	48	1	1	5	7	12	16	30
GRAND TOTAL	**3438**	**4.8**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1144	3.2	13	1	1	2	4	6	9	20
20-34	270	2.9	20	< 1	1	2	3	5	6	26
35-49	306	2.7	4	1	1	2	3	5	6	9
50-64	303	2.6	4	1	1	2	3	5	5	8
65 +	385	3.6	30	1	1	3	4	6	9	18
B. Operated										
0-19 YRS	110	2.8	9	< 1	1	2	3	7	10	16
20-34	72	2.0	3	< 1	< 1	1	2	4	7	10
35-49	137	2.2	4	< 1	1	1	3	4	5	10
50-64	135	2.5	9	< 1	1	1	2	6	9	17
65 +	70	3.4	14	< 1	1	2	4	7	8	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2440	5.1	41	1	1	3	6	11	15	32
20-34	875	3.9	21	1	1	3	5	7	10	24
35-49	1329	4.0	15	1	1	3	5	7	10	17
50-64	2532	4.5	18	1	1	3	6	8	11	21
65 +	6520	5.1	16	1	2	4	6	9	12	20
B. Operated										
0-19 YRS	313	9.5	188	1	1	4	11	25	41	99
20-34	198	3.8	14	1	1	3	5	8	12	63
35-49	325	5.9	73	1	1	4	7	12	19	62
50-64	611	7.4	109	1	1	4	9	16	27	66
65 +	1144	9.1	89	1	2	7	11	19	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2408	3.1	14	1	1	2	4	5	8	16
B. Operated	524	2.5	8	< 1	1	1	3	5	8	15
2. MULTIPLE DX										
A. Not Operated	13696	4.8	21	1	1	4	6	9	12	22
B. Operated	2591	7.9	101	1	1	5	9	18	27	64
1. SINGLE DX	2932	3.0	13	1	1	2	4	5	8	16
2. MULTIPLE DX	16287	5.3	35	1	1	4	6	10	14	30
A. Not Operated	16104	4.6	21	1	1	3	6	9	12	22
B. Operated	3115	7.0	89	1	1	4	9	16	24	59
TOTAL										
0-19 YRS	4007	4.9	46	1	1	3	5	10	15	35
20-34	1415	3.6	19	1	1	2	4	7	9	26
35-49	2097	3.9	22	1	1	3	5	7	10	20
50-64	3581	4.8	34	1	1	3	6	9	13	28
65 +	8119	5.6	29	1	2	4	7	11	14	27
GRAND TOTAL	**19219**	**5.0**	**32**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	382	1.8	3	< 1	1	1	2	3	4	11
20-34	15	2.6	5	< 1	1	2	4	6	7	8
35-49	9	7.8	63	1	1	4	13	20	25	25
50-64	3	8.3	121	1	1	3	16	21	21	21
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	72	5.4	70	1	1	4	6	9	12	58
20-34	14	5.4	10	1	2	5	7	10	12	12
35-49	8	9.4	11	2	4	10	11	13	13	13
50-64	3	7.0	39	2	2	5	12	14	14	14
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	343	3.3	15	1	1	2	4	7	10	16
20-34	63	4.0	8	< 1	1	3	6	7	9	13
35-49	18	4.3	26	< 1	1	3	5	8	17	23
50-64	20	5.6	19	< 1	1	5	7	11	16	19
65 +	25	7.4	42	1	1	5	11	14	20	29
B. Operated										
0-19 YRS	131	9.7	125	1	1	6	14	25	36	99 +
20-34	80	13.0	322	1	2	7	14	29	48	95
35-49	38	12.0	133	1	2	8	17	25	42	50
50-64	22	15.8	216	< 1	1	13	22	32	49	62
65 +	17	14.0	255	1	1	9	18	36	55	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	411	2.0	6	< 1	1	1	2	3	5	14
B. Operated	97	5.8	56	1	1	4	6	11	13	47
2. MULTIPLE DX										
A. Not Operated	469	3.8	17	1	1	2	4	8	11	19
B. Operated	288	11.7	196	1	2	7	16	25	40	95
1. SINGLE DX	508	2.7	18	< 1	1	2	3	5	9	19
2. MULTIPLE DX	757	6.8	100	1	1	3	7	17	23	62
A. Not Operated	880	3.0	13	< 1	1	2	3	6	9	17
B. Operated	385	10.2	167	1	1	6	12	23	39	84
TOTAL										
0-19 YRS	928	3.8	37	1	1	2	4	8	13	33
20-34	172	8.2	173	1	1	4	8	17	25	87
35-49	73	9.3	93	1	1	[illegible]	11	23	26	49
50-64	48	10.5	135	1	1	[illegible]	16	23	30	62
65 +	44	9.7	132	1	1	[illegible]	13	18	32	63
GRAND TOTAL	**1265**	**5.2**	**71**	**1**	**1**	**2**	**5**	**12**	**19**	**48**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	152	1.9	4	1	1	1	2	3	4	9
20-34	24	3.1	10	1	1	2	3	6	10	16
35-49	8	4.4	2	2	2	4	5	6	7	7
50-64	2	7.0	32	3	3	7	11	11	11	11
65 +	5	2.8	9	1	1	2	4	8	8	8
B. Operated										
0-19 YRS	20	5.2	31	1	1	3	6	12	18	24
20-34	10	5.7	18	< 1	< 1	5	8	12	15	15
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	236	3.5	13	1	1	3	4	7	9	18
20-34	104	4.5	16	1	1	4	6	9	12	21
35-49	49	5.2	18	1	1	4	7	12	14	21
50-64	45	7.0	30	1	1	6	8	15	21	24
65 +	40	9.6	34	2	3	10	14	17	19	22
B. Operated										
0-19 YRS	91	12.4	182	1	2	8	17	37	55	99 +
20-34	106	11.5	139	1	2	9	16	33	57	99 +
35-49	35	11.8	72	2	2	10	17	26	35	99 +
50-64	24	10.7	48	1	3	9	17	19	23	29
65 +	28	20.4	519	3	3	12	26	44	85	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	2.2	5	1	1	1	3	4	6	14
B. Operated	33	5.3	25	1	1	4	7	11	15	24
2. MULTIPLE DX										
A. Not Operated	474	4.7	21	1	1	3	6	11	14	22
B. Operated	284	12.6	178	1	2	9	17	32	52	99 +
1. SINGLE DX	224	2.7	9	1	1	2	3	6	8	17
2. MULTIPLE DX	758	7.7	94	1	1	4	10	18	28	99
A. Not Operated	665	4.0	17	1	1	3	5	9	12	21
B. Operated	317	11.9	167	1	2	8	16	31	49	99 +
TOTAL										
0-19 YRS	499	4.7	55	1	1	2	4	10	18	54
20-34	244	7.4	81	1	1	5	10	18	30	99 +
35-49	94	7.5	47	1	2	5	10	18	24	72
50-64	71	8.3	38	1	2	7	10	18	20	28
65 +	74	13.2	245	2	2	10	16	25	33	93
GRAND TOTAL	**982**	**6.5**	**79**	**1**	**1**	**4**	**8**	**16**	**23**	**78**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	1.5	1	< 1	1	1	2	2	3	4
20-34	25	1.8	1	< 1	< 1	1	2	4	4	4
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	257	1.8	2	< 1	1	1	2	3	4	7
20-34	467	2.2	3	< 1	1	2	3	4	6	9
35-49	133	2.4	4	1	1	2	3	4	6	11
50-64	28	1.6	1	< 1	1	1	2	3	3	4
65 +	15	4.4	22	1	1	2	5	12	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	2.3	12	< 1	< 1	2	3	4	5	24
20-34	94	2.1	2	< 1	< 1	1	3	4	5	8
35-49	63	2.5	4	< 1	1	2	4	4	5	13
50-64	48	3.7	10	1	1	3	4	7	11	15
65 +	60	5.1	16	1	1	4	6	11	14	19
B. Operated										
0-19 YRS	522	3.6	19	1	1	2	4	8	11	22
20-34	917	3.7	18	1	1	2	5	8	11	21
35-49	361	4.4	24	1	1	3	5	9	13	26
50-64	145	4.4	19	1	1	3	6	9	13	23
65 +	125	6.7	35	1	1	5	9	14	19	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	1.7	1	< 1	1	1	2	3	4	4
B. Operated	900	2.1	3	< 1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	344	3.0	9	< 1	< 1	2	4	6	9	15
B. Operated	2070	4.0	21	1	1	3	5	8	12	24
1. SINGLE DX	969	2.1	3	< 1	1	2	3	4	5	10
2. MULTIPLE DX	2414	3.9	19	1	1	2	5	8	12	22
A. Not Operated	413	2.7	8	< 1	1	2	3	5	7	14
B. Operated	2970	3.5	16	1	1	2	4	7	10	20
TOTAL										
0-19 YRS	896	2.9	13	1	1	2	3	6	9	18
20-34	1503	3.1	12	1	1	2	4	6	9	17
35-49	560	3.7	18	1	1	3	4	7	10	20
50-64	222	3.9	15	1	1	2	5	8	12	22
65 +	202	6.0	29	1	1	4	9	13	16	26
GRAND TOTAL	3383	3.4	15	1	1	2	4	7	10	19

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	151	3.6	9	1	1	3	5	7	10	13
20-34	252	3.8	10	1	1	3	5	7	9	16
35-49	131	3.9	8	1	1	3	5	7	9	14
50-64	85	4.7	7	1	2	4	6	8	10	15
65 +	136	5.4	12	1	2	5	7	9	12	17
B. Operated										
0-19 YRS	40	8.5	54	1	2	7	11	15	18	43
20-34	57	8.2	29	1	2	8	11	16	21	22
35-49	13	9.4	26	1	3	10	13	16	18	18
50-64	13	11.2	84	4	5	8	10	29	34	35
65 +	11	4.6	9	1	1	4	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	149	4.0	6	1	1	4	5	7	9	13
20-34	325	4.9	14	1	1	4	7	10	13	19
35-49	218	5.6	45	1	2	5	7	9	11	33
50-64	292	6.4	18	2	2	5	8	12	15	22
65 +	1491	8.0	26	2	3	7	10	14	17	24
B. Operated										
0-19 YRS	78	12.2	165	2	3	8	15	31	48	90
20-34	177	9.2	51	2	3	7	12	19	23	34
35-49	112	12.6	138	2	3	9	17	25	35	80
50-64	78	12.8	141	2	3	11	16	22	31	73
65 +	210	13.5	87	2	4	11	19	28	35	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	755	4.2	10	1	1	3	5	8	10	16
B. Operated	134	8.4	41	1	2	7	11	15	21	36
2. MULTIPLE DX										
A. Not Operated	2475	6.9	26	2	2	6	9	13	16	23
B. Operated	655	12.0	104	2	3	9	16	25	32	63
1. SINGLE DX	889	4.8	17	1	1	4	6	10	12	21
2. MULTIPLE DX	3130	8.0	46	2	2	6	10	15	20	37
A. Not Operated	3230	6.3	23	1	2	5	8	12	15	22
B. Operated	789	11.4	95	2	3	9	15	23	31	53
TOTAL										
0-19 YRS	418	5.8	52	1	1	4	7	12	15	47
20-34	811	5.7	26	1	1	4	7	12	16	25
35-49	474	6.9	67	1	2	5	8	14	21	55
50-64	468	7.3	45	2	2	6	9	14	19	32
65 +	1848	8.4	36	2	3	7	10	15	20	32
GRAND TOTAL	4019	7.3	42	1	2	6	9	14	19	33

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7		< 1	< 1	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	4	11.3	230	3	3	4	19	34	34	34
65 +	0									
B. Operated										
0-19 YRS	12	10.8	55	1	2	10	15	21	26	27
20-34	9	10.4	45	1	2	8	15	20	22	22
35-49	5	12.0	49	2	2	14	17	19	19	19
50-64	3	16.0	21	11	11	17	19	20	20	20
65 +	2	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	9.0	147	1	1	5	13	30	30	30
20-34	7	7.9	27	2	2	6	12	15	16	16
35-49	4	13.0	89	5	5	11	20	25	25	25
50-64	4	10.0	27	3	3	11	14	14	14	14
65 +	20	11.0	97	1	2	8	12	25	36	41
B. Operated										
0-19 YRS	16	23.4	271	5	7	21	38	55	84	99 +
20-34	45	18.8	276	5	6	14	26	38	68	99 +
35-49	22	24.2	220	9	10	18	36	45	55	[illegible]
50-64	8	25.5	173	6	11	22	41	80	99 +	[illegible]
65 +	14	29.6	414	9	12	19	45	58	72	[illegible]
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.2	84	< 1	1	3	4	14	31	34
B. Operated	31	11.5	43	1	3	12	16	19	22	[illegible]
2. MULTIPLE DX										
A. Not Operated	40	10.3	78	1	2	8	13	22	30	[illegible]
B. Operated	105	22.6	278	6	7	17	31	50	64	[illegible]
1. SINGLE DX	43	9.7	61	1	1	8	15	19	24	[illegible]
2. MULTIPLE DX	145	19.2	252	3	5	15	26	44	57	99 +
A. Not Operated	52	9.1	82	1	1	6	12	21	31	41
B. Operated	136	20.1	245	4	6	16	27	46	59	99 +
TOTAL										
0-19 YRS	36	15.4	209	1	1	11	25	44	54	99 +
20-34	64	15.6	228	2	3	12	19	36	48	99
35-49	33	19.7	205	2	5	16	24	41	50	62
50-64	19	17.7	163	3	3	17	26	43	74	99 +
65 +	36	18.3	291	2	3	13	20	45	54	76
GRAND TOTAL	**188**	**17.0**	**224**	**2**	**3**	**13**	**22**	**40**	**53**	**99 +**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.6	1	< 1	< 1	1	2	3	3	3
20-34	41	2.0	2	< 1	1	1	3	4	5	5
35-49	61	2.4	2	< 1	1	2	3	5	6	8
50-64	45	2.8	4	1	1	2	4	5	7	9
65 +	40	3.1	5	< 1	1	3	4	7	8	11
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	6	2.8	1	2	2	3	4	4	4	4
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
● *A. Not Operated*										
0-19 YRS	55	3.0	7	< 1	1	2	4	5	6	18
20-34	196	3.4	5	1	1	3	4	6	8	12
35-49	286	4.2	13	1	1	3	5	8	10	21
50-64	383	4.8	10	1	2	4	6	8	10	15
65 +	838	6.2	21	2	2	5	8	12	14	22
B. Operated										
0-19 YRS	22	6.0	25	< 1	1	5	7	13	18	19
20-34	112	7.3	51	2	2	5	8	15	20	42
35-49	96	8.3	60	1	2	7	10	15	19	49
50-64	91	10.7	115	1	2	7	14	24	31	57
65 +	129	11.7	105	2	3	9	16	21	24	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	2.5	3	< 1	1	2	3	5	6	9
B. Operated	13	3.8	7	1	1	3	5	8	10	10
2. MULTIPLE DX										
A. Not Operated	1758	5.2	16	1	2	4	6	10	13	20
B. Operated	450	9.4	83	2	2	7	11	19	24	46
1. SINGLE DX	218	2.6	4	< 1	1	2	3	5	6	9
2. MULTIPLE DX	2208	6.0	33	1	2	5	7	12	15	29
A. Not Operated	1963	4.9	16	1	1	4	6	9	12	19
B. Operated	463	9.2	82	2	2	7	11	19	23	46
TOTAL										
0-19 YRS	96	3.5	12	< 1	1	2	4	6	10	19
20-34	353	4.5	23	1	1	3	5	8	12	27
35-49	449	4.8	25	1	1	3	6	9	13	24
50-64	520	5.6	33	1	2	4	7	10	14	31
65 +	1008	6.8	35	1	2	5	8	13	17	26
GRAND TOTAL	**2426**	**5.7**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	3.8	10	1	1	3	5	7	12	17
20-34	57	6.6	72	1	1	5	8	11	21	57
35-49	31	5.4	17	1	1	4	8	11	15	17
50-64	33	6.9	49	1	2	5	7	11	15	42
65 +	143	7.4	36	2	2	6	9	12	16	31
B. Operated										
0-19 YRS	7	10.4	76	3	4	7	11	26	29	29
20-34	17	9.5	62	1	2	8	10	25	28	29
35-49	6	11.0	30	5	5	11	11	20	21	21
50-64	4	22.0	270	10	10	16	32	46	46	46
65 +	3	22.3	672	4	4	11	42	52	52	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	146	7.2	52	1	2	5	8	15	21	32
20-34	162	7.3	37	1	2	6	8	15	19	32
35-49	106	9.7	100	3	3	7	12	16	24	57
50-64	135	9.4	63	2	3	7	11	19	29	38
65 +	1175	9.2	43	3	4	8	11	16	20	36
B. Operated										
0-19 YRS	64	15.8	240	3	4	11	19	36	47	81
20-34	121	19.8	198	4	5	15	27	41	53	75
35-49	85	21.2	225	5	6	17	28	45	53	62
50-64	53	23.1	350	6	7	16	28	55	63	90
65 +	139	19.5	226	5	6	15	24	38	49	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	324	6.4	38	1	2	5	8	12	15	33
B. Operated	37	12.3	128	2	3	10	12	28	40	52
2. MULTIPLE DX										
A. Not Operated	1724	8.9	49	2	3	7	11	16	20	36
B. Operated	462	19.8	236	4	5	15	27	42	54	78
1. SINGLE DX	361	7.0	50	1	2	5	8	12	18	46
2. MULTIPLE DX	2186	11.2	108	2	3	8	13	22	31	57
A. Not Operated	2048	8.5	48	2	3	7	10	15	20	36
B. Operated	499	19.2	232	4	5	14	26	42	52	77
TOTAL										
0-19 YRS	277	8.5	104	1	2	5	10	19	28	57
20-34	357	11.5	133	2	2	7	15	27	36	59
35-49	228	13.4	171	2	3	9	17	29	42	61
50-64	225	12.5	168	3	3	8	13	28	41	64
65 +	1460	10.1	71	3	4	8	12	18	24	47
GRAND TOTAL	**2547**	**10.6**	**102**	**2**	**3**	**8**	**13**	**21**	**29**	**56**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	142	2.5	13	< 1	< 1	1	2	5	13	17
20-34	18	2.0	2	< 1	1	1	3	4	5	6
35-49	17	2.8	6	1	1	2	3	5	9	11
50-64	16	2.8	10	1	1	2	3	6	11	13
65 +	61	3.4	6	< 1	1	3	4	6	8	12
B. Operated										
0-19 YRS	920	2.8	15	1	1	2	2	5	11	21
20-34	100	3.8	20	1	1	3	4	7	10	29
35-49	74	3.9	15	1	1	3	4	7	10	24
50-64	107	3.3	5	1	1	3	4	6	7	11
65 +	166	5.0	53	1	1	4	6	9	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	4.0	24	1	1	2	4	10	17	23
20-34	29	4.0	19	< 1	1	3	5	8	13	22
35-49	32	3.9	9	< 1	1	3	5	8	11	12
50-64	95	5.9	39	1	1	4	7	16	19	32
65 +	466	6.1	32	1	1	5	8	12	17	29
B. Operated										
0-19 YRS	266	4.8	36	1	1	3	5	14	18	30
20-34	149	7.5	97	1	1	5	8	15	25	38
35-49	140	7.9	112	1	2	5	9	16	23	66
50-64	170	7.5	62	2	2	5	8	14	21	49
65 +	545	7.9	43	1	2	6	10	16	22	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	2.7	10	< 1	1	2	3	6	10	15
B. Operated	1367	3.2	19	1	1	2	3	6	10	21
2. MULTIPLE DX										
A. Not Operated	691	5.7	31	1	1	4	7	12	17	28
B. Operated	1270	7.1	59	1	1	5	8	15	21	37
1. SINGLE DX	1621	3.1	18	1	1	2	3	6	10	21
2. MULTIPLE DX	1961	6.6	50	1	1	4	8	14	20	34
A. Not Operated	945	4.9	27	1	1	3	6	11	15	26
B. Operated	2637	5.1	43	1	1	3	6	12	17	31
TOTAL										
0-19 YRS	1397	3.2	20	1	1	2	3	6	14	23
20-34	296	5.6	61	1	1	4	6	10	16	37
35-49	263	5.9	69	1	1	4	6	12	18	39
50-64	388	5.7	42	1	1	4	7	12	17	37
65 +	1238	6.6	40	1	1	5	8	14	19	31
GRAND TOTAL	**3582**	**5.0**	**38**	**1**	**1**	**3**	**6**	**11**	**16**	**30**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	113	1.6	1	< 1	1	1	2	3	3	5
20-34	17	2.3	5	< 1	< 1	2	2	3	8	11
35-49	12	1.9	2	< 1	< 1	1	3	4	5	5
50-64	9	1.6	1	< 1	< 1	1	2	4	4	4
65 +	10	2.1	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	1337	1.5	1	< 1	1	1	2	3	3	5
20-34	356	2.3	3	1	1	2	3	4	5	8
35-49	250	2.2	3	1	1	2	3	4	5	10
50-64	249	2.1	2	1	1	2	3	4	5	7
65 +	243	2.4	4	1	1	2	3	4	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.4	3	1	1	1	4	5	6	7
20-34	32	4.5	43	< 1	1	3	5	9	13	36
35-49	26	3.7	7	< 1	1	3	5	8	9	10
50-64	30	4.1	11	1	1	3	6	9	10	12
65 +	114	4.5	17	1	1	3	6	9	12	23
B. Operated										
0-19 YRS	351	2.8	12	1	1	2	3	6	9	15
20-34	352	4.9	27	1	1	4	6	10	13	24
35-49	247	5.1	32	1	1	3	7	10	13	25
50-64	269	4.7	46	1	1	3	5	9	14	33
65 +	576	5.3	35	1	1	4	6	11	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	1.7	2	< 1	< 1	1	2	3	4	8
B. Operated	2435	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	244	4.0	17	1	1	3	5	8	10	20
B. Operated	1795	4.6	31	1	1	3	5	9	13	26
1. SINGLE DX	2596	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	2039	4.6	29	1	1	3	5	9	13	25
A. Not Operated	405	3.1	12	< 1	1	2	4	7	9	15
B. Operated	4230	3.0	16	1	1	2	3	6	9	20
TOTAL										
0-19 YRS	1843	1.7	3	< 1	1	1	2	3	4	9
20-34	757	3.6	18	1	1	2	4	7	10	21
35-49	535	3.6	18	1	1	2	4	8	10	22
50-64	557	3.5	25	1	1	2	4	7	9	23
65 +	943	4.4	26	1	1	3	5	9	13	23
GRAND TOTAL	**4635**	**3.0**	**16**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.5	1	< 1	1	1	2	3	3	3
20-34	13	2.4	1	< 1	< 1	2	3	4	5	5
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64	7	2.4	2	1	1	3	3	5	5	5
65 +	4	3.5	4	2	2	3	5	6	6	6
B. Operated										
0-19 YRS	202	1.7	2	< 1	< 1	1	2	3	5	8
20-34	216	1.7	2	< 1	< 1	1	2	3	4	7
35-49	122	1.9	2	< 1	< 1	1	2	3	5	8
50-64	50	1.8	1	< 1	< 1	2	2	3	5	5
65 +	24	2.6	5	< 1	1	2	3	5	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	1.7	1	< 1	1	2	2	3	3	3
20-34	36	3.0	6	< 1	1	2	4	7	8	11
35-49	21	3.2	5	1	1	3	4	5	7	10
50-64	18	4.0	6	1	1	3	5	8	10	11
65 +	15	7.0	75	2	2	4	7	15	30	35
B. Operated										
0-19 YRS	117	2.8	8	1	1	2	3	6	7	17
20-34	310	3.6	30	1	1	2	4	8	9	18
35-49	184	2.9	7	1	1	2	3	6	7	14
50-64	135	2.9	8	< 1	1	2	4	6	8	17
65 +	88	4.4	51	1	1	3	4	8	12	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.1	2	< 1	1	2	3	4	5	6
B. Operated	614	1.8	2	< 1	< 1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	112	3.5	16	1	1	2	4	7	10	23
B. Operated	834	3.3	21	1	1	2	4	7	9	18
1. SINGLE DX	659	1.8	2	< 1	< 1	1	2	3	5	8
2. MULTIPLE DX	946	3.3	20	1	1	2	4	7	9	18
A. Not Operated	157	3.1	12	1	1	2	4	5	8	15
B. Operated	1448	2.7	13	< 1	1	2	3	5	7	15
TOTAL										
0-19 YRS	357	2.1	4	< 1	1	1	2	4	6	10
20-34	575	2.8	18	< 1	1	2	3	6	8	11
35-49	332	2.5	5	< 1	1	2	3	5	7	12
50-64	210	2.7	6	< 1	1	2	3	5	7	16
65 +	131	4.3	45	1	1	3	4	8	12	39
GRAND TOTAL	**1605**	**2.7**	**13**	**< 1**	**1**	**2**	**3**	**5**	**7**	**15**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	14.5	194	1	1	8	26	31	41	48
20-34	0									
35-49	5	11.6	352	< 1	< 1	5	15	45	45	45
50-64	14	5.6	20	1	2	4	7	11	16	18
65 +	76	6.8	26	2	2	5	8	14	18	25
B. Operated										
0-19 YRS	82	6.3	37	1	2	5	8	11	20	33
20-34	50	7.8	97	3	3	6	8	10	16	73
35-49	66	7.8	17	3	4	7	9	13	15	23
50-64	195	8.9	11	4	5	9	11	13	15	19
65 +	1323	10.6	21	5	6	10	12	15	18	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	15.7	201	< 1	1	12	22	31	47	57
20-34	8	5.3	13	< 1	1	4	7	11	12	12
35-49	23	8.8	74	2	3	6	10	16	27	43
50-64	32	8.1	127	1	2	4	10	16	26	61
65 +	541	9.5	59	2	3	8	12	18	25	45
B. Operated										
0-19 YRS	77	15.9	249	4	5	11	19	30	52	83
20-34	110	12.5	69	4	5	11	15	21	32	47
35-49	137	12.4	77	5	5	11	15	20	26	70
50-64	658	12.9	54	5	6	11	15	21	26	45
65 +	8258	13.4	49	6	7	12	15	21	25	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	8.2	74	1	2	5	9	20	27	46
B. Operated	1716	10.0	24	4	5	10	12	15	17	22
2. MULTIPLE DX										
A. Not Operated	626	9.6	68	2	3	7	12	20	26	46
B. Operated	9240	13.4	51	6	7	12	15	21	26	42
1. SINGLE DX	1831	9.9	28	4	5	9	12	15	18	24
2. MULTIPLE DX	9866	13.1	53	5	7	12	15	21	26	43
A. Not Operated	741	9.4	69	2	3	7	12	20	26	46
B. Operated	10956	12.8	49	6	7	12	15	20	25	40
TOTAL										
0-19 YRS	201	11.8	170	1	2	7	14	27	35	70
20-34	168	10.8	80	3	4	9	12	18	26	50
35-49	231	10.7	68	3	4	9	13	18	24	51
50-64	899	11.8	51	4	5	10	14	19	24	41
65 +	10198	12.8	47	6	7	12	15	20	24	40
GRAND TOTAL	**11697**	**12.6**	**51**	**5**	**6**	**11**	**15**	**20**	**25**	**41**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	421	14.6	116	1	1	16	22	28	32	42
20-34	9	6.9	69	1	1	5	7	20	28	28
35-49	6	24.7	326	2	3	24	43	47	47	47
50-64	14	9.3	168	1	2	4	9	32	43	46
65 +	27	8.9	71	1	2	6	13	23	28	33
B. Operated										
0-19 YRS	384	11.3	114	1	1	7	20	26	32	42
20-34	82	9.1	44	3	4	8	11	16	17	42
35-49	34	10.5	108	2	3	7	12	21	41	43
50-64	24	15.0	231	3	3	10	13	40	50	63
65 +	69	11.2	29	4	5	10	15	17	22	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	215	16.3	134	1	2	18	23	30	37	50
20-34	19	10.2	129	1	1	6	13	23	37	48
35-49	13	9.2	57	1	1	9	10	19	27	29
50-64	44	14.2	168	2	4	9	20	36	52	99 +
65 +	196	11.5	175	2	2	7	13	26	43	80
B. Operated										
0-19 YRS	377	16.1	156	2	3	13	22	32	39	56
20-34	276	15.2	134	3	5	12	18	30	42	63
35-49	115	17.5	231	3	5	13	19	35	48	78
50-64	131	16.3	180	4	6	13	18	33	49	93
65 +	513	16.1	141	5	7	13	19	29	42	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	477	14.1	120	1	1	14	22	28	32	44
B. Operated	593	11.1	100	1	2	8	16	25	32	43
2. MULTIPLE DX										
A. Not Operated	487	13.8	156	1	2	10	21	29	39	67
B. Operated	1412	16.1	154	3	5	13	19	31	42	75
1. SINGLE DX	1070	12.4	111	1	1	9	20	26	32	44
2. MULTIPLE DX	1899	15.5	156	2	4	12	20	30	41	75
A. Not Operated	964	14.0	139	1	2	12	21	28	35	54
B. Operated	2005	14.6	143	2	3	12	18	29	39	68
TOTAL										
0-19 YRS	1397	14.4	133	1	2	13	22	29	34	49
20-34	386	13.5	120	3	4	10	16	26	40	61
35-49	168	15.7	207	2	4	12	18	34	43	75
50-64	213	15.2	183	2	4	11	17	35	49	94
65 +	805	14.3	143	3	4	12	17	26	39	79
GRAND TOTAL	**2969**	**14.4**	**142**	**1**	**2**	**12**	**20**	**29**	**37**	**62**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	243	2.0	4	< 1	< 1	1	2	4	4	8
20-34	65	3.4	8	1	1	2	4	7	9	15
35-49	50	3.5	6	< 1	< 1	3	4	7	10	11
50-64	35	4.0	4	1	2	4	5	6	8	10
65 +	36	5.5	14	1	2	5	8	9	11	20
B. Operated										
0-19 YRS	549	3.2	11	1	1	2	4	6	7	15
20-34	369	4.6	10	1	2	4	6	8	10	15
35-49	268	4.8	8	1	2	4	6	8	11	13
50-64	171	5.7	16	1	2	5	8	10	13	21
65 +	87	7.6	57	2	3	6	9	13	15	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	3.4	25	1	1	2	4	6	8	30
20-34	80	4.4	29	1	1	3	6	8	11	36
35-49	61	5.3	49	1	1	3	6	10	17	44
50-64	65	5.6	16	1	2	5	7	10	16	18
65 +	215	7.1	26	2	2	6	9	14	16	27
B. Operated										
0-19 YRS	300	7.6	86	1	2	5	9	15	24	48
20-34	455	9.5	95	2	2	7	12	19	28	55
35-49	302	9.2	67	2	3	7	11	19	26	41
50-64	278	11.0	101	2	3	9	14	20	29	54
65 +	319	10.8	56	3	3	9	14	20	26	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	2.8	7	< 1	1	2	4	5	8	11
B. Operated	1444	4.4	15	1	1	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	522	5.6	30	1	1	4	7	12	14	27
B. Operated	1654	9.6	83	2	2	7	12	19	26	49
1. SINGLE DX	1873	4.0	13	1	1	3	5	8	10	16
2. MULTIPLE DX	2176	8.7	73	1	2	6	11	18	24	47
A. Not Operated	951	4.3	21	1	1	3	5	9	12	25
B. Operated	3098	7.2	58	1	2	5	9	15	20	38
TOTAL										
0-19 YRS	1193	4.1	34	1	1	3	4	8	12	27
20-34	969	6.8	58	1	2	5	8	14	19	45
35-49	681	6.7	43	1	2	5	8	13	19	37
50-64	549	8.3	66	2	2	6	10	16	21	35
65 +	657	8.9	48	2	3	7	11	16	22	35
GRAND TOTAL	**4049**	**6.5**	**51**	**1**	**1**	**4**	**8**	**13**	**19**	**37**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	130	2.0	2	< 1	< 1	2	3	4	5	7
20-34	84	2.8	5	< 1	1	2	4	5	8	12
35-49	59	2.5	3	< 1	1	2	3	5	7	9
50-64	51	2.8	3	< 1	1	3	4	5	7	7
65 +	52	4.4	25	< 1	1	3	4	9	13	26
B. Operated										
0-19 YRS	710	2.7	6	1	1	2	3	5	6	12
20-34	1025	3.3	5	1	1	3	4	5	7	11
35-49	857	3.7	5	1	1	3	5	7	8	11
50-64	633	4.1	6	1	1	4	5	7	8	12
65 +	322	5.5	10	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	3.4	55	< 1	1	2	3	6	9	50
20-34	109	3.4	10	< 1	1	2	5	8	10	14
35-49	74	3.6	5	1	1	3	4	6	9	13
50-64	131	5.0	42	1	1	3	5	8	14	42
65 +	254	5.6	17	1	2	5	7	10	14	22
B. Operated										
0-19 YRS	421	5.3	23	1	1	4	6	11	15	25
20-34	804	5.7	35	1	2	4	7	11	16	31
35-49	683	6.4	42	1	2	5	7	11	16	27
50-64	697	6.4	31	2	2	5	8	11	14	25
65 +	765	7.7	31	2	3	6	9	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	376	2.7	7	< 1	1	2	3	5	7	12
B. Operated	3547	3.6	6	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	645	4.6	25	1	1	3	6	9	11	24
B. Operated	3370	6.4	34	1	2	5	8	12	16	29
1. SINGLE DX	3923	3.5	7	1	1	3	5	6	8	13
2. MULTIPLE DX	4015	6.1	33	1	2	5	7	11	15	29
A. Not Operated	1021	3.9	19	1	1	3	5	8	10	21
B. Operated	6917	5.0	22	1	1	4	6	9	12	24
TOTAL										
0-19 YRS	1338	3.5	15	1	1	2	4	6	9	21
20-34	2022	4.2	19	1	1	3	5	7	10	24
35-49	1673	4.7	22	1	1	4	6	8	11	22
50-64	1512	5.2	22	1	2	4	6	9	12	23
65 +	1393	6.7	25	2	2	6	8	12	15	27
GRAND TOTAL	**7938**	**4.8**	**22**	**1**	**1**	**4**	**6**	**9**	**12**	**23**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.3		< 1	< 1	1	2	2	2	2
20-34	17	1.8	2	< 1	1	1	2	4	5	6
35-49	7	2.1	1	< 1	< 1	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	4	1.5		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	24	1.4	1	1	1	1	2	2	3	4
20-34	29	2.2	2	< 1	1	2	3	4	5	6
35-49	15	5.9	217	< 1	1	2	3	4	45	59
50-64	7	3.6	13	1	1	2	4	10	11	11
65 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	2.6	6	1	1	2	3	5	6	16
20-34	74	2.5	4	< 1	1	2	3	5	6	12
35-49	57	3.4	7	< 1	1	2	5	7	8	12
50-64	53	4.6	11	1	1	4	6	10	13	13
65 +	82	5.8	15	1	2	5	8	12	13	16
B. Operated										
0-19 YRS	39	3.5	14	1	1	2	3	8	12	19
20-34	48	4.3	16	< 1	1	3	6	10	13	18
35-49	18	3.6	13	1	1	2	5	8	13	15
50-64	19	4.6	9	< 1	1	4	6	8	11	13
65 +	21	7.6	31	1	1	7	12	16	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.7	1	< 1	< 1	1	2	3	4	6
B. Operated	78	2.8	44	1	1	2	3	4	5	46
2. MULTIPLE DX										
A. Not Operated	337	3.8	10	1	1	3	5	8	12	14
B. Operated	145	4.5	18	1	1	3	6	11	14	18
1. SINGLE DX	121	2.4	29	< 1	1	1	2	3	5	25
2. MULTIPLE DX	482	4.0	13	1	1	3	5	9	12	17
A. Not Operated	380	3.6	10	< 1	1	2	5	8	11	14
B. Operated	223	3.9	27	1	1	2	4	9	13	18
TOTAL										
0-19 YRS	147	2.6	7	1	1	2	3	5	7	19
20-34	168	2.9	8	< 1	1	2	3	6	9	14
35-49	97	3.7	39	< 1	1	2	4	7	9	38
50-64	81	4.4	10	1	1	3	5	10	12	13
65 +	110	5.9	18	1	2	5	9	13	15	18
GRAND TOTAL	**603**	**3.7**	**16**	**1**	**1**	**2**	**5**	**8**	**12**	**17**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	3	< 1	< 1	2	4	5	5	5
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.8	4	< 1	< 1	4	5	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	4	16.8	353	1	1	11	28	44	44	44
65 +	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.8	7	1	1	3	7	7	7	7
20-34	5	2.8	3	1	1	3	5	90	99 +	99 +
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	18.0		18	18	18	18	18	18	18
65 +	8	10.3	37	2	3	9	13	19	22	22
B. Operated										
0-19 YRS	8	28.3	659	1	3	17	56	88	99 +	99 +
20-34	8	12.4	101	1	2	10	22	26	27	27
35-49	5	12.8	156	4	4	7	19	34	34	34
50-64	5	29.4	465	6	6	27	39	64	64	64
65 +	7	20.3	80	6	7	22	26	32	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.3	12	< 1	1	3	5	10	12	12
B. Operated	13	8.2	130	< 1	1	6	10	18	39	44
2. MULTIPLE DX										
A. Not Operated	24	6.6	32	1	1	6	11	18	41	99 +
B. Operated	33	20.5	312	2	4	17	27	53	70	99 +
1. SINGLE DX	21	6.7	86	< 1	< 1	4	8	12	27	44
2. MULTIPLE DX	57	14.7	239	1	1	11	22	44	68	99 +
A. Not Operated	32	6.0	27	1	1	5	9	14	21	99 +
B. Operated	46	17.1	288	1	1	12	26	49	65	99 +
TOTAL										
0-19 YRS	25	11.4	335	< 1	1	5	13	51	77	99 +
20-34	16	7.6	73	1	1	4	14	26	74	99 +
35-49	10	10.0	87	1	2	7	12	24	34	34
50-64	10	23.2	367	1	3	18	31	54	64	64
65 +	17	14.1	75	3	6	13	22	26	31	33
GRAND TOTAL	**78**	**12.5**	**209**	**1**	**1**	**7**	**18**	**33**	**58**	**99 +**

333 Hospitals, North Central Region, January-December 1987

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	6	2.0		1	1	2	2	3	3	3
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	72	1.9	1	1	1	2	3	3	4	6
20-34	203	1.8	1	1	1	2	2	3	3	5
35-49	74	1.9	1	< 1	1	2	2	3	4	6
50-64	30	1.6	1	< 1	1	1	2	3	3	6
65 +	18	1.8	2	< 1	< 1	1	2	4	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	15	2.8	10	< 1	< 1	1	4	4	11	13
35-49	5	3.4	4	1	1	3	5	6	6	6
50-64	9	9.0	60	2	2	8	11	21	27	27
65 +	11	3.6	6	1	1	3	5	7	9	9
B. Operated										
0-19 YRS	29	3.0	7	1	1	2	3	5	11	13
20-34	50	3.0	5	1	1	2	4	6	8	12
35-49	30	3.2	3	1	1	3	4	5	8	8
50-64	36	3.5	24	1	1	2	3	10	13	26
65 +	46	4.4	25	1	1	3	6	9	13	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.9	1	< 1	< 1	2	2	3	4	4
B. Operated	397	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	45	4.1	22	< 1	1	3	5	9	13	27
B. Operated	191	3.5	14	1	1	2	4	7	11	21
1. SINGLE DX	410	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX	236	3.6	15	1	1	2	4	8	11	26
A. Not Operated	58	3.6	18	< 1	1	2	4	9	12	26
B. Operated	588	2.4	6	1	1	2	3	4	6	12
TOTAL										
0-19 YRS	109	2.1	3	1	1	2	3	4	4	12
20-34	274	2.1	2	1	1	2	3	3	4	8
35-49	112	2.3	2	1	1	2	3	4	5	8
50-64	75	3.4	24	1	1	2	3	9	13	27
65 +	76	3.6	17	1	1	2	5	8	9	26
GRAND TOTAL	**646**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.3	10	< 1	< 1	1	2	8	10	10
20-34	7	1.3	1	1	1	1	1	3	3	3
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	129	2.1	2	< 1	< 1	2	3	4	4	7
20-34	181	2.3	3	< 1	1	2	3	5	6	8
35-49	90	2.2	3	< 1	< 1	2	3	4	5	10
50-64	42	2.4	3	< 1	< 1	2	4	5	6	7
65 +	18	3.3	12	< 1	1	2	5	8	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3	5	< 1	< 1	1	3	6	7	7
20-34	7	2.6	5	< 1	< 1	1	4	6	6	6
35-49	8	2.3	2	< 1	< 1	2	3	5	5	5
50-64	4	3.8	4	1	1	4	5	5	5	5
65 +	8	9.9	84	2	2	6	15	25	28	28
B. Operated										
0-19 YRS	152	2.6	2	1	1	2	3	5	6	7
20-34	271	3.4	12	< 1	1	3	4	6	8	17
35-49	172	3.1	12	< 1	1	2	4	6	9	20
50-64	137	2.9	9	< 1	1	2	4	6	8	17
65 +	94	3.2	9	1	1	2	5	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.8	5	< 1	1	1	2	3	8	10
B. Operated	460	2.3	3	< 1	< 1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	34	4.3	31	< 1	< 1	3	5	8	17	28
B. Operated	826	3.1	10	< 1	1	2	4	6	8	16
1. SINGLE DX	477	2.2	3	< 1	< 1	2	3	4	5	10
2. MULTIPLE DX	860	3.1	10	< 1	1	2	4	6	8	17
A. Not Operated	51	3.5	23	< 1	< 1	2	4	7	13	28
B. Operated	1286	2.8	7	< 1	1	2	3	5	7	15
TOTAL										
0-19 YRS	296	2.4	3	< 1	1	2	3	4	5	8
20-34	466	2.9	9	< 1	1	2	4	6	7	16
35-49	270	2.8	9	< 1	< 1	2	3	5	8	17
50-64	184	2.8	7	< 1	1	2	4	6	7	14
65 +	121	3.7	16	1	1	2	5	9	10	21
GRAND TOTAL	**1337**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.6	5	<1	<1	2	3	5	7	11
20-34	12	2.8	4	<1	<1	2	4	6	7	7
35-49	16	5.5	17	<1	1	5	7	11	15	17
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	6	3.3	4	1	1	3	4	7	7	7
B. Operated										
0-19 YRS	141	2.9	8	<1	1	2	4	7	8	14
20-34	108	3.1	9	1	1	2	4	7	10	14
35-49	64	3.6	13	1	1	2	4	8	10	21
50-64	34	2.6	7	<1	<1	2	3	5	5	16
65+	23	3.5	13	<1	1	2	5	3	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.5	23	<1	1	2	7	14	15	16
20-34	25	4.1	10	<1	1	3	7	8	10	14
35-49	28	5.1	23	<1	<1	4	7	10	17	21
50-64	17	4.3	7	<1	<1	4	7	7	9	10
65+	33	6.2	25	1	2	5	8	13	13	25
B. Operated										
0-19 YRS	143	6.0	29	1	1	4	7	13	19	24
20-34	150	6.2	57	1	1	3	8	15	21	30
35-49	98	8.8	191	1	1	4	8	18	35	74
50-64	75	9.1	139	1	1	6	11	20	24	69
65+	61	7.0	50	<1	1	5	9	18	21	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	3.4	9	<1	1	2	5	7	10	16
B. Operated	370	3.1	9	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	127	5.0	19	<1	1	4	7	10	14	22
B. Operated	527	7.1	86	1	1	4	9	16	22	57
1. SINGLE DX	433	3.1	9	<1	1	2	4	7	9	16
2. MULTIPLE DX	654	6.7	74	1	1	4	8	15	21	55
A. Not Operated	190	4.5	16	<1	1	3	6	9	13	19
B. Operated	897	5.5	58	1	1	3	6	12	18	38
TOTAL										
0-19 YRS	333	4.3	20	1	1	3	6	9	14	24
20-34	295	4.8	35	1	1	3	6	11	16	28
35-49	206	6.4	104	1	1	4	7	13	21	68
50-64	130	6.6	92	1	1	4	7	13	21	60
65+	123	6.0	36	1	1	4	7	14	19	28
GRAND TOTAL	**1087**	**5.3**	**51**	**1**	**1**	**3**	**6**	**12**	**17**	**30**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.8	1	<1	<1	2	3	3	3	3
20-34	12	2.0	3	<1	<1	1	3	4	7	7
35-49	14	3.3	5	<1	1	3	4	6	8	9
50-64	10	3.5	5	1	1	3	3	7	8	8
65+	7	3.7	6	1	1	3	5	8	8	8
B. Operated										
0-19 YRS	169	2.9	2	<1	1	3	4	5	6	7
20-34	209	3.2	3	1	1	3	4	6	6	9
35-49	73	3.9	6	1	1	4	5	7	8	13
50-64	23	4.5	5	2	2	4	6	7	9	12
65+	14	4.1	18	1	1	3	4	10	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.9	2	<1	1	3	4	5	5	5
20-34	29	2.6	4	<1	<1	2	4	5	6	9
35-49	21	3.6	15	<1	1	2	4	9	14	15
50-64	32	5.0	19	1	1	3	6	12	15	17
65+	74	5.4	15	1	2	4	6	11	14	20
B. Operated										
0-19 YRS	276	3.2	3	1	1	3	4	5	6	10
20-34	378	3.7	5	1	2	3	4	6	8	15
35-49	144	4.1	9	1	1	4	5	7	8	17
50-64	63	4.7	21	1	1	4	5	9	12	29
65+	46	7.6	22	2	3	7	10	14	18	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.8	4	<1	1	2	3	6	8	9
B. Operated	488	3.3	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	174	4.4	14	1	1	3	5	9	14	17
B. Operated	907	3.9	8	1	2	3	5	6	8	17
1. SINGLE DX	542	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1081	4.0	9	1	1	3	5	7	9	17
A. Not Operated	228	4.0	12	<1	1	3	5	8	12	16
B. Operated	1395	3.7	7	1	1	3	4	6	8	16
TOTAL										
0-19 YRS	474	3.1	3	1	1	3	4	5	6	8
20-34	628	3.4	5	1	1	3	4	6	7	10
35-49	252	4.0	8	1	1	4	5	7	8	16
50-64	128	4.7	17	1	1	3	5	9	12	23
65+	141	5.9	19	1	2	4	8	13	15	21
GRAND TOTAL	**1623**	**3.7**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	4.0	6	< 1	1	4	5	7	9	11
20-34	331	4.5	7	1	2	4	6	8	10	12
35-49	380	4.6	8	1	2	4	6	8	9	13
50-64	119	4.9	7	1	2	4	7	9	10	12
65 +	37	4.5	6	1	2	5	6	7	9	11
B. Operated										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	76	3.3	14	1	1	2	5	8	12	17
35-49	62	4.5	24	1	1	3	6	10	14	25
50-64	13	6.2	31	1	1	5	10	16	16	16
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	3.9	8	1	1	4	5	8	9	14
20-34	446	5.5	14	1	2	5	7	10	13	21
35-49	670	5.8	14	2	2	5	7	10	12	19
50-64	404	6.0	18	2	2	5	8	10	12	22
65 +	360	6.4	14	2	3	6	8	11	14	19
B. Operated										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	61	8.2	35	1	1	7	12	17	19	26
35-49	120	6.7	31	1	1	6	9	14	17	26
50-64	50	7.6	26	1	1	7	10	16	17	19
65 +	34	9.2	23	2	3	9	13	16	17	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	895	4.6	7	1	2	4	6	8	9	12
B. Operated	154	4.0	20	1	1	2	6	9	13	24
2. MULTIPLE DX										
A. Not Operated	1925	5.8	15	2	2	5	7	10	12	20
B. Operated	267	7.5	30	1	1	7	11	16	18	21
1. SINGLE DX	1049	4.5	9	1	1	4	6	8	10	15
2. MULTIPLE DX	2192	6.1	17	2	2	5	8	11	14	20
A. Not Operated	2820	5.4	13	1	2	5	7	9	11	18
B. Operated	421	6.3	29	1	1	5	9	14	17	22
TOTAL										
0-19 YRS	78	4.1	7	1	1	4	5	8	10	13
20-34	914	5.1	14	1	1	4	7	9	13	19
35-49	1232	5.4	15	1	2	5	7	9	12	20
50-64	586	5.9	17	2	2	5	8	10	12	20
65 +	431	6.5	15	2	2	6	8	11	14	19
GRAND TOTAL	**3241**	**5.5**	**15**	**1**	**2**	**5**	**7**	**10**	**12**	**19**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	2.0	2	< 1	< 1	2	2	4	6	8
20-34	286	4.0	13	1	1	3	5	7	8	15
35-49	249	4.3	9	1	1	4	6	8	10	15
50-64	79	4.4	8	1	1	4	6	9	10	13
65 +	20	3.6	4	1	1	3	5	6	7	7
B. Operated										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	99	2.5	5	1	1	2	3	5	8	12
35-49	95	2.8	7	1	1	2	4	6	7	14
50-64	15	2.4	5	1	1	1	3	6	7	8
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	3.0	4	< 1	1	2	4	6	8	10
20-34	665	4.8	13	1	1	4	6	9	11	20
35-49	671	5.0	10	1	2	4	6	9	11	16
50-64	403	5.8	15	1	2	5	8	10	12	19
65 +	267	5.7	15	1	2	5	7	11	12	18
B. Operated										
0-19 YRS	7	7.3	33	1	1	6	11	16	17	17
20-34	157	5.0	22	1	1	3	7	11	15	23
35-49	178	5.5	23	1	1	4	8	12	15	21
50-64	45	6.7	31	1	1	6	9	14	19	24
65 +	28	8.5	27	1	2	8	11	18	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	725	3.9	10	1	1	3	5	7	9	14
B. Operated	213	2.6	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	2126	5.1	13	1	2	4	6	9	11	18
B. Operated	415	5.7	25	1	1	4	8	12	16	22
1. SINGLE DX	938	3.6	9	1	1	3	5	7	8	14
2. MULTIPLE DX	2541	5.2	15	1	1	4	7	10	12	19
A. Not Operated	2851	4.8	12	1	1	4	6	9	11	17
B. Operated	628	4.6	20	1	1	3	7	11	15	21
TOTAL										
0-19 YRS	221	2.7	5	< 1	1	2	3	6	7	12
20-34	1207	4.5	14	1	1	4	6	8	11	19
35-49	1193	4.8	12	1	1	4	6	9	11	16
50-64	542	5.5	15	1	2	5	7	10	12	20
65 +	316	5.8	16	1	2	5	7	11	14	19
GRAND TOTAL	**3479**	**4.7**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.6	4	< 1	< 1	2	3	5	7	11
20-34	42	2.3	2	< 1	1	2	3	5	5	6
35-49	32	2.4	4	< 1	< 1	2	3	6	8	8
50-64	10	2.1	3	< 1	< 1	1	2	5	7	7
65 +	14	3.4	7	< 1	1	2	5	8	8	8
B. Operated										
0-19 YRS	59	1.7	1	1	1	1	2	3	4	5
20-34	239	2.0	1	1	1	2	3	4	4	6
35-49	375	2.3	2	1	1	2	3	4	5	6
50-64	438	2.9	2	1	1	3	4	5	6	7
65 +	142	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	2.5	4	1	1	2	3	4	7	10
20-34	70	2.6	3	< 1	1	2	3	5	6	9
35-49	65	3.1	5	< 1	1	3	4	6	8	10
50-64	82	3.6	6	1	1	3	5	7	8	14
65 +	139	4.6	9	1	2	4	6	8	11	16
B. Operated										
0-19 YRS	35	2.6	9	< 1	1	1	3	5	10	15
20-34	89	2.7	5	< 1	1	2	3	5	7	67
35-49	210	2.8	3	1	1	3	4	5	6	10
50-64	417	3.4	6	1	1	3	4	5	7	11
65 +	263	4.8	17	1	2	4	5	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	2.5	4	< 1	< 1	2	3	5	7	9
B. Operated	1253	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	389	3.6	7	1	1	3	5	7	9	14
B. Operated	1014	3.6	9	1	1	3	4	6	8	17
1. SINGLE DX	1385	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1403	3.6	8	1	1	3	4	6	8	16
A. Not Operated	521	3.3	6	1	1	3	4	7	8	12
B. Operated	2267	3.0	5	1	1	3	4	5	6	11
TOTAL										
0-19 YRS	161	2.3	4	< 1	1	2	3	4	6	11
20-34	440	2.3	2	1	1	2	3	4	5	7
35-49	682	2.5	3	1	1	2	3	5	6	9
50-64	947	3.2	4	1	1	3	4	5	6	10
65 +	558	4.4	12	1	2	4	5	8	10	18
GRAND TOTAL	**2788**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1134	1.3	1	< 1	1	1	1	2	3	4
20-34	239	1.5	1	< 1	< 1	1	2	3	4	6
35-49	90	2.2	6	< 1	1	1	2	4	6	15
50-64	26	2.0	2	< 1	< 1	1	3	4	5	6
65 +	29	2.3	3	< 1	1	2	2	6	7	7
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1514	1.8	2	< 1	1	1	2	3	4	8
20-34	999	2.5	6	< 1	1	2	3	5	7	13
35-49	512	2.9	6	1	1	2	4	6	8	12
50-64	285	3.2	6	1	1	2	4	6	8	12
65 +	426	4.3	11	1	1	3	6	9	11	14
B. Operated										
0-19 YRS	341	2.6	19	< 1	1	1	3	5	7	23
20-34	367	3.3	16	< 1	1	2	4	7	10	20
35-49	157	3.5	16	< 1	1	2	4	8	11	19
50-64	125	4.0	16	1	1	3	5	9	12	22
65 +	147	5.3	25	1	1	4	7	12	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1518	1.4	1	< 1	1	1	2	2	3	6
B. Operated	9	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	3736	2.5	6	< 1	1	2	3	5	7	12
B. Operated	1137	3.4	19	< 1	1	2	4	7	11	22
1. SINGLE DX	1527	1.4	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX	4873	2.7	9	< 1	1	2	3	6	8	15
A. Not Operated	5254	2.2	5	< 1	1	1	2	4	6	11
B. Operated	1146	3.4	18	< 1	1	2	[illegible]	7	11	22
TOTAL										
0-19 YRS	2992	1.7	4	< 1	1	1	[illegible]	3	4	8
20-34	1608	2.5	8	< 1	1	2	3	5	7	15
35-49	760	2.9	8	< 1	1	2	4	6	8	15
50-64	436	3.3	9	1	1	2	4	7	9	17
65 +	604	4.4	15	1	1	3	6	9	12	18
GRAND TOTAL	**6400**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	734	1.6	4	< 1	< 1	1	1	2	4	10
20-34	129	2.8	8	< 1	1	2	4	6	10	14
35-49	44	2.2	3	< 1	< 1	1	3	5	6	7
50-64	18	3.5	19	< 1	1	2	5	7	14	19
65 +	27	6.8	75	< 1	1	3	7	23	28	31
B. Operated										
0-19 YRS	44	8.8	134	1	2	4	8	23	34	58
20-34	18	9.1	51	2	3	7	10	17	26	32
35-49	12	5.8	8	2	3	6	7	9	12	12
50-64	13	7.9	29	3	3	6	9	16	21	22
65 +	25	9.8	36	1	2	9	13	19	22	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1259	2.7	19	< 1	1	1	2	5	8	22
20-34	537	3.7	29	< 1	1	2	4	8	12	29
35-49	293	3.8	34	< 1	1	2	4	7	11	28
50-64	189	5.0	33	1	1	3	6	12	19	27
65 +	399	6.7	56	1	1	4	8	13	20	39
B. Operated										
0-19 YRS	355	11.0	244	1	1	4	15	32	48	99
20-34	380	11.5	278	1	1	4	13	37	53	95
35-49	162	13.3	335	1	1	5	17	41	60	98
50-64	148	13.5	268	1	1	8	18	37	48	89
65 +	288	13.2	184	1	2	9	16	31	39	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	952	2.0	8	< 1	< 1	1	2	4	6	14
B. Operated	112	8.6	73	2	2	7	10	19	24	49
2. MULTIPLE DX										
A. Not Operated	2677	3.8	31	< 1	1	2	4	8	13	29
B. Operated	1333	12.2	255	1	1	6	15	34	50	89
1. SINGLE DX	1064	2.7	19	< 1	< 1	1	2	6	9	23
2. MULTIPLE DX	4010	6.6	121	1	1	2	6	16	30	63
A. Not Operated	3629	3.3	26	< 1	1	2	3	7	11	27
B. Operated	1445	11.9	242	1	1	6	15	33	49	88
TOTAL										
0-19 YRS	2392	3.7	60	< 1	1	1	3	7	16	45
20-34	1064	6.5	130	< 1	1	2	6	15	32	63
35-49	511	6.7	146	1	1	3	6	14	34	77
50-64	368	8.4	144	1	1	4	10	21	32	77
65 +	739	9.4	115	1	1	6	12	21	31	57
GRAND TOTAL	**5074**	**5.7**	**102**	**< 1**	**1**	**2**	**5**	**14**	**25**	**59**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.1	2	< 1	< 1	2	3	4	5	6
20-34	34	2.6	4	1	1	2	3	6	8	9
35-49	18	1.9	1	< 1	< 1	2	2	4	5	5
50-64	4	1.5		1	1	1	2	2	2	2
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	24	4.5	5	2	2	4	6	7	9	12
20-34	69	5.3	14	1	2	5	8	9	11	21
35-49	24	4.8	7	2	2	4	6	7	10	13
50-64	4	4.0	2	3	3	4	5	6	6	6
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	3.6	12	1	1	3	4	7	9	22
20-34	143	3.7	5	1	1	3	5	7	8	10
35-49	87	4.4	9	1	2	4	6	8	11	16
50-64	91	5.4	18	1	2	4	6	10	13	24
65 +	156	6.6	20	1	2	5	9	14	15	19
B. Operated										
0-19 YRS	104	9.2	114	3	3	6	10	16	32	60
20-34	320	8.2	68	2	3	6	9	14	19	47
35-49	153	8.3	67	2	3	6	9	16	20	50
50-64	93	9.9	120	2	3	7	10	24	35	60
65 +	135	12.8	94	3	4	10	15	23	31	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	2.2	3	< 1	1	2	3	4	6	9
B. Operated	122	5.0	10	1	2	4	6	8	11	17
2. MULTIPLE DX										
A. Not Operated	558	4.9	14	1	2	4	6	9	12	19
B. Operated	805	9.3	87	2	3	7	11	18	25	51
1. SINGLE DX	209	3.9	9	1	1	3	5	8	9	14
2. MULTIPLE DX	1363	7.5	62	2	2	5	9	14	19	45
A. Not Operated	645	4.5	13	1	1	4	6	9	12	18
B. Operated	927	8.7	79	2	3	6	10	16	23	50
TOTAL										
0-19 YRS	237	6.0	63	1	1	4	6	11	15	52
20-34	566	6.4	46	1	2	5	8	11	14	39
35-49	282	6.4	44	1	2	5	7	13	18	40
50-64	192	7.4	72	2	2	5	8	13	25	43
65 +	295	9.4	63	2	3	8	12	18	23	42
GRAND TOTAL	**1572**	**7.0**	**56**	**1**	**2**	**5**	**8**	**13**	**19**	**43**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	186	3.5	8	<1	1	2	6	8	9	10
20-34	65	3.1	7	1	1	2	4	8	9	14
35-49	19	3.7	6	1	1	3	6	7	8	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	3.7	8	2	2	2	6	7	7	7
B. Operated										
0-19 YRS	74	6.3	43	2	2	5	7	9	12	47
20-34	68	6.2	8	2	3	6	7	9	12	18
35-49	19	6.2	6	1	2	6	8	9	10	10
50-64	8	7.6	50	2	2	6	8	19	24	24
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	318	4.7	18	1	1	3	7	9	12	20
20-34	200	3.9	9	<1	1	3	5	7	10	15
35-49	89	4.5	18	1	1	3	6	10	13	21
50-64	50	4.7	14	1	1	3	7	9	11	16
65+	76	6.3	50	1	2	4	8	12	18	42
B. Operated										
0-19 YRS	285	10.4	76	3	4	8	11	19	27	69
20-34	477	11.5	123	3	4	8	12	23	37	66
35-49	226	12.3	171	2	4	8	13	24	37	94
50-64	102	16.4	240	4	6	10	18	38	48	84
65+	102	13.4	97	2	4	11	18	27	32	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	275	3.4	7	<1	1	2	5	8	9	11
B. Operated	171	6.3	24	2	3	6	7	9	12	23
2. MULTIPLE DX										
A. Not Operated	733	4.6	19	1	1	3	6	9	12	20
B. Operated	1192	12.0	131	3	4	8	13	24	36	77
1. SINGLE DX	446	4.5	16	1	1	4	6	8	9	14
2. MULTIPLE DX	1925	9.2	101	1	2	7	10	18	28	60
A. Not Operated	1008	4.3	16	1	1	3	6	9	11	19
B. Operated	1363	11.3	121	2	4	8	12	23	34	70
TOTAL										
0-19 YRS	863	6.4	45	1	1	5	8	12	17	39
20-34	810	8.5	89	1	2	6	9	16	26	57
35-49	353	9.5	128	1	1	7	10	17	28	71
50-64	162	12.2	188	2	2	8	14	28	43	77
65+	183	10.2	88	2	2	7	14	23	30	55
GRAND TOTAL	**2371**	**8.3**	**88**	**1**	**1**	**6**	**9**	**16**	**25**	**57**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.2	1	<1	<1	2	3	4	5	5
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	130	2.4	4	1	1	2	3	5	6	9
20-34	82	2.8	4	<1	1	2	3	5	6	12
35-49	36	2.7	2	1	1	3	4	4	6	6
50-64	17	3.3	5	1	1	3	4	7	8	8
65+	9	2.4	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.4	2	<1	1	2	3	5	6	7
20-34	13	3.1	9	<1	<1	2	4	6	11	12
35-49	4	3.8	8	<1	<1	3	6	7	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	196	3.3	7	1	1	3	5	6	7	12
20-34	195	3.6	7	1	1	3	5	7	8	15
35-49	76	4.4	9	1	1	4	6	8	10	16
50-64	41	4.5	9	1	1	4	6	9	11	13
65+	49	6.3	72	1	1	4	7	11	17	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.2	1	<1	<1	2	3	4	5	5
B. Operated	274	2.6	4	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	41	2.8	5	<1	1	2	4	6	7	12
B. Operated	557	3.9	14	1	1	3	5	7	9	16
1. SINGLE DX	295	2.6	4	1	1	2	3	5	6	8
2. MULTIPLE DX	598	3.8	13	1	1	3	5	7	9	16
A. Not Operated	62	2.6	4	<1	1	2	3	5	7	11
B. Operated	831	3.5	11	1	1	3	5	6	8	15
TOTAL										
0-19 YRS	360	2.9	5	1	1	2	4	6	7	12
20-34	294	3.3	7	1	1	3	4	6	7	14
35-49	118	3.8	7	1	1	3	5	7	9	16
50-64	61	4.0	8	1	1	3	5	8	10	13
65+	60	5.7	61	1	1	4	6	9	16	49
GRAND TOTAL	**893**	**3.4**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	2.2	2	1	1	2	3	4	5	8
20-34	34	1.9	1	< 1	1	1	3	4	4	5
35-49	15	1.7	1	< 1	< 1	1	2	3	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	5	1.6		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	202	1.7	2	< 1	< 1	1	2	3	4	7
20-34	78	1.9	1	< 1	< 1	2	3	4	4	5
35-49	34	1.9	3	1	1	1	2	3	7	8
50-64	8	2.5	2	1	1	3	3	5	5	5
65 +	6	2.5	10	1	1	1	2	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	146	2.5	4	< 1	1	2	3	5	6	10
20-34	136	2.6	7	< 1	1	2	3	5	5	15
35-49	64	2.7	4	< 1	1	2	4	5	8	9
50-64	30	3.2	7	< 1	< 1	2	5	7	8	12
65 +	67	4.0	13	1	1	3	5	9	13	17
B. Operated										
0-19 YRS	487	2.9	13	< 1	1	2	3	6	8	19
20-34	529	3.0	15	< 1	1	2	3	6	9	22
35-49	230	3.3	7	< 1	1	2	5	6	8	13
50-64	108	4.6	39	< 1	1	3	6	9	12	37
65 +	150	5.3	74	1	1	3	6	9	11	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	2.1	2	< 1	1	2	3	4	5	8
B. Operated	328	1.8	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	443	2.8	7	< 1	1	2	3	5	7	13
B. Operated	1504	3.3	21	< 1	1	2	4	7	9	20
1. SINGLE DX	496	1.9	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	1947	3.2	18	< 1	1	2	4	6	9	19
A. Not Operated	611	2.6	6	< 1	1	2	3	5	7	12
B. Operated	1832	3.1	18	< 1	1	2	4	6	9	19
TOTAL										
0-19 YRS	946	2.5	8	< 1	1	2	3	5	7	13
20-34	777	2.8	12	< 1	1	2	3	5	7	19
35-49	343	3.0	6	< 1	1	2	4	6	8	12
50-64	149	4.1	30	< 1	1	3	5	8	12	23
65 +	228	4.7	53	1	1	3	6	9	12	28
GRAND TOTAL	**2443**	**3.0**	**15**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	2.0	6	< 1	1	2	2	3	4	16
20-34	118	1.7	1	< 1	< 1	1	2	3	4	6
35-49	37	1.7	1	< 1	1	1	2	3	4	5
50-64	5	2.0	1	1	1	2	3	3	3	3
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	100	1.9	2	< 1	1	1	2	4	5	9
20-34	124	3.0	10	< 1	1	2	4	7	9	17
35-49	37	2.8	4	< 1	< 1	2	4	6	6	9
50-64	4	4.5	8	2	2	4	7	7	7	7
65 +	6	4.2	5	1	1	5	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	2.7	6	< 1	< 1	2	4	5	6	16
20-34	113	3.4	41	1	1	2	3	6	9	34
35-49	44	2.3	2	< 1	1	2	3	4	5	9
50-64	13	3.1	3	< 1	1	3	4	5	7	7
65 +	16	4.9	11	1	2	4	6	10	13	14
B. Operated										
0-19 YRS	136	6.2	64	1	1	3	8	14	25	39
20-34	239	5.8	27	1	1	5	7	12	15	28
35-49	82	5.9	63	< 1	1	4	7	10	17	51
50-64	27	7.0	41	1	1	5	9	17	21	27
65 +	14	4.2	25	1	1	2	5	9	18	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	249	1.8	3	< 1	< 1	1	2	3	4	6
B. Operated	271	2.6	7	< 1	1	2	3	6	7	12
2. MULTIPLE DX										
A. Not Operated	255	3.1	21	< 1	1	2	4	5	7	15
B. Operated	498	5.9	44	1	1	4	7	13	17	36
1. SINGLE DX	520	2.2	5	< 1	1	1	3	5	6	10
2. MULTIPLE DX	753	5.0	38	1	1	3	6	10	15	32
A. Not Operated	504	2.5	13	< 1	1	2	3	4	6	12
B. Operated	769	4.8	33	< 1	1	3	6	10	15	31
TOTAL										
0-19 YRS	392	3.6	29	< 1	1	2	4	8	12	34
20-34	594	3.9	24	< 1	1	2	5	8	12	23
35-49	200	3.7	30	< 1	1	2	5	7	9	27
50-64	49	5.3	28	1	1	4	6	11	17	27
65 +	38	4.3	14	1	1	4	5	8	12	20
GRAND TOTAL	**1273**	**3.9**	**26**	**<1**	**1**	**2**	**5**	**8**	**12**	**27**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	117	2.6	2	1	1	2	3	5	5	9
20-34	113	2.7	3	< 1	1	2	4	5	6	8
35-49	39	2.3	1	< 1	1	2	3	4	4	5
50-64	17	2.5	3	< 1	1	2	3	5	6	6
65 +	10	3.5	3	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	472	2.0	3	< 1	< 1	1	2	4	6	10
20-34	657	2.2	5	< 1	< 1	1	3	4	6	11
35-49	269	2.3	8	< 1	< 1	1	2	5	7	18
50-64	120	2.1	3	< 1	1	2	3	4	5	10
65 +	52	2.0	4	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	3.9	19	1	1	3	4	7	8	29
20-34	147	2.9	6	< 1	1	2	4	5	6	11
35-49	55	3.9	7	1	1	3	5	7	9	16
50-64	36	4.4	8	2	2	4	6	7	10	15
65 +	29	4.6	61	1	1	3	4	6	10	44
B. Operated										
0-19 YRS	477	3.0	15	< 1	1	2	3	6	9	22
20-34	796	3.4	14	1	1	2	4	7	10	22
35-49	349	3.5	22	1	1	2	4	8	10	18
50-64	204	3.8	28	1	1	2	4	8	14	30
65 +	141	5.0	41	1	1	3	6	10	16	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	296	2.6	2	< 1	1	2	3	5	6	8
B. Operated	1570	2.1	5	< 1	< 1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	371	3.6	14	1	1	3	4	6	7	22
B. Operated	1967	3.5	19	< 1	1	2	4	7	11	24
1. SINGLE DX	1866	2.2	5	< 1	< 1	1	3	4	6	10
2. MULTIPLE DX	2338	3.5	19	1	1	2	4	7	10	24
A. Not Operated	667	3.2	9	1	1	3	4	6	7	13
B. Operated	3537	2.9	13	< 1	1	2	3	6	9	19
TOTAL										
0-19 YRS	1170	2.7	10	< 1	1	2	3	5	7	15
20-34	1713	2.8	10	< 1	1	2	3	6	8	15
35-49	712	3.0	15	< 1	1	2	4	6	9	17
50-64	377	3.3	18	< 1	1	2	4	6	9	23
65 +	232	4.2	34	1	1	2	5	8	12	37
GRAND TOTAL	**4204**	**2.9**	**13**	**< 1**	**1**	**2**	**3**	**6**	**8**	**18**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	177	2.7	4	< 1	1	2	3	5	7	11
20-34	91	2.9	7	< 1	1	2	4	6	8	15
35-49	27	2.9	4	1	1	2	4	6	7	9
50-64	12	3.1	4	< 1	1	2	5	6	7	7
65 +	4	4.8	12	2	2	4	7	9	9	9
B. Operated										
0-19 YRS	416	3.4	12	1	1	2	4	7	9	19
20-34	252	3.2	9	1	1	2	4	6	8	16
35-49	116	3.5	14	1	1	2	4	8	11	20
50-64	43	3.7	10	1	1	3	5	7	9	19
65 +	16	4.8	21	< 1	1	3	6	13	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	4.0	35	1	1	3	4	6	8	36
20-34	75	3.6	4	1	1	3	4	6	7	11
35-49	31	4.1	15	1	1	3	5	9	10	20
50-64	40	5.7	14	2	2	5	7	13	14	14
65 +	49	7.4	24	3	3	6	9	15	18	22
B. Operated										
0-19 YRS	284	6.3	61	1	1	4	7	14	20	42
20-34	277	6.5	79	1	1	4	7	14	23	40
35-49	116	6.7	53	< 1	1	4	8	19	23	31
50-64	82	9.2	86	1	2	6	10	20	30	46
65 +	88	10.8	80	2	3	8	14	24	29	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	311	2.8	5	< 1	1	2	3	6	7	11
B. Operated	843	3.4	11	1	1	2	4	7	9	19
2. MULTIPLE DX										
A. Not Operated	292	4.7	22	1	1	4	5	9	12	21
B. Operated	847	7.2	72	1	1	4	8	17	23	41
1. SINGLE DX	1154	3.2	10	< 1	1	2	4	6	9	17
2. MULTIPLE DX	1139	6.5	60	1	1	4	7	15	21	37
A. Not Operated	603	3.7	14	1	1	3	4	7	9	17
B. Operated	1690	5.3	45	1	1	3	6	11	18	34
TOTAL										
0-19 YRS	974	4.2	29	1	1	3	5	8	12	26
20-34	695	4.5	39	1	1	3	5	9	13	29
35-49	290	4.8	31	1	1	3	6	11	19	29
50-64	177	6.7	52	1	1	5	7	16	20	40
65 +	157	9.0	59	1	2	7	11	20	25	38
GRAND TOTAL	**2293**	**4.9**	**38**	**1**	**1**	**3**	**5**	**10**	**16**	**30**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0			1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	16	1.6	1	< 1	< 1	1	2	3	4	5
20-34	18	4.1	15	< 1	< 1	3	4	11	14	14
35-49	9	4.0	10	1	1	3	6	9	9	9
50-64	8	2.5	3	1	1	2	3	5	6	6
65 +	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
20-34	2	4.5	25	< 1	< 1	4	8	8	8	8
35-49	5	3.6	2	2	2	3	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	10.5	13	8	8	10	13	13	13	13
B. Operated										
0-19 YRS	51	11.2	307	1	1	5	10	29	50	95
20-34	127	6.5	55	< 1	1	5	8	13	18	37
35-49	41	8.1	74	1	1	5	10	21	27	38
50-64	28	8.9	159	1	1	4	9	23	36	59
65 +	15	8.1	51	1	1	6	10	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.8	6	1	1	2	4	6	6	6
B. Operated	54	3.0	8	< 1	1	2	3	6	9	14
2. MULTIPLE DX										
A. Not Operated	14	4.4	13	< 1	< 1	3	8	9	12	13
B. Operated	262	8.0	119	1	1	5	9	18	24	59
1. SINGLE DX	58	2.9	8	< 1	1	2	3	6	9	14
2. MULTIPLE DX	276	7.8	114	1	1	5	9	18	24	59
A. Not Operated	18	4.0	12	< 1	< 1	3	6	8	11	13
B. Operated	316	7.2	104	1	1	4	8	16	23	58
TOTAL										
0-19 YRS	71	8.5	239	< 1	< 1	3	8	18	47	87
20-34	148	6.2	50	< 1	1	4	8	13	18	30
35-49	56	6.9	59	1	1	5	8	17	23	38
50-64	39	7.3	121	1	1	3	8	20	29	59
65 +	20	7.4	45	1	1	5	10	20	21	22
GRAND TOTAL	**334**	**7.0**	**99**	**< 1**	**1**	**4**	**8**	**15**	**22**	**58**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	10.0	72	4	4	10	16	16	16	16
20-34	8	5.3	9	1	1	5	7	9	10	10
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	25	3.5	19	< 1	1	2	4	7	11	22
20-34	• 47	3.6	25	< 1	1	2	4	7	9	33
35-49	18	3.6	4	< 1	1	3	5	6	7	8
50-64	14	2.6	6	1	1	2	4	5	9	10
65 +	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.7	12	< 1	< 1	4	6	10	11	11
20-34	7	7.0	45	< 1	1	10	99 +	99 +	99 +	99 +
35-49	11	6.6	18	1	3	5	10	13	14	14
50-64	7	8.1	111	1	1	3	9	27	31	31
65 +	5	8.0	26	2	2	6	12	15	15	15
B. Operated										
0-19 YRS	27	4.3	30	< 1	1	2	5	13	16	24
20-34	39	6.3	95	1	1	4	7	13	25	55
35-49	31	3.8	5	1	1	4	5	7	7	7
50-64	26	4.7	14	1	1	4	7	12	12	12
65 +	6	6.3	39	2	2	7	15	84	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.7	18	< 1	1	5	7	12	15	16
B. Operated	107	3.5	17	1	1	2	4	7	8	27
2. MULTIPLE DX										
A. Not Operated	37	6.8	37	< 1	1	5	12	24	99 +	99 +
B. Operated	129	5.0	41	1	1	4	6	10	15	64
1. SINGLE DX	119	3.7	17	1	1	2	4	7	9	25
2. MULTIPLE DX	166	5.4	40	1	1	4	7	13	22	99 +
A. Not Operated	49	6.5	32	< 1	1	5	10	17	93	99 +
B. Operated	236	4.3	30	1	1	3	5	8	12	36
TOTAL										
0-19 YRS	61	4.2	24	< 1	1	2	5	9	15	24
20-34	101	5.0	53	1	1	3	6	12	29	99 +
35-49	60	4.2	8	1	1	4	6	7	10	14
50-64	48	4.6	27	1	1	3	6	11	12	31
65 +	15	6.0	26	< 1	2	5	9	18	75	99 +
GRAND TOTAL	**285**	**4.7**	**31**	**1**	**1**	**3**	**6**	**11**	**15**	**99 +**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	142	3.9	4	1	1	4	5	6	8	11
20-34	57	2.9	2	< 1	1	3	4	5	5	6
35-49	10	4.9	1	3	3	5	5	6	6	6
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	3	6.3	34	2	2	4	11	13	13	13
B. Operated										
0-19 YRS	3	7.3	24	4	4	5	11	13	13	13
20-34	6	3.3	5	1	1	3	5	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	3.8	4	1	1	4	5	6	7	9
20-34	56	3.8	5	1	1	4	5	7	8	9
35-49	40	4.1	5	< 1	1	4	6	7	8	11
50-64	13	3.2	13	< 1	< 1	1	4	8	13	14
65 +	16	4.0	13	1	1	3	5	7	13	16
B. Operated										
0-19 YRS	26	3.8	10	1	1	3	5	10	10	11
20-34	29	4.7	9	< 1	1	4	7	10	11	11
35-49	10	3.7	6	1	1	3	5	7	9	9
50-64	3	5.3	12	2	2	5	8	9	9	9
65 +	5	6.8	42	1	1	5	11	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	3.7	4	1	1	4	5	6	7	12
B. Operated	10	4.4	13	1	1	4	5	10	13	13
2. MULTIPLE DX										
A. Not Operated	227	3.8	6	1	1	4	5	7	8	12
B. Operated	73	4.4	11	1	1	4	6	9	11	16
1. SINGLE DX	224	3.7	5	1	1	4	5	6	7	13
2. MULTIPLE DX	300	4.0	7	1	1	4	5	7	9	13
A. Not Operated	441	3.8	5	1	1	4	5	6	7	11
B. Operated	83	4.4	11	1	1	4	6	9	11	16
TOTAL										
0-19 YRS	273	3.9	5	1	1	4	5	7	8	11
20-34	148	3.6	5	< 1	1	3	5	7	8	11
35-49	61	4.1	5	1	1	4	5	6	8	11
50-64	18	3.6	12	< 1	< 1	2	5	8	12	14
65 +	24	4.9	21	1	1	3	6	13	16	17
GRAND TOTAL	**524**	**3.9**	**6**	**1**	**1**	**4**	**5**	**7**	**8**	**13**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	369	1.7	2	< 1	< 1	1	2	3	4	8
20-34	231	2.1	3	< 1	< 1	2	3	4	5	11
35-49	106	2.5	3	< 1	1	2	3	5	6	10
50-64	71	2.0	2	1	1	1	2	4	6	7
65 +	62	3.4	8	< 1	1	2	4	8	9	13
B. Operated										
0-19 YRS	52	1.8	2	< 1	< 1	1	2	3	4	11
20-34	40	2.4	4	< 1	1	2	3	5	7	11
35-49	31	2.2	3	< 1	< 1	1	3	5	6	8
50-64	14	3.1	4	1	1	3	4	6	7	7
65 +	10	4.6	8	< 1	< 1	5	7	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	698	2.1	3	< 1	1	2	3	4	6	8
20-34	738	2.4	3	< 1	1	2	3	5	6	9
35-49	417	2.9	5	1	1	2	4	6	7	11
50-64	350	4.0	13	1	1	3	5	8	11	20
65 +	1044	5.4	26	1	1	4	7	10	13	23
B. Operated										
0-19 YRS	103	3.5	12	1	1	2	5	7	10	19
20-34	150	3.5	18	< 1	1	2	4	7	10	18
35-49	88	4.0	18	1	1	2	5	10	12	23
50-64	78	5.4	27	1	2	3	8	13	17	79
65 +	149	8.1	57	1	2	6	10	19	28	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	839	2.1	3	< 1	1	1	2	4	5	9
B. Operated	147	2.4	4	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	3247	3.5	13	1	1	2	4	7	10	17
B. Operated	568	5.0	32	1	1	3	6	11	16	31
1. SINGLE DX	986	2.1	3	< 1	1	1	2	4	6	10
2. MULTIPLE DX	3815	3.8	16	1	1	3	5	8	11	20
A. Not Operated	4086	3.2	12	< 1	1	2	4	7	9	15
B. Operated	715	4.5	27	1	1	3	6	10	15	29
TOTAL										
0-19 YRS	1222	2.1	3	< 1	1	1	2	4	6	9
20-34	1159	2.5	5	< 1	1	2	3	5	6	11
35-49	642	2.9	6	1	1	2	4	6	7	12
50-64	513	3.9	14	1	1	3	5	8	11	22
65 +	1265	5.6	29	1	1	4	7	11	14	28
GRAND TOTAL	**4801**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	1.6	1	< 1	1	1	2	3	4	5
20-34	23	2.3	6	< 1	1	1	2	4	7	12
35-49	13	2.3	2	1	1	2	3	5	5	5
50-64	4	1.5	1	1	1	1	2	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	26	3.0	12	< 1	< 1	2	3	10	12	14
20-34	42	4.2	18	< 1	< 1	2	6	12	13	15
35-49	23	3.7	7	< 1	1	3	6	7	9	11
50-64	8	6.8	124	1	1	2	7	26	33	33
65 +	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.8	14	1	1	2	3	4	7	22
20-34	32	2.5	2	1	1	2	4	5	5	7
35-49	21	2.6	2	< 1	1	2	4	5	6	6
50-64	11	4.3	17	1	1	2	8	11	13	13
65 +	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	30	5.3	26	1	1	3	7	14	15	17
20-34	107	6.7	56	1	1	4	8	16	21	38
35-49	55	5.8	79	1	1	3	6	14	25	52
50-64	29	4.7	15	1	1	3	6	11	12	14
65 +	8	7.1	27	2	2	6	10	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	1.9	2	< 1	1	1	2	4	5	9
B. Operated	102	3.9	22	< 1	1	2	5	11	12	24
2. MULTIPLE DX										
A. Not Operated	101	2.9	8	1	1	2	4	5	7	17
B. Operated	229	6.1	52	1	1	3	7	14	19	37
1. SINGLE DX	197	2.9	13	< 1	1	2	3	7	11	[illegible]
2. MULTIPLE DX	330	5.1	40	1	1	3	6	13	17	33
A. Not Operated	196	2.4	5	1	1	2	3	4	5	13
B. Operated	331	5.4	43	1	1	3	6	13	17	33
TOTAL										
0-19 YRS	145	2.9	13	< 1	1	2	3	6	12	17
20-34	204	5.0	38	1	1	3	6	12	17	33
35-49	112	4.4	43	1	1	2	5	8	14	38
50-64	52	4.7	30	1	1	2	6	11	13	33
65 +	14	5.3	20	1	2	4	6	13	16	17
GRAND TOTAL	**527**	**4.3**	**31**	**1**	**1**	**2**	**5**	**11**	**14**	**30**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	3	4.7	6	2	2	5	6	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	4	1.3		< 1	< 1	1	2	2	2	2
B. Operated	5	4.0	5	2	2	4	5	7	7	7
1. SINGLE DX	5	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX	9	2.8	4	< 1	< 1	2	4	6	7	7
A. Not Operated	5	1.2		< 1	< 1	1	1	2	2	2
B. Operated	9	2.7	5	< 1	< 1	2	4	6	7	7
TOTAL										
0-19 YRS	8	1.5	1	< 1	< 1	1	2	3	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.8	8	1	1	3	6	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**14**	**2.1**	**4**	**< 1**	**< 1**	**1**	**2**	**5**	**7**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	440	1.3	3	< 1	< 1	1	1	2	3	5
20-34	40	1.6	1	< 1	< 1	1	2	3	4	6
35-49	32	1.5	1	< 1	< 1	1	2	3	4	5
50-64	35	1.2	1	< 1	< 1	1	1	1	2	5
65 +	28	1.3		< 1	1	1	1	2	3	4
B. Operated										
0-19 YRS	175	1.6	2	< 1	< 1	1	2	2	4	9
20-34	15	2.8	4	< 1	1	2	4	6	7	8
35-49	10	2.3	8	1	1	2	2	6	10	10
50-64	7	3.4	7	< 1	< 1	3	6	7	7	7
65 +	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	153	2.2	5	< 1	1	2	3	4	5	17
20-34	44	3.1	11	< 1	< 1	1	5	7	9	17
35-49	42	2.6	4	< 1	< 1	2	4	6	7	8
50-64	62	4.9	62	1	1	3	5	10	16	51
65 +	170	4.1	24	1	1	3	5	9	11	27
B. Operated										
0-19 YRS	99	4.1	50	< 1	1	2	4	9	11	48
20-34	36	6.1	34	< 1	1	4	9	16	20	21
35-49	36	5.7	25	1	1	4	8	12	18	20
50-64	52	4.6	16	1	1	3	7	10	12	17
65 +	128	5.9	47	1	1	3	6	13	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	575	1.3	2	< 1	< 1	1	1	2	3	5
B. Operated	211	1.8	3	< 1	< 1	1	2	3	6	9
2. MULTIPLE DX										
A. Not Operated	471	3.4	21	< 1	1	2	4	7	10	19
B. Operated	351	5.2	40	1	1	3	7	12	17	32
1. SINGLE DX	786	1.5	2	< 1	< 1	1	1	2	3	7
2. MULTIPLE DX	822	4.2	30	1	1	2	5	9	13	28
A. Not Operated	1046	2.3	12	< 1	< 1	1	2	5	7	15
B. Operated	562	3.9	29	< 1	1	2	5	9	13	23
TOTAL										
0-19 YRS	867	1.9	9	< 1	< 1	1	2	3	5	11
20-34	135	3.4	16	< 1	< 1	2	5	8	11	21
35-49	120	3.2	12	< 1	1	2	4	7	10	19
50-64	156	3.9	32	< 1	1	2	5	9	12	27
65 +	330	4.5	32	1	1	3	5	11	14	31
GRAND TOTAL	**1608**	**2.8**	**18**	**<1**	**<1**	**1**	**3**	**6**	**10**	**20**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	5.6	13	< 1	1	5	9	10	12	12
20-34	5	3.4	8	1	1	3	5	8	8	8
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	6.7	10	3	3	8	9	9	9	9
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	68	7.8	63	1	1	5	10	19	23	39
20-34	38	7.1	37	1	2	5	8	15	24	26
35-49	21	5.9	40	1	1	3	8	14	21	26
50-64	13	9.2	140	1	2	5	11	26	40	43
65 +	8	7.8	71	1	1	4	11	22	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	6.0	31	1	1	4	8	13	18	28
20-34	42	5.5	25	1	1	4	8	13	17	19
35-49	27	4.8	17	< 1	1	3	7	12	13	16
50-64	24	6.2	13	1	2	6	8	11	13	17
65 +	20	7.9	38	1	2	6	10	16	21	25
B. Operated										
0-19 YRS	157	15.7	160	2	3	13	21	31	42	62
20-34	133	16.2	214	3	4	12	22	36	50	99 +
35-49	99	15.6	160	1	4	13	21	35	49	99 +
50-64	67	16.3	238	3	4	12	19	30	39	91
65 +	68	19.6	250	3	4	16	26	48	54	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	5.0	12	1	1	4	8	9	11	12
B. Operated	148	7.5	59	1	2	5	9	18	25	41
2. MULTIPLE DX										
A. Not Operated	176	5.9	26	1	1	4	8	13	17	24
B. Operated	524	16.4	195	2	3	13	22	34	48	94
1. SINGLE DX	182	7.0	51	1	1	5	8	15	23	37
2. MULTIPLE DX	700	13.8	173	1	2	10	18	31	44	84
A. Not Operated	210	5.8	24	1	1	4	8	12	16	22
B. Operated	672	14.4	179	2	3	11	20	32	44	84
TOTAL										
0-19 YRS	311	11.2	122	1	2	8	15	25	32	50
20-34	218	12.3	166	1	2	8	17	28	40	89
35-49	149	12.1	139	1	2	9	16	32	41	99
50-64	107	12.9	187	2	2	9	16	25	33	87
65 +	97	16.0	218	2	3	11	22	42	51	85
GRAND TOTAL	**882**	**12.4**	**155**	**1**	**2**	**8**	**17**	**28**	**39**	**78**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	228	3.9	16	1	1	2	5	8	11	20
20-34	55	3.1	11	< 1	< 1	2	3	8	10	16
35-49	39	3.0	6	1	1	2	5	7	9	10
50-64	11	2.6	3	< 1	< 1	2	4	5	6	6
65 +	4	6.0	11	1	1	7	8	8	8	8
B. Operated										
0-19 YRS	71	5.9	47	1	1	4	8	12	14	44
20-34	19	5.6	15	1	1	5	7	12	14	15
35-49	7	3.4	4	1	1	3	5	7	7	7
50-64	5	4.0	7	1	1	4	6	7	7	7
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	635	5.0	21	1	1	3	7	11	14	22
20-34	261	3.7	14	1	1	2	4	9	11	20
35-49	135	4.8	17	1	1	3	7	11	12	17
50-64	67	5.3	27	1	1	3	7	11	14	27
65 +	71	8.7	56	2	2	6	12	17	20	43
B. Operated										
0-19 YRS	169	9.9	91	1	2	6	13	21	29	47
20-34	104	7.0	47	1	1	5	10	15	20	71
35-49	67	11.3	200	1	1	8	13	22	35	82
50-64	39	11.7	163	1	2	8	15	29	36	64
65 +	26	14.8	155	2	3	11	16	37	41	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	337	3.7	14	1	1	2	5	8	10	19
B. Operated	103	5.6	36	1	1	4	7	12	14	36
2. MULTIPLE DX										
A. Not Operated	1169	4.9	23	1	1	3	7	11	14	23
B. Operated	405	9.9	112	1	2	7	13	21	30	58
1. SINGLE DX	440	4.1	19	1	1	3	6	9	11	20
2. MULTIPLE DX	1574	6.2	50	1	1	4	8	13	18	36
A. Not Operated	1506	4.6	21	1	1	3	6	10	13	22
B. Operated	508	9.0	99	1	1	6	12	20	29	51
TOTAL										
0-19 YRS	1103	5.6	36	1	1	4	7	12	17	29
20-34	439	4.5	23	1	1	3	6	11	14	22
35-49	248	6.3	74	1	1	4	8	12	16	46
50-64	122	7.1	77	1	1	4	8	15	26	46
65 +	102	10.2	85	1	2	7	13	19	33	45
GRAND TOTAL	**2014**	**5.7**	**44**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.2	2	< 1	1	2	3	5	6	6
20-34	22	3.2	18	< 1	< 1	2	3	6	13	21
35-49	12	3.7	12	1	1	2	5	9	12	13
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	25	2.6	15	< 1	< 1	1	2	5	13	18
20-34	48	2.7	19	< 1	< 1	1	3	5	9	29
35-49	19	2.5	5	1	1	2	3	6	8	9
50-64	7	2.6	5	1	1	1	4	6	6	6
65 +	3	6.3	12	3	3	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.7	33	< 1	1	2	4	8	13	30
20-34	31	3.1	10	1	1	2	4	6	10	15
35-49	26	6.4	100	< 1	1	3	6	14	27	49
50-64	13	3.9	5	1	1	4	5	7	8	8
65 +	35	9.3	70	2	3	8	10	26	32	33
B. Operated										
0-19 YRS	78	4.3	66	1	1	2	4	10	16	52
20-34	119	3.8	39	< 1	< 1	2	3	8	15	50
35-49	56	5.1	73	1	1	2	4	14	26	43
50-64	32	3.7	55	1	1	1	3	9	10	42
65 +	18	9.7	162	1	2	5	7	27	43	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	2.8	10	< 1	1	2	3	6	7	20
B. Operated	102	2.7	14	< 1	< 1	1	3	6	10	23
2. MULTIPLE DX										
A. Not Operated	132	5.6	53	1	1	3	7	11	20	36
B. Operated	303	4.5	62	< 1	1	2	4	10	20	47
1. SINGLE DX	168	2.8	12	< 1	< 1	2	3	6	9	20
2. MULTIPLE DX	435	4.8	59	1	1	2	[illegible]	[illegible]	20	45
A. Not Operated	198	4.7	40	1	1	3	[illegible]	10	15	33
B. Operated	405	4.0	51	< 1	1	2	3	9	17	43
TOTAL										
0-19 YRS	159	3.5	41	< 1	1	2	3	6	12	35
20-34	220	3.4	28	< 1	< 1	2	3	7	12	37
35-49	113	4.8	62	1	1	2	4	13	20	46
50-64	54	3.6	34	1	1	2	5	7	9	41
65 +	57	9.2	94	1	2	6	10	25	32	50
GRAND TOTAL	**603**	**4.3**	**47**	**< 1**	**1**	**2**	**4**	**9**	**15**	**39**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	244	1.8	2	< 1	< 1	1	2	3	4	7
20-34	117	2.4	7	< 1	1	2	3	4	5	17
35-49	63	2.6	4	< 1	1	2	4	5	7	10
50-64	20	3.0	8	1	1	2	3	7	9	11
65 +	17	3.6	10	< 1	1	3	5	6	11	14
B. Operated										
0-19 YRS	39	3.9	13	< 1	< 1	3	5	9	13	15
20-34	58	4.8	19	1	1	3	7	12	15	17
35-49	25	5.4	26	1	1	3	7	12	18	20
50-64	8	5.9	12	1	1	6	8	10	11	11
65 +	5	4.8	20	1	1	3	7	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	277	2.8	8	< 1	1	2	3	5	7	18
20-34	279	3.2	8	1	1	2	4	7	9	16
35-49	169	3.7	12	1	1	3	4	7	10	17
50-64	123	4.5	16	1	1	3	6	9	12	23
65 +	189	6.1	24	1	2	5	7	11	14	24
B. Operated										
0-19 YRS	100	8.5	89	1	1	5	11	20	30	47
20-34	150	7.1	99	1	1	4	9	16	24	97
35-49	107	6.9	37	1	1	5	9	16	20	29
50-64	74	11.8	165	2	2	8	16	25	31	78
65 +	70	12.3	149	2	3	9	15	28	37	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	461	2.2	4	< 1	1	2	2	4	6	11
B. Operated	135	4.7	18	1	1	3	7	11	15	18
2. MULTIPLE DX										
A. Not Operated	1037	3.9	14	1	1	3	5	8	11	18
B. Operated	501	8.7	104	1	1	6	11	19	28	51
1. SINGLE DX	596	2.7	8	< 1	1	2	3	6	9	15
2. MULTIPLE DX	1538	5.4	48	1	1	3	7	12	17	34
A. Not Operated	1498	3.3	11	1	1	2	4	7	9	16
B. Operated	636	7.9	89	1	1	5	10	17	25	44
TOTAL										
0-19 YRS	660	3.3	23	< 1	1	2	3	7	11	23
20-34	604	4.2	34	1	1	2	5	9	14	27
35-49	364	4.6	22	1	1	3	6	10	14	25
50-64	225	6.8	76	1	1	4	8	15	22	34
65 +	281	7.4	62	1	2	5	9	14	19	45
GRAND TOTAL	**2134**	**4.7**	**39**	**1**	**1**	**3**	**6**	**10**	**15**	**30**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1352	1.6	3	< 1	< 1	1	2	3	3	7
20-34	431	1.7	1	< 1	< 1	1	2	3	4	6
35-49	157	1.8	2	< 1	< 1	1	2	3	5	6
50-64	44	2.6	3	1	1	2	3	5	7	8
65 +	30	3.1	5	1	1	3	4	7	7	9
B. Operated										
0-19 YRS	8	7.6	185	< 1	< 1	3	5	30	41	41
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2399	3.0	24	< 1	1	2	3	5	8	26
20-34	2881	3.3	22	< 1	1	2	3	6	10	27
35-49	1581	3.8	27	< 1	1	2	4	8	12	25
50-64	697	4.7	28	1	1	3	6	10	13	28
65 +	824	5.6	23	1	2	4	7	10	13	24
B. Operated										
0-19 YRS	21	12.4	492	1	1	5	10	33	68	98
20-34	92	7.6	119	1	2	5	9	15	19	74
35-49	67	10.8	149	1	2	7	11	28	36	63
50-64	48	10.5	74	2	2	7	13	24	28	38
65 +	84	12.1	115	2	3	9	14	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2014	1.7	2	< 1	< 1	1	2	3	4	7
B. Operated	9	7.1	164	< 1	< 1	3	5	27	41	41
2. MULTIPLE DX										
A. Not Operated	8382	3.6	25	< 1	1	2	4	7	11	27
B. Operated	312	10.3	143	1	2	6	12	22	32	63
1. SINGLE DX	2023	1.7	3	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	8694	3.9	30	< 1	1	2	4	8	12	29
A. Not Operated	10396	3.3	21	< 1	1	2	4	7	10	24
B. Operated	321	10.2	144	1	2	6	12	22	32	62
TOTAL										
0-19 YRS	3780	2.5	20	< 1	1	1	3	4	7	21
20-34	3405	3.2	22	< 1	1	2	3	6	10	25
35-49	1805	3.9	31	< 1	1	2	4	8	13	30
50-64	789	5.0	32	1	1	3	6	10	14	30
65 +	938	6.1	34	1	2	5	7	12	16	31
GRAND TOTAL	**10717**	**3.5**	**26**	**< 1**	**1**	**2**	**4**	**7**	**11**	**27**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	761	2.4	4	< 1	1	1	4	6	6	8
20-34	167	1.5	1	< 1	< 1	1	2	2	3	6
35-49	106	1.5	1	< 1	< 1	1	2	3	4	6
50-64	44	1.7	4	< 1	1	1	2	2	4	14
65 +	24	1.3		< 1	1	1	1	2	3	4
B. Operated										
0-19 YRS	12	3.2	9	1	1	2	4	8	11	11
20-34	0									
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	580	3.3	8	1	1	2	5	6	8	15
20-34	329	2.8	12	< 1	1	2	3	5	8	23
35-49	219	3.3	52	< 1	1	2	3	5	8	30
50-64	167	3.1	14	< 1	1	2	3	6	8	21
65 +	147	4.4	31	1	1	2	6	9	12	39
B. Operated										
0-19 YRS	23	9.2	137	< 1	1	4	13	31	32	32
20-34	27	7.3	88	< 1	1	3	9	25	31	35
35-49	11	14.4	297	3	3	6	20	46	51	51
50-64	14	7.7	91	1	1	4	10	24	32	34
65 +	19	14.2	211	1	2	8	17	42	44	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1102	2.1	4	< 1	< 1	1	2	5	6	7
B. Operated	16	3.9	11	1	1	3	5	10	11	11
2. MULTIPLE DX										
A. Not Operated	1442	3.3	19	< 1	1	2	4	6	8	19
B. Operated	94	10.0	151	1	1	5	11	31	40	48
1. SINGLE DX	1118	2.2	4	< 1	< 1	1	2	5	6	8
2. MULTIPLE DX	1536	3.7	29	< 1	1	2	4	7	10	30
A. Not Operated	2544	2.8	12	< 1	1	2	4	6	7	15
B. Operated	110	9.1	135	1	1	4	10	30	35	47
TOTAL										
0-19 YRS	1376	2.9	9	< 1	1	2	5	6	7	13
20-34	523	2.6	14	< 1	< 1	1	3	5	8	26
35-49	339	3.1	48	< 1	1	2	3	5	7	44
50-64	225	3.1	18	< 1	1	2	3	6	9	24
65 +	191	5.0	54	1	1	2	6	10	15	43
GRAND TOTAL	**2654**	**3.0**	**19**	**< 1**	**1**	**2**	**4**	**6**	**8**	**22**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	252	1.8	2	< 1	1	1	2	4	5	8
20-34	145	1.8	1	< 1	1	1	2	3	4	7
35-49	99	2.0	4	< 1	1	1	2	4	6	12
50-64	75	1.7	1	1	1	1	2	3	4	7
65 +	43	2.5	5	1	1	2	3	5	7	10
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	5.0	17	1	1	4	8	11	11	11
50-64	4	8.8	62	2	2	8	15	17	17	17
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	386	3.4	17	1	1	2	4	8	10	24
20-34	324	3.0	14	1	1	2	4	5	7	14
35-49	345	3.2	7	1	1	3	4	6	7	11
50-64	433	4.4	18	1	1	3	5	9	11	20
65 +	997	5.7	23	1	2	5	7	11	13	25
B. Operated										
0-19 YRS	39	11.7	400	1	1	4	11	32	64	91
20-34	56	6.0	132	1	1	1	5	12	39	54
35-49	50	9.5	177	1	1	5	13	20	45	59
50-64	68	9.5	129	1	1	6	15	27	35	45
65 +	141	8.9	103	1	1	6	11	21	33	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	614	1.9	2	< 1	1	1	2	4	5	9
B. Operated	13	5.4	29	1	1	2	8	15	17	17
2. MULTIPLE DX										
A. Not Operated	2485	4.4	19	1	1	3	5	9	11	22
B. Operated	354	9.0	156	1	1	5	10	24	40	59
1. SINGLE DX	627	2.0	3	< 1	1	1	2	4	5	10
2. MULTIPLE DX	2839	5.0	38	1	1	3	6	10	15	32
A. Not Operated	3099	3.9	17	1	1	3	5	8	11	20
B. Operated	367	8.8	152	1	1	4	10	23	39	58
TOTAL										
0-19 YRS	678	3.3	38	< 1	1	2	3	6	9	28
20-34	527	3.0	24	1	1	2	3	5	7	25
35-49	499	3.6	27	1	1	2	4	7	10	22
50-64	580	4.7	33	1	1	3	5	10	17	29
65 +	1182	5.9	33	1	1	4	7	11	16	30
GRAND TOTAL	**3466**	**4.4**	**33**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	4.3	20	1	1	3	5	10	14	22
20-34	19	2.1	2	1	1	2	3	3	5	6
35-49	21	4.8	28	< 1	1	3	5	12	19	22
50-64	29	3.6	7	1	1	3	5	7	8	11
65 +	52	5.3	23	< 1	1	4	8	10	12	28
B. Operated										
0-19 YRS	588	4.3	17	1	1	3	5	8	13	23
20-34	302	4.4	21	1	1	3	6	10	13	22
35-49	273	5.0	32	1	1	3	7	11	13	24
50-64	461	7.1	34	1	1	6	10	13	16	28
65 +	864	6.5	35	1	1	5	10	14	17	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	313	6.6	44	1	1	4	10	15	19	29
20-34	176	4.6	15	1	1	4	6	9	11	21
35-49	158	6.1	30	1	1	4	8	15	18	24
50-64	256	6.2	31	1	1	5	8	12	15	29
65 +	525	6.7	49	1	1	5	8	13	17	41
B. Operated										
0-19 YRS	1109	8.3	94	1	1	5	10	20	28	51
20-34	722	7.6	66	1	1	5	10	17	24	39
35-49	1137	8.4	91	1	1	6	10	19	28	51
50-64	2155	9.5	97	1	1	7	12	20	28	54
65 +	3965	10.7	107	1	2	8	14	23	30	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	4.3	18	1	1	3	6	9	13	23
B. Operated	2488	5.7	30	1	1	4	8	12	15	26
2. MULTIPLE DX										
A. Not Operated	1428	6.2	39	1	1	4	8	13	17	29
B. Operated	9088	9.6	99	1	2	7	12	21	28	51
1. SINGLE DX	2699	5.6	29	1	1	4	8	12	15	25
2. MULTIPLE DX	10516	9.1	92	1	1	6	12	20	27	49
A. Not Operated	1639	6.0	37	1	1	4	8	13	17	29
B. Operated	11576	8.8	87	1	1	6	11	19	26	48
TOTAL										
0-19 YRS	2100	6.8	65	1	1	4	8	16	23	42
20-34	1219	6.3	49	1	1	4	8	13	20	32
35-49	1589	7.5	76	1	1	5	9	17	24	46
50-64	2001	8.8	82	1	1	7	11	18	26	47
65 +	5406	9.6	92	1	1	7	13	20	27	49
GRAND TOTAL	**13215**	**8.4**	**81**	**1**	**1**	**6**	**11**	**18**	**25**	**46**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	212	1.4	1	< 1	< 1	1	1	2	3	5
20-34	130	1.9	2	< 1	< 1	2	2	3	4	8
35-49	88	2.5	6	< 1	< 1	2	3	4	6	15
50-64	95	2.7	3	1	1	2	3	4	6	9
65 +	135	3.0	4	1	1	3	4	5	7	10
B. Operated										
0-19 YRS	183	1.5	1	< 1	< 1	1	2	3	3	5
20-34	140	2.4	10	1	1	2	3	5	6	12
35-49	88	2.9	5	1	1	2	4	6	7	11
50-64	57	3.2	7	1	1	2	4	7	8	15
65 +	67	3.3	12	1	1	2	4	5	9	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	2.0	2	< 1	1	1	3	4	4	8
20-34	88	2.9	5	< 1	1	2	4	6	6	13
35-49	89	2.9	4	1	1	3	4	5	6	11
50-64	195	3.5	7	1	1	3	5	7	7	14
65 +	413	3.8	7	1	2	3	4	7	9	14
B. Operated										
0-19 YRS	149	1.8	3	1	1	1	2	3	5	11
20-34	213	2.7	11	1	1	1	3	6	8	18
35-49	184	3.4	20	1	1	1	4	8	12	23
50-64	245	3.8	28	1	1	2	4	8	11	22
65 +	543	4.6	37	1	1	2	6	11	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	660	2.2	3	< 1	< 1	2	3	4	5	10
B. Operated	535	2.4	6	< 1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	861	3.4	6	1	1	3	4	6	8	13
B. Operated	1334	3.7	26	1	1	2	4	8	13	24
1. SINGLE DX	1195	2.3	5	< 1	1	2	3	4	6	10
2. MULTIPLE DX	2195	3.5	18	1	1	2	4	7	11	21
A. Not Operated	1521	2.8	5	< 1	1	2	4	5	7	12
B. Operated	1869	3.3	21	1	1	2	4	7	11	22
TOTAL										
0-19 YRS	620	1.6	2	< 1	< 1	1	2	3	4	8
20-34	571	2.5	8	1	1	2	3	5	6	13
35-49	449	3.0	11	1	1	2	4	6	9	17
50-64	592	3.5	15	1	1	2	4	7	9	19
65 +	1158	4.0	21	1	1	3	5	8	12	23
GRAND TOTAL	**3390**	**3.1**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	4.6	10	1	1	4	6	9	11	14
20-34	125	4.1	8	1	2	3	5	7	9	17
35-49	91	4.2	5	1	2	4	5	7	9	11
50-64	64	5.9	11	1	2	5	8	11	12	14
65 +	64	6.7	21	2	3	6	8	13	14	28
B. Operated										
0-19 YRS	59	7.5	55	1	1	5	10	16	24	41
20-34	76	8.1	58	1	2	6	10	18	27	34
35-49	76	6.4	19	1	2	5	9	13	15	20
50-64	64	7.4	51	1	1	5	10	16	20	40
65 +	55	9.2	84	1	2	7	11	17	30	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	5.5	19	1	2	4	7	11	13	24
20-34	171	5.5	13	2	2	4	7	10	12	16
35-49	217	7.1	31	2	2	6	8	13	16	32
50-64	252	7.7	30	2	3	6	9	14	18	30
65 +	351	8.2	34	2	3	7	10	14	20	30
B. Operated										
0-19 YRS	101	10.5	78	2	3	8	14	24	29	41
20-34	197	10.3	90	1	2	8	14	21	29	50
35-49	265	12.3	121	2	3	9	17	26	31	63
50-64	365	14.4	192	2	3	10	18	30	43	70
65 +	476	15.6	181	3	4	11	20	35	44	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	432	4.9	11	1	2	4	6	9	11	16
B. Operated	330	7.6	52	1	2	6	10	15	21	42
2. MULTIPLE DX										
A. Not Operated	1090	7.2	29	2	2	6	9	13	17	29
B. Operated	1404	13.6	156	2	3	10	17	28	41	69
1. SINGLE DX	762	6.1	31	1	2	4	7	12	15	30
2. MULTIPLE DX	2494	10.8	110	2	3	8	13	23	31	57
A. Not Operated	1522	6.5	25	2	2	5	8	12	15	28
B. Operated	1734	12.4	142	2	3	9	16	27	38	66
TOTAL										
0-19 YRS	347	7.1	45	1	2	5	9	14	22	35
20-34	569	7.2	51	2	2	5	9	15	20	38
35-49	649	8.7	72	2	2	6	10	19	25	43
50-64	745	10.8	122	2	3	8	12	23	31	58
65 +	946	11.9	124	2	3	8	14	26	36	66
GRAND TOTAL	**3256**	**9.7**	**96**	**2**	**2**	**7**	**11**	**21**	**28**	**51**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	3.3	10	<1	1	2	4	8	11	14
20-34	74	3.3	10	1	1	2	4	7	10	16
35-49	64	4.8	32	<1	1	3	5	11	21	28
50-64	44	4.5	9	1	1	4	6	8	11	12
65 +	38	4.5	9	1	1	4	6	8	11	14
B. Operated										
0-19 YRS	69	4.2	21	1	1	3	5	8	16	23
20-34	97	4.7	13	1	1	4	6	10	13	16
35-49	135	5.4	22	1	1	4	7	10	16	26
50-64	101	5.9	22	1	1	5	7	12	16	22
65 +	111	5.4	48	1	1	4	6	10	14	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	276	3.0	16	1	1	2	3	7	9	17
20-34	321	3.2	7	1	1	2	4	7	9	14
35-49	380	3.8	11	1	1	3	5	8	9	17
50-64	465	4.9	23	1	1	3	6	11	14	25
65 +	695	5.7	33	1	1	4	7	11	14	29
B. Operated										
0-19 YRS	545	3.8	48	1	1	1	3	10	17	35
20-34	768	4.1	47	1	1	2	4	9	14	44
35-49	854	5.4	53	1	1	2	7	13	19	37
50-64	991	7.1	97	1	1	3	9	18	26	51
65 +	1556	7.6	83	1	1	4	10	18	26	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	271	4.0	15	1	1	3	5	8	12	22
B. Operated	513	5.2	26	1	1	4	6	10	15	22
2. MULTIPLE DX										
A. Not Operated	2137	4.5	22	1	1	3	6	9	12	23
B. Operated	4714	6.1	73	1	1	3	8	15	23	43
1. SINGLE DX	784	4.8	23	1	1	4	6	10	14	22
2. MULTIPLE DX	6851	5.6	57	1	1	3	7	13	19	40
A. Not Operated	2408	4.4	21	1	1	3	6	9	12	23
B. Operated	5227	6.0	68	1	1	3	8	15	22	43
TOTAL										
0-19 YRS	941	3.5	34	1	1	1	4	8	14	30
20-34	1260	3.9	32	1	1	2	5	9	12	32
35-49	1433	4.9	38	1	1	3	6	11	17	32
50-64	1601	6.3	69	1	1	4	8	15	22	41
65 +	2400	6.9	66	1	1	4	9	15	23	42
GRAND TOTAL	**7635**	**5.5**	**54**	**1**	**1**	**3**	**7**	**13**	**19**	**37**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.3	3	< 1	1	2	3	5	6	7
20-34	10	3.7	7	1	1	3	5	8	8	8
35-49	5	1.8		1	1	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65 +	3	2.3		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	3.2	6	1	1	2	4	7	9	11
20-34	22	4.6	8	1	2	4	6	7	10	15
35-49	26	5.0	23	1	1	4	6	8	12	26
50-64	45	5.5	16	1	1	4	7	13	14	17
65 +	81	4.1	17	1	1	3	5	11	13	19
B. Operated										
0-19 YRS	8	13.0	65	1	2	15	18	22	24	24
20-34	11	9.2	75	1	1	6	15	23	28	28
35-49	9	8.9	72	1	2	5	11	24	27	27
50-64	23	12.0	250	1	2	9	12	24	44	78
65 +	17	13.2	361	1	1	7	14	31	62	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.6	3	1	1	2	3	5	7	8
B. Operated	4	2.8	8	1	1	2	4	7	7	7
2. MULTIPLE DX										
A. Not Operated	238	4.3	14	1	1	3	6	9	12	17
B. Operated	68	11.6	198	1	1	7	15	25	30	78
1. SINGLE DX	50	2.6	4	1	1	2	3	6	7	8
2. MULTIPLE DX	306	5.9	63	1	1	4	7	13	17	30
A. Not Operated	284	4.0	13	1	1	3	5	8	11	17
B. Operated	72	11.1	191	1	1	7	14	25	30	78
TOTAL										
0-19 YRS	102	3.7	17	1	1	2	4	8	12	21
20-34	43	5.6	28	1	1	4	6	12	17	28
35-49	41	5.5	34	1	1	4	6	9	22	27
50-64	69	7.6	101	1	2	5	10	14	17	68
65 +	101	5.6	83	1	1	3	7	12	15	54
GRAND TOTAL	**356**	**5.4**	**56**	**1**	**1**	**3**	**6**	**12**	**16**	**30**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	247	1.4		< 1	< 1	1	2	2	3	4
35-49	126	1.2		< 1	< 1	1	1	2	2	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	1.9	2	< 1	< 1	1	3	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.3	2	< 1	< 1	2	3	4	4	4
20-34	231	1.9	1	< 1	< 1	1	2	4	4	6
35-49	129	1.9	2	< 1	< 1	1	2	4	4	6
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	374	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	7	1.9	2	< 1	< 1	1	3	5	5	5
B. Operated	365	1.9	1	< 1	< 1	1	2	4	4	6
1. SINGLE DX	377	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	372	1.9	1	< 1	< 1	1	2	4	4	6
A. Not Operated	10	1.6	2	< 1	< 1	1	1	4	5	5
B. Operated	739	1.6	1	< 1	< 1	1	2	3	4	5
TOTAL										
0-19 YRS	5	2.0	2	< 1	< 1	1	3	4	4	4
20-34	488	1.6	1	< 1	< 1	1	2	3	4	5
35-49	255	1.5	1	< 1	< 1	1	2	3	4	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
GRAND TOTAL	**749**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	1395	2.8	2	1	2	2	3	5	5	7
2500 +	101813	2.6	1	1	2	2	3	4	5	6
B. Operated										
1-999 G	0									
1000-1499	2	29.5	41	25	25	29	34	34	34	34
1500-1749	0									
1750-2499	2	2.0	2	1	1	2	3	3	3	3
2500 +	39	2.9	1	2	2	3	4	4	5	5
2. MULTIPLE DX										
A. Not Operated										
1-999 G	34	66.4	289	35	51	75	99 +	99 +	99 +	99 +
1000-1499	313	40.1	225	20	22	39	49	60	70	93
1500-1749	372	24.4	126	11	13	23	28	38	46	74
1750-2499	5591	6.9	41	2	2	5	9	16	20	30
2500 +	64989	3.3	4	2	2	3	4	5	6	10
B. Operated										
1-999 G	109	75.4	204	52	58	87	99 +	99 +	99 +	99 +
1000-1499	256	50.9	320	26	30	50	64	86	95	99 +
1500-1749	140	35.1	199	18	20	32	41	53	69	87
1750-2499	479	18.9	174	4	6	16	24	36	48	64
2500 +	1314	7.7	68	2	2	5	9	14	20	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103208	2.6	1	1	2	2	3	4	5	6
B. Operated	43	4.1	34	1	2	3	4	5	12	34
2. MULTIPLE DX										
A. Not Operated	71299	3.9	19	2	2	3	4	6	8	23
B. Operated	2298	19.7	485	2	3	10	30	62	85	99 +
1. SINGLE DX	103251	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX	73597	4.4	41	2	2	3	4	6	10	38
A. Not Operated	174507	3.1	9	1	2	3	4	5	6	13
B. Operated	2341	19.5	481	2	3	10	30	61	84	99 +
TOTAL										
1-999 G	143	73.2	237	50	57	83	99 +	99 +	99 +	99 +
1000-1499	571	44.9	296	20	26	43	56	74	86	99 +
1500-1749	512	27.4	168	12	14	25	32	44	51	84
1750-2499	7467	6.9	54	2	2	4	8	16	21	35
2500 +	168155	2.9	3	1	2	2	4	5	5	9
GRAND TOTAL	**176848**	**3.3**	**19**	**1**	**2**	**3**	**4**	**5**	**6**	**19**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	194	4.0	2	2	2	4	5	6	7	9
2500 +	957	3.8	2	2	2	4	5	5	6	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	3	64.7	430	46	46	74	93	99 +	99 +	99 +
1000-1499	67	37.4	172	19	22	37	48	61	70	99 +
1500-1749	119	24.8	136	11	14	23	30	38	43	71
1750-2499	1052	8.7	42	2	3	6	11	18	22	30
2500 +	981	4.7	6	2	3	4	5	7	8	14
B. Operated										
1-999 G	14	68.5	282	46	52	89	99 +	99 +	99 +	99 +
1000-1499	58	51.4	303	30	35	47	63	89	99	99 +
1500-1749	30	35.8	156	21	23	33	39	53	58	77
1750-2499	70	19.2	188	4	5	16	25	34	38	85
2500 +	27	14.7	240	4	4	9	16	48	54	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1151	3.9	2	2	2	4	5	5	6	8
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2222	8.7	85	2	3	5	10	19	28	49
B. Operated	199	34.0	527	4	7	34	53	88	99 +	99 +
1. SINGLE DX	1151	3.9	2	2	2	4	5	5	6	8
2. MULTIPLE DX	2421	10.8	169	2	3	5	12	27	41	88
A. Not Operated	3373	7.1	62	2	2	5	6	16	23	45
B. Operated	199	34.0	527	4	7	34	53	88	99 +	99 +
TOTAL										
1-999 G	17	67.8	286	46	49	87	99 +	99 +	99 +	99 +
1000-1499	125	43.9	280	22	25	43	54	73	98	99 +
1500-1749	149	27.0	158	12	14	25	32	42	51	77
1750-2499	1316	8.6	53	2	3	6	11	18	23	34
2500 +	1965	4.4	9	2	2	4	5	6	7	13
GRAND TOTAL	**3572**	**6.6**	**126**	**2**	**3**	**5**	**8**	**20**	**34**	**70**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	14	3.0	11	1	1	2	2	5	12	14
2500 +	263	2.2	1	1	1	2	2	3	4	6
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	5	32.2	138	22	22	30	37	52	52	52
1500-1749	6	28.8	23	24	24	28	33	36	36	36
1750-2499	53	8.6	41	1	2	8	12	16	21	29
2500 +	154	3.2	6	1	1	2	4	6	7	13
B. Operated										
1-999 G	1	78.0		78	78	78	78	78	78	78
1000-1499	0									
1500-1749	1	51.0		51	51	51	51	51	51	51
1750-2499	6	19.7	187	2	2	21	31	36	37	37
2500 +	5	3.2	2	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	2.2	1	1	1	2	2	3	4	6
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	218	5.9	54	1	2	3	6	14	24	34
B. Operated	13	20.2	556	2	2	6	32	56	74	78
1. SINGLE DX	278	2.2	1	1	1	2	2	3	4	6
2. MULTIPLE DX	231	6.7	91	1	2	3	6	16	28	51
A. Not Operated	495	3.8	28	1	1	2	3	7	13	30
B. Operated	14	18.9	537	2	2	5	31	54	73	78
TOTAL										
1-999 G	1	78.0		78	78	78	78	78	78	78
1000-1499	5	32.2	138	22	22	30	37	52	52	52
1500-1749	7	32.0	90	24	24	28	35	48	51	51
1750-2499	73	8.4	61	1	2	6	12	19	26	36
2500 +	423	2.6	3	1	1	2	3	4	6	11
GRAND TOTAL	**509**	**4.2**	**47**	**1**	**1**	**2**	**3**	**8**	**15**	**34**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	358	1.7	1	< 1	< 1	1	2	3	4	5
20-34	341	1.9	2	< 1	1	1	2	3	5	6
35-49	146	2.0	2	< 1	1	1	2	4	5	7
50-64	110	1.8	2	< 1	< 1	1	2	3	4	8
65 +	64	2.6	5	< 1	< 1	2	3	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.9	2	< 1	< 1	1	3	4	4	4
20-34	3	2.0	3	< 1	< 1	1	3	4	4	4
35-49	1	34.0		34	34	34	34	34	34	34
50-64	1	1.0		1	1	1	1	1	1	1
65 +	8	19.6	432	1	1	10	41	48	50	50
B. Operated										
0-19 YRS	205	2.1	3	< 1	1	2	2	4	5	11
20-34	132	2.9	7	1	1	2	4	7	8	14
35-49	78	3.7	69	1	1	2	4	5	7	56
50-64	72	3.4	8	1	1	3	4	7	9	14
65 +	58	4.3	14	1	1	3	6	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	3	1	1	1	2	5	5	5
B. Operated	1019	1.9	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	23	9.4	240	< 1	< 1	2	8	39	47	50
B. Operated	545	2.9	15	1	1	2	3	6	8	14
1. SINGLE DX	1024	1.9	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	568	3.2	26	1	1	2	3	6	9	31
A. Not Operated	28	8.1	205	< 1	< 1	1	5	36	45	50
B. Operated	1564	2.2	7	< 1	1	2	3	4	6	10
TOTAL										
0-19 YRS	575	1.9	2	< 1	1	1	2	3	4	7
20-34	478	2.2	3	< 1	1	2	3	4	6	9
35-49	226	2.7	30	< 1	1	2	3	4	6	16
50-64	183	2.4	5	< 1	1	2	3	5	7	11
65 +	130	4.4	48	< 1	1	2	5	9	11	46
GRAND TOTAL	**1592**	**2.3**	**11**	**< 1**	**1**	**2**	**3**	**4**	**6**	**11**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.4	4	1	1	2	3	6	6	6
20-34	62	1.8		1	1	2	2	2	3	4
35-49	119	1.8	1	1	1	2	2	2	3	5
50-64	117	1.8	1	1	1	2	2	2	3	6
65 +	82	1.8	1	1	1	2	2	2	2	7
B. Operated										
0-19 YRS	8	7.9	39	1	2	6	11	18	20	20
20-34	12	2.9	6	1	1	2	3	8	9	9
35-49	32	4.1	10	1	1	3	5	9	12	13
50-64	32	4.5	26	1	1	3	5	9	15	26
65 +	47	7.3	72	1	1	4	11	19	27	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	385	1.8	1	1	1	2	2	2	3	6
B. Operated	131	5.5	39	1	1	3	6	13	20	30
1. SINGLE DX	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX	516	2.7	13	1	1	2	2	5	8	21
A. Not Operated	385	1.8	1	1	1	2	2	2	3	6
B. Operated	133	5.4	39	1	1	3	6	13	19	30
TOTAL										
0-19 YRS	13	5.8	32	1	1	5	7	15	19	20
20-34	75	1.9	1	1	1	2	2	2	3	8
35-49	151	2.3	3	1	1	2	2	4	5	12
50-64	149	2.4	7	1	1	2	2	4	5	15
65 +	130	3.8	33	1	1	2	2	10	15	30
GRAND TOTAL	**518**	**2.7**	**13**	**1**	**1**	**2**	**2**	**5**	**8**	**21**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	577	2.4	13	< 1	< 1	1	2	4	6	24
20-34	446	2.1	14	< 1	< 1	1	2	3	4	14
35-49	177	4.4	117	< 1	1	2	3	7	19	69
50-64	164	2.3	4	< 1	< 1	2	3	5	6	10
65 +	255	8.1	148	< 1	1	3	10	28	38	98
B. Operated										
0-19 YRS	273	3.4	9	< 1	1	2	5	8	10	12
20-34	449	3.0	7	1	1	2	4	7	8	12
35-49	287	4.0	11	1	1	3	6	8	10	15
50-64	204	4.3	15	< 1	1	2	7	9	11	17
65 +	130	4.7	20	< 1	1	3	7	10	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3741	4.0	46	1	1	2	4	6	11	39
20-34	2080	4.2	61	< 1	< 1	2	4	7	16	56
35-49	3717	4.0	38	1	1	2	4	6	10	36
50-64	9572	3.9	35	1	1	2	4	6	11	34
65 +	10695	6.8	91	1	1	3	6	19	28	49
B. Operated										
0-19 YRS	1497	4.2	53	1	1	2	4	8	13	44
20-34	1023	4.5	54	1	1	2	5	9	14	40
35-49	1389	5.0	54	1	1	3	6	10	15	43
50-64	2148	6.7	96	1	1	4	8	14	26	56
65 +	2382	8.5	134	1	1	5	9	19	33	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1619	3.4	49	< 1	< 1	2	3	6	13	41
B. Operated	1343	3.7	11	< 1	1	2	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	29805	5.0	61	1	1	3	5	10	21	43
B. Operated	8439	6.2	90	1	1	3	7	13	23	53
1. SINGLE DX	2962	3.5	32	< 1	< 1	2	4	8	10	31
2. MULTIPLE DX	38244	5.2	67	1	1	3	5	11	21	45
A. Not Operated	31424	4.9	60	1	1	2	5	10	20	43
B. Operated	9782	5.9	80	1	1	3	7	12	21	50
TOTAL										
0-19 YRS	6088	3.8	43	< 1	1	2	4	7	11	39
20-34	3998	3.9	49	< 1	< 1	2	4	7	12	44
35-49	5570	4.2	43	1	1	2	5	8	11	38
50-64	12088	4.4	46	1	1	2	5	8	14	39
65 +	13462	7.1	100	1	1	3	7	19	29	51
GRAND TOTAL	**41206**	**5.1**	**65**	**1**	**1**	**3**	**5**	**10**	**20**	**45**

Length of Stay Tables
Operation Groups

333 Hospitals, North Central Region, January-December 1987, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67860	3.1	16	1	1	2	3	6	8	20
20-34	136030	3.0	7	1	1	2	3	5	6	13
35-49	51645	3.8	15	1	1	3	5	7	10	18
50-64	39999	4.3	16	1	1	3	6	9	11	19
65 +	32476	5.5	24	1	1	4	8	11	14	22
2. MULTIPLE DX										
0-19 YRS	88040	6.1	93	1	1	3	6	13	23	62
20-34	159849	4.9	32	1	1	4	5	9	13	31
35-49	119792	6.3	46	1	1	5	7	12	18	36
50-64	159959	7.6	61	1	2	5	9	15	21	41
65 +	296613	9.2	68	2	2	7	12	18	24	43
TOTAL SINGLE DX	328010	3.5	14	1	1	3	4	7	10	18
TOTAL MULTIPLE DX	824253	7.3	62	1	2	5	9	15	21	42
TOTAL										
0-19 YRS	155900	4.8	62	1	1	3	5	9	16	47
20-34	295879	4.0	22	1	1	3	4	7	10	25
35-49	171437	5.5	38	1	1	4	6	11	15	32
50-64	199958	6.9	54	1	1	5	9	14	19	38
65 +	329089	8.9	65	1	2	7	11	17	23	42
GRAND TOTAL	**1152263**	**6.2**	**51**	**1**	**1**	**4**	**8**	**13**	**18**	**37**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	8.2	41	1	1	7	10	17	21	32
20-34	87	10.2	42	2	3	9	13	19	22	37
35-49	117	8.5	27	1	3	8	10	16	19	26
50-64	128	8.8	27	2	3	8	12	15	19	27
65 +	119	10.9	37	3	5	10	14	20	22	34
2. MULTIPLE DX										
0-19 YRS	313	14.1	188	2	3	10	18	31	42	97
20-34	188	18.2	271	4	6	13	21	41	59	91
35-49	266	15.3	187	4	5	11	17	30	49	89
50-64	446	17.0	197	5	6	12	21	36	49	99 +
65 +	685	19.2	197	5	7	15	23	39	52	65
TOTAL SINGLE DX	598	9.2	36	1	3	8	12	17	21	30
TOTAL MULTIPLE DX	1898	17.2	205	4	5	13	21	36	51	85
TOTAL										
0-19 YRS	460	12.2	149	1	2	9	16	27	37	91
20-34	275	15.7	212	3	5	11	17	33	51	81
35-49	383	13.2	148	3	5	9	15	27	36	83
50-64	574	15.2	171	4	5	11	19	32	46	91
65 +	804	18.0	182	5	6	14	22	36	49	63
GRAND TOTAL	2496	15.3	176	3	5	11	19	32	44	77

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	6.1	13	2	3	5	8	10	13	22
20-34	26	8.2	24	3	3	7	10	16	19	23
35-49	35	9.3	43	3	4	8	10	22	24	33
50-64	27	9.7	38	4	5	7	13	20	25	26
65 +	28	9.4	25	2	3	8	12	18	20	20
2. MULTIPLE DX										
0-19 YRS	149	17.7	317	3	5	12	22	45	63	98
20-34	59	16.6	243	5	6	11	18	40	64	98
35-49	83	17.8	264	5	6	11	21	40	62	96
50-64	101	21.1	384	4	6	13	25	52	80	99 +
65 +	131	18.6	197	4	5	15	25	35	48	76
TOTAL SINGLE DX	217	7.7	26	2	3	7	9	14	20	25
TOTAL MULTIPLE DX	523	18.5	283	4	5	12	23	42	61	98
TOTAL										
0-19 YRS	250	13.0	227	3	3	8	14	30	53	88
20-34	85	14.0	191	4	4	10	16	31	52	92
35-49	118	15.3	214	4	5	10	18	33	44	92
50-64	128	18.7	333	4	5	12	22	45	68	99 +
65 +	159	17.0	179	4	5	12	23	34	43	73
GRAND TOTAL	740	15.3	232	3	4	10	18	34	52	90

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	213	4.1	6	1	2	4	5	7	8	15
20-34	29	5.1	8	2	2	4	7	10	12	12
35-49	15	8.1	137	1	1	6	8	11	39	49
50-64	5	4.8	2	3	3	4	6	7	7	7
65 +	5	5.8	23	1	1	3	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	156	8.1	89	2	2	6	8	17	22	51
20-34	75	13.4	373	1	2	7	12	39	75	99
35-49	38	10.6	110	1	2	7	13	23	35	50
50-64	27	9.3	80	1	2	8	11	18	26	46
65 +	13	11.0	92	5	5	7	11	22	37	40
TOTAL SINGLE DX	267	4.5	15	1	2	4	6	8	9	18
TOTAL MULTIPLE DX	309	9.9	163	2	2	6	10	20	39	87
TOTAL										
0-19 YRS	369	5.8	45	1	2	4	6	9	15	45
20-34	104	11.1	284	1	2	6	10	29	48	98
35-49	53	9.9	117	1	2	7	11	22	37	50
50-64	32	8.6	71	1	2	7	10	15	23	46
65 +	18	9.6	77	2	3	7	10	17	31	40
GRAND TOTAL	576	7.4	102	1	2	5	7	13	22	53

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	202	4.5	19	1	2	3	5	8	10	28
20-34	23	7.0	7	3	4	6	9	10	12	14
35-49	16	5.8	8	2	3	5	8	10	11	12
50-64	14	7.3	14	3	3	7	9	12	16	17
65 +	30	8.7	23	4	4	8	10	15	18	24
2. MULTIPLE DX										
0-19 YRS	344	11.3	216	1	2	6	13	29	49	93
20-34	35	11.2	95	3	3	9	13	29	83	99 +
35-49	38	17.1	270	3	4	10	24	39	71	99 +
50-64	44	17.0	167	4	5	14	25	33	48	99 +
65 +	159	19.4	242	5	6	14	23	39	56	77
TOTAL SINGLE DX	285	5.3	20	2	2	4	6	10	13	24
TOTAL MULTIPLE DX	620	14.1	228	2	3	9	19	36	53	99 +
TOTAL										
0-19 YRS	546	8.8	155	1	2	4	9	21	38	74
20-34	58	9.5	64	3	4	8	11	21	41	99 +
35-49	54	13.7	218	3	3	8	18	34	52	99
50-64	58	14.7	147	3	4	9	23	32	40	97
65 +	189	17.7	223	4	5	13	22	37	52	74
GRAND TOTAL	905	11.4	179	2	2	7	14	28	42	86

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	404	4.6	20	1	2	3	5	10	14	24
20-34	50	11.0	78	1	2	8	16	22	31	37
35-49	28	9.7	79	2	2	7	10	27	30	34
50-64	13	5.9	8	1	1	6	7	10	11	11
65+	15	8.3	64	1	1	7	12	21	27	29
2. MULTIPLE DX										
0-19 YRS	711	9.9	171	1	2	5	12	26	40	99+
20-34	153	15.0	178	3	3	9	25	37	43	62
35-49	103	16.4	204	3	4	10	26	36	51	84
50-64	79	16.8	197	2	3	15	23	36	48	90
65+	83	20.1	264	4	6	16	27	40	50	88
TOTAL SINGLE DX	510	5.7	35	1	2	4	7	13	20	32
TOTAL MULTIPLE DX	1129	12.4	196	1	2	7	18	32	44	95
TOTAL										
0-19 YRS	1115	8.0	123	1	2	4	9	20	31	76
20-34	203	14.0	157	2	3	9	20	34	40	58
35-49	131	15.0	184	2	3	10	24	34	43	75
50-64	92	15.3	185	1	3	12	21	35	47	86
65+	98	18.3	251	2	5	14	25	39	49	85
GRAND TOTAL	1639	10.3	155	1	2	5	13	27	37	75

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	8.6	37	4	5	7	10	14	15	43
20-34	127	6.0	10	2	3	5	8	9	12	19
35-49	322	6.4	20	2	3	5	8	11	14	23
50-64	327	6.8	13	3	3	6	8	11	13	21
65+	310	8.4	18	3	4	7	10	14	16	22
2. MULTIPLE DX										
0-19 YRS	71	11.3	141	2	4	7	11	30	44	55
20-34	176	8.7	39	3	4	7	9	16	23	34
35-49	482	8.4	42	3	3	7	10	16	21	38
50-64	796	10.0	73	4	4	8	11	18	23	47
65+	1120	12.6	73	5	6	10	15	22	29	51
TOTAL SINGLE DX	1131	7.1	18	3	3	6	9	12	15	22
TOTAL MULTIPLE DX	2645	10.8	70	4	4	8	12	20	26	46
TOTAL										
0-19 YRS	116	10.2	103	3	4	7	10	18	37	54
20-34	303	7.6	29	3	3	6	9	12	19	32
35-49	804	7.6	34	3	3	6	9	13	19	35
50-64	1123	9.1	58	3	4	7	10	15	20	43
65+	1430	11.7	65	4	5	9	14	21	27	48
GRAND TOTAL	3776	9.7	58	3	4	8	11	17	23	42

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	105	8.2	31	2	4	7	9	15	21	31
20-34	93	4.8	20	1	1	3	5	10	17	21
35-49	105	5.0	15	1	1	4	7	10	13	18
50-64	67	6.3	31	1	1	4	8	14	16	31
65+	23	6.2	19	<1	1	7	9	11	14	18
2. MULTIPLE DX										
0-19 YRS	179	12.1	171	2	3	8	14	26	41	69
20-34	142	10.2	128	2	2	7	12	22	38	59
35-49	236	10.0	97	1	2	7	12	21	27	52
50-64	198	12.3	126	2	3	9	16	25	37	70
65+	189	14.5	134	2	3	11	20	29	38	68
TOTAL SINGLE DX	393	6.1	25	1	1	5	8	12	16	24
TOTAL MULTIPLE DX	944	11.8	132	1	2	8	14	26	37	61
TOTAL										
0-19 YRS	284	10.7	123	2	3	7	11	22	32	63
20-34	235	8.0	92	1	2	5	9	17	28	52
35-49	341	8.5	77	1	2	6	10	16	24	50
50-64	265	10.8	109	1	2	8	14	22	34	61
65+	212	13.6	128	1	3	10	18	28	38	63
GRAND TOTAL	1337	10.1	107	1	2	7	13	22	31	59

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	3.7	22	1	1	2	4	11	16	18
20-34	59	3.7	18	<1	<1	2	5	8	9	27
35-49	89	3.5	9	1	1	3	4	8	9	16
50-64	73	3.1	7	1	1	2	4	7	8	11
65+	49	3.0	7	1	1	2	3	7	10	13
2. MULTIPLE DX										
0-19 YRS	28	6.8	33	1	1	7	11	22	99+	99+
20-34	52	3.8	12	1	1	3	5	9	12	15
35-49	109	5.0	24	1	1	3	7	10	13	26
50-64	96	4.9	49	1	1	2	7	9	11	40
65+	103	8.3	85	1	1	5	11	19	28	45
TOTAL SINGLE DX	286	3.4	11	1	1	2	4	8	9	16
TOTAL MULTIPLE DX	388	5.8	48	1	1	3	8	13	21	41
TOTAL										
0-19 YRS	44	5.7	31	1	1	4	10	17	38	99+
20-34	111	3.7	15	<1	1	2	5	8	11	20
35-49	198	4.4	18	1	1	3	6	9	11	23
50-64	169	4.1	32	1	1	2	6	8	10	38
65+	152	6.6	66	1	1	3	8	16	23	40
GRAND TOTAL	674	4.8	34	1	1	3	6	10	15	38

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	1.9	2	<1	<1	1	2	4	5	8
20-34	172	1.7	1	<1	<1	1	2	3	4	5
35-49	220	2.0	2	<1	<1	1	2	4	5	8
50-64	162	2.2	4	<1	<1	1	2	5	6	10
65+	63	2.6	6	<1	<1	1	3	7	9	11
2. MULTIPLE DX										
0-19 YRS	115	2.9	13	<1	1	2	3	6	9	21
20-34	228	3.2	14	<1	1	2	3	7	10	23
35-49	274	3.5	38	1	1	2	3	7	12	23
50-64	264	3.6	22	1	1	2	4	8	12	24
65+	234	5.1	34	1	1	3	6	13	18	30
TOTAL SINGLE DX	669	2.0	3	<1	<1	1	2	4	6	9
TOTAL MULTIPLE DX	1115	3.7	27	1	1	2	4	8	13	24
TOTAL										
0-19 YRS	167	2.6	10	<1	1	2	3	5	7	21
20-34	400	2.5	10	<1	<1	1	3	5	8	18
35-49	494	2.8	23	<1	1	2	3	5	8	19
50-64	426	3.1	16	<1	1	2	3	7	9	20
65+	297	4.6	30	1	1	2	5	12	15	28
GRAND TOTAL	1784	3.1	19	<1	1	2	3	7	10	21

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	20	5.5	61	1	1	4	5	7	22	38
35-49	22	5.2	7	1	2	5	6	10	11	11
50-64	12	5.8	16	1	1	6	7	11	15	16
65+	4	8.3	38	3	3	6	12	17	17	17
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	34	5.9	34	2	2	4	6	9	17	33
35-49	26	8.2	75	1	2	5	9	20	31	36
50-64	29	9.4	29	4	4	8	12	18	21	25
65+	60	12.6	77	4	5	10	14	25	35	44
TOTAL SINGLE DX	59	5.6	28	1	2	4	6	9	14	36
TOTAL MULTIPLE DX	150	9.6	64	2	3	8	12	19	28	41
TOTAL										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	54	5.7	43	1	2	4	5	8	17	38
35-49	48	6.8	46	1	2	5	8	11	22	36
50-64	41	8.4	28	2	3	7	10	15	21	25
65+	64	12.4	75	4	5	10	14	23	35	44
GRAND TOTAL	209	8.5	57	2	2	6	10	16	25	39

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	33	3.1	8	<1	<1	1	5	7	9	13
35-49	23	2.9	10	<1	<1	2	4	6	10	15
50-64	24	4.4	20	<1	<1	2	6	12	15	16
65+	6	3.0	7	1	1	2	4	8	8	8
2. MULTIPLE DX										
0-19 YRS	4	3.5	6	1	1	3	5	7	7	7
20-34	25	6.8	31	<1	1	6	10	14	18	23
35-49	64	7.6	61	1	2	4	9	17	23	41
50-64	64	10.2	93	1	1	7	13	24	31	46
65+	60	7.3	32	1	1	6	10	15	17	28
TOTAL SINGLE DX	89	3.4	12	<1	<1	2	5	7	12	16
TOTAL MULTIPLE DX	217	8.1	60	1	1	6	11	17	24	36
TOTAL										
0-19 YRS	7	3.1	4	1	1	3	4	6	7	7
20-34	58	4.7	22	<1	<1	3	7	11	14	22
35-49	87	6.3	52	<1	1	3	8	16	20	38
50-64	88	8.6	80	1	1	6	12	22	27	42
65+	66	6.9	32	1	1	6	10	14	17	27
GRAND TOTAL	306	6.7	50	<1	1	4	9	15	22	33

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	2.2	1	1	1	2	3	4	5	5
20-34	402	2.4	1	1	1	2	3	4	5	7
35-49	530	2.5	1	1	1	2	3	4	4	6
50-64	294	2.6	1	1	1	2	3	4	4	6
65 +	175	2.9	3	1	1	3	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	39	4.0	12	1	1	3	5	8	13	16
20-34	232	3.4	7	1	2	3	4	5	7	14
35-49	377	3.4	8	1	1	3	4	5	8	17
50-64	381	4.0	15	1	2	3	4	7	9	19
65 +	381	5.8	41	1	2	4	6	12	17	34
TOTAL SINGLE DX	1475	2.5	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	1410	4.2	20	1	2	3	4	7	11	25
TOTAL										
0-19 YRS	113	2.9	6	1	1	2	3	5	7	15
20-34	634	2.8	4	1	1	2	3	4	5	10
35-49	907	2.9	5	1	1	2	3	4	5	11
50-64	675	3.4	9	1	1	3	4	5	7	16
65 +	556	4.9	31	1	2	3	5	9	14	29
GRAND TOTAL	2885	3.4	11	1	1	3	4	5	8	17

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	144	1.5	1	1	1	1	2	2	3	7
20-34	55	2.3	3	1	1	2	3	4	6	11
35-49	47	2.3	3	<1	1	2	3	4	6	10
50-64	62	2.8	3	1	1	3	4	5	6	11
65 +	40	3.6	3	1	2	3	4	5	8	9
2. MULTIPLE DX										
0-19 YRS	47	3.2	16	1	1	1	4	7	8	26
20-34	65	7.4	148	1	1	4	7	18	23	79
35-49	112	6.0	46	1	2	4	6	12	22	36
50-64	169	5.2	30	1	2	4	5	9	17	33
65 +	193	8.2	56	2	2	5	10	19	24	33
TOTAL SINGLE DX	348	2.2	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	586	6.4	56	1	2	4	7	15	21	35
TOTAL										
0-19 YRS	191	1.9	5	1	1	1	2	4	6	9
20-34	120	5.1	88	1	1	3	4	10	18	51
35-49	159	4.9	37	1	1	3	5	10	17	33
50-64	231	4.6	24	1	1	3	5	8	13	30
65 +	233	7.4	50	2	2	4	8	17	24	32
GRAND TOTAL	934	4.9	40	1	1	3	5	10	17	31

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	6.2	6	3	4	6	7	10	12	13
20-34	27	6.2	8	1	2	6	8	10	11	12
35-49	30	6.3	9	4	4	5	6	9	11	20
50-64	30	7.3	42	1	2	6	8	10	13	39
65 +	10	6.4	14	1	1	6	9	12	14	14
2. MULTIPLE DX										
0-19 YRS	29	12.6	78	4	5	9	15	29	31	33
20-34	45	10.9	165	4	5	7	12	22	24	86
35-49	66	10.6	49	5	5	8	12	19	24	39
50-64	85	11.0	68	3	4	9	13	23	29	41
65 +	96	13.3	137	4	5	9	15	28	40	63
TOTAL SINGLE DX	119	6.5	17	1	4	6	8	10	12	26
TOTAL MULTIPLE DX	321	11.7	100	4	5	8	14	23	31	51
TOTAL										
0-19 YRS	51	9.8	57	4	4	7	11	23	31	33
20-34	72	9.1	111	2	4	6	10	17	23	73
35-49	96	9.2	41	4	5	7	10	18	22	38
50-64	115	10.0	64	2	4	8	11	21	28	41
65 +	106	12.7	130	4	5	9	14	27	34	61
GRAND TOTAL	440	10.3	83	4	4	7	11	21	27	49

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	1.9	3	< 1	< 1	1	2	4	7	8
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	6	2.2	1	< 1	< 1	2	3	4	4	4
50-64	7	1.1		< 1	< 1	1	1	2	2	2
65 +	11	1.5	2	< 1	< 1	1	1	3	6	6
2. MULTIPLE DX										
0-19 YRS	8	2.6	4	< 1	< 1	2	4	6	7	7
20-34	9	4.3	23	< 1	< 1	2	6	13	14	14
35-49	6	4.2	24	1	1	2	7	12	13	13
50-64	21	7.8	63	1	1	5	11	21	25	28
65 +	30	6.3	18	1	1	6	9	12	16	17
TOTAL SINGLE DX	41	1.7	2	< 1	< 1	1	2	3	5	8
TOTAL MULTIPLE DX	74	5.9	32	1	1	4	8	14	17	27
TOTAL										
0-19 YRS	24	2.1	4	< 1	< 1	1	2	5	7	8
20-34	10	4.0	22	< 1	< 1	2	4	12	14	14
35-49	12	3.2	13	< 1	< 1	2	4	9	12	13
50-64	28	6.1	56	< 1	1	3	7	19	23	28
65 +	41	5.0	19	< 1	1	3	7	11	14	17
GRAND TOTAL	115	4.4	26	<1	<1	2	6	11	16	24

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	1.5	1	< 1	1	1	2	2	4	7
20-34	27	1.6		< 1	< 1	1	2	3	3	4
35-49	31	1.6	1	< 1	< 1	1	2	3	4	6
50-64	24	1.8	4	< 1	< 1	1	2	3	6	11
65 +	22	1.6	3	< 1	< 1	1	1	2	6	10
2. MULTIPLE DX										
0-19 YRS	191	2.8	6	< 1	1	2	3	6	9	12
20-34	227	3.6	66	< 1	1	2	3	6	9	44
35-49	145	3.5	15	1	1	2	4	7	10	19
50-64	138	4.4	39	1	1	2	5	10	17	36
65 +	207	7.5	144	1	1	3	8	16	32	67
TOTAL SINGLE DX	179	1.6	2	< 1	< 1	1	2	3	4	9
TOTAL MULTIPLE DX	908	4.4	62	1	1	2	4	9	14	41
TOTAL										
0-19 YRS	266	2.4	5	< 1	1	2	3	5	7	12
20-34	254	3.4	59	< 1	1	2	3	5	8	42
35-49	176	3.1	13	< 1	1	2	4	6	9	19
50-64	162	4.0	35	1	1	2	4	10	16	34
65 +	229	6.9	134	1	1	3	7	14	32	65
GRAND TOTAL	1087	4.0	53	1	1	2	4	8	12	40

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.4	1	< 1	< 1	1	1	2	2	8
20-34	21	1.3		< 1	1	1	2	2	3	3
35-49	18	1.2		1	1	1	1	2	2	2
50-64	26	1.2		< 1	< 1	1	1	2	2	2
65 +	42	1.6	2	< 1	1	1	2	2	3	10
2. MULTIPLE DX										
0-19 YRS	22	2.2	7	< 1	< 1	1	2	5	10	12
20-34	13	2.8	8	1	1	1	4	6	10	11
35-49	23	1.7	3	< 1	1	1	2	3	5	10
50-64	37	1.8	3	1	1	1	2	3	4	12
65 +	77	1.9	2	1	1	2	2	3	5	10
TOTAL SINGLE DX	138	1.4	1	< 1	1	1	2	2	2	8
TOTAL MULTIPLE DX	172	2.0	4	1	1	1	2	3	5	12
TOTAL										
0-19 YRS	53	1.7	4	< 1	< 1	1	2	2	7	12
20-34	34	1.9	4	1	1	1	2	4	5	11
35-49	41	1.5	2	1	1	1	2	2	3	10
50-64	63	1.6	2	< 1	1	1	2	2	3	11
65 +	119	1.8	2	1	1	1	2	2	4	10
GRAND TOTAL	310	1.7	3	1	1	1	2	2	4	11

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	0									
65 +	4	9.3	51	1	1	9	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	8	2.9	2	< 1	< 1	3	4	5	5	5
20-34	5	3.4	3	< 1	< 1	3	4	6	6	6
35-49	4	7.3	37	3	3	5	11	16	16	16
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	16	6.9	37	1	1	5	10	18	19	20
TOTAL SINGLE DX	10	5.3	30	1	1	3	7	14	18	18
TOTAL MULTIPLE DX	36	5.3	24	< 1	1	3	7	14	17	20
TOTAL										
0-19 YRS	11	2.6	2	< 1	< 1	3	3	5	5	5
20-34	6	3.7	3	< 1	< 1	4	5	6	6	6
35-49	6	5.7	29	1	1	4	7	15	16	16
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	20	7.4	39	1	1	6	11	18	19	20
GRAND TOTAL	46	5.3	25	1	1	3	7	14	18	20

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	2.1	1	1	1	2	3	3	5	5
20-34	51	1.9		1	1	2	2	3	3	6
35-49	72	2.2	2	1	1	2	3	3	3	12
50-64	68	2.1	1	1	1	2	3	3	4	6
65 +	301	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	20	2.5	2	1	1	2	4	5	5	6
20-34	39	3.7	93	1	1	2	3	5	6	62
35-49	39	2.6	2	1	1	2	3	4	5	10
50-64	116	2.4	2	1	1	2	3	4	5	10
65 +	634	2.7	4	1	1	2	3	4	5	12
TOTAL SINGLE DX	508	2.4	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	848	2.7	8	1	1	2	3	4	5	11
TOTAL										
0-19 YRS	36	2.3	2	1	1	2	3	4	5	6
20-34	90	2.7	41	1	1	2	3	3	5	40
35-49	111	2.3	3	1	1	2	3	3	4	12
50-64	184	2.3	2	1	1	2	3	3	5	8
65 +	935	2.7	4	1	1	2	3	4	5	10
GRAND TOTAL	1356	2.6	6	1	1	2	3	4	5	9

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	2.9	2	1	1	3	4	5	6	8
20-34	35	2.9	2	1	1	3	4	5	6	6
35-49	22	2.8	3	1	1	2	3	5	7	8
50-64	13	2.8	2	1	1	2	3	5	6	6
65 +	13	3.8	10	1	1	2	5	7	12	13
2. MULTIPLE DX										
0-19 YRS	95	4.0	8	1	1	4	5	7	8	17
20-34	58	3.8	5	1	1	3	5	7	8	11
35-49	31	4.8	5	2	2	5	6	8	9	10
50-64	27	3.8	7	1	1	3	6	7	9	11
65 +	37	4.9	10	1	1	4	7	9	10	16
TOTAL SINGLE DX	142	2.9	3	1	1	3	4	5	6	9
TOTAL MULTIPLE DX	248	4.2	7	1	1	4	6	7	9	12
TOTAL										
0-19 YRS	154	3.6	6	1	1	3	5	6	7	12
20-34	93	3.5	4	1	1	3	5	6	7	10
35-49	53	4.0	5	1	1	3	5	7	9	10
50-64	40	3.5	6	1	1	3	5	7	8	11
65 +	50	4.6	11	1	1	4	6	9	10	16
GRAND TOTAL	390	3.7	6	1	1	3	5	7	8	12

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.3	5	1	1	1	3	4	6	14
20-34	18	2.5	1	1	1	2	3	4	5	6
35-49	26	3.3	8	1	1	3	4	6	10	14
50-64	68	2.8	3	1	1	2	4	5	6	10
65 +	146	2.6	1	1	1	2	4	4	5	6
2. MULTIPLE DX										
0-19 YRS	22	3.4	11	1	1	2	6	8	11	14
20-34	24	4.4	17	1	1	3	5	11	14	15
35-49	33	3.3	5	1	1	2	4	7	9	9
50-64	126	4.1	17	1	1	3	5	8	12	25
65 +	398	3.2	7	1	1	2	4	6	8	16
TOTAL SINGLE DX	301	2.6	3	1	1	2	4	4	5	10
TOTAL MULTIPLE DX	603	3.4	10	1	1	2	4	7	9	16
TOTAL										
0-19 YRS	65	2.6	8	1	1	1	3	6	8	14
20-34	42	3.6	12	1	1	2	4	10	12	15
35-49	59	3.3	7	1	1	2	4	7	9	14
50-64	194	3.6	13	1	1	3	4	7	9	20
65 +	544	3.0	6	1	1	2	4	5	7	14
GRAND TOTAL	904	3.2	8	1	1	2	4	6	8	15

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.9	13	1	1	3	5	8	14	15
20-34	14	3.9	4	1	2	3	5	7	8	8
35-49	13	2.2	1	<1	1	2	3	4	5	5
50-64	12	2.8	4	<1	<1	2	4	6	7	7
65 +	28	3.1	4	1	1	2	4	7	8	9
2. MULTIPLE DX										
0-19 YRS	44	4.1	9	1	1	3	6	8	11	13
20-34	37	4.8	12	1	2	4	6	9	12	18
35-49	20	4.6	22	<1	1	3	6	8	15	22
50-64	29	3.4	11	1	1	2	4	8	10	16
65 +	99	4.7	17	1	1	3	7	10	15	18
TOTAL SINGLE DX	89	3.2	7	1	1	2	4	6	8	14
TOTAL MULTIPLE DX	229	4.4	15	1	1	3	6	9	12	18
TOTAL										
0-19 YRS	66	4.1	11	1	1	3	5	8	12	15
20-34	51	4.5	11	1	2	4	6	9	11	18
35-49	33	3.7	15	<1	1	2	5	7	8	22
50-64	41	3.2	10	<1	1	2	4	7	9	16
65 +	127	4.3	15	1	1	3	6	9	13	18
GRAND TOTAL	318	4.1	13	1	1	3	5	9	12	18

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.8	1	1	1	1	2	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	1.7	1	<1	<1	<1	2	3	3	3
50-64	6	1.3		<1	<1	1	1	3	3	3
65+	27	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	13	3.0	5	1	1	3	5	6	7	7
20-34	14	4.3	22	1	1	3	5	11	16	18
35-49	15	6.9	78	1	1	4	7	26	29	30
50-64	37	2.9	7	1	1	2	4	7	8	13
65+	126	3.5	70	1	1	2	4	5	9	35
TOTAL SINGLE DX	49	1.5	1	<1	<1	1	2	2	3	4
TOTAL MULTIPLE DX	205	3.7	53	1	1	2	4	6	10	28
TOTAL										
0-19 YRS	24	2.5	4	1	1	2	4	6	6	7
20-34	16	4.0	20	1	1	3	5	10	16	18
35-49	18	6.0	69	<1	<1	3	6	21	28	30
50-64	43	2.7	6	<1	1	2	4	6	8	13
65+	153	3.1	59	1	1	2	3	5	8	17
GRAND TOTAL	**254**	**3.3**	**43**	**1**	**1**	**2**	**4**	**6**	**8**	**26**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.7		1	1	2	2	2	3	3
20-34	4	2.3	1	1	1	2	3	4	4	4
35-49	14	1.1		<1	<1	<1	<1	1	2	2
50-64	83	1.2		<1	<1	<1	1	2	2	6
65+	332	1.1		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	31	3.0	40	1	1	1	2	6	6	36
20-34	21	2.6	5	1	1	2	3	7	7	8
35-49	34	2.7	7	<1	1	2	3	5	8	15
50-64	198	2.4	13	1	1	2	2	5	8	13
65+	1046	2.7	17	1	1	2	2	5	8	22
TOTAL SINGLE DX	460	1.2		<1	<1	<1	1	2	2	3
TOTAL MULTIPLE DX	1330	2.6	17	1	1	2	2	5	8	20
TOTAL										
0-19 YRS	58	2.4	22	1	1	1	2	4	6	34
20-34	25	2.5	4	1	1	2	3	6	7	8
35-49	48	2.2	6	<1	<1	1	2	4	8	15
50-64	281	2.1	10	<1	<1	1	2	3	7	12
65+	1378	2.3	14	<1	<1	1	2	4	7	19
GRAND TOTAL	**1790**	**2.3**	**13**	**<1**	**<1**	**1**	**2**	**4**	**7**	**18**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	19	1.3		<1	<1	1	1	2	4	5
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	14	2.2	1	1	1	2	2	3	5	5
65+	64	2.7	10	1	1	2	3	7	8	20
TOTAL SINGLE DX	27	1.4	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	86	2.5	8	1	1	2	3	6	8	1[illegible]
TOTAL										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	1.3	1	<1	<1	1	1	3	3	3
50-64	19	2.0	1	<1	1	2	2	3	4	5
65+	83	2.4	9	<1	<1	1	2	6	8	18
GRAND TOTAL	**113**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**5**	**7**	**14**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	2.5	3	1	1	2	2	5	6	10
20-34	88	2.7	2	1	1	2	4	5	6	8
35-49	147	2.0	1	1	1	2	3	4	4	5
50-64	243	2.1	2	1	1	2	2	4	5	9
65+	293	2.2	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	74	5.2	165	1	1	2	4	7	9	81
20-34	110	4.0	9	1	1	3	5	8	10	52
35-49	117	3.1	6	1	1	3	4	6	8	14
50-64	282	2.9	3	1	1	3	4	5	6	9
65+	437	2.9	5	1	1	3	4	5	7	11
TOTAL SINGLE DX	825	2.2	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1020	3.2	17	1	1	3	4	6	8	13
TOTAL										
0-19 YRS	128	4.1	99	1	1	2	3	6	8	70
20-34	198	3.4	7	1	1	3	5	7	9	18
35-49	264	2.5	4	1	1	2	3	5	6	10
50-64	525	2.5	3	1	1	2	3	5	6	9
65+	730	2.6	4	1	1	2	3	5	6	10
GRAND TOTAL	**1845**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	2.0	1	1	1	2	2	3	5	6
20-34	29	2.3	2	1	1	2	2	5	5	7
35-49	21	2.6	2	1	1	2	4	5	6	6
50-64	53	2.4	3	1	1	2	2	5	7	8
65 +	102	2.6	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	52	3.4	11	1	1	3	4	7	8	22
20-34	113	3.9	73	1	1	2	4	7	8	43
35-49	133	2.9	7	1	1	2	3	5	9	15
50-64	219	2.9	8	1	1	2	3	6	9	17
65 +	333	3.6	24	1	1	2	4	8	11	20
TOTAL SINGLE DX	225	2.5	3	1	1	2	3	5	6	8
TOTAL MULTIPLE DX	850	3.3	23	1	1	2	4	7	10	18
TOTAL										
0-19 YRS	72	3.0	9	1	1	2	3	6	8	20
20-34	142	3.5	59	1	1	2	3	6	8	21
35-49	154	2.8	7	1	1	2	3	5	8	14
50-64	272	2.8	8	1	1	2	3	5	7	16
65 +	435	3.4	20	1	1	2	4	7	10	18
GRAND TOTAL	1075	3.2	19	1	1	2	3	6	9	17

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	1.1		<1	<1	1	1	1	2	2
20-34	19	1.2		<1	<1	1	1	2	2	2
35-49	5	1.0		1	1	1	1	1	1	1
50-64	6	1.7	2	1	1	1	1	5	5	5
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	96	1.6	2	<1	<1	1	2	2	5	10
20-34	16	4.8	166	<1	<1	1	2	5	39	53
35-49	10	1.5	2	<1	<1	1	1	4	6	6
50-64	9	1.2		<1	<1	1	1	2	2	2
65 +	10	1.4	1	<1	<1	1	1	3	4	4
TOTAL SINGLE DX	142	1.1		<1	<1	1	1	1	2	3
TOTAL MULTIPLE DX	141	1.9	21	<1	<1	1	2	2	5	14
TOTAL										
0-19 YRS	206	1.3	1	<1	<1	1	1	2	2	8
20-34	35	2.8	77	<1	<1	1	2	2	4	53
35-49	15	1.3	2	<1	1	1	1	1	5	6
50-64	15	1.4	1	<1	1	1	1	2	4	5
65 +	12	1.3	1	<1	<1	1	1	3	4	4
GRAND TOTAL	283	1.5	11	<1	<1	1	1	2	2	8

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
TOTAL SINGLE DX	3	2.7	8	<1	<1	1	5	6	6	6
TOTAL MULTIPLE DX	4	1.3		1	1	1	2	2	2	2
TOTAL										
0-19 YRS	4	2.3	6	1	1	1	4	6	6	6
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
GRAND TOTAL	7	1.9	3	<1	<1	1	2	5	6	6

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	3.0	5	<1	1	2	4	7	8	83
20-34	58	2.7	5	1	1	2	3	5	7	14
35-49	41	2.9	3	1	1	2	4	5	7	9
50-64	41	3.2	12	1	1	2	4	8	11	18
65 +	33	2.6	8	1	1	2	3	5	8	16
2. MULTIPLE DX										
0-19 YRS	91	5.5	34	1	1	3	7	13	15	30
20-34	108	4.1	15	1	1	3	5	9	10	23
35-49	62	3.9	22	1	1	2	4	9	14	28
50-64	72	5.1	129	1	1	3	5	11	15	99
65 +	155	5.2	43	1	1	3	6	13	17	34
TOTAL SINGLE DX	242	2.9	7	1	1	2	4	6	8	16
TOTAL MULTIPLE DX	488	4.8	45	1	1	3	6	11	15	32
TOTAL										
0-19 YRS	160	4.4	23	1	1	3	6	10	14	32
20-34	166	3.6	12	1	1	2	5	7	10	21
35-49	103	3.5	15	1	1	2	4	9	9	22
50-64	113	4.4	87	1	1	3	4	8	14	97
65 +	188	4.8	38	1	1	3	5	12	16	32
GRAND TOTAL	730	4.2	33	1	1	3	5	9	14	29

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	131	1.9	2	<1	<1	1	2	3	4	10
20-34	28	2.1	2	<1	1	1	3	5	5	7
35-49	13	2.2	9	<1	<1	1	2	5	11	12
50-64	9	2.1	4	<1	<1	1	2	6	7	7
65 +	15	2.2	8	<1	<1	1	2	4	10	12
2. MULTIPLE DX										
0-19 YRS	201	3.0	17	1	1	2	3	5	7	21
20-34	90	4.3	21	<1	1	2	5	12	14	21
35-49	34	6.0	46	1	1	4	7	14	17	34
50-64	35	5.4	47	1	1	2	7	11	22	33
65 +	115	7.9	82	1	1	5	10	17	26	47
TOTAL SINGLE DX	196	2.0	3	<1	<1	1	2	4	5	11
TOTAL MULTIPLE DX	475	4.8	42	1	1	3	5	11	16	39
TOTAL										
0-19 YRS	332	2.5	12	<1	1	2	3	4	6	13
20-34	118	3.7	18	<1	1	2	4	9	14	20
35-49	47	4.9	39	<1	1	2	6	13	16	34
50-64	44	4.7	40	<1	1	2	6	10	18	33
65 +	130	7.2	77	1	1	5	9	15	22	46
GRAND TOTAL	**671**	**4.0**	**32**	**<1**	**1**	**2**	**4**	**9**	**13**	**32**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	1.2		1	1	1	1	2	2	2
20-34	148	1.4		1	1	1	2	2	3	3
35-49	220	1.4		1	1	1	2	2	3	4
50-64	201	1.5		1	1	1	2	3	3	4
65 +	69	1.6		1	1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	30	1.4	1	<1	1	1	1	2	2	7
20-34	59	1.3		1	1	1	2	2	3	4
35-49	77	1.4		1	1	1	2	2	3	5
50-64	96	1.4		1	1	1	2	3	3	5
65 +	69	1.8	1	1	1	2	2	3	3	9
TOTAL SINGLE DX	668	1.4		1	1	1	2	2	3	4
TOTAL MULTIPLE DX	331	1.5	1	1	1	1	2	2	3	6
TOTAL										
0-19 YRS	60	1.3	1	<1	1	1	1	2	2	7
20-34	207	1.3		1	1	1	2	2	3	3
35-49	297	1.4	1	1	1	1	2	2	3	4
50-64	297	1.5	1	1	1	1	2	3	3	4
65 +	138	1.7	1	1	1	1	2	3	3	6
GRAND TOTAL	**999**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	348	1.1		<1	1	1	1	1	2	2
20-34	180	1.1		1	1	1	1	1	2	3
35-49	141	1.2		1	1	1	1	2	2	3
50-64	123	1.2		1	1	1	1	2	2	3
65 +	53	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	353	1.2		1	1	1	1	2	2	5
20-34	150	1.1		1	1	1	1	1	2	3
35-49	172	1.3	1	1	1	1	1	2	2	4
50-64	133	1.5	1	1	1	1	2	2	3	7
65 +	74	1.7	2	<1	1	1	2	3	3	10
TOTAL SINGLE DX	845	1.1		<1	1	1	1	2	2	3
TOTAL MULTIPLE DX	882	1.3	1	1	1	1	1	2	2	5
TOTAL										
0-19 YRS	701	1.1		<1	1	1	1	1	2	3
20-34	330	1.1		1	1	1	1	1	2	3
35-49	313	1.2	1	1	1	1	1	2	2	4
50-64	256	1.3	1	1	1	1	1	2	3	5
65 +	127	1.5	1	<1	1	1	2	3	3	7
GRAND TOTAL	**1727**	**1.2**	**1**	**1**	**1**	**1**	**1**	**2**	**2**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	181	1.6	2	<1	<1	1	1	3	5	11
20-34	21	1.5	1	<1	<1	1	1	4	4	5
35-49	9	1.1		<1	<1	1	1	2	2	2
50-64	15	1.9	3	<1	1	1	1	5	6	7
65 +	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	1066	2.6	20	<1	1	1	2	6	9	20
20-34	26	4.3	12	1	1	3	8	10	11	12
35-49	23	4.0	19	1	1	1	7	10	13	17
50-64	28	5.6	22	1	1	4	9	13	14	15
65 +	34	9.6	170	1	1	4	14	20	42	60
TOTAL SINGLE DX	232	1.6	2	<1	<1	1	1	3	5	9
TOTAL MULTIPLE DX	1177	2.9	26	1	1	1	3	8	11	22
TOTAL										
0-19 YRS	1247	2.4	18	<1	<1	1	2	6	9	17
20-34	47	3.1	9	<1	1	1	4	9	10	12
35-49	32	3.2	15	<1	<1	1	4	10	10	17
50-64	43	4.3	19	1	1	2	7	11	14	15
65 +	40	8.4	154	1	1	3	12	19	35	60
GRAND TOTAL	**1409**	**2.7**	**22**	**<1**	**<1**	**1**	**2**	**7**	**10**	**20**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	181	1.3		1	1	1	1	2	2	5
20-34	99	1.5		1	1	1	2	3	4	6
35-49	74	1.3		1	1	1	2	2	3	3
50-64	77	1.6	2	1	1	1	2	2	3	11
65 +	34	1.6	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	302	1.8	6	1	1	1	1	3	7	14
20-34	193	1.7	11	1	1	1	2	2	4	14
35-49	151	1.9	6	1	1	1	2	3	6	16
50-64	158	2.1	25	1	1	1	2	3	4	42
65 +	106	3.0	27	1	1	2	2	5	9	33
TOTAL SINGLE DX	465	1.4	1	1	1	1	2	2	3	6
TOTAL MULTIPLE DX	910	2.0	13	1	1	1	2	3	5	16
TOTAL										
0-19 YRS	483	1.6	4	1	1	1	1	2	5	12
20-34	292	1.6	8	1	1	1	2	2	4	10
35-49	225	1.7	5	1	1	1	2	2	4	14
50-64	235	1.9	18	1	1	1	2	2	3	19
65 +	140	2.6	22	1	1	2	2	4	6	25
GRAND TOTAL	**1375**	**1.8**	**9**	**1**	**1**	**1**	**2**	**3**	**4**	**15**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	1.5	3	1	1	1	1	2	4	12
20-34	72	1.5		1	1	1	2	3	3	5
35-49	99	1.7	1	1	1	1	2	3	4	7
50-64	96	1.8	1	1	1	1	2	4	5	7
65 +	34	2.3	5	1	1	1	2	6	9	10
2. MULTIPLE DX										
0-19 YRS	110	2.1	10	<1	1	1	1	5	8	18
20-34	66	1.8	2	1	1	1	2	4	4	10
35-49	77	2.5	8	1	1	1	3	7	9	14
50-64	82	2.4	8	<1	1	1	2	5	10	16
65 +	58	3.7	74	1	1	2	3	6	10	62
TOTAL SINGLE DX	413	1.7	2	1	1	1	2	3	4	9
TOTAL MULTIPLE DX	393	2.4	18	1	1	1	2	5	8	14
TOTAL										
0-19 YRS	222	1.8	7	<1	1	1	1	3	6	13
20-34	138	1.6	1	1	1	1	2	3	4	6
35-49	176	2.1	5	1	1	1	2	4	7	12
50-64	178	2.0	5	1	1	1	2	4	6	12
65 +	92	3.2	49	1	1	2	3	6	9	43
GRAND TOTAL	**806**	**2.0**	**10**	**1**	**1**	**1**	**2**	**4**	**6**	**12**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.3		1	1	1	2	2	3	3
20-34	72	1.3		1	1	1	2	2	2	3
35-49	41	1.4		< 1	1	1	2	2	3	5
50-64	27	1.4		1	1	1	2	2	3	4
65 +	10	2.0	3	1	1	1	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	184	1.4		1	1	1	2	2	3	5
20-34	369	1.6	6	1	1	1	2	2	3	10
35-49	324	1.7	10	1	1	1	2	2	3	9
50-64	203	1.6	1	1	1	1	2	3	4	7
65 +	83	2.4	6	1	1	1	3	5	7	16
TOTAL SINGLE DX	172	1.4	1	1	1	1	2	2	3	5
TOTAL MULTIPLE DX	1163	1.6	6	1	1	1	2	2	3	9
TOTAL										
0-19 YRS	206	1.4	1	1	1	1	2	2	3	5
20-34	441	1.6	5	1	1	1	2	2	3	9
35-49	365	1.6	9	1	1	1	2	2	3	8
50-64	230	1.6	1	1	1	1	2	3	3	7
65 +	93	2.4	6	1	1	1	3	5	7	16
GRAND TOTAL	1335	1.6	5	1	1	1	2	2	3	8

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	241	1.6	1	1	1	1	2	3	3	5
20-34	335	1.4		1	1	1	1	2	3	6
35-49	188	1.3		1	1	1	2	2	2	5
50-64	83	1.6	1	1	1	1	2	3	3	8
65 +	26	1.9	5	< 1	1	1	2	5	9	9
2. MULTIPLE DX										
0-19 YRS	579	1.6	4	1	1	1	2	3	4	7
20-34	956	1.6	5	1	1	1	2	2	3	8
35-49	695	1.6	2	1	1	1	2	2	4	9
50-64	381	1.7	2	1	1	1	2	3	4	10
65 +	166	3.0	10	1	1	2	3	7	10	16
TOTAL SINGLE DX	873	1.5	1	1	1	1	2	2	3	6
TOTAL MULTIPLE DX	2777	1.7	5	1	[illegible]	1	2	3	4	10
TOTAL										
0-19 YRS	820	1.6	4	1	1	1	2	3	3	6
20-34	1291	1.5	4	1	1	1	2	2	3	7
35-49	883	1.5	2	1	1	1	2	2	3	8
50-64	464	1.6	2	1	1	1	2	3	3	10
65 +	192	2.8	10	1	1	2	3	7	10	16
GRAND TOTAL	3650	1.6	4	1	1	1	2	3	4	9

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	2.3	10	1	1	1	2	4	8	18
20-34	41	1.5		< 1	< 1	1	2	3	4	5
35-49	30	1.8	5	1	1	1	2	3	4	13
50-64	32	1.6	1	< 1	< 1	1	2	3	4	5
65 +	34	1.9	4	< 1	1	1	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	153	2.4	12	1	1	1	1	7	13	15
20-34	225	1.9	15	1	1	1	1	3	4	21
35-49	228	1.5	2	1	1	1	1	2	3	8
50-64	184	2.1	14	1	1	1	2	4	7	14
65 +	169	4.0	28	1	1	2	4	10	13	26
TOTAL SINGLE DX	179	1.8	4	< 1	1	1	2	3	5	13
TOTAL MULTIPLE DX	959	2.3	15	1	1	1	2	4	8	20
TOTAL										
0-19 YRS	195	2.4	12	1	1	1	2	6	12	17
20-34	266	1.8	13	1	1	1	1	3	4	21
35-49	258	1.5	3	1	1	1	1	2	3	9
50-64	216	2.1	13	1	1	1	2	4	7	12
65 +	203	3.7	25	1	1	2	4	10	12	23
GRAND TOTAL	1138	2.2	13	1	1	1	2	4	8	19

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	1.4	1	< 1	< 1	1	1	2	4	6
20-34	108	2.2	2	< 1	< 1	1	3	4	6	8
35-49	74	2.8	3	1	1	2	4	5	6	8
50-64	69	3.3	3	1	1	3	5	6	6	8
65 +	62	3.1	3	< 1	1	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	169	2.9	31	1	1	1	2	6	8	41
20-34	299	2.6	7	1	1	1	3	6	8	14
35-49	165	3.6	15	1	1	2	5	7	10	15
50-64	201	4.5	19	1	1	4	6	8	12	25
65 +	348	5.6	20	1	2	4	7	10	15	22
TOTAL SINGLE DX	379	2.5	3	< 1	1	2	4	5	6	8
TOTAL MULTIPLE DX	1182	4.0	19	1	1	3	5	8	11	22
TOTAL										
0-19 YRS	235	2.5	23	< 1	1	1	2	5	8	32
20-34	407	2.5	7	< 1	1	1	3	6	7	11
35-49	239	3.4	11	1	1	2	5	6	9	14
50-64	270	4.2	16	1	1	3	5	7	10	22
65 +	410	5.2	19	1	1	4	7	10	14	21
GRAND TOTAL	1561	3.6	16	1	1	2	5	7	10	19

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.4	9	< 1	1	1	2	4	10	15
20-34	62	1.8	2	1	1	1	2	3	4	11
35-49	62	1.7		1	1	1	2	3	4	6
50-64	59	1.5		1	1	1	2	2	3	5
65 +	26	1.7	1	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	44	5.3	101	< 1	1	1	4	14	27	50
20-34	108	3.8	96	1	1	2	2	5	11	62
35-49	133	2.8	19	1	1	1	2	5	11	29
50-64	141	3.3	38	1	1	2	3	5	10	43
65 +	94	3.3	32	1	1	2	3	5	11	37
TOTAL SINGLE DX	233	1.7	2	1	1	1	2	3	3	9
TOTAL MULTIPLE DX	520	3.4	50	1	1	2	3	6	11	44
TOTAL										
0-19 YRS	68	4.3	70	< 1	1	1	3	9	17	49
20-34	170	3.0	63	1	1	1	2	4	8	50
35-49	195	2.4	14	1	1	1	2	4	8	24
50-64	200	2.8	28	1	1	2	2	4	8	31
65 +	120	3.0	26	1	1	2	3	5	10	34
GRAND TOTAL	753	2.9	36	1	1	1	2	4	9	41

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	3.7	19	< 1	1	2	5	10	14	21
20-34	90	2.4	7	1	1	1	3	5	7	16
35-49	85	2.4	6	1	1	1	3	5	6	15
50-64	63	1.7	2	1	1	1	2	3	6	9
65 +	32	2.4	5	1	1	1	3	5	9	11
2. MULTIPLE DX										
0-19 YRS	196	5.6	59	1	1	2	7	14	17	43
20-34	228	3.5	30	1	1	1	3	8	14	29
35-49	259	2.5	11	1	1	1	2	6	8	20
50-64	228	3.3	17	1	1	2	3	9	12	19
65 +	194	4.6	45	1	1	2	5	12	17	32
TOTAL SINGLE DX	339	2.5	9	1	1	1	3	6	8	15
TOTAL MULTIPLE DX	1105	3.8	32	1	1	2	4	9	14	30
TOTAL										
0-19 YRS	265	5.1	50	1	1	2	6	13	15	41
20-34	318	3.1	24	1	1	1	3	7	13	27
35-49	344	2.5	10	1	1	1	2	5	8	18
50-64	291	3.0	15	1	1	1	3	7	11	18
65 +	226	4.3	40	1	1	2	4	11	16	31
GRAND TOTAL	1444	3.5	27	1	1	2	3	9	13	27

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.1	22	< 1	< 1	1	2	2	3	29
20-34	29	2.2	5	< 1	< 1	1	2	6	7	11
35-49	12	1.7	1	< 1	< 1	1	2	4	4	4
50-64	12	3.1	6	< 1	< 1	2	5	7	8	8
65 +	15	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	181	3.3	29	1	1	2	3	6	11	33
20-34	203	7.1	91	1	1	3	8	20	27	47
35-49	130	6.6	73	1	1	3	7	17	26	45
50-64	173	5.5	38	1	1	3	7	13	17	34
65 +	202	7.4	118	1	1	4	10	16	26	61
TOTAL SINGLE DX	102	2.1	10	< 1	< 1	1	2	4	6	20
TOTAL MULTIPLE DX	889	6.0	74	1	1	3	7	15	23	42
TOTAL										
0-19 YRS	215	3.1	28	< 1	1	2	3	5	10	32
20-34	232	6.5	83	< 1	1	3	7	19	26	47
35-49	142	6.2	69	1	1	3	7	16	25	45
50-64	185	5.3	37	< 1	1	3	7	13	17	33
65 +	217	7.0	112	< 1	1	3	9	16	25	55
GRAND TOTAL	991	5.6	69	< 1	1	2	6	14	21	41

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.6	1	< 1	< 1	1	2	3	4	4
20-34	5	2.6	3	1	1	2	4	5	5	5
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	123	3.0	67	1	1	2	2	5	14	99 +
20-34	19	5.4	41	< 1	1	3	7	12	21	27
35-49	10	3.6	22	< 1	< 1	2	4	11	16	16
50-64	12	6.3	80	< 1	< 1	2	7	24	26	26
65 +	6	11.0	229	1	1	2	29	32	32	32
TOTAL SINGLE DX	21	1.8	1	< 1	< 1	1	2	4	5	5
TOTAL MULTIPLE DX	170	3.8	70	1	1	2	2	8	26	99 +
TOTAL										
0-19 YRS	136	2.9	62	1	1	2	2	4	11	99 +
20-34	24	4.8	34	< 1	1	3	6	11	17	27
35-49	10	3.6	23	< 1	< 1	2	4	11	16	16
50-64	14	5.6	71	< 1	1	2	3	23	25	26
65 +	7	9.6	205	1	1	1	22	31	32	32
GRAND TOTAL	191	3.6	63	1	1	2	2	7	22	99 +

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	2.0	1	<1	<1	2	3	4	5	5
20-34	16	2.8	4	<1	<1	2	3	6	8	9
35-49	18	1.4		<1	<1	1	1	3	4	4
50-64	43	2.1	2	1	1	2	3	3	5	9
65 +	10	3.0	3	1	1	3	3	6	8	8
2. MULTIPLE DX										
0-19 YRS	78	2.8	13	1	1	2	3	4	6	80
20-34	44	3.5	19	<1	1	2	4	6	8	29
35-49	43	3.5	16	<1	1	2	4	9	12	22
50-64	72	4.7	50	1	1	2	4	13	20	39
65 +	67	3.8	28	<1	1	2	3	8	15	28
TOTAL SINGLE DX	109	2.1	2	<1	1	2	3	4	5	9
TOTAL MULTIPLE DX	304	3.7	27	1	1	2	4	8	13	33
TOTAL										
0-19 YRS	100	2.6	11	1	1	2	3	4	6	65
20-34	60	3.3	16	<1	1	2	4	6	8	27
35-49	61	2.9	13	<1	1	2	3	6	10	21
50-64	115	3.7	34	1	1	2	3	9	14	36
65 +	77	3.7	25	<1	1	2	3	8	14	28
GRAND TOTAL	413	3.3	21	1	1	2	3	6	10	30

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	2.2	3	1	1	2	3	4	5	11
20-34	180	1.9	1	1	1	2	2	3	4	8
35-49	257	2.2	4	1	1	2	3	4	5	11
50-64	242	2.0	1	1	1	2	2	4	4	6
65 +	171	2.2	2	1	1	2	3	4	4	9
2. MULTIPLE DX										
0-19 YRS	73	4.0	19	1	1	3	4	8	13	25
20-34	85	3.0	16	1	1	2	3	5	7	28
35-49	147	2.7	5	1	1	2	3	5	8	12
50-64	215	3.0	4	1	1	3	4	6	7	11
65 +	338	3.9	17	1	1	3	4	8	11	18
TOTAL SINGLE DX	924	2.1	2	1	1	2	2	4	4	9
TOTAL MULTIPLE DX	858	3.4	12	1	1	2	4	7	10	17
TOTAL										
0-19 YRS	147	3.1	12	1	1	2	3	5	9	23
20-34	265	2.3	7	1	1	2	3	4	5	9
35-49	404	2.4	5	1	1	2	3	4	6	12
50-64	457	2.5	3	1	1	2	3	4	6	9
65 +	509	3.3	13	1	1	2	4	7	10	16
GRAND TOTAL	1782	2.7	8	1	1	2	3	5	7	14

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	323	3.1	3	1	1	3	4	5	7	9
20-34	8	1.8		1	1	2	2	3	3	3
35-49	7	1.6		1	1	1	2	3	3	3
50-64	4	5.5	49	1	1	2	9	16	16	16
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	434	3.3	16	1	1	3	4	5	7	17
20-34	22	3.8	35	<1	1	3	4	5	15	30
35-49	29	3.6	10	1	1	3	4	8	10	16
50-64	17	5.1	32	1	1	4	6	13	20	23
65 +	12	3.8	31	1	1	2	3	11	20	21
TOTAL SINGLE DX	343	3.0	4	1	1	3	4	5	7	10
TOTAL MULTIPLE DX	514	3.4	18	1	1	3	4	5	8	22
TOTAL										
0-19 YRS	757	3.2	11	1	1	3	4	5	7	13
20-34	30	3.2	27	<1	1	2	3	4	5	30
35-49	36	3.2	9	1	1	2	4	7	9	16
50-64	21	5.2	34	1	1	3	6	15	19	23
65 +	13	3.8	29	1	1	2	3	10	19	21
GRAND TOTAL	857	3.3	12	1	1	3	4	5	7	16

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	354	2.6	3	1	1	2	3	5	6	9
20-34	57	4.3	35	<1	1	3	5	7	13	36
35-49	54	3.6	9	1	1	3	5	8	10	14
50-64	81	4.0	17	1	1	3	5	8	12	22
65 +	79	3.2	7	1	1	2	4	7	9	12
2. MULTIPLE DX										
0-19 YRS	547	3.3	16	1	1	2	4	6	9	17
20-34	230	4.5	34	1	1	3	6	9	13	38
35-49	190	6.1	70	1	1	3	6	14	23	46
50-64	268	7.7	95	1	1	4	9	21	26	60
65 +	313	8.6	88	1	1	6	10	22	29	53
TOTAL SINGLE DX	625	3.1	10	1	1	2	4	6	8	15
TOTAL MULTIPLE DX	1548	5.6	59	1	1	3	6	12	22	40
TOTAL										
0-19 YRS	901	3.0	11	1	1	2	4	6	8	14
20-34	287	4.5	35	1	1	3	5	9	13	37
35-49	244	5.5	58	1	1	3	6	11	22	39
50-64	349	6.8	80	1	1	4	7	18	25	52
65 +	392	7.5	77	1	1	5	9	17	28	52
GRAND TOTAL	2173	4.9	46	1	1	3	6	10	17	38

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	[illegible]TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2334	1.1		1	1	1	1	1	2	3
20-34	1240	1.2		1	1	1	1	2	2	3
35-49	166	1.4	1	1	1	1	2	2	3	7
50-64	21	1.1		1	1	1	1	2	2	2
65 +	11	1.4		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	959	1.3	1	1	1	1	1	2	3	8
20-34	408	1.5	2	1	1	1	1	3	4	6
35-49	91	2.2	6	1	1	1	2	5	7	16
50-64	36	4.8	60	1	1	2	4	16	23	37
65 +	16	5.3	46	1	1	4	6	8	23	29
TOTAL SINGLE DX	3772	1.1		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	1510	1.5	4	1	1	1	1	2	4	9
TOTAL										
0-19 YRS	3293	1.2	1	1	1	1	1	1	2	4
20-34	1648	1.2	1	1	1	1	1	2	2	4
35-49	257	1.7	3	1	1	1	2	3	5	10
50-64	57	3.4	41	1	1	1	2	7	17	36
65 +	27	3.7	31	< 1	1	1	5	7	11	29
GRAND TOTAL	5282	1.3	1	1	1	1	1	2	2	5

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4289	1.1		1	1	1	1	1	1	2
20-34	101	1.2		1	1	1	1	2	2	4
35-49	4	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4260	1.3	1	1	1	1	1	2	2	6
20-34	56	1.5	1	1	1	1	2	2	3	10
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64	1	10.0		10	10	10	10	10	10	10
65 +	3	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	4395	1.1		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	4327	1.3	2	1	1	1	1	2	2	6
TOTAL										
0-19 YRS	8549	1.2	1	1	1	1	1	1	2	4
20-34	157	1.3	1	1	1	1	1	2	3	4
35-49	11	1.6	2	1	1	1	2	4	5	5
50-64	1	10.0		10	10	10	10	10	10	10
65 +	4	1.0		1	1	1	1	1	1	1
GRAND TOTAL	8722	1.2	1	1	1	1	1	1	2	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	1.2		< 1	< 1	1	1	1	3	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	285	2.3	28	< 1	< 1	1	1	4	10	49
20-34	5	1.6	1	1	1	1	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
TOTAL SINGLE DX	74	1.2	1	< 1	< 1	1	1	1	3	7
TOTAL MULTIPLE DX	291	2.3	28	< 1	< 1	1	1	4	11	80
TOTAL										
0-19 YRS	354	2.1	23	< 1	< 1	1	1	3	8	39
20-34	6	1.5	1	1	1	1	2	3	3	3
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	50	99 +	99 +	99 +	99 +
GRAND TOTAL	365	2.1	23	< 1	< 1	1	1	3	8	52

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	340	2.2	8	< 1	1	1	3	4	6	10
20-34	184	2.1	1	1	1	2	2	4	5	7
35-49	97	2.2	2	1	1	1	3	4	6	9
50-64	62	2.7	9	< 1	1	2	3	5	7	19
65 +	41	4.0	13	1	1	3	5	9	14	16
2. MULTIPLE DX										
0-19 YRS	218	3.5	35	1	1	2	4	6	10	48
20-34	126	3.2	6	1	1	2	4	6	8	13
35-49	130	4.4	35	1	1	2	4	10	16	35
50-64	171	6.2	69	1	1	2	8	16	23	39
65 +	120	8.9	117	1	1	6	12	20	33	50
TOTAL SINGLE DX	724	2.3	6	< 1	1	2	3	4	6	12
TOTAL MULTIPLE DX	765	5.1	55	1	1	2	5	12	17	39
TOTAL										
0-19 YRS	558	2.7	19	< 1	1	2	3	5	7	22
20-34	310	2.5	4	1	1	2	3	5	6	11
35-49	227	3.4	23	1	1	2	3	7	11	28
50-64	233	5.3	56	1	1	2	6	15	19	37
65 +	161	7.7	96	1	1	4	10	17	30	41
GRAND TOTAL	1489	3.7	33	1	1	2	4	8	13	34

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	2.5	2	<1	1	2	4	5	5	5
20-34	14	2.5	2	1	1	2	4	5	5	5
35-49	21	2.3	1	<1	1	2	3	4	5	5
50-64	19	2.9	3	1	1	3	4	6	6	6
65 +	26	3.2	5	<1	1	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	135	3.8	24	1	2	3	4	5	7	29
20-34	17	3.4	5	1	1	3	5	6	9	10
35-49	38	4.5	21	1	1	3	6	11	20	99 +
50-64	86	5.2	26	1	1	4	6	10	16	27
65 +	163	5.7	52	1	1	4	6	10	17	44
TOTAL SINGLE DX	100	2.7	3	1	1	2	4	5	6	8
TOTAL MULTIPLE DX	439	4.8	35	1	1	3	5	9	14	36
TOTAL										
0-19 YRS	155	3.6	22	1	1	3	4	5	7	24
20-34	31	3.0	4	1	1	3	4	5	6	10
35-49	59	3.7	15	1	1	3	4	8	14	92
50-64	105	4.8	23	1	1	4	6	9	14	26
65 +	189	5.4	47	1	1	4	6	9	16	41
GRAND TOTAL	539	4.4	30	1	1	3	5	8	12	30

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	1.9	5	<1	<1	1	1	4	6	14
20-34	21	1.7	2	<1	<1	1	2	3	5	8
35-49	28	1.4	2	<1	<1	1	1	2	3	9
50-64	45	1.2		<1	<1	1	1	1	2	4
65 +	27	2.2	6	<1	1	1	2	7	8	11
2. MULTIPLE DX										
0-19 YRS	98	4.8	38	1	1	2	7	12	20	67
20-34	20	3.5	7	<1	1	3	5	7	8	9
35-49	44	5.5	72	1	1	1	6	16	25	37
50-64	130	5.1	56	1	1	2	7	14	19	68
65 +	105	6.4	82	1	1	2	9	16	25	47
TOTAL SINGLE DX	221	1.7	4	<1	<1	1	1	3	5	12
TOTAL MULTIPLE DX	397	5.4	58	1	1	2	7	14	20	48
TOTAL										
0-19 YRS	198	3.3	24	<1	1	1	4	8	14	32
20-34	41	2.6	6	<1	1	1	4	6	8	9
35-49	72	3.9	48	1	1	1	3	10	20	37
50-64	175	4.1	45	<1	1	1	4	12	16	53
65 +	132	5.6	70	1	1	2	7	14	19	43
GRAND TOTAL	618	4.0	42	<1	1	1	5	10	16	37

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.9	14	1	1	2	4	11	13	13
20-34	5	4.4	11	2	2	3	6	10	10	10
35-49	12	7.2	18	4	4	5	10	13	17	18
50-64	15	5.7	27	1	1	3	8	14	17	18
65 +	13	8.5	38	1	1	10	12	18	20	20
2. MULTIPLE DX										
0-19 YRS	42	4.4	23	1	1	2	6	15	43	99 +
20-34	7	9.7	39	2	3	8	13	20	21	21
35-49	20	9.4	37	1	2	9	14	18	21	22
50-64	50	13.6	109	1	2	11	18	26	34	51
65 +	44	13.1	95	1	2	11	18	28	30	44
TOTAL SINGLE DX	54	6.3	26	1	1	4	10	13	18	20
TOTAL MULTIPLE DX	163	10.4	85	1	1	8	15	22	30	92
TOTAL										
0-19 YRS	51	4.3	22	1	1	2	5	14	19	99 +
20-34	12	7.5	33	2	2	6	10	16	20	21
35-49	32	8.5	31	2	3	6	12	17	20	22
50-64	65	11.7	101	1	1	10	17	25	31	49
65 +	57	12.0	85	1	2	11	17	27	29	43
GRAND TOTAL	217	9.4	73	1	1	7	14	21	28	66

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	11	16.5	94	4	6	16	22	32	34	34
50-64	37	12.9	34	6	8	11	14	25	26	29
65 +	16	11.8	18	8	9	11	12	16	23	26
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	22	20.6	274	8	10	13	23	46	65	67
50-64	124	18.4	171	8	9	14	21	33	42	82
65 +	133	20.4	190	8	9	16	24	37	50	96
TOTAL SINGLE DX	64	13.2	42	7	8	11	15	25	27	34
TOTAL MULTIPLE DX	279	19.5	188	8	9	15	23	35	47	92
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	33	19.3	214	7	9	14	23	35	60	67
50-64	161	17.2	145	7	9	13	19	29	37	74
65 +	149	19.5	179	8	9	16	23	36	50	95
GRAND TOTAL	343	18.4	167	8	9	14	22	32	43	86

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	3	15.0	219	5	5	8	26	32	32	32
35-49	3	5.0	16	1	1	5	8	9	9	9
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	2	15.5	313	3	3	15	28	28	28	28
2. MULTIPLE DX										
0-19 YRS	24	35.3	486	8	11	37	69	99+	99+	99+
20-34	18	31.5	869	1	2	22	59	89	97	99+
35-49	41	29.5	463	5	7	25	40	63	89	99+
50-64	95	30.8	453	5	7	29	44	70	97	99+
65+	150	33.0	575	4	6	31	60	99	99+	99+
TOTAL SINGLE DX	11	10.9	112	1	2	6	16	30	32	32
TOTAL MULTIPLE DX	328	32.0	531	4	7	30	54	92	99+	99+
TOTAL										
0-19 YRS	25	34.7	477	8	11	37	68	99+	99+	99+
20-34	21	29.1	796	2	3	22	47	86	96	99+
35-49	44	27.8	470	5	6	24	39	62	88	99+
50-64	97	30.3	458	4	7	28	43	70	96	99+
65+	152	32.7	574	3	6	31	59	99	99+	99+
GRAND TOTAL	339	31.3	531	4	6	29	53	91	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	9.0	91	1	1	7	13	18	27	49
20-34	11	8.4	231	<1	<1	3	8	28	51	53
35-49	18	4.8	13	1	1	4	8	9	12	14
50-64	15	3.1	11	1	1	1	5	7	11	12
65+	10	6.1	160	1	1	2	3	23	42	42
2. MULTIPLE DX										
0-19 YRS	299	16.4	376	1	1	9	23	51	74	99+
20-34	59	21.3	623	1	1	12	35	94	99+	99+
35-49	89	24.7	514	1	3	20	47	73	99+	99+
50-64	193	25.6	520	1	1	23	45	66	91	99+
65+	280	29.1	487	1	2	28	45	70	98	99+
TOTAL SINGLE DX	113	7.2	90	1	1	4	9	15	20	50
TOTAL MULTIPLE DX	920	23.3	495	1	2	18	40	65	95	99+
TOTAL										
0-19 YRS	358	15.2	337	1	1	8	20	47	65	99+
20-34	70	19.3	580	1	1	10	34	70	99	99+
35-49	107	21.3	485	1	2	12	40	66	99	99+
50-64	208	24.0	518	1	1	20	42	63	89	99+
65+	290	28.3	494	1	2	28	44	70	97	99+
GRAND TOTAL	1033	21.6	476	1	1	14	37	62	91	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.4	43	<1	1	5	5	18	21	21
20-34	20	4.5	15	<1	<1	3	8	10	12	13
35-49	38	5.3	19	1	1	3	8	12	14	16
50-64	95	5.0	20	1	1	3	7	10	15	21
65+	57	6.8	62	<1	1	4	9	15	26	40
2. MULTIPLE DX										
0-19 YRS	31	8.9	80	1	2	5	11	18	30	43
20-34	153	11.5	94	2	3	10	14	21	26	64
35-49	340	11.2	77	2	3	9	15	21	27	43
50-64	972	11.0	79	2	3	9	14	21	27	45
65+	1793	12.5	95	2	3	10	15	23	31	51
TOTAL SINGLE DX	217	5.5	32	<1	1	4	7	12	16	29
TOTAL MULTIPLE DX	3289	11.8	89	2	3	10	15	22	29	49
TOTAL										
0-19 YRS	38	8.4	7[illegible]	1	2	5	10	19	27	43
20-34	173	10.6	90	1	2	9	14	20	26	59
35-49	378	10.6	75	1	2	8	14	21	27	42
50-64	1067	10.5	77	2	2	8	13	21	26	43
65+	1850	12.3	96	2	3	10	15	23	31	51
GRAND TOTAL	3506	11.4	88	2	3	9	15	22	29	49

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	0									
50-64	1	16.0		16	16	16	16	16	16	16
65+	0									
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	18.0		18	18	18	18	18	18	18
50-64	5	10.4	118	1	1	8	14	29	29	29
65+	0									
TOTAL SINGLE DX	2	11.0	50	6	6	11	16	16	16	16
TOTAL MULTIPLE DX	9	8.7	86	1	1	5	11	25	29	29
TOTAL										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	18.0		18	18	18	18	18	18	18
50-64	6	11.3	99	1	1	8	16	28	29	29
65+	0									
GRAND TOTAL	11	9.1	75	1	1	6	14	22	28	29

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	8.2	22	4	4	7	10	13	19	25
20-34	53	8.4	35	2	3	7	10	14	19	35
35-49	99	7.0	25	1	2	6	8	11	14	33
50-64	146	6.8	17	1	1	6	9	11	15	21
65 +	96	6.5	22	1	1	6	9	14	15	21
2. MULTIPLE DX										
0-19 YRS	95	15.8	309	4	5	10	18	52	79	99 +
20-34	134	10.7	58	3	4	8	14	20	24	41
35-49	316	11.6	89	2	4	9	15	21	31	55
50-64	872	11.5	91	2	3	9	14	23	31	55
65 +	1259	12.2	92	2	3	10	15	23	29	56
TOTAL SINGLE DX	423	7.1	23	1	1	6	9	13	15	24
TOTAL MULTIPLE DX	2676	12.0	98	2	4	9	15	23	30	58
TOTAL										
0-19 YRS	124	14.0	252	4	5	9	15	34	63	99 +
20-34	187	10.0	53	3	4	8	13	19	24	38
35-49	415	10.5	76	2	3	8	13	20	27	48
50-64	1018	10.8	84	2	3	8	13	21	29	53
65 +	1355	11.8	90	1	3	10	15	22	28	55
GRAND TOTAL	3099	11.3	91	2	3	9	14	21	29	56

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	8.8	17	4	4	7	12	15	15	15
20-34	5	7.4	8	4	4	8	9	11	11	11
35-49	26	7.9	7	5	5	8	9	10	15	17
50-64	88	10.0	12	6	7	9	11	15	17	22
65 +	68	10.0	13	6	6	9	11	15	17	24
2. MULTIPLE DX										
0-19 YRS	15	23.9	732	5	6	12	60	99	99 +	99 +
20-34	23	9.2	18	6	6	8	10	17	19	22
35-49	102	14.6	177	6	7	9	15	28	52	66
50-64	486	13.0	66	6	7	11	15	22	28	51
65 +	554	15.5	117	7	8	12	18	26	37	71
TOTAL SINGLE DX	195	9.6	13	5	6	9	11	14	17	23
TOTAL MULTIPLE DX	1180	14.4	110	6	7	11	17	25	34	72
TOTAL										
0-19 YRS	23	18.6	526	4	5	12	20	95	99 +	99 +
20-34	28	8.9	17	5	6	8	10	15	18	22
35-49	128	13.2	150	6	6	9	13	27	45	63
50-64	574	12.5	59	6	7	10	14	21	25	45
65 +	622	14.9	109	7	7	12	17	25	34	70
GRAND TOTAL	1375	13.7	99	6	7	11	16	23	31	70

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	366	2.7	10	< 1	1	2	3	5	9	19
20-34	39	5.1	20	< 1	1	3	7	13	15	18
35-49	47	5.9	36	< 1	< 1	4	8	13	17	32
50-64	106	5.7	37	< 1	< 1	4	8	14	21	29
65 +	63	5.7	40	< 1	< 1	4	6	13	22	28
2. MULTIPLE DX										
0-19 YRS	783	7.7	116	1	1	4	9	18	27	89
20-34	267	9.3	86	1	2	7	12	20	25	53
35-49	400	10.8	108	1	2	8	14	22	31	58
50-64	884	11.0	90	1	2	9	14	22	29	50
65 +	1553	12.8	99	2	4	11	16	24	30	52
TOTAL SINGLE DX	621	3.9	23	< 1	< 1	2	5	9	14	26
TOTAL MULTIPLE DX	3887	10.9	104	1	2	8	14	22	30	57
TOTAL										
0-19 YRS	1149	6.1	88	1	1	3	7	14	22	72
20-34	306	8.8	80	1	2	6	11	18	24	52
35-49	447	10.3	103	1	2	8	13	21	30	58
50-64	990	10.4	87	1	2	8	13	22	29	48
65 +	1616	12.5	100	2	3	10	16	24	30	51
GRAND TOTAL	4508	9.9	99	1	1	7	13	21	28	54

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.6	13	2	2	4	4	10	14	14
20-34	21	5.1	8	2	2	5	6	8	12	15
35-49	11	4.7	14	1	1	3	6	11	13	13
50-64	7	7.6	42	1	1	6	10	18	20	20
65 +	5	4.6	6	2	2	4	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	26	10.1	62	1	3	8	15	19	24	37
20-34	28	8.9	36	3	3	7	12	15	18	32
35-49	37	12.4	73	2	3	11	17	24	29	39
50-64	43	15.3	189	2	3	11	22	35	52	99 +
65 +	63	13.5	157	3	4	12	16	23	30	84
TOTAL SINGLE DX	53	5.2	14	2	2	4	6	10	14	20
TOTAL MULTIPLE DX	197	12.6	122	2	3	10	16	26	32	79
TOTAL										
0-19 YRS	35	8.7	55	1	2	5	13	17	20	37
20-34	49	7.3	28	3	3	5	9	14	15	32
35-49	48	10.6	70	2	2	9	14	22	28	39
50-64	50	14.2	175	1	3	9	21	33	47	99 +
65 +	68	12.8	151	3	4	11	16	22	30	81
GRAND TOTAL	250	11.0	108	2	3	8	15	22	31	66

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	113	5.6	21	2	2	5	6	11	13	24
20-34	372	5.0	7	2	2	4	6	8	10	13
35-49	135	5.5	11	2	2	4	7	10	15	17
50-64	68	6.9	20	2	3	6	9	13	16	23
65 +	53	7.5	36	2	3	6	9	13	19	38
2. MULTIPLE DX										
0-19 YRS	306	14.6	263	3	4	8	17	40	57	99 +
20-34	447	9.4	91	3	3	6	11	18	25	53
35-49	384	9.3	72	2	3	7	11	18	24	37
50-64	625	10.9	80	2	3	8	14	22	30	44
65 +	1040	12.2	87	3	4	10	15	24	32	48
TOTAL SINGLE DX	741	5.5	14	2	2	5	7	10	12	18
TOTAL MULTIPLE DX	2802	11.3	106	3	3	8	14	22	32	56
TOTAL										
0-19 YRS	419	12.2	214	2	3	7	14	29	50	99 +
20-34	819	7.4	58	2	3	5	8	13	18	42
35-49	519	8.3	60	2	3	6	10	16	21	36
50-64	693	10.5	76	2	3	8	13	20	28	44
65 +	1093	12.0	86	3	4	9	15	23	32	47
GRAND TOTAL	3543	10.1	93	2	3	7	12	20	28	52

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	5.2	14	1	3	5	6	8	10	15
20-34	79	5.8	23	1	1	5	8	13	16	23
35-49	84	4.4	12	1	1	4	7	10	11	14
50-64	64	4.8	23	< 1	1	3	7	9	15	25
65 +	56	5.6	46	< 1	1	3	7	13	19	39
2. MULTIPLE DX										
0-19 YRS	122	11.5	193	2	4	7	12	25	33	96
20-34	168	12.2	143	1	2	8	15	28	42	68
35-49	192	11.9	147	1	1	8	16	26	36	59
50-64	395	12.2	144	1	2	9	16	24	35	71
65 +	576	12.1	110	1	2	10	16	25	31	56
TOTAL SINGLE DX	430	5.2	22	1	1	4	7	10	13	23
TOTAL MULTIPLE DX	1453	12.1	135	1	2	9	16	25	34	65
TOTAL										
0-19 YRS	269	8.0	105	1	3	6	8	15	25	86
20-34	247	10.1	114	1	1	7	13	23	30	57
35-49	276	9.6	118	1	1	7	12	22	30	55
50-64	459	[illegible]	134	1	1	8	15	24	34	68
65 +	632	[illegible]	108	1	2	9	16	24	30	54
GRAND TOTAL	1883	10.5	117	1	1	7	13	23	30	57

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	366	6.8	10	2	4	6	8	10	13	18
20-34	33	7.5	9	2	3	8	9	11	12	16
35-49	62	10.2	15	4	5	10	12	15	17	22
50-64	81	10.9	17	6	7	10	13	16	19	27
65 +	67	11.1	35	3	3	11	14	19	21	30
2. MULTIPLE DX										
0-19 YRS	1011	12.9	147	4	5	9	15	24	39	84
20-34	112	14.5	142	5	6	10	17	30	41	64
35-49	258	16.6	220	6	7	12	18	31	49	83
50-64	695	16.4	134	7	8	13	19	30	40	74
65 +	980	17.8	170	4	7	14	21	34	43	78
TOTAL SINGLE DX	609	8.2	18	2	4	7	10	13	16	22
TOTAL MULTIPLE DX	3056	15.6	162	5	6	12	18	30	42	79
TOTAL										
0-19 YRS	1377	11.3	118	3	5	8	12	21	31	75
20-34	145	12.9	121	3	5	9	14	27	39	59
35-49	320	15.4	187	5	7	11	17	28	42	82
50-64	776	15.8	125	6	8	12	18	29	39	69
65 +	1047	17.4	165	4	7	14	21	33	43	76
GRAND TOTAL	3665	14.4	146	4	5	11	17	28	39	76

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	3.0		3	3	3	3	3	3	3
35-49	107	9.4	10	5	6	9	11	14	15	20
50-64	329	9.9	9	6	7	9	11	14	15	20
65 +	253	12.3	20	7	8	11	14	17	20	31
2. MULTIPLE DX										
0-19 YRS	2	22.0	162	13	13	22	31	31	31	31
20-34	29	13.0	98	6	7	10	15	19	22	60
35-49	1087	11.7	41	7	7	10	13	18	22	43
50-64	4347	12.7	51	7	8	11	14	20	25	44
65 +	4214	15.6	99	8	8	13	18	26	33	62
TOTAL SINGLE DX	691	10.7	15	6	7	10	12	15	17	24
TOTAL MULTIPLE DX	9679	13.8	74	7	8	11	16	22	29	56
TOTAL										
0-19 YRS	3	18.0	129	10	10	13	26	31	31	31
20-34	30	12.6	99	5	8	10	15	19	20	60
35-49	1194	11.5	40	6	7	10	13	18	22	40
50-64	4676	12.5	49	7	7	11	14	19	24	44
65 +	4467	15.4	95	8	8	13	17	25	33	60
GRAND TOTAL	10370	13.6	71	7	8	11	15	22	28	54

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	488	1.9	2	< 1	1	2	2	2	3	9
20-34	209	2.6	6	1	1	2	3	6	8	13
35-49	1571	2.5	6	1	1	2	3	6	8	12
50-64	2997	2.4	5	1	1	2	2	5	8	11
65 +	1335	2.5	6	1	1	2	2	6	8	12
2. MULTIPLE DX										
0-19 YRS	1397	2.8	28	< 1	1	2	2	4	9	25
20-34	508	4.6	18	1	1	3	7	10	13	21
35-49	4703	4.0	15	1	1	2	6	9	11	18
50-64	12683	4.2	19	1	1	2	6	10	12	20
65 +	9686	5.3	31	1	1	3	8	12	15	25
TOTAL SINGLE DX	6600	2.4	6	1	1	2	2	5	8	11
TOTAL MULTIPLE DX	28977	4.5	24	1	1	2	6	10	13	22
TOTAL										
0-19 YRS	1885	2.6	22	< 1	1	2	2	3	7	21
20-34	717	4.0	16	1	1	2	6	9	12	20
35-49	6274	3.7	14	1	1	2	5	9	11	17
50-64	15680	3.8	17	1	1	2	5	9	11	19
65 +	11021	5.0	29	1	1	3	7	11	15	24
GRAND TOTAL	35577	4.1	21	1	1	2	6	9	12	21

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	3.9	5	1	2	3	5	8	8	9
20-34	13	2.9	2	1	1	3	4	5	7	7
35-49	26	5.2	16	1	2	4	6	9	15	19
50-64	76	4.8	24	1	1	3	6	8	14	30
65 +	380	3.6	10	1	1	3	4	7	9	18
2. MULTIPLE DX										
0-19 YRS	87	6.8	59	1	2	4	9	13	18	49
20-34	43	9.7	242	1	1	5	8	24	37	92
35-49	135	8.1	36	2	2	6	11	16	20	27
50-64	696	9.3	58	2	3	7	12	18	24	42
65 +	4499	9.3	54	2	3	8	12	18	23	37
TOTAL SINGLE DX	526	3.8	13	1	1	3	5	8	9	19
TOTAL MULTIPLE DX	5460	9.2	56	2	3	7	12	18	23	37
TOTAL										
0-19 YRS	118	6.1	47	1	2	4	8	11	16	37
20-34	56	8.1	194	1	1	4	7	16	32	89
35-49	161	7.7	35	2	2	6	10	15	19	25
50-64	772	8.9	57	1	2	7	11	17	23	38
65 +	4879	8.8	54	1	2	7	11	17	22	36
GRAND TOTAL	5986	8.7	55	1	2	7	11	17	22	37

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	5.3	7	1	2	5	7	9	10	11
20-34	29	5.4	5	2	2	6	7	9	9	10
35-49	435	4.3	8	2	2	3	6	8	10	14
50-64	1047	4.0	7	1	2	3	5	8	10	13
65 +	510	4.7	11	2	2	4	6	9	11	19
2. MULTIPLE DX										
0-19 YRS	98	8.1	59	1	2	7	9	15	22	49
20-34	111	10.1	152	2	2	8	11	16	25	88
35-49	1408	5.7	23	1	2	4	8	11	14	23
50-64	3747	5.9	27	2	2	4	8	11	15	24
65 +	2867	7.3	47	2	2	5	9	14	18	35
TOTAL SINGLE DX	2065	4.3	8	1	2	3	6	8	10	14
TOTAL MULTIPLE DX	8231	6.4	36	2	2	5	8	12	16	29
TOTAL										
0-19 YRS	142	7.2	45	1	2	6	8	11	17	43
20-34	140	9.1	125	2	2	7	10	15	19	83
35-49	1843	5.4	20	2	2	4	7	10	13	22
50-64	4794	5.5	23	2	2	4	7	11	14	23
65 +	3377	6.9	43	2	2	5	9	13	17	32
GRAND TOTAL	10296	6.0	32	2	2	4	8	12	15	26

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	295	2.8	6	< 1	1	2	3	5	7	14
20-34	74	3.0	7	< 1	1	2	4	7	9	12
35-49	88	3.3	8	1	1	2	4	8	9	15
50-64	92	3.1	10	< 1	1	2	4	7	10	16
65 +	97	4.0	15	< 1	1	2	6	9	12	18
2. MULTIPLE DX										
0-19 YRS	1169	5.4	65	1	2	3	5	10	17	58
20-34	258	8.2	59	1	2	6	11	19	23	42
35-49	430	8.2	48	1	2	7	11	16	21	36
50-64	1020	8.4	61	1	2	6	11	17	23	39
65 +	2506	11.0	76	2	2	9	15	22	27	44
TOTAL SINGLE DX	646	3.1	9	< 1	1	2	4	7	9	15
TOTAL MULTIPLE DX	5383	9.0	73	1	2	6	12	19	25	43
TOTAL										
0-19 YRS	1464	4.9	55	1	1	3	5	9	15	51
20-34	332	7.1	53	1	1	5	9	16	22	41
35-49	518	7.3	45	1	1	6	10	15	20	36
50-64	1112	8.0	60	1	1	6	11	16	22	39
65 +	2603	10.8	76	1	2	9	14	22	27	43
GRAND TOTAL	6029	8.3	70	1	2	6	11	18	24	42

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	2.4	3	1	1	2	3	5	7	7
20-34	293	2.0	1	1	1	2	3	3	4	6
35-49	445	2.2	1	1	1	2	3	4	5	7
50-64	299	2.6	4	1	1	2	3	5	6	13
65 +	67	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	7	4.7	12	2	2	3	6	11	12	12
20-34	97	3.4	10	1	1	2	4	7	8	19
35-49	215	3.2	13	1	1	2	4	5	8	27
50-64	214	4.1	13	1	1	3	5	9	12	19
65 +	123	4.9	39	1	1	3	5	12	17	40
TOTAL SINGLE DX	1114	2.3	2	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	656	3.8	18	1	1	3	4	8	12	22
TOTAL										
0-19 YRS	17	3.4	8	1	1	2	4	7	10	12
20-34	390	2.3	4	1	1	2	3	4	5	9
35-49	660	2.5	6	1	1	2	3	4	5	9
50-64	513	3.3	9	1	1	2	4	6	9	15
65 +	190	4.2	28	1	1	3	4	9	13	31
GRAND TOTAL	1770	2.9	9	1	1	2	3	5	8	15

578. Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	5.8	4	3	3	5	7	9	10	10
20-34	19	6.4	34	1	1	5	8	14	19	24
35-49	57	6.9	14	1	[illegible]	7	9	11	11	24
50-64	218	7.9	12	3	[illegible]	8	10	12	15	19
65 +	223	8.5	18	2	[illegible]	8	10	14	18	21
2. MULTIPLE DX										
0-19 YRS	185	12.3	137	3	5	9	12	26	41	90
20-34	132	10.2	71	1	2	8	13	20	29	42
35-49	469	11.2	95	2	3	9	13	21	29	52
50-64	1835	12.2	88	[illegible]	[illegible]	10	14	22	30	50
65 +	3075	14.6	116	[illegible]	[illegible]	11	18	27	36	59
TOTAL SINGLE DX	547	7.8	16	[illegible]	[illegible]	8	10	13	16	20
TOTAL MULTIPLE DX	5696	13.3	107	3	[illegible]	10	16	25	33	56
TOTAL										
0-19 YRS	215	11.4	124	3	4	8	12	25	39	83
20-34	151	9.7	68	1	2	8	12	20	26	40
35-49	526	10.7	88	1	3	8	13	20	28	51
50-64	2053	11.7	82	3	4	9	14	21	29	49
65 +	3298	14.2	112	4	5	11	17	26	35	57
GRAND TOTAL	6243	12.9	101	3	5	10	15	24	32	55

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	39	19.4	243	5	7	15	22	39	59	75
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	13.3	6	11	11	13	15	16	16	16
65 +	1	16.0		16	16	16	16	16	16	16
TOTAL SINGLE DX	2	8.0	8	6	6	8	10	10	10	10
TOTAL MULTIPLE DX	44	18.7	220	6	7	14	22	32	58	75
TOTAL										
0-19 YRS	41	18.9	237	5	7	13	22	36	59	75
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	13.3	6	11	11	13	15	16	16	16
65 +	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	46	18.2	215	6	7	13	22	31	58	75

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.0	27	1	1	1	8	10	10	10
20-34	7	4.9	65	< 1	< 1	1	4	19	23	23
35-49	9	2.7	7	< 1	< 1	1	5	7	7	7
50-64	9	2.9	7	< 1	< 1	1	4	7	9	9
65 +	10	2.4	4	< 1	< 1	1	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	46	6.4	62	1	1	4	7	12	19	44
20-34	288	5.5	32	1	1	4	6	10	16	32
35-49	405	6.3	37	1	1	4	8	14	17	30
50-64	665	6.8	55	1	2	5	8	13	19	37
65 +	815	7.0	38	1	2	5	9	14	20	32
TOTAL SINGLE DX	38	3.2	17	< 1	< 1	1	4	7	10	23
TOTAL MULTIPLE DX	2219	6.6	44	1	2	5	8	13	18	34
TOTAL										
0-19 YRS	49	6.2	60	1	1	4	7	12	16	44
20-34	295	5.5	33	1	1	4	6	10	17	32
35-49	414	6.2	38	1	1	4	8	13	17	30
50-64	674	6.8	55	1	2	5	8	13	19	37
65 +	825	6.9	38	1	2	5	8	14	19	32
GRAND TOTAL	2257	6.5	43	1	2	5	8	13	18	33

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	348	5.3	15	1	2	5	6	9	11	17
20-34	139	5.4	26	1	1	4	7	12	16	25
35-49	230	5.0	20	1	1	4	7	10	14	23
50-64	739	5.6	25	1	1	4	7	11	13	24
65 +	955	6.1	21	1	2	5	8	11	14	23
2. MULTIPLE DX										
0-19 YRS	2190	20.2	470	2	3	11	30	63	88	99 +
20-34	630	9.3	92	1	1	6	13	20	30	46
35-49	1165	10.0	108	1	1	7	13	22	31	58
50-64	4114	9.8	97	1	2	7	12	20	28	57
65 +	8457	10.7	81	2	3	8	13	21	28	48
TOTAL SINGLE DX	2411	5.7	22	1	1	5	7	11	13	23
TOTAL MULTIPLE DX	16556	11.6	151	2	3	8	14	25	36	83
TOTAL										
0-19 YRS	2538	18.2	434	2	3	10	25	57	84	99 +
20-34	769	8.6	83	1	1	6	11	19	27	44
35-49	1395	9.2	97	1	1	6	12	21	29	54
50-64	4853	9.2	89	1	2	6	11	19	26	53
65 +	9412	10.2	77	2	3	8	13	20	27	46
GRAND TOTAL	18967	10.9	138	1	2	8	13	23	34	79

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	200	4.3	37	1	1	3	5	8	13	30
20-34	122	4.0	19	1	1	2	5	9	14	22
35-49	118	3.4	11	< 1	1	2	4	7	9	18
50-64	141	3.0	4	1	1	3	4	6	7	11
65 +	110	4.3	11	1	1	4	6	9	10	17
2. MULTIPLE DX										
0-19 YRS	174	6.7	89	1	1	4	8	13	19	52
20-34	166	7.0	52	1	1	5	9	15	18	36
35-49	249	7.7	74	1	1	5	10	17	26	48
50-64	461	8.1	55	1	1	6	11	17	21	28
65 +	679	9.4	71	1	2	7	12	21	27	40
TOTAL SINGLE DX	691	3.8	19	1	1	3	5	8	11	20
TOTAL MULTIPLE DX	1729	8.3	68	1	1	6	11	18	23	39
TOTAL										
0-19 YRS	374	5.4	63	1	1	3	7	11	16	41
20-34	288	5.7	41	1	1	4	8	13	17	27
35-49	367	6.3	58	1	1	4	7	14	20	37
50-64	602	6.9	48	1	1	5	9	15	20	28
65 +	789	8.7	66	1	1	6	11	19	26	40
GRAND TOTAL	2420	7.0	58	1	1	5	9	16	21	37

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.4	15	1	1	3	6	11	12	12
20-34	26	4.6	8	1	1	4	7	8	10	11
35-49	38	4.6	9	1	2	4	6	9	11	14
50-64	63	4.8	9	1	1	4	6	8	11	16
65 +	51	6.0	13	2	3	5	8	11	12	22
2. MULTIPLE DX										
0-19 YRS	10	7.9	15	4	4	7	9	14	18	18
20-34	38	6.4	11	2	3	6	9	10	11	19
35-49	96	7.7	44	1	2	6	10	16	23	34
50-64	230	9.9	127	2	2	6	11	21	29	64
65 +	322	9.7	102	2	3	6	11	19	28	60
TOTAL SINGLE DX	187	5.0	11	1	1	4	7	10	11	15
TOTAL MULTIPLE DX	696	9.3	97	2	3	6	10	19	26	61
TOTAL										
0-19 YRS	19	6.3	18	1	1	5	9	11	15	18
20-34	64	5.7	11	1	2	5	8	10	11	18
35-49	134	6.8	36	1	2	5	9	14	21	32
50-64	293	8.8	106	1	2	6	10	19	28	63
65 +	373	9.2	92	2	3	6	10	18	25	60
GRAND TOTAL	883	8.4	82	2	2	6	10	17	23	58

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	3	26.3	462	5	5	26	42	48	48	48
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	4	15.3	636	1	1	3	29	53	53	53
TOTAL SINGLE DX	4	4.0	10	1	1	3	6	8	8	8
TOTAL MULTIPLE DX	9	15.9	447	1	1	5	31	51	53	53
TOTAL										
0-19 YRS	4	21.0	422	5	5	16	37	48	48	48
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	5	13.8	488	1	1	5	19	53	53	53
GRAND TOTAL	13	12.2	333	1	1	5	12	49	52	53

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	38.6	361	1	6	47	52	54	54	54
20-34	1	40.0		40	40	40	40	40	40	40
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	46	47.8	273	29	31	44	57	78	88	99 +
20-34	47	38.2	319	3	22	36	44	67	76	88
35-49	29	36.9	212	4	21	37	47	54	59	70
50-64	5	41.8	178	24	24	42	53	57	57	57
65 +	0									
TOTAL SINGLE DX	8	38.8	310	1	9	43	51	53	54	54
TOTAL MULTIPLE DX	127	41.5	291	14	25	40	49	67	77	91
TOTAL										
0-19 YRS	53	46.6	288	28	30	45	54	74	87	99 +
20-34	48	38.2	312	3	22	36	44	67	76	88
35-49	29	36.9	213	4	21	37	47	54	59	70
50-64	5	41.8	178	24	24	42	53	57	57	57
65 +	0									
GRAND TOTAL	135	41.4	290	7	25	40	49	66	77	91

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	371	4.7	13	1	1	4	6	9	11	17
20-34	156	5.1	8	1	2	5	6	9	11	16
35-49	102	6.9	44	1	2	5	8	14	20	36
50-64	119	6.4	24	2	2	5	8	13	15	26
65 +	80	7.0	25	1	2	6	9	15	18	24
2. MULTIPLE DX										
0-19 YRS	581	10.2	144	1	2	7	11	20	32	73
20-34	534	10.5	101	2	3	7	12	22	36	60
35-49	635	11.4	111	2	3	8	14	23	33	52
50-64	1061	11.3	101	2	3	8	14	23	30	52
65 +	2773	11.3	83	3	4	9	14	21	27	50
TOTAL SINGLE DX	828	5.5	20	1	2	5	7	10	14	24
TOTAL MULTIPLE DX	5584	11.1	98	2	3	8	14	22	30	55
TOTAL										
0-19 YRS	952	8.1	100	1	2	5	9	16	24	59
20-34	690	9.3	86	2	2	7	10	19	29	58
35-49	737	10.8	104	2	2	8	14	22	32	52
50-64	1180	10.8	96	2	3	8	13	22	28	48
65 +	2853	11.2	82	3	4	9	14	21	27	49
GRAND TOTAL	6412	10.4	92	2	3	8	13	20	28	52

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	167	8.7	97	1	1	5	11	21	29	46
20-34	89	8.9	71	1	2	7	11	20	27	40
35-49	49	9.1	125	1	1	6	10	17	44	51
50-64	48	7.8	55	1	1	6	11	17	24	30
65 +	35	8.3	51	1	1	7	12	21	23	27
2. MULTIPLE DX										
0-19 YRS	690	17.7	331	1	2	11	25	43	63	99 +
20-34	565	14.3	154	2	3	11	18	30	38	61
35-49	777	11.9	119	2	2	9	16	24	34	60
50-64	1228	13.0	150	1	2	9	18	29	39	57
65 +	1662	15.1	157	2	3	12	20	31	41	62
TOTAL SINGLE DX	388	8.6	85	1	1	6	11	20	28	45
TOTAL MULTIPLE DX	4922	14.3	177	2	3	10	19	31	42	70
TOTAL										
0-19 YRS	857	15.9	299	1	2	10	22	41	59	99 +
20-34	654	13.6	147	2	2	10	18	29	37	61
35-49	826	11.7	120	2	2	9	15	24	34	57
50-64	1276	12.8	147	1	2	9	17	29	38	57
65 +	1697	15.0	156	2	3	12	20	31	40	61
GRAND TOTAL	5310	13.9	172	1	2	10	18	30	41	68

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	4.3	17	< 1	1	2	6	12	14	15
20-34	25	4.9	16	1	1	4	7	9	14	15
35-49	27	5.7	20	1	1	5	8	13	15	17
50-64	63	5.2	21	1	1	4	7	11	15	20
65 +	49	4.9	12	1	1	5	6	9	13	20
2. MULTIPLE DX										
0-19 YRS	150	8.8	127	1	1	5	12	25	32	63
20-34	133	8.5	73	1	2	6	10	21	26	39
35-49	314	8.1	61	1	2	6	10	16	22	44
50-64	574	9.6	96	1	2	7	12	21	29	56
65 +	1138	10.7	104	2	3	8	13	22	32	59
TOTAL SINGLE DX	225	4.9	18	1	1	4	7	11	14	18
TOTAL MULTIPLE DX	2309	9.8	97	1	2	7	12	21	30	56
TOTAL										
0-19 YRS	211	7.5	100	1	1	4	10	19	27	59
20-34	158	7.9	66	1	1	6	10	18	25	36
35-49	341	7.9	58	1	2	6	10	16	21	42
50-64	637	9.2	91	1	2	6	12	20	28	5
65 +	1187	10.5	102	2	3	7	13	22	31	58
GRAND TOTAL	2534	9.4	92	1	2	6	12	20	28	55

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	550	3.2	1	2	2	3	4	5	6	8
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	1	11.0		11	11	11	11	11	11	11
65 +	3	6.7	4	5	5	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	232	5.0	42	2	2	4	5	8	10	45
20-34	9	8.3	7	5	5	7	11	12	12	12
35-49	17	9.8	30	2	3	10	12	19	20	21
50-64	14	10.4	19	3	6	10	13	15	19	20
65 +	40	15.6	162	3	5	12	18	30	38	73
TOTAL SINGLE DX	560	3.3	2	2	2	3	4	5	6	9
TOTAL MULTIPLE DX	312	6.9	68	2	2	5	8	13	19	52
TOTAL										
0-19 YRS	782	3.8	14	2	2	3	4	6	7	13
20-34	12	6.9	12	1	2	7	9	12	12	12
35-49	20	8.7	33	1	2	8	11	18	20	21
50-64	15	10.5	18	3	6	11	13	15	19	20
65 +	43	15.0	156	3	5	12	17	28	37	73
GRAND TOTAL	872	4.6	29	2	2	3	5	8	11	27

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	9.2	114	1	1	4	14	28	30	30
20-34	3	12.0	48	8	8	8	17	20	20	20
35-49	5	7.2	36	1	1	5	13	15	15	15
50-64	7	6.7	54	2	2	4	6	20	23	23
65 +	17	7.9	52	1	1	5	10	20	23	25
2. MULTIPLE DX										
0-19 YRS	126	16.0	306	2	3	11	23	40	76	99 +
20-34	45	14.1	165	3	5	12	21	30	79	99 +
35-49	69	21.7	407	3	4	13	33	51	65	98
50-64	238	18.0	271	2	3	13	25	41	57	99 +
65 +	1544	17.2	177	3	4	14	22	35	45	71
TOTAL SINGLE DX	41	8.2	60	1	1	5	11	21	24	30
TOTAL MULTIPLE DX	2022	17.3	205	3	4	14	22	36	48	86
TOTAL										
0-19 YRS	135	15.6	295	2	3	11	23	36	76	99 +
20-34	48	13.9	157	3	5	11	20	29	75	99 +
35-49	74	20.7	395	3	4	12	32	50	63	98
50-64	245	17.7	268	2	3	13	25	41	57	99 +
65 +	1561	17.1	177	3	4	14	22	35	45	71
GRAND TOTAL	2063	17.1	203	2	4	14	22	36	48	86

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	5.0	14	1	1	5	6	11	11	11
20-34	29	5.0	10	1	1	4	6	9	11	16
35-49	39	4.5	8	1	2	4	5	9	11	14
50-64	46	6.4	78	2	2	4	7	9	13	62
65 +	45	6.5	16	2	3	6	8	10	15	23
2. MULTIPLE DX										
0-19 YRS	31	8.0	79	1	1	4	11	19	31	38
20-34	209	8.1	57	2	3	6	9	14	23	39
35-49	459	6.9	25	2	3	6	8	12	18	30
50-64	772	7.6	41	2	3	6	9	15	20	31
65 +	1933	9.2	47	3	3	7	11	17	22	37
TOTAL SINGLE DX	165	5.7	31	1	2	5	7	9	13	22
TOTAL MULTIPLE DX	3404	8.5	45	2	3	7	10	16	21	35
TOTAL										
0-19 YRS	37	7.5	69	1	1	4	10	17	28	38
20-34	238	7.7	53	2	3	6	9	13	21	39
35-49	498	6.7	25	2	3	5	8	12	17	30
50-64	818	7.6	44	2	3	6	9	14	20	32
65 +	1978	9.1	47	3	3	7	11	17	22	36
GRAND TOTAL	3569	8.3	44	2	3	6	10	16	21	35

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	20	8.2	14	2	4	7	11	13	15	16
35-49	37	9.5	13	5	6	8	12	15	16	21
50-64	43	10.0	9	6	7	9	11	14	17	19
65 +	38	10.9	10	7	7	10	12	17	17	19
2. MULTIPLE DX										
0-19 YRS	2	28.0	450	13	13	28	43	43	43	43
20-34	44	14.3	79	5	6	12	16	27	36	99 +
35-49	167	13.8	118	6	7	11	16	21	27	84
50-64	260	16.7	145	7	8	13	19	30	44	70
65 +	539	19.2	149	8	9	16	22	32	46	84
TOTAL SINGLE DX	138	9.8	12	5	6	9	12	15	17	19
TOTAL MULTIPLE DX	1012	17.5	145	7	8	14	20	30	43	81
TOTAL										
0-19 YRS	2	28.0	450	13	13	28	43	43	43	43
20-34	64	12.4	66	4	5	11	15	26	29	92
35-49	204	13.0	102	6	7	10	15	19	25	69
50-64	303	15.7	131	7	7	12	18	29	43	69
65 +	577	18.6	145	8	9	16	22	32	45	83
GRAND TOTAL	1150	16.5	135	7	7	13	19	29	41	79

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	14.0	8	12	12	14	16	16	16	16
50-64	8	13.5	4	11	11	14	15	67	99 +	99 +
65 +	5	17.4	77	12	12	14	19	33	33	33
2. MULTIPLE DX										
0-19 YRS	0									
20-34	4	13.0	4	11	11	12	14	16	16	16
35-49	21	28.8	473	10	10	16	39	67	72	73
50-64	69	19.3	143	9	10	15	22	33	41	70
65 +	99	21.6	184	8	10	17	27	41	51	86
TOTAL SINGLE DX	15	14.9	28	11	11	14	15	31	80	99 +
TOTAL MULTIPLE DX	193	21.4	204	9	10	16	26	40	59	73
TOTAL										
0-19 YRS	0									
20-34	4	13.0	5	11	11	12	14	16	16	16
35-49	23	27.5	449	10	11	16	38	65	72	73
50-64	77	18.7	132	9	10	15	22	33	48	92
65 +	104	21.4	180	9	10	17	27	40	51	85
GRAND TOTAL	208	20.9	194	9	10	16	26	40	60	84

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	20	7.4	5	5	5	7	8	10	12	15
35-49	42	8.0	7	5	5	8	9	12	13	18
50-64	27	10.0	8	7	7	9	12	15	16	18
65 +	11	9.5	2	7	7	9	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	2	24.5	613	7	7	24	42	42	42	42
20-34	43	11.0	36	5	6	9	14	16	20	38
35-49	74	12.7	97	6	6	9	15	20	31	60
50-64	102	14.0	69	6	7	11	16	25	33	44
65 +	161	19.5	215	7	9	14	23	41	53	86
TOTAL SINGLE DX	101	8.6	8	5	5	8	9	12	14	18
TOTAL MULTIPLE DX	382	15.8	145	6	7	12	18	28	44	70
TOTAL										
0-19 YRS	3	18.7	408	7	7	7	33	42	42	42
20-34	63	9.8	29	5	6	8	10	15	17	37
35-49	116	11.0	69	5	6	8	12	18	23	58
50-64	129	13.2	59	6	7	11	15	22	29	43
65 +	172	18.9	208	7	8	14	22	37	52	85
GRAND TOTAL	483	14.3	125	6	7	11	16	27	37	68

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	7.4	22	2	3	7	8	14	20	23
20-34	136	6.5	3	3	4	6	7	9	10	12
35-49	144	7.5	35	4	5	7	8	10	12	31
50-64	67	8.8	13	4	5	8	10	14	17	22
65 +	54	9.3	13	5	6	9	11	14	18	21
2. MULTIPLE DX										
0-19 YRS	439	17.4	266	4	5	13	22	42	72	99 +
20-34	373	9.1	54	4	5	7	9	15	22	43
35-49	708	9.1	52	4	5	7	9	16	21	42
50-64	474	11.9	78	5	5	9	14	23	32	60
65 +	672	17.0	166	6	7	13	20	30	42	79
TOTAL SINGLE DX	473	7.6	19	3	5	7	8	11	14	22
TOTAL MULTIPLE DX	2666	12.9	135	5	5	9	16	25	36	82
TOTAL										
0-19 YRS	511	16.0	244	3	5	11	21	38	65	99 +
20-34	509	8.4	42	4	5	7	8	12	19	40
35-49	852	8.8	50	4	5	7	9	14	19	41
50-64	541	11.5	71	5	5	9	13	22	31	49
65 +	726	16.5	159	6	7	13	20	29	41	78
GRAND TOTAL	3139	12.1	121	4	5	8	14	24	33	79

333 Hospitals, North Central Region, January-December 1987, by Operation

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	78	4.9	17	1	1	4	6	9	12	25
20-34	108	5.1	9	1	2	5	6	8	11	18
35-49	91	5.2	11	1	2	5	6	9	11	20
50-64	83	4.7	11	<1	1	4	6	8	11	18
65 +	83	5.3	24	<1	<1	5	8	9	11	30
2. MULTIPLE DX										
0-19 YRS	189	7.6	70	1	2	5	8	17	25	87
20-34	324	7.8	38	2	3	6	9	15	21	34
35-49	489	7.5	41	2	3	6	9	14	19	38
50-64	1040	8.2	45	2	3	7	10	16	21	35
65 +	2560	9.6	60	2	3	8	12	18	24	40
TOTAL SINGLE DX	443	5.0	14	1	1	5	6	9	11	19
TOTAL MULTIPLE DX	4602	8.8	55	2	3	7	11	17	23	40
TOTAL										
0-19 YRS	267	6.8	57	1	2	5	8	14	21	66
20-34	432	7.1	33	2	2	6	9	13	18	33
35-49	580	7.2	38	2	2	6	8	13	18	37
50-64	1123	8.0	44	1	2	6	10	15	20	34
65 +	2643	9.4	60	2	3	7	12	18	24	40
GRAND TOTAL	5045	8.5	52	2	2	7	10	16	22	39

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	7.4	13	3	4	7	9	13	16	17
20-34	33	9.5	20	4	5	9	10	17	20	24
35-49	33	10.9	37	5	6	9	13	21	25	29
50-64	32	10.3	52	6	6	8	12	16	23	42
65 +	27	12.4	29	6	7	12	14	18	22	31
2. MULTIPLE DX										
0-19 YRS	133	21.2	549	5	6	12	29	83	99	99 +
20-34	167	13.8	126	5	6	9	15	30	43	64
35-49	222	16.2	165	6	6	12	19	31	42	73
50-64	318	17.8	192	7	8	13	21	31	51	82
65 +	749	17.7	121	7	8	15	21	33	42	68
TOTAL SINGLE DX	148	10.2	33	4	5	9	12	17	21	31
TOTAL MULTIPLE DX	1589	17.4	181	6	7	13	20	34	46	93
TOTAL										
0-19 YRS	156	19.1	494	5	6	10	20	79	96	99 +
20-34	200	13.1	112	5	6	9	14	26	42	63
35-49	255	15.5	151	6	6	12	18	30	40	67
50-64	350	17.1	184	6	7	13	21	30	48	77
65 +	776	17.6	119	7	8	14	21	32	42	67
GRAND TOTAL	1737	16.8	172	6	7	13	20	32	45	88

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	8.8	17	4	5	8	9	13	19	27
20-34	82	9.7	22	5	6	9	11	14	20	28
35-49	184	9.3	16	6	6	8	10	13	16	27
50-64	317	9.6	12	6	7	9	11	14	17	23
65 +	400	10.4	16	6	7	9	12	15	18	27
2. MULTIPLE DX										
0-19 YRS	102	16.8	276	5	6	10	17	48	62	99 +
20-34	291	13.0	69	6	7	10	16	22	28	43
35-49	611	12.2	41	6	7	10	15	19	24	39
50-64	1910	13.5	88	7	7	11	15	22	30	58
65 +	4917	15.3	88	7	8	12	18	26	33	57
TOTAL SINGLE DX	1032	9.8	16	6	6	9	11	14	17	27
TOTAL MULTIPLE DX	7831	14.5	88	7	8	12	17	25	32	58
TOTAL										
0-19 YRS	151	14.2	206	5	6	9	14	33	52	99
20-34	373	12.3	61	6	6	10	15	22	26	40
35-49	795	11.5	37	6	7	10	14	18	23	38
50-64	2227	12.9	79	7	7	10	14	21	28	56
65 +	5317	14.9	85	7	8	12	17	25	32	56
GRAND TOTAL	8863	14.0	82	7	7	11	16	24	31	56

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	6.9	8	3	3	7	9	11	12	12
20-34	5	7.2	23	2	2	6	10	15	15	15
35-49	8	9.1	5	6	6	8	11	13	13	13
50-64	15	6.9	8	2	5	7	8	9	13	15
65 +	10	10.2	41	3	4	9	11	20	26	26
2. MULTIPLE DX										
0-19 YRS	27	15.6	300	5	6	11	13	31	50	91
20-34	19	12.2	55	3	5	11	14	25	29	31
35-49	42	13.9	114	4	5	10	15	27	43	46
50-64	107	15.3	97	7	7	12	18	28	39	75
65 +	252	18.4	167	6	8	15	22	34	41	74
TOTAL SINGLE DX	51	7.9	16	3	4	8	9	13	15	26
TOTAL MULTIPLE DX	447	16.8	151	6	7	13	20	31	42	74
TOTAL										
0-19 YRS	40	12.8	220	3	4	9	12	21	38	91
20-34	24	11.1	52	3	4	10	13	22	28	31
35-49	50	13.1	100	4	5	9	14	27	42	46
50-64	122	14.3	94	5	7	11	17	27	34	69
65 +	262	18.1	165	6	8	14	22	33	40	74
GRAND TOTAL	498	15.9	145	5	6	12	19	29	38	73

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	182	5.8	8	2	3	5	7	10	11	14
20-34	73	7.1	8	4	4	7	8	10	14	16
35-49	99	7.9	20	3	4	7	9	11	16	31
50-64	81	7.7	5	4	5	8	9	11	12	14
65 +	112	7.1	10	2	3	7	9	12	13	15
2. MULTIPLE DX										
0-19 YRS	316	10.8	122	3	4	8	11	20	37	99 +
20-34	222	11.9	123	4	5	8	11	23	36	63
35-49	298	11.7	75	4	5	9	13	21	30	51
50-64	490	13.0	124	4	6	9	14	26	37	60
65 +	946	13.5	87	4	6	11	16	25	32	48
TOTAL SINGLE DX	547	6.9	11	2	3	7	9	11	12	16
TOTAL MULTIPLE DX	2272	12.6	105	4	5	9	14	25	34	59
TOTAL										
0-19 YRS	498	8.9	87	3	3	7	10	14	24	86
20-34	295	10.7	99	4	5	8	11	17	30	58
35-49	397	10.8	65	4	5	9	12	19	28	47
50-64	571	12.3	111	4	5	9	12	24	33	56
65 +	1058	12.8	83	4	5	10	15	24	31	47
GRAND TOTAL	**2819**	**11.5**	**90**	**3**	**5**	**9**	**13**	**22**	**30**	**56**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	10.1	59	4	5	8	11	22	30	34
20-34	11	10.7	55	2	4	8	11	25	25	26
35-49	6	8.5	14	4	4	8	12	13	13	13
50-64	15	9.1	15	2	3	9	11	13	17	18
65 +	16	10.9	37	2	6	10	13	17	25	29
2. MULTIPLE DX										
0-19 YRS	71	16.6	198	4	5	12	21	43	55	99 +
20-34	32	18.8	402	3	5	13	20	43	64	97
35-49	66	17.8	161	6	7	13	25	32	44	62
50-64	173	18.2	207	5	7	14	22	37	54	98
65 +	522	19.4	159	7	8	16	24	36	47	76
TOTAL SINGLE DX	81	10.0	42	3	5	8	11	18	27	33
TOTAL MULTIPLE DX	864	18.8	181	6	7	15	23	36	50	91
TOTAL										
0-19 YRS	104	14.5	163	4	5	10	17	35	52	99 +
20-34	43	16.7	323	3	5	10	19	33	58	97
35-49	72	17.0	155	5	6	12	24	31	42	62
50-64	188	17.4	198	5	6	13	21	36	51	97
65 +	538	19.1	158	7	8	16	23	35	47	75
GRAND TOTAL	**945**	**18.0**	**175**	**5**	**7**	**14**	**22**	**35**	**48**	**86**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4759	3.5	4	2	2	3	4	6	8	11
20-34	3183	3.5	4	2	2	3	4	6	7	10
35-49	1105	4.1	4	2	2	4	5	7	8	12
50-64	425	5.0	6	2	2	4	6	9	10	13
65 +	145	6.6	12	3	3	5	9	12	13	17
2. MULTIPLE DX										
0-19 YRS	1691	5.6	18	2	2	4	7	10	14	25
20-34	1358	5.3	10	2	2	4	6	9	11	18
35-49	711	6.7	24	2	3	6	8	11	14	23
50-64	605	8.0	30	3	3	7	10	13	16	36
65 +	505	10.4	58	4	4	9	12	18	22	35
TOTAL SINGLE DX	9617	3.7	5	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	4870	6.5	25	2	3	5	8	11	15	25
TOTAL										
0-19 YRS	6450	4.1	9	2	2	3	5	7	9	16
20-34	4541	4.0	7	2	2	3	5	7	9	13
35-49	1816	5.1	14	2	2	4	6	9	11	19
50-64	1030	6.8	23	2	3	6	8	11	14	24
65 +	650	9.5	51	3	4	8	11	17	20	33
GRAND TOTAL	**14487**	**4.6**	**13**	**2**	**2**	**4**	**5**	**8**	**11**	**18**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	3.4	3	1	2	3	4	6	6	12
20-34	14	4.1	3	2	2	4	5	6	8	9
35-49	5	4.0	2	2	2	4	5	6	6	6
50-64	0									
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	24	5.8	27	2	3	5	7	9	16	28
20-34	15	4.8	1	2	3	5	6	6	7	7
35-49	5	6.2	12	3	3	6	8	12	12	12
50-64	11	12.5	136	3	4	8	12	33	40	41
65 +	6	9.0	10	5	5	10	12	12	12	12
TOTAL SINGLE DX	70	3.6	3	2	2	3	4	6	6	11
TOTAL MULTIPLE DX	61	7.1	43	2	3	5	8	12	19	40
TOTAL										
0-19 YRS	73	4.2	12	1	2	3	5	7	8	24
20-34	29	4.5	3	2	2	5	5	6	7	9
35-49	10	5.1	8	2	2	4	6	9	12	12
50-64	11	12.5	136	3	4	8	12	33	40	41
65 +	8	7.4	17	2	2	7	11	12	12	12
GRAND TOTAL	**131**	**5.2**	**25**	**2**	**2**	**4**	**6**	**9**	**12**	**31**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	7.4	43	2	2	7	10	18	18	18
20-34	7	7.0	18	2	2	7	10	13	14	14
35-49	4	8.0	6	5	5	8	10	11	11	11
50-64	5	8.0	8	4	4	9	10	11	11	11
65 +	2	11.5	1	11	11	11	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	7	8.9	12	4	4	9	11	13	14	14
20-34	7	10.6	106	2	2	9	10	28	33	33
35-49	5	19.0	95	6	6	18	26	32	32	32
50-64	10	12.0	34	2	5	11	14	21	22	22
65 +	6	17.5	120	8	8	13	25	35	36	36
TOTAL SINGLE DX	23	7.9	17	2	2	8	11	12	15	18
TOTAL MULTIPLE DX	35	13.0	73	3	4	10	16	25	33	36
TOTAL										
0-19 YRS	12	8.3	23	2	2	8	11	15	18	18
20-34	14	8.8	61	2	2	7	10	16	29	33
35-49	9	14.1	83	5	5	11	19	29	32	32
50-64	15	10.7	28	2	4	10	13	20	21	22
65 +	8	16.0	94	8	9	11	20	33	36	36
GRAND TOTAL	58	11.0	56	2	4	9	14	21	29	36

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	3.6	6	1	1	3	5	7	8	10
20-34	22	4.2	21	1	1	3	5	10	17	18
35-49	20	3.2	8	<1	1	2	4	8	10	11
50-64	47	2.5	3	1	1	2	3	5	6	10
65 +	83	2.9	4	1	1	2	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	90	9.3	192	1	2	4	8	21	37	80
20-34	34	4.8	14	1	1	4	5	9	14	18
35-49	68	5.5	20	1	1	4	8	11	15	22
50-64	171	6.6	31	1	1	4	9	15	19	20
65 +	479	7.5	47	1	2	6	10	16	21	35
TOTAL SINGLE DX	224	3.1	7	1	1	2	4	6	8	15
TOTAL MULTIPLE DX	842	7.2	57	1	2	5	9	15	20	37
TOTAL										
0-19 YRS	142	7.2	132	1	1	4	7	16	28	72
20-34	56	4.6	17	1	1	4	5	9	16	18
35-49	88	5.0	19	1	1	4	7	11	13	21
50-64	218	5.7	28	1	1	4	7	14	16	20
65 +	562	6.8	44	1	1	5	9	15	19	34
GRAND TOTAL	1066	6.4	49	1	1	4	8	14	18	35

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	2.8	6	1	1	2	3	6	8	12
20-34	114	2.7	5	1	1	2	3	5	7	12
35-49	100	2.6	3	1	1	2	3	5	6	9
50-64	56	2.9	4	1	1	3	4	6	7	10
65 +	15	3.5	6	1	1	3	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	30	4.7	14	1	1	4	7	9	14	17
20-34	143	3.9	18	1	1	2	4	9	13	23
35-49	167	4.0	15	1	1	3	5	8	11	23
50-64	144	5.8	42	1	1	4	7	14	17	27
65 +	82	7.5	70	1	2	5	9	14	26	49
TOTAL SINGLE DX	311	2.8	5	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	566	5.0	33	1	1	3	6	11	15	29
TOTAL										
0-19 YRS	56	3.8	11	1	1	3	5	8	11	17
20-34	257	3.4	13	1	1	2	4	7	10	21
35-49	267	3.5	12	1	1	3	4	7	9	19
50-64	200	5.0	34	1	1	3	6	11	15	23
65 +	97	6.9	63	1	1	5	8	13	21	45
GRAND TOTAL	877	4.2	24	1	1	3	5	9	13	24

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	8.9	8	5	6	9	10	13	15	17
20-34	22	8.3	19	1	2	8	10	13	17	21
35-49	32	9.8	36	1	3	9	12	15	23	32
50-64	75	10.7	13	7	8	10	12	15	18	24
65 +	113	11.4	33	6	7	11	12	17	20	42
2. MULTIPLE DX										
0-19 YRS	83	11.4	49	5	6	9	12	18	27	44
20-34	58	14.6	60	6	7	12	20	24	26	51
35-49	136	13.8	63	7	7	11	16	25	30	43
50-64	475	13.9	65	7	8	12	16	23	29	60
65 +	1114	16.4	107	8	9	14	18	27	35	66
TOTAL SINGLE DX	290	10.4	24	5	6	10	12	15	18	29
TOTAL MULTIPLE DX	1866	15.3	91	7	8	13	18	26	32	61
TOTAL										
0-19 YRS	131	10.5	36	5	6	9	11	15	23	41
20-34	80	12.8	57	5	6	11	16	22	25	45
35-49	168	13.0	60	6	7	11	14	24	29	42
50-64	550	13.4	59	7	8	11	15	22	29	56
65 +	1227	15.9	103	7	8	13	18	27	34	65
GRAND TOTAL	2156	14.6	85	7	8	12	17	25	31	54

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	180	3.5	6	1	1	3	5	7	8	11
20-34	447	4.3	10	1	1	4	5	8	9	18
35-49	467	4.3	9	1	1	4	6	7	10	17
50-64	394	4.8	11	1	2	4	6	8	10	23
65 +	299	5.6	27	1	2	4	6	9	15	33
2. MULTIPLE DX										
0-19 YRS	521	6.7	79	1	2	4	7	12	19	55
20-34	2334	6.5	35	1	2	5	8	12	18	31
35-49	3474	6.7	31	2	2	5	8	12	16	29
50-64	4900	7.5	47	2	3	6	9	14	19	35
65 +	10773	8.5	45	2	3	7	10	16	21	35
TOTAL SINGLE DX	1787	4.5	13	1	1	4	6	8	10	20
TOTAL MULTIPLE DX	22002	7.7	44	2	3	6	9	14	19	35
TOTAL										
0-19 YRS	701	5.9	63	1	1	4	6	10	15	44
20-34	2781	6.1	32	1	2	5	7	11	16	29
35-49	3941	6.4	29	2	2	5	8	12	16	28
50-64	5294	7.3	45	2	3	6	8	13	18	35
65 +	11072	8.5	45	2	3	7	10	16	21	35
GRAND TOTAL	23789	7.5	43	2	2	6	9	14	19	34

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	2.1	1	1	1	2	3	4	5	5
20-34	113	2.0	1	1	1	2	3	4	4	6
35-49	146	1.9	1	1	1	2	2	4	4	6
50-64	72	1.9	1	< 1	1	1	3	3	4	6
65 +	25	2.3	1	< 1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	17	2.8	4	< 1	1	2	4	7	7	7
20-34	119	2.6	6	1	1	2	3	5	7	15
35-49	196	2.4	2	1	1	2	3	4	6	9
50-64	159	2.5	3	1	1	2	3	5	6	12
65 +	91	4.1	19	1	1	3	4	10	13	24
TOTAL SINGLE DX	370	2.0	1	1	1	2	2	4	4	6
TOTAL MULTIPLE DX	582	2.8	7	1	1	2	3	5	7	14
TOTAL										
0-19 YRS	31	2.5	3	1	1	2	3	5	7	7
20-34	232	2.3	4	1	1	2	3	4	6	14
35-49	342	2.2	2	1	1	2	3	4	5	8
50-64	231	2.3	3	1	1	2	3	4	5	10
65 +	116	3.7	16	1	1	2	4	9	13	22
GRAND TOTAL	952	2.4	5	1	1	2	3	4	6	13

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.4		1	1	1	2	2	2	2
20-34	63	1.9	1	< 1	1	1	2	4	5	6
35-49	42	1.7	1	1	1	1	2	3	3	6
50-64	29	2.7	5	1	1	2	3	6	10	10
65 +	19	2.6	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	10	3.3	17	1	1	2	2	10	14	14
20-34	126	2.0	2	1	1	2	3	3	5	8
35-49	195	2.8	9	1	1	2	3	5	7	18
50-64	132	3.2	11	1	1	2	4	5	7	21
65 +	115	4.3	13	1	1	3	5	9	13	19
TOTAL SINGLE DX	162	2.1	2	1	1	2	3	3	5	10
TOTAL MULTIPLE DX	578	3.0	10	1	1	2	3	6	8	17
TOTAL										
0-19 YRS	19	2.4	10	1	1	2	2	5	11	14
20-34	189	2.0	2	1	1	2	3	3	4	7
35-49	237	2.6	8	1	1	2	3	5	6	11
50-64	161	3.1	10	1	1	2	3	6	8	19
65 +	134	4.1	12	1	1	3	5	8	11	18
GRAND TOTAL	740	2.8	8	1	1	2	3	5	7	14

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.3	9	1	1	4	6	8	8	8
20-34	132	2.7	2	1	1	2	3	4	6	10
35-49	182	3.0	4	1	1	2	4	6	7	10
50-64	104	2.7	2	1	1	3	4	5	5	8
65 +	52	3.1	2	1	1	3	4	5	5	10
2. MULTIPLE DX										
0-19 YRS	17	2.3	1	1	1	2	3	4	5	5
20-34	745	3.2	7	1	1	3	4	5	6	13
35-49	1340	3.1	3	1	1	3	4	5	6	9
50-64	1086	3.5	11	1	1	3	4	6	8	18
65 +	651	4.9	28	1	2	3	5	9	13	23
TOTAL SINGLE DX	474	2.9	3	1	1	2	4	5	6	10
TOTAL MULTIPLE DX	3839	3.5	11	1	1	3	4	6	8	16
TOTAL										
0-19 YRS	21	2.7	3	1	1	2	4	5	6	8
20-34	877	3.1	7	1	1	3	4	5	6	11
35-49	1522	3.1	4	1	1	3	4	5	6	9
50-64	1190	3.5	11	1	1	3	4	6	8	16
65 +	703	4.7	27	1	2	3	5	9	12	23
GRAND TOTAL	4313	3.5	10	1	1	3	4	6	8	15

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	3.1	5	1	1	2	4	7	8	10
20-34	116	2.7	3	1	1	2	3	6	6	9
35-49	103	2.9	6	< 1	1	2	3	5	8	14
50-64	50	3.0	5	1	1	2	4	7	8	10
65 +	42	3.3	7	1	1	3	4	6	9	15
2. MULTIPLE DX										
0-19 YRS	92	5.7	18	2	2	4	8	11	15	69
20-34	136	3.4	10	1	1	3	4	6	7	20
35-49	199	4.2	17	1	1	3	5	8	12	18
50-64	155	5.3	82	1	1	3	5	10	18	37
65 +	162	7.0	56	1	2	4	9	15	20	40
TOTAL SINGLE DX	368	2.9	5	1	1	2	4	6	8	10
TOTAL MULTIPLE DX	744	5.1	40	1	1	3	6	10	15	37
TOTAL										
0-19 YRS	149	4.7	15	1	1	4	6	10	13	28
20-34	252	3.1	7	1	1	2	4	6	7	19
35-49	302	3.8	14	1	1	3	5	7	10	17
50-64	205	4.7	65	1	1	3	5	9	15	30
65 +	204	6.2	48	1	1	4	8	13	19	39
GRAND TOTAL	1112	4.4	29	1	1	3	5	9	13	24

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	8.3	102	2	2	3	16	20	20	20
20-34	8	9.0	63	1	1	8	14	21	23	23
35-49	3	14.7	26	9	9	16	18	19	19	19
50-64	2	14.0	18	11	11	14	17	17	17	17
65 +	4	9.3	86	1	1	7	16	22	22	22
2. MULTIPLE DX										
0-19 YRS	6	19.3	256	5	5	14	32	43	44	44
20-34	10	16.1	185	2	3	13	32	65	97	99 +
35-49	9	25.1	174	13	13	22	31	47	55	55
50-64	25	16.2	133	4	7	12	20	27	37	59
65 +	52	20.4	230	3	5	16	27	49	52	66
TOTAL SINGLE DX	20	10.3	58	1	1	10	17	21	22	23
TOTAL MULTIPLE DX	102	19.3	198	4	5	15	27	44	52	82
TOTAL										
0-19 YRS	9	15.7	216	2	2	8	24	39	44	44
20-34	18	12.9	138	1	1	10	21	38	73	99 +
35-49	12	22.5	154	9	12	18	26	40	53	55
50-64	27	16.0	124	4	7	12	19	27	34	59
65 +	56	19.6	227	2	5	15	25	48	52	65
GRAND TOTAL	122	17.8	186	2	4	15	23	39	51	75

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	4.7	49	1	1	2	4	11	17	39
20-34	80	4.0	16	1	1	2	6	9	12	20
35-49	126	3.0	21	< 1	1	1	3	7	13	23
50-64	92	3.4	22	1	1	1	3	9	13	24
65 +	45	5.4	50	< 1	1	2	7	17	17	37
2. MULTIPLE DX										
0-19 YRS	208	12.0	237	1	1	6	17	35	60	99 +
20-34	239	9.6	130	1	1	7	11	22	30	62
35-49	405	9.7	137	1	1	7	13	21	31	76
50-64	574	9.0	67	1	1	8	13	19	24	42
65 +	731	10.9	85	1	2	9	14	22	29	44
TOTAL SINGLE DX	462	3.9	31	1	1	2	4	9	15	33
TOTAL MULTIPLE DX	2157	10.1	111	1	1	8	14	22	31	63
TOTAL										
0-19 YRS	327	9.4	182	1	1	4	12	31	43	99 +
20-34	319	8.2	107	1	1	5	10	18	27	55
35-49	531	8.2	118	1	1	5	11	19	27	64
50-64	666	8.3	65	1	1	7	12	18	23	41
65 +	776	10.6	85	1	1	9	14	21	28	44
GRAND TOTAL	2619	9.1	102	1	1	7	12	20	28	60

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	233	4.9	6	3	3	4	5	7	9	20
20-34	2830	4.6	3	2	3	4	5	7	8	11
35-49	2598	4.7	3	2	3	4	5	7	8	11
50-64	1927	5.1	4	3	3	5	6	8	9	13
65 +	979	6.4	9	3	4	6	8	10	12	18
2. MULTIPLE DX										
0-19 YRS	322	7.3	25	3	3	6	8	13	18	39
20-34	2991	6.2	14	3	3	5	7	10	12	23
35-49	4080	6.5	18	3	3	5	8	11	13	24
50-64	4937	7.6	27	3	4	6	9	13	16	29
65 +	6461	10.6	51	4	5	9	13	18	23	40
TOTAL SINGLE DX	8567	4.9	5	3	3	4	6	8	9	13
TOTAL MULTIPLE DX	18791	8.2	35	3	4	7	10	14	18	32
TOTAL										
0-19 YRS	555	6.3	19	3	3	5	7	11	15	32
20-34	5821	5.4	10	3	3	5	6	9	11	17
35-49	6678	5.8	13	3	3	5	7	9	12	20
50-64	6864	6.9	22	3	3	6	8	12	15	27
65 +	7440	10.1	48	4	4	8	12	17	22	38
GRAND TOTAL	27358	7.2	28	3	3	6	8	13	16	28

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	14.2	138	1	3	11	15	35	41	44
20-34	46	4.9	15	1	1	4	7	10	11	20
35-49	61	4.9	13	1	1	4	8	9	11	17
50-64	68	5.5	18	1	1	5	8	10	12	22
65 +	83	7.0	42	1	1	6	10	13	17	37
2. MULTIPLE DX										
0-19 YRS	43	19.5	354	2	3	15	28	47	83	99 +
20-34	117	10.5	124	1	2	8	12	22	32	92
35-49	225	10.8	102	1	2	8	13	22	30	56
50-64	391	13.4	102	2	4	11	17	25	32	55
65 +	1145	13.8	106	2	4	12	17	26	32	58
TOTAL SINGLE DX	277	6.3	37	1	1	5	8	12	16	36
TOTAL MULTIPLE DX	1921	13.3	113	2	3	11	17	26	33	60
TOTAL										
0-19 YRS	62	17.9	292	2	3	12	24	40	61	98
20-34	163	8.9	100	1	1	7	11	19	25	82
35-49	286	9.5	89	1	1	7	12	18	27	54
50-64	459	12.2	98	1	2	10	16	24	30	49
65 +	1228	13.3	105	2	3	11	17	25	32	57
GRAND TOTAL	**2198**	**12.4**	**109**	**1**	**2**	**10**	**16**	**24**	**32**	**57**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	7.4	27	1	2	6	11	15	16	16
20-34	20	6.0	11	1	2	6	8	10	12	15
35-49	35	8.2	31	1	2	8	10	15	17	28
50-64	29	10.9	102	1	1	7	18	26	29	35
65 +	30	8.3	39	1	2	7	10	19	22	24
2. MULTIPLE DX										
0-19 YRS	20	26.0	347	3	4	22	44	50	60	67
20-34	74	15.6	185	3	5	10	21	34	46	60
35-49	184	15.5	163	2	3	11	23	35	46	99 +
50-64	248	15.5	197	2	3	11	20	32	46	90
65 +	419	16.4	211	2	4	12	22	34	45	83
TOTAL SINGLE DX	122	8.4	48	1	1	7	10	18	24	31
TOTAL MULTIPLE DX	945	16.1	201	2	4	11	22	35	46	89
TOTAL										
0-19 YRS	28	20.6	325	3	3	15	28	46	55	67
20-34	94	13.6	163	3	3	9	16	32	44	59
35-49	219	14.3	150	2	3	10	20	32	42	99 +
50-64	277	15.0	189	1	3	11	20	31	46	90
65 +	449	15.9	204	2	3	12	21	33	44	82
GRAND TOTAL	**1067**	**15.3**	**189**	**2**	**3**	**11**	**21**	**33**	**45**	**85**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	4.5	59	1	1	3	5	8	10	42
20-34	179	5.2	24	1	2	4	6	9	13	32
35-49	162	4.6	11	< 1	1	4	6	8	10	15
50-64	189	4.4	13	< 1	< 1	4	6	8	10	14
65 +	186	5.2	44	< 1	< 1	4	6	10	15	36
2. MULTIPLE DX										
0-19 YRS	232	5.5	33	1	1	4	7	11	18	32
20-34	528	6.7	43	1	2	5	8	14	20	32
35-49	797	7.1	42	2	2	5	8	13	19	37
50-64	1486	7.7	54	2	2	6	9	15	20	42
65 +	4132	8.2	41	2	3	7	10	15	20	35
TOTAL SINGLE DX	822	4.8	28	< 1	1	4	6	8	11	28
TOTAL MULTIPLE DX	7175	7.8	44	2	2	6	9	15	20	36
TOTAL										
0-19 YRS	338	5.2	42	1	1	4	6	10	14	31
20-34	707	6.3	39	1	2	5	7	12	18	32
35-49	959	6.7	38	1	2	5	8	13	17	34
50-64	1675	7.3	51	1	2	5	9	14	19	40
65 +	4318	8.1	41	2	3	7	10	15	20	35
GRAND TOTAL	**7997**	**7.5**	**43**	**1**	**2**	**6**	**9**	**14**	**19**	**35**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	630	1.4		< 1	< 1	1	2	2	3	4
20-34	1169	1.6		1	1	1	2	3	3	5
35-49	1133	1.6		1	1	1	2	3	4	5
50-64	1606	1.7	1	1	1	1	2	3	4	5
65 +	1187	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	587	3.0	71	< 1	1	1	2	4	8	78
20-34	585	2.0	2	1	1	1	2	3	5	10
35-49	877	2.4	5	1	1	2	3	5	6	12
50-64	1784	2.7	7	1	1	2	3	5	7	14
65 +	3101	3.8	17	1	1	3	4	8	11	22
TOTAL SINGLE DX	5725	1.8	2	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	6934	3.1	17	1	1	2	3	6	9	20
TOTAL										
0-19 YRS	1217	2.2	35	< 1	< 1	1	2	3	4	43
20-34	1754	1.7	2	1	1	1	2	3	4	6
35-49	2010	2.0	3	1	1	1	2	3	5	9
50-64	3390	2.2	5	1	1	2	3	4	6	11
65 +	4288	3.4	14	1	1	2	4	7	10	19
GRAND TOTAL	**12659**	**2.5**	**11**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	1.4	1	< 1	1	1	1	2	3	4
20-34	133	2.0	2	1	1	2	2	3	4	9
35-49	209	2.1	1	1	1	2	3	4	5	6
50-64	298	2.1	1	1	1	2	3	4	4	7
65 +	185	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	576	3.1	81	1	1	1	2	5	10	99
20-34	101	2.2	1	1	1	2	3	4	5	6
35-49	173	2.5	3	1	1	2	3	4	5	9
50-64	368	2.9	5	1	1	2	4	5	7	12
65 +	471	4.3	18	1	1	3	5	8	11	24
TOTAL SINGLE DX	1115	2.0	2	1	1	2	2	4	4	7
TOTAL MULTIPLE DX	1689	3.3	35	1	1	2	3	6	9	34
TOTAL										
0-19 YRS	866	2.5	55	< 1	1	1	2	3	7	85
20-34	234	2.1	2	1	1	2	2	4	4	7
35-49	382	2.3	2	1	1	2	3	4	5	8
50-64	666	2.5	4	1	1	2	3	4	6	10
65 +	656	3.8	15	1	1	3	4	7	10	21
GRAND TOTAL	2804	2.8	22	1	1	2	3	5	7	20

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	22	2.1	2	1	1	2	2	4	5	6
35-49	55	2.1	1	1	1	2	3	3	5	7
50-64	64	2.5	3	1	1	2	3	5	6	10
65 +	72	2.9	3	1	1	2	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	3	4.3	33	1	1	1	9	11	11	11
20-34	17	3.1	13	1	1	2	3	6	13	16
35-49	30	3.5	7	1	1	2	6	7	10	10
50-64	69	4.9	42	1	1	3	6	11	15	42
65 +	282	7.1	53	1	1	5	9	14	18	41
TOTAL SINGLE DX	216	2.5	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	401	6.3	48	1	1	4	8	13	16	40
TOTAL										
0-19 YRS	6	2.7	17	< 1	< 1	1	1	10	11	11
20-34	39	2.6	7	1	1	2	3	5	6	16
35-49	85	2.6	4	1	1	2	3	6	7	10
50-64	133	3.8	25	1	1	2	4	7	11	22
65 +	354	6.3	46	1	1	4	8	13	16	36
GRAND TOTAL	617	5.0	35	1	1	3	6	11	15	30

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	1.8	5	< 1	< 1	1	2	2	8	13
20-34	90	1.9	2	< 1	1	1	2	4	4	9
35-49	173	1.9	1	< 1	1	2	2	3	4	6
50-64	154	2.2	2	1	1	2	3	4	5	7
65 +	73	2.8	3	1	1	3	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	67	6.0	214	< 1	1	2	4	9	45	98
20-34	71	2.8	9	1	1	2	3	5	8	18
35-49	215	3.4	13	1	1	2	4	6	9	17
50-64	280	4.3	16	1	1	3	5	8	11	21
65 +	314	6.2	43	1	1	4	7	12	16	27
TOTAL SINGLE DX	569	2.1	3	< 1	1	2	3	4	5	9
TOTAL MULTIPLE DX	947	4.7	40	1	1	3	6	10	13	29
TOTAL										
0-19 YRS	146	3.7	105	< 1	< 1	1	2	6	11	88
20-34	161	2.3	6	< 1	1	2	3	4	7	14
35-49	388	2.7	8	1	1	2	3	5	6	14
50-64	434	3.6	13	1	1	3	4	7	9	17
65 +	387	5.5	38	1	1	4	7	11	15	26
GRAND TOTAL	1516	3.7	27	1	1	2	4	8	11	23

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	2.9	12	< 1	< 1	2	3	7	8	20
20-34	178	2.8	4	1	1	2	3	5	7	12
35-49	369	3.1	3	1	1	3	4	5	6	10
50-64	431	3.5	4	1	1	3	5	6	7	9
65 +	267	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	38	5.5	20	1	1	4	7	13	16	17
20-34	203	4.3	15	1	1	3	5	8	11	22
35-49	555	5.0	19	1	2	4	6	9	11	28
50-64	931	5.6	23	1	2	4	7	10	13	27
65 +	1088	7.2	48	1	2	6	9	13	16	36
TOTAL SINGLE DX	1285	3.4	5	1	1	3	4	6	7	11
TOTAL MULTIPLE DX	2815	6.0	33	1	2	5	7	11	15	29
TOTAL										
0-19 YRS	78	4.2	18	< 1	1	2	6	10	15	19
20-34	381	3.6	11	1	1	3	4	7	10	15
35-49	924	4.2	14	1	1	3	5	7	9	18
50-64	1362	4.9	18	1	2	4	6	9	11	22
65 +	1355	6.6	41	1	2	5	8	12	15	33
GRAND TOTAL	4100	5.2	25	1	1	4	6	9	12	24

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	6.3	14	1	2	6	7	12	15	15
20-34	7	5.7	25	1	1	6	8	14	15	15
35-49	13	6.8	8	< 1	1	8	9	10	10	10
50-64	20	5.8	6	1	2	6	8	9	9	9
65 +	15	7.1	15	< 1	1	7	9	10	16	18
2. MULTIPLE DX										
0-19 YRS	51	18.0	339	4	5	10	25	55	62	99
20-34	30	9.0	33	3	4	8	10	13	21	33
35-49	70	9.7	65	4	5	8	10	16	23	55
50-64	93	8.9	23	4	4	8	11	16	18	26
65 +	141	12.2	49	4	5	11	15	20	24	43
TOTAL SINGLE DX	65	6.4	12	1	1	7	8	9	11	18
TOTAL MULTIPLE DX	385	11.5	91	4	5	9	13	20	28	62
TOTAL										
0-19 YRS	61	16.1	304	3	4	9	15	54	62	96
20-34	37	8.4	33	1	2	8	9	14	19	33
35-49	83	9.2	57	4	5	8	9	14	22	51
50-64	113	8.4	22	2	4	8	9	15	16	26
65 +	156	11.7	49	3	5	10	15	20	24	43
GRAND TOTAL	450	10.7	82	3	4	8	12	19	26	62

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	4.3	19	1	1	3	6	9	11	27
20-34	142	3.8	9	1	1	3	5	7	10	15
35-49	96	5.0	38	1	1	4	6	10	12	41
50-64	87	5.3	13	1	1	5	7	11	12	17
65 +	80	7.0	25	1	1	6	9	15	18	22
2. MULTIPLE DX										
0-19 YRS	162	9.0	96	1	2	6	11	20	30	51
20-34	328	8.3	71	1	2	5	10	18	24	52
35-49	466	9.5	90	1	2	7	12	19	26	42
50-64	879	10.7	106	1	3	8	13	22	28	60
65 +	1106	11.9	100	2	3	9	15	23	30	54
TOTAL SINGLE DX	524	4.9	21	1	1	4	6	10	13	21
TOTAL MULTIPLE DX	2941	10.6	99	1	2	8	14	22	28	52
TOTAL										
0-19 YRS	281	7.0	69	1	1	5	8	15	24	45
20-34	470	6.9	57	1	1	4	8	16	23	35
35-49	562	8.8	84	1	2	6	11	17	25	42
50-64	966	10.2	100	1	2	8	13	21	28	56
65 +	1186	11.6	97	2	3	9	15	22	29	53
GRAND TOTAL	3465	9.8	91	1	2	7	12	20	27	50

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	133	5.4	15	2	2	4	7	11	14	19
20-34	224	4.9	9	1	2	4	6	8	11	16
35-49	123	6.4	19	2	2	5	8	11	15	25
50-64	62	7.7	24	2	3	7	9	13	17	31
65 +	48	8.0	23	3	4	6	10	13	18	28
2. MULTIPLE DX										
0-19 YRS	222	10.0	139	2	2	7	10	18	35	81
20-34	538	8.1	57	2	3	6	9	16	23	42
35-49	390	11.1	97	3	4	8	13	22	33	67
50-64	441	13.3	104	4	5	10	17	27	33	71
65 +	599	16.5	146	4	6	13	20	33	41	70
TOTAL SINGLE DX	590	5.9	16	2	2	5	7	11	14	21
TOTAL MULTIPLE DX	2190	12.1	117	3	4	9	15	26	34	66
TOTAL										
0-19 YRS	355	8.3	98	2	2	6	9	14	26	65
20-34	762	7.2	45	2	3	5	8	14	20	37
35-49	513	9.9	83	2	3	7	12	21	29	58
50-64	503	12.6	98	4	5	9	16	26	33	68
65 +	647	15.8	142	4	5	12	19	32	41	67
GRAND TOTAL	2780	10.8	102	2	3	8	13	23	32	60

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	151	3.4	5	< 1	1	3	5	6	7	11
20-34	482	2.9	4	< 1	< 1	3	4	6	7	9
35-49	81	2.9	5	< 1	< 1	2	4	6	8	11
50-64	11	3.2	10	< 1	< 1	1	6	8	9	9
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	220	3.9	5	1	1	4	5	7	8	13
20-34	906	3.7	13	< 1	1	3	5	7	9	15
35-49	233	4.6	19	1	1	4	6	9	13	24
50-64	43	7.3	89	1	1	3	9	21	28	44
65 +	41	10.4	47	1	2	10	14	20	21	28
TOTAL SINGLE DX	728	3.0	5	< 1	< 1	3	4	6	7	10
TOTAL MULTIPLE DX	1443	4.2	18	< 1	1	3	5	8	11	21
TOTAL										
0-19 YRS	371	3.7	6	1	1	3	5	7	8	13
20-34	1388	3.4	10	< 1	1	3	4	7	8	13
35-49	314	4.2	16	< 1	1	3	5	8	12	22
50-64	54	6.5	76	< 1	1	3	9	17	24	44
65 +	44	9.8	49	1	1	10	14	20	21	28
GRAND TOTAL	2171	3.8	14	<1	1	3	5	7	9	19

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	8.2	66	3	3	7	8	12	18	56
20-34	210	6.0	12	1	2	5	8	10	12	18
35-49	177	6.7	28	1	2	5	8	12	15	33
50-64	132	8.1	78	2	3	7	9	12	14	41
65 +	124	9.7	38	2	3	9	11	15	24	33
2. MULTIPLE DX										
0-19 YRS	282	13.5	211	2	3	8	16	30	53	97
20-34	778	7.0	41	1	2	5	8	14	18	34
35-49	777	9.4	84	2	3	7	11	18	27	55
50-64	754	11.8	88	2	3	9	14	24	31	46
65 +	1227	14.5	118	4	5	12	17	26	34	65
TOTAL SINGLE DX	744	7.4	41	1	2	6	9	12	15	31
TOTAL MULTIPLE DX	3818	11.3	105	2	3	9	14	22	31	59
TOTAL										
0-19 YRS	383	12.1	178	3	3	8	14	25	49	90
20-34	988	6.8	35	1	2	5	8	13	17	33
35-49	954	8.9	75	2	3	7	11	17	26	50
50-64	886	11.2	89	2	3	9	13	23	30	46
65 +	1351	14.0	113	3	5	11	17	25	33	63
GRAND TOTAL	4562	10.7	96	2	3	8	13	21	29	56

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	6.4	12	1	2	6	8	11	12	18
20-34	55	6.9	3	4	5	7	8	10	11	12
35-49	70	7.5	7	4	5	7	9	10	12	19
50-64	81	7.9	5	4	5	8	9	11	12	15
65 +	78	9.5	13	6	6	9	11	15	17	22
2. MULTIPLE DX										
0-19 YRS	140	9.2	58	2	3	7	11	20	27	60
20-34	95	11.3	155	3	4	7	12	20	32	71
35-49	163	11.8	116	5	5	8	12	19	30	75
50-64	381	11.4	42	5	6	9	13	20	26	38
65 +	563	14.2	84	6	7	11	17	24	33	52
TOTAL SINGLE DX	339	7.8	9	4	5	7	9	12	13	19
TOTAL MULTIPLE DX	1342	12.3	81	5	6	10	14	22	29	53
TOTAL										
0-19 YRS	195	8.4	47	2	3	7	10	15	23	47
20-34	150	9.7	104	4	4	7	10	15	25	67
35-49	233	10.5	88	5	5	8	11	16	26	64
50-64	462	10.7	37	5	6	9	12	18	24	38
65 +	641	13.6	78	6	7	11	16	23	31	50
GRAND TOTAL	1681	11.4	70	4	5	9	13	20	27	49

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	295	4.7	25	1	1	3	6	9	12	24
20-34	145	5.6	16	1	1	5	7	10	14	19
35-49	135	3.9	12	1	1	3	6	8	11	17
50-64	120	4.9	15	1	1	4	7	10	12	19
65 +	67	5.7	33	1	1	4	7	11	13	36
2. MULTIPLE DX										
0-19 YRS	424	10.1	120	1	1	7	13	21	32	59
20-34	451	10.1	75	1	2	8	13	21	28	39
35-49	473	10.6	95	1	2	8	13	22	30	58
50-64	553	10.3	99	1	2	8	13	20	29	47
65 +	674	11.5	89	1	2	9	15	24	30	45
TOTAL SINGLE DX	762	4.8	21	1	1	4	7	10	12	23
TOTAL MULTIPLE DX	2575	10.6	96	1	2	8	14	22	29	50
TOTAL										
0-19 YRS	719	7.9	88	1	1	5	10	17	24	51
20-34	596	9.0	65	1	2	7	12	19	25	38
35-49	608	9.1	85	1	1	7	12	19	27	53
50-64	673	9.3	88	1	1	7	11	19	27	46
65 +	741	11.0	87	1	2	9	15	23	30	44
GRAND TOTAL	3337	9.3	84	1	1	7	12	20	27	46

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	4.8	5	1	1	5	6	8	8	8
20-34	51	4.9	8	1	1	5	7	9	10	12
35-49	63	5.0	9	1	1	5	7	9	11	14
50-64	70	5.5	9	1	1	6	8	9	11	14
65 +	23	6.7	24	1	2	6	9	13	18	22
2. MULTIPLE DX										
0-19 YRS	13	10.0	84	1	1	8	14	19	33	36
20-34	65	8.0	25	2	2	7	11	14	18	88
35-49	93	7.8	68	1	2	6	10	13	16	53
50-64	120	8.8	39	1	2	8	12	17	20	32
65 +	140	10.7	46	2	3	10	13	20	24	33
TOTAL SINGLE DX	213	5.3	11	1	1	5	7	9	11	15
TOTAL MULTIPLE DX	431	9.1	48	1	2	8	12	17	22	34
TOTAL										
0-19 YRS	19	8.4	64	1	1	6	10	15	27	36
20-34	116	6.6	20	1	2	6	9	13	15	52
35-49	156	6.7	47	1	1	5	9	12	15	27
50-64	190	7.6	31	1	2	7	9	14	19	31
65 +	163	10.1	45	2	3	9	13	20	23	33
GRAND TOTAL	644	7.9	39	1	2	7	10	15	19	32

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	211	5.8	6	2	3	6	7	9	10	14
20-34	12	8.8	14	3	4	8	12	14	14	14
35-49	10	8.3	6	5	5	8	9	12	14	14
50-64	8	10.9	26	5	5	9	16	17	17	17
65 +	9	9.3	23	2	3	10	11	16	18	18
2. MULTIPLE DX										
0-19 YRS	274	8.1	27	3	4	7	9	13	18	29
20-34	48	9.2	16	4	5	9	11	14	20	99+
35-49	38	15.1	110	5	6	11	19	31	35	53
50-64	47	15.6	74	6	8	12	16	28	37	42
65 +	105	16.0	108	4	6	14	21	30	38	50
TOTAL SINGLE DX	250	6.4	10	2	3	6	8	10	13	17
TOTAL MULTIPLE DX	512	11.0	66	3	4	9	13	22	28	45
TOTAL										
0-19 YRS	485	7.1	20	2	3	6	8	11	14	25
20-34	60	9.2	16	4	5	9	11	14	19	91
35-49	48	13.7	96	5	5	10	16	25	34	53
50-64	55	14.9	70	5	7	12	16	27	35	42
65 +	114	15.4	105	3	5	13	19	30	37	50
GRAND TOTAL	762	9.5	52	3	4	7	11	17	24	42

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	3.2	4	1	1	3	4	7	8	9
20-34	386	3.5	5	1	1	3	4	6	8	12
35-49	534	3.2	4	1	1	3	4	6	7	10
50-64	325	3.2	5	1	1	3	4	6	8	11
65 +	113	3.7	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	79	6.8	48	1	1	5	8	13	16	45
20-34	311	4.5	14	1	1	4	6	8	11	16
35-49	482	4.7	12	1	1	4	6	8	11	19
50-64	476	5.2	21	1	1	4	7	10	12	29
65 +	463	7.1	50	1	2	5	9	14	19	38
TOTAL SINGLE DX	1412	3.3	5	1	1	3	4	6	8	12
TOTAL MULTIPLE DX	1811	5.5	28	1	1	4	7	10	13	27
TOTAL										
0-19 YRS	133	5.3	34	1	1	4	7	11	13	28
20-34	697	3.9	10	1	1	3	5	7	9	15
35-49	1016	3.9	9	1	1	3	5	7	9	14
50-64	801	4.4	16	1	1	3	6	9	11	18
65 +	576	6.4	44	1	1	5	8	12	18	33
GRAND TOTAL	3223	4.5	19	1	1	4	6	9	11	21

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	140	3.4	8	<1	<1	2	4	8	10	13
20-34	307	3.3	6	1	1	3	4	6	8	13
35-49	437	3.2	5	<1	1	3	4	7	8	11
50-64	361	3.3	8	<1	1	2	4	7	10	15
65 +	255	3.7	12	<1	<1	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	271	5.2	22	1	1	4	7	11	14	37
20-34	695	6.6	54	1	2	5	7	12	19	35
35-49	1030	6.9	60	1	1	5	8	13	19	38
50-64	1492	7.4	60	1	1	5	9	15	21	43
65 +	3370	9.0	65	1	2	7	11	17	23	43
TOTAL SINGLE DX	1500	3.4	8	<1	1	3	4	7	9	14
TOTAL MULTIPLE DX	6858	8.0	62	1	2	6	10	16	22	42
TOTAL										
0-19 YRS	411	4.6	18	<1	1	3	6	9	13	25
20-34	1002	5.6	42	1	1	4	6	10	15	30
35-49	1467	5.8	47	1	1	4	7	11	16	34
50-64	1853	6.7	53	1	1	5	8	14	20	38
65 +	3625	8.7	64	1	2	7	11	17	23	42
GRAND TOTAL	8358	7.2	55	1	1	5	9	14	20	38

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.8	1	1	1	2	3	3	3	3
20-34	18	2.6	6	1	1	1	4	6	9	10
35-49	84	2.6	5	< 1	1	2	3	5	7	13
50-64	288	2.5	2	1	1	2	3	5	5	8
65 +	603	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	15	5.0	12	1	2	3	9	10	11	11
20-34	63	4.9	33	1	1	3	6	10	11	39
35-49	150	4.9	36	1	1	3	6	11	15	27
50-64	698	4.7	30	1	1	3	5	10	14	26
65 +	2764	5.9	41	1	1	4	7	13	17	31
TOTAL SINGLE DX	999	2.6	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	3690	5.6	39	1	1	4	7	12	17	31
TOTAL										
0-19 YRS	21	4.1	11	1	1	3	7	10	10	11
20-34	81	4.4	28	1	1	3	5	10	11	34
35-49	234	4.1	26	1	1	3	5	8	13	20
50-64	986	4.1	23	1	1	3	5	8	12	25
65 +	3367	5.3	37	1	1	3	6	11	16	30
GRAND TOTAL	4689	4.9	33	1	1	3	6	10	15	28

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	5.0	18	1	1	4	6	10	13	22
20-34	44	5.3	11	1	1	5	8	10	[illegible]	12
35-49	76	4.7	8	1	1	4	7	9	10	12
50-64	106	4.8	13	1	1	4	7	11	13	15
65 +	145	5.3	25	1	1	3	8	13	15	21
2. MULTIPLE DX										
0-19 YRS	238	9.6	97	1	2	7	12	19	27	53
20-34	126	9.0	52	1	2	7	11	20	23	62
35-49	195	8.3	76	1	2	6	10	16	22	52
50-64	424	9.7	110	1	2	7	12	19	28	60
65 +	1345	11.1	119	1	2	8	14	23	32	55
TOTAL SINGLE DX	442	5.0	17	1	1	4	7	11	13	20
TOTAL MULTIPLE DX	2328	10.4	110	1	2	8	13	21	29	55
TOTAL										
0-19 YRS	309	8.5	83	1	1	6	11	17	24	52
20-34	170	[illegible]	52	1	1	6	10	17	22	49
35-49	271	7.3	60	1	2	5	9	14	19	48
50-64	530	8.7	95	1	1	6	11	18	23	56
65 +	1490	10.6	113	1	2	8	14	22	31	54
GRAND TOTAL	2770	9.5	99	1	2	7	12	20	27	53

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.3	1	< 1	< 1	< 1	1	2	4	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	3	1.3		1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	15	3.5	9	< 1	< 1	3	5	9	10	10
20-34	11	5.6	30	1	1	2	11	13	15	15
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	5	3.4	6	< 1	< 1	2	6	6	6	6
65 +	17	8.6	86	1	2	6	10	16	32	40
TOTAL SINGLE DX	19	1.3	1	< 1	< 1	1	1	2	4	5
TOTAL MULTIPLE DX	51	5.7	42	< 1	1	4	8	12	15	40
TOTAL										
0-19 YRS	29	2.4	6	< 1	< 1	1	4	6	9	10
20-34	12	5.3	28	1	1	2	10	13	15	15
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	8	2.6	5	< 1	< 1	2	4	6	6	6
65 +	18	8.2	85	1	1	5	10	16	31	40
GRAND TOTAL	70	4.5	35	< 1	< 1	2	6	11	14	35

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	433	2.9	5	1	1	2	4	6	7	10
20-34	43	2.8	5	< 1	1	2	4	6	7	11
35-49	45	3.7	5	1	[illegible]	3	5	7	8	10
50-64	20	3.6	10	1		3	4	7	11	14
65 +	26	3.8	11	1	1	3	4	6	13	15
2. MULTIPLE DX										
0-19 YRS	352	3.3	12	1	1	2	4	8	10	21
20-34	45	5.3	32	1	1	3	6	11	19	27
35-49	56	3.8	4	1	1	4	5	6	8	12
50-64	69	5.0	31	1	1	3	6	9	20	28
65 +	125	5.8	34	1	1	4	8	12	16	32
TOTAL SINGLE DX	567	3.0	6	1	1	2	4	6	7	12
TOTAL MULTIPLE DX	647	4.1	21	1	1	3	5	9	12	27
TOTAL										
0-19 YRS	785	3.1	9	1	1	2	4	7	8	14
20-34	88	4.1	21	1	1	3	5	8	12	25
35-49	101	3.8	5	1	1	3	5	7	8	11
50-64	89	4.7	27	1	1	3	6	8	14	28
65 +	151	5.5	31	1	1	4	6	12	16	29
GRAND TOTAL	1214	3.6	14	1	1	3	5	8	10	21

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	2.3	7	< 1	< 1	1	2	5	10	12
20-34	16	2.4	2	1	1	2	3	4	5	6
35-49	17	6.9	269	< 1	< 1	3	5	8	49	70
50-64	13	2.8	4	< 1	< 1	2	4	6	7	7
65 +	14	2.6	5	< 1	< 1	2	3	6	8	9
2. MULTIPLE DX										
0-19 YRS	47	3.3	13	< 1	< 1	2	4	6	13	18
20-34	90	7.5	96	1	2	5	7	15	29	57
35-49	122	7.7	59	1	2	5	10	15	24	41
50-64	167	7.4	43	1	2	6	10	15	19	32
65 +	534	9.1	53	1	2	7	12	18	25	36
TOTAL SINGLE DX	82	3.4	60	< 1	< 1	2	3	5	8	51
TOTAL MULTIPLE DX	960	8.2	56	1	2	6	10	16	23	37
TOTAL										
0-19 YRS	69	3.0	12	< 1	< 1	1	4	6	12	17
20-34	106	6.7	86	1	1	4	7	12	26	52
35-49	139	7.6	83	1	1	5	9	15	24	53
50-64	180	7.1	42	1	1	5	9	14	19	31
65 +	548	8.9	54	1	2	7	11	18	24	36
GRAND TOTAL	**1042**	**7.8**	**58**	**1**	**1**	**6**	**10**	**16**	**22**	**37**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.7	3	1	1	1	2	3	5	11
20-34	63	3.4	111	1	1	2	3	4	6	75
35-49	46	2.0	2	1	1	1	2	3	5	10
50-64	38	2.2	3	1	1	2	3	4	6	9
65 +	66	2.3	4	< 1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	47	3.2	31	1	1	2	3	4	8	37
20-34	113	3.3	47	1	[illegible]	2	3	6	9	34
35-49	108	4.3	24	1	1	2	5	10	15	25
50-64	195	4.7	29	1	1	3	5	9	15	28
65 +	544	6.2	40	1	1	4	8	13	17	33
TOTAL SINGLE DX	250	2.4	31	1	1	1	3	4	6	11
TOTAL MULTIPLE DX	1007	5.2	38	1	1	3	6	11	16	31
TOTAL										
0-19 YRS	84	2.5	19	1	1	1	3	4	6	30
20-34	176	3.3	70	1	1	2	3	6	8	56
35-49	154	3.6	19	1	1	2	4	8	11	22
50-64	233	4.3	26	1	1	3	5	9	13	27
65 +	610	5.7	38	1	1	4	7	12	16	32
GRAND TOTAL	**1257**	**4.7**	**38**	**1**	**1**	**3**	**5**	**10**	**14**	**29**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	30	4.9	1	3	3	5	6	7	7	8
35-49	160	5.1	2	3	3	5	6	7	8	8
50-64	135	5.5	4	3	3	5	7	8	8	13
65 +	59	6.1	3	3	3	6	7	9	9	10
2. MULTIPLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	51	5.8	5	3	3	6	7	9	10	14
35-49	246	6.0	7	3	4	5	7	8	10	17
50-64	258	6.4	10	3	4	6	7	9	10	15
65 +	178	7.1	7	3	4	7	8	10	12	17
TOTAL SINGLE DX	385	5.4	3	3	3	5	6	8	8	11
TOTAL MULTIPLE DX	735	6.4	9	3	4	6	7	9	11	17
TOTAL										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	81	5.5	4	3	3	5	6	8	9	14
35-49	406	5.6	6	3	4	5	6	8	9	16
50-64	393	6.1	9	3	4	6	7	9	10	14
65 +	237	6.8	6	3	4	6	8	10	11	16
GRAND TOTAL	**1120**	**6.0**	**7**	**3**	**4**	**6**	**7**	**9**	**10**	**15**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	21	3.8	2	1	2	4	5	6	6	6
35-49	139	4.3	2	1	2	4	5	7	7	9
50-64	129	4.6	4	1	2	4	6	7	8	10
65 +	61	4.6	4	1	2	5	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	8	4.1	12	1	1	3	5	10	12	12
20-34	36	4.4	5	1	2	4	6	7	9	11
35-49	174	5.1	12	2	2	5	6	8	9	18
50-64	221	5.1	5	2	2	5	6	8	9	14
65 +	209	6.0	15	2	2	5	7	10	14	22
TOTAL SINGLE DX	353	4.4	4	1	2	4	6	7	7	10
TOTAL MULTIPLE DX	648	5.4	11	2	2	5	6	8	11	16
TOTAL										
0-19 YRS	11	3.5	10	1	1	2	4	8	12	12
20-34	57	4.2	4	1	2	4	5	7	8	11
35-49	313	4.8	8	1	2	5	6	7	8	12
50-64	350	4.9	5	2	2	5	6	8	9	13
65 +	270	5.7	13	2	2	5	7	9	12	17
GRAND TOTAL	**1001**	**5.0**	**9**	**2**	**2**	**5**	**6**	**8**	**9**	**15**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.5	5	< 1	1	3	5	7	8	8
20-34	75	3.2	5	1	1	3	4	6	8	12
35-49	123	3.0	3	1	1	3	4	5	6	10
50-64	87	3.0	8	1	1	2	4	6	7	18
65 +	44	3.2	6	< 1	1	2	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	22	4.7	20	< 1	1	3	8	13	14	15
20-34	107	5.5	38	1	1	4	7	10	13	42
35-49	155	5.0	18	1	1	4	7	11	13	19
50-64	222	6.8	61	1	1	5	9	14	20	32
65 +	252	8.6	60	1	1	7	12	18	22	40
TOTAL SINGLE DX	341	3.1	6	1	1	3	4	6	7	11
TOTAL MULTIPLE DX	758	6.8	50	1	1	5	9	15	19	38
TOTAL										
0-19 YRS	34	4.3	15	< 1	1	3	6	10	13	15
20-34	182	4.6	26	1	1	3	6	9	11	32
35-49	278	4.2	13	1	1	3	5	9	11	19
50-64	309	5.7	50	1	1	4	7	12	19	31
65 +	296	7.8	56	1	1	5	11	17	21	40
GRAND TOTAL	1099	5.6	39	1	1	4	7	12	17	31

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.5	5	1	1	1	3	6	8	9
20-34	218	1.7	2	1	1	1	2	3	5	9
35-49	361	1.7	3	1	1	1	2	3	5	8
50-64	343	1.8	3	1	1	1	2	3	5	11
65 +	195	1.7	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	10	5.4	12	< 1	1	5	7	11	13	13
20-34	115	4.2	18	1	1	2	5	10	12	20
35-49	183	3.9	26	1	1	2	4	9	16	30
50-64	251	3.7	18	1	1	2	5	9	14	20
65 +	256	5.1	42	1	1	3	6	11	20	30
TOTAL SINGLE DX	1136	1.7	3	1	1	1	2	3	5	9
TOTAL MULTIPLE DX	815	4.3	28	1	1	2	5	10	15	27
TOTAL										
0-19 YRS	29	3.5	9	1	1	3	5	8	9	13
20-34	333	2.6	9	1	1	1	3	6	9	15
35-49	544	2.4	12	1	1	1	2	5	8	23
50-64	594	2.6	11	1	1	1	3	6	9	16
65 +	451	3.6	28	1	1	2	4	8	11	27
GRAND TOTAL	1951	2.8	15	1	1	1	3	6	9	23

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	33	3.7	1	2	2	3	4	5	7	7
50-64	874	4.0	2	2	3	4	5	6	7	9
65 +	1970	4.4	3	2	3	4	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	9	6.9	33	1	1	5	9	16	18	18
20-34	4	3.5	1	2	2	4	4	4	4	4
35-49	98	5.0	15	2	2	4	5	8	10	26
50-64	3187	5.4	13	2	3	4	6	9	12	22
65 +	12436	6.9	29	3	3	5	8	13	17	29
TOTAL SINGLE DX	2881	4.3	3	2	3	4	5	6	7	11
TOTAL MULTIPLE DX	15734	6.5	26	3	3	5	7	12	16	28
TOTAL										
0-19 YRS	12	6.2	26	1	2	5	7	15	18	18
20-34	5	3.8	1	2	2	4	4	5	5	5
35-49	131	4.6	12	2	2	4	5	7	9	21
50-64	4061	5.1	12	2	3	4	6	8	11	20
65 +	14406	6.5	26	3	3	5	7	12	16	28
GRAND TOTAL	18615	6.2	23	2	3	5	7	11	15	27

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	5	6.4	10	1	1	7	8	9	9	9
50-64	129	9.1	8	5	6	8	10	13	15	18
65+	133	9.4	8	6	6	9	11	13	14	18
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	6	9.8	48	4	4	7	14	21	22	22
50-64	239	11.0	26	5	6	10	13	19	22	28
65+	587	11.9	39	5	6	10	14	18	22	36
TOTAL SINGLE DX	268	9.2	9	6	6	9	11	13	15	18
TOTAL MULTIPLE DX	832	11.6	36	5	6	10	14	19	22	33
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	11	8.3	31	1	3	7	9	17	22	22
50-64	368	10.3	21	5	6	9	12	16	20	27
65+	720	11.4	35	5	6	10	14	17	21	34
GRAND TOTAL	1100	11.0	30	5	6	10	13	17	21	31

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	12	2.3	5	<1	<1	2	3	5	8	9
50-64	72	2.2	6	<1	1	1	2	4	7	17
65+	99	2.0	5	<1	1	1	2	4	5	15
2. MULTIPLE DX										
0-19 YRS	3	8.3	2	7	7	8	9	10	10	10
20-34	6	2.7	4	<1	<1	2	4	6	6	6
35-49	11	3.5	14	<1	<1	1	6	10	12	12
50-64	191	5.1	30	1	1	3	6	12	16	28
65+	563	6.0	43	1	1	4	8	14	18	29
TOTAL SINGLE DX	185	2.2	7	<1	1	1	2	4	6	17
TOTAL MULTIPLE DX	774	5.8	39	1	1	4	8	13	18	29
TOTAL										
0-19 YRS	4	9.8	10	7	7	9	12	14	14	14
20-34	7	2.6	3	<1	<1	2	4	6	6	6
35-49	23	2.9	10	<1	<1	1	3	8	10	12
50-64	263	4.3	25	1	1	2	5	10	14	24
65+	662	5.4	40	1	1	3	7	13	17	28
GRAND TOTAL	959	5.1	35	1	1	3	7	12	16	27

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	107	1.7	1	<1	1	1	2	3	4	6
20-34	52	2.4	3	<1	1	2	3	5	6	8
35-49	43	3.0	8	1	1	2	4	8	9	13
50-64	53	1.9	3	<1	1	1	2	4	4	12
65+	29	1.8	1	1	1	1	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	63	2.8	8	1	1	2	4	5	8	17
20-34	57	5.9	45	1	1	3	8	13	24	29
35-49	67	5.0	23	1	1	3	7	12	15	24
50-64	94	5.3	70	<1	1	2	7	13	21	47
65+	126	5.8	38	1	1	4	7	13	19	32
TOTAL SINGLE DX	284	2.1	3	<1	1	1	2	4	5	9
TOTAL MULTIPLE DX	407	5.1	41	1	1	3	6	11	18	29
TOTAL										
0-19 YRS	170	2.1	4	<1	1	1	2	4	5	12
20-34	109	4.2	28	1	1	2	5	9	14	28
35-49	110	4.2	19	1	1	3	6	10	14	20
50-64	147	4.1	49	<1	1	2	4	9	17	30
65+	155	5.0	34	1	1	3	6	11	18	32
GRAND TOTAL	691	3.9	27	1	1	2	4	9	13	28

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	1.6		<1	1	1	2	3	3	5
20-34	119	2.4	9	1	1	2	3	5	6	18
35-49	64	2.1	2	1	1	2	3	4	5	9
50-64	47	3.4	14	1	1	2	3	7	12	20
65+	113	2.6	7	1	1	2	3	5	9	15
2. MULTIPLE DX										
0-19 YRS	111	2.4	6	1	1	1	3	5	6	14
20-34	98	3.8	25	1	1	2	4	10	14	66
35-49	71	5.3	24	1	1	3	7	15	18	83
50-64	148	8.0	106	1	1	4	10	22	27	49
65+	769	6.6	54	1	1	4	9	16	20	39
TOTAL SINGLE DX	449	2.3	7	1	1	2	3	4	7	14
TOTAL MULTIPLE DX	1197	6.1	54	1	1	3	8	15	20	39
TOTAL										
0-19 YRS	217	2.0	4	1	1	1	2	4	5	13
20-34	217	3.1	17	1	1	2	3	6	10	29
35-49	135	3.8	16	1	1	2	4	9	16	32
50-64	195	6.9	88	1	1	3	8	17	25	41
65+	882	6.1	50	1	1	3	9	15	20	37
GRAND TOTAL	1646	5.0	44	1	1	2	6	12	18	33

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	373	1.3		<1	1	1	1	2	3	4
20-34	71	1.4		<1	<1	1	2	2	3	4
35-49	5	1.2		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	324	1.7	2	1	1	1	2	3	4	8
20-34	22	2.8	16	1	1	2	3	4	11	20
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	449	1.3	1	<1	1	1	1	2	3	4
TOTAL MULTIPLE DX	350	1.7	4	1	1	1	2	3	4	9
TOTAL										
0-19 YRS	697	1.5	2	<1	1	1	2	3	3	7
20-34	93	1.7	4	<1	<1	1	2	3	4	14
35-49	8	1.1		1	1	1	1	2	2	2
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	799	1.5	2	<1	1	1	2	3	3	7

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	1.5	1	<1	1	1	2	3	4	6
20-34	34	2.6	6	1	1	2	3	5	9	12
35-49	17	1.8	4	<1	<1	1	2	4	7	9
50-64	8	1.4		1	1	1	2	2	2	2
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	48	2.9	80	1	1	1	2	3	5	63
20-34	22	5.3	239	1	1	1	2	6	35	74
35-49	15	4.3	74	1	1	2	3	6	28	35
50-64	11	3.7	12	<1	<1	3	5	9	13	13
65 +	6	6.0	48	1	1	2	11	17	18	18
TOTAL SINGLE DX	168	1.8	3	<1	1	1	2	4	5	11
TOTAL MULTIPLE DX	102	3.9	102	1	1	1	2	5	12	68
TOTAL										
0-19 YRS	156	1.9	26	1	1	1	2	3	4	8
20-34	56	3.7	97	1	1	2	3	5	10	70
35-49	32	3.0	37	<1	<1	1	3	5	9	35
50-64	19	2.7	9	<1	1	2	4	6	10	13
65 +	7	6.7	44	1	1	3	11	17	18	18
GRAND TOTAL	270	2.6	41	1	1	1	2	4	6	32

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	27	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	19	1.0		<1	<1	<1	<1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	48.0		48	48	48	48	48	48	48
20-34	11	3.6	17	<1	<1	1	6	10	14	14
35-49	3	16.7	564	1	1	5	34	44	44	44
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65 +	1	20.0		20	20	20	20	20	20	20
TOTAL SINGLE DX	47	1.1	1	<1	<1	<1	<1	<1	1	7
TOTAL MULTIPLE DX	18	9.1	207	<1	<1	3	7	37	46	48
TOTAL										
0-19 YRS	2	27.5	841	7	7	27	48	48	48	48
20-34	38	1.8	6	<1	<1	<1	<1	4	7	14
35-49	22	3.1	84	<1	<1	<1	<1	2	21	44
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65 +	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	65	3.3	68	<1	<1	<1	1	6	15	47

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	1.3		<1	<1	1	1	2	3	4
20-34	95	1.4		<1	1	1	1	2	3	5
35-49	85	1.4	1	<1	<1	1	1	2	4	6
50-64	82	1.7	3	1	1	1	2	3	4	12
65 +	41	1.5	1	<1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	82	2.7	48	<1	1	1	2	4	8	47
20-34	101	1.8	4	<1	1	1	2	3	6	11
35-49	91	2.0	3	1	1	1	2	3	5	10
50-64	119	2.2	2	1	1	2	3	4	6	8
65 +	132	3.3	14	1	1	2	4	6	9	24
TOTAL SINGLE DX	417	1.4	1	<1	1	1	2	2	3	6
TOTAL MULTIPLE DX	525	2.4	13	1	1	1	3	5	7	15
TOTAL										
0-19 YRS	196	1.9	21	<1	<1	1	2	3	4	14
20-34	196	1.6	2	<1	1	1	1	3	4	11
35-49	176	1.7	2	<1	1	1	2	3	5	9
50-64	201	2.0	3	1	1	1	2	4	5	8
65 +	173	2.9	12	1	1	2	3	6	8	21
GRAND TOTAL	942	2.0	8	<1	1	1	2	4	5	12

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	1.2		<1	<1	<1	1	1	2	7
20-34	6	1.7	1	<1	<1	1	2	4	4	4
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	12	1.0		<1	<1	<1	1	1	1	1
65+	11	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	51	5.5	129	1	1	2	4	11	25	67
20-34	14	4.1	14	1	1	2	7	9	12	13
35-49	33	5.3	157	<1	1	2	5	9	12	73
50-64	53	5.6	74	<1	1	2	7	13	17	52
65+	55	6.7	93	1	1	3	9	16	23	59
TOTAL SINGLE DX	84	1.2	1	<1	<1	<1	1	1	2	6
TOTAL MULTIPLE DX	206	5.7	101	1	1	2	7	13	19	64
TOTAL										
0-19 YRS	100	3.4	71	<1	<1	1	2	6	12	55
20-34	20	3.4	12	<1	1	2	5	8	11	13
35-49	39	4.7	135	<1	1	1	5	9	12	73
50-64	65	4.7	64	<1	<1	1	5	11	16	50
65+	66	5.7	82	<1	<1	2	8	15	21	55
GRAND TOTAL	290	4.4	76	<1	<1	1	4	10	16	58

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	2.6	7	<1	<1	2	3	7	8	14
20-34	39	4.4	19	<1	<1	3	6	13	15	16
35-49	76	3.4	19	<1	1	2	4	6	13	27
50-64	176	2.7	1	1	1	2	4	5	5	7
65+	80	2.7	2	1	1	2	4	5	5	6
2. MULTIPLE DX										
0-19 YRS	66	5.1	146	<1	1	2	4	9	18	81
20-34	55	7.0	157	1	2	3	7	14	26	84
35-49	209	4.3	21	1	1	3	5	7	10	30
50-64	503	3.7	9	1	1	3	4	6	8	19
65+	259	4.3	22	1	1	4	5	7	9	17
TOTAL SINGLE DX	415	3.0	8	1	1	2	4	5	7	16
TOTAL MULTIPLE DX	1092	4.2	31	1	1	3	5	6	10	27
TOTAL										
0-19 YRS	110	4.1	92	<1	1	2	3	7	14	55
20-34	94	5.9	101	<1	1	3	6	14	18	61
35-49	285	4.0	21	1	1	3	4	6	10	30
50-64	679	3.4	8	1	1	3	4	5	7	16
65+	339	3.9	18	1	1	3	5	6	8	16
GRAND TOTAL	1507	3.9	25	1	1	3	4	6	9	22

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	143	4.0	2	2	2	4	5	6	7	10
20-34	423	3.8	1	2	2	4	4	5	6	8
35-49	78	4.1	2	1	2	4	5	6	7	8
50-64	12	6.2	6	3	3	5	8	10	11	11
65+	3	10.0	39	5	5	8	15	17	17	17
2. MULTIPLE DX										
0-19 YRS	199	4.6	6	2	3	4	5	7	9	15
20-34	1139	4.4	4	2	3	4	5	6	8	13
35-49	262	5.0	10	2	3	4	6	8	9	22
50-64	43	7.7	26	4	4	7	9	13	15	33
65+	59	13.2	90	5	5	10	15	26	40	45
TOTAL SINGLE DX	659	3.9	2	2	2	4	5	6	7	9
TOTAL MULTIPLE DX	1702	4.9	12	2	3	4	5	8	10	18
TOTAL										
0-19 YRS	342	4.3	5	2	3	4	5	7	8	12
20-34	1562	4.2	4	2	2	4	5	6	8	11
35-49	340	4.8	9	2	3	4	5	7	8	17
50-64	55	7.3	22	4	4	6	9	11	14	32
65+	62	13.0	88	5	5	10	15	25	40	45
GRAND TOTAL	2361	4.6	9	2	3	4	5	7	9	16

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	4.3	2	2	3	4	5	6	7	9
20-34	467	4.1	2	2	3	4	5	6	7	11
35-49	228	4.5	3	2	3	4	5	6	8	12
50-64	24	5.1	4	3	3	5	5	8	10	13
65 +	17	5.9	5	2	3	5	8	9	10	11
2. MULTIPLE DX										
0-19 YRS	148	5.3	5	3	3	5	6	9	10	14
20-34	1289	4.9	7	3	3	4	5	7	9	16
35-49	790	5.2	10	3	3	4	6	8	11	20
50-64	128	8.0	39	3	4	6	9	15	20	36
65 +	144	11.7	93	4	5	9	14	20	26	62
TOTAL SINGLE DX	833	4.3	3	2	3	4	5	6	8	11
TOTAL MULTIPLE DX	2499	5.6	18	3	3	5	6	9	12	22
TOTAL										
0-19 YRS	245	4.9	4	3	3	4	5	7	9	14
20-34	1756	4.7	6	2	3	4	5	7	9	14
35-49	1018	5.1	9	3	3	4	6	8	10	18
50-64	152	7.5	35	3	4	6	8	14	20	34
65 +	161	11.1	87	4	4	9	13	19	24	61
GRAND TOTAL	3332	5.3	14	3	3	4	6	8	11	20

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	38	5.0	3	2	3	4	6	7	10	11
35-49	95	4.7	2	3	3	4	5	7	8	10
50-64	44	5.3	4	3	4	5	6	7	11	14
65 +	29	6.5	6	3	3	6	8	10	11	14
2. MULTIPLE DX										
0-19 YRS	13	5.2	5	1	2	6	7	8	9	9
20-34	259	5.6	12	3	3	5	6	9	11	16
35-49	621	5.8	12	3	3	5	6	9	11	20
50-64	272	8.0	41	3	4	6	9	14	17	33
65 +	205	11.4	57	4	5	9	13	20	28	41
TOTAL SINGLE DX	207	5.2	4	3	3	5	6	8	9	13
TOTAL MULTIPLE DX	1370	7.0	29	3	4	5	8	12	16	32
TOTAL										
0-19 YRS	14	5.4	5	1	2	6	7	8	9	9
20-34	297	5.5	11	3	3	5	6	9	11	16
35-49	716	5.7	11	3	3	5	6	9	11	20
50-64	316	7.6	37	3	4	6	9	13	17	31
65 +	234	10.8	54	4	5	9	13	19	27	41
GRAND TOTAL	1577	6.8	26	3	4	5	7	12	15	30

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	2.1	1	< 1	< 1	2	3	4	5	5
20-34	111	2.9	3	< 1	1	3	4	5	6	9
35-49	13	2.9	4	< 1	< 1	2	5	6	6	6
50-64	1	16.0		16	16	16	16	16	16	16
65 +	0									
2. MULTIPLE DX										
0-19 YRS	59	3.9	7	< 1	1	3	5	6	10	14
20-34	380	3.9	3	1	2	4	5	6	7	11
35-49	84	4.7	16	1	1	4	5	9	14	22
50-64	7	4.9	30	< 1	< 1	3	5	15	17	17
65 +	2	7.0	18	4	4	7	10	10	10	10
TOTAL SINGLE DX	162	2.8	4	< 1	< 1	2	4	5	6	10
TOTAL MULTIPLE DX	532	4.1	6	1	1	4	5	6	8	15
TOTAL										
0-19 YRS	96	3.2	6	< 1	1	3	4	5	7	14
20-34	491	3.7	4	1	1	4	4	6	7	10
35-49	97	4.5	15	< 1	1	4	5	8	12	22
50-64	8	6.3	42	< 1	1	3	10	17	17	17
65 +	2	7.0	18	4	4	7	10	10	10	10
GRAND TOTAL	694	3.8	6	1	1	4	4	6	8	15

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	73	1.2		< 1	< 1	< 1	< 1	1	2	5
35-49	44	1.1		< 1	< 1	< 1	1	1	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	184	2.6	11	< 1	1	2	3	4	6	22
35-49	62	2.0	2	< 1	< 1	1	3	4	5	9
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
TOTAL SINGLE DX	117	1.1		< 1	< 1	< 1	< 1	1	2	5
TOTAL MULTIPLE DX	250	2.5	9	< 1	< 1	2	3	4	6	19
TOTAL										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	257	2.2	9	< 1	< 1	1	3	4	5	19
35-49	106	1.6	2	< 1	< 1	1	2	3	4	8
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	367	2.0	7	<1	<1	1	3	3	5	17

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	275	2.2	1	< 1	1	2	3	4	4	6
35-49	93	2.0	1	< 1	< 1	1	3	4	5	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	10	3.1	2	1	1	3	4	5	5	5
20-34	2152	2.9	1	1	2	3	3	4	5	7
35-49	437	3.1	6	1	1	3	4	5	5	14
50-64	2	5.5	1	5	5	5	6	6	6	6
65 +	0									
TOTAL SINGLE DX	370	2.2	2	< 1	< 1	2	3	4	4	6
TOTAL MULTIPLE DX	2601	2.9	3	1	2	3	3	4	5	8
TOTAL										
0-19 YRS	11	2.9	2	1	1	3	4	5	5	5
20-34	2427	2.8	2	1	1	3	3	4	5	7
35-49	530	2.9	6	< 1	1	3	3	5	5	13
50-64	3	5.3		5	5	5	6	6	6	6
65 +	0									
GRAND TOTAL	2971	2.8	3	1	1	3	3	4	5	8

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	4.0	1	2	3	4	5	5	7	9
20-34	1201	3.8	1	2	2	4	4	5	6	7
35-49	208	3.5	1	1	2	3	4	5	5	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	111	5.4	83	2	2	4	5	7	9	50
20-34	1746	4.2	3	2	3	4	5	6	7	10
35-49	332	4.4	5	2	3	4	5	6	7	12
50-64	6	5.2	11	1	2	4	10	82	99 +	99 +
65 +	4	13.0	67	5	5	11	19	24	24	24
TOTAL SINGLE DX	1515	3.8	2	2	2	4	4	5	6	8
TOTAL MULTIPLE DX	2199	4.3	8	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	215	4.7	45	2	3	4	5	6	8	15
20-34	2947	4.0	3	2	3	4	5	6	6	9
35-49	540	4.0	4	1	2	4	5	6	7	11
50-64	7	5.0	10	1	2	4	9	73	99 +	99 +
65 +	5	11.0	71	3	3	9	16	24	24	24
GRAND TOTAL	3714	4.1	5	2	3	4	5	6	6	9

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	60	1.1		< 1	< 1	1	1	2	2	3
35-49	28	1.8	2	< 1	< 1	1	2	4	5	8
50-64	11	2.8	13	< 1	< 1	1	3	9	13	13
65 +	6	1.3		< 1	< 1	1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	67	2.0	6	< 1	1	1	2	4	5	18
35-49	43	2.7	20	< 1	< 1	1	3	5	9	28
50-64	24	1.4		< 1	1		1	2	4	5
65 +	25	2.1	3	1	1	2	2	3	7	9
TOTAL SINGLE DX	107	1.5	2	< 1	< 1	1	1	3	3	10
TOTAL MULTIPLE DX	163	2.1	9	< 1	1	1	2	4	5	20
TOTAL										
0-19 YRS	6	1.7	1	1	1	1	2	4	4	4
20-34	127	1.6	4	< 1	1	1	1	3	4	9
35-49	71	2.4	14	< 1	< 1	1	2	4	6	25
50-64	35	1.8	5	< 1	1	1	2	3	6	13
65 +	31	2.0	3	1	1	1	2	3	6	9
GRAND TOTAL	270	1.9	6	< 1	< 1	1	2	3	5	14

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.0	8	< 1	< 1	2	4	8	8	8
20-34	39	1.6	1	< 1	< 1	1	2	3	4	8
35-49	28	2.2	6	< 1	< 1	1	2	6	9	10
50-64	10	2.9	17	< 1	< 1	1	3	9	14	14
65 +	11	4.6	9	< 1	1	5	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	13	4.6	42	< 1	< 1	2	6	12	22	24
20-34	85	3.2	26	< 1	< 1	1	3	6	17	28
35-49	112	4.9	48	< 1	< 1	2	5	15	18	34
50-64	81	7.9	107	< 1	< 1	5	9	21	27	58
65 +	113	7.6	60	1	1	5	9	16	25	38
TOTAL SINGLE DX	93	2.4	6	< 1	< 1	1	2	6	9	12
TOTAL MULTIPLE DX	404	5.9	61	< 1	< 1	3	7	15	23	39
TOTAL										
0-19 YRS	18	4.2	32	< 1	< 1	2	6	9	18	24
20-34	124	2.7	19	< 1	< 1	1	2	5	9	25
35-49	140	4.3	41	< 1	< 1	1	5	13	17	30
50-64	91	7.3	99	< 1	< 1	4	8	18	26	56
65 +	124	7.3	56	1	1	5	9	16	24	37
GRAND TOTAL	497	5.2	53	< 1	< 1	2	6	14	20	33

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.9	4	1	1	2	4	6	7	8
20-34	479	1.7	1	1	1	1	2	3	4	6
35-49	68	1.6		1	1	1	2	3	3	5
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	13	2.6	1	1	1	2	3	4	5	5
20-34	251	3.2	12	1	1	2	4	6	9	17
35-49	31	2.5	5	< 1	1	2	3	5	7	12
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	2	1.5	1	1	1	1	2	2	2	2
TOTAL SINGLE DX	577	1.7	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	299	3.1	11	1	1	2	4	6	8	17
TOTAL										
0-19 YRS	40	2.8	3	1	1	2	4	5	7	8
20-34	730	2.2	6	1	1	2	3	4	6	11
35-49	99	1.9	2	1	1	1	2	3	5	10
50-64	4	2.5	9	< 1	< 1	1	4	7	7	7
65 +	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	876	2.2	5	1	1	2	3	4	6	11

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
20-34	147	4.1	1	1	2	4	5	6	6	8
35-49	61	3.5	3	< 1	1	4	5	6	6	7
50-64	3	1.3		1	1	1	2	2	2	2
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	9	3.0	3	< 1	< 1	3	4	6	6	6
20-34	339	4.9	13	1	2	4	5	7	10	21
35-49	227	4.2	14	< 1	1	4	5	7	9	22
50-64	40	7.4	57	1	1	4	11	20	23	29
65 +	29	8.1	58	1	2	6	12	17	24	34
TOTAL SINGLE DX	216	3.8	3	1	1	4	5	6	6	8
TOTAL MULTIPLE DX	644	4.9	19	1	1	4	5	8	12	24
TOTAL										
0-19 YRS	12	2.7	3	< 1	< 1	3	4	5	6	6
20-34	486	4.6	10	1	2	4	5	7	8	18
35-49	288	4.1	12	< 1	1	4	5	7	8	20
50-64	43	6.9	56	1	1	4	11	20	23	29
65 +	31	7.7	58	1	1	4	12	16	24	34
GRAND TOTAL	860	4.6	15	1	1	4	5	7	10	22

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.8	9	4	4	6	9	11	11	11
20-34	574	4.8	2	3	3	4	5	6	8	11
35-49	1196	4.8	1	3	4	5	5	6	7	9
50-64	358	5.5	2	3	4	5	6	7	8	11
65 +	208	6.4	12	4	4	6	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	29	7.7	91	3	3	5	9	11	14	55
20-34	4377	5.2	5	3	4	5	6	7	8	14
35-49	12451	5.3	4	3	4	5	6	7	9	14
50-64	3178	6.2	9	4	4	5	7	9	11	18
65 +	1579	8.6	32	4	5	7	10	15	20	34
TOTAL SINGLE DX	2340	5.1	3	3	4	5	6	7	8	11
TOTAL MULTIPLE DX	21614	5.7	8	3	4	5	6	8	10	17
TOTAL										
0-19 YRS	33	7.5	81	3	3	5	9	11	12	55
20-34	4951	5.1	5	3	4	5	6	7	8	14
35-49	13647	5.3	4	3	4	5	6	7	8	13
50-64	3536	6.1	9	4	4	5	7	9	11	18
65 +	1787	8.4	30	4	4	7	9	14	19	33
GRAND TOTAL	23954	5.6	8	3	4	5	6	8	10	17

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	286	4.0	1	2	3	4	5	5	6	8
35-49	347	4.2	1	2	3	4	5	6	7	8
50-64	268	5.2	2	3	3	5	6	7	8	10
65 +	231	5.7	3	4	4	5	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	8	4.3	21	1	1	2	6	12	14	14
20-34	1373	4.5	3	3	3	4	5	6	7	11
35-49	2826	4.7	3	3	3	4	5	7	8	12
50-64	1057	5.7	4	3	4	5	6	8	9	14
65 +	999	6.5	7	4	4	6	7	9	11	17
TOTAL SINGLE DX	1134	4.7	3	3	3	4	6	7	7	10
TOTAL MULTIPLE DX	6263	5.1	5	3	3	5	6	7	9	13
TOTAL										
0-19 YRS	10	4.5	19	1	1	3	8	11	14	14
20-34	1659	4.4	3	3	3	4	5	6	7	10
35-49	3173	4.7	3	3	3	4	5	7	8	12
50-64	1325	5.6	4	3	4	5	6	8	9	14
65 +	1230	6.3	7	4	4	6	7	9	10	16
GRAND TOTAL	7397	5.0	5	3	3	5	6	7	9	13

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	15	8.0	5	5	6	7	9	10	13	14
35-49	29	7.4	2	5	5	7	8	10	10	11
50-64	12	8.8	9	3	5	9	10	13	15	15
65 +	11	9.9	14	5	6	9	11	16	19	19
2. MULTIPLE DX										
0-19 YRS	0									
20-34	31	10.0	47	6	6	9	11	12	15	45
35-49	41	11.0	37	5	5	9	13	20	25	29
50-64	34	14.3	121	5	6	11	15	28	45	52
65 +	31	18.0	237	4	7	13	19	35	49	80
TOTAL SINGLE DX	67	8.2	7	5	6	8	10	11	14	18
TOTAL MULTIPLE DX	137	13.2	112	5	6	10	14	24	31	56
TOTAL										
0-19 YRS	0									
20-34	46	9.3	34	6	6	8	10	12	14	45
35-49	70	9.5	26	5	5	8	11	16	24	28
50-64	46	12.9	97	5	6	10	13	26	35	52
65 +	42	15.9	190	5	6	12	17	23	49	80
GRAND TOTAL	204	11.5	83	5	6	9	12	18	26	51

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.4	1	<1	<1	1	1	3	4	4
20-34	40	1.9	2	<1	<1	1	2	5	5	6
35-49	9	1.1		<1	<1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	15	3.5	12	1	1	2	5	9	12	13
20-34	55	6.4	164	1	1	3	5	15	22	84
35-49	15	2.6	2	1	1	2	3	6	6	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	59	1.7	2	<1	<1	1	2	4	5	6
TOTAL MULTIPLE DX	85	5.2	111	1	1	3	5	9	17	70
TOTAL										
0-19 YRS	25	2.7	9	<1	1	1	4	5	10	13
20-34	95	4.5	100	<1	<1	2	4	6	16	66
35-49	24	2.0	2	<1	<1	1	3	4	6	6
50-64	0									
65 +	0									
GRAND TOTAL	144	3.8	69	<1	<1	2	4	6	10	44

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	794	1.4		<1	<1	1	1	2	3	6
20-34	3798	1.4		<1	<1	1	1	2	3	5
35-49	755	1.3	2	<1	<1	1	1	2	3	6
50-64	124	1.5	1	<1	<1	1	1	2	3	9
65 +	41	2.3	6	<1	<1	1	2	5	10	12
2. MULTIPLE DX										
0-19 YRS	355	2.7	17	<1	1	2	3	5	7	29
20-34	2026	2.7	8	<1	1	2	3	5	7	13
35-49	1040	3.2	17	<1	1	2	4	7	10	22
50-64	405	4.1	32	<1	<1	2	5	9	13	31
65 +	388	5.8	41	1	1	3	8	15	19	31
TOTAL SINGLE DX	5512	1.4	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	4214	3.2	18	<1	1	2	4	7	10	22
TOTAL										
0-19 YRS	1149	1.8	6	<1	<1	1	2	3	5	8
20-34	5824	1.8	4	<1	<1	1	2	4	5	9
35-49	1795	2.4	12	<1	<1	1	2	5	7	17
50-64	529	3.5	27	<1	<1	2	4	8	11	29
65 +	429	5.5	40	<1	1	3	7	14	18	29
GRAND TOTAL	9726	2.2	9	<1	<1	1	2	4	7	15

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	34	1.8	6	<1	<1	1	1	3	3	16
35-49	5	2.0	3	<1	<1	1	3	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	26	5.2	62	<1	1	2	5	9	28	34
20-34	78	4.8	36	1	1	3	6	11	15	35
35-49	12	6.4	60	1	1	3	6	22	24	24
50-64	0									
65 +	0									
TOTAL SINGLE DX	45	1.8	5	<1	<1	1	2	3	4	16
TOTAL MULTIPLE DX	116	5.1	44	1	1	3	6	11	20	35
TOTAL										
0-19 YRS	32	4.5	53	<1	<1	2	4	9	25	34
20-34	112	3.9	30	<1	1	2	4	9	13	33
35-49	17	5.1	47	<1	1	3	5	18	23	24
50-64	0									
65 +	0									
GRAND TOTAL	161	4.1	36	<1	1	2	5	9	16	34

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	1.5	6	<1	<1	1	1	2	3	5
20-34	690	1.2		<1	<1	1	1	2	2	4
35-49	95	1.2		<1	<1	1	1	2	2	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	53	2.6	16	<1	1	2	3	4	5	29
20-34	258	2.6	16	<1	<1	2	3	5	6	16
35-49	58	3.0	17	<1	<1	2	3	8	11	25
50-64	5	15.8	418	<1	<1	1	36	42	42	42
65+	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	945	1.3	1	<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	375	2.8	23	<1	<1	2	3	5	7	30
TOTAL										
0-19 YRS	211	1.8	10	<1	<1	1	2	3	3	18
20-34	948	1.6	5	<1	<1	1	1	3	4	7
35-49	153	1.9	8	<1	<1	1	2	3	6	15
50-64	7	11.6	331	<1	<1	1	26	40	42	42
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	1320	1.7	8	<1	<1	1	2	3	4	9

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	8	3.0	1	1	1	3	4	4	4	4
35-49	4	4.3	5	<1	<1	5	6	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	5	3.8	2	1	1	4	5	5	5	5
20-34	62	4.0	3	1	2	4	5	6	8	10
35-49	8	3.6	3	<1	1	3	4	6	7	7
50-64	1	11.0		11	11	11	11	11	11	11
65+	9	5.0	6	2	2	4	6	9	10	10
TOTAL SINGLE DX	14	3.8	3	<1	1	4	5	6	6	6
TOTAL MULTIPLE DX	85	4.1	5	1	2	4	5	7	9	11
TOTAL										
0-19 YRS	5	3.8	3	1	1	4	5	5	5	5
20-34	70	3.9	4	1	1	4	5	6	8	10
35-49	12	3.8	3	<1	<1	4	5	6	7	7
50-64	2	8.5	13	6	6	8	11	11	11	11
65+	10	5.1	6	2	2	5	6	9	10	10
GRAND TOTAL	99	4.1	4	1	1	4	5	7	9	11

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	2.1	1	<1	<1	2	3	4	5	5
20-34	76	1.8	1	<1	<1	1	3	4	4	5
35-49	30	2.3	2	1	1	2	3	4	4	7
50-64	7	3.6	2	2	2	4	4	6	6	6
65+	7	2.4		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	31	3.4	5	1	1	3	4	7	8	10
20-34	156	3.2	9	1	1	3	4	5	7	19
35-49	60	3.8	6	1	1	3	5	7	9	12
50-64	21	6.2	126	2	2	3	3	19	40	40
65+	43	5.8	115	1	2	3	4	8	29	58
TOTAL SINGLE DX	136	2.1	2	<1	1	2	3	4	4	6
TOTAL MULTIPLE DX	311	3.9	32	1	1	3	4	6	8	40
TOTAL										
0-19 YRS	47	3.0	4	1	1	3	4	5	8	10
20-34	232	2.8	8	<1	1	2	4	5	6	16
35-49	90	3.3	5	1	1	3	4	6	8	12
50-64	28	5.6	96	2	2	3	4	6	40	40
65+	50	5.3	100	1	2	3	4	7	20	58
GRAND TOTAL	447	3.3	23	1	1	2	4	5	8	27

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	32	4.0	5	1	1	4	5	7	8	10
35-49	147	4.1	3	2	2	4	5	6	7	11
50-64	306	4.4	3	2	2	4	5	7	8	9
65+	248	4.7	4	2	2	5	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	88	4.3	8	1	2	4	5	6	7	20
35-49	332	5.0	5	2	3	5	6	8	9	14
50-64	564	5.3	5	3	3	5	6	8	10	15
65+	644	5.8	8	2	3	5	7	9	11	16
TOTAL SINGLE DX	734	4.4	4	2	2	4	6	7	8	10
TOTAL MULTIPLE DX	1629	5.4	7	2	3	5	6	8	10	15
TOTAL										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	120	4.2	7	1	2	4	5	6	8	17
35-49	479	4.7	5	2	2	4	6	7	9	12
50-64	870	5.0	5	2	3	5	6	8	9	12
65+	892	5.5	7	2	3	5	7	8	10	15
GRAND TOTAL	2363	5.1	6	2	3	5	6	8	9	14

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.7	16	<1	<1	2	5	11	13	14
20-34	90	3.1	4	<1	1	3	4	6	8	10
35-49	44	3.4	5	1	1	3	5	6	8	12
50-64	21	5.2	6	2	2	5	7	9	10	11
65+	16	5.3	7	1	1	5	6	9	11	12
2. MULTIPLE DX										
0-19 YRS	36	4.5	30	1	1	3	5	10	11	32
20-34	76	4.5	23	1	1	3	5	9	12	30
35-49	43	7.2	68	1	1	4	8	20	28	36
50-64	52	7.1	61	2	3	5	7	11	21	50
65+	62	7.9	26	2	3	7	9	15	19	27
TOTAL SINGLE DX	193	3.7	7	1	1	3	5	7	9	13
TOTAL MULTIPLE DX	269	6.2	41	1	1	4	7	12	20	35
TOTAL										
0-19 YRS	58	4.2	25	<1	1	3	5	10	12	31
20-34	166	3.7	14	1	1	3	4	8	9	19
35-49	87	5.3	40	1	1	3	6	10	20	36
50-64	73	6.5	46	2	2	5	7	9	15	46
65+	78	7.3	24	1	3	6	9	13	18	26
GRAND TOTAL	462	5.1	29	1	1	4	6	10	13	32

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.9	3	<1	1	3	4	5	7	7
20-34	86	3.3	5	<1	1	3	4	6	9	12
35-49	28	3.6	9	<1	1	3	5	9	11	12
50-64	34	3.5	2	1	2	4	4	6	6	6
65+	52	4.7	4	2	2	4	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	60	5.6	36	1	1	3	8	13	19	29
20-34	168	4.0	12	1	1	3	5	8	10	15
35-49	87	5.4	22	1	1	4	7	11	16	24
50-64	126	6.6	71	1	2	4	7	12	22	45
65+	233	6.6	44	1	2	5	8	12	19	38
TOTAL SINGLE DX	224	3.7	5	1	1	3	5	6	9	12
TOTAL MULTIPLE DX	674	5.7	39	1	1	4	7	11	16	31
TOTAL										
0-19 YRS	84	4.8	28	1	1	3	5	11	15	28
20-34	254	3.8	10	1	1	3	5	7	10	15
35-49	115	5.0	19	1	1	4	6	10	14	23
50-64	160	6.0	58	1	2	4	6	10	18	35
65+	285	6.2	38	1	2	5	7	11	17	37
GRAND TOTAL	898	5.2	31	1	1	4	6	10	14	30

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	2.5	2	<1	1	2	3	6	7	7
20-34	91	1.8	2	<1	<1	1	2	3	4	9
35-49	44	2.3	8	<1	<1	1	3	5	7	16
50-64	18	2.1	4	<1	<1	1	2	3	7	10
65+	16	3.7	5	1	1	4	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	57	4.3	34	1	1	3	5	8	12	39
20-34	150	3.3	11	1	1	2	4	7	9	17
35-49	93	4.6	27	1	1	2	6	10	15	26
50-64	44	8.0	60	<1	1	6	10	15	26	40
65+	89	7.1	49	1	1	4	9	17	24	30
TOTAL SINGLE DX	205	2.2	4	<1	<1	1	3	4	6	12
TOTAL MULTIPLE DX	433	5.0	33	1	1	3	6	11	16	29
TOTAL										
0-19 YRS	93	3.6	23	1	1	2	4	6	9	31
20-34	241	2.8	8	<1	1	2	3	5	8	16
35-49	137	3.9	22	<1	1	2	5	10	13	25
50-64	62	6.2	51	<1	1	4	8	14	20	38
65+	105	6.6	44	1	1	4	9	16	21	30
GRAND TOTAL	638	4.1	26	<1	1	2	5	9	13	28

684. Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	15	5.1	15	<1	1	3	7	11	13	13
50-64	11	5.5	20	1	1	3	9	13	15	15
65+	27	8.2	22	1	3	8	12	15	16	16
2. MULTIPLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	10	3.9	9	1	1	3	5	8	11	11
35-49	12	7.8	50	1	2	6	8	20	25	26
50-64	26	9.1	97	1	2	6	9	20	28	50
65+	71	10.0	66	3	4	10	13	19	22	55
TOTAL SINGLE DX	56	6.6	21	1	1	5	10	14	15	16
TOTAL MULTIPLE DX	121	9.5	70	1	2	8	12	18	22	54
TOTAL										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	13	3.7	7	1	1	3	4	7	10	11
35-49	27	6.3	31	1	1	5	7	13	19	26
50-64	37	8.0	76	1	2	6	9	16	21	50
65+	98	10.2	55	3	3	9	13	16	21	44
GRAND TOTAL	177	8.6	56	1	2	7	11	16	20	43

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	1.6	1	<1	<1	1	2	3	4	7
20-34	29	2.2	1	<1	1	2	3	4	5	5
35-49	8	2.8	2	1	1	3	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
2. MULTIPLE DX										
0-19 YRS	23	3.0	5	<1	1	2	4	6	8	10
20-34	27	2.7	3	<1	1	2	3	6	6	7
35-49	15	4.6	14	1	1	4	7	11	12	12
50-64	10	3.4	7	1	1	3	4	8	9	9
65+	3	7.0	7	5	5	6	9	10	10	10
TOTAL SINGLE DX	66	2.0	2	<1	<1	2	3	4	5	7
TOTAL MULTIPLE DX	78	3.4	7	1	1	3	5	7	10	12
TOTAL										
0-19 YRS	51	2.2	4	<1	<1	1	3	5	7	10
20-34	56	2.4	2	<1	1	2	3	5	6	7
35-49	23	4.0	11	1	1	3	5	9	11	12
50-64	11	3.4	7	1	1	3	4	8	9	9
65+	3	7.0	7	5	5	6	9	10	10	10
GRAND TOTAL	144	2.8	5	<1	1	2	3	6	8	11

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	7	3.1	2	<1	<1	3	4	5	5	5
20-34	5	8.4	161	2	2	2	11	31	31	31
35-49	5	16.0	629	1	1	5	25	60	60	60
50-64	3	4.0	3	3	3	3	5	6	6	6
65+	6	6.0	16	1	1	7	9	10	10	10
TOTAL SINGLE DX	9	1.9	3	<1	<1	1	2	5	6	6
TOTAL MULTIPLE DX	26	7.4	152	<1	1	3	7	13	37	60
TOTAL										
0-19 YRS	13	2.2	2	<1	<1	2	3	5	5	5
20-34	7	6.6	118	1	1	2	4	26	31	31
35-49	6	14.3	520	1	1	5	13	55	60	60
50-64	3	4.0	3	3	3	3	5	6	6	6
65+	6	6.0	16	1	1	7	9	10	10	10
GRAND TOTAL	35	6.0	119	<1	1	3	8	10	26	60

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	582	2.6	1	1	2	2	3	3	4	5
20-34	3208	2.7		2	2	3	3	4	4	5
35-49	199	2.7		2	2	3	3	4	4	6
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	916	2.9	1	2	2	3	3	4	5	8
20-34	5024	3.0	2	2	2	3	3	4	5	7
35-49	348	3.0	1	2	2	3	4	4	5	8
50-64	0									
65+	0									
TOTAL SINGLE DX	3989	2.7	1	2	2	3	3	4	4	5
TOTAL MULTIPLE DX	6288	2.9	2	2	2	3	3	4	5	7
TOTAL										
0-19 YRS	1498	2.8	2	2	2	3	3	4	4	7
20-34	8232	2.8	2	2	2	3	3	4	4	6
35-49	547	2.9	1	2	2	3	3	4	5	6
50-64	0									
65+	0									
GRAND TOTAL	10277	2.8	2	2	2	3	3	4	4	6

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	2.3		1	1	2	3	3	3	3
20-34	72	2.3		1	1	2	3	3	3	4
35-49	8	2.0		1	1	2	3	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	36	2.5	3	1	1	2	3	5	6	10
20-34	207	3.0	4	1	1	2	3	5	7	12
35-49	30	3.3	3	1	1	3	4	5	8	10
50-64	0									
65+	0									
TOTAL SINGLE DX	88	2.3		1	1	2	3	3	3	4
TOTAL MULTIPLE DX	273	3.0	4	1	1	2	3	5	7	11
TOTAL										
0-19 YRS	44	2.5	3	1	1	2	3	4	6	10
20-34	279	2.8	3	1	1	2	3	4	6	11
35-49	38	3.0	3	1	1	3	3	4	7	10
50-64	0									
65+	0									
GRAND TOTAL	361	2.8	3	1	1	2	3	4	6	10

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	2.5		1	2	2	3	3	4	5
20-34	2006	2.6		1	2	2	3	3	4	5
35-49	107	2.5		1	2	3	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	412	2.9	1	2	2	3	3	4	5	8
20-34	3034	2.9	2	2	2	3	3	4	4	8
35-49	250	3.0	2	2	2	3	3	4	5	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	2362	2.6	1	1	2	2	3	3	4	5
TOTAL MULTIPLE DX	3696	2.9	2	2	2	3	3	4	5	8
TOTAL										
0-19 YRS	661	2.8	1	2	2	3	3	4	5	7
20-34	5040	2.8	2	2	2	3	3	4	4	6
35-49	357	2.9	2	2	2	3	3	4	5	8
50-64	0									
65 +	0									
GRAND TOTAL	6058	2.8	2	2	2	3	3	4	4	6

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8934	2.3		1	1	2	3	3	4	5
20-34	53396	2.4		1	2	2	3	3	4	4
35-49	3293	2.4	1	1	1	2	3	3	4	4
50-64	7	2.9	1	1	1	3	4	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4179	2.9	5	1	2	2	3	4	5	11
20-34	25406	2.8	2	1	2	3	3	4	5	8
35-49	2277	2.9	4	1	2	3	3	4	5	9
50-64	3	2.7		2	2	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	65630	2.4	1	1	1	2	3	3	4	4
TOTAL MULTIPLE DX	31865	2.8	3	1	2	3	3	4	5	9
TOTAL										
0-19 YRS	13113	2.5	2	1	2	2	3	3	4	7
20-34	78802	2.5	1	1	2	2	3	3	4	6
35-49	5570	2.6	3	1	1	2	3	4	4	6
50-64	10	2.8	1	1	1	3	3	4	5	5
65 +	0									
GRAND TOTAL	97495	2.5	2	1	2	2	3	3	4	6

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1016	4.4	1	3	3	4	5	6	6	8
20-34	9676	4.3	1	3	3	4	5	5	6	7
35-49	692	4.6	7	3	3	4	5	5	6	8
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3266	5.3	6	3	4	5	6	7	9	16
20-34	26126	5.0	9	3	4	5	5	6	8	15
35-49	2755	5.3	19	3	4	5	5	7	9	20
50-64	6	4.8		4	4	5	5	6	6	6
65 +	0									
TOTAL SINGLE DX	11386	4.3	2	3	3	4	5	5	6	7
TOTAL MULTIPLE DX	32153	5.1	10	3	4	5	5	6	8	16
TOTAL										
0-19 YRS	4282	5.1	5	3	4	5	6	7	9	15
20-34	35802	4.8	8	3	3	4	5	6	7	13
35-49	3447	5.2	17	3	4	5	5	6	8	18
50-64	8	4.8	1	4	4	5	5	6	6	6
65 +	0									
GRAND TOTAL	43539	4.9	8	3	3	4	5	6	7	14

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	4.0	1	2	3	4	5	6	6	6
20-34	195	4.4	1	3	3	4	5	5	6	7
35-49	11	4.3		3	3	4	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	102	7.2	55	3	4	5	7	11	18	51
20-34	756	6.5	35	3	4	5	6	10	16	30
35-49	115	6.2	14	4	4	5	6	10	14	24
50-64	0									
65 +	0									
TOTAL SINGLE DX	231	4.4	1	3	3	4	5	5	6	7
TOTAL MULTIPLE DX	973	6.5	35	3	4	5	6	10	16	30
TOTAL										
0-19 YRS	127	6.6	46	3	3	5	6	10	16	49
20-34	951	6.1	29	3	4	5	6	9	12	29
35-49	126	6.0	14	3	4	5	6	9	13	23
50-64	0									
65 +	0									
GRAND TOTAL	1204	6.1	29	3	4	5	6	9	13	29

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.5	1	1	2	4	4	5	6	6
20-34	104	3.6	1	1	2	4	4	5	6	8
35-49	8	3.8	1	3	3	4	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	15	4.1		2	3	4	5	5	6	6
20-34	122	4.0	3	2	2	4	4	6	7	11
35-49	13	4.0	4	1	2	4	4	6	9	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	124	3.6	2	1	2	4	4	5	6	8
TOTAL MULTIPLE DX	150	4.0	3	2	2	4	4	6	7	10
TOTAL										
0-19 YRS	27	3.9	1	2	2	4	4	5	6	6
20-34	226	3.8	3	1	2	4	4	5	6	9
35-49	21	3.9	3	2	2	4	4	6	8	10
50-64	0									
65 +	0									
GRAND TOTAL	274	3.8	2	1	2	4	4	5	6	9

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	7	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5	5.2	13	1	1	6	8	10	10	10
20-34	10	1.6	1	<1	<1	1	2	4	5	5
35-49	7	2.7	11	<1	<1	1	3	9	10	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	12	1.3		<1	<1	1	2	2	2	2
TOTAL MULTIPLE DX	22	2.8	8	<1	<1	1	3	8	10	10
TOTAL										
0-19 YRS	8	3.9	11	1	1	2	6	9	10	10
20-34	17	1.5	1	<1	<1	1	2	2	4	5
35-49	9	2.3	9	<1	<1	1	2	7	10	10
50-64	0									
65 +	0									
GRAND TOTAL	34	2.3	6	<1	<1	1	2	6	9	10

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	2.9	3	<1	1	3	4	6	7	9
20-34	218	4.9	34	1	1	3	6	11	16	32
35-49	15	4.9	22	<1	1	3	6	9	17	19
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	61	5.4	32	1	2	4	6	10	15	37
20-34	280	5.7	36	1	1	4	7	13	16	28
35-49	35	4.9	23	1	1	3	6	9	18	21
50-64	0									
65 +	0									
TOTAL SINGLE DX	277	4.6	29	1	1	3	5	9	15	30
TOTAL MULTIPLE DX	376	5.6	35	1	1	4	7	12	16	28
TOTAL										
0-19 YRS	105	4.3	22	1	1	3	5	8	11	28
20-34	498	5.3	36	1	1	3	7	12	16	30
35-49	50	4.9	22	1	1	3	6	9	19	21
50-64	0									
65 +	0									
GRAND TOTAL	653	5.1	33	1	1	3	6	11	16	29

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	753	1.9	1	<1	<1	2	2	3	4	7
20-34	3704	2.0	1	<1	<1	2	2	3	3	5
35-49	208	2.0		<1	<1	2	2	3	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	362	2.4	4	<1	<1	2	3	4	5	10
20-34	1987	2.5	3	<1	1	2	3	4	5	9
35-49	162	2.8	3	<1	1	2	3	4	6	12
50-64	0									
65 +	0									
TOTAL SINGLE DX	4665	2.0	2	<1	<1	2	2	3	3	5
TOTAL MULTIPLE DX	2511	2.5	4	<1	1	2	3	4	5	10
TOTAL										
0-19 YRS	1115	2.1	3	<1	<1	2	3	3	4	8
20-34	5691	2.2	3	<1	<1	2	3	3	4	7
35-49	370	2.3	2	<1	<1	2	3	3	4	8
50-64	0									
65 +	0									
GRAND TOTAL	7176	2.2	3	<1	<1	2	3	3	4	7

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1419	2.3		1	2	2	3	3	3	5
20-34	7628	2.3		1	1	2	3	3	3	4
35-49	569	2.2		1	1	2	3	3	3	4
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	0									
2. MULTIPLE DX										
0-19 YRS	1715	2.7	3	1	2	2	3	4	5	8
20-34	9603	2.7	3	1	2	2	3	4	4	7
35-49	925	2.6	1	1	2	2	3	4	4	7
50-64	2	7.0	72	1	1	7	13	13	13	13
65+	0									
TOTAL SINGLE DX	9619	2.3	1	1	1	2	3	3	3	4
TOTAL MULTIPLE DX	12245	2.7	4	1	2	2	3	4	4	7
TOTAL										
0-19 YRS	3134	2.5	2	1	2	2	3	3	4	7
20-34	17231	2.5	2	1	2	2	3	3	4	6
35-49	1494	2.5	1	1	1	2	3	3	4	6
50-64	5	4.4	24	1	1	2	6	13	13	13
65+	0									
GRAND TOTAL	21864	2.5	2	1	2	2	3	3	4	6

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	4.2	21	<1	1	3	5	8	15	19
20-34	16	2.6	1	<1	1	2	3	4	5	5
35-49	25	5.3	49	<1	1	3	6	11	24	31
50-64	20	4.7	29	1	1	3	5	14	18	21
65+	17	3.5	9	1	1	3	4	9	11	12
2. MULTIPLE DX										
0-19 YRS	23	4.6	9	1	1	4	7	8	10	13
20-34	27	8.6	110	1	1	4	9	27	33	41
35-49	26	6.9	45	1	1	4	11	15	18	30
50-64	61	11.8	239	1	1	7	12	31	46	81
65+	75	9.9	111	1	1	7	13	22	29	55
TOTAL SINGLE DX	95	4.2	25	1	1	3	4	9	14	27
TOTAL MULTIPLE DX	212	9.3	132	1	1	5	12	21	32	59
TOTAL										
0-19 YRS	40	4.4	14	1	1	3	7	8	11	19
20-34	43	6.3	77	1	1	3	6	18	30	41
35-49	51	6.1	47	1	1	4	7	15	22	31
50-64	81	10.0	196	1	1	5	10	23	39	76
65+	92	8.7	98	1	1	5	12	19	29	52
GRAND TOTAL	307	7.7	105	1	1	4	9	18	29	54

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	498	2.6	1	1	1	2	3	4	5	8
20-34	670	2.3	1	1	1	2	3	4	4	6
35-49	322	2.4	1	1	1	2	3	4	4	6
50-64	76	1.9	2	1	1	1	2	3	4	10
65+	19	1.9	1	1	1	2	2	3	5	6
2. MULTIPLE DX										
0-19 YRS	452	3.2	5	1	2	3	4	5	6	13
20-34	448	3.0	5	1	2	3	3	5	6	9
35-49	206	3.2	12	1	1	3	3	4	6	16
50-64	89	3.3	10	1	1	2	4	8	11	16
65+	27	4.7	38	1	1	2	4	18	19	21
TOTAL SINGLE DX	1585	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1222	3.1	8	1	1	3	3	5	6	16
TOTAL										
0-19 YRS	950	2.9	4	1	1	3	3	5	6	10
20-34	1118	2.6	3	1	1	2	3	4	5	7
35-49	528	2.7	6	1	1	2	3	4	5	10
50-64	165	2.7	7	1	1	2	3	4	9	15
65+	46	3.6	25	1	1	2	3	8	18	21
GRAND TOTAL	2807	2.7	4	1	1	2	3	4	5	10

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	2.0	1	1	1	2	3	4	5	7
20-34	141	2.1	1	1	1	2	3	4	5	7
35-49	26	1.7	1	<1	1	2	2	3	4	6
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	127	3.9	30	1	1	2	4	6	11	35
20-34	199	4.0	19	1	1	3	5	8	12	27
35-49	66	4.1	7	1	1	4	5	7	10	14
50-64	20	4.2	15	1	1	3	5	10	14	16
65+	23	7.2	29	1	2	7	11	12	17	25
TOTAL SINGLE DX	272	2.1	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	435	4.2	22	1	1	3	5	8	12	26
TOTAL										
0-19 YRS	226	3.1	19	1	1	2	3	5	8	27
20-34	340	3.2	13	1	1	2	4	6	8	23
35-49	92	3.4	7	1	1	3	4	6	9	13
50-64	22	4.2	15	1	1	3	6	9	14	16
65+	27	6.4	29	1	1	4	10	12	15	25
GRAND TOTAL	707	3.4	15	1	1	2	4	6	9	24

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	2.2	3	1	1	2	3	4	5	11
20-34	220	2.5	4	1	1	2	3	5	6	10
35-49	87	2.8	5	< 1	1	2	4	6	6	15
50-64	15	2.1		1	1	2	3	3	4	4
65 +	8	4.3	21	1	1	3	5	12	15	15
2. MULTIPLE DX										
0-19 YRS	236	6.7	75	1	1	4	8	14	23	46
20-34	458	5.4	28	1	1	4	7	11	15	36
35-49	198	5.5	23	1	1	4	7	12	15	24
50-64	78	6.2	26	1	1	5	8	13	18	24
65 +	57	8.7	47	1	2	7	12	19	25	29
TOTAL SINGLE DX	417	2.5	5	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	1027	5.9	44	1	1	4	7	13	18	37
TOTAL										
0-19 YRS	323	5.5	60	1	1	3	6	13	20	43
20-34	678	4.4	29	1	1	3	5	9	13	29
35-49	285	4.6	20	1	1	3	6	9	14	21
50-64	93	5.6	24	1	1	4	8	12	17	23
65 +	65	8.2	46	1	2	6	12	19	24	29
GRAND TOTAL	**1444**	**5.0**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**32**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	2.9	4	1	1	2	3	6	8	9
20-34	20	3.4	8	1	1	3	4	5	10	14
35-49	16	2.3	1	< 1	1	2	3	4	5	5
50-64	21	2.2	1	1	1	2	3	4	4	4
65 +	11	2.0	2	< 1	< 1	1	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	51	3.2	2	1	2	3	4	5	6	8
20-34	32	5.2	47	1	1	2	7	13	20	33
35-49	31	4.3	21	1	1	3	4	10	18	21
50-64	24	4.5	36	< 1	1	2	4	12	19	27
65 +	24	6.0	71	1	1	3	6	13	31	34
TOTAL SINGLE DX	106	2.7	4	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	162	4.4	30	1	1	3	4	7	17	33
TOTAL										
0-19 YRS	89	3.0	3	1	1	3	4	5	6	9
20-34	52	4.5	33	1	1	3	5	8	18	33
35-49	47	3.6	15	1	1	3	4	6	13	21
50-64	45	3.4	21	< 1	1	2	4	5	13	27
65 +	35	4.7	52	< 1	1	3	5	7	25	34
GRAND TOTAL	**268**	**3.7**	**20**	**1**	**1**	**3**	**4**	**7**	**11**	**29**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	383	4.5	14	1	1	3	5	9	12	23
20-34	139	3.3	10	1	1	2	4	7	10	18
35-49	169	4.0	18	1	1	3	4	7	9	24
50-64	193	4.3	7	1	2	4	5	7	8	13
65 +	37	5.2	11	1	2	4	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	368	5.3	23	1	2	4	6	10	16	27
20-34	185	6.6	103	1	1	3	6	15	24	57
35-49	205	5.2	50	1	1	3	6	10	14	45
50-64	257	5.3	33	1	1	4	6	9	13	36
65 +	132	8.8	115	1	2	5	10	16	28	53
TOTAL SINGLE DX	921	4.2	13	1	1	3	5	8	10	21
TOTAL MULTIPLE DX	1147	5.9	55	1	1	4	6	11	18	40
TOTAL										
0-19 YRS	751	4.9	20	1	2	4	6	10	13	24
20-34	324	5.2	66	1	1	3	5	11	20	45
35-49	374	4.7	36	1	1	3	5	8	12	38
50-64	450	4.9	23	1	2	4	6	8	11	34
65 +	169	8.0	95	1	2	5	10	15	24	46
GRAND TOTAL	**2068**	**5.2**	**37**	**1**	**1**	**4**	**6**	**10**	**14**	**34**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	117	1.9		1	1	2	2	3	4	5
20-34	198	2.1	1	1	1	2	3	4	4	5
35-49	265	1.9	1	1	1	2	2	3	4	5
50-64	219	2.3	1	1	1	2	3	4	5	6
65 +	71	2.3	1	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	174	2.2	1	1	1	2	3	4	5	6
20-34	380	2.5	23	1	1	2	3	4	5	7
35-49	624	2.2	3	1	1	2	3	4	4	9
50-64	995	2.5	3	1	1	2	3	4	5	9
65 +	685	3.0	13	1	1	2	4	5	6	17
TOTAL SINGLE DX	870	2.1	1	1	1	2	3	4	4	5
TOTAL MULTIPLE DX	2858	2.5	9	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	291	2.1	1	1	1	2	3	4	4	6
20-34	578	2.3	16	1	1	2	3	4	4	6
35-49	889	2.2	3	1	1	2	3	3	4	8
50-64	1214	2.4	3	1	1	2	3	4	5	8
65 +	756	2.9	12	1	1	2	3	5	6	16
GRAND TOTAL	**3728**	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	747	3.1	15	<1	1	2	3	6	8	19
20-34	637	3.1	18	1	1	2	3	6	8	26
35-49	556	3.1	10	1	1	2	4	6	8	15
50-64	310	3.9	19	1	1	2	4	8	13	27
65 +	156	4.9	40	1	1	3	6	9	15	38
2. MULTIPLE DX										
0-19 YRS	467	7.6	113	1	1	3	8	23	34	53
20-34	646	7.0	106	1	1	3	7	17	26	53
35-49	700	6.4	84	1	1	3	7	16	26	47
50-64	831	8.5	135	1	1	4	10	21	33	63
65 +	827	11.1	140	1	2	8	15	25	33	73
TOTAL SINGLE DX	2406	3.3	18	1	1	2	4	7	9	20
TOTAL MULTIPLE DX	3471	8.3	121	1	1	4	10	21	31	58
TOTAL										
0-19 YRS	1214	4.8	58	1	1	2	5	10	20	42
20-34	1283	5.1	66	1	1	3	5	11	18	44
35-49	1256	4.9	54	1	1	2	5	11	19	41
50-64	1141	7.3	108	1	1	3	8	17	27	57
65 +	983	10.1	129	1	1	6	14	23	31	70
GRAND TOTAL	5877	6.3	84	1	1	3	7	15	24	50

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	472	4.7	35	1	1	3	5	8	14	35
20-34	216	3.5	9	1	1	3	4	7	9	17
35-49	98	4.0	7	1	1	3	5	8	10	14
50-64	80	5.8	31	1	2	4	7	11	12	37
65 +	108	8.5	19	2	2	8	12	15	16	19
2. MULTIPLE DX										
0-19 YRS	305	6.9	81	1	1	4	7	18	23	46
20-34	217	7.0	69	1	1	4	8	14	26	46
35-49	153	8.5	120	1	2	5	9	19	27	51
50-64	203	9.5	67	2	2	8	12	19	25	50
65 +	599	12.9	64	4	5	11	16	21	29	48
TOTAL SINGLE DX	974	4.9	27	1	1	3	6	10	13	28
TOTAL MULTIPLE DX	1477	9.8	82	1	2	8	13	20	27	48
TOTAL										
0-19 YRS	777	5.6	54	1	1	3	6	11	21	39
20-34	433	5.3	43	1	1	3	6	11	15	34
35-49	251	6.7	81	1	2	4	7	13	22	50
50-64	283	8.4	60	1	2	6	11	17	23	44
65 +	707	12.2	60	4	5	11	15	20	26	47
GRAND TOTAL	2451	7.9	66	1	2	5	10	17	23	43

707: Removal of internal fixat'on device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	430	2.5	12	<1	1	1	2	4	7	22
20-34	481	2.5	9	<1	1	2	3	5	6	17
35-49	215	2.5	5	<1	1	2	3	5	7	12
50-64	176	2.7	14	<1	<1	2	3	6	8	14
65 +	132	3.4	12	<1	1	2	4	8	11	18
2. MULTIPLE DX										
0-19 YRS	288	3.4	27	1	1	2	3	7	12	34
20-34	281	4.7	34	1	1	3	6	10	14	45
35-49	215	6.1	94	1	1	3	6	13	20	65
50-64	232	6.1	47	1	1	3	8	15	22	32
65 +	340	9.4	104	1	1	6	12	22	31	52
TOTAL SINGLE DX	1434	2.6	10	<1	1	2	3	5	7	20
TOTAL MULTIPLE DX	1356	6.1	67	1	1	3	7	14	22	45
TOTAL										
0-19 YRS	718	2.9	19	<1	1	2	3	5	9	23
20-34	762	3.3	19	1	1	2	4	7	10	26
35-49	430	4.3	53	1	1	2	4	9	14	35
50-64	408	4.6	36	1	1	2	5	11	17	31
65 +	472	7.7	86	1	1	4	10	18	28	51
GRAND TOTAL	2790	4.3	41	1	1	2	4	10	15	33

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	12.8	109	1	2	9	20	27	34	44
20-34	24	9.3	76	2	3	6	10	16	30	43
35-49	13	9.7	108	3	4	7	9	19	38	43
50-64	33	8.9	37	4	5	8	10	13	15	39
65 +	134	10.2	50	5	5	9	12	14	16	54
2. MULTIPLE DX										
0-19 YRS	79	13.9	129	3	5	11	17	27	32	70
20-34	62	17.6	192	5	7	13	18	38	52	68
35-49	35	13.4	153	5	6	10	15	20	32	75
50-64	89	12.3	55	4	5	10	15	22	30	37
65 +	781	12.5	65	5	7	11	14	18	23	52
TOTAL SINGLE DX	301	10.8	74	3	4	8	12	20	27	44
TOTAL MULTIPLE DX	1046	12.9	81	5	6	11	15	20	27	54
TOTAL										
0-19 YRS	176	13.3	118	1	3	10	19	27	33	44
20-34	86	15.3	173	4	5	12	17	30	46	65
35-49	48	12.4	142	4	4	9	14	19	35	75
50-64	122	11.4	52	4	5	9	13	21	29	39
65 +	915	12.2	64	5	6	11	14	18	22	52
GRAND TOTAL	1347	12.4	80	4	6	11	14	20	27	53

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	6.7	33	2	2	5	9	11	14	35
20-34	90	7.8	15	3	4	7	10	13	16	23
35-49	76	8.0	20	3	3	7	10	14	19	23
50-64	131	9.1	33	4	5	8	10	13	15	31
65 +	683	10.3	14	5	6	10	12	15	17	22
2. MULTIPLE DX										
0-19 YRS	180	13.3	118	4	5	11	16	22	28	72
20-34	263	13.4	73	5	6	11	16	24	29	63
35-49	189	15.3	151	5	5	12	17	28	43	77
50-64	521	14.0	83	5	6	12	16	25	31	50
65 +	4616	13.9	59	6	7	12	16	21	27	46
TOTAL SINGLE DX	1080	9.5	21	4	5	9	12	14	17	22
TOTAL MULTIPLE DX	5769	13.9	67	6	7	12	16	22	28	50
TOTAL										
0-19 YRS	280	11.0	98	2	3	9	14	20	25	50
20-34	353	12.0	65	4	5	10	15	21	27	58
35-49	265	13.2	124	4	5	10	15	22	40	72
50-64	652	13.0	77	5	6	11	15	22	29	50
65 +	5299	13.4	55	6	7	12	15	21	26	44
GRAND TOTAL	6849	13.2	63	5	7	12	15	21	26	47

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223	8.9	102	1	1	3	15	25	29	38
20-34	10	7.5	125	2	2	4	6	23	39	39
35-49	7	19.1	409	2	3	14	28	54	59	59
50-64	10	11.7	252	1	1	5	7	41	44	44
65 +	12	7.6	24	1	2	6	12	15	16	16
2. MULTIPLE DX										
0-19 YRS	131	15.8	270	1	2	8	27	37	51	68
20-34	25	13.6	101	2	2	11	17	30	37	40
35-49	9	13.3	168	1	1	10	16	35	43	43
50-64	24	16.5	263	1	1	12	22	51	71	99 +
65 +	84	14.0	147	2	4	10	17	29	45	61
TOTAL SINGLE DX	262	9.2	114	1	1	4	15	25	32	44
TOTAL MULTIPLE DX	273	15.0	211	1	2	10	22	35	48	66
TOTAL										
0-19 YRS	354	11.4	175	1	1	5	19	29	36	59
20-34	35	11.9	113	2	2	9	15	30	38	40
35-49	16	15.9	263	1	2	11	19	42	54	59
50-64	34	15.1	257	1	1	8	20	44	59	99 +
65 +	96	13.2	136	2	3	10	16	26	41	59
GRAND TOTAL	535	12.2	172	1	1	7	18	30	39	60

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	308	2.8	15	1	1	2	2	5	11	22
20-34	128	3.0	4	< 1	1	2	4	6	7	11
35-49	91	2.8	5	< 1	< 1	2	4	7	7	11
50-64	89	2.6	3	< 1	1	2	3	5	7	8
65 +	80	2.9	7	< 1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	89	5.4	42	1	1	3	6	12	18	34
20-34	92	6.2	29	1	1	5	8	13	20	25
35-49	68	5.0	14	1	1	4	7	10	11	18
50-64	82	7.7	70	1	1	5	12	19	25	44
65 +	153	8.2	103	1	1	5	9	21	29	56
TOTAL SINGLE DX	696	2.8	10	< 1	1	2	3	6	8	19
TOTAL MULTIPLE DX	484	6.8	61	1	1	4	8	14	22	43
TOTAL										
0-19 YRS	397	3.4	23	1	1	2	3	7	14	26
20-34	220	4.3	17	< 1	1	3	6	8	12	23
35-49	159	3.8	10	< 1	1	3	5	8	10	16
50-64	171	5.0	42	1	1	3	5	12	19	33
65 +	233	6.4	77	1	1	3	7	13	24	52
GRAND TOTAL	1180	4.4	35	1	1	2	5	10	14	29

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1300	2.4	3	1	1	2	3	4	6	9
20-34	1512	3.2	5	1	1	3	4	6	7	10
35-49	1112	3.7	6	1	1	3	5	7	8	11
50-64	778	4.1	6	1	1	4	5	7	9	13
65 +	476	5.3	25	1	2	4	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	684	5.1	43	1	1	3	6	11	16	31
20-34	1306	6.2	48	1	1	4	7	13	19	35
35-49	1073	6.3	40	1	2	5	8	12	17	33
50-64	1008	7.2	51	1	2	5	8	13	19	35
65 +	1343	8.6	52	2	3	7	10	16	22	35
TOTAL SINGLE DX	5178	3.5	8	1	1	3	4	6	8	12
TOTAL MULTIPLE DX	5504	6.9	49	1	2	5	8	13	19	34
TOTAL										
0-19 YRS	1984	3.3	19	1	1	2	4	6	9	22
20-34	2908	4.7	28	1	1	3	5	9	13	28
35-49	2185	5.0	25	1	1	4	6	9	12	25
50-64	1786	5.8	34	1	2	4	7	11	14	30
65 +	1819	7.8	48	2	2	6	9	14	20	34
GRAND TOTAL	10682	5.2	32	1	1	4	6	10	14	29

713: Other reduction of fracture without internal fixation, except maxillo- facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2025	1.9	6	< 1	1	1	2	3	5	16
20-34	383	3.0	9	< 1	1	2	4	5	8	15
35-49	305	3.1	6	1	1	2	4	6	7	13
50-64	270	2.8	6	1	1	2	4	6	7	14
65 +	226	3.5	25	1	1	3	4	7	8	16
2. MULTIPLE DX										
0-19 YRS	633	4.4	48	1	1	2	5	10	15	29
20-34	448	5.4	51	1	1	3	6	11	17	44
35-49	333	6.5	65	1	1	4	7	15	20	52
50-64	357	6.1	68	1	1	4	7	11	17	40
65 +	819	6.5	39	1	1	5	8	14	18	35
TOTAL SINGLE DX	3209	2.3	8	< 1	1	1	3	4	6	16
TOTAL MULTIPLE DX	2590	5.7	52	1	1	3	7	13	18	38
TOTAL										
0-19 YRS	2658	2.5	17	< 1	1	1	2	4	8	19
20-34	831	4.3	34	1	1	3	5	8	13	35
35-49	638	4.9	40	1	1	3	5	9	15	37
50-64	627	4.7	44	1	1	3	5	9	13	29
65 +	1045	5.8	38	1	1	4	7	12	16	34
GRAND TOTAL	5793	3.9	31	1	1	2	4	8	13	26

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	4.1	28	1	1	2	5	9	17	28
20-34	88	2.1	3	< 1	< 1	1	2	5	6	11
35-49	44	2.9	44	< 1	1	1	3	5	7	45
50-64	62	3.4	13	< 1	1	2	5	9	10	20
65 +	129	4.2	17	1	1	3	5	9	14	22
2. MULTIPLE DX										
0-19 YRS	90	8.2	153	1	1	4	12	17	24	78
20-34	102	6.0	64	1	1	3	8	14	21	43
35-49	69	7.2	76	1	1	4	8	24	29	36
50-64	96	7.1	95	1	1	4	8	16	22	52
65 +	213	6.8	67	1	1	5	8	15	19	42
TOTAL SINGLE DX	487	3.5	21	< 1	1	2	4	8	12	23
TOTAL MULTIPLE DX	570	7.0	86	1	1	4	8	16	23	45
TOTAL										
0-19 YRS	254	5.5	77	1	1	2	7	14	20	35
20-34	190	4.2	40	< 1	1	2	4	9	15	29
35-49	113	5.5	68	< 1	1	2	5	12	26	40
50-64	158	5.6	66	1	1	3	7	12	20	46
65 +	342	5.8	50	1	1	4	7	13	16	32
GRAND TOTAL	1057	5.4	59	1	1	3	6	12	19	37

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	4.0	17	1	1	3	4	9	12	24
20-34	105	2.1	2	1	1	2	3	4	5	8
35-49	61	2.3	3	1	1	2	3	5	6	11
50-64	20	3.6	9	1	1	3	5	8	10	12
65 +	18	4.4	9	1	1	4	6	10	12	12
2. MULTIPLE DX										
0-19 YRS	81	6.1	36	1	1	4	7	14	19	30
20-34	61	6.4	74	1	1	4	7	13	25	50
35-49	42	4.6	17	1	1	3	6	8	12	24
50-64	36	7.9	57	1	2	6	10	19	26	35
65 +	37	9.7	55	1	2	8	15	21	26	28
TOTAL SINGLE DX	342	3.1	10	1	1	2	4	6	10	15
TOTAL MULTIPLE DX	257	6.7	50	1	1	4	8	15	23	32
TOTAL										
0-19 YRS	219	4.8	26	1	1	3	5	11	15	28
20-34	166	3.7	33	1	1	2	4	7	9	31
35-49	103	3.3	10	1	1	2	4	6	9	19
50-64	56	6.3	45	1	1	4	8	12	21	35
65 +	55	8.0	47	1	2	6	12	17	24	28
GRAND TOTAL	599	4.7	30	1	1	3	5	11	15	28

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	327	4.5	28	1	1	3	5	12	17	29
20-34	192	2.8	8	< 1	1	2	3	6	10	15
35-49	141	3.3	17	< 1	1	2	4	7	10	23
50-64	74	5.3	47	< 1	1	3	5	13	19	39
65 +	66	7.1	52	1	1	5	9	16	20	40
2. MULTIPLE DX										
0-19 YRS	324	8.6	150	1	1	3	11	21	31	74
20-34	242	5.0	43	< 1	1	3	5	12	18	36
35-49	228	7.7	127	< 1	1	3	9	20	30	51
50-64	252	10.3	186	1	1	5	12	23	41	71
65 +	308	16.2	248	1	2	12	22	37	50	72
TOTAL SINGLE DX	800	4.2	26	< 1	1	2	4	11	14	26
TOTAL MULTIPLE DX	1354	9.9	171	1	1	4	13	24	37	69
TOTAL										
0-19 YRS	651	6.5	93	1	1	3	8	17	22	53
20-34	434	4.0	29	< 1	1	2	4	10	13	31
35-49	369	6.0	90	< 1	1	3	6	14	23	49
50-64	326	9.1	159	1	1	5	10	21	39	67
65 +	374	14.6	226	1	2	10	20	33	48	72
GRAND TOTAL	2154	7.7	125	1	1	3	9	20	29	56

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	5.2	13	1	2	4	6	8	14	22
20-34	2191	5.4	10	2	2	5	7	9	12	18
35-49	3464	5.7	10	2	2	5	7	10	12	17
50-64	1432	6.2	14	2	3	5	8	10	13	19
65 +	331	7.3	15	3	3	7	9	12	13	22
2. MULTIPLE DX										
0-19 YRS	43	10.7	94	2	4	7	12	19	31	51
20-34	753	7.5	29	3	3	6	9	13	18	29
35-49	1930	7.7	28	3	3	6	9	13	17	27
50-64	1591	8.5	35	3	4	7	10	15	19	33
65 +	1014	11.5	66	4	4	9	14	20	25	49
TOTAL SINGLE DX	7522	5.8	12	2	3	5	7	10	12	18
TOTAL MULTIPLE DX	5331	8.6	41	3	4	7	10	16	20	34
TOTAL										
0-19 YRS	147	6.8	43	1	2	5	7	15	17	42
20-34	2944	5.9	16	2	3	5	7	10	13	21
35-49	5394	6.4	18	2	3	5	8	11	14	22
50-64	3023	7.4	27	3	3	6	9	13	16	28
65 +	1345	10.4	57	3	4	8	13	18	24	46
GRAND TOTAL	12853	7.0	26	2	3	6	8	12	16	26

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	1.9	1	< 1	< 1	1	3	3	5	5
20-34	129	1.8	1	< 1	< 1	1	2	3	4	6
35-49	96	1.9	1	< 1	< 1	1	2	4	5	6
50-64	82	2.0	2	< 1	< 1	1	3	4	6	7
65 +	29	1.6	1	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	141	2.3	1	< 1	1	2	3	4	5	6
20-34	358	2.5	4	< 1	1	2	3	5	7	10
35-49	254	2.5	7	< 1	< 1	1	3	5	7	15
50-64	263	2.8	34	< 1	1	2	3	5	7	14
65 +	156	2.4	5	< 1	1	2	3	5	8	12
TOTAL SINGLE DX	393	1.8	2	< 1	< 1	1	2	4	5	6
TOTAL MULTIPLE DX	1172	2.5	12	< 1	1	2	3	5	6	12
TOTAL										
0-19 YRS	198	2.2	2	< 1	< 1	2	3	4	5	6
20-34	487	2.3	3	< 1	< 1	2	3	4	6	10
35-49	350	2.3	6	< 1	< 1	1	3	5	6	15
50-64	345	2.6	27	< 1	< 1	1	3	5	6	13
65 +	185	2.3	5	< 1	< 1	1	3	4	7	12
GRAND TOTAL	1565	2.4	9	<1	<1	2	3	4	6	11

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	217	3.5	39	< 1	< 1	2	3	7	11	36
20-34	272	2.1	3	< 1	< 1	1	2	4	5	10
35-49	217	2.3	5	< 1	< 1	1	3	4	6	15
50-64	142	3.6	20	< 1	< 1	2	4	8	14	20
65 +	59	5.2	36	1	1	3	7	12	17	34
2. MULTIPLE DX										
0-19 YRS	245	4.3	39	< 1	< 1	2	4	11	21	31
20-34	415	4.7	63	< 1	< 1	2	4	10	21	40
35-49	400	3.7	23	< 1	1	2	4	9	14	23
50-64	399	5.7	69	1	1	2	6	15	24	46
65 +	326	9.1	107	1	1	4	13	25	32	42
TOTAL SINGLE DX	907	2.9	18	< 1	< 1	2	3	6	9	22
TOTAL MULTIPLE DX	1785	5.5	64	< 1	1	2	6	15	23	40
TOTAL										
0-19 YRS	462	3.9	39	< 1	< 1	2	4	9	16	32
20-34	687	3.6	41	< 1	< 1	2	4	7	13	35
35-49	617	3.2	18	< 1	1	2	4	8	11	21
50-64	541	5.2	57	< 1	1	2	6	14	21	44
65 +	385	8.5	98	1	1	4	12	24	32	42
GRAND TOTAL	2692	4.6	50	<1	1	2	4	11	20	37

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	323	8.7	14	5	6	8	10	13	16	25
20-34	190	7.9	14	3	4	8	9	13	14	21
35-49	280	6.8	13	2	3	6	8	10	12	19
50-64	162	7.4	21	2	3	6	9	13	15	26
65 +	45	8.6	26	2	3	7	12	15	16	29
2. MULTIPLE DX										
0-19 YRS	368	12.2	77	5	6	9	14	22	31	62
20-34	343	10.7	47	4	5	8	12	19	27	48
35-49	473	10.9	88	4	5	9	12	17	24	60
50-64	350	11.2	86	4	4	9	13	21	24	43
65 +	210	13.9	74	5	6	12	16	24	35	46
TOTAL SINGLE DX	1000	7.8	16	3	4	7	9	12	15	22
TOTAL MULTIPLE DX	1744	11.6	77	4	5	9	13	20	27	54
TOTAL										
0-19 YRS	691	10.6	51	5	6	9	12	18	24	45
20-34	533	9.7	38	4	5	8	11	17	21	39
35-49	753	9.4	64	3	4	8	10	15	19	54
50-64	512	10.0	69	3	4	8	12	18	22	39
65 +	255	13.0	70	4	5	11	16	22	33	45
GRAND TOTAL	2744	10.2	58	4	4	8	12	17	23	43

333 Hospitals, North Central Region, January-December 1987, by Operation

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	3.1	3	1	1	3	4	5	7	10
20-34	184	3.4	9	1	1	3	4	6	8	15
35-49	208	3.1	3	1	1	3	4	5	7	10
50-64	181	3.3	4	1	1	3	4	5	7	11
65 +	56	4.0	11	1	1	3	6	10	10	15
2. MULTIPLE DX										
0-19 YRS	100	3.5	3	1	1	3	4	6	7	9
20-34	150	4.4	26	1	1	3	5	7	10	31
35-49	208	4.1	19	1	1	3	5	8	9	17
50-64	254	4.4	12	1	1	3	6	8	10	16
65 +	180	5.9	59	1	1	4	7	12	16	47
TOTAL SINGLE DX	694	3.3	6	1	1	3	4	6	7	11
TOTAL MULTIPLE DX	892	4.5	25	1	1	3	5	8	11	28
TOTAL										
0-19 YRS	165	3.4	3	1	1	3	4	6	7	9
20-34	334	3.8	18	1	1	3	4	6	9	22
35-49	416	3.6	12	1	1	3	4	7	8	15
50-64	435	3.9	9	1	1	3	5	7	10	16
65 +	236	5.5	49	1	1	3	7	11	15	36
GRAND TOTAL	1586	4.0	17	1	1	3	5	7	10	17

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	13.5	99	6	6	10	20	28	28	28
20-34	72	8.3	4	4	5	9	10	10	12	14
35-49	190	9.0	7	5	6	9	10	12	14	20
50-64	654	9.6	8	6	7	9	11	13	14	17
65 +	1098	10.8	13	7	7	10	12	15	16	24
2. MULTIPLE DX										
0-19 YRS	11	12.8	54	5	6	10	16	26	26	26
20-34	101	10.4	19	5	6	9	12	17	20	26
35-49	315	11.5	53	6	7	10	13	17	24	55
50-64	1146	11.7	35	7	7	10	13	17	21	34
65 +	3516	13.4	46	7	8	12	15	20	26	44
TOTAL SINGLE DX	2018	10.2	12	6	7	10	12	14	15	21
TOTAL MULTIPLE DX	5089	12.8	45	7	8	11	14	19	25	44
TOTAL										
0-19 YRS	15	13.0	61	5	6	10	16	26	28	28
20-34	173	9.5	14	5	6	9	10	[illegible]	18	24
35-49	505	10.6	38	6	6	9	12	15	20	45
50-64	1800	11.0	27	6	7	10	12	15	19	32
65 +	4614	12.8	40	7	8	11	14	19	24	41
GRAND TOTAL	7107	12.1	37	7	7	11	13	17	22	38

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	5.5	7	2	2	5	6	10	10	10
20-34	11	7.2	16	1	2	7	10	12	14	14
35-49	23	12.7	253	4	5	8	10	19	55	77
50-64	72	11.3	19	7	8	10	12	15	19	34
65 +	511	11.2	28	6	7	11	13	16	18	24
2. MULTIPLE DX										
0-19 YRS	18	8.5	64	2	3	5	11	17	29	35
20-34	29	12.2	82	2	5	11	13	29	35	36
35-49	60	14.7	118	5	6	12	16	26	42	60
50-64	238	15.0	96	6	7	12	16	26	35	58
65 +	2823	14.0	53	7	8	12	16	21	27	42
TOTAL SINGLE DX	623	11.2	35	6	7	10	13	16	19	27
TOTAL MULTIPLE DX	3168	14.0	58	6	8	12	16	22	27	45
TOTAL										
0-19 YRS	24	7.8	51	2	3	5	10	14	24	35
20-34	40	10.8	69	1	3	9	12	20	34	36
35-49	83	14.1	154	5	6	10	14	26	44	72
50-64	310	14.1	81	7	8	12	15	24	33	53
65 +	3334	13.5	51	6	8	12	15	21	26	41
GRAND TOTAL	3791	13.5	56	6	7	12	15	21	26	43

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	391	2.9	3	1	1	3	4	5	5	7
20-34	498	3.4	3	1	1	3	4	5	7	11
35-49	206	5.5	14	1	1	5	8	11	13	16
50-64	689	9.5	11	5	6	9	11	14	15	20
65 +	1317	10.6	10	6	7	10	12	15	16	21
2. MULTIPLE DX										
0-19 YRS	414	3.3	3	1	1	3	4	5	6	11
20-34	625	3.9	8	1	2	3	4	6	8	18
35-49	323	6.2	37	1	2	4	8	12	16	32
50-64	1316	10.5	22	4	6	10	12	16	18	29
65 +	3748	11.9	24	6	7	11	14	17	20	30
TOTAL SINGLE DX	3101	7.9	20	2	2	8	11	13	15	19
TOTAL MULTIPLE DX	6426	10.0	31	2	3	10	13	16	19	28
TOTAL										
0-19 YRS	805	3.1	3	1	1	3	4	5	6	9
20-34	1123	3.7	6	1	2	3	4	6	8	15
35-49	529	6.0	29	1	1	4	8	12	14	27
50-64	2005	10.1	19	4	6	10	12	15	17	25
65 +	5065	11.6	21	6	7	11	13	16	19	28
GRAND TOTAL	9527	9.3	28	2	3	9	12	15	17	25

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	409	2.0	1	1	1	2	2	3	4	6
20-34	862	2.2	1	1	1	2	3	4	4	6
35-49	535	2.3	1	1	1	2	3	4	5	7
50-64	504	2.8	2	1	1	2	4	5	6	9
65 +	233	3.9	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	123	2.7	5	1	1	2	3	4	8	12
20-34	329	3.0	7	1	1	2	4	5	7	12
35-49	472	2.9	8	1	1	2	3	5	6	12
50-64	700	3.3	6	1	1	3	4	6	8	13
65 +	604	5.1	24	1	2	4	6	10	15	23
TOTAL SINGLE DX	2543	2.5	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	2228	3.6	13	1	1	3	4	7	9	18
TOTAL										
0-19 YRS	532	2.2	2	1	1	2	3	4	4	12
20-34	1191	2.4	3	1	1	2	3	4	5	9
35-49	1007	2.6	5	1	1	2	3	4	5	10
50-64	1204	3.1	5	1	1	3	4	5	7	11
65 +	837	4.8	21	1	1	4	6	9	13	21
GRAND TOTAL	**4771**	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**14**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	367	4.0	20	1	1	3	4	8	12	23
20-34	122	3.5	8	<1	1	2	4	8	10	15
35-49	109	3.2	11	<1	<1	2	4	8	10	17
50-64	43	4.1	15	<1	1	3	6	8	11	22
65 +	29	5.1	32	1	1	3	6	11	18	28
2. MULTIPLE DX										
0-19 YRS	584	4.5	26	1	1	3	5	8	13	34
20-34	189	6.4	52	1	1	4	8	12	20	37
35-49	185	5.8	42	1	1	4	7	12	17	41
50-64	174	7.1	95	1	1	4	8	18	23	63
65 +	172	9.2	81	1	2	6	12	20	31	43
TOTAL SINGLE DX	670	3.8	17	<1	1	3	4	8	11	22
TOTAL MULTIPLE DX	1304	5.9	51	1	1	4	7	13	20	42
TOTAL										
0-19 YRS	951	4.3	24	1	1	3	4	8	12	28
20-34	311	5.3	37	1	1	3	6	10	15	32
35-49	294	4.8	33	<1	1	3	6	10	14	32
50-64	217	6.5	80	1	1	4	7	15	22	61
65 +	201	8.6	77	1	1	5	11	19	28	42
GRAND TOTAL	**1974**	**5.2**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	160	3.1	16	<1	<1	2	4	6	8	13
20-34	74	2.4	3	<1	<1	2	3	6	6	9
35-49	98	2.2	3	<1	<1	2	3	4	5	10
50-64	89	3.1	13	<1	<1	2	3	7	11	20
65 +	62	3.4	9	1	1	3	4	7	9	18
2. MULTIPLE DX										
0-19 YRS	111	7.4	66	1	1	4	11	17	27	64
20-34	89	6.7	68	<1	1	3	9	17	22	43
35-49	124	8.2	107	1	1	4	11	20	30	52
50-64	221	8.2	89	1	1	4	11	19	27	51
65 +	206	9.8	111	1	1	7	13	21	28	60
TOTAL SINGLE DX	483	2.8	11	<1	<1	2	3	6	8	13
TOTAL MULTIPLE DX	751	8.3	93	1	1	5	11	20	27	52
TOTAL										
0-19 YRS	271	4.8	42	<1	1	2	5	11	15	42
20-34	163	4.7	44	<1	<1	2	6	11	20	29
35-49	222	5.5	70	<1	1	2	6	13	21	43
50-64	310	6.7	72	<1	1	3	8	17	22	42
65 +	268	8.3	95	1	1	5	11	19	24	57
GRAND TOTAL	**1234**	**6.2**	**68**	**<1**	**1**	**3**	**8**	**15**	**22**	**42**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	3.3	9	1	1	2	4	9	10	10
20-34	13	2.8	4	<1	1	2	4	6	7	7
35-49	24	2.0	1	<1	<1	1	3	5	5	5
50-64	70	1.7	2	<1	<1	1	2	3	3	11
65 +	47	1.5		<1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	11	2.9	5	1	1	2	4	7	8	8
20-34	19	7.5	44	1	1	7	10	17	22	26
35-49	35	2.9	4	1	1	2	4	6	7	8
50-64	64	2.5	9	<1	1	2	3	5	6	22
65 +	74	3.4	11	1	1	2	4	9	11	15
TOTAL SINGLE DX	161	1.8	2	<1	1	1	2	3	5	10
TOTAL MULTIPLE DX	203	3.4	14	1	1	2	4	8	10	21
TOTAL										
0-19 YRS	18	3.1	7	1	1	2	4	7	9	10
20-34	32	5.6	33	1	1	3	8	12	18	26
35-49	59	2.5	3	<1	1	2	3	5	7	8
50-64	134	2.1	6	<1	1	1	2	3	6	14
65 +	121	2.7	8	1	1	2	3	6	10	14
GRAND TOTAL	**364**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**6**	**9**	**16**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	172	1.7	1	<1	<1	1	2	3	4	9
20-34	205	1.8	1	<1	<1	1	2	3	4	7
35-49	89	1.7	1	<1	<1	1	2	3	4	6
50-64	42	1.9	2	<1	1	1	2	3	4	10
65+	13	1.7		1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	189	2.1	4	<1	1	1	2	4	6	11
20-34	252	2.4	5	<1	1	2	3	4	7	14
35-49	124	2.8	10	<1	1	2	3	6	8	18
50-64	75	3.1	35	<1	1	2	3	5	7	39
65+	35	4.1	87	<1	1	2	4	5	8	57
TOTAL SINGLE DX	521	1.7	2	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	675	2.6	14	<1	1	2	3	5	7	15
TOTAL										
0-19 YRS	361	1.9	3	<1	<1	1	2	3	5	10
20-34	457	2.1	4	<1	1	1	2	4	5	11
35-49	213	2.3	7	<1	<1	2	3	4	7	12
50-64	117	2.7	24	<1	1	2	3	4	6	36
65+	48	3.5	65	1	1	2	3	5	6	57
GRAND TOTAL	1196	2.2	9	<1	1	1	2	4	5	12

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	2.3	7	<1	<1	2	2	4	6	15
20-34	247	2.1	2	<1	1	2	3	4	5	8
35-49	314	2.4	2	1	1	2	3	4	5	7
50-64	371	3.0	3	1	1	3	4	5	6	11
65+	130	3.8	6	1	1	3	4	7	8	15
2. MULTIPLE DX										
0-19 YRS	108	3.3	15	1	1	2	4	6	8	25
20-34	189	3.7	24	1	1	2	4	7	11	29
35-49	279	3.7	22	1	1	2	4	6	11	22
50-64	400	3.8	11	1	1	3	4	6	9	19
65+	280	5.4	43	1	2	4	6	11	14	38
TOTAL SINGLE DX	1185	2.7	4	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	1256	4.1	24	1	1	3	5	7	11	22
TOTAL										
0-19 YRS	231	2.7	12	<1	1	2	3	6	7	21
20-34	436	2.8	12	<1	1	2	3	5	7	17
35-49	593	3.0	12	1	1	2	3	5	7	17
50-64	771	3.4	8	1	1	3	4	5	7	17
65+	410	4.9	32	1	1	4	5	9	13	27
GRAND TOTAL	2441	3.4	15	1	1	3	4	6	8	19

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	442	2.7	7	1	1	2	3	5	6	11
20-34	206	2.8	7	1	1	2	3	5	6	13
35-49	166	2.4	4	1	1	2	3	4	5	11
50-64	103	2.8	3	1	1	2	3	6	7	9
65+	42	3.8	15	1	1	3	4	8	12	22
2. MULTIPLE DX										
0-19 YRS	610	2.9	7	1	1	2	3	5	7	14
20-34	147	5.8	89	1	1	3	5	16	34	99+
35-49	122	5.5	80	1	1	3	5	11	26	74
50-64	128	5.0	97	1	1	3	5	8	12	51
65+	117	7.3	60	1	2	4	8	17	27	35
TOTAL SINGLE DX	959	2.7	7	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	1124	4.2	44	1	1	3	4	7	13	39
TOTAL										
0-19 YRS	1052	2.8	7	1	1	2	3	5	6	11
20-34	353	4.0	44	1	1	2	4	6	14	55
35-49	288	3.7	39	1	1	2	3	6	11	40
50-64	231	4.1	57	1	1	3	4	6	10	33
65+	159	6.4	51	1	1	4	7	15	24	34
GRAND TOTAL	2083	3.5	27	1	1	2	4	6	9	32

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	1.7	4	<1	<1	1	1	3	6	13
20-34	77	2.0	4	<1	<1	1	2	4	7	11
35-49	52	2.2	8	1	1	1	2	3	7	17
50-64	31	1.6		<1	1	1	2	3	3	4
65+	23	2.3	5	1	1	1	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	32	4.7	80	1	1	2	4	9	18	49
20-34	91	4.3	47	1	1	2	4	9	15	39
35-49	81	4.5	27	1	1	3	6	10	13	30
50-64	82	5.4	41	1	1	3	6	16	21	29
65+	54	8.0	78	1	1	5	10	24	28	42
TOTAL SINGLE DX	232	2.0	5	<1	<1	1	2	4	6	13
TOTAL MULTIPLE DX	340	5.3	50	1	1	3	6	12	20	37
TOTAL										
0-19 YRS	81	2.9	36	<1	<1	1	2	5	10	39
20-34	168	3.3	29	<1	1	2	3	7	11	36
35-49	133	3.6	21	1	1	2	4	8	12	23
50-64	113	4.4	33	1	1	2	4	12	18	29
65+	77	6.3	63	1	1	3	9	15	24	39
GRAND TOTAL	572	3.9	34	<1	1	2	4	9	15	33

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.0	1	< 1	< 1	2	3	4	4	4
20-34	12	5.8	28	1	1	4	9	13	18	19
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5	11.8	148	1	1	10	19	31	31	31
20-34	12	10.3	194	< 1	1	3	16	32	41	43
35-49	8	8.1	32	2	2	6	14	15	16	16
50-64	10	7.0	17	1	2	7	10	13	14	14
65 +	10	17.4	208	1	1	12	29	40	43	43
TOTAL SINGLE DX	21	4.3	20	< 1	1	3	5	10	14	19
TOTAL MULTIPLE DX	45	10.9	128	1	1	7	14	29	38	43
TOTAL										
0-19 YRS	11	6.5	86	< 1	< 1	2	8	21	30	31
20-34	24	8.0	112	< 1	1	3	9	27	32	43
35-49	11	6.8	29	1	1	6	12	15	16	16
50-64	10	7.0	17	1	2	7	10	13	14	14
65 +	10	17.4	209	1	1	12	29	40	43	43
GRAND TOTAL	66	8.8	102	1	1	4	11	26	32	43

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.0	7	1	1	4	6	8	9	9
20-34	13	3.6	11	1	1	2	5	9	11	12
35-49	11	3.5	16	1	1	2	4	11	13	13
50-64	18	3.8	7	1	1	3	5	8	9	10
65 +	17	6.9	24	1	2	5	9	15	16	17
2. MULTIPLE DX										
0-19 YRS	23	5.0	19	1	1	3	7	13	14	15
20-34	57	11.0	104	1	2	7	16	24	33	48
35-49	122	12.5	108	2	3	10	16	26	36	74
50-64	354	14.9	149	2	3	12	20	32	42	64
65 +	618	14.4	140	2	3	12	19	29	38	60
TOTAL SINGLE DX	69	4.5	15	1	1	3	7	10	13	17
TOTAL MULTIPLE DX	1174	14.0	138	2	3	11	18	29	38	62
TOTAL										
0-19 YRS	33	4.7	16	1	1	4	6	12	14	15
20-34	70	9.7	95	1	2	6	14	21	32	47
35-49	133	11.7	107	1	2	9	15	26	35	71
50-64	372	14.4	148	2	3	12	19	31	42	63
65 +	635	14.2	139	2	3	11	18	28	38	59
GRAND TOTAL	1243	13.5	136	2	2	11	18	28	38	60

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	4	5.8	9	2	2	6	8	9	9	9
35-49	5	11.4	46	5	5	9	16	22	22	22
50-64	6	14.3	79	5	6	12	16	29	31	31
65 +	24	14.4	58	6	7	12	18	30	31	32
2. MULTIPLE DX										
0-19 YRS	5	9.2	7	7	7	8	11	13	13	13
20-34	36	20.7	305	4	5	14	35	53	58	99 +
35-49	70	16.8	138	6	6	13	18	36	47	92
50-64	254	19.9	208	6	7	15	27	38	49	70
65 +	758	19.4	158	6	8	16	24	36	43	69
TOTAL SINGLE DX	41	12.8	58	4	5	11	16	25	31	32
TOTAL MULTIPLE DX	1123	19.3	173	6	7	16	25	37	45	70
TOTAL										
0-19 YRS	7	8.7	10	4	5	8	11	13	13	13
20-34	40	19.2	295	3	4	11	33	52	58	99 +
35-49	75	16.4	133	5	6	13	18	36	45	90
50-64	260	19.8	206	6	7	15	26	38	48	70
65 +	782	19.2	156	6	8	16	24	36	43	68
GRAND TOTAL	1164	19.1	170	6	7	15	25	36	44	70

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	6.2	5	3	3	6	8	9	9	9
20-34	1	15.0		15	15	15	15	15	15	15
35-49	4	13.5	71	8	8	10	18	26	26	26
50-64	7	17.3	67	6	7	17	21	30	32	32
65 +	28	9.7	18	4	6	9	11	15	18	23
2. MULTIPLE DX										
0-19 YRS	11	16.0	583	1	2	6	16	52	81	84
20-34	8	24.9	469	10	10	20	43	90	99 +	99 +
35-49	34	21.9	236	7	8	20	29	51	70	99 +
50-64	119	23.1	366	5	8	16	26	54	73	96
65 +	795	17.3	173	5	6	14	21	33	45	91
TOTAL SINGLE DX	46	10.8	37	4	5	9	14	18	24	32
TOTAL MULTIPLE DX	967	18.2	209	5	6	14	22	35	54	98
TOTAL										
0-19 YRS	17	12.5	390	2	3	6	10	28	65	84
20-34	9	23.8	421	10	10	17	33	87	99 +	99 +
35-49	38	21.0	223	7	8	18	26	45	66	99 +
50-64	126	22.8	351	5	8	16	26	54	67	95
65 +	823	17.0	170	5	6	13	21	33	44	90
GRAND TOTAL	1013	17.9	204	5	6	14	22	35	53	95

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	8.2	50	3	3	5	12	20	21	21
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	5.3	26	1	1	4	9	11	11	11
50-64	4	17.8	114	9	9	14	25	33	33	33
65 +	3	4.7	16	1	1	4	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	10	10.4	168	2	2	7	11	29	46	46
20-34	19	19.9	368	2	3	12	27	49	61	70
35-49	33	19.2	260	2	5	14	26	38	40	84
50-64	120	20.5	218	5	6	16	28	38	49	89
65 +	190	18.0	190	4	6	15	22	31	50	97
TOTAL SINGLE DX	17	8.9	72	1	1	5	12	20	29	33
TOTAL MULTIPLE DX	372	18.8	215	4	5	15	24	36	49	93
TOTAL										
0-19 YRS	16	9.6	119	2	3	5	11	20	38	46
20-34	20	19.0	367	1	2	12	26	48	59	70
35-49	36	18.1	255	2	3	13	24	38	40	84
50-64	124	20.4	214	5	6	16	28	38	49	89
65 +	193	17.8	191	4	5	15	22	31	49	97
GRAND TOTAL	389	18.3	212	3	5	15	24	35	49	91

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	5.1	13	<1	1	4	6	10	13	16
20-34	15	4.7	7	2	2	4	6	9	10	11
35-49	16	6.8	62	1	2	5	7	9	27	35
50-64	4	2.8	3	<1	<1	2	4	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	15	6.9	27	1	1	6	9	15	19	20
20-34	10	5.2	8	1	1	5	7	9	11	11
35-49	11	7.2	20	2	3	6	10	14	17	17
50-64	4	8.5	5	5	5	9	10	10	10	10
65 +	4	6.0		5	5	6	7	7	7	7
TOTAL SINGLE DX	55	5.3	25	<1	2	4	6	9	11	34
TOTAL MULTIPLE DX	44	6.6	17	1	2	6	9	11	16	20
TOTAL										
0-19 YRS	35	5.8	20	<1	1	5	7	11	16	20
20-34	25	4.9	8	1	2	4	6	9	11	11
35-49	27	7.0	44	1	2	5	8	12	20	35
50-64	8	5.6	13	<1	1	5	9	10	10	10
65 +	4	6.0	1	5	5	6	7	7	7	7
GRAND TOTAL	99	5.9	22	1	2	5	7	11	14	28

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.4	1	1	1	3	3	4	5	5
20-34	20	2.0	1	1	1	2	3	4	5	5
35-49	22	3.7	19	1	1	2	3	8	14	21
50-64	15	4.3	14	1	1	3	5	8	13	15
65 +	24	8.5	172	1	2	5	9	16	32	66
2. MULTIPLE DX										
0-19 YRS	8	2.9	7	<1	<1	2	4	8	9	9
20-34	21	5.1	34	1	1	4	6	11	18	26
35-49	38	10.6	108	1	1	7	15	26	34	42
50-64	81	11.1	135	1	2	8	14	25	37	61
65 +	137	12.0	136	2	2	8	16	25	42	70
TOTAL SINGLE DX	90	4.6	58	1	1	3	5	9	15	48
TOTAL MULTIPLE DX	285	10.8	125	1	2	7	15	25	37	66
TOTAL										
0-19 YRS	17	2.6	4	<1	<1	2	3	5	8	9
20-34	41	3.6	20	1	1	2	4	8	11	26
35-49	60	8.1	86	1	1	4	10	21	28	41
50-64	96	10.0	122	1	1	7	13	23	35	57
65 +	161	11.5	142	2	2	7	15	24	42	66
GRAND TOTAL	375	9.3	116	1	1	5	12	22	30	66

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	4	21.3	337	3	3	21	37	39	39	39
20-34	0									
35-49	0									
50-64	2	17.5	313	5	5	17	30	30	30	30
65 +	6	10.5	50	2	2	9	13	22	23	23
TOTAL SINGLE DX	8	4.0	10	1	1	3	6	9	9	9
TOTAL MULTIPLE DX	12	15.3	170	2	3	9	26	36	39	39
TOTAL										
0-19 YRS	6	15.3	287	3	3	6	35	39	39	39
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	12.0	247	1	1	5	24	30	30	30
65 +	8	10.1	37	2	3	9	11	20	23	23
GRAND TOTAL	20	10.8	134	1	2	7	11	32	37	39

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TO[illegible]L P[illegible]ENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	2.1	4	< 1	< 1	1	3	4	8	10
20-34	64	1.8	1	< 1	< 1	1	2	4	5	7
35-49	298	2.1	2	< 1	< 1	1	3	4	5	8
50-64	319	2.5	3	< 1	< 1	2	3	5	6	8
65 +	218	2.8	3	< 1	< 1	2	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	15	3.4	8	1	1	2	6	9	9	9
20-34	98	5.5	110	< 1	1	3	5	11	20	64
35-49	404	4.6	56	< 1	1	2	5	10	14	33
50-64	503	4.9	30	< 1	1	3	6	11	16	27
65 +	762	6.8	52	1	1	4	9	14	21	39
TOTAL SINGLE DX	917	2.4	3	< 1	< 1	2	3	5	6	8
TOTAL MULTIPLE DX	1782	5.6	51	1	1	3	7	13	18	34
TOTAL										
0-19 YRS	33	2.7	7	< 1	< 1	2	3	7	9	10
20-34	162	4.0	70	< 1	< 1	2	4	8	14	35
35-49	702	3.6	35	< 1	< 1	2	4	7	11	29
50-64	822	3.9	22	< 1	< 1	3	4	8	13	25
65 +	980	5.9	44	1	1	4	8	13	19	33
GRAND TOTAL	2699	4.5	37	< 1	< 1	3	5	10	15	30

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.7		< 1	< 1	1	2	3	3	3
20-34	28	3.1	3	1	1	3	4	6	7	7
35-49	82	3.7	4	1	2	3	5	6	8	12
50-64	81	3.4	1	1	2	3	4	5	6	7
65 +	117	4.1	4	1	2	4	5	7	8	40
2. MULTIPLE DX										
0-19 YRS	4	3.3	10	1	1	2	5	8	8	8
20-34	18	3.7	2	1	1	4	5	6	7	7
35-49	148	4.1	4	2	2	4	5	6	8	13
50-64	170	5.3	23	2	2	4	6	8	11	21
65 +	307	7.0	37	2	3	5	8	13	17	29
TOTAL SINGLE DX	320	3.6	4	1	1	3	5	6	7	12
TOTAL MULTIPLE DX	647	5.7	26	2	2	4	6	10	13	24
TOTAL										
0-19 YRS	16	2.1	3	< 1	< 1	2	2	3	7	8
20-34	46	3.3	3	1	1	3	4	6	7	7
35-49	230	3.9	5	2	2	4	5	6	8	13
50-64	251	4.7	17	2	2	4	5	7	10	17
65 +	424	6.2	30	2	2	5	7	12	15	29
GRAND TOTAL	967	5.1	20	1	2	4	6	9	12	22

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	50	4.5	3	2	2	4	5	7	8	12
35-49	441	4.3	3	2	2	4	5	7	8	11
50-64	713	4.4	3	2	3	4	5	6	8	10
65 +	716	4.8	3	2	3	5	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	4	5.5	5	4	4	5	7	9	9	9
20-34	102	4.8	5	2	3	4	6	6	7	16
35-49	675	5.1	8	2	3	5	6	8	9	17
50-64	1360	5.5	8	2	3	5	6	8	10	17
65 +	2231	6.4	15	3	3	5	7	10	13	23
TOTAL SINGLE DX	1923	4.6	3	2	3	4	5	7	8	10
TOTAL MULTIPLE DX	4372	5.9	12	3	3	5	7	9	12	20
TOTAL										
0-19 YRS	7	5.0	4	3	3	5	5	8	9	9
20-34	152	4.7	5	2	2	4	6	6	7	15
35-49	1116	4.8	7	2	3	4	6	7	8	14
50-64	2073	5.1	7	2	3	5	6	8	9	16
65 +	2947	6.0	13	3	3	5	7	9	12	21
GRAND TOTAL	6295	5.5	10	2	3	5	6	8	10	18

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	226	2.1	1	1	1	2	3	4	5	7
20-34	502	2.5	2	1	1	2	3	4	5	8
35-49	391	2.5	1	1	1	2	3	4	5	7
50-64	194	2.7	3	1	1	2	3	5	5	9
65+	31	3.0	5	1	1	2	4	5	5	14
2. MULTIPLE DX										
0-19 YRS	107	2.6	7	1	1	2	3	4	5	18
20-34	312	3.1	7	1	1	2	4	5	7	15
35-49	633	3.1	7	1	1	2	4	5	7	14
50-64	379	3.2	10	1	1	2	4	6	8	19
65+	142	4.1	13	1	1	3	5	9	12	18
TOTAL SINGLE DX	1344	2.5	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1573	3.2	9	1	1	2	4	5	8	17
TOTAL										
0-19 YRS	333	2.3	3	1	1	2	3	4	5	9
20-34	814	2.7	4	1	1	2	3	4	6	10
35-49	1024	2.8	5	1	1	2	4	5	6	10
50-64	573	3.0	8	1	1	2	4	5	7	17
65+	173	3.9	12	1	1	3	4	8	12	18
GRAND TOTAL	2917	2.8	6	1	1	2	3	5	6	13

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	272	1.9	1	1	1	2	2	3	4	6
20-34	471	2.0	1	1	1	2	2	4	5	7
35-49	83	2.2	3	1	1	2	2	4	5	13
50-64	18	1.8	1	<1	1	2	2	4	4	4
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	56	2.6	3	1	1	2	4	5	6	10
20-34	135	3.5	25	1	1	2	4	6	10	31
35-49	38	4.1	22	1	1	2	5	9	13	25
50-64	15	5.9	59	1	1	3	5	23	25	26
65+	11	4.8	14	2	2	3	8	11	13	13
TOTAL SINGLE DX	847	2.0	2	1	1	2	2	4	4	7
TOTAL MULTIPLE DX	255	3.6	22	1	1	2	4	7	10	28
TOTAL										
0-19 YRS	328	2.0	2	1	1	2	3	4	4	8
20-34	606	2.3	8	1	1	2	3	4	5	11
35-49	121	2.8	10	1	1	2	3	5	9	17
50-64	33	3.7	31	1	1	2	3	5	20	26
65+	14	4.4	12	2	2	3	5	10	12	13
GRAND TOTAL	1102	2.3	7	1	1	2	3	4	5	12

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	345	2.3	5	<1	<1	1	3	5	7	12
20-34	216	2.8	10	<1	<1	2	3	6	10	16
35-49	200	3.0	12	<1	<1	2	4	7	9	20
50-64	143	3.3	20	<1	<1	2	3	6	14	25
65+	101	4.2	29	<1	<1	2	5	11	17	28
2. MULTIPLE DX										
0-19 YRS	301	6.8	106	1	1	3	7	17	31	54
20-34	331	9.1	118	1	1	4	13	24	28	49
35-49	441	9.5	112	1	1	6	12	23	29	54
50-64	563	9.3	105	1	1	6	12	21	29	55
65+	891	10.5	94	1	2	8	13	21	28	51
TOTAL SINGLE DX	1005	2.9	13	<1	<1	2	3	6	9	20
TOTAL MULTIPLE DX	2527	9.4	105	1	1	6	12	21	29	52
TOTAL										
0-19 YRS	646	4.4	58	<1	1	2	4	9	16	46
20-34	547	6.6	85	<1	1	3	8	18	26	44
35-49	641	7.5	90	<1	1	4	9	20	27	46
50-64	706	8.1	94	1	1	5	10	20	27	53
65+	992	9.9	91	1	2	7	13	21	27	50
GRAND TOTAL	3532	7.6	88	1	1	4	10	19	26	48

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1175	3.8	18	1	1	2	4	8	10	22
20-34	993	4.2	24	<1	1	3	5	8	12	25
35-49	594	4.4	20	1	1	3	6	9	13	24
50-64	365	5.8	41	1	1	4	7	12	19	29
65+	332	7.2	69	1	1	5	9	15	23	47
2. MULTIPLE DX										
0-19 YRS	2430	6.4	92	1	1	3	7	14	24	58
20-34	3307	7.3	102	1	1	4	8	17	28	67
35-49	2435	9.8	138	1	1	6	12	24	33	76
50-64	2693	11.9	155	1	2	8	15	27	37	68
65+	4856	14.0	166	2	3	10	18	31	41	70
TOTAL SINGLE DX	3459	4.5	29	1	1	3	5	9	13	27
TOTAL MULTIPLE DX	15721	10.4	144	1	1	6	13	25	35	67
TOTAL										
0-19 YRS	3605	5.5	70	1	1	3	6	11	20	50
20-34	4300	6.5	86	1	1	4	7	15	24	57
35-49	3029	8.8	120	1	1	5	11	22	31	66
50-64	3058	11.2	146	1	2	7	14	26	35	66
65+	5188	13.6	163	2	2	10	17	30	40	68
GRAND TOTAL	19180	9.3	129	1	1	5	12	23	33	63

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	167	5.6	48	1	1	3	8	14	17	39
20-34	138	5.3	24	1	1	4	7	11	16	26
35-49	93	5.0	18	1	1	4	7	10	12	23
50-64	57	5.8	48	1	1	3	9	12	16	42
65 +	68	7.9	68	1	1	5	12	17	24	43
2. MULTIPLE DX										
0-19 YRS	252	12.3	161	1	1	9	17	28	38	79
20-34	247	12.7	145	1	2	9	19	31	42	99 +
35-49	215	13.8	170	1	2	10	18	32	42	78
50-64	244	14.3	196	1	2	10	20	33	41	86
65 +	378	17.4	197	2	3	14	24	34	44	80
TOTAL SINGLE DX	523	5.7	40	1	1	4	7	13	17	29
TOTAL MULTIPLE DX	1336	14.4	180	1	2	11	20	32	42	81
TOTAL										
0-19 YRS	419	9.6	127	1	1	6	13	22	29	57
20-34	385	10.0	114	1	1	6	14	25	34	59
35-49	308	11.1	141	1	1	7	15	26	39	63
50-64	301	12.7	179	1	1	9	18	30	39	79
65 +	446	15.9	189	1	2	13	22	33	43	74
GRAND TOTAL	1859	12.0	156	1	1	8	17	28	38	71

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	3.0	17	< 1	< 1	1	3	5	15	21
20-34	51	3.5	25	< 1	1	2	3	9	16	25
35-49	30	3.7	17	< 1	< 1	2	4	8	16	17
50-64	11	4.1	11	< 1	< 1	3	6	10	12	12
65 +	9	5.2	36	1	1	2	8	15	19	19
2. MULTIPLE DX										
0-19 YRS	61	9.7	224	1	1	3	12	30	60	95
20-34	74	14.2	356	1	2	6	21	39	85	99 +
35-49	65	17.9	328	1	1	13	31	47	63	95
50-64	87	14.7	205	1	1	8	22	38	43	89
65 +	115	18.6	354	1	2	13	26	51	60	88
TOTAL SINGLE DX	150	3.5	20	< 1	1	2	3	9	16	21
TOTAL MULTIPLE DX	402	15.5	305	1	1	9	22	43	59	99 +
TOTAL										
0-19 YRS	110	6.7	143	< 1	1	2	5	18	30	77
20-34	125	9.9	248	1	1	3	12	29	44	99 +
35-49	95	13.4	273	< 1	1	6	18	42	49	85
50-64	98	13.5	195	1	1	7	20	36	42	85
65 +	124	17.6	343	1	2	12	25	50	59	86
GRAND TOTAL	552	12.2	256	1	1	5	17	38	51	99

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.93; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	207	2.1	4	< 1	< 1	1	2	4	6	12
20-34	74	2.3	3	< 1	1	1	3	6	7	8
35-49	117	2.6	4	< 1	1	2	3	5	7	10
50-64	102	2.1	2	1	1	1	2	5	6	7
65 +	33	1.7	1	1	1	1	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	202	4.0	51	1	1	2	3	7	16	44
20-34	179	5.7	84	1	1	3	6	11	25	54
35-49	316	5.2	95	1	1	3	5	8	22	55
50-64	297	4.1	36	1	1	2	4	9	15	32
65 +	203	7.5	92	1	1	5	9	15	23	46
TOTAL SINGLE DX	533	2.2	4	< 1	1	1	2	4	6	10
TOTAL MULTIPLE DX	1197	5.2	73	1	1	2	5	11	18	48
TOTAL										
0-19 YRS	409	3.0	28	< 1	1	2	3	6	9	40
20-34	253	4.7	63	1	1	2	5	7	17	43
35-49	433	4.5	72	1	1	2	4	7	13	50
50-64	399	3.6	29	1	1	2	4	7	11	28
65 +	236	6.7	84	1	1	4	8	14	20	44
GRAND TOTAL	1730	4.3	53	1	1	2	4	8	14	43

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	4.0	16	1	1	2	5	11	15	15
20-34	18	6.4	59	1	1	4	7	15	27	33
35-49	23	4.8	21	1	1	4	4	11	17	19
50-64	9	4.1	16	1	1	3	4	11	14	14
65 +	14	6.8	89	1	1	3	7	17	33	37
2. MULTIPLE DX										
0-19 YRS	61	10.2	287	1	1	4	7	33	54	78
20-34	48	7.4	64	1	1	4	9	16	25	40
35-49	76	7.8	93	1	2	5	9	16	36	46
50-64	78	6.2	19	1	2	5	8	11	14	25
65 +	157	9.7	53	2	3	7	13	18	27	36
TOTAL SINGLE DX	89	5.1	37	1	1	3	6	13	16	35
TOTAL MULTIPLE DX	420	8.5	91	1	2	6	10	16	27	47
TOTAL										
0-19 YRS	86	8.4	216	1	1	4	7	15	41	77
20-34	66	7.1	62	1	1	4	8	16	25	39
35-49	99	7.1	78	1	2	4	8	15	24	46
50-64	87	6.0	19	1	2	5	8	11	14	24
65 +	171	9.4	56	2	3	7	12	17	27	37
GRAND TOTAL	509	7.9	83	1	2	5	10	15	26	46

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	2.7	17	1	1	1	3	6	9	27
20-34	1729	2.4	7	1	1	1	2	6	8	14
35-49	2715	2.2	6	1	1	1	2	5	8	12
50-64	1577	2.1	4	1	1	1	2	5	7	11
65 +	552	2.2	11	1	1	1	2	4	8	13
2. MULTIPLE DX										
0-19 YRS	132	4.2	46	1	1	2	4	8	14	38
20-34	1092	4.2	27	1	1	2	6	10	13	23
35-49	2187	4.0	22	1	1	2	5	10	13	20
50-64	2015	4.3	25	1	1	2	6	10	14	24
65 +	1473	6.2	53	1	1	3	9	15	20	31
TOTAL SINGLE DX	6720	2.2	7	1	1	1	2	5	8	13
TOTAL MULTIPLE DX	6899	4.6	32	1	1	2	6	11	15	25
TOTAL										
0-19 YRS	279	3.4	31	1	1	2	3	8	13	28
20-34	2821	3.1	16	1	1	1	4	8	10	18
35-49	4902	3.0	14	1	1	1	3	8	10	17
50-64	3592	3.3	18	1	1	1	4	8	11	21
65 +	2025	5.1	45	1	1	2	7	13	18	30
GRAND TOTAL	13619	3.4	21	1	1	2	4	9	12	21

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	3.0	8	1	1	2	3	7	11	15
20-34	162	3.2	11	1	1	2	4	7	10	18
35-49	273	3.5	31	1	1	2	4	7	11	19
50-64	378	2.9	10	1	1	2	4	6	8	14
65 +	397	2.8	13	1	1	2	3	6	8	16
2. MULTIPLE DX										
0-19 YRS	94	6.0	71	1	1	3	7	13	26	48
20-34	227	6.2	46	1	1	4	9	13	17	31
35-49	499	5.9	42	1	1	4	7	11	16	32
50-64	1390	6.1	35	1	1	4	8	12	16	30
65 +	2567	6.1	31	1	1	5	8	13	16	30
TOTAL SINGLE DX	1292	3.0	16	1	1	2	3	6	9	16
TOTAL MULTIPLE DX	4777	6.1	35	1	1	5	8	13	17	30
TOTAL										
0-19 YRS	176	4.6	44	1	1	2	5	10	14	31
20-34	389	4.9	34	1	1	3	7	11	15	25
35-49	772	5.1	40	1	1	3	6	10	13	30
50-64	17[illegible]	5.4	32	1	1	4	7	11	15	29
65 +	2964	5.7	30	1	1	4	8	12	16	28
GRAND TOTAL	6069	5.4	33	1	1	4	7	12	15	29

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	3.8	9	1	1	3	6	9	9	9
35-49	26	4.8	13	1	1	4	7	11	13	14
50-64	39	3.4	11	1	1	2	4	9	12	14
65 +	24	3.7	8	1	1	2	6	8	9	9
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	7.0	27	1	1	5	13	14	15	15
35-49	78	5.9	16	1	1	5	8	12	14	18
50-64	200	5.9	19	1	1	5	8	12	15	19
65 +	177	8.3	50	1	2	7	12	16	19	42
TOTAL SINGLE DX	96	3.9	11	1	1	2	6	9	11	14
TOTAL MULTIPLE DX	466	6.8	32	1	1	6	10	14	17	24
TOTAL										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	16	5.8	22	1	1	4	8	14	15	15
35-49	104	5.6	16	1	1	5	8	12	13	16
50-64	239	5.5	19	1	1	4	8	11	14	19
65 +	201	7.8	47	1	1	6	11	15	19	40
GRAND TOTAL	562	6.3	30	1	1	5	9	13	16	21

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	3.5	12	<1	1	2	4	8	11	16
20-34	412	4.8	20	1	1	3	7	10	12	18
35-49	491	4.6	15	1	1	4	7	10	12	17
50-64	624	4.2	15	1	1	2	6	10	12	18
65 +	532	4.1	12	1	1	2	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	181	5.5	58	1	1	4	7	11	16	68
20-34	675	6.5	30	1	1	5	9	12	16	28
35-49	1251	6.4	28	1	1	5	9	12	15	26
50-64	2558	6.6	37	1	1	5	9	13	16	29
65 +	4476	7.5	42	1	1	6	10	15	19	30
TOTAL SINGLE DX	2182	4.3	16	1	1	3	7	10	11	17
TOTAL MULTIPLE DX	9141	7.0	39	1	1	6	9	14	18	30
TOTAL										
0-19 YRS	304	4.7	41	<1	1	3	6	10	14	36
20-34	1087	5.9	27	1	1	5	8	12	15	25
35-49	1742	5.9	26	1	1	5	8	12	14	25
50-64	3182	6.1	34	1	1	5	8	12	15	28
65 +	5008	7.1	41	1	1	6	10	14	18	30
GRAND TOTAL	11323	6.4	35	1	1	5	9	13	16	28

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6505	3.3	21	1	1	2	4	6	8	22
20-34	7565	3.8	20	1	1	3	4	7	10	23
35-49	5311	4.1	21	1	1	3	5	8	11	24
50-64	3373	4.5	23	1	1	3	5	8	11	27
65 +	2849	5.5	27	1	2	4	7	10	14	28
2. MULTIPLE DX										
0-19 YRS	13246	5.5	57	1	1	3	6	11	18	42
20-34	15473	5.7	45	1	1	4	6	11	18	36
35-49	17208	6.0	34	1	2	4	7	12	17	30
50-64	25961	6.7	36	2	2	5	8	13	17	31
65 +	61528	7.7	33	2	3	6	10	14	18	30
TOTAL SINGLE DX	25603	4.0	22	1	1	3	5	8	10	24
TOTAL MULTIPLE DX	133416	6.8	39	1	2	5	8	13	18	32
TOTAL										
0-19 YRS	19751	4.8	47	1	1	3	5	9	15	38
20-34	23038	5.1	38	1	1	3	6	10	15	33
35-49	22519	5.6	32	1	1	4	7	11	16	29
50-64	29334	6.4	35	1	2	5	8	12	16	31
65 +	64377	7.6	33	2	3	6	9	14	18	30
GRAND TOTAL	159019	6.4	37	1	2	5	8	12	17	31

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4077	5.5	69	1	1	3	5	13	24	43
20-34	1716	8.3	89	1	2	5	10	19	28	45
35-49	1453	8.1	71	1	2	5	10	19	26	42
50-64	861	6.4	41	1	1	4	8	14	21	33
65 +	732	7.4	64	1	2	5	9	16	23	46
2. MULTIPLE DX										
0-19 YRS	6684	7.1	108	1	2	4	6	16	30	58
20-34	3396	9.3	95	1	2	6	12	21	29	52
35-49	3901	8.3	70	1	2	6	10	18	25	44
50-64	4882	7.9	55	2	2	6	9	16	22	40
65 +	12018	9.0	63	2	3	7	11	17	23	43
TOTAL SINGLE DX	8839	6.7	72	1	1	4	7	16	25	43
TOTAL MULTIPLE DX	30881	8.3	77	2	2	6	10	17	25	47
TOTAL										
0-19 YRS	10761	6.5	94	1	1	3	6	15	28	53
20-34	5112	8.9	94	1	2	6	11	20	29	50
35-49	5354	8.3	71	1	2	6	10	18	25	43
50-64	5743	7.6	54	1	2	6	9	16	22	37
65 +	12750	8.9	64	2	3	7	11	17	23	43
GRAND TOTAL	39720	8.0	76	1	2	5	9	17	25	46

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.6; 99.8-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4088	3.4	18	1	1	3	4	6	8	21
20-34	2727	3.9	34	< 1	1	2	4	7	13	30
35-49	1897	4.4	37	1	1	3	5	8	13	31
50-64	1554	4.5	32	1	1	3	5	8	12	33
65 +	1376	5.2	23	1	1	4	7	10	14	25
2. MULTIPLE DX										
0-19 YRS	10510	6.0	88	1	1	3	5	11	24	56
20-34	6440	5.3	48	< 1	1	3	6	11	18	37
35-49	8061	5.6	39	1	1	4	7	11	17	33
50-64	14097	6.2	34	1	2	5	8	12	16	30
65 +	34425	7.4	34	2	2	6	9	14	18	30
TOTAL SINGLE DX	11642	4.1	28	1	1	3	5	7	11	29
TOTAL MULTIPLE DX	73533	6.6	44	1	2	5	8	13	18	35
TOTAL										
0-19 YRS	14598	5.3	70	1	1	3	5	9	18	49
20-34	9167	4.9	45	< 1	1	3	5	10	17	36
35-49	9958	5.4	39	1	1	4	6	11	16	32
50-64	15651	6.0	34	1	2	4	7	11	16	30
65 +	35801	7.3	34	2	2	6	9	14	18	30
GRAND TOTAL	85175	6.2	43	1	2	4	8	12	17	34

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29; 37.79
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1987 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
211	angina
165	aortic aneurysm
338	pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	elective
256	illegal
258	missed
256	self-induced
257	spontaneous
255	therapeutic
259	threatened
	Abscess
210	anal
312	bone
292	digit
188	mouth
188	salivary gland
291	skin and subcutaneous tissue, except digit
188	tongue
81	Acidosis, except diabetic
72	diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
	Alcohol
107	abuse
104	dependence
107	intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
90	Alzheimer's dementia
1	Amebiasis
140	AMI
340	Amnesia
	Amputation, traumatic
372	lower limb
371	upper limb
79	Amyloidosis
210	Anal abscess, fissure, fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	aplastic
82	iron deficiency
267	of pregnancy
269	with delivery
83	sickle cell
166	Aneurysm, except aorta
165	aorta
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	central nervous system
320	circulatory system
323	digestive system, except cleft palate and lip, and pyloric stenosis
319	ear
319	eye
327	generalized
325	genitourinary system, except undescended testis and urethral stenosis
320	heart

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
317	musculoskeletal system, except clubfoot
323	respiratory system
340	Anorexia, except nervosa
111	nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	depression
165	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	acute, without peritonitis
198	with peritonitis
199	recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
163	cerebral
143	coronary
164	lower limb
	Arteriosclerotic
151	cardiovascular disease
91	dementia or psychosis
143	heart disease
164	vascular disease
299	Arthritis, except osteo- and rheumatoid
298	osteo-, except spine
303	spine
299	pyogenic
297	rheumatoid, except spine
302	spine
339	Ascites
151	ASCVD
143	ASHD

Group No.	Title
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	menopausal
251	postmenopausal
250	uterine, dysfunctional
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
242	Breast disease, except fibrocystic
241	fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis
174	acute
181	chronic
179	Bronchopneumonia
6	Brucellosis

DIAGNOSIS INDEX (continued)

Group No.	Title
376	Bruise, except eye and orbit
375	eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	third degree
309	Bursitis
	Calculus
217	bile duct, except cystic
231	bladder
215	cystic bile duct
215	gallbladder
228	renal
188	salivary gland
229	ureter
231	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	cervix
148	Cardiac arrest
390	postoperative
150	Cardiomyopathy
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	diabetic
124	senile
221	Celiac disease
	Cellulitis
292	digit
291	skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis

Group No.	Title
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
	Chemical
340	diabetes mellitus
385	poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis
212	alcoholic
213	biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
	Colic
215	biliary
337	renal
208	Colitis, except mucous and ulcerative
211	mucous
211	ulcerative
296	Collagen disease, NOS

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Coma, except diabetic and hepatic
72	diabetic
214	hepatic
11	Common warts
	Complication of
390	amputation stump
387	cardiac pacemaker
	drugs-*see Effect, adverse*
387	grafts
387	internal orthopedic device
391	medical care, except drugs
387	prosthesis, any
390	surgery, not elsewhere classified
387	transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	eye and orbit
329	Convulsions, except epileptic
116	epileptic
184	COPD
	Coronary
143	artery disease
142	insufficiency, except chronic
143	chronic
140	occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	chest
377	limbs
75	Cushing's syndrome

Group No.	Title
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	mouth
243	ovarian
293	pilonidal
121	retinal
294	sebaceous
311	synovial
	Cystic
241	breast
218	duct remnant
77	fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
12	Cytomegalic inclusion disease
134	Deafness
295	Decubitus
	Deficiency
112	mental
76	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
316	musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	acute or subacute
	Delivery, complicated by:
278	abnormality, bony pelvis
272	abruptio placentae
287	acute toxemia

DIAGNOSIS INDEX (continued)

Group No. Title

- Delivery, complicated by: **(continued)**
  - 276 breech presentation
  - 278 cephalopelvic disproportion
  - 287 complication, not elsewhere classified
  - 287 eclampsia
  - 278 fetopelvic disproportion
  - 287 hypertensive disorder
  - 277 malpresentation, except breech
  - 275 multiple fetation
  - placenta
    - 272 abruptio
    - 271 previa
  - 287 pre-eclampsia
  - premature
    - 282 rupture of membranes
    - 272 separation of placenta
  - 281 previous cesarean section
  - 279 prolonged labor, not otherwise specified
  - 287 toxemia
  - 279 uterine inertia
- 270 Delivery, normal or uncomplicated
- Dementia
  - 90 Alzheimer's
  - 91 arteriosclerotic
  - 90 presenile
  - 90 senile
- Dependence
  - 104 alcoholic
  - 106 amphetamine
  - 106 barbiturate
  - 106 cocaine
  - 105 heroin
  - 106 LSD
  - 106 marijuana
  - 105 methadone
  - 105 morphine
  - 105 opioid

Group No. Title

- 111 Depression, except neurotic, postpartum, and psychotic
  - 102 neurotic
  - 267 postpartum
  - 98 psychotic
- Depressive
  - 102 neurosis
  - 98 psychosis
  - 102 reaction
- 301 Derangement, joint except knee
  - 300 knee joint
- 295 Dermatitis
- 15 Dermatomycosis
- 121 Detachment of retina
- 175 Deviated nasal septum
- Diabetes mellitus
  - 340 chemical
  - 71 uncomplicated
  - 73 uncontrolled
- Diabetic complications
  - 72 acidosis
  - 73 cataract
  - 73 circulatory disorder
  - 72 coma
  - 73 gangrene
  - 73 nephropathy
  - 73 neuropathy
  - 73 retinopathy
  - 73 ulcer
- Dialysis
  - 397 peritoneal
  - 397 renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
  - 211 functional
  - 1 infectious
- 6 Diphtheria

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease
199	appendix, except acute appendicitis
151	arteriosclerotic cardiovascular
168	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	arthropod-borne
79	autoimmune, except AIDS
12	AIDS
6	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	biliary ducts
234	bladder, except calculus and cystitis
313	bone, except osteomyelitis and osteoarthritis
242	breast, except fibrocystic
241	fibrocystic
221	celiac
	central nervous system
7	enteroviral
113	inflammatory, except enteroviral
117	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
136	chronic rheumatic heart
296	connective tissue, diffuse
143	coronary artery
211	Crohn's
75	Cushing's
12	cytomegalic inclusion
187	dental
209	diverticular
196	duodenum, except ulcer and inflammatory
134	ear, except inflammatory and otosclerosis
145	endocarditis, bacterial
75	endocrine, except ovary, thyroid, and diabetes mellitus
189	esophagus
129	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment

Group No.	Title
	Disease **(continued)**
	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment (continued)
128	inflammatory, except lacrimal tract
252	fallopian tube, except endometriosis
316	fascia
252	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	gallbladder
252	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
138	hypertensive
143	ischemic, except infarction and angina pectoris
136	rheumatic, chronic
150	other, except arrhythmia and bacterial endocarditis
86	hematopoietic, except anemia, hemophilia, and leukemia
328	hemolytic, newborn
12	HIV infection (AIDS)
46	Hodgkin's
137	hypertensive, except heart and renal
138	heart
139	renal
17	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	infectious
143	ischemic heart, except acute infarction and angina pectoris
187	jaw
301	joint, except internal derangement, ruptured disc, and sacroiliac
306	sacroiliac
230	kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	lacrimal tract, inflammation
188	lip

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
214	liver, except infectious and serum hepatitis, and cirrhosis
186	lung, except pneumonia, obstructive, and pneumothorax
184	obstructive, except asthma, bronchitis, and emphysema
240	male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	mouth, except dental
117	muscle, except deformity
120	nervous system, except CNS and sciatica
184	obstructive lung, except asthma, bronchitis, and emphysema
252	ovary, except endometriosis
	Paget's
313	bone
32	breast
219	pancreas
252	parametrium, except endometriosis
17	parasitic, except helminthiasis
114	Parkinson's
244	pelvic inflammatory
196	peptic
328	perinatal
120	peripheral nervous system, except sciatica
211	peritoneum
186	pleura
236	prostate, except hypertrophy
186	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	rheumatic
135	active
136	chronic
188	salivary gland
83	sickle-cell
295	skin, except infective, pilonidal and sebaceous cysts
196	stomach, except ulcer and inflammatory
187	teeth
316	tendon, except tenosynovitis

Group No.	Title
	Disease (continued)
188	tongue
340	undiagnosed
186	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	ureter, except calculus
234	urethra, except calculus and stricture
14	venereal
12	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	with exanthem
359	Dislocation, joint, except knee and shoulder
358	knee
357	shoulder
	Disorder
111	behavior
81	electrolyte
79	immunodeficiency, except AIDS
12	AIDS
250	menstruation, except metrorrhagia
103	personality
109	psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	lumbar
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
	Diverticulum
189	esophagus
209	intestine
	Drug
108	abuse, except alcohol
106	dependence, except opioid
105	opioid
93	induced psychosis
384	poisoning or overdose
93	withdrawal syndrome or symptoms

DIAGNOSIS INDEX (continued)

Group No.	Title
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
	Dysfunction
74	ovarian
317	somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
102	Dysthymia
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	with delivery
254	Ectopic pregnancy
	Effect, adverse
386	drugs, not otherwise specified
384	overdose or wrong substance given or taken
386	external conditions
385	nonmedical substance
386	radiation
386	temperature
268	Elderly primigravida
287	with delivery
	Elective
255	abortion
392	sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	arterial, except cerebral and precerebral
	cerebral
158	without paralysis
159	with paralysis
	Embolism **(continued)**
167	lower limb
	precerebral
156	without paralysis
157	with paralysis
144	pulmonary, except postoperative
390	postoperative
172	vein
182	Emphysema
113	Encephalitis, except viral
12	viral
18	late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	bacterial
208	noninfectious
211	regional
1	viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	follow-up
298	medical

DIAGNOSIS INDEX (continued)

Group No.	Title
	Failure
149	heart
390	postoperative
225	renal, except chronic
224	chronic
186	respiratory (acute)
340	Fainting
263	False labor
	Fever
135	active rheumatic
330	of undetermined origin (FUO)
1	paratyphoid
288	puerperal
4	scarlet
1	typhoid
12	yellow
	Fibrillation or flutter
147	atrial
148	ventricular
	Fibrocystic disease
241	breast
77	pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	in eye
	Fracture
354	ankle
349	arm, except upper
348	upper
354	bimalleolar
350	carpal
355	clavicle
	Fracture (continued)
349	Colles'
343	face bone
352	femur, except upper end
351	upper end
353	fibula, except lateral malleolus
350	finger
354	foot
350	hand
398	healed, aftercare, except removal of fixation device
396	removal of fixation device
351	hip
348	humerus
354	knee
354	lateral malleolus
353	leg, lower, except ankle and upper
352	upper, except hip
343	mandible
354	medial malleolus
350	metacarpal
354	metatarsal
356	multiple bones
343	nose
354	patella
347	pelvis
349	radius
346	rib
355	scapula
	skull
342	base
341	vault
	spine
344	without cord injury
345	with cord injury
346	sternum
354	tarsal
346	thorax

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
353	tibia
354	toe
354	trimalleolar
349	ulna
	vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	gas
	Gastric ulcer-*see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	infectious
208	noninfectious
1	viral
220	Gastrointestinal hemorrhage
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	acute
122	closed-angle
122	open-angle
222	Glomerulonephritis, except acute
223	acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	bone marrow

Group No.	Title
116	Grand mal epilepsy
268	Grand multiparity
392	without pregnancy
268	Habitual aborter
252	without pregnancy
310	Hallux valgus or varus, except congenital
327	congenital
310	Hammer toe
331	Headache, except migraine and tension
118	migraine
111	tension
398	Healed fracture aftercare, except removal of fixation device
396	removal of fixation device
	Heart
140	attack
149	failure
390	postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma-*see also Contusion*
388	postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	hereditary
328	newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	antepartum, except early
260	early
172	blood vessel, spontaneous
250	dysfunctional uterine
220	gastrointestinal
	intracerebral, except subarachnoid
155	with paralysis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hemorrhage **(continued)**
	intracerebral, except subarachnoid (continued)
154	without paralysis
258	postabortal
388	postoperative wound
274	postpartum, except delayed or secondary
289	delayed or secondary
260	pregnancy, early
289	puerperal, after 24 hours
	subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	chronic
9	infectious
9	serum
9	viral
	Hernia
205	abdominal, except inguinal
206	with complication
204	diaphragmatic
206	with complication
205	femoral
206	with complication
204	hiatal
206	with complication
203	incisional
206	with complication
200	inguinal
206	with complication
203	postoperative
206	with complication
202	umbilical
206	with complication
203	ventral
206	with complication

Group No.	Title
105	Heroin dependence or addiction
8	Herpes simplex
18	late effect
8	Herpes zoster
18	late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	with delivery
139	renal
139	renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic

DIAGNOSIS INDEX (continued)

Group No. Title

- 340 Ill-defined conditions
- 328 Immaturity of newborn
- 79 Immunodeficiency disorder, except AIDS
  - 12 AIDS
- 160 Impending CVA
- 292 Impetigo
- 257 Incomplete abortion
- 337 Incontinence
- 140 Infarction, acute myocardial
- Infection
  - 232 bladder
  - 312 bone
  - 246 cervix
  - 227 kidney, except nephritis, nephrosis, and acute pyelonephritis
  - 6 meningococcal
  - 389 postoperative wound
  - 288 puerperal, major
  - 292 skin and subcutaneous tissue, except cellulitis and abscess
  - 173 upper respiratory, except streptococcal
  - 234 urinary tract
    - 266 in pregnancy
  - 247 uterine, except cervix
  - 247 vaginal
  - 247 vulvar
  - 389 wound, postoperative
- 10 Infectious mononucleosis
- Infertility
  - 252 female
  - 240 male
- Inflammation
  - 113 central nervous system
  - 129 eye, except lacrimal tract
    - 127 lacrimal tract
- 180 Influenza
- 180 Influenzal pneumonia
- Inguinal hernia
  - 200 without complication

Group No. Title

- Inguinal hernia **(continued)**
  - 201 with complication
- Injury
  - 328 birth
  - 373 blood vessel
  - 377 crush, except abdomen and chest
    - 367 abdomen
    - 366 chest
  - 365 head, except concussion
  - 367 internal, except chest
    - 366 chest
  - 358 knee ligament or meniscus
  - 374 late effect
  - 363 musculoskeletal, except back and sacroiliac region
    - 362 back
    - 361 sacroiliac region
  - 382 nerve
  - 386 radiation
    - 374 late effect
  - 382 spinal cord
  - 376 superficial
- Insufficiency
  - heart valve-*see Valvular disease*
  - 186 respiratory (acute)
- 250 Intermenstrual bleeding
- 160 Intermittent cerebral ischemia
- 301 Internal derangement of joint, except knee
  - 300 knee
- 211 Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
- 107 Intoxication, acute alcohol
- 98 Involutional melancholia
- 128 Iridocyclitis
- 128 Iritis
- 82 Iron deficiency anemia
- 211 Irritable colon or bowel

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ischemic
163	cerebrovascular disease, generalized
143	heart disease, except acute or subacute
142	acute or subacute, except infarction
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	abdominal wall
371	arm
370	back
365	cerebral
370	chest
368	eye
371	hand
369	head, except eye
372	leg
372	lower limb
370	multiple sites
369	neck
285	perineum, in delivery, except first and second degree
284	first and second degree
370	trunk
371	upper limb
212	Laennec's cirrhosis
255	Legal abortion
48	Leukemia, except lymphocytic

Group No.	Title
	Leukemia, except lymphocytic **(continued)**
47	lymphocytic
214	Liver disease, except infectious and serum hepatitis and cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia and obstructive
179	pneumonia
184	obstructive
88	Lymphadenitis, except acute and mesenteric
292	acute
87	mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
242	Mastitis, except puerperal
290	puerperal
8	Measles
18	late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	tuberculous
7	viral
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	bladder
53	bone
63	brain
55	breast
52	bronchus
50	buccal cavity
57	cervix
53	connective tissue
51	digestive
	Neoplasm, benign **(continued)**
65	endocrine, except thyroid
62	eye
	genitalia
59	female, except uterus and ovary
60	male
61	kidney
52	larynx
52	lung
53	muscle
63	nervous system
58	ovary
50	pharynx
60	prostate
52	respiratory
60	scrotum
54	skin
52	thymus
64	thyroid
61	ureter
61	urethra
61	urinary
57	uterus, except fibroma
56	fibroma
59	vagina
59	vulva
	Neoplasm, malignant
44	adrenal gland
39	bladder
29	bone
42	brain
32	breast
27	bronchus
19	buccal cavity
43	cerebral meninges
33	cervix uteri
23	colon

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
29	connective tissue
44	endocrine glands
20	esophagus
41	eye
36	fallopian tube
	genitalia
36	female, except uterus and ovary
38	male, except prostate
45	ill-defined sites
25	intestine, except colon and rectum
23	large, except rectum
22	small
40	kidney
23	large intestine, except rectum
27	lung
49	lymphatic, except Hodgkin's disease
45	metastatic
19	mouth
43	nervous system, except brain
35	ovary
26	pancreas
19	pharynx
44	pituitary gland
36	placenta
37	prostate
24	rectum
28	respiratory system, except bronchus and lung
38	scrotum
45	secondary
31	skin, except genitalia
22	small intestine
43	spinal cord and meninges
21	stomach
44	thyroid gland
40	ureter
40	urethra

Group No.	Title
	Neoplasm, malignant **(continued)**
40	urinary tract, except bladder
34	uterus, except cervix
36	vagina
36	vulva
68	Neoplasm, uncertain behavior or unspecified type, any site
222	Nephritis, except acute
223	acute
222	Nephrosis, except tubular
225	tubular
222	Nephropathy, except diabetic
73	diabetic
315	Neuralgia, except sciatic and trigeminal
307	sciatic
120	trigeminal
315	Neuritis, except median and sciatic
119	median
307	sciatic
120	Neuroma, except amputation stump
390	amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	anxiety
109	cardiac
102	depressive
	Nevus
54	skin
327	vascular
	Newborn, hospital
394	multiple
393	single term
394	twin
	Newborn, nonhospital
395	multiple
395	single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia

DIAGNOSIS INDEX (continued)

Group No.	Title
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	bile duct, except calculus
207	intestinal, except postoperative
390	postoperative
172	portal vein
172	vena cava
184	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
158	cerebral, without paralysis
159	with paralysis
156	precerebral, without paralysis
157	with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
	Organic brain syndrome
89	acute
90	Alzheimer's dementia
91	arteriosclerotic
89	transient
298	Osteoarthritis
298	hip
298	knee
303	spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	chronic and unspecified
131	acute
133	Otosclerosis

Group No.	Title
	Ovarian
243	cyst
252	disease, except endometriosis
74	dysfunction
254	pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
338	abdominal
335	chest
253	female genital organ
331	head
335	precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except in appendicitis
198	in appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID

DIAGNOSIS INDEX (continued)

Group No.	Title
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
17	Pneumocystosis
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	spontaneous
366	traumatic
385	Poisoning, except food and drug
384	drug
1	food
7	Poliomyelitis
18	late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	secondary
268	Polyhydramnios
287	with delivery
	Polyp
211	anal
68	bladder
252	cervix
211	intestinal
178	laryngeal
176	nasal
211	rectal
176	sinus
178	vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
	Postoperative wound
390	dehiscence
388	hemorrhage
389	infection
	Postpartum
290	complication, not elsewhere classified
267	depression
269	with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	ectopic
254	ovarian
268	post-term
287	with delivery
254	tubal
398	undelivered
268	Premature rupture of membranes
282	with delivery
328	Prematurity of newborn
253	Premenstrual tension
90	Presenile dementia or psychosis
	Prolapse
128	iris
248	uterovaginal
236	Prostatic disease, except hypertrophy
235	hypertrophy
	Proteinuria
340	except postural

DIAGNOSIS INDEX (continued)

Group No.	Title
	Proteinuria **(continued)**
223	postural or orthostatic
	Psychogenic
109	diarrhea
109	hyperventilation
109	paralysis
109	vomiting
116	Psychomotor epilepsy
100	Psychosis
92	alcoholic
90	Alzheimer's
91	arteriosclerotic
98	depressive
93	drug-induced
99	manic-depressive
89	organic, acute or transient
90	chronic, except arteriosclerotic
90	senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
	Pulmonary
144	embolism
182	emphysema
1	tuberculosis
	valve disease-*see Valvular disease*
227	Pyelitis, except acute
226	acute
227	Pyelonephritis, except acute
226	acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	anxiety
102	depressive
386	drug, not elsewhere classified
391	transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
	Renal
228	calculus
397	dialysis treatment
225	failure, except chronic
224	chronic
139	hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	cyst
121	detachment
121	hemorrhage
121	tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	spine
13	Rickettsiosis
8	Rubella
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
	Rupture
172	blood vessel
305	intervertebral disc, except lumbar
304	lumbar disc
243	ovarian cyst
268	uterus
290	postpartum
286	with delivery
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute episode
95	acute episode
97	childhood
94	paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	puerperal
5	Septicemia
288	puerperal
9	Serum hepatitis
391	Serum sickness

Group No.	Title
	Shock
391	anaphylactic, except due to drug
386	due to drug
333	nontraumatic
390	postoperative
383	traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
	Spontaneous
257	abortion
185	pneumothorax
363	Sprain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
322	pyloric, congenital
233	urethral, except congenital
325	congenital
392	Sterilization, elective

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	paroxysmal, except atrial
146	atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	medial meniscus, current injury
300	old
121	retinal
309	Tenosynovitis, except spine
308	spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	migrans
	Thrombosis
167	arterial, except cerebral and precerebral
158	cerebral, without paralysis
159	with paralysis
172	portal vein
156	precerebral, without paralysis
157	with paralysis
172	vein
70	Thyroid disease, except nodule or goiter
69	nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	chemotherapy
397	dialysis
398	physical therapy
398	radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
120	Trigeminal neuralgia

DIAGNOSIS INDEX (continued)

Group No.	Title
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	bone
18	late effect
2	lung
3	nonrespiratory
2	respiratory
13	Typhus
	Ulcer
192	duodenal
193	with hemorrhage or perforation
194	with obstruction
190	gastric
191	with hemorrhage or perforation
194	with obstruction
192	gastrojejunal
193	with hemorrhage or perforation
194	with obstruction
192	peptic, except gastric
193	with hemorrhage or perforation
194	with obstruction
295	skin
170	varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
4	streptococcal
225	Uremia, except chronic
224	chronic
	Ureteral
230	disease, except calculus
229	calculus

Group No.	Title
	Urethral
230	disease, except calculus
229	calculus
234	disease, except calculus and stricture
231	calculus
233	stenosis, except congenital
325	congenital
233	stricture, except congenital
325	congenital
234	Urethritis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
	Uterine
57	fibroma
248	prolapse
128	Uveitis
247	Vaginitis, except atrophic and senile
251	atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	nonrheumatic
136	rheumatic
172	Varices, esophagus
170	Varicose veins of lower extremities
314	Varus deformity, limb
	Veneral
14	disease
11	wart
308	Vertebrogenic pain syndrome
340	Vertigo
	Viral
12	encephalitis
18	late effect
1	gastroenteritis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Viral (continued)
9	hepatitis
7	meningitis
18	late effect
11	wart
	Vitreous
128	abscess
128	prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	alcohol
93	drug
	Wound
390	dehiscence
	infection
389	postoperative
383	posttraumatic
	open-*see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	cervix
732	finger
737	foot
733	forearm
733	hand
737	hip
736	leg, above knee
735	below knee
739	revision (any site)
732	thumb
734	toe
733	upper arm
	Anastomosis
617	bile duct
581	blood vessel
617	gallbladder
601	intestine
609	rectum
757	Angiocardiography, except coronary vessels
756	coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	cardiac vessels
755	cerebral vessels
581	Angioplasty, except coronary
575	coronary artery
581	percutaneous transluminal, except coronary

Group No.	Title
	Angioplasty, except coronary **(continued)**
	percutaneous transluminal, except coronary (continued)
575	coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	incidental
	Arteriography
757	aorta
755	cerebral
756	coronary
757	femoral
755	head
756	heart
757	renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	hip, except total replacement
722	total replacement
724	knee
699	temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	insemination
690	rupture of membranes for delivery
	Aspiration
752	breast, except for biopsy
742	biopsy
741	bursa
682	cul-de-sac

OPERATION INDEX (continued)

Group No. Title

Aspiration (continued)
677 curettage, uterus, except for termination of pregnancy
674 termination of pregnancy
651 hydrocele, except of spermatic cord
656 spermatic cord
632 kidney
614 liver, percutaneous, except for biopsy
615 biopsy
537 middle ear
546 nasal sinus
663 ovary
752 skin
656 spermatocele
529 vitreous

Augmentation
745 breast
699 chin

Balloon
581 angioplasty, except coronary
575 coronary
571 valvuloplasty, heart

Biopsy
515 adrenal gland
611 anus
638 bladder, except transurethral approach
637 transurethral approach
705 bone, except facial
698 facial
586 bone marrow
501 brain
742 breast
563 bronchus
501 cerebral meninges
668 cervix
597 colon
597 duodenum

Group No. Title

Biopsy (continued)
668 endocervical
588 esophagus
532 eyeball
517 eyelid
666 fallopian tubes
597 intestine (large) (small)
719 joint structure
632 kidney
597 large intestine
558 larynx
552 lip
615 liver
565 lung
582 lymph nodes
570 mediastinum
meninges
501 cerebral
507 spinal
727 muscle
543 nose
532 orbit
660 ovary, except by aspiration
663 aspiration
618 pancreas
658 penis
508 peripheral nerve
626 peritoneum
556 pharynx
570 pleura
650 prostate
606 rectum
651 scrotum
747 skin
597 small intestine
507 spinal meninges
654 testes

OPERATION INDEX (continued)

Group No. Title

- Biopsy (continued)
  - 514 thyroid
  - 552 tongue
  - 559 trachea
  - 635 ureter
  - 670 uterine ligaments
  - 670 uterus
  - 552 uvula
  - 682 vagina
  - 558 vocal cord
  - 683 vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery
- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 aortocoronary
  - 578 blood vessels (systemic)
  - 572 coronary
  - 596 gastric
  - 572 heart
  - 579 heart-lung
  - 601 intestine
  - 596 stomach
  - 634 urinary

- 763 Cancer chemotherapy
- Cardiac
  - 573 catheterization
  - 576 electrophysiologic stimulation studies

Group No. Title

- Cardiac (continued)
  - 764 function tests
  - 576 mapping studies
  - massage
    - 763 closed
    - 575 open
  - 574 pacemaker insertion or replacement
  - 575 revascularization, except coronary bypass
    - 572 coronary bypass
  - 764 stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 intracapsular
- Catheterization
  - 647 bladder, except suprapubic approach
    - 638 suprapubic approach
  - 581 blood vessel
  - 573 cardiac
  - 512 spinal canal (for infusion of agents)
  - 645 ureteral
  - 647 urethral, indwelling
  - 587 vein, except umbilical
    - 581 umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 low cervical
- 717 Chemonucleolysis
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn

OPERATION INDEX (continued)

Group No.	Title
	Closure
617	cholecystostomy
601	colostomy
	fistula-*see Fistulectomy*
596	gastric anastomosis
601	sigmoidostomy
570	thoracostomy
635	ureterostomy
640	urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	surgical approach (transabdominal)
602	Colostomy, except loop
600	loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
760	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
638	bladder
581	blood vessel
569	chest
627	laparotomy site
544	nose, except by anterior packing
557	anterior packing
569	pleura
581	postoperative, not elsewhere classified
650	prostate
590	stomach
556	tonsil
521	Corneal transplant
572	Coronary bypass
760	CPAP (continuous positive airway pressure)

Group No.	Title
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	burn (skin)
705	fracture, except of skull
503	skull
752	nail, nail bed, nail fold
748	skin (infection) (wound)
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
690	artificial rupture of membranes
688	breech extraction
692	cesarean section, except low cervical
691	low cervical
689	forceps, except low forceps
687	low forceps
689	internal and combined version
751	Dermabrasion

OPERATION INDEX (continued)

Group No.	Title
601	Derotation, intestine
580	Dialysis, except peritoneal
629	peritoneal
	Dilation
638	bladder (neck)
635	ureteral meatus
645	ureterovesical orifice
641	urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	closed
715	open
702	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
726	fascia, except of hand
728	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
647	bladder, except surgical approach
638	surgical approach (suprapubic)
569	chest
537	middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
579	ECMO (extracorporeal membrane oxygenation)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
617	biliary tract
636	bladder
567	bronchus
619	colon, except surgical approach
609	surgical approach (transabdominal)
682	cul-de-sac, except for tubal ligation
664	tubal ligation
589	esophagus
589	gastric, except surgical approach
596	surgical approach (transabdominal)
647	ileal conduit
576	larynx
628	peritoneum
557	pharynx
609	small intestine
589	stomach, except surgical approach
596	surgical approach (transabdominal)
570	thorax, transpleural
636	urethra
679	uterus
686	vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	low forceps
689	other forceps
544	Epistaxis control, except by anterior packing
557	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac

OPERATION INDEX (continued)

Group No.	Title
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	biliary tract
763	Erythrocytapheresis
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	eyeball
673	pelvic
	Examination
764	eye
764	general physical
764	gynecologic
764	pelvic
761	psychiatric
763	Exchange transfusion, except intrauterine
696	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
727	Baker's cyst
705	bone, except facial
699	facial, except partial
698	partial
556	branchial cleft cyst
704	bunion
517	chalazion, eyelid
599	colon
665	fallopian tubes, bilateral, except endoscopic approach
664	endoscopic approach
670	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
727	tendon (of hand)

Group No.	Title
	Excision (continued)
612	hemorrhoids
	hydrocele
679	round ligament
656	spermatic cord
651	tunica vaginalis
717	intervertebral disc or cartilage
719	joint, except intervertebral disc and cartilage of knee
717	intervertebral disc
718	knee cartilage
631	kidney, except partial
632	partial
718	knee cartilage (semilunar)
582	lymph nodes, except radical
583	radical
508	neuroma, peripheral nerve
	ovary
662	bilateral
661	unilateral
550	parotid gland
746	pilonidal cyst or sinus
515	pituitary gland
649	prostate, except transurethral approach
648	transurethral approach
522	pterygium
747	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
718	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
751	toenail
552	tongue
553	tonsil, except with adenoids
554	with adenoids
556	tonsil tag

OPERATION INDEX (continued)

Group No.	Titie
	Excision **(continued)**
	tubes and ovaries
662	bilateral
661	unilateral
670	uterine fibroid
577	varicocele, except of spermatic cord
656	spermatic cord
	Excision of lesion (and destruction of tissue)
626	abdominal wall
611	anus
617	bile duct
638	bladder, except transurethral approach
637	transurethral approach
705	bone, except facial
698	facial
501	brain
742	breast
563	bronchus
501	cerebral meninges
668	cervix, except by conization
667	conization
597	colon
520	conjunctiva
522	cornea
597	duodenum
534	ear, external
588	esophagus
532	eye
517	eyelid
666	fallopian tube
549	gingiva, gums
597	intestine
524	iris
632	kidney
597	large intestine
558	larynx
552	lip

Group No.	Title
	Excision of lesion **(continued)**
565	lung
	meninges
501	cerebral
507	spinal
727	muscle
	nerve
508	peripheral
511	sympathetic
543	nose, except submucous resection
541	submucous resection
660	ovary
550	parotid gland
658	penis
	perineum
683	female
747	male
508	peripheral nerve
607	perirectal tissue
626	peritoneum
606	rectum
550	salivary gland
524	sclera
651	scrotum
747	skin, except radical and of pilonidal cyst or sinus
746	pilonidal cyst or sinus
748	radical
501	skull
597	small intestine
507	spinal meninges
592	stomach
727	tendon
654	testis
552	tongue
559	trachea
635	ureter
640	urethra

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
679	uterine ligament
670	uterus
682	vagina
559	vocal cord
683	vulva
	Exenteration
532	eyeball, orbit
673	pelvic
	Exploration
627	abdominal cavity
617	bile duct
632	kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
	Extracorporeal
579	circulation
579	membrane oxygenation (ECMO)
508	shock wave lithotripsy (ESWL)
	Extraction
688	breech, for delivery
547	dental
686	menstrual
547	teeth
689	vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	hand
726	Fasciotomy, except of hand
728	hand
	Fistulectomy
610	anal
638	bladder
556	branchial cleft
564	bronchus
601	intestine

Group No.	Title
	Fistulectomy **(continued)**
542	nasal
542	nasolabial
546	oroantral
609	perirectal
556	pharynx
640	rectourethral
679	rectouterine
681	rectovaginal
638	rectovesical
609	rectum
562	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction-*see Fracture-reduction*
689	Forceps delivery, except low forceps
687	low forceps
	Formation
581	arteriovenous shunt for dialysis
601	endoileal rectal pouch
634	ileal conduit or bladder
	Fracture-reduction
701	facial bone, except closed reduction
700	closed reduction
	femur
710	closed, except with internal fixation
708	with internal fixation
710	open, except with internal fixation
709	with internal fixation
701	mandible, except closed reduction
700	closed reduction
701	maxillofacial, except closed reduction
700	closed reduction
544	nose
	other sites
713	closed, except with internal fixation

OPERATION INDEX (continued)

Group No.	Title
	Fracture-reduction (continued)
	other sites (continued)
	closed, except with internal fixation (continued)
711	with internal fixation
713	open, except with internal fixation
712	with internal fixation
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	spinal
508	Ganglionectomy, except of tendon
727	tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	total
589	Gastroscopy, except surgical approach
596	surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	bone, except facial and skull
702	facial
503	skull
749	free, of skin
552	lip
731	muscle, except of hand
729	hand
750	pedicle, of skin
	skin
749	free
750	pedicle
	Graft (continued)
731	tendon, except of hand
729	hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	diaphragmatic
624	epigastric
622	femoral
624	incisional
	inguinal
621	bilateral
620	unilateral
623	umbilical
624	ventral
723	Hip replacement, except total
722	total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	radical
672	vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	termination of pregnancy
602	Ileostomy, except loop
600	loop
634	Ileoureterostomy

OPERATION INDEX (continued)

Group No. Title

- Implant, implantation
  - 642 artificial urinary sphincter
  - 745 breast
  - 574 cardiac pacemaker (electrodes) (pulse generator)
  - 575 cardioverter/defibrillator
  - 539 cochlear prosthetic device
  - 539 electromagnetic hearing device (bone) (cochlea)
  - 740 limb prosthesis
- Incision (and drainage)
  - 626 abdominal wall
  - 610 anal fistula
  - 605 appendix
  - 683 Bartholin's gland or abscess
  - 703 bone, except facial
    - 702 facial
  - 501 brain
  - 745 breast
  - 501 cerebral meninges
  - 569 chest (wall)
  - 522 cornea
  - 502 cranial sinus
  - 534 ear, external
  - 518 eyelid
  - 552 floor of mouth
  - 617 gallbladder
  - 549 gingiva, gums
  - 600 intestine
  - 716 joint
  - 519 lacrimal gland or sac
  - 614 liver
  - 582 lymph nodes
  - 539 mastoid
  - meninges
    - 501 cerebral
    - 506 spinal
  - 537 middle ear
  - 726 muscle

Group No. Title

- Incision (and drainage) **(continued)**
  - nasal sinus *see Sinusotomy*
  - 726 palmar space (hand)
  - 618 pancreas
  - 613 perianal tissue
  - perineum
    - 683 female
    - 748 male
  - 607 perirectal tissue
  - 627 peritoneum, except via cul-de-sac
    - 682 via cul-de-sac
  - 746 pilonidal cyst or sinus
  - 569 pleura
  - 607 rectovaginal septum
  - 607 rectum
  - 626 retroperitoneal abscess
  - 651 scrotum
  - sinus (nasal)-*see Sinusotomy*
  - 748 skin, except pilonidal cyst or sinus
    - 746 pilonidal cyst or sinus
  - 506 spinal meninges
  - 726 tendon
  - 569 thorax
  - 633 ureter
  - 682 vagina
  - 683 vulva
- 690 Induction of labor (medical or surgical) for delivery
- Infusion
  - concentrated nutritional substances
    - 764 enteral
    - 763 parenteral (PPN) (TPN)
- Injection
  - 694 intra-amniotic, for termination of pregnancy
  - 763 therapeutic agent (drugs)
    - 745 breast
    - 741 bursa
    - 741 joint

OPERATION INDEX (continued)

Group No.	Title
	Injection **(continued)**
	therapeutic agent (drugs) (continued)
741	tendon
686	Insemination, artificial
	Insertion
706	bone growth stimulator
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
748	infusion pump
686	intrauterine contraceptive device
679	laminaria, uterus
658	penile prosthesis
751	tissue expander, except breast
745	breast
645	ureteral stent, except by incision
633	by incision
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
	Lens extraction, except intracapsular **(continued)**
525	intracapsular
763	Leukopheresis
	Ligation
665	fallopian tubes (bilateral), except endoscopic approach
664	endoscopic approach
612	hemorrhoids
577	varicose veins
655	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	bladder
646	extracorporeal shock wave (ESWL)
635	kidney
646	ultrasonic
635	ureter
	Lobectomy
501	brain
615	liver
566	lung, except partial
565	partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	abdominal
741	hand
524	iris
716	joint
731	muscle, except of hand
741	hand
630	pelvis
630	peritoneum
731	tendon, except of hand
741	hand
758	Magnetic resonance imaging (MRI)
745	Mammectomy

OPERATION INDEX (continued)

Group No.	Title
758	Mammography
745	Mammoplasty, augmentation or reduction
699	Mandibulectomy, except partial
698	partial
699	Mandibulotomy
	Mastectomy
743	complete
743	simple, except extended
744	extended
742	subtotal
744	radical
743	partial
538	Mastoidectomy, except revision
539	revision
745	Mastotomy
	Meatotomy
635	ureteral
639	urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
758	MRI (magnetic resonance imaging)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
764	enteral
763	parenteral (PPN) (TPN)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	bilateral
661	unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	suspension
705	Ostectomy, except facial bone
699	facial bone, except partial
698	partial
706	Osteoplasty, except facial bone
699	facial bone
703	Osteotomy, except facial bone
699	facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
763	Photopheresis

OPERATION INDEX (continued)

Group No.	Title
540	Piercing, ear
763	Plasmapheresis
763	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
570	Pleurosclerosis
	Plication
644	urethral, urethrovesical
581	vena cava
753	Pneumoencephalography
566	Pneumonectomy
764	Polysomnogram
763	PPN (peripheral parenteral nutrition)
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	arteries, except cerebral and coronary
755	cerebral
756	coronary
758	breast
755	cerebral
755	arteries
753	ventricles
758	chest
758	gallbladder
758	kidney
758	skeletal
758	spine, except myelogram
754	myelogram
757	veins
	Reattachment
738	extremity
528	retina
731	tendon, except of hand
729	hand
530	Recession, ocular muscle
	Reconstruction
535	ear ossicles
699	mandible
729	thumb
680	Rectocele repair
	Reduction
	dislocation, except temporomandibular
714	closed
715	open
702	temporomandibular (joint)
	fracture
701	facial bone, except closed reduction
700	closed reduction
	femur
710	closed, except with internal fixation
708	with internal fixation

OPERATION INDEX (continued)

Group No.	Title
	Reduction **(continued)**
	fracture (continued)
	femur (continued)
710	open, except with internal fixation
709	with internal fixation
701	mandible, except closed reduction
700	closed reduction
701	maxillofacial, except closed reduction
700	closed reduction
544	nose
	site, other than above
713	closed, except with internal fixation
711	with internal fixation
713	open, except with internal fixation
712	with internal fixation
619	hemorrhoids
	hernia-*see also Herniorrhaphy*
764	manual
601	intestinal torsion
601	intussusception, intestine
745	mammoplasty
601	volvulus, intestine
	Release
	adhesions-*see Lysis, adhesions*
728	Dupuytren's contracture
749	scar contracture, skin
642	urethral stricture
	Removal
707	bone growth stimulator
	calculus
617	biliary tract
638	bladder
632	kidney, except transurethral approach
635	transurethral approach
519	lacrimal tract (by incision)
533	without incision
633	ureter, except transurethral approach
	Removal **(continued)**
	calculus (continued)
	ureter, except transurethral approach (continued)
635	transurethral approach
764	catheter, nonoperatively
764	cholecystotomy tube
693	ectopic fetus
707	fixation device, internal
	foreign body
762	bronchus, except with incision
563	with incision
532	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
745	breast
716	joint
596	gastric balloon
658	penile prosthesis
697	retained placenta, manually
764	sutures
764	t-tube, gallbladder
764	therapeutic device, nonoperatively
748	tissue expander, except breast
745	breast
529	vitreous
580	Renal dialysis
	Repair
630	abdominal wall
613	anal fistula, except by excision
610	excision
581	aneurysm (arteriovenous)
638	bladder, except obstetric laceration
697	obstetric laceration
518	blepharoptosis

OPERATION INDEX (continued)

Group No. Title
Repair (continued)
581 blood vessel
706 bone, except facial
699   facial
745 breast
564 bronchial fistula
704 bunion
571 cardiac septal defect
669 cervix, except obstetric laceration
697   obstetric laceration
570 chest wall
551 cleft palate
520 conjunctiva
522 cornea, except transplant
521   transplant
680 cystocele, vagina
730 diastasis recti
534 ear, external
518 ectropion or entropion, eyelid
697 episiotomy
518 eyelid
fistula-*see Fistulectomy*
704 hallux valgus
729 hand
hernia-*see Herniorrhaphy*
723 hip, except total replacement
722   total replacement
hydrocephalus, by ventricular shunt
504   extracranial
505   intracranial (ventriculostomy)
601 intestine
725 joint, except hip and knee
723   hip, except total replacement
722   total replacement
724   knee
724 knee (joint)

Group No. Title
Repair (continued)
Laceration-*see also Repair, by site*
697   obstetric
562 larynx
552 lip
615 liver
568 lung
731 muscle, except extraocular and of hand
531   extraocular
729   hand
556 nasopharyngeal atresia
542 nose
663 ovary
551 palate
658 penis
685 perineum, female, except obstetric laceration
697   obstetric laceration
509 peripheral nerve
596 pylorus, stomach
680 rectocele, vagina
609 rectum
528 retinal detachment or tear
730 rotator-cuff (shoulder)
503 skull
507 spina bifida
507 spinal meningocele
596 stomach
644 stress incontinence, except urethral suspension
643   urethral suspension
731 tendon, except of hand
729   hand
654 testis
562 trachea
635 ureter
640 urethra
679 uterus, except obstetric laceration and supporting structures
697   obstetric laceration

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
	uterus, except obstetric laceration and supporting structures (continued)
678	supporting structures
681	vagina, except for cystocele and rectocele, and obstetric laceration
680	cystocele and rectocele
697	obstetric laceration
552	vestibular arch (mouth)
685	vulva, except obstetric laceration
697	obstetric laceration
	Replacement
574	cardiac pacemaker
571	heart valve
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
658	penile prosthesis
647	urinary catheter
	Resection
638	bladder
581	blood vessel
564	bronchus
599	large intestine
730	muscle, except of hand
728	hand
541	nasal septum, submucous
530	ocular muscle
660	ovary
608	rectum (abdominoperineal) (pull-through)
549	root of tooth
598	small intestine
730	tendon, except of hand
728	hand
548	Restoration, tooth
758	Retrograde pyelogram

Group No.	Title
	Revision
739	amputation stump
581	arteriovenous shunt for dialysis
596	gastric anastomosis
601	intestinal anastomosis
539	mastoidectomy
562	tracheostomy
539	tympanoplasty
505	ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	bilateral
666	unilateral
	Salpingo-oophorectomy
662	bilateral
661	unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt-*see also Bypass*
504	cerebral ventricles, except intracranial and revision
505	intracranial
505	revision
578	peripheral vessels
630	peritoneovenous
578	systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy

OPERATION INDEX (continued)

Group No.	Title
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	radical maxillary
751	Size-reduction, skin tissue except breast
745	breast
	Sphincterotomy
617	ampullary (of Vater) (pancreas)
613	anus
638	bladder neck
	Spinal
720	fusion
512	tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	foot
724	knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	urethral suspension
	Stress test
764	cardiac
764	fetal
764	uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	urethra, except with bladder neck
644	with bladder neck
644	urethrovesical
	Suture-*see also Repair, by site*
730	muscle, except of hand
729	hand
748	skin
730	tendon, except of hand
729	hand
510	Sympathectomy

Group No.	Title
719	Synovectomy
554	T and A
	Takedown-*see Closure*
730	Tenosynovectomy, except of hand
728	hand
726	Tenotomy, except of hand
728	hand
	Termination of pregnancy
676	aspiration curettage
674	dilation and curettage
691	hysterotomy
694	intra-amniotic injection
	Therapy
761	behavior
763	cancer (chemical)
761	electroconvulsive (ECT)
760	occupational
760	physical
761	psychiatric
759	radiation
761	shock (EST)
760	speech
760	ventilation
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
581	Thromboendarterectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	with adenoidectomy
548	Tooth restoration
763	TPN (total parenteral nutrition)
562	Tracheostomy, except permanent

OPERATION INDEX (continued)

Group No.	Title
	Tracheostomy, except permanent **(continued)**
561	permanent
760	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
763	blood, except intrauterine exchange
696	intrauterine
585	bone marrow
763	coagulation factor
763	gamma globulin
763	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
571	heart
632	kidney
731	muscle, except of hand
729	hand
731	tendon, except of hand
729	hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	revision
537	Tympanotomy
	Ultrasonic fragmentation of calculus
617	biliary
646	urinary, except by percutaneous nephrostomy
632	percutaneous nephrostomy

Group No.	Title
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
571	Valvuloplasty, cardiac
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	revision
753	Ventriculography
684	Vulvectomy
	X-ray-*see Radiography*
751	Z-plasty, skin

R3850-1.3-U

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, Northeastern Region, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1988

LENGTH OF STAY

Copyright 1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0895-982x

Length of Stay by Diagnosis and Operation, Northeastern Region, 1987
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1987
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1987
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1987
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. The first edition of the Psychiatric Length of Stay series was introduced in 1987. Length of Stay by Psychiatric Diagnosis is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v
- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- 1987 Length of Stay Hospital Characteristics viii

Organization of Length of Stay Tables ix
- Patient Data Assignment
- Definition of Multiple Diagnoses Patients
- Definition of Operated Patients

Explanation of Statistics x

Application of Length of Stay Tables xi

Length of Stay Trends xii

AIDS Supplement xiv

Length of Stay Tables 1
- Length of Stay Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-398 4
- Length of Stay Operation Groups 203
- Summary of All Patients in Operation Groups 204
- Operation Groups 501-764 205

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 271

Indexes 275
- Diagnosis Index 277
- Operation Index 299

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1987 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other sources are included in the 1987 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1987 LENGTH OF STAY BOOKS

Research Services
Linda Vanek, Product Manager
Jeanine DeLay, Assistant Director
James Chesney, Director

Development Services
Marion S. Morris, Senior Programmer Analyst
Joyce Beach, Senior Programmer Analyst

Operations
Lale A. Olson, Forms Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to Research Services staff: Carol Prevost, Research Associate, for her Length of Stay expertise, technical advice and patience; Roger Wroblewski, Statistician, for data analysis; Dorothy Kempter and Nancy Cauthen for reviewing the AIDS text; Rhonda Gregory and Kathy Lundquist for clerical and technical support.

Appreciation is extended to other individuals at CPHA: Robert Seeman, Senior Nosologist, for his explanation of coding issues and valuable assistance in producing the AIDS Supplement; John Hallfrisch, MD, Consultant, for his interpretation of clinical data; Robert Travis, Librarian, for meticulously checking the text through its many stages; and the staff of Operations, Client Services, and Word Processing.

INTRODUCTION

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The regional volumes of the Length of Stay series are defined by four census regions as described in the map below.



Most data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These data enhance CPHA as a national health information center.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

1987 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

Hospital Category	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Bedsize			
6-24	342	43	12.6
25-49	1,196	208	17.4
50-99	1,254	281	22.4
100-199	1,251	281	22.4
200-299	721	188	26.1
300-399	434	102	23.5
400-499	213	55	25.8
500+	306	70	22.9
Total	**5,717**	**1,228**	**21.5**
Region and Census Division			
Northeast	811	295	36.4
New England	241	111	46.1
Middle Atlantic	570	184	32.3
North Central	1,660	333	20.0
East North Central	878	267	30.4
West North Central	782	66	8.4
South	2,120	269	12.7
South Atlantic	814	142	17.4
East South Central	491	65	13.2
West South Central	815	62	7.6
West	1,126	331	29.4
Mountain	378	146	38.6
Pacific	748	185	24.7
Location			
Rural	2,691	549	20.4
Urban	3,026	679	22.4
Teaching Intensity			
Low	4,702	934	19.9
Medium	611	156	25.5
High	340	74	21.8
Unknown	64	64	100.0

The Pediatric book was compiled from the data of 1,119 hospitals. The Geriatric book was compiled from the data of 1,178 hospitals.

---

[1] Hospitals with average stay less than 30 days.

[2] 1986 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

ORGANIZATION OF LENGTH OF STAY TABLES

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnoses, operated or nonoperated status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnoses and age.

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1987, are reflected in the index at the back of the book.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. The principal procedure is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Diagnoses Patients

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. The Class 1 procedure may or may not relate to the principal diagnosis (Dx). Patients with only Class 2-4 procedures are considered nonoperated.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one UHDDS Class 1 procedure was present. These tables contain procedures which are either therapeutic to the principal Dx or the only procedure.

While most List B groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. These miscellaneous groups are included for informational purposes only.

List B tables which contain no significant Class 1 procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay. Several tables which, as of October 1987, contain a single low volume Class 1 procedure continue to be identified with a disclaimer.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

[2] UHDDS Classes of Procedures, *ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple Dx, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

LENGTH OF STAY TRENDS

The Length of Stay series sets the industry standard for normative patient stay data from short-term, nonfederal hospitals. First created with 1963-1964 PAS data, the series currently incorporates PAS as well as data from other sources, e.g., hospital associations. The 1987 Length of Stay series is based on over six million patient records, representing 21.5 percent of the short-term, nonfederal hospitals in the United States.

CPHA's annual publication of a reliable, extensive database allows for analysis of length of stay trends. The following table illustrates hospital stay data for the nine year period, 1979-1987.

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1987

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8

All Patients Except Newborn

U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0

Source: 1979-1987 *Length of Stay by Diagnosis*, U.S. and Regions

For the total United States the average length of stay fell 13% during the nine year period, from 6.7 days in 1979 to 5.8 days in 1987. While the largest decrease occurred between 1983 and 1984, average stay appears to have levelled off since 1986. Regional variations have remained consistent; hospital stays are highest in the Northeast region and lowest in the West (1.8 day difference).

In the following table the length of stay for normal delivery (*ICD-9-CM* Code 650, List A group 270) is displayed for the five years between 1983 and 1987. This example illustrates the overall decline in length of stay, as well as the regional variations described above.

AVERAGE LENGTH OF STAY: NORMAL DELIVERY
UNITED STATES AND REGIONS, 1983-1987

	1983	1984	1985	1986	1987
U.S.	2.8	2.6	2.5	2.3	2.2
Northeast	3.1	3.0	2.9	2.8	2.7
North Central	3.1	2.9	2.7	2.5	2.4
South	2.7	2.6	2.5	2.4	2.3
West	2.0	1.9	1.9	1.8	1.7

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1983 for frequently performed surgeries in the United States.

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES
UNITED STATES 1983-1987

	1983	1984	1985	1986	1987
Appendectomy	5.3	5.1	4.8	4.7	4.6
Cervical Cesarean Section	5.8	5.6	5.3	5.0	4.8
Cholecystectomy	9.9	9.1	8.2	7.7	7.2
Transurethral Prostatectomy	9.3	8.2	7.1	6.5	6.1
Unilateral Repair of Inguinal Hernia	4.1	3.7	3.2	2.8	2.6
Vaginal Hysterectomy	6.7	6.3	5.8	5.2	4.8

AIDS SUPPLEMENT

The national epidemic of Acquired Immunodeficiency Syndrome (AIDS) has had a major impact on every aspect of the healthcare system. While inpatient hospital stays represent only one of the resources used by AIDS patients, reliable hospital data can be a valuable tool for describing the health crisis. The annual collection of patient data from short-term nonfederal hospitals allows CPHA to present clinical and demographic data on AIDS diagnoses.

In October 1986, new diagnosis classification codes specific to Human Immunodeficiency Virus infection (HIV)[1] were created for *ICD-9-CM* to monitor the diagnoses and manifestations of the disease:

ICD-9-CM AIDS Related Diagnoses Codes (October, 1986)

CODE	TITLE
042	HTLV-III/LAV INFECTION WITH SPECIFIED CONDITIONS
042.0	HTLV-III/LAV INFECTION WITH SPECIFIED INFECTIONS
042.1	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED INFECTIONS
042.2	HTLV-III/LAV INFECTION WITH SPECIFIED MALIGNANT NEOPLASMS
042.9	ACQUIRED IMMUNODEFICIENCY SYNDROME WITH OR WITHOUT OTHER CONDITIONS
043	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED CONDITIONS
043.0	HTLV-III/LAV INFECTION CAUSING LYMPHADENOPATHY
043.1	HTLV-III/LAV INFECTION CAUSING SPECIFIED DISEASES OF THE CENTRAL NERVOUS SYSTEM
043.2	HTLV-III/LAV INFECTION CAUSING OTHER DISORDERS INVOLVING THE IMMUNE MECHANISM
043.3	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED CONDITIONS
043.9	ACQUIRED IMMUNODEFICIENCY SYNDROME-RELATED COMPLEX WITH OR WITHOUT OTHER CONDITIONS
044	OTHER HTLV-III/LAV INFECTION
044.0	HTLV-III/LAV INFECTION CAUSING SPECIFIED ACUTE INFECTIONS
044.9	HTLV-III/LAV INFECTION, NOT OTHERWISE SPECIFIED (WITH OR WITHOUT OTHER CONDITIONS NOT CLASSIFIABLE TO 042, 043, 044)
795.8	POSITIVE SEROLOGICAL OR VIRAL CULTURE FINDINGS FOR HUMAN T-CELL LYMPHOTROPIC VIRUS-III/LYMPHADENOPATHY ASSOCIATED VIRUS (HTLV-III/LAV)

The protocols[2] established by the Centers for Disease Control (CDC) instruct users to give priority to conditions classified by codes in categories 042 over those classified by codes in categories 043 and 044. Conditions classified by codes in category 043 are given priority over 044. Codes in categories 042, 043, and 044 are considered mutually exclusive, and are never to be listed together on the same record.

---

[1] Originally published as Human T-cell Lymphotropic Virus-III/Lymphadenopathy-Associated Virus (HTLV-III/LAV) infection, the terminology was revised effective January 1988 to Human Immunodeficiency Virus (HIV), as authorized by the Centers for Disease Control, Atlanta, Georgia and the National Center for Health Statistics.

[2] *HTLV-III LAV Infection Codes, Official Authorized Addendum, Effective October 1, 1986:* WHO Collaborating Center for Classification of Diseases for North America at the National Center for Health Statistics, with the Health Care Financing Administration.

The 1986 classification of HIV infection codes was intended as an interim system, to be reviewed after a period of use. In August 1987, a revision of the CDC Case Definition[3] attempted to provide clarification with examples of laboratory evidence for or against HIV infection, definitive diagnostic methods, and guidelines for presumptive diagnosis of diseases indicative of AIDS. (Since the reporting of the new definition was targeted for September 1 1987, its use would have little bearing on the 1987 Length of Stay data.)

Within the standard CPHA Length of Stay tables, AIDS diagnoses codes in *ICD-9-CM* categories 042, 043 and 044 fall into List A Group 12 along with a number of other viral diseases. *ICD-9-CM* Code 795.8, Positive HIV Findings, is found in List A Group 340, an aggregate group containing a large number of codes denoting signs, symptoms and ill-defined conditions. Since data pertaining to the AIDS codes are presently grouped with several disparate codes in each of the standard Length of Stay tables, the prevalence of AIDS is masked. This Supplement, therefore, examines each category of AIDS codes individually to provide additional information on AIDS as recorded in the 1987 Length of Stay database.

1987 AIDS DATABASE:

As in the 1987 Length of Stay tables, discharge records representing 21.5% of short-term general hospitals in the United States comprise the database. Unlike the standard Length of Stay tables, in which patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis, records are included in the AIDS Supplement if they have any AIDS code as either a principal or a secondary diagnosis. In addition, discharge records with an AIDS diagnosis are not excluded, as in the standard Length of Stay tables, when there is a death or transfer to a short-term hospital. While these adjustments augment the base of AIDS records, the resulting data should not be considered in the same manner as the traditional length of stay tables. The data presented in this section are intended to enhance knowledge and are not recommended for purposes of utilization review.

From over 6 million 1987 Length of Stay records, 11,477 (.2%) have an AIDS code as either a principal or secondary diagnosis, that is, one in every 500 hospital discharge records. In the majority of the records (73%), the AIDS code is listed as a secondary rather than as a principal diagnosis. There are 228 records where an AIDS code is both a principal and a secondary and 187 with multiple secondary AIDS codes.

Some precautions are suggested when reviewing the AIDS database:

1. The Length of Stay series is not based on a representative sample, but rather on a total count of discharge records from voluntary participating hospitals. (Refer to page viii for a description of these hospitals.)
2. Hospital records are based on occurrences of discharges, and may include the same patient more than once. With AIDS patients, there may be a relatively high number of readmissions within a year, possibly with a change in the assignment of the particular AIDS code as determined by the associated disease manifestations.

Given the cautions above, the AIDS Supplement is presented by CPHA as a research study and is not intended for comparing lengths of stay. The intent is to increase knowledge about one aspect of the AIDS health crisis, as well as to raise some issues about the coding of AIDS on medical records.

PROFILE OF AIDS RECORDS:

Table 1 presents a summary profile of the AIDS records from the 1987 Length of Stay database. (See page xviii.)

Regional Representation: The number of discharge records with an AIDS diagnosis is proportionally greater in the Northeast region of the United States (4 out of every 1000 hospital discharge records) and in the Western region (2 out of every 1000 discharge records) than in the North Central and Southern regions (1 out of 1000).

Sex/Age: Eighty-six percent of the AIDS discharge records represent male patients with almost half (45%) falling between the ages of 30 and 39.

---

[3] Revision of the CDC Surveillance Case Definition for Acquired Immunodeficiency Syndrome. *Morbidity and Mortality Weekly Report* (Vol. 36, No. 15) August 1987.

Disposition: Eighty-four percent of the AIDS discharge records represent live discharges. An overwhelming majority (88%) of these are discharged to home or self-care.

Payment: The sources of payment are private (self-pay, insurance or workers' compensation) for 51% of the records, and public for 36%. Medicaid constitutes 28% of all payment sources, representing over three-quarters of the public sources.

LENGTH OF STAY:

The average length of stay for the total AIDS base is 14.9 days, with the median (50th percentile) at 9 days. Other percentile distributions are as follows:

5%	1 day	90%	32 days
10%	2 days	95%	45 days
75%	19 days	99%	83 days

Table 2 shows the average length of stay for 3,140 records classified with any AIDS code (in categories 042, 043, 044, or code 795.8) as a principal diagnosis. (See page xix.)

Table 3 shows the average length of stay for 8,337 records classified with any AIDS code (in categories 042, 043, 044, or code 795.8) as a secondary diagnosis. (See page xx.)

For both tables 2 and 3 there appears to be a correlation between the length of stay and the particular AIDS code listed; the average overall length of stay is greater for codes in category 042 than for categories 043, 044, or for code 795.8.

Length of Stay by Operation:

The profile of AIDS records indicates that in more than one half of the hospital stays an operative procedure (*ICD-9-CM* codes 01.0-86.99) is performed. The majority of the reported procedures, e.g., bronchoscopies or CAT scans, are diagnostic rather than therapeutic procedures, and are not considered to affect length of stay.

DIAGNOSES FREQUENTLY ASSOCIATED WITH AIDS:

The following table shows those disease conditions which are most frequently listed with an AIDS code on discharge records, and displays the length of stay for that disease with each AIDS code, as well as the length of stay for the disease when it occurs without AIDS. For this table, each AIDS record is counted once, and may appear as a principal or secondary diagnosis code. In records where more than one AIDS code is listed, codes in category 042 are selected over those in categories 043 or 044, those in categories 043 over those in categories 044 or 795.8, and codes in category 044 over code 795.8.

The associated diseases are counted for each occurrence; one AIDS record may contain a number of other diagnoses codes. Multiple occurrences will also influence length of stay as one patient with a single hospital stay can appear more than once.

The most striking observation is that the length of stay increases significantly for any disease when reported in association with an AIDS diagnosis. For example, patients with anemia (*ICD-9-CM* codes 280.0-285.9) have an average hospital stay of 10.2 days when no AIDS diagnosis is present, but 17.3 days when accompanied by an AIDS diagnosis.

Frequently Associated Dx Codes with AIDS as Principal or Secondary

	Pneumocystosis (136.3)		Candidiasis (112.0,112.3,112.5-112.9)		Kaposi's Sarcoma (173.0-173.9)	
	OCCURRENCE	AVG LOS	OCCURRENCE	AVG LOS	OCCURRENCE	AVG LOS
With 042 Codes	2,762	18.1	2,183	19.7	1,073	44.3
With 043 Codes	54	22.4	3,172	18.9	40	15.9
With 044 Codes	20	11.2	68	13.6	5	11.4
With 795.8 Codes	47	21.9	120	16.7	3	9.3
With No AIDS Dx	745	16.9	16,931	14.8	6,924	7.9
Total Occurences:	3,628		19,694		8,045	

ISSUES:

The data collection for this AIDS Supplement indicates that there is considerable variation in the manner in which AIDS is reported. With AIDS patients presenting many disease manifestations, confusion may exist over the selection of the appropriate AIDS code:

1. Despite the fact that the October 1986 Addendum to the *ICD-9-CM* classification states that codes in categories 042, 043 and 044 are mutually exclusive, there is evidence of multiple coding of AIDS diagnoses.
2. The Addendum also instructs that certain disease manifestations are expected with specific AIDS codes; for example, Kaposi's sarcoma (173.0-173.9) should be linked only with one AIDS code (042.2). However, in this base, codes 173.0-173.9 are also found on discharge records in association with codes in categories 043, 044, and code 795.8.
3. There is some confusion with the coding of pneumocystosis (136.3). While pneumocystosis is found as either a principal or a secondary diagnosis on 3,628 of the Length of Stay records, 20% do not record any AIDS in association. On one hand this may indicate a reluctance to report AIDS. Or, on the other hand, this may be evidence of miscoding, since code 136.3 is sometimes reported in error for a benign form of pneumonia not intended as Pneumocystis carinii pneumonia.

SUMMARY:

The examination of 1987 discharge records from a collection of short-term general hospitals provides a base for analysis of records listing an AIDS code as either a principal or a secondary diagnosis. The data show a significant increase in hospital stay when a disease is recorded in association with an AIDS code. There is, however, evidence of some confusion over the coding of AIDS on hospital records. This study suggests the need for further exploration of the actual practice of AIDS coding and the formulation of recommendations for revision or clarification of the classification system.

Table 1
Profile of AIDS Records

	#	%
TOTAL DISCHARGE RECORDS WITH ANY AIDS Dx	11,477	100.0
AIDS as Principal Dx	3,140	27.4
AIDS as Secondary Dx	8,337	72.6

	#	% of Total Discharges
REGIONAL REPRESENTATION		
North Central	1,737	.1
Northeast	5,453	.4
South	2,712	.1
West	1,575	.2

	#	%
AGE		
Newborn - <1 yr	170	1.5
1 yr - 9 yrs	395	3.4
10 - 19 yrs	119	1.0
20 - 29 yrs	2,263	19.7
30 - 39 yrs	5,166	45.0
40 - 49 yrs	2,284	19.9
50 - 59 yrs	741	6.5
60+	339	3.0
SEX		
Male	9,852	85.8
Female	1,625	14.2
DISCHARGES		
Total Alive	9,585	83.5
Total Expired	1,892	16.5
DISPOSITION		
Home or Self-Care	8,408	87.7
Home Health Service	533	5.6
Short-Term Hospital	220	2.3
Skilled Nursing Facility	95	1.0
Inter. Care Facility	4	
Other Facility	325	3.4

	#	%
PAYMENT SOURCE		
Medicaid	3,230	28.1
Medicare	549	4.8
Other Government	333	2.9
Workers' Compensation	14	.1
Blue Cross	2,108	18.4
Other Insurance	2,327	20.3
Self-Pay	1,408	12.3
Other	1,508	13.1
LENGTH OF STAY		
<1 Day	119	1.1
1-7 Days	4,711	41.0
8-14 Days	2,710	23.6
15-21 Days	1,599	13.9
22-28 Days	919	8.0
29-36 Days	515	4.5
37-42 Days	253	2.2
43-49 Days	200	1.7
50+ Days	451	3.9

AVERAGE LOS IN DAYS: 14.9

MEDIAN LOS IN DAYS: 9

Table 2
Average Length of Stay
Discharge Records with AIDS as Principal Dx

CODE	TOTAL DISCHARGE RECORDS		AVERAGE STAY	PERCENTILES						
	#	%		5TH	10TH	50TH	75TH	90TH	95TH	99TH
042										
AGE RANGES:										
Newborn-< 1 yr	35	1.4	48.1	2	3	22	42	80	99	99+
1 yr-9 yrs	104	4.3	12.5	1	1	5	13	38	57	76
10 yrs-19 yrs	31	1.3	5.9	<1	<1	1	7	20	25	32
20-29 yrs	492	20.2	15.7	1	2	11	20	34	52	84
30-39 yrs	1,087	44.6	19.9	1	3	13	24	43	59	99+
40-49 yrs	474	19.5	19.4	2	3	13	25	42	56	99
50-59 yrs	166	6.8	20.9	2	3	14	25	41	73	99
60+	47	1.9	24.9	3	4	17	30	62	76	99+
TOTAL	2,436	100.0	19.9	1	2	12	23	41	59	98
043										
AGE RANGES:										
Newborn-< 1 yr	8	1.3	36.5	1	2	18	27	80	99+	99+
1 yr-9 yrs	42	7.1	11.7	1	2	7	13	25	43	91
10 yrs-19 yrs	2	.3	43.0	5	5	43	81	81	81	81
20-29 yrs	122	20.5	12.2	1	2	7	14	28	46	83
30-39 yrs	273	46.0	15.1	1	2	9	19	35	47	97
40-49 yrs	94	15.8	22.7	1	4	12	28	65	69	99+
50-59 yrs	36	6.1	12.4	1	1	9	18	32	36	49
60+	17	2.9	16.5	3	4	14	20	43	53	56
TOTAL	594	100.0	15.7	1	2	7	17	40	55	99
044										
AGE RANGES:										
Newborn-< 1 yr	3	3.5	5.0	4	4	4	6	7	7	7
1 yr-9 yrs	5	5.8	20.6	2	2	7	43	50	50	50
10 yrs-19 yrs	2	2.3	13.5	3	3	13	24	24	24	24
20-29 yrs	16	18.6	8.9	1	2	7	13	19	24	26
30-39 yrs	40	46.5	11.9	2	2	8	14	20	29	87
40-49 yrs	14	16.3	10.3	2	2	6	14	27	32	33
50-59 yrs	3	3.5	5.7	2	2	6	8	9	9	9
60+	3	3.5	28.7	4	4	24	49	58	58	58
TOTAL	86	100.0	11.7	2	2	7	14	25	35	77
795.8										
AGE RANGES:										
Newborn-< 1 yr	4	16.7	11.0	6	6	9	15	19	19	19
1 yr-9 yrs	5	20.8	9.0	3	3	4	12	27	27	27
10 yrs-19 yrs	0	0.0	0.0	0	0	0	0	0	0	0
20-29 yrs	2	8.3	2.5	<1	<1	2	4	4	4	4
30-39 yrs	9	37.5	16.7	<1	<1	12	20	49	67	67
40-49 yrs	3	12.5	5.0	4	4	4	6	7	7	7
50-59 yrs	1	4.2	6.0	6	6	6	6	6	6	6
60+	0	0.0	0.0	0	0	0	0	0	0	0
TOTAL	24	100.0	11.0	<1	1	6	14	22	39	67

Table 3
Average Length of Stay
Discharge Records with AIDS as Secondary Dx

	TOTAL DISCHARGE RECORDS									
			AVERAGE	PERCENTILES						
CODE	#	%	STAY	5TH	10TH	50TH	75TH	90TH	95TH	99TH
042										
AGE RANGES:										
Newborn-< 1 yr	46	.8	25.7	1	2	11	26	55	68	99+
1 yr-9 yrs	127	2.3	18.7	2	3	8	15	34	49	99+
10 yrs-19 yrs	34	.6	9.5	1	1	8	13	23	25	30
20-29 yrs	1,000	18.1	13.5	1	2	9	18	29	39	73
30-39 yrs	2,592	46.8	13.8	1	2	10	18	28	37	75
40-49 yrs	1,221	22.1	14.6	1	2	10	19	31	43	72
50-59 yrs	365	6.6	16.5	1	2	12	21	32	42	81
60+	150	2.7	18.3	3	3	12	23	45	61	76
Total	5,535	100.0	14.4	1	2	10	19	29	40	76
043										
AGE RANGES:										
Newborn-< 1 yr	19	1.9	16.3	4	4	8	22	35	56	71
1 yr-9 yrs	56	5.7	11.3	1	2	5	13	26	42	89
10 yrs-19 yrs	10	1.0	4.8	1	1	4	7	10	10	10
20-29 yrs	190	19.3	12.8	1	2	7	12	30	49	90
30-39 yrs	446	45.2	11.6	1	2	7	14	26	36	59
40-49 yrs	169	17.1	12.2	1	1	8	15	29	41	64
50-59 yrs	61	6.2	13.6	2	2	11	18	26	34	62
60+	35	3.5	15.1	2	3	8	17	34	60	83
Total	986	100.0	12.2	1	2	7	15	28	41	69
044										
AGE RANGES:										
Newborn-< 1 yr	7	1.4	6.3	2	2	4	9	15	16	16
1 yr-9 yrs	17	3.4	6.8	1	1	4	8	12	31	41
10 yrs-19 yrs	15	3.0	7.6	<1	1	7	11	16	17	18
20-29 yrs	113	22.6	9.7	1	2	6	11	21	38	56
30-39 yrs	211	42.2	10.0	1	2	7	14	22	30	43
40-49 yrs	87	17.4	14.8	1	2	8	18	41	50	90
50-59 yrs	26	5.2	19.9	3	3	10	27	55	65	74
60+	24	4.8	15.5	2	2	7	19	49	60	85
Total	500	100.0	11.3	1	2	7	14	27	42	60
795.8										
AGE RANGES:										
Newborn-< 1 yr	48	3.6	25.7	2	2	13	31	67	98	99+
1 yr-9 yrs	39	3.0	10.0	1	2	5	12	17	26	91
10 yrs-19 yrs	25	1.9	7.4	<1	1	5	8	19	27	37
20-29 yrs	328	24.9	9.5	1	2	6	12	22	30	47
30-39 yrs	508	38.6	12.8	1	2	8	15	28	39	76
40-49 yrs	222	16.9	13.9	1	2	9	19	31	43	62
50-59 yrs	83	6.3	13.6	1	2	9	18	28	48	81
60+	63	4.8	12.4	1	2	9	19	30	35	42
Total	1,316	100.0	12.5	1	2	7	15	28	39	73

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	135977	3.2	11	1	1	3	3	5	6	13
20-34	75745	3.4	19	<1	1	3	3	5	8	23
35-49	25954	4.6	33	1	1	3	5	9	14	29
50-64	16032	5.2	34	1	1	4	6	10	14	30
65+	13062	6.0	41	1	1	4	7	12	16	34
B. Operated										
0-19 YRS	40034	3.0	17	<1	<1	2	3	6	8	19
20-34	83736	3.1	7	<1	1	3	4	6	7	12
35-49	36022	3.7	12	<1	1	3	5	7	10	16
50-64	25890	4.4	18	<1	1	3	6	9	12	19
65+	21119	5.6	30	1	1	4	8	12	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121868	4.8	44	1	1	3	5	8	13	40
20-34	71387	5.9	55	1	1	4	6	13	21	37
35-49	68898	6.5	52	1	1	5	7	13	20	37
50-64	106231	6.9	50	1	2	5	8	13	19	37
65+	256156	9.1	84	2	2	7	11	18	25	57
B. Operated										
0-19 YRS	38894	6.1	97	<1	1	3	6	14	24	64
20-34	104594	5.2	40	1	1	4	6	9	14	36
35-49	73234	6.9	70	1	1	5	8	14	21	49
50-64	93360	8.9	101	1	1	6	11	19	27	61
65+	172681	12.4	159	1	2	9	16	27	40	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266770	3.6	19	1	1	3	4	6	9	22
B. Operated	206801	3.6	14	<1	1	3	5	7	10	18
2. MULTIPLE DX										
A. Not Operated	624540	7.2	66	1	2	5	9	15	21	47
B. Operated	482763	8.8	112	1	1	5	11	20	29	67
1. SINGLE DX	473571	3.6	17	<1	1	3	4	7	9	20
2. MULTIPLE DX	1107303	7.9	87	1	2	5	9	17	25	56
A. Not Operated	891310	6.2	55	1	1	4	7	13	19	41
B. Operated	689564	7.3	89	1	1	4	8	16	24	57
TOTAL										
0-19 YRS	336773	4.1	35	1	1	3	4	7	10	33
20-34	335462	4.4	32	<1	1	3	5	8	12	29
35-49	204108	5.9	50	1	1	4	7	12	18	38
50-64	241513	7.3	68	1	1	5	9	15	21	46
65+	463018	10.1	112	1	2	7	12	21	30	69
GRAND TOTAL	**1580874**	**6.6**	**70**	**1**	**1**	**4**	**8**	**14**	**21**	**48**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49691	3.4	26	< 1	1	2	4	6	9	25
20-34	75745	3.4	19	< 1	1	3	3	5	8	23
35-49	25954	4.6	33	1	1	3	5	9	14	29
50-64	16032	5.2	34	1	1	4	6	10	14	30
65 +	13062	6.0	41	1	1	4	7	12	16	34
B. Operated										
0-19 YRS	39951	2.9	15	< 1	< 1	2	3	6	8	18
20-34	83736	3.1	7	< 1	1	3	4	6	7	12
35-49	36022	3.7	12	< 1	1	3	5	7	10	16
50-64	25890	4.4	18	< 1	1	3	6	9	12	19
65 +	21119	5.6	30	1	1	4	8	12	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62039	4.9	57	1	1	3	5	9	16	50
20-34	71387	5.9	55	1	1	4	6	13	21	37
35-49	68898	6.5	52	1	1	5	7	13	20	37
50-64	106231	6.9	50	1	2	5	8	13	19	37
65 +	256156	9.1	84	2	2	7	11	18	25	57
B. Operated										
0-19 YRS	37226	5.4	71	< 1	1	3	6	12	20	51
20-34	104594	5.2	40	1	1	4	6	9	14	36
35-49	73234	6.9	70	1	1	5	8	14	21	49
50-64	93360	8.9	101	1	1	6	11	19	27	61
65 +	172681	12.4	159	1	2	9	16	27	40	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180484	3.9	27	1	1	3	4	7	11	27
B. Operated	206718	3.6	14	< 1	1	3	5	7	10	17
2. MULTIPLE DX										
A. Not Operated	564711	7.5	69	1	2	5	9	15	22	48
B. Operated	481095	8.8	111	1	1	5	11	20	29	66
1. SINGLE DX	387202	3.8	20	< 1	1	3	4	7	10	22
2. MULTIPLE DX	1045806	8.1	89	1	1	5	10	17	25	57
A. Not Operated	745195	6.7	61	1	1	4	8	14	20	44
B. Operated	687813	7.2	87	1	1	4	8	16	24	56
TOTAL										
0-19 YRS	188907	4.2	44	< 1	1	3	4	8	13	37
20-34	335462	4.4	32	< 1	1	3	5	8	12	29
35-49	204108	5.9	50	1	1	4	7	12	18	38
50-64	241513	7.3	68	1	1	5	9	15	21	46
65 +	463018	10.1	112	1	2	7	12	21	30	69
GRAND TOTAL	**1433008**	**6.9**	**74**	**1**	**1**	**4**	**8**	**15**	**22**	**50**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	945	2.8	5	1	1	2	4	5	7	10
20-34	418	2.9	3	1	1	3	4	5	6	9
35-49	182	3.5	7	1	1	3	5	6	8	15
50-64	98	3.3	5	1	1	3	4	7	8	11
65+	57	4.4	11	1	1	3	6	10	12	14
B. Operated										
0-19 YRS	27	6.9	74	2	3	4	6	9	30	42
20-34	31	5.5	16	2	2	5	6	12	16	18
35-49	12	4.5	3	1	2	5	6	7	7	7
50-64	7	9.4	43	1	2	7	14	19	20	20
65+	3	6.3	20	2	2	6	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1500	3.3	9	1	1	3	4	6	8	16
20-34	683	3.5	9	1	1	3	4	7	8	16
35-49	414	4.3	13	1	1	3	5	8	12	17
50-64	504	4.8	12	1	2	4	6	9	11	19
65+	928	6.2	35	2	2	4	7	12	17	36
B. Operated										
0-19 YRS	32	12.2	291	2	3	7	12	26	53	85
20-34	65	7.3	35	2	3	5	8	17	23	88
35-49	55	8.9	43	3	4	7	11	20	27	96
50-64	65	9.2	37	3	4	8	12	18	22	30
65+	122	13.7	181	3	4	10	16	28	41	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1700	3.0	5	1	1	2	4	6	7	11
B. Operated	80	6.2	36	2	2	5	6	11	17	38
2. MULTIPLE DX										
A. Not Operated	4029	4.3	17	1	1	3	5	8	12	23
B. Operated	339	10.7	119	3	3	8	12	22	30	85
1. SINGLE DX	1780	3.2	7	1	1	3	4	6	7	12
2. MULTIPLE DX	4368	4.8	28	1	1	3	5	9	13	28
A. Not Operated	5729	3.9	14	1	1	3	5	7	10	20
B. Operated	419	9.8	106	2	3	7	11	20	28	73
TOTAL										
0-19 YRS	2504	3.3	13	1	1	3	4	6	8	16
20-34	1197	3.6	10	1	1	3	4	6	8	18
35-49	663	4.5	16	1	1	3	5	9	12	22
50-64	674	5.0	16	1	2	4	6	10	13	22
65+	1110	6.9	55	2	2	5	8	13	19	42
GRAND TOTAL	**6148**	**4.3**	**22**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	6.9	30	2	3	5	10	14	20	22
20-34	23	12.0	90	2	3	11	15	21	30	46
35-49	20	8.6	18	1	2	9	12	13	14	15
50-64	8	14.9	32	8	9	15	17	24	26	26
65+	3	15.0	16	11	11	15	18	19	19	19
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	16	7.6	22	1	3	6	11	15	16	16
35-49	11	9.9	60	1	2	9	15	50	93	99+
50-64	2	7.0	72	1	1	7	13	13	13	13
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	9.0	26	3	3	8	11	17	19	19
20-34	52	13.4	106	2	4	10	17	28	33	47
35-49	84	17.7	157	2	4	15	22	33	40	62
50-64	30	15.0	149	4	5	11	19	32	46	53
65+	53	15.3	119	3	6	12	20	35	42	98
B. Operated										
0-19 YRS	3	11.0	37	7	7	8	15	18	18	18
20-34	43	18.0	140	6	8	16	22	35	60	99+
35-49	42	22.0	257	5	6	17	29	46	53	71
50-64	38	21.2	261	7	9	16	26	57	66	99+
65+	73	21.5	297	5	7	17	29	51	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	10.4	52	2	3	10	14	19	22	42
B. Operated	33	7.8	37	1	1	7	13	15	26	99+
2. MULTIPLE DX										
A. Not Operated	227	15.5	133	2	4	12	20	31	40	61
B. Operated	199	20.7	243	6	7	17	25	48	61	99+
1. SINGLE DX	101	9.5	48	1	2	9	14	17	22	72
2. MULTIPLE DX	426	17.9	191	4	6	15	22	38	53	99+
A. Not Operated	295	14.3	119	2	4	11	18	29	38	58
B. Operated	232	18.8	234	4	5	15	23	45	60	99+
TOTAL										
0-19 YRS	28	7.3	30	1	2	6	10	17	19	22
20-34	134	14.0	113	3	4	12	17	28	36	66
35-49	157	17.1	177	2	4	14	22	38	47	70
50-64	78	17.8	198	4	6	14	21	42	57	91
65+	130	18.8	224	4	6	16	24	41	59	99+
GRAND TOTAL	**527**	**16.3**	**174**	**3**	**4**	**13**	**21**	**35**	**49**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	10.5	85	4	4	10	17	17	17	17
20-34	3	12.0	43	6	6	11	17	19	19	19
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	7.2	41	1	1	5	14	16	16	16
20-34	7	11.1	73	2	2	7	19	22	23	23
35-49	5	4.6	34	< 1	< 1	2	6	15	15	15
50-64	3	9.0	25	4	4	9	13	14	14	14
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	8.0	32	4	4	5	12	17	18	18
35-49	8	11.5	81	3	3	8	16	26	30	30
50-64	7	11.3	131	2	2	8	26	80	99 +	99 +
65 +	5	15.6	48	5	6	20	21	92	99 +	99 +
B. Operated										
0-19 YRS	2	30.0	450	15	15	30	45	45	45	45
20-34	21	25.2	257	4	8	25	36	57	75	99 +
35-49	14	17.4	195	2	3	13	32	42	86	99 +
50-64	17	23.9	339	3	4	20	33	47	67	76
65 +	16	25.5	591	5	6	14	41	82	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	8.9	48	1	2	6	15	19	19	19
B. Operated	22	7.8	48	< 1	1	5	14	18	21	23
2. MULTIPLE DX										
A. Not Operated	27	11.3	73	3	3	9	19	32	99 +	99 +
B. Operated	70	23.5	336	4	5	20	35	56	82	99 +
1. SINGLE DX	29	8.1	47	1	1	5	14	18	19	23
2. MULTIPLE DX	97	20.1	291	3	4	17	33	53	90	99 +
A. Not Operated	34	10.8	68	2	3	8	18	29	80	99 +
B. Operated	92	19.8	311	2	3	16	29	49	76	99 +
TOTAL										
0-19 YRS	10	12.4	170	1	1	10	16	31	45	45
20-34	38	18.4	218	4	4	17	28	46	57	99 +
35-49	29	12.5	146	1	2	8	18	37	42	99 +
50-64	27	19.0	284	3	3	17	29	45	78	99 +
65 +	22	22.1	472	4	5	17	36	85	99 +	99 +
GRAND TOTAL	**126**	**17.3**	**260**	**2**	**3**	**14**	**26**	**44**	**76**	**99 +**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	127	2.8	6	1	1	2	3	4	6	13
20-34	38	3.1	2	1	1	3	4	5	6	8
35-49	12	2.8	2	2	2	2	3	5	6	6
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	44	1.0		1	1	1	1	1	2	2
20-34	12	1.1		1	1	1	1	2	2	2
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	288	2.8	3	1	1	2	3	4	6	9
20-34	98	3.8	15	1	2	3	5	6	7	25
35-49	32	3.2	2	2	2	3	4	5	6	7
50-64	19	6.2	44	1	2	4	8	13	22	29
65 +	13	4.8	7	2	2	4	5	9	11	12
B. Operated										
0-19 YRS	36	1.3	1	1	1	1	1	3	3	6
20-34	5	1.6	1	1	1	1	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	12.0		12	12	12	12	12	12	12
65 +	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180	2.9	5	1	1	2	3	5	6	9
B. Operated	61	1.1		1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	450	3.3	8	1	1	3	4	5	7	14
B. Operated	45	1.7	4	1	1	1	1	3	5	12
1. SINGLE DX	241	2.4	4	1	1	2	3	4	5	8
2. MULTIPLE DX	495	3.1	7	1	1	3	4	5	7	13
A. Not Operated	630	3.1	7	1	1	3	4	5	7	13
B. Operated	106	1.4	2	1	1	1	1	2	3	9
TOTAL										
0-19 YRS	495	2.6	4	1	1	2	3	4	6	9
20-34	153	3.3	10	1	1	3	4	6	7	15
35-49	49	2.9	2	1	2	3	4	4	6	7
50-64	23	6.0	39	1	2	4	8	13	19	29
65 +	16	4.7	6	2	2	4	5	8	11	12
GRAND TOTAL	**736**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	319	4.7	11	1	2	4	5	9	12	17
20-34	12	5.0	8	1	1	5	7	9	10	10
35-49	7	10.4	50	< 1	1	11	14	20	22	22
50-64	13	8.2	21	1	2	7	12	14	15	15
65 +	28	6.5	10	2	2	6	9	10	11	16
B. Operated										
0-19 YRS	13	14.2	133	3	4	8	21	33	34	34
20-34	1	11.0		11	11	11	11	11	11	11
35-49	3	4.7	6	2	2	5	6	7	7	7
50-64	0									
65 +	2	11.5	25	8	8	11	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	563	6.1	18	2	2	5	8	11	14	19
20-34	231	9.9	60	2	3	8	12	19	27	45
35-49	259	11.8	90	3	4	8	15	24	31	46
50-64	614	11.4	67	4	5	10	13	19	28	48
65 +	2628	13.2	94	4	5	11	15	23	32	64
B. Operated										
0-19 YRS	53	13.4	203	2	3	10	15	30	39	86
20-34	79	22.8	255	4	6	19	31	43	61	95
35-49	124	21.2	216	5	7	18	29	44	61	99 +
50-64	239	21.1	227	5	7	17	25	44	51	69
65 +	938	22.1	240	7	8	18	29	47	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	379	5.1	13	1	2	4	6	10	13	17
B. Operated	19	12.2	103	2	4	8	15	33	34	34
2. MULTIPLE DX										
A. Not Operated	4295	11.7	84	3	4	10	14	21	29	55
B. Operated	1433	21.6	237	6	7	18	29	45	63	99 +
1. SINGLE DX	398	5.4	19	1	2	4	6	10	13	24
2. MULTIPLE DX	5728	14.2	140	3	4	11	17	29	41	81
A. Not Operated	4674	11.2	81	3	3	9	14	20	28	54
B. Operated	1452	21.4	236	5	7	17	28	45	63	99 +
TOTAL										
0-19 YRS	948	6.2	32	2	2	4	8	12	15	30
20-34	323	12.9	138	2	3	9	16	28	39	69
35-49	393	14.7	147	3	5	10	18	31	43	75
50-64	866	14.1	129	4	5	11	17	27	38	63
65 +	3596	15.4	147	5	6	12	18	31	43	99 +
GRAND TOTAL	**6126**	**13.6**	**137**	**3**	**4**	**10**	**17**	**28**	**40**	**80**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	194	6.6	20	1	2	6	9	11	14	23
20-34	21	6.6	37	2	2	4	8	12	20	29
35-49	19	4.4	5	1	2	4	6	8	8	8
50-64	10	6.1	36	2	2	4	6	15	22	22
65 +	6	6.0	15	2	2	5	7	12	13	13
B. Operated										
0-19 YRS	6	18.2	418	2	2	12	24	52	55	55
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	0									
50-64	4	8.8	53	2	2	7	13	19	19	19
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	8.5	48	2	2	8	11	14	17	40
20-34	50	9.7	50	2	2	8	12	19	23	32
35-49	53	9.0	76	3	4	7	11	14	15	64
50-64	71	9.9	129	3	4	7	12	18	19	79
65 +	132	9.4	56	3	4	7	11	18	22	40
B. Operated										
0-19 YRS	34	17.1	186	2	5	14	23	29	38	76
20-34	25	15.1	54	5	6	15	19	24	27	35
35-49	26	17.9	180	2	5	16	22	43	50	52
50-64	25	20.3	432	4	6	14	20	53	66	97
65 +	52	21.3	284	4	6	16	34	45	57	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	250	6.4	20	1	2	6	8	11	13	23
B. Operated	12	13.1	237	2	2	7	20	33	52	55
2. MULTIPLE DX										
A. Not Operated	467	9.2	66	2	3	7	11	16	20	40
B. Operated	162	18.8	234	4	6	15	22	39	51	96
1. SINGLE DX	262	6.7	31	1	2	6	8	11	15	28
2. MULTIPLE DX	629	11.6	126	2	3	9	14	21	33	60
A. Not Operated	717	8.2	52	2	3	7	10	15	19	35
B. Operated	174	18.4	235	3	5	15	22	39	52	95
TOTAL										
0-19 YRS	395	8.5	60	2	2	7	10	15	21	40
20-34	98	10.3	56	2	2	8	15	21	25	34
35-49	98	10.5	112	2	3	7	12	19	28	59
50-64	110	11.9	204	3	4	7	14	19	29	95
65 +	190	12.6	145	3	4	9	15	29	39	76
GRAND TOTAL	**891**	**10.2**	**103**	**2**	**3**	**8**	**12**	**19**	**29**	**57**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	620	3.4	4	1	2	3	4	5	7	11
20-34	287	4.0	6	1	2	3	5	8	9	13
35-49	68	3.8	5	1	1	3	5	6	9	11
50-64	12	4.1	4	2	2	4	5	7	9	9
65 +	2	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	12	5.3	18	1	2	4	6	13	15	15
20-34	4	5.3	9	2	2	5	7	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	330	4.2	6	1	2	4	5	7	9	13
20-34	187	5.2	14	1	2	4	7	9	12	21
35-49	64	4.8	10	1	2	4	6	8	11	18
50-64	24	7.2	16	2	2	6	10	13	15	16
65 +	22	11.5	49	2	5	9	14	24	26	28
B. Operated										
0-19 YRS	19	6.8	11	3	3	6	9	11	14	15
20-34	7	12.7	75	7	7	10	15	28	31	31
35-49	6	14.0	160	3	3	9	22	35	36	36
50-64	2	26.5	145	18	18	26	35	35	35	35
65 +	3	19.0	63	13	13	16	25	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	989	3.6	5	1	2	3	4	6	8	12
B. Operated	18	4.9	14	1	1	4	6	11	14	15
2. MULTIPLE DX										
A. Not Operated	627	4.9	13	1	2	4	6	9	12	19
B. Operated	37	11.1	78	3	4	8	13	27	34	36
1. SINGLE DX	1007	3.6	5	1	2	3	4	6	8	12
2. MULTIPLE DX	664	5.3	18	1	2	4	6	10	13	24
A. Not Operated	1616	4.1	8	1	2	3	5	8	10	15
B. Operated	55	9.1	65	2	3	7	10	18	30	36
TOTAL										
0-19 YRS	981	3.8	5	1	2	3	4	6	9	12
20-34	485	4.6	11	1	2	4	6	9	10	17
35-49	139	4.7	17	1	2	4	5	8	11	24
50-64	39	7.1	38	2	2	6	9	14	17	35
65 +	27	11.8	55	3	4	10	15	25	28	28
GRAND TOTAL	**1671**	**4.3**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	161	3.5	4	1	1	3	5	6	8	9
20-34	67	4.4	8	1	1	4	6	8	10	13
35-49	19	5.6	6	< 1	1	6	7	9	9	9
50-64	26	5.0	6	1	1	5	7	9	10	10
65 +	40	5.3	10	1	2	5	7	9	11	15
B. Operated										
0-19 YRS	4	27.0	1720	3	3	8	50	89	89	89
20-34	6	3.5	5	1	1	3	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	11.0		11	11	11	11	11	11	11
65 +	5	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	422	4.1	13	1	2	3	5	7	9	14
20-34	140	6.2	16	2	3	5	8	10	13	22
35-49	69	8.0	38	2	3	6	11	15	19	35
50-64	129	8.8	76	3	3	6	10	13	30	53
65 +	495	9.7	83	2	3	8	12	18	24	66
B. Operated										
0-19 YRS	22	8.7	46	2	3	7	11	16	24	31
20-34	17	14.4	432	2	4	8	16	20	67	92
35-49	11	18.3	505	1	1	9	26	56	72	73
50-64	17	14.5	80	4	5	13	24	32	73	99 +
65 +	39	20.9	447	2	3	14	24	62	83	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	313	4.2	6	1	1	4	6	8	9	13
B. Operated	17	9.1	433	1	1	4	6	11	62	89
2. MULTIPLE DX										
A. Not Operated	1255	7.3	55	2	2	5	9	13	19	46
B. Operated	106	16.0	319	2	3	11	19	39	74	99 +
1. SINGLE DX	330	4.4	28	1	1	4	6	8	9	13
2. MULTIPLE DX	1361	7.9	81	2	2	5	9	15	20	63
A. Not Operated	1568	6.6	47	1	2	5	8	12	17	39
B. Operated	123	15.1	337	1	2	9	17	37	75	99 +
TOTAL										
0-19 YRS	609	4.3	25	1	1	3	5	7	9	17
20-34	230	6.2	48	1	2	5	7	11	13	22
35-49	100	8.6	91	1	2	6	10	15	23	58
50-64	173	8.8	70	2	3	6	10	17	31	60
65 +	579	10.1	111	2	3	8	12	19	27	80
GRAND TOTAL	**1691**	**7.3**	**72**	**1**	**2**	**5**	**8**	**14**	**19**	**57**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	3.6	4	1	1	3	5	7	8	8
20-34	97	5.8	12	2	2	5	7	11	13	17
35-49	31	6.8	39	2	2	5	7	11	20	34
50-64	20	8.0	31	2	2	6	9	17	20	22
65 +	7	6.9	11	4	4	5	10	12	12	12
B. Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	0									
50-64	4	5.5	33	< 1	< 1	4	10	13	13	13
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	4.8	7	2	2	4	6	8	9	15
20-34	156	7.0	19	2	2	6	10	13	15	22
35-49	75	7.4	26	2	2	7	9	13	17	29
50-64	54	7.0	23	2	3	6	9	14	17	26
65 +	54	11.9	161	3	4	9	14	19	30	87
B. Operated										
0-19 YRS	5	5.4	18	2	2	3	9	11	11	11
20-34	12	13.9	188	2	4	9	14	41	44	45
35-49	13	9.5	29	3	3	8	14	17	18	18
50-64	11	7.3	13	1	3	7	9	13	14	14
65 +	12	15.0	260	1	1	8	24	37	53	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	186	5.9	18	2	2	5	7	11	14	21
B. Operated	7	3.7	22	<1	<1	1	6	12	13	13
2. MULTIPLE DX										
A. Not Operated	371	7.6	44	2	3	6	9	14	17	30
B. Operated	53	10.9	117	1	2	8	13	23	37	56
1. SINGLE DX	193	5.8	18	1	2	5	7	11	14	21
2. MULTIPLE DX	424	8.0	54	2	3	6	10	15	18	37
A. Not Operated	557	7.0	36	2	2	6	9	13	16	26
B. Operated	60	10.1	111	1	1	7	12	20	34	55
TOTAL										
0-19 YRS	68	4.3	7	2	2	4	6	8	9	14
20-34	268	6.8	26	2	2	6	8	12	15	23
35-49	119	7.5	30	2	2	6	9	13	18	33
50-64	89	7.2	23	2	3	6	9	14	17	24
65 +	73	11.9	163	2	4	9	13	23	31	81
GRAND TOTAL	**617**	**7.3**	**44**	**2**	**2**	**6**	**9**	**14**	**17**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	199	3.3	3	1	1	3	4	6	7	9
20-34	61	4.3	5	2	2	4	6	7	8	12
35-49	14	5.9	12	1	2	6	8	10	12	12
50-64	5	4.8	9	2	2	4	6	10	10	10
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	494	3.8	4	1	2	3	5	7	8	10
20-34	156	4.7	8	2	2	4	6	8	11	14
35-49	28	4.3	7	2	2	4	5	8	9	14
50-64	14	6.1	6	3	3	6	8	9	11	11
65 +	10	12.9	71	3	3	11	21	25	29	29
B. Operated										
0-19 YRS	9	4.9	2	3	3	5	6	7	7	7
20-34	10	12.8	141	4	4	7	18	33	38	38
35-49	2	14.0	162	5	5	14	23	23	23	23
50-64	5	11.8	15	7	7	13	14	17	17	17
65 +	2	8.5	1	8	8	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	3.7	4	1	2	3	5	7	8	11
B. Operated	5	3.6	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated	702	4.2	7	1	2	4	5	7	9	14
B. Operated	28	9.9	70	3	4	7	12	21	30	38
1. SINGLE DX	285	3.7	4	1	2	3	5	7	8	11
2. MULTIPLE DX	730	4.4	11	1	2	4	5	8	9	18
A. Not Operated	982	4.0	7	1	2	3	5	7	9	13
B. Operated	33	8.9	65	2	3	6	10	19	28	38
TOTAL										
0-19 YRS	705	3.7	4	1	2	3	5	6	8	9
20-34	229	4.9	15	2	2	4	6	8	11	21
35-49	44	5.3	16	1	2	4	7	10	13	23
50-64	24	7.0	14	3	3	6	9	13	14	17
65 +	13	11.5	63	3	3	10	15	23	28	29
GRAND TOTAL	**1015**	**4.2**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	39	2.0	4	< 1	< 1	< 1	2	5	7	10
20-34	158	1.4	1	< 1	< 1	1	2	3	3	7
35-49	45	1.2		< 1	< 1	1	1	2	2	4
50-64	8	1.5		< 1	< 1	1	2	2	2	2
65 +	5	2.0	1	< 1	< 1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.8	3	1	1	2	4	5	5	5
20-34	6	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	4.8	25	< 1	< 1	2	9	13	13	13
20-34	59	2.0	3	< 1	< 1	1	3	4	5	10
35-49	55	2.5	7	< 1	< 1	2	3	5	7	15
50-64	12	1.8	1	< 1	< 1	1	2	4	5	5
65 +	4	5.0	37	1	1	2	8	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	12	1	1	1	6	7	7	7
B. Operated	255	1.5	1	< 1	< 1	1	2	3	3	7
2. MULTIPLE DX										
A. Not Operated	12	2.3	5	< 1	< 1	1	3	6	8	8
B. Operated	140	2.5	7	< 1	< 1	2	3	5	8	14
1. SINGLE DX	258	1.5	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	152	2.5	7	< 1	< 1	2	3	5	8	14
A. Not Operated	15	2.5	6	< 1	< 1	1	4	7	8	8
B. Operated	395	1.8	4	< 1	< 1	1	2	3	5	12
TOTAL										
0-19 YRS	56	2.6	9	< 1	< 1	1	3	7	10	13
20-34	224	1.6	1	< 1	< 1	1	2	3	4	7
35-49	101	2.0	5	< 1	< 1	1	2	4	5	13
50-64	20	1.7	1	< 1	< 1	1	2	3	4	5
65 +	9	3.3	17	< 1	< 1	2	3	10	14	14
GRAND TOTAL	**410**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1490	3.0	6	1	1	3	4	5	5	9
20-34	209	3.2	6	1	1	2	4	6	9	13
35-49	93	5.4	94	1	1	3	6	11	13	60
50-64	40	3.9	11	1	1	3	4	8	9	19
65 +	29	2.9	2	< 1	1	3	4	5	6	6
B. Operated										
0-19 YRS	56	3.8	8	1	1	3	5	7	11	94
20-34	28	9.4	88	1	1	6	14	26	29	33
35-49	7	11.9	66	3	3	14	19	22	22	22
50-64	3	20.0	43	13	13	21	25	26	26	26
65 +	1	32.0		32	32	32	32	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1672	3.5	20	1	1	3	4	5	7	22
20-34	720	7.8	97	1	1	4	9	18	26	59
35-49	549	9.7	122	1	2	6	12	23	36	66
50-64	256	5.6	51	1	2	4	6	11	18	77
65 +	441	6.1	36	2	2	5	7	11	14	29
B. Operated										
0-19 YRS	60	12.6	363	1	2	4	16	56	98	99 +
20-34	284	21.8	308	3	5	18	28	48	63	97
35-49	265	25.2	350	3	7	21	33	56	80	99 +
50-64	66	22.0	197	5	6	20	29	41	47	70
65 +	32	14.2	125	4	5	11	19	30	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1861	3.1	10	1	1	3	4	5	6	12
B. Operated	95	6.9	57	1	1	4	8	21	27	69
2. MULTIPLE DX										
A. Not Operated	3638	5.8	60	1	1	3	6	11	20	45
B. Operated	707	22.0	322	3	4	19	29	49	69	99 +
1. SINGLE DX	1956	3.3	13	1	1	3	4	5	7	16
2. MULTIPLE DX	4345	8.4	138	1	2	4	9	22	32	72
A. Not Operated	5499	4.9	45	1	1	3	5	9	15	38
B. Operated	802	20.2	315	2	3	17	28	47	66	99 +
TOTAL										
0-19 YRS	3278	3.4	21	1	1	3	4	5	7	22
20-34	1241	10.3	173	1	1	5	13	26	39	70
35-49	914	13.8	239	1	2	8	20	35	48	99 +
50-64	365	8.5	115	1	2	4	10	22	31	70
65 +	503	6.5	46	2	2	5	8	11	17	33
GRAND TOTAL	**6301**	**6.8**	**105**	**1**	**1**	**3**	**6**	**17**	**27**	**65**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	6.6	19	1	2	6	10	14	14	15
20-34	35	4.0	10	1	1	3	5	9	11	14
35-49	29	3.8	12	1	1	3	4	8	9	18
50-64	14	5.2	16	2	2	4	7	11	14	15
65 +	13	6.4	73	1	1	3	6	21	28	30
B. Operated										
0-19 YRS	3	9.7	26	4	4	11	13	14	14	14
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	5.1	18	1	1	3	8	11	14	15
20-34	42	4.9	10	2	2	4	6	8	12	15
35-49	38	6.0	31	1	2	4	9	13	21	23
50-64	25	6.1	23	1	1	6	8	11	16	22
65 +	28	8.5	33	2	2	7	14	15	17	25
B. Operated										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	6	10.5	86	3	3	6	16	26	27	27
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64	3	19.0	27	16	16	16	23	25	25	25
65 +	3	21.3	58	13	13	23	27	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	5.1	21	1	1	3	7	11	14	21
B. Operated	6	6.8	21	3	3	5	11	14	14	14
2. MULTIPLE DX										
A. Not Operated	166	6.0	23	1	2	5	8	14	15	23
B. Operated	17	12.8	74	3	4	12	18	27	28	28
1. SINGLE DX	140	5.2	21	1	1	3	7	11	14	20
2. MULTIPLE DX	183	6.6	32	1	2	5	9	14	17	26
A. Not Operated	300	5.6	22	1	1	4	7	12	14	23
B. Operated	23	11.3	66	3	4	7	16	25	27	28
TOTAL										
0-19 YRS	81	6.2	19	1	1	5	10	13	14	15
20-34	84	4.9	17	1	1	4	6	9	14	23
35-49	71	5.0	22	1	1	3	6	10	18	23
50-64	43	6.6	32	1	2	5	9	15	18	25
65 +	44	8.8	56	1	2	7	14	19	26	30
GRAND TOTAL	**323**	**6.0**	**27**	**1**	**2**	**4**	**8**	**14**	**15**	**26**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	6.1	12	2	3	5	8	10	11	19
20-34	85	4.9	6	2	2	4	6	7	9	14
35-49	17	6.6	24	1	1	5	9	14	18	19
50-64	5	3.2	5	1	1	3	5	6	6	6
65 +	4	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	3	6.3	57	1	1	3	12	15	15	15
20-34	12	2.6	6	< 1	< 1	1	4	6	9	9
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	7.1	45	2	2	5	10	12	15	43
20-34	93	6.8	75	1	2	5	7	13	17	59
35-49	33	6.6	28	1	2	5	9	13	16	26
50-64	21	8.9	62	1	2	8	10	21	29	32
65 +	28	9.0	47	2	2	7	13	21	33	99 +
B. Operated										
0-19 YRS	5	12.4	101	< 1	< 1	12	17	28	28	28
20-34	19	8.4	49	< 1	< 1	6	11	20	23	23
35-49	7	9.6	65	1	2	7	17	21	21	21
50-64	8	4.8	21	1	1	3	7	12	14	14
65 +	13	19.9	822	1	1	11	23	92	98	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	5.4	11	1	2	5	7	10	11	18
B. Operated	20	2.9	12	< 1	< 1	1	3	7	12	15
2. MULTIPLE DX										
A. Not Operated	258	7.3	55	1	2	5	9	14	19	54
B. Operated	52	11.3	259	< 1	1	7	15	23	66	99 +
1. SINGLE DX	199	5.2	11	1	1	4	7	10	11	18
2. MULTIPLE DX	310	7.9	91	1	2	5	10	16	21	80
A. Not Operated	437	6.5	38	1	2	5	8	12	16	34
B. Operated	72	8.9	203	< 1	< 1	5	11	22	27	98
TOTAL										
0-19 YRS	159	6.8	33	1	2	5	9	12	15	27
20-34	209	5.9	42	1	2	4	7	11	16	32
35-49	62	6.5	31	1	1	5	9	15	20	25
50-64	34	7.1	48	1	1	6	8	14	24	32
65 +	45	11.5	286	1	2	7	15	29	92	99 +
GRAND TOTAL	**509**	**6.8**	**62**	**1**	**2**	**5**	**8**	**13**	**18**	**60**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	5.6	19	< 1	1	3	10	11	12	12
20-34	3	2.7	8	1	1	1	5	6	6	6
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	0									
65 +	3	4.7	1	4	4	4	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	2	26.0	1152	2	2	26	50	50	50	50
50-64	3	25.3	1374	< 1	< 1	7	53	68	68	68
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	8.6	106	1	2	5	10	18	41	41
20-34	56	11.6	171	1	1	7	14	37	45	53
35-49	31	11.1	131	2	3	7	13	32	47	99 +
50-64	27	13.3	179	2	3	8	19	28	52	52
65 +	58	9.5	28	3	4	7	14	18	19	24
B. Operated										
0-19 YRS	0									
20-34	43	30.0	527	6	7	24	48	62	77	86
35-49	34	24.6	521	1	2	17	49	60	74	99 +
50-64	29	25.4	406	6	7	24	35	83	89	99 +
65 +	36	20.5	314	2	4	15	25	55	60	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.8	13	< 1	1	4	7	10	11	12
B. Operated	8	17.5	686	< 1	< 1	5	29	63	68	68
2. MULTIPLE DX										
A. Not Operated	200	10.7	115	1	2	7	14	23	41	53
B. Operated	142	25.4	451	3	5	18	37	60	77	99 +
1. SINGLE DX	28	8.4	221	< 1	< 1	4	8	12	52	68
2. MULTIPLE DX	342	16.8	305	1	3	11	22	47	59	99 +
A. Not Operated	220	10.2	108	1	2	7	12	22	41	52
B. Operated	150	24.9	462	2	4	17	37	60	77	99 +
TOTAL										
0-19 YRS	39	7.8	82	1	1	5	10	15	31	41
20-34	104	18.8	400	1	1	10	26	51	59	81
35-49	70	17.8	376	1	2	10	24	58	70	99 +
50-64	59	19.9	361	2	4	13	30	52	83	99 +
65 +	98	13.4	160	3	4	10	17	25	38	68
GRAND TOTAL	**370**	**16.2**	**303**	**1**	**2**	**10**	**20**	**46**	**59**	**96**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	5	9.4	29	3	3	10	14	16	16	16
35-49	0									
50-64	2	22.0	578	5	5	22	39	39	39	39
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.0	19	< 1	< 1	2	5	12	14	14
20-34	5	4.4	1	3	3	4	5	6	6	6
35-49	2	15.5	265	4	4	15	27	27	27	27
50-64	3	11.3	104	4	4	7	19	23	23	23
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	3	21.0	972	3	3	3	44	57	57	57
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	55.5	761	36	36	75	94	99 +	99 +	99 +
65 +	2	26.0	50	21	21	26	31	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	9.0		9	9	9	9	9	9	9
B. Operated	10	10.1	124	3	3	5	13	27	39	39
2. MULTIPLE DX										
A. Not Operated	19	6.8	52	< 1	1	4	7	19	25	27
B. Operated	11	21.9	637	2	2	13	46	82	97	99 +
1. SINGLE DX	12	9.9	102	3	3	7	11	23	37	39
2. MULTIPLE DX	30	12.4	307	1	2	5	19	44	74	99 +
A. Not Operated	21	7.0	47	< 1	1	4	9	18	25	27
B. Operated	21	16.3	411	2	3	5	31	62	85	99 +
TOTAL										
0-19 YRS	14	7.5	214	< 1	1	3	4	18	48	57
20-34	13	6.1	18	2	3	5	7	14	16	16
35-49	3	12.0	169	4	4	5	21	27	27	27
50-64	8	24.8	606	4	4	23	48	90	99 +	99 +
65 +	4	18.0	103	9	9	16	26	31	31	31
GRAND TOTAL	**42**	**11.7**	**245**	**1**	**2**	**5**	**14**	**37**	**63**	**99 +**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	6.8	87	1	1	3	9	21	31	32
20-34	23	7.1	213	1	1	3	5	10	37	72
35-49	7	6.3	33	1	1	4	12	13	13	13
50-64	2	7.5	5	6	6	7	9	9	9	9
65 +	2	5.5	13	3	3	5	8	8	8	8
B. Operated										
0-19 YRS	4	18.3	576	3	3	8	32	54	54	54
20-34	62	4.9	30	< 1	1	2	6	13	19	23
35-49	43	5.1	25	< 1	1	3	7	14	17	18
50-64	26	5.7	46	< 1	1	3	8	14	22	28
65 +	6	4.0	12	< 1	< 1	3	5	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	8.0	91	2	2	5	7	17	27	48
20-34	128	11.9	76	2	4	10	15	23	30	61
35-49	156	14.3	98	2	4	13	19	25	31	56
50-64	37	11.0	44	3	4	11	15	18	26	29
65 +	29	9.2	39	3	4	8	11	19	23	28
B. Operated										
0-19 YRS	9	20.1	742	5	6	9	18	64	91	91
20-34	306	17.9	177	2	3	17	23	33	43	99
35-49	302	19.2	192	2	4	17	25	37	55	99 +
50-64	97	19.0	246	1	2	17	25	38	51	74
65 +	40	13.0	113	1	2	11	17	24	33	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	6.9	132	1	1	3	7	13	22	72
B. Operated	141	5.4	47	< 1	1	3	7	14	19	30
2. MULTIPLE DX										
A. Not Operated	376	12.3	83	2	3	10	17	24	29	50
B. Operated	754	18.3	196	2	3	16	24	35	47	98
1. SINGLE DX	186	5.8	67	1	1	3	7	14	19	46
2. MULTIPLE DX	1130	16.3	166	2	3	14	22	31	42	89
A. Not Operated	421	11.7	91	2	3	10	16	23	28	53
B. Operated	895	16.3	194	1	2	14	22	32	45	91
TOTAL										
0-19 YRS	50	10.8	249	1	2	6	10	23	48	91
20-34	519	14.4	157	1	2	12	21	29	39	93
35-49	508	16.3	165	1	2	15	22	31	41	77
50-64	162	14.9	192	1	2	12	20	28	42	73
65 +	77	10.7	82	1	2	8	14	22	27	50
GRAND TOTAL	**1316**	**14.8**	**166**	**1**	**2**	**13**	**21**	**29**	**39**	**78**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	4	6.5	20	3	3	5	9	13	13	13
B. Operated	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	5	5.8	18	3	3	4	8	13	13	13
A. Not Operated	4	6.5	20	3	3	5	9	13	13	13
B. Operated	2	3.5	1	3	3	3	4	4	4	4
TOTAL										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	2	8.0	50	3	3	8	13	13	13	13
GRAND TOTAL	**6**	**5.5**	**15**	**3**	**3**	**4**	**6**	**12**	**13**	**13**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	11	4.6	11	< 1	< 1	3	8	9	9	9
65 +	4	5.5	10	1	1	6	7	8	8	8
B. Operated										
0-19 YRS	7	6.0	23	1	1	4	8	14	15	15
20-34	18	3.1	10	< 1	< 1	2	3	6	11	14
35-49	34	5.2	44	< 1	1	3	7	11	31	99 +
50-64	89	5.3	71	< 1	1	3	7	11	15	52
65 +	100	4.6	21	1	1	3	6	11	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.6	13	4	4	4	6	12	12	12
20-34	1	7.0		7	7	7	7	7	7	7
35-49	18	8.8	73	1	2	6	11	24	30	31
50-64	62	9.3	156	< 1	1	6	10	19	32	68
65 +	68	9.8	126	1	1	5	12	21	33	58
B. Operated										
0-19 YRS	11	6.2	44	1	1	4	10	16	22	23
20-34	8	11.6	109	1	3	9	12	29	36	36
35-49	96	12.5	152	1	2	9	16	30	41	60
50-64	299	12.1	114	1	1	9	17	28	34	54
65 +	381	11.9	189	1	2	8	16	29	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.9	9	< 1	1	5	8	9	9	9
B. Operated	248	4.8	41	1	1	3	6	11	15	35
2. MULTIPLE DX										
A. Not Operated	154	9.3	126	1	1	6	11	20	31	64
B. Operated	795	12.0	153	1	1	8	16	28	38	84
1. SINGLE DX	266	4.8	39	1	1	3	7	10	15	34
2. MULTIPLE DX	949	11.5	150	1	1	8	16	28	37	79
A. Not Operated	172	8.9	116	1	1	6	10	19	30	63
B. Operated	1043	10.3	136	1	1	7	14	26	34	79
TOTAL										
0-19 YRS	24	6.0	28	1	1	4	8	12	17	23
20-34	27	5.8	51	< 1	1	3	7	13	17	36
35-49	150	10.3	125	1	1	7	14	25	36	69
50-64	461	10.2	116	1	1	7	14	24	31	63
65 +	553	10.2	157	1	1	6	14	26	37	85
GRAND TOTAL	**1215**	**10.1**	**133**	**1**	**1**	**6**	**14**	**24**	**34**	**75**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.7	6	2	2	5	6	7	7	7
50-64	4	7.3	5	5	5	7	9	10	10	10
65 +	6	5.0	3	2	2	5	6	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64	18	13.4	213	< 1	1	10	15	40	45	49
65 +	26	8.8	60	2	2	7	14	18	22	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	16.4	104	5	6	13	27	28	28	28
50-64	34	11.1	105	1	1	8	14	23	35	47
65 +	68	8.6	58	2	2	5	11	20	28	33
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	30	21.9	78	7	12	21	27	36	39	40
50-64	120	19.5	320	2	4	16	26	44	66	91
65 +	211	18.8	273	2	4	14	25	43	59	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.6	5	2	2	6	7	8	10	10
B. Operated	46	10.6	119	1	1	8	14	19	40	49
2. MULTIPLE DX										
A. Not Operated	109	9.9	78	1	2	7	13	24	29	40
B. Operated	361	19.3	272	2	4	15	26	42	59	91
1. SINGLE DX	59	9.5	98	1	2	7	12	17	38	48
2. MULTIPLE DX	470	17.1	243	2	3	13	24	36	52	87
A. Not Operated	122	9.4	72	1	2	7	12	22	29	39
B. Operated	407	18.3	262	2	3	14	25	40	58	89
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	42	19.1	99	4	6	19	26	30	38	40
50-64	176	17.0	273	1	2	12	23	38	60	87
65 +	311	15.5	226	2	3	11	21	35	49	85
GRAND TOTAL	**529**	**16.3**	**232**	**2**	**3**	**12**	**23**	**35**	**49**	**84**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	7.0	78	1	1	3	12	20	20	20
65+	3	6.0	21	2	2	5	9	11	11	11
B. Operated										
0-19 YRS	0									
20-34	2	14.0	32	10	10	14	18	18	18	18
35-49	7	11.1	14	8	8	9	14	17	18	18
50-64	17	13.6	45	5	7	12	17	21	28	31
65+	29	14.1	51	6	7	13	16	21	30	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	8.0	128	1	1	2	10	28	34	34
50-64	46	8.1	39	1	1	7	10	18	20	24
65+	118	10.5	102	2	3	8	13	21	31	76
B. Operated										
0-19 YRS	0									
20-34	3	12.7	9	10	10	12	15	16	16	16
35-49	53	17.9	143	7	8	13	24	35	40	99
50-64	226	16.7	144	3	6	13	21	34	41	69
65+	686	18.5	174	5	7	15	23	34	43	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	6.4	40	1	1	5	8	17	20	20
B. Operated	55	13.6	43	6	8	12	17	20	27	40
2. MULTIPLE DX										
A. Not Operated	172	9.7	87	1	2	8	12	21	25	64
B. Operated	968	18.0	165	5	7	15	22	34	43	85
1. SINGLE DX	63	12.7	48	3	5	11	16	20	24	39
2. MULTIPLE DX	1140	16.8	162	3	5	14	21	33	41	83
A. Not Operated	180	9.6	85	1	2	8	11	20	25	63
B. Operated	1023	17.8	159	5	7	15	22	34	42	84
TOTAL										
0-19 YRS	0									
20-34	5	13.2	13	10	10	12	16	18	18	18
35-49	69	15.9	138	2	6	12	21	34	38	94
50-64	293	15.0	131	2	4	12	19	30	39	67
65+	836	17.2	167	3	5	14	21	33	42	86
GRAND TOTAL	**1203**	**16.5**	**157**	**3**	**5**	**14**	**21**	**32**	**40**	**82**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.5	13	< 1	< 1	3	6	6	6	6
50-64	3	8.0	31	2	2	9	12	13	13	13
65+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	6	9.7	155	1	1	6	10	32	34	34
65+	8	9.1	22	3	4	8	12	16	17	17
B. Operated										
0-19 YRS	0									
20-34	7	20.1	140	6	7	20	27	39	41	41
35-49	11	11.9	14	8	8	11	13	18	21	21
50-64	52	19.7	228	7	8	15	24	38	54	84
65+	85	20.3	185	8	9	17	23	44	53	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	7.1	19	< 1	< 1	9	10	12	13	13
2. MULTIPLE DX										
A. Not Operated	14	9.4	72	1	1	8	10	19	31	34
B. Operated	155	19.5	187	8	9	15	23	37	53	71
1. SINGLE DX	7	7.1	19	< 1	< 1	9	10	12	13	13
2. MULTIPLE DX	169	18.7	185	6	8	15	22	36	52	69
A. Not Operated	14	9.4	72	1	1	8	10	19	31	34
B. Operated	162	19.0	186	7	8	15	22	37	52	70
TOTAL										
0-19 YRS	0									
20-34	7	20.1	140	6	7	20	27	39	41	41
35-49	13	10.6	23	1	5	11	12	17	20	21
50-64	61	18.1	222	3	6	14	22	35	53	82
65+	95	19.2	179	7	8	15	22	37	52	65
GRAND TOTAL	**176**	**18.2**	**184**	**6**	**8**	**15**	**22**	**34**	**52**	**68**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.0		5	5	5	5	5	5	5
50-64	4	5.0	17	< 1	< 1	5	8	9	9	9
65 +	5	3.0	4	< 1	< 1	3	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	7	7.4	12	2	3	7	10	12	12	12
35-49	33	9.6	6	7	7	9	10	12	15	18
50-64	163	9.9	15	6	7	9	11	14	16	27
65 +	246	10.7	17	6	7	10	12	16	18	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49	13	9.2	78	< 1	1	6	12	24	29	30
50-64	73	7.1	42	1	1	6	10	15	15	37
65 +	301	9.4	88	1	2	7	12	21	30	53
B. Operated										
0-19 YRS	2	14.5	25	11	11	14	18	18	18	18
20-34	27	13.6	37	5	6	12	19	23	24	28
35-49	162	13.2	46	7	7	11	16	22	27	36
50-64	1087	13.8	69	7	7	11	16	24	30	58
65 +	3888	16.8	130	7	8	13	20	30	39	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.1	8	< 1	< 1	5	5	8	9	9
B. Operated	449	10.3	15	6	7	10	12	15	18	27
2. MULTIPLE DX										
A. Not Operated	389	9.0	79	1	2	6	11	19	29	47
B. Operated	5166	16.1	116	7	8	13	19	28	37	71
1. SINGLE DX	460	10.1	16	5	7	10	11	15	18	26
2. MULTIPLE DX	5555	15.6	117	5	7	12	18	28	36	69
A. Not Operated	400	8.8	78	1	2	6	11	19	29	47
B. Operated	5615	15.6	110	7	8	12	18	27	36	68
TOTAL										
0-19 YRS	3	14.0	13	11	11	13	17	18	18	18
20-34	35	12.0	41	2	5	11	14	22	23	28
35-49	210	12.3	44	5	7	10	15	21	26	35
50-64	1327	12.9	64	5	7	11	15	22	29	54
65 +	4440	16.0	126	5	8	13	19	29	38	72
GRAND TOTAL	**6015**	**15.2**	**111**	**5**	**7**	**12**	**18**	**27**	**35**	**67**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0		3	3	3	3	3	3	3
50-64	2	8.0	2	7	7	8	9	9	9	9
65 +	7	3.0	6	< 1	< 1	2	5	7	7	7
B. Operated										
0-19 YRS	0									
20-34	3	8.0	36	2	2	8	12	14	14	14
35-49	32	8.1	19	2	2	9	10	13	16	19
50-64	122	8.8	25	1	2	9	11	14	17	25
65 +	158	9.6	36	1	2	9	13	18	21	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	14	5.7	27	1	1	5	5	15	16	16
50-64	41	9.8	92	1	1	7	12	26	29	45
65 +	156	10.5	114	1	2	7	13	24	34	54
B. Operated										
0-19 YRS	2	14.5	61	9	9	14	20	20	20	20
20-34	12	15.2	239	1	2	10	19	34	55	59
35-49	93	12.5	77	3	4	10	14	19	34	52
50-64	519	15.1	118	4	7	13	17	24	35	72
65 +	1611	16.9	160	3	6	14	20	32	44	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.7	8	< 1	1	3	6	8	9	9
B. Operated	315	9.1	30	1	2	9	12	16	19	25
2. MULTIPLE DX										
A. Not Operated	212	10.0	105	1	2	7	12	23	33	50
B. Operated	2237	16.3	149	3	7	13	19	30	41	87
1. SINGLE DX	327	8.9	31	1	2	9	12	16	19	24
2. MULTIPLE DX	2449	15.8	148	3	5	13	19	29	41	82
A. Not Operated	224	9.7	101	1	2	7	12	21	32	49
B. Operated	2552	15.4	140	3	5	13	18	28	39	80
TOTAL										
0-19 YRS	2	14.5	61	9	9	14	20	20	20	20
20-34	17	12.5	189	1	1	9	14	24	47	59
35-49	141	10.7	64	2	3	10	13	17	22	51
50-64	684	13.6	107	2	4	12	16	23	29	60
65 +	1932	15.8	153	3	4	13	19	30	41	88
GRAND TOTAL	**2776**	**15.0**	**139**	**2**	**4**	**12**	**18**	**28**	**39**	**77**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	4.3	10	2	2	3	7	8	8	8
65 +	3	4.3	12	1	1	4	7	8	8	8
B. Operated										
0-19 YRS	6	9.2	37	4	4	7	9	20	21	21
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	17.0	223	5	5	12	24	42	47	47
50-64	18	7.4	31	1	1	6	11	16	19	19
65 +	21	8.0	47	< 1	1	7	11	16	23	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	5	10.2	128	1	1	3	22	24	24	24
35-49	14	6.0	16	1	2	5	9	11	14	15
50-64	33	8.4	43	2	3	6	11	17	19	33
65 +	90	11.6	153	1	2	8	14	26	30	74
B. Operated										
0-19 YRS	9	17.1	248	5	6	12	29	77	99 +	99 +
20-34	12	15.9	77	6	7	16	19	26	37	39
35-49	33	11.9	49	3	4	11	16	20	29	30
50-64	117	15.2	144	2	5	13	19	29	36	96
65 +	411	17.9	179	3	6	15	22	34	46	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.4	7	< 1	< 1	3	4	8	8	8
B. Operated	54	9.1	73	1	1	7	12	19	27	46
2. MULTIPLE DX										
A. Not Operated	146	10.1	113	1	2	7	13	21	30	56
B. Operated	582	16.9	165	3	6	14	21	33	44	87
1. SINGLE DX	64	8.2	66	1	1	6	11	18	23	45
2. MULTIPLE DX	728	15.6	162	2	4	13	20	31	41	87
A. Not Operated	156	9.7	109	1	2	7	12	21	29	54
B. Operated	636	16.3	162	2	5	13	21	32	43	87
TOTAL										
0-19 YRS	20	11.5	146	3	3	8	13	39	75	99 +
20-34	20	12.5	97	1	1	10	19	23	31	39
35-49	56	11.0	74	2	3	9	14	19	30	46
50-64	171	12.9	122	2	3	10	17	26	33	84
65 +	525	16.3	177	2	4	13	21	33	43	80
GRAND TOTAL	**792**	**15.0**	**158**	**2**	**3**	**12**	**19**	**30**	**40**	**83**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	4.4	12	< 1	< 1	3	6	10	11	11
65 +	7	4.6	6	< 1	1	4	6	8	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	6	2.7	3	< 1	< 1	2	3	6	6	6
50-64	21	8.5	59	1	1	6	14	19	24	27
65 +	21	9.6	68	1	1	7	15	23	24	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	12	6.5	28	1	2	5	8	16	18	18
50-64	61	8.7	52	2	2	7	13	17	21	40
65 +	180	8.1	33	2	3	7	10	16	19	26
B. Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	5	19.4	97	12	12	18	23	36	36	36
35-49	36	16.9	172	3	4	13	25	35	39	60
50-64	244	18.1	181	2	5	16	24	35	47	72
65 +	561	19.4	175	3	5	17	25	36	47	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.3	8	< 1	< 1	4	6	9	10	11
B. Operated	48	8.2	59	1	1	6	13	22	24	27
2. MULTIPLE DX										
A. Not Operated	256	8.1	37	2	2	7	11	17	19	27
B. Operated	847	18.9	176	3	5	16	24	36	47	69
1. SINGLE DX	63	7.3	50	< 1	1	5	11	18	23	27
2. MULTIPLE DX	1103	16.4	164	2	3	14	22	32	43	65
A. Not Operated	271	7.9	36	2	2	6	10	16	19	26
B. Operated	895	18.4	175	2	4	16	24	36	46	69
TOTAL										
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	7	15.0	121	3	3	12	19	33	36	36
35-49	55	12.8	151	1	2	8	17	32	35	59
50-64	333	15.5	165	1	3	13	21	30	43	68
65 +	769	16.4	162	2	3	14	22	32	43	63
GRAND TOTAL	**1166**	**15.9**	**162**	**2**	**3**	**13**	**21**	**32**	**42**	**65**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	2.0	2	< 1	< 1	1	3	5	5	5
50-64	38	4.2	37	< 1	1	3	4	7	8	39
65 +	30	7.4	48	1	2	6	8	15	19	36
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	3.2	4	1	1	3	4	6	6	6
35-49	55	7.5	46	1	1	7	10	11	24	33
50-64	220	7.8	29	1	1	8	10	14	17	29
65 +	176	7.5	30	1	1	7	11	14	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	10	8.3	94	1	2	5	8	22	35	35
35-49	111	8.0	48	2	2	6	11	17	22	35
50-64	583	9.2	86	1	2	6	11	20	26	45
65 +	929	10.5	108	2	2	8	13	21	29	58
B. Operated										
0-19 YRS	5	18.0	29	11	11	20	22	24	24	24
20-34	24	9.6	91	1	1	8	11	27	34	35
35-49	373	11.0	81	2	3	9	14	21	27	62
50-64	1759	12.4	91	2	3	10	16	24	30	49
65 +	2750	14.1	128	2	4	11	18	27	37	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	5.3	41	< 1	1	4	6	9	17	38
B. Operated	457	7.6	31	1	1	7	10	14	17	28
2. MULTIPLE DX										
A. Not Operated	1636	9.8	96	1	2	7	12	20	28	53
B. Operated	4911	13.3	112	2	3	11	17	25	34	59
1. SINGLE DX	532	7.3	33	1	1	7	10	14	17	30
2. MULTIPLE DX	6547	12.4	110	2	3	10	16	25	33	56
A. Not Operated	1711	9.6	95	1	2	7	12	20	27	52
B. Operated	5368	12.8	107	2	3	10	16	25	33	56
TOTAL										
0-19 YRS	9	11.3	80	1	1	11	20	23	24	24
20-34	39	8.6	82	1	1	6	10	22	34	35
35-49	546	10.0	72	1	2	8	12	19	26	52
50-64	2600	11.2	87	2	2	9	14	22	28	47
65 +	3885	12.9	122	2	3	10	16	25	35	62
GRAND TOTAL	**7079**	**12.0**	**106**	**2**	**3**	**10**	**15**	**24**	**32**	**55**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0		5	5	5	5	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	7	5.1	16	< 1	< 1	5	6	12	13	13
65 +	2	7.5	5	6	6	7	9	9	9	9
B. Operated										
0-19 YRS	8	3.8	6	1	1	4	5	7	8	8
20-34	5	12.0	196	1	1	6	18	36	36	36
35-49	19	7.6	52	< 1	1	4	13	18	21	23
50-64	91	7.0	48	< 1	1	4	12	17	21	28
65 +	53	8.3	111	< 1	1	5	12	16	22	63
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	8.3	111	1	1	2	18	24	25	25
20-34	5	15.8	329	1	1	6	29	44	44	44
35-49	8	11.4	105	4	5	8	11	29	36	36
50-64	29	4.8	11	1	1	4	6	9	10	15
65 +	40	6.7	27	1	1	5	9	13	18	22
B. Operated										
0-19 YRS	8	11.3	157	3	3	7	11	33	41	41
20-34	9	9.3	50	3	3	8	15	20	22	22
35-49	42	12.8	119	1	1	12	16	28	35	49
50-64	212	13.3	109	1	2	12	18	26	33	50
65 +	284	13.8	175	1	1	12	18	30	39	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	5.5	10	< 1	1	5	7	9	12	13
B. Operated	176	7.5	69	< 1	1	4	12	17	21	37
2. MULTIPLE DX										
A. Not Operated	89	7.1	54	1	1	5	9	14	22	41
B. Operated	555	13.4	143	1	2	12	17	27	36	63
1. SINGLE DX	191	7.3	65	< 1	1	5	12	16	21	37
2. MULTIPLE DX	644	12.5	135	1	2	11	17	25	35	62
A. Not Operated	104	6.9	48	1	1	5	8	13	22	40
B. Operated	731	12.0	131	1	1	10	16	25	33	62
TOTAL										
0-19 YRS	26	7.4	82	1	1	5	8	21	28	41
20-34	20	11.5	140	1	2	7	16	30	40	44
35-49	71	11.0	100	1	1	9	15	23	29	48
50-64	339	10.7	94	1	1	10	16	22	29	44
65 +	379	12.2	156	1	1	10	16	25	35	68
GRAND TOTAL	**835**	**11.3**	**124**	**1**	**1**	**9**	**15**	**24**	**32**	**59**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	3.8	11	1	1	3	5	8	10	17
20-34	4	4.5	9	3	3	3	6	9	9	9
35-49	2	11.0	2	10	10	11	12	12	12	12
50-64	4	17.3	711	< 1	< 1	5	32	57	57	57
65 +	4	3.5	3	2	2	3	5	6	6	6
B. Operated										
0-19 YRS	60	7.7	72	1	2	5	9	17	18	56
20-34	24	4.8	14	< 1	1	4	7	9	12	17
35-49	22	5.0	12	1	1	4	7	10	12	13
50-64	22	5.4	19	< 1	1	4	7	12	16	17
65 +	34	6.3	25	1	1	4	11	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	3.6	8	1	1	3	4	6	10	17
20-34	17	4.7	6	1	1	5	6	8	10	11
35-49	5	21.6	874	2	2	10	28	74	74	74
50-64	9	8.0	67	1	1	7	13	63	99 +	99 +
65 +	22	7.2	26	2	2	6	10	14	17	22
B. Operated										
0-19 YRS	33	11.5	97	2	3	9	15	20	22	55
20-34	19	8.5	28	1	2	7	14	16	16	16
35-49	18	12.3	120	1	2	10	15	26	39	46
50-64	59	13.6	227	1	1	9	19	36	43	71
65 +	119	13.5	192	1	2	8	18	34	46	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	4.9	57	1	1	3	5	9	13	53
B. Operated	162	6.3	39	1	1	5	8	13	17	20
2. MULTIPLE DX										
A. Not Operated	106	5.7	64	1	1	4	6	12	15	85
B. Operated	248	12.8	170	1	2	9	16	29	43	72
1. SINGLE DX	223	5.9	44	1	1	4	7	12	16	30
2. MULTIPLE DX	354	10.7	148	1	2	6	14	25	39	74
A. Not Operated	167	5.4	61	1	1	3	6	11	14	71
B. Operated	410	10.2	128	1	2	7	13	22	37	60
TOTAL										
0-19 YRS	193	6.2	52	1	1	4	8	14	18	41
20-34	64	5.8	18	1	1	5	7	14	16	17
35-49	47	9.8	155	1	1	7	10	19	31	74
50-64	94	11.3	189	1	1	7	15	27	43	87
65 +	179	11.2	147	1	2	7	14	26	39	71
GRAND TOTAL	**577**	**8.8**	**113**	**1**	**1**	**5**	**11**	**20**	**29**	**61**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	26	3.4	10	< 1	< 1	2	4	8	11	14
35-49	54	2.8	4	< 1	< 1	2	4	6	6	10
50-64	78	3.7	10	< 1	1	3	5	8	9	14
65 +	58	4.1	10	< 1	1	3	6	8	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	11.3	113	3	3	8	19	26	26	26
35-49	6	6.3	5	2	2	7	8	8	8	8
50-64	7	9.1	48	3	3	5	14	20	21	21
65 +	10	6.0	19	2	2	5	7	13	16	16
B. Operated										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	20	6.6	62	< 1	1	4	8	19	25	30
35-49	36	6.1	27	1	1	5	7	14	18	23
50-64	91	6.5	23	1	1	5	9	14	15	20
65 +	147	7.2	63	1	1	5	10	17	21	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	218	3.5	8	< 1	< 1	3	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	27	7.7	36	2	2	6	10	16	22	26
B. Operated	296	6.8	46	1	1	5	9	15	19	28
1. SINGLE DX	220	3.5	8	< 1	< 1	3	5	7	9	14
2. MULTIPLE DX	323	6.9	45	1	1	5	9	15	20	27
A. Not Operated	29	7.3	35	2	2	5	9	16	21	26
B. Operated	514	5.4	32	< 1	1	4	7	12	16	24
TOTAL										
0-19 YRS	4	5.3	14	1	1	5	8	10	10	10
20-34	51	5.3	41	< 1	< 1	3	5	14	19	30
35-49	96	4.2	15	< 1	< 1	3	6	8	13	21
50-64	176	5.4	20	1	1	4	7	12	15	20
65 +	216	6.3	48	1	1	4	8	14	20	41
GRAND TOTAL	**543**	**5.5**	**33**	**< 1**	**1**	**4**	**7**	**13**	**16**	**24**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	3	6.7	30	1	1	7	11	12	12	12
20-34	16	2.3	2	< 1	< 1	2	3	4	5	6
35-49	24	2.3	5	< 1	< 1	1	3	5	8	10
50-64	79	2.4	11	< 1	< 1	1	2	5	9	20
65 +	143	2.7	7	< 1	< 1	2	3	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	6.0	15	< 1	< 1	6	9	10	10	10
35-49	12	7.8	23	1	1	8	11	14	16	16
50-64	7	12.0	89	< 1	< 1	14	17	25	27	27
65 +	18	6.3	25	< 1	1	6	9	14	16	17
B. Operated										
0-19 YRS	4	7.3	32	1	1	8	12	12	12	12
20-34	15	11.3	153	1	1	8	14	21	43	50
35-49	46	8.8	147	< 1	< 1	4	9	25	37	57
50-64	109	4.8	43	< 1	< 1	2	5	13	23	30
65 +	461	5.5	58	< 1	1	3	7	12	18	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.7	1	< 1	< 1	1	2	4	4	4
B. Operated	265	2.6	8	< 1	< 1	2	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	41	7.7	36	< 1	1	8	11	16	17	27
B. Operated	635	5.7	65	< 1	1	3	7	13	21	51
1. SINGLE DX	271	2.6	8	< 1	< 1	2	3	6	8	14
2. MULTIPLE DX	676	5.9	64	< 1	1	3	7	14	21	50
A. Not Operated	47	6.9	36	< 1	< 1	6	10	16	17	27
B. Operated	900	4.8	50	< 1	< 1	2	6	11	17	46
TOTAL										
0-19 YRS	7	7.0	26	1	1	7	12	12	12	12
20-34	35	6.6	84	< 1	< 1	3	8	14	21	50
35-49	83	6.7	94	< 1	< 1	2	8	15	27	53
50-64	198	4.1	34	< 1	< 1	2	4	11	17	28
65 +	624	4.9	47	< 1	1	2	6	11	16	48
GRAND TOTAL	**947**	**4.9**	**50**	**< 1**	**< 1**	**2**	**6**	**12**	**17**	**45**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	10	4.3	2	2	2	4	5	6	6	6
50-64	13	3.0	3	< 1	1	3	4	5	7	7
65 +	23	5.3	14	1	2	4	7	8	12	19
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	78	4.0	6	< 1	< 1	4	6	7	9	11
35-49	588	4.3	4	1	2	4	6	7	8	10
50-64	940	4.7	6	1	2	4	6	8	9	13
65 +	803	5.0	7	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	25.2	241	1	1	27	38	40	40	40
35-49	56	8.0	61	< 1	1	5	10	18	27	38
50-64	116	7.9	50	1	1	6	11	19	22	33
65 +	137	9.0	121	1	1	6	10	20	29	99 +
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	99	6.4	37	1	2	5	7	10	15	39
35-49	755	5.4	16	1	2	5	6	8	11	19
50-64	1646	6.5	43	1	2	5	7	10	15	29
65 +	3021	7.3	37	2	3	6	8	12	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	4.3	9	1	2	4	5	7	8	19
B. Operated	2410	4.7	6	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	316	8.7	89	1	1	6	11	19	29	63
B. Operated	5523	6.8	36	2	3	6	8	11	16	31
1. SINGLE DX	2458	4.7	6	1	2	4	6	8	9	13
2. MULTIPLE DX	5839	6.9	39	2	2	6	8	11	16	35
A. Not Operated	364	8.1	81	1	1	5	9	19	27	51
B. Operated	7933	6.1	28	1	2	5	7	10	13	28
TOTAL										
0-19 YRS	5	2.0	2	1	1	1	3	4	4	4
20-34	184	5.9	40	< 1	1	5	6	9	14	39
35-49	1409	5.0	14	1	2	5	6	8	10	18
50-64	2715	5.9	31	1	2	5	7	9	13	27
65 +	3984	6.9	34	2	3	6	8	11	16	32
GRAND TOTAL	**8297**	**6.2**	**30**	**1**	**2**	**5**	**7**	**10**	**14**	**29**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.7		2	2	3	3	3	3	3
50-64	5	2.6	1	2	2	2	3	4	4	4
65 +	4	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	28	5.5	16	1	1	6	8	11	12	14
35-49	55	6.3	19	1	2	6	9	12	14	19
50-64	35	5.0	32	< 1	1	3	5	12	14	31
65 +	18	5.1	11	< 1	1	4	7	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	11.5	173	3	3	6	13	34	42	42
35-49	34	6.1	38	1	1	4	8	12	20	30
50-64	24	6.7	41	1	1	5	8	16	23	24
65 +	35	7.4	84	2	3	4	9	13	26	50
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	58	7.8	54	1	1	5	10	16	19	38
35-49	106	8.9	50	1	2	7	12	18	22	39
50-64	113	9.2	64	1	2	7	12	20	26	40
65 +	113	9.8	128	2	2	6	12	21	38	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.7	1	2	2	3	3	4	4	4
B. Operated	137	5.6	20	1	1	4	8	12	13	21
2. MULTIPLE DX										
A. Not Operated	101	7.1	65	1	2	4	9	16	23	46
B. Operated	391	9.1	77	1	2	7	12	19	24	43
1. SINGLE DX	150	5.4	19	1	1	4	8	12	12	19
2. MULTIPLE DX	492	8.7	75	1	2	6	11	19	24	43
A. Not Operated	114	6.6	59	1	2	4	8	13	23	45
B. Operated	528	8.2	65	1	1	6	11	17	22	42
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	95	7.3	53	1	1	6	9	14	18	40
35-49	198	7.6	41	1	2	6	11	15	19	32
50-64	177	7.8	56	1	1	5	10	19	24	36
65 +	170	8.7	106	2	2	5	10	18	28	51
GRAND TOTAL	**642**	**7.9**	**64**	**1**	**2**	**6**	**10**	**17**	**22**	**42**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	3	2.3		2	2	2	3	3	3	3
50-64	4	3.3	2	1	1	4	4	4	4	4
65 +	8	2.3	1	< 1	< 1	2	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	34	6.0	3	2	5	6	7	8	9	9
50-64	114	6.1	6	1	4	6	7	8	9	14
65 +	102	6.5	16	1	2	6	8	9	11	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	9.3	2	8	8	9	10	11	11	11
50-64	14	9.3	125	1	2	4	12	24	37	41
65 +	51	8.3	94	2	2	4	11	16	26	54
B. Operated										
0-19 YRS	0									
20-34	7	5.6	7	2	2	5	7	10	10	10
35-49	129	6.7	11	2	3	6	8	11	13	18
50-64	419	7.6	43	2	4	7	8	11	15	22
65 +	757	9.2	68	2	3	7	10	16	24	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated	251	6.2	9	1	3	6	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	68	8.5	95	2	2	5	11	18	27	52
B. Operated	1312	8.4	55	2	3	7	9	14	19	40
1. SINGLE DX	269	6.0	10	1	2	6	7	9	10	14
2. MULTIPLE DX	1380	8.4	57	2	3	7	9	14	19	43
A. Not Operated	86	7.2	82	1	1	4	9	16	23	49
B. Operated	1563	8.1	48	2	3	7	9	13	17	36
TOTAL										
0-19 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	8	5.9	7	2	3	5	8	9	10	10
35-49	169	6.5	10	2	3	6	8	10	12	16
50-64	551	7.3	38	2	3	6	8	11	14	22
65 +	918	8.8	64	1	2	7	9	15	22	47
GRAND TOTAL	**1649**	**8.0**	**50**	**2**	**3**	**7**	**9**	**13**	**17**	**38**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	4	4.5		4	4	4	5	5	5	5
35-49	5	3.8	3	2	2	4	5	6	6	6
50-64	9	5.0	96	1	1	2	3	20	31	31
65 +	4	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	3	13.0	109	6	6	8	21	25	25	25
20-34	19	5.1	3	2	3	5	6	7	9	10
35-49	19	5.9	4	1	3	6	8	8	8	8
50-64	30	7.6	31	2	3	7	8	10	17	33
65 +	24	8.5	14	2	4	8	11	14	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	8.6	90	2	2	5	9	25	31	31
50-64	52	6.5	53	1	1	4	7	20	24	30
65 +	95	9.7	81	1	2	7	14	19	25	46
B. Operated										
0-19 YRS	8	8.9	6	6	6	8	9	13	14	14
20-34	33	9.6	43	4	4	6	13	20	25	28
35-49	130	10.8	45	5	5	9	13	18	22	43
50-64	310	13.2	90	5	6	11	15	23	32	58
65 +	338	17.8	183	5	7	14	22	32	51	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	4.1	36	1	1	3	5	5	13	31
B. Operated	95	7.2	20	2	3	7	8	11	15	29
2. MULTIPLE DX										
A. Not Operated	160	8.5	73	1	1	5	11	19	25	42
B. Operated	819	14.6	127	5	6	11	18	26	35	66
1. SINGLE DX	119	6.6	24	1	2	6	8	10	15	32
2. MULTIPLE DX	979	13.6	123	3	5	10	17	25	34	63
A. Not Operated	184	7.9	70	1	1	5	10	19	25	41
B. Operated	914	13.8	121	5	5	10	17	25	33	65
TOTAL										
0-19 YRS	15	8.4	29	2	5	8	9	14	22	25
20-34	57	7.6	32	3	4	6	8	16	21	28
35-49	164	9.9	45	4	5	8	12	17	21	41
50-64	401	11.8	88	2	4	9	14	23	30	50
65 +	461	15.5	166	3	4	12	20	29	43	68
GRAND TOTAL	**1098**	**12.8**	**117**	**2**	**4**	**10**	**16**	**24**	**32**	**57**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	3	11.0	217	2	2	3	22	28	28	28
B. Operated										
0-19 YRS	0									
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	8	5.4	27	1	1	4	8	14	16	16
65 +	23	5.4	20	1	1	4	8	12	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	5.0	8	< 1	< 1	6	7	7	7	7
50-64	6	5.8	16	1	1	6	10	10	10	10
65 +	16	11.8	151	1	1	6	18	35	36	36
B. Operated										
0-19 YRS	3	21.3	424	2	2	19	37	43	43	43
20-34	6	6.7	9	4	4	5	10	11	11	11
35-49	10	9.8	43	2	2	9	13	19	23	23
50-64	38	10.9	73	1	3	9	15	22	25	44
65 +	127	12.3	151	1	2	9	16	24	40	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	7.8	130	1	1	3	11	28	28	28
B. Operated	37	5.1	19	1	1	4	7	11	15	18
2. MULTIPLE DX										
A. Not Operated	28	9.0	99	1	1	5	10	26	36	36
B. Operated	184	11.9	128	1	2	9	15	23	37	57
1. SINGLE DX	42	5.4	30	1	1	4	7	12	17	28
2. MULTIPLE DX	212	11.5	125	1	2	8	15	23	36	55
A. Not Operated	33	8.8	100	1	1	4	10	28	35	36
B. Operated	221	10.7	116	1	2	8	14	22	31	54
TOTAL										
0-19 YRS	5	13.8	320	1	1	4	25	43	43	43
20-34	10	5.6	8	2	3	5	6	10	11	11
35-49	17	7.5	35	1	2	7	11	15	21	23
50-64	53	9.4	63	1	1	7	12	19	24	43
65 +	169	11.3	137	1	2	8	15	24	36	58
GRAND TOTAL	**254**	**10.5**	**114**	**1**	**2**	**7**	**14**	**22**	**34**	**52**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	4.0	8	1	1	5	6	7	7	7
65 +	14	8.0	91	< 1	1	4	8	28	30	31
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	160	5.6	19	1	1	5	8	11	14	22
65 +	526	5.1	17	1	1	4	6	10	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.3	44	1	1	3	9	15	15	15
20-34	0									
35-49	0									
50-64	53	6.8	27	1	2	6	9	13	17	26
65 +	335	9.7	91	1	2	7	12	22	34	55
B. Operated										
0-19 YRS	6	6.7	52	1	1	4	9	19	20	20
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	11	15.7	678	1	2	9	14	46	89	93
50-64	552	8.2	49	1	2	7	10	16	20	39
65 +	3526	8.5	64	1	2	6	10	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	6.9	71	< 1	1	5	7	21	30	31
B. Operated	687	5.2	17	1	1	5	7	11	13	17
2. MULTIPLE DX										
A. Not Operated	392	9.2	83	1	2	7	11	21	33	51
B. Operated	4097	8.4	64	1	2	6	10	16	21	40
1. SINGLE DX	706	5.3	19	1	1	5	7	11	13	19
2. MULTIPLE DX	4489	8.5	65	1	2	6	10	17	22	42
A. Not Operated	411	9.1	82	1	2	6	11	21	32	49
B. Operated	4784	8.0	58	1	2	6	10	16	20	37
TOTAL										
0-19 YRS	10	6.1	44	1	1	3	9	17	20	20
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	12	15.3	619	1	2	9	13	38	85	93
50-64	770	7.5	42	1	2	6	10	15	18	33
65 +	4401	8.2	62	1	2	6	10	16	22	40
GRAND TOTAL	**5195**	**8.1**	**60**	**1**	**2**	**6**	**10**	**16**	**21**	**40**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	[illegible]	5	5
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	3.2	8	< 1	< 1	2	5	8	9	9
20-34	107	2.9	5	1	1	2	4	7	8	10
35-49	50	2.5	5	1	1	2	3	4	5	14
50-64	17	2.8	4	1	1	2	4	6	7	7
65 +	10	4.1	10	< 1	1	3	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.9	3	2	3	5	6	7	8	8
20-34	4	5.3	2	4	4	5	6	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	5	11.4	466	1	1	2	15	50	50	50
B. Operated										
0-19 YRS	5	4.0	9	1	1	3	6	8	8	8
20-34	51	7.8	64	< 1	1	5	10	18	27	41
35-49	37	5.1	35	1	1	3	6	12	16	31
50-64	21	5.7	31	1	1	3	8	14	18	21
65 +	40	8.6	66	1	2	7	11	18	21	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.4	4	1	1	5	5	5	5	5
B. Operated	199	2.9	6	1	1	2	3	7	8	10
2. MULTIPLE DX										
A. Not Operated	21	6.5	103	1	2	5	6	7	27	50
B. Operated	154	7.0	52	1	1	4	10	15	21	41
1. SINGLE DX	206	2.9	5	1	1	2	4	6	8	10
2. MULTIPLE DX	175	6.9	58	1	1	5	9	15	21	43
A. Not Operated	28	5.8	79	1	1	5	5	7	12	50
B. Operated	353	4.7	30	1	1	3	6	10	14	28
TOTAL										
0-19 YRS	33	4.0	6	< 1	1	5	5	8	8	9
20-34	164	4.5	28	1	1	3	6	10	12	28
35-49	91	3.6	18	1	1	2	4	8	12	25
50-64	38	4.4	21	1	1	3	5	11	15	21
65 +	55	8.0	88	1	1	5	10	18	22	50
GRAND TOTAL	**381**	**4.7**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**30**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	10	2.6	5	< 1	< 1	2	3	6	8	8
B. Operated										
0-19 YRS	0									
20-34	19	2.2	2	< 1	1	2	2	5	6	6
35-49	76	2.9	3	< 1	1	2	4	5	8	16
50-64	308	3.4	11	1	1	2	4	6	11	16
65 +	631	3.8	16	1	1	3	4	7	10	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	0									
35-49	3	5.3	24	2	2	3	9	11	11	11
50-64	30	6.7	64	1	1	4	8	15	18	40
65 +	129	8.9	95	1	1	6	10	21	29	55
B. Operated										
0-19 YRS	13	6.6	19	1	1	6	11	12	14	14
20-34	10	4.7	33	< 1	< 1	2	5	14	19	19
35-49	88	5.3	33	1	1	3	6	14	17	28
50-64	764	6.5	70	1	1	4	7	15	21	49
65 +	2922	7.8	79	1	2	5	10	16	24	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.4	4	< 1	< 1	2	3	5	8	8
B. Operated	1034	3.6	13	1	1	3	4	7	11	21
2. MULTIPLE DX										
A. Not Operated	165	8.3	88	1	1	5	10	21	27	52
B. Operated	3797	7.4	76	1	1	5	9	16	23	48
1. SINGLE DX	1046	3.5	13	1	1	3	4	7	11	21
2. MULTIPLE DX	3962	7.5	77	1	1	5	9	16	23	48
A. Not Operated	177	7.9	84	< 1	1	5	9	20	26	50
B. Operated	4831	6.6	65	1	1	4	8	15	21	43
TOTAL										
0-19 YRS	16	5.8	19	1	1	5	10	11	13	14
20-34	29	3.1	13	< 1	1	2	4	6	10	19
35-49	168	4.2	22	< 1	1	3	5	11	14	25
50-64	1103	5.7	55	1	1	3	6	13	18	38
65 +	3692	7.1	71	1	1	4	9	16	22	46
GRAND TOTAL	**5008**	**6.7**	**66**	**1**	**1**	**4**	**8**	**15**	**21**	**43**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.9	4	1	1	1	2	5	7	7
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	7.8	40	3	3	5	11	17	17	17
65 +	2	8.0	98	< 1	< 1	7	15	15	15	15
B. Operated										
0-19 YRS	12	11.4	20	7	7	10	13	20	20	20
20-34	4	6.0	9	2	2	6	8	9	9	9
35-49	35	8.3	13	1	1	8	10	13	14	15
50-64	73	8.2	18	1	1	8	11	14	15	20
65 +	72	8.5	20	1	2	8	10	13	17	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.2	22	1	1	4	9	12	15	15
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	5.8	50	1	1	4	6	14	25	27
50-64	44	9.3	102	1	1	7	12	19	20	62
65 +	91	11.6	192	1	2	9	15	22	34	84
B. Operated										
0-19 YRS	17	14.2	168	2	3	11	15	39	46	47
20-34	13	8.3	7	5	6	8	9	12	14	15
35-49	67	9.7	25	3	5	9	11	16	21	27
50-64	284	11.8	43	4	6	10	14	19	24	33
65 +	557	13.9	101	2	4	11	17	26	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.6	27	< 1	1	2	7	15	16	17
B. Operated	196	8.5	18	1	2	8	10	14	15	22
2. MULTIPLE DX										
A. Not Operated	159	10.0	147	1	1	6	13	19	28	65
B. Operated	938	12.9	79	3	5	10	16	24	31	48
1. SINGLE DX	211	8.2	20	1	1	8	10	14	15	22
2. MULTIPLE DX	1097	12.5	90	2	4	10	16	23	30	50
A. Not Operated	174	9.6	139	1	1	6	13	19	27	64
B. Operated	1134	12.1	72	2	4	10	15	22	27	45
TOTAL										
0-19 YRS	48	9.4	91	1	1	8	12	20	25	47
20-34	18	7.4	10	1	3	7	9	11	13	15
35-49	115	8.9	25	1	3	8	10	14	17	27
50-64	405	10.8	47	2	4	9	14	18	21	33
65 +	722	13.1	107	2	3	10	16	25	32	53
GRAND TOTAL	**1308**	**11.8**	**81**	**2**	**3**	**10**	**15**	**22**	**27**	**46**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	5	2.0	5	< 1	< 1	1	2	6	6	6
20-34	0									
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	5	2.2	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.6	3	2	2	4	5	6	6	6
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	5	7.6	131	1	1	3	10	28	28	28
20-34	0									
35-49	3	2.3		2	2	2	3	3	3	3
50-64	3	2.7		2	2	3	3	3	3	3
65 +	6	3.2	3	2	2	2	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	17	2.2	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	6	3.3	3	2	2	3	4	6	6	6
B. Operated	17	4.2	39	1	2	2	4	6	20	28
1. SINGLE DX	20	2.1	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX	23	4.0	29	1	2	2	4	6	14	28
A. Not Operated	9	2.7	3	1	1	2	4	5	6	6
B. Operated	34	3.2	21	< 1	1	2	3	5	6	28
TOTAL										
0-19 YRS	17	4.1	41	< 1	< 1	2	4	6	20	28
20-34	0									
35-49	8	2.5	1	2	2	2	3	4	4	4
50-64	6	2.3	1	1	1	2	3	3	3	3
65 +	12	2.6	2	1	1	2	3	5	6	6
GRAND TOTAL	**43**	**3.1**	**17**	**< 1**	**1**	**2**	**3**	**5**	**6**	**28**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.7	4	< 1	1	2	4	5	7	9
20-34	5	6.6	1	5	5	7	7	8	8	8
35-49	6	4.2	8	1	1	3	7	8	8	8
50-64	17	10.5	131	1	1	6	14	22	38	47
65 +	11	10.0	30	4	5	8	14	18	22	22
B. Operated										
0-19 YRS	39	9.4	69	2	2	8	12	19	24	44
20-34	25	10.5	36	2	3	9	13	18	22	26
35-49	24	8.9	41	2	2	8	11	16	24	29
50-64	62	12.4	88	2	3	10	15	22	27	57
65 +	32	12.5	72	2	3	11	14	21	33	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	6.8	201	< 1	1	2	6	16	60	99 +
20-34	22	5.7	21	1	1	4	8	14	15	17
35-49	45	8.0	71	2	2	6	8	15	24	51
50-64	99	11.5	159	1	2	7	14	26	30	69
65 +	128	15.4	278	2	3	11	18	37	50	98
B. Operated										
0-19 YRS	84	13.9	88	2	4	12	20	30	32	80
20-34	45	21.3	445	2	6	14	24	62	79	99 +
35-49	54	16.1	189	2	4	12	19	45	88	99 +
50-64	126	20.3	280	5	7	15	26	48	76	99 +
65 +	130	24.8	337	5	7	19	32	62	73	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	6.3	52	1	1	4	8	15	21	43
B. Operated	182	11.0	69	2	2	9	14	20	27	43
2. MULTIPLE DX										
A. Not Operated	339	11.5	200	1	2	7	14	26	44	83
B. Operated	439	20.0	279	2	6	16	26	47	72	99 +
1. SINGLE DX	248	9.8	68	1	2	8	13	19	25	44
2. MULTIPLE DX	778	16.3	262	2	2	12	21	39	63	99 +
A. Not Operated	405	10.7	179	1	1	6	13	24	38	81
B. Operated	621	17.4	234	2	4	13	21	39	62	99 +
TOTAL										
0-19 YRS	195	9.8	114	1	1	7	13	24	31	90
20-34	97	14.2	265	2	3	9	17	31	61	97
35-49	129	11.4	128	2	2	8	14	27	46	99 +
50-64	304	15.3	209	2	3	11	19	36	53	99 +
65 +	301	19.0	298	2	4	14	24	44	65	99 +
GRAND TOTAL	**1026**	**14.7**	**223**	**2**	**2**	**11**	**18**	**35**	**55**	**99 +**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	40.5	1201	16	16	40	65	65	65	65
20-34	3	12.0	12	10	10	10	15	16	16	16
35-49	5	7.6	4	5	5	8	9	10	10	10
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.2	123	< 1	< 1	1	8	26	26	26
20-34	0									
35-49	1	23.0		23	23	23	23	23	23	23
50-64	5	6.6	95	1	1	3	8	24	24	24
65 +	5	22.4	740	1	1	8	46	61	61	61
B. Operated										
0-19 YRS	8	15.8	92	4	[illegible]	16	27	72	99 +	99 +
20-34	11	21.1	159	6	9	20	33	61	94	99 +
35-49	6	20.2	172	3	4	21	29	36	37	37
50-64	21	20.6	164	6	7	17	31	41	44	45
65 +	7	19.3	337	4	4	9	35	47	49	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	14.9	288	5	6	10	14	36	63	65
2. MULTIPLE DX										
A. Not Operated	16	12.4	320	< 1	1	2	23	39	55	61
B. Operated	53	19.8	165	4	6	17	29	44	48	99 +
1. SINGLE DX	11	14.9	288	5	6	10	14	36	63	65
2. MULTIPLE DX	69	18.1	206	1	2	16	28	43	49	99 +
A. Not Operated	16	12.4	320	< 1	1	2	23	39	55	61
B. Operated	64	18.9	185	4	6	16	28	44	52	99 +
TOTAL										
0-19 YRS	15	15.9	287	< 1	1	13	26	61	89	99 +
20-34	14	19.1	139	7	10	17	24	45	86	99 +
35-49	12	15.2	125	3	4	10	25	31	36	37
50-64	27	17.6	174	2	3	13	24	39	44	45
65 +	12	20.6	455	1	1	8	41	53	60	61
GRAND TOTAL	**80**	**17.6**	**215**	**1**	**3**	**13**	**26**	**43**	**54**	**99 +**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.9	67	< 1	< 1	1	2	9	27	32
20-34	4	2.5		2	2	2	3	3	3	3
35-49	8	1.9		1	1	2	2	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65 +	2	5.5	41	< 1	< 1	5	10	10	10	10
B. Operated										
0-19 YRS	12	7.2	62	1	1	3	12	20	23	24
20-34	51	3.4	4	1	2	3	4	5	9	11
35-49	44	3.1	2	1	2	3	4	5	6	7
50-64	34	4.0	4	2	2	4	4	7	9	11
65 +	12	5.8	38	2	2	4	5	17	21	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.0	33	< 1	< 1	1	2	5	13	33
20-34	5	4.6	28	< 1	< 1	3	6	14	14	14
35-49	5	7.6	31	3	3	7	10	17	17	17
50-64	10	4.2	10	1	1	3	6	9	11	11
65 +	15	7.5	47	1	2	6	10	11	25	29
B. Operated										
0-19 YRS	31	10.8	138	2	2	7	13	28	43	48
20-34	54	5.4	71	1	2	4	5	11	21	98
35-49	78	5.6	36	1	2	4	5	12	16	32
50-64	67	6.6	102	2	2	5	7	11	14	72
65 +	104	10.6	114	2	2	7	14	29	33	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.1	32	< 1	< 1	2	2	5	10	32
B. Operated	153	3.9	11	1	2	3	4	6	10	22
2. MULTIPLE DX										
A. Not Operated	72	4.5	34	< 1	1	2	5	11	15	32
B. Operated	334	7.8	93	2	2	4	8	17	31	57
1. SINGLE DX	184	3.8	15	1	1	3	4	6	10	23
2. MULTIPLE DX	406	7.2	84	1	2	4	8	15	29	52
A. Not Operated	103	4.1	34	< 1	1	2	4	10	14	32
B. Operated	487	6.6	71	2	2	4	7	14	23	46
TOTAL										
0-19 YRS	94	6.3	86	< 1	1	2	7	16	30	46
20-34	114	4.4	37	1	2	3	4	7	13	73
35-49	135	4.6	24	1	2	3	5	8	14	30
50-64	114	5.5	64	2	2	4	6	9	12	40
65 +	133	9.8	100	2	2	6	12	26	33	43
GRAND TOTAL	**590**	**6.2**	**65**	**1**	**1**	**4**	**6**	**13**	**23**	**42**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	7.6	55	< 1	1	5	8	20	26	26
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	9	3.7	2	< 1	1	4	5	5	5	5
50-64	20	9.7	97	2	3	7	12	14	31	48
65 +	22	8.0	86	< 1	1	5	9	20	32	39
B. Operated										
0-19 YRS	20	6.7	16	< 1	1	7	9	11	14	17
20-34	10	3.2	7	< 1	< 1	2	4	7	10	10
35-49	24	5.4	21	1	1	3	8	13	15	16
50-64	62	7.0	144	< 1	< 1	5	9	14	21	99
65 +	47	7.1	36	1	1	6	9	14	20	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	5.8	95	1	1	3	4	11	34	42
20-34	81	7.7	62	1	1	5	9	17	25	41
35-49	431	9.3	85	2	2	7	11	20	28	58
50-64	1498	9.9	84	2	2	7	13	20	27	45
65 +	2838	11.3	98	2	3	8	15	23	30	51
B. Operated										
0-19 YRS	49	10.8	217	1	2	8	11	15	28	84
20-34	113	10.7	113	1	2	8	13	21	27	62
35-49	665	11.4	115	1	2	9	15	23	33	57
50-64	1975	12.7	160	1	2	9	16	27	39	77
65 +	3241	14.3	164	1	2	11	19	31	40	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	7.7	72	1	1	5	9	14	26	47
B. Operated	163	6.5	71	< 1	1	5	8	14	17	82
2. MULTIPLE DX										
A. Not Operated	4872	10.6	93	2	3	8	14	22	28	50
B. Operated	6043	13.4	158	1	2	10	17	29	39	72
1. SINGLE DX	225	6.8	71	< 1	1	5	9	14	17	58
2. MULTIPLE DX	10915	12.1	131	2	2	9	16	25	35	63
A. Not Operated	4934	10.6	93	2	3	8	14	22	28	50
B. Operated	6206	13.2	157	1	2	10	17	28	39	72
TOTAL										
0-19 YRS	102	8.5	137	1	1	6	10	14	26	77
20-34	206	9.1	90	1	2	7	11	18	25	50
35-49	1129	10.4	103	1	2	8	14	22	30	57
50-64	3555	11.4	130	1	2	8	15	24	34	64
65 +	6148	12.8	135	2	3	9	17	27	36	63
GRAND TOTAL	**11140**	**12.0**	**130**	**1**	**2**	**9**	**16**	**25**	**35**	**63**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.6	2	1	1	2	4	5	5	5
20-34	11	4.2	13	1	1	3	7	10	10	10
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	3	2.7	8	1	1	1	5	6	6	6
65 +	3	6.7	9	4	4	6	9	10	10	10
B. Operated										
0-19 YRS	69	6.5	40	1	1	5	7	11	18	34
20-34	109	5.9	38	1	1	4	8	11	15	36
35-49	29	4.4	19	< 1	< 1	3	5	10	13	21
50-64	23	6.6	35	< 1	1	4	10	17	18	20
65 +	10	9.5	239	1	1	3	4	37	47	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.6	15	2	2	4	7	12	14	14
20-34	33	5.3	15	1	1	5	7	10	12	19
35-49	21	6.3	22	< 1	1	5	9	14	15	15
50-64	13	5.1	16	1	1	6	7	10	14	15
65 +	20	10.8	112	< 1	1	6	19	28	29	30
B. Operated										
0-19 YRS	28	6.3	8	2	2	6	8	10	12	12
20-34	72	12.2	197	1	2	8	14	25	51	70
35-49	44	15.1	295	1	2	8	23	38	45	82
50-64	43	12.6	112	1	2	11	16	23	27	62
65 +	51	13.0	103	2	4	10	16	31	35	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.6	8	1	1	3	5	9	10	10
B. Operated	240	6.1	44	1	1	4	8	12	17	36
2. MULTIPLE DX										
A. Not Operated	98	6.6	40	1	1	5	8	15	21	30
B. Operated	238	12.3	161	1	2	8	15	26	38	63
1. SINGLE DX	271	5.8	41	1	1	4	7	11	17	34
2. MULTIPLE DX	336	10.6	132	1	2	7	13	23	33	59
A. Not Operated	129	5.9	34	1	1	4	7	13	16	29
B. Operated	478	9.2	112	1	1	6	11	21	31	53
TOTAL										
0-19 YRS	120	6.0	28	1	1	5	7	10	13	32
20-34	225	7.7	93	1	1	6	9	15	23	52
35-49	96	9.7	169	1	1	5	10	25	37	71
50-64	82	9.4	83	1	1	7	15	20	23	51
65 +	84	11.8	117	1	2	8	16	29	34	46
GRAND TOTAL	**607**	**8.5**	**97**	**1**	**1**	**6**	**10**	**19**	**28**	**52**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	5.2	14	< 1	1	5	7	10	11	18
20-34	11	4.2	11	< 1	< 1	2	7	9	10	10
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	7.0	8	5	5	7	9	9	9	9
65 +	3	4.0	13	1	1	3	7	8	8	8
B. Operated										
0-19 YRS	85	9.0	95	1	1	7	10	21	31	49
20-34	11	30.5	545	1	2	27	51	64	70	71
35-49	7	13.4	256	2	2	6	25	40	42	42
50-64	6	3.3	3	< 1	< 1	3	5	6	6	6
65 +	3	5.3	10	3	3	4	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	5.0	22	1	1	3	7	11	15	23
20-34	7	7.3	37	1	1	7	9	17	19	19
35-49	8	12.6	144	2	3	8	18	33	35	35
50-64	29	10.7	50	3	3	9	14	21	24	32
65 +	83	10.7	130	1	2	7	14	23	30	69
B. Operated										
0-19 YRS	88	18.8	268	2	4	12	32	43	62	99 +
20-34	23	28.8	257	2	4	29	37	50	59	69
35-49	16	24.6	577	4	5	17	34	45	82	98
50-64	33	14.4	202	2	3	9	20	40	57	99 +
65 +	57	13.2	133	2	3	10	19	38	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	4.9	13	< 1	1	4	7	10	10	17
B. Operated	112	11.0	180	1	1	7	12	29	40	64
2. MULTIPLE DX										
A. Not Operated	189	8.8	85	1	2	7	11	19	26	39
B. Operated	217	18.1	263	2	3	12	29	43	58	99 +
1. SINGLE DX	172	8.9	130	< 1	1	6	10	21	31	59
2. MULTIPLE DX	406	13.8	201	2	2	9	20	35	45	99 +
A. Not Operated	249	7.9	71	1	1	6	10	16	24	35
B. Operated	329	15.7	245	2	2	10	24	39	54	99 +
TOTAL										
0-19 YRS	277	10.6	154	1	2	7	12	31	39	95
20-34	52	21.1	358	1	2	19	31	50	60	71
35-49	33	17.9	399	2	2	8	30	42	45	98
50-64	70	11.7	125	2	3	9	16	28	38	91
65 +	146	11.5	129	2	2	8	14	26	42	99 +
GRAND TOTAL	**578**	**12.3**	**185**	**1**	**2**	**8**	**16**	**32**	**42**	**99**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	4.1	11	< 1	< 1	4	5	8	9	19
20-34	9	4.3	7	< 1	< 1	5	6	8	9	9
35-49	9	3.2	8	< 1	< 1	1	5	8	9	9
50-64	9	8.6	319	1	1	2	5	36	56	56
65 +	6	3.2	3	1	1	3	5	5	5	5
B. Operated										
0-19 YRS	23	11.9	160	< 1	1	7	16	35	39	42
20-34	17	15.4	295	< 1	1	5	30	44	48	49
35-49	36	16.9	329	2	2	7	30	50	51	51
50-64	17	15.2	311	2	2	8	27	37	56	65
65 +	9	18.7	292	3	3	10	28	47	51	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	4.8	16	1	1	4	5	9	13	20
20-34	21	10.1	231	< 1	< 1	6	11	22	49	68
35-49	32	7.4	32	1	2	6	10	15	20	24
50-64	33	12.1	147	1	2	8	16	26	39	55
65 +	108	9.5	85	1	1	7	12	22	32	41
B. Operated										
0-19 YRS	47	28.4	625	2	3	23	47	65	84	99 +
20-34	59	26.3	294	5	6	26	38	49	56	71
35-49	70	31.0	462	3	4	30	41	58	76	95
50-64	92	29.4	436	3	5	28	45	58	68	99
65 +	157	22.1	327	2	4	16	32	49	58	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	4.5	48	< 1	< 1	4	5	7	9	49
B. Operated	102	15.4	273	1	2	7	29	41	50	58
2. MULTIPLE DX										
A. Not Operated	225	9.0	93	1	1	6	11	20	29	47
B. Operated	425	26.4	410	3	4	25	39	56	65	95
1. SINGLE DX	171	11.0	210	< 1	1	4	12	34	47	55
2. MULTIPLE DX	650	20.4	369	1	3	13	32	50	59	81
A. Not Operated	294	8.0	86	1	1	5	9	18	28	50
B. Operated	527	24.3	402	2	3	21	37	54	63	86
TOTAL										
0-19 YRS	137	13.9	361	< 1	[illegible]	5	14	42	63	96
20-34	106	19.5	318	1	1	12	32	46	51	69
35-49	147	20.7	416	1	2	11	33	51	58	78
50-64	151	22.8	417	2	3	16	35	56	64	96
65 +	280	16.7	264	1	2	10	27	42	52	67
GRAND TOTAL	**821**	**18.4**	**350**	**1**	**2**	**10**	**30**	**47**	**57**	**77**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	4.1	10	<1	1	4	5	7	12	15
20-34	4	2.8	8	<1	<1	1	4	7	7	7
35-49	14	4.4	8	1	1	4	6	8	10	10
50-64	26	5.4	12	1	2	5	7	13	28	99+
65+	39	5.9	33	1	1	4	8	13	21	23
B. Operated										
0-19 YRS	42	6.5	35	1	1	4	11	16	18	23
20-34	32	8.3	91	<1	1	5	10	22	25	46
35-49	67	5.7	33	<1	1	4	8	12	19	27
50-64	102	6.2	35	<1	1	4	9	14	18	29
65+	124	6.2	54	<1	1	4	8	14	19	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	5.4	21	1	1	4	7	10	14	25
20-34	20	9.8	56	1	1	8	15	21	25	25
35-49	62	10.5	115	1	1	7	14	23	33	54
50-64	177	9.5	88	1	1	7	12	21	31	48
65+	462	12.1	129	2	3	9	15	24	35	64
B. Operated										
0-19 YRS	41	14.3	214	1	2	8	22	39	47	53
20-34	67	18.9	225	2	3	14	28	40	46	73
35-49	156	14.4	140	2	2	11	20	31	38	67
50-64	317	15.8	184	2	3	12	21	34	50	99+
65+	817	17.2	245	2	3	12	22	39	55	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	5.0	19	1	1	4	6	11	15	54
B. Operated	367	6.3	46	<1	1	4	8	14	19	27
2. MULTIPLE DX										
A. Not Operated	761	11.0	113	1	2	8	14	23	33	56
B. Operated	1398	16.6	219	2	3	12	22	36	53	91
1. SINGLE DX	476	6.0	40	<1	1	4	8	13	18	27
2. MULTIPLE DX	2159	14.6	189	2	3	10	19	32	46	80
A. Not Operated	870	10.2	105	1	2	7	13	23	31	55
B. Operated	1765	14.4	200	1	2	10	19	32	47	83
TOTAL										
0-19 YRS	149	7.9	91	1	1	5	9	18	28	49
20-34	123	14.1	182	1	1	10	20	34	41	61
35-49	299	11.2	119	1	1	8	15	26	34	58
50-64	622	12.0	141	1	2	8	16	28	37	83
65+	1442	14.3	200	1	2	10	18	32	47	83
GRAND TOTAL	**2635**	**13.0**	**173**	**1**	**2**	**9**	**17**	**29**	**41**	**76**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3		2	2	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	25	1.6	1	<1	<1	1	2	3	4	5
20-34	79	2.3	3	<1	1	2	3	4	5	10
35-49	91	2.6	3	1	1	2	3	4	6	9
50-64	119	2.6	2	<1	1	2	3	4	5	8
65+	88	2.8	3	1	1	3	4	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	10	2.8	11	<1	<1	1	2	9	10	10
20-34	26	4.0	30	<1	1	3	4	7	12	29
35-49	40	4.3	12	<1	1	3	6	10	12	14
50-64	84	3.3	5	1	1	3	4	6	9	11
65+	142	3.7	8	1	1	3	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	1	1	1	2	2	3	3	3
B. Operated	402	2.5	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	4	3.0	7	1	1	2	5	7	7	7
B. Operated	302	3.7	10	1	1	3	4	7	10	14
1. SINGLE DX	408	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	306	3.7	10	1	1	3	4	7	9	14
A. Not Operated	10	2.3	3	1	1	2	2	5	7	7
B. Operated	704	3.0	6	<1	1	3	4	5	7	12
TOTAL										
0-19 YRS	36	1.9	4	<1	<1	1	2	4	7	10
20-34	108	2.7	10	<1	1	2	3	4	6	19
35-49	135	3.1	6	1	1	2	4	6	8	13
50-64	204	2.9	3	<1	1	3	4	5	6	10
65+	231	3.4	6	1	1	3	4	5	7	13
GRAND TOTAL	**714**	**3.0**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	11.0		11	11	11	11	11	11	11
35-49	5	4.2	15	< 1	< 1	3	7	10	10	10
50-64	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	6	2.2	4	1	1	2	2	6	6	6
B. Operated										
0-19 YRS	12	6.5	20	< 1	< 1	7	9	12	15	16
20-34	16	7.0	15	2	2	7	9	13	14	15
35-49	36	5.0	12	< 1	< 1	5	8	9	10	14
50-64	67	4.8	14	< 1	< 1	4	8	10	10	13
65 +	91	4.6	23	< 1	< 1	2	8	11	11	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	5	4.0	4	2	2	4	5	7	7	7
35-49	6	6.0	51	1	1	4	6	19	20	20
50-64	23	3.9	7	< 1	< 1	4	6	8	9	10
65 +	64	5.6	35	< 1	1	4	8	11	14	36
B. Operated										
0-19 YRS	26	8.7	56	1	2	6	12	23	24	26
20-34	27	11.3	56	2	3	9	17	21	24	30
35-49	69	7.0	22	1	1	6	10	14	15	21
50-64	304	7.1	46	1	1	7	9	13	18	31
65 +	816	8.5	71	1	1	7	11	18	23	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.9	10	< 1	< 1	1	3	9	11	11
B. Operated	222	5.0	18	< 1	< 1	3	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	100	5.2	27	< 1	1	4	7	11	13	30
B. Operated	1242	8.1	62	1	1	7	10	17	22	37
1. SINGLE DX	240	4.8	18	< 1	< 1	3	8	10	11	16
2. MULTIPLE DX	1342	7.9	60	1	1	6	10	16	22	36
A. Not Operated	118	4.8	25	< 1	< 1	3	6	10	12	26
B. Operated	1464	7.7	57	1	1	6	10	15	21	35
TOTAL										
0-19 YRS	42	7.6	43	1	1	6	10	18	23	26
20-34	49	9.1	42	2	2	8	12	20	21	30
35-49	116	6.2	21	< 1	< 1	6	9	12	15	21
50-64	398	6.5	39	< 1	1	6	9	12	16	30
65 +	977	7.9	66	1	1	6	10	17	22	41
GRAND TOTAL	**1582**	**7.4**	**55**	**1**	**1**	**6**	**10**	**15**	**21**	**35**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	89	1.5	1	< 1	1	1	2	2	3	8
20-34	20	2.6	6	< 1	< 1	2	3	7	8	8
35-49	20	3.7	6	< 1	< 1	4	5	7	8	8
50-64	38	5.9	95	< 1	1	4	7	9	10	62
65 +	25	5.5	42	< 1	1	4	7	9	15	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	3.8	8	1	1	3	6	7	7	7
65 +	7	6.1	32	2	2	4	9	16	17	17
B. Operated										
0-19 YRS	35	4.7	45	1	1	2	5	11	21	32
20-34	22	3.9	15	1	1	3	5	9	13	17
35-49	25	5.4	49	< 1	1	3	7	11	17	35
50-64	47	7.7	27	1	1	8	11	15	17	23
65 +	66	7.5	66	1	1	5	10	19	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	192	3.2	29	< 1	1	2	4	7	8	23
2. MULTIPLE DX										
A. Not Operated	13	4.7	21	1	1	3	5	12	16	17
B. Operated	195	6.4	46	1	1	4	9	15	20	34
1. SINGLE DX	193	3.2	29	< 1	1	2	4	7	8	23
2. MULTIPLE DX	208	6.3	45	1	1	4	9	15	19	33
A. Not Operated	14	4.4	21	1	1	3	5	12	16	17
B. Operated	387	4.8	40	< 1	1	2	7	11	16	33
TOTAL										
0-19 YRS	125	2.4	16	< 1	1	1	2	4	8	24
20-34	43	3.2	11	< 1	1	2	4	8	9	17
35-49	46	4.5	30	< 1	< 1	3	6	8	11	35
50-64	89	6.8	56	1	1	5	9	12	15	47
65 +	98	6.9	57	1	1	4	9	17	21	39
GRAND TOTAL	**401**	**4.8**	**39**	**< 1**	**1**	**2**	**7**	**11**	**16**	**32**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.8	2	< 1	< 1	1	2	4	5	5
20-34	4	4.8	14	1	1	4	7	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	296	2.5	5	< 1	< 1	2	3	5	7	12
20-34	244	2.0	3	< 1	< 1	1	2	4	5	9
35-49	229	2.4	22	< 1	< 1	1	2	4	7	12
50-64	178	2.2	5	< 1	< 1	1	2	5	7	12
65 +	75	2.5	7	< 1	< 1	2	2	7	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.3	27	1	1	1	2	13	14	14
20-34	9	6.7	137	< 1	< 1	2	7	25	37	37
35-49	7	3.3	7	< 1	< 1	3	5	7	8	8
50-64	11	3.2	6	< 1	< 1	3	4	7	10	10
65 +	14	6.9	46	1	2	4	8	20	22	23
B. Operated										
0-19 YRS	70	5.2	80	< 1	1	2	5	11	14	58
20-34	85	3.2	23	< 1	1	2	3	7	10	31
35-49	125	2.8	10	< 1	< 1	2	3	6	9	18
50-64	193	3.7	23	< 1	< 1	2	4	9	12	30
65 +	183	5.8	59	< 1	1	3	7	14	20	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.3	10	< 1	< 1	2	5	9	10	10
B. Operated	1022	2.3	8	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	47	5.0	45	< 1	< 1	3	6	10	20	37
B. Operated	656	4.2	38	< 1	< 1	2	5	10	14	36
1. SINGLE DX	1038	2.3	8	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX	703	4.3	38	< 1	< 1	2	5	10	14	36
A. Not Operated	63	4.5	36	< 1	< 1	2	5	9	16	35
B. Operated	1678	3.1	21	< 1	< 1	2	3	6	10	20
TOTAL										
0-19 YRS	380	3.0	20	< 1	< 1	2	3	6	9	16
20-34	342	2.5	12	< 1	< 1	1	3	5	7	16
35-49	362	2.5	17	< 1	< 1	1	3	5	8	15
50-64	384	3.0	14	< 1	< 1	2	3	7	10	15
65 +	273	5.0	46	< 1	1	3	6	12	19	40
GRAND TOTAL	**1741**	**3.1**	**21**	**< 1**	**< 1**	**2**	**3**	**7**	**10**	**21**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	4.7	38	1	1	2	6	15	20	21
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	4	3.5	7	1	1	3	5	7	7	7
B. Operated										
0-19 YRS	272	1.9	4	< 1	< 1	1	2	4	5	8
20-34	70	2.1	4	< 1	< 1	1	2	4	6	13
35-49	58	2.9	13	< 1	< 1	2	2	6	10	20
50-64	43	2.0	3	< 1	< 1	1	3	4	6	8
65 +	22	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.0	11	< 1	< 1	3	6	8	11	13
20-34	7	2.9	4	< 1	< 1	3	4	6	6	6
35-49	4	9.3	179	< 1	< 1	3	17	29	29	29
50-64	8	5.5	23	2	2	4	5	14	17	17
65 +	22	10.1	89	2	3	6	14	25	33	36
B. Operated										
0-19 YRS	84	3.8	18	< 1	< 1	2	5	11	14	18
20-34	42	4.0	28	< 1	< 1	1	4	11	16	24
35-49	65	3.9	34	< 1	< 1	1	3	14	18	27
50-64	42	7.5	164	< 1	< 1	3	6	19	33	70
65 +	65	8.2	151	< 1	< 1	3	10	20	26	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.2	26	1	1	2	6	11	17	21
B. Operated	465	2.1	5	< 1	< 1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	61	6.6	56	< 1	< 1	4	7	15	26	35
B. Operated	298	5.3	75	< 1	< 1	2	6	14	19	49
1. SINGLE DX	485	2.1	6	< 1	< 1	1	2	4	6	14
2. MULTIPLE DX	359	5.5	72	< 1	< 1	2	6	14	20	40
A. Not Operated	81	6.0	49	< 1	< 1	4	7	14	22	34
B. Operated	763	3.3	35	< 1	< 1	1	3	7	13	25
TOTAL										
0-19 YRS	389	2.5	9	< 1	< 1	1	3	5	8	17
20-34	119	2.8	13	< 1	< 1	1	3	6	11	19
35-49	128	3.6	29	< 1	< 1	2	4	10	16	28
50-64	95	4.7	82	< 1	< 1	2	4	8	19	56
65 +	113	7.1	112	< 1	< 1	3	8	20	25	63
GRAND TOTAL	**844**	**3.6**	**37**	**< 1**	**< 1**	**2**	**3**	**8**	**14**	**28**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	55	1.3		< 1	< 1	< 1	1	2	2	5
20-34	83	1.2		< 1	< 1	< 1	1	2	2	3
35-49	87	1.3		< 1	< 1	1	2	2	2	3
50-64	50	1.7	1	< 1	< 1	1	2	3	3	7
65 +	39	1.5	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	6	1.3	1	< 1	< 1	1	1	3	3	3
20-34	37	1.9	3	< 1	< 1	1	2	4	5	9
35-49	108	1.6	1	< 1	< 1	1	2	3	3	6
50-64	118	1.9	3	< 1	< 1	1	2	3	5	10
65 +	77	2.7	8	< 1	< 1	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	314	1.4	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	346	2.0	3	< 1	< 1	2	2	3	5	11
1. SINGLE DX	316	1.4	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX	347	2.0	3	< 1	< 1	2	2	3	5	11
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	660	1.7	2	< 1	< 1	1	2	3	4	8
TOTAL										
0-19 YRS	61	1.3		< 1	< 1	< 1	1	2	3	5
20-34	120	1.4	1	< 1	< 1	< 1	1	2	3	6
35-49	196	1.5	1	< 1	< 1	1	2	2	3	5
50-64	170	1.9	2	< 1	< 1	1	2	3	4	9
65 +	116	2.3	6	< 1	< 1	2	2	4	5	15
GRAND TOTAL	**663**	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	3.1	8	1	1	3	4	8	9	9
35-49	21	3.3	5	< 1	1	3	5	7	8	8
50-64	3	3.0	3	< 1	< 1	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	204	4.7	3	1	2	5	6	7	7	8
35-49	648	5.1	3	1	2	5	6	7	8	9
50-64	90	5.2	3	2	3	5	6	7	7	8
65 +	11	5.6	6	< 1	< 1	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	30	2.8	4	< 1	< 1	2	4	5	7	8
35-49	130	2.5	7	< 1	< 1	1	3	7	8	13
50-64	30	3.0	9	< 1	< 1	2	4	8	9	12
65 +	8	3.8	7	< 1	< 1	3	6	8	8	8
B. Operated										
0-19 YRS	5	9.0	7	6	6	9	10	13	13	13
20-34	727	5.4	6	1	3	5	6	8	9	15
35-49	5644	5.9	6	2	4	6	7	8	9	14
50-64	1132	6.1	8	2	4	6	7	8	10	18
65 +	121	8.6	24	3	4	7	10	14	18	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.2	5	< 1	1	3	4	7	8	9
B. Operated	956	5.0	3	1	2	5	6	7	7	8
2. MULTIPLE DX										
A. Not Operated	198	2.7	6	< 1	< 1	2	4	7	8	12
B. Operated	7629	5.9	7	2	4	6	7	8	10	15
1. SINGLE DX	987	4.9	3	1	2	5	6	7	7	9
2. MULTIPLE DX	7827	5.8	7	1	3	6	7	8	9	15
A. Not Operated	229	2.8	6	< 1	< 1	2	4	7	8	12
B. Operated	8585	5.8	6	2	4	6	7	8	9	15
TOTAL										
0-19 YRS	8	7.5	8	4	4	7	9	12	13	13
20-34	968	5.1	5	1	2	5	6	7	8	14
35-49	6443	5.7	6	1	3	6	7	8	9	14
50-64	1255	6.0	8	1	4	6	7	8	10	17
65 +	140	8.1	23	1	4	7	9	14	18	26
GRAND TOTAL	**8814**	**5.7**	**7**	**1**	**3**	**6**	**7**	**8**	**9**	**15**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	3.0	7	1	1	2	5	7	7	7
35-49	5	4.0	3	< 1	< 1	5	5	5	5	5
50-64	5	3.8	1	3	3	3	5	5	5	5
65 +	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	3.8	3	1	1	4	5	6	6	6
35-49	59	5.5	9	2	3	5	6	7	12	18
50-64	18	4.4	7	< 1	< 1	4	7	8	9	9
65 +	2	10.5	145	2	2	10	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	16	4.0	4	< 1	1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	92	5.2	10	1	2	5	6	7	9	19
1. SINGLE DX	16	4.0	4	< 1	1	4	5	7	7	7
2. MULTIPLE DX	93	5.1	10	1	2	5	6	7	9	19
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	108	5.0	9	1	1	5	6	7	8	18
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	16	3.6	4	1	1	4	5	6	7	7
35-49	65	5.3	9	1	3	5	6	7	10	18
50-64	23	4.3	5	< 1	1	4	6	7	8	9
65 +	4	8.5	54	2	2	6	13	19	19	19
GRAND TOTAL	**109**	**5.0**	**9**	**1**	**1**	**5**	**6**	**7**	**8**	**18**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	73	4.7	2	3	3	5	5	6	7	9
20-34	284	4.5	2	2	3	4	5	6	7	9
35-49	115	5.1	2	2	3	5	6	7	7	9
50-64	66	5.9	4	4	4	6	7	8	10	14
65 +	27	6.6	9	4	4	6	7	9	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	58	4.7	3	3	3	4	5	7	8	12
20-34	377	5.1	3	3	3	5	6	7	8	11
35-49	374	5.8	5	3	4	5	7	8	10	15
50-64	236	7.3	8	4	5	7	8	10	13	20
65 +	221	10.0	48	5	5	8	11	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	1	2	2	4	4	4	4	4
B. Operated	565	4.9	3	3	3	5	6	7	7	10
2. MULTIPLE DX										
A. Not Operated	4	4.8	2	3	3	5	6	6	6	6
B. Operated	1266	6.6	15	3	4	6	7	10	13	21
1. SINGLE DX	568	4.9	3	3	3	5	6	7	7	10
2. MULTIPLE DX	1270	6.5	15	3	4	6	7	10	13	21
A. Not Operated	7	4.1	2	2	2	4	5	6	6	6
B. Operated	1831	6.0	12	3	4	5	7	9	11	20
TOTAL										
0-19 YRS	132	4.7	2	3	3	4	5	6	7	11
20-34	662	4.9	3	3	3	5	6	6	7	10
35-49	490	5.6	5	3	3	5	6	8	9	14
50-64	304	7.0	7	4	4	6	8	10	12	19
65 +	250	9.6	44	4	5	7	11	18	21	37
GRAND TOTAL	**1838**	**6.0**	**12**	**3**	**4**	**5**	**7**	**9**	**11**	**20**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.0	2	2	2	4	5	6	6	6
35-49	5	3.8	4	2	2	4	5	7	7	7
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	5.2	4	3	3	5	6	8	10	10
35-49	17	4.6	3	1	2	5	6	7	8	8
50-64	3	4.7	10	1	1	6	7	7	7	7
65 +	7	8.6	37	2	2	8	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	14	4.0	4	1	2	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	41	5.5	11	1	2	5	6	9	13	17
1. SINGLE DX	14	4.0	4	1	2	4	5	7	7	7
2. MULTIPLE DX	43	5.3	11	1	2	5	6	8	12	17
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	55	5.1	9	1	2	5	6	8	10	17
TOTAL										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	19	4.8	4	2	3	5	6	7	9	10
35-49	23	4.3	3	1	2	4	6	7	8	8
50-64	5	5.2	6	1	1	6	7	7	7	7
65 +	7	8.6	37	2	2	8	14	17	17	17
GRAND TOTAL	**57**	**5.0**	**9**	**1**	**2**	**5**	**6**	**8**	**10**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	6	1.3	1	1	1	1	1	3	3	3
20-34	7	1.4	1	< 1	< 1	1	2	3	3	3
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	3	4.3	24	1	1	2	8	10	10	10
50-64	10	5.8	24	1	1	5	7	13	18	18
65 +	19	6.5	56	< 1	1	5	5	21	24	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.3	24	2	2	3	9	11	11	11
B. Operated	19	1.3		< 1	< 1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	35	5.9	39	1	1	4	6	18	21	27
1. SINGLE DX	22	1.9	5	< 1	< 1	1	2	3	6	11
2. MULTIPLE DX	35	5.9	39	1	1	4	6	18	21	27
A. Not Operated	3	5.3	24	2	2	3	9	11	11	11
B. Operated	54	4.3	30	< 1	1	2	5	8	20	27
TOTAL										
0-19 YRS	7	1.4	1	1	1	1	2	3	3	3
20-34	11	2.4	4	< 1	< 1	2	3	5	8	8
35-49	7	2.6	11	< 1	< 1	1	2	8	10	10
50-64	12	5.0	23	1	1	4	7	11	17	18
65 +	20	6.7	54	< 1	1	5	6	20	24	27
GRAND TOTAL	**57**	**4.4**	**29**	**< 1**	**1**	**2**	**5**	**10**	**19**	**27**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	5.8	14	2	2	6	9	9	9	9
20-34	5	4.8	13	2	2	3	8	10	10	10
35-49	9	6.8	11	2	2	8	9	11	11	11
50-64	18	3.7	9	1	1	3	6	8	9	10
65 +	10	2.5	5	< 1	< 1	2	3	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	3	5.7	10	2	2	7	8	8	8	8
35-49	13	7.3	35	< 1	1	5	12	16	17	17
50-64	25	7.1	54	1	1	4	11	18	23	27
65 +	57	5.7	42	1	1	3	8	16	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	46	4.3	11	1	1	3	8	9	10	11
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	100	6.2	42	1	1	3	9	16	19	28
1. SINGLE DX	46	4.3	11	1	1	3	8	9	10	11
2. MULTIPLE DX	102	6.1	41	1	1	3	9	16	19	28
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	146	5.6	33	1	1	3	8	12	17	27
TOTAL										
0-19 YRS	6	4.8	11	2	2	3	9	9	9	9
20-34	8	5.1	10	2	2	5	8	9	10	10
35-49	22	7.1	24	< 1	1	6	11	15	16	17
50-64	44	5.6	37	1	1	3	8	13	19	27
65 +	68	5.2	37	1	1	2	7	15	19	29
GRAND TOTAL	**148**	**5.6**	**32**	**1**	**1**	**3**	**8**	**12**	**17**	**27**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	2.0	5	< 1	< 1	< 1	2	6	7	7
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	18.0		18	18	18	18	18	18	18
35-49	0									
50-64	0									
65 +	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	10	1.9	3	< 1	< 1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	4	6.3	63	< 1	< 1	3	11	18	18	18
1. SINGLE DX	10	1.9	3	< 1	< 1	1	2	5	7	7
2. MULTIPLE DX	4	6.3	63	< 1	< 1	3	11	18	18	18
A. Not Operated	0									
B. Operated	14	3.1	21	< 1	< 1	1	2	8	16	18
TOTAL										
0-19 YRS	8	1.9	4	< 1	< 1	< 1	1	5	7	7
20-34	3	7.0	91	1	1	2	14	18	18	18
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**14**	**3.1**	**21**	**<1**	**<1**	**1**	**2**	**8**	**16**	**18**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	5	3.8	17	1	1	2	5	11	11	11
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	8	11.3	64	2	2	9	18	22	23	23
20-34	21	8.5	19	1	2	10	12	13	15	15
35-49	48	8.7	16	1	5	8	11	14	16	19
50-64	54	11.7	109	2	4	9	13	22	29	68
65 +	21	12.6	34	3	6	11	18	20	21	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	14	2	2	5	8	10	10	10
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	6	2.0	1	1	1	2	3	3	3	3
50-64	22	6.0	42	1	1	4	6	15	22	29
65 +	70	11.8	119	2	3	8	13	27	30	57
B. Operated										
0-19 YRS	11	10.8	84	2	3	8	13	23	35	36
20-34	26	14.8	168	2	5	10	17	37	48	48
35-49	54	13.3	216	2	3	10	14	25	45	89
50-64	116	14.4	141	2	4	11	18	29	35	70
65 +	123	20.3	304	4	6	15	27	57	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.8	13	1	1	2	4	11	11	11
B. Operated	152	10.4	56	2	3	9	12	19	22	32
2. MULTIPLE DX										
A. Not Operated	104	9.6	99	1	2	7	11	24	29	52
B. Operated	330	16.3	222	2	4	12	20	36	55	99 +
1. SINGLE DX	165	9.9	56	1	2	9	12	19	22	32
2. MULTIPLE DX	434	14.7	201	2	3	10	18	32	48	92
A. Not Operated	117	9.0	93	1	2	6	11	20	29	50
B. Operated	482	14.5	177	2	4	11	17	30	46	87
TOTAL										
0-19 YRS	25	9.8	61	2	2	8	12	21	26	36
20-34	50	11.6	106	2	3	10	12	21	38	48
35-49	111	10.4	122	1	2	9	12	17	24	64
50-64	197	12.5	126	2	2	9	16	25	33	70
65 +	216	16.6	233	2	4	11	21	41	59	99 +
GRAND TOTAL	**599**	**13.4**	**165**	**2**	**3**	**10**	**16**	**28**	**43**	**79**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.3		2	2	2	3	3	3	3
35-49	5	1.6		1	1	2	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	18	2.6	2	1	1	2	4	5	5	5
20-34	109	2.7	1	1	1	2	3	4	5	6
35-49	162	3.0	2	1	2	3	4	5	5	9
50-64	94	3.1	2	1	2	3	4	4	5	7
65 +	38	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	5.0	28	1	1	3	9	11	11	11
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	5	4.8	8	1	1	4	7	8	8	8
B. Operated										
0-19 YRS	7	2.7	1	2	2	2	3	5	5	5
20-34	39	2.6	1	1	1	3	3	4	4	5
35-49	91	3.6	18	1	1	3	4	5	6	28
50-64	93	4.0	5	2	2	4	4	7	9	14
65 +	81	5.3	42	1	2	4	5	7	20	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.9		1	1	2	2	3	3	3
B. Operated	421	3.0	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	12	3.9	10	1	1	3	6	9	11	11
B. Operated	311	4.0	19	1	2	3	4	6	8	28
1. SINGLE DX	435	2.9	2	1	1	3	4	4	5	7
2. MULTIPLE DX	323	4.0	18	1	2	3	4	6	8	28
A. Not Operated	26	2.8	6	1	1	2	3	7	9	11
B. Operated	732	3.4	9	1	2	3	4	5	6	13
TOTAL										
0-19 YRS	26	2.6	2	1	1	2	3	5	5	5
20-34	154	2.7	2	1	1	3	3	4	5	7
35-49	261	3.2	8	1	2	3	4	5	6	9
50-64	190	3.5	4	1	2	3	4	5	7	13
65 +	127	4.6	29	1	2	3	4	6	9	32
GRAND TOTAL	**758**	**3.4**	**9**	**1**	**2**	**3**	**4**	**5**	**6**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	1	14.0		14	14	14	14	14	14	14
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	11	7.5	14	1	1	8	10	12	13	13
35-49	21	6.9	11	2	2	7	9	11	13	15
50-64	24	5.9	16	1	2	5	7	11	16	16
65 +	10	7.0	10	2	2	8	9	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	5.8	27	1	1	5	10	13	13	13
35-49	11	6.0	44	1	1	3	8	18	20	20
50-64	13	8.0	89	1	2	6	8	17	34	38
65 +	11	7.6	40	1	2	6	11	19	19	19
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	22	8.1	23	2	3	7	11	15	18	22
35-49	61	7.8	31	2	3	6	9	18	21	25
50-64	104	9.4	173	2	3	5	9	17	35	80
65 +	99	9.3	113	2	3	5	10	24	34	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	7.0	17	3	3	6	8	14	14	14
B. Operated	66	6.7	13	1	2	7	9	11	13	16
2. MULTIPLE DX										
A. Not Operated	41	7.0	52	1	1	5	8	18	20	38
B. Operated	287	8.9	110	2	3	6	9	18	30	69
1. SINGLE DX	71	6.7	13	1	2	7	9	11	14	16
2. MULTIPLE DX	328	8.7	103	2	3	6	9	18	26	68
A. Not Operated	46	7.0	48	1	1	5	8	17	19	38
B. Operated	353	8.5	93	2	3	6	9	16	25	67
TOTAL										
0-19 YRS	3	5.3	4	3	3	6	7	7	7	7
20-34	38	7.6	20	1	1	8	10	13	15	22
35-49	95	7.3	28	2	3	6	9	15	20	25
50-64	142	8.7	139	2	2	5	9	16	29	70
65 +	121	8.9	97	2	3	6	10	19	33	78
GRAND TOTAL	**399**	**8.3**	**87**	**2**	**3**	**6**	**9**	**16**	**24**	**61**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
20-34	204	2.7	3	< 1	< 1	2	4	5	6	8
35-49	110	3.8	5	< 1	< 1	4	5	7	8	9
50-64	30	4.4	6	< 1	1	5	6	7	8	9
65 +	18	4.8	12	1	1	5	7	8	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	6.0	61	1	1	2	12	15	15	15
35-49	4	3.3	20	< 1	< 1	1	6	10	10	10
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	192	3.8	6	< 1	1	4	5	6	7	12
35-49	236	4.9	7	1	1	5	6	7	9	13
50-64	90	6.2	20	1	1	6	7	11	16	23
65 +	34	5.7	41	1	2	5	7	9	11	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	366	3.2	5	< 1	< 1	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	10	3.6	24	< 1	< 1	1	3	12	15	15
B. Operated	553	4.7	12	1	1	5	6	8	9	18
1. SINGLE DX	368	3.2	5	< 1	< 1	3	5	6	7	9
2. MULTIPLE DX	563	4.7	12	1	1	5	6	8	10	18
A. Not Operated	12	3.3	20	< 1	< 1	1	3	11	14	15
B. Operated	919	4.1	10	< 1	1	4	6	7	8	15
TOTAL										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	399	3.2	6	< 1	1	3	5	6	7	10
35-49	351	4.5	7	< 1	1	5	6	7	8	11
50-64	122	5.7	17	1	1	6	7	10	14	22
65 +	54	5.3	30	1	1	5	7	9	11	37
GRAND TOTAL	**931**	**4.1**	**10**	**<1**	**1**	**4**	**6**	**7**	**8**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	4	3.8	4	2	2	4	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	10	2.5	4	< 1	< 1	2	4	6	7	7
35-49	38	4.1	8	< 1	1	4	6	8	9	11
50-64	60	3.2	6	< 1	1	3	5	6	8	13
65 +	59	3.9	13	< 1	1	3	5	9	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	6	7.0	52	< 1	< 1	5	7	20	21	21
65 +	3	2.0	3	1	1	1	3	4	4	4
B. Operated										
0-19 YRS	2	19.0	50	14	14	19	24	24	24	24
20-34	13	6.2	27	1	2	5	9	13	18	19
35-49	52	5.8	12	2	2	5	7	10	13	17
50-64	126	6.7	89	< 1	1	4	8	13	19	51
65 +	236	8.3	128	1	1	5	10	17	24	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.4	4	2	2	2	5	6	6	6
B. Operated	167	3.6	9	< 1	1	3	5	8	9	15
2. MULTIPLE DX										
A. Not Operated	12	4.6	32	< 1	< 1	3	6	11	20	21
B. Operated	429	7.5	100	1	1	5	9	15	22	74
1. SINGLE DX	172	3.6	9	< 1	1	3	5	8	9	15
2. MULTIPLE DX	441	7.4	98	1	1	5	9	15	22	72
A. Not Operated	17	4.2	23	< 1	1	2	5	7	16	21
B. Operated	596	6.4	78	< 1	1	4	8	13	19	53
TOTAL										
0-19 YRS	2	19.0	50	14	14	19	24	24	24	24
20-34	24	4.5	19	< 1	< 1	3	6	11	14	19
35-49	93	5.0	11	1	1	5	6	9	11	16
50-64	196	5.6	63	< 1	1	4	6	12	16	39
65 +	298	7.4	107	1	1	4	9	15	23	78
GRAND TOTAL	**613**	**6.4**	**78**	**< 1**	**1**	**4**	**8**	**13**	**19**	**51**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.4	7	< 1	< 1	1	3	7	9	10
20-34	11	4.1	11	1	1	4	5	8	13	13
35-49	15	3.5	5	1	1	3	5	6	8	9
50-64	22	4.8	15	< 1	1	4	6	11	14	15
65 +	13	5.6	13	< 1	1	5	9	10	11	11
B. Operated										
0-19 YRS	49	4.0	7	1	1	3	6	8	9	10
20-34	82	4.0	14	< 1	1	3	5	7	10	21
35-49	74	5.0	30	1	1	4	6	9	14	34
50-64	109	5.3	28	< 1	1	4	7	11	14	31
65 +	109	4.6	13	1	1	3	7	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	5.2	47	< 1	< 1	3	7	17	59	99 +
20-34	25	4.6	38	< 1	1	3	4	10	19	30
35-49	38	3.6	15	< 1	< 1	2	5	7	13	19
50-64	112	5.1	19	< 1	1	4	7	10	14	21
65 +	244	9.4	145	1	1	6	11	20	32	76
B. Operated										
0-19 YRS	50	8.1	65	1	1	7	11	23	30	99
20-34	97	8.0	80	1	1	5	9	18	22	51
35-49	165	7.2	40	1	2	6	8	15	21	32
50-64	275	8.2	57	1	1	7	10	18	23	37
65 +	622	9.8	114	1	1	7	13	21	28	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	4.0	11	< 1	< 1	3	5	9	11	14
B. Operated	423	4.7	19	1	1	3	6	10	12	21
2. MULTIPLE DX										
A. Not Operated	440	7.3	96	< 1	1	4	9	15	23	73
B. Operated	1209	8.9	87	1	1	6	11	19	27	52
1. SINGLE DX	507	4.5	18	< 1	1	3	6	10	11	20
2. MULTIPLE DX	1649	8.5	90	1	1	6	10	18	26	63
A. Not Operated	524	6.8	84	< 1	1	4	9	13	20	73
B. Operated	1632	7.8	73	1	1	6	10	17	23	41
TOTAL										
0-19 YRS	143	5.3	37	< 1	1	3	8	11	22	99 +
20-34	215	5.9	50	1	1	4	6	14	18	34
35-49	292	6.0	34	1	1	5	7	12	18	32
50-64	518	6.8	43	1	1	5	9	14	20	33
65 +	988	9.1	112	1	1	7	11	19	27	75
GRAND TOTAL	**2156**	**7.6**	**76**	**1**	**1**	**5**	**9**	**16**	**22**	**49**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	6	2.7	3	1	1	2	5	5	5	5
B. Operated										
0-19 YRS	14	2.6	1	1	1	3	3	4	4	4
20-34	87	2.9	1	1	2	3	4	5	5	6
35-49	148	3.3	9	1	1	3	4	5	5	13
50-64	106	3.5	2	2	2	3	4	5	6	8
65 +	39	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	4.2	10	< 1	< 1	5	6	8	8	8
35-49	9	2.4	5	< 1	< 1	2	2	6	8	8
50-64	5	2.0	5	1	1	1	3	6	6	6
65 +	12	4.6	14	1	1	4	6	10	13	13
B. Operated										
0-19 YRS	8	3.5	2	2	2	3	5	6	6	6
20-34	28	4.3	15	2	2	3	5	8	10	22
35-49	70	3.6	4	1	1	3	4	6	8	11
50-64	129	4.5	11	2	2	4	5	8	12	19
65 +	124	5.6	26	2	2	4	6	10	15	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.2	2	< 1	< 1	2	3	5	5	5
B. Operated	394	3.2	4	1	2	3	4	5	5	9
2. MULTIPLE DX										
A. Not Operated	33	3.4	9	< 1	1	2	6	8	9	13
B. Operated	359	4.6	16	2	2	4	5	8	11	27
1. SINGLE DX	407	3.2	4	1	2	3	4	5	5	9
2. MULTIPLE DX	392	4.5	15	1	2	4	5	8	11	25
A. Not Operated	46	3.0	7	< 1	1	2	5	6	8	13
B. Operated	753	3.9	10	1	2	3	4	6	8	17
TOTAL										
0-19 YRS	26	2.7	2	< 1	1	2	4	4	5	6
20-34	121	3.2	5	1	2	3	4	5	6	12
35-49	229	3.3	7	1	1	3	4	5	6	11
50-64	242	4.0	7	2	2	3	4	6	8	14
65 +	181	5.0	20	2	2	4	5	8	13	28
GRAND TOTAL	**799**	**3.8**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.2	4	< 1	< 1	2	2	4	7	9
20-34	15	3.9	12	1	1	3	5	10	12	13
35-49	21	4.6	11	1	1	4	6	8	13	15
50-64	8	3.9	4	2	2	3	5	7	8	8
65 +	8	6.5	44	1	1	4	9	18	20	20
B. Operated										
0-19 YRS	14	3.7	7	1	2	3	4	6	11	12
20-34	56	3.1	2	1	2	3	4	5	5	7
35-49	56	3.4	2	1	1	3	4	5	6	7
50-64	44	2.9	2	1	1	3	4	5	5	8
65 +	10	3.1	2	< 1	< 1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.7	11	< 1	1	5	7	9	11	11
20-34	47	5.9	21	1	2	5	8	9	12	29
35-49	57	7.9	105	1	2	6	9	13	15	74
50-64	81	6.7	33	2	2	5	8	13	17	35
65 +	179	11.8	115	3	4	9	13	26	37	58
B. Operated										
0-19 YRS	5	7.4	109	2	2	3	9	26	26	26
20-34	42	4.7	14	1	2	4	5	9	14	17
35-49	61	6.1	56	2	2	4	5	11	27	40
50-64	59	6.3	60	1	2	4	6	12	20	44
65 +	81	17.8	486	2	3	9	22	65	90	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	4.0	13	1	1	3	5	8	13	19
B. Operated	180	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	382	9.1	86	1	2	7	10	17	28	52
B. Operated	248	9.8	221	2	2	4	9	26	50	99 +
1. SINGLE DX	250	3.4	5	1	1	3	4	5	6	13
2. MULTIPLE DX	630	9.3	139	2	2	6	10	19	36	76
A. Not Operated	452	8.3	78	1	2	6	10	15	23	49
B. Operated	428	7.0	139	1	2	4	5	13	33	88
TOTAL										
0-19 YRS	55	3.9	17	< 1	1	3	5	8	11	25
20-34	160	4.4	12	1	1	4	5	8	11	17
35-49	195	5.7	52	1	2	4	6	10	14	37
50-64	192	5.6	35	1	2	4	6	10	16	39
65 +	278	13.1	228	2	3	8	14	34	54	99 +
GRAND TOTAL	**880**	**7.7**	**108**	**1**	**2**	**5**	**8**	**15**	**27**	**67**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	4.9	4	2	2	5	6	7	8	11
20-34	15	4.6	7	1	1	5	7	8	9	9
35-49	8	4.9	3	2	2	5	6	7	7	7
50-64	11	6.5	20	1	2	5	8	14	15	15
65 +	4	5.5	7	3	3	5	7	9	9	9
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	4	5.3	32	< 1	< 1	3	9	13	13	13
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	5.4	7	1	2	6	7	8	10	14
20-34	30	3.8	3	1	2	4	5	6	8	8
35-49	46	7.0	39	2	3	5	8	11	16	39
50-64	77	7.0	21	1	3	6	9	14	17	22
65 +	64	10.0	102	2	3	7	12	19	28	60
B. Operated										
0-19 YRS	3	6.3	1	5	5	7	7	7	7	7
20-34	2	30.5	481	15	15	30	46	46	46	46
35-49	4	10.8	10	8	8	10	13	15	15	15
50-64	14	9.4	65	2	2	7	13	21	29	31
65 +	13	12.7	299	1	1	8	13	27	60	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	156	5.0	5	2	2	5	6	7	9	14
B. Operated	6	6.3	30	< 1	< 1	5	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	353	6.7	34	2	2	6	8	11	15	34
B. Operated	36	11.7	167	1	2	8	13	20	41	68
1. SINGLE DX	162	5.0	6	1	2	5	6	8	9	14
2. MULTIPLE DX	389	7.1	48	2	2	6	8	13	16	41
A. Not Operated	509	6.1	26	2	2	5	7	10	14	25
B. Operated	42	10.9	150	1	2	8	13	18	37	68
TOTAL										
0-19 YRS	257	5.2	6	2	2	5	7	7	9	14
20-34	48	5.2	43	1	2	4	5	8	10	46
35-49	58	7.0	33	2	3	6	8	11	15	38
50-64	106	7.2	27	1	2	6	9	14	17	27
65 +	82	10.2	126	2	3	7	12	18	29	66
GRAND TOTAL	**551**	**6.5**	**37**	**2**	**2**	**5**	**7**	**11**	**15**	**34**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	407	4.3	9	1	2	3	6	8	10	15
20-34	303	3.8	8	1	1	3	5	7	9	13
35-49	101	4.6	7	1	2	4	5	8	10	13
50-64	45	6.7	23	3	3	6	8	11	12	33
65 +	29	5.1	8	1	2	5	8	9	9	9
B. Operated										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	7	6.9	9	4	4	6	8	12	13	13
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	489	4.8	30	1	2	4	6	8	11	21
20-34	632	5.0	16	1	2	4	6	9	11	20
35-49	472	6.5	37	2	2	5	8	11	14	25
50-64	370	8.8	52	2	3	7	11	15	18	37
65 +	671	11.5	86	3	4	9	14	21	29	67
B. Operated										
0-19 YRS	19	12.6	224	1	2	8	14	29	50	64
20-34	58	10.2	123	3	3	8	11	19	27	69
35-49	74	14.7	133	3	5	11	18	33	43	48
50-64	82	20.8	363	3	5	15	23	47	64	92
65 +	121	23.3	312	7	8	20	28	47	77	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	885	4.3	10	1	1	3	6	8	10	14
B. Operated	11	6.7	12	2	3	6	8	13	13	13
2. MULTIPLE DX										
A. Not Operated	2634	7.4	53	2	2	6	9	14	19	38
B. Operated	354	18.2	273	3	4	13	23	39	60	87
1. SINGLE DX	896	4.3	10	1	1	4	6	8	10	14
2. MULTIPLE DX	2988	8.7	91	2	2	6	10	17	24	60
A. Not Operated	3519	6.6	44	1	2	5	8	13	17	33
B. Operated	365	17.9	269	3	4	13	22	38	54	87
TOTAL										
0-19 YRS	917	4.7	26	1	2	3	6	8	11	22
20-34	1000	4.9	22	1	1	4	6	9	11	21
35-49	647	7.2	51	2	2	5	8	13	17	41
50-64	498	10.6	121	2	3	8	12	19	28	65
65 +	822	13.0	135	3	4	10	16	25	35	80
GRAND TOTAL	**3884**	**7.7**	**75**	**1**	**2**	**5**	**9**	**15**	**22**	**50**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	279	5.7	20	2	2	5	7	9	10	15
20-34	191	4.7	12	1	2	4	6	8	9	20
35-49	224	5.2	8	2	2	5	6	9	11	16
50-64	222	5.4	11	2	2	5	6	8	10	20
65 +	192	6.7	34	2	3	6	8	10	13	39
B. Operated										
0-19 YRS	7	4.0	6	1	1	4	6	8	8	8
20-34	8	3.9	8	< 1	< 1	3	6	8	8	8
35-49	7	4.7	14	1	1	5	6	11	12	12
50-64	23	4.8	22	1	1	3	6	10	15	22
65 +	15	5.6	28	< 1	1	2	10	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	263	5.5	21	1	2	5	7	11	16	99 +
20-34	626	5.9	24	2	2	5	7	11	14	27
35-49	1263	6.7	37	2	2	5	8	12	15	27
50-64	2534	7.4	33	2	3	6	9	13	17	32
65 +	3909	9.4	82	3	3	7	11	16	23	73
B. Operated										
0-19 YRS	13	6.6	24	2	2	6	9	12	18	19
20-34	202	10.1	168	2	2	6	11	21	32	76
35-49	565	15.1	227	2	3	11	19	35	54	97
50-64	1387	17.8	275	2	3	13	24	43	59	99 +
65 +	2084	20.0	285	3	5	15	27	46	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1108	5.5	17	2	2	5	7	9	11	17
B. Operated	60	4.8	18	< 1	1	3	7	11	13	21
2. MULTIPLE DX										
A. Not Operated	8595	8.0	57	2	3	6	9	14	19	49
B. Operated	4251	18.2	274	2	3	13	24	43	60	99 +
1. SINGLE DX	1168	5.5	17	2	2	5	7	9	11	17
2. MULTIPLE DX	12846	11.4	151	2	3	8	13	25	38	89
A. Not Operated	9703	7.7	53	2	3	6	9	14	18	47
B. Operated	4311	18.0	273	2	3	13	24	43	60	99 +
TOTAL										
0-19 YRS	562	5.6	21	1	2	5	7	10	13	61
20-34	1027	6.5	53	1	2	5	7	12	17	36
35-49	2059	8.8	101	2	2	6	10	17	26	68
50-64	4166	10.8	138	2	3	7	12	23	35	77
65 +	6200	12.9	175	3	3	9	15	28	44	99
GRAND TOTAL	**14014**	**10.9**	**143**	**2**	**3**	**7**	**12**	**23**	**36**	**84**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	6	2.8	9	< 1	< 1	2	2	8	9	9
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	4.4	6	2	2	4	6	8	9	9
20-34	26	3.2	6	< 1	< 1	3	5	5	7	11
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	7.6	33	2	2	7	10	17	17	17
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	3.8	2	1	2	4	4	5	6	6
20-34	62	3.7	4	< 1	< 1	4	5	6	7	10
35-49	10	3.8	4	< 1	1	4	5	7	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.9	7	< 1	< 1	2	3	7	9	9
B. Operated	38	3.5	6	< 1	< 1	3	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	6	6.8	30	2	2	5	8	16	17	17
B. Operated	84	3.7	3	< 1	1	4	5	6	7	9
1. SINGLE DX	46	3.4	6	< 1	< 1	3	5	7	9	11
2. MULTIPLE DX	90	3.9	6	< 1	1	4	5	6	7	14
A. Not Operated	14	4.6	20	< 1	1	3	7	10	15	17
B. Operated	122	3.6	4	< 1	< 1	4	5	6	7	10
TOTAL										
0-19 YRS	21	3.9	3	1	2	4	5	6	8	9
20-34	99	3.7	6	< 1	< 1	4	5	6	8	14
35-49	14	3.8	4	< 1	1	3	5	7	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**136**	**3.7**	**6**	**< 1**	**< 1**	**4**	**5**	**6**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	2.2	14	< 1	1	1	2	3	5	14
20-34	14	3.4	7	1	1	3	5	8	10	10
35-49	25	3.6	6	< 1	1	3	5	8	9	11
50-64	11	5.9	26	1	1	4	7	15	16	16
65 +	19	3.8	8	< 1	1	3	6	8	10	11
B. Operated										
0-19 YRS	15	3.8	6	1	1	3	6	8	9	9
20-34	8	7.0	63	< 1	< 1	4	11	21	23	23
35-49	9	4.8	4	3	3	4	5	8	9	9
50-64	12	4.1	3	1	1	4	5	6	7	7
65 +	3	5.3	12	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	249	2.7	8	< 1	1	2	3	5	8	15
20-34	222	4.4	17	1	1	3	6	8	12	22
35-49	285	5.1	19	1	1	4	6	10	12	23
50-64	430	6.0	36	1	2	4	7	11	15	35
65 +	1317	7.5	53	1	2	5	9	15	20	44
B. Operated										
0-19 YRS	11	9.3	57	2	3	6	12	21	27	28
20-34	29	9.8	51	1	2	8	13	23	24	25
35-49	53	10.4	162	2	3	7	12	18	30	78
50-64	115	9.8	99	2	3	7	11	23	31	49
65 +	203	16.2	215	3	3	12	21	33	47	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	2.8	13	< 1	1	2	3	6	8	15
B. Operated	47	4.7	15	1	1	4	6	9	10	23
2. MULTIPLE DX										
A. Not Operated	2503	6.2	41	1	1	4	8	13	17	35
B. Operated	411	13.1	169	2	3	9	17	28	39	75
1. SINGLE DX	261	3.1	14	< 1	1	2	4	6	9	16
2. MULTIPLE DX	2914	7.2	65	1	1	5	9	15	22	46
A. Not Operated	2717	5.9	40	1	1	4	7	12	17	35
B. Operated	458	12.2	159	2	3	8	16	27	36	72
TOTAL										
0-19 YRS	420	2.7	13	< 1	1	2	3	5	8	16
20-34	273	5.0	24	1	1	4	6	11	14	25
35-49	372	5.7	42	1	1	4	7	11	16	30
50-64	568	6.8	50	1	2	5	8	13	21	37
65 +	1542	8.6	83	1	2	6	10	18	25	57
GRAND TOTAL	**3175**	**6.8**	**62**	**1**	**1**	**5**	**8**	**15**	**21**	**44**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	27.6	261	4	11	21	42	49	50	50
20-34	5	25.8	367	6	6	20	45	48	48	48
35-49	0									
50-64	0									
65 +	4	5.3	8	2	2	5	7	8	8	8
B. Operated										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	4	15.3	92	< 1	< 1	19	21	21	21	21
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	12.6	166	2	4	7	14	36	42	52
20-34	19	8.1	104	1	3	5	9	31	74	99 +
35-49	23	12.7	291	1	2	8	11	34	58	74
50-64	33	18.4	329	4	5	13	18	44	63	78
65 +	210	13.6	208	2	3	9	15	28	48	91
B. Operated										
0-19 YRS	8	15.9	316	3	3	5	27	45	51	51
20-34	16	23.0	278	3	5	21	34	43	55	60
35-49	18	11.7	202	1	2	10	13	16	45	65
50-64	43	17.2	191	3	5	13	23	40	59	99 +
65 +	203	13.5	219	2	2	9	16	34	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	22.9	296	3	4	16	42	48	49	50
B. Operated	11	7.8	71	< 1	< 1	2	16	21	21	21
2. MULTIPLE DX										
A. Not Operated	319	13.6	217	2	3	9	15	31	50	90
B. Operated	288	14.5	223	2	3	10	19	36	58	99 +
1. SINGLE DX	32	17.7	267	1	1	14	23	45	49	50
2. MULTIPLE DX	607	14.0	220	2	3	9	[illegible]	34	52	99 +
A. Not Operated	340	14.1	226	2	3	9	16	37	50	88
B. Operated	299	14.3	218	1	2	10	19	35	57	99 +
TOTAL										
0-19 YRS	56	16.0	233	2	3	9	22	42	50	52
20-34	44	16.2	238	2	3	10	24	44	51	99 +
35-49	43	11.7	240	1	1	8	12	19	55	74
50-64	77	17.5	248	2	5	13	21	41	60	94
65 +	419	13.4	211	2	3	9	15	29	51	99 +
GRAND TOTAL	**639**	**14.2**	**222**	**2**	**3**	**9**	**18**	**36**	**51**	**99 +**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	198	11.2	31	2	4	11	14	18	21	31
20-34	86	12.0	31	4	5	11	14	19	22	29
35-49	5	11.8	68	4	4	11	16	25	25	25
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	12.0	66	1	1	13	16	23	25	25
20-34	5	7.6	39	< 1	< 1	6	13	16	16	16
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	218	11.4	43	2	3	11	14	19	22	32
20-34	139	13.5	51	3	5	12	17	22	27	34
35-49	15	13.3	24	3	8	14	15	20	21	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	36	16.0	98	4	5	15	19	29	36	49
20-34	25	21.3	152	2	8	19	30	38	47	50
35-49	3	25.3	184	11	11	27	35	38	38	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	11.4	31	3	4	11	14	18	21	30
B. Operated	14	10.4	58	< 1	1	12	15	21	24	25
2. MULTIPLE DX										
A. Not Operated	372	12.3	46	2	4	12	15	21	24	32
B. Operated	64	18.5	127	3	6	16	25	33	41	50
1. SINGLE DX	303	11.4	32	2	4	11	14	18	21	30
2. MULTIPLE DX	436	13.2	63	2	4	12	16	22	29	44
A. Not Operated	661	11.9	40	2	4	12	15	20	22	31
B. Operated	78	17.1	123	1	4	15	24	31	38	50
TOTAL										
0-19 YRS	461	11.7	44	2	3	11	14	19	23	34
20-34	255	13.7	60	3	5	13	17	23	30	44
35-49	23	14.5	63	3	6	14	16	25	31	38
50-64	0									
65 +	0									
GRAND TOTAL	**739**	**12.5**	**51**	**2**	**4**	**12**	**15**	**21**	**25**	**37**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	5	5.0	4	2	2	5	6	7	7	7
35-49	3	7.7	14	5	5	6	10	12	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	7.5	11	5	5	7	10	12	12	12
20-34	71	6.7	5	4	4	6	8	10	11	13
35-49	78	6.4	2	4	5	6	7	8	9	11
50-64	10	6.9	8	1	3	7	8	10	12	12
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	13.6	211	1	2	9	30	60	94	99 +
20-34	10	4.1	44	< 1	< 1	1	6	14	22	22
35-49	11	11.7	774	< 1	< 1	3	7	45	91	95
50-64	11	11.4	139	1	1	7	18	30	37	38
65 +	4	5.3	21	2	2	3	8	12	12	12
B. Operated										
0-19 YRS	6	7.0	4	4	4	7	9	82	99 +	99 +
20-34	136	8.3	69	4	4	7	9	12	15	60
35-49	224	9.0	61	4	5	7	10	14	18	71
50-64	53	8.8	34	4	5	7	10	14	18	39
65 +	6	20.3	329	7	7	10	40	46	47	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	6.1	6	2	3	6	7	10	12	12
B. Operated	164	6.5	4	4	5	6	8	9	10	12
2. MULTIPLE DX										
A. Not Operated	47	9.9	268	< 1	< 1	4	11	32	48	99 +
B. Operated	425	8.9	64	4	5	7	9	13	18	71
1. SINGLE DX	174	6.5	4	4	5	6	8	9	10	12
2. MULTIPLE DX	472	9.0	84	3	4	7	10	14	20	77
A. Not Operated	57	9.2	223	< 1	1	5	11	26	41	99 +
B. Operated	589	8.3	48	4	5	7	9	12	16	54
TOTAL										
0-19 YRS	23	10.2	110	2	3	7	12	43	99 +	99 +
20-34	222	7.5	47	3	4	6	8	11	13	40
35-49	316	8.5	70	4	5	7	9	12	16	71
50-64	74	8.9	45	2	4	7	10	15	22	40
65 +	11	13.2	239	2	2	7	12	43	47	47
GRAND TOTAL	**646**	**8.3**	**64**	**3**	**4**	**7**	**9**	**12**	**17**	**71**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	122	2.7	15	< 1	< 1	2	2	6	11	48
20-34	20	4.8	13	1	1	4	7	9	12	16
35-49	25	2.3	7	< 1	< 1	1	3	4	9	12
50-64	14	7.3	64	< 1	1	3	17	20	21	21
65 +	11	6.7	124	1	1	4	5	20	38	40
B. Operated										
0-19 YRS	26	3.9	17	< 1	1	3	5	8	13	19
20-34	74	1.8	2	< 1	< 1	1	2	3	6	8
35-49	104	1.7	3	< 1	< 1	1	2	4	5	10
50-64	37	2.7	21	< 1	< 1	1	2	5	9	27
65 +	10	2.7	4	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	125	6.0	61	< 1	1	3	6	16	22	39
20-34	92	3.5	10	< 1	< 1	3	4	8	10	15
35-49	102	7.5	88	1	1	5	9	13	31	81
50-64	178	9.8	98	1	2	7	12	19	29	52
65 +	242	9.5	71	2	3	7	12	19	22	42
B. Operated										
0-19 YRS	29	11.0	152	1	1	7	17	25	61	99 +
20-34	44	7.4	62	1	1	5	9	17	22	40
35-49	98	6.8	50	1	1	5	8	15	23	35
50-64	120	10.1	122	1	1	6	14	26	34	82
65 +	125	12.5	183	1	2	9	16	24	39	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	3.4	25	< 1	< 1	2	3	8	15	35
B. Operated	251	2.2	7	< 1	< 1	1	2	5	6	14
2. MULTIPLE DX										
A. Not Operated	739	8.0	75	1	1	5	10	17	23	47
B. Operated	416	9.8	123	1	1	7	13	22	33	82
1. SINGLE DX	443	2.7	15	< 1	< 1	1	3	6	8	21
2. MULTIPLE DX	1155	8.6	93	1	1	6	11	19	28	57
A. Not Operated	931	7.0	68	< 1	1	4	9	16	21	46
B. Operated	667	6.9	93	< 1	1	4	8	18	25	60
TOTAL										
0-19 YRS	302	5.0	53	< 1	< 1	2	5	14	20	58
20-34	230	3.8	21	< 1	< 1	2	5	8	12	21
35-49	329	5.1	50	< 1	1	3	6	12	16	43
50-64	349	9.1	101	1	1	6	12	21	30	53
65 +	388	10.2	110	1	2	7	13	20	30	65
GRAND TOTAL	**1598**	**7.0**	**79**	**< 1**	**1**	**4**	**9**	**17**	**23**	**50**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	3.2	1	2	2	3	4	5	5	5
35-49	14	3.1	3	< 1	1	3	4	6	7	7
50-64	19	4.3	7	1	2	4	6	7	10	12
65 +	11	3.6	7	1	1	2	5	8	9	9
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	6	3.8	13	1	1	2	6	10	10	10
65 +	3	6.7	26	1	1	8	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	3.7	10	1	1	3	3	9	10	10
35-49	21	4.6	12	1	2	3	7	10	12	13
50-64	94	5.5	14	2	2	4	7	11	14	19
65 +	209	7.3	49	2	3	6	8	13	17	36
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	6.7	47	2	2	4	10	18	20	20
50-64	24	5.6	16	< 1	1	5	8	11	14	17
65 +	62	13.2	195	1	2	9	19	29	45	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	3.6	5	1	1	3	5	7	8	12
B. Operated	13	4.3	14	1	1	3	7	10	11	11
2. MULTIPLE DX										
A. Not Operated	331	6.5	37	2	2	5	8	12	15	25
B. Operated	94	10.7	148	1	2	7	14	23	33	92
1. SINGLE DX	66	3.8	7	1	1	3	5	7	9	12
2. MULTIPLE DX	425	7.5	64	2	2	5	9	14	20	52
A. Not Operated	384	6.1	33	2	2	5	7	12	14	23
B. Operated	107	9.9	136	1	1	7	13	22	32	90
TOTAL										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	17	3.6	5	1	2	3	4	7	9	10
35-49	44	4.3	15	1	1	3	5	10	12	20
50-64	143	5.3	13	1	2	4	7	10	13	17
65 +	285	8.4	85	2	2	6	10	17	23	68
GRAND TOTAL	**491**	**7.0**	**58**	**2**	**2**	**5**	**8**	**13**	**19**	**45**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	3.0	4	1	1	3	4	5	7	10
20-34	15	3.0	4	1	1	2	4	7	7	7
35-49	13	3.2	6	< 1	1	2	3	8	9	9
50-64	11	3.7	11	1	1	3	5	9	12	12
65 +	43	5.8	48	1	1	3	7	12	15	42
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	0									
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1911	3.2	11	1	1	2	4	5	8	16
20-34	657	3.9	16	1	1	3	4	7	10	23
35-49	663	5.2	39	1	1	4	6	10	14	29
50-64	1297	6.9	74	1	2	5	8	13	18	51
65 +	6591	9.8	108	2	3	7	11	20	30	80
B. Operated										
0-19 YRS	36	9.4	78	1	2	5	15	25	33	99 +
20-34	61	8.6	90	1	1	5	11	18	29	50
35-49	74	10.8	218	1	1	6	12	23	35	86
50-64	202	14.9	242	2	3	10	20	35	60	99 +
65 +	1035	19.2	277	3	5	14	25	50	72	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	3.7	16	1	1	3	4	7	9	16
B. Operated	6	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	11119	7.7	85	1	2	5	9	16	23	63
B. Operated	1408	17.4	266	2	4	13	22	44	65	99 +
1. SINGLE DX	188	3.6	15	1	1	3	4	7	9	16
2. MULTIPLE DX	12527	8.8	115	1	2	6	10	19	30	80
A. Not Operated	11301	7.7	85	1	2	5	9	16	23	62
B. Operated	1414	17.3	266	2	4	13	22	43	65	99 +
TOTAL										
0-19 YRS	2048	3.3	12	1	1	2	4	6	8	19
20-34	733	4.2	24	1	1	3	5	8	13	27
35-49	753	5.7	59	1	1	4	6	11	16	37
50-64	1510	8.0	104	1	2	5	9	16	23	67
65 +	7671	11.1	141	2	3	7	13	23	38	99 +
GRAND TOTAL	**12715**	**8.7**	**114**	**1**	**2**	**5**	**10**	**19**	**30**	**79**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	5.1	13	1	1	4	7	11	12	12
20-34	5	2.8	2	1	1	3	4	4	4	4
35-49	12	3.4	9	< 1	< 1	3	4	7	11	12
50-64	5	5.2	13	2	2	4	7	11	11	11
65 +	31	3.5	6	1	1	3	5	7	8	11
B. Operated										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	5.1	4	3	3	4	7	8	8	8
50-64	3	9.3	76	2	2	7	16	19	19	19
65 +	7	11.9	180	3	3	6	15	36	40	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.9	8	< 1	< 1	3	6	8	10	11
20-34	30	5.1	101	< 1	1	3	4	7	10	57
35-49	102	4.9	24	1	1	4	6	8	14	30
50-64	185	5.7	15	1	2	5	7	10	14	18
65 +	1041	6.7	60	1	1	5	8	13	19	53
B. Operated										
0-19 YRS	8	8.3	47	1	1	6	13	19	21	21
20-34	25	7.2	28	1	2	6	9	14	17	24
35-49	62	8.4	40	3	3	7	10	14	19	37
50-64	96	9.3	50	3	4	8	10	16	23	41
65 +	459	10.9	57	3	4	9	13	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	3.9	8	1	1	3	5	8	11	12
B. Operated	20	8.0	80	1	2	5	8	18	29	40
2. MULTIPLE DX										
A. Not Operated	1388	6.4	52	1	1	5	8	12	18	51
B. Operated	650	10.2	54	3	4	8	12	19	23	38
1. SINGLE DX	86	4.8	27	1	1	4	6	10	12	32
2. MULTIPLE DX	2038	7.6	55	1	2	6	9	15	20	44
A. Not Operated	1454	6.3	50	1	1	5	7	12	17	48
B. Operated	670	10.1	55	3	4	8	12	19	23	39
TOTAL										
0-19 YRS	53	4.9	17	< 1	< 1	4	7	11	12	21
20-34	61	5.7	62	1	1	4	7	11	15	53
35-49	183	6.0	31	1	1	5	7	12	16	34
50-64	289	6.9	30	2	2	6	9	13	17	28
65 +	1538	7.9	62	1	2	6	10	16	21	49
GRAND TOTAL	**2124**	**7.5**	**55**	**1**	**2**	**6**	**9**	**15**	**19**	**41**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	424	4.3	9	< 1	1	4	6	8	10	14
20-34	341	6.0	16	1	2	5	8	11	13	20
35-49	43	7.6	20	2	3	7	9	12	16	26
50-64	6	6.2	3	3	3	6	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	9	5.9	17	< 1	< 1	5	9	12	12	12
20-34	4	10.3	29	4	4	10	14	17	17	17
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	305	5.6	16	1	2	5	7	11	13	25
20-34	390	7.8	32	2	3	7	10	14	15	30
35-49	135	8.8	28	2	3	8	11	16	20	25
50-64	26	6.6	26	2	2	5	10	15	17	21
65 +	2	6.0	2	5	5	6	7	7	7	7
B. Operated										
0-19 YRS	10	17.1	357	2	3	9	21	51	54	54
20-34	28	15.8	117	4	5	12	18	35	39	45
35-49	12	24.0	372	4	7	18	37	56	57	57
50-64	9	10.1	48	3	4	8	15	21	22	22
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	814	5.2	14	< 1	1	4	7	10	12	19
B. Operated	13	7.2	23	< 1	1	8	11	13	16	17
2. MULTIPLE DX										
A. Not Operated	858	7.1	27	2	2	6	9	13	16	28
B. Operated	59	16.8	205	3	4	11	20	42	53	57
1. SINGLE DX	827	5.2	14	< 1	1	4	7	10	12	19
2. MULTIPLE DX	917	7.7	44	2	2	6	10	14	18	46
A. Not Operated	1672	6.2	21	1	2	5	8	12	15	24
B. Operated	72	15.1	185	2	4	11	18	37	51	57
TOTAL										
0-19 YRS	748	5.0	19	< 1	1	4	7	10	12	22
20-34	763	7.3	32	2	2	6	9	13	16	31
35-49	190	9.5	61	2	3	8	11	17	22	54
50-64	41	7.3	29	2	2	6	10	15	20	22
65 +	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**1744**	**6.5**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	2.6	5	< 1	1	2	3	5	7	12
20-34	60	2.8	10	< 1	< 1	2	3	6	8	20
35-49	34	2.4	6	< 1	< 1	2	2	4	7	14
50-64	44	3.3	10	< 1	1	2	5	8	10	13
65 +	120	3.3	9	1	1	2	4	7	11	15
B. Operated										
0-19 YRS	41	5.7	21	< 1	1	5	7	13	16	20
20-34	11	6.4	21	< 1	1	6	10	13	13	13
35-49	15	6.4	22	2	3	5	8	14	18	19
50-64	14	7.9	49	1	1	6	13	17	22	24
65 +	34	6.4	13	1	2	6	9	12	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	3.3	23	< 1	< 1	2	4	7	8	20
20-34	190	3.7	19	1	1	2	5	9	12	24
35-49	360	3.7	18	< 1	1	2	5	9	12	20
50-64	530	4.6	33	1	1	3	6	10	13	20
65 +	1892	6.1	53	1	1	4	8	13	17	36
B. Operated										
0-19 YRS	50	10.1	87	2	2	7	13	22	29	50
20-34	55	11.5	218	1	3	7	12	35	38	83
35-49	93	12.0	164	2	2	8	14	27	37	71
50-64	203	10.4	90	2	3	8	12	21	29	50
65 +	729	12.3	138	2	3	9	14	25	37	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	389	2.9	8	< 1	1	2	3	6	8	14
B. Operated	115	6.3	22	1	1	6	9	13	15	21
2. MULTIPLE DX										
A. Not Operated	3105	5.3	43	1	1	3	7	12	15	34
B. Operated	1130	11.8	134	2	3	9	14	24	36	76
1. SINGLE DX	504	3.7	13	< 1	1	2	5	8	12	17
2. MULTIPLE DX	4235	7.0	75	1	1	5	9	15	21	46
A. Not Operated	3494	5.0	40	1	1	3	7	11	15	32
B. Operated	1245	11.3	126	2	3	8	14	23	34	75
TOTAL										
0-19 YRS	355	4.3	31	< 1	1	2	5	9	14	29
20-34	316	5.0	61	< 1	1	2	6	11	14	38
35-49	502	5.2	55	1	1	2	7	12	16	37
50-64	791	6.1	53	1	1	4	8	12	17	35
65 +	2775	7.6	81	1	1	5	10	16	23	53
GRAND TOTAL	**4739**	**6.7**	**70**	**1**	**1**	**4**	**8**	**14**	**20**	**43**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	3.2	11	1	1	2	4	6	8	18
20-34	3	11.3	100	1	1	12	19	21	21	21
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	27.0		27	27	27	27	27	27	27
B. Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	4.6	9	1	1	4	6	7	11	14
20-34	17	13.1	190	2	3	6	19	31	46	53
35-49	3	10.0	13	7	7	9	13	14	14	14
50-64	7	9.6	23	3	3	8	14	15	15	15
65 +	2	7.0	32	3	3	7	11	11	11	11
B. Operated										
0-19 YRS	4	6.3	52	2	2	3	10	17	17	17
20-34	1	11.0		11	11	11	11	11	11	11
35-49	0									
50-64	1	78.0		78	78	78	78	78	78	78
65 +	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.8	38	1	1	2	5	14	21	27
B. Operated	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	48	8.8	87	1	2	6	10	16	28	53
B. Operated	7	19.1	725	2	2	11	19	66	78	78
1. SINGLE DX	35	4.7	35	1	1	2	5	12	20	27
2. MULTIPLE DX	55	10.1	168	1	2	6	12	20	31	77
A. Not Operated	80	7.2	70	1	1	5	8	16	25	47
B. Operated	10	14.8	536	2	2	6	17	49	78	78
TOTAL										
0-19 YRS	52	4.0	13	1	1	3	5	7	13	18
20-34	21	12.8	163	2	3	6	18	30	41	53
35-49	5	7.4	20	2	2	7	10	14	14	14
50-64	8	18.1	605	3	4	11	15	59	78	78
65 +	4	15.3	110	3	3	15	23	27	27	27
GRAND TOTAL	**90**	**8.0**	**122**	**1**	**2**	**5**	**9**	**18**	**27**	**68**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	267	3.6	13	< 1	1	3	4	7	9	19
20-34	27	5.7	22	1	1	4	7	13	17	19
35-49	32	3.3	6	< 1	< 1	3	5	7	8	10
50-64	27	3.4	10	1	1	2	4	9	10	13
65 +	32	3.1	11	1	1	2	4	7	12	15
B. Operated										
0-19 YRS	118	4.8	20	1	1	4	6	9	11	29
20-34	44	5.6	10	2	3	5	7	10	12	17
35-49	29	7.5	90	< 1	2	5	7	10	41	41
50-64	24	7.0	16	2	2	6	9	13	15	16
65 +	21	7.4	24	1	3	6	11	12	17	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	391	4.9	19	< 1	1	3	6	11	14	21
20-34	148	6.0	19	1	1	5	8	11	14	35
35-49	179	5.8	15	1	1	5	7	11	13	19
50-64	293	6.7	28	1	2	6	8	12	16	29
65 +	660	7.2	40	1	1	6	9	14	18	33
B. Operated										
0-19 YRS	77	11.1	162	2	2	6	12	25	45	59
20-34	111	10.6	129	2	3	8	11	21	31	91
35-49	136	13.9	217	2	3	9	14	34	56	70
50-64	177	12.5	138	2	3	9	15	25	33	65
65 +	421	14.5	176	3	4	10	18	32	43	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	385	3.7	13	< 1	1	3	5	8	10	18
B. Operated	236	5.8	27	1	1	5	7	11	12	33
2. MULTIPLE DX										
A. Not Operated	1671	6.3	29	1	1	5	8	13	16	28
B. Operated	922	13.3	169	2	3	9	15	30	40	67
1. SINGLE DX	621	4.5	19	< 1	1	3	6	9	11	24
2. MULTIPLE DX	2593	8.8	90	1	2	6	10	17	27	54
A. Not Operated	2056	5.8	27	1	1	5	8	12	15	27
B. Operated	1158	11.7	149	2	3	8	14	27	38	65
TOTAL										
0-19 YRS	853	5.1	34	< 1	1	3	6	10	15	30
20-34	330	7.5	60	1	2	6	9	13	18	73
35-49	376	8.6	108	1	1	6	10	15	30	64
50-64	521	8.5	73	1	2	6	10	17	23	39
65 +	1134	9.8	103	1	2	7	12	20	31	52
GRAND TOTAL	**3214**	**8.0**	**79**	**1**	**1**	**6**	**9**	**16**	**24**	**50**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	316	1.9	1	1	1	2	2	3	4	6
20-34	85	2.3	1	1	1	2	3	4	4	6
35-49	20	2.3	1	1	1	2	3	4	5	5
50-64	5	3.4	2	1	1	4	4	5	5	5
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	154	3.4	1	2	2	3	4	5	5	7
20-34	52	3.6	2	2	2	3	4	5	8	9
35-49	9	4.7	2	3	3	4	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	2.0	2	1	1	2	2	4	4	7
20-34	53	2.2	2	1	1	2	2	4	5	8
35-49	13	3.4	6	1	1	3	4	7	9	10
50-64	4	3.0	3	1	1	3	4	5	5	5
65 +	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
0-19 YRS	82	4.5	4	2	3	4	5	8	9	10
20-34	56	4.9	7	2	3	4	6	7	9	18
35-49	8	7.6	19	4	4	5	11	14	15	15
50-64	5	6.2	2	4	4	6	7	8	8	8
65 +	2	9.0	18	6	6	9	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	428	2.0	1	1	1	2	2	4	4	6
B. Operated	217	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	268	2.1	2	1	1	2	3	4	5	7
B. Operated	153	4.9	7	2	3	4	6	8	10	15
1. SINGLE DX	645	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	421	3.1	5	1	1	2	4	6	8	12
A. Not Operated	696	2.0	1	1	1	2	2	4	4	6
B. Operated	370	4.1	4	2	2	4	5	6	8	13
TOTAL										
0-19 YRS	748	2.5	2	1	1	2	3	4	5	8
20-34	246	3.2	4	1	1	3	4	5	6	10
35-49	50	3.8	9	1	1	3	5	7	10	15
50-64	15	4.3	4	1	1	4	6	7	8	8
65 +	7	4.9	14	1	1	3	7	11	12	12
GRAND TOTAL	**1066**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	4.4	6	1	2	4	6	7	10	12
20-34	6	4.3	3	2	2	4	6	7	7	7
35-49	5	4.0	11	1	1	2	7	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	45	4.3	19	< 1	< 1	3	6	10	15	17
20-34	27	3.1	14	< 1	< 1	2	4	7	10	19
35-49	17	1.9	1	< 1	1	2	2	3	4	4
50-64	11	2.0	2	< 1	< 1	1	3	4	5	5
65 +	5	3.2	15	1	1	2	4	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	4.9	7	1	2	5	6	8	9	14
20-34	7	2.7	2	1	1	3	3	5	5	5
35-49	7	7.1	41	3	3	5	8	18	21	21
50-64	3	4.7	14	2	2	3	7	9	9	9
65 +	3	9.7	65	5	5	5	16	19	19	19
B. Operated										
0-19 YRS	32	5.5	16	1	1	5	9	12	12	13
20-34	15	5.1	13	< 1	1	5	8	9	11	12
35-49	16	7.3	145	< 1	< 1	2	8	19	40	48
50-64	14	5.6	23	< 1	< 1	4	9	14	14	14
65 +	15	3.5	5	1	1	3	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	4.4	6	1	2	4	6	8	9	12
B. Operated	105	3.3	13	< 1	< 1	2	4	8	11	18
2. MULTIPLE DX										
A. Not Operated	92	5.1	11	1	2	5	6	9	10	20
B. Operated	92	5.5	37	< 1	1	4	8	11	13	36
1. SINGLE DX	203	3.8	10	< 1	< 1	3	5	8	10	16
2. MULTIPLE DX	184	5.3	24	1	1	4	7	10	12	21
A. Not Operated	190	4.7	9	1	2	4	6	8	10	17
B. Operated	197	4.3	25	< 1	< 1	3	6	10	13	20
TOTAL										
0-19 YRS	234	4.7	10	1	1	4	6	9	11	15
20-34	55	3.7	12	< 1	< 1	3	5	8	9	19
35-49	45	4.9	63	< 1	1	2	5	9	20	48
50-64	29	4.0	16	< 1	< 1	3	6	10	14	14
65 +	24	4.4	17	1	1	3	5	10	13	19
GRAND TOTAL	**387**	**4.5**	**17**	**<1**	**1**	**4**	**6**	**9**	**11**	**19**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	13.4	294	1	1	7	16	43	50	50
20-34	18	11.3	136	1	1	7	19	25	38	46
35-49	13	17.4	103	5	6	14	24	30	38	40
50-64	9	11.2	52	1	2	13	14	21	25	25
65 +	34	9.9	92	2	2	6	17	23	28	42
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	13.0	215	1	1	10	25	60	92	99 +
20-34	90	16.7	166	2	3	13	22	29	46	62
35-49	56	16.8	293	2	3	12	24	33	53	89
50-64	94	15.4	265	2	2	10	19	33	51	80
65 +	340	12.8	196	2	3	9	15	30	46	99 +
B. Operated										
0-19 YRS	0									
20-34	1	66.0		66	66	66	66	66	66	66
35-49	6	22.3	305	5	5	18	36	49	50	50
50-64	7	18.9	756	1	1	7	25	67	77	77
65 +	31	15.0	146	1	1	11	24	31	36	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	11.9	117	1	2	8	18	26	34	49
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	592	14.2	213	2	3	10	18	31	50	91
B. Operated	45	17.7	299	1	1	12	25	36	54	77
1. SINGLE DX	82	11.7	117	1	2	8	18	26	33	49
2. MULTIPLE DX	637	14.4	220	2	2	10	19	33	50	90
A. Not Operated	673	13.9	202	2	2	9	18	31	47	89
B. Operated	46	17.4	298	1	1	12	25	36	53	77
TOTAL										
0-19 YRS	19	13.2	229	1	1	9	20	50	75	99 +
20-34	109	16.3	185	2	3	13	22	29	46	65
35-49	75	17.4	258	2	3	13	25	36	49	84
50-64	111	15.1	273	1	2	10	19	32	51	80
65 +	405	12.7	184	2	2	9	16	29	43	95
GRAND TOTAL	**719**	**14.1**	**209**	**2**	**2**	**10**	**19**	**31**	**49**	**86**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	2.2	9	1	1	1	2	4	5	19
20-34	46	2.6	4	< 1	1	2	3	4	6	11
35-49	37	5.1	61	1	1	2	4	10	25	39
50-64	17	8.8	223	1	1	4	9	21	48	62
65 +	133	13.6	211	1	1	10	18	27	40	72
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	119	8.7	187	1	1	5	9	39	99 +	99 +
20-34	371	8.3	123	1	2	7	8	12	19	82
35-49	262	7.6	35	2	3	7	8	12	17	50
50-64	183	11.1	146	2	3	8	12	26	36	97
65 +	1275	18.0	357	2	3	11	24	54	85	99 +
B. Operated										
0-19 YRS	6	18.0	1154	1	1	10	99 +	99 +	99 +	99 +
20-34	8	8.0	68	1	2	5	9	22	27	27
35-49	6	9.7	173	< 1	< 1	6	29	87	99 +	99 +
50-64	10	11.8	88	< 1	1	14	25	99 +	99 +	99 +
65 +	138	27.4	555	4	6	22	52	98	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	322	7.6	135	1	1	3	9	22	27	62
B. Operated	3	6.3	85	1	1	1	13	17	17	17
2. MULTIPLE DX										
A. Not Operated	2210	14.0	274	2	3	8	17	39	69	99 +
B. Operated	168	24.6	542	2	4	20	49	99 +	99 +	99 +
1. SINGLE DX	325	7.6	134	1	1	3	9	22	27	62
2. MULTIPLE DX	2378	14.8	300	2	3	8	18	44	78	99 +
A. Not Operated	2532	13.2	261	1	2	8	16	36	64	99 +
B. Operated	171	24.3	539	2	4	19	47	99 +	99 +	99 +
TOTAL										
0-19 YRS	215	6.3	148	1	1	3	7	24	85	99 +
20-34	425	7.7	112	1	2	6	8	12	18	80
35-49	306	7.3	41	1	2	6	8	13	18	71
50-64	210	10.9	148	2	3	7	13	27	46	99 +
65 +	1547	18.4	371	2	3	12	25	58	87	99 +
GRAND TOTAL	**2703**	**13.9**	**286**	**1**	**2**	**8**	**17**	**41**	**74**	**99 +**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	10	7.8	20	3	3	7	9	15	17	17
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	16	21.4	308	3	4	18	41	86	99 +	99 +
65 +	220	19.7	390	3	4	13	27	53	85	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	10.0	13	6	6	11	12	13	13	13
65 +	28	29.6	525	5	9	28	56	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	7.8	20	3	3	7	9	15	17	17
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	237	19.8	383	3	4	13	28	54	89	99 +
B. Operated	31	27.7	508	5	9	24	49	99 +	99 +	99 +
1. SINGLE DX	10	7.8	20	3	3	7	9	15	17	17
2. MULTIPLE DX	268	20.7	402	3	4	14	31	62	97	99 +
A. Not Operated	247	19.3	373	3	4	13	27	53	87	99 +
B. Operated	31	27.7	508	5	9	24	49	99 +	99 +	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	19	19.6	276	3	4	13	39	72	99 +	99 +
65 +	258	20.3	404	3	4	14	30	61	95	99 +
GRAND TOTAL	**278**	**20.2**	**394**	**3**	**4**	**14**	**30**	**61**	**97**	**99 +**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	23	3.1	4	< 1	1	3	5	5	7	9
35-49	33	4.7	13	1	2	5	6	7	10	21
50-64	25	6.4	111	2	2	4	6	8	20	56
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.9	3	< 1	1	5	5	6	6	6
20-34	1184	5.1	6	2	3	5	5	6	8	16
35-49	2402	5.4	7	3	4	5	5	7	9	16
50-64	1120	6.4	34	2	3	5	6	10	15	41
65 +	335	8.9	92	2	3	5	10	18	24	53
B. Operated										
0-19 YRS	0									
20-34	16	6.6	23	1	2	5	8	14	18	20
35-49	40	10.3	62	3	4	8	14	19	27	41
50-64	30	20.3	378	4	5	13	26	52	73	75
65 +	14	26.0	439	5	7	19	44	77	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	4.7	40	1	2	4	5	7	8	44
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5061	5.8	19	2	4	5	5	8	12	26
B. Operated	100	14.9	242	3	4	9	18	33	54	88
1. SINGLE DX	84	4.7	40	1	2	4	5	7	8	44
2. MULTIPLE DX	5161	5.9	25	2	4	5	5	8	13	29
A. Not Operated	5145	5.8	20	2	3	5	5	8	12	26
B. Operated	100	14.9	242	3	4	9	18	33	54	88
TOTAL										
0-19 YRS	20	3.9	3	< 1	1	5	5	6	6	6
20-34	1223	5.1	6	2	3	5	5	6	8	16
35-49	2475	5.5	9	3	4	5	5	7	10	18
50-64	1175	6.7	49	2	3	5	6	11	16	52
65 +	352	9.5	116	2	3	5	11	19	30	85
GRAND TOTAL	**5245**	**5.9**	**25**	**2**	**3**	**5**	**5**	**8**	**13**	**29**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.9	27	1	1	1	5	13	13	13
20-34	15	6.1	39	1	2	4	6	10	23	27
35-49	8	4.6	21	1	1	3	7	12	13	13
50-64	1	36.0		36	36	36	36	36	36	36
65 +	4	5.3	8	3	3	5	7	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	6.6	15	2	3	6	7	11	14	24
20-34	363	6.8	22	1	3	6	8	12	15	28
35-49	170	7.6	28	2	3	6	9	13	16	31
50-64	75	9.6	81	2	2	6	12	22	29	41
65 +	188	9.8	123	2	2	7	12	19	26	63
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	3	16.3	156	2	2	22	24	25	25	25
35-49	6	9.3	11	6	6	9	11	15	15	15
50-64	6	20.3	729	4	4	9	21	69	74	74
65 +	7	8.1	43	1	1	10	11	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	6.0	52	1	1	3	7	13	22	36
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	851	7.8	51	2	3	6	9	14	21	37
B. Operated	24	12.1	220	1	1	8	13	22	40	74
1. SINGLE DX	37	6.0	52	1	1	3	7	13	22	36
2. MULTIPLE DX	875	8.0	56	2	3	6	9	14	21	38
A. Not Operated	888	7.8	52	1	2	6	9	14	21	37
B. Operated	24	12.1	220	1	1	8	13	22	40	74
TOTAL										
0-19 YRS	66	6.1	17	1	1	6	7	12	13	23
20-34	381	6.8	24	1	3	6	8	12	16	28
35-49	184	7.6	27	2	3	6	9	13	16	31
50-64	82	10.7	135	2	2	6	13	26	33	64
65 +	199	9.7	118	2	2	6	11	19	26	60
GRAND TOTAL	**912**	**7.9**	**56**	**1**	**2**	**6**	**9**	**14**	**21**	**37**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	15.2	247	1	2	8	21	36	50	64
20-34	525	20.0	246	2	4	17	27	42	54	96
35-49	308	19.3	278	2	4	15	24	41	59	95
50-64	101	20.8	258	1	3	19	28	39	56	92
65 +	28	16.6	184	1	2	14	25	39	42	49
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	25.4	348	5	6	21	40	58	78	99 +
20-34	446	20.3	275	3	5	15	27	44	58	82
35-49	329	20.5	237	3	5	16	28	41	53	80
50-64	170	23.0	277	4	7	20	29	48	58	93
65 +	107	25.6	376	4	7	21	39	69	99 +	99 +
B. Operated										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	14	25.2	379	5	8	16	34	51	70	75
35-49	7	27.6	255	12	12	28	46	88	99 +	99 +
50-64	9	41.2	787	7	12	38	80	94	99 +	99 +
65 +	4	38.0	362	24	24	31	49	66	66	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	996	19.6	255	2	4	16	27	41	55	94
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1079	21.5	278	3	5	18	28	[illegible]	59	99 +
B. Operated	35	31.3	457	8	11	27	45	[illegible]	[illegible]	99 +
1. SINGLE DX	996	19.6	255	2	4	16	27	[illegible]	55	94
2. MULTIPLE DX	1114	21.8	286	3	5	18	29	[illegible]	62	99 +
A. Not Operated	2075	20.6	268	2	4	17	28	45	57	98
B. Operated	35	31.3	457	8	11	27	45	79	96	99 +
TOTAL										
0-19 YRS	62	19.8	309	2	4	15	31	50	60	97
20-34	985	20.2	260	2	4	16	27	44	56	84
35-49	644	20.0	257	3	4	16	27	41	55	91
50-64	280	22.8	295	3	5	20	29	49	65	98
65 +	139	24.2	352	2	6	20	34	65	98	99 +
GRAND TOTAL	**2110**	**20.8**	**272**	**3**	**4**	**17**	**28**	**45**	**58**	**99 +**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	21.7	355	1	3	15	28	53	66	70
20-34	44	18.7	123	3	5	16	26	36	41	47
35-49	14	18.9	135	3	4	16	28	31	40	43
50-64	5	24.0	566	3	3	19	34	64	64	64
65 +	1	17.0		17	17	17	17	17	17	17
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	31.1	676	6	7	26	36	79	95	95
20-34	25	19.1	224	3	3	12	27	43	50	60
35-49	10	11.8	66	1	3	10	15	23	31	31
50-64	3	14.3	82	4	4	18	20	21	21	21
65 +	2	31.0	1058	8	8	31	54	54	54	54
B. Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	19.7	192	3	3	16	28	38	45	68
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	58	21.7	382	3	6	16	30	44	58	95
B. Operated	2	7.0	2	6	6	7	8	8	8	8
1. SINGLE DX	82	19.7	192	3	3	16	28	38	45	68
2. MULTIPLE DX	60	21.3	376	3	6	16	29	43	57	95
A. Not Operated	140	20.6	270	3	4	16	28	41	51	94
B. Operated	2	7.0	2	6	6	7	8	8	8	8
TOTAL										
0-19 YRS	36	26.4	524	3	6	18	35	57	87	95
20-34	70	18.7	157	3	4	15	26	37	43	57
35-49	25	15.6	114	2	4	13	26	30	34	43
50-64	8	20.4	372	3	3	18	22	52	64	64
65 +	3	26.3	594	8	8	17	45	54	54	54
GRAND TOTAL	**142**	**20.4**	**268**	**3**	**4**	**16**	**28**	**41**	**50**	**94**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	23.2	487	2	2	15	30	63	76	98
20-34	729	18.2	233	1	3	14	26	40	49	91
35-49	449	17.9	197	2	4	15	23	35	48	69
50-64	175	20.8	241	2	4	17	27	46	53	78
65 +	48	16.0	155	3	5	12	19	34	43	52
B. Operated										
0-19 YRS	0									
20-34	2	66.0	1922	35	35	66	97	97	97	97
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	24.2	387	2	4	19	33	62	68	97
20-34	815	20.2	284	3	5	16	27	43	60	99 +
35-49	602	20.5	269	3	4	16	28	44	57	83
50-64	388	22.0	248	4	6	19	29	42	53	80
65 +	198	22.5	277	3	6	19	32	51	70	99 +
B. Operated										
0-19 YRS	1	75.0		75	75	99 +	99 +	99 +	99 +	99 +
20-34	23	33.9	388	12	15	34	42	58	77	95
35-49	22	41.3	479	15	15	36	60	69	82	93
50-64	16	34.3	606	12	13	22	43	85	90	91
65 +	17	35.1	708	6	8	30	70	93	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1474	18.6	234	1	3	15	25	40	52	81
B. Operated	3	45.7	2201	5	5	35	81	97	97	97
2. MULTIPLE DX										
A. Not Operated	2081	21.0	277	3	5	17	28	45	60	97
B. Operated	79	36.8	529	10	15	34	58	84	97	99 +
1. SINGLE DX	1477	18.6	238	1	3	15	25	41	52	82
2. MULTIPLE DX	2160	21.5	295	3	5	17	29	46	62	99 +
A. Not Operated	3555	20.0	260	2	4	16	27	42	55	91
B. Operated	82	37.1	567	8	15	34	59	88	98	99 +
TOTAL										
0-19 YRS	152	24.0	447	2	2	18	33	65	76	99 +
20-34	1569	19.5	269	2	4	15	27	42	56	97
35-49	1073	19.8	254	3	4	16	27	43	54	78
50-64	580	21.9	259	3	5	19	29	44	54	86
65 +	263	22.1	297	3	6	18	31	51	72	99 +
GRAND TOTAL	**3637**	**20.4**	**274**	**2**	**4**	**16**	**28**	**44**	**58**	**96**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	24.1	691	3	3	13	48	64	74	74
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	10.9	275	< 1	1	4	21	79	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	24.1	691	3	3	13	48	64	74	74
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	18	10.9	275	< 1	1	4	21	79	99 +	99 +
B. Operated	0									
1. SINGLE DX	9	24.1	691	3	3	13	48	64	74	74
2. MULTIPLE DX	18	10.9	275	< 1	1	4	21	79	99 +	99 +
A. Not Operated	27	15.3	433	1	2	4	28	68	99 +	99 +
B. Operated	0									
TOTAL										
0-19 YRS	27	15.3	433	1	2	4	28	68	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**27**	**15.3**	**433**	**1**	**2**	**4**	**28**	**68**	**99 +**	**99 +**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	19.4	354	2	3	14	25	54	88	99 +
20-34	442	15.0	170	1	3	12	20	31	39	77
35-49	473	14.2	121	2	3	12	19	29	35	49
50-64	407	15.8	120	2	4	14	21	29	36	51
65 +	356	20.8	201	2	5	18	28	39	45	72
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	4	17.5	330	4	4	11	30	43	43	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	313	23.0	426	2	4	18	32	59	85	99 +
20-34	1287	15.9	179	2	4	12	20	34	45	71
35-49	1218	17.2	171	2	4	14	23	34	42	70
50-64	1184	19.7	204	4	5	16	26	39	49	73
65 +	1857	22.0	216	4	6	19	29	42	51	85
B. Operated										
0-19 YRS	7	25.4	460	1	3	29	31	59	66	66
20-34	38	28.2	348	4	7	25	38	55	61	84
35-49	58	27.5	290	9	11	22	36	61	65	98
50-64	66	26.8	248	8	10	24	32	43	61	84
65 +	150	29.6	340	7	8	26	43	60	88	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1827	16.5	173	2	3	14	22	33	42	75
B. Operated	4	17.5	330	4	4	11	30	43	43	43
2. MULTIPLE DX										
A. Not Operated	5859	19.2	214	3	5	16	26	39	49	86
B. Operated	319	28.4	313	7	9	25	38	58	72	99 +
1. SINGLE DX	1831	16.5	173	2	3	14	22	33	42	75
2. MULTIPLE DX	6178	19.7	223	3	5	16	27	40	51	87
A. Not Operated	7686	18.6	206	3	4	15	25	37	48	84
B. Operated	323	28.2	314	7	9	25	38	58	72	99 +
TOTAL										
0-19 YRS	469	21.9	405	2	4	16	30	56	85	99 +
20-34	1767	15.9	184	2	3	12	21	34	45	73
35-49	1749	16.7	167	2	4	14	23	33	41	67
50-64	1657	19.0	190	3	5	16	25	37	47	70
65 +	2367	22.3	226	4	6	20	29	43	52	88
GRAND TOTAL	**8009**	**19.0**	**214**	**3**	**4**	**16**	**26**	**38**	**49**	**87**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	23.9	437	1	3	19	31	52	82	99
20-34	500	16.4	185	2	3	13	21	33	41	74
35-49	443	15.9	138	2	4	13	23	30	36	67
50-64	229	17.7	132	4	6	16	23	36	42	59
65 +	106	20.5	263	4	6	17	24	38	60	80
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	23.4	256	4	5	21	35	53	57	99 +
20-34	725	18.8	202	3	5	15	24	37	48	71
35-49	718	18.6	186	3	5	15	25	36	50	83
50-64	477	20.0	218	3	5	17	25	40	52	80
65 +	416	21.7	234	4	7	18	28	40	56	92
B. Operated										
0-19 YRS	2	21.5	85	15	15	21	28	28	28	28
20-34	15	26.5	148	12	12	26	30	45	54	57
35-49	30	29.5	345	7	10	26	41	70	98	99 +
50-64	21	32.2	538	8	11	26	37	73	85	91
65 +	33	31.5	450	6	8	28	46	74	99	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1346	17.2	183	2	4	14	23	34	42	76
B. Operated	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated	2438	19.6	210	3	5	16	26	38	52	84
B. Operated	101	30.1	378	7	11	27	41	67	92	99 +
1. SINGLE DX	1347	17.2	183	2	4	14	23	34	42	76
2. MULTIPLE DX	2539	20.1	221	3	5	17	27	39	53	91
A. Not Operated	3784	18.8	202	3	5	16	25	37	49	81
B. Operated	102	30.0	376	7	11	27	41	67	92	99 +
TOTAL										
0-19 YRS	172	23.6	323	2	4	20	34	52	59	99 +
20-34	1240	17.9	197	2	4	15	23	35	46	71
35-49	1191	17.8	177	3	5	15	24	35	45	82
50-64	727	19.6	205	3	5	17	25	38	50	81
65 +	556	22.1	257	4	7	19	28	41	59	96
GRAND TOTAL	**3886**	**19.1**	**209**	**3**	**5**	**16**	**25**	**37**	**50**	**84**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	12.8	102	1	1	11	16	25	34	46
20-34	171	12.8	130	1	2	10	16	28	34	56
35-49	87	12.8	135	2	3	9	19	25	30	64
50-64	38	13.3	238	1	1	9	13	28	50	75
65 +	42	14.8	123	2	3	13	20	30	34	56
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	18.3	307	1	1	14	26	52	62	92
20-34	253	14.3	137	2	3	11	19	30	39	56
35-49	179	12.9	122	2	3	10	18	25	31	51
50-64	156	13.6	131	2	3	10	18	28	39	56
65 +	449	15.9	284	2	3	10	20	37	57	90
B. Operated										
0-19 YRS	0									
20-34	5	18.6	61	10	10	17	23	31	31	31
35-49	14	11.8	43	4	5	10	14	23	24	24
50-64	14	16.6	249	1	3	17	35	95	99 +	99 +
65 +	47	25.7	603	1	4	18	40	83	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	378	13.1	137	1	2	10	17	26	34	56
B. Operated	4	3.0	5	< 1	< 1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	1111	14.9	206	2	3	10	20	31	45	80
B. Operated	80	21.2	434	2	4	17	33	74	99 +	99 +
1. SINGLE DX	382	13.0	137	1	2	10	17	26	34	56
2. MULTIPLE DX	1191	15.3	223	2	3	11	20	33	49	91
A. Not Operated	1489	14.4	189	2	3	10	19	30	42	74
B. Operated	84	20.3	428	1	3	15	31	72	99 +	99 +
TOTAL										
0-19 YRS	115	16.3	240	1	1	12	22	41	57	78
20-34	429	13.8	134	1	3	11	18	29	34	56
35-49	281	12.8	121	2	3	9	18	25	30	52
50-64	208	13.7	156	2	3	10	19	29	44	85
65 +	540	16.6	306	2	3	11	21	38	61	95
GRAND TOTAL	**1573**	**14.7**	**203**	**2**	**3**	**10**	**19**	**31**	**46**	**83**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.2	7	< 1	< 1	1	1	7	9	9
20-34	55	5.4	27	< 1	1	3	8	15	16	21
35-49	47	7.4	112	< 1	1	3	7	25	30	45
50-64	31	5.7	54	< 1	1	3	6	13	24	35
65 +	16	5.5	31	< 1	1	4	6	15	19	21
B. Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	10.0	323	< 1	< 1	3	9	27	43	90
20-34	175	7.9	66	1	1	5	10	20	25	37
35-49	145	7.6	77	1	1	3	10	22	26	36
50-64	145	7.5	83	1	1	4	8	20	29	40
65 +	169	6.6	70	1	1	4	7	15	24	45
B. Operated										
0-19 YRS	0									
20-34	8	5.8	150	< 1	< 1	1	2	26	36	36
35-49	9	19.7	531	1	1	8	33	57	69	69
50-64	7	16.9	268	2	3	11	24	45	49	49
65 +	8	9.9	13	4	5	11	13	66	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	5.8	57	< 1	1	3	6	16	23	40
B. Operated	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	666	7.5	85	1	1	4	9	19	26	43
B. Operated	32	13.1	258	1	1	8	17	40	66	99 +
1. SINGLE DX	162	5.8	57	< 1	1	3	6	15	22	40
2. MULTIPLE DX	698	7.8	94	1	1	4	9	20	28	49
A. Not Operated	825	7.2	80	1	1	4	8	18	25	42
B. Operated	35	12.1	247	1	1	7	15	38	63	99 +
TOTAL										
0-19 YRS	42	8.1	257	< 1	< 1	3	7	20	42	90
20-34	240	7.2	60	1	1	4	10	17	22	36
35-49	201	8.1	109	1	1	3	10	24	28	51
50-64	184	7.5	87	1	1	4	9	20	29	46
65 +	193	6.6	65	1	1	4	7	15	23	50
GRAND TOTAL	**860**	**7.4**	**88**	**1**	**1**	**4**	**9**	**19**	**27**	**46**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	11.6	275	1	1	6	14	24	43	93
20-34	92	8.4	61	< 1	1	6	14	19	24	35
35-49	73	8.8	64	1	1	6	13	21	23	36
50-64	32	7.7	45	1	1	5	12	16	21	29
65 +	19	10.4	76	1	2	6	17	20	28	34
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	181	25.4	605	2	3	17	44	69	91	99 +
20-34	393	14.6	127	2	2	12	21	30	35	50
35-49	278	12.2	95	1	2	10	18	23	29	46
50-64	148	13.6	164	2	2	10	20	30	35	57
65 +	155	11.5	179	2	3	7	13	28	37	76
B. Operated										
0-19 YRS	4	10.8	47	3	3	11	16	17	17	17
20-34	7	19.0	173	1	3	18	24	39	43	43
35-49	5	20.2	125	10	10	15	27	38	38	38
50-64	10	15.9	189	4	4	10	22	40	42	42
65 +	16	24.3	703	4	5	14	34	87	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	296	9.4	119	1	1	6	14	21	25	54
B. Operated	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	1155	15.2	226	2	3	11	21	33	48	90
B. Operated	42	19.6	359	3	4	14	25	46	82	99 +
1. SINGLE DX	297	9.4	119	1	1	6	14	21	25	54
2. MULTIPLE DX	1197	15.3	231	2	3	11	21	34	49	92
A. Not Operated	1451	14.0	210	1	2	9	20	30	44	88
B. Operated	43	19.4	352	3	4	14	24	44	81	99 +
TOTAL										
0-19 YRS	265	21.0	537	1	2	12	29	60	85	99 +
20-34	492	13.5	121	1	2	10	21	28	35	49
35-49	356	11.6	92	1	2	9	17	23	29	45
50-64	190	12.7	150	1	2	9	19	28	35	54
65 +	191	12.5	221	2	3	7	15	28	41	89
GRAND TOTAL	**1494**	**14.2**	**214**	**1**	**2**	**9**	**20**	**31**	**44**	**89**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	136	11.8	343	< 1	1	4	14	39	73	99 +
20-34	157	9.5	146	1	1	6	11	24	41	75
35-49	59	8.1	73	< 1	1	5	11	22	27	37
50-64	19	10.8	132	1	1	7	16	31	37	38
65 +	14	8.4	53	1	1	6	15	17	21	22
B. Operated										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	9	6.3	12	1	1	8	9	9	9	9
35-49	4	6.0	18	1	1	6	9	10	10	10
50-64	10	3.4	7	< 1	< 1	3	4	7	10	10
65 +	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	185	12.2	313	1	1	5	14	45	65	99 +
20-34	447	10.8	159	1	1	7	15	26	39	99
35-49	235	12.5	210	1	1	8	15	31	44	97
50-64	119	9.9	135	1	1	6	12	25	31	67
65 +	191	9.8	129	1	2	6	12	21	31	61
B. Operated										
0-19 YRS	8	4.4	32	< 1	< 1	2	8	14	14	14
20-34	22	10.1	97	1	2	8	12	26	32	39
35-49	10	9.0	87	1	1	6	11	25	30	30
50-64	14	9.1	62	2	3	6	10	24	26	26
65 +	21	15.5	272	1	2	10	30	50	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	385	10.1	200	1	1	5	13	28	44	98
B. Operated	28	4.9	10	1	1	4	8	9	10	10
2. MULTIPLE DX										
A. Not Operated	1177	11.1	186	1	1	7	14	29	40	97
B. Operated	75	10.7	138	1	1	6	13	29	37	90
1. SINGLE DX	413	9.8	189	1	1	5	11	26	41	97
2. MULTIPLE DX	1252	11.1	183	1	1	7	14	29	40	97
A. Not Operated	1562	10.9	190	1	1	6	14	28	41	97
B. Operated	103	9.1	109	1	1	6	11	26	31	78
TOTAL										
0-19 YRS	331	11.8	317	< 1	1	4	14	40	67	99 +
20-34	635	10.4	151	1	1	7	14	25	39	91
35-49	308	11.4	180	1	1	7	15	29	38	90
50-64	162	9.5	122	1	1	6	11	25	31	61
65 +	229	10.1	138	1	2	6	13	22	33	75
GRAND TOTAL	**1665**	**10.8**	**185**	**1**	**1**	**6**	**14**	**28**	**40**	**97**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	2.6	5	1	1	2	4	5	6	11
20-34	572	4.3	8	1	1	4	5	6	7	14
35-49	538	4.5	5	1	2	5	6	6	7	11
50-64	221	5.0	11	1	2	5	6	8	10	22
65 +	48	4.6	9	1	1	4	5	8	10	18
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	495	15.1	120	1	2	12	27	28	30	35
20-34	4459	10.5	80	2	3	6	15	27	28	29
35-49	4394	8.6	58	2	3	6	8	23	27	28
50-64	1942	8.6	62	2	3	6	9	21	27	31
65 +	565	8.9	66	2	2	6	11	21	27	33
B. Operated										
0-19 YRS	7	19.7	158	1	1	26	28	29	29	29
20-34	77	12.9	133	3	3	8	21	28	28	58
35-49	127	12.9	101	3	4	9	19	27	35	64
50-64	66	15.1	235	4	5	10	18	31	62	99
65 +	41	13.3	179	1	3	9	19	38	82	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1432	4.4	7	1	1	4	6	7	8	14
B. Operated	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	11855	9.6	72	2	3	6	12	25	28	30
B. Operated	318	13.6	147	3	4	9	20	28	36	99 +
1. SINGLE DX	1434	4.4	7	1	1	4	6	7	8	14
2. MULTIPLE DX	12173	9.7	74	2	3	6	12	25	28	31
A. Not Operated	13287	9.1	68	2	3	6	10	25	28	30
B. Operated	320	13.5	147	2	4	9	20	28	36	99 +
TOTAL										
0-19 YRS	555	13.9	123	1	1	9	26	28	30	35
20-34	5109	9.9	77	2	2	6	14	26	28	29
35-49	5060	8.3	56	2	3	6	8	21	27	29
50-64	2229	8.5	65	2	3	6	9	21	27	33
65 +	654	8.9	71	1	2	6	11	21	27	41
GRAND TOTAL	**13607**	**9.2**	**70**	**2**	**3**	**6**	**10**	**25**	**28**	**31**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	7.0	26	2	2	4	12	13	13	13
20-34	96	5.4	6	2	3	5	6	8	11	14
35-49	34	5.9	8	1	3	5	7	10	12	12
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	11.9	286	1	1	4	14	42	49	49
20-34	265	9.2	53	2	3	6	13	21	27	30
35-49	108	9.2	48	2	3	6	13	20	27	29
50-64	12	13.3	66	3	5	10	19	26	28	28
65 +	6	8.5	5	7	7	8	8	13	13	13
B. Operated										
0-19 YRS	0									
20-34	7	6.0	11	1	1	7	9	10	10	10
35-49	5	15.4	65	4	4	14	22	25	25	25
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	5.6	7	2	3	5	7	9	12	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	400	9.4	56	2	3	7	13	21	27	31
B. Operated	12	9.9	53	1	2	8	13	22	25	25
1. SINGLE DX	138	5.6	7	2	3	5	7	9	12	14
2. MULTIPLE DX	412	9.4	56	2	3	7	13	21	27	31
A. Not Operated	538	8.4	46	2	3	6	11	18	25	29
B. Operated	12	9.9	53	1	2	8	13	22	25	25
TOTAL										
0-19 YRS	14	10.1	190	1	1	4	12	34	46	49
20-34	368	8.2	43	2	3	6	10	18	24	28
35-49	147	8.6	42	2	3	6	12	18	25	29
50-64	14	11.8	71	1	3	9	17	25	27	28
65 +	7	7.9	7	4	5	8	8	12	13	13
GRAND TOTAL	**550**	**8.4**	**47**	**2**	**3**	**6**	**11**	**18**	**25**	**29**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	6.3	11	2	3	6	7	10	13	18
20-34	342	5.4	10	2	3	5	6	8	11	15
35-49	63	5.2	6	2	3	5	6	7	10	14
50-64	5	5.0	9	1	1	5	7	9	9	9
65 +	4	13.3	113	1	1	14	22	24	24	24
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	226	14.4	120	2	3	10	28	29	30	35
20-34	1035	10.1	66	2	3	6	14	24	28	31
35-49	246	9.5	59	2	3	6	14	23	26	29
50-64	47	12.1	75	2	3	10	16	26	28	34
65 +	25	13.7	70	3	4	13	18	29	29	29
B. Operated										
0-19 YRS	0									
20-34	15	15.1	83	3	5	12	22	28	31	32
35-49	4	8.5	28	3	3	8	13	14	14	14
50-64	2	11.5	61	6	6	11	17	17	17	17
65 +	1	25.0		25	25	25	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	453	5.5	11	2	3	5	6	8	12	18
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	1579	10.7	75	2	3	7	15	26	28	32
B. Operated	22	14.0	75	3	4	12	21	27	30	32
1. SINGLE DX	454	5.5	11	2	3	5	6	8	12	18
2. MULTIPLE DX	1601	10.8	75	2	3	7	15	26	28	32
A. Not Operated	2032	9.6	66	2	3	6	14	24	28	31
B. Operated	23	13.8	73	3	4	12	21	26	29	32
TOTAL										
0-19 YRS	266	13.2	112	2	3	8	26	28	30	32
20-34	1392	9.0	57	2	3	6	13	21	26	31
35-49	313	8.6	51	2	3	6	12	22	25	29
50-64	54	11.4	72	2	3	9	16	26	28	34
65 +	30	14.0	74	3	4	13	21	28	29	29
GRAND TOTAL	**2055**	**9.6**	**66**	**2**	**3**	**6**	**14**	**24**	**28**	**31**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	158	1.4	4	< 1	< 1	1	1	2	2	14
20-34	68	2.1	4	< 1	< 1	1	2	6	6	9
35-49	49	3.1	5	< 1	< 1	2	6	6	6	6
50-64	16	2.8	4	1	1	2	5	6	6	6
65 +	4	4.3	6	1	1	4	6	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	202	4.9	69	< 1	< 1	2	3	16	28	35
20-34	240	5.7	49	< 1	< 1	4	6	13	21	35
35-49	214	6.0	28	1	1	5	6	11	21	28
50-64	85	4.3	14	1	1	4	6	7	10	22
65 +	51	4.7	43	1	1	3	5	10	11	40
B. Operated										
0-19 YRS	8	1.8	1	< 1	< 1	1	2	4	4	4
20-34	9	6.0	98	< 1	< 1	1	7	23	31	31
35-49	6	4.2	19	< 1	< 1	3	6	11	12	12
50-64	3	7.0	21	2	2	8	10	11	11	11
65 +	4	4.3	8	2	2	4	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	295	2.0	5	< 1	< 1	1	2	6	6	8
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	792	5.4	44	< 1	1	3	6	11	21	32
B. Operated	30	4.4	36	< 1	< 1	2	6	10	12	31
1. SINGLE DX	295	2.0	5	< 1	< 1	1	2	6	6	8
2. MULTIPLE DX	822	5.3	44	< 1	1	3	6	11	21	32
A. Not Operated	1087	4.4	36	< 1	< 1	2	6	8	20	30
B. Operated	30	4.4	36	< 1	< 1	2	6	10	12	31
TOTAL										
0-19 YRS	368	3.3	43	< 1	< 1	1	2	6	22	32
20-34	317	4.9	42	< 1	< 1	3	6	10	21	32
35-49	269	5.5	25	< 1	1	5	6	10	20	27
50-64	104	4.2	13	1	1	4	6	7	10	20
65 +	59	4.7	38	1	1	3	5	9	11	39
GRAND TOTAL	**1117**	**4.4**	**36**	**< 1**	**< 1**	**2**	**6**	**8**	**19**	**31**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.4	20	< 1	< 1	3	7	9	15	17
20-34	66	4.7	19	1	1	4	6	11	16	20
35-49	16	4.7	16	1	1	3	7	9	13	15
50-64	0									
65 +	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	129	9.7	111	1	2	5	13	28	29	45
20-34	340	9.2	79	1	1	6	14	21	28	40
35-49	91	9.7	62	1	2	7	14	21	28	33
50-64	14	7.9	47	1	2	6	14	20	21	21
65 +	7	8.9	56	< 1	1	6	11	22	24	24
B. Operated										
0-19 YRS	2	32.0	32	28	28	32	36	36	36	36
20-34	15	11.6	71	2	3	9	15	26	28	29
35-49	4	20.3	392	6	6	14	34	48	48	48
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	4.7	18	1	1	4	6	9	15	19
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	581	9.3	82	1	1	6	14	22	28	39
B. Operated	22	14.8	150	3	4	13	25	38	66	99 +
1. SINGLE DX	99	4.6	18	1	1	4	6	9	15	19
2. MULTIPLE DX	603	9.5	85	1	2	6	14	23	28	45
A. Not Operated	679	8.7	75	1	1	5	13	21	28	39
B. Operated	23	14.2	151	2	3	11	24	37	64	99 +
TOTAL										
0-19 YRS	145	9.5	110	1	2	5	12	28	29	43
20-34	422	8.6	72	1	1	5	13	21	26	39
35-49	111	9.4	71	1	1	6	14	21	28	41
50-64	15	7.8	44	1	2	6	13	20	21	21
65 +	9	8.1	45	< 1	2	6	12	62	99 +	99 +
GRAND TOTAL	**702**	**8.8**	**79**	**1**	**1**	**5**	**13**	**21**	**28**	**41**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.0	1	1	1	2	3	3	3	3
20-34	14	2.4	5	< 1	< 1	2	3	5	8	9
35-49	10	2.3	2	< 1	< 1	2	3	4	5	5
50-64	4	2.3	1	< 1	< 1	2	3	3	3	3
65 +	4	4.8	20	1	1	3	8	11	11	11
B. Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	1	12.0		12	12	12	12	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	6.9	98	1	1	3	7	18	32	43
20-34	45	4.8	64	< 1	1	3	4	9	15	52
35-49	46	4.3	25	1	1	3	5	7	12	31
50-64	54	5.5	102	1	1	3	4	7	17	68
65 +	69	5.2	18	1	2	4	6	11	15	23
B. Operated										
0-19 YRS	0									
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	3	4.7		4	4	5	5	5	5	5
50-64	5	6.2	13	2	2	7	9	10	10	10
65 +	12	13.1	316	2	2	7	14	37	61	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.4	4	< 1	1	2	3	5	6	11
B. Operated	3	5.7	30	2	2	3	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	238	5.2	55	1	1	3	5	9	16	44
B. Operated	22	9.8	182	2	2	6	9	21	41	65
1. SINGLE DX	48	2.6	6	< 1	1	2	3	5	9	12
2. MULTIPLE DX	260	5.6	66	1	1	3	6	10	17	51
A. Not Operated	283	4.8	48	1	1	3	5	9	14	39
B. Operated	25	9.3	164	2	2	6	9	19	35	65
TOTAL										
0-19 YRS	37	5.2	68	1	1	2	5	11	24	43
20-34	63	4.2	48	< 1	1	2	4	9	11	48
35-49	59	4.0	20	1	1	3	5	7	9	30
50-64	64	5.5	88	1	1	3	5	9	14	65
65 +	85	6.3	65	1	2	4	7	12	17	51
GRAND TOTAL	**308**	**5.1**	**58**	**1**	**1**	**3**	**5**	**9**	**16**	**47**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	389	10.0	125	1	1	6	14	22	30	61
20-34	376	7.1	57	1	1	5	9	15	20	35
35-49	207	6.3	35	1	1	4	8	16	20	24
50-64	54	5.2	16	1	1	4	7	12	14	16
65 +	40	11.2	106	1	2	9	14	22	29	55
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	774	14.2	253	1	2	9	18	33	50	88
20-34	1215	9.1	76	1	2	7	12	20	26	46
35-49	663	8.7	74	1	2	6	11	19	25	41
50-64	250	10.3	112	1	2	7	14	21	28	58
65 +	205	10.3	81	2	2	8	12	23	28	46
B. Operated										
0-19 YRS	17	7.2	54	1	1	6	9	26	72	99 +
20-34	31	10.9	97	1	2	9	15	23	29	44
35-49	8	15.8	147	2	4	16	29	74	99 +	99 +
50-64	12	13.6	73	1	2	13	17	26	31	32
65 +	10	19.4	165	3	4	20	28	37	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1066	8.1	80	1	1	5	11	18	22	44
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	3107	10.5	128	1	2	7	13	23	32	62
B. Operated	78	12.1	107	1	2	10	18	30	39	99 +
1. SINGLE DX	1067	8.1	80	1	1	5	11	18	22	43
2. MULTIPLE DX	3185	10.5	127	1	2	7	13	23	33	63
A. Not Operated	4173	9.9	117	1	2	7	12	22	29	59
B. Operated	79	12.0	107	1	2	9	18	30	38	99 +
TOTAL										
0-19 YRS	1180	12.7	212	1	2	8	16	29	44	86
20-34	1622	8.7	73	1	2	6	11	19	25	45
35-49	878	8.2	67	1	1	6	10	18	23	39
50-64	317	9.5	98	1	2	7	13	19	27	55
65 +	255	10.8	90	1	2	8	13	24	30	47
GRAND TOTAL	**4252**	**9.9**	**116**	**1**	**2**	**7**	**13**	**22**	**30**	**59**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	357	24.7	603	1	1	17	47	66	83	99+
20-34	111	14.4	208	<1	2	8	24	34	40	66
35-49	55	10.3	124	1	1	7	15	22	31	59
50-64	22	7.4	68	<1	1	5	7	19	30	32
65+	21	9.1	152	<1	1	4	10	24	38	54
B. Operated										
0-19 YRS	2	15.5	41	11	11	15	20	20	20	20
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	709	24.3	531	1	2	19	40	63	87	99+
20-34	323	14.9	294	1	2	8	22	39	53	99+
35-49	192	12.7	259	1	1	7	17	31	45	99+
50-64	116	10.0	161	1	1	5	14	24	32	62
65+	162	9.6	98	2	2	6	10	22	33	64
B. Operated										
0-19 YRS	14	21.1	273	1	2	20	53	99+	99+	99+
20-34	16	14.6	354	<1	1	10	29	93	99+	99+
35-49	17	31.1	508	1	3	29	51	57	68	73
50-64	8	11.1	73	2	3	7	17	25	27	27
65+	24	21.8	472	3	3	13	38	56	66	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	566	20.0	480	1	1	10	30	59	72	99+
B. Operated	2	15.5	41	11	11	15	20	20	20	20
2. MULTIPLE DX										
A. Not Operated	1502	18.1	406	1	2	10	28	54	70	99+
B. Operated	79	21.2	404	1	2	15	39	62	99+	99+
1. SINGLE DX	568	20.0	478	1	1	11	30	59	72	99+
2. MULTIPLE DX	1581	18.2	406	1	2	10	28	55	71	99+
A. Not Operated	2068	18.6	427	1	2	10	29	56	71	99+
B. Operated	81	21.0	395	1	2	15	39	61	99+	99+
TOTAL										
0-19 YRS	1082	24.4	550	1	2	19	43	65	87	99+
20-34	450	14.8	274	1	2	8	23	37	53	99+
35-49	264	13.4	267	1	1	8	17	38	51	99
50-64	146	9.7	142	1	1	5	14	24	31	45
65+	207	11.0	160	2	2	6	13	25	40	71
GRAND TOTAL	**2149**	**18.7**	**426**	**1**	**2**	**10**	**29**	**56**	**72**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	21.5	696	1	1	12	38	60	60	60
20-34	7	7.9	99	<1	<1	3	14	24	26	26
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	24.1	1114	3	4	8	79	99+	99+	99+
20-34	16	16.9	56	6	7	15	23	29	30	31
35-49	10	15.3	255	1	2	10	18	43	47	47
50-64	4	16.8	594	2	2	6	31	53	53	53
65+	0									
B. Operated										
0-19 YRS	0									
20-34	6	10.3	175	2	2	6	8	34	37	37
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	11.2	280	<1	1	3	16	33	55	60
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	41	18.4	414	2	3	14	25	57	97	99+
B. Operated	9	9.2	125	<1	1	6	10	28	37	37
1. SINGLE DX	13	11.2	280	<1	1	3	16	33	55	60
2. MULTIPLE DX	50	16.8	371	2	3	11	23	52	94	99+
A. Not Operated	54	16.7	386	1	2	11	23	53	89	99+
B. Operated	9	9.2	125	<1	1	6	10	28	37	37
TOTAL										
0-19 YRS	15	23.4	946	2	3	8	63	99	99+	99+
20-34	29	13.3	99	1	2	13	19	28	31	37
35-49	13	12.2	227	<1	1	4	17	41	46	47
50-64	5	14.4	473	2	2	5	20	53	53	53
65+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**63**	**15.6**	**353**	**1**	**2**	**9**	**19**	**52**	**79**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	190	10.1	24	2	4	10	11	15	17	31
20-34	26	7.5	23	2	2	6	12	14	16	18
35-49	17	6.7	39	1	1	5	11	16	20	22
50-64	8	9.3	5	6	6	9	11	12	12	12
65 +	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
0-19 YRS	8	16.1	72	8	9	13	20	30	34	34
20-34	9	5.3	44	1	1	3	6	16	22	22
35-49	14	9.4	107	1	2	8	11	17	36	42
50-64	7	7.6	58	< 1	< 1	7	9	20	23	23
65 +	2	7.5	61	2	2	7	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	225	10.8	54	2	3	10	13	16	20	44
20-34	54	11.7	123	1	2	9	14	21	30	70
35-49	56	13.7	143	2	3	10	19	25	33	69
50-64	44	13.2	130	2	3	11	15	26	39	62
65 +	70	20.9	217	2	4	17	30	42	50	65
B. Operated										
0-19 YRS	49	25.1	515	2	7	17	31	63	77	93
20-34	32	26.5	381	4	6	24	37	54	65	79
35-49	45	21.2	373	2	2	16	31	54	60	71
50-64	45	23.4	429	1	2	17	40	57	60	76
65 +	35	30.3	449	3	6	26	49	83	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	243	9.5	26	2	3	10	11	15	17	29
B. Operated	40	9.4	82	1	1	8	12	22	28	42
2. MULTIPLE DX										
A. Not Operated	449	13.1	118	2	3	11	15	23	34	63
B. Operated	206	25.0	434	2	3	19	39	59	71	99 +
1. SINGLE DX	283	9.5	33	2	2	10	11	15	18	33
2. MULTIPLE DX	655	16.8	247	2	3	12	20	40	56	79
A. Not Operated	692	11.8	88	2	3	10	14	21	28	54
B. Operated	246	22.4	409	2	2	16	34	57	65	99 +
TOTAL										
0-19 YRS	472	12.1	109	2	4	10	13	19	25	68
20-34	121	14.2	219	2	2	9	17	31	48	73
35-49	132	14.9	227	1	2	10	19	35	53	70
50-64	104	16.9	276	1	2	11	20	45	57	69
65 +	109	23.4	311	2	4	20	34	54	66	99 +
GRAND TOTAL	**938**	**14.6**	**194**	**2**	**3**	**11**	**16**	**32**	**49**	**76**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	1	20.0		20	20	20	20	20	20	20
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	6.9	12	3	3	6	10	12	12	12
65 +	16	10.2	149	1	1	7	11	21	43	52
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	4	11.0	25	4	4	12	14	15	15	15
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	13.5	41	9	9	13	18	18	18	18
35-49	3	6.7	10	3	3	8	9	9	9	9
50-64	49	12.7	127	3	3	9	19	34	55	99 +
65 +	490	14.0	158	3	4	11	17	29	48	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	10	14.6	169	1	1	11	19	36	41	41
65 +	80	25.2	482	3	5	21	43	98	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	10.2	115	1	3	7	11	22	34	52
B. Operated	6	11.0	15	4	5	11	14	15	15	15
2. MULTIPLE DX										
A. Not Operated	544	13.9	154	3	4	10	17	29	48	99 +
B. Operated	90	24.0	456	3	5	20	41	98	99 +	99 +
1. SINGLE DX	32	10.3	95	1	3	8	11	21	28	52
2. MULTIPLE DX	634	15.3	209	3	4	11	19	38	68	99 +
A. Not Operated	570	13.7	153	3	4	10	17	29	48	99 +
B. Operated	96	23.2	438	3	5	18	40	95	99 +	99 +
TOTAL										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	3	15.7	34	9	9	18	19	20	20	20
35-49	5	7.2	10	3	3	8	11	91	99 +	99 +
50-64	70	12.3	117	2	3	9	15	32	41	99 +
65 +	587	15.4	216	3	4	11	19	38	67	99 +
GRAND TOTAL	**666**	**15.1**	**205**	**3**	**4**	**11**	**19**	**37**	**62**	**99 +**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	6.6	37	1	1	4	13	15	15	15
20-34	79	7.4	30	1	1	6	10	13	18	26
35-49	125	8.2	33	1	3	8	10	13	17	34
50-64	46	7.5	18	2	2	8	10	14	15	20
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	8	8.3	127	1	1	4	9	27	35	35
35-49	17	4.2	7	1	1	5	6	7	8	9
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	18.4	403	1	3	12	20	53	65	65
20-34	110	9.6	70	2	3	8	12	16	22	54
35-49	200	11.3	110	2	3	9	13	20	31	55
50-64	103	12.8	140	3	4	9	14	25	32	70
65 +	21	16.5	396	2	3	9	20	66	87	99 +
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	18	13.3	72	1	3	9	22	25	29	31
35-49	41	11.6	170	1	2	9	15	49	99 +	99 +
50-64	30	16.7	225	2	3	11	25	50	53	99 +
65 +	7	19.0	195	6	6	14	32	39	40	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	7.7	29	1	2	8	10	14	16	27
B. Operated	27	5.4	42	1	1	5	6	9	13	35
2. MULTIPLE DX										
A. Not Operated	442	11.6	127	2	3	9	13	21	32	66
B. Operated	97	14.1	170	1	3	10	21	38	62	99 +
1. SINGLE DX	286	7.5	31	1	2	7	10	13	16	29
2. MULTIPLE DX	539	12.0	136	2	3	9	14	24	36	94
A. Not Operated	701	10.2	94	2	3	9	12	18	27	59
B. Operated	124	12.2	155	1	2	8	16	35	52	99 +
TOTAL										
0-19 YRS	16	12.9	237	1	1	11	14	24	53	65
20-34	215	9.0	59	1	2	8	11	16	23	39
35-49	383	10.0	90	1	3	9	12	18	28	85
50-64	181	12.0	130	2	3	9	14	25	35	81
65 +	30	16.2	326	2	3	8	21	48	77	99 +
GRAND TOTAL	**825**	**10.5**	**104**	**1**	**3**	**9**	**12**	**20**	**30**	**75**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	478	3.0	7	1	1	2	4	6	8	14
20-34	275	3.0	5	1	1	2	4	6	8	11
35-49	126	3.4	8	1	1	3	4	8	9	14
50-64	91	3.8	8	1	1	3	5	7	10	14
65 +	75	4.3	7	1	2	4	6	7	9	15
B. Operated										
0-19 YRS	15	15.5	185	2	4	9	25	41	43	44
20-34	18	9.8	63	1	2	8	16	21	27	30
35-49	17	12.4	64	2	3	9	18	25	27	28
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	935	4.5	33	1	1	3	5	9	14	27
20-34	580	5.1	58	1	1	3	6	9	14	30
35-49	546	5.8	32	1	1	4	7	12	16	52
50-64	558	6.5	36	1	2	5	8	13	19	42
65 +	1130	8.1	77	2	2	6	10	16	21	47
B. Operated										
0-19 YRS	51	11.9	110	1	2	8	19	29	36	99
20-34	60	10.2	106	1	1	7	13	25	34	46
35-49	52	11.5	219	1	1	6	15	40	70	99 +
50-64	70	12.7	136	3	4	10	19	30	63	99 +
65 +	127	19.5	309	2	4	15	25	48	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1045	3.2	7	1	1	2	4	6	6	14
B. Operated	51	12.3	100	2	2	8	17	28	30	44
2. MULTIPLE DX										
A. Not Operated	3749	6.2	53	1	1	4	7	13	18	41
B. Operated	360	14.4	213	1	2	10	20	35	59	99 +
1. SINGLE DX	1096	3.6	15	1	1	3	4	7	10	21
2. MULTIPLE DX	4109	6.9	72	1	1	4	8	15	21	57
A. Not Operated	4794	5.5	44	1	1	4	7	11	16	35
B. Operated	411	14.1	199	1	2	10	20	34	56	99 +
TOTAL										
0-19 YRS	1479	4.4	32	1	1	3	5	9	14	30
20-34	933	4.9	49	1	1	3	6	9	14	31
35-49	741	5.9	45	1	1	4	7	13	19	74
50-64	719	6.8	47	1	2	5	8	14	20	60
65 +	1333	9.0	107	2	2	6	10	19	25	66
GRAND TOTAL	**5205**	**6.2**	**62**	**1**	**1**	**4**	**7**	**13**	**20**	**49**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	121	4.3	94	< 1	< 1	2	4	6	12	79
20-34	116	3.5	8	1	1	3	4	6	9	18
35-49	77	4.0	12	< 1	1	3	5	9	11	78
50-64	48	5.0	67	< 1	1	2	7	10	13	54
65 +	58	7.4	58	1	2	5	8	13	23	42
B. Operated										
0-19 YRS	152	6.0	108	1	1	4	6	8	14	71
20-34	78	5.7	28	1	1	4	7	12	17	26
35-49	91	5.0	20	1	1	4	7	11	16	19
50-64	55	4.5	15	1	1	3	7	10	13	15
65 +	25	6.0	25	1	1	5	8	11	18	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	483	8.7	290	1	1	4	10	99 +	99 +	99 +
20-34	268	7.6	112	1	2	5	7	17	25	98
35-49	251	8.1	96	1	2	5	9	19	32	59
50-64	335	9.9	131	1	2	6	12	21	35	88
65 +	1150	13.0	220	2	3	9	15	30	52	99 +
B. Operated										
0-19 YRS	228	8.9	132	1	2	6	11	27	99 +	99 +
20-34	162	9.9	188	1	2	7	12	21	57	99 +
35-49	159	11.2	183	1	2	7	12	29	54	99 +
50-64	242	13.6	269	1	2	9	15	33	58	99 +
65 +	501	17.5	266	2	3	13	22	44	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	420	4.5	48	< 1	1	3	5	9	12	55
B. Operated	401	5.5	54	1	1	4	7	11	15	36
2. MULTIPLE DX										
A. Not Operated	2487	10.6	202	1	2	6	12	32	82	99 +
B. Operated	1292	13.5	235	1	2	9	17	35	65	99 +
1. SINGLE DX	821	5.0	51	1	1	3	6	10	14	51
2. MULTIPLE DX	3779	11.6	215	1	2	7	14	34	74	99 +
A. Not Operated	2907	9.8	184	1	2	6	11	28	66	99 +
B. Operated	1693	11.6	203	1	2	8	14	29	56	99 +
TOTAL										
0-19 YRS	984	7.8	203	1	1	4	8	71	99 +	99 +
20-34	624	7.2	106	1	1	5	8	16	25	99 +
35-49	578	7.9	103	1	1	5	9	18	31	74
50-64	680	10.4	174	1	2	7	12	23	38	90
65 +	1734	14.0	231	2	3	10	17	34	57	99 +
GRAND TOTAL	**4600**	**10.5**	**192**	**1**	**2**	**6**	**12**	**28**	**60**	**99 +**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	2.0	1	< 1	1	2	2	3	4	6
20-34	235	2.8	3	1	1	2	4	5	7	10
35-49	203	3.4	10	1	1	2	4	7	9	19
50-64	43	2.9	3	< 1	1	2	4	5	6	7
65 +	13	3.3	10	< 1	< 1	2	4	9	11	11
B. Operated										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	14	2.9	1	1	1	3	4	4	5	5
35-49	13	4.2	12	1	1	2	5	10	12	13
50-64	3	5.7	2	4	4	6	7	7	7	7
65 +	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108	2.6	3	1	1	2	3	5	5	8
20-34	302	3.9	10	1	1	3	5	8	9	16
35-49	331	3.9	8	1	1	3	5	7	9	16
50-64	152	3.5	5	1	1	3	4	6	7	9
65 +	71	4.7	14	1	1	4	5	10	13	21
B. Operated										
0-19 YRS	3	6.0	19	1	1	8	9	9	9	9
20-34	17	5.9	14	1	1	5	8	12	13	13
35-49	25	5.1	12	1	1	5	6	12	12	13
50-64	13	5.2	8	2	2	5	7	9	11	12
65 +	7	7.1	34	2	2	7	10	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	605	2.9	6	1	1	2	4	5	7	11
B. Operated	35	3.6	6	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	964	3.7	8	1	1	3	5	7	9	15
B. Operated	65	5.6	14	1	2	5	8	12	12	17
1. SINGLE DX	640	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	1029	3.8	9	1	1	3	5	7	9	15
A. Not Operated	1569	3.4	7	1	1	3	4	7	8	15
B. Operated	100	4.9	12	1	1	4	7	10	12	16
TOTAL										
0-19 YRS	225	2.4	2	1	1	2	3	4	5	8
20-34	568	3.5	8	1	1	3	4	7	8	13
35-49	572	3.8	9	1	1	3	5	7	9	17
50-64	211	3.5	5	1	1	3	5	6	7	10
65 +	93	4.6	15	1	1	3	5	10	13	20
GRAND TOTAL	**1669**	**3.5**	**8**	**1**	**1**	**3**	**4**	**7**	**8**	**15**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	13	1.3		< 1	< 1	1	1	2	3	3
20-34	91	1.2	1	< 1	< 1	< 1	1	2	2	7
35-49	171	1.2		< 1	< 1	< 1	1	2	2	3
50-64	117	1.2		< 1	< 1	< 1	1	2	2	4
65 +	54	1.3		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	7	3.3	11	< 1	< 1	2	4	9	10	10
50-64	17	3.6	8	< 1	< 1	3	5	8	9	10
65 +	9	5.6	13	< 1	< 1	7	8	10	11	11
B. Operated										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	59	2.2	5	< 1	< 1	2	2	4	5	15
35-49	95	1.9	3	< 1	< 1	1	2	4	5	11
50-64	148	2.0	4	< 1	< 1	1	2	4	5	13
65 +	122	2.9	50	< 1	< 1	2	3	4	7	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	446	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	36	4.2	10	< 1	< 1	3	7	9	10	11
B. Operated	430	2.2	17	< 1	< 1	1	2	4	5	13
1. SINGLE DX	447	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX	466	2.4	17	< 1	< 1	1	2	4	7	13
A. Not Operated	37	4.2	9	< 1	< 1	3	7	9	10	11
B. Operated	876	1.7	9	< 1	< 1	1	2	3	4	9
TOTAL										
0-19 YRS	21	1.8	3	< 1	< 1	1	2	3	6	9
20-34	151	1.6	3	< 1	< 1	1	2	3	4	11
35-49	273	1.5	2	< 1	< 1	< 1	1	2	4	8
50-64	283	1.8	3	< 1	< 1	1	2	3	5	10
65 +	185	2.5	34	< 1	< 1	1	2	4	7	13
GRAND TOTAL	**913**	**1.8**	**9**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**10**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	6.6	137	1	1	3	6	13	27	74
20-34	55	5.7	43	1	1	3	8	16	19	33
35-49	56	3.7	7	1	1	3	5	8	9	13
50-64	56	6.8	54	1	1	4	8	14	22	41
65 +	42	5.7	31	1	1	3	8	15	16	26
B. Operated										
0-19 YRS	34	3.5	8	< 1	1	3	4	7	7	15
20-34	211	2.9	9	< 1	< 1	2	4	5	7	18
35-49	242	2.5	4	< 1	< 1	2	4	5	6	9
50-64	139	2.7	9	< 1	< 1	2	3	5	9	18
65 +	86	4.1	47	< 1	1	2	4	8	14	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	8.6	79	1	1	6	12	23	36	99
20-34	101	5.9	33	< 1	1	4	8	12	14	34
35-49	136	6.7	64	1	1	4	8	15	21	45
50-64	220	7.5	64	1	2	5	9	18	28	60
65 +	414	9.2	105	1	2	6	11	20	31	82
B. Operated										
0-19 YRS	34	5.7	63	< 1	1	3	5	16	28	33
20-34	153	5.5	108	< 1	1	3	5	9	16	68
35-49	208	4.3	33	< 1	1	2	5	8	15	39
50-64	214	7.0	88	1	1	4	8	17	32	70
65 +	253	10.8	217	1	1	5	14	30	48	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	260	5.7	55	1	1	3	7	11	18	37
B. Operated	712	2.9	12	< 1	< 1	2	4	5	7	18
2. MULTIPLE DX										
A. Not Operated	922	8.0	81	1	2	5	9	18	28	56
B. Operated	862	7.1	121	1	1	3	7	18	30	67
1. SINGLE DX	972	3.7	25	< 1	< 1	2	4	7	11	25
2. MULTIPLE DX	1784	7.6	101	1	1	4	9	18	29	65
A. Not Operated	1182	7.5	76	1	1	5	9	17	26	49
B. Operated	1574	5.2	76	< 1	1	2	5	11	20	52
TOTAL										
0-19 YRS	170	6.4	81	< 1	1	4	6	16	27	66
20-34	520	4.5	48	< 1	1	3	5	10	13	34
35-49	642	4.1	29	< 1	1	3	5	8	12	32
50-64	629	6.2	63	< 1	1	3	8	14	26	52
65 +	795	9.0	134	1	1	5	10	22	33	71
GRAND TOTAL	**2756**	**6.2**	**77**	**< 1**	**1**	**3**	**7**	**14**	**24**	**52**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.0		3	3	3	3	3	3	3
50-64	6	3.0	7	1	1	2	4	8	8	8
65 +	5	2.6	1	1	1	3	3	4	4	4
B. Operated										
0-19 YRS	43	3.0	5	1	1	2	3	5	7	14
20-34	54	3.0	2	1	2	3	4	5	6	7
35-49	88	3.3	3	1	1	3	4	6	7	8
50-64	204	3.1	3	1	2	3	4	6	6	9
65 +	204	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	9	4.6	14	1	1	4	6	11	13	13
50-64	11	2.5	3	1	1	2	3	5	7	7
65 +	13	3.2	8	1	1	3	3	8	10	10
B. Operated										
0-19 YRS	22	3.5	7	1	1	3	4	7	10	12
20-34	47	2.6	3	< 1	1	2	3	5	6	8
35-49	89	3.5	4	1	1	3	4	6	8	11
50-64	292	3.3	4	1	1	3	4	6	7	11
65 +	484	3.8	9	< 1	1	3	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.9	3	1	1	3	3	5	7	8
B. Operated	593	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	39	3.3	7	1	1	2	4	7	9	13
B. Operated	934	3.6	7	< 1	1	3	4	6	8	14
1. SINGLE DX	607	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	973	3.6	7	< 1	1	3	4	6	8	14
A. Not Operated	53	3.2	6	1	1	3	4	7	8	13
B. Operated	1527	3.4	5	1	1	3	4	6	7	12
TOTAL										
0-19 YRS	68	3.1	6	1	1	2	4	6	8	14
20-34	105	2.8	2	1	1	2	4	5	6	8
35-49	188	3.4	4	1	1	3	4	6	8	11
50-64	513	3.2	4	1	1	3	4	6	7	10
65 +	706	3.6	7	< 1	1	3	4	6	8	15
GRAND TOTAL	**1580**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	12	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	0									
35-49	7	1.0		< 1	< 1	< 1	1	1	1	1
50-64	31	1.7	1	< 1	< 1	2	2	3	3	4
65 +	51	2.4	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	7	2.7	2	1	1	3	3	5	5	5
65 +	29	2.9	5	1	1	2	4	6	7	10
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	8	1.5	1	< 1	< 1	1	2	3	3	3
50-64	50	2.3	4	< 1	< 1	2	3	4	7	10
65 +	200	3.6	36	< 1	< 1	2	4	7	11	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.4	1	< 1	< 1	1	2	3	4	4
B. Operated	92	2.0	1	< 1	< 1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	38	2.8	4	< 1	1	2	4	5	7	10
B. Operated	264	3.3	28	< 1	< 1	2	3	6	10	19
1. SINGLE DX	111	1.9	1	< 1	< 1	2	2	4	4	6
2. MULTIPLE DX	302	3.2	25	< 1	< 1	2	3	6	9	18
A. Not Operated	57	2.3	3	< 1	1	2	3	5	6	10
B. Operated	356	3.0	22	< 1	< 1	2	3	6	9	17
TOTAL										
0-19 YRS	12	1.1		< 1	< 1	1	1	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	18	1.5	1	< 1	< 1	1	2	3	4	4
50-64	89	2.1	2	< 1	< 1	2	3	3	5	10
65 +	292	3.3	26	< 1	< 1	2	3	6	9	18
GRAND TOTAL	**413**	**2.9**	**19**	**< 1**	**< 1**	**2**	**3**	**5**	**8**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	16	1.3		< 1	< 1	1	1	2	3	3
65 +	19	2.5	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	3	5.3	6	3	3	5	7	8	8	8
65 +	19	3.1	19	1	1	2	3	6	14	20
B. Operated										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	11	3.5	10	< 1	1	2	4	9	10	10
35-49	12	2.7	4	1	1	2	4	6	7	7
50-64	21	2.4	4	< 1	< 1	2	3	5	7	9
65 +	92	2.8	4	< 1	1	2	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.3		1	1	1	2	2	2	2
B. Operated	41	1.9	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	28	3.2	15	< 1	< 1	2	4	7	9	20
B. Operated	138	2.8	5	< 1	1	2	4	5	8	10
1. SINGLE DX	47	1.8	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX	166	2.9	6	< 1	1	2	4	6	8	11
A. Not Operated	34	2.9	13	< 1	1	2	3	6	8	20
B. Operated	179	2.6	4	< 1	< 1	2	3	5	7	10
TOTAL										
0-19 YRS	5	2.8	12	< 1	< 1	1	4	9	9	9
20-34	13	3.2	9	< 1	< 1	2	4	9	10	10
35-49	20	2.7	4	1	1	2	3	6	7	7
50-64	41	2.2	3	< 1	< 1	1	3	4	6	9
65 +	134	2.8	6	< 1	1	2	3	5	7	12
GRAND TOTAL	**213**	**2.7**	**6**	**< 1**	**1**	**2**	**3**	**5**	**7**	**11**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	26	1.8	1	< 1	< 1	2	2	3	4	5
50-64	197	1.4		< 1	< 1	1	2	2	2	3
65 +	1036	1.5		< 1	< 1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	12	1.0		< 1	< 1	< 1	1	1	1	1
65 +	133	2.1	4	< 1	< 1	1	2	5	8	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	58	1.8	1	< 1	< 1	2	2	3	4	6
50-64	520	1.9	3	< 1	< 1	2	2	3	4	10
65 +	3759	1.9	4	< 1	1	2	2	3	3	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1259	1.5		< 1	< 1	1	2	2	2	4
2. MULTIPLE DX										
A. Not Operated	146	2.0	4	< 1	< 1	1	2	4	7	10
B. Operated	4337	1.9	4	< 1	< 1	2	2	3	3	8
1. SINGLE DX	1259	1.5		< 1	< 1	1	2	2	2	4
2. MULTIPLE DX	4483	1.9	4	< 1	< 1	2	2	3	4	8
A. Not Operated	146	2.0	4	< 1	< 1	1	2	4	7	10
B. Operated	5596	1.8	3	< 1	< 1	2	2	2	3	7
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	85	1.8	1	< 1	< 1	2	2	3	4	6
50-64	729	1.8	3	< 1	< 1	2	2	2	3	8
65 +	4928	1.8	3	< 1	< 1	2	2	2	3	8
GRAND TOTAL	**5742**	**1.8**	**3**	**< 1**	**< 1**	**2**	**2**	**2**	**3**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	1.5	1	< 1	< 1	1	2	3	3	3
20-34	10	2.4	2	< 1	< 1	2	4	4	4	4
35-49	13	1.5		< 1	< 1	2	2	2	2	2
50-64	11	1.8	1	< 1	< 1	2	2	3	3	3
65 +	20	1.6	1	< 1	< 1	1	2	2	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	2	3.0	8	< 1	< 1	2	5	5	5	5
B. Operated										
0-19 YRS	24	1.6	1	< 1	< 1	1	2	3	4	5
20-34	19	2.3	4	< 1	< 1	2	3	5	7	9
35-49	22	1.9	1	< 1	< 1	2	2	3	4	4
50-64	40	1.8	1	< 1	< 1	2	2	3	3	7
65 +	105	1.8	1	< 1	< 1	2	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	67	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	4	2.0	4	< 1	< 1	1	3	5	5	5
B. Operated	210	1.8	1	< 1	< 1	2	2	3	[illegible]	7
1. SINGLE DX	67	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	214	1.8	1	< 1	< 1	2	2	3	4	7
A. Not Operated	4	2.0	4	< 1	< 1	1	3	5	5	5
B. Operated	277	1.8	1	< 1	< 1	2	2	3	4	6
TOTAL										
0-19 YRS	37	1.5	1	< 1	< 1	1	2	3	4	5
20-34	29	2.3	3	< 1	< 1	2	4	4	5	9
35-49	35	1.7	1	< 1	< 1	2	2	3	3	4
50-64	53	1.8	1	< 1	< 1	2	2	3	3	7
65 +	127	1.8	1	< 1	< 1	2	2	3	5	6
GRAND TOTAL	**281**	**1.8**	**1**	**< 1**	**< 1**	**2**	**2**	**3**	**4**	**6**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	4	1.5		1	1	1	2	2	2	2
35-49	4	3.8	4	1	1	4	5	6	6	6
50-64	4	2.8	4	< 1	< 1	2	4	5	5	5
65 +	3	2.3		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	469	1.1		< 1	< 1	< 1	1	1	2	2
20-34	29	1.2		< 1	< 1	1	1	2	2	2
35-49	17	1.3		< 1	< 1	1	2	2	2	2
50-64	9	2.2	2	1	1	2	3	5	5	5
65 +	11	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.2	4	< 1	< 1	1	3	5	7	7
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	6	6.0	36	2	2	4	6	17	18	18
50-64	12	3.6	6	1	1	3	5	7	9	9
65 +	23	5.3	11	2	2	5	7	8	12	17
B. Operated										
0-19 YRS	203	1.1		< 1	< 1	< 1	1	1	2	2
20-34	27	1.3	1	< 1	< 1	1	1	3	4	4
35-49	17	2.8	12	< 1	< 1	2	3	6	12	15
50-64	21	3.9	19	< 1	< 1	2	4	12	15	16
65 +	32	5.5	34	< 1	1	2	9	14	16	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.3	3	< 1	1	2	3	5	6	6
B. Operated	535	1.1		< 1	< 1	< 1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	57	4.2	12	< 1	1	3	6	7	10	18
B. Operated	300	1.9	8	< 1	< 1	< 1	1	3	7	15
1. SINGLE DX	554	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX	357	2.2	9	< 1	< 1	1	2	5	8	16
A. Not Operated	76	3.7	10	< 1	1	3	5	7	9	18
B. Operated	835	1.4	3	< 1	< 1	< 1	1	2	2	12
TOTAL										
0-19 YRS	688	1.1		< 1	< 1	< 1	1	1	2	2
20-34	64	1.4	1	< 1	< 1	1	1	2	3	4
35-49	44	2.8	12	< 1	< 1	2	3	6	9	18
50-64	46	3.4	11	< 1	1	2	4	7	11	16
65 +	69	4.6	22	< 1	1	2	6	12	15	22
GRAND TOTAL	**911**	**1.6**	**4**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**	**14**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	3.1	4	< 1	< 1	3	4	6	7	10
20-34	16	3.6	14	< 1	1	2	5	7	13	15
35-49	14	4.3	7	1	1	4	6	8	9	9
50-64	7	3.1	6	1	1	2	4	7	8	8
65 +	24	3.4	13	< 1	1	1	5	8	11	15
B. Operated										
0-19 YRS	63	1.6	4	< 1	< 1	< 1	1	2	5	13
20-34	36	2.0	8	< 1	< 1	1	2	3	5	17
35-49	80	1.4	1	< 1	< 1	1	2	2	3	5
50-64	99	1.5	1	< 1	< 1	1	1	3	4	7
65 +	129	2.3	3	< 1	< 1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	3.5	6	< 1	< 1	3	5	6	8	15
20-34	15	5.4	13	1	1	5	9	10	11	12
35-49	12	3.0	5	< 1	1	2	4	7	8	8
50-64	24	4.2	14	< 1	< 1	3	5	9	13	15
65 +	50	7.0	60	1	1	4	9	15	21	41
B. Operated										
0-19 YRS	49	3.4	42	< 1	< 1	1	3	7	11	43
20-34	61	2.5	11	< 1	< 1	1	3	5	6	23
35-49	116	2.0	10	< 1	< 1	1	2	3	6	53
50-64	250	2.1	6	< 1	< 1	1	2	4	6	14
65 +	571	2.7	12	< 1	< 1	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	3.3	7	< 1	< 1	3	4	7	8	15
B. Operated	407	1.8	3	< 1	< 1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	196	4.6	23	< 1	1	3	6	9	12	26
B. Operated	1047	2.5	12	< 1	< 1	2	3	5	7	19
1. SINGLE DX	537	2.1	4	< 1	< 1	1	2	5	6	10
2. MULTIPLE DX	1243	2.8	14	< 1	< 1	2	3	6	8	21
A. Not Operated	326	4.1	17	< 1	1	3	5	8	10	20
B. Operated	1454	2.3	9	< 1	< 1	1	2	5	6	17
TOTAL										
0-19 YRS	276	2.9	12	< 1	< 1	2	4	6	7	15
20-34	128	2.8	12	< 1	< 1	1	3	7	9	19
35-49	222	2.0	7	< 1	< 1	1	2	4	6	18
50-64	380	2.1	5	< 1	< 1	1	2	4	6	13
65 +	774	2.9	15	< 1	< 1	2	3	6	8	21
GRAND TOTAL	**1780**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**17**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	270	3.5	4	1	2	3	4	6	8	11
20-34	28	4.2	5	1	1	4	6	7	8	11
35-49	14	4.4	3	1	1	5	6	6	7	7
50-64	17	4.9	25	1	1	3	6	14	17	18
65 +	18	4.5	5	1	1	5	6	7	8	9
B. Operated										
0-19 YRS	29	3.1	10	< 1	< 1	2	4	7	10	15
20-34	13	3.2	10	< 1	< 1	2	4	8	10	10
35-49	22	2.5	4	< 1	< 1	2	3	6	7	8
50-64	50	2.3	3	< 1	< 1	2	3	4	6	10
65 +	103	2.2	3	< 1	1	2	2	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	310	4.3	11	1	2	4	5	7	10	18
20-34	46	6.6	41	1	2	5	7	13	26	30
35-49	41	5.3	17	1	2	4	6	9	17	20
50-64	72	5.0	21	1	1	3	6	10	17	23
65 +	136	5.3	18	1	1	4	7	9	15	21
B. Operated										
0-19 YRS	40	5.2	27	< 1	1	4	7	9	11	32
20-34	71	3.6	21	< 1	1	2	4	7	9	29
35-49	76	4.3	26	< 1	< 1	3	5	11	14	30
50-64	189	4.0	24	< 1	1	2	4	8	13	30
65 +	430	3.8	31	< 1	< 1	2	4	8	11	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	347	3.7	6	1	1	3	5	7	8	11
B. Operated	217	2.4	4	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	605	4.9	17	1	2	4	6	8	13	22
B. Operated	806	4.0	28	< 1	< 1	2	4	8	12	31
1. SINGLE DX	564	3.2	6	1	1	3	4	6	8	11
2. MULTIPLE DX	1411	4.3	23	< 1	1	3	5	8	12	29
A. Not Operated	952	4.4	13	1	2	4	5	8	11	19
B. Operated	1023	3.6	23	< 1	< 1	2	4	8	11	30
TOTAL										
0-19 YRS	649	4.0	9	1	2	3	5	7	9	15
20-34	158	4.6	24	1	1	3	6	8	13	30
35-49	153	4.3	19	< 1	1	3	5	8	12	20
50-64	328	4.0	21	< 1	1	3	4	8	13	25
65 +	687	3.9	24	< 1	< 1	2	4	8	11	27
GRAND TOTAL	**1975**	**4.0**	**18**	**<1**	**1**	**3**	**5**	**8**	**11**	**22**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.8	2	< 1	< 1	1	3	4	4	4
20-34	5	3.2	6	< 1	< 1	3	5	7	7	7
35-49	4	3.3	4	2	2	3	4	6	6	6
50-64	2	5.5	5	4	4	5	7	7	7	7
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	8	2.1	2	< 1	< 1	1	3	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.3	4	< 1	< 1	2	3	5	8	8
20-34	5	3.4	4	1	1	4	5	6	6	6
35-49	11	3.0	3	1	1	3	4	5	6	6
50-64	22	5.3	12	1	2	4	7	11	12	14
65 +	47	5.1	16	1	1	4	7	10	12	20
B. Operated										
0-19 YRS	6	1.2		< 1	< 1	< 1	1	2	2	2
20-34	6	2.7	5	1	1	2	3	7	7	7
35-49	9	2.8	2	< 1	< 1	3	3	5	6	6
50-64	15	2.5	4	< 1	1	2	3	5	7	8
65 +	16	[illegible].6	9	< 1	< 1	1	3	6	10	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.8	4	< 1	< 1	2	4	6	7	7
B. Operated	17	1.8	1	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	97	4.5	12	1	1	4	6	8	11	18
B. Operated	52	2.4	5	< 1	< 1	2	3	5	7	12
1. SINGLE DX	39	2.4	3	< 1	< 1	2	4	5	6	7
2. MULTIPLE DX	149	3.8	11	< 1	1	3	5	8	11	16
A. Not Operated	119	4.2	11	1	1	4	6	8	11	17
B. Operated	69	2.3	4	< 1	< 1	2	3	5	6	11
TOTAL										
0-19 YRS	34	1.9	2	< 1	< 1	1	2	4	5	8
20-34	17	2.9	4	< 1	1	2	4	7	7	7
35-49	26	2.8	3	< 1	1	3	4	6	6	6
50-64	42	4.1	10	1	1	3	6	8	11	14
65 +	69	4.3	14	< 1	1	3	6	9	11	19
GRAND TOTAL	**188**	**3.5**	**9**	**<1**	**1**	**2**	**5**	**8**	**10**	**15**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	241	2.8	6	1	1	2	3	5	7	12
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	4.2	5	< 1	< 1	5	5	7	7	7
50-64	8	3.3	6	1	1	2	5	7	7	7
65 +	7	3.6	21	1	1	2	2	12	14	14
B. Operated										
0-19 YRS	580	1.2	1	< 1	< 1	< 1	1	1	2	7
20-34	55	1.3		< 1	< 1	1	2	2	2	4
35-49	43	1.3		< 1	< 1	1	2	2	3	3
50-64	47	1.3		< 1	< 1	1	1	2	2	3
65 +	24	1.3		< 1	< 1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	777	3.0	4	1	1	3	4	5	6	11
20-34	18	6.1	57	< 1	1	4	7	16	26	31
35-49	13	4.7	17	1	1	4	6	12	14	14
50-64	18	4.0	12	< 1	< 1	3	5	7	12	16
65 +	26	4.9	14	1	1	4	7	12	13	15
B. Operated										
0-19 YRS	943	1.6	7	< 1	< 1	1	1	2	4	15
20-34	130	1.8	4	< 1	1	1	2	3	4	12
35-49	132	1.8	3	< 1	< 1	1	2	2	3	10
50-64	137	1.8	2	[illegible]	1	1	2	3	4	9
65 +	95	3.1	59	1	1	2	2	5	7	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	264	2.8	6	1	1	2	3	5	7	14
B. Operated	749	1.2	1	< 1	< 1	< 1	1	2	2	6
2. MULTIPLE DX										
A. Not Operated	852	3.1	6	1	1	3	4	5	7	14
B. Operated	1437	1.8	10	< 1	< 1	1	1	2	5	15
1. SINGLE DX	1013	1.7	3	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX	2289	2.3	9	< 1	< 1	1	3	4	6	14
A. Not Operated	1116	3.1	6	1	1	3	4	5	7	14
B. Operated	2186	1.6	7	< 1	< 1	1	1	2	3	11
TOTAL										
0-19 YRS	2541	2.0	5	< 1	< 1	1	2	4	6	11
20-34	205	2.0	9	< 1	1	1	2	3	5	19
35-49	194	1.9	4	< 1	< 1	1	2	3	6	13
50-64	210	1.9	3	< 1	1	1	2	4	5	10
65 +	152	3.2	41	1	1	2	3	6	11	70
GRAND TOTAL	**3302**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	3.6	4	2	2	3	5	6	7	11
20-34	27	3.9	3	2	2	3	5	6	8	9
35-49	16	4.3	6	1	2	4	5	9	10	10
50-64	10	5.6	10	2	2	5	6	11	13	13
65 +	7	6.4	17	2	2	6	8	13	14	14
B. Operated										
0-19 YRS	92	2.2	7	< 1	< 1	1	2	5	7	15
20-34	15	2.0	1	< 1	1	2	3	4	4	4
35-49	14	1.9	1	< 1	1	2	3	3	4	4
50-64	18	2.1	1	< 1	1	2	3	3	4	5
65 +	6	3.3	7	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	299	3.5	7	1	1	3	4	6	7	13
20-34	61	5.7	20	1	2	5	7	11	14	28
35-49	52	5.3	19	2	2	4	5	16	18	97
50-64	42	5.6	7	2	3	5	8	9	11	12
65 +	61	10.3	127	2	3	6	10	27	42	47
B. Operated										
0-19 YRS	157	3.4	25	< 1	< 1	1	4	9	12	24
20-34	56	3.5	8	1	1	2	5	8	9	14
35-49	55	4.1	28	1	1	2	4	14	17	27
50-64	59	4.9	57	< 1	1	2	5	11	27	35
65 +	50	14.3	264	1	1	8	22	43	46	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	4.0	5	2	2	3	5	7	9	13
B. Operated	145	2.2	5	< 1	< 1	1	3	4	7	14
2. MULTIPLE DX										
A. Not Operated	515	4.9	28	1	2	4	[illegible]	9	13	41
B. Operated	377	5.2	72	< 1	1	2	5	12	22	45
1. SINGLE DX	300	3.1	6	< 1	< 1	3	4	6	8	13
2. MULTIPLE DX	892	5.0	46	1	1	3	5	10	17	43
A. Not Operated	670	4.7	23	1	2	4	5	8	12	30
B. Operated	522	4.4	55	< 1	< 1	2	4	10	18	43
TOTAL										
0-19 YRS	643	3.3	11	< 1	1	2	4	7	9	16
20-34	159	4.3	13	1	1	3	5	8	10	15
35-49	137	4.3	20	1	1	3	5	10	17	36
50-64	129	4.8	30	1	1	3	6	9	12	33
65 +	124	11.3	177	1	1	6	12	39	43	52
GRAND TOTAL	**1192**	**4.6**	**37**	**< 1**	**1**	**3**	**5**	**9**	**13**	**41**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.3	1	1	1	3	3	3	3	3
20-34	51	2.6	3	1	1	2	4	6	6	6
35-49	85	2.6	4	1	1	2	3	4	5	14
50-64	117	2.9	3	1	1	2	4	6	6	9
65 +	116	3.1	5	1	1	3	4	5	7	13
B. Operated										
0-19 YRS	7	1.0		< 1	< 1	1	1	1	1	1
20-34	21	4.4	13	1	1	3	6	9	12	16
35-49	20	2.1	2	1	1	2	3	4	6	7
50-64	22	2.5	2	1	1	2	4	4	5	5
65 +	16	3.6	8	1	1	3	5	7	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	65	3.4	4	1	1	3	4	6	7	10
35-49	148	3.8	5	1	1	3	5	7	8	10
50-64	449	3.7	8	1	1	3	5	7	8	12
65 +	1049	4.6	13	1	2	4	6	9	11	17
B. Operated										
0-19 YRS	13	1.7	3	< 1	< 1	1	2	4	6	7
20-34	13	4.4	13	1	1	3	6	11	12	12
35-49	21	3.4	4	1	1	2	5	6	7	9
50-64	44	3.7	8	1	1	3	5	9	10	11
65 +	72	6.9	43	1	1	5	9	14	22	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	378	2.8	4	1	1	2	4	5	6	11
B. Operated	86	2.9	7	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	1715	4.2	11	1	2	3	5	8	10	16
B. Operated	163	5.0	26	1	1	3	6	11	14	26
1. SINGLE DX	464	2.8	5	1	1	2	4	5	6	11
2. MULTIPLE DX	1878	4.3	12	1	1	3	5	8	10	17
A. Not Operated	2093	4.0	10	1	1	3	5	8	9	15
B. Operated	249	4.3	20	1	1	3	5	9	13	26
TOTAL										
0-19 YRS	33	1.8	2	< 1	1	1	3	3	4	7
20-34	150	3.3	6	1	1	3	4	6	8	12
35-49	274	3.2	5	1	1	3	4	7	8	10
50-64	632	3.5	7	1	1	3	4	7	8	12
65 +	1253	4.6	14	1	2	4	6	9	11	18
GRAND TOTAL	**2342**	**4.0**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	10	1.3		1	1	1	2	2	2	2
35-49	17	1.4		< 1	1	1	2	2	2	2
50-64	21	1.2		1	1	1	1	2	3	4
65 +	24	1.8		1	1	2	2	2	3	3
B. Operated										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	73	1.7	1	1	1	2	2	3	3	4
35-49	116	1.6	1	1	1	1	2	2	3	5
50-64	99	1.5	1	1	1	1	2	2	3	5
65 +	39	1.7	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	1.2		< 1	< 1	1	1	2	2	2
50-64	6	1.7		1	1	2	2	2	2	2
65 +	7	1.9		< 1	< 1	2	2	2	2	2
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	19	1.4		1	1	1	2	2	3	3
35-49	59	1.7	1	1	1	1	2	3	3	6
50-64	54	2.1	3	1	1	2	2	3	5	13
65 +	49	2.3	6	1	1	2	2	3	4	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	1.5		1	1	1	2	2	3	4
B. Operated	333	1.6	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	21	1.6		< 1	< 1	2	2	2	2	2
B. Operated	184	1.9	3	1	1	2	2	3	4	11
1. SINGLE DX	409	1.6	1	1	1	1	2	2	3	4
2. MULTIPLE DX	205	1.9	3	1	1	2	2	3	4	9
A. Not Operated	97	1.5		1	1	1	2	2	2	4
B. Operated	517	1.7	1	1	1	2	2	3	3	5
TOTAL										
0-19 YRS	14	1.6	1	1	1	1	2	3	4	4
20-34	104	1.6		1	1	1	2	2	3	4
35-49	197	1.6	1	1	1	1	2	2	3	5
50-64	180	1.7	1	1	1	1	2	3	3	5
65 +	119	2.0	3	1	1	2	2	3	4	10
GRAND TOTAL	**614**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.6	3	1	1	2	4	6	6	6
20-34	5	4.0	6	2	2	3	6	7	7	7
35-49	8	4.3	5	1	1	5	6	7	7	7
50-64	12	3.4	6	1	1	3	5	7	8	8
65 +	5	4.0	4	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	312	1.2	2	< 1	< 1	1	1	2	2	6
20-34	139	1.3	1	< 1	< 1	1	1	2	2	9
35-49	104	1.4	1	< 1	1	1	1	3	3	5
50-64	81	1.6	1	< 1	1	1	2	3	3	5
65 +	35	1.5	1	< 1	1	1	2	2	3	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.2	8	< 1	< 1	1	2	4	10	12
20-34	12	2.5	3	< 1	< 1	2	4	5	6	6
35-49	10	3.8	14	1	1	3	4	10	12	12
50-64	14	5.0	24	< 1	1	3	8	13	14	14
65 +	21	5.9	14	< 1	1	5	9	12	13	14
B. Operated										
0-19 YRS	254	1.6	5	< 1	< 1	1	1	2	4	14
20-34	158	1.8	17	< 1	1	1	2	2	3	17
35-49	128	1.9	7	< 1	1	1	2	3	5	14
50-64	142	1.8	2	< 1	1	1	2	3	4	7
65 +	77	2.7	13	< 1	1	2	2	4	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.6	5	1	1	3	6	7	7	8
B. Operated	671	1.3	1	< 1	1	1	1	2	3	7
2. MULTIPLE DX										
A. Not Operated	71	4.1	15	< 1	< 1	3	5	12	13	14
B. Operated	759	1.8	8	< 1	1	1	2	3	4	12
1. SINGLE DX	708	1.4	1	< 1	1	1	1	2	3	7
2. MULTIPLE DX	830	2.0	9	< 1	1	1	2	3	5	14
A. Not Operated	108	3.9	11	< 1	< 1	3	6	9	12	14
B. Operated	1430	1.6	5	< 1	1	1	2	2	3	9
TOTAL										
0-19 YRS	587	1.4	3	< 1	< 1	1	1	2	3	8
20-34	314	1.7	9	< 1	< 1	1	2	2	3	9
35-49	250	1.8	5	< 1	1	1	2	3	5	10
50-64	249	2.0	4	< 1	1	1	2	3	5	13
65 +	138	2.9	12	< 1	1	2	3	7	11	16
GRAND TOTAL	**1538**	**1.8**	**6**	**< 1**	**1**	**1**	**2**	**3**	**5**	**12**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	7.2	37	2	2	5	9	15	20	29
20-34	9	7.0	16	2	2	7	9	13	14	14
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	6.4	60	2	2	4	6	14	25	36
20-34	8	9.8	17	2	3	10	12	14	15	15
35-49	8	4.1	3	2	2	4	5	7	7	7
50-64	14	8.2	105	1	1	5	8	24	36	39
65 +	17	11.9	211	2	3	7	14	22	49	63
B. Operated										
0-19 YRS	2	30.0	8	28	28	30	32	32	32	32
20-34	2	15.5	5	14	14	15	17	17	17	17
35-49	2	13.5	5	12	12	13	15	15	15	15
50-64	3	12.0	13	8	8	13	14	15	15	15
65 +	8	11.8	80	2	2	10	16	25	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	6.8	30	2	2	5	8	14	17	29
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	70	8.2	96	2	2	5	10	17	22	58
B. Operated	17	14.6	73	2	3	14	17	29	31	32
1. SINGLE DX	43	6.7	30	1	2	5	8	14	17	29
2. MULTIPLE DX	87	9.5	97	2	2	6	13	20	29	54
A. Not Operated	112	7.7	72	2	2	5	9	15	22	48
B. Operated	18	13.8	79	1	2	13	17	29	31	32
TOTAL										
0-19 YRS	55	7.7	64	2	2	5	9	19	29	36
20-34	20	8.7	23	1	2	8	13	15	16	17
35-49	13	5.3	16	2	2	4	6	13	15	15
50-64	17	8.9	89	1	2	6	9	21	33	39
65 +	25	11.9	164	2	2	8	15	22	37	63
GRAND TOTAL	**130**	**8.6**	**77**	**2**	**2**	**6**	**12**	**17**	**28**	**44**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	< 1	< 1	3	6	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	4.2	3	3	3	3	5	7	7	7
50-64	5	4.2	15	2	2	2	6	11	11	11
65 +	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	11	3.6	18	1	1	2	3	11	15	15
35-49	27	4.9	26	1	1	2	10	14	16	17
50-64	41	4.7	32	1	1	2	7	13	17	23
65 +	20	3.5	16	< 1	< 1	2	3	9	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	16	8.1	149	1	1	5	7	14	41	52
35-49	34	4.9	11	< 1	1	4	6	9	12	15
50-64	95	6.9	48	1	1	5	8	14	19	41
65 +	237	9.2	73	2	3	7	11	18	25	44
B. Operated										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	34	8.8	87	1	1	7	13	19	29	44
35-49	130	8.3	71	1	2	7	11	15	25	43
50-64	322	9.3	123	1	1	7	13	22	29	89
65 +	321	11.6	171	1	2	8	17	28	38	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.1	7	< 1	2	3	6	7	10	11
B. Operated	99	4.4	25	1	1	2	5	13	16	21
2. MULTIPLE DX										
A. Not Operated	384	8.2	66	1	2	6	10	15	22	45
B. Operated	809	10.0	133	1	2	7	14	24	33	88
1. SINGLE DX	114	4.4	23	1	1	2	5	11	15	20
2. MULTIPLE DX	1193	9.4	112	1	2	6	13	22	31	65
A. Not Operated	399	8.0	64	1	2	6	9	15	22	44
B. Operated	908	9.4	124	1	1	6	13	23	31	82
TOTAL										
0-19 YRS	6	4.2	22	< 1	< 1	2	6	12	13	13
20-34	62	7.6	91	1	1	5	9	16	24	51
35-49	196	7.1	55	1	2	5	10	15	18	41
50-64	463	8.3	100	1	1	5	11	19	27	67
65 +	580	10.3	128	1	2	7	14	24	32	75
GRAND TOTAL	**1307**	**9.0**	**106**	**1**	**1**	**6**	**12**	**20**	**29**	**60**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	4.3	14	2	2	3	5	11	13	13
20-34	23	3.4	5	< 1	1	3	4	7	9	10
35-49	98	3.8	5	1	1	3	5	7	8	12
50-64	123	3.5	9	1	1	3	4	6	7	17
65 +	77	3.5	5	1	1	3	4	7	8	13
B. Operated										
0-19 YRS	17	2.6	15	< 1	1	1	2	4	12	17
20-34	12	3.1	13	< 1	< 1	1	4	10	11	11
35-49	20	2.6	6	1	1	2	3	7	8	9
50-64	23	2.5	3	1	1	2	4	5	6	7
65 +	11	3.5	7	< 1	< 1	3	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	4.8	16	1	1	3	7	9	11	20
20-34	97	4.6	15	1	1	3	5	10	14	18
35-49	385	4.6	12	1	2	4	6	8	12	18
50-64	742	5.4	16	1	2	4	7	10	13	21
65 +	1103	6.4	41	2	2	5	7	11	15	40
B. Operated										
0-19 YRS	9	3.8	24	1	1	2	4	12	16	16
20-34	30	8.7	180	1	1	4	8	15	37	68
35-49	70	7.8	81	1	1	5	9	17	26	50
50-64	111	8.7	115	1	1	6	10	17	24	78
65 +	178	11.3	178	1	1	7	15	27	38	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	3.6	7	1	1	3	4	6	8	13
B. Operated	83	2.8	8	< 1	1	2	4	6	9	15
2. MULTIPLE DX										
A. Not Operated	2353	5.7	27	1	2	4	7	11	14	27
B. Operated	398	9.6	142	1	1	6	12	23	33	83
1. SINGLE DX	412	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	2751	6.3	46	1	2	5	7	12	16	39
A. Not Operated	2682	5.4	25	1	2	4	7	10	13	26
B. Operated	481	8.4	125	1	1	5	10	20	30	69
TOTAL										
0-19 YRS	60	4.0	17	1	1	3	5	9	14	20
20-34	162	5.0	45	1	1	3	6	10	14	35
35-49	573	4.8	20	1	1	4	6	9	13	24
50-64	999	5.5	28	1	2	4	7	10	14	25
65 +	1369	6.8	60	1	2	5	8	13	20	45
GRAND TOTAL	**3163**	**5.9**	**42**	**1**	**2**	**4**	**7**	**11**	**15**	**37**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	10	3.8	3	2	2	4	4	6	7	7
50-64	29	4.4	8	2	2	4	5	9	11	13
65 +	59	6.0	17	2	3	5	7	10	17	92
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.3	7	1	1	2	5	7	7	7
50-64	9	3.2	6	1	1	2	5	7	7	7
65 +	10	5.2	10	2	2	5	7	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	9	5.4	5	3	3	5	7	8	9	9
35-49	80	6.0	22	2	2	4	7	12	17	26
50-64	364	7.5	25	3	3	6	9	13	16	27
65 +	1630	9.7	69	3	3	7	12	18	25	51
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	15.0		15	15	15	15	15	15	15
35-49	20	7.0	75	1	1	3	8	18	28	36
50-64	96	9.2	115	1	1	6	12	23	39	79
65 +	217	15.6	207	2	3	11	20	35	43	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	5.3	13	2	2	4	7	9	12	61
B. Operated	24	4.0	8	1	1	2	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	2085	9.1	60	3	3	7	11	17	23	48
B. Operated	335	13.2	182	1	2	10	17	32	42	96
1. SINGLE DX	124	5.0	12	1	2	4	7	9	11	43
2. MULTIPLE DX	2420	9.7	79	2	3	7	12	19	26	55
A. Not Operated	2185	8.9	59	2	3	7	11	17	23	48
B. Operated	359	12.6	176	1	2	10	16	30	42	95
TOTAL										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	13	5.5	13	1	2	4	7	10	14	15
35-49	114	5.9	29	1	2	4	7	12	17	32
50-64	498	7.5	42	2	2	6	9	14	18	41
65 +	1916	10.2	87	2	3	8	12	20	28	62
GRAND TOTAL	**2544**	**9.5**	**77**	**2**	**3**	**7**	**11**	**18**	**26**	**55**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.4	4	3	3	4	5	8	8	8
20-34	5	5.0	13	1	1	5	8	9	9	9
35-49	5	5.4	6	2	2	6	7	8	8	8
50-64	7	6.0	2	5	5	5	7	9	9	9
65 +	3	12.7	185	2	2	8	23	28	28	28
B. Operated										
0-19 YRS	5	4.0	10	1	1	4	5	9	9	9
20-34	12	4.0	13	1	1	3	4	11	13	13
35-49	22	4.8	19	1	1	3	7	10	14	19
50-64	26	3.0	5	1	1	2	3	5	9	11
65 +	23	5.5	37	< 1	1	4	8	12	18	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	6.8	33	< 1	1	6	9	13	20	25
20-34	16	6.0	48	1	1	3	7	17	24	26
35-49	52	6.9	24	2	2	6	8	11	14	32
50-64	86	8.3	92	1	2	5	9	15	37	46
65 +	235	10.7	102	2	3	8	13	20	30	66
B. Operated										
0-19 YRS	19	9.9	240	1	2	3	8	35	50	59
20-34	55	10.6	103	2	2	8	15	22	30	52
35-49	103	8.8	76	1	2	5	12	19	26	44
50-64	178	9.8	90	1	2	7	14	23	32	48
65 +	240	14.2	229	1	2	10	18	29	42	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	6.2	26	1	2	5	8	9	14	28
B. Operated	88	4.3	18	1	1	3	5	10	12	25
2. MULTIPLE DX										
A. Not Operated	408	9.3	87	2	2	7	11	18	26	52
B. Operated	595	11.5	154	1	2	8	15	26	37	67
1. SINGLE DX	113	4.7	21	1	1	3	6	9	12	28
2. MULTIPLE DX	1003	10.6	128	1	2	7	14	23	33	61
A. Not Operated	433	9.2	84	2	2	7	11	17	26	49
B. Operated	683	10.6	142	1	2	7	14	24	34	62
TOTAL										
0-19 YRS	48	7.5	111	1	2	4	8	13	32	59
20-34	88	8.5	82	1	2	5	11	18	26	50
35-49	182	7.7	54	1	2	5	10	18	21	40
50-64	297	8.7	84	1	2	5	11	20	29	46
65 +	501	12.2	165	2	2	9	15	26	36	77
GRAND TOTAL	**1116**	**10.0**	**120**	**1**	**2**	**7**	**12**	**22**	**31**	**58**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	19	7.7	7	3	4	8	10	11	12	12
35-49	327	8.2	10	2	4	9	10	12	13	14
50-64	631	8.6	9	3	5	9	10	12	14	17
65 +	500	8.9	9	4	5	9	11	12	14	17
B. Operated										
0-19 YRS	0									
20-34	11	6.5	11	1	1	8	9	10	10	10
35-49	67	9.2	15	2	5	9	11	13	16	22
50-64	101	9.5	17	2	4	9	12	14	17	21
65 +	31	9.4	11	4	5	10	12	13	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	10.8	19	4	6	10	13	18	19	19
20-34	79	8.2	22	2	3	8	10	13	14	30
35-49	1248	9.2	21	3	5	9	11	14	15	25
50-64	4503	9.9	19	4	6	9	11	14	17	25
65 +	10743	11.6	44	5	6	10	13	18	23	41
B. Operated										
0-19 YRS	6	9.3	15	4	4	9	12	15	15	15
20-34	65	9.6	98	2	4	8	11	15	17	72
35-49	661	10.5	29	2	4	10	12	16	20	32
50-64	1791	12.6	59	4	6	11	15	21	26	48
65 +	2182	17.0	149	5	7	14	20	31	43	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1478	8.6	9	3	5	9	10	12	14	17
B. Operated	210	9.2	16	2	4	9	11	14	16	21
2. MULTIPLE DX										
A. Not Operated	16585	10.9	36	5	6	10	13	17	21	36
B. Operated	4705	14.3	103	4	6	12	17	25	32	69
1. SINGLE DX	1688	8.7	10	3	5	9	10	12	14	17
2. MULTIPLE DX	21290	11.7	53	4	6	10	13	18	24	44
A. Not Operated	18063	10.7	34	5	6	10	12	16	20	35
B. Operated	4915	14.1	101	4	6	12	16	24	32	67
TOTAL										
0-19 YRS	19	10.6	17	4	5	10	14	16	18	19
20-34	174	8.6	49	2	3	8	10	13	15	32
35-49	2303	9.5	22	3	5	9	11	14	16	27
50-64	7026	10.4	30	4	6	10	12	16	19	32
65 +	13456	12.4	64	5	6	10	14	20	26	51
GRAND TOTAL	**22978**	**11.5**	**51**	**4**	**6**	**10**	**13**	**18**	**23**	**43**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	24	2.7	2	1	1	2	4	5	6	7
35-49	217	3.1	3	1	1	3	4	5	6	9
50-64	353	3.0	2	1	1	3	4	5	6	7
65 +	271	3.6	4	1	2	3	5	6	7	10
B. Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	72	2.2	2	1	1	2	2	3	6	9
50-64	130	2.5	4	1	1	2	2	5	8	10
65 +	52	2.3	4	1	1	2	2	4	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.3	3	2	2	4	5	7	7	7
20-34	100	3.3	3	1	1	3	5	6	6	8
35-49	1088	3.7	5	1	2	3	5	6	8	11
50-64	3002	4.1	6	1	2	3	5	7	9	13
65 +	5218	5.0	24	2	2	4	6	9	11	21
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	27	4.7	16	1	1	3	8	12	13	14
35-49	592	4.1	19	1	1	2	6	8	10	16
50-64	1640	4.6	28	1	1	2	6	10	13	23
65 +	1336	6.4	46	1	2	3	9	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	868	3.2	3	1	1	3	4	5	7	9
B. Operated	257	2.3	4	1	1	2	2	4	7	10
2. MULTIPLE DX										
A. Not Operated	9417	4.6	16	1	2	4	5	8	10	18
B. Operated	3597	5.2	34	1	1	3	7	11	15	28
1. SINGLE DX	1125	3.0	3	1	1	3	4	5	7	9
2. MULTIPLE DX	13014	4.7	21	1	2	4	6	9	11	21
A. Not Operated	10285	4.4	15	1	2	4	5	8	10	17
B. Operated	3854	5.0	32	1	1	2	7	11	15	27
TOTAL										
0-19 YRS	14	3.7	4	1	1	4	5	6	7	7
20-34	154	3.4	5	1	1	3	4	6	8	13
35-49	1969	3.7	9	1	1	3	5	7	8	14
50-64	5125	4.1	13	1	1	3	5	8	10	17
65 +	6877	5.2	28	1	2	4	6	10	13	25
GRAND TOTAL	**14139**	**4.6**	**20**	**1**	**2**	**3**	**6**	**9**	**11**	**21**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	28	3.1	2	1	1	3	5	5	5	6
35-49	303	3.6	4	1	1	3	4	6	7	11
50-64	675	3.9	5	1	2	3	5	7	8	12
65 +	710	4.2	5	1	2	4	5	7	8	12
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	46	3.7	8	1	1	3	5	7	9	15
50-64	98	4.5	10	1	1	3	7	9	11	13
65 +	58	4.7	15	1	2	3	7	10	11	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.1	9	2	2	3	4	9	12	12
20-34	91	3.9	5	1	2	3	5	7	9	11
35-49	1677	4.4	9	2	2	4	5	8	10	15
50-64	6419	5.0	11	2	2	4	6	8	11	18
65 +	14362	6.2	24	2	3	5	7	11	14	24
B. Operated										
0-19 YRS	0									
20-34	37	8.3	76	2	3	6	8	14	26	49
35-49	652	7.2	30	1	2	6	10	13	17	26
50-64	2435	8.5	52	2	2	7	11	16	20	32
65 +	2929	11.1	93	2	2	9	15	21	29	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1717	3.9	5	1	2	4	5	7	8	12
B. Operated	203	4.3	11	1	1	3	6	9	11	15
2. MULTIPLE DX										
A. Not Operated	22559	5.7	20	2	2	5	7	10	13	22
B. Operated	6053	9.6	72	2	2	8	12	19	24	45
1. SINGLE DX	1920	4.0	5	1	2	3	5	7	8	12
2. MULTIPLE DX	28612	6.5	33	2	2	5	8	12	16	29
A. Not Operated	24276	5.6	19	2	2	5	7	10	12	21
B. Operated	6256	9.4	70	2	2	8	12	18	24	45
TOTAL										
0-19 YRS	11	4.0	8	2	2	3	4	8	12	12
20-34	157	4.8	25	1	2	4	6	8	9	29
35-49	2678	5.0	15	1	2	4	6	9	12	20
50-64	9627	5.8	23	2	2	4	7	11	14	24
65 +	18059	6.9	38	2	2	5	8	13	17	33
GRAND TOTAL	**30532**	**6.4**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.0		2	2	2	2	2	2	2
35-49	20	2.7	2	1	1	2	4	5	6	6
50-64	40	4.0	8	1	1	3	6	8	9	13
65 +	39	4.2	8	1	1	4	5	8	10	14
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	2.8	5	1	1	2	3	6	9	9
35-49	302	2.7	7	1	1	2	3	7	9	12
50-64	912	2.9	9	1	1	2	3	8	10	14
65 +	478	2.9	10	1	1	2	2	7	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	4.3	11	< 1	1	4	5	9	12	13
35-49	145	3.9	15	1	1	3	5	7	9	20
50-64	537	4.7	19	1	1	4	6	9	11	20
65 +	809	6.3	37	1	2	5	7	12	16	34
B. Operated										
0-19 YRS	8	3.3	11	< 1	< 1	2	5	9	9	9
20-34	66	5.3	86	1	1	3	5	12	18	63
35-49	1620	4.6	23	1	1	3	7	10	13	22
50-64	5539	5.4	38	1	1	3	8	12	16	30
65 +	4364	7.3	76	1	1	4	10	17	23	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	3.8	7	1	1	3	5	8	9	13
B. Operated	1705	2.9	9	1	1	2	3	7	10	14
2. MULTIPLE DX										
A. Not Operated	1508	5.5	29	1	1	4	7	10	14	30
B. Operated	11597	6.0	51	1	1	3	9	14	18	35
1. SINGLE DX	1807	2.9	9	1	1	2	3	7	10	14
2. MULTIPLE DX	13105	6.0	49	1	1	3	8	13	18	35
A. Not Operated	1610	5.4	28	1	1	4	7	10	14	29
B. Operated	13302	5.6	47	1	1	2	8	13	17	33
TOTAL										
0-19 YRS	10	3.3	8	< 1	< 1	2	4	8	9	9
20-34	97	4.8	62	1	1	2	5	10	14	47
35-49	2087	4.2	20	1	1	2	6	10	12	20
50-64	7028	5.1	33	1	1	2	8	12	15	27
65 +	5690	6.8	66	1	1	3	9	15	21	41
GRAND TOTAL	**14912**	**5.6**	**45**	**1**	**1**	**3**	**8**	**13**	**17**	**33**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	9.3	7	6	6	9	11	13	13	13
20-34	28	7.2	12	2	2	8	9	12	12	14
35-49	43	9.2	16	4	6	8	10	13	17	23
50-64	43	8.2	9	2	4	9	10	11	12	13
65 +	47	10.2	22	4	5	10	12	17	20	27
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	7	9.3	26	1	2	9	11	17	18	18
35-49	3	15.3	74	6	6	17	21	23	23	23
50-64	11	9.7	13	2	5	10	11	15	16	16
65 +	6	10.0	11	6	6	10	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	7.2	5	4	4	8	9	10	10	10
20-34	75	9.4	17	3	5	9	11	13	15	28
35-49	173	10.4	28	3	5	10	13	16	20	28
50-64	326	10.8	26	5	6	10	13	16	18	30
65 +	803	13.0	52	6	7	11	15	20	24	43
B. Operated										
0-19 YRS	3	14.3		14	14	15	57	99 +	99 +	99 +
20-34	39	12.9	43	3	6	12	17	21	23	35
35-49	88	11.4	25	5	7	11	14	17	22	28
50-64	157	14.6	102	5	7	12	17	27	42	97
65 +	320	17.6	155	6	7	14	21	34	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	8.9	16	2	4	9	11	13	14	23
B. Operated	28	10.4	22	2	6	10	12	17	18	23
2. MULTIPLE DX										
A. Not Operated	1382	11.9	43	5	6	11	14	18	23	38
B. Operated	607	15.6	120	5	7	13	19	29	42	99 +
1. SINGLE DX	195	9.1	17	2	4	9	11	13	17	23
2. MULTIPLE DX	1989	13.0	69	5	6	11	15	21	28	56
A. Not Operated	1549	11.6	41	5	6	10	14	18	22	36
B. Operated	635	15.4	117	5	7	12	18	29	41	99 +
TOTAL										
0-19 YRS	15	9.9	12	5	6	10	13	15	74	99 +
20-34	149	9.9	27	2	4	9	12	16	19	31
35-49	307	10.6	26	3	5	10	13	17	21	27
50-64	537	11.6	50	4	6	10	13	18	24	51
65 +	1176	14.1	84	5	7	12	16	24	31	82
GRAND TOTAL	**2184**	**12.7**	**66**	**5**	**6**	**11**	**15**	**21**	**27**	**54**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	26.8	223	2	2	31	34	42	42	42
20-34	3	10.0	84	2	2	8	17	20	20	20
35-49	0									
50-64	2	9.5	85	3	3	9	16	16	16	16
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	16.5	421	2	2	16	31	31	31	31
35-49	1	49.0		49	49	49	49	49	49	49
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	17.1	81	5	8	14	21	31	34	36
20-34	102	23.9	134	4	7	27	31	39	42	47
35-49	80	23.2	164	4	6	25	31	43	45	54
50-64	61	24.1	163	7	9	24	33	41	44	59
65 +	116	30.4	209	9	12	30	37	51	56	69
B. Operated										
0-19 YRS	4	39.8	138	30	30	37	49	55	55	55
20-34	49	34.8	290	9	15	33	42	50	71	97
35-49	40	33.9	170	13	16	35	43	49	63	99 +
50-64	29	33.2	372	9	13	29	47	60	68	86
65 +	59	35.5	229	16	19	32	45	66	91	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	17.3	198	2	2	16	30	36	41	42
B. Operated	4	25.3	392	2	2	25	40	49	49	49
2. MULTIPLE DX										
A. Not Operated	376	25.5	177	6	9	27	32	43	47	61
B. Operated	181	34.7	249	13	17	32	44	55	73	99 +
1. SINGLE DX	15	19.4	239	2	2	19	31	42	47	49
2. MULTIPLE DX	557	28.5	219	7	10	29	37	46	55	86
A. Not Operated	387	25.2	179	5	8	27	32	43	47	61
B. Operated	185	34.5	252	13	16	32	44	54	72	99 +
TOTAL										
0-19 YRS	27	22.3	169	3	8	19	31	41	45	55
20-34	156	27.0	213	4	7	28	34	43	47	79
35-49	121	26.9	193	6	10	28	37	45	49	80
50-64	92	26.7	248	7	9	25	36	47	56	78
65 +	176	31.9	223	10	13	30	42	54	64	99 +
GRAND TOTAL	**572**	**28.2**	**221**	**6**	**10**	**29**	**37**	**46**	**55**	**86**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.6	4	1	1	2	4	5	7	8
20-34	14	1.7	1	1	1	2	2	3	4	4
35-49	32	1.9	1	1	1	2	2	3	4	5
50-64	54	2.5	2	< 1	1	2	3	4	6	8
65 +	37	2.7	3	1	1	2	3	6	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.1	14	< 1	1	2	3	7	13	15
20-34	33	2.5	4	< 1	< 1	2	3	5	7	8
35-49	104	3.4	7	1	1	3	4	6	8	15
50-64	272	3.8	9	1	1	3	5	7	9	16
65 +	635	5.5	30	1	2	4	7	10	12	26
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	12	7.5	30	3	3	7	8	14	22	23
65 +	31	9.5	67	3	4	8	12	25	92	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	2.4	2	1	1	2	3	4	6	8
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1058	4.7	23	1	1	4	6	9	11	24
B. Operated	46	8.5	55	2	3	7	10	18	52	99 +
1. SINGLE DX	153	2.4	2	1	1	2	3	4	6	8
2. MULTIPLE DX	1104	4.9	24	1	1	4	6	9	11	25
A. Not Operated	1209	4.4	21	1	1	3	5	8	11	21
B. Operated	48	8.3	55	2	3	7	10	18	47	99 +
TOTAL										
0-19 YRS	28	2.9	9	< 1	1	2	3	6	9	15
20-34	48	2.3	3	< 1	1	2	3	5	6	8
35-49	139	3.0	6	1	1	2	4	6	7	14
50-64	339	3.7	10	1	1	3	5	7	9	17
65 +	703	5.5	32	1	2	4	7	10	12	32
GRAND TOTAL	**1257**	**4.6**	**22**	**1**	**1**	**3**	**6**	**9**	**11**	**24**

295 Hospitals, Northeastern Region, January-December 1987

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.7	1	< 1	< 1	1	2	3	3	3
20-34	79	2.2	2	< 1	1	2	3	4	6	8
35-49	147	2.3	3	< 1	1	2	3	4	6	7
50-64	303	2.5	4	< 1	1	2	3	5	6	9
65 +	306	3.2	7	< 1	1	2	4	6	7	11
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.7	12	1	1	5	7	8	8	8
50-64	7	2.6	2	1	1	2	3	5	5	5
65 +	5	4.4	15	1	1	3	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.7	16	1	1	2	4	9	16	17
20-34	148	3.3	22	1	1	2	4	5	10	30
35-49	436	3.6	9	1	1	3	5	7	9	15
50-64	1658	5.1	23	1	1	4	6	10	13	22
65 +	5026	6.6	42	1	2	5	8	13	17	34
B. Operated										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	7	2.9	2	< 1	< 1	3	4	5	5	5
35-49	22	6.0	25	1	1	4	9	14	16	17
50-64	132	9.8	54	2	2	8	12	22	25	33
65 +	530	13.9	187	2	3	10	17	31	45	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	844	2.7	5	< 1	1	2	3	5	7	10
B. Operated	18	3.4	7	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. Not Operated	7299	6.0	36	1	2	5	7	11	15	30
B. Operated	695	12.7	159	2	3	9	15	27	41	79
1. SINGLE DX	862	2.7	5	< 1	1	2	3	5	7	10
2. MULTIPLE DX	7994	6.6	50	1	2	5	8	13	18	40
A. Not Operated	8143	5.7	34	1	1	4	7	11	15	29
B. Operated	713	12.5	158	2	2	9	15	27	40	78
TOTAL										
0-19 YRS	46	3.4	12	1	1	2	4	7	11	17
20-34	235	2.9	15	1	1	2	3	5	7	16
35-49	608	3.4	8	1	1	2	4	7	9	15
50-64	2100	5.0	24	1	1	4	6	10	13	25
65 +	5867	7.1	59	1	2	5	8	14	19	44
GRAND TOTAL	**8856**	**6.2**	**47**	**1**	**1**	**4**	**8**	**12**	**17**	**38**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	3.1	6	< 1	1	2	4	7	9	10
20-34	63	2.7	2	1	1	2	3	5	6	7
35-49	139	2.6	3	1	1	2	3	5	6	8
50-64	175	3.4	6	1	1	3	4	6	8	14
65 +	200	4.4	12	1	1	4	6	8	10	19
B. Operated										
0-19 YRS	17	3.7	4	1	2	4	5	7	8	8
20-34	12	2.9	3	1	1	3	4	6	7	7
35-49	15	2.7	2	1	1	2	4	5	6	6
50-64	36	4.0	10	1	1	3	5	8	10	16
65 +	131	5.7	18	1	2	5	7	12	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	4.4	20	1	1	3	6	9	13	27
20-34	261	4.1	14	1	1	3	5	8	12	20
35-49	583	4.2	9	1	1	4	6	8	10	15
50-64	1846	5.2	20	1	2	4	7	10	13	21
65 +	5199	7.0	41	2	2	5	8	13	17	37
B. Operated										
0-19 YRS	46	6.8	69	1	1	3	8	19	25	38
20-34	40	8.9	146	1	1	6	9	14	31	71
35-49	108	7.4	57	1	1	5	9	16	20	43
50-64	520	8.7	64	1	2	7	10	15	21	54
65 +	3005	10.2	88	2	3	8	12	19	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	633	3.5	7	1	1	3	4	7	8	15
B. Operated	211	4.9	15	1	1	4	6	10	13	20
2. MULTIPLE DX										
A. Not Operated	7981	6.2	34	1	2	5	8	12	15	30
B. Operated	3719	9.9	84	2	3	8	12	19	27	55
1. SINGLE DX	844	3.8	9	1	1	3	5	7	9	16
2. MULTIPLE DX	11700	7.4	53	2	2	6	9	14	19	41
A. Not Operated	8614	6.0	32	1	2	5	7	11	15	29
B. Operated	3930	9.6	82	2	3	7	12	18	26	55
TOTAL										
0-19 YRS	211	4.5	27	1	1	3	5	9	13	32
20-34	376	4.3	28	1	1	3	5	8	11	23
35-49	845	4.3	16	1	1	3	5	8	11	20
50-64	2577	5.8	30	1	2	4	7	11	14	27
65 +	8535	8.0	59	2	2	6	10	15	21	44
GRAND TOTAL	**12544**	**7.2**	**51**	**1**	**2**	**5**	**9**	**14**	**19**	**40**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	3	4.7	10	1	1	6	7	7	7	7
35-49	16	4.8	9	1	1	4	7	9	10	11
50-64	76	4.5	8	1	2	4	6	9	10	13
65 +	310	5.6	16	2	2	5	7	9	13	23
B. Operated										
0-19 YRS	2	48.5	2113	16	16	48	81	81	81	81
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	4	6.5	60	1	1	3	11	18	18	18
65 +	3	9.0	63	3	3	6	15	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	107	6.2	61	1	2	4	7	13	18	46
20-34	97	7.0	28	1	2	6	9	14	18	24
35-49	684	7.1	25	2	3	6	9	13	17	27
50-64	4483	8.1	45	2	3	7	10	14	19	36
65 +	24252	9.6	71	3	3	7	11	18	24	50
B. Operated										
0-19 YRS	27	17.9	473	1	2	10	21	62	75	76
20-34	32	8.4	62	1	2	5	11	22	27	28
35-49	147	13.2	161	2	2	10	16	25	45	60
50-64	699	14.2	165	2	3	11	18	31	43	79
65 +	2814	17.2	196	4	5	13	22	36	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	408	5.4	14	1	2	4	7	9	13	21
B. Operated	10	15.9	565	1	2	7	18	50	81	81
2. MULTIPLE DX										
A. Not Operated	29623	9.3	66	2	3	7	11	17	23	48
B. Operated	3719	16.4	192	3	4	13	21	35	48	99 +
1. SINGLE DX	418	5.6	29	1	2	4	7	9	13	23
2. MULTIPLE DX	33342	10.1	85	3	3	8	12	19	27	57
A. Not Operated	30031	9.2	65	2	3	7	11	17	23	47
B. Operated	3729	16.4	192	3	4	13	21	35	48	99 +
TOTAL										
0-19 YRS	139	9.0	196	1	2	5	9	18	30	77
20-34	132	7.3	36	1	2	5	10	16	21	28
35-49	848	8.4	54	2	3	6	10	15	21	38
50-64	5262	[illegible]	65	2	3	7	11	17	23	46
65 +	27379	10.3	88	3	3	8	12	20	28	59
GRAND TOTAL	**33760**	**10.0**	**84**	**2**	**3**	**7**	**12**	**19**	**27**	**56**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	3.6	8	1	1	3	4	8	10	14
20-34	126	3.4	5	1	1	3	4	7	8	9
35-49	133	3.7	9	1	1	3	4	6	8	18
50-64	71	3.9	5	1	1	4	5	7	9	11
65 +	46	5.1	15	1	2	4	7	10	14	20
B. Operated										
0-19 YRS	37	5.4	173	1	1	2	3	9	14	81
20-34	33	4.4	19	1	1	2	6	12	14	16
35-49	76	3.6	17	1	1	2	4	10	11	20
50-64	116	3.5	14	1	1	2	4	9	12	18
65 +	110	4.1	22	1	1	2	4	12	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	4.7	12	1	1	4	7	9	11	17
20-34	266	5.3	34	1	1	4	6	11	15	35
35-49	536	6.2	30	1	2	5	8	12	16	28
50-64	956	7.2	39	2	2	6	9	14	20	34
65 +	1674	8.5	53	2	3	7	10	16	22	47
B. Operated										
0-19 YRS	86	9.9	116	1	2	5	16	26	35	42
20-34	88	8.9	171	1	1	6	11	21	32	99 +
35-49	289	8.1	87	1	1	5	10	18	27	48
50-64	784	8.7	83	1	1	7	12	18	24	52
65 +	1268	10.5	121	1	2	8	15	24	32	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	421	3.8	8	1	1	3	5	7	9	14
B. Operated	372	4.0	33	1	1	2	4	10	14	18
2. MULTIPLE DX										
A. Not Operated	3493	7.5	45	2	2	6	9	15	20	35
B. Operated	2515	9.6	108	1	1	7	13	21	29	58
1. SINGLE DX	793	3.9	19	1	1	2	5	9	11	18
2. MULTIPLE DX	6008	8.4	72	1	2	6	11	17	24	46
A. Not Operated	3914	7.1	42	1	2	5	9	14	19	34
B. Operated	2887	8.8	102	1	1	6	12	20	27	54
TOTAL										
0-19 YRS	229	6.5	82	1	1	3	8	16	24	42
20-34	513	5.4	52	1	1	3	6	11	15	38
35-49	1034	6.2	44	1	1	4	8	13	18	34
50-64	1927	7.5	56	1	2	5	10	15	21	38
65 +	3098	9.1	81	1	2	7	12	19	26	52
GRAND TOTAL	**6801**	**7.8**	**68**	**1**	**2**	**5**	**10**	**16**	**23**	**44**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	4.9	18	1	1	3	9	11	11	11
50-64	30	6.2	74	1	1	4	6	10	17	48
65 +	53	10.5	241	2	2	6	10	17	40	93
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	15	2.9	5	1	1	2	3	7	7	7
50-64	41	3.0	10	1	1	2	3	6	12	15
65 +	25	5.3	15	1	2	3	8	10	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	90	8.6	171	1	2	5	9	16	37	80
B. Operated	82	3.7	11	1	1	2	4	9	12	14
1. SINGLE DX	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX	172	6.3	101	1	1	3	7	12	16	56
A. Not Operated	91	8.6	170	1	2	5	9	15	36	79
B. Operated	84	3.6	11	1	1	2	4	9	11	14
TOTAL										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	23	3.6	9	1	1	2	5	8	11	11
50-64	73	4.3	38	1	1	2	4	9	13	41
65 +	78	8.9	174	1	2	5	10	15	30	84
GRAND TOTAL	**175**	**6.2**	**99**	**1**	**1**	**3**	**7**	**12**	**16**	**55**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	7.3	90	1	1	4	13	21	21	21
65 +	3	3.3	4	1	1	4	5	5	5	5
B. Operated										
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	10	10.3	33	1	3	10	14	18	21	21
35-49	30	15.5	98	4	5	14	18	29	34	47
50-64	24	16.5	316	2	2	9	17	54	57	61
65 +	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	6	8.0	68	< 1	< 1	5	15	20	21	21
35-49	11	8.0	30	< 1	1	7	13	16	17	17
50-64	11	14.8	254	< 1	1	13	19	37	55	57
65 +	45	24.1	507	1	1	20	31	63	78	97
B. Operated										
0-19 YRS	2	18.5	85	12	12	18	25	25	25	25
20-34	25	23.2	231	2	4	20	36	44	50	50
35-49	77	23.1	258	4	9	20	29	43	68	94
50-64	78	26.0	403	4	7	21	37	77	99 +	99 +
65 +	40	32.2	601	4	11	29	47	92	99	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.3	38	1	1	2	5	13	21	21
B. Operated	68	14.7	163	2	4	12	17	34	48	60
2. MULTIPLE DX										
A. Not Operated	76	18.4	395	< 1	1	14	23	38	67	94
B. Operated	222	25.7	372	3	8	21	36	61	91	99 +
1. SINGLE DX	78	13.4	158	1	2	10	17	31	42	5[illegible]
2. MULTIPLE DX	298	23.8	387	2	4	19	32	57	79	99 +
A. Not Operated	86	16.7	373	1	1	13	21	34	64	92
B. Operated	290	23.1	344	3	6	18	32	55	78	99 +
TOTAL										
0-19 YRS	8	8.6	71	1	1	6	13	22	25	25
20-34	41	17.9	202	1	2	14	26	42	47	50
35-49	120	19.4	221	2	5	16	25	39	50	85
50-64	117	22.3	384	1	3	17	31	58	84	99 +
65 +	90	26.7	557	1	3	20	35	69	92	99 +
GRAND TOTAL	**376**	**21.7**	**357**	**1**	**3**	**16**	**30**	**51**	**78**	**99 +**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	47.0		47	47	47	47	47	47	47
50-64	1	11.0		11	11	11	11	11	11	11
65 +	3	20.3	44	16	16	22	64	99 +	99 +	99 +
B. Operated										
0-19 YRS	1	53.0		53	53	53	53	53	53	53
20-34	0									
35-49	2	31.0	800	11	11	51	88	99 +	99 +	99 +
50-64	9	34.8	729	2	9	37	83	99 +	99 +	99 +
65 +	5	55.6	715	19	[illegible]	[illegible]	81	98	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5	23.8	207	11	11	22	47	95	99 +	99 +
B. Operated	17	41.5	703	6	13	51	84	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	22	37.5	633	9	12	[illegible]	[illegible]	99 +	99 +	99 +
A. Not Operated	5	23.8	207	11	11	[illegible]	[illegible]	95	99 +	99 +
B. Operated	17	41.5	703	6	13	[illegible]	[illegible]	99 +	99 +	99 +
TOTAL										
0-19 YRS	1	53.0		53	53	53	53	53	53	53
20-34	0									
35-49	3	36.3	485	11	11	49	75	99 +	99 +	99 +
50-64	10	32.4	704	2	8	34	74	99 +	99 +	99 +
65 +	8	42.4	755	16	16	52	81	99 +	99 +	99 +
GRAND TOTAL	**22**	**37.5**	**633**	**9**	**12**	**40**	**79**	**99 +**	**99 +**	**99 +**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	5	5.8	30	1	1	4	8	15	15	15
35-49	7	5.4	21	< 1	< 1	5	7	13	14	14
50-64	11	6.4	28	1	1	7	11	14	15	15
65 +	29	11.7	53	4	4	9	16	20	28	34
B. Operated										
0-19 YRS	6	12.5	236	2	2	7	12	40	43	43
20-34	6	8.2	22	1	1	8	12	14	14	14
35-49	8	11.4	62	1	2	9	18	22	24	24
50-64	13	12.4	128	5	6	9	11	27	43	47
65 +	31	11.7	44	7	7	10	13	16	21	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.7	19	< 1	< 1	4	8	11	11	11
20-34	9	8.1	38	1	1	9	13	16	17	17
35-49	28	14.1	195	1	1	9	20	31	38	64
50-64	106	15.0	192	2	4	11	20	40	68	99 +
65 +	536	17.3	199	4	5	13	22	35	43	91
B. Operated										
0-19 YRS	15	13.7	183	2	2	9	18	39	46	48
20-34	17	14.5	94	3	4	13	17	28	37	41
35-49	39	20.3	285	4	5	16	27	42	75	99 +
50-64	85	23.7	339	6	8	18	34	66	99 +	99 +
65 +	217	26.0	397	6	8	20	42	61	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	8.8	48	1	1	7	13	18	20	34
B. Operated	64	11.6	74	3	5	9	13	19	29	46
2. MULTIPLE DX										
A. Not Operated	685	16.5	197	3	4	13	22	35	43	96
B. Operated	373	23.8	359	5	7	18	35	59	91	99 +
1. SINGLE DX	119	10.3	63	1	2	9	13	18	23	44
2. MULTIPLE DX	1058	19.1	266	3	5	15	26	43	62	99 +
A. Not Operated	740	16.0	190	2	4	12	21	34	43	94
B. Operated	437	22.0	336	5	7	16	32	56	81	99 +
TOTAL										
0-19 YRS	30	10.5	153	1	1	8	10	31	43	48
20-34	37	10.8	70	1	1	9	15	18	27	41
35-49	82	16.0	228	1	3	11	23	34	51	94
50-64	215	17.8	262	2	4	13	24	47	76	99 +
65 +	813	19.2	259	4	6	14	25	43	56	99 +
GRAND TOTAL	**1177**	**18.2**	**252**	**3**	**5**	**14**	**24**	**42**	**58**	**99 +**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	26.0	378	8	8	21	39	53	53	53
35-49	12	25.5	328	5	5	25	37	53	58	59
50-64	37	21.7	314	5	6	18	28	51	79	99 +
65 +	189	22.6	310	5	7	18	27	48	66	93
B. Operated										
0-19 YRS	2	22.0	288	10	10	22	34	34	34	34
20-34	4	25.8	53	16	16	27	31	33	33	33
35-49	12	28.8	590	4	9	23	44	96	99	99 +
50-64	21	30.6	445	7	9	28	51	88	99 +	99 +
65 +	57	31.1	280	11	13	31	47	66	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	242	22.6	309	5	7	18	27	49	66	96
B. Operated	96	30.3	335	9	13	28	46	72	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	338	24.8	327	6	7	20	34	55	73	99 +
A. Not Operated	242	22.6	309	5	7	18	27	49	66	96
B. Operated	96	30.3	335	9	13	28	46	72	99 +	99 +
TOTAL										
0-19 YRS	2	22.0	288	10	10	22	34	34	34	34
20-34	8	25.9	185	8	10	25	31	47	53	53
35-49	24	27.1	442	4	5	24	41	59	96	99 +
50-64	58	24.9	373	6	7	19	36	67	93	99 +
65 +	246	24.5	315	6	8	20	33	53	67	99 +
GRAND TOTAL	**338**	**24.8**	**327**	**6**	**7**	**20**	**34**	**55**	**73**	**99 +**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	18.5	145	10	10	18	27	27	27	27
50-64	8	5.0	21	1	1	3	7	12	14	14
65 +	19	3.8	5	< 1	1	4	5	7	9	9
B. Operated										
0-19 YRS	0									
20-34	1	11.0		11	11	11	11	11	11	11
35-49	16	5.0	15	< 1	1	4	8	10	12	13
50-64	127	4.8	7	1	1	5	6	8	10	14
65 +	188	4.6	17	1	1	4	6	9	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	1	6.0		6	6	6	6	6	6	6
35-49	11	5.0	13	2	2	4	7	11	12	12
50-64	108	5.7	16	1	1	5	8	12	13	19
65 +	418	8.6	125	1	2	6	9	15	23	77
B. Operated										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	6	23.7	1165	< 1	< 1	6	41	81	86	86
35-49	74	6.4	23	1	2	6	8	11	15	28
50-64	860	6.4	27	1	2	5	8	12	15	26
65 +	1899	8.2	68	1	2	6	9	16	21	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	5.2	28	1	1	4	6	10	15	27
B. Operated	332	4.7	13	1	1	4	6	9	11	15
2. MULTIPLE DX										
A. Not Operated	539	8.0	105	1	2	6	9	14	22	75
B. Operated	2840	7.6	58	1	2	6	9	14	19	46
1. SINGLE DX	361	4.8	14	1	1	4	6	9	11	16
2. MULTIPLE DX	3379	7.7	65	1	2	6	9	14	20	48
A. Not Operated	568	7.8	101	1	2	5	9	14	22	73
B. Operated	3172	7.3	54	1	2	6	9	14	19	43
TOTAL										
0-19 YRS	2	40.0	72	34	34	40	46	46	46	46
20-34	8	19.9	883	< 1	1	8	26	72	86	86
35-49	103	6.3	25	[illegible]	2	5	8	11	15	28
50-64	1103	6.1	24	1	2	5	7	11	14	24
65 +	2524	7.9	74	1	2	6	9	15	21	50
GRAND TOTAL	**3740**	**7.4**	**61**	**1**	**2**	**6**	**9**	**14**	**19**	**46**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	11	15.9	261	4	5	10	19	40	58	60
65 +	30	11.2	73	3	4	8	14	22	29	41
B. Operated										
0-19 YRS	0									
20-34	1	19.0		19	19	19	19	19	19	19
35-49	7	10.3	49	1	1	11	16	18	19	19
50-64	41	8.4	78	1	2	5	10	25	34	99 +
65 +	83	13.0	158	2	3	9	18	27	31	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	43	12.1	120	3	4	8	14	26	33	60
B. Operated	132	11.5	130	2	2	8	16	27	30	83
1. SINGLE DX	0									
2. MULTIPLE DX	175	11.6	127	2	2	8	16	26	30	75
A. Not Operated	43	12.1	120	3	4	8	14	26	33	60
B. Operated	132	11.5	130	2	2	8	16	27	30	83
TOTAL										
0-19 YRS	0									
20-34	1	19.0		19	19	19	19	19	19	19
35-49	9	9.1	46	1	1	9	15	18	19	19
50-64	52	10.0	122	2	2	6	11	25	40	99
65 +	113	12.5	135	2	3	8	17	27	30	68
GRAND TOTAL	**175**	**11.6**	**127**	**2**	**2**	**8**	**16**	**26**	**30**	**75**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	7	3.3	5	1	1	2	5	7	7	7
35-49	14	5.9	11	2	2	6	8	10	12	12
50-64	80	6.1	22	1	2	5	9	12	13	28
65 +	245	8.3	58	2	3	6	10	16	21	83
B. Operated										
0-19 YRS	5	3.6	6	1	1	3	5	7	7	7
20-34	6	7.3	51	1	1	4	13	18	19	19
35-49	11	10.1	117	1	1	7	15	25	37	38
50-64	13	7.7	22	2	2	8	11	14	16	16
65 +	12	6.2	23	1	2	5	8	13	17	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	12.4	76	3	3	11	20	51	93	99 +
20-34	34	11.5	117	2	3	9	14	24	40	49
35-49	188	10.0	73	3	3	8	11	19	28	50
50-64	1197	10.7	105	3	3	8	13	20	31	65
65 +	6324	13.6	151	3	4	10	17	29	42	99 +
B. Operated										
0-19 YRS	4	7.0	54	3	3	4	11	18	18	18
20-34	15	9.4	35	2	3	8	16	19	76	99 +
35-49	50	14.7	128	2	4	12	23	40	91	99 +
50-64	211	17.5	310	2	4	12	23	60	95	99 +
65 +	932	25.0	402	5	7	19	41	72	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	348	7.5	48	2	2	6	10	14	18	48
B. Operated	47	7.4	47	1	1	6	10	16	18	38
2. MULTIPLE DX										
A. Not Operated	7754	13.0	143	3	4	9	16	27	40	97
B. Operated	1212	23.0	383	4	6	17	36	68	99 +	99 +
1. SINGLE DX	395	7.5	48	2	2	6	10	14	18	43
2. MULTIPLE DX	8966	14.4	187	3	4	10	18	33	51	99 +
A. Not Operated	8102	12.8	141	3	4	9	16	27	39	95
B. Operated	1259	22.4	379	4	5	16	35	67	99 +	99 +
TOTAL										
0-19 YRS	22	8.4	63	1	2	6	17	23	54	99 +
20-34	62	9.7	83	1	2	7	14	19	34	93
35-49	263	10.7	85	2	3	8	13	23	34	93
50-64	1501	11.4	136	2	3	8	13	23	38	95
65 +	7513	14.8	195	3	4	10	18	34	53	99 +
GRAND TOTAL	**9361**	**14.1**	**183**	**3**	**4**	**10**	**17**	**32**	**49**	**99 +**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	24.7	1108	3	3	8	49	63	63	63
20-34	14	13.3	195	3	3	8	17	36	48	52
35-49	71	15.6	265	3	4	11	19	33	81	99 +
50-64	510	16.0	215	3	4	12	19	33	48	96
65 +	2397	17.7	212	4	5	13	23	38	53	99 +
B. Operated										
0-19 YRS	3	8.0	7	6	6	7	10	11	11	11
20-34	7	20.0	413	6	6	9	27	56	62	62
35-49	24	22.3	248	4	5	19	37	50	68	99 +
50-64	90	24.0	422	5	6	17	38	73	99 +	99 +
65 +	339	30.9	494	7	9	26	49	87	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2995	17.3	215	4	5	13	22	37	52	99 +
B. Operated	463	28.8	475	6	8	24	46	81	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	3458	18.9	265	4	5	14	24	44	64	99 +
A. Not Operated	2995	17.3	215	4	5	13	22	37	52	99 +
B. Operated	463	28.8	475	6	8	24	46	81	99 +	99 +
TOTAL										
0-19 YRS	6	16.3	529	3	3	7	11	58	63	63
20-34	21	15.5	261	3	4	9	18	41	56	62
35-49	95	17.3	266	3	4	12	2[illegible]	38	79	99 +
50-64	600	17.2	253	4	5	13	21	40	63	99 +
65 +	2736	19.3	266	4	6	14	25	44	65	99 +
GRAND TOTAL	**3458**	**18.9**	**265**	**4**	**5**	**14**	**24**	**44**	**64**	**99 +**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	5.0	12	1	1	5	8	10	10	10
35-49	57	3.2	4	< 1	1	3	4	6	7	9
50-64	197	3.4	5	1	1	3	4	6	8	12
65 +	366	3.9	5	1	2	3	5	7	8	13
B. Operated										
0-19 YRS	0									
20-34	2	3.0		3	3	3	3	3	3	3
35-49	10	4.6	8	1	1	4	6	9	11	11
50-64	44	3.0	4	1	1	2	4	6	7	8
65 +	40	3.0	6	< 1	1	2	3	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.3	4	3	3	5	7	8	8	8
20-34	35	4.0	8	1	2	3	5	7	10	15
35-49	263	4.8	15	1	2	4	6	8	11	17
50-64	1327	5.3	25	1	2	4	6	9	12	19
65 +	6869	7.5	65	2	2	5	8	14	20	60
B. Operated										
0-19 YRS	0									
20-34	13	4.6	12	1	1	4	6	11	11	11
35-49	48	5.6	16	2	2	4	8	10	11	22
50-64	266	6.2	33	1	2	5	8	12	14	42
65 +	826	12.1	163	2	3	8	14	27	44	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	630	3.7	5	1	1	3	5	7	8	12
B. Operated	96	3.2	5	1	1	2	4	7	8	11
2. MULTIPLE DX										
A. Not Operated	8498	7.0	58	2	2	5	8	13	18	53
B. Operated	1153	10.4	133	1	2	7	12	22	39	99 +
1. SINGLE DX	726	3.6	5	1	1	3	5	7	8	12
2. MULTIPLE DX	9651	7.4	68	2	2	5	8	14	20	60
A. Not Operated	9128	6.8	55	2	2	5	8	12	18	50
B. Operated	1249	9.8	126	1	2	7	12	21	37	99
TOTAL										
0-19 YRS	5	5.0	4	3	3	5	6	8	8	8
20-34	59	4.3	9	1	1	3	5	9	11	15
35-49	378	4.7	14	1	1	4	6	9	11	17
50-64	1834	5.2	24	1	2	4	6	9	12	21
65 +	8101	7.8	75	2	2	6	9	15	22	64
GRAND TOTAL	**10377**	**7.2**	**64**	**2**	**2**	**5**	**8**	**13**	**20**	**57**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	13	3.4	5	<1	1	3	4	7	8	8
50-64	31	7.3	155	1	2	5	7	9	18	72
65+	70	7.0	27	2	2	6	9	13	18	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	5	10.6	173	4	4	4	14	34	34	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.5	9	3	3	7	9	9	9	9
20-34	3	5.3	17	2	2	4	8	10	10	10
35-49	58	8.2	41	1	2	7	10	15	22	34
50-64	347	8.5	73	2	2	7	10	16	22	63
65+	1606	12.3	141	2	3	9	15	26	41	99+
B. Operated										
0-19 YRS	5	8.2	29	3	3	8	10	17	17	17
20-34	1	9.0		9	9	9	9	9	9	9
35-49	12	13.2	165	2	3	10	14	32	47	49
50-64	59	13.0	139	3	4	10	15	29	58	99+
65+	189	22.4	333	4	6	18	35	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	6.6	58	1	2	5	8	12	17	43
B. Operated	9	6.9	106	1	1	4	5	23	34	34
2. MULTIPLE DX										
A. Not Operated	2018	11.5	129	2	3	8	14	25	38	99+
B. Operated	266	19.6	294	3	5	14	29	52	96	99+
1. SINGLE DX	126	6.6	61	1	2	5	8	12	18	43
2. MULTIPLE DX	2284	12.4	155	2	3	9	15	28	44	99+
A. Not Operated	2135	11.2	126	2	3	8	13	24	36	99+
B. Operated	275	19.2	293	3	4	14	28	51	94	99+
TOTAL										
0-19 YRS	10	7.3	17	3	3	7	9	13	17	17
20-34	6	5.0	14	1	1	4	9	10	10	10
35-49	84	8.1	59	1	2	6	10	15	24	44
50-64	440	9.0	89	2	3	7	11	17	25	78
65+	1870	13.1	167	2	3	9	16	29	47	99+
GRAND TOTAL	**2410**	**12.1**	**151**	**2**	**3**	**8**	**15**	**27**	**43**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-[illegible]	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	12.0	200	2	2	12	22	22	22	22
35-49	12	7.9	18	3	3	7	10	15	16	16
50-64	80	10.3	53	2	3	9	13	20	24	39
65+	486	14.5	166	3	4	11	18	31	41	95
B. Operated										
0-19 YRS	0									
20-34	2	12.5	85	6	6	12	19	19	19	19
35-49	3	13.3	10	11	11	12	16	17	17	17
50-64	16	15.1	130	3	4	15	24	40	80	99+
65+	54	26.7	340	7	10	22	37	65	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	581	13.8	150	3	4	10	17	29	38	88
B. Operated	75	23.3	302	4	6	19	31	53	82	99+
1. SINGLE DX	0									
2. MULTIPLE DX	656	14.9	176	3	4	11	19	32	45	99+
A. Not Operated	581	13.8	150	3	4	10	17	29	38	88
B. Operated	75	23.3	302	4	6	19	31	53	82	99+
TOTAL										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	4	12.3	95	2	2	12	20	22	22	22
35-49	15	9.0	21	3	3	9	12	16	17	17
50-64	96	11.1	68	3	3	9	15	22	30	73
65+	540	15.7	196	4	4	11	20	34	47	99+
GRAND TOTAL	**656**	**14.9**	**176**	**3**	**4**	**11**	**19**	**32**	**45**	**99+**

163: Other and Ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	8	< 1	< 1	1	4	7	7	7
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	15	3.9	4	1	1	4	6	6	7	7
50-64	27	2.9	3	1	1	3	4	5	6	8
65 +	29	4.7	15	1	2	3	6	10	12	19
B. Operated										
0-19 YRS	5	5.4	24	1	1	4	10	12	12	12
20-34	9	7.2	34	1	1	5	12	16	16	16
35-49	10	6.5	31	1	1	5	11	15	16	16
50-64	19	4.5	23	1	1	2	6	9	16	21
65 +	8	4.8	39	1	1	2	7	15	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.5	11	< 1	1	6	8	10	12	12
20-34	26	4.0	8	< 1	1	3	6	9	10	11
35-49	100	5.1	13	1	2	4	7	10	11	18
50-64	245	6.4	57	2	2	5	7	11	16	38
65 +	886	10.1	126	2	3	7	12	22	32	99
B. Operated										
0-19 YRS	3	9.3	65	2	2	8	15	18	18	18
20-34	12	11.3	195	1	1	7	15	27	48	51
35-49	35	12.7	238	1	2	8	12	37	53	60
50-64	90	10.6	130	1	2	7	13	27	36	87
65 +	156	15.8	293	1	2	11	23	41	82	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.7	8	1	1	3	5	7	9	17
B. Operated	51	5.5	28	1	1	3	9	15	16	21
2. MULTIPLE DX										
A. Not Operated	1268	8.8	104	2	2	6	10	18	28	80
B. Operated	296	13.6	234	1	2	9	18	35	55	99 +
1. SINGLE DX	129	4.4	17	1	1	3	5	10	15	19
2. MULTIPLE DX	1564	9.7	132	2	2	6	11	22	32	96
A. Not Operated	1346	8.5	100	2	2	6	10	18	27	77
B. Operated	347	12.4	212	1	1	8	16	30	50	99 +
TOTAL										
0-19 YRS	23	5.5	20	< 1	1	5	8	12	14	18
20-34	50	6.2	64	1	1	3	9	15	16	51
35-49	160	6.7	71	1	2	4	8	12	18	56
50-64	381	7.0	73	1	2	5	8	15	21	61
65 +	1079	10.8	151	2	2	7	13	24	37	99 +
GRAND TOTAL	**1693**	**9.3**	**125**	**1**	**2**	**6**	**11**	**20**	**30**	**90**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	0									
35-49	17	4.4	16	< 1	< 1	2	8	10	11	11
50-64	76	4.3	18	1	1	2	7	10	13	19
65 +	79	4.2	24	< 1	1	2	7	11	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.0	2	< 1	< 1	1	3	4	4	4
50-64	30	4.3	16	< 1	< 1	3	7	10	14	15
65 +	129	8.6	101	1	1	6	10	19	25	61
B. Operated										
0-19 YRS	5	3.8	7	2	2	2	6	8	8	8
20-34	7	12.0	259	1	1	3	24	38	40	40
35-49	99	8.3	69	1	1	7	10	17	27	73
50-64	589	12.7	176	1	2	9	16	27	37	81
65 +	1523	15.6	220	1	2	11	20	36	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	173	4.3	21	1	1	2	7	11	13	19
2. MULTIPLE DX										
A. Not Operated	165	7.6	86	1	1	5	9	15	23	54
B. Operated	2223	14.4	205	1	2	10	19	33	46	92
1. SINGLE DX	176	4.2	21	1	1	2	7	11	13	19
2. MULTIPLE DX	2388	14.0	199	1	2	10	18	31	45	90
A. Not Operated	168	7.5	85	1	1	5	9	15	23	54
B. Operated	2396	13.7	198	1	1	10	18	31	45	90
TOTAL										
0-19 YRS	6	5.0	14	2	2	4	8	11	11	11
20-34	8	10.8	235	1	1	3	18	37	40	40
35-49	121	7.5	62	1	1	6	10	16	25	62
50-64	696	11.4	161	1	1	8	14	24	35	78
65 +	1733	14.5	210	1	2	11	19	33	48	99
GRAND TOTAL	**2564**	**13.3**	**193**	**1**	**1**	**9**	**17**	**30**	**44**	**89**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	5	1.6	1	< 1	< 1	1	2	3	3	3
65 +	11	5.5	53	1	1	3	5	19	24	24
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	35	8.7	16	1	2	9	11	13	15	16
65 +	88	8.8	18	1	2	9	11	14	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	2	4.5	5	3	3	[illegible]	6	6	6	6
50-64	32	4.1	13	< 1	1	3	5	11	12	13
65 +	188	7.5	72	1	1	5	9	15	25	47
B. Operated										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	4	12.3	26	7	7	12	16	18	18	18
35-49	26	12.2	90	1	2	10	16	23	36	37
50-64	407	12.9	122	2	6	10	14	22	28	84
65 +	1335	15.2	141	2	6	12	17	27	38	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.0	33	< 1	1	2	3	11	20	24
B. Operated	125	8.7	18	1	2	9	11	13	15	20
2. MULTIPLE DX										
A. Not Operated	224	6.9	64	1	1	5	8	13	20	46
B. Operated	1774	14.6	136	2	6	12	16	26	37	82
1. SINGLE DX	144	8.1	22	1	1	9	11	13	15	20
2. MULTIPLE DX	1998	13.7	134	2	3	11	16	25	36	80
A. Not Operated	243	6.7	62	1	1	5	8	13	20	45
B. Operated	1899	14.2	130	2	5	11	16	25	36	80
TOTAL										
0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	7	8.4	39	1	1	7	13	17	18	18
35-49	31	10.8	85	2	2	9	15	23	35	37
50-64	479	11.9	112	1	2	10	13	20	27	79
65 +	1622	13.9	133	2	3	11	16	26	37	79
GRAND TOTAL	**2142**	**13.3**	**128**	**2**	**3**	**11**	**15**	**24**	**34**	**79**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	2.2	2	< 1	< 1	2	3	5	6	6
35-49	14	4.7	12	1	1	3	8	10	10	10
50-64	14	4.5	19	1	1	3	5	11	16	17
65 +	13	6.6	15	1	1	7	9	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	10.0	127	3	3	4	18	23	23	23
35-49	0									
50-64	4	4.5	20	< 1	< 1	3	7	11	11	11
65 +	15	6.3	18	1	2	6	10	13	13	13
B. Operated										
0-19 YRS	4	6.0	17	2	2	6	9	10	10	10
20-34	11	14.2	118	2	4	8	21	32	35	35
35-49	29	10.0	81	1	2	7	13	25	32	33
50-64	114	9.4	47	2	2	8	12	18	23	66
65 +	225	15.9	269	2	3	10	17	33	51	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.3	1	1	1	2	3	4	4	4
B. Operated	51	4.6	14	1	1	3	7	10	12	17
2. MULTIPLE DX										
A. Not Operated	22	6.5	29	1	1	4	10	13	17	23
B. Operated	383	13.4	191	2	3	9	15	28	42	86
1. SINGLE DX	57	4.4	13	1	1	3	7	10	11	17
2. MULTIPLE DX	405	13.0	185	2	3	9	14	27	41	86
A. Not Operated	28	5.6	26	1	1	4	8	12	14	23
B. Operated	434	12.3	178	2	2	9	14	26	38	85
TOTAL										
0-19 YRS	5	5.2	16	2	2	3	9	10	10	10
20-34	25	8.5	93	< 1	1	4	9	23	31	35
35-49	45	8.0	63	1	1	6	10	20	27	33
50-64	134	8.6	46	1	2	8	11	18	22	56
65 +	253	14.9	250	2	3	10	16	32	50	87
GRAND TOTAL	**462**	**11.9**	**171**	**1**	**2**	**8**	**13**	**25**	**36**	**84**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	6.0	4	3	3	6	7	8	8	8
35-49	6	5.0	10	1	1	5	6	10	10	10
50-64	18	5.0	12	1	1	5	7	9	12	14
65 +	10	5.9	29	< 1	< 1	3	12	13	13	13
B. Operated										
0-19 YRS	0									
20-34	10	4.8	18	1	1	3	8	11	11	11
35-49	54	6.6	19	1	1	6	10	12	13	20
50-64	179	5.6	19	1	1	5	8	11	14	20
65 +	157	6.8	31	1	1	7	10	13	17	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	9	5.1	26	< 1	1	4	5	13	18	18
35-49	19	6.2	41	< 1	< 1	6	8	14	20	25
50-64	74	6.6	34	1	1	6	9	12	18	32
65 +	234	8.3	44	1	2	7	10	15	19	39
B. Operated										
0-19 YRS	5	5.6	16	2	2	4	8	12	12	12
20-34	29	12.9	166	1	2	10	16	26	41	63
35-49	222	11.3	102	2	2	9	13	23	34	61
50-64	1071	11.7	143	1	2	9	14	23	33	75
65 +	2311	14.6	172	2	3	11	18	30	42	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	5.4	14	1	1	5	7	11	13	14
B. Operated	400	6.2	24	1	1	6	9	12	15	21
2. MULTIPLE DX										
A. Not Operated	337	7.7	42	1	1	6	10	15	19	36
B. Operated	3638	13.5	161	1	2	10	16	28	39	83
1. SINGLE DX	439	6.1	23	1	1	6	9	12	14	21
2. MULTIPLE DX	3975	13.0	153	1	2	10	16	27	38	81
A. Not Operated	376	7.5	39	1	1	6	10	14	18	34
B. Operated	4038	12.8	152	1	2	10	15	27	37	80
TOTAL										
0-19 YRS	6	4.8	17	< 1	< 1	3	7	11	12	12
20-34	53	9.4	112	1	1	7	11	17	27	62
35-49	301	10.0	86	1	2	8	12	20	29	56
50-64	1342	10.5	124	1	1	8	12	20	29	71
65 +	2712	13.6	159	1	2	10	16	28	39	81
GRAND TOTAL	**4414**	**12.3**	**145**	**1**	**2**	**9**	**15**	**26**	**36**	**78**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	5.2	21	1	2	4	6	9	13	31
20-34	6	5.2	32	1	1	3	6	15	16	16
35-49	14	3.8	10	< 1	1	3	5	10	10	10
50-64	19	3.7	9	< 1	1	3	6	8	10	11
65 +	17	5.6	35	1	1	4	5	18	18	18
B. Operated										
0-19 YRS	10	4.7	20	1	1	3	7	12	13	13
20-34	10	4.5	15	1	1	3	7	10	13	13
35-49	46	3.3	12	< 1	1	2	3	9	10	18
50-64	91	4.9	25	1	1	3	8	11	14	27
65 +	118	3.8	16	< 1	1	2	5	9	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	6.2	23	1	2	4	8	13	15	27
20-34	29	5.9	18	< 1	1	6	7	10	15	20
35-49	52	5.8	18	1	1	5	9	11	14	21
50-64	85	5.9	29	< 1	1	4	8	11	17	28
65 +	294	9.5	113	2	2	6	11	20	26	58
B. Operated										
0-19 YRS	17	7.7	65	1	2	6	10	20	27	30
20-34	40	10.4	118	1	1	6	15	26	35	43
35-49	123	8.6	137	1	1	5	9	20	35	79
50-64	524	9.7	154	1	1	6	11	22	35	88
65 +	1086	12.4	149	1	2	9	15	28	39	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	4.9	20	1	1	4	6	9	14	21
B. Operated	275	4.1	19	< 1	1	2	6	10	13	21
2. MULTIPLE DX										
A. Not Operated	517	7.9	77	1	2	6	10	16	23	37
B. Operated	1790	11.2	150	1	1	8	14	26	37	86
1. SINGLE DX	410	4.4	19	1	1	3	6	9	13	20
2. MULTIPLE DX	2307	10.5	136	1	2	7	13	24	34	72
A. Not Operated	652	7.3	67	1	2	5	9	15	21	37
B. Operated	2065	10.3	139	1	1	7	13	24	34	74
TOTAL										
0-19 YRS	163	5.7	26	1	2	4	7	12	15	30
20-34	85	7.8	71	1	1	5	10	19	26	42
35-49	235	6.7	83	1	1	4	8	14	22	68
50-64	719	8.5	123	1	1	5	11	18	29	70
65 +	1515	11.1	137	1	1	8	14	25	34	72
GRAND TOTAL	**2717**	**9.6**	**123**	**1**	**1**	**6**	**12**	**22**	**32**	**67**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	5.7	17	1	2	4	8	12	15	15
20-34	99	6.8	12	2	3	6	9	11	13	18
35-49	166	6.9	11	2	3	7	9	11	12	17
50-64	135	7.7	13	2	3	7	10	12	13	21
65 +	125	7.3	16	2	2	7	10	13	14	21
B. Operated										
0-19 YRS	10	4.3	5	2	2	4	6	8	8	8
20-34	86	6.2	17	1	2	6	8	11	13	21
35-49	111	6.6	17	1	2	7	9	11	14	20
50-64	101	6.4	16	1	2	6	9	12	14	16
65 +	82	7.6	15	1	2	8	10	13	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	8.4	42	2	2	8	13	18	21	21
20-34	128	8.6	31	2	3	7	11	15	19	31
35-49	321	8.3	24	2	3	8	10	13	16	27
50-64	588	8.9	31	2	3	8	11	14	17	25
65 +	1099	10.0	44	4	5	9	12	16	19	37
B. Operated										
0-19 YRS	7	8.6	14	3	3	9	11	13	14	14
20-34	120	9.2	66	2	2	8	11	16	18	50
35-49	258	9.2	28	2	3	8	12	16	19	26
50-64	416	9.9	45	2	3	9	12	16	19	39
65 +	872	10.9	56	3	4	9	13	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	536	7.1	13	2	3	7	9	12	13	18
B. Operated	390	6.6	16	1	2	6	9	12	14	17
2. MULTIPLE DX										
A. Not Operated	2146	9.4	37	3	4	8	11	15	19	31
B. Operated	1673	10.3	50	2	4	9	12	17	22	43
1. SINGLE DX	926	6.9	14	1	2	7	9	12	13	17
2. MULTIPLE DX	3819	9.8	43	3	4	9	12	16	20	38
A. Not Operated	2682	8.9	33	2	4	8	11	14	18	29
B. Operated	2063	9.6	46	2	3	8	12	16	20	42
TOTAL										
0-19 YRS	38	6.6	22	2	2	5	9	14	15	21
20-34	433	7.9	35	2	2	7	10	14	16	28
35-49	856	8.1	23	2	3	8	10	14	16	26
50-64	1240	8.9	34	2	3	8	11	14	17	31
65 +	2178	10.2	47	3	4	9	12	17	21	43
GRAND TOTAL	**4745**	**9.2**	**39**	**2**	**3**	**8**	**11**	**15**	**19**	**35**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	3.2	10	< 1	< 1	2	4	9	10	10
35-49	15	5.3	16	1	1	5	8	11	13	14
50-64	22	8.5	61	1	2	7	9	17	30	34
65 +	27	9.7	26	3	4	10	13	17	19	21
B. Operated										
0-19 YRS	12	1.6	1	1	1	1	2	3	3	3
20-34	320	2.7	8	1	1	2	3	4	6	20
35-49	532	2.8	9	1	1	2	3	5	6	19
50-64	338	3.2	10	1	1	2	4	6	9	19
65 +	131	5.9	55	1	1	3	6	15	19	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	5.3	12	< 1	< 1	5	8	10	11	11
35-49	48	9.7	79	< 1	< 1	7	15	20	34	36
50-64	105	9.7	52	1	2	9	13	19	23	37
65 +	313	13.1	108	3	4	10	16	25	35	71
B. Operated										
0-19 YRS	5	2.6	7	1	1	1	4	7	7	7
20-34	106	4.1	23	1	1	3	5	8	11	27
35-49	287	4.8	33	1	1	3	5	10	18	29
50-64	343	8.8	140	1	2	4	10	22	32	61
65 +	456	16.8	247	2	3	13	24	38	52	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	7.5	37	1	1	6	10	14	18	32
B. Operated	1333	3.2	15	1	1	2	3	5	8	22
2. MULTIPLE DX										
A. Not Operated	475	11.8	94	2	3	9	15	23	33	51
B. Operated	1197	10.5	172	1	2	5	14	27	38	71
1. SINGLE DX	1408	3.4	17	1	1	2	4	6	10	23
2. MULTIPLE DX	1672	10.8	150	1	2	6	14	26	36	68
A. Not Operated	550	11.2	88	1	3	9	14	23	31	50
B. Operated	2530	6.6	102	1	1	3	6	18	27	54
TOTAL										
0-19 YRS	17	1.9	2	1	1	1	2	3	6	7
20-34	446	3.1	12	1	1	2	3	5	8	19
35-49	882	3.8	24	1	1	2	4	7	14	25
50-64	808	6.6	80	1	1	3	7	16	23	42
65 +	927	13.8	180	2	2	10	19	32	45	80
GRAND TOTAL	**3080**	**7.4**	**103**	**1**	**1**	**3**	**8**	**19**	**27**	**53**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.6	13	2	2	2	4	10	10	10
20-34	21	2.2	2	1	1	2	3	4	5	5
35-49	31	2.8	3	< 1	1	3	4	5	7	7
50-64	9	3.1	2	1	1	3	4	5	5	5
65 +	12	3.5	2	2	2	3	4	5	7	7
B. Operated										
0-19 YRS	10	2.0	1	< 1	< 1	2	3	4	4	4
20-34	125	2.9	3	1	1	3	4	5	6	8
35-49	229	2.8	3	1	1	2	4	5	6	8
50-64	109	3.1	4	1	1	3	4	5	6	11
65 +	55	3.1	2	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	35	3.2	5	< 1	< 1	3	5	6	7	8
35-49	81	3.9	9	< 1	1	3	5	8	10	16
50-64	78	3.7	9	1	1	3	4	6	10	17
65 +	177	5.1	20	1	1	4	7	10	14	21
B. Operated										
0-19 YRS	14	1.7	1	< 1	1	1	2	3	4	4
20-34	642	3.1	19	1	1	2	4	5	7	12
35-49	1164	3.0	5	1	1	3	4	6	7	11
50-64	972	3.5	10	1	1	3	4	6	8	15
65 +	676	4.6	25	1	1	3	5	9	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	2.8	3	1	1	3	4	5	6	9
B. Operated	528	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	373	4.3	14	< 1	1	3	6	8	11	18
B. Operated	3468	3.5	13	1	1	3	4	6	8	17
1. SINGLE DX	606	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	3841	3.6	13	1	1	3	4	6	8	17
A. Not Operated	451	4.1	13	1	1	3	5	8	10	18
B. Operated	3996	3.4	12	1	1	3	4	6	8	16
TOTAL										
0-19 YRS	31	2.1	3	< 1	< 1	2	2	4	4	10
20-34	823	3.0	16	1	1	2	4	5	7	11
35-49	1505	3.0	5	1	1	3	4	6	7	11
50-64	1168	3.5	9	1	1	3	4	6	8	15
65 +	920	4.6	23	1	1	4	5	9	13	25
GRAND TOTAL	**4447**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	4.1	26	< 1	< 1	2	5	13	18	19
20-34	65	6.6	25	1	2	6	9	11	14	30
35-49	81	6.9	16	1	2	6	9	13	14	18
50-64	77	7.4	20	1	1	8	9	12	15	27
65 +	107	7.2	17	2	2	7	9	12	13	24
B. Operated										
0-19 YRS	98	2.5	14	< 1	< 1	1	2	6	11	21
20-34	195	3.7	14	< 1	1	2	6	9	13	16
35-49	135	5.4	24	< 1	1	4	8	11	13	24
50-64	72	7.5	20	1	2	7	11	13	15	22
65 +	75	7.4	26	1	1	7	9	12	18	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	4.9	25	< 1	1	3	8	10	14	26
20-34	158	6.8	26	1	1	6	10	13	16	24
35-49	288	7.0	26	1	2	6	9	13	16	22
50-64	639	7.3	29	1	2	7	9	13	16	29
65 +	1673	8.3	52	2	2	7	10	15	19	37
B. Operated										
0-19 YRS	50	5.8	50	< 1	< 1	2	8	18	19	26
20-34	240	6.5	49	< 1	1	3	10	16	19	32
35-49	336	9.2	74	1	1	8	12	18	27	47
50-64	568	10.5	86	1	2	8	13	18	26	61
65 +	974	12.1	103	2	4	10	14	22	31	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	356	6.8	20	1	2	6	9	12	14	22
B. Operated	575	4.8	22	< 1	1	3	8	11	13	22
2. MULTIPLE DX										
A. Not Operated	2801	7.8	43	1	2	7	10	14	18	34
B. Operated	2168	10.5	90	1	2	9	13	20	28	63
1. SINGLE DX	931	5.6	22	1	1	5	8	12	14	22
2. MULTIPLE DX	4969	9.0	65	1	2	7	11	16	22	49
A. Not Operated	3157	7.7	40	1	2	7	10	14	17	33
B. Operated	2743	9.3	81	1	1	8	12	18	25	57
TOTAL										
0-19 YRS	217	3.9	27	< 1	< 1	2	4	11	13	25
20-34	658	5.8	32	1	1	4	9	13	1[illegible]	27
35-49	840	7.6	46	1	1	6	10	15	20	37
50-64	1356	8.7	54	1	2	8	11	15	21	[illegible]0
65 +	2829	9.5	71	2	2	8	12	17	2[illegible]	56
GRAND TOTAL	**5900**	**8.4**	**60**	**1**	**2**	**7**	**11**	**16**	**21**	**42**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1988	2.4	2	1	1	2	3	4	5	8
20-34	186	3.2	7	1	1	3	4	5	6	12
35-49	74	2.9	2	1	1	3	4	5	5	8
50-64	44	3.7	7	1	2	3	4	6	9	14
65 +	18	4.1	3	1	2	4	5	7	8	9
B. Operated										
0-19 YRS	156	1.9	5	< 1	< 1	1	2	4	7	14
20-34	53	2.0	6	< 1	< 1	1	2	5	6	14
35-49	18	4.5	10	< 1	< 1	4	7	10	10	10
50-64	11	3.9	15	< 1	< 1	2	6	10	12	12
65 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2492	3.0	4	1	1	2	4	5	6	11
20-34	442	3.7	5	1	2	3	5	6	8	13
35-49	199	4.4	8	1	2	4	5	8	10	15
50-64	233	5.4	33	1	2	5	7	9	12	19
65 +	426	6.8	26	2	2	5	9	13	16	32
B. Operated										
0-19 YRS	233	3.2	21	1	1	1	3	9	13	27
20-34	95	3.8	22	1	1	2	5	10	14	25
35-49	66	5.9	48	1	1	3	8	13	18	39
50-64	56	5.4	27	< 1	1	4	8	11	16	26
65 +	56	11.4	130	1	1	9	15	20	32	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2310	2.5	3	1	1	2	3	4	5	9
B. Operated	240	2.2	6	< 1	< 1	1	2	6	8	14
2. MULTIPLE DX										
A. Not Operated	3792	3.7	10	1	1	3	5	7	9	15
B. Operated	506	4.8	44	1	1	2	6	12	16	36
1. SINGLE DX	2550	2.5	3	1	1	2	3	4	6	10
2. MULTIPLE DX	4298	3.8	14	1	1	3	5	7	10	17
A. Not Operated	6102	3.2	8	1	1	3	4	6	8	13
B. Operated	746	4.0	33	< 1	1	2	5	10	14	26
TOTAL										
0-19 YRS	4869	2.7	4	1	1	2	3	5	6	11
20-34	776	3.5	8	1	1	3	4	6	8	14
35-49	357	4.4	15	1	1	3	5	9	11	17
50-64	344	5.1	28	1	1	4	6	9	12	20
65 +	502	7.2	39	2	2	5	9	14	17	34
GRAND TOTAL	**6848**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**15**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1709	3.1	3	1	1	3	4	5	7	9
20-34	43	3.2	2	1	2	3	4	5	6	9
35-49	68	3.6	3	1	2	3	5	7	7	10
50-64	53	4.8	7	2	2	4	6	8	10	16
65 +	85	5.7	12	2	2	5	7	9	13	20
B. Operated										
0-19 YRS	7	12.6	482	< 1	< 1	5	8	51	62	62
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	2	5.5	41	1	1	5	10	10	10	10
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2471	4.0	7	1	2	3	5	7	9	14
20-34	296	4.9	11	1	2	4	6	10	12	18
35-49	511	5.6	13	2	2	5	7	10	11	17
50-64	1816	7.1	31	2	3	6	8	12	17	29
65 +	5192	8.3	47	3	3	7	10	15	19	40
B. Operated										
0-19 YRS	34	11.0	221	2	2	7	10	19	42	79
20-34	19	9.0	56	2	3	6	12	15	26	35
35-49	42	10.8	180	1	2	7	12	19	31	80
50-64	152	14.2	213	2	3	9	17	34	51	99
65 +	388	14.9	169	4	5	11	18	31	45	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1958	3.3	4	1	1	3	4	6	7	10
B. Operated	15	7.5	236	< 1	1	3	6	10	49	62
2. MULTIPLE DX										
A. Not Operated	10286	6.8	35	2	2	5	8	12	16	31
B. Operated	635	14.1	181	3	4	10	17	30	45	98
1. SINGLE DX	1973	3.3	6	1	1	3	4	6	7	10
2. MULTIPLE DX	10921	7.2	47	2	2	6	9	13	18	38
A. Not Operated	12244	6.3	32	2	2	5	8	12	15	29
B. Operated	650	13.9	183	2	4	10	17	30	45	97
TOTAL										
0-19 YRS	4221	3.7	8	1	1	3	5	6	8	13
20-34	359	4.9	13	1	2	4	6	10	12	18
35-49	625	5.7	25	2	2	5	7	10	12	22
50-64	2023	7.5	48	2	3	6	9	14	18	40
65 +	5666	8.7	58	3	3	7	10	16	21	46
GRAND TOTAL	**12894**	**6.7**	**42**	**2**	**2**	**5**	**8**	**12**	**17**	**35**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	255	1.3		< 1	< 1	1	1	2	2	3
20-34	635	1.3	1	< 1	1	1	2	2	2	3
35-49	282	1.3		< 1	1	1	2	2	2	3
50-64	104	1.3		< 1	1	1	1	2	2	4
65 +	20	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	7	1.0		< 1	< 1	< 1	1	1	1	1
35-49	7	1.9	2	< 1	< 1	1	2	4	5	5
50-64	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
0-19 YRS	571	1.3		< 1	1	1	2	2	2	4
20-34	1507	1.3	1	1	1	1	2	2	2	3
35-49	915	1.4	1	< 1	1	1	2	2	3	4
50-64	468	1.5	1	1	1	1	2	2	3	5
65 +	125	1.8	2	1	1	1	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.1	3	1	1	1	3	5	5	5
B. Operated	1296	1.3	1	< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	25	1.7	5	< 1	< 1	< 1	1	2	7	12
B. Operated	3586	1.4	1	1	1	1	2	2	3	4
1. SINGLE DX	1303	1.3	1	< 1	1	1	2	2	2	3
2. MULTIPLE DX	3611	1.4	1	< 1	1	1	2	2	3	4
A. Not Operated	32	1.8	5	< 1	< 1	1	1	4	5	12
B. Operated	4882	1.4	1	< 1	1	1	2	2	3	4
TOTAL										
0-19 YRS	833	1.3		< 1	1	1	2	2	2	4
20-34	2153	1.3	1	< 1	1	1	2	2	2	3
35-49	1206	1.4		< 1	1	1	2	2	3	4
50-64	576	1.4	1	1	1	1	2	2	3	5
65 +	146	1.8	2	1	1	1	2	3	4	9
GRAND TOTAL	**4914**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**	**4**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	1.6	1	< 1	< 1	1	2	3	4	4
20-34	18	1.2		1	1	1	1	2	3	3
35-49	41	1.6	1	< 1	< 1	1	2	3	4	5
50-64	36	1.4	1	< 1	1	1	2	2	3	4
65 +	16	2.1	3	1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.7	114	< 1	< 1	2	15	20	20	20
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	1.2		< 1	< 1	1	1	2	2	2
50-64	5	1.0		< 1	< 1	1	1	1	1	1
65 +	4	1.5		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	49	2.5	8	< 1	< 1	1	3	5	9	15
20-34	84	1.7	1	< 1	< 1	1	2	3	4	5
35-49	158	1.9	2	< 1	1	1	3	4	4	7
50-64	153	2.1	3	1	1	2	3	4	5	8
65 +	107	2.2	3	1	1	2	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	130	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	21	2.2	17	< 1	< 1	1	2	3	11	20
B. Operated	551	2.0	3	< 1	1	2	3	4	5	10
1. SINGLE DX	131	1.5	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	572	2.1	3	< 1	1	1	2	4	5	10
A. Not Operated	22	2.2	16	< 1	< 1	1	2	3	10	20
B. Operated	681	2.0	2	< 1	1	1	2	4	4	9
TOTAL										
0-19 YRS	71	2.5	11	< 1	< 1	1	3	5	9	19
20-34	106	1.6	1	< 1	1	1	2	3	4	5
35-49	205	1.8	2	< 1	< 1	1	2	3	4	6
50-64	194	2.0	2	< 1	1	1	2	4	5	8
65 +	127	2.1	3	1	1	2	3	4	6	10
GRAND TOTAL	**703**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**4**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	1.5	1	1	1	1	2	3	3	6
20-34	42	1.2		1	1	1	1	2	3	4
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	6114	1.1		< 1	1	1	1	1	2	2
20-34	1724	1.2		1	1	1	1	2	2	3
35-49	146	1.2		1	1	1	1	2	2	3
50-64	16	1.4	1	< 1	1	1	2	2	3	4
65 +	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	1.5	1	< 1	< 1	< 1	1	3	4	6
20-34	16	2.1	2	< 1	< 1	1	3	4	5	6
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	4370	1.1	1	< 1	1	1	1	1	2	4
20-34	440	1.3	1	1	1	1	1	2	2	5
35-49	57	1.6	1	1	1	1	2	2	5	6
50-64	13	2.1	7	1	1	1	2	4	10	11
65 +	7	3.4	8	1	1	2	4	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	1.4	1	1	1	1	1	3	3	5
B. Operated	8005	1.1		< 1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	123	1.6	1	< 1	< 1	< 1	1	4	4	6
B. Operated	4887	1.2	1	< 1	1	1	1	2	2	4
1. SINGLE DX	8116	1.1		< 1	1	1	1	1	2	3
2. MULTIPLE DX	5010	1.2	1	< 1	1	1	1	2	2	4
A. Not Operated	234	1.5	1	< 1	< 1	1	1	3	4	6
B. Operated	12892	1.1		< 1	1	1	1	1	2	3
TOTAL										
0-19 YRS	10656	1.1		< 1	1	1	1	1	2	3
20-34	2222	1.2		1	1	1	1	2	2	3
35-49	204	1.3	1	1	1	1	1	2	2	6
50-64	30	1.7	4	1	1	1	2	2	4	11
65 +	14	2.6	5	1	1	2	3	5	8	9
GRAND TOTAL	**13126**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	324	2.7	3	1	1	2	3	5	5	8
20-34	150	2.9	2	1	2	3	4	4	5	7
35-49	56	2.9	3	< 1	< 1	3	4	5	7	8
50-64	25	4.1	15	< 1	1	3	5	7	14	18
65 +	9	3.7	31	< 1	< 1	1	4	12	18	18
B. Operated										
0-19 YRS	385	2.9	32	1	1	2	3	5	7	23
20-34	356	2.1	3	< 1	1	2	2	4	6	10
35-49	304	1.8	2	< 1	< 1	1	2	3	4	9
50-64	184	1.6	1	< 1	< 1	1	2	3	4	5
65 +	92	2.0	3	< 1	< 1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	283	3.5	7	1	1	3	4	6	9	71
20-34	155	3.4	7	1	1	3	4	6	9	13
35-49	86	3.4	7	< 1	1	3	4	6	9	14
50-64	78	4.6	11	< 1	1	4	5	10	11	14
65 +	119	5.9	35	1	1	4	7	11	17	34
B. Operated										
0-19 YRS	385	2.6	13	1	1	2	3	6	8	16
20-34	474	2.4	8	< 1	1	2	3	5	7	17
35-49	488	2.5	12	1	1	1	3	4	7	20
50-64	455	3.5	38	< 1	1	2	3	7	11	34
65 +	325	4.9	52	< 1	1	2	5	13	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	564	2.9	3	1	1	3	4	5	6	8
B. Operated	1321	2.2	11	< 1	< 1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	721	4.0	12	1	1	3	5	8	10	21
B. Operated	2127	3.1	24	< 1	1	2	3	6	10	25
1. SINGLE DX	1885	2.4	9	< 1	1	2	3	4	5	10
2. MULTIPLE DX	2848	3.3	21	1	1	2	4	7	10	25
A. Not Operated	1285	3.5	9	1	1	3	4	6	9	17
B. Operated	3448	2.7	19	< 1	1	2	3	5	8	21
TOTAL										
0-19 YRS	1377	2.9	15	1	1	2	3	5	7	15
20-34	1135	2.5	5	< 1	1	2	3	5	7	13
35-49	934	2.3	8	< 1	1	2	3	4	6	14
50-64	742	3.2	26	< 1	1	2	3	6	10	24
65 +	545	4.6	41	< 1	1	2	5	10	17	37
GRAND TOTAL	**4733**	**2.9**	**16**	**< 1**	**1**	**2**	**3**	**6**	**8**	**20**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2208	3.7	4	1	2	3	5	6	8	11
20-34	803	4.9	7	2	2	4	6	8	10	14
35-49	582	5.5	8	2	3	5	7	9	11	15
50-64	442	5.9	12	2	3	5	7	9	12	18
65 +	523	6.8	22	2	3	6	8	12	14	19
B. Operated										
0-19 YRS	26	8.2	75	1	2	5	10	18	27	41
20-34	27	7.5	19	2	3	6	12	14	14	14
35-49	32	9.1	26	3	4	8	11	19	20	21
50-64	33	9.0	19	2	3	9	11	15	18	19
65 +	30	11.2	54	3	4	9	15	24	26	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4482	4.8	15	1	2	4	6	9	12	19
20-34	1701	7.0	27	2	3	6	9	13	16	27
35-49	2003	7.6	32	2	3	6	9	14	16	27
50-64	3758	8.7	39	3	3	7	10	15	19	35
65 +	15407	10.9	73	3	4	9	13	19	25	56
B. Operated										
0-19 YRS	126	13.4	208	2	3	10	17	30	66	99 +
20-34	235	17.2	246	4	5	13	21	36	60	99 +
35-49	405	15.4	168	3	5	12	18	30	47	99 +
50-64	719	16.7	168	4	6	13	21	35	48	99 +
65 +	2468	20.3	244	6	7	16	26	45	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4558	4.7	9	2	2	4	6	8	10	15
B. Operated	148	9.1	38	2	3	8	12	18	20	28
2. MULTIPLE DX										
A. Not Operated	27351	9.1	58	2	3	7	11	17	22	44
B. Operated	3953	18.7	226	5	6	14	23	41	61	99 +
1. SINGLE DX	4706	4.8	11	2	2	4	6	9	11	16
2. MULTIPLE DX	31304	10.3	90	2	3	8	12	20	27	64
A. Not Operated	31909	8.5	54	2	3	7	10	16	21	41
B. Operated	4101	18.4	222	4	6	14	23	40	60	99 +
TOTAL										
0-19 YRS	6842	4.6	17	1	2	4	5	8	11	19
20-34	2766	7.3	50	2	3	5	8	13	18	39
35-49	3022	8.2	54	2	3	6	10	15	19	44
50-64	4952	9.6	64	3	3	8	11	18	24	48
65 +	18428	12.1	105	4	4	9	14	22	31	76
GRAND TOTAL	**36010**	**9.6**	**83**	**2**	**3**	**7**	**12**	**18**	**25**	**60**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.3	2	1	1	2	3	4	4	8
20-34	13	3.8	11	1	1	3	5	10	12	12
35-49	10	4.6	3	2	2	4	5	7	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65 +	5	5.4	11	2	2	6	8	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	3.2	5	1	1	3	4	5	8	13
20-34	47	3.6	10	1	1	3	4	6	12	15
35-49	47	4.9	11	1	2	4	7	10	11	16
50-64	72	5.7	12	2	2	5	7	12	14	16
65 +	168	7.5	33	2	2	6	10	13	16	37
B. Operated										
0-19 YRS	3	9.0	49	4	4	6	14	17	17	17
20-34	4	15.5	206	1	1	14	27	33	33	33
35-49	3	19.3	420	7	7	8	34	43	43	43
50-64	8	13.4	165	2	3	9	18	35	40	40
65 +	11	17.8	342	2	3	14	18	43	68	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	3.3	6	1	1	2	4	7	9	12
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	415	5.6	22	1	2	4	7	11	14	22
B. Operated	29	15.5	229	2	3	10	19	37	44	70
1. SINGLE DX	61	3.3	6	1	1	2	4	7	9	12
2. MULTIPLE DX	444	6.3	41	1	2	4	8	12	15	39
A. Not Operated	475	5.3	20	1	2	4	7	11	13	21
B. Operated	30	15.0	228	1	2	10	18	36	43	70
TOTAL										
0-19 YRS	115	3.1	6	1	1	2	4	5	8	16
20-34	64	4.4	28	1	1	3	5	9	15	31
35-49	60	5.6	33	1	2	4	7	9	12	40
50-64	82	6.4	30	2	2	5	7	12	15	35
65 +	184	8.1	55	2	2	7	10	14	18	40
GRAND TOTAL	**505**	**5.9**	**37**	**1**	**2**	**4**	**8**	**12**	**15**	**36**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	119	2.7	3	< 1	1	2	3	5	6	7
20-34	16	4.1	5	1	1	4	5	6	9	10
35-49	20	4.8	5	1	2	5	6	8	9	10
50-64	52	6.3	18	1	3	5	8	11	15	24
65 +	85	6.4	31	2	2	5	8	11	12	37
B. Operated										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	4	3.0	6	< 1	< 1	2	5	6	6	6
35-49	3	13.7	4	12	12	13	15	16	16	16
50-64	7	5.1	16	1	1	5	7	11	12	12
65 +	4	8.8	71	1	1	8	16	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	158	3.5	7	1	1	3	4	7	10	18
20-34	57	4.4	11	1	1	4	6	8	11	18
35-49	118	5.4	10	2	2	5	7	9	10	18
50-64	449	7.6	35	2	3	6	9	13	18	36
65 +	993	8.8	52	3	3	7	11	16	21	44
B. Operated										
0-19 YRS	6	2.5	5	< 1	< 1	2	2	7	7	7
20-34	7	18.7	614	1	1	15	17	62	73	73
35-49	25	8.8	26	1	2	9	13	15	16	17
50-64	83	8.8	70	1	2	6	13	20	23	45
65 +	138	11.1	85	2	3	9	16	23	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	292	4.6	17	1	1	4	6	9	11	16
B. Operated	20	6.8	32	< 1	1	5	12	15	16	17
2. MULTIPLE DX										
A. Not Operated	1775	7.6	43	2	2	6	9	14	19	35
B. Operated	259	10.2	89	1	2	8	14	21	31	99 +
1. SINGLE DX	312	4.8	18	1	1	4	6	9	12	17
2. MULTIPLE DX	2034	8.0	49	2	2	6	10	15	20	47
A. Not Operated	2067	7.2	40	2	2	6	9	13	18	34
B. Operated	279	9.9	85	1	2	8	14	20	29	99 +
TOTAL										
0-19 YRS	285	3.1	5	1	1	2	4	6	8	13
20-34	84	5.5	69	1	1	4	6	9	15	54
35-49	166	6.0	14	2	2	5	8	12	13	17
50-64	591	7.6	39	2	2	6	9	14	19	36
65 +	1220	8.9	55	2	3	7	11	17	22	52
GRAND TOTAL	**2346**	**7.5**	**46**	**2**	**2**	**6**	**9**	**14**	**19**	**44**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	5.6	11	2	2	5	8	11	11	11
50-64	60	6.8	20	1	2	6	8	12	16	22
65 +	78	7.0	14	2	3	6	9	12	13	23
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	9.0	21	4	4	10	12	13	13	13
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	1	15.0		15	15	15	15	15	15	15
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.7	3	2	2	3	4	7	7	7
35-49	51	9.0	113	2	2	6	9	18	29	67
50-64	381	9.2	55	2	3	7	12	16	23	41
65 +	1163	9.5	65	3	4	8	11	17	25	70
B. Operated										
0-19 YRS	6	11.7	66	5	5	9	14	26	27	27
20-34	14	12.8	63	5	6	10	13	28	31	32
35-49	16	13.8	65	3	4	15	18	32	77	99 +
50-64	77	20.5	412	2	4	13	33	68	92	99 +
65 +	97	18.6	230	5	6	15	23	41	88	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	6.8	17	2	3	6	8	12	13	22
B. Operated	7	9.1	16	4	4	10	12	15	15	15
2. MULTIPLE DX										
A. Not Operated	1601	9.4	64	2	3	7	11	17	25	55
B. Operated	210	18.4	272	4	5	14	23	50	85	99 +
1. SINGLE DX	154	6.9	17	2	3	6	9	12	13	22
2. MULTIPLE DX	1811	10.4	96	3	3	8	12	20	31	94
A. Not Operated	1748	9.2	60	2	3	7	11	17	23	51
B. Operated	217	18.1	267	4	5	14	22	49	84	99 +
TOTAL										
0-19 YRS	8	9.9	59	3	4	7	12	23	27	27
20-34	24	9.6	56	2	2	9	12	18	29	32
35-49	76	9.6	95	2	3	6	13	20	31	91
50-64	519	10.6	121	2	3	8	12	21	35	89
65 +	1338	10.0	80	3	4	8	12	19	27	90
GRAND TOTAL	**1965**	**10.1**	**91**	**2**	**3**	**8**	**12**	**19**	**29**	**88**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6110	2.8	3	1	1	3	3	5	6	8
20-34	1716	3.8	5	1	2	3	5	6	8	12
35-49	1424	4.3	9	1	2	4	5	8	9	14
50-64	911	4.8	9	1	2	4	6	8	10	14
65 +	417	5.3	11	2	2	5	7	9	10	15
B. Operated										
0-19 YRS	16	8.3	220	1	2	4	6	12	48	63
20-34	6	2.3	1	< 1	< 1	2	3	4	4	4
35-49	7	7.0	22	2	2	5	9	15	16	16
50-64	5	9.2	18	3	3	10	13	13	13	13
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4126	3.4	11	1	1	3	4	6	7	12
20-34	1750	4.8	9	1	2	4	6	8	10	15
35-49	2330	5.9	18	2	2	5	7	10	13	22
50-64	3072	6.8	24	2	3	6	8	12	15	25
65 +	3821	8.2	45	2	3	7	10	14	19	38
B. Operated										
0-19 YRS	44	8.6	98	2	2	5	9	23	30	52
20-34	43	9.7	95	2	3	7	11	19	23	61
35-49	98	11.6	85	2	4	9	14	22	39	74
50-64	156	13.1	90	3	5	11	16	26	39	96
65 +	220	15.3	140	5	6	12	19	28	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10578	3.5	6	1	1	3	4	6	7	11
B. Operated	36	6.9	107	1	2	4	7	13	15	63
2. MULTIPLE DX										
A. Not Operated	15099	5.9	26	1	2	5	7	11	14	26
B. Operated	561	13.1	114	3	4	10	16	26	41	99 +
1. SINGLE DX	10614	3.5	6	1	1	3	4	6	7	11
2. MULTIPLE DX	15660	6.1	31	1	2	5	7	11	15	29
A. Not Operated	25677	4.9	19	1	2	4	6	9	12	21
B. Operated	597	12.7	115	2	4	10	16	25	40	99 +
TOTAL										
0-19 YRS	10296	3.1	7	1	1	3	4	5	6	10
20-34	3515	4.4	9	1	2	4	5	7	9	14
35-49	3859	5.5	18	2	2	4	7	10	12	20
50-64	4144	6.6	25	2	3	5	8	12	15	27
65 +	4460	8.3	50	2	3	7	10	15	19	42
GRAND TOTAL	**26274**	**5.0**	**23**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.7	80	1	1	2	13	17	17	17
20-34	6	4.3	10	1	1	4	6	9	9	9
35-49	39	5.1	7	1	2	5	6	8	10	13
50-64	230	6.4	36	2	2	5	8	10	12	28
65 +	350	6.2	16	2	3	5	8	11	13	22
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	9.3	9	6	6	10	11	12	12	12
35-49	6	10.2	114	< 1	< 1	7	17	27	28	28
50-64	9	4.7	10	1	1	4	7	10	10	10
65 +	8	4.1	20	< 1	< 1	2	6	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	12.9	96	2	2	11	17	21	36	43
20-34	20	6.7	33	1	1	5	8	14	19	24
35-49	205	6.7	23	2	3	6	9	12	14	23
50-64	1593	8.4	49	2	3	7	10	15	21	37
65 +	3498	9.1	57	3	3	7	11	16	22	46
B. Operated										
0-19 YRS	10	16.8	335	1	1	14	27	76	98	99 +
20-34	5	11.4	112	1	1	8	16	29	29	29
35-49	29	12.2	116	1	2	10	16	26	34	47
50-64	197	15.7	255	2	4	10	18	38	49	85
65 +	418	17.5	269	3	5	13	22	47	77	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	628	6.2	23	2	2	5	8	11	13	22
B. Operated	27	6.1	39	< 1	1	4	10	13	19	28
2. MULTIPLE DX										
A. Not Operated	5340	8.8	54	2	3	7	11	16	22	41
B. Operated	659	16.7	258	2	4	12	20	41	68	99 +
1. SINGLE DX	655	6.2	24	2	2	5	8	11	13	23
2. MULTIPLE DX	5999	9.7	82	2	3	7	11	18	25	65
A. Not Operated	5968	8.5	51	2	3	7	10	15	21	40
B. Operated	686	16.2	254	2	4	12	20	40	66	99 +
TOTAL										
0-19 YRS	38	13.1	156	1	1	12	18	31	52	99 +
20-34	34	7.2	40	1	1	6	9	14	22	29
35-49	279	7.1	36	2	2	6	9	12	16	32
50-64	2029	8.9	73	2	3	7	10	17	22	52
65 +	4274	9.7	82	3	3	7	11	18	25	69
GRAND TOTAL	**6654**	**9.3**	**78**	**2**	**3**	**7**	**11**	**17**	**24**	**62**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.7	4	< 1	1	2	3	6	8	9
20-34	89	3.4	10	1	1	2	5	6	7	20
35-49	16	3.6	7	1	1	3	5	6	10	11
50-64	8	3.0	4	1	1	3	4	6	7	7
65 +	3	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	88	6.4	23	2	3	5	8	12	15	28
20-34	390	6.0	16	2	3	5	7	10	14	24
35-49	118	6.3	15	2	3	5	8	12	14	20
50-64	26	7.3	25	3	4	6	9	14	18	23
65 +	24	5.8	39	1	2	5	6	7	16	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.0	1	< 1	1	3	4	4	5	5
20-34	38	5.5	33	2	2	3	6	11	20	28
35-49	27	5.1	10	2	2	4	6	8	10	18
50-64	30	4.4	7	1	1	4	6	8	10	11
65 +	49	7.9	63	1	1	6	10	16	26	42
B. Operated										
0-19 YRS	35	9.6	47	3	4	7	12	19	24	33
20-34	173	10.6	60	3	4	8	14	21	25	36
35-49	123	9.3	41	3	4	7	12	17	23	31
50-64	169	12.5	85	3	4	10	17	25	29	39
65 +	255	14.0	166	3	4	10	17	28	41	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	3.2	8	1	1	2	4	6	7	15
B. Operated	646	6.1	18	2	3	5	7	11	14	25
2. MULTIPLE DX										
A. Not Operated	157	5.8	33	1	1	4	7	11	16	30
B. Operated	755	11.9	100	3	4	9	16	24	30	52
1. SINGLE DX	799	5.6	17	1	2	5	7	10	14	24
2. MULTIPLE DX	912	10.9	94	2	3	8	14	23	28	49
A. Not Operated	310	4.5	22	1	1	3	5	9	11	27
B. Operated	1401	9.3	71	2	3	6	11	19	25	42
TOTAL										
0-19 YRS	173	6.0	27	1	2	4	7	12	16	29
20-34	690	6.8	33	2	2	5	8	13	19	31
35-49	284	7.3	29	2	3	6	9	14	17	26
50-64	233	10.6	76	2	3	8	14	23	28	39
65 +	331	12.4	148	2	3	8	16	27	37	64
GRAND TOTAL	**1711**	**8.4**	**65**	**2**	**2**	**6**	**10**	**18**	**24**	**41**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	212	3.6	12	1	1	3	4	8	11	18
20-34	101	5.0	32	1	1	3	6	10	17	30
35-49	82	4.3	19	< 1	1	3	5	10	12	25
50-64	64	3.6	7	< 1	1	3	5	7	8	13
65 +	73	4.9	14	1	2	4	6	10	14	20
B. Operated										
0-19 YRS	35	4.2	53	< 1	1	2	4	11	33	99 +
20-34	40	7.2	54	< 1	< 1	5	9	17	24	32
35-49	49	5.7	30	< 1	1	4	8	12	17	27
50-64	73	5.9	27	< 1	1	4	9	13	16	24
65 +	59	6.7	50	< 1	1	5	9	12	20	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	587	6.1	56	1	1	4	7	14	18	37
20-34	291	6.7	40	1	2	4	9	14	17	33
35-49	440	7.0	43	1	2	5	9	14	17	35
50-64	1159	7.9	63	2	2	6	10	15	21	46
65 +	3971	10.2	81	2	3	8	12	19	26	60
B. Operated										
0-19 YRS	209	14.1	310	1	1	7	23	41	82	99 +
20-34	187	15.7	218	2	2	12	21	38	45	95
35-49	329	14.1	183	1	2	10	19	32	43	75
50-64	723	13.3	184	1	2	9	17	30	44	99 +
65 +	1574	17.0	223	2	4	13	22	37	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	532	4.2	17	1	1	3	5	9	12	23
B. Operated	256	6.0	41	< 1	1	4	9	12	18	37
2. MULTIPLE DX										
A. Not Operated	6448	9.1	73	2	2	7	11	17	24	53
B. Operated	3022	15.5	217	1	2	12	20	36	50	99 +
1. SINGLE DX	788	4.8	25	1	1	3	6	10	14	28
2. MULTIPLE DX	9470	11.1	128	2	2	8	14	23	34	83
A. Not Operated	6980	8.7	71	1	2	7	11	17	23	50
B. Operated	3278	14.8	210	1	2	11	19	34	49	99 +
TOTAL										
0-19 YRS	1043	7.1	110	1	1	4	8	18	27	98
20-34	619	9.2	112	1	2	5	11	21	30	61
35-49	900	9.3	105	1	2	6	11	22	31	57
50-64	2019	9.6	111	1	2	7	12	20	30	70
65 +	5677	12.0	129	2	3	9	15	24	35	86
GRAND TOTAL	**10258**	**10.6**	**123**	**1**	**2**	**8**	**13**	**23**	**33**	**80**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.4	17	< 1	< 1	2	3	8	14	18
20-34	26	3.6	19	< 1	1	2	4	7	12	22
35-49	9	3.3	11	1	1	2	4	9	10	10
50-64	7	3.1	3	1	1	4	4	6	6	6
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	488	1.9	3	< 1	< 1	1	2	4	5	8
20-34	517	2.1	2	< 1	< 1	2	3	4	4	6
35-49	188	2.2	2	1	1	2	3	4	4	8
50-64	82	1.9	1	< 1	1	2	2	3	4	5
65 +	33	1.9	1	< 1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	2.5	3	< 1	1	2	3	4	6	8
20-34	92	2.2	3	< 1	1	2	3	4	5	10
35-49	56	2.9	5	< 1	1	2	4	7	8	10
50-64	30	5.4	35	< 1	1	4	5	10	22	28
65 +	34	4.7	12	< 1	1	4	6	10	13	14
B. Operated										
0-19 YRS	693	2.3	4	< 1	< 1	2	3	4	5	11
20-34	656	2.9	8	< 1	1	2	4	5	7	13
35-49	318	3.0	7	< 1	1	2	4	6	8	11
50-64	262	2.7	7	1	1	2	3	6	8	16
65 +	218	2.9	12	< 1	1	2	3	6	8	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.4	14	< 1	1	2	4	7	10	22
B. Operated	1308	2.0	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	276	3.1	9	< 1	1	2	4	6	8	14
B. Operated	2147	2.7	7	< 1	< 1	2	3	5	7	13
1. SINGLE DX	1370	2.1	3	< 1	< 1	2	3	4	5	8
2. MULTIPLE DX	2423	2.7	7	< 1	< 1	2	3	5	7	13
A. Not Operated	338	3.2	10	< 1	1	2	4	6	8	18
B. Operated	3455	2.4	5	< 1	< 1	2	3	4	6	11
TOTAL										
0-19 YRS	1263	2.1	3	< 1	< 1	1	3	4	5	9
20-34	1291	2.5	6	< 1	< 1	2	3	4	6	11
35-49	571	2.7	6	< 1	1	2	3	5	7	10
50-64	381	2.7	8	1	1	2	3	5	8	18
65 +	287	3.0	11	< 1	1	2	3	6	8	14
GRAND TOTAL	**3793**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	3.6	5	1	1	3	4	7	9	11
20-34	31	3.4	4	1	1	3	5	6	7	8
35-49	24	4.5	12	1	2	4	5	8	13	16
50-64	25	4.0	4	1	1	3	6	6	8	8
65 +	12	5.0	11	1	2	4	7	9	12	13
B. Operated										
0-19 YRS	59	2.6	5	< 1	< 1	2	3	6	7	13
20-34	66	3.0	10	1	1	2	3	7	10	18
35-49	73	2.5	7	< 1	1	2	3	6	7	15
50-64	71	2.2	3	< 1	1	2	3	4	5	9
65 +	46	2.3	4	< 1	1	2	3	4	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	3.6	3	1	1	3	5	6	7	8
20-34	38	4.8	19	1	1	4	7	8	14	23
35-49	33	4.4	14	< 1	< 1	3	7	9	11	17
50-64	45	6.2	44	1	2	5	7	10	14	44
65 +	115	7.9	35	2	2	6	10	16	20	55
B. Operated										
0-19 YRS	62	3.4	7	1	1	3	5	7	9	13
20-34	69	3.9	12	1	1	3	5	8	8	19
35-49	96	3.8	24	1	1	2	4	8	11	29
50-64	116	3.7	16	1	1	2	4	9	14	20
65 +	143	6.0	100	1	1	3	6	13	21	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	3.9	6	1	1	3	5	7	8	13
B. Operated	315	2.5	6	< 1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	303	5.8	27	1	1	5	7	12	16	30
B. Operated	486	4.4	41	1	1	3	5	9	14	38
1. SINGLE DX	467	3.0	6	< 1	1	2	4	6	7	13
2. MULTIPLE DX	789	4.9	36	1	1	3	6	10	15	34
A. Not Operated	455	5.2	21	1	1	4	6	10	14	26
B. Operated	801	3.6	28	< 1	1	2	4	8	11	22
TOTAL										
0-19 YRS	253	3.3	5	< 1	1	3	4	6	8	11
20-34	204	3.7	12	1	1	3	5	8	9	19
35-49	226	3.5	16	< 1	1	2	4	7	11	20
50-64	257	3.7	18	1	1	2	5	8	10	19
65 +	316	6.1	62	1	1	4	8	14	19	59
GRAND TOTAL	**1256**	**4.2**	**26**	**1**	**1**	**3**	**5**	**8**	**13**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	184	2.8	4	1	1	2	4	5	6	11
20-34	52	2.8	3	1	1	2	3	5	6	9
35-49	94	2.6	3	1	1	2	3	5	6	8
50-64	73	2.7	2	1	1	3	3	4	5	10
65 +	45	3.7	31	1	1	3	4	5	8	38
B. Operated										
0-19 YRS	48	4.2	31	< 1	1	2	6	11	13	33
20-34	28	5.1	13	1	1	5	7	9	11	17
35-49	43	4.8	12	1	1	4	7	9	11	14
50-64	38	4.7	12	< 1	1	4	6	8	10	18
65 +	46	5.0	16	1	1	4	6	9	10	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	305	4.8	60	1	1	3	5	10	14	35
20-34	260	4.0	8	1	1	3	5	8	9	13
35-49	485	4.3	20	1	1	3	5	8	11	21
50-64	661	4.7	16	1	1	4	6	9	12	20
65 +	1202	6.1	36	1	2	5	7	11	15	37
B. Operated										
0-19 YRS	194	12.2	155	1	2	8	15	30	44	89
20-34	143	8.0	73	1	2	6	10	17	26	59
35-49	178	8.5	63	1	2	7	10	16	22	49
50-64	355	8.9	102	1	2	7	10	17	23	57
65 +	947	9.7	95	1	2	7	12	20	28	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	448	2.8	6	1	1	2	3	5	6	9
B. Operated	203	4.7	17	1	1	4	6	9	11	21
2. MULTIPLE DX										
A. Not Operated	2913	5.2	29	1	1	4	6	10	13	28
B. Operated	1817	9.5	99	1	2	7	11	20	29	57
1. SINGLE DX	651	3.4	10	1	1	3	4	7	9	14
2. MULTIPLE DX	4730	6.9	60	1	2	5	8	14	20	46
A. Not Operated	3361	4.9	27	1	1	4	6	9	12	26
B. Operated	2020	9.1	92	1	2	6	11	18	27	56
TOTAL										
0-19 YRS	731	6.2	82	1	1	3	7	14	25	49
20-34	483	5.1	30	1	1	4	6	10	13	30
35-49	800	5.1	30	1	1	4	6	10	13	28
50-64	1127	5.9	46	1	1	4	7	11	15	38
65 +	2240	7.6	64	1	2	5	9	15	22	48
GRAND TOTAL	**5381**	**6.4**	**56**	**1**	**1**	**4**	**8**	**13**	**18**	**44**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	9	4.0	5	2	2	4	4	7	9	9
35-49	24	3.3	2	1	1	3	4	5	6	6
50-64	27	4.7	5	2	2	5	6	7	10	11
65 +	17	4.5	8	< 1	1	4	7	9	9	9
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	5.2	1	4	4	5	6	7	7	7
35-49	16	5.0	9	1	2	5	7	9	11	12
50-64	14	4.7	5	2	2	4	6	9	9	9
65 +	7	3.7	3	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	10.0	103	2	2	7	17	24	24	24
20-34	37	4.8	9	2	2	4	6	8	11	15
35-49	90	4.6	10	1	2	4	5	8	9	19
50-64	134	5.2	9	2	2	5	6	9	12	14
65 +	269	7.2	29	2	3	6	8	13	17	36
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	21	6.2	10	2	3	6	8	10	13	15
35-49	95	10.2	120	2	3	7	11	21	26	72
50-64	137	7.9	49	2	2	6	9	15	22	42
65 +	324	9.7	49	3	4	8	11	17	23	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	4.1	5	1	2	4	5	7	9	11
B. Operated	47	4.8	5	2	2	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	534	6.1	21	2	2	5	8	11	14	25
B. Operated	580	9.2	60	2	3	7	10	17	23	45
1. SINGLE DX	127	4.3	5	1	2	4	5	7	9	11
2. MULTIPLE DX	1114	7.7	44	2	3	6	9	14	19	35
A. Not Operated	614	5.9	19	2	2	5	7	11	14	24
B. Operated	627	8.9	57	2	3	7	10	16	22	45
TOTAL										
0-19 YRS	11	5.5	44	1	1	3	5	16	23	24
20-34	76	5.2	8	2	2	5	7	9	11	[illegible]
35-49	225	6.8	63	1	2	5	8	12	19	[illegible]
50-64	312	6.3	28	2	2	5	8	11	14	[illegible]
65 +	617	8.4	41	2	3	7	10	16	21	39
GRAND TOTAL	**1241**	**7.4**	**41**	**2**	**2**	**6**	**9**	**13**	**18**	**32**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.4	1	3	3	4	5	6	6	6
20-34	13	4.5	5	2	2	5	6	7	9	9
35-49	39	4.7	5	2	2	4	6	8	10	10
50-64	59	4.3	4	1	2	4	5	7	8	11
65 +	66	5.3	5	3	3	5	7	8	9	13
B. Operated										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	15	6.7	10	3	4	6	9	10	14	15
35-49	31	8.4	57	3	3	6	9	16	28	38
50-64	37	6.7	11	1	3	6	9	11	12	16
65 +	41	6.4	16	2	3	6	8	10	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.0	5	3	3	6	7	8	8	8
20-34	49	5.8	47	2	2	4	5	9	21	42
35-49	156	5.2	15	2	2	4	6	8	11	26
50-64	349	6.0	17	2	3	5	7	10	11	30
65 +	914	7.6	45	3	3	6	9	13	17	32
B. Operated										
0-19 YRS	4	11.3	174	4	4	5	18	31	31	31
20-34	35	11.8	134	2	3	9	16	24	27	64
35-49	119	9.0	53	2	3	8	11	16	20	42
50-64	326	10.3	77	3	4	8	12	21	28	61
65 +	1124	12.3	120	3	4	9	15	24	33	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	4.8	5	2	2	4	6	8	9	12
B. Operated	126	7.0	24	2	3	6	8	11	15	30
2. MULTIPLE DX										
A. Not Operated	1472	6.9	36	2	3	6	8	12	16	31
B. Operated	1608	11.6	108	3	4	9	14	22	32	66
1. SINGLE DX	308	5.7	14	2	3	5	7	9	11	21
2. MULTIPLE DX	3080	9.4	79	3	3	7	11	18	25	55
A. Not Operated	1654	6.7	33	2	3	5	8	11	15	29
B. Operated	1734	11.3	103	3	4	8	13	22	31	64
TOTAL										
0-19 YRS	15	7.1	47	3	3	6	7	8	25	31
20-34	112	7.6	72	2	2	5	9	17	24	50
35-49	345	6.7	34	2	3	5	8	12	17	34
50-64	771	7.8	46	2	3	6	9	13	20	37
65 +	2145	10.0	89	3	3	7	11	19	27	61
GRAND TOTAL	**3388**	**9.1**	**74**	**3**	**3**	**7**	**10**	**17**	**24**	**50**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.1	3	1	1	3	4	5	6	7
20-34	107	3.5	4	1	2	3	4	6	8	10
35-49	88	3.5	4	1	1	3	5	6	7	10
50-64	73	3.6	3	< 1	1	3	5	6	7	8
65 +	29	4.0	7	2	2	3	4	7	9	14
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	12	5.4	10	2	2	4	8	10	12	12
35-49	15	8.6	8	4	4	8	10	13	14	14
50-64	10	7.1	19	1	2	6	8	14	17	17
65 +	7	9.0	25	4	4	8	10	17	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	4.4	6	2	2	4	6	8	10	11
20-34	170	4.0	5	1	2	3	5	7	9	12
35-49	250	4.7	9	1	2	4	6	8	11	14
50-64	345	5.0	11	2	2	4	6	8	11	17
65 +	596	6.8	29	2	3	5	8	12	15	31
B. Operated										
0-19 YRS	5	9.2	50	2	2	6	15	19	19	19
20-34	35	9.2	27	3	3	8	11	16	18	27
35-49	49	9.1	60	2	2	7	11	18	23	42
50-64	101	10.1	67	3	4	8	12	19	24	81
65 +	176	12.1	128	3	3	9	14	25	31	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	313	3.6	4	1	1	3	4	6	7	10
B. Operated	46	7.3	15	2	3	7	9	12	15	19
2. MULTIPLE DX										
A. Not Operated	1382	5.6	19	2	2	5	7	10	13	22
B. Operated	366	10.8	92	3	3	8	13	21	27	65
1. SINGLE DX	359	4.0	7	1	2	3	5	8	9	14
2. MULTIPLE DX	1748	6.7	39	2	2	5	8	12	17	31
A. Not Operated	1695	5.2	17	1	2	4	6	9	12	20
B. Operated	412	10.4	85	3	3	8	12	20	26	64
TOTAL										
0-19 YRS	44	4.4	12	1	2	3	5	8	12	19
20-34	324	4.4	10	1	2	4	6	8	10	16
35-49	402	5.1	17	1	2	4	6	9	11	21
50-64	529	5.8	26	2	2	5	7	11	15	26
65 +	808	7.8	55	2	3	6	9	14	20	42
GRAND TOTAL	**2107**	**6.2**	**34**	**2**	**2**	**5**	**7**	**12**	**16**	**31**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.5	4	1	1	3	4	7	8	8
20-34	82	4.0	4	1	2	4	5	6	8	11
35-49	113	4.4	5	2	2	4	5	7	9	12
50-64	126	4.4	4	2	2	4	5	7	8	12
65 +	100	4.9	6	2	2	4	6	8	10	13
B. Operated										
0-19 YRS	4	8.0	1	7	7	8	9	9	9	9
20-34	37	7.6	9	3	5	7	9	11	14	16
35-49	43	8.0	17	4	5	8	9	10	13	31
50-64	56	8.2	13	2	4	8	10	13	15	19
65 +	48	9.9	26	3	5	9	12	17	19	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	5.4	15	2	2	4	7	11	14	16
20-34	149	4.5	7	2	2	4	5	7	9	17
35-49	276	5.5	12	2	2	5	7	9	12	16
50-64	536	5.7	11	2	3	5	7	9	11	19
65 +	1330	8.1	65	2	3	6	9	14	19	42
B. Operated										
0-19 YRS	7	8.1	11	3	3	9	10	12	12	12
20-34	59	9.1	34	2	4	8	11	16	22	31
35-49	146	11.2	101	3	4	8	13	20	29	54
50-64	314	11.7	113	3	4	9	13	22	29	74
65 +	826	16.3	200	4	5	12	19	34	51	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	433	4.4	5	2	2	4	6	7	9	12
B. Operated	188	8.5	17	3	5	8	10	13	16	25
2. MULTIPLE DX										
A. Not Operated	2309	7.0	44	2	3	6	8	12	16	32
B. Operated	1352	14.3	167	4	5	10	17	29	43	79
1. SINGLE DX	621	5.6	12	2	2	5	7	10	12	18
2. MULTIPLE DX	3661	9.7	102	3	3	7	11	19	27	63
A. Not Operated	2742	6.6	39	2	3	5	7	11	15	29
B. Operated	1540	13.6	153	4	5	10	16	27	39	75
TOTAL										
0-19 YRS	41	5.6	12	2	2	4	8	10	12	16
20-34	327	5.5	15	2	2	5	7	10	13	22
35-49	578	6.9	40	2	3	5	8	12	16	34
50-64	1032	7.5	49	2	3	6	8	13	19	36
65 +	2304	11.0	127	3	3	7	12	21	32	70
GRAND TOTAL	**4282**	**9.1**	**91**	**2**	**3**	**6**	**10**	**17**	**26**	**57**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.8	4	1	1	4	5	5	5	5
35-49	8	4.4	4	2	2	4	5	7	8	8
50-64	8	5.3	1	4	4	5	6	6	6	6
65 +	8	6.9	1	6	6	7	8	9	9	9
B. Operated										
0-19 YRS	0									
20-34	4	12.5	60	4	4	13	19	20	20	20
35-49	11	11.6	20	7	7	10	15	18	21	21
50-64	14	10.1	30	2	3	10	13	18	20	21
65 +	11	15.8	76	6	7	13	23	29	33	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	4.9	13	<1	1	4	7	11	12	12
35-49	23	6.2	15	1	2	5	8	12	15	16
50-64	36	7.1	15	2	2	7	9	13	14	19
65 +	122	8.8	36	3	4	7	11	14	17	42
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	8	14.9	158	5	5	10	21	36	39	39
35-49	25	19.8	391	3	5	15	24	40	60	97
50-64	79	16.3	156	4	5	14	21	29	51	90
65 +	153	18.7	235	5	6	15	22	40	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	5.3	3	2	3	5	6	8	8	9
B. Operated	40	12.3	45	3	5	11	16	21	25	33
2. MULTIPLE DX										
A. Not Operated	192	7.9	30	2	3	7	10	13	16	31
B. Operated	266	18.0	222	5	6	14	21	39	53	99
1. SINGLE DX	68	9.4	40	3	4	8	12	18	22	32
2. MULTIPLE DX	458	13.8	166	3	4	10	17	27	41	95
A. Not Operated	220	7.6	27	2	3	7	10	13	15	26
B. Operated	306	17.2	202	5	5	13	21	34	52	99
TOTAL										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	27	8.8	78	1	2	6	10	20	31	39
35-49	67	12.0	192	2	3	8	15	23	34	89
50-64	137	12.6	116	3	4	9	17	24	31	69
65 +	294	14.2	164	4	5	11	17	28	42	91
GRAND TOTAL	**526**	**13.2**	**151**	**3**	**4**	**10**	**16**	**26**	**39**	**85**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	150	2.1	1	1	1	2	3	4	5	6
20-34	279	2.6	3	1	1	2	4	5	6	8
35-49	169	3.2	5	1	1	3	4	6	8	12
50-64	107	3.0	5	1	1	2	4	5	8	11
65 +	60	3.7	5	< 1	1	3	5	7	8	11
B. Operated										
0-19 YRS	7	3.6	9	1	1	2	5	8	9	9
20-34	25	4.2	7	1	1	4	6	8	9	10
35-49	24	5.5	9	1	2	5	7	9	11	12
50-64	22	4.8	11	< 1	1	4	6	10	11	11
65 +	14	4.4	4	< 1	1	5	6	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	378	2.7	5	1	1	2	3	4	5	10
20-34	709	3.6	6	1	1	3	5	6	8	13
35-49	892	4.3	9	1	2	4	6	8	10	15
50-64	966	4.9	13	1	2	4	6	9	11	18
65 +	1881	6.6	39	2	2	5	8	12	16	35
B. Operated										
0-19 YRS	18	5.6	13	2	2	4	8	11	13	15
20-34	101	5.2	13	1	2	4	7	10	12	19
35-49	191	7.2	23	2	3	6	9	14	17	24
50-64	295	8.8	63	3	3	7	10	16	23	45
65 +	684	10.4	87	3	4	8	12	19	26	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	765	2.8	4	1	1	2	4	5	6	10
B. Operated	92	4.7	8	< 1	1	4	6	9	10	12
2. MULTIPLE DX										
A. Not Operated	4826	5.1	22	1	2	4	6	9	13	23
B. Operated	1289	9.1	67	2	3	7	11	16	23	51
1. SINGLE DX	857	3.0	4	1	1	2	4	6	7	11
2. MULTIPLE DX	6115	5.9	35	1	2	4	7	11	15	30
A. Not Operated	5591	4.8	20	1	1	4	6	9	12	22
B. Operated	1381	8.8	65	2	3	7	11	16	22	50
TOTAL										
0-19 YRS	553	2.6	4	1	1	2	3	4	6	11
20-34	1114	3.5	6	1	1	3	4	6	8	13
35-49	1276	4.6	12	1	2	4	6	9	11	17
50-64	1390	5.6	26	1	2	4	7	10	14	27
65 +	2639	7.5	53	2	2	6	9	14	19	41
GRAND TOTAL	**6972**	**5.6**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.4	2	1	1	2	3	4	6	6
20-34	35	3.6	9	1	1	3	4	6	8	17
35-49	26	3.2	8	< 1	1	2	5	7	9	14
50-64	14	2.9	3	1	1	3	3	5	7	7
65 +	10	5.0	12	1	1	4	8	10	12	12
B. Operated										
0-19 YRS	25	3.7	4	2	2	3	4	5	9	10
20-34	4	8.0	17	5	5	6	10	14	14	14
35-49	11	12.9	61	5	6	10	16	27	27	27
50-64	6	7.7	30	3	3	6	10	16	17	17
65 +	8	9.6	32	1	2	9	14	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	4.7	59	1	1	3	5	9	15	48
20-34	89	4.2	8	1	1	3	5	8	11	13
35-49	148	4.9	16	1	2	4	7	9	13	23
50-64	167	5.1	25	1	2	4	6	9	11	24
65 +	316	8.0	95	2	2	5	9	14	21	59
B. Operated										
0-19 YRS	27	9.0	151	1	1	5	10	18	27	64
20-34	39	12.4	148	1	1	8	17	28	35	60
35-49	63	14.2	161	2	3	10	17	31	47	54
50-64	90	14.7	205	3	4	10	17	31	40	75
65 +	220	16.4	232	4	5	12	19	38	45	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	3.2	7	1	1	3	4	6	8	15
B. Operated	54	7.2	35	2	2	5	10	16	18	27
2. MULTIPLE DX										
A. Not Operated	814	6.0	55	1	2	4	7	11	15	45
B. Operated	439	14.9	206	2	4	10	18	34	44	79
1. SINGLE DX	174	4.4	19	1	1	3	5	9	14	25
2. MULTIPLE DX	1253	9.1	125	1	2	6	10	19	30	64
A. Not Operated	934	5.7	49	1	1	4	7	10	14	41
B. Operated	493	14.1	193	2	3	9	17	30	44	78
TOTAL										
0-19 YRS	181	4.7	57	1	1	3	5	9	14	51
20-34	167	6.0	53	1	1	4	7	13	19	37
35-49	248	7.5	71	1	2	5	9	16	25	47
50-64	277	8.2	102	1	2	5	9	17	26	59
65 +	554	11.3	164	2	2	7	13	23	40	76
GRAND TOTAL	**1427**	**8.6**	**115**	**1**	**2**	**5**	**10**	**18**	**28**	**61**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	2.2	1	< 1	1	2	3	3	4	5
20-34	53	2.5	1	1	1	2	3	4	5	6
35-49	19	3.8	4	1	2	4	4	6	8	10
50-64	6	3.3	4	1	1	3	3	7	7	7
65 +	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
0-19 YRS	2758	3.4	2	2	2	3	4	5	6	8
20-34	2013	3.6	2	2	2	3	4	5	6	8
35-49	632	4.1	3	2	2	4	5	6	7	11
50-64	225	4.6	4	2	2	4	5	7	9	12
65 +	70	4.7	3	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.8	11	1	1	2	3	4	8	18
20-34	24	3.0	2	1	1	3	4	5	6	6
35-49	7	4.1	7	1	1	3	6	8	9	9
50-64	5	5.0	6	2	2	6	7	7	7	7
65 +	6	7.8	20	3	3	7	10	14	15	15
B. Operated										
0-19 YRS	572	4.7	11	2	2	4	5	7	10	17
20-34	511	4.8	7	2	3	4	5	8	10	14
35-49	288	5.7	8	2	3	5	7	10	12	15
50-64	182	6.6	14	3	3	6	7	10	15	23
65 +	107	8.6	42	3	4	7	9	13	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	2.6	2	1	1	2	3	4	5	8
B. Operated	5698	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	68	3.6	9	1	1	3	4	7	9	17
B. Operated	1660	5.4	13	2	3	4	6	9	11	19
1. SINGLE DX	5830	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX	1728	5.3	13	2	3	4	6	9	11	19
A. Not Operated	200	2.9	5	1	1	2	4	5	6	13
B. Operated	7358	4.0	5	2	2	4	5	6	8	12
TOTAL										
0-19 YRS	3408	3.6	4	2	2	3	4	5	7	10
20-34	2601	3.8	3	2	2	4	4	6	7	10
35-49	946	4.6	5	2	3	4	5	7	9	13
50-64	418	5.5	10	2	3	5	6	9	11	19
65 +	185	7.1	30	3	3	6	8	11	16	34
GRAND TOTAL	**7558**	**4.0**	**5**	**2**	**2**	**4**	**5**	**6**	**8**	**12**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	8.0	17	1	3	8	10	13	16	18
20-34	15	7.6	14	1	2	7	10	11	15	16
35-49	14	7.6	23	2	2	7	10	15	17	18
50-64	6	9.0	16	5	5	8	11	15	16	16
65 +	2	9.0	8	7	7	9	11	11	11	11
B. Operated										
0-19 YRS	657	6.9	11	3	3	7	9	10	12	19
20-34	358	6.5	9	3	3	6	8	10	12	15
35-49	259	7.1	9	3	3	7	9	11	12	17
50-64	142	7.8	9	4	5	7	9	11	13	18
65 +	67	8.4	12	4	5	8	10	13	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.0	20	< 1	< 1	6	11	11	11	11
20-34	6	9.5	8	7	7	9	12	13	13	13
35-49	10	10.8	11	5	6	11	12	15	16	16
50-64	9	14.2	29	7	7	14	19	21	22	22
65 +	13	10.4	6	5	7	10	11	13	15	15
B. Operated										
0-19 YRS	419	9.9	32	4	5	9	11	17	21	33
20-34	330	9.3	30	4	4	8	11	16	21	28
35-49	311	10.3	32	4	5	9	13	17	20	31
50-64	352	11.5	54	5	6	9	13	19	24	43
65 +	349	14.8	136	6	7	12	17	23	37	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	7.9	16	2	2	8	10	14	16	18
B. Operated	1483	7.0	10	3	3	7	9	11	12	17
2. MULTIPLE DX										
A. Not Operated	44	10.5	19	4	5	11	12	16	19	22
B. Operated	1761	11.2	60	4	5	9	13	19	23	44
1. SINGLE DX	1542	7.0	10	3	3	7	9	11	12	17
2. MULTIPLE DX	1805	11.1	59	4	5	9	13	19	23	44
A. Not Operated	103	9.1	19	2	3	9	11	15	17	21
B. Operated	3244	9.2	42	3	4	8	11	16	20	36
TOTAL										
0-19 YRS	1104	8.0	21	3	4	7	10	13	17	25
20-34	709	7.9	21	3	4	7	9	13	16	26
35-49	594	8.8	24	3	4	8	11	15	17	26
50-64	509	10.5	43	5	6	9	12	18	21	40
65 +	431	13.7	118	5	6	11	16	21	31	86
GRAND TOTAL	**3347**	**9.2**	**41**	**3**	**4**	**8**	**11**	**16**	**20**	**35**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.3	3	1	1	2	3	5	6	9
20-34	22	3.0	5	< 1	1	3	4	6	8	9
35-49	9	3.2	3	1	1	3	5	6	6	6
50-64	3	3.3	5	2	2	2	5	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	111	3.4	2	2	2	3	4	5	6	8
20-34	97	4.3	5	2	2	4	5	7	8	14
35-49	28	4.5	4	2	2	4	6	7	8	10
50-64	8	4.4	3	3	3	4	6	7	7	7
65 +	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.5	11	1	1	2	3	9	11	11
20-34	9	2.1	3	1	1	1	3	5	6	6
35-49	4	3.0	11	< 1	< 1	1	5	8	8	8
50-64	5	6.2	6	3	3	6	8	9	9	9
65 +	5	9.6	29	6	6	7	11	19	19	19
B. Operated										
0-19 YRS	64	4.1	8	2	2	3	5	6	9	20
20-34	71	5.0	7	2	3	4	6	8	10	15
35-49	31	7.2	26	2	3	6	10	12	12	28
50-64	15	6.9	12	3	4	6	8	11	15	17
65 +	20	9.5	27	3	3	9	12	17	19	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.7	4	< 1	1	2	4	5	7	9
B. Operated	246	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	33	4.4	16	1	1	3	7	9	11	19
B. Operated	201	5.6	15	2	3	4	7	10	13	21
1. SINGLE DX	311	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX	234	5.5	15	1	2	4	7	10	12	21
A. Not Operated	98	3.3	8	1	1	2	4	8	9	15
B. Operated	447	4.7	9	2	2	4	5	8	10	17
TOTAL										
0-19 YRS	215	3.4	5	1	1	3	4	5	7	11
20-34	199	4.3	6	1	2	4	5	7	9	14
35-49	72	5.4	16	1	2	5	7	10	12	25
50-64	31	5.8	9	2	3	5	7	9	11	17
65 +	28	9.2	25	3	4	8	11	18	19	21
GRAND TOTAL	**545**	**4.4**	**10**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.9	3	< 1	< 1	1	2	4	6	6
20-34	13	2.0	1	1	1	2	2	3	5	5
35-49	16	1.8	2	1	1	1	2	3	5	6
50-64	10	2.3	1	1	1	2	3	4	4	4
65 +	21	1.9	2	1	1	2	2	4	5	6
B. Operated										
0-19 YRS	1257	1.4	1	< 1	< 1	1	2	2	3	4
20-34	1536	1.8	1	1	1	2	2	3	4	5
35-49	1508	2.0	1	1	1	2	3	3	4	6
50-64	2036	2.1	1	1	1	2	3	4	4	6
65 +	1517	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	1.3	1	< 1	< 1	1	1	2	3	6
20-34	16	1.4	1	< 1	< 1	1	2	3	3	3
35-49	25	2.3	6	< 1	< 1	1	2	6	9	9
50-64	73	2.2	5	< 1	< 1	1	3	4	5	13
65 +	104	3.1	20	< 1	< 1	1	3	7	11	27
B. Operated										
0-19 YRS	849	1.7	3	< 1	< 1	1	2	3	4	9
20-34	720	2.1	2	1	1	2	3	4	5	7
35-49	1139	2.5	5	1	1	2	3	4	5	9
50-64	2477	2.9	7	1	1	2	3	5	7	13
65 +	3792	3.7	13	1	1	3	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	1.9	2	1	1	2	2	3	5	6
B. Operated	7854	2.0	1	< 1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	286	2.3	10	< 1	< 1	1	2	4	7	16
B. Operated	8977	3.0	9	1	1	2	4	5	7	15
1. SINGLE DX	7924	2.0	1	< 1	1	2	3	3	4	6
2. MULTIPLE DX	9263	3.0	9	1	1	2	4	5	7	15
A. Not Operated	356	2.2	8	< 1	< 1	1	2	4	6	15
B. Operated	16831	2.5	6	< 1	1	2	3	4	6	11
TOTAL										
0-19 YRS	2184	1.5	2	< 1	< 1	1	2	2	3	6
20-34	2285	1.9	1	1	1	2	2	3	4	6
35-49	2688	2.2	3	1	1	2	3	4	5	7
50-64	4596	2.5	5	1	1	2	3	4	5	11
65 +	5434	3.3	11	1	1	3	4	6	8	16
GRAND TOTAL	**17187**	**2.5**	**6**	**< 1**	**1**	**2**	**3**	**4**	**6**	**12**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.4		< 1	< 1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.8	9	< 1	< 1	1	4	8	8	8
50-64	7	1.6		1	1	2	2	2	2	2
65 +	9	2.1	1	< 1	< 1	2	3	4	4	4
B. Operated										
0-19 YRS	207	1.6	1	< 1	1	1	2	3	3	6
20-34	110	2.5	2	1	1	2	3	4	5	7
35-49	86	2.7	2	1	1	2	3	5	5	7
50-64	136	3.0	3	1	1	3	4	5	7	9
65 +	183	3.9	8	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	1.5	1	< 1	< 1	1	2	3	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	6	2.2	3	< 1	< 1	2	3	5	5	5
50-64	13	3.8	12	< 1	< 1	2	6	9	11	11
65 +	46	6.4	35	1	1	5	9	15	25	99 +
B. Operated										
0-19 YRS	167	2.3	4	< 1	1	2	3	5	6	9
20-34	55	4.0	17	1	1	3	5	6	7	28
35-49	78	5.1	28	1	1	4	5	9	12	35
50-64	208	4.9	22	1	1	4	6	10	13	34
65 +	830	7.5	55	1	2	5	9	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.8	2	< 1	< 1	1	2	3	4	8
B. Operated	722	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	84	4.6	26	< 1	1	3	7	10	15	75
B. Operated	1338	6.2	44	1	1	4	7	13	18	37
1. SINGLE DX	755	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	1422	6.1	43	1	1	4	7	13	18	37
A. Not Operated	117	3.8	20	< 1	< 1	2	5	9	14	51
B. Operated	2060	5.0	33	1	1	3	6	10	15	32
TOTAL										
0-19 YRS	402	1.9	2	< 1	1	1	2	3	5	8
20-34	168	2.9	7	1	1	2	4	5	6	13
35-49	175	3.7	15	1	1	3	5	6	9	21
50-64	364	4.1	15	1	1	3	5	8	10	20
65 +	1068	6.8	48	1	2	5	8	14	19	38
GRAND TOTAL	**2177**	**4.9**	**32**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.0	7	1	1	2	5	7	7	7
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	127	1.8	9	< 1	< 1	1	2	3	4	11
20-34	104	2.0	2	< 1	1	2	3	4	4	7
35-49	160	1.9	1	< 1	1	2	2	3	4	5
50-64	97	2.0	2	< 1	< 1	2	3	4	4	6
65 +	29	2.0	2	< 1	< 1	2	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	< 1	< 1	< 1	3	4	4	4
20-34	4	1.5		< 1	< 1	1	2	2	2	2
35-49	13	1.5	2	< 1	< 1	1	1	3	5	6
50-64	7	2.0	2	< 1	< 1	1	3	4	4	4
65 +	4	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	38	3.4	68	< 1	< 1	2	3	5	6	52
20-34	45	3.2	4	< 1	1	3	4	6	7	11
35-49	120	3.4	6	1	1	3	4	6	7	17
50-64	165	4.0	17	1	1	3	5	8	11	24
65 +	129	4.2	13	1	1	3	5	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.3	6	1	1	2	5	7	7	7
B. Operated	517	1.9	3	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	33	1.7	2	< 1	< 1	1	2	4	4	6
B. Operated	497	3.8	16	1	1	3	4	7	9	19
1. SINGLE DX	525	1.9	3	< 1	< 1	1	2	4	4	6
2. MULTIPLE DX	530	3.6	15	1	1	3	4	7	9	18
A. Not Operated	41	2.0	3	< 1	< 1	1	2	4	6	7
B. Operated	1014	2.8	10	< 1	1	2	3	5	7	15
TOTAL										
0-19 YRS	170	2.2	22	< 1	< 1	1	2	3	4	28
20-34	157	2.4	3	< 1	1	2	3	4	6	8
35-49	295	2.5	4	< 1	1	2	3	5	6	8
50-64	271	3.2	12	< 1	1	2	4	6	9	17
65 +	162	3.8	11	1	1	3	5	7	9	18
GRAND TOTAL	**1055**	**2.8**	**10**	**< 1**	**1**	**2**	**3**	**5**	**7**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	2.7	2	1	1	3	3	4	5	5
50-64	9	2.9	5	1	1	2	3	6	8	8
65 +	11	4.3	3	2	2	4	5	6	8	8
B Operated										
0-19 YRS	24	1.5	1	< 1	< 1	1	2	2	3	4
20-34	173	2.7	3	< 1	1	2	4	5	6	7
35-49	312	3.3	4	1	1	3	4	6	7	10
50-64	303	3.6	5	1	1	3	5	7	8	11
65 +	188	4.3	5	1	2	4	6	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	8	2.0	2	< 1	< 1	1	3	4	4	4
35-49	26	3.2	16	< 1	< 1	2	4	7	10	20
50-64	29	4.0	24	< 1	< 1	2	5	8	10	26
65 +	42	5.6	32	< 1	1	4	7	11	26	99 +
B. Operated										
0-19 YRS	14	2.9	3	< 1	1	3	3	5	7	8
20-34	147	4.0	7	1	1	4	5	7	9	14
35-49	401	5.3	41	1	2	4	6	8	11	21
50-64	658	5.7	22	1	2	5	7	10	12	26
65 +	764	6.7	33	2	2	6	8	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.3	3	1	1	3	4	5	8	8
B. Operated	1000	3.5	5	1	1	3	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	108	4.2	24	< 1	< 1	3	6	9	12	57
B. Operated	1984	5.9	29	1	2	5	7	10	13	26
1. SINGLE DX	1031	3.5	5	1	1	3	5	6	8	10
2. MULTIPLE DX	2092	5.8	29	1	2	5	7	10	13	26
A. Not Operated	139	4.0	20	< 1	1	3	5	8	11	34
B. Operated	2984	5.1	22	1	1	4	6	9	11	20
TOTAL										
0-19 YRS	41	2.0	2	< 1	< 1	2	2	4	4	8
20-34	329	3.3	5	1	1	3	4	6	7	11
35-49	749	4.3	25	1	1	4	5	7	9	18
50-64	999	5.0	18	1	1	4	6	9	11	21
65 +	1005	6.2	28	1	2	5	8	11	14	27
GRAND TOTAL	**3123**	**5.0**	**22**	**1**	**1**	**4**	**6**	**9**	**11**	**23**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	3.6	5	1	1	3	4	7	8	8
35-49	20	3.1	2	< 1	1	3	4	5	6	6
50-64	18	2.9	2	< 1	1	3	3	5	6	6
65 +	16	4.1	6	1	1	4	5	8	9	9
B. Operated										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	4	6.3	5	3	3	7	8	8	8	8
50-64	14	8.1	11	2	4	8	10	11	14	15
65 +	9	10.8	30	7	7	10	10	19	25	25
2. MULTIPLE DX										
A Not Operated										
0-19 YRS	4	4.3	7	2	2	3	6	8	8	8
20-34	35	3.6	3	1	1	4	5	5	7	7
35-49	108	4.3	14	1	2	3	5	7	10	23
50-64	217	4.1	6	1	2	4	5	7	9	14
65 +	449	5.7	23	2	2	5	7	10	13	28
B. Operated										
0-19 YRS	12	13.8	50	5	7	10	18	24	28	29
20-34	18	7.4	12	2	3	7	9	13	15	15
35-49	68	8.2	18	2	3	8	10	13	18	21
50-64	106	9.7	40	4	4	8	11	17	21	41
65 +	154	11.3	93	3	4	9	13	22	33	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	3.3	3	1	1	3	4	5	7	9
B. Operated	31	8.5	16	3	4	8	10	11	15	25
2. MULTIPLE DX										
A. Not Operated	813	5.0	17	2	2	4	6	9	12	25
B. Operated	358	10.1	59	3	4	8	12	18	23	61
1. SINGLE DX	94	5.0	14	1	2	4	7	10	10	21
2. MULTIPLE DX	1171	6.6	35	2	2	5	8	12	17	39
A. Not Operated	876	4.9	16	1	2	4	6	8	11	25
B. Operated	389	10.0	56	3	4	8	11	18	23	56
TOTAL										
0-19 YRS	20	10.2	53	2	2	9	13	21	25	29
20-34	62	4.8	9	1	2	4	7	8	10	15
35-49	200	5.6	18	1	2	4	7	10	13	21
50-64	355	5.9	23	1	2	5	8	11	14	21
65 +	628	7.1	46	2	2	5	8	13	18	45
GRAND TOTAL	**1265**	**6.5**	**34**	**2**	**2**	**5**	**8**	**12**	**16**	**35**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	31	2.2	4	1	1	2	2	3	6	12
35-49	50	2.5	2	< 1	1	2	3	5	6	7
50-64	33	2.5	2	< 1	1	2	3	5	5	6
65 +	40	3.0	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.0	2	< 1	< 1	1	3	4	4	4
50-64	6	6.0	10	1	1	6	9	9	9	9
65 +	4	4.5	16	< 1	< 1	3	7	10	10	10
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	21	2.7	4	1	1	3	3	5	7	9
35-49	36	3.3	11	< 1	1	2	4	7	11	15
50-64	57	4.8	33	1	1	3	5	11	15	35
65 +	115	4.3	21	[illegible]	1	3	5	8	10	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.0	1	2	2	3	4	4	4	4
B. Operated	156	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	16	4.3	10	< 1	< 1	4	7	9	10	10
B. Operated	231	4.1	21	1	1	3	5	8	11	24
1. SINGLE DX	161	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	247	4.1	20	1	1	3	5	8	11	21
A. Not Operated	21	4.0	8	< 1	< 1	4	5	9	10	10
B. Operated	387	3.5	14	1	1	3	4	6	9	16
TOTAL										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	54	2.4	4	1	1	2	3	4	6	12
35-49	91	2.8	6	< 1	1	2	4	5	7	14
50-64	98	4.1	21	1	1	3	4	8	12	29
65 +	159	4.0	17	1	1	3	5	7	9	15
GRAND TOTAL	**408**	**3.5**	**14**	**1**	**1**	**3**	**4**	**6**	**9**	**16**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	2.0	3	1	1	1	2	5	6	6
50-64	4	3.8	3	2	2	3	5	6	6	6
65 +	18	3.6	5	1	1	3	5	7	8	9
B. Operated										
0-19 YRS	19	1.4		< 1	1	1	2	2	3	3
20-34	90	2.6	3	1	1	2	3	5	6	9
35-49	177	3.3	5	1	1	3	4	6	8	12
50-64	165	3.8	7	1	1	3	5	7	9	13
65 +	156	5.5	30	1	2	4	7	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	7.2	54	3	3	4	6	20	22	22
50-64	26	4.3	9	1	1	4	6	7	9	15
65 +	126	5.5	15	1	2	5	8	10	12	22
B. Operated										
0-19 YRS	10	7.5	71	< 1	< 1	5	8	22	26	26
20-34	63	5.7	24	1	1	4	8	13	17	21
35-49	198	6.5	61	1	1	5	8	13	18	86
50-64	434	7.9	49	1	2	6	10	15	21	38
65 +	986	11.6	107	2	3	9	14	22	31	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.2	4	1	1	3	5	6	7	9
B. Operated	607	3.9	13	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. Not Operated	160	5.4	15	1	2	4	7	9	12	22
B. Operated	1691	9.8	88	2	2	7	12	19	27	56
1. SINGLE DX	637	3.8	12	1	1	3	5	7	10	14
2. MULTIPLE DX	1851	9.4	83	1	2	7	12	18	26	53
A. Not Operated	190	5.0	14	1	1	4	7	9	11	22
B. Operated	2298	8.2	75	1	2	6	10	16	23	50
TOTAL										
0-19 YRS	29	3.5	32	< 1	1	2	3	7	19	26
20-34	156	3.9	14	1	1	3	5	8	12	19
35-49	388	5.0	37	1	1	3	6	10	13	49
50-64	629	6.7	39	1	1	5	8	13	17	32
65 +	1286	10.1	94	2	2	7	12	20	27	57
GRAND TOTAL	**2488**	**8.0**	**71**	**1**	**2**	**6**	**10**	**16**	**23**	**47**

295 Hospitals, Northeastern Region, January-December 1987

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	127	2.5	4	< 1	1	2	3	5	6	11
20-34	132	4.1	9	1	1	3	5	8	9	16
35-49	214	4.2	8	1	1	3	6	8	10	14
50-64	244	4.4	8	1	1	4	5	8	9	15
65 +	252	5.1	9	2	2	4	6	9	11	16
B. Operated										
0-19 YRS	86	6.0	10	2	3	6	7	10	12	16
20-34	62	8.5	17	4	5	8	10	14	15	27
35-49	94	8.5	11	5	5	8	11	13	15	18
50-64	76	10.4	33	5	5	9	12	17	20	35
65 +	75	12.4	25	7	7	11	14	20	22	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	4.6	68	< 1	1	3	5	7	12	51
20-34	208	4.8	9	1	2	4	6	9	11	15
35-49	431	5.6	17	1	2	5	7	10	13	19
50-64	846	6.0	18	2	2	5	8	10	13	22
65 +	2586	7.9	41	2	3	6	10	15	19	35
B. Operated										
0-19 YRS	141	10.1	116	4	4	7	10	17	29	77
20-34	159	13.6	108	4	5	10	16	28	39	96
35-49	301	13.9	105	4	6	11	16	25	34	59
50-64	552	15.5	149	5	6	12	18	29	41	90
65 +	1568	18.5	174	6	8	15	22	35	47	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	969	4.2	8	1	1	4	5	8	10	14
B. Operated	393	9.1	23	4	4	8	11	15	18	27
2. MULTIPLE DX										
A. Not Operated	4175	7.1	35	2	2	6	9	13	17	31
B. Operated	2721	16.6	160	5	6	13	20	32	43	90
1. SINGLE DX	1362	5.6	17	1	1	5	7	11	14	20
2. MULTIPLE DX	6896	10.8	106	2	3	8	13	22	31	62
A. Not Operated	5144	6.5	31	1	2	5	8	12	16	29
B. Operated	3114	15.7	149	5	6	12	19	30	41	83
TOTAL										
0-19 YRS	458	6.0	63	1	1	4	7	10	16	57
20-34	561	7.6	54	1	2	6	9	14	23	47
35-49	1040	8.0	56	1	2	6	10	15	20	41
50-64	1718	9.0	80	2	2	7	11	18	25	53
65 +	4481	11.5	112	2	3	9	14	23	33	65
GRAND TOTAL	**8258**	**10.0**	**95**	**2**	**3**	**7**	**12**	**20**	**28**	**59**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1649	2.2	2	1	1	2	3	4	5	7
20-34	900	2.3	2	1	1	2	3	4	5	8
35-49	383	2.7	4	1	1	2	3	5	7	10
50-64	201	3.0	4	1	1	3	4	5	6	10
65 +	145	3.1	3	1	1	3	4	5	6	9
B. Operated										
0-19 YRS	36	5.0	18	2	2	4	6	8	9	27
20-34	63	4.9	7	1	2	4	6	9	10	14
35-49	33	6.3	10	3	4	5	7	9	10	21
50-64	17	4.7	8	2	3	4	5	8	11	13
65 +	9	5.4	14	< 1	1	5	7	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3194	2.9	6	1	1	2	4	5	6	11
20-34	1272	3.0	5	1	1	2	4	5	7	12
35-49	860	3.8	8	1	1	3	5	7	9	14
50-64	995	4.6	15	1	2	4	5	9	11	19
65 +	2287	6.3	49	1	2	5	7	11	15	43
B. Operated										
0-19 YRS	73	8.4	80	2	2	5	9	19	26	49
20-34	127	6.9	60	2	2	5	8	11	18	40
35-49	147	9.5	81	3	4	7	11	19	29	99 +
50-64	185	9.6	45	3	4	8	11	18	23	36
65 +	388	12.6	149	3	4	9	14	27	37	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3278	2.4	3	1	1	2	3	4	5	8
B. Operated	158	5.2	11	2	2	5	7	9	10	21
2. MULTIPLE DX										
A. Not Operated	8608	4.1	21	1	1	3	5	8	10	20
B. Operated	920	10.4	104	2	3	7	12	21	30	78
1. SINGLE DX	3436	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	9528	4.7	32	1	1	3	5	9	13	29
A. Not Operated	11886	3.6	16	1	1	3	4	7	9	18
B. Operated	1078	9.6	93	2	3	7	11	19	28	71
TOTAL										
0-19 YRS	4952	2.8	6	1	1	2	3	5	6	11
20-34	2362	3.0	8	1	1	2	4	6	7	12
35-49	1423	4.1	18	1	1	3	5	8	10	22
50-64	1398	5.0	21	1	2	4	6	10	13	26
65 +	2829	7.0	66	1	2	5	8	13	19	50
GRAND TOTAL	**12964**	**4.1**	**25**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	54	5.1	7	2	2	5	5	8	11	15
35-49	328	5.3	6	2	3	5	7	9	10	12
50-64	450	5.6	6	2	3	5	7	9	10	14
65 +	368	5.5	9	1	2	5	7	10	11	15
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	31	8.3	10	5	5	8	10	13	15	16
35-49	92	9.1	23	5	5	9	10	14	18	33
50-64	116	10.4	16	5	6	9	12	16	17	24
65 +	82	10.9	29	3	6	10	13	17	21	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	40	5.9	12	1	2	5	8	10	12	18
35-49	331	6.0	8	2	3	6	7	9	11	17
50-64	1062	6.3	10	2	3	6	8	10	12	17
65 +	3445	7.6	33	2	3	6	9	13	16	32
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	58	10.1	19	4	6	9	12	15	21	23
35-49	284	12.2	57	5	6	10	15	19	26	37
50-64	874	13.4	78	5	6	11	16	23	29	49
65 +	1757	16.2	146	4	6	13	20	32	42	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1201	5.5	7	2	2	5	7	9	10	14
B. Operated	322	9.9	21	5	5	9	12	15	18	26
2. MULTIPLE DX										
A. Not Operated	4881	7.2	27	2	3	6	9	12	15	28
B. Operated	2974	14.8	118	4	6	12	18	27	37	73
1. SINGLE DX	1523	6.4	13	2	3	6	8	11	13	18
2. MULTIPLE DX	7855	10.1	75	3	3	8	12	19	26	49
A. Not Operated	6082	6.9	23	2	3	6	8	11	14	25
B. Operated	3296	14.4	110	4	6	11	17	26	35	67
TOTAL										
0-19 YRS	6	5.8	13	3	3	5	6	12	13	13
20-34	183	7.4	17	2	3	7	9	13	15	22
35-49	1035	7.7	30	2	3	7	9	13	17	30
50-64	2502	8.9	45	3	3	7	10	16	21	37
65 +	5652	10.2	83	2	3	8	12	20	27	54
GRAND TOTAL	**9378**	**9.5**	**67**	**2**	**3**	**7**	**11**	**17**	**24**	**47**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.0	4	1	1	3	4	6	7	7
20-34	17	3.3	3	1	1	3	5	5	6	7
35-49	15	2.6	2	1	1	2	4	4	5	5
50-64	5	5.8	10	3	3	5	8	10	10	10
65 +	5	4.8	34	< 1	< 1	3	7	15	15	15
B. Operated										
0-19 YRS	73	2.6	4	< 1	1	2	4	5	6	10
20-34	474	2.6	3	1	1	2	3	5	6	10
35-49	473	[illegible]	5	1	1	2	3	5	7	11
50-64	212	[illegible]	4	1	1	2	4	5	6	12
65 +	67	[illegible]	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.1	9	1	1	3	6	8	10	10
20-34	23	4.4	24	< 1	1	4	5	9	19	20
35-49	30	4.3	9	< 1	1	3	6	8	11	13
50-64	43	4.3	14	< 1	< 1	3	6	9	13	16
65 +	38	8.6	55	1	2	6	14	23	64	99 +
B. Operated										
0-19 YRS	55	5.5	53	< 1	1	3	6	14	17	44
20-34	500	3.6	15	1	1	3	4	7	9	17
35-49	675	3.8	19	1	1	3	4	7	10	21
50-64	557	4.3	19	1	1	3	5	9	12	26
65 +	378	8.0	122	1	1	4	9	18	25	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	3.4	6	1	1	3	4	6	8	15
B. Operated	1299	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	146	5.4	28	< 1	1	4	7	14	20	99 +
B. Operated	2165	4.7	39	1	1	3	5	9	14	30
1. SINGLE DX	1351	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	2311	4.7	39	1	1	3	5	10	15	30
A. Not Operated	198	4.9	23	< 1	1	4	6	11	18	64
B. Operated	3464	3.9	27	1	1	3	4	7	11	26
TOTAL										
0-19 YRS	150	3.8	24	< 1	1	3	4	7	10	26
20-34	1014	3.2	10	1	1	2	4	6	8	16
35-49	1193	3.3	13	1	1	2	4	6	9	18
50-64	817	3.9	15	1	1	3	4	8	11	20
65 +	488	7.3	103	1	1	4	8	18	24	74
GRAND TOTAL	**3662**	**4.0**	**27**	**1**	**1**	**3**	**4**	**8**	**12**	**26**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	279	3.6	18	1	1	2	5	7	10	13
20-34	324	5.2	16	1	1	4	7	10	12	20
35-49	219	4.7	16	1	1	4	6	9	13	21
50-64	136	5.2	17	1	2	4	7	10	14	21
65 +	161	4.5	16	1	1	3	6	10	13	18
B. Operated										
0-19 YRS	127	7.3	32	1	2	6	10	14	18	27
20-34	243	8.2	39	2	3	7	10	15	18	30
35-49	165	7.9	41	1	1	7	10	14	21	34
50-64	120	7.1	27	1	1	6	10	14	17	22
65 +	133	7.0	33	1	1	6	10	13	17	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	358	4.6	22	1	1	3	5	9	13	28
20-34	666	6.2	30	1	2	5	8	12	17	29
35-49	657	5.8	24	1	2	4	7	12	16	24
50-64	848	6.4	24	1	2	5	8	12	16	25
65 +	2613	7.9	68	1	2	6	9	15	22	49
B. Operated										
0-19 YRS	239	10.7	117	1	2	7	14	23	30	57
20-34	744	11.9	128	2	3	9	14	25	35	58
35-49	818	12.5	162	1	2	9	15	27	41	71
50-64	997	13.8	156	2	3	10	17	30	39	68
65 +	2246	14.9	191	2	3	11	19	33	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1119	4.6	17	1	1	3	6	9	12	19
B. Operated	788	7.6	35	1	2	7	10	14	18	29
2. MULTIPLE DX										
A. Not Operated	5142	7.0	48	1	2	5	8	14	19	38
B. Operated	5044	13.7	168	2	3	10	17	30	42	86
1. SINGLE DX	1907	5.8	27	1	1	5	8	12	15	25
2. MULTIPLE DX	10186	10.3	119	1	2	7	13	22	32	68
A. Not Operated	6261	6.5	44	1	2	5	8	13	17	35
B. Operated	5832	12.8	155	2	3	9	16	28	40	79
TOTAL										
0-19 YRS	1003	6.1	52	1	1	4	7	13	19	33
20-34	1977	8.4	74	1	2	6	10	16	23	45
35-49	1859	8.8	96	1	2	6	10	18	27	58
50-64	2101	9.9	100	1	2	7	12	21	29	52
65 +	5153	10.9	132	2	2	7	13	23	36	81
GRAND TOTAL	**12093**	**9.6**	**107**	**1**	**2**	**7**	**12**	**20**	**30**	**62**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	4.0	5	2	2	3	5	8	8	8
35-49	14	6.1	25	2	3	5	6	13	19	21
50-64	7	5.6	9	3	3	4	7	10	11	11
65 +	3	6.0	13	3	3	5	9	10	10	10
B. Operated										
0-19 YRS	0									
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49	12	4.4	24	1	1	3	6	10	17	18
50-64	13	5.5	60	< 1	< 1	1	7	22	22	22
65 +	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	10.0	162	1	1	10	19	19	19	19
20-34	94	8.8	58	3	3	6	10	19	24	40
35-49	421	10.0	74	2	3	8	12	18	27	50
50-64	438	11.5	88	2	3	9	14	23	30	48
65 +	286	12.1	132	3	4	9	14	23	36	68
B. Operated										
0-19 YRS	0									
20-34	36	14.4	278	1	1	8	19	45	55	67
35-49	177	14.9	207	1	2	10	20	35	46	74
50-64	242	13.9	200	1	1	10	17	30	45	81
65 +	135	12.8	106	2	3	10	17	27	39	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	5.5	15	2	2	4	7	10	12	21
B. Operated	30	4.8	36	1	1	2	7	14	22	22
2. MULTIPLE DX										
A. Not Operated	1241	10.9	92	2	3	8	13	21	30	53
B. Operated	590	14.0	185	1	2	10	18	32	46	79
1. SINGLE DX	61	5.2	25	1	1	4	7	10	19	22
2. MULTIPLE DX	1831	11.9	124	2	3	9	14	24	36	62
A. Not Operated	1272	10.8	91	2	3	8	13	21	29	53
B. Operated	620	13.5	181	1	2	10	18	30	45	79
TOTAL										
0-19 YRS	2	10.0	162	1	1	10	19	19	19	19
20-34	140	9.9	118	2	2	6	11	21	31	57
35-49	624	11.2	116	2	3	8	13	23	34	51
50-64	700	12.1	128	1	3	9	15	25	36	73
65 +	426	12.2	123	2	3	9	14	24	37	67
GRAND TOTAL	**1892**	**11.7**	**122**	**2**	**3**	**8**	**14**	**24**	**35**	**61**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	6.2	63	1	1	2	9	20	20	20
20-34	2	3.0		3	3	3	3	3	3	3
35-49	6	4.0	26	1	1	2	4	13	14	14
50-64	10	3.3	14	< 1	< 1	1	5	9	12	12
65 +	7	6.9	22	< 1	< 1	7	10	13	14	14
B. Operated										
0-19 YRS	12	4.2	89	1	1	1	2	12	31	34
20-34	48	1.2		< 1	< 1	1	1	2	2	3
35-49	56	1.4	1	1	1	1	2	2	4	7
50-64	64	1.9	5	< 1	< 1	1	1	5	7	11
65 +	34	2.2	8	1	1	1	2	6	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	5.7	24	1	1	4	6	15	18	18
20-34	37	10.6	75	2	3	9	15	18	23	49
35-49	86	8.2	44	1	2	7	10	15	19	39
50-64	155	9.3	63	1	2	7	12	18	24	62
65 +	262	11.6	83	2	4	10	15	22	28	58
B. Operated										
0-19 YRS	34	7.1	140	1	1	2	7	26	36	54
20-34	49	7.0	54	1	1	5	11	15	21	32
35-49	127	7.8	139	1	1	3	9	18	31	71
50-64	222	7.9	78	1	1	6	11	18	24	47
65 +	272	11.2	141	1	1	9	14	24	33	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.7	24	< 1	< 1	3	7	13	14	20
B. Operated	214	1.8	8	< 1	1	1	1	2	6	12
2. MULTIPLE DX										
A. Not Operated	559	10.2	71	2	3	8	13	19	25	49
B. Operated	704	9.1	117	1	1	6	12	21	29	54
1. SINGLE DX	244	2.1	11	< 1	1	1	2	5	7	15
2. MULTIPLE DX	1263	9.6	97	1	1	7	12	20	27	54
A. Not Operated	589	9.9	70	1	2	8	13	19	25	48
B. Operated	918	7.4	101	1	1	3	10	17	26	50
TOTAL										
0-19 YRS	70	6.2	92	1	1	2	6	18	26	51
20-34	136	5.9	54	< 1	1	2	9	15	18	34
35-49	275	6.6	85	1	1	3	9	14	20	43
50-64	451	7.4	67	1	1	5	10	17	23	46
65 +	575	10.8	110	1	1	8	14	23	30	56
GRAND TOTAL	**1507**	**8.4**	**90**	**1**	**1**	**6**	**11**	**18**	**25**	**49**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.8	13	< 1	1	3	4	6	13	16
20-34	47	4.4	10	1	1	4	6	9	12	14
35-49	20	5.3	33	1	2	4	6	8	18	28
50-64	21	5.7	15	2	2	5	6	13	14	16
65 +	6	9.2	21	6	6	7	10	17	18	18
B. Operated										
0-19 YRS	11	3.1	22	1	1	1	3	9	16	17
20-34	11	3.5	39	1	1	1	3	11	21	22
35-49	18	4.7	57	1	1	2	4	13	24	31
50-64	17	6.4	41	< 1	1	4	10	16	20	22
65 +	13	4.7	22	< 1	1	3	6	13	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	4.9	15	1	1	4	6	10	12	20
20-34	100	6.5	23	1	2	5	8	13	16	25
35-49	173	9.1	112	2	2	6	10	16	24	58
50-64	315	9.2	82	2	3	7	10	17	24	63
65 +	472	11.1	113	3	4	8	13	21	28	78
B. Operated										
0-19 YRS	33	15.8	560	1	2	6	14	63	92	99 +
20-34	32	8.9	49	1	1	8	12	21	25	27
35-49	84	12.5	124	1	2	9	16	26	38	51
50-64	115	14.7	169	1	1	13	20	29	36	67
65 +	175	17.3	209	1	3	14	25	34	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	5.0	17	1	1	4	6	10	13	22
B. Operated	70	4.7	38	1	1	2	6	14	17	29
2. MULTIPLE DX										
A. Not Operated	1098	9.6	95	2	3	7	11	18	25	62
B. Operated	439	15.0	201	1	2	11	21	31	48	94
1. SINGLE DX	180	4.9	25	1	1	3	6	12	16	26
2. MULTIPLE DX	1537	11.1	131	2	3	8	14	23	31	75
A. Not Operated	1208	9.2	89	2	3	7	11	17	24	60
B. Operated	509	13.5	191	1	1	10	19	30	44	89
TOTAL										
0-19 YRS	98	8.2	224	1	1	4	8	17	43	97
20-34	190	6.2	27	1	1	5	8	13	16	26
35-49	295	9.6	111	1	2	6	12	21	30	51
50-64	468	10.3	106	2	2	7	13	21	29	59
65 +	666	12.5	144	2	3	9	16	26	34	80
GRAND TOTAL	**1717**	**10.5**	**123**	**1**	**2**	**7**	**13**	**22**	**30**	**71**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.6	2	1	1	3	3	4	5	6
20-34	175	2.6	3	< 1	< 1	2	3	5	6	7
35-49	199	2.8	4	< 1	1	2	4	6	7	9
50-64	170	3.3	5	1	1	3	4	7	8	10
65 +	107	4.6	11	1	1	4	6	9	11	15
B. Operated										
0-19 YRS	138	5.3	4	3	3	5	6	8	9	11
20-34	1858	5.2	4	3	3	5	6	8	9	11
35-49	1890	5.4	4	3	3	5	6	8	9	12
50-64	1436	5.8	5	3	4	5	7	8	10	13
65 +	626	7.1	8	4	4	7	8	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.5	7	1	1	3	4	6	9	13
20-34	209	3.9	20	< 1	1	3	5	8	9	29
35-49	265	3.6	7	< 1	1	3	5	7	8	13
50-64	545	4.5	15	1	1	4	6	8	10	15
65 +	1212	6.9	36	2	2	6	9	12	16	33
B. Operated										
0-19 YRS	153	7.6	16	4	4	7	9	12	15	27
20-34	1914	6.7	15	3	4	6	8	10	13	20
35-49	2627	7.0	16	3	4	6	8	11	14	22
50-64	3545	8.2	26	4	4	7	9	13	17	25
65 +	4893	11.6	70	5	5	9	14	20	25	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	668	3.2	5	< 1	1	3	4	6	8	12
B. Operated	5948	5.6	5	3	3	5	7	8	10	13
2. MULTIPLE DX										
A. Not Operated	2251	5.6	27	1	2	4	7	11	14	25
B. Operated	13132	9.0	43	4	4	7	10	15	20	37
1. SINGLE DX	6616	5.4	6	2	3	5	6	8	10	13
2. MULTIPLE DX	15383	8.5	42	3	4	7	10	15	19	35
A. Not Operated	2919	5.1	23	1	1	4	6	10	13	23
B. Operated	19080	7.9	34	3	4	6	9	13	17	31
TOTAL										
0-19 YRS	328	6.1	12	2	3	6	7	10	12	25
20-34	4156	5.7	11	2	3	5	7	9	11	17
35-49	4981	6.0	12	2	3	5	7	9	12	18
50-64	5696	7.1	21	3	3	6	8	12	14	23
65 +	6838	10.2	62	3	4	8	12	18	23	47
GRAND TOTAL	**21999**	**7.5**	**33**	**3**	**3**	**6**	**9**	**13**	**17**	**30**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	[illegible]TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.0	6	< 1	1	2	3	5	9	12
20-34	116	3.2	5	1	1	3	4	6	8	12
35-49	85	2.8	4	1	1	2	4	5	6	12
50-64	68	3.1	3	1	1	3	4	6	6	9
65 +	37	4.1	7	1	1	4	5	8	10	12
B. Operated										
0-19 YRS	10	7.0	12	3	3	6	11	12	12	12
20-34	146	5.4	7	2	3	5	7	9	10	13
35-49	144	5.4	4	3	3	5	6	8	9	12
50-64	63	6.3	8	3	3	6	7	10	11	16
65 +	36	7.2	9	3	4	7	9	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.6	2	2	2	3	4	6	7	7
20-34	106	3.9	6	1	1	3	6	7	8	13
35-49	150	4.4	6	1	1	4	6	7	8	13
50-64	177	5.2	10	1	1	5	7	10	11	17
65 +	356	8.3	74	2	2	6	10	15	21	55
B. Operated										
0-19 YRS	21	8.5	23	3	4	7	12	15	17	20
20-34	183	7.0	18	3	3	6	8	11	16	25
35-49	279	7.6	18	4	4	7	9	13	15	24
50-64	324	8.6	25	4	4	7	10	15	19	27
65 +	480	13.5	85	5	6	11	16	25	33	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	324	3.2	5	1	1	3	4	6	7	12
B. Operated	399	5.8	7	3	3	5	7	9	11	14
2. MULTIPLE DX										
A. Not Operated	800	6.2	41	1	2	5	8	11	14	34
B. Operated	1287	10.0	52	4	4	8	12	18	25	42
1. SINGLE DX	723	4.6	8	1	1	4	6	8	10	13
2. MULTIPLE DX	2087	8.6	51	2	3	7	10	16	22	39
A. Not Operated	1124	5.3	32	1	1	4	7	10	13	26
B. Operated	1686	9.0	45	3	4	7	11	16	23	39
TOTAL										
0-19 YRS	60	5.7	18	1	2	4	7	12	14	19
20-34	551	5.2	13	1	1	5	7	9	11	19
35-49	658	5.8	13	1	2	5	7	9	13	21
50-64	632	6.9	21	1	2	6	8	12	16	26
65 +	909	10.8	83	2	3	9	13	21	29	52
GRAND TOTAL	**2810**	**7.5**	**43**	**1**	**2**	**6**	**9**	**14**	**19**	**35**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	2.1	1	1	1	2	3	4	4	4
35-49	11	3.8	5	1	1	4	5	7	8	8
50-64	18	3.1	3	1	1	3	3	7	7	7
65+	17	3.9	6	1	1	4	6	7	8	8
B. Operated										
0-19 YRS	5	8.4	29	3	3	6	13	16	16	16
20-34	62	6.2	15	1	1	5	8	10	14	20
35-49	55	5.9	14	1	1	6	8	11	13	18
50-64	70	6.1	21	1	1	5	8	12	14	25
65+	102	7.2	34	1	1	7	11	15	17	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	16	5.3	5	1	3	5	6	9	10	10
35-49	22	4.2	9	1	1	3	5	8	12	14
50-64	45	5.3	14	1	1	5	7	9	12	20
65+	195	7.9	45	2	2	6	10	14	18	34
B. Operated										
0-19 YRS	12	9.3	24	3	3	8	10	18	19	19
20-34	96	9.9	51	3	4	9	12	15	16	49
35-49	144	10.0	76	3	4	9	12	15	20	32
50-64	239	12.2	104	2	3	10	14	21	29	59
65+	800	14.4	115	2	4	12	18	26	34	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	3.2	4	1	1	3	4	7	7	8
B. Operated	294	6.5	23	1	1	6	9	12	16	22
2. MULTIPLE DX										
A. Not Operated	280	7.0	36	2	2	6	9	12	18	32
B. Operated	1291	13.1	106	2	4	11	16	24	30	63
1. SINGLE DX	355	5.9	21	1	1	5	8	12	15	20
2. MULTIPLE DX	1571	12.0	99	2	3	10	15	22	29	59
A. Not Operated	341	6.3	33	1	2	5	8	11	16	30
B. Operated	1585	11.9	97	1	3	10	15	22	29	58
TOTAL										
0-19 YRS	20	8.6	24	2	3	8	11	17	18	19
20-34	188	7.7	37	1	2	7	10	12	15	35
35-49	232	8.2	57	1	2	7	10	14	17	26
50-64	372	9.8	84	1	2	8	12	18	26	56
65+	1114	12.4	103	2	3	11	16	24	30	63
GRAND TOTAL	**1926**	**10.9**	**90**	**1**	**2**	**9**	**14**	**20**	**27**	**57**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	3.2	5	<1	1	3	4	6	8	8
35-49	13	6.7	12	2	2	6	9	12	12	12
50-64	8	4.9	18	1	1	3	7	12	13	13
65+	22	6.0	23	1	2	5	7	13	16	20
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	5.1	36	<1	1	1	8	17	18	18
35-49	28	5.3	27	1	1	3	7	14	16	16
50-64	15	5.5	54	<1	<1	2	6	17	22	24
65+	19	5.5	51	1	1	2	7	18	24	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.6	13	1	1	3	6	11	12	13
20-34	18	5.9	39	2	2	4	7	7	21	30
35-49	34	5.9	22	2	2	4	9	11	18	20
50-64	64	6.9	51	2	2	5	9	13	15	47
65+	228	8.4	58	2	3	7	10	15	19	44
B. Operated										
0-19 YRS	10	26.4	786	2	4	19	24	76	91	91
20-34	22	8.5	41	2	2	7	11	20	22	24
35-49	71	13.7	184	1	3	11	15	27	31	80
50-64	132	11.2	122	1	2	9	14	20	30	65
65+	367	14.0	140	1	2	11	19	29	38	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	5.3	16	1	1	4	7	12	13	20
B. Operated	78	5.3	38	1	1	2	7	16	18	25
2. MULTIPLE DX										
A. Not Operated	360	7.6	51	2	2	6	10	14	18	31
B. Operated	602	13.4	151	1	2	11	17	27	36	71
1. SINGLE DX	135	5.3	29	1	1	3	7	13	17	24
2. MULTIPLE DX	962	11.2	122	1	2	9	14	22	31	70
A. Not Operated	417	7.3	47	1	2	6	9	13	17	30
B. Operated	680	12.4	145	1	1	10	16	26	34	71
TOTAL										
0-19 YRS	28	12.2	386	1	1	5	12	23	64	91
20-34	68	6.0	35	1	1	4	8	13	19	29
35-49	146	9.6	115	1	2	7	13	19	27	70
50-64	219	9.3	98	1	2	7	13	18	23	61
65+	636	11.5	113	1	2	9	14	24	32	70
GRAND TOTAL	**1097**	**10.5**	**114**	**1**	**2**	**8**	**13**	**21**	**29**	**67**

295 Hospitals, Northeastern Region, January-December 1987

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	4.8	5	1	2	4	6	8	9	10
20-34	236	5.0	9	1	2	4	7	9	11	15
35-49	271	5.9	12	2	2	5	7	10	13	18
50-64	153	5.6	14	2	2	5	7	9	11	21
65 +	84	6.9	35	2	3	6	8	10	13	40
B. Operated										
0-19 YRS	12	13.6	39	2	3	16	18	20	21	21
20-34	23	12.2	206	1	2	8	13	23	49	67
35-49	38	9.0	44	1	1	8	12	20	23	24
50-64	31	7.9	109	1	1	3	11	19	23	53
65 +	21	5.8	39	< 1	1	4	9	14	19	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	7.6	78	2	2	5	8	13	22	48
20-34	643	6.7	21	2	3	6	8	11	16	23
35-49	1229	7.5	31	2	3	6	9	14	18	29
50-64	799	7.6	30	2	3	6	9	14	18	26
65 +	1024	8.4	44	3	3	7	10	14	19	39
B. Operated										
0-19 YRS	24	25.6	261	5	8	21	38	51	53	56
20-34	155	16.0	232	2	4	11	18	38	50	99
35-49	339	17.8	283	2	4	12	21	42	59	86
50-64	327	16.1	177	3	5	13	20	34	52	99 +
65 +	489	17.1	190	4	6	13	21	36	57	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	767	5.6	14	2	2	5	7	10	11	19
B. Operated	125	9.2	92	1	1	7	13	19	23	56
2. MULTIPLE DX										
A. Not Operated	3760	7.6	34	2	3	6	9	14	18	31
B. Operated	1334	17.0	218	3	5	13	21	39	55	99 +
1. SINGLE DX	892	6.1	26	1	2	5	7	11	14	24
2. MULTIPLE DX	5094	10.1	99	2	3	7	12	20	29	61
A. Not Operated	4527	7.3	31	2	3	6	9	13	17	29
B. Operated	1459	16.4	212	2	4	12	20	37	53	99 +
TOTAL										
0-19 YRS	124	11.2	150	2	2	6	13	25	47	53
20-34	1057	7.8	66	2	2	6	9	14	21	45
35-49	1877	9.2	90	2	3	6	10	17	25	57
50-64	1310	9.5	82	2	3	7	11	19	25	56
65 +	1618	10.9	104	2	3	8	13	21	30	71
GRAND TOTAL	**5986**	**9.5**	**90**	**2**	**3**	**7**	**11**	**19**	**26**	**59**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.1	12	< 1	1	2	4	6	7	22
20-34	49	2.4	2	< 1	1	2	3	5	5	6
35-49	34	3.1	3	1	1	3	4	5	6	8
50-64	69	3.5	4	1	1	3	5	6	7	10
65 +	92	4.4	12	1	1	4	6	8	11	68
B. Operated										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	7	3.1	2	1	1	3	5	5	5	5
50-64	5	4.2	7	1	1	5	6	7	7	7
65 +	13	7.4	53	1	2	5	7	18	26	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	107	3.7	12	1	1	3	5	7	10	19
20-34	310	3.8	13	1	1	3	5	7	9	19
35-49	431	5.0	15	1	2	4	6	9	12	23
50-64	847	6.0	32	2	2	5	7	11	15	29
65 +	3431	7.7	48	2	3	6	9	14	19	44
B. Operated										
0-19 YRS	20	5.0	13	1	1	4	7	10	12	14
20-34	69	6.9	44	2	2	5	9	12	15	42
35-49	159	8.1	64	2	2	6	9	13	22	40
50-64	358	9.4	72	2	3	7	11	19	27	40
65 +	1270	11.5	105	3	4	8	14	23	34	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	288	3.5	8	1	1	3	5	6	8	20
B. Operated	30	5.6	30	1	1	5	6	12	16	28
2. MULTIPLE DX										
A. Not Operated	5126	6.8	42	2	2	5	8	12	17	37
B. Operated	1876	10.6	94	2	3	8	13	22	30	68
1. SINGLE DX	318	3.7	10	1	1	3	5	6	8	23
2. MULTIPLE DX	7002	7.9	58	2	2	6	9	15	21	47
A. Not Operated	5414	6.7	40	2	2	5	8	12	17	36
B. Operated	1906	10.5	93	2	3	8	13	22	30	67
TOTAL										
0-19 YRS	173	3.8	13	1	1	3	5	7	11	20
20-34	431	4.2	18	1	1	3	5	8	10	24
35-49	631	5.6	29	1	2	4	7	10	14	27
50-64	1279	6.8	45	2	2	5	8	13	18	35
65 +	4806	8.6	66	2	3	6	10	17	23	53
GRAND TOTAL	**7320**	**7.7**	**57**	**2**	**2**	**6**	**9**	**15**	**21**	**46**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	4.2	19	1	1	3	5	7	9	25
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	5	7.8	97	1	1	3	11	25	25	25
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	6	3.8	13	1	1	2	6	10	10	10
20-34	3	3.0	12	< 1	< 1	1	5	7	7	7
35-49	3	11.7	134	4	4	6	20	25	25	25
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	2	25.5	365	12	12	25	39	39	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	5.7	43	1	1	4	6	17	27	99 +
20-34	8	4.8	7	1	1	5	7	7	7	7
35-49	18	13.3	502	1	1	6	13	24	69	98
50-64	22	12.8	313	3	4	7	13	23	49	87
65 +	43	15.8	270	4	4	9	18	46	60	63
B. Operated										
0-19 YRS	9	13.4	175	1	3	11	39	99 +	99 +	99 +
20-34	9	11.7	92	1	3	8	15	27	34	34
35-49	15	11.3	54	4	5	9	12	24	29	31
50-64	25	16.8	139	5	9	13	22	29	45	56
65 +	50	21.2	283	5	5	18	25	50	54	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	4.7	27	1	1	3	5	8	18	25
B. Operated	16	7.5	110	< 1	< 1	3	8	24	35	39
2. MULTIPLE DX										
A. Not Operated	138	10.9	228	1	2	6	13	23	52	98
B. Operated	108	17.4	204	4	5	13	24	42	54	99 +
1. SINGLE DX	54	5.6	52	1	1	3	6	10	25	38
2. MULTIPLE DX	246	13.8	227	1	3	9	18	30	54	99 +
A. Not Operated	176	9.6	191	1	2	5	9	22	30	95
B. Operated	124	16.1	202	1	4	12	23	39	53	99 +
TOTAL										
0-19 YRS	91	5.9	51	1	1	4	7	18	30	99 +
20-34	22	7.2	53	< 1	1	6	8	15	23	34
35-49	41	11.8	252	1	2	7	12	25	28	98
50-64	50	14.3	214	1	3	10	17	25	42	87
65 +	96	18.7	279	4	5	13	23	49	59	72
GRAND TOTAL	**300**	**12.3**	**205**	**1**	**2**	**7**	**15**	**26**	**50**	**99**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	4.2	5	1	1	4	6	8	8	9
20-34	11	3.1	3	< 1	< 1	3	4	6	6	6
35-49	4	8.5	62	2	2	6	14	19	19	19
50-64	4	11.8	92	3	3	11	20	21	21	21
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	56	3.1	9	1	1	2	3	8	10	16
20-34	36	2.4	3	1	1	2	2	5	6	10
35-49	24	2.3	3	1	1	2	3	4	5	8
50-64	12	2.8	4	< 1	< 1	2	4	6	7	7
65 +	4	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	6.9	60	1	2	4	9	13	19	47
20-34	29	5.9	77	1	1	4	5	11	21	47
35-49	23	6.2	31	1	2	5	7	14	19	25
50-64	33	7.9	32	1	2	8	10	14	15	29
65 +	37	9.4	33	3	3	8	13	20	24	99 +
B. Operated										
0-19 YRS	51	6.1	43	1	2	4	10	17	87	99 +
20-34	49	7.8	77	1	2	4	10	18	28	44
35-49	47	5.7	38	1	1	3	8	13	17	35
50-64	64	9.3	162	1	1	4	11	25	39	67
65 +	63	11.4	130	1	1	6	19	30	32	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	4.7	15	1	1	4	6	8	10	21
B. Operated	132	2.7	6	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. Not Operated	217	7.3	50	1	2	5	10	15	20	49
B. Operated	274	8.3	99	1	1	4	12	21	32	92
1. SINGLE DX	203	3.4	10	1	1	2	4	7	9	19
2. MULTIPLE DX	491	7.8	78	1	2	4	10	19	28	63
A. Not Operated	288	6.6	43	1	2	5	9	14	19	45
B. Operated	406	6.5	76	1	1	3	8	17	27	60
TOTAL										
0-19 YRS	253	5.3	36	1	1	3	7	12	17	97
20-34	125	5.4	54	1	1	3	5	12	19	45
35-49	98	5.1	31	1	1	3	6	12	16	30
50-64	113	8.3	108	1	1	4	10	19	28	54
65 +	105	10.3	93	1	2	7	15	22	31	73
GRAND TOTAL	**694**	**6.5**	**62**	**1**	**1**	**4**	**8**	**16**	**22**	**49**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.6	8	< 1	1	2	5	8	9	10
20-34	5	3.8	2	3	3	3	4	6	6	6
35-49	3	10.0	31	5	5	9	14	16	16	16
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	6	3.8	15	1	1	2	7	10	10	10
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	5.7	30	1	2	5	7	9	12	35
20-34	8	4.9	5	2	2	4	6	8	9	9
35-49	4	6.0	29	3	3	4	9	14	14	14
50-64	7	8.9	11	3	4	9	11	13	13	13
65 +	20	11.8	81	2	3	9	19	32	63	99 +
B. Operated										
0-19 YRS	11	9.8	94	2	2	6	15	24	33	34
20-34	19	9.2	153	1	2	6	9	18	39	56
35-49	10	21.7	497	2	3	12	42	56	70	70
50-64	9	8.6	44	2	2	6	14	19	21	21
65 +	16	18.9	500	1	1	13	22	42	78	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	4.3	12	1	1	3	6	9	11	16
B. Operated	9	4.9	19	1	1	3	9	11	11	11
2. MULTIPLE DX										
A. Not Operated	83	7.4	44	1	2	6	9	14	26	78
B. Operated	65	13.5	279	1	2	8	16	34	47	89
1. SINGLE DX	36	4.4	13	1	1	3	7	10	11	16
2. MULTIPLE DX	148	10.1	156	2	2	7	12	21	35	92
A. Not Operated	110	6.6	38	1	2	5	8	13	19	60
B. Operated	74	12.5	255	1	2	7	15	26	44	87
TOTAL										
0-19 YRS	78	5.7	35	1	1	4	7	10	16	35
20-34	34	7.2	92	1	2	4	7	15	18	56
35-49	18	15.6	323	2	3	9	14	43	59	70
50-64	17	8.5	27	2	3	8	12	15	19	21
65 +	37	14.6	269	1	2	11	19	32	73	99 +
GRAND TOTAL	**184**	**9.0**	**133**	**1**	**2**	**6**	**10**	**18**	**33**	**84**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	15.0	946	< 1	< 1	1	19	70	70	70
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	2.6	4	< 1	1	2	2	6	8	8
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	16	7.1	43	1	1	5	10	16	22	24
20-34	23	5.5	46	< 1	1	2	8	18	20	22
35-49	21	3.8	9	1	1	4	5	7	10	14
50-64	17	2.8	10	< 1	< 1	2	3	5	11	14
65 +	36	4.0	20	1	1	2	4	14	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.8	31	< 1	< 1	1	5	8	18	23
20-34	23	6.3	45	1	2	5	7	11	20	34
35-49	39	6.3	47	< 1	< 1	4	8	14	23	31
50-64	85	8.5	67	1	2	6	10	17	27	42
65 +	251	11.2	156	2	2	8	13	20	40	77
B. Operated										
0-19 YRS	126	14.6	157	2	2	11	21	34	41	75
20-34	165	10.7	119	2	2	8	14	24	31	73
35-49	224	11.3	129	1	2	7	16	27	37	57
50-64	349	11.4	178	1	2	7	15	28	41	97
65 +	469	16.6	276	2	2	11	22	37	48	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	6.0	275	< 1	< 1	2	2	7	48	70
B. Operated	113	4.5	26	1	1	2	5	14	16	23
2. MULTIPLE DX										
A. Not Operated	415	9.6	120	1	2	7	12	18	31	55
B. Operated	1333	13.4	201	1	2	9	18	32	42	88
1. SINGLE DX	130	4.7	57	1	1	2	4	14	16	33
2. MULTIPLE DX	1748	12.5	184	1	2	8	16	29	41	80
A. Not Operated	432	9.5	126	1	2	6	11	18	31	62
B. Operated	1446	12.7	193	1	2	8	17	31	41	86
TOTAL										
0-19 YRS	164	12.8	165	1	1	8	19	29	40	70
20-34	212	9.6	106	1	2	7	13	21	27	66
35-49	285	10.0	115	1	1	6	14	25	32	52
50-64	460	10.4	152	1	2	6	14	25	37	86
65 +	757	14.2	235	2	2	10	18	33	44	85
GRAND TOTAL	**1878**	**12.0**	**179**	**1**	**2**	**8**	**16**	**29**	**40**	**78**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	0									
35-49	3	2.7	2	< 1	< 1	3	4	4	4	4
50-64	0									
65 +	5	8.6	108	2	2	5	11	27	27	27
B. Operated										
0-19 YRS	2	13.0	72	7	7	13	19	19	19	19
20-34	3	7.0	43	1	1	6	12	14	14	14
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	11.0		11	11	11	11	11	11	11
65 +	4	7.5	4	5	5	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	9.3	43	1	1	8	13	21	22	22
20-34	23	8.0	80	2	2	6	9	14	26	45
35-49	47	10.0	237	2	2	5	9	18	41	94
50-64	110	10.2	66	3	3	8	12	19	25	43
65 +	577	13.0	117	3	4	10	15	24	34	63
B. Operated										
0-19 YRS	17	22.8	496	6	9	13	23	56	81	92
20-34	33	13.1	125	1	2	8	19	31	36	41
35-49	70	13.7	119	2	3	10	20	30	37	89
50-64	132	17.6	193	3	4	15	22	40	50	78
65 +	382	21.7	272	5	7	17	28	47	68	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.3	[illegible]	< 1	1	4	5	12	25	27
B. Operated	11	8.8	23	1	3	9	11	16	19	19
2. MULTIPLE DX										
A. Not Operated	772	12.2	116	3	4	9	15	23	33	61
B. Operated	634	19.5	245	3	5	16	26	43	60	99 +
1. SINGLE DX	23	7.0	38	< 1	1	5	9	15	22	27
2. MULTIPLE DX	1406	15.5	188	3	4	11	20	33	46	93
A. Not Operated	784	12.1	116	3	4	9	15	23	32	60
B. Operated	645	19.4	244	3	5	16	25	43	60	99 +
TOTAL										
0-19 YRS	38	14.9	290	1	3	11	19	26	50	92
20-34	59	10.8	107	1	2	7	15	27	36	45
35-49	121	12.0	165	2	3	8	16	29	38	96
50-64	243	14.2	148	3	4	10	18	30	44	71
65 +	968	16.4	196	4	5	12	20	35	48	98
GRAND TOTAL	**1429**	**15.4**	**187**	**3**	**4**	**11**	**19**	**33**	**46**	**93**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	4.2	4	1	2	4	5	6	8	11
20-34	286	4.3	5	2	2	4	5	7	8	13
35-49	74	4.3	5	2	2	4	5	7	9	11
50-64	42	4.0	3	2	2	4	5	6	7	9
65 +	20	6.4	18	2	3	5	8	13	17	17
B. Operated										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	11	4.3	1	3	3	4	5	6	7	7
35-49	4	6.5	3	5	5	6	8	9	9	9
50-64	3	7.0	16	3	3	7	10	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	362	4.7	6	2	2	4	6	7	9	13
20-34	626	5.1	6	2	2	5	6	8	9	14
35-49	299	6.5	14	3	3	6	8	11	14	21
50-64	318	7.2	16	3	3	6	9	12	14	22
65 +	622	8.8	62	3	4	7	10	14	18	48
B. Operated										
0-19 YRS	27	9.4	79	3	3	8	10	14	34	43
20-34	70	8.9	58	3	4	7	9	15	22	49
35-49	53	9.9	39	3	4	8	12	19	22	32
50-64	68	10.6	39	4	5	9	14	19	21	36
65 +	177	15.7	156	4	5	13	19	32	36	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	567	4.3	5	2	2	4	5	7	8	12
B. Operated	22	5.0	4	3	3	5	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	2227	6 5	27	2	3	5	8	11	14	23
B. Operated	395	12.4	106	4	4	9	15	23	32	56
1. SINGLE DX	589	4.3	5	2	2	4	5	7	8	12
2. MULTIPLE DX	2622	7.4	43	2	3	6	8	13	17	35
A. Not Operated	2794	6.1	23	2	3	5	7	10	13	22
B. Operated	417	12.0	103	3	4	9	15	22	32	56
TOTAL										
0-19 YRS	538	4.8	10	2	2	4	6	8	9	14
20-34	993	5.1	11	2	2	4	6	8	10	16
35-49	430	6.6	18	2	3	5	8	12	15	23
50-64	431	7.4	21	2	3	6	9	13	16	22
65 +	819	10.2	90	3	4	8	11	18	25	56
GRAND TOTAL	**3211**	**6.9**	**38**	**2**	**3**	**5**	**8**	**12**	**16**	**32**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	3.6	4	1	2	3	4	6	8	11
20-34	156	4.2	5	1	2	4	5	7	8	14
35-49	42	4.1	4	1	2	4	5	6	7	12
50-64	24	5.4	9	1	2	5	8	9	10	11
65 +	14	5.0	7	2	3	4	7	10	10	10
B. Operated										
0-19 YRS	12	5.9	8	< 1	< 1	6	7	10	11	11
20-34	9	5.9	10	1	2	5	8	11	11	11
35-49	8	5.5	6	2	2	5	7	9	10	10
50-64	5	5.4	8	2	2	5	6	10	10	10
65 +	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	217	4.9	11	2	2	4	6	9	11	18
20-34	340	5.1	7	2	2	5	6	8	10	14
35-49	145	6.3	13	2	3	6	8	10	12	23
50-64	178	6.8	14	3	3	6	9	12	13	22
65 +	262	8.3	30	3	3	7	10	14	18	34
B. Operated										
0-19 YRS	27	8.0	25	2	3	7	10	15	17	24
20-34	62	9.0	51	1	3	7	12	16	19	46
35-49	40	11.8	108	1	3	9	15	23	39	47
50-64	68	14.5	94	6	6	12	18	26	33	93
65 +	127	18.8	294	5	5	13	22	52	65	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	351	4.1	5	1	2	4	5	7	9	12
B. Operated	35	6.0	10	< 1	2	6	7	10	11	16
2. MULTIPLE DX										
A. Not Operated	1142	6.2	17	2	3	5	8	11	13	23
B. Operated	324	14.3	176	3	4	10	17	29	47	76
1. SINGLE DX	386	4.3	6	1	2	4	5	7	9	12
2. MULTIPLE DX	1466	8.0	63	2	3	6	9	15	20	54
A. Not Operated	1493	5.7	15	2	2	5	7	10	12	20
B. Operated	359	13.5	166	2	4	10	16	27	44	74
TOTAL										
0-19 YRS	371	4.7	11	1	2	4	6	9	11	16
20-34	567	5.3	13	2	2	4	7	9	11	18
35-49	235	6.8	33	2	3	5	8	11	15	35
50-64	275	8.6	45	2	3	7	10	16	23	37
65 +	404	11.5	136	3	4	9	13	22	34	69
GRAND TOTAL	**1852**	**7.2**	**53**	**2**	**2**	**5**	**8**	**13**	**18**	**44**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.3	1	< 1	< 1	2	3	4	4	5
20-34	248	2.0	3	< 1	1	2	2	4	4	7
35-49	336	1.8	2	< 1	1	1	2	3	4	9
50-64	172	2.1	2	1	1	2	3	4	5	7
65 +	61	2.1	1	< 1	1	2	3	4	5	5
B. Operated										
0-19 YRS	9	3.0	1	2	2	3	4	4	4	4
20-34	82	5.1	19	1	1	4	6	10	13	25
35-49	113	4.9	11	1	1	5	6	9	11	16
50-64	115	4.9	12	1	1	4	7	10	12	14
65 +	47	6.1	32	1	1	5	7	12	17	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	2.6	4	1	1	2	3	6	6	9
20-34	224	2.9	6	1	1	2	4	6	7	13
35-49	399	2.7	5	1	1	2	3	5	7	11
50-64	371	3.1	6	1	1	2	4	6	8	11
65 +	304	4.2	18	1	1	3	5	8	10	17
B. Operated										
0-19 YRS	13	10.5	51	4	4	8	14	21	26	27
20-34	105	7.2	40	1	1	6	9	13	17	36
35-49	234	7.9	76	1	2	6	9	16	23	39
50-64	304	8.6	91	1	2	7	11	16	20	60
65 +	338	10.4	75	2	3	8	13	20	28	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	844	2.0	2	< 1	1	2	2	4	5	7
B. Operated	366	5.1	16	1	1	4	7	10	12	20
2. MULTIPLE DX										
A. Not Operated	1331	3.2	9	1	1	2	4	6	8	14
B. Operated	994	8.9	77	1	2	7	11	17	23	48
1. SINGLE DX	1210	2.9	8	< 1	1	2	4	6	8	13
2. MULTIPLE DX	2325	5.6	46	1	1	4	7	12	17	35
A. Not Operated	2175	2.7	6	1	1	2	3	5	7	12
B. Operated	1360	7.9	63	1	2	6	10	15	21	43
TOTAL										
0-19 YRS	82	3.8	18	< 1	1	2	4	7	11	25
20-34	659	3.5	15	1	1	2	4	7	10	20
35-49	1082	3.8	25	1	1	2	5	8	10	24
50-64	962	4.9	40	1	1	3	6	10	13	23
65 +	750	7.0	54	1	1	5	9	14	20	43
GRAND TOTAL	**3535**	**4.7**	**35**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	2.0	1	1	1	2	2	3	4	5
20-34	818	1.8	1	< 1	1	2	2	3	4	6
35-49	1092	1.8	1	< 1	1	2	2	3	4	6
50-64	582	2.0	1	1	1	2	2	4	4	7
65 +	169	2.5	3	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	42	3.6	4	1	1	3	5	7	8	9
20-34	408	3.9	7	1	1	3	5	7	9	12
35-49	609	4.0	8	1	1	3	5	8	9	13
50-64	457	4.0	9	1	1	3	5	8	10	14
65 +	175	4.4	10	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	2.7	2	1	1	2	3	5	6	7
20-34	489	2.3	2	1	1	2	3	4	5	8
35-49	744	2.2	2	1	1	2	3	4	5	7
50-64	758	2.7	4	1	1	2	3	5	6	10
65 +	378	3.5	13	1	1	3	4	7	9	18
B. Operated										
0-19 YRS	26	8.0	169	2	2	4	8	14	25	69
20-34	314	5.3	14	1	2	5	7	10	13	19
35-49	549	5.8	23	1	2	5	7	11	14	22
50-64	693	6.2	21	1	2	5	8	11	15	23
65 +	612	8.3	38	2	2	7	11	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2748	1.9	1	< 1	1	2	2	3	4	6
B. Operated	1691	4.0	8	1	1	3	5	8	9	13
2. MULTIPLE DX										
A. Not Operated	2416	2.6	4	1	1	2	3	5	6	10
B. Operated	2194	6.6	28	1	2	5	8	13	16	26
1. SINGLE DX	4439	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	4610	4.5	20	1	1	3	6	9	13	21
A. Not Operated	5164	2.2	3	1	1	2	3	4	5	8
B. Operated	3885	5.5	21	1	1	4	7	11	14	21
TOTAL										
0-19 YRS	202	3.3	27	1	1	2	3	6	8	14
20-34	2029	2.9	6	1	1	2	4	6	8	12
35-49	2994	3.1	9	1	1	2	4	6	9	14
50-64	2490	3.7	12	1	1	3	5	8	10	16
65 +	1334	5.7	29	1	1	4	7	12	16	27
GRAND TOTAL	**9049**	**3.6**	**13**	**1**	**1**	**2**	**5**	**9**	**10**	**17**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.2	8	< 1	1	2	4	8	10	10
20-34	10	1.6	1	1	1	1	2	3	3	3
35-49	22	2.8	5	1	1	2	3	4	7	12
50-64	21	2.4	3	< 1	< 1	2	3	5	6	8
65 +	9	2.7	4	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	265	5.9	8	1	2	6	7	9	11	14
20-34	68	6.1	13	1	2	6	8	10	14	18
35-49	61	4.8	15	1	1	4	8	10	14	90
50-64	62	4.3	12	< 1	1	3	7	10	10	12
65 +	45	3.9	16	< 1	1	2	5	12	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	4.6	21	< 1	< 1	3	6	10	15	23
20-34	57	3.6	7	1	1	3	5	7	9	13
35-49	72	5.8	76	< 1	1	4	6	9	25	54
50-64	91	6.2	43	1	1	4	7	14	23	32
65 +	180	7.9	63	1	2	6	9	17	24	51
B. Operated										
0-19 YRS	256	6.9	21	< 1	2	6	9	12	17	21
20-34	176	8.2	36	1	2	7	10	15	18	36
35-49	207	7.6	53	1	1	6	10	14	20	38
50-64	336	8.7	67	1	1	7	11	19	23	40
65 +	505	10.6	107	1	2	8	14	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	2.6	5	1	1	2	3	5	7	11
B. Operated	501	5.4	11	1	1	5	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	439	6.4	52	1	1	4	8	14	21	40
B. Operated	1480	8.8	69	1	2	7	11	18	26	43
1. SINGLE DX	581	5.0	11	1	1	5	7	9	11	16
2. MULTIPLE DX	1919	8.3	66	1	1	6	10	17	24	42
A. Not Operated	519	5.8	46	1	1	4	7	12	19	37
B. Operated	1981	8.0	56	1	1	6	10	16	22	40
TOTAL										
0-19 YRS	578	6.1	15	1	2	6	8	10	13	20
20-34	311	6.7	28	1	1	6	8	13	16	27
35-49	362	6.5	50	1	1	5	8	12	18	39
50-64	510	7.5	57	1	1	6	10	17	22	35
65 +	739	9.5	93	1	1	7	13	21	31	52
GRAND TOTAL	**2500**	**7.5**	**55**	**1**	**1**	**6**	**9**	**15**	**21**	**40**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.8	23	1	1	3	7	13	13	13
20-34	26	1.7	1	< 1	1	2	2	2	4	7
35-49	52	1.8	1	< 1	< 1	1	3	3	4	4
50-64	16	1.8	1	< 1	1	1	2	3	4	4
65 +	6	2.2	3	< 1	< 1	1	4	5	5	5
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	17	2.9	4	< 1	< 1	2	4	6	7	7
35-49	30	3.5	4	1	1	3	4	7	7	8
50-64	36	3.4	10	< 1	1	2	4	7	10	15
65 +	33	3.8	8	< 1	1	3	5	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3	1	1	1	2	3	4	4	4
20-34	24	3.0	7	< 1	1	3	3	6	9	13
35-49	51	2.7	4	1	1	2	3	6	7	10
50-64	36	3.7	12	1	1	3	4	6	12	18
65 +	26	3.5	5	1	1	3	5	7	8	8
B. Operated										
0-19 YRS	12	6.6	23	< 1	1	7	8	15	15	15
20-34	40	5.2	20	1	1	4	7	11	13	21
35-49	42	4.5	13	< 1	1	3	7	10	12	14
50-64	105	4.8	19	1	1	4	7	10	12	23
65 +	281	7.4	50	1	2	6	9	14	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	1.9	2	< 1	< 1	1	2	3	4	10
B. Operated	118	3.4	7	< 1	1	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	144	3.1	7	1	1	2	4	6	8	13
B. Operated	480	6.4	38	1	1	5	8	12	16	37
1. SINGLE DX	223	2.7	5	< 1	< 1	2	3	6	7	12
2. MULTIPLE DX	624	5.6	33	1	1	4	7	11	15	35
A. Not Operated	249	2.6	5	< 1	1	2	3	5	7	13
B. Operated	598	5.8	34	1	1	4	8	12	15	36
TOTAL										
0-19 YRS	26	4.8	18	< 1	1	3	7	13	15	15
20-34	107	3.5	12	< 1	1	2	4	7	11	17
35-49	175	3.0	6	< 1	1	2	4	7	8	12
50-64	193	4.1	16	1	1	3	5	9	11	17
65 +	346	6.7	44	1	2	5	8	13	19	37
GRAND TOTAL	**847**	**4.9**	**27**	**1**	**1**	**3**	**6**	**11**	**13**	**27**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.9	9	< 1	< 1	2	3	5	10	14
20-34	17	2.8	4	< 1	1	2	4	6	7	7
35-49	12	2.3	4	1	1	2	3	6	7	7
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	6	2.3	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	7	2.7	4	< 1	< 1	2	4	6	6	6
20-34	23	2.6	5	< 1	1	2	3	6	8	9
35-49	37	2.0	2	< 1	< 1	1	2	4	6	7
50-64	41	1.7	2	< 1	< 1	1	2	3	5	6
65 +	52	3.1	6	< 1	1	2	4	6	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.7	5	1	1	4	4	6	8	12
20-34	36	4.0	15	1	1	3	5	8	10	22
35-49	47	4.7	8	2	2	4	6	9	10	14
50-64	56	5.2	11	1	2	5	7	10	11	17
65 +	185	8.6	105	2	2	6	10	16	25	75
B. Operated										
0-19 YRS	23	5.5	31	< 1	1	4	7	14	19	24
20-34	67	4.7	32	< 1	1	3	6	11	13	34
35-49	99	5.8	48	< 1	< 1	4	7	13	18	39
50-64	199	5.7	53	1	1	3	7	12	17	33
65 +	707	7.2	73	1	1	5	9	14	24	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	2.7	5	< 1	1	2	3	6	7	14
B. Operated	160	2.4	4	< 1	< 1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	353	6.7	64	1	2	5	8	11	17	64
B. Operated	1095	6.6	65	1	1	4	8	13	21	56
1. SINGLE DX	217	2.5	4	< 1	< 1	2	3	5	6	11
2. MULTIPLE DX	1448	6.6	64	1	1	4	8	13	20	59
A. Not Operated	410	6.1	58	1	1	4	7	11	16	52
B. Operated	1255	6.1	59	1	1	4	8	13	19	49
TOTAL										
0-19 YRS	79	3.9	14	< 1	1	3	4	7	13	22
20-34	143	4.0	21	1	1	3	5	8	11	26
35-49	195	4.6	29	< 1	1	3	6	10	14	31
50-64	298	5.0	40	1	1	3	6	10	15	30
65 +	950	7.2	77	1	1	5	9	14	24	71
GRAND TOTAL	**1665**	**6.1**	**59**	**1**	**1**	**4**	**7**	**12**	**18**	**49**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	5	3.4	4	< 1	< 1	4	5	6	6	6
B. Operated										
0-19 YRS	81	1.6	2	< 1	< 1	< 1	1	3	5	8
20-34	87	2.2	3	< 1	< 1	1	3	5	6	10
35-49	59	1.9	2	< 1	< 1	1	2	4	5	7
50-64	69	2.3	3	< 1	1	2	3	5	6	7
65 +	82	3.1	4	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	3.0	4	< 1	< 1	2	3	7	7	7
65 +	37	4.8	17	< 1	1	3	6	12	13	18
B. Operated										
0-19 YRS	67	3.3	33	< 1	< 1	1	3	6	21	25
20-34	81	5.0	50	< 1	1	3	5	12	14	41
35-49	90	3.3	8	< 1	1	3	4	7	9	14
50-64	158	4.0	20	1	1	3	5	8	12	22
65 +	476	5.6	49	1	1	4	6	11	15	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.0	4	< 1	< 1	3	5	6	6	6
B. Operated	378	2.3	3	< 1	< 1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	49	4.2	15	< 1	1	3	5	11	13	18
B. Operated	872	4.8	44	< 1	1	3	6	10	14	30
1. SINGLE DX	386	2.3	3	< 1	< 1	2	3	5	6	9
2. MULTIPLE DX	921	4.8	43	< 1	1	3	6	10	14	30
A. Not Operated	57	4.0	13	< 1	1	3	5	10	12	18
B. Operated	1250	4.1	33	< 1	< 1	3	5	8	12	28
TOTAL										
0-19 YRS	153	2.4	16	< 1	< 1	< 1	2	4	8	25
20-34	170	3.5	27	< 1	< 1	2	4	7	12	32
35-49	151	2.8	6	< 1	< 1	2	4	6	8	12
50-64	233	3.5	15	< 1	1	3	4	6	9	21
65 +	600	5.2	49	1	1	3	6	10	14	29
GRAND TOTAL	**1307**	**4.1**	**32**	**< 1**	**< 1**	**3**	**5**	**8**	**12**	**28**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.3	5	1	1	3	4	6	8	10
20-34	103	2.8	2	1	1	2	4	5	6	7
35-49	50	3.0	3	1	1	3	4	5	7	8
50-64	43	3.4	5	1	1	3	4	6	9	10
65 +	99	4.2	11	1	1	4	6	7	9	19
B. Operated										
0-19 YRS	106	2.3	5	< 1	< 1	1	3	5	7	11
20-34	57	3.1	12	< 1	< 1	2	4	7	8	22
35-49	87	3.1	8	< 1	< 1	2	5	8	9	11
50-64	80	3.0	7	< 1	1	2	4	6	8	14
65 +	151	3.9	51	1	1	3	4	6	11	82
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	723	4.6	21	1	2	4	6	8	10	16
20-34	494	4.9	17	1	1	4	6	8	10	25
35-49	477	6.3	45	1	2	5	7	12	15	27
50-64	944	7.2	44	2	2	6	8	13	17	36
65 +	5400	9.9	88	2	3	8	12	18	25	69
B. Operated										
0-19 YRS	175	5.8	55	< 1	1	4	7	12	17	67
20-34	168	6.2	48	< 1	< 1	4	8	15	19	49
35-49	271	8.0	102	< 1	1	5	10	18	28	77
50-64	612	8.5	94	1	1	6	11	17	25	58
65 +	2336	12.3	169	1	2	9	15	27	42	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	526	3.4	6	1	1	3	4	6	7	10
B. Operated	481	3.1	21	< 1	< 1	2	4	6	9	18
2. MULTIPLE DX										
A. Not Operated	8038	8.6	74	2	3	7	10	16	22	57
B. Operated	3562	10.7	145	1	2	7	14	23	37	94
1. SINGLE DX	1007	3.3	13	< 1	1	3	4	6	8	13
2. MULTIPLE DX	11600	9.3	96	1	2	7	11	18	26	71
A. Not Operated	8564	8.3	71	2	2	6	10	15	21	54
B. Operated	4043	9.8	136	1	1	6	12	21	34	89
TOTAL										
0-19 YRS	1235	4.3	22	< 1	1	3	5	8	10	18
20-34	822	4.8	22	1	1	4	6	9	13	26
35-49	885	6.3	59	1	1	4	8	12	18	42
50-64	1679	7.4	61	1	2	5	9	14	19	47
65 +	7986	10.4	112	2	3	8	12	20	30	80
GRAND TOTAL	**12607**	**8.8**	**92**	**1**	**2**	**6**	**11**	**17**	**25**	**68**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	8	2.8	2	1	1	2	4	5	5	5
65 +	10	2.9	9	< 1	< 1	2	3	8	9	9
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	2.4	3	1	1	2	3	5	5	5
35-49	30	4.2	20	< 1	< 1	3	5	8	11	24
50-64	807	4.5	4	1	2	4	5	7	8	12
65 +	1618	5.1	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	3.0	2	1	1	3	4	4	4	4
50-64	107	3.1	9	< 1	< 1	2	4	6	9	16
65 +	319	4.8	28	< 1	1	3	6	10	17	30
B. Operated										
0-19 YRS	5	7.4	6	4	4	7	9	11	11	11
20-34	3	8.7	52	4	4	5	14	17	17	17
35-49	87	6.1	109	1	2	5	6	8	10	71
50-64	2599	6.0	12	2	3	5	7	10	12	18
65 +	9090	7.4	32	3	4	6	8	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.7	6	< 1	1	2	4	7	9	9
B. Operated	2461	4.9	5	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. Not Operated	431	4.4	24	< 1	1	3	5	9	13	29
B. Operated	11784	7.0	28	3	3	6	8	12	16	27
1. SINGLE DX	2480	4.8	5	1	2	5	6	7	9	13
2. MULTIPLE DX	12215	7.0	28	2	3	6	8	12	16	27
A. Not Operated	450	4.3	23	< 1	1	3	5	9	13	29
B. Operated	14245	6.7	25	2	3	5	8	11	15	25
TOTAL										
0-19 YRS	6	7.3	5	4	4	7	8	11	11	11
20-34	9	4.6	24	1	1	3	5	12	17	17
35-49	122	5.5	84	1	1	4	6	8	11	45
50-64	3521	5.5	11	1	2	5	6	9	11	18
65 +	11037	7.0	29	2	3	6	8	12	16	28
GRAND TOTAL	**14695**	**6.6**	**25**	**2**	**3**	**5**	**8**	**11**	**15**	**25**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	15	3.1	3	1	1	3	4	5	6	7
35-49	25	4.0	3	1	2	4	5	6	7	8
50-64	25	4.7	3	2	3	5	6	7	8	8
65 +	15	4.1	2	1	2	4	5	6	6	6
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	2.1	1	< 1	< 1	2	2	4	5	5
35-49	22	2.4	3	< 1	< 1	2	3	6	7	7
50-64	15	3.1	8	< 1	1	2	4	8	9	10
65 +	11	3.6	9	< 1	< 1	3	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.0	5	1	1	2	4	7	7	7
20-34	23	3.6	3	1	2	3	4	6	7	8
35-49	78	4.8	5	2	2	4	6	8	9	11
50-64	116	5.4	9	2	2	5	6	8	10	17
65 +	116	6.1	32	2	2	5	7	10	14	32
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	20	3.8	8	< 1	1	3	6	7	10	12
35-49	59	5.3	24	1	1	4	7	11	16	25
50-64	106	5.5	20	1	1	4	7	12	16	20
65 +	178	7.5	79	1	1	5	8	13	21	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	4.0	3	1	2	4	5	6	7	8
B. Operated	65	2.7	5	< 1	< 1	2	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	339	5.3	16	2	2	5	6	8	10	17
B. Operated	364	6.3	50	1	1	5	7	12	17	35
1. SINGLE DX	147	3.4	4	< 1	1	3	5	6	7	10
2. MULTIPLE DX	703	5.8	34	1	2	5	7	10	14	26
A. Not Operated	421	5.1	14	2	2	5	6	8	10	16
B. Operated	429	5.8	45	< 1	1	4	7	11	16	33
TOTAL										
0-19 YRS	10	3.0	5	1	1	2	4	7	7	7
20-34	74	3.2	4	< 1	1	3	4	6	7	11
35-49	184	4.6	11	1	1	4	6	8	10	21
50-64	262	5.2	13	1	1	5	7	9	12	20
65 +	320	6.7	57	1	2	5	7	11	17	52
GRAND TOTAL	**850**	**5.4**	**30**	**1**	**1**	**4**	**6**	**10**	**12**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	112	1.4	1	< 1	< 1	1	2	3	3	4
20-34	41	1.8	1	1	1	1	3	3	3	4
35-49	71	1.8	1	1	1	1	2	3	3	6
50-64	113	2.0	1	< 1	1	2	3	4	4	6
65 +	73	2.1	3	1	1	1	3	3	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.5		< 1	< 1	1	2	2	2	2
20-34	0									
35-49	6	2.5	5	< 1	< 1	2	2	7	7	7
50-64	5	2.0	2	1	1	2	3	4	4	4
65 +	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	125	1.4	1	< 1	< 1	1	1	3	4	4
20-34	27	2.3	2	< 1	1	2	3	4	5	6
35-49	70	2.8	4	< 1	1	2	3	6	7	10
50-64	126	2.7	9	1	1	2	3	5	6	44
65 +	162	3.5	20	1	1	2	4	7	10	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	410	1.8	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	18	1.9	2	< 1	< 1	2	2	4	6	7
B. Operated	510	2.6	10	< 1	1	2	3	5	7	17
1. SINGLE DX	418	1.8	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	528	2.6	10	< 1	1	2	3	5	7	17
A. Not Operated	26	1.8	2	< 1	< 1	1	2	3	5	7
B. Operated	920	2.2	6	< 1	1	2	3	4	6	11
TOTAL										
0-19 YRS	243	1.4	1	< 1	< 1	1	2	3	3	4
20-34	68	2.0	1	1	1	2	3	3	4	6
35-49	148	2.3	3	1	1	2	3	4	7	10
50-64	247	2.3	6	1	1	2	3	4	5	16
65 +	240	3.0	15	1	1	2	3	6	8	20
GRAND TOTAL	**946**	**2.2**	**6**	**< 1**	**1**	**2**	**3**	**4**	**6**	**10**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	3.8	7	1	1	3	5	7	9	13
20-34	110	4.3	6	1	2	4	6	8	9	12
35-49	78	4.7	6	2	2	4	6	8	10	13
50-64	44	4.7	5	2	2	5	6	7	7	14
65 +	17	5.2	3	3	4	5	6	7	8	9
B. Operated										
0-19 YRS	17	2.5	3	< 1	< 1	2	3	5	6	6
20-34	23	2.9	5	< 1	1	3	3	6	8	10
35-49	30	2.4	5	< 1	< 1	2	3	6	8	10
50-64	14	2.6	7	< 1	< 1	2	2	6	10	11
65 +	12	5.2	9	1	2	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	4.2	8	< 1	1	4	6	8	8	14
20-34	63	4.6	11	1	2	4	6	8	11	19
35-49	70	5.6	13	2	3	5	6	9	11	23
50-64	108	6.4	15	2	3	6	8	10	12	23
65 +	154	7.4	42	3	4	6	8	12	15	67
B. Operated										
0-19 YRS	16	4.9	39	< 1	1	3	5	12	21	25
20-34	18	6.6	42	1	2	5	8	17	23	25
35-49	35	5.2	17	1	1	4	8	12	14	15
50-64	53	6.7	91	1	1	5	9	12	16	99
65 +	75	10.1	95	1	2	8	13	19	23	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	309	4.4	6	1	2	4	6	7	9	13
B. Operated	96	2.9	6	< 1	1	2	3	7	9	11
2. MULTIPLE DX										
A. Not Operated	429	6.2	24	2	3	5	8	10	13	26
B. Operated	197	7.6	74	1	1	5	10	16	20	68
1. SINGLE DX	405	4.1	6	1	1	4	5	7	9	12
2. MULTIPLE DX	626	6.6	40	1	2	5	8	12	15	36
A. Not Operated	738	5.5	17	1	2	5	7	9	12	20
B. Operated	293	6.1	56	1	1	4	8	13	18	55
TOTAL										
0-19 YRS	127	3.9	11	1	1	3	5	7	9	17
20-34	214	4.4	11	1	1	4	6	8	10	20
35-49	213	4.8	11	1	1	4	6	9	11	16
50-64	219	5.9	32	1	2	5	7	10	12	44
65 +	258	7.9	55	2	3	6	9	14	19	64
GRAND TOTAL	**1031**	**5.6**	**28**	**1**	**2**	**5**	**7**	**10**	**13**	**25**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	211	1.1		< 1	< 1	< 1	1	1	2	3
20-34	39	1.3		< 1	< 1	1	1	2	2	4
35-49	24	1.2		< 1	< 1	< 1	1	2	3	4
50-64	22	1.2		< 1	< 1	1	1	2	2	2
65 +	14	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	1.4	1	< 1	< 1	< 1	1	2	4	5
20-34	4	5.3	72	< 1	< 1	1	10	18	18	18
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	5	1.6	2	< 1	< 1	1	2	4	4	4
65 +	9	2.7	4	< 1	< 1	2	4	6	7	7
B. Operated										
0-19 YRS	50	1.4		< 1	< 1	1	2	2	3	4
20-34	28	1.8	6	< 1	< 1	1	2	2	4	14
35-49	37	1.4	1	< 1	< 1	1	2	2	2	5
50-64	59	1.7	1	< 1	< 1	1	2	3	5	5
65 +	76	3.2	17	< 1	1	2	3	8	12	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.9	1	< 1	< 1	2	3	3	3	3
B. Operated	310	1.1		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	39	2.1	9	< 1	< 1	1	2	4	6	18
B. Operated	250	2.1	7	< 1	< 1	1	2	4	6	14
1. SINGLE DX	320	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	289	2.1	7	< 1	< 1	1	2	4	6	16
A. Not Operated	49	2.1	7	< 1	< 1	1	2	4	5	18
B. Operated	560	1.6	3	< 1	< 1	1	2	2	4	11
TOTAL										
0-19 YRS	281	1.2		< 1	< 1	< 1	1	2	2	4
20-34	73	1.7	6	< 1	< 1	1	2	2	3	17
35-49	68	1.4	1	< 1	< 1	1	2	2	3	5
50-64	86	1.6	1	< 1	< 1	1	2	3	4	5
65 +	101	2.9	14	< 1	< 1	2	3	6	10	21
GRAND TOTAL	**609**	**1.6**	**4**	**< 1**	**< 1**	**1**	**2**	**2**	**4**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.2	2	1	1	2	2	5	5	5
20-34	15	3.1	8	1	1	2	4	8	9	9
35-49	8	5.5	51	< 1	< 1	2	6	18	22	22
50-64	11	2.6	5	1	1	2	3	6	8	8
65 +	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	443	1.4	1	< 1	< 1	1	2	2	3	5
20-34	185	1.8	2	< 1	< 1	1	2	3	5	9
35-49	120	2.3	4	< 1	< 1	2	3	5	6	12
50-64	127	2.3	3	< 1	1	2	3	4	5	11
65 +	56	3.1	6	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.2	8	< 1	< 1	2	4	7	8	14
20-34	25	3.8	7	1	1	3	6	8	8	8
35-49	39	4.5	10	< 1	1	4	6	9	11	12
50-64	32	4.6	21	< 1	< 1	4	6	11	17	17
65 +	34	6.1	28	1	2	5	7	14	21	22
B. Operated										
0-19 YRS	189	2.2	11	< 1	1	1	2	4	6	17
20-34	137	3.4	20	< 1	1	2	4	7	9	29
35-49	183	4.1	32	< 1	1	3	5	8	12	29
50-64	288	5.1	49	1	1	3	5	10	18	41
65 +	251	6.0	82	1	1	3	6	13	18	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	2.9	10	1	1	2	4	5	8	20
B. Operated	931	1.8	2	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	159	4.5	16	< 1	1	4	6	8	13	21
B. Operated	1048	4.4	45	1	1	2	4	8	14	38
1. SINGLE DX	998	1.9	3	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX	1207	4.4	41	1	1	3	5	8	14	36
A. Not Operated	226	4.0	15	< 1	1	3	5	8	10	21
B. Operated	1979	3.2	27	< 1	1	2	3	6	9	29
TOTAL										
0-19 YRS	691	1.8	4	< 1	< 1	1	2	3	4	8
20-34	362	2.6	10	< 1	< 1	2	3	6	8	17
35-49	350	3.5	21	< 1	1	2	4	7	9	27
50-64	458	4.2	35	1	1	3	4	8	13	34
65 +	344	5.5	65	1	1	3	6	12	16	62
GRAND TOTAL	**2205**	**3.3**	**25**	**< 1**	**1**	**2**	**4**	**6**	**9**	**27**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	13	1.8	2	< 1	< 1	1	2	4	6	6
20-34	96	1.8	2	< 1	< 1	1	2	3	4	7
35-49	310	1.4	1	< 1	< 1	1	2	2	3	5
50-64	231	1.5	1	< 1	< 1	1	2	2	3	5
65 +	91	1.7	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	3.0	16	< 1	< 1	1	4	10	10	10
50-64	5	1.2		1	1	1	2	2	2	2
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	9	1.9	1	< 1	< 1	2	3	3	3	3
20-34	59	2.2	2	< 1	< 1	2	3	4	6	8
35-49	280	2.2	3	< 1	< 1	2	3	4	6	8
50-64	280	2.1	3	< 1	< 1	2	2	4	5	10
65 +	237	2.3	4	< 1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.2		< 1	< 1	1	1	2	2	2
B. Operated	741	1.5	1	< 1	< 1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	13	2.1	6	< 1	< 1	1	2	4	9	10
B. Operated	865	2.2	3	< 1	< 1	2	3	4	5	8
1. SINGLE DX	747	1.5	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	878	2.2	3	< 1	< 1	2	3	4	5	9
A. Not Operated	19	1.8	4	< 1	< 1	1	2	3	7	10
B. Operated	1606	1.9	2	< 1	< 1	1	2	3	5	7
TOTAL										
0-19 YRS	22	1.9	2	< 1	< 1	1	2	4	5	6
20-34	157	1.9	2	< 1	< 1	1	3	4	5	8
35-49	597	1.8	2	< 1	< 1	1	2	4	5	7
50-64	519	1.8	2	< 1	< 1	1	2	3	4	8
65 +	330	2.1	3	< 1	< 1	2	2	4	5	8
GRAND TOTAL	**1625**	**1.9**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**7**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	4.2	5	1	1	4	5	8	9	9
20-34	30	2.9	2	< 1	1	3	4	5	6	6
35-49	14	4.6	8	< 1	2	4	6	9	11	11
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	3	5.3	2	4	4	5	6	7	7	7
B. Operated										
0-19 YRS	246	2.0	1	< 1	1	2	3	3	4	6
20-34	427	2.3	1	< 1	1	2	3	4	4	6
35-49	260	2.2	2	< 1	< 1	2	3	4	5	7
50-64	151	2.4	4	< 1	< 1	2	3	4	5	12
65 +	62	2.2	2	< 1	< 1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.2	2	< 1	< 1	2	3	4	4	4
20-34	24	3.0	7	< 1	< 1	2	4	5	8	13
35-49	35	3.8	14	< 1	< 1	2	5	8	12	17
50-64	38	4.7	28	< 1	< 1	2	7	11	15	26
65 +	25	3.8	12	< 1	< 1	2	5	11	11	12
B. Operated										
0-19 YRS	75	2.6	3	1	1	2	3	4	5	12
20-34	254	2.8	3	1	1	3	3	4	7	10
35-49	292	2.9	7	1	1	2	4	5	6	18
50-64	229	3.3	23	1	1	2	4	6	8	16
65 +	139	4.4	56	< 1	1	2	4	9	15	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	3.7	5	< 1	1	3	5	7	8	11
B. Operated	1146	2.2	2	< 1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	128	3.8	16	< 1	< 1	2	5	9	12	19
B. Operated	989	3.2	17	1	1	2	4	5	7	18
1. SINGLE DX	1214	2.3	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	1117	3.3	17	< 1	1	2	4	6	8	18
A. Not Operated	196	3.8	12	< 1	< 1	3	5	8	11	16
B. Operated	2135	2.7	9	< 1	1	2	3	4	6	12
TOTAL										
0-19 YRS	346	2.3	2	1	1	2	3	4	5	7
20-34	735	2.5	2	< 1	1	2	3	4	5	7
35-49	601	2.7	5	< 1	1	2	3	5	6	14
50-64	420	3.1	16	< 1	1	2	4	6	9	15
65 +	229	3.7	37	< 1	< 1	2	4	7	11	26
GRAND TOTAL	**2331**	**2.8**	**9**	**< 1**	**1**	**2**	**3**	**5**	**6**	**13**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A Not Operated										
0-19 YRS	250	2.0	1	1	1	2	3	3	4	6
20-34	422	2.2	4	1	1	2	3	4	5	8
35-49	102	2.3	3	< 1	1	2	3	4	6	9
50-64	3	3.3		3	3	3	4	4	4	4
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	226	3.8	4	1	1	4	5	6	7	9
20-34	724	3.5	4	< 1	1	4	5	6	7	8
35-49	218	4.1	4	< 1	1	4	6	7	7	9
50-64	45	5.1	3	2	3	5	6	7	7	9
65 +	16	6.4	9	2	3	6	7	9	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	2.7	3	1	1	2	4	5	6	8
20-34	298	2.6	3	< 1	1	2	3	5	6	10
35-49	89	3.0	5	< 1	1	2	4	6	8	10
50-64	9	2.9	5	< 1	< 1	2	4	7	7	7
65 +	6	6.0	8	3	3	6	8	10	10	10
B. Operated										
0-19 YRS	208	4.3	6	1	2	4	5	6	7	14
20-34	1374	4.5	6	1	2	4	5	7	9	14
35-49	879	5.5	14	1	3	5	6	8	10	15
50-64	155	6.8	16	3	4	6	7	11	15	22
65 +	109	8.7	21	4	5	7	11	16	20	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	779	2.2	3	1	1	2	3	4	5	7
B. Operated	1229	3.8	4	< 1	1	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	538	2.7	3	< 1	1	2	4	5	6	10
B. Operated	2725	5.1	10	1	2	5	6	8	10	17
1. SINGLE DX	2008	3.1	4	< 1	1	3	4	6	7	8
2. MULTIPLE DX	3263	4.7	10	1	1	4	6	7	9	16
A. Not Operated	1317	2.4	3	1	1	2	3	4	6	8
B. Operated	3954	4.7	9	1	1	5	6	7	9	15
TOTAL										
0-19 YRS	820	3.2	4	1	1	3	4	6	6	9
20-34	2818	3.7	5	1	1	4	5	6	7	11
35-49	1288	4.9	12	1	1	5	6	7	9	14
50-64	212	6.2	14	2	3	6	7	9	13	22
65 +	133	8.2	20	3	5	7	10	15	19	39
GRAND TOTAL	**5271**	**4.1**	**8**	**1**	**1**	**4**	**5**	**7**	**8**	**14**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	489	4.4	7	1	2	4	5	7	10	14
20-34	1273	4.2	5	2	2	4	5	7	8	11
35-49	211	5.3	9	2	2	5	7	9	11	16
50-64	8	6.3	15	1	2	5	8	12	14	14
65 +	1	15.0		15	15	15	15	15	15	15
B. Operated										
0-19 YRS	67	5.4	23	< 1	1	4	6	9	12	32
20-34	308	4.5	9	< 1	1	4	6	8	9	15
35-49	112	5.0	9	< 1	< 1	5	6	8	11	15
50-64	11	7.0	12	4	4	6	10	12	14	14
65 +	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	396	5.7	11	2	2	5	7	10	12	18
20-34	984	5.1	8	2	2	5	6	9	11	15
35-49	234	6.4	15	2	2	5	8	12	14	17
50-64	17	7.2	22	1	2	5	11	15	15	15
65 +	18	9.0	23	2	3	9	11	16	19	21
B. Operated										
0-19 YRS	133	6.2	12	2	3	6	8	10	13	18
20-34	1346	5.2	11	1	1	5	6	8	11	16
35-49	704	6.0	15	< 1	1	5	7	10	13	20
50-64	81	8.1	22	2	4	7	9	14	16	29
65 +	34	13.3	149	2	2	10	19	23	40	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1982	4.4	6	2	2	4	5	7	9	14
B. Operated	500	4.8	11	< 1	1	4	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	1649	5.5	10	2	2	5	7	10	12	16
B. Operated	2298	5.7	16	1	2	5	7	10	13	20
1. SINGLE DX	2482	4.5	7	1	2	4	5	7	9	14
2. MULTIPLE DX	3947	5.6	14	1	2	5	7	10	12	19
A. Not Operated	3631	4.9	8	2	2	4	6	8	11	15
B. Operated	2798	5.5	15	< 1	1	5	7	9	12	19
TOTAL										
0-19 YRS	1085	5.1	10	1	2	4	6	9	11	16
20-34	3911	4.8	8	1	2	4	6	8	10	15
35-49	1261	5.9	13	1	2	5	7	10	13	19
50-64	117	7.7	21	2	4	7	9	14	15	24
65 +	55	11.7	104	2	3	9	15	21	24	59
GRAND TOTAL	**6429**	**5.2**	**11**	**1**	**2**	**5**	**6**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	29	3.1	3	1	1	3	4	6	7	7
35-49	6	1.8	1	1	1	2	2	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	2.6	4	< 1	< 1	2	4	5	6	7
20-34	253	3.6	4	< 1	< 1	4	5	6	7	8
35-49	186	4.5	4	< 1	1	5	6	6	8	11
50-64	10	5.1	5	1	2	5	6	8	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
20-34	34	2.9	3	< 1	1	3	5	5	6	6
35-49	27	3.8	18	< 1	< 1	2	5	9	13	20
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	39	3.6	7	< 1	1	3	5	8	9	12
20-34	1270	4.7	5	< 1	1	5	6	7	8	13
35-49	1952	5.6	5	3	4	5	6	8	9	13
50-64	193	6.2	7	4	4	6	7	9	10	17
65 +	26	7.9	31	2	4	6	7	14	23	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.8	3	1	1	2	4	5	6	7
B. Operated	465	4.0	5	< 1	< 1	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	65	3.2	9	< 1	< 1	2	5	6	7	19
B. Operated	3480	5.3	5	1	3	5	6	7	9	13
1. SINGLE DX	504	3.9	5	< 1	1	4	5	6	7	9
2. MULTIPLE DX	3545	5.2	6	1	3	5	6	7	9	13
A. Not Operated	104	3.1	7	< 1	< 1	2	4	6	7	16
B. Operated	3945	5.1	6	1	2	5	6	7	8	13
TOTAL										
0-19 YRS	61	3.2	6	< 1	< 1	2	5	7	8	12
20-34	1586	4.5	5	< 1	1	5	6	7	7	11
35-49	2171	5.4	5	2	3	5	6	8	9	13
50-64	205	6.1	7	3	4	6	7	9	10	16
65 +	26	7.9	31	2	4	6	7	14	23	27
GRAND TOTAL	**4049**	**5.1**	**6**	**1**	**2**	**5**	**6**	**7**	**8**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	10	1.5	3	< 1	< 1	1	1	4	6	6
35-49	16	1.5	2	< 1	< 1	1	2	2	5	6
50-64	6	3.0	4	< 1	< 1	3	5	5	5	5
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	2	1	1	2	4	4	4	4
20-34	5	4.0	17	1	1	2	6	11	11	11
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.7	1	< 1	< 1	1	2	3	3	3
20-34	77	2.6	5	< 1	< 1	1	4	7	7	9
35-49	145	3.1	6	< 1	< 1	2	5	7	8	10
50-64	56	2.3	9	< 1	< 1	1	2	6	7	18
65 +	14	4.1	13	< 1	< 1	2	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7	4	2	2	3	5	6	6	6
B. Operated	34	1.8	2	< 1	< 1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated	12	3.5	8	1	1	2	4	8	11	11
B. Operated	298	2.9	7	< 1	< 1	1	5	7	8	11
1. SINGLE DX	37	1.9	3	< 1	< 1	1	2	5	6	6
2. MULTIPLE DX	310	2.9	7	< 1	< 1	1	5	7	8	11
A. Not Operated	15	3.5	7	1	1	2	4	7	10	11
B. Operated	332	2.7	6	< 1	< 1	1	5	7	7	10
TOTAL										
0-19 YRS	11	2.1	1	< 1	< 1	2	3	4	4	4
20-34	94	2.6	6	< 1	< 1	1	4	6	7	10
35-49	164	3.0	6	< 1	< 1	2	5	7	7	10
50-64	62	2.4	8	< 1	< 1	1	2	6	7	18
65 +	16	3.8	12	< 1	< 1	2	6	10	11	11
GRAND TOTAL	**347**	**2.8**	**6**	**< 1**	**< 1**	**1**	**5**	**7**	**7**	**11**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	4.1	9	< 1	1	3	6	9	10	10
20-34	46	3.5	3	1	2	3	4	6	8	8
35-49	16	3.0	2	1	1	3	4	5	6	6
50-64	2	4.0		4	4	4	4	4	4	4
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	35	2.1	3	< 1	< 1	1	3	4	5	9
20-34	210	1.5	1	< 1	< 1	1	2	3	3	4
35-49	113	1.4	1	< 1	< 1	1	1	2	3	5
50-64	25	1.5	1	< 1	< 1	1	2	3	3	3
65 +	5	5.6	75	1	1	2	7	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	4.2	8	< 1	1	4	6	8	11	12
20-34	61	3.8	5	1	2	4	4	6	8	14
35-49	33	4.5	7	1	2	4	6	8	10	11
50-64	20	6.2	17	2	3	5	8	11	16	20
65 +	20	7.3	22	2	2	7	9	12	17	21
B. Operated										
0-19 YRS	18	3.1	5	< 1	1	3	4	6	8	8
20-34	97	3.3	8	< 1	1	2	5	6	7	15
35-49	98	3.3	8	< 1	1	2	5	7	10	13
50-64	39	4.7	44	< 1	1	3	5	10	23	30
65 +	57	7.9	61	1	1	6	10	20	27	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	3.6	4	1	1	3	4	6	8	10
B. Operated	388	1.6	2	< 1	< 1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	173	4.7	10	1	2	4	6	9	11	19
B. Operated	309	4.3	25	< 1	1	3	5	9	12	29
1. SINGLE DX	473	1.9	3	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX	482	4.4	20	< 1	1	3	5	9	12	27
A. Not Operated	258	4.3	9	1	2	4	5	8	10	14
B. Operated	697	2.8	14	< 1	< 1	1	3	6	8	23
TOTAL										
0-19 YRS	111	3.3	7	< 1	1	3	5	7	9	11
20-34	414	2.5	4	< 1	< 1	2	3	5	6	11
35-49	260	2.6	5	< 1	< 1	2	3	6	7	11
50-64	86	4.1	27	< 1	< 1	3	4	9	13	29
65 +	84	7.5	50	1	1	6	9	16	24	33
GRAND TOTAL	**955**	**3.2**	**13**	**< 1**	**< 1**	**2**	**4**	**7**	**9**	**21**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	4.7	16	1	1	4	8	9	9	9
65 +	3	2.3	5	< 1	< 1	1	4	5	5	5
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	57	4.4	3	1	2	5	5	6	7	10
35-49	193	5.0	3	2	3	5	6	7	8	10
50-64	466	5.5	4	3	3	5	6	8	9	14
65 +	453	5.7	5	3	3	5	7	8	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	13	1.7	3	< 1	< 1	1	2	4	6	7
50-64	25	1.2		< 1	< 1	< 1	1	2	3	3
65 +	51	2.9	8	< 1	< 1	1	4	6	10	12
B. Operated										
0-19 YRS	5	4.2	13	1	1	2	7	9	9	9
20-34	255	4.9	4	2	3	5	6	7	8	10
35-49	1021	5.7	5	3	4	5	7	8	10	14
50-64	1359	6.2	7	3	4	6	7	9	11	15
65 +	1664	7.1	14	4	4	6	8	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.3	8	< 1	< 1	3	5	8	9	9
B. Operated	1170	5.4	4	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	93	2.2	5	< 1	< 1	1	3	5	7	12
B. Operated	4304	6.4	10	3	4	6	7	9	11	17
1. SINGLE DX	1178	5.4	4	2	3	5	6	8	9	13
2. MULTIPLE DX	4397	6.3	10	3	4	6	7	9	11	17
A. Not Operated	101	2.3	6	< 1	< 1	1	3	5	8	11
B. Operated	5474	6.2	9	3	4	6	7	9	10	16
TOTAL										
0-19 YRS	7	3.9	9	1	1	2	6	9	9	9
20-34	316	4.8	4	1	2	5	6	7	8	10
35-49	1228	5.5	5	3	3	5	6	8	9	14
50-64	1853	6.0	7	3	3	6	7	9	10	15
65 +	2171	6.7	13	3	4	6	8	10	12	19
GRAND TOTAL	**5575**	**6.1**	**9**	**3**	**3**	**6**	**7**	**9**	**10**	**16**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	11	1.6	2	< 1	< 1	1	1	4	6	6
35-49	17	2.1	3	< 1	< 1	1	3	5	6	6
50-64	4	1.3		< 1	< 1	1	1	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	1.8	1	< 1	< 1	2	2	3	3	3
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	20	4.0	10	< 1	< 1	4	6	7	10	13
35-49	64	3.8	6	< 1	< 1	4	5	6	8	12
50-64	7	2.3	3	< 1	< 1	2	4	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	2	1	1	2	3	4	4	4
B. Operated	32	1.8	2	< 1	< 1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated	11	2.1	1	< 1	< 1	2	[illegible]	4	4	4
B. Operated	92	3.7	6	< 1	< 1	4	[illegible]	7	8	13
1. SINGLE DX	36	1.9	2	< 1	< 1	1	2	5	6	6
2. MULTIPLE DX	103	3.5	6	< 1	< 1	3	5	6	8	12
A. Not Operated	15	2.1	1	< 1	1	2	3	4	4	4
B. Operated	124	3.2	6	< 1	< 1	3	5	6	7	12
TOTAL										
0-19 YRS	4	3.3	1	2	2	3	[illegible]	4	4	4
20-34	37	2.9	7	< 1	< 1	1	[illegible]	7	7	13
35-49	85	3.4	5	< 1	< 1	3	[illegible]	[illegible]	8	11
50-64	13	1.8	2	< 1	< 1	1	2	4	5	5
65 +	0									
GRAND TOTAL	**139**	**3.1**	**6**	**< 1**	**< 1**	**2**	**5**	**6**	**7**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.4	3	1	1	2	3	5	6	8
20-34	67	1.4		< 1	< 1	1	2	2	3	4
35-49	28	1.6	1	< 1	< 1	1	2	3	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	28	1.8	2	< 1	< 1	1	2	4	5	6
20-34	288	1.8	2	< 1	< 1	1	2	4	5	7
35-49	432	1.8	2	< 1	< 1	1	2	5	6	6
50-64	48	1.5	2	< 1	< 1	1	1	3	5	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.4	2	< 1	1	2	3	4	5	8
20-34	91	1.9	1	< 1	< 1	2	2	4	5	6
35-49	99	2.3	4	< 1	< 1	2	3	4	7	11
50-64	13	2.2	2	< 1	< 1	2	3	4	5	5
65 +	0									
B. Operated										
0-19 YRS	26	1.8	1	< 1	1	2	3	3	3	3
20-34	715	3.5	6	< 1	< 1	3	5	6	7	10
35-49	1932	3.9	7	< 1	< 1	4	6	7	8	11
50-64	244	3.9	10	< 1	< 1	4	6	7	8	13
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	1.7	1	< 1	< 1	1	2	3	4	6
B. Operated	796	1.8	2	< 1	< 1	1	2	5	5	7
2. MULTIPLE DX										
A. Not Operated	255	2.2	3	< 1	< 1	2	3	4	5	8
B. Operated	2917	3.7	7	< 1	< 1	4	6	7	8	11
1. SINGLE DX	922	1.8	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX	3172	3.6	7	< 1	< 1	4	5	7	8	11
A. Not Operated	381	2.0	2	< 1	< 1	2	2	4	5	8
B. Operated	3713	3.3	7	< 1	< 1	3	5	6	7	10
TOTAL										
0-19 YRS	136	2.1	2	< 1	1	2	3	4	5	8
20-34	1161	2.8	5	< 1	< 1	2	4	6	7	10
35-49	2491	3.4	6	< 1	< 1	3	5	6	7	10
50-64	306	3.4	10	< 1	< 1	2	5	7	8	12
65 +	0									
GRAND TOTAL	**4094**	**3.2**	**6**	**< 1**	**< 1**	**2**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.7		1	1	2	2	2	2	2
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	36	1.8	2	< 1	< 1	1	2	4	5	6
50-64	114	1.3	1	< 1	< 1	1	1	2	3	6
65 +	22	2.0	3	< 1	< 1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	10	2.2	3	< 1	< 1	2	3	5	5	5
50-64	13	2.1	3	< 1	< 1	1	3	5	5	5
65 +	22	3.4	5	1	1	3	5	6	8	9
B. Operated										
0-19 YRS	0									
20-34	10	5.0	2	2	3	5	6	7	7	7
35-49	97	3.2	7	< 1	< 1	2	5	6	8	13
50-64	318	2.5	14	< 1	< 1	1	2	5	7	11
65 +	233	4.1	55	< 1	1	2	4	8	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.3		1	1	1	2	2	2	2
B. Operated	174	1.5	2	< 1	< 1	1	1	2	5	7
2. MULTIPLE DX										
A. Not Operated	45	2.8	4	< 1	1	2	4	5	6	9
B. Operated	658	3.2	28	< 1	< 1	2	4	6	8	20
1. SINGLE DX	180	1.5	2	< 1	< 1	1	1	2	5	7
2. MULTIPLE DX	703	3.2	26	< 1	< 1	2	4	6	8	20
A. Not Operated	51	2.6	4	< 1	1	2	4	5	6	9
B. Operated	832	2.8	23	< 1	< 1	1	3	6	7	19
TOTAL										
0-19 YRS	0									
20-34	12	4.8	4	1	2	5	6	7	7	7
35-49	144	2.7	6	< 1	< 1	2	4	6	7	11
50-64	448	2.2	11	< 1	< 1	1	2	5	6	10
65 +	279	3.8	47	< 1	1	2	4	8	14	27
GRAND TOTAL	**883**	**2.8**	**22**	**<1**	**<1**	**2**	**3**	**6**	**7**	**18**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.3	4	< 1	< 1	1	3	6	7	7
20-34	44	2.6	5	< 1	1	2	3	6	8	10
35-49	12	1.7	1	< 1	< 1	2	2	3	3	3
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	41	2.7	4	< 1	< 1	2	4	6	7	8
20-34	316	2.5	5	< 1	< 1	1	4	6	6	9
35-49	239	3.0	6	< 1	< 1	2	5	6	7	11
50-64	85	3.6	9	< 1	< 1	2	5	8	10	13
65 +	35	2.9	7	< 1	< 1	2	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	1.8	2	< 1	< 1	1	2	4	5	5
20-34	48	2.4	5	< 1	< 1	1	3	6	7	10
35-49	39	4.1	14	< 1	< 1	3	6	9	13	15
50-64	20	6.3	98	1	1	3	5	16	30	43
65 +	41	6.5	29	1	1	5	8	16	22	99 +
B. Operated										
0-19 YRS	44	4.1	9	< 1	1	4	6	7	8	18
20-34	538	3.5	6	< 1	< 1	4	5	6	7	11
35-49	940	4.4	11	< 1	< 1	5	6	7	9	14
50-64	572	5.2	25	< 1	1	5	6	8	11	28
65 +	347	7.6	69	1	1	5	9	18	23	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	2.3	4	< 1	< 1	2	3	5	7	10
B. Operated	716	2.8	6	< 1	< 1	2	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	170	4.1	26	< 1	< 1	2	5	9	15	39
B. Operated	2491	4.8	23	< 1	< 1	5	6	8	12	24
1. SINGLE DX	796	2.8	6	< 1	< 1	2	4	6	7	11
2. MULTIPLE DX	2661	4.8	23	< 1	< 1	4	6	8	12	24
A. Not Operated	250	3.6	20	< 1	< 1	2	5	8	11	26
B. Operated	3207	4.4	19	< 1	< 1	4	6	8	10	22
TOTAL										
0-19 YRS	126	3.0	6	< 1	< 1	2	5	6	7	11
20-34	996	3.2	6	< 1	< 1	2	5	6	7	10
35-49	1230	4.1	10	< 1	< 1	4	6	7	8	14
50-64	679	5.0	25	< 1	1	5	6	8	11	27
65 +	426	7.1	62	1	1	5	9	16	22	46
GRAND TOTAL	**3457**	**4.3**	**20**	**<1**	**<1**	**4**	**6**	**8**	**11**	**23**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	1.9	1	< 1	1	2	2	3	4	5
20-34	130	1.8	1	< 1	< 1	1	2	3	4	7
35-49	30	2.3	4	< 1	< 1	2	3	5	7	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	37	2.6	3	< 1	< 1	2	4	5	6	7
20-34	310	2.7	4	< 1	< 1	2	4	6	6	8
35-49	279	4.3	5	< 1	1	4	6	7	8	10
50-64	122	5.4	5	2	3	5	7	8	9	14
65 +	65	6.2	9	3	3	6	8	9	9	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.4	3	< 1	1	2	3	4	6	9
20-34	161	2.0	2	< 1	< 1	1	3	4	5	8
35-49	47	2.2	2	< 1	< 1	2	3	4	5	7
50-64	15	6.2	57	< 1	< 1	2	7	21	21	21
65 +	10	5.6	16	1	1	5	9	11	13	13
B. Operated										
0-19 YRS	31	2.7	12	< 1	< 1	1	4	5	5	19
20-34	970	3.6	4	< 1	< 1	4	5	6	7	9
35-49	717	4.9	8	< 1	1	5	6	8	8	12
50-64	271	6.5	6	4	4	6	8	10	11	16
65 +	184	7.6	17	2	4	7	9	12	14	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	261	1.9	2	< 1	1	2	2	3	4	7
B. Operated	813	3.9	6	< 1	< 1	4	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	285	2.5	7	< 1	< 1	2	3	5	7	16
B. Operated	2173	4.7	8	< 1	< 1	5	6	8	9	14
1. SINGLE DX	1074	3.4	6	< 1	< 1	3	5	7	9	10
2. MULTIPLE DX	2458	4.5	9	< 1	< 1	4	6	8	9	14
A. Not Operated	546	2.2	4	< 1	< 1	2	3	4	5	9
B. Operated	2986	4.5	8	< 1	< 1	4	6	8	9	12
TOTAL										
0-19 YRS	219	2.3	3	< 1	< 1	2	3	4	5	8
20-34	1571	3.1	4	< 1	< 1	3	5	6	6	8
35-49	1073	4.5	7	< 1	1	5	6	7	8	11
50-64	409	6.2	8	2	3	6	7	9	11	18
65 +	260	7.2	15	2	3	7	9	12	13	28
GRAND TOTAL	**3532**	**4.1**	**8**	**< 1**	**< 1**	**4**	**6**	**7**	**9**	**12**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	39	2.7	3	1	1	2	4	5	7	8
35-49	4	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	93	4.2	3	2	2	4	5	6	6	13
20-34	1272	4.1	2	2	2	4	5	6	6	8
35-49	203	4.3	3	1	2	4	5	6	7	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3	3	< 1	< 1	1	4	4	4	4
20-34	22	1.8	1	< 1	1	1	2	4	4	4
35-49	2	10.0	162	1	1	10	19	19	19	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	86	4.8	2	3	3	5	6	7	7	11
20-34	1340	4.7	3	2	3	4	5	6	8	11
35-49	284	5.0	4	2	3	5	6	7	8	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.4	3	1	1	2	3	5	6	8
B. Operated	1568	4.1	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	31	2.5	11	< 1	< 1	1	3	4	4	19
B. Operated	1710	4.7	4	2	3	4	5	7	8	11
1. SINGLE DX	1615	4.1	2	1	2	4	5	6	6	8
2. MULTIPLE DX	1741	4.7	4	2	3	4	5	7	8	11
A. Not Operated	78	2.4	6	< 1	1	2	3	4	6	16
B. Operated	3278	4.4	3	2	3	4	5	6	7	10
TOTAL										
0-19 YRS	190	4.3	3	1	2	4	5	6	7	11
20-34	2673	4.3	3	2	3	4	5	6	7	10
35-49	493	4.7	4	2	3	4	5	6	8	11
50-64	0									
65 +	0									
GRAND TOTAL	**3356**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.7	1	1	1	1	2	3	4	4
20-34	24	1.6	1	< 1	1	1	2	3	5	6
35-49	4	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	346	1.5	1	< 1	< 1	1	2	2	3	5
20-34	508	1.4	1	< 1	< 1	1	1	2	3	5
35-49	104	1.5	2	< 1	< 1	< 1	1	2	4	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.2	3	< 1	< 1	2	3	5	6	6
20-34	58	1.9	2	< 1	< 1	1	2	4	6	8
35-49	18	1.6	2	< 1	< 1	1	2	3	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	606	1.1	1	< 1	< 1	< 1	< 1	< 1	2	4
20-34	1759	1.3	2	< 1	< 1	< 1	< 1	1	3	8
35-49	240	1.7	5	< 1	< 1	< 1	2	3	5	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	1.6	1	< 1	1	1	2	3	4	6
B. Operated	958	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	89	1.9	2	< 1	< 1	1	2	4	6	8
B. Operated	2605	1.3	2	< 1	< 1	< 1	< 1	1	3	7
1. SINGLE DX	996	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	2694	1.3	2	< 1	< 1	< 1	< 1	2	3	7
A. Not Operated	127	1.8	2	< 1	< 1	1	2	3	6	7
B. Operated	3563	1.3	2	< 1	< 1	< 1	1	2	3	6
TOTAL										
0-19 YRS	975	1.3	1	< 1	< 1	< 1	1	2	2	5
20-34	2349	1.3	2	< 1	< 1	< 1	< 1	2	3	8
35-49	366	1.6	4	< 1	< 1	< 1	1	3	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**3690**	**1.3**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	2	2.0	2	< 1	< 1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	2.5	1	2	2	2	3	3	3	3
1. SINGLE DX	3	2.3	1	< 1	< 1	3	3	3	3	3
2. MULTIPLE DX	2	2.5	1	2	2	2	3	3	3	3
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	4	2.3	1	< 1	< 1	2	3	3	3	3
TOTAL										
0-19 YRS	0									
20-34	2	3.0		3	3	3	3	3	3	3
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**5**	**2.4**	**1**	**<1**	**<1**	**3**	**3**	**3**	**3**	**3**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	132	1.5	1	< 1	< 1	1	2	3	3	5
20-34	480	1.5	1	< 1	< 1	1	2	3	3	6
35-49	74	1.5	1	< 1	< 1	1	1	2	4	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	767	1.2		< 1	< 1	1	1	2	2	4
20-34	5709	1.2		< 1	< 1	1	1	2	2	4
35-49	1257	1.1	1	< 1	< 1	1	1	1	2	3
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.0	2	< 1	< 1	1	3	4	5	6
20-34	120	2.3	4	< 1	< 1	1	3	5	5	13
35-49	25	2.0	2	< 1	< 1	1	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	155	1.9	4	< 1	< 1	1	2	4	5	8
20-34	1028	1.7	2	< 1	< 1	1	2	3	5	8
35-49	346	1.7	2	< 1	< 1	1	2	3	4	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	686	1.5	1	< 1	< 1	1	2	3	3	6
B. Operated	7734	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	167	2.2	4	< 1	< 1	1	3	5	5	11
B. Operated	1530	1.7	2	< 1	< 1	1	2	3	5	8
1. SINGLE DX	8420	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	1697	1.8	3	< 1	< 1	1	2	4	5	8
A. Not Operated	853	1.6	2	< 1	< 1	1	2	3	4	6
B. Operated	9264	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL										
0-19 YRS	1076	1.4	1	< 1	< 1	1	1	2	3	5
20-34	7337	1.3	1	< 1	< 1	1	1	2	3	5
35-49	1702	1.3	1	< 1	< 1	1	1	2	3	5
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	0									
GRAND TOTAL	**10117**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	3.1	5	1	1	3	4	5	7	11
20-34	209	2.2	3	< 1	1	2	3	4	5	8
35-49	33	2.1	2	< 1	< 1	1	3	4	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	104	1.7	3	< 1	< 1	1	2	3	4	11
20-34	1167	1.2	1	< 1	< 1	1	1	2	2	4
35-49	230	1.2	1	< 1	< 1	1	1	2	2	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.3	8	< 1	1	2	4	6	10	13
20-34	120	3.5	7	1	1	3	5	6	8	14
35-49	17	2.5	2	1	1	2	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	46	2.6	5	< 1	1	2	3	5	7	10
20-34	370	2.4	7	< 1	< 1	1	3	5	7	11
35-49	78	2.3	5	< 1	< 1	1	2	7	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	290	2.4	3	< 1	1	2	3	5	5	9
B. Operated	1503	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	158	3.4	7	1	1	3	5	6	8	13
B. Operated	494	2.4	6	< 1	< 1	1	3	6	7	11
1. SINGLE DX	1793	1.4	1	< 1	< 1	1	1	3	4	6
2. MULTIPLE DX	652	2.7	7	< 1	< 1	2	4	6	7	12
A. Not Operated	448	2.7	5	1	1	2	4	5	6	12
B. Operated	1997	1.6	2	< 1	< 1	1	1	3	4	8
TOTAL										
0-19 YRS	218	2.4	5	< 1	< 1	2	3	5	6	12
20-34	1866	1.7	3	< 1	< 1	1	2	3	5	8
35-49	358	1.6	2	< 1	< 1	1	1	3	5	8
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	**2445**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	1.7	2	< 1	< 1	1	2	3	4	10
20-34	605	1.8	1	< 1	< 1	1	2	3	4	6
35-49	52	1.8	1	< 1	< 1	1	2	3	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	2.0	2	< 1	< 1	1	2	5	5	5
20-34	20	1.9	2	< 1	< 1	1	2	4	5	7
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.6	4	< 1	< 1	2	3	7	7	8
20-34	166	2.6	6	< 1	1	2	3	5	6	16
35-49	33	2.2	3	< 1	1	2	3	4	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	16	2.5	4	< 1	< 1	2	3	6	7	7
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	746	1.8	2	< 1	< 1	1	2	3	4	6
B. Operated	29	1.9	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	224	2.5	5	< 1	1	2	3	5	7	14
B. Operated	18	2.4	4	< 1	< 1	2	3	6	7	7
1. SINGLE DX	775	1.8	2	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	242	2.5	5	< 1	1	2	3	5	7	13
A. Not Operated	970	1.9	3	< 1	< 1	1	2	4	4	8
B. Operated	47	2.1	3	< 1	< 1	2	2	5	6	7
TOTAL										
0-19 YRS	122	1.9	3	< 1	< 1	1	2	3	5	9
20-34	807	2.0	3	< 1	< 1	1	2	4	4	7
35-49	88	1.9	2	< 1	< 1	2	2	4	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**1017**	**2.0**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.2		< 1	< 1	1	1	2	2	2
20-34	86	1.7	1	< 1	< 1	1	2	3	4	5
35-49	9	2.4	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	1.8	1	< 1	< 1	1	2	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	37	1.9	2	< 1	< 1	1	2	4	5	8
35-49	5	3.2	8	1	1	2	4	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	1.7	1	< 1	< 1	1	2	3	4	5
B. Operated	4	1.8	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	47	2.1	3	< 1	< 1	1	3	4	6	8
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	109	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	48	2.0	3	< 1	< 1	1	3	4	6	8
A. Not Operated	152	1.8	1	< 1	< 1	1	2	3	4	8
B. Operated	5	1.6	1	< 1	< 1	1	2	3	3	3
TOTAL										
0-19 YRS	15	1.4		< 1	1	1	2	2	3	3
20-34	128	1.8	1	< 1	< 1	1	2	3	4	6
35-49	14	2.7	3	1	1	2	3	4	7	8
50-64	0									
65 +	0									
GRAND TOTAL	**157**	**1.8**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	147	2.9	4	< 1	1	2	3	6	7	11
20-34	831	2.8	4	< 1	1	2	3	5	6	10
35-49	108	3.3	8	< 1	1	3	4	6	7	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	3.6	31	< 1	< 1	2	3	5	16	27
20-34	100	3.0	8	< 1	< 1	2	4	5	8	17
35-49	15	4.0	13	< 1	1	3	4	9	16	18
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.9	5	1	1	2	3	5	9	11
20-34	246	3.5	7	< 1	1	3	5	7	8	14
35-49	38	3.9	8	1	1	3	5	9	10	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	2.8	6	< 1	< 1	2	4	7	8	8
20-34	90	3.6	13	< 1	< 1	2	5	9	11	16
35-49	10	3.1	11	< 1	< 1	2	4	8	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1086	2.8	4	< 1	1	2	3	5	6	11
B. Operated	136	3.2	12	< 1	< 1	2	4	5	9	20
2. MULTIPLE DX										
A. Not Operated	318	3.5	7	< 1	1	3	4	7	9	13
B. Operated	116	3.4	12	< 1	< 1	2	4	9	11	15
1. SINGLE DX	1222	2.9	5	< 1	1	2	3	5	7	12
2. MULTIPLE DX	434	3.5	8	< 1	1	3	4	7	9	14
A. Not Operated	1404	3.0	5	< 1	1	2	4	5	7	12
B. Operated	252	3.3	12	< 1	< 1	2	4	7	10	18
TOTAL										
0-19 YRS	218	2.9	7	< 1	< 1	2	3	6	8	12
20-34	1267	3.0	6	< 1	1	2	4	5	7	13
35-49	171	3.5	9	< 1	1	3	4	6	10	17
50-64	0									
65 +	0									
GRAND TOTAL	**1656**	**3.0**	**6**	**< 1**	**1**	**2**	**4**	**6**	**7**	**13**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	216	3.1	5	1	1	3	4	6	7	13
20-34	1372	3.8	7	1	2	3	5	7	8	13
35-49	74	4.4	11	1	2	3	5	7	10	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	6.7	87	< 1	< 1	2	6	24	26	26
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	109	[illegible]	13	1	1	3	4	6	8	21
20-34	641	[illegible]	10	1	1	3	5	7	10	17
35-49	28	[illegible]	5	2	2	4	6	8	9	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	41	9.4	131	1	1	5	10	29	34	54
35-49	4	4.8	3	3	3	4	6	7	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1662	3.7	7	1	1	3	4	7	8	14
B. Operated	13	5.7	70	< 1	< 1	2	5	23	25	26
2. MULTIPLE DX										
A. Not Operated	778	3.9	10	1	1	3	5	7	9	16
B. Operated	48	8.7	115	1	1	5	9	27	32	54
1. SINGLE DX	1675	3.7	8	1	1	3	5	7	8	14
2. MULTIPLE DX	826	4.1	17	1	1	3	5	7	10	23
A. Not Operated	2440	3.7	8	1	1	3	5	7	8	15
B. Operated	61	8.1	106	< 1	1	5	8	24	30	52
TOTAL										
0-19 YRS	329	3.2	8	1	1	3	4	6	8	13
20-34	2064	3.9	11	1	1	3	5	7	9	18
35-49	108	4.4	9	1	2	4	5	7	10	18
50-64	0									
65 +	0									
GRAND TOTAL	**2501**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	737	1.1	1	< 1	< 1	< 1	1	1	1	3
20-34	3006	1.1		< 1	< 1	< 1	1	1	1	3
35-49	213	1.1		< 1	< 1	< 1	1	1	2	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	79	1.1	1	< 1	< 1	< 1	1	1	2	6
20-34	434	1.1		< 1	< 1	< 1	1	1	2	4
35-49	30	1.6	10	< 1	< 1	< 1	1	1	2	18
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	1.2		< 1	< 1	1	1	2	2	4
20-34	324	1.3	1	< 1	< 1	1	1	2	3	6
35-49	32	1.3		< 1	< 1	1	1	2	2	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	1.8	3	< 1	< 1	1	2	4	7	7
20-34	60	1.5	2	< 1	< 1	1	1	3	4	9
35-49	7	1.4	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	U									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3956	1.1		< 1	< 1	< 1	1	1	1	3
B. Operated	544	1.1	1	< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	426	1.3	1	< 1	< 1	1	1	2	3	5
B. Operated	79	1.5	2	< 1	< 1	1	1	3	4	8
1. SINGLE DX	4500	1.1		< 1	< 1	< 1	1	1	1	3
2. MULTIPLE DX	505	1.3	1	< 1	< 1	1	1	2	3	6
A. Not Operated	4382	1.1		< 1	< 1	< 1	1	1	2	3
B. Operated	623	1.2	1	< 1	< 1	< 1	1	1	2	5
TOTAL										
0-19 YRS	898	1.1	1	< 1	< 1	< 1	1	1	1	3
20-34	3824	1.1		< 1	< 1	< 1	1	1	2	4
35-49	282	1.2	1	< 1	< 1	< 1	1	1	2	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**5005**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.8	22	< 1	1	3	3	7	16	21
20-34	289	3.2	22	< 1	1	2	3	6	7	26
35-49	40	3.4	13	< 1	1	2	4	5	14	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.8	2	< 1	< 1	3	4	4	4	4
20-34	30	3.9	15	< 1	< 1	3	5	9	13	17
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.9	1	< 1	< 1	1	3	3	3	3
20-34	94	4.6	23	1	1	3	6	9	17	24
35-49	16	5.4	34	< 1	1	4	6	11	20	24
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	22	6.3	76	< 1	1	4	7	14	25	41
35-49	5	9.8	253	< 1	< 1	3	14	38	38	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	346	3.3	21	< 1	1	2	4	5	8	25
B. Operated	38	3.7	12	< 1	< 1	3	4	8	12	17
2. MULTIPLE DX										
A. Not Operated	117	4.6	24	1	1	3	5	10	17	24
B. Operated	28	7.3	102	< 1	< 1	4	7	16	38	41
1. SINGLE DX	[illegible]	3.3	20	< 1	1	2	4	6	8	25
2. MULTIPLE DX	145	5.1	39	< 1	1	3	6	11	18	38
A. Not Operated	463	3.6	22	< 1	1	2	4	7	10	24
B. Operated	66	5.2	53	< 1	< 1	3	5	13	17	41
TOTAL										
0-19 YRS	29	3.6	20	< 1	< 1	3	3	6	17	21
20-34	435	3.7	25	< 1	1	2	4	7	11	25
35-49	65	4.4	35	< 1	1	3	4	10	16	36
50-64	0									
65 +	0									
GRAND TOTAL	**529**	**3.8**	**26**	**<1**	**1**	**2**	**4**	**7**	**12**	**25**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	1.8	2	< 1	< 1	1	2	3	5	8
20-34	481	2.1	4	< 1	< 1	1	2	4	6	9
35-49	51	1.6	1	< 1	< 1	1	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.0		< 1	< 1	< 1	1	1	1	1
20-34	55	1.7	1	< 1	< 1	1	2	3	4	7
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.3	8	< 1	< 1	2	4	8	10	12
20-34	225	3.2	19	< 1	< 1	2	3	6	11	26
35-49	15	3.1	18	< 1	< 1	2	3	4	14	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	11.0	129	3	3	6	19	24	24	24
20-34	20	3.9	18	< 1	1	2	5	10	15	16
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	600	2.0	4	< 1	< 1	1	2	4	5	9
B. Operated	66	1.7	2	< 1	< 1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated	269	3.2	18	< 1	< 1	2	3	6	11	26
B. Operated	25	4.7	30	< 1	1	3	5	14	18	24
1. SINGLE DX	666	2.0	3	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX	294	3.3	19	< 1	< 1	2	3	6	12	26
A. Not Operated	869	2.4	8	< 1	< 1	1	3	4	6	17
B. Operated	91	2.5	11	< 1	< 1	1	3	5	7	21
TOTAL										
0-19 YRS	106	2.4	9	< 1	< 1	1	3	5	7	17
20-34	781	2.4	9	< 1	< 1	1	3	5	7	17
35-49	73	2.1	5	< 1	< 1	1	3	4	4	15
50-64	0									
65 +	0									
GRAND TOTAL	**960**	**2.4**	**9**	**< 1**	**< 1**	**1**	**3**	**4**	**6**	**18**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	122	3.0	3	< 1	< 1	3	4	6	6	9
20-34	345	2.7	2	< 1	1	3	4	5	5	8
35-49	15	3.0	2	< 1	< 1	3	4	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	1.5	2	< 1	< 1	< 1	1	3	6	7
20-34	30	2.3	2	< 1	< 1	2	3	5	5	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	285	3.0	5	< 1	< 1	2	4	6	7	10
20-34	716	3.1	6	< 1	< 1	3	4	6	7	12
35-49	23	3.0	3	< 1	< 1	3	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	4.7	11	2	2	4	5	9	14	14
20-34	49	4.1	8	1	1	3	5	8	9	14
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	482	2.8	3	< 1	< 1	3	[illegible]	5	6	8
B. Operated	49	2.0	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	1024	3.0	6	< 1	< 1	3	4	6	7	11
B. Operated	62	4.3	9	1	1	4	6	8	10	14
1. SINGLE DX	531	2.7	3	< 1	< 1	2	4	5	6	8
2. MULTIPLE DX	1086	3.1	6	< 1	< 1	3	4	6	7	12
A. Not Operated	1506	3.0	5	< 1	< 1	3	4	5	7	10
B. Operated	111	3.3	7	< 1	< 1	2	4	7	8	14
TOTAL										
0-19 YRS	435	3.0	5	< 1	< 1	2	4	6	7	10
20-34	1140	3.0	5	< 1	< 1	3	4	5	7	11
35-49	42	3.2	4	< 1	< 1	3	4	6	7	9
50-64	0									
65 +	0									
GRAND TOTAL	**1617**	**3.0**	**5**	**< 1**	**< 1**	**3**	**4**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	3.2	6	< 1	< 1	3	4	8	8	9
20-34	602	3.5	9	< 1	1	3	4	6	8	14
35-49	138	3.6	6	< 1	1	3	5	6	8	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	2.7	2	1	1	3	3	5	5	5
20-34	41	3.3	5	< 1	< 1	3	4	7	8	9
35-49	10	2.8	2	1	1	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	320	2.3	7	< 1	< 1	1	3	5	7	11
20-34	1651	3.5	23	< 1	< 1	2	4	7	9	23
35-49	174	4.1	18	< 1	1	3	5	8	11	26
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	37	3.6	13	< 1	1	3	5	7	10	19
20-34	214	4.9	48	< 1	< 1	3	5	8	16	40
35-49	30	4.1	26	1	1	3	4	8	12	27
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	810	3.5	8	< 1	1	3	4	7	8	14
B. Operated	58	3.1	4	< 1	1	3	4	6	8	9
2. MULTIPLE DX										
A. Not Operated	2146	3.4	20	< 1	< 1	2	4	7	9	20
B. Operated	281	4.6	41	< 1	1	3	5	8	14	31
1. SINGLE DX	868	3.4	8	< 1	1	3	4	7	8	14
2. MULTIPLE DX	2427	3.5	23	< 1	< 1	2	4	7	9	24
A. Not Operated	2956	3.4	17	< 1	< 1	2	4	7	9	18
B. Operated	339	4.4	35	< 1	1	3	5	8	11	28
TOTAL										
0-19 YRS	434	2.6	7	< 1	< 1	2	3	5	7	11
20-34	2508	3.6	22	< 1	< 1	2	4	7	9	23
35-49	352	3.9	13	< 1	1	3	5	7	9	19
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**3295**	**3.5**	**19**	**<1**	**<1**	**2**	**4**	**7**	**9**	**20**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	644	1.9	3	< 1	< 1	1	2	4	5	9
20-34	2971	2.2	8	< 1	< 1	1	2	4	6	12
35-49	229	2.5	17	< 1	< 1	1	2	4	7	28
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	141	2.7	9	< 1	< 1	1	4	6	8	16
20-34	940	2.3	6	< 1	< 1	1	3	4	6	13
35-49	130	2.1	3	< 1	< 1	1	3	4	5	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	310	2.7	8	< 1	< 1	2	3	6	8	16
20-34	1655	3.2	22	< 1	< 1	2	3	6	11	26
35-49	151	4.3	44	< 1	< 1	2	4	9	15	39
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	90	3.2	18	< 1	< 1	1	4	7	8	25
20-34	764	3.3	21	< 1	< 1	2	4	7	11	27
35-49	78	3.7	23	< 1	< 1	2	4	6	15	26
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3845	2.1	7	< 1	< 1	1	2	4	6	12
B. Operated	1211	2.3	6	< 1	< 1	1	3	5	6	14
2. MULTIPLE DX										
A. Not Operated	2116	3.2	22	< 1	< 1	2	4	6	10	25
B. Operated	932	3.3	21	< 1	< 1	2	4	7	11	26
1. SINGLE DX	5056	2.2	7	< 1	< 1	1	2	4	6	12
2. MULTIPLE DX	3048	3.3	21	< 1	< 1	2	4	7	11	25
A. Not Operated	5961	2.5	13	< 1	< 1	1	3	5	7	18
B. Operated	2143	2.8	13	< 1	< 1	1	3	5	8	20
TOTAL										
0-19 YRS	1185	2.3	7	< 1	< 1	1	3	5	7	[illegible]
20-34	6330	2.6	13	< 1	< 1	1	3	5	8	[illegible]
35-49	588	3.0	23	< 1	< 1	1	3	6	9	32
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**8104**	**2.6**	**13**	**<1**	**<1**	**1**	**3**	**5**	**7**	**19**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1 SINGLE DX										
A. Not Operated										
0-19 YRS	85	2.8	1	1	2	3	3	4	4	5
20-34	601	2.8	1	2	2	3	3	4	4	6
35-49	90	2.8		2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	47	3.5	7	2	2	3	4	4	5	20
20-34	365	3.4	2	2	2	3	4	5	6	9
35-49	49	3.7	2	2	2	3	4	6	6	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	3.0	1	2	2	3	3	4	5	7
20-34	912	3.2	6	2	2	3	3	4	5	14
35-49	107	3.0	1	2	2	3	3	4	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	143	4.7	12	2	2	4	6	7	10	32
20-34	1625	4.6	22	2	2	4	5	7	9	26
35-49	261	4.9	17	2	2	4	5	8	9	25
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	776	2.8	1	2	2	3	3	4	4	6
B. Operated	462	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	1132	3.1	5	2	2	3	3	4	5	13
B. Operated	2030	4.7	20	2	2	4	5	7	9	26
1. SINGLE DX	1238	3.1	2	2	2	3	3	4	5	7
2. MULTIPLE DX	3162	4.1	15	2	2	3	5	6	8	21
A. Not Operated	1908	3.0	3	2	2	3	3	4	4	7
B. Operated	2492	4.4	17	2	2	4	5	6	8	24
TOTAL										
0-19 YRS	388	3.6	7	2	2	3	4	6	7	20
20-34	3503	3.8	13	2	2	3	4	6	7	17
35-49	507	4.0	10	2	2	3	5	6	8	18
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	**4400**	**3.8**	**12**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3051	2.6	2	1	2	3	3	3	4	4
20-34	24755	2.6	1	1	2	3	3	3	4	4
35-49	2094	2.7	1	1	2	3	3	3	4	5
50-64	3	2.3		2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	944	2.7		2	2	3	3	3	4	4
20-34	6820	2.7		2	2	3	3	3	4	4
35-49	562	2.7		2	2	3	3	3	4	4
50-64	4	2.8		2	2	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	2.8	1	2	2	3	3	4	4	6
20-34	856	2.8	1	1	2	3	3	4	4	6
35-49	91	3.0	1	1	2	3	4	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	54	2.9	1	2	2	3	3	4	4	4
20-34	2324	3.2	1	2	2	3	4	4	4	6
35-49	391	3.3	1	2	2	3	4	4	5	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29903	2.6	1	1	2	3	3	3	4	4
B. Operated	8330	2.7		2	2	3	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	1049	2.8	1	1	2	3	3	4	4	5
B. Operated	2770	3.2	1	2	2	3	4	4	4	6
1. SINGLE DX	38233	2.6	1	1	2	3	3	3	4	4
2. MULTIPLE DX	3819	3.1	1	2	2	3	4	4	4	6
A. Not Operated	30952	2.6	1	1	2	3	3	3	4	4
B. Operated	11100	2.8	1	2	2	3	3	4	4	5
TOTAL										
0-19 YRS	4150	2.7	2	2	2	3	3	3	4	4
20-34	34755	2.7	1	2	2	3	3	3	4	5
35-49	3138	2.8	1	1	2	3	3	4	4	5
50-64	9	2.7		2	2	3	3	3	3	3
65 +	0									
GRAND TOTAL	**42052**	**2.7**	**1**	**2**	**2**	**3**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	2.6		2	2	3	3	3	3	3
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.5	2	2	2	3	5	5	5	5
20-34	113	6.5	61	3	3	5	6	8	18	45
35-49	14	7.6	71	3	3	5	7	13	31	36
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	22	3.4	6	1	1	3	4	5	9	13
35-49	3	7.3	86	< 1	< 1	3	14	18	18	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	5.7	11	1	2	5	7	9	13	15
20-34	325	8.8	98	3	4	5	7	20	31	53
35-49	81	8.8	99	3	4	5	7	18	33	54
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.6		2	2	3	3	3	3	3
B. Operated	133	6.5	59	3	3	5	6	8	18	43
2. MULTIPLE DX										
A. Not Operated	25	3.8	14	1	1	3	4	7	14	18
B. Operated	421	8.7	95	3	4	5	7	18	31	52
1. SINGLE DX	146	6.1	55	2	3	5	6	8	15	38
2. MULTIPLE DX	446	8.4	92	3	3	5	7	18	29	50
A. Not Operated	38	3.4	10	1	2	3	3	4	11	18
B. Operated	554	8.1	87	3	4	5	7	16	28	50
TOTAL										
0-19 YRS	22	5.0	9	1	2	5	6	8	11	15
20-34	470	7.8	85	3	3	5	6	13	28	50
35-49	100	8.5	92	3	3	5	7	18	33	51
50-64	0									
65 +	0									
GRAND TOTAL	**592**	**7.8**	**84**	**3**	**3**	**5**	**7**	**14**	**28**	**50**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.0		1	1	2	2	3	3	3
20-34	69	2.6	1	1	1	3	3	4	5	7
35-49	6	2.3	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	3.6	2	2	2	4	5	5	5	5
20-34	106	4.1	2	2	2	4	5	6	6	8
35-49	15	4.6	3	2	3	5	5	6	8	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.4	4	< 1	1	2	3	4	7	9
20-34	121	3.1	8	1	1	3	3	5	6	19
35-49	11	3.5	10	1	1	3	4	8	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	59	5.0	7	2	3	5	5	8	10	17
20-34	505	5.1	21	2	2	4	5	7	9	23
35-49	67	5.4	7	2	3	5	6	8	9	18
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	2.5	1	1	1	2	3	4	4	7
B. Operated	136	4.1	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	150	3.0	7	1	1	3	3	5	6	18
B. Operated	631	5.1	18	2	2	5	6	7	10	22
1. SINGLE DX	218	3.5	2	1	2	3	5	5	6	8
2. MULTIPLE DX	781	4.7	17	1	2	4	5	7	9	22
A. Not Operated	232	2.8	5	1	1	3	3	4	6	15
B. Operated	767	5.0	15	2	2	5	5	7	9	21
TOTAL										
0-19 YRS	99	4.1	6	1	2	4	5	6	9	15
20-34	801	4.5	15	1	2	4	5	7	8	22
35-49	99	4.9	7	1	2	5	6	8	9	16
50-64	0									
65 +	0									
GRAND TOTAL	**999**	**4.5**	**14**	**1**	**2**	**4**	**5**	**7**	**8**	**20**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	20	2.7	1	1	2	3	3	4	4	4
35-49	3	2.3	2	< 1	< 1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	29	2.4	1	1	1	3	3	3	4	4
20-34	313	2.7	1	1	2	3	3	4	4	6
35-49	38	2.7	1	1	1	3	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	17	2.6	1	< 1	1	3	3	3	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	3.0	2	1	1	3	4	5	6	7
20-34	252	3.2	2	1	2	3	4	5	5	7
35-49	27	3.0	2	1	2	3	3	4	7	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.5	1	< 1	1	2	3	4	4	4
B. Operated	380	2.7	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	21	2.7	1	1	1	3	3	4	5	5
B. Operated	305	3.1	2	1	2	3	4	5	6	8
1. SINGLE DX	407	2.7	1	1	1	3	3	4	4	6
2. MULTIPLE DX	326	3.1	2	1	2	3	4	5	5	8
A. Not Operated	48	2.6	1	< 1	1	3	3	4	4	5
B. Operated	685	2.9	2	1	2	3	3	4	5	7
TOTAL										
0-19 YRS	62	2.6	1	1	1	3	3	4	5	7
20-34	602	2.9	2	1	2	3	3	4	5	7
35-49	69	2.8	2	1	1	3	3	4	4	8
50-64	0									
65 +	0									
GRAND TOTAL	**733**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.0	1	1	2	3	4	5	5	5
20-34	138	2.5	1	1	1	3	3	4	4	5
35-49	7	3.1	1	2	2	3	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	2.3		2	2	2	3	3	3	3
20-34	77	2.9	1	2	2	3	3	4	5	6
35-49	4	2.8	2	2	2	2	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.5	1	3	3	3	4	5	7	7
20-34	126	2.8	1	2	2	3	3	4	5	6
35-49	6	3.2	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	3.4	1	2	2	3	4	5	6	6
20-34	137	3.5	1	2	2	3	4	5	5	7
35-49	9	4.4	14	2	2	3	4	11	14	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	2.6	1	1	1	3	3	4	4	5
B. Operated	87	2.9	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	143	2.9	1	2	2	3	3	4	5	7
B. Operated	158	3.5	2	2	2	3	4	5	6	9
1. SINGLE DX	252	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	301	3.2	2	2	2	3	4	5	5	7
A. Not Operated	308	2.7	1	1	2	3	3	4	4	6
B. Operated	245	3.3	2	2	2	3	4	5	5	7
TOTAL										
0-19 YRS	49	3.1	1	2	2	3	4	5	5	7
20-34	478	2.9	1	1	2	3	3	4	5	6
35-49	26	3.5	6	2	2	3	4	5	8	14
50-64	0									
65 +	0									
GRAND TOTAL	**553**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	53	3.0	1	2	2	3	3	4	4	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	65	4.3	2	2	3	4	5	6	7	8
35-49	8	3.1	1	2	2	3	3	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.4	5	2	2	4	6	8	8	8
20-34	70	3.8	4	2	2	3	4	6	9	12
35-49	6	3.7	1	3	3	4	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	5.0	5	1	2	5	6	8	9	11
20-34	533	5.7	21	3	3	5	6	8	11	27
35-49	74	6.6	52	3	3	5	7	8	14	50
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	3.0	1	2	2	3	4	4	4	5
B. Operated	76	4.1	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	81	3.8	4	2	2	3	4	6	8	12
B. Operated	633	5.8	24	3	3	5	6	8	11	30
1. SINGLE DX	132	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX	714	5.6	23	2	3	5	6	8	11	28
A. Not Operated	137	3.5	3	2	2	3	4	5	7	12
B. Operated	709	5.6	22	3	3	5	6	8	10	28
TOTAL										
0-19 YRS	36	4.7	5	1	2	5	6	8	8	11
20-34	721	5.2	17	2	3	5	6	7	9	26
35-49	89	6.1	45	3	3	5	6	8	10	47
50-64	0									
65 +	0									
GRAND TOTAL	**846**	**5.3**	**20**	**2**	**3**	**5**	**6**	**7**	**9**	**26**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	67	2.6	1	2	2	3	3	3	4	5
35-49	10	3.3	2	1	2	3	4	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	137	4.5	1	3	3	4	5	6	7	8
20-34	1273	4.5	2	3	3	5	5	6	6	7
35-49	82	4.7	1	2	3	5	5	6	7	8
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.0	1	2	2	3	4	4	4	4
20-34	34	2.8	1	1	1	3	4	4	5	5
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	118	5.5	8	3	3	5	6	8	9	19
20-34	1599	4.9	3	3	3	5	5	6	7	11
35-49	247	5.2	3	3	4	5	6	7	8	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	2.7	1	1	2	3	3	4	5	6
B. Operated	1494	4.6	2	3	3	5	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	44	2.8	1	1	1	3	4	4	5	5
B. Operated	1964	5.0	3	3	3	5	6	6	8	11
1. SINGLE DX	1574	4.5	2	2	3	5	5	6	6	7
2. MULTIPLE DX	2008	4.9	3	3	3	5	6	6	8	11
A. Not Operated	124	2.8	1	1	2	3	3	4	5	6
B. Operated	3458	4.8	3	3	3	5	5	6	7	10
TOTAL										
0-19 YRS	263	4.9	5	3	3	5	5	7	8	11
20-34	2973	4.7	3	2	3	5	5	6	7	9
35-49	344	5.0	3	3	3	5	6	6	7	11
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	0									
GRAND TOTAL	**3582**	**4.7**	**3**	**2**	**3**	**5**	**5**	**6**	**7**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.5	1	1	2	2	3	3	4	4
20-34	267	2.7	1	1	2	3	3	3	4	4
35-49	24	2.7		2	2	3	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	47	3.9	2	2	2	4	5	6	6	7
20-34	499	4.0	2	2	2	4	5	6	6	7
35-49	46	4.5	4	2	2	4	5	6	7	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.9	1	2	2	3	3	4	5	5
20-34	231	2.8	1	2	2	3	3	4	4	6
35-49	40	2.9	1	2	2	3	3	4	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	199	4.8	3	2	3	5	6	7	8	11
20-34	1893	4.5	3	2	3	5	5	6	7	10
35-49	268	4.9	4	3	3	5	6	6	7	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	319	2.6	1	1	2	3	3	3	4	4
B. Operated	592	4.0	2	2	2	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	288	2.8	1	2	2	3	3	4	4	6
B. Operated	2360	4.6	3	2	3	5	5	6	7	10
1. SINGLE DX	911	3.5	2	2	2	3	5	5	6	7
2. MULTIPLE DX	2648	4.4	3	2	2	4	5	6	7	10
A. Not Operated	607	2.7	1	1	2	3	3	4	4	5
B. Operated	2952	4.5	3	2	3	5	5	6	7	10
TOTAL										
0-19 YRS	291	4.3	3	2	2	4	5	6	8	10
20-34	2890	4.1	3	2	2	4	5	6	6	9
35-49	378	4.5	4	2	2	4	5	6	7	11
50-64	0									
65 +	0									
GRAND TOTAL	**3559**	**4.2**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	16	3.1	2	1	2	3	4	5	6	6
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	138	4.8	1	3	4	5	5	6	6	7
20-34	1434	5.0	1	4	4	5	5	6	6	8
35-49	100	5.0	1	3	4	5	5	6	7	8
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	19	3.9	2	2	2	4	5	6	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	565	5.4	3	4	4	5	6	7	8	11
20-34	4556	5.2	2	4	4	5	6	6	7	10
35-49	436	5.5	3	4	4	5	6	7	8	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.2	1	1	2	3	4	5	6	6
B. Operated	1673	5.0	1	4	4	5	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	22	4.0	2	2	2	4	5	7	7	7
B. Operated	5557	5.3	2	4	4	5	6	7	7	10
1. SINGLE DX	1691	5.0	1	3	4	5	5	6	6	8
2. MULTIPLE DX	5579	5.3	2	4	4	5	6	7	7	10
A. Not Operated	40	3.6	2	2	2	3	4	6	7	7
B. Operated	7230	5.2	2	4	4	5	6	6	7	10
TOTAL										
0-19 YRS	705	5.3	2	4	4	5	6	7	8	10
20-34	6025	5.2	2	4	4	5	6	6	7	10
35-49	539	5.4	3	4	4	5	6	7	7	11
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
GRAND TOTAL	**7270**	**5.2**	**2**	**4**	**4**	**5**	**6**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	2.8	1	1	2	3	3	4	4	4
20-34	754	2.9	1	2	2	3	3	4	4	5
35-49	50	2.8	1	1	1	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	114	3.9	2	2	2	4	5	6	7	8
20-34	1204	3.9	2	2	2	4	5	6	6	7
35-49	95	4.1	2	2	2	4	5	6	7	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	3.1	1	1	2	3	4	4	5	6
20-34	519	3.0	3	1	2	3	3	4	4	6
35-49	61	3.1	1	1	2	3	4	4	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	313	5.0	7	2	3	5	6	8	9	16
20-34	3143	4.4	3	2	3	4	5	6	7	10
35-49	377	4.6	4	2	3	4	5	6	7	11
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	878	2.9	1	2	2	3	3	4	4	5
B. Operated	1413	3.9	2	2	2	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	623	3.0	2	1	2	3	3	4	4	6
B. Operated	3834	4.4	3	2	3	4	5	6	7	10
1. SINGLE DX	2291	3.5	2	2	2	3	4	5	6	7
2. MULTIPLE DX	4457	4.2	3	2	2	4	5	6	7	10
A. Not Operated	1501	2.9	2	2	2	3	3	4	4	6
B. Operated	5247	4.3	3	2	2	4	5	6	7	10
TOTAL										
0-19 YRS	544	4.3	6	2	2	4	5	7	8	12
20-34	5620	3.9	3	2	2	4	5	6	6	9
35-49	583	4.2	4	2	2	4	5	6	7	10
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
GRAND TOTAL	**6748**	**4.0**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	81	2.8	1	2	2	3	3	4	4	5
35-49	21	2.9	1	1	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	4.6	2	2	2	5	5	6	7	8
20-34	209	4.2	2	2	2	4	5	6	6	8
35-49	28	4.6	4	2	2	5	6	7	8	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.1		1	1	2	3	3	3	3
20-34	85	3.4	10	1	2	3	4	5	6	23
35-49	19	3.4	2	1	2	3	4	4	6	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	54	4.5	3	2	2	5	5	7	7	8
20-34	752	5.0	12	2	3	5	6	7	8	14
35-49	142	5.1	6	2	3	5	6	7	9	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	2.8	1	2	2	3	3	4	4	5
B. Operated	263	4.3	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	111	3.3	8	1	2	3	4	5	6	19
B. Operated	948	5.0	11	2	3	5	6	7	8	14
1. SINGLE DX	369	3.9	2	2	2	4	5	6	6	8
2. MULTIPLE DX	1059	4.8	11	2	2	5	6	7	8	14
A. Not Operated	217	3.1	4	1	2	3	3	4	5	10
B. Operated	1211	4.8	9	2	3	5	6	7	8	12
TOTAL										
0-19 YRS	91	4.3	3	2	2	4	5	6	7	8
20-34	1127	4.6	10	2	2	4	5	6	7	12
35-49	210	4.7	5	2	2	4	6	7	8	12
50-64	0									
65 +	0									
GRAND TOTAL	**1428**	**4.6**	**9**	**2**	**2**	**4**	**5**	**6**	**7**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.3	3	1	1	3	5	6	6	6
20-34	220	2.6	1	1	2	3	3	4	4	5
35-49	28	2.9	1	1	1	3	4	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	210	4.7	1	3	3	5	5	6	7	8
20-34	5099	4.8	1	3	4	5	5	6	7	7
35-49	563	5.0	1	3	4	5	5	6	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	< 1	< 1	2	3	4	4	4
20-34	101	3.0	1	2	2	3	4	4	5	7
35-49	15	3.3	2	2	2	3	4	4	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	138	5.0	2	3	3	5	6	6	7	8
20-34	6907	5.0	3	3	4	5	6	6	7	10
35-49	1191	5.3	3	3	4	5	6	7	7	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	2.7	1	1	2	3	3	4	4	5
B. Operated	5873	4.8	1	3	4	5	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	120	3.1	1	2	2	3	4	4	5	8
B. Operated	8236	5.0	3	3	4	5	6	6	7	10
1. SINGLE DX	6127	4.7	1	3	3	5	5	6	7	7
2. MULTIPLE DX	8356	5.0	3	3	4	5	6	6	7	10
A. Not Operated	374	2.8	1	1	2	3	3	4	4	6
B. Operated	14109	4.9	2	3	4	5	6	6	7	9
TOTAL										
0-19 YRS	358	4.8	2	3	3	5	6	6	7	8
20-34	12327	4.9	2	3	3	5	5	6	7	9
35-49	1797	5.1	3	3	4	5	6	6	7	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**14483**	**4.9**	**2**	**3**	**3**	**5**	**6**	**6**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	144	3.0	1	2	2	3	3	4	4	7
20-34	1289	2.9	1	2	2	3	3	4	4	6
35-49	116	3.1	2	2	2	3	3	4	5	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	91	3.3	1	2	2	3	4	4	5	6
20-34	893	3.2	1	2	2	3	4	4	5	6
35-49	82	3.2	2	1	2	3	3	5	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	117	3.5	2	2	2	3	4	5	6	10
20-34	1007	3.4	6	2	2	3	4	5	6	12
35-49	111	3.5	4	2	2	3	4	5	8	12
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	343	4.3	6	2	2	4	5	7	8	13
20-34	3539	4.4	8	2	2	4	5	6	8	15
35-49	481	4.8	10	2	2	4	6	7	9	18
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1549	2.9	1	2	2	3	3	4	4	6
B. Operated	1066	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	1236	3.4	5	2	2	3	4	5	6	11
B. Operated	4364	4.4	8	2	2	4	5	7	8	15
1. SINGLE DX	2615	3.0	1	2	2	3	3	4	5	6
2. MULTIPLE DX	5600	4.2	8	2	2	4	5	6	8	14
A. Not Operated	2785	3.2	3	2	2	3	4	4	5	9
B. Operated	5430	4.2	7	2	2	4	5	6	7	14
TOTAL										
0-19 YRS	695	3.7	4	2	2	3	4	6	7	11
20-34	6728	3.8	6	2	2	3	4	6	7	12
35-49	790	4.2	8	2	2	3	5	7	8	15
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**8215**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	290	2.6	1	2	2	3	3	3	4	4
20-34	3387	2.6	1	1	2	3	3	3	4	4
35-49	305	2.7	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	186	2.6	1	2	2	3	3	3	4	6
20-34	1809	2.7	1	2	2	3	3	4	4	5
35-49	172	2.9	1	2	2	3	3	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	2.7	1	1	2	3	3	4	4	4
20-34	1012	2.8	2	1	2	3	3	4	4	6
35-49	97	2.8	1	1	2	3	3	4	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	159	3.0	2	1	2	3	3	5	6	7
20-34	1992	3.1	1	2	2	3	4	4	5	7
35-49	271	3.3	4	2	2	3	4	5	5	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3982	2.6	1	1	2	3	3	3	4	4
B. Operated	2167	2.7	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	1205	2.8	2	1	2	3	3	4	4	6
B. Operated	2423	3.1	2	2	2	3	4	5	5	7
1. SINGLE DX	6149	2.7	1	2	2	3	3	3	4	5
2. MULTIPLE DX	3628	3.0	2	2	2	3	3	4	5	7
A. Not Operated	5187	2.7	1	1	2	3	3	3	4	5
B. Operated	4590	2.9	1	2	2	3	3	4	5	6
TOTAL										
0-19 YRS	731	2.7	1	2	2	3	3	4	4	6
20-34	8200	2.8	1	2	2	3	3	4	4	6
35-49	845	2.9	2	2	2	3	3	4	5	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**9777**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	2.3	1	1	1	2	3	3	4	4
20-34	462	2.3	1	1	1	2	3	3	4	4
35-49	47	2.0	1	< 1	< 1	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	682	2.6	1	1	2	3	3	3	4	4
20-34	7240	2.5	1	1	2	3	3	3	4	4
35-49	809	2.5	1	1	2	3	3	3	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.3	1	1	1	2	3	4	4	4
20-34	203	2.6	6	1	1	2	3	3	4	9
35-49	20	2.4	1	< 1	< 1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	373	2.7	1	1	2	3	3	4	4	6
20-34	4741	2.8	1	1	2	3	3	4	4	6
35-49	631	3.0	1	1	2	3	3	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	570	2.3	1	1	1	2	3	3	4	4
B. Operated	8733	2.5	1	1	2	3	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	258	2.6	5	1	1	2	3	3	4	5
B. Operated	5745	2.8	1	1	2	3	3	4	4	6
1. SINGLE DX	9303	2.5	1	1	2	3	3	3	4	4
2. MULTIPLE DX	6003	2.8	1	1	2	3	3	4	4	6
A. Not Operated	828	2.4	2	1	1	2	3	3	4	4
B. Operated	14478	2.6	1	1	2	3	3	4	4	5
TOTAL										
0-19 YRS	1151	2.6	1	1	2	3	3	4	4	5
20-34	12646	2.6	1	1	2	3	3	4	4	5
35-49	1507	2.7	1	1	2	3	3	4	4	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**15306**	**2.6**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.6	1	1	1	3	3	4	4	4
20-34	99	2.6	1	1	2	3	3	4	4	4
35-49	5	3.0	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	443	2.7	1	2	2	3	3	3	4	5
20-34	2571	2.8	1	2	2	3	3	4	4	5
35-49	149	2.9	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.9	2	1	1	3	4	5	5	5
20-34	35	2.7	1	1	2	3	3	4	4	4
35-49	3	5.7	5	3	3	7	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	216	3.1	2	2	2	3	3	4	5	8
20-34	2064	3.1	1	2	2	3	3	4	5	6
35-49	162	3.2	1	2	2	3	4	4	5	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	2.6	1	1	2	3	3	4	4	4
B. Operated	3163	2.8	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	46	2.9	2	1	2	3	4	4	5	7
B. Operated	2442	3.1	1	2	2	3	3	4	5	6
1. SINGLE DX	3281	2.8	1	2	2	3	3	4	4	5
2. MULTIPLE DX	2488	3.1	1	2	2	3	3	4	5	7
A. Not Operated	164	2.7	1	1	2	3	3	4	4	7
B. Operated	5605	2.9	1	2	2	3	3	4	4	5
TOTAL										
0-19 YRS	681	2.8	1	2	2	3	3	4	4	7
20-34	4769	2.9	1	2	2	3	3	4	4	5
35-49	319	3.1	1	2	2	3	3	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**5769**	**2.9**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.4	1	1	1	2	3	3	3	4
20-34	165	2.4	1	1	1	2	3	3	4	5
35-49	8	3.0	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	128	2.5	1	1	2	3	3	3	4	4
20-34	872	2.6	1	1	2	3	3	3	4	5
35-49	51	2.4	1	1	1	2	3	3	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.5		2	2	2	3	3	3	3
20-34	79	2.8	2	1	1	3	3	4	4	10
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	97	3.0	2	2	2	3	3	4	5	9
20-34	823	3.0	1	2	2	3	3	4	5	7
35-49	59	3.2	2	1	1	3	4	5	6	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	2.4	1	1	1	2	3	3	4	5
B. Operated	1051	2.6	1	1	2	3	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	90	2.7	2	1	1	3	3	4	4	10
B. Operated	979	3.0	1	2	2	3	3	4	5	7
1. SINGLE DX	1256	2.5	1	1	2	3	3	3	4	5
2. MULTIPLE DX	1069	3.0	1	2	2	3	3	4	5	7
A. Not Operated	295	2.5	1	1	1	2	3	3	4	6
B. Operated	2030	2.8	1	1	2	3	3	4	4	6
TOTAL										
0-19 YRS	265	2.7	1	1	2	3	3	4	4	5
20-34	1939	2.7	1	1	2	3	3	4	4	6
35-49	121	2.8	2	1	1	3	3	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**2325**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	621	2.8	3	1	2	3	3	4	5	7
20-34	4059	2.8	2	1	2	3	3	4	4	7
35-49	398	2.8	1	1	2	3	3	4	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	807	3.6	9	2	2	3	4	5	6	11
20-34	5734	3.3	3	2	2	3	4	5	6	8
35-49	469	3.6	2	2	2	3	4	6	6	8
50-64	3	4.3	1	3	3	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	419	3.1	6	1	1	3	3	4	6	10
20-34	3007	3.0	3	1	2	3	3	4	5	10
35-49	369	3.2	8	1	1	3	3	5	6	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1742	4.6	11	2	2	4	5	7	10	17
20-34	14033	4.4	11	2	2	4	5	7	8	17
35-49	1839	5.0	15	2	2	4	6	7	10	20
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5078	2.8	2	1	2	3	3	4	4	7
B. Operated	7013	3.4	4	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	3795	3.0	4	1	2	3	3	4	5	10
B. Operated	17616	4.5	12	2	2	4	5	7	9	17
1. SINGLE DX	12091	3.1	3	1	2	3	3	5	5	8
2. MULTIPLE DX	21411	4.2	11	2	2	3	5	7	8	17
A. Not Operated	8873	2.9	3	1	2	3	3	4	5	9
B. Operated	24629	4.2	10	2	2	3	5	6	8	15
TOTAL										
0-19 YRS	3589	3.9	9	2	2	3	5	6	8	15
20-34	26833	3.8	8	2	2	3	4	6	7	13
35-49	3075	4.3	11	2	2	3	5	7	8	19
50-64	5	4.6	1	3	3	5	5	6	6	6
65 +	0									
GRAND TOTAL	**33502**	**3.8**	**8**	**2**	**2**	**3**	**5**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	4.5	5	1	2	4	6	8	10	10
20-34	117	3.8	3	2	2	3	5	6	7	11
35-49	12	5.3	17	2	2	4	6	10	16	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	7	4.7	12	2	2	4	5	11	12	12
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	4.1	3	2	2	3	5	7	8	8
20-34	98	4.0	5	2	2	4	5	6	8	14
35-49	9	4.6	2	3	3	4	5	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	21	7.2	18	3	3	5	9	14	17	19
35-49	5	11.8	220	3	3	5	16	38	38	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	4.1	5	2	2	4	5	6	8	13
B. Operated	8	4.3	12	< 1	1	4	5	10	12	12
2. MULTIPLE DX										
A. Not Operated	130	4.1	4	2	2	4	5	7	7	13
B. Operated	28	7.6	52	2	3	5	9	14	21	38
1. SINGLE DX	172	4.1	5	2	2	4	5	6	8	14
2. MULTIPLE DX	158	4.7	14	2	2	4	5	8	10	19
A. Not Operated	294	4.1	5	2	2	4	5	6	7	13
B. Operated	36	6.9	44	1	2	5	9	13	18	38
TOTAL										
0-19 YRS	61	4.2	4	1	2	3	5	7	9	10
20-34	243	4.2	6	2	2	4	5	7	9	14
35-49	26	6.3	51	2	2	4	6	9	21	38
50-64	0									
65 +	0									
GRAND TOTAL	**330**	**4.4**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
20-34	32	1.3		< 1	< 1	1	2	2	3	3
35-49	6	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	1.4	1	< 1	< 1	1	2	2	3	4
20-34	137	1.3		< 1	< 1	1	1	2	2	4
35-49	15	1.2		< 1	< 1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0	1	< 1	< 1	2	2	3	3	3
20-34	25	2.4	2	< 1	1	2	3	4	5	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	2.1	1	1	1	2	2	4	5	5
20-34	99	2.7	5	< 1	1	2	4	5	6	14
35-49	14	4.1	13	< 1	1	3	6	10	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.3		< 1	< 1	1	1	2	3	3
B. Operated	170	1.3		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	32	2.3	2	< 1	1	2	3	4	5	7
B. Operated	123	2.8	6	< 1	1	2	4	5	6	14
1. SINGLE DX	213	1.3		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	155	2.7	5	< 1	1	2	3	5	6	12
A. Not Operated	75	1.7	1	< 1	< 1	1	2	3	4	6
B. Operated	293	1.9	3	< 1	< 1	1	2	4	5	10
TOTAL										
0-19 YRS	38	1.6	1	< 1	< 1	1	2	3	4	5
20-34	293	1.9	3	< 1	< 1	1	2	4	5	7
35-49	37	2.4	7	< 1	< 1	1	2	6	9	12
50-64	0									
65 +	0									
GRAND TOTAL	**368**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.9	12	1	1	3	4	9	13	13
20-34	69	4.0	10	1	1	3	4	8	9	20
35-49	8	4.6	7	2	2	4	6	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	25	3.2	18	< 1	1	3	3	3	9	23
20-34	121	3.0	3	1	1	3	3	6	7	10
35-49	10	3.7	8	1	1	3	7	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.0	7	< 1	< 1	2	5	7	7	7
20-34	63	4.9	11	1	1	4	7	9	10	17
35-49	5	5.2	10	2	2	6	7	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	4.9	23	1	2	3	5	11	16	21
20-34	98	4.8	25	1	1	3	5	11	17	25
35-49	21	4.7	11	1	2	3	6	9	12	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	4.0	10	1	1	3	5	8	10	19
B. Operated	156	3.1	6	1	1	3	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	73	4.8	10	1	1	4	7	9	10	17
B. Operated	139	4.8	22	1	1	3	5	11	16	23
1. SINGLE DX	243	3.4	8	1	1	3	4	7	8	14
2. MULTIPLE DX	212	4.8	18	1	1	3	6	10	14	22
A. Not Operated	160	4.4	10	1	1	3	6	9	10	17
B. Operated	295	3.9	14	1	1	3	4	8	11	22
TOTAL										
0-19 YRS	60	3.9	17	< 1	1	3	4	7	12	23
20-34	351	4.0	13	1	1	3	5	8	10	21
35-49	44	4.5	9	1	2	3	7	8	10	14
50-64	0									
65 +	0									
GRAND TOTAL	**455**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	533	3.7	6	1	2	3	4	6	7	12
20-34	499	4.0	5	1	2	4	5	7	9	11
35-49	405	4.9	9	2	2	4	6	8	10	15
50-64	266	5.4	9	2	3	5	7	9	11	17
65 +	175	6.3	21	2	2	6	8	11	13	21
B. Operated										
0-19 YRS	175	4.1	10	< 1	1	3	5	8	10	15
20-34	225	4.6	11	1	1	4	6	9	11	15
35-49	177	5.4	12	1	2	5	7	9	11	17
50-64	93	6.4	22	2	2	5	8	12	17	22
65 +	64	6.9	28	2	2	5	9	14	18	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	617	4.4	9	2	2	4	5	7	10	15
20-34	841	5.4	14	2	2	5	7	9	12	20
35-49	1129	6.9	21	2	3	6	9	12	16	23
50-64	1633	8.0	36	3	3	7	10	14	18	35
65 +	3131	10.1	70	3	4	8	12	18	24	51
B. Operated										
0-19 YRS	251	6.5	38	1	2	5	8	13	18	28
20-34	607	8.5	69	2	2	6	10	17	23	47
35-49	681	11.0	123	2	3	8	13	23	35	67
50-64	827	13.5	181	3	4	9	16	28	43	82
65 +	1324	16.0	190	3	5	11	20	34	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1878	4.5	9	2	2	4	6	8	10	15
B. Operated	734	5.1	15	1	1	4	7	10	12	21
2. MULTIPLE DX										
A. Not Operated	7351	8.1	47	2	3	6	10	15	20	37
B. Operated	3690	12.6	155	2	3	9	15	27	40	77
1. SINGLE DX	2612	4.7	10	1	2	4	6	8	10	17
2. MULTIPLE DX	11041	9.6	88	2	3	7	11	19	27	57
A. Not Operated	9229	7.4	42	2	3	6	9	14	18	33
B. Operated	4424	11.4	140	2	3	8	14	25	35	73
TOTAL										
0-19 YRS	1576	4.5	13	1	2	4	5	8	10	20
20-34	2172	5.9	30	1	2	5	7	10	14	28
35-49	2392	7.6	53	2	3	6	9	14	19	42
50-64	2819	9.3	83	2	3	7	11	17	24	52
65 +	4694	11.6	109	3	4	9	14	22	31	68
GRAND TOTAL	**13653**	**8.7**	**77**	**2**	**3**	**6**	**10**	**17**	**24**	**52**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	201	3.7	4	1	2	3	5	7	8	10
20-34	73	4.1	24	1	2	3	4	6	9	35
35-49	42	4.0	7	2	2	3	5	6	10	15
50-64	26	4.8	12	1	2	4	7	10	13	15
65 +	13	7.8	96	2	2	5	8	17	35	39
B. Operated										
0-19 YRS	120	3.6	7	< 1	< 1	3	5	8	9	10
20-34	87	4.5	21	< 1	1	3	6	9	13	27
35-49	50	4.0	8	1	1	3	6	8	9	14
50-64	32	4.7	39	< 1	< 1	2	5	9	24	26
65 +	14	5.6	30	< 1	< 1	4	7	12	19	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	224	4.8	19	1	2	4	6	8	10	27
20-34	144	4.7	13	1	2	4	6	8	11	18
35-49	142	7.7	43	2	3	6	9	14	18	39
50-64	142	6.6	20	2	2	5	9	13	15	22
65 +	251	8.6	37	3	3	7	10	15	22	28
B. Operated										
0-19 YRS	131	5.4	26	1	1	4	7	10	12	31
20-34	114	6.9	43	1	2	5	8	13	17	37
35-49	124	8.9	85	1	2	6	11	19	31	44
50-64	177	9.4	62	1	2	8	12	19	29	41
65 +	212	12.0	136	2	3	8	14	27	37	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	355	4.1	13	1	2	3	5	7	9	15
B. Operated	303	4.1	16	< 1	< 1	3	6	8	10	23
2. MULTIPLE DX										
A. Not Operated	903	6.6	29	2	2	5	8	12	16	27
B. Operated	758	9.0	82	1	2	6	11	19	29	54
1. SINGLE DX	658	4.1	14	< 1	1	3	5	8	9	19
2. MULTIPLE DX	1661	7.7	55	1	2	6	9	15	22	42
A. Not Operated	1258	5.9	26	2	2	4	7	11	14	27
B. Operated	1061	7.6	68	1	1	5	9	16	25	45
TOTAL										
0-19 YRS	676	4.4	14	1	1	4	5	8	10	21
20-34	418	5.2	26	1	1	4	6	10	14	31
35-49	358	7.2	52	1	2	5	8	14	19	42
50-64	377	7.6	44	1	2	6	9	15	22	38
65 +	490	9.9	84	2	3	7	12	21	28	58
GRAND TOTAL	**2319**	**6.7**	**46**	**1**	**2**	**5**	**8**	**13**	**19**	**39**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
20-34	4	2.5	3	1	1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	461	2.2	2	< 1	1	2	3	4	5	7
20-34	962	2.2	2	1	1	2	3	4	5	8
35-49	145	2.2	2	< 1	1	2	3	4	5	7
50-64	22	3.5	7	1	1	3	5	8	9	10
65 +	7	5.3	44	2	2	2	5	17	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.9	2	< 1	< 1	< 1	2	5	5	5
20-34	8	2.9	12	< 1	< 1	1	3	9	11	11
35-49	4	5.0	23	1	1	3	8	12	12	12
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	6.5	1	6	6	6	7	7	7	7
B. Operated										
0-19 YRS	66	2.7	3	1	1	2	3	5	7	8
20-34	205	3.0	7	1	1	2	3	6	9	14
35-49	51	3.9	26	1	1	2	4	6	17	27
50-64	37	3.4	18	1	1	2	4	7	10	25
65 +	12	4.5	14	1	1	3	7	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated	1597	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	22	3.2	10	< 1	< 1	2	4	8	11	12
B. Operated	371	3.2	10	1	1	2	4	6	9	18
1. SINGLE DX	1606	2.2	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX	393	3.2	10	1	1	2	4	6	9	18
A. Not Operated	31	2.9	8	< 1	< 1	1	4	6	11	12
B. Operated	1968	2.4	4	1	1	2	3	4	6	10
TOTAL										
0-19 YRS	538	2.2	2	< 1	1	2	3	4	5	7
20-34	1179	2.4	3	1	1	2	3	4	5	11
35-49	201	2.7	9	< 1	1	2	3	5	6	20
50-64	60	3.4	14	1	1	2	4	7	9	24
65 +	21	5.0	21	1	1	3	6	11	16	20
GRAND TOTAL	**1999**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	51	1.4	1	< 1	< 1	< 1	1	3	3	6
20-34	67	1.6	1	< 1	< 1	1	2	3	4	7
35-49	54	1.5	2	< 1	< 1	< 1	1	2	4	10
50-64	39	1.2	1	< 1	< 1	< 1	1	1	2	6
65 +	11	1.4	1	< 1	< 1	1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	14.0	128	6	6	14	22	22	22	22
B. Operated										
0-19 YRS	17	2.4	15	< 1	< 1	1	2	3	12	17
20-34	15	2.0	3	< 1	< 1	1	3	5	6	7
35-49	28	3.0	13	< 1	< 1	1	4	6	10	18
50-64	20	2.1	4	< 1	< 1	1	3	5	7	8
65 +	39	3.4	6	< 1	< 1	3	4	7	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	222	1.4	1	< 1	< 1	< 1	1	2	4	7
2. MULTIPLE DX										
A. Not Operated	8	5.4	52	< 1	< 1	2	7	18	22	22
B. Operated	119	2.7	8	< 1	< 1	1	4	6	7	17
1. SINGLE DX	225	1.4	1	< 1	< 1	< 1	1	2	4	7
2. MULTIPLE DX	127	2.9	11	< 1	< 1	1	4	6	8	19
A. Not Operated	11	4.3	40	< 1	< 1	1	5	14	21	22
B. Operated	341	1.9	4	< 1	< 1	1	2	4	6	10
TOTAL										
0-19 YRS	70	1.6	4	< 1	< 1	1	2	3	3	15
20-34	86	1.7	2	< 1	< 1	1	2	3	5	7
35-49	83	2.1	7	< 1	< 1	< 1	2	5	7	15
50-64	61	1.5	2	< 1	< 1	1	1	3	4	8
65 +	52	3.3	13	< 1	< 1	2	4	7	7	22
GRAND TOTAL	**352**	**2.0**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**13**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	171	4.2	20	1	1	3	5	9	13	22
20-34	96	5.0	25	< 1	1	3	6	14	16	22
35-49	98	4.7	25	1	2	3	5	12	17	26
50-64	69	4.8	20	1	2	3	6	12	14	23
65 +	26	10.9	315	1	2	7	9	15	37	95
B. Operated										
0-19 YRS	157	2.2	8	< 1	< 1	1	2	5	7	17
20-34	213	3.9	55	< 1	< 1	2	4	8	11	48
35-49	225	3.6	22	< 1	< 1	2	4	10	15	22
50-64	198	3.1	23	< 1	< 1	1	2	7	13	26
65 +	121	6.7	64	< 1	< 1	3	10	17	24	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	269	4.8	53	< 1	1	3	5	10	14	31
20-34	237	8.4	127	1	1	5	9	17	27	81
35-49	299	7.9	48	1	2	6	11	18	23	34
50-64	443	9.8	95	1	2	7	13	22	27	54
65 +	1064	12.8	122	3	4	10	16	25	32	85
B. Operated										
0-19 YRS	182	9.0	163	< 1	< 1	3	11	30	43	89
20-34	384	13.0	295	1	1	6	17	40	55	99 +
35-49	497	14.2	346	< 1	1	7	19	44	68	99 +
50-64	662	13.8	254	1	1	9	18	39	56	99 +
65 +	1634	20.2	336	2	3	15	28	52	74	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	460	4.9	40	1	1	3	5	11	15	24
B. Operated	914	3.7	34	< 1	< 1	1	4	9	15	29
2. MULTIPLE DX										
A. Not Operated	2312	10.2	108	1	2	7	13	22	28	69
B. Operated	3359	16.6	320	1	1	11	23	46	67	99 +
1. SINGLE DX	1374	4.1	37	< 1	< 1	2	4	10	15	28
2. MULTIPLE DX	5671	14.0	244	1	2	9	18	36	54	99 +
A. Not Operated	2772	9.3	100	1	2	6	12	20	27	64
B. Operated	4273	13.9	287	< 1	1	8	19	40	59	99 +
TOTAL										
0-19 YRS	779	5.2	68	< 1	< 1	3	5	11	20	47
20-34	930	8.9	183	< 1	1	4	9	22	42	94
35-49	1119	9.5	193	< 1	1	4	11	23	43	93
50-64	1372	10.5	173	1	1	6	14	26	41	83
65 +	2845	16.8	262	2	3	12	22	40	62	99 +
GRAND TOTAL	**7045**	**12.1**	**219**	**1**	**1**	**7**	**16**	**31**	**49**	**99 +**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.2	6	1	1	2	4	9	28	99 +
20-34	38	4.4	32	1	1	3	6	8	11	34
35-49	25	5.6	17	1	1	4	9	11	14	15
50-64	6	4.5	10	1	1	4	5	10	10	10
65 +	3	5.7	4	4	4	5	7	8	8	8
B. Operated										
0-19 YRS	12	3.9	8	1	1	3	5	9	10	10
20-34	27	4.3	28	1	1	2	5	11	18	22
35-49	13	5.5	18	1	1	4	8	13	14	14
50-64	4	8.8	15	5	5	8	11	14	14	14
65 +	2	13.5	145	5	5	13	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	9.1	166	1	1	4	9	28	40	64
20-34	116	6.9	34	1	1	6	9	12	18	30
35-49	85	7.7	32	2	2	7	9	14	18	31
50-64	76	8.4	45	2	2	6	10	15	24	35
65 +	83	13.0	113	2	3	9	18	28	37	43
B. Operated										
0-19 YRS	12	15.6	314	1	2	10	17	50	55	56
20-34	61	11.7	136	2	2	8	17	27	31	97
35-49	58	17.6	241	1	2	11	29	44	46	59
50-64	60	16.2	359	2	2	11	21	37	90	99 +
65 +	75	17.8	220	3	4	14	25	37	42	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	4.5	20	1	1	3	6	10	12	68
B. Operated	58	5.1	26	1	1	3	7	12	16	22
2. MULTIPLE DX										
A. Not Operated	408	8.8	71	1	2	6	10	19	27	41
B. Operated	266	15.9	243	2	3	11	21	37	47	98
1. SINGLE DX	155	4.7	22	1	1	3	6	10	14	33
2. MULTIPLE DX	674	11.6	151	1	2	8	15	27	37	83
A. Not Operated	505	8.0	64	1	2	6	10	18	27	41
B. Operated	324	14.0	221	1	2	9	18	33	45	95
TOTAL										
0-19 YRS	97	7.7	136	1	1	3	9	19	42	83
20-34	242	7.4	66	1	1	5	9	17	25	37
35-49	181	10.4	120	1	2	7	12	27	37	52
50-64	146	11.5	186	2	2	8	14	23	36	99 +
65 +	163	15.1	166	2	4	11	21	30	40	63
GRAND TOTAL	**829**	**10.3**	**134**	**1**	**2**	**7**	**13**	**25**	**35**	**78**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	5.2	12	2	2	4	7	10	12	17
20-34	21	4.9	9	1	2	4	6	10	11	12
35-49	29	4.2	9	2	2	3	5	8	10	15
50-64	32	5.9	27	2	2	4	7	11	15	29
65 +	17	6.3	25	1	1	4	10	15	16	16
B. Operated										
0-19 YRS	10	5.5	41	< 1	< 1	3	6	16	22	22
20-34	18	5.6	19	< 1	1	5	8	10	15	18
35-49	47	5.8	21	1	1	4	10	13	15	17
50-64	126	6.8	24	1	2	5	11	14	15	21
65 +	73	8.5	50	1	2	7	13	15	17	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	6.6	64	1	2	4	8	12	23	44
20-34	25	7.3	45	2	2	5	8	14	23	31
35-49	45	7.6	92	1	1	5	9	16	21	57
50-64	118	7.3	32	1	2	6	10	15	18	29
65 +	251	9.3	68	2	3	7	11	18	24	51
B. Operated										
0-19 YRS	15	9.4	81	2	2	7	11	20	31	35
20-34	31	9.7	132	1	2	5	13	26	42	46
35-49	70	8.3	46	2	2	6	13	17	22	33
50-64	269	10.7	122	1	2	8	15	21	29	75
65 +	331	11.8	87	2	3	11	16	21	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	5.3	16	2	2	4	7	11	14	17
B. Operated	274	7.0	31	1	2	5	11	14	16	22
2. MULTIPLE DX										
A. Not Operated	482	8.3	60	2	2	6	10	17	22	50
B. Operated	716	10.9	99	2	2	9	15	21	27	51
1. SINGLE DX	422	6.4	26	1	2	4	9	13	15	22
2. MULTIPLE DX	1198	9.9	85	2	2	8	13	19	25	50
A. Not Operated	630	7.6	52	2	2	6	9	15	21	45
B. Operated	990	9.8	83	1	2	8	14	18	25	48
TOTAL										
0-19 YRS	117	6.3	43	1	2	4	8	12	18	38
20-34	95	7.2	63	1	2	5	8	14	23	45
35-49	191	6.9	47	1	2	4	9	15	17	33
50-64	545	8.8	78	1	2	7	12	17	22	50
65 +	672	10.4	76	2	3	8	14	19	25	49
GRAND TOTAL	**1620**	**9.0**	**72**	**1**	**2**	**7**	**12**	**17**	**23**	**47**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	4.2	5	1	1	4	5	7	7	7
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	16	6.8	17	1	1	6	9	13	14	15
65 +	44	8.7	29	1	2	8	12	15	16	28
B. Operated										
0-19 YRS	4	5.0	45	1	1	2	9	15	15	15
20-34	85	3.2	10	< 1	1	2	4	8	11	13
35-49	212	4.8	17	< 1	1	3	7	11	13	16
50-64	717	8.1	23	1	1	9	11	15	16	19
65 +	946	11.6	26	3	6	11	14	16	19	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	6.6	42	< 1	< 1	4	13	15	15	15
35-49	22	5.3	13	< 1	1	5	8	10	12	13
50-64	98	4.8	20	< 1	1	3	8	11	13	20
65 +	488	8.4	114	1	1	6	10	19	29	99 +
B. Operated										
0-19 YRS	5	10.6	119	< 1	< 1	7	17	28	28	28
20-34	85	6.9	41	1	1	5	9	17	19	31
35-49	240	6.8	38	1	1	5	10	13	16	26
50-64	1355	10.8	37	1	3	10	14	17	21	32
65 +	3942	14.3	65	6	8	13	16	21	27	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	7.7	25	1	2	7	12	14	15	26
B. Operated	1964	9.2	30	1	1	10	13	16	17	23
2. MULTIPLE DX										
A. Not Operated	614	7.7	97	1	1	5	9	16	25	92
B. Operated	5627	13.0	61	2	5	12	16	20	25	45
1. SINGLE DX	2032	9.2	30	1	1	10	13	16	17	23
2. MULTIPLE DX	6241	12.5	67	1	3	12	16	20	25	48
A. Not Operated	682	7.7	89	1	1	5	10	16	24	89
B. Operated	7591	12.0	56	1	3	11	15	19	23	42
TOTAL										
0-19 YRS	10	7.6	78	< 1	< 1	3	14	21	28	28
20-34	180	5.1	28	< 1	1	3	7	12	16	28
35-49	477	5.8	28	< 1	1	4	9	12	14	24
50-64	2186	9.6	35	1	2	10	13	16	18	29
65 +	5420	13.2	66	3	6	12	16	20	25	50
GRAND TOTAL	**8273**	**11.7**	**60**	**1**	**3**	**11**	**15**	**18**	**23**	**43**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	7.4	33	1	2	6	10	16	16	29
20-34	36	4.5	10	1	2	3	5	8	13	14
35-49	23	5.0	11	< 1	1	5	7	10	12	13
50-64	18	6.2	19	1	2	5	9	11	15	18
65 +	12	7.8	33	2	2	7	10	16	20	21
B. Operated										
0-19 YRS	45	11.8	60	1	2	11	18	23	26	28
20-34	92	4.1	18	< 1	< 1	3	5	9	12	24
35-49	90	4.5	19	1	1	3	5	10	14	22
50-64	87	5.7	21	< 1	1	4	9	13	14	18
65 +	51	9.6	44	1	2	10	14	17	21	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	8.5	40	1	2	6	13	18	20	28
20-34	54	9.1	66	2	2	7	12	24	33	97
35-49	58	9.4	58	2	2	7	14	19	21	43
50-64	74	8.2	67	< 1	1	6	10	17	24	44
65 +	168	12.1	144	2	3	8	15	28	38	57
B. Operated										
0-19 YRS	52	13.9	80	2	4	13	18	23	29	44
20-34	114	10.2	154	1	2	6	10	26	41	63
35-49	132	11.2	182	1	1	6	15	29	41	63
50-64	188	12.7	175	1	2	10	16	26	39	72
65 +	205	18.3	215	2	3	15	24	44	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	6.2	23	1	2	5	8	13	16	23
B. Operated	365	6.3	35	< 1	1	4	9	15	18	26
2. MULTIPLE DX										
A. Not Operated	414	10.1	95	1	2	7	13	21	28	52
B. Operated	691	13.8	186	1	2	10	18	32	44	71
1. SINGLE DX	512	6.3	31	1	1	4	9	14	18	26
2. MULTIPLE DX	1105	12.4	155	1	2	8	16	28	42	66
A. Not Operated	561	9.1	79	1	2	7	11	19	27	45
B. Operated	1056	11.2	146	1	1	8	15	26	39	61
TOTAL										
0-19 YRS	215	10.2	58	1	2	8	15	21	24	34
20-34	296	7.4	86	1	1	4	8	16	28	53
35-49	303	8.4	105	1	1	5	10	20	28	53
50-64	367	9.8	118	1	1	7	13	20	27	55
65 +	436	14.6	175	2	3	11	18	33	45	72
GRAND TOTAL	**1617**	**10.5**	**124**	**1**	**2**	**7**	**14**	**23**	**33**	**58**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	6	3.3	7	1	1	2	5	8	8	8
35-49	3	4.3	12	1	1	4	7	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	3	8.0	13	4	4	9	10	11	11	11
B. Operated										
0-19 YRS	211	2.2	2	< 1	< 1	2	3	4	5	7
20-34	425	2.5	4	< 1	< 1	2	3	5	6	8
35-49	200	2.0	3	< 1	< 1	1	3	4	5	7
50-64	91	2.1	4	< 1	< 1	1	2	4	6	11
65 +	19	2.2	3	< 1	< 1	1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.5	2	< 1	< 1	< 1	1	4	4	4
20-34	3	1.0		< 1	< 1	< 1	1	1	1	1
35-49	14	2.4	7	< 1	< 1	1	4	6	8	9
50-64	12	2.7	8	< 1	< 1	2	3	7	10	10
65 +	9	5.8	11	< 1	1	6	7	11	12	12
B. Operated										
0-19 YRS	181	2.5	3	< 1	< 1	2	4	5	6	8
20-34	506	2.5	4	< 1	< 1	2	3	5	6	10
35-49	319	2.3	4	< 1	< 1	2	3	5	6	10
50-64	234	2.3	5	< 1	< 1	2	3	4	5	13
65 +	133	3.6	22	< 1	1	2	3	8	14	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.0	10	1	1	3	5	9	10	11
B. Operated	946	2.3	3	< 1	< 1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	44	3.0	9	< 1	< 1	1	5	7	9	12
B. Operated	1373	2.5	6	< 1	< 1	2	3	5	6	13
1. SINGLE DX	964	2.3	3	< 1	< 1	2	3	5	6	8
2. MULTIPLE DX	1417	2.6	6	< 1	< 1	2	3	5	6	12
A. Not Operated	62	3.3	9	< 1	< 1	2	5	8	10	12
B. Operated	2319	2.4	5	< 1	< 1	2	3	5	6	11
TOTAL										
0-19 YRS	402	2.4	3	< 1	< 1	2	3	5	5	8
20-34	940	2.5	4	< 1	< 1	2	3	5	7	9
35-49	536	2.2	3	< 1	< 1	2	3	4	6	9
50-64	339	2.3	5	< 1	< 1	2	3	4	6	13
65 +	164	3.6	20	< 1	< 1	2	4	8	12	24
GRAND TOTAL	**2381**	**2.5**	**5**	**< 1**	**< 1**	**2**	**3**	**5**	**6**	**11**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	3.2	10	1	1	2	4	8	9	17
20-34	41	3.4	5	< 1	1	3	4	6	8	11
35-49	23	3.8	12	< 1	1	3	5	7	11	16
50-64	15	4.1	14	1	1	3	5	12	13	13
65 +	11	7.3	20	1	2	7	9	13	18	18
B. Operated										
0-19 YRS	494	2.5	2	< 1	1	2	3	4	5	7
20-34	855	2.7	2	< 1	1	2	4	5	6	7
35-49	270	2.7	6	< 1	1	2	3	5	7	11
50-64	83	3.0	7	< 1	1	2	4	6	9	13
65 +	29	3.7	20	< 1	1	3	4	5	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	3.6	10	< 1	1	3	5	7	10	18
20-34	59	3.1	6	< 1	< 1	2	4	7	8	11
35-49	43	5.3	36	< 1	1	4	7	13	25	99 +
50-64	68	5.5	24	< 1	1	4	7	12	14	26
65 +	192	7.5	57	1	2	5	9	16	22	80
B. Operated										
0-19 YRS	415	4.4	30	1	1	3	5	9	11	32
20-34	455	3.6	17	< 1	1	3	4	6	11	24
35-49	243	3.7	41	< 1	< 1	3	4	6	9	22
50-64	189	5.0	51	1	1	3	5	12	17	53
65 +	161	9.8	117	1	1	7	12	20	31	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	3.7	11	1	1	3	5	8	10	18
B. Operated	1731	2.7	3	< 1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	439	5.7	38	< 1	1	4	7	12	18	45
B. Operated	1463	4.7	43	< 1	1	3	5	10	15	39
1. SINGLE DX	1890	2.8	4	< 1	1	2	4	5	6	10
2. MULTIPLE DX	1902	4.9	42	< 1	1	3	6	11	15	40
A. Not Operated	598	5.2	31	< 1	1	4	7	10	16	40
B. Operated	3194	3.6	23	< 1	1	3	4	6	10	24
TOTAL										
0-19 YRS	1055	3.4	15	< 1	1	2	4	6	9	19
20-34	1410	3.0	8	< 1	1	2	4	5	6	13
35-49	579	3.3	23	< 1	< 1	2	4	6	8	22
50-64	355	4.6	34	< 1	1	3	5	11	15	37
65 +	393	8.1	80	1	2	6	10	17	24	71
GRAND TOTAL	**3792**	**3.8**	**24**	**< 1**	**1**	**3**	**4**	**7**	**11**	**25**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	18.0		18	18	18	18	18	18	18
65 +	2	17.0	200	7	7	17	27	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	10.3	65	3	3	9	16	19	19	19
50-64	4	6.5	4	4	4	7	8	8	8	8
65 +	9	7.0	21	2	2	8	10	13	15	15
B. Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	3	22.3	49	15	15	23	27	29	29	29
50-64	6	11.3	45	2	2	12	14	20	21	21
65 +	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0		4	4	4	4	4	4	4
B. Operated	6	11.5	88	1	2	8	18	26	27	27
2. MULTIPLE DX										
A. Not Operated	17	7.2	22	2	2	8	9	14	18	19
B. Operated	11	14.3	61	2	4	14	19	25	29	29
1. SINGLE DX	8	9.6	75	1	2	7	13	24	27	27
2. MULTIPLE DX	28	10.0	48	2	2	9	14	20	24	29
A. Not Operated	19	6.9	21	2	2	6	9	13	17	19
B. Operated	17	13.3	67	1	3	14	19	26	28	29
TOTAL										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	3	7.0	37	3	3	4	11	14	14	14
35-49	8	12.9	105	1	2	12	21	27	29	29
50-64	11	10.2	36	2	3	8	14	19	21	21
65 +	12	8.8	48	2	2	8	10	19	26	27
GRAND TOTAL	**36**	**9.9**	**52**	**2**	**2**	**8**	**14**	**21**	**26**	**29**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	4.8	11	1	1	4	8	9	9	9
35-49	29	6.0	27	1	1	5	9	11	13	26
50-64	45	5.7	16	< 1	1	6	9	12	12	17
65 +	48	4.8	11	1	1	5	6	9	10	15
B. Operated										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	44	3.6	13	1	1	3	5	6	9	21
35-49	126	4.3	11	1	1	4	6	8	11	16
50-64	128	4.9	17	1	1	4	7	10	14	19
65 +	60	6.2	26	1	1	5	9	12	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	17	6.6	25	1	2	5	7	16	18	18
35-49	110	6.6	26	1	1	5	8	14	18	24
50-64	249	6.4	27	1	1	5	8	12	15	31
65 +	726	9.1	68	2	3	7	11	17	23	47
B. Operated										
0-19 YRS	0									
20-34	41	6.6	19	1	1	6	10	12	15	17
35-49	153	6.5	31	1	1	6	9	13	15	32
50-64	317	7.1	51	1	1	6	9	15	19	38
65 +	435	11.9	139	1	1	9	15	26	39	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	5.4	16	1	1	5	8	10	12	19
B. Operated	360	4.8	16	1	1	4	6	10	12	20
2. MULTIPLE DX										
A. Not Operated	1102	8.2	55	1	2	6	10	15	21	40
B. Operated	946	9.2	93	1	1	7	12	19	27	57
1. SINGLE DX	492	4.9	16	1	1	4	7	10	12	20
2. MULTIPLE DX	2048	8.7	73	1	2	7	11	17	24	50
A. Not Operated	1234	7.9	52	1	2	6	10	15	20	39
B. Operated	1306	8.0	76	1	1	6	10	16	23	51
TOTAL										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	112	5.3	18	1	1	4	7	11	15	19
35-49	418	5.8	24	1	1	5	8	12	15	26
50-64	739	6.4	35	1	1	5	8	12	17	31
65 +	1269	9.7	91	1	2	8	12	19	27	53
GRAND TOTAL	**2540**	**7.9**	**64**	**1**	**1**	**6**	**10**	**16**	**22**	**47**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	6.8	10	1	3	7	9	11	13	13
20-34	438	6.0	18	1	1	5	8	11	14	22
35-49	654	6.6	20	1	1	6	9	12	15	21
50-64	303	7.0	20	1	2	7	10	12	15	21
65 +	83	7.2	25	1	2	6	10	13	15	26
B. Operated										
0-19 YRS	96	4.7	15	1	1	4	6	8	11	23
20-34	2038	5.3	19	1	1	4	7	10	12	21
35-49	2685	5.4	17	1	1	5	7	10	13	21
50-64	955	5.8	24	1	1	5	8	12	15	24
65 +	197	5.9	20	1	1	5	9	13	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	8.1	30	1	2	7	11	17	18	18
20-34	248	6.3	30	< 1	1	5	8	12	13	22
35-49	532	7.4	24	1	2	7	10	14	16	23
50-64	532	8.9	32	2	4	8	11	16	19	30
65 +	615	9.4	32	3	4	8	12	17	20	32
B. Operated										
0-19 YRS	27	6.9	72	1	1	5	7	11	27	43
20-34	714	7.6	37	1	1	6	9	15	20	30
35-49	1502	7.8	43	1	2	6	10	15	19	34
50-64	1185	8.7	65	1	2	7	11	16	21	35
65 +	708	12.6	103	2	3	10	16	25	35	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1490	6.5	19	1	1	6	9	12	15	21
B. Operated	5971	5.4	19	1	1	5	7	10	13	21
2. MULTIPLE DX										
A. Not Operated	1936	8.3	31	1	3	7	11	15	18	28
B. Operated	4136	8.8	62	1	2	7	11	17	23	39
1. SINGLE DX	7461	5.6	19	1	1	5	7	11	14	21
2. MULTIPLE DX	6072	8.7	52	1	2	7	11	16	21	36
A. Not Operated	3426	7.5	27	1	2	7	10	14	17	25
B. Operated	10107	6.8	39	1	1	5	8	13	18	31
TOTAL										
0-19 YRS	144	5.5	27	1	1	4	7	9	14	26
20-34	3438	5.9	24	1	1	5	7	11	15	24
35-49	5373	6.4	26	1	1	5	8	12	16	26
50-64	2975	7.6	43	1	1	6	10	14	19	29
65 +	1603	10.3	67	1	3	8	13	19	25	48
GRAND TOTAL	**13533**	**7.0**	**36**	**1**	**1**	**6**	**9**	**14**	**18**	**29**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.7		6	6	7	7	7	7	7
20-34	43	5.2	16	1	1	4	8	11	13	15
35-49	92	5.7	27	1	1	5	8	11	14	30
50-64	33	5.9	12	1	1	5	8	11	11	15
65 +	8	6.0	8	2	3	5	8	10	11	11
B. Operated										
0-19 YRS	6	2.7	10	1	1	1	3	8	9	9
20-34	173	4.6	16	1	1	4	6	9	11	21
35-49	473	4.9	15	1	1	4	6	9	13	20
50-64	174	4.6	16	1	1	4	6	9	11	19
65 +	18	4.8	18	< 1	1	4	8	9	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	36	6.9	24	< 1	1	6	9	14	16	21
35-49	111	7.3	27	1	2	6	9	14	17	27
50-64	109	6.1	17	1	2	5	8	12	14	20
65 +	77	7.8	20	2	3	7	11	14	15	19
B. Operated										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	88	6.0	39	1	1	5	7	12	14	39
35-49	319	6.2	26	1	1	5	8	12	17	27
50-64	246	7.2	44	1	1	6	9	14	18	38
65 +	71	10.7	158	1	1	7	15	20	36	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	5.7	20	1	1	5	8	11	13	24
B. Operated	844	4.8	15	1	1	4	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	334	7.0	22	1	2	6	9	14	16	21
B. Operated	726	7.0	48	1	1	6	8	14	18	37
1. SINGLE DX	1023	4.9	16	1	1	4	7	9	12	20
2. MULTIPLE DX	1060	7.0	40	1	1	6	9	14	17	32
A. Not Operated	513	6.5	21	1	1	6	9	12	15	21
B. Operated	1570	5.8	32	1	1	5	7	11	16	28
TOTAL										
0-19 YRS	12	4.8	13	1	1	4	8	10	11	11
20-34	340	5.3	23	1	1	4	7	10	14	22
35-49	995	5.7	22	1	1	5	7	11	15	23
50-64	562	6.1	29	1	1	5	8	11	15	27
65 +	174	8.6	78	1	1	7	11	16	19	50
GRAND TOTAL	**2083**	**6.0**	**29**	**1**	**1**	**5**	**8**	**12**	**15**	**27**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	7.0	12	3	3	9	9	9	9	9
20-34	19	4.3	16	< 1	1	2	7	11	12	12
35-49	15	5.8	8	1	2	5	8	9	11	12
50-64	13	6.3	22	1	2	5	9	12	17	18
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	3	7.3	36	1	1	8	12	13	13	13
20-34	20	5.3	26	< 1	1	3	8	12	16	19
35-49	20	6.2	33	< 1	1	6	8	14	19	23
50-64	4	7.8	22	1	1	9	11	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	5.6	23	< 1	1	4	9	13	14	15
35-49	28	8.4	113	1	1	6	10	14	31	53
50-64	30	7.6	30	1	1	7	10	13	14	28
65 +	16	6.8	9	2	3	6	9	11	12	12
B. Operated										
0-19 YRS	0									
20-34	17	9.4	94	< 1	1	8	10	14	33	44
35-49	24	10.0	66	1	1	8	13	24	27	31
50-64	16	8.0	34	1	1	7	10	15	21	23
65 +	2	27.5	113	20	20	27	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	5.3	15	1	1	5	8	11	12	18
B. Operated	47	6.0	28	< 1	1	5	9	13	16	23
2. MULTIPLE DX										
A. Not Operated	94	7.3	49	1	1	6	10	13	14	42
B. Operated	59	9.9	75	1	1	8	12	22	28	43
1. SINGLE DX	99	5.6	21	1	1	5	8	11	13	21
2. MULTIPLE DX	153	8.3	60	1	1	7	10	14	24	44
A. Not Operated	146	6.5	38	1	1	6	9	12	13	30
B. Operated	106	8.2	57	1	1	7	11	18	23	39
TOTAL										
0-19 YRS	7	6.6	19	1	1	8	9	12	13	13
20-34	75	6.1	40	< 1	1	4	10	12	14	38
35-49	87	7.9	65	1	1	6	10	16	24	45
50-64	63	7.5	28	1	1	7	10	13	16	27
65 +	20	8.3	59	1	1	6	10	16	27	35
GRAND TOTAL	**252**	**7.2**	**46**	**1**	**1**	**6**	**10**	**13**	**18**	**35**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	53	5.5	11	1	2	6	8	9	11	17
35-49	85	5.9	14	1	2	5	6	11	13	17
50-64	48	6.1	14	1	2	5	8	10	12	22
65 +	15	6.7	13	< 1	1	7	9	11	13	14
B. Operated										
0-19 YRS	0									
20-34	30	4.0	20	1	1	2	3	14	14	15
35-49	42	3.3	13	1	1	2	3	9	10	18
50-64	24	2.8	7	< 1	1	2	4	7	8	11
65 +	4	2.0	1	< 1	< 1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	7.5	24	1	1	8	11	14	14	14
20-34	38	7.2	29	1	1	7	10	14	18	23
35-49	94	7.8	19	2	2	7	10	13	16	22
50-64	98	7.9	26	1	2	7	10	15	16	25
65 +	190	9.0	40	2	3	7	12	17	21	32
B. Operated										
0-19 YRS	0									
20-34	23	5.3	39	1	1	3	6	10	20	30
35-49	43	7.6	58	1	1	4	12	19	26	27
50-64	43	9.0	48	1	1	8	12	18	22	34
65 +	38	14.4	248	1	2	10	19	29	46	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	204	5.9	13	1	2	5	8	10	13	17
B. Operated	100	3.3	13	1	1	2	3	9	12	16
2. MULTIPLE DX										
A. Not Operated	426	8.3	31	1	2	7	11	15	20	27
B. Operated	147	9.4	109	1	1	6	12	22	27	56
1. SINGLE DX	304	5.0	14	1	1	4	7	10	13	17
2. MULTIPLE DX	573	8.6	51	1	2	7	11	16	22	32
A. Not Operated	630	7.5	26	1	2	7	10	14	17	25
B. Operated	247	7.0	79	1	1	3	10	16	24	35
TOTAL										
0-19 YRS	9	6.6	18	1	2	7	9	13	14	14
20-34	144	5.6	23	1	1	4	8	12	14	23
35-49	264	6.4	25	1	1	5	9	13	16	25
50-64	213	7.1	29	1	1	6	9	14	17	25
65 +	247	9.6	74	1	2	8	12	19	24	37
GRAND TOTAL	**877**	**7.4**	**41**	**1**	**1**	**6**	**10**	**14**	**19**	**28**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	3.6	14	< 1	1	2	4	8	11	23
20-34	371	5.3	15	1	1	4	7	10	13	18
35-49	511	5.6	18	1	1	5	7	11	13	23
50-64	264	5.9	14	1	1	6	8	11	13	16
65 +	83	6.0	23	1	1	5	8	12	16	22
B. Operated										
0-19 YRS	27	3.1	15	1	1	2	3	5	14	18
20-34	366	2.5	7	< 1	1	1	3	6	8	12
35-49	592	3.2	12	1	1	2	4	8	11	16
50-64	363	4.6	19	1	1	3	7	10	13	20
65 +	196	6.8	33	1	1	6	10	15	18	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	4.1	30	< 1	< 1	2	4	9	14	33
20-34	451	6.5	41	1	2	5	8	11	17	27
35-49	747	7.0	25	1	2	6	9	13	16	25
50-64	733	7.1	26	1	2	6	9	13	17	24
65 +	1024	8.7	58	2	2	7	11	17	21	41
B. Operated										
0-19 YRS	18	4.5	34	1	1	3	4	8	19	26
20-34	293	5.8	56	1	1	3	8	12	19	33
35-49	580	6.4	55	1	1	4	9	14	19	38
50-64	735	7.8	55	1	1	7	10	15	20	34
65 +	944	12.2	124	1	2	9	15	24	34	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1278	5.5	17	1	1	5	8	11	13	21
B. Operated	1544	3.8	17	1	1	2	5	9	12	20
2. MULTIPLE DX										
A. Not Operated	3020	7.5	40	1	2	6	10	14	18	31
B. Operated	2570	8.9	87	1	1	7	11	19	27	48
1. SINGLE DX	2822	4.6	17	1	1	3	7	10	13	20
2. MULTIPLE DX	5590	8.1	62	1	1	6	10	16	21	39
A. Not Operated	4298	6.9	34	1	1	6	9	13	17	27
B. Operated	4114	7.0	67	1	1	5	9	15	21	40
TOTAL										
0-19 YRS	159	3.8	23	< 1	1	2	4	8	13	26
20-34	1481	5.1	31	1	1	4	7	10	14	25
35-49	2430	5.6	30	1	1	4	8	12	15	27
50-64	2095	6.7	35	1	1	6	9	13	17	28
65 +	2247	9.9	87	1	2	8	12	19	26	50
GRAND TOTAL	**8412**	**6.9**	**50**	**1**	**1**	**5**	**9**	**14**	**19**	**34**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	106	3.1	4	1	1	3	4	5	7	12
20-34	63	3.7	4	1	1	3	5	6	7	8
35-49	52	3.4	5	1	1	3	4	7	8	12
50-64	41	3.8	6	1	1	3	5	7	9	10
65 +	19	5.1	21	1	1	4	8	9	15	19
B. Operated										
0-19 YRS	117	2.2	7	< 1	< 1	1	2	4	6	17
20-34	294	2.3	4	< 1	< 1	2	3	5	6	12
35-49	485	2.1	4	< 1	< 1	2	2	4	5	12
50-64	270	2.1	3	< 1	< 1	1	3	4	5	10
65 +	68	3.1	8	< 1	< 1	2	4	6	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	3.7	6	1	1	3	4	7	8	13
20-34	80	4.2	6	< 1	1	4	6	7	8	12
35-49	97	4.6	14	< 1	1	4	6	9	11	21
50-64	122	5.6	19	1	2	5	7	9	11	27
65 +	182	6.5	32	1	2	5	8	12	16	30
B. Operated										
0-19 YRS	76	3.1	14	< 1	< 1	2	4	7	10	21
20-34	269	3.4	17	< 1	< 1	2	4	7	10	26
35-49	415	2.9	7	< 1	1	2	4	6	8	15
50-64	477	3.9	32	< 1	1	3	4	8	10	32
65 +	252	6.1	59	1	1	3	7	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	281	3.5	6	1	1	3	4	7	8	12
B. Operated	1234	2.2	4	< 1	< 1	2	3	4	6	13
2. MULTIPLE DX										
A. Not Operated	544	5.3	20	1	1	4	7	10	12	26
B. Operated	1489	3.9	27	< 1	1	2	4	8	12	27
1. SINGLE DX	1515	2.5	5	< 1	< 1	2	3	5	7	13
2. MULTIPLE DX	2033	4.3	25	< 1	1	3	5	9	12	27
A. Not Operated	825	4.7	16	1	1	4	6	9	11	19
B. Operated	2723	3.1	17	< 1	< 1	2	3	6	9	21
TOTAL										
0-19 YRS	362	2.9	8	< 1	< 1	2	3	6	8	14
20-34	706	3.1	10	< 1	< 1	2	4	6	8	15
35-49	1049	2.7	7	< 1	< 1	2	3	6	8	15
50-64	910	3.6	21	< 1	< 1	2	4	7	10	26
65 +	521	5.8	43	< 1	1	4	7	12	17	31
GRAND TOTAL	**3548**	**3.5**	**17**	**< 1**	**< 1**	**2**	**4**	**7**	**10**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	3	2.7		2	2	3	3	3	3	3
B. Operated										
0-19 YRS	131	2.0	2	< 1	< 1	2	3	4	5	7
20-34	272	1.8	2	< 1	< 1	1	2	3	4	6
35-49	333	2.0	2	< 1	< 1	1	3	4	5	6
50-64	257	2.1	2	< 1	< 1	2	3	4	5	7
65 +	99	2.0	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	14	2.2	4	< 1	< 1	1	4	5	7	7
35-49	16	1.2		< 1	< 1	< 1	1	2	3	3
50-64	19	1.3	1	< 1	< 1	< 1	1	2	4	6
65 +	16	2.4	9	< 1	< 1	1	2	8	10	11
B. Operated										
0-19 YRS	143	2.2	2	< 1	< 1	2	3	4	5	7
20-34	436	2.2	3	< 1	< 1	2	3	4	5	9
35-49	623	2.3	4	< 1	< 1	2	3	4	5	8
50-64	991	2.6	5	< 1	1	2	3	5	6	9
65 +	609	2.9	8	< 1	1	2	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.1	1	1	1	2	3	4	4	4
B. Operated	1092	2.0	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	68	1.7	3	< 1	< 1	1	1	4	6	10
B. Operated	2807	2.5	5	< 1	< 1	2	3	5	6	9
1. SINGLE DX	1104	2.0	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX	2875	2.5	5	< 1	< 1	2	3	5	6	9
A. Not Operated	80	1.8	3	< 1	< 1	1	2	4	6	10
B. Operated	3899	2.4	4	< 1	< 1	2	3	4	5	8
TOTAL										
0-19 YRS	283	2.1	2	< 1	< 1	2	3	4	5	7
20-34	723	2.1	2	< 1	< 1	1	3	4	5	7
35-49	976	2.2	3	< 1	< 1	2	3	4	5	8
50-64	1270	2.5	5	< 1	< 1	2	3	5	5	8
65 +	727	2.8	7	< 1	< 1	2	4	5	6	9
GRAND TOTAL	**3979**	**2.3**	**4**	**< 1**	**< 1**	**2**	**3**	**4**	**5**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	3.4	19	< 1	< 1	1	5	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	1.3		1	1	1	2	2	2	2
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	69	1.4	1	< 1	< 1	< 1	1	2	3	6
20-34	94	1.4	1	< 1	< 1	< 1	2	2	3	5
35-49	78	1.5	2	< 1	< 1	1	1	2	4	9
50-64	60	1.9	2	< 1	< 1	1	3	4	5	6
65 +	15	2.5	4	< 1	< 1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	6	6.7	51	< 1	< 1	3	13	17	18	18
50-64	8	3.9	4	1	1	4	5	7	8	8
65 +	11	4.4	10	1	1	4	6	9	11	11
B. Operated										
0-19 YRS	16	3.3	35	< 1	< 1	1	2	9	19	24
20-34	26	2.2	3	< 1	< 1	1	3	5	7	7
35-49	55	2.3	4	< 1	< 1	1	3	5	7	9
50-64	74	3.1	7	< 1	< 1	2	4	6	9	13
65 +	49	3.5	9	< 1	1	3	4	7	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.6	9	< 1	< 1	1	3	7	11	11
B. Operated	316	1.6	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	28	4.4	17	< 1	< 1	4	5	10	13	18
B. Operated	220	2.9	8	< 1	< 1	2	4	6	9	14
1. SINGLE DX	327	1.6	2	< 1	< 1	1	2	3	5	7
2. MULTIPLE DX	248	3.0	10	< 1	< 1	2	4	6	9	15
A. Not Operated	39	3.9	15	< 1	< 1	2	5	10	12	18
B. Operated	536	2.1	5	< 1	< 1	1	2	4	6	11
TOTAL										
0-19 YRS	87	1.7	7	< 1	< 1	1	1	2	5	18
20-34	126	1.7	2	< 1	< 1	1	2	3	5	8
35-49	140	2.0	6	< 1	< 1	1	2	4	7	13
50-64	146	2.6	5	< 1	< 1	2	3	5	8	13
65 +	76	3.4	8	< 1	1	3	5	7	10	14
GRAND TOTAL	**575**	**2.2**	**6**	**<1**	**<1**	**1**	**3**	**5**	**6**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	14.0	91	3	5	10	19	28	34	43
20-34	21	8.8	49	2	3	7	10	19	27	28
35-49	21	10.1	55	2	3	8	14	20	29	31
50-64	14	11.9	79	1	3	8	16	26	30	31
65 +	10	13.7	182	1	1	8	22	34	43	43
B. Operated										
0-19 YRS	59	13.1	93	1	2	11	19	25	34	43
20-34	49	9.2	90	1	1	7	10	20	28	48
35-49	38	8.2	46	1	1	6	13	16	20	29
50-64	36	12.4	134	< 1	2	8	18	33	36	42
65 +	20	12.0	108	1	3	10	14	24	36	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	17.1	112	4	6	15	23	35	38	43
20-34	50	14.6	205	< 1	2	8	24	38	46	53
35-49	77	17.0	179	3	4	13	23	40	44	61
50-64	126	15.0	157	3	3	10	23	35	41	52
65 +	204	19.3	233	3	5	15	26	38	50	84
B. Operated										
0-19 YRS	100	21.8	244	3	7	18	29	42	51	83
20-34	136	19.6	268	2	4	14	31	47	56	99 +
35-49	203	20.4	275	3	5	15	28	42	61	94
50-64	402	20.9	234	4	5	17	29	44	57	99 +
65 +	544	21.9	308	3	6	17	29	46	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	12.0	84	2	3	9	15	27	30	43
B. Operated	202	11.0	95	1	1	8	15	24	32	45
2. MULTIPLE DX										
A. Not Operated	530	17.2	190	3	4	13	25	36	43	67
B. Operated	1385	21.2	273	3	5	17	29	45	59	99 +
1. SINGLE DX	316	11.4	91	1	2	9	15	26	31	43
2. MULTIPLE DX	1915	20.1	253	3	5	15	28	43	55	98
A. Not Operated	644	16.3	175	2	4	12	23	35	42	65
B. Operated	1587	19.9	262	3	4	15	27	43	56	99 +
TOTAL										
0-19 YRS	280	17.4	163	3	5	14	23	34	42	54
20-34	256	15.8	223	1	2	10	24	41	50	98
35-49	339	17.6	231	2	4	13	24	41	49	81
50-64	578	18.8	217	3	4	15	27	41	51	92
65 +	778	20.9	285	3	5	16	28	44	59	99
GRAND TOTAL	**2231**	**18.8**	**239**	**3**	**4**	**14**	**26**	**42**	**52**	**95**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	5.5	140	< 1	< 1	3	6	9	13	80
20-34	36	3.6	10	< 1	1	2	5	9	9	15
35-49	56	3.1	6	1	1	2	4	6	10	12
50-64	54	4.3	14	1	1	3	4	10	13	21
65 +	66	6.7	24	1	2	6	9	13	18	22
B. Operated										
0-19 YRS	555	4.3	25	1	1	3	5	8	12	20
20-34	417	3.2	9	< 1	1	2	4	7	9	17
35-49	217	3.9	11	< 1	1	3	5	9	11	16
50-64	122	5.9	22	1	1	4	9	12	15	21
65 +	87	9.3	79	1	1	8	14	17	18	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	7.0	77	< 1	< 1	4	8	20	25	45
20-34	78	3.5	9	< 1	1	2	4	8	10	16
35-49	241	4.6	23	1	1	3	5	8	12	32
50-64	394	7.0	45	1	2	5	9	15	20	37
65 +	2012	11.4	102	2	3	9	14	22	30	73
B. Operated										
0-19 YRS	267	5.7	45	1	1	4	7	12	16	33
20-34	363	5.2	36	< 1	1	4	7	10	15	34
35-49	333	7.5	68	< 1	1	5	10	16	22	47
50-64	440	11.0	113	1	2	9	14	24	34	67
65 +	945	17.5	200	2	5	15	21	36	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	295	4.9	51	< 1	1	3	6	10	13	24
B. Operated	1398	4.4	23	< 1	1	3	5	10	13	20
2. MULTIPLE DX										
A. Not Operated	2783	9.9	91	1	2	7	13	20	27	58
B. Operated	2348	11.6	149	1	2	9	15	26	38	80
1. SINGLE DX	1693	4.5	28	< 1	1	3	5	10	13	20
2. MULTIPLE DX	5131	10.7	118	1	2	8	14	22	32	71
A. Not Operated	3078	9.4	89	1	2	7	12	19	25	54
B. Operated	3746	8.9	114	1	1	5	12	20	30	66
TOTAL										
0-19 YRS	963	4.9	44	< 1	1	3	6	10	15	29
20-34	894	4.1	21	< 1	1	3	5	9	11	21
35-49	847	5.5	39	< 1	1	3	7	12	16	37
50-64	1010	8.5	76	1	2	6	11	18	25	50
65 +	3110	13.1	139	2	3	10	16	25	38	82
GRAND TOTAL	**6824**	**9.1**	**103**	**1**	**1**	**6**	**12**	**20**	**28**	**62**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.3	25	1	1	5	9	13	13	13
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	134	3.3	6	1	1	3	4	7	8	11
20-34	42	2.5	5	< 1	< 1	2	3	5	6	13
35-49	35	2.2	3	< 1	< 1	1	3	4	6	9
50-64	11	1.6	1	< 1	< 1	1	2	3	3	3
65 +	7	6.4	54	< 1	< 1	3	14	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	15.3	1061	< 1	< 1	1	4	79	94	97
20-34	8	2.0	6	< 1	< 1	< 1	1	6	8	8
35-49	2	2.5	5	< 1	< 1	2	4	4	4	4
50-64	4	2.3	2	< 1	< 1	2	3	4	4	4
65 +	10	8.5	34	< 1	1	7	14	17	18	18
B. Operated										
0-19 YRS	313	4.3	12	< 1	< 1	4	5	8	10	22
20-34	105	4.0	14	< 1	1	3	5	8	10	21
35-49	74	2.9	4	< 1	1	2	4	6	7	11
50-64	57	4.0	33	< 1	1	3	5	6	9	39
65 +	52	8.3	56	1	1	6	12	20	24	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.6	17	< 1	< 1	4	6	11	13	13
B. Operated	229	3.0	7	< 1	< 1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated	36	8.3	376	< 1	< 1	2	6	16	55	97
B. Operated	601	4.4	19	< 1	1	3	5	8	11	24
1. SINGLE DX	237	3.0	7	< 1	< 1	2	4	6	8	16
2. MULTIPLE DX	637	4.6	39	< 1	< 1	3	5	8	12	28
A. Not Operated	44	7.6	311	< 1	< 1	2	6	14	34	97
B. Operated	830	4.0	16	< 1	< 1	3	5	8	10	22
TOTAL										
0-19 YRS	463	4.3	39	< 1	1	3	5	8	9	23
20-34	156	3.5	11	< 1	< 1	2	5	7	9	16
35-49	113	2.6	4	< 1	< 1	2	3	5	6	10
50-64	73	3.5	27	< 1	< 1	2	4	6	7	36
65 +	69	8.1	51	< 1	1	6	12	19	22	30
GRAND TOTAL	**874**	**4.2**	**31**	**< 1**	**< 1**	**3**	**5**	**8**	**11**	**24**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	9	3.9	13	1	1	3	4	9	13	13
35-49	8	4.8	7	1	2	4	6	9	10	10
50-64	6	6.8	28	2	2	5	11	15	15	15
65 +	5	2.6	1	2	2	2	3	4	4	4
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	4.9	45	1	1	2	5	16	21	21
35-49	15	4.8	13	< 1	1	4	8	10	11	12
50-64	9	4.2	15	< 1	< 1	2	7	11	11	11
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	4.8	13	< 1	< 1	4	7	10	12	12
35-49	19	5.8	14	1	1	5	9	11	12	12
50-64	21	7.3	73	1	2	5	9	11	25	42
65 +	29	10.1	51	2	3	9	13	20	22	34
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	8.6	49	1	1	9	15	16	16	16
35-49	17	10.9	66	1	2	8	15	23	28	31
50-64	7	9.3	80	1	1	7	12	24	27	27
65 +	8	7.0	4	3	4	7	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.3	12	1	1	3	5	10	13	15
B. Operated	34	4.6	19	< 1	1	3	6	10	12	21
2. MULTIPLE DX										
A. Not Operated	78	7.7	47	1	2	6	10	14	20	40
B. Operated	39	9.0	52	1	1	7	12	20	25	31
1. SINGLE DX	65	4.4	16	1	1	3	5	10	12	20
2. MULTIPLE DX	117	8.1	48	1	1	7	10	16	22	37
A. Not Operated	109	6.7	39	1	2	5	9	13	17	37
B. Operated	73	7.0	41	1	1	6	9	15	22	30
TOTAL										
0-19 YRS	6	2.0	2	1	1	2	3	4	4	4
20-34	31	5.2	27	1	1	3	7	14	16	21
35-49	59	6.9	34	1	1	6	9	13	20	30
50-64	43	6.9	55	1	1	5	10	12	19	42
65 +	43	8.5	42	2	2	7	10	17	20	34
GRAND TOTAL	**182**	**6.8**	**40**	**1**	**1**	**5**	**9**	**13**	**19**	**33**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	1.5	2	< 1	< 1	< 1	1	3	4	8
20-34	75	3.2	5	1	1	3	4	7	8	10
35-49	91	3.8	21	1	1	3	4	8	9	29
50-64	48	4.0	9	1	1	3	6	8	9	16
65 +	32	4.0	28	1	1	2	4	10	11	29
B. Operated										
0-19 YRS	341	5.8	22	< 1	1	5	9	11	13	23
20-34	307	3.1	12	< 1	< 1	2	4	8	10	18
35-49	238	3.1	11	< 1	< 1	2	4	7	10	17
50-64	193	2.7	9	< 1	< 1	2	3	5	9	15
65 +	117	2.2	4	< 1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	144	3.3	18	< 1	< 1	2	4	8	14	21
20-34	135	4.3	31	< 1	1	3	5	9	14	60
35-49	182	4.3	27	1	1	3	5	8	12	25
50-64	205	4.8	29	1	1	3	5	10	14	27
65 +	360	7.7	81	1	2	5	9	15	21	55
B. Operated										
0-19 YRS	483	7.0	70	1	1	4	9	16	23	59
20-34	427	4.9	59	1	1	2	5	12	19	48
35-49	448	5.4	56	1	1	3	6	12	19	41
50-64	398	5.6	50	1	1	3	7	12	19	34
65 +	383	7.8	94	1	1	5	9	19	26	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	364	3.0	11	< 1	< 1	2	4	6	9	13
B. Operated	1196	3.7	15	< 1	1	2	5	9	11	18
2. MULTIPLE DX										
A. Not Operated	1026	5.5	48	1	1	3	6	12	16	50
B. Operated	2139	6.1	67	1	1	3	8	14	22	49
1. SINGLE DX	1560	3.6	14	< 1	< 1	2	4	9	11	18
2. MULTIPLE DX	3165	5.9	61	1	1	3	7	13	20	50
A. Not Operated	1390	4.8	40	< 1	1	3	6	10	14	40
B. Operated	3335	5.3	49	< 1	1	3	7	12	18	37
TOTAL										
0-19 YRS	1086	5.6	44	< 1	< 1	3	8	12	17	28
20-34	944	4.1	36	< 1	1	2	4	9	13	29
35-49	959	4.5	37	1	1	2	5	10	13	36
50-64	844	4.7	35	< 1	1	3	5	10	14	29
65 +	892	6.9	78	1	1	4	8	15	23	55
GRAND TOTAL	**4725**	**5.1**	**47**	**< 1**	**1**	**3**	**7**	**11**	**17**	**37**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.3		< 1	< 1	1	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	5.6	4	1	2	6	7	8	8	8
35-49	7	4.3	9	2	2	3	4	10	11	11
50-64	5	3.6	1	3	3	3	4	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	2	8.0		8	8	8	8	8	8	8
50-64	2	10.5	13	8	8	10	13	13	13	13
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	2	2	2	3	4	5	5	5
B. Operated	7	1.4	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	22	4.5	6	1	2	4	6	7	9	11
B. Operated	6	7.7	15	1	2	8	8	13	13	13
1. SINGLE DX	10	2.0	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX	28	5.2	9	1	2	5	7	8	11	13
A. Not Operated	25	4.4	5	1	2	4	6	7	9	11
B. Operated	13	4.3	17	< 1	< 1	2	8	9	12	13
TOTAL										
0-19 YRS	0									
20-34	15	4.5	7	1	1	5	6	8	8	8
35-49	12	4.2	10	< 1	1	3	6	9	11	11
50-64	10	4.6	12	1	2	3	5	10	13	13
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**38**	**4.3**	**9**	**1**	**1**	**4**	**6**	**8**	**10**	**13**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.3	5	< 1	< 1	1	4	6	8	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	6.3	33	1	2	5	7	12	21	29
20-34	4	4.8	47	1	1	2	8	15	15	15
35-49	10	5.7	19	1	1	6	9	11	12	12
50-64	6	9.3	31	3	3	8	15	17	17	17
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	16.0	728	1	1	6	23	98	99 +	99 +
20-34	3	10.0	192	2	2	2	20	26	26	26
35-49	5	14.2	362	2	2	7	18	48	48	48
50-64	7	9.1	120	2	2	6	9	28	33	33
65 +	1	17.0		17	17	17	17	17	17	17
B. Operated										
0-19 YRS	100	9.6	141	1	2	7	10	18	34	67
20-34	9	26.3	735	5	6	14	33	73	88	88
35-49	11	7.2	14	2	2	8	9	12	14	14
50-64	6	15.5	183	1	2	12	20	38	40	40
65 +	8	22.0	294	8	8	15	34	49	52	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.3	5	< 1	< 1	1	3	5	7	9
B. Operated	63	6.4	31	1	1	5	8	14	18	28
2. MULTIPLE DX										
A. Not Operated	96	15.3	637	1	1	6	21	93	99 +	99 +
B. Operated	134	11.5	199	1	2	7	11	28	42	85
1. SINGLE DX	83	5.4	27	< 1	1	4	7	12	16	27
2. MULTIPLE DX	230	13.1	383	1	1	7	12	48	91	99 +
A. Not Operated	116	13.0	551	< 1	1	4	10	90	99 +	99 +
B. Operated	197	9.9	150	1	2	7	10	21	34	69
TOTAL										
0-19 YRS	241	10.6	322	1	1	6	10	34	90	99 +
20-34	17	16.9	510	1	1	10	26	45	75	88
35-49	27	7.7	79	1	1	7	9	12	19	48
50-64	19	11.2	108	1	2	9	14	28	37	40
65 +	9	21.4	260	8	8	17	29	48	52	52
GRAND TOTAL	**313**	**11.0**	**300**	**1**	**1**	**6**	**10**	**33**	**83**	**99 +**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.1		< 1	< 1	< 1	< 1	1	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	253	1.9	12	< 1	< 1	1	2	3	5	10
20-34	56	2.1	3	< 1	< 1	1	2	4	5	10
35-49	31	2.2	5	< 1	1	1	2	6	7	10
50-64	16	2.3	12	< 1	< 1	1	2	3	11	15
65 +	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	1.6	3	< 1	< 1	1	1	3	6	9
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	0									
50-64	0									
65 +	3	1.7	1	< 1	< 1	< 1	2	3	3	3
B. Operated										
0-19 YRS	121	2.1	4	< 1	< 1	1	2	5	6	12
20-34	23	2.1	2	< 1	< 1	2	3	4	5	6
35-49	13	1.5		< 1	< 1	1	2	2	3	3
50-64	14	2.0	1	< 1	1	2	2	4	4	4
65 +	19	3.2	18	< 1	< 1	2	4	4	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.1		< 1	< 1	< 1	1	2	2	3
B. Operated	360	1.9	10	< 1	< 1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	35	1.9	5	< 1	< 1	1	1	3	8	10
B. Operated	190	2.1	5	< 1	< 1	1	2	4	6	13
1. SINGLE DX	395	1.9	9	< 1	< 1	1	2	3	5	10
2. MULTIPLE DX	225	2.1	5	< 1	< 1	1	2	4	6	12
A. Not Operated	70	1.5	3	< 1	< 1	< 1	1	3	3	10
B. Operated	550	2.0	8	< 1	< 1	1	2	4	5	11
TOTAL										
0-19 YRS	435	1.9	8	< 1	< 1	1	2	3	5	10
20-34	84	2.2	3	< 1	< 1	2	3	4	6	10
35-49	44	2.0	4	< 1	< 1	1	2	4	7	10
50-64	30	2.1	7	< 1	< 1	1	2	4	4	15
65 +	27	2.6	13	< 1	< 1	1	3	4	7	20
GRAND TOTAL	**620**	**2.0**	**7**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	2.6	10	< 1	< 1	2	3	4	8	19
20-34	5	2.0	2	< 1	< 1	2	3	4	4	4
35-49	4	2.5	6	< 1	< 1	1	4	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	621	4.7	32	1	1	2	6	9	11	35
20-34	46	4.2	14	< 1	1	2	7	10	12	14
35-49	25	4.2	14	1	1	2	7	9	12	13
50-64	11	2.1	6	1	1	1	2	5	9	9
65 +	8	4.9	36	< 1	< 1	2	8	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	224	4.7	59	< 1	1	2	5	10	17	45
20-34	19	3.6	11	< 1	< 1	2	5	9	12	13
35-49	22	4.3	12	< 1	1	3	6	8	12	16
50-64	12	5.7	15	1	1	5	7	12	14	14
65 +	34	5.9	23	1	2	5	7	11	14	25
B. Operated										
0-19 YRS	1511	8.0	88	1	1	5	10	18	27	50
20-34	111	6.0	75	1	1	3	9	12	15	54
35-49	69	6.3	70	1	1	3	8	13	18	54
50-64	61	8.2	110	1	1	4	10	18	31	53
65 +	61	12.2	122	1	2	10	17	27	33	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.5	8	< 1	< 1	2	3	4	6	19
B. Operated	711	4.6	29	1	1	2	6	9	11	33
2. MULTIPLE DX										
A. Not Operated	311	4.7	47	< 1	1	2	5	10	15	39
B. Operated	1813	7.9	89	1	1	5	10	17	26	50
1. SINGLE DX	762	4.5	28	1	1	2	6	9	11	31
2. MULTIPLE DX	2124	7.5	84	1	1	4	10	17	25	50
A. Not Operated	362	4.4	42	< 1	1	2	5	10	14	36
B. Operated	2524	7.0	75	1	1	4	9	15	23	47
TOTAL										
0-19 YRS	2396	6.7	72	1	1	3	8	15	23	47
20-34	181	5.2	52	1	1	2	7	11	14	34
35-49	120	5.4	47	1	1	2	7	11	15	34
50-64	85	7.0	86	1	1	3	8	16	20	51
65 +	104	9.5	92	1	2	7	13	20	27	49
GRAND TOTAL	**2886**	**6.7**	**71**	**1**	**1**	**3**	**8**	**15**	**22**	**46**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	282	3.4	3	1	1	3	4	5	6	10
20-34	6	2.5	2	1	1	2	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	1.3		< 1	< 1	1	1	2	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	283	3.6	5	1	1	3	4	6	8	11
20-34	6	3.2	2	2	2	3	3	6	6	6
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	288	3.4	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	23	1.3		< 1	< 1	1	1	2	3	3
B. Operated	293	3.6	5	1	1	3	4	6	8	11
1. SINGLE DX	290	3.4	3	1	1	3	4	5	6	10
2. MULTIPLE DX	316	3.5	5	1	1	3	4	6	8	11
A. Not Operated	25	1.4	1	< 1	< 1	1	1	3	4	5
B. Operated	581	3.5	4	1	1	3	4	6	7	11
TOTAL										
0-19 YRS	590	3.4	4	1	1	3	4	5	7	11
20-34	12	2.8	2	1	1	3	4	5	6	6
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**606**	**3.4**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.9	1	< 1	< 1	2	3	3	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	330	3.5	2	2	2	3	4	5	6	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.2	12	1	1	2	3	9	10	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	120	5.1	8	2	2	5	6	8	10	18
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	1.9	1	< 1	< 1	2	3	3	4	4
B. Operated	330	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	6	3.2	12	1	1	2	3	9	10	10
B. Operated	120	5.1	8	2	2	5	6	8	10	18
1. SINGLE DX	355	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX	126	5.0	8	2	2	4	6	9	10	18
A. Not Operated	31	2.1	3	< 1	< 1	2	3	3	4	10
B. Operated	450	4.0	4	2	2	4	5	6	7	13
TOTAL										
0-19 YRS	481	3.8	4	2	2	3	4	6	7	12
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**481**	**3.8**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	2.8	11	< 1	< 1	2	3	5	12	17
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	244	4.9	26	< 1	1	3	7	11	14	28
20-34	29	4.3	9	< 1	1	4	7	9	10	10
35-49	9	5.0	17	1	1	5	7	11	13	13
50-64	13	4.5	24	< 1	< 1	2	6	14	15	15
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	6.0	101	< 1	1	3	5	16	32	99 +
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49	4	5.8	19	2	2	6	9	10	10	10
50-64	3	4.7		4	4	5	5	5	5	5
65 +	26	6.2	26	1	1	4	9	11	18	24
B. Operated										
0-19 YRS	347	11.0	249	1	1	6	13	30	45	93
20-34	54	5.6	47	< 1	1	3	8	12	18	40
35-49	37	7.4	27	1	1	7	8	14	17	27
50-64	25	7.7	54	< 1	1	6	11	19	23	27
65 +	54	12.5	174	1	2	8	17	31	41	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	2.8	11	< 1	< 1	1	3	5	12	17
B. Operated	298	4.8	24	< 1	1	3	7	10	13	24
2. MULTIPLE DX										
A. Not Operated	138	6.0	81	< 1	1	3	7	14	25	99 +
B. Operated	517	10.2	198	1	1	6	12	27	39	87
1. SINGLE DX	369	4.4	22	< 1	1	3	6	10	13	[illegible]
2. MULTIPLE DX	655	9.3	177	1	1	5	10	25	37	89
A. Not Operated	209	4.9	59	< 1	< 1	3	5	11	18	82
B. Operated	815	8.2	141	1	1	5	9	19	31	77
TOTAL										
0-19 YRS	762	7.6	146	< 1	1	4	8	18	31	85
20-34	87	5.1	34	< 1	1	3	8	10	15	33
35-49	51	6.8	24	1	1	7	8	13	15	27
50-64	41	6.4	42	< 1	1	5	9	16	20	27
65 +	83	10.1	132	1	1	7	13	26	34	57
GRAND TOTAL	**1024**	**7.5**	**126**	**<1**	**1**	**4**	**8**	**18**	**30**	**76**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	296	1.5	1	< 1	< 1	1	2	3	4	7
20-34	24	1.9	1	< 1	< 1	2	3	3	4	5
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	1.0		< 1	< 1	< 1	< 1	1	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	292	1.4	1	< 1	< 1	1	2	2	3	5
20-34	27	2.3	6	< 1	1	2	3	4	6	13
35-49	7	4.7	43	< 1	< 1	2	5	16	19	19
50-64	5	2.2		2	2	2	3	3	3	3
65 +	2	2.0	2	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	1	1	1	1	1
B. Operated	325	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	23	1.0		< 1	< 1	< 1	1	1	2	2
B. Operated	333	1.6	2	< 1	< 1	1	2	3	3	6
1. SINGLE DX	329	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	356	1.5	2	< 1	< 1	1	2	3	3	6
A. Not Operated	27	1.0		< 1	< 1	< 1	1	1	2	2
B. Operated	658	1.6	2	< 1	< 1	1	2	3	3	6
TOTAL										
0-19 YRS	614	1.5	1	< 1	< 1	1	2	2	3	5
20-34	52	2.1	3	< 1	1	2	3	4	4	13
35-49	11	3.7	28	< 1	< 1	2	3	11	18	19
50-64	6	2.2		2	2	2	2	3	3	3
65 +	2	2.0	2	1	1	2	3	3	3	3
GRAND TOTAL	**685**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.8	2	< 1	1	1	2	4	4	4
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	611	3.8	12	< 1	1	2	6	9	11	16
20-34	81	3.9	5	< 1	1	4	5	7	8	11
35-49	31	4.8	8	1	1	5	6	8	11	14
50-64	6	5.7	9	1	1	5	9	9	9	9
65 +	4	4.8	10	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	1.9	4	< 1	< 1	1	2	3	6	11
20-34	15	4.1	9	1	2	3	5	7	12	13
35-49	12	5.7	18	1	2	4	8	13	15	15
50-64	7	4.1	2	2	2	4	5	6	6	6
65 +	11	5.7	10	3	3	4	8	11	13	13
B. Operated										
0-19 YRS	362	7.0	45	< 1	1	5	9	15	19	34
20-34	119	5.3	14	1	2	5	6	9	13	21
35-49	80	5.3	12	1	1	5	7	9	11	19
50-64	41	6.8	23	< 1	1	6	10	15	16	17
65 +	41	9.9	132	< 1	1	7	11	20	35	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.8	2	< 1	1	1	2	4	4	4
B. Operated	733	3.9	12	< 1	1	3	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	79	3.6	10	< 1	< 1	3	5	8	12	14
B. Operated	643	6.7	40	1	1	5	8	14	17	30
1. SINGLE DX	751	3.9	11	< 1	1	3	6	8	10	15
2. MULTIPLE DX	722	6.3	38	< 1	1	5	8	13	17	28
A. Not Operated	97	3.3	9	< 1	< 1	2	4	7	10	14
B. Operated	1376	5.2	27	< 1	1	4	7	11	14	24
TOTAL										
0-19 YRS	1021	4.9	26	< 1	1	3	7	11	15	25
20-34	218	4.6	11	1	1	4	6	8	11	18
35-49	124	5.2	11	1	1	5	7	9	11	17
50-64	54	6.3	19	1	1	5	9	13	15	17
65 +	56	8.7	103	1	2	6	10	17	28	60
GRAND TOTAL	**1473**	**5.1**	**26**	**< 1**	**1**	**4**	**7**	**11**	**14**	**24**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.0	24	< 1	< 1	1	1	12	13	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	210	3.2	4	1	1	3	4	6	6	11
20-34	8	3.1	5	1	1	2	5	7	7	7
35-49	6	2.3	2	1	1	2	3	5	5	5
50-64	5	1.0		< 1	< 1	1	1	1	1	1
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.3	1	< 1	< 1	1	1	3	3	3
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	144	3.8	13	< 1	1	3	5	7	8	24
20-34	39	2.9	4	< 1	1	2	4	5	6	10
35-49	26	3.1	3	< 1	1	3	4	5	6	7
50-64	28	3.0	2	1	1	3	4	5	6	7
65 +	8	3.0	3	1	1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.0	24	< 1	< 1	1	1	12	13	13
B. Operated	230	3.1	4	1	1	3	4	6	6	11
2. MULTIPLE DX										
A. Not Operated	17	1.3		< 1	< 1	1	1	3	3	3
B. Operated	245	3.5	9	< 1	1	3	4	6	7	16
1. SINGLE DX	236	3.1	4	< 1	1	3	4	6	7	13
2. MULTIPLE DX	262	3.3	9	< 1	1	3	4	6	7	15
A. Not Operated	23	1.7	6	< 1	< 1	1	1	3	7	13
B. Operated	475	3.3	7	1	1	3	4	6	7	12
TOTAL										
0-19 YRS	375	3.3	8	< 1	1	3	4	6	7	15
20-34	48	2.9	4	< 1	1	2	4	5	7	10
35-49	32	2.9	3	1	1	3	4	5	6	7
50-64	34	2.7	2	1	1	2	4	4	6	7
65 +	9	3.0	3	1	1	2	4	6	6	6
GRAND TOTAL	**498**	**3.2**	**7**	**< 1**	**1**	**3**	**4**	**6**	**7**	**13**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	3.2	51	< 1	< 1	1	2	5	11	50
20-34	16	4.1	12	1	1	3	6	10	12	13
35-49	3	8.0	91	2	2	3	15	19	19	19
50-64	4	4.5	3	2	2	5	6	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	860	3.9	19	< 1	1	3	5	8	11	22
20-34	195	2.7	8	< 1	1	2	3	7	9	13
35-49	105	3.3	18	< 1	< 1	1	3	9	10	24
50-64	49	3.7	10	1	1	2	5	9	10	11
65 +	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	147	5.5	127	< 1	< 1	2	4	10	26	78
20-34	12	7.5	64	< 1	2	4	9	19	28	30
35-49	15	5.7	13	1	2	5	6	11	14	15
50-64	24	7.4	23	1	1	7	10	13	17	18
65 +	20	9.2	39	2	3	7	13	17	23	27
B. Operated										
0-19 YRS	574	6.7	87	1	1	4	7	12	22	53
20-34	130	4.8	79	< 1	1	2	6	9	17	44
35-49	110	4.3	25	1	1	3	7	9	12	25
50-64	81	6.1	27	< 1	1	4	9	13	16	23
65 +	61	9.2	70	1	1	7	12	21	23	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	3.5	45	< 1	< 1	1	3	7	12	50
B. Operated	1214	3.6	17	< 1	1	2	5	8	10	21
2. MULTIPLE DX										
A. Not Operated	218	6.2	97	< 1	< 1	3	7	14	22	66
B. Operated	956	6.3	74	1	1	4	8	12	20	51
1. SINGLE DX	1343	3.6	19	< 1	1	2	5	8	10	21
2. MULTIPLE DX	1174	6.2	78	< 1	1	4	7	12	20	53
A. Not Operated	347	5.2	79	< 1	< 1	2	5	11	17	60
B. Operated	2170	4.8	44	< 1	1	3	6	10	14	34
TOTAL										
0-19 YRS	1686	4.9	55	< 1	1	3	6	10	15	50
20-34	353	3.7	37	< 1	1	2	4	8	10	30
35-49	233	4.0	22	< 1	1	2	5	9	12	22
50-64	158	5.5	22	1	1	4	8	11	15	22
65 +	87	8.7	61	1	2	7	12	20	22	42
GRAND TOTAL	**2517**	**4.8**	**48**	**<1**	**1**	**3**	**6**	**10**	**15**	**38**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1522	4.0	28	1	1	2	4	9	13	28
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	39	9.9	320	1	1	5	9	31	75	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1416	9.2	112	1	2	5	12	21	32	54
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	197	17.5	421	2	3	10	24	69	98	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1522	4.0	28	1	1	2	4	9	13	28
B. Operated	39	9.9	320	1	1	5	9	31	75	99 +
2. MULTIPLE DX										
A. Not Operated	1416	9.2	112	1	2	5	12	21	32	54
B. Operated	197	17.5	421	2	3	10	24	69	98	99 +
1. SINGLE DX	1561	4.2	36	1	1	2	4	9	14	31
2. MULTIPLE DX	1613	10.2	157	1	2	6	13	24	35	91
A. Not Operated	2938	6.5	75	1	1	3	7	15	23	44
B. Operated	236	16.3	411	2	3	9	21	60	97	99 +
TOTAL										
0-19 YRS	3174	7.2	107	1	1	3	8	17	28	69
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**3174**	**7.2**	**107**	**1**	**1**	**3**	**8**	**17**	**28**	**69**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	991	2.4	3	1	1	2	3	4	6	9
20-34	365	2.8	13	1	1	2	3	5	6	10
35-49	175	3.0	5	1	1	3	4	5	6	11
50-64	122	3.3	4	1	1	3	5	6	7	10
65 +	79	4.6	14	1	2	4	5	8	10	23
B. Operated										
0-19 YRS	9	10.4	625	1	1	2	4	48	77	77
20-34	4	5.8	8	3	3	5	8	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	4.0	8	2	2	4	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1676	3.2	12	1	1	2	4	5	8	16
20-34	535	4.0	10	1	1	3	5	8	10	13
35-49	662	5.2	50	1	1	4	6	9	12	29
50-64	721	6.0	46	1	2	5	7	11	15	45
65 +	1356	8.3	83	2	2	6	9	15	24	58
B. Operated										
0-19 YRS	47	8.7	171	2	2	5	9	16	22	86
20-34	50	8.3	151	1	1	5	9	17	26	81
35-49	45	7.9	84	1	2	5	11	16	23	54
50-64	54	9.6	76	1	2	7	12	23	32	37
65 +	114	17.4	314	3	4	12	23	46	91	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1732	2.7	6	1	1	2	3	5	6	10
B. Operated	16	8.1	343	1	1	3	6	9	57	77
2. MULTIPLE DX										
A. Not Operated	4950	5.4	45	1	1	4	6	10	14	37
B. Operated	310	11.9	207	2	2	8	14	29	45	99 +
1. SINGLE DX	1748	2.8	9	1	1	2	3	5	6	10
2. MULTIPLE DX	5260	5.8	57	1	1	4	7	11	16	45
A. Not Operated	6682	4.7	37	1	1	3	5	9	12	31
B. Operated	326	11.7	213	1	2	7	14	29	45	99 +
TOTAL										
0-19 YRS	2723	3.0	14	1	1	2	4	5	7	15
20-34	954	3.8	19	1	1	3	5	7	9	15
35-49	883	4.9	44	1	1	4	6	9	12	29
50-64	899	5.9	44	1	2	4	7	11	15	37
65 +	1549	8.8	103	2	2	6	10	17	28	71
GRAND TOTAL	**7008**	**5.0**	**47**	**1**	**1**	**3**	**6**	**9**	**14**	**38**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	319	3.0	3	1	1	3	4	5	7	10
20-34	43	4.0	5	1	2	4	5	7	9	10
35-49	28	3.7	6	1	2	3	4	8	9	11
50-64	24	4.9	11	1	2	4	7	9	11	15
65 +	21	5.0	6	2	2	5	6	8	10	12
B. Operated										
0-19 YRS	10	12.9	125	2	2	8	22	30	32	32
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	6.0	14	2	2	5	8	11	11	11
50-64	6	12.8	109	3	3	9	17	30	32	32
65 +	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	622	3.3	7	1	1	3	4	5	7	13
20-34	204	5.5	23	1	2	4	7	10	13	30
35-49	187	5.9	25	2	2	5	7	10	12	26
50-64	319	6.6	29	2	2	5	8	11	14	37
65 +	879	7.7	54	2	3	6	9	14	18	45
B. Operated										
0-19 YRS	37	6.9	31	1	1	6	10	16	18	23
20-34	41	9.3	42	2	3	8	11	22	26	99 +
35-49	44	13.6	123	2	3	12	16	29	37	54
50-64	89	13.6	121	3	4	11	16	28	35	59
65 +	173	14.9	118	3	5	12	19	30	41	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	435	3.4	5	1	1	3	4	6	8	11
B. Operated	23	11.0	86	2	3	8	15	29	32	32
2. MULTIPLE DX										
A. Not Operated	2211	6.0	35	1	2	4	7	11	15	31
B. Operated	384	13.1	109	2	3	10	17	27	35	91
1. SINGLE DX	458	3.7	11	1	1	3	4	7	8	17
2. MULTIPLE DX	2595	7.0	52	1	2	5	8	14	19	43
A. Not Operated	2646	5.5	31	1	2	4	7	11	14	29
B. Operated	407	13.0	107	2	3	10	17	27	35	86
TOTAL										
0-19 YRS	988	3.5	9	1	1	3	4	6	8	17
20-34	289	5.8	25	1	2	5	7	10	16	30
35-49	263	7.0	48	2	2	5	8	12	17	38
50-64	438	8.0	56	2	2	6	9	15	21	43
65 +	1075	8.8	70	2	3	7	11	17	23	52
GRAND TOTAL	**3053**	**6.5**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**38**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.4	2	< 1	1	2	3	4	5	7
20-34	121	2.9	8	1	1	2	4	6	8	14
35-49	60	3.0	4	1	1	3	4	6	8	11
50-64	36	2.6	3	< 1	1	2	4	5	6	7
65 +	7	4.0	4	1	1	4	6	7	7	7
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	3.0	8	1	1	2	4	8	10	11
35-49	10	1.7	2	< 1	< 1	1	2	4	6	6
50-64	4	1.8		1	1	2	2	2	2	2
65 +	3	3.0	3	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	2.3	3	1	1	2	3	5	6	8
20-34	198	3.6	8	1	1	3	4	7	10	15
35-49	165	4.2	18	1	1	3	5	8	10	23
50-64	131	4.0	8	1	1	3	5	8	10	14
65 +	141	4.3	11	1	1	4	6	8	10	33
B. Operated										
0-19 YRS	9	2.9	4	< 1	< 1	2	4	6	7	7
20-34	14	3.9	9	1	1	3	5	9	10	10
35-49	19	4.8	16	1	2	3	7	11	14	16
50-64	16	7.4	48	1	2	6	9	21	24	25
65 +	28	7.6	61	1	1	6	8	18	29	33
SUBTOTALS										
1. SINGLE DX										
A. Not Operated	268	2.8	5	1	1	2	4	5	7	10
B. Operated	33	2.5	5	1	1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated	709	3.8	11	1	1	3	5	8	10	15
B. Operated	86	5.9	36	1	1	4	7	11	20	32
1. SINGLE DX	301	2.8	5	1	1	2	4	5	7	10
2. MULTIPLE DX	795	4.0	14	1	1	3	5	8	10	21
A. Not Operated	977	3.6	9	1	1	3	5	7	9	15
B. Operated	119	4.9	30	1	1	3	6	10	16	30
TOTAL										
0-19 YRS	128	2.4	3	1	1	2	3	5	6	8
20-34	348	3.4	8	1	1	3	4	7	9	15
35-49	254	3.9	14	1	1	3	5	8	9	18
50-64	187	4.0	12	1	1	3	5	8	10	20
65 +	179	4.8	20	1	1	4	7	8	11	32
GRAND TOTAL	**1096**	**3.7**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.3	9	< 1	< 1	2	6	8	8	8
20-34	15	2.7	2	< 1	1	3	4	4	5	5
35-49	28	3.4	4	1	1	3	4	6	8	9
50-64	36	3.1	4	< 1	< 1	3	4	5	7	10
65 +	45	3.6	5	< 1	1	3	5	7	8	10
B. Operated										
0-19 YRS	10	4.3	6	1	1	4	6	8	8	8
20-34	13	3.8	4	2	2	3	5	7	8	8
35-49	34	4.2	4	1	1	4	6	7	7	8
50-64	59	4.3	7	1	1	4	6	8	9	14
65 +	40	4.0	5	1	1	4	5	6	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.2	5	< 1	< 1	1	3	6	6	6
20-34	23	3.5	3	< 1	1	3	5	6	7	7
35-49	64	3.8	7	1	1	3	5	7	8	16
50-64	131	4.1	7	1	1	4	5	7	9	14
65 +	296	4.9	21	1	1	4	6	9	13	29
B. Operated										
0-19 YRS	11	4.1	8	1	1	4	6	8	10	10
20-34	35	5.3	12	1	2	4	7	9	11	17
35-49	58	5.3	29	1	2	4	6	9	17	32
50-64	204	5.9	52	2	2	5	6	10	13	25
65 +	317	6.3	31	2	2	5	8	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	3.3	4	< 1	1	3	4	6	8	10
B. Operated	156	4.2	5	1	1	4	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	519	4.5	15	1	1	4	6	8	12	19
B. Operated	625	6.0	36	2	2	5	7	10	14	26
1. SINGLE DX	286	3.8	5	1	1	3	5	7	8	10
2. MULTIPLE DX	1144	5.3	27	1	2	4	6	9	13	23
A. Not Operated	649	4.3	13	1	1	3	5	8	10	17
B. Operated	781	5.6	31	1	2	5	7	9	13	23
TOTAL										
0-19 YRS	32	3.7	7	< 1	1	3	6	8	8	10
20-34	86	4.1	7	1	2	4	5	7	9	15
35-49	184	4.3	13	1	1	4	5	7	9	22
50-64	430	4.9	29	1	1	4	6	8	10	21
65 +	698	5.4	25	1	2	4	7	10	14	27
GRAND TOTAL	**1430**	**5.0**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.3	1	< 1	< 1	2	3	4	4	4
20-34	7	2.1	3	1	1	2	2	5	6	6
35-49	11	2.3	2	1	1	2	3	4	5	5
50-64	8	2.1	2	1	1	2	3	4	5	5
65 +	7	3.4	4	< 1	< 1	4	5	6	6	6
B. Operated										
0-19 YRS	55	2.2	8	< 1	< 1	1	1	6	10	14
20-34	59	2.3	5	< 1	< 1	2	2	6	7	12
35-49	36	2.1	2	< 1	< 1	2	3	4	5	6
50-64	27	2.7	4	< 1	< 1	2	4	5	6	9
65 +	14	1.6	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	4.2	7	1	2	3	5	8	11	12
20-34	39	3.4	23	< 1	1	2	4	5	6	31
35-49	63	4.4	14	1	1	3	7	10	12	15
50-64	84	4.6	20	1	1	3	5	10	12	27
65 +	206	7.5	56	1	1	5	10	17	20	34
B. Operated										
0-19 YRS	26	7.2	69	1	1	5	11	21	46	99 +
20-34	41	6.5	110	< 1	< 1	3	7	15	27	57
35-49	53	5.5	38	< 1	< 1	3	7	15	17	33
50-64	51	5.4	58	1	1	2	8	14	19	99
65 +	66	11.1	172	1	1	6	16	35	48	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.4	2	< 1	1	2	3	5	6	6
B. Operated	191	2.2	5	< 1	< 1	1	2	5	7	12
2. MULTIPLE DX										
A. Not Operated	423	5.9	39	1	1	4	8	13	17	32
B. Operated	237	7.4	100	< 1	1	4	9	19	36	99 +
1. SINGLE DX	234	2.3	4	< 1	< 1	2	3	5	7	11
2. MULTIPLE DX	660	6.4	61	1	1	4	9	15	20	51
A. Not Operated	466	5.5	36	1	1	3	7	12	16	32
B. Operated	428	5.1	64	< 1	< 1	2	6	12	20	55
TOTAL										
0-19 YRS	122	3.8	24	< 1	< 1	2	5	10	12	54
20-34	146	3.8	42	< 1	< 1	2	4	7	11	38
35-49	163	4.1	20	< 1	1	2	6	9	13	20
50-64	170	4.4	29	1	1	3	5	10	13	45
65 +	293	8.0	83	1	1	5	10	19	29	53
GRAND TOTAL	**894**	**5.3**	**49**	**< 1**	**1**	**3**	**6**	**12**	**18**	**46**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	13.0	32	9	9	13	17	17	17	17
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.2	7	< 1	< 1	2	6	7	7	7
20-34	8	4.9	16	1	1	3	8	11	12	12
35-49	4	4.0	18	1	1	3	7	10	10	10
50-64	20	11.2	402	< 1	< 1	4	12	25	63	89
65 +	17	7.5	17	1	2	7	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.3	57	3	3	5	14	17	17	17
20-34	3	9.0	108	3	3	3	17	21	21	21
35-49	8	7.4	55	1	1	6	10	20	23	23
50-64	15	10.7	57	3	3	10	13	18	29	33
65 +	83	11.5	109	2	3	9	13	24	34	51
B. Operated										
0-19 YRS	6	10.2	105	1	1	7	21	24	24	24
20-34	21	13.2	140	2	3	8	15	33	41	44
35-49	60	20.8	322	3	4	17	31	63	82	99 +
50-64	158	19.8	286	2	4	15	27	44	61	99 +
65 +	628	20.4	253	4	6	16	27	43	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	10.3	37	5	5	9	15	17	17	17
B. Operated	55	7.7	159	< 1	1	5	10	13	14	86
2. MULTIPLE DX										
A. Not Operated	112	10.9	95	1	3	8	13	23	32	50
B. Operated	873	20.0	261	3	5	16	27	44	62	99 +
1. SINGLE DX	58	7.9	153	< 1	1	5	10	13	16	85
2. MULTIPLE DX	985	19.0	250	3	5	15	25	42	59	99 +
A. Not Operated	115	10.9	93	1	3	9	13	23	32	50
B. Operated	928	19.3	263	3	5	15	26	42	62	99 +
TOTAL										
0-19 YRS	16	6.9	56	< 1	1	4	9	21	23	24
20-34	34	10.9	108	1	2	7	14	26	37	44
35-49	72	18.3	304	1	3	13	24	56	71	99 +
50-64	193	18.2	289	2	3	13	24	41	60	99 +
65 +	728	19.1	242	4	5	15	25	42	57	99 +
GRAND TOTAL	**1043**	**18.4**	**251**	**2**	**4**	**14**	**24**	**41**	**59**	**99 +**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.4	3	< 1	1	2	3	4	6	8
20-34	408	2.4	4	1	1	2	3	4	5	7
35-49	1517	2.5	2	1	1	2	3	4	5	7
50-64	1179	2.7	3	1	1	2	3	5	6	9
65 +	390	2.7	2	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	0									
20-34	23	2.1	1	< 1	1	2	3	4	5	5
35-49	212	2.2	3	1	1	2	2	5	7	9
50-64	263	2.1	2	1	1	2	2	4	5	9
65 +	89	1.9	2	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	2.5	4	< 1	< 1	2	3	5	7	10
20-34	713	2.7	3	1	1	2	3	5	6	10
35-49	3408	3.1	4	1	1	3	4	5	7	10
50-64	4671	3.5	6	1	1	3	4	6	7	13
65 +	4021	4.2	16	1	2	3	5	7	9	17
B. Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	85	3.3	9	1	1	2	4	7	9	18
35-49	566	3.3	8	1	1	2	4	7	9	13
50-64	967	3.5	15	1	1	2	5	7	10	16
65 +	545	5.3	56	1	1	3	7	11	16	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3528	2.6	3	1	1	2	3	4	5	8
B. Operated	587	2.1	3	1	1	2	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	12852	3.5	9	1	1	3	4	6	8	13
B. Operated	2167	3.9	24	1	1	2	5	8	11	18
1. SINGLE DX	4115	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	15019	3.6	11	1	1	3	4	6	8	15
A. Not Operated	16380	3.3	7	1	1	3	4	6	7	12
B. Operated	2754	3.5	20	1	1	2	4	8	10	17
TOTAL										
0-19 YRS	77	2.4	3	< 1	< 1	2	3	4	7	10
20-34	1229	2.6	4	1	1	2	3	5	6	9
35-49	5703	2.9	4	1	1	2	4	5	7	10
50-64	7080	3.3	7	1	1	3	4	6	7	13
65 +	5045	4.1	19	1	1	3	5	7	10	18
GRAND TOTAL	**19134**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	256	2.9	8	1	1	2	3	6	8	13
20-34	12	5.4	41	< 1	< 1	2	9	17	18	18
35-49	22	2.2	3	< 1	< 1	2	2	5	6	6
50-64	19	2.5	4	1	1	2	4	5	7	8
65 +	23	4.4	25	< 1	1	3	5	8	16	23
B. Operated										
0-19 YRS	14	3.5	17	1	1	2	5	8	14	16
20-34	16	2.8	5	< 1	1	2	4	7	8	8
35-49	26	3.2	11	< 1	1	2	4	6	10	16
50-64	35	3.2	6	< 1	< 1	3	5	6	8	11
65 +	29	2.7	5	< 1	< 1	2	4	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	430	4.4	41	1	1	3	5	8	11	36
20-34	60	3.4	12	< 1	1	2	4	7	9	23
35-49	100	4.2	13	1	1	3	5	9	12	18
50-64	260	5.2	20	1	1	4	7	11	13	22
65 +	507	6.7	47	1	2	5	8	13	18	36
B. Operated										
0-19 YRS	36	6.5	53	< 1	1	3	9	19	22	28
20-34	32	5.5	20	1	1	5	8	11	14	19
35-49	65	4.8	15	1	1	3	7	12	13	15
50-64	154	6.2	35	1	1	4	8	14	19	37
65 +	226	7.9	67	1	1	5	11	17	24	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	332	3.0	10	< 1	1	2	4	6	8	17
B. Operated	120	3.0	8	< 1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated	1357	5.4	37	1	1	4	7	11	15	33
B. Operated	513	6.8	48	1	1	4	9	15	20	36
1. SINGLE DX	452	3.0	9	< 1	1	2	4	6	8	16
2. MULTIPLE DX	1870	5.7	40	1	1	4	7	12	16	35
A. Not Operated	1689	4.9	32	1	1	3	6	10	13	31
B. Operated	633	6.1	42	1	1	4	8	14	19	35
TOTAL										
0-19 YRS	736	4.0	30	1	1	3	4	8	11	30
20-34	120	4.1	17	< 1	1	2	5	9	11	20
35-49	213	4.0	13	1	1	3	5	9	12	17
50-64	468	5.3	24	1	1	4	7	11	14	29
65 +	785	6.8	51	1	1	5	8	14	20	37
GRAND TOTAL	**2322**	**5.2**	**35**	**1**	**1**	**3**	**7**	**11**	**15**	**31**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	1.9	2	< 1	1	1	2	3	6	7
20-34	268	2.0	2	< 1	1	2	3	4	5	7
35-49	350	1.9	2	< 1	1	2	2	3	4	7
50-64	179	2.1	2	1	1	2	3	4	5	6
65 +	71	2.2	2	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	17	2.4	3	< 1	< 1	1	4	5	6	7
20-34	30	3.9	6	< 1	< 1	4	5	7	9	10
35-49	41	4.1	6	1	1	4	5	7	10	11
50-64	20	3.4	6	< 1	1	3	5	6	9	11
65 +	16	5.3	22	1	1	4	7	9	17	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.6	4	< 1	1	2	3	6	7	10
20-34	209	2.6	4	< 1	1	2	3	5	7	10
35-49	306	2.5	3	1	1	2	3	5	6	9
50-64	301	3.0	5	1	1	2	4	6	7	13
65 +	490	5.1	28	1	1	4	6	10	14	36
B. Operated										
0-19 YRS	28	7.4	71	< 1	< 1	3	12	23	24	28
20-34	56	5.0	25	< 1	1	3	6	13	16	24
35-49	90	4.5	8	1	1	4	6	8	10	14
50-64	162	6.3	32	1	2	5	7	12	16	34
65 +	341	8.9	69	1	2	7	12	17	22	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	913	2.0	2	< 1	1	2	2	4	5	7
B. Operated	124	3.9	8	< 1	1	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	1340	3.6	14	1	1	3	4	7	9	20
B. Operated	677	7.3	51	1	1	6	9	15	20	40
1. SINGLE DX	1037	2.2	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX	2017	4.8	30	1	1	3	6	10	14	28
A. Not Operated	2253	3.0	10	1	1	2	4	6	8	16
B. Operated	801	6.8	46	1	1	5	8	13	19	37
TOTAL										
0-19 YRS	124	3.4	23	< 1	< 1	2	3	7	13	25
20-34	563	2.6	6	< 1	1	2	3	5	7	13
35-49	787	2.6	4	1	1	2	3	5	7	10
50-64	662	3.6	14	1	1	3	4	7	9	19
65 +	918	6.3	46	1	1	4	8	13	18	38
GRAND TOTAL	**3054**	**4.0**	**22**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1172	1.9	2	< 1	1	2	2	3	4	7
20-34	1147	2.4	4	1	1	2	3	4	6	9
35-49	564	2.9	6	1	1	2	4	5	7	13
50-64	273	3.0	3	1	1	3	4	6	6	8
65 +	124	3.1	8	1	1	2	4	5	7	17
B. Operated										
0-19 YRS	95	3.3	4	1	1	3	4	5	7	12
20-34	146	3.5	6	1	1	3	5	6	8	12
35-49	63	4.1	11	< 1	1	3	5	7	9	21
50-64	32	3.3	6	< 1	< 1	3	4	7	8	11
65 +	8	5.1	6	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	668	2.5	3	1	1	2	3	5	6	10
20-34	1097	3.2	6	1	1	2	4	6	8	12
35-49	813	3.9	9	1	1	3	5	8	9	16
50-64	831	4.4	10	1	1	4	6	8	10	17
65 +	1430	5.7	33	1	2	4	7	11	14	26
B. Operated										
0-19 YRS	87	4.3	11	1	2	4	5	7	10	21
20-34	244	5.3	23	1	1	4	7	10	13	18
35-49	192	6.2	38	1	1	5	8	13	15	28
50-64	142	[illegible].0	31	1	2	6	9	15	16	24
65 +	239	9.7	88	1	2	8	11	19	29	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3280	2.4	4	1	1	2	3	5	6	9
B. Operated	344	3.6	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	4839	4.2	16	1	1	3	5	8	10	17
B. Operated	904	6.8	47	1	1	5	9	13	18	46
1. SINGLE DX	3624	2.5	4	1	1	2	3	5	6	9
2. MULTIPLE DX	5743	4.6	22	1	1	3	6	9	12	22
A. Not Operated	8119	3.5	12	1	1	3	4	7	9	16
B. Operated	1248	5.9	38	1	1	4	8	12	16	36
TOTAL										
0-19 YRS	2022	2.3	3	< 1	1	2	3	4	5	9
20-34	2634	3.1	7	1	1	2	4	6	8	13
35-49	1632	3.8	12	1	1	3	5	8	10	16
50-64	1278	4.4	12	1	1	3	6	8	10	17
65 +	1801	6.1	41	1	2	5	7	11	15	35
GRAND TOTAL	**9367**	**3.8**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	3.3	32	1	1	2	4	6	7	38
20-34	33	3.1	4	< 1	1	2	4	6	7	8
35-49	28	2.7	5	1	1	2	3	6	7	10
50-64	17	3.1	3	1	1	3	4	6	6	6
65 +	18	3.8	16	< 1	1	2	4	10	13	15
B. Operated										
0-19 YRS	8	2.8	7	< 1	< 1	1	4	7	7	7
20-34	15	4.1	8	1	1	3	7	8	8	8
35-49	11	3.3	11	1	1	2	4	9	10	10
50-64	9	4.1	9	1	1	4	6	9	9	9
65 +	11	4.1	12	1	1	3	5	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	236	3.2	10	1	1	2	4	7	10	16
20-34	153	4.0	17	< 1	1	3	5	8	12	30
35-49	201	5.2	24	1	1	4	6	11	16	24
50-64	350	5.4	21	1	1	4	7	12	14	25
65 +	780	6.8	38	1	2	5	8	14	19	33
B. Operated										
0-19 YRS	117	3.1	22	1	1	1	2	11	14	21
20-34	130	3.9	81	1	1	1	4	8	13	81
35-49	146	4.4	31	1	1	1	6	11	18	26
50-64	154	6.5	69	1	1	4	9	16	22	32
65 +	267	8.5	93	1	1	6	12	18	24	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	3.2	18	1	1	2	4	6	8	14
B. Operated	54	3.7	9	1	1	2	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	1720	5.6	29	1	1	4	7	12	16	29
B. Operated	824	5.9	69	1	1	3	8	15	20	59
1. SINGLE DX	230	3.3	16	1	1	2	4	7	8	13
2. MULTIPLE DX	2544	5.7	42	1	1	4	7	13	17	32
A. Not Operated	1896	5.4	28	1	1	4	7	12	15	29
B. Operated	878	5.8	66	1	1	3	8	14	19	55
TOTAL										
0-19 YRS	441	3.2	17	1	1	2	4	7	11	16
20-34	331	3.9	41	1	1	2	5	7	12	63
35-49	386	4.7	25	1	1	3	6	10	15	26
50-64	540	5.6	35	1	1	4	7	13	17	29
65 +	1076	7.2	52	1	1	5	9	15	19	39
GRAND TOTAL	**2774**	**5.5**	**40**	**1**	**1**	**4**	**7**	**12**	**17**	**30**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	561	3.9	31	< 1	1	2	4	7	11	36
20-34	214	2.7	4	1	1	2	3	5	6	9
35-49	228	2.6	4	1	1	2	3	5	6	10
50-64	283	2.6	3	1	1	2	3	5	6	9
65 +	352	3.4	7	1	1	3	5	7	8	13
B. Operated										
0-19 YRS	56	4.2	43	< 1	< 1	2	4	10	20	32
20-34	56	2.5	7	< 1	1	2	3	5	7	16
35-49	76	1.8	2	< 1	< 1	1	2	4	5	10
50-64	82	2.6	6	< 1	1	2	3	5	8	13
65 +	32	2.6	3	< 1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	992	5.3	41	1	1	3	6	11	16	32
20-34	595	3.8	12	1	1	3	5	7	9	17
35-49	969	4.1	13	1	1	3	5	8	11	19
50-64	2229	4.9	26	1	1	4	6	9	13	25
65 +	6909	6.9	59	1	2	5	8	13	18	47
B. Operated										
0-19 YRS	132	8.8	192	1	1	3	12	27	44	99 +
20-34	134	4.3	34	1	1	2	5	11	14	31
35-49	215	5.8	146	1	1	2	5	13	27	99 +
50-64	414	8.7	135	1	1	5	11	20	38	99 +
65 +	1022	11.7	151	1	2	8	15	26	42	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1638	3.2	14	1	1	2	4	6	8	17
B. Operated	302	2.7	12	< 1	1	2	3	5	8	20
2. MULTIPLE DX										
A. Not Operated	11694	6.0	46	1	1	4	7	12	16	36
B. Operated	1917	9.7	147	1	1	6	13	23	40	99 +
1. SINGLE DX	1940	3.2	14	1	1	2	4	6	8	17
2. MULTIPLE DX	13611	6.5	62	1	1	4	8	13	19	51
A. Not Operated	13332	5.6	43	1	1	4	7	11	15	35
B. Operated	2219	8.7	135	1	1	5	11	22	35	99 +
TOTAL										
0-19 YRS	1741	5.1	50	1	1	3	6	11	17	41
20-34	999	3.5	13	1	1	3	4	7	9	18
35-49	1488	4.0	31	1	1	3	4	7	11	26
50-64	3008	5.2	40	1	1	3	6	10	15	36
65 +	8315	7.3	71	1	2	5	8	14	21	58
GRAND TOTAL	**15551**	**6.1**	**57**	**1**	**1**	**4**	**7**	**12**	**18**	**47**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	239	1.7	2	< 1	1	1	2	3	4	9
20-34	18	4.1	13	< 1	< 1	3	6	11	12	12
35-49	5	6.0	28	1	1	4	11	13	13	13
50-64	2	6.0	50	1	1	6	11	11	11	11
65 +	0									
B. Operated										
0-19 YRS	43	4.4	8	1	1	4	6	8	10	12
20-34	9	6.2	20	2	3	4	7	13	17	17
35-49	3	6.7	26	1	1	8	10	11	11	11
50-64	1	19.0		19	19	19	19	19	19	19
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	154	5.0	73	1	1	3	5	10	23	99
20-34	37	4.4	14	1	1	3	5	11	13	15
35-49	24	6.6	37	< 1	1	5	8	17	21	22
50-64	14	8.3	37	1	1	8	14	16	18	19
65 +	27	15.9	274	2	4	12	20	26	52	83
B. Operated										
0-19 YRS	96	11.3	202	1	1	7	15	32	62	99 +
20-34	70	19.5	351	2	4	13	28	59	81	99 +
35-49	31	14.9	314	2	4	9	17	61	96	99 +
50-64	18	24.2	373	5	7	21	44	64	86	99 +
65 +	16	17.3	196	2	3	17	34	85	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	264	2.0	4	< 1	1	1	2	4	5	12
B. Operated	57	5.2	14	1	1	4	7	11	12	19
2. MULTIPLE DX										
A. Not Operated	256	6.4	90	1	1	3	8	16	22	83
B. Operated	231	15.7	288	1	2	10	21	56	81	99 +
1. SINGLE DX	321	2.6	7	< 1	1	1	3	6	8	14
2. MULTIPLE DX	487	10.8	205	1	1	6	14	32	59	99 +
A. Not Operated	520	4.1	51	1	1	2	4	10	16	40
B. Operated	288	13.6	251	1	2	8	18	50	67	99 +
TOTAL										
0-19 YRS	532	4.6	71	1	1	2	5	10	20	83
20-34	134	12.4	245	1	1	7	15	41	61	99 +
35-49	63	10.6	186	1	2	7	12	29	62	99 +
50-64	35	16.7	268	1	2	12	21	49	65	99 +
65 +	44	16.3	235	2	4	13	23	45	86	99 +
GRAND TOTAL	**808**	**7.5**	**143**	**1**	**1**	**3**	**9**	**20**	**38**	**99 +**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	2.2	4	1	1	2	2	4	6	12
20-34	37	3.3	6	1	1	2	4	8	9	9
35-49	10	5.6	12	2	2	5	7	11	13	13
50-64	5	9.6	241	< 1	< 1	2	14	37	37	37
65 +	3	4.3	6	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	16	5.6	20	1	1	4	9	13	14	15
20-34	11	5.6	20	1	1	5	8	13	14	14
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	4.3	20	1	1	3	5	10	13	33
20-34	95	5.8	19	1	1	5	8	11	15	21
35-49	50	8.2	88	1	1	5	11	16	28	45
50-64	34	6.8	23	1	2	6	10	14	16	18
65 +	44	17.3	450	1	2	9	19	46	74	87
B. Operated										
0-19 YRS	76	17.0	323	1	3	11	20	37	60	80
20-34	113	17.3	383	1	2	9	27	66	98	99 +
35-49	52	15.6	175	2	3	10	21	40	43	53
50-64	36	17.5	228	2	4	14	25	41	50	61
65 +	38	25.3	538	1	2	19	40	71	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	2.8	12	1	1	2	3	6	8	13
B. Operated	29	5.6	18	1	1	5	8	13	14	15
2. MULTIPLE DX										
A. Not Operated	393	6.8	91	1	1	4	8	14	20	61
B. Operated	315	17.9	339	1	3	11	27	46	71	99 +
1. SINGLE DX	217	3.2	13	1	1	2	4	7	9	14
2. MULTIPLE DX	708	11.8	231	1	1	6	14	33	47	99 +
A. Not Operated	581	5.5	69	1	1	3	7	11	17	46
B. Operated	344	16.9	323	1	2	10	24	44	69	99 +
TOTAL										
0-19 YRS	395	6.1	102	1	1	3	6	14	22	70
20-34	256	10.5	214	1	1	6	10	31	55	99 +
35-49	112	11.4	136	1	2	8	14	31	42	49
50-64	76	12.0	157	1	2	8	15	32	40	59
65 +	86	20.2	489	1	2	13	33	66	82	99 +
GRAND TOTAL	**925**	**9.8**	**193**	**1**	**1**	**5**	**11**	**27**	**42**	**96**

343: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.0	2	< 1	< 1	2	3	4	5	5
20-34	31	1.5	1	< 1	< 1	1	2	3	3	4
35-49	7	1.3		< 1	< 1	1	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65 +	6	3.0	2	< 1	< 1	3	4	4	4	4
B. Operated										
0-19 YRS	360	1.7	2	< 1	< 1	1	2	3	4	7
20-34	445	2.2	4	< 1	< 1	1	3	5	6	10
35-49	141	2.6	5	< 1	1	2	3	6	7	11
50-64	43	3.3	11	< 1	< 1	2	5	8	12	12
65 +	11	3.1	8	< 1	< 1	3	4	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	2.3	4	< 1	1	2	3	5	6	12
20-34	106	2.8	5	< 1	1	2	4	5	7	12
35-49	41	3.3	9	< 1	1	2	5	6	8	17
50-64	36	3.5	8	< 1	1	3	5	7	8	15
65 +	63	6.6	41	1	2	5	8	15	24	91
B. Operated										
0-19 YRS	442	3.7	21	1	1	2	4	8	11	22
20-34	854	4.7	37	1	1	3	6	10	13	33
35-49	332	5.1	35	1	1	3	6	11	14	29
50-64	125	6.1	70	1	1	3	7	13	22	40
65 +	139	8.9	144	1	1	5	10	24	35	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	1.8	1	< 1	< 1	1	2	4	4	5
B. Operated	1000	2.1	4	< 1	< 1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	312	3.6	15	< 1	1	2	5	7	11	25
B. Operated	1892	5.0	45	1	1	3	6	10	14	35
1. SINGLE DX	1069	2.1	4	< 1	< 1	1	3	4	6	10
2. MULTIPLE DX	2204	4.8	41	1	1	3	5	10	14	34
A. Not Operated	381	3.3	13	< 1	1	2	4	7	9	20
B. Operated	2892	4.0	32	< 1	1	2	5	8	12	29
TOTAL										
0-19 YRS	890	2.7	12	< 1	< 1	2	3	6	8	16
20-34	1436	3.7	25	< 1	1	2	4	8	11	26
35-49	521	4.2	26	1	1	3	5	9	12	26
50-64	207	5.0	48	1	1	3	6	12	15	27
65 +	219	7.8	106	1	1	5	9	18	33	84
GRAND TOTAL	**3273**	**3.9**	**30**	**< 1**	**1**	**2**	**4**	**8**	**12**	**29**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	141	3.6	9	1	1	3	5	7	10	18
20-34	212	5.0	15	1	1	4	6	9	12	21
35-49	119	5.5	34	1	1	5	7	9	11	36
50-64	90	6.6	51	1	2	5	8	11	16	45
65 +	145	7.8	24	2	3	6	10	14	16	25
B. Operated										
0-19 YRS	19	8.5	54	1	2	6	9	23	24	24
20-34	36	10.2	34	3	3	10	14	19	21	24
35-49	11	9.9	41	2	3	9	12	19	25	26
50-64	4	8.8	24	3	3	8	12	15	15	15
65 +	5	10.4	19	3	3	12	13	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	6.4	94	1	1	4	7	10	16	61
20-34	324	6.4	50	1	2	5	7	12	15	43
35-49	195	6.9	24	1	2	6	9	12	15	22
50-64	276	8.4	44	2	2	7	11	16	21	34
65 +	1408	12.0	104	3	4	9	15	22	32	60
B. Operated										
0-19 YRS	59	13.1	143	2	3	10	17	28	40	60
20-34	181	12.2	170	2	2	8	16	24	38	91
35-49	76	13.6	102	2	3	12	17	29	40	86
50-64	66	17.7	256	3	5	12	21	39	50	83
65 +	196	23.0	351	5	7	17	31	57	74	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	707	5.6	25	1	1	5	7	11	14	24
B. Operated	75	9.7	3[illegible]	2	3	9	13	19	23	26
2. MULTIPLE DX										
A. Not Operated	2304	10.1	88	2	3	8	12	19	27	54
B. Operated	578	16.8	251	2	4	12	21	38	57	98
1. SINGLE DX	782	6.0	28	1	1	5	7	12	15	25
2. MULTIPLE DX	2882	11.4	127	2	3	8	14	23	34	69
A. Not Operated	3011	9.0	77	1	2	7	11	18	24	48
B. Operated	653	16.0	231	2	3	12	20	35	51	96
TOTAL										
0-19 YRS	320	6.5	74	1	1	4	7	13	23	49
20-34	753	7.6	76	1	2	5	9	15	21	44
35-49	401	7.8	50	1	2	6	9	15	21	45
50-64	436	9.4	90	1	2	7	11	18	25	50
65 +	1754	12.8	139	3	4	9	15	24	38	77
GRAND TOTAL	**3664**	**10.3**	**111**	**2**	**2**	**7**	**13**	**20**	**30**	**64**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	4.3	4	2	2	5	6	6	6	6
20-34	10	2.6	3	< 1	< 1	2	4	5	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	7	15.4	45	4	5	18	20	21	21	21
20-34	9	14.7	84	6	6	12	17	30	34	34
35-49	3	8.0	49	1	1	8	13	15	15	15
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	19.2	391	2	2	16	25	53	53	53
20-34	10	23.0	659	1	1	10	42	63	77	77
35-49	9	20.4	546	< 1	1	7	46	55	58	58
50-64	10	7.6	34	2	2	7	10	16	22	22
65 +	18	13.9	390	3	[illegible]	8	13	68	91	99 +
B. Operated										
0-19 YRS	17	25.1	384	3	4	25	45	87	99 +	99 +
20-34	51	30.2	535	8	10	25	49	96	99 +	99 +
35-49	16	36.7	538	9	11	41	57	96	99 +	99 +
50-64	13	30.3	423	10	10	25	51	74	94	99 +
65 +	11	25.7	247	9	10	21	37	51	53	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.4	5	< 1	1	3	[illegible]	[illegible]	7	8
B. Operated	20	13.4	67	2	3	12	[illegible]	[illegible]	29	34
2. MULTIPLE DX										
A. Not Operated	52	16.1	398	2	2	8	[illegible]	[illegible]	74	99
B. Operated	108	29.9	465	7	10	25	51	[illegible]	99 +	99 +
1. SINGLE DX	40	8.4	61	1	1	[illegible]	12	20	23	34
2. MULTIPLE DX	160	25.4	483	3	4	19	45	77	99 +	99 +
A. Not Operated	72	12.6	320	1	2	6	12	49	57	95
B. Operated	128	27.3	439	5	8	24	45	80	99 +	99 +
TOTAL										
0-19 YRS	35	18.8	294	2	3	17	[illegible]	[illegible]	[illegible]	99 +
20-34	80	24.1	515	1	3	19	[illegible]	[illegible]	[illegible]	99 +
35-49	29	27.5	574	1	3	19	51	[illegible]	[illegible]	99 +
50-64	26	18.3	367	2	2	10	26	[illegible]	75	99 +
65 +	30	18.1	350	3	4	11	26	52	79	99 +
GRAND TOTAL	**200**	**22.0**	**445**	**2**	**3**	**15**	**37**	**67**	**99 +**	**99 +**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.7	1	< 1	1	1	2	3	4	4
20-34	47	2.4	2	1	1	2	3	5	5	6
35-49	66	2.6	5	< 1	1	2	3	5	6	13
50-64	58	3.0	3	1	1	3	4	6	7	8
65 +	59	3.3	4	1	1	3	5	6	7	8
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	3.1	5	< 1	1	3	4	6	9	10
20-34	229	3.6	8	1	1	3	4	7	9	16
35-49	302	4.2	12	1	1	3	5	9	11	17
50-64	352	5.4	26	1	2	4	7	10	13	18
65 +	901	8.3	70	2	2	6	10	16	22	70
B. Operated										
0-19 YRS	26	6.3	22	1	1	6	7	13	15	20
20-34	75	7.8	26	2	2	7	11	14	18	26
35-49	92	8.9	63	2	2	7	11	21	23	41
50-64	105	9.6	62	2	3	7	11	18	23	46
65 +	160	16.3	258	3	3	11	21	38	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	252	2.8	4	1	1	2	4	5	6	10
B. Operated	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	1839	6.3	46	1	2	5	8	12	17	38
B. Operated	458	11.3	136	2	3	9	13	23	35	97
1. SINGLE DX	254	2.8	4	1	1	2	4	5	7	10
2. MULTIPLE DX	2297	7.3	68	1	2	5	9	14	21	58
A. Not Operated	2091	5.9	43	1	1	4	7	12	16	35
B. Operated	460	11.3	135	2	3	9	13	23	34	96
TOTAL										
0-19 YRS	103	3.6	11	1	1	3	5	8	11	17
20-34	352	4.3	14	1	1	3	5	9	12	21
35-49	460	4.9	25	1	1	3	6	10	14	23
50-64	516	6.0	34	1	2	4	7	11	14	31
65 +	1120	9.2	103	2	2	6	11	19	28	82
GRAND TOTAL	**2551**	**6.9**	**64**	**1**	**2**	**5**	**9**	**14**	**20**	**55**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	4.5	8	1	1	4	7	9	10	12
20-34	51	6.7	38	1	2	6	9	12	15	35
35-49	25	7.1	29	1	2	6	9	12	21	23
50-64	49	7.6	40	2	3	5	10	16	21	33
65 +	137	9.2	42	2	3	8	12	16	20	37
B. Operated										
0-19 YRS	4	6.3	37	1	1	4	10	15	15	15
20-34	14	10.0	79	1	1	6	15	26	28	29
35-49	2	14.5	13	12	12	14	17	17	17	17
50-64	1	32.0		32	32	32	32	32	32	32
65 +	6	12.5	97	3	3	9	21	27	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	8.9	82	1	2	7	10	17	31	47
20-34	165	10.2	75	2	3	8	13	21	25	56
35-49	91	10.8	108	2	2	7	13	23	29	53
50-64	159	11.7	112	3	4	9	14	23	27	62
65 +	1230	14.9	152	4	5	12	18	29	43	99 +
B. Operated										
0-19 YRS	71	16.7	179	4	4	12	22	36	45	62
20-34	126	21.4	325	5	6	14	33	54	67	99 +
35-49	78	28.5	470	5	7	21	40	61	73	92
50-64	47	24.8	299	4	6	24	40	55	72	99 +
65 +	195	24.9	302	7	8	21	35	58	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	312	7.6	37	1	2	6	10	14	20	34
B. Operated	27	11.1	85	1	2	9	17	28	29	32
2. MULTIPLE DX										
A. Not Operated	1738	13.6	139	3	4	11	17	26	37	99
B. Operated	517	23.4	325	5	6	18	34	54	72	99 +
1. SINGLE DX	339	7.9	42	1	2	6	10	15	21	33
2. MULTIPLE DX	2255	15.9	199	3	4	12	20	36	51	99 +
A. Not Operated	2050	12.7	128	2	3	10	16	25	36	91
B. Operated	544	22.8	320	5	6	18	33	53	71	99 +
TOTAL										
0-19 YRS	218	10.4	117	1	2	7	12	26	34	52
20-34	356	13.7	192	2	3	9	17	34	48	98
35-49	196	17.4	322	2	3	11	22	42	57	83
50-64	256	13.4	164	3	4	9	16	32	44	77
65 +	1568	15.7	175	4	5	12	20	32	48	99 +
GRAND TOTAL	**2594**	**14.8**	**186**	**3**	**4**	**11**	**19**	**33**	**47**	**99 +**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	2.9	22	< 1	< 1	1	3	5	12	30
20-34	28	2.0	1	< 1	< 1	2	3	4	5	5
35-49	18	2.7	9	< 1	< 1	2	3	4	10	14
50-64	23	3.0	5	< 1	1	2	4	5	8	11
65 +	46	4.2	17	< 1	< 1	3	6	10	12	20
B. Operated										
0-19 YRS	619	3.0	12	1	1	2	3	7	11	18
20-34	83	3.3	11	1	1	2	4	7	9	19
35-49	82	3.9	30	1	1	3	4	7	9	37
50-64	118	4.0	12	1	1	3	5	8	11	18
65 +	121	5.8	44	1	1	4	7	12	15	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	5.0	27	< 1	1	3	7	11	19	21
20-34	25	5.2	30	< 1	1	3	6	11	18	23
35-49	17	5.6	25	< 1	1	4	7	12	18	21
50-64	60	7.3	86	1	1	4	11	15	22	58
65 +	483	10.7	168	1	2	7	13	24	39	94
B. Operated										
0-19 YRS	229	5.8	49	1	1	3	7	16	21	28
20-34	146	7.3	58	1	2	5	9	15	24	43
35-49	103	6.4	74	1	1	4	7	14	19	51
50-64	224	7.4	69	1	2	5	9	14	23	37
65 +	630	11.9	155	1	2	8	16	29	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	3.1	15	< 1	< 1	2	3	6	11	22
B. Operated	1023	3.6	18	1	1	2	4	8	12	19
2. MULTIPLE DX										
A. Not Operated	629	9.6	145	1	2	6	12	21	31	78
B. Operated	1332	9.2	112	1	2	5	11	22	33	68
1. SINGLE DX	1219	3.5	18	1	1	2	4	8	12	20
2. MULTIPLE DX	1961	9.3	123	1	2	6	11	22	32	70
A. Not Operated	825	8.1	122	1	1	5	10	19	27	69
B. Operated	2355	6.7	79	1	1	4	8	16	23	55
TOTAL										
0-19 YRS	973	3.8	24	1	1	2	4	9	15	23
20-34	282	5.4	40	1	1	3	7	11	16	35
35-49	220	5.1	50	1	1	3	5	10	16	39
50-64	425	6.2	55	1	1	4	7	12	17	32
65 +	1280	10.6	149	1	2	7	13	24	38	98
GRAND TOTAL	**3180**	**7.1**	**91**	**1**	**1**	**4**	**8**	**16**	**24**	**57**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.8	1	1	1	1	2	4	4	6
20-34	25	2.2	2	< 1	1	2	3	4	5	6
35-49	7	1.6	1	1	1	1	2	3	3	3
50-64	19	2.7	13	< 1	1	1	3	7	12	15
65 +	5	1.6	2	1	1	1	2	4	4	4
B. Operated										
0-19 YRS	1180	1.7	3	< 1	1	1	2	3	4	8
20-34	361	2.8	6	1	1	2	4	5	7	13
35-49	286	2.4	3	< 1	1	2	3	5	6	11
50-64	290	2.3	4	< 1	1	2	3	4	5	10
65 +	303	2.9	11	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.1	6	< 1	1	2	4	7	9	10
20-34	42	3.1	11	< 1	1	2	4	6	8	20
35-49	24	5.3	27	1	1	3	7	15	17	19
50-64	30	5.4	44	< 1	< 1	3	7	15	17	30
65 +	79	9.0	80	2	2	6	11	21	34	38
B. Operated										
0-19 YRS	293	3.7	31	1	1	2	4	7	11	34
20-34	334	6.2	52	1	1	4	8	12	19	39
35-49	238	5.9	56	1	1	4	7	13	17	38
50-64	339	5.1	58	1	1	3	5	9	18	41
65 +	606	7.3	103	1	1	4	8	15	23	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.1	4	1	1	1	2	4	5	12
B. Operated	2420	2.2	5	< 1	1	1	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	208	5.9	49	1	1	3	7	13	21	36
B. Operated	1810	5.9	69	1	1	3	6	12	20	45
1. SINGLE DX	2513	2.2	5	< 1	1	1	3	4	5	10
2. MULTIPLE DX	2018	5.9	67	1	1	3	6	12	20	41
A. Not Operated	301	4.7	38	1	1	2	5	11	17	34
B. Operated	4230	3.8	35	1	1	2	4	7	12	29
TOTAL										
0-19 YRS	1543	2.1	9	< 1	1	1	2	4	6	12
20-34	762	4.3	29	1	1	3	5	9	12	25
35-49	555	4.0	30	1	1	3	4	8	13	29
50-64	678	3.9	35	1	1	2	4	7	11	30
65 +	993	6.1	77	1	1	3	6	13	21	45
GRAND TOTAL	**4531**	**3.8**	**36**	**1**	**1**	**2**	**4**	**8**	**12**	**30**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.3	4	< 1	< 1	2	2	5	8	9
20-34	24	2.8	10	< 1	1	2	3	6	12	13
35-49	8	3.5	4	1	1	4	5	6	7	7
50-64	7	3.1	9	< 1	< 1	1	5	8	9	9
65 +	4	3.0	5	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	287	1.7	2	< 1	< 1	1	2	3	4	8
20-34	375	1.9	2	< 1	< 1	1	2	4	5	9
35-49	168	2.2	9	< 1	< 1	1	2	4	5	10
50-64	98	2.2	11	< 1	< 1	1	2	4	5	21
65 +	18	2.3	3	< 1	< 1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	2.9	6	< 1	< 1	2	3	7	8	11
20-34	32	4.0	37	< 1	< 1	2	4	9	22	26
35-49	12	3.0	5	1	1	2	4	7	8	8
50-64	16	2.5	6	1	1	2	3	6	9	10
65 +	22	4.4	23	< 1	1	3	4	8	15	24
B. Operated										
0-19 YRS	138	3.3	14	< 1	1	2	4	8	10	20
20-34	295	3.1	13	< 1	1	2	4	6	8	26
35-49	188	3.6	24	1	1	2	4	7	11	30
50-64	114	3.4	10	1	1	2	4	8	9	18
65 +	87	5.4	95	1	1	3	5	13	21	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.8	7	< 1	1	2	4	6	9	13
B. Operated	946	1.9	4	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	110	3.5	18	< 1	< 1	2	4	7	10	25
B. Operated	822	3.5	24	< 1	1	2	4	7	10	25
1. SINGLE DX	1006	2.0	4	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX	932	3.5	24	< 1	1	2	4	7	10	25
A. Not Operated	170	3.2	14	< 1	1	2	4	6	9	24
B. Operated	1768	2.7	14	< 1	< 1	2	3	5	8	20
TOTAL										
0-19 YRS	470	2.2	6	< 1	< 1	1	2	5	8	12
20-34	726	2.5	9	< 1	< 1	2	3	5	7	15
35-49	376	2.9	16	< 1	1	2	3	6	8	23
50-64	235	2.8	11	< 1	1	2	3	6	8	17
65 +	131	4.7	68	< 1	1	3	4	9	20	38
GRAND TOTAL	**1938**	**2.7**	**14**	**< 1**	**< 1**	**2**	**3**	**5**	**8**	**20**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	8.3	69	< 1	1	5	15	20	26	29
20-34	6	3.7	5	1	1	4	6	6	6	6
35-49	6	8.7	93	3	3	5	8	26	28	28
50-64	16	9.6	144	< 1	< 1	6	11	17	41	51
65 +	75	8.3	45	< 1	1	6	13	19	22	27
B. Operated										
0-19 YRS	85	8.6	68	2	2	6	10	20	24	46
20-34	42	9.5	28	3	4	8	12	18	19	25
35-49	55	9.3	22	3	5	8	11	16	20	23
50-64	218	10.2	20	5	6	9	13	15	17	31
65 +	1013	14.5	51	7	8	13	17	22	28	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	16.9	378	1	2	9	34	81	99 +	99 +
20-34	9	11.8	263	< 1	< 1	3	18	40	48	48
35-49	12	14.1	244	2	3	5	21	37	52	54
50-64	40	14.2	240	1	2	10	16	32	54	71
65 +	579	15.4	204	3	4	11	20	37	50	99 +
B. Operated										
0-19 YRS	74	16.5	222	4	5	12	20	33	60	95
20-34	99	15.7	115	6	7	12	17	33	38	54
35-49	150	15.9	196	5	6	11	18	28	39	80
50-64	671	16.9	157	6	7	13	19	32	44	94
65 +	8510	20.6	199	8	9	16	25	40	57	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	8.2	62	< 1	1	6	12	19	24	33
B. Operated	1413	13.1	50	5	6	12	16	21	26	40
2. MULTIPLE DX										
A. Not Operated	659	15.3	212	2	3	11	20	37	54	99 +
B. Operated	9504	20.2	196	7	9	16	24	39	56	99 +
1. SINGLE DX	1543	12.7	53	4	5	12	16	21	25	40
2. MULTIPLE DX	10163	19.8	199	7	8	16	24	39	56	99 +
A. Not Operated	789	14.1	194	1	3	10	19	33	49	99 +
B. Operated	10917	19.2	183	7	8	15	23	37	52	99 +
TOTAL										
0-19 YRS	205	12.2	166	1	2	8	17	26	45	99 +
20-34	156	13.4	105	2	5	11	16	27	37	48
35-49	223	14.0	160	4	5	10	16	25	33	77
50-64	945	15.1	137	5	7	12	17	28	41	91
65 +	10177	19.6	188	7	8	16	23	37	54	99 +
GRAND TOTAL	**11706**	**18.9**	**185**	**6**	**8**	**15**	**23**	**36**	**52**	**99 +**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	226	18.4	214	1	2	17	27	39	46	62
20-34	3	11.7	254	< 1	< 1	4	23	30	30	30
35-49	6	11.8	175	1	1	7	15	35	37	37
50-64	8	18.0	530	1	1	9	26	58	65	65
65 +	21	19.4	316	1	2	13	31	55	79	99 +
B. Operated										
0-19 YRS	313	12.8	166	1	2	7	20	31	39	53
20-34	83	11.9	113	1	3	9	15	23	28	60
35-49	25	12.8	70	2	5	10	16	26	30	34
50-64	19	13.0	63	1	3	13	16	24	29	33
65 +	49	15.1	75	3	6	14	21	27	30	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	153	21.2	344	1	2	20	27	44	68	97
20-34	19	16.4	182	1	2	14	32	40	72	99 +
35-49	16	26.2	642	3	5	18	53	80	94	99 +
50-64	27	25.3	669	1	3	13	42	68	74	90
65 +	218	19.8	438	2	3	12	26	58	81	99 +
B. Operated										
0-19 YRS	370	19.3	227	2	4	15	27	41	49	69
20-34	305	18.8	223	4	6	14	23	37	53	99
35-49	109	20.0	195	3	5	16	27	40	51	78
50-64	113	24.3	405	5	7	17	29	59	71	94
65 +	452	23.9	318	6	8	19	29	53	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	264	18.2	228	1	2	17	27	40	47	65
B. Operated	489	12.9	139	1	2	9	19	29	37	52
2. MULTIPLE DX										
A. Not Operated	433	20.7	415	1	3	15	28	57	75	99 +
B. Operated	1349	21.2	274	4	6	17	27	46	63	99 +
1. SINGLE DX	753	14.8	176	1	2	11	22	33	42	61
2. MULTIPLE DX	1782	21.1	308	2	5	17	27	49	66	99 +
A. Not Operated	697	19.8	345	1	2	16	27	47	66	99 +
B. Operated	1836	19.0	251	2	4	15	25	41	56	99 +
TOTAL										
0-19 YRS	1062	17.5	232	1	2	15	25	38	47	69
20-34	410	17.2	205	2	5	13	22	35	49	99
35-49	156	19.2	229	2	4	15	25	40	59	98
50-64	167	22.9	422	2	5	15	28	59	69	91
65 +	740	22.0	343	4	6	17	28	53	75	99 +
GRAND TOTAL	**2535**	**19.2**	**277**	**2**	**3**	**15**	**25**	**43**	**59**	**99 +**

295 Hospitals, Northeastern Region, January-December 1987

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	160	2.7	6	< 1	1	2	3	6	8	11
20-34	67	2.7	3	< 1	1	2	4	6	6	9
35-49	51	3.3	12	1	1	2	4	7	10	17
50-64	32	4.8	8	1	1	5	6	9	10	12
65 +	49	8.0	57	1	2	7	10	15	18	47
B. Operated										
0-19 YRS	560	3.3	9	1	1	2	4	6	10	16
20-34	431	5.3	17	1	1	4	7	11	14	19
35-49	284	5.5	17	1	2	5	7	10	12	20
50-64	204	6.7	32	1	2	5	8	12	15	30
65 +	84	8.4	40	2	2	7	11	17	23	78
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	3.7	15	< 1	1	3	4	9	11	21
20-34	72	5.0	32	1	1	3	6	12	18	31
35-49	63	6.9	30	1	2	5	10	16	18	24
50-64	88	9.7	130	1	2	6	11	23	28	68
65 +	247	12.7	151	2	3	9	16	26	36	63
B. Operated										
0-19 YRS	329	8.9	118	1	1	5	10	18	28	67
20-34	466	11.4	152	2	2	8	14	22	38	94
35-49	313	14.0	228	2	3	9	16	34	48	89
50-64	275	15.2	260	2	3	10	18	33	51	98
65 +	362	16.7	226	3	4	13	21	39	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	359	3.7	16	1	1	2	5	8	11	17
B. Operated	1563	5.0	19	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. Not Operated	539	9.3	112	1	1	6	11	21	27	53
B. Operated	1745	13.1	199	2	2	9	16	28	44	98
1. SINGLE DX	1922	4.7	19	1	1	3	6	10	12	20
2. MULTIPLE DX	2284	12.2	181	1	2	8	15	27	41	90
A. Not Operated	898	7.1	81	1	1	4	9	17	23	47
B. Operated	3308	9.2	130	1	1	6	11	20	31	76
TOTAL										
0-19 YRS	1118	4.9	48	1	1	3	5	10	15	37
20-34	1036	7.9	88	1	1	5	9	17	22	63
35-49	711	9.2	129	1	2	6	10	18	29	71
50-64	599	10.9	166	1	2	7	12	23	34	84
65 +	742	13.8	178	2	3	10	17	29	48	99 +
GRAND TOTAL	**4206**	**8.8**	**121**	**1**	**1**	**5**	**11**	**19**	**28**	**70**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	2.8	10	< 1	1	2	3	6	6	21
20-34	101	3.4	10	< 1	1	3	4	6	8	18
35-49	83	4.1	24	< 1	1	3	5	8	10	31
50-64	38	3.6	11	1	1	3	4	9	11	15
65 +	38	5.8	25	< 1	1	4	9	12	16	22
B. Operated										
0-19 YRS	621	3.2	9	1	1	3	4	6	7	18
20-34	952	3.9	12	1	1	3	5	7	9	15
35-49	817	4.4	8	1	1	4	6	8	10	13
50-64	636	4.7	8	1	2	4	6	8	10	13
65 +	353	6.5	57	2	2	5	8	11	13	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	6.3	204	1	1	2	4	9	33	77
20-34	110	4.7	17	< 1	1	4	6	9	11	25
35-49	86	5.9	63	1	1	4	6	12	17	47
50-64	95	7.0	57	1	2	5	8	14	18	43
65 +	248	9.5	124	1	2	6	11	20	30	75
B. Operated										
0-19 YRS	332	5.5	31	1	1	4	7	11	16	31
20-34	767	6.9	56	1	2	5	8	13	21	44
35-49	668	6.9	57	1	2	5	8	13	20	42
50-64	704	8.7	79	2	3	6	10	18	25	48
65 +	809	11.4	118	3	3	8	13	23	38	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	342	3.7	16	< 1	1	3	4	8	11	21
B. Operated	3379	4.3	15	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	607	7.4	98	1	1	5	8	15	23	60
B. Operated	3280	8.3	78	1	2	6	9	17	25	52
1. SINGLE DX	3721	4.3	15	1	1	4	5	8	10	16
2. MULTIPLE DX	3887	8.1	81	1	2	5	9	16	25	53
A. Not Operated	949	6.0	71	1	1	4	7	12	18	52
B. Operated	6659	6.3	50	1	2	4	7	12	18	41
TOTAL										
0-19 YRS	1103	4.1	29	1	1	3	5	7	10	27
20-34	1930	5.1	32	1	1	4	6	9	13	30
35-49	1654	5.5	33	1	2	4	6	10	13	33
50-64	1473	6.7	49	2	2	5	8	12	18	40
65 +	1448	9.7	106	2	3	7	11	19	28	62
GRAND TOTAL	**7608**	**6.2**	**53**	**1**	**1**	**4**	**7**	**12**	**18**	**42**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	4.4	22	1	1	3	5	11	17	18
20-34	16	1.8	1	< 1	1	2	2	3	4	4
35-49	6	1.2		< 1	< 1	1	1	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	18	1.9	1	< 1	1	2	2	3	4	4
20-34	17	2.9	23	< 1	< 1	2	3	4	15	21
35-49	6	4.3	28	1	1	2	3	14	15	15
50-64	3	4.3	17	1	1	3	7	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	2.6	4	< 1	1	2	3	5	7	10
20-34	93	3.5	10	1	1	3	4	6	9	19
35-49	40	3.4	7	1	1	3	4	6	7	16
50-64	28	5.6	15	2	2	5	8	10	13	18
65 +	68	9.8	181	1	2	6	13	24	65	99 +
B. Operated										
0-19 YRS	27	3.8	11	1	1	3	5	8	11	16
20-34	43	6.1	36	1	2	4	7	15	20	27
35-49	18	5.6	27	1	2	4	7	9	18	24
50-64	18	9.3	127	< 1	1	4	13	25	37	43
65 +	19	12.8	175	1	2	12	17	74	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.6	9	< 1	1	2	3	4	8	18
B. Operated	44	2.8	14	< 1	1	2	3	4	11	21
2. MULTIPLE DX										
A. Not Operated	284	5.0	57	1	1	3	6	10	16	79
B. Operated	125	7.0	70	1	1	4	9	17	27	99 +
1. SINGLE DX	82	2.7	12	< 1	1	2	3	4	9	20
2. MULTIPLE DX	409	5.6	62	1	1	3	6	13	20	92
A. Not Operated	322	4.7	52	1	1	3	5	10	15	71
B. Operated	169	5.9	58	1	1	3	7	16	24	91
TOTAL										
0-19 YRS	113	3.0	8	1	1	2	3	6	9	17
20-34	169	3.9	18	1	1	3	4	8	12	24
35-49	70	3.8	15	1	1	3	4	7	10	22
50-64	50	6.8	57	1	1	4	9	15	20	43
65 +	89	10.3	177	1	2	6	14	25	84	99 +
GRAND TOTAL	**491**	**5.1**	**55**	**1**	**1**	**3**	**6**	**12**	**18**	**77**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	9.7	54	4	4	7	15	18	18	18
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.5	58	< 1	< 1	2	3	14	26	27
20-34	7	7.9	12	2	3	8	11	12	12	12
35-49	6	14.5	113	5	5	11	26	29	29	29
50-64	3	22.0	597	5	5	11	40	50	50	50
65 +	2	7.5	41	3	3	7	12	12	12	12
B. Operated										
0-19 YRS	11	18.2	277	3	4	16	24	45	58	59
20-34	23	20.1	317	3	4	16	27	56	79	99 +
35-49	13	20.7	597	1	3	12	21	69	78	80
50-64	10	28.7	331	7	9	26	35	58	63	63
65 +	5	10.4	74	4	4	5	16	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.3	31	1	1	4	6	15	18	18
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	29	9.4	121	1	1	6	11	27	30	50
B. Operated	62	20.5	351	3	4	15	26	55	67	97
1. SINGLE DX	9	4.8	29	1	1	4	5	14	18	18
2. MULTIPLE DX	91	16.9	303	1	2	11	25	51	63	92
A. Not Operated	37	8.5	103	1	1	5	11	24	28	50
B. Operated	63	20.2	352	2	4	15	26	55	67	97
TOTAL										
0-19 YRS	26	10.0	186	< 1	1	4	16	27	40	59
20-34	31	16.7	270	1	3	12	25	53	68	99 +
35-49	22	17.5	391	3	4	10	20	40	72	80
50-64	13	27.2	356	5	7	24	39	56	62	63
65 +	8	8.6	57	2	2	5	13	21	24	24
GRAND TOTAL	**100**	**15.9**	**290**	**1**	**2**	**10**	**24**	**41**	**61**	**90**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	2.3	3	< 1	< 1	2	4	5	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	59	2.1	2	< 1	1	2	3	4	5	6
20-34	177	2.1	1	< 1	1	2	3	4	4	5
35-49	50	2.0	1	< 1	< 1	2	3	4	4	4
50-64	20	2.2	4	< 1	< 1	1	3	5	7	9
65 +	25	2.9	19	< 1	< 1	1	3	7	11	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	16	3.1	7	< 1	< 1	2	5	6	9	10
35-49	6	2.7	3	< 1	< 1	2	4	5	5	5
50-64	6	6.8	82	1	1	2	10	23	24	24
65 +	9	7.6	24	2	2	5	12	14	15	15
B. Operated										
0-19 YRS	10	2.8	1	1	1	3	4	4	4	4
20-34	41	2.6	2	1	1	2	4	4	5	8
35-49	34	3.4	8	< 1	1	2	4	9	10	10
50-64	23	3.9	22	< 1	1	2	5	8	14	22
65 +	61	6.6	124	1	1	4	7	13	22	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.2	2	< 1	< 1	2	3	5	5	5
B. Operated	331	2.2	3	< 1	< 1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	39	4.7	24	< 1	< 1	3	6	11	14	24
B. Operated	169	4.4	52	1	1	3	4	9	12	24
1. SINGLE DX	346	2.2	3	< 1	< 1	2	3	4	4	7
2. MULTIPLE DX	208	4.4	47	1	1	3	5	10	13	24
A. Not Operated	54	4.0	19	< 1	< 1	2	5	10	13	24
B. Operated	500	2.9	21	< 1	1	2	3	5	7	22
TOTAL										
0-19 YRS	72	2.2	2	< 1	1	2	3	4	5	6
20-34	243	2.3	2	< 1	1	2	3	4	4	6
35-49	92	2.5	4	< 1	< 1	2	3	5	7	10
50-64	51	3.5	22	< 1	< 1	2	4	8	10	24
65 +	96	5.7	88	< 1	1	3	6	13	20	55
GRAND TOTAL	**554**	**3.0**	**20**	**<1**	**1**	**2**	**4**	**5**	**8**	**22**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.7	3	1	1	2	5	5	5	5
20-34	4	1.8	2	< 1	< 1	1	3	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	2.8	6	1	1	2	4	6	6	6
65 +	0									
B. Operated										
0-19 YRS	193	2.4	7	< 1	< 1	2	3	4	5	8
20-34	389	1.9	2	< 1	< 1	1	2	4	5	7
35-49	222	1.9	3	< 1	< 1	1	2	4	5	9
50-64	83	2.0	3	< 1	< 1	1	2	4	6	9
65 +	19	3.1	7	< 1	< 1	2	5	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.3	2	< 1	< 1	2	3	4	5	5
20-34	7	1.7	2	< 1	< 1	1	3	4	4	4
35-49	8	1.9	2	< 1	< 1	1	3	4	4	4
50-64	5	1.8	1	< 1	< 1	1	3	3	3	3
65 +	7	7.1	26	2	2	5	10	15	16	16
B. Operated										
0-19 YRS	158	2.4	5	< 1	< 1	2	3	5	6	13
20-34	384	2.4	4	< 1	< 1	2	3	5	6	9
35-49	264	2.2	4	< 1	< 1	1	3	5	7	8
50-64	203	2.2	7	< 1	< 1	1	2	4	8	16
65 +	102	4.9	150	< 1	1	2	3	10	21	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.3	3	< 1	1	2	3	5	6	6
B. Operated	906	2.1	4	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	37	2.9	10	< 1	< 1	2	3	5	10	16
B. Operated	1111	2.6	19	< 1	< 1	1	3	5	7	15
1. SINGLE DX	922	2.1	4	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX	1148	2.6	18	< 1	< 1	2	3	5	7	15
A. Not Operated	53	2.8	8	< 1	< 1	2	3	5	9	16
B. Operated	2017	2.3	12	< 1	< 1	1	3	5	6	12
TOTAL										
0-19 YRS	367	2.4	6	< 1	< 1	2	3	5	6	11
20-34	784	2.1	3	< 1	< 1	1	3	5	6	8
35-49	496	2.1	4	< 1	< 1	1	2	5	6	8
50-64	295	2.2	6	< 1	< 1	1	2	4	7	15
65 +	128	4.8	123	< 1	1	2	4	10	16	92
GRAND TOTAL	**2070**	**2.3**	**12**	**<1**	**<1**	**1**	**3**	**5**	**6**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.8	15	< 1	< 1	1	3	6	13	18
20-34	27	5.0	13	1	1	4	8	10	13	13
35-49	20	5.5	18	< 1	1	5	8	10	14	18
50-64	11	9.5	53	1	2	8	13	20	26	27
65 +	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
0-19 YRS	112	4.0	37	< 1	1	1	4	11	20	31
20-34	133	2.6	8	< 1	< 1	2	3	5	7	18
35-49	70	2.9	9	< 1	1	2	4	6	7	19
50-64	36	3.4	12	< 1	1	2	5	7	12	15
65 +	22	3.4	8	1	1	3	5	7	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.9	10	< 1	1	5	7	8	12	13
20-34	92	5.5	7	< 1	2	6	7	9	10	12
35-49	65	8.1	38	2	4	7	10	14	17	42
50-64	31	8.5	32	2	3	7	11	16	23	23
65 +	23	8.0	85	1	2	6	9	11	24	48
B. Operated										
0-19 YRS	95	7.5	79	1	1	4	9	18	24	46
20-34	160	7.5	78	< 1	1	5	10	18	27	62
35-49	88	8.0	121	1	1	4	11	19	33	92
50-64	65	8.1	115	1	1	5	9	23	38	94
65 +	56	8.2	64	1	1	5	11	21	24	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	4.9	23	< 1	1	3	7	11	15	24
B. Operated	373	3.2	17	< 1	1	2	4	7	11	23
2. MULTIPLE DX										
A. Not Operated	235	6.8	28	1	2	6	8	11	13	26
B. Operated	464	7.8	89	1	1	5	10	19	28	65
1. SINGLE DX	460	3.5	19	< 1	1	2	4	8	12	23
2. MULTIPLE DX	699	7.5	69	1	1	5	9	15	23	50
A. Not Operated	322	6.3	28	1	1	6	8	11	14	24
B. Operated	837	5.8	62	< 1	1	3	7	13	22	39
TOTAL										
0-19 YRS	257	5.3	51	< 1	1	3	6	13	20	37
20-34	412	5.3	40	< 1	1	4	7	11	15	35
35-49	243	6.4	63	1	1	4	8	13	19	47
50-64	143	7.1	70	1	1	5	9	15	25	65
65 +	104	7.0	58	1	1	5	8	18	23	42
GRAND TOTAL	**1159**	**5.9**	**53**	**< 1**	**1**	**4**	**7**	**12**	**20**	**38**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.8	2	< 1	< 1	1	2	4	6	6
20-34	15	2.3	4	< 1	< 1	2	3	3	8	9
35-49	10	2.8	4	< 1	< 1	2	5	6	6	6
50-64	8	2.0	1	1	1	2	3	3	3	3
65 +	4	4.0	11	2	2	3	6	9	9	9
B. Operated										
0-19 YRS	202	3.0	3	< 1	< 1	3	4	5	6	8
20-34	310	3.3	3	< 1	1	3	5	6	6	9
35-49	84	3.5	3	< 1	1	3	5	6	7	8
50-64	31	4.6	14	1	2	4	5	9	10	21
65 +	20	5.2	19	1	1	4	6	8	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.7	4	< 1	< 1	2	4	6	8	8
20-34	30	2.9	5	< 1	< 1	2	3	6	8	10
35-49	19	4.0	27	< 1	< 1	2	4	14	17	18
50-64	25	4.8	8	1	2	5	6	6	12	13
65 +	66	8.0	55	1	2	6	11	16	26	90
B. Operated										
0-19 YRS	259	3.6	6	< 1	1	3	5	6	7	11
20-34	494	4.1	9	< 1	1	4	5	7	8	15
35-49	178	4.3	13	< 1	1	4	5	8	11	22
50-64	45	5.0	15	1	1	4	7	11	12	19
65 +	48	8.3	25	1	2	8	11	14	17	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	2.4	4	< 1	< 1	2	3	5	6	9
B. Operated	647	3.4	4	< 1	< 1	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	153	5.5	34	< 1	1	4	7	12	16	44
B. Operated	1024	4.3	11	< 1	1	4	5	7	10	18
1. SINGLE DX	696	3.3	4	< 1	< 1	3	4	6	7	9
2. MULTIPLE DX	1177	4.4	14	< 1	1	4	5	8	11	19
A. Not Operated	202	4.8	29	< 1	1	3	6	11	15	38
B. Operated	1671	3.9	8	< 1	1	4	5	7	8	15
TOTAL										
0-19 YRS	486	3.3	5	< 1	< 1	3	4	6	7	10
20-34	849	3.8	7	< 1	1	3	5	6	8	13
35-49	291	4.0	11	< 1	1	4	5	7	8	19
50-64	109	4.6	12	1	1	4	6	9	12	20
65 +	138	7.6	39	1	2	6	10	15	19	50
GRAND TOTAL	**1873**	**4.0**	**11**	**< 1**	**1**	**3**	**5**	**7**	**9**	**18**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.3	5	1	1	3	4	7	9	9
20-34	230	4.7	9	1	2	4	6	8	11	16
35-49	239	5.7	14	1	2	5	7	11	13	19
50-64	92	5.1	9	1	2	4	7	9	11	15
65 +	22	6.5	17	1	2	5	8	13	15	17
B. Operated										
0-19 YRS	0									
20-34	43	3.9	29	< 1	1	2	4	10	12	32
35-49	43	3.6	14	1	1	2	6	9	11	14
50-64	11	3.8	10	1	1	3	7	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	4.5	12	< 1	1	3	6	10	13	13
20-34	262	5.9	12	2	2	5	8	11	13	18
35-49	354	6.9	20	2	3	6	8	11	17	22
50-64	237	6.6	14	2	3	6	8	12	14	18
65 +	308	8.1	41	2	3	6	10	16	19	44
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	47	6.5	36	1	1	5	9	15	21	22
35-49	37	7.1	29	1	1	6	10	15	17	21
50-64	21	9.6	44	1	2	8	16	19	20	21
65 +	17	12.9	75	1	2	12	21	27	71	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	609	5.2	11	1	2	4	7	9	12	17
B. Operated	97	3.8	20	1	1	2	5	9	11	24
2. MULTIPLE DX										
A. Not Operated	1180	6.9	23	2	2	6	8	12	16	23
B. Operated	123	8.1	44	1	1	7	12	19	21	46
1. SINGLE DX	706	5.0	13	1	1	4	7	9	12	17
2. MULTIPLE DX	1303	7.0	25	2	2	6	9	13	17	25
A. Not Operated	1789	6.3	20	2	2	5	8	11	14	21
B. Operated	220	6.2	38	1	1	4	9	16	20	29
TOTAL										
0-19 YRS	46	3.8	8	1	1	3	5	8	10	13
20-34	582	5.3	15	1	2	4	7	10	13	19
35-49	673	6.3	19	1	2	5	8	11	15	21
50-64	361	6.3	15	2	2	6	8	11	14	19
65 +	347	8.2	42	2	3	7	11	16	20	46
GRAND TOTAL	**2009**	**6.3**	**22**	**1**	**2**	**5**	**8**	**12**	**15**	**22**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	2.7	15	< 1	1	2	3	5	8	24
20-34	195	4.3	14	1	1	3	6	9	12	20
35-49	157	5.2	15	1	1	4	7	10	12	14
50-64	83	4.5	9	1	1	4	6	8	10	15
65 +	10	4.5	7	1	1	4	6	8	9	9
B. Operated										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	65	2.4	9	1	1	1	2	7	9	15
35-49	41	2.3	6	< 1	1	1	3	5	7	13
50-64	8	2.8	10	1	1	2	3	8	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	3.3	6	1	1	2	5	7	8	13
20-34	571	5.5	14	1	2	5	7	10	12	17
35-49	508	6.0	14	1	2	6	8	10	13	17
50-64	269	6.3	16	1	2	6	8	12	13	19
65 +	220	7.2	55	1	2	6	9	13	18	40
B. Operated										
0-19 YRS	6	3.3	3	1	1	3	5	6	6	6
20-34	78	5.2	26	< 1	1	3	6	13	15	27
35-49	55	8.0	69	1	1	5	11	19	27	32
50-64	23	7.4	15	3	3	6	11	13	14	15
65 +	14	10.6	137	2	2	8	14	48	87	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	529	4.4	14	1	1	3	6	9	11	18
B. Operated	118	2.4	8	1	1	1	2	6	9	14
2. MULTIPLE DX										
A. Not Operated	1690	5.8	20	1	2	5	7	10	13	20
B. Operated	176	6.7	48	1	1	5	9	15	19	44
1. SINGLE DX	647	4.0	13	1	1	3	5	9	11	17
2. MULTIPLE DX	1866	5.9	23	1	2	5	8	11	14	22
A. Not Operated	2219	5.5	19	1	1	5	7	10	13	20
B. Operated	294	5.0	36	1	1	2	6	13	16	32
TOTAL										
0-19 YRS	216	3.0	9	1	1	2	4	6	8	15
20-34	909	5.0	16	1	1	4	7	9	12	18
35-49	761	5.8	19	1	1	5	8	10	13	26
50-64	383	5.9	15	1	1	5	8	11	13	18
65 +	244	7.3	58	1	2	6	9	14	18	53
GRAND TOTAL	**2513**	**5.4**	**21**	**1**	**1**	**5**	**7**	**10**	**13**	**21**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.3	3	< 1	< 1	1	3	5	6	7
20-34	57	3.0	9	< 1	1	2	4	6	7	19
35-49	29	2.2	2	1	1	2	3	3	6	6
50-64	23	2.0	1	< 1	1	2	3	3	4	4
65 +	15	4.2	6	1	2	3	6	8	9	10
B. Operated										
0-19 YRS	68	1.9	2	< 1	< 1	1	2	4	4	9
20-34	312	2.4	2	< 1	1	2	3	4	5	8
35-49	397	2.5	3	< 1	1	2	3	5	6	9
50-64	265	3.0	3	< 1	1	3	4	5	6	9
65 +	82	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.8	5	< 1	1	2	3	7	8	8
20-34	53	3.0	7	< 1	< 1	2	4	8	9	11
35-49	58	3.8	12	< 1	1	3	4	8	13	18
50-64	44	4.9	37	< 1	1	3	7	11	15	33
65 +	144	7.0	120	< 1	1	5	7	13	19	64
B. Operated										
0-19 YRS	30	2.7	10	1	1	2	2	6	12	14
20-34	100	2.7	4	< 1	1	2	3	5	7	10
35-49	170	3.3	8	1	1	3	4	5	9	13
50-64	320	4.4	16	1	2	3	5	8	10	23
65 +	207	6.5	65	1	2	4	7	11	19	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	2.7	6	< 1	1	2	3	6	6	11
B. Operated	1124	2.7	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	325	5.2	65	< 1	1	3	6	11	13	39
B. Operated	827	4.4	27	1	1	3	5	8	11	28
1. SINGLE DX	1274	2.7	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX	1152	4.6	37	1	1	3	5	9	12	30
A. Not Operated	475	4.4	47	< 1	1	3	5	8	12	22
B. Operated	1951	3.4	14	1	1	3	4	6	8	16
TOTAL										
0-19 YRS	150	2.3	5	< 1	1	2	3	5	7	12
20-34	522	2.6	4	< 1	1	2	3	5	6	10.
35-49	654	2.8	5	1	1	2	3	5	7	13
50-64	652	3.8	12	1	1	3	4	7	9	17
65 +	448	6.1	71	1	1	4	7	10	16	50
GRAND TOTAL	**2426**	**3.6**	**20**	**< 1**	**1**	**3**	**4**	**7**	**9**	**20**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1233	1.3	1	< 1	1	1	1	2	2	4
20-34	358	1.8	2	< 1	1	1	2	3	4	7
35-49	115	1.8	1	1	1	1	2	3	4	7
50-64	47	2.6	15	< 1	1	2	3	4	6	27
65 +	32	2.4	2	1	1	2	3	4	5	6
B. Operated										
0-19 YRS	8	1.5		< 1	< 1	1	2	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1504	1.9	3	< 1	1	1	2	4	4	9
20-34	1202	3.1	12	< 1	1	2	4	6	8	14
35-49	539	3.7	18	1	1	3	4	8	10	16
50-64	339	4.1	21	1	1	3	5	8	11	23
65 +	493	6.1	65	1	1	4	7	14	20	84
B. Operated										
0-19 YRS	435	2.3	6	< 1	1	2	3	5	6	14
20-34	559	3.3	26	< 1	1	2	4	7	10	20
35-49	221	4.8	83	1	1	2	4	8	15	56
50-64	142	4.5	25	1	1	3	5	9	15	26
65 +	229	8.4	136	1	1	5	10	20	33	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1785	1.5	2	< 1	1	1	2	3	3	6
B. Operated	11	1.6		< 1	< 1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	4077	3.2	18	1	1	2	4	7	9	20
B. Operated	1586	4.1	48	1	1	2	4	8	13	37
1. SINGLE DX	1796	1.5	2	< 1	1	1	2	2	3	6
2. MULTIPLE DX	5663	3.4	27	1	1	2	4	7	10	25
A. Not Operated	5862	2.7	14	< 1	1	2	3	5	8	17
B. Operated	1597	4.1	47	1	1	2	4	8	13	37
TOTAL										
0-19 YRS	3180	1.7	3	< 1	1	1	2	3	4	8
20-34	2121	2.9	14	< 1	1	2	3	6	8	15
35-49	876	3.7	33	1	1	2	4	7	10	28
50-64	528	4.1	22	1	1	3	5	8	12	24
65 +	754	6.6	86	1	1	4	7	16	24	98
GRAND TOTAL	**7459**	**3.0**	**21**	**< 1**	**1**	**2**	**3**	**6**	**9**	**22**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	383	1.7	6	< 1	1	1	2	3	4	11
20-34	142	2.9	15	< 1	1	2	3	5	10	27
35-49	38	3.2	9	1	1	2	4	7	9	15
50-64	11	3.3	6	1	1	3	4	7	9	9
65 +	25	3.5	18	< 1	1	2	4	3	15	17
B. Operated										
0-19 YRS	32	9.8	206	1	2	6	8	23	34	76
20-34	16	9.4	129	1	2	6	11	18	39	48
35-49	13	4.6	9	1	1	4	7	9	9	9
50-64	5	10.8	84	1	1	6	20	22	22	22
65 +	16	10.0	36	3	4	9	13	18	23	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	589	3.5	39	1	1	2	3	8	15	99 +
20-34	383	5.4	61	< 1	1	3	6	11	18	43
35-49	183	5.0	35	1	1	3	6	12	16	22
50-64	155	7.6	160	1	1	4	8	17	23	77
65 +	352	10.9	143	1	2	7	15	24	33	99
B. Operated										
0-19 YRS	218	12.5	249	1	1	5	18	36	51	66
20-34	248	13.8	323	1	1	6	20	50	83	99 +
35-49	119	17.0	497	1	1	7	25	58	74	99 +
50-64	90	20.9	510	1	3	14	33	78	98	99 +
65 +	274	18.4	352	2	3	12	25	55	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	599	2.2	9	< 1	1	1	2	4	7	15
B. Operated	82	9.0	119	1	2	6	10	18	28	67
2. MULTIPLE DX										
A. Not Operated	1662	6.0	84	1	1	3	7	15	22	77
B. Operated	949	15.9	360	1	1	9	23	52	73	99 +
1. SINGLE DX	681	3.0	27	< 1	1	1	3	7	10	26
2. MULTIPLE DX	2611	9.6	207	1	1	4	12	27	51	99 +
A. Not Operated	2261	5.0	67	1	1	2	6	12	19	58
B. Operated	1031	15.4	344	1	1	8	22	50	72	99 +
TOTAL										
0-19 YRS	1222	4.7	85	< 1	1	1	3	12	23	64
20-34	789	7.6	154	< 1	1	3	8	21	36	99 +
35-49	353	8.8	220	1	1	3	8	21	52	78
50-64	261	12.1	313	1	1	5	15	34	73	99 +
65 +	667	13.7	238	1	2	9	17	37	60	99 +
GRAND TOTAL	**3292**	**8.3**	**177**	**1**	**1**	**3**	**9**	**23**	**41**	**99 +**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.2	2	< 1	1	2	3	4	6	7
20-34	33	3.2	13	1	1	2	3	7	11	19
35-49	15	3.8	18	1	1	3	3	8	15	18
50-64	5	3.6	10	1	1	3	5	9	9	9
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	22	5.4	13	2	2	5	6	8	13	19
20-34	57	5.4	10	1	2	4	7	9	11	16
35-49	24	6.5	22	1	2	5	9	11	18	19
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	3	7.0	28	3	3	5	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.4	6	1	1	3	4	7	9	10
20-34	88	3.7	7	1	1	3	4	8	8	13
35-49	88	4.9	12	1	1	4	6	9	12	18
50-64	68	5.7	24	1	2	5	7	10	12	29
65 +	124	8.5	32	2	3	7	11	16	22	49
B. Operated										
0-19 YRS	94	8.6	69	2	3	7	11	17	21	87
20-34	248	8.8	66	2	3	7	10	17	22	46
35-49	140	9.4	57	3	3	7	12	19	23	39
50-64	99	13.2	174	3	3	9	16	28	45	88
65 +	141	14.4	219	3	4	10	18	27	42	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	3.1	11	1	1	2	3	7	9	19
B. Operated	108	5.6	13	2	2	5	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	422	5.7	22	1	1	4	7	11	14	26
B. Operated	722	10.6	114	2	3	8	12	21	31	72
1. SINGLE DX	180	4.6	14	1	1	4	6	9	11	19
2. MULTIPLE DX	1144	8.8	86	1	2	6	10	18	23	51
A. Not Operated	494	5.3	21	1	1	4	7	11	14	25
B. Operated	830	9.9	104	2	3	7	11	20	26	72
TOTAL										
0-19 YRS	188	6.1	44	1	1	5	8	12	17	53
20-34	426	6.9	47	1	2	5	8	13	18	39
35-49	267	7.4	42	1	2	5	9	14	19	37
50-64	174	9.9	123	1	2	7	11	21	32	75
65 +	269	11.6	138	2	3	8	13	23	32	88
GRAND TOTAL	**1324**	**8.2**	**78**	**1**	**2**	**6**	**10**	**17**	**22**	**48**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	165	3.7	10	1	1	2	5	9	10	13
20-34	78	3.9	16	1	1	2	5	9	12	21
35-49	31	2.8	6	1	1	2	4	5	8	12
50-64	11	3.8	6	1	1	3	6	7	8	8
65 +	3	3.3	10	1	1	2	6	7	7	7
B. Operated										
0-19 YRS	56	6.4	9	2	4	6	8	9	12	20
20-34	75	6.9	10	2	4	7	8	10	13	20
35-49	19	7.5	6	3	4	7	9	11	12	13
50-64	4	6.8	1	6	6	7	7	8	8	8
65 +	3	7.7	22	4	4	6	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	271	4.5	18	1	1	3	6	10	14	20
20-34	221	4.4	19	1	1	3	6	9	12	22
35-49	91	4.6	14	1	1	3	6	9	12	22
50-64	53	4.6	14	1	2	3	5	9	12	18
65 +	70	8.1	96	2	2	5	9	16	20	64
B. Operated										
0-19 YRS	212	12.0	96	3	5	9	14	25	38	73
20-34	451	13.2	143	3	5	9	16	27	42	60
35-49	161	15.9	265	3	5	10	18	37	55	99
50-64	83	13.8	129	4	6	11	16	26	40	92
65 +	82	17.1	271	2	3	13	24	40	60	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	288	3.6	11	1	1	2	5	9	10	14
B. Operated	157	6.8	9	2	4	6	8	10	12	20
2. MULTIPLE DX										
A. Not Operated	706	4.9	26	1	1	3	6	10	14	23
B. Operated	989	13.7	164	3	5	9	16	29	44	94
1. SINGLE DX	445	4.8	13	1	1	4	7	9	11	16
2. MULTIPLE DX	1695	10.0	126	1	2	7	12	21	35	74
A. Not Operated	994	4.5	22	1	1	3	6	10	12	20
B. Operated	1146	12.8	148	3	4	9	14	27	42	89
TOTAL										
0-19 YRS	704	6.7	51	1	1	5	9	14	18	44
20-34	825	9.4	103	1	2	7	11	19	29	54
35-49	302	10.6	179	1	2	7	11	26	39	90
50-64	151	9.7	97	2	2	8	12	19	31	76
65 +	158	12.7	204	2	2	7	15	31	42	80
GRAND TOTAL	**2140**	**8.9**	**107**	**1**	**1**	**6**	**10**	**18**	**29**	**59**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.3	1	1	1	2	3	3	3	3
20-34	7	2.4	2	1	1	3	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	1	16.0		16	16	16	16	16	16	16
B. Operated										
0-19 YRS	96	2.3	5	< 1	1	1	3	5	6	13
20-34	75	2.7	2	< 1	1	2	4	5	5	6
35-49	33	2.9	5	< 1	< 1	2	4	7	8	8
50-64	9	2.4	7	1	1	1	3	7	8	8
65 +	11	3.5	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.8	3	< 1	1	3	4	5	6	6
20-34	7	4.6	17	< 1	< 1	4	5	11	13	13
35-49	7	2.9	5	< 1	< 1	2	4	6	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	135	3.2	8	< 1	1	3	4	6	9	16
20-34	127	3.8	9	1	1	3	5	8	10	17
35-49	65	4.4	23	< 1	1	2	6	11	14	25
50-64	27	4.0	9	1	1	3	6	8	10	13
65 +	46	6.3	136	1	1	4	6	11	14	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.3	13	1	1	3	4	4	12	16
B. Operated	224	2.6	4	< 1	1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	30	3.2	6	< 1	< 1	3	4	6	7	13
B. Operated	400	4.0	26	1	1	3	5	8	11	17
1. SINGLE DX	240	2.6	5	< 1	1	2	4	5	6	10
2. MULTIPLE DX	430	3.9	25	< 1	1	3	5	8	11	17
A. Not Operated	46	3.2	8	< 1	1	3	4	5	8	16
B. Operated	624	3.5	19	< 1	1	2	4	7	9	16
TOTAL										
0-19 YRS	252	2.8	6	< 1	1	2	3	6	8	16
20-34	216	3.4	7	< 1	1	3	4	6	9	15
35-49	107	3.8	16	< 1	1	2	5	8	12	21
50-64	37	3.5	8	1	1	3	5	8	9	13
65 +	58	6.0	111	1	1	4	6	11	14	74
GRAND TOTAL	**670**	**3.5**	**18**	**< 1**	**1**	**3**	**4**	**7**	**9**	**16**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	2.6	4	< 1	1	2	4	6	7	8
20-34	38	2.7	7	< 1	1	2	3	7	8	14
35-49	14	2.3	2	1	1	2	3	4	5	5
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	6	2.3	8	1	1	1	2	7	8	8
B. Operated										
0-19 YRS	174	1.9	4	< 1	< 1	1	2	4	5	11
20-34	77	1.9	2	< 1	< 1	2	2	3	4	8
35-49	34	2.4	3	< 1	< 1	2	3	5	6	8
50-64	15	2.4	3	< 1	1	2	3	5	6	6
65 +	8	2.0	1	< 1	< 1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	2.5	4	< 1	1	2	3	4	6	11
20-34	110	3.1	6	< 1	1	3	4	6	8	13
35-49	35	4.0	8	1	1	3	4	8	10	14
50-64	25	5.6	48	1	1	4	6	9	20	35
65 +	74	5.1	15	1	1	4	7	10	12	21
B. Operated										
0-19 YRS	394	2.8	12	< 1	1	2	3	6	8	15
20-34	481	3.1	14	< 1	1	2	4	6	9	19
35-49	202	3.3	11	< 1	1	2	4	6	9	18
50-64	118	3.5	12	1	1	3	4	7	9	21
65 +	245	6.2	74	1	1	4	7	14	21	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	2.6	4	1	1	2	3	6	7	10
B. Operated	308	2.0	3	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	343	3.6	12	1	1	3	4	8	9	16
B. Operated	1440	3.6	25	< 1	1	2	4	8	10	25
1. SINGLE DX	431	2.1	4	< 1	< 1	1	3	4	6	9
2. MULTIPLE DX	1783	3.6	22	< 1	1	2	4	8	10	23
A. Not Operated	466	3.3	10	1	1	2	4	7	9	15
B. Operated	1748	3.3	21	< 1	1	2	4	7	9	23
TOTAL										
0-19 YRS	729	2.5	9	< 1	1	2	3	5	7	14
20-34	706	3.0	11	< 1	1	2	4	6	8	16
35-49	285	3.2	9	< 1	1	2	4	6	8	16
50-64	161	3.7	17	1	1	3	5	7	9	25
65 +	333	5.8	59	1	1	4	7	13	20	83
GRAND TOTAL	**2214**	**3.3**	**19**	**<1**	**1**	**2**	**4**	**7**	**9**	**21**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	1.9	1	< 1	1	2	2	3	4	8
20-34	174	2.0	2	< 1	1	2	2	3	4	6
35-49	38	2.6	4	< 1	1	2	3	6	8	9
50-64	9	2.1	1	1	1	2	3	4	4	4
65 +	3	2.0	3	1	1	1	3	4	4	4
B. Operated										
0-19 YRS	107	2.4	4	< 1	1	2	3	5	7	9
20-34	99	3.7	6	< 1	1	3	5	7	9	12
35-49	30	3.0	11	< 1	1	2	3	7	11	15
50-64	6	2.7	3	< 1	< 1	2	4	5	5	5
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	2.9	6	1	1	2	4	6	9	10
20-34	123	2.7	5	< 1	1	2	3	5	8	11
35-49	34	3.1	10	1	1	2	4	5	6	19
50-64	12	4.1	20	1	1	2	5	10	16	17
65 +	7	7.3	25	2	2	7	12	14	14	14
B. Operated										
0-19 YRS	98	5.7	62	1	1	3	7	13	17	48
20-34	221	7.0	94	1	1	4	8	13	23	57
35-49	81	6.6	81	1	1	4	7	13	16	59
50-64	32	6.9	32	1	2	5	9	13	18	27
65 +	20	11.6	156	1	1	6	16	36	39	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	316	2.0	2	< 1	1	2	2	3	5	8
B. Operated	243	3.0	6	< 1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	229	3.0	8	< 1	1	2	4	6	9	15
B. Operated	452	6.8	84	1	1	4	8	13	22	51
1. SINGLE DX	559	2.5	4	< 1	1	2	3	5	6	10
2. MULTIPLE DX	681	5.5	61	1	1	3	6	11	17	39
A. Not Operated	545	2.5	5	< 1	1	2	3	5	6	11
B. Operated	695	5.5	60	1	1	3	6	11	16	38
TOTAL										
0-19 YRS	350	3.3	22	< 1	1	2	3	7	9	19
20-34	617	4.2	41	< 1	1	3	5	9	11	31
35-49	183	4.5	44	1	1	3	5	9	13	24
50-64	59	5.2	25	1	1	4	7	11	17	26
65 +	31	9.4	115	1	1	5	14	26	36	41
GRAND TOTAL	**1240**	**4.2**	**38**	**1**	**1**	**2**	**5**	**9**	**12**	**30**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	2.9	3	1	1	2	4	5	6	8
20-34	199	3.1	4	1	1	2	4	6	7	9
35-49	79	3.2	4	1	1	3	4	6	8	10
50-64	22	3.9	7	1	2	3	4	7	10	13
65 +	16	3.9	7	2	2	3	5	6	10	12
B. Operated										
0-19 YRS	428	2.1	3	< 1	1	1	3	4	6	9
20-34	711	2.2	4	< 1	1	2	3	4	6	10
35-49	302	2.3	6	< 1	< 1	2	3	4	6	12
50-64	154	2.2	5	< 1	< 1	1	3	4	5	12
65 +	65	2.4	9	< 1	< 1	1	2	4	9	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	4.5	27	< 1	1	3	5	9	16	29
20-34	152	3.9	7	1	1	3	5	7	10	13
35-49	81	4.5	13	1	2	4	5	9	11	22
50-64	46	4.7	11	1	1	4	7	9	11	17
65 +	36	6.8	22	2	2	6	9	11	13	28
B. Operated										
0-19 YRS	405	3.2	15	< 1	1	2	3	7	10	19
20-34	833	3.8	25	1	1	2	4	8	12	25
35-49	362	3.7	23	< 1	1	2	4	8	11	25
50-64	206	4.0	37	< 1	1	2	4	8	13	29
65 +	144	6.3	155	1	1	3	6	12	20	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	436	3.1	4	1	1	3	4	6	7	9
B. Operated	1660	2.2	5	< 1	1	1	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	399	4.5	15	1	1	4	6	9	11	22
B. Operated	1950	3.9	34	< 1	1	2	4	8	12	26
1. SINGLE DX	2096	2.4	5	< 1	1	2	3	5	6	10
2. MULTIPLE DX	2349	4.0	30	1	1	2	4	8	12	26
A. Not Operated	835	3.8	10	1	1	3	5	7	9	15
B. Operated	3610	3.1	21	< 1	1	2	3	6	9	21
TOTAL										
0-19 YRS	1037	2.8	10	< 1	1	2	3	6	8	17
20-34	1895	3.1	14	< 1	1	2	4	6	9	20
35-49	824	3.2	14	< 1	1	2	4	7	9	17
50-64	428	3.4	22	< 1	1	2	4	7	10	20
65 +	261	5.3	94	1	1	3	6	11	14	66
GRAND TOTAL	**4445**	**3.2**	**19**	**< 1**	**1**	**2**	**4**	**7**	**9**	**20**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	138	3.1	6	< 1	1	2	4	6	7	12
20-34	122	3.1	7	< 1	1	2	4	6	8	16
35-49	34	3.6	7	1	1	3	5	8	10	11
50-64	9	2.6	1	1	1	3	3	4	4	4
65 +	11	5.9	17	1	1	5	9	12	14	14
B. Operated										
0-19 YRS	329	3.8	22	< 1	1	2	5	8	11	25
20-34	301	3.9	18	1	1	3	5	8	11	24
35-49	92	3.7	12	< 1	1	2	5	8	10	18
50-64	40	4.3	37	< 1	1	3	4	7	14	37
65 +	22	5.2	20	< 1	1	4	6	14	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	4.9	28	1	1	3	6	8	14	34
20-34	80	3.8	13	1	1	3	5	7	9	23
35-49	44	5.0	11	1	2	4	7	9	11	18
50-64	36	5.4	10	1	2	5	7	11	13	13
65 +	46	10.7	193	2	2	6	9	35	43	68
B. Operated										
0-19 YRS	235	6.6	68	1	1	4	7	17	25	45
20-34	253	7.8	112	1	2	4	8	17	26	57
35-49	127	6.5	38	1	2	5	8	12	18	61
50-64	95	11.5	191	1	2	7	14	27	41	71
65 +	121	13.8	240	1	2	8	19	36	50	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	314	3.2	7	< 1	1	2	4	6	9	14
B. Operated	784	3.9	20	1	1	2	5	8	12	24
2. MULTIPLE DX										
A. Not Operated	277	5.6	51	1	1	4	6	9	14	42
B. Operated	831	8.6	122	1	1	5	9	20	31	62
1. SINGLE DX	1098	3.7	16	< 1	1	2	5	7	11	21
2. MULTIPLE DX	1108	7.8	106	1	1	4	8	18	28	58
A. Not Operated	591	4.4	29	1	1	3	5	8	11	33
B. Operated	1615	6.3	78	1	1	3	7	14	22	50
TOTAL										
0-19 YRS	773	4.6	36	< 1	1	3	5	9	16	32
20-34	756	5.1	51	1	1	3	5	10	16	44
35-49	297	5.1	24	1	1	4	7	10	14	27
50-64	180	8.2	123	1	1	5	9	16	29	63
65 +	200	11.7	201	1	2	7	13	33	45	79
GRAND TOTAL	**2206**	**5.8**	**66**	**1**	**1**	**3**	**6**	**12**	**20**	**47**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0	7	< 1	< 1	2	5	6	6	6
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	4.7	23	1	1	4	7	50	96	99 +
20-34	16	1.5	1	< 1	< 1	1	2	3	3	3
35-49	6	4.5	32	1	1	2	7	14	15	15
50-64	1	10.0		10	10	10	10	10	10	10
65 +	4	4.0	13	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	7.3	14	3	3	9	10	10	10	10
35-49	3	5.3	14	1	1	7	8	8	8	8
50-64	4	3.0	5	< 1	< 1	2	4	6	6	6
65 +	6	9.2	47	4	4	6	15	19	20	20
B. Operated										
0-19 YRS	59	9.7	262	1	1	5	9	23	53	75
20-34	82	8.8	107	1	1	6	11	21	33	86
35-49	45	12.4	284	< 1	1	5	15	46	54	99 +
50-64	20	15.4	528	1	1	6	16	54	78	79
65 +	16	6.2	26	1	1	4	9	14	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.9	4	< 1	< 1	2	5	6	6	6
B. Operated	37	3.4	15	< 1	1	2	4	10	16	99 +
2. MULTIPLE DX										
A. Not Operated	17	6.9	27	< 1	1	6	9	14	18	20
B. Operated	222	10.2	217	1	1	5	11	24	50	84
1. SINGLE DX	44	3.3	13	< 1	1	2	4	9	15	99 +
2. MULTIPLE DX	239	10.0	204	1	1	5	11	23	48	81
A. Not Operated	24	5.7	23	< 1	1	4	8	12	16	20
B. Operated	259	9.2	194	1	1	5	10	22	48	97
TOTAL										
0-19 YRS	73	8.8	219	1	1	4	8	23	56	94
20-34	104	7.5	92	< 1	1	4	9	20	26	77
35-49	55	11.0	244	< 1	1	5	14	42	50	98
50-64	25	13.2	440	1	1	6	13	31	78	79
65 +	26	6.5	29	1	1	4	9	15	19	20
GRAND TOTAL	**283**	**8.9**	**180**	**1**	**1**	**5**	**10**	**21**	**45**	**92**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	6.7	24	1	1	9	10	10	10	10
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	13	1.9	4	< 1	< 1	1	2	5	7	7
20-34	20	2.8	5	< 1	< 1	2	4	6	8	9
35-49	8	3.0	9	1	1	2	4	8	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	10.7	595	< 1	< 1	1	3	53	66	66
20-34	6	27.7	1568	1	1	4	64	88	91	91
35-49	5	18.6	866	3	3	6	25	71	71	71
50-64	4	4.0	5	< 1	< 1	4	5	6	6	6
65 +	4	15.8	552	4	4	4	28	51	51	51
B. Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	35	2.7	4	< 1	1	2	3	5	6	10
35-49	18	4.1	16	1	1	3	5	7	14	18
50-64	11	14.0	487	1	1	5	9	55	68	69
65 +	7	4.6	6	1	1	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.9	12	1	1	2	6	9	10	10
B. Operated	44	2.6	5	< 1	< 1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated	26	15.9	727	< 1	1	4	7	66	75	91
B. Operated	74	4.9	88	1	1	3	5	7	10	63
1. SINGLE DX	54	2.8	6	< 1	1	2	4	7	9	10
2. MULTIPLE DX	100	7.7	272	1	1	3	5	9	57	81
A. Not Operated	36	12.6	552	< 1	1	3	7	63	69	91
B. Operated	118	4.0	58	< 1	1	2	5	7	9	53
TOTAL										
0-19 YRS	27	4.4	154	< 1	1	1	2	5	16	66
20-34	62	5.1	188	< 1	< 1	2	4	6	9	88
35-49	34	6.2	145	1	1	3	6	10	16	71
50-64	18	9.9	317	< 1	1	5	6	34	59	69
65 +	13	7.8	171	1	2	4	6	17	45	51
GRAND TOTAL	**154**	**6.0**	**184**	**< 1**	**1**	**2**	**5**	**8**	**16**	**71**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	3.5	3	1	1	4	5	6	7	9
20-34	35	4.3	8	1	1	4	5	7	10	14
35-49	15	3.0	3	1	1	2	4	6	7	7
50-64	4	4.8	1	4	4	5	5	6	6	6
65 +	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS	3	4.3	33	< 1	< 1	1	8	11	11	11
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	3.8	4	1	1	4	5	7	7	10
20-34	48	3.3	5	1	1	3	4	5	6	15
35-49	15	4.1	6	1	1	4	6	7	8	9
50-64	10	4.1	5	2	2	4	6	7	7	7
65 +	15	6.5	47	1	1	6	8	10	24	29
B. Operated										
0-19 YRS	18	4.7	11	1	1	4	6	10	12	12
20-34	17	3.6	6	< 1	1	3	5	7	9	10
35-49	6	7.0	128	1	1	3	4	27	30	30
50-64	3	3.0	3	2	2	2	4	5	5	5
65 +	11	4.3	16	< 1	< 1	3	5	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	3.7	4	1	1	4	5	6	7	11
B. Operated	9	3.2	12	< 1	< 1	2	4	9	11	11
2. MULTIPLE DX										
A. Not Operated	157	3.9	9	1	1	3	5	7	8	15
B. Operated	55	4.4	21	< 1	1	3	5	9	12	29
1. SINGLE DX	169	3.7	5	1	1	4	5	6	7	11
2. MULTIPLE DX	212	4.1	12	1	1	3	5	7	9	20
A. Not Operated	317	3.8	7	1	1	4	5	6	8	12
B. Operated	64	4.3	20	< 1	1	3	5	9	11	28
TOTAL										
0-19 YRS	194	3.8	5	1	1	4	5	6	7	11
20-34	103	3.7	6	1	1	3	5	6	8	14
35-49	38	4.0	23	1	1	3	5	7	8	30
50-64	17	4.1	3	2	2	4	5	7	7	7
65 +	29	5.3	31	< 1	1	4	7	10	15	29
GRAND TOTAL	**381**	**3.9**	**9**	**1**	**1**	**4**	**5**	**7**	**8**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	314	1.8	1	< 1	1	1	2	3	4	6
20-34	231	2.3	9	< 1	< 1	1	2	4	6	15
35-49	98	2.5	4	< 1	1	2	3	5	6	11
50-64	51	2.7	5	< 1	< 1	2	4	6	8	8
65 +	55	3.8	13	1	1	3	5	8	11	19
B. Operated										
0-19 YRS	49	2.0	2	< 1	< 1	2	3	4	5	5
20-34	47	2.4	3	< 1	1	2	3	6	7	7
35-49	27	3.3	17	< 1	1	2	4	6	9	22
50-64	13	3.6	14	< 1	1	2	5	8	13	14
65 +	18	4.9	15	< 1	< 1	4	8	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	513	2.0	2	< 1	1	2	2	4	5	8
20-34	551	2.5	5	< 1	< 1	2	3	5	7	10
35-49	362	3.9	34	1	1	3	5	8	12	18
50-64	291	4.1	14	1	1	3	5	8	11	20
65 +	1050	7.7	77	1	2	5	9	16	23	65
B. Operated										
0-19 YRS	74	3.1	14	< 1	1	2	4	6	10	19
20-34	120	4.2	29	< 1	1	2	5	9	18	52
35-49	70	5.2	31	1	1	3	5	13	16	27
50-64	50	8.5	74	1	1	6	12	19	23	46
65 +	157	14.5	263	1	2	10	18	34	55	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	749	2.2	6	< 1	1	1	3	4	6	11
B. Operated	154	2.8	8	< 1	< 1	2	3	6	7	14
2. MULTIPLE DX										
A. Not Operated	2767	4.7	42	1	1	3	5	10	15	35
B. Operated	471	8.0	132	1	1	4	10	21	30	88
1. SINGLE DX	903	2.3	6	< 1	1	2	3	5	6	11
2. MULTIPLE DX	3238	5.2	56	1	1	3	6	12	17	48
A. Not Operated	3516	4.2	35	< 1	1	2	5	9	13	30
B. Operated	625	6.8	106	< 1	1	3	7	17	26	63
TOTAL										
0-19 YRS	950	2.0	3	< 1	1	1	2	4	5	8
20-34	949	2.7	9	< 1	1	2	3	6	8	17
35-49	557	3.8	28	1	1	2	4	8	11	21
50-64	405	4.5	23	1	1	3	5	9	13	23
65 +	1280	8.3	102	1	2	5	10	18	26	80
GRAND TOTAL	**4141**	**4.6**	**47**	**< 1**	**1**	**2**	**5**	**10**	**15**	**37**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.4	13	1	1	2	4	8	13	15
20-34	26	3.0	11	< 1	1	2	3	5	8	18
35-49	12	3.2	7	< 1	< 1	2	4	8	9	9
50-64	7	1.1		< 1	< 1	1	1	2	2	2
65 +	0									
B. Operated										
0-19 YRS	14	4.1	32	1	1	2	3	13	19	21
20-34	27	3.0	11	1	1	2	4	6	8	17
35-49	11	2.7	5	< 1	< 1	2	4	6	8	8
50-64	8	6.1	94	1	1	3	4	22	30	30
65 +	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.2	3	1	1	2	3	5	7	7
20-34	33	2.3	3	< 1	1	2	3	5	6	8
35-49	15	3.1	7	1	1	3	4	9	9	9
50-64	9	3.4	4	1	1	3	6	6	6	6
65 +	9	9.4	66	< 1	1	5	14	22	25	25
B. Operated										
0-19 YRS	36	7.8	176	1	1	4	6	16	29	75
20-34	62	5.7	29	1	1	4	8	12	13	28
35-49	38	8.9	128	1	2	5	9	25	38	51
50-64	24	6.8	77	1	1	4	6	20	28	37
65 +	11	12.6	212	1	1	3	29	34	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	3.0	10	1	1	2	3	6	9	17
B. Operated	61	3.9	28	1	1	2	4	7	17	29
2. MULTIPLE DX										
A. Not Operated	79	3.4	15	< 1	1	2	4	7	11	23
B. Operated	171	7.5	101	1	1	4	8	18	31	49
1. SINGLE DX	131	3.4	18	1	1	2	4	7	12	23
2. MULTIPLE DX	250	6.2	77	1	1	3	7	13	25	42
A. Not Operated	149	3.2	13	1	1	2	4	7	9	18
B. Operated	232	6.5	84	1	1	4	7	15	27	44
TOTAL										
0-19 YRS	88	5.2	85	1	1	3	5	12	17	59
20-34	148	4.0	19	1	1	3	5	9	13	27
35-49	76	5.9	75	1	1	3	7	9	25	49
50-64	48	5.2	57	1	1	3	5	13	25	37
65 +	21	11.5	137	< 1	1	5	19	32	34	35
GRAND TOTAL	**381**	**5.2**	**59**	**1**	**1**	**3**	**5**	**11**	**20**	**36**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	2	< 1	< 1	< 1	2	4	4	4
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0	72	< 1	< 1	6	13	13	13	13
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.6	2	< 1	< 1	< 1	2	4	4	4
B. Operated	14	1.4	1	< 1	< 1	< 1	1	3	5	5
2. MULTIPLE DX										
A. Not Operated	3	5.0	48	< 1	< 1	1	10	13	13	13
B. Operated	6	2.3	5	< 1	< 1	1	4	6	6	6
1. SINGLE DX	19	1.5	1	< 1	< 1	< 1	1	4	5	5
2. MULTIPLE DX	9	3.2	17	< 1	< 1	1	4	10	13	13
A. Not Operated	8	2.9	18	< 1	< 1	1	3	10	13	13
B. Operated	20	1.7	2	< 1	< 1	< 1	1	4	5	6
TOTAL										
0-19 YRS	21	2.1	8	< 1	< 1	< 1	1	5	9	13
20-34	3	3.0	4	< 1	< 1	3	4	5	5	5
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**28**	**2.0**	**7**	**<1**	**<1**	**<1**	**1**	**5**	**7**	**13**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	383	1.2		< 1	< 1	1	1	2	2	5
20-34	80	1.3	1	< 1	< 1	1	1	2	3	5
35-49	75	1.3		< 1	< 1	1	2	2	2	3
50-64	54	1.3		< 1	< 1	1	1	2	3	4
65 +	46	1.4	1	< 1	< 1	1	1	2	4	6
B. Operated										
0-19 YRS	113	1.7	2	< 1	< 1	1	2	3	6	8
20-34	14	4.3	13	< 1	< 1	3	7	9	11	11
35-49	15	2.9	12	< 1	< 1	1	4	10	11	11
50-64	6	1.2		< 1	< 1	1	1	2	2	2
65 +	12	2.6	16	< 1	< 1	1	2	7	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	117	2.2	3	< 1	1	2	3	5	5	8
20-34	44	2.4	9	< 1	< 1	1	2	5	10	16
35-49	53	2.4	8	< 1	< 1	1	3	5	9	17
50-64	92	2.4	6	1	1	1	3	6	8	12
65 +	206	3.8	20	1	1	2	5	9	13	27
B. Operated										
0-19 YRS	52	3.8	24	< 1	< 1	2	4	8	16	28
20-34	25	6.1	33	1	1	5	7	11	18	28
35-49	23	5.7	86	< 1	< 1	3	6	12	24	45
50-64	47	5.7	28	< 1	1	4	9	14	17	19
65 +	140	7.3	121	1	1	4	9	17	26	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	638	1.2		< 1	< 1	1	1	2	2	4
B. Operated	160	2.1	5	< 1	< 1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	512	2.9	12	< 1	1	2	3	6	10	20
B. Operated	287	6.2	79	1	1	3	7	14	20	43
1. SINGLE DX	798	1.4	2	< 1	< 1	1	1	2	3	7
2. MULTIPLE DX	799	4.1	38	< 1	1	2	5	9	14	29
A. Not Operated	1150	2.0	6	< 1	< 1	1	2	4	6	15
B. Operated	447	4.7	56	< 1	1	2	6	11	17	38
TOTAL										
0-19 YRS	665	1.7	4	< 1	< 1	1	2	3	5	8
20-34	163	2.6	12	< 1	< 1	1	3	6	9	16
35-49	166	2.4	17	< 1	< 1	1	2	5	9	16
50-64	199	2.8	12	< 1	< 1	1	3	7	12	18
65 +	404	4.7	57	1	1	2	5	10	18	39
GRAND TOTAL	**1597**	**2.8**	**22**	**< 1**	**< 1**	**1**	**2**	**6**	**10**	**23**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.8	12	1	1	2	7	9	9	9
20-34	7	2.9	4	< 1	< 1	2	5	6	6	6
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	46	9.0	66	< 1	1	6	12	22	25	34
20-34	29	9.0	58	2	2	7	12	20	28	29
35-49	16	8.5	54	1	1	8	11	17	26	30
50-64	8	7.3	45	1	1	6	10	18	21	21
65 +	5	9.4	47	1	1	8	12	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	6.7	33	< 1	1	5	11	18	33	99 +
20-34	36	5.4	24	1	1	4	6	12	13	26
35-49	26	6.6	48	1	2	4	8	20	23	28
50-64	15	7.5	33	1	1	7	9	19	20	20
65 +	24	15.8	258	1	1	10	18	49	54	54
B. Operated										
0-19 YRS	110	16.2	186	2	3	14	23	32	39	67
20-34	125	15.3	137	1	3	14	22	38	46	99 +
35-49	91	17.3	271	1	2	13	19	43	57	93
50-64	64	17.7	252	1	2	15	23	40	59	97
65 +	57	24.6	339	3	4	21	39	63	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.6	9	< 1	1	2	6	9	9	9
B. Operated	104	8.8	58	1	1	7	12	20	25	32
2. MULTIPLE DX										
A. Not Operated	146	7.9	81	1	1	5	10	20	27	99 +
B. Operated	447	17.5	225	1	3	15	24	40	53	99 +
1. SINGLE DX	128	7.8	53	1	1	6	11	19	24	31
2. MULTIPLE DX	593	15.1	206	1	2	11	21	38	50	99 +
A. Not Operated	170	7.3	73	1	1	5	9	17	26	90
B. Operated	551	15.8	204	1	2	12	22	38	49	99 +
TOTAL										
0-19 YRS	215	11.9	137	1	1	9	17	29	36	99
20-34	197	12.2	119	1	2	9	18	29	42	99 +
35-49	135	14.0	220	1	1	10	17	36	48	86
50-64	87	15.0	215	1	2	10	21	33	54	93
65 +	87	21.1	318	1	3	18	36	54	88	99 +
GRAND TOTAL	**721**	**13.8**	**186**	**1**	**1**	**10**	**19**	**33**	**47**	**99 +**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	171	4.0	14	< 1	1	3	6	9	11	17
20-34	62	4.2	69	1	1	2	4	9	13	58
35-49	27	3.3	6	< 1	1	3	4	8	9	10
50-64	16	3.1	11	< 1	1	2	3	9	10	11
65 +	7	7.6	41	1	1	7	13	16	17	17
B. Operated										
0-19 YRS	39	6.7	57	1	1	5	7	16	17	42
20-34	22	6.0	16	< 1	1	5	8	11	13	14
35-49	17	6.0	28	< 1	1	4	7	16	18	19
50-64	6	11.2	115	1	1	8	16	29	30	30
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	372	5.3	30	1	1	4	7	11	14	28
20-34	220	4.1	17	< 1	1	3	5	11	14	18
35-49	135	5.1	22	1	1	4	6	11	14	22
50-64	63	6.9	88	1	1	4	8	16	21	58
65 +	60	12.0	156	1	2	8	14	32	43	57
B. Operated										
0-19 YRS	159	10.9	97	2	2	9	15	22	28	67
20-34	99	8.3	35	1	2	8	11	16	20	28
35-49	74	12.1	152	1	2	9	14	29	37	62
50-64	51	16.4	380	1	2	12	19	35	72	90
65 +	42	20.6	295	4	5	15	30	47	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	283	4.0	26	1	1	2	5	9	11	18
B. Operated	84	6.7	44	1	1	5	8	16	17	38
2. MULTIPLE DX										
A. Not Operated	850	5.6	42	1	1	4	7	12	16	35
B. Operated	425	12.1	157	1	2	9	15	25	37	91
1. SINGLE DX	367	4.6	31	1	1	3	6	11	13	23
2. MULTIPLE DX	1275	7.8	90	1	1	5	10	17	24	52
A. Not Operated	1133	5.2	38	1	1	3	7	11	15	32
B. Operated	509	11.2	143	1	2	8	14	23	33	88
TOTAL										
0-19 YRS	741	6.3	48	1	1	4	8	14	19	36
20-34	403	5.3	32	1	1	3	8	12	15	22
35-49	253	7.0	69	1	1	4	9	17	22	43
50-64	136	10.2	212	1	1	5	13	22	34	87
65 +	109	15.0	220	1	3	11	18	40	47	99 +
GRAND TOTAL	**1642**	**7.1**	**78**	**1**	**1**	**4**	**9**	**16**	**21**	**49**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.8	6	< 1	1	2	4	6	7	12
20-34	28	4.6	48	< 1	1	1	4	15	22	29
35-49	6	2.5	4	1	1	2	5	5	5	5
50-64	3	6.0	7	3	3	7	8	8	8	8
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	24	2.4	2	< 1	1	2	3	5	6	6
20-34	67	1.7	2	< 1	< 1	1	2	4	5	7
35-49	27	2.0	2	< 1	< 1	1	2	4	6	7
50-64	9	2.7	3	< 1	< 1	3	4	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	3.2	12	< 1	1	2	4	8	10	16
20-34	38	5.1	32	< 1	1	3	6	13	19	26
35-49	20	6.2	27	1	1	4	9	14	17	20
50-64	14	11.4	338	< 1	1	6	11	24	62	73
65 +	32	11.7	130	1	2	8	17	23	39	51
B. Operated										
0-19 YRS	87	2.0	4	< 1	1	1	2	4	4	14
20-34	169	3.5	46	< 1	1	2	3	6	9	41
35-49	67	6.2	151	< 1	1	2	6	14	21	81
50-64	28	7.9	231	< 1	< 1	2	5	28	51	62
65 +	18	14.1	361	1	2	9	21	62	91	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	3.6	23	1	1	2	4	7	14	27
B. Operated	127	2.0	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	130	7.2	92	1	1	4	8	17	21	55
B. Operated	369	4.5	90	< 1	1	2	4	9	17	61
1. SINGLE DX	198	2.5	10	< 1	< 1	1	3	5	7	18
2. MULTIPLE DX	499	5.2	92	< 1	1	2	5	12	20	58
A. Not Operated	201	5.9	70	1	1	3	7	14	20	46
B. Operated	496	3.8	69	< 1	< 1	2	3	7	14	53
TOTAL										
0-19 YRS	169	2.4	6	< 1	1	2	3	5	6	14
20-34	302	3.4	35	< 1	< 1	2	3	7	12	34
35-49	120	5.1	92	< 1	1	2	5	12	16	52
50-64	54	7.8	209	< 1	1	3	7	17	47	73
65 +	52	12.2	204	1	2	8	18	30	49	99
GRAND TOTAL	**697**	**4.4**	**70**	**< 1**	**1**	**2**	**4**	**9**	**17**	**51**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	156	2.0	2	< 1	1	1	3	4	5	7
20-34	138	2.5	7	1	1	2	3	4	7	13
35-49	61	3.3	8	1	1	3	4	6	8	17
50-64	27	3.7	20	1	1	2	3	6	17	21
65 +	17	3.1	4	< 1	1	3	4	6	7	7
B. Operated										
0-19 YRS	38	5.6	34	1	1	2	9	15	17	23
20-34	38	4.3	15	1	1	3	6	9	14	16
35-49	17	5.7	43	1	1	4	6	16	23	25
50-64	7	8.6	41	1	1	8	14	17	18	18
65 +	3	5.0	16	1	1	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	169	2.6	5	1	1	2	3	5	7	15
20-34	238	3.3	6	1	1	3	4	6	8	15
35-49	142	4.3	32	1	1	3	5	8	10	29
50-64	107	5.1	19	1	1	4	6	12	14	20
65 +	188	8.4	75	2	2	6	10	18	21	40
B. Operated										
0-19 YRS	68	8.3	102	1	1	5	11	19	35	91
20-34	135	6.7	71	1	1	4	8	13	23	39
35-49	74	9.0	147	1	1	5	11	19	34	64
50-64	54	10.6	112	1	2	8	14	22	29	56
65 +	90	15.7	302	2	3	10	19	38	56	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	399	2.5	6	< 1	1	2	3	5	6	14
B. Operated	103	5.3	28	1	1	3	7	15	17	24
2. MULTIPLE DX										
A. Not Operated	844	4.7	32	1	1	3	5	10	15	26
B. Operated	421	9.8	154	1	1	6	12	23	34	80
1. SINGLE DX	502	3.1	12	1	1	2	3	6	10	18
2. MULTIPLE DX	1265	6.4	78	1	1	4	7	15	20	52
A. Not Operated	1243	4.0	25	1	1	3	4	8	12	22
B. Operated	524	8.9	132	1	1	5	11	20	32	70
TOTAL										
0-19 YRS	431	3.5	27	1	1	2	4	7	13	33
20-34	549	4.0	26	1	1	3	5	8	11	24
35-49	294	5.3	61	1	1	3	6	11	18	47
50-64	195	6.5	52	1	1	4	9	15	20	36
65 +	298	10.2	152	1	2	6	12	21	33	85
GRAND TOTAL	**1767**	**5.5**	**61**	**1**	**1**	**3**	**6**	**12**	**18**	**41**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	931	1.6	2	< 1	< 1	1	2	3	4	7
20-34	349	1.7	1	< 1	< 1	1	2	3	4	6
35-49	118	1.8	4	< 1	< 1	1	2	4	4	10
50-64	39	1.9	1	1	1	2	2	4	4	6
65 +	24	2.8	6	< 1	1	2	3	5	8	12
B. Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1775	3.6	27	< 1	1	2	4	8	13	26
20-34	2336	4.0	38	< 1	1	2	4	8	14	34
35-49	1292	4.6	48	1	1	2	5	10	17	35
50-64	599	5.4	46	1	1	3	6	11	17	31
65 +	816	7.2	88	1	2	5	8	14	19	62
B. Operated										
0-19 YRS	22	4.9	57	< 1	< 1	3	6	7	19	37
20-34	63	10.7	142	1	1	5	14	33	36	51
35-49	42	13.5	396	1	1	6	14	60	73	99 +
50-64	41	10.6	75	2	3	9	14	21	34	99 +
65 +	85	17.9	247	2	4	14	24	50	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1461	1.7	2	< 1	< 1	1	2	3	4	7
B. Operated	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	6818	4.5	45	< 1	1	2	5	10	15	34
B. Operated	253	13.1	215	1	2	8	17	36	55	99 +
1. SINGLE DX	1465	1.7	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	7071	4.8	53	< 1	1	3	5	11	17	41
A. Not Operated	8279	4.0	39	< 1	1	2	4	9	14	31
B. Operated	257	12.9	213	1	2	8	17	36	54	99 +
TOTAL										
0-19 YRS	2732	3.0	20	< 1	1	2	3	6	10	24
20-34	2748	3.9	37	< 1	1	2	4	8	14	35
35-49	1452	4.6	57	< 1	1	2	5	10	17	38
50-64	679	5.5	48	1	1	3	7	12	18	32
65 +	925	8.1	111	1	2	5	9	17	24	76
GRAND TOTAL	**8536**	**4.3**	**46**	**< 1**	**1**	**2**	**4**	**9**	**15**	**36**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	573	2.8	8	< 1	1	1	5	6	7	11
20-34	126	1.8	2	< 1	< 1	1	2	4	5	8
35-49	76	1.9	2	< 1	1	1	2	5	6	7
50-64	36	1.9	6	< 1	1	1	2	3	8	12
65 +	17	1.5		< 1	1	1	2	2	3	3
B. Operated										
0-19 YRS	6	3.5	4	1	1	3	5	6	6	6
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	335	3.6	13	1	1	2	5	7	10	17
20-34	237	2.9	38	< 1	1	2	3	5	8	13
35-49	193	3.4	16	1	1	2	4	7	11	24
50-64	133	3.9	33	1	1	2	4	7	17	33
65 +	154	4.5	32	1	1	3	5	9	14	29
B. Operated										
0-19 YRS	12	3.8	5	1	1	3	5	7	8	8
20-34	14	11.1	367	< 1	1	5	10	25	64	75
35-49	10	6.7	27	< 1	< 1	5	10	14	18	18
50-64	9	12.7	521	< 1	< 1	5	9	50	72	72
65 +	16	11.6	119	< 1	1	9	25	82	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	828	2.5	6	< 1	1	1	4	6	6	10
B. Operated	10	3.8	8	1	1	3	5	8	10	10
2. MULTIPLE DX										
A. Not Operated	1052	3.6	25	1	1	2	4	7	11	25
B. Operated	61	9.3	195	< 1	1	5	10	25	73	99 +
1. SINGLE DX	838	2.5	6	< 1	1	1	4	6	6	10
2. MULTIPLE DX	1113	3.9	35	1	1	2	5	8	12	28
A. Not Operated	1880	3.1	17	< 1	1	2	4	6	8	18
B. Operated	71	8.5	172	< 1	1	5	9	21	67	99 +
TOTAL										
0-19 YRS	926	3.1	10	< 1	1	2	5	6	8	14
20-34	379	2.8	40	< 1	1	1	3	5	8	13
35-49	280	3.1	13	< 1	1	2	4	6	10	22
50-64	179	4.0	54	1	1	2	4	7	17	37
65 +	187	4.8	41	1	1	2	6	11	19	79
GRAND TOTAL	**1951**	**3.3**	**23**	**<1**	**1**	**2**	**4**	**6**	**10**	**23**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	251	2.2	5	< 1	1	1	3	5	6	12
20-34	125	1.8	2	< 1	1	1	2	4	5	8
35-49	76	2.0	2	1	1	2	2	4	5	7
50-64	54	2.0	2	< 1	1	2	3	3	6	9
65 +	56	3.2	6	< 1	1	2	4	7	9	11
B. Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	7	4.3	19	1	1	3	6	12	13	13
35-49	4	11.8	332	1	1	3	21	39	39	39
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	7.5	85	1	1	7	14	14	14	14
MULTIPLE DX										
A. Not Operated										
0-19 YRS	320	4.1	26	1	1	2	5	9	14	26
20-34	228	3.9	25	1	1	2	4	8	12	32
35-49	238	3.7	24	1	1	2	5	7	11	43
50-64	283	4.8	25	1	1	3	6	10	13	30
65 +	736	7.4	92	1	1	5	8	14	24	66
B. Operated										
0-19 YRS	35	9.3	393	1	1	1	7	19	71	82
20-34	36	1.7	6	1	1	1	1	2	7	13
35-49	46	10.7	481	1	1	1	9	58	84	99 +
50-64	44	16.7	500	1	1	8	21	47	70	91
65 +	104	13.7	265	1	1	9	16	49	57	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	562	2.2	4	< 1	1	1	3	4	6	9
B. Operated	15	7.3	101	1	1	3	11	15	33	39
2. MULTIPLE DX										
A. Not Operated	1805	5.5	55	1	1	3	6	11	16	42
B. Operated	265	11.5	338	1	1	3	12	36	62	91
1. SINGLE DX	577	2.3	7	< 1	1	1	3	4	7	13
2. MULTIPLE DX	2070	6.2	95	1	1	3	7	12	21	63
A. Not Operated	2367	4.7	45	1	1	3	6	10	14	38
B. Operated	280	11.2	326	1	1	3	12	35	61	90
TOTAL										
0-19 YRS	607	3.6	41	1	1	2	4	7	12	27
20-34	396	3.0	17	1	1	2	3	7	9	23
35-49	364	4.3	85	1	1	2	4	8	12	82
50-64	382	5.8	92	1	1	3	6	11	18	50
65 +	898	7.8	112	1	1	5	9	16	28	68
GRAND TOTAL	**2647**	**5.4**	**78**	**1**	**1**	**3**	**6**	**11**	**18**	**60**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.7	4	< 1	< 1	2	3	6	7	8
20-34	27	4.7	17	1	1	3	7	11	15	16
35-49	21	6.1	39	1	1	3	8	16	22	22
50-64	25	5.2	20	< 1	1	4	7	11	13	19
65 +	38	5.5	30	< 1	1	4	8	12	13	29
B. Operated										
0-19 YRS	132	6.3	84	< 1	1	3	7	13	20	51
20-34	167	4.5	29	< 1	1	3	6	11	16	31
35-49	169	6.0	59	< 1	1	3	8	14	18	32
50-64	236	6.1	30	1	1	4	9	13	17	24
65 +	515	6.8	59	1	1	4	10	16	21	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	174	6.0	27	1	1	5	8	13	17	25
20-34	108	5.8	25	1	1	5	8	12	18	24
35-49	145	6.1	22	1	1	5	8	12	15	22
50-64	186	7.2	60	1	1	5	9	15	21	45
65 +	473	9.1	93	1	2	6	11	19	27	54
B. Operated										
0-19 YRS	721	9.4	150	1	2	5	10	24	36	76
20-34	595	8.4	97	1	1	5	11	21	29	51
35-49	870	8.6	83	1	2	5	11	20	28	46
50-64	1697	9.6	136	1	1	6	12	21	31	70
65 +	3373	11.3	154	1	2	8	15	26	37	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	4.9	23	1	1	3	7	11	13	23
B. Operated	1219	6.2	52	< 1	1	3	8	14	19	33
2. MULTIPLE DX										
A. Not Operated	1086	7.5	62	1	1	6	10	16	22	45
B. Operated	7256	10.2	138	1	2	6	13	23	34	70
1. SINGLE DX	1353	6.1	50	< 1	1	3	8	14	19	32
2. MULTIPLE DX	8342	9.8	129	1	2	6	13	23	32	67
A. Not Operated	1220	7.3	59	1	1	5	9	15	21	44
B. Operated	8475	9.6	127	1	1	6	12	22	32	66
TOTAL										
0-19 YRS	1050	8.3	121	1	1	5	9	19	31	65
20-34	897	7.3	76	1	1	4	9	17	25	48
35-49	1205	7.9	73	1	1	5	10	18	25	43
50-64	2144	9.0	118	1	1	6	11	20	28	65
65 +	4399	10.5	138	1	2	7	14	24	34	72
GRAND TOTAL	**9695**	**9.3**	**119**	**1**	**1**	**6**	**12**	**21**	**30**	**64**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	122	1.5	1	< 1	< 1	1	2	2	3	6
20-34	89	2.3	5	< 1	1	2	3	5	7	13
35-49	64	2.7	5	1	1	2	3	5	7	11
50-64	68	3.1	5	1	1	3	4	4	5	15
65 +	123	3.4	6	1	1	3	4	6	8	14
B. Operated										
0-19 YRS	150	1.8	2	< 1	1	1	2	3	5	8
20-34	148	1.8	2	< 1	< 1	1	2	4	5	6
35-49	84	2.7	5	< 1	1	2	3	6	9	10
50-64	53	3.2	8	< 1	1	2	4	8	9	14
65 +	48	4.2	13	1	1	3	5	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	1.9	2	1	1	1	2	4	5	6
20-34	82	3.1	7	1	1	2	4	7	9	13
35-49	97	3.2	6	1	1	3	4	6	8	13
50-64	149	3.3	5	1	1	3	4	6	7	11
65 +	344	4.5	13	1	2	4	5	8	11	18
B. Operated										
0-19 YRS	73	3.2	14	< 1	1	1	3	8	11	19
20-34	142	2.9	17	1	1	1	3	6	10	19
35-49	126	3.6	32	1	1	1	4	7	12	35
50-64	197	5.6	88	1	1	3	6	11	16	57
65 +	501	5.5	66	1	1	3	6	13	19	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	466	2.5	5	< 1	1	2	3	5	6	11
B. Operated	483	2.3	5	< 1	1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	715	3.8	10	1	1	3	5	7	9	15
B. Operated	1039	4.8	57	1	1	2	5	11	16	40
1. SINGLE DX	949	2.4	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX	1754	4.4	38	1	1	3	5	9	13	29
A. Not Operated	1181	3.3	8	1	1	3	4	6	8	15
B. Operated	1522	4.0	42	1	1	2	4	9	14	30
TOTAL										
0-19 YRS	388	2.0	4	< 1	1	1	2	4	5	12
20-34	461	2.5	8	< 1	1	1	3	5	7	15
35-49	371	3.1	14	1	1	2	4	7	9	20
50-64	467	4.2	42	1	1	3	5	8	11	25
65 +	1016	4.8	39	1	1	3	6	9	15	31
GRAND TOTAL	**2703**	**3.7**	**27**	**1**	**1**	**2**	**4**	**8**	**11**	**24**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	4.8	13	1	2	3	7	9	12	18
20-34	90	5.2	12	1	2	4	7	9	14	17
35-49	80	6.3	31	2	2	5	7	12	18	30
50-64	47	7.0	45	1	2	5	8	10	28	34
65 +	38	6.9	36	2	2	6	7	13	15	37
B. Operated										
0-19 YRS	43	6.3	32	1	1	4	7	16	21	22
20-34	69	7.7	64	1	1	6	9	15	21	45
35-49	70	6.6	29	1	1	5	8	12	16	30
50-64	44	7.6	43	1	2	5	11	17	21	30
65 +	22	9.4	28	2	3	9	13	17	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	5.3	17	2	2	4	6	11	13	24
20-34	128	6.0	30	2	2	4	7	12	16	28
35-49	153	7.5	31	2	3	6	9	13	17	35
50-64	186	8.0	32	2	3	6	10	15	18	30
65 +	289	10.4	109	2	3	7	13	19	31	63
B. Operated										
0-19 YRS	75	11.1	139	2	3	8	12	21	42	59
20-34	145	13.8	196	1	3	9	17	30	42	66
35-49	174	14.4	159	2	3	10	19	31	40	66
50-64	215	14.2	136	3	3	11	18	31	36	58
65 +	416	18.9	270	3	4	15	24	41	58	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	307	5.9	25	1	2	5	7	10	15	30
B. Operated	248	7.3	42	1	1	5	10	16	19	31
2. MULTIPLE DX										
A. Not Operated	823	8.2	61	2	2	6	10	15	20	45
B. Operated	1025	15.9	209	2	4	11	20	35	46	79
1. SINGLE DX	555	6.5	33	1	2	5	8	13	18	31
2. MULTIPLE DX	1848	12.4	157	2	3	8	15	28	39	70
A. Not Operated	1130	7.6	52	2	2	6	9	14	19	42
B. Operated	1273	14.2	188	2	3	10	18	32	43	75
TOTAL										
0-19 YRS	237	7.2	64	1	2	5	9	13	20	47
20-34	432	8.7	101	1	2	6	10	18	25	50
35-49	477	9.7	90	2	2	7	11	21	30	44
50-64	492	10.6	90	2	3	8	13	22	31	47
65 +	765	14.8	211	3	4	10	18	34	49	87
GRAND TOTAL	**2403**	**11.1**	**135**	**2**	**2**	**7**	**14**	**24**	**35**	**64**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.6	11	1	1	2	2	6	11	15
20-34	53	3.0	7	1	1	2	4	7	8	12
35-49	46	2.8	7	< 1	1	2	3	7	9	11
50-64	49	4.2	12	1	1	3	6	10	12	13
65 +	40	5.6	103	1	1	3	5	8	14	65
B. Operated										
0-19 YRS	30	4.3	14	< 1	1	3	7	9	11	16
20-34	71	4.5	19	< 1	1	3	6	9	13	22
35-49	75	5.0	23	< 1	1	3	7	13	14	22
50-64	58	6.3	85	< 1	1	3	8	14	16	61
65 +	55	5.0	28	< 1	< 1	3	7	11	14	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	128	2.3	4	1	1	2	3	5	7	30
20-34	211	3.5	15	1	1	2	4	8	11	21
35-49	242	4.7	18	1	1	3	7	10	13	18
50-64	285	6.1	34	1	1	5	8	12	17	31
65 +	515	7.0	52	1	1	5	9	14	20	41
B. Operated										
0-19 YRS	267	3.6	52	< 1	1	1	3	8	16	57
20-34	532	3.7	43	1	1	1	3	9	14	42
35-49	626	5.9	95	1	1	2	7	15	23	66
50-64	715	7.6	97	1	1	4	10	19	30	57
65 +	1299	9.2	149	1	1	5	12	22	36	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	3.7	27	1	1	2	4	8	10	16
B. Operated	289	5.1	35	< 1	1	3	7	11	14	26
2. MULTIPLE DX										
A. Not Operated	1381	5.4	35	1	1	4	7	12	16	29
B. Operated	3439	7.0	109	1	1	3	9	18	28	59
1. SINGLE DX	501	4.5	32	< 1	1	3	6	10	13	23
2. MULTIPLE DX	4820	6.5	88	1	1	3	8	16	24	54
A. Not Operated	1593	5.2	34	1	1	3	7	11	15	28
B. Operated	3728	6.8	103	1	1	3	8	17	27	59
TOTAL										
0-19 YRS	449	3.2	34	1	1	1	3	7	11	33
20-34	867	3.7	32	1	1	2	4	9	13	29
35-49	989	5.4	67	1	1	2	7	13	18	48
50-64	1107	7.0	77	1	1	4	9	17	25	51
65 +	1909	8.4	119	1	1	5	10	19	30	59
GRAND TOTAL	**5321**	**6.3**	**83**	**1**	**1**	**3**	**8**	**15**	**23**	**53**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.3	1	< 1	1	2	3	4	4	5
20-34	7	3.3	2	1	1	4	4	5	5	5
35-49	8	2.9	2	1	1	3	4	5	5	5
50-64	5	2.0	1	< 1	< 1	2	3	3	3	3
65 +	4	3.8	10	1	1	3	6	8	8	8
B. Operated										
0-19 YRS	0									
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.9	4	1	1	2	3	6	8	9
20-34	23	4.5	9	1	2	4	7	9	10	11
35-49	25	5.8	24	1	2	5	6	12	16	24
50-64	31	5.7	42	1	1	4	7	12	23	29
65 +	72	6.4	79	1	1	3	8	14	21	55
B. Operated										
0-19 YRS	4	13.8	156	2	2	11	22	31	31	31
20-34	13	7.8	19	1	2	8	11	13	14	14
35-49	17	9.5	46	1	2	9	15	20	22	22
50-64	9	11.4	446	< 1	< 1	4	9	44	67	67
65 +	24	10.2	108	1	2	7	12	24	32	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.6	2	< 1	1	2	4	4	5	8
B. Operated	5	4.4	2	3	3	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	186	5.3	44	1	1	3	6	11	17	30
B. Operated	67	9.9	116	1	2	7	13	22	27	63
1. SINGLE DX	50	2.8	2	1	1	2	4	5	5	8
2. MULTIPLE DX	253	6.5	67	1	1	4	8	14	22	45
A. Not Operated	231	4.8	37	1	1	3	5	10	14	29
B. Operated	72	9.6	110	1	2	7	12	21	26	62
TOTAL										
0-19 YRS	60	3.4	19	1	1	2	3	7	9	29
20-34	45	5.3	13	1	2	4	8	11	13	14
35-49	52	6.5	32	1	2	5	8	16	21	24
50-64	46	6.4	115	< 1	1	3	7	10	24	67
65 +	100	7.2	85	1	1	4	9	18	23	53
GRAND TOTAL	**303**	**5.9**	**58**	**1**	**1**	**4**	**7**	**13**	**20**	**38**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	711	1.4	1	< 1	< 1	1	2	3	3	4
35-49	351	1.6	1	< 1	< 1	1	2	3	4	5
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	27	1.4	4	< 1	< 1	< 1	1	2	4	11
35-49	14	1.1		< 1	< 1	< 1	< 1	1	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	691	1.7	2	< 1	< 1	1	2	3	4	7
35-49	439	2.0	2	< 1	< 1	1	3	4	5	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1067	1.5	1	< 1	< 1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	41	1.3	2	< 1	< 1	< 1	1	2	2	11
B. Operated	1132	1.8	2	< 1	< 1	1	2	3	4	7
1. SINGLE DX	1067	1.5	1	< 1	< 1	1	2	3	3	5
2. MULTIPLE DX	1173	1.8	2	< 1	< 1	1	2	3	4	7
A. Not Operated	41	1.3	2	< 1	< 1	< 1	1	2	2	11
B. Operated	2199	1.6	1	< 1	< 1	1	2	3	4	6
TOTAL										
0-19 YRS	4	1.5		< 1	< 1	1	2	2	2	2
20-34	1429	1.6	1	< 1	< 1	1	2	3	3	5
35-49	804	1.8	2	< 1	< 1	1	2	3	4	7
50-64	3	1.3		1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**2240**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	2	56.0	338	43	43	84	99+	99+	99+	99+
1000-1499	9	44.7	206	27	27	46	51	65	74	74
1500-1749	7	32.4	114	23	24	27	40	50	51	51
1750-2499	1106	3.6	10	2	2	3	4	5	7	19
2500 +	83834	3.0	1	1	2	3	3	5	5	6
B. Operated										
1-999 G	3	70.7	9	68	68	74	99+	99+	99+	99+
1000-1499	6	57.5	24	48	51	60	80	99+	99+	99+
1500-1749	2	39.0	162	30	30	39	48	48	48	48
1750-2499	13	27.8	312	1	6	28	33	57	63	64
2500 +	50	8.9	164	2	2	5	9	17	42	65
2. MULTIPLE DX										
A. Not Operated										
1-999 G	38	69.0	423	29	49	85	99+	99+	99+	99+
1000-1499	219	40.8	287	14	21	39	51	69	79	99+
1500-1749	251	27.4	161	11	13	26	33	42	50	73
1750-2499	4020	8.6	75	2	2	5	11	19	24	50
2500 +	53514	3.9	8	2	2	3	5	6	7	12
B. Operated										
1-999 G	44	75.5	322	44	58	92	99+	99+	99+	99+
1000-1499	143	55.7	357	29	34	57	70	89	99+	99+
1500-1749	80	35.1	139	20	22	34	42	58	65	99+
1750-2499	331	19.4	221	3	5	17	24	37	56	99+
2500 +	917	8.5	99	2	2	5	9	17	26	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84958	3.0	2	1	2	3	3	5	5	6
B. Operated	74	19.5	491	2	2	9	41	65	89	99+
2. MULTIPLE DX										
A. Not Operated	58042	4.5	26	2	2	3	5	6	9	29
B. Operated	1515	18.7	458	2	3	9	27	60	82	99+
1. SINGLE DX	85032	3.0	3	1	2	3	3	5	5	7
2. MULTIPLE DX	59557	4.9	42	2	2	3	5	7	11	40
A. Not Operated	143000	3.6	12	2	2	3	4	5	6	16
B. Operated	1589	18.7	459	2	3	9	28	61	82	99+
TOTAL										
1-999 G	87	72.0	364	42	54	88	99+	99+	99+	99+
1000-1499	377	46.8	359	17	26	45	61	80	94	99+
1500-1749	340	29.4	164	12	14	28	36	46	56	93
1750-2499	5470	8.2	84	2	2	5	10	19	25	54
2500 +	138315	3.4	5	2	2	3	4	5	6	9
GRAND TOTAL	**144589**	**3.8**	**20**	**2**	**2**	**3**	**4**	**5**	**7**	**21**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	3	72.7	92	64	64	71	80	83	83	83
1000-1499	2	40.5	545	24	24	40	57	57	57	57
1500-1749	2	25.5	5	24	24	25	27	27	27	27
1750-2499	168	5.2	18	2	2	4	6	7	13	27
2500 +	899	4.3	2	2	3	4	5	6	7	8
B. Operated										
1-999 G	3	77.0	148	69	69	71	86	91	91	91
1000-1499	4	60.0	50	52	52	59	65	69	69	69
1500-1749	0									
1750-2499	0									
2500 +	2	10.5	61	5	5	10	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
1-999 G	13	73.8	529	28	34	80	91	95	98	99
1000-1499	45	39.7	267	10	20	39	49	64	73	99+
1500-1749	51	24.9	95	11	14	24	30	38	46	51
1750-2499	749	9.5	56	3	3	7	13	18	21	43
2500 +	715	5.0	4	3	3	5	6	7	8	14
B. Operated										
1-999 G	7	68.7	392	39	56	97	99+	99+	99+	99+
1000-1499	31	52.9	355	20	31	51	62	84	89	99+
1500-1749	33	31.3	183	7	13	30	42	49	51	62
1750-2499	51	22.2	213	1	5	21	30	46	48	56
2500 +	20	9.4	173	<1	1	5	9	21	41	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1074	4.7	22	2	3	4	5	6	7	23
B. Operated	9	54.7	752	5	9	61	70	83	91	91
2. MULTIPLE DX										
A. Not Operated	1573	9.4	120	3	3	6	10	19	28	64
B. Operated	142	31.5	503	3	5	30	50	80	99+	99+
1. SINGLE DX	1083	5.1	48	2	3	4	5	6	7	44
2. MULTIPLE DX	1715	11.2	189	3	3	6	13	26	44	86
A. Not Operated	2647	7.5	86	2	3	5	6	14	22	53
B. Operated	151	32.9	543	3	5	30	51	80	98	99+
TOTAL										
1-999 G	26	72.7	375	34	49	83	96	99+	99+	99+
1000-1499	82	45.7	336	15	23	46	58	74	84	99+
1500-1749	86	27.4	134	10	14	25	33	45	49	58
1750-2499	968	9.4	69	3	3	6	13	19	24	46
2500 +	1636	4.7	6	2	3	5	5	6	7	13
GRAND TOTAL	**2798**	**8.8**	**143**	**2**	**3**	**5**	**7**	**19**	**33**	**74**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	10	4.1	24	2	2	3	3	11	18	18
2500 +	244	2.6	1	1	1	3	3	3	4	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	1	35.0		35	35	35	35	35	35	35
1000-1499	4	35.3	9	31	31	36	37	38	38	38
1500-1749	2	56.5	1405	30	30	56	83	83	83	83
1750-2499	53	13.5	99	2	3	13	22	27	34	38
2500 +	154	7.7	110	1	2	4	8	20	33	99
B. Operated										
1-999 G	1	27.0		27	27	99 +	99 +	99 +	99 +	99 +
1000-1499	2	31.0	32	27	27	31	35	35	35	35
1500-1749	1	41.0		41	41	41	41	41	41	41
1750-2499	2	32.0	800	12	12	52	88	99 +	99 +	99 +
2500 +	5	31.0	206	7	7	33	41	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	2.7	2	1	1	3	3	3	4	8
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	214	10.2	152	1	2	5	13	28	36	89
B. Operated	11	31.7	177	8	11	38	52	99 +	99 +	99 +
1. SINGLE DX	254	2.7	2	1	1	3	3	3	4	8
2. MULTIPLE DX	225	11.3	174	1	2	6	15	34	41	99 +
A. Not Operated	468	6.1	85	1	2	3	5	15	28	51
B. Operated	11	31.7	177	8	11	38	52	99 +	99 +	99 +
TOTAL										
1-999 G	2	31.0	32	27	27	67	99 +	99 +	99 +	99 +
1000-1499	6	33.8	17	27	27	35	36	38	38	38
1500-1749	3	51.3	782	30	30	41	72	83	83	83
1750-2499	65	12.6	120	2	2	11	19	28	38	92
2500 +	403	4.9	59	1	2	3	4	9	20	48
GRAND TOTAL	**479**	**6.7**	**101**	**1**	**2**	**3**	**6**	**20**	**33**	**94**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.8	1	< 1	< 1	1	3	3	3	3
20-34	10	2.4	7	1	1	1	2	7	9	9
35-49	4	1.0		< 1	< 1	1	1	1	1	1
50-64	3	4.0	27	1	1	1	8	10	10	10
65 +	5	3.4	4	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	282	2.0	2	< 1	< 1	1	3	4	4	7
20-34	360	2.1	16	< 1	< 1	1	2	3	5	8
35-49	161	2.0	2	< 1	< 1	2	3	4	5	6
50-64	154	2.3	3	< 1	< 1	2	3	4	6	9
65 +	87	3.0	6	< 1	1	2	3	6	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	1.7	3	< 1	< 1	< 1	1	5	6	6
20-34	8	1.1		< 1	< 1	1	1	2	2	2
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	3	2.3	2	< 1	< 1	2	3	4	4	4
65 +	4	1.3		< 1	< 1	< 1	1	2	2	2
B. Operated										
0-19 YRS	265	2.6	14	< 1	1	2	3	5	6	16
20-34	157	3.6	25	< 1	1	2	4	7	10	28
35-49	109	2.9	12	< 1	1	2	3	6	7	21
50-64	85	3.4	19	< 1	1	2	4	6	10	28
65 +	103	5.9	48	< 1	1	3	7	15	18	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.4	6	< 1	< 1	1	3	6	9	10
B. Operated	1044	2.1	7	< 1	< 1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	33	1.5	2	< 1	< 1	< 1	1	3	5	6
B. Operated	719	3.4	23	< 1	1	2	4	6	10	27
1. SINGLE DX	1075	2.1	7	< 1	< 1	2	3	4	5	9
2. MULTIPLE DX	752	3.3	22	< 1	1	2	4	6	10	26
A. Not Operated	64	1.9	4	< 1	< 1	1	2	5	6	10
B. Operated	1763	2.7	14	< 1	< 1	2	3	5	7	17
TOTAL										
0-19 YRS	572	2.2	8	< 1	< 1	2	3	4	5	11
20-34	535	2.5	19	< 1	< 1	2	3	5	6	12
35-49	276	2.3	6	< 1	< 1	2	3	4	5	15
50-64	245	2.7	9	< 1	1	2	3	5	6	13
65 +	199	4.5	30	< 1	1	3	5	10	15	32
GRAND TOTAL	**1827**	**2.6**	**14**	**< 1**	**< 1**	**2**	**3**	**5**	**6**	**16**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	7	2.0		2	2	2	2	2	2	2
35-49	15	1.9		1	1	2	2	2	3	3
50-64	20	2.0	1	1	1	2	2	3	4	5
65 +	22	2.4	10	1	1	2	2	3	8	16
B. Operated										
0-19 YRS	5	16.0	1017	1	1	1	21	73	73	73
20-34	18	6.0	43	< 1	1	4	6	10	22	30
35-49	40	5.5	51	1	1	3	5	14	27	29
50-64	81	4.0	33	< 1	1	2	4	9	16	34
65 +	56	6.7	71	1	1	3	7	17	31	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	69	2.1	3	1	1	2	2	3	3	14
B. Operated	200	5.5	71	1	1	3	5	14	25	57
1. SINGLE DX	0									
2. MULTIPLE DX	269	4.6	56	1	1	2	4	10	18	42
A. Not Operated	69	2.1	3	1	1	2	2	3	3	14
B. Operated	200	5.5	71	1	1	3	5	14	25	57
TOTAL										
0-19 YRS	10	9.0	507	1	1	2	3	38	73	73
20-34	25	4.9	34	1	2	3	5	10	15	30
35-49	55	4.5	40	1	1	2	4	8	24	29
50-64	101	3.6	27	< 1	1	2	4	7	12	30
65 +	78	5.4	57	1	1	3	6	16	28	83
GRAND TOTAL	**269**	**4.6**	**56**	**1**	**1**	**2**	**4**	**10**	**18**	**42**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	773	2.7	8	< 1	< 1	2	4	5	6	15
20-34	542	2.2	3	< 1	< 1	2	3	4	5	10
35-49	213	2.3	11	< 1	< 1	2	3	4	5	15
50-64	165	1.9	3	< 1	< 1	1	2	3	6	10
65 +	151	3.1	14	< 1	< 1	1	3	11	12	23
B. Operated										
0-19 YRS	202	3.9	40	< 1	< 1	2	5	8	10	35
20-34	465	3.2	6	< 1	< 1	3	4	7	9	11
35-49	300	3.8	10	< 1	1	3	6	9	10	12
50-64	230	4.6	14	< 1	1	3	8	10	11	13
65 +	137	5.8	19	< 1	1	7	9	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1934	3.6	46	< 1	< 1	2	4	6	9	43
20-34	1648	5.0	78	< 1	< 1	2	5	9	28	58
35-49	2809	4.4	53	1	1	2	5	7	16	37
50-64	7239	4.2	48	1	1	2	5	6	12	39
65 +	8292	6.8	120	1	1	3	6	18	31	58
B. Operated										
0-19 YRS	530	4.8	74	1	1	2	5	10	13	75
20-34	798	4.9	70	1	1	3	6	10	13	31
35-49	1172	4.8	50	1	1	3	6	10	15	42
50-64	1859	6.0	69	1	1	3	8	13	19	51
65 +	2434	8.2	129	1	1	4	10	18	32	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1844	2.4	7	< 1	< 1	2	3	5	6	14
B. Operated	1334	4.0	15	< 1	< 1	3	6	9	10	14
2. MULTIPLE DX										
A. Not Operated	21922	5.2	80	1	1	3	5	10	23	50
B. Operated	6793	6.4	90	1	1	3	8	13	22	62
1. SINGLE DX	3178	3.1	11	< 1	< 1	2	4	7	9	14
2. MULTIPLE DX	28715	5.5	82	1	1	3	5	11	23	53
A. Not Operated	23766	5.0	74	1	1	2	5	9	22	49
B. Operated	8127	6.0	78	1	1	3	7	12	19	57
TOTAL										
0-19 YRS	3439	3.6	42	< 1	< 1	2	4	6	10	38
20-34	3453	4.3	56	< 1	< 1	2	4	8	15	41
35-49	4494	4.4	47	1	1	2	5	8	14	36
50-64	9493	4.5	51	1	1	2	5	8	14	40
65 +	11014	7.1	120	1	1	3	7	18	30	60
GRAND TOTAL	**31893**	**5.3**	**76**	**1**	**1**	**3**	**5**	**11**	**21**	**50**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57491	3.1	18	< 1	1	2	3	6	8	20
20-34	130021	3.1	6	< 1	1	3	4	5	6	12
35-49	47416	3.8	13	< 1	1	3	5	8	10	17
50-64	32361	4.5	18	1	1	3	6	9	12	19
65 +	26470	5.7	30	1	1	4	8	12	15	26
2. MULTIPLE DX										
0-19 YRS	60911	5.8	82	< 1	1	3	6	12	21	58
20-34	133359	5.2	40	1	1	4	6	9	14	35
35-49	100381	6.8	63	1	1	5	8	13	20	45
50-64	140714	8.4	85	1	2	6	10	17	25	54
65 +	302388	11.3	132	2	2	8	14	24	35	78
TOTAL SINGLE DX	293759	3.6	14	< 1	1	3	4	7	9	18
TOTAL MULTIPLE DX	737753	8.6	99	1	2	6	10	18	27	62
TOTAL										
0-19 YRS	118402	4.5	53	< 1	1	3	5	9	15	43
20-34	263380	4.1	24	1	1	3	5	7	10	26
35-49	147797	5.8	49	1	1	4	7	11	17	38
50-64	173075	7.7	75	1	1	5	9	16	22	50
65 +	328858	10.9	126	1	2	8	14	23	33	75
GRAND TOTAL	**1031512**	**7.2**	**80**	**1**	**1**	**4**	**8**	**16**	**23**	**53**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	8.7	95	1	2	7	9	16	31	56
20-34	70	9.5	50	1	2	8	13	16	18	44
35-49	88	9.3	31	2	4	9	11	14	17	37
50-64	116	12.9	93	4	5	10	15	23	28	63
65+	77	12.8	54	3	7	12	15	21	26	42
2. MULTIPLE DX										
0-19 YRS	215	13.0	192	1	2	9	18	29	39	82
20-34	122	19.6	276	5	6	16	24	60	95	99+
35-49	186	17.3	197	4	6	12	24	40	57	99+
50-64	333	20.2	287	4	6	15	28	47	78	99+
65+	482	23.8	314	5	7	19	32	55	74	99+
TOTAL SINGLE DX	450	10.7	71	2	3	9	13	19	25	44
TOTAL MULTIPLE DX	1338	19.9	282	3	5	15	27	47	70	99+
TOTAL										
0-19 YRS	314	11.6	166	1	2	8	15	26	35	77
20-34	192	15.9	217	2	4	12	18	37	65	99+
35-49	274	14.7	158	3	5	11	17	36	45	99+
50-64	449	18.3	247	4	6	14	23	40	64	99+
65+	559	22.3	293	5	7	18	30	52	71	99+
GRAND TOTAL	1788	17.6	245	2	4	13	23	41	60	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	10.2	253	2	3	5	9	17	27	89
20-34	19	9.9	23	3	4	10	13	15	19	22
35-49	18	11.3	35	4	5	10	17	20	21	22
50-64	19	12.2	88	4	5	9	11	29	36	39
65+	19	7.8	12	3	4	7	10	14	15	15
2. MULTIPLE DX										
0-19 YRS	61	21.6	474	4	5	13	26	54	79	92
20-34	77	27.1	458	6	7	23	43	75	97	99+
35-49	70	25.5	371	6	7	20	44	60	97	99+
50-64	85	21.6	287	7	7	16	32	53	91	99+
65+	124	23.7	304	7	8	19	30	63	74	99+
TOTAL SINGLE DX	124	10.3	124	3	3	8	11	19	23	79
TOTAL MULTIPLE DX	417	23.9	366	5	7	18	34	59	87	99+
TOTAL										
0-19 YRS	110	16.6	405	3	3	9	17	40	76	91
20-34	96	23.7	419	5	6	15	34	61	89	99+
35-49	88	22.6	334	5	6	17	33	56	85	99+
50-64	104	19.9	263	5	7	15	29	49	80	99+
65+	143	21.6	295	5	7	16	29	56	70	99+
GRAND TOTAL	541	20.8	343	4	5	14	29	55	78	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	4.6	5	1	2	4	6	8	8	13
20-34	17	6.1	13	1	2	6	7	10	15	17
35-49	12	5.8	18	1	2	5	7	12	15	16
50-64	6	5.8	21	2	2	4	5	14	15	15
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	91	9.3	74	3	3	7	12	17	30	84
20-34	75	12.7	186	2	3	8	14	32	51	92
35-49	39	10.8	69	4	4	8	13	17	33	40
50-64	18	13.8	156	3	4	10	14	36	46	49
65+	10	21.6	833	<1	2	8	23	71	93	93
TOTAL SINGLE DX	130	5.0	9	1	2	4	6	8	11	16
TOTAL MULTIPLE DX	233	11.5	151	3	4	8	13	23	41	94
TOTAL										
0-19 YRS	184	6.9	45	2	3	5	8	13	17	51
20-34	92	11.5	160	2	3	7	13	30	49	87
35-49	51	9.6	61	2	3	8	12	16	26	40
50-64	24	11.8	133	2	3	9	14	23	44	49
65+	12	18.6	731	<1	2	7	19	63	89	93
GRAND TOTAL	363	9.2	109	2	3	6	11	17	31	68

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	9.4	150	3	3	6	9	19	59	99+
20-34	11	9.1	66	2	3	7	10	19	31	32
35-49	9	8.0	16	4	4	7	8	14	18	18
50-64	9	6.2	11	2	2	6	9	11	11	11
65+	11	9.3	30	4	5	7	10	19	22	22
2. MULTIPLE DX										
0-19 YRS	103	17.7	406	3	4	8	27	56	91	99+
20-34	27	19.4	412	4	5	13	28	84	99+	99+
35-49	20	13.5	187	3	4	9	16	20	44	67
50-64	45	18.2	263	4	5	12	24	44	62	99+
65+	127	22.2	305	6	8	17	33	62	96	99+
TOTAL SINGLE DX	74	8.8	85	3	3	6	9	17	29	91
TOTAL MULTIPLE DX	322	19.4	337	4	5	13	28	57	88	99+
TOTAL										
0-19 YRS	137	15.6	354	3	4	8	19	53	87	99+
20-34	38	16.4	330	3	4	10	25	49	98	99+
35-49	29	11.8	139	4	4	8	15	19	24	67
50-64	54	16.2	243	4	4	11	22	37	58	99
65+	138	21.2	296	5	7	17	31	61	86	99+
GRAND TOTAL	396	17.4	307	4	4	11	23	53	78	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	7.4	103	2	2	4	7	15	28	63
20-34	25	8.0	23	2	3	7	11	16	17	18
35-49	19	12.4	55	2	3	11	17	25	27	28
50-64	10	8.9	81	2	2	5	10	24	31	31
65 +	9	8.3	14	3	4	7	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	422	10.0	163	2	2	5	12	26	41	99 +
20-34	102	13.8	230	2	3	9	17	41	58	99 +
35-49	61	20.2	480	3	3	12	29	62	82	98
50-64	70	19.9	275	4	4	16	27	52	67	99 +
65 +	83	18.5	332	3	5	11	22	42	68	89
TOTAL SINGLE DX	144	8.3	77	2	2	6	10	17	26	48
TOTAL MULTIPLE DX	738	13.2	245	2	2	8	18	34	55	99 +
TOTAL										
0-19 YRS	503	9.5	155	2	2	5	10	25	35	92
20-34	127	12.7	195	2	3	9	15	38	48	99 +
35-49	80	18.4	389	3	3	11	24	49	75	96
50-64	80	18.5	263	3	4	14	24	47	65	99 +
65 +	92	17.5	310	3	5	11	21	41	66	87
GRAND TOTAL	882	12.4	221	2	2	7	16	31	49	99 +

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	12.2	46	3	3	13	16	21	22	22
20-34	85	7.8	54	2	3	6	9	12	21	46
35-49	178	7.1	20	3	4	6	8	11	14	29
50-64	166	7.5	20	3	4	7	8	11	15	27
65 +	120	9.5	21	4	5	9	11	16	20	25
2. MULTIPLE DX										
0-19 YRS	30	12.6	151	3	5	9	13	23	29	69
20-34	106	13.8	222	3	4	8	14	35	56	85
35-49	219	10.5	84	3	4	7	12	20	30	62
50-64	456	12.1	153	4	4	9	13	23	32	91
65 +	676	16.4	182	6	6	12	20	34	48	87
TOTAL SINGLE DX	559	7.9	27	3	4	7	9	13	17	28
TOTAL MULTIPLE DX	1487	14.0	166	4	5	10	16	29	41	81
TOTAL										
0-19 YRS	40	12.5	124	3	4	9	14	21	29	69
20-34	191	11.1	156	3	3	7	11	25	40	73
35-49	397	9.0	58	3	4	7	10	16	24	44
50-64	622	10.9	122	3	4	8	11	20	28	80
65 +	796	15.4	164	5	6	11	18	31	43	78
GRAND TOTAL	2046	12.3	136	4	4	9	13	25	36	74

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	7.4	73	2	3	5	7	14	18	59
20-34	62	6.8	25	1	1	5	10	12	16	25
35-49	76	5.4	21	1	1	5	7	11	13	27
50-64	22	6.1	27	< 1	1	5	9	15	16	17
65 +	12	5.5	7	2	3	5	7	10	11	11
2. MULTIPLE DX										
0-19 YRS	116	13.2	165	3	4	8	16	32	39	91
20-34	127	11.2	103	2	3	7	15	25	34	46
35-49	109	12.1	220	1	2	8	15	25	32	91
50-64	110	16.5	269	2	3	11	21	38	52	73
65 +	112	20.0	355	2	4	13	26	45	62	95
TOTAL SINGLE DX	242	6.4	37	1	1	5	7	12	16	31
TOTAL MULTIPLE DX	574	14.5	228	2	3	10	18	33	44	89
TOTAL										
0-19 YRS	186	11.0	138	2	4	7	14	29	35	78
20-34	189	9.7	82	1	2	6	12	22	26	44
35-49	185	9.4	149	1	1	6	11	20	27	83
50-64	132	14.7	244	1	2	10	18	35	49	72
65 +	124	18.6	340	2	3	12	24	43	60	94
GRAND TOTAL	816	12.1	185	1	2	7	15	28	40	78

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.1	2	< 1	< 1	3	4	5	6	6
20-34	57	3.0	15	< 1	< 1	2	3	7	13	22
35-49	62	3.0	6	< 1	< 1	2	5	6	8	11
50-64	64	2.9	7	< 1	< 1	2	4	7	9	13
65 +	28	2.6	5	< 1	1	2	4	5	8	10
2. MULTIPLE DX										
0-19 YRS	19	5.8	118	< 1	1	3	4	11	33	49
20-34	58	5.6	90	< 1	< 1	3	5	11	15	65
35-49	63	5.7	62	< 1	< 1	3	6	16	22	44
50-64	68	8.7	170	< 1	1	4	10	21	40	64
65 +	69	8.1	108	1	1	3	10	23	33	49
TOTAL SINGLE DX	220	2.9	9	< 1	< 1	2	4	6	9	15
TOTAL MULTIPLE DX	277	7.0	111	< 1	1	3	8	16	25	54
TOTAL										
0-19 YRS	28	4.9	81	< 1	1	3	4	7	17	49
20-34	115	4.3	55	< 1	< 1	2	5	9	15	40
35-49	125	4.4	36	< 1	< 1	2	5	9	16	32
50-64	132	5.9	99	< 1	< 1	3	6	12	21	57
65 +	97	6.5	85	1	1	3	8	17	25	47
GRAND TOTAL	497	5.2	70	<1	<1	3	5	11	19	50

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	1.9	2	<1	<1	1	2	4	5	7
20-34	255	1.6	2	<1	<1	1	2	3	4	7
35-49	312	1.4		<1	<1	1	2	3	3	6
50-64	194	1.6	1	<1	<1	1	2	3	4	7
65+	93	1.7	3	<1	<1	1	2	3	4	11
2. MULTIPLE DX										
0-19 YRS	127	2.5	14	1	1	1	3	5	9	99+
20-34	306	2.9	20	<1	1	2	3	6	9	24
35-49	276	2.7	13	<1	<1	2	3	5	7	23
50-64	279	3.2	16	<1	<1	2	3	8	12	25
65+	227	3.5	42	<1	<1	2	3	7	10	32
TOTAL SINGLE DX	911	1.6	2	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	1215	3.0	21	<1	<1	2	3	6	10	26
TOTAL										
0-19 YRS	184	2.3	11	<1	1	1	2	4	6	77
20-34	561	2.3	12	<1	<1	1	2	4	7	18
35-49	588	2.0	7	<1	<1	1	2	4	5	13
50-64	473	2.5	11	<1	<1	1	3	5	9	21
65+	320	3.0	31	<1	<1	2	3	5	8	29
GRAND TOTAL	2126	2.4	13	<1	<1	1	2	4	7	19

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	8	3.4	3	<1	1	3	5	6	6	6
35-49	11	5.5	8	2	2	5	8	10	11	11
50-64	5	8.2	16	5	5	8	10	15	15	15
65+	4	12.3	22	9	9	11	15	19	19	19
2. MULTIPLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	9	6.6	19	3	3	5	8	14	15	15
35-49	24	8.5	69	2	3	6	9	20	27	39
50-64	46	13.5	128	4	4	10	19	28	36	58
65+	92	13.1	132	4	5	9	16	26	31	71
TOTAL SINGLE DX	30	6.3	16	2	2	5	9	11	15	19
TOTAL MULTIPLE DX	172	12.2	119	3	4	9	15	25	33	55
TOTAL										
0-19 YRS	3	9.0	27	6	6	6	13	15	15	15
20-34	17	5.1	14	1	2	5	5	12	14	15
35-49	35	7.5	51	2	3	5	9	14	21	39
50-64	51	13.0	120	4	4	10	15	28	36	58
65+	96	13.1	128	4	5	9	16	25	31	69
GRAND TOTAL	202	11.4	108	3	4	8	14	23	31	51

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	7.3	29	3	3	5	11	15	15	15
20-34	3	4.3	12	1	1	4	7	8	8	8
35-49	10	7.9	88	<1	2	5	7	21	34	34
50-64	3	2.7	4	<1	<1	2	4	5	5	5
65+	6	2.8	3	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	4	10.0	98	2	2	7	17	24	24	24
20-34	12	4.8	16	<1	<1	4	9	10	10	10
35-49	28	7.6	69	1	1	5	10	15	20	42
50-64	19	5.8	44	1	1	4	6	15	24	27
65+	23	12.6	141	2	2	9	16	34	68	99+
TOTAL SINGLE DX	26	5.6	43	<1	<1	4	6	9	19	34
TOTAL MULTIPLE DX	86	8.3	82	1	1	6	10	18	28	83
TOTAL										
0-19 YRS	8	8.6	57	2	2	6	12	21	24	24
20-34	15	4.7	15	<1	1	4	8	10	10	10
35-49	38	7.7	72	1	1	5	9	15	28	42
50-64	22	5.4	40	<1	1	4	6	12	23	27
65+	29	10.6	128	1	1	8	16	29	54	99+
GRAND TOTAL	112	7.6	74	1	1	5	9	17	27	71

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	2.9	3	1	1	3	4	5	5	12
20-34	306	2.9	1	1	1	3	4	4	5	7
35-49	403	3.2	4	1	2	3	4	5	5	9
50-64	270	3.3	1	1	2	3	4	5	6	8
65 +	92	3.6	5	2	2	3	4	5	6	16
2. MULTIPLE DX										
0-19 YRS	27	3.6	3	1	2	3	4	6	7	9
20-34	155	3.7	7	1	2	3	4	6	8	17
35-49	280	4.0	17	1	2	3	4	6	8	16
50-64	312	4.3	7	2	2	4	5	7	9	16
65 +	316	6.9	73	2	2	4	6	14	23	46
TOTAL SINGLE DX	1121	3.1	3	1	2	3	4	5	5	9
TOTAL MULTIPLE DX	1090	4.9	31	2	2	4	5	8	12	31
TOTAL										
0-19 YRS	77	3.1	3	1	1	3	4	5	6	11
20-34	461	3.1	4	1	1	3	4	5	6	10
35-49	683	3.5	10	1	2	3	4	5	6	13
50-64	587	3.9	5	2	2	3	4	6	8	13
65 +	408	6.1	60	2	2	4	6	11	19	43
GRAND TOTAL	2211	4.0	18	1	2	3	4	6	8	22

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	131	1.7	1	<1	1	1	2	3	3	7
20-34	64	2.3	4	1	1	2	3	5	6	13
35-49	47	2.5	2	1	1	2	4	4	5	8
50-64	55	3.0	3	1	1	3	4	5	6	10
65 +	10	3.0	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	22	5.8	44	<1	1	3	9	13	22	26
20-34	46	6.4	54	1	1	3	9	16	27	99 +
35-49	78	7.1	57	1	2	4	9	15	27	38
50-64	156	6.4	68	1	2	4	6	13	23	65
65 +	163	10.1	146	2	3	5	12	26	34	81
TOTAL SINGLE DX	307	2.2	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	465	7.8	94	1	2	4	9	19	31	65
TOTAL										
0-19 YRS	153	2.3	9	<1	1	1	2	4	7	20
20-34	110	4.0	29	1	1	2	5	9	14	63
35-49	125	5.4	42	1	1	3	6	10	17	34
50-64	211	5.5	54	1	2	4	5	10	16	53
65 +	173	9.7	141	2	2	5	11	25	33	79
GRAND TOTAL	772	5.6	65	1	1	3	5	12	22	49

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	6.4	16	<1	1	6	8	11	16	17
20-34	19	7.4	9	2	4	7	8	12	14	15
35-49	17	8.3	11	3	4	8	9	14	15	15
50-64	15	7.7	19	1	3	7	10	16	16	16
65 +	10	10.5	77	1	2	9	11	24	33	33
2. MULTIPLE DX										
0-19 YRS	9	8.7	23	1	2	11	13	14	14	14
20-34	27	8.7	20	4	4	7	10	15	19	22
35-49	46	12.9	101	5	6	8	18	28	35	44
50-64	81	14.8	208	5	6	10	16	34	37	86
65 +	69	13.2	108	1	3	9	17	34	42	99 +
TOTAL SINGLE DX	74	7.9	22	1	3	7	9	15	16	29
TOTAL MULTIPLE DX	232	13.0	131	3	5	9	16	30	37	95
TOTAL										
0-19 YRS	22	7.3	19	<1	1	7	11	13	15	17
20-34	46	8.2	16	4	4	7	9	14	16	22
35-49	63	11.7	81	4	5	8	13	26	31	44
50-64	96	13.7	185	4	5	9	15	30	36	82
65 +	79	12.9	105	1	3	9	17	33	41	99 +
GRAND TOTAL	306	11.8	109	3	4	8	13	25	34	79

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	1.2		<1	<1	<1	<1	1	2	6
20-34	11	1.1		<1	<1	1	1	2	2	2
35-49	10	1.0		<1	<1	<1	1	1	1	1
50-64	21	1.5	1	<1	<1	1	1	3	5	6
65+	15	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	11	1.5	2	<1	<1	1	1	3	6	6
20-34	5	11.4	152	1	1	10	18	31	31	31
35-49	13	4.1	55	<1	<1	1	3	11	25	28
50-64	27	2.0	5	<1	<1	1	2	4	6	12
65+	67	9.2	245	<1	<1	2	9	26	58	95
TOTAL SINGLE DX	96	1.3	1	<1	<1	<1	1	2	3	6
TOTAL MULTIPLE DX	123	6.5	157	<1	<1	2	6	17	36	30
TOTAL										
0-19 YRS	50	1.2	1	<1	<1	<1	1	1	2	6
20-34	16	4.3	65	<1	<1	1	2	14	26	31
35-49	23	2.7	33	<1	<1	<1	1	5	14	28
50-64	48	1.8	4	<1	<1	1	2	4	5	12
65+	82	7.8	209	<1	<1	2	8	24	54	91
GRAND TOTAL	219	4.2	95	<1	<1	1	2	9	23	67

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.3		<1	<1	1	1	2	3	6
20-34	17	1.3		<1	<1	1	1	2	3	3
35-49	52	1.3		<1	<1	1	1	2	3	5
50-64	60	1.2		<1	<1	1	1	2	2	5
65+	29	1.9	2	<1	<1	1	2	3	6	9
2. MULTIPLE DX										
0-19 YRS	181	2.9	13	<1	<1	2	3	6	9	20
20-34	208	3.6	17	<1	<1	2	4	8	10	24
35-49	163	2.3	3	<1	<1	2	3	5	6	9
50-64	227	2.3	7	<1	1	1	2	5	6	16
65+	312	7.5	197	<1	1	2	8	17	56	99+
TOTAL SINGLE DX	257	1.4	1	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	1091	4.1	69	<1	1	2	4	8	14	75
TOTAL										
0-19 YRS	280	2.3	10	<1	<1	1	3	5	7	16
20-34	225	3.4	17	<1	<1	2	4	7	10	24
35-49	215	2.1	3	<1	<1	1	3	4	5	8
50-64	287	2.1	6	<1	1	1	2	4	5	14
65+	341	7.1	183	<1	1	2	7	16	52	99+
GRAND TOTAL	1348	3.6	57	<1	<1	2	3	7	12	67

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.7	2	<1	<1	1	2	3	5	7
20-34	15	1.3		<1	<1	1	1	2	3	3
35-49	13	1.4		<1	<1	1	2	2	2	2
50-64	22	1.4	2	<1	<1	1	1	2	5	8
65+	27	1.5		<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	17	1.8	4	<1	<1	1	1	6	8	8
20-34	22	1.6	1	<1	<1	1	2	3	4	5
35-49	20	1.5		<1	1	1	2	3	4	4
50-64	35	2.0	2	<1	1	2	2	4	6	7
65+	126	2.9	56	<1	<1	1	2	4	8	38
TOTAL SINGLE DX	95	1.5	1	<1	<1	1	2	2	3	8
TOTAL MULTIPLE DX	220	2.4	33	<1	<1	1	2	4	6	22
TOTAL										
0-19 YRS	35	1.7	3	<1	<1	1	2	3	7	8
20-34	37	1.5	1	<1	<1	1	2	3	4	5
35-49	33	1.5	1	<1	<1	1	2	3	3	4
50-64	57	1.8	2	<1	<1	1	2	3	6	8
65+	153	2.6	46	<1	<1	1	2	4	6	26
GRAND TOTAL	315	2.1	24	<1	<1	1	2	3	5	18

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.0		<1	<1	<1	<1	1	1	1
20-34	3	2.3		2	2	2	3	3	3	3
35-49	0									
50-64	4	2.0	2	1	1	2	3	4	4	4
65+	3	3.3	16	<1	<1	1	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	8	1.3		<1	<1	1	1	3	3	3
20-34	6	2.2	2	<1	<1	2	3	5	5	5
35-49	3	38.0	217	29	29	30	49	55	55	55
50-64	8	3.8	20	<1	<1	2	4	12	14	14
65+	11	3.4	3	1	1	3	5	6	7	7
TOTAL SINGLE DX	20	1.8	3	<1	<1	1	2	3	6	8
TOTAL MULTIPLE DX	36	5.7	117	<1	1	2	5	13	30	55
TOTAL										
0-19 YRS	18	1.1		<1	<1	1	1	1	2	3
20-34	9	2.2	2	<1	<1	2	3	4	5	5
35-49	3	38.0	217	29	29	30	49	55	55	55
50-64	12	3.2	14	<1	<1	2	3	8	13	14
65+	14	3.4	5	<1	1	3	5	7	8	8
GRAND TOTAL	56	4.3	79	<1	<1	1	3	7	24	53

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.8	18	< 1	< 1	2	5	10	15	15
20-34	15	2.2	2	< 1	1	2	3	4	5	6
35-49	13	2.6	1	< 1	< 1	2	4	4	5	5
50-64	18	2.3	1	< 1	1	2	3	5	5	5
65 +	72	2.7	2	1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	14	7.1	119	< 1	1	4	7	18	37	43
20-34	23	2.9	3	< 1	< 1	2	4	5	6	7
35-49	18	3.4	5	< 1	1	3	5	7	9	9
50-64	43	3.9	14	< 1	1	3	5	8	9	22
65 +	312	3.3	21	1	1	2	[illegible]	6	7	22
TOTAL SINGLE DX	128	2.7	4	< 1	1	2	3	5	6	10
TOTAL MULTIPLE DX	410	3.4	22	< 1	1	2	4	6	8	22
TOTAL										
0-19 YRS	24	5.8	78	< 1	1	3	6	15	24	43
20-34	38	2.6	3	< 1	< 1	2	3	5	6	7
35-49	31	3.1	4	< 1	1	3	4	5	8	9
50-64	61	3.4	11	< 1	1	3	4	7	9	21
65 +	384	3.2	18	1	1	2	4	6	7	21
GRAND TOTAL	538	3.3	18	<1	1	2	4	6	7	22

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	2.4	3	< 1	< 1	2	3	5	7	9
20-34	30	3.3	8	< 1	1	3	4	5	6	17
35-49	14	2.9	4	< 1	< 1	2	4	7	7	7
50-64	10	1.6	1	< 1	< 1	1	2	3	4	4
65 +	11	1.5	1	< 1	< 1	1	2	3	5	5
2. MULTIPLE DX										
0-19 YRS	52	4.0	9	< 1	1	3	5	7	11	16
20-34	39	4.0	12	< 1	< 1	3	5	9	12	17
35-49	20	3.2	7	< 1	< 1	2	5	9	52	99 +
50-64	30	3.9	55	< 1	< 1	2	4	8	10	41
65 +	61	2.8	19	< 1	< 1	1	3	5	9	27
TOTAL SINGLE DX	103	2.6	5	< 1	< 1	2	3	5	6	13
TOTAL MULTIPLE DX	202	3.5	20	< 1	< 1	2	4	7	11	34
TOTAL										
0-19 YRS	90	3.3	8	< 1	< 1	3	5	6	9	14
20-34	69	3.7	11	< 1	< 1	3	4	7	11	17
35-49	34	3.1	6	< 1	< 1	2	5	7	11	99 +
50-64	40	3.4	42	< 1	< 1	1	3	6	9	41
65 +	72	2.6	17	< 1	< 1	1	2	5	9	26
GRAND TOTAL	305	3.2	15	<1	<1	2	4	6	9	23

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.8	1	< 1	< 1	1	2	4	5	5
20-34	2	3.0	8	< 1	< 1	2	5	5	5	5
35-49	10	1.3		< 1	< 1	1	2	2	2	2
50-64	37	1.6		< 1	< 1	1	2	3	3	4
65 +	60	2.6	2	1	1	2	4	4	6	7
2. MULTIPLE DX										
0-19 YRS	16	2.1	4	< 1	< 1	1	2	4	7	9
20-34	14	5.0	32	< 1	< 1	2	9	14	18	19
35-49	19	1.9	2	< 1	1	1	3	6	53	99 +
50-64	60	2.3	3	< 1	< 1	2	3	4	6	10
65 +	232	3.6	54	< 1	1	2	3	7	10	41
TOTAL SINGLE DX	131	2.1	2	< 1	< 1	2	3	4	5	7
TOTAL MULTIPLE DX	341	3.3	40	< 1	< 1	2	3	7	10	34
TOTAL										
0-19 YRS	38	1.9	3	< 1	< 1	1	2	4	5	9
20-34	16	4.8	29	< 1	< 1	2	7	13	17	19
35-49	29	1.7	2	< 1	< 1	1	2	4	7	99 +
50-64	97	2.0	2	< 1	< 1	2	2	3	5	10
65 +	292	3.4	44	< 1	1	2	3	6	9	29
GRAND TOTAL	472	2.9	30	<1	<1	2	3	5	9	27

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	3.3	7	< 1	< 1	2	5	6	10	11
20-34	16	2.8	3	< 1	1	2	4	5	6	7
35-49	11	2.2	3	< 1	< 1	1	4	5	6	6
50-64	17	2.1	3	< 1	< 1	2	2	5	7	7
65 +	29	2.1	3	< 1	< 1	1	3	5	7	7
2. MULTIPLE DX										
0-19 YRS	19	3.3	6	< 1	1	3	4	6	9	11
20-34	34	4.7	28	< 1	1	4	5	7	13	31
35-49	17	3.6	13	< 1	< 1	2	5	8	13	15
50-64	41	3.7	26	< 1	< 1	2	4	9	13	28
65 +	166	3.8	19	< 1	< 1	2	5	8	13	20
TOTAL SINGLE DX	87	2.4	4	< 1	< 1	2	4	5	7	10
TOTAL MULTIPLE DX	277	3.9	20	< 1	< 1	2	5	8	13	26
TOTAL										
0-19 YRS	33	3.3	6	< 1	1	2	4	6	10	11
20-34	50	4.1	21	< 1	1	3	5	6	10	31
35-49	28	3.0	10	< 1	< 1	2	4	6	9	15
50-64	58	3.2	20	< 1	< 1	2	3	8	9	27
65 +	195	3.6	18	< 1	< 1	2	5	8	12	20
GRAND TOTAL	364	3.5	17	<1	<1	2	4	7	11	20

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.3		<1	<1	<1	1	2	3	4
20-34	0									
35-49	4	2.0		1	1	2	3	3	3	3
50-64	31	1.5		<1	<1	1	2	2	2	4
65+	139	1.7		<1	1	2	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	23	2.1	3	<1	<1	1	2	5	7	9
20-34	4	2.5	1	1	1	2	3	4	4	4
35-49	14	2.0	1	<1	<1	2	2	4	5	6
50-64	97	1.9	4	<1	<1	1	2	3	4	14
65+	552	2.4	28	<1	1	2	2	3	5	20
TOTAL SINGLE DX	196	1.6		<1	<1	2	2	2	2	4
TOTAL MULTIPLE DX	690	2.3	23	<1	<1	2	2	3	5	19
TOTAL										
0-19 YRS	45	1.7	2	<1	<1	1	2	3	5	9
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	18	2.0	2	<1	<1	2	2	3	5	6
50-64	128	1.8	4	<1	<1	1	2	2	4	12
65+	691	2.3	23	<1	1	2	2	3	4	19
GRAND TOTAL	**886**	**2.2**	**18**	**<1**	**<1**	**2**	**2**	**3**	**4**	**17**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	2.6	43	<1	<1	1	2	3	7	41
20-34	11	1.9	1	<1	<1	1	3	4	4	4
35-49	40	1.8		<1	<1	2	2	3	4	5
50-64	188	1.5		<1	<1	1	2	2	2	4
65+	905	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	36	2.3	14	<1	1	1	2	3	6	23
20-34	18	2.3	3	<1	<1	2	3	4	7	9
35-49	77	1.8	1	<1	<1	2	2	3	4	6
50-64	516	2.2	7	<1	<1	2	2	3	6	17
65+	3651	2.6	37	<1	1	2	2	3	6	41
TOTAL SINGLE DX	1181	1.5	2	<1	<1	1	2	2	2	4
TOTAL MULTIPLE DX	4298	2.5	33	<1	1	2	2	3	6	36
TOTAL										
0-19 YRS	73	2.4	29	<1	<1	1	2	3	7	37
20-34	29	2.1	3	<1	<1	1	3	4	5	9
35-49	117	1.8	1	<1	<1	2	2	3	4	6
50-64	704	2.0	6	<1	<1	2	2	3	4	14
65+	4556	2.4	30	<1	<1	2	2	3	5	33
GRAND TOTAL	**5479**	**2.3**	**26**	**<1**	**<1**	**2**	**2**	**3**	**5**	**25**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.7	52	<1	<1	2	11	14	14	14
20-34	0									
35-49	7	1.1		<1	<1	1	1	2	2	2
50-64	20	1.5		<1	<1	1	2	3	3	3
65+	70	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	0									
35-49	8	1.3		<1	<1	1	1	3	3	3
50-64	47	1.7		<1	<1	2	2	3	3	5
65+	180	2.3	20	<1	<1	2	2	3	7	43
TOTAL SINGLE DX	100	1.6	2	<1	<1	1	2	2	3	9
TOTAL MULTIPLE DX	238	2.2	16	<1	<1	2	2	3	5	21
TOTAL										
0-19 YRS	6	3.5	27	<1	<1	1	2	13	14	14
20-34	0									
35-49	15	1.2		<1	<1	1	1	2	3	3
50-64	67	1.7	1	<1	<1	2	2	3	3	5
65+	250	2.1	15	<1	<1	1	2	3	5	17
GRAND TOTAL	**338**	**2.0**	**12**	**<1**	**<1**	**1**	**2**	**3**	**4**	**15**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.8	2	1	1	2	3	5	7	9
20-34	61	3.0	2	1	2	3	4	5	6	7
35-49	87	3.4	3	1	2	3	5	6	7	8
50-64	200	3.1	2	1	2	3	4	5	6	9
65+	197	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	25	3.4	6	1	1	3	4	6	9	12
20-34	54	2.9	9	<1	1	2	4	5	6	21
35-49	87	3.8	5	1	2	3	5	7	9	14
50-64	302	3.4	5	1	1	3	4	6	7	12
65+	479	3.8	8	<1	1	3	4	7	10	16
TOTAL SINGLE DX	584	3.1	3	1	2	3	4	5	6	8
TOTAL MULTIPLE DX	947	3.6	7	<1	1	3	4	6	8	16
TOTAL										
0-19 YRS	64	3.0	4	1	1	2	4	6	7	12
20-34	115	3.0	5	1	1	2	4	5	6	12
35-49	174	3.6	4	1	2	3	5	6	8	10
50-64	502	3.3	4	1	2	3	4	6	7	11
65+	676	3.6	7	<1	1	3	4	6	8	15
GRAND TOTAL	**1531**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	3.5	11	1	1	3	5	14	78	99 +
20-34	7	2.6	1	1	1	2	4	4	4	4
35-49	7	3.6	5	< 1	< 1	3	4	7	8	8
50-64	27	2.4	2	< 1	1	2	3	5	6	7
65 +	66	2.6	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	10	2.3	2	< 1	< 1	2	3	4	5	5
20-34	66	3.2	4	1	2	3	3	6	9	11
35-49	76	3.8	13	< 1	2	3	4	6	11	24
50-64	136	3.6	8	< 1	1	3	4	6	9	17
65 +	304	3.4	19	< 1	< 1	2	4	6	10	21
TOTAL SINGLE DX	121	2.7	4	1	1	2	3	5	7	38
TOTAL MULTIPLE DX	592	3.5	14	< 1	< 1	2	4	6	10	17
TOTAL										
0-19 YRS	24	3.0	8	< 1	1	2	4	6	35	99 +
20-34	73	3.1	4	1	1	3	3	5	9	11
35-49	83	3.7	13	< 1	1	3	4	6	11	23
50-64	163	3.4	8	< 1	1	3	4	6	8	16
65 +	370	3.3	16	< 1	< 1	2	4	6	9	17
GRAND TOTAL	713	3.3	12	<1	1	2	4	6	9	17

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	469	1.1		< 1	< 1	< 1	1	1	2	2
20-34	29	1.2		< 1	< 1	1	1	2	2	2
35-49	18	1.2		< 1	< 1	1	1	2	2	2
50-64	6	1.3		1	1	1	2	2	2	2
65 +	10	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	224	1.1		< 1	< 1	< 1	1	1	2	2
20-34	26	1.1		< 1	< 1	1	1	1	2	3
35-49	14	1.4		< 1	< 1	1	2	2	2	2
50-64	12	1.5		< 1	< 1	1	2	2	2	2
65 +	16	1.5		< 1	1	1	2	2	3	3
TOTAL SINGLE DX	532	1.1		< 1	< 1	< 1	1	1	2	2
TOTAL MULTIPLE DX	292	1.1		< 1	< 1	< 1	1	2	2	2
TOTAL										
0-19 YRS	693	1.1		< 1	< 1	< 1	1	1	2	2
20-34	55	1.2		< 1	< 1	1	1	2	2	3
35-49	32	1.3		< 1	< 1	1	2	2	2	2
50-64	18	1.4		< 1	< 1	1	2	2	2	2
65 +	26	1.4		< 1	< 1	1	2	2	3	3
GRAND TOTAL	824	1.1		<1	<1	<1	1	1	2	2

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	2.7	8	< 1	< 1	< 1	5	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	5	2.2	5	< 1	< 1	1	3	6	6	6
TOTAL										
0-19 YRS	3	2.7	8	< 1	< 1	< 1	5	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	5	2.2	5	<1	<1	1	3	6	6	6

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.8	9	< 1	< 1	1	4	6	9	16
20-34	32	2.8	3	1	1	2	4	5	6	7
35-49	20	2.6	4	< 1	< 1	2	3	6	8	8
50-64	20	2.5	3	< 1	1	2	3	5	7	8
65 +	22	2.3	2	< 1	< 1	2	3	4	6	7
2. MULTIPLE DX										
0-19 YRS	43	4.8	46	< 1	< 1	3	7	11	23	99 +
20-34	62	4.5	41	1	1	3	6	8	15	41
35-49	47	3.7	13	< 1	1	2	4	9	12	16
50-64	39	3.0	6	1	1	2	3	7	9	12
65 +	110	7.2	114	1	1	3	9	15	33	87
TOTAL SINGLE DX	137	2.6	5	< 1	< 1	2	3	5	7	11
TOTAL MULTIPLE DX	301	5.2	62	1	1	3	6	12	16	63
TOTAL										
0-19 YRS	86	3.8	28	< 1	< 1	2	5	10	13	78
20-34	94	3.9	29	1	1	3	4	7	11	34
35-49	67	3.4	11	< 1	< 1	2	4	8	11	16
50-64	59	2.8	5	1	1	2	3	6	8	12
65 +	132	6.4	99	< 1	1	3	7	14	25	83
GRAND TOTAL	438	4.4	45	<1	1	2	5	9	14	44

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	153	1.9	5	<1	<1	1	2	4	6	15
20-34	62	1.7	1	<1	<1	1	2	3	4	8
35-49	19	1.3		<1	<1	1	1	2	4	4
50-64	15	2.2	11	<1	<1	1	1	5	12	14
65 +	20	1.9	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
0-19 YRS	142	3.2	7	<1	1	2	4	6	9	15
20-34	91	3.5	42	<1	<1	2	4	7	11	83
35-49	38	4.3	28	<1	<1	2	5	10	15	27
50-64	45	6.5	166	<1	<1	2	7	10	26	79
65 +	113	8.7	115	<1	1	5	11	26	41	99 +
TOTAL SINGLE DX	269	1.8	4	<1	<1	1	2	3	6	13
TOTAL MULTIPLE DX	429	5.2	66	<1	1	3	6	11	18	63
TOTAL										
0-19 YRS	295	2.5	7	<1	<1	2	3	5	7	15
20-34	153	2.8	27	<1	<1	1	3	6	9	57
35-49	57	3.3	21	<1	<1	1	3	9	10	26
50-64	80	5.4	130	<1	<1	1	6	10	22	75
65 +	133	7.7	104	<1	1	3	10	18	39	99 +
GRAND TOTAL	698	3.9	45	<1	<1	2	4	9	14	44

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.4		<1	<1	1	2	2	2	2
20-34	88	1.6		1	1	1	2	3	3	4
35-49	134	1.5		1	1	1	2	2	3	4
50-64	115	1.5		1	1	1	2	2	3	5
65 +	42	1.7		1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	19	1.5		1	1	1	2	2	4	5
20-34	38	2.0	7	1	1	1	2	3	5	18
35-49	75	1.7	1	1	1	1	2	3	3	6
50-64	65	2.0	2	1	1	2	2	3	5	12
65 +	58	1.9		1	1	2	2	3	4	4
TOTAL SINGLE DX	397	1.5	1	1	1	1	2	2	3	4
TOTAL MULTIPLE DX	255	1.9	2	1	1	2	2	3	[illegible]	6
TOTAL										
0-19 YRS	37	1.5	1	<1	1	1	2	2	2	5
20-34	126	1.7	3	1	1	1	2	3	3	8
35-49	209	1.6	1	1	1	1	2	2	3	5
50-64	180	1.7	1	1	1	1	2	3	3	5
65 +	100	1.8	1	1	1	2	2	3	4	5
GRAND TOTAL	652	1.7	1	1	1	1	2	3	3	5

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	224	1.1		<1	<1	1	1	2	2	3
20-34	98	1.1		<1	<1	1	1	2	2	3
35-49	71	1.3		<1	<1	1	1	2	3	3
50-64	54	1.4		<1	<1	1	2	2	3	3
65 +	23	1.0		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	233	1.3	1	<1	<1	1	1	2	2	6
20-34	119	1.3		<1	<1	1	2	2	3	4
35-49	94	1.8	6	<1	1	1	2	2	4	17
50-64	111	1.5		1	1	1	2	2	3	5
65 +	66	2.2	5	<1	1	2	2	3	5	16
TOTAL SINGLE DX	470	1.2		<1	<1	1	1	2	2	3
TOTAL MULTIPLE DX	623	1.5	2	<1	1	1	2	2	3	6
TOTAL										
0-19 YRS	457	1.2	1	<1	<1	1	1	2	2	4
20-34	217	1.2		<1	<1	1	1	2	2	4
35-49	165	1.5	4	<1	1	1	2	2	3	8
50-64	165	1.5	1	<1	1	1	2	2	3	5
65 +	89	1.9	4	<1	1	1	2	3	4	13
GRAND TOTAL	1093	1.4	1	<1	1	1	1	2	2	5

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	532	1.2	1	<1	<1	<1	<1	1	2	7
20-34	14	2.8	19	<1	<1	1	1	10	15	16
35-49	16	1.3		<1	<1	1	1	3	3	3
50-64	13	1.3		<1	<1	1	1	3	3	3
65 +	6	1.7	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	888	1.7	8	<1	<1	1	1	2	6	15
20-34	32	3.0	26	<1	<1	1	2	5	17	25
35-49	26	1.7	2	<1	<1	1	1	5	6	7
50-64	25	4.1	28	<1	<1	1	4	14	15	17
65 +	22	12.0	266	1	1	12	16	23	46	76
TOTAL SINGLE DX	581	1.3	2	<1	<1	<1	<1	1	3	7
TOTAL MULTIPLE DX	993	2.0	17	<1	<1	1	1	3	8	20
TOTAL										
0-19 YRS	1420	1.5	6	<1	<1	1	1	2	4	11
20-34	46	3.0	24	<1	<1	1	2	8	16	25
35-49	42	1.5	2	<1	<1	1	1	3	5	7
50-64	38	3.1	20	<1	<1	1	2	12	15	17
65 +	28	9.8	226	<1	1	3	14	20	31	76
GRAND TOTAL	**1574**	**1.7**	**11**	**<1**	**<1**	**1**	**1**	**2**	**6**	**16**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	[illegible]	1.8	5	1	1	1	2	3	7	15
20-34	49	1.6		1	1	1	2	2	3	4
35-49	32	1.6		1	1	1	2	3	3	4
50-64	35	1.6		1	1	2	2	2	3	3
65 +	19	1.9	1	1	1	2	2	3	5	6
2. MULTIPLE DX										
0-19 YRS	187	3.1	29	1	1	1	2	7	15	37
20-34	131	2.3	11	1	1	2	2	4	6	15
35-49	124	2.2	7	1	1	2	2	3	6	18
50-64	141	2.4	9	1	1	2	3	4	6	13
65 +	94	6.3	135	1	1	2	5	14	26	65
TOTAL SINGLE DX	248	1.7	3	1	1	1	2	3	4	10
TOTAL MULTIPLE DX	677	3.1	34	1	1	2	3	5	11	34
TOTAL										
0-19 YRS	300	2.6	21	1	1	1	2	5	12	28
20-34	180	2.1	8	1	1	2	2	3	5	10
35-49	156	2.1	6	1	1	1	2	3	5	18
50-64	176	2.2	8	1	1	2	2	4	6	10
65 +	113	5.6	116	1	1	2	4	12	22	62
GRAND TOTAL	**925**	**2.7**	**26**	**1**	**1**	**1**	**2**	**5**	**9**	**28**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	96	1.4		<1	<1	1	1	2	3	7
20-34	46	2.0	2	<1	1	1	3	3	6	9
35-49	47	2.0	2	<1	1	1	3	4	5	7
50-64	44	1.9	1	<1	1	2	2	3	4	6
65 +	27	2.7	6	1	1	2	3	7	8	12
2. MULTIPLE DX										
0-19 YRS	104	2.4	13	<1	<1	1	2	5	10	21
20-34	54	1.9	2	1	1	1	2	4	6	10
35-49	72	2.3	3	<1	1	2	2	5	6	10
50-64	78	2.4	6	<1	1	2	3	5	8	15
65 +	53	3.9	69	1	1	2	2	5	21	43
TOTAL SINGLE DX	260	1.8	2	<1	<1	1	2	3	5	7
TOTAL MULTIPLE DX	361	2.5	17	<1	<1	1	2	5	8	22
TOTAL										
0-19 YRS	200	1.9	8	<1	<1	1	2	3	6	14
20-34	100	2.0	3	<1	1	1	2	3	6	9
35-49	119	2.2	3	<1	1	2	3	4	6	10
50-64	122	2.3	5	<1	1	2	3	4	6	13
65 +	80	3.5	48	1	1	2	2	6	10	43
GRAND TOTAL	**621**	**2.2**	**11**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	113	1.4		<1	1	1	2	2	2	5
20-34	257	1.4		<1	1	1	2	2	3	4
35-49	106	1.4		<1	1	1	2	2	3	5
50-64	45	1.4		<1	1	1	1	2	3	5
65 +	7	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	332	1.4		1	1	1	2	2	3	4
20-34	766	1.4		1	1	1	2	2	3	4
35-49	484	1.6	1	1	1	1	2	3	3	6
50-64	267	1.6	1	1	1	1	2	3	3	5
65 +	63	2.1	3	1	1	2	2	4	6	10
TOTAL SINGLE DX	528	1.4	1	<1	1	1	2	2	3	4
TOTAL MULTIPLE DX	1912	1.5	1	1	1	1	2	2	3	5
TOTAL										
0-19 YRS	445	1.4		<1	1	1	2	2	3	4
20-34	1023	1.4	1	1	1	1	2	2	3	4
35-49	590	1.5	1	1	1	1	2	3	3	6
50-64	312	1.6	1	1	1	1	2	3	3	5
65 +	70	2.1	3	1	1	2	2	4	5	10
GRAND TOTAL	2440	1.5	1	1	1	1	2	2	3	5

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	269	1.5	1	<1	<1	1	2	2	3	5
20-34	547	1.3	1	<1	1	1	2	2	2	3
35-49	246	1.4		<1	1	1	2	2	3	4
50-64	85	1.4		<1	1	1	2	2	3	6
65 +	16	1.3		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	448	1.5	1	<1	1	1	2	3	4	6
20-34	1027	1.5	2	<1	1	1	2	2	3	6
35-49	610	1.6	3	<1	1	1	2	2	3	8
50-64	283	1.8	3	1	1	1	2	3	5	10
65 +	165	3.7	19	1	1	2	4	9	16	21
TOTAL SINGLE DX	1163	1.4	1	<1	1	1	2	2	3	4
TOTAL MULTIPLE DX	2533	1.7	4	<1	1	1	2	3	4	10
TOTAL										
0-19 YRS	717	1.5	1	<1	1	1	2	3	3	5
20-34	1574	1.4	2	<1	1	1	2	2	3	5
35-49	856	1.5	2	<1	1	1	2	2	3	7
50-64	368	1.7	3	1	1	1	2	3	5	9
65 +	181	3.5	18	1	1	2	4	8	15	21
GRAND TOTAL	3696	1.6	3	<1	1	1	2	2	3	8

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	1.5	1	<1	<1	1	1	3	4	4
20-34	45	1.4	1	<1	<1	1	1	2	3	8
35-49	52	1.8	2	<1	<1	1	2	4	5	10
50-64	54	1.7	1	<1	<1	1	2	3	4	7
65 +	43	1.9	1	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	99	2.1	4	<1	1	1	2	5	7	12
20-34	171	1.8	7	<1	1	1	2	3	5	19
35-49	183	1.9	3	<1	1	1	2	4	4	7
50-64	180	2.6	8	<1	1	2	3	5	9	18
65 +	202	4.9	67	1	1	2	6	12	17	30
TOTAL SINGLE DX	235	1.6	2	<1	<1	1	2	4	4	7
TOTAL MULTIPLE DX	835	2.8	22	<1	1	1	2	6	10	21
TOTAL										
0-19 YRS	140	1.9	3	<1	<1	1	2	4	5	9
20-34	216	1.7	7	<1	<1	1	2	3	4	19
35-49	235	1.8	3	<1	<1	1	2	4	5	8
50-64	234	2.4	7	<1	1	2	3	4	7	17
65 +	245	4.3	57	<1	1	2	5	11	16	25
GRAND TOTAL	1070	2.5	18	<1	1	1	2	5	8	19

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	1.5	1	<1	<1	1	1	3	4	8
20-34	141	1.5	1	<1	<1	1	2	3	4	6
35-49	72	2.9	5	<1	<1	2	4	6	7	10
50-64	76	3.8	7	<1	1	3	5	7	9	14
65 +	41	3.5	3	1	1	4	5	6	6	7
2. MULTIPLE DX										
0-19 YRS	163	2.4	5	<1	1	1	3	6	7	11
20-34	266	3.3	9	<1	1	2	4	8	10	13
35-49	146	4.4	28	1	1	3	5	9	15	29
50-64	236	5.5	44	1	2	5	6	9	12	21
65 +	379	6.2	43	1	2	5	7	11	15	41
TOTAL SINGLE DX	534	2.2	4	<1	<1	1	3	5	6	9
TOTAL MULTIPLE DX	1190	4.7	31	1	1	3	6	9	12	26
TOTAL										
0-19 YRS	367	1.9	4	<1	<1	1	2	4	6	10
20-34	407	2.7	8	<1	<1	1	3	7	9	13
35-49	218	3.9	21	<1	1	3	5	7	12	26
50-64	312	5.1	36	1	1	4	6	8	11	18
65 +	420	6.0	40	1	2	5	7	10	15	36
GRAND TOTAL	1724	3.9	24	<1	1	3	5	8	10	22

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	1.5		<1	<1	1	2	3	3	4
20-34	59	1.6	1	<1	1	1	2	3	4	6
35-49	79	2.0	1	1	1	2	2	4	5	8
50-64	48	1.9	3	1	1	1	2	4	5	12
65+	21	2.5	7	<1	<1	2	2	6	9	12
2. MULTIPLE DX										
0-19 YRS	35	3.3	15	1	1	2	3	10	14	15
20-34	147	3.1	35	1	1	2	3	6	8	37
35-49	164	2.7	13	1	1	2	2	4	11	23
50-64	125	3.9	57	1	1	2	3	9	13	46
65+	90	4.9	56	1	1	2	4	13	20	42
TOTAL SINGLE DX	227	1.9	2	<1	1	1	2	4	5	10
TOTAL MULTIPLE DX	561	3.5	36	1	1	2	3	7	12	33
TOTAL										
0-19 YRS	55	2.7	11	<1	1	2	2	4	12	15
20-34	206	2.7	26	1	1	2	2	4	7	34
35-49	243	2.5	10	1	1	2	2	4	7	18
50-64	173	3.4	43	1	1	2	3	6	11	38
65+	111	4.4	48	1	1	2	4	11	18	37
GRAND TOTAL	788	3.0	27	1	1	2	3	5	11	28

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.7	8	<1	1	2	3	6	10	14
20-34	66	2.4	4	1	1	2	3	5	7	12
35-49	79	2.6	7	<1	<1	2	3	6	8	15
50-64	52	2.7	7	<1	1	2	3	6	7	17
65+	24	3.4	7	1	1	3	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	98	4.3	55	<1	1	1	5	9	15	46
20-34	196	3.0	28	1	1	1	3	7	10	20
35-49	265	2.6	14	1	1	1	3	6	8	13
50-64	235	3.7	30	1	1	2	4	8	11	40
65+	175	5.6	60	1	1	3	7	14	20	45
TOTAL SINGLE DX	260	2.7	7	<1	1	2	3	6	8	14
TOTAL MULTIPLE DX	969	3.7	35	1	1	2	3	8	13	39
TOTAL										
0-19 YRS	137	3.8	42	<1	1	1	4	9	14	40
20-34	262	2.8	23	1	1	1	3	6	9	19
35-49	344	2.6	13	1	1	2	3	6	8	14
50-64	287	3.5	26	1	1	2	4	7	11	39
65+	199	5.4	55	1	1	3	6	14	19	45
GRAND TOTAL	1229	3.4	29	1	1	2	3	8	12	37

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	1.3	1	<1	<1	<1	1	1	2	11
20-34	140	1.2		<1	<1	<1	1	2	2	5
35-49	15	2.5	13	<1	<1	1	2	5	12	15
50-64	10	1.2		<1	<1	1	1	2	2	2
65+	13	1.5		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	318	2.2	21	<1	<1	1	2	4	6	20
20-34	310	3.8	36	<1	<1	1	4	10	18	38
35-49	168	5.9	116	<1	1	2	5	13	28	61
50-64	206	5.7	78	1	1	2	6	16	25	55
65+	272	7.9	129	1	1	3	10	20	41	99+
TOTAL SINGLE DX	427	1.3	2	<1	<1	<1	1	2	2	7
TOTAL MULTIPLE DX	1274	4.9	74	<1	<1	2	5	13	21	60
TOTAL										
0-19 YRS	567	1.8	13	<1	<1	1	1	3	5	14
20-34	450	3.0	26	<1	<1	1	2	7	13	34
35-49	183	5.6	109	<1	1	2	5	12	25	60
50-64	216	5.5	76	<1	1	2	5	15	24	55
65+	285	7.6	126	1	1	3	10	19	40	99+
GRAND TOTAL	1701	4.0	58	<1	<1	1	3	10	17	51

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	1.1		<1	<1	<1	<1	1	1	4
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	4	1.3		1	1	1	2	2	2	2
50-64	5	2.0	1	1	1	2	3	4	4	4
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	138	1.7	5	<1	<1	1	2	2	4	33
20-34	43	2.0	2	<1	1	2	2	3	4	10
35-49	12	2.8	10	<1	<1	2	2	8	11	12
50-64	14	2.7	11	1	1	2	2	6	12	14
65+	6	2.3	5	1	1	2	2	7	7	7
TOTAL SINGLE DX	60	1.2		<1	<1	<1	1	2	3	4
TOTAL MULTIPLE DX	213	1.9	6	<1	<1	1	2	2	4	18
TOTAL										
0-19 YRS	182	1.6	4	<1	<1	1	2	2	3	21
20-34	47	2.0	2	<1	<1	2	2	3	4	10
35-49	16	2.4	8	<1	<1	1	2	6	10	12
50-64	19	2.5	9	1	1	2	2	5	10	14
65+	9	2.0	4	<1	<1	1	2	5	7	7
GRAND TOTAL	273	1.8	4	<1	<1	1	2	2	4	14

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	2.6	7	<1	<1	2	3	6	8	13
20-34	7	3.0	5	1	1	2	5	6	6	6
35-49	22	2.1	12	<1	<1	1	2	3	9	16
50-64	18	1.6		1	1	1	2	3	4	4
65 +	7	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	112	2.2	9	<1	<1	1	2	4	6	51
20-34	75	2.9	12	1	1	1	3	7	12	17
35-49	57	3.7	15	<1	<1	2	4	9	14	17
50-64	63	3.9	32	<1	1	2	4	8	14	29
65 +	60	4.2	20	1	1	3	5	12	16	91
TOTAL SINGLE DX	79	2.2	7	<1	1	1	2	5	6	17
TOTAL MULTIPLE DX	367	3.2	17	<1	<1	2	3	7	13	28
TOTAL										
0-19 YRS	137	2.3	9	<1	<1	1	2	4	7	32
20-34	82	2.9	11	1	1	2	3	6	11	17
35-49	79	3.3	15	<1	<1	2	3	8	14	18
50-64	81	3.4	26	<1	1	2	3	7	10	29
65 +	67	3.9	19	1	1	2	5	12	16	86
GRAND TOTAL	**446**	**3.0**	**16**	**<1**	**<1**	**2**	**3**	**7**	**12**	**23**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.1	3	<1	1	2	2	3	6	11
20-34	155	2.5	4	1	1	2	3	4	5	15
35-49	167	2.5	3	1	1	2	3	4	5	10
50-64	182	2.5	2	1	1	2	3	4	5	8
65 +	148	2.7	2	1	1	2	4	4	5	8
2. MULTIPLE DX										
0-19 YRS	29	4.1	14	1	1	2	6	10	11	15
20-34	67	3.1	5	1	1	2	4	7	8	11
35-49	130	4.1	43	1	1	2	4	7	12	42
50-64	189	3.9	18	1	1	3	5	8	10	19
65 +	296	4.7	24	1	1	3	5	9	13	25
TOTAL SINGLE DX	691	2.5	3	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	711	4.2	24	1	1	3	5	8	11	24
TOTAL										
0-19 YRS	68	2.9	9	1	1	2	3	8	11	14
20-34	222	2.7	5	1	1	2	3	5	7	12
35-49	297	3.2	21	1	1	2	4	5	8	17
50-64	371	3.2	11	1	1	2	4	6	8	14
65 +	444	4.0	18	1	1	3	4	7	11	23
GRAND TOTAL	**1402**	**3.4**	**15**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	169	3.2	2	1	1	3	4	5	6	9
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	5	2.0	3	<1	<1	1	3	5	5	5
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	220	3.6	5	1	1	3	4	6	8	13
20-34	7	3.7	21	1	1	3	3	12	14	14
35-49	10	2.4	4	<1	<1	2	3	6	8	8
50-64	5	10.4	162	1	1	2	22	28	28	28
65 +	2	2.0	2	1	1	2	3	3	3	3
TOTAL SINGLE DX	182	3.2	3	1	1	3	4	5	6	9
TOTAL MULTIPLE DX	244	3.7	9	1	1	3	4	6	8	20
TOTAL										
0-19 YRS	389	3.5	4	1	1	3	4	5	7	11
20-34	11	3.6	14	1	1	3	4	9	14	14
35-49	15	2.3	4	<1	<1	2	3	5	7	8
50-64	8	7.4	111	1	1	2	12	26	28	28
65 +	3	1.7	1	1	1	1	3	3	3	3
GRAND TOTAL	**426**	**3.5**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	251	2.9	5	<1	<1	2	4	5	7	13
20-34	53	3.7	9	<1	1	3	6	8	10	13
35-49	58	3.4	14	<1	<1	2	5	8	14	93
50-64	101	3.4	11	<1	<1	2	4	8	11	16
65 +	80	3.8	17	<1	1	2	5	10	12	24
2. MULTIPLE DX										
0-19 YRS	319	3.0	10	<1	1	2	4	6	8	16
20-34	212	4.2	15	<1	1	3	6	9	12	18
35-49	175	6.9	65	1	1	3	8	18	27	36
50-64	231	8.1	85	1	1	5	11	19	27	55
65 +	361	9.4	144	1	1	5	12	24	38	73
TOTAL SINGLE DX	543	3.3	10	<1	<1	2	4	7	10	17
TOTAL MULTIPLE DX	1298	6.4	76	1	1	3	8	15	24	48
TOTAL										
0-19 YRS	570	3.0	8	<1	<1	2	4	5	8	14
20-34	265	4.1	15	<1	1	3	6	9	12	18
35-49	233	6.0	55	1	1	3	7	15	25	37
50-64	332	6.7	68	<1	1	4	9	16	23	44
65 +	441	8.4	126	1	1	4	11	23	33	64
GRAND TOTAL	**1841**	**5.5**	**58**	**<1**	**1**	**3**	**6**	**13**	**20**	**43**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2666	1.1		<1	1	1	1	2	2	3
20-34	1676	1.2		1	1	1	1	2	2	3
35-49	150	1.3		1	1	1	1	2	2	4
50-64	22	1.6		1	1	1	2	3	4	4
65 +	9	1.8	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	875	1.4	3	1	1	1	1	2	3	8
20-34	470	1.4	1	1	1	1	1	2	3	6
35-49	71	2.1	11	1	1	1	2	3	6	23
50-64	21	3.8	28	1	1	1	3	11	16	21
65 +	6	3.3	10	1	1	2	5	9	9	9
TOTAL SINGLE DX	4523	1.2		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	1443	1.5	3	1	1	1	1	2	3	9
TOTAL										
0-19 YRS	3541	1.2	1	1	1	1	1	2	2	4
20-34	2146	1.3	1	1	1	1	1	2	2	4
35-49	221	1.5	4	1	1	1	1	2	3	9
50-64	43	2.7	15	1	1	1	2	8	11	21
65 +	15	2.4	5	1	1	2	3	5	8	9
GRAND TOTAL	5966	1.2	1	1	1	1	1	2	2	4

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3481	1.1	1	<1	1	1	1	1	2	2
20-34	115	1.1		1	1	1	1	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3304	1.2		1	1	1	1	1	2	4
20-34	55	1.2		1	1	1	1	2	2	3
35-49	4	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	3599	1.1	1	<1	1	1	1	1	2	2
TOTAL MULTIPLE DX	3364	1.2	1	1	1	1	1	1	2	4
TOTAL										
0-19 YRS	6785	1.1	1	<1	1	1	1	1	2	3
20-34	170	1.1		1	1	1	1	2	2	2
35-49	6	1.2		1	1	1	1	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	6963	1.1	1	<1	1	1	1	1	2	3

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	233	1.0		<1	<1	1	1	1	1	2
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	591	1.1	1	<1	<1	1	1	1	2	3
20-34	10	1.5	1	1	1	1	1	3	5	5
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	241	1.0		<1	<1	1	1	1	1	2
TOTAL MULTIPLE DX	602	1.1	1	<1	<1	1	1	1	2	4
TOTAL										
0-19 YRS	824	1.1	1	<1	<1	1	1	1	1	3
20-34	15	1.5	1	<1	1	1	2	2	4	5
35-49	3	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	843	1.1	1	<1	<1	1	1	1	1	3

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	358	2.3	4	<1	1	2	3	4	6	14
20-34	231	2.4	3	<1	1	2	3	4	6	10
35-49	83	2.5	4	<1	1	2	3	5	7	11
50-64	46	3.6	12	<1	<1	2	4	8	12	15
65 +	31	2.6	5	1	1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	143	3.2	13	1	1	2	4	7	9	40
20-34	107	3.3	13	1	1	3	3	5	7	21
35-49	95	5.2	84	1	1	2	5	12	15	58
50-64	102	7.1	83	1	1	3	10	17	30	75
65 +	132	8.7	119	1	1	5	10	23	32	76
TOTAL SINGLE DX	749	2.5	5	<1	1	2	3	5	6	12
TOTAL MULTIPLE DX	579	5.5	66	1	1	3	6	13	20	55
TOTAL										
0-19 YRS	501	2.6	7	<1	1	2	3	5	7	14
20-34	338	2.7	6	1	1	2	3	5	6	17
35-49	178	3.9	49	<1	1	2	4	8	12	39
50-64	148	6.0	63	<1	1	3	8	15	19	52
65 +	163	7.6	103	1	1	4	9	20	30	69
GRAND TOTAL	1328	3.8	34	1	1	2	4	8	12	35

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.0	3	<1	<1	1	2	5	7	8
20-34	16	2.8	2	<1	1	3	4	5	5	5
35-49	18	3.4	3	<1	1	3	4	5	7	8
50-64	12	2.6	3	<1	<1	2	4	5	7	7
65 +	25	3.7	14	<1	1	3	4	7	12	18
2. MULTIPLE DX										
0-19 YRS	62	5.3	68	1	1	3	5	10	13	58
20-34	24	3.0	3	<1	1	3	4	5	7	8
35-49	38	5.2	15	1	1	4	7	12	13	16
50-64	89	5.9	65	1	1	4	6	11	18	51
65 +	208	6.3	63	1	2	4	7	13	17	60
TOTAL SINGLE DX	94	2.9	6	<1	<1	2	4	5	7	14
TOTAL MULTIPLE DX	421	5.8	57	1	1	4	6	12	16	54
TOTAL										
0-19 YRS	85	4.4	53	<1	1	3	5	8	12	49
20-34	40	2.9	3	<1	1	3	4	5	6	8
35-49	56	4.6	12	1	1	4	6	10	12	16
50-64	101	5.5	59	1	1	4	6	9	17	46
65 +	233	6.0	59	1	1	4	7	13	17	54
GRAND TOTAL	515	5.3	49	1	1	4	6	10	14	45

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	111	1.9	12	<1	1	1	2	2	3	24
20-34	23	1.5	2	<1	<1	1	1	3	5	8
35-49	82	1.5	9	<1	<1	1	1	2	2	22
50-64	95	1.9	39	<1	<1	1	1	2	2	36
65 +	53	3.1	77	<1	<1	1	2	3	5	63
2. MULTIPLE DX										
0-19 YRS	66	3.5	28	1	1	2	3	8	16	30
20-34	33	2.7	9	<1	<1	2	3	6	11	15
35-49	56	2.5	11	<1	<1	1	2	8	11	18
50-64	141	4.0	33	<1	<1	1	4	10	20	26
65 +	171	6.4	159	<1	1	2	5	13	30	70
TOTAL SINGLE DX	364	2.0	27	<1	<1	1	1	2	3	27
TOTAL MULTIPLE DX	467	4.5	77	<1	1	2	3	10	18	54
TOTAL										
0-19 YRS	177	2.5	19	<1	1	1	2	3	9	26
20-34	56	2.2	7	<1	<1	1	2	5	8	15
35-49	138	1.9	11	<1	<1	1	1	3	8	19
50-64	236	3.1	37	<1	<1	1	2	7	14	26
65 +	224	5.6	142	<1	1	2	4	12	29	66
GRAND TOTAL	831	3.4	57	<1	<1	1	2	7	13	43

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.9	166	1	1	2	4	30	36	36
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	7	4.3	68	<1	<1	1	2	19	23	23
50-64	13	8.9	33	1	1	10	14	16	16	16
65 +	16	6.6	30	<1	1	5	12	14	15	15
2. MULTIPLE DX										
0-19 YRS	33	8.2	201	<1	1	3	7	23	30	74
20-34	11	6.4	47	1	1	3	8	19	22	22
35-49	14	7.7	37	<1	1	8	11	15	20	22
50-64	49	15.1	167	1	1	14	23	31	45	99 +
65 +	38	17.6	519	1	2	11	17	55	81	92
TOTAL SINGLE DX	47	6.5	54	<1	1	2	12	15	17	36
TOTAL MULTIPLE DX	145	12.8	259	1	1	8	17	27	49	92
TOTAL										
0-19 YRS	40	8.0	191	<1	1	2	6	23	33	74
20-34	15	5.0	40	<1	1	3	5	17	21	22
35-49	21	6.6	48	<1	<1	3	10	17	22	23
50-64	62	13.8	145	1	1	13	21	29	40	95
65 +	54	14.4	397	1	1	10	15	26	70	92
GRAND TOTAL	192	11.3	216	1	1	6	15	24	36	90

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	3	10.3	4	8	8	11	12	12	12	12
50-64	21	13.7	17	9	9	12	17	21	22	22
65 +	8	15.8	82	8	9	14	16	31	37	37
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	18	20.9	119	12	13	17	23	40	47	49
50-64	96	20.0	107	10	11	16	25	36	42	83
65 +	101	21.4	171	10	11	17	24	34	51	77
TOTAL SINGLE DX	33	13.6	34	8	8	12	16	20	22	37
TOTAL MULTIPLE DX	215	20.7	138	11	12	17	24	35	48	75
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	21	19.4	116	10	11	15	22	37	46	49
50-64	117	18.9	97	10	11	16	22	33	39	75
65 +	109	20.9	166	10	11	17	24	34	51	76
GRAND TOTAL	248	19.8	130	10	11	16	23	34	44	69

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	7.0	31	< 1	< 1	8	11	12	12	12
65 +	3	5.7	5	3	3	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	11	32.3	739	5	8	33	97	99 +	99 +	99 +
20-34	8	51.1	1200	< 1	5	70	87	99 +	99 +	99 +
35-49	11	46.7	954	20	22	74	99	99 +	99 +	99 +
50-64	38	39.8	970	2	9	49	87	99 +	99 +	99 +
65 +	76	39.0	700	5	11	44	89	99 +	99 +	99 +
TOTAL SINGLE DX	7	6.4	13	< 1	1	7	8	11	12	12
TOTAL MULTIPLE DX	144	39.9	811	5	10	47	92	99 +	99 +	99 +
TOTAL										
0-19 YRS	11	32.3	739	5	8	33	97	99 +	99 +	99 +
20-34	8	51.1	1200	< 1	5	70	87	99 +	99 +	99 +
35-49	12	43.4	1000	11	20	52	98	99 +	99 +	99 +
50-64	41	37.4	974	2	7	41	86	99 +	99 +	99 +
65 +	79	37.7	714	4	8	42	85	99 +	99 +	99 +
GRAND TOTAL	151	38.4	824	4	8	44	88	99 +	99 +	99 +

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	12.3	440	1	1	4	9	38	67	93
20-34	8	3.0	3	1	1	3	4	6	6	6
35-49	10	6.1	12	1	1	7	9	10	10	10
50-64	6	3.8	13	1	1	2	8	9	9	9
65 +	9	8.6	73	1	1	5	12	23	27	27
2. MULTIPLE DX										
0-19 YRS	81	16.4	392	1	1	11	28	79	99 +	99 +
20-34	44	22.9	442	2	2	20	43	96	99 +	99 +
35-49	67	27.3	550	2	3	24	48	82	99 +	99 +
50-64	164	28.5	708	1	2	27	64	99 +	99 +	99 +
65 +	241	35.8	658	1	3	39	67	99 +	99 +	99 +
TOTAL SINGLE DX	67	9.0	246	1	1	4	9	25	38	90
TOTAL MULTIPLE DX	597	29.3	648	1	2	28	60	99 +	99 +	99 +
TOTAL										
0-19 YRS	115	15.2	406	1	1	7	27	73	99 +	99 +
20-34	52	19.8	426	1	2	14	38	88	99 +	99 +
35-49	77	24.6	531	2	2	17	44	77	99 +	99 +
50-64	170	27.6	705	1	1	25	62	99 +	99 +	99 +
65 +	250	34.8	663	1	3	38	64	99 +	99 +	99 +
GRAND TOTAL	664	27.2	644	1	2	25	57	99 +	99 +	99 +

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.9	8	< 1	< 1	4	7	8	8	8
20-34	65	9.0	95	[illegible]	1	6	13	22	29	53
35-49	62	6.1	23	< 1	1	4	10	14	15	18
50-64	110	5.8	28	< 1	< 1	4	9	13	15	27
65 +	84	6.9	51	< 1	1	5	10	15	18	39
2. MULTIPLE DX										
0-19 YRS	18	18.4	414	2	3	12	24	39	69	86
20-34	351	18.3	194	2	4	16	23	34	45	88
35-49	536	15.9	207	2	3	12	21	34	52	89
50-64	1087	12.0	115	2	2	9	16	25	33	58
65 +	1953	14.3	141	2	3	12	18	28	39	69
TOTAL SINGLE DX	330	6.7	47	< 1	1	5	10	14	18	34
TOTAL MULTIPLE DX	3945	14.3	152	2	3	11	19	29	39	70
TOTAL										
0-19 YRS	27	13.6	323	< 1	1	7	19	28	50	86
20-34	416	16.9	190	1	3	15	23	33	43	76
35-49	598	14.9	197	1	2	11	20	32	45	86
50-64	119.	11.5	111	1	2	9	15	23	32	58
65 +	2037	14.0	140	2	3	11	18	28	38	68
GRAND TOTAL	4275	13.7	148	1	2	11	18	28	38	68

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	3	25.0	273	6	6	33	35	36	36	36
50-64	2	6.0	8	4	4	6	8	8	8	8
65 +	2	22.0	128	14	14	22	30	30	30	30
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	7	18.7	191	4	4	14	32	35	36	36
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	3	25.0	273	6	6	33	35	36	36	36
50-64	2	6.0	8	4	4	6	8	8	8	8
65 +	2	22.0	128	14	14	22	30	30	30	30
GRAND TOTAL	7	18.7	191	4	4	14	32	35	36	36

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	9.2	139	3	3	6	7	12	39	54
20-34	43	7.3	22	1	2	6	10	14	17	22
35-49	51	8.0	35	1	2	6	10	16	21	27
50-64	94	7.5	16	1	2	7	10	12	15	19
65 +	80	7.9	39	1	1	7	11	16	20	31
2. MULTIPLE DX										
0-19 YRS	53	15.5	271	4	4	8	18	49	55	76
20-34	155	15.8	137	5	5	13	20	31	44	98
35-49	244	15.0	169	2	4	11	20	29	42	98
50-64	681	12.9	115	1	3	10	16	26	34	64
65 +	1137	14.4	143	1	3	11	18	28	38	75
TOTAL SINGLE DX	285	7.8	34	1	2	7	10	14	18	27
TOTAL MULTIPLE DX	2270	14.1	141	2	3	11	18	28	39	75
TOTAL										
0-19 YRS	70	14.0	245	3	4	7	15	39	54	73
20-34	198	13.9	125	3	4	10	19	27	40	90
35-49	295	13.8	153	2	4	10	17	27	41	88
50-64	775	12.3	107	1	3	10	15	24	33	62
65 +	1217	13.9	139	1	2	11	18	27	37	72
GRAND TOTAL	2555	13.4	133	1	3	10	17	27	37	71

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	20	10.1	34	5	6	9	10	14	24	33
50-64	72	10.8	25	6	7	10	12	15	22	33
65 +	40	11.0	16	7	7	10	13	16	19	25
2. MULTIPLE DX										
0-19 YRS	8	39.4	1396	9	10	47	97	99 +	99 +	99 +
20-34	22	18.9	180	6	7	13	26	40	46	52
35-49	87	14.1	134	7	7	10	15	32	45	89
50-64	459	14.4	67	7	8	12	17	25	30	49
65 +	527	16.0	86	8	9	13	19	28	36	60
TOTAL SINGLE DX	134	10.7	24	6	7	10	12	15	19	33
TOTAL MULTIPLE DX	1103	15.4	97	7	8	12	18	27	37	68
TOTAL										
0-19 YRS	8	39.4	1396	9	10	47	97	99 +	99 +	99 +
20-34	24	18.0	175	6	7	11	23	39	45	52
35-49	107	13.4	118	7	7	10	13	24	42	83
50-64	531	13.9	63	7	7	12	16	24	29	49
65 +	567	15.7	83	8	8	13	18	27	35	58
GRAND TOTAL	1237	14.9	91	7	8	12	17	26	36	62

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	2.8	20	< 1	1	1	2	6	10	26
20-34	42	5.9	38	< 1	1	3	9	14	17	28
35-49	46	6.7	53	< 1	< 1	6	8	14	19	41
50-64	74	6.4	29	1	1	5	10	14	16	24
65 +	53	4.8	21	< 1	1	4	6	10	13	26
2. MULTIPLE DX										
0-19 YRS	137	10.5	168	1	1	7	14	27	47	99 +
20-34	254	16.0	180	2	4	13	21	29	43	93
35-49	386	15.0	153	2	3	12	21	30	41	83
50-64	721	12.6	141	1	2	9	16	27	38	72
65 +	1319	14.7	153	2	3	12	18	30	41	74
TOTAL SINGLE DX	315	5.0	32	< 1	1	2	7	12	15	27
TOTAL MULTIPLE DX	2817	14.1	155	2	3	11	18	29	41	80
TOTAL										
0-19 YRS	237	7.3	120	1	1	3	9	18	32	99 +
20-34	296	14.6	173	1	2	12	21	29	42	92
35-49	432	14.2	149	1	2	11	20	29	41	74
50-64	795	12.0	134	1	2	9	16	26	36	70
65 +	1372	14.3	152	2	3	11	18	30	41	74
GRAND TOTAL	3132	13.2	150	1	2	10	17	28	40	75

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.5	27	2	2	5	10	14	14	14
20-34	23	5.1	11	1	2	4	6	10	14	15
35-49	13	6.9	13	< 1	2	7	10	12	12	12
50-64	3	12.3	97	< 1	< 1	17	18	19	19	19
65 +	8	2.5	7	< 1	< 1	1	3	7	9	9
2. MULTIPLE DX										
0-19 YRS	13	6.7	11	1	2	7	9	11	13	13
20-34	21	10.2	91	1	2	7	13	17	30	46
35-49	24	11.7	79	2	3	10	16	25	33	34
50-64	34	17.3	218	1	3	15	22	34	57	62
65 +	65	14.9	139	2	3	13	20	33	38	94
TOTAL SINGLE DX	51	5.7	20	< 1	1	5	8	13	15	19
TOTAL MULTIPLE DX	157	13.6	138	2	2	10	17	31	37	63
TOTAL										
0-19 YRS	17	6.6	14	1	2	6	9	12	14	14
20-34	44	7.6	55	1	2	6	9	16	17	46
35-49	37	10.0	61	2	2	9	13	20	29	34
50-64	37	16.9	207	1	2	16	21	33	54	62
65 +	73	13.6	140	1	2	11	18	33	37	91
GRAND TOTAL	208	11.7	120	1	2	9	16	26	34	62

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	9.5	202	2	3	5	8	17	43	77
20-34	407	5.8	14	2	2	5	7	10	12	23
35-49	133	6.1	13	2	3	5	8	12	14	32
50-64	48	7.4	30	2	3	6	9	14	22	28
65 +	43	6.3	17	2	3	5	8	9	11	28
2. MULTIPLE DX										
0-19 YRS	213	14.1	254	3	4	9	17	29	52	99
20-34	404	11.0	128	2	3	7	12	25	36	69
35-49	372	12.2	132	3	4	8	15	27	37	75
50-64	581	12.6	133	3	4	9	16	25	36	72
65 +	950	14.5	135	3	4	11	19	29	41	86
TOTAL SINGLE DX	747	6.6	46	2	3	5	7	11	15	32
TOTAL MULTIPLE DX	2520	13.1	145	3	4	9	17	28	38	87
TOTAL										
0-19 YRS	329	12.5	240	3	3	7	14	28	51	93
20-34	811	8.4	78	2	3	6	9	16	26	51
35-49	505	10.6	108	3	3	7	13	23	33	74
50-64	629	12.2	127	3	4	9	15	24	36	71
65 +	993	14.2	133	3	4	11	19	29	41	83
GRAND TOTAL	3267	11.6	130	3	3	8	14	24	35	73

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	5.6	10	1	2	5	7	8	9	21
20-34	87	4.5	25	1	1	3	6	9	12	31
35-49	68	6.2	91	< 1	1	3	6	13	25	59
50-64	74	4.9	19	< 1	1	3	7	11	14	20
65 +	47	5.6	29	1	1	4	9	11	14	26
2. MULTIPLE DX										
0-19 YRS	90	9.5	100	2	3	6	10	17	30	62
20-34	135	13.1	133	1	1	10	17	28	32	58
35-49	203	11.9	130	1	1	9	16	28	38	43
50-64	429	12.0	97	1	2	10	17	24	33	45
65 +	655	14.1	158	2	3	11	19	29	41	98
TOTAL SINGLE DX	406	5.3	31	1	1	4	7	10	13	29
TOTAL MULTIPLE DX	1512	12.8	133	1	2	10	17	27	36	66
TOTAL										
0-19 YRS	220	7.2	51	2	3	[illegible]	7	11	17	39
20-34	222	9.7	108	1	1	[illegible]	13	21	29	53
35-49	271	10.4	126	1	1	7	13	26	37	44
50-64	503	10.9	92	1	2	9	15	23	31	44
65 +	702	13.6	154	1	2	10	18	28	40	94
GRAND TOTAL	1918	11.3	121	1	2	8	15	25	34	61

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	185	9.0	117	2	2	7	9	14	22	71
20-34	21	8.4	18	1	2	8	11	15	15	16
35-49	22	10.5	20	2	5	10	12	16	19	22
50-64	27	11.9	15	8	8	11	13	18	20	23
65 +	25	12.5	14	7	8	13	15	17	18	18
2. MULTIPLE DX										
0-19 YRS	575	13.6	123	5	6	10	16	27	38	73
20-34	70	13.0	81	5	7	10	15	22	36	47
35-49	155	15.9	131	7	8	12	17	36	45	59
50-64	426	16.3	139	8	8	12	19	29	44	98
65 +	617	18.7	154	7	8	15	23	35	46	76
TOTAL SINGLE DX	280	9.7	85	2	2	8	11	15	18	53
TOTAL MULTIPLE DX	1843	16.1	141	6	7	12	19	31	42	76
TOTAL										
0-19 YRS	760	12.5	126	2	5	9	14	25	37	75
20-34	91	11.9	71	2	6	10	14	20	29	46
35-49	177	15.3	121	7	8	12	16	34	44	57
50-64	453	16.0	133	8	8	12	19	29	43	97
65 +	642	18.4	150	7	8	15	22	34	45	76
GRAND TOTAL	2123	15.2	138	5	6	12	18	30	41	76

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	29	10.2	4	8	8	10	11	13	15	16
50-64	95	10.8	10	8	8	10	12	14	17	25
65 +	41	11.7	8	8	9	11	13	16	17	19
2. MULTIPLE DX										
0-19 YRS	5	14.4	118	7	7	9	19	33	33	33
20-34	20	18.3	413	6	7	12	18	46	76	81
35-49	609	11.8	44	7	7	10	13	18	23	36
50-64	2613	13.4	67	7	8	11	15	22	27	53
65 +	2456	16.6	120	8	8	13	19	29	38	78
TOTAL SINGLE DX	166	10.9	9	8	8	10	12	15	16	22
TOTAL MULTIPLE DX	5703	14.6	92	7	8	12	17	25	32	65
TOTAL										
0-19 YRS	5	14.4	118	7	7	9	19	33	33	33
20-34	21	17.9	396	6	7	12	18	40	75	81
35-49	638	11.7	43	7	7	10	13	18	23	35
50-64	2708	13.3	66	7	8	11	15	22	27	53
65 +	2497	16.5	119	8	8	13	19	29	37	77
GRAND TOTAL	5869	14.5	90	7	8	12	17	24	32	65

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	304	2.5	18	1	1	2	2	3	4	19
20-34	95	2.7	6	1	1	2	2	7	9	12
35-49	683	2.6	6	1	1	2	2	6	9	13
50-64	1337	2.4	5	1	1	2	2	5	8	12
65 +	687	2.3	5	1	1	2	2	4	7	12
2. MULTIPLE DX										
0-19 YRS	801	2.6	9	1	1	2	2	4	7	18
20-34	311	4.5	37	1	1	2	6	10	13	24
35-49	2876	4.1	19	1	1	2	6	10	12	19
50-64	8049	4.3	24	1	1	2	6	10	14	22
65 +	6690	5.6	40	1	1	2	8	13	18	30
TOTAL SINGLE DX	3106	2.4	7	1	1	2	2	5	8	12
TOTAL MULTIPLE DX	18727	4.7	29	1	1	2	6	11	15	25
TOTAL										
0-19 YRS	1105	2.6	12	1	1	2	2	4	7	18
20-34	406	4.1	30	1	1	2	5	9	12	20
35-49	3559	3.8	17	1	1	2	5	9	11	18
50-64	9386	4.0	22	1	1	2	5	10	13	21
65 +	7377	5.3	38	1	1	2	7	13	17	29
GRAND TOTAL	21833	4.3	27	1	1	2	6	11	14	24

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.8	2	< 1	1	4	5	6	6	6
20-34	10	3.6	4	1	1	3	5	6	7	7
35-49	18	4.1	5	1	1	4	6	8	8	8
50-64	53	5.1	25	1	2	3	5	14	16	23
65 +	312	3.7	10	1	1	3	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	40	8.6	62	2	2	6	11	18	21	44
20-34	32	6.5	26	2	2	5	8	13	16	27
35-49	114	9.3	46	2	2	8	12	19	22	31
50-64	658	10.0	70	2	3	8	13	18	23	52
65 +	4456	10.9	101	2	3	8	14	21	30	64
TOTAL SINGLE DX	403	3.9	12	1	1	3	5	8	12	18
TOTAL MULTIPLE DX	5300	10.7	96	2	3	8	13	21	29	61
TOTAL										
0-19 YRS	50	7.7	54	2	2	6	9	17	21	44
20-34	42	5.8	23	1	2	5	7	11	15	27
35-49	132	8.6	44	2	2	7	12	18	21	31
50-64	711	9.7	69	2	2	8	12	17	22	48
65 +	4768	10.4	99	2	2	8	13	21	29	62
GRAND TOTAL	5703	10.2	93	2	2	8	13	20	28	57

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	4.4	9	1	2	3	6	9	11	13
20-34	10	4.7	11	1	1	4	8	9	10	10
35-49	92	4.8	28	2	2	3	6	9	11	34
50-64	231	3.7	5	2	2	3	4	7	9	12
65 +	91	4.3	11	2	2	3	4	9	11	19
2. MULTIPLE DX										
0-19 YRS	74	12.3	134	1	2	8	18	29	42	89
20-34	89	12.0	200	2	3	8	13	29	44	94
35-49	727	6.7	29	2	3	5	9	13	17	30
50-64	1824	6.9	35	2	2	5	9	14	17	29
65 +	1237	8.7	61	2	3	6	11	17	22	43
TOTAL SINGLE DX	449	4.1	12	2	2	3	5	8	10	16
TOTAL MULTIPLE DX	3951	7.6	50	2	3	5	10	15	19	39
TOTAL										
0-19 YRS	99	10.3	114	1	2	7	15	23	39	77
20-34	99	11.2	186	1	2	8	12	26	42	93
35-49	819	6.5	30	2	2	5	8	12	16	31
50-64	2055	6.6	33	2	2	4	9	13	17	29
65 +	1328	8.4	59	2	3	6	11	17	21	42
GRAND TOTAL	4400	7.3	47	2	2	5	9	15	19	38

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	443	3.0	16	1	1	2	3	5	7	14
20-34	57	3.6	15	< 1	< 1	2	5	8	12	19
35-49	99	3.4	16	< 1	< 1	2	4	9	11	22
50-64	110	3.2	12	< 1	< 1	2	4	9	12	50
65 +	79	3.8	28	< 1	< 1	2	5	9	11	34
2. MULTIPLE DX										
0-19 YRS	1002	4.4	18	1	1	3	5	8	13	27
20-34	188	11.3	112	1	2	9	15	26	35	58
35-49	380	10.6	122	1	2	7	14	24	33	83
50-64	975	10.0	101	1	2	7	13	21	28	53
65 +	2719	13.6	147	2	3	11	17	27	36	74
TOTAL SINGLE DX	788	3.2	17	< 1	1	2	4	7	9	19
TOTAL MULTIPLE DX	5264	10.9	123	1	2	8	14	24	32	66
TOTAL										
0-19 YRS	1445	4.0	18	1	1	3	5	7	11	24
20-34	245	9.5	101	1	1	6	14	25	32	46
35-49	479	9.1	109	< 1	1	6	12	22	30	75
50-64	1085	9.3	96	1	1	7	12	21	27	53
65 +	2798	13.3	146	1	2	10	17	27	36	73
GRAND TOTAL	6052	9.9	116	1	1	7	13	22	30	64

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.9	1	1	1	2	3	3	4	4
20-34	314	2.4	2	1	1	2	3	4	5	8
35-49	523	2.5	6	1	1	2	3	4	5	8
50-64	324	2.8	5	1	1	2	3	5	6	12
65 +	100	3.7	12	1	1	3	5	7	9	21
2. MULTIPLE DX										
0-19 YRS	6	6.0	30	1	1	5	9	14	15	15
20-34	109	3.8	22	1	1	2	4	7	10	31
35-49	286	4.2	39	1	1	3	4	7	10	33
50-64	257	4.8	17	1	1	4	6	10	14	22
65 +	187	8.2	128	1	2	4	8	19	28	63
TOTAL SINGLE DX	1275	2.7	6	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	845	5.2	53	1	1	3	5	10	17	38
TOTAL										
0-19 YRS	20	3.1	12	1	1	2	3	8	12	15
20-34	423	2.8	8	1	1	2	3	5	6	12
35-49	809	3.1	19	1	1	2	4	5	7	19
50-64	581	3.7	12	1	1	3	4	6	10	18
65 +	287	6.6	92	1	1	4	6	15	23	49
GRAND TOTAL	2120	3.7	26	1	1	3	4	6	9	25

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	10.7	79	2	4	8	12	29	41	[illegible]
20-34	17	3.1	6	< 1	1	2	4	7	9	[illegible]
35-49	57	7.2	16	1	2	8	10	12	13	[illegible]
50-64	133	7.9	14	2	4	8	9	13	15	[illegible]
65 +	150	8.6	25	2	2	8	12	15	17	[illegible]
2. MULTIPLE DX										
0-19 YRS	120	14.2	190	4	4	10	15	31	44	75
20-34	140	12.3	173	1	2	8	18	28	41	68
35-49	463	12.6	127	2	2	10	16	27	38	63
50-64	1637	15.0	176	3	4	11	18	31	44	92
65 +	3038	18.6	222	5	7	14	23	38	54	[illegible]
TOTAL SINGLE DX	384	8.1	25	2	2	8	10	14	18	[illegible]
TOTAL MULTIPLE DX	5398	16.7	204	3	5	12	20	35	49	[illegible]
TOTAL										
0-19 YRS	147	13.5	172	3	4	10	15	31	44	97
20-34	157	11.3	164	1	2	7	15	25	39	67
35-49	520	12.0	118	2	2	9	15	25	34	60
50-64	1770	14.4	168	3	4	11	17	29	42	90
65 +	3188	18.2	218	4	6	14	23	37	53	98
GRAND TOTAL	5782	16.2	196	3	5	12	20	34	48	92

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	23.0		23	23	23	23	23	23	23
65 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	23.0		23	23	23	23	23	23	23
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	23.0		23	23	23	23	23	23	23
65 +	0									
GRAND TOTAL	1	23.0		23	23	23	23	23	23	23

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	8.0	58	2	2	4	14	19	19	19
20-34	5	4.0	14	1	1	3	6	10	10	10
35-49	5	3.2	5	1	1	3	5	6	6	6
50-64	6	2.7	4	< 1	< 1	2	5	5	5	5
65 +	6	5.0	16	2	2	4	5	12	13	13
2. MULTIPLE DX										
0-19 YRS	41	6.3	53	1	1	4	6	15	24	35
20-34	302	6.9	59	1	2	5	8	14	21	37
35-49	361	7.6	98	1	1	5	8	16	25	57
50-64	769	7.4	67	1	1	5	9	15	21	46
65 +	1024	9.2	101	2	2	6	11	20	30	59
TOTAL SINGLE DX	27	4.5	19	< 1	1	3	5	12	14	19
TOTAL MULTIPLE DX	2497	8.1	85	1	2	5	10	17	25	51
TOTAL										
0-19 YRS	46	6.5	53	1	1	4	7	18	21	35
20-34	307	6.9	59	1	2	5	8	14	20	37
35-49	368	7.6	97	1	1	5	8	16	25	56
50-64	775	7.4	67	1	1	5	9	15	21	46
65 +	1030	9.2	101	2	2	6	11	20	30	59
GRAND TOTAL	2524	8.1	85	1	2	5	10	17	25	51

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	199	9.6	206	1	1	5	9	22	53	72
20-34	106	4.3	21	<1	1	2	6	11	15	22
35-49	125	6.6	49	1	1	4	9	16	18	36
50-64	307	7.4	50	1	2	6	9	13	16	43
65 +	367	7.0	30	1	2	6	9	12	15	33
2. MULTIPLE DX										
0-19 YRS	1069	16.8	387	1	2	9	22	49	73	99 +
20-34	516	10.8	146	1	1	7	14	27	37	81
35-49	924	11.2	143	1	2	7	14	27	37	70
50-64	3107	10.9	121	1	2	8	13	23	32	78
65 +	6238	13.4	163	2	3	10	16	28	40	87
TOTAL SINGLE DX	1104	7.3	71	1	1	5	9	13	17	55
TOTAL MULTIPLE DX	11854	12.8	174	2	2	9	15	28	41	90
TOTAL										
0-19 YRS	1268	15.6	366	1	2	8	19	46	67	99 +
20-34	622	9.7	131	<1	1	6	12	25	34	67
35-49	1049	10.7	134	1	2	7	14	26	36	61
50-64	3414	10.6	116	1	2	8	13	22	31	74
65 +	6605	13.1	159	2	3	10	16	27	39	86
GRAND TOTAL	12958	12.3	167	2	2	9	15	27	40	87

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	199	3.5	12	<1	<1	2	4	8	10	17
20-34	155	3.5	16	<1	<1	2	4	8	11	22
35-49	135	2.9	8	<1	<1	2	4	5	7	14
50-64	138	3.8	16	<1	<1	2	5	8	12	23
65 +	108	5.1	64	<1	1	3	6	10	16	54
2. MULTIPLE DX										
0-19 YRS	119	5.7	21	1	1	5	8	12	15	21
20-34	211	9.0	84	1	1	7	12	20	23	47
35-49	304	9.1	112	<1	1	6	11	21	29	54
50-64	468	9.8	127	1	1	7	13	22	33	75
65 +	677	11.8	166	1	2	9	15	25	36	90
TOTAL SINGLE DX	735	3.7	21	<1	<1	2	4	8	11	21
TOTAL MULTIPLE DX	1779	10.1	130	1	1	7	13	22	30	74
TOTAL										
0-19 YRS	318	4.3	17	<1	<1	3	6	10	13	19
20-34	366	6.7	62	<1	1	4	9	17	21	34
35-49	439	7.2	89	<1	1	4	9	16	26	49
50-64	606	8.4	109	<1	1	5	11	18	28	63
65 +	785	10.9	158	1	1	8	14	24	33	88
GRAND TOTAL	2514	8.2	107	<1	1	5	11	18	26	60

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.3	17	1	1	3	5	11	14	14
20-34	16	6.0	10	1	1	7	8	10	11	11
35-49	32	3.4	7	1	1	3	4	7	11	13
50-64	74	5.2	105	1	2	4	5	7	8	71
65 +	41	4.7	17	1	1	3	5	12	16	18
2. MULTIPLE DX										
0-19 YRS	11	5.6	13	1	1	6	9	11	11	11
20-34	40	7.2	11	1	2	7	9	11	14	16
35-49	88	8.6	104	2	2	6	11	18	24	62
50-64	207	9.0	73	2	2	6	10	20	27	43
65 +	289	9.9	94	2	3	7	12	19	30	68
TOTAL SINGLE DX	173	4.8	53	1	1	3	5	8	11	18
TOTAL MULTIPLE DX	635	9.2	83	2	2	7	11	18	26	58
TOTAL										
0-19 YRS	21	5.0	15	1	1	5	7	11	12	14
20-34	56	6.9	11	1	2	7	9	11	11	16
35-49	120	7.3	84	1	2	4	9	16	20	45
50-64	281	8.0	85	1	2	5	8	17	23	46
65 +	330	9.3	87	2	3	7	11	18	28	64
GRAND TOTAL	808	8.3	80	1	2	6	9	17	23	57

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	1	25.0		25	25	25	25	25	25	25
65 +	1	7.0		7	7	7	7	7	7	7
TOTAL SINGLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL MULTIPLE DX	4	11.5	81	7	7	7	16	25	25	25
TOTAL										
0-19 YRS	0									
20-34	2	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	1	25.0		25	25	25	25	25	25	25
65 +	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	5	9.6	79	2	2	7	12	25	25	25

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	38.5	109	31	31	34	44	54	54	54
20-34	8	25.4	104	5	10	25	30	38	41	41
35-49	4	24.0	68	12	12	27	29	30	30	30
50-64	2	29.0	18	26	26	29	32	32	32	32
65 +	0									
2. MULTIPLE DX										
0-19 YRS	23	50.2	288	28	35	48	70	98	99 +	99 +
20-34	13	38.2	181	21	23	33	51	57	65	67
35-49	14	42.1	662	7	22	36	39	84	96	99
50-64	2	47.5	265	36	36	47	59	59	59	59
65 +	0									
TOTAL SINGLE DX	18	28.4	109	8	15	29	32	39	49	54
TOTAL MULTIPLE DX	52	44.9	367	24	26	39	57	84	99 +	99 +
TOTAL										
0-19 YRS	27	48.4	274	28	32	47	63	92	99 +	99 +
20-34	21	33.3	186	14	22	31	38	52	60	67
35-49	18	38.1	579	7	16	33	38	80	92	99
50-64	4	38.3	208	26	26	34	47	59	59	59
65 +	0									
GRAND TOTAL	70	40.7	351	21	24	37	52	82	97	99 +

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	281	6.3	34	1	1	5	8	12	16	32
20-34	162	7.2	41	2	2	6	9	12	17	35
35-49	105	8.5	111	2	2	5	9	21	33	51
50-64	81	9.5	82	2	3	8	11	18	25	57
65 +	82	8.2	47	2	3	7	10	15	20	42
2. MULTIPLE DX										
0-19 YRS	357	9.9	105	2	2	7	11	22	31	61
20-34	492	14.2	223	3	4	9	16	30	48	85
35-49	543	15.0	205	3	4	10	19	36	50	80
50-64	963	13.8	147	3	4	10	17	29	38	64
65 +	2987	14.5	145	3	4	11	18	29	40	69
TOTAL SINGLE DX	711	7.4	55	1	2	6	9	14	21	41
TOTAL MULTIPLE DX	5342	14.1	158	3	4	10	17	29	40	72
TOTAL										
0-19 YRS	638	8.3	77	1	2	6	9	16	25	51
20-34	654	12.5	188	2	3	8	14	27	40	85
35-49	648	13.9	195	2	3	9	18	34	47	76
50-64	1044	13.5	144	3	4	10	16	28	37	64
65 +	3069	14.3	144	3	4	11	17	29	39	69
GRAND TOTAL	6053	13.3	150	2	3	9	16	28	39	69

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	125	10.0	181	1	1	5	13	25	42	78
20-34	64	11.2	162	< 1	1	6	16	29	41	58
35-49	36	11.0	205	< 1	1	5	14	37	47	51
50-64	40	7.8	136	< 1	< 1	4	10	16	25	68
65 +	30	8.2	103	1	1	4	11	24	31	40
2. MULTIPLE DX										
0-19 YRS	354	15.5	315	2	2	9	22	45	66	99 +
20-34	316	17.1	299	1	2	11	24	44	55	82
35-49	483	13.7	212	1	2	9	17	32	45	86
50-64	853	12.4	178	1	2	8	17	29	39	82
65 +	1146	15.5	222	1	2	11	21	35	47	96
TOTAL SINGLE DX	295	9.9	166	< 1	1	5	12	26	39	69
TOTAL MULTIPLE DX	3152	14.6	229	1	2	10	20	35	49	95
TOTAL										
0-19 YRS	479	14.1	286	1	2	8	19	40	60	99 +
20-34	380	16.1	281	1	2	10	22	41	53	78
35-49	519	13.5	212	1	2	9	17	32	45	81
50-64	893	12.2	177	1	1	8	17	29	39	80
65 +	1176	15.3	221	1	2	11	21	35	46	95
GRAND TOTAL	3447	14.2	225	1	2	9	19	34	48	93

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	3.2	45	< 1	1	1	2	6	11	45
20-34	19	4.4	18	< 1	< 1	3	7	9	14	17
35-49	46	4.6	20	1	1	3	8	10	15	18
50-64	60	4.7	36	< 1	1	3	6	10	14	38
65 +	54	6.2	38	1	1	5	8	14	17	35
2. MULTIPLE DX										
0-19 YRS	104	4.9	54	1	1	2	4	11	20	39
20-34	119	9.0	75	1	2	6	12	21	33	99 +
35-49	257	10.1	143	1	2	7	12	21	27	70
50-64	532	10.2	140	1	1	7	12	22	32	63
65 +	1132	11.2	135	1	2	8	14	23	34	75
TOTAL SINGLE DX	245	4.6	36	1	1	2	6	10	15	36
TOTAL MULTIPLE DX	2144	10.4	132	1	2	7	13	23	32	72
TOTAL										
0-19 YRS	170	4.2	51	1	1	2	3	10	16	43
20-34	138	8.3	70	1	1	6	11	19	28	99 +
35-49	303	9.3	129	1	1	6	11	18	26	69
50-64	592	9.6	133	1	1	6	11	21	31	63
65 +	1186	11.0	132	1	2	8	14	23	33	74
GRAND TOTAL	2389	9.8	125	1	1	7	12	21	31	68

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	344	3.5	1	2	2	3	4	5	6	8
20-34	4	7.3	11	4	4	7	10	11	11	11
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	133	6.1	40	2	3	5	7	9	12	45
20-34	13	11.8	118	5	5	9	12	22	41	46
35-49	9	12.1	10	7	7	13	14	16	16	16
50-64	13	18.6	261	7	9	12	21	32	63	70
65 +	41	19.2	162	7	9	15	22	39	45	61
TOTAL SINGLE DX	350	3.6	2	2	2	3	4	5	6	9
TOTAL MULTIPLE DX	209	10.0	111	2	3	6	11	19	35	57
TOTAL										
0-19 YRS	477	4.2	14	2	2	4	5	6	8	16
20-34	17	10.8	95	4	5	9	11	16	35	46
35-49	10	11.5	13	6	6	12	14	15	16	16
50-64	13	18.6	262	7	9	12	21	32	63	70
65 +	42	19.0	162	7	9	15	20	39	45	61
GRAND TOTAL	559	6.0	52	2	2	4	6	11	16	43

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	17.8	567	3	3	10	23	60	60	60
20-34	3	8.0	37	1	1	11	12	12	12	12
35-49	2	13.0	200	3	3	13	23	23	23	23
50-64	7	16.0	194	4	4	9	27	38	40	40
65 +	13	12.1	95	1	2	9	19	24	31	33
2. MULTIPLE DX										
0-19 YRS	66	21.8	510	3	4	16	27	69	90	99 +
20-34	30	24.8	649	3	5	14	38	83	95	99 +
35-49	64	17.7	254	2	3	13	29	48	99 +	99 +
50-64	152	21.3	360	3	4	18	31	68	99 +	99 +
65 +	1382	23.8	418	3	5	18	36	67	95	99 +
TOTAL SINGLE DX	30	13.6	176	1	2	10	19	31	40	60
TOTAL MULTIPLE DX	1694	23.3	416	3	5	18	35	67	95	99 +
TOTAL										
0-19 YRS	71	21.5	507	3	4	15	27	64	90	99 +
20-34	33	23.3	615	3	5	13	29	81	93	99 +
35-49	66	17.6	250	2	3	13	29	47	99 +	99 +
50-64	159	21.1	353	3	4	16	30	68	99 +	99 +
65 +	1395	23.7	417	3	5	18	36	67	95	99 +
GRAND TOTAL	1724	23.1	413	3	4	18	34	67	95	99 +

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.3	6	4	4	8	9	10	10	10
20-34	31	5.2	8	2	2	4	6	10	10	15
35-49	39	5.6	8	2	2	5	7	10	12	14
50-64	34	5.6	6	2	2	5	7	9	11	12
65 +	47	5.5	11	1	2	5	7	10	12	17
2. MULTIPLE DX										
0-19 YRS	22	6.9	31	2	2	6	9	17	52	99 +
20-34	132	7.0	42	2	2	6	8	12	15	43
35-49	248	8.1	50	2	3	6	10	14	21	51
50-64	572	9.2	67	3	3	7	10	18	25	46
65 +	1895	11.1	89	3	4	8	13	21	28	58
TOTAL SINGLE DX	157	5.6	9	2	2	5	7	10	12	15
TOTAL MULTIPLE DX	2869	10.2	81	3	3	8	12	20	26	56
TOTAL										
0-19 YRS	28	7.0	25	2	2	7	9	14	30	99 +
20-34	163	6.7	36	2	2	5	8	11	15	39
35-49	287	7.8	46	2	3	6	9	13	19	49
50-64	606	9.0	65	2	3	7	10	18	24	46
65 +	1942	10.9	89	3	4	8	13	21	27	57
GRAND TOTAL	3026	10.0	78	3	3	8	12	19	26	53

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	14.3	140	7	7	8	23	28	28	28
20-34	13	9.2	24	2	3	9	11	17	19	20
35-49	36	11.5	32	7	7	9	13	20	26	31
50-64	36	12.8	51	7	7	11	15	17	20	49
65 +	34	13.5	25	8	8	11	18	20	25	26
2. MULTIPLE DX										
0-19 YRS	0									
20-34	33	17.8	162	7	8	13	23	32	46	64
35-49	132	16.7	93	8	8	14	19	28	46	62
50-64	290	18.7	184	8	9	14	23	34	43	89
65 +	642	22.1	228	8	10	17	27	41	58	93
TOTAL SINGLE DX	122	12.2	38	7	7	10	15	19	23	36
TOTAL MULTIPLE DX	1097	20.4	203	8	9	16	24	38	53	91
TOTAL										
0-19 YRS	3	14.3	140	7	7	8	23	28	28	28
20-34	46	15.3	138	4	7	11	17	28	41	64
35-49	168	15.6	85	7	8	13	19	27	40	53
50-64	326	18.1	173	8	8	14	21	34	41	88
65 +	676	21.6	222	8	9	17	26	39	56	93
GRAND TOTAL	1219	19.6	192	8	9	15	23	36	52	89

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	1	18.0		18	18	18	18	18	18	18
35-49	6	12.5	11	9	9	11	15	18	18	18
50-64	6	11.8	10	8	8	12	15	15	15	15
65 +	5	15.0	10	12	12	14	17	20	20	20
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	12.0	32	8	8	12	16	16	16	16
35-49	27	18.9	116	10	10	15	23	37	41	47
50-64	71	22.0	231	10	11	17	28	43	68	97
65 +	114	25.8	225	10	12	22	31	44	59	97
TOTAL SINGLE DX	18	13.3	12	8	9	13	15	18	19	20
TOTAL MULTIPLE DX	214	23.6	218	10	11	20	29	44	59	97
TOTAL										
0-19 YRS	0									
20-34	3	14.0	28	8	8	16	17	18	18	18
35-49	33	17.7	102	9	10	14	19	35	40	47
50-64	77	21.2	222	9	10	17	24	41	67	96
65 +	119	25.4	222	11	12	22	30	44	59	97
GRAND TOTAL	232	22.8	209	10	11	19	28	42	56	97

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	4	9.8	11	7	7	9	12	14	14	14
35-49	6	9.3	4	8	8	8	11	13	13	13
50-64	13	9.6	11	5	6	9	11	14	17	18
65 +	4	14.0	56	8	8	11	18	25	25	25
2. MULTIPLE DX										
0-19 YRS	2	15.5	25	12	12	15	19	19	19	19
20-34	17	11.2	21	6	7	9	16	18	20	20
35-49	39	13.3	111	5	6	10	14	27	[illegible]	64
50-64	64	14.4	73	6	7	12	17	24	26	57
65 +	83	20.5	195	8	8	17	25	38	53	94
TOTAL SINGLE DX	27	10.2	17	6	7	9	12	14	19	25
TOTAL MULTIPLE DX	205	16.4	136	6	7	13	20	27	38	80
TOTAL										
0-19 YRS	2	15.5	25	12	12	15	19	19	19	19
20-34	21	11.0	19	6	7	9	15	17	19	20
35-49	45	12.8	98	5	6	10	13	27	28	64
50-64	77	13.6	66	6	7	11	16	23	25	54
65 +	87	20.2	190	8	8	17	25	38	52	93
GRAND TOTAL	232	15.7	126	6	7	12	19	27	37	80

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	9.6	238	1	2	6	10	13	27	94
20-34	107	6.8	6	4	4	6	8	10	11	16
35-49	135	7.0	15	3	5	6	8	9	11	29
50-64	56	8.6	8	4	6	8	10	12	15	19
65 +	41	12.2	49	6	7	10	12	24	31	33
2. MULTIPLE DX										
0-19 YRS	172	18.6	264	3	4	13	28	46	79	99 +
20-34	230	9.8	89	4	5	8	10	16	24	83
35-49	425	11.2	117	4	5	8	11	21	33	69
50-64	343	14.9	128	5	6	11	18	29	37	79
65 +	678	21.2	264	7	8	16	25	45	65	99 +
TOTAL SINGLE DX	376	8.0	40	3	4	7	9	12	15	32
TOTAL MULTIPLE DX	1848	16.1	204	5	6	11	19	35	52	99 +
TOTAL										
0-19 YRS	209	17.0	270	2	3	12	26	43	73	99 +
20-34	337	8.9	65	4	4	7	9	13	19	62
35-49	560	10.2	96	4	5	7	10	18	28	59
50-64	399	14.0	117	5	6	10	17	27	35	71
65 +	719	20.7	257	7	8	15	24	43	60	99 +
GRAND TOTAL	2224	14.7	188	4	5	10	17	32	47	98

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	6.0	25	1	1	5	7	13	18	26
20-34	134	6.7	17	2	3	6	8	11	15	23
35-49	88	6.2	16	< 1	1	6	8	11	13	23
50-64	110	4.9	23	< 1	< 1	4	7	10	14	26
65 +	92	5.2	32	< 1	1	3	8	12	15	31
2. MULTIPLE DX										
0-19 YRS	116	9.3	126	2	2	6	10	21	33	59
20-34	292	8.7	66	2	3	7	10	17	25	53
35-49	384	9.4	65	2	3	7	12	19	25	42
50-64	985	8.8	53	1	2	7	11	16	21	40
65 +	3094	11.1	103	2	3	8	14	22	31	61
TOTAL SINGLE DX	491	5.8	23	< 1	1	5	8	11	15	24
TOTAL MULTIPLE DX	4871	10.3	92	2	3	8	13	20	28	53
TOTAL										
0-19 YRS	183	8.1	92	1	2	5	9	18	27	44
20-34	426	8.1	52	2	3	6	9	16	22	46
35-49	472	8.8	58	1	3	7	11	17	24	41
50-64	1095	8.4	61	1	2	7	10	16	21	39
65 +	3186	10.9	102	1	2	8	13	22	31	60
GRAND TOTAL	5362	9.9	87	1	2	8	12	19	27	52

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	8.8	34	5	6	7	9	11	23	30
20-34	28	11.5	91	5	6	9	11	25	30	50
35-49	27	10.9	24	7	7	10	11	18	22	29
50-64	23	12.4	32	7	8	10	15	17	24	34
65 +	15	11.4	17	6	6	11	14	16	19	20
2. MULTIPLE DX										
0-19 YRS	80	15.1	231	4	6	11	19	62	99 +	99 +
20-34	127	15.8	115	6	7	11	21	35	41	66
35-49	145	17.8	217	6	7	13	22	43	69	99 +
50-64	291	19.1	214	7	8	15	21	40	57	95
65 +	733	21.5	217	8	9	17	27	44	56	99 +
TOTAL SINGLE DX	110	11.1	44	6	6	10	13	17	28	40
TOTAL MULTIPLE DX	1376	19.7	212	7	8	15	24	42	59	99 +
TOTAL										
0-19 YRS	97	13.9	202	4	6	10	17	41	99 +	99 +
20-34	155	15.0	113	6	7	11	20	29	41	56
35-49	172	16.7	193	6	7	12	20	41	61	99 +
50-64	314	18.6	204	7	8	14	21	39	55	93
65 +	748	21.3	215	8	9	17	26	43	56	99 +
GRAND TOTAL	1486	19.0	205	7	8	14	23	40	56	99 +

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	10.6	20	5	7	10	12	16	18	27
20-34	75	9.7	16	5	6	9	11	16	19	24
35-49	132	10.1	24	6	6	9	11	15	18	35
50-64	316	10.0	11	6	7	9	11	14	16	21
65 +	351	11.1	16	7	7	10	12	16	20	28
2. MULTIPLE DX										
0-19 YRS	80	18.8	278	6	7	13	23	40	65	97
20-34	262	14.9	122	7	7	11	17	27	41	91
35-49	568	14.2	87	7	7	11	16	24	33	59
50-64	1977	14.6	93	7	8	11	17	25	33	63
65 +	5504	17.9	149	8	9	14	21	33	44	85
TOTAL SINGLE DX	903	10.4	16	6	7	9	11	15	18	27
TOTAL MULTIPLE DX	8391	16.8	135	7	8	13	20	31	41	80
TOTAL										
0-19 YRS	109	16.7	223	6	7	11	19	33	51	94
20-34	337	13.8	104	6	7	10	16	25	32	81
35-49	700	13.4	78	6	7	11	15	23	31	58
50-64	2293	14.0	85	7	8	11	16	24	32	61
65 +	5855	17.5	144	8	9	14	21	32	43	84
GRAND TOTAL	9294	16.2	127	7	8	13	19	29	39	78

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	10.5	22	6	6	8	16	17	17	17
20-34	5	6.6	29	2	2	6	10	15	15	15
35-49	7	9.7	16	6	6	9	11	17	18	18
50-64	12	10.1	30	5	6	8	11	21	21	21
65 +	12	12.4	36	7	8	10	13	21	28	29
2. MULTIPLE DX										
0-19 YRS	23	18.4	302	3	5	10	26	52	57	58
20-34	9	13.3	309	1	2	7	15	42	58	58
35-49	28	19.1	157	7	9	15	25	48	99 +	99 +
50-64	93	18.5	148	6	7	15	24	35	44	62
65 +	255	19.6	191	7	9	16	23	33	50	95
TOTAL SINGLE DX	42	10.3	29	4	6	9	11	18	21	29
TOTAL MULTIPLE DX	408	19.1	187	7	8	16	23	38	51	97
TOTAL										
0-19 YRS	29	16.8	252	3	5	9	17	47	56	58
20-34	14	10.9	210	1	2	7	14	21	50	58
35-49	35	17.3	143	6	7	13	23	47	82	99 +
50-64	105	17.5	142	6	7	14	21	31	42	61
65 +	267	19.3	186	7	9	16	23	33	48	94
GRAND TOTAL	450	18.3	178	6	7	15	22	34	50	95

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	6.5	8	3	3	6	8	10	11	16
20-34	60	7.6	6	3	4	8	9	11	12	14
35-49	76	8.0	5	4	5	8	9	11	12	13
50-64	100	9.2	43	4	5	9	10	12	14	45
65 +	95	8.7	7	4	5	9	10	12	13	15
2. MULTIPLE DX										
0-19 YRS	163	11.3	110	4	5	8	12	22	37	97
20-34	167	12.8	84	6	6	10	14	24	31	51
35-49	234	12.6	127	4	6	10	13	23	31	71
50-64	501	12.6	86	5	6	10	14	23	33	60
65 +	993	14.8	148	5	6	11	17	28	40	86
TOTAL SINGLE DX	420	8.1	17	3	4	8	10	11	13	18
TOTAL MULTIPLE DX	2058	13.6	124	5	6	10	15	25	36	76
TOTAL										
0-19 YRS	252	9.6	79	3	4	8	10	15	26	80
20-34	227	11.5	69	4	6	9	12	19	28	44
35-49	310	11.5	102	4	5	9	12	19	27	66
50-64	601	12.0	81	4	6	10	13	22	30	58
65 +	1088	14.3	139	5	6	11	16	26	38	85
GRAND TOTAL	**2478**	**12.7**	**110**	**4**	**5**	**10**	**14**	**23**	**33**	**71**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	8.9	22	4	5	8	9	17	20	21
20-34	6	10.8	59	5	5	9	10	24	26	26
35-49	7	11.0	133	< 1	1	6	14	31	35	35
50-64	5	11.8	119	5	5	8	15	31	31	31
65 +	11	12.5	18	8	8	11	14	20	20	20
2. MULTIPLE DX										
0-19 YRS	30	22.8	384	5	6	19	30	54	96	99 +
20-34	41	24.0	554	4	5	16	30	77	99	99 +
35-49	60	23.2	253	8	9	21	29	47	69	98
50-64	175	21.2	266	7	8	17	25	41	70	96
65 +	524	22.8	265	7	9	18	29	49	73	99 +
TOTAL SINGLE DX	41	10.9	52	4	5	9	13	21	28	35
TOTAL MULTIPLE DX	830	22.5	282	7	8	18	28	49	75	99 +
TOTAL										
0-19 YRS	42	18.9	319	5	5	13	25	42	71	99 +
20-34	47	22.3	509	4	5	14	27	77	98	99 +
35-49	67	21.9	253	5	8	20	28	43	66	96
50-64	180	20.9	264	6	8	16	25	41	67	95
65 +	535	22.5	262	7	9	18	29	48	73	99 +
GRAND TOTAL	**871**	**22.0**	**277**	**6**	**8**	**17**	**28**	**48**	**74**	**99 +**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3728	4.0	5	2	2	3	5	7	8	12
20-34	2615	4.0	3	2	2	4	5	6	8	11
35-49	940	4.9	6	2	3	4	6	8	10	13
50-64	376	5.7	8	2	3	5	7	9	11	15
65 +	138	6.5	10	3	3	6	8	10	13	19
2. MULTIPLE DX										
0-19 YRS	1186	6.4	23	2	3	5	8	11	15	25
20-34	1074	6.1	16	2	3	5	7	11	14	24
35-49	654	7.8	22	3	3	7	10	14	16	23
50-64	531	9.5	38	4	4	8	11	17	21	37
65 +	436	12.4	102	4	5	10	14	20	29	72
TOTAL SINGLE DX	7797	4.2	5	2	2	4	5	7	9	12
TOTAL MULTIPLE DX	3881	7.6	36	3	3	6	9	14	18	31
TOTAL										
0-19 YRS	4914	4.6	11	2	2	4	5	8	10	18
20-34	3689	4.6	8	2	2	4	5	8	10	16
35-49	1594	6.0	15	2	3	5	7	11	14	20
50-64	907	7.9	29	3	3	7	9	13	18	27
65 +	574	11.0	87	3	4	9	13	19	25	66
GRAND TOTAL	**11678**	**5.4**	**18**	**2**	**2**	**4**	**6**	**10**	**12**	**21**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	4.4	3	2	2	4	5	7	8	9
20-34	21	3.8	2	1	2	4	5	6	7	7
35-49	8	4.3	2	3	3	4	5	7	7	7
50-64	4	7.5	17	3	3	8	11	11	11	11
65 +	0									
2. MULTIPLE DX										
0-19 YRS	17	6.2	31	2	2	5	6	17	21	21
20-34	24	9.3	77	3	4	7	9	21	29	44
35-49	11	6.2	6	2	3	6	8	10	11	11
50-64	3	11.0	31	6	6	10	15	17	17	17
65 +	3	7.7	41	3	3	5	12	15	15	15
TOTAL SINGLE DX	65	4.4	4	2	2	4	5	7	8	11
TOTAL MULTIPLE DX	58	7.8	47	2	3	6	8	16	21	42
TOTAL										
0-19 YRS	49	5.0	14	2	2	4	6	8	10	21
20-34	45	6.7	50	2	2	5	7	10	21	44
35-49	19	5.4	5	2	3	5	7	9	10	11
50-64	7	9.0	22	3	3	10	11	16	17	17
65 +	3	7.7	41	3	3	5	12	15	15	15
GRAND TOTAL	**123**	**6.0**	**27**	**2**	**2**	**5**	**7**	**10**	**16**	**29**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	9.0	5	5	6	9	10	12	14	14
20-34	10	10.2	15	4	5	10	12	16	18	18
35-49	5	10.6	8	8	8	10	13	14	14	14
50-64	1	11.0		11	11	11	11	11	11	11
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	10	10.6	27	4	4	11	12	18	23	23
20-34	10	11.3	37	6	6	9	12	22	25	25
35-49	10	15.1	86	8	8	12	17	31	37	37
50-64	9	11.0	21	6	6	10	14	18	19	19
65 +	6	15.5	24	10	10	14	18	23	24	24
TOTAL SINGLE DX	29	9.8	9	5	6	10	11	14	15	18
TOTAL MULTIPLE DX	45	12.5	42	5	6	11	14	23	25	37
TOTAL										
0-19 YRS	22	9.7	16	4	5	10	11	13	18	23
20-34	20	10.8	25	5	6	9	12	18	22	25
35-49	15	13.6	63	8	8	12	14	25	34	37
50-64	10	11.0	19	6	6	10	14	17	19	19
65 +	7	14.7	25	10	10	14	17	23	24	24
GRAND TOTAL	74	11.4	30	5	6	10	13	18	24	34

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	4.9	14	1	1	4	8	10	12	13
20-34	25	4.1	23	<1	<1	2	5	13	16	18
35-49	41	3.6	8	<1	<1	2	5	9	10	11
50-64	64	4.1	17	<1	1	3	5	9	13	24
65 +	118	3.6	8	1	1	3	4	7	10	15
2. MULTIPLE DX										
0-19 YRS	47	7.7	83	1	1	4	10	14	25	53
20-34	49	7.2	97	1	1	4	8	15	21	60
35-49	78	6.7	34	1	1	5	9	16	20	26
50-64	181	7.2	62	1	1	5	9	16	24	44
65 +	663	9.7	127	1	2	6	12	22	33	74
TOTAL SINGLE DX	268	3.9	12	<1	1	3	5	8	11	17
TOTAL MULTIPLE DX	1018	8.8	106	1	1	6	11	20	28	63
TOTAL										
0-19 YRS	67	6.8	64	1	1	4	8	14	18	49
20-34	74	6.1	74	<1	1	4	8	13	18	54
35-49	119	5.6	28	<1	1	4	7	12	17	26
50-64	245	6.4	52	1	1	4	8	14	22	35
65 +	781	8.8	114	1	2	5	11	20	30	71
GRAND TOTAL	1286	7.8	91	1	1	5	9	17	26	56

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	3.3	7	1	1	2	4	7	9	11
20-34	107	2.9	4	1	1	3	4	6	7	49
35-49	83	2.6	3	1	1	2	3	5	6	10
50-64	53	3.4	3	1	1	3	4	6	7	10
65 +	18	4.1	14	1	1	3	5	10	13	15
2. MULTIPLE DX										
0-19 YRS	13	4.2	7	1	2	4	5	9	10	10
20-34	90	4.6	13	1	1	3	5	8	11	20
35-49	104	5.1	29	1	1	4	6	11	16	65
50-64	106	5.9	28	1	1	4	7	12	13	32
65 +	87	11.6	171	2	2	8	15	27	46	91
TOTAL SINGLE DX	280	3.0	5	1	1	3	4	6	7	12
TOTAL MULTIPLE DX	400	6.6	63	1	2	4	8	14	19	54
TOTAL										
0-19 YRS	32	3.7	7	1	1	3	5	8	10	11
20-34	197	3.7	9	1	1	3	5	7	9	20
35-49	187	4.0	19	1	1	3	5	8	11	35
50-64	159	5.1	21	1	1	4	6	11	12	31
65 +	105	10.3	153	1	2	7	13	23	43	87
GRAND TOTAL	680	5.1	42	1	1	3	6	11	16	44

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	10.3	8	7	7	10	12	15	16	16
20-34	8	9.0	27	1	2	8	12	17	18	18
35-49	31	11.3	22	8	8	10	12	15	19	33
50-64	72	11.3	11	8	8	11	13	16	18	22
65 +	110	12.6	26	7	8	11	15	20	23	27
2. MULTIPLE DX										
0-19 YRS	34	12.8	55	6	6	10	15	24	30	33
20-34	39	18.7	248	8	8	12	22	36	48	91
35-49	123	14.7	77	7	8	12	16	26	36	65
50-64	493	16.0	97	8	9	14	18	27	35	73
65 +	1269	19.0	147	9	10	15	22	35	48	99 +
TOTAL SINGLE DX	237	11.8	20	7	8	11	13	18	21	26
TOTAL MULTIPLE DX	1958	17.9	133	8	9	14	21	33	45	91
TOTAL										
0-19 YRS	50	12.0	41	6	6	10	14	21	29	33
20-34	47	17.1	223	6	8	11	19	34	42	91
35-49	154	14.0	68	7	8	11	15	23	35	53
50-64	565	15.4	89	8	9	13	17	25	32	69
65 +	1379	18.5	141	8	9	15	22	34	47	99 +
GRAND TOTAL	2195	17.2	125	8	9	14	20	31	42	89

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	142	3.8	13	1	1	3	5	8	9	16
20-34	367	4.5	9	1	2	4	6	8	10	15
35-49	380	4.7	8	1	1	4	6	8	10	14
50-64	354	4.7	9	1	2	4	6	8	11	17
65 +	325	5.2	12	1	1	5	7	9	12	17
2. MULTIPLE DX										
0-19 YRS	291	5.8	68	1	1	4	7	12	19	84
20-34	1467	6.5	36	1	2	5	8	13	18	34
35-49	2425	7.1	41	2	2	5	8	13	18	36
50-64	3882	7.9	60	2	3	6	9	15	20	45
65 +	10210	10.4	97	2	3	8	12	20	28	63
TOTAL SINGLE DX	1568	4.7	10	1	1	4	6	8	10	16
TOTAL MULTIPLE DX	18275	9.0	79	2	3	7	11	17	25	54
TOTAL										
0-19 YRS	433	5.1	51	1	1	3	6	10	15	41
20-34	1834	6.1	32	1	2	5	7	11	17	31
35-49	2805	6.8	38	2	2	5	8	13	17	34
50-64	4236	7.7	57	2	3	6	9	14	19	43
65 +	10535	10.2	96	2	3	7	12	20	28	63
GRAND TOTAL	19843	8.7	75	2	3	6	10	17	24	51

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.6	1	< 1	< 1	1	2	2	4	6
20-34	164	2.6	4	1	1	2	3	4	5	10
35-49	178	2.4	3	1	1	2	3	4	5	13
50-64	79	2.2	1	< 1	1	2	3	4	4	6
65 +	29	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	9	4.3	20	< 1	1	3	4	11	16	16
20-34	138	3.1	6	1	1	2	3	7	9	13
35-49	215	3.2	6	1	1	2	4	7	9	14
50-64	190	3.7	16	1	1	3	4	6	9	28
65 +	96	4.6	31	1	1	3	5	12	18	28
TOTAL SINGLE DX	469	2.4	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	648	3.6	14	1	1	3	4	7	10	21
TOTAL										
0-19 YRS	28	2.5	9	< 1	< 1	2	3	4	7	16
20-34	302	2.8	6	1	1	2	3	5	7	12
35-49	393	2.9	6	1	1	2	3	5	7	14
50-64	269	3.2	13	1	1	3	4	5	8	24
65 +	125	4.0	26	1	1	3	4	7	16	27
GRAND TOTAL	1117	3.1	10	1	1	2	3	5	8	16

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.7	5	1	1	2	3	7	7	7
20-34	95	1.9	1	< 1	1	1	2	3	5	7
35-49	51	1.8	1	< 1	< 1	1	2	4	4	7
50-64	26	2.2	1	< 1	1	2	3	4	4	5
65 +	22	2.1	2	< 1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	11	7.1	80	1	1	4	8	21	31	32
20-34	152	2.8	14	1	1	2	4	4	5	15
35-49	202	3.1	10	1	1	2	4	5	7	26
50-64	145	3.5	22	1	1	3	4	6	9	23
65 +	157	6.0	96	1	1	3	6	13	18	73
TOTAL SINGLE DX	200	2.0	2	< 1	1	1	3	4	5	7
TOTAL MULTIPLE DX	667	3.9	37	1	1	3	4	7	11	37
TOTAL										
0-19 YRS	17	5.5	57	1	1	3	8	12	25	32
20-34	247	2.5	10	< 1	1	2	3	4	5	8
35-49	253	2.8	9	< 1	1	2	4	5	7	16
50-64	171	3.3	20	1	1	3	4	5	8	20
65 +	179	5.6	86	1	1	3	5	12	17	65
GRAND TOTAL	867	3.4	30	1	1	2	4	6	9	31

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.1	1	< 1	< 1	2	3	4	4	4
20-34	117	3.0	2	1	1	3	4	5	6	8
35-49	221	2.8	2	1	1	2	4	5	6	8
50-64	105	3.0	3	1	1	3	4	5	6	10
65 +	54	3.1	2	1	1	3	4	5	5	8
2. MULTIPLE DX										
0-19 YRS	15	1.7	1	1	1	1	2	3	4	4
20-34	658	3.1	18	1	1	2	4	5	7	12
35-49	1172	3.1	6	1	1	3	4	6	7	11
50-64	970	3.7	14	1	1	3	4	6	9	20
65 +	676	4.8	28	1	1	3	5	9	15	33
TOTAL SINGLE DX	506	2.9	3	1	1	3	4	5	6	8
TOTAL MULTIPLE DX	3491	3.6	16	1	1	3	4	6	9	19
TOTAL										
0-19 YRS	24	1.8	1	< 1	1	2	3	3	4	4
20-34	775	3.1	16	1	1	2	4	5	7	12
35-49	1393	3.0	6	1	1	3	4	6	7	11
50-64	1075	3.6	14	1	1	3	4	6	8	19
65 +	730	4.6	27	1	1	3	5	9	14	33
GRAND TOTAL	3997	3.5	14	1	1	3	4	6	8	18

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	3.5	5	<1	1	3	5	8	8	10
20-34	178	2.7	3	<1	1	2	3	6	7	8
35-49	166	2.9	5	1	1	2	3	6	8	11
50-64	70	3.4	7	1	1	3	5	7	8	15
65+	41	3.7	8	<1	1	3	5	8	9	14
2. MULTIPLE DX										
0-19 YRS	65	7.1	30	1	1	6	11	15	19	88
20-34	191	4.1	16	1	1	3	5	8	14	21
35-49	250	4.8	47	1	1	3	5	9	16	33
50-64	203	5.2	40	1	1	3	6	12	14	36
65+	220	8.9	135	1	2	5	10	21	30	79
TOTAL SINGLE DX	513	3.0	5	1	1	2	4	6	8	11
TOTAL MULTIPLE DX	929	5.9	62	1	1	4	7	13	18	47
TOTAL										
0-19 YRS	123	5.4	22	<1	1	4	7	14	16	44
20-34	369	3.4	11	1	1	2	4	7	9	17
35-49	416	4.1	32	1	1	3	4	8	11	24
50-64	273	4.7	33	1	1	3	6	10	14	34
65+	261	8.1	119	1	1	5	9	17	29	76
GRAND TOTAL	1442	4.9	44	1	1	3	5	10	15	36

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	2	12.5	181	3	3	12	22	22	22	22
35-49	4	11.8	194	1	1	7	22	31	31	31
50-64	3	10.3	108	2	2	7	18	22	22	22
65+	3	7.0	61	2	2	3	13	16	16	16
2. MULTIPLE DX										
0-19 YRS	4	11.0	14	6	6	12	14	14	14	14
20-34	10	13.7	131	2	3	10	15	33	40	40
35-49	21	16.9	155	3	5	14	23	35	46	51
50-64	23	21.3	286	4	6	17	26	43	63	75
65+	64	22.9	264	3	5	19	33	50	54	61
TOTAL SINGLE DX	13	10.8	99	1	2	7	18	24	30	31
TOTAL MULTIPLE DX	122	20.4	238	3	5	16	27	44	53	65
TOTAL										
0-19 YRS	5	12.2	18	6	6	14	15	17	17	17
20-34	12	13.5	124	2	3	10	18	31	39	40
35-49	25	16.1	157	2	3	13	23	31	44	51
50-64	26	20.0	274	2	5	16	25	39	61	75
65+	67	22.2	266	3	3	18	33	49	54	61
GRAND TOTAL	135	19.5	232	2	3	15	26	44	52	63

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	4.8	37	1	1	2	8	12	14	34
20-34	101	2.1	5	<1	1	1	2	7	8	11
35-49	108	2.1	11	1	1	1	2	4	7	21
50-64	131	2.6	14	<1	<1	1	2	8	10	22
65+	62	2.4	8	1	1	1	2	6	11	14
2. MULTIPLE DX										
0-19 YRS	149	21.1	524	1	2	12	32	60	85	99+
20-34	176	13.1	219	1	1	9	16	35	46	65
35-49	277	8.8	129	1	1	6	12	19	28	57
50-64	556	9.3	99	1	1	7	13	22	28	49
65+	746	11.9	135	1	1	9	16	25	34	76
TOTAL SINGLE DX	450	2.6	14	<1	1	1	2	7	10	17
TOTAL MULTIPLE DX	1904	11.5	172	1	1	8	15	26	37	76
TOTAL										
0-19 YRS	197	17.1	454	1	1	8	24	56	68	99+
20-34	277	9.1	169	1	1	4	11	23	37	60
35-49	385	6.9	105	1	1	2	9	16	24	54
50-64	687	8.0	90	1	1	5	12	20	26	46
65+	808	11.1	132	1	1	9	15	23	33	75
GRAND TOTAL	2354	9.8	154	1	1	6	13	23	34	70

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	5.6	5	3	3	5	7	9	10	13
20-34	2039	5.3	4	3	3	5	6	8	9	12
35-49	2041	5.4	4	3	3	5	6	8	9	12
50-64	1526	5.9	5	3	4	5	7	8	10	14
65+	687	7.3	9	4	4	7	9	11	12	18
2. MULTIPLE DX										
0-19 YRS	186	8.0	18	3	4	7	9	13	18	27
20-34	2188	7.1	27	3	4	6	8	11	[illegible]	23
35-49	3033	7.4	23	3	4	6	8	12	[illegible]	27
50-64	4046	8.7	39	4	4	7	10	14	18	31
65+	5950	12.6	83	5	6	10	15	22	[illegible]	62
TOTAL SINGLE DX	6445	5.7	5	3	3	5	7	8	[illegible]	13
TOTAL MULTIPLE DX	15403	9.7	57	4	4	8	11	17	22	44
TOTAL										
0-19 YRS	338	6.9	14	3	4	6	8	11	13	24
20-34	4227	6.2	17	3	3	5	7	10	12	19
35-49	5074	6.6	17	3	4	6	7	10	13	22
50-64	5572	7.9	32	4	4	7	9	13	17	27
65+	6637	12.0	79	5	5	10	14	21	28	57
GRAND TOTAL	21848	8.5	45	3	4	7	10	15	20	38

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	11.0	77	2	2	11	14	24	31	32
20-34	40	3.8	14	< 1	1	2	6	9	10	18
35-49	63	5.0	21	< 1	1	4	7	11	15	22
50-64	76	5.3	35	1	1	3	7	16	18	25
65 +	93	6.5	39	1	1	3	10	16	20	25
2. MULTIPLE DX										
0-19 YRS	20	18.8	171	3	5	19	26	37	47	50
20-34	83	8.7	62	1	2	7	12	18	25	38
35-49	240	11.2	116	1	2	9	14	23	31	70
50-64	444	13.1	146	1	2	10	16	25	38	64
65 +	1332	15.4	163	1	3	12	20	30	39	70
TOTAL SINGLE DX	284	5.7	34	1	1	3	8	14	18	25
TOTAL MULTIPLE DX	2119	14.2	154	1	2	11	18	29	38	69
TOTAL										
0-19 YRS	32	15.8	147	2	3	12	23	30	44	50
20-34	123	7.1	52	< 1	1	5	9	16	20	38
35-49	303	9.9	103	1	1	8	13	21	29	60
50-64	520	11.9	138	1	1	9	15	24	34	59
65 +	1425	14.8	161	1	2	12	19	30	39	70
GRAND TOTAL	2403	13.2	148	1	2	10	17	28	36	68

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	13.2	52	< 1	< 1	15	18	19	19	19
20-34	27	7.7	164	1	1	3	9	15	24	67
35-49	57	6.4	30	1	1	5	10	14	17	24
50-64	51	5.6	36	< 1	1	3	8	16	19	27
65 +	47	5.5	37	< 1	1	3	7	14	16	29
2. MULTIPLE DX										
0-19 YRS	19	19.5	205	2	5	15	25	42	51	56
20-34	84	15.9	253	2	3	10	17	41	55	97
35-49	190	18.5	387	2	3	11	24	49	70	98
50-64	293	16.0	251	1	2	11	21	43	55	99 +
65 +	540	15.9	209	1	3	11	22	40	50	99 +
TOTAL SINGLE DX	187	6.3	54	< 1	1	4	9	15	18	28
TOTAL MULTIPLE DX	1126	16.4	254	1	2	11	22	41	55	99 +
TOTAL										
0-19 YRS	24	18.2	177	< 1	4	15	22	36	49	56
20-34	111	13.9	243	1	2	10	15	39	53	94
35-49	247	15.7	331	1	2	9	19	40	67	96
50-64	344	14.5	233	1	2	10	19	35	53	99 +
65 +	587	15.1	204	1	2	11	21	38	48	99 +
GRAND TOTAL	1313	15.0	238	1	2	10	19	38	52	99 +

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	103	4.4	18	1	1	4	6	8	10	24
20-34	154	4.6	14	1	1	4	5	9	13	20
35-49	156	4.9	15	< 1	1	4	7	9	11	23
50-64	166	5.2	14	< 1	1	5	7	10	12	21
65 +	170	5.0	22	< 1	1	4	6	9	10	32
2. MULTIPLE DX										
0-19 YRS	148	6.4	69	1	1	4	8	13	17	55
20-34	391	7.3	41	2	2	5	9	13	20	35
35-49	635	7.3	48	1	2	5	9	14	19	41
50-64	1201	7.7	40	2	2	6	9	14	18	38
65 +	4212	10.2	105	2	3	7	12	20	29	72
TOTAL SINGLE DX	749	4.9	17	1	1	4	6	9	11	20
TOTAL MULTIPLE DX	6587	9.2	85	2	3	7	11	18	25	60
TOTAL										
0-19 YRS	251	5.6	49	1	1	4	7	11	14	37
20-34	545	6.5	35	1	2	5	8	12	18	28
35-49	791	6.9	43	1	2	5	8	14	17	38
50-64	1367	7.4	38	1	2	6	9	14	18	36
65 +	4382	10.0	103	2	3	7	12	19	28	69
GRAND TOTAL	7336	8.8	80	2	2	7	10	17	24	56

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1009	1.4		< 1	< 1	1	2	2	3	5
20-34	1529	1.8	1	< 1	1	2	2	3	4	6
35-49	1445	2.0	1	1	1	2	3	3	4	6
50-64	1972	2.1	1	1	1	2	3	4	4	7
65 +	1587	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	715	2.3	36	< 1	< 1	1	2	3	5	36
20-34	756	2.3	8	1	1	2	3	4	5	10
35-49	1137	2.7	9	1	1	2	3	4	6	15
50-64	2463	3.0	9	1	1	2	4	5	8	16
65 +	4343	4.5	30	1	1	3	5	9	13	27
TOTAL SINGLE DX	7542	2.0	2	< 1	1	2	3	4	4	7
TOTAL MULTIPLE DX	9414	3.5	22	1	1	2	4	7	10	23
TOTAL										
0-19 YRS	1724	1.8	16	< 1	< 1	1	2	3	4	8
20-34	2285	2.0	4	1	1	2	2	3	4	7
35-49	2582	2.3	5	1	1	2	3	4	5	9
50-64	4435	2.6	6	1	1	2	3	4	6	12
65 +	5930	4.0	24	1	1	3	4	7	11	23
GRAND TOTAL	16956	2.9	14	1	1	2	3	5	7	17

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	452	1.4		<1	<1	1	2	2	2	4
20-34	115	2.2	1	1	1	2	3	4	4	5
35-49	149	2.4	1	1	1	2	3	4	5	7
50-64	200	2.6	1	1	1	2	3	4	5	6
65+	114	2.9	1	1	1	3	4	5	5	7
2. MULTIPLE DX										
0-19 YRS	371	3.6	80	<1	<1	1	2	6	24	99+
20-34	84	2.3	2	1	1	2	3	4	5	8
35-49	147	3.3	5	1	1	3	4	5	7	14
50-64	290	3.2	5	1	1	3	4	5	7	13
65+	419	5.1	26	1	2	4	6	9	14	25
TOTAL SINGLE DX	1030	2.0	1	<1	<1	2	3	4	4	6
TOTAL MULTIPLE DX	1311	3.9	34	1	1	3	4	7	10	45
TOTAL										
0-19 YRS	823	2.4	38	<1	<1	1	2	3	6	82
20-34	199	2.2	2	1	1	2	3	4	4	7
35-49	296	2.8	4	1	1	3	4	5	6	10
50-64	490	2.9	4	1	1	3	4	5	6	11
65+	533	4.6	22	1	1	3	5	8	13	23
GRAND TOTAL	2341	3.1	20	<1	1	2	3	5	8	24

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.7		1	1	2	2	3	3	3
20-34	35	2.0	1	1	1	2	2	3	5	6
35-49	69	2.8	4	<1	1	2	3	5	7	12
50-64	66	2.9	3	1	1	2	4	5	6	8
65+	92	3.4	5	1	1	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	25	2.6	1	1	1	3	3	5	5	5
35-49	53	3.0	6	<1	1	2	4	6	9	13
50-64	112	4.2	14	1	1	3	5	9	12	20
65+	358	8.4	80	1	2	5	11	18	24	51
TOTAL SINGLE DX	268	2.9	4	1	1	2	4	5	7	12
TOTAL MULTIPLE DX	552	6.7	61	1	1	4	8	15	21	44
TOTAL										
0-19 YRS	10	1.6		1	1	2	2	3	3	3
20-34	60	2.3	2	1	1	2	3	4	5	6
35-49	122	2.9	5	<1	1	2	3	5	8	12
50-64	178	3.7	10	1	1	3	4	7	10	17
65+	450	7.4	69	1	2	5	9	16	23	48
GRAND TOTAL	820	5.5	46	1	1	3	6	12	17	39

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	2.3	30	<1	<1	1	2	3	4	36
20-34	147	2.1	1	<1	1	2	3	4	4	6
35-49	250	2.2	1	<1	1	2	3	4	5	7
50-64	162	2.4	2	<1	1	2	3	4	5	9
65+	61	3.2	5	<1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	57	3.8	39	<1	<1	2	3	6	18	34
20-34	75	4.3	77	1	1	3	4	6	10	61
35-49	208	4.4	38	1	1	3	5	8	9	39
50-64	318	5.3	31	1	1	4	6	11	16	29
65+	340	7.2	64	1	2	5	9	14	19	36
TOTAL SINGLE DX	758	2.3	8	<1	<1	2	3	4	5	8
TOTAL MULTIPLE DX	998	5.6	50	1	1	4	6	11	16	34
TOTAL										
0-19 YRS	195	2.7	34	<1	<1	1	2	4	6	34
20-34	222	2.8	28	<1	1	2	3	4	6	13
35-49	458	3.2	20	1	1	2	4	6	7	21
50-64	480	4.3	24	1	1	3	5	9	13	24
65+	401	6.6	58	1	1	5	8	14	18	31
GRAND TOTAL	1756	4.2	34	<1	1	3	5	8	13	28

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.6		<1	<1	1	2	3	3	4
20-34	214	2.8	3	<1	1	2	4	5	6	9
35-49	368	3.4	4	1	1	3	4	6	7	10
50-64	356	3.9	6	1	1	3	5	7	8	13
65+	240	4.7	17	1	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	17	5.8	145	<1	1	3	4	8	37	52
20-34	171	4.2	9	1	1	4	5	7	10	16
35-49	477	5.3	29	1	1	4	6	9	13	27
50-64	830	6.2	26	1	2	5	8	11	15	28
65+	1100	8.1	56	2	3	6	9	15	20	38
TOTAL SINGLE DX	1209	3.6	8	1	1	3	5	7	8	12
TOTAL MULTIPLE DX	2595	6.7	41	1	2	5	8	12	17	32
TOTAL										
0-19 YRS	48	3.1	54	<1	1	2	3	4	6	52
20-34	385	3.4	6	1	1	3	4	6	8	13
35-49	845	4.5	19	1	1	4	6	7	10	20
50-64	1186	5.5	22	1	1	5	7	10	12	26
65+	1340	7.5	51	2	2	6	9	14	19	35
GRAND TOTAL	3904	5.7	32	1	1	4	7	10	14	29

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	7.1	65	2	2	5	7	21	25	25
20-34	5	6.8	16	1	1	8	9	12	12	12
35-49	11	7.2	14	1	3	7	8	12	16	16
50-64	17	6.8	11	1	2	8	9	10	11	11
65 +	16	9.0	7	3	7	9	10	12	14	15
2. MULTIPLE DX										
0-19 YRS	15	16.3	179	4	5	14	20	29	49	56
20-34	16	8.0	21	1	1	7	11	15	16	17
35-49	41	10.4	26	4	6	9	12	19	22	23
50-64	88	12.1	63	4	6	9	14	21	28	46
65 +	129	14.9	155	4	6	11	17	27	43	67
TOTAL SINGLE DX	56	7.5	17	1	2	7	10	11	14	24
TOTAL MULTIPLE DX	289	13.1	107	4	6	10	15	23	31	58
TOTAL										
0-19 YRS	22	13.4	157	2	3	8	19	27	40	56
20-34	21	7.7	20	1	1	7	11	14	16	17
35-49	52	9.7	25	2	5	8	11	18	21	23
50-64	105	11.3	58	3	5	9	13	19	26	45
65 +	145	14.3	143	4	6	10	16	26	41	64
GRAND TOTAL	345	12.2	96	3	5	10	14	22	29	56

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	5.1	52	<1	<1	3	6	12	17	42
20-34	113	3.4	6	<1	1	3	4	6	9	13
35-49	83	5.7	24	1	1	4	8	12	15	24
50-64	78	6.0	34	<1	1	4	8	13	19	29
65 +	50	6.9	25	1	1	6	11	12	14	25
2. MULTIPLE DX										
0-19 YRS	119	7.3	59	1	2	6	9	15	18	68
20-34	259	9.5	81	1	1	6	13	22	27	41
35-49	494	11.6	116	1	2	8	15	24	36	51
50-64	865	11.9	96	2	3	9	15	25	30	49
65 +	1339	14.5	156	2	3	11	18	29	39	75
TOTAL SINGLE DX	428	5.1	30	<1	1	3	7	11	14	25
TOTAL MULTIPLE DX	3076	12.6	127	2	3	9	16	26	35	57
TOTAL										
0-19 YRS	223	6.3	58	<1	1	4	8	14	17	56
20-34	372	7.6	66	1	1	5	9	20	24	39
35-49	577	10.7	108	1	2	8	13	23	33	51
50-64	943	11.4	94	1	2	9	15	23	30	48
65 +	1389	14.2	154	2	3	11	18	29	39	74
GRAND TOTAL	3504	11.7	121	1	2	9	15	25	33	56

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	105	6.2	26	2	2	5	7	12	17	29
20-34	183	6.0	13	2	3	5	7	10	15	19
35-49	90	6.7	30	1	3	6	8	10	12	38
50-64	36	9.0	74	3	3	7	11	15	17	53
65 +	27	10.2	43	2	4	7	15	17	25	28
2. MULTIPLE DX										
0-19 YRS	133	10.5	102	3	3	8	12	22	31	62
20-34	389	8.9	85	3	3	6	10	16	22	60
35-49	239	12.4	120	3	4	9	15	24	32	69
50-64	327	15.2	169	4	5	11	18	30	44	90
65 +	526	20.0	229	6	7	16	25	41	57	99 +
TOTAL SINGLE DX	441	6.7	28	2	3	5	8	13	16	28
TOTAL MULTIPLE DX	1614	14.4	175	3	4	10	18	31	43	84
TOTAL										
0-19 YRS	238	8.6	73	2	3	6	10	17	27	43
20-34	572	7.9	64	2	3	6	9	15	19	53
35-49	329	10.8	102	3	4	8	12	22	30	56
50-64	363	14.6	164	4	5	11	17	29	44	86
65 +	553	19.5	225	6	7	16	25	39	56	99 +
GRAND TOTAL	2055	12.8	154	3	4	9	16	27	38	79

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	3.0	7	<1	<1	2	4	6	8	12
20-34	607	2.4	5	<1	<1	1	3	5	7	11
35-49	133	2.2	6	<1	<1	1	2	5	7	14
50-64	13	1.8	2	<1	<1	1	2	4	6	6
65 +	8	6.3	65	<1	<1	2	11	20	21	21
2. MULTIPLE DX										
0-19 YRS	150	3.3	6	<1	1	3	5	7	8	11
20-34	935	2.9	11	<1	<1	2	4	6	8	16
35-49	348	2.5	9	<1	<1	1	3	5	8	15
50-64	46	6.1	40	<1	<1	4	8	15	18	32
65 +	42	7.5	69	<1	1	4	11	15	26	37
TOTAL SINGLE DX	925	2.5	7	<1	<1	1	3	5	7	12
TOTAL MULTIPLE DX	1521	3.1	14	<1	<1	2	4	7	9	17
TOTAL										
0-19 YRS	314	3.1	7	<1	1	2	4	7	8	11
20-34	1542	2.7	9	<1	<1	1	4	6	7	14
35-49	481	2.4	9	<1	<1	1	3	5	7	15
50-64	59	5.2	35	<1	<1	2	7	12	17	31
65 +	50	7.3	67	<1	<1	3	11	16	21	37
GRAND TOTAL	2446	2.9	11	<1	<1	2	4	6	8	16

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	7.3	23	2	3	6	8	11	18	27
20-34	133	5.7	14	1	1	5	8	11	14	17
35-49	138	6.9	15	1	2	6	9	13	15	17
50-64	88	8.6	29	2	3	8	11	15	18	30
65 +	80	10.2	21	3	5	10	13	16	20	24
2. MULTIPLE DX										
0-19 YRS	142	13.3	153	2	4	9	16	27	41	63
20-34	540	7.8	72	1	2	5	8	15	24	48
35-49	597	10.2	96	1	2	7	12	21	29	47
50 34	661	13.0	139	2	3	10	17	27	39	92
65 +	1125	17.0	165	4	6	14	21	34	46	99 +
TOTAL SINGLE DX	485	7.5	22	1	2	7	10	14	16	22
TOTAL MULTIPLE DX	3065	13.0	142	2	3	10	17	27	38	80
TOTAL										
0-19 YRS	188	11.8	128	2	4	8	15	25	36	60
20-34	673	7.3	62	1	2	5	8	14	22	40
35-49	735	9.6	83	1	2	7	11	19	27	46
50-64	749	12.5	128	2	3	10	16	26	36	90
65 +	1205	16.5	159	4	6	13	20	33	44	99 +
GRAND TOTAL	**3550**	**12.3**	**129**	**2**	**3**	**9**	**15**	**26**	**35**	**76**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	6.6	22	1	2	6	9	12	19	20
20-34	25	7.2	3	4	5	7	8	10	11	11
35-49	57	8.2	4	5	6	8	10	11	12	14
50-64	64	9.7	9	6	7	9	11	14	16	20
65 +	62	9.8	11	6	7	9	11	13	16	23
2. MULTIPLE DX										
0-19 YRS	83	12.3	180	3	3	7	14	43	59	99 +
20-34	86	11.6	108	5	5	8	11	24	37	56
35-49	108	10.4	32	5	5	9	12	17	23	33
50-64	331	13.5	91	6	7	11	16	23	32	67
65 +	547	17.1	137	7	8	13	21	32	42	61
TOTAL SINGLE DX	244	8.7	12	4	5	8	10	13	15	20
TOTAL MULTIPLE DX	1155	14.7	121	5	6	11	17	29	39	66
TOTAL										
0-19 YRS	119	10.5	139	2	3	7	12	27	47	99 +
20-34	111	10.6	88	5	5	8	10	18	35	53
35-49	165	9.7	24	5	6	9	11	15	17	32
50-64	395	12.9	80	6	7	10	15	21	30	65
65 +	609	16.4	130	7	7	12	19	32	40	61
GRAND TOTAL	**1399**	**13.7**	**107**	**5**	**6**	**10**	**16**	**26**	**36**	**62**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	206	5.2	14	1	1	5	7	10	12	20
20-34	148	5.3	20	1	1	4	7	10	14	22
35-49	128	5.3	14	1	1	4	8	10	12	16
50-64	96	5.9	11	1	1	6	8	10	11	14
65 +	43	6.8	34	1	1	6	8	14	16	33
2. MULTIPLE DX										
0-19 YRS	254	11.1	116	2	2	8	15	26	36	72
20-34	302	10.4	87	1	2	8	14	22	30	60
35-49	349	10.8	112	1	2	8	14	23	31	55
50-64	505	10.7	99	1	2	8	15	21	29	57
65 +	680	14.0	170	1	2	10	18	30	41	76
TOTAL SINGLE DX	621	5.5	17	1	1	5	8	10	13	20
TOTAL MULTIPLE DX	2090	11.8	127	1	2	9	16	26	35	71
TOTAL										
0-19 YRS	460	8.5	79	1	2	6	10	19	28	57
20-34	450	8.7	71	1	2	7	12	19	26	44
35-49	477	9.4	92	1	2	7	11	20	28	45
50-64	601	9.9	89	1	2	8	14	20	26	54
65 +	723	13.6	165	1	2	10	17	29	40	74
GRAND TOTAL	**2711**	**10.4**	**109**	**1**	**2**	**8**	**14**	**22**	**31**	**66**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	5.4	12	2	2	5	7	11	12	12
20-34	38	6.1	14	1	2	5	8	11	12	20
35-49	60	6.7	15	1	2	6	9	12	14	19
50-64	60	6.6	17	1	1	6	10	13	13	17
65 +	23	7.3	15	2	3	6	9	11	16	19
2. MULTIPLE DX										
0-19 YRS	5	19.0	797	1	1	8	26	69	69	69
20-34	47	9.1	35	1	2	7	14	18	19	26
35-49	82	10.0	36	2	2	10	13	17	22	28
50-64	126	10.4	47	2	4	8	13	20	24	34
65 +	154	12.5	89	2	4	11	15	25	31	63
TOTAL SINGLE DX	188	6.6	16	1	2	6	9	12	14	19
TOTAL MULTIPLE DX	414	11.1	69	2	3	10	14	20	27	49
TOTAL										
0-19 YRS	12	11.1	345	1	2	6	10	29	63	69
20-34	85	7.7	28	1	2	6	10	16	19	24
35-49	142	8.6	30	1	2	8	12	16	18	27
50-64	186	9.2	41	1	2	8	12	16	21	34
65 +	177	11.8	83	2	4	10	14	21	30	60
GRAND TOTAL	602	9.7	56	1	2	8	12	18	22	41

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	179	6.6	9	3	3	6	8	9	12	18
20-34	7	7.0	12	3	3	7	8	13	14	14
35-49	1	9.0		9	9	9	9	9	9	9
50-64	4	12.0	6	10	10	12	14	15	15	15
65 +	6	14.2	121	3	3	12	19	32	33	33
2. MULTIPLE DX										
0-19 YRS	163	9.1	24	4	5	8	10	17	20	25
20-34	30	11.6	34	6	7	10	14	20	26	30
35-49	32	12.4	38	5	6	11	15	21	25	32
50-64	33	17.8	236	6	7	13	21	40	78	99 +
65 +	91	23.4	264	4	9	20	29	47	59	94
TOTAL SINGLE DX	197	6.9	15	3	3	6	8	10	14	24
TOTAL MULTIPLE DX	349	14.2	144	4	5	10	17	26	37	85
TOTAL										
0-19 YRS	342	7.8	19	3	4	7	9	13	17	24
20-34	37	10.8	33	4	6	9	13	18	25	30
35-49	33	12.3	38	5	6	10	15	20	25	32
50-64	37	17.2	214	6	7	13	19	38	68	99 +
65 +	97	22.8	260	4	8	20	29	45	59	93
GRAND TOTAL	546	11.6	110	3	4	8	14	23	30	79

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	5.4	14	< 1	1	4	8	11	13	15
20-34	217	3.5	4	1	1	3	5	6	7	10
35-49	298	3.7	6	1	1	3	5	7	8	13
50-64	222	3.7	6	1	1	3	5	7	9	13
65 +	83	4.1	8	1	1	3	5	9	11	13
2. MULTIPLE DX										
0-19 YRS	66	8.3	56	< 1	1	7	11	17	20	42
20-34	152	5.3	13	1	1	5	7	9	11	29
35-49	283	5.4	22	1	1	4	6	10	12	24
50-64	352	6.1	25	1	1	5	8	12	15	24
65 +	331	8.0	64	1	2	6	10	16	21	91
TOTAL SINGLE DX	868	3.8	7	1	1	3	5	7	9	13
TOTAL MULTIPLE DX	1184	6.5	37	1	1	5	8	12	17	35
TOTAL										
0-19 YRS	114	7.1	40	< 1	1	6	9	14	18	33
20-34	369	4.3	9	1	1	4	6	8	9	15
35-49	581	4.5	15	1	1	4	6	8	10	20
50-64	574	5.2	20	1	1	4	7	10	14	23
65 +	414	7.2	56	1	1	5	9	14	20	67
GRAND TOTAL	2052	5.3	26	1	1	4	7	10	14	26

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	111	2.1	4	< 1	< 1	1	2	5	6	11
20-34	244	3.6	9	< 1	< 1	3	5	7	10	14
35-49	314	3.4	6	< 1	< 1	3	5	7	9	11
50-64	315	2.9	4	< 1	< 1	2	4	6	7	10
65 +	268	3.3	7	< 1	< 1	2	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	170	3.8	20	< 1	< 1	2	5	8	10	24
20-34	460	5.9	53	< 1	1	4	7	12	18	31
35-49	768	6.7	77	< 1	1	4	8	12	17	57
50-64	1398	7.3	69	1	1	5	9	15	22	52
65 +	3767	10.9	141	1	2	7	14	24	36	83
TOTAL SINGLE DX	1252	3.2	7	< 1	< 1	2	4	7	9	12
TOTAL MULTIPLE DX	6563	9.1	114	1	1	6	11	20	29	72
TOTAL										
0-19 YRS	281	3.1	15	< 1	< 1	2	4	7	9	17
20-34	704	5.1	39	< 1	1	4	6	10	15	29
35-49	1082	5.7	59	< 1	1	4	7	11	15	52
50-64	1713	6.5	61	< 1	1	4	8	13	20	50
65 +	4035	10.4	137	1	1	7	13	23	35	81
GRAND TOTAL	7815	8.1	102	<1	1	5	10	18	27	64

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.2	7	< 1	< 1	2	4	8	8	8
20-34	38	2.6	4	< 1	< 1	2	4	6	8	9
35-49	99	2.4	2	< 1	1	2	3	5	6	9
50-64	335	2.6	3	1	1	2	3	5	6	11
65 +	678	3.3	9	1	1	3	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	11	5.5	13	1	1	5	9	11	11	11
20-34	40	5.1	23	< 1	1	3	6	13	15	19
35-49	169	5.0	48	< 1	1	3	5	11	18	47
50-64	943	4.9	40	1	1	3	5	10	15	32
65 +	3778	6.8	73	1	1	4	8	14	21	50
TOTAL SINGLE DX	1155	3.0	7	1	1	2	4	5	7	15
TOTAL MULTIPLE DX	4941	6.3	66	1	1	4	7	13	19	48
TOTAL										
0-19 YRS	16	4.8	12	< 1	1	4	7	11	11	11
20-34	78	3.9	16	< 1	1	2	5	10	13	18
35-49	268	4.0	33	< 1	1	2	4	8	13	41
50-64	1278	4.3	32	1	1	3	5	8	13	31
65 +	4456	6.2	65	1	1	4	7	13	19	47
GRAND TOTAL	**6096**	**5.7**	**57**	**1**	**1**	**4**	**6**	**12**	**18**	**42**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	5.3	14	1	2	4	7	9	12	20
20-34	37	4.5	9	< 1	< 1	4	6	9	11	14
35-49	56	5.3	15	1	1	5	7	11	15	16
50-64	76	5.8	26	1	1	4	9	14	16	22
65 +	124	5.5	28	< 1	1	3	7	12	20	26
2. MULTIPLE DX										
0-19 YRS	117	11.4	130	1	2	8	13	23	33	59
20-34	125	10.2	168	1	1	6	12	21	41	95
35-49	142	9.0	120	1	2	5	11	20	27	72
50-64	379	10.5	137	1	2	8	13	20	28	64
65 +	1270	13.1	181	1	2	10	16	28	43	84
TOTAL SINGLE DX	330	5.4	22	1	1	4	7	12	15	22
TOTAL MULTIPLE DX	2033	12.0	167	1	2	8	15	26	37	81
TOTAL										
0-19 YRS	154	9.9	110	1	2	7	14	22	29	46
20-34	162	8.9	137	1	1	5	10	19	33	89
35-49	198	7.9	93	1	2	5	9	18	25	52
50-64	455	9.7	122	1	1	7	12	20	28	57
65 +	1394	12.4	173	1	2	9	16	27	41	82
GRAND TOTAL	**2363**	**11.1**	**152**	**1**	**2**	**8**	**14**	**23**	**33**	**73**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	1.2	1	< 1	< 1	< 1	< 1	< 1	< 1	8
20-34	3	2.3	5	< 1	< 1	1	4	5	5	5
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	4	3.5	7	1	1	3	5	7	7	7
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	9	1.6	1	< 1	< 1	< 1	3	52	99 +	99 +
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	7	2.6	5	1	1	2	4	6	7	7
50-64	11	7.5	67	1	1	6	8	23	24	24
65 +	12	9.4	121	< 1	1	5	11	30	34	35
TOTAL SINGLE DX	55	1.5	2	< 1	< 1	< 1	< 1	3	5	8
TOTAL MULTIPLE DX	41	5.7	62	< 1	< 1	3	6	23	31	99 +
TOTAL										
0-19 YRS	54	1.2	1	< 1	< 1	< 1	< 1	< 1	4	95
20-34	5	2.8	6	< 1	< 1	1	5	6	6	6
35-49	9	2.8	4	1	1	2	4	6	7	7
50-64	15	6.5	53	1	1	4	7	23	24	24
65 +	13	8.8	115	< 1	1	5	10	29	34	35
GRAND TOTAL	**96**	**3.3**	**32**	**<1**	**<1**	**<1**	**3**	**8**	**19**	**69**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	436	3.4	9	1	1	2	5	8	10	13
20-34	48	3.2	6	< 1	< 1	2	5	7	8	10
35-49	40	3.2	5	< 1	< 1	3	4	7	9	10
50-64	31	2.9	4	< 1	< 1	2	5	6	7	8
65 +	34	5.3	192	1	1	3	4	5	10	83
2. MULTIPLE DX										
0-19 YRS	188	6.8	79	1	1	4	9	15	20	32
20-34	40	6.6	76	< 1	< 1	3	9	16	37	99 +
35-49	44	4.0	10	1	1	3	5	8	9	18
50-64	52	5.2	44	1	1	3	6	11	16	41
65 +	137	6.1	27	1	1	4	8	13	17	28
TOTAL SINGLE DX	589	3.5	20	< 1	1	2	5	8	10	13
TOTAL MULTIPLE DX	461	6.1	54	1	1	4	8	14	18	35
TOTAL										
0-19 YRS	624	4.4	33	1	1	2	6	10	13	25
20-34	88	4.7	40	< 1	< 1	3	5	12	15	78
35-49	84	3.6	8	< 1	1	3	5	8	9	15
50-64	83	4.3	30	< 1	1	3	5	9	12	35
65 +	171	6.0	60	1	1	4	7	12	17	32
GRAND TOTAL	**1050**	**4.6**	**36**	**<1**	**1**	**3**	**6**	**10**	**14**	**27**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	1.9	2	< 1	< 1	< 1	2	5	6	7
20-34	18	2.2	2	< 1	< 1	2	3	4	6	7
35-49	21	1.5	1	< 1	< 1	1	2	3	4	5
50-64	24	3.7	5	< 1	1	3	5	6	8	11
65 +	15	3.0	3	< 1	1	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	35	3.0	12	< 1	< 1	1	4	8	10	17
20-34	53	5.9	38	< 1	1	4	8	13	24	27
35-49	54	7.3	66	< 1	1	4	10	18	27	35
50-64	120	6.6	55	1	1	5	9	12	20	39
65 +	509	10.6	111	1	2	8	14	23	39	99 +
TOTAL SINGLE DX	95	2.5	4	< 1	< 1	2	3	5	7	9
TOTAL MULTIPLE DX	771	9.1	95	1	1	6	11	21	29	99 +
TOTAL										
0-19 YRS	52	2.7	9	< 1	< 1	1	3	7	8	17
20-34	71	5.0	32	< 1	< 1	3	6	10	20	27
35-49	75	5.7	55	< 1	< 1	2	6	17	25	34
50-64	144	6.1	48	1	1	4	8	11	18	31
65 +	524	10.4	110	1	2	8	14	23	38	99 +
GRAND TOTAL	866	8.3	89	<1	1	5	11	20	27	98

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.9	2	< 1	< 1	1	2	3	4	9
20-34	51	1.8	1	< 1	< 1	1	2	3	4	7
35-49	45	2.2	3	< 1	< 1	2	3	4	6	9
50-64	56	3.1	10	1	1	2	4	7	11	15
65 +	59	3.2	5	1	1	3	4	5	8	13
2. MULTIPLE DX										
0-19 YRS	27	2.9	10	< 1	< 1	1	4	8	10	12
20-34	56	4.7	44	< 1	1	3	5	8	16	38
35-49	76	4.4	34	1	1	2	5	10	14	37
50-64	133	4.8	26	1	1	3	6	12	16	25
65 +	478	7.5	105	1	2	5	8	15	22	53
TOTAL SINGLE DX	238	2.5	5	< 1	1	2	3	5	7	13
TOTAL MULTIPLE DX	770	6.4	79	1	1	4	7	13	18	44
TOTAL										
0-19 YRS	54	2.4	6	< 1	< 1	1	2	6	9	12
20-34	107	3.3	26	< 1	1	2	3	6	8	35
35-49	121	3.6	24	< 1	1	2	4	7	11	25
50-64	189	4.3	22	1	1	3	5	9	15	21
65 +	537	7.1	98	1	1	4	8	14	21	50
GRAND TOTAL	1008	5.5	64	1	1	3	6	12	16	41

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	22	5.4	3	2	3	5	7	8	9	9
35-49	104	5.6	4	2	3	5	7	8	9	11
50-64	62	5.8	4	3	3	6	7	8	9	13
65 +	31	6.4	3	3	4	6	8	9	9	10
2. MULTIPLE DX										
0-19 YRS	0									
20-34	20	5.9	1	4	4	6	7	8	8	8
35-49	154	6.9	12	4	5	6	7	9	10	30
50-64	151	7.4	16	4	4	7	8	11	13	18
65 +	126	9.0	19	5	5	8	10	13	20	48
TOTAL SINGLE DX	219	5.7	4	3	3	6	7	8	9	11
TOTAL MULTIPLE DX	451	7.6	16	4	5	7	8	11	13	31
TOTAL										
0-19 YRS	0									
20-34	42	5.6	3	3	4	6	7	8	8	9
35-49	258	6.3	9	3	4	6	7	9	10	14
50-64	213	6.9	13	4	4	6	8	10	12	18
65 +	157	8.5	17	4	5	8	9	12	16	33
GRAND TOTAL	670	7.0	13	3	4	6	8	10	12	23

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	12	4.2	3	1	2	4	6	7	7	7
35-49	70	4.4	2	2	2	5	5	6	7	10
50-64	48	5.1	7	2	2	5	6	9	10	15
65 +	24	6.2	19	2	3	5	7	9	14	24
2. MULTIPLE DX										
0-19 YRS	4	10.5	13	5	5	12	13	13	13	13
20-34	11	5.9	3	4	4	5	7	9	10	10
35-49	82	5.2	3	2	3	5	6	8	8	11
50-64	85	6.0	5	3	4	6	7	10	10	13
65 +	81	7.0	18	3	3	6	8	12	14	27
TOTAL SINGLE DX	154	4.9	7	2	2	5	6	8	9	15
TOTAL MULTIPLE DX	263	6.1	10	3	3	6	7	10	12	17
TOTAL										
0-19 YRS	4	10.5	14	5	5	12	13	13	13	13
20-34	23	5.0	4	1	2	5	6	7	9	10
35-49	152	4.8	3	2	3	5	6	7	8	10
50-64	133	5.7	6	2	3	5	7	9	10	13
65 +	105	6.8	18	3	3	6	8	11	14	27
GRAND TOTAL	417	5.7	9	2	3	5	7	9	10	16

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	3.0	6	1	1	2	5	7	7	7
20-34	47	3.8	5	1	1	3	5	8	8	9
35-49	104	3.7	6	1	1	3	5	7	9	11
50-64	80	3.7	8	1	1	3	5	8	9	15
65 +	39	4.0	12	1	1	3	5	8	11	20
2. MULTIPLE DX										
0-19 YRS	26	4.8	16	1	1	4	6	9	14	18
20-34	104	5.5	27	1	1	4	7	11	15	29
35-49	141	5.6	24	1	1	4	8	10	13	30
50-64	203	8.9	69	1	2	7	11	20	26	40
65 +	291	9.5	88	1	2	7	14	19	27	46
TOTAL SINGLE DX	277	3.8	8	1	1	3	5	8	9	12
TOTAL MULTIPLE DX	765	7.9	64	1	2	5	10	17	23	40
TOTAL										
0-19 YRS	33	4.5	15	1	1	3	6	9	12	18
20-34	151	5.0	21	1	1	4	6	9	14	23
35-49	245	4.8	18	1	1	4	6	9	11	20
50-64	283	7.4	57	1	1	5	9	17	23	38
65 +	330	8.9	82	1	2	6	12	19	26	45
GRAND TOTAL	**1042**	**6.8**	**52**	**1**	**1**	**5**	**8**	**15**	**20**	**37**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	19	4.2	25	< 1	1	2	4	14	16	17
35-49	44	2.3	6	< 1	< 1	1	3	4	8	14
50-64	41	2.5	6	< 1	< 1	1	3	7	9	10
65 +	16	2.3	2	< 1	1	2	3	7	67	99 +
2. MULTIPLE DX										
0-19 YRS	4	4.5	13	1	1	4	7	9	9	9
20-34	40	5.2	51	1	1	2	6	13	16	40
35-49	59	6.7	101	< 1	1	3	8	16	26	60
50-64	61	7.9	66	1	1	4	11	21	25	32
65 +	101	8.3	72	1	1	6	12	18	29	71
TOTAL SINGLE DX	123	2.7	9	< 1	< 1	1	3	7	9	38
TOTAL MULTIPLE DX	265	7.3	74	1	1	4	10	17	26	43
TOTAL										
0-19 YRS	7	4.1	8	1	1	4	6	8	9	9
20-34	59	4.9	43	1	1	2	6	13	16	38
35-49	103	4.8	66	< 1	< 1	2	4	12	17	47
50-64	102	5.7	49	< 1	1	2	8	17	23	31
65 +	117	7.5	67	1	1	4	11	17	30	99 +
GRAND TOTAL	**388**	**5.9**	**58**	**< 1**	**1**	**3**	**8**	**15**	**22**	**42**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	18	4.6	5	2	2	4	5	9	10	10
50-64	757	4.8	3	2	3	5	6	7	8	11
65 +	1715	5.3	5	3	3	5	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	6	7.2	5	4	4	7	8	11	11	11
20-34	2	10.5	85	4	4	10	17	17	17	17
35-49	85	8.4	208	2	3	5	7	12	25	96
50-64	2748	6.6	27	3	3	5	7	11	15	28
65 +	11233	8.6	63	3	4	6	10	16	22	49
TOTAL SINGLE DX	2495	5.1	5	3	3	5	6	7	9	13
TOTAL MULTIPLE DX	14074	8.3	58	3	4	6	9	15	21	45
TOTAL										
0-19 YRS	7	7.1	4	4	4	7	8	10	11	11
20-34	6	5.5	33	2	2	3	5	16	17	17
35-49	103	7.7	175	2	3	5	7	11	22	95
50-64	3505	6.2	23	3	3	5	7	10	13	24
65 +	12948	8.2	57	3	4	6	9	15	21	45
GRAND TOTAL	**16569**	**7.8**	**51**	**3**	**4**	**6**	**8**	**14**	**19**	**42**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	54	10.4	15	6	7	9	13	15	18	24
65 +	107	9.8	7	6	7	9	11	14	15	17
2. MULTIPLE DX										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	1	21.0		21	21	21	21	21	21	21
35-49	4	10.0	1	9	9	10	11	11	11	11
50-64	256	11.4	22	6	7	10	13	18	21	28
65 +	844	13.3	66	7	8	11	15	21	28	50
TOTAL SINGLE DX	162	10.0	10	6	7	9	12	14	16	22
TOTAL MULTIPLE DX	1106	12.9	57	7	7	11	15	20	25	46
TOTAL										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	1	21.0		21	21	21	21	21	21	21
35-49	5	10.2	1	9	9	11	11	11	11	11
50-64	310	11.2	21	6	7	10	13	17	21	27
65 +	951	12.9	61	7	7	11	15	20	26	49
GRAND TOTAL	1268	12.5	52	6	7	11	14	19	24	44

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	10	2.1		1	1	2	2	3	3	3
35-49	17	3.2	29	<1	<1	2	3	4	17	24
50-64	99	2.0	4	<1	1	1	2	3	5	12
65 +	162	2.0	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	4	5.8	20	2	2	4	9	12	12	12
35-49	30	4.1	10	1	1	3	7	9	9	14
50-64	179	4.3	27	1	1	2	6	10	13	23
65 +	663	6.3	61	1	1	3	8	15	19	45
TOTAL SINGLE DX	288	2.1	5	<1	<1	1	2	3	5	11
TOTAL MULTIPLE DX	878	5.8	53	1	1	3	8	14	18	44
TOTAL										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	14	3.1	8	1	2	2	3	7	11	12
35-49	47	3.8	17	<1	1	2	4	8	10	24
50-64	278	3.5	20	<1	1	2	4	9	12	19
65 +	825	5.5	53	<1	1	3	7	14	18	43
GRAND TOTAL	1166	4.9	44	<1	1	2	6	12	17	37

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	1.6	1	<1	<1	1	2	3	4	7
20-34	36	1.9	1	<1	1	2	2	3	4	6
35-49	43	2.2	3	<1	<1	2	3	4	5	11
50-64	45	2.6	4	<1	1	2	4	5	7	11
65 +	32	2.5	7	<1	<1	1	3	6	10	11
2. MULTIPLE DX										
0-19 YRS	48	3.0	15	<1	<1	2	3	6	9	25
20-34	45	3.2	7	1	1	2	4	8	9	11
35-49	67	4.2	26	1	1	3	5	7	9	30
50-64	88	6.6	52	1	1	3	10	17	21	33
65 +	124	6.2	73	1	1	3	7	15	19	78
TOTAL SINGLE DX	239	2.1	3	<1	1	1	2	4	5	11
TOTAL MULTIPLE DX	372	5.1	46	1	1	3	6	12	18	33
TOTAL										
0-19 YRS	131	2.1	7	<1	<1	1	2	4	6	14
20-34	81	2.6	5	1	1	2	3	6	8	10
35-49	110	3.4	18	<1	1	2	4	7	8	29
50-64	133	5.2	40	1	1	3	6	14	18	33
65 +	156	5.4	62	1	1	3	6	14	18	69
GRAND TOTAL	611	3.9	31	<1	1	2	4	9	14	29

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	1.8	1	<1	1	1	2	3	5	6
20-34	140	2.5	4	1	1	2	3	5	7	10
35-49	73	2.6	5	<1	1	2	3	4	8	13
50-64	39	2.7	5	1	1	2	3	5	8	11
65 +	125	2.7	6	1	1	2	3	7	[illegible]	12
2. MULTIPLE DX										
0-19 YRS	78	2.3	16	<1	1	1	2	4	[illegible]	28
20-34	82	4.7	33	<1	1	3	5	12	18	28
35-49	59	5.2	25	1	1	3	7	14	15	22
50-64	153	6.8	88	1	1	3	8	16	25	53
65 +	853	8.0	97	1	1	4	11	19	27	58
TOTAL SINGLE DX	478	2.4	5	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	1225	7.2	86	1	1	3	10	18	24	51
TOTAL										
0-19 YRS	179	2.0	8	<1	1	1	2	3	5	7
20-34	222	3.3	16	1	1	2	3	7	10	24
35-49	132	3.8	16	1	1	2	4	10	14	20
50-64	192	6.0	74	1	1	3	6	14	21	47
65 +	978	7.4	89	1	1	3	10	18	25	52
GRAND TOTAL	1703	5.8	68	1	1	3	7	15	21	45

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	476	1.5		<1	<1	1	2	3	3	5
20-34	64	1.6		<1	1	1	2	3	3	6
35-49	9	2.0	1	<1	<1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	346	1.7	28	<1	<1	1	2	3	3	6
20-34	30	3.4	38	<1	1	2	4	5	7	35
35-49	5	3.0	3	<1	<1	3	4	6	6	6
50-64	2	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
TOTAL SINGLE DX	549	1.5	1	<1	<1	1	2	3	3	5
TOTAL MULTIPLE DX	384	1.9	29	<1	<1	1	2	3	4	7
TOTAL										
0-19 YRS	822	1.6	12	<1	<1	1	2	3	3	5
20-34	94	2.2	13	<1	1	1	2	3	4	23
35-49	14	2.4	2	<1	<1	2	3	4	6	6
50-64	2	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	933	1.7	12	<1	<1	1	2	3	3	6

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	1.4		<1	<1	1	2	2	3	4
20-34	46	2.0	2	<1	<1	1	3	5	5	6
35-49	21	2.4	7	1	1	2	3	4	8	13
50-64	9	1.2		<1	<1	1	1	2	2	2
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	69	1.7	1	<1	<1	1	2	3	4	6
20-34	22	3.5	32	<1	<1	1	3	8	19	25
35-49	19	4.3	42	<1	<1	2	4	10	20	29
50-64	6	5.7	66	1	1	3	4	20	22	22
65 +	12	4.6	10	1	1	4	7	10	11	11
TOTAL SINGLE DX	213	1.6	2	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	128	2.8	17	<1	<1	1	3	5	9	26
TOTAL										
0-19 YRS	205	1.5	1	<1	<1	1	2	3	3	5
20-34	68	2.5	12	<1	<1	1	3	5	6	23
35-49	40	3.3	24	<1	1	2	3	7	11	29
50-64	15	3.0	29	<1	<1	1	2	4	18	22
65 +	13	4.6	9	1	1	4	6	9	11	11
GRAND TOTAL	341	2.1	8	<1	<1	1	2	4	5	16

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	9	1.2		<1	<1	<1	1	2	2	2
35-49	11	1.0		<1	<1	<1	<1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	15	1.5	1	<1	<1	1	1	2	5	6
50-64	6	5.2	11	2	2	4	8	10	10	10
65 +	1	5.0		5	5	5	5	5	5	5
TOTAL SINGLE DX	20	1.1		<1	<1	<1	1	2	2	2
TOTAL MULTIPLE DX	25	2.5	6	<1	<1	1	3	6	8	10
TOTAL										
0-19 YRS	0									
20-34	12	1.3		<1	<1	1	2	2	2	2
35-49	26	1.3	1	<1	<1	<1	1	2	3	6
50-64	6	5.2	11	2	2	4	8	10	10	10
65 +	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	45	1.9	4	<1	<1	1	2	5	7	10

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	187	1.4		<1	<1	1	2	2	3	4
20-34	224	1.6		<1	<1	1	2	3	3	5
35-49	188	1.5		<1	<1	1	2	3	3	5
50-64	124	1.8	1	<1	1	1	2	3	4	5
65 +	66	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	149	1.6	2	<1	<1	1	1	3	4	8
20-34	162	1.9	3	<1	1	1	2	3	4	12
35-49	137	2.2	11	<1	1	1	2	3	5	14
50-64	150	2.6	15	1	1	2	3	4	6	46
65 +	165	4.0	27	1	1	2	4	8	12	30
TOTAL SINGLE DX	789	1.6	1	<1	<1	1	2	3	3	5
TOTAL MULTIPLE DX	763	2.5	13	<1	1	1	3	4	7	19
TOTAL										
0-19 YRS	336	1.5	1	<1	<1	1	2	3	4	7
20-34	386	1.7	2	<1	<1	1	2	3	4	7
35-49	325	1.8	5	<1	<1	1	2	3	4	8
50-64	274	2.2	9	<1	1	2	3	4	5	13
65 +	231	3.4	21	1	1	2	3	7	10	29
GRAND TOTAL	1552	2.0	7	<1	1	1	2	3	5	12

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	216	1.2		< 1	< 1	< 1	1	1	2	4
20-34	49	1.2		< 1	< 1	1	1	2	2	4
35-49	28	1.2		< 1	< 1	< 1	1	2	2	4
50-64	29	1.2		< 1	< 1	1	1	2	2	2
65 +	17	1.4	1	< 1	< 1	1	1	2	4	5
2. MULTIPLE DX										
0-19 YRS	69	4.2	35	< 1	< 1	1	3	16	19	84
20-34	40	2.2	10	< 1	< 1	1	2	3	12	15
35-49	60	3.2	25	< 1	< 1	1	2	8	10	29
50-64	92	3.6	42	< 1	< 1	1	3	8	15	41
65 +	126	5.6	52	< 1	1	2	8	16	18	35
TOTAL SINGLE DX	339	1.2	1	< 1	< 1	< 1	1	2	2	4
TOTAL MULTIPLE DX	387	4.1	40	< 1	< 1	2	3	14	17	36
TOTAL										
0-19 YRS	285	1.9	11	< 1	< 1	< 1	1	2	10	20
20-34	89	1.7	5	< 1	< 1	1	1	2	3	15
35-49	88	2.6	18	< 1	< 1	1	2	6	9	28
50-64	121	3.0	33	< 1	< 1	1	2	5	13	40
65 +	143	5.1	48	< 1	1	2	7	15	18	34
GRAND TOTAL	726	2.8	24	< 1	< 1	1	2	7	14	27

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	2.0	5	< 1	< 1	1	2	5	7	12
20-34	28	2.9	6	< 1	< 1	2	4	5	8	12
35-49	46	2.7	4	< 1	< 1	2	4	5	7	9
50-64	101	2.8	4	1	1	2	4	5	7	11
65 +	46	3.4	4	1	1	3	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	35	3.9	14	< 1	< 1	3	5	9	11	19
20-34	54	5.4	54	1	1	3	6	10	16	50
35-49	144	4.4	30	1	1	3	5	7	11	29
50-64	253	4.4	18	1	1	4	5	8	12	22
65 +	182	5.7	56	1	1	4	6	11	18	40
TOTAL SINGLE DX	267	2.7	5	< 1	< 1	2	4	5	7	11
TOTAL MULTIPLE DX	668	4.8	34	1	1	3	5	9	13	30
TOTAL										
0-19 YRS	81	2.8	10	< 1	< 1	1	3	7	9	17
20-34	82	4.5	39	< 1	< 1	3	5	9	12	41
35-49	190	4.0	25	1	1	3	5	7	9	25
50-64	354	4.0	15	1	1	3	5	7	10	19
65 +	228	5.2	46	1	1	3	6	9	15	37
GRAND TOTAL	935	4.2	27	1	1	3	5	8	11	25

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	4.8	4	2	3	4	5	7	7	10
20-34	540	4.3	2	2	3	4	5	6	7	9
35-49	85	5.0	16	2	3	4	6	7	7	28
50-64	11	5.5	1	3	4	6	6	7	7	7
65 +	3	7.0	9	4	4	7	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	168	4.9	4	3	3	5	6	7	9	16
20-34	1182	4.9	4	2	3	5	6	7	8	14
35-49	322	5.1	6	2	3	5	6	7	9	17
50-64	41	10.0	62	3	4	8	13	17	22	47
65 +	47	15.1	158	3	5	11	21	28	36	68
TOTAL SINGLE DX	805	4.5	4	2	3	4	5	6	7	9
TOTAL MULTIPLE DX	1760	5.3	13	2	3	5	6	8	10	20
TOTAL										
0-19 YRS	334	4.9	5	2	3	4	6	7	8	14
20-34	1722	4.7	4	2	3	4	5	7	8	12
35-49	407	5.1	9	2	3	5	6	7	8	17
50-64	52	9.1	53	3	4	7	11	15	21	47
65 +	50	14.6	153	4	4	11	20	27	33	68
GRAND TOTAL	2565	5.0	11	2	3	5	6	7	9	17

295 Hospitals, Northeastern Region, January-December 1987, by Operation

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	4.9	2	3	3	5	6	7	8	9
20-34	345	4.6	2	2	3	5	5	6	7	10
35-49	200	5.0	2	3	3	5	6	7	7	9
50-64	39	4.8	3	2	3	5	6	7	9	9
65 +	13	7.4	10	4	4	6	9	13	14	14
2. MULTIPLE DX										
0-19 YRS	92	6.0	11	3	3	5	7	9	12	22
20-34	930	5.4	5	3	3	5	6	8	9	15
35-49	740	5.9	12	3	3	5	6	8	11	19
50-64	112	7.7	24	3	4	6	9	12	18	32
65 +	111	13.4	120	4	5	9	18	30	45	99 +
TOTAL SINGLE DX	663	4.8	3	3	3	5	6	7	7	10
TOTAL MULTIPLE DX	1985	6.2	19	3	3	5	6	9	13	28
TOTAL										
0-19 YRS	158	5.5	8	3	3	5	6	8	10	16
20-34	1275	5.2	5	3	3	5	6	7	8	14
35-49	940	5.7	10	3	3	5	6	8	10	16
50-64	151	7.0	21	3	3	6	8	11	14	32
65 +	124	12.8	112	4	5	9	17	28	39	99 +
GRAND TOTAL	2648	5.8	15	3	3	5	6	8	11	24

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	14	5.0	2	3	3	5	6	7	7	7
35-49	44	5.5	4	3	4	6	7	7	8	14
50-64	31	5.8	2	4	4	6	6	8	9	11
65 +	21	6.3	4	3	4	7	7	9	10	11
2. MULTIPLE DX										
0-19 YRS	3	9.7	20	5	5	10	13	14	14	14
20-34	102	5.0	4	3	3	5	6	7	9	15
35-49	338	6.3	11	3	4	6	7	10	12	22
50-64	163	9.9	61	4	5	8	11	17	24	44
65 +	154	13.7	157	5	6	10	15	24	41	83
TOTAL SINGLE DX	111	5.6	4	3	3	6	7	8	9	12
TOTAL MULTIPLE DX	760	8.4	60	3	4	6	9	14	20	50
TOTAL										
0-19 YRS	4	7.5	32	< 1	< 1	7	12	14	14	14
20-34	116	5.0	4	3	3	5	6	7	8	14
35-49	382	6.2	11	3	4	6	7	9	12	21
50-64	194	9.2	55	4	4	7	10	15	23	43
65 +	175	12.8	145	5	5	9	14	23	37	82
GRAND TOTAL	871	8.1	54	3	4	6	9	14	19	44

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	3.1	3	< 1	1	3	5	6	7	7
20-34	103	2.7	3	< 1	< 1	2	4	5	6	8
35-49	29	2.5	4	< 1	< 1	2	3	6	8	9
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	44	4.0	6	1	1	4	6	8	9	11
20-34	476	3.9	5	< 1	1	4	5	6	7	11
35-49	108	3.8	6	< 1	1	4	5	6	8	13
50-64	1	5.0		5	5	5	5	5	5	5
65 +	7	11.1	68	< 1	1	9	16	23	25	25
TOTAL SINGLE DX	167	2.7	3	< 1	< 1	2	4	5	6	9
TOTAL MULTIPLE DX	636	4.0	7	< 1	1	4	5	6	8	12
TOTAL										
0-19 YRS	78	3.6	6	1	1	3	5	7	8	11
20-34	579	3.7	5	< 1	1	4	5	6	7	11
35-49	137	3.5	6	< 1	1	3	5	6	8	12
50-64	1	5.0		5	5	5	5	5	5	5
65 +	8	9.9	72	< 1	< 1	9	15	23	25	25
GRAND TOTAL	803	3.7	6	<1	1	4	5	6	7	11

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	114	1.3		< 1	< 1	1	1	2	3	5
35-49	68	1.3		< 1	< 1	1	1	2	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	321	1.5	1	< 1	< 1	< 1	2	3	4	5
35-49	164	1.8	10	< 1	< 1	1	1	3	4	36
50-64	0									
65 +	0									
TOTAL SINGLE DX	183	1.3		< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	486	1.6	5	< 1	< 1	< 1	2	3	4	8
TOTAL										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	435	1.5	1	< 1	< 1	1	1	3	4	5
35-49	232	1.6	8	< 1	< 1	1	1	3	4	14
50-64	0									
65 +	0									
GRAND TOTAL	669	1.5	4	<1	<1	1	1	3	4	8

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	634	1.7	1	<1	<1	1	2	3	4	5
35-49	279	1.8	1	<1	<1	1	2	3	4	6
50-64	3	2.3	5	1	1	1	4	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	5.0	12	2	2	4	7	10	10	10
20-34	1771	3.0	2	1	1	3	4	4	5	7
35-49	589	2.9	8	1	1	3	4	5	6	9
50-64	4	4.8	11	1	1	4	7	9	9	9
65 +	0									
TOTAL SINGLE DX	919	1.7	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	2368	3.0	4	1	1	3	4	4	5	7
TOTAL										
0-19 YRS	7	3.4	10	<1	<1	2	4	9	10	10
20-34	2405	2.6	2	<1	1	3	3	4	5	7
35-49	868	2.6	7	<1	1	2	3	4	5	8
50-64	7	3.7	9	1	1	4	5	8	9	9
65 +	0									
GRAND TOTAL	3287	2.6	4	<1	1	3	3	4	5	7

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	4.3	3	1	2	4	5	6	7	14
20-34	1248	4.1	2	2	2	4	5	6	6	9
35-49	238	4.3	2	2	2	4	5	6	7	8
50-64	3	5.7	14	3	3	4	8	10	10	10
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	86	5.3	6	3	3	5	6	7	10	19
20-34	1622	4.6	3	2	3	4	5	6	7	11
35-49	417	4.7	5	2	3	5	5	7	9	13
50-64	3	5.7	4	4	4	5	7	8	8	8
65 +	4	10.8	133	4	4	5	17	28	28	28
TOTAL SINGLE DX	1571	4.1	2	2	2	4	5	6	6	9
TOTAL MULTIPLE DX	2132	4.7	4	2	3	4	5	6	8	11
TOTAL										
0-19 YRS	167	4.8	6	2	3	5	5	6	8	16
20-34	2870	4.4	3	2	3	4	5	6	7	10
35-49	655	4.6	4	2	2	4	5	6	8	11
50-64	6	5.7	7	3	3	5	8	10	10	10
65 +	5	9.8	104	4	4	6	12	28	28	28
GRAND TOTAL	3703	4.4	3	2	3	4	5	6	7	11

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	185	1.4		<1	<1	1	2	2	3	4
35-49	103	1.6	1	<1	<1	1	2	3	4	7
50-64	24	1.6		<1	<1	1	2	3	3	3
65 +	11	2.0	3	1	1	2	2	4	7	7
2. MULTIPLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	176	1.7	3	<1	<1	1	2	3	4	13
35-49	111	1.6	1	<1	1	1	2	3	3	9
50-64	55	2.2	12	<1	<1	1	2	3	7	24
65 +	21	4.2	126	<1	<1	2	2	4	27	53
TOTAL SINGLE DX	330	1.5	1	<1	<1	1	2	2	3	5
TOTAL MULTIPLE DX	366	1.9	11	<1	<1	1	2	3	4	13
TOTAL										
0-19 YRS	10	1.2		<1	<1	1	1	2	3	3
20-34	361	1.6	2	<1	<1	1	2	2	3	7
35-49	214	1.6	2	<1	<1	1	2	3	4	9
50-64	79	2.0	9	<1	<1	1	2	3	6	20
65 +	32	3.4	84	<1	1	2	2	4	7	53
GRAND TOTAL	696	1.7	6	<1	<1	1	2	3	3	9

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.0		<1	<1	<1	<1	1	1	1
20-34	74	1.3	1	<1	<1	<1	1	2	3	8
35-49	58	1.2		<1	<1	<1	1	2	2	3
50-64	29	3.1	30	<1	<1	2	3	5	7	31
65 +	18	4.3	13	1	1	3	7	8	12	15
2. MULTIPLE DX										
0-19 YRS	16	2.3	3	<1	<1	2	3	4	7	8
20-34	147	2.2	7	<1	<1	1	2	5	7	15
35-49	286	2.3	13	<1	<1	1	2	4	7	19
50-64	169	3.6	25	<1	<1	2	4	9	11	23
65 +	154	6.1	55	<1	1	3	8	16	24	96
TOTAL SINGLE DX	190	1.8	7	<1	<1	1	2	3	5	13
TOTAL MULTIPLE DX	772	3.3	25	<1	<1	2	3	8	12	36
TOTAL										
0-19 YRS	27	1.7	2	<1	<1	1	2	3	5	8
20-34	221	1.9	5	<1	<1	1	2	4	6	14
35-49	344	2.1	11	<1	<1	1	2	4	6	18
50-64	198	3.6	26	<1	<1	2	4	9	11	27
65 +	172	5.9	52	1	1	3	7	15	23	86
GRAND TOTAL	962	3.0	22	<1	<1	1	3	7	11	30

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	2.1		1	1	2	3	4	4	4
20-34	391	2.1	2	1	1	2	3	3	4	9
35-49	70	1.9	1	< 1	1	2	2	3	4	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	176	3.5	19	1	1	2	4	6	9	27
35-49	35	2.8	20	1	1	2	3	3	5	28
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
TOTAL SINGLE DX	478	2.1	2	1	1	2	3	3	4	7
TOTAL MULTIPLE DX	216	3.4	19	1	1	2	3	6	9	28
TOTAL										
0-19 YRS	18	2.6	4	1	1	2	3	4	8	10
20-34	567	2.5	8	1	1	2	3	4	6	14
35-49	105	2.2	8	< 1	1	2	3	3	5	16
50-64	3	1.7		1	1	2	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	694	2.5	8	1	1	2	3	4	5	13

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	161	4.7	2	1	2	5	6	7	7	9
35-49	83	4.3	3	1	2	4	6	7	7	8
50-64	4	2.5	3	1	1	2	4	5	5	5
65 +	4	3.0	11	< 1	< 1	1	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	9	4.7	12	1	1	4	7	10	11	11
20-34	404	5.2	11	1	2	5	6	7	8	13
35-49	302	4.8	6	1	2	5	6	7	8	15
50-64	32	4.3	20	< 1	1	2	5	11	14	20
65 +	41	9.9	177	1	1	5	12	26	48	54
TOTAL SINGLE DX	254	4.5	3	1	2	5	6	7	7	8
TOTAL MULTIPLE DX	788	5.2	19	1	1	5	6	8	9	19
TOTAL										
0-19 YRS	11	4.1	12	< 1	< 1	3	6	10	11	11
20-34	565	5.0	9	1	2	5	6	7	8	12
35-49	385	4.7	6	1	2	5	6	7	8	14
50-64	36	4.1	19	< 1	1	2	5	11	13	20
65 +	45	9.3	166	1	1	4	10	21	46	54
GRAND TOTAL	1042	5.0	15	1	2	5	6	7	8	17

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	276	5.2	1	3	4	5	6	7	7	11
35-49	886	5.6	1	4	4	5	6	7	8	10
50-64	326	6.1	3	4	4	6	7	8	9	14
65 +	147	7.3	10	4	5	7	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	11	7.0	10	< 1	2	8	9	11	13	13
20-34	1859	5.9	4	4	4	5	6	8	10	15
35-49	9039	6.2	5	4	4	6	7	8	10	15
50-64	2646	7.1	16	4	5	6	8	10	14	23
65 +	1272	10.1	50	5	5	8	11	18	24	47
TOTAL SINGLE DX	1637	5.8	3	4	4	6	6	7	8	12
TOTAL MULTIPLE DX	14827	6.6	12	4	4	6	7	9	12	21
TOTAL										
0-19 YRS	13	6.8	9	1	3	7	8	10	12	13
20-34	2135	5.8	5	4	4	5	6	8	9	15
35-49	9925	6.1	5	4	4	6	7	8	10	15
50-64	2972	7.0	15	4	5	6	7	10	13	22
65 +	1419	9.8	47	5	5	8	11	17	23	45
GRAND TOTAL	16464	6.6	11	4	4	6	7	9	12	21

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	118	4.1	1	2	2	4	5	6	6	8
35-49	203	4.7	2	3	3	5	5	7	8	10
50-64	207	5.8	3	4	4	6	7	8	9	14
65 +	218	5.9	2	4	4	6	7	8	9	10
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	464	4.6	3	2	3	4	5	6	7	10
35-49	1338	5.3	5	3	3	5	6	7	9	13
50-64	821	6.3	5	4	4	6	7	9	11	15
65 +	921	7.3	9	4	5	7	8	10	13	20
TOTAL SINGLE DX	747	5.3	3	3	3	5	6	7	8	10
TOTAL MULTIPLE DX	3545	5.9	7	3	4	6	7	9	10	16
TOTAL										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	582	4.5	3	2	3	4	5	6	7	10
35-49	1541	5.2	5	3	3	5	6	7	9	13
50-64	1028	6.2	5	4	4	6	7	9	10	15
65 +	1139	7.0	9	4	4	6	8	10	12	18
GRAND TOTAL	4292	5.8	6	3	3	5	7	8	10	15

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	8	9.5	8	6	6	9	12	13	14	14
35-49	14	10.9	14	7	7	10	12	17	19	13
50-64	7	11.0	9	7	7	12	14	15	15	15
65 +	2	11.5	1	11	11	11	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	0									
20-34	19	10.9	34	2	4	10	14	18	23	26
35-49	45	14.1	115	6	7	12	15	22	24	77
50-64	38	14.8	92	7	7	12	17	26	34	54
65 +	38	13.9	36	7	8	13	15	22	24	37
TOTAL SINGLE DX	31	10.6	10	7	7	10	12	15	17	19
TOTAL MULTIPLE DX	140	13.8	77	6	7	12	16	22	26	56
TOTAL										
0-19 YRS	0									
20-34	27	10.5	27	3	4	9	14	16	20	26
35-49	59	13.4	93	7	7	12	15	19	23	72
50-64	45	14.2	81	7	7	12	16	25	33	54
65 +	40	13.8	34	7	8	13	15	21	24	37
GRAND TOTAL	**171**	**13.3**	**66**	**7**	**7**	**12**	**15**	**20**	**25**	**50**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	1.3		<1	<1	<1	1	2	3	4
20-34	108	1.3		<1	<1	1	1	2	3	6
35-49	26	1.3		<1	<1	1	2	2	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12	1.4	1	<1	<1	1	1	3	5	5
20-34	97	3.4	25	<1	<1	2	4	7	12	30
35-49	24	3.7	83	<1	<1	1	3	5	18	46
50-64	0									
65 +	0									
TOTAL SINGLE DX	178	1.3	1	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	133	3.3	33	<1	<1	1	4	6	11	41
TOTAL										
0-19 YRS	56	1.3	1	<1	<1	<1	1	2	3	5
20-34	205	2.3	13	<1	<1	1	2	5	7	17
35-49	50	2.4	41	<1	<1	1	2	3	5	46
50-64	0									
65 +	0									
GRAND TOTAL	**311**	**2.2**	**15**	**<1**	**<1**	**1**	**2**	**4**	**6**	**17**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	761	1.3		<1	<1	1	1	2	3	5
20-34	5855	1.2		<1	<1	1	1	2	2	4
35-49	1637	1.2		<1	<1	1	1	2	2	5
50-64	194	1.3		<1	<1	1	1	2	2	6
65 +	55	2.3	5	<1	<1	1	3	7	8	11
2. MULTIPLE DX										
0-19 YRS	251	2.2	3	<1	<1	1	3	4	5	10
20-34	2090	2.4	12	<1	<1	1	3	5	6	14
35-49	1983	2.1	10	<1	<1	1	2	4	6	14
50-64	723	3.1	35	<1	<1	1	2	7	11	29
65 +	545	6.2	96	<1	1	2	7	15	24	55
TOTAL SINGLE DX	8502	1.2	1	<1	<1	1	1	2	2	5
TOTAL MULTIPLE DX	5592	2.7	24	<1	<1	1	3	6	9	25
TOTAL										
0-19 YRS	1012	1.5	2	<1	<1	1	2	3	4	6
20-34	7945	1.5	4	<1	<1	1	1	3	4	8
35-49	3620	1.7	6	<1	<1	1	2	3	5	11
50-64	917	2.7	29	<1	<1	1	2	6	10	28
65 +	600	5.8	90	<1	1	2	7	14	23	54
GRAND TOTAL	**14094**	**1.8**	**10**	**<1**	**<1**	**1**	**2**	**3**	**5**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	149	1.2		<1	<1	<1	<1	1	3	6
20-34	414	1.2		<1	<1	<1	1	1	2	6
35-49	89	1.1		<1	<1	<1	<1	1	2	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	578	1.1	1	<1	<1	<1	<1	<1	1	5
20-34	1676	1.3	3	<1	<1	<1	<1	<1	2	10
35-49	213	2.0	11	<1	<1	<1	1	4	6	21
50-64	0									
65 +	0									
TOTAL SINGLE DX	652	1.2	1	<1	<1	<1	1	1	2	6
TOTAL MULTIPLE DX	2467	1.3	4	<1	<1	<1	<1	1	2	9
TOTAL										
0-19 YRS	727	1.2	1	<1	<1	<1	<1	<1	1	5
20-34	2090	1.3	3	<1	<1	<1	<1	1	2	9
35-49	302	1.7	9	<1	<1	<1	1	3	5	15
50-64	0									
65 +	0									
GRAND TOTAL	**3119**	**1.3**	**3**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**8**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	170	1.4	2	<1	<1	1	1	2	3	8
20-34	1514	1.2		<1	<1	1	1	2	2	4
35-49	364	1.1		<1	<1	1	1	1	2	5
50-64	3	1.3		<1	<1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	35	2.7	7	<1	<1	2	3	6	9	13
20-34	367	2.0	3	<1	<1	1	2	4	6	12
35-49	103	1.5	2	<1	<1	1	1	3	4	10
50-64	2	1.0		<1	<1	<1	1	1	1	1
65 +	6	10.3	74	1	1	8	15	24	25	25
TOTAL SINGLE DX	2051	1.2		<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	513	2.1	5	<1	<1	1	2	4	6	13
TOTAL										
0-19 YRS	205	1.6	3	<1	<1	1	1	3	5	11
20-34	1881	1.3	1	<1	<1	1	1	2	3	6
35-49	467	1.2	1	<1	<1	1	1	2	2	5
50-64	5	1.2		<1	<1	1	1	2	2	2
65 +	6	10.3	74	1	1	8	15	24	25	25
GRAND TOTAL	2564	1.4	2	<1	<1	1	1	2	3	6

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	6.3	9	3	3	7	8	9	9	9
65 +	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	34	4.6	4	1	1	5	5	7	9	9
35-49	10	5.6	7	3	3	5	6	10	12	12
50-64	7	8.3	17	5	5	7	9	15	17	17
65 +	8	9.0	19	5	5	8	10	16	19	19
TOTAL SINGLE DX	10	5.0	9	<1	<1	5	7	9	9	9
TOTAL MULTIPLE DX	60	5.9	11	1	3	5	7	9	11	19
TOTAL										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	37	4.4	5	1	1	4	5	7	9	9
35-49	11	5.5	6	3	3	5	6	10	12	12
50-64	10	7.7	14	3	4	7	9	13	17	17
65 +	10	8.8	16	5	5	8	10	15	19	19
GRAND TOTAL	70	5.7	10	1	2	5	7	9	10	19

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	3.3	4	1	1	3	5	7	8	8
20-34	86	2.9	3	<1	<1	3	4	5	6	7
35-49	28	2.8	4	<1	<1	2	4	6	7	9
50-64	9	2.9		1	1	3	3	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	16	3.8	3	<1	<1	4	5	6	7	7
20-34	164	4.1	28	<1	<1	3	5	7	10	28
35-49	76	3.6	6	<1	<1	3	5	6	9	12
50-64	27	3.3	8	1	1	3	3	5	7	17
65 +	30	8.2	177	2	2	4	7	21	26	71
TOTAL SINGLE DX	143	2.9	3	<1	1	3	4	5	6	8
TOTAL MULTIPLE DX	313	4.3	36	<1	<1	3	5	7	10	27
TOTAL										
0-19 YRS	35	3.5	4	<1	1	4	5	6	7	8
20-34	250	3.7	20	<1	<1	3	5	6	8	24
35-49	104	3.3	6	<1	<1	3	5	6	8	12
50-64	36	3.2	7	1	1	3	3	5	5	17
65 +	31	8.0	172	2	2	4	7	20	26	71
GRAND TOTAL	456	3.8	26	<1	<1	3	5	6	8	24

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	16	3.6	6	<1	1	3	5	6	9	10
35-49	79	4.4	3	2	2	4	6	6	8	10
50-64	226	5.3	5	2	3	5	6	7	8	16
65 +	189	5.5	6	2	3	5	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	0									
20-34	62	4.9	4	2	2	5	6	8	9	10
35-49	292	5.7	8	2	3	5	7	8	10	16
50-64	481	6.0	7	3	3	6	7	9	11	17
65 +	538	6.5	12	3	4	6	7	9	12	18
TOTAL SINGLE DX	511	5.2	5	2	3	5	6	8	9	15
TOTAL MULTIPLE DX	1373	6.1	10	3	3	6	7	9	11	16
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	78	4.7	5	1	2	4	6	8	9	10
35-49	371	5.4	7	2	3	5	6	8	9	16
50-64	707	5.8	7	3	3	5	7	9	10	16
65 +	727	6.3	11	3	3	6	7	9	11	16
GRAND TOTAL	1884	5.8	9	2	3	5	7	9	10	16

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.2	4	<1	1	1	3	5	7	10
20-34	67	3.5	6	<1	1	3	5	8	9	10
35-49	36	3.0	5	<1	1	2	4	7	8	10
50-64	18	5.1	14	<1	1	5	7	11	13	13
65 +	10	6.3	26	<1	1	6	7	13	19	19
2. MULTIPLE DX										
0-19 YRS	41	5.3	24	1	1	4	7	13	16	21
20-34	53	3.8	9	<1	1	3	5	7	10	18
35-49	47	5.1	18	1	2	4	6	10	13	23
50-64	32	6.8	17	1	2	7	8	11	14	22
65 +	50	10.8	95	1	2	8	14	19	34	56
TOTAL SINGLE DX	155	3.5	9	<1	1	3	5	8	9	13
TOTAL MULTIPLE DX	223	6.3	40	1	1	5	8	13	18	35
TOTAL										
0-19 YRS	65	4.2	19	1	1	2	6	10	13	21
20-34	120	3.6	8	<1	1	3	5	7	9	13
35-49	83	4.2	14	1	1	3	5	8	11	21
50-64	50	6.2	17	1	1	6	7	11	13	22
65 +	60	10.0	86	1	2	7	13	19	29	54
GRAND TOTAL	378	5.2	29	1	1	4	7	10	14	24

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	3.9	32	<1	<1	2	4	10	14	34
20-34	98	3.1	5	<1	<1	2	5	6	8	12
35-49	40	4.2	11	1	1	3	5	10	12	14
50-64	21	4.8	11	1	1	4	6	10	12	14
65 +	44	4.7	14	1	2	4	6	7	13	21
2. MULTIPLE DX										
0-19 YRS	48	3.5	7	<1	1	3	4	8	9	12
20-34	168	4.9	42	1	1	3	5	9	13	32
35-49	86	5.9	31	<1	<1	4	8	15	17	27
50-64	104	6.8	30	1	2	5	8	17	20	24
65 +	195	8.1	90	1	2	6	9	17	22	56
TOTAL SINGLE DX	250	3.9	14	<1	1	3	5	8	10	18
TOTAL MULTIPLE DX	601	6.3	53	1	1	4	7	13	19	38
TOTAL										
0-19 YRS	95	3.7	20	<1	<1	2	4	9	12	25
20-34	266	4.2	29	<1	1	3	5	8	11	20
35-49	126	5.3	25	<1	1	4	7	12	15	25
50-64	125	6.4	28	1	2	5	8	14	19	23
65 +	239	7.5	78	1	2	5	8	16	22	52
GRAND TOTAL	851	5.6	43	<1	1	4	6	11	17	29

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.1	2	<1	<1	2	3	5	5	6
20-34	261	1.5		<1	<1	1	2	3	3	6
35-49	136	1.4		<1	<1	1	1	2	3	5
50-64	36	1.8	1	<1	<1	1	2	3	4	5
65 +	28	2.9	3	1	1	3	4	5	8	9
2. MULTIPLE DX										
0-19 YRS	36	4.7	20	<1	1	3	6	9	15	22
20-34	135	2.8	4	<1	1	2	4	5	6	10
35-49	83	3.7	14	<1	1	2	5	9	10	20
50-64	63	6.2	52	1	1	3	8	17	21	34
65 +	103	8.0	142	1	1	4	9	18	28	67
TOTAL SINGLE DX	509	1.6	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	420	4.9	53	1	1	3	5	10	17	32
TOTAL										
0-19 YRS	84	3.2	11	<1	<1	2	4	6	8	20
20-34	396	1.9	2	<1	<1	1	2	4	5	7
35-49	219	2.3	7	<1	<1	1	2	5	8	15
50-64	99	4.6	38	<1	<1	2	4	13	19	32
65 +	131	6.9	117	1	1	4	8	15	25	51
GRAND TOTAL	929	3.1	27	<1	<1	2	3	6	10	23

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	4	3.3	5	<1	<1	3	5	6	6	6
35-49	4	4.8	18	2	2	3	7	11	11	11
50-64	4	5.0	54	1	1	2	9	16	16	16
65 +	12	5.7	20	1	1	4	10	12	14	14
2. MULTIPLE DX										
0-19 YRS	3	21.0	444	<1	<1	19	37	43	43	43
20-34	8	5.3	33	<1	<1	4	5	15	19	19
35-49	8	3.6	11	1	1	2	5	9	11	11
50-64	26	11.0	81	1	3	10	14	21	28	44
65 +	65	15.7	205	2	3	10	20	36	48	69
TOTAL SINGLE DX	26	4.8	20	<1	1	3	7	11	14	16
TOTAL MULTIPLE DX	110	13.1	169	1	2	9	17	28	43	64
TOTAL										
0-19 YRS	5	13.8	321	<1	<1	5	25	43	43	43
20-34	12	4.6	24	<1	<1	4	5	10	18	19
35-49	12	4.0	13	1	1	2	5	11	11	11
50-64	30	10.2	80	1	1	8	14	19	24	44
65 +	77	14.2	190	1	3	10	18	34	45	68
GRAND TOTAL	136	11.5	150	1	1	8	15	24	40	62

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.7		<1	1	1	2	3	4	5
20-34	18	2.8	8	<1	<1	2	3	6	10	13
35-49	7	2.4	5	<1	<1	1	3	6	7	7
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	13	1.8	1	<1	<1	1	2	4	5	5
20-34	27	3.0	5	1	1	3	3	5	9	12
35-49	12	3.6	9	<1	1	2	5	9	11	11
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	7	10.7	229	2	2	5	11	38	44	44
TOTAL SINGLE DX	49	2.2	5	<1	<1	2	2	5	6	13
TOTAL MULTIPLE DX	62	3.7	34	1	1	2	3	6	11	40
TOTAL										
0-19 YRS	37	1.7	1	<1	1	1	2	3	4	5
20-34	45	2.9	7	<1	1	2	3	6	10	13
35-49	19	3.2	8	<1	<1	2	4	8	10	11
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	7	10.7	229	2	2	5	11	38	44	44
GRAND TOTAL	**111**	**3.0**	**21**	**<1**	**1**	**2**	**3**	**5**	**9**	**25**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	7	2.4	3	<1	<1	1	4	5	5	5
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	6	1.7	2	<1	<1	1	1	5	5	5
20-34	9	4.1	4	<1	1	4	5	8	8	8
35-49	8	6.3	41	1	1	3	12	16	16	16
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	3	18.3	126	6	6	21	26	28	28	28
TOTAL SINGLE DX	10	2.0	3	<1	<1	1	3	5	5	5
TOTAL MULTIPLE DX	28	5.8	45	<1	<1	4	7	16	22	28
TOTAL										
0-19 YRS	9	1.4	2	<1	<1	1	1	4	5	5
20-34	16	3.4	5	<1	<1	3	5	7	8	8
35-49	8	6.3	42	1	1	3	12	16	16	16
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	3	18.3	126	6	6	21	26	28	28	28
GRAND TOTAL	**38**	**4.8**	**36**	**<1**	**<1**	**3**	**5**	**14**	**19**	**28**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	3.0	15	2	2	3	3	4	4	5
20-34	2176	2.9		2	2	3	3	4	4	5
35-49	185	3.1		2	2	3	3	4	4	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
2. MULTIPLE DX										
0-19 YRS	328	3.1	1	2	2	3	3	4	5	8
20-34	2762	3.3	4	2	2	3	4	4	5	8
35-49	325	3.6	4	2	2	3	4	5	6	14
50-64	0									
65+	0									
TOTAL SINGLE DX	2611	2.9	2	2	2	3	3	4	4	5
TOTAL MULTIPLE DX	3415	3.3	4	2	2	3	4	4	5	9
TOTAL										
0-19 YRS	577	3.1	8	2	2	3	3	4	5	7
20-34	4938	3.1	3	2	2	3	3	4	5	7
35-49	510	3.4	3	2	2	3	4	4	5	10
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
GRAND TOTAL	**6026**	**3.1**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	96	2.5		1	2	3	3	3	3	4
35-49	10	2.7	1	1	1	3	4	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	15	2.9	2	1	1	3	3	5	6	7
20-34	212	3.2	6	1	1	3	4	5	7	13
35-49	25	4.0	24	1	1	3	4	7	14	26
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
TOTAL SINGLE DX	111	2.5	1	1	2	3	3	3	4	4
TOTAL MULTIPLE DX	253	3.2	8	1	1	3	4	5	7	18
TOTAL										
0-19 YRS	20	2.8	2	1	1	3	3	4	6	7
20-34	308	3.0	5	1	1	3	3	4	6	10
35-49	35	3.7	18	1	1	3	4	6	9	26
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
GRAND TOTAL	**364**	**3.0**	**6**	**1**	**1**	**3**	**3**	**4**	**5**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	154	2.7		1	2	3	3	4	4	4
20-34	1340	2.8		2	2	3	3	4	4	5
35-49	110	2.8		1	2	3	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	210	3.0	4	2	2	3	3	4	5	8
20-34	2066	3.2	2	2	2	3	4	4	5	7
35-49	241	3.5	2	2	2	3	4	5	7	11
50-64	0									
65 +	0									
TOTAL SINGLE DX	1604	2.8	1	2	2	3	3	4	4	5
TOTAL MULTIPLE DX	2517	3.2	3	2	2	3	4	4	5	8
TOTAL										
0-19 YRS	364	2.9	3	2	2	3	3	4	4	7
20-34	3406	3.0	2	2	2	3	3	4	5	6
35-49	351	3.3	2	2	2	3	4	5	5	10
50-64	0									
65 +	0									
GRAND TOTAL	4121	3.0	2	2	2	3	3	4	5	7

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5617	2.7	1	1	2	3	3	4	4	5
20-34	45323	2.7		1	2	3	3	3	4	5
35-49	3935	2.7		1	2	3	3	4	4	5
50-64	6	2.7		2	2	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1884	3.2	4	1	2	3	4	5	6	11
20-34	17991	3.1	4	1	2	3	3	4	5	9
35-49	2161	3.2	3	1	2	3	4	4	5	10
50-64	4	3.3		3	3	3	4	4	4	4
65 +	0									
TOTAL SINGLE DX	54881	2.7	1	1	2	3	3	4	4	5
TOTAL MULTIPLE DX	22040	3.1	4	1	2	3	3	4	5	9
TOTAL										
0-19 YRS	7501	2.8	3	1	2	3	3	4	4	7
20-34	63314	2.8	2	1	2	3	3	4	4	6
35-49	6096	2.9	2	1	2	3	3	4	4	7
50-64	10	2.9		2	2	3	3	4	4	4
65 +	0									
GRAND TOTAL	76921	2.8	2	1	2	3	3	4	4	6

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	754	4.9	1	3	4	5	5	6	7	8
20-34	9886	4.9	2	3	4	5	5	6	7	8
35-49	944	5.2	2	4	4	5	6	6	7	9
50-64	6	4.8	1	3	3	5	6	6	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2047	5.8	7	4	4	5	6	8	10	17
20-34	24240	5.5	7	4	4	5	6	7	8	15
35-49	3557	5.8	10	4	4	5	6	7	9	20
50-64	2	6.0	8	4	4	6	8	8	8	8
65 +	0									
TOTAL SINGLE DX	11590	4.9	2	3	4	5	5	6	7	8
TOTAL MULTIPLE DX	29846	5.6	7	4	4	5	6	7	8	16
TOTAL										
0-19 YRS	2801	5.6	6	4	4	5	6	8	9	15
20-34	34126	5.3	6	4	4	5	6	7	8	13
35-49	4501	5.7	9	4	4	5	6	7	8	18
50-64	8	5.1	2	3	3	5	6	7	8	8
65 +	0									
GRAND TOTAL	41436	5.4	6	4	4	5	6	7	8	14

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	4.9	1	4	4	5	6	6	7	7
20-34	146	5.0	1	3	4	5	6	6	7	8
35-49	17	4.9		3	4	5	5	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	48	6.7	7	5	5	6	7	11	12	19
20-34	551	7.3	62	3	4	5	7	10	16	47
35-49	119	7.8	34	3	4	6	8	15	22	33
50-64	0									
65 +	0									
TOTAL SINGLE DX	176	5.0	1	3	4	5	6	6	7	8
TOTAL MULTIPLE DX	718	7.3	54	3	4	6	7	11	17	42
TOTAL										
0-19 YRS	61	6.3	6	4	4	6	7	9	12	18
20-34	697	6.8	50	3	4	5	6	9	14	43
35-49	136	7.4	31	3	4	6	7	15	21	33
50-64	0									
65 +	0									
GRAND TOTAL	894	6.9	44	3	4	5	7	10	15	38

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.4		2	2	3	4	4	5	5
20-34	91	3.6	1	1	2	4	4	5	6	8
35-49	5	3.2	1	1	1	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	6	4.3	2	3	3	4	4	7	7	7
20-34	112	4.3	3	2	2	4	5	6	7	13
35-49	11	4.7	5	1	1	5	6	7	9	9
50-64	0									
65 +	0									
TOTAL SINGLE DX	109	3.5	2	1	2	4	4	5	6	7
TOTAL MULTIPLE DX	129	4.3	3	2	2	4	5	6	7	12
TOTAL										
0-19 YRS	19	3.7	1	2	3	4	4	5	6	7
20-34	203	4.0	3	2	2	4	5	6	6	10
35-49	16	4.3	5	1	1	4	6	6	8	9
50-64	0									
65 +	0									
GRAND TOTAL	238	4.0	3	2	2	4	5	6	6	9

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	1.7		1	1	2	2	2	3	3
20-34	142	1.9		1	1	2	2	3	3	5
35-49	21	1.9	1	1	1	2	2	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	22	2.3	4	1	1	2	2	4	7	11
20-34	39	2.1	1	1	1	2	2	4	5	6
35-49	17	2.3	5	< 1	1	2	2	5	8	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	319	1.8	1	1	1	2	2	3	3	5
TOTAL MULTIPLE DX	78	2.2	3	1	1	2	2	4	5	11
TOTAL										
0-19 YRS	178	1.8	1	1	1	2	2	2	3	5
20-34	181	1.9	1	1	1	2	2	3	4	6
35-49	38	2.1	3	1	1	2	2	4	5	10
50-64	0									
65 +	0									
GRAND TOTAL	397	1.9	1	1	1	2	2	3	4	6

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	4.0	23	< 1	< 1	2	4	8	16	23
20-34	98	4.8	24	< 1	1	3	6	13	16	21
35-49	6	3.3	7	< 1	< 1	3	4	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	24	6.9	74	1	1	4	7	14	29	40
20-34	145	7.6	68	1	1	5	9	18	26	42
35-49	13	9.9	121	< 1	1	4	14	25	36	38
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
TOTAL SINGLE DX	130	4.6	23	< 1	< 1	3	6	12	16	21
TOTAL MULTIPLE DX	183	7.7	73	1	1	4	9	20	26	41
TOTAL										
0-19 YRS	50	5.4	49	< 1	1	3	6	12	23	40
20-34	243	6.5	53	< 1	1	4	8	15	21	36
35-49	19	7.8	93	< 1	1	4	11	22	31	38
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
GRAND TOTAL	313	6.4	54	<1	1	4	8	15	22	39

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	547	2.4	2	< 1	< 1	2	3	4	4	6
20-34	3197	2.4	1	< 1	< 1	2	3	3	4	5
35-49	307	2.4	1	< 1	< 1	2	3	4	4	6
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	221	3.1	8	< 1	1	3	3	5	7	16
20-34	1398	3.0	6	< 1	1	3	3	5	6	11
35-49	155	3.1	3	1	1	3	4	5	7	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	4054	2.4	1	< 1	< 1	2	3	4	4	6
TOTAL MULTIPLE DX	1774	3.0	6	< 1	1	3	3	5	6	11
TOTAL										
0-19 YRS	768	2.6	4	< 1	< 1	2	3	4	5	10
20-34	4595	2.6	3	< 1	< 1	3	3	4	4	8
35-49	462	2.7	3	< 1	< 1	3	3	4	5	8
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	5828	2.6	3	<1	<1	3	3	4	4	8

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1079	2.6		2	2	3	3	3	4	4
20-34	9036	2.6		1	2	3	3	3	4	4
35-49	901	2.6		1	2	3	3	3	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	919	3.0	1	1	2	3	3	4	5	9
20-34	9410	2.9	2	1	2	3	3	4	4	7
35-49	1098	3.1	2	1	2	3	3	4	5	10
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	11018	2.6	1	1	2	3	3	3	4	4
TOTAL MULTIPLE DX	11428	3.0	3	1	2	3	3	4	5	7
TOTAL										
0-19 YRS	1998	2.8	1	2	2	3	3	4	4	7
20-34	18446	2.8	2	1	2	3	3	4	4	6
35-49	1999	2.8	2	1	2	3	3	4	4	7
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	22446	2.8	2	1	2	3	3	4	4	6

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	3.6	21	< 1	1	2	3	11	16	18
20-34	20	3.5	10	< 1	1	3	4	6	11	15
35-49	11	5.5	23	1	1	4	7	14	16	16
50-64	9	4.0	6	1	1	3	7	7	7	7
65 +	9	5.2	13	1	1	4	7	11	12	12
2. MULTIPLE DX										
0-19 YRS	33	5.9	32	1	2	4	7	13	15	30
20-34	34	5.6	80	1	2	3	4	6	25	49
35-49	21	5.7	16	1	2	4	7	14	15	15
50-64	33	11.8	183	1	1	7	14	35	42	57
65 +	49	11.9	134	1	2	9	16	25	49	99 +
TOTAL SINGLE DX	68	4.1	15	1	1	3	5	9	14	18
TOTAL MULTIPLE DX	170	8.7	106	1	1	5	11	19	33	56
TOTAL										
0-19 YRS	52	5.1	29	1	1	3	6	13	15	30
20-34	54	4.8	55	1	1	3	4	6	14	48
35-49	32	5.6	19	1	2	4	7	14	15	16
50-64	42	10.1	155	1	1	6	12	25	42	57
65 +	58	10.8	121	1	1	8	15	22	46	96
GRAND TOTAL	238	7.4	84	1	1	4	9	16	26	53

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	187	3.1	3	1	1	3	4	5	7	9
20-34	359	2.4	1	1	1	2	3	4	4	5
35-49	149	2.3	1	1	1	2	3	4	4	9
50-64	34	2.1		1	1	2	3	4	4	4
65 +	10	2.7	7	1	1	2	3	7	10	10
2. MULTIPLE DX										
0-19 YRS	233	3.8	5	1	2	3	4	6	8	12
20-34	328	3.4	5	1	1	3	4	5	7	11
35-49	142	3.2	3	1	1	3	4	5	6	9
50-64	49	3.6	19	1	1	2	3	6	13	25
65 +	21	5.8	66	1	1	2	7	18	27	29
TOTAL SINGLE DX	739	2.5	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	773	3.5	7	1	1	3	4	6	7	13
TOTAL										
0-19 YRS	420	3.5	4	1	1	3	4	6	7	12
20-34	687	2.9	4	1	1	3	4	5	5	9
35-49	291	2.8	3	1	1	2	3	5	6	9
50-64	83	3.0	12	1	1	2	3	4	6	23
65 +	31	4.8	49	1	1	2	4	13	25	29
GRAND TOTAL	1512	3.1	5	1	1	3	4	5	6	12

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	2.2	1	1	1	2	3	3	4	7
20-34	119	2.3	1	1	1	2	3	5	5	6
35-49	24	2.8	2	1	1	3	4	5	6	6
50-64	7	6.0	19	1	1	4	10	12	12	12
65 +	3	6.3	12	3	3	6	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	133	3.8	16	1	1	3	4	7	11	23
20-34	205	4.8	29	1	1	3	5	8	13	31
35-49	68	4.6	12	1	1	4	6	10	12	18
50-64	23	7.8	74	< 1	1	4	9	20	27	36
65 +	17	11.1	319	1	2	5	12	18	57	78
TOTAL SINGLE DX	236	2.5	3	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	446	4.9	38	1	1	3	5	9	15	29
TOTAL										
0-19 YRS	216	3.2	12	1	1	2	4	6	8	22
20-34	324	3.9	21	1	1	3	5	7	10	29
35-49	92	4.1	11	1	1	3	5	8	12	17
50-64	30	7.4	61	1	1	4	10	18	22	36
65 +	20	10.4	273	1	2	6	11	16	48	78
GRAND TOTAL	682	4.0	27	1	1	3	5	7	12	26

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	2.6	4	1	1	2	4	5	7	12
20-34	189	2.8	7	< 1	1	2	3	6	8	15
35-49	76	2.7	4	1	1	2	3	6	7	9
50-64	20	3.8	11	< 1	< 1	2	6	9	11	12
65 +	7	3.3	10	< 1	< 1	3	4	9	10	10
2. MULTIPLE DX										
0-19 YRS	162	6.6	64	1	1	4	9	12	17	55
20-34	405	6.5	58	1	1	4	8	13	19	36
35-49	155	6.5	40	1	1	5	9	14	19	30
50-64	60	8.3	54	1	2	6	12	18	25	34
65 +	62	11.3	210	1	2	6	14	34	51	96
TOTAL SINGLE DX	368	2.8	6	< 1	1	2	4	6	8	12
TOTAL MULTIPLE DX	844	7.0	68	1	1	4	9	14	20	46
TOTAL										
0-19 YRS	238	5.3	49	1	1	3	6	11	14	38
20-34	594	5.3	45	1	1	3	6	12	16	33
35-49	231	5.3	32	1	1	3	6	12	17	26
50-64	80	7.2	47	1	1	5	10	15	22	33
65 +	69	10.5	196	1	1	5	13	30	42	95
GRAND TOTAL	1212	5.7	53	1	1	4	7	12	18	37

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.5	3	1	1	3	5	6	7	7
20-34	16	3.2	11	1	1	3	4	4	12	15
35-49	9	1.9		1	1	2	2	3	3	3
50-64	15	1.7	2	< 1	< 1	1	2	4	5	6
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	22	9.7	221	1	2	4	9	28	48	65
20-34	23	4.5	19	< 1	1	2	6	12	14	15
35-49	21	4.7	36	< 1	1	3	5	10	19	28
50-64	20	3.9	32	< 1	1	2	4	8	17	26
65 +	8	5.1	33	1	1	3	6	15	18	18
TOTAL SINGLE DX	54	2.6	5	1	1	2	3	5	6	15
TOTAL MULTIPLE DX	94	5.7	77	1	1	3	7	12	23	52
TOTAL										
0-19 YRS	35	7.4	147	1	1	4	7	13	33	65
20-34	39	3.9	16	1	1	3	4	12	14	15
35-49	30	3.8	27	1	1	2	4	8	11	28
50-64	35	2.9	20	< 1	1	1	3	7	8	26
65 +	9	4.7	31	1	1	2	5	14	18	18
GRAND TOTAL	148	4.6	53	1	1	2	5	9	15	37

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	252	4.8	17	1	1	4	6	9	13	23
20-34	135	4.1	23	< 1	< 1	3	6	8	9	28
35-49	111	4.1	13	< 1	< 1	3	5	8	10	21
50-64	107	5.3	27	1	1	4	6	9	12	34
65 +	28	4.9	17	1	1	4	6	11	16	16
2. MULTIPLE DX										
0-19 YRS	355	6.8	63	1	2	5	7	12	20	53
20-34	162	7.0	101	< 1	1	3	8	17	27	52
35-49	162	5.2	52	< 1	< 1	3	6	10	16	30
50-64	192	7.1	93	< 1	1	4	8	14	21	62
65 +	109	12.9	195	1	2	7	17	37	45	58
TOTAL SINGLE DX	633	4.6	20	< 1	1	4	6	9	12	24
TOTAL MULTIPLE DX	980	7.3	93	< 1	1	5	8	16	25	55
TOTAL										
0-19 YRS	607	5.9	45	1	2	4	7	11	17	30
20-34	297	5.7	68	< 1	< 1	3	6	12	19	45
35-49	273	4.7	37	< 1	< 1	3	6	9	13	24
50-64	299	6.4	70	< 1	1	4	7	12	19	50
65 +	137	11.3	170	1	1	6	14	33	43	58
GRAND TOTAL	1613	6.2	66	<1	1	4	7	12	19	46

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	117	2.0	1	< 1	< 1	2	3	4	5	7
20-34	207	1.9	1	< 1	< 1	1	3	4	4	7
35-49	253	2.1	2	< 1	< 1	2	3	4	5	6
50-64	202	2.2	2	< 1	< 1	2	3	4	5	7
65 +	57	2.3	2	< 1	< 1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	167	2.2	1	< 1	< 1	2	3	4	5	7
20-34	390	2.3	4	< 1	< 1	2	3	4	5	9
35-49	512	2.4	4	< 1	< 1	2	3	4	5	8
50-64	814	2.8	8	< 1	1	2	4	5	6	10
65 +	466	3.3	16	< 1	1	2	4	6	6	21
TOTAL SINGLE DX	836	2.1	2	< 1	< 1	2	3	4	5	7
TOTAL MULTIPLE DX	2349	2.7	8	< 1	1	2	3	5	6	10
TOTAL										
0-19 YRS	284	2.1	2	< 1	< 1	2	3	4	5	7
20-34	597	2.2	3	< 1	< 1	2	3	4	5	8
35-49	765	2.3	4	< 1	< 1	2	3	4	5	8
50-64	1016	2.7	7	< 1	1	2	3	5	6	10
65 +	523	3.2	15	< 1	1	2	4	5	6	19
GRAND TOTAL	3185	2.5	6	<1	<1	2	3	5	6	9

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	678	3.5	25	<1	1	2	4	7	11	32
20-34	614	3.2	21	<1	<1	2	4	6	9	19
35-49	460	2.8	7	<1	<1	2	3	6	8	15
50-64	291	3.7	17	<1	<1	2	4	8	11	24
65+	108	5.1	36	1	1	3	6	11	15	34
2. MULTIPLE DX										
0-19 YRS	363	8.9	153	1	1	4	11	23	37	61
20-34	701	7.5	118	<1	1	3	8	22	34	67
35-49	659	8.3	172	<1	1	3	9	20	36	70
50-64	732	9.5	167	1	1	4	11	26	37	76
65+	770	13.9	217	1	2	9	19	37	51	98
TOTAL SINGLE DX	2151	3.4	20	<1	1	2	4	7	10	22
TOTAL MULTIPLE DX	3225	9.8	174	1	1	4	12	26	42	74
TOTAL										
0-19 YRS	1041	5.4	77	<1	1	2	5	12	22	48
20-34	1315	5.5	77	<1	1	3	5	13	24	51
35-49	1119	6.0	112	<1	1	3	6	14	23	61
50-64	1023	7.8	132	<1	1	4	9	20	32	69
65+	878	12.8	204	1	1	8	17	32	48	89
GRAND TOTAL	5376	7.2	122	<1	1	3	8	19	31	64

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	334	5.8	43	1	1	4	6	12	19	34
20-34	165	3.6	10	<1	1	3	4	7	10	21
35-49	59	3.9	11	<1	1	3	5	7	9	22
50-64	48	4.9	9	1	1	4	7	9	10	14
65+	70	10.6	34	2	3	10	15	19	20	25
2. MULTIPLE DX										
0-19 YRS	202	8.4	112	1	2	5	9	19	29	55
20-34	179	7.7	74	1	1	4	9	20	30	38
35-49	72	8.7	125	1	1	5	10	25	49	99+
50-64	136	12.7	229	2	3	8	14	28	52	91
65+	499	17.1	209	4	6	13	20	35	56	99+
TOTAL SINGLE DX	676	5.5	33	1	1	4	6	12	17	28
TOTAL MULTIPLE DX	1088	12.8	183	1	2	9	16	29	44	96
TOTAL										
0-19 YRS	536	6.8	71	1	1	4	7	16	23	51
20-34	344	5.7	48	1	1	3	6	12	22	34
35-49	131	6.6	80	1	1	4	7	14	25	99+
50-64	184	10.7	184	1	2	7	11	24	35	86
65+	569	16.3	193	3	5	13	19	32	47	99+
GRAND TOTAL	1764	10.0	139	1	2	6	13	23	33	80

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	330	2.3	7	<1	<1	2	3	4	5	13
20-34	435	2.3	16	<1	<1	2	3	4	5	9
35-49	205	2.3	5	<1	<1	2	3	4	5	8
50-64	198	2.8	9	<1	1	2	3	5	7	19
65+	136	4.1	23	<1	1	3	4	8	12	29
2. MULTIPLE DX										
0-19 YRS	342	4.2	88	<1	1	2	3	7	12	60
20-34	278	5.0	65	1	1	3	5	11	15	48
35-49	206	5.7	88	1	1	2	5	13	25	50
50-64	185	7.0	124	1	1	3	7	17	27	63
65+	336	11.0	195	1	1	6	14	29	47	99+
TOTAL SINGLE DX	1304	2.5	12	<1	<1	2	3	5	6	15
TOTAL MULTIPLE DX	1347	6.7	122	1	1	3	7	16	29	72
TOTAL										
0-19 YRS	672	3.2	49	<1	<1	2	3	5	8	45
20-34	713	3.3	37	<1	<1	2	3	6	10	29
35-49	411	4.0	50	<1	1	2	4	7	15	42
50-64	383	4.8	69	<1	1	2	4	10	18	45
65+	472	9.0	155	1	1	4	11	23	40	98
GRAND TOTAL	2651	4.7	72	<1	1	2	4	10	17	53

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	19.8	215	4	4	18	29	43	48	58
20-34	26	11.2	92	2	3	8	12	26	29	42
35-49	9	9.0	11	6	6	8	10	15	17	17
50-64	27	7.9	8	4	5	7	9	12	13	16
65+	54	13.9	47	5	7	13	17	23	28	40
2. MULTIPLE DX										
0-19 YRS	77	19.2	177	5	7	14	27	34	48	68
20-34	64	16.6	103	6	8	14	20	29	42	49
35-49	33	16.6	141	6	7	14	19	31	40	63
50-64	72	14.3	131	5	6	11	15	31	43	92
65+	441	20.3	273	6	7	15	24	42	75	99+
TOTAL SINGLE DX	175	14.3	121	4	4	11	18	28	41	50
TOTAL MULTIPLE DX	687	19.0	229	6	7	15	23	38	61	99+
TOTAL										
0-19 YRS	136	19.5	193	4	5	16	27	39	48	59
20-34	90	15.1	106	4	5	12	19	26	41	49
35-49	42	15.0	123	6	6	11	18	26	38	63
50-64	99	12.5	105	5	5	9	14	28	37	82
65+	495	19.6	253	6	7	15	23	40	71	99+
GRAND TOTAL	862	18.1	211	5	6	14	22	37	50	99+

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	7.5	24	2	3	6	10	14	17	24
20-34	75	10.6	46	4	5	9	13	18	21	43
35-49	62	10.0	31	4	5	9	11	19	23	29
50-64	145	10.9	26	5	6	10	13	17	22	36
65+	590	14.8	60	7	8	13	17	24	29	41
2. MULTIPLE DX										
0-19 YRS	172	16.2	166	4	5	12	21	32	42	67
20-34	255	18.6	211	5	7	14	23	36	60	99+
35-49	194	18.0	203	5	7	14	22	37	45	81
50-64	543	18.6	215	6	8	14	21	40	52	95
65+	5127	21.2	210	8	9	17	25	41	59	99+
TOTAL SINGLE DX	984	12.8	56	4	6	11	16	21	26	40
TOTAL MULTIPLE DX	6291	20.6	211	7	9	16	25	41	59	99+
TOTAL										
0-19 YRS	284	12.8	128	3	4	10	16	26	35	64
20-34	330	16.8	185	5	6	13	20	31	49	98
35-49	256	16.0	173	5	6	12	20	32	41	76
50-64	688	17.0	186	6	7	13	19	33	49	93
65+	5717	20.5	199	8	9	16	25	40	57	99+
GRAND TOTAL	7275	19.6	197	7	8	16	23	38	54	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	196	9.2	121	1	1	4	16	24	31	41
20-34	17	12.9	257	1	2	8	17	30	54	66
35-49	6	14.5	111	2	3	12	15	32	34	34
50-64	6	7.0	15	3	3	6	10	13	13	13
65+	16	8.9	38	2	2	7	14	16	21	23
2. MULTIPLE DX										
0-19 YRS	128	16.5	192	1	2	13	26	39	47	99+
20-34	31	22.3	455	4	6	12	33	55	66	88
35-49	21	17.5	337	1	2	13	21	47	66	68
50-64	27	22.0	368	2	5	14	26	47	68	80
65+	135	22.2	415	4	4	15	28	52	73	94
TOTAL SINGLE DX	241	9.5	122	1	1	4	15	24	32	43
TOTAL MULTIPLE DX	342	19.8	330	2	4	15	27	45	63	93
TOTAL										
0-19 YRS	324	12.1	162	1	1	6	20	31	39	67
20-34	48	19.0	399	2	3	10	24	51	66	88
35-49	27	16.8	283	1	2	13	20	35	65	68
50-64	33	19.2	336	2	3	13	24	43	63	80
65+	151	20.8	392	2	4	15	27	46	69	93
GRAND TOTAL	583	15.8	270	1	2	10	22	36	48	81

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	225	2.5	7	<1	1	2	3	5	7	16
20-34	178	2.6	3	<1	<1	2	4	5	7	9
35-49	110	2.7	4	<1	1	2	4	5	7	9
50-64	124	2.8	4	1	1	2	4	5	7	11
65+	87	3.3	32	1	1	2	3	7	9	37
2. MULTIPLE DX										
0-19 YRS	72	8.3	78	1	1	5	12	19	25	44
20-34	126	6.7	44	1	1	5	8	12	18	40
35-49	89	8.1	165	1	1	4	8	18	30	75
50-64	112	6.7	82	1	1	3	7	17	27	47
65+	178	7.9	112	1	1	4	9	23	35	99+
TOTAL SINGLE DX	724	2.7	9	<1	1	2	3	5	7	13
TOTAL MULTIPLE DX	577	7.5	96	1	1	4	9	17	27	56
TOTAL										
0-19 YRS	297	3.9	31	<1	1	2	4	11	15	29
20-34	304	4.3	25	<1	1	3	5	9	12	23
35-49	199	5.1	83	<1	1	3	5	8	16	51
50-64	236	4.6	45	1	1	3	5	10	17	38
65+	265	6.4	90	1	1	3	7	15	28	95
GRAND TOTAL	1301	4.8	53	1	1	3	5	10	16	45

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1011	3.1	7	1	1	2	4	6	8	16
20-34	1374	3.7	8	1	1	3	5	7	9	16
35-49	1002	4.3	8	1	1	4	5	8	10	14
50-64	764	5.0	12	1	2	4	6	9	12	18
65+	436	6.3	40	1	2	5	8	11	14	24
2. MULTIPLE DX										
0-19 YRS	545	6.2	48	1	1	4	7	13	19	31
20-34	1188	7.7	83	1	2	5	9	16	25	57
35-49	932	7.8	75	1	2	5	9	16	25	47
50-64	970	9.5	119	2	2	6	10	20	30	68
65+	1200	11.7	133	2	3	8	14	24	39	69
TOTAL SINGLE DX	4587	4.2	13	1	1	3	5	8	10	17
TOTAL MULTIPLE DX	4835	8.9	101	1	2	6	10	19	29	60
TOTAL										
0-19 YRS	1556	4.2	24	1	1	3	5	9	12	27
20-34	2562	5.8	47	1	1	4	6	11	16	43
35-49	1934	6.0	44	1	1	4	7	11	16	37
50-64	1734	7.5	77	1	2	5	8	14	22	54
65+	1636	10.3	114	2	3	7	12	21	33	66
GRAND TOTAL	9422	6.8	64	1	1	4	8	13	20	46

713: Other reduction of fracture without internal fixation, except maxillo- facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1936	2.1	6	< 1	1	1	2	4	6	16
20-34	512	3.3	10	< 1	1	2	4	7	9	18
35-49	420	3.7	17	< 1	1	2	5	8	11	16
50-64	373	3.3	15	< 1	1	2	4	6	9	17
65 +	305	4.6	50	1	1	3	5	9	12	43
2. MULTIPLE DX										
0-19 YRS	668	4.5	32	1	1	2	5	11	15	28
20-34	489	7.4	111	1	1	4	8	17	25	68
35-49	388	7.9	140	1	1	4	8	17	30	67
50-64	472	7.1	91	1	1	4	8	16	23	61
65 +	1045	10.7	142	1	2	7	14	26	39	99 +
TOTAL SINGLE DX	3546	2.8	14	< 1	1	2	3	6	8	17
TOTAL MULTIPLE DX	3062	7.9	111	1	1	4	9	19	29	70
TOTAL										
0-19 YRS	2604	2.7	14	< 1	1	1	3	6	9	20
20-34	1001	5.3	64	< 1	1	3	6	11	18	48
35-49	808	5.7	81	1	1	3	6	11	17	53
50-64	845	5.4	62	1	1	3	6	11	17	43
65 +	1350	9.3	128	1	1	5	12	23	36	99 +
GRAND TOTAL	6608	5.2	65	1	1	2	6	12	19	47

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	4.9	44	< 1	1	2	6	15	20	31
20-34	123	2.3	6	< 1	< 1	1	3	5	7	14
35-49	48	1.8	3	< 1	< 1	1	2	3	4	13
50-64	53	2.4	9	< 1	< 1	1	2	5	7	20
65 +	94	5.3	39	< 1	1	3	7	13	22	30
2. MULTIPLE DX										
0-19 YRS	71	7.9	123	1	1	4	8	18	38	54
20-34	133	7.3	93	1	1	4	8	16	23	61
35-49	63	6.7	81	< 1	1	3	7	17	22	46
50-64	78	8.1	105	< 1	1	5	10	19	28	57
65 +	219	8.9	114	1	1	6	11	22	34	99 +
TOTAL SINGLE DX	446	3.6	26	< 1	< 1	1	4	9	15	24
TOTAL MULTIPLE DX	564	8.1	106	1	1	5	10	19	30	65
TOTAL										
0-19 YRS	199	6.0	74	< 1	1	3	6	15	23	47
20-34	256	4.9	58	< 1	< 1	2	5	11	17	41
35-49	111	4.6	54	< 1	1	2	4	13	20	45
50-64	131	5.8	74	< 1	< 1	3	7	13	23	45
65 +	313	7.8	95	1	1	5	10	19	29	80
GRAND TOTAL	1010	6.1	75	<1	1	3	7	15	23	53

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	4.1	20	1	1	2	5	10	13	25
20-34	87	2.3	2	< 1	1	2	3	4	5	10
35-49	38	3.5	15	1	1	3	3	7	10	23
50-64	20	3.4	2	1	1	3	5	6	6	6
65 +	11	3.9	5	1	1	3	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	50	5.8	31	1	1	4	7	12	20	25
20-34	54	6.9	61	1	1	4	8	15	25	37
35-49	30	6.6	196	1	1	3	6	10	13	79
50-64	28	11.3	271	< 1	1	7	12	18	47	84
65 +	41	11.9	171	1	2	9	15	29	59	99 +
TOTAL SINGLE DX	229	3.2	11	1	1	2	4	7	9	19
TOTAL MULTIPLE DX	203	8.2	129	1	1	5	9	17	25	81
TOTAL										
0-19 YRS	123	4.8	26	1	1	3	6	10	15	26
20-34	141	4.0	30	< 1	1	2	4	8	12	35
35-49	68	4.8	96	1	1	3	5	8	12	69
50-64	48	8.0	172	1	1	4	8	15	20	84
65 +	52	10.2	147	1	2	7	13	19	54	99
GRAND TOTAL	432	5.6	72	1	1	3	6	12	17	58

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	271	3.8	22	< 1	< 1	2	4	9	15	25
20-34	193	2.7	8	< 1	1	2	3	5	7	18
35-49	124	3.7	59	< 1	< 1	2	3	6	12	40
50-64	62	2.8	6	< 1	< 1	2	3	6	8	13
65 +	41	9.6	77	1	1	8	14	21	29	35
2 MULTIPLE DX										
0-19 YRS	236	5.8	69	1	1	3	6	16	23	49
20-34	267	5.3	67	< 1	< 1	2	5	13	20	44
35-49	184	5.9	83	< 1	< 1	3	5	15	25	52
50-64	143	11.4	278	1	1	4	13	30	60	92
65 +	226	20.5	406	1	2	14	33	56	73	99 +
TOTAL SINGLE DX	691	3.7	29	< 1	< 1	2	4	8	14	26
TOTAL MULTIPLE DX	1056	9.6	207	< 1	1	4	11	28	45	87
TOTAL										
0-19 YRS	507	4.7	45	< 1	1	2	4	12	20	44
20-34	460	4.2	44	< 1	1	2	4	9	15	43
35-49	308	5.0	75	< 1	< 1	2	4	12	21	51
50-64	205	8.8	211	< 1	1	3	9	24	48	81
65 +	267	18.8	371	1	1	13	29	48	68	99 +
GRAND TOTAL	1747	7.3	145	<1	1	3	7	20	34	71

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	5.7	18	2	3	5	6	9	13	25
20-34	1557	6.1	16	2	3	5	7	10	13	21
35-49	2213	6.2	13	3	3	5	7	10	13	21
50-64	769	7.2	20	3	3	6	9	13	16	24
65 +	165	8.7	23	3	4	8	11	16	18	24
2. MULTIPLE DX										
0-19 YRS	28	10.9	160	3	3	7	10	23	40	63
20-34	598	8.8	43	3	4	7	10	16	23	33
35-49	1371	8.7	43	3	4	7	10	15	21	34
50-64	1185	9.7	76	3	4	8	11	17	23	50
65 +	726	14.8	147	4	5	11	17	30	40	84
TOTAL SINGLE DX	4779	6.4	16	3	3	5	8	11	14	22
TOTAL MULTIPLE DX	3908	10.2	79	3	4	8	12	19	26	53
TOTAL										
0-19 YRS	103	7.1	61	2	3	5	7	12	22	50
20-34	2155	6.8	26	3	3	6	8	12	16	29
35-49	3584	7.2	26	3	3	6	8	12	16	27
50-64	1954	8.7	56	3	4	7	10	16	20	36
65 +	891	13.7	130	4	5	10	16	27	37	76
GRAND TOTAL	8687	8.1	48	3	3	6	9	15	20	36

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	1.7	1	< 1	< 1	1	2	3	4	5
20-34	391	1.7	1	< 1	< 1	1	2	3	4	7
35-49	228	1.7	1	< 1	< 1	1	2	3	4	6
50-64	131	2.0	3	< 1	< 1	1	2	4	6	10
65 +	24	2.3	3	< 1	< 1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	154	2.1	2	< 1	< 1	1	3	4	5	7
20-34	454	2.2	3	< 1	< 1	1	3	5	6	9
35-49	378	2.2	7	< 1	< 1	1	2	4	7	10
50-64	346	2.1	4	< 1	< 1	1	2	4	5	12
65 +	207	3.3	27	< 1	1	2	3	6	12	25
TOTAL SINGLE DX	906	1.8	2	< 1	< 1	1	2	3	4	7
TOTAL MULTIPLE DX	1539	2.3	8	< 1	< 1	1	3	5	6	13
TOTAL										
0-19 YRS	286	1.9	2	< 1	< 1	1	2	4	5	7
20-34	845	2.0	3	< 1	< 1	1	2	4	5	7
35-49	606	2.0	5	< 1	< 1	1	2	4	5	9
50-64	477	2.1	4	< 1	< 1	1	2	4	5	12
65 +	231	3.2	25	< 1	1	2	3	6	12	25
GRAND TOTAL	2445	2.1	6	<1	<1	1	2	4	5	11

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	324	2.4	15	< 1	< 1	1	2	4	7	21
20-34	514	2.1	8	< 1	< 1	1	2	4	5	14
35-49	333	2.0	4	< 1	< 1	1	2	4	5	14
50-64	184	2.4	7	< 1	< 1	1	3	5	8	15
65 +	60	4.7	123	< 1	< 1	2	4	8	14	77
2. MULTIPLE DX										
0-19 YRS	245	3.5	37	< 1	< 1	1	3	7	15	37
20-34	577	2.8	22	< 1	< 1	1	3	5	8	27
35-49	393	3.9	61	< 1	< 1	2	3	7	14	48
50-64	390	5.8	111	< 1	< 1	2	5	14	26	67
65 +	277	9.2	150	1	1	3	12	27	39	50
TOTAL SINGLE DX	1415	2.3	14	< 1	< 1	1	2	4	6	17
TOTAL MULTIPLE DX	1882	4.7	75	< 1	< 1	2	4	11	21	48
TOTAL										
0-19 YRS	569	2.9	25	< 1	< 1	1	2	5	10	25
20-34	1091	2.5	16	< 1	< 1	1	2	4	7	25
35-49	726	3.0	36	< 1	< 1	1	2	5	9	39
50-64	574	4.7	81	< 1	< 1	2	4	11	18	55
65 +	337	8.4	149	< 1	1	3	10	25	38	51
GRAND TOTAL	3297	3.7	50	<1	<1	1	3	7	14	41

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	212	9.9	17	5	6	9	11	14	19	24
20-34	84	9.9	23	4	5	9	12	18	21	25
35-49	87	9.0	18	4	4	8	11	13	19	25
50-64	31	10.8	26	4	5	10	14	16	24	25
65 +	0									
2. MULTIPLE DX										
0-19 YRS	256	13.1	77	6	6	10	15	25	31	96
20-34	162	16.0	226	5	6	11	18	37	65	99 +
35-49	177	12.4	80	5	6	10	14	24	36	99 +
50-64	133	13.0	100	4	5	10	16	26	37	99 +
65 +	69	19.8	292	6	7	16	28	49	99	99 +
TOTAL SINGLE DX	414	9.8	20	4	5	9	11	15	20	25
TOTAL MULTIPLE DX	797	14.1	135	5	6	11	16	27	45	99 +
TOTAL										
0-19 YRS	468	11.6	53	6	6	10	12	22	26	60
20-34	246	13.9	165	5	5	10	15	25	44	99 +
35-49	264	11.3	63	4	5	9	12	21	32	94
50-64	164	12.6	87	4	5	10	15	24	32	93
65 +	69	19.8	292	6	7	16	28	49	99	99 +
GRAND TOTAL	1211	12.6	100	5	6	10	14	23	35	99 +

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	3.4	3	1	1	3	4	6	8	8
20-34	124	3.1	4	< 1	1	3	4	6	7	11
35-49	111	3.2	3	< 1	1	3	4	6	7	10
50-64	83	4.1	28	< 1	1	3	5	7	10	34
65 +	24	3.3	4	< 1	1	3	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	71	4.6	6	1	1	5	6	8	8	14
20-34	119	5.4	41	1	1	4	6	10	12	41
35-49	142	3.9	15	1	1	3	4	7	11	25
50-64	169	4.4	17	1	1	3	5	8	11	26
65 +	114	7.2	115	1	1	4	7	18	27	88
TOTAL SINGLE DX	387	3.4	9	< 1	1	3	4	6	8	12
TOTAL MULTIPLE DX	615	5.0	40	1	1	4	6	9	13	33
TOTAL										
0-19 YRS	116	4.1	6	1	1	4	6	7	8	12
20-34	243	4.2	24	< 1	1	3	5	8	10	29
35-49	253	3.6	11	1	1	3	4	6	9	21
50-64	252	4.3	21	1	1	3	5	8	11	27
65 +	138	6.5	98	1	1	4	7	13	26	83
GRAND TOTAL	1002	4.4	29	1	1	3	5	8	10	28

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	34	10.8	31	5	6	9	12	19	25	28
35-49	83	11.2	13	6	7	11	14	16	18	21
50-64	339	11.0	10	7	7	10	13	15	16	22
65 +	604	13.0	26	7	8	12	15	18	21	30
2. MULTIPLE DX										
0-19 YRS	6	14.8	40	9	9	13	18	25	26	26
20-34	85	14.2	93	7	8	12	16	21	30	65
35-49	169	12.4	31	7	7	11	14	19	25	38
50-64	888	13.7	55	7	8	12	16	20	28	48
65 +	2994	17.3	120	8	9	14	19	29	41	82
TOTAL SINGLE DX	1062	12.2	21	7	8	11	14	17	19	28
TOTAL MULTIPLE DX	4142	16.3	105	8	9	14	18	27	38	78
TOTAL										
0-19 YRS	8	13.6	34	9	9	11	16	24	26	26
20-34	119	13.2	78	6	7	11	15	21	29	57
35-49	252	12.0	25	7	7	11	14	18	22	34
50-64	1227	13.0	45	7	8	11	15	18	25	43
65 +	3598	16.6	107	8	9	14	18	27	38	77
GRAND TOTAL	5204	15.4	91	8	8	13	17	25	34	66

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	8.1	14	3	3	8	10	13	16	16
20-34	9	12.2	38	4	5	10	19	21	21	21
35-49	12	10.5	3	7	8	10	11	13	15	15
50-64	61	11.8	22	6	7	12	13	16	19	35
65 +	303	14.3	47	7	8	13	16	22	27	35
2. MULTIPLE DX										
0-19 YRS	17	11.6	72	3	4	10	14	20	33	39
20-34	20	13.5	155	2	5	9	13	34	44	52
35-49	27	15.1	193	4	7	11	17	25	80	99 +
50-64	201	18.4	168	7	8	14	22	36	51	95
65 +	2634	20.3	180	8	10	16	25	39	58	99 +
TOTAL SINGLE DX	395	13.6	43	7	8	12	16	21	25	35
TOTAL MULTIPLE DX	2899	20.0	180	8	9	16	24	38	56	99 +
TOTAL										
0-19 YRS	27	10.3	53	3	4	8	13	16	24	39
20-34	29	13.1	117	4	5	10	15	28	38	52
35-49	39	13.7	138	5	7	11	15	23	52	99 +
50-64	262	16.8	142	7	8	13	19	33	44	88
65 +	2937	19.7	170	8	9	16	24	37	54	99 +
GRAND TOTAL	3294	19.3	168	8	9	15	23	36	53	99 +

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	314	3.6	3	1	2	3	5	6	7	9
20-34	450	3.9	3	1	2	4	5	6	7	9
35-49	133	4.8	14	1	1	4	6	11	13	17
50-64	280	10.2	17	3	5	10	13	16	17	21
65 +	505	12.4	21	6	7	12	15	17	20	27
2. MULTIPLE DX										
0-19 YRS	310	4.0	7	1	2	4	5	6	8	18
20-34	612	4.5	12	1	2	4	5	7	9	20
35-49	258	5.9	26	1	2	4	7	12	17	27
50-64	649	12.3	48	3	6	11	15	19	24	38
65 +	2232	15.1	69	8	9	14	16	22	27	52
TOTAL SINGLE DX	1682	7.5	27	1	2	6	11	15	16	22
TOTAL MULTIPLE DX	4061	11.6	71	2	3	11	15	19	24	46
TOTAL										
0-19 YRS	624	3.8	5	1	2	4	5	6	7	12
20-34	1062	4.2	9	1	2	4	5	7	8	15
35-49	391	5.5	23	1	1	4	6	12	15	25
50-64	929	11.7	40	3	5	11	14	17	21	36
65 +	2737	14.6	61	7	9	13	16	21	26	49
GRAND TOTAL	5743	10.4	61	2	2	10	14	18	22	39

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	360	2.3	1	1	1	2	3	4	5	6
20-34	827	2.5	1	<1	1	2	3	4	5	7
35-49	427	2.4	3	<1	<1	2	3	4	5	10
50-64	288	3.0	5	<1	1	2	4	5	7	15
65+	109	4.1	10	<1	1	3	5	9	12	14
2. MULTIPLE DX										
0-19 YRS	112	2.8	12	<1	1	2	3	5	8	22
20-34	338	3.1	29	<1	1	2	4	5	7	17
35-49	381	3.0	8	<1	<1	2	4	6	8	16
50-64	529	3.9	19	1	1	3	4	8	12	24
65+	388	6.3	53	1	1	4	8	15	19	48
TOTAL SINGLE DX	2011	2.6	3	<1	1	2	3	4	5	10
TOTAL MULTIPLE DX	1748	4.0	28	<1	1	3	4	8	13	25
TOTAL										
0-19 YRS	472	2.4	4	1	1	2	3	4	5	8
20-34	1165	2.7	10	<1	1	2	3	4	5	9
35-49	808	2.7	6	<1	<1	2	3	5	6	14
50-64	817	3.6	15	<1	1	3	4	6	10	20
65+	497	5.8	45	1	1	4	7	13	17	43
GRAND TOTAL	3759	3.3	15	<1	1	2	4	6	9	19

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	4.3	64	<1	<1	2	5	8	14	45
20-34	156	3.9	13	<1	<1	3	5	10	12	18
35-49	111	3.0	8	<1	<1	2	4	6	9	16
50-64	68	2.2	5	<1	<1	1	2	5	7	[illegible]
65+	44	3.8	11	<1	<1	3	5	10	11	[illegible]
2. MULTIPLE DX										
0-19 YRS	282	7.0	65	1	2	4	8	14	22	52
20-34	151	8.2	136	<1	1	5	9	16	33	57
35-49	158	7.3	114	1	1	4	8	15	31	57
50-64	170	7.6	107	<1	<1	4	9	19	30	56
65+	157	8.7	109	<1	1	6	10	19	27	66
TOTAL SINGLE DX	557	3.6	28	<1	<1	2	4	8	11	18
TOTAL MULTIPLE DX	918	7.7	101	<1	1	5	9	17	28	56
TOTAL										
0-19 YRS	460	5.9	67	<1	1	4	7	12	18	52
20-34	307	6.0	79	<1	<1	4	7	11	17	50
35-49	269	5.6	75	<1	<1	3	6	11	17	50
50-64	238	6.1	84	<1	<1	2	7	15	25	53
65+	201	7.6	92	<1	<1	5	9	17	23	56
GRAND TOTAL	1475	6.1	77	<1	<1	4	7	13	20	52

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	157	1.9	3	<1	<1	1	2	3	5	12
20-34	151	2.0	6	<1	<1	1	2	4	7	17
35-49	132	1.7	2	<1	<1	1	2	3	5	8
50-64	108	2.5	6	<1	<1	1	3	5	8	13
65+	49	3.1	8	<1	1	2	4	8	10	12
2. MULTIPLE DX										
0-19 YRS	72	7.5	151	<1	<1	3	9	19	28	65
20-34	86	6.3	71	<1	<1	3	8	18	24	41
35-49	110	6.9	152	<1	<1	2	5	21	31	85
50-64	186	8.0	103	<1	1	4	10	19	26	72
65+	243	11.3	180	1	1	7	14	29	44	99+
TOTAL SINGLE DX	597	2.1	5	<1	<1	1	2	4	6	12
TOTAL MULTIPLE DX	697	8.7	142	<1	1	4	12	22	34	77
TOTAL										
0-19 YRS	229	3.7	57	<1	<1	1	3	8	13	46
20-34	237	3.6	34	<1	<1	1	3	9	16	34
35-49	242	4.1	77	<1	<1	1	3	8	21	69
50-64	294	6.0	75	<1	<1	3	7	15	21	47
65+	292	9.9	161	1	1	5	13	26	41	90
GRAND TOTAL	1294	5.7	90	<1	<1	2	6	15	23	64

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.3	35	<1	<1	1	2	13	18	18
20-34	26	1.8	1	<1	<1	1	2	4	4	4
35-49	36	1.9	2	<1	<1	1	2	4	5	8
50-64	85	1.8	1	<1	<1	1	2	3	4	10
65+	74	1.5		<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	14	6.1	90	<1	1	3	5	14	32	37
35-49	41	3.7	24	<1	<1	2	4	8	13	28
50-64	85	3.6	84	<1	<1	2	3	5	9	63
65+	117	2.2	4	<1	1	2	3	4	6	12
TOTAL SINGLE DX	229	1.8	3	<1	<1	1	2	3	4	9
TOTAL MULTIPLE DX	261	3.1	39	<1	1	2	3	5	9	36
TOTAL										
0-19 YRS	12	2.8	23	<1	<1	1	2	7	16	18
20-34	40	3.3	35	<1	<1	2	3	5	11	37
35-49	77	2.9	15	<1	<1	2	3	7	8	24
50-64	170	2.7	44	<1	<1	1	2	4	6	33
65+	191	2.0	3	<1	1	1	2	3	5	9
GRAND TOTAL	490	2.5	22	<1	<1	1	2	4	6	19

295 Hospitals, Northeastern Region, January-December 1987, by Operation

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	1.7	1	<1	<1	1	2	3	4	8
20-34	275	1.7	1	<1	<1	1	2	3	4	6
35-49	118	1.7	1	<1	<1	1	2	3	4	7
50-64	56	1.5		<1	<1	1	2	3	3	5
65+	11	2.8	12	<1	<1	2	3	8	13	13
2. MULTIPLE DX										
0-19 YRS	178	2.3	5	<1	1	2	3	4	6	15
20-34	316	2.5	9	<1	1	2	3	4	8	18
35-49	147	2.3	4	<1	1	2	3	4	7	10
50-64	95	3.4	22	<1	1	2	3	8	13	25
65+	43	5.1	151	<1	1	2	4	10	14	80
TOTAL SINGLE DX	624	1.7	1	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	779	2.7	17	<1	1	2	3	5	8	20
TOTAL										
0-19 YRS	342	2.0	4	<1	<1	1	2	4	5	10
20-34	591	2.2	6	<1	1	2	2	4	5	15
35-49	265	2.0	3	<1	<1	1	2	4	5	9
50-64	151	2.7	15	<1	<1	1	3	5	11	24
65+	54	4.6	123	<1	1	2	4	10	13	78
GRAND TOTAL	1403	2.2	10	<1	<1	1	2	4	6	15

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	2.2	2	<1	1	2	3	4	6	8
20-34	238	2.6	3	<1	1	2	3	5	6	9
35-49	269	2.9	6	<1	1	2	4	6	8	13
50-64	204	3.0	6	<1	1	3	4	5	6	9
65+	76	3.9	9	<1	1	3	5	7	9	19
2. MULTIPLE DX										
0-19 YRS	69	4.5	58	<1	1	2	4	9	24	39
20-34	177	3.5	17	1	1	3	5	7	9	13
35-49	237	4.0	26	<1	1	3	4	8	10	26
50-64	308	4.5	15	1	1	3	6	9	12	20
65+	232	7.3	66	1	2	5	9	15	23	52
TOTAL SINGLE DX	885	2.8	5	<1	1	2	4	5	7	10
TOTAL MULTIPLE DX	1023	4.9	35	1	1	3	5	9	14	33
TOTAL										
0-19 YRS	167	3.1	27	<1	1	2	3	6	9	32
20-34	415	3.0	10	<1	1	2	4	6	7	10
35-49	506	3.4	16	<1	1	3	4	7	9	17
50-64	512	3.9	13	<1	1	3	5	7	10	19
65+	308	6.5	55	1	2	4	7	13	20	47
GRAND TOTAL	1908	3.9	22	<1	1	3	4	8	10	26

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	279	3.2	11	1	1	2	4	5	7	16
20-34	215	3.0	6	1	1	2	4	6	7	13
35-49	217	2.8	4	1	1	2	3	5		12
50-64	102	3.5	8	<1	1	3	4	6	7	19
65+	55	4.7	14	1	1	4	6	9	10	22
2. MULTIPLE DX										
0-19 YRS	366	3.7	17	<1	1	3	4	7	11	23
20-34	154	6.0	83	1	1	3	5	15	33	57
35-49	119	6.3	114	1	1	4	5	13	33	83
50-64	117	5.8	53	1	1	3	7	12	15	46
65+	98	9.4	140	1	2	6	10	22	45	83
TOTAL SINGLE DX	868	3.2	8	1	1	2	4	6	7	15
TOTAL MULTIPLE DX	854	5.4	65	1	1	3	5	11	19	52
TOTAL										
0-19 YRS	645	3.5	15	<1	1	3	4	6	10	20
20-34	369	4.2	41	1	1	3	4	8	13	39
35-49	336	4.0	46	1	1	3	4	6	11	48
50-64	219	4.7	34	1	1	3	5	9	13	32
65+	153	7.7	100	1	1	5	9	15	28	65
GRAND TOTAL	1722	4.3	38	1	1	3	5	8	12	40

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.4		<1	<1	1	2	3	3	4
20-34	55	1.9	3	<1	1	1	2	4	6	12
35-49	35	1.7	1	<1	<1	1	2	3	3	6
50-64	22	2.6	13	<1	1	1	2	5	11	18
65+	19	1.8	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
0-19 YRS	30	4.2	20	1	1	2	5	10	14	21
20-34	69	4.4	28	1	1	3	5	11	16	26
35-49	59	4.6	38	1	1	3	5	10	21	94
50-64	62	9.4	199	1	1	3	11	32	49	62
65+	74	8.0	172	1	1	4	12	15	25	99+
TOTAL SINGLE DX	162	1.8	4	<1	<1	1	2	3	5	12
TOTAL MULTIPLE DX	294	6.4	106	1	1	3	7	15	25	82
TOTAL										
0-19 YRS	61	2.8	12	<1	1	2	3	5	10	20
20-34	124	3.3	19	<1	1	2	3	6	14	25
35-49	94	3.5	27	<1	1	2	4	7	13	72
50-64	84	7.6	159	1	1	3	7	18	39	61
65+	93	6.8	143	1	1	3	8	15	24	99
GRAND TOTAL	456	4.8	74	<1	1	2	4	12	18	56

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	5	1.6		< 1	< 1	2	2	2	2	2
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	2	12.0	32	8	8	12	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	4	12.0	161	1	1	12	23	23	23	23
20-34	9	7.9	26	3	3	6	12	16	18	18
35-49	3	4.3	6	2	2	4	6	7	7	7
50-64	1	7.0		7	7	7	7	7	7	7
65 +	8	6.8	16	1	2	6	9	13	14	14
TOTAL SINGLE DX	12	4.6	18	< 1	1	3	6	10	15	16
TOTAL MULTIPLE DX	25	7.7	39	1	1	6	10	18	23	23
TOTAL										
0-19 YRS	5	11.0	126	1	1	7	23	23	23	23
20-34	11	7.2	24	3	3	5	11	15	18	18
35-49	8	2.6	4	< 1	< 1	2	3	6	7	7
50-64	3	5.0	4	3	3	5	6	7	7	7
65 +	10	7.8	21	1	2	7	10	15	16	16
GRAND TOTAL	37	6.7	34	1	1	5	8	16	21	23

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.0		< 1	< 1	2	3	3	3	3
20-34	18	4.0	6	1	1	4	6	8	8	8
35-49	14	6.6	36	< 1	1	4	11	14	19	21
50-64	22	10.3	361	1	2	4	11	24	54	89
65 +	20	5.3	18	1	1	4	9	12	13	13
2. MULTIPLE DX										
0-19 YRS	18	5.2	110	1	1	2	4	10	32	46
20-34	34	12.9	103	1	3	11	16	25	35	45
35-49	153	16.6	168	3	4	14	23	36	54	99 +
50-64	433	18.6	241	3	4	14	26	39	52	83
65 +	780	18.2	216	3	4	14	24	38	52	83
TOTAL SINGLE DX	86	6.0	108	< 1	1	3	7	12	15	68
TOTAL MULTIPLE DX	1418	17.9	218	2	4	14	24	38	52	88
TOTAL										
0-19 YRS	30	3.9	67	< 1	< 1	2	3	6	11	46
20-34	52	9.8	88	1	1	7	14	21	33	45
35-49	167	15.7	165	2	3	12	22	35	53	99 +
50-64	455	18.2	250	2	3	14	25	38	52	89
65 +	800	17.9	216	2	4	14	23	38	52	82
GRAND TOTAL	1504	17.2	219	2	3	13	23	37	51	88

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	12.0	92	5	5	7	17	28	28	28
50-64	4	17.5	171	10	10	12	25	37	37	37
65 +	6	14.3	29	10	10	13	14	24	25	25
2. MULTIPLE DX										
0-19 YRS	4	35.3	851	7	7	29	54	76	76	76
20-34	20	25.0	345	7	8	18	40	60	88	99 +
35-49	71	30.0	382	8	10	27	44	68	74	99 +
50-64	227	32.0	402	9	11	27	48	69	92	99 +
65 +	663	27.9	392	8	9	22	39	66	93	99 +
TOTAL SINGLE DX	17	13.5	75	5	6	11	14	27	34	37
TOTAL MULTIPLE DX	985	29.0	396	8	10	24	41	68	92	99 +
TOTAL										
0-19 YRS	5	29.6	798	7	7	26	43	76	76	76
20-34	21	24.1	344	6	7	17	40	57	87	99 +
35-49	76	28.8	382	7	9	25	42	68	74	99 +
50-64	231	31.7	402	9	11	27	47	68	92	99 +
65 +	669	27.8	391	8	9	22	39	66	93	99 +
GRAND TOTAL	1002	28.7	395	8	10	23	41	68	92	99 +

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.7	12	4	4	8	10	11	11	11
20-34	3	7.0	4	5	5	7	8	9	9	9
35-49	0									
50-64	2	11.5	61	6	6	11	17	17	17	17
65 +	4	16.8	141	6	6	16	27	28	28	28
2. MULTIPLE DX										
0-19 YRS	5	11.0	51	5	5	10	14	23	23	23
20-34	8	17.1	203	2	3	12	24	40	46	46
35-49	22	25.4	677	5	6	14	37	71	88	95
50-64	102	29.7	537	7	8	23	45	79	98	99 +
65 +	762	22.1	297	6	7	18	32	60	99 +	99 +
TOTAL SINGLE DX	12	11.2	66	4	5	8	14	27	28	28
TOTAL MULTIPLE DX	899	23.0	337	6	7	18	33	62	97	99 +
TOTAL										
0-19 YRS	8	9.8	36	4	4	9	11	19	23	23
20-34	11	14.4	166	2	4	9	20	35	45	46
35-49	22	25.4	677	5	6	14	37	71	88	95
50-64	104	29.4	534	7	8	22	45	79	98	99 +
65 +	768	22.1	297	6	7	18	32	60	99 +	99 +
GRAND TOTAL	911	22.8	335	6	7	18	33	62	97	99 +

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	9.3	56	2	2	9	15	17	17	17
20-34	3	4.7	16	< 1	< 1	4	8	9	9	9
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	0									
65 +	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
0-19 YRS	5	7.4	37	2	2	4	13	15	15	15
20-34	16	15.6	129	4	5	12	17	35	41	43
35-49	43	24.2	366	3	4	20	32	65	75	99 +
50-64	178	25.6	341	6	9	21	34	56	70	99 +
65 +	239	26.2	329	8	9	21	32	57	78	99 +
TOTAL SINGLE DX	9	7.9	44	< 1	1	5	11	19	20	20
TOTAL MULTIPLE DX	481	25.2	333	5	8	20	32	56	75	99 +
TOTAL										
0-19 YRS	8	8.1	38	2	2	6	14	16	17	17
20-34	19	13.9	127	2	4	11	16	34	39	43
35-49	45	23.3	366	3	4	20	32	63	73	99 +
50-64	178	25.6	341	6	9	21	34	56	70	99 +
65 +	240	26.2	328	8	9	21	32	57	78	99 +
GRAND TOTAL	490	24.9	333	5	8	20	32	56	74	99 +

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.8	7	< 1	< 1	3	7	8	8	8
20-34	17	2.7	4	< 1	1	2	4	7	7	7
35-49	4	4.0	36	1	1	1	7	13	13	13
50-64	3	6.7	2	5	5	7	8	8	8	8
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-19 YRS	9	4.3	10	< 1	< 1	4	7	9	10	10
20-34	11	12.9	189	1	2	8	15	39	40	40
35-49	16	6.4	17	1	2	5	9	14	14	14
50-64	4	8.8	45	2	2	7	13	18	18	18
65 +	3	1.3		< 1	< 1	1	2	2	2	2
TOTAL SINGLE DX	37	3.5	9	< 1	< 1	2	6	7	8	13
TOTAL MULTIPLE DX	43	7.5	70	< 1	1	5	10	14	25	40
TOTAL										
0-19 YRS	21	4.0	9	< 1	< 1	3	7	8	9	10
20-34	28	6.7	99	1	1	3	7	15	38	40
35-49	20	5.9	21	1	1	5	9	13	14	14
50-64	7	7.9	24	2	3	7	8	16	18	18
65 +	4	1.3		< 1	< 1	1	1	2	2	2
GRAND TOTAL	80	5.6	45	<1	1	4	7	13	15	39

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	3.1	23	< 1	1	2	3	5	16	20
20-34	16	2.6	6	< 1	< 1	2	3	6	9	11
35-49	12	5.6	48	< 1	1	2	7	17	23	24
50-64	9	7.8	78	< 1	< 1	5	8	22	30	30
65 +	8	6.1	44	< 1	< 1	4	10	17	18	18
2. MULTIPLE DX										
0-19 YRS	10	3.4	3	1	1	3	5	6	7	7
20-34	19	7.0	85	1	1	6	7	13	29	42
35-49	30	13.4	374	1	1	7	17	25	70	87
50-64	49	13.4	276	1	2	7	17	29	40	97
65 +	133	16.6	237	2	3	13	20	41	48	72
TOTAL SINGLE DX	60	4.6	36	< 1	< 1	2	5	12	19	29
TOTAL MULTIPLE DX	241	14.2	250	1	2	9	18	34	46	86
TOTAL										
0-19 YRS	25	3.2	15	< 1	1	2	4	5	10	20
20-34	35	5.0	53	< 1	1	2	6	11	13	42
35-49	42	11.1	291	< 1	1	5	16	21	46	87
50-64	58	12.5	248	1	1	6	16	29	37	94
65 +	141	16.0	232	1	3	12	19	39	47	71
GRAND TOTAL	301	12.3	222	1	1	7	16	30	42	78

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	12.5	41	8	8	12	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	29.0		29	29	29	29	29	29	29
50-64	2	16.5	41	12	12	16	21	21	21	21
65 +	6	10.3	36	1	2	13	16	83	99 +	99 +
TOTAL SINGLE DX	4	9.3	34	3	3	8	13	17	17	17
TOTAL MULTIPLE DX	9	13.8	67	1	3	14	21	64	99 +	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	2	19.0	200	9	9	19	29	29	29	29
50-64	3	12.0	81	3	3	12	19	21	21	21
65 +	8	10.9	32	1	3	13	16	67	99 +	99 +
GRAND TOTAL	13	12.4	58	1	3	13	17	36	86	99 +

295 Hospitals, Northeastern Region, January-December 1987, by Operation

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-6										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIE (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	1.4		< 1	< 1	1	2	2	3	5
20-34	235	1.5	1	< 1	< 1	1	2	3	4	6
35-49	625	1.8	1	< 1	< 1	1	2	4	5	7
50-64	573	2.2	3	< 1	< 1	2	3	4	6	9
65 +	373	2.6	4	< 1	< 1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	19	1.5		< 1	< 1	1	2	3	4	4
20-34	142	3.0	20	< 1	< 1	2	3	5	10	30
35-49	647	2.8	13	< 1	< 1	2	3	5	9	23
50-64	945	4.3	66	< 1	< 1	2	4	9	16	66
65 +	1275	6.5	83	1	1	3	8	16	23	61
TOTAL SINGLE DX	1887	2.0	3	< 1	< 1	1	2	4	5	8
TOTAL MULTIPLE DX	3028	4.8	62	< 1	< 1	2	5	11	19	53
TOTAL										
0-19 YRS	100	1.4	1	< 1	< 1	1	2	3	3	4
20-34	377	2.1	9	< 1	< 1	1	2	4	6	17
35-49	1272	2.3	8	< 1	< 1	1	3	4	6	13
50-64	1518	3.5	44	< 1	< 1	2	3	7	12	36
65 +	1648	5.6	68	< 1	1	3	6	14	21	56
GRAND TOTAL	4915	3.8	41	<1	<1	2	4	8	14	35

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.8	1	< 1	< 1	1	2	3	5	6
20-34	19	2.0	1	< 1	< 1	2	3	4	5	5
35-49	35	4.2	3	1	2	4	5	6	8	8
50-64	52	4.3	8	1	1	4	5	8	11	13
65 +	73	4.6	4	1	1	5	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	11	4.1	5	1	2	3	5	8	8	8
35-49	69	5.0	20	1	2	4	5	9	10	30
50-64	103	5.6	15	1	2	5	7	10	13	22
65 +	293	8.6	81	2	3	6	10	19	29	99 +
TOTAL SINGLE DX	194	4.0	6	1	1	4	5	7	8	12
TOTAL MULTIPLE DX	479	7.3	59	2	2	5	8	16	22	90
TOTAL										
0-19 YRS	18	1.7	2	< 1	< 1	1	2	3	5	6
20-34	30	2.8	4	< 1	1	2	3	5	8	8
35-49	104	4.7	14	1	2	4	5	8	10	25
50-64	155	5.2	13	1	2	4	6	9	12	22
65 +	366	7.8	69	2	2	6	8	17	25	99 +
GRAND TOTAL	673	6.3	46	1	2	5	7	11	19	64

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	46	5.3	4	2	3	5	6	8	9	12
35-49	339	5.2	3	3	3	5	6	7	8	10
50-64	602	5.5	5	3	3	5	6	8	9	13
65 +	507	5.8	6	3	3	6	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	0									
20-34	74	6.2	14	3	3	5	7	9	11	27
35-49	548	5.9	9	3	3	5	7	9	10	17
50-64	1203	6.5	15	3	3	6	7	10	12	21
65 +	2178	7.6	27	3	4	6	8	11	16	33
TOTAL SINGLE DX	1495	5.5	5	3	3	5	7	8	9	13
TOTAL MULTIPLE DX	4003	7.0	22	3	4	6	8	10	14	27
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	120	5.8	11	3	3	5	7	9	11	22
35-49	887	5.6	7	3	3	5	7	8	9	15
50-64	1805	6.1	12	3	3	5	7	9	11	20
65 +	2685	7.2	24	3	4	6	8	11	15	30
GRAND TOTAL	5498	6.6	18	3	4	6	7	10	12	24

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	240	2.1	1	<1	1	2	3	4	4	6
20-34	475	2.3	2	<1	1	2	3	4	4	6
35-49	311	2.2	1	<1	1	2	3	4	5	8
50-64	136	2.6	3	<1	1	2	3	5	5	12
65+	32	2.8	3	1	1	2	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	96	2.6	2	1	1	2	3	4	5	9
20-34	324	2.8	8	1	1	2	3	5	6	12
35-49	511	3.1	26	1	1	2	4	5	7	15
50-64	327	3.3	17	1	1	3	4	6	8	14
65+	109	5.5	50	1	1	3	5	14	24	71
TOTAL SINGLE DX	1194	2.3	2	<1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1367	3.2	20	1	1	2	4	5	8	19
TOTAL										
0-19 YRS	336	2.2	2	1	1	2	3	4	5	7
20-34	799	2.5	5	<1	1	2	3	4	5	8
35-49	822	2.8	17	1	1	2	3	5	6	12
50-64	463	3.1	13	1	1	2	3	5	8	13
65+	141	4.8	41	1	1	3	5	10	19	55
GRAND TOTAL	2561	2.8	12	1	1	2	3	5	6	14

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	454	2.2	2	<1	1	2	3	4	5	7
20-34	950	2.2	2	1	1	2	3	4	5	8
35-49	142	2.3	3	<1	1	2	3	4	5	9
50-64	21	3.6	7	1	1	3	5	8	9	10
65+	8	6.3	45	2	2	3	9	18	20	20
2. MULTIPLE DX										
0-19 YRS	70	2.5	3	1	1	2	3	5	7	8
20-34	218	3.5	46	1	1	2	3	6	9	18
35-49	51	3.6	19	1	1	2	4	6	11	27
50-64	41	3.6	18	1	1	3	4	7	11	25
65+	13	4.2	13	1	1	3	7	21	82	99+
TOTAL SINGLE DX	1575	2.3	3	<1	1	2	3	4	5	9
TOTAL MULTIPLE DX	393	3.3	31	1	1	2	4	6	9	22
TOTAL										
0-19 YRS	524	2.2	2	<1	1	2	3	4	5	8
20-34	1168	2.5	11	1	1	2	3	4	5	11
35-49	193	2.6	8	<1	1	2	3	5	5	17
50-64	62	3.6	14	1	1	3	4	7	10	23
65+	21	5.0	25	1	1	3	7	15	52	99+
GRAND TOTAL	1968	2.5	9	1	1	2	3	4	6	12

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	351	2.1	19	<1	<1	1	2	4	6	10
20-34	328	2.4	11	<1	<1	1	3	5	7	14
35-49	317	2.2	7	<1	<1	1	2	4	6	14
50-64	254	2.2	8	<1	<1	1	2	4	8	14
65+	144	3.7	28	<1	<1	2	4	9	15	29
2. MULTIPLE DX										
0-19 YRS	210	5.4	68	<1	<1	2	6	15	24	99+
20-34	316	7.9	124	<1	1	4	9	20	31	76
35-49	431	7.4	110	<1	<1	4	9	20	30	79
50-64	537	8.4	108	<1	1	5	11	20	27	59
65+	1067	12.1	172	1	1	8	16	29	41	99+
TOTAL SINGLE DX	1394	2.4	14	<1	<1	1	2	5	7	15
TOTAL MULTIPLE DX	2561	9.5	140	<1	1	6	12	24	35	89
TOTAL										
0-19 YRS	561	3.3	40	<1	<1	1	3	7	12	46
20-34	644	5.1	74	<1	<1	2	5	12	21	55
35-49	748	5.2	74	<1	<1	2	6	14	22	59
50-64	791	6.4	85	<1	<1	3	8	15	24	49
65+	1211	11.1	163	<1	1	7	15	27	39	99
GRAND TOTAL	3955	7.0	107	<1	<1	3	9	18	28	70

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	905	3.8	18	<1	1	2	5	8	12	21
20-34	978	4.0	20	<1	1	3	5	8	11	22
35-49	595	4.4	17	<1	1	3	6	9	12	20
50-64	368	5.1	28	<1	1	3	6	12	17	26
65+	299	6.4	46	<1	1	4	8	14	18	42
2. MULTIPLE DX										
0-19 YRS	1874	6.0	71	1	1	3	7	14	23	50
20-34	2934	6.9	97	1	1	4	8	16	26	66
35-49	2156	11.1	187	1	1	7	14	28	43	91
50-64	2515	13.1	201	1	2	9	16	32	47	99+
65+	5209	17.7	303	2	3	12	24	47	71	99+
TOTAL SINGLE DX	3145	4.4	23	<1	1	3	5	9	13	23
TOTAL MULTIPLE DX	14688	12.3	219	1	1	7	16	33	50	99+
TOTAL										
0-19 YRS	2779	5.3	56	<1	1	3	6	12	19	43
20-34	3912	6.2	80	1	1	3	7	14	21	57
35-49	2751	9.7	159	1	1	5	11	24	38	84
50-64	2883	12.1	187	1	2	8	15	29	44	96
65+	5508	17.0	296	2	3	12	23	45	70	99+
GRAND TOTAL	17833	10.9	194	1	1	6	14	29	45	99+

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	5.6	47	< 1	1	3	7	11	22	38
20-34	91	7.8	111	< 1	1	3	9	20	26	57
35-49	63	6.9	53	< 1	< 1	4	11	15	19	38
50-64	50	7.5	70	1	1	4	12	18	23	37
65 +	49	9.1	64	1	1	6	14	19	25	38
2. MULTIPLE DX										
0-19 YRS	131	15.8	294	1	1	10	20	40	48	84
20-34	211	16.4	283	1	1	11	22	39	49	93
35-49	217	17.0	227	1	2	13	23	38	54	99 +
50-64	243	18.6	300	2	3	13	26	40	57	90
65 +	552	22.8	290	2	5	19	32	49	65	99 +
TOTAL SINGLE DX	354	7.1	71	< 1	1	4	9	17	24	39
TOTAL MULTIPLE DX	1354	19.4	289	1	3	16	27	43	60	99 +
TOTAL										
0-19 YRS	232	11.4	212	1	1	6	15	27	42	70
20-34	302	13.8	247	1	1	9	19	34	46	85
35-49	280	14.7	206	1	1	11	20	31	50	94
50-64	293	16.7	278	1	2	12	23	39	51	86
65 +	601	21.7	286	2	4	18	31	48	63	99 +
GRAND TOTAL	1708	16.9	269	1	2	12	24	40	53	98

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.9	35	< 1	< 1	2	3	9	22	26
20-34	63	3.0	11	< 1	1	2	4	6	10	18
35-49	46	4.0	26	< 1	< 1	2	6	9	12	31
50-64	23	2.9	7	< 1	< 1	2	4	6	9	12
65 +	7	2.0	7	< 1	< 1	1	1	7	8	8
2. MULTIPLE DX										
0-19 YRS	36	10.4	347	1	1	4	9	52	74	99 +
20-34	77	11.0	194	1	1	5	15	33	44	58
35-49	48	15.3	301	1	1	8	21	49	58	99 +
50-64	71	10.6	168	1	1	6	18	24	32	74
65 +	104	20.5	474	1	1	13	38	62	87	99 +
TOTAL SINGLE DX	183	3.4	20	< 1	< 1	2	4	8	11	26
TOTAL MULTIPLE DX	336	14.4	323	1	1	7	21	46	62	99 +
TOTAL										
0-19 YRS	80	6.8	184	< 1	1	2	5	20	41	93
20-34	140	7.4	127	1	1	3	7	21	33	54
35-49	94	9.8	197	< 1	1	4	11	31	49	68
50-64	94	8.7	140	< 1	1	4	12	22	28	63
65 +	111	19.4	465	1	1	10	36	62	84	99 +
GRAND TOTAL	519	10.5	244	<1	1	4	13	33	50	99 +

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.93; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	167	1.8	2	< 1	< 1	1	2	4	4	9
20-34	143	2.1	5	< 1	< 1	1	2	4	5	10
35-49	174	1.7	1	< 1	< 1	1	2	4	5	7
50-64	145	1.6	1	< 1	1	1	2	3	5	6
65 +	50	1.9	9	< 1	< 1	1	2	3	4	22
2. MULTIPLE DX										
0-19 YRS	113	2.7	5	< 1	< 1	2	3	6	8	11
20-34	130	3.9	37	< 1	1	2	4	8	9	27
35-49	229	4.6	50	< 1	1	3	5	9	17	52
50-64	235	4.9	64	1	1	3	6	10	18	49
65 +	225	12.0	198	1	1	8	17	39	73	99 +
TOTAL SINGLE DX	679	1.8	3	< 1	< 1	1	2	3	5	8
TOTAL MULTIPLE DX	932	6.1	94	1	1	3	7	16	25	99 +
TOTAL										
0-19 YRS	280	2.2	4	< 1	< 1	1	3	4	7	10
20-34	273	2.9	22	< 1	< 1	2	3	6	8	17
35-49	403	3.3	32	< 1	1	2	4	7	9	36
50-64	380	3.7	43	< 1	1	2	4	7	14	36
65 +	275	10.2	179	1	1	6	15	27	65	99 +
GRAND TOTAL	1611	4.3	60	<1	1	2	4	9	17	68

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.0	5	1	1	1	2	6	7	7
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	8	1.8	1	1	1	1	2	4	4	4
50-64	4	2.5	5	1	1	2	4	6	6	6
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-19 YRS	17	3.5	10	< 1	1	2	4	7	12	14
20-34	10	7.0	66	1	1	3	10	21	26	26
35-49	9	4.2	5	1	1	5	6	7	7	7
50-64	16	7.4	34	1	1	6	12	14	19	21
65 +	35	14.2	212	1	3	11	18	23	40	81
TOTAL SINGLE DX	24	1.9	3	< 1	1	1	2	4	6	7
TOTAL MULTIPLE DX	87	9.0	120	1	1	6	12	20	23	67
TOTAL										
0-19 YRS	24	3.0	9	< 1	1	2	4	7	9	14
20-34	14	5.5	53	1	1	3	5	17	24	26
35-49	17	3.1	5	1	1	2	5	7	7	7
50-64	20	6.5	32	1	1	5	10	14	18	21
65 +	36	13.8	212	1	2	11	17	23	40	81
GRAND TOTAL	111	7.5	103	1	1	4	10	17	21	58

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	2.5	8	< 1	1	2	2	5	7	18
20-34	1169	2.5	9	1	1	1	2	6	9	15
35-49	1629	2.6	10	1	1	1	2	6	9	16
50-64	750	2.7	10	< 1	1	1	2	7	10	17
65 +	204	2.5	16	1	1	1	2	5	8	16
2. MULTIPLE DX										
0-19 YRS	73	3.9	[illegible]	1	1	2	4	12	15	22
20-34	673	4.5	34	1	1	2	6	11	15	30
35-49	1141	4.3	31	1	1	2	5	11	15	27
50-64	1063	5.8	69	1	1	2	8	14	20	48
65 +	860	8.4	112	1	1	5	11	19	25	60
TOTAL SINGLE DX	3842	2.6	10	1	1	1	2	6	9	16
TOTAL MULTIPLE DX	3810	5.7	63	1	1	2	7	14	19	38
TOTAL										
0-19 YRS	163	3.1	14	< 1	1	2	3	7	13	18
20-34	1842	3.3	19	1	1	2	3	8	12	20
35-49	2770	3.3	19	1	1	2	3	8	12	22
50-64	1813	4.5	48	1	1	2	5	11	16	33
65 +	1064	7.3	100	1	1	3	10	18	23	56
GRAND TOTAL	7652	4.1	39	1	1	2	5	10	15	29

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	3.7	24	1	1	2	4	11	14	26
20-34	90	3.5	14	1	1	2	4	7	11	20
35-49	109	3.3	22	1	1	2	3	7	14	26
50-64	158	3.6	24	1	1	2	4	8	11	25
65 +	141	3.4	16	1	1	2	4	9	10	20
2. MULTIPLE DX										
0-19 YRS	49	6.9	81	1	1	3	8	18	29	44
20-34	122	5.2	30	1	1	3	8	11	16	29
35-49	264	6.8	57	1	1	4	9	15	21	44
50-64	690	6.2	42	1	1	4	8	14	18	34
65 +	1161	7.0	62	1	1	5	9	14	20	40
TOTAL SINGLE DX	543	3.5	20	1	1	2	4	8	11	21
TOTAL MULTIPLE DX	2286	6.6	55	1	1	4	9	14	19	40
TOTAL										
0-19 YRS	94	5.3	56	1	1	2	6	12	24	40
20-34	212	4.5	25	1	1	3	6	10	15	23
35-49	373	5.8	50	1	1	3	8	13	18	41
50-64	848	5.7	40	1	1	3	7	13	18	31
65 +	1302	6.6	58	1	1	4	9	14	19	36
GRAND TOTAL	2829	6.0	50	1	1	3	8	13	18	35

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	8	1.9		1	1	2	2	2	2	2
50-64	9	2.6	3	1	1	2	3	5	7	7
65 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	[illegible]	7	7	7
20-34	7	3.6	6	2	2	2	4	8	9	9
35-49	142	4.3	[illegible]	2	2	[illegible]	5	10	12	17
50-64	351	4.5	15	2	2	2	6	10	12	16
65 +	277	6.3	55	2	2	3	8	13	18	41
TOTAL SINGLE DX	22	2.2	1	1	1	2	2	3	5	7
TOTAL MULTIPLE DX	778	5.1	30	2	2	2	7	11	14	27
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	9	3.3	5	2	2	2	4	7	9	9
35-49	150	4.1	13	2	2	2	5	10	12	17
50-64	360	4.4	15	2	2	2	6	10	12	16
65 +	280	6.3	55	2	2	3	8	13	18	41
GRAND TOTAL	800	5.0	30	2	2	2	7	11	14	27

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	3.2	12	<1	1	2	4	8	12	17
20-34	338	5.1	42	1	1	3	7	10	13	23
35-49	377	4.8	21	1	1	3	7	10	12	22
50-64	464	3.9	12	1	1	2	6	10	11	14
65+	423	4.1	16	1	1	2	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	122	6.7	149	<1	1	3	7	15	24	77
20-34	434	7.5	57	1	1	6	10	14	19	38
35-49	949	7.1	38	1	2	6	10	14	18	26
50-64	2175	6.8	40	1	1	5	9	14	17	33
65+	4042	8.5	69	1	1	7	11	17	22	50
TOTAL SINGLE DX	1721	4.3	22	1	1	2	7	10	12	18
TOTAL MULTIPLE DX	7722	7.8	59	1	1	6	10	16	20	41
TOTAL										
0-19 YRS	241	5.0	85	<1	1	2	4	11	16	54
20-34	772	6.5	53	1	1	5	9	13	16	30
35-49	1326	6.4	35	1	1	5	9	13	16	26
50-64	2639	6.3	37	1	1	5	9	13	16	31
65+	4465	8.1	66	1	1	7	11	17	22	49
GRAND TOTAL	9443	7.2	54	1	1	6	10	15	19	38

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5112	3.8	34	1	1	2	4	7	10	34
20-34	8233	3.7	15	1	1	3	4	7	9	19
35-49	4930	4.3	18	1	1	3	5	9	11	22
50-64	3427	5.0	22	1	1	4	6	10	12	20
65+	2691	6.1	28	1	2	5	8	12	15	28
2. MULTIPLE DX										
0-19 YRS	7779	5.9	70	1	1	3	6	12	19	46
20-34	12746	6.0	52	1	1	4	7	11	18	40
35-49	14107	6.9	51	1	2	5	8	13	18	38
50-64	23717	7.9	57	2	2	6	10	15	20	43
65+	65536	10.6	101	2	3	8	13	20	30	67
TOTAL SINGLE DX	24393	4.3	23	1	1	3	5	9	11	24
TOTAL MULTIPLE DX	123885	8.9	84	2	2	6	11	17	25	56
TOTAL										
0-19 YRS	12891	5.1	57	1	1	3	5	10	16	43
20-34	20979	5.1	39	1	1	3	6	10	14	34
35-49	19037	6.2	44	1	1	4	8	12	17	34
50-64	27144	7.6	54	2	2	6	9	14	19	41
65+	68227	10.4	99	2	3	8	12	20	29	66
GRAND TOTAL	148278	8.1	77	1	2	6	10	16	23	52

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4392	3.9	24	1	1	3	4	6	11	29
20-34	1363	5.8	29	1	1	4	7	12	16	29
35-49	1275	6.8	38	1	2	5	8	12	16	32
50-64	872	6.3	33	1	2	5	8	11	15	27
65+	686	8.0	63	1	2	6	10	15	19	46
2. MULTIPLE DX										
0-19 YRS	5531	6.5	83	1	2	4	6	14	23	55
20-34	2768	8.4	78	1	2	6	10	18	26	49
35-49	3258	8.7	77	2	2	6	10	17	25	51
50-64	5264	9.6	87	2	3	7	11	18	27	54
65+	14570	12.3	137	3	3	9	14	25	37	84
TOTAL SINGLE DX	8588	5.2	33	1	1	3	6	11	15	30
TOTAL MULTIPLE DX	31391	10.1	113	2	2	7	12	21	31	66
TOTAL										
0-19 YRS	9923	5.3	59	1	1	3	5	11	18	46
20-34	4131	7.6	64	1	2	5	9	16	22	42
35-49	4533	8.2	67	1	2	6	10	15	23	46
50-64	6136	9.1	81	2	2	7	11	17	26	51
65+	15256	12.1	135	3	3	9	14	25	36	83
GRAND TOTAL	39979	9.0	100	1	2	6	11	19	28	61

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.6; 99.8-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3700	3.4	26	<1	1	2	4	6	8	22
20-34	3193	3.2	21	<1	<1	2	3	6	8	22
35-49	2137	4.1	19	1	1	3	5	8	11	24
50-64	1937	4.5	15	1	1	3	6	9	11	19
65 +	1707	5.3	19	1	2	4	7	10	12	23
2. MULTIPLE DX										
0-19 YRS	8283	6.3	94	1	1	3	6	13	23	66
20-34	5237	5.6	52	1	1	3	6	12	18	40
35-49	7985	6.0	46	1	1	4	7	12	16	38
50-64	16601	6.8	46	1	2	5	8	13	18	36
65 +	43424	9.0	79	2	3	7	11	17	24	55
TOTAL SINGLE DX	12674	3.9	22	<1	1	3	5	7	10	23
TOTAL MULTIPLE DX	81530	7.8	71	1	2	5	9	15	22	50
TOTAL										
0-19 YRS	11983	5.4	75	1	1	3	5	10	18	58
20-34	8430	4.7	42	<1	1	3	5	9	15	35
35-49	10122	5.6	41	1	1	4	7	11	15	35
50-64	18538	6.6	43	1	2	5	8	12	17	34
65 +	45131	8.9	77	2	2	7	11	17	24	54
GRAND TOTAL	94204	7.3	66	1	2	5	9	14	21	48

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29; 37.79
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1987 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
211	angina
165	aortic aneurysm
338	pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	elective
256	illegal
258	missed
256	self-induced
257	spontaneous
255	therapeutic
259	threatened
	Abscess
210	anal
312	bone
292	digit
188	mouth
188	salivary gland
291	skin and subcutaneous tissue, except digit
188	tongue
81	Acidosis, except diabetic
72	diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
	Alcohol
107	abuse
104	dependence
107	intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis

Group No.	Title
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
90	Alzheimer's dementia
1	Amebiasis
140	AMI
340	Amnesia
	Amputation, traumatic
372	lower limb
371	upper limb
79	Amyloidosis
210	Anal abscess, fissure, fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	aplastic
82	iron deficiency
267	of pregnancy
269	with delivery
83	sickle cell
166	Aneurysm, except aorta
165	aorta
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	central nervous system
320	circulatory system
323	digestive system, except cleft palate and lip, and pyloric stenosis
319	ear
319	eye
327	generalized
325	genitourinary system, except undescended testis and urethral stenosis
320	heart

DIAGNOSIS INDEX (continued)

Group No. Title
Anomaly, congenital **(continued)**
317 musculoskeletal system, except clubfoot
323 respiratory system
340 Anorexia, except nervosa
111 nervosa
140 Anterior wall infarction
101 Anxiety reaction or neurosis, except depression
102 depression
165 Aortic aneurysm
Aortic valve disease-*see Valvular disease*
128 Aphakia
84 Aplastic anemia
199 Appendicitis, except acute
197 acute, without peritonitis
198 with peritonitis
199 recurrent
148 Arrhythmia, heart
168 Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
Arteriosclerosis
163 cerebral
143 coronary
164 lower limb
Arteriosclerotic
151 cardiovascular disease
91 dementia or psychosis
143 heart disease
164 vascular disease
299 Arthritis, except osteo- and rheumatoid
298 osteo-, except spine
303 spine
299 pyogenic
297 rheumatoid, except spine
302 spine
339 Ascites
151 ASCVD
143 ASHD

Group No. Title
183 Asthma
183 Asthmatic bronchitis
Atherosclerosis-*see Arteriosclerosis*
147 Atrial fibrillation and flutter
76 Avitaminosis

145 Bacterial endocarditis
234 Bacteriuria, except in pregnancy
266 in pregnancy
287 with delivery
311 Baker's cyst
235 Benign prostatic hyperplasia (BPH)
234 Bladder disease, except calculus and cystitis
48 Blast cell leukemia
Bleeding
251 menopausal
251 postmenopausal
250 uterine, dysfunctional
221 Blind loop syndrome
129 Blindness
148 Block, heart
332 Bloody nose
313 Bone disease, except osteomyelitis and osteoarthritis
123 Borderline glaucoma
1 Botulism
67 Bowen's disease
235 BPH
242 Breast disease, except fibrocystic
241 fibrocystic
183 Bronchial asthma
174 Bronchiolitis, acute
181 Bronchitis
174 acute
181 chronic
179 Bronchopneumonia
6 Brucellosis

DIAGNOSIS INDEX (continued)

Group No.	Title
376	Bruise, except eye and orbit
375	eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	third degree
309	Bursitis
	Calculus
217	bile duct, except cystic
231	bladder
215	cystic bile duct
215	gallbladder
228	renal
188	salivary gland
229	ureter
231	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	cervix
148	Cardiac arrest
390	postoperative
150	Cardiomyopathy
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	diabetic
124	senile
221	Celiac disease
	Cellulitis
292	digit
291	skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis

Group No.	Title
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
	Chemical
340	diabetes mellitus
385	poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis
212	alcoholic
213	biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
	Colic
215	biliary
337	renal
208	Colitis, except mucous and ulcerative
211	mucous
211	ulcerative
296	Collagen disease, NOS

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Coma, except diabetic and hepatic
72	diabetic
214	hepatic
11	Common warts
	Complication of
390	amputation stump
387	cardiac pacemaker
	drugs-*see Effect, adverse*
387	grafts
387	internal orthopedic device
391	medical care, except drugs
387	prosthesis, any
390	surgery, not elsewhere classified
387	transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	eye and orbit
329	Convulsions, except epileptic
116	epileptic
184	COPD
	Coronary
143	artery disease
142	insufficiency, except chronic
143	chronic
140	occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	chest
377	limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	mouth
243	ovarian
293	pilonidal
121	retinal
294	sebaceous
311	synovial
	Cystic
241	breast
218	duct remnant
77	fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
12	Cytomegalic inclusion disease
134	Deafness
295	Decubitus
	Deficiency
112	mental
76	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
316	musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	acute or subacute
	Delivery, complicated by:
278	abnormality, bony pelvis
272	abruptio placentae
287	acute toxemia

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Delivery, complicated by: **(continued)**
  - 276 breech presentation
  - 278 cephalopelvic disproportion
  - 287 complication, not elsewhere classified
  - 287 eclampsia
  - 278 fetopelvic disproportion
  - 287 hypertensive disorder
  - 277 malpresentation, except breech
  - 275 multiple fetation
  - placenta
    - 272 abruptio
    - 271 previa
  - 287 pre-eclampsia
  - premature
    - 282 rupture of membranes
    - 272 separation of placenta
  - 281 previous cesarean section
  - 279 prolonged labor, not otherwise specified
  - 287 toxemia
  - 279 uterine inertia
- 270 Delivery, normal or uncomplicated
- Dementia
  - 90 Alzheimer's
  - 91 arteriosclerotic
  - 90 presenile
  - 90 senile
- Dependence
  - 104 alcoholic
  - 106 amphetamine
  - 106 barbiturate
  - 106 cocaine
  - 105 heroin
  - 106 LSD
  - 106 marijuana
  - 105 methadone
  - 105 morphine
  - 105 opioid

Group No. **Title**

- 111 Depression, except neurotic, postpartum, and psychotic
  - 102 neurotic
  - 267 postpartum
  - 98 psychotic
- Depressive
  - 102 neurosis
  - 98 psychosis
  - 102 reaction
- 301 Derangement, joint except knee
  - 300 knee joint
- 295 Dermatitis
- 15 Dermatomycosis
- 121 Detachment of retina
- 175 Deviated nasal septum
- Diabetes mellitus
  - 340 chemical
  - 71 uncomplicated
  - 73 uncontrolled
- Diabetic complications
  - 72 acidosis
  - 73 cataract
  - 73 circulatory disorder
  - 72 coma
  - 73 gangrene
  - 73 nephropathy
  - 73 neuropathy
  - 73 retinopathy
  - 73 ulcer
- Dialysis
  - 397 peritoneal
  - 397 renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
  - 211 functional
  - 1 infectious
- 6 Diphtheria

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease
199	appendix, except acute appendicitis
151	arteriosclerotic cardiovascular
168	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	arthropod-borne
79	autoimmune, except AIDS
12	AIDS
6	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	biliary ducts
234	bladder, except calculus and cystitis
313	bone, except osteomyelitis and osteoarthritis
242	breast, except fibrocystic
241	fibrocystic
221	celiac
	central nervous system
7	enteroviral
113	inflammatory, except enteroviral
117	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
136	chronic rheumatic heart
296	connective tissue, diffuse
143	coronary artery
211	Crohn's
75	Cushing's
12	cytomegalic inclusion
187	dental
209	diverticular
196	duodenum, except ulcer and inflammatory
134	ear, except inflammatory and otosclerosis
145	endocarditis, bacterial
75	endocrine, except ovary, thyroid, and diabetes mellitus
189	esophagus
129	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
	Disease (continued)
	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment (continued)
128	inflammatory, except lacrimal tract
252	fallopian tube, except endometriosis
316	fascia
252	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	gallbladder
252	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
138	hypertensive
143	ischemic, except infarction and angina pectoris
136	rheumatic, chronic
150	other, except arrhythmia and bacterial endocarditis
86	hematopoietic, except anemia, hemophilia, and leukemia
328	hemolytic, newborn
12	HIV infection (AIDS)
46	Hodgkin's
137	hypertensive, except heart and renal
138	heart
139	renal
17	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	infectious
143	ischemic heart, except acute infarction and angina pectoris
187	jaw
301	joint, except internal derangement, ruptured disc, and sacroiliac
306	sacroiliac
230	kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	lacrimal tract, inflammation
188	lip

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
214	liver, except infectious and serum hepatitis, and cirrhosis
186	lung, except pneumonia, obstructive, and pneumothorax
184	obstructive, except asthma, bronchitis, and emphysema
240	male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	mouth, except dental
117	muscle, except deformity
120	nervous system, except CNS and sciatica
184	obstructive lung, except asthma, bronchitis, and emphysema
252	ovary, except endometriosis
	Paget's
313	bone
32	breast
219	pancreas
252	parametrium, except endometriosis
17	parasitic, except helminthiasis
114	Parkinson's
244	pelvic inflammatory
196	peptic
328	perinatal
120	peripheral nervous system, except sciatica
211	peritoneum
186	pleura
236	prostate, except hypertrophy
186	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	rheumatic
135	active
136	chronic
188	salivary gland
83	sickle-cell
295	skin, except infective, pilonidal and sebaceous cysts
196	stomach, except ulcer and inflammatory
187	teeth
316	tendon, except tenosynovitis
	Disease (continued)
188	tongue
340	undiagnosed
186	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	ureter, except calculus
234	urethra, except calculus and stricture
14	venereal
12	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	with exanthem
359	Dislocation, joint, except knee and shoulder
358	knee
357	shoulder
	Disorder
111	behavior
81	electrolyte
79	immunodeficiency, except AIDS
12	AIDS
250	menstruation, except metrorrhagia
103	personality
109	psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	lumbar
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
	Diverticulum
189	esophagus
209	intestine
	Drug
108	abuse, except alcohol
106	dependence, except opioid
105	opioid
93	induced psychosis
384	poisoning or overdose
93	withdrawal syndrome or symptoms

DIAGNOSIS INDEX (continued)

Group No.	Title
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
	Dysfunction
74	ovarian
317	somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
102	Dysthymia
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	with delivery
254	Ectopic pregnancy
	Effect, adverse
386	drugs, not otherwise specified
384	overdose or wrong substance given or taken
386	external conditions
385	nonmedical substance
386	radiation
386	temperature
268	Elderly primigravida
287	with delivery
	Elective
255	abortion
392	sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	arterial, except cerebral and precerebral
	cerebral
158	without paralysis
159	with paralysis

Group No.	Title
	Embolism **(continued)**
167	lower limb
	precerebral
156	without paralysis
157	with paralysis
144	pulmonary, except postoperative
390	postoperative
172	vein
182	Emphysema
113	Encephalitis, except viral
12	viral
18	late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	bacterial
208	noninfectious
211	regional
1	viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	follow-up
298	medical

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Failure
  - 149 heart
    - 390 postoperative
  - 225 renal, except chronic
    - 224 chronic
  - 186 respiratory (acute)
- 340 Fainting
- 263 False labor
- Fever
  - 135 active rheumatic
  - 330 of undetermined origin (FUO)
  - 1 paratyphoid
  - 288 puerperal
  - 4 scarlet
  - 1 typhoid
  - 12 yellow
- Fibrillation or flutter
  - 147 atrial
  - 148 ventricular
- Fibrocystic disease
  - 241 breast
  - 77 pancreas
- 56 Fibroma, uterus
- 16 Filariasis
- 210 Fissure, anal
- 210 Fistula, anal
- 128 Flat anterior chamber
- 1 Food poisoning
- 379 Foreign body in body orifice, except eye
  - 378 in eye
- Fracture
  - 354 ankle
  - 349 arm, except upper
    - 348 upper
  - 354 bimalleolar
  - 350 carpal
  - 355 clavicle

Group No. **Title**

- Fracture **(continued)**
  - 349 Colles'
  - 343 face bone
  - 352 femur, except upper end
    - 351 upper end
  - 353 fibula, except lateral malleolus
  - 350 finger
  - 354 foot
  - 350 hand
  - 398 healed, aftercare, except removal of fixation device
    - 396 removal of fixation device
  - 351 hip
  - 348 humerus
  - 354 knee
  - 354 lateral malleolus
  - 353 leg, lower, except ankle and upper
    - 352 upper, except hip
  - 343 mandible
  - 354 medial malleolus
  - 350 metacarpal
  - 354 metatarsal
  - 356 multiple bones
  - 343 nose
  - 354 patella
  - 347 pelvis
  - 349 radius
  - 346 rib
  - 355 scapula
  - skull
    - 342 base
    - 341 vault
  - spine
    - 344 without cord injury
    - 345 with cord injury
  - 346 sternum
  - 354 tarsal
  - 346 thorax

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
353	tibia
354	toe
354	trimalleolar
349	ulna
	vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	gas
	Gastric ulcer-*see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	infectious
208	noninfectious
1	viral
220	Gastrointestinal hemorrhage
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	acute
122	closed-angle
122	open-angle
222	Glomerulonephritis, except acute
223	acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	bone marrow

Group No.	Title
116	Grand mal epilepsy
268	Grand multiparity
392	without pregnancy
268	Habitual aborter
252	without pregnancy
310	Hallux valgus or varus, except congenital
327	congenital
310	Hammer toe
331	Headache, except migraine and tension
118	migraine
111	tension
398	Healed fracture aftercare, except removal of fixation device
396	removal of fixation device
	Heart
140	attack
149	failure
390	postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma-*see also Contusion*
388	postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	hereditary
328	newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	antepartum, except early
260	early
172	blood vessel, spontaneous
250	dysfunctional uterine
220	gastrointestinal
	intracerebral, except subarachnoid
155	with paralysis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hemorrhage (continued)
	intracerebral, except subarachnoid (continued)
154	without paralysis
258	postabortal
388	postoperative wound
274	postpartum, except delayed or secondary
289	delayed or secondary
260	pregnancy, early
289	puerperal, after 24 hours
	subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	chronic
9	infectious
9	serum
9	viral
	Hernia
205	abdominal, except inguinal
206	with complication
204	diaphragmatic
206	with complication
205	femoral
206	with complication
204	hiatal
206	with complication
203	incisional
206	with complication
200	inguinal
206	with complication
203	postoperative
206	with complication
202	umbilical
206	with complication
203	ventral
206	with complication

Group No.	Title
105	Heroin dependence or addiction
8	Herpes simplex
18	late effect
8	Herpes zoster
18	late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	with delivery
139	renal
139	renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Ill-defined conditions
328	Immaturity of newborn
79	Immunodeficiency disorder, except AIDS
12	AIDS
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
140	Infarction, acute myocardial
	Infection
232	bladder
312	bone
246	cervix
227	kidney, except nephritis, nephrosis, and acute pyelonephritis
6	meningococcal
389	postoperative wound
288	puerperal, major
292	skin and subcutaneous tissue, except cellulitis and abscess
173	upper respiratory, except streptococcal
234	urinary tract
266	in pregnancy
247	uterine, except cervix
247	vaginal
247	vulvar
389	wound, postoperative
10	Infectious mononucleosis
	Infertility
252	female
240	male
	Inflammation
113	central nervous system
129	eye, except lacrimal tract
127	lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication

Group No.	Title
	Inguinal hernia (continued)
201	with complication
	Injury
328	birth
373	blood vessel
377	crush, except abdomen and chest
367	abdomen
366	chest
365	head, except concussion
367	internal, except chest
366	chest
358	knee ligament or meniscus
374	late effect
363	musculoskeletal, except back and sacroiliac region
362	back
361	sacroiliac region
382	nerve
386	radiation
374	late effect
382	spinal cord
376	superficial
	Insufficiency
	heart valve-*see Valvular disease*
186	respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ischemic
163	cerebrovascular disease, generalized
143	heart disease, except acute or subacute
142	acute or subacute, except infarction
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	abdominal wall
371	arm
370	back
365	cerebral
370	chest
368	eye
371	hand
369	head, except eye
372	leg
372	lower limb
370	multiple sites
369	neck
285	perineum, in delivery, except first and second degree
284	first and second degree
370	trunk
371	upper limb
212	Laennec's cirrhosis
255	Legal abortion
48	Leukemia, except lymphocytic
	Leukemia, except lymphocytic **(continued)**
47	lymphocytic
214	Liver disease, except infectious and serum hepatitis and cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia and obstructive
179	pneumonia
184	obstructive
88	Lymphadenitis, except acute and mesenteric
292	acute
87	mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
242	Mastitis, except puerperal
290	puerperal
8	Measles
18	late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	tuberculous
7	viral
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	bladder
53	bone
63	brain
55	breast
52	bronchus
50	buccal cavity
57	cervix
53	connective tissue
51	digestive

Group No.	Title
	Neoplasm, benign **(continued)**
65	endocrine, except thyroid
62	eye
	genitalia
59	female, except uterus and ovary
60	male
61	kidney
52	larynx
52	lung
53	muscle
63	nervous system
58	ovary
50	pharynx
60	prostate
52	respiratory
60	scrotum
54	skin
52	thymus
64	thyroid
61	ureter
61	urethra
61	urinary
57	uterus, except fibroma
56	fibroma
59	vagina
59	vulva
	Neoplasm, malignant
44	adrenal gland
39	bladder
29	bone
42	brain
32	breast
27	bronchus
19	buccal cavity
43	cerebral meninges
33	cervix uteri
23	colon

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
29	connective tissue
44	endocrine glands
20	esophagus
41	eye
36	fallopian tube
	genitalia
36	female, except uterus and ovary
38	male, except prostate
45	ill-defined sites
25	intestine, except colon and rectum
23	large, except rectum
22	small
40	kidney
23	large intestine, except rectum
27	lung
49	lymphatic, except Hodgkin's disease
45	metastatic
19	mouth
43	nervous system, except brain
35	ovary
26	pancreas
19	pharynx
44	pituitary gland
36	placenta
37	prostate
24	rectum
28	respiratory system, except bronchus and lung
38	scrotum
45	secondary
31	skin, except genitalia
22	small intestine
43	spinal cord and meninges
21	stomach
44	thyroid gland
40	ureter
40	urethra

Group No.	Title
	Neoplasm, malignant **(continued)**
40	urinary tract, except bladder
34	uterus, except cervix
36	vagina
36	vulva
68	Neoplasm, uncertain behavior or unspecified type, any site
222	Nephritis, except acute
223	acute
222	Nephrosis, except tubular
225	tubular
222	Nephropathy, except diabetic
73	diabetic
315	Neuralgia, except sciatic and trigeminal
307	sciatic
120	trigeminal
315	Neuritis, except median and sciatic
119	median
307	sciatic
120	Neuroma, except amputation stump
390	amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	anxiety
109	cardiac
102	depressive
	Nevus
54	skin
327	vascular
	Newborn, hospital
394	multiple
393	single term
394	twin
	Newborn, nonhospital
395	multiple
395	single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia

DIAGNOSIS INDEX (continued)

Group No. Title

- 128 Nystagmus

- 78 Obesity
- 268 Obstructed labor
  - 280 with delivery
- Obstruction
  - 218 bile duct, except calculus
  - 207 intestinal, except postoperative
    - 390 postoperative
  - 172 portal vein
  - 172 vena cava
- 184 Obstructive pulmonary disease, not otherwise specified (COPD)
- Occlusion
  - 158 cerebral, without paralysis
    - 159 with paralysis
  - 156 precerebral, without paralysis
    - 157 with paralysis
- 122 Open-angle glaucoma
- 105 Opioid dependence or addiction
- 128 Optic atrophy
- 238 Orchitis
- Organic brain syndrome
  - 89 acute
  - 90 Alzheimer's dementia
  - 91 arteriosclerotic
  - 89 transient
- 298 Osteoarthritis
  - 298 hip
  - 298 knee
  - 303 spinal
- 312 Osteomyelitis
- 317 Osteopathic somatic dysfunction
- Otitis media
  - 130 chronic and unspecified
  - 131 acute
- 133 Otosclerosis

Group No. Title

- Ovarian
  - 243 cyst
  - 252 disease, except endometriosis
  - 74 dysfunction
  - 254 pregnancy
- 74 Ovary, polycystic
- 384 Overdose, drug

- Paget's disease-*see Disease, Paget's*
- Pain
  - 338 abdominal
  - 335 chest
  - 253 female genital organ
  - 331 head
  - 335 precordial
- 219 Pancreatic disease
- 128 Papilledema
- 114 Paralysis agitans
- 207 Paralytic ileus
- 100 Paranoia, except schizophrenic
  - 94 schizophrenia
- 114 Parkinsonism
- 146 Paroxysmal atrial or supraventricular tachycardia
- 17 Pediculosis
- Peptic ulcer-*see Ulcer, peptic*
- 189 Perforation, esophagus
- 397 Peritoneal dialysis treatment
- 211 Peritonitis, except in appendicitis
  - 198 in appendicitis
- 84 Pernicious anemia
- 6 Pertussis
- 314 Pes planus
- 116 Petit mal epilepsy
- 240 Peyronie's disease
- 239 Phimosis
- 169 Phlebitis
- 244 PID

DIAGNOSIS INDEX (continued)

Group No.	Title
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
17	Pneumocystosis
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	spontaneous
366	traumatic
385	Poisoning, except food and drug
384	drug
1	food
7	Poliomyelitis
18	late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	secondary
268	Polyhydramnios
287	with delivery
	Polyp
211	anal
68	bladder
252	cervix
211	intestinal
178	laryngeal
176	nasal
211	rectal
176	sinus
178	vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
	Postoperative wound
390	dehiscence
388	hemorrhage
389	infection
	Postpartum
290	complication, not elsewhere classified
267	depression
269	with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	ectopic
254	ovarian
268	post-term
287	with delivery
254	tubal
398	undelivered
268	Premature rupture of membranes
282	with delivery
328	Prematurity of newborn
253	Premenstrual tension
90	Presenile dementia or psychosis
	Prolapse
128	iris
248	uterovaginal
236	Prostatic disease, except hypertrophy
235	hypertrophy
	Proteinuria
340	except postural

DIAGNOSIS INDEX (continued)

Group No.	Title
	Proteinuria (continued)
223	postural or orthostatic
	Psychogenic
109	diarrhea
109	hyperventilation
109	paralysis
109	vomiting
116	Psychomotor epilepsy
100	Psychosis
92	alcoholic
90	Alzheimer's
91	arteriosclerotic
98	depressive
93	drug-induced
99	manic-depressive
89	organic, acute or transient
90	chronic, except arteriosclerotic
90	senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
	Pulmonary
144	embolism
182	emphysema
1	tuberculosis
	valve disease-*see Valvular disease*
227	Pyelitis, except acute
226	acute
227	Pyelonephritis, except acute
226	acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash

Group No.	Title
	Reaction
101	anxiety
102	depressive
386	drug, not elsewhere classified
391	transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
	Renal
228	calculus
397	dialysis treatment
225	failure, except chronic
224	chronic
139	hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	cyst
121	detachment
121	hemorrhage
121	tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	spine
13	Rickettsiosis
8	Rubella
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
	Rupture
172	blood vessel
305	intervertebral disc, except lumbar
304	lumbar disc
243	ovarian cyst
268	uterus
290	postpartum
286	with delivery
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute episode
95	acute episode
97	childhood
94	paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	puerperal
5	Septicemia
288	puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	anaphylactic, except due to drug
386	due to drug
333	nontraumatic
390	postoperative
383	traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
	Spontaneous
257	abortion
185	pneumothorax
363	Sprain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
322	pyloric, congenital
233	urethral, except congenital
325	congenital
392	Sterilization, elective

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	paroxysmal, except atrial
146	atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	medial meniscus, current injury
300	old
121	retinal
309	Tenosynovitis, except spine
308	spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	migrans
	Thrombosis
167	arterial, except cerebral and precerebral
158	cerebral, without paralysis
159	with paralysis
172	portal vein
156	precerebral, without paralysis
157	with paralysis
172	vein
70	Thyroid disease, except nodule or goiter
69	nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	chemotherapy
397	dialysis
398	physical therapy
398	radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
120	Trigeminal neuralgia

DIAGNOSIS INDEX (continued)

Group No.	Title
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	bone
18	late effect
2	lung
3	nonrespiratory
2	respiratory
13	Typhus
	Ulcer
192	duodenal
193	with hemorrhage or perforation
194	with obstruction
190	gastric
191	with hemorrhage or perforation
194	with obstruction
192	gastrojejunal
193	with hemorrhage or perforation
194	with obstruction
192	peptic, except gastric
193	with hemorrhage or perforation
194	with obstruction
295	skin
170	varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
4	streptococcal
225	Uremia, except chronic
224	chronic
	Ureteral
230	disease, except calculus
229	calculus

Group No.	Title
	Urethral
230	disease, except calculus
229	calculus
234	disease, except calculus and stricture
231	calculus
233	stenosis, except congenital
325	congenital
233	stricture, except congenital
325	congenital
234	Urethritis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
	Uterine
57	fibroma
248	prolapse
128	Uveitis
247	Vaginitis, except atrophic and senile
251	atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	nonrheumatic
136	rheumatic
172	Varices, esophagus
170	Varicose veins of lower extremities
314	Varus deformity, limb
	Veneral
14	disease
11	wart
308	Vertebrogenic pain syndrome
340	Vertigo
	Viral
12	encephalitis
18	late effect
1	gastroenteritis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Viral (continued)
9	hepatitis
7	meningitis
18	late effect
11	wart
	Vitreous
128	abscess
128	prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	alcohol
93	drug
	Wound
390	dehiscence
	infection
389	postoperative
383	posttraumatic
	open-*see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	cervix
732	finger
737	foot
733	forearm
733	hand
737	hip
736	leg, above knee
735	below knee
739	revision (any site)
732	thumb
734	toe
733	upper arm
	Anastomosis
617	bile duct
581	blood vessel
617	gallbladder
601	intestine
609	rectum
757	Angiocardiography, except coronary vessels
756	coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	cardiac vessels
755	cerebral vessels
581	Angioplasty, except coronary
575	coronary artery
581	percutaneous transluminal, except coronary
	Angioplasty, except coronary **(continued)**
	percutaneous transluminal, except coronary (continued)
575	coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	incidental
	Arteriography
757	aorta
755	cerebral
756	coronary
757	femoral
755	head
756	heart
757	renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	hip, except total replacement
722	total replacement
724	knee
699	temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	insemination
690	rupture of membranes for delivery
	Aspiration
752	breast, except for biopsy
742	biopsy
741	bursa
682	cul-de-sac

OPERATION INDEX (continued)

Group No.	Title
	Aspiration (continued)
677	curettage, uterus, except for termination of pregnancy
674	termination of pregnancy
651	hydrocele, except of spermatic cord
656	spermatic cord
632	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
537	middle ear
546	nasal sinus
663	ovary
752	skin
656	spermatocele
529	vitreous
	Augmentation
745	breast
699	chin
	Balloon
581	angioplasty, except coronary
575	coronary
571	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
638	bladder, except transurethral approach
637	transurethral approach
705	bone, except facial
698	facial
586	bone marrow
501	brain
742	breast
563	bronchus
501	cerebral meninges
668	cervix
597	colon
597	duodenum

Group No.	Title
	Biopsy (continued)
668	endocervical
588	esophagus
532	eyeball
517	eyelid
666	fallopian tubes
597	intestine (large) (small)
719	joint structure
632	kidney
597	large intestine
558	larynx
552	lip
615	liver
565	lung
582	lymph nodes
570	mediastinum
	meninges
501	cerebral
507	spinal
727	muscle
543	nose
532	orbit
660	ovary, except by aspiration
663	aspiration
618	pancreas
658	penis
508	peripheral nerve
626	peritoneum
556	pharynx
570	pleura
650	prostate
606	rectum
651	scrotum
747	skin
597	small intestine
507	spinal meninges
654	testes

OPERATION INDEX (continued)

Group No. Title

- Biopsy (continued)
  - 514 thyroid
  - 552 tongue
  - 559 trachea
  - 635 ureter
  - 670 uterine ligaments
  - 670 uterus
  - 552 uvula
  - 682 vagina
  - 558 vocal cord
  - 683 vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery
- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 aortocoronary
  - 578 blood vessels (systemic)
  - 572 coronary
  - 596 gastric
  - 572 heart
  - 579 heart-lung
  - 601 intestine
  - 596 stomach
  - 634 urinary

- 763 Cancer chemotherapy
- Cardiac
  - 573 catheterization
  - 576 electrophysiologic stimulation studies

Group No. Title

- Cardiac (continued)
  - 764 function tests
  - 576 mapping studies
  - massage
    - 763 closed
    - 575 open
  - 574 pacemaker insertion or replacement
  - 575 revascularization, except coronary bypass
    - 572 coronary bypass
  - 764 stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 intracapsular
- Catheterization
  - 647 bladder, except suprapubic approach
    - 638 suprapubic approach
  - 581 blood vessel
  - 573 cardiac
  - 512 spinal canal (for infusion of agents)
  - 645 ureteral
  - 647 urethral, indwelling
  - 587 vein, except umbilical
    - 581 umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 low cervical
- 717 Chemonucleolysis
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn

OPERATION INDEX (continued)

Group No.	Title
	Closure
617	cholecystostomy
601	colostomy
	fistula-*see Fistulectomy*
596	gastric anastomosis
601	sigmoidostomy
570	thoracostomy
635	ureterostomy
640	urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	surgical approach (transabdominal)
602	Colostomy, except loop
600	loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
760	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
638	bladder
581	blood vessel
569	chest
627	laparotomy site
544	nose, except by anterior packing
557	anterior packing
569	pleura
581	postoperative, not elsewhere classified
650	prostate
590	stomach
556	tonsil
521	Corneal transplant
572	Coronary bypass
760	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	burn (skin)
705	fracture, except of skull
503	skull
752	nail, nail bed, nail fold
748	skin (infection) (wound)
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
690	artificial rupture of membranes
688	breech extraction
692	cesarean section, except low cervical
691	low cervical
689	forceps, except low forceps
687	low forceps
689	internal and combined version
751	Dermabrasion

OPERATION INDEX (continued)

Group No.	Title
601	Derotation, intestine
580	Dialysis, except peritoneal
629	peritoneal
	Dilation
638	bladder (neck)
635	ureteral meatus
645	ureterovesical orifice
641	urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	closed
715	open
702	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
726	fascia. except of hand
728	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage-*see also incision (and drainage)*
647	bladder, except surgical approach
638	surgical approach (suprapubic)
569	chest
537	middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
579	ECMO (extracorporeal membrane oxygenation)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
617	biliary tract
636	bladder
567	bronchus
619	colon, except surgical approach
609	surgical approach (transabdominal)
682	cul-de-sac, except for tubal ligation
664	tubal ligation
589	esophagus
589	gastric, except surgical approach
596	surgical approach (transabdominal)
647	ileal conduit
576	larynx
628	peritoneum
557	pharynx
609	small intestine
589	stomach, except surgical approach
596	surgical approach (transabdominal)
570	thorax, transpleural
636	urethra
679	uterus
686	vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	low forceps
689	other forceps
544	Epistaxis control, except by anterior packing
557	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac

OPERATION INDEX (continued)

Group No. **Title**

- 618 ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
  - 617 biliary tract
- 763 Erythrocytapheresis
- 588 Esophagectomy
- 589 Esophagoscopy, except surgical approach
  - 619 surgical approach
- 588 Esophagotomy
- 508 ESWL (extracorporeal shock wave lithotripsy)
- 613 Evacuation, hemorrhoids
- Evisceration
  - 532 eyeball
  - 673 pelvic
- Examination
  - 764 eye
  - 764 general physical
  - 764 gynecologic
  - 764 pelvic
  - 761 psychiatric
- 763 Exchange transfusion, except intrauterine
  - 696 intrauterine
- Excision-*see also Excision of lesion (and destruction of tissue)*
  - 610 anal fistula
  - 727 Baker's cyst
  - 705 bone, except facial
    - 699 facial, except partial
      - 698 partial
  - 556 branchial cleft cyst
  - 704 bunion
  - 517 chalazion, eyelid
  - 599 colon
  - 665 fallopian tubes, bilateral, except endoscopic approach
    - 664 endoscopic approach
  - 670 fibroid, uterine
  - 616 gallbladder
  - 508 ganglion, except of tendon
    - 727 tendon (of hand)

Group No. **Title**

- Excision (continued)
  - 612 hemorrhoids
  - hydrocele
    - 679 round ligament
    - 656 spermatic cord
    - 651 tunica vaginalis
  - 717 intervertebral disc or cartilage
  - 719 joint, except intervertebral disc and cartilage of knee
    - 717 intervertebral disc
    - 718 knee cartilage
  - 631 kidney, except partial
    - 632 partial
  - 718 knee cartilage (semilunar)
  - 582 lymph nodes, except radical
    - 583 radical
  - 508 neuroma, peripheral nerve
  - ovary
    - 662 bilateral
    - 661 unilateral
  - 550 parotid gland
  - 746 pilonidal cyst or sinus
  - 515 pituitary gland
  - 649 prostate, except transurethral approach
    - 648 transurethral approach
  - 522 pterygium
  - 747 sebaceous cyst, except of eyelid
    - 517 eyelid, eyebrow
  - 718 semilunar cartilage, knee
  - 586 spleen
  - 514 thyroglossal duct or tract
  - 513 thyroid
  - 751 toenail
  - 552 tongue
  - 553 tonsil, except with adenoids
    - 554 with adenoids
  - 556 tonsil tag

OPERATION INDEX (continued)

Group No.	Title
	Excision **(continued)**
	tubes and ovaries
662	bilateral
661	unilateral
670	uterine fibroid
577	varicocele, except of spermatic cord
656	spermatic cord
	Excision of lesion (and destruction of tissue)
626	abdominal wall
611	anus
617	bile duct
638	bladder, except transurethral approach
637	transurethral approach
705	bone, except facial
698	facial
501	brain
742	breast
563	bronchus
501	cerebral meninges
668	cervix, except by conization
667	conization
597	colon
520	conjunctiva
522	cornea
597	duodenum
534	ear, external
588	esophagus
532	eye
517	eyelid
666	fallopian tube
549	gingiva, gums
597	intestine
524	iris
632	kidney
597	large intestine
558	larynx
552	lip
	Excision of lesion **(continued)**
565	lung
	meninges
501	cerebral
507	spinal
727	muscle
	nerve
508	peripheral
511	sympathetic
543	nose, except submucous resection
541	submucous resection
660	ovary
550	parotid gland
658	penis
	perineum
683	female
747	male
508	peripheral nerve
607	perirectal tissue
626	peritoneum
606	rectum
550	salivary gland
524	sclera
651	scrotum
747	skin, except radical and of pilonidal cyst or sinus
746	pilonidal cyst or sinus
748	radical
501	skull
597	small intestine
507	spinal meninges
592	stomach
727	tendon
654	testis
552	tongue
559	trachea
635	ureter
640	urethra

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion (continued)
679	uterine ligament
670	uterus
682	vagina
559	vocal cord
683	vulva
	Exenteration
532	eyeball, orbit
673	pelvic
	Exploration
627	abdominal cavity
617	bile duct
632	kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
	Extracorporeal
579	circulation
579	membrane oxygenation (ECMO)
508	shock wave lithotripsy (ESWL)
	Extraction
688	breech, for delivery
547	dental
686	menstrual
547	teeth
689	vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	hand
726	Fasciotomy, except of hand
728	hand
	Fistulectomy
610	anal
638	bladder
556	branchial cleft
564	bronchus
601	intestine

Group No.	Title
	Fistulectomy (continued)
542	nasal
542	nasolabial
546	oroantral
609	perirectal
556	pharynx
640	rectourethral
679	rectouterine
681	rectovaginal
638	rectovesical
609	rectum
562	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction-*see Fracture-reduction*
689	Forceps delivery, except low forceps
687	low forceps
	Formation
581	arteriovenous shunt for dialysis
601	endoileal rectal pouch
634	ileal conduit or bladder
	Fracture-reduction
701	facial bone, except closed reduction
700	closed reduction
	femur
710	closed, except with internal fixation
708	with internal fixation
710	open, except with internal fixation
709	with internal fixation
701	mandible, except closed reduction
700	closed reduction
701	maxillofacial, except closed reduction
700	closed reduction
544	nose
	other sites
713	closed, except with internal fixation

OPERATION INDEX (continued)

Group No.	Title
	Fracture-reduction **(continued)**
	other sites (continued)
	closed, except with internal fixation (continued)
711	with internal fixation
713	open, except with internal fixation
712	with internal fixation
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	spinal
508	Ganglionectomy, except of tendon
727	tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	total
589	Gastroscopy, except surgical approach
596	surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	bone, except facial and skull
702	facial
503	skull
749	free, of skin
552	lip
731	muscle, except of hand
729	hand
750	pedicle, of skin
	skin
749	free
750	pedicle

Group No.	Title
	Graft **(continued)**
731	tendon, except of hand
729	hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	diaphragmatic
624	epigastric
622	femoral
624	incisional
	inguinal
621	bilateral
620	unilateral
623	umbilical
624	ventral
723	Hip replacement, except total
722	total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	radical
672	vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	termination of pregnancy
602	Ileostomy, except loop
600	loop
634	Ileoureterostomy

OPERATION INDEX (continued)

Group No.	Title
	Implant, implantation
642	artificial urinary sphincter
745	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
539	cochlear prosthetic device
539	electromagnetic hearing device (bone) (cochlea)
740	limb prosthesis
	Incision (and drainage)
626	abdominal wall
610	anal fistula
605	appendix
683	Bartholin's gland or abscess
703	bone, except facial
702	facial
501	brain
745	breast
501	cerebral meninges
569	chest (wall)
522	cornea
502	cranial sinus
534	ear, external
518	eyelid
552	floor of mouth
617	gallbladder
549	gingiva, gums
600	intestine
716	joint
519	lacrimal gland or sac
614	liver
582	lymph nodes
539	mastoid
	meninges
501	cerebral
506	spinal
537	middle ear
726	muscle
	Incision (and drainage) **(continued)**
	nasal sinus-*see Sinusotomy*
726	palmar space (hand)
618	pancreas
613	perianal tissue
	perineum
683	female
748	male
607	perirectal tissue
627	peritoneum, except via cul-de-sac
682	via cul-de-sac
746	pilonidal cyst or sinus
569	pleura
607	rectovaginal septum
607	rectum
626	retroperitoneal abscess
651	scrotum
	sinus (nasal)-*see Sinusotomy*
748	skin, except pilonidal cyst or sinus
746	pilonidal cyst or sinus
506	spinal meninges
726	tendon
569	thorax
633	ureter
682	vagina
683	vulva
690	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
764	enteral
763	parenteral (PPN) (TPN)
	Injection
694	intra-amniotic, for termination of pregnancy
763	therapeutic agent (drugs)
745	breast
741	bursa
741	joint

OPERATION INDEX (continued)

Group No.	Title
	Injection **(continued)**
	therapeutic agent (drugs) (continued)
741	tendon
686	Insemination, artificial
	Insertion
706	bone growth stimulator
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
748	infusion pump
686	intrauterine contraceptive device
679	laminaria, uterus
658	penile prosthesis
751	tissue expander, except breast
745	breast
645	ureteral stent, except by incision
633	by incision
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
	Lens extraction, except intracapsular **(continued)**
525	intracapsular
763	Leukopheresis
	Ligation
665	fallopian tubes (bilateral), except endoscopic approach
664	endoscopic approach
612	hemorrhoids
577	varicose veins
655	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	bladder
646	extracorporeal shock wave (ESWL)
635	kidney
646	ultrasonic
635	ureter
	Lobectomy
501	brain
615	liver
566	lung, except partial
565	partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	abdominal
741	hand
524	iris
716	joint
7[illegible]	muscle, except of hand
741	hand
630	pelvis
630	peritoneum
731	tendon, except of hand
741	hand
758	Magnetic resonance imaging (MRI)
745	Mammectomy

OPERATION INDEX (continued)

Group No.	Title
758	Mammography
745	Mammoplasty, augmentation or reduction
699	Mandibulectomy, except partial
698	partial
699	Mandibulotomy
	Mastectomy
743	complete
743	simple, except extended
744	extended
742	subtotal
744	radical
743	partial
538	Mastoidectomy, except revision
539	revision
745	Mastotomy
	Meatotomy
635	ureteral
639	urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
758	MRI (magnetic resonance imaging)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
764	enteral
763	parenteral (PPN) (TPN)
682	Obliteration, vagina or vaginal vault
751	Onychectomy

Group No.	Title
751	Onychoplasty
	Oophorectomy
662	bilateral
661	unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	suspension
705	Ostectomy, except facial bone
699	facial bone, except partial
698	partial
706	Osteoplasty, except facial bone
699	facial bone
703	Osteotomy, except facial bone
699	facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
763	Photopheresis

OPERATION INDEX (continued)

Group No.	Title
540	Piercing, ear
763	Plasmapheresis
763	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
570	Pleurosclerosis
	Plication
644	urethral, urethrovesical
581	vena cava
753	Pneumoencephalography
566	Pneumonectomy
764	Polysomnogram
763	PPN (peripheral parenteral nutrition)
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	arteries, except cerebral and coronary
755	cerebral
756	coronary
758	breast
755	cerebral
755	arteries
753	ventricles
758	chest
758	gallbladder
758	kidney
758	skeletal
758	spine, except myelogram
754	myelogram
757	veins
	Reattachment
738	extremity
528	retina
731	tendon, except of hand
729	hand
530	Recession, ocular muscle
	Reconstruction
535	ear ossicles
699	mandible
729	thumb
680	Rectocele repair
	Reduction
	dislocation, except temporomandibular
714	closed
715	open
702	temporomandibular (joint)
	fracture
701	facial bone, except closed reduction
700	closed reduction
	femur
710	closed, except with internal fixation
708	with internal fixation

OPERATION INDEX (continued)

Group No.	Title
	Reduction **(continued)**
	fracture (continued)
	femur (continued)
710	open, except with internal fixation
709	with internal fixation
701	mandible, except closed reduction
700	closed reduction
701	maxillofacial, except closed reduction
700	closed reduction
544	nose
	site, other than above
713	closed, except with internal fixation
711	with internal fixation
713	open, except with internal fixation
712	with internal fixation
619	hemorrhoids
	hernia-*see also Herniorrhaphy*
764	manual
601	intestinal torsion
601	intussusception, intestine
745	mammoplasty
601	volvulus, intestine
	Release
	adhesions-*see Lysis, adhesions*
728	Dupuytren's contracture
749	scar contracture, skin
642	urethral stricture
	Removal
707	bone growth stimulator
	calculus
617	biliary tract
638	bladder
632	kidney, except transurethral approach
635	transurethral approach
519	lacrimal tract (by incision)
533	without incision
633	ureter, except transurethral approach

Group No.	Title
	Removal **(continued)**
	calculus (continued)
	ureter, except transurethral approach (continued)
635	transurethral approach
764	catheter, nonoperatively
764	cholecystotomy tube
693	ectopic fetus
707	fixation device, internal
	foreign body
762	bronchus, except with incision
563	with incision
532	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
745	breast
716	joint
596	gastric balloon
658	penile prosthesis
697	retained placenta, manually
764	sutures
764	t-tube, gallbladder
764	therapeutic device, nonoperatively
748	tissue expander, except breast
745	breast
529	vitreous
580	Renal dialysis
	Repair
630	abdominal wall
613	anal fistula, except by excision
610	excision
581	aneurysm (arteriovenous)
638	bladder, except obstetric laceration
697	obstetric laceration
518	blepharoptosis

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
581	blood vessel
706	bone, except facial
699	facial
745	breast
564	bronchial fistula
704	bunion
571	cardiac septal defect
669	cervix, except obstetric laceration
697	obstetric laceration
570	chest wall
551	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
680	cystocele, vagina
730	diastasis recti
534	ear, external
518	ectropion or entropion, eyelid
697	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
704	hallux valgus
729	hand
	hernia-*see Herniorrhaphy*
723	hip, except total replacement
722	total replacement
	hydrocephalus, by ventricular shunt
504	extracranial
505	intracranial (ventriculostomy)
601	intestine
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
724	knee (joint)

Group No.	Title
	Repair (continued)
	Laceration-*see also Repair, by site*
697	obstetric
562	larynx
552	lip
615	liver
568	lung
731	muscle, except extraocular and of hand
531	extraocular
729	hand
556	nasopharyngeal atresia
542	nose
663	ovary
551	palate
658	penis
685	perineum, female, except obstetric laceration
697	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
680	rectocele, vagina
609	rectum
528	retinal detachment or tear
730	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
596	stomach
644	stress incontinence, except urethral suspension
643	urethral suspension
731	tendon, except of hand
729	hand
654	testis
562	trachea
635	ureter
640	urethra
679	uterus, except obstetric laceration and supporting structures
697	obstetric laceration

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
	uterus, except obstetric laceration and supporting structures (continued)
678	supporting structures
681	vagina, except for cystocele and rectocele, and obstetric laceration
680	cystocele and rectocele
697	obstetric laceration
552	vestibular arch (mouth)
685	vulva, except obstetric laceration
697	obstetric laceration
	Replacement
574	cardiac pacemaker
571	heart valve
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
658	penile prosthesis
647	urinary catheter
	Resection
638	bladder
581	blood vessel
564	bronchus
599	large intestine
730	muscle, except of hand
728	hand
541	nasal septum, submucous
530	ocular muscle
660	ovary
608	rectum (abdominoperineal) (pull-through)
549	root of tooth
598	small intestine
730	tendon, except of hand
728	hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	amputation stump
581	arteriovenous shunt for dialysis
596	gastric anastomosis
601	intestinal anastomosis
539	mastoidectomy
562	tracheostomy
539	tympanoplasty
505	ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	bilateral
666	unilateral
	Salpingo-oophorectomy
662	bilateral
661	unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt-*see also Bypass*
504	cerebral ventricles, except intracranial and revision
505	intracranial
505	revision
578	peripheral vessels
630	peritoneovenous
578	systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy

OPERATION INDEX (continued)

Group No.	Title
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	radical maxillary
751	Size-reduction, skin tissue except breast
745	breast
	Sphincterotomy
617	ampullary (of Vater) (pancreas)
613	anus
638	bladder neck
	Spinal
720	fusion
512	tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	foot
724	knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	urethral suspension
	Stress test
764	cardiac
764	fetal
764	uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	urethra, except with bladder neck
644	with bladder neck
644	urethrovesical
	Suture-*see also Repair, by site*
730	muscle, except of hand
729	hand
748	skin
730	tendon, except of hand
729	hand
510	Sympathectomy

Group No.	Title
719	Synovectomy
554	T and A
	Takedown-*see Closure*
730	Tenosynovectomy, except of hand
728	hand
726	Tenotomy, except of hand
728	hand
	Termination of pregnancy
676	aspiration curettage
674	dilation and curettage
691	hysterotomy
694	intra-amniotic injection
	Therapy
761	behavior
763	cancer (chemical)
761	electroconvulsive (ECT)
760	occupational
760	physical
761	psychiatric
759	radiation
761	shock (EST)
760	speech
760	ventilation
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
581	Thromboendarterectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	with adenoidectomy
548	Tooth restoration
763	TPN (total parenteral nutrition)
562	Tracheostomy, except permanent

OPERATION INDEX (continued)

Group No.	Title
	Tracheostomy, except permanent **(continued)**
561	permanent
760	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
763	blood, except intrauterine exchange
696	intrauterine
585	bone marrow
763	coagulation factor
763	gamma globulin
763	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
571	heart
632	kidney
731	muscle, except of hand
729	hand
731	tendon, except of hand
729	hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	revision
537	Tympanotomy
	Ultrasonic fragmentation of calculus
617	biliary
646	urinary, except by percutaneous nephrostomy
632	percutaneous nephrostomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
571	Valvuloplasty, cardiac
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	revision
753	Ventriculography
684	Vulvectomy
	X-ray-*see Radiography*
751	Z-plasty, skin

R3850-1.4-U

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, Southern Region, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1988

LENGTH OF STAY

Copyright 1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0895-982x

Length of Stay by Diagnosis and Operation, Northeastern Region, 1987
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1987
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1987
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1987
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. The first edition of the Psychiatric Length of Stay series was introduced in 1987. Length of Stay by Psychiatric Diagnosis is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data v
Data Quality v
Geographic Coverage vi
1987 Length of Stay Hospital Characteristics viii

Organization of Length of Stay Tables ix

Patient Data Assignment
Definition of Multiple Diagnoses Patients
Definition of Operated Patients

Explanation of Statistics x

Application of Length of Stay Tables xi

Length of Stay Trends xii

AIDS Supplement xiv

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-398 4
Length of Stay Operation Groups 203
Summary of All Patients in Operation Groups 204
Operation Groups 501-764 205

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 271

Indexes 275

Diagnosis Index 277
Operation Index 299

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1987 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other sources are included in the 1987 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1987 LENGTH OF STAY BOOKS

Research Services
Linda Vanek, Product Manager
Jeanine DeLay, Assistant Director
James Chesney, Director

Development Services
Marion S. Morris, Senior Programmer Analyst
Joyce Beach, Senior Programmer Analyst

Operations
Lale A. Olson, Forms Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to Research Services staff: Carol Prevost, Research Associate, for her Length of Stay expertise, technical advice and patience; Roger Wroblewski, Statistician, for data analysis; Dorothy Kempter and Nancy Cauthen for reviewing the AIDS text; Rhonda Gregory and Kathy Lundquist for clerical and technical support.

Appreciation is extended to other individuals at CPHA: Robert Seeman, Senior Nosologist, for his explanation of coding issues and valuable assistance in producing the AIDS Supplement; John Hallfrisch, MD, Consultant, for his interpretation of clinical data; Robert Travis, Librarian, for meticulously checking the text through its many stages; and the staff of Operations, Client Services, and Word Processing.

INTRODUCTION

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The regional volumes of the Length of Stay series are defined by four census regions as described in the map below.



** Includes Alaska and Hawaii

Most data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These data enhance CPHA as a national health information center.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

1987 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	342	43	12.6
25-49	1,196	208	17.4
50-99	1,254	281	22.4
100-199	1,251	281	22.4
200-299	721	188	26.1
300-399	434	102	23.5
400-499	213	55	25.8
500+	306	70	22.9
Total	**5,717**	**1,228**	**21.5**
Region and Census Division			
Northeast	811	295	36.4
New England	241	111	46.1
Middle Atlantic	570	184	32.3
North Central	1,660	333	20.0
East North Central	878	267	30.4
West North Central	782	66	8.4
South	2,120	269	12.7
South Atlantic	814	142	17.4
East South Central	491	65	13.2
West South Central	815	62	7.6
West	1,126	331	29.4
Mountain	378	146	38.6
Pacific	748	185	24.7
Location			
Rural	2,691	549	20.4
Urban	3,026	679	22.4
Teaching Intensity			
Low	4,702	934	19.9
Medium	611	156	25.5
High	340	74	21.8
Unknown	64	64	100.0

The Pediatric book was compiled from the data of 1,119 hospitals. The Geriatric book was compiled from the data of 1,178 hospitals.

---

[1] Hospitals with average stay less than 30 days.

[2] 1986 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

ORGANIZATION OF LENGTH OF STAY TABLES

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnoses, operated or nonoperated status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnoses and age.

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1987, are reflected in the index at the back of the book.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. The principal procedure is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Diagnoses Patients

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. The Class 1 procedure may or may not relate to the principal diagnosis (Dx). Patients with only Class 2-4 procedures are considered nonoperated.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one UHDDS Class 1 procedure was present. These tables contain procedures which are either therapeutic to the principal Dx or the only procedure.

While most List B groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. These miscellaneous groups are included for informational purposes only.

List B tables which contain no significant Class 1 procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay. Several tables which, as of October 1987, contain a single low volume Class 1 procedure continue to be identified with a disclaimer.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

[2] UHDDS Classes of Procedures, *ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple Dx, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

LENGTH OF STAY TRENDS

The Length of Stay series sets the industry standard for normative patient stay data from short-term, nonfederal hospitals. First created with 1963-1964 PAS data, the series currently incorporates PAS as well as data from other sources, e.g., hospital associations. The 1987 Length of Stay series is based on over six million patient records, representing 21.5 percent of the short-term, nonfederal hospitals in the United States.

CPHA's annual publication of a reliable, extensive database allows for analysis of length of stay trends. The following table illustrates hospital stay data for the nine year period, 1979-1987.

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1987

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8

All Patients Except Newborn

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0

Source: 1979-1987 *Length of Stay by Diagnosis,* U.S. and Regions

For the total United States the average length of stay fell 13% during the nine year period, from 6.7 days in 1979 to 5.8 days in 1987. While the largest decrease occurred between 1983 and 1984, average stay appears to have levelled off since 1986. Regional variations have remained consistent; hospital stays are highest in the Northeast region and lowest in the West (1.8 day difference).

In the following table the length of stay for normal delivery (*ICD-9-CM* Code 650, List A group 270) is displayed for the five years between 1983 and 1987. This example illustrates the overall decline in length of stay, as well as the regional variations described above.

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1983-1987

	1983	1984	1985	1986	1987
U.S.	2.8	2.6	2.5	2.3	2.2
Northeast	3.1	3.0	2.9	2.8	2.7
North Central	3.1	2.9	2.7	2.5	2.4
South	2.7	2.6	2.5	2.4	2.3
West	2.0	1.9	1.9	1.8	1.7

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1983 for frequently performed surgeries in the United States.

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1983-1987

	1983	1984	1985	1986	1987
Appendectomy	5.3	5.1	4.8	4.7	4.6
Cervical Cesarean Section	5.8	5.6	5.3	5.0	4.8
Cholecystectomy	9.9	9.1	8.2	7.7	7.2
Transurethral Prostatectomy	9.3	8.2	7.1	6.5	6.1
Unilateral Repair of Inguinal Hernia	4.1	3.7	3.2	2.8	2.6
Vaginal Hysterectomy	6.7	6.3	5.8	5.2	4.8

AIDS SUPPLEMENT

The national epidemic of Acquired Immunodeficiency Syndrome (AIDS) has had a major impact on every aspect of the healthcare system. While inpatient hospital stays represent only one of the resources used by AIDS patients, reliable hospital data can be a valuable tool for describing the health crisis. The annual collection of patient data from short-term nonfederal hospitals allows CPHA to present clinical and demographic data on AIDS diagnoses.

In October 1986, new diagnosis classification codes specific to Human Immunodeficiency Virus infection (HIV)[1] were created for *ICD-9-CM* to monitor the diagnoses and manifestations of the disease:

ICD-9-CM AIDS Related Diagnoses Codes (October, 1986)

CODE	TITLE
042	HTLV-III/LAV INFECTION WITH SPECIFIED CONDITIONS
042.0	HTLV-III/LAV INFECTION WITH SPECIFIED INFECTIONS
042.1	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED INFECTIONS
042.2	HTLV-III/LAV INFECTION WITH SPECIFIED MALIGNANT NEOPLASMS
042.9	ACQUIRED IMMUNODEFICIENCY SYNDROME WITH OR WITHOUT OTHER CONDITIONS
043	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED CONDITIONS
043.0	HTLV-III/LAV INFECTION CAUSING LYMPHADENOPATHY
043.1	HTLV-III/LAV INFECTION CAUSING SPECIFIED DISEASES OF THE CENTRAL NERVOUS SYSTEM
043.2	HTLV-III/LAV INFECTION CAUSING OTHER DISORDERS INVOLVING THE IMMUNE MECHANISM
043.3	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED CONDITIONS
043.9	ACQUIRED IMMUNODEFICIENCY SYNDROME-RELATED COMPLEX WITH OR WITHOUT OTHER CONDITIONS
044	OTHER HTLV-III/LAV INFECTION
044.0	HTLV-III/LAV INFECTION CAUSING SPECIFIED ACUTE INFECTIONS
044.9	HTLV-III/LAV INFECTION, NOT OTHERWISE SPECIFIED (WITH OR WITHOUT OTHER CONDITIONS NOT CLASSIFIABLE TO 042, 043, 044)
795.8	POSITIVE SEROLOGICAL OR VIRAL CULTURE FINDINGS FOR HUMAN T-CELL LYMPHOTROPIC VIRUS-III/LYMPHADENOPATHY ASSOCIATED VIRUS (HTLV-III/LAV)

The protocols[2] established by the Centers for Disease Control (CDC) instruct users to give priority to conditions classified by codes in categories 042 over those classified by codes in categories 043 and 044. Conditions classified by codes in category 043 are given priority over 044. Codes in categories 042, 043, and 044 are considered mutually exclusive, and are never to be listed together on the same record.

---

[1] Originally published as Human T-cell Lymphotropic Virus-III/Lymphadenopathy-Associated Virus (HTLV-III/LAV) infection, the terminology was revised effective January 1988 to Human Immunodeficiency Virus (HIV), as authorized by the Centers for Disease Control, Atlanta, Georgia and the National Center for Health Statistics.

[2] *HTLV-III LAV Infection Codes, Official Authorized Addendum, Effective October 1, 1986:* WHO Collaborating Center for Classification of Diseases for North America at the National Center for Health Statistics, with the Health Care Financing Administration.

The 1986 classification of HIV infection codes was intended as an interim system, to be reviewed after a period of use. In August 1987, a revision of the CDC Case Definition[3] attempted to provide clarification with examples of laboratory evidence for or against HIV infection, definitive diagnostic methods, and guidelines for presumptive diagnosis of diseases indicative of AIDS. (Since the reporting of the new definition was targeted for September 1 1987, its use would have little bearing on the 1987 Length of Stay data.)

Within the standard CPHA Length of Stay tables, AIDS diagnoses codes in *ICD-9-CM* categories 042, 043 and 044 fall into List A Group 12 along with a number of other viral diseases. *ICD-9-CM* Code 795.8, Positive HIV Findings, is found in List A Group 340, an aggregate group containing a large number of codes denoting signs, symptoms and ill-defined conditions. Since data pertaining to the AIDS codes are presently grouped with several disparate codes in each of the standard Length of Stay tables, the prevalence of AIDS is masked. This Supplement, therefore, examines each category of AIDS codes individually to provide additional information on AIDS as recorded in the 1987 Length of Stay database.

1987 AIDS DATABASE:

As in the 1987 Length of Stay tables, discharge records representing 21.5% of short-term general hospitals in the United States comprise the database. Unlike the standard Length of Stay tables, in which patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis, records are included in the AIDS Supplement if they have any AIDS code as either a principal or a secondary diagnosis. In addition, discharge records with an AIDS diagnosis are not excluded, as in the standard Length of Stay tables, when there is a death or transfer to a short-term hospital. While these adjustments augment the base of AIDS records, the resulting data should not be considered in the same manner as the traditional length of stay tables. The data presented in this section are intended to enhance knowledge and are not recommended for purposes of utilization review.

From over 6 million 1987 Length of Stay records, 11,477 (.2%) have an AIDS code as either a principal or secondary diagnosis, that is, one in every 500 hospital discharge records. In the majority of the records (73%), the AIDS code is listed as a secondary rather than as a principal diagnosis. There are 228 records where an AIDS code is both a principal and a secondary and 187 with multiple secondary AIDS codes.

Some precautions are suggested when reviewing the AIDS database:

1. The Length of Stay series is not based on a representative sample, but rather on a total count of discharge records from voluntary participating hospitals. (Refer to page viii for a description of these hospitals.)
2. Hospital records are based on occurrences of discharges, and may include the same patient more than once. With AIDS patients, there may be a relatively high number of readmissions within a year, possibly with a change in the assignment of the particular AIDS code as determined by the associated disease manifestations.

Given the cautions above, the AIDS Supplement is presented by CPHA as a research study and is not intended for comparing lengths of stay. The intent is to increase knowledge about one aspect of the AIDS health crisis, as well as to raise some issues about the coding of AIDS on medical records.

PROFILE OF AIDS RECORDS:

Table 1 presents a summary profile of the AIDS records from the 1987 Length of Stay database. (See page xviii.)

Regional Representation: The number of discharge records with an AIDS diagnosis is proportionally greater in the Northeast region of the United States (4 out of every 1000 hospital discharge records) and in the Western region (2 out of every 1000 discharge records) than in the North Central and Southern regions (1 out of 1000).

Sex/Age: Eighty-six percent of the AIDS discharge records represent male patients with almost half (45%) falling between the ages of 30 and 39.

---

[3] Revision of the CDC Surveillance Case Definition for Acquired Immunodeficiency Syndrome. *Morbidity and Mortality Weekly Report* (Vol. 36, No. 15) August 1987.

Disposition: Eighty-four percent of the AIDS discharge records represent live discharges. An overwhelming majority (88%) of these are discharged to home or self-care.

Payment: The sources of payment are private (self-pay, insurance or workers' compensation) for 51% of the records, and public for 36%. Medicaid constitutes 28% of all payment sources, representing over three-quarters of the public sources.

LENGTH OF STAY:

The average length of stay for the total AIDS base is 14.9 days, with the median (50th percentile) at 9 days. Other percentile distributions are as follows:

5%	1 day	90%	32 days
10%	2 days	95%	45 days
75%	19 days	99%	83 days

Table 2 shows the average length of stay for 3,140 records classified with any AIDS code (in categories 042, 043, 044, or code 795.8) as a principal diagnosis. (See page xix.)

Table 3 shows the average length of stay for 8,337 records classified with any AIDS code (in categories 042, 043, 044, or code 795.8) as a secondary diagnosis. (See page xx.)

For both tables 2 and 3 there appears to be a correlation between the length of stay and the particular AIDS code listed; the average overall length of stay is greater for codes in category 042 than for categories 043, 044, or for code 795.8.

Length of Stay by Operation:

The profile of AIDS records indicates that in more than one half of the hospital stays an operative procedure (*ICD-9-CM* codes 01.0-86.99) is performed. The majority of the reported procedures, e.g., bronchoscopies or CAT scans, are diagnostic rather than therapeutic procedures, and are not considered to affect length of stay.

DIAGNOSES FREQUENTLY ASSOCIATED WITH AIDS:

The following table shows those disease conditions which are most frequently listed with an AIDS code on discharge records, and displays the length of stay for that disease with each AIDS code, as well as the length of stay for the disease when it occurs without AIDS. For this table, each AIDS record is counted once, and may appear as a principal or secondary diagnosis code. In records where more than one AIDS code is listed, codes in category 042 are selected over those in categories 043 or 044, those in categories 043 over those in categories 044 or 795.8, and codes in category 044 over code 795.8.

The associated diseases are counted for each occurrence; one AIDS record may contain a number of other diagnoses codes. Multiple occurrences will also influence length of stay as one patient with a single hospital stay can appear more than once.

The most striking observation is that the length of stay increases significantly for any disease when reported in association with an AIDS diagnosis. For example, patients with anemia (*ICD-9-CM* codes 280.0-285.9) have an average hospital stay of 10.2 days when no AIDS diagnosis is present, but 17.3 days when accompanied by an AIDS diagnosis.

Frequently Associated Dx Codes with AIDS as Principal or Secondary

	Pneumocystosis (136.3)		Candidiasis (112.0,112.3,112.5-112.9)		Kaposi's Sarcoma (173.0-173.9)	
	OCCURRENCE	AVG LOS	OCCURRENCE	AVG LOS	OCCURRENCE	AVG LOS
With 042 Codes	2,762	18.1	2,183	19.7	1,073	44.3
With 043 Codes	54	22.4	3,172	18.9	40	15.9
With 044 Codes	20	11.2	68	13.6	5	11.4
With 795.8 Codes	47	21.9	120	16.7	3	9.3
With No AIDS Dx	745	16.9	16,931	14.8	6,924	7.9
Total Occurences:	3,628		19,694		8,045	

ISSUES:

The data collection for this AIDS Supplement indicates that there is considerable variation in the manner in which AIDS is reported. With AIDS patients presenting many disease manifestations, confusion may exist over the selection of the appropriate AIDS code:

1. Despite the fact that the October 1986 Addendum to the *ICD-9-CM* classification states that codes in categories 042, 043 and 044 are mutually exclusive, there is evidence of multiple coding of AIDS diagnoses.
2. The Addendum also instructs that certain disease manifestations are expected with specific AIDS codes; for example, Kaposi's sarcoma (173.0-173.9) should be linked only with one AIDS code (042.2). However, in this base, codes 173.0-173.9 are also found on discharge records in association with codes in categories 043, 044, and code 795.8.
3. There is some confusion with the coding of pneumocystosis (136.3). While pneumocystosis is found as either a principal or a secondary diagnosis on 3,628 of the Length of Stay records, 20% do not record any AIDS in association. On one hand this may indicate a reluctance to report AIDS. Or, on the other hand, this may be evidence of miscoding, since code 136.3 is sometimes reported in error for a benign form of pneumonia not intended as Pneumocystis carinii pneumonia.

SUMMARY:

The examination of 1987 discharge records from a collection of short-term general hospitals provides a base for analysis of records listing an AIDS code as either a principal or a secondary diagnosis. The data show a significant increase in hospital stay when a disease is recorded in association with an AIDS code. There is, however, evidence of some confusion over the coding of AIDS on hospital records. This study suggests the need for further exploration of the actual practice of AIDS coding and the formulation of recommendations for revision or clarification of the classification system.

Table 1
Profile of AIDS Records

	#	%
TOTAL DISCHARGE RECORDS WITH ANY AIDS Dx	11,477	100.0
AIDS as Principal Dx	3,140	27.4
AIDS as Secondary Dx	8,337	72.6

	#	% of Total Discharges
REGIONAL REPRESENTATION		
North Central	1,737	.1
Northeast	5,453	.4
South	2,712	.1
West	1,575	.2

	#	%
AGE		
Newborn - <1 yr	170	1.5
1 yr - 9 yrs	395	3.4
10 - 19 yrs	119	1.0
20 - 29 yrs	2,263	19.7
30 - 39 yrs	5,166	45.0
40 - 49 yrs	2,284	19.9
50 - 59 yrs	741	6.5
60+	339	3.0
SEX		
Male	9,852	85.8
Female	1,625	14.2
DISCHARGES		
Total Alive	9,585	83.5
Total Expired	1,892	16.5
DISPOSITION		
Home or Self-Care	8,408	87.7
Home Health Service	533	5.6
Short-Term Hospital	220	2.3
Skilled Nursing Facility	95	1.0
Inter. Care Facility	4	
Other Facility	325	3.4

	#	%
PAYMENT SOURCE		
Medicaid	3,230	28.1
Medicare	549	4.8
Other Government	333	2.9
Workers' Compensation	14	.1
Blue Cross	2,108	18.4
Other Insurance	2,327	20.3
Self-Pay	1,408	12.3
Other	1,508	13.1
LENGTH OF STAY		
<1 Day	119	1.1
1-7 Days	4,711	41.0
8-14 Days	2,710	23.6
15-21 Days	1,599	13.9
22-28 Days	919	8.0
29-36 Days	515	4.5
37-42 Days	253	2.2
43-49 Days	200	1.7
50+ Days	451	3.9

AVERAGE LOS IN DAYS: 14.9

MEDIAN LOS IN DAYS: 9

Table 2
Average Length of Stay
Discharge Records with AIDS as Principal Dx

	TOTAL DISCHARGE RECORDS		AVERAGE	PERCENTILES						
CODE	#	%	STAY	5TH	10TH	50TH	75TH	90TH	95TH	99TH
042										
AGE RANGES:										
Newborn-< 1 yr	35	1.4	48.1	2	3	22	42	80	99	99+
1 yr-9 yrs	104	4.3	12.5	1	1	5	13	38	57	76
10 yrs-19 yrs	31	1.3	5.9	<1	<1	1	7	20	25	32
20-29 yrs	492	20.2	15.7	1	2	11	20	34	52	84
30-39 yrs	1,087	44.6	19.9	1	3	13	24	43	59	99+
40-49 yrs	474	19.5	19.4	2	3	13	25	42	56	99
50-59 yrs	166	6.8	20.9	2	3	14	25	41	73	99
60+	47	1.9	24.9	3	4	17	30	62	76	99+
TOTAL	2,436	100.0	19.9	1	2	12	23	41	59	98
043										
AGE RANGES:										
Newborn-< 1 yr	8	1.3	36.5	1	2	18	27	80	99+	99+
1 yr-9 yrs	42	7.1	11.7	1	2	7	13	25	43	91
10 yrs-19 yrs	2	.3	43.0	5	5	43	81	81	81	81
20-29 yrs	122	20.5	12.2	1	2	7	14	28	46	83
30-39 yrs	273	46.0	15.1	1	2	9	19	35	47	97
40-49 yrs	94	15.8	22.7	1	4	12	28	65	69	99+
50-59 yrs	36	6.1	12.4	1	1	9	18	32	36	49
60+	17	2.9	16.5	3	4	14	20	43	53	56
TOTAL	594	100.0	15.7	1	2	7	17	40	55	99
044										
AGE RANGES:										
Newborn-< 1 yr	3	3.5	5.0	4	4	4	6	7	7	7
1 yr-9 yrs	5	5.8	20.6	2	2	7	43	50	50	50
10 yrs-19 yrs	2	2.3	13.5	3	3	13	24	24	24	24
20-29 yrs	16	18.6	8.9	1	2	7	13	19	24	26
30-39 yrs	40	46.5	11.9	2	2	8	14	20	29	87
40-49 yrs	14	16.3	10.3	2	2	6	14	27	32	33
50-59 yrs	3	3.5	5.7	2	2	6	8	9	9	9
60+	3	3.5	28.7	4	4	24	49	58	58	58
TOTAL	86	100.0	11.7	2	2	7	14	25	35	77
795.8										
AGE RANGES:										
Newborn-< 1 yr	4	16.7	11.0	6	6	9	15	19	19	19
1 yr-9 yrs	5	20.8	9.0	3	3	4	12	27	27	27
10 yrs-19 yrs	0	0.0	0.0	0	0	0	0	0	0	0
20-29 yrs	2	8.3	2.5	<1	<1	2	4	4	4	4
30-39 yrs	9	37.5	16.7	<1	<1	12	20	49	67	67
40-49 yrs	3	12.5	5.0	4	4	4	6	7	7	7
50-59 yrs	1	4.2	6.0	6	6	6	6	6	6	6
60+	0	0.0	0.0	0	0	0	0	0	0	0
TOTAL	24	100.0	11.0	<1	1	6	14	22	39	67

Table 3
Average Length of Stay
Discharge Records with AIDS as Secondary Dx

	TOTAL DISCHARGE RECORDS		AVERAGE	PERCENTILES						
CODE	#	%	STAY	5TH	10TH	50TH	75TH	90TH	95TH	99TH
042										
AGE RANGES:										
Newborn-< 1 yr	46	.8	25.7	1	2	11	26	55	68	99+
1 yr-9 yrs	127	2.3	18.7	2	3	8	15	34	49	99+
10 yrs-19 yrs	34	.6	9.5	1	1	8	13	23	25	30
20-29 yrs	1,000	18.1	13.5	1	2	9	18	29	39	73
30-39 yrs	2,592	46.8	13.8	1	2	10	18	28	37	75
40-49 yrs	1,221	22.1	14.6	1	2	10	19	31	43	72
50-59 yrs	365	6.6	16.5	1	2	12	21	32	42	81
60+	150	2.7	18.3	3	3	12	23	45	61	76
Total	5,535	100.0	14.4	1	2	10	19	29	40	76
043										
AGE RANGES:										
Newborn-< 1 yr	19	1.9	16.3	4	4	8	22	35	56	71
1 yr-9 yrs	56	5.7	11.3	1	2	5	13	26	42	89
10 yrs-19 yrs	10	1.0	4.8	1	1	4	7	10	10	10
20-29 yrs	190	19.3	12.8	1	2	7	12	30	49	90
30-39 yrs	446	45.2	11.6	1	2	7	14	26	36	59
40-49 yrs	169	17.1	12.2	1	1	8	15	29	41	64
50-59 yrs	61	6.2	13.6	2	2	11	18	26	34	62
60+	35	3.5	15.1	2	3	8	17	34	60	83
Total	986	100.0	12.2	1	2	7	15	28	41	69
044										
AGE RANGES:										
Newborn-< 1 yr	7	1.4	6.3	2	2	4	9	15	16	16
1 yr-9 yrs	17	3.4	6.8	1	1	4	8	12	31	41
10 yrs-19 yrs	15	3.0	7.6	<1	1	7	11	16	17	18
20-29 yrs	113	22.6	9.7	1	2	6	11	21	38	56
30-39 yrs	211	42.2	10.0	1	2	7	14	22	30	43
40-49 yrs	87	17.4	14.8	1	2	8	18	41	50	90
50-59 yrs	26	5.2	19.9	3	3	10	27	55	65	74
60+	24	4.8	15.5	2	2	7	19	49	60	85
Total	500	100.0	11.3	1	2	7	14	27	42	60
795.8										
AGE RANGES:										
Newborn-< 1 yr	48	3.6	25.7	2	2	13	31	67	98	99+
1 yr-9 yrs	39	3.0	10.0	1	2	5	12	17	26	91
10 yrs-19 yrs	25	1.9	7.4	<1	1	5	8	19	27	37
20-29 yrs	328	24.9	9.5	1	2	6	12	22	30	47
30-39 yrs	508	38.6	12.8	1	2	8	15	28	39	76
40-49 yrs	222	16.9	13.9	1	2	9	19	31	43	62
50-59 yrs	83	6.3	13.6	1	2	9	18	28	48	81
60+	63	4.8	12.4	1	2	9	19	30	35	42
Total	1,316	100.0	12.5	1	2	7	15	28	39	73

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109830	2.9	10	1	1	2	3	5	6	13
20-34	48768	3.1	12	1	1	2	3	5	8	18
35-49	20467	4.2	24	1	1	3	5	8	12	25
50-64	12840	4.7	24	1	1	3	6	9	13	25
65 +	10329	5.7	39	1	1	4	7	11	15	33
B. Operated										
0-19 YRS	32782	3.1	12	< 1	1	2	4	6	9	17
20-34	53501	3.2	7	1	1	3	4	6	7	12
35-49	27967	4.0	13	< 1	1	3	5	8	10	16
50-64	21173	4.4	16	< 1	1	3	6	9	11	18
65 +	15917	5.5	26	< 1	1	4	8	12	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108501	4.4	34	1	1	3	5	7	12	32
20-34	50850	5.5	48	1	1	3	6	11	19	37
35-49	53445	5.8	41	1	1	4	7	12	18	33
50-64	77827	6.1	34	1	2	5	7	11	16	30
65 +	170774	7.4	42	2	2	6	9	14	18	34
B. Operated										
0-19 YRS	35990	6.8	109	1	1	3	7	16	27	70
20-34	79103	4.9	31	1	2	4	5	8	12	31
35-49	59212	6.4	49	1	1	5	7	12	17	38
50-64	65065	8.0	70	1	2	6	10	16	22	46
65 +	105224	10.2	90	1	2	8	13	20	28	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202234	3.3	15	1	1	2	4	6	8	19
B. Operated	151340	3.7	13	< 1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	461397	6.1	40	1	2	4	7	12	17	33
B. Operated	344594	7.5	72	1	2	5	9	16	22	47
1. SINGLE DX	353574	3.5	14	1	1	3	4	7	9	18
2. MULTIPLE DX	805991	6.7	54	1	2	5	8	14	19	40
A. Not Operated	663631	5.2	34	1	1	4	6	10	15	30
B. Operated	495934	6.4	57	1	1	4	8	13	19	41
TOTAL										
0-19 YRS	287103	4.0	33	1	1	3	4	7	11	32
20-34	232222	4.3	26	1	1	3	5	7	11	28
35-49	161091	5.5	38	1	1	4	6	11	15	32
50-64	176905	6.5	46	1	1	5	8	13	18	35
65 +	302244	8.2	60	1	2	6	10	16	22	41
GRAND TOTAL	**1159565**	**5.7**	**44**	**1**	**1**	**4**	**7**	**12**	**17**	**35**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45967	3.3	21	1	1	2	4	6	8	22
20-34	48768	3.1	12	1	1	2	3	5	8	18
35-49	20467	4.2	24	1	1	3	5	8	12	25
50-64	12840	4.7	24	1	1	3	6	9	13	25
65 +	10329	5.7	39	1	1	4	7	11	15	33
B. Operated										
0-19 YRS	32758	3.1	12	< 1	1	2	4	6	9	17
20-34	53501	3.2	7	1	1	3	4	6	7	12
35-49	27967	4.0	13	< 1	1	3	5	8	10	16
50-64	21173	4.4	16	< 1	1	3	6	9	11	18
65 +	15917	5.5	26	< 1	1	4	8	12	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68421	4.7	42	1	1	3	5	8	13	37
20-34	50850	5.5	48	1	1	3	6	11	19	37
35-49	53445	5.8	41	1	1	4	7	12	18	33
50-64	77827	6.1	34	1	2	5	7	11	16	30
65 +	170774	7.4	42	2	2	6	9	14	18	34
B. Operated										
0-19 YRS	34049	6.0	76	1	1	3	7	13	21	53
20-34	79103	4.9	31	1	2	4	5	8	12	31
35-49	59212	6.4	49	1	1	5	7	12	17	38
50-64	65065	8.0	70	1	2	6	10	16	22	46
65 +	105224	10.2	90	1	2	8	13	20	28	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138371	3.7	20	1	1	3	4	7	10	23
B. Operated	151316	3.7	13	< 1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	421317	6.3	42	1	2	4	8	12	17	34
B. Operated	342653	7.5	69	1	2	5	9	15	22	45
1. SINGLE DX	289687	3.7	16	1	1	3	4	7	10	20
2. MULTIPLE DX	763970	6.8	54	1	2	5	8	14	20	39
A. Not Operated	559688	5.6	38	1	1	4	7	11	16	32
B. Operated	493969	6.3	54	1	1	4	8	13	19	39
TOTAL										
0-19 YRS	181195	4.3	39	1	1	3	4	8	13	35
20-34	232222	4.3	26	1	1	3	5	7	11	28
35-49	161091	5.5	38	1	1	4	6	11	15	32
50-64	176905	6.5	46	1	1	5	8	13	18	35
65 +	302244	8.2	60	1	2	6	10	16	22	41
GRAND TOTAL	**1053657**	**6.0**	**46**	**1**	**1**	**4**	**7**	**12**	**17**	**35**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1013	2.9	4	1	1	3	4	5	6	10
20-34	332	2.7	3	1	1	2	3	5	6	8
35-49	187	2.6	2	1	1	2	4	5	5	6
50-64	80	3.2	3	1	1	3	4	6	7	9
65 +	42	3.8	11	1	1	3	5	7	11	16
B. Operated										
0-19 YRS	25	4.6	14	1	1	3	5	10	13	17
20-34	24	3.8	4	1	1	3	5	6	8	9
35-49	11	4.2	2	2	2	4	5	6	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2471	3.5	10	1	1	3	4	6	7	13
20-34	622	3.0	6	1	1	2	4	5	7	13
35-49	434	3.8	9	1	1	3	5	7	8	13
50-64	413	4.4	10	1	2	4	5	7	10	18
65 +	655	5.4	20	2	2	4	6	10	13	22
B. Operated										
0-19 YRS	75	9.3	130	2	3	6	10	20	39	95
20-34	58	5.5	24	2	2	4	6	9	14	33
35-49	68	6.0	18	2	2	5	8	11	15	21
50-64	48	7.2	17	2	3	6	9	13	14	23
65 +	86	11.3	68	3	4	8	16	22	29	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1654	2.9	4	1	1	2	4	5	6	9
B. Operated	63	4.1	7	1	2	4	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	4595	3.8	11	1	1	3	5	7	8	15
B. Operated	335	8.2	61	2	3	6	9	16	23	42
1. SINGLE DX	1717	2.9	4	1	1	3	4	5	6	10
2. MULTIPLE DX	4930	4.1	16	1	1	3	5	7	10	21
A. Not Operated	6249	3.6	10	1	1	3	4	6	8	14
B. Operated	398	7.5	55	2	2	5	9	15	21	42
TOTAL										
0-19 YRS	3584	3.5	12	1	1	3	4	6	7	14
20-34	1036	3.1	6	1	1	2	4	5	7	12
35-49	700	3.7	9	1	1	3	5	7	8	15
50-64	543	4.5	11	1	2	4	6	8	10	17
65 +	784	6.0	28	1	2	4	7	11	16	29
GRAND TOTAL	**6647**	**3.8**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.6	10	3	3	4	8	10	10	10
20-34	9	9.4	23	4	4	8	13	16	17	17
35-49	12	5.9	14	1	2	5	6	12	15	15
50-64	6	7.5	26	4	4	6	8	16	17	17
65 +	4	7.8	7	4	4	8	9	10	10	10
B. Operated										
0-19 YRS	4	7.5	10	4	4	7	10	11	11	11
20-34	4	9.3	13	6	6	8	12	14	14	14
35-49	10	8.4	35	2	2	7	9	17	23	23
50-64	7	10.9	18	4	5	11	14	16	16	16
65 +	5	9.6	22	5	5	8	12	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	6.8	21	2	2	6	9	14	18	18
20-34	12	11.8	128	3	4	8	12	28	42	44
35-49	35	11.2	29	5	5	9	16	21	22	22
50-64	39	12.1	114	2	3	9	15	28	31	57
65 +	73	10.0	31	3	4	9	12	18	21	26
B. Operated										
0-19 YRS	8	13.3	56	6	7	11	16	25	29	29
20-34	11	10.6	29	2	4	9	16	18	20	20
35-49	22	16.4	143	7	8	13	22	45	67	99 +
50-64	40	16.6	159	3	4	14	22	37	44	51
65 +	85	13.6	138	3	3	11	17	26	42	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	7.2	17	3	3	6	9	15	16	17
B. Operated	30	9.2	21	2	4	8	11	15	17	23
2. MULTIPLE DX										
A. Not Operated	169	10.7	56	3	4	9	14	20	23	42
B. Operated	166	14.5	133	3	4	12	18	31	44	94
1. SINGLE DX	66	8.1	20	3	4	7	11	15	17	22
2. MULTIPLE DX	335	12.6	98	3	4	10	16	23	32	63
A. Not Operated	205	10.1	51	3	4	8	13	18	22	37
B. Operated	196	13.7	120	3	4	11	17	28	41	84
TOTAL										
0-19 YRS	27	8.6	35	3	3	8	10	17	20	29
20-34	36	10.6	56	3	4	9	13	17	21	44
35-49	79	11.5	70	3	5	9	15	22	29	85
50-64	92	13.7	126	3	4	11	17	31	39	54
65 +	167	11.8	88	3	4	10	15	22	27	67
GRAND TOTAL	**401**	**11.8**	**88**	**3**	**4**	**9**	**15**	**22**	**31**	**59**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	0									
35-49	0									
50-64	2	15.0	288	3	3	15	27	27	27	27
65 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	5	5.4	11	2	2	4	9	9	9	9
20-34	3	14.0	93	7	7	10	21	25	25	25
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	8.5	113	1	1	8	16	16	16	16
65 +	4	13.8	337	1	1	6	24	41	41	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	20.3	324	2	2	21	34	38	38	38
20-34	7	4.9	12	1	1	4	7	10	11	11
35-49	3	9.7	54	4	4	7	15	18	18	18
50-64	5	8.8	44	3	3	5	14	19	19	19
65 +	12	13.8	251	2	3	6	19	37	53	56
B. Operated										
0-19 YRS	3	20.7	472	1	1	17	37	44	44	44
20-34	4	12.0	25	7	7	11	16	18	18	18
35-49	7	24.6	502	4	4	20	37	59	64	64
50-64	6	27.8	473	4	4	27	50	50	50	50
65 +	15	30.1	396	6	13	23	43	59	72	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	9.7	93	2	2	6	14	26	27	27
B. Operated	15	10.0	112	1	1	7	10	25	37	41
2. MULTIPLE DX										
A. Not Operated	30	11.1	152	2	2	6	15	26	38	56
B. Operated	35	25.7	385	4	4	19	41	51	63	76
1. SINGLE DX	21	9.9	102	1	2	7	11	26	33	41
2. MULTIPLE DX	65	19.0	328	2	3	14	27	50	57	74
A. Not Operated	36	10.9	140	2	2	6	15	27	35	56
B. Operated	50	21.0	352	1	3	15	36	50	59	76
TOTAL										
0-19 YRS	14	11.7	191	1	2	6	17	39	43	44
20-34	14	8.9	43	1	2	7	11	19	24	25
35-49	11	19.1	370	4	4	9	32	48	63	64
50-64	15	17.2	295	1	3	12	25	50	50	50
65 +	32	21.5	369	2	3	15	29	52	59	76
GRAND TOTAL	**86**	**16.8**	**286**	**2**	**2**	**10**	**23**	**44**	**52**	**72**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	143	2.6	2	1	1	2	3	4	5	7
20-34	61	2.8	1	1	2	3	3	4	5	7
35-49	14	3.4	1	2	2	3	4	5	5	5
50-64	10	4.5	3	2	2	4	5	7	7	7
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	20	1.2		< 1	< 1	1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	371	2.9	3	1	1	2	3	5	6	9
20-34	123	3.1	2	1	2	3	4	5	6	8
35-49	60	3.6	5	1	2	3	4	6	7	14
50-64	35	4.4	3	1	2	4	5	7	8	9
65 +	19	6.8	108	1	1	4	6	12	32	48
B. Operated										
0-19 YRS	19	1.9	2	< 1	1	1	3	4	5	6
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	2.8	2	1	1	3	3	4	5	7
B. Operated	23	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	608	3.2	7	1	1	3	4	5	7	11
B. Operated	23	2.0	2	< 1	1	1	3	4	5	6
1. SINGLE DX	252	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	631	3.2	7	1	1	3	4	5	7	10
A. Not Operated	837	3.1	5	1	1	3	4	5	6	10
B. Operated	46	1.6	1	< 1	1	1	2	3	4	6
TOTAL										
0-19 YRS	553	2.7	3	1	1	2	3	5	6	7
20-34	189	3.0	2	1	1	3	4	4	5	8
35-49	75	3.6	4	1	2	3	4	5	7	14
50-64	46	4.4	3	2	2	4	5	7	8	9
65 +	20	6.6	104	1	1	4	6	11	30	48
GRAND TOTAL	**883**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	329	4.2	7	1	2	3	5	8	10	13
20-34	14	6.3	43	2	3	4	5	11	24	28
35-49	13	5.4	9	2	2	5	7	10	11	11
50-64	12	6.9	17	2	3	6	8	14	16	16
65 +	36	10.7	67	2	3	9	15	18	26	43
B. Operated										
0-19 YRS	4	10.8	58	4	4	9	16	21	21	21
20-34	0									
35-49	0									
50-64	0									
65 +	3	32.3	549	15	15	23	50	59	59	59
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	760	5.6	15	2	2	4	7	11	13	21
20-34	121	8.7	52	2	3	6	10	16	25	39
35-49	166	9.7	46	3	4	8	12	17	23	41
50-64	438	10.0	44	3	4	9	12	17	21	43
65 +	2200	10.9	55	4	5	9	13	18	24	42
B. Operated										
0-19 YRS	87	14.2	161	3	4	11	16	29	44	89
20-34	51	13.4	78	4	6	12	15	27	33	99
35-49	81	18.9	294	4	6	13	24	42	64	98
50-64	185	17.7	227	5	6	13	22	33	48	90
65 +	567	19.0	201	6	7	14	24	39	57	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	404	5.0	17	2	2	4	6	10	12	18
B. Operated	7	20.0	345	4	4	15	22	52	59	59
2. MULTIPLE DX										
A. Not Operated	3685	9.6	49	3	3	8	12	17	21	39
B. Operated	971	18.0	206	5	6	14	23	37	54	99 +
1. SINGLE DX	411	5.2	26	2	2	4	6	10	13	25
2. MULTIPLE DX	4656	11.3	94	3	4	9	13	21	29	61
A. Not Operated	4089	9.1	48	2	3	8	11	16	21	38
B. Operated	978	18.0	206	5	6	14	23	37	54	99 +
TOTAL										
0-19 YRS	1180	5.9	30	2	2	4	7	11	14	27
20-34	186	9.8	63	2	3	7	12	18	27	53
35-49	260	12.3	141	3	4	9	14	24	35	79
50-64	635	12.2	109	3	5	9	14	22	29	56
65 +	2806	12.5	96	4	5	10	14	23	31	62
GRAND TOTAL	**5067**	**10.8**	**91**	**2**	**3**	**9**	**13**	**20**	**28**	**59**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	127	5.9	17	1	2	5	8	11	12	20
20-34	19	6.1	9	2	3	5	8	11	13	13
35-49	14	6.2	14	2	2	5	8	12	13	13
50-64	11	4.4	2	3	3	4	5	6	8	8
65 +	7	5.6	12	2	2	6	7	11	12	12
B. Operated										
0-19 YRS	11	9.6	89	< 1	1	6	13	25	30	31
20-34	0									
35-49	4	4.5	19	1	1	4	8	10	10	10
50-64	4	4.0	6	2	2	4	6	7	7	7
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	163	7.3	19	2	3	6	10	14	15	21
20-34	44	6.7	22	2	3	5	8	12	13	29
35-49	42	7.2	46	2	3	5	8	13	16	43
50-64	54	7.3	29	2	2	6	10	13	17	31
65 +	99	9.1	95	3	3	7	10	16	22	62
B. Operated										
0-19 YRS	29	13.9	150	3	3	12	16	39	53	99 +
20-34	22	11.1	80	2	4	8	15	21	30	42
35-49	21	16.2	226	3	4	10	19	41	52	57
50-64	28	14.2	133	3	4	11	21	29	42	43
65 +	44	16.5	138	4	5	13	22	32	33	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	178	5.9	15	2	2	5	8	11	12	16
B. Operated	20	7.2	58	< 1	1	5	10	17	26	31
2. MULTIPLE DX										
A. Not Operated	402	7.6	42	2	3	6	10	14	17	35
B. Operated	144	14.7	143	3	4	11	19	31	42	68
1. SINGLE DX	198	6.0	19	1	2	5	8	11	13	26
2. MULTIPLE DX	546	9.5	78	2	3	7	11	18	27	51
A. Not Operated	580	7.1	34	2	2	6	9	12	15	31
B. Operated	164	13.8	138	2	4	10	18	31	42	65
TOTAL										
0-19 YRS	330	7.4	36	2	2	6	10	14	16	36
20-34	85	7.7	37	2	3	6	9	13	20	37
35-49	81	9.2	101	2	3	6	10	17	34	54
50-64	97	8.8	67	2	2	6	11	18	28	43
65 +	151	11.1	115	3	3	8	13	22	32	66
GRAND TOTAL	**744**	**8.5**	**65**	**2**	**3**	**7**	**11**	**16**	**22**	**44**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	710	3.1	2	1	1	3	4	5	6	9
20-34	216	3.5	4	1	2	3	4	6	8	10
35-49	37	4.6	9	1	2	4	5	10	11	13
50-64	5	5.4	4	2	2	6	7	7	7	7
65 +	3	14.7	212	3	3	10	26	31	31	31
B. Operated										
0-19 YRS	5	7.6	8	4	4	7	10	11	11	11
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	432	4.1	7	1	2	3	5	7	10	14
20-34	116	4.2	6	1	2	4	5	7	8	14
35-49	44	5.3	9	2	2	4	7	9	11	15
50-64	19	7.2	20	2	3	6	10	13	17	20
65 +	15	12.3	195	3	4	7	11	41	48	50
B. Operated										
0-19 YRS	9	8.2	15	4	4	8	12	13	14	14
20-34	8	14.5	131	5	5	11	19	34	38	38
35-49	4	8.8	14	5	5	8	11	14	14	14
50-64	6	11.8	64	5	5	8	18	24	25	25
65 +	1	38.0		38	38	38	38	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	971	3.3	4	1	1	3	4	5	7	10
B. Operated	8	5.8	12	2	2	5	8	11	11	11
2. MULTIPLE DX										
A. Not Operated	626	4.5	13	1	2	4	5	8	10	15
B. Operated	28	11.9	85	4	5	8	14	25	38	38
1. SINGLE DX	979	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX	654	4.8	18	1	2	4	5	9	11	20
A. Not Operated	1597	3.8	8	1	2	3	4	6	9	13
B. Operated	36	10.6	75	3	4	8	13	23	34	38
TOTAL										
0-19 YRS	1156	3.5	5	1	2	3	4	6	8	12
20-34	342	4.0	10	1	2	3	5	7	8	14
35-49	86	5.1	10	2	2	4	6	10	11	15
50-64	30	7.8	28	2	3	6	10	16	20	25
65 +	19	14.1	210	3	3	8	15	40	46	50
GRAND TOTAL	**1633**	**3.9**	**10**	**1**	**2**	**3**	**4**	**7**	**9**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	4.0	8	1	1	3	5	7	10	16
20-34	42	3.8	4	1	2	3	5	7	8	9
35-49	12	4.4	3	2	2	4	6	7	8	8
50-64	29	4.7	9	1	2	4	6	8	10	15
65 +	45	4.6	6	<1	2	4	6	8	10	11
B. Operated										
0-19 YRS	4	13.3	188	4	4	8	22	33	33	33
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	6	5.7	22	1	1	4	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	531	4.4	9	1	2	4	5	8	10	16
20-34	68	5.4	14	2	2	4	7	10	11	24
35-49	45	6.5	26	2	2	6	7	10	18	29
50-64	107	6.4	12	2	3	6	8	10	12	19
65 +	368	7.5	31	2	3	6	9	13	18	32
B. Operated										
0-19 YRS	28	18.0	630	1	2	9	15	70	85	86
20-34	7	6.4	28	2	2	5	9	15	16	16
35-49	10	9.0	46	2	3	6	15	20	22	22
50-64	16	14.9	281	4	4	9	13	43	59	65
65 +	43	11.6	88	2	4	8	16	22	26	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	246	4.2	7	1	2	4	5	7	9	15
B. Operated	11	8.4	82	1	2	5	12	21	32	33
2. MULTIPLE DX										
A. Not Operated	1119	5.8	19	1	2	5	7	10	14	23
B. Operated	104	13.2	260	2	2	8	15	23	53	85
1. SINGLE DX	257	4.4	11	1	2	4	5	8	10	16
2. MULTIPLE DX	1223	6.4	44	1	2	5	8	11	16	30
A. Not Operated	1365	5.5	18	1	2	4	7	10	13	22
B. Operated	115	12.7	244	2	2	8	14	23	51	85
TOTAL										
0-19 YRS	681	4.9	42	1	2	4	6	8	12	21
20-34	117	4.9	12	2	2	4	7	9	10	19
35-49	67	6.5	26	2	2	5	7	12	18	28
50-64	153	6.9	45	2	2	6	8	11	15	44
65 +	462	7.6	36	2	3	6	9	14	19	32
GRAND TOTAL	**1480**	**6.0**	**39**	**1**	**2**	**5**	**7**	**11**	**15**	**29**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.7	3	1	2	3	5	6	7	7
20-34	109	5.2	11	2	2	4	6	10	11	19
35-49	44	5.2	6	2	3	4	7	9	10	11
50-64	13	5.2	8	1	2	5	7	9	10	10
65 +	4	14.8	128	4	4	15	24	25	25	25
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	3	8.3	72	2	2	5	15	18	18	18
35-49	4	9.8	49	1	1	10	14	18	18	18
50-64	5	3.0	6	1	1	2	4	7	7	7
65 +	5	3.0	12	1	1	1	4	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	4.9	8	1	2	5	7	9	10	14
20-34	136	5.9	15	2	2	5	7	11	13	23
35-49	53	7.5	50	2	3	6	9	13	15	46
50-64	35	7.8	24	3	3	7	10	14	19	22
65 +	40	6.3	15	1	2	5	9	12	13	18
B. Operated										
0-19 YRS	3	11.0	91	1	1	12	18	20	20	20
20-34	17	8.8	210	1	1	1	11	27	47	56
35-49	16	6.0	32	1	1	5	8	17	19	19
50-64	12	7.0	23	1	1	7	8	14	17	18
65 +	14	18.4	155	6	7	16	18	36	47	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	5.2	13	2	2	4	6	9	11	24
B. Operated	19	5.4	29	1	1	3	8	15	18	18
2. MULTIPLE DX										
A. Not Operated	309	6.3	22	2	2	5	8	11	14	23
B. Operated	62	10.0	126	1	1	7	15	19	33	55
1. SINGLE DX	214	5.2	14	2	2	4	6	9	11	24
2. MULTIPLE DX	371	6.9	41	1	2	5	8	13	18	34
A. Not Operated	504	5.9	18	2	2	5	7	11	13	23
B. Operated	81	8.9	106	1	1	6	12	18	30	54
TOTAL										
0-19 YRS	75	4.7	10	1	2	4	6	8	11	18
20-34	265	5.8	26	1	2	5	7	11	13	24
35-49	117	6.5	31	1	2	5	8	11	15	34
50-64	65	6.8	21	1	3	5	9	12	18	22
65 +	63	9.2	79	1	2	6	11	18	27	48
GRAND TOTAL	**585**	**6.3**	**31**	**1**	**2**	**5**	**8**	**11**	**16**	**29**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	155	3.6	4	1	2	3	4	6	8	11
20-34	33	4.0	6	1	2	4	5	8	10	12
35-49	4	3.8	4	2	2	4	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	1	17.0		17	17	17	17	17	17	17
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	320	3.9	5	1	2	3	5	6	8	12
20-34	92	4.4	9	1	1	4	6	8	9	18
35-49	44	3.1	7	1	1	2	4	7	9	10
50-64	30	3.1	18	1	1	1	4	8	13	20
65 +	11	5.0	77	1	1	2	4	16	30	31
B. Operated										
0-19 YRS	11	8.2	70	2	2	6	8	19	31	32
20-34	7	8.7	28	3	3	7	13	16	16	16
35-49	5	4.6	11	2	2	4	6	10	10	10
50-64	2	12.5	41	8	8	12	17	17	17	17
65 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	3.7	5	1	2	3	4	6	9	12
B. Operated	4	7.0	46	2	2	4	11	17	17	17
2. MULTIPLE DX										
A. Not Operated	497	3.9	9	1	1	3	5	7	9	13
B. Operated	26	7.8	43	2	2	6	10	16	20	32
1. SINGLE DX	197	3.7	6	1	2	3	4	7	9	13
2. MULTIPLE DX	523	4.1	11	1	1	3	5	7	9	18
A. Not Operated	690	3.8	7	1	1	3	5	7	9	13
B. Operated	30	7.7	42	2	2	6	10	16	17	32
TOTAL										
0-19 YRS	489	3.9	7	1	2	3	5	7	8	12
20-34	133	4.6	11	1	1	4	6	9	12	18
35-49	53	3.3	7	1	1	2	4	7	9	10
50-64	33	3.8	23	1	1	1	5	9	16	20
65 +	12	4.8	71	1	1	2	4	13	28	31
GRAND TOTAL	**720**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	1.1		< 1	< 1	< 1	1	2	2	2
20-34	68	1.7	1	< 1	< 1	1	2	3	4	7
35-49	30	1.8	3	< 1	< 1	< 1	2	4	6	7
50-64	6	1.2		< 1	< 1	1	1	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	1	14.0		14	14	14	14	14	14	14
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	10	2.1	6	< 1	< 1	1	2	6	9	9
20-34	44	2.6	5	< 1	< 1	2	3	5	8	11
35-49	18	3.1	14	< 1	< 1	2	3	6	13	17
50-64	10	2.6	2	1	1	2	3	4	5	5
65 +	4	4.8	12	2	2	4	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	127	1.6	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	4	6.5	38	1	1	5	11	14	14	14
B. Operated	86	2.7	7	< 1	< 1	2	3	5	9	15
1. SINGLE DX	128	1.6	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	90	2.9	6	< 1	< 1	2	3	6	9	16
A. Not Operated	5	5.8	31	1	1	3	10	14	14	14
B. Operated	213	2.0	4	< 1	< 1	1	2	4	6	10
TOTAL										
0-19 YRS	35	1.7	4	< 1	< 1	< 1	1	2	7	9
20-34	113	2.1	4	< 1	< 1	1	3	4	5	12
35-49	48	2.3	7	< 1	< 1	1	3	5	6	17
50-64	16	2.1	2	< 1	< 1	2	3	4	5	5
65 +	6	3.7	10	< 1	< 1	2	6	9	9	9
GRAND TOTAL	**218**	**2.1**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**12**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1045	2.8	2	1	1	3	3	4	5	7
20-34	173	3.2	6	1	1	3	4	6	7	11
35-49	79	3.7	7	1	1	3	5	6	8	16
50-64	36	4.7	22	1	1	3	5	11	12	26
65 +	21	5.3	13	1	2	4	8	10	12	14
B. Operated										
0-19 YRS	21	2.9	6	< 1	< 1	2	3	7	9	10
20-34	9	5.1	18	1	1	5	8	12	13	13
35-49	4	7.8	14	4	4	8	11	11	11	11
50-64	4	9.3	24	2	2	11	12	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1427	3.4	7	1	1	3	4	6	7	14
20-34	442	4.5	19	1	1	3	5	9	13	21
35-49	300	4.4	16	1	1	3	5	8	10	24
50-64	166	5.1	26	1	2	4	6	9	14	27
65 +	266	5.0	17	1	2	4	6	8	12	25
B. Operated										
0-19 YRS	72	14.1	279	1	2	6	23	44	61	99 +
20-34	94	15.7	313	1	2	10	18	39	65	94
35-49	79	13.6	153	3	3	9	16	29	44	58
50-64	26	14.3	287	2	4	12	17	20	39	91
65 +	20	15.4	284	3	4	8	20	35	55	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1354	3.0	3	1	1	3	4	5	6	10
B. Operated	38	4.6	15	< 1	1	3	7	11	12	13
2. MULTIPLE DX										
A. Not Operated	2601	4.0	13	1	1	3	4	7	10	19
B. Operated	291	14.6	254	2	3	9	18	34	56	96
1. SINGLE DX	1392	3.1	4	1	1	3	4	5	6	11
2. MULTIPLE DX	2892	5.0	47	1	1	3	5	9	15	36
A. Not Operated	3955	3.6	10	1	1	3	4	6	8	17
B. Operated	329	13.4	237	1	2	8	16	31	54	93
TOTAL										
0-19 YRS	2565	3.4	16	1	1	3	4	5	7	21
20-34	718	5.7	69	1	1	3	6	11	18	50
35-49	462	5.9	50	1	2	4	6	12	17	41
50-64	232	6.2	62	1	2	4	6	13	17	31
65 +	307	5.7	40	1	2	4	6	9	15	34
GRAND TOTAL	**4284**	**4.4**	**34**	**1**	**1**	**3**	**4**	**7**	**12**	**29**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.3	3	1	1	3	4	5	7	9
20-34	28	4.2	5	2	2	4	5	8	9	11
35-49	13	4.2	4	1	2	4	6	7	7	7
50-64	5	5.0	5	2	2	5	6	8	8	8
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	4	3.5	3	1	1	4	5	5	5	5
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	4.0	9	1	2	3	5	7	11	15
20-34	15	4.9	6	2	2	4	6	8	10	11
35-49	18	5.2	7	2	2	5	6	8	11	13
50-64	16	5.8	12	3	3	5	7	10	14	16
65 +	17	7.5	38	3	4	5	8	16	23	27
B. Operated										
0-19 YRS	3	9.7	14	7	7	8	12	14	14	14
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	15.3	114	6	6	12	23	30	30	30
65 +	1	19.0		19	19	19	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	3.8	4	1	2	4	5	7	8	10
B. Operated	7	5.3	8	1	2	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	94	5.3	15	2	2	4	6	9	13	23
B. Operated	10	11.9	64	5	5	8	16	24	30	30
1. SINGLE DX	99	3.9	4	1	2	4	5	7	8	11
2. MULTIPLE DX	104	5.9	23	2	2	4	7	11	16	23
A. Not Operated	186	4.6	10	1	2	4	5	8	10	17
B. Operated	17	9.2	50	2	4	7	11	18	26	30
TOTAL										
0-19 YRS	79	3.8	7	1	1	3	4	7	9	15
20-34	46	4.6	6	2	2	4	5	8	10	11
35-49	32	4.8	6	2	2	5	6	7	8	13
50-64	25	7.2	36	2	3	5	8	16	20	30
65 +	21	7.6	39	2	3	5	8	18	23	27
GRAND TOTAL	**203**	**5.0**	**15**	**1**	**2**	**4**	**6**	**8**	**11**	**23**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	5.5	9	2	2	5	7	10	11	16
20-34	86	4.5	14	2	2	4	5	7	8	26
35-49	6	5.5	10	2	2	6	7	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	3	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	4	9.0	14	5	5	8	11	14	14	14
20-34	7	4.7	3	2	2	5	6	7	7	7
35-49	4	10.5	170	3	3	4	17	30	30	30
50-64	2	6.5	13	4	4	6	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	6.5	19	2	3	5	8	12	14	25
20-34	81	5.4	10	2	2	5	6	10	12	18
35-49	21	6.1	9	2	2	5	9	10	11	11
50-64	7	7.3	14	1	1	9	10	10	10	10
65 +	21	8.5	22	< 1	1	9	11	13	17	20
B. Operated										
0-19 YRS	11	9.6	88	1	2	6	13	25	32	33
20-34	23	4.8	14	< 1	< 1	4	8	11	12	13
35-49	12	6.1	18	1	1	5	10	12	14	14
50-64	4	10.3	97	5	5	6	15	25	25	25
65 +	12	14.8	640	2	3	7	11	40	86	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	162	5.1	12	2	2	4	7	9	10	16
B. Operated	17	7.3	43	2	3	5	8	13	24	30
2. MULTIPLE DX										
A. Not Operated	219	6.3	15	2	2	5	8	11	13	21
B. Operated	62	8.2	158	< 1	1	5	10	14	21	87
1. SINGLE DX	179	5.3	15	2	2	4	7	9	11	26
2. MULTIPLE DX	281	6.7	47	1	2	5	9	12	14	26
A. Not Operated	381	5.8	14	2	2	5	7	10	12	20
B. Operated	79	8.0	132	1	1	5	9	14	22	76
TOTAL										
0-19 YRS	170	6.4	20	2	2	5	8	12	14	26
20-34	197	4.9	12	1	2	4	6	9	11	17
35-49	43	6.4	24	1	2	5	9	11	12	30
50-64	14	7.8	33	1	3	7	10	12	22	25
65 +	36	10.7	222	1	2	9	11	14	19	94
GRAND TOTAL	**460**	**6.1**	**35**	**2**	**2**	**5**	**7**	**11**	**13**	**26**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.5	6	1	1	3	5	6	9	11
20-34	7	4.7	9	1	1	4	6	9	10	10
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	4.5	25	< 1	< 1	4	8	8	8	8
B. Operated										
0-19 YRS	5	6.6	31	2	2	5	9	16	16	16
20-34	7	21.0	800	2	3	13	17	71	84	84
35-49	4	17.5	275	5	5	13	30	40	40	40
50-64	5	6.4	18	1	1	6	10	12	12	12
65 +	2	7.5	85	1	1	7	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	4.4	18	< 1	< 1	3	6	11	14	15
20-34	18	11.1	185	1	2	6	11	39	46	46
35-49	23	12.0	143	1	2	9	11	33	44	45
50-64	25	10.0	28	3	4	9	14	16	19	24
65 +	70	11.4	107	3	4	9	14	23	41	92
B. Operated										
0-19 YRS	14	30.6	677	2	4	21	48	76	85	87
20-34	35	14.5	92	2	4	13	18	29	36	41
35-49	28	21.9	312	3	3	18	35	43	85	99 +
50-64	24	14.0	172	3	5	10	16	32	48	58
65 +	55	15.7	255	2	3	12	20	31	45	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	3.8	7	1	1	3	5	8	10	11
B. Operated	23	12.9	315	1	2	7	15	24	55	84
2. MULTIPLE DX										
A. Not Operated	170	9.9	96	1	2	8	11	19	35	59
B. Operated	156	17.6	270	2	3	13	21	39	49	92
1. SINGLE DX	52	7.8	160	1	1	5	8	16	20	83
2. MULTIPLE DX	326	13.6	194	2	2	9	17	31	44	88
A. Not Operated	199	9.0	88	1	2	7	11	18	28	54
B. Operated	179	17.0	276	2	3	13	20	38	49	90
TOTAL										
0-19 YRS	70	9.6	252	< 1	1	4	10	21	48	85
20-34	67	13.3	185	2	2	9	16	29	42	78
35-49	57	17.0	249	2	3	11	27	42	44	99
50-64	55	11.2	96	2	3	9	14	18	29	57
65 +	129	13.1	172	2	3	9	16	27	41	94
GRAND TOTAL	**378**	**12.8**	**193**	**1**	**2**	**9**	**16**	**29**	**43**	**86**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	1	1	1	3	3	3	3	3
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	6	8.5	169	3	3	3	4	32	35	35
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	7.8	8	4	4	8	10	10	10	10
50-64	3	3.3	4	< 1	< 1	4	5	5	5	5
65 +	2	9.5	1	9	9	9	10	10	10	10
B. Operated										
0-19 YRS	5	3.8	10	1	1	3	5	9	9	9
20-34	0									
35-49	2	17.5	145	9	9	17	26	26	26	26
50-64	2	12.0	162	3	3	12	21	21	21	21
65 +	1	32.0		32	32	32	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.0	5	1	1	3	3	7	7	7
B. Operated	10	6.6	101	< 1	1	4	5	20	35	35
2. MULTIPLE DX										
A. Not Operated	15	5.0	11	< 1	1	4	8	10	10	10
B. Operated	10	11.0	126	1	1	6	21	29	32	32
1. SINGLE DX	16	5.3	65	< 1	1	3	4	7	27	35
2. MULTIPLE DX	25	7.4	63	1	1	4	9	21	27	32
A. Not Operated	21	4.4	10	< 1	1	3	7	10	10	10
B. Operated	20	8.8	112	< 1	1	4	9	29	33	35
TOTAL										
0-19 YRS	20	4.7	54	1	1	3	4	7	22	35
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	9	8.1	57	< 1	< 1	7	10	20	26	26
50-64	6	6.8	52	< 1	< 1	4	7	20	21	21
65 +	3	17.0	169	9	9	10	26	32	32	32
GRAND TOTAL	**41**	**6.6**	**63**	**< 1**	**1**	**4**	**8**	**15**	**29**	**35**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.8	1	2	2	3	4	4	4	4
20-34	11	4.2	9	1	1	4	5	9	11	11
35-49	5	6.0	10	3	3	6	7	11	11	11
50-64	2	5.0		5	5	5	5	5	5	5
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	40	4.6	14	1	1	3	7	9	12	16
35-49	32	4.2	16	< 1	1	2	6	11	12	15
50-64	11	5.5	28	1	1	5	6	13	19	20
65 +	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	4.7	9	1	1	4	6	9	12	13
20-34	54	10.0	109	2	2	6	13	21	23	64
35-49	61	9.6	61	2	2	7	14	22	25	33
50-64	31	10.8	133	3	3	7	12	22	24	63
65 +	21	10.1	42	2	3	10	14	21	23	23
B. Operated										
0-19 YRS	4	37.0	205	25	25	34	48	55	55	55
20-34	98	12.2	116	1	2	9	16	26	36	48
35-49	76	11.8	104	2	3	8	15	28	31	47
50-64	43	11.0	123	1	1	7	14	32	36	42
65 +	12	19.6	514	6	6	12	17	53	80	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.1	6	2	2	4	5	8	11	11
B. Operated	86	4.9	23	1	1	3	7	10	13	26
2. MULTIPLE DX										
A. Not Operated	205	9.0	76	2	2	6	12	21	23	47
B. Operated	233	12.7	145	1	2	8	16	29	39	51
1. SINGLE DX	117	4.7	19	1	1	3	6	10	12	23
2. MULTIPLE DX	438	11.0	116	2	2	7	14	24	32	51
A. Not Operated	236	8.4	69	2	2	6	11	21	23	38
B. Operated	319	10.8	124	1	2	7	14	26	34	49
TOTAL										
0-19 YRS	55	7.1	102	1	2	4	7	13	29	54
20-34	203	9.7	97	1	2	7	13	21	27	48
35-49	174	9.5	77	1	2	7	11	22	28	41
50-64	87	10.1	113	1	2	6	13	24	34	55
65 +	36	13.1	207	2	4	10	15	22	35	85
GRAND TOTAL	**555**	**9.6**	**102**	**1**	**2**	**6**	**12**	**22**	**29**	**48**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	2	5.0	2	4	4	5	6	6	6	6
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	4	4.5	4	2	2	5	6	6	6	6
A. Not Operated	3	3.7	4	2	2	3	5	6	6	6
B. Operated	2	5.0	2	4	4	5	6	6	6	6
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	0									
65 +	3	3.7	4	2	2	3	5	6	6	6
GRAND TOTAL	**5**	**4.2**	**3**	**2**	**2**	**4**	**6**	**6**	**6**	**6**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	3	13.0	169	5	5	6	22	28	28	28
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	8	2.8	2	1	1	3	4	5	5	5
35-49	44	6.1	49	< 1	1	4	7	14	21	32
50-64	71	5.3	30	1	1	3	7	10	18	29
65 +	70	4.7	11	< 1	1	4	6	9	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	7.5	115	< 1	< 1	3	9	26	32	32
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	17	5.4	45	1	1	4	5	8	23	30
50-64	27	5.4	15	2	2	4	7	12	14	16
65 +	36	6.0	15	1	1	6	8	10	15	18
B. Operated										
0-19 YRS	5	5.4	21	1	1	6	12	91	99 +	99 +
20-34	6	8.0	142	1	1	4	5	29	32	32
35-49	62	12.8	181	1	2	9	15	26	36	77
50-64	171	11.8	176	1	2	7	15	29	44	77
65 +	256	11.5	183	1	2	7	15	28	37	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	7.6	87	1	1	5	7	24	28	28
B. Operated	195	5.1	26	< 1	1	3	7	10	14	30
2. MULTIPLE DX										
A. Not Operated	90	5.8	28	1	1	5	7	11	16	31
B. Operated	500	11.7	178	1	2	7	15	29	38	80
1. SINGLE DX	202	5.2	28	< 1	1	3	7	10	15	30
2. MULTIPLE DX	590	10.8	159	1	2	7	13	27	34	77
A. Not Operated	97	5.9	32	1	1	5	7	11	16	31
B. Operated	695	9.8	144	1	1	6	12	24	33	71
TOTAL										
0-19 YRS	15	5.9	69	< 1	< 1	3	10	30	80	99 +
20-34	16	4.9	55	1	1	3	5	7	24	32
35-49	125	9.3	124	1	1	6	12	24	31	60
50-64	271	9.4	130	1	1	6	11	23	32	62
65 +	365	9.7	141	1	1	6	11	21	32	68
GRAND TOTAL	**792**	**9.4**	**132**	**1**	**1**	**6**	**11**	**22**	**32**	**66**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	5	2.4	4	< 1	< 1	2	3	6	6	6
65 +	4	11.8	204	3	3	5	20	33	33	33
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	18	7.7	22	1	1	8	10	14	16	18
65 +	12	6.9	23	< 1	1	6	10	13	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	8.3	67	2	2	4	13	22	24	24
50-64	47	8.3	103	2	3	7	9	13	16	72
65 +	34	9.7	62	1	2	8	15	18	23	36
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	26	19.0	312	1	2	13	24	49	60	68
50-64	86	17.7	179	2	4	13	26	42	46	82
65 +	131	13.4	133	2	3	11	18	25	35	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.6	78	< 1	1	3	5	15	30	33
B. Operated	32	7.0	22	1	1	7	10	13	17	18
2. MULTIPLE DX										
A. Not Operated	89	8.8	83	2	2	7	11	16	21	58
B. Operated	244	15.5	172	2	3	12	21	34	45	61
1. SINGLE DX	44	6.6	37	< 1	1	6	9	13	17	33
2. MULTIPLE DX	333	13.7	157	2	3	10	17	30	44	62
A. Not Operated	101	8.4	83	1	2	6	10	16	22	54
B. Operated	276	14.5	162	1	3	11	20	33	45	60
TOTAL										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	39	14.6	260	1	2	10	18	35	54	68
50-64	156	13.2	157	1	2	8	16	31	44	71
65 +	181	12.2	116	1	2	10	16	24	34	58
GRAND TOTAL	**377**	**12.9**	**148**	**1**	**2**	**9**	**16**	**28**	**39**	**60**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	6	7.3	30	< 1	< 1	7	10	15	16	16
50-64	19	10.5	57	2	3	8	14	18	27	34
65 +	30	12.5	86	2	3	10	12	26	32	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	12	10.0	69	2	3	7	12	26	27	27
50-64	26	6.3	44	1	1	5	7	15	21	31
65 +	67	7.6	38	1	2	6	9	17	19	31
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	13.3	70	5	6	10	19	26	28	28
35-49	42	12.5	44	5	7	10	14	25	29	30
50-64	131	16.1	134	4	7	13	18	28	39	64
65 +	303	15.8	113	4	6	13	20	29	36	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.0	1	2	2	3	4	4	4	4
B. Operated	55	11.2	71	2	3	10	13	20	32	43
2. MULTIPLE DX										
A. Not Operated	108	7.5	42	1	2	6	9	17	21	31
B. Operated	485	15.5	113	4	6	13	19	28	36	59
1. SINGLE DX	59	10.7	70	2	2	10	12	20	32	42
2. MULTIPLE DX	593	14.0	109	2	4	11	18	27	33	56
A. Not Operated	112	7.3	42	1	2	6	9	17	20	31
B. Operated	540	15.1	110	3	6	12	19	28	35	58
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	11	10.9	65	4	4	7	15	25	28	28
35-49	61	11.3	49	2	4	9	14	25	27	30
50-64	177	14.0	125	2	3	12	17	27	34	60
65 +	402	14.1	108	2	4	11	18	27	34	53
GRAND TOTAL	**652**	**13.7**	**107**	**2**	**4**	**11**	**17**	**26**	**33**	**53**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	7	9.6	36	1	2	8	15	17	17	17
65 +	10	5.4	2	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	10	11.5	19	5	6	12	13	17	20	20
50-64	17	15.7	58	6	7	16	20	22	32	37
65 +	51	17.4	167	5	7	13	19	34	41	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	17	7.1	19	2	4	6	8	15	16	17
B. Operated	79	16.1	126	5	7	13	19	28	37	67
1. SINGLE DX	3	6.0	9	3	3	6	8	9	9	9
2. MULTIPLE DX	96	14.5	118	4	5	12	17	27	36	65
A. Not Operated	18	6.9	19	2	3	6	8	15	16	17
B. Operated	81	15.9	125	5	7	13	18	28	36	67
TOTAL										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	10	11.5	19	5	6	12	13	17	20	20
50-64	25	13.6	58	3	6	14	17	21	26	37
65 +	63	15.1	157	4	4	11	18	30	38	69
GRAND TOTAL	**99**	**14.3**	**117**	**4**	**5**	**12**	**17**	**26**	**36**	**65**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	7.5	17	3	3	8	11	11	11	11
65 +	10	2.5	2	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	8.7	15	3	3	9	12	13	13	13
35-49	29	9.3	13	4	5	9	11	15	16	17
50-64	128	9.7	29	5	6	9	11	14	15	35
65 +	167	10.3	42	5	6	9	11	14	19	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	16	5.6	11	1	2	5	7	11	13	14
50-64	46	6.8	22	2	2	6	8	14	18	21
65 +	165	7.6	52	1	2	5	9	18	24	34
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	36	9.8	23	2	4	9	13	16	19	23
35-49	138	13.1	100	5	7	10	14	21	36	57
50-64	572	11.8	52	6	7	10	13	17	21	50
65 +	1927	14.0	63	6	8	12	17	23	29	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.9	10	1	1	3	5	11	11	11
B. Operated	332	9.9	34	4	6	9	11	14	16	25
2. MULTIPLE DX										
A. Not Operated	231	7.2	43	1	2	5	9	16	21	34
B. Operated	2674	13.4	63	6	7	11	15	22	28	46
1. SINGLE DX	347	9.7	34	3	5	9	11	14	16	24
2. MULTIPLE DX	2905	12.9	64	4	6	11	15	22	28	45
A. Not Operated	246	7.0	41	1	2	5	9	14	21	34
B. Operated	3006	13.0	61	6	7	11	15	21	27	46
TOTAL										
0-19 YRS	3	7.3	86	1	1	3	14	18	18	18
20-34	46	9.1	23	2	3	9	13	15	17	23
35-49	184	11.8	83	4	5	9	13	17	29	55
50-64	750	11.1	48	4	6	10	13	16	21	37
65 +	2269	13.2	64	4	6	11	16	22	28	44
GRAND TOTAL	**3252**	**12.6**	**62**	**4**	**6**	**11**	**15**	**21**	**27**	**45**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	8	4.6	11	1	1	3	6	10	11	11
65 +	6	3.8	6	2	2	3	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	8	11.3	27	6	7	10	12	20	23	23
35-49	29	8.8	17	1	2	10	11	14	15	16
50-64	74	9.9	23	1	3	10	13	16	18	23
65 +	89	11.0	47	1	2	11	14	17	20	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	11	5.2	64	1	1	3	4	15	28	29
50-64	37	7.2	30	2	2	5	11	15	18	25
65 +	81	6.9	36	1	2	6	8	14	16	35
B. Operated										
0-19 YRS	5	15.4	127	8	8	12	19	35	35	35
20-34	12	11.8	32	2	3	12	15	20	21	21
35-49	82	11.8	39	3	4	11	15	18	24	36
50-64	262	12.2	57	3	5	11	15	20	24	35
65 +	691	14.3	88	3	5	12	17	25	32	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.3	8	1	2	3	7	8	10	11
B. Operated	200	10.3	33	1	3	10	13	16	19	33
2. MULTIPLE DX										
A. Not Operated	130	6.9	36	1	2	5	8	14	17	31
B. Operated	1052	13.6	77	3	5	12	16	24	30	48
1. SINGLE DX	214	9.9	34	1	2	10	12	16	19	32
2. MULTIPLE DX	1182	12.9	77	2	4	11	15	23	29	47
A. Not Operated	144	6.6	34	1	2	5	8	14	16	30
B. Operated	1252	13.1	71	3	5	11	15	22	29	47
TOTAL										
0-19 YRS	5	15.4	127	8	8	12	19	35	35	35
20-34	21	11.4	27	3	5	11	13	20	22	23
35-49	122	10.5	40	2	3	10	13	17	20	33
50-64	381	11.1	50	2	3	10	14	19	23	31
65 +	867	13.2	84	2	4	11	16	24	30	48
GRAND TOTAL	**1396**	**12.4**	**71**	**2**	**3**	**11**	**15**	**22**	**27**	**45**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.5	3	< 1	< 1	2	3	5	7	7
20-34	0									
35-49	3	6.3	37	1	1	5	11	13	13	13
50-64	9	2.4	6	< 1	< 1	1	3	7	7	7
65 +	3	9.7	12	6	6	10	12	13	13	13
B. Operated										
0-19 YRS	16	10.1	101	1	2	7	10	24	36	41
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	11	8.1	36	1	1	10	12	16	17	17
50-64	15	10.3	29	2	6	9	13	19	21	22
65 +	20	7.6	21	< 1	1	7	11	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	5.7	28	< 1	< 1	5	7	14	17	23
20-34	3	4.3	9	1	1	5	6	7	7	7
35-49	16	8.2	32	2	2	7	11	16	20	22
50-64	25	7.4	37	1	2	5	10	18	21	22
65 +	42	8.2	20	2	3	8	11	14	16	17
B. Operated										
0-19 YRS	19	16.1	249	3	6	11	17	34	57	71
20-34	8	17.0	207	3	4	12	21	41	49	49
35-49	25	17.8	502	1	2	11	16	36	81	94
50-64	86	14.9	179	3	3	11	21	28	33	81
65 +	185	15.2	103	5	6	12	19	30	37	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.8	14	< 1	1	2	6	10	13	13
B. Operated	64	8.8	45	1	1	7	12	15	20	39
2. MULTIPLE DX										
A. Not Operated	110	7.4	27	1	1	6	10	15	17	23
B. Operated	323	15.4	163	3	5	12	19	30	38	73
1. SINGLE DX	89	7.4	41	1	1	6	11	14	17	35
2. MULTIPLE DX	433	13.4	140	2	3	10	17	26	34	65
A. Not Operated	135	6.7	27	1	1	5	10	14	16	22
B. Operated	387	14.3	149	2	4	11	17	28	37	68
TOTAL										
0-19 YRS	69	9.1	122	< 1	1	7	11	20	26	65
20-34	13	12.2	162	1	3	8	14	29	45	49
35-49	55	12.4	265	1	2	9	13	22	35	93
50-64	135	12.2	140	1	2	9	16	26	30	68
65 +	250	13.3	91	3	5	11	16	26	34	45
GRAND TOTAL	**522**	**12.4**	**128**	**1**	**2**	**10**	**16**	**25**	**32**	**61**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	2.8	2	1	1	3	4	5	5	5
65 +	5	6.8	59	1	1	5	9	20	20	20
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	0									
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	14	9.8	30	< 1	2	11	14	16	18	18
65 +	9	19.7	174	4	6	18	24	40	50	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	5	3.6	5	1	1	3	6	6	6	6
50-64	59	7.0	41	1	1	5	9	14	20	32
65 +	114	8.7	39	2	2	7	12	19	22	27
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	18.8	50	13	13	16	23	29	29	29
35-49	21	14.8	118	1	2	13	22	31	34	37
50-64	135	15.9	141	4	6	13	19	27	39	68
65 +	335	15.3	110	3	5	13	19	28	34	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.0	26	1	1	4	6	10	19	20
B. Operated	27	12.6	97	1	2	11	16	23	28	50
2. MULTIPLE DX										
A. Not Operated	179	8.0	39	1	2	6	10	18	22	30
B. Operated	496	15.5	118	3	5	13	19	28	35	61
1. SINGLE DX	39	10.3	87	1	2	9	15	20	24	50
2. MULTIPLE DX	675	13.5	108	2	3	11	17	26	33	56
A. Not Operated	191	7.8	39	1	2	6	10	18	22	30
B. Operated	523	15.3	117	3	5	13	19	28	35	59
TOTAL										
0-19 YRS	4	6.5	12	2	2	7	9	10	10	10
20-34	5	16.2	70	6	6	16	20	29	29	29
35-49	29	12.2	105	1	1	10	16	30	32	37
50-64	213	12.7	121	2	3	11	16	23	32	58
65 +	463	13.7	102	2	4	11	18	26	33	56
GRAND TOTAL	**714**	**13.3**	**107**	**2**	**3**	**11**	**17**	**26**	**32**	**56**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	4.0	5	2	2	3	5	7	7	7
50-64	27	3.3	5	1	1	2	5	6	7	10
65 +	26	6.0	19	< 1	1	5	9	10	13	22
B. Operated										
0-19 YRS	3	10.0	7	7	7	11	12	12	12	12
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	46	10.2	66	1	2	9	11	18	28	42
50-64	168	7.0	22	< 1	1	7	10	12	16	24
65 +	156	6.9	30	< 1	< 1	7	9	13	17	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	4.8	8	1	1	5	7	8	9	9
35-49	101	6.3	32	1	2	5	7	13	17	31
50-64	449	7.0	35	1	2	5	9	14	20	28
65 +	555	8.1	45	1	2	6	10	16	22	31
B. Operated										
0-19 YRS	3	6.7	6	4	4	7	8	9	9	9
20-34	17	13.1	112	2	3	8	20	28	36	40
35-49	206	10.9	86	2	3	9	14	20	25	52
50-64	1221	10.8	68	2	3	9	14	20	27	43
65 +	1678	11.7	85	2	3	10	15	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	4.6	13	1	1	4	6	9	10	21
B. Operated	375	7.4	32	< 1	< 1	7	10	13	17	28
2. MULTIPLE DX										
A. Not Operated	1114	7.5	40	1	2	6	9	15	20	30
B. Operated	3125	11.3	78	2	3	9	14	21	28	49
1. SINGLE DX	432	7.0	30	< 1	1	7	9	13	16	27
2. MULTIPLE DX	4239	10.3	71	2	3	8	13	20	26	44
A. Not Operated	1171	7.3	39	1	2	6	9	15	20	30
B. Operated	3500	10.9	75	2	3	9	14	21	27	48
TOTAL										
0-19 YRS	7	7.7	10	4	4	7	10	12	12	12
20-34	27	9.7	92	1	1	8	9	24	31	40
35-49	357	9.4	72	1	2	8	12	18	23	40
50-64	1865	9.5	59	2	2	8	12	18	25	40
65 +	2415	10.5	75	2	3	9	14	21	26	46
GRAND TOTAL	**4671**	**10.0**	**68**	**2**	**2**	**8**	**13**	**19**	**25**	**42**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	4	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	9	6.3	23	1	1	6	10	13	13	13
20-34	7	6.9	29	1	1	4	11	14	15	15
35-49	22	7.6	24	1	2	8	10	13	16	20
50-64	51	7.1	31	< 1	1	6	11	15	17	23
65 +	39	7.8	49	1	1	7	11	18	24	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.9	5	2	2	5	6	8	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	4.0	10	1	1	3	5	9	11	11
50-64	25	5.2	14	< 1	1	4	8	10	13	14
65 +	30	6.9	32	1	1	6	8	14	19	27
B. Operated										
0-19 YRS	10	10.6	56	1	1	11	16	21	22	22
20-34	6	13.5	172	5	5	8	16	37	39	39
35-49	38	9.8	31	1	3	10	14	16	18	24
50-64	101	13.3	118	2	2	12	17	24	37	56
65 +	174	11.3	102	1	1	10	14	22	32	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.4		< 1	< 1	1	2	3	3	3
B. Operated	128	7.3	34	1	1	7	11	14	18	27
2. MULTIPLE DX										
A. Not Operated	71	5.7	21	1	1	5	8	11	14	25
B. Operated	329	11.7	99	1	2	10	15	22	35	56
1. SINGLE DX	139	6.9	34	< 1	1	6	11	14	18	26
2. MULTIPLE DX	400	10.7	90	1	2	9	14	21	29	51
A. Not Operated	82	5.1	20	< 1	1	4	7	10	13	24
B. Operated	457	10.5	84	1	1	9	14	21	28	46
TOTAL										
0-19 YRS	26	7.6	35	1	1	6	12	16	20	22
20-34	14	9.4	94	1	2	6	11	18	34	39
35-49	72	8.0	30	1	1	8	13	15	17	23
50-64	180	10.3	89	1	1	8	14	20	26	51
65 +	247	10.0	88	1	1	8	13	21	28	47
GRAND TOTAL	**539**	**9.7**	**78**	**1**	**1**	**8**	**13**	**19**	**24**	**43**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	3.5	5	1	1	3	4	7	8	10
20-34	13	2.0	1	< 1	1	2	2	3	4	4
35-49	3	2.7		2	2	3	3	3	3	3
50-64	5	12.4	153	2	2	7	21	32	32	32
65 +	3	8.3	33	5	5	10	57	99 +	99 +	99 +
B. Operated										
0-19 YRS	101	6.8	55	1	1	5	8	14	21	39
20-34	41	5.5	10	1	2	5	8	10	11	13
35-49	38	5.4	22	1	1	4	7	10	11	27
50-64	33	6.1	14	1	2	6	9	11	14	14
65 +	38	5.7	23	< 1	1	4	8	13	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	4.6	24	1	1	3	5	10	13	27
20-34	22	6.2	30	< 1	1	4	10	13	18	23
35-49	17	4.1	4	2	2	4	5	6	9	10
50-64	10	6.9	17	2	3	5	10	13	15	15
65 +	17	9.4	47	1	1	8	15	19	22	24
B. Operated										
0-19 YRS	67	9.4	49	2	2	7	13	19	20	38
20-34	34	13.0	225	1	2	8	11	37	47	62
35-49	35	14.3	293	1	2	9	17	28	38	93
50-64	50	10.7	132	2	3	7	12	24	48	99 +
65 +	96	11.2	111	1	2	9	14	23	30	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	4.0	19	1	1	3	4	7	13	82
B. Operated	251	6.1	33	1	1	5	8	12	14	33
2. MULTIPLE DX										
A. Not Operated	167	5.4	27	1	1	4	7	12	16	24
B. Operated	282	11.3	136	2	2	8	14	24	36	67
1. SINGLE DX	327	5.6	30	1	1	4	7	11	14	34
2. MULTIPLE DX	449	9.1	104	1	2	6	11	19	28	60
A. Not Operated	243	4.9	24	1	1	3	6	11	16	32
B. Operated	533	8.9	94	1	2	6	11	17	28	51
TOTAL										
0-19 YRS	321	6.1	40	1	1	4	7	13	18	34
20-34	110	7.5	92	1	1	5	9	12	23	53
35-49	93	8.4	139	1	2	5	9	19	28	70
50-64	98	8.9	85	2	2	7	10	18	29	80
65 +	154	9.6	85	1	2	8	13	19	29	69
GRAND TOTAL	**776**	**7.6**	**75**	**1**	**1**	**5**	**9**	**16**	**24**	**47**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	1.0		1	1	1	1	1	1	1
65 +	2	3.0	8	< 1	< 1	2	5	5	5	5
B. Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	25	3.1	5	< 1	1	2	4	6	7	9
35-49	48	3.8	6	1	1	3	6	7	9	10
50-64	64	4.3	11	< 1	1	3	6	9	11	15
65 +	44	4.4	17	< 1	< 1	3	6	9	10	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	6.0	47	1	1	3	10	16	16	16
35-49	8	5.4	10	2	2	5	7	10	11	11
50-64	8	5.3	5	3	3	5	7	9	9	9
65 +	7	8.4	125	1	1	5	11	28	32	32
B. Operated										
0-19 YRS	4	3.0	3	1	1	3	4	5	5	5
20-34	13	4.5	9	1	1	4	7	9	10	10
35-49	18	5.1	18	< 1	1	4	6	13	15	15
50-64	50	6.2	27	1	2	5	8	11	13	29
65 +	66	9.9	156	1	1	7	11	20	29	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	3	< 1	< 1	1	2	5	5	5
B. Operated	183	4.0	10	< 1	1	3	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	27	6.2	40	1	1	5	8	13	18	32
B. Operated	151	7.4	84	1	1	5	9	14	22	59
1. SINGLE DX	188	4.0	10	< 1	1	3	6	8	10	15
2. MULTIPLE DX	178	7.3	78	1	1	5	9	14	21	55
A. Not Operated	32	5.5	37	1	1	4	6	12	16	32
B. Operated	334	5.6	47	< 1	1	4	7	10	14	32
TOTAL										
0-19 YRS	6	3.3	5	1	1	3	5	7	7	7
20-34	42	3.8	10	1	1	3	5	8	10	16
35-49	74	4.3	10	1	1	3	6	8	10	15
50-64	125	5.0	18	1	1	4	7	10	11	25
65 +	119	7.7	106	< 1	1	5	9	14	24	64
GRAND TOTAL	**366**	**5.6**	**46**	**< 1**	**1**	**4**	**7**	**10**	**14**	**32**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	8	2.6	4	< 1	< 1	2	4	6	6	6
35-49	27	1.6	1	< 1	< 1	1	2	3	4	4
50-64	62	2.1	4	< 1	< 1	1	2	5	6	12
65 +	131	2.2	4	< 1	< 1	1	3	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.0	1	5	5	6	6	8	8	8
20-34	3	5.7	6	3	3	6	7	8	8	8
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	35.5	1861	5	5	35	66	66	66	66
65 +	7	5.1	16	< 1	< 1	5	7	11	12	12
B. Operated										
0-19 YRS	4	10.8	80	2	2	9	17	23	23	23
20-34	5	4.6	42	< 1	< 1	1	7	16	16	16
35-49	35	4.6	29	< 1	< 1	2	6	14	16	24
50-64	74	5.3	67	< 1	< 1	2	6	14	17	49
65 +	237	5.5	51	< 1	< 1	3	7	12	18	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	230	2.2	4	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	19	9.2	200	< 1	2	6	8	13	43	66
B. Operated	355	5.4	52	< 1	< 1	3	7	13	18	40
1. SINGLE DX	232	2.2	4	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX	374	5.6	60	< 1	< 1	3	7	13	18	42
A. Not Operated	21	8.6	183	1	2	6	8	13	37	66
B. Operated	585	4.2	36	< 1	< 1	2	5	10	14	34
TOTAL										
0-19 YRS	12	7.6	32	1	2	6	9	15	22	23
20-34	16	3.8	16	< 1	< 1	2	5	8	14	16
35-49	64	3.4	20	< 1	< 1	2	4	8	14	23
50-64	139	4.3	68	< 1	< 1	1	4	10	14	56
65 +	375	4.4	36	< 1	< 1	2	5	10	14	36
GRAND TOTAL	**606**	**4.3**	**41**	**<1**	**<1**	**2**	**5**	**10**	**14**	**36**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	3.2	3	2	2	2	5	5	5	5
50-64	6	5.3	25	1	1	4	5	14	15	15
65 +	4	6.5	14	2	2	6	9	11	11	11
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	81	4.4	5	< 1	1	4	5	7	8	13
35-49	489	4.1	4	1	1	4	5	7	8	10
50-64	674	4.4	5	1	2	4	6	7	8	12
65 +	633	4.8	5	1	2	5	6	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	4.9	2	2	3	5	6	7	7	7
35-49	32	6.6	27	< 1	1	5	9	15	17	21
50-64	63	7.7	73	1	1	4	10	18	28	42
65 +	68	9.4	147	1	2	5	9	22	37	60
B. Operated										
0-19 YRS	3	12.0	19	7	7	14	15	15	15	15
20-34	81	5.3	13	1	2	5	6	9	11	22
35-49	498	5.1	12	2	2	4	6	8	10	21
50-64	946	6.1	23	2	2	5	7	10	15	29
65 +	1634	6.3	20	2	3	6	7	10	12	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.9	14	1	2	5	6	11	14	15
B. Operated	1878	4.5	5	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	171	8.0	91	1	1	5	9	17	29	55
B. Operated	3162	6.0	20	2	2	5	7	9	13	24
1. SINGLE DX	1893	4.5	5	1	2	4	6	7	8	11
2. MULTIPLE DX	3333	6.1	23	2	2	5	7	10	13	28
A. Not Operated	186	7.8	86	1	1	5	8	16	27	53
B. Operated	5040	5.4	15	2	2	5	7	9	11	21
TOTAL										
0-19 YRS	4	9.5	38	2	2	10	14	15	15	15
20-34	170	4.8	9	1	1	4	6	8	9	20
35-49	1024	4.7	9	1	2	4	6	8	9	16
50-64	1689	5.5	18	1	2	5	6	9	12	27
65 +	2339	6.0	20	2	2	5	7	9	12	23
GRAND TOTAL	**5226**	**5.5**	**17**	**1**	**2**	**5**	**7**	**9**	**11**	**23**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	3.0		3	3	3	3	3	3	3
35-49	15	2.7	1	1	1	3	3	4	4	4
50-64	19	2.6	1	1	1	3	3	4	4	4
65 +	16	3.2		2	2	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	64	5.5	9	1	1	5	8	9	10	14
35-49	45	5.4	14	< 1	1	4	8	12	12	15
50-64	30	3.5	9	< 1	< 1	3	4	7	9	15
65 +	21	3.4	4	< 1	< 1	3	5	7	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	4.9	15	2	2	4	5	13	14	15
35-49	44	5.0	20	1	1	4	6	10	12	26
50-64	45	3.7	7	1	1	3	4	7	10	12
65 +	40	5.5	17	1	2	4	7	10	16	19
B. Operated										
0-19 YRS	0									
20-34	61	8.6	94	1	2	6	9	17	22	62
35-49	107	8.9	65	2	3	7	11	18	22	49
50-64	78	8.1	40	1	2	6	11	16	21	31
65 +	84	8.6	101	2	2	6	10	15	23	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	2.8	1	1	2	3	3	4	4	4
B. Operated	160	4.8	10	< 1	1	4	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	144	4.7	15	1	1	4	6	9	12	19
B. Operated	330	8.6	73	2	2	6	10	17	22	45
1. SINGLE DX	217	4.3	9	< 1	1	3	5	8	10	14
2. MULTIPLE DX	474	7.4	58	1	2	5	9	15	20	38
A. Not Operated	201	4.2	11	1	1	3	4	8	11	18
B. Operated	490	7.3	56	1	2	5	9	14	19	37
TOTAL										
0-19 YRS	0									
20-34	147	6.6	47	1	2	5	8	11	15	41
35-49	211	6.9	44	1	2	5	8	13	18	31
50-64	172	5.6	27	1	1	4	7	12	16	27
65 +	161	6.6	62	1	2	4	8	13	19	35
GRAND TOTAL	**691**	**6.4**	**45**	**1**	**2**	**4**	**8**	**12**	**18**	**31**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	7	3.1		2	2	3	4	4	4	4
65 +	13	2.9	1	1	2	3	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	17	5.7	4	2	4	6	7	9	9	9
50-64	61	6.0	7	1	3	6	7	8	12	14
65 +	73	6.1	12	< 1	1	6	8	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	9.8	233	2	2	3	13	37	37	37
50-64	20	3.4	6	1	1	3	4	7	9	10
65 +	40	5.3	48	1	1	4	6	8	18	39
B. Operated										
0-19 YRS	0									
20-34	8	7.8	12	3	3	8	10	12	13	13
35-49	62	7.2	25	2	3	6	8	11	16	31
50-64	237	7.3	27	3	4	6	8	11	14	36
65 +	419	8.2	34	2	3	7	9	14	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.1	1	1	2	3	4	4	5	6
B. Operated	153	6.0	9	1	2	6	7	9	13	16
2. MULTIPLE DX										
A. Not Operated	65	5.1	48	1	1	3	5	8	14	39
B. Operated	726	7.8	31	2	3	7	9	13	16	32
1. SINGLE DX	174	5.7	9	1	2	6	7	9	12	16
2. MULTIPLE DX	791	7.6	33	2	3	6	9	13	16	33
A. Not Operated	86	4.6	37	1	1	3	4	8	9	38
B. Operated	879	7.5	27	2	3	6	8	12	15	30
TOTAL										
0-19 YRS	0									
20-34	10	7.5	10	3	3	8	9	12	13	13
35-49	85	7.0	31	2	3	6	8	10	16	35
50-64	325	6.7	23	2	3	6	8	11	13	26
65 +	545	7.5	32	1	2	7	9	13	16	31
GRAND TOTAL	**965**	**7.2**	**29**	**1**	**3**	**6**	**8**	**12**	**15**	**32**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	1.0		1	1	1	1	1	1	1
50-64	4	4.3	16	1	1	3	7	10	10	10
65 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	12	5.8	7	1	2	5	8	9	10	10
20-34	11	4.9	4	2	2	5	6	8	8	8
35-49	21	7.5	25	1	2	7	8	14	19	23
50-64	22	9.6	24	2	3	9	14	16	18	19
65 +	17	9.3	16	3	4	9	12	15	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.1	5	< 1	1	4	4	5	8	9
20-34	7	1.0		1	1	1	1	1	1	1
35-49	34	2.3	5	1	1	1	3	7	8	9
50-64	64	3.9	28	1	1	2	4	9	13	32
65 +	63	6.7	41	1	1	5	9	15	19	35
B. Operated										
0-19 YRS	7	7.3	4	5	5	7	8	10	11	11
20-34	19	7.1	18	2	3	6	10	11	16	19
35-49	91	8.5	32	4	4	7	9	15	22	32
50-64	187	11.9	74	4	5	9	14	24	31	42
65 +	240	13.7	95	5	6	11	15	25	31	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.2	6	1	1	1	2	5	9	10
B. Operated	83	7.8	20	2	3	7	9	15	16	22
2. MULTIPLE DX										
A. Not Operated	187	4.4	28	1	1	2	6	10	15	29
B. Operated	544	11.9	77	4	5	10	14	22	30	53
1. SINGLE DX	96	7.1	22	1	1	7	9	14	16	21
2. MULTIPLE DX	731	10.0	75	1	1	8	12	19	28	45
A. Not Operated	200	4.2	27	1	1	2	5	10	14	27
B. Operated	627	11.3	72	4	5	9	14	21	28	52
TOTAL										
0-19 YRS	38	4.7	8	1	1	4	7	9	10	11
20-34	37	5.3	15	1	1	4	8	11	11	19
35-49	152	6.7	31	1	1	6	8	13	19	26
50-64	277	9.8	69	1	1	8	12	20	29	39
65 +	323	12.0	88	2	3	10	14	21	29	63
GRAND TOTAL	**827**	**9.6**	**70**	**1**	**1**	**8**	**12**	**19**	**26**	**41**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	5.8	32	2	2	4	9	14	14	14
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	6	5.0	25	< 1	< 1	3	7	13	14	14
50-64	10	4.6	15	< 1	< 1	4	7	10	13	13
65 +	19	7.1	25	< 1	1	7	10	13	17	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	8	1.3	1	< 1	< 1	1	1	3	3	3
50-64	14	3.0	22	1	1	1	3	5	16	19
65 +	14	7.3	72	1	1	3	9	23	25	25
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	2.0	3	< 1	< 1	1	3	4	4	4
35-49	11	8.2	46	1	1	6	14	18	21	21
50-64	31	12.9	144	1	3	10	15	30	40	55
65 +	57	10.5	90	1	2	8	13	19	29	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.2	15	1	1	3	5	10	14	14
B. Operated	40	6.0	23	< 1	< 1	5	9	13	15	20
2. MULTIPLE DX										
A. Not Operated	42	4.2	36	1	1	2	4	12	21	25
B. Operated	103	10.7	101	1	2	8	14	21	32	56
1. SINGLE DX	50	5.6	21	< 1	< 1	4	8	13	14	20
2. MULTIPLE DX	145	8.8	90	1	1	6	13	19	26	55
A. Not Operated	52	4.2	31	1	1	2	4	10	19	25
B. Operated	143	9.4	83	1	1	7	13	18	27	55
TOTAL										
0-19 YRS	6	7.5	17	4	4	6	9	14	15	15
20-34	10	3.0	4	< 1	< 1	3	4	6	7	7
35-49	29	5.3	32	< 1	< 1	2	7	15	16	21
50-64	58	8.5	106	1	1	5	11	19	31	54
65 +	92	9.1	74	1	1	8	13	18	23	48
GRAND TOTAL	**195**	**8.0**	**74**	**1**	**1**	**5**	**12**	**16**	**23**	**48**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	5.0		5	5	5	5	5	5	5
65 +	9	4.3	13	1	1	4	6	10	12	12
B. Operated										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	8	7.4	19	2	2	8	11	12	12	12
50-64	169	5.8	16	1	1	5	8	12	14	18
65 +	406	5.3	14	1	1	4	7	10	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	3	5.3	20	1	1	5	9	10	10	10
50-64	39	6.6	28	1	1	5	8	15	18	24
65 +	216	7.0	58	1	2	5	9	14	15	42
B. Operated										
0-19 YRS	4	11.5	52	3	3	11	17	20	20	20
20-34	1	34.0		34	34	34	34	34	34	34
35-49	11	5.2	23	1	1	5	7	13	16	16
50-64	415	7.5	49	1	2	5	9	15	20	37
65 +	2444	7.2	35	2	3	6	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	4.5	9	1	1	4	6	8	11	12
B. Operated	587	5.5	15	1	1	5	7	11	14	17
2. MULTIPLE DX										
A. Not Operated	259	6.9	53	1	2	5	9	14	16	30
B. Operated	2875	7.2	37	2	3	6	9	13	18	30
1. SINGLE DX	599	5.5	15	1	1	5	7	11	14	17
2. MULTIPLE DX	3134	7.2	39	2	2	6	9	14	18	30
A. Not Operated	271	6.8	51	1	2	5	8	14	15	30
B. Operated	3462	6.9	34	1	2	5	8	13	17	28
TOTAL										
0-19 YRS	7	9.1	36	3	3	7	13	19	20	20
20-34	3	13.7	316	1	1	6	27	34	34	34
35-49	22	6.0	20	1	1	5	10	12	14	16
50-64	626	7.0	39	1	2	5	8	14	18	29
65 +	3075	6.9	34	1	2	5	8	13	16	27
GRAND TOTAL	**3733**	**6.9**	**35**	**1**	**2**	**5**	**8**	**13**	**17**	**28**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	4	4.5	14	1	1	4	7	9	9	9
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	3.8	16	1	1	2	5	11	13	13
20-34	42	3.6	10	1	1	2	3	9	10	15
35-49	29	3.3	7	1	1	3	3	8	10	12
50-64	11	2.5	3	1	1	2	3	5	7	7
65 +	9	3.1	4	< 1	< 1	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	11	6.0	22	< 1	1	5	7	13	17	17
35-49	4	7.8	2	6	6	8	9	9	9	9
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	4	5.8	20	1	1	6	9	10	10	10
20-34	25	8.1	49	1	1	6	13	21	43	99 +
35-49	18	8.2	103	< 1	1	4	11	20	34	41
50-64	7	8.4	58	2	2	5	11	22	24	24
65 +	17	8.9	75	1	2	6	10	22	30	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.2	9	1	1	3	6	9	9	9
B. Operated	105	3.4	9	1	1	2	4	8	10	14
2. MULTIPLE DX										
A. Not Operated	19	5.6	17	< 1	1	5	8	10	14	17
B. Operated	71	8.2	65	1	1	6	12	22	29	87
1. SINGLE DX	111	3.4	9	1	1	2	4	8	10	14
2. MULTIPLE DX	90	7.7	56	1	1	6	11	16	24	76
A. Not Operated	25	5.2	15	< 1	1	5	8	9	12	17
B. Operated	176	5.3	37	1	1	3	7	12	16	39
TOTAL										
0-19 YRS	23	3.7	14	1	1	2	5	10	12	13
20-34	82	5.3	27	1	1	3	8	13	16	76
35-49	51	5.4	45	1	1	3	7	11	12	41
50-64	19	4.8	30	1	1	3	6	10	19	24
65 +	26	6.9	57	1	1	4	9	16	25	34
GRAND TOTAL	**201**	**5.3**	**34**	**1**	**1**	**3**	**7**	**12**	**16**	**37**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	2.3	2	1	1	2	3	4	4	4
35-49	41	3.3	13	1	1	2	4	8	13	16
50-64	172	3.4	10	1	1	2	4	8	10	15
65 +	305	3.8	15	1	1	3	4	8	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	15	5.4	48	1	1	2	6	14	24	27
65 +	60	7.7	112	1	1	5	9	16	31	97
B. Operated										
0-19 YRS	2	25.0	800	5	5	25	45	45	45	45
20-34	5	5.0	16	1	1	3	8	11	11	11
35-49	43	6.1	49	1	1	3	8	14	21	35
50-64	313	6.2	61	1	1	4	8	13	17	38
65 +	1147	6.9	48	1	2	5	8	15	21	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	528	3.6	13	1	1	3	4	8	11	16
2. MULTIPLE DX										
A. Not Operated	78	7.1	96	1	1	5	8	16	27	92
B. Operated	1510	6.8	52	1	2	4	8	15	20	35
1. SINGLE DX	530	3.6	13	1	1	3	4	8	11	16
2. MULTIPLE DX	1588	6.8	54	1	1	4	8	15	20	37
A. Not Operated	80	6.9	94	1	1	5	8	15	26	91
B. Operated	2038	5.9	43	1	1	4	7	13	18	32
TOTAL										
0-19 YRS	5	11.4	355	1	1	4	15	45	45	45
20-34	13	3.3	8	1	1	3	4	8	10	11
35-49	86	4.7	32	1	1	2	5	12	15	31
50-64	502	5.2	44	1	1	3	6	11	14	27
65 +	1512	6.3	45	1	1	4	7	14	19	34
GRAND TOTAL	**2118**	**6.0**	**45**	**1**	**1**	**4**	**7**	**13**	**18**	**34**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.7	5	< 1	< 1	2	5	6	6	6
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	1.6		< 1	< 1	2	2	2	2	2
50-64	3	4.0	27	< 1	< 1	1	8	10	10	10
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	38	9.2	17	2	3	9	13	14	16	17
20-34	4	5.5	4	3	3	5	7	8	8	8
35-49	29	8.0	34	3	4	7	9	12	13	35
50-64	51	7.4	9	1	2	8	9	11	12	14
65 +	56	7.6	22	1	2	7	9	11	13	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	5.6	21	1	1	4	7	13	16	18
20-34	1	5.0		5	5	5	5	5	5	5
35-49	9	5.1	14	2	2	3	8	11	12	12
50-64	28	9.6	153	1	2	6	10	15	36	64
65 +	50	7.5	33	1	3	5	11	16	18	25
B. Operated										
0-19 YRS	28	15.8	257	1	2	12	15	40	49	77
20-34	9	13.1	59	6	6	9	18	25	29	29
35-49	51	11.8	103	2	4	9	14	20	25	63
50-64	173	11.1	42	3	6	9	13	19	26	35
65 +	356	12.7	103	2	5	10	15	23	36	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.8	6	< 1	< 1	2	4	6	8	10
B. Operated	178	7.9	19	1	3	8	9	12	14	30
2. MULTIPLE DX										
A. Not Operated	104	7.5	62	1	2	5	9	15	18	47
B. Operated	617	12.3	92	2	5	10	14	22	31	64
1. SINGLE DX	196	7.4	20	1	2	7	9	12	14	27
2. MULTIPLE DX	721	11.6	91	2	4	9	14	20	29	63
A. Not Operated	122	6.9	57	1	1	5	8	14	17	42
B. Operated	795	11.3	79	2	5	9	13	19	29	58
TOTAL										
0-19 YRS	89	10.1	109	1	2	8	13	15	19	65
20-34	15	10.0	50	3	5	8	13	19	26	29
35-49	94	9.5	76	1	2	8	11	17	22	55
50-64	255	10.1	49	2	4	9	12	17	22	35
65 +	464	11.5	90	2	4	9	13	20	31	65
GRAND TOTAL	**917**	**10.7**	**79**	**2**	**3**	**9**	**12**	**18**	**28**	**56**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.5	1	< 1	< 1	< 1	1	3	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	3.4	7	1	1	3	5	7	10	10
20-34	0									
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	5	3.0	2	2	2	2	4	5	5	5
65 +	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.5	4	< 1	< 1	3	5	6	6	6
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	5	15.2	270	2	2	5	31	36	36	36
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	4	4.3	7	2	2	3	6	8	8	8
65 +	9	3.4	4	1	1	3	4	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.5	1	< 1	< 1	< 1	1	3	4	4
B. Operated	23	3.0	4	1	1	2	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	6	3.5	5	< 1	< 1	3	6	6	6	6
B. Operated	19	6.7	90	1	2	3	5	21	33	36
1. SINGLE DX	34	2.5	4	< 1	< 1	2	3	5	6	10
2. MULTIPLE DX	25	5.9	71	1	1	3	5	8	31	36
A. Not Operated	17	2.2	3	< 1	< 1	< 1	3	5	6	6
B. Operated	42	4.7	45	1	1	3	4	8	18	36
TOTAL										
0-19 YRS	32	4.6	60	< 1	< 1	2	4	7	28	36
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	10	3.3	4	1	1	3	4	6	8	8
65 +	13	3.4	4	1	1	3	4	6	8	8
GRAND TOTAL	**59**	**3.9**	**34**	**<1**	**<1**	**3**	**4**	**6**	**9**	**35**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	6.1	184	1	1	4	5	8	11	84
20-34	5	3.8	3	2	2	3	5	6	6	6
35-49	7	7.1	153	1	1	2	5	29	35	35
50-64	8	3.1	6	1	1	2	3	7	9	9
65 +	4	3.5	3	1	1	4	5	5	5	5
B. Operated										
0-19 YRS	84	8.2	38	1	1	7	11	16	20	29
20-34	20	8.8	52	2	2	8	10	16	25	34
35-49	43	10.7	152	2	2	8	13	18	29	77
50-64	40	9.0	41	1	2	8	11	19	23	26
65 +	23	10.9	31	2	3	11	16	19	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	4.5	40	1	1	3	5	6	17	41
20-34	17	12.3	177	2	2	6	17	43	78	99 +
35-49	34	8.6	129	1	2	6	11	15	19	67
50-64	35	10.3	96	1	2	6	13	20	34	44
65 +	61	9.8	65	2	3	7	12	21	26	45
B. Operated										
0-19 YRS	98	14.7	161	1	2	11	21	35	40	84
20-34	45	12.2	125	2	4	10	12	21	33	57
35-49	47	15.7	303	1	2	9	18	43	56	77
50-64	81	15.0	112	3	5	13	18	25	36	58
65 +	98	16.8	171	3	5	14	21	33	40	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	5.5	128	1	1	3	5	8	10	79
B. Operated	210	9.2	62	1	2	8	12	18	21	34
2. MULTIPLE DX										
A. Not Operated	201	8.4	89	1	1	5	11	18	31	56
B. Operated	369	15.1	167	2	3	12	19	32	41	66
1. SINGLE DX	270	8.4	79	1	2	7	11	17	21	35
2. MULTIPLE DX	570	12.8	149	1	2	10	16	28	40	66
A. Not Operated	261	7.8	99	1	1	5	9	17	29	64
B. Operated	579	13.0	137	1	2	10	16	26	36	63
TOTAL										
0-19 YRS	272	9.6	118	1	1	6	12	23	34	64
20-34	87	10.9	114	2	2	8	12	24	38	84
35-49	131	11.7	206	1	2	8	13	23	44	77
50-64	164	12.0	96	2	2	9	17	23	30	51
65 +	186	13.5	128	2	3	11	17	27	35	46
GRAND TOTAL	**840**	**11.4**	**131**	**1**	**2**	**8**	**14**	**24**	**35**	**64**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	6.0	16	1	1	6	8	12	14	14
20-34	1	9.0		9	9	9	9	9	9	9
35-49	6	8.2	2	6	6	8	9	10	10	10
50-64	5	25.8	647	6	6	9	52	57	57	57
65 +	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.3	49	1	1	9	13	15	15	15
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	2	7.5	13	5	5	7	10	10	10	10
B. Operated										
0-19 YRS	8	16.8	243	1	1	14	29	40	41	41
20-34	3	9.7	17	5	5	11	12	13	13	13
35-49	5	23.2	281	5	5	22	36	46	46	46
50-64	9	10.1	54	3	4	8	13	22	26	26
65 +	9	11.4	61	1	3	10	13	24	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	1	1	1	2	2	4	4	4
B. Operated	23	11.2	187	2	3	8	9	21	52	57
2. MULTIPLE DX										
A. Not Operated	13	6.1	14	1	1	6	8	11	14	15
B. Operated	34	13.9	137	1	3	11	17	33	40	46
1. SINGLE DX	29	9.3	162	1	1	8	9	12	50	57
2. MULTIPLE DX	47	11.7	114	1	2	9	14	28	38	46
A. Not Operated	19	4.7	14	1	1	4	7	10	13	15
B. Operated	57	12.8	156	1	3	9	13	32	44	57
TOTAL										
0-19 YRS	25	8.9	114	1	1	4	13	22	38	41
20-34	8	7.0	13	3	3	6	10	12	13	13
35-49	14	12.8	155	2	5	8	10	34	43	46
50-64	16	14.3	271	2	3	8	14	48	55	57
65 +	13	10.4	44	2	4	10	11	19	27	29
GRAND TOTAL	**76**	**10.8**	**132**	**1**	**1**	**8**	**11**	**26**	**40**	**55**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	5.8	116	< 1	1	3	4	9	33	48
20-34	5	2.4		2	2	2	3	3	3	3
35-49	6	3.0	9	< 1	< 1	2	2	8	9	9
50-64	4	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	32	6.6	69	1	1	5	7	12	31	39
20-34	41	3.2	2	1	1	3	4	5	6	7
35-49	39	2.7	2	1	1	2	3	4	6	7
50-64	19	2.9	2	1	1	3	3	4	6	7
65 +	17	4.1	6	2	2	3	5	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	4.9	29	< 1	1	3	7	9	13	33
20-34	11	6.9	164	1	1	2	7	25	42	44
35-49	5	2.2		2	2	2	3	3	3	3
50-64	9	3.7	7	1	1	2	6	8	8	8
65 +	7	8.9	62	1	1	7	15	21	22	22
B. Operated										
0-19 YRS	50	12.0	140	1	2	9	13	31	45	48
20-34	29	5.1	24	1	2	4	6	11	19	21
35-49	45	5.1	27	2	2	3	5	8	17	28
50-64	41	8.5	56	2	3	5	11	20	27	32
65 +	55	10.9	144	2	3	6	11	30	33	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.3	66	< 1	1	2	3	7	10	48
B. Operated	148	3.9	19	1	1	3	4	7	9	33
2. MULTIPLE DX										
A. Not Operated	78	5.2	46	1	1	3	7	9	17	41
B. Operated	220	8.8	94	2	2	5	10	21	31	47
1. SINGLE DX	181	4.0	27	1	1	3	4	6	9	37
2. MULTIPLE DX	298	7.8	84	1	2	5	9	17	30	46
A. Not Operated	111	4.9	52	1	1	3	6	9	15	46
B. Operated	368	6.8	69	1	2	4	7	14	28	44
TOTAL										
0-19 YRS	146	7.8	94	1	1	5	9	15	33	48
20-34	86	4.3	30	1	1	3	4	7	12	36
35-49	95	3.8	15	1	2	3	4	6	9	25
50-64	73	6.1	40	1	2	4	7	13	21	32
65 +	79	9.3	114	2	2	5	11	22	32	60
GRAND TOTAL	**479**	**6.4**	**66**	**1**	**2**	**4**	**7**	**13**	**23**	**45**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.3	4	< 1	< 1	4	5	6	7	7
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	12	6.4	48	1	2	4	7	18	24	25
50-64	25	6.4	112	< 1	1	3	7	11	25	54
65 +	25	6.8	36	1	2	6	9	16	22	22
B. Operated										
0-19 YRS	11	5.2	9	< 1	1	5	8	9	9	9
20-34	14	4.3	10	2	2	3	5	9	11	12
35-49	40	4.8	7	< 1	1	5	7	8	9	10
50-64	49	5.3	13	1	1	6	8	10	11	15
65 +	68	6.6	35	1	1	4	9	15	18	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	4.3	8	< 1	1	4	5	9	9	13
20-34	60	9.2	103	1	2	6	14	18	23	65
35-49	336	7.9	59	1	2	6	9	16	23	43
50-64	896	7.3	45	1	2	5	9	17	20	32
65 +	1547	8.4	54	2	2	6	11	17	21	39
B. Operated										
0-19 YRS	58	12.5	220	1	2	7	13	32	54	63
20-34	94	11.2	98	1	2	8	16	21	31	52
35-49	475	10.9	107	1	2	8	15	22	28	51
50-64	1197	11.1	88	2	2	9	15	22	31	50
65 +	1672	11.9	111	2	3	9	15	24	32	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	6.0	56	< 1	1	4	7	12	20	46
B. Operated	182	5.6	20	1	1	5	6	10	14	22
2. MULTIPLE DX										
A. Not Operated	2878	8.0	52	1	2	6	10	17	21	36
B. Operated	3496	11.5	104	2	2	9	15	23	31	54
1. SINGLE DX	258	5.7	30	1	1	4	8	11	15	25
2. MULTIPLE DX	6374	9.9	84	1	2	7	13	20	27	48
A. Not Operated	2954	7.9	53	1	2	6	10	17	21	36
B. Operated	3678	11.2	102	1	2	9	15	22	31	53
TOTAL										
0-19 YRS	120	8.2	126	< 1	1	5	9	15	30	62
20-34	170	9.8	95	1	2	7	14	19	26	56
35-49	863	9.4	86	1	2	7	12	20	26	47
50-64	2167	9.3	73	1	2	7	12	19	25	43
65 +	3312	10.1	85	2	2	8	13	20	27	48
GRAND TOTAL	**6632**	**9.7**	**83**	**1**	**2**	**7**	**12**	**20**	**26**	**47**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	4	4.8	6	2	2	4	6	8	8	8
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	52	5.7	10	1	2	6	8	10	11	12
20-34	33	4.8	12	< 1	< 1	4	8	9	11	13
35-49	22	5.2	10	< 1	1	5	8	10	11	12
50-64	13	4.8	12	< 1	1	3	7	9	12	13
65 +	9	4.8	32	< 1	< 1	2	5	14	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.6	11	1	1	4	6	8	13	14
20-34	14	4.9	5	2	2	4	7	8	9	9
35-49	8	6.5	48	1	1	5	8	18	22	22
50-64	6	7.7	41	1	1	5	13	17	18	18
65 +	8	5.8	16	1	1	5	8	12	13	13
B. Operated										
0-19 YRS	23	8.0	50	< 1	1	6	12	16	21	31
20-34	51	9.0	120	1	2	6	10	21	32	63
35-49	39	8.5	36	1	1	8	11	18	20	23
50-64	28	12.1	67	2	2	10	15	24	28	33
65 +	22	13.1	153	2	3	10	16	25	47	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.4	10	1	1	2	4	9	11	11
B. Operated	129	5.2	12	< 1	1	5	8	9	11	14
2. MULTIPLE DX										
A. Not Operated	50	5.5	19	1	1	5	7	11	14	22
B. Operated	163	9.8	87	1	2	8	12	18	29	52
1. SINGLE DX	141	5.1	12	< 1	1	5	8	9	11	14
2. MULTIPLE DX	213	8.8	74	1	2	7	11	18	25	46
A. Not Operated	62	5.1	18	1	1	4	7	10	14	22
B. Operated	292	7.8	59	1	1	6	10	15	21	38
TOTAL										
0-19 YRS	95	5.8	21	1	1	5	8	11	14	24
20-34	102	6.9	69	1	1	5	8	12	21	47
35-49	70	7.3	30	1	1	6	9	16	18	23
50-64	48	9.4	57	1	2	8	13	22	25	33
65 +	39	9.7	110	< 1	1	7	12	18	32	54
GRAND TOTAL	**354**	**7.3**	**53**	**1**	**1**	**6**	**9**	**15**	**19**	**33**

269 Hospitals, Southern Region, January-December 1987

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	4.2	18	1	1	3	5	10	12	25
20-34	0									
35-49	3	10.3	161	3	3	3	20	25	25	25
50-64	1	6.0		6	6	6	6	6	6	6
65 +	3	4.3	1	3	3	5	5	5	5	5
B. Operated										
0-19 YRS	110	7.1	56	< 1	1	4	9	15	24	36
20-34	2	18.0	578	< 1	< 1	17	35	35	35	35
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	6.0	19	1	1	8	9	9	9	9
65 +	4	8.8	48	4	4	6	13	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	199	6.2	36	1	1	4	8	14	19	29
20-34	7	10.1	191	1	1	6	8	34	41	41
35-49	9	8.6	77	3	3	5	9	23	31	31
50-64	26	6.7	67	2	2	5	8	11	19	44
65 +	66	7.4	50	1	1	5	10	15	21	37
B. Operated										
0-19 YRS	121	15.8	175	2	4	11	26	31	37	81
20-34	8	25.1	223	3	3	28	34	42	45	45
35-49	13	27.2	264	9	9	24	29	60	60	60
50-64	28	15.3	392	3	3	8	16	39	67	86
65 +	53	10.7	64	3	3	8	13	22	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	4.4	22	1	1	3	5	10	12	27
B. Operated	121	7.3	60	< 1	1	5	9	19	25	36
2. MULTIPLE DX										
A. Not Operated	307	6.7	46	1	1	5	8	14	20	36
B. Operated	223	15.5	196	2	3	10	23	31	43	76
1. SINGLE DX	220	6.0	44	< 1	1	4	7	13	21	35
2. MULTIPLE DX	530	10.4	128	1	2	7	13	27	31	61
A. Not Operated	406	6.1	41	1	1	4	7	13	18	33
B. Operated	344	12.6	163	1	2	8	17	29	35	65
TOTAL										
0-19 YRS	522	8.3	87	1	1	5	10	23	29	42
20-34	17	18.1	258	< 1	1	8	33	40	44	45
35-49	27	17.4	244	3	3	11	27	31	60	60
50-64	58	10.8	235	2	2	6	9	25	43	84
65 +	126	8.8	57	1	2	7	11	19	23	40
GRAND TOTAL	**750**	**9.1**	**107**	**1**	**1**	**5**	**11**	**24**	**30**	**60**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	4.8	24	< 1	1	3	5	15	17	19
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	3	9.0	148	1	1	3	18	23	23	23
65 +	13	1.5	1	1	1	1	2	3	4	4
B. Operated										
0-19 YRS	28	9.8	186	1	1	5	11	23	44	63
20-34	4	19.0	97	5	5	21	25	28	28	28
35-49	12	9.7	110	< 1	1	6	12	29	32	33
50-64	7	9.1	62	1	1	8	14	22	23	23
65 +	6	4.0	10	1	1	3	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	6.1	39	< 1	1	4	7	13	23	31
20-34	16	8.1	75	1	1	5	10	23	28	30
35-49	27	7.5	46	1	2	6	9	15	20	34
50-64	30	9.7	74	1	2	7	13	17	26	43
65 +	89	8.2	75	1	2	6	9	18	32	42
B. Operated										
0-19 YRS	62	21.8	251	5	6	17	30	45	56	66
20-34	21	37.0	471	2	12	34	46	86	99	99 +
35-49	50	28.7	391	4	5	28	43	55	57	85
50-64	70	25.1	331	3	4	22	42	51	58	70
65 +	97	17.2	287	2	3	10	27	46	59	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	4.0	24	< 1	1	2	4	8	17	23
B. Operated	57	9.7	134	1	1	6	12	26	31	62
2. MULTIPLE DX										
A. Not Operated	213	7.8	62	1	1	5	9	17	26	40
B. Operated	300	23.3	347	3	4	18	35	51	58	82
1. SINGLE DX	112	6.9	87	1	1	3	8	18	26	50
2. MULTIPLE DX	513	16.9	286	1	3	10	26	43	54	72
A. Not Operated	268	7.0	57	1	1	5	8	16	23	39
B. Operated	357	21.1	337	2	3	15	33	48	58	79
TOTAL										
0-19 YRS	174	12.0	188	1	1	7	16	30	43	65
20-34	44	22.6	457	1	2	22	34	47	85	99 +
35-49	92	19.1	349	1	2	10	32	45	55	79
50-64	110	19.4	292	2	3	13	29	47	52	64
65 +	205	11.9	196	1	2	6	12	32	45	62
GRAND TOTAL	**625**	**15.1**	**265**	**1**	**2**	**8**	**23**	**41**	**51**	**66**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.1	3	< 1	1	3	4	6	6	6
20-34	8	5.0	47	1	1	2	6	17	21	21
35-49	5	5.8	12	2	2	4	9	10	10	10
50-64	18	5.1	11	1	1	5	6	11	12	12
65 +	12	6.9	22	< 1	1	7	10	13	16	17
B. Operated										
0-19 YRS	31	6.9	46	1	1	4	9	16	25	29
20-34	13	3.2	5	1	1	3	4	7	8	8
35-49	38	5.2	9	1	1	5	8	10	10	10
50-64	64	5.8	25	1	1	5	8	15	16	20
65 +	61	6.8	50	1	1	5	9	15	21	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	4.8	26	< 1	1	3	6	11	13	29
20-34	12	6.0	34	1	1	5	7	14	21	22
35-49	28	7.5	34	2	2	5	9	16	19	27
50-64	99	7.7	43	2	2	6	10	14	22	37
65 +	225	8.3	36	1	2	7	11	15	19	29
B. Operated										
0-19 YRS	33	20.6	300	3	4	15	27	44	54	73
20-34	24	12.7	98	2	4	9	15	29	34	40
35-49	67	12.6	112	2	2	10	19	24	31	50
50-64	221	11.9	128	2	3	9	15	25	36	58
65 +	458	13.7	128	2	3	10	18	28	35	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	4.7	15	1	1	4	6	10	11	20
B. Operated	207	6.0	32	1	1	5	8	12	17	27
2. MULTIPLE DX										
A. Not Operated	409	7.6	38	1	2	6	10	15	19	30
B. Operated	803	13.4	135	2	3	10	17	28	36	58
1. SINGLE DX	276	5.7	28	1	1	4	8	11	16	24
2. MULTIPLE DX	1212	11.4	109	2	2	8	15	24	32	53
A. Not Operated	478	7.2	35	1	2	6	10	15	18	29
B. Operated	1010	11.9	123	1	2	9	15	25	33	55
TOTAL										
0-19 YRS	135	8.8	138	1	1	4	10	25	37	58
20-34	57	8.0	71	1	1	6	9	21	28	39
35-49	138	9.3	74	2	2	7	10	21	26	50
50-64	402	9.6	92	1	2	7	12	19	28	56
65 +	756	11.4	101	2	2	9	15	23	31	50
GRAND TOTAL	**1488**	**10.4**	**99**	**1**	**2**	**8**	**13**	**22**	**30**	**50**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	15	4.1	22	< 1	1	2	5	9	16	19
20-34	46	2.4	1	1	1	2	3	4	4	6
35-49	58	2.2	1	< 1	1	2	3	4	4	5
50-64	55	2.3	1	1	1	2	3	4	4	7
65 +	42	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	6	3.2	7	< 1	< 1	3	3	8	8	8
20-34	16	2.1	2	1	1	2	3	4	5	6
35-49	23	2.5	2	1	1	2	3	4	5	6
50-64	33	3.0	2	1	1	3	4	5	5	6
65 +	48	3.5	5	1	1	3	4	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	216	2.4	3	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	126	3.0	3	1	1	3	4	5	6	10
1. SINGLE DX	218	2.4	3	1	1	2	3	4	4	8
2. MULTIPLE DX	127	3.0	3	1	1	3	4	5	6	10
A. Not Operated	3	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated	342	2.6	3	1	1	2	3	4	6	9
TOTAL										
0-19 YRS	21	3.8	17	< 1	< 1	2	4	8	13	19
20-34	62	2.3	1	1	1	2	3	4	4	6
35-49	82	2.3	1	< 1	1	2	3	4	4	6
50-64	90	2.6	2	1	1	2	3	4	5	7
65 +	90	2.9	4	1	1	2	4	6	7	10
GRAND TOTAL	**345**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.3	4	3	3	6	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.5	1	1	1	2	3	4	4	4
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	7	3.3	13	< 1	< 1	2	4	10	11	11
B. Operated										
0-19 YRS	28	4.6	18	< 1	1	2	7	11	14	15
20-34	21	5.2	13	< 1	< 1	6	8	10	12	12
35-49	34	4.5	18	< 1	< 1	3	7	9	12	19
50-64	103	4.1	17	< 1	< 1	2	7	10	12	17
65 +	107	2.8	10	< 1	< 1	1	2	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	16	2	2	2	7	9	9	9
20-34	6	2.5	1	< 1	< 1	3	3	3	3	3
35-49	6	2.5	2	1	1	2	4	4	4	4
50-64	20	3.4	6	< 1	< 1	3	5	7	8	10
65 +	30	4.2	16	< 1	< 1	3	7	10	11	17
B. Operated										
0-19 YRS	17	6.0	48	< 1	1	2	9	19	21	22
20-34	24	5.3	12	1	1	5	7	8	12	18
35-49	84	6.5	27	< 1	1	6	9	13	18	21
50-64	202	6.0	27	< 1	1	5	9	12	14	27
65 +	476	7.3	37	< 1	1	6	10	15	18	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.1	7	< 1	< 1	2	4	7	9	11
B. Operated	293	3.8	15	< 1	< 1	2	7	9	11	16
2. MULTIPLE DX										
A. Not Operated	65	3.6	10	< 1	< 1	3	4	9	10	16
B. Operated	803	6.8	33	< 1	1	6	10	14	17	30
1. SINGLE DX	312	3.7	14	< 1	< 1	2	7	9	11	16
2. MULTIPLE DX	868	6.6	32	< 1	1	5	9	13	16	29
A. Not Operated	84	3.5	9	< 1	< 1	3	4	8	10	15
B. Operated	1096	6.0	30	< 1	< 1	5	9	12	16	25
TOTAL										
0-19 YRS	51	5.1	26	< 1	1	2	8	12	15	22
20-34	52	4.9	11	< 1	< 1	4	7	8	11	18
35-49	130	5.6	24	< 1	< 1	5	8	12	16	21
50-64	327	5.2	24	< 1	< 1	4	8	11	13	18
65 +	620	6.4	34	< 1	< 1	5	9	14	16	30
GRAND TOTAL	**1180**	**5.8**	**29**	**<1**	**<1**	**4**	**9**	**12**	**15**	**24**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	96	2.0	5	< 1	1	1	2	3	6	13
20-34	13	3.1	14	< 1	< 1	1	3	10	12	12
35-49	15	4.0	12	< 1	1	2	7	9	10	10
50-64	17	3.1	6	1	1	2	4	7	8	9
65 +	11	5.6	28	1	1	5	8	14	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	49	5.0	45	1	1	2	6	15	18	32
20-34	8	6.4	21	1	1	6	10	12	12	12
35-49	14	8.0	153	1	1	5	7	16	42	49
50-64	29	7.6	46	1	1	5	11	15	21	31
65 +	34	9.6	70	1	2	7	14	21	25	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated	152	2.7	9	< 1	1	1	3	7	9	14
2. MULTIPLE DX										
A. Not Operated	9	2.8	2	1	1	3	4	5	5	5
B. Operated	134	7.1	63	1	1	4	10	16	24	39
1. SINGLE DX	156	2.6	9	< 1	1	1	3	7	9	14
2. MULTIPLE DX	143	6.8	60	1	1	4	9	15	22	38
A. Not Operated	13	2.5	2	< 1	1	2	3	5	5	5
B. Operated	286	4.7	39	1	1	2	6	12	16	32
TOTAL										
0-19 YRS	151	3.0	20	< 1	1	1	3	7	12	29
20-34	22	4.2	18	< 1	< 1	2	8	12	12	12
35-49	30	5.8	79	1	1	3	7	11	12	49
50-64	49	5.8	34	1	1	4	8	13	15	31
65 +	47	8.3	61	1	2	5	11	20	25	37
GRAND TOTAL	**299**	**4.6**	**38**	**1**	**1**	**2**	**6**	**12**	**16**	**32**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	3	5.7	21	3	3	3	9	11	11	11
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	186	2.6	5	< 1	1	2	3	5	7	13
20-34	113	2.7	6	< 1	< 1	2	3	5	7	14
35-49	138	2.4	7	< 1	< 1	1	3	6	8	15
50-64	109	2.2	4	< 1	< 1	1	3	4	6	11
65 +	53	2.2	5	< 1	< 1	1	2	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
20-34	0									
35-49	5	3.0	6	< 1	< 1	2	5	6	6	6
50-64	4	5.3	10	< 1	< 1	6	7	8	8	8
65 +	7	6.0	8	2	2	7	8	10	10	10
B. Operated										
0-19 YRS	49	5.6	19	1	1	4	8	12	14	19
20-34	38	4.1	12	1	1	3	6	9	12	15
35-49	93	4.0	22	< 1	1	3	5	8	10	29
50-64	113	4.7	41	< 1	1	3	6	9	11	34
65 +	85	5.5	35	1	1	3	7	11	15	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.0	10	1	1	3	5	9	11	11
B. Operated	599	2.5	6	< 1	< 1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	19	4.4	8	< 1	< 1	5	7	8	9	10
B. Operated	378	4.8	29	1	1	3	6	10	13	22
1. SINGLE DX	610	2.5	6	< 1	< 1	2	3	5	7	13
2. MULTIPLE DX	397	4.7	28	< 1	1	3	6	10	12	21
A. Not Operated	30	4.3	9	< 1	< 1	4	7	8	10	11
B. Operated	977	3.3	16	< 1	< 1	2	4	7	10	16
TOTAL										
0-19 YRS	242	3.2	9	< 1	1	2	4	7	9	14
20-34	154	3.1	8	< 1	< 1	2	4	[illegible]	10	15
35-49	238	3.1	13	< 1	< 1	2	4	[illegible]	8	15
50-64	227	3.5	24	< 1	< 1	2	4	8	10	16
65 +	146	4.3	25	< 1	< 1	3	6	10	12	24
GRAND TOTAL	**1007**	**3.4**	**16**	**< 1**	**< 1**	**2**	**4**	**7**	**10**	**16**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.5	20	< 1	1	3	5	13	16	16
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	3	3.3	16	1	1	1	6	8	8	8
65 +	0									
B. Operated										
0-19 YRS	205	3.2	15	< 1	< 1	2	4	7	11	21
20-34	56	2.6	7	< 1	< 1	1	3	6	10	12
35-49	32	3.1	8	< 1	< 1	2	5	7	10	11
50-64	26	3.4	21	< 1	< 1	2	4	8	12	23
65 +	14	4.3	27	< 1	< 1	2	6	13	17	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.4	13	< 1	1	3	6	11	13	13
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49	5	5.4	17	1	1	7	8	10	10	10
50-64	8	5.4	20	< 1	< 1	5	6	12	15	15
65 +	11	7.6	19	3	3	6	11	15	15	15
B. Operated										
0-19 YRS	72	7.0	145	< 1	< 1	3	7	17	27	71
20-34	27	3.2	7	< 1	< 1	2	4	8	9	10
35-49	37	5.8	61	< 1	< 1	3	7	17	24	37
50-64	33	4.0	13	< 1	< 1	2	7	10	10	12
65 +	44	5.7	23	< 1	1	4	8	13	17	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.5	20	< 1	1	3	5	14	15	16
B. Operated	333	3.2	14	< 1	< 1	2	4	7	11	21
2. MULTIPLE DX										
A. Not Operated	45	5.4	16	< 1	1	5	7	12	15	15
B. Operated	213	5.6	68	< 1	< 1	3	7	11	18	45
1. SINGLE DX	358	3.2	14	< 1	< 1	2	4	8	11	21
2. MULTIPLE DX	258	5.6	59	< 1	< 1	3	7	12	17	37
A. Not Operated	70	5.1	18	1	1	4	7	13	15	16
B. Operated	546	4.1	36	< 1	< 1	2	5	9	13	26
TOTAL										
0-19 YRS	313	4.2	47	< 1	< 1	2	5	9	16	29
20-34	88	2.9	8	< 1	< 1	2	4	7	10	13
35-49	76	4.6	36	< 1	< 1	2	6	10	17	34
50-64	70	3.9	16	< 1	< 1	2	6	9	10	21
65 +	69	5.7	24	< 1	1	4	8	14	17	20
GRAND TOTAL	**616**	**4.2**	**33**	**< 1**	**< 1**	**2**	**5**	**10**	**14**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	1.9	2	< 1	< 1	2	2	3	5	7
20-34	39	1.4	1	< 1	< 1	< 1	1	3	4	4
35-49	54	1.3		< 1	< 1	< 1	2	2	2	3
50-64	38	1.4	1	< 1	< 1	1	2	2	2	5
65 +	26	1.6		< 1	< 1	2	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	8	1.9		1	1	2	2	3	3	3
20-34	23	2.6	3	< 1	< 1	2	4	5	6	6
35-49	47	2.0	2	< 1	< 1	1	2	4	6	7
50-64	51	2.1	2	< 1	< 1	2	2	4	5	7
65 +	42	3.3	11	< 1	< 1	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	179	1.5	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	171	2.4	4	< 1	< 1	2	3	5	6	10
1. SINGLE DX	179	1.5	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	173	2.4	4	< 1	< 1	2	3	5	6	10
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	350	1.9	3	< 1	< 1	1	2	4	5	8
TOTAL										
0-19 YRS	30	1.9	1	< 1	< 1	2	2	3	3	7
20-34	62	1.9	2	< 1	< 1	1	3	4	5	6
35-49	101	1.6	1	< 1	< 1	1	2	3	4	7
50-64	90	1.8	2	< 1	< 1	1	2	3	5	7
65 +	69	2.6	7	< 1	< 1	2	3	5	8	17
GRAND TOTAL	**352**	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.2	1	< 1	< 1	3	3	3	3	3
35-49	7	2.3	3	1	1	2	3	5	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	190	4.6	3	2	3	5	5	6	7	9
35-49	430	4.9	2	3	3	5	6	6	7	9
50-64	44	5.0	2	2	4	5	6	7	7	7
65 +	7	4.6	3	< 1	1	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	33	2.1	2	< 1	< 1	1	3	4	5	7
35-49	62	2.8	5	< 1	< 1	2	4	7	8	9
50-64	13	3.3	9	< 1	< 1	2	5	7	10	11
65 +	3	7.3	12	4	4	7	10	11	11	11
B. Operated										
0-19 YRS	7	5.6	17	1	2	4	6	13	14	14
20-34	968	5.3	4	3	4	5	6	7	8	12
35-49	4372	5.3	4	3	4	5	6	7	8	12
50-64	719	5.8	5	3	4	5	6	8	10	15
65 +	106	8.7	78	3	4	6	9	15	18	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.2	2	< 1	< 1	2	3	4	6	6
B. Operated	671	4.8	2	3	3	5	6	6	7	9
2. MULTIPLE DX										
A. Not Operated	111	2.8	5	< 1	< 1	2	4	6	7	11
B. Operated	6172	5.4	6	3	4	5	6	7	9	14
1. SINGLE DX	684	4.8	2	2	3	5	6	6	7	9
2. MULTIPLE DX	6283	5.4	6	3	4	5	6	7	9	14
A. Not Operated	124	2.7	5	< 1	< 1	2	4	6	7	11
B. Operated	6843	5.4	5	3	4	5	6	7	8	13
TOTAL										
0-19 YRS	7	5.6	17	1	2	4	6	13	14	14
20-34	1196	5.1	4	2	3	5	6	7	8	12
35-49	4871	5.3	4	3	4	5	6	7	8	12
50-64	777	5.7	5	3	4	5	6	8	9	15
65 +	116	8.4	73	2	4	6	9	14	17	61
GRAND TOTAL	**6967**	**5.3**	**6**	**3**	**4**	**5**	**6**	**7**	**8**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	10	3.9	4	< 1	< 1	4	6	6	6	6
35-49	5	4.8	3	3	3	4	6	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	22	6.3	32	4	4	5	6	7	18	31
35-49	57	4.7	1	3	4	4	5	6	7	8
50-64	15	4.8	5	< 1	1	5	6	8	9	9
65 +	3	6.7	8	5	5	5	9	10	10	
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	15	4.2	4	< 1	1	4	6	6	7	7
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	97	5.1	9	3	4	5	6	7	8	21
1. SINGLE DX	15	4.2	4	< 1	1	4	6	6	7	7
2. MULTIPLE DX	98	5.1	9	2	4	5	6	7	8	21
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	112	5.0	9	2	3	5	6	7	8	18
TOTAL										
0-19 YRS	0									
20-34	33	5.4	24	1	2	5	6	6	9	31
35-49	62	4.7	1	3	4	4	5	6	7	8
50-64	15	4.8	5	< 1	1	5	6	8	9	9
65 +	3	6.7	8	5	5	5	9	10	10	10
GRAND TOTAL	**113**	**5.0**	**9**	**2**	**3**	**5**	**6**	**6**	**8**	**18**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	37	4.1	1	2	3	4	5	5	6	6
20-34	197	4.2	2	3	3	4	5	5	6	9
35-49	66	4.6	1	3	3	5	5	6	7	7
50-64	43	5.6	3	3	4	5	6	8	9	10
65 +	25	8.2	33	3	4	7	8	20	22	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	3.0	8	< 1	< 1	2	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	38	4.3	2	3	3	4	5	6	7	9
20-34	238	5.0	5	3	3	5	6	7	9	14
35-49	249	5.5	5	3	4	5	6	8	9	14
50-64	130	6.5	20	4	4	5	7	9	11	25
65 +	159	8.2	20	4	5	7	9	12	16	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
[illegible] Operated	368	4.7	5	3	3	4	5	6	7	14
[illegible]TIPLE DX										
[illegible]perated	7	4.0	12	< 1	< 1	2	6	9	10	10
[illegible]ated	814	6.0	11	3	4	5	7	9	11	20
[illegible] DX	369	4.7	5	3	3	4	5	6	7	14
2. MULTIPLE DX	821	6.0	11	3	3	5	7	9	11	20
A. Not Operated	8	3.6	11	< 1	< 1	2	6	9	10	10
B. Operated	1182	5.6	10	3	3	5	6	8	10	19
TOTAL										
0-19 YRS	77	4.2	2	2	3	4	5	6	6	9
20-34	438	4.6	4	3	3	4	5	6	8	13
35-49	316	5.3	4	3	3	5	6	7	9	13
50-64	174	6.3	16	4	4	5	7	9	11	19
65 +	185	8.2	21	4	5	7	9	12	18	25
GRAND TOTAL	**1190**	**5.6**	**10**	**3**	**3**	**5**	**6**	**8**	**10**	**19**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.3	5	< 1	< 1	1	4	5	5	5
20-34	3	2.7	2	< 1	< 1	3	4	4	4	4
35-49	4	2.8	6	< 1	< 1	2	4	6	6	6
50-64	0									
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	4.2	4	1	1	5	5	7	7	7
35-49	10	5.4	15	< 1	1	5	7	11	15	15
50-64	6	5.5	3	4	4	5	7	8	8	8
65 +	7	5.4	5	< 1	1	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	12	2.3	3	< 1	< 1	1	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	33	5.1	7	< 1	2	5	6	7	8	15
1. SINGLE DX	12	2.3	3	< 1	< 1	1	4	5	6	6
2. MULTIPLE DX	34	5.0	7	< 1	2	5	6	7	8	15
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	45	4.4	7	< 1	< 1	5	6	7	8	15
TOTAL										
0-19 YRS	4	3.0	5	< 1	< 1	3	5	5	5	5
20-34	12	3.8	4	< 1	1	4	5	6	7	7
35-49	15	4.5	13	< 1	< 1	4	6	7	13	15
50-64	6	5.5	3	4	4	5	7	8	8	8
65 +	9	4.4	8	< 1	< 1	5	6	8	8	8
GRAND TOTAL	46	4.3	7	< 1	< 1	4	6	7	8	15

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	4.7	16	1	1	4	8	9	9	9
65 +	10	5.6	19	1	1	4	7	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	2.3	7	< 1	< 1	2	2	5	10	11
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	18	4.9	15	1	1	4	7	12	13	13
1. SINGLE DX	13	2.3	7	< 1	< 1	2	2	5	10	11
2. MULTIPLE DX	18	4.9	15	1	1	4	7	12	13	13
A. Not Operated	0									
B. Operated	31	3.8	13	1	1	2	5	10	13	13
TOTAL										
0-19 YRS	4	6.3	20	2	2	6	10	11	11	11
20-34	4	1.3		< 1	< 1	1	2	2	2	2
35-49	7	1.9	1	1	1	2	3	3	3	3
50-64	5	3.4	11	1	1	2	5	9	9	9
65 +	11	5.3	18	1	1	4	7	13	13	13
GRAND TOTAL	31	3.8	13	1	1	2	5	10	13	13

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	6.3	22	1	1	8	9	10	10	10
35-49	5	6.8	27	3	3	5	8	16	16	16
50-64	4	2.0	1	< 1	< 1	2	3	3	3	3
65 +	9	3.6	10	1	1	2	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	3.3	16	1	1	1	6	8	8	8
35-49	6	4.2	8	1	1	4	5	9	9	9
50-64	18	7.6	77	< 1	1	4	9	18	29	35
65 +	36	5.9	27	1	1	4	8	12	14	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	22	4.5	15	< 1	1	3	7	9	12	16
2. MULTIPLE DX										
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	64	6.1	38	1	1	4	8	13	17	34
1. SINGLE DX	23	4.5	14	< 1	1	3	7	9	12	16
2. MULTIPLE DX	66	6.0	37	1	1	4	8	13	17	34
A. Not Operated	3	3.3	2	2	2	3	4	5	5	5
B. Operated	86	5.7	33	1	1	4	8	12	16	32
TOTAL										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	6	4.8	18	1	1	5	8	10	10	10
35-49	12	5.1	16	1	2	4	5	11	15	16
50-64	23	6.4	65	< 1	1	3	8	17	25	35
65 +	45	5.4	24	1	1	4	8	12	13	27
GRAND TOTAL	**89**	**5.6**	**32**	**1**	**1**	**4**	**8**	**12**	**16**	**32**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.3	4	< 1	< 1	1	3	5	5	5
20-34	0									
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.3	15	< 1	< 1	1	5	9	9	9
20-34	0									
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	2.5	4	< 1	< 1	2	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	9	3.0	7	< 1	< 1	2	4	7	9	9
1. SINGLE DX	6	2.5	4	< 1	< 1	2	5	5	5	5
2. MULTIPLE DX	9	3.0	7	< 1	< 1	2	4	7	9	9
A. Not Operated	0									
B. Operated	15	2.8	5	< 1	< 1	2	4	5	8	9
TOTAL										
0-19 YRS	8	2.8	8	< 1	< 1	1	4	8	9	9
20-34	0									
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**15**	**2.8**	**5**	**< 1**	**< 1**	**2**	**4**	**5**	**8**	**9**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	12	9.1	14	4	5	8	11	14	17	18
20-34	17	11.8	31	4	6	11	14	20	25	27
35-49	38	9.8	13	4	5	10	11	15	16	19
50-64	25	10.1	56	2	5	9	10	16	23	42
65 +	22	10.2	31	3	5	8	13	18	23	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	3	8.7	16	4	4	11	11	11	11	11
35-49	9	3.3	2	2	2	3	4	5	5	5
50-64	8	5.9	14	1	2	5	7	12	14	14
65 +	36	6.0	25	1	2	5	6	13	18	23
B. Operated										
0-19 YRS	13	16.5	196	3	5	15	20	30	53	58
20-34	12	8.6	16	3	4	7	11	15	17	17
35-49	49	11.9	119	2	5	11	13	17	19	80
50-64	85	12.6	117	2	4	10	15	21	32	68
65 +	96	15.3	83	3	5	13	20	28	35	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	3	< 1	< 1	2	4	5	5	5
B. Operated	114	10.2	28	4	5	9	12	16	19	32
2. MULTIPLE DX										
A. Not Operated	58	5.6	19	1	2	4	6	12	15	23
B. Operated	255	13.5	105	2	4	11	16	24	31	78
1. SINGLE DX	120	9.8	30	2	4	9	12	15	18	31
2. MULTIPLE DX	313	12.0	99	2	3	10	15	22	29	66
A. Not Operated	64	5.3	19	1	2	4	6	11	14	23
B. Operated	369	12.5	84	2	5	11	15	22	27	56
TOTAL										
0-19 YRS	28	12.0	113	3	4	9	15	21	26	58
20-34	32	10.3	25	4	5	10	12	16	21	27
35-49	97	10.2	71	2	3	10	12	15	17	54
50-64	121	11.4	99	2	3	9	14	19	27	57
65 +	155	12.3	77	2	3	11	16	26	29	47
GRAND TOTAL	**433**	**11.4**	**81**	**2**	**3**	**10**	**14**	**20**	**27**	**50**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	2.3	2	< 1	1	2	3	4	5	5
20-34	87	2.3	1	1	1	2	3	4	4	4
35-49	127	2.5	1	1	1	2	3	4	5	6
50-64	73	2.5	1	1	1	2	3	4	4	5
65 +	31	2.7	1	1	1	3	4	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	0									
65 +	2	7.0	2	6	6	7	8	8	8	8
B. Operated										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	26	2.6	2	1	1	2	3	5	5	6
35-49	52	3.2	4	1	1	3	4	5	5	14
50-64	49	4.3	81	1	1	3	4	6	7	65
65 +	50	4.3	7	1	2	4	5	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	333	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	3	6.7	1	6	6	6	8	8	8	8
B. Operated	180	3.7	25	1	1	3	4	5	7	15
1. SINGLE DX	333	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	183	3.8	25	1	1	3	4	6	7	15
A. Not Operated	3	6.7	1	6	6	6	8	8	8	8
B. Operated	513	2.9	10	1	1	3	3	4	5	9
TOTAL										
0-19 YRS	18	2.4	2	< 1	1	2	4	4	5	5
20-34	114	2.4	1	1	1	2	3	4	4	6
35-49	179	2.7	2	1	1	2	3	4	5	7
50-64	122	3.2	33	1	1	3	3	4	5	23
65 +	83	3.8	5	1	2	3	5	6	8	14
GRAND TOTAL	**516**	**2.9**	**10**	**1**	**1**	**3**	**3**	**5**	**5**	**9**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	4	4.5	11	2	2	4	7	9	9	9
65 +	0									
B. Operated										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	12	5.9	6	1	2	6	7	9	10	10
35-49	19	5.5	12	1	1	6	9	10	11	11
50-64	27	6.0	16	2	2	4	8	13	15	18
65 +	9	6.6	49	3	3	4	5	17	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	12	3.1	6	< 1	< 1	2	4	7	9	9
50-64	11	7.6	29	2	2	6	12	16	17	17
65 +	15	5.9	22	1	2	4	8	12	16	18
B. Operated										
0-19 YRS	4	25.5	1330	3	3	9	45	80	80	80
20-34	29	7.0	19	2	2	7	8	10	15	24
35-49	35	7.9	85	1	2	6	8	15	44	99 +
50-64	86	9.2	113	2	3	6	10	17	30	63
65 +	75	10.0	101	3	3	7	14	20	24	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.2	7	2	2	3	5	9	9	9
B. Operated	69	5.9	17	2	2	5	8	10	14	24
2. MULTIPLE DX										
A. Not Operated	42	5.3	20	1	1	3	6	12	16	18
B. Operated	229	9.3	113	2	3	6	10	19	29	78
1. SINGLE DX	75	5.8	16	2	2	5	8	9	13	23
2. MULTIPLE DX	271	8.7	101	2	2	6	9	17	24	74
A. Not Operated	48	5.1	18	1	1	3	6	12	15	18
B. Operated	298	8.5	93	2	2	6	9	16	24	70
TOTAL										
0-19 YRS	7	16.3	801	2	2	8	10	66	80	80
20-34	44	6.4	15	2	2	6	8	9	12	24
35-49	68	6.2	51	1	1	5	8	10	17	90
50-64	128	8.3	83	2	2	5	9	15	23	46
65 +	99	9.1	86	2	3	5	11	19	24	53
GRAND TOTAL	346	8.0	84	2	2	6	9	16	22	62

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	183	3.4	3	< 1	1	3	5	6	6	8
35-49	77	3.6	4	< 1	< 1	4	5	6	7	8
50-64	21	4.2	6	< 1	1	4	5	7	9	11
65 +	9	4.9	6	< 1	1	5	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	6.0	19	3	3	4	9	11	11	11
B. Operated										
0-19 YRS	4	6.3	26	1	1	5	10	13	13	13
20-34	263	4.4	6	1	1	4	5	6	8	10
35-49	194	5.0	19	1	2	5	6	7	8	22
50-64	71	5.4	6	1	2	5	7	8	8	15
65 +	38	5.1	10	1	1	5	7	9	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	292	3.6	4	< 1	< 1	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	7	3.1	13	< 1	< 1	1	4	10	11	11
B. Operated	570	4.8	11	1	1	5	6	7	8	16
1. SINGLE DX	293	3.6	4	< 1	< 1	4	5	6	7	9
2. MULTIPLE DX	577	4.8	11	1	1	5	6	7	8	16
A. Not Operated	8	2.9	12	< 1	< 1	1	3	9	11	11
B. Operated	862	4.4	9	< 1	1	4	5	7	8	13
TOTAL										
0-19 YRS	6	5.2	20	1	1	4	7	12	13	13
20-34	448	4.0	5	< 1	1	4	5	6	7	9
35-49	272	4.6	15	< 1	1	4	5	7	7	17
50-64	94	5.0	7	1	1	5	7	8	8	15
65 +	50	5.1	9	1	1	5	7	9	10	17
GRAND TOTAL	870	4.4	9	< 1	1	4	5	7	8	12

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	4.3	10	2	2	3	7	8	8	8
65 +	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	5	3.6	7	1	1	4	5	7	7	7
35-49	37	3.4	4	< 1	< 1	3	5	6	7	8
50-64	60	3.8	8	< 1	< 1	3	5	7	10	14
65 +	45	4.2	10	< 1	< 1	4	5	7	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.3	16	< 1	< 1	< 1	6	8	8	8
65 +	4	4.0	6	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	17	3.9	4	< 1	1	4	5	7	7	7
35-49	51	4.6	7	< 1	1	4	6	8	9	12
50-64	91	6.8	31	1	2	5	9	13	16	31
65 +	168	8.1	99	1	2	5	10	16	21	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.6	5	2	2	5	6	8	8	8
B. Operated	147	3.8	7	< 1	< 1	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	7	3.7	9	< 1	< 1	2	6	8	8	8
B. Operated	328	7.0	63	1	2	5	8	15	18	37
1. SINGLE DX	152	3.8	7	< 1	< 1	3	5	7	8	14
2. MULTIPLE DX	335	7.0	63	1	2	5	8	14	18	36
A. Not Operated	12	4.1	7	< 1	< 1	4	6	8	8	8
B. Operated	475	6.0	48	< 1	1	5	7	11	16	28
TOTAL										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	22	3.8	4	< 1	1	4	5	7	7	7
35-49	88	4.1	6	< 1	< 1	4	6	7	8	11
50-64	157	5.5	24	< 1	1	4	7	11	15	26
65 +	219	7.2	81	1	1	5	8	15	19	51
GRAND TOTAL	**487**	**6.0**	**47**	**< 1**	**1**	**5**	**7**	**11**	**16**	**27**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.8	5	1	1	2	4	6	8	9
20-34	11	2.5	1	1	1	2	3	4	5	5
35-49	7	3.6	22	1	1	2	3	12	14	14
50-64	11	2.9	4	< 1	< 1	3	3	6	8	8
65 +	11	3.3	11	< 1	< 1	2	4	9	11	11
B. Operated										
0-19 YRS	86	3.8	13	1	1	3	5	9	11	18
20-34	62	4.9	10	1	1	4	7	9	11	14
35-49	70	4.1	10	< 1	1	3	6	9	10	12
50-64	93	4.2	18	< 1	1	3	6	8	12	23
65 +	74	4.6	20	< 1	< 1	3	7	9	11	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	4.4	68	< 1	1	2	4	8	11	51
20-34	29	3.1	4	1	1	2	4	6	8	8
35-49	19	3.2	4	1	1	3	4	6	7	7
50-64	62	5.6	29	1	1	4	7	11	15	28
65 +	149	6.1	39	1	2	4	7	13	18	38
B. Operated										
0-19 YRS	67	11.2	224	1	2	6	12	25	48	73
20-34	92	7.5	61	1	2	5	8	16	22	45
35-49	89	5.6	12	1	1	5	8	11	14	66
50-64	148	7.8	60	1	1	6	10	14	22	58
65 +	305	9.8	78	2	2	8	12	18	26	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.9	7	< 1	1	2	3	6	9	14
B. Operated	385	4.3	15	< 1	1	3	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	296	5.3	36	1	1	4	6	10	17	34
B. Operated	701	8.7	80	1	2	6	11	16	24	61
1. SINGLE DX	447	4.1	14	< 1	1	3	6	9	11	17
2. MULTIPLE DX	997	7.7	69	1	2	5	9	15	22	53
A. Not Operated	358	4.9	32	1	1	3	6	9	14	28
B. Operated	1086	7.1	61	1	1	5	9	14	19	52
TOTAL										
0-19 YRS	212	6.2	99	1	1	3	7	12	20	67
20-34	194	5.7	36	1	1	4	7	10	16	34
35-49	185	4.7	11	1	1	4	7	10	11	16
50-64	314	6.1	42	1	1	5	8	12	18	39
65 +	539	8.0	62	1	1	6	10	16	22	45
GRAND TOTAL	**1444**	**6.6**	**55**	**1**	**1**	**5**	**8**	**13**	**18**	**45**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	21	2.6	1	1	1	3	3	4	4	5
20-34	85	2.4	1	1	1	2	3	4	5	6
35-49	151	2.6	2	1	1	2	3	4	5	6
50-64	103	2.8	1	1	1	3	3	4	5	6
65 +	44	3.8	8	1	2	3	4	5	7	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	4	2.5	3	< 1	< 1	2	4	4	4	4
35-49	7	3.3	13	< 1	< 1	3	3	9	11	11
50-64	4	2.8	4	1	1	3	4	5	5	5
65 +	13	6.5	22	< 1	< 1	6	7	13	18	19
B. Operated										
0-19 YRS	7	3.1	1	2	2	3	4	4	4	4
20-34	33	3.1	2	2	2	3	3	5	6	8
35-49	88	3.5	6	1	1	3	4	7	10	12
50-64	108	4.0	12	1	2	3	4	6	8	22
65 +	131	5.6	22	2	2	4	6	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.6	1	< 1	< 1	1	2	3	3	3
B. Operated	404	2.7	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	31	4.5	16	< 1	< 1	4	6	9	12	19
B. Operated	367	4.3	14	1	2	3	5	8	12	20
1. SINGLE DX	412	2.7	2	1	1	3	3	4	5	7
2. MULTIPLE DX	398	4.3	14	1	2	3	5	8	12	20
A. Not Operated	39	3.9	14	< 1	< 1	3	6	7	12	19
B. Operated	771	3.5	8	1	1	3	4	6	8	17
TOTAL										
0-19 YRS	31	2.8	2	1	1	3	3	4	5	7
20-34	125	2.6	2	1	1	2	3	4	5	7
35-49	250	3.0	4	1	1	3	4	5	6	11
50-64	216	3.4	7	1	2	3	4	5	6	16
65 +	188	5.2	19	2	2	4	6	10	15	25
GRAND TOTAL	**810**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.6	9	1	1	1	2	8	9	9
20-34	21	4.3	9	1	1	4	6	7	10	14
35-49	27	4.8	6	2	2	4	6	9	10	11
50-64	11	4.5	4	2	2	4	6	7	8	8
65 +	4	3.8	3	2	2	3	5	6	6	6
B. Operated										
0-19 YRS	18	3.9	8	< 1	1	4	4	8	11	12
20-34	76	3.2	3	1	1	3	4	5	6	11
35-49	57	3.0	2	1	1	3	4	5	5	7
50-64	48	3.0	2	1	2	3	4	5	5	6
65 +	14	3.6	1	2	2	4	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	8.8	386	< 1	1	2	7	13	61	81
20-34	52	5.6	18	2	2	4	7	13	16	17
35-49	71	5.4	12	2	2	4	8	10	12	17
50-64	78	6.6	26	1	2	5	8	15	17	25
65 +	148	8.4	40	2	3	7	11	16	19	32
B. Operated										
0-19 YRS	12	6.2	16	2	2	5	8	13	14	14
20-34	40	4.9	18	1	1	4	6	10	17	18
35-49	55	4.1	8	1	1	4	5	8	11	14
50-64	45	5.3	24	2	2	4	6	9	11	32
65 +	48	11.2	174	3	3	8	13	21	22	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	4.2	7	1	1	4	6	7	9	13
B. Operated	213	3.2	3	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated	365	7.0	44	2	2	5	9	14	17	28
B. Operated	200	6.4	61	1	2	4	8	13	18	29
1. SINGLE DX	287	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	565	6.8	50	1	2	5	8	14	17	28
A. Not Operated	439	6.6	39	1	2	5	8	13	16	27
B. Operated	413	4.7	33	1	2	3	5	9	13	22
TOTAL										
0-19 YRS	57	5.5	116	1	1	3	5	11	13	76
20-34	189	4.3	12	1	2	3	5	8	13	17
35-49	210	4.3	8	1	2	4	5	8	11	15
50-64	182	5.2	20	1	2	4	6	9	15	25
65 +	214	8.6	70	2	3	6	11	17	21	37
GRAND TOTAL	**852**	**5.7**	**37**	**1**	**2**	**4**	**7**	**12**	**16**	**26**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	171	6.8	86	2	3	5	7	10	38	99+
20-34	22	3.9	2	1	2	4	5	6	7	7
35-49	31	4.7	3	2	3	5	6	7	8	9
50-64	38	5.8	10	2	3	5	7	11	13	14
65+	16	4.9	13	1	1	4	7	10	13	14
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	11.0	32	7	7	11	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	187	5.3	81	<1	<1	4	6	8	11	71
20-34	90	4.6	64	<1	1	4	5	7	8	52
35-49	124	4.8	6	2	2	5	6	8	10	12
50-64	168	5.4	11	2	3	4	7	9	11	18
65+	107	6.6	19	1	2	6	8	12	16	22
B. Operated										
0-19 YRS	0									
20-34	5	5.0	32	2	2	3	6	15	15	15
35-49	9	4.4	8	2	2	3	5	9	11	11
50-64	23	7.6	34	1	2	6	9	16	20	25
65+	22	12.0	74	3	3	10	15	20	29	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	278	6.1	56	2	3	5	6	9	14	99+
B. Operated	6	5.5	27	1	1	4	7	14	15	15
2. MULTIPLE DX										
A. Not Operated	676	5.4	38	1	1	4	7	9	12	24
B. Operated	59	8.5	51	2	2	6	12	17	20	40
1. SINGLE DX	284	6.1	56	2	2	5	6	9	14	99+
2. MULTIPLE DX	735	5.6	40	1	1	4	7	9	14	28
A. Not Operated	954	5.6	43	1	2	4	6	9	12	71
B. Operated	65	8.2	49	2	2	6	11	16	20	39
TOTAL										
0-19 YRS	359	6.0	84	<1	1	5	6	9	14	99+
20-34	117	4.5	51	1	1	4	5	7	8	35
35-49	165	4.8	5	2	2	5	6	8	9	11
50-64	231	5.7	13	2	2	5	7	9	13	20
65+	147	7.3	31	1	2	6	9	15	18	24
GRAND TOTAL	**1019**	**5.7**	**44**	**1**	**2**	**5**	**7**	**9**	**14**	**70**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	453	3.6	5	1	1	3	5	7	8	10
20-34	221	3.5	4	1	1	3	5	6	7	10
35-49	68	4.4	7	2	2	4	6	7	10	14
50-64	46	5.6	12	1	2	5	7	10	13	14
65+	23	5.4	12	2	2	5	6	9	15	15
B. Operated										
0-19 YRS	7	2.4	2	1	1	2	4	5	5	5
20-34	5	6.4	7	4	4	6	7	11	11	11
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	522	4.4	18	1	2	3	5	8	10	18
20-34	553	4.8	10	2	2	4	6	9	10	17
35-49	479	5.8	16	2	2	5	7	11	14	21
50-64	336	7.0	18	2	3	6	9	12	16	21
65+	417	9.2	79	2	3	7	11	16	25	54
B. Operated										
0-19 YRS	20	9.4	62	2	4	6	11	22	29	31
20-34	57	6.8	21	2	3	6	8	11	14	27
35-49	71	10.8	62	3	4	8	13	23	28	88
50-64	67	17.4	148	4	6	15	23	35	38	69
65+	54	19.1	281	5	6	15	21	33	54	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	811	3.8	6	1	1	3	5	7	8	13
B. Operated	14	4.3	7	1	1	4	6	7	10	11
2. MULTIPLE DX										
A. Not Operated	2307	6.0	30	2	2	5	7	11	14	28
B. Operated	269	13.1	140	3	4	9	17	27	36	73
1. SINGLE DX	825	3.8	6	1	1	3	5	7	8	13
2. MULTIPLE DX	2576	6.8	46	2	2	5	8	13	17	35
A. Not Operated	3118	5.5	24	1	2	4	7	10	13	24
B. Operated	283	12.7	137	3	4	9	16	27	34	73
TOTAL										
0-19 YRS	1002	4.2	14	1	1	3	5	7	9	17
20-34	836	4.6	10	1	2	4	6	8	10	16
35-49	618	6.2	23	2	2	5	7	12	15	28
50-64	450	8.4	51	2	3	7	10	16	21	37
65+	495	10.1	107	3	3	8	11	17	27	64
GRAND TOTAL	**3401**	**6.1**	**38**	**1**	**2**	**5**	**7**	**11**	**16**	**31**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	222	4.6	4	1	2	5	6	7	8	10
20-34	142	4.3	6	2	2	4	5	7	9	14
35-49	209	4.5	6	1	2	4	5	7	9	14
50-64	231	5.3	10	2	3	5	7	8	10	15
65 +	189	6.1	11	2	3	6	8	10	11	18
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	9.0	145	1	1	5	10	30	37	37
50-64	6	7.0	55	1	1	5	8	20	21	21
65 +	12	6.7	102	< 1	1	4	6	17	35	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	225	5.3	26	1	2	4	6	9	12	35
20-34	545	5.4	20	1	2	4	6	9	12	26
35-49	1210	5.9	17	2	2	5	7	10	13	20
50-64	1936	6.1	14	2	3	5	7	10	13	21
65 +	2765	7.2	26	2	3	6	9	12	15	28
B. Operated										
0-19 YRS	12	5.0	34	1	1	3	5	13	21	22
20-34	154	9.6	90	2	2	6	12	21	29	54
35-49	444	11.1	96	2	3	9	15	22	28	61
50-64	859	12.2	109	2	3	9	16	24	34	51
65 +	1142	14.1	139	3	4	11	18	28	37	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	993	5.0	8	2	2	4	6	8	10	15
B. Operated	28	7.1	91	1	1	4	7	19	37	38
2. MULTIPLE DX										
A. Not Operated	6681	6.4	21	2	3	5	8	11	14	24
B. Operated	2611	12.7	121	2	3	10	16	25	35	60
1. SINGLE DX	1021	5.0	10	2	2	4	6	8	10	16
2. MULTIPLE DX	9292	8.2	57	2	3	6	10	15	22	42
A. Not Operated	7674	6.2	20	2	3	5	8	11	14	23
B. Operated	2639	12.6	121	2	3	10	16	25	35	60
TOTAL										
0-19 YRS	460	5.0	16	1	2	4	6	8	10	24
20-34	842	6.0	34	2	2	4	7	11	16	30
35-49	1871	7.0	41	2	2	5	8	13	17	35
50-64	3032	7.8	49	2	3	6	9	15	20	38
65 +	4108	9.1	67	2	3	7	10	17	24	46
GRAND TOTAL	**10313**	**7.9**	**53**	**2**	**3**	**6**	**9**	**15**	**21**	**40**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	15	4.1	4	1	1	4	5	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	6	3.5	5	< 1	< 1	4	4	7	7	7
35-49	1	14.0		14	14	14	14	14	14	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	3.6	4	< 1	1	3	6	6	6	6
20-34	59	4.8	9	1	2	4	5	7	13	16
35-49	24	4.9	2	3	4	5	6	6	7	9
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7	2	2	2	4	5	5	5	5
B. Operated	19	4.3	4	1	2	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	10	4.0	16	< 1	< 1	3	4	10	14	14
B. Operated	94	4.7	6	1	2	4	5	6	9	16
1. SINGLE DX	22	4.2	4	1	2	4	5	7	8	8
2. MULTIPLE DX	104	4.6	7	1	2	4	5	6	10	15
A. Not Operated	13	3.9	12	< 1	1	4	5	8	13	14
B. Operated	113	4.6	6	1	2	4	5	6	8	15
TOTAL										
0-19 YRS	16	3.4	5	< 1	1	3	5	6	7	8
20-34	82	4.5	7	1	1	4	5	7	9	16
35-49	26	5.2	5	3	4	5	6	6	10	14
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	0									
GRAND TOTAL	**126**	**4.6**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**15**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-2[illegible]9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	2.1	4	1	1	2	2	4	5	8
20-34	23	3.0	3	< 1	1	2	4	5	7	8
35-49	30	3.1	4	1	1	3	4	6	8	9
50-64	20	4.1	12	< 1	1	3	5	7	12	16
65 +	22	2.6	3	< 1	< 1	2	3	6	7	7
B. Operated										
0-19 YRS	14	3.2	3	< 1	1	3	5	5	5	5
20-34	7	3.3	10	1	1	2	4	9	10	10
35-49	9	5.8	28	2	2	4	6	15	19	19
50-64	13	4.2	5	1	2	4	6	7	8	8
65 +	6	6.8	49	3	3	4	5	19	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	236	3.1	10	1	1	2	4	6	9	19
20-34	132	4.1	19	1	1	3	4	8	13	25
35-49	208	5.4	30	1	1	4	7	10	15	23
50-64	393	5.1	21	1	2	4	6	10	13	20
65 +	1018	6.3	29	1	2	5	8	12	17	27
B. Operated										
0-19 YRS	27	9.1	91	1	2	7	12	19	31	44
20-34	23	7.7	60	1	1	6	9	15	23	37
35-49	45	9.0	107	2	2	6	10	18	23	63
50-64	86	10.7	157	2	3	7	14	18	34	76
65 +	141	11.4	105	3	3	8	14	22	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	2.5	5	1	1	2	3	5	7	10
B. Operated	49	4.4	15	1	1	4	5	7	10	21
2. MULTIPLE DX										
A. Not Operated	1987	5.4	26	1	1	4	7	11	14	25
B. Operated	322	10.4	115	2	3	7	13	19	33	57
1. SINGLE DX	290	2.8	7	1	1	2	4	5	7	18
2. MULTIPLE DX	2309	6.1	41	1	1	4	8	12	17	33
A. Not Operated	2228	5.1	24	1	1	4	7	10	14	24
B. Operated	371	9.6	106	2	2	6	11	19	30	55
TOTAL										
0-19 YRS	423	3.1	16	1	1	2	3	6	9	20
20-34	185	4.4	23	1	1	3	5	9	14	29
35-49	292	5.7	41	1	1	4	7	11	16	32
50-64	512	6.0	47	1	2	4	7	11	16	35
65 +	1187	6.8	40	1	2	5	8	13	19	34
GRAND TOTAL	**2599**	**5.8**	**38**	**1**	**1**	**4**	**7**	**11**	**16**	**32**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.0	2	2	2	3	4	5	5	5
20-34	2	8.5	13	6	6	8	11	11	11	11
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	2	12.5	113	5	5	12	20	20	20	20
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	0									
65 +	3	2.7	2	< 1	< 1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	19.2	394	2	3	9	29	53	65	72
20-34	9	8.0	46	1	2	6	11	20	22	22
35-49	19	9.8	39	1	2	8	14	17	22	26
50-64	31	9.2	76	3	3	7	10	20	33	39
65 +	151	9.9	103	2	3	7	10	18	29	60
B. Operated										
0-19 YRS	11	14.5	256	1	2	7	28	40	44	44
20-34	5	7.2	26	1	1	6	10	15	15	15
35-49	9	14.1	32	9	9	14	18	23	23	23
50-64	26	13.7	106	4	5	10	17	33	38	44
65 +	91	14.7	130	3	4	12	20	32	42	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.4	9	2	2	3	5	9	11	11
B. Operated	8	5.0	40	< 1	< 1	3	5	16	20	20
2. MULTIPLE DX										
A. Not Operated	285	12.2	187	2	3	8	13	29	45	69
B. Operated	142	14.2	124	3	4	10	19	32	41	45
1. SINGLE DX	16	4.7	23	< 1	< 1	[illegible]	5	10	17	20
2. MULTIPLE DX	427	12.9	167	2	3	[illegible]	15	31	43	64
A. Not Operated	293	12.0	184	2	3	7	12	29	45	69
B. Operated	150	13.7	124	2	3	[illegible]	19	32	41	45
TOTAL										
0-19 YRS	93	17.7	361	2	2	8	27	46	59	72
20-34	17	7.4	33	< 1	1	6	9	16	20	22
35-49	30	10.7	41	1	2	9	15	20	23	26
50-64	57	11.3	93	3	3	8	12	27	36	44
65 +	246	11.5	118	2	3	8	13	26	33	55
GRAND TOTAL	**443**	**12.6**	**164**	**2**	**3**	**8**	**15**	**30**	**43**	**63**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	152	9.2	28	2	2	10	12	15	16	29
20-34	35	8.6	23	2	2	9	12	15	15	16
35-49	2	10.5	1	10	10	10	11	11	11	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	11.6	35	1	4	13	16	19	21	21
20-34	6	6.0	24	< 1	< 1	6	10	12	12	12
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	280	10.4	39	2	3	10	14	18	22	31
20-34	84	12.5	48	3	4	12	15	20	22	40
35-49	5	13.6	148	4	4	8	22	33	33	33
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	33	17.2	103	3	5	16	21	32	40	42
20-34	8	9.8	30	3	4	9	13	18	20	20
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	9.1	26	2	2	10	12	15	16	25
B. Operated	16	9.5	37	< 1	1	9	14	16	20	21
2. MULTIPLE DX										
A. Not Operated	369	10.9	43	2	3	10	14	18	22	34
B. Operated	41	15.7	97	3	4	16	20	28	39	42
1. SINGLE DX	205	9.1	27	2	2	10	12	15	16	25
2. MULTIPLE DX	410	11.4	50	2	3	11	15	20	24	37
A. Not Operated	558	10.3	38	2	3	10	14	17	21	33
B. Operated	57	14.0	87	2	3	14	19	25	36	42
TOTAL										
0-19 YRS	475	10.5	43	2	3	10	14	18	22	35
20-34	133	11.0	43	2	2	11	14	18	21	36
35-49	7	12.7	101	4	4	10	16	30	33	33
50-64	0									
65 +	0									
GRAND TOTAL	**615**	**10.7**	**44**	**2**	**3**	**10**	**14**	**18**	**22**	**35**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	13.0	333	< 1	< 1	4	26	34	34	34
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	11	5.4	5	1	2	6	7	8	8	8
20-34	125	5.4	5	1	2	6	6	7	8	16
35-49	95	5.8	4	1	3	6	7	8	9	11
50-64	12	7.9	16	2	4	7	9	12	18	19
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	12.1	287	1	1	4	14	46	54	56
20-34	8	5.0	40	< 1	< 1	2	7	16	19	19
35-49	19	3.6	7	< 1	< 1	3	6	8	9	9
50-64	9	2.9	4	< 1	< 1	2	4	6	7	7
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	17	5.9	1	4	4	6	6	7	8	9
20-34	216	6.3	18	2	4	6	7	8	10	35
35-49	281	6.7	17	2	3	6	7	10	14	26
50-64	73	6.5	15	1	1	6	8	10	12	23
65 +	6	5.0	16	1	1	5	6	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	6.9	146	< 1	< 1	2	5	28	34	34
B. Operated	243	5.7	5	1	2	6	7	8	9	16
2. MULTIPLE DX										
A. Not Operated	53	6.4	107	< 1	< 1	3	7	12	22	56
B. Operated	593	6.5	17	1	3	6	7	9	13	26
1. SINGLE DX	250	5.7	9	1	2	6	7	8	9	16
2. MULTIPLE DX	646	6.5	24	1	2	6	7	9	13	27
A. Not Operated	60	6.4	109	< 1	< 1	3	7	14	28	55
B. Operated	836	6.3	14	1	3	6	7	9	12	25
TOTAL										
0-19 YRS	46	7.8	108	1	2	6	7	11	27	56
20-34	352	6.0	16	1	3	6	7	8	10	27
35-49	396	6.3	14	1	2	6	7	9	12	25
50-64	95	6.3	16	1	1	6	8	9	12	22
65 +	7	5.7	17	1	1	5	9	12	12	12
GRAND TOTAL	**896**	**6.3**	**20**	**1**	**2**	**6**	**7**	**9**	**12**	**26**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	4.8	51	1	1	3	5	8	11	51
20-34	13	3.2	5	< 1	< 1	3	5	7	7	7
35-49	16	3.8	10	< 1	1	3	4	10	11	12
50-64	7	2.9	6	1	1	2	3	7	8	8
65 +	9	5.6	36	2	2	3	7	16	16	16
B. Operated										
0-19 YRS	47	3.4	7	1	1	3	5	7	10	11
20-34	18	2.3	4	< 1	< 1	1	3	5	7	8
35-49	37	2.9	7	< 1	< 1	1	5	7	8	11
50-64	18	2.8	6	< 1	1	2	3	7	9	10
65 +	8	2.1	8	< 1	< 1	1	2	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	172	5.6	52	1	1	4	6	10	14	48
20-34	42	5.7	20	1	2	4	8	12	17	99 +
35-49	80	6.3	34	1	1	5	8	12	18	32
50-64	120	6.6	23	1	2	5	9	13	16	25
65 +	196	8.6	42	2	3	7	11	17	23	31
B. Operated										
0-19 YRS	69	13.6	225	2	2	8	21	43	70	99 +
20-34	30	6.2	38	1	1	5	9	11	18	31
35-49	70	6.3	97	1	1	4	7	12	19	66
50-64	73	8.7	103	1	2	6	11	19	25	63
65 +	76	10.4	78	1	2	8	13	24	30	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	4.4	35	1	1	3	5	8	12	34
B. Operated	128	2.9	6	< 1	< 1	2	4	7	9	11
2. MULTIPLE DX										
A. Not Operated	610	6.8	40	1	2	5	9	14	20	32
B. Operated	318	9.4	122	1	1	6	11	24	31	82
1. SINGLE DX	233	3.6	20	< 1	1	3	4	7	10	16
2. MULTIPLE DX	928	7.7	69	1	2	5	9	16	24	56
A. Not Operated	715	6.5	40	1	1	5	8	13	18	32
B. Operated	446	7.5	97	1	1	4	9	19	28	73
TOTAL										
0-19 YRS	348	6.7	91	1	1	4	7	14	26	71
20-34	103	4.9	22	< 1	1	4	7	10	13	63
35-49	203	5.5	50	< 1	1	4	7	11	15	31
50-64	218	6.9	51	1	1	5	9	14	20	28
65 +	289	8.8	52	1	2	7	11	18	25	33
GRAND TOTAL	**1161**	**6.9**	**62**	**1**	**1**	**5**	**8**	**14**	**22**	**50**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	12	3.6	2	1	2	4	5	5	6	6
50-64	8	2.6	1	1	1	3	4	4	4	4
65 +	12	2.6	1	< 1	1	3	3	4	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	6.7	25	2	2	6	10	12	12	12
50-64	4	5.0	45	1	1	2	9	15	15	15
65 +	2	2.0	2	< 1	< 1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	4.4	12	1	1	4	7	10	10	10
35-49	30	4.3	9	1	2	3	5	8	9	15
50-64	56	5.4	8	2	2	5	7	9	10	15
65 +	149	7.2	44	2	2	5	9	15	18	29
B. Operated										
0-19 YRS	0									
20-34	4	6.5	8	3	3	6	8	10	10	10
35-49	12	9.2	228	1	2	4	8	25	52	56
50-64	11	13.6	312	2	3	5	20	39	60	62
65 +	25	9.8	48	1	3	9	13	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.9	2	1	1	3	4	5	5	6
B. Operated	9	4.9	27	< 1	< 1	2	7	14	15	15
2. MULTIPLE DX										
A. Not Operated	242	6.4	32	2	2	5	8	12	16	28
B. Operated	52	10.2	138	1	2	7	12	23	25	62
1. SINGLE DX	43	3.3	7	< 1	1	3	4	5	8	15
2. MULTIPLE DX	294	7.0	52	2	2	5	8	13	18	44
A. Not Operated	276	5.9	29	1	2	4	7	11	16	28
B. Operated	61	9.4	124	1	2	6	12	22	25	61
TOTAL										
0-19 YRS	0									
20-34	13	4.8	10	1	1	4	7	10	10	10
35-49	57	5.3	55	1	2	4	5	9	12	53
50-64	79	6.3	57	1	2	4	7	10	15	51
65 +	188	7.2	44	2	2	5	9	15	19	29
GRAND TOTAL	**337**	**6.6**	**48**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	3.4	16	1	1	2	3	7	11	23
20-34	23	2.4	2	< 1	1	2	3	4	6	7
35-49	18	3.5	7	1	1	3	4	7	9	11
50-64	20	3.9	5	1	2	3	5	7	9	10
65 +	76	5.3	19	1	1	4	7	10	11	26
B. Operated										
0-19 YRS	4	4.3	10	2	2	3	6	9	9	9
20-34	0									
35-49	0									
50-64	1	34.0		34	34	34	34	34	34	34
65 +	6	10.8	67	3	3	8	19	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1968	3.2	8	1	1	3	4	6	8	15
20-34	573	3.4	6	1	1	3	4	6	8	13
35-49	673	4.2	12	1	1	3	5	8	11	19
50-64	1247	5.9	29	1	2	4	7	11	14	26
65 +	5732	7.3	43	2	2	6	9	13	18	35
B. Operated										
0-19 YRS	58	15.1	257	1	2	9	24	39	51	76
20-34	80	5.6	23	1	1	4	7	11	14	24
35-49	81	10.0	135	1	2	7	12	20	36	67
50-64	205	10.8	99	2	2	8	15	22	28	55
65 +	704	14.3	179	2	3	10	19	29	45	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	4.0	15	1	1	3	5	8	10	24
B. Operated	11	10.5	107	2	2	5	17	27	33	34
2. MULTIPLE DX										
A. Not Operated	10193	5.9	34	1	2	4	7	11	15	30
B. Operated	1128	12.8	161	2	3	9	17	27	38	78
1. SINGLE DX	229	4.3	21	1	1	3	5	8	11	25
2. MULTIPLE DX	11321	6.6	50	1	2	5	8	13	19	37
A. Not Operated	10411	5.9	33	1	2	4	7	11	15	29
B. Operated	1139	12.8	160	2	3	9	17	27	37	78
TOTAL										
0-19 YRS	2111	3.6	19	1	1	3	4	6	9	24
20-34	676	3.6	9	1	1	3	4	7	9	15
35-49	772	4.8	28	1	2	3	6	9	13	26
50-64	1473	6.6	42	1	2	5	8	13	18	34
65 +	6518	8.0	63	2	2	6	9	15	22	45
GRAND TOTAL	**11550**	**6.6**	**50**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.9	12	2	2	4	6	8	13	15
20-34	10	3.5	2	2	2	3	4	5	6	6
35-49	16	2.3	1	< 1	1	2	3	4	4	4
50-64	8	4.6	4	< 1	1	5	6	7	7	7
65 +	22	3.9	9	< 1	1	3	6	8	10	12
B. Operated										
0-19 YRS	4	4.8	12	2	2	4	7	9	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	4.7	2	3	3	5	6	6	6	6
50-64	5	6.4	4	4	4	7	8	9	9	9
65 +	14	7.6	50	2	2	5	8	17	27	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	3.9	10	1	1	3	5	7	9	20
20-34	48	3.4	5	1	1	3	5	7	7	12
35-49	98	4.6	21	1	1	4	5	7	9	31
50-64	142	5.0	14	1	1	4	6	9	12	21
65 +	608	5.4	13	1	2	5	7	10	12	18
B. Operated										
0-19 YRS	6	11.3	170	< 1	< 1	7	11	34	37	37
20-34	17	4.5	14	1	1	3	6	11	13	13
35-49	52	6.1	12	2	3	5	7	11	15	16
50-64	85	7.0	20	2	3	6	8	14	16	23
65 +	252	8.4	62	2	3	7	10	14	19	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	3.8	7	1	1	3	5	7	8	14
B. Operated	27	6.6	31	2	2	6	7	10	18	30
2. MULTIPLE DX										
A. Not Operated	945	5.1	14	1	2	4	6	9	12	20
B. Operated	412	7.7	47	2	3	6	9	14	16	39
1. SINGLE DX	97	4.5	15	1	2	4	6	8	10	23
2. MULTIPLE DX	1357	5.9	25	1	2	5	7	11	14	24
A. Not Operated	1015	5.0	13	1	2	4	6	9	12	19
B. Operated	439	7.6	46	2	3	6	9	14	16	38
TOTAL										
0-19 YRS	73	4.7	25	1	1	3	5	9	12	33
20-34	76	3.7	7	1	1	3	5	7	9	13
35-49	169	4.9	17	1	2	4	6	8	10	22
50-64	240	5.7	16	1	2	5	7	11	14	21
65 +	896	6.3	29	1	2	5	8	11	14	25
GRAND TOTAL	**1454**	**5.8**	**25**	**1**	**2**	**5**	**7**	**11**	**14**	**24**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	538	3.6	7	1	1	3	5	7	8	14
20-34	447	5.6	16	1	2	5	7	10	12	24
35-49	66	5.8	9	2	3	5	8	10	11	15
50-64	9	4.1	6	< 1	1	4	6	7	8	8
65 +	2	6.5	25	3	3	6	10	10	10	10
B. Operated										
0-19 YRS	4	9.8	27	5	5	9	14	16	16	16
20-34	11	9.8	8	5	6	10	12	13	13	13
35-49	3	6 7	14	4	4	5	9	11	11	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	704	4.7	10	1	2	4	6	9	10	16
20-34	579	7.4	32	2	3	6	9	13	18	30
35-49	178	6.9	21	2	2	6	9	12	15	23
50-64	27	7.3	22	2	3	6	9	12	15	25
65 +	12	4.2	14	1	1	3	6	9	13	14
B. Operated										
0-19 YRS	31	9.2	138	1	1	7	11	18	23	65
20-34	74	13.3	100	3	4	9	19	28	35	48
35-49	13	15.4	131	5	6	9	19	35	41	43
50-64	6	5.3	13	2	2	4	10	10	10	10
65 +	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1062	4.6	12	1	1	4	6	8	10	20
B. Operated	18	9.3	12	4	5	9	12	13	15	16
2. MULTIPLE DX										
A. Not Operated	1500	6.1	22	1	2	5	8	11	14	22
B. Operated	125	12.1	112	2	3	9	15	24	34	54
1. SINGLE DX	1080	4.7	12	1	1	4	6	9	11	20
2. MULTIPLE DX	1625	6.5	31	1	2	5	8	12	16	30
A. Not Operated	2562	5.5	18	1	2	4	7	10	13	22
B. Operated	143	11.7	100	2	3	9	14	23	33	51
TOTAL										
0-19 YRS	1277	4.4	13	1	1	4	6	8	10	16
20-34	1111	7.1	33	2	2	6	9	13	18	32
35-49	260	7.0	27	2	3	6	9	12	16	31
50-64	42	6.4	19	1	2	6	8	11	13	25
65 +	15	4.9	15	1	1	3	7	10	13	14
GRAND TOTAL	**2705**	**5.8**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**25**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	152	2.8	9	1	1	2	4	6	8	11
20-34	29	3.0	8	1	1	2	5	7	8	12
35-49	20	2.7	7	< 1	< 1	2	3	8	9	9
50-64	20	2.1	3	< 1	< 1	1	3	4	6	7
65 +	54	2.8	4	1	1	2	4	5	7	9
B. Operated										
0-19 YRS	49	5.5	28	1	1	5	6	10	19	27
20-34	5	6.8	21	1	1	5	11	12	12	12
35-49	6	5.0	10	1	1	5	8	9	9	9
50-64	8	8.0	17	3	4	7	11	14	15	15
65 +	16	4.6	10	1	1	4	7	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	3.7	10	1	1	3	5	8	10	15
20-34	105	4.7	18	1	1	3	7	11	13	19
35-49	153	4.7	22	1	1	3	6	9	13	30
50-64	337	4.3	18	1	1	3	6	9	11	22
65 +	1163	5.3	27	1	1	4	7	11	14	25
B. Operated										
0-19 YRS	75	11.2	198	1	2	6	14	28	40	75
20-34	42	6.2	44	1	1	5	8	10	11	43
35-49	75	6.9	30	< 1	1	6	10	13	16	30
50-64	136	9.0	60	2	2	7	11	19	27	36
65 +	394	10.1	96	1	2	7	13	21	27	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	275	2.8	7	1	1	2	4	6	8	11
B. Operated	84	5.6	22	1	1	5	7	11	14	26
2. MULTIPLE DX										
A. Not Operated	1977	4.9	23	1	1	4	6	10	13	22
B. Operated	722	9.5	91	1	2	7	12	20	27	53
1. SINGLE DX	359	3.4	12	1	1	2	5	7	9	19
2. MULTIPLE DX	2699	6.1	45	1	1	4	7	13	17	33
A. Not Operated	2252	4.6	22	1	1	3	6	9	13	22
B. Operated	806	9.1	85	1	2	6	11	19	26	51
TOTAL										
0-19 YRS	495	4.7	48	1	1	3	6	9	15	33
20-34	181	4.8	23	1	1	3	7	10	13	20
35-49	254	5.2	25	1	1	4	7	11	14	30
50-64	501	5.6	33	1	1	4	7	12	16	31
65 +	1627	6.4	47	1	1	4	8	13	18	31
GRAND TOTAL	**3058**	**5.8**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5	2	1	1	2	3	5	6	6
20-34	5	4.0	3	2	2	4	5	6	6	6
35-49	5	1.0		< 1	< 1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	3	12.3	4	10	10	13	14	14	14	14
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	4.8	23	< 1	1	4	5	13	15	21
20-34	17	4.2	14	1	1	3	5	8	14	16
35-49	10	3.7	3	< 1	1	4	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	9.0	7	6	6	10	11	11	11	11
B. Operated										
0-19 YRS	8	3.6	8	1	1	2	5	8	9	9
20-34	4	15.3	542	2	2	5	28	50	50	50
35-49	4	5.0	15	2	2	4	8	10	10	10
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.4	3	< 1	1	2	3	5	6	6
B. Operated	5	11.4	6	8	8	12	13	14	14	14
2. MULTIPLE DX										
A. Not Operated	64	4.6	17	< 1	1	4	6	11	14	20
B. Operated	17	7.1	132	1	2	2	7	10	36	50
1. SINGLE DX	31	3.9	14	< 1	1	2	5	11	13	14
2. MULTIPLE DX	81	5.1	41	< 1	1	4	6	10	14	41
A. Not Operated	90	4.0	14	< 1	1	3	5	8	13	19
B. Operated	22	8.0	105	1	2	6	10	13	28	50
TOTAL										
0-19 YRS	58	4.2	17	< 1	1	3	5	10	14	21
20-34	29	6.5	86	1	1	4	6	14	18	50
35-49	19	3.3	6	< 1	< 1	2	5	6	8	10
50-64	3	4.3	24	1	1	2	8	10	10	10
65 +	3	9.0	7	6	6	10	11	11	11	11
GRAND TOTAL	**112**	**4.8**	**34**	**< 1**	**1**	**3**	**6**	**10**	**14**	**32**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	165	3.0	5	< 1	1	3	4	5	7	12
20-34	22	3.8	10	< 1	1	3	5	8	11	14
35-49	5	4.0	5	1	1	4	5	7	7	7
50-64	13	5.1	7	1	2	5	7	9	10	10
65 +	11	3.8	12	< 1	1	2	5	10	11	11
B. Operated										
0-19 YRS	95	4.2	11	1	1	3	6	8	10	18
20-34	39	5.9	12	2	2	5	7	10	12	19
35-49	22	6.6	14	1	2	6	8	13	14	15
50-64	16	5.9	10	2	2	5	8	10	13	14
65 +	16	6.1	33	< 1	2	4	8	16	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	554	4.9	16	1	1	4	6	9	12	23
20-34	108	5.1	28	1	1	4	6	10	11	31
35-49	115	5.9	15	2	2	5	7	11	12	22
50-64	250	6.1	21	1	2	5	8	10	14	22
65 +	438	6.7	38	1	2	5	8	13	17	32
B. Operated										
0-19 YRS	114	7.8	39	1	2	6	10	15	21	30
20-34	55	8.0	31	2	3	7	10	15	18	34
35-49	65	10.2	140	2	3	7	12	18	26	74
50-64	133	12.1	97	2	3	10	16	23	28	49
65 +	190	12.2	139	3	3	8	14	26	36	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	216	3.3	6	< 1	1	3	4	6	9	13
B. Operated	188	5.1	14	1	1	5	7	10	12	20
2. MULTIPLE DX										
A. Not Operated	1465	5.7	25	1	2	5	7	10	13	26
B. Operated	557	10.6	101	2	3	8	13	22	28	47
1. SINGLE DX	404	4.1	10	1	1	3	5	8	10	16
2. MULTIPLE DX	2022	7.1	51	1	2	5	8	13	19	36
A. Not Operated	1681	5.4	23	1	1	4	7	10	13	24
B. Operated	745	9.2	85	1	2	7	11	19	25	43
TOTAL										
0-19 YRS	928	4.8	18	1	1	4	6	9	12	25
20-34	224	5.8	26	1	2	5	7	10	14	25
35-49	207	7.3	57	2	2	5	8	14	17	39
50-64	412	8.0	52	1	2	6	10	16	22	37
65 +	655	8.2	73	1	2	6	10	16	25	42
GRAND TOTAL	**2426**	**6.6**	**45**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	220	1.7	1	1	1	1	2	3	4	5
20-34	56	2.0	1	1	1	2	3	3	4	5
35-49	12	1.8	1	< 1	< 1	2	2	3	3	3
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	175	3.2	2	1	2	3	4	5	6	9
20-34	60	3.2	2	1	2	3	4	5	6	7
35-49	5	3.4	2	2	2	4	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123	2.3	3	1	1	2	3	4	6	11
20-34	32	2.2	1	1	1	2	3	3	4	6
35-49	8	3.1	2	2	2	3	4	5	6	6
50-64	9	3.2	4	1	1	3	5	6	6	6
65 +	3	2.7		2	2	3	3	3	3	3
B. Operated										
0-19 YRS	86	4.3	6	2	2	4	5	6	9	16
20-34	45	4.2	5	2	2	4	5	7	8	14
35-49	12	5.4	6	2	3	5	7	8	11	11
50-64	6	8.2	17	4	4	8	9	14	15	15
65 +	3	6.0	4	4	4	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	291	1.8	1	1	1	2	2	3	4	5
B. Operated	240	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	175	2.4	3	1	1	2	3	4	6	10
B. Operated	152	4.5	7	2	2	4	5	7	9	15
1. SINGLE DX	531	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	327	3.4	6	1	1	3	4	6	8	13
A. Not Operated	466	2.0	2	1	1	2	2	3	4	8
B. Operated	392	3.7	4	2	2	3	4	6	7	13
TOTAL										
0-19 YRS	604	2.6	3	1	1	2	3	5	6	10
20-34	193	2.9	3	1	1	3	4	5	6	8
35-49	37	3.5	5	1	1	3	5	7	7	11
50-64	18	4.7	13	1	1	4	6	9	13	15
65 +	6	4.3	5	2	2	4	6	8	8	8
GRAND TOTAL	**858**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	4.2	3	2	2	4	5	7	8	10
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	3	8.3	57	3	3	5	14	17	17	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	30	3.7	10	< 1	< 1	3	6	9	14	99 +
20-34	14	3.1	11	< 1	< 1	2	3	9	11	12
35-49	5	1.4	1	< 1	< 1	1	2	3	3	3
50-64	4	1.8	1	< 1	< 1	1	2	3	3	3
65 +	3	2.7	2	< 1	< 1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	4.3	4	2	2	4	5	6	7	13
20-34	8	4.5	5	2	2	4	6	8	8	8
35-49	8	3.9	5	2	2	3	5	7	8	8
50-64	3	4.3	4	2	2	5	6	6	6	6
65 +	4	5.8	10	3	3	5	8	10	10	10
B. Operated										
0-19 YRS	27	5.9	12	< 1	1	6	8	11	11	12
20-34	12	4.4	5	1	2	4	6	7	8	8
35-49	8	2.1	3	1	1	1	3	5	5	5
50-64	7	5.1	28	< 1	< 1	3	7	14	16	16
65 +	11	4.6	11	1	1	5	7	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	4.3	6	2	2	4	5	7	8	16
B. Operated	56	3.1	9	< 1	< 1	2	4	8	11	94
2. MULTIPLE DX										
A. Not Operated	93	4.4	5	2	2	4	6	7	8	12
B. Operated	65	4.9	12	< 1	1	4	7	10	11	15
1. SINGLE DX	123	3.8	7	< 1	1	3	5	7	9	38
2. MULTIPLE DX	158	4.6	8	1	2	4	6	8	10	14
A. Not Operated	160	4.4	5	2	2	4	5	7	8	14
B. Operated	121	4.1	11	< 1	< 1	3	6	9	11	39
TOTAL										
0-19 YRS	187	4.4	6	< 1	2	4	6	7	10	14
20-34	38	3.9	7	< 1	1	3	6	8	9	12
35-49	24	3.3	12	< 1	1	2	5	6	11	17
50-64	14	4.0	16	< 1	< 1	3	5	9	14	16
65 +	18	4.6	9	< 1	1	4	7	10	10	10
GRAND TOTAL	**281**	**4.2**	**8**	**<1**	**1**	**4**	**6**	**8**	**10**	**15**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.6	4	1	1	2	4	6	6	6
20-34	11	10.9	130	1	1	7	14	26	40	41
35-49	9	7.4	103	< 1	< 1	2	12	25	29	29
50-64	9	6.7	32	1	1	5	9	16	18	18
65 +	20	9.1	54	2	2	6	15	20	23	24
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	18.9	422	1	1	10	30	44	65	71
20-34	33	15.1	378	1	2	8	18	37	59	93
35-49	36	10.5	175	1	2	6	12	28	37	64
50-64	67	9.1	99	2	2	7	12	18	21	96
65 +	335	8.2	91	2	2	6	10	16	23	93
B. Operated										
0-19 YRS	0									
20-34	2	36.0	50	31	31	36	41	41	41	41
35-49	6	5.5	30	2	2	3	7	15	16	16
50-64	13	19.2	513	3	3	10	24	45	78	86
65 +	25	14.1	208	2	4	8	17	28	42	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	8.2	70	1	1	4	13	18	24	41
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	485	9.3	131	1	2	6	11	19	31	[illegible]
B. Operated	46	15.4	289	2	3	8	19	33	47	86
1. SINGLE DX	54	8.2	70	1	1	4	13	18	24	41
2. MULTIPLE DX	531	9.8	147	2	2	6	12	21	33	93
A. Not Operated	539	9.2	125	1	2	6	12	19	30	93
B. Operated	46	15.4	289	2	3	8	19	33	47	86
TOTAL										
0-19 YRS	19	14.6	360	1	1	5	25	40	57	71
20-34	46	15.0	323	1	2	8	17	39	45	93
35-49	51	9.4	146	1	1	5	11	26	31	64
50-64	89	10.4	161	2	2	7	12	19	31	94
65 +	380	8.7	98	2	2	6	11	17	25	86
GRAND TOTAL	**585**	**9.7**	**140**	**1**	**2**	**6**	**12**	**21**	**32**	**90**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	1.9	6	< 1	< 1	1	2	4	4	17
20-34	25	3.1	5	< 1	1	3	4	7	8	8
35-49	24	4.9	23	< 1	1	3	7	10	14	21
50-64	16	7.6	30	1	1	6	12	16	17	17
65 +	132	11.9	110	2	3	9	15	23	30	64
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	4.9	36	1	1	2	6	13	22	23
20-34	90	6.4	58	1	1	4	8	15	24	39
35-49	58	11.6	159	2	3	8	13	26	36	74
50-64	134	10.6	144	2	2	7	13	23	30	65
65 +	1085	10.5	106	2	3	7	12	21	31	58
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	4	7.0	76	2	2	3	12	20	20	20
35-49	5	11.2	130	3	3	5	18	30	30	30
50-64	22	17.2	179	2	3	15	26	37	44	51
65 +	142	15.8	144	3	3	12	23	34	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	244	8.1	84	1	1	5	10	19	24	56
B. Operated	3	4.0	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	1411	10.1	109	2	2	7	12	21	30	58
B. Operated	176	15.4	148	2	3	12	22	34	42	99 +
1. SINGLE DX	247	8.0	83	1	1	5	10	19	24	56
2. MULTIPLE DX	1587	10.7	116	2	2	7	13	23	32	60
A. Not Operated	1655	9.8	105	1	2	7	12	21	29	57
B. Operated	179	15.2	147	2	3	12	22	34	41	99 +
TOTAL										
0-19 YRS	94	3.3	22	< 1	1	1	3	8	16	23
20-34	119	5.7	48	1	1	3	7	13	19	34
35-49	87	9.7	127	1	2	6	10	22	32	63
50-64	173	11.1	142	2	2	7	15	25	31	61
65 +	1361	11.2	113	2	3	8	14	23	33	60
GRAND TOTAL	**1834**	**10.3**	**112**	**1**	**2**	**7**	**13**	**22**	**31**	**59**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	20.0		20	20	20	20	20	20	20
50-64	0									
65 +	12	6.5	21	1	1	6	10	13	13	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	19	10.2	46	2	3	8	14	21	26	28
65 +	184	11.7	127	2	3	9	14	23	42	91
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	17.3	82	7	7	21	23	24	24	24
65 +	14	14.3	98	6	7	12	19	44	86	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	7.5	33	1	1	8	11	15	19	20
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	203	11.5	120	2	3	9	14	23	38	87
B. Operated	17	14.8	91	6	7	12	21	38	78	99 +
1. SINGLE DX	13	7.5	33	1	1	8	11	15	19	20
2. MULTIPLE DX	220	11.8	118	2	3	9	15	23	42	99 +
A. Not Operated	216	11.3	115	2	3	9	14	23	34	84
B. Operated	17	14.8	91	6	7	12	21	38	78	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	1	20.0		20	20	20	20	20	20	20
50-64	22	11.2	54	3	4	8	15	23	26	28
65 +	210	11.6	121	2	3	9	14	23	44	99 +
GRAND TOTAL	**233**	**11.6**	**114**	**2**	**3**	**9**	**14**	**23**	**40**	**99 +**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	4	< 1	< 1	2	4	5	5	5
20-34	29	2.7	2	1	1	2	3	5	5	5
35-49	68	3.8	15	1	1	3	4	8	10	22
50-64	34	3.9	7	1	1	3	5	8	9	10
65 +	12	8.1	41	2	3	6	11	18	22	23
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.3	8	< 1	< 1	2	5	7	7	7
20-34	217	4.9	26	1	1	3	6	11	16	29
35-49	557	5.8	30	1	2	4	7	11	15	28
50-64	347	6.3	55	1	2	4	7	14	18	35
65 +	162	8.1	50	2	2	6	10	17	21	36
B. Operated										
0-19 YRS	0									
20-34	6	11.7	155	1	1	6	22	31	32	32
35-49	23	11.7	37	4	5	11	17	21	23	24
50-64	27	17.2	277	4	4	12	20	31	56	80
65 +	16	16.9	111	5	6	15	24	29	39	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	3.9	13	1	1	3	5	8	10	23
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1287	6.1	39	1	2	4	7	13	18	29
B. Operated	72	14.9	154	4	4	12	19	28	32	74
1. SINGLE DX	147	3.9	13	1	1	3	5	8	10	23
2. MULTIPLE DX	1359	6.6	49	1	2	4	8	14	19	32
A. Not Operated	1434	5.9	37	1	2	4	7	12	17	28
B. Operated	72	14.9	154	4	4	12	19	28	32	74
TOTAL										
0-19 YRS	8	3.0	5	< 1	< 1	2	5	6	7	7
20-34	252	4.8	28	1	1	3	5	10	17	30
35-49	648	5.8	30	1	2	4	7	12	16	28
50-64	408	6.8	73	1	2	4	8	14	20	43
65 +	190	8.9	60	2	2	7	11	19	24	41
GRAND TOTAL	**1506**	**6.3**	**46**	**1**	**2**	**4**	**7**	**13**	**19**	**31**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.3	25	< 1	< 1	2	4	13	16	17
20-34	16	3.7	13	1	1	2	4	9	12	14
35-49	8	4.5	12	2	2	3	6	10	12	12
50-64	3	1.7		1	1	2	2	2	2	2
65 +	7	5.0	10	1	1	5	6	10	11	11
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	3.9	39	< 1	1	2	5	6	19	28
20-34	74	7.2	70	1	1	4	9	15	21	47
35-49	66	7.9	85	1	1	5	10	18	23	48
50-64	60	5.9	24	1	2	4	9	10	11	27
65 +	212	8.0	60	1	2	6	10	16	21	54
B. Operated										
0-19 YRS	0									
20-34	1	20.0		20	20	20	20	20	20	20
35-49	4	10.8	176	1	1	6	19	30	30	30
50-64	7	17.6	27	11	12	17	20	26	27	27
65 +	21	11.8	53	3	4	10	16	21	27	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	4.1	14	1	1	3	5	11	13	17
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	430	7.4	60	1	1	5	9	15	21	45
B. Operated	33	13.2	62	3	3	13	18	24	30	32
1. SINGLE DX	46	4.1	14	1	1	3	5	11	13	17
2. MULTIPLE DX	463	7.8	63	1	2	6	10	16	22	43
A. Not Operated	476	7.0	57	1	1	5	9	15	20	43
B. Operated	33	13.2	62	3	3	13	18	24	30	32
TOTAL										
0-19 YRS	30	4.1	33	< 1	1	2	5	9	17	28
20-34	91	6.7	63	1	1	4	8	15	20	45
35-49	78	7.7	82	1	1	5	10	17	26	48
50-64	70	6.9	37	1	2	5	10	15	21	27
65 +	240	8.2	59	1	2	6	10	17	21	43
GRAND TOTAL	**509**	**7.4**	**59**	**1**	**1**	**5**	**10**	**16**	**21**	**42**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	14.6	215	< 1	1	12	20	30	51	61
20-34	335	10.4	73	1	2	8	14	22	26	35
35-49	209	11.3	83	1	2	8	15	24	31	39
50-64	82	13.6	95	2	3	12	17	24	34	51
65 +	26	15.7	146	4	5	11	24	35	41	45
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	20.7	405	2	2	13	31	50	63	63
20-34	178	13.3	161	2	3	10	15	28	41	74
35-49	187	13.4	112	2	3	11	18	25	33	49
50-64	104	14.9	112	2	4	13	19	28	34	57
65 +	40	14.8	115	4	5	12	19	27	31	59
B. Operated										
0-19 YRS	0									
20-34	2	25.5	221	15	15	25	36	36	36	36
35-49	6	48.5	616	17	18	49	72	78	79	79
50-64	8	22.8	74	13	13	22	29	34	36	36
65 +	8	28.6	475	14	14	19	33	66	79	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	669	11.4	87	1	2	9	15	23	30	42
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	518	13.9	134	2	3	11	18	28	34	64
B. Operated	24	31.4	418	13	14	24	36	73	79	79
1. SINGLE DX	669	11.4	87	1	2	9	15	23	30	42
2. MULTIPLE DX	542	14.7	158	2	3	11	[illegible]	29	36	72
A. Not Operated	1187	12.5	109	1	2	10	15	25	32	52
B. Operated	24	31.4	418	13	14	24	[illegible]	73	79	79
TOTAL										
0-19 YRS	26	16.7	276	1	1	12	21	32	61	63
20-34	515	11.5	106	1	2	9	15	23	30	51
35-49	402	12.8	123	2	2	10	17	25	34	52
50-64	194	14.6	106	2	4	13	18	28	34	53
65 +	74	16.6	175	4	5	14	21	31	39	74
GRAND TOTAL	**1211**	**12.9**	**121**	**1**	**2**	**10**	**17**	**26**	**33**	**57**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	23.6	451	7	7	17	32	60	60	60
20-34	15	11.1	76	1	2	11	15	20	31	35
35-49	6	13.5	120	2	2	10	18	31	33	33
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34	11	13.7	92	5	5	9	20	29	33	33
35-49	4	9.3	11	6	6	9	12	13	13	13
50-64	1	5.0		5	5	5	5	5	5	5
65 +	4	20.3	168	6	6	19	29	37	37	37
B. Operated										
0-19 YRS	0									
20-34	1	19.0		19	19	19	19	19	19	19
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	14.0	162	2	2	11	18	32	40	60
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	22	13.3	92	4	5	10	20	28	35	37
B. Operated	1	19.0		19	19	19	19	19	19	19
1. SINGLE DX	26	14.0	162	2	2	11	18	32	40	60
2. MULTIPLE DX	23	13.6	89	4	5	11	20	27	34	37
A. Not Operated	48	13.7	127	2	4	11	18	31	35	60
B. Operated	1	19.0		19	19	19	19	19	19	19
TOTAL										
0-19 YRS	7	19.6	367	2	3	17	22	53	60	60
20-34	27	12.4	79	2	4	11	19	25	33	35
35-49	10	11.8	75	2	4	10	13	25	33	33
50-64	1	5.0		5	5	5	5	5	5	5
65 +	4	20.3	168	6	6	19	29	37	37	37
GRAND TOTAL	**49**	**13.8**	**125**	**2**	**4**	**11**	**18**	**30**	**35**	**60**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	22.9	445	2	4	15	34	52	73	88
20-34	538	12.2	119	1	2	9	17	24	33	58
35-49	381	12.2	96	1	3	9	16	23	31	45
50-64	153	14.3	116	2	4	11	20	26	30	57
65 +	40	13.9	134	1	2	12	18	25	41	54
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	17.7	410	1	2	10	21	49	68	87
20-34	414	14.1	130	2	3	11	19	29	37	55
35-49	417	13.7	115	2	3	11	18	26	36	57
50-64	280	15.1	165	2	3	12	20	30	37	70
65 +	122	17.0	225	3	4	13	21	35	40	80
B. Operated										
0-19 YRS	4	35.8	1495	5	5	23	60	92	92	92
20-34	15	22.8	564	3	3	14	32	70	77	79
35-49	21	19.0	135	5	6	15	25	37	42	47
50-64	9	23.1	183	5	6	19	32	41	47	47
65 +	9	23.0	399	4	5	20	29	57	63	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1186	13.2	138	1	3	10	17	26	35	61
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1291	14.6	155	2	3	11	19	29	38	68
B. Operated	58	22.4	363	4	5	17	31	47	67	91
1. SINGLE DX	1186	13.2	138	1	3	10	17	26	35	61
2. MULTIPLE DX	1349	15.0	166	2	3	11	19	30	38	70
A. Not Operated	2477	14.0	147	2	3	11	18	28	37	66
B. Operated	58	22.4	363	4	5	17	31	47	67	91
TOTAL										
0-19 YRS	136	21.1	460	2	2	13	26	52	73	90
20-34	967	13.2	132	2	3	10	18	27	35	62
35-49	819	13.1	108	2	3	10	18	26	33	54
50-64	442	15.0	149	2	4	12	20	28	36	60
65 +	171	16.6	213	2	4	13	21	34	48	74
GRAND TOTAL	**2535**	**14.1**	**154**	**2**	**3**	**11**	**18**	**28**	**38**	**67**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	9.3	155	1	2	6	10	46	84	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	15.2	257	1	2	11	30	83	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	9.3	155	1	2	6	10	46	84	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	30	15.2	257	1	2	11	30	83	99 +	99 +
B. Operated	1	19.0		19	19	19	19	19	19	19
1. SINGLE DX	16	9.3	155	1	2	6	10	46	84	99 +
2. MULTIPLE DX	31	15.3	249	1	2	11	30	81	99 +	99 +
A. Not Operated	46	13.1	225	1	2	10	22	66	99 +	99 +
B. Operated	1	19.0		19	19	19	19	19	19	19
TOTAL										
0-19 YRS	47	13.2	221	1	2	10	21	63	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**47**	**13.2**	**221**	**1**	**2**	**10**	**21**	**63**	**99 +**	**99 +**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	159	21.4	354	1	3	16	31	53	70	99 +
20-34	463	10.2	66	1	2	9	14	20	28	37
35-49	541	12.4	125	1	2	10	17	25	32	54
50-64	307	14.8	128	3	4	12	20	28	33	61
65 +	248	20.9	242	3	6	18	26	43	55	69
B. Operated										
0-19 YRS	2	29.0	162	20	20	29	38	38	38	38
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	26.0	162	17	17	26	35	35	35	35
50-64	2	16.0	50	11	11	16	21	21	21	21
65 +	2	21.0	162	12	12	21	30	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	344	27.3	469	2	4	23	42	63	87	99 +
20-34	1038	14.8	171	2	3	11	21	31	40	59
35-49	1193	15.3	145	3	4	12	20	29	38	63
50-64	892	16.0	163	3	4	13	21	31	40	74
65 +	961	17.7	179	3	4	15	24	35	44	65
B. Operated										
0-19 YRS	10	44.8	555	12	13	45	73	87	99	99 +
20-34	51	22.1	335	6	7	17	26	52	79	99 +
35-49	94	22.4	270	5	7	17	30	44	56	84
50-64	79	22.6	164	6	8	22	31	43	49	87
65 +	86	24.7	269	6	7	22	33	43	61	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1718	14.3	164	2	3	11	18	29	38	68
B. Operated	9	20.8	136	3	6	20	31	37	38	38
2. MULTIPLE DX										
A. Not Operated	4428	16.8	198	2	4	13	22	34	45	78
B. Operated	320	23.7	274	6	7	20	32	47	60	99 +
1. SINGLE DX	1727	14.4	164	2	3	11	19	30	38	68
2. MULTIPLE DX	4748	17.3	206	2	4	14	23	35	48	81
A. Not Operated	6146	16.1	189	2	3	13	21	33	44	76
B. Operated	329	23.6	270	5	7	20	32	46	59	99 +
TOTAL										
0-19 YRS	515	25.9	447	2	4	22	39	62	81	99 +
20-34	1553	13.7	151	1	2	10	18	29	37	59
35-49	1830	14.8	150	2	4	12	20	29	36	64
50-64	1280	16.1	157	3	4	13	21	31	39	71
65 +	1297	18.8	201	3	5	16	25	38	49	72
GRAND TOTAL	**6475**	**16.5**	**196**	**2**	**4**	**13**	**22**	**34**	**45**	**79**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	23.2	358	1	4	17	30	57	72	97
20-34	311	11.3	94	1	2	9	14	23	31	45
35-49	308	12.1	97	1	3	10	16	23	30	53
50-64	166	14.3	109	2	4	13	19	26	36	57
65 +	79	18.3	228	2	4	13	25	35	43	82
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	28.0		28	28	28	28	28	28	28
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	23.5	404	3	5	17	31	61	72	99 +
20-34	341	14.9	136	2	3	12	20	30	37	56
35-49	484	14.7	131	2	4	12	20	29	37	58
50-64	311	16.5	142	3	4	14	22	29	37	64
65 +	231	18.1	202	3	5	15	23	40	48	85
B. Operated										
0-19 YRS	0									
20-34	10	16.8	92	4	6	14	22	31	38	38
35-49	20	25.0	452	4	6	20	29	48	74	96
50-64	26	28.8	605	8	10	20	24	66	90	93
65 +	13	19.2	73	11	12	16	22	27	41	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	929	13.5	138	1	3	11	17	28	36	65
B. Operated	2	19.5	145	11	11	19	28	28	28	28
2. MULTIPLE DX										
A. Not Operated	1435	16.1	163	3	4	13	21	32	41	68
B. Operated	69	24.1	395	5	9	20	24	55	68	95
1. SINGLE DX	931	13.6	137	1	3	11	17	28	36	65
2. MULTIPLE DX	1504	16.5	176	3	4	13	21	32	43	72
A. Not Operated	2364	15.1	154	2	3	12	20	30	39	66
B. Operated	71	24.0	387	5	9	20	24	54	66	95
TOTAL										
0-19 YRS	133	23.3	379	2	5	17	30	60	72	99 +
20-34	662	13.2	119	1	3	11	17	28	33	51
35-49	812	14.0	130	2	3	11	19	28	35	61
50-64	504	16.5	163	3	4	14	21	29	38	65
65 +	324	18.2	202	3	5	15	23	38	47	84
GRAND TOTAL	**2435**	**15.4**	**163**	**2**	**3**	**12**	**20**	**30**	**40**	**69**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	11.3	107	1	1	8	17	23	28	53
20-34	138	8.2	51	1	1	6	11	17	24	36
35-49	96	8.4	44	1	2	7	11	17	21	31
50-64	51	9.4	59	1	2	7	14	21	27	28
65 +	47	13.2	160	1	2	9	19	33	38	59
B. Operated										
0-19 YRS	0									
20-34	2	12.5	145	4	4	12	21	21	21	21
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	14.8	169	1	1	11	27	35	40	94
20-34	189	11.0	78	1	2	9	15	22	29	44
35-49	175	10.9	103	1	2	8	15	25	32	53
50-64	188	9.5	64	2	2	7	13	21	26	35
65 +	535	10.0	99	2	2	7	12	22	32	54
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	12.0	163	1	1	9	22	26	26	26
35-49	9	18.8	102	6	9	16	24	36	38	38
50-64	12	13.7	72	4	5	12	20	26	29	30
65 +	45	18.4	229	4	5	12	22	36	55	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	388	9.5	74	1	2	7	13	20	27	42
B. Operated	5	6.8	65	1	1	4	8	21	21	21
2. MULTIPLE DX										
A. Not Operated	1149	10.5	95	1	2	7	14	24	31	53
B. Operated	70	17.2	181	4	5	13	22	35	41	67
1. SINGLE DX	393	9.4	73	1	2	7	13	20	27	42
2. MULTIPLE DX	1219	10.9	102	1	2	8	14	25	33	54
A. Not Operated	1537	10.2	90	1	2	7	13	23	30	51
B. Operated	75	16.5	179	3	4	13	21	35	40	66
TOTAL										
0-19 YRS	119	13.1	141	1	1	10	20	29	38	69
20-34	332	9.9	69	1	2	8	13	20	28	41
35-49	281	10.3	86	1	2	8	14	22	30	51
50-64	252	9.7	63	1	2	7	14	21	27	35
65 +	628	10.8	117	2	2	7	13	24	36	58
GRAND TOTAL	**1612**	**10.5**	**96**	**1**	**2**	**7**	**14**	**23**	**31**	**53**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	4.8	59	<1	<1	2	3	16	26	28
20-34	75	5.4	33	1	1	3	7	14	16	28
35-49	71	4.8	26	<1	1	4	5	9	16	28
50-64	25	8.3	44	1	2	7	12	20	20	21
65 +	21	6.7	43	<1	<1	4	10	13	20	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	13.2	423	<1	<1	3	17	51	60	81
20-34	212	7.6	73	1	1	5	9	18	27	43
35-49	224	6.7	45	1	1	4	9	17	23	29
50-64	186	6.2	33	1	2	4	8	12	19	27
65 +	170	6.8	56	1	1	4	9	14	21	37
B. Operated										
0-19 YRS	0									
20-34	6	17.5	126	7	7	16	21	35	37	37
35-49	10	13.4	552	2	2	5	11	48	79	79
50-64	5	7.8	29	2	2	8	11	16	16	16
65 +	11	15.3	389	1	2	4	25	47	62	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	5.6	36	<1	1	3	7	13	20	28
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	828	7.1	69	1	1	4	9	17	24	40
B. Operated	32	13.9	319	2	2	6	18	36	60	79
1. SINGLE DX	213	5.6	35	<1	1	3	7	13	20	28
2. MULTIPLE DX	860	7.4	80	1	1	4	9	17	24	44
A. Not Operated	1040	6.8	63	1	1	4	9	16	23	38
B. Operated	33	13.6	312	2	2	5	18	36	59	79
TOTAL										
0-19 YRS	56	10.2	306	<1	<1	2	7	32	56	80
20-34	293	7.2	66	1	1	4	9	17	26	40
35-49	306	6.4	57	1	1	4	8	15	21	29
50-64	216	6.5	35	1	2	4	9	14	20	27
65 +	202	7.2	74	1	1	4	10	16	23	48
GRAND TOTAL	**1073**	**7.0**	**72**	**1**	**1**	**4**	**9**	**16**	**24**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	12.3	132	1	1	9	18	27	33	58
20-34	148	7.9	69	1	1	5	11	19	24	32
35-49	145	8.4	64	1	2	6	11	16	21	42
50-64	49	7.1	35	1	1	5	9	17	21	24
65 +	21	8.5	69	1	2	7	11	16	26	38
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	11.0		11	11	11	11	11	11	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	224	21.0	343	1	3	16	29	44	61	95
20-34	352	11.0	113	1	2	7	15	25	29	55
35-49	348	8.8	63	2	2	6	12	19	24	41
50-64	189	9.7	96	2	2	6	12	21	29	51
65 +	161	10.1	66	2	3	8	13	20	29	38
B. Operated										
0-19 YRS	5	25.4	663	<1	<1	19	52	53	53	53
20-34	14	21.0	104	6	7	21	28	36	37	37
35-49	23	15.0	66	4	6	13	18	27	31	37
50-64	8	9.6	70	2	2	8	11	24	28	28
65 +	17	14.5	213	2	4	12	16	20	51	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	427	8.7	75	1	1	6	12	20	25	41
B. Operated	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	1274	11.8	149	1	2	8	16	28	36	60
B. Operated	67	16.2	160	2	4	13	21	31	39	65
1. SINGLE DX	429	8.6	74	1	1	6	12	19	25	41
2. MULTIPLE DX	1341	12.1	150	1	2	8	16	28	36	60
A. Not Operated	1701	11.0	132	1	2	7	14	25	33	58
B. Operated	69	15.9	159	2	3	13	21	31	38	64
TOTAL										
0-19 YRS	293	19.1	313	1	2	14	28	43	56	93
20-34	515	10.3	105	1	2	7	14	24	29	52
35-49	517	9.0	65	1	2	6	13	18	25	41
50-64	246	9.2	84	1	2	6	12	21	28	42
65 +	199	10.3	79	2	3	8	14	19	30	42
GRAND TOTAL	**1770**	**11.2**	**134**	**1**	**2**	**7**	**15**	**26**	**33**	**58**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	98	8.1	153	1	1	3	9	25	38	83
20-34	123	8.5	105	1	1	5	10	24	36	99 +
35-49	78	7.8	138	< 1	1	4	10	16	27	73
50-64	32	8.2	82	1	1	6	8	15	20	51
65 +	19	8.4	60	1	2	7	10	19	28	33
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	14.3	631	1	1	6	12	54	80	80
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	2.6	2	1	1	2	4	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	145	12.4	227	1	1	6	18	34	46	64
20-34	311	8.4	61	1	2	6	11	20	25	36
35-49	262	9.1	82	1	1	6	13	19	27	47
50-64	136	10.1	110	1	2	7	13	26	33	52
65 +	127	8.7	51	2	2	6	13	20	25	29
B. Operated										
0-19 YRS	4	22.0	1114	3	3	6	39	72	72	72
20-34	19	10.2	85	1	2	7	13	27	31	33
35-49	14	17.3	255	2	3	15	22	42	54	57
50-64	16	13.9	206	1	1	10	18	34	47	52
65 +	14	6.3	67	1	2	3	7	16	28	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350	8.2	120	1	1	5	10	21	35	85
B. Operated	19	8.1	319	1	1	3	6	14	51	80
2. MULTIPLE DX										
A. Not Operated	981	9.5	98	1	2	6	13	22	29	50
B. Operated	67	12.4	204	1	2	7	15	32	42	69
1. SINGLE DX	369	8.2	130	1	1	5	9	19	35	85
2. MULTIPLE DX	1048	9.7	105	1	2	6	13	23	30	52
A. Not Operated	1331	9.1	104	1	1	6	12	22	31	53
B. Operated	86	11.5	230	1	2	6	14	30	42	77
TOTAL										
0-19 YRS	248	10.8	213	1	1	5	12	31	46	66
20-34	462	8.6	84	1	1	6	11	21	28	46
35-49	355	9.2	103	1	1	6	13	21	26	53
50-64	192	9.8	112	1	2	6	12	22	34	52
65 +	160	8.5	53	2	2	6	11	20	25	32
GRAND TOTAL	**1417**	**9.3**	**112**	**1**	**1**	**6**	**12**	**22**	**31**	**56**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	15.5	286	< 1	1	6	32	41	42	44
20-34	245	7.4	74	1	1	4	7	26	28	30
35-49	332	6.6	61	1	1	4	6	21	28	30
50-64	138	5.9	41	1	1	4	6	14	24	29
65 +	32	6.3	43	1	1	4	7	16	22	30
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	24.6	210	1	2	28	36	42	43	50
20-34	1312	19.1	175	2	3	21	28	37	42	42
35-49	1513	15.9	143	2	2	13	28	30	35	42
50-64	1038	13.8	128	2	2	8	27	28	31	41
65 +	455	14.4	132	2	3	10	25	28	34	43
B. Operated										
0-19 YRS	3	30.3	2	29	29	30	31	32	32	32
20-34	65	26.9	168	3	5	28	35	42	43	61
35-49	68	20.4	155	2	3	23	29	37	42	44
50-64	54	20.2	155	4	6	19	28	35	41	56
65 +	34	18.7	133	4	7	17	25	36	44	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	771	7.0	70	1	1	4	6	22	28	32
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4514	16.6	158	2	2	14	28	31	39	42
B. Operated	224	22.1	163	3	5	23	30	41	42	51
1. SINGLE DX	771	7.0	70	1	1	4	6	22	28	32
2. MULTIPLE DX	4738	16.8	159	2	3	15	28	32	39	42
A. Not Operated	5265	15.2	156	1	2	10	28	30	37	42
B. Operated	224	22.1	163	3	5	23	30	41	42	51
TOTAL										
0-19 YRS	223	23.7	223	1	2	28	35	42	43	49
20-34	1622	17.7	180	1	2	17	28	35	42	42
35-49	1913	14.4	143	2	2	9	28	30	34	42
50-64	1230	13.2	128	2	2	7	26	28	31	42
65 +	521	14.1	132	2	3	10	24	28	34	44
GRAND TOTAL	**5509**	**15.4**	**158**	**2**	**2**	**11**	**28**	**31**	**38**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	28	7.1	59	1	2	4	7	21	26	31
35-49	21	9.4	71	2	2	6	12	23	27	31
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	20.1	224	1	2	25	29	39	42	42
20-34	163	17.3	166	2	3	15	28	38	42	42
35-49	70	19.9	168	2	3	20	29	39	42	45
50-64	16	19.8	110	6	6	22	28	33	36	37
65 +	6	19.2	101	8	8	18	27	31	32	32
B. Operated										
0-19 YRS	0									
20-34	9	19.9	226	6	6	16	24	45	55	55
35-49	12	24.5	62	12	15	25	30	34	37	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	8.1	63	2	2	5	10	23	26	31
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	263	18.3	163	2	3	16	28	37	42	42
B. Operated	21	22.5	130	6	10	21	30	34	46	55
1. SINGLE DX	50	8.1	63	2	2	5	10	23	26	31
2. MULTIPLE DX	284	18.6	161	2	3	16	29	37	42	43
A. Not Operated	313	16.6	160	2	3	14	28	35	42	42
B. Operated	21	22.5	130	6	10	21	30	34	46	55
TOTAL										
0-19 YRS	8	20.1	224	1	2	25	29	39	42	42
20-34	200	16.0	165	2	3	13	28	36	42	42
35-49	103	18.3	157	2	3	17	29	35	42	44
50-64	17	19.2	108	6	7	20	27	33	36	37
65 +	6	19.2	101	8	8	18	27	31	32	32
GRAND TOTAL	**334**	**17.0**	**160**	**2**	**3**	**14**	**28**	**35**	**42**	**43**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	12.9	128	1	1	8	23	26	28	28
20-34	69	7.7	75	1	1	3	11	25	28	31
35-49	18	11.3	108	1	1	8	14	29	29	29
50-64	7	11.1	171	2	2	4	22	32	33	33
65 +	3	4.0	7	1	1	5	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	165	28.7	182	4	7	29	40	44	51	95
20-34	576	22.1	183	1	3	26	31	42	42	43
35-49	151	21.4	180	2	3	22	30	42	42	45
50-64	53	21.6	264	4	4	21	30	42	46	81
65 +	38	17.7	159	3	3	18	26	29	38	64
B. Operated										
0-19 YRS	5	40.2	121	24	24	38	50	51	51	51
20-34	27	32.2	127	14	16	36	42	42	43	49
35-49	16	21.7	227	4	5	18	34	42	47	49
50-64	1	42.0		42	42	42	42	42	42	42
65 +	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	8.8	90	1	1	4	13	27	29	32
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	983	22.9	193	2	4	27	31	42	42	53
B. Operated	50	29.6	187	7	7	29	42	42	49	51
1. SINGLE DX	106	8.8	90	1	1	4	13	27	29	32
2. MULTIPLE DX	1033	23.2	194	2	4	27	32	42	42	52
A. Not Operated	1089	21.5	200	1	3	24	30	42	42	52
B. Operated	50	29.6	187	7	7	29	42	42	49	51
TOTAL										
0-19 YRS	179	28.2	192	3	5	29	39	44	51	91
20-34	672	21.0	194	1	2	23	30	42	42	43
35-49	185	20.4	185	2	3	21	29	42	42	48
50-64	61	20.7	264	2	4	19	30	42	44	79
65 +	42	16.8	157	2	3	16	24	28	36	64
GRAND TOTAL	**1139**	**21.9**	**202**	**2**	**3**	**25**	**30**	**42**	**42**	**51**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	1.2		< 1	< 1	1	1	2	3	4
20-34	62	2.7	6	< 1	< 1	2	4	6	7	15
35-49	63	2.7	9	< 1	< 1	2	3	5	6	21
50-64	27	3.3	6	< 1	< 1	3	5	7	9	10
65 +	7	4.9	6	2	2	5	7	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	13.1	353	< 1	< 1	1	29	45	54	83
20-34	174	8.1	127	< 1	< 1	3	9	28	30	52
35-49	142	6.8	84	1	1	4	7	18	28	50
50-64	110	7.6	78	1	1	4	8	24	28	35
65 +	31	5.7	27	< 1	1	4	7	15	19	20
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	3.9	47	1	1	1	3	14	22	22
35-49	16	14.9	195	1	1	10	28	33	40	42
50-64	6	2.8	2	1	1	3	4	5	5	5
65 +	3	16.0	171	1	1	22	24	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	199	2.6	7	< 1	< 1	2	3	5	7	13
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	556	8.4	145	< 1	1	3	8	28	34	61
B. Operated	35	9.7	143	1	1	3	21	28	33	42
1. SINGLE DX	199	2.6	7	< 1	< 1	2	3	5	7	13
2. MULTIPLE DX	591	8.5	145	< 1	1	3	9	28	34	59
A. Not Operated	755	6.9	115	< 1	< 1	3	6	23	30	55
B. Operated	35	9.7	143	1	1	3	21	28	33	42
TOTAL										
0-19 YRS	140	9.6	278	< 1	< 1	1	6	40	51	69
20-34	245	6.6	99	< 1	< 1	2	6	25	29	40
35-49	221	6.2	79	< 1	1	3	6	17	28	44
50-64	143	6.6	64	1	1	4	7	19	28	35
65 +	41	6.3	38	< 1	1	4	7	18	21	25
GRAND TOTAL	**790**	**7.0**	**117**	**< 1**	**1**	**3**	**6**	**25**	**30**	**54**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	16.5	360	< 1	1	5	32	42	45	64
20-34	75	4.5	26	< 1	1	3	5	9	14	29
35-49	23	6.7	64	< 1	1	3	8	21	26	28
50-64	4	13.0	162	1	1	11	23	28	28	28
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	177	24.7	294	1	2	28	37	46	53	71
20-34	387	14.5	136	1	2	10	26	30	35	43
35-49	127	13.7	132	1	2	10	24	30	36	55
50-64	33	15.9	133	2	4	13	23	34	37	42
65 +	20	9.7	79	1	2	6	15	24	27	30
B. Operated										
0-19 YRS	2	26.5	145	18	18	26	35	35	35	35
20-34	10	28.5	280	5	7	30	38	51	59	59
35-49	7	14.9	155	2	2	15	26	30	31	31
50-64	2	23.5	685	5	5	23	42	42	42	42
65 +	5	13.2	32	8	8	12	17	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	7.7	131	< 1	1	3	7	28	37	48
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	744	16.7	191	1	2	13	28	35	42	57
B. Operated	26	21.3	224	3	3	19	31	42	46	59
1. SINGLE DX	132	7.7	131	< 1	1	3	7	28	37	48
2. MULTIPLE DX	770	16.9	193	1	2	14	28	36	42	57
A. Not Operated	876	15.4	192	1	2	10	28	33	42	57
B. Operated	26	21.3	224	3	3	19	31	42	46	59
TOTAL										
0-19 YRS	208	23.6	308	1	1	25	36	45	52	69
20-34	472	13.2	140	1	2	8	23	30	35	43
35-49	157	12.8	128	1	2	8	22	30	34	42
50-64	39	16.0	147	1	4	13	24	35	40	42
65 +	26	10.0	70	1	1	8	15	24	26	30
GRAND TOTAL	**902**	**15.5**	**194**	**1**	**2**	**10**	**28**	**35**	**42**	**57**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.6	18	< 1	1	2	3	8	15	18
20-34	12	2.5	6	< 1	< 1	1	3	6	9	9
35-49	12	4.0	15	1	1	3	5	10	13	14
50-64	5	1.6	1	< 1	< 1	1	2	3	3	3
65 +	8	3.4	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	5.0	34	1	1	3	7	9	32	99 +
20-34	39	4.5	14	1	1	3	7	10	13	15
35-49	64	4.5	25	1	1	3	5	8	14	29
50-64	61	4.4	11	1	1	4	6	8	12	18
65 +	50	4.4	7	1	1	4	6	8	10	12
B. Operated										
0-19 YRS	4	9.0	13	6	6	8	11	14	14	14
20-34	7	6.6	14	3	3	6	10	11	11	11
35-49	10	4.4	6	2	2	4	7	8	8	8
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	2	6.0	8	4	4	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.2	11	< 1	1	2	4	8	9	18
B. Operated	4	3.8	5	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	243	4.5	17	1	1	3	6	8	11	29
B. Operated	25	5.9	11	2	2	6	8	10	12	14
1. SINGLE DX	58	3.3	10	< 1	1	2	4	7	9	18
2. MULTIPLE DX	268	4.6	16	1	1	4	6	9	11	28
A. Not Operated	297	4.3	16	1	1	3	5	8	11	28
B. Operated	29	5.6	10	2	2	6	7	10	11	14
TOTAL										
0-19 YRS	50	4.8	28	1	1	3	7	9	18	99
20-34	59	4.3	13	< 1	1	3	6	10	11	15
35-49	88	4.4	21	1	1	3	5	8	13	28
50-64	69	4.2	10	1	1	4	6	8	10	17
65 +	60	4.3	7	1	2	4	6	8	9	12
GRAND TOTAL	**326**	**4.4**	**15**	**1**	**1**	**3**	**6**	**8**	**11**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	379	13.2	266	1	1	8	16	37	58	99 +
20-34	410	5.3	30	< 1	1	3	6	12	16	27
35-49	251	6.3	35	1	1	4	8	15	19	25
50-64	52	5.8	35	1	1	4	8	11	13	37
65 +	17	4.8	21	< 1	< 1	3	8	12	14	15
B. Operated										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	0									
35-49	3	7.0	9	4	4	7	9	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	537	13.6	204	1	2	10	17	30	44	91
20-34	741	7.3	40	1	1	6	10	15	20	30
35-49	520	8.2	56	1	2	6	11	19	22	36
50-64	184	8.2	50	1	2	6	11	18	22	31
65 +	156	8.6	56	2	2	6	11	18	25	40
B. Operated										
0-19 YRS	9	34.1	571	7	12	34	74	99 +	99 +	99 +
20-34	22	15.5	107	1	2	14	25	29	32	34
35-49	27	13.0	111	2	2	10	17	30	33	39
50-64	9	17.4	244	2	3	10	25	43	44	44
65 +	7	5.9	9	1	2	7	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1109	8.2	125	1	1	5	10	18	30	69
B. Operated	4	12.8	138	4	4	8	20	30	30	30
2. MULTIPLE DX										
A. Not Operated	2138	9.3	93	1	2	6	12	20	27	53
B. Operated	74	16.1	215	2	3	12	25	39	59	99 +
1. SINGLE DX	1113	8.2	125	1	1	5	10	19	30	69
2. MULTIPLE DX	2212	9.5	99	1	2	6	12	21	28	58
A. Not Operated	3247	8.9	104	1	1	6	11	20	28	59
B. Operated	78	16.0	209	2	3	12	25	37	55	99 +
TOTAL										
0-19 YRS	926	13.6	237	1	2	9	17	34	52	99 +
20-34	1173	6.7	40	1	1	5	9	14	20	29
35-49	801	7.8	53	1	1	5	10	18	22	35
50-64	245	8.0	57	1	2	6	11	18	22	42
65 +	180	8.2	52	1	2	6	10	17	25	38
GRAND TOTAL	**3325**	**9.1**	**108**	**1**	**1**	**6**	**11**	**21**	**29**	**61**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	357	15.2	295	1	1	9	22	36	63	99 +
20-34	158	7.3	84	1	1	4	8	18	27	49
35-49	116	6.4	69	1	2	4	7	14	18	50
50-64	58	10.2	66	< 1	2	9	15	19	22	43
65 +	24	14.5	311	2	3	7	16	48	56	69
B. Operated										
0-19 YRS	5	27.6	1020	2	2	6	61	65	65	65
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	3	9.3	57	4	4	6	15	18	18	18
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	815	19.8	370	1	2	14	29	54	68	99 +
20-34	438	10.5	143	1	1	6	13	27	36	57
35-49	375	8.7	103	1	2	5	11	19	25	46
50-64	234	9.0	77	2	2	6	11	20	27	46
65 +	212	10.9	100	2	3	8	14	24	34	49
B. Operated										
0-19 YRS	20	24.8	501	1	2	21	38	72	90	99 +
20-34	20	12.3	440	1	1	5	11	35	69	88
35-49	26	11.5	167	1	2	8	14	28	68	99 +
50-64	12	14.3	366	3	3	6	18	38	65	70
65 +	20	17.3	208	4	5	10	24	43	46	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	713	11.6	208	1	1	6	15	30	45	83
B. Operated	10	17.5	583	2	3	5	18	62	65	65
2. MULTIPLE DX										
A. Not Operated	2074	13.7	237	1	2	8	18	35	50	88
B. Operated	98	15.9	334	1	2	9	22	46	67	99 +
1. SINGLE DX	723	11.7	213	1	1	6	15	30	46	83
2. MULTIPLE DX	2172	13.8	242	1	2	8	18	35	51	89
A. Not Operated	2787	13.2	231	1	2	8	17	33	49	88
B. Operated	108	16.0	352	1	2	8	22	49	65	99 +
TOTAL										
0-19 YRS	1197	18.5	356	1	2	12	28	50	67	99 +
20-34	618	9.8	139	1	1	5	12	25	34	56
35-49	520	8.3	99	1	2	5	10	18	26	53
50-64	304	9.5	86	1	2	7	12	20	26	46
65 +	256	11.7	130	2	3	8	15	26	38	50
GRAND TOTAL	**2895**	**13.3**	**235**	**1**	**2**	**8**	**17**	**34**	**50**	**88**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	9.8	68	2	2	8	12	23	29	29
20-34	4	13.0	149	1	1	10	20	30	30	30
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	8.3	36	2	3	9	12	92	99 +	99 +
20-34	15	14.2	280	5	5	10	14	17	59	73
35-49	14	11.7	80	1	2	10	16	24	29	31
50-64	4	24.8	836	8	8	11	40	68	68	68
65 +	0									
B. Operated										
0-19 YRS	5	7.8	30	1	1	7	11	16	16	16
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	9.2	80	1	1	7	11	27	30	30
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	56	11.9	169	2	3	9	15	29	88	99 +
B. Operated	7	6.0	29	1	1	6	8	15	16	16
1. SINGLE DX	17	8.8	77	1	1	5	11	26	30	30
2. MULTIPLE DX	63	11.2	156	2	2	9	13	26	78	99 +
A. Not Operated	72	11.3	149	2	2	9	13	29	72	99 +
B. Operated	8	5.6	26	1	1	4	8	14	16	16
TOTAL										
0-19 YRS	38	8.4	40	2	2	8	11	27	99 +	99 +
20-34	20	13.4	237	1	3	10	14	23	51	73
35-49	17	9.9	82	1	1	7	14	23	28	31
50-64	4	24.8	836	8	8	11	40	68	68	68
65 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**80**	**10.7**	**139**	**1**	**2**	[illegible]	[illegible]	**27**	**70**	**99 +**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	330	9.3	15	2	3	10	11	14	15	20
20-34	21	4.5	13	1	1	3	8	10	12	14
35-49	11	7.1	18	2	2	6	10	13	14	14
50-64	6	7.2	39	2	2	5	11	17	18	18
65 +	7	13.0	56	3	4	15	15	24	26	26
B. Operated										
0-19 YRS	18	9.8	28	1	2	10	11	14	21	25
20-34	9	5.8	22	< 1	1	4	8	14	14	14
35-49	11	5.2	28	< 1	< 1	3	7	15	17	17
50-64	7	2.0	1	1	1	2	3	3	3	3
65 +	5	10.2	83	1	1	11	15	24	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	373	10.7	21	3	4	10	12	16	20	26
20-34	43	9.6	36	2	3	9	12	20	22	27
35-49	43	9.4	40	1	2	8	12	17	19	33
50-64	39	9.8	96	1	2	8	12	15	26	58
65 +	31	10.8	46	2	2	11	14	20	21	29
B. Operated										
0-19 YRS	86	17.7	188	4	7	13	20	42	50	67
20-34	21	23.6	534	2	3	18	36	56	73	86
35-49	30	17.2	206	2	3	13	24	40	48	52
50-64	35	19.5	288	3	3	15	25	43	57	77
65 +	30	24.8	373	2	4	21	32	55	73	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	375	9.0	17	2	3	10	11	14	15	20
B. Operated	50	7.0	35	1	1	5	11	14	17	25
2. MULTIPLE DX										
A. Not Operated	529	10.4	31	2	3	10	12	16	21	28
B. Operated	202	19.6	273	3	4	14	25	45	53	76
1. SINGLE DX	425	8.8	20	1	2	10	11	14	15	21
2. MULTIPLE DX	731	12.9	114	2	3	11	15	22	33	62
A. Not Operated	904	9.8	26	2	3	10	12	15	18	26
B. Operated	252	17.1	251	2	3	13	22	41	51	76
TOTAL										
0-19 YRS	807	10.8	42	2	4	10	12	16	20	42
20-34	94	11.2	185	1	2	8	13	23	40	75
35-49	95	11.1	106	1	2	9	15	22	33	50
50-64	87	12.9	193	1	2	9	15	27	44	71
65 +	73	16.7	225	2	3	14	21	32	43	75
GRAND TOTAL	**1156**	**11.4**	**83**	**2**	**3**	**10**	**13**	**19**	**25**	**52**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	12	4.8	11	< 1	2	4	5	11	12	12
65 +	20	8.5	96	1	2	5	9	23	35	39
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	7.0	18	4	4	6	10	13	13	13
50-64	33	7.7	33	2	2	7	9	13	17	31
65 +	268	9.2	50	2	3	8	11	18	22	43
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	9.2	31	2	2	9	14	16	16	16
65 +	30	15.6	178	1	4	11	20	33	46	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	6.7	62	1	2	4	7	12	27	39
B. Operated	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	306	9.0	47	2	3	7	11	17	22	40
B. Operated	35	14.7	160	1	4	11	17	33	43	59
1. SINGLE DX	37	6.6	59	1	2	4	7	12	25	39
2. MULTIPLE DX	341	9.6	61	2	3	8	12	18	24	47
A. Not Operated	341	8.8	49	2	3	7	11	17	22	39
B. Operated	37	14.1	158	2	3	10	16	33	42	59
TOTAL										
0-19 YRS	0									
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	6	5.8	14	3	3	4	7	12	13	13
50-64	51	7.1	28	2	2	6	9	13	16	31
65 +	319	9.8	67	2	3	8	11	19	25	49
GRAND TOTAL	**378**	**9.3**	**62**	**2**	**3**	**7**	**11**	**18**	**24**	**45**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	44	6.0	29	1	1	4	8	14	18	23
35-49	67	7.0	31	2	2	6	8	14	18	29
50-64	21	6.3	26	2	2	5	8	12	17	23
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	6	12.0	60	3	3	11	21	21	21	21
35-49	11	3.9	31	1	1	2	3	12	19	20
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.6	13	1	1	3	8	10	10	10
20-34	49	8.4	33	2	2	7	10	18	21	28
35-49	103	8.9	59	2	3	7	10	20	22	44
50-64	39	11.6	172	2	4	8	11	20	52	59
65 +	10	10.1	54	3	3	7	15	22	23	23
B. Operated										
0-19 YRS	1	68.0		68	68	68	68	68	68	68
20-34	8	10.6	198	< 1	1	5	11	35	44	44
35-49	15	13.3	66	3	4	12	20	24	28	29
50-64	17	14.5	111	3	4	10	19	29	36	40
65 +	4	5.5	7	3	3	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	6.5	28	1	2	5	8	14	17	27
B. Operated	17	6.8	54	1	1	3	10	21	21	21
2. MULTIPLE DX										
A. Not Operated	208	9.2	73	2	3	7	10	20	22	52
B. Operated	45	13.8	168	3	3	10	17	29	41	68
1. SINGLE DX	153	6.5	31	1	2	5	8	14	21	27
2. MULTIPLE DX	253	10.0	93	2	3	7	11	21	27	53
A. Not Operated	344	8.1	57	2	2	6	10	15	22	50
B. Operated	62	11.9	146	1	2	8	16	27	34	65
TOTAL										
0-19 YRS	12	9.7	345	1	1	4	7	27	62	68
20-34	107	7.8	46	1	2	6	10	16	21	35
35-49	196	8.3	52	2	2	6	10	19	22	33
50-64	77	10.8	125	2	2	8	11	23	36	57
65 +	14	8.8	44	3	3	6	9	22	23	23
GRAND TOTAL	**406**	**8.7**	**72**	**2**	**2**	**6**	**10**	**20**	**23**	**51**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	608	3.2	16	1	1	2	4	6	9	17
20-34	154	2.7	4	1	1	2	4	5	6	14
35-49	99	3.0	6	1	1	2	3	5	8	15
50-64	50	2.9	6	1	1	2	3	5	6	14
65 +	40	3.7	18	1	1	3	4	6	8	28
B. Operated										
0-19 YRS	19	5.8	22	1	2	4	10	14	16	16
20-34	6	4.7	7	2	2	4	6	9	9	9
35-49	3	5.0	37	< 1	< 1	2	9	12	12	12
50-64	0									
65 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	783	4.6	35	1	1	3	5	9	13	30
20-34	321	4.8	24	1	1	3	6	10	12	21
35-49	328	4.6	14	1	1	3	6	9	12	19
50-64	394	5.6	31	1	2	4	7	10	14	23
65 +	664	6.5	33	1	2	5	8	12	18	37
B. Operated										
0-19 YRS	68	12.3	99	3	3	10	16	28	37	43
20-34	22	10.9	204	< 1	1	7	13	22	43	66
35-49	30	8.2	27	3	3	7	11	16	25	99 +
50-64	46	11.9	189	2	3	9	12	31	53	99 +
65 +	73	14.9	174	3	4	10	19	38	46	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	951	3.1	12	1	1	2	4	6	8	15
B. Operated	31	5.1	18	1	1	3	6	12	15	16
2. MULTIPLE DX										
A. Not Operated	2490	5.3	30	1	1	4	7	10	14	28
B. Operated	239	12.4	142	2	3	9	15	28	42	82
1. SINGLE DX	982	3.2	13	1	1	2	4	6	8	15
2. MULTIPLE DX	2729	5.9	44	1	1	4	7	12	17	38
A. Not Operated	3441	4.7	26	1	1	3	6	9	13	27
B. Operated	270	11.5	133	2	3	9	14	26	39	77
TOTAL										
0-19 YRS	1478	4.4	33	1	1	3	5	9	14	31
20-34	503	4.4	28	1	1	3	5	9	12	21
35-49	460	4.5	14	1	1	3	6	9	12	21
50-64	490	5.9	47	1	2	4	7	11	15	36
65 +	780	7.1	52	1	2	5	8	14	22	45
GRAND TOTAL	**3711**	**5.2**	**37**	**1**	**1**	**3**	**6**	**11**	**15**	**34**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	129	2.8	7	<1	1	2	3	5	9	15
20-34	98	3.9	13	1	1	3	5	9	11	20
35-49	84	4.6	25	1	1	3	6	8	10	34
50-64	45	4.6	16	1	1	4	5	9	12	23
65+	59	7.8	95	<1	1	5	7	19	27	55
B. Operated										
0-19 YRS	213	4.0	10	1	1	3	5	8	10	16
20-34	68	5.3	24	1	1	4	7	14	16	21
35-49	50	4.9	16	1	1	3	8	12	13	14
50-64	48	5.3	26	1	1	4	7	11	13	30
65+	31	7.2	56	<1	1	5	9	12	23	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	326	4.9	37	1	1	3	5	10	14	28
20-34	175	5.0	18	1	1	4	6	10	13	23
35-49	168	6.6	65	1	2	4	8	13	24	54
50-64	261	8.3	125	1	2	5	9	16	30	62
65+	806	10.0	107	2	2	7	12	20	28	59
B. Operated										
0-19 YRS	405	8.3	102	1	2	6	10	16	26	96
20-34	133	8.5	76	1	2	6	9	19	30	43
35-49	145	9.6	97	1	2	7	12	27	38	99+
50-64	168	10.4	146	1	2	7	12	22	28	71
65+	329	13.4	174	2	3	9	18	28	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	415	4.3	28	<1	1	3	5	9	12	27
B. Operated	410	4.7	19	1	1	3	6	10	13	20
2. MULTIPLE DX										
A. Not Operated	1736	8.0	88	1	2	5	9	17	24	54
B. Operated	1180	10.2	129	1	2	7	12	23	34	94
1. SINGLE DX	825	4.5	24	1	1	3	6	9	13	24
2. MULTIPLE DX	2916	8.9	106	1	2	6	10	19	28	64
A. Not Operated	2151	7.3	78	1	1	5	8	15	22	53
B. Operated	1590	8.8	106	1	2	6	10	19	28	72
TOTAL										
0-19 YRS	1073	5.7	57	1	1	4	7	12	17	54
20-34	474	5.8	37	1	1	4	7	12	16	34
35-49	447	7.0	66	1	1	4	8	15	26	53
50-64	522	8.4	116	1	2	5	9	17	26	64
65+	1225	10.7	126	2	2	8	13	23	32	68
GRAND TOTAL	**3741**	**7.9**	**91**	**1**	**2**	**5**	**9**	**17**	**25**	**59**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	2.2	2	1	1	2	3	4	5	7
20-34	213	2.7	5	1	1	2	3	5	6	9
35-49	167	2.9	4	1	1	3	4	5	7	12
50-64	47	3.1	6	1	1	3	4	5	6	16
65+	8	2.4	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	17	4.4	10	1	1	3	6	9	10	11
35-49	19	4.3	9	1	1	3	6	9	11	11
50-64	8	2.3		2	2	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	3.1	6	1	1	2	4	5	9	13
20-34	271	3.7	7	1	1	3	4	7	8	13
35-49	325	4.0	8	1	1	3	5	7	9	13
50-64	133	3.8	7	1	1	3	5	7	8	14
65+	48	4.3	11	1	2	3	5	7	11	19
B. Operated										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	22	5.9	29	1	2	4	8	13	19	22
35-49	26	4.7	8	1	2	4	6	8	11	12
50-64	14	7.4	89	2	2	5	8	11	33	39
65+	6	6.3	2	5	5	6	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	547	2.7	4	1	1	2	3	5	6	9
B. Operated	47	3.9	8	1	1	3	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	872	3.8	8	1	1	3	5	7	9	13
B. Operated	71	5.7	30	2	2	5	8	9	12	35
1. SINGLE DX	594	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX	943	3.9	9	1	1	3	5	7	9	16
A. Not Operated	1419	3.4	6	1	1	3	4	6	8	12
B. Operated	118	5.0	21	1	2	4	7	9	11	27
TOTAL										
0-19 YRS	212	2.7	4	1	1	2	3	5	6	12
20-34	523	3.4	7	1	1	3	4	6	8	15
35-49	537	3.7	7	1	1	3	5	7	8	12
50-64	202	3.8	13	1	1	3	5	7	8	17
65+	63	4.2	10	1	2	3	5	7	10	18
GRAND TOTAL	**1537**	**3.5**	**8**	**1**	**1**	[illegible]	**4**	**7**	**8**	**13**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.7	30	1	1	2	9	11	11	11
35-49	2	4.0		4	4	4	4	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	50	1.4	1	< 1	< 1	< 1	1	2	3	5
35-49	99	1.4	1	< 1	< 1	< 1	1	2	3	6
50-64	81	1.4	1	< 1	< 1	< 1	1	2	4	6
65 +	78	1.2		< 1	< 1	< 1	< 1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	4	6.3	54	1	1	3	11	17	17	17
50-64	15	4.5	16	1	1	4	6	6	15	17
65 +	8	3.1	2	< 1	1	3	4	5	5	5
B. Operated										
0-19 YRS	5	4.0	9	2	2	3	5	9	9	9
20-34	34	2.4	4	< 1	< 1	2	3	5	6	9
35-49	84	2.8	11	< 1	< 1	2	3	5	8	21
50-64	94	2.2	3	< 1	< 1	2	3	4	5	9
65 +	61	2.2	2	< 1	< 1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.9	11	1	1	3	4	10	11	11
B. Operated	310	1.4	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	31	4.1	15	1	1	3	5	7	16	17
B. Operated	278	2.4	5	< 1	< 1	2	3	5	6	10
1. SINGLE DX	317	1.4	1	< 1	< 1	< 1	1	2	4	6
2. MULTIPLE DX	309	2.6	6	< 1	< 1	2	3	5	6	13
A. Not Operated	38	4.0	14	1	1	3	5	7	14	17
B. Operated	588	1.9	3	< 1	< 1	1	2	4	5	9
TOTAL										
0-19 YRS	7	4.0	7	2	2	3	5	8	9	9
20-34	91	1.9	3	< 1	< 1	1	2	4	5	10
35-49	189	2.1	7	< 1	< 1	1	2	4	6	15
50-64	192	2.1	4	< 1	< 1	1	3	4	6	9
65 +	147	1.7	1	< 1	< 1	1	2	4	4	6
GRAND TOTAL	**626**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	4.1	31	< 1	< 1	1	4	14	18	24
20-34	46	5.8	50	1	2	4	6	12	15	45
35-49	58	5.0	26	1	1	3	5	11	16	27
50-64	45	4.7	15	1	1	3	6	9	11	20
65 +	28	6.6	99	1	1	4	7	12	21	53
B. Operated										
0-19 YRS	62	5.5	89	1	1	3	5	7	24	55
20-34	167	3.3	6	< 1	1	3	5	7	9	12
35-49	216	3.3	9	< 1	1	2	4	7	9	13
50-64	197	3.4	12	< 1	< 1	2	5	8	10	18
65 +	110	2.8	5	1	1	2	3	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	6.1	57	< 1	1	3	7	13	24	42
20-34	91	7.0	87	1	2	4	8	12	20	56
35-49	140	5.5	30	1	1	5	7	9	12	33
50-64	179	7.0	80	1	2	5	7	13	23	54
65 +	259	6.8	38	1	2	5	8	15	19	33
B. Operated										
0-19 YRS	43	6.9	100	1	1	5	7	10	27	55
20-34	137	5.8	68	1	1	4	6	13	28	99 +
35-49	175	6.5	125	1	1	3	6	12	24	56
50-64	178	5.5	37	1	1	4	7	12	17	83
65 +	158	7.2	86	1	1	5	9	16	22	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	244	5.0	38	< 1	1	3	6	11	17	28
B. Operated	752	3.4	15	< 1	1	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	718	6.5	54	1	2	4	7	13	19	43
B. Operated	691	6.3	81	1	1	4	7	14	22	76
1. SINGLE DX	996	3.8	21	< 1	1	2	5	8	10	23
2. MULTIPLE DX	1409	6.4	67	1	1	4	7	13	21	50
A. Not Operated	962	6.2	51	1	1	4	7	12	18	43
B. Operated	1443	4.8	49	< 1	1	3	5	9	14	44
TOTAL										
0-19 YRS	221	5.5	67	< 1	1	3	6	11	21	47
20-34	441	5.1	48	1	1	3	5	10	15	49
35-49	589	4.9	52	1	1	3	6	9	13	41
50-64	599	5.2	42	< 1	1	3	6	10	15	43
65 +	555	6.1	51	1	1	4	8	13	19	37
GRAND TOTAL	**2405**	**5.3**	**50**	**1**	**1**	**3**	**6**	**10**	**16**	**43**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	36	3.1	4	1	1	3	3	5	8	11
20-34	43	4.0	6	1	2	4	5	7	8	14
35-49	58	3.8	4	2	2	4	4	6	8	11
50-64	99	3.4	3	1	1	3	4	5	6	10
65 +	85	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	3	3.3	10	1	1	2	6	7	7	7
65 +	6	2.3	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	45	4.0	8	1	1	3	5	7	9	15
20-34	55	4.0	4	1	2	4	5	7	8	10
35-49	82	4.3	6	2	2	4	5	8	9	14
50-64	177	3.7	4	1	1	3	5	6	8	11
65 +	304	3.9	6	1	2	3	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	321	3.5	4	1	2	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	17	2.6	4	< 1	< 1	2	3	6	8	8
B. Operated	663	3.9	6	1	2	3	5	7	8	12
1. SINGLE DX	324	3.4	4	1	2	3	4	5	7	10
2. MULTIPLE DX	680	3.9	6	1	2	3	5	7	8	12
A. Not Operated	20	2.4	4	< 1	< 1	2	3	5	7	8
B. Operated	984	3.8	5	1	2	3	5	6	8	11
TOTAL										
0-19 YRS	86	3.5	6	1	1	3	4	7	9	14
20-34	99	4.0	5	1	2	4	5	7	8	12
35-49	143	4.1	5	2	2	4	5	7	9	13
50-64	280	3.6	4	1	1	3	5	6	7	10
65 +	396	3.7	5	1	2	3	5	6	8	11
GRAND TOTAL	**1004**	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**8**	**11**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	3	1.0		1	1	1	1	1	1	1
65 +	8	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	13	2.0	1	1	1	2	2	3	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	10	2.3	3	1	1	2	2	5	7	7
50-64	25	3.0	6	< 1	< 1	2	4	5	8	12
65 +	35	1.9	1	< 1	< 1	1	2	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	5	4.2	16	1	1	2	8	9	9	9
65 +	20	3.6	17	< 1	1	2	3	13	13	13
B. Operated										
0-19 YRS	8	3.4	14	< 1	< 1	2	4	10	12	12
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	10	3.5	14	1	1	2	3	10	13	13
50-64	53	4.2	16	1	1	3	5	8	14	21
65 +	103	4.6	13	1	2	3	6	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.4	1	< 1	1	1	1	3	4	5
B. Operated	84	2.3	3	< 1	< 1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	32	3.3	14	1	1	2	3	10	13	13
B. Operated	178	4.3	13	1	2	3	5	9	12	20
1. SINGLE DX	102	2.2	3	< 1	< 1	2	3	4	5	10
2. MULTIPLE DX	210	4.1	14	1	1	3	5	9	13	19
A. Not Operated	50	2.6	10	1	1	1	2	7	13	13
B. Operated	262	3.7	11	1	1	3	4	7	10	18
TOTAL										
0-19 YRS	30	2.1	4	1	1	2	2	4	5	12
20-34	5	3.2	2	2	2	3	4	5	5	5
35-49	25	2.9	7	< 1	1	2	3	7	9	13
50-64	86	3.7	13	1	1	3	4	8	12	19
65 +	166	3.7	12	1	1	3	4	8	11	18
GRAND TOTAL	**312**	**3.5**	**11**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	11	2.0	3	< 1	< 1	1	2	5	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	10	5.3	12	2	2	4	7	10	13	13
65 +	30	2.6	3	< 1	< 1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	< 1	< 1	1	2	3	3	3
20-34	4	5.8	48	1	1	3	10	16	16	16
35-49	2	1.0		1	1	1	1	1	1	1
50-64	7	4.9	27	1	1	2	10	13	13	13
65 +	13	5.0	21	1	1	4	7	13	13	13
B. Operated										
0-19 YRS	12	3.3	3	< 1	1	3	4	6	7	7
20-34	10	6.6	25	2	2	6	9	14	18	18
35-49	16	3.3	3	1	1	3	4	6	7	7
50-64	32	3.5	8	1	1	3	4	7	9	15
65 +	60	4.3	23	1	1	3	4	8	14	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.0		< 1	< 1	1	1	1	1	1
B. Operated	53	3.0	6	< 1	< 1	2	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	31	4.3	21	< 1	1	2	5	13	13	16
B. Operated	130	4.1	16	1	1	3	4	8	11	21
1. SINGLE DX	59	2.8	5	< 1	< 1	2	4	6	7	13
2. MULTIPLE DX	161	4.1	17	1	1	3	4	8	13	18
A. Not Operated	37	3.7	19	< 1	< 1	2	4	13	13	16
B. Operated	183	3.8	13	< 1	1	3	4	7	10	18
TOTAL										
0-19 YRS	30	2.4	3	< 1	< 1	2	3	5	6	7
20-34	15	6.1	28	1	2	4	9	16	17	18
35-49	21	3.0	3	1	1	3	4	6	7	7
50-64	49	4.0	11	1	1	3	5	9	13	15
65 +	105	3.8	17	< 1	1	3	4	7	13	23
GRAND TOTAL	**220**	**3.8**	**14**	**<1**	**1**	**3**	**4**	**7**	**12**	**17**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	12	1.0		< 1	< 1	< 1	< 1	1	1	1
50-64	119	1.3	1	< 1	< 1	< 1	1	2	2	6
65 +	583	1.1		< 1	< 1	< 1	< 1	1	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	2.5	3	1	1	2	4	5	5	5
65 +	13	1.7	1	< 1	< 1	1	2	3	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	26	2.5	2	< 1	1	2	3	4	5	6
50-64	112	1.8	2	< 1	< 1	1	2	3	4	8
65 +	600	1.7	3	< 1	< 1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	714	1.1		< 1	< 1	< 1	< 1	1	2	3
2. MULTIPLE DX										
A. Not Operated	17	1.9	1	< 1	< 1	1	2	4	5	5
B. Operated	738	1.7	3	< 1	< 1	1	2	3	4	7
1. SINGLE DX	715	1.1		< 1	< 1	< 1	< 1	1	2	3
2. MULTIPLE DX	755	1.7	3	< 1	< 1	1	2	3	4	7
A. Not Operated	18	1.9	1	< 1	< 1	2	2	4	5	5
B. Operated	1452	1.4	2	< 1	< 1	< 1	1	2	3	6
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	38	2.0	2	< 1	< 1	1	3	4	5	6
50-64	235	1.6	2	< 1	< 1	1	2	2	4	8
65 +	1197	1.4	1	< 1	< 1	< 1	1	2	3	5
GRAND TOTAL	**1470**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	1.3		< 1	< 1	1	1	2	3	3
20-34	4	1.8	2	< 1	< 1	1	3	4	4	4
35-49	5	1.0		< 1	< 1	< 1	1	1	1	1
50-64	12	1.1		< 1	< 1	< 1	1	1	2	2
65 +	13	1.5		< 1	< 1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	15	4.6	52	1	1	3	4	7	24	30
20-34	8	3.5	21	< 1	< 1	2	4	12	14	14
35-49	18	2.4	2	< 1	< 1	2	3	5	6	6
50-64	24	2.0	2	< 1	< 1	1	2	4	6	6
65 +	59	2.2	13	< 1	1	2	2	3	4	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	55	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	124	2.5	14	< 1	< 1	2	3	4	6	29
1. SINGLE DX	55	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	126	2.5	14	< 1	< 1	2	3	4	6	28
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	179	2.2	10	< 1	< 1	1	2	4	5	24
TOTAL										
0-19 YRS	37	2.6	23	< 1	1	1	3	4	6	30
20-34	12	2.9	15	< 1	< 1	1	3	8	13	14
35-49	23	2.1	2	< 1	< 1	2	3	4	5	6
50-64	36	1.7	2	< 1	< 1	1	2	3	5	6
65 +	73	2.1	10	< 1	< 1	1	2	3	4	23
GRAND TOTAL	**181**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**5**	**24**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	4	1	1	3	4	5	5	5
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	5	3.0	6	1	1	2	4	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	135	1.4	1	< 1	< 1	1	2	2	2	5
20-34	14	1.4		< 1	< 1	1	2	2	2	2
35-49	10	1.7		< 1	< 1	2	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.8	68	< 1	< 1	2	3	16	28	28
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	4	4.5	26	1	1	2	7	12	12	12
50-64	13	4.2	2	2	2	4	5	6	6	6
65 +	17	3.9	5	1	2	3	5	7	8	8
B. Operated										
0-19 YRS	46	1.5	1	< 1	1	1	2	2	3	4
20-34	8	1.8		1	1	2	2	2	2	2
35-49	9	2.3	2	1	1	2	3	5	5	5
50-64	11	3.6	10	1	1	2	6	9	10	10
65 +	13	3.8	5	1	1	3	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.8	3	1	1	2	4	5	7	7
B. Operated	163	1.4	1	< 1	< 1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	47	4.2	17	1	1	3	5	7	9	28
B. Operated	87	2.2	3	1	1	2	2	5	7	9
1. SINGLE DX	176	1.5	1	< 1	< 1	1	2	2	3	6
2. MULTIPLE DX	134	2.9	9	1	1	2	3	6	7	15
A. Not Operated	60	3.9	15	1	1	3	5	7	8	26
B. Operated	250	1.7	2	< 1	< 1	1	2	3	4	8
TOTAL										
0-19 YRS	195	1.6	5	< 1	< 1	1	2	2	3	10
20-34	28	1.8	1	< 1	< 1	2	2	3	4	4
35-49	28	2.5	5	< 1	1	2	3	5	7	12
50-64	28	3.6	6	1	1	3	5	7	8	10
65 +	31	3.8	5	1	1	3	5	7	8	8
GRAND TOTAL	**310**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	3.0	4	< 1	1	3	4	5	7	11
20-34	11	4.7	16	1	1	3	6	12	12	12
35-49	9	4.6	6	1	1	5	6	8	9	9
50-64	8	6.0	19	3	3	5	7	14	16	16
65 +	18	4.1	3	< 1	1	4	5	6	7	7
B. Operated										
0-19 YRS	39	1.6	1	< 1	< 1	1	2	3	4	4
20-34	52	2.1	3	< 1	1	1	3	4	5	10
35-49	44	1.8	5	< 1	< 1	1	2	3	4	15
50-64	55	1.5	1	< 1	< 1	1	2	3	3	3
65 +	115	1.7	1	< 1	< 1	1	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	3.1	2	1	1	3	4	5	6	8
20-34	21	4.6	14	1	1	4	6	9	13	17
35-49	25	4.0	7	< 1	1	3	6	8	9	10
50-64	19	6.2	12	1	3	4	8	11	13	15
65 +	42	6.7	24	< 1	1	6	9	14	16	23
B. Operated										
0-19 YRS	36	3.0	6	< 1	1	2	4	7	8	9
20-34	37	3.2	4	1	1	3	4	5	7	9
35-49	58	3.8	48	< 1	1	2	3	8	16	44
50-64	90	2.9	9	< 1	1	2	4	6	8	19
65 +	285	3.3	12	< 1	1	2	4	6	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	3.8	7	1	1	3	5	7	9	14
B. Operated	305	1.7	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	184	4.5	12	1	1	4	6	9	11	17
B. Operated	506	3.3	15	< 1	1	2	4	6	9	20
1. SINGLE DX	405	2.2	4	< 1	< 1	1	3	4	6	11
2. MULTIPLE DX	690	3.6	14	< 1	1	3	4	7	10	20
A. Not Operated	284	4.2	11	1	1	3	5	8	11	16
B. Operated	811	2.7	10	< 1	< 1	2	3	5	7	19
TOTAL										
0-19 YRS	206	2.7	3	< 1	< 1	2	4	5	7	9
20-34	121	3.1	7	1	1	2	4	6	9	14
35-49	136	3.2	25	< 1	< 1	2	3	7	10	24
50-64	172	3.0	9	< 1	< 1	2	4	6	8	16
65 +	460	3.2	12	< 1	< 1	2	4	7	10	19
GRAND TOTAL	**1095**	**3.1**	**11**	**<1**	**<1**	**2**	**4**	**6**	**9**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	295	3.4	4	1	1	3	4	5	7	12
20-34	26	3.1	4	< 1	1	3	4	7	7	7
35-49	12	4.3	14	2	2	3	4	12	12	12
50-64	15	3.5	8	1	1	3	4	6	10	12
65 +	9	4.8	5	1	2	5	6	8	8	8
B. Operated										
0-19 YRS	31	3.9	13	< 1	< 1	2	6	9	13	14
20-34	15	3.8	16	1	1	2	4	10	13	14
35-49	11	2.0	1	< 1	< 1	2	3	3	3	3
50-64	31	3.6	6	< 1	< 1	3	5	7	8	10
65 +	59	2.5	5	< 1	< 1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	348	4.1	6	1	2	4	5	7	9	12
20-34	43	5.1	19	1	1	4	7	11	15	19
35-49	37	5.2	26	1	2	4	5	10	15	29
50-64	47	3.7	7	1	1	3	6	7	8	12
65 +	70	4.6	12	1	1	4	6	8	10	21
B. Operated										
0-19 YRS	68	6.1	66	< 1	1	4	6	12	25	43
20-34	47	5.2	29	2	2	3	6	9	14	34
35-49	72	3.9	10	1	2	3	5	9	10	18
50-64	113	3.8	10	1	1	3	5	8	10	17
65 +	224	4.2	11	1	1	3	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	357	3.4	5	1	1	3	4	6	7	12
B. Operated	147	3.1	8	< 1	< 1	2	4	8	9	14
2. MULTIPLE DX										
A. Not Operated	545	4.3	9	1	2	4	5	8	10	15
B. Operated	524	4.4	20	1	1	3	5	9	12	22
1. SINGLE DX	504	3.3	6	< 1	1	3	4	6	8	13
2. MULTIPLE DX	1069	4.3	14	1	1	3	5	8	11	18
A. Not Operated	902	3.9	7	1	1	3	5	7	9	14
B. Operated	671	4.1	17	< 1	1	3	5	9	11	19
TOTAL										
0-19 YRS	742	4.0	11	1	1	3	5	7	9	15
20-34	131	4.6	20	1	1	3	6	9	14	22
35-49	132	4.2	14	1	1	3	5	9	12	21
50-64	206	3.7	8	1	1	3	5	7	9	13
65 +	362	4.0	10	< 1	1	3	5	8	11	16
GRAND TOTAL	**1573**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	2	2.5	5	< 1	< 1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	4	1.6		1	1	2	2	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	6	2.0	2	< 1	< 1	2	3	4	4	4
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	5	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.5	2	< 1	< 1	2	3	5	5	5
20-34	3	5.3	20	1	1	5	9	10	10	10
35-49	18	4.3	9	1	1	4	7	9	10	10
50-64	17	3.1	4	< 1	1	2	5	6	7	7
65 +	22	4.5	7	< 1	1	4	6	8	9	10
B. Operated										
0-19 YRS	11	2.2	1	1	1	2	3	3	3	3
20-34	3	5.0	37	1	1	2	9	12	12	12
35-49	12	4.1	19	< 1	< 1	2	6	10	15	16
50-64	14	5.3	51	1	1	3	5	11	25	29
65 +	25	[illegible]	41	1	1	3	4	10	18	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.4	1	< 1	< 1	2	3	4	4	4
B. Operated	20	2.2	2	< 1	1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated	68	3.9	7	1	1	3	6	8	9	10
B. Operated	65	4.3	31	1	1	3	4	9	14	32
1. SINGLE DX	30	2.3	2	< 1	1	2	3	4	5	6
2. MULTIPLE DX	133	4.1	19	1	1	3	5	8	10	30
A. Not Operated	78	3.7	6	< 1	1	3	5	8	9	10
B. Operated	85	3.8	25	1	1	3	4	7	12	31
TOTAL										
0-19 YRS	26	2.2	1	< 1	1	2	3	3	4	5
20-34	11	3.5	16	< 1	< 1	1	5	11	12	12
35-49	37	3.8	11	< 1	1	3	5	8	10	16
50-64	35	4.0	23	1	1	3	5	6	8	29
65 +	54	4.4	22	1	1	3	5	8	10	31
GRAND TOTAL	**163**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**27**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	259	2.7	2	1	1	3	3	4	5	8
20-34	2	3.0		3	3	3	3	3	3	3
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	3	2.0	1	< 1	< 1	2	3	3	3	3
65 +	3	3.0	3	2	2	2	4	5	5	5
B. Operated										
0-19 YRS	244	1.4	1	< 1	< 1	< 1	1	2	4	6
20-34	23	1.9	3	1	1	1	2	5	6	7
35-49	30	1.5	1	1	1	1	2	2	3	5
50-64	17	1.5		1	1	1	2	2	3	3
65 +	9	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1095	3.2	4	1	1	3	4	5	7	11
20-34	19	4.4	5	1	1	5	6	8	8	8
35-49	26	5.1	25	2	2	4	6	9	14	27
50-64	11	4.4	17	1	1	3	5	10	16	16
65 +	12	4.7	9	1	2	4	5	10	11	11
B. Operated										
0-19 YRS	552	2.0	5	< 1	< 1	1	2	5	7	11
20-34	54	1.8	2	1	1	1	2	4	6	8
35-49	56	2.1	5	1	1	2	2	3	8	11
50-64	55	2.0	6	[illegible]	1	1	2	3	6	17
65 +	25	1.5		1	1	1	2	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	270	2.7	2	1	1	3	3	4	5	8
B. Operated	323	1.4	1	< 1	< 1	1	1	2	4	6
2. MULTIPLE DX										
A. Not Operated	1163	3.3	5	1	1	3	4	5	7	12
B. Operated	742	2.0	5	< 1	1	1	2	5	6	11
1. SINGLE DX	593	2.0	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX	1905	2.8	5	1	1	2	4	5	7	11
A. Not Operated	1433	3.2	4	1	1	3	4	5	7	11
B. Operated	1065	1.8	4	< 1	< 1	1	2	4	6	9
TOTAL										
0-19 YRS	2150	2.6	4	< 1	< 1	2	3	5	6	11
20-34	98	2.4	4	1	1	2	3	6	7	8
35-49	115	2.6	10	1	1	2	3	6	8	17
50-64	86	2.2	7	1	1	1	2	4	6	17
65 +	49	2.4	4	1	1	2	3	4	5	11
GRAND TOTAL	**2498**	**2.6**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	3.1	3	1	1	3	4	5	5	12
20-34	20	3.4	2	< 1	1	3	4	5	6	7
35-49	13	3.5	4	1	1	3	4	6	8	8
50-64	10	4.5	5	1	1	4	6	7	8	8
65 +	7	4.6	4	2	2	4	7	7	7	7
B. Operated										
0-19 YRS	60	1.9	3	< 1	< 1	1	2	4	6	8
20-34	16	2.4	5	1	1	1	3	7	8	8
35-49	13	1.8	2	1	1	1	2	4	5	5
50-64	10	1.2		< 1	< 1	1	1	2	2	2
65 +	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	200	4.0	6	1	2	3	5	7	9	12
20-34	49	4.4	4	1	2	4	6	7	8	10
35-49	41	5.0	12	1	2	4	6	8	11	20
50-64	32	6.9	33	2	3	5	8	11	20	30
65 +	34	7.2	64	1	2	5	8	15	20	43
B. Operated										
0-19 YRS	129	4.6	36	1	1	3	5	9	16	32
20-34	26	2.7	7	< 1	1	2	4	6	8	12
35-49	32	3.0	16	1	1	2	3	6	8	22
50-64	21	4.9	77	1	1	2	3	14	27	39
65 +	20	5.9	31	1	1	3	9	14	18	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	3.4	3	1	1	3	4	6	7	10
B. Operated	105	1.8	3	< 1	< 1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	356	4.7	15	1	2	4		8	10	21
B. Operated	228	4.3	34	1	1	2	5	9	15	32
1. SINGLE DX	212	2.6	4	< 1	1	2	4	5	7	8
2. MULTIPLE DX	584	4.6	22	1	1	3	5	8	12	29
A. Not Operated	463	4.4	13	1	2	4	5	8	10	20
B. Operated	333	3.5	25	< 1	1	2	4	7	12	31
TOTAL										
0-19 YRS	446	3.8	14	< 1	1	3	5	7	9	19
20-34	111	3.5	5	1	1	3	5	7	7	11
35-49	99	3.7	12	1	1	3	5	7	8	21
50-64	73	5.2	40	1	1	3	6	10	16	37
65 +	67	6.0	44	1	1	4	7	14	18	39
GRAND TOTAL	**796**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**10**	**22**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.3		1	1	2	3	3	3	3
20-34	35	2.4	3	< 1	1	2	3	5	6	8
35-49	61	2.7	3	< 1	1	2	3	5	6	8
50-64	102	2.9	3	1	1	3	4	5	6	10
65 +	66	3 2	4	1	1	3	4	7	7	9
B. Operated										
0-19 YRS	6	1.0		< 1	< 1	1	1	1	1	1
20-34	10	1.7		< 1	< 1	2	2	3	3	3
35-49	11	1.9	2	1	1	1	2	4	6	6
50-64	13	1.9	2	1	1	1	2	4	6	6
65 +	11	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.7	1	1	1	3	4	4	4	4
20-34	68	3.2	3	1	2	3	4	5	7	9
35-49	165	3.0	3	1	1	3	4	5	6	7
50-64	356	3.6	5	1	1	3	5	6	7	11
65 +	659	4.1	6	1	2	4	5	7	9	13
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	19	6.1	28	1	1	5	7	15	19	21
50-64	28	4.6	13	1	1	4	6	10	12	14
65 +	56	6.1	19	1	2	5	8	11	16	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	2.8	3	1	1	2	3	5	7	9
B. Operated	51	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	1259	3.8	5	1	2	3	5	7	8	12
B. Operated	109	5.6	18	1	1	5	7	11	15	21
1. SINGLE DX	328	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX	1368	3.9	7	1	1	3	5	7	9	14
A. Not Operated	1536	3.6	5	1	1	3	5	6	8	12
B. Operated	160	4.4	16	1	1	3	6	9	12	20
TOTAL										
0-19 YRS	33	2.2	1	1	1	2	3	4	4	4
20-34	116	2.9	3	1	1	3	4	5	7	9
35-49	256	3.1	5	1	1	3	4	6	6	11
50-64	499	3.5	5	1	1	3	4	6	8	11
65 +	792	4.2	7	1	2	4	5	7	9	15
GRAND TOTAL	**1696**	**3.7**	**6**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	24	1.3		1	1	1	2	2	2	2
35-49	51	1.3		1	1	1	2	2	2	2
50-64	31	1.4		1	1	1	2	2	2	3
65 +	14	2.1	6	< 1	1	2	2	4	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	29	1.4	1	< 1	1	1	1	3	4	4
35-49	41	1.5	2	1	1	1	2	2	4	9
50-64	34	1.6	1	1	1	1	2	2	3	4
65 +	15	1.6	1	< 1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	126	1.4	1	1	1	1	2	2	2	5
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	121	1.5	1	1	1	1	2	2	3	6
1. SINGLE DX	126	1.4	1	1	1	1	2	2	2	5
2. MULTIPLE DX	122	1.5	1	1	1	1	2	2	3	6
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	247	1.4	1	1	1	1	2	2	3	5
TOTAL										
0-19 YRS	9	1.4	1	1	1	1	2	3	3	3
20-34	53	1.3		1	1	1	1	2	3	4
35-49	92	1.4	1	1	1	1	2	2	2	7
50-64	65	1.5		1	1	1	2	2	3	4
65 +	29	1.9	3	< 1	1	1	2	3	4	10
GRAND TOTAL	**248**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AV. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.6	1	1	1	1	2	3	3	3
20-34	6	4.7	12	1	1	4	8	9	9	9
35-49	6	2.7	1	2	2	3	3	4	4	4
50-64	7	9.0	178	2	2	5	6	32	39	39
65 +	4	2.3	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	241	1.2	1	< 1	< 1	1	1	2	2	5
20-34	91	1.5	1	< 1	1	1	2	3	4	5
35-49	73	1.4	1	< 1	< 1	1	2	2	3	6
50-64	68	1.6	1	< 1	1	1	2	2	3	8
65 +	25	1.7	1	< 1	< 1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.1	5	< 1	< 1	3	4	6	8	9
20-34	7	3.6	10	1	1	2	6	8	9	9
35-49	8	3.8	13	1	1	2	4	10	12	12
50-64	11	3.5	5	< 1	1	3	5	7	8	8
65 +	23	4.1	6	2	2	3	5	7	10	11
B. Operated										
0-19 YRS	209	1.5	2	< 1	1	1	1	3	3	9
20-34	117	1.7	2	1	1	1	2	3	4	8
35-49	74	1.8	5	< 1	1	1	2	3	5	15
50-64	87	1.8	1	1	1	1	2	3	3	8
65 +	59	2.4	5	1	1	2	3	4	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.2	48	1	1	3	4	7	9	39
B. Operated	498	1.4	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	65	3.7	6	1	1	3	5	7	9	12
B. Operated	546	1.7	3	< 1	1	1	2	3	4	11
1. SINGLE DX	528	1.5	4	< 1	< 1	1	2	2	3	7
2. MULTIPLE DX	611	2.0	4	< 1	1	1	2	4	5	11
A. Not Operated	95	3.8	19	1	1	3	5	7	9	27
B. Operated	1044	1.6	2	< 1	1	1	2	3	4	8
TOTAL										
0-19 YRS	473	1.4	2	< 1	< 1	1	1	2	3	8
20-34	221	1.8	2	< 1	1	1	2	3	5	9
35-49	161	1.8	4	< 1	1	1	2	3	4	12
50-64	173	2.1	10	1	1	1	2	3	5	9
65 +	111	2.6	5	1	1	2	3	5	7	12
GRAND TOTAL	**1139**	**1.8**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	6.6	20	2	2	4	10	13	16	20
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	7.1	29	2	2	6	9	16	22	22
20-34	8	8.0	33	3	3	5	12	17	18	18
35-49	5	5.6	8	3	3	5	8	9	9	9
50-64	10	4.1	5	1	1	4	5	7	8	8
65 +	10	7.9	35	3	3	6	10	18	21	21
B. Operated										
0-19 YRS	2	13.5	181	4	4	13	23	23	23	23
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	5	19.6	170	2	2	24	28	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	6.4	18	2	2	4	9	12	15	20
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	61	6.8	25	2	2	5	8	15	19	22
B. Operated	8	16.8	141	2	3	17	25	32	35	35
1. SINGLE DX	46	6.4	18	2	2	4	9	12	15	20
2. MULTIPLE DX	69	7.9	47	2	2	5	9	20	23	33
A. Not Operated	107	6.6	22	2	2	5	9	13	18	22
B. Operated	8	16.8	141	2	3	17	25	32	35	35
TOTAL										
0-19 YRS	70	7.0	27	2	2	5	9	14	20	23
20-34	10	7.0	30	2	2	4	10	16	18	18
35-49	9	6.0	6	3	3	6	8	9	9	9
50-64	11	4.5	5	1	2	4	6	8	8	8
65 +	15	11.8	104	2	3	7	19	26	33	35
GRAND TOTAL	**115**	**7.3**	**36**	**2**	**2**	**5**	**9**	**15**	**22**	**29**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	10.5	85	4	4	10	17	17	17	17
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	5	2.6	4	< 1	< 1	2	4	6	6	6
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	3	8.0	1	7	7	8	9	9	9	9
B. Operated										
0-19 YRS	10	5.5	11	1	1	6	9	9	9	9
20-34	7	5.0	22	1	1	2	8	12	13	13
35-49	23	5.1	24	1	1	2	9	11	16	18
50-64	17	6.2	22	1	1	8	10	13	14	14
65 +	7	3.3	12	1	1	2	3	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.5	9	2	2	4	5	9	11	11
20-34	13	3.1	3	1	1	3	4	5	6	6
35-49	44	5.5	37	1	1	4	6	12	21	27
50-64	51	5.4	19	1	2	4	7	10	14	22
65 +	93	6.8	20	2	3	6	9	12	15	24
B. Operated										
0-19 YRS	10	10.8	82	2	2	11	13	25	30	30
20-34	23	7.2	55	1	1	4	11	18	23	28
35-49	65	9.4	102	1	1	8	12	18	24	60
50-64	125	9.4	64	1	1	9	13	19	22	42
65 +	136	11.5	118	1	2	10	15	25	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.8	16	< 1	1	4	6	9	14	17
B. Operated	64	5.3	20	1	1	3	9	10	14	18
2. MULTIPLE DX										
A. Not Operated	209	5.9	22	1	2	5	7	11	15	26
B. Operated	359	10.1	92	1	1	9	13	20	28	51
1. SINGLE DX	81	5.2	19	1	1	3	8	10	14	18
2. MULTIPLE DX	568	8.5	70	1	1	6	11	18	24	41
A. Not Operated	226	5.8	22	1	1	5	7	11	15	26
B. Operated	423	9.4	84	1	1	8	12	19	26	47
TOTAL										
0-19 YRS	30	7.3	42	2	2	5	11	15	20	30
20-34	47	5.4	33	1	1	3	7	13	18	28
35-49	137	7.2	68	1	1	4	10	17	20	42
50-64	196	8.0	51	1	1	7	11	16	20	40
65 +	239	9.4	81	1	2	7	12	20	26	52
GRAND TOTAL	**649**	**8.1**	**65**	**1**	**1**	**6**	**11**	**17**	**23**	**40**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.5	2	1	1	2	3	5	5	5
20-34	51	3.5	9	1	1	3	4	7	8	19
35-49	166	3.4	4	1	1	3	4	6	7	9
50-64	136	3.5	5	1	1	3	4	6	8	10
65+	94	4.1	7	1	2	4	5	8	10	14
B. Operated										
0-19 YRS	6	1.5		< 1	< 1	1	2	2	2	2
20-34	20	1.9	2	< 1	< 1	2	3	3	5	6
35-49	32	2.9	7	< 1	< 1	1	5	6	7	11
50-64	26	3.0	6	< 1	< 1	2	4	6	8	11
65+	12	3.8	13	< 1	< 1	3	5	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.1	4	1	1	3	4	6	7	9
20-34	191	3.8	7	1	1	3	5	7	9	15
35-49	661	4.0	7	1	2	3	5	7	9	14
50-64	946	4.4	9	1	2	4	5	8	10	16
65+	1017	5.2	22	1	2	4	6	10	13	20
B. Operated										
0-19 YRS	13	5.3	24	< 1	1	3	7	12	17	18
20-34	30	4.1	8	1	1	4	6	9	9	12
35-49	110	6.5	38	1	2	4	8	16	20	28
50-64	185	6.8	32	1	1	5	9	16	20	28
65+	146	7.4	41	1	1	5	10	15	23	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	3.5	5	1	1	3	4	6	8	13
B. Operated	96	2.8	6	< 1	< 1	2	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	2848	4.6	13	1	2	4	6	8	11	17
B. Operated	484	6.7	35	1	1	5	9	15	20	30
1. SINGLE DX	571	3.4	5	1	1	3	4	6	8	12
2. MULTIPLE DX	3332	4.9	17	1	2	4	6	9	12	21
A. Not Operated	3323	4.4	12	1	2	4	5	8	10	17
B. Operated	580	6.0	32	1	1	4	8	13	19	29
TOTAL										
0-19 YRS	80	3.1	7	1	1	2	4	6	8	16
20-34	292	3.7	7	1	1	3	5	7	9	15
35-49	969	4.2	10	1	1	3	5	8	10	19
50-64	1293	4.6	13	1	2	4	6	9	12	19
65+	1269	5.4	24	1	2	4	6	10	14	24
GRAND TOTAL	**3903**	**4.6**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	24	4.3	5	1	2	4	5	7	9	10
50-64	31	4.4	2	2	2	4	5	7	8	8
65+	50	4.8	9	2	2	4	5	9	11	16
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	5.0	29	1	1	2	8	14	14	14
50-64	6	1.8	3	1	1	1	2	5	5	5
65+	6	3.8	16	1	1	2	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.6	33	1	1	6	12	13	13	13
20-34	22	5.2	9	2	2	5	8	9	11	12
35-49	109	6.1	16	2	2	5	8	11	14	21
50-64	435	6.4	18	2	3	5	8	11	14	22
65+	1330	7.6	33	2	3	6	9	14	17	34
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	8.4	78	2	2	8	9	23	27	27
35-49	31	4.8	19	1	1	3	6	9	16	21
50-64	116	7.4	42	1	1	5	10	17	23	27
65+	206	13.4	173	2	2	10	16	30	43	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	4.6	6	2	2	4	5	7	9	15
B. Operated	18	3.5	14	1	1	2	5	10	13	14
2. MULTIPLE DX										
A. Not Operated	1901	7.2	29	2	3	6	9	13	16	30
B. Operated	361	10.6	126	1	2	8	14	22	34	61
1. SINGLE DX	126	4.4	7	1	2	4	5	7	10	15
2. MULTIPLE DX	2262	7.8	46	2	3	6	9	14	19	37
A. Not Operated	2009	7.1	28	2	3	6	8	13	16	30
B. Operated	379	10.3	123	1	2	7	13	22	32	60
TOTAL										
0-19 YRS	7	6.0	24	1	1	6	11	13	13	13
20-34	32	5.9	24	2	2	5	8	10	12	27
35-49	169	5.6	16	2	2	4	7	11	14	20
50-64	588	6.4	22	2	2	5	8	12	16	24
65+	1592	8.3	55	2	3	6	10	15	20	43
GRAND TOTAL	**2388**	**7.6**	**44**	**2**	**2**	**6**	**9**	**14**	**19**	**37**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	5	4.8	2	3	3	5	6	6	6	6
35-49	8	4.3	4	2	2	4	6	7	7	7
50-64	8	5.0	12	1	1	4	6	10	12	12
65 +	7	6.4	22	2	2	6	7	14	16	16
B. Operated										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	7	8.3	82	2	2	7	8	24	28	28
35-49	13	5.5	29	1	1	3	10	13	18	19
50-64	33	6.2	39	1	1	4	8	14	23	27
65 +	10	3.2	6	1	1	2	5	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	4.7	17	1	1	3	6	9	14	20
20-34	19	4.3	8	< 1	< 1	5	7	8	9	9
35-49	43	5.5	16	< 1	1	5	7	11	14	19
50-64	73	6.4	27	1	2	5	9	11	16	29
65 +	127	8.1	40	2	3	7	10	17	21	55
B. Operated										
0-19 YRS	24	11.8	128	2	2	7	17	34	37	42
20-34	74	8.7	55	1	2	7	11	18	22	40
35-49	86	8.8	51	2	2	7	12	20	23	36
50-64	147	9.8	102	1	2	8	11	22	32	51
65 +	176	9.3	68	2	2	7	12	20	31	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	5.1	9	2	2	5	6	7	12	16
B. Operated	65	5.8	36	1	1	4	8	12	20	28
2. MULTIPLE DX										
A. Not Operated	303	6.6	30	1	2	5	9	13	19	30
B. Operated	507	9.4	76	1	2	7	12	20	28	42
1. SINGLE DX	95	5.6	27	1	1	4	7	11	16	28
2. MULTIPLE DX	810	8.4	60	1	2	6	10	17	23	41
A. Not Operated	333	6.5	29	1	2	5	8	12	18	30
B. Operated	572	9.0	72	1	2	7	11	19	26	42
TOTAL										
0-19 YRS	69	7.1	65	1	1	4	8	18	21	41
20-34	105	7.7	48	1	1	6	10	17	21	35
35-49	150	7.3	39	1	2	5	10	15	21	26
50-64	261	8.2	73	1	2	6	10	16	26	38
65 +	320	8.6	55	2	2	7	11	18	24	42
GRAND TOTAL	**905**	**8.1**	**58**	**1**	**2**	**6**	**10**	**17**	**23**	**40**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	19	6.8	14	1	1	7	9	11	13	15
35-49	155	7.1	13	< 1	1	8	9	11	12	17
50-64	309	7.7	12	1	3	8	9	11	12	19
65 +	292	8.5	11	3	5	8	10	12	14	20
B. Operated										
0-19 YRS	0									
20-34	13	7.2	7	3	5	7	8	10	13	14
35-49	100	7.7	13	2	2	8	10	13	14	17
50-64	118	8.4	12	3	4	8	10	12	15	20
65 +	47	9.9	22	4	5	9	13	16	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	6.9	9	2	3	7	10	11	11	11
20-34	43	6.9	14	1	2	7	9	10	11	22
35-49	567	8.2	20	2	3	8	10	12	14	23
50-64	2148	9.0	19	3	4	9	11	13	16	25
65 +	5602	10.2	27	4	5	9	12	16	20	29
B. Operated										
0-19 YRS	4	9.8	33	3	3	9	13	17	17	17
20-34	58	9.2	24	4	5	8	11	15	16	31
35-49	679	9.2	24	3	4	8	11	14	18	26
50-64	1395	10.5	43	3	5	9	12	17	22	38
65 +	1518	13.4	89	4	6	11	16	23	28	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	775	7.8	12	1	3	8	10	11	13	19
B. Operated	278	8.3	14	2	4	8	10	13	15	21
2. MULTIPLE DX										
A. Not Operated	8371	9.7	25	4	5	9	11	15	18	28
B. Operated	3654	11.4	61	4	5	10	13	20	24	42
1. SINGLE DX	1053	8.0	13	2	3	8	10	12	14	20
2. MULTIPLE DX	12025	10.2	37	4	5	9	12	16	21	33
A. Not Operated	9146	9.5	24	3	5	9	11	15	18	27
B. Operated	3932	11.2	58	3	5	10	13	19	24	40
TOTAL										
0-19 YRS	15	7.7	15	2	3	8	10	11	15	17
20-34	133	7.9	19	2	3	7	10	13	15	25
35-49	1501	8.5	21	2	3	8	10	13	16	25
50-64	3970	9.4	27	3	4	9	11	14	18	28
65 +	7459	10.8	41	4	5	10	12	17	22	34
GRAND TOTAL	**13078**	**10.0**	**35**	**3**	**5**	**9**	**12**	**16**	**20**	**32**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	20	2.9	5	1	1	2	4	6	8	9
35-49	107	2.7	2	1	1	2	4	5	5	7
50-64	187	2.8	3	1	1	2	4	5	6	9
65 +	192	3.2	3	1	1	3	4	5	6	7
B. Operated										
0-19 YRS	0									
20-34	6	3.0	6	1	1	2	6	6	6	6
35-49	37	2.8	5	1	1	2	4	6	7	11
50-64	61	1.8	1	1	1	1	2	3	5	6
65 +	29	2.0	3	1	1	1	2	4	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.3	5	3	3	5	7	8	8	8
20-34	70	3.5	19	1	1	3	4	5	6	30
35-49	734	3.6	5	1	2	3	5	6	8	12
50-64	2015	3.9	7	1	2	3	5	7	8	12
65 +	4176	4.5	10	2	2	4	5	8	10	15
B. Operated										
0-19 YRS	0									
20-34	20	2.4	1	1	1	2	3	4	5	5
35-49	380	3.4	10	1	1	2	4	7	9	15
50-64	1000	3.8	14	1	1	2	5	8	11	17
65 +	883	5.4	33	1	1	3	7	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	507	2.9	3	1	1	3	4	5	6	8
B. Operated	133	2.2	3	1	1	2	2	5	6	9
2. MULTIPLE DX										
A. Not Operated	6999	4.3	8	1	2	4	5	7	9	14
B. Operated	2283	4.3	21	1	1	3	6	9	12	22
1. SINGLE DX	640	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	9282	4.3	12	1	1	3	5	8	10	16
A. Not Operated	7506	4.2	8	1	2	4	5	7	9	14
B. Operated	2416	4.2	20	1	1	3	5	9	12	22
TOTAL										
0-19 YRS	5	5.0	4	3	3	4	6	8	8	8
20-34	116	3.2	13	1	1	3	3	5	6	21
35-49	1258	3.5	6	1	1	3	4	6	8	12
50-64	3263	3.8	9	1	1	3	5	7	9	15
65 +	5280	4.6	13	1	2	4	6	8	11	18
GRAND TOTAL	**9922**	**4.2**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	2.7	3	1	1	2	3	5	7	7
35-49	142	2.7	2	1	1	2	4	5	5	7
50-64	285	3.5	3	1	1	3	5	6	7	8
65 +	415	3.8	5	1	2	3	5	6	7	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	32	3.6	4	1	1	3	5	6	7	8
50-64	90	3.9	13	1	1	3	5	8	9	22
65 +	65	4.9	24	1	1	4	6	8	11	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.1	1	2	2	3	4	5	5	5
20-34	53	4.1	5	2	2	4	5	7	9	11
35-49	902	4.0	6	1	2	4	5	7	9	13
50-64	3095	4.6	9	2	2	4	6	8	10	15
65 +	7895	5.3	12	2	2	4	6	9	11	19
B. Operated										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	19	6.6	12	2	2	8	9	11	12	12
35-49	534	6.0	19	1	2	5	8	11	14	21
50-64	1649	7.0	30	1	2	6	9	13	16	26
65 +	1913	8.7	50	2	2	7	12	17	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	854	3.5	4	1	1	3	4	6	7	10
B. Operated	187	4.2	16	1	1	3	5	8	9	23
2. MULTIPLE DX										
A. Not Operated	11952	5.0	11	2	2	4	6	8	11	17
B. Operated	4117	7.6	38	1	2	6	10	15	19	30
1. SINGLE DX	1041	3.6	6	1	1	3	5	6	7	12
2. MULTIPLE DX	16069	5.7	19	2	2	4	7	10	14	22
A. Not Operated	12806	4.9	11	2	2	4	6	8	11	17
B. Operated	4304	7.5	38	1	2	6	10	15	18	30
TOTAL										
0-19 YRS	9	4.7	11	2	2	3	6	10	12	12
20-34	84	4.5	8	2	2	4	6	9	10	12
35-49	1610	4.6	11	1	2	4	6	8	11	17
50-64	5119	5.3	17	1	2	4	7	10	13	20
65 +	10288	5.8	21	2	2	5	7	11	14	23
GRAND TOTAL	**17110**	**5.5**	**19**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.8	10	1	1	4	6	7	7	7
35-49	22	3.5	5	< 1	1	3	4	7	9	10
50-64	43	3.0	4	< 1	1	3	4	6	7	8
65 +	29	5.0	19	< 1	1	4	5	11	15	20
B. Operated										
0-19 YRS	6	4.8	35	< 1	< 1	2	9	14	15	15
20-34	9	4.1	14	1	1	2	8	10	11	11
35-49	234	4.0	13	1	1	2	6	9	11	15
50-64	616	3.6	15	1	1	2	4	9	11	16
65 +	241	4.1	18	1	1	2	7	11	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	14	4.1	6	2	2	3	4	8	9	10
35-49	165	3.8	12	1	1	3	5	7	9	13
50-64	493	4.3	10	1	2	3	5	8	10	15
65 +	732	5.4	15	1	2	4	7	10	13	20
B. Operated										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	47	5.6	33	1	1	4	6	15	19	28
35-49	1280	5.4	28	1	1	3	8	11	14	25
50-64	3990	6.1	34	1	1	4	9	12	16	28
65 +	3173	8.0	58	1	2	7	11	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	3.7	9	< 1	1	3	4	7	9	18
B. Operated	1106	3.8	15	1	1	2	5	9	11	16
2. MULTIPLE DX										
A. Not Operated	1404	4.8	13	1	2	4	6	9	11	19
B. Operated	8494	6.7	43	1	1	5	10	14	18	32
1. SINGLE DX	1204	3.8	15	1	1	2	5	9	11	16
2. MULTIPLE DX	9898	6.4	39	1	1	4	9	13	17	30
A. Not Operated	1502	4.8	13	1	2	4	6	9	11	19
B. Operated	9600	6.4	41	1	1	4	9	13	17	30
TOTAL										
0-19 YRS	10	4.0	23	< 1	< 1	2	7	12	15	15
20-34	74	5.0	25	1	1	4	6	11	16	26
35-49	1701	5.0	24	1	1	3	7	11	13	24
50-64	5142	5.6	30	1	1	3	8	12	15	26
65 +	4175	7.3	50	1	1	5	10	15	19	33
GRAND TOTAL	**11102**	**6.1**	**37**	**1**	**1**	**4**	**9**	**13**	**16**	**29**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	8.8	5	6	6	9	11	11	11	11
20-34	41	7.5	17	1	2	7	9	12	16	20
35-49	43	8.5	8	5	5	8	11	13	14	15
50-64	47	9.1	12	4	4	9	11	14	15	18
65 +	31	9.7	11	5	6	9	12	15	16	18
B. Operated										
0-19 YRS	0									
20-34	7	11.4	27	6	6	11	12	20	22	22
35-49	11	11.7	37	4	6	10	15	22	23	23
50-64	4	14.3	60	7	7	12	19	25	25	25
65 +	4	9.5	2	8	8	9	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	6.9	9	2	2	7	9	11	11	11
20-34	74	8.5	12	2	4	9	10	12	14	21
35-49	152	9.1	15	4	5	9	11	14	16	21
50-64	265	10.3	20	5	6	9	12	16	21	24
65 +	685	11.5	32	5	6	10	14	18	21	32
B. Operated										
0-19 YRS	3	9.0	37	5	5	6	13	16	16	16
20-34	21	10.7	28	3	5	10	13	18	22	24
35-49	47	11.4	32	4	5	10	13	20	23	30
50-64	80	13.9	56	5	6	12	17	23	25	45
65 +	171	15.0	88	6	7	12	18	27	37	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	8.7	12	4	5	8	11	13	15	18
B. Operated	26	11.7	30	6	7	10	13	22	23	25
2. MULTIPLE DX										
A. Not Operated	1183	10.7	27	5	6	10	13	17	20	28
B. Operated	322	13.9	69	5	7	12	17	24	29	53
1. SINGLE DX	193	9.1	16	4	5	8	11	14	16	23
2. MULTIPLE DX	1505	11.4	38	5	6	10	13	18	22	37
A. Not Operated	1350	10.5	26	4	6	10	12	16	20	27
B. Operated	348	13.7	66	6	7	12	17	24	28	53
TOTAL										
0-19 YRS	15	7.9	12	2	4	7	10	11	15	16
20-34	143	8.7	17	2	4	8	11	13	16	23
35-49	253	9.5	19	4	5	9	12	15	18	23
50-64	396	10.9	29	5	6	10	13	18	22	27
65 +	891	12.1	44	5	6	11	14	19	23	43
GRAND TOTAL	**1698**	**11.1**	**36**	**5**	**6**	**10**	**13**	**18**	**22**	**32**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	16.7	234	5	5	11	28	34	34	34
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	22.0		22	22	22	22	22	22	22
50-64	1	28.0		28	28	28	28	28	28	28
65 +	1	18.0		18	18	18	18	18	18	18
B. Operated										
0-19 YRS	0									
20-34	1	11.0		11	11	11	11	11	11	11
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	17.7	137	< 1	1	17	29	31	33	33
20-34	33	19.0	111	3	5	17	28	32	34	40
35-49	18	19.5	164	4	5	16	29	33	41	46
50-64	29	23.3	177	6	10	17	33	46	46	46
65 +	52	21.0	126	7	10	18	29	36	46	50
B. Operated										
0-19 YRS	14	32.1	267	9	12	30	43	49	65	69
20-34	17	30.7	143	9	15	30	41	47	48	48
35-49	18	33.7	408	11	13	31	42	58	79	89
50-64	14	29.2	216	6	11	30	35	48	58	61
65 +	22	30.1	173	14	16	29	41	47	53	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	18.1	112	5	6	18	26	33	34	34
B. Operated	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	142	20.6	137	4	7	17	29	35	46	47
B. Operated	85	31.2	230	11	13	30	42	47	58	82
1. SINGLE DX	8	17.3	102	5	6	15	25	32	34	34
2. MULTIPLE DX	227	24.5	198	6	8	22	32	45	47	65
A. Not Operated	149	20.5	136	5	6	18	29	35	46	47
B. Operated	86	30.9	232	11	13	30	42	47	58	82
TOTAL										
0-19 YRS	27	25.1	255	3	5	27	33	45	50	69
20-34	52	22.5	151	4	7	24	30	40	45	48
35-49	37	26.5	321	5	6	29	35	45	58	89
50-64	44	25.3	188	6	11	24	34	46	47	61
65 +	75	23.6	154	8	12	19	32	44	47	55
GRAND TOTAL	**235**	**24.3**	**196**	**5**	**8**	**21**	**32**	**45**	**47**	**65**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.5	4	< 1	1	2	3	5	8	8
20-34	16	2.6	3	< 1	1	2	3	5	6	7
35-49	36	1.9	3	< 1	1	1	2	3	5	10
50-64	36	2.3	2	< 1	1	2	3	5	6	6
65 +	17	2.5	3	< 1	1	2	3	5	6	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.1	6	1	1	2	4	7	8	8
20-34	46	3.0	4	1	1	3	4	5	6	11
35-49	79	2.7	3	1	1	2	4	5	6	9
50-64	201	3.9	10	1	1	3	5	7	10	19
65 +	409	4.7	13	1	2	4	6	8	11	15
B. Operated										
0-19 YRS	3	6.0	31	1	1	5	10	12	12	12
20-34	8	4.5	9	1	1	4	6	9	10	10
35-49	10	6.4	16	2	2	6	9	12	14	14
50-64	13	4.2	6	1	2	4	6	8	9	9
65 +	27	9.0	61	2	3	6	11	22	26	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	2.3	3	< 1	1	2	3	4	6	9
B. Operated	5	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	750	4.1	11	1	1	3	5	7	10	15
B. Operated	61	6.8	36	1	2	5	8	14	20	31
1. SINGLE DX	136	2.3	3	< 1	1	2	3	4	6	8
2. MULTIPLE DX	811	4.3	13	1	1	4	5	8	11	19
A. Not Operated	881	3.8	10	1	1	3	5	7	9	14
B. Operated	66	6.5	35	1	2	4	8	14	19	31
TOTAL										
0-19 YRS	44	3.0	6	< 1	1	2	4	7	8	12
20-34	70	3.1	4	1	1	3	4	5	8	11
35-49	128	2.7	5	1	1	2	4	5	8	12
50-64	251	3.7	9	1	1	3	5	7	9	15
65 +	454	4.8	17	1	2	4	6	8	11	23
GRAND TOTAL	**947**	**4.0**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.8	3	1	1	3	4	5	5	5
20-34	42	1.5	1	1	1	1	2	3	3	4
35-49	76	2.0	1	< 1	1	2	3	3	5	6
50-64	149	2.5	3	< 1	1	2	3	5	6	9
65 +	196	3.0	4	1	1	2	4	6	7	9
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	1.7		1	1	2	2	2	2	2
65 +	6	5.5	13	1	1	5	7	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.6	8	< 1	1	2	5	6	10	13
20-34	89	2.6	3	< 1	1	2	3	5	6	10
35-49	301	3.7	13	1	1	3	5	7	9	14
50-64	1053	3.9	7	1	1	3	5	7	9	14
65 +	3419	5.2	20	1	2	4	6	10	12	23
B. Operated										
0-19 YRS	7	8.4	25	2	2	9	13	15	15	15
20-34	8	4.9	12	1	1	3	8	10	10	10
35-49	24	5.7	33	1	1	4	7	13	19	25
50-64	124	7.4	29	1	2	6	10	14	17	27
65 +	389	9.8	64	2	3	8	12	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	469	2.5	3	< 1	1	2	3	5	6	9
B. Operated	14	4.5	9	1	1	4	7	8	10	11
2. MULTIPLE DX										
A. Not Operated	4881	4.8	17	1	2	4	6	9	11	20
B. Operated	552	9.0	55	2	2	7	12	18	23	38
1. SINGLE DX	483	2.6	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX	5433	5.2	22	1	2	4	6	10	13	23
A. Not Operated	5350	4.6	16	1	1	4	6	9	11	19
B. Operated	566	8.9	54	2	2	7	11	17	23	38
TOTAL										
0-19 YRS	34	4.4	14	1	1	3	6	10	14	15
20-34	141	2.5	4	1	1	2	3	5	7	10
35-49	402	3.5	12	1	1	2	4	7	9	15
50-64	1329	4.1	10	1	1	3	5	8	10	15
65 +	4010	5.6	25	1	2	4	7	11	14	25
GRAND TOTAL	**5916**	**5.0**	**21**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	3.7	14	< 1	1	2	4	9	12	19
20-34	62	2.6	2	1	1	3	3	4	5	7
35-49	131	2.9	4	1	1	2	4	5	6	11
50-64	128	3.2	5	1	1	3	4	6	7	12
65 +	157	3.5	5	1	1	3	4	6	8	13
B. Operated										
0-19 YRS	7	5.4	24	1	1	4	7	14	15	15
20-34	13	5.4	23	1	1	4	6	13	17	18
35-49	23	4.0	8	1	1	4	5	8	10	12
50-64	35	4.3	9	< 1	1	4	6	7	12	13
65 +	122	4.3	12	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	125	4.3	24	1	1	3	5	7	12	28
20-34	227	3.7	22	1	1	3	4	7	9	21
35-49	545	3.9	11	1	1	3	5	7	9	16
50-64	1351	4.7	14	1	2	4	6	8	11	19
65 +	3812	5.7	19	2	2	5	7	10	13	21
B. Operated										
0-19 YRS	50	6.7	38	1	1	5	9	16	20	30
20-34	41	7.0	27	2	2	6	9	14	16	27
35-49	113	5.9	27	1	1	5	8	10	14	29
50-64	410	7.7	51	1	2	6	10	15	20	38
65 +	2121	8.3	50	2	3	7	10	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	551	3.2	6	1	1	3	4	6	7	13
B. Operated	200	4.4	12	1	1	4	6	9	12	17
2. MULTIPLE DX										
A. Not Operated	6060	5.2	18	1	2	4	6	9	12	20
B. Operated	2735	8.1	49	2	3	6	10	15	20	38
1. SINGLE DX	751	3.5	8	1	1	3	4	7	8	15
2. MULTIPLE DX	8795	6.1	29	1	2	5	7	11	15	26
A. Not Operated	6611	5.0	17	1	2	4	6	9	12	20
B. Operated	2935	7.8	47	2	2	6	10	14	19	35
TOTAL										
0-19 YRS	255	4.6	25	1	1	3	5	9	15	25
20-34	343	4.0	21	1	1	3	5	7	10	21
35-49	812	4.0	13	1	1	3	5	8	10	17
50-64	1924	5.2	23	1	2	4	6	10	13	23
65 +	6212	6.5	31	2	2	5	8	12	16	27
GRAND TOTAL	**9546**	**5.9**	**28**	**1**	**2**	**5**	**7**	**11**	**14**	**25**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	14	4.6	6	1	2	4	8	8	8	8
50-64	68	5.7	22	2	2	5	6	11	14	29
65 +	308	5.5	16	1	2	4	7	10	14	22
B. Operated										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	6.8	44	1	1	3	12	17	17	17
65 +	13	8.6	61	< 1	1	6	11	23	26	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	150	5.1	10	2	2	4	7	9	11	19
20-34	97	6.0	12	2	2	5	7	10	13	20
35-49	592	6.4	24	2	2	5	8	11	15	24
50-64	3069	7.0	27	2	3	6	9	13	17	26
65 +	13791	7.6	33	2	3	6	9	14	18	30
B. Operated										
0-19 YRS	22	10.0	123	2	3	7	11	17	34	55
20-34	38	9.8	142	1	1	6	12	19	40	58
35-49	124	9.5	60	1	2	7	13	21	28	35
50-64	448	11.7	111	2	3	9	14	23	35	62
65 +	1433	13.2	94	3	4	11	17	24	32	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	396	5.5	16	1	2	5	7	10	14	23
B. Operated	21	7.7	49	< 1	1	6	10	19	24	27
2. MULTIPLE DX										
A. Not Operated	17699	7.5	32	2	3	6	9	14	17	29
B. Operated	2065	12.6	98	2	4	10	16	24	33	56
1. SINGLE DX	417	5.6	18	1	2	5	7	10	14	25
2. MULTIPLE DX	19764	8.0	41	2	3	6	10	15	19	34
A. Not Operated	18095	7.4	31	2	3	6	9	14	17	29
B. Operated	2086	12.5	98	2	3	10	16	24	32	56
TOTAL										
0-19 YRS	177	5.8	26	2	2	5	7	10	13	45
20-34	138	7.0	50	1	2	5	8	13	15	48
35-49	731	6.9	31	2	2	6	8	13	17	30
50-64	3590	7.6	40	2	3	6	9	14	18	34
65 +	15545	8.1	41	2	3	6	10	15	20	34
GRAND TOTAL	**20181**	**7.9**	**41**	**2**	**3**	**6**	**10**	**15**	**19**	**34**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	4.5	16	1	1	3	5	8	14	19
20-34	61	3.3	6	1	1	3	4	6	8	15
35-49	101	3.6	6	1	1	3	5	6	8	14
50-64	54	4.1	8	1	2	3	6	10	10	11
65 +	22	4.7	12	1	1	4	6	9	13	15
B. Operated										
0-19 YRS	39	4.9	24	1	2	2	6	10	18	22
20-34	28	4.8	34	< 1	1	2	7	13	16	26
35-49	74	4.2	19	1	1	2	6	10	12	21
50-64	88	4.4	18	1	1	2	8	11	12	18
65 +	43	4.1	28	1	1	2	5	10	12	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	5.4	25	1	2	4	6	11	16	28
20-34	193	4.6	19	1	1	4	5	9	12	29
35-49	425	5.2	23	1	2	4	6	10	12	25
50-64	697	6.8	39	1	2	5	8	14	18	32
65 +	1073	8.0	53	2	3	6	10	15	20	33
B. Operated										
0-19 YRS	105	9.1	151	1	1	5	11	24	37	67
20-34	89	11.0	161	1	1	8	13	26	36	96
35-49	298	8.5	122	1	1	6	10	17	30	69
50-64	622	9.7	140	1	1	6	12	21	33	65
65 +	775	9.8	90	1	2	8	13	20	26	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	264	3.8	8	1	1	3	5	7	10	15
B. Operated	272	4.4	22	1	1	2	7	10	13	23
2. MULTIPLE DX										
A. Not Operated	2494	6.8	41	2	2	5	8	14	18	31
B. Operated	1889	9.6	118	1	1	7	12	20	29	63
1. SINGLE DX	536	4.1	15	1	1	3	5	9	11	19
2. MULTIPLE DX	4383	8.0	76	1	2	5	10	16	23	47
A. Not Operated	2758	6.5	39	1	2	5	8	13	17	30
B. Operated	2161	8.9	109	1	1	6	11	19	27	61
TOTAL										
0-19 YRS	276	6.7	76	1	1	4	7	14	23	41
20-34	371	6.0	60	1	1	4	7	12	23	43
35-49	898	6.0	56	1	1	4	7	11	17	42
50-64	1461	7.8	83	1	2	5	10	16	23	53
65 +	1913	8.6	68	2	2	6	11	17	22	41
GRAND TOTAL	**4919**	**7.6**	**71**	**1**	**2**	**5**	**9**	**16**	**22**	**44**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	18	5.6	25	1	1	5	5	10	18	23
50-64	45	4.8	10	2	2	4	6	8	10	19
65 +	92	7.3	79	1	2	5	7	14	24	49
B. Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	14	3.4	15	1	1	2	4	9	14	15
50-64	44	4.8	40	1	1	2	5	13	18	34
65 +	34	4.1	13	1	1	2	7	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	156	6.4	54	1	2	4	7	10	19	47
B. Operated	94	4.3	26	1	1	2	5	9	15	27
1. SINGLE DX	3	2.7	4	< 1	< 1	2	4	5	5	5
2. MULTIPLE DX	250	5.6	44	1	1	4	7	10	17	39
A. Not Operated	157	6.3	53	1	2	4	7	10	19	47
B. Operated	96	4.2	25	1	1	2	5	9	15	27
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	32	4.6	21	1	1	3	5	10	15	23
50-64	90	4.7	25	1	1	3	6	9	14	28
65 +	128	6.4	62	1	2	4	7	12	19	48
GRAND TOTAL	**253**	**5.5**	**44**	**1**	**1**	**4**	**7**	**10**	**17**	**39**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	8.5	99	< 1	< 1	5	16	22	22	22
50-64	4	10.0	22	4	4	10	13	15	15	15
65 +	4	9.8	60	2	2	8	15	20	20	20
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	9.4	28	1	1	10	12	15	19	20
35-49	26	12.7	114	1	2	11	16	20	39	49
50-64	19	10.5	42	2	3	10	13	16	24	31
65 +	10	17.1	298	2	4	11	20	42	63	63
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.0	12	5	5	5	10	11	11	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	7.5	18	2	2	7	8	14	15	15
50-64	5	10.4	222	< 1	< 1	3	17	36	36	36
65 +	28	14.8	130	1	1	15	20	31	36	44
B. Operated										
0-19 YRS	4	9.8	42	2	2	10	15	16	16	16
20-34	15	18.8	121	3	9	16	26	36	37	38
35-49	51	21.6	208	8	11	17	24	44	59	99 +
50-64	51	22.2	169	7	10	20	33	49	93	99 +
65 +	57	28.5	309	7	10	27	38	59	79	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	8.6	48	< 1	1	8	12	20	22	22
B. Operated	70	12.0	103	1	2	11	15	20	31	60
2. MULTIPLE DX										
A. Not Operated	43	12.4	120	1	1	8	18	29	35	44
B. Operated	178	23.5	230	7	9	20	32	48	74	99 +
1. SINGLE DX	84	11.4	95	1	2	10	14	20	25	58
2. MULTIPLE DX	221	21.3	227	2	6	18	28	45	62	99 +
A. Not Operated	57	11.5	104	1	1	8	16	27	34	43
B. Operated	248	20.2	221	3	7	17	27	43	61	99 +
TOTAL										
0-19 YRS	9	7.8	23	2	3	6	12	15	16	16
20-34	31	13.5	100	1	1	11	18	29	36	38
35-49	87	17.4	186	2	5	15	21	28	50	95
50-64	79	18.0	162	3	5	15	24	37	61	99 +
65 +	99	22.7	289	2	4	20	32	47	68	99 +
GRAND TOTAL	**305**	**18.6**	**210**	**2**	**4**	**16**	**25**	**38**	**58**	**99 +**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	48.0		48	48	48	48	48	48	48
65 +	3	13.0	57	5	5	14	18	20	20	20
B. Operated										
0-19 YRS	2	34.5	925	13	13	56	89	99 +	99 +	99 +
20-34	2	20.5	13	18	18	20	23	23	23	23
35-49	2	24.0		24	24	24	24	24	24	24
50-64	9	32.7	399	5	11	28	41	65	66	66
65 +	7	36.7	401	12	13	36	57	61	[illegible]	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	21.8	344	5	5	17	34	48	48	48
B. Operated	22	32.2	338	10	13	25	53	64	78	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	26	30.6	340	5	12	24	47	63	71	[illegible]
A. Not Operated	4	21.8	344	5	5	17	34	48	48	[illegible]
B. Operated	22	32.2	338	10	13	25	53	64	78	[illegible]
TOTAL										
0-19 YRS	2	34.5	925	13	13	56	89	99 +	99 +	99 +
20-34	2	20.5	13	18	18	20	23	23	23	23
35-49	2	24.0		24	24	24	24	24	24	24
50-64	10	34.2	378	5	12	28	48	65	66	66
65 +	10	29.6	411	5	8	21	46	61	61	61
GRAND TOTAL	**26**	**30.6**	**340**	**5**	**12**	**24**	**47**	**63**	**71**	**99 +**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	7	9.3	88	< 1	1	5	11	26	29	29
50-64	8	10.3	96	1	2	8	13	26	31	31
65 +	32	9.0	88	1	2	6	12	17	23	51
B. Operated										
0-19 YRS	8	8.3	19	2	3	7	11	15	15	15
20-34	11	14.0	142	1	2	13	19	32	41	42
35-49	15	11.4	69	2	2	10	14	27	27	27
50-64	16	12.8	158	1	2	7	21	30	41	46
65 +	47	7.8	23	2	3	7	9	13	19	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	8.0	83	< 1	1	4	7	24	29	29
20-34	8	8.5	66	< 1	1	6	12	22	25	25
35-49	30	10.1	48	< 1	3	8	13	21	26	28
50-64	78	11.5	123	2	4	8	13	20	31	66
65 +	315	12.1	77	3	4	10	15	24	28	48
B. Operated										
0-19 YRS	30	19.1	265	5	6	14	25	41	63	66
20-34	17	17.9	494	1	1	11	17	46	77	91
35-49	40	17.2	321	3	4	10	21	38	52	96
50-64	56	17.2	264	3	4	12	20	37	51	87
65 +	185	19.4	240	6	7	15	21	39	60	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	8.7	81	< 1	1	5	12	17	28	51
B. Operated	97	9.9	68	2	2	7	12	21	26	44
2. MULTIPLE DX										
A. Not Operated	441	11.7	83	2	4	9	14	23	28	49
B. Operated	328	18.7	266	4	6	14	21	38	57	93
1. SINGLE DX	149	9.5	72	1	2	7	12	20	27	46
2. MULTIPLE DX	769	14.7	173	3	4	11	18	28	40	83
A. Not Operated	493	11.4	84	2	3	9	14	23	28	50
B. Operated	425	16.7	234	3	5	12	20	34	50	91
TOTAL										
0-19 YRS	51	14.4	205	2	3	8	18	32	46	66
20-34	38	13.9	287	< 1	1	10	16	29	47	91
35-49	92	13.3	181	2	3	9	14	27	35	78
50-64	158	13.6	180	2	3	9	17	30	42	68
65 +	579	13.9	141	3	4	11	17	26	35	73
GRAND TOTAL	**918**	**13.8**	**160**	**2**	**4**	**10**	**17**	**27**	**37**	**72**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	10	10.9	39	< 1	2	10	16	19	20	20
50-64	26	16.8	308	3	4	10	23	37	66	71
65 +	123	14.6	139	4	5	12	16	25	32	73
B. Operated										
0-19 YRS	4	17.0	153	7	7	14	51	99 +	99 +	99 +
20-34	0									
35-49	13	30.6	437	8	10	33	67	99 +	99 +	99 +
50-64	11	25.5	297	11	11	19	40	76	97	99 +
65 +	33	26.2	333	5	8	22	40	73	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	160	14.7	159	3	4	12	16	26	35	71
B. Operated	61	26.4	332	7	9	24	41	95	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	221	17.9	233	4	5	13	23	42	71	99 +
A. Not Operated	160	14.7	159	3	4	12	16	26	35	71
B. Operated	61	26.4	332	7	9	24	41	95	99 +	99 +
TOTAL										
0-19 YRS	4	17.0	153	7	7	14	51	99 +	99 +	99 +
20-34	1	8.0		8	8	8	8	8	8	8
35-49	23	22.0	355	3	6	17	41	98	99 +	99 +
50-64	37	19.4	312	3	4	13	25	60	69	99 +
65 +	156	17.0	201	4	5	13	21	37	51	98
GRAND TOTAL	**221**	**17.9**	**233**	**4**	**5**	**13**	**23**	**42**	**71**	**99 +**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	11	2.5	4	1	1	2	4	6	7	7
65 +	13	2.7	4	1	1	2	4	6	7	7
B. Operated										
0-19 YRS	0									
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	14	5.1	5	3	3	5	6	8	10	11
50-64	136	4.5	5	1	1	5	6	8	8	11
65 +	256	5.2	9	1	2	5	7	8	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	12.0		12	12	12	12	12	12	12
35-49	14	5.2	10	1	2	6	6	9	11	12
50-64	75	5.2	10	1	1	5	7	10	11	15
65 +	255	5.8	27	1	2	5	7	10	14	35
B. Operated										
0-19 YRS	0									
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	85	6.6	59	2	2	5	7	12	15	50
50-64	620	6.1	19	1	2	5	7	11	14	25
65 +	1480	7.2	32	2	2	6	9	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.8	4	1	1	2	4	7	7	7
B. Operated	409	4.9	8	1	2	5	6	8	9	14
2. MULTIPLE DX										
A. Not Operated	347	5.6	22	1	2	5	7	10	14	26
B. Operated	2188	6.8	29	2	2	5	8	13	16	28
1. SINGLE DX	436	4.8	8	1	1	5	6	8	9	14
2. MULTIPLE DX	2535	6.7	28	2	2	5	8	12	16	28
A. Not Operated	374	5.4	22	1	2	4	7	10	13	26
B. Operated	2597	6.5	26	1	2	5	8	12	15	27
TOTAL										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	8	4.6	13	1	1	3	6	10	12	12
35-49	115	6.2	46	2	2	5	7	11	15	35
50-64	842	5.7	16	1	2	5	7	10	13	22
65 +	2004	6.7	29	2	2	5	8	12	16	29
GRAND TOTAL	**2971**	**6.4**	**26**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	6	8.8	35	1	2	10	16	84	99 +	99 +
65 +	19	9.3	38	1	2	8	13	18	22	23
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	10.0	16	6	6	10	13	14	14	14
35-49	6	20.7	560	3	3	8	40	58	60	60
50-64	32	10.1	60	1	3	8	13	22	28	32
65 +	65	9.6	57	2	3	8	11	19	25	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	27	9.0	34	1	2	8	13	19	31	99 +
B. Operated	107	10.4	85	2	3	8	12	20	31	49
1. SINGLE DX	0									
2. MULTIPLE DX	134	10.1	75	2	3	8	13	20	30	66
A. Not Operated	27	9.0	34	1	2	8	13	19	31	99 +
B. Operated	107	10.4	85	2	3	8	12	20	31	49
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	10.0	16	6	6	10	13	14	14	14
35-49	8	17.3	440	3	4	7	24	54	60	60
50-64	38	9.9	55	1	3	8	13	23	31	99 +
65 +	84	9.5	53	2	3	8	12	19	23	37
GRAND TOTAL	**134**	**10.1**	**75**	**2**	**3**	**8**	**13**	**20**	**30**	**66**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	4	4.8	2	4	4	4	6	7	7	7
35-49	17	4.9	3	2	2	5	6	7	8	8
50-64	56	7.1	32	2	2	5	9	17	18	30
65 +	154	7.5	32	2	2	6	9	13	20	35
B. Operated										
0-19 YRS	3	5.7	20	1	1	6	9	10	10	10
20-34	9	5.9	7	1	2	6	8	9	10	10
35-49	7	3.9	2	2	2	3	5	6	6	6
50-64	15	4.3	11	1	1	3	6	10	11	11
65 +	14	10.0	179	1	2	5	13	26	45	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	7.3	56	2	2	3	9	21	23	23
20-34	22	9.2	167	1	2	7	8	18	40	62
35-49	149	8.8	59	2	3	7	11	16	24	59
50-64	679	8.8	91	2	3	6	10	16	22	51
65 +	3348	9.8	63	3	3	8	12	17	24	45
B. Operated										
0-19 YRS	10	20.6	433	2	3	12	29	56	66	66
20-34	12	9.3	21	4	5	7	14	15	16	16
35-49	47	10.9	132	3	3	7	13	17	33	67
50-64	169	13.8	247	2	3	9	15	34	60	99 +
65 +	523	17.6	262	3	4	13	24	40	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	233	7.1	29	2	2	6	9	13	18	32
B. Operated	48	6.3	61	1	1	4	7	11	16	51
2. MULTIPLE DX										
A. Not Operated	4207	9.6	68	3	3	7	11	17	24	48
B. Operated	761	16.3	253	3	4	11	21	38	58	99 +
1. SINGLE DX	281	7.0	35	2	2	6	8	13	18	34
2. MULTIPLE DX	4968	10.6	102	3	3	8	12	20	29	63
A. Not Operated	4440	9.5	66	2	3	7	11	17	23	46
B. Operated	809	15.7	247	2	3	11	20	37	54	99 +
TOTAL										
0-19 YRS	24	12.6	238	2	2	7	15	31	53	66
20-34	47	8.2	86	2	2	6	8	15	17	62
35-49	220	8.8	71	2	3	7	11	16	23	61
50-64	919	9.6	119	2	3	7	11	18	27	77
65 +	4039	10.7	95	3	3	8	13	20	29	57
GRAND TOTAL	**5249**	**10.4**	**99**	**2**	**3**	**8**	**12**	**20**	**28**	**61**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	9.6	46	4	4	7	15	20	21	21
20-34	9	11.4	48	2	4	9	15	22	24	24
35-49	52	11.0	112	3	3	9	13	21	39	99
50-64	293	12.1	115	3	4	9	14	22	36	68
65 +	1474	11.9	84	3	4	9	14	22	29	55
B. Operated										
0-19 YRS	2	18.0	200	8	8	18	28	28	28	28
20-34	5	37.6	757	10	10	27	66	68	68	68
35-49	27	16.6	150	2	3	12	23	37	42	45
50-64	62	21.8	476	4	5	14	27	61	91	99 +
65 +	228	20.9	268	6	7	16	30	53	69	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1835	11.9	89	3	4	9	14	22	29	61
B. Operated	324	21.0	306	5	6	15	29	52	73	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	2159	13.2	132	3	4	10	16	25	38	77
A. Not Operated	1835	11.9	89	3	4	9	14	22	29	61
B. Operated	324	21.0	306	5	6	15	29	52	73	99 +
TOTAL										
0-19 YRS	9	11.4	73	4	4	8	18	25	28	28
20-34	14	20.8	432	3	6	13	24	66	68	68
35-49	79	12.9	130	3	3	10	16	30	40	90
50-64	355	13.8	190	4	4	10	15	27	44	96
65 +	1702	13.1	118	3	4	10	16	25	36	70
GRAND TOTAL	**2159**	**13.2**	**132**	**3**	**4**	**10**	**16**	**25**	**38**	**77**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	18	2.6	3	< 1	< 1	2	4	5	6	6
35-49	36	2.6	3	1	1	2	3	5	6	7
50-64	123	3.3	4	1	1	3	4	6	8	11
65 +	269	3.8	9	1	1	3	5	7	9	16
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	4.3	13	1	1	3	7	9	9	9
35-49	14	2.5	2	1	1	2	3	4	6	7
50-64	60	3.3	7	1	1	3	4	7	8	15
65 +	56	4.2	19	1	1	3	5	8	13	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.0	4	1	1	3	4	6	6	6
20-34	24	4.9	35	1	1	3	5	8	15	31
35-49	168	4.1	9	1	1	3	5	8	10	14
50-64	801	4.4	9	1	2	4	5	8	9	15
65 +	3943	5.2	14	2	2	4	6	9	12	20
B. Operated										
0-19 YRS	4	3.5	11	1	1	3	6	8	8	8
20-34	4	3.3	4	2	2	3	4	6	6	6
35-49	63	5.9	18	1	2	5	8	13	14	21
50-64	260	6.3	30	1	2	5	8	12	16	31
65 +	586	7.7	47	2	2	6	9	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	449	3.5	7	1	1	3	4	6	8	14
B. Operated	135	3.6	12	1	1	3	4	7	9	17
2. MULTIPLE DX										
A. Not Operated	4945	5.0	13	1	2	4	6	9	11	18
B. Operated	917	7.1	40	1	2	6	9	13	18	33
1. SINGLE DX	584	3.6	8	1	1	3	4	7	8	15
2. MULTIPLE DX	5862	5.3	18	1	2	4	7	10	13	22
A. Not Operated	5394	4.9	13	1	2	4	6	9	11	18
B. Operated	1052	6.7	38	1	2	5	8	13	17	31
TOTAL										
0-19 YRS	17	3.0	5	1	1	3	4	6	7	8
20-34	50	3.9	20	< 1	1	3	5	7	8	31
35-49	281	4.2	11	1	1	3	5	9	11	15
50-64	1244	4.7	14	1	2	4	6	8	11	19
65 +	4854	5.4	19	1	2	4	7	10	13	22
GRAND TOTAL	**6446**	**5.2**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	6.3	10	4	4	5	9	10	10	10
35-49	13	5.5	10	2	2	5	8	10	11	11
50-64	62	6.0	22	1	2	5	8	12	16	23
65 +	188	7.9	73	2	2	7	10	13	16	43
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	4.6	7	2	2	5	6	8	8	8
50-64	8	6.5	26	2	2	4	11	14	15	15
65 +	11	11.7	110	2	3	8	12	32	34	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.8	36	1	2	5	8	17	20	20
20-34	11	5.0	12	< 1	1	4	7	11	11	11
35-49	85	8.5	100	2	3	6	9	17	24	62
50-64	531	8.1	51	2	2	6	10	17	21	43
65 +	2268	9.9	82	2	3	8	12	18	25	54
B. Operated										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	6	15.2	259	3	3	8	24	42	44	44
35-49	30	8.9	21	2	4	8	11	17	21	99 +
50-64	79	11.5	110	2	3	9	13	22	30	91
65 +	265	16.5	214	3	4	12	21	39	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	267	7.3	57	1	2	6	9	12	15	24
B. Operated	26	8.3	64	1	2	6	11	15	31	34
2. MULTIPLE DX										
A. Not Operated	2903	9.5	77	2	3	7	11	18	24	52
B. Operated	382	14.8	183	3	4	11	19	34	52	99 +
1. SINGLE DX	293	7.4	56	1	2	6	9	12	16	32
2. MULTIPLE DX	3285	10.1	92	2	3	7	12	20	28	61
A. Not Operated	3170	9.3	75	2	3	7	11	17	23	52
B. Operated	408	14.4	178	2	4	10	19	33	50	99 +
TOTAL										
0-19 YRS	12	7.5	26	1	2	7	10	14	19	20
20-34	21	7.9	95	1	1	5	10	16	33	44
35-49	133	8.2	71	2	2	6	9	17	22	82
50-64	680	8.3	56	2	2	6	11	17	21	47
65 +	2732	10.4	98	2	3	8	12	20	29	63
GRAND TOTAL	**3578**	**9.9**	**90**	**2**	**3**	**7**	**12**	**19**	**27**	**59**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	15.8	123	4	4	14	24	30	30	30
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	32	13.3	243	3	3	8	13	30	62	66
50-64	182	10.6	88	3	4	9	12	19	27	42
65 +	783	10.7	79	3	4	9	13	19	25	56
B. Operated										
0-19 YRS	2	14.0	32	10	10	14	18	18	18	18
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	11.0	77	4	4	8	14	26	31	31
50-64	22	20.1	279	6	6	14	26	52	59	60
65 +	87	19.2	213	5	7	13	28	42	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1003	10.8	85	3	4	9	13	19	26	56
B. Operated	122	18.5	214	5	6	13	26	41	59	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	1125	11.6	105	3	4	9	13	22	31	64
A. Not Operated	1003	10.8	85	3	4	9	13	19	26	56
B. Operated	122	18.5	214	5	6	13	26	41	59	99 +
TOTAL										
0-19 YRS	6	15.2	81	4	5	14	18	29	30	30
20-34	3	6.7	14	4	4	5	9	11	11	11
35-49	42	12.7	201	3	4	8	14	27	51	66
50-64	204	11.6	116	3	4	9	13	22	31	59
65 +	870	11.6	98	3	4	9	13	22	30	63
GRAND TOTAL	**1125**	**11.6**	**105**	**3**	**4**	**9**	**13**	**22**	**31**	**64**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	18	2.9	6	< 1	1	2	3	6	8	10
35-49	33	3.4	6	1	1	3	4	6	10	12
50-64	43	3.6	5	1	1	3	5	7	9	11
65 +	52	5.3	26	1	1	4	6	9	17	29
B. Operated										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	11	3.5	7	1	1	2	6	7	8	8
35-49	17	6.6	29	1	2	5	9	13	19	23
50-64	28	5.5	16	< 1	< 1	4	9	11	12	15
65 +	14	4.4	9	1	1	4	6	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	5.5	16	< 1	1	4	8	12	14	14
20-34	35	4.9	10	1	2	4	7	10	10	15
35-49	170	4.8	16	2	2	4	6	8	9	14
50-64	265	5.2	10	1	2	5	7	9	11	20
65 +	728	6.8	47	2	2	5	8	12	17	39
B. Operated										
0-19 YRS	14	10.9	203	1	2	4	16	47	87	99 +
20-34	17	9.7	112	2	2	4	14	24	35	41
35-49	48	8.1	59	1	2	5	11	19	25	35
50-64	107	8.6	78	1	2	6	11	17	23	49
65 +	165	9.6	101	2	2	6	12	21	31	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	4.1	14	1	1	3	5	8	10	21
B. Operated	74	5.1	16	< 1	1	4	8	10	11	21
2. MULTIPLE DX										
A. Not Operated	1210	6.1	34	2	2	5	7	11	15	29
B. Operated	351	9.1	92	2	2	6	11	21	29	50
1. SINGLE DX	222	4.4	15	1	1	3	6	9	11	22
2. MULTIPLE DX	1561	6.8	49	2	2	5	8	13	18	41
A. Not Operated	1358	5.9	32	2	2	5	7	11	14	29
B. Operated	425	8.4	81	1	2	6	11	18	27	49
TOTAL										
0-19 YRS	32	7.4	102	1	2	4	8	22	46	99 +
20-34	81	5.3	35	1	1	3	6	10	15	36
35-49	268	5.3	25	1	2	4	6	10	13	28
50-64	443	5.9	29	1	2	5	8	11	15	29
65 +	959	7.2	56	2	2	5	8	14	20	42
GRAND TOTAL	**1783**	**6.5**	**45**	**1**	**2**	**5**	**8**	**12**	**17**	**39**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65 +	5	2.6	4	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	0									
35-49	15	4.8	51	< 1	1	2	6	9	24	29
50-64	46	4.5	22	< 1	1	2	8	10	11	26
65 +	49	5.5	21	1	1	4	8	13	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	7	3.4	2	2	2	4	4	6	6	6
50-64	27	5.3	28	1	1	4	7	10	17	26
65 +	69	6.8	25	2	2	5	8	15	18	23
B. Operated										
0-19 YRS	8	11.5	68	6	6	7	16	25	27	27
20-34	9	7.2	14	3	3	7	9	13	15	15
35-49	[illegible]	8.2	108	1	1	6	9	15	27	67
50-64	420	9.2	69	1	2	7	12	19	27	42
65 +	1145	13.0	139	2	2	10	16	25	36	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.3	3	1	1	2	3	5	6	6
B. Operated	113	5.0	25	1	1	3	8	11	13	27
2. MULTIPLE DX										
A. Not Operated	104	6.2	25	1	2	5	8	14	17	25
B. Operated	1679	11.7	122	1	2	9	15	24	31	63
1. SINGLE DX	122	4.8	24	1	1	3	7	10	13	27
2. MULTIPLE DX	1783	11.4	118	1	2	9	15	23	31	61
A. Not Operated	113	5.9	24	1	2	4	7	13	16	25
B. Operated	1792	11.3	118	1	2	9	14	23	31	60
TOTAL										
0-19 YRS	12	9.3	56	2	3	7	9	23	26	27
20-34	10	6.6	16	1	2	6	9	12	15	15
35-49	120	7.5	96	1	1	6	9	13	26	66
50-64	495	8.5	64	1	1	7	11	19	25	37
65 +	1268	12.3	132	1	2	9	16	24	32	63
GRAND TOTAL	**1905**	**11.0**	**115**	**1**	**2**	**8**	**14**	**23**	**30**	**58**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	12	3.8	31	< 1	< 1	1	4	13	18	19
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	3	7.0	28	1	1	9	10	11	11	11
50-64	34	8.7	14	1	2	9	12	13	13	15
65 +	66	9.7	37	1	2	9	11	14	17	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64	19	6.4	97	< 1	< 1	2	5	17	31	42
65 +	106	5.4	19	1	1	4	8	11	15	19
B. Operated										
0-19 YRS	3	22.0	163	8	8	25	31	33	33	33
20-34	5	7.8	19	1	1	8	11	12	12	12
35-49	18	9.4	38	2	2	9	11	17	23	27
50-64	287	12.9	127	2	5	10	15	23	27	84
65 +	781	13.7	114	2	5	11	16	23	32	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.3	25	< 1	< 1	1	2	10	17	19
B. Cperated	104	9.2	30	1	2	9	11	13	15	35
2. MULTIPLE DX										
A. Not Operated	129	5.5	29	< 1	1	4	7	11	16	24
B. Operated	1094	13.4	117	2	5	11	15	23	31	73
1. SINGLE DX	119	8.4	33	< 1	1	9	11	13	15	35
2. MULTIPLE DX	1223	12.6	113	2	3	10	15	22	29	69
A. Not Operated	144	5.3	29	< 1	1	3	7	11	16	21
B. Operated	1198	13.1	111	2	4	10	15	22	31	69
TOTAL										
0-19 YRS	4	17.0	209	2	2	16	29	33	33	33
20-34	6	6.7	23	1	1	7	11	12	12	12
35-49	24	8.6	33	2	2	8	11	15	21	27
50-64	343	12.0	117	2	2	10	14	22	27	76
65 +	965	12.4	106	2	2	10	15	22	29	60
GRAND TOTAL	**1342**	**12.2**	**108**	**2**	**2**	**10**	**14**	**22**	**28**	**64**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	8	5.9	29	1	1	4	8	15	17	17
35-49	8	6.9	22	2	2	6	8	14	17	17
50-64	19	7.2	34	1	1	5	10	16	21	23
65 +	19	6.2	22	1	1	5	9	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.0	8	2	2	4	6	6	6	6
65 +	6	4.5	4	3	3	4	5	8	8	8
B. Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	9	13.2	87	4	4	12	14	28	36	36
35-49	19	7.2	22	1	1	7	10	13	16	19
50-64	74	10.7	68	1	2	9	13	20	31	41
65 +	139	11.7	73	2	3	10	14	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	59	6.2	26	1	1	5	9	14	17	23
2. MULTIPLE DX										
A. Not Operated	9	4.0	5	1	1	4	5	7	8	8
B. Operated	243	11.0	69	2	3	9	13	21	28	43
1. SINGLE DX	62	6.0	25	1	1	5	8	13	17	23
2. MULTIPLE DX	252	10.8	68	2	3	9	13	21	28	43
A. Not Operated	12	3.5	5	1	1	3	5	7	8	8
B. Operated	302	10.1	64	1	2	9	12	20	26	40
TOTAL										
0-19 YRS	7	2.4	3	1	1	2	4	5	5	5
20-34	18	9.4	68	1	2	8	13	16	28	36
35-49	29	6.7	22	1	1	6	9	13	17	19
50-64	95	9.9	62	1	2	8	12	20	25	39
65 +	165	10.7	69	1	3	9	13	21	27	48
GRAND TOTAL	**314**	**9.8**	**63**	**1**	**2**	**8**	**12**	**19**	**26**	**40**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	5	5.4	10	2	2	7	8	8	8	8
50-64	9	4.4	13	1	1	3	6	10	12	12
65 +	12	4.3	16	< 1	< 1	3	7	10	13	13
B. Operated										
0-19 YRS	0									
20-34	11	6.5	19	1	1	6	11	12	12	12
35-49	51	7.0	32	1	1	6	10	12	17	30
50-64	117	6.5	23	1	1	6	9	11	13	24
65 +	135	5.9	18	< 1	1	5	9	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	10	< 1	< 1	6	7	8	8	8
20-34	12	7.7	10	4	5	7	9	11	15	16
35-49	18	6.4	26	1	1	6	8	15	18	18
50-64	49	5.9	18	< 1	1	5	9	13	13	15
65 +	135	7.7	42	1	1	6	10	14	21	34
B. Operated										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	29	9.3	25	2	3	9	13	15	16	24
35-49	138	9.6	65	2	2	8	12	18	22	42
50-64	576	9.6	57	1	2	8	12	17	24	37
65 +	1251	11.2	91	2	2	9	14	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	5.1	15	1	1	4	8	11	13	13
B. Operated	314	6.3	22	< 1	1	6	9	12	13	21
2. MULTIPLE DX										
A. Not Operated	218	7.2	33	1	1	6	9	14	17	31
B. Operated	1996	10.6	79	1	2	9	13	19	26	47
1. SINGLE DX	343	6.2	22	< 1	1	6	9	12	13	18
2. MULTIPLE DX	2214	10.3	75	1	2	9	13	19	26	45
A. Not Operated	247	6.9	32	1	1	6	9	13	16	30
B. Operated	2310	10.0	73	1	2	8	12	18	25	44
TOTAL										
0-19 YRS	7	7.0	10	< 1	1	7	9	11	11	11
20-34	54	8.4	21	1	3	8	12	14	16	24
35-49	212	8.6	54	1	2	8	11	16	21	37
50-64	751	8.8	50	1	2	8	11	16	20	35
65 +	1533	10.4	83	1	2	9	13	20	26	47
GRAND TOTAL	**2557**	**9.7**	**70**	**1**	**2**	**8**	**12**	**18**	**24**	**42**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	4.8	7	2	2	4	6	7	11	15
20-34	9	3.7	5	< 1	1	4	4	7	9	9
35-49	11	4.9	15	2	2	4	4	10	15	16
50-64	14	2.3	3	1	1	2	2	4	7	8
65 +	16	3.5	10	1	1	2	5	8	11	12
B. Operated										
0-19 YRS	11	3.7	5	< 1	1	3	6	7	7	7
20-34	17	4.4	7	1	2	4	6	8	10	11
35-49	35	3.9	9	1	1	3	7	9	9	10
50-64	89	4.0	13	1	1	2	6	10	11	16
65 +	87	5.0	18	< 1	1	3	8	11	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	6.6	19	1	2	6	8	13	16	22
20-34	21	5.0	11	1	2	4	6	10	12	14
35-49	40	5.3	24	1	1	4	7	11	18	21
50-64	113	4.8	13	1	1	4	6	9	13	17
65 +	202	6.2	28	1	2	5	8	11	16	26
B. Operated										
0-19 YRS	11	6.8	50	1	2	4	8	18	24	25
20-34	44	11.0	166	1	1	6	13	26	46	56
35-49	125	8.9	136	1	1	5	9	22	32	61
50-64	375	8.6	64	1	1	6	11	19	27	41
65 +	745	10.3	110	1	2	8	13	23	30	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	4.4	8	1	2	4	5	7	10	16
B. Operated	239	4.4	14	1	1	3	7	9	12	15
2. MULTIPLE DX										
A. Not Operated	455	5.8	22	1	2	5	7	11	15	22
B. Operated	1300	9.7	101	1	2	7	12	22	30	58
1. SINGLE DX	379	4.4	11	1	1	4	6	9	11	16
2. MULTIPLE DX	1755	8.7	83	1	2	6	11	19	27	50
A. Not Operated	595	5.5	19	1	2	4	7	10	14	22
B. Operated	1539	8.9	91	1	1	6	11	20	28	53
TOTAL										
0-19 YRS	191	5.6	15	1	2	5	7	10	14	22
20-34	91	7.6	94	1	1	4	8	19	26	52
35-49	211	7.2	91	1	1	4	8	16	25	58
50-64	591	7.0	49	1	1	5	10	15	22	37
65 +	1050	9.0	90	1	2	7	11	19	27	52
GRAND TOTAL	**2134**	**7.9**	**73**	**1**	**1**	**5**	**10**	**17**	**24**	**46**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	6.5	10	3	3	6	7	10	14	15
20-34	112	5.7	7	1	2	6	7	10	11	12
35-49	149	6.4	12	1	2	6	9	11	13	17
50-64	149	6.9	11	2	3	7	9	11	13	16
65 +	112	7.0	11	3	3	7	9	11	13	18
B. Operated										
0-19 YRS	7	6.3	20	1	1	6	8	14	15	15
20-34	42	4.9	15	1	1	4	7	10	11	21
35-49	68	6.4	21	1	2	6	9	11	15	23
50-64	43	5.8	12	1	2	5	8	10	13	14
65 +	41	5.9	12	1	2	6	8	10	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	8.5	16	1	3	8	11	14	15	15
20-34	121	7.6	17	2	3	7	10	13	15	21
35-49	294	7.5	18	3	3	7	9	12	15	28
50-64	454	7.8	17	3	4	7	10	12	14	24
65 +	859	8.5	20	3	4	8	10	13	16	24
B. Operated										
0-19 YRS	2	13.0	8	11	11	13	15	15	15	15
20-34	49	9.1	34	2	3	9	11	16	20	33
35-49	135	8.1	31	2	2	8	10	14	19	27
50-64	175	9.5	52	2	3	8	12	16	20	36
65 +	363	10.2	47	3	4	9	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	534	6.5	10	2	3	6	8	11	12	16
B. Operated	201	5.8	16	1	2	5	8	10	14	20
2. MULTIPLE DX										
A. Not Operated	1738	8.1	19	3	4	7	10	13	15	24
B. Operated	724	9.6	45	2	3	8	12	17	21	34
1. SINGLE DX	735	6.3	12	1	2	6	8	11	12	17
2. MULTIPLE DX	2462	8.5	27	3	4	8	10	14	17	28
A. Not Operated	2272	7.7	17	2	3	7	10	12	15	22
B. Operated	925	8.8	41	2	3	8	11	16	20	31
TOTAL										
0-19 YRS	31	7.5	16	1	3	7	10	15	15	15
20-34	324	6.8	18	2	2	6	9	12	14	21
35-49	646	7.2	20	2	3	7	9	12	15	24
50-64	821	7.9	24	2	3	7	10	13	16	26
65 +	1375	8.8	27	3	4	8	11	14	17	28
GRAND TOTAL	**3197**	**8.0**	**24**	**2**	**3**	**7**	**10**	**13**	**16**	**26**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	11	6.1	18	< 1	2	5	8	12	17	17
50-64	6	12.2	82	1	1	12	21	23	23	23
65 +	17	7.1	25	1	1	6	10	14	18	19
B. Operated										
0-19 YRS	5	2.4	2	< 1	< 1	3	3	4	4	4
20-34	128	2.8	5	1	1	2	3	5	7	13
35-49	215	2.9	7	1	1	2	3	6	8	13
50-64	157	3.3	16	1	1	2	4	6	10	21
65 +	48	6.5	46	1	1	4	7	18	24	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	9.6	37	3	3	8	14	18	20	20
35-49	35	6.9	23	1	3	6	8	10	12	29
50-64	58	9.0	61	2	3	7	10	16	28	41
65 +	202	10.8	100	3	4	8	13	19	25	60
B. Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	34	6.7	58	1	1	4	8	16	24	36
35-49	115	7.5	165	1	1	4	7	14	21	82
50-64	125	7.7	78	1	1	4	11	16	22	55
65 +	235	13.1	111	2	2	11	18	27	34	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	7.6	33	1	1	6	10	17	20	23
B. Operated	553	3.3	13	1	1	2	4	6	9	21
2. MULTIPLE DX										
A. Not Operated	303	10.0	83	3	4	8	12	18	24	47
B. Operated	512	10.1	118	1	2	6	14	22	30	55
1. SINGLE DX	589	3.6	15	1	1	2	4	7	10	22
2. MULTIPLE DX	815	10.0	105	1	2	7	13	21	28	54
A. Not Operated	339	9.7	78	3	3	7	12	18	23	42
B. Operated	1065	6.6	75	1	1	3	7	17	22	40
TOTAL										
0-19 YRS	9	3.0	3	< 1	< 1	3	4	5	6	6
20-34	171	3.9	20	1	1	3	4	8	13	25
35-49	376	4.8	61	1	1	3	5	9	13	46
50-64	346	6.0	53	1	1	4	7	14	20	39
65 +	502	11.4	101	2	3	8	15	22	30	50
GRAND TOTAL	**1404**	**7.3**	**78**	**1**	**1**	**4**	**9**	**17**	**22**	**40**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	14	2.1	1	1	1	2	3	3	4	4
35-49	15	2.1	2	< 1	1	2	3	4	5	6
50-64	17	2.1	3	< 1	< 1	1	3	4	6	7
65 +	17	2.0	2	< 1	< 1	1	3	5	5	5
B. Operated										
0-19 YRS	10	2.3	3	1	1	2	4	5	5	5
20-34	171	3.1	7	1	1	3	4	5	6	10
35-49	259	2.9	3	1	2	2	4	5	6	8
50-64	150	3.0	3	1	1	3	4	5	6	10
65 +	34	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	38	2.8	3	< 1	< 1	3	4	5	6	8
35-49	68	3.5	6	1	1	3	4	7	8	12
50-64	73	2.9	4	< 1	< 1	2	4	6	6	10
65 +	86	4.1	8	1	1	3	5	9	10	13
B. Operated										
0-19 YRS	13	2.8	1	1	1	3	3	4	5	5
20-34	574	3.4	4	1	2	3	4	6	7	10
35-49	1129	3.5	4	1	1	3	4	6	7	11
50-64	817	3.9	9	1	2	3	5	7	8	14
65 +	457	4.6	11	1	2	4	6	9	10	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.0	2	< 1	< 1	1	3	4	5	7
B. Operated	624	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	265	3.4	6	< 1	1	3	4	7	8	12
B. Operated	2990	3.8	7	1	2	3	5	6	8	13
1. SINGLE DX	689	2.9	4	1	1	2	4	5	6	9
2. MULTIPLE DX	3255	3.7	7	1	1	3	5	6	8	13
A. Not Operated	330	3.2	5	< 1	< 1	3	4	6	8	12
B. Operated	3614	3.6	6	1	1	3	4	6	8	12
TOTAL										
0-19 YRS	25	2.5	2	1	1	2	3	5	5	5
20-34	797	3.3	4	1	1	3	4	5	6	10
35-49	1471	3.4	4	1	1	3	4	6	7	11
50-64	1057	3.7	8	1	1	3	5	6	8	14
65 +	594	4.4	10	1	1	4	5	8	10	16
GRAND TOTAL	**3944**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.5	7	1	1	2	6	8	9	10
20-34	84	6.5	12	1	2	6	9	10	12	17
35-49	95	6.9	11	2	2	7	9	11	13	17
50-64	90	6.3	8	2	2	6	8	11	11	14
65 +	93	7.2	17	1	2	7	10	12	13	22
B. Operated										
0-19 YRS	34	3.4	11	< 1	1	2	5	9	10	11
20-34	75	4.4	14	< 1	1	3	7	10	11	14
35-49	69	5.2	19	1	1	4	7	10	12	25
50-64	39	6.7	11	1	2	7	9	11	12	13
65 +	57	7.6	18	< 1	2	8	10	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	4.1	25	< 1	1	3	5	8	11	32
20-34	137	6.0	15	1	2	6	8	10	12	20
35-49	265	7.0	37	1	2	6	9	13	17	22
50-64	577	6.6	19	1	2	6	9	12	14	20
65 +	1390	7.2	32	2	2	6	9	13	16	30
B. Operated										
0-19 YRS	58	10.1	253	1	1	5	13	29	78	99 +
20-34	136	8.8	171	1	1	6	9	17	35	88
35-49	180	9.1	64	1	2	7	12	17	24	39
50-64	315	8.9	35	2	3	8	11	16	19	32
65 +	619	10.3	48	3	4	9	13	17	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	384	6.5	13	1	2	6	9	11	12	17
B. Operated	274	5.5	17	1	1	5	8	11	12	16
2. MULTIPLE DX										
A. Not Operated	2419	6.9	28	1	2	6	9	12	15	27
B. Operated	1308	9.6	69	1	2	8	12	17	24	50
1. SINGLE DX	658	6.1	15	1	1	6	9	11	12	16
2. MULTIPLE DX	3727	7.9	44	1	2	7	10	14	18	[illegible]
A. Not Operated	2803	6.9	26	1	2	6	9	12	15	[illegible]
B. Operated	1582	8.9	62	1	2	8	11	16	21	[illegible]
TOTAL										
0-19 YRS	164	6.0	108	1	1	3	7	14	25	98
20-34	432	6.7	65	1	1	6	8	11	15	54
35-49	609	7.4	40	1	2	6	10	13	17	31
50-64	1021	7.3	24	2	2	7	9	13	16	23
65 +	2159	8.1	37	2	3	7	10	14	18	32
GRAND TOTAL	**4385**	**7.6**	**40**	**1**	**2**	**7**	**10**	**14**	**17**	**32**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1413	2.5	3	1	1	2	3	4	5	9
20-34	175	3.0	2	1	1	3	4	5	6	9
35-49	71	3.3	2	1	1	3	4	5	5	8
50-64	31	4.3	6	1	1	4	6	8	9	9
65+	18	3.3	4	1	1	4	4	6	7	8
B. Operated										
0-19 YRS	171	1.6	2	1	1	1	1	3	5	9
20-34	75	1.9	3	1	1	1	2	3	6	9
35-49	17	2.7	4	1	1	2	4	6	7	7
50-64	6	10.2	83	2	2	8	14	25	26	26
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2725	3.2	5	1	1	3	4	5	7	12
20-34	445	3.5	4	1	2	3	4	6	7	11
35-49	256	4.1	5	1	2	3	5	7	8	12
50-64	264	5.5	22	2	2	4	7	9	13	25
65+	314	5.8	18	2	2	5	7	10	13	19
B. Operated										
0-19 YRS	260	3.6	33	1	1	1	4	8	15	33
20-34	68	3.4	9	1	1	2	4	7	10	15
35-49	63	5.8	36	1	1	4	8	11	19	31
50-64	48	6.6	35	1	1	4	9	15	21	27
65+	50	7.7	35	2	2	6	9	15	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1708	2.6	3	1	1	2	3	5	6	9
B. Operated	271	1.9	6	1	1	1	2	4	7	13
2. MULTIPLE DX										
A. Not Operated	4004	3.6	8	1	1	3	4	6	8	14
B. Operated	489	4.5	32	1	1	2	6	11	16	31
1. SINGLE DX	1979	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	4493	3.7	10	1	1	3	4	7	9	16
A. Not Operated	5712	3.3	6	1	1	3	4	6	7	13
B. Operated	760	3.6	24	1	1	2	4	8	13	27
TOTAL										
0-19 YRS	4569	2.9	6	1	1	2	4	5	6	12
20-34	763	3.2	4	1	1	3	4	6	7	11
35-49	407	4.1	10	1	1	3	5	7	9	17
50-64	349	5.6	24	2	2	4	7	10	13	26
65+	384	5.9	20	2	2	5	7	10	14	20
GRAND TOTAL	**6472**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1576	3.1	3	1	1	3	4	5	6	9
20-34	97	3.5	3	1	2	3	4	6	6	9
35-49	122	4.3	6	2	2	4	5	7	8	15
50-64	105	4.7	13	2	2	4	6	7	9	24
65+	89	5.2	12	2	2	4	6	8	10	23
B. Operated										
0-19 YRS	5	2.4	5	<1	<1	1	4	6	6	6
20-34	3	4.3	4	2	2	5	6	6	6	6
35-49	6	6.2	13	<1	<1	7	9	10	10	10
50-64	4	3.5	8	<1	<1	3	6	6	6	6
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2681	3.9	6	1	2	3	5	7	8	12
20-34	426	4.7	14	2	2	4	5	8	10	22
35-49	756	5.2	9	2	2	5	6	9	11	15
50-64	2288	6.8	23	2	3	6	8	12	15	25
65+	5075	7.3	26	3	3	6	9	12	16	27
B. Operated										
0-19 YRS	28	10.5	146	1	2	8	14	18	24	65
20-34	23	9.8	71	1	2	7	14	24	27	32
35-49	68	8.6	47	2	3	6	10	17	22	39
50-64	171	10.4	107	1	3	8	14	18	24	78
65+	374	12.2	96	3	4	10	15	23	33	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1989	3.4	4	1	1	3	4	6	7	10
B. Operated	20	4.1	9	<1	<1	4	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	11226	6.1	21	2	2	5	7	11	14	23
B. Operated	664	11.2	96	2	3	9	14	21	29	63
1. SINGLE DX	2009	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	11890	6.4	26	2	2	5	8	11	15	26
A. Not Operated	13215	5.7	19	2	2	5	7	10	13	22
B. Operated	684	11.0	95	2	3	8	14	21	28	63
TOTAL										
0-19 YRS	4290	3.6	6	1	2	3	4	6	8	12
20-34	549	4.7	16	2	2	4	5	8	11	24
35-49	952	5.3	12	2	2	5	6	9	11	20
50-64	2568	6.9	29	2	3	6	8	12	15	28
65+	5540	7.6	32	2	3	6	9	13	17	31
GRAND TOTAL	**13899**	**6.0**	**24**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	55	1.1		< 1	1	1	1	1	2	3
20-34	113	1.3		1	1	1	1	2	2	3
35-49	84	1.2		< 1	1	1	1	2	2	4
50-64	37	1.2		1	1	1	1	2	2	3
65 +	11	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	5	1.0		< 1	< 1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	122	1.4	1	1	1	1	2	2	3	6
20-34	415	1.6	1	1	1	1	2	3	4	5
35-49	324	1.7	4	1	1	1	2	3	4	7
50-64	178	1.7	1	1	1	1	2	3	4	5
65 +	46	2.3	11	1	1	1	2	4	6	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	300	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	10	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	1085	1.6	2	1	1	1	2	3	4	6
1. SINGLE DX	300	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX	1095	1.6	2	1	1	1	2	3	4	6
A. Not Operated	10	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	1385	1.5	2	1	1	1	2	2	4	5
TOTAL										
0-19 YRS	177	1.3	1	< 1	1	1	1	2	3	5
20-34	532	1.5	1	1	1	1	2	2	4	5
35-49	409	1.6	3	1	1	1	2	3	4	6
50-64	220	1.6	1	1	1	1	2	3	3	5
65 +	57	2.1	9	1	1	1	2	3	5	21
GRAND TOTAL	**1395**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
20-34	11	1.6	1	< 1	< 1	1	2	3	4	4
35-49	9	1.3		< 1	< 1	1	2	2	2	2
50-64	12	1.4		< 1	< 1	1	2	2	2	2
65 +	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	2	7.5	1	7	7	7	8	8	8	8
65 +	3	2.7	1	2	2	2	4	4	4	4
B. Operated										
0-19 YRS	29	2.1	4	1	1	1	2	5	8	8
20-34	36	2.1	2	< 1	1	2	3	4	5	6
35-49	58	1.6	1	< 1	1	1	2	3	4	7
50-64	57	2.1	3	1	1	2	2	4	6	10
65 +	47	2.4	4	1	1	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	40	1.5	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	7	3.7	8	1	1	2	6	8	8	8
B. Operated	227	2.0	3	1	1	1	2	4	5	9
1. SINGLE DX	40	1.5	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX	234	2.1	3	1	1	2	2	4	6	9
A. Not Operated	7	3.7	8	1	1	2	6	8	8	8
B. Operated	267	2.0	2	< 1	1	1	2	4	5	8
TOTAL										
0-19 YRS	33	2.1	4	< 1	1	1	2	4	8	8
20-34	49	2.0	2	< 1	1	2	2	4	4	6
35-49	67	1.6	1	< 1	1	1	2	3	4	7
50-64	71	2.1	3	1	1	2	2	4	7	10
65 +	54	2.4	3	1	1	2	3	4	6	11
GRAND TOTAL	**274**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.9	1	<1	1	2	3	4	4	4
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3456	1.2	1	1	1	1	1	2	2	3
20-34	625	1.3	1	1	1	1	1	2	2	4
35-49	88	1.3		1	1	1	1	2	3	4
50-64	17	1.6	1	1	1	1	2	2	5	6
65 +	7	1.1		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	2.8	36	<1	<1	2	2	4	5	43
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	2800	1.3	3	<1	1	1	1	2	2	6
20-34	274	1.4	1	1	1	1	1	2	3	6
35-49	61	1.5	1	1	1	1	2	3	4	5
50-64	16	2.6	3	1	1	2	3	6	6	6
65 +	8	2.1	2	<1	<1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.9	1	<1	1	2	3	4	4	4
B. Operated	4193	1.2	1	1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	59	2.8	33	<1	<1	2	3	4	5	41
B. Operated	3159	1.3	3	<1	1	1	1	2	2	6
1. SINGLE DX	4213	1.2	1	1	1	1	1	2	2	3
2. MULTIPLE DX	3218	1.4	4	<1	1	1	1	2	3	6
A. Not Operated	79	2.5	25	<1	<1	2	3	4	5	35
B. Operated	7352	1.3	2	1	1	1	1	2	2	4
TOTAL										
0-19 YRS	6327	1.3	2	<1	1	1	1	2	2	4
20-34	903	1.3	1	1	1	1	1	2	3	5
35-49	152	1.4	1	1	1	1	2	2	3	5
50-64	34	2.1	2	1	1	2	3	4	6	6
65 +	15	1.7	1	<1	1	1	2	4	4	4
GRAND TOTAL	**7431**	**1.3**	**2**	**1**	**1**	**1**	**1**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	253	3.0	3	<1	1	3	4	5	6	10
20-34	97	3.0	2	1	2	3	4	5	6	7
35-49	35	2.7	3	1	1	2	3	5	7	9
50-64	30	3.5	3	1	1	3	4	6	7	7
65 +	11	2.3	2	<1	<1	2	3	5	6	6
B. Operated										
0-19 YRS	319	2.4	7	<1	1	2	3	5	7	14
20-34	228	2.3	6	<1	1	2	3	4	5	9
35-49	180	1.8	2	<1	1	1	2	4	5	7
50-64	158	1.8	3	<1	1	1	2	4	5	9
65 +	77	1.9	3	<1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	371	3.6	6	1	1	3	4	6	8	13
20-34	157	3.4	3	1	1	3	4	6	7	10
35-49	131	4.0	8	1	1	3	5	7	9	14
50-64	95	4.3	10	1	1	4	6	7	9	19
65 +	97	5.6	22	1	1	4	7	11	17	25
B Operated										
0-19 YRS	398	4.5	51	<1	1	2	5	11	17	32
20-34	330	3.3	26	1	1	2	4	7	9	28
35-49	369	2.8	11	1	1	2	3	6	9	18
50-64	349	3.7	42	1	1	2	4	7	11	43
65 +	224	4.7	40	1	1	2	5	12	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	426	3.0	3	1	1	3	4	5	6	9
B. Operated	962	2.1	5	<1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	851	3.9	8	1	1	3	5	7	9	18
B. Operated	1670	3.8	34	1	1	2	4	8	13	30
1. SINGLE DX	1388	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	2521	3.8	25	1	1	2	4	8	11	25
A. Not Operated	1277	3.6	7	1	1	3	4	6	8	14
B. Operated	2632	3.2	24	1	1	2	3	7	10	25
TOTAL										
0-19 YRS	1341	3.5	20	<1	1	2	4	7	10	22
20-34	812	3.0	13	1	1	2	4	5	7	13
35-49	715	2.8	8	1	1	2	3	6	8	13
50-64	632	3.3	26	1	1	2	4	6	9	25
65 +	409	4.3	29	1	1	2	5	10	14	29
GRAND TOTAL	**3909**	**3.3**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3682	3.8	4	1	2	3	5	6	7	11
20-34	720	4.6	5	2	2	4	6	7	9	12
35-49	545	5.2	12	2	2	5	6	8	10	13
50-64	450	5.5	9	2	3	5	7	9	11	15
65 +	571	6.4	10	3	3	6	8	10	13	17
B. Operated										
0-19 YRS	26	6.6	34	< 1	1	5	7	15	19	24
20-34	21	7.5	15	3	3	7	9	13	16	18
35-49	33	8.0	17	3	3	8	12	14	16	16
50-64	33	7.0	13	2	3	6	10	12	14	16
65 +	45	10.2	36	1	2	10	13	19	21	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6847	4.6	10	2	2	4	5	8	10	16
20-34	1335	6.0	23	2	2	5	7	10	13	21
35-49	1601	6.6	19	2	3	6	8	11	15	22
50-64	3172	7.5	23	3	3	6	9	13	16	25
65 +	11327	9.2	38	3	4	8	11	16	20	32
B. Operated										
0-19 YRS	228	13.0	154	3	3	10	15	26	38	76
20-34	162	15.1	186	3	4	11	19	29	40	99
35-49	267	12.9	90	3	4	11	16	24	30	47
50-64	597	14.0	129	4	5	11	16	26	37	77
65 +	1523	15.8	157	5	6	12	19	29	40	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5968	4.4	7	2	2	4	5	7	9	13
B. Operated	158	8.1	26	1	2	7	12	15	17	24
2. MULTIPLE DX										
A. Not Operated	24282	7.3	30	2	3	6	9	13	17	28
B. Operated	2777	14.8	147	4	5	12	18	28	38	80
1. SINGLE DX	6126	4.5	8	2	2	4	5	7	9	14
2. MULTIPLE DX	27059	8.1	47	2	3	6	10	15	20	35
A. Not Operated	30250	6.7	27	2	2	5	8	12	16	26
B. Operated	2935	14.5	143	4	5	11	17	27	37	78
TOTAL										
0-19 YRS	10783	4.5	13	2	2	4	5	7	10	17
20-34	2238	6.3	35	2	2	5	7	11	14	29
35-49	2446	7.0	30	2	3	6	8	12	16	27
50-64	4252	8.2	42	3	3	7	10	14	19	37
65 +	13466	9.8	55	3	4	8	12	17	23	39
GRAND TOTAL	**33185**	**7.4**	**42**	**2**	**3**	**6**	**9**	**14**	**18**	**33**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	3.0	2	1	1	3	4	5	5	10
20-34	93	2.9	2	1	1	3	4	4	5	9
35-49	48	3.2	2	1	1	3	4	5	6	7
50-64	35	3.5	3	1	2	3	4	7	7	8
65 +	21	4.5	4	1	2	4	6	7	8	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	149	3.4	4	1	2	3	4	6	7	11
20-34	189	3.5	6	1	1	3	4	6	7	17
35-49	133	4.3	5	1	2	4	5	7	9	11
50-64	140	5.0	9	2	2	4	6	9	11	18
65 +	295	6.0	18	2	3	5	7	9	13	24
B. Operated										
0-19 YRS	2	10.0	72	4	4	10	16	16	16	16
20-34	7	2.7	3	1	1	3	4	5	5	5
35-49	5	9.2	28	5	5	7	12	18	18	18
50-64	9	11.1	154	2	3	7	11	31	43	43
65 +	12	16.9	322	6	6	12	16	39	66	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	267	3.2	3	1	1	3	4	5	6	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	906	4.6	11	1	2	4	6	8	10	17
B. Operated	35	11.1	173	1	2	7	12	18	39	71
1. SINGLE DX	267	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	941	4.9	18	1	2	4	6	8	11	19
A. Not Operated	1173	4.3	10	1	2	4	5	7	9	17
B. Operated	35	11.1	173	1	2	7	12	18	39	71
TOTAL										
0-19 YRS	221	3.3	4	1	1	3	4	5	7	11
20-34	289	3.3	5	1	1	3	4	5	6	15
35-49	186	4.1	6	1	2	4	5	7	9	12
50-64	184	5.0	17	2	2	4	6	8	11	19
65 +	328	6.3	32	2	3	5	7	10	14	28
GRAND TOTAL	**1208**	**4.5**	**15**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	194	2.9	3	1	1	3	3	5	6	10
20-34	34	3.9	5	1	2	3	5	6	8	11
35-49	41	4.3	7	1	2	4	5	7	8	16
50-64	66	5.4	11	2	3	4	6	9	13	19
65 +	39	5.5	9	2	3	4	7	11	12	14
B. Operated										
0-19 YRS	6	1.7	1	< 1	< 1	1	2	4	4	4
20-34	3	4.7		4	4	5	5	5	5	5
35-49	7	4.9	14	< 1	< 1	4	6	11	12	12
50-64	11	3.3	5	< 1	< 1	3	4	7	9	9
65 +	7	3.3	6	< 1	< 1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	442	3.7	6	1	1	3	4	7	9	12
20-34	98	4.6	13	2	2	4	5	7	9	25
35-49	155	5.0	13	1	2	4	6	8	10	22
50-64	425	6.8	30	2	3	5	8	12	17	28
65 +	671	7.2	40	2	3	6	8	13	16	32
B. Operated										
0-19 YRS	25	7.2	45	< 1	< 1	5	11	21	39	99 +
20-34	13	7.0	24	1	1	7	11	13	14	14
35-49	46	5.8	17	1	1	5	9	11	14	99 +
50-64	89	7.8	46	1	2	6	10	17	21	77
65 +	100	10.3	65	1	3	9	13	21	29	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	374	3.9	7	1	1	3	5	7	8	14
B. Operated	34	3.4	6	< 1	< 1	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	1791	5.9	28	2	2	5	7	10	14	26
B. Operated	273	8.3	49	1	2	7	11	17	24	85
1. SINGLE DX	408	3.8	7	1	1	3	5	7	8	14
2. MULTIPLE DX	2064	6.2	31	1	2	5	8	11	15	30
A. Not Operated	2165	5.5	24	1	2	4	7	10	13	24
B. Operated	307	7.8	47	< 1	1	6	11	17	22	66
TOTAL										
0-19 YRS	667	3.6	7	1	1	3	4	6	9	15
20-34	148	4.6	12	1	2	4	6	8	11	24
35-49	249	5.0	13	1	2	4	6	9	11	22
50-64	591	6.7	30	2	3	5	8	13	17	32
65 +	817	7.5	43	2	3	6	9	14	18	33
GRAND TOTAL	**2472**	**5.8**	**28**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0		2	2	2	2	2	2	2
50-64	19	8.1	34	2	3	6	9	16	23	26
65 +	25	8.3	63	2	3	6	8	19	30	35
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	9.3	54	5	5	6	9	22	24	24
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	29	4.6	6	1	1	4	6	8	9	10
50-64	159	7.9	43	2	3	6	9	15	21	40
65 +	349	7.5	26	2	3	6	9	14	17	29
B. Operated										
0-19 YRS	3	9.7	9	7	7	9	12	13	13	13
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	10	18.7	254	7	9	15	15	41	63	63
50-64	22	14.5	269	3	4	10	15	27	53	79
65 +	44	14.9	79	5	6	13	20	29	34	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	7.9	49	2	2	6	9	18	26	35
B. Operated	13	6.8	32	1	2	6	7	12	22	24
2. MULTIPLE DX										
A. Not Operated	538	7.5	30	2	3	6	9	14	19	30
B. Operated	81	14.8	148	4	5	12	17	28	35	74
1. SINGLE DX	59	7.7	44	2	2	6	8	16	25	34
2. MULTIPLE DX	619	8.4	51	2	3	6	10	16	22	36
A. Not Operated	584	7.5	32	2	3	6	9	14	19	31
B. Operated	94	13.7	139	4	5	10	16	25	34	72
TOTAL										
0-19 YRS	4	8.3	14	4	4	9	35	99 +	99 +	99 +
20-34	9	7.3	44	2	2	6	7	18	24	24
35-49	43	7.9	95	1	2	5	9	15	17	63
50-64	201	8.6	70	2	3	6	10	16	23	45
65 +	421	8.3	38	2	3	7	9	16	22	33
GRAND TOTAL	**678**	**8.4**	**51**	**2**	**3**	**6**	**9**	**16**	**22**	**35**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4397	2.8	2	1	1	3	3	5	5	7
20-34	608	3.4	4	1	1	3	4	6	7	10
35-49	669	3.9	4	1	2	3	5	6	8	11
50-64	425	4.5	8	1	2	4	5	8	10	15
65 +	272	5.2	8	2	2	5	7	9	11	13
B. Operated										
0-19 YRS	19	4.8	5	1	2	5	6	8	9	10
20-34	6	4.0	11	1	1	3	5	9	10	10
35-49	5	4.8	2	3	3	5	6	6	6	6
50-64	5	8.6	19	3	3	9	11	15	15	15
65 +	4	14.3	71	5	5	14	21	24	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3234	3.4	4	1	2	3	4	6	7	10
20-34	830	4.1	6	1	2	4	5	7	9	14
35-49	1158	5.2	12	2	2	4	6	9	12	18
50-64	2052	6.1	17	2	2	5	8	11	13	21
65 +	2724	7.0	25	2	3	6	9	12	15	24
B. Operated										
0-19 YRS	60	8.0	35	2	2	6	10	15	20	30
20-34	38	8.1	26	3	4	6	10	16	21	23
35-49	78	10.9	96	3	3	8	12	20	28	59
50-64	115	12.3	105	3	4	9	15	25	39	99 +
65 +	154	14.5	180	4	4	11	17	27	45	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6371	3.2	4	1	1	3	4	5	7	10
B. Operated	39	6.2	21	1	2	5	7	10	17	24
2. MULTIPLE DX										
A. Not Operated	9998	5.2	16	1	2	4	6	9	12	20
B. Operated	445	11.9	119	3	4	9	15	24	31	64
1. SINGLE DX	6410	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	10443	5.5	22	1	2	4	7	10	13	23
A. Not Operated	16369	4.4	12	1	2	4	5	8	10	17
B. Operated	484	11.4	113	3	4	8	14	23	30	64
TOTAL										
0-19 YRS	7710	3.1	4	1	1	3	4	5	6	9
20-34	1482	3.9	6	1	2	3	5	7	8	14
35-49	1910	4.9	15	1	2	4	6	8	11	19
50-64	2597	6.1	22	2	2	5	7	11	14	24
65 +	3154	7.2	34	2	3	6	9	13	16	27
GRAND TOTAL	**16853**	**4.6**	**16**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.7	8	1	1	3	4	8	9	9
20-34	5	5.4	8	3	3	4	8	9	9	9
35-49	19	4.3	4	1	2	4	5	7	9	9
50-64	135	5.5	9	1	2	5	8	10	11	14
65 +	143	6.6	27	2	3	5	8	11	15	44
B. Operated										
0-19 YRS	5	5.8	9	1	1	7	8	9	9	9
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	5	4.4	18	2	2	3	5	12	12	12
50-64	3	3.3	10	< 1	< 1	2	6	7	7	7
65 +	4	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	10.9	64	3	4	10	13	14	20	52
20-34	32	7.1	33	2	2	5	9	13	15	31
35-49	131	6.2	25	2	2	5	7	11	15	29
50-64	918	7.0	27	2	3	6	9	12	16	28
65 +	1547	7.5	31	2	3	6	9	14	18	28
B. Operated										
0-19 YRS	36	13.0	127	< 1	2	11	16	24	27	63
20-34	14	9.9	35	3	4	9	13	21	22	22
35-49	46	7.4	25	1	2	8	9	14	17	24
50-64	119	14.1	216	2	3	9	15	34	52	75
65 +	174	12.8	139	2	3	9	16	28	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	308	5.9	17	2	2	5	8	10	12	26
B. Operated	19	4.1	10	< 1	< 1	3	7	8	11	12
2. MULTIPLE DX										
A. Not Operated	2727	7.4	31	2	3	6	9	13	17	28
B. Operated	389	12.5	147	2	3	9	15	26	41	75
1. SINGLE DX	327	5.8	17	1	2	5	8	10	12	26
2. MULTIPLE DX	3116	8.0	49	2	3	6	10	14	19	37
A. Not Operated	3035	7.2	30	2	3	6	9	13	16	28
B. Operated	408	12.1	144	2	3	9	14	25	41	75
TOTAL										
0-19 YRS	146	10.9	78	2	3	10	13	16	24	64
20-34	53	7.6	32	2	3	6	10	13	20	31
35-49	201	6.2	23	2	2	5	8	11	15	26
50-64	1175	7.5	49	2	3	6	9	13	17	37
65 +	1868	8.0	44	2	3	6	10	14	20	38
GRAND TOTAL	**3443**	**7.8**	**46**	**2**	**3**	**6**	**10**	**14**	**19**	**36**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.8	4	<1	1	2	3	6	8	9
20-34	55	2.8	4	1	1	2	4	5	6	9
35-49	19	2.9	3	1	1	3	4	5	6	7
50-64	8	3.6	4	1	1	3	4	7	8	8
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	95	6.0	13	2	3	5	8	11	13	17
20-34	283	5.5	12	2	2	4	7	10	12	19
35-49	82	6.3	15	2	3	5	9	11	12	22
50-64	32	9.0	58	3	3	6	10	24	26	31
65+	15	8.3	33	1	4	6	13	22	77	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.8	2	1	1	3	4	5	5	5
20-34	16	4.9	16	1	2	4	6	8	15	18
35-49	11	5.3	12	3	3	4	6	10	15	15
50-64	32	4.4	5	1	2	4	5	8	10	10
65+	48	7.4	39	2	2	6	9	15	25	29
B. Operated										
0-19 YRS	30	9.8	78	2	4	6	13	17	26	46
20-34	112	8.2	30	3	3	6	11	15	19	29
35-49	79	9.3	64	2	3	7	13	18	25	42
50-64	127	10.1	58	3	4	7	13	19	28	36
65+	195	11.9	98	3	4	8	14	26	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	2.9	3	1	1	3	4	5	7	9
B. Operated	507	6.0	17	2	3	5	7	11	15	24
2. MULTIPLE DX										
A. Not Operated	117	5.7	23	1	2	4	7	10	16	27
B. Operated	543	10.2	70	3	4	7	13	21	28	43
1. SINGLE DX	607	5.5	16	1	2	4	7	10	13	23
2. MULTIPLE DX	660	9.4	65	2	3	7	12	19	26	43
A. Not Operated	217	4.4	16	1	1	3	5	8	10	25
B. Operated	1050	8.2	49	2	3	6	10	16	22	39
TOTAL										
0-19 YRS	152	6.2	28	2	2	5	8	12	15	26
20-34	466	5.8	18	1	2	5	7	11	15	20
35-49	191	7.2	38	2	2	5	9	14	18	36
50-64	199	8.7	52	2	3	6	10	18	25	35
65+	259	10.9	87	3	3	8	13	24	31	52
GRAND TOTAL	**1267**	**7.6**	**45**	**2**	**2**	**5**	**9**	**15**	**21**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	463	2.8	3	1	1	2	3	5	6	10
20-34	78	3.6	5	1	1	3	5	7	8	11
35-49	98	3.1	4	1	1	3	4	6	8	10
50-64	75	4.5	8	1	1	4	6	8	10	13
65+	80	5.2	28	1	2	4	6	9	13	35
B. Operated										
0-19 YRS	82	4.5	31	<1	1	2	5	11	17	28
20-34	31	5.9	17	1	1	5	8	12	15	16
35-49	49	7.1	40	<1	1	6	8	13	19	32
50-64	68	6.0	27	<1	1	4	8	13	17	21
65+	66	8.0	90	<1	1	5	10	17	25	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	761	4.6	30	1	1	3	5	8	11	25
20-34	221	4.5	14	1	1	3	5	9	11	22
35-49	443	5.7	22	1	2	4	7	10	14	25
50-64	1092	6.7	26	2	2	5	8	12	16	25
65+	2978	8.1	41	2	3	6	10	15	20	33
B. Operated										
0-19 YRS	234	11.2	204	1	1	5	15	32	49	99+
20-34	119	9.9	72	1	1	7	14	21	28	38
35-49	265	12.4	178	1	2	9	15	26	36	77
50-64	578	12.6	165	2	2	9	16	26	39	82
65+	978	14.2	187	2	3	10	17	29	40	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	794	3.3	7	1	1	3	4	6	8	12
B. Operated	296	6.2	44	<1	1	4	8	14	18	32
2. MULTIPLE DX										
A. Not Operated	5495	7.0	36	2	2	5	9	13	17	30
B. Operated	2174	13.0	177	1	2	9	16	28	39	84
1. SINGLE DX	1090	4.1	19	1	1	3	5	8	11	20
2. MULTIPLE DX	7669	8.7	83	2	2	6	11	17	24	52
A. Not Operated	6289	6.5	34	1	2	5	8	13	16	29
B. Operated	2470	12.2	166	1	2	9	15	27	37	80
TOTAL										
0-19 YRS	1540	5.0	56	1	1	3	5	10	16	49
20-34	449	5.9	34	1	1	4	7	13	17	29
35-49	855	7.5	80	1	2	5	9	15	23	43
50-64	1813	8.4	78	2	2	6	10	17	23	55
65+	4102	9.5	84	2	3	7	12	18	25	51
GRAND TOTAL	**8759**	**8.1**	**78**	**1**	**2**	**6**	**10**	**16**	**23**	**49**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.8	2	1	1	3	4	5	5	5
20-34	10	2.9	4	1	1	2	4	6	7	7
35-49	7	2.6	4	< 1	< 1	2	4	6	6	6
50-64	5	4.4	6	1	1	5	6	7	7	7
65 +	3	5.3	2	4	4	5	6	7	7	7
B. Operated										
0-19 YRS	330	2.1	2	< 1	< 1	2	3	4	4	6
20-34	376	2.7	4	1	1	2	3	4	5	8
35-49	237	2.7	3	1	1	2	3	4	5	10
50-64	100	2.4	1	1	1	2	3	4	5	7
65 +	26	2.8	3	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	3.4	6	< 1	1	3	4	6	8	15
20-34	44	3.3	3	1	1	3	4	6	7	10
35-49	36	3.4	9	< 1	1	3	4	6	7	18
50-64	27	4.3	10	1	1	4	5	8	12	14
65 +	29	6.6	34	1	1	5	9	13	19	27
B. Operated										
0-19 YRS	475	2.5	5	< 1	< 1	2	3	4	5	10
20-34	378	3.3	11	1	1	3	4	5	7	21
35-49	307	3.3	6	1	1	3	4	6	8	13
50-64	166	3.3	15	1	1	3	4	6	8	13
65 +	142	3.5	11	1	1	2	4	6	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.2	4	1	1	3	5	6	7	7
B. Operated	1069	2.5	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	203	3.9	12	1	1	3	4	8	10	18
B. Operated	1468	3.1	8	< 1	1	2	4	5	7	16
1. SINGLE DX	1108	2.5	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX	1671	3.2	9	< 1	1	2	4	5	8	16
A. Not Operated	242	3.8	10	1	1	3	4	7	9	18
B. Operated	2537	2.8	6	< 1	1	2	3	5	6	13
TOTAL										
0-19 YRS	886	2.4	4	< 1	< 1	2	3	4	5	9
20-34	808	3.0	7	1	1	3	4	5	6	13
35-49	587	3.0	5	1	1	3	4	5	7	13
50-64	298	3.1	10	1	1	2	3	5	8	13
65 +	200	3.9	14	1	1	3	4	8	11	19
GRAND TOTAL	**2779**	**2.9**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	3.6	4	1	2	3	4	7	8	10
20-34	17	3.6	4	1	1	4	5	6	7	8
35-49	8	3.1	4	1	1	3	5	6	6	6
50-64	6	4.2	12	2	2	3	4	10	11	11
65 +	7	3.6	4	1	1	4	4	6	7	7
B. Operated										
0-19 YRS	60	2.7	4	< 1	< 1	2	4	5	7	9
20-34	26	2.5	3	1	1	2	3	5	6	7
35-49	63	2.3	5	1	1	2	2	4	7	13
50-64	43	2.5	6	< 1	1	2	3	5	8	12
65 +	35	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	117	3.7	4	1	2	3	5	6	8	11
20-34	28	4.0	8	< 1	1	3	5	7	10	14
35-49	24	5.5	10	2	2	5	7	9	12	14
50-64	31	5.0	12	1	1	4	6	11	12	15
65 +	82	7.7	29	3	3	6	9	14	17	32
B. Operated										
0-19 YRS	56	4.8	64	1	1	3	5	8	10	57
20-34	43	4.0	15	1	1	2	5	9	11	19
35-49	71	4.8	98	1	1	2	5	8	13	67
50-64	59	3.5	11	1	1	2	3	8	12	15
65 +	80	5.0	34	1	1	3	5	12	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	3.6	4	1	1	3	4	6	8	11
B. Operated	227	2.5	4	< 1	1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	282	5.2	16	1	2	4	6	9	12	21
B. Operated	309	4.5	47	1	1	3	5	10	13	30
1. SINGLE DX	322	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX	591	4.8	32	1	1	3	6	9	13	25
A. Not Operated	377	4.8	13	1	2	4	6	9	11	18
B. Operated	536	3.7	30	1	1	2	4	7	11	23
TOTAL										
0-19 YRS	290	3.7	16	1	1	3	4	6	8	11
20-34	114	3.6	9	1	1	3	5	7	10	16
35-49	166	3.9	47	1	1	2	4	7	11	24
50-64	139	3.5	10	1	1	2	4	8	11	15
65 +	204	5.6	29	1	1	4	7	12	16	30
GRAND TOTAL	**913**	**4.1**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	300	3.2	16	1	1	2	4	7	8	20
20-34	61	2.4	2	< 1	< 1	2	3	4	5	8
35-49	122	2.5	2	< 1	1	2	3	4	6	8
50-64	83	2.8	3	1	1	3	3	5	6	10
65 +	39	3.0	4	< 1	< 1	2	5	6	7	9
B. Operated										
0-19 YRS	142	5.0	22	1	1	4	7	9	12	26
20-34	31	3.9	5	1	1	4	6	7	7	8
35-49	55	4.6	9	1	1	4	7	8	10	14
50-64	44	5.1	86	< 1	< 1	3	5	9	20	58
65 +	32	2.9	6	< 1	< 1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	543	4.3	17	1	1	3	5	9	12	18
20-34	291	3.6	13	1	1	3	4	6	7	13
35-49	609	3.4	5	1	1	3	4	6	7	11
50-64	758	4.1	12	1	1	3	5	7	9	16
65 +	1002	4.9	18	1	2	4	6	8	11	21
B. Operated										
0-19 YRS	363	11.6	156	1	1	8	15	26	38	82
20-34	128	5.9	23	< 1	1	5	7	12	16	23
35-49	291	6.1	51	< 1	1	5	7	10	15	41
50-64	458	6.6	39	< 1	1	5	8	14	21	31
65 +	708	8.4	78	1	2	6	10	17	25	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	605	2.9	9	1	1	2	3	6	7	11
B. Operated	304	4.6	26	< 1	1	4	6	8	11	23
2. MULTIPLE DX										
A. Not Operated	3203	4.2	14	1	1	3	5	7	10	17
B. Operated	1948	8.1	79	1	1	6	9	17	25	47
1. SINGLE DX	909	3.5	15	< 1	1	2	4	7	9	17
2. MULTIPLE DX	5151	5.7	42	1	1	4	7	11	16	34
A. Not Operated	3808	4.0	13	1	1	3	5	7	9	16
B. Operated	2252	7.6	73	1	1	5	9	16	23	45
TOTAL										
0-19 YRS	1348	6.1	66	1	1	3	7	13	19	46
20-34	511	4.0	15	< 1	1	3	5	7	10	18
35-49	1077	4.1	19	1	1	3	5	7	9	21
50-64	1343	4.9	25	1	1	4	6	9	13	27
65 +	1781	6.2	45	1	2	4	7	12	17	34
GRAND TOTAL	**6060**	**5.3**	**39**	**1**	**1**	**4**	**6**	**10**	**15**	**33**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.8	7	1	1	4	6	6	6	6
20-34	31	3.5	5	1	1	3	4	7	7	11
35-49	40	3.9	6	1	1	3	5	7	8	12
50-64	31	4.1	10	< 1	1	3	5	8	11	15
65 +	20	4.0	6	< 1	1	3	6	8	9	9
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	12	6.4	8	2	3	6	8	11	12	12
35-49	28	5.7	10	1	1	6	8	10	11	13
50-64	30	5.8	9	1	2	6	8	10	11	11
65 +	10	4.7	7	< 1	1	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.6	4	1	1	3	5	6	8	8
20-34	55	3.5	7	1	1	3	4	6	9	16
35-49	140	4.6	11	1	2	4	5	8	10	20
50-64	202	4.6	8	2	2	4	6	7	10	16
65 +	261	6.2	30	2	2	5	7	11	15	26
B. Operated										
0-19 YRS	4	5.8	25	2	2	4	9	13	13	13
20-34	47	6.7	33	2	2	5	8	12	19	32
35-49	148	6.6	20	2	2	6	8	12	17	24
50-64	197	6.5	32	< 1	1	5	8	12	17	39
65 +	244	7.7	44	1	3	6	9	13	22	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	3.9	6	< 1	1	3	5	7	9	13
B. Operated	81	5.7	9	1	2	6	8	10	11	13
2. MULTIPLE DX										
A. Not Operated	670	5.1	18	2	2	4	6	9	11	23
B. Operated	640	7.0	34	1	2	6	8	12	18	32
1. SINGLE DX	207	4.6	8	1	1	4	6	9	10	13
2. MULTIPLE DX	1310	6.0	27	1	2	5	7	11	15	28
A. Not Operated	796	4.9	16	1	2	4	6	8	11	21
B. Operated	721	6.9	31	1	2	6	8	12	17	32
TOTAL										
0-19 YRS	21	4.1	8	1	1	4	5	7	10	13
20-34	145	4.8	17	1	2	4	6	9	12	23
35-49	356	5.4	15	1	2	4	7	10	12	22
50-64	460	5.5	19	1	2	4	7	10	13	24
65 +	535	6.8	36	2	2	5	8	11	17	32
GRAND TOTAL	**1517**	**5.8**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.4	8	1	1	2	5	8	8	8
20-34	19	3.3	4	1	1	3	4	6	7	8
35-49	34	3.8	3	2	2	4	5	6	7	9
50-64	44	4.2	5	1	2	4	5	6	8	13
65 +	40	5.4	8	2	3	5	7	10	11	11
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	5.4	3	3	3	5	6	8	8	8
35-49	20	6.1	5	1	3	6	8	9	10	10
50-64	35	6.5	11	3	3	6	8	13	13	14
65 +	32	7.7	13	2	4	7	10	13	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.0	5	1	2	3	4	8	8	8
20-34	51	3.8	5	1	1	3	5	7	9	10
35-49	119	4.3	5	1	2	4	5	6	8	14
50-64	255	4.9	8	2	2	5	6	7	9	14
65 +	675	6.5	19	2	3	6	8	10	15	26
B. Operated										
0-19 YRS	7	4.1	9	1	1	4	7	8	8	8
20-34	36	7.1	11	2	3	7	9	13	14	99 +
35-49	122	9.7	130	2	3	6	11	19	29	68
50-64	257	9.2	75	2	3	7	11	17	24	46
65 +	721	10.3	70	3	3	8	13	20	26	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	4.3	6	1	2	4	5	7	10	12
B. Operated	96	6.7	10	3	3	6	8	12	13	15
2. MULTIPLE DX										
A. Not Operated	1110	5.8	15	2	3	5	7	10	12	22
B. Operated	1143	9.9	76	2	3	7	12	19	26	49
1. SINGLE DX	238	5.3	9	1	2	5	7	9	12	14
2. MULTIPLE DX	2253	7.8	50	2	3	6	9	15	20	37
A. Not Operated	1252	5.6	14	2	2	5	7	10	12	21
B. Operated	1239	9.6	71	2	3	7	12	18	24	48
TOTAL										
0-19 YRS	23	3.9	6	1	1	3	5	8	8	8
20-34	114	4.9	9	1	2	4	7	9	11	44
35-49	295	6.6	64	2	2	4	7	12	17	49
50-64	591	6.8	41	2	3	5	8	12	16	32
65 +	1468	8.4	47	2	3	6	10	16	21	37
GRAND TOTAL	**2491**	**7.6**	**47**	**2**	**3**	**6**	**9**	**14**	**20**	**34**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A: Not Operated										
0-19 YRS	39	3.1	6	1	1	3	4	5	6	15
20-34	148	3.3	4	1	1	3	4	6	7	10
35-49	202	3.4	4	1	1	3	4	6	7	10
50-64	89	3.7	6	1	1	3	4	6	7	16
65 +	38	3.5	3	< 1	1	3	4	6	7	8
B. Operated										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	20	6.9	13	3	3	6	9	12	13	14
35-49	36	6.8	10	1	3	6	8	12	13	14
50-64	18	7.8	13	2	3	7	9	14	15	15
65 +	8	5.3	24	< 1	< 1	3	8	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.5	3	1	1	3	5	6	6	7
20-34	239	3.7	7	1	1	3	4	6	8	14
35-49	424	4.2	7	1	2	4	5	7	9	13
50-64	420	4.4	9	1	2	4	5	7	9	16
65 +	487	5.6	18	2	2	5	6	10	13	24
B. Operated										
0-19 YRS	7	15.7	252	3	3	7	26	42	45	45
20-34	52	6.1	12	2	3	5	8	10	11	22
35-49	128	7.1	16	2	2	6	9	12	15	22
50-64	104	7.3	32	1	2	6	9	14	18	32
65 +	115	7.6	19	2	3	7	9	14	16	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	516	3.4	4	1	1	3	4	6	7	12
B. Operated	86	6.7	12	2	3	6	9	12	14	15
2. MULTIPLE DX										
A. Not Operated	1614	4.5	11	1	2	4	5	8	10	18
B. Operated	406	7.3	25	2	3	6	9	12	16	29
1. SINGLE DX	602	3.9	7	1	1	3	5	7	9	14
2. MULTIPLE DX	2020	5.1	15	1	2	4	6	9	11	22
A. Not Operated	2130	4.3	10	1	2	4	5	7	9	17
B. Operated	492	7.2	23	2	3	6	9	12	15	27
TOTAL										
0-19 YRS	94	4.3	31	1	1	3	5	6	7	38
20-34	459	4.0	8	1	2	3	5	7	10	14
35-49	790	4.6	9	1	2	4	6	9	10	16
50-64	631	4.9	14	1	2	4	6	8	11	21
65 +	648	5.8	18	2	2	5	7	10	14	23
GRAND TOTAL	**2622**	**4.8**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.6	4	1	1	3	5	7	7	7
20-34	81	3.7	8	1	2	3	4	7	7	18
35-49	94	3.4	2	1	1	3	5	5	6	6
50-64	89	4.1	3	2	2	4	5	7	8	10
65 +	52	5.3	10	2	2	5	6	10	11	20
B. Operated										
0-19 YRS	9	6.6	4	4	4	6	8	10	10	10
20-34	55	7.7	9	4	5	7	8	11	14	21
35-49	59	7.3	6	4	5	7	8	11	13	14
50-64	64	7.6	9	4	5	7	9	12	14	16
65 +	37	8.3	12	3	4	8	10	13	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.5	3	< 1	1	3	4	7	8	8
20-34	122	4.2	6	2	2	4	5	6	8	17
35-49	265	4.5	7	2	2	4	5	7	8	16
50-64	384	5.1	12	2	2	4	6	8	10	19
65 +	856	6.8	25	3	3	6	8	11	15	29
B. Operated										
0-19 YRS	10	8.5	46	2	2	6	9	20	24	24
20-34	49	8.6	24	3	4	8	11	14	18	29
35-49	106	9.8	44	4	4	8	12	18	25	33
50-64	205	11.1	101	3	4	9	13	20	30	57
65 +	477	12.8	112	4	4	10	15	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	4.0	6	1	2	4	5	6	7	13
B. Operated	224	7.6	9	4	5	7	9	12	14	17
2. MULTIPLE DX										
A. Not Operated	1646	5.8	19	2	3	5	7	9	12	24
B. Operated	847	11.7	97	3	4	9	14	22	32	52
1. SINGLE DX	549	5.5	10	2	2	5	7	9	12	16
2. MULTIPLE DX	2493	7.8	53	2	3	6	9	15	20	39
A. Not Operated	1971	5.5	17	2	2	5	6	9	12	21
B. Operated	1071	10.9	81	4	4	8	12	20	28	47
TOTAL										
0-19 YRS	47	5.2	16	1	2	4	7	9	11	24
20-34	307	5.4	14	2	2	4	7	9	12	19
35-49	524	5.7	19	2	2	5	7	10	13	26
50-64	742	6.9	43	2	2	5	8	12	16	34
65 +	1422	8.8	62	3	3	7	10	16	22	42
GRAND TOTAL	**3042**	**7.4**	**46**	**2**	**3**	**6**	**9**	**13**	**18**	**36**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	4	7.8	39	4	4	5	11	17	17	17
35-49	11	4.8	7	2	2	5	6	8	11	11
50-64	15	5.0	5	2	3	5	6	8	9	10
65 +	8	4.9	8	< 1	1	4	7	9	9	9
B. Operated										
0-19 YRS	0									
20-34	9	10.4	34	2	3	12	14	18	20	20
35-49	22	10.4	14	6	6	10	13	15	17	20
50-64	30	10.6	41	3	4	9	13	17	21	34
65 +	12	12.9	111	2	3	10	15	29	38	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	7.3	74	2	2	4	7	22	28	28
35-49	22	5.3	15	2	2	4	5	9	13	20
50-64	33	5.1	5	2	2	5	6	8	10	10
65 +	67	7.1	16	3	3	7	8	11	14	23
B. Operated										
0-19 YRS	0									
20-34	10	12.2	90	5	5	9	12	29	32	32
35-49	47	10.9	33	5	5	9	12	18	21	37
50-64	85	14.6	115	4	6	12	18	24	41	56
65 +	137	15.9	114	5	6	13	20	27	37	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	5.2	9	2	2	5	6	9	10	17
B. Operated	73	10.9	42	3	5	10	13	18	21	39
2. MULTIPLE DX										
A. Not Operated	131	6.3	17	2	3	5	8	10	14	25
B. Operated	279	14.5	102	4	5	11	19	25	34	55
1. SINGLE DX	113	8.9	38	2	3	8	11	16	20	36
2. MULTIPLE DX	410	11.9	90	3	4	9	15	23	28	54
A. Not Operated	171	6.0	15	2	2	5	8	10	13	23
B. Operated	352	13.8	92	4	5	11	17	24	32	55
TOTAL										
0-19 YRS	3	5.0	7	2	2	6	7	7	7	7
20-34	31	9.8	61	2	3	8	12	23	28	32
35-49	102	8.9	29	2	4	8	11	15	20	30
50-64	163	11.1	86	3	3	8	14	21	26	54
65 +	224	12.7	98	3	4	10	16	24	30	54
GRAND TOTAL	**523**	**11.2**	**80**	**3**	**4**	**9**	**14**	**21**	**27**	**51**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	176	2.3	3	1	1	2	3	4	5	10
20-34	268	2.7	3	1	1	2	4	5	6	8
35-49	211	3.0	4	1	1	3	4	5	7	10
50-64	121	2.6	3	< 1	< 1	2	3	5	6	8
65 +	59	2.9	5	< 1	< 1	2	4	5	9	12
B. Operated										
0-19 YRS	37	2.5	2	< 1	1	2	3	4	5	9
20-34	24	4.0	7	1	2	3	5	8	10	11
35-49	29	4.5	5	1	1	5	6	7	8	9
50-64	27	4.4	12	< 1	< 1	3	5	10	12	12
65 +	16	4.2	19	< 1	< 1	2	7	12	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	529	2.5	2	1	1	2	3	4	5	8
20-34	789	3.4	7	1	1	3	4	6	7	14
35-49	1014	4.0	7	1	2	3	5	7	9	14
50-64	1014	4.3	8	1	2	4	5	7	9	16
65 +	1379	5.3	14	2	2	4	7	10	12	21
B. Operated										
0-19 YRS	63	5.8	133	1	2	4	5	8	16	82
20-34	152	6.0	27	1	2	5	7	11	17	29
35-49	275	5.9	19	1	2	5	7	11	13	21
50-64	285	6.3	37	1	2	5	8	12	14	46
65 +	461	7.7	30	2	3	6	10	15	18	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	835	2.7	3	< 1	1	2	3	5	6	10
B. Operated	133	3.8	8	< 1	< 1	3	5	8	10	13
2. MULTIPLE DX										
A. Not Operated	4725	4.2	10	1	2	3	5	7	10	16
B. Operated	1236	6.7	34	1	2	5	8	13	16	26
1. SINGLE DX	968	2.9	4	< 1	1	2	4	5	7	11
2. MULTIPLE DX	5961	4.7	16	1	2	4	6	9	11	19
A. Not Operated	5560	4.0	9	1	1	3	5	7	9	16
B. Operated	1369	6.4	33	1	2	5	8	12	16	26
TOTAL										
0-19 YRS	805	2.7	13	1	1	2	3	4	6	10
20-34	1233	3.6	9	1	1	3	4	6	8	17
35-49	1529	4.2	10	1	1	4	5	8	10	15
50-64	1447	4.5	14	1	2	4	5	8	11	16
65 +	1915	5.8	19	1	2	5	7	11	14	23
GRAND TOTAL	**6929**	**4.4**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.5	7	1	1	3	4	7	10	12
20-34	57	3.4	5	1	1	3	5	6	7	14
35-49	45	4.1	21	1	1	3	4	6	9	31
50-64	22	2.6	4	< 1	< 1	2	3	4	7	10
65 +	7	3.4	13	< 1	< 1	2	4	10	11	11
B. Operated										
0-19 YRS	60	3.8	25	2	2	3	4	5	5	38
20-34	10	6.2	10	< 1	1	6	8	10	12	12
35-49	12	13.1	54	4	6	11	18	23	28	29
50-64	16	9.2	68	1	1	8	12	16	29	34
65 +	13	10.7	48	< 1	1	11	13	22	24	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	3.3	7	1	1	2	4	6	8	14
20-34	141	4.0	12	1	1	3	5	7	9	18
35-49	165	4.6	17	1	1	4	6	8	11	23
50-64	214	4.9	21	1	2	4	6	9	12	22
65 +	258	5.8	30	1	2	4	7	12	16	28
B. Operated										
0-19 YRS	56	5.9	34	1	2	4	7	11	26	95
20-34	35	7.1	34	< 1	2	6	8	12	23	26
35-49	90	12.5	190	2	3	8	14	26	47	72
50-64	100	11.8	125	2	4	8	14	21	35	86
65 +	174	13.8	127	3	4	11	17	27	36	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	3.5	10	1	1	3	4	6	8	14
B. Operated	111	6.6	46	1	2	4	8	15	20	37
2. MULTIPLE DX										
A. Not Operated	891	4.8	20	1	1	4	6	9	13	23
B. Operated	455	11.6	127	2	3	8	14	24	34	72
1. SINGLE DX	275	4.8	27	1	1	3	5	10	14	30
2. MULTIPLE DX	1346	7.1	67	1	2	4	8	15	21	47
A. Not Operated	1055	4.6	19	1	1	3	5	8	12	22
B. Operated	566	10.6	115	2	2	8	13	22	30	65
TOTAL										
0-19 YRS	262	4.0	18	1	1	3	4	7	11	29
20-34	243	4.4	15	1	1	3	5	8	10	24
35-49	312	7.1	83	1	2	4	8	15	23	53
50-64	352	6.9	62	1	2	5	8	14	19	48
65 +	452	9.0	83	1	2	6	12	19	25	46
GRAND TOTAL	**1621**	**6.7**	**61**	**1**	**2**	**4**	**8**	**14**	**20**	**43**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.1	1	< 1	< 1	2	3	3	5	5
20-34	13	2.2	2	< 1	< 1	2	3	4	5	5
35-49	6	2.0	2	< 1	< 1	2	3	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	2066	2.9	2	1	2	3	3	4	5	8
20-34	1389	3.1	2	1	2	3	4	5	6	9
35-49	526	3.5	3	2	2	3	4	5	7	9
50-64	176	3.9	3	2	2	4	5	6	7	11
65 +	51	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0	3	1	1	1	3	5	5	5
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	1	11.0		11	11	11	11	11	11	11
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	346	4.2	10	2	2	3	5	7	9	18
20-34	325	4.4	6	2	2	4	5	7	9	16
35-49	185	5.6	17	2	2	4	6	10	15	22
50-64	101	6.1	22	2	2	5	7	11	15	26
65 +	86	7.0	14	3	4	6	9	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.1	1	< 1	< 1	2	3	4	5	5
B. Operated	4208	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	13	3.3	10	1	1	2	5	8	10	11
B. Operated	1043	4.9	12	2	2	4	6	9	12	18
1. SINGLE DX	4245	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX	1056	4.9	12	2	2	4	6	9	12	18
A. Not Operated	50	2.4	4	< 1	< 1	2	3	5	6	11
B. Operated	5251	3.5	5	1	2	3	4	5	7	12
TOTAL										
0-19 YRS	2432	3.1	3	1	2	3	4	5	6	10
20-34	1730	3.4	3	1	2	3	4	5	7	10
35-49	720	4.0	7	2	2	3	5	7	8	17
50-64	280	4.7	11	2	2	4	5	8	10	18
65 +	139	6.0	12	2	3	5	7	11	13	18
GRAND TOTAL	**5301**	**3.5**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	8.0	33	1	1	8	13	15	15	15
20-34	6	5.5	10	3	3	4	7	11	11	11
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	7.7	22	4	4	6	11	13	13	13
65 +	0									
B. Operated										
0-19 YRS	442	7.0	10	3	3	7	9	11	12	16
20-34	178	5.9	10	2	3	5	8	10	12	17
35-49	160	6.9	10	3	3	6	8	11	12	17
50-64	112	7.1	9	3	3	7	9	11	12	18
65 +	49	7.3	7	4	4	7	8	11	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	8.3	28	4	4	7	12	15	15	15
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	9.0	19	4	4	9	12	14	14	14
50-64	2	7.5	1	7	7	7	8	8	8	8
65 +	10	12.6	45	2	3	13	18	21	24	24
B. Operated										
0-19 YRS	304	9.5	33	4	4	8	11	16	19	34
20-34	164	8.9	23	3	4	8	11	15	17	28
35-49	163	9.5	21	4	5	8	12	17	19	24
50-64	210	11.1	40	4	5	10	13	20	22	35
65 +	215	11.8	50	5	6	10	13	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	6.5	20	1	1	5	10	13	14	15
B. Operated	941	6.8	10	3	3	6	8	11	12	17
2. MULTIPLE DX										
A. Not Operated	21	10.3	33	3	4	10	14	18	21	24
B. Operated	1056	10.2	35	4	5	9	12	17	21	34
1. SINGLE DX	956	6.8	10	3	3	6	8	11	12	17
2. MULTIPLE DX	1077	10.2	35	4	5	9	12	17	21	34
A. Not Operated	36	8.7	30	1	3	7	13	15	19	24
B. Operated	1997	8.6	26	3	4	8	10	14	18	27
TOTAL										
0-19 YRS	755	8.0	21	3	4	7	10	13	16	24
20-34	349	7.3	18	3	3	7	9	12	16	20
35-49	328	8.2	17	3	4	7	10	14	17	22
50-64	327	9.7	32	3	4	8	12	17	22	30
65 +	274	11.0	45	4	5	9	12	19	23	35
GRAND TOTAL	**2033**	**8.6**	**26**	**3**	**4**	**8**	**10**	**14**	**18**	**26**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.7	1	< 1	< 1	1	2	3	3	7
20-34	12	2.8	3	< 1	1	2	4	6	7	7
35-49	8	2.9	1	2	2	3	4	5	5	5
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	199	3.2	3	1	2	3	4	5	7	10
20-34	111	3.5	2	2	2	3	4	5	6	8
35-49	28	3.9	3	2	2	3	5	6	7	10
50-64	10	4.1	6	1	1	4	5	8	10	10
65 +	6	5.2	6	3	3	5	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.6	5	< 1	1	2	3	6	8	9
20-34	10	2.6	6	1	1	2	2	7	9	9
35-49	4	3.5	14	1	1	2	6	9	9	9
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	109	4.2	12	2	2	3	4	6	9	21
20-34	97	4.8	14	2	2	4	5	9	11	23
35-49	43	5.1	6	2	3	4	7	8	10	12
50-64	16	7.2	11	4	4	6	9	11	15	16
65 +	12	7.7	20	< 1	1	8	10	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	2.1	2	< 1	1	2	3	4	5	7
B. Operated	354	3.4	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	47	2.7	5	1	1	2	3	6	9	9
B. Operated	277	4.9	13	2	2	4	6	9	11	18
1. SINGLE DX	417	3.2	3	1	2	3	4	5	6	10
2. MULTIPLE DX	324	4.6	12	1	2	4	5	8	11	17
A. Not Operated	110	2.4	3	< 1	1	2	3	5	7	9
B. Operated	631	4.0	8	2	2	3	5	7	9	14
TOTAL										
0-19 YRS	374	3.3	6	1	1	3	4	6	7	12
20-34	230	4.0	8	2	2	3	4	7	9	16
35-49	83	4.4	5	2	2	4	6	8	9	11
50-64	33	5.2	11	1	2	4	6	10	11	16
65 +	21	6.4	16	< 1	1	6	8	12	15	16
GRAND TOTAL	**741**	**3.8**	**7**	**1**	**2**	**3**	**4**	**7**	**9**	**14**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.1		< 1	< 1	1	1	2	2	2
20-34	4	1.3		< 1	< 1	1	1	2	2	2
35-49	8	1.4	1	< 1	< 1	1	2	3	3	3
50-64	10	3.2	11	1	1	2	4	8	12	12
65 +	8	4.0	7	2	2	3	6	8	8	8
B. Operated										
0-19 YRS	872	1.4		< 1	< 1	1	2	2	3	4
20-34	879	1.8	1	1	1	2	2	3	4	5
35-49	985	2.0	1	1	1	2	3	3	4	6
50-64	1286	2.1	2	1	1	2	3	4	4	7
65 +	953	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	1.5	3	< 1	< 1	1	1	2	3	11
20-34	9	1.6	2	< 1	< 1	1	2	4	5	5
35-49	11	1.8	2	< 1	< 1	1	3	4	5	5
50-64	25	2.3	3	< 1	< 1	2	3	5	6	7
65 +	22	3.6	18	< 1	< 1	2	5	7	13	20
B. Operated										
0-19 YRS	688	1.8	6	< 1	< 1	1	2	3	4	11
20-34	350	2.4	3	1	1	2	3	4	5	13
35-49	615	2.7	4	1	1	2	3	5	6	12
50-64	1130	2.9	5	1	1	2	4	5	6	11
65 +	1830	3.6	7	1	1	3	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.3	5	< 1	< 1	1	3	4	8	12
B. Operated	4975	2.0	2	< 1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	97	2.2	7	< 1	< 1	1	3	5	6	16
B. Operated	4613	3.0	6	1	1	2	4	5	7	13
1. SINGLE DX	5015	2.0	2	< 1	1	2	3	3	4	6
2. MULTIPLE DX	4710	3.0	6	1	1	2	4	5	7	13
A. Not Operated	137	2.2	6	< 1	< 1	1	3	5	7	13
B. Operated	9588	2.5	4	1	1	2	3	4	6	10
TOTAL										
0-19 YRS	1600	1.6	3	< 1	< 1	1	2	3	3	7
20-34	1242	2.0	2	1	1	2	3	3	4	7
35-49	1619	2.3	3	1	1	2	3	4	5	8
50-64	2451	2.5	4	1	1	2	3	4	6	9
65 +	2813	3.2	6	1	1	3	4	6	8	12
GRAND TOTAL	**9725**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.4	1	< 1	< 1	1	1	3	5	5
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	5	9.2	142	1	1	6	13	30	30	30
B. Operated										
0-19 YRS	161	1.8	2	< 1	1	1	2	3	4	8
20-34	61	2.4	2	< 1	1	2	3	4	5	6
35-49	43	2.3	2	1	1	2	3	5	5	6
50-64	72	3.2	4	1	1	3	4	6	7	8
65 +	101	3.9	5	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.3	1	< 1	< 1	1	1	3	3	3
20-34	0									
35-49	0									
50-64	4	3.0	6	< 1	< 1	2	5	6	6	6
65 +	12	3.2	7	1	1	3	4	8	8	8
B. Operated										
0-19 YRS	162	2.5	4	< 1	1	2	3	5	6	12
20-34	23	3.2	3	1	2	2	4	6	7	8
35-49	38	5.3	19	1	2	4	7	11	14	23
50-64	92	5.6	25	1	2	4	7	11	17	27
65 +	371	7.0	40	2	2	5	9	14	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.6	47	< 1	< 1	1	2	7	21	30
B. Operated	438	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	23	2.6	5	< 1	< 1	1	4	6	8	8
B. Operated	686	5.5	31	1	1	4	7	11	17	30
1. SINGLE DX	456	2.7	5	1	1	2	3	5	7	10
2. MULTIPLE DX	709	5.4	30	1	1	4	7	11	16	30
A. Not Operated	41	3.0	23	< 1	< 1	1	3	7	8	30
B. Operated	1124	4.4	22	1	1	3	5	9	13	27
TOTAL										
0-19 YRS	341	2.1	3	< 1	1	1	2	4	5	11
20-34	85	2.6	2	< 1	1	2	3	5	6	8
35-49	82	3.7	12	1	1	3	5	7	10	21
50-64	168	4.5	17	1	1	3	6	8	12	23
65 +	489	6.3	35	1	2	4	7	13	19	32
GRAND TOTAL	**1165**	**4.4**	**22**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	112	1.6	1	< 1	< 1	1	2	3	3	7
20-34	48	1.9	1	< 1	1	2	3	3	4	6
35-49	64	1.8	1	< 1	< 1	2	2	3	4	5
50-64	62	2.2	3	1	1	2	2	5	6	8
65 +	18	2.3	2	< 1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	4.3	11	1	1	4	7	8	8	8
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	6.5	25	3	3	6	10	10	10	10
B. Operated										
0-19 YRS	55	3.2	42	< 1	1	2	3	4	10	45
20-34	43	4.0	10	< 1	1	3	5	7	10	17
35-49	86	3.7	6	1	1	3	5	7	9	12
50-64	90	4.0	6	1	1	3	5	8	9	12
65 +	57	3.9	6	1	1	3	5	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	304	1.8	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	10	3.4	11	1	1	2	6	9	10	10
B. Operated	331	3.8	13	1	1	3	5	7	9	13
1. SINGLE DX	305	1.8	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	341	3.8	13	1	1	3	5	7	9	13
A. Not Operated	11	3.2	11	1	1	1	5	9	10	10
B. Operated	635	2.8	8	< 1	1	2	4	6	8	12
TOTAL										
0-19 YRS	170	2.1	15	< 1	< 1	1	2	3	4	17
20-34	95	3.0	6	< 1	1	2	4	6	7	15
35-49	152	2.9	5	< 1	1	2	4	6	7	11
50-64	152	3.3	6	1	1	3	4	7	8	12
65 +	77	3.6	6	1	1	3	5	7	9	10
GRAND TOTAL	**646**	**2.9**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**12**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.3	5	1	1	3	5	6	6	6
50-64	3	6.7	1	6	6	6	8	8	8	8
65 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
0-19 YRS	19	2.6	5	< 1	< 1	2	3	6	8	9
20-34	115	2.9	3	1	1	3	4	5	6	8
35-49	250	3.5	4	1	1	3	4	6	8	10
50-64	253	3.6	3	1	1	3	5	6	7	8
65 +	175	4.6	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0	32	< 1	< 1	4	9	9	9	9
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	17	3.1	36	< 1	< 1	1	2	3	18	26
50-64	7	2.9	4	< 1	< 1	2	4	6	6	6
65 +	29	4.7	19	2	2	3	5	9	10	24
B. Operated										
0-19 YRS	24	4.5	52	1	1	3	4	7	17	37
20-34	101	4.1	7	1	1	4	5	7	9	13
35-49	303	5.2	12	1	2	5	6	9	12	18
50-64	432	5.5	12	1	2	5	7	10	12	19
65 +	517	6.3	32	2	2	5	7	10	13	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.8	12	1	1	5	6	10	12	12
B. Operated	812	3.7	4	1	1	3	5	6	8	9
2. MULTIPLE DX										
A. Not Operated	57	3.9	22	< 1	< 1	3	4	8	9	26
B. Operated	1377	5.6	20	1	2	5	7	10	12	21
1. SINGLE DX	822	3.7	5	1	1	3	5	6	8	10
2. MULTIPLE DX	1434	5.5	20	1	2	5	7	9	12	21
A. Not Operated	67	4.1	20	< 1	< 1	3	5	9	10	26
B. Operated	2189	4.9	15	< 1	2	4	6	8	10	19
TOTAL										
0-19 YRS	46	3.7	30	< 1	< 1	2	4	6	9	37
20-34	219	3.5	5	1	1	3	5	6	7	12
35-49	574	4.4	10	1	1	4	5	8	10	16
50-64	695	4.8	10	1	2	4	6	8	11	17
65 +	722	5.8	26	1	2	5	7	9	12	25
GRAND TOTAL	**2256**	**4.9**	**15**	**1**	**1**	**4**	**6**	**8**	**10**	**19**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	14	2.9	1	< 1	1	3	3	4	5	5
35-49	35	2.7	2	< 1	1	2	3	4	5	6
50-64	44	3.0	3	< 1	1	3	4	5	6	9
65 +	33	3.4	5	< 1	< 1	3	4	6	7	12
B. Operated										
0-19 YRS	4	6.0	11	2	2	6	8	10	10	10
20-34	1	13.0		13	13	13	13	13	13	13
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	15	5.7	6	< 1	1	6	7	8	10	10
65 +	4	7.5	2	6	6	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.3	1	1	1	2	3	4	4	4
20-34	79	3.1	4	< 1	1	3	4	6	7	11
35-49	300	3.5	4	1	2	3	4	6	7	10
50-64	402	3.6	4	1	2	3	4	6	7	10
65 +	451	4.8	21	1	2	4	5	8	10	18
B. Operated										
0-19 YRS	9	8.0	22	1	1	8	11	14	15	15
20-34	52	6.4	10	2	3	6	8	10	11	18
35-49	120	6.1	10	2	2	6	8	9	12	17
50-64	167	7.3	30	2	2	7	8	12	15	37
65 +	164	8.6	46	1	2	7	10	17	21	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	3.0	3	< 1	< 1	3	4	5	6	10
B. Operated	28	6.0	7	1	2	6	8	10	11	13
2. MULTIPLE DX										
A. Not Operated	1238	4.0	11	1	2	3	5	7	8	14
B. Operated	512	7.4	29	2	2	6	9	12	17	29
1. SINGLE DX	154	3.6	5	< 1	1	3	4	6	8	12
2. MULTIPLE DX	1750	5.0	18	1	2	4	6	9	12	20
A. Not Operated	1364	3.9	10	1	1	3	5	7	8	14
B. Operated	540	7.3	28	2	2	6	9	12	17	28
TOTAL										
0-19 YRS	19	5.8	18	1	1	5	9	12	14	15
20-34	146	4.3	9	1	1	4	6	8	10	16
35-49	459	4.1	7	1	2	4	5	7	9	15
50-64	628	4.6	14	1	2	4	6	8	10	18
65 +	652	5.7	29	1	2	4	7	10	14	26
GRAND TOTAL	**1904**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	7.5	1	7	7	7	8	8	8	8
B. Operated										
0-19 YRS	7	1.6	1	1	1	1	2	3	3	3
20-34	14	1.9	3	1	1	2	2	3	6	7
35-49	17	1.9	2	1	1	2	2	3	5	6
50-64	31	2.6	2	1	1	2	4	5	5	7
65 +	25	2.5	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	4.4	6	1	1	4	6	8	8	8
65 +	4	6.0	11	2	2	6	8	10	10	10
B. Operated										
0-19 YRS	5	8.2	52	2	2	5	12	20	20	20
20-34	11	3.4	9	1	1	2	4	9	10	10
35-49	23	5.3	24	1	1	4	7	11	16	22
50-64	35	6.0	44	1	2	4	7	13	16	37
65 +	48	4.0	10	1	1	3	5	7	8	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	7.5	1	7	7	7	8	8	8	8
B. Operated	94	2.3	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated	12	4.2	9	< 1	1	4	6	9	10	10
B. Operated	122	4.9	24	1	1	3	6	9	14	26
1. SINGLE DX	96	2.4	3	1	1	2	3	5	7	8
2. MULTIPLE DX	134	4.9	23	1	1	3	6	9	13	24
A. Not Operated	14	4.6	9	< 1	1	4	7	8	10	10
B. Operated	216	3.8	16	1	1	3	5	7	10	21
TOTAL										
0-19 YRS	13	4.1	29	< 1	< 1	2	4	12	18	20
20-34	26	2.5	6	1	1	2	3	7	8	10
35-49	41	3.9	17	1	1	3	4	8	12	22
50-64	71	4.4	25	1	1	3	5	8	13	33
65 +	79	3.7	9	1	1	3	5	7	8	18
GRAND TOTAL	**230**	**3.8**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	8	5.1	8	1	2	5	7	9	10	10
B. Operated										
0-19 YRS	16	2.3	5	< 1	< 1	2	2	5	8	10
20-34	55	2.8	2	< 1	1	3	4	5	5	6
35-49	101	3.2	6	1	1	2	4	7	8	12
50-64	98	3.7	7	1	1	3	5	7	9	13
65 +	120	4.6	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	5	3.8	7	1	1	3	5	8	8	8
50-64	12	5.1	5	2	3	5	6	9	10	10
65 +	54	6.4	15	1	1	5	9	12	14	14
B. Operated										
0-19 YRS	10	4.3	12	1	1	3	7	10	12	12
20-34	43	5.4	27	1	1	4	7	14	17	23
35-49	126	6.4	39	2	2	5	8	11	14	30
50-64	197	7.2	32	1	2	6	9	14	19	33
65 +	434	9.7	64	2	3	8	12	19	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.6	8	1	1	4	7	9	10	10
B. Operated	390	3.7	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	73	5.9	13	1	1	5	8	11	14	14
B. Operated	810	8.3	52	1	2	7	11	16	22	42
1. SINGLE DX	400	3.7	7	1	1	3	5	7	9	13
2. MULTIPLE DX	883	8.1	50	1	2	7	10	16	21	39
A. Not Operated	83	5.7	13	1	1	5	8	11	13	14
B. Operated	1200	6.8	42	1	1	5	9	14	18	33
TOTAL										
0-19 YRS	26	3.0	9	< 1	1	2	3	7	10	12
20-34	100	3.9	14	1	1	3	5	7	13	20
35-49	233	4.9	26	1	1	4	7	10	12	17
50-64	308	6.0	25	1	1	4	8	12	16	28
65 +	616	8.4	53	1	2	7	11	17	22	41
GRAND TOTAL	**1283**	**6.7**	**40**	**1**	**1**	**5**	**9**	**13**	**18**	**33**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	2.2	2	1	1	2	3	5	6	8
20-34	96	3.8	4	1	1	4	5	6	8	9
35-49	160	4.4	8	1	2	4	6	8	9	17
50-64	196	3.9	5	1	2	4	5	7	8	10
65 +	204	4.7	25	1	2	4	6	8	9	15
B. Operated										
0-19 YRS	119	5.9	12	2	2	5	8	10	13	47
20-34	85	8.5	21	4	5	7	10	13	14	32
35-49	112	8.5	13	4	5	8	10	13	16	22
50-64	94	9.9	14	5	6	9	12	15	17	19
65 +	105	11.4	37	5	6	10	13	18	23	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	107	4.7	47	1	1	3	5	9	11	39
20-34	136	4.3	8	1	2	4	6	7	10	18
35-49	319	5.2	12	1	2	4	7	9	12	20
50-64	582	5.5	17	2	2	5	7	10	13	19
65 +	1528	6.8	22	2	3	6	8	12	16	26
B. Operated										
0-19 YRS	142	10.7	95	3	4	8	12	21	31	83
20-34	113	12.2	116	4	5	9	13	24	27	61
35-49	270	12.6	107	4	6	10	14	20	29	69
50-64	405	14.5	112	5	6	12	17	26	38	76
65 +	1046	15.5	105	6	7	13	19	29	36	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	759	4.0	11	1	1	3	5	7	8	12
B. Operated	515	8.7	23	3	4	8	11	14	17	29
2. MULTIPLE DX										
A. Not Operated	2672	6.1	21	2	2	5	8	11	14	24
B. Operated	1976	14.4	109	5	6	11	17	27	35	68
1. SINGLE DX	1274	5.9	21	1	2	5	8	11	14	21
2. MULTIPLE DX	4648	9.6	75	2	3	7	12	19	26	46
A. Not Operated	3431	5.6	19	1	2	5	7	10	13	22
B. Operated	2491	13.2	96	4	5	11	16	24	32	61
TOTAL										
0-19 YRS	471	6.3	53	1	1	5	8	12	17	46
20-34	430	7.1	50	1	2	6	9	12	16	37
35-49	861	7.8	53	2	2	6	9	14	18	41
50-64	1277	8.4	64	2	2	6	11	16	21	42
65 +	2883	10.0	72	2	3	8	12	19	27	43
GRAND TOTAL	**5922**	**8.8**	**66**	**2**	**2**	**7**	**11**	**17**	**23**	**42**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1598	2.4	2	1	1	2	3	4	5	7
20-34	678	2.3	2	1	1	2	3	4	5	7
35-49	380	2.8	3	1	1	2	4	5	6	9
50-64	202	2.9	3	1	1	2	4	5	7	9
65 +	156	3.3	14	1	1	3	4	6	7	12
B. Operated										
0-19 YRS	63	4.5	26	1	2	3	4	9	17	27
20-34	68	3.8	4	1	2	3	5	7	7	12
35-49	32	4.5	7	1	2	4	6	8	9	12
50-64	18	4.7	10	< 1	< 1	4	7	9	10	11
65 +	16	3.9	7	< 1	< 1	4	5	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4259	3.0	4	1	1	3	4	5	6	11
20-34	1224	2.9	4	1	1	2	4	5	6	10
35-49	961	3.5	5	1	1	3	4	6	7	11
50-64	1001	4.0	8	1	1	3	5	7	9	15
65 +	1841	5.1	15	1	2	4	6	9	12	18
B. Operated										
0-19 YRS	144	9.2	123	1	2	5	10	24	35	62
20-34	116	5.7	20	1	2	4	7	11	15	23
35-49	136	6.3	21	2	3	5	7	11	14	27
50-64	162	8.4	103	2	3	6	10	14	17	74
65 +	241	10.6	94	2	3	7	12	24	32	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3014	2.5	3	1	1	2	3	4	5	8
B. Operated	197	4.2	12	1	2	3	5	7	10	22
2. MULTIPLE DX										
A. Not Operated	9286	3.6	8	1	1	3	4	6	8	14
B. Operated	799	8.4	81	2	2	6	9	16	25	48
1. SINGLE DX	3211	2.6	4	1	1	2	3	5	5	9
2. MULTIPLE DX	10085	4.0	15	1	1	3	5	7	9	18
A. Not Operated	12300	3.3	7	1	1	3	4	6	8	13
B. Operated	996	7.6	70	2	2	5	8	14	23	44
TOTAL										
0-19 YRS	6064	3.0	8	1	1	2	4	5	6	13
20-34	2086	2.9	5	1	1	2	3	5	6	11
35-49	1509	3.6	7	1	1	3	4	6	8	13
50-64	1383	4.4	21	1	1	3	5	8	10	17
65 +	2254	5.6	26	1	2	4	7	10	13	23
GRAND TOTAL	**13296**	**3.6**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	27	4.0	4	1	2	4	6	7	8	9
35-49	184	4.2	7	1	2	4	6	8	10	13
50-64	334	4.7	6	1	2	4	6	7	9	11
65 +	255	4.8	11	< 1	1	4	6	9	10	15
B. Operated										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	21	7.4	7	3	4	7	9	10	12	15
35-49	49	9.0	21	4	5	8	10	14	16	31
50-64	79	8.9	12	3	5	9	11	14	15	17
65 +	59	9.2	12	2	5	9	11	14	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	16	4.9	6	2	2	4	6	9	10	10
35-49	228	5.5	8	2	2	5	7	10	11	16
50-64	757	5.4	8	2	2	5	7	9	11	14
65 +	2300	6.1	16	2	3	5	7	10	13	22
B. Operated										
0-19 YRS	7	8.4	11	5	5	9	11	13	14	14
20-34	30	9.2	16	3	6	8	10	15	17	21
35-49	197	11.5	76	3	5	9	13	20	25	50
50-64	460	11.0	44	4	5	10	13	19	23	39
65 +	990	12.6	70	3	4	11	16	23	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	801	4.7	8	1	2	4	6	8	10	13
B. Operated	209	9.0	16	4	5	9	10	14	16	25
2. MULTIPLE DX										
A. Not Operated	3304	5.9	14	2	2	5	7	10	12	19
B. Operated	1684	12.0	63	3	5	10	15	21	26	45
1. SINGLE DX	1010	5.6	12	1	2	5	7	10	12	16
2. MULTIPLE DX	4988	8.0	39	2	3	6	10	15	19	31
A. Not Operated	4105	5.7	13	2	2	5	7	10	12	18
B. Operated	1893	11.6	59	3	5	10	14	21	25	43
TOTAL										
0-19 YRS	12	9.3	58	2	3	7	12	19	28	30
20-34	94	6.6	13	2	2	6	9	10	14	19
35-49	658	7.3	38	2	3	6	9	13	16	27
50-64	1630	7.0	25	2	3	6	9	12	16	26
65 +	3604	7.9	40	2	3	6	10	15	20	33
GRAND TOTAL	**5998**	**7.6**	**35**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	< 1	< 1	3	3	3	3	3
20-34	14	2.9	2	1	1	3	4	5	5	5
35-49	16	2.5	6	< 1	1	2	3	3	9	11
50-64	5	3.0	[illegible]	1	1	3	4	5	5	5
65 +	3	7.3	[illegible]	5	5	7	9	10	10	10
B. Operated										
0-19 YRS	64	2.2	2	< 1	1	2	3	4	5	7
20-34	386	2.4	3	1	1	2	3	4	5	8
35-49	400	2.4	3	1	1	2	3	4	6	9
50-64	202	2.7	4	1	1	2	3	5	7	12
65 +	52	2.9	4	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.7	6	1	2	4	7	8	9	9
20-34	24	4.8	24	1	2	3	6	7	13	26
35-49	28	4.3	8	1	1	4	6	8	10	13
50-64	31	4.5	11	1	1	3	6	11	11	12
65 +	35	6.6	20	< 1	1	7	8	12	14	23
B. Operated										
0-19 YRS	51	4.4	24	1	1	3	5	8	12	27
20-34	338	3.7	33	1	1	3	4	6	9	38
35-49	543	3.6	17	1	1	3	4	6	8	22
50-64	400	4.1	18	1	1	3	5	8	10	22
65 +	273	5.5	33	1	2	4	6	11	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.0	5	< 1	1	3	4	5	8	11
B. Operated	1104	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	134	5.1	15	1	1	4	7	9	12	23
B. Operated	1605	4.1	24	1	1	3	4	7	10	27
1. SINGLE DX	1147	2.5	3	1	1	2	3	4	6	10
2. MULTIPLE DX	1739	4.2	23	1	1	3	5	8	11	26
A. Not Operated	177	4.6	13	1	1	4	6	9	11	21
B. Operated	2709	3.4	16	1	1	3	4	6	9	19
TOTAL										
0-19 YRS	136	3.3	12	1	1	2	4	6	8	24
20-34	762	3.1	17	1	1	2	3	5	7	16
35-49	987	3.1	11	1	1	2	4	5	7	17
50-64	638	3.7	13	1	1	3	4	7	10	18
65 +	363	5.3	29	1	1	4	6	10	15	30
GRAND TOTAL	**2886**	**3.5**	**16**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	262	2.9	5	1	1	2	4	5	7	12
20-34	252	4.2	9	1	1	3	5	8	10	16
35-49	208	4.2	8	1	1	4	5	8	10	16
50-64	130	3.6	7	1	1	3	5	7	9	13
65 +	119	3.9	12	< 1	1	3	5	8	11	17
B. Operated										
0-19 YRS	128	6.6	56	1	1	4	8	14	24	41
20-34	164	7.1	24	1	2	6	9	13	16	23
35-49	162	6.9	30	1	2	6	9	13	18	27
50-64	130	7.4	65	1	1	5	9	15	19	41
65 +	78	6.3	34	< 1	1	6	8	12	17	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	432	4.3	19	1	1	3	5	9	12	25
20-34	467	4.8	11	1	2	4	6	8	11	17
35-49	607	4.9	16	1	2	4	6	9	11	21
50-64	665	5.5	24	1	2	4	7	10	13	28
65 +	1513	6.1	30	1	2	5	7	12	15	30
B. Operated										
0-19 YRS	247	12.1	195	1	2	7	15	31	46	90
20-34	576	8.5	45	2	3	7	10	18	22	33
35-49	641	9.5	85	2	3	7	11	19	28	45
50-64	639	11.3	129	2	3	8	13	23	31	74
65 +	1209	12.9	124	2	3	10	16	26	36	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	971	3.7	8	1	1	3	5	7	9	15
B. Operated	662	6.9	41	1	1	6	9	13	18	34
2. MULTIPLE DX										
A. Not Operated	3684	5.4	23	1	2	4	7	10	14	27
B. Operated	3312	11.1	112	2	3	8	14	23	31	57
1. SINGLE DX	1633	5.0	24	1	1	4	6	10	13	25
2. MULTIPLE DX	6996	8.1	73	1	2	6	10	17	24	46
A. Not Operated	4655	5.1	21	1	1	4	6	10	13	25
B. Operated	3974	10.4	102	2	2	7	13	21	30	54
TOTAL										
0-19 YRS	1069	6.1	73	1	1	3	6	13	21	47
20-34	1459	6.4	29	1	2	5	8	12	17	27
35-49	1618	6.9	49	1	2	5	8	13	19	37
50-64	1564	7.9	77	1	2	5	9	15	23	50
65 +	2919	8.8	80	1	2	6	11	19	26	49
GRAND TOTAL	**8629**	**7.5**	**65**	**1**	**2**	**5**	**9**	**16**	**22**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	7.0	21	4	4	5	7	15	16	16
35-49	14	5.4	39	1	2	3	6	13	22	25
50-64	4	3.8	3	2	2	3	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	3	15.7	120	7	7	12	24	28	28	28
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	57	9.3	156	2	3	6	9	16	28	73
35-49	258	8.9	59	2	3	7	11	18	23	40
50-64	248	9.9	78	2	3	8	12	19	23	59
65 +	145	10.8	68	3	4	9	13	20	26	51
B. Operated										
0-19 YRS	0									
20-34	17	9.9	81	1	1	7	14	21	30	35
35-49	69	12.0	186	2	3	8	13	24	38	79
50-64	108	12.1	128	2	3	8	15	26	38	83
65 +	54	12.4	125	3	4	9	14	25	28	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	5.5	28	1	2	4	6	12	19	25
B. Operated	9	8.2	70	1	1	7	10	22	28	28
2. MULTIPLE DX										
A. Not Operated	708	9.7	75	2	3	7	12	19	23	52
B. Operated	248	12.0	139	2	3	8	14	25	37	72
1. SINGLE DX	33	6.3	39	1	2	4	7	13	24	28
2. MULTIPLE DX	956	10.3	93	2	3	8	13	20	27	59
A. Not Operated	732	9.5	74	2	3	7	12	18	23	51
B. Operated	257	11.8	137	1	3	8	14	25	36	72
TOTAL										
0-19 YRS	0									
20-34	83	9.0	126	1	2	6	10	16	25	70
35-49	344	9.4	86	2	3	7	12	19	26	47
50-64	361	10.5	93	2	3	8	13	20	27	64
65 +	201	11.2	83	3	4	9	13	21	27	52
GRAND TOTAL	**989**	**10.1**	**92**	**2**	**3**	**7**	**12**	**20**	**27**	**58**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	7	5.1	8	2	2	5	7	10	10	10
35-49	7	5.4	11	2	2	4	8	10	10	10
50-64	9	5.8	25	1	1	4	10	13	15	15
65 +	6	4.3	9	2	2	3	7	9	9	9
B. Operated										
0-19 YRS	16	2.0	5	< 1	1	1	2	4	8	10
20-34	23	2.7	12	< 1	1	1	3	6	11	16
35-49	33	1.7	6	1	1	1	1	2	3	15
50-64	31	2.7	5	1	1	1	3	7	9	13
65 +	17	2.8	14	1	1	1	2	10	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	6.3	18	1	1	6	7	14	16	17
20-34	11	4.0	9	< 1	< 1	4	5	8	11	11
35-49	62	6.0	26	1	1	5	7	12	20	23
50-64	107	6.9	19	2	3	6	9	12	17	22
65 +	180	9.3	47	2	3	7	13	17	23	33
B. Operated										
0-19 YRS	40	7.1	103	1	1	4	7	17	36	44
20-34	33	6.8	136	1	1	3	8	15	20	65
35-49	81	6 3	120	1	1	2	6	15	25	67
50-64	139	6.9	40	1	1	4	9	15	19	33
65 +	136	8.9	78	1	1	6	11	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.9	12	1	2	4	7	10	11	15
B. Operated	120	2.3	9	1	1	1	2	5	10	15
2. MULTIPLE DX										
A. Not Operated	383	7.8	35	1	2	6	9	15	20	29
B. Operated	429	7.4	81	1	1	4	10	17	22	44
1. SINGLE DX	153	2.9	11	1	1	1	3	8	10	15
2. MULTIPLE DX	812	7.6	59	1	1	6	9	15	21	38
A. Not Operated	416	7.5	34	1	2	6	9	15	19	29
B. Operated	549	6.3	69	1	1	3	8	15	20	41
TOTAL										
0-19 YRS	83	5.7	59	1	1	3	7	13	18	42
20-34	74	4.9	68	1	1	3	5	10	16	54
35-49	183	5.3	66	1	1	3	6	12	20	38
50-64	286	6.4	30	1	1	5	8	14	18	26
65 +	339	8.7	59	1	2	7	12	18	24	38
GRAND TOTAL	**965**	**6.8**	**54**	**1**	**1**	**5**	**9**	**15**	**20**	**37**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.8	7	1	1	3	5	7	10	11
20-34	53	4.1	4	1	2	3	6	7	8	8
35-49	25	3.8	5	1	2	4	4	8	9	10
50-64	22	5.2	90	1	1	3	4	6	24	47
65 +	11	5.4	21	1	1	4	7	12	17	17
B. Operated										
0-19 YRS	15	6.4	225	1	1	2	2	9	47	60
20-34	12	5.7	76	1	1	2	6	18	29	31
35-49	20	5.6	69	< 1	1	3	5	11	25	38
50-64	11	3.2	15	1	1	2	2	11	11	11
65 +	9	11.2	104	2	2	9	14	27	36	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	4.1	8	1	1	3	6	8	9	15
20-34	79	5.9	24	2	2	5	7	11	12	31
35-49	137	7.0	26	2	3	6	8	13	16	24
50-64	203	7.1	33	2	2	5	9	14	18	28
65 +	295	9.1	76	2	3	7	11	18	22	47
B. Operated										
0-19 YRS	37	5.5	42	1	1	3	8	19	24	99 +
20-34	18	8.4	66	< 1	1	8	11	18	28	33
35-49	75	10.7	113	1	1	9	16	23	33	51
50-64	78	12.5	127	1	1	10	16	28	33	53
65 +	115	14.3	243	1	2	9	16	30	43	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	4.3	20	1	1	3	5	7	9	22
B. Operated	67	6.1	100	1	1	2	7	12	32	56
2. MULTIPLE DX										
A. Not Operated	761	7.5	48	2	2	6	9	15	20	34
B. Operated	323	11.7	159	1	1	8	15	26	35	78
1. SINGLE DX	200	4.9	47	1	1	3	5	9	12	42
2. MULTIPLE DX	1084	8.8	84	1	2	6	11	18	25	50
A. Not Operated	894	7.1	45	2	2	5	8	14	18	32
B. Operated	390	10.7	153	1	1	7	14	25	35	70
TOTAL										
0-19 YRS	121	4.7	44	1	1	3	6	9	16	71
20-34	162	5.6	27	1	1	4	7	10	12	33
35-49	257	7.7	57	1	2	5	10	16	22	38
50-64	314	8.2	66	1	2	5	10	17	24	42
65 +	430	10.4	125	2	2	7	13	21	28	76
GRAND TOTAL	**1284**	**8.2**	**80**	**1**	**2**	**6**	**10**	**17**	**24**	**47**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.5	2	< 1	1	2	3	5	5	5
20-34	113	2.3	2	< 1	1	2	3	5	5	8
35-49	125	2.4	2	< 1	< 1	2	3	5	6	8
50-64	123	2.7	3	< 1	1	2	4	5	6	10
65 +	74	3.8	7	1	1	3	5	7	10	12
B. Operated										
0-19 YRS	197	4.7	4	2	3	4	5	7	8	11
20-34	1833	4.6	4	2	3	4	5	7	8	11
35-49	1648	4.9	4	2	3	5	6	7	8	11
50-64	1187	5.3	5	3	3	5	6	8	10	14
65 +	581	6.5	13	3	4	6	8	9	11	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	5.1	27	1	1	3	5	11	18	23
20-34	142	3.5	6	1	1	3	4	7	8	14
35-49	198	3.8	9	< 1	1	3	5	7	10	15
50-64	351	4.2	10	1	1	3	5	7	9	17
65 +	900	6.0	25	2	2	5	7	11	14	26
B. Operated										
0-19 YRS	158	6.8	20	3	4	6	8	10	14	29
20-34	1578	6.0	15	3	3	5	7	10	11	21
35-49	2116	6.1	12	2	3	5	7	10	12	19
50-64	2587	7.2	20	3	4	6	9	12	15	22
65 +	3590	9.8	36	4	5	8	12	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	451	2.7	4	< 1	1	2	4	5	6	10
B. Operated	5446	5.0	6	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	1611	5.1	19	1	2	4	6	9	12	22
B. Operated	10029	7.7	26	3	4	6	9	13	16	27
1. SINGLE DX	5897	4.8	6	2	2	5	6	8	9	12
2. MULTIPLE DX	11640	7.4	26	2	3	6	9	13	16	26
A. Not Operated	2062	4.6	17	1	1	4	6	9	11	20
B. Operated	15475	6.8	20	3	3	6	8	11	15	23
TOTAL										
0-19 YRS	391	5.5	13	2	3	5	6	9	10	20
20-34	3666	5.1	10	2	3	5	6	8	10	15
35-49	4087	5.4	9	2	3	5	6	9	10	15
50-64	4248	6.3	16	2	3	5	8	11	13	20
65 +	5145	8.7	34	3	4	7	11	15	18	32
GRAND TOTAL	**17537**	**6.5**	**20**	**2**	**3**	**5**	**8**	**11**	**14**	**23**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.7	2	1	1	3	4	5	5	5
20-34	53	3.2	5	1	1	3	4	7	8	10
35-49	59	3.0	2	1	1	3	4	5	6	9
50-64	35	3.4	5	1	2	3	4	7	8	11
65 +	35	4.5	3	1	2	4	6	7	8	9
B. Operated										
0-19 YRS	10	4.2	7	1	1	4	6	8	8	8
20-34	143	5.3	9	2	3	5	6	9	11	16
35-49	170	5.9	12	2	3	5	7	11	14	19
50-64	84	6.5	12	3	4	6	7	11	13	21
65 +	39	8.3	27	3	4	7	11	14	18	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.2	6	2	3	5	7	9	10	10
20-34	77	3.6	6	1	1	3	4	7	8	14
35-49	102	4.5	14	1	1	3	6	8	11	24
50-64	115	5.1	13	1	2	4	6	9	11	22
65 +	265	7.0	24	2	3	6	8	11	14	29
B. Operated										
0-19 YRS	13	5.2	4	2	2	5	6	8	9	9
20-34	237	6.6	17	2	3	6	8	11	15	24
35-49	392	6.6	16	2	3	6	8	11	14	21
50-64	263	8.1	17	3	4	7	10	14	16	24
65 +	343	11.6	67	4	5	9	14	20	29	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	3.4	4	1	1	3	4	6	7	10
B. Operated	446	6.0	13	2	3	5	7	11	13	19
2. MULTIPLE DX										
A. Not Operated	573	5.7	19	1	2	5	7	10	12	23
B. Operated	1248	8.3	35	3	3	7	10	15	18	34
1. SINGLE DX	637	5.2	11	1	2	5	6	9	12	17
2. MULTIPLE DX	1821	7.5	31	2	3	6	9	13	17	30
A. Not Operated	764	5.1	16	1	2	4	7	9	11	22
B. Operated	1694	7.7	30	3	3	6	9	14	17	30
TOTAL										
0-19 YRS	46	4.5	6	1	1	4	6	8	9	10
20-34	510	5.4	13	1	2	5	7	10	12	20
35-49	723	5.9	15	2	2	5	7	11	13	20
50-64	497	6.8	17	2	3	6	8	12	15	23
65 +	682	9.2	51	3	4	7	11	16	21	39
GRAND TOTAL	**2458**	**6.9**	**27**	**2**	**3**	**6**	**8**	**12**	**16**	**28**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	2.4	2	< 1	< 1	2	4	5	5	5
35-49	5	1.8		1	1	2	2	2	2	2
50-64	5	2.6	1	1	1	3	3	3	3	3
65 +	10	5.2	31	2	2	3	5	15	19	19
B. Operated										
0-19 YRS	12	6.2	11	2	3	5	9	11	12	12
20-34	61	5.6	5	2	3	5	7	9	9	11
35-49	36	7.1	13	1	2	6	10	12	13	15
50-64	36	6.1	10	1	2	6	8	9	12	16
65 +	51	10.2	68	2	2	9	13	17	21	55
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	3.5	1	2	2	3	4	5	5	5
35-49	15	4.1	6	1	2	4	6	8	9	9
50-64	31	5.2	15	1	1	5	7	8	16	18
65 +	90	6.7	19	2	3	6	8	11	15	26
B. Operated										
0-19 YRS	10	9.7	27	5	5	7	14	18	20	20
20-34	85	8.0	16	4	5	7	9	12	14	27
35-49	84	8.8	24	4	4	8	12	16	19	25
50-64	137	10.3	58	2	4	8	12	18	26	43
65 +	465	12.3	56	4	5	11	15	21	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.2	12	< 1	1	2	3	5	11	19
B. Operated	196	7.2	27	1	2	6	9	12	15	24
2. MULTIPLE DX										
A. Not Operated	143	6.0	17	1	2	5	7	10	15	20
B. Operated	781	11.1	51	3	5	9	14	19	25	42
1. SINGLE DX	227	6.7	27	1	2	6	8	12	14	22
2. MULTIPLE DX	924	10.3	49	3	4	9	13	18	24	40
A. Not Operated	174	5.5	17	1	2	5	7	10	15	19
B. Operated	977	10.3	48	3	4	9	13	18	23	40
TOTAL										
0-19 YRS	23	7.6	21	2	3	6	10	14	17	20
20-34	163	6.6	13	1	3	6	8	11	12	18
35-49	140	7.6	22	2	2	7	10	14	17	24
50-64	209	8.7	48	2	2	7	10	16	23	39
65 +	616	11.2	56	3	4	10	14	19	25	42
GRAND TOTAL	**1151**	**9.6**	**47**	**2**	**3**	**8**	**12**	**17**	**22**	**38**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	9.5	16	6	6	9	10	16	17	17
20-34	7	5.0	4	2	2	5	6	8	8	8
35-49	11	3.5	5	< 1	< 1	4	5	6	7	7
50-64	9	4.1	2	2	2	4	5	6	7	7
65 +	11	3.2	3	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	2	10.5	181	1	1	10	20	20	20	20
20-34	6	5.0	8	2	2	5	7	9	9	9
35-49	9	8.0	26	2	2	8	13	15	15	15
50-64	14	3.7	6	1	2	3	5	7	9	10
65 +	9	8.8	67	< 1	< 1	7	14	21	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	10.3	45	2	2	11	14	19	21	30
20-34	15	4.2	3	2	2	4	5	6	8	8
35-49	28	5.7	30	1	1	4	7	10	17	28
50-64	37	5.5	23	1	1	4	6	13	17	21
65 +	114	6.7	21	1	2	6	8	11	16	25
B. Operated										
0-19 YRS	10	15.3	103	2	4	15	16	31	37	37
20-34	17	7.4	74	1	1	6	9	12	29	38
35-49	51	9.8	62	2	2	9	13	17	21	51
50-64	85	12.2	114	2	3	11	15	24	35	62
65 +	151	12.3	89	1	3	10	15	24	32	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	4.6	9	1	1	4	6	8	9	17
B. Operated	40	6.4	32	< 1	1	4	9	14	18	25
2. MULTIPLE DX										
A. Not Operated	221	6.6	26	1	2	5	8	13	17	29
B. Operated	314	11.7	92	2	3	10	14	22	32	49
1. SINGLE DX	84	5.4	20	1	1	4	7	11	15	23
2. MULTIPLE DX	535	9.6	71	1	2	8	12	18	26	43
A. Not Operated	265	6.3	24	1	2	5	8	12	16	27
B. Operated	354	11.1	88	1	2	9	14	21	31	49
TOTAL										
0-19 YRS	45	11.3	58	2	2	11	15	19	27	37
20-34	45	5.6	31	1	2	4	7	9	11	38
35-49	99	7.8	48	1	2	6	10	14	19	40
50-64	145	9.1	86	1	2	6	12	17	24	44
65 +	285	9.6	66	1	2	8	12	19	26	43
GRAND TOTAL	**619**	**9.0**	**66**	**1**	**2**	**7**	**12**	**17**	**24**	**42**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (5)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	4.4	4	1	2	5	6	7	8	8
20-34	180	5.1	11	1	2	4	6	9	11	19
35-49	223	4.9	6	2	2	4	6	8	10	14
50-64	124	5.3	12	2	2	4	6	10	11	21
65 +	68	5.9	9	1	2	6	7	10	11	16
B. Operated										
0-19 YRS	8	6.8	28	2	2	5	9	16	18	18
20-34	26	7.9	52	1	1	6	10	18	24	32
35-49	31	6.5	24	1	1	6	8	11	18	24
50-64	20	6.7	17	1	2	6	9	12	15	17
65 +	14	11.1	405	1	1	7	9	17	66	80
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	4.7	9	1	2	4	6	8	12	15
20-34	566	6.2	23	2	2	5	8	11	13	27
35-49	963	6.5	30	2	2	5	8	12	15	29
50-64	620	6.5	22	2	3	5	8	11	15	22
65 +	788	7.6	28	2	3	6	9	13	17	30
B. Operated										
0-19 YRS	22	13.7	195	2	3	8	19	39	46	54
20-34	135	17.4	205	3	5	14	24	40	50	68
35-49	281	14.2	173	1	3	10	17	29	43	70
50-64	242	15.2	154	3	4	12	20	32	43	75
65 +	326	13.6	156	3	4	10	16	26	36	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	636	5.1	9	2	2	5	6	8	10	16
B. Operated	99	7.6	82	1	1	6	9	12	19	56
2. MULTIPLE DX										
A. Not Operated	2979	6.7	27	2	3	5	8	12	15	27
B. Operated	1006	14.7	169	2	4	11	18	31	43	71
1. SINGLE DX	735	5.4	19	1	2	5	7	9	11	20
2. MULTIPLE DX	3985	8.7	74	2	3	6	10	17	24	50
A. Not Operated	3615	6.4	24	2	2	5	8	11	14	26
B. Operated	1105	14.0	165	2	3	10	17	29	42	71
TOTAL										
0-19 YRS	113	6.5	56	2	2	5	7	12	19	45
20-34	907	7.7	65	2	2	5	9	15	22	44
35-49	1498	7.7	63	2	2	6	9	14	22	46
50-64	1006	8.5	67	2	3	6	10	17	24	45
65 +	1196	9.2	74	2	3	7	11	16	24	50
GRAND TOTAL	**4720**	**8.2**	**67**	**2**	**3**	**6**	**9**	**16**	**23**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.7	3	1	1	2	3	5	6	10
20-34	46	2.7	6	1	1	2	3	4	6	16
35-49	31	3.4	2	1	1	3	4	5	7	7
50-64	51	3.2	4	< 1	1	3	5	5	7	9
65 +	69	4.8	12	1	1	4	7	8	10	20
B. Operated										
0-19 YRS	6	3.2	2	1	1	3	4	5	5	5
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	4	5.8	48	< 1	< 1	3	10	16	16	16
50-64	11	5.9	9	1	2	6	7	10	12	12
65 +	12	6.4	11	1	2	6	8	10	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	147	3.9	12	1	1	3	5	8	11	18
20-34	223	4.0	11	1	1	3	5	8	10	17
35-49	382	4.6	10	1	2	4	5	8	11	17
50-64	658	5.2	17	1	2	4	6	9	12	19
65 +	2023	6.3	23	2	2	5	8	11	15	23
B. Operated										
0-19 YRS	33	8.4	221	1	1	3	6	25	40	72
20-34	44	9.5	170	2	3	6	9	17	35	69
35-49	105	7.2	42	1	2	5	8	16	20	35
50-64	233	8.3	85	2	3	6	10	14	25	94
65 +	701	9.5	62	3	3	7	11	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	3.4	7	1	1	3	5	7	8	16
B. Operated	35	5.6	12	1	1	5	7	9	13	16
2. MULTIPLE DX										
A. Not Operated	3433	5.6	20	1	2	5	7	10	14	21
B. Operated	1116	9.0	74	2	3	6	11	18	25	52
1. SINGLE DX	280	3.7	8	1	1	3	5	7	9	16
2. MULTIPLE DX	4549	6.5	35	1	2	5	8	12	16	29
A. Not Operated	3678	5.5	19	1	2	4	7	10	13	21
B. Operated	1151	8.9	73	2	3	6	10	17	24	50
TOTAL										
0-19 YRS	234	4.3	41	1	1	3	5	8	12	38
20-34	315	4.6	36	1	1	3	5	8	13	23
35-49	522	5.0	18	1	2	4	6	9	14	21
50-64	953	5.9	35	1	2	5	7	10	13	32
65 +	2805	7.0	35	2	2	6	8	13	18	30
GRAND TOTAL	**4829**	**6.3**	**34**	**1**	**2**	**5**	**7**	**12**	**16**	**29**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	7.8	260	1	2	3	5	10	51	79
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	5.4	24	2	2	4	6	14	16	16
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	6.5	63	1	2	4	6	14	21	47
20-34	4	4.3	8	2	2	4	6	8	8	8
35-49	13	12.5	120	2	4	11	14	23	42	46
50-64	13	5.2	17	1	1	4	8	10	13	14
65 +	23	7.7	30	1	2	7	10	15	19	25
B. Operated										
0-19 YRS	28	22.0	499	2	2	14	40	77	99 +	99 +
20-34	11	8.8	57	1	2	6	14	22	22	22
35-49	21	15.3	180	2	3	12	17	42	47	50
50-64	16	25.1	657	3	7	13	35	76	84	86
65 +	22	15.3	345	1	3	12	16	21	54	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	7.4	238	1	2	3	5	10	45	79
B. Operated	11	6.3	17	2	2	5	8	12	16	16
2. MULTIPLE DX										
A. Not Operated	146	7.1	60	1	2	5	8	15	21	46
B. Operated	98	18.1	384	2	3	12	21	49	81	99 +
1. SINGLE DX	44	7.1	182	1	2	4	6	10	26	79
2. MULTIPLE DX	244	11.5	218	2	2	7	13	27	46	94
A. Not Operated	179	7.1	92	1	2	4	8	14	21	51
B. Operated	109	16.9	359	2	3	11	18	46	79	99 +
TOTAL										
0-19 YRS	158	9.5	206	2	2	4	9	25	50	98
20-34	18	7.0	42	1	1	5	8	20	22	22
35-49	37	13.6	147	2	4	11	15	36	45	50
50-64	30	16.0	446	1	2	9	14	44	79	86
65 +	45	11.4	194	1	2	9	14	17	25	94
GRAND TOTAL	**288**	**10.8**	**214**	**1**	**2**	**6**	**13**	**23**	**46**	**91**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	4.2	8	1	1	4	5	8	10	14
20-34	4	8.0	18	3	3	8	11	12	12	12
35-49	5	4.4	8	2	2	3	7	8	8	8
50-64	3	7.0	27	4	4	4	11	13	13	13
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	87	3.1	9	1	1	2	3	6	10	17
20-34	25	2.4	4	1	1	1	3	5	7	8
35-49	17	3.2	11	1	1	2	4	8	11	13
50-64	10	2.8	6	1	1	2	3	6	9	9
65 +	8	2.8	3	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	5.3	34	1	2	4	6	11	14	29
20-34	22	5.0	11	1	1	4	7	10	12	13
35-49	16	5.1	6	1	2	5	7	8	10	11
50-64	27	8.6	22	3	4	8	12	14	17	21
65 +	64	8.3	23	2	3	7	12	15	17	21
B. Operated										
0-19 YRS	76	7.1	77	1	1	4	8	16	27	45
20-34	53	6.0	35	1	1	4	9	12	15	35
35-49	33	6.1	24	1	2	4	10	13	17	18
50-64	63	10.1	99	1	2	8	13	20	25	60
65 +	61	10.7	167	2	2	7	15	21	26	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	4.4	9	1	1	4	5	10	11	14
B. Operated	147	3.0	8	1	1	2	3	6	9	14
2. MULTIPLE DX										
A. Not Operated	251	6.4	28	1	2	5	8	13	15	21
B. Operated	286	8.2	90	1	2	5	11	17	23	44
1. SINGLE DX	259	3.6	9	1	1	3	5	7	10	14
2. MULTIPLE DX	537	7.3	62	1	2	5	10	15	19	37
A. Not Operated	363	5.8	23	1	2	4	7	12	14	19
B. Operated	433	6.4	68	1	1	3	8	15	20	37
TOTAL										
0-19 YRS	384	4.9	32	1	1	3	5	10	14	30
20-34	104	5.0	24	1	1	3	7	11	12	27
35-49	71	5.1	17	1	1	4	7	11	13	18
50-64	103	8.9	71	1	2	7	12	17	22	49
65 +	134	9.0	90	2	2	7	12	17	22	42
GRAND TOTAL	**796**	**6.1**	**48**	**1**	**1**	**4**	**8**	**13**	**17**	**32**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	4.7	9	< 1	1	4	5	10	11	12
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.8	7	1	1	4	6	6	6	6
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	4.9	6	2	2	5	6	9	10	12
20-34	8	6.4	9	4	4	6	7	11	13	13
35-49	4	3.8	4	2	2	4	5	6	6	6
50-64	9	6.4	6	3	3	6	8	10	10	10
65 +	29	9.1	35	3	4	7	13	17	18	28
B. Operated										
0-19 YRS	7	9.3	66	2	3	6	12	23	26	26
20-34	4	5.8	8	2	2	6	8	8	8	8
35-49	5	13.4	96	6	6	8	21	28	28	28
50-64	5	7.2	18	2	2	6	11	12	12	12
65 +	19	16.8	238	1	1	12	27	42	45	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	4.6	8	< 1	1	4	5	10	11	12
B. Operated	7	4.0	9	1	1	2	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	94	6.4	18	2	3	5	8	12	15	24
B. Operated	40	12.8	152	1	2	8	16	34	41	48
1. SINGLE DX	29	4.5	8	1	1	4	6	9	11	12
2. MULTIPLE DX	134	8.3	66	2	2	6	10	16	27	43
A. Not Operated	116	6.1	17	2	2	5	7	11	15	21
B. Operated	47	11.5	140	1	2	8	13	30	41	48
TOTAL										
0-19 YRS	76	5.2	13	1	2	5	6	10	12	23
20-34	13	6.0	8	2	3	5	7	9	12	13
35-49	10	8.4	72	2	2	6	8	23	28	28
50-64	15	6.9	9	2	3	6	9	11	12	12
65 +	49	11.9	126	1	2	8	15	29	41	48
GRAND TOTAL	**163**	**7.6**	**58**	**1**	**2**	**5**	**9**	**15**	**22**	**42**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.6	1	< 1	< 1	1	2	3	4	4
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	3	2.7	4	< 1	< 1	2	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	37	11.9	153	1	2	8	16	27	30	66
20-34	11	10.2	178	1	1	6	12	28	46	48
35-49	15	5.2	22	< 1	1	4	9	12	15	16
50-64	28	3.3	10	< 1	< 1	2	4	7	10	15
65 +	14	4.2	11	1	1	3	6	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	4.3	16	1	1	3	6	10	14	19
20-34	27	3.6	10	1	1	3	4	8	13	13
35-49	45	4.9	23	1	1	4	5	12	15	23
50-64	65	6.3	26	1	2	5	8	13	17	26
65 +	195	9.2	69	2	3	7	11	19	27	55
B. Operated										
0-19 YRS	152	14.2	155	2	3	12	19	36	45	98
20-34	204	10.7	103	2	2	8	16	23	28	49
35-49	277	8.6	71	2	2	5	13	20	27	35
50-64	331	10.0	131	1	2	6	14	23	29	63
65 +	308	11.4	121	2	2	9	15	23	29	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.1	3	< 1	< 1	1	2	5	7	8
B. Operated	105	7.4	92	< 1	1	4	10	16	24	56
2. MULTIPLE DX										
A. Not Operated	400	7.0	49	1	1	5	9	15	20	36
B. Operated	1272	10.7	116	2	2	8	15	23	31	52
1. SINGLE DX	124	6.6	82	< 1	1	3	8	16	21	53
2. MULTIPLE DX	1672	9.8	102	1	2	7	13	22	29	51
A. Not Operated	419	6.8	48	1	1	5	8	15	20	36
B. Operated	1377	10.4	115	1	2	7	15	23	30	52
TOTAL										
0-19 YRS	270	10.8	133	1	1	7	15	23	41	65
20-34	243	9.9	100	2	2	7	15	22	27	48
35-49	339	7.9	64	1	2	4	12	19	25	35
50-64	427	8.9	110	1	2	5	12	21	27	46
65 +	517	10.4	100	2	2	8	13	22	28	54
GRAND TOTAL	**1796**	**9.6**	**101**	**1**	**2**	**6**	**13**	**21**	**29**	**51**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	5	6.6	36	1	1	4	11	16	16	16
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	4	3.5	3	1	1	4	5	5	5	5
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	4	21.0	1174	< 1	< 1	5	41	72	72	72
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.9	19	1	1	4	7	12	13	13
20-34	21	6.1	34	1	2	4	7	15	21	23
35-49	29	6.2	16	1	2	5	9	12	14	14
50-64	126	8.1	21	2	3	7	11	14	18	22
65 +	487	10.5	81	2	3	8	12	20	28	43
B. Operated										
0-19 YRS	13	19.5	177	5	7	15	22	41	52	54
20-34	26	7.7	29	1	2	6	12	15	18	18
35-49	33	12.7	90	2	3	11	16	30	40	99 +
50-64	110	14.8	131	3	4	12	19	33	39	81
65 +	221	17.0	144	4	6	14	22	31	39	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.4	15	1	2	3	5	10	15	16
B. Operated	12	9.7	396	< 1	< 1	4	7	29	66	72
2. MULTIPLE DX										
A. Not Operated	672	9.6	67	2	3	8	12	18	23	40
B. Operated	403	15.6	135	3	4	13	20	31	39	82
1. SINGLE DX	26	6.8	189	< 1	1	3	5	10	27	72
2. MULTIPLE DX	1075	11.9	100	2	3	9	15	24	32	53
A. Not Operated	686	9.5	66	2	3	8	12	18	23	39
B. Operated	415	15.4	142	2	4	13	20	31	39	80
TOTAL										
0-19 YRS	26	11.8	152	1	1	9	15	23	41	54
20-34	54	6.6	28	1	2	5	9	15	18	23
35-49	67	9.3	63	2	2	8	13	18	30	89
50-64	241	11.4	98	2	3	9	14	22	33	69
65 +	713	12.5	110	3	4	9	16	24	32	54
GRAND TOTAL	**1101**	**11.7**	**103**	**2**	**3**	**9**	**15**	**24**	**32**	**55**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	164	3.5	3	1	2	3	5	6	6	8
20-34	216	3.9	3	2	2	4	5	6	7	9
35-49	69	3.9	3	1	2	4	5	6	8	10
50-64	32	3.9	4	1	2	3	5	7	8	8
65 +	33	5.5	13	2	3	5	6	10	16	17
B. Operated										
0-19 YRS	6	5.7	2	4	4	5	7	8	8	8
20-34	10	6.5	7	3	4	6	6	11	13	13
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	3	8.7	9	6	6	8	11	12	12	12
65 +	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	384	4.5	4	2	2	4	6	7	8	11
20-34	540	4.5	5	2	2	4	5	7	9	13
35-49	276	5.1	9	2	2	5	6	8	10	16
50-64	312	6.0	13	2	3	5	7	9	12	19
65 +	908	7.1	17	3	4	6	8	12	14	23
B. Operated										
0-19 YRS	64	7.5	10	3	4	7	10	11	13	15
20-34	50	7.8	27	3	3	6	9	15	19	25
35-49	55	8.1	22	3	3	7	11	14	18	23
50-64	69	9.8	35	4	4	8	12	16	21	30
65 +	152	12.0	76	4	5	9	13	22	31	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	514	3.9	4	1	2	4	5	6	7	10
B. Operated	23	6.4	6	3	4	6	7	10	12	13
2. MULTIPLE DX										
A. Not Operated	2420	5.7	12	2	3	5	7	10	12	18
B. Operated	390	9.8	47	3	4	8	11	17	23	39
1. SINGLE DX	537	4.0	4	1	2	4	5	6	7	11
2. MULTIPLE DX	2810	6.3	19	2	3	5	7	11	14	24
A. Not Operated	2934	5.4	11	2	2	5	7	9	11	18
B. Operated	413	9.6	45	3	4	8	11	16	22	38
TOTAL										
0-19 YRS	618	4.6	6	2	2	4	6	8	10	12
20-34	816	4.5	7	2	2	4	5	7	9	14
35-49	402	5.3	11	2	2	5	6	9	12	19
50-64	416	6.5	18	2	3	5	8	11	14	24
65 +	1095	7.7	28	3	4	6	9	13	17	31
GRAND TOTAL	**3347**	**5.9**	**17**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	163	3.5	2	1	2	3	4	5	7	8
20-34	216	3.7	3	1	2	3	5	6	6	8
35-49	64	3.9	3	1	2	4	5	6	7	9
50-64	34	4.2	5	2	2	4	5	7	7	13
65 +	19	5.7	12	1	2	5	8	11	13	14
B. Operated										
0-19 YRS	13	6.0	6	2	2	6	8	9	10	10
20-34	16	4.1	4	2	2	4	5	6	8	9
35-49	3	8.7	33	2	2	12	12	12	12	12
50-64	7	6.0	13	3	3	5	6	12	14	14
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	275	4.4	5	2	2	4	5	7	9	11
20-34	445	4.9	16	2	2	4	6	8	10	18
35-49	227	5.0	7	2	3	4	6	8	10	17
50-64	231	5.9	11	3	3	5	7	10	13	19
65 +	380	7.3	26	3	3	6	9	12	15	27
B. Operated										
0-19 YRS	48	8.0	22	3	3	7	11	16	20	99 +
20-34	90	8.1	31	3	3	7	10	15	17	30
35-49	72	9.7	34	3	4	8	13	17	23	29
50-64	66	11.8	160	3	3	7	13	24	35	69
65 +	125	12.2	83	3	6	9	15	21	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	496	3.8	3	1	2	3	5	6	7	10
B. Operated	40	5.4	9	2	2	5	7	10	12	14
2. MULTIPLE DX										
A. Not Operated	1558	5.6	16	2	3	5	7	9	12	20
B. Operated	401	10.3	70	3	4	8	13	19	25	55
1. SINGLE DX	536	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX	1959	6.5	30	2	3	5	8	11	15	28
A. Not Operated	2054	5.1	13	2	2	4	6	9	11	18
B. Operated	441	9.8	67	3	4	8	12	18	24	52
TOTAL										
0-19 YRS	499	4.5	7	2	2	4	5	8	10	16
20-34	767	4.9	15	2	2	4	6	8	11	20
35-49	366	5.8	16	2	3	5	7	10	14	22
50-64	338	6.9	45	2	3	5	7	12	17	35
65 +	525	8.4	43	3	3	7	10	15	20	39
GRAND TOTAL	**2495**	**6.0**	**26**	**2**	**2**	**5**	**7**	**10**	**14**	**26**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	1.8	1	<1	1	2	2	3	4	5
20-34	310	1.6	1	<1	1	1	2	3	3	4
35-49	494	1.7	1	<1	1	1	2	3	4	6
50-64	292	1.7	1	<1	1	2	2	3	4	5
65 +	107	2.0	3	1	1	2	2	4	6	9
B. Operated										
0-19 YRS	22	4.3	19	<1	1	3	5	7	13	22
20-34	233	2.6	5	<1	1	2	3	5	7	12
35-49	359	2.7	7	<1	1	2	3	5	8	13
50-64	310	2.4	5	<1	1	2	2	5	7	11
65 +	121	3.2	16	<1	1	2	3	7	9	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.1	2	<1	<1	2	3	4	5	5
20-34	176	2.4	3	<1	1	2	3	4	6	10
35-49	314	2.3	2	<1	1	2	3	4	5	9
50-64	255	2.5	4	1	1	2	3	4	6	11
65 +	217	3.0	4	1	1	2	4	5	8	10
B. Operated										
0-19 YRS	22	7.5	78	2	2	4	8	15	26	43
20-34	138	4.2	15	1	1	3	5	10	14	19
35-49	302	4.5	22	1	1	3	6	10	13	25
50-64	376	5.2	34	1	1	3	7	11	15	30
65 +	376	5.7	29	1	2	3	8	12	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1252	1.7	1	<1	1	1	2	3	4	6
B. Operated	1045	2.7	7	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	988	2.5	3	<1	1	2	3	5	6	10
B. Operated	1214	5.1	29	1	1	3	7	11	15	29
1. SINGLE DX	2297	2.1	4	<1	1	2	2	4	5	10
2. MULTIPLE DX	2202	3.9	19	1	1	2	5	9	11	22
A. Not Operated	2240	2.1	2	<1	1	2	2	4	5	9
B. Operated	2259	4.0	20	1	1	2	5	9	12	23
TOTAL										
0-19 YRS	119	3.4	23	<1	1	2	4	6	9	28
20-34	857	2.5	5	<1	1	2	3	5	7	14
35-49	1469	2.6	8	<1	1	2	3	5	8	13
50-64	1233	3.1	15	1	1	2	3	7	10	17
65 +	821	4.1	19	1	1	2	5	9	12	28
GRAND TOTAL	**4499**	**3.0**	**12**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	147	1.7	1	< 1	1	1	2	3	4	4
20-34	968	1.7	1	< 1	1	1	2	3	4	5
35-49	1300	1.6	1	< 1	1	1	2	3	4	5
50-64	628	1.8	1	< 1	1	2	2	3	4	6
65 +	152	2.0	1	1	1	2	3	3	5	6
B. Operated										
0-19 YRS	96	2.8	3	1	1	2	4	5	6	9
20-34	896	3.0	4	1	1	3	4	5	7	10
35-49	1247	3.0	4	1	1	2	4	6	7	10
50-64	788	3.2	6	1	1	2	4	6	8	12
65 +	203	3.9	15	1	1	3	5	7	11	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	2.0	1	< 1	1	2	3	4	5	5
20-34	407	2.0	2	< 1	1	2	2	4	4	7
35-49	586	2.1	2	< 1	1	2	3	4	5	7
50-64	482	2.4	3	< 1	1	2	3	4	5	9
65 +	344	2.9	4	1	1	2	4	5	7	10
B. Operated										
0-19 YRS	48	4.2	8	1	1	3	6	8	9	14
20-34	404	4.2	11	1	1	3	5	8	9	15
35-49	735	4.4	10	1	1	4	6	8	11	15
50-64	728	4.8	17	1	1	4	6	9	12	23
65 +	674	5.8	19	1	2	5	8	12	15	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3195	1.7	1	< 1	1	1	2	3	4	5
B. Operated	3230	3.1	5	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	1881	2.3	3	1	1	2	3	4	5	8
B. Operated	2589	4.8	15	1	1	4	6	9	12	20
1. SINGLE DX	6425	2.4	4	< 1	1	2	3	5	6	9
2. MULTIPLE DX	4470	3.8	11	1	1	3	5	8	10	16
A. Not Operated	5076	1.9	2	< 1	1	2	2	3	4	7
B. Operated	5819	3.9	10	1	1	3	5	8	10	16
TOTAL										
0-19 YRS	353	2.4	3	< 1	1	2	3	5	6	9
20-34	2675	2.5	4	1	1	2	3	5	6	10
35-49	3868	2.7	5	1	1	2	3	5	7	12
50-64	2626	3.2	8	1	1	2	4	6	8	14
65 +	1373	4.3	15	1	1	3	5	9	12	20
GRAND TOTAL	**10895**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.8	4	< 1	1	2	3	6	8	8
20-34	14	2.8	15	< 1	< 1	2	3	5	13	16
35-49	11	2.6	3	< 1	< 1	2	4	5	7	7
50-64	18	2.7	3	1	1	3	3	5	7	8
65 +	11	2.8	2	2	2	2	3	5	7	7
B. Operated										
0-19 YRS	243	5.5	7	1	2	5	7	9	10	14
20-34	71	4.7	11	1	1	5	7	8	10	14
35-49	65	4.7	12	1	1	4	7	8	10	17
50-64	92	4.0	10	1	1	3	6	9	11	12
65 +	30	4.0	15	< 1	< 1	3	7	9	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	3.5	8	1	1	3	4	7	8	17
20-34	42	4.0	15	< 1	1	3	5	9	12	18
35-49	45	4.2	10	1	1	3	6	8	9	15
50-64	56	4.8	12	1	1	4	6	9	11	18
65 +	124	6.7	27	1	2	5	8	13	17	28
B. Operated										
0-19 YRS	284	6.8	26	1	2	6	8	12	15	24
20-34	146	6.6	27	1	1	6	8	13	16	25
35-49	209	7.2	44	1	2	6	9	14	19	34
50-64	249	7.7	39	1	2	6	9	16	21	36
65 +	324	8.6	53	1	2	7	11	19	24	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	2.8	5	< 1	1	2	3	5	7	14
B. Operated	501	4.9	10	1	1	5	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	340	5.0	19	1	1	4	7	10	13	22
B. Operated	1212	7.5	39	1	2	6	9	14	21	31
1. SINGLE DX	574	4.6	10	< 1	1	4	7	8	10	15
2. MULTIPLE DX	1552	7.0	36	1	2	6	8	14	19	30
A. Not Operated	413	4.6	17	1	1	3	6	9	13	21
B. Operated	1713	6.7	32	1	1	6	8	13	18	30
TOTAL										
0-19 YRS	619	5.8	17	1	1	5	7	10	12	21
20-34	273	5.5	22	1	1	5	8	11	14	23
35-49	330	6.1	34	1	1	5	8	12	16	28
50-64	415	6.2	30	1	1	5	8	13	18	30
65 +	489	7.7	45	1	2	6	10	16	23	31
GRAND TOTAL	**2126**	**6.3**	**30**	**1**	**1**	**5**	**8**	**12**	**17**	**29**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	22	2.1	2	<1	1	2	3	4	5	6
35-49	33	1.8	1	<1	<1	1	2	3	4	5
50-64	18	1.9	2	<1	<1	1	3	4	5	5
65+	8	3.4	2	2	2	3	4	5	6	6
B. Operated										
0-19 YRS	0									
20-34	25	2.9	7	<1	1	2	3	5	9	13
35-49	14	3.6	4	<1	1	4	5	7	7	7
50-64	16	4.4	14	1	2	3	5	9	14	16
65+	9	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	21	3.0	4	<1	1	2	4	6	7	7
35-49	16	2.9	5	<1	1	2	3	5	9	10
50-64	21	3.9	14	<1	1	3	5	8	13	17
65+	19	4.1	9	1	1	3	6	9	10	11
B. Operated										
0-19 YRS	6	14.0	549	1	1	3	13	56	61	61
20-34	13	3.8	3	1	2	3	5	6	7	7
35-49	29	5.6	14	1	1	5	7	11	15	16
50-64	51	4.1	11	<1	1	3	6	9	12	13
65+	132	5.1	10	1	2	5	6	9	11	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	2.0	2	<1	1	2	3	4	5	6
B. Operated	64	3.3	8	<1	1	2	4	7	8	16
2. MULTIPLE DX										
A. Not Operated	79	3.5	8	1	1	3	5	7	9	15
B. Operated	231	5.1	24	1	1	4	6	9	12	16
1. SINGLE DX	148	2.6	5	<1	1	2	3	5	6	13
2. MULTIPLE DX	310	4.7	21	1	1	4	6	9	11	16
A. Not Operated	163	2.7	5	<1	1	2	3	6	7	11
B. Operated	295	4.7	21	1	1	4	6	9	12	16
TOTAL										
0-19 YRS	11	8.5	315	<1	<1	2	4	32	59	61
20-34	81	2.9	4	<1	1	2	4	6	7	11
35-49	92	3.4	9	<1	1	3	5	7	9	16
50-64	106	3.7	11	<1	1	3	5	8	10	16
65+	168	4.7	10	1	1	4	6	9	11	13
GRAND TOTAL	**458**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.1	1	<1	1	2	3	4	5	5
20-34	14	2.4	1	1	1	2	3	4	4	4
35-49	14	2.4	1	1	1	2	3	4	5	5
50-64	9	2.4	2	<1	<1	2	3	5	5	5
65+	4	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	13	3.6	3	1	1	3	5	6	7	7
20-34	37	2.6	6	<1	1	2	4	6	6	14
35-49	47	2.2	3	<1	1	2	3	4	6	7
50-64	38	2.2	2	1	1	2	3	5	6	7
65+	31	4.2	17	1	1	2	6	10	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	3.4	5	1	1	3	5	7	8	8
20-34	45	3.8	5	1	2	3	5	7	8	11
35-49	39	4.2	15	1	1	3	6	7	10	23
50-64	42	4.9	9	1	2	5	6	8	11	15
65+	142	6.7	25	2	2	5	9	12	16	30
B. Operated										
0-19 YRS	27	4.4	23	<1	1	3	5	10	13	24
20-34	69	4.4	15	1	1	3	5	8	12	21
35-49	90	4.2	10	1	1	3	5	9	11	16
50-64	120	5.2	28	1	1	3	7	11	16	28
65+	302	6.6	45	1	2	5	8	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.4	1	1	1	2	3	4	5	5
B. Operated	166	2.8	7	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. Not Operated	309	5.3	18	1	2	4	7	10	13	21
B. Operated	608	5.7	33	1	1	4	7	11	15	28
1. SINGLE DX	221	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX	917	5.5	28	1	1	4	7	11	15	27
A. Not Operated	364	4.9	16	1	1	4	6	9	12	19
B. Operated	774	5.0	29	1	1	3	6	10	14	27
TOTAL										
0-19 YRS	95	3.5	10	1	1	3	5	7	8	18
20-34	165	3.7	9	1	1	3	5	7	9	15
35-49	190	3.6	10	1	1	3	5	7	9	16
50-64	209	4.5	20	1	1	3	6	8	13	25
65+	479	6.5	37	1	2	5	8	13	17	30
GRAND TOTAL	**1138**	**5.0**	**25**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	6.0	50	1	1	6	11	11	11	11
B. Operated										
0-19 YRS	59	1.4	1	<1	<1	1	2	3	3	6
20-34	59	2.3	6	1	1	1	3	4	8	14
35-49	50	2.6	5	1	1	2	3	5	8	12
50-64	36	1.9	1	<1	1	2	2	3	5	6
65 +	44	2.8	4	<1	1	2	4	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	5	3.2	4	1	1	4	5	5	5	5
65 +	22	5.5	25	1	2	4	7	15	18	19
B. Operated										
0-19 YRS	65	2.8	8	<1	1	2	4	5	7	17
20-34	71	3.2	8	<1	<1	2	4	6	10	14
35-49	88	3.6	12	1	1	3	5	7	9	19
50-64	114	3.8	8	1	1	3	4	7	9	16
65 +	288	4.8	19	1	1	4	6	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.6	18	1	1	2	5	11	11	11
B. Operated	248	2.2	4	<1	<1	1	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	32	4.6	20	1	1	3	5	10	17	19
B. Operated	626	4.1	14	1	1	3	5	8	11	20
1. SINGLE DX	253	2.2	4	<1	<1	1	3	4	7	11
2. MULTIPLE DX	658	4.1	14	1	1	3	5	8	11	19
A. Not Operated	37	4.5	19	1	1	3	5	11	16	19
B. Operated	874	3.5	12	<1	1	3	4	7	10	18
TOTAL										
0-19 YRS	125	2.2	5	<1	<1	1	3	5	6	13
20-34	132	2.8	7	<1	1	2	3	6	9	15
35-49	141	3.2	10	1	1	2	4	7	8	18
50-64	157	3.3	7	1	1	3	4	7	8	15
65 +	356	4.6	18	1	1	3	6	9	13	23
GRAND TOTAL	**911**	**3.6**	**12**	**<1**	**1**	**3**	**4**	**7**	**10**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	267	3.1	4	1	1	3	4	5	7	11
20-34	116	3.1	7	1	1	3	4	5	7	14
35-49	74	3.1	5	1	1	3	4	5	7	13
50-64	61	3.8	4	1	1	4	5	6	8	10
65 +	99	6.2	33	1	1	5	7	13	17	32
B. Operated										
0-19 YRS	114	2.6	4	<1	<1	2	3	5	6	11
20-34	67	3.0	5	<1	1	3	4	6	7	11
35-49	92	3.2	10	<1	1	2	4	7	11	15
50-64	74	2.8	5	<1	1	2	3	5	7	13
65 +	129	3.8	21	<1	1	3	5	7	9	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	984	4.1	7	1	2	3	5	7	10	14
20-34	557	4.3	9	1	2	3	5	8	10	14
35-49	545	5.0	14	1	2	4	6	9	12	19
50-64	860	6.1	19	2	2	5	8	11	13	21
65 +	4371	7.8	40	2	3	6	9	14	17	35
B. Operated										
0-19 YRS	314	5.8	41	<1	1	4	8	11	14	34
20-34	184	6.0	34	1	2	5	7	11	14	36
35-49	286	6.5	59	1	1	5	8	14	18	36
50-64	480	7.5	80	1	2	5	9	14	22	54
65 +	1538	9.4	80	2	2	7	11	19	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	617	3.7	10	1	1	3	4	7	8	16
B. Operated	476	3.1	10	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	7317	6.6	31	2	2	5	8	12	15	28
B. Operated	2802	8.1	73	1	2	6	10	16	23	50
1. SINGLE DX	1093	3.4	10	1	1	3	4	6	8	15
2. MULTIPLE DX	10119	7.0	43	2	2	5	9	13	17	35
A. Not Operated	7934	6.4	30	2	2	5	8	12	15	28
B. Operated	3278	7.4	67	1	1	5	9	15	21	46
TOTAL										
0-19 YRS	1679	4.1	13	1	1	3	5	8	10	16
20-34	924	4.4	14	1	1	3	5	8	10	19
35-49	997	5.1	27	1	1	4	6	10	14	24
50-64	1475	6.3	39	1	2	5	8	11	15	32
65 +	6137	8.0	50	2	3	6	10	15	19	40
GRAND TOTAL	**11212**	**6.7**	**41**	**1**	**2**	**5**	**8**	**13**	**17**	**34**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	6	8.8	221	< 1	< 1	3	5	36	39	39
65 +	3	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	31	3.4	3	1	1	3	4	6	6	7
50-64	583	4.1	4	1	2	4	5	6	8	11
65 +	948	4.6	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.0	1	< 1	< 1	2	3	3	3	3
35-49	0									
50-64	36	3.3	4	< 1	1	3	5	6	7	9
65 +	156	4.3	15	1	1	4	5	8	11	24
B. Operated										
0-19 YRS	3	8.3	44	4	4	5	13	16	16	16
20-34	7	5.1	14	< 1	< 1	4	8	11	11	11
35-49	70	3.7	4	1	1	4	5	6	7	11
50-64	1615	5.0	8	2	3	4	6	8	10	15
65 +	5879	6.1	20	3	3	5	7	10	13	21
SUBTOTALS:										
1 SINGLE DX										
A. Not Operated	9	6.2	153	< 1	< 1	1	4	25	39	39
B. Operated	1567	4.4	4	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. Not Operated	195	4.1	13	< 1	1	3	5	7	10	23
B. Operated	7574	5.8	18	2	3	5	6	9	12	21
1. SINGLE DX	1576	4.4	5	1	2	4	5	6	8	12
2. MULTIPLE DX	7769	5.8	18	2	3	5	6	9	12	21
A. Not Operated	204	4.2	19	< 1	1	3	5	7	10	24
B. Operated	9141	5.6	16	2	3	5	6	9	11	19
TOTAL										
0-19 YRS	6	6.7	21	4	4	5	6	15	16	16
20-34	12	3.9	10	< 1	< 1	3	5	10	11	11
35-49	101	3.6	4	1	1	4	5	6	7	10
50-64	2240	4.7	8	2	2	4	5	7	9	15
65 +	6986	5.8	18	2	3	5	6	9	12	21
GRAND TOTAL	**9345**	**5.5**	**16**	**2**	**3**	**5**	**6**	**9**	**11**	**19**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	16	3.0	3	< 1	< 1	3	4	5	7	8
35-49	37	4.1	3	1	2	4	5	6	7	9
50-64	28	3.1	2	1	1	3	4	5	5	6
65 +	3	4.7		4	4	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	7	6.0	56	1	1	3	7	19	22	22
35-49	16	3.7	7	< 1	< 1	3	5	9	10	10
50-64	15	2.9	3	1	1	2	5	6	6	6
65 +	8	5.1	23	< 1	< 1	4	6	13	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	54	4.4	7	2	2	4	5	7	9	16
35-49	107	4.5	4	2	2	4	6	7	8	10
50-64	153	4.4	4	2	2	4	6	7	8	9
65 +	150	5.3	31	2	2	5	6	8	9	16
B. Operated										
0-19 YRS	5	2.0	2	< 1	< 1	1	3	4	4	4
20-34	22	4.7	7	1	2	5	7	9	9	9
35-49	47	5.4	15	1	1	4	8	11	13	15
50-64	80	5.1	14	1	1	4	7	10	12	18
65 +	130	6.3	18	1	2	6	8	11	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	3.6	3	1	1	3	5	6	6	9
B. Operated	46	4.0	16	< 1	1	3	5	8	11	22
2. MULTIPLE DX										
A. Not Operated	468	4.7	13	2	2	4	6	7	9	14
B. Operated	284	5.6	16	1	1	5	7	11	13	19
1. SINGLE DX	132	3.8	7	1	1	3	5	6	8	17
2. MULTIPLE DX	752	5.1	14	1	2	4	6	9	11	16
A. Not Operated	554	4.5	12	2	2	4	6	7	8	12
B. Operated	330	5.4	16	1	1	5	7	10	12	20
TOTAL										
0-19 YRS	11	3.1	3	< 1	< 1	4	4	5	5	5
20-34	99	4.4	10	1	2	4	5	8	9	19
35-49	207	4.6	7	1	2	4	6	8	9	13
50-64	276	4.4	7	1	2	4	6	7	9	14
65 +	291	5.8	25	1	2	5	7	9	12	20
GRAND TOTAL	**884**	**4.9**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	73	1.2		< 1	< 1	1	1	2	2	4
20-34	27	2.1	5	< 1	1	1	2	4	7	12
35-49	25	1.7	1	1	1	1	2	3	4	4
50-64	40	2.2	3	1	1	2	3	4	6	9
65 +	44	2.3	4	< 1	1	2	3	4	5	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	2	4.0	18	1	1	4	7	7	7	7
B. Operated										
0-19 YRS	64	1.5	1	< 1	< 1	1	2	3	4	4
20-34	18	2.7	5	< 1	1	2	3	7	8	8
35-49	22	2.6	5	1	1	2	3	4	7	11
50-64	55	2.4	3	< 1	1	2	3	5	6	8
65 +	59	3.7	9	1	2	3	4	6	12	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	209	1.8	3	< 1	< 1	1	2	3	4	10
2. MULTIPLE DX										
A. Not Operated	8	2.0	4	< 1	< 1	1	2	6	7	7
B. Operated	218	2.5	5	< 1	1	2	3	5	6	14
1. SINGLE DX	210	1.8	3	< 1	< 1	1	2	3	4	10
2. MULTIPLE DX	226	2.5	5	< 1	1	2	3	5	6	14
A. Not Operated	9	1.9	4	< 1	< 1	1	2	5	7	7
B. Operated	427	2.2	4	< 1	< 1	2	3	4	5	12
TOTAL										
0-19 YRS	142	1.3	1	< 1	< 1	1	1	2	3	4
20-34	47	2.3	5	< 1	1	2	2	5	7	12
35-49	47	2.1	3	1	1	2	3	4	4	11
50-64	95	2.3	3	1	1	2	3	5	6	9
65 +	105	3.1	7	< 1	1	2	4	5	8	15
GRAND TOTAL	436	2.2	4	< 1	< 1	2	3	4	5	12

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	3.2	4	1	1	3	4	5	7	10
20-34	76	3.6	4	1	1	3	5	7	8	10
35-49	60	5.0	22	1	2	4	6	7	10	34
50-64	34	5.1	6	2	3	5	6	8	11	12
65 +	15	6.0	4	4	4	6	7	10	11	11
B. Operated										
0-19 YRS	24	2.3	3	< 1	1	2	3	5	6	6
20-34	31	3.4	5	< 1	1	3	4	7	8	9
35-49	29	2.6	6	1	1	2	3	5	7	13
50-64	12	3.3	18	< 1	< 1	2	3	9	15	16
65 +	13	4.1	9	1	1	4	6	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	4.0	4	1	1	4	5	7	8	8
20-34	45	4.0	4	1	1	4	5	7	7	10
35-49	64	5.0	6	2	3	4	6	8	9	14
50-64	77	5.6	8	2	3	5	7	10	11	15
65 +	96	6.5	22	2	2	5	8	12	15	29
B. Operated										
0-19 YRS	15	4.1	4	1	2	4	5	6	8	9
20-34	35	5.0	10	< 1	1	5	7	9	12	13
35-49	39	4.6	10	< 1	1	4	6	9	11	14
50-64	39	4.4	10	1	1	4	5	9	11	15
65 +	68	7.4	50	1	1	5	10	14	24	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	228	4.3	10	1	2	4	5	7	9	12
B. Operated	109	3.0	7	1	1	2	4	7	8	14
2. MULTIPLE DX										
A. Not Operated	301	5.4	12	2	2	5	7	9	12	16
B. Operated	196	5.6	25	1	1	4	7	11	13	29
1. SINGLE DX	337	3.9	9	1	1	3	5	7	8	12
2. MULTIPLE DX	497	5.5	17	1	2	5	7	10	12	22
A. Not Operated	529	4.9	11	1	2	4	6	8	11	15
B. Operated	305	4.6	20	1	1	3	6	10	12	24
TOTAL										
0-19 YRS	101	3.2	4	1	1	3	4	6	7	10
20-34	187	3.9	6	1	1	3	5	7	8	12
35-49	192	4.5	12	1	1	4	6	7	10	15
50-64	162	5.0	9	1	2	5	6	9	11	15
65 +	192	6.6	30	1	2	5	8	12	15	35
GRAND TOTAL	834	4.8	14	1	1	4	6	9	11	16

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	0									
35-49	0									
50-64	0									
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	107	1.1		<1	<1	<1	<1	1	2	3
20-34	20	1.4	1	<1	<1	1	1	3	4	4
35-49	7	2.7	21	<1	<1	<1	1	11	13	13
50-64	9	1.0		<1	<1	1	1	1	1	1
65+	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.4	3	1	1	2	4	5	5	5
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	0									
65+	6	3.2	7	<1	<1	3	5	7	7	7
B. Operated										
0-19 YRS	37	1.2		<1	<1	1	1	2	2	2
20-34	9	1.6	1	<1	<1	1	2	3	3	3
35-49	21	1.9	6	<1	<1	1	2	3	7	12
50-64	24	2.5	14	<1	1	1	2	4	10	19
65+	21	2.7	13	1	1	1	3	5	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.6	2	<1	<1	1	2	4	4	4
B. Operated	148	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	17	2.9	5	<1	1	2	4	6	7	7
B. Operated	112	1.9	7	<1	<1	1	2	3	5	18
1. SINGLE DX	153	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX	129	2.0	7	<1	<1	1	2	4	6	17
A. Not Operated	22	2.6	4	<1	<1	2	4	6	7	7
B. Operated	260	1.5	4	<1	<1	1	1	2	3	13
TOTAL										
0-19 YRS	155	1.2		<1	<1	<1	1	2	2	4
20-34	31	1.5	1	<1	<1	1	2	3	4	4
35-49	30	2.2	9	<1	<1	1	2	5	12	13
50-64	33	2.1	10	<1	<1	1	2	3	6	19
65+	33	2.5	10	<1	<1	1	3	5	7	17
GRAND TOTAL	**282**	**1.6**	**4**	**<1**	**<1**	**1**	**1**	**3**	**4**	**13**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.9	1	<1	1	2	2	3	5	6
20-34	14	2.6	1	1	1	3	4	4	4	4
35-49	9	2.9	12	1	1	2	3	8	12	12
50-64	5	1.8	1	<1	<1	2	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	301	1.4	1	<1	1	1	2	2	3	5
20-34	137	2.1	2	<1	1	1	3	5	6	7
35-49	87	2.5	5	<1	1	2	3	5	7	12
50-64	104	2.9	2	<1	1	3	4	5	6	8
65+	51	2.9	7	<1	<1	2	4	5	7	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.3	5	<1	<1	3	5	6	8	8
20-34	12	2.7	4	<1	<1	2	4	5	6	6
35-49	24	5.0	15	1	2	4	7	11	14	15
50-64	14	3.9	13	1	1	3	6	8	12	13
65+	22	5.5	14	<1	1	4	9	12	13	13
B. Operated										
0-19 YRS	136	2.6	19	<1	1	1	3	4	8	26
20-34	72	3.2	6	1	1	2	4	7	8	11
35-49	154	3.8	9	1	1	3	5	7	9	15
50-64	271	3.8	18	1	1	3	4	6	9	23
65+	195	4.3	16	1	1	3	5	8	11	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	2.3	3	1	1	2	3	4	4	12
B. Operated	680	2.0	3	<1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	84	4.4	12	<1	1	3	6	9	12	14
B. Operated	828	3.7	15	1	1	3	4	7	9	22
1. SINGLE DX	729	2.0	3	<1	1	1	3	4	5	8
2. MULTIPLE DX	912	3.7	15	1	1	3	4	7	10	21
A. Not Operated	133	3.6	10	1	1	3	4	8	11	14
B. Operated	1508	2.9	10	1	1	2	4	5	7	16
TOTAL										
0-19 YRS	469	1.8	6	<1	1	1	2	3	4	9
20-34	235	2.5	4	1	1	2	3	5	6	11
35-49	274	3.4	9	1	1	3	4	7	10	15
50-64	394	3.6	14	1	1	3	4	6	8	18
65+	269	4.1	14	1	1	3	5	8	11	23
GRAND TOTAL	**1641**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	9	1.6	1	< 1	< 1	1	2	3	4	4
20-34	95	1.6	1	< 1	< 1	< 1	2	3	4	7
35-49	310	1.8	2	< 1	< 1	1	2	4	5	7
50-64	186	1.4	1	< 1	< 1	1	2	2	3	5
65 +	95	1.3		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	8	2.1	6	< 1	< 1	1	2	6	8	8
20-34	69	2.8	2	< 1	< 1	3	4	5	5	7
35-49	253	2.8	5	< 1	< 1	2	4	5	6	12
50-64	202	2.6	9	< 1	< 1	2	3	5	7	12
65 +	118	2.5	4	< 1	< 1	2	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	695	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	8	2.6	8	< 1	< 1	1	3	7	9	9
B. Operated	650	2.7	6	< 1	< 1	2	3	5	6	12
1. SINGLE DX	697	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	658	2.7	6	< 1	< 1	2	3	5	6	12
A. Not Operated	10	2.3	7	< 1	< 1	1	3	6	9	9
B. Operated	1345	2.1	4	< 1	< 1	1	3	4	5	9
TOTAL										
0-19 YRS	17	1.8	3	< 1	< 1	1	2	4	7	8
20-34	165	2.1	2	< 1	< 1	1	3	4	5	7
35-49	566	2.2	4	< 1	< 1	1	3	5	6	9
50-64	391	2.1	5	< 1	< 1	1	2	4	5	9
65 +	216	1.9	3	< 1	< 1	1	2	4	5	9
GRAND TOTAL	**1355**	**2.1**	**4**	**< 1**	**< 1**	**1**	**3**	**4**	**5**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.8	2	1	1	2	4	5	5	5
20-34	24	3.4	2	1	2	3	4	5	6	7
35-49	18	3.7	4	< 1	1	3	6	8	59	99 +
50-64	6	3.0	2	2	2	3	3	6	6	6
65 +	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
0-19 YRS	164	2.2	2	1	1	2	3	4	5	7
20-34	239	2.4	2	< 1	1	2	3	4	5	8
35-49	153	2.7	3	< 1	1	2	3	5	6	9
50-64	123	2.2	2	< 1	< 1	2	3	4	4	7
65 +	34	2.1	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.6	9	1	1	4	6	9	10	10
20-34	19	3.6	5	< 1	1	3	5	6	9	11
35-49	5	3.8	17	< 1	1	2	5	6	15	18
50-64	11	3.7	8	< 1	< 1	3	6	8	8	8
65 +	19	6.2	20	2	2	4	8	14	16	18
B. Operated										
0-19 YRS	49	3.1	7	1	1	3	4	4	7	18
20-34	123	3.4	6	1	1	3	4	6	8	14
35-49	202	3.3	7	1	1	3	4	6	7	11
50-64	152	3.3	5	1	1	3	4	5	6	13
65 +	72	3.3	9	< 1	1	2	4	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.4	3	1	1	3	5	6	7	88
B. Operated	713	2.4	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	81	4.4	14	< 1	1	3	5	9	13	18
B. Operated	598	3.3	7	1	1	3	4	6	7	14
1. SINGLE DX	775	2.4	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX	679	3.4	8	1	1	3	4	6	8	15
A. Not Operated	143	3.9	9	1	1	3	5	7	10	23
B. Operated	1311	2.8	4	< 1	1	2	3	5	6	10
TOTAL										
0-19 YRS	232	2.5	3	1	1	2	3	4	5	9
20-34	405	2.8	4	1	1	2	4	5	6	11
35-49	398	3.1	6	< 1	1	3	4	6	7	13
50-64	292	2.8	4	< 1	1	2	4	5	6	9
65 +	127	3.4	10	< 1	< 1	2	4	7	10	16
GRAND TOTAL	**1454**	**2.9**	**5**	**< 1**	**1**	**2**	**4**	**5**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	1.9	1	< 1	1	2	2	3	4	6
20-34	223	2.1	2	< 1	1	2	3	4	4	6
35-49	63	2.2	2	< 1	1	2	3	4	6	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	171	3.5	3	1	1	3	4	6	7	8
20-34	482	3.7	3	1	1	4	5	6	7	9
35-49	165	4.8	6	1	2	4	6	8	9	12
50-64	23	5.1	7	1	2	5	6	8	10	14
65 +	16	6.8	4	4	4	6	8	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116	2.4	2	1	1	2	3	4	5	8
20-34	220	2.5	2	< 1	1	2	3	5	6	8
35-49	53	3.0	5	< 1	1	2	4	5	7	14
50-64	3	2.7		2	2	3	3	3	3	3
65 +	4	7.5	4	5	5	8	9	9	9	9
B. Operated										
0-19 YRS	203	4.0	5	1	2	4	5	6	8	11
20-34	1217	4.5	5	1	2	4	5	7	8	13
35-49	775	5.3	7	2	3	5	6	8	9	14
50-64	100	5.6	6	3	4	5	6	8	9	16
65 +	58	7.8	28	3	5	6	8	11	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	431	2.0	2	< 1	1	2	3	4	4	7
B. Operated	857	4.0	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	396	2.6	3	< 1	1	2	3	5	6	9
B. Operated	2353	4.8	7	1	2	5	6	7	9	14
1. SINGLE DX	1288	3.3	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2749	4.5	7	1	2	4	6	7	9	14
A. Not Operated	827	2.3	2	< 1	1	2	3	4	5	8
B. Operated	3210	4.6	6	1	2	4	6	7	8	13
TOTAL										
0-19 YRS	635	3.1	4	1	1	3	4	5	7	8
20-34	2142	3.9	5	1	1	4	5	6	7	11
35-49	1056	4.9	7	1	2	5	6	8	9	14
50-64	126	5.4	6	2	3	5	6	8	9	16
65 +	78	7.6	22	4	5	6	8	11	13	30
GRAND TOTAL	**4037**	**4.1**	**6**	**1**	**1**	**4**	**5**	**7**	**8**	**12**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	420	4.0	5	1	2	3	5	7	8	14
20-34	948	3.8	4	2	2	3	5	6	7	10
35-49	126	4.5	5	2	2	4	6	7	9	11
50-64	7	5.1	6	< 1	1	5	7	8	8	8
65 +	3	5.3	10	3	3	4	8	9	9	9
B. Operated										
0-19 YRS	60	5.0	10	1	2	4	7	9	10	18
20-34	318	4.4	6	< 1	1	4	6	7	9	14
35-49	130	5.0	10	1	2	5	6	8	11	20
50-64	22	6.5	46	< 1	< 1	5	6	18	23	29
65 +	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	379	4.7	9	1	2	4	6	8	10	14
20-34	896	4.4	5	2	2	4	5	7	8	12
35-49	201	4.7	6	2	2	4	6	8	9	12
50-64	22	5.6	10	2	2	5	8	10	12	12
65 +	12	8.3	27	3	3	6	11	17	18	18
B. Operated										
0-19 YRS	169	6.0	20	2	3	5	7	10	13	22
20-34	1696	5.1	8	1	2	5	6	8	10	15
35-49	781	5.8	11	2	3	5	7	10	12	18
50-64	113	7.2	38	3	4	6	7	12	17	40
65 +	36	9.9	42	3	4	7	14	20	24	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1504	3.9	5	1	2	4	5	6	7	11
B. Operated	532	4.7	9	< 1	1	4	6	8	9	17
2. MULTIPLE DX										
A. Not Operated	1510	4.6	6	2	2	4	6	8	9	14
B. Operated	2795	5.5	11	1	3	5	6	9	11	18
1. SINGLE DX	2036	4.1	6	1	2	4	5	7	8	13
2. MULTIPLE DX	4305	5.2	10	1	2	5	6	8	11	17
A. Not Operated	3014	4.3	6	2	2	4	5	7	8	13
B. Operated	3327	5.4	11	1	2	5	6	9	11	18
TOTAL										
0-19 YRS	1028	4.6	10	1	2	4	6	8	10	15
20-34	3858	4.6	6	1	2	4	6	7	9	13
35-49	1238	5.4	9	1	2	5	6	9	11	18
50-64	164	6.8	34	2	3	6	7	12	17	32
65 +	53	9.2	36	3	4	7	13	17	21	29
GRAND TOTAL	**6341**	**4.8**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.6	7	2	2	4	5	9	9	9
20-34	25	2.7	3	1	1	2	3	5	6	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	2.1	3	< 1	< 1	< 1	3	5	6	6
20-34	266	3.9	3	< 1	< 1	4	5	6	7	8
35-49	197	4.6	3	1	3	5	6	6	7	8
50-64	13	5.5	3	3	3	5	7	8	8	8
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	31	3.2	3	< 1	1	3	4	6	6	6
35-49	20	2.6	3	< 1	< 1	2	4	5	6	6
50-64	0									
65 +	2	6.5	1	6	6	6	7	7	7	7
B. Operated										
0-19 YRS	49	3.7	5	< 1	1	4	5	7	7	11
20-34	1948	4.6	4	1	3	5	6	6	7	10
35-49	2339	5.2	3	3	3	5	6	7	8	12
50-64	187	5.7	3	3	4	6	7	8	8	12
65 +	25	7.5	28	3	4	7	8	11	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.0	4	1	1	2	4	5	8	9
B. Operated	488	4.2	4	< 1	1	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	53	3.1	3	< 1	1	3	4	6	6	7
B. Operated	4548	5.0	4	2	3	5	6	7	8	11
1. SINGLE DX	519	4.1	4	< 1	1	4	5	6	7	8
2. MULTIPLE DX	4601	4.9	4	2	3	5	6	7	8	11
A. Not Operated	84	3.0	3	< 1	1	3	4	6	6	9
B. Operated	5036	4.9	4	1	3	5	6	7	8	11
TOTAL										
0-19 YRS	65	3.5	5	< 1	< 1	3	5	6	7	11
20-34	2270	4.5	4	1	2	5	5	6	7	10
35-49	2557	5.1	3	3	3	5	6	7	8	12
50-64	200	5.7	3	3	4	6	7	8	8	12
65 +	28	7.2	26	2	3	6	8	11	17	29
GRAND TOTAL	**5120**	**4.9**	**4**	**1**	[illegible]	**5**	**6**	**7**	**8**	**11**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	12	2.8	4	< 1	< 1	2	4	5	6	6
35-49	6	3.8	3	< 1	< 1	4	5	6	6	6
50-64	3	1.3		1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	5.5	6	3	3	5	7	8	8	8
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	126	4.5	3	1	2	5	5	6	7	11
35-49	139	5.1	4	2	3	5	6	7	9	12
50-64	19	3.7	5	< 1	1	4	5	7	8	8
65 +	13	5.0	11	1	1	5	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	24	2.8	3	< 1	< 1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	7	3.7	8	< 1	< 1	3	6	8	8	8
B. Operated	298	4.7	4	1	2	5	6	7	8	11
1. SINGLE DX	25	2.9	3	< 1	< 1	3	4	6	6	6
2. MULTIPLE DX	305	4.7	4	1	2	5	6	7	8	11
A. Not Operated	8	4.0	7	< 1	< 1	3	6	8	8	8
B. Operated	322	4.6	4	1	2	5	6	7	8	11
TOTAL										
0-19 YRS	7	2.3	3	< 1	< 1	2	3	5	6	6
20-34	142	4.4	4	1	1	4	5	6	7	11
35-49	146	5.0	4	2	2	5	6	7	8	11
50-64	22	3.4	5	< 1	1	4	5	6	7	8
65 +	13	5.0	11	1	1	5	7	10	10	10
GRAND TOTAL	**330**	**4.6**	**5**	**1**	**1**	**5**	**6**	**7**	**8**	**11**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.5	1	< 1	1	2	4	4	4	4
20-34	41	3.4	2	1	2	3	4	5	6	7
35-49	12	3.7	3	2	2	3	4	6	8	8
50-64	6	3.2		3	3	3	3	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	12	2.0	3	< 1	< 1	2	2	4	7	7
20-34	62	2.0	3	< 1	< 1	1	3	4	6	8
35-49	36	1.3	1	< 1	< 1	1	1	2	3	6
50-64	8	1.8	1	< 1	< 1	2	2	3	3	3
65 +	4	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	4.3	7	1	2	4	5	9	10	12
20-34	106	4.4	8	2	2	4	5	8	10	16
35-49	32	4.5	6	1	2	4	6	7	10	11
50-64	12	5.1	22	< 1	1	4	6	12	17	18
65 +	14	5.7	8	3	3	5	7	11	12	12
B. Operated										
0-19 YRS	21	3.6	6	< 1	1	3	5	8	9	10
20-34	101	4.3	12	< 1	1	4	6	8	10	20
35-49	74	4.8	29	< 1	1	4	6	8	11	33
50-64	32	5.5	40	< 1	< 1	4	6	12	16	34
65 +	16	4.8	12	1	1	4	6	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	3.2	2	1	2	3	4	5	6	8
B. Operated	122	1.8	2	< 1	< 1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	217	4.5	8	1	2	4	6	8	10	16
B. Operated	244	4.6	20	< 1	1	4	6	8	11	32
1. SINGLE DX	205	2.3	2	< 1	< 1	2	3	4	5	8
2. MULTIPLE DX	461	4.5	14	1	1	4	6	8	11	19
A. Not Operated	300	4.2	7	1	2	4	5	7	10	14
B. Operated	366	3.6	16	< 1	< 1	2	5	7	10	22
TOTAL										
0-19 YRS	109	3.5	6	1	1	3	4	7	9	11
20-34	310	3.8	8	< 1	1	3	5	7	8	16
35-49	154	3.8	17	< 1	< 1	3	5	7	9	31
50-64	58	4.6	28	< 1	< 1	3	5	9	15	33
65 +	35	4.7	11	1	1	4	6	10	12	12
GRAND TOTAL	**666**	**3.9**	**12**	**<1**	**1**	**3**	**5**	**7**	**10**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	5	3.6	10	< 1	< 1	2	7	7	7	7
B. Operated										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	154	4.5	3	2	3	4	5	6	7	10
35-49	291	4.6	3	2	3	5	6	7	8	10
50-64	364	5.2	4	2	3	5	6	8	9	11
65 +	310	5.7	6	2	3	6	7	8	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	1.0		< 1	< 1	< 1	1	1	1	1
35-49	14	2.4	5	< 1	< 1	1	3	6	8	8
50-64	25	1.8	3	< 1	< 1	1	2	4	6	8
65 +	32	3.8	17	< 1	< 1	2	5	10	15	17
B. Operated										
0-19 YRS	6	4.8	1	4	4	5	5	6	6	6
20-34	784	5.0	4	3	3	5	6	7	8	13
35-49	1430	5.6	4	3	3	5	6	8	9	13
50-64	1130	5.9	6	3	4	6	7	8	9	13
65 +	1245	6.5	6	3	4	6	7	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.6	7	< 1	< 1	3	6	7	7	7
B. Operated	1122	5.1	5	2	3	5	6	7	9	11
2. MULTIPLE DX										
A. Not Operated	77	2.7	10	< 1	< 1	1	3	6	9	16
B. Operated	4595	5.8	5	3	4	5	7	8	9	14
1. SINGLE DX	1130	5.1	5	2	3	5	6	7	9	11
2. MULTIPLE DX	4672	5.8	6	3	3	5	7	8	9	14
A. Not Operated	85	2.8	9	< 1	< 1	1	3	7	8	16
B. Operated	5717	5.7	5	3	3	5	7	8	9	14
TOTAL										
0-19 YRS	9	4.4	2	1	2	5	5	6	6	6
20-34	944	4.9	4	2	3	5	6	7	8	12
35-49	1736	5.4	4	3	3	5	6	7	9	13
50-64	1521	5.6	5	3	3	5	7	8	9	12
65 +	1592	6.3	7	3	4	6	7	9	11	15
GRAND TOTAL	**5802**	**5.6**	**5**	**3**	**3**	**5**	**7**	**8**	**9**	**14**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (1)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3	1	<1	<1	3	3	3	3	3
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	15	1.6	1	<1	<1	<1	2	4	4	4
35-49	30	1.4	2	<1	<1	<1	<1	3	5	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	4	3.3	7	1	1	2	5	7	7	7
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	47	3.0	4	<1	<1	3	5	5	6	8
35-49	85	3.0	5	<1	<1	1	5	6	7	[illegible]
50-64	7	3.3	4	<1	<1	3	5	6	6	[illegible]
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	1	<1	<1	3	3	3	3	3
B. Operated	49	1.4	1	<1	<1	<1	1	3	4	6
2. MULTIPLE DX										
A. Not Operated	7	3.6	5	1	1	3	5	7	7	7
B. Operated	142	3.0	4	<1	<1	3	5	6	7	8
1. SINGLE DX	52	1.5	1	<1	<1	<1	1	3	4	6
2. MULTIPLE DX	149	3.0	4	<1	<1	3	5	6	7	8
A. Not Operated	10	3.2	4	<1	<1	3	4	6	7	7
B. Operated	191	2.6	4	<1	<1	1	4	6	6	8
TOTAL										
0-19 YRS	7	2.3	4	1	1	1	4	5	5	5
20-34	67	2.7	3	<1	<1	3	4	5	6	8
35-49	119	2.6	5	<1	<1	<1	4	6	7	8
50-64	8	3.0	4	<1	<1	3	4	6	6	6
65+	0									
GRAND TOTAL	**201**	**2.6**	**4**	**<1**	**<1**	**1**	**4**	**6**	**6**	**8**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.8	1	1	1	1	3	3	4	5
20-34	37	1.8	1	<1	1	2	2	3	4	5
35-49	14	1.7	1	<1	<1	1	2	4	4	4
50-64	3	1.3		1	1	1	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	25	1.4		<1	<1	1	2	2	3	3
20-34	295	2.6	4	<1	<1	1	4	5	6	7
35-49	364	2.6	4	<1	<1	1	4	5	6	7
50-64	40	2.0	3	<1	<1	<1	2	5	6	6
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	2.3	1	1	1	2	3	4	5	5
20-34	99	2.4	2	<1	1	2	3	5	6	8
35-49	54	2.5	4	<1	<1	2	3	5	6	12
50-64	4	1.3		1	1	1	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	42	2.5	4	<1	<1	2	3	5	7	8
20-34	1372	4.2	4	<1	1	4	5	6	7	10
35-49	2314	4.6	5	<1	1	5	6	7	8	11
50-64	156	5.0	8	<1	1	5	6	8	9	18
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	1.8	1	<1	1	1	2	3	4	5
B. Operated	724	2.5	3	<1	<1	1	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	196	2.4	3	<1	1	2	3	4	6	9
B. Operated	3884	4.4	5	<1	1	5	6	7	8	11
1 SINGLE DX	796	2.4	3	<1	<1	1	4	5	6	7
MULTIPLE DX	4080	4.3	5	<1	1	4	5	7	8	11
Not Operated	268	2.2	2	<1	1	2	3	4	5	8
Operated	4608	4.1	5	<1	<1	4	5	7	7	11
TOTAL										
0-19 YRS	124	2.2	2	<1	<1	2	3	4	5	8
20-34	1803	3.8	5	<1	<1	4	5	6	7	10
35-49	2746	4.2	5	<1	<1	4	5	7	8	11
50-64	203	4.3	8	<1	<1	5	6	7	8	15
65+	0									
GRAND TOTAL	**4876**	**4.0**	**5**	**<1**	**<1**	**4**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	10	1.4	2	<1	<1	<1	1	3	5	5
50-64	88	1.4	1	<1	<1	<1	1	3	4	6
65 +	45	1.6	1	<1	<1	<1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	3.5	1	2	2	4	4	4	4	4
50-64	11	3.5	11	<1	<1	2	6	9	11	11
65 +	16	3.1	3	1	1	3	4	6	6	6
B. Operated										
0-19 YRS	0									
20-34	8	4.5	1	2	3	5	5	6	6	6
35-49	77	3.8	11	<1	<1	4	5	7	8	19
50-64	259	3.6	8	<1	<1	3	6	7	8	13
65 +	131	3.7	11	<1	<1	2	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	144	1.5	1	<1	<1	<1	1	3	5	6
2. MULTIPLE DX										
A. Not Operated	32	3.3	5	1	1	3	4	6	7	11
B. Operated	525	3.7	9	<1	<1	3	5	7	9	16
1. SINGLE DX	146	1.5	1	<1	<1	<1	1	3	5	6
2. MULTIPLE DX	557	3.7	9	<1	<1	3	5	7	9	16
A. Not Operated	34	3.1	5	1	1	2	4	6	7	11
B. Operated	669	3.2	8	<1	<1	2	5	7	8	14
TOTAL										
0-19 YRS	0									
20-34	10	3.9	3	<1	1	4	5	6	6	6
35-49	92	3.5	10	<1	<1	3	5	7	8	18
50-64	358	3.1	7	<1	<1	2	5	7	8	12
65 +	243	3.2	9	<1	<1	2	4	7	9	16
GRAND TOTAL	**703**	**3.2**	**8**	**<1**	**<1**	**2**	**5**	**7**	**8**	**14**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.8	2	<1	<1	1	2	4	5	5
20-34	24	1.8	1	<1	<1	1	2	4	4	4
35-49	7	1.4	1	<1	<1	1	2	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	5	3.0	3	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	40	3.0	5	<1	<1	2	4	7	8	10
20-34	425	2.9	4	<1	<1	3	4	5	6	8
35-49	224	3.3	4	<1	<1	3	5	6	7	10
50-64	111	2.9	4	<1	<1	2	5	6	7	8
65 +	40	2.8	5	<1	<1	2	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.3	2	1	1	2	3	4	5	5
20-34	43	2.9	7	<1	<1	2	4	6	8	12
35-49	25	2.4	5	<1	<1	2	3	5	9	9
50-64	13	3.8	11	<1	<1	3	6	8	11	12
65 +	22	3.9	11	1	1	3	6	9	10	12
B. Operated										
0-19 YRS	51	3.6	4	<1	1	3	5	6	7	10
20-34	813	4.5	10	1	1	4	5	6	8	13
35-49	1041	5.0	9	1	2	5	6	7	8	15
50-64	505	5.6	17	1	2	5	6	9	10	24
65 +	313	6.4	31	1	1	5	7	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	1.9	1	<1	<1	1	3	4	4	5
B. Operated	840	3.0	4	<1	<1	3	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	115	3.0	7	<1	<1	2	4	7	9	12
B. Operated	2723	5.1	14	1	2	5	6	7	10	20
1. SINGLE DX	894	2.9	4	<1	<1	3	4	5	6	9
2. MULTIPLE DX	2838	5.0	14	1	1	5	6	7	10	20
A. Not Operated	169	2.6	6	<1	<1	2	3	6	9	12
B. Operated	3563	4.6	12	<1	1	4	6	7	9	18
TOTAL										
0-19 YRS	120	3.0	4	<1	<1	3	4	6	7	10
20-34	1305	3.9	8	<1	1	4	5	6	7	12
35-49	1297	4.6	8	<1	1	5	6	7	8	14
50-64	630	5.0	16	<1	1	5	6	8	10	22
65 +	380	5.8	28	<1	1	5	7	11	15	25
GRAND TOTAL	**3732**	**4.5**	**12**	**<1**	**1**	**4**	**6**	**7**	**9**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	1.9	1	< 1	1	2	2	3	4	6
20-34	86	2.1	2	< 1	1	2	3	4	5	6
35-49	17	2.1	3	< 1	< 1	1	3	5	6	6
50-64	3	4.7	6	2	2	5	6	7	7	7
65 +	2	3.0	8	< 1	< 1	2	5	5	5	5
B. Operated										
0-19 YRS	29	2.0	3	< 1	< 1	1	2	4	5	9
20-34	265	3.4	4	< 1	< 1	3	5	6	6	9
35-49	250	4.6	4	< 1	2	5	6	7	8	9
50-64	159	5.4	4	2	3	5	6	8	9	11
65 +	66	6.2	5	2	3	6	7	9	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	2.4	4	< 1	1	2	3	4	5	14
20-34	138	2.6	3	< 1	1	2	3	5	6	9
35-49	45	3.1	4	< 1	< 1	3	5	6	7	7
50-64	11	2.1	2	< 1	< 1	2	3	4	4	4
65 +	5	2.6	4	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	46	3.8	5	1	1	4	5	6	8	11
20-34	1322	4.5	4	1	2	4	5	7	8	12
35-49	1080	5.2	4	3	3	5	6	7	8	13
50-64	331	6.3	6	3	4	6	7	9	11	15
65 +	226	7.0	9	4	4	7	8	10	12	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	157	2.1	2	< 1	1	2	3	4	5	7
B. Operated	769	4.4	5	< 1	< 1	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	253	2.6	3	< 1	1	2	3	5	6	9
B. Operated	3005	5.1	5	2	3	5	6	8	9	13
1. SINGLE DX	926	4.0	5	< 1	< 1	4	6	7	8	10
2. MULTIPLE DX	3258	4.9	6	1	2	5	6	8	9	13
A. Not Operated	410	2.4	3	< 1	1	2	3	5	6	8
B. Operated	3774	5.0	5	1	2	5	6	8	9	12
TOTAL										
0-19 YRS	178	2.6	4	< 1	1	2	3	5	6	11
20-34	1811	4.1	4	< 1	1	4	5	6	7	10
35-49	1392	5.0	5	1	3	5	6	7	8	12
50-64	504	5.9	6	2	3	6	7	9	10	13
65 +	299	6.8	9	3	4	6	8	10	11	16
GRAND TOTAL	**4184**	**4.7**	**6**	**1**	**1**	**5**	**6**	**7**	**9**	**12**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	1.7	1	< 1	< 1	1	2	3	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	78	3.9	1	2	3	4	4	6	6	8
20-34	856	3.6	2	1	2	4	4	5	6	7
35-49	114	3.7	2	1	2	4	4	5	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	2.1		1	1	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	69	4.3	2	2	3	4	5	6	7	10
20-34	1028	4.2	3	2	3	4	5	6	7	11
35-49	174	4.5	4	2	3	4	5	6	7	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated	1048	3.7	2	1	2	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	9	2.6	1	1	1	2	3	4	5	5
B. Operated	1271	4.3	3	2	3	4	5	6	7	11
1. SINGLE DX	1067	3.6	2	1	2	4	4	5	6	7
2. MULTIPLE DX	1280	4.3	3	2	3	4	5	6	7	11
A. Not Operated	28	1.9	1	< 1	1	2	3	3	4	5
B. Operated	2319	4.0	3	2	2	4	5	6	6	9
TOTAL										
0-19 YRS	149	4.1	2	2	3	4	5	6	6	8
20-34	1909	3.9	3	1	2	4	5	5	6	9
35-49	289	4.2	3	2	2	4	5	6	7	10
50-64	0									
65 +	0									
GRAND TOTAL	**2347**	**4.0**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**9**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.4		1	1	1	2	2	2	2
20-34	18	1.8	2	1	1	1	2	4	5	6
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	70	1.4	1	< 1	1	1	2	2	2	5
20-34	96	1.6	2	< 1	< 1	1	2	3	4	7
35-49	14	1.6	1	< 1	< 1	1	2	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.6		< 1	< 1	2	2	2	2	2
20-34	32	1.7	1	1	1	1	2	3	4	5
35-49	5	2.0	2	< 1	< 1	1	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	4.1	23	1	1	2	5	11	16	20
20-34	126	2.8	9	< 1	< 1	2	3	6	7	19
35-49	26	2.2	4	< 1	< 1	1	2	6	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.8	2	1	1	1	2	4	5	6
B. Operated	180	1.5	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	44	1.7	1	< 1	1	1	2	3	4	5
B. Operated	180	2.9	10	< 1	< 1	2	3	6	7	19
1. SINGLE DX	208	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	224	2.7	9	< 1	< 1	2	3	6	7	19
A. Not Operated	72	1.7	1	1	1	1	2	3	4	6
B. Operated	360	2.2	6	< 1	< 1	1	2	5	6	16
TOTAL										
0-19 YRS	113	2.1	7	< 1	1	1	2	3	7	17
20-34	272	2.2	5	< 1	< 1	1	2	5	6	13
35-49	47	2.0	3	< 1	< 1	1	2	5	6	7
50-64	0									
65 +	0									
GRAND TOTAL	**432**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	3.0	8	< 1	< 1	2	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	2.3	5	< 1	< 1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	3	2.3	5	< 1	< 1	1	4	5	5	5
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. Not Operated	0									
B. Operated	4	2.8	4	< 1	< 1	2	4	5	5	5
TOTAL										
0-19 YRS	0									
20-34	3	3.3	4	< 1	< 1	4	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
GRAND TOTAL	**4**	**2.8**	**4**	**<1**	**<1**	**2**	**4**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	1.4	1	< 1	< 1	1	2	2	3	5
20-34	216	1.4	1	< 1	< 1	1	2	2	3	5
35-49	20	1.5		< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	502	1.4	2	< 1	< 1	1	2	2	3	4
20-34	2048	1.3	1	< 1	< 1	1	1	2	3	4
35-49	272	1.3	1	< 1	< 1	1	1	2	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.4	5	< 1	1	2	3	5	6	13
20-34	82	2.4	4	< 1	1	2	3	5	6	12
35-49	6	2.5	4	1	1	2	3	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	111	2.0	2	< 1	< 1	2	2	4	5	6
20-34	488	2.1	5	< 1	< 1	1	2	4	6	10
35-49	112	2.2	6	< 1	1	1	3	4	5	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	318	1.4	1	< 1	< 1	1	2	2	3	5
B. Operated	2822	1.3	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	122	2.4	4	< 1	1	2	3	5	6	13
B. Operated	711	2.1	4	< 1	1	1	2	4	5	10
1. SINGLE DX	3140	1.3	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	833	2.1	4	< 1	1	1	3	4	6	10
A. Not Operated	440	1.7	2	< 1	< 1	1	2	3	4	6
B. Operated	3533	1.5	2	< 1	< 1	1	2	2	3	6
TOTAL										
0-19 YRS	729	1.5	2	< 1	< 1	1	2	2	3	5
20-34	2834	1.5	1	< 1	< 1	1	2	2	3	6
35-49	410	1.6	2	< 1	< 1	1	2	3	4	9
50-64	0									
65 +	0									
GRAND TOTAL	**3973**	**1.5**	**2**	**< 1**	**< 1**	**1**	**2**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	1.7	1	< 1	1	2	2	3	3	4
20-34	83	2.0	2	< 1	1	1	3	4	5	9
35-49	9	2.0	3	1	1	1	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	73	1.4	1	< 1	< 1	1	2	2	3	5
20-34	364	1.4	1	< 1	< 1	1	2	2	3	5
35-49	48	1.5	1	< 1	< 1	1	2	3	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	5.6	39	1	2	3	6	13	22	24
20-34	40	2.4	2	1	1	2	4	4	5	7
35-49	6	3.0	8	1	1	2	4	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	35	2.5	4	1	1	2	3	4	7	9
20-34	167	2.9	38	< 1	1	2	3	5	6	15
35-49	37	2.6	13	< 1	1	2	2	4	12	18
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	1.9	2	< 1	1	1	2	4	5	7
B. Operated	485	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	58	3.1	11	1	1	2	4	6	8	23
B. Operated	240	2.8	29	< 1	1	2	3	5	7	16
1. SINGLE DX	605	1.5	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	298	2.9	25	1	1	2	3	5	7	17
A. Not Operated	178	2.3	5	1	1	2	3	4	5	10
B. Operated	725	1.9	11	< 1	< 1	1	2	3	5	9
TOTAL										
0-19 YRS	148	2.1	5	< 1	< 1	1	2	3	5	10
20-34	654	1.9	11	< 1	< 1	1	2	4	5	9
35-49	100	2.1	6	< 1	< 1	1	2	4	6	16
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**903**	**2.0**	**9**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	1.8	1	<1	<1	2	2	3	3	5
20-34	369	2.0	2	<1	1	2	2	3	4	8
35-49	33	2.2	2	1	1	2	3	4	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	10	1.7	2	<1	<1	1	2	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.3	1	1	1	2	3	4	5	5
20-34	105	2.6	2	1	1	2	3	4	5	10
35-49	8	3.4	6	1	1	3	5	7	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	13	2.0	4	1	1	1	2	4	7	8
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	464	2.0	2	<1	1	2	2	3	4	7
B. Operated	16	1.6	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated	126	2.6	2	1	1	2	3	4	5	9
B. Operated	19	2.4	4	1	1	2	3	5	7	8
1. SINGLE DX	480	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	145	2.6	3	1	1	2	3	4	5	9
A. Not Operated	590	2.1	2	<1	1	2	3	4	4	8
B. Operated	35	2.0	3	<1	1	1	2	4	5	8
TOTAL										
0-19 YRS	83	1.9	1	<1	<1	2	2	3	4	5
20-34	497	2.1	2	<1	1	2	3	4	4	8
35-49	45	2.5	3	1	1	2	3	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**625**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	30	2.0	1	<1	1	2	3	4	4	4
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	14	3.9	15	<1	1	3	5	8	14	16
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	1.8	1	<1	<1	1	3	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	20	3.4	11	<1	1	2	4	6	11	16
B. Operated	0									
1. SINGLE DX	38	1.8	1	<1	<1	1	3	4	4	4
2. MULTIPLE DX	20	3.4	11	<1	1	2	4	6	11	16
A. Not Operated	58	2.3	5	<1	1	2	3	4	5	15
B. Operated	0									
TOTAL										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	44	2.6	6	<1	1	2	3	4	6	16
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**58**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**15**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	2.8	3	1	1	2	3	5	6	9
20-34	651	2.8	5	1	1	2	3	5	6	12
35-49	80	3.0	3	< 1	1	3	3	5	7	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	12.0	13	8	8	13	14	15	15	15
20-34	36	3.1	6	< 1	1	2	4	7	9	11
35-49	3	3.3		3	3	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	3.6	6	< 1	1	3	4	7	7	15
20-34	257	3.6	9	1	1	3	4	7	10	18
35-49	39	2.9	7	< 1	< 1	2	3	5	8	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	3.9	10	< 1	< 1	3	6	8	10	11
20-34	40	3.8	13	< 1	1	3	4	8	9	22
35-49	5	5.6	35	1	1	4	7	16	16	16
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	876	2.8	4	1	1	2	3	5	6	11
B. Operated	42	3.8	11	< 1	1	3	4	8	12	15
2. MULTIPLE DX										
A. Not Operated	358	3.5	6	< 1	1	3	4	7	10	15
B. Operated	59	3.9	14	< 1	1	3	4	8	10	21
1. SINGLE DX	918	2.9	5	1	1	2	3	5	7	12
2. MULTIPLE DX	417	3.6	9	< 1	1	3	4	7	10	17
A. Not Operated	1234	3.0	6	1	1	2	3	5	7	12
B. Operated	101	3.9	13	< 1	1	3	4	8	11	19
TOTAL										
0-19 YRS	224	3.2	5	< 1	1	3	4	6	7	13
20-34	984	3.1	6	1	1	2	3	6	8	13
35-49	127	3.0	6	< 1	1	3	3	5	8	15
50-64	0									
65 +	0									
GRAND TOTAL	**1335**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**9**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	184	3.0	4	1	1	3	3	5	6	12
20-34	845	3.3	6	1	2	3	4	6	7	12
35-49	43	3.7	6	1	2	3	4	7	9	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	2.0	1	< 1	< 1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	3.0	3	1	1	3	4	5	6	11
20-34	521	3.5	7	1	1	3	4	6	8	13
35-49	17	4.8	9	2	2	3	6	10	11	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	23	13.2	257	1	1	9	16	29	51	73
35-49	2	13.0	200	3	3	13	23	23	23	23
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1072	3.3	5	1	2	3	4	6	7	12
B. Operated	3	2.0	1	< 1	< 1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	637	3.5	6	1	1	3	4	6	8	13
B. Operated	28	12.3	225	1	1	7	16	26	42	73
1. SINGLE DX	1075	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX	665	3.8	18	1	1	3	4	6	9	18
A. Not Operated	1709	3.4	6	1	1	3	4	6	7	12
B. Operated	31	11.3	212	1	1	7	15	25	36	73
TOTAL										
0-19 YRS	286	3.0	4	1	1	3	4	5	6	12
20-34	1392	3.6	12	1	1	3	4	6	8	14
35-49	62	4.3	12	1	2	3	5	9	10	22
50-64	0									
65 +	0									
GRAND TOTAL	**1740**	**3.5**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	347	1.1		< 1	< 1	1	1	1	2	4
20-34	1071	1.2	1	< 1	< 1	1	1	2	2	6
35-49	61	1.2	1	< 1	< 1	1	1	2	3	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	1.5	2	< 1	< 1	1	1	2	5	7
20-34	69	1.2		< 1	< 1	1	1	2	3	4
35-49	4	1.5	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	1.6	1	< 1	< 1	1	2	3	3	4
20-34	172	1.6	1	< 1	< 1	1	2	3	4	5
35-49	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	19	2.5	9	< 1	< 1	1	2	7	10	13
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1479	1.2	1	< 1	< 1	1	1	2	2	5
B. Operated	90	1.3	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	236	1.6	1	< 1	< 1	1	2	3	4	5
B. Operated	24	2.4	7	< 1	< 1	1	2	6	9	13
1. SINGLE DX	1569	1.2	1	< 1	< 1	1	1	2	2	5
2. MULTIPLE DX	260	1.7	2	< 1	< 1	1	2	3	4	7
A. Not Operated	1715	1.3	1	< 1	< 1	1	1	2	3	5
B. Operated	114	1.5	2	< 1	< 1	1	1	2	4	9
TOTAL										
0-19 YRS	431	1.2		< 1	< 1	1	1	2	2	4
20-34	1331	1.3	1	< 1	< 1	1	1	2	3	6
35-49	67	1.2	1	< 1	< 1	1	1	2	3	6
50-64	0									
65 +	0									
GRAND TOTAL	**1829**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.3	3	< 1	< 1	2	3	4	7	9
20-34	191	3.0	10	1	1	2	3	5	8	18
35-49	32	2.7	4	1	1	2	3	5	7	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	9	3.4	7	1	1	3	4	8	10	10
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.0	39	< 1	1	2	6	13	22	23
20-34	66	5.0	37	1	1	3	5	14	22	29
35-49	12	3.3	4	1	1	3	5	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	19.0	512	3	3	19	35	35	35	35
20-34	5	12.2	473	1	1	2	16	51	51	51
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	2.9	9	1	1	2	3	5	8	17
B. Operated	14	3.4	5	1	1	3	4	5	9	10
2. MULTIPLE DX										
A. Not Operated	89	4.8	33	1	1	3	5	8	21	28
B. Operated	7	14.1	411	1	1	3	27	48	51	51
1. SINGLE DX	256	2.9	9	1	1	2	3	5	8	16
2. MULTIPLE DX	96	5.5	62	1	1	3	5	14	24	44
A. Not Operated	331	3.4	16	1	1	2	4	6	12	23
B. Operated	21	7.0	154	1	1	3	4	20	42	51
TOTAL										
0-19 YRS	35	4.2	44	< 1	1	2	4	7	19	35
20-34	271	3.7	26	1	1	2	4	6	15	25
35-49	46	2.8	4	1	1	2	4	5	7	9
50-64	0									
65 +	0									
GRAND TOTAL	**352**	**3.6**	**25**	**1**	**1**	**2**	**4**	**6**	**12**	**25**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	1.8	2	1	1	1	2	3	5	7
20-34	177	2.1	3	< 1	1	2	2	4	4	11
35-49	13	3.5	10	< 1	< 1	2	4	9	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	20	1.8	2	< 1	< 1	1	2	3	5	7
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	2.8	7	< 1	< 1	2	3	6	8	14
20-34	92	3.4	23	1	1	2	4	6	8	32
35-49	14	4.3	13	< 1	< 1	3	6	9	13	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	10	4.0	6	1	1	3	6	8	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	228	2.1	3	< 1	1	2	2	4	5	10
B. Operated	26	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	137	3.4	18	< 1	1	2	4	7	8	23
B. Operated	11	3.7	6	1	1	3	5	8	9	9
1. SINGLE DX	254	2.1	3	< 1	1	2	2	4	5	10
2. MULTIPLE DX	148	3.4	17	1	1	2	4	7	8	20
A. Not Operatad	365	2.6	9	< 1	1	2	3	5	7	14
B. Operated	37	2.3	4	< 1	1	2	3	5	7	9
TOTAL										
0-19 YRS	72	2.3	4	< 1	1	2	3	4	6	13
20-34	299	2.5	10	< 1	1	2	3	4	7	13
35-49	31	3.6	11	< 1	< 1	2	5	8	10	14
50-64	0									
65 +	0									
GRAND TOTAL	**402**	**2.6**	**9**	**< 1**	**1**	**2**	**3**	**5**	**7**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	138	3.1	2	< 1	1	3	4	5	6	8
20-34	277	3.0	3	1	1	3	4	5	6	7
35-49	10	2.3	1	< 1	< 1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	11	2.8	10	< 1	< 1	2	3	8	11	11
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	364	3.4	2	1	2	3	4	5	6	7
20-34	688	3.3	3	1	1	3	4	5	6	10
35-49	19	3.6	8	1	1	3	5	5	10	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	6.3	26	1	1	4	10	15	16	17
20-34	38	3.7	6	1	1	3	6	7	8	10
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	425	3.0	3	1	1	3	4	5	6	7
B. Operated	14	2.9	8	< 1	1	2	3	6	10	11
2. MULTIPLE DX										
A. Not Operated	1071	3.3	3	1	1	3	4	5	6	10
B. Operated	53	4.4	12	1	1	3	6	9	11	17
1. SINGLE DX	439	3.0	3	1	1	3	4	5	6	7
2. MULTIPLE DX	1124	3.4	3	1	1	3	4	5	6	10
A. Not Operated	1496	3.2	3	1	1	3	4	5	6	9
B. Operated	67	4.1	12	1	1	3	6	9	11	17
TOTAL										
0-19 YRS	520	3.4	3	1	1	3	4	5	6	9
20-34	1014	3.2	3	1	1	3	4	5	6	10
35-49	29	3.1	6	1	1	3	4	5	6	14
50-64	0									
65 +	0									
GRAND TOTAL	**1563**	**3.3**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	2.9	3	< 1	1	2	4	6	7	8
20-34	322	3.4	7	1	1	3	4	6	9	14
35-49	57	4.1	8	1	1	4	5	7	10	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.5	6	< 1	< 1	3	5	6	6	6
20-34	11	3.2	4	< 1	< 1	3	5	6	7	7
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	241	3.8	16	1	1	3	4	7	12	20
20-34	1202	3.7	9	1	1	3	4	7	9	17
35-49	127	4.5	15	1	1	3	6	9	10	23
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	25	4.0	16	< 1	1	2	6	13	13	13
20-34	123	5.0	33	< 1	1	3	6	9	17	31
35-49	11	4.7	8	< 1	1	6	7	8	8	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	428	3.4	7	1	1	3	4	6	8	13
B. Operated	18	3.2	4	< 1	< 1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	1570	3.7	11	1	1	3	5	7	9	17
B. Operated	159	4.9	28	< 1	1	3	6	9	15	29
1. SINGLE DX	446	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	1729	3.8	13	1	1	3	5	8	10	18
A. Not Operated	1998	3.7	10	1	1	3	4	7	9	17
B. Operated	177	4.7	26	< 1	1	3	6	8	14	29
TOTAL										
0-19 YRS	319	3.6	14	1	1	2	4	7	12	18
20-34	1658	3.7	11	1	1	3	5	7	9	18
35-49	198	4.3	13	1	1	3	6	8	10	18
50-64	0									
65 +	0									
GRAND TOTAL	**2175**	**3.8**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	497	2.4	14	< 1	< 1	1	3	4	5	16
20-34	1980	2.5	8	< 1	< 1	2	3	5	6	15
35-49	106	2.8	8	< 1	< 1	2	3	7	8	16
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	116	2.2	6	< 1	< 1	2	3	4	6	13
20-34	602	2.3	7	< 1	< 1	2	3	4	5	12
35-49	46	2.3	6	< 1	1	1	3	5	8	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	373	3.7	23	< 1	1	2	4	7	14	30
20-34	1165	3.7	28	< 1	1	2	4	6	11	27
35-49	107	4.4	23	< 1	1	3	6	11	13	26
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	68	3.5	21	< 1	< 1	2	4	6	8	30
20-34	332	3.7	19	< 1	1	3	5	7	10	26
35-49	30	6.2	243	< 1	< 1	2	3	12	18	86
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2585	2.5	9	< 1	< 1	2	3	5	6	15
B. Operated	764	2.3	7	< 1	< 1	2	3	4	5	13
2. MULTIPLE DX										
A. Not Operated	1646	3.7	27	< 1	1	2	4	7	12	27
B. Operated	430	3.9	35	< 1	1	3	4	7	10	32
1. SINGLE DX	3349	2.4	9	< 1	< 1	2	3	4	6	15
2. MULTIPLE DX	2076	3.7	28	< 1	1	2	4	7	12	28
A. Not Operated	4231	3.0	16	< 1	< 1	2	3	5	8	22
B. Operated	1194	2.9	18	< 1	1	2	3	5	7	18
TOTAL										
0-19 YRS	1054	2.9	17	< 1	< 1	2	3	5	8	21
20-34	4079	2.9	15	< 1	< 1	2	3	5	8	22
35-49	289	3.7	38	< 1	< 1	2	4	8	12	23
50-64	3	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**5425**	**2.9**	**17**	**<1**	**<1**	**2**	**3**	**5**	**8**	**22**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	2.2	1	1	1	2	3	3	4	4
20-34	298	2.3	1	1	1	2	3	3	4	4
35-49	23	2.5	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	39	2.7	1	1	1	3	3	5	5	5
20-34	182	3.2	2	2	2	3	4	5	5	7
35-49	18	3.8	2	2	2	4	5	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	2.4	2	1	1	2	3	3	4	6
20-34	590	2.5	2	1	1	2	3	4	5	7
35-49	48	2.9	2	1	1	3	4	5	6	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	205	3.7	17	1	2	3	4	6	7	28
20-34	1387	3.7	7	2	2	3	4	6	7	14
35-49	177	4.4	14	2	2	4	5	6	9	17
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	399	2.3	1	1	1	2	3	3	4	4
B. Operated	239	3.2	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	799	2.5	2	1	1	2	3	4	5	7
B. Operated	1769	3.8	9	2	2	3	4	6	7	15
1. SINGLE DX	638	2.8	1	1	1	2	3	4	5	6
2. MULTIPLE DX	2568	3.4	7	1	2	3	4	5	6	14
A. Not Operated	1198	2.5	2	1	1	2	3	4	4	7
B. Operated	2008	3.7	8	2	2	3	4	6	7	14
TOTAL										
0-19 YRS	483	3.0	9	1	1	2	3	5	6	14
20-34	2457	3.2	5	1	2	3	4	5	6	12
35-49	266	3.9	10	2	2	3	5	6	7	16
50-64	0									
65 +	0									
GRAND TOTAL	**3206**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3676	2.2	1	1	1	2	3	3	3	4
20-34	14537	2.2	1	1	1	2	3	3	3	4
35-49	741	2.2	1	1	1	2	3	3	4	4
50-64	4	2.3	1	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	832	2.1	1	1	1	2	2	3	3	4
20-34	3005	2.2	1	1	1	2	3	3	4	5
35-49	133	2.4	1	1	1	2	3	3	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	191	2.5	1	1	1	2	3	3	4	6
20-34	627	2.4	1	1	1	2	3	4	4	6
35-49	52	2.6	2	1	1	2	3	4	5	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	139	2.4	1	1	2	2	3	3	4	5
20-34	3611	2.7	1	2	2	3	3	4	4	5
35-49	400	2.9	3	2	2	3	3	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18958	2.2	1	1	1	2	3	3	3	4
B. Operated	3971	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	870	2.4	1	1	1	2	3	4	4	6
B. Operated	4150	2.7	1	2	2	3	3	4	4	5
1. SINGLE DX	22929	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX	5020	2.6	1	1	2	3	3	4	4	6
A. Not Operated	19828	2.2	1	1	1	2	3	3	3	4
B. Operated	8121	2.5	1	1	2	2	3	3	4	5
TOTAL										
0-19 YRS	4838	2.2	1	1	1	2	3	3	3	4
20-34	21780	2.3	1	1	1	2	3	3	4	5
35-49	1326	2.5	2	1	1	2	3	3	4	5
50-64	5	2.0	1	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	**27949**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	13	2.4	1	1	1	2	3	4	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	13.4	396	4	4	5	16	49	49	49
20-34	81	7.0	106	2	3	5	5	8	25	63
35-49	11	8.3	96	2	3	5	7	23	35	36
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	8	2.6	1	1	1	3	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	10.7	243	3	4	5	8	22	53	64
20-34	206	9.0	109	3	3	5	9	19	35	56
35-49	42	12.8	275	4	4	6	10	39	53	79
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.3	1	< 1	1	2	3	3	5	5
B. Operated	97	7.5	117	2	3	5	5	13	33	63
2. MULTIPLE DX										
A. Not Operated	12	2.7	1	1	1	3	4	4	4	4
B. Operated	263	9.7	144	3	3	5	9	22	39	61
1. SINGLE DX	112	6.8	104	2	2	4	5	8	27	62
2. MULTIPLE DX	275	9.4	139	2	3	5	8	20	37	61
A. Not Operated	27	2.5	1	1	1	3	3	4	4	5
B. Operated	360	9.1	137	3	3	5	7	20	36	62
TOTAL										
0-19 YRS	25	9.6	223	1	2	4	6	22	53	64
20-34	308	8.0	104	2	3	5	6	17	28	59
35-49	54	11.7	235	3	4	5	8	36	50	78
50-64	0									
65 +	0									
GRAND TOTAL	**387**	**8.6**	**130**	**2**	**3**	**5**	**7**	**19**	**35**	**62**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.4	2	1	1	2	3	4	6	6
20-34	43	2.8	16	1	1	2	3	3	4	28
35-49	4	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	3.8	2	2	2	4	5	5	6	7
20-34	78	3.8	2	1	2	4	5	5	6	6
35-49	4	3.3	3	1	1	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.8	1	1	1	3	3	5	5	5
20-34	81	2.7	8	1	1	2	3	4	5	20
35-49	5	2.6	3	1	1	2	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	65	4.1	4	1	2	4	5	7	8	10
20-34	325	4.9	20	2	2	4	5	7	9	25
35-49	30	6.1	19	2	3	5	8	12	18	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.7	12	1	1	2	3	3	4	26
B. Operated	105	3.8	2	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	103	2.7	6	1	1	2	3	4	5	17
B. Operated	420	4.9	18	2	2	4	5	7	10	20
1. SINGLE DX	165	3.4	6	1	1	3	4	5	6	7
2. MULTIPLE DX	523	4.4	16	1	2	4	5	7	9	20
A. Not Operated	163	2.7	8	1	1	2	3	4	5	22
B. Operated	525	4.6	15	2	2	4	5	7	9	20
TOTAL										
0-19 YRS	118	3.7	3	1	2	3	5	6	7	9
20-34	527	4.2	16	1	2	4	5	6	8	21
35-49	43	5.1	16	1	2	4	5	11	14	20
50-64	0									
65 +	0									
GRAND TOTAL	**688**	**4.2**	**14**	**1**	**2**	**4**	**5**	**6**	**8**	**20**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	14	2.1		1	1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	2.5	1	1	1	2	3	4	5	6
20-34	142	2.2	1	1	1	2	3	3	4	5
35-49	7	2.0	1	< 1	< 1	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3		2	2	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	2.6	1	1	1	3	3	4	5	5
20-34	115	2.7	1	1	2	3	3	4	5	7
35-49	9	2.7	2	1	1	2	3	5	5	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.1	1	1	1	2	3	3	3	3
B. Operated	168	2.3	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	3	2.3		2	2	2	3	3	3	3
B. Operated	147	2.7	1	1	2	3	3	4	5	6
1. SINGLE DX	184	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	150	2.7	1	1	2	3	3	4	5	5
A. Not Operated	19	2.2		1	1	2	3	3	3	3
B. Operated	315	2.5	1	1	1	2	3	4	4	6
TOTAL										
0-19 YRS	44	2.5	1	1	1	3	3	4	5	6
20-34	274	2.4	1	1	1	2	3	4	4	5
35-49	16	2.4	1	< 1	1	2	3	4	5	5
50-64	0									
65 +	0									
GRAND TOTAL	**334**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.4		2	2	2	3	3	3	3
20-34	63	2.3	1	1	1	2	3	3	4	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	2.7	1	2	2	3	3	4	4	4
20-34	23	2.3	1	1	1	2	3	3	4	5
35-49	4	2.8		2	2	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.7	1	1	1	3	3	4	4	4
20-34	46	2.4	1	1	2	2	3	3	4	5
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	4.0	7	2	2	3	5	8	10	10
20-34	57	2.7	1	1	2	3	3	4	4	7
35-49	4	3.8		3	3	4	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	2.3	1	1	1	2	3	3	4	6
B. Operated	34	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	61	2.5	1	1	1	2	3	3	4	5
B. Operated	71	3.0	2	2	2	3	3	4	5	9
1. SINGLE DX	113	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX	132	2.7	1	1	2	3	3	4	4	8
A. Not Operated	140	2.4	1	1	1	2	3	3	4	5
B. Operated	105	2.8	2	1	2	3	3	4	5	8
TOTAL										
0-19 YRS	43	2.9	2	2	2	3	3	4	6	10
20-34	189	2.5	1	1	1	2	3	4	4	6
35-49	13	3.0	1	1	2	3	4	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**245**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.4	1	1	1	3	3	3	3	3
20-34	34	2.8	2	1	1	3	3	4	6	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	4.6	13	1	1	4	7	10	10	10
20-34	35	3.8	2	2	2	4	4	6	6	9
35-49	4	3.8	2	3	3	3	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.7	2	1	1	2	4	5	5	5
20-34	42	3.1	4	< 1	1	3	4	4	5	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	52	4.8	7	2	2	4	5	7	10	19
20-34	365	5.8	43	2	3	4	6	9	12	48
35-49	33	6.3	25	2	3	5	6	12	14	29
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.7	2	1	1	3	3	4	5	7
B. Operated	44	3.9	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	56	3.0	3	1	1	3	4	4	5	13
B. Operated	450	5.7	38	2	3	4	6	9	12	43
1. SINGLE DX	86	3.3	3	1	2	3	4	6	6	10
2. MULTIPLE DX	506	5.4	35	2	2	4	5	9	12	39
A. Not Operated	98	2.9	3	1	1	3	4	4	5	10
B. Operated	494	5.6	35	2	2	4	6	9	12	39
TOTAL										
0-19 YRS	77	4.2	7	1	2	4	5	7	9	17
20-34	476	5.2	35	2	2	4	5	8	11	41
35-49	39	5.8	23	2	3	5	6	11	14	29
50-64	0									
65 +	0									
GRAND TOTAL	**592**	**5.1**	**31**	**2**	**2**	**4**	**5**	**8**	**11**	**35**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.2		1	1	2	3	3	3	3
20-34	32	2.2	2	1	1	2	3	3	5	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	125	4.2	2	3	3	4	5	6	6	9
20-34	793	4.0	1	2	3	4	4	5	5	7
35-49	47	4.0	1	2	3	4	4	5	6	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	22	2.3	1	< 1	1	2	3	4	4	5
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	170	4.8	5	2	3	4	5	7	8	16
20-34	1105	4.5	3	3	3	4	5	6	7	12
35-49	123	4.6	3	2	3	4	5	6	7	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.2	1	1	1	2	3	3	4	7
B. Operated	966	4.0	1	2	3	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	29	2.5	1	1	1	2	3	4	5	6
B. Operated	1398	4.6	4	2	3	4	5	6	7	12
1. SINGLE DX	1011	3.9	1	2	3	4	4	5	6	7
2. MULTIPLE DX	1427	4.5	4	2	3	4	5	6	7	12
A. Not Operated	74	2.3	1	1	1	2	3	3	5	7
B. Operated	2364	4.3	3	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	309	4.4	4	2	3	4	5	7	8	12
20-34	1952	4.2	2	2	3	4	5	6	6	10
35-49	176	4.4	3	2	3	4	5	6	7	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**2438**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.4	1	1	1	2	3	3	4	4
20-34	185	2.4	1	1	1	2	3	3	4	5
35-49	7	2.7	2	1	1	3	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	66	3.5	2	1	2	4	4	5	6	8
20-34	353	3.5	2	2	2	3	4	5	6	7
35-49	29	3.4	2	1	2	3	4	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.9	4	< 1	1	3	4	6	7	7
20-34	99	2.5	1	1	2	2	3	4	4	5
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	206	4.0	5	2	2	4	5	6	7	14
20-34	1356	3.9	3	2	2	4	5	5	6	10
35-49	142	4.1	2	2	2	4	5	6	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	2.4	1	1	1	2	3	3	4	5
B. Operated	448	3.5	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	121	2.6	1	1	1	2	3	4	4	6
B. Operated	1704	3.9	3	2	2	4	5	6	6	10
1. SINGLE DX	668	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX	1825	3.8	3	2	2	4	5	5	6	10
A. Not Operated	341	2.4	1	1	1	2	3	4	4	5
B. Operated	2152	3.8	3	2	2	4	5	5	6	9
TOTAL										
0-19 YRS	317	3.7	4	1	2	4	5	6	7	11
20-34	1993	3.6	3	2	2	3	4	5	6	9
35-49	183	3.9	2	2	2	4	5	6	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**2493**	**3.6**	**3**	**2**	**2**	**4**	**4**	**5**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	15	3.0	1	2	2	3	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	268	4.5	1	3	3	4	5	6	6	9
20-34	1219	4.4	3	3	3	4	5	5	6	8
35-49	37	4.5	1	3	3	5	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	13	3.5	2	2	2	4	4	5	6	6
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	622	4.9	4	3	3	4	5	7	9	12
20-34	2954	4.7	3	3	3	4	5	6	7	11
35-49	181	5.0	8	3	3	5	5	6	7	24
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.7	2	1	1	2	4	5	5	5
B. Operated	1524	4.4	3	3	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	17	3.7	2	2	2	4	5	5	6	6
B. Operated	3757	4.7	3	3	3	4	5	6	7	11
1. SINGLE DX	1542	4.4	3	3	3	4	5	5	6	8
2. MULTIPLE DX	3774	4.7	3	3	3	4	5	6	7	11
A. Not Operated	35	3.2	2	1	2	3	4	5	5	6
B. Operated	5281	4.6	3	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	894	4.8	3	3	3	4	5	6	8	11
20-34	4201	4.6	3	3	3	4	5	6	7	10
35-49	221	4.9	7	3	3	5	5	6	7	18
50-64	0									
65 +	0									
GRAND TOTAL	**5316**	**4.6**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	2.5	1	1	2	3	3	3	4	4
20-34	259	2.4	1	1	1	2	3	3	4	5
35-49	18	2.7	1	1	2	3	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	141	3.7	4	1	2	4	5	6	6	26
20-34	712	3.6	2	1	2	4	4	5	6	7
35-49	40	3.8	2	2	2	4	5	6	7	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.0	2	1	2	3	3	4	4	12
20-34	171	2.8	3	1	2	3	3	4	4	7
35-49	8	2.8	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	378	4.2	5	2	2	4	5	6	8	13
20-34	1782	4.1	8	2	2	4	5	6	7	10
35-49	124	4.5	9	2	2	4	5	6	7	16
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	345	2.5	1	1	1	2	3	3	4	5
B. Operated	893	3.6	2	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	233	2.8	3	1	2	3	3	4	4	8
B. Operated	2284	4.1	8	2	2	4	5	6	7	10
1. SINGLE DX	1238	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX	2517	4.0	7	2	2	4	5	6	7	10
A. Not Operated	578	2.6	2	1	2	3	3	4	4	5
B. Operated	3177	4.0	6	2	2	4	5	6	7	10
TOTAL										
0-19 YRS	641	3.8	4	2	2	3	5	6	7	13
20-34	2924	3.7	6	2	2	4	5	6	6	9
35-49	190	4.1	7	2	2	4	5	6	7	10
50-64	0									
65 +	0									
GRAND TOTAL	**3755**	**3.8**	**6**	**2**	**2**	**4**	**5**	**6**	**6**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.9	1	1	1	3	3	4	4	4
20-34	55	2.3	1	1	1	2	3	3	4	5
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	58	4.5	2	2	3	4	5	6	7	7
20-34	203	3.9	6	1	2	4	5	5	6	7
35-49	12	3.8	3	< 1	1	4	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.3	3	2	2	3	3	7	7	7
20-34	48	3.6	37	1	2	3	3	5	7	44
35-49	4	15.0	642	2	2	3	28	53	53	53
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	88	4.9	16	2	3	4	5	8	9	28
20-34	503	4.3	10	2	2	4	5	6	7	12
35-49	76	4.3	5	2	2	4	5	6	6	17
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.4	1	1	1	2	3	3	4	5
B. Operated	273	4.0	5	2	2	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	58	4.4	73	1	2	3	3	6	7	52
B. Operated	667	4.4	10	2	2	4	5	6	7	13
1. SINGLE DX	338	3.7	5	1	2	4	5	5	6	7
2. MULTIPLE DX	725	4.4	15	2	2	4	5	6	7	15
A. Not Operated	123	3.3	36	1	1	2	3	4	6	46
B. Operated	940	4.3	9	2	2	4	5	6	7	12
TOTAL										
0-19 YRS	159	4.6	10	2	3	4	5	7	8	13
20-34	809	4.0	10	2	2	4	5	6	7	12
35-49	95	4.6	30	2	2	4	5	6	6	38
50-64	0									
65 +	0									
GRAND TOTAL	**1063**	**4.2**	**12**	**2**	**2**	**4**	**5**	**6**	**7**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.1		< 1	< 1	2	3	3	3	3
20-34	78	2.4	1	1	1	2	3	4	4	6
35-49	5	2.8	2	2	2	2	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	246	4.1	1	2	3	4	5	5	6	7
20-34	2719	4.2	1	3	3	4	5	5	6	7
35-49	177	4.2	1	2	3	4	5	5	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	71	2.6	2	1	1	2	3	4	5	8
35-49	5	2.4	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	248	4.5	3	3	3	4	5	6	7	12
20-34	4896	4.4	2	3	3	4	5	6	6	9
35-49	501	4.6	2	3	3	4	5	6	6	10
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	2.4	1	1	1	2	3	4	4	6
B. Operated	3143	4.2	1	3	3	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	80	2.6	2	1	1	2	3	4	5	8
B. Operated	5646	4.4	2	3	3	4	5	6	6	9
1. SINGLE DX	3233	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX	5726	4.4	2	3	3	4	5	6	6	9
A. Not Operated	170	2.5	1	1	1	2	3	4	5	6
B. Operated	8789	4.3	2	3	3	4	5	6	6	8
TOTAL										
0-19 YRS	505	4.3	2	2	3	4	5	6	6	9
20-34	7764	4.3	2	3	3	4	5	6	6	8
35-49	688	4.4	2	3	3	4	5	6	6	9
50-64	2	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**8959**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**6**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	2.9	3	1	2	2	3	4	5	12
20-34	426	2.7	3	1	2	3	3	3	4	5
35-49	23	2.9	2	< 1	1	3	4	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	70	3.2	6	1	2	3	3	5	6	18
20-34	281	2.8	1	1	1	3	3	4	5	7
35-49	20	3.2	2	1	1	3	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	132	3.3	10	1	2	3	4	5	7	16
20-34	455	3.2	5	1	2	3	4	5	7	12
35-49	33	3.1	4	2	2	3	3	4	6	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	279	3.9	7	1	2	3	5	6	8	14
20-34	1501	4.2	16	2	2	3	5	6	7	20
35-49	146	4.3	11	2	2	4	5	6	10	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	558	2.7	3	1	2	3	3	4	4	7
B. Operated	371	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	620	3.2	6	1	2	3	4	5	7	12
B. Operated	1926	4.1	14	2	2	3	5	6	8	19
1. SINGLE DX	929	2.8	3	1	2	3	3	4	5	7
2. MULTIPLE DX	2546	3.9	12	2	2	3	5	6	7	16
A. Not Operated	1178	3.0	5	1	2	3	3	4	5	12
B. Operated	2297	3.9	12	2	2	3	5	6	7	16
TOTAL										
0-19 YRS	590	3.5	7	1	2	3	4	6	7	13
20-34	2663	3.6	11	2	2	3	4	5	7	13
35-49	222	3.9	8	1	2	3	5	6	8	16
50-64	0									
65 +	0									
GRAND TOTAL	**3475**	**3.6**	**10**	**1**	**2**	**3**	**4**	**6**	**7**	**14**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	222	2.2	1	1	1	2	3	3	3	4
20-34	1236	2.3	1	1	1	2	3	3	3	4
35-49	85	2.4	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	165	2.3	1	1	1	2	3	3	4	5
20-34	677	2.4	1	1	1	2	3	3	4	5
35-49	38	2.5	1	1	1	3	3	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	2.2	1	1	1	2	3	3	4	5
20-34	299	2.5	2	1	1	2	3	4	4	6
35-49	26	2.5	1	1	1	2	3	4	5	6
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	189	2.8	2	1	2	3	3	4	5	7
20-34	1229	2.8	8	1	2	3	3	4	5	7
35-49	102	2.8	1	1	2	3	3	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1543	2.3	1	1	1	2	3	3	3	4
B. Operated	880	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	405	2.4	1	1	1	2	3	3	4	6
B. Operated	1520	2.8	7	1	2	3	3	4	5	7
1. SINGLE DX	2423	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX	1925	2.7	6	1	2	2	3	4	5	7
A. Not Operated	1948	2.3	1	1	1	2	3	3	4	4
B. Operated	2400	2.7	5	1	2	2	3	4	5	6
TOTAL										
0-19 YRS	654	2.4	1	1	1	2	3	4	4	6
20-34	3441	2.5	4	1	2	2	3	4	4	6
35-49	251	2.6	1	1	1	2	3	4	4	6
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**4348**	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	2.2	1	1	2	2	3	3	3	5
20-34	372	2.1	1	1	1	2	3	3	3	4
35-49	33	2.3	1	1	1	2	3	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	613	2.1	1	1	1	2	3	3	3	4
20-34	2739	2.1	1	1	1	2	3	3	3	4
35-49	170	2.3	1	1	1	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	3.4	18	2	2	3	3	4	5	33
20-34	298	2.8	9	1	2	2	3	4	5	12
35-49	13	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	359	2.5	3	1	1	2	3	3	4	5
20-34	2295	2.6	4	1	1	2	3	4	4	6
35-49	218	2.7	2	1	2	3	3	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	539	2.2	1	1	1	2	3	3	3	4
B. Operated	3522	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	417	2.9	11	1	2	2	3	4	4	17
B. Operated	2872	2.6	4	1	1	2	3	4	4	6
1. SINGLE DX	4061	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	3289	2.6	5	1	2	2	3	4	4	7
A. Not Operated	956	2.5	5	1	1	2	3	3	4	7
B. Operated	6394	2.3	2	1	1	2	3	3	4	5
TOTAL										
0-19 YRS	1212	2.3	3	1	1	2	3	3	4	5
20-34	5704	2.3	3	1	1	2	3	3	4	5
35-49	434	2.5	2	1	1	2	3	3	4	6
50-64	0									
65 +	0									
GRAND TOTAL	**7350**	**2.4**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.4	1	1	2	2	3	3	4	4
20-34	106	2.3		1	1	2	3	3	3	4
35-49	3	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	437	2.4	1	1	1	2	3	3	4	5
20-34	1360	2.5	2	1	2	2	3	3	4	5
35-49	48	2.8	2	1	2	3	3	4	4	12
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.0	5	1	1	3	3	4	8	12
20-34	42	2.6	1	1	1	2	3	4	5	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	376	2.8	3	1	2	2	3	4	5	7
20-34	1413	2.8	2	2	2	3	3	4	4	6
35-49	76	3.0	1	2	2	3	3	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	2.3		1	1	2	3	3	3	4
B. Operated	1845	2.5	2	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	66	2.8	2	1	2	2	3	4	5	11
B. Operated	1865	2.8	2	2	2	3	3	4	4	6
1. SINGLE DX	1991	2.5	2	1	2	2	3	3	4	5
2. MULTIPLE DX	1931	2.8	2	2	2	3	3	4	4	7
A. Not Operated	212	2.5	1	1	1	2	3	3	4	6
B. Operated	3710	2.7	2	1	2	3	3	4	4	6
TOTAL										
0-19 YRS	872	2.6	2	1	2	2	3	3	4	6
20-34	2921	2.7	2	1	2	3	3	4	4	6
35-49	129	2.9	2	2	2	3	3	4	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**3922**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	2.2		1	1	2	3	3	3	3
20-34	128	2.1	1	1	1	2	3	3	3	4
35-49	4	2.5		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	163	2.2	1	1	1	2	3	3	3	4
20-34	611	2.2	1	1	1	2	3	3	4	4
35-49	20	2.4	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.7	2	1	2	2	3	4	4	8
20-34	97	2.6	2	1	2	2	3	3	4	11
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	161	2.6	1	1	2	2	3	4	5	6
20-34	679	2.7	1	1	2	3	3	4	5	7
35-49	31	2.8	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	2.1	1	1	1	2	3	3	3	4
B. Operated	794	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	126	2.6	2	1	2	2	3	3	4	9
B. Operated	871	2.7	1	1	2	3	3	4	5	7
1. SINGLE DX	986	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX	997	2.7	1	1	2	3	3	4	5	7
A. Not Operated	318	2.3	1	1	1	2	3	3	3	6
B. Operated	1665	2.5	1	1	1	2	3	4	4	6
TOTAL										
0-19 YRS	413	2.4	1	1	1	2	3	3	4	6
20-34	1515	2.5	1	1	1	2	3	3	4	6
35-49	55	2.6	1	1	2	3	3	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**1983**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	802	2.5	2	1	1	2	3	4	4	9
20-34	2378	2.4	3	1	1	2	3	4	4	8
35-49	146	2.5	1	1	1	2	3	4	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1818	2.7	2	1	2	2	3	4	5	7
20-34	7230	2.8	2	1	2	3	3	4	5	7
35-49	382	2.9	3	1	2	3	4	4	5	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	607	2.9	8	1	1	2	3	5	6	14
20-34	1814	2.9	10	1	1	2	3	4	6	15
35-49	157	3.2	16	1	1	3	3	5	7	10
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	2827	3.8	11	1	2	3	4	6	8	14
20-34	12617	3.8	11	2	2	3	4	6	8	16
35-49	1076	4.2	10	2	2	4	5	7	8	19
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3326	2.5	2	1	1	2	3	4	4	8
B. Operated	9431	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	2579	2.9	10	1	1	2	3	5	6	14
B. Operated	16522	3.9	11	2	2	3	4	6	8	16
1. SINGLE DX	12757	2.7	2	1	2	2	3	4	5	7
2. MULTIPLE DX	19101	3.7	11	1	2	3	4	6	8	16
A. Not Operated	5905	2.7	6	1	1	2	3	4	5	10
B. Operated	25953	3.5	8	1	2	3	4	5	7	14
TOTAL										
0-19 YRS	6054	3.2	7	1	2	3	4	5	7	12
20-34	24039	3.3	7	1	2	3	4	5	6	13
35-49	1761	3.7	9	1	2	3	4	6	7	15
50-64	4	2.3		2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**31858**	**3.3**	**8**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	3.4	2	2	2	3	4	6	6	7
20-34	111	3.2	3	1	2	3	4	5	6	11
35-49	6	3.7	1	2	2	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	5.0	8	2	2	5	6	9	12	12
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.9	3	2	2	3	5	7	8	9
20-34	63	3.7	2	1	2	3	5	6	7	8
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	5.3	22	2	2	4	8	12	12	12
20-34	15	5.2	11	2	2	4	6	10	13	14
35-49	2	9.0	72	3	3	9	15	15	15	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	3.3	3	1	2	3	4	5	6	9
B. Operated	12	4.8	8	2	2	4	6	8	11	12
2. MULTIPLE DX										
A. Not Operated	85	3.7	3	2	2	3	4	6	7	9
B. Operated	21	5.6	16	2	2	4	6	13	14	15
1. SINGLE DX	158	3.4	3	1	2	3	4	5	6	12
2. MULTIPLE DX	106	4.1	6	2	2	4	5	7	8	14
A. Not Operated	231	3.4	3	1	2	3	4	5	6	9
B. Operated	33	5.3	13	2	2	4	6	12	14	15
TOTAL										
0-19 YRS	53	3.7	4	2	2	3	4	6	7	12
20-34	200	3.6	4	1	2	3	4	6	7	13
35-49	11	4.5	13	2	2	4	5	9	15	15
50-64	0									
65 +	0									
GRAND TOTAL	**264**	**3.7**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	26	1.5		< 1	1	1	2	2	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.5	1	< 1	< 1	1	2	3	3	3
20-34	49	1.8	2	< 1	1	1	2	4	5	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.2	1	1	1	3	3	3	3	3
20-34	11	2.3	2	1	1	2	3	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	2.8	4	1	1	2	3	6	7	7
20-34	49	2.7	5	< 1	1	2	3	6	8	9
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.5		< 1	< 1	1	2	2	3	3
B. Operated	59	1.8	2	< 1	< 1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	17	2.2	2	1	1	2	3	4	5	5
B. Operated	59	2.7	4	< 1	1	2	3	6	8	9
1. SINGLE DX	92	1.7	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	76	2.6	4	< 1	1	2	3	6	7	9
A. Not Operated	50	1.7	1	< 1	1	1	2	3	4	5
B. Operated	118	2.3	3	< 1	1	2	3	5	6	9
TOTAL										
0-19 YRS	27	1.9	2	< 1	< 1	1	3	3	4	7
20-34	135	2.1	3	< 1	1	2	2	4	6	9
35-49	6	2.7	3	1	1	2	3	6	6	6
50-64	0									
65 +	0									
GRAND TOTAL	**168**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.9	1	1	1	3	4	5	5	5
20-34	54	3.7	8	1	1	3	4	7	10	15
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	2.3	3	1	1	2	3	5	6	6
20-34	62	2.7	3	< 1	1	2	3	5	7	9
35-49	3	2.3		2	2	2	3	3	3	3
50-[illegible]	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.7	5	< 1	1	3	5	8	8	8
20-34	60	4.1	12	1	1	3	5	8	10	20
35-49	6	4.2	2	2	2	4	5	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	3.1	5	1	2	2	3	6	9	10
20-34	55	5.3	20	1	1	4	7	12	13	23
35-49	11	4.5	10	1	1	3	8	9	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	3.5	7	1	1	3	4	7	10	14
B. Operated	80	2.6	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	81	4.0	10	1	1	3	5	8	9	19
B. Operated	83	4.8	16	1	1	3	7	9	13	22
1. SINGLE DX	146	3.0	5	1	1	2	4	6	7	11
2. MULTIPLE DX	164	4.4	13	1	1	3	5	8	11	20
A. Not Operated	147	3.8	9	1	1	3	4	7	9	17
B. Operated	163	3.7	11	1	1	3	5	8	9	19
TOTAL										
0-19 YRS	56	3.0	4	1	1	3	4	5	7	10
20-34	231	3.9	12	1	1	3	5	8	11	20
35-49	23	3.7	6	1	1	3	5	8	9	9
50-64	0									
65 +	0									
GRAND TOTAL	**310**	**3.7**	**10**	**1**	**1**	**3**	**5**	**8**	**9**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	457	3.7	6	1	2	3	4	6	8	13
20-34	278	4.0	5	2	2	3	5	6	8	10
35-49	208	4.4	6	2	2	4	5	8	10	13
50-64	134	4.7	6	2	2	4	6	8	9	13
65 +	134	5.7	10	2	3	5	7	10	12	16
B. Operated										
0-19 YRS	202	4.9	21	1	1	4	6	9	13	23
20-34	162	4.3	7	1	1	4	6	8	9	13
35-49	106	5.5	18	1	2	4	7	11	13	23
50-64	59	6.1	16	1	2	6	9	11	13	21
65 +	38	7.1	18	2	3	6	9	13	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	589	4.3	6	2	2	4	5	7	10	13
20-34	475	4.9	12	2	2	4	6	8	10	17
35-49	659	5.6	12	2	2	5	7	10	12	18
50-64	744	6.5	18	2	3	6	8	11	13	20
65 +	1552	7.5	24	3	3	6	9	13	16	26
B. Operated										
0-19 YRS	236	6.6	32	2	2	5	8	12	16	38
20-34	315	7.5	43	2	2	6	9	14	20	37
35-49	404	8.2	33	2	3	7	10	15	20	34
50-64	412	10.7	88	2	3	8	13	21	28	49
65 +	542	12.7	107	3	4	9	16	25	34	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1211	4.2	7	2	2	4	5	7	9	14
B. Operated	567	5.1	16	1	1	4	6	9	13	21
2. MULTIPLE DX										
A. Not Operated	4019	6.2	18	2	3	5	8	11	14	22
B. Operated	1909	9.7	73	2	3	7	12	19	26	45
1. SINGLE DX	1778	4.5	10	1	2	4	6	8	10	16
2. MULTIPLE DX	5928	7.3	38	2	3	6	9	13	18	35
A. Not Operated	5230	5.8	16	2	2	5	7	10	13	21
B. Operated	2476	8.6	63	2	2	6	10	17	24	40
TOTAL										
0-19 YRS	1484	4.6	13	1	2	4	5	8	11	19
20-34	1230	5.3	20	2	2	4	6	9	12	24
35-49	1377	6.2	20	2	2	5	8	11	15	23
50-64	1349	7.6	43	2	3	6	9	13	18	36
65 +	2266	8.6	48	3	3	7	10	16	21	38
GRAND TOTAL	**7706**	**6.7**	**33**	**2**	**2**	**5**	**8**	**12**	**16**	**32**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	3.5	3	1	1	3	4	6	7	9
20-34	42	3.2	3	1	2	3	4	6	8	8
35-49	22	4.4	7	1	2	3	6	8	10	11
50-64	13	5.5	6	3	3	5	6	9	11	12
65 +	15	4.5	4	1	2	4	6	7	8	9
B. Operated										
0-19 YRS	89	4.0	17	< 1	1	3	5	9	11	23
20-34	48	4.3	15	< 1	1	3	5	9	11	19
35-49	31	3.4	10	< 1	< 1	3	4	6	12	15
50-64	17	5.1	26	< 1	< 1	3	6	12	17	20
65 +	11	4.4	5	1	2	4	5	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	194	4.0	5	1	1	4	5	7	9	11
20-34	83	5.1	12	1	2	4	7	9	12	19
35-49	86	5.2	7	2	2	5	7	8	9	15
50-64	102	6.7	19	2	2	6	8	12	15	23
65 +	143	6.9	26	2	3	6	9	12	15	33
B. Operated										
0-19 YRS	97	6.0	18	1	2	5	8	12	14	21
20-34	69	6.6	46	2	2	5	8	12	22	40
35-49	100	8.8	105	2	2	6	9	16	32	54
50-64	95	8.6	40	2	3	7	11	18	21	31
65 +	113	10.5	98	2	3	8	13	17	25	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	3.7	4	1	2	3	5	7	8	10
B. Operated	196	4.1	16	< 1	1	3	5	9	12	20
2. MULTIPLE DX										
A. Not Operated	608	5.5	15	1	2	4	7	10	12	19
B. Operated	474	8.3	66	2	2	6	10	16	22	47
1. SINGLE DX	404	3.9	10	1	1	3	5	7	10	17
2. MULTIPLE DX	1082	6.7	39	1	2	5	8	12	16	34
A. Not Operated	816	5.0	13	1	2	4	6	9	11	17
B. Operated	670	7.1	55	1	1	5	9	14	19	41
TOTAL										
0-19 YRS	496	4.3	10	1	1	3	5	8	10	15
20-34	242	5.1	22	1	2	4	6	9	12	23
35-49	239	6.4	53	1	2	5	7	11	15	48
50-64	227	7.3	29	2	2	6	9	14	19	27
65 +	282	8.1	57	2	3	6	10	14	17	39
GRAND TOTAL	**1486**	**5.9**	**33**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

269 Hospitals, Southern Region, January-December 1987

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	258	2.1	2	1	1	2	3	4	5	7
20-34	329	2.1	2	1	1	2	3	4	5	7
35-49	69	2.5	8	1	1	2	3	4	5	20
50-64	15	3.0	11	< 1	1	2	4	5	12	14
65 +	5	2.4	2	< 1	< 1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.3	9	< 1	< 1	2	6	8	8	8
20-34	5	2.0	2	< 1	< 1	2	3	4	4	4
35-49	3	6.3	37	< 1	< 1	5	11	13	13	13
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	43	3.7	11	1	1	3	4	7	10	18
20-34	90	2.7	3	1	1	2	3	5	6	10
35-49	24	3.1	4	< 1	1	3	4	6	7	8
50-64	11	4.0	6	1	1	4	5	7	9	9
65 +	5	10.0	209	1	1	2	16	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.9	1	< 1	< 1	2	3	3	3	3
B. Operated	676	2.2	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	16	3.9	12	< 1	< 1	2	6	8	12	13
B. Operated	173	3.3	12	1	1	3	4	6	8	17
1. SINGLE DX	686	2.2	3	1	1	2	3	4	5	7
2. MULTIPLE DX	189	3.3	12	1	1	3	4	6	8	16
A. Not Operated	26	3.1	8	< 1	< 1	2	4	8	9	13
B. Operated	849	2.4	5	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	311	2.4	3	1	1	2	3	4	5	9
20-34	427	2.2	2	1	1	2	3	4	5	8
35-49	98	2.8	8	1	1	2	3	5	6	18
50-64	28	3.6	9	1	1	3	5	7	9	14
65 +	11	6.1	99	< 1	< 1	2	5	20	34	35
GRAND TOTAL	**875**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	30	1.4		< 1	< 1	1	2	2	2	3
20-34	25	1.5	1	< 1	< 1	1	2	3	3	4
35-49	20	1.8	2	< 1	< 1	< 1	2	4	5	6
50-64	20	1.5	1	< 1	< 1	< 1	2	3	4	4
65 +	10	1.8	3	< 1	< 1	1	2	4	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	7	1.0		< 1	< 1	< 1	1	1	1	1
20-34	10	4.0	16	1	1	3	5	10	14	14
35-49	20	3.0	3	< 1	< 1	3	4	6	7	7
50-64	13	3.8	10	< 1	< 1	3	5	7	11	12
65 +	20	3.2	7	< 1	< 1	3	4	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	105	1.5	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	6	3.5	3	1	1	3	4	6	6	6
B. Operated	70	3.1	7	< 1	< 1	2	4	7	9	14
1. SINGLE DX	106	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	76	3.2	7	< 1	< 1	3	4	6	8	13
A. Not Operated	7	3.9	3	1	1	4	5	6	6	6
B. Operated	175	2.2	4	< 1	< 1	1	3	5	6	11
TOTAL										
0-19 YRS	38	1.4	1	< 1	< 1	1	2	2	3	6
20-34	38	2.2	6	< 1	< 1	1	3	4	6	14
35-49	42	2.5	3	< 1	< 1	2	4	6	6	7
50-64	33	2.4	5	< 1	< 1	1	3	5	6	12
65 +	31	2.8	6	< 1	< 1	2	3	6	9	10
GRAND TOTAL	**182**	**2.2**	**4**	**< 1**	**< 1**	**1**	**3**	**5**	**6**	**11**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154	3.5	19	1	1	2	3	7	10	26
20-34	61	4.0	13	1	1	3	5	8	13	19
35-49	60	4.3	16	1	1	3	5	8	13	21
50-64	32	4.8	26	1	1	3	5	10	19	22
65 +	28	5.9	31	1	2	4	6	12	15	28
B. Operated										
0-19 YRS	114	2.9	33	< 1	< 1	1	2	6	11	35
20-34	169	5.0	39	< 1	< 1	2	6	14	19	31
35-49	153	4.7	40	< 1	< 1	3	6	11	17	24
50-64	152	3.1	14	< 1	< 1	1	4	8	11	19
65 +	105	5.5	51	< 1	< 1	2	8	15	17	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	234	4.2	18	1	1	3	5	7	11	24
20-34	175	6.2	47	1	1	4	7	13	20	37
35-49	173	7.2	43	1	2	6	8	14	21	48
50-64	239	6.5	33	2	2	5	8	13	16	34
65 +	660	10.1	97	2	3	8	12	19	24	60
B. Operated										
0-19 YRS	177	7.1	142	< 1	1	3	7	17	28	88
20-34	259	15.1	334	1	1	8	22	41	65	99 +
35-49	362	10.6	194	1	1	5	13	29	43	78
50-64	476	9.4	171	1	1	5	12	22	35	83
65 +	880	16.4	249	1	2	12	21	39	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	335	4.1	19	1	1	3	5	8	13	23
B. Operated	693	4.3	35	< 1	< 1	2	5	11	16	26
2. MULTIPLE DX										
A. Not Operated	1481	7.8	67	1	2	6	10	15	22	45
B. Operated	2154	12.9	235	1	1	8	17	33	48	99 +
1. SINGLE DX	1028	4.2	30	< 1	< 1	2	5	10	15	26
2. MULTIPLE DX	3635	10.8	173	1	1	7	13	25	39	91
A. Not Operated	1816	7.1	60	1	2	5	9	14	21	40
B. Operated	2847	10.8	200	< 1	1	6	14	28	43	95
TOTAL										
0-19 YRS	679	4.6	55	< 1	1	2	5	9	14	40
20-34	664	9.2	176	< 1	1	4	10	25	37	94
35-49	748	8.1	120	1	1	4	9	18	31	66
50-64	899	7.4	108	1	1	4	9	17	25	67
65 +	1673	13.1	186	1	2	9	16	29	43	97
GRAND TOTAL	**4663**	**9.4**	**149**	**1**	**1**	**5**	**11**	**22**	**35**	**82**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	3.2	17	1	1	2	3	7	11	24
20-34	30	3.8	8	1	1	3	5	7	9	14
35-49	20	6.8	47	1	2	4	7	20	22	24
50-64	10	4.2	4	1	2	4	5	7	8	8
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	9	4.6	24	1	1	3	6	13	15	15
20-34	12	5.1	14	1	1	4	8	10	11	11
35-49	9	5.7	72	1	1	3	4	19	28	28
50-64	3	6.7	14	4	4	5	9	11	11	11
65 +	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	5.9	61	1	1	4	7	10	17	49
20-34	85	5.8	18	1	2	4	7	10	13	23
35-49	90	7.2	51	2	2	5	8	13	20	45
50-64	68	7.8	30	2	3	7	9	13	19	30
65 +	85	9.5	46	3	3	7	13	18	23	37
B. Operated										
0-19 YRS	30	11.5	231	1	1	7	12	34	36	73
20-34	59	12.2	129	1	2	8	17	27	40	50
35-49	58	13.4	246	1	2	8	17	27	55	74
50-64	50	11.5	106	3	3	9	13	22	28	63
65 +	51	16.4	262	4	5	12	20	31	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	4.1	20	1	1	3	5	8	14	24
B. Operated	35	5.3	31	1	1	3	7	11	14	28
2. MULTIPLE DX										
A. Not Operated	401	7.2	43	1	2	6	9	14	19	36
B. Operated	248	13.1	192	1	3	9	16	28	43	74
1. SINGLE DX	148	4.4	22	1	1	3	5	10	14	24
2. MULTIPLE DX	649	9.5	108	1	2	7	11	20	28	61
A. Not Operated	514	6.5	39	1	2	5	8	13	18	32
B. Operated	283	12.2	178	1	2	8	14	27	37	74
TOTAL										
0-19 YRS	164	6.0	83	1	1	3	7	12	20	50
20-34	186	7.4	61	1	2	5	9	15	22	43
35-49	177	9.1	123	1	2	6	9	21	27	68
50-64	131	8.9	61	2	3	7	11	15	24	42
65 +	139	12.0	135	3	4	9	15	23	29	99
GRAND TOTAL	**797**	**8.5**	**96**	**1**	**2**	**6**	**10**	**18**	**25**	**56**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	6.2	33	< 1	1	4	8	11	13	35
20-34	26	6.4	24	1	2	5	7	13	16	24
35-49	35	5.1	7	1	2	4	6	9	11	12
50-64	32	7.3	32	2	3	5	8	13	24	27
65 +	23	5.6	21	1	2	4	7	11	15	21
B. Operated										
0-19 YRS	7	9.7	162	2	2	3	19	30	32	32
20-34	24	6.0	39	1	2	4	7	16	21	25
35-49	51	4.7	20	< 1	1	3	8	11	12	23
50-64	125	6.0	18	1	1	5	9	12	14	16
65 +	85	7.1	22	< 1	2	7	10	12	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	5.5	27	1	2	4	7	12	16	24
20-34	24	6.2	29	1	1	4	9	16	18	20
35-49	78	6.3	17	2	3	5	7	13	15	21
50-64	95	8.2	122	1	2	6	8	15	18	76
65 +	167	8.1	39	2	3	7	10	13	20	30
B. Operated										
0-19 YRS	13	8.7	125	1	2	4	10	18	39	44
20-34	21	7.9	42	1	1	5	13	17	20	22
35-49	88	7.1	79	1	1	5	10	13	19	57
50-64	237	8.5	64	1	2	7	11	16	23	48
65 +	265	10.4	59	2	3	9	14	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	6.1	24	1	2	5	7	11	14	27
B. Operated	292	6.2	25	1	1	5	9	12	14	25
2. MULTIPLE DX										
A. Not Operated	393	7.5	54	2	2	6	9	14	18	29
B. Operated	624	9.1	66	1	2	8	12	17	23	42
1. SINGLE DX	451	6.2	24	1	2	5	9	12	14	25
2. MULTIPLE DX	1017	8.5	62	1	2	6	11	17	21	41
A. Not Operated	552	7.1	46	2	2	5	8	13	17	27
B. Operated	916	8.2	54	1	2	7	11	16	20	34
TOTAL										
0-19 YRS	92	6.6	52	1	2	4	8	12	23	40
20-34	95	6.6	33	1	1	5	9	16	19	25
35-49	252	6.1	39	1	1	5	8	12	14	24
50-64	489	7.7	62	1	2	6	10	14	18	38
65 +	540	9.0	48	2	2	8	12	17	21	33
GRAND TOTAL	**1468**	**7.8**	**51**	**1**	**2**	**6**	**10**	**15**	**19**	**33**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	14	5.1	15	1	1	4	8	10	13	14
65 +	21	4.9	24	1	1	4	5	11	18	22
B. Operated										
0-19 YRS	5	5.2	9	3	3	4	7	10	10	10
20-34	44	4.4	12	1	1	3	6	10	11	13
35-49	142	5.5	14	1	1	5	8	11	12	15
50-64	560	8.0	22	1	2	8	11	13	15	19
65 +	849	10.5	16	4	6	10	13	15	17	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	2.4	3	< 1	< 1	2	3	5	6	6
35-49	36	5.9	20	1	1	4	8	11	16	19
50-64	94	4.4	12	1	1	3	6	9	12	17
65 +	287	6.0	18	1	1	5	8	12	15	19
B. Operated										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	58	6.1	27	1	1	5	8	14	17	24
35-49	160	6.5	49	1	1	5	9	13	15	37
50-64	793	9.8	34	1	2	10	12	16	19	31
65 +	2322	12.4	36	4	7	12	15	19	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	4.8	18	1	1	4	5	9	14	22
B. Operated	1600	9.0	21	1	2	9	12	14	16	20
2. MULTIPLE DX										
A. Not Operated	425	5.6	17	1	1	5	7	11	14	18
B. Operated	3335	11.4	39	2	4	11	14	18	21	34
1. SINGLE DX	1640	8.9	21	1	2	9	12	14	16	20
2. MULTIPLE DX	3760	10.7	40	2	3	10	14	17	21	33
A. Not Operated	465	5.5	17	1	1	4	7	11	14	19
B. Operated	4935	10.6	35	2	3	10	13	17	20	31
TOTAL										
0-19 YRS	8	5.8	17	3	3	4	8	13	14	14
20-34	110	5.2	20	1	1	4	7	10	14	23
35-49	342	6.0	31	1	1	5	8	12	14	21
50-64	1461	8.7	30	1	2	9	11	15	17	27
65 +	3479	11.4	33	3	5	11	14	17	20	32
GRAND TOTAL	**5400**	**10.2**	**35**	**1**	**3**	**10**	**13**	**16**	**19**	**30**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	6.6	26	1	1	5	9	15	18	21
20-34	41	4.3	7	1	1	4	6	8	10	11
35-49	20	4.4	8	1	2	3	6	9	10	11
50-64	14	4.9	13	2	2	4	5	10	14	15
65 +	19	5.9	15	2	3	4	7	13	15	15
B. Operated										
0-19 YRS	71	8.7	27	1	2	8	11	15	20	25
20-34	84	4.5	13	1	1	3	6	10	11	19
35-49	96	4.4	12	1	1	4	6	10	11	16
50-64	87	6.5	40	1	1	4	10	13	16	36
65 +	42	10.2	56	1	2	10	13	17	27	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	7.7	32	1	2	5	12	16	21	90
20-34	49	5.3	9	2	2	5	6	10	11	13
35-49	49	6.7	22	2	3	6	8	11	15	27
50-64	62	6.9	32	1	2	5	9	14	16	34
65 +	115	8.2	66	1	2	6	9	15	22	47
B. Operated										
0-19 YRS	68	12.7	67	1	4	11	17	22	32	37
20-34	92	9.2	124	1	2	5	10	21	31	61
35-49	125	8.8	82	1	2	6	11	19	27	50
50-64	123	9.3	82	1	1	7	12	19	26	44
65 +	145	13.2	91	2	3	11	16	28	37	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	5.6	18	1	2	4	7	11	15	21
B. Operated	380	6.4	30	1	1	5	10	13	16	26
2. MULTIPLE DX										
A. Not Operated	337	7.2	39	2	2	5	9	14	18	40
B. Operated	553	10.6	93	1	2	8	13	22	31	43
1. SINGLE DX	551	6.1	26	1	1	5	9	12	15	23
2. MULTIPLE DX	890	9.3	75	1	2	7	12	19	27	43
A. Not Operated	508	6.7	33	1	2	5	8	14	16	32
B. Operated	933	8.9	72	1	1	7	11	18	26	41
TOTAL										
0-19 YRS	278	8.8	42	1	2	7	13	18	21	36
20-34	266	6.3	54	1	2	4	7	11	18	41
35-49	290	6.7	47	1	1	5	8	12	20	39
50-64	286	7.7	57	1	1	6	10	15	21	35
65 +	321	10.6	79	1	2	9	13	21	31	42
GRAND TOTAL	**1441**	**8.1**	**59**	**1**	**2**	**6**	**11**	**16**	**22**	**41**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	0									
65 +	3	5.0	3	4	4	4	6	7	7	7
B. Operated										
0-19 YRS	118	2.2	3	< 1	< 1	2	3	4	5	9
20-34	163	2.5	3	< 1	< 1	2	3	4	5	10
35-49	100	2.0	2	< 1	< 1	1	3	4	5	7
50-64	26	1.5	1	< 1	< 1	1	2	3	4	5
65 +	18	1.3		< 1	< 1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	6	1.8	3	< 1	< 1	1	2	5	5	5
35-49	4	2.0	2	< 1	< 1	1	3	4	4	4
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	4	9.8	95	3	3	6	16	24	24	24
B. Operated										
0-19 YRS	99	2.4	2	< 1	< 1	2	3	5	5	6
20-34	249	2.6	3	< 1	< 1	2	3	5	6	10
35-49	168	2.5	5	< 1	< 1	2	3	5	7	12
50-64	124	2.7	7	< 1	< 1	2	3	5	8	17
65 +	78	2.9	8	< 1	< 1	2	3	6	10	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.0	4	2	2	4	5	7	7	7
B. Operated	425	2.2	3	< 1	< 1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	20	3.5	27	< 1	< 1	2	4	6	16	24
B. Operated	718	2.6	5	< 1	< 1	2	3	5	7	12
1. SINGLE DX	430	2.2	3	< 1	< 1	2	3	4	5	9
2. MULTIPLE DX	738	2.6	5	< 1	< 1	2	3	5	7	13
A. Not Operated	25	3.6	22	< 1	< 1	2	4	7	12	24
B. Operated	1143	2.4	4	< 1	< 1	2	3	5	6	10
TOTAL										
0-19 YRS	221	2.3	3	< 1	< 1	2	3	4	5	6
20-34	420	2.5	3	< 1	< 1	2	3	5	6	10
35-49	272	2.3	4	< 1	< 1	2	3	4	7	10
50-64	152	2.5	6	< 1	< 1	1	3	5	8	17
65 +	103	3.0	12	< 1	< 1	2	3	6	10	19
GRAND TOTAL	**1168**	**2.5**	**5**	**< 1**	**< 1**	**2**	**3**	**5**	**6**	**11**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	3.0	7	< 1	1	2	4	7	9	14
20-34	26	3.3	9	1	1	2	4	7	10	14
35-49	16	3.9	6	1	2	3	5	8	9	10
50-64	14	4.8	8	1	2	4	7	9	10	10
65 +	15	5.0	13	< 1	2	4	6	12	13	14
B. Operated										
0-19 YRS	290	2.5	5	1	1	2	3	4	5	12
20-34	466	2.6	4	1	1	2	3	4	6	10
35-49	188	2.9	6	< 1	1	2	4	5	9	14
50-64	63	3.4	10	< 1	1	3	4	8	10	16
65 +	30	5.8	29	< 1	1	5	9	12	15	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	5.2	40	1	1	3	5	11	21	30
20-34	42	4.9	26	< 1	1	3	5	13	17	20
35-49	62	4.5	19	< 1	1	3	6	11	15	18
50-64	59	5.3	60	1	1	3	5	11	16	52
65 +	130	9.4	115	1	2	5	10	26	38	59
B. Operated										
0-19 YRS	219	3.0	5	1	1	2	4	6	8	13
20-34	289	3.7	12	1	1	3	4	7	10	21
35-49	175	4.3	16	< 1	1	3	5	9	12	21
50-64	131	5.6	47	1	1	4	6	11	17	33
65 +	119	8.6	77	1	1	6	12	20	28	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	3.6	8	1	1	3	5	8	10	14
B. Operated	1037	2.8	6	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	361	6.6	69	1	1	4	7	16	24	46
B. Operated	933	4.5	27	1	1	3	5	10	14	26
1. SINGLE DX	1163	2.9	7	1	1	2	3	5	7	14
2. MULTIPLE DX	1294	5.1	40	1	1	3	6	11	17	35
A. Not Operated	487	5.8	55	1	1	3	7	13	20	45
B. Operated	1970	3.6	17	1	1	3	4	7	11	22
TOTAL										
0-19 YRS	632	3.0	10	1	1	2	3	5	8	17
20-34	823	3.2	9	1	1	2	4	6	8	17
35-49	441	3.7	12	< 1	1	3	4	8	11	18
50-64	267	5.0	40	1	1	3	5	10	15	26
65 +	294	8.5	87	1	1	5	10	21	31	48
GRAND TOTAL	**2457**	**4.1**	**25**	**1**	**1**	**3**	**4**	**8**	**12**	**28**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	3	6.7	10	3	3	8	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	2	10.0	8	8	8	10	12	12	12	12
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	5	5.2	4	2	2	5	7	7	7	7
50-64	11	8.8	14	3	3	10	11	13	15	15
65 +	10	8.7	117	2	2	6	8	24	39	39
B. Operated										
0-19 YRS	0									
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	41.0		41	41	41	41	41	41	41
50-64	8	14.9	141	6	6	12	15	35	43	43
65 +	4	5.3	10	2	2	5	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.5	12	2	2	5	8	9	9	9
B. Operated	6	4.8	21	1	1	4	8	12	12	12
2. MULTIPLE DX										
A. Not Operated	28	8.0	48	2	2	7	10	11	17	39
B. Operated	14	13.7	159	2	3	10	14	41	43	43
1. SINGLE DX	10	5.1	16	1	1	4	8	10	12	12
2. MULTIPLE DX	42	9.9	90	2	3	7	11	15	40	43
A. Not Operated	32	7.7	44	2	2	7	10	11	15	39
B. Operated	20	11.1	132	1	1	8	12	28	42	43
TOTAL										
0-19 YRS	0									
20-34	5	5.4	26	1	1	2	11	11	11	11
35-49	8	9.3	169	1	1	6	7	31	41	41
50-64	24	10.7	60	3	3	10	12	15	24	43
65 +	15	7.3	83	1	2	6	8	8	31	39
GRAND TOTAL	**52**	**9.0**	**79**	**1**	**2**	**7**	**11**	**14**	**37**	**43**

269 Hospitals, Southern Region, January-December 1987

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	3.7	9	< 1	< 1	3	6	8	8	8
35-49	37	3.0	7	< 1	< 1	2	4	7	8	12
50-64	57	2.9	4	< 1	< 1	3	4	6	7	10
65 +	37	4.1	6	< 1	< 1	4	5	8	9	10
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	39	4.5	32	1	1	4	6	8	10	35
35-49	195	4.2	13	1	1	3	6	9	11	18
50-64	205	5.1	25	1	1	4	7	10	12	21
65 +	105	5.9	25	1	1	5	8	11	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.8	5	2	2	3	4	8	8	8
20-34	20	4.2	9	1	1	3	6	9	10	11
35-49	91	5.2	24	1	1	4	7	9	15	29
50-64	239	5.2	23	1	1	4	7	9	11	24
65 +	413	6.3	18	2	2	5	8	12	15	22
B. Operated										
0-19 YRS	3	10.7	40	7	7	7	15	18	18	18
20-34	46	6.5	38	1	1	4	9	16	19	31
35-49	241	6.1	33	1	1	5	8	11	14	23
50-64	380	6.7	35	1	1	5	9	13	18	25
65 +	397	8.1	40	1	1	7	11	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	3.3	6	< 1	< 1	3	5	7	8	10
B. Operated	546	4.9	21	1	1	4	7	10	12	21
2. MULTIPLE DX										
A. Not Operated	769	5.8	20	1	2	5	7	11	14	22
B. Operated	1067	7.1	37	1	1	6	9	14	18	30
1. SINGLE DX	684	4.6	19	1	1	4	6	9	11	20
2. MULTIPLE DX	1836	6.5	31	1	1	5	9	12	17	27
A. Not Operated	907	5.4	19	1	1	4	7	10	13	22
B. Operated	1613	6.4	33	1	1	5	9	12	17	27
TOTAL										
0-19 YRS	12	5.3	22	1	1	4	7	11	17	18
20-34	111	5.3	30	1	1	4	7	10	16	33
35-49	564	5.1	24	1	1	4	7	10	13	21
50-64	881	5.7	29	1	1	4	8	11	14	25
65 +	952	6.9	28	1	2	6	9	14	17	28
GRAND TOTAL	**2520**	**6.0**	**28**	**1**	**1**	**5**	**8**	**12**	**15**	**25**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	5.5	16	< 1	1	4	9	11	14	15
20-34	406	5.0	14	< 1	1	4	7	9	12	18
35-49	591	5.3	18	< 1	1	5	7	11	13	21
50-64	296	5.3	13	< 1	1	5	7	10	13	16
65 +	63	4.8	12	< 1	< 1	4	7	9	12	17
B. Operated										
0-19 YRS	72	5.1	12	1	2	5	7	8	10	20
20-34	1947	5.3	13	1	1	5	7	10	12	18
35-49	3001	5.5	14	1	1	5	7	10	12	18
50-64	1117	5.8	16	1	1	5	8	11	13	19
65 +	225	6.9	25	1	1	6	9	14	17	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.1	7	< 1	< 1	2	3	8	9	9
20-34	191	6.4	22	1	2	5	8	11	15	27
35-49	479	6.7	20	1	2	6	9	12	15	23
50-64	458	6.6	17	2	2	6	8	12	14	20
65 +	441	7.5	19	2	3	7	9	13	16	24
B. Operated										
0-19 YRS	26	6.8	17	2	2	6	10	12	15	17
20-34	639	7.3	27	1	2	6	9	13	17	27
35-49	1553	7.9	36	1	2	7	10	14	18	32
50-64	1103	8.0	46	1	2	7	10	15	19	27
65 +	660	9.8	49	1	3	8	13	18	24	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1378	5.2	15	< 1	1	4	7	10	13	19
B. Operated	6362	5.6	15	1	1	5	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	1576	6.8	19	1	2	6	9	12	15	23
B. Operated	3981	8.1	40	1	2	7	10	15	19	31
1. SINGLE DX	7740	5.5	15	1	1	5	7	10	13	19
2. MULTIPLE DX	5557	7.8	34	1	2	7	10	14	18	29
A. Not Operated	2954	6.1	16	1	1	5	8	11	14	21
B. Operated	10343	6.6	26	1	1	6	8	12	15	25
TOTAL										
0-19 YRS	127	5.4	14	1	2	5	7	10	13	20
20-34	3183	5.7	17	1	1	5	8	10	13	21
35-49	5624	6.3	22	1	1	5	8	12	14	24
50-64	2974	6.7	28	1	1	6	8	12	15	23
65 +	1389	8.4	36	1	2	7	11	15	20	30
GRAND TOTAL	**13297**	**6.5**	**24**	**1**	**1**	**6**	**8**	**12**	**15**	**24**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	44	5.6	12	1	2	5	7	9	13	18
35-49	101	4.9	12	1	1	4	7	9	11	16
50-64	55	5.8	16	1	1	5	8	11	13	20
65 +	7	3.4	4	1	1	3	5	7	7	7
B. Operated										
0-19 YRS	6	3.0	6	1	1	2	3	7	8	8
20-34	220	4.5	9	1	1	4	6	8	9	15
35-49	593	5.1	14	1	1	5	6	9	13	18
50-64	240	4.9	10	1	1	5	7	9	11	16
65 +	25	6.8	65	1	1	5	9	10	25	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	10.0	67	4	4	7	15	22	22	22
20-34	61	5.4	17	2	2	5	6	9	10	30
35-49	140	6.0	12	1	2	5	8	11	12	16
50-64	120	5.6	11	1	2	5	7	10	11	19
65 +	88	5.8	10	1	2	5	7	10	12	15
B. Operated										
0-19 YRS	0									
20-34	93	6.5	22	1	2	6	8	12	16	27
35-49	390	6.3	32	1	1	5	8	12	16	31
50-64	299	6.5	22	1	2	6	8	12	16	22
65 +	90	9.3	71	1	2	7	12	18	25	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	5.2	13	1	1	4	7	10	12	17
B. Operated	1084	5.0	13	1	1	4	7	9	12	17
2. MULTIPLE DX										
A. Not Operated	413	5.8	12	1	2	5	7	10	12	18
B. Operated	872	6.7	32	1	2	6	8	13	17	29
1. SINGLE DX	1294	5.0	13	1	1	4	7	9	12	17
2. MULTIPLE DX	1285	6.4	26	1	2	5	8	11	16	25
A. Not Operated	623	5.6	13	1	2	5	7	10	12	18
B. Operated	1956	5.7	22	1	1	5	7	10	14	23
TOTAL										
0-19 YRS	13	5.4	32	1	1	3	8	11	20	22
20-34	418	5.2	14	1	1	5	7	9	11	18
35-49	1224	5.6	19	1	1	5	7	10	14	22
50-64	714	5.8	16	1	1	5	7	10	13	21
65 +	210	7.3	45	1	2	6	9	13	18	42
GRAND TOTAL	**2579**	**5.7**	**20**	**1**	**1**	**5**	**7**	**10**	**14**	**22**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	15	6.2	14	1	2	6	8	12	13	14
35-49	30	5.9	16	1	2	5	7	10	13	20
50-64	7	6.7	9	2	2	[illegible]	9	10	10	10
65 +	3	2.7	1	2	2	[illegible]	4	4	4	4
B. Operated										
0-19 YRS	3	4.0	27	1	1	1	8	10	10	10
20-34	21	4.2	18	< 1	1	1	8	10	12	14
35-49	37	4.4	10	1	1	4	8	9	9	9
50-64	10	5.4	30	1	1	2	10	14	16	16
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	22.0	57	14	14	23	27	29	29	29
20-34	10	4.8	14	< 1	1	4	4	10	15	15
35-49	29	5.8	16	2	2	5	7	11	15	17
50-64	26	5.8	10	2	2	5	8	10	13	14
65 +	13	8.0	14	2	3	9	11	13	14	14
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	27	8.0	26	1	1	8	12	15	17	20
35-49	41	8.1	62	1	1	6	12	14	26	38
50-64	14	7.6	15	1	2	8	9	13	14	14
65 +	8	14.6	107	5	5	13	17	32	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	5.9	14	1	2	5	8	11	13	20
B. Operated	71	4.5	15	1	1	2	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	81	6.6	24	2	2	5	8	13	15	27
B. Oparated	91	8.5	50	1	1	8	12	15	20	38
1. SINGLE DX	128	5.1	15	1	1	4	8	10	12	17
2. MULTIPLE DX	172	7.6	38	1	2	6	11	14	17	35
A. Not Operated	138	6.3	20	2	2	5	8	12	14	24
B. Operated	162	6.7	38	1	1	6	9	13	16	36
TOTAL										
0-19 YRS	9	10.2	103	1	1	9	16	27	29	29
20-34	73	6.1	22	1	1	6	9	13	15	19
35-49	137	6.1	29	1	1	5	8	12	14	28
50-64	57	6.3	14	1	2	6	9	12	14	16
65 +	24	9.5	57	2	2	8	13	16	24	37
GRAND TOTAL	**300**	**6.5**	**30**	**1**	**1**	**6**	**9**	**13**	**15**	**28**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	10	4.9	3	2	2	5	6	7	8	8
35-49	42	5.2	13	2	2	4	6	9	14	17
50-64	24	5.8	10	2	2	6	8	11	11	12
65 +	8	4.9	2	3	3	5	6	7	7	7
B. Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	17	2.6	6	< 1	1	2	3	6	9	10
35-49	24	4.5	31	< 1	1	2	5	11	20	21
50-64	17	4.3	18	1	1	3	6	8	14	18
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	18	7.2	11	2	2	7	9	12	13	13
35-49	39	6.2	9	2	2	6	9	11	12	12
50-64	45	6.2	8	1	3	6	8	11	11	14
65 +	54	6.9	10	3	3	6	8	12	13	16
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	5.1	11	1	1	6	8	9	10	10
35-49	37	6.9	61	1	1	5	8	15	25	37
50-64	23	8.6	57	2	3	7	10	16	29	32
65 +	16	6.6	21	< 1	1	6	9	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	5.3	10	2	2	5	6	9	11	17
B. Operated	62	3.8	19	< 1	1	2	5	8	13	21
2. MULTIPLE DX										
A. Not Operated	157	6.6	10	2	3	6	9	11	12	14
B. Operated	91	7.0	45	1	1	6	9	14	17	35
1. SINGLE DX	148	4.7	14	1	1	4	6	9	11	20
2. MULTIPLE DX	248	6.7	22	1	2	6	9	12	13	29
A. Not Operated	243	6.1	10	2	3	6	8	11	12	16
B. Operated	153	5.7	36	1	1	4	8	12	17	32
TOTAL										
0-19 YRS	6	5.7	5	4	4	5	6	10	10	10
20-34	59	5.0	11	1	1	5	7	10	11	13
35-49	142	5.8	28	1	1	5	8	11	16	30
50-64	109	6.3	22	1	2	6	8	11	13	30
65 +	80	6.5	12	1	3	6	8	12	13	16
GRAND TOTAL	**396**	**6.0**	**20**	**1**	**1**	**5**	**8**	**11**	**13**	**25**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	2.9	3	< 1	1	3	4	6	6	8
20-34	342	4.3	13	< 1	1	3	6	8	11	18
35-49	496	4.5	13	< 1	1	4	6	9	11	17
50-64	228	4.4	9	< 1	1	4	6	9	10	14
65 +	98	3.9	13	< 1	< 1	3	5	7	11	20
B. Operated										
0-19 YRS	27	2.8	7	< 1	1	1	4	8	9	9
20-34	506	3.1	12	1	1	2	4	7	9	17
35-49	732	3.3	9	1	1	2	5	7	10	14
50-64	404	4.3	16	1	1	3	6	9	11	19
65 +	157	5.7	30	1	1	4	8	11	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	3.3	5	1	1	3	5	6	7	12
20-34	403	6.1	28	1	1	5	8	14	18	25
35-49	749	6.6	28	1	2	5	8	14	18	25
50-64	557	6.2	20	1	2	5	8	11	14	24
65 +	506	6.5	26	1	2	5	8	11	15	28
B. Operated										
0-19 YRS	19	3.2	6	1	1	2	4	8	9	9
20-34	439	4.3	18	1	1	3	6	9	12	20
35-49	820	5.0	22	1	1	3	7	11	13	22
50-64	695	6.6	36	1	1	5	9	14	18	30
65 +	602	9.3	67	1	2	8	12	19	24	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1211	4.3	12	< 1	1	4	6	9	10	17
B. Operated	1826	3.7	14	1	1	2	5	8	10	18
2. MULTIPLE DX										
A. Not Operated	2257	6.3	25	1	2	5	8	12	17	25
B. Operated	2575	6.3	39	1	1	5	9	13	17	29
1. SINGLE DX	3037	3.9	13	1	1	3	5	8	10	18
2. MULTIPLE DX	4832	6.3	33	1	1	5	8	13	17	28
A. Not Operated	3468	5.6	22	1	1	4	7	11	15	23
B. Operated	4401	5.2	30	1	1	3	7	11	15	27
TOTAL										
0-19 YRS	135	3.0	5	1	1	2	4	6	8	10
20-34	1690	4.4	19	1	1	3	6	9	12	21
35-49	2797	4.9	20	1	1	4	7	10	14	20
50-64	1884	5.7	25	1	1	5	8	11	15	26
65 +	1363	7.5	47	1	1	6	9	14	19	34
GRAND TOTAL	**7869**	**5.4**	**26**	**1**	**1**	**4**	**7**	**11**	**15**	**25**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	3.0	6	1	1	2	4	6	8	13
20-34	28	3.5	5	1	1	3	5	6	7	11
35-49	24	4.3	7	1	2	4	5	8	10	12
50-64	31	4.0	10	1	1	3	6	7	9	17
65 +	14	5.6	12	2	2	5	7	11	13	13
B. Operated										
0-19 YRS	44	2.8	7	< 1	1	2	3	6	7	15
20-34	161	2.3	4	< 1	< 1	2	3	5	6	11
35-49	338	2.5	4	< 1	< 1	2	3	5	7	10
50-64	229	2.4	5	< 1	< 1	2	3	5	6	14
65 +	73	2.7	6	< 1	< 1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	3.6	6	1	1	3	4	8	9	10
20-34	45	5.0	10	1	2	4	6	8	10	18
35-49	67	6.1	18	1	1	5	7	13	15	19
50-64	84	5.5	19	2	2	4	6	10	12	28
65 +	112	5.7	14	2	2	5	7	11	13	19
B. Operated										
0-19 YRS	38	4.4	26	< 1	1	3	5	9	11	30
20-34	129	3.2	9	< 1	< 1	2	4	7	9	15
35-49	280	3.5	11	< 1	1	3	4	7	11	17
50-64	303	3.7	9	< 1	1	3	5	7	11	15
65 +	155	5.3	35	1	1	3	6	12	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	3.6	7	1	1	3	5	7	8	15
B. Operated	845	2.5	5	< 1	< 1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	349	5.4	15	1	2	4	7	10	13	19
B. Operated	905	3.9	15	< 1	1	3	5	8	11	18
1. SINGLE DX	1029	2.7	5	< 1	< 1	2	3	5	7	13
2. MULTIPLE DX	1254	4.3	16	1	1	3	5	9	12	19
A. Not Operated	533	4.8	13	1	2	4	6	9	12	18
B. Operated	1750	3.2	11	< 1	< 1	2	4	6	9	16
TOTAL										
0-19 YRS	210	3.3	10	1	1	3	4	7	9	15
20-34	363	3.1	8	< 1	1	2	4	7	8	15
35-49	709	3.3	9	< 1	1	2	4	7	10	15
50-64	647	3.5	10	< 1	< 1	3	4	7	10	16
65 +	354	4.9	22	< 1	1	4	6	10	13	23
GRAND TOTAL	**2283**	**3.6**	**12**	**<1**	**1**	**3**	**4**	**7**	**10**	**17**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	44	1.9	1	< 1	1	2	3	3	4	4
20-34	79	1.9	2	< 1	< 1	1	2	4	5	7
35-49	103	2.1	1	< 1	1	2	3	4	5	6
50-64	121	2.4	3	< 1	< 1	2	3	4	5	9
65 +	51	2.1	2	< 1	< 1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	24.0		24	24	24	24	24	24	24
35-49	3	1.3		1	1	1	2	2	2	2
50-64	5	3.2	2	2	2	3	4	5	5	5
65 +	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated										
0-19 YRS	53	2.3	2	< 1	< 1	2	3	5	5	8
20-34	116	2.4	2	< 1	1	2	3	4	5	6
35-49	240	2.6	2	< 1	1	2	3	5	5	9
50-64	363	2.8	3	< 1	1	2	4	5	6	8
65 +	327	3.4	13	< 1	1	3	4	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	398	2.1	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	12	4.2	41	< 1	< 1	2	4	11	22	24
B. Operated	1099	2.9	6	< 1	1	3	4	5	6	10
1. SINGLE DX	401	2.1	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX	1111	2.9	6	< 1	1	2	4	5	6	10
A. Not Operated	15	3.6	34	< 1	< 1	2	4	5	19	24
B. Operated	1497	2.7	5	< 1	1	2	3	5	6	9
TOTAL										
0-19 YRS	97	2.1	2	< 1	< 1	2	3	4	5	7
20-34	197	2.3	4	< 1	< 1	2	3	4	5	7
35-49	347	2.4	2	< 1	1	2	3	4	5	7
50-64	490	2.7	3	< 1	1	2	3	5	6	8
65 +	381	3.2	12	< 1	1	3	4	6	7	13
GRAND TOTAL	**1512**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	42	1.3		<1	<1	1	1	2	3	3
20-34	69	1.1		<1	<1	<1	1	2	2	3
35-49	47	1.5	1	<1	<1	<1	2	3	4	5
50-64	37	2.0	2	<1	<1	1	3	5	5	6
65 +	24	2.1	7	<1	<1	<1	2	4	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	3	6.0	16	2	2	6	9	10	10	10
65 +	6	3.0	1	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	6	2.0	1	<1	<1	2	2	4	4	4
20-34	28	2.0	1	<1	<1	2	3	3	4	6
35-49	37	2.3	2	<1	1	2	4	5	5	5
50-64	28	2.9	6	<1	<1	2	4	7	8	11
65 +	31	4.6	39	<1	<1	3	6	7	8	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	3	1	1	3	4	5	5	5
B. Operated	219	1.5	2	<1	<1	<1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	10	3.7	7	1	1	3	4	8	10	10
B. Operated	130	2.9	12	<1	<1	2	4	6	7	16
1. SINGLE DX	224	1.5	2	<1	<1	<1	2	3	4	6
2. MULTIPLE DX	140	2.9	12	<1	<1	2	4	6	7	13
A. Not Operated	15	3.4	6	1	1	3	4	6	9	10
B. Operated	349	2.0	6	<1	<1	1	2	4	5	8
TOTAL										
0-19 YRS	48	1.4	1	<1	<1	1	2	3	3	4
20-34	99	1.4	1	<1	<1	<1	2	2	3	5
35-49	85	1.9	2	<1	<1	1	2	4	5	5
50-64	70	2.6	5	<1	<1	2	3	6	7	11
65 +	62	3.4	23	<1	<1	2	4	7	8	33
GRAND TOTAL	**364**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	10.9	54	3	4	9	13	20	26	40
20-34	16	7.9	29	1	1	6	13	15	17	18
35-49	6	7.8	22	2	2	8	12	12	12	12
50-64	8	10.0	101	2	2	6	14	27	30	30
65 +	9	10.3	147	2	2	5	13	32	37	37
B. Operated										
0-19 YRS	39	11.7	79	3	4	8	15	28	33	34
20-34	45	9.0	98	1	2	5	9	22	37	39
35-49	47	10.3	151	<1	1	7	11	21	37	71
50-64	39	8.1	95	<1	<1	6	8	18	27	53
65 +	14	10.3	118	<1	1	8	12	20	39	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	15.6	119	3	4	14	21	32	37	49
20-34	21	9.5	61	2	3	7	11	24	26	28
35-49	33	11.4	97	2	3	9	13	26	34	42
50-64	54	11.3	88	2	3	8	15	22	32	48
65 +	91	12.3	88	2	4	10	15	28	33	46
B. Operated										
0-19 YRS	115	18.3	196	4	5	14	23	37	47	68
20-34	121	13.7	171	2	2	9	19	33	43	75
35-49	169	15.0	184	2	4	11	18	36	41	84
50-64	227	16.9	223	3	4	13	22	36	46	78
65 +	257	16.7	216	3	5	13	20	35	48	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	10.1	59	2	3	9	13	20	27	39
B. Operated	184	9.8	108	<1	2	7	12	21	34	50
2. MULTIPLE DX										
A. Not Operated	252	12.4	95	2	3	10	16	27	33	48
B. Operated	889	16.2	204	3	4	12	21	35	47	80
1. SINGLE DX	279	9.9	91	1	2	7	12	21	32	43
2. MULTIPLE DX	1141	15.4	182	3	4	11	20	33	44	73
A. Not Operated	347	11.8	86	2	3	9	15	24	32	42
B. Operated	1073	15.1	193	2	3	11	20	33	44	74
TOTAL										
0-19 YRS	263	15.2	141	3	4	11	20	32	39	62
20-34	203	11.8	137	2	2	7	16	29	37	62
35-49	255	13.5	167	2	3	10	16	32	40	81
50-64	328	14.7	192	2	3	10	20	32	44	72
65 +	371	15.2	183	3	4	11	19	31	45	76
GRAND TOTAL	**1420**	**14.3**	**169**	**2**	**3**	**10**	**19**	**31**	**42**	**71**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	4.1	11	< 1	1	3	6	8	10	18
20-34	38	3.1	8	< 1	< 1	2	5	6	8	15
35-49	60	2.4	2	1	1	2	3	4	5	8
50-64	40	3.6	8	< 1	1	3	5	7	7	15
65 +	65	5.9	22	1	2	4	7	11	16	24
B. Operated										
0-19 YRS	430	4.0	11	1	1	3	5	8	10	15
20-34	256	3.5	8	1	1	3	5	7	9	12
35-49	206	5.2	16	1	1	4	8	10	12	21
50-64	162	5.0	17	< 1	1	4	8	11	12	18
65 +	98	7.1	27	1	2	6	10	14	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	5.8	86	1	1	3	6	12	16	62
20-34	89	3.8	13	1	1	3	4	7	9	23
35-49	228	4.6	22	1	1	3	5	9	12	22
50-64	329	6.3	33	1	2	5	8	13	16	26
65 +	1350	7.9	31	2	3	7	10	14	17	25
B. Operated										
0-19 YRS	185	4.9	32	1	1	3	6	10	15	33
20-34	289	6.1	57	1	1	4	8	12	16	47
35-49	342	7.8	61	1	2	6	9	14	20	46
50-64	391	10.1	79	2	2	8	12	19	25	48
65 +	694	12.6	80	3	4	11	15	23	29	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268	3.9	12	< 1	1	3	5	8	10	19
B. Operated	1152	4.5	14	1	1	3	6	9	11	20
2. MULTIPLE DX										
A. Not Operated	2067	7.0	33	1	2	6	9	14	16	26
B. Operated	1901	8.5	76	1	2	8	12	19	25	44
1. SINGLE DX	1420	4.4	14	1	1	3	6	9	11	19
2. MULTIPLE DX	3968	8.2	55	1	2	7	11	16	20	39
A. Not Operated	2335	6.7	31	1	2	5	9	13	16	25
B. Operated	3053	7.6	59	1	1	5	10	16	21	39
TOTAL										
0-19 YRS	751	4.4	23	1	1	3	5	8	11	25
20-34	672	4.6	31	1	1	3	6	10	12	25
35-49	836	5.9	38	1	1	4	8	11	15	39
50-64	922	7.6	54	1	2	6	10	16	20	36
65 +	2207	9.3	51	2	3	8	12	17	21	37
GRAND TOTAL	**5388**	**7.2**	**47**	**1**	**1**	**5**	**9**	**14**	**19**	**35**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	102	2.8	4	1	1	2	4	5	7	10
20-34	34	3.3	10	< 1	< 1	2	4	7	12	13
35-49	21	3.4	8	< 1	< 1	3	5	7	10	12
50-64	14	3.2	13	< 1	< 1	2	4	8	13	14
65 +	9	4.0	12	1	1	2	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	4.8	8	1	1	5	7	7	7	7
B. Operated										
0-19 YRS	179	2.8	4	1	1	2	4	5	7	9
20-34	56	4.9	44	1	1	3	6	8	15	44
35-49	31	3.5	7	< 1	1	3	4	6	7	15
50-64	49	3.9	7	1	1	3	5	8	9	12
65 +	42	6.2	31	< 1	1	4	8	12	17	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.7	25	1	1	5	9	11	11	11
B. Operated	180	3.0	6	< 1	1	2	4	6	9	13
2. MULTIPLE DX										
A. Not Operated	10	3.1	6	< 1	< 1	2	5	7	7	7
B. Operated	357	3.7	15	1	1	3	4	7	9	20
1. SINGLE DX	183	3.1	7	< 1	1	2	4	6	9	13
2. MULTIPLE DX	367	3.7	15	1	1	3	4	7	9	19
A. Not Operated	13	3.7	10	< 1	< 1	3	6	8	10	11
B. Operated	537	3.5	12	1	1	3	4	7	9	15
TOTAL										
0-19 YRS	285	2.8	4	1	1	2	4	5	6	9
20-34	93	4.4	32	< 1	1	3	5	9	12	35
35-49	53	3.5	7	< 1	1	3	4	6	8	15
50-64	64	3.7	8	< 1	1	3	4	8	10	14
65 +	55	5.7	26	1	1	4	8	12	13	26
GRAND TOTAL	**550**	**3.5**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	2.9	5	<1	<1	2	4	7	8	8
35-49	13	3.4	13	<1	<1	2	4	10	12	12
50-64	5	3.2	6	<1	<1	3	5	7	7	7
65 +	5	2.6	2	<1	<1	2	4	4	4	4
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	7	4.6	16	1	1	3	8	11	11	11
50-64	7	3.4	3	1	1	4	5	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	18	6.3	16	<1	1	5	9	11	14	16
50-64	19	4.7	13	1	2	4	7	10	13	15
65 +	23	5.8	10	1	2	6	8	10	11	13
B. Operated										
0-19 YRS	0									
20-34	6	8.8	29	2	2	9	14	15	15	15
35-49	4	8.0	61	1	1	7	14	17	17	17
50-64	7	3.4	7	1	1	2	5	7	8	8
65 +	7	4.9	13	1	1	4	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	3.1	7	<1	<1	2	4	7	9	12
B. Operated	17	4.1	8	1	1	4	5	8	10	11
2. MULTIPLE DX										
A. Not Operated	61	5.6	13	1	2	5	8	10	12	16
B. Operated	24	6.0	25	1	1	4	9	14	16	17
1. SINGLE DX	55	3.4	7	<1	<1	3	4	7	10	12
2. MULTIPLE DX	85	5.7	16	1	2	5	8	11	14	17
A. Not Operated	99	4.6	12	<1	<1	3	7	10	11	16
B. Operated	41	5.2	18	1	1	4	8	11	14	17
TOTAL										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	22	4.7	17	<1	<1	3	7	11	14	15
35-49	42	5.3	19	<1	<1	4	9	12	14	17
50-64	38	4.1	9	<1	1	3	6	8	10	15
65 +	35	5.2	10	1	2	4	8	10	10	13
GRAND TOTAL	**140**	**4.8**	**14**	**<1**	**<1**	**4**	**7**	**10**	**12**	**16**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	3.0	4	1	1	2	4	5	7	9
20-34	92	4.1	10	1	1	3	5	8	11	16
35-49	96	4.0	13	1	1	3	5	8	13	17
50-64	54	3.3	4	<1	1	3	5	6	8	10
65 +	25	4.0	8	1	2	3	5	9	10	12
B. Operated										
0-19 YRS	294	5.5	13	<1	1	6	8	9	10	15
20-34	240	3.7	13	<1	1	2	5	9	11	16
35-49	230	3.2	10	<1	1	2	4	8	10	15
50-64	171	3.3	12	1	1	2	4	8	10	17
65 +	81	3.1	8	<1	<1	2	4	7	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	3.7	16	<1	1	3	4	7	12	23
20-34	181	4.5	12	1	1	4	6	9	12	18
35-49	259	5.7	48	1	1	4	7	12	15	29
50-64	291	5.5	35	1	2	4	7	10	12	22
65 +	292	5.7	21	1	2	4	7	11	16	21
B. Operated										
0-19 YRS	351	5.8	46	1	1	4	8	11	16	28
20-34	286	4.4	27	<1	1	3	6	10	13	33
35-49	332	5.8	54	1	1	4	8	12	17	43
50-64	356	5.8	37	1	1	4	8	13	16	32
65 +	264	7.5	70	1	1	4	10	17	26	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	314	3.8	9	1	1	3	5	7	10	15
B. Operated	1016	4.0	13	<1	1	2	6	9	10	15
2. MULTIPLE DX										
A. Not Operated	1113	5.3	29	1	1	4	7	11	14	22
B. Operated	1589	5.8	47	1	1	4	8	12	17	39
1. SINGLE DX	1330	3.9	12	<1	1	3	6	9	10	15
2. MULTIPLE DX	2702	5.6	40	1	1	4	7	12	16	32
A. Not Operated	1427	5.0	25	1	1	4	6	10	14	21
B. Operated	2605	5.1	34	1	1	3	7	11	14	31
TOTAL										
0-19 YRS	782	5.3	28	1	1	4	7	10	12	26
20-34	799	4.2	17	<1	1	3	6	9	12	19
35-49	917	5.0	38	1	1	3	6	11	14	27
50-64	872	5.1	30	1	1	3	6	11	14	23
65 +	662	6.0	40	1	1	4	8	13	17	36
GRAND TOTAL	**4032**	**5.1**	**31**	**1**	**1**	**3**	**7**	**10**	**14**	**26**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.0	7	1	1	2	5	7	7	7
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	4	7.3	17	2	2	8	10	11	11	11
65 +	4	3.5	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	4	1	1	2	5	5	5	5
B. Operated	3	4.0	3	2	2	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	14	4.4	10	1	2	3	6	10	11	11
B. Operated	2	7.0	8	5	5	7	9	9	9	9
1. SINGLE DX	8	3.3	4	1	1	3	5	5	5	5
2. MULTIPLE DX	16	4.8	10	1	2	4	6	10	11	11
A. Not Operated	19	4.0	9	1	1	3	5	9	11	11
B. Operated	5	5.2	6	2	2	5	6	9	9	9
TOTAL										
0-19 YRS	0									
20-34	7	2.4	4	1	1	2	2	6	7	7
35-49	6	3.8	3	1	1	5	5	5	5	5
50-64	5	7.6	13	2	2	9	10	11	11	11
65 +	6	4.0	2	2	2	4	5	5	5	5
GRAND TOTAL	24	4.3	8	1	1	4	5	9	10	11

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.9	2	< 1	< 1	1	3	4	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	135	5.3	9	1	2	5	7	9	11	16
20-34	5	5.6	34	1	1	2	12	12	12	12
35-49	8	9.3	27	3	4	8	12	17	18	18
50-64	2	6.5	13	4	4	6	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	3.3	22	< 1	< 1	2	4	6	8	30
20-34	5	4.8	19	1	1	4	7	12	12	12
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	2	13.0	18	10	10	13	16	16	16	16
B. Operated										
0-19 YRS	227	7.4	46	1	2	6	9	16	21	41
20-34	13	9.8	50	1	3	8	12	19	27	29
35-49	20	7.4	17	1	1	7	10	13	14	14
50-64	9	20.9	397	6	6	10	26	55	67	67
65 +	6	12.8	117	4	4	8	17	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	1.9	2	< 1	< 1	1	3	4	5	5
B. Operated	150	5.5	11	1	2	5	7	9	12	18
2. MULTIPLE DX										
A. Not Operated	98	3.5	23	< 1	< 1	2	4	6	9	29
B. Operated	275	8.1	62	1	2	6	9	17	23	44
1. SINGLE DX	172	5.0	12	1	1	5	7	9	12	17
2. MULTIPLE DX	373	6.9	55	1	1	5	8	14	21	42
A. Not Operated	120	3.2	19	< 1	< 1	2	4	6	8	24
B. Operated	425	7.2	45	1	2	6	8	14	19	38
TOTAL										
0-19 YRS	471	5.8	32	1	1	5	7	11	16	38
20-34	23	7.8	43	1	1	7	12	15	21	29
35-49	30	7.4	21	1	1	7	10	14	16	18
50-64	13	16.0	325	2	4	9	21	42	62	67
65 +	8	12.9	86	4	5	9	16	28	33	33
GRAND TOTAL	545	6.3	42	1	1	5	8	12	18	38

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	1.2	1	< 1	< 1	< 1	1	1	2	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	203	2.0	4	< 1	< 1	1	2	4	6	12
20-34	23	1.7	1	< 1	< 1	1	2	3	4	6
35-49	11	1.3		< 1	< 1	1	2	2	2	2
50-64	10	1.5		< 1	< 1	1	2	2	2	2
65 +	6	2.0	2	< 1	< 1	1	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.0	5	< 1	< 1	1	2	5	8	10
20-34	0									
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	101	2.9	12	< 1	1	2	3	6	9	60
20-34	14	2.7	6	< 1	1	2	3	7	9	9
35-49	11	3.8	27	< 1	< 1	2	4	11	18	19
50-64	6	1.5		1	1	1	2	2	2	2
65 +	6	4.5	10	1	1	4	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	1.2	1	< 1	< 1	< 1	1	1	2	7
B. Operated	253	1.9	4	< 1	< 1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	23	2.0	5	< 1	< 1	1	3	4	7	10
B. Operated	138	2.9	12	< 1	1	2	3	6	10	32
1. SINGLE DX	287	1.8	4	< 1	< 1	1	2	3	5	11
2. MULTIPLE DX	161	2.8	11	< 1	< 1	2	3	6	9	23
A. Not Operated	57	1.6	3	< 1	< 1	< 1	1	3	5	10
B. Operated	391	2.3	7	< 1	< 1	1	2	5	7	17
TOTAL										
0-19 YRS	357	2.2	7	< 1	< 1	1	2	5	7	15
20-34	37	2.1	3	< 1	1	1	2	3	7	9
35-49	24	2.5	14	< 1	< 1	1	3	4	9	19
50-64	18	1.6	1	< 1	< 1	1	2	2	3	4
65 +	12	3.3	7	< 1	< 1	3	4	7	10	10
GRAND TOTAL	**448**	**2.2**	**6**	**< 1**	**< 1**	**1**	**2**	**5**	**7**	**15**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.8	7	< 1	1	2	3	6	10	13
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	749	4.3	12	1	1	3	6	9	11	15
20-34	34	5.1	31	1	1	3	8	10	15	28
35-49	22	5.2	21	1	1	3	8	12	15	17
50-64	7	5.3	15	1	1	7	8	10	10	10
65 +	5	2.8	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	267	3.8	26	< 1	< 1	2	4	7	12	33
20-34	18	4.0	10	1	1	4	5	7	11	14
35-49	7	4.9	5	1	2	5	7	8	8	8
50-64	11	5.2	14	1	1	3	9	11	11	11
65 +	19	5.0	21	1	1	4	7	12	15	17
B. Operated										
0-19 YRS	1681	7.8	91	1	1	5	10	17	25	49
20-34	58	6.2	23	1	1	6	10	14	17	93
35-49	60	7.4	53	1	1	6	10	17	27	93
50-64	33	7.5	44	1	1	5	10	19	23	23
65 +	41	10.2	110	2	2	8	12	22	29	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.7	6	< 1	1	2	3	5	9	13
B. Operated	817	4.4	13	1	1	3	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	322	3.9	24	< 1	1	3	4	8	12	28
B. Operated	1873	7.8	88	1	1	5	10	17	25	53
1. SINGLE DX	856	4.3	13	1	1	3	6	9	11	16
2. MULTIPLE DX	2195	7.2	80	1	1	4	9	16	24	45
A. Not Operated	361	3.8	22	< 1	1	2	4	8	12	25
B. Operated	2690	6.7	67	1	1	4	9	14	21	41
TOTAL										
0-19 YRS	2730	6.4	65	1	1	4	8	14	20	39
20-34	113	5.4	23	1	1	4	8	12	16	54
35-49	91	6.5	42	1	1	5	9	15	25	73
50-64	52	6.6	33	1	1	5	10	13	22	23
65 +	65	8.1	83	1	1	5	11	17	24	53
GRAND TOTAL	**3051**	**6.4**	**63**	**1**	**1**	**4**	**8**	**14**	**20**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	6	< 1	< 1	1	4	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	441	2.8	1	1	1	3	3	4	5	6
20-34	3	1.0		1	1	1	1	1	1	1
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	1.6	2	< 1	< 1	1	2	4	5	6
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	379	3.3	9	1	2	3	4	5	6	11
20-34	8	2.5	1	< 1	< 1	2	3	4	5	5
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	6	< 1	< 1	1	4	6	6	6
B. Operated	448	2.8	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	30	1.6	2	< 1	< 1	1	2	3	5	6
B. Operated	387	3.3	8	1	2	3	4	5	6	11
1. SINGLE DX	452	2.8	1	1	1	3	3	4	5	6
2. MULTIPLE DX	417	3.2	8	1	1	3	4	5	6	11
A. Not Operated	34	1.7	2	< 1	< 1	1	2	4	6	6
B. Operated	835	3.0	5	1	2	3	4	5	5	8
TOTAL										
0-19 YRS	853	3.0	5	1	1	3	4	5	5	7
20-34	12	2.0	1	< 1	< 1	2	3	4	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**869**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**5**	**7**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.8	1	< 1	< 1	1	3	3	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	424	3.0	2	2	2	3	3	4	5	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.1	4	1	1	3	4	6	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	107	4.3	7	2	2	4	5	7	9	18
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.8	1	< 1	< 1	1	3	3	4	4
B. Operated	424	3.0	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	13	3.1	4	1	1	3	4	6	7	7
B. Operated	107	4.3	7	2	2	4	5	7	9	18
1. SINGLE DX	437	3.0	2	1	2	3	3	4	5	7
2. MULTIPLE DX	120	4.2	7	1	2	4	5	7	8	18
A. Not Operated	26	2.5	3	< 1	1	2	3	5	6	7
B. Operated	531	3.3	3	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	557	3.3	3	1	2	3	4	5	6	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**557**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	6.7	145	< 1	1	2	5	23	42	52
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	306	6.0	25	1	1	5	8	12	16	23
20-34	19	5.1	16	1	1	4	7	12	14	14
35-49	14	3.6	20	< 1	1	2	4	11	15	16
50-64	8	8.8	24	< 1	1	9	12	15	16	16
65 +	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	137	6.1	91	1	1	3	7	13	20	59
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	6	3.7	3	2	2	3	4	7	7	7
50-64	4	4.8	6	2	2	4	6	8	8	8
65 +	5	3.8	7	1	1	4	5	8	8	8
B. Operated										
0-19 YRS	362	10.5	170	1	2	7	12	26	40	98
20-34	26	6.1	17	1	1	6	8	10	14	18
35-49	31	6.0	12	1	2	6	8	10	11	15
50-64	19	8.7	88	1	1	8	10	16	32	43
65 +	22	14.5	300	1	2	9	17	37	62	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	6.5	131	< 1	1	2	5	15	39	52
B. Operated	349	5.9	25	1	1	5	9	12	16	23
2. MULTIPLE DX										
A. Not Operated	155	5.9	82	1	1	3	6	13	16	58
B. Operated	460	10.1	156	1	1	7	11	22	37	91
1. SINGLE DX	404	6.0	39	1	1	4	8	13	17	30
2. MULTIPLE DX	615	9.0	140	1	1	6	10	19	33	89
A. Not Operated	210	6.1	94	1	1	3	6	13	24	54
B. Operated	809	8.3	103	1	1	6	10	17	27	77
TOTAL										
0-19 YRS	854	8.0	109	1	1	5	9	17	28	75
20-34	50	5.4	16	1	1	5	7	10	14	18
35-49	53	5.1	13	1	1	5	7	10	11	16
50-64	32	8.0	61	< 1	1	8	10	14	19	43
65 +	30	12.1	239	1	1	8	13	25	56	70
GRAND TOTAL	**1019**	**7.8**	**102**	**1**	**1**	**5**	**9**	**16**	**26**	**69**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	191	1.5	1	< 1	< 1	1	2	3	3	6
20-34	8	1.6	2	< 1	< 1	1	2	4	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	194	1.9	4	< 1	1	1	2	3	5	17
20-34	12	1.7	1	1	1	2	2	3	3	3
35-49	10	2.3	5	1	1	2	3	6	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	201	1.5	1	< 1	< 1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	4	1.0		1	1	1	1	1	1	1
B. Operated	217	1.9	4	< 1	1	1	2	3	5	15
1. SINGLE DX	202	1.5	1	< 1	< 1	1	2	3	3	6
2. MULTIPLE DX	221	1.9	4	< 1	1	1	2	3	5	15
A. Not Operated	5	1.0		1	1	1	1	1	1	1
B. Operated	418	1.7	2	< 1	< 1	1	2	3	4	8
TOTAL										
0-19 YRS	390	1.7	2	< 1	< 1	1	2	3	4	8
20-34	20	1.7	1	< 1	1	1	2	3	4	5
35-49	12	2.1	4	1	1	1	2	5	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**423**	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.2	3	< 1	1	2	2	5	6	7
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	595	4.0	10	1	1	3	5	9	11	14
20-34	31	3.5	4	1	1	3	5	7	8	8
35-49	13	5.5	15	1	2	4	8	12	13	13
50-64	8	6.0	18	< 1	< 1	6	9	11	12	12
65 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	2.6	14	< 1	< 1	2	3	5	6	25
20-34	6	4.8	7	2	2	4	8	8	8	8
35-49	10	4.8	7	< 1	1	4	5	8	11	11
50-64	8	5.4	12	2	2	4	8	11	11	11
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	353	6.3	40	1	1	5	8	12	16	32
20-34	70	5.1	20	1	1	4	5	9	16	23
35-49	45	5.6	11	2	2	5	7	10	13	15
50-64	29	6.0	10	2	2	5	8	10	13	14
65 +	18	7.7	20	2	3	6	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.5	[illegible]	< 1	1	2	3	6	6	7
B. Operated	650	4.0	10	1	1	3	5	9	11	14
2. MULTIPLE DX										
A. Not Operated	73	3.4	12	< 1	1	2	4	7	10	22
B. Operated	515	6.1	32	1	1	5	8	12	15	28
1. SINGLE DX	672	4.0	10	1	1	3	5	8	11	14
2. MULTIPLE DX	588	5.8	31	1	1	4	7	11	15	27
A. Not Operated	95	3.2	10	< 1	1	2	4	6	8	19
B. Operated	1165	4.9	21	1	1	4	6	10	13	22
TOTAL										
0-19 YRS	1012	4.7	22	1	1	4	6	10	13	25
20-34	109	4.6	15	1	1	4	5	8	10	22
35-49	70	5.3	11	1	2	5	6	10	12	15
50-64	45	5.9	11	1	2	5	8	10	12	14
65 +	24	6.2	22	1	1	5	8	13	17	17
GRAND TOTAL	**1260**	**4.8**	**20**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7		< 1	< 1	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	270	2.5	2	1	1	2	3	4	5	7
20-34	6	4.3	8	2	2	3	4	9	10	10
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.3	4	< 1	< 1	1	3	6	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	120	3.2	5	1	1	3	4	5	7	15
20-34	17	3.1	4	1	1	3	4	6	8	9
35-49	11	3.6	3	1	1	3	5	6	7	7
50-64	17	2.9	2	1	2	3	3	5	7	8
65 +	10	3.7	7	1	1	3	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		< 1	< 1	2	2	2	2	2
B. Operated	279	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	16	2.3	4	< 1	< 1	1	3	6	7	7
B. Operated	175	3.2	5	1	1	3	4	6	8	14
1. SINGLE DX	282	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	191	3.2	5	1	1	3	4	6	7	13
A. Not Operated	19	2.2	4	< 1	< 1	1	3	6	7	7
B. Operated	454	2.8	3	1	1	3	4	5	6	9
TOTAL										
0-19 YRS	409	2.7	3	1	1	2	4	5	5	9
20-34	23	3.4	5	1	1	3	4	7	9	10
35-49	11	3.6	3	1	1	3	5	6	7	7
50-64	18	2.8	3	1	1	3	3	5	7	8
65 +	12	3.6	6	1	1	3	5	8	8	8
GRAND TOTAL	**473**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**9**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	2.5	6	<1	<1	1	3	6	10	11
20-34	6	4.3	7	<1	<1	4	7	7	7	7
35-49	6	5.0	3	3	3	5	7	7	7	7
50-64	4	2.3	6	<1	<1	1	4	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	731	3.8	13	1	1	3	5	7	10	20
20-34	98	3.1	9	<1	<1	2	4	9	9	11
35-49	77	3.1	9	<1	<1	2	4	9	10	11
50-64	34	4.0	22	<1	1	2	5	12	15	19
65+	10	4.2	9	<1	<1	4	5	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	5.0	53	<1	1	3	5	10	19	37
20-34	23	4.8	13	<1	1	4	7	7	11	18
35-49	20	4.8	10	1	2	4	6	7	11	15
50-64	17	5.1	9	1	2	4	7	10	11	11
65+	11	4.1	4	2	2	4	5	7	9	9
B. Operated										
0-19 YRS	445	5.3	56	1	1	3	7	11	17	59
20-34	87	6.4	19	1	1	6	9	12	14	19
35-49	76	6.0	43	<1	1	4	9	12	17	36
50-64	65	7.4	69	1	1	5	9	15	20	54
65+	25	8.6	27	2	2	7	13	17	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.8	7	<1	<1	2	4	7	8	11
B. Operated	950	3.7	13	<1	1	2	5	8	10	18
2. MULTIPLE DX										
A. Not Operated	267	4.9	41	<1	1	3	5	9	16	30
B. Operated	698	5.8	50	1	1	4	7	12	17	40
1. SINGLE DX	1035	3.6	12	<1	1	2	5	8	10	17
2. MULTIPLE DX	965	5.6	48	1	1	4	7	11	17	38
A. Not Operated	352	4.4	34	<1	1	3	5	8	14	29
B. Operated	1648	4.6	30	1	1	3	6	10	13	27
TOTAL										
0-19 YRS	1440	4.4	32	1	1	3	6	8	12	29
20-34	214	4.7	15	<1	<1	3	7	10	12	18
35-49	179	4.6	25	<1	1	3	7	10	12	29
50-64	120	5.9	47	1	1	4	8	12	15	35
65+	47	6.4	22	1	2	5	9	15	17	18
GRAND TOTAL	**2000**	**4.6**	**30**	**<1**	**1**	**3**	**6**	**10**	**13**	**28**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	937	3.7	21	1	1	2	4	7	13	23
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	39	5.2	19	1	1	4	7	12	14	20
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1041	8.0	104	1	2	4	10	19	29	57
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	152	22.9	591	2	3	14	46	90	99+	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	937	3.7	21	1	1	2	4	7	13	23
B. Operated	39	5.2	19	1	1	4	7	12	14	20
2. MULTIPLE DX										
A. Not Operated	1041	8.0	104	1	2	4	10	19	29	57
B. Operated	152	22.9	591	2	3	14	46	90	99+	99+
1. SINGLE DX	976	3.8	21	1	1	2	4	8	13	23
2. MULTIPLE DX	1193	9.9	190	1	2	5	11	26	43	99+
A. Not Operated	1978	6.0	69	1	1	3	6	14	21	45
B. Operated	191	19.3	525	1	3	11	30	79	99+	99+
TOTAL										
0-19 YRS	2169	7.2	124	1	1	3	7	17	29	84
20-34	0									
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	**2169**	**7.2**	**124**	**1**	**1**	**3**	**7**	**17**	**29**	**84**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	876	2.3	6	1	1	2	3	4	5	10
20-34	234	2.6	5	< 1	1	2	3	5	6	14
35-49	124	2.6	2	1	1	2	3	5	6	8
50-64	70	3.2	3	1	1	3	4	6	7	10
65 +	58	3.5	9	1	1	3	4	6	8	18
B. Operated										
0-19 YRS	6	3.5	12	1	1	2	5	9	10	10
20-34	6	7.0	45	1	1	4	12	17	18	18
35-49	6	2.0		1	1	2	2	3	3	3
50-64	6	4.0	5	1	1	4	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1632	3.1	8	1	1	2	4	6	7	13
20-34	390	3.7	8	1	1	3	5	7	9	15
35-49	412	4.4	29	1	1	3	5	8	10	21
50-64	529	4.7	16	1	2	4	6	9	11	23
65 +	918	6.4	40	2	2	5	7	12	16	30
B. Operated										
0-19 YRS	46	8.4	90	2	2	6	9	9	38	99 +
20-34	29	7.8	207	1	2	4	6	10	24	80
35-49	40	8.7	67	2	2	6	10	18	23	45
50-64	44	12.2	125	2	3	8	16	25	38	50
65 +	96	14.7	186	2	3	10	20	38	50	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1362	2.5	6	1	1	2	3	4	6	10
B. Operated	24	4.1	17	1	1	2	6	10	14	18
2. MULTIPLE DX										
A. Not Operated	3881	4.3	21	1	1	3	5	8	11	20
B. Operated	255	11.4	148	2	2	7	14	27	41	79
1. SINGLE DX	1386	2.5	6	1	1	2	3	4	6	11
2. MULTIPLE DX	4136	4.7	31	1	1	3	5	9	13	29
A. Not Operated	5243	3.8	17	1	1	3	4	7	10	19
B. Operated	279	10.8	141	2	2	7	12	26	39	75
TOTAL										
0-19 YRS	2560	2.9	9	1	1	2	3	5	7	14
20-34	659	3.5	17	1	1	3	4	7	9	16
35-49	582	4.3	27	1	1	3	5	8	10	22
50-64	649	5.1	25	1	2	4	6	9	15	28
65 +	1072	7.0	58	2	2	5	8	13	19	47
GRAND TOTAL	**5522**	**4.2**	**26**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	364	2.7	2	1	1	2	3	4	5	9
20-34	40	3.3	7	1	1	3	4	5	6	17
35-49	43	4.3	6	2	2	4	6	7	9	12
50-64	26	4.3	6	1	1	4	6	7	8	9
65 +	29	5.9	42	1	2	4	6	10	15	36
B. Operated										
0-19 YRS	8	4.0	7	1	1	3	5	8	9	9
20-34	5	5.4	5	3	3	5	7	9	9	9
35-49	3	10.7	6	8	8	11	12	13	13	13
50-64	2	14.5	145	6	6	14	23	23	23	23
65 +	2	12.0	162	3	3	12	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1061	3.8	10	1	1	3	4	7	8	14
20-34	176	4.3	9	1	2	4	5	8	10	15
35-49	176	4.6	11	2	2	4	6	8	10	18
50-64	283	5.7	17	2	2	5	7	9	12	25
65 +	588	6.7	34	2	3	6	8	11	14	27
B. Operated										
0-19 YRS	62	7.9	45	1	2	6	10	15	22	36
20-34	23	8.2	37	2	3	6	10	15	23	28
35-49	48	10.5	74	2	3	8	13	21	32	40
50-64	75	10.5	52	3	3	9	13	16	28	40
65 +	99	15.1	228	3	4	11	18	28	36	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	502	3.2	6	1	1	3	4	5	7	11
B. Operated	20	7.2	36	1	2	5	9	17	22	23
2. MULTIPLE DX										
A. Not Operated	2284	4.9	18	1	2	4	6	9	11	18
B. Operated	307	11.3	117	2	3	8	14	23	30	53
1. SINGLE DX	522	3.3	8	1	1	3	4	6	8	14
2. MULTIPLE DX	2591	5.6	34	1	2	4	7	10	14	29
A. Not Operated	2786	4.6	17	1	2	4	5	8	10	18
B. Operated	327	11.0	112	2	3	8	14	23	29	48
TOTAL										
0-19 YRS	1495	3.7	10	1	1	3	4	6	8	15
20-34	244	4.5	13	1	2	4	5	8	11	20
35-49	270	5.7	26	2	2	4	7	11	15	30
50-64	386	6.6	27	2	2	5	8	12	15	31
65 +	718	7.8	69	2	3	6	9	14	18	41
GRAND TOTAL	**3113**	**5.2**	**31**	**1**	**2**	**4**	**6**	**10**	**13**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	2.7	6	1	1	2	3	5	6	15
20-34	177	3.2	8	1	1	3	4	6	9	11
35-49	134	3.0	7	1	1	2	4	5	6	11
50-64	47	3.3	4	1	1	3	4	6	7	11
65 +	10	2.9	4	< 1	< 1	3	4	6	7	7
B. Operated										
0-19 YRS	5	3.4	3	1	1	4	5	5	5	5
20-34	20	2.9	5	1	1	2	4	6	7	9
35-49	29	3.5	7	1	1	3	4	6	8	14
50-64	5	2.0	1	1	1	2	2	3	3	3
65 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	2.9	4	1	1	2	3	5	7	12
20-34	361	4.1	10	1	1	3	5	8	10	16
35-49	331	4.6	18	1	2	4	5	8	11	21
50-64	186	4.2	17	1	1	3	5	7	9	14
65 +	119	4.5	7	1	2	4	6	9	10	13
B. Operated										
0-19 YRS	9	3.9	8	1	1	4	5	8	9	9
20-34	37	3.9	7	1	1	3	6	8	9	11
35-49	47	[illegible]	12	1	2	4	6	10	13	14
50-64	33	5.7	18	1	2	4	8	13	15	17
65 +	32	7.6	27	2	3	6	10	13	20	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	451	3.1	7	1	1	2	4	5	7	11
B. Operated	62	3.1	5	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	1118	4.2	13	1	1	3	5	8	10	17
B. Operated	158	5.3	16	1	2	4	7	10	13	21
1. SINGLE DX	513	3.1	7	1	1	2	4	5	7	11
2. MULTIPLE DX	1276	4.3	13	1	1	3	5	8	10	17
A. Not Operated	1569	3.9	11	1	1	3	5	7	9	16
B. Operated	220	4.7	14	1	1	3	6	10	12	18
TOTAL										
0-19 YRS	218	2.9	5	1	1	2	3	5	7	13
20-34	595	3.8	9	1	1	3	5	7	9	16
35-49	541	4.2	15	1	1	3	5	7	10	19
50-64	271	4.2	15	1	1	3	5	8	9	15
65 +	164	5.0	13	1	2	4	6	10	11	20
GRAND TOTAL	**1789**	**4.0**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34	10	2.8	3	< 1	< 1	2	4	5	6	6
35-49	24	2.8	2	< 1	1	3	4	5	5	6
50-64	34	3.3	3	1	1	3	4	5	6	9
65 +	29	3.1	4	1	1	3	4	5	6	10
B. Operated										
0-19 YRS	9	2.1	2	< 1	< 1	1	3	5	5	5
20-34	21	3.9	3	1	1	4	5	6	6	6
35-49	33	4.7	5	1	2	4	6	8	9	10
50-64	45	3.9	7	1	1	4	4	8	10	11
65 +	34	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.6	3	< 1	1	2	3	5	6	7
20-34	12	3.1	1	< 1	1	3	4	5	5	5
35-49	43	2.8	2	1	1	2	4	5	6	8
50-64	100	3.7	5	1	1	3	5	7	8	11
65 +	174	3.6	6	1	1	3	5	7	9	13
B. Operated										
0-19 YRS	12	3.3	8	1	1	3	4	8	10	10
20-34	27	3.8	5	1	1	3	5	7	8	10
35-49	32	6.3	41	2	2	5	7	10	11	38
50-64	87	4.5	10	1	1	4	6	8	11	69
65 +	144	5.1	12	1	2	4	6	10	12	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	3.0	3	1	1	3	4	5	6	9
B. Operated	142	3.9	5	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	356	3.4	5	1	1	3	4	6	8	12
B. Operated	302	4.8	14	1	1	4	6	10	11	19
1. SINGLE DX	244	3.5	5	1	1	3	4	6	7	11
2. MULTIPLE DX	658	4.1	10	1	1	3	5	8	10	16
A. Not Operated	458	3.3	5	1	1	3	4	6	7	11
B. Operated	444	4.5	12	1	1	4	6	8	11	17
TOTAL										
0-19 YRS	53	2.6	4	< 1	1	2	3	5	7	10
20-34	70	3.6	4	1	1	3	5	6	7	10
35-49	132	4.1	14	1	1	3	5	7	9	16
50-64	266	3.9	7	1	1	4	5	7	9	15
65 +	381	4.1	9	1	1	3	5	8	10	15
GRAND TOTAL	**902**	**3.9**	**8**	**1**	**1**	**3**	**5**	**7**	**10**	**14**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.4	7	1	1	3	4	7	9	10
20-34	12	1.9	1	1	1	2	3	3	3	3
35-49	8	1.8	1	1	1	2	2	3	3	3
50-64	10	2.0	2	1	1	2	2	4	6	6
65 +	4	2.8	4	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	39	2.7	10	< 1	< 1	1	3	10	10	13
20-34	25	2.2	6	< 1	< 1	1	2	3	7	13
35-49	18	2.4	2	< 1	1	2	3	5	6	6
50-64	15	1.3		< 1	< 1	1	2	2	2	2
65 +	6	3.8	42	< 1	< 1	< 1	2	15	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.9	10	1	1	4	5	6	10	17
20-34	40	3.6	8	1	1	3	5	6	10	14
35-49	57	3.9	12	1	1	3	5	7	12	19
50-64	66	4.3	14	1	1	3	6	8	11	22
65 +	156	6.7	27	2	2	5	[illegible]	14	17	27
B. Operated										
0-19 YRS	29	4.5	15	< 1	< 1	3	8	12	13	99 +
20-34	30	5.3	28	< 1	< 1	4	6	15	18	20
35-49	27	6.2	44	1	1	4	8	17	25	25
50-64	31	6.8	142	1	1	3	8	14	25	64
65 +	46	8.2	52	1	1	6	12	19	22	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	2.4	3	1	1	2	3	5	6	10
B. Operated	103	2.4	8	< 1	< 1	1	2	4	10	15
2. MULTIPLE DX										
A. Not Operated	350	5.2	20	1	1	4	7	11	14	24
B. Operated	163	6.4	57	< 1	1	4	8	17	20	59
1. SINGLE DX	151	2.4	6	< 1	< 1	2	3	4	9	13
2. MULTIPLE DX	513	5.6	32	1	1	4	7	12	17	26
A. Not Operated	398	4.8	19	1	1	3	6	10	14	24
B. Operated	266	4.9	42	< 1	< 1	2	6	13	18	27
TOTAL										
0-19 YRS	113	3.6	11	< 1	< 1	2	5	10	10	47
20-34	107	3.5	14	< 1	1	2	4	7	13	19
35-49	110	4.0	19	1	1	3	5	8	14	25
50-64	122	4.4	46	< 1	1	2	5	9	12	36
65 +	212	6.9	33	1	2	5	9	16	18	27
GRAND TOTAL	**664**	**4.8**	**28**	**< 1**	**1**	**3**	**6**	**11**	**16**	**25**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	3	3.3		3	3	3	4	4	4	4
B. Operated										
0-19 YRS	6	1.5		< 1	< 1	1	2	2	2	2
20-34	19	6.6	52	1	2	4	8	10	23	34
35-49	5	6.4	20	1	1	9	10	10	10	10
50-64	14	8.9	53	1	2	7	11	19	26	28
65 +	34	10.8	37	1	4	10	16	19	22	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	8	6.5	23	1	2	6	7	14	17	17
50-64	16	6.9	29	1	1	5	8	16	19	20
65 +	69	8.0	92	2	2	6	9	14	20	67
B. Operated										
0-19 YRS	8	11.3	106	1	1	8	19	27	29	29
20-34	20	12.4	56	2	3	12	17	22	26	28
35-49	45	14.2	200	2	3	9	18	29	47	68
50-64	141	15.0	123	3	4	13	21	28	38	56
65 +	441	14.7	147	3	5	12	17	29	37	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.0	2	3	3	4	5	6	6	6
B. Operated	78	8.4	45	< 1	1	7	11	18	21	32
2. MULTIPLE DX										
A. Not Operated	96	7.6	73	1	2	6	8	14	19	52
B. Operated	655	14.6	141	3	4	12	18	28	37	68
1. SINGLE DX	82	8.2	44	1	2	7	11	18	21	32
2. MULTIPLE DX	751	13.7	138	3	4	11	17	26	35	68
A. Not Operated	100	7.4	71	1	2	6	8	13	19	50
B. Operated	733	13.9	135	2	4	11	17	27	35	66
TOTAL										
0-19 YRS	15	6.9	77	< 1	1	2	9	21	27	29
20-34	41	9.2	60	2	2	7	12	19	26	34
35-49	58	12.4	169	1	3	9	15	27	43	67
50-64	172	13.7	115	3	4	11	19	26	33	54
65 +	547	13.5	138	3	4	11	16	25	35	73
GRAND TOTAL	**833**	**13.2**	**131**	**2**	**3**	**10**	**16**	**25**	**34**	**66**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.5	2	1	1	2	3	5	6	7
20-34	352	2.3	2	1	1	2	3	4	5	7
35-49	1078	2.4	2	1	1	2	3	4	5	7
50-64	696	2.6	3	1	1	2	3	5	6	9
65 +	255	3.6	15	1	1	3	4	6	8	14
B. Operated										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	46	2.1	2	< 1	1	2	3	4	5	6
35-49	313	2.2	3	< 1	1	2	2	4	5	9
50-64	380	2.0	2	< 1	1	2	2	4	5	7
65 +	93	2.4	4	< 1	1	2	2	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	3.1	10	1	1	2	4	6	8	73
20-34	836	2.9	4	1	1	2	4	5	6	11
35-49	3199	3.0	3	1	1	3	4	5	6	9
50-64	3729	3.4	6	1	1	3	4	6	7	12
65 +	2876	4.1	8	1	2	3	5	7	9	14
B. Operated										
0-19 YRS	6	8.8	205	2	2	3	4	35	38	38
20-34	107	3.4	7	1	1	2	5	7	8	15
35-49	951	3.2	6	1	1	2	4	6	8	12
50-64	1456	3.4	9	1	1	2	4	7	9	15
65 +	787	4.5	26	1	1	3	6	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2416	2.6	4	1	1	2	3	4	5	9
B. Operated	834	2.1	3	< 1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	10724	3.4	6	1	1	3	4	6	7	12
B. Operated	3307	3.6	13	1	1	2	5	7	9	15
1. SINGLE DX	3250	2.5	4	1	1	2	3	4	5	9
2. MULTIPLE DX	14031	3.5	8	1	1	3	4	6	8	13
A. Not Operated	13140	3.3	6	1	1	3	4	6	7	12
B. Operated	4141	3.3	11	1	1	2	4	7	9	15
TOTAL										
0-19 YRS	127	3.3	17	1	1	2	3	6	8	52
20-34	1341	2.8	4	1	1	2	3	5	6	10
35-49	5541	2.9	4	1	1	2	4	5	6	10
50-64	6261	3.2	7	1	1	3	4	6	7	12
65 +	4011	4.1	12	1	1	3	5	7	9	15
GRAND TOTAL	**17281**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	277	3.0	10	1	1	2	4	6	7	21
20-34	8	1.6	1	< 1	< 1	1	2	3	3	3
35-49	11	3.3	16	1	1	2	3	8	14	15
50-64	16	2.8	2	< 1	< 1	3	4	4	5	5
65 +	19	3.7	13	1	1	3	4	9	13	15
B. Operated										
0-19 YRS	42	2.5	11	< 1	< 1	2	2	4	8	21
20-34	12	2.8	2	1	1	3	4	5	5	5
35-49	18	3.6	5	1	1	3	5	7	7	7
50-64	42	3.9	14	< 1	< 1	3	5	9	12	18
65 +	20	2.6	7	< 1	< 1	1	3	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	518	4.6	32	1	1	3	6	9	14	30
20-34	60	4.2	15	1	1	3	5	7	10	24
35-49	100	4.6	75	1	1	3	4	8	12	52
50-64	239	4.7	14	1	1	4	6	9	11	19
65 +	363	5.5	22	1	2	4	7	10	14	25
B. Operated										
0-19 YRS	106	6.9	114	1	1	3	8	20	26	83
20-34	34	5.4	19	1	1	4	8	11	13	21
35-49	77	5.0	16	1	1	4	6	11	14	18
50-64	169	5.6	31	1	1	4	7	14	17	27
65 +	177	6.8	38	1	1	5	9	13	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	331	3.0	10	1	1	2	4	6	7	17
B. Operated	134	3.1	10	< 1	< 1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	1280	4.9	28	1	1	3	6	9	13	26
B. Operated	563	6.1	46	1	1	4	8	14	19	30
1. SINGLE DX	465	3.1	10	< 1	1	2	4	6	8	18
2. MULTIPLE DX	1843	5.3	34	1	1	4	6	11	15	28
A. Not Operated	1611	4.5	25	1	1	3	5	8	12	25
B. Operated	697	5.5	41	1	1	3	7	13	17	29
TOTAL										
0-19 YRS	943	4.3	35	1	1	3	5	8	14	28
20-34	114	4.2	15	1	1	3	5	9	11	22
35-49	206	4.6	44	1	1	3	5	8	13	21
50-64	466	4.9	20	1	1	3	6	10	14	24
65 +	579	5.7	27	1	1	4	7	11	15	29
GRAND TOTAL	**2308**	**4.8**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.6	1	< 1	< 1	1	2	3	3	4
20-34	104	1.6	1	< 1	1	1	2	3	4	5
35-49	129	1.8	1	< 1	1	1	2	3	4	6
50-64	85	1.6	1	< 1	1	1	2	3	3	5
65 +	22	2.6	6	< 1	1	2	3	5	8	11
B. Operated										
0-19 YRS	27	3.0	8	< 1	< 1	2	4	8	9	10
20-34	21	3.6	4	1	1	3	5	7	7	7
35-49	15	3.3	5	< 1	< 1	3	5	6	8	9
50-64	18	4.3	2	1	2	4	6	6	6	6
65 +	19	3.8	8	< 1	< 1	3	5	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	3.9	38	1	1	2	4	6	13	33
20-34	121	2.8	5	< 1	1	2	3	5	7	13
35-49	134	2.4	3	1	1	2	3	5	6	8
50-64	143	3.2	6	1	1	2	4	6	8	12
65 +	212	5.9	53	1	1	4	7	12	19	41
B. Operated										
0-19 YRS	39	5.5	113	< 1	< 1	2	7	9	14	66
20-34	40	3.9	5	1	1	4	5	7	8	13
35-49	60	5.6	93	1	1	4	5	8	11	70
50-64	80	6.6	16	1	2	6	9	13	14	18
65 +	169	7.0	35	1	2	6	8	13	16	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	365	1.7	1	< 1	1	1	2	3	4	6
B. Operated	100	3.6	6	< 1	1	3	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	658	3.9	24	1	1	2	4	7	11	30
B. Operated	388	6.2	45	1	2	5	7	11	15	35
1. SINGLE DX	465	2.1	3	< 1	1	2	3	4	6	9
2. MULTIPLE DX	1046	4.7	33	1	1	3	6	9	13	30
A. Not Operated	1023	3.1	17	1	1	2	3	6	8	20
B. Operated	488	5.7	38	1	1	4	7	11	14	29
TOTAL										
0-19 YRS	139	3.7	47	< 1	< 1	2	4	8	10	37
20-34	286	2.6	4	< 1	1	2	3	5	7	11
35-49	338	2.8	20	< 1	1	2	3	5	6	12
50-64	326	3.7	10	1	1	3	5	8	10	15
65 +	422	6.1	42	1	1	4	7	12	16	39
GRAND TOTAL	**1511**	**3.9**	**25**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	832	2.0	3	< 1	1	2	2	4	4	7
20-34	743	2.5	3	1	1	2	3	5	6	9
35-49	445	2.7	3	< 1	1	2	3	5	6	9
50-64	214	3.1	4	1	1	3	4	6	7	10
65 +	107	3.9	15	< 1	1	3	5	8	11	22
B. Operated										
0-19 YRS	112	3.4	4	1	1	3	4	6	7	11
20-34	165	3.8	5	1	2	3	5	8	9	11
35-49	75	4.3	9	1	1	4	5	9	12	14
50-64	26	6.0	91	1	1	4	5	6	22	51
65 +	15	5.9	25	1	1	5	7	10	18	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	682	2.5	6	1	1	2	3	4	6	9
20-34	976	3.1	5	1	1	2	4	6	8	12
35-49	797	3.6	7	1	1	3	4	7	9	14
50-64	700	4.1	8	1	1	3	5	7	9	13
65 +	839	4.9	15	1	2	4	6	9	12	19
B. Operated										
0-19 YRS	104	4.5	12	1	2	3	5	8	12	21
20-34	263	4.9	14	1	[illegible]	4	6	9	12	20
35-49	204	5.9	23	1	2	5	8	12	13	26
50-64	165	6.1	21	2	2	5	8	11	15	24
65 +	195	8.0	77	1	2	6	9	15	21	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2341	2.5	4	< 1	1	2	3	5	6	10
B. Operated	393	4.0	12	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	3994	3.6	9	1	1	3	5	7	9	14
B. Operated	931	5.9	31	1	2	5	7	11	15	26
1. SINGLE DX	2734	2.7	5	1	1	2	3	5	6	10
2. MULTIPLE DX	4925	4.1	14	1	1	3	5	8	10	18
A. Not Operated	6335	3.2	7	1	1	2	4	6	8	13
B. Operated	1324	5.4	27	1	2	4	7	10	13	25
TOTAL										
0-19 YRS	1730	2.4	5	1	1	2	3	4	6	9
20-34	2147	3.2	6	1	1	2	4	6	8	12
35-49	1521	3.7	9	1	1	3	5	7	9	14
50-64	1105	4.3	12	1	1	3	5	8	10	16
65 +	1156	5.3	27	1	1	4	6	10	13	25
GRAND TOTAL	**7659**	**3.6**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	2.4	4	1	1	2	3	5	7	10
20-34	55	3.0	3	< 1	1	3	4	5	7	8
35-49	33	3.0	11	< 1	1	2	3	6	9	17
50-64	16	3.5	7	< 1	1	3	5	5	10	12
65 +	24	3.4	5	< 1	1	3	5	7	8	8
B. Operated										
0-19 YRS	19	2.9	4	1	1	2	5	6	6	6
20-34	27	4.6	10	1	1	4	7	10	10	11
35-49	17	3.1	4	< 1	1	3	4	6	8	9
50-64	10	4.5	11	1	1	3	8	9	10	10
65 +	11	6.1	42	1	1	5	8	16	22	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	388	3.2	10	1	1	2	4	6	8	17
20-34	200	3.7	14	1	1	3	5	7	8	20
35-49	257	4.4	14	1	1	4	5	8	12	17
50-64	377	4.7	13	1	1	4	6	9	12	18
65 +	646	5.4	22	1	2	4	7	10	13	22
B. Operated										
0-19 YRS	61	7.2	79	1	1	4	8	20	28	42
20-34	69	4.7	15	1	1	4	6	11	11	20
35-49	91	7.2	80	1	1	5	9	13	21	57
50-64	118	7.3	30	1	1	6	10	13	18	28
65 +	214	10.0	107	1	1	6	14	21	29	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	2.8	5	1	1	2	4	5	8	10
B. Operated	84	4.1	12	1	1	3	6	9	10	19
2. MULTIPLE DX										
A. Not Operated	1868	4.5	16	1	1	4	5	9	11	21
B. Operated	553	8.0	74	1	1	5	10	17	24	43
1. SINGLE DX	313	3.2	7	1	1	2	4	6	8	12
2. MULTIPLE DX	2421	5.3	32	1	1	4	6	11	15	28
A. Not Operated	2097	4.3	15	1	1	3	5	8	11	20
B. Operated	637	7.5	68	1	1	5	10	16	22	42
TOTAL										
0-19 YRS	569	3.5	17	1	1	2	4	6	9	23
20-34	351	3.8	12	1	1	3	5	7	10	18
35-49	398	4.9	30	1	1	4	6	10	12	24
50-64	521	5.2	18	1	1	4	7	11	13	22
65 +	895	6.5	46	1	2	5	8	13	19	35
GRAND TOTAL	**2734**	**5.0**	**29**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	715	2.9	8	1	1	2	3	5	7	13
20-34	231	3.2	20	< 1	1	2	4	6	8	23
35-49	242	2.8	12	< 1	1	2	3	5	6	16
50-64	235	3.0	9	< 1	1	2	4	5	7	17
65 +	283	4.7	34	1	1	3	5	9	13	26
B. Operated										
0-19 YRS	78	2.7	13	< 1	1	2	3	5	7	23
20-34	57	2.3	5	< 1	< 1	1	2	5	6	14
35-49	84	2.2	4	< 1	1	1	3	4	6	12
50-64	84	2.4	6	< 1	< 1	1	3	5	9	12
55 +	37	5.7	85	< 1	1	3	6	13	15	55
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1341	4.3	19	1	1	3	5	9	13	24
20-34	596	3.5	12	1	1	3	4	6	8	18
35-49	1003	3.9	14	1	1	3	4	7	10	20
50-64	1688	4.7	20	1	2	3	6	9	12	23
65 +	3966	5.4	21	1	2	4	7	10	13	22
B. Operated										
0-19 YRS	164	11.0	234	1	1	5	13	29	58	99 +
20-34	122	4.3	21	1	1	3	6	9	11	26
35-49	245	5.1	48	1	1	3	6	12	17	39
50-64	362	6.3	62	1	1	4	8	14	21	75
65 +	568	9.3	95	1	2	6	12	21	28	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1706	3.2	15	1	1	2	4	6	8	20
B. Operated	340	2.7	16	< 1	1	2	3	5	9	17
2. MULTIPLE DX										
A. Not Operated	8594	4.8	20	1	1	4	6	9	12	22
B. Operated	1461	7.6	93	1	1	5	9	17	27	71
1. SINGLE DX	2046	3.2	15	< 1	1	2	4	6	8	20
2. MULTIPLE DX	10055	5.2	31	1	1	4	6	10	14	29
A. Not Operated	10300	4.6	19	1	1	3	5	9	12	22
B. Operated	1801	6.7	82	1	1	4	8	15	24	60
TOTAL										
0-19 YRS	2298	4.3	35	1	1	3	5	8	13	31
20-34	1006	3.5	15	1	1	2	4	7	9	20
35-49	1574	3.8	19	1	1	3	4	7	10	23
50-64	2369	4.7	25	1	1	3	6	10	13	26
65 +	4854	5.9	33	1	2	4	7	11	15	28
GRAND TOTAL	**12101**	**4.9**	**29**	**1**	**1**	**3**	**6**	**10**	**13**	**27**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	230	1.9	3	< 1	1	1	2	3	4	10
20-34	20	2.9	7	< 1	1	2	3	8	9	10
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	4	4.0	23	< 1	< 1	2	7	11	11	11
B. Operated										
0-19 YRS	59	6.8	116	2	2	4	6	11	14	64
20-34	11	7.2	12	3	3	7	10	12	14	14
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	167	3.7	15	1	1	2	4	8	11	19
20-34	38	5.3	30	1	1	4	6	11	19	28
35-49	21	3.5	7	1	1	3	5	6	9	12
50-64	9	7.4	39	2	2	6	8	17	23	23
65 +	11	8.4	24	2	3	7	13	15	17	17
B. Operated										
0-19 YRS	89	11.0	163	1	2	7	12	25	37	68
20-34	55	15.4	221	4	4	11	27	41	89	99 +
35-49	30	16.0	368	1	2	10	19	51	87	99 +
50-64	9	8.0	24	< 1	< 1	9	11	58	99 +	99 +
65 +	10	10.9	57	4	4	9	13	22	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	260	2.0	4	< 1	1	1	2	4	5	11
B. Operated	72	6.8	97	2	2	4	7	11	14	63
2. MULTIPLE DX										
A. Not Operated	246	4.3	19	1	1	3	5	10	12	23
B. Operated	193	12.9	202	1	3	8	16	32	59	99 +
1. SINGLE DX	332	3.0	28	< 1	1	2	3	6	9	15
2. MULTIPLE DX	439	8.1	118	1	1	5	10	20	30	99 +
A. Not Operated	506	3.1	12	< 1	1	2	4	6	10	18
B. Operated	265	11.3	180	1	2	7	13	28	55	99 +
TOTAL										
0-19 YRS	545	4.5	55	1	1	2	4	9	14	43
20-34	124	9.5	137	1	1	6	12	28	40	99 +
35-49	56	10.2	237	1	1	5	11	22	54	99
50-64	20	7.1	31	< 1	1	7	9	19	58	99 +
65 +	26	8.8	39	< 1	2	7	12	16	19	29
GRAND TOTAL	**771**	**5.9**	**85**	**1**	**1**	**3**	[illegible]	**13**	**22**	**72**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	2.2	3	< 1	1	2	3	4	6	10
20-34	20	4.3	11	1	1	3	7	9	10	10
35-49	7	4.6	29	1	1	2	5	14	16	16
50-64	4	4.5	15	1	1	3	7	10	10	10
65 +	2	9.0	72	3	3	9	15	15	15	15
B. Operated										
0-19 YRS	15	5.7	15	1	2	5	8	10	14	15
20-34	13	6.9	35	< 1	1	6	8	18	19	19
35-49	3	20.3	850	3	3	4	41	54	54	54
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	129	4.6	18	1	1	3	6	10	13	22
20-34	67	6.0	29	1	2	4	7	13	20	24
35-49	20	5.6	13	1	2	5	8	12	13	13
50-64	18	12.6	470	2	2	6	9	27	69	95
65 +	21	8.4	44	1	2	7	12	18	23	26
B. Operated										
0-19 YRS	64	14.1	221	2	2	8	20	39	53	95
20-34	64	11.6	130	2	2	8	16	39	99 +	99 +
35-49	26	14.7	348	1	2	8	19	63	76	99 +
50-64	16	16.5	604	1	2	7	21	86	99	99 +
65 +	10	20.1	622	1	2	16	59	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	2.8	7	1	1	2	3	7	9	15
B. Operated	31	7.6	96	1	1	5	9	16	19	54
2. MULTIPLE DX										
A. Not Operated	255	5.9	57	1	1	4	7	12	17	26
B. Operated	180	13.9	259	1	2	8	19	47	96	99 +
1. SINGLE DX	168	3.7	27	1	1	2	4	8	10	19
2. MULTIPLE DX	435	9.2	155	1	2	5	11	23	41	99 +
A. Not Operated	392	4.8	42	1	1	3	6	10	14	25
B. Operated	211	12.9	239	1	2	8	18	41	78	99 +
TOTAL										
0-19 YRS	312	5.8	73	1	1	3	6	12	21	53
20-34	164	8.0	74	1	1	6	10	20	33	99 +
35-49	56	10.5	223	1	2	5	11	27	65	98
50-64	38	13.4	475	1	2	6	10	42	96	99 +
65 +	33	12.0	234	1	2	8	17	34	96	99 +
GRAND TOTAL	**603**	**7.7**	**126**	**1**	**1**	**4**	**9**	**19**	**34**	**99 +**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.6	1	1	1	1	2	4	5	5
20-34	21	1.7	1	< 1	< 1	1	2	3	4	5
35-49	7	1.7	1	< 1	< 1	2	2	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65 +	4	4.0	13	1	1	3	6	9	9	9
B. Operated										
0-19 YRS	140	1.9	2	< 1	< 1	1	2	4	5	6
20-34	266	2.3	3	1	1	2	3	5	6	11
35-49	108	2.6	6	1	1	2	3	5	6	14
50-64	21	2.5	5	1	1	2	3	4	7	11
65 +	12	2.8	5	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	2.3	3	< 1	< 1	2	3	5	5	7
20-34	69	2.4	3	< 1	1	2	3	5	5	9
35-49	36	2.3	4	< 1	< 1	1	3	6	6	8
50-64	15	2.5	7	< 1	< 1	2	3	4	9	11
65 +	35	5.3	23	1	2	4	7	9	14	26
B. Operated										
0-19 YRS	299	4.4	26	1	1	3	5	9	13	27
20-34	488	4.9	38	1	1	3	6	10	14	29
35-49	197	4.9	27	1	1	4	6	9	12	31
50-64	83	5.3	18	1	1	4	8	10	15	20
65 +	83	9.5	120	1	2	6	9	28	34	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	1.8	2	< 1	< 1	1	2	4	5	9
B. Operated	547	2.3	3	< 1	1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	204	2.8	8	< 1	1	2	4	6	8	13
B. Operated	1150	5.1	39	1	1	3	6	10	15	32
1. SINGLE DX	598	2.2	3	< 1	1	2	3	4	6	11
2. MULTIPLE DX	1354	4.8	35	1	1	3	6	10	14	30
A. Not Operated	255	2.6	7	< 1	1	2	3	5	7	11
B. Operated	1697	4.2	29	1	1	3	5	9	12	29
TOTAL										
0-19 YRS	504	3.4	18	< 1	1	2	4	7	10	22
20-34	844	3.8	25	1	1	2	4	8	11	24
35-49	348	3.8	19	1	1	3	5	8	10	20
50-64	122	4.4	15	1	1	3	6	9	12	19
65 +	134	7.6	87	1	1	4	8	20	29	42
GRAND TOTAL	**1952**	**4.0**	**27**	**1**	**1**	**2**	**5**	**8**	**11**	**28**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	3.5	6	1	1	3	4	7	9	13
20-34	175	4.5	10	1	1	4	6	8	10	14
35-49	132	4.6	8	1	1	4	6	9	11	13
50-64	95	5.4	17	2	2	5	7	8	10	25
65 +	107	6.9	29	2	2	6	8	13	17	31
B. Operated										
0-19 YRS	18	10.4	90	1	2	8	15	18	32	42
20-34	39	9.4	43	1	1	8	12	18	25	27
35-49	17	8.4	31	2	3	8	10	17	20	21
50-64	8	10.9	65	4	5	9	10	24	30	30
65 +	5	10.0	28	1	1	12	13	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	4.6	19	1	1	3	6	8	12	28
20-34	216	5.3	18	1	1	4	7	9	12	25
35-49	145	6.1	31	1	2	5	8	11	15	32
50-64	248	7.4	29	2	2	6	9	13	16	31
65 +	950	8.5	28	2	3	7	11	15	18	27
B. Operated										
0-19 YRS	48	9.1	26	2	3	9	12	17	19	22
20-34	131	12.3	162	2	3	9	14	21	34	75
35-49	63	13.0	144	2	3	9	16	28	46	48
50-64	55	12.9	111	2	3	11	18	24	36	56
65 +	122	15.9	223	3	5	11	18	33	51	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	612	4.9	14	1	1	4	6	9	11	18
B. Operated	87	9.6	50	1	2	9	12	18	24	38
2. MULTIPLE DX										
A. Not Operated	1647	7.5	28	2	2	6	10	14	18	27
B. Operated	419	13.1	158	2	3	10	16	25	41	72
1. SINGLE DX	699	5.5	21	1	1	4	7	10	13	25
2. MULTIPLE DX	2066	8.6	60	2	2	7	11	16	21	44
A. Not Operated	2259	6.8	26	1	2	6	9	13	16	26
B. Operated	506	12.5	141	2	3	10	15	24	36	67
TOTAL										
0-19 YRS	257	5.4	26	1	1	4	7	12	15	26
20-34	561	6.9	61	1	2	5	8	13	19	36
35-49	357	6.9	51	1	2	5	8	13	18	46
50-64	406	7.7	43	2	2	6	9	14	20	38
65 +	1184	9.1	53	2	3	8	11	16	20	40
GRAND TOTAL	**2765**	**7.8**	**52**	**1**	**2**	**6**	**10**	**15**	**20**	**40**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	6.0	43	1	1	2	12	15	15	15
20-34	6	5.8	14	2	2	5	9	11	11	11
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	3	5.7	22	2	2	4	9	11	11	11
65 +	2	17.0	72	11	11	17	23	23	23	23
B. Operated										
0-19 YRS	10	14.6	156	4	4	12	16	35	45	45
20-34	10	10.7	79	3	3	8	14	25	30	30
35-49	3	10.7	9	8	8	10	13	14	14	14
50-64	2	11.0	50	6	6	11	16	16	16	16
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	51	1	1	3	10	16	16	[illegible]
20-34	8	6.3	6	3	3	6	8	10	10	10
35-49	3	6.7	2	5	5	7	8	8	8	8
50-64	5	13.4	333	4	4	5	17	46	46	46
65 +	8	10.5	61	3	3	9	15	23	25	25
B. Operated										
0-19 YRS	18	29.4	298	6	10	25	39	59	61	61
20-34	61	24.0	286	5	7	19	35	65	99 +	99 +
35-49	17	38.2	1017	6	10	37	85	98	99 +	99 +
50-64	9	20.1	122	7	9	17	25	37	44	44
65 +	6	22.0	439	8	8	16	18	59	64	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	6.3	35	1	1	3	11	13	19	23
B. Operated	25	12.3	95	3	4	12	15	25	34	45
2. MULTIPLE DX										
A. Not Operated	28	8.7	81	1	3	6	9	17	27	46
B. Operated	111	26.6	409	6	8	19	39	65	98	99 +
1. SINGLE DX	45	9.6	76	1	2	7	13	20	26	45
2. MULTIPLE DX	139	23.0	394	4	5	17	34	61	93	99 +
A. Not Operated	48	7.7	62	1	1	5	10	16	23	46
B. Operated	136	24.0	382	4	6	17	34	62	94	99 +
TOTAL										
0-19 YRS	37	19.6	291	1	1	16	27	45	59	61
20-34	85	19.5	268	3	4	15	30	52	80	99 +
35-49	27	26.3	882	2	3	13	54	94	99 +	99 +
50-64	19	15.1	164	3	4	12	22	37	45	46
65 +	16	15.6	210	3	3	12	18	25	52	64
GRAND TOTAL	**184**	**19.7**	**349**	**2**	**4**	**15**	**28**	**55**	**79**	**99 +**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.7	1	1	1	1	3	3	3	3
20-34	31	2.4	2	< 1	< 1	2	3	5	5	6
35-49	52	2.4	2	< 1	1	2	3	4	5	7
50-64	49	2.7	3	1	1	3	3	5	8	9
65 +	36	4.2	11	1	1	3	5	9	13	16
B. Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.7	10	1	1	3	5	7	9	17
20-34	150	3.5	7	1	1	3	5	7	9	14
35-49	193	4.1	8	1	2	3	6	7	9	14
50-64	250	5.5	18	1	2	4	7	11	13	21
65 +	512	6.9	34	1	2	5	9	13	18	33
B. Operated										
0-19 YRS	11	5.9	38	< 1	1	5	7	14	22	23
20-34	60	7.5	32	1	2	6	10	12	19	30
35-49	67	10.1	110	2	2	8	12	21	32	54
50-64	75	11.2	120	2	3	8	14	18	34	60
65 +	89	12.1	161	2	3	9	15	26	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	2.8	5	1	1	2	3	5	6	13
B. Operated	7	6.1	18	3	3	4	7	14	15	15
2. MULTIPLE DX										
A. Not Operated	1149	5.6	24	1	2	4	7	11	14	25
B. Operated	302	10.3	112	2	2	8	13	20	31	74
1. SINGLE DX	186	2.9	5	1	1	2	4	5	7	15
2. MULTIPLE DX	1451	6.6	46	1	2	5	8	13	17	38
A. Not Operated	1328	5.2	22	1	1	4	7	10	14	24
B. Operated	309	10.2	110	2	2	7	13	20	30	73
TOTAL										
0-19 YRS	66	3.7	14	1	1	3	5	7	9	22
20-34	243	4.3	16	1	1	3	6	9	11	22
35-49	314	5.1	36	1	1	3	6	9	14	35
50-64	375	6.3	43	1	1	4	8	12	16	35
65 +	639	7.5	54	1	2	5	9	15	20	42
GRAND TOTAL	**1637**	**6.1**	**42**	**1**	**1**	**4**	**8**	**12**	**16**	**35**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	4.3	14	< 1	1	3	5	10	12	18
20-34	37	7.6	88	1	1	5	8	13	33	44
35-49	31	8.5	102	1	1	5	10	19	31	49
50-64	36	8.5	139	2	2	4	8	20	43	54
65 +	100	7.2	26	2	2	6	9	14	18	26
B. Operated										
0-19 YRS	7	15.9	210	4	5	11	17	41	47	47
20-34	10	12.5	97	5	5	10	14	28	38	38
35-49	4	10.5	44	3	3	10	15	19	19	19
50-64	1	21.0		21	21	21	21	21	21	21
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	6.8	43	1	2	5	7	15	22	35
20-34	112	8.8	68	2	2	6	11	18	29	42
35-49	78	10.9	108	1	2	8	12	25	35	51
50-64	87	11.5	105	3	3	8	15	19	39	51
65 +	604	10.3	59	3	4	8	12	13	23	47
B. Operated										
0-19 YRS	44	15.1	140	2	3	12	19	33	42	46
20-34	96	21.1	282	3	5	15	32	45	53	73
35-49	48	28.1	481	5	7	24	40	66	88	99 +
50-64	32	23.0	414	4	6	16	31	66	73	99 +
65 +	101	19.2	225	4	6	16	23	41	50	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	7.2	61	1	2	5	8	13	20	48
B. Operated	22	13.6	115	4	5	11	18	26	42	47
2. MULTIPLE DX										
A. Not Operated	968	10.0	68	2	3	8	12	18	25	47
B. Operated	321	20.9	297	4	5	16	29	46	59	91
1. SINGLE DX	263	7.7	68	1	2	5	9	15	21	48
2. MULTIPLE DX	1289	12.7	147	2	3	9	15	28	41	70
A. Not Operated	1209	9.4	68	2	3	7	12	18	24	48
B. Operated	343	20.4	289	4	5	15	29	46	58	89
TOTAL										
0-19 YRS	175	8.7	84	1	2	5	11	19	31	45
20-34	255	13.4	188	2	2	8	16	34	44	58
35-49	161	15.6	281	2	3	10	21	40	53	88
50-64	156	13.2	199	2	3	8	16	32	50	73
65 +	805	11.1	86	3	4	9	14	20	28	53
GRAND TOTAL	**1552**	**11.9**	**137**	**2**	**3**	**8**	**14**	**25**	**40**	**61**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	3.1	20	< 1	< 1	1	2	10	15	19
20-34	21	3.2	18	< 1	1	1	3	9	15	17
35-49	7	1.6	1	< 1	< 1	1	2	3	3	3
50-64	18	3.4	17	1	1	2	4	7	14	18
65 +	49	3.6	7	1	1	3	5	7	8	15
B. Operated										
0-19 YRS	644	2.7	11	1	1	2	3	5	10	19
20-34	65	3.4	6	1	1	3	4	6	8	13
35-49	45	3.5	10	1	1	3	4	5	7	21
50-64	66	4.1	12	1	1	3	5	9	12	18
65 +	94	4.8	16	1	2	4	6	10	12	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.7	20	1	1	2	4	10	16	19
20-34	30	3.4	6	1	1	3	4	7	8	11
35-49	34	4.8	21	1	1	4	6	9	11	26
50-64	41	6.0	27	< 1	1	4	8	13	17	22
65 +	244	7.2	68	2	2	5	8	15	20	36
B. Operated										
0-19 YRS	172	4.7	23	1	1	3	5	12	16	22
20-34	87	7.9	49	1	2	6	11	19	22	33
35-49	72	8.3	87	1	2	5	8	23	31	42
50-64	105	7.3	37	2	2	6	9	15	22	32
65 +	275	7.9	48	2	2	6	10	15	22	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	3.2	15	< 1	1	2	4	7	14	19
B. Operated	914	3.1	12	1	1	2	4	6	10	18
2. MULTIPLE DX										
A. Not Operated	380	6.3	52	1	1	4	7	13	19	31
B. Operated	711	7.1	46	1	2	5	9	16	21	36
1. SINGLE DX	1090	3.1	12	1	1	2	4	6	10	19
2. MULTIPLE DX	1091	6.8	48	1	2	5	8	14	20	35
A. Not Operated	556	5.3	42	1	1	3	6	12	17	26
B. Operated	1625	4.9	31	1	1	3	6	11	16	29
TOTAL										
0-19 YRS	928	3.2	15	1	1	2	3	6	13	19
20-34	203	5.3	31	1	1	3	6	13	18	26
35-49	158	5.9	52	1	1	4	6	12	23	39
50-64	230	5.9	29	1	1	4	7	12	18	25
65 +	662	6.9	49	1	2	5	8	13	18	35
GRAND TOTAL	**2181**	**5.0**	**34**	**1**	**1**	**3**	**6**	**11**	**16**	**27**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.5	1	< 1	< 1	1	2	3	3	3
20-34	14	1.6	1	< 1	< 1	1	2	3	3	3
35-49	6	2.7	1	2	2	2	3	5	5	5
50-64	9	2.2	1	1	1	2	3	4	4	4
65 +	9	6.9	108	1	1	2	8	26	30	30
B. Operated										
0-19 YRS	756	1.6	1	< 1	1	1	2	3	4	6
20-34	244	2.6	8	1	1	2	3	4	6	13
35-49	194	2.5	3	1	1	2	3	5	6	8
50-64	183	2.3	3	1	1	2	3	4	6	8
65 +	146	2.7	6	1	1	2	3	6	7	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.1	1	1	1	2	3	4	5	5
20-34	27	2.7	3	1	1	2	4	5	7	8
35-49	21	4.4	23	< 1	< 1	2	6	11	17	18
50-64	20	3.8	12	1	1	3	4	8	12	15
65 +	43	5.9	90	1	1	3	6	12	22	54
B. Operated										
0-19 YRS	209	3.6	21	1	1	2	4	7	10	24
20-34	246	6.1	48	1	1	4	7	12	21	38
35-49	171	4.8	24	1	1	3	6	10	14	27
50-64	198	5.0	34	1	1	4	6	9	12	34
65 +	311	5.6	25	1	1	4	7	11	17	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	2.3	15	< 1	1	1	2	3	4	27
B. Operated	1523	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	135	4.0	37	1	1	2	4	8	13	38
B. Operated	1135	5.1	31	1	1	3	6	10	16	30
1. SINGLE DX	1598	2.1	4	< 1	1	2	2	4	5	9
2. MULTIPLE DX	1270	5.0	32	1	1	3	6	10	16	30
A. Not Operated	210	3.4	30	1	1	2	3	6	10	32
B. Operated	2658	3.4	17	1	1	2	4	7	10	23
TOTAL										
0-19 YRS	1026	2.0	6	< 1	1	1	2	3	5	14
20-34	531	4.2	29	1	1	3	5	8	12	29
35-49	392	3.6	14	1	1	3	4	7	10	22
50-64	410	3.7	20	1	1	2	4	7	10	22
65 +	509	4.8	28	1	1	3	6	10	15	27
GRAND TOTAL	**2868**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.6		1	1	2	2	2	2	2
20-34	9	2.6	3	< 1	< 1	2	3	5	6	6
35-49	9	1.6	1	< 1	< 1	1	2	3	4	4
50-64	3	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	131	1.6	4	< 1	< 1	1	2	3	3	10
20-34	183	2.1	5	< 1	< 1	1	2	4	5	11
35-49	84	2.1	5	< 1	< 1	1	3	3	4	14
50-64	38	1.9	2	< 1	< 1	1	2	4	5	6
65 +	14	1.6		< 1	< 1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	1.9	1	< 1	< 1	2	3	4	4	4
20-34	21	2.8	2	1	1	3	3	5	6	6
35-49	12	3.6	7	1	1	3	5	8	9	9
50-64	4	8.0	22	2	2	8	11	13	13	13
65 +	12	5.3	16	2	2	4	7	11	14	15
B. Operated										
0-19 YRS	76	2.9	7	1	1	2	3	6	8	14
20-34	179	2.9	7	< 1	1	2	3	6	7	14
35-49	127	3.5	14	1	1	2	4	7	12	20
50-64	83	3.3	11	< 1	1	2	4	7	9	20
65 +	55	3.0	6	< 1	1	3	4	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.8	1	< 1	< 1	1	2	4	4	6
B. Operated	450	1.9	4	< 1	< 1	1	2	3	5	12
2. MULTIPLE DX										
A. Not Operated	60	3.6	9	1	1	3	4	8	10	15
B. Operated	520	3.1	9	< 1	1	2	4	6	8	17
1. SINGLE DX	478	1.9	4	< 1	< 1	1	2	3	5	11
2. MULTIPLE DX	580	3.2	9	< 1	1	2	4	6	9	17
A. Not Operated	88	3.1	7	< 1	1	2	4	6	9	14
B. Operated	970	2.6	7	< 1	< 1	2	3	5	7	16
TOTAL										
0-19 YRS	225	2.0	5	< 1	< 1	1	2	4	6	13
20-34	392	2.5	6	< 1	< 1	2	3	5	7	11
35-49	232	2.9	10	< 1	1	2	3	6	10	18
50-64	128	3.0	9	< 1	1	2	4	6	8	18
65 +	81	3.1	7	< 1	1	2	4	6	8	15
GRAND TOTAL	**1058**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	7.7	101	1	1	2	11	22	30	34
20-34	4	1.3		< 1	< 1	1	2	2	2	2
35-49	5	9.0	124	2	2	3	14	28	28	28
50-64	12	12.9	249	2	4	8	11	32	57	61
65 +	52	9.6	83	1	2	7	12	17	25	49
B. Operated										
0-19 YRS	75	8.3	79	2	3	5	9	18	24	52
20-34	34	8.2	50	3	3	6	10	16	36	99 +
35-49	58	10.9	179	3	4	8	10	15	21	93
50-64	185	9.5	17	5	6	9	11	13	16	24
65 +	864	11.5	25	5	6	11	14	17	19	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	14.7	216	< 1	1	6	26	35	44	46
20-34	9	19.9	447	1	1	9	40	52	57	57
35-49	4	8.0	15	4	4	7	11	13	13	13
50-64	21	7.2	39	1	1	6	10	18	20	21
65 +	321	9.3	56	2	3	8	12	17	23	41
B. Operated										
0-19 YRS	61	13.8	119	3	4	11	19	30	33	57
20-34	84	14.3	129	3	5	12	17	29	44	86
35-49	131	14.7	149	4	5	11	16	31	50	75
50-64	500	13.6	98	5	6	12	15	21	28	71
65 +	5371	14.6	69	7	8	13	17	23	29	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	9.3	107	1	1	7	11	20	28	56
B. Operated	1216	10.9	36	4	5	10	13	16	20	33
2. MULTIPLE DX										
A. Not Operated	367	9.6	71	2	3	7	12	18	25	46
B. Operated	6147	14.5	74	6	7	13	17	23	30	53
1. SINGLE DX	1306	10.8	41	3	5	10	13	17	20	35
2. MULTIPLE DX	6514	14.2	75	6	7	12	16	23	29	52
A. Not Operated	457	9.5	78	1	2	7	12	19	26	48
B. Operated	7363	13.9	70	6	7	12	16	22	28	51
TOTAL										
0-19 YRS	165	10.7	111	2	2	7	14	25	31	53
20-34	131	12.7	137	2	3	9	16	31	44	99 +
35-49	198	13.3	157	3	5	10	14	25	44	83
50-64	718	12.4	81	5	6	10	14	20	26	65
65 +	6608	13.9	65	6	7	12	16	22	28	48
GRAND TOTAL	**7820**	**13.7**	**71**	**5**	**6**	**12**	**16**	**22**	**28**	**50**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	12.2	107	1	1	11	20	26	29	39
20-34	4	8.5	152	2	2	3	45	99 +	99 +	99 +
35-49	4	2.0	2	< 1	< 1	1	3	4	4	4
50-64	4	38.0	186	18	18	43	46	48	48	48
65 +	22	10.6	209	1	2	6	8	31	49	59
B. Operated										
0-19 YRS	291	9.3	79	1	1	6	13	23	27	35
20-34	73	9.8	44	3	5	8	11	15	22	43
35-49	23	8.8	47	1	3	8	10	18	26	31
50-64	20	14.9	245	3	4	10	16	37	58	61
65 +	49	14.9	93	6	7	12	16	23	36	56
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	15.2	149	1	1	13	23	34	38	48
20-34	15	17.9	797	< 1	1	4	28	58	89	99
35-49	15	17.2	241	3	5	11	27	41	49	52
50-64	19	12.5	253	2	3	6	10	39	51	61
65 +	130	17.9	447	2	3	9	22	52	71	99
B. Operated										
0-19 YRS	297	15.8	167	2	4	12	21	32	40	72
20-34	205	15.2	152	4	6	11	18	28	48	89
35-49	93	17.4	227	3	4	13	21	34	54	72
50-64	89	18.9	235	6	8	14	21	35	54	86
65 +	313	17.1	152	5	7	14	20	32	46	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	12.3	125	1	1	9	20	27	32	48
B. Operated	456	10.2	84	1	2	8	13	22	27	47
2. MULTIPLE DX										
A. Not Operated	294	16.5	323	1	2	9	23	39	57	98
B. Operated	997	16.5	171	4	5	13	20	31	46	71
1. SINGLE DX	721	11.0	100	1	1	8	17	24	30	47
2. MULTIPLE DX	1291	16.5	206	2	4	13	21	34	48	75
A. Not Operated	559	14.5	233	1	1	9	21	34	43	79
B. Operated	1453	14.5	152	2	3	11	18	28	40	69
TOTAL										
0-19 YRS	934	12.8	130	1	2	10	20	27	34	51
20-34	297	13.9	161	3	4	10	16	27	47	99
35-49	135	15.5	205	2	4	12	19	31	50	71
50-64	132	17.9	251	4	5	13	20	40	56	80
65 +	514	16.8	224	3	5	13	19	35	53	74
GRAND TOTAL	**2012**	**14.5**	**175**	**1**	**2**	**11**	**19**	**30**	**41**	**70**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	2.4	4	< 1	1	2	3	5	6	12
20-34	54	3.3	16	< 1	1	3	4	5	5	27
35-49	44	3.2	8	< 1	< 1	2	4	6	10	15
50-64	38	4.4	12	1	1	4	5	8	13	17
65 +	34	4.6	13	1	1	4	6	8	9	20
B. Operated										
0-19 YRS	315	3.2	8	1	1	2	4	6	7	12
20-34	268	5.2	14	1	2	4	7	9	12	16
35-49	173	5.5	25	1	2	4	7	10	12	18
50-64	131	6.4	35	1	2	5	8	12	16	40
65 +	47	8.1	41	1	2	6	10	16	24	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	3.6	12	1	1	3	5	7	11	20
20-34	46	5.2	25	1	2	4	5	13	19	22
35-49	39	4.7	19	1	1	3	7	9	12	24
50-64	62	6.4	23	1	2	5	8	12	16	24
65 +	115	9.4	155	1	2	6	10	17	25	81
B. Operated										
0-19 YRS	194	8.5	122	1	1	5	9	18	37	55
20-34	284	9.8	100	2	2	7	13	24	31	78
35-49	214	10.9	139	2	3	8	13	26	33	83
50-64	167	11.2	139	2	3	8	13	21	29	81
65 +	188	12.0	103	2	3	9	14	25	28	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	3.3	10	< 1	1	2	4	6	8	17
B. Operated	934	4.9	20	1	1	4	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	317	6.6	74	1	1	5	7	13	19	42
B. Operated	1047	10.4	120	2	2	7	13	24	31	66
1. SINGLE DX	1211	4.5	18	1	1	4	6	9	11	19
2. MULTIPLE DX	1364	9.5	112	1	2	6	12	20	28	65
A. Not Operated	594	5.0	47	1	1	3	6	10	15	27
B. Operated	1981	7.8	80	1	2	5	9	16	25	52
TOTAL										
0-19 YRS	671	4.6	47	1	1	3	5	9	13	45
20-34	652	7.0	59	1	2	5	8	14	22	42
35-49	470	7.7	84	1	2	5	9	15	24	52
50-64	398	8.2	81	1	2	6	10	15	21	63
65 +	384	10.1	108	2	2	7	12	19	27	62
GRAND TOTAL	**2575**	**7.2**	**74**	**1**	**1**	**5**	**8**	**15**	**22**	**49**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	2.2	3	< 1	1	2	2	5	6	10
20-34	70	2.6	3	< 1	1	2	4	5	6	8
35-49	45	3.2	7	1	1	2	4	6	8	13
50-64	43	3.4	6	< 1	1	3	4	6	9	13
65 +	37	4.2	12	1	1	3	5	9	13	16
B. Operated										
0-19 YRS	448	2.8	8	1	1	2	3	5	6	10
20-34	649	3.6	5	1	1	3	4	6	8	12
35-49	537	3.9	4	1	2	4	5	7	8	10
50-64	453	4.5	8	1	2	4	5	7	9	16
65 +	222	5.3	8	2	2	5	7	9	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	3.3	11	< 1	1	2	4	7	10	18
20-34	61	3.5	13	< 1	1	3	4	7	9	21
35-49	57	3.7	6	< 1	1	3	5	7	9	11
50-64	68	4.0	4	1	1	4	5	7	8	9
65 +	129	7.2	41	1	2	6	9	14	21	35
B. Operated										
0-19 YRS	282	5.6	45	1	1	3	6	11	17	38
20-34	510	5.7	38	1	1	4	6	11	15	42
35-49	386	6.5	45	1	2	5	7	12	16	41
50-64	427	6.9	41	2	2	5	8	13	18	35
65 +	483	8.2	48	2	3	7	10	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	261	2.9	6	1	1	2	4	6	7	13
B. Operated	2309	3.8	7	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	353	5.0	23	1	1	4	6	9	13	25
B. Operated	2088	6.7	44	1	2	5	8	13	17	38
1. SINGLE DX	2570	3.7	7	1	1	3	5	7	8	12
2. MULTIPLE DX	2441	6.4	41	1	2	5	8	12	16	37
A. Not Operated	614	4.1	17	1	1	3	5	8	11	21
B. Operated	4397	5.2	27	1	2	4	6	10	13	29
TOTAL										
0-19 YRS	834	3.7	22	1	1	3	4	6	9	29
20-34	1290	4.4	20	1	1	3	5	8	11	20
35-49	1025	4.8	22	1	2	4	6	8	11	23
50-64	991	5.5	24	1	2	4	6	10	13	24
65 +	871	7.1	37	2	2	8	9	13	16	35
GRAND TOTAL	**5011**	**5.1**	**25**	**1**	**1**	**4**	**6**	**9**	**13**	**27**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.3		< 1	< 1	1	2	2	2	2
20-34	14	2.1	4	< 1	1	2	2	4	8	9
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	5	2.6	5	1	1	1	5	5	5	5
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	15	1.4		< 1	1	1	2	2	2	2
20-34	28	2.5	1	1	1	2	3	4	5	5
35-49	12	4.3	27	1	1	3	5	10	19	20
50-64	4	4.0	11	2	2	3	6	9	9	9
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	2.7	5	< 1	1	2	4	5	6	13
20-34	59	3.2	14	1	1	2	4	5	7	26
35-49	38	3.4	8	1	1	2	5	7	10	12
50-64	37	5.4	17	1	2	4	6	12	16	18
65 +	48	6.0	31	1	1	4	8	14	17	24
B. Operated										
0-19 YRS	25	3.2	4	< 1	1	3	4	7	7	7
20-34	29	3.8	10	< 1	1	2	6	8	11	12
35-49	20	6.6	62	1	2	4	7	14	25	36
50-64	8	10.8	325	2	2	4	7	41	55	55
65 +	11	6.6	17	2	2	6	10	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.0	3	< 1	< 1	1	2	5	6	9
B. Operated	60	2.7	7	1	1	2	3	5	5	19
2. MULTIPLE DX										
A. Not Operated	227	4.1	16	1	1	3	5	8	12	24
B. Operated	93	5.2	48	1	1	3	6	10	13	47
1. SINGLE DX	96	2.4	6	< 1	1	2	3	5	5	15
2. MULTIPLE DX	320	4.4	26	1	1	3	5	9	13	25
A. Not Operated	263	3.8	15	1	1	3	5	8	12	23
B. Operated	153	4.2	34	1	1	3	5	8	12	36
TOTAL										
0-19 YRS	96	2.5	4	< 1	1	2	3	5	6	10
20-34	130	3.1	9	1	1	2	4	6	7	15
35-49	74	4.4	26	1	1	3	5	9	13	32
50-64	54	5.8	60	1	1	4	6	10	16	53
65 +	62	5.9	27	1	1	4	8	13	16	24
GRAND TOTAL	**416**	**4.0**	**22**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	3	1	1	2	4	5	6	6
20-34	4	3.8	8	2	2	3	5	8	8	8
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	9.0	31	4	4	8	13	15	15	15
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	12.0	304	2	2	4	22	38	38	38
20-34	2	10.0	98	3	3	10	17	17	17	17
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65 +	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	8	13.1	218	1	2	6	20	38	42	42
20-34	7	10.1	132	1	1	6	15	30	33	33
35-49	4	32.8	1921	4	4	14	57	98	98	98
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.9	4	1	1	2	4	6	8	8
B. Operated	5	6.2	31	1	1	4	10	15	15	15
2. MULTIPLE DX										
A. Not Operated	9	9.2	138	2	2	5	9	30	38	38
B. Operated	20	15.4	512	1	1	6	16	37	70	98
1. SINGLE DX	18	3.8	13	1	1	3	4	8	12	15
2. MULTIPLE DX	29	13.5	395	1	1	6	16	36	45	98
A. Not Operated	22	5.5	65	1	1	3	6	11	25	38
B. Operated	25	13.6	424	1	1	6	15	33	56	98
TOTAL										
0-19 YRS	23	7.8	140	1	1	4	6	32	39	42
20-34	16	8.3	73	1	1	5	13	17	28	33
35-49	4	32.8	1921	4	4	14	57	98	98	98
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	2	4.0	2	3	3	4	5	5	5	5
GRAND TOTAL	**47**	**9.8**	**268**	**1**	**1**	**4**	**10**	**27**	**39**	**98**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	2.3	2	< 1	< 1	2	3	5	5	5
35-49	0									
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	38	1.9	1	< 1	< 1	2	2	4	5	5
20-34	124	2.1	1	1	1	2	3	3	4	6
35-49	54	2.0	1	< 1	1	2	3	3	4	4
50-64	13	1.2		< 1	< 1	1	1	2	3	3
65 +	11	1.4		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	12	1.6	1	< 1	< 1	1	2	3	3	3
35-49	7	2.9	4	< 1	< 1	2	4	6	6	6
50-64	6	4.3	7	2	2	3	6	9	9	9
65 +	7	3.4	8	1	1	2	6	8	8	8
B. Operated										
0-19 YRS	13	3.1	4	1	1	2	4	6	8	8
20-34	43	3.5	8	< 1	1	3	4	7	11	13
35-49	29	5.1	123	1	1	2	3	10	14	61
50-64	23	3.6	7	1	1	3	5	6	9	13
65 +	34	4.3	18	1	1	3	5	13	13	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.3	2	< 1	< 1	2	3	4	5	5
B. Operated	240	2.0	1	< 1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	36	2.7	4	< 1	1	2	3	6	8	9
B. Operated	142	4.0	33	1	1	3	4	8	12	21
1. SINGLE DX	249	2.0	1	< 1	1	2	3	3	4	5
2. MULTIPLE DX	178	3.7	27	1	1	2	4	8	11	17
A. Not Operated	45	2.6	4	< 1	1	2	3	6	7	9
B. Operated	382	2.7	14	< 1	1	2	3	5	7	13
TOTAL										
0-19 YRS	56	2.2	2	< 1	1	2	3	4	5	8
20-34	185	2.4	3	< 1	1	2	3	4	5	12
35-49	90	3.0	41	< 1	1	2	3	4	6	41
50-64	44	2.9	6	< 1	1	2	4	6	8	13
65 +	52	3.6	14	1	1	2	4	8	13	18
GRAND TOTAL	**427**	**2.7**	**13**	**< 1**	**1**	**2**	**3**	**5**	**7**	**13**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	113	2.0	2	< 1	< 1	2	3	4	5	6
20-34	185	2.1	3	< 1	< 1	1	2	4	5	9
35-49	102	2.0	3	< 1	< 1	1	3	4	5	9
50-64	40	1.9	2	< 1	< 1	1	2	4	5	6
65 +	13	2.5	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	5	2.4	1	< 1	< 1	2	3	4	4	4
35-49	6	4.5	51	< 1	< 1	2	2	17	19	19
50-64	8	2.4	2	1	1	2	3	4	4	4
65 +	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
0-19 YRS	123	2.6	3	< 1	1	2	3	5	6	8
20-34	206	3.3	17	< 1	< 1	2	4	7	9	23
35-49	125	2.7	4	< 1	1	2	3	5	7	9
50-64	99	2.5	8	< 1	< 1	2	3	5	7	16
65 +	70	3.7	11	1	1	2	6	8	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	453	2.0	2	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	23	3.0	14	< 1	1	2	4	5	10	19
B. Operated	623	3.0	10	< 1	< 1	2	4	6	8	16
1. SINGLE DX	464	2.0	2	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX	646	3.0	10	< 1	< 1	2	4	6	8	17
A. Not Operated	34	2.5	10	< 1	1	2	3	4	5	19
B. Operated	1076	2.6	7	< 1	< 1	2	3	5	7	12
TOTAL										
0-19 YRS	240	2.3	2	< 1	< 1	2	3	4	5	7
20-34	401	2.7	11	< 1	< 1	2	3	5	7	16
35-49	234	2.4	4	< 1	< 1	2	3	5	7	10
50-64	149	2.3	6	< 1	< 1	1	3	5	6	14
65 +	86	3.5	9	1	1	2	4	7	8	16
GRAND TOTAL	**1110**	**2.6**	**7**	**< 1**	**< 1**	**2**	**3**	**5**	**7**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.1	2	<1	<1	2	3	5	5	5
20-34	19	3.2	9	1	1	2	4	8	10	12
35-49	11	4.3	26	1	1	3	5	11	18	19
50-64	4	6.5	22	1	1	6	10	12	12	12
65+	3	6.0	19	<1	<1	8	9	9	9	9
B. Operated										
0-19 YRS	99	2.9	13	<1	1	2	3	6	9	22
20-34	119	3.2	8	1	1	2	4	6	9	14
35-49	78	4.9	30	1	1	3	6	10	15	32
50-64	26	4.0	46	<1	<1	2	4	6	13	36
65+	8	4.6	31	<1	<1	2	8	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.8	21	<1	<1	3	8	13	13	13
20-34	25	4.2	24	<1	1	2	4	9	19	19
35-49	18	3.8	6	1	1	4	5	7	8	9
50-64	17	7.4	38	1	1	7	12	18	19	19
65+	14	6.1	17	1	2	5	8	12	14	14
B. Operated										
0-19 YRS	61	5.7	63	1	1	3	6	14	17	51
20-34	137	6.6	90	1	1	3	8	15	24	85
35-49	81	7.2	63	1	1	5	10	21	30	99+
50-64	41	10.6	219	1	1	4	12	26	49	66
65+	52	9.8	180	1	2	6	12	19	35	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.5	12	<1	1	2	5	8	11	19
B. Operated	330	3.6	19	1	1	2	5	7	10	24
2. MULTIPLE DX										
A. Not Operated	86	5.2	22	1	1	3	7	12	15	19
B. Operated	372	7.5	108	1	1	4	9	17	26	85
1. SINGLE DX	384	3.6	18	<1	1	2	5	8	10	22
2. MULTIPLE DX	458	7.0	92	1	1	4	9	16	25	81
A. Not Operated	140	4.5	19	1	1	3	6	12	13	19
B. Operated	702	5.7	69	1	1	3	6	13	20	52
TOTAL										
0-19 YRS	189	3.9	30	<1	1	2	4	9	13	28
20-34	300	4.8	49	1	1	3	5	11	16	35
35-49	188	5.8	43	1	1	4	7	12	23	78
50-64	88	7.9	130	1	1	3	9	21	27	60
65+	77	8.4	131	1	1	5	11	16	21	74
GRAND TOTAL	**842**	**5.5**	**61**	**1**	**1**	**3**	**6**	**12**	**19**	**48**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.0	1	<1	<1	2	2	4	4	4
20-34	14	2.4	2	<1	<1	2	3	4	5	5
35-49	10	3.2	7	<1	<1	2	5	7	8	8
50-64	8	2.0		1	1	2	2	3	3	3
65+	3	6.3	4	4	4	7	8	8	8	8
B. Operated										
0-19 YRS	128	2.7	3	<1	<1	2	4	4	5	12
20-34	180	3.1	3	<1	1	3	4	5	6	8
35-49	56	2.8	3	<1	<1	2	4	5	6	8
50-64	6	5.5	7	2	2	6	7	9	9	9
65+	9	5.1	8	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.9	15	<1	1	2	5	9	13	15
20-34	16	2.4	6	<1	<1	2	3	3	9	11
35-49	10	2.6	3	1	1	2	4	5	6	6
50-64	15	5.4	8	1	2	5	7	8	11	12
65+	35	5.7	10	1	1	6	8	10	11	13
B. Operated										
0-19 YRS	173	3.0	3	<1	1	3	4	5	7	8
20-34	254	3.6	4	<1	1	3	5	6	7	12
35-49	130	4.4	14	1	1	4	5	8	11	19
50-64	32	4.4	8	1	2	4	6	8	9	14
65+	21	7.2	13	2	2	8	10	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	2.6	3	<1	<1	2	3	5	7	8
B. Operated	379	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	92	4.4	11	1	1	4	7	9	11	14
B. Operated	610	3.8	7	1	1	3	5	7	8	13
1. SINGLE DX	429	3.0	3	<1	1	3	4	5	7	9
2. MULTIPLE DX	702	3.9	8	1	1	3	5	7	9	13
A. Not Operated	142	3.8	9	<1	1	3	6	8	9	13
B. Operated	989	3.5	6	<1	1	3	4	6	8	13
TOTAL										
0-19 YRS	332	2.9	3	<1	1	3	4	5	6	10
20-34	464	3.3	4	<1	1	3	4	6	7	10
35-49	206	3.8	10	<1	1	3	5	7	9	15
50-64	61	4.4	8	1	2	4	6	8	9	14
65+	68	6.1	11	1	2	6	8	10	11	13
GRAND TOTAL	**1131**	**3.5**	**6**	**<1**	**1**	**3**	**4**	**7**	**8**	**13**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	3.2	4	1	1	3	4	6	7	8
20-34	345	4.9	11	1	2	4	6	9	11	16
35-49	347	5.5	11	2	2	5	7	10	12	17
50-64	115	5.8	13	2	2	5	7	10	13	18
65 +	24	5.5	7	2	2	5	8	9	11	11
B. Operated										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	125	3.7	6	1	1	3	5	8	9	10
35-49	66	3.3	9	1	1	2	4	7	9	17
50-64	20	3.5	12	1	1	2	5	9	11	12
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.8	4	1	1	4	5	7	7	10
20-34	319	5.8	16	1	2	5	8	11	13	21
35-49	419	6.2	13	2	3	5	8	11	13	18
50-64	273	6.2	15	2	2	5	8	11	14	21
65 +	242	6.6	16	2	3	6	8	11	14	23
B. Operated										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	90	7.2	34	1	1	6	10	15	17	30
35-49	90	7.1	33	1	1	6	10	13	19	31
50-64	32	7.3	26	1	2	6	10	14	16	24
65 +	14	9.2	29	1	2	9	11	13	22	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	876	5.2	11	1	2	5	7	9	11	17
B. Operated	215	3.6	8	1	1	3	5	8	9	13
2. MULTIPLE DX										
A. Not Operated	1286	6.1	15	2	2	5	8	11	13	21
B. Operated	227	7.3	33	1	1	6	10	14	18	27
1. SINGLE DX	1091	4.9	11	1	1	4	6	9	11	16
2. MULTIPLE DX	1513	6.3	18	1	2	5	8	11	14	22
A. Not Operated	2162	5.7	13	1	2	5	7	10	12	19
B. Operated	442	5.5	24	1	1	4	8	11	15	24
TOTAL										
0-19 YRS	82	3.7	8	1	1	3	5	6	7	17
20-34	879	5.3	15	1	2	4	7	10	13	18
35-49	922	5.8	15	1	2	5	8	10	13	19
50-64	440	6.1	16	1	2	5	8	11	13	20
65 +	281	6.7	17	2	3	6	8	11	13	24
GRAND TOTAL	**2604**	**5.7**	**15**	**1**	**2**	**5**	**7**	**10**	**13**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	2.5	4	< 1	< 1	2	3	5	6	11
20-34	279	4.1	7	1	1	4	5	7	9	14
35-49	275	4.5	11	1	2	4	6	8	10	13
50-64	98	4.2	7	1	2	4	5	7	10	14
65 +	25	4.8	10	1	1	4	6	8	11	16
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	79	3.5	14	1	1	2	4	9	12	19
35-49	64	2.7	5	1	1	2	4	7	8	11
50-64	11	3.6	12	1	1	2	4	9	13	13
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	2.6	4	1	1	2	3	5	8	60
20-34	436	4.6	9	1	1	4	6	9	11	13
35-49	455	5.4	12	1	2	5	7	10	12	22
50-64	270	5.6	11	1	2	5	7	10	12	16
65 +	216	5.9	18	1	2	5	7	11	14	27
B. Operated										
0-19 YRS	8	9.0	55	< 1	< 1	8	16	18	19	19
20-34	69	5.2	17	1	1	4	8	11	14	16
35-49	100	6.1	33	1	1	4	9	14	19	24
50-64	37	5.4	25	< 1	1	4	8	12	17	18
65 +	15	11.1	48	2	3	10	17	19	24	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	756	4.1	9	1	1	4	5	7	9	13
B. Operated	159	3.1	10	1	1	2	4	7	10	15
2. MULTIPLE DX										
A. Not Operated	1471	5.1	12	1	1	4	7	10	12	18
B. Operated	229	6.1	30	1	1	4	9	15	17	24
1. SINGLE DX	915	3.9	9	1	1	3	5	7	9	14
2. MULTIPLE DX	1700	5.2	15	1	1	4	7	10	12	19
A. Not Operated	2227	4.8	11	1	1	4	6	9	11	16
B. Operated	388	4.9	24	1	1	3	7	12	16	22
TOTAL										
0-19 YRS	184	2.8	8	< 1	1	2	3	6	9	18
20-34	863	4.4	10	1	1	4	6	8	10	15
35-49	894	5.0	14	1	1	4	7	10	12	22
50-64	416	5.2	12	1	2	4	7	10	12	17
65 +	258	6.1	20	1	2	5	7	11	16	26
GRAND TOTAL	**2615**	**4.8**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.8	5	< 1	< 1	2	4	6	8	9
20-34	37	2.7	5	< 1	< 1	2	4	5	7	11
35-49	24	2.1	1	< 1	1	2	3	3	4	4
50-64	11	3.6	2	2	2	3	5	6	6	6
65 +	9	3.6	2	2	2	3	4	6	7	7
B. Operated										
0-19 YRS	57	1.9	1	< 1	1	2	3	3	4	7
20-34	154	2.3	2	1	1	2	3	4	5	9
35-49	178	2.5	3	1	1	2	3	4	5	9
50-64	187	2.9	3	1	1	3	4	5	6	9
65 +	78	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.4	2	< 1	1	2	3	5	6	6
20-34	47	3.1	7	1	1	2	4	6	9	15
35-49	59	4.0	17	1	1	3	4	7	11	27
50-64	38	4.1	10	1	1	3	5	9	12	13
65 +	68	5.2	11	2	2	4	6	10	11	18
B. Operated										
0-19 YRS	29	1.8	1	< 1	1	2	2	3	3	4
20-34	62	3.1	7	1	1	2	4	7	8	14
35-49	96	2.9	3	1	1	3	4	5	6	9
50-64	181	3.4	5	1	1	3	4	6	7	14
65 +	137	4.1	6	1	2	3	5	7	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.7	4	< 1	1	2	3	5	6	10
B. Operated	654	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	229	4.1	12	1	1	3	5	8	11	16
B. Operated	505	3.4	5	1	1	3	4	6	7	13
1. SINGLE DX	755	2.6	3	1	1	2	3	4	5	9
2. MULTIPLE DX	734	3.6	7	1	1	3	4	7	8	13
A. Not Operated	330	3.7	10	1	1	3	4	7	10	15
B. Operated	1159	2.9	4	1	1	3	4	5	6	10
TOTAL										
0-19 YRS	123	2.1	2	< 1	1	2	3	4	5	8
20-34	300	2.6	4	1	1	2	3	5	6	12
35-49	357	2.8	6	1	1	2	3	5	6	11
50-64	417	3.3	4	1	1	3	4	5	7	12
65 +	292	4.1	7	1	2	3	5	7	10	13
GRAND TOTAL	**1489**	**3.1**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	839	1.3	1	< 1	1	1	1	2	2	5
20-34	158	1.6	1	< 1	< 1	1	2	3	4	6
35-49	53	2.2	11	< 1	1	1	2	3	4	24
50-64	22	1.8	2	1	1	1	2	4	5	6
65 +	20	2.9	6	1	1	2	3	5	9	12
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	4.7	40	1	1	1	9	12	12	12
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	903	1.9	4	< 1	1	1	2	3	5	11
20-34	531	2.5	5	1	1	2	3	5	7	12
35-49	259	2.9	10	1	1	2	3	6	8	14
50-64	165	3.5	14	1	1	2	4	7	9	21
65 +	228	5.1	46	1	1	3	5	10	14	29
B. Operated										
0-19 YRS	224	3.4	33	1	1	2	3	7	10	29
20-34	195	3.2	19	< 1	1	2	3	7	9	25
35-49	82	4.0	31	1	1	2	4	7	13	33
50-64	53	4.4	50	1	1	3	5	8	12	48
65 +	71	5.4	24	1	1	4	8	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1092	1.4	2	< 1	1	1	2	2	3	5
B. Operated	6	3.5	19	1	1	2	4	11	12	12
2. MULTIPLE DX										
A. Not Operated	2086	2.7	11	1	1	2	3	5	8	15
B. Operated	625	3.7	29	1	1	2	4	8	12	29
1. SINGLE DX	1098	1.5	2	< 1	1	1	2	2	3	6
2. MULTIPLE DX	2711	2.9	16	1	1	2	3	6	8	19
A. Not Operated	3178	2.3	8	< 1	1	1	2	4	6	14
B. Operated	631	3.7	29	1	1	2	4	8	12	29
TOTAL										
0-19 YRS	1969	1.8	7	< 1	1	1	2	3	4	11
20-34	887	2.5	8	< 1	1	2	3	5	7	13
35-49	394	3.0	15	1	1	2	3	6	8	26
50-64	240	3.6	21	1	1	2	4	7	9	22
65 +	319	5.0	39	1	1	3	6	11	14	27
GRAND TOTAL	**3809**	**2.5**	**12**	**< 1**	**1**	**1**	**3**	**5**	**7**	**17**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	407	1.8	4	<1	1	1	2	3	5	10
20-34	116	2.6	12	<1	<1	1	3	5	9	19
35-49	46	2.1	4	<1	1	1	2	4	7	10
50-64	12	3.8	12	1	1	3	5	9	12	13
65 +	8	3.1	20	<1	<1	1	3	11	14	14
B. Operated										
0-19 YRS	22	5.7	11	<1	1	6	8	10	11	11
20-34	12	8.3	119	1	2	6	8	19	39	42
35-49	8	6.0	5	2	3	7	7	9	9	9
50-64	9	12.6	162	1	3	7	16	34	43	43
65 +	12	11.3	74	2	3	8	14	26	30	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	647	3.3	26	1	1	1	3	7	13	28
20-34	349	3.9	30	1	1	2	4	9	13	33
35-49	163	4.5	81	1	1	2	4	8	12	34
50-64	108	4.8	29	1	1	3	5	10	15	30
65 +	207	5.6	28	1	1	4	8	12	15	33
B. Operated										
0-19 YRS	216	12.9	234	1	1	6	19	35	56	99 +
20-34	208	16.6	432	1	1	8	25	63	89	99 +
35-49	96	10.7	244	1	1	5	14	26	57	99 +
50-64	67	18.0	420	2	2	11	23	52	87	99 +
65 +	116	15.2	204	2	3	11	21	41	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	589	2.0	6	<1	1	1	2	4	5	14
B. Operated	63	8.3	67	1	2	7	9	15	26	43
2. MULTIPLE DX										
A. Not Operated	1474	4.0	34	1	1	2	4	9	13	33
B. Operated	703	14.5	310	1	1	8	20	42	67	99 +
1. SINGLE DX	652	2.6	15	<1	1	1	2	6	9	21
2. MULTIPLE DX	2177	7.4	147	1	1	3	8	19	34	92
A. Not Operated	2063	3.5	27	<1	1	2	4	8	12	29
B. Operated	766	14.0	293	1	1	8	19	41	64	99 +
TOTAL										
0-19 YRS	1292	4.5	68	<1	1	2	4	11	21	51
20-34	685	7.6	185	1	1	3	7	21	39	99 +
35-49	313	6.1	127	1	1	3	6	14	23	94
50-64	196	9.6	205	1	1	5	11	24	46	95
65 +	343	9.0	109	1	1	6	11	22	32	83
GRAND TOTAL	**2829**	**6.3**	**121**	**1**	**1**	**2**	**6**	**16**	**29**	**82**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.2	3	<1	1	2	3	4	6	7
20-34	30	2.8	3	1	1	3	3	5	6	7
35-49	9	3.8	2	2	2	3	4	6	7	7
50-64	6	1.5		1	1	1	2	2	2	2
65 +	6	5.0	21	2	2	3	5	13	14	14
B. Operated										
0-19 YRS	22	4.6	7	2	2	4	7	8	10	12
20-34	76	4.8	10	1	2	4	6	9	10	18
35-49	23	4.8	13	<1	1	4	5	8	13	18
50-64	6	4.7	4	2	2	4	5	8	8	8
65 +	5	4.2	10	1	1	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	3.1	4	1	1	3	4	6	7	8
20-34	84	4.0	7	1	1	3	5	8	9	12
35-49	67	4.6	10	1	2	4	6	9	13	14
50-64	59	5.5	14	2	2	4	7	11	13	18
65 +	67	6.1	20	2	2	5	7	11	14	26
B. Operated										
0-19 YRS	83	9.3	157	2	3	6	10	17	21	85
20-34	250	8.8	98	2	3	6	10	16	21	69
35-49	120	8.3	27	2	3	7	10	16	20	24
50-64	60	9.8	46	3	4	8	13	20	25	32
65 +	81	11.3	73	3	4	9	15	23	32	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.9	4	1	1	2	4	5	7	13
B. Operated	132	4.8	9	1	2	4	6	8	10	18
2. MULTIPLE DX										
A. Not Operated	333	4.7	12	1	1	4	6	9	12	17
B. Operated	594	9.2	84	2	3	7	10	18	23	55
1. SINGLE DX	200	4.1	8	1	1	4	5	8	9	17
2. MULTIPLE DX	927	7.6	63	2	2	6	9	14	20	41
A. Not Operated	401	4.4	11	1	1	3	6	8	11	15
B. Operated	726	8.4	73	2	3	6	10	16	21	45
TOTAL										
0-19 YRS	178	6.1	84	1	1	4	7	10	17	55
20-34	440	6.8	65	1	2	5	8	12	18	55
35-49	219	6.6	23	2	2	5	8	13	18	22
50-64	131	7.2	33	2	2	6	9	14	19	29
65 +	159	8.7	54	2	3	6	11	17	25	39
GRAND TOTAL	**1127**	**7.0**	**55**	**1**	**2**	**5**	**8**	**13**	**18**	**37**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	3.6	8	1	1	3	6	8	9	12
20-34	40	2.6	3	< 1	1	2	4	6	6	8
35-49	20	2.9	7	< 1	1	2	3	5	9	13
50-64	5	5.0	8	1	1	5	7	8	8	8
65 +	0									
B. Operated										
0-19 YRS	60	5.6	4	2	3	5	7	8	9	10
20-34	82	5.9	7	2	3	6	7	9	10	17
35-49	25	6.1	19	1	2	6	7	10	16	22
50-64	8	6.0	7	3	3	5	7	10	11	11
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	167	4.4	18	1	1	3	6	10	14	20
20-34	123	3.8	11	1	1	3	5	8	11	17
35-49	56	4.0	11	1	1	3	5	9	12	14
50-64	34	5.2	13	1	1	4	8	11	12	13
65 +	37	5.0	11	1	2	4	7	9	11	16
B. Operated										
0-19 YRS	205	12.1	154	2	4	8	13	24	37	86
20-34	373	11.3	118	3	4	8	11	22	33	59
35-49	167	12.9	131	4	5	9	15	26	33	66
50-64	84	13.6	168	3	5	10	15	28	32	74
65 +	67	15.6	167	3	5	12	18	34	39	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	174	3.3	7	1	1	2	5	7	8	12
B. Operated	176	5.8	8	2	3	5	7	9	10	17
2. MULTIPLE DX										
A. Not Operated	417	4.3	14	1	1	3	6	9	12	18
B. Operated	896	12.3	138	3	4	9	14	25	35	66
1. SINGLE DX	350	4.6	9	1	1	4	6	8	9	14
2. MULTIPLE DX	1313	9.8	112	1	2	7	11	20	29	61
A. Not Operated	591	4.0	12	1	1	3	5	8	11	17
B. Operated	1072	11.3	122	3	4	8	12	22	32	62
TOTAL										
0-19 YRS	541	7.3	80	1	1	5	8	15	21	49
20-34	618	8.5	87	1	2	6	9	17	26	49
35-49	268	9.6	104	1	2	7	11	21	29	61
50-64	131	10.6	127	1	2	8	12	22	29	73
65 +	105	11.7	136	2	2	8	14	24	37	63
GRAND TOTAL	**1663**	**8.7**	**95**	**1**	**2**	**6**	**10**	**18**	**26**	**57**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.9	2	< 1	< 1	1	3	4	5	5
20-34	6	2.2	2	< 1	< 1	1	4	4	4	4
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	105	2.7	4	< 1	1	2	4	5	6	11
20-34	72	3.0	3	1	1	3	4	5	6	9
35-49	37	2.8	2	1	1	3	4	5	5	7
50-64	8	2.3	1	1	1	2	3	3	3	3
65 +	3	2.7	8	< 1	< 1	1	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.1	4	< 1	< 1	2	5	6	6	6
20-34	7	1.7	1	< 1	< 1	2	2	3	3	3
35-49	7	3.7	6	1	1	3	5	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	3.3	1	2	2	4	4	4	4	4
B. Operated										
0-19 YRS	124	3.3	4	1	1	3	5	6	7	10
20-34	150	4.5	22	1	1	4	5	8	10	23
35-49	83	4.3	58	1	1	3	5	6	9	52
50-64	29	3.8	7	1	1	3	5	8	9	10
65 +	32	4.6	11	1	1	4	6	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.3	2	< 1	< 1	2	3	5	5	5
B. Operated	225	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	30	2.9	4	< 1	< 1	2	4	6	6	8
B. Operated	418	4.1	22	1	1	3	5	7	9	20
1. SINGLE DX	244	2.7	3	1	1	2	4	5	6	9
2. MULTIPLE DX	448	4.0	21	1	1	3	5	7	9	19
A. Not Operated	49	2.7	3	< 1	< 1	2	4	6	6	8
B. Operated	643	3.6	16	1	1	3	4	6	9	15
TOTAL										
0-19 YRS	251	3.0	4	< 1	1	3	4	5	6	9
20-34	235	3.9	16	1	1	3	5	7	9	20
35-49	130	3.8	38	1	1	3	4	6	7	30
50-64	38	3.4	6	1	1	3	4	7	9	10
65 +	38	4.3	10	1	1	4	6	10	11	12
GRAND TOTAL	**692**	**3.5**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.7	1	< 1	1	1	2	3	4	7
20-34	34	2.4	4	< 1	1	2	3	4	7	9
35-49	13	2.8	2	< 1	1	3	4	5	6	6
50-64	3	1.7		< 1	< 1	2	2	2	2	2
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	124	1.6	1	< 1	< 1	1	2	3	4	6
20-34	75	2.0	3	< 1	< 1	1	2	4	5	9
35-49	38	1.8	2	< 1	< 1	1	2	3	5	6
50-64	18	2.2	2	< 1	1	2	3	4	5	5
65 +	6	3.2	11	1	1	2	2	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	105	2.3	5	< 1	1	2	3	4	5	12
20-34	91	2.4	7	< 1	< 1	2	3	4	7	66
35-49	57	2.7	4	1	1	2	3	6	7	11
50-64	34	4.1	47	1	1	3	4	6	9	41
65 +	54	4.3	13	1	1	3	6	9	11	19
B. Operated										
0-19 YRS	313	3.3	20	< 1	1	2	3	7	12	31
20-34	378	3.2	11	< 1	1	2	4	7	9	17
35-49	145	3.7	24	< 1	1	3	4	7	10	29
50-64	97	4.3	25	1	1	2	5	10	12	28
65 +	98	5.1	43	1	1	4	5	10	12	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	2.1	2	< 1	1	2	2	4	6	8
B. Operated	261	1.8	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	341	2.9	11	< 1	1	2	3	6	8	19
B. Operated	1031	3.6	20	< 1	1	2	4	7	10	26
1. SINGLE DX	352	1.9	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX	1372	3.4	18	< 1	1	2	4	7	10	23
A. Not Operated	432	2.7	9	< 1	1	2	3	5	7	18
B. Operated	1292	3.2	17	< 1	1	2	4	7	10	20
TOTAL										
0-19 YRS	581	2.6	13	< 1	1	2	3	5	8	19
20-34	578	2.9	9	< 1	1	2	3	6	8	17
35-49	253	3.1	15	< 1	1	2	4	6	8	18
50-64	152	4.0	27	1	1	2	4	8	10	34
65 +	160	4.7	31	1	1	3	5	10	12	38
GRAND TOTAL	**1724**	**3.1**	**15**	**< 1**	**1**	**2**	**3**	**6**	**9**	**20**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	1.7	2	< 1	1	1	2	3	5	8
20-34	123	1.8	2	< 1	1	1	2	3	4	7
35-49	32	2.3	3	1	1	2	3	5	5	7
50-64	3	4.0	27	1	1	1	8	10	10	10
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	86	2.3	3	< 1	1	2	3	4	7	9
20-34	102	4.0	9	< 1	1	3	6	8	10	13
35-49	51	3.6	14	< 1	1	3	5	6	7	25
50-64	10	4.0	17	< 1	< 1	1	7	10	11	11
65 +	4	2.3	6	< 1	< 1	1	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	3.5	79	1	1	2	3	4	6	60
20-34	112	2.3	3	< 1	< 1	2	3	5	6	8
35-49	37	3.5	14	1	1	2	4	8	12	20
50-64	12	3.8	13	1	1	3	4	9	13	14
65 +	5	9.4	72	3	3	4	17	21	21	21
B. Operated										
0-19 YRS	101	5.5	50	1	1	4	5	10	17	40
20-34	215	5.5	38	1	1	4	7	10	17	29
35-49	94	6.5	40	1	1	5	8	12	20	36
50-64	17	5.4	17	< 1	1	4	7	10	16	18
65 +	11	14.5	150	2	4	10	18	34	44	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	209	1.9	2	< 1	1	1	2	4	5	8
B. Operated	253	3.3	9	< 1	1	2	4	7	9	12
2. MULTIPLE DX										
A. Not Operated	209	3.0	24	< 1	1	2	3	5	7	20
B. Operated	438	5.9	45	1	1	4	7	11	19	40
1. SINGLE DX	462	2.7	6	< 1	1	2	3	6	8	11
2. MULTIPLE DX	647	5.0	40	1	1	3	6	10	16	32
A. Not Operated	418	2.5	13	< 1	1	2	3	4	6	15
B. Operated	691	5.0	33	1	1	4	6	10	14	31
TOTAL										
0-19 YRS	280	3.5	34	1	1	2	4	6	9	37
20-34	552	3.8	20	< 1	1	2	5	7	10	24
35-49	214	4.7	26	1	1	3	6	9	13	26
50-64	42	4.5	16	< 1	1	3	7	10	12	18
65 +	21	10.4	116	< 1	1	8	14	23	35	45
GRAND TOTAL	**1109**	**4.0**	**27**	**< 1**	**1**	**2**	**5**	**8**	**11**	**27**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	2.3	3	< 1	1	2	3	5	6	8
20-34	95	2.1	1	< 1	< 1	2	3	4	4	5
35-49	44	2.5	2	< 1	1	2	3	4	5	8
50-64	10	2.7	2	1	1	2	3	5	6	6
65 +	4	3.8	2	2	2	4	5	5	5	5
B. Operated										
0-19 YRS	267	2.0	3	< 1	< 1	1	2	4	5	11
20-34	440	2.5	7	< 1	< 1	2	3	5	8	13
35-49	206	2.6	13	< 1	< 1	2	3	5	7	21
50-64	97	2.5	8	< 1	1	2	3	5	6	17
65 +	36	1.6	1	< 1	< 1	1	2	3	3	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.0	4	< 1	< 1	2	5	5	7	8
20-34	113	3.4	17	< 1	1	2	4	6	7	29
35-49	51	3.5	4	1	1	3	4	6	7	10
50-64	22	5.5	72	1	1	3	5	8	23	42
65 +	27	4.9	9	1	2	4	8	8	9	12
B. Operated										
0-19 YRS	230	3.1	9	1	1	2	4	7	9	15
20-34	507	3.4	15	< 1	1	2	4	7	9	19
35-49	264	3.7	19	< 1	1	2	4	8	11	23
50-64	129	4.0	20	1	1	2	5	8	13	23
65 +	93	5.1	41	< 1	1	3	6	11	16	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	2.3	2	< 1	1	2	3	4	5	7
B. Operated	1046	2.4	7	< 1	< 1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	257	3.7	16	< 1	1	3	5	7	8	27
B. Operated	1223	3.6	17	< 1	1	2	4	7	11	22
1. SINGLE DX	1256	2.4	6	< 1	< 1	2	3	4	6	13
2. MULTIPLE DX	1480	3.6	17	< 1	1	2	4	7	10	22
A. Not Operated	467	3.1	10	< 1	1	2	4	6	7	12
B. Operated	2269	3.0	13	< 1	1	2	3	6	9	18
TOTAL										
0-19 YRS	598	2.5	6	< 1	1	2	3	5	7	13
20-34	1155	3.0	11	< 1	1	2	3	6	8	17
35-49	565	3.2	15	< 1	1	2	4	6	9	21
50-64	258	3.5	20	1	1	2	4	7	10	24
65 +	160	4.2	27	< 1	1	3	5	8	12	33
GRAND TOTAL	**2736**	**3.0**	**13**	**<1**	**1**	**2**	**4**	**6**	**9**	**18**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	2.5	2	< 1	1	2	3	4	5	8
20-34	98	2.5	3	1	1	2	3	5	6	9
35-49	32	3.7	5	1	1	3	5	7	8	11
50-64	14	4.8	10	1	1	4	7	9	11	11
65 +	5	3.0	6	< 1	< 1	3	4	7	7	7
B. Operated										
0-19 YRS	258	3.6	15	1	1	2	4	8	10	16
20-34	214	3.4	8	1	1	3	4	7	9	13
35-49	102	4.3	29	< 1	1	3	5	8	13	34
50-64	47	4.9	21	1	1	4	6	10	15	24
65 +	17	6.8	22	1	2	6	10	14	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	3.7	7	< 1	1	3	5	7	8	14
20-34	71	3.0	4	< 1	1	2	4	6	7	10
35-49	39	5.8	16	1	2	5	7	14	15	16
50-64	44	5.5	12	1	1	4	8	11	13	14
65 +	43	6.5	17	2	3	6	9	11	15	19
B. Operated										
0-19 YRS	153	6.4	61	1	1	4	7	13	24	43
20-34	207	7.7	84	1	1	4	9	17	27	49
35-49	127	8.1	87	1	1	5	10	18	28	47
50-64	59	10.9	147	2	2	8	13	24	33	73
65 +	68	10.9	97	2	3	8	13	20	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	238	2.8	4	1	1	2	4	5	7	10
B. Operated	638	3.8	16	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	259	4.6	12	1	1	4	6	9	12	16
B. Operated	614	8.1	88	1	1	5	10	17	27	46
1. SINGLE DX	876	3.5	13	1	1	3	4	7	10	16
2. MULTIPLE DX	873	7.1	68	1	1	4	8	15	22	43
A. Not Operated	497	3.7	9	1	1	3	5	8	10	15
B. Operated	1252	5.9	56	1	1	3	7	13	18	41
TOTAL										
0-19 YRS	562	4.2	27	1	1	3	5	8	12	26
20-34	590	4.7	38	1	1	3	5	10	15	35
35-49	300	6.0	53	1	1	4	7	13	19	41
50-64	164	7.2	70	1	2	5	9	14	20	42
65 +	133	8.6	63	1	2	7	11	16	21	44
GRAND TOTAL	**1749**	**5.3**	**43**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	6	5.5	34	< 1	< 1	3	8	15	16	16
20-34	21	4.8	13	< 1	< 1	3	8	10	11	12
35-49	7	4.9	4	1	2	5	6	8	8	8
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	6	3.8	5	2	2	4	5	7	7	7
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	5	3.4		3	3	3	4	4	4	4
B. Operated										
0-19 YRS	26	8.2	92	1	1	5	13	20	30	40
20-34	73	8.2	138	1	1	5	9	18	32	96
35-49	37	9.2	117	< 1	1	4	18	28	29	40
50-64	21	10.5	143	1	2	5	12	29	42	46
65 +	13	13.0	596	1	2	5	9	36	81	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated	37	4.7	14	< 1	1	4	7	9	11	16
2. MULTIPLE DX										
A. Not Operated	15	3.7	5	1	2	3	5	7	8	9
B. Operated	170	9.1	158	1	1	5	11	22	33	90
1. SINGLE DX	40	4.5	13	< 1	< 1	4	7	9	11	16
2. MULTIPLE DX	185	8.6	148	1	1	5	11	21	30	89
A. Not Operated	18	3.3	4	< 1	1	3	4	6	8	9
B. Operated	207	8.3	135	1	1	5	9	20	29	87
TOTAL										
0-19 YRS	35	7.4	75	1	1	5	10	18	26	40
20-34	101	7.2	105	1	1	5	9	15	24	91
35-49	45	8.4	100	< 1	1	4	12	28	29	40
50-64	25	9.1	129	1	1	5	12	23	40	46
65 +	19	9.8	420	1	1	4	7	18	60	92
GRAND TOTAL	**225**	**7.9**	**126**	**1**	**1**	**4**	**9**	**19**	**28**	**85**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	1	< 1	< 1	2	3	3	3	3
20-34	5	4.0	9	1	1	3	6	8	8	8
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	25	4.8	18	< 1	1	3	7	11	13	17
20-34	31	4.8	23	1	1	3	6	12	15	20
35-49	15	3.3	9	< 1	1	2	6	7	9	9
50-64	13	4.5	7	< 1	1	5	6	8	10	10
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.4	13	< 1	< 1	1	6	9	9	9
20-34	11	5.2	12	1	1	5	8	10	12	12
35-49	5	7.0	19	3	3	7	14	91	99 +	99 +
50-64	7	5.9	16	2	2	4	9	12	12	12
65 +	5	6.8	12	2	2	7	9	11	11	11
B. Operated										
0-19 YRS	21	4.9	19	1	1	4	6	12	15	16
20-34	40	4.3	13	1	1	3	6	10	12	15
35-49	21	5.6	52	1	1	3	5	16	25	28
50-64	15	8.3	108	1	1	5	7	18	35	41
65 +	5	11.6	119	2	2	10	16	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.5	4	< 1	1	2	3	6	7	8
B. Operated	85	4.5	16	< 1	1	3	6	10	13	19
2. MULTIPLE DX										
A. Not Operated	33	5.6	14	1	1	5	9	12	14	99 +
B. Operated	102	5.6	42	1	1	3	7	12	17	35
1. SINGLE DX	100	4.2	15	< 1	1	3	6	9	12	18
2. MULTIPLE DX	135	5.6	35	1	1	4	7	12	17	49
A. Not Operated	48	4.6	13	1	1	4	7	11	12	99 +
B. Operated	187	5.1	31	1	1	3	6	11	15	29
TOTAL										
0-19 YRS	56	4.5	16	< 1	1	3	6	9	14	17
20-34	87	4.6	16	1	1	3	6	11	13	18
35-49	43	4.8	32	1	1	3	6	12	24	99 +
50-64	36	6.3	51	1	1	5	6	12	18	41
65 +	13	7.5	60	1	1	5	10	15	27	30
GRAND TOTAL	**235**	**5.0**	**27**	**1**	**1**	**3**	**7**	**11**	**15**	**32**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	3.8	2	1	2	4	5	5	6	9
20-34	26	3.0	2	< 1	1	3	4	5	5	5
35-49	11	3.5	2	2	2	3	5	6	6	6
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	3.5	5	1	1	3	5	6	7	12
20-34	37	3.1	3	< 1	1	3	5	5	6	8
35-49	12	4.3	5	< 1	1	5	6	7	8	8
50-64	8	2.6	2	1	1	2	4	5	5	5
65 +	3	3.7	8	2	2	2	6	7	7	7
B. Operated										
0-19 YRS	13	5.0	4	1	2	6	6	7	8	8
20-34	5	4.0	4	1	1	4	5	6	6	6
35-49	11	4.1	5	< 1	1	4	5	7	8	8
50-64	3	4.3	2	3	3	4	5	6	6	6
65 +	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	3.6	2	1	2	4	5	5	5	8
B. Operated	4	4.3	7	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	117	3.4	4	1	1	3	5	6	7	11
B. Operated	34	4.5	4	1	2	5	6	7	8	8
1. SINGLE DX	108	3.6	2	1	2	4	5	5	6	8
2. MULTIPLE DX	151	3.6	4	1	1	3	5	6	7	10
A. Not Operated	221	3.5	3	1	1	3	5	5	6	9
B. Operated	38	4.4	4	1	2	5	6	7	8	8
TOTAL										
0-19 YRS	137	3.8	4	1	1	4	5	6	7	10
20-34	69	3.2	3	< 1	1	3	5	5	6	8
35-49	35	3.9	4	< 1	2	4	5	6	8	8
50-64	13	3.3	2	1	1	3	4	5	6	6
65 +	5	4.0	5	2	2	4	5	7	7	7
GRAND TOTAL	**259**	**3.6**	**4**	**1**	**1**	**4**	**5**	**6**	**7**	**9**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	279	1.5	1	< 1	1	1	2	3	3	6
20-34	213	2.1	2	< 1	1	2	2	4	5	7
35-49	120	2.2	2	< 1	1	2	3	4	5	7
50-64	58	2.9	8	1	1	2	3	6	9	15
65 +	66	3.4	11	1	1	3	5	6	9	17
B. Operated										
0-19 YRS	41	2.3	5	< 1	< 1	1	3	4	7	11
20-34	39	2.2	3	< 1	< 1	2	3	4	6	8
35-49	24	4.5	36	< 1	< 1	2	4	12	21	25
50-64	10	3.8	5	1	1	4	5	7	7	7
65 +	9	3.9	5	< 1	< 1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	496	2.1	4	< 1	< 1	1	2	4	5	10
20-34	567	2.7	7	< 1	1	2	3	5	7	13
35-49	328	3.1	7	1	1	2	4	6	8	14
50-64	270	4.4	17	1	1	3	6	9	13	22
65 +	610	5.6	29	1	1	4	7	11	15	27
B. Operated										
0-19 YRS	75	4.6	90	1	1	2	4	10	11	65
20-34	94	3.7	13	1	1	3	5	6	10	22
35-49	62	5.2	42	1	1	3	7	10	14	39
50-64	52	8.5	105	1	1	5	10	21	28	58
65 +	90	7.2	38	1	2	5	10	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	736	2.1	3	< 1	1	1	2	4	5	9
B. Operated	123	2.9	11	< 1	< 1	2	3	6	8	21
2. MULTIPLE DX										
A. Not Operated	2271	3.6	16	1	1	2	4	8	10	20
B. Operated	373	5.7	54	1	1	3	6	12	18	37
1. SINGLE DX	859	2.2	4	< 1	1	2	3	4	6	11
2. MULTIPLE DX	2644	3.9	21	1	1	2	5	8	11	23
A. Not Operated	3007	3.2	13	< 1	1	2	4	7	9	18
B. Operated	496	5.0	45	< 1	1	3	6	11	16	36
TOTAL										
0-19 YRS	891	2.1	11	< 1	1	1	2	4	5	11
20-34	913	2.6	7	< 1	1	2	3	5	7	13
35-49	534	3.2	12	< 1	1	2	4	7	6	17
50-64	390	4.7	29	1	1	3	6	10	14	26
65 +	775	5.6	29	1	1	4	7	11	16	26
GRAND TOTAL	**3503**	**3.5**	**18**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.0	2	1	1	2	2	4	5	5
20-34	16	3.0	9	< 1	1	2	3	8	10	11
35-49	15	3.6	11	1	1	2	5	8	12	13
50-64	5	2.2	1	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	14	2.9	7	< 1	< 1	2	4	7	9	9
20-34	23	2.7	6	< 1	1	2	3	7	8	10
35-49	5	3.2	5	1	1	4	5	6	6	6
50-64	5	2.4	5	< 1	< 1	1	4	6	6	6
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.4	2	1	1	2	3	5	6	6
20-34	22	3.3	6	1	1	3	4	5	9	13
35-49	13	3.3	5	1	1	3	4	7	9	9
50-64	4	5.8	40	1	1	3	9	15	15	15
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	9	5.4	18	< 1	< 1	5	7	12	14	14
20-34	50	6.9	72	1	1	4	10	13	17	53
35-49	28	6.9	76	1	1	3	9	17	26	40
50-64	9	4.9	23	1	1	3	6	13	16	16
65 +	6	6.5	36	< 1	< 1	5	7	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.9	7	1	1	2	3	6	9	13
B. Operated	48	2.9	6	< 1	< 1	2	4	7	7	10
2. MULTIPLE DX										
A. Not Operated	50	3.3	7	1	1	3	4	6	9	15
B. Operated	102	6.6	61	1	1	4	9	14	18	46
1. SINGLE DX	93	2.9	6	< 1	1	2	3	6	8	12
2. MULTIPLE DX	152	5.5	45	1	1	3	7	13	16	40
A. Not Operated	95	3.1	7	1	1	2	4	6	9	14
B. Operated	150	5.4	46	< 1	1	3	7	12	16	40
TOTAL										
0-19 YRS	41	3.2	8	< 1	1	2	4	7	9	14
20-34	111	4.7	39	1	1	3	6	11	13	37
35-49	61	5.0	41	1	1	3	5	11	16	38
50-64	23	3.9	17	< 1	1	3	4	10	15	16
65 +	9	5.7	25	< 1	1	4	6	14	18	18
GRAND TOTAL	**245**	**4.5**	**32**	**1**	**1**	**3**	**5**	**10**	**13**	**27**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	5	2.8	2	2	2	2	3	5	5	5
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	8	2.3	2	< 1	< 1	2	3	4	5	5
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	6	2.5	2	1	1	2	3	5	5	5
TOTAL										
0-19 YRS	6	2.0	2	< 1	< 1	1	2	5	5	5
20-34	0									
35-49	3	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**9**	**2.1**	**2**	**< 1**	**< 1**	**2**	**3**	**4**	**5**	**5**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	299	1.2		< 1	< 1	1	1	2	2	4
20-34	30	1.9	9	< 1	< 1	1	2	3	5	17
35-49	31	1.3		< 1	< 1	1	1	2	2	3
50-64	32	1.4	1	< 1	< 1	1	2	3	3	4
65 +	23	1.3		< 1	< 1	1	1	2	3	4
B. Operated										
0-19 YRS	129	1.7	2	< 1	< 1	1	2	3	4	7
20-34	3	6.0	3	4	4	7	7	7	7	7
35-49	10	2.6	3	< 1	< 1	2	4	5	6	6
50-64	6	2.5	10	1	1	1	2	8	9	9
65 +	14	3.0	5	< 1	< 1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	2.1	3	< 1	< 1	1	3	4	6	9
20-34	23	3.9	21	< 1	1	2	5	8	16	20
35-49	37	2.7	9	< 1	< 1	2	3	7	9	16
50-64	52	2.5	5	< 1	< 1	2	3	6	8	12
65 +	133	4.4	49	1	1	2	5	9	13	30
B. Operated										
0-19 YRS	65	5.2	56	< 1	1	3	6	12	25	36
20-34	16	5.4	10	< 1	1	6	7	10	11	11
35-49	31	3.8	11	< 1	< 1	2	6	9	10	11
50-64	45	5.3	35	< 1	1	4	7	10	13	36
65 +	83	8.4	124	1	1	4	9	29	33	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	415	1.3	1	< 1	< 1	1	1	2	3	4
B. Operated	162	1.9	3	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	346	3.2	24	< 1	1	2	3	7	9	20
B. Operated	240	6.1	69	1	1	3	7	13	29	43
1. SINGLE DX	577	1.5	2	< 1	< 1	1	1	2	4	7
2. MULTIPLE DX	586	4.4	44	< 1	1	2	5	9	14	35
A. Not Operated	761	2.2	12	< 1	< 1	1	2	4	7	15
B. Operated	402	4.5	46	< 1	1	2	5	9	15	36
TOTAL										
0-19 YRS	594	1.9	9	< 1	< 1	1	2	3	5	14
20-34	72	3.5	14	< 1	< 1	2	5	8	11	19
35-49	109	2.6	7	< 1	< 1	1	3	7	9	13
50-64	135	3.2	17	< 1	< 1	2	4	8	10	17
65 +	253	5.4	72	1	1	2	5	12	21	48
GRAND TOTAL	**1163**	**3.0**	**25**	**<1**	**<1**	**1**	**3**	**6**	**9**	**30**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	6.3	19	2	2	5	7	12	17	20
20-34	11	4.7	12	< 1	1	4	6	10	13	13
35-49	6	6.2	38	1	1	3	13	15	15	15
50-64	2	5.0	8	3	3	5	7	7	7	7
65 +	2	43.5	1741	14	14	43	73	73	73	73
B. Operated										
0-19 YRS	50	9.1	66	1	1	7	12	21	27	37
20-34	34	7.5	39	1	2	6	9	18	18	31
35-49	18	11.8	177	2	3	5	12	36	38	39
50-64	7	14.1	119	5	5	9	21	32	34	34
65 +	6	11.2	78	4	4	6	22	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	7.6	40	1	2	6	10	14	21	32
20-34	32	8.8	128	1	2	5	11	16	21	63
35-49	24	8.5	97	1	1	4	10	25	31	40
50-64	17	11.5	190	1	1	6	14	38	46	48
65 +	34	9.9	31	3	3	9	14	19	25	99 +
B. Operated										
0-19 YRS	95	21.1	337	2	3	17	33	58	86	99 +
20-34	63	14.1	176	2	2	9	22	35	52	99 +
35-49	45	21.1	284	3	7	15	29	46	66	99 +
50-64	31	28.5	444	5	7	24	40	72	84	99 +
65 +	62	25.1	450	3	5	18	36	56	72	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	7.4	115	1	2	5	8	14	17	73
B. Operated	115	9.5	79	1	2	6	12	23	31	38
2. MULTIPLE DX										
A. Not Operated	157	8.9	80	1	2	6	12	18	26	62
B. Operated	296	21.2	344	2	4	17	30	53	73	99 +
1. SINGLE DX	162	8.9	90	1	2	6	11	20	29	39
2. MULTIPLE DX	453	17.0	287	2	3	11	23	45	64	99 +
A. Not Operated	204	8.6	88	1	2	6	11	16	25	67
B. Operated	411	17.9	298	2	3	12	25	45	65	99 +
TOTAL										
0-19 YRS	221	13.6	213	1	2	9	20	35	48	99 +
20-34	140	10.6	128	1	2	7	15	27	35	99 +
35-49	93	15.1	231	2	3	11	22	39	46	90
50-64	57	20.9	379	2	4	15	30	48	73	99
65 +	104	19.7	362	3	4	14	22	53	69	91
GRAND TOTAL	**615**	**14.8**	**247**	**1**	**2**	**9**	**20**	**37**	**57**	**99 +**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	128	4.7	20	1	1	3	7	12	14	19
20-34	79	4.6	19	1	1	3	6	10	13	23
35-49	54	5.5	34	1	1	3	8	15	17	23
50-64	13	3.2	4	2	2	2	4	7	8	8
65 +	3	7.7	37	1	1	9	12	13	13	13
B. Operated										
0-19 YRS	33	7.4	55	1	1	5	11	17	24	30
20-34	25	5.5	18	1	1	4	8	11	14	18
35-49	15	6.5	33	1	1	4	10	16	19	20
50-64	7	6.1	23	< 1	< 1	5	11	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	449	7.2	35	1	1	5	11	15	18	25
20-34	193	5.1	21	1	1	4	7	11	15	24
35-49	140	7.5	56	1	1	4	11	17	21	35
50-64	54	7.4	44	1	1	5	10	18	21	27
65 +	61	11.0	161	1	2	8	12	26	30	81
B. Operated										
0-19 YRS	117	13.8	90	1	2	13	20	27	30	41
20-34	60	11.3	114	2	2	8	15	24	33	53
35-49	40	11.6	91	2	2	9	17	30	34	99 +
50-64	29	11.6	124	2	2	9	15	22	29	58
65 +	16	19.1	150	3	4	15	30	38	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	4.8	22	1	1	3	7	12	15	20
B. Operated	80	6.5	36	1	1	5	10	15	19	28
2. MULTIPLE DX										
A. Not Operated	897	7.0	46	1	1	5	10	15	19	31
B. Operated	262	13.0	105	2	2	10	19	27	33	53
1. SINGLE DX	357	5.2	25	1	1	3	7	13	16	23
2. MULTIPLE DX	1159	8.4	65	1	1	6	12	19	24	36
A. Not Operated	1174	6.5	41	1	1	4	9	14	18	29
B. Operated	342	11.5	96	1	2	9	17	25	31	47
TOTAL										
0-19 YRS	727	7.8	50	1	1	6	11	18	22	32
20-34	357	6.1	41	1	1	4	8	12	18	33
35-49	249	7.7	58	1	1	5	12	18	23	37
50-64	103	7.9	66	1	2	5	10	18	22	42
65 +	80	12.5	163	1	2	9	15	30	33	73
GRAND TOTAL	**1516**	**7.6**	**58**	**1**	**1**	**5**	**11**	**17**	**22**	**34**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.4	4	< 1	1	2	3	5	7	9
20-34	15	2.7	3	< 1	< 1	2	3	5	7	8
35-49	17	3.7	6	1	1	4	5	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	20	3.0	4	< 1	< 1	3	5	6	6	6
20-34	37	3.4	24	< 1	1	2	5	6	6	30
35-49	26	3.4	18	< 1	1	2	5	7	10	22
50-64	10	4.3	26	1	1	2	6	51	96	99 +
65 +	4	9.0	88	1	1	8	17	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.8	13	1	1	3	5	6	13	16
20-34	17	5.0	69	1	1	2	4	12	28	35
35-49	19	5.5	8	2	2	5	7	10	11	11
50-64	14	7.5	33	1	1	7	10	15	20	21
65 +	16	6.7	25	1	2	5	10	14	17	18
B. Operated										
0-19 YRS	36	6.2	59	1	1	3	8	15	23	37
20-34	75	5.2	54	< 1	1	2	5	18	21	38
35-49	33	11.8	382	< 1	1	3	21	44	81	99 +
50-64	23	11.3	427	< 1	1	4	9	68	87	99 +
65 +	7	8.6	75	1	1	3	17	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	2.8	5	< 1	1	2	4	6	8	9
B. Operated	97	3.6	21	< 1	1	2	5	6	17	66
2. MULTIPLE DX										
A. Not Operated	82	5.6	29	1	1	4	7	13	15	31
B. Operated	174	7.6	171	< 1	1	3	7	21	39	96
1. SINGLE DX	154	3.3	15	< 1	1	2	5	6	8	30
2. MULTIPLE DX	256	7.0	126	1	1	3	7	19	27	87
A. Not Operated	139	4.5	21	1	1	3	6	10	13	23
B. Operated	271	6.2	120	< 1	1	2	6	19	28	97
TOTAL										
0-19 YRS	94	4.2	29	1	1	3	5	9	15	32
20-34	144	4.5	43	< 1	1	2	5	8	19	35
35-49	95	6.8	152	1	1	3	7	20	36	94
50-64	49	8.4	219	1	1	4	10	23	80	99 +
65 +	28	7.3	43	1	1	5	13	19	20	21
GRAND TOTAL	**410**	**5.6**	**87**	**1**	**1**	**3**	**6**	**14**	**22**	**83**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	155	2.0	3	<1	1	1	2	3	5	11
20-34	102	2.3	3	<1	1	2	3	4	5	10
35-49	51	2.7	6	<1	1	2	3	5	7	12
50-64	14	3.2	8	1	1	2	3	8	10	11
65+	12	3.8	3	1	2	4	5	6	7	7
B. Operated										
0-19 YRS	41	5.1	37	<1	1	3	5	12	18	30
20-34	38	4.0	13	1	1	3	5	8	13	16
35-49	21	4.6	19	<1	<1	3	5	11	15	18
50-64	11	6.9	58	<1	1	5	9	17	27	28
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	2.6	4	<1	1	2	3	5	7	11
20-34	204	3.0	6	<1	1	2	4	6	8	12
35-49	115	3.5	13	1	1	3	4	7	9	23
50-64	103	5.1	16	1	1	4	7	10	14	17
65+	146	6.8	29	1	2	5	8	14	18	25
B. Operated										
0-19 YRS	85	8.8	74	1	1	6	12	21	27	40
20-34	108	8.5	162	<1	1	5	9	18	36	69
35-49	56	8.8	83	1	2	6	11	21	32	41
50-64	51	9.4	98	1	2	6	11	24	31	43
65+	42	13.5	130	2	2	10	20	30	35	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	334	2.3	4	<1	1	2	3	4	6	12
B. Operated	113	4.8	27	<1	1	3	5	11	14	29
2. MULTIPLE DX										
A. Not Operated	764	4.0	15	1	1	3	5	8	11	20
B. Operated	342	9.4	115	1	1	6	11	23	32	47
1. SINGLE DX	447	2.9	11	<1	1	2	3	6	9	16
2. MULTIPLE DX	1106	5.7	52	1	1	3	7	13	19	37
A. Not Operated	1098	3.5	12	1	1	2	4	7	10	18
B. Operated	455	8.2	97	1	1	5	10	20	30	43
TOTAL										
0-19 YRS	477	3.7	25	<1	1	2	4	8	13	29
20-34	452	4.2	49	<1	1	2	5	8	14	37
35-49	243	4.6	33	1	1	3	5	10	15	33
50-64	179	6.3	45	1	1	4	8	13	18	38
65+	202	8.0	56	1	2	5	10	17	25	35
GRAND TOTAL	**1553**	**4.9**	**42**	**1**	**1**	**3**	**5**	**10**	**16**	**33**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	811	1.8	14	<1	<1	1	2	3	4	7
20-34	311	1.9	5	<1	<1	1	2	3	4	9
35-49	129	2.0	8	<1	<1	1	2	3	4	11
50-64	33	2.1	2	1	1	2	3	5	5	7
65+	22	3.0	5	<1	<1	2	4	6	7	9
B. Operated										
0-19 YRS	5	3.6	4	1	1	4	5	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1160	3.2	30	<1	1	2	3	5	9	32
20-34	1372	3.4	23	<1	1	2	4	7	12	24
35-49	817	3.9	28	<1	1	2	4	8	12	30
50-64	388	4.9	36	1	1	3	6	10	16	24
65+	532	5.7	29	1	1	4	7	11	13	34
B. Operated										
0-19 YRS	16	9.0	73	1	1	5	11	24	26	27
20-34	38	11.6	318	1	1	5	12	30	61	79
35-49	37	9.5	120	1	2	6	11	19	37	53
50-64	24	13.6	367	1	2	6	14	40	60	82
65+	44	11.4	115	2	3	9	13	19	33	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1306	1.9	11	<1	<1	1	2	3	4	8
B. Operated	7	3.7	4	1	1	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	4269	3.9	28	<1	1	2	4	8	12	28
B. Operated	159	11.1	196	1	2	6	12	24	41	77
1. SINGLE DX	1313	1.9	11	<1	<1	1	2	3	4	8
2. MULTIPLE DX	4428	4.1	36	<1	1	2	4	8	13	31
A. Not Operated	5575	3.4	25	<1	1	2	4	7	11	25
B. Operated	166	10.8	190	1	2	6	12	24	40	76
TOTAL										
0-19 YRS	1992	2.7	25	<1	1	1	2	4	7	24
20-34	1722	3.3	28	<1	1	2	3	6	12	25
35-49	983	3.9	30	<1	1	2	4	8	12	32
50-64	445	5.2	55	1	1	3	6	10	16	39
65+	599	6.0	37	1	1	4	8	12	14	35
GRAND TOTAL	**5741**	**3.6**	**31**	**<1**	**1**	**2**	**4**	**7**	**12**	**28**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	424	1.7	2	< 1	< 1	1	2	3	5	8
20-34	187	1.9	3	1	1	1	2	3	5	11
35-49	135	1.8	2	< 1	1	1	2	4	5	7
50-64	51	1.6	1	1	1	1	2	3	4	5
65 +	23	2.2	2	1	1	2	3	4	5	6
B. Operated										
0-19 YRS	9	3.2	17	< 1	< 1	2	3	10	14	14
20-34	8	3.4	7	1	1	2	5	8	8	8
35-49	7	4.4	11	1	1	5	7	9	10	10
50-64	5	4.6	16	1	1	3	7	11	11	11
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	329	2.0	2	< 1	1	1	2	4	5	7
20-34	199	3.1	14	< 1	1	2	4	6	9	22
35-49	169	3.5	20	< 1	1	2	4	7	13	24
50-64	108	4.7	35	1	1	3	4	13	19	30
65 +	105	4.0	12	1	1	3	5	8	10	20
B. Operated										
0-19 YRS	19	9.4	80	< 1	1	7	17	27	65	99 +
20-34	28	8.4	145	1	1	5	10	18	23	63
35-49	16	9.9	163	1	2	5	9	22	44	53
50-64	10	9.1	76	1	2	4	16	23	25	25
65 +	7	30.3	524	5	6	28	53	58	59	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	820	1.7	2	< 1	1	1	2	3	5	7
B. Operated	30	4.0	13	1	1	3	6	10	11	14
2. MULTIPLE DX										
A. Not Operated	910	3.1	14	< 1	1	2	3	6	9	21
B. Operated	80	10.9	184	1	1	6	14	26	54	88
1. SINGLE DX	850	1.8	3	< 1	1	1	2	3	5	10
2. MULTIPLE DX	990	3.7	32	< 1	1	2	4	7	12	29
A. Not Operated	1730	2.4	9	< 1	1	1	3	5	7	17
B. Operated	110	9.0	146	1	1	5	11	23	43	77
TOTAL										
0-19 YRS	781	2.0	6	< 1	1	1	2	4	5	13
20-34	422	2.9	20	< 1	1	2	3	6	9	18
35-49	327	3.1	22	< 1	1	2	3	6	9	23
50-64	174	4.0	30	1	1	2	4	9	19	28
65 +	136	5.1	69	1	1	3	5	10	12	56
GRAND TOTAL	**1840**	**2.8**	**20**	**< 1**	**1**	**2**	**3**	**5**	**9**	**23**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	239	1.8	2	< 1	1	1	2	3	4	8
20-34	114	2.1	3	1	1	1	2	4	5	10
35-49	86	1.8	2	< 1	< 1	1	2	3	5	7
50-64	78	2.0	2	< 1	1	2	2	3	4	7
65 +	41	2.6	4	1	1	2	3	5	8	9
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	7.0	74	< 1	< 1	3	12	21	23	23
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	240	3.7	27	1	1	2	3	8	13	28
20-34	194	2.9	8	< 1	1	2	3	6	8	12
35-49	264	3.8	15	1	1	3	5	7	12	19
50-64	270	4.9	31	1	1	4	6	9	13	31
65 +	591	6.0	24	1	2	5	8	12	15	28
B. Operated										
0-19 YRS	25	13.4	325	1	1	6	20	53	77	99 +
20-34	22	3.7	16	1	1	2	4	12	13	13
35-49	26	10.4	134	1	1	6	16	29	33	46
50-64	39	10.0	268	1	1	4	10	33	71	99 +
65 +	66	12.3	159	1	1	9	16	26	36	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	558	1.9	3	< 1	1	1	2	4	5	8
B. Operated	15	4.5	39	< 1	< 1	2	5	15	21	23
2. MULTIPLE DX										
A. Not Operated	1559	4.7	23	1	1	3	6	10	14	24
B. Operated	178	10.6	189	1	1	6	13	29	43	92
1. SINGLE DX	573	2.0	4	< 1	1	1	2	4	5	9
2. MULTIPLE DX	1737	5.3	43	1	1	3	6	11	17	33
A. Not Operated	2117	4.0	19	1	1	3	5	8	12	22
B. Operated	193	10.1	180	1	1	5	13	28	39	88
TOTAL										
0-19 YRS	507	3.3	36	< 1	1	2	3	6	12	32
20-34	333	2.7	7	1	1	2	3	6	8	13
35-49	377	3.8	24	1	1	2	4	7	13	28
50-64	394	4.8	53	1	1	3	5	9	14	49
65 +	699	6.4	39	1	2	5	8	13	18	33
GRAND TOTAL	**2310**	**4.5**	**36**	**1**	**1**	**3**	**5**	**9**	**14**	**32**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	4.2	20	< 1	1	3	6	10	12	24
20-34	22	4.5	8	1	2	4	6	10	11	11
35-49	22	3.9	4	1	1	4	5	7	8	8
50-64	18	6.8	18	2	3	6	9	13	16	17
65 +	20	5.3	18	< 1	1	3	9	12	13	14
B. Operated										
0-19 YRS	361	4.7	21	1	2	3	5	8	13	28
20-34	171	4.0	18	< 1	1	3	5	9	11	19
35-49	254	5.7	25	1	1	4	8	12	16	23
50-64	245	6.1	32	1	1	4	9	14	17	25
65 +	340	6.6	33	1	1	4	10	14	16	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	5.5	35	1	1	3	7	12	15	41
20-34	96	5.5	16	1	2	5	7	10	15	20
35-49	120	5.4	15	1	2	5	7	10	13	20
50-64	162	6.1	28	1	1	5	7	13	17	29
65 +	281	7.4	41	1	2	6	9	14	20	43
B. Operated										
0-19 YRS	700	8.6	92	1	2	5	10	20	29	51
20-34	481	7.5	62	1	1	5	10	16	21	37
35-49	827	7.8	88	1	1	5	10	16	22	57
50-64	1293	8.9	112	1	2	6	11	18	26	63
65 +	2202	10.0	107	1	2	7	13	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149	4.7	16	< 1	1	3	6	10	12	19
B. Operated	1371	5.5	27	1	1	4	8	12	16	25
2. MULTIPLE DX										
A. Not Operated	852	6.2	31	1	1	5	8	12	17	31
B. Operated	5503	9.0	100	1	2	6	11	19	26	55
1. SINGLE DX	1520	5.4	26	1	1	4	7	12	15	24
2. MULTIPLE DX	6355	8.6	92	1	2	6	11	18	25	54
A. Not Operated	1001	6.0	29	1	1	5	7	12	17	29
B. Operated	6874	8.3	88	1	1	6	11	17	24	50
TOTAL										
0-19 YRS	1321	6.8	64	1	1	4	8	16	23	41
20-34	770	6.4	47	1	1	4	8	14	19	35
35-49	1223	7.0	68	1	1	5	9	14	19	43
50-64	1718	8.2	93	1	1	6	10	17	23	56
65 +	2843	9.3	92	1	2	7	12	19	26	53
GRAND TOTAL	**7875**	**8.0**	**81**	**1**	**1**	**5**	**10**	**17**	**23**	**49**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	1.5	1	< 1	1	1	2	3	4	6
20-34	75	2.2	4	< 1	< 1	1	3	4	7	10
35-49	62	2.6	4	< 1	1	2	3	5	7	10
50-64	52	2.4	2	< 1	1	2	3	4	5	8
65 +	88	3.2	5	1	1	3	4	5	8	13
B. Operated										
0-19 YRS	93	1.5	1	< 1	< 1	1	2	3	4	6
20-34	99	2.7	8	1	1	2	3	5	7	18
35-49	61	2.6	4	< 1	1	2	3	6	7	8
50-64	43	2.9	6	< 1	1	2	4	5	7	15
65 +	26	4.0	29	< 1	1	3	4	8	13	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	1.7	1	< 1	1	1	3	3	4	4
20-34	49	3.3	6	1	1	2	4	7	8	12
35-49	49	3.2	5	1	1	3	4	6	8	10
50-64	82	3.8	9	1	1	3	4	8	10	14
65 +	249	4.4	25	1	1	3	5	8	10	21
B. Operated										
0-19 YRS	37	2.4	14	< 1	1	1	2	4	9	21
20-34	84	3.7	14	1	1	3	5	7	12	20
35-49	71	4.8	22	1	1	3	6	12	13	22
50-64	109	5.4	52	1	1	3	6	12	16	42
65 +	240	4.7	30	1	1	3	6	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	373	2.4	4	< 1	1	2	3	5	6	10
B. Operated	322	2.5	7	< 1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	460	3.9	17	1	1	3	5	7	9	17
B. Operated	541	4.5	30	1	1	3	5	10	14	23
1. SINGLE DX	695	2.4	5	< 1	1	2	3	5	6	10
2. MULTIPLE DX	1001	4.2	24	1	1	3	5	9	12	21
A. Not Operated	833	3.2	11	1	1	3	4	6	8	14
B. Operated	863	3.8	22	1	1	2	4	8	12	21
TOTAL										
0-19 YRS	257	1.7	3	< 1	1	1	2	3	4	6
20-34	307	3.0	9	< 1	1	2	4	6	8	16
35-49	243	3.4	10	1	1	2	4	7	10	17
50-64	286	4.0	25	1	1	3	4	8	12	25
65 +	603	4.3	24	1	1	3	5	9	11	21
GRAND TOTAL	**1696**	**3.5**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	5.4	10	1	2	4	7	11	12	12
20-34	81	4.0	4	2	2	4	5	7	8	9
35-49	79	4.6	7	1	2	4	6	8	10	15
50-64	41	6.3	15	2	3	6	8	10	13	22
65 +	31	6.0	15	2	2	6	7	11	12	20
B. Operated										
0-19 YRS	36	5.8	17	1	2	5	8	13	17	99 +
20-34	59	5.9	19	1	1	4	8	13	14	20
35-49	54	6.5	87	1	1	4	8	11	18	60
50-64	35	8.1	46	1	2	6	11	15	26	29
65 +	27	6.3	30	< 1	< 1	5	9	12	20	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	7.0	48	1	2	5	8	14	17	45
20-34	116	5.7	15	2	2	5	8	11	13	20
35-49	137	7.4	30	2	2	6	10	14	17	33
50-64	136	7.2	25	2	3	6	9	13	18	27
65 +	208	8.6	35	2	3	8	11	15	19	34
B. Operated										
0-19 YRS	67	12.4	223	1	1	7	15	29	48	67
20-34	110	8.7	42	2	3	7	11	18	24	62
35-49	131	11.9	143	1	2	9	14	24	39	65
50-64	186	16.0	210	3	4	12	20	32	43	78
65 +	273	15.4	187	3	4	12	19	32	42	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	269	4.9	9	2	2	4	6	9	11	16
B. Operated	211	6.5	42	1	1	5	8	13	18	44
2. MULTIPLE DX										
A. Not Operated	660	7.4	31	2	2	6	9	14	17	28
B. Operated	767	13.7	173	2	3	10	17	29	40	75
1. SINGLE DX	480	5.6	24	1	2	4	7	11	13	26
2. MULTIPLE DX	1427	10.8	117	2	3	8	13	22	31	61
A. Not Operated	929	6.7	26	2	2	5	8	12	16	26
B. Operated	978	12.2	154	1	2	9	15	27	37	72
TOTAL										
0-19 YRS	203	8.3	101	1	2	5	9	17	25	65
20-34	366	6.3	24	2	2	5	8	13	15	27
35-49	401	8.2	78	1	2	6	10	16	22	41
50-64	398	11.3	132	2	3	7	13	24	31	62
65 +	539	11.8	124	2	3	9	14	24	33	64
GRAND TOTAL	**1907**	**9.5**	**99**	**2**	**2**	**7**	**11**	**20**	**28**	**59**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	2.4	3	1	1	2	4	5	6	7
20-34	66	3.1	4	1	1	2	4	6	7	8
35-49	75	4.1	14	1	1	3	5	9	11	21
50-64	46	3.6	7	1	1	3	5	8	9	10
65 +	38	3.2	6	1	1	2	4	8	9	10
B. Operated										
0-19 YRS	39	4.4	18	< 1	1	3	7	8	10	24
20-34	80	5.0	34	< 1	< 1	3	7	13	16	31
35-49	86	6.7	53	1	1	5	8	14	25	79
50-64	72	5.4	60	< 1	1	3	6	11	13	52
65 +	60	6.8	70	< 1	1	5	8	14	19	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	2.9	8	1	1	2	3	6	9	16
20-34	187	3.3	10	1	1	2	4	7	10	16
35-49	198	4.5	20	1	1	3	6	10	13	19
50-64	192	4.8	15	1	1	4	7	10	12	19
65 +	330	6.4	43	1	1	5	8	12	17	29
B. Operated										
0-19 YRS	192	6.0	124	1	1	2	6	15	24	72
20-34	306	4.7	55	1	1	2	6	11	15	48
35-49	361	6.1	61	1	1	3	7	15	21	46
50-64	453	8.7	107	1	1	5	12	20	28	62
65 +	815	8.0	95	1	1	5	11	18	27	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268	3.4	8	1	1	2	5	7	8	13
B. Operated	337	5.8	49	< 1	1	4	7	12	17	44
2. MULTIPLE DX										
A. Not Operated	1005	4.8	25	1	1	3	6	10	13	25
B. Operated	2127	7.2	90	1	1	4	9	17	25	53
1. SINGLE DX	605	4.7	32	1	1	3	6	9	13	32
2. MULTIPLE DX	3132	6.4	71	1	1	4	8	15	22	47
A. Not Operated	1273	4.5	22	1	1	3	6	9	12	24
B. Operated	2464	7.0	85	1	1	4	9	16	24	52
TOTAL										
0-19 YRS	372	4.6	71	1	1	2	5	9	16	55
20-34	639	4.2	34	1	1	2	5	9	14	34
35-49	720	5.5	44	1	1	3	7	12	18	42
50-64	763	7.1	77	1	1	4	9	15	24	50
65 +	1243	7.4	79	1	1	5	9	16	24	48
GRAND TOTAL	**3737**	**6.1**	**65**	**1**	**1**	**3**	**8**	**14**	**20**	**45**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.9	1	< 1	1	2	2	4	4	4
20-34	9	2.3	3	< 1	< 1	2	3	5	6	6
35-49	4	2.8	8	< 1	< 1	1	4	7	7	7
50-64	4	6.5	14	1	1	8	9	9	9	9
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.8	3	< 1	1	2	4	5	7	9
20-34	8	5.9	14	1	1	6	9	11	11	11
35-49	15	4.5	13	1	1	3	5	10	13	14
50-64	14	3.6	4	1	1	3	5	7	7	7
65 +	35	5.0	18	1	1	4	7	9	13	22
B. Operated										
0-19 YRS	5	6.4	43	< 1	< 1	6	9	17	17	17
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	11.0	58	3	3	11	17	18	18	18
50-64	9	11.6	59	3	4	9	15	24	28	28
65 +	13	8.6	83	2	3	6	8	19	34	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.9	6	< 1	< 1	2	4	8	8	9
B. Operated	4	5.5	6	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	98	4.2	12	1	1	3	5	7	11	18
B. Operated	32	9.3	62	1	2	7	12	18	27	37
1. SINGLE DX	36	3.2	7	< 1	1	2	4	8	8	9
2. MULTIPLE DX	130	5.5	28	1	1	4	7	11	17	30
A. Not Operated	130	3.9	11	1	1	3	5	8	10	16
B. Operated	36	8.9	57	1	3	7	9	18	25	37
TOTAL										
0-19 YRS	47	3.1	8	< 1	1	2	4	6	8	17
20-34	19	4.3	10	< 1	1	3	7	9	11	11
35-49	23	5.3	25	< 1	1	3	6	15	17	18
50-64	28	6.6	34	1	1	5	8	13	20	28
65 +	49	6.0	36	1	2	5	7	11	15	37
GRAND TOTAL	**166**	**5.0**	**25**	**1**	**1**	**4**	**7**	**9**	**14**	**27**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	453	1.2		< 1	< 1	< 1	1	2	2	4
35-49	193	1.1		< 1	< 1	< 1	< 1	1	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.5	1	< 1	< 1	< 1	2	3	3	3
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	250	1.8	2	< 1	< 1	1	2	4	4	6
35-49	122	1.6	1	< 1	< 1	1	2	3	4	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	649	1.1		< 1	< 1	< 1	< 1	1	2	4
2. MULTIPLE DX										
A. Not Operated	7	1.3	1	< 1	< 1	< 1	1	3	3	3
B. Operated	376	1.7	1	< 1	< 1	1	2	3	4	6
1. SINGLE DX	650	1.1		< 1	< 1	< 1	< 1	1	2	4
2. MULTIPLE DX	383	1.7	1	< 1	< 1	1	2	3	4	6
A. Not Operated	8	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	1025	1.4	1	< 1	< 1	< 1	1	2	3	5
TOTAL										
0-19 YRS	6	1.3	1	< 1	< 1	1	1	3	3	3
20-34	708	1.4	1	< 1	< 1	< 1	1	2	3	5
35-49	317	1.3	1	< 1	< 1	< 1	1	2	3	4
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	0									
GRAND TOTAL	**1033**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	2	14.5	85	8	8	14	21	21	21	21
1750-2499	1205	2.8	8	1	1	2	3	5	5	9
2500+	61773	2.5	2	1	1	2	3	4	5	6
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	1	3.0		3	3	3	3	3	3	3
2500+	21	2.9	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
A. Not Operated										
1-999 G	26	64.6	387	34	36	71	84	99+	99+	99+
1000-1499	151	35.8	261	11	17	33	47	61	70	99+
1500-1749	263	21.0	82	10	11	19	25	31	38	54
1750-2499	3638	6.2	31	2	2	4	8	13	17	30
2500+	34659	3.3	4	1	2	3	4	5	6	10
B. Operated										
1-999 G	76	73.1	249	50	56	87	99+	99+	99+	99+
1000-1499	221	46.9	263	26	29	46	60	77	99	99+
1500-1749	124	32.6	219	16	19	28	38	53	76	86
1750-2499	369	18.0	192	3	6	15	23	35	53	99+
2500+	944	8.0	86	2	2	6	9	14	22	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62980	2.5	2	1	1	2	3	4	5	6
B. Operated	22	2.9	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
A. Not Operated	38737	3.9	17	1	2	3	4	6	8	21
B. Operated	1734	19.7	454	2	3	11	31	63	88	99+
1. SINGLE DX	63002	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	40471	4.6	46	1	2	3	4	7	11	44
A. Not Operated	101717	3.1	8	1	1	3	4	5	6	12
B. Operated	1756	19.5	452	2	3	11	31	62	88	99+
TOTAL										
1-999 G	102	70.9	295	43	53	84	99+	99+	99+	99+
1000-1499	372	42.4	291	18	23	42	55	71	88	99+
1500-1749	389	24.7	155	11	12	22	29	40	49	78
1750-2499	5213	6.2	50	1	2	4	7	14	19	35
2500+	97397	2.9	4	1	1	2	4	5	5	8
GRAND TOTAL	**103473**	**3.3**	**20**	**1**	**1**	**3**	**4**	**5**	**6**	**21**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	2	10.0	8	8	8	10	12	12	12	12
1750-2499	149	3.9	4	2	2	4	5	6	7	12
2500+	541	3.9	3	2	2	4	5	5	6	10
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
1-999 G	4	59.3	235	39	39	61	69	76	76	76
1000-1499	26	37.2	316	21	23	34	45	80	99+	99+
1500-1749	59	22.2	127	10	13	20	24	37	42	66
1750-2499	591	7.3	34	2	3	5	9	15	19	26
2500+	493	4.6	5	2	3	4	5	6	7	14
B. Operated										
1-999 G	14	75.1	228	50	57	84	99+	99+	99+	99+
1000-1499	57	46.4	276	24	26	44	58	76	88	99+
1500-1749	38	33.8	191	17	20	31	40	54	61	76
1750-2499	62	19.6	187	5	7	15	22	41	54	73
2500+	15	7.9	8	4	4	8	9	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	692	3.9	3	2	2	4	5	6	6	11
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1173	7.8	76	2	3	5	7	17	23	48
B. Operated	186	34.0	501	7	9	31	52	76	95	99+
1. SINGLE DX	693	3.9	3	2	2	4	5	6	6	11
2. MULTIPLE DX	1359	11.3	215	2	3	5	13	29	46	90
A. Not Operated	1865	6.3	53	2	2	4	6	12	19	39
B. Operated	187	33.8	503	6	9	30	52	76	95	99+
TOTAL										
1-999 G	18	71.6	262	46	52	76	99	99+	99+	99+
1000-1499	83	43.5	303	23	25	42	56	80	92	99+
1500-1749	99	26.4	185	11	13	22	35	43	56	71
1750-2499	802	7.6	54	2	2	5	9	16	21	38
2500+	1050	4.3	4	2	2	4	5	6	7	12
GRAND TOTAL	**2052**	**8.8**	**156**	**2**	**2**	**5**	**7**	**21**	**37**	**79**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	17	3.4	10	1	1	2	4	7	12	14
2500 +	174	2.2	1	1	1	2	3	3	4	6
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
1-999 G	1	57.0		57	57	57	57	57	57	57
1000-1499	7	34.9	341	16	16	27	55	57	57	57
1500-1749	2	18.5	5	17	17	18	20	20	20	20
1750-2499	56	5.8	29	1	1	3	7	16	19	20
2500 +	104	3.2	5	1	1	3	4	6	7	13
B. Operated										
1-999 G	2	82.0	578	65	65	82	99	99	99	99 +
1000-1499	3	47.3	270	35	35	41	60	66	66	66
1500-1749	3	52.3	430	30	30	56	67	71	71	71
1750-2499	3	11.3	49	4	4	12	16	18	18	18
2500 +	10	9.1	31	3	3	7	15	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	2.3	2	1	1	2	3	3	4	8
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	170	5.8	81	1	1	3	5	14	20	57
B. Operated	21	28.0	774	3	4	15	45	68	84	99
1. SINGLE DX	192	2.3	2	1	1	2	3	3	4	8
2. MULTIPLE DX	191	8.3	202	1	1	3	7	19	41	69
A. Not Operated	361	3.9	42	1	1	2	3	6	14	46
B. Operated	22	26.8	768	2	3	15	41	67	82	99
TOTAL										
1-999 G	3	73.7	497	57	57	65	90	99	99	99 +
1000-1499	10	38.6	324	16	17	38	57	62	66	66
1500-1749	5	38.8	560	17	17	30	60	71	71	71
1750-2499	76	5.5	27	1	1	3	7	14	19	20
2500 +	289	2.8	5	1	1	2	3	5	6	15
GRAND TOTAL	**383**	**5.3**	**110**	**1**	**1**	**2**	**4**	**9**	**19**	**62**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	142	1.5	1	<1	<1	1	2	2	3	5
20-34	198	1.8	1	<1	<1	1	2	4	5	6
35-49	131	2.3	4	<1	<1	2	3	4	5	10
50-64	63	2.2	3	<1	<1	2	3	4	5	9
65 +	42	2.8	6	<1	<1	2	4	5	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	84	2.4	6	<1	<1	2	3	4	6	15
20-34	53	3.2	12	<1	1	2	4	6	8	24
35-49	44	3.8	16	<1	1	2	5	9	12	20
50-64	47	3.9	14	1	1	3	5	6	8	25
65 +	45	4.2	12	<1	1	3	7	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.2	4	<1	<1	1	3	6	6	6
B. Operated	576	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	10	2.0	5	<1	<1	1	2	5	8	8
B. Operated	273	3.3	12	<1	1	2	4	7	9	19
1. SINGLE DX	582	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX	283	3.3	11	<1	1	2	4	7	9	19
A. Not Operated	16	2.1	4	<1	<1	1	2	6	7	8
B. Operated	849	2.4	6	<1	<1	2	3	5	6	13
TOTAL										
0-19 YRS	228	1.8	3	<1	<1	1	2	3	4	9
20-34	259	2.1	4	<1	<1	1	2	4	5	8
35-49	178	2.7	7	<1	<1	2	3	5	7	16
50-64	111	2.9	8	<1	<1	2	3	5	7	18
65 +	89	3.6	9	<1	<1	3	4	8	10	15
GRAND TOTAL	**865**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.9	2	1	1	1	2	4	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	5.0	28	1	1	3	9	11	11	11
50-64	5	1.0		1	1	1	1	1	1	1
65 +	3	4.3	6	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	4	5.5	7	2	2	6	7	8	8	8
20-34	19	3.6	12	1	1	2	4	8	12	15
35-49	30	4.5	23	1	2	3	4	11	19	19
50-64	66	3.8	14	< 1	< 1	3	4	8	11	22
65 +	65	6.2	50	1	2	4	7	12	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	19	2.7	7	1	1	1	4	6	9	11
B. Operated	184	4.8	29	< 1	1	3	5	11	15	26
1. SINGLE DX	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX	203	4.6	27	< 1	1	3	5	11	13	25
A. Not Operated	19	2.7	7	1	1	1	4	6	9	11
B. Operated	187	4.7	28	< 1	1	3	5	11	15	26
TOTAL										
0-19 YRS	11	3.2	7	1	1	2	5	7	8	8
20-34	21	3.5	11	< 1	1	2	4	8	11	15
35-49	33	4.5	22	1	1	3	4	12	18	19
50-64	71	3.6	13	< 1	< 1	3	4	7	11	21
65 +	70	6.0	47	1	2	4	7	12	19	40
GRAND TOTAL	**206**	**4.5**	**27**	**< 1**	**1**	**3**	**5**	**11**	**13**	**25**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	518	2.5	16	< 1	< 1	1	3	4	7	19
20-34	725	2.1	9	< 1	< 1	1	2	4	5	12
35-49	207	2.0	5	< 1	< 1	1	2	4	5	13
50-64	262	2.0	3	< 1	1	1	2	4	5	9
65 +	154	3.2	16	< 1	< 1	2	3	6	13	20
B. Operated										
0-19 YRS	204	3.8	27	< 1	1	2	6	8	9	27
20-34	334	3.6	8	< 1	1	3	5	8	9	14
35-49	267	3.7	9	< 1	1	2	6	8	9	11
50-64	164	4.3	13	< 1	1	3	7	9	10	15
65 +	85	5.6	36	< 1	< 1	4	8	12	14	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2445	3.4	20	1	1	3	4	5	7	25
20-34	925	5.5	87	1	1	3	5	11	28	83
35-49	1737	4.2	52	1	1	2	4	7	14	43
50-64	3942	3.8	32	1	1	2	4	6	11	36
65 +	4665	7.5	115	1	1	4	7	21	31	56
B. Operated										
0-19 YRS	608	4.1	27	1	1	2	5	9	12	32
20-34	562	4.7	58	1	1	3	5	9	14	75
35-49	850	4.9	61	1	1	3	6	10	14	41
50-64	1096	5.1	36	1	1	3	6	10	16	38
65 +	1157	8.3	111	1	1	5	9	19	28	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1866	2.3	10	< 1	< 1	1	2	4	6	15
B. Operated	1054	3.9	15	< 1	1	3	6	9	10	15
2. MULTIPLE DX										
A. Not Operated	13714	5.2	68	1	1	3	5	11	22	47
B. Operated	4273	5.7	65	1	1	3	7	12	19	48
1. SINGLE DX	2920	2.9	13	< 1	< 1	2	3	7	9	15
2. MULTIPLE DX	17987	5.3	67	1	1	3	5	11	22	47
A. Not Operated	15580	4.8	62	1	1	3	5	10	21	45
B. Operated	5327	5.4	56	1	1	3	7	11	16	45
TOTAL										
0-19 YRS	3775	3.4	21	1	1	2	4	6	9	26
20-34	2546	4.1	50	< 1	< 1	2	4	7	13	45
35-49	3061	4.2	48	1	1	2	4	8	11	39
50-64	5464	4.0	31	1	1	2	4	7	12	35
65 +	6061	7.5	112	1	1	4	8	21	30	56
GRAND TOTAL	**20907**	**5.0**	**60**	**1**	**1**	**3**	**5**	**10**	**19**	**45**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46339	3.1	14	<1	1	2	4	6	8	18
20-34	79537	3.0	6	1	1	2	4	5	7	12
35-49	34614	3.9	14	<1	1	3	5	8	10	17
50-64	25157	4.4	17	<1	1	3	6	9	11	18
65 +	19145	5.5	26	<1	1	4	8	12	14	23
2. MULTIPLE DX										
0-19 YRS	52967	6.3	90	1	1	3	6	14	23	62
20-34	96746	4.8	30	1	2	4	5	8	12	29
35-49	77059	6.2	45	1	2	5	7	12	17	36
50-64	92338	7.5	60	1	2	5	9	15	20	42
65 +	169000	9.3	74	2	2	7	12	18	24	47
TOTAL SINGLE DX	204792	3.6	13	1	1	3	4	7	10	17
TOTAL MULTIPLE DX	488110	7.2	62	1	2	5	9	15	21	43
TOTAL										
0-19 YRS	99306	4.8	57	1	1	3	5	10	16	45
20-34	176283	4.0	20	1	1	3	5	7	10	23
35-49	111673	5.5	36	1	1	4	6	10	15	31
50-64	117495	6.8	52	1	1	5	8	14	19	38
65 +	188145	8.9	70	1	2	7	11	17	24	45
GRAND TOTAL	**692902**	**6.2**	**51**	**1**	**1**	**4**	**7**	**13**	**18**	**37**

501 Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	7.2	27	1	2	6	10	14	17	28
20-34	52	10.0	36	3	3	9	13	17	21	34
35-49	82	9.4	25	3	4	9	12	15	18	31
50-64	80	11.1	98	2	4	8	11	21	34	54
65 +	83	9.9	43	2	3	8	13	18	21	37
2. MULTIPLE DX										
0-19 YRS	245	14.5	208	2	3	11	17	35	56	99 +
20-34	110	16.5	255	3	6	11	18	41	66	99 +
35-49	159	15.1	211	2	3	12	18	29	51	99
50-64	272	17.5	216	5	6	13	19	36	56	89
65 +	390	19.5	214	6	7	15	24	41	58	99 +
TOTAL SINGLE DX	423	9.2	46	2	3	8	11	16	20	42
TOTAL MULTIPLE DX	1176	17.1	220	3	5	13	21	38	57	99 +
TOTAL										
0-19 YRS	371	12.0	159	1	2	8	15	24	42	98
20-34	162	14.4	194	3	4	10	17	33	48	99 +
35-49	241	13.2	155	3	4	10	15	24	35	96
50-64	352	16.1	197	4	6	12	18	32	48	87
65 +	473	17.8	198	4	6	14	22	38	52	99 +
GRAND TOTAL	1599	15.0	186	3	4	11	18	32	48	99 +

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	8.2	74	2	3	6	9	15	20	57
20-34	27	8.4	20	1	4	8	10	15	18	21
35-49	19	15.2	145	4	5	12	17	31	45	54
50-64	23	9.2	18	5	6	8	9	14	18	23
65 +	18	11.4	46	4	5	10	11	22	28	31
2. MULTIPLE DX										
0-19 YRS	95	13.4	185	4	4	9	16	35	54	99 +
20-34	49	22.7	454	5	6	13	36	54	75	99 +
35-49	53	19.0	452	4	6	11	19	59	88	99 +
50-64	50	16.2	104	6	7	13	22	37	40	99 +
65 +	73	18.6	187	5	7	15	21	38	44	73
TOTAL SINGLE DX	163	9.6	66	3	4	8	11	17	23	52
TOTAL MULTIPLE DX	320	17.4	265	4	5	11	20	41	60	99 +
TOTAL										
0-19 YRS	171	11.1	142	3	4	7	11	23	41	94
20-34	76	17.6	345	4	5	10	19	46	68	99
35-49	72	18.0	371	4	6	11	18	[illegible]	83	98
50-64	73	14.0	87	6	7	10	18	35	39	99 +
65 +	91	17.2	167	5	6	13	21	37	41	70
GRAND TOTAL	483	14.7	212	4	4	10	17	36	50	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	153	5.3	25	2	3	4	6	8	11	19
20-34	25	5.8	8	2	3	5	7	10	11	14
35-49	7	3.6	2	1	1	3	5	6	6	6
50-64	5	4.2	2	2	2	5	5	6	6	6
65 +	3	8.0	9	5	5	8	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	119	9.9	107	2	3	7	10	21	35	52
20-34	46	8.3	35	3	3	7	11	19	28	99 +
35-49	15	16.0	563	3	4	9	19	91	99	99 +
50-64	17	12.1	88	3	4	9	13	31	35	35
65 +	5	10.6	173	3	3	5	14	34	34	34
TOTAL SINGLE DX	193	5.3	22	2	3	4	6	8	11	17
TOTAL MULTIPLE DX	202	10.2	124	3	3	7	11	22	35	99
TOTAL										
0-19 YRS	272	7.3	66	2	3	5	8	13	21	45
20-34	71	7.4	27	2	3	6	9	13	20	84
35-49	22	12.0	412	2	3	6	12	41	99	99 +
50-64	22	10.3	80	2	3	8	11	22	35	35
65 +	8	9.6	103	3	3	6	9	27	34	34
GRAND TOTAL	395	7.8	80	2	3	5	8	14	24	62

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	4.9	9	2	3	4	6	8	9	18
20-34	5	9.2	30	3	3	7	15	15	15	15
35-49	4	8.0	18	4	4	7	11	14	14	14
50-64	4	9.5	36	4	4	8	13	18	18	18
65 +	11	8.9	12	4	6	8	10	14	18	18
2. MULTIPLE DX										
0-19 YRS	266	14.5	320	3	3	7	15	44	66	99 +
20-34	13	12.5	147	3	4	9	14	25	45	50
35-49	22	15.8	299	4	4	9	15	41	57	73
50-64	30	17.8	289	3	6	13	23	27	46	93
65 +	83	16.8	127	5	7	14	21	33	38	88
TOTAL SINGLE DX	176	5.5	13	2	3	4	6	9	13	18
TOTAL MULTIPLE DX	414	15.2	272	3	4	9	19	37	62	99 +
TOTAL										
0-19 YRS	418	11.0	228	2	3	5	10	30	53	91
20-34	18	11.6	113	3	3	8	14	18	38	50
35-49	26	14.6	262	4	4	9	14	37	52	73
50-64	34	16.9	265	3	6	12	23	26	43	93
65 +	94	15.9	120	5	7	12	21	33	36	85
GRAND TOTAL	590	12.3	214	3	3	7	14	30	47	90

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	269	5.0	23	2	2	4	6	8	13	31
20-34	23	9.3	82	2	3	6	11	18	32	42
35-49	20	5.4	11	1	2	5	7	11	13	13
50-64	11	9.1	23	3	4	8	11	17	20	20
65 +	3	15.3	34	11	11	13	20	22	22	22
2. MULTIPLE DX										
0-19 YRS	471	11.0	153	2	2	6	14	29	40	68
20-34	77	15.2	192	3	4	12	23	39	99 +	99 +
35-49	48	18.7	387	2	3	16	25	94	99 +	99 +
50-64	44	14.4	227	2	3	10	18	49	73	99 +
65 +	36	20.1	293	4	6	16	29	77	99 +	99 +
TOTAL SINGLE DX	326	5.6	29	2	2	4	7	11	15	33
TOTAL MULTIPLE DX	676	12.7	194	2	3	7	18	34	52	99 +
TOTAL										
0-19 YRS	740	8.8	115	2	2	5	9	22	33	61
20-34	100	13.8	172	3	4	10	20	33	86	99 +
35-49	68	14.8	313	2	3	11	19	59	99 +	99 +
50-64	55	13.3	190	2	3	9	16	46	60	99 +
65 +	39	19.7	274	5	7	16	28	71	99 +	99 +
GRAND TOTAL	1002	10.4	151	2	2	6	13	28	42	99 +

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	7.0	9	3	4	7	8	10	14	17
20-34	104	7.6	18	3	4	7	9	14	15	25
35-49	233	6.9	15	3	3	6	8	12	14	23
50-64	182	7.3	10	3	4	7	9	12	14	18
65 +	108	8.6	15	4	4	8	10	14	19	54
2. MULTIPLE DX										
0-19 YRS	60	12.5	120	4	5	8	14	29	37	56
20-34	122	10.5	49	4	5	8	12	19	27	38
35-49	311	9.6	54	4	4	8	11	14	18	42
50-64	405	11.7	97	4	4	9	14	22	31	49
65 +	465	12.7	77	5	5	10	15	23	30	49
TOTAL SINGLE DX	647	7.4	15	3	4	7	9	12	15	21
TOTAL MULTIPLE DX	1363	11.5	79	4	5	9	13	21	29	48
TOTAL										
0-19 YRS	80	11.1	98	4	5	8	10	25	35	53
20-34	226	9.2	37	3	4	8	11	16	20	35
35-49	544	8.4	39	3	4	7	10	13	16	31
50-64	587	10.3	75	3	4	8	12	18	25	47
65 +	573	11.9	68	4	5	9	14	22	29	49
GRAND TOTAL	2010	10.2	62	4	4	8	12	18	25	46

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	8.1	36	1	2	8	9	12	16	40
20-34	62	5.4	29	< 1	1	3	8	13	15	26
35-49	62	6.3	21	1	1	6	9	14	16	19
50-64	32	9.5	113	1	1	7	10	23	33	50
65 +	13	5.2	16	< 1	1	5	8	11	13	13
2. MULTIPLE DX										
0-19 YRS	134	13.1	126	4	5	9	15	26	38	65
20-34	67	9.5	61	2	2	7	13	19	22	41
35-49	100	11.0	123	1	2	7	14	28	37	50
50-64	108	12.4	137	2	2	9	17	26	42	77
65 +	70	14.1	110	2	4	12	18	27	39	50
TOTAL SINGLE DX	227	6.9	42	1	1	6	9	14	17	36
TOTAL MULTIPLE DX	479	12.2	118	2	3	9	15	25	37	57
TOTAL										
0-19 YRS	192	11.6	104	2	4	8	13	21	37	56
20-34	129	7.5	50	1	1	5	11	17	20	33
35-49	162	9.2	89	1	2	6	11	19	32	46
50-64	140	11.7	133	1	2	8	15	25	38	64
65 +	83	12.7	106	2	2	11	16	25	36	49
GRAND TOTAL	706	10.5	99	1	2	8	13	22	32	52

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.5	9	1	1	3	5	7	11	12
20-34	50	2.8	5	< 1	< 1	2	5	5	7	11
35-49	56	2.5	5	< 1	< 1	2	3	6	9	10
50-64	65	2.2	3	< 1	< 1	1	3	5	6	9
65 +	20	3.2	6	< 1	< 1	2	4	8	8	9
2. MULTIPLE DX										
0-19 YRS	38	4.1	23	1	1	3	5	9	10	28
20-34	34	3.5	4	< 1	1	3	5	7	7	8
35-49	49	5.1	30	< 1	1	4	6	9	14	34
50-64	63	4.3	17	< 1	1	3	6	9	11	22
65 +	41	9.3	114	1	1	4	12	28	36	40
TOTAL SINGLE DX	213	2.7	6	< 1	< 1	2	4	6	8	11
TOTAL MULTIPLE DX	225	5.2	40	< 1	1	3	6	10	17	36
TOTAL										
0-19 YRS	60	3.9	18	1	1	3	5	8	11	26
20-34	84	3.1	5	< 1	< 1	2	5	6	7	11
35-49	105	3.7	19	< 1	< 1	2	5	8	10	26
50-64	128	3.2	12	< 1	< 1	2	4	8	9	20
65 +	61	7.3	87	< 1	1	4	9	19	34	40
GRAND TOTAL	438	4.0	25	<1	<1	2	5	8	11	33

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	3.5	7	1	1	3	5	6	7	15
20-34	152	2.3	3	<1	<1	1	3	5	6	9
35-49	207	2.0	3	<1	<1	1	2	4	6	10
50-64	178	2.1	4	<1	<1	1	2	5	6	12
65 +	154	1.9	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	65	3.3	8	<1	1	2	4	7	9	14
20-34	168	3.1	9	<1	1	2	4	7	8	17
35-49	185	3.5	36	<1	1	2	4	6	9	25
50-64	190	3.4	17	<1	1	2	4	7	12	31
65 +	138	3.6	17	<1	1	2	4	8	12	22
TOTAL SINGLE DX	744	2.2	4	<1	<1	1	2	5	6	10
TOTAL MULTIPLE DX	746	3.4	19	<1	1	2	4	7	10	22
TOTAL										
0-19 YRS	118	3.4	8	<1	1	2	5	7	9	15
20-34	320	2.7	7	<1	<1	2	3	6	8	15
35-49	392	2.7	19	<1	<1	2	3	5	7	15
50-64	368	2.8	12	<1	<1	2	3	6	9	17
65 +	292	2.7	10	<1	<1	2	3	6	8	20
GRAND TOTAL	**1490**	**2.8**	**12**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	12	4.7	4	1	2	5	6	8	9	9
35-49	13	4.8	4	2	2	5	7	7	8	8
50-64	7	6.4	8	2	2	7	9	9	9	9
65 +	4	4.5	5	1	1	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	21	7.1	76	2	2	5	6	13	30	41
35-49	21	7.1	86	1	2	5	7	10	27	46
50-64	24	10.1	68	4	4	7	11	23	29	38
65 +	40	11.7	59	4	5	9	13	20	32	39
TOTAL SINGLE DX	38	4.9	5	1	2	5	7	8	9	9
TOTAL MULTIPLE DX	107	9.5	72	3	3	7	10	19	32	43
TOTAL										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	33	6.2	50	2	3	5	6	8	19	41
35-49	34	6.3	55	1	2	5	7	9	11	46
50-64	31	9.3	57	3	4	7	9	20	25	38
65 +	44	11.0	59	4	5	9	13	19	32	39
GRAND TOTAL	**145**	**8.3**	**58**	**2**	**3**	**6**	**9**	**15**	**23**	**41**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	3.7	5	2	2	3	4	6	10	12
35-49	9	6.4	13	1	1	8	9	11	12	12
50-64	24	8.2	43	1	1	6	12	19	20	23
65 +	6	3.8	13	1	1	3	4	10	11	11
2. MULTIPLE DX										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	17	14.1	258	1	1	7	18	50	81	99+
35-49	23	10.4	172	1	1	5	14	25	43	57
50-64	23	9.1	30	3	3	9	10	16	21	25
65 +	28	10.3	28	4	4	9	13	19	21	22
TOTAL SINGLE DX	58	5.9	27	1	1	4	9	12	18	23
TOTAL MULTIPLE DX	93	10.6	106	1	3	8	14	21	37	81
TOTAL										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	35	8.7	152	1	2	4	10	36	50	99+
35-49	32	9.3	129	1	1	6	11	19	34	57
50-64	47	8.6	37	1	2	7	12	19	20	25
65 +	34	9.1	32	2	3	8	13	19	21	22
GRAND TOTAL	**151**	**8.8**	**80**	**1**	**2**	**6**	**11**	**19**	**23**	**57**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	56	2.8	2	1	1	3	4	4	5	10
20-34	292	2.7	1	1	1	2	3	4	5	7
35-49	376	2.6	1	1	1	2	3	4	5	6
50-64	240	2.7	1	1	1	3	3	4	5	6
65 +	101	3.3	4	1	2	3	4	5	5	13
2. MULTIPLE DX										
0-19 YRS	25	5.1	11	2	2	4	6	13	13	14
20-34	123	4.0	14	1	2	3	4	6	11	20
35-49	226	3.8	8	1	1	3	4	6	10	15
50-64	220	4.9	42	1	2	3	5	7	15	33
65 +	240	6.6	56	2	2	4	6	13	21	55
TOTAL SINGLE DX	1065	2.7	2	1	1	3	3	4	5	7
TOTAL MULTIPLE DX	834	4.9	33	1	2	3	5	9	14	33
TOTAL										
0-19 YRS	81	3.5	6	1	1	3	4	5	9	14
20-34	415	3.1	6	1	1	3	4	5	6	17
35-49	602	3.0	5	1	1	3	4	5	6	11
50-64	460	3.8	22	1	2	3	4	5	7	26
65 +	341	5.7	43	2	2	4	6	11	17	39
GRAND TOTAL	1899	3.7	17	1	1	3	4	6	8	23

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	113	1.5	1	<1	1	1	2	3	4	7
20-34	22	2.3	1	1	1	2	3	4	5	5
35-49	47	2.5	2	1	1	2	3	5	6	6
50-64	36	3.1	2	1	1	3	4	5	6	6
65 +	18	3.7	1	2	2	4	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	33	3.7	21	1	1	2	4	10	17	19
20-34	41	5.7	41	1	2	4	7	9	11	42
35-49	57	6.8	64	1	1	4	7	14	20	45
50-64	109	5.5	23	2	2	4	6	10	14	29
65 +	127	8.7	72	2	3	5	10	19	24	48
TOTAL SINGLE DX	236	2.2	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	367	6.7	51	1	2	4	7	14	20	42
TOTAL										
0-19 YRS	146	2.0	7	<1	1	1	2	4	5	17
20-34	63	4.5	30	1	1	3	5	8	9	38
35-49	104	4.8	41	1	1	3	5	9	14	42
50-64	145	4.9	19	1	2	4	5	9	12	25
65 +	145	8.1	68	2	3	5	8	19	24	48
GRAND TOTAL	603	4.9	36	1	1	3	5	9	16	38

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	5.4	13	1	1	5	7	10	14	15
20-34	16	6.8	12	2	3	6	8	11	14	16
35-49	13	7.6	12	1	2	9	10	11	13	13
50-64	16	8.8	15	3	4	8	10	14	17	18
65 +	5	11.6	61	5	5	9	14	25	25	25
2. MULTIPLE DX										
0-19 YRS	18	12.3	259	4	4	8	11	21	54	74
20-34	30	8.5	24	1	4	7	9	15	21	24
35-49	32	9.5	64	4	5	8	9	18	45	99 +
50-64	67	12.2	111	4	5	9	15	23	29	69
65 +	45	17.0	151	6	7	11	22	34	44	55
TOTAL SINGLE DX	64	7.5	18	1	3	7	9	13	15	24
TOTAL MULTIPLE DX	192	12.3	119	4	5	9	15	24	32	76
TOTAL										
0-19 YRS	32	9.3	160	1	3	6	9	15	22	74
20-34	46	7.9	20	1	4	7	9	15	17	24
35-49	45	9.0	50	3	5	8	9	13	30	99 +
50-64	83	11.5	94	4	5	9	14	19	29	62
65 +	50	16.5	143	5	6	11	21	33	43	55
GRAND TOTAL	256	11.1	98	3	4	8	12	21	31	73

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.2		<1	<1	<1	1	2	3	3
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	12	1.3		<1	<1	<1	1	3	4	4
65 +	14	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	8	3.0	10	<1	<1	2	5	8	9	9
20-34	2	6.5	61	<1	<1	6	12	12	12	12
35-49	15	3.7	14	<1	1	3	4	9	13	15
50-64	13	7.2	112	<1	1	3	5	29	32	33
65 +	31	4.4	18	<1	1	3	6	9	14	21
TOTAL SINGLE DX	43	1.3	1	<1	<1	<1	1	3	3	4
TOTAL MULTIPLE DX	69	4.6	35	<1	1	3	5	10	15	32
TOTAL										
0-19 YRS	18	2.0	5	<1	<1	1	2	6	8	9
20-34	7	2.9	17	<1	<1	<1	2	10	12	12
35-49	17	3.4	13	<1	<1	2	4	8	13	15
50-64	25	4.4	65	<1	<1	1	4	8	29	33
65 +	45	3.5	15	<1	<1	2	4	7	11	21
GRAND TOTAL	112	3.4	24	<1	<1	2	4	7	12	30

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	1.3	1	<1	<1	1	1	2	2	10
20-34	23	2.0	3	<1	1	1	2	4	6	9
35-49	22	1.4		<1	<1	1	1	2	3	5
50-64	28	1.4		<1	<1	1	2	3	3	3
65 +	49	1.2		<1	<1	<1	<1	2	3	5
2. MULTIPLE DX										
0-19 YRS	113	2.5	4	<1	1	2	3	6	7	9
20-34	123	3.3	12	1	1	2	4	6	8	21
35-49	75	4.2	45	<1	1	2	4	7	18	41
50-64	50	2.1	2	<1	<1	2	3	4	5	6
65 +	119	4.4	30	<1	<1	2	5	10	16	30
TOTAL SINGLE DX	177	1.4	1	<1	<1	1	1	2	3	8
TOTAL MULTIPLE DX	480	3.4	20	<1	1	2	4	7	9	27
TOTAL										
0-19 YRS	168	2.1	4	<1	<1	1	2	5	6	9
20-34	146	3.1	11	1	1	2	4	6	8	19
35-49	97	3.5	37	<1	<1	2	3	6	13	38
50-64	78	1.8	2	<1	<1	1	2	4	5	6
65 +	168	3.5	24	<1	<1	2	3	8	12	28
GRAND TOTAL	657	2.9	16	<1	<1	2	3	6	8	22

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.5		<1	<1	1	2	3	3	3
20-34	15	1.3		<1	1	1	1	2	3	3
35-49	16	1.2		1	1	1	1	2	2	2
50-64	13	1.7		1	1	2	2	3	3	3
65 +	14	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	13	2.5	6	1	1	1	3	7	9	9
20-34	14	3.2	15	<1	1	2	3	11	13	13
35-49	17	5.1	118	<1	<1	1	2	21	35	41
50-64	19	2.1	1	1	1	2	3	4	5	5
65 +	30	2.7	5	<1	1	2	3	5	9	10
TOTAL SINGLE DX	66	1.4		<1	1	1	2	2	3	3
TOTAL MULTIPLE DX	93	3.0	27	<1	1	2	3	5	10	34
TOTAL										
0-19 YRS	21	2.1	4	<1	1	1	3	5	7	9
20-34	29	2.2	8	<1	1	1	2	4	11	13
35-49	33	3.2	63	<1	1	1	2	3	22	41
50-64	32	1.9	1	1	1	2	2	3	4	5
65 +	44	2.3	4	<1	<1	2	3	4	7	10
GRAND TOTAL	159	2.4	16	<1	1	1	2	[illegible]	6	24

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	4.0	9	1	1	4	6	7	7	7
20-34	6	8.3	59	1	1	6	13	20	21	21
35-49	3	27.3	2002	<1	<1	2	60	79	79	79
50-64	3	7.7	17	3	3	9	10	11	11	11
65 +	7	8.1	131	<1	<1	4	9	28	33	33
TOTAL SINGLE DX	4	4.5	49	1	1	1	8	15	15	15
TOTAL MULTIPLE DX	22	10.2	296	<1	1	4	9	25	51	79
TOTAL										
0-19 YRS	6	2.5	6	1	1	1	4	7	7	7
20-34	6	8.3	59	1	1	6	13	20	21	21
35-49	4	24.3	1373	<1	<1	8	47	79	79	79
50-64	3	7.7	17	3	3	9	10	11	11	11
65 +	7	8.1	131	<1	<1	4	9	28	33	33
GRAND TOTAL	26	9.3	259	<1	1	4	9	20	42	79

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.6	3	1	1	2	3	4	7	8
20-34	35	2.3	3	1	1	2	3	4	5	10
35-49	17	2.4	2	<1	1	2	3	5	6	7
50-64	22	1.7		1	1	2	2	3	3	3
65+	55	2.3	1	1	1	3	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	29	2.7	1	1	1	3	4	5	5	6
20-34	21	3.3	5	1	1	2	4	6	9	10
35-49	27	3.6	14	1	1	2	4	7	9	20
50-64	47	3.0	5	1	1	2	4	5	6	15
65+	222	3.1	7	1	1	3	4	5	7	16
TOTAL SINGLE DX	146	2.3	2	1	1	2	3	4	4	8
TOTAL MULTIPLE DX	346	3.1	7	1	1	3	4	5	7	18
TOTAL										
0-19 YRS	46	2.7	2	1	1	2	4	4	5	8
20-34	56	2.7	4	1	1	2	4	5	7	10
35-49	44	3.1	10	1	1	2	4	6	7	20
50-64	69	2.6	4	1	1	2	3	4	6	13
65+	277	2.9	6	1	1	3	3	5	7	16
GRAND TOTAL	492	2.9	6	1	1	2	3	5	7	13

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	2.7	3	<1	<1	2	4	4	5	13
20-34	33	3.5	3	1	1	3	4	6	8	9
35-49	21	2.6	2	<1	<1	2	4	5	6	7
50-64	8	2.0	1	<1	<1	2	3	4	4	4
65+	7	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	45	2.8	2	<1	1	3	4	5	5	5
20-34	60	4.1	9	1	2	4	5	8	10	16
35-49	31	4.5	13	1	2	4	5	8	9	21
50-64	13	4.2	7	<1	1	3	6	8	9	9
65+	24	5.8	32	<1	1	4	10	15	18	20
TOTAL SINGLE DX	132	2.8	4	<1	<1	2	4	5	6	10
TOTAL MULTIPLE DX	173	4.1	12	1	1	3	5	8	11	19
TOTAL										
0-19 YRS	108	2.8	3	<1	<1	3	4	5	5	9
20-34	93	3.9	7	1	2	3	5	6	10	16
35-49	52	3.7	10	<1	1	3	4	7	9	21
50-64	21	3.3	6	<1	<1	3	5	7	8	9
65+	31	4.7	29	<1	<1	2	6	13	17	20
GRAND TOTAL	305	3.5	9	<1	1	3	4	6	9	16

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	1.8	1	1	1	2	2	3	4	6
20-34	4	6.3	28	2	2	4	9	14	14	14
35-49	9	2.3	3	1	1	2	3	5	7	7
50-64	30	3.8	9	<1	1	3	5	7	12	13
65+	58	2.2	2	<1	<1	2	3	5	5	7
2. MULTIPLE DX										
0-19 YRS	24	3.2	13	<1	1	2	3	6	10	19
20-34	8	4.5	6	2	2	4	6	9	9	9
35-49	25	3.2	4	1	1	2	4	7	7	8
50-64	69	4.3	15	1	1	3	5	9	15	20
65+	123	5.0	36	1	2	3	5	9	13	38
TOTAL SINGLE DX	156	2.5	5	<1	<1	2	3	5	7	13
TOTAL MULTIPLE DX	249	4.4	25	1	1	3	5	9	12	24
TOTAL										
0-19 YRS	79	2.2	5	1	1	2	2	4	5	15
20-34	12	5.1	13	2	2	4	6	10	13	14
35-49	34	3.0	4	1	1	2	3	7	7	8
50-64	99	4.2	14	1	1	3	5	8	13	18
65+	181	4.1	27	<1	1	3	4	8	10	31
GRAND TOTAL	405	3.7	18	1	1	2	4	7	10	20

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	3.2	3	1	1	3	5	6	7	7
20-34	18	3.6	4	1	1	3	5	6	8	10
35-49	7	3.3	1	2	2	3	4	5	5	5
50-64	10	2.3	4	<1	<1	2	3	6	8	8
65+	16	3.8	10	<1	1	3	5	9	10	11
2. MULTIPLE DX										
0-19 YRS	37	5.0	6	1	2	5	7	8	10	12
20-34	17	5.4	22	1	2	4	6	14	17	18
35-49	22	4.2	13	1	1	3	6	11	12	13
50-64	25	4.0	11	1	1	3	6	8	10	14
65+	64	6.1	32	1	2	5	8	11	18	31
TOTAL SINGLE DX	68	3.3	5	1	1	3	4	6	9	11
TOTAL MULTIPLE DX	165	5.2	20	1	1	4	7	11	13	27
TOTAL										
0-19 YRS	54	4.4	6	1	1	4	6	7	8	12
20-34	35	4.5	13	1	2	3	5	8	14	18
35-49	29	4.0	11	1	1	3	5	10	11	13
50-64	35	3.5	10	<1	1	3	5	8	9	14
65+	80	5.7	29	1	1	4	7	11	15	30
GRAND TOTAL	233	4.7	17	1	1	4	6	9	11	20

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.5	1	1	1	1	2	3	4	4
20-34	0									
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	8	1.5		<1	<1	1	2	3	3	3
65 +	34	1.3		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	15	4.5	50	1	1	3	3	4	24	30
20-34	4	2.0		1	1	2	3	3	3	3
35-49	13	3.5	1	2	2	3	4	5	6	6
50-64	19	4.8	23	1	1	3	7	13	16	17
65 +	45	2.7	3	1	1	2	3	5	6	10
TOTAL SINGLE DX	64	1.5	1	<1	<1	1	2	3	4	5
TOTAL MULTIPLE DX	96	3.5	15	1	1	3	4	7	9	24
TOTAL										
0-19 YRS	34	2.8	24	1	1	2	3	4	4	30
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	16	3.4	2	1	2	3	4	5	6	6
50-64	27	3.9	19	<1	1	2	6	10	15	17
65 +	79	2.1	3	<1	<1	2	3	4	6	9
GRAND TOTAL	160	2.7	10	<1	<1	2	3	5	7	17

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	1.4		<1	<1	1	2	2	3	5
20-34	4	1.8	2	<1	<1	1	3	4	4	4
35-49	17	1.0		<1	<1	<1	<1	1	1	1
50-64	122	1.2		<1	<1	<1	<1	2	2	6
65 +	560	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX										
0-19 YRS	21	1.9	1	<1	1	1	3	4	4	4
20-34	8	3.1	6	<1	<1	2	6	6	6	6
35-49	41	2.5	2	<1	<1	2	3	5	6	9
50-64	152	2.3	4	<1	<1	2	3	4	7	15
65 +	762	2.4	21	<1	<1	1	2	4	7	22
TOTAL SINGLE DX	736	1.1		<1	<1	<1	<1	1	2	3
TOTAL MULTIPLE DX	984	2.3	17	<1	<1	1	2	4	7	18
TOTAL										
0-19 YRS	54	1.6	1	<1	1	1	2	3	4	5
20-34	12	2.7	5	<1	<1	1	5	6	6	6
35-49	58	2.1	3	<1	<1	1	3	4	5	9
50-64	274	1.8	3	<1	<1	1	2	3	5	10
65 +	1322	1.8	13	<1	<1	<1	2	3	4	13
GRAND TOTAL	1720	1.8	10	<1	<1	1	2	3	4	12

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65 +	28	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	5	2.0	1	<1	<1	2	3	4	4	4
50-64	10	3.5	6	<1	<1	3	5	7	9	9
65 +	42	4.5	113	<1	<1	2	3	9	12	69
TOTAL SINGLE DX	39	1.3		<1	<1	<1	1	2	3	4
TOTAL MULTIPLE DX	62	4.0	78	<1	<1	2	4	8	10	62
TOTAL										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	9	1.7	1	<1	<1	1	2	3	4	4
50-64	15	2.9	5	<1	<1	2	4	6	8	9
65 +	70	3.1	70	<1	<1	1	2	5	9	58
GRAND TOTAL	101	3.0	50	<1	<1	1	3	5	9	41

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	3.2	4	1	1	3	3	5	9	11
20-34	42	4.0	5	1	2	4	5	7	8	14
35-49	49	3.7	4	2	2	3	4	6	8	11
50-64	94	3.5	3	1	2	3	4	5	7	10
65 +	80	3.3	2	1	2	3	4	6	6	8
2. MULTIPLE DX										
0-19 YRS	50	3.9	5	1	1	3	5	7	7	11
20-34	69	4.9	7	1	2	4	6	9	12	14
35-49	103	4.4	6	2	2	4	5	8	10	13
50-64	180	3.7	4	1	1	3	5	6	8	11
65 +	303	4.0	6	1	2	3	5	7	8	14
TOTAL SINGLE DX	296	3.5	4	1	2	3	4	6	7	11
TOTAL MULTIPLE DX	705	4.1	6	1	2	4	5	7	9	13
TOTAL										
0-19 YRS	81	3.6	5	1	1	3	5	7	8	11
20-34	111	4.5	7	1	2	4	5	8	11	14
35-49	152	4.2	6	2	2	4	5	7	9	11
50-64	274	3.7	4	1	1	3	5	6	8	11
65 +	383	3.9	6	1	2	3	5	6	8	14
GRAND TOTAL	1001	3.9	6	1	2	3	5	7	8	12

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.3	3	<1	1	2	2	5	8	8
20-34	7	3.7	5	1	1	4	4	7	8	8
35-49	8	4.1		3	3	4	5	5	5	5
50-64	21	3.3	3	<1	1	3	5	6	7	8
65+	29	2.5	2	<1	<1	2	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	35	5.7	126	1	1	3	5	17	88	99+
20-34	70	3.6	4	1	2	3	5	6	8	11
35-49	71	3.9	7	2	2	3	4	7	9	18
50-64	93	3.7	14	1	2	3	4	6	9	25
65+	176	3.9	7	1	2	3	5	7	8	15
TOTAL SINGLE DX	88	2.9	3	<1	1	2	4	5	6	8
TOTAL MULTIPLE DX	445	3.9	18	1	2	3	5	7	9	19
TOTAL										
0-19 YRS	58	4.4	80	1	1	2	4	9	42	99+
20-34	77	3.6	5	1	2	3	5	6	8	11
35-49	79	3.9	7	2	2	3	4	6	9	17
50-64	114	3.6	13	1	2	3	4	6	8	19
65+	205	3.7	7	1	1	3	4	6	8	15
GRAND TOTAL	533	3.8	16	1	1	3	4	6	8	17

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	1.3		<1	<1	1	2	2	2	3
20-34	13	1.3		<1	<1	1	2	2	2	2
35-49	6	1.5		<1	<1	1	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65+	0									
2. MULTIPLE DX										
0-19 YRS	55	1.4		<1	1	1	2	2	3	4
20-34	8	1.6		1	1	2	2	2	2	2
35-49	6	1.8	1	1	1	1	3	4	4	4
50-64	10	2.2	4	1	1	2	2	5	8	8
65+	9	2.0	1	1	1	2	2	4	5	5
TOTAL SINGLE DX	154	1.3		<1	<1	1	2	2	2	3
TOTAL MULTIPLE DX	88	1.6	1	<1	1	1	2	3	3	7
TOTAL										
0-19 YRS	187	1.3		<1	<1	1	2	2	2	3
20-34	21	1.4		<1	<1	1	2	2	2	2
35-49	12	1.7	1	<1	<1	1	2	3	4	4
50-64	13	2.0	4	1	1	2	2	4	7	8
65+	9	2.0	2	1	1	2	2	4	5	5
GRAND TOTAL	242	1.4	1	<1	<1	1	2	2	2	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL MULTIPLE DX	4	1.0		<1	<1	<1	1	1	1	1
TOTAL										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	5	1.2		<1	<1	1	1	2	2	2

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	56	3.7	7	<1	1	3	6	8	9	13
20-34	26	2.4	1	1	1	2	3	4	4	4
35-49	29	2.3	2	1	1	2	3	4	5	7
50-64	17	2.5	4	<1	<1	2	3	4	8	10
65+	14	2.6	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	52	5.3	45	1	1	3	5	10	16	39
20-34	48	6.7	174	1	1	3	6	9	25	83
35-49	44	5.1	115	1	1	3	3	6	22	68
50-64	49	4.6	33	1	1	3	4	10	21	31
65+	74	5.8	25	1	1	4	8	15	17	21
TOTAL SINGLE DX	142	3.0	5	<1	1	2	4	6	8	10
TOTAL MULTIPLE DX	267	5.5	72	1	1	3	5	11	18	44
TOTAL										
0-19 YRS	108	4.5	26	1	1	3	5	9	11	34
20-34	74	5.2	117	1	1	3	4	7	10	74
35-49	73	4.0	72	1	1	2	3	5	9	58
50-64	66	4.0	27	<1	1	2	4	9	14	29
65+	88	5.3	23	1	1	3	7	13	16	21
GRAND TOTAL	409	4.6	50	1	1	3	5	9	13	34

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	2.3	4	<1	<1	2	2	5	7	13
20-34	15	2.4	3	<1	<1	1	4	5	6	7
35-49	17	1.8	2	<1	1	1	2	4	5	6
50-64	10	2.1	3	<1	<1	1	2	5	7	7
65 +	17	2.4	5	<1	<1	1	3	6	9	10
2. MULTIPLE DX										
0-19 YRS	93	3.7	20	1	1	2	4	8	14	26
20-34	53	4.6	42	1	1	3	4	9	20	37
35-49	27	5.7	44	1	1	3	6	13	20	32
50-64	34	5.4	54	<1	1	3	5	14	17	39
65 +	60	6.1	22	1	1	5	8	14	16	17
TOTAL SINGLE DX	135	2.3	4	<1	<1	1	2	5	7	11
TOTAL MULTIPLE DX	267	4.8	32	1	1	3	5	13	17	31
TOTAL										
0-19 YRS	169	3.1	14	<1	1	2	4	3	9	23
20-34	68	4.1	35	<1	1	2	4	7	17	35
35-49	44	4.2	32	1	1	2	5	9	15	32
50-64	44	4.7	45	<1	1	3	4	12	17	39
65 +	77	5.2	21	<1	1	4	7	14	15	17
GRAND TOTAL	402	4.0	24	<1	1	2	4	8	14	26

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	2.0	6	<1	<1	1	2	3	9	11
20-34	32	1.3		1	1	1	2	2	2	2
35-49	57	1.3		1	1	1	2	2	2	2
50-64	34	1.4		1	1	1	2	2	2	3
65 +	16	2.0	4	<1	<1	1	2	3	8	10
2. MULTIPLE DX										
0-19 YRS	12	1.2		<1	<1	1	1	2	2	2
20-34	39	1.4		1	1	1	1	2	4	5
35-49	54	1.5	1	1	1	1	2	2	3	9
50-64	38	1.7	1	1	1	1	2	2	4	8
65 +	22	1.7		<1	1	2	2	3	4	4
TOTAL SINGLE DX	154	1.4	1	1	1	1	2	2	2	10
TOTAL MULTIPLE DX	165	1.5	1	1	1	1	2	2	3	8
TOTAL										
0-19 YRS	27	1.6	4	<1	<1	1	2	2	4	11
20-34	71	1.3	1	1	1	1	2	2	2	5
35-49	111	1.4	1	1	1	1	2	2	2	7
50-64	72	1.5	1	1	1	1	2	2	3	7
65 +	38	1.8	2	<1	1	2	2	3	4	10
GRAND TOTAL	319	1.5	1	1	1	1	2	2	3	8

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	1.1		<1	<1	1	1	1	2	2
20-34	53	1.3		<1	<1	1	1	2	3	5
35-49	53	1.2		<1	<1	1	1	2	2	3
50-64	42	1.2		<1	1	1	1	2	2	2
65 +	14	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	156	1.2		1	1	1	1	1	2	6
20-34	66	1.5	1	<1	1	1	2	2	3	9
35-49	49	2.6	78	1	1	1	2	2	4	63
50-64	65	1.5		<1	1	1	2	3	3	6
65 +	34	2.3	12	1	1	1	2	3	6	21
TOTAL SINGLE DX	326	1.2		<1	<1	1	1	2	2	3
TOTAL MULTIPLE DX	370	1.6	12	1	1	1	1	2	3	7
TOTAL										
0-19 YRS	320	1.1		<1	<1	1	1	1	2	3
20-34	119	1.4	1	<1	1	1	2	2	3	7
35-49	102	1.9	38	<1	1	1	1	2	3	33
50-64	107	1.4	1	<1	1	1	2	2	3	5
65 +	48	2.0	9	<1	1	1	2	2	4	21
GRAND TOTAL	696	1.4	7	<1	1	1	1	2	2	6

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	222	1.3	1	<1	<1	<1	1	2	4	7
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	12.5	265	1	1	12	24	24	24	24
2. MULTIPLE DX										
0-19 YRS	607	3.2	19	<1	1	1	4	7	10	21
20-34	18	5.0	85	<1	1	2	3	15	30	38
35-49	21	3.4	8	<1	1	2	6	8	9	9
50-64	14	7.4	33	<1	<1	7	10	15	19	20
65 +	13	10.9	101	1	1	9	17	24	32	34
TOTAL SINGLE DX	229	1.4	3	<1	<1	<1	1	2	4	7
TOTAL MULTIPLE DX	673	3.5	24	<1	1	1	4	8	11	24
TOTAL										
0-19 YRS	829	2.7	15	<1	<1	1	3	6	9	17
20-34	20	4.8	77	<1	1	2	3	13	28	38
35-49	24	3.1	8	<1	1	1	5	8	9	9
50-64	14	7.4	34	<1	<1	7	10	15	19	20
65 +	15	11.1	106	1	1	9	20	24	31	34
GRAND TOTAL	902	3.0	19	<1	<1	1	3	7	10	22

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	1.4		1	1	1	1	3	4	6
20-34	38	1.8	2	1	1	1	2	4	5	8
35-49	44	1.8	1	1	1	1	2	3	4	5
50-64	36	1.6		1	1	2	2	2	3	5
65 +	22	1.8		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	159	2.7	15	1	1	1	3	6	8	19
20-34	89	1.9	1	1	1	2	2	4	5	7
35-49	75	2.1	5	1	1	1	2	5	7	12
50-64	67	2.8	17	1	1	2	2	4	11	26
65 +	54	4.7	47	1	1	2	4	12	22	37
TOTAL SINGLE DX	225	1.6	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	444	2.7	16	1	1	1	3	5	9	24
TOTAL										
0-19 YRS	244	2.2	11	1	1	1	2	5	7	19
20-34	127	1.9	2	1	1	1	2	4	5	7
35-49	119	2.0	4	1	1	1	2	3	5	11
50-64	103	2.4	12	1	1	2	2	3	7	22
65 +	76	3.9	35	1	1	2	3	10	12	34
GRAND TOTAL	669	2.3	11	1	1	1	2	5	7	18

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	1.7	1	<1	<1	1	2	4	4	7
20-34	38	1.8	1	<1	1	1	2	3	4	5
35-49	21	2.0	2	<1	1	1	2	5	6	7
50-64	21	1.9	3	<1	1	1	2	3	6	9
65 +	14	1.9		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	58	2.7	17	<1	<1	1	3	6	7	29
20-34	22	3.9	38	<1	1	2	4	9	19	29
35-49	23	1.9	1	<1	1	2	2	3	4	5
50-64	32	3.7	42	1	1	2	3	7	13	36
65 +	21	7.1	287	<1	1	2	4	14	44	79
TOTAL SINGLE DX	151	1.8	2	<1	1	1	2	4	4	7
TOTAL MULTIPLE DX	156	3.5	60	<1	1	2	3	6	11	36
TOTAL										
0-19 YRS	115	2.2	10	<1	<1	1	3	4	7	16
20-34	60	2.6	16	<1	1	1	3	4	7	27
35-49	44	2.0	2	<1	1	1	2	4	5	7
50-64	53	3.0	27	1	1	2	2	6	9	35
65 +	35	5.0	176	1	1	2	3	9	15	79
GRAND TOTAL	307	2.7	32	<1	1	1	3	4	7	30

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.1		<1	<1	1	1	2	2	2
20-34	32	1.3		<1	1	1	2	2	2	3
35-49	15	1.6	1	<1	1	1	2	3	4	4
50-64	7	1.7	1	<1	<1	1	2	4	4	4
65+	6	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	41	1.4		<1	1	1	2	2	3	4
20-34	114	2.0	2	1	1	2	2	4	5	9
35-49	110	2.4	10	1	1	2	2	5	5	19
50-64	59	2.3	5	1	1	2	3	4	5	16
65+	8	3.8	6	1	1	3	5	8	8	8
TOTAL SINGLE DX	71	1.4		<1	<1	1	2	2	3	4
TOTAL MULTIPLE DX	332	2.2	6	1	1	2	2	4	5	11
TOTAL										
0-19 YRS	52	1.4		<1	1	1	2	2	3	4
20-34	146	1.8	2	1	1	1	2	4	4	7
35-49	125	2.3	9	1	1	1	2	4	5	16
50-64	66	2.3	5	1	1	2	3	4	5	16
65+	14	2.7	5	<1	<1	2	3	7	8	8
GRAND TOTAL	403	2.0	5	1	1	1	2	4	5	10

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	1.5		<1	1	1	2	3	3	5
20-34	146	1.3		<1	1	1	1	2	2	4
35-49	115	1.2		1	1	1	1	2	2	5
50-64	53	1.4		<1	1	1	1	2	3	6
65+	21	1.6		<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	210	1.9	6	<1	1	1	2	3	4	17
20-34	505	1.8	4	1	1	1	2	3	4	9
35-49	346	1.8	4	1	1	1	2	3	4	10
50-64	217	2.3	7	1	1	1	2	4	6	16
65+	93	4.1	45	1	1	2	5	9	21	74
TOTAL SINGLE DX	463	1.4	1	<1	1	1	1	2	3	4
TOTAL MULTIPLE DX	1371	2.0	8	1	1	1	2	3	5	15
TOTAL										
0-19 YRS	338	1.7	4	<1	1	1	2	3	3	12
20-34	651	1.7	4	1	1	1	2	3	4	8
35-49	461	1.7	3	1	1	1	2	3	4	9
50-64	270	2.1	6	1	1	1	2	4	6	16
65+	114	3.7	38	1	1	2	3	9	16	61
GRAND TOTAL	1834	1.9	6	1	1	1	2	3	5	12

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.1	1	<1	<1	2	2	4	5	7
20-34	23	1.8	4	<1	<1	1	2	4	6	10
35-49	26	1.9	2	<1	1	1	2	4	5	7
50-64	25	2.1	4	<1	<1	1	2	4	6	11
65+	32	1.5		<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	78	2.1	3	<1	1	1	2	4	6	11
20-34	71	3.1	43	1	1	2	3	5	7	46
35-49	83	2.7	9	<1	1	1	3	6	9	18
50-64	81	3.7	20	1	1	2	3	10	14	23
65+	125	4.5	21	1	1	3	6	10	16	21
TOTAL SINGLE DX	129	1.9	2	<1	<1	1	2	4	4	10
TOTAL MULTIPLE DX	438	3.3	20	1	1	2	4	8	11	19
TOTAL										
0-19 YRS	101	2.1	3	<1	<1	2	2	4	6	10
20-34	94	2.8	34	<1	1	1	3	4	7	36
35-49	109	2.5	8	<1	1	1	3	5	8	17
50-64	106	3.3	17	<1	1	2	3	8	14	21
65+	157	3.9	19	<1	1	2	5	9	14	21
GRAND TOTAL	567	3.0	16	<1	1	2	3	7	10	19

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	1.5	1	<1	<1	1	2	3	4	5
20-34	61	2.3	2	<1	1	1	3	5	6	6
35-49	47	4.0	8	1	1	4	5	8	9	15
50-64	41	3.5	4	1	1	4	4	6	8	11
65+	33	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	73	5.0	107	1	1	2	5	9	14	70
20-34	98	2.8	6	1	1	2	4	6	7	13
35-49	76	4.2	18	1	1	3	6	9	11	27
50-64	95	4.4	11	1	1	4	6	8	11	65
65+	177	5.5	13	1	2	4	7	11	15	23
TOTAL SINGLE DX	233	2.8	5	<1	1	2	4	6	7	11
TOTAL MULTIPLE DX	519	4.6	28	1	1	3	6	9	11	23
TOTAL										
0-19 YRS	124	3.6	67	<1	1	2	3	6	10	53
20-34	159	2.6	5	1	1	2	4	6	7	11
35-49	123	4.1	15	1	1	3	5	8	10	20
50-64	136	4.2	10	1	1	4	5	7	10	33
65+	210	5.2	17	1	2	4	6	10	13	22
GRAND TOTAL	752	4.0	22	1	1	3	5	8	11	22

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	1.7		<1	1	1	2	3	3	4
20-34	38	1.8		1	1	2	3	3	3	4
35-49	54	[illegible]	1	1	1	1	2	3	4	5
50-64	43	2.[illegible]	6	1	1	1	2	4	7	15
65 +	29	1.9	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	37	3.2	19	1	1	1	2	9	15	19
20-34	71	2.3	4	1	1	2	3	5	8	11
35-49	122	3.5	20	1	1	2	3	8	11	27
50-64	109	2.7	9	1	1	2	3	5	8	18
65 +	89	4.9	39	1	1	3	4	14	18	31
TOTAL SINGLE DX	190	1.9	2	1	1	1	2	3	4	8
TOTAL MULTIPLE DX	428	3.4	20	1	1	2	3	8	13	25
TOTAL										
0-19 YRS	63	2.6	12	1	1	1	2	4	11	19
20-34	109	2.2	4	1	1	2	3	4	7	10
35-49	176	2.9	15	1	1	2	3	7	9	23
50-64	152	2.5	9	1	1	2	3	5	8	15
65 +	118	4.2	32	1	1	2	4	13	16	29
GRAND TOTAL	618	2.9	15	1	1	2	3	6	10	22

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.4	4	<1	1	1	3	6	7	8
20-34	53	3.3	6	1	1	2	5	7	8	10
35-49	51	2.5	4	<1	1	2	4	5	7	10
50-64	44	2.5	15	<1	1	2	3	4	7	26
65 +	12	4.2	14	<1	1	3	6	11	12	12
2. MULTIPLE DX										
0-19 YRS	117	7.1	113	<1	1	3	8	15	27	56
20-34	115	4.2	19	1	1	3	5	8	13	24
35-49	143	3.5	23	1	1	2	3	8	11	27
50-64	119	3.8	13	1	1	3	5	9	11	18
65 +	103	6.8	55	1	1	3	11	16	22	36
TOTAL SINGLE DX	190	2.8	8	<1	1	2	4	6	8	12
TOTAL MULTIPLE DX	597	5.0	46	1	1	3	6	11	16	38
TOTAL										
0-19 YRS	147	6.2	94	<1	1	3	7	13	24	51
20-34	168	3.9	16	1	1	3	5	8	10	22
35-49	194	3.2	19	1	1	2	3	7	10	25
50-64	163	3.4	14	1	1	2	4	7	11	18
65 +	115	6.5	52	1	1	3	11	15	21	35
GRAND TOTAL	787	4.5	38	1	1	2	5	10	15	31

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	1.6	1	<1	<1	1	2	2	5	8
20-34	17	1.5		1	1	1	2	3	3	3
35-49	18	2.2	1	1	1	2	3	4	5	5
50-64	8	1.6		<1	<1	1	2	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	129	2.6	16	<1	<1	2	2	5	6	26
20-34	118	6.2	122	1	1	2	6	13	30	62
35-49	111	7.7	146	1	1	3	9	18	29	69
50-64	106	7.5	120	1	1	3	8	15	29	60
65 +	140	7.1	105	1	1	4	9	16	20	65
TOTAL SINGLE DX	96	1.7	1	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	604	6.2	103	1	1	2	7	14	24	58
TOTAL										
0-19 YRS	181	2.3	12	<1	<1	1	2	4	6	23
20-34	135	5.7	110	1	1	2	5	12	23	61
35-49	129	6.9	130	1	1	2	7	17	28	62
50-64	114	7.1	114	1	1	3	8	14	28	59
65 +	141	7.1	105	1	1	3	9	16	20	65
GRAND TOTAL	700	5.6	91	<1	1	2	5	13	20	56

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	1.1		<1	<1	<1	<1	1	1	6
20-34	4	2.8	3	<1	<1	2	4	5	5	5
35-49	4	1.5		1	1	1	2	2	2	2
50-64	4	1.8		1	1	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	114	2.0	12	<1	<1	1	2	2	6	24
20-34	11	1.5		<1	<1	1	2	2	2	2
35-49	4	2.0	[illegible]	1	1	2	3	4	4	4
50-64	3	4.7	30	1	1	2	9	11	11	11
65 +	3	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	81	1.2	1	<1	<1	<1	<1	2	2	6
TOTAL MULTIPLE DX	135	2.0	11	<1	<1	1	2	2	6	21
TOTAL										
0-19 YRS	183	1.7	8	<1	<1	<1	1	2	4	15
20-34	15	1.8	1	<1	<1	2	2	3	4	5
35-49	8	1.8	1	1	1	2	2	3	4	4
50-64	7	3.0	13	1	1	2	2	9	11	11
65 +	3	2.0		2	2	2	2	2	2	2
GRAND TOTAL	216	1.7	7	<1	<1	<1	2	2	4	14

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	1.7	1	<1	<1	1	2	3	4	5
20-34	5	1.8		1	1	2	2	3	3	3
35-49	19	1.8		<1	1	2	2	3	3	3
50-64	25	2.3	1	<1	1	2	3	4	4	4
65 +	9	3.4	6	1	1	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	37	3.1	8	<1	<1	2	3	7	9	15
20-34	27	3.7	32	1	1	2	3	7	11	31
35-49	34	3.0	6	<1	1	2	3	6	10	11
50-64	54	3.6	16	1	1	3	4	6	8	28
65 +	43	8.4	210	1	1	3	10	19	25	90
TOTAL SINGLE DX	78	2.1	2	<1	1	2	3	4	5	7
TOTAL MULTIPLE DX	195	4.5	62	<1	1	3	4	9	15	31
TOTAL										
0-19 YRS	57	2.6	6	<1	<1	2	3	5	8	15
20-34	32	3.4	28	1	1	2	3	6	8	31
35-49	53	2.6	5	<1	1	2	3	4	9	11
50-64	79	3.2	12	1	1	3	3	4	8	24
65 +	52	7.5	178	1	1	3	8	17	22	89
GRAND TOTAL	273	3.8	46	<1	1	2	3	7	11	30

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	2.7	8	<1	1	2	3	4	6	19
20-34	76	2.4	2	1	1	2	3	4	4	10
35-49	139	2.2	1	1	1	2	3	4	4	6
50-64	97	2.5	3	1	1	2	3	5	6	10
65 +	80	2.7	2	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	18	3.2	7	1	1	3	3	6	10	12
20-34	52	2.5	4	1	1	2	3	5	6	13
35-49	76	2.7	3	1	1	2	3	6	8	9
50-64	96	3.2	5	1	1	3	4	6	8	14
65 +	170	5.1	17	1	1	4	7	11	12	19
TOTAL SINGLE DX	438	2.4	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	412	3.8	11	1	1	3	5	8	11	17
TOTAL										
0-19 YRS	64	2.8	8	1	1	2	3	4	8	18
20-34	128	2.4	3	1	1	2	3	4	5	11
35-49	215	2.3	2	1	1	2	3	4	5	8
50-64	193	2.9	5	1	1	2	4	5	7	12
65 +	250	4.3	14	1	1	3	6	10	11	18
GRAND TOTAL	850	3.1	7	1	1	2	4	6	9	15

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	265	2.8	1	1	1	3	3	4	5	7
20-34	7	2.4	1	1	1	2	4	4	4	4
35-49	6	2.5	1	1	1	2	4	4	4	4
50-64	5	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	285	3.5	9	1	2	3	4	5	6	11
20-34	11	2.6	1	1	1	2	3	5	5	5
35-49	17	2.9	1	1	1	3	4	5	5	5
50-64	17	4.9	103	1	1	2	3	6	31	44
65 +	2	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	283	2.8	1	1	1	3	3	4	5	7
TOTAL MULTIPLE DX	332	3.5	14	1	2	3	4	5	6	13
TOTAL										
0-19 YRS	550	3.2	6	1	2	3	4	5	6	9
20-34	18	2.6	2	1	1	2	3	5	5	5
35-49	23	2.8	2	1	1	3	4	4	5	5
50-64	22	4.3	80	1	1	2	3	5	21	44
65 +	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	615	3.2	8	1	2	3	4	5	5	9

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	272	2.7	2	<1	1	2	3	5	6	9
20-34	39	3.4	4	1	1	3	5	6	7	8
35-49	45	3.3	10	<1	1	2	4	7	11	14
50-64	50	3.5	9	1	1	3	5	7	9	18
65 +	61	3.0	7	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	278	3.9	28	1	1	3	4	8	11	19
20-34	122	5.5	41	<1	1	3	7	12	20	34
35-49	124	6.8	53	1	1	5	8	16	22	38
50-64	125	9.2	115	1	1	4	14	27	32	72
65 +	193	9.2	160	1	1	5	10	20	36	71
TOTAL SINGLE DX	467	2.9	5	<1	1	2	4	6	7	11
TOTAL MULTIPLE DX	842	6.6	82	1	1	4	7	15	24	50
TOTAL										
0-19 YRS	550	3.3	16	1	1	3	4	6	8	15
20-34	161	4.9	33	<1	1	3	6	9	14	32
35-49	169	5.9	44	1	1	4	7	12	21	31
50-64	175	7.6	92	1	1	4	9	21	30	59
65 +	254	7.7	131	<1	1	4	8	18	29	69
GRAND TOTAL	1309	5.3	58	1	1	3	5	11	18	40

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1120	1.2		1	1	1	1	2	2	3
20-34	615	1.3		1	1	1	1	2	3	5
35-49	93	1.4		1	1	1	2	2	3	5
50-64	18	1.8	2	1	1	1	2	4	5	6
65+	4	2.0	4	1	1	1	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	487	1.5	10	1	1	1	1	2	3	9
20-34	281	1.7	3	1	1	1	2	3	4	11
35-49	81	1.7	1	1	1	1	2	4	5	7
50-64	24	2.6	3	1	1	2	3	6	7	7
65+	11	3.4	9	<1	<1	2	4	8	10	10
TOTAL SINGLE DX	1850	1.2		1	1	1	1	2	2	4
TOTAL MULTIPLE DX	884	1.6	7	1	1	1	1	3	4	10
TOTAL										
0-19 YRS	1607	1.3	3	1	1	1	1	2	2	5
20-34	896	1.4	2	1	1	1	1	2	3	7
35-49	174	1.5	1	1	1	1	2	3	4	6
50-64	42	2.3	3	1	1	2	3	6	6	7
65+	15	3.0	7	<1	1	2	4	7	9	10
GRAND TOTAL	2734	1.4	3	1	1	1	1	2	3	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2559	1.2		1	1	1	1	2	2	3
20-34	109	1.6	8	1	1	1	1	2	3	18
35-49	8	1.4		1	1	1	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2547	1.4	5	1	1	1	1	2	3	8
20-34	54	1.5		1	1	1	2	3	4	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	2681	1.2	1	1	1	1	1	2	2	3
TOTAL MULTIPLE DX	2607	1.4	5	1	1	1	1	2	3	8
TOTAL										
0-19 YRS	5106	1.3	3	1	1	1	1	2	2	5
20-34	163	1.5	6	1	1	1	1	2	3	9
35-49	11	1.5		1	1	1	2	3	3	3
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	5	1.0		1	1	1	1	1	1	1
GRAND TOTAL	5288	1.3	3	1	1	1	1	2	2	5

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	1.2		<1	<1	1	1	1	3	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	229	1.9	19	<1	<1	1	1	2	5	30
20-34	3	10.7	202	1	1	4	21	27	27	27
35-49	0									
50-64	0									
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL SINGLE DX	48	1.2	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	233	2.0	22	<1	<1	1	1	2	5	30
TOTAL										
0-19 YRS	274	1.8	16	<1	<1	1	1	2	5	27
20-34	5	7.0	127	1	1	2	10	27	27	27
35-49	0									
50-64	0									
65+	2	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	281	1.9	18	<1	<1	1	1	2	5	28

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	190	2.1	3	<1	<1	1	3	4	5	10
20-34	125	2.1	1	1	1	2	3	4	5	7
35-49	59	2.0	2	1	1	2	2	5	5	7
50-64	33	2.6	9	<1	<1	2	3	4	6	18
65+	20	2.8	6	<1	<1	2	4	7	9	10
2. MULTIPLE DX										
0-19 YRS	94	5.4	120	1	1	3	5	9	21	69
20-34	76	3.9	46	1	1	2	4	6	9	47
35-49	76	3.9	20	1	1	2	4	9	14	23
50-64	79	6.0	108	1	1	3	6	12	21	64
65+	66	9.1	96	1	1	4	15	26	31	38
TOTAL SINGLE DX	427	2.1	3	<1	1	2	3	4	5	10
TOTAL MULTIPLE DX	391	5.6	83	1	1	3	5	13	22	51
TOTAL										
0-19 YRS	284	3.2	44	<1	1	2	3	5	8	31
20-34	201	2.8	19	1	1	2	3	5	6	14
35-49	135	3.1	13	1	1	2	3	6	12	22
50-64	112	5.0	82	<1	1	2	4	11	18	62
65+	86	7.6	82	1	1	4	9	21	30	37
GRAND TOTAL	818	3.8	44	1	1	2	4	7	13	32

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.8	1	<1	<1	1	2	4	5	5
20-34	6	2.7	4	<1	<1	2	4	6	6	6
35-49	9	2.4	1	1	1	3	3	4	4	4
50-64	21	3.1	5	<1	1	2	4	7	8	9
65+	12	5.3	25	2	2	4	5	10	19	21
2. MULTIPLE DX										
0-19 YRS	39	4.4	36	1	1	2	4	13	27	99+
20-34	9	15.0	476	2	2	5	17	54	59	59
35-49	21	3.7	12	1	1	3	5	8	12	16
50-64	50	5.7	42	1	2	4	6	10	18	40
65+	69	4.8	13	1	1	4	6	11	13	17
TOTAL SINGLE DX	61	3.1	9	<1	1	2	4	5	7	20
TOTAL MULTIPLE DX	188	5.3	50	1	1	3	6	11	18	54
TOTAL										
0-19 YRS	52	3.7	29	<1	1	2	4	7	24	98
20-34	15	10.1	313	<1	1	3	7	47	56	59
35-49	30	3.3	9	1	1	3	4	7	8	16
50-64	71	5.0	33	1	1	4	5	9	12	37
65+	81	4.9	15	1	1	4	6	10	13	20
GRAND TOTAL	249	4.8	41	1	1	3	5	9	15	47

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	1.8	2	<1	1	1	2	3	5	10
20-34	18	1.3		<1	<1	1	1	2	4	5
35-49	25	1.6	3	<1	<1	1	1	2	7	8
50-64	45	1.6	2	<1	<1	1	2	2	4	10
65+	21	2.3	29	<1	<1	1	1	2	13	26
2. MULTIPLE DX										
0-19 YRS	51	4.9	41	<1	1	2	6	11	15	32
20-34	10	5.1	55	<1	1	3	3	16	26	26
35-49	25	6.1	118	<1	1	2	5	15	34	49
50-64	74	5.7	145	<1	1	2	4	15	22	75
65+	51	4.8	26	1	1	2	7	14	20	98
TOTAL SINGLE DX	200	1.7	5	<1	<1	1	2	2	5	10
TOTAL MULTIPLE DX	211	5.3	83	1	1	2	5	13	21	66
TOTAL										
0-19 YRS	142	2.9	18	<1	1	2	2	7	9	30
20-34	28	2.6	23	<1	<1	1	2	5	8	26
35-49	50	3.9	65	<1	<1	1	2	8	15	49
50-64	119	4.2	95	<1	1	1	3	9	19	64
65+	72	4.1	28	1	1	2	5	13	20	83
GRAND TOTAL	411	3.6	48	<1	1	1	3	8	15	38

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.8	12	<1	1	1	2	11	12	12
20-34	1	11.0		11	11	11	11	11	11	11
35-49	3	7.3	4	5	5	8	9	9	9	9
50-64	8	10.1	27	2	3	11	14	17	17	17
65+	10	11.1	90	1	1	8	20	25	29	29
2. MULTIPLE DX										
0-19 YRS	37	5.5	35	1	1	4	6	16	17	25
20-34	3	7.3	102	1	1	2	15	19	19	19
35-49	7	13.6	16	7	8	14	16	19	19	19
50-64	22	14.6	44	3	4	16	18	24	55	99+
65+	25	10.3	92	1	2	7	14	30	54	99+
TOTAL SINGLE DX	56	5.7	40	<1	1	2	10	13	19	29
TOTAL MULTIPLE DX	94	9.6	65	1	1	7	16	19	29	99+
TOTAL										
0-19 YRS	71	4.2	26	1	1	2	5	12	16	24
20-34	4	8.3	72	1	1	6	15	19	19	19
35-49	10	11.7	21	5	6	11	15	18	19	19
50-64	30	13.4	43	3	4	16	18	22	31	99+
65+	35	10.5	89	1	1	7	14	28	39	99+
GRAND TOTAL	150	8.1	59	1	1	6	14	18	22	99

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	7	12.1	8	9	9	13	14	16	17	17
50-64	20	11.6	17	6	7	11	14	17	20	23
65+	13	10.2	6	6	7	10	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	21	14.4	57	5	6	14	15	24	31	39
50-64	50	20.0	167	8	9	14	23	38	53	57
65+	59	17.5	160	8	10	13	20	32	39	85
TOTAL SINGLE DX	40	11.3	13	6	7	11	13	15	17	23
TOTAL MULTIPLE DX	130	18.0	149	8	9	14	21	36	39	64
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	28	13.9	46	5	7	13	15	22	26	39
50-64	70	17.6	139	7	8	13	21	36	49	57
65+	72	16.2	140	7	9	12	18	29	38	79
GRAND TOTAL	170	16.4	124	7	8	13	18	30	39	57

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	19.0	304	7	7	13	31	44	44	44
20-34	0									
35-49	0									
50-64	5	23.2	871	2	2	9	40	72	72	72
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	6	28.2	641	2	4	80	99 +	99 +	99 +	99 +
20-34	14	33.3	1014	3	7	18	78	99 +	99 +	99 +
35-49	20	35.6	758	3	5	32	59	86	98	99 +
50-64	29	26.9	602	2	5	22	50	99 +	99 +	99 +
65 +	46	33.3	523	6	8	37	50	91	99 +	99 +
TOTAL SINGLE DX	10	20.2	506	2	2	9	30	58	72	72
TOTAL MULTIPLE DX	115	31.8	635	5	6	32	67	99 +	99 +	99 +
TOTAL										
0-19 YRS	10	24.5	481	3	5	50	99 +	99 +	99 +	99 +
20-34	14	33.3	1014	3	7	18	78	99 +	99 +	99 +
35-49	20	35.6	759	3	5	32	59	86	98	99 +
50-64	34	26.3	618	2	3	22	49	99 +	99 +	99 +
65 +	47	32.8	523	6	8	37	49	90	99 +	99 +
GRAND TOTAL	125	30.9	631	3	6	30	64	99 +	99 +	99 +

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	5.2	30	< 1	1	3	7	12	20	23
20-34	6	8.7	122	1	1	4	11	28	30	30
35-49	7	4.1	17	1	1	3	5	11	13	13
50-64	16	4.2	38	< 1	< 1	2	4	22	73	99 +
65 +	4	5.8	43	< 1	< 1	3	10	15	15	15
2. MULTIPLE DX										
0-19 YRS	121	14.8	264	1	2	10	21	54	99 +	99 +
20-34	33	16.5	391	1	1	9	36	94	99 +	99 +
35-49	44	18.3	339	1	2	13	30	56	91	99 +
50-64	79	31.2	647	2	3	33	59	81	99 +	99 +
65 +	105	31.4	553	2	3	27	50	64	71	93
TOTAL SINGLE DX	87	5.2	36	< 1	1	3	7	14	21	73
TOTAL MULTIPLE DX	382	23.3	499	1	2	17	44	66	99 +	99 +
TOTAL										
0-19 YRS	175	11.8	211	1	1	7	17	42	67	99 +
20-34	39	15.3	354	1	1	9	33	78	99 +	99 +
35-49	51	16.4	319	1	2	11	28	46	84	99 +
50-64	95	26.6	646	1	2	19	55	79	99 +	99 +
65 +	109	30.4	557	1	3	26	48	63	70	93
GRAND TOTAL	469	19.9	462	1	1	11	34	64	89	99 +

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	5.9	29	1	1	4	7	15	17	18
20-34	28	5.4	27	1	1	4	7	14	18	22
35-49	50	8.1	54	< 1	1	7	11	15	18	42
50-64	82	6.0	22	< 1	1	5	8	12	15	23
65 +	90	5.5	37	< 1	< 1	3	8	14	17	30
2. MULTIPLE DX										
0-19 YRS	21	6.4	37	1	2	4	7	12	21	29
20-34	108	12.1	126	2	3	9	15	24	36	60
35-49	257	9.8	60	1	3	8	12	19	26	38
50-64	796	10.6	83	2	3	9	13	20	29	50
65 +	1383	11.3	92	2	3	9	14	21	29	50
TOTAL SINGLE DX	265	6.2	35	< 1	< 1	4	9	14	17	29
TOTAL MULTIPLE DX	2565	11.0	87	2	3	9	14	21	29	50
TOTAL										
0-19 YRS	36	6.2	33	1	1	4	7	14	17	29
20-34	136	10.7	113	1	2	8	13	22	31	58
35-49	307	9.5	59	1	3	8	12	19	26	40
50-64	878	10.2	79	2	2	8	13	19	27	49
65 +	1473	11.0	91	1	2	9	14	21	28	50
GRAND TOTAL	2830	10.5	84	1	2	8	13	20	28	49

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	6.3	25	1	1	7	10	11	11	11
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	12.5	1	12	12	12	13	1[illegible]	13	13
TOTAL SINGLE DX	4	5.0	24	< 1	< 1	4	9	11	11	11
TOTAL MULTIPLE DX	4	8.8	22	3	3	9	12	13	13	13
TOTAL										
0-19 YRS	4	6.5	17	1	1	7	9	11	11	11
20-34	0									
35-49	0									
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	2	12.5	1	12	12	12	13	13	13	13
GRAND TOTAL	8	6.9	24	< 1	< 1	7	11	13	13	13

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	7.6	13	2	4	7	9	13	14	16
20-34	31	8.3	18	1	3	8	11	15	18	17
35-49	52	7.1	29	1	1	7	8	13	19	30
50-64	78	6.7	18	< 1	1	7	9	12	13	23
65 +	77	6.2	22	< 1	< 1	6	9	12	14	22
2. MULTIPLE DX										
0-19 YRS	49	15.4	204	4	5	10	16	41	55	99 +
20-34	75	12.7	107	1	4	10	15	29	36	46
35-49	158	11.0	60	2	3	9	15	20	27	47
50-64	501	11.0	91	1	2	9	14	21	27	66
65 +	700	11.7	99	1	3	10	15	23	29	68
TOTAL SINGLE DX	259	6.9	22	< 1	1	7	9	13	15	23
TOTAL MULTIPLE DX	1483	11.6	97	1	3	9	15	23	30	67
TOTAL										
0-19 YRS	70	13.0	159	4	5	9	15	34	46	93
20-34	106	11.4	85	1	4	9	13	25	32	46
35-49	210	10.0	55	1	2	8	13	19	24	44
50-64	579	10.5	84	1	2	9	13	20	26	58
65 +	777	11.2	94	1	2	9	14	22	29	61
GRAND TOTAL	1742	10.9	88	1	2	9	14	21	28	55

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	10.8	82	3	4	8	11	25	34	35
20-34	2	15.5	145	7	7	15	24	24	24	24
35-49	16	9.4	13	5	6	9	10	16	18	19
50-64	56	10.3	20	5	6	9	12	16	20	26
65 +	35	10.0	15	6	7	8	11	13	20	24
2. MULTIPLE DX										
0-19 YRS	18	18.6	303	6	7	12	22	65	88	99 +
20-34	23	12.4	75	4	6	10	13	24	31	43
35-49	55	12.3	48	6	6	10	14	21	26	43
50-64	284	13.5	47	7	8	11	16	24	30	78
65 +	344	15.9	87	7	8	13	19	27	36	67
TOTAL SINGLE DX	120	10.2	24	5	6	9	11	16	21	29
TOTAL MULTIPLE DX	724	14.6	75	7	8	12	18	28	32	72
TOTAL										
0-19 YRS	29	15.7	228	4	6	10	19	43	73	99 +
20-34	25	12.6	76	4	7	10	14	24	29	43
35-49	71	11.7	42	6	6	10	13	20	23	41
50-64	340	12.9	44	6	7	11	15	23	29	46
65 +	379	15.3	84	7	8	13	18	27	35	63
GRAND TOTAL	844	14.0	70	6	7	11	17	25	31	67

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	192	3.3	23	< 1	< 1	2	3	8	12	28
20-34	45	5.7	30	1	2	4	7	10	12	35
35-49	71	6.6	43	< 1	1	5	8	15	23	31
50-64	97	4.7	16	< 1	< 1	4	7	10	12	20
65 +	83	6.7	34	< 1	< 1	5	11	15	19	23
2. MULTIPLE DX										
0-19 YRS	285	8.3	122	< 1	1	4	10	19	27	66
20-34	219	11.3	85	2	2	9	15	24	30	41
35-49	375	9.7	77	2	2	7	12	21	27	46
50-64	772	10.2	80	2	2	8	14	21	28	44
65 +	1258	12.7	118	2	3	10	16	26	33	59
TOTAL SINGLE DX	488	4.9	29	< 1	< 1	3	6	11	16	28
TOTAL MULTIPLE DX	2909	11.1	103	1	2	8	14	23	30	51
TOTAL										
0-19 YRS	477	6.2	88	< 1	1	2	8	16	23	44
20-34	264	10.4	80	1	2	8	14	22	29	39
35-49	446	9.2	73	1	2	7	12	20	27	45
50-64	869	9.6	77	1	2	7	13	20	27	43
65 +	1341	12.3	115	2	3	10	15	25	32	58
GRAND TOTAL	3397	10.2	98	1	2	7	14	22	29	48

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	6.1	5	1	2	7	8	8	8	8
20-34	31	6.5	22	1	2	5	9	11	19	20
35-49	7	9.4	44	3	3	9	11	21	23	23
50-64	1	5.0		5	5	5	5	5	5	5
65 +	5	9.6	80	4	4	7	25	92	99 +	99 +
2. MULTIPLE DX										
0-19 YRS	19	15.6	496	3	4	8	14	34	70	98
20-34	24	9.0	33	1	2	8	13	19	20	20
35-49	21	9.6	80	3	3	7	10	19	33	41
50-64	34	18.0	406	3	4	12	19	36	68	97
65 +	41	10.1	82	1	3	8	12	18	23	56
TOTAL SINGLE DX	52	7.1	27	1	3	6	9	14	23	98
TOTAL MULTIPLE DX	139	12.5	217	2	3	8	13	25	36	97
TOTAL										
0-19 YRS	27	12.8	365	2	4	7	11	30	45	98
20-34	55	7.6	28	1	2	7	9	17	20	20
35-49	28	9.5	70	3	3	7	10	21	27	41
50-64	35	17.7	400	3	4	12	19	35	67	97
65 +	46	10.1	81	1	4	8	12	21	30	99 +
GRAND TOTAL	191	11.1	171	2	3	8	12	22	33	98

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	5.4	10	2	2	4	7	10	12	17
20-34	326	5.1	10	2	2	4	6	9	11	17
35-49	98	5.8	18	2	2	5	7	10	12	29
50-64	51	7.8	29	3	3	7	9	14	21	31
65 +	38	10.6	56	2	4	9	13	17	29	37
2. MULTIPLE DX										
0-19 YRS	202	16.5	359	3	4	9	19	47	65	99
20-34	331	8.5	59	3	3	6	10	16	22	39
35-49	247	10.8	90	2	3	8	14	21	26	40
50-64	415	10.8	75	3	4	8	13	20	28	54
65 +	648	12.1	71	3	4	10	16	23	30	45
TOTAL SINGLE DX	628	5.8	18	2	2	5	7	11	13	22
TOTAL MULTIPLE DX	1843	11.4	109	3	4	8	14	22	32	63
TOTAL										
0-19 YRS	317	12.4	261	2	3	7	13	31	53	95
20-34	657	6.8	38	2	3	5	8	12	17	34
35-49	345	9.2	74	2	3	7	11	19	24	40
50-64	466	10.5	72	3	4	8	13	20	27	51
65 +	686	12.0	71	3	4	10	16	23	30	44
GRAND TOTAL	2471	10.0	91	2	3	7	12	20	28	55

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	5.7	5	< 1	3	6	7	8	9	14
20-34	40	5.0	15	1	1	4	7	10	13	16
35-49	49	4.9	11	1	1	4	8	10	11	15
50-64	46	5.7	24	1	1	5	8	14	16	20
65 +	26	7.5	38	1	2	5	10	17	20	26
2. MULTIPLE DX										
0-19 YRS	50	12.1	130	3	4	8	15	22	39	63
20-34	94	9.3	95	1	2	7	11	19	23	63
35-49	126	10.7	134	1	2	8	13	20	35	94
50-64	265	10.0	69	1	2	8	13	21	26	41
65 +	366	12.8	138	2	3	10	15	28	38	66
TOTAL SINGLE DX	288	5.6	14	1	1	5	7	10	13	18
TOTAL MULTIPLE DX	901	11.3	114	1	2	8	14	22	33	59
TOTAL										
0-19 YRS	177	7.5	49	2	3	6	8	14	18	[illegible]
20-34	134	8.0	76	1	1	6	9	17	19	[illegible]
35-49	175	9.1	107	1	2	7	11	17	25	81
50-64	311	9.4	65	1	2	7	12	20	25	41
65 +	392	12.5	134	2	3	9	15	27	35	64
GRAND TOTAL	1189	9.9	96	1	2	7	12	20	28	55

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223	7.2	10	2	4	7	9	11	13	18
20-34	15	9.9	24	6	6	9	11	13	23	26
35-49	31	10.2	15	6	7	9	11	16	18	23
50-64	36	9.2	7	4	7	9	10	12	14	16
65 +	12	9.4	47	2	3	8	10	18	27	29
2. MULTIPLE DX										
0-19 YRS	580	13.1	120	5	6	10	15	25	35	71
20-34	54	17.0	207	7	7	12	21	31	44	89
35-49	119	17.3	247	7	8	11	18	34	60	96
50-64	278	17.7	177	8	8	13	20	34	52	71
65 +	356	16.0	103	5	8	14	19	26	37	68
TOTAL SINGLE DX	317	7.9	14	2	4	8	9	12	14	23
TOTAL MULTIPLE DX	1387	15.3	145	5	7	12	17	28	40	72
TOTAL										
0-19 YRS	803	11.5	97	4	5	9	13	21	30	68
20-34	69	15.4	175	6	7	11	20	28	40	83
35-49	150	15.8	208	7	8	11	17	30	52	94
50-64	314	16.7	165	8	8	12	18	33	49	69
65 +	368	15.8	103	5	7	13	19	26	36	67
GRAND TOTAL	1704	13.9	129	4	6	10	16	26	37	70

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	2	8.0		8	8	8	8	8	8	8
35-49	59	9.3	7	6	7	8	11	13	14	22
50-64	116	9.9	13	6	7	9	11	13	16	29
65 +	54	10.8	10	7	8	10	12	16	17	22
2. MULTIPLE DX										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	14	12.1	27	6	7	11	14	20	22	23
35-49	521	11.7	34	7	7	10	13	18	23	35
50-64	1886	12.3	39	7	8	11	14	19	23	41
65 +	1816	14.8	68	8	8	13	17	23	29	60
TOTAL SINGLE DX	231	9.9	11	7	7	9	11	14	16	24
TOTAL MULTIPLE DX	4239	13.3	53	7	8	11	15	21	26	44
TOTAL										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	16	11.6	25	6	7	10	13	20	22	23
35-49	580	11.4	32	7	7	10	13	18	22	35
50-64	2002	12.1	38	7	7	10	14	18	23	39
65 +	1870	14.8	67	8	8	13	17	23	29	59
GRAND TOTAL	4470	13.1	51	7	8	11	15	21	26	44

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	373	2.0	4	< 1	1	2	2	2	5	15
20-34	106	2.8	8	1	1	2	3	6	7	16
35-49	708	2.8	7	1	1	2	3	6	8	13
50-64	1117	2.6	7	< 1	1	2	3	6	8	14
65 +	413	2.9	11	1	1	2	3	7	11	17
2. MULTIPLE DX										
0-19 YRS	937	3.0	34	1	1	2	2	5	10	25
20-34	324	4.8	22	1	1	3	6	10	14	25
35-49	3118	4.0	13	1	1	3	6	9	11	18
50-64	6974	4.3	18	1	1	3	6	9	12	20
65 +	5586	5.6	30	1	1	4	8	12	16	26
TOTAL SINGLE DX	2717	2.6	8	1	1	2	3	6	8	14
TOTAL MULTIPLE DX	16939	4.6	23	1	1	3	6	10	13	22
TOTAL										
0-19 YRS	1310	2.7	26	1	1	2	2	5	9	21
20-34	430	4.3	20	1	1	2	6	9	14	22
35-49	3826	3.8	12	1	1	2	5	8	10	16
50-64	8091	4.0	18	1	1	2	5	9	12	19
65 +	5999	5.5	29	1	1	4	7	12	15	26
GRAND TOTAL	19656	4.3	21	1	1	2	6	10	13	21

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	3.5	4	1	2	3	4	7	8	9
20-34	7	5.1	13	1	1	5	7	11	12	12
35-49	21	5.9	17	< 1	1	5	8	13	15	16
50-64	51	4.2	9	1	1	4	6	9	11	13
65 +	199	3.9	12	1	1	3	4	7	11	20
2. MULTIPLE DX										
0-19 YRS	57	5.8	41	1	2	3	6	11	21	38
20-34	22	9.2	110	1	2	6	10	21	35	48
35-49	76	8.0	36	1	2	7	11	14	16	35
50-64	409	8.7	50	2	2	7	11	16	21	37
65 +	2866	8.9	54	2	3	7	11	17	22	38
TOTAL SINGLE DX	295	4.1	12	1	1	3	5	9	12	18
TOTAL MULTIPLE DX	3430	8.8	54	2	3	7	11	17	22	38
TOTAL										
0-19 YRS	74	5.2	34	1	2	3	6	9	18	35
20-34	29	8.2	89	1	2	6	8	17	28	48
35-49	97	7.6	33	1	2	6	11	14	16	32
50-64	460	8.2	48	1	2	6	11	16	20	36
65 +	3065	8.6	54	2	2	7	11	16	21	38
GRAND TOTAL	3725	8.4	53	2	2	7	11	16	21	38

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	4.2	6	1	1	4	6	8	8	9
20-34	11	6.8	19	1	1	8	9	13	14	14
35-49	90	5.2	10	2	2	4	[illegible]	10	12	17
50-64	157	4.0	8	2	2	3	[illegible]	8	11	15
65 +	60	4.9	14	2	2	4	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	81	13.0	237	1	2	8	15	28	35	90
20-34	75	8.0	29	2	3	7	12	15	19	26
35-49	738	6.0	21	2	2	5	8	11	14	25
50-64	1525	6.2	23	2	2	5	8	11	15	21
65 +	1091	7.5	39	2	2	6	9	14	19	27
TOTAL SINGLE DX	346	4.6	11	2	2	3	6	9	12	16
TOTAL MULTIPLE DX	3510	6.8	35	2	2	5	8	12	16	27
TOTAL										
0-19 YRS	109	10.7	192	1	2	7	12	24	30	89
20-34	86	7.9	29	2	2	7	11	15	19	25
35-49	828	5.9	20	2	2	5	8	11	13	24
50-64	1682	6.0	23	2	2	5	8	11	14	21
65 +	1151	7.4	39	2	2	6	9	14	19	27
GRAND TOTAL	3856	6.6	33	2	2	5	8	12	16	26

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223	2.6	6	< 1	< 1	2	3	6	8	13
20-34	46	4.1	13	< 1	1	3	5	[illegible]	12	17
35-49	65	3.8	15	< 1	1	3	5	9	11	22
50-64	82	3.2	10	1	1	2	4	8	11	15
65 +	61	3.7	18	< 1	< 1	2	5	10	12	22
2. MULTIPLE DX										
0-19 YRS	384	7.6	104	1	1	4	9	18	26	98
20-34	136	9.8	104	1	1	7	12	21	28	57
35-49	286	9.8	67	1	2	7	14	21	28	44
50-64	572	8.9	70	1	2	7	11	18	25	42
65 +	1542	11.1	88	2	3	9	14	23	30	50
TOTAL SINGLE DX	477	3.2	11	< 1	1	2	4	7	11	16
TOTAL MULTIPLE DX	2920	10.0	87	1	2	8	13	21	28	50
TOTAL										
0-19 YRS	607	5.7	74	1	1	3	7	14	22	70
20-34	182	8.4	88	1	1	6	11	18	25	46
35-49	351	8.7	63	1	1	6	12	19	27	43
50-64	654	8.2	67	1	1	6	11	17	23	41
65 +	1603	10.9	87	1	2	9	14	22	29	49
GRAND TOTAL	3397	9.1	82	1	1	7	12	20	27	47

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.4	2	<1	<1	3	3	4	4	4
20-34	125	2.6	2	1	1	2	3	4	5	9
35-49	206	2.8	6	1	1	2	3	5	7	13
50-64	135	2.6	5	1	1	2	3	4	6	12
65 +	31	3.9	10	1	1	3	5	7	12	16
2. MULTIPLE DX										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	28	3.1	4	1	1	3	4	4	8	10
35-49	86	4.0	12	1	1	3	4	6	11	22
50-64	97	5.0	21	1	1	4	6	11	16	23
65 +	70	6.1	40	1	1	4	8	15	21	29
TOTAL SINGLE DX	502	2.7	5	1	1	2	3	5	6	13
TOTAL MULTIPLE DX	285	4.8	22	1	1	3	5	10	15	26
TOTAL										
0-19 YRS	9	3.0	3	<1	<1	3	4	5	6	6
20-34	153	2.7	3	1	1	2	3	4	6	10
35-49	292	3.1	8	1	1	2	4	6	7	[illegible]
50-64	232	3.6	13	1	1	3	4	7	11	[illegible]
65 +	101	5.4	32	1	1	4	6	13	19	28
GRAND TOTAL	**787**	**3.5**	**13**	**1**	**1**	**3**	**4**	**6**	**10**	**20**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	7.5	13	2	3	7	10	13	14	15
20-34	6	5.8	20	<1	<1	5	10	12	12	12
35-49	44	7.7	21	1	2	8	10	10	13	29
50-64	117	7.6	25	1	2	7	9	12	15	31
65 +	115	8.4	15	2	3	8	11	13	14	21
2. MULTIPLE DX										
0-19 YRS	158	11.4	82	3	4	8	13	23	32	48
20-34	136	11.1	129	1	2	8	15	22	33	69
35-49	320	10.7	83	1	2	9	13	20	27	57
50-64	1075	12.0	105	2	4	10	14	22	32	57
65 +	1738	14.6	126	3	5	11	18	27	36	61
TOTAL SINGLE DX	324	7.9	20	1	2	8	10	12	14	27
TOTAL MULTIPLE DX	3427	13.2	116	2	4	10	16	25	35	59
TOTAL										
0-19 YRS	200	10.6	70	3	4	8	12	21	27	44
20-34	142	10.9	126	1	2	8	15	21	32	69
35-49	364	10.3	77	1	2	9	12	20	26	54
50-64	1192	11.6	99	2	3	9	14	21	31	56
65 +	1853	14.2	122	3	5	11	17	26	35	60
GRAND TOTAL	**3751**	**12.7**	**110**	**2**	**4**	**10**	**15**	**24**	**33**	**58**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9	11.3	27	6	6	11	14	20	22	22
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	14.3	10	12	12	13	17	18	18	18
65 +	3	9.3		9	9	9	10	10	10	10
TOTAL SINGLE DX	2	11.5	13	9	9	11	14	14	14	14
TOTAL MULTIPLE DX	16	11.4	19	6	7	10	13	18	21	22
TOTAL										
0-19 YRS	10	11.6	25	6	6	11	14	19	22	22
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	4	13.0	14	9	9	12	15	18	18	18
65 +	3	9.3		9	9	9	10	10	10	10
GRAND TOTAL	**18**	**11.4**	**18**	**6**	**7**	**10**	**14**	**17**	**20**	**22**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	12.4	576	1	1	2	10	55	66	66
[illegible]4	3	1.7		1	1	2	2	2	2	2
[illegible]9	1	5.0		5	5	5	5	5	5	5
[illegible] 64	11	4.1	15	<1	1	3	4	10	15	15
[illegible] +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	45	5.5	36	1	2	4	6	11	15	38
20-34	262	4.8	27	1	1	3	5	9	14	24
35-49	450	5.7	44	1	2	4	7	11	15	37
50-64	701	6.2	32	1	2	4	8	12	17	33
65 +	835	7.3	59	2	2	5	9	14	20	39
TOTAL [illegible] DX	23[illegible]	6.6	182	<1	1	3	5	13	33	66
TOTAL [illegible] DX	2293	6.3	45	1	2	4	8	13	17	37
TOTAL										
0-19 [illegible]	52	6.4	105	1	1	4	6	13	16	65
20-34	265	4.7	27	1	1	3	5	9	14	24
35-49	451	5.7	45	1	2	4	7	11	15	37
50-64	712	6.1	33	1	2	4	8	12	16	33
65 +	836	7.4	59	2	2	5	9	14	20	39
GRAND TOTAL	**2316**	**6.3**	**46**	**1**	**2**	**4**	**8**	**13**	**17**	**37**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	256	5.0	18	1	1	4	6	8	12	27
20-34	104	5.9	44	1	1	4	7	11	14	45
35-49	134	5.9	45	1	1	4	7	13	21	31
50-64	297	6.3	29	1	1	5	8	11	14	26
65 +	398	7.1	31	2	2	6	9	12	15	32
2. MULTIPLE DX										
0-19 YRS	1660	18.4	374	2	3	11	25	54	77	99 +
20-34	452	9.5	130	1	2	6	11	21	31	79
35-49	774	9.6	105	1	2	6	12	20	29	58
50-64	2182	9.7	96	2	2	7	12	20	27	62
65 +	4102	11.2	98	2	3	9	14	22	30	57
TOTAL SINGLE DX	1189	6.2	32	1	1	5	8	12	15	28
TOTAL MULTIPLE DX	9170	11.9	160	2	3	8	14	26	40	88
TOTAL										
0-19 YRS	1916	16.6	348	2	3	9	22	49	73	99 +
20-34	556	8.8	117	1	1	5	11	19	29	64
35-49	908	9.0	98	1	1	6	11	19	27	55
50-64	2479	9.2	89	1	2	7	11	18	26	58
65 +	4500	10.8	94	2	3	8	13	21	29	55
GRAND TOTAL	**10359**	**11.2**	**149**	**2**	**2**	**8**	**13**	**24**	**37**	**84**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	3.5	11	<1	<1	2	4	9	11	20
20-34	68	3.1	7	<1	<1	2	4	8	10	12
35-49	72	3.4	8	<1	1	2	4	7	10	15
50-64	81	4.0	12	<1	<1	3	5	9	12	16
65 +	55	4.9	25	<1	<1	3	6	12	17	24
2. MULTIPLE DX										
0-19 YRS	97	8.7	156	<1	1	5	10	16	26	74
20-34	112	7.4	53	1	1	5	9	17	25	36
35-49	143	8.0	83	1	1	5	10	18	28	52
50-64	273	8.5	73	1	1	6	11	17	26	43
65 +	353	8.9	56	1	2	7	12	18	23	36
TOTAL SINGLE DX	440	3.7	13	<1	<1	3	4	9	11	18
TOTAL MULTIPLE DX	978	8.5	75	1	1	6	11	18	25	43
TOTAL										
0-19 YRS	261	5.4	71	<1	<1	3	7	11	15	71
20-34	180	5.8	40	<1	1	4	7	12	18	32
35-49	215	6.5	63	1	1	4	7	15	22	44
50-64	354	7.5	63	1	1	5	9	15	24	42
65 +	408	8.4	54	1	1	6	11	18	23	35
GRAND TOTAL	**1418**	**7.0**	**60**	**<1**	**1**	**5**	**9**	**15**	**22**	**40**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.6	46	2	2	3	8	18	21	21
20-34	13	4.1	7	1	1	3	7	8	9	9
35-49	33	4.8	10	1	2	4	6	10	12	14
50-64	54	7.0	28	1	2	6	8	13	17	30
65 +	41	6.1	12	2	2	5	7	11	14	17
2. MULTIPLE DX										
0-19 YRS	8	4.6	11	1	1	4	7	9	10	10
20-34	26	7.0	11	2	3	7	9	12	13	15
35-49	43	7.3	61	2	2	5	8	11	30	38
50-64	134	7.5	50	1	3	5	8	14	20	40
65 +	179	8.0	39	2	3	6	10	14	17	34
TOTAL SINGLE DX	148	6.0	19	1	2	5	7	11	14	21
TOTAL MULTIPLE DX	390	7.6	43	2	3	6	9	14	18	37
TOTAL										
0-19 YRS	15	5.5	26	1	1	3	7	10	18	21
20-34	39	6.0	12	1	2	6	8	10	13	15
35-49	76	6.2	40	1	2	5	7	10	15	37
50-64	188	7.3	44	1	2	5	8	14	20	36
65 +	220	7.6	35	2	3	6	9	14	17	29
GRAND TOTAL	**538**	**7.1**	**37**	**2**	**2**	**6**	**8**	**13**	**17**	**34**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	0									
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	6.7	30	3	3	4	11	13	13	13
65 +	2	25.5	313	13	13	25	38	38	38	38
TOTAL SINGLE DX	3	9.7	5	7	7	11	11	11	11	11
TOTAL MULTIPLE DX	9	13.1	112	3	3	11	15	30	38	38
TOTAL										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	3	12.3	37	7	7	11	17	19	19	19
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	6.7	30	3	3	4	11	13	13	13
65 +	3	20.7	226	11	11	13	32	38	38	38
GRAND TOTAL	**12**	**12.3**	**85**	**3**	**4**	**11**	**13**	**25**	**38**	**38**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	34.4	36	25	25	35	39	40	40	40
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9	40.7	91	29	31	36	47	56	58	58
20-34	6	37.8	59	31	31	35	43	50	51	51
35-49	4	29.0	1016	1	1	27	56	60	60	60
50-64	0									
65 +	0									
TOTAL SINGLE DX	6	29.2	193	3	5	34	39	40	40	40
TOTAL MULTIPLE DX	19	37.3	248	1	13	36	49	56	59	60
TOTAL										
0-19 YRS	14	38.4	77	26	29	36	40	53	57	58
20-34	7	32.9	223	3	9	34	41	49	51	51
35-49	4	29.0	1017	1	1	27	56	60	60	60
50-64	0									
65 +	0									
GRAND TOTAL	25	35.4	238	2	3	36	43	53	58	60

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	309	5.8	40	1	1	5	7	11	17	31
20-34	100	5.9	18	2	2	5	7	11	13	26
35-49	70	6.3	27	1	2	5	7	11	15	32
50-64	60	6.1	16	1	2	6	8	11	14	22
65 +	65	7.2	49	1	2	5	9	17	21	40
2. MULTIPLE DX										
0-19 YRS	468	9.9	98	2	2	7	12	21	29	57
20-34	307	11.9	162	2	3	8	14	25	36	89
35-49	358	11.8	136	2	3	8	14	25	34	64
50-64	631	11.6	100	2	3	9	15	24	32	51
65 +	1539	11.4	102	3	3	9	14	22	29	56
TOTAL SINGLE DX	604	6.1	34	1	2	5	7	11	16	29
TOTAL MULTIPLE DX	3303	11.3	111	2	3	8	14	23	30	56
TOTAL										
0-19 YRS	777	8.3	79	1	2	6	10	17	27	50
20-34	407	10.4	134	2	3	7	11	21	31	76
35-49	428	10.9	123	2	3	8	12	22	33	62
50-64	691	11.1	95	2	3	9	14	23	31	51
65 +	1604	11.3	101	2	3	9	14	22	28	55
GRAND TOTAL	3907	10.5	102	2	3	8	12	21	29	55

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12[illegible]	7.4	67	1	1	5	10	17	24	40
20-34	32	9.4	51	2	3	8	12	20	21	37
35-49	35	5.7	22	<1	1	5	8	12	14	20
50-64	20	7.5	133	<1	1	4	8	14	35	53
65 +	18	10.6	121	1	2	7	12	25	37	44
2. MULTIPLE DX										
0-19 YRS	440	18.3	310	1	3	12	27	45	66	99 +
20-34	289	12.6	135	1	2	9	17	29	37	77
35-49	469	12.6	132	1	2	9	16	29	37	58
50-64	708	12.6	158	2	2	9	16	28	39	69
65 +	944	15.3	165	2	4	12	20	32	41	66
TOTAL SINGLE DX	227	7.7	69	1	1	5	10	17	23	46
TOTAL MULTIPLE DX	2850	14.4	182	2	3	10	19	33	42	81
TOTAL										
0-19 YRS	562	15.9	278	1	2	10	23	42	60	99 +
20-34	321	12.3	128	1	2	9	16	29	37	75
35-49	504	12.1	128	1	2	9	16	28	36	54
50-64	728	12.4	158	1	2	9	16	28	39	68
65 +	962	15.2	165	2	3	11	20	32	41	66
GRAND TOTAL	3077	13.9	175	1	2	10	18	32	42	80

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	2.8	11	<1	1	2	3	6	10	20
20-34	17	3.9	5	1	1	4	6	7	8	8
35-49	34	3.5	8	1	1	2	5	7	9	14
50-64	38	6.6	96	<1	1	4	8	13	19	58
65 +	32	3.9	14	<1	<1	2	6	11	11	12
2. MULTIPLE DX										
0-19 YRS	139	7.2	100	1	1	3	8	18	30	49
20-34	107	6.1	32	<1	1	4	9	14	17	30
35-49	210	7.7	70	<1	1	6	9	15	20	46
50-64	383	8.2	79	1	2	5	10	20	28	53
65 +	705	9.9	98	2	2	7	12	21	26	50
TOTAL SINGLE DX	191	4.0	29	<1	<1	2	5	8	12	21
TOTAL MULTIPLE DX	1544	8.7	87	1	1	6	11	19	26	47
TOTAL										
0-19 YRS	209	5.7	75	<1	1	2	6	14	27	42
20-34	124	5.8	30	<1	1	4	8	14	17	29
35-49	244	7.1	64	<1	1	5	9	14	19	37
50-64	421	8.1	81	1	1	5	9	19	27	57
65 +	737	9.6	96	1	2	7	12	20	26	48
GRAND TOTAL	1735	8.2	83	1	1	6	10	18	25	45

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	483	3.0	1	2	2	3	3	4	5	7
20-34	3	6.0	3	4	4	7	7	7	7	7
35-49	3	7.3	24	4	4	5	11	13	13	13
50-64	0									
65 +	2	11.5	5	10	10	11	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	140	4.3	5	2	2	4	5	7	9	18
20-34	5	6.8	11	3	3	6	9	12	12	12
35-49	7	12.3	24	7	7	12	15	20	21	21
50-64	10	17.3	182	9	9	11	18	41	49	49
65 +	22	16.2	73	6	7	14	23	32	60	99 +
TOTAL SINGLE DX	491	3.1	2	2	2	3	3	5	5	8
TOTAL MULTIPLE DX	184	6.8	46	2	3	4	8	14	20	45
TOTAL										
0-19 YRS	623	3.3	3	2	2	3	4	5	6	9
20-34	8	6.5	8	3	3	6	8	11	12	12
35-49	10	10.8	28	4	4	10	13	18	21	21
50-64	10	17.3	183	9	9	11	18	41	49	49
65 +	24	15.8	69	6	7	14	21	31	53	99 +
GRAND TOTAL	675	4.1	16	2	2	3	4	6	11	25

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	9.4	46	2	3	7	15	20	20	20
20-34	0									
35-49	8	21.5	565	3	4	14	23	63	77	77
50-64	8	6.6	64	1	1	4	8	20	25	25
65 +	18	13.0	217	< 1	1	7	23	33	47	55
2. MULTIPLE DX										
0-19 YRS	103	17.2	299	2	3	12	24	43	67	99 +
20-34	24	17.7	462	2	2	13	32	98	99 +	99 +
35-49	40	16.8	231	3	4	12	23	37	54	68
50-64	122	20.1	310	2	3	16	26	52	69	99 +
65 +	862	20.2	304	3	5	15	27	46	62	99 +
TOTAL SINGLE DX	41	12.8	235	1	1	8	18	29	43	77
TOTAL MULTIPLE DX	1151	19.7	305	3	4	15	27	46	64	99 +
TOTAL										
0-19 YRS	110	16.7	287	2	3	11	23	41	65	99 +
20-34	24	17.7	462	2	2	13	32	98	99 +	99 +
35-49	48	17.6	279	3	3	12	23	38	60	77
50-64	130	19.2	305	2	3	15	25	52	68	99 +
65 +	880	20.0	304	3	4	15	27	45	61	99 +
GRAND TOTAL	1192	19.5	304	3	4	15	26	46	64	99 +

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.9	38	< 1	1	3	5	12	22	25
20-34	18	4.5	8	1	2	4	6	8	11	13
35-49	43	4.7	5	1	2	4	6	9	9	9
50-64	39	5.1	7	< 1	1	5	7	9	9	14
65 +	35	5.2	11	< 1	1	4	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	28	8.6	75	1	2	6	11	20	32	37
20-34	128	5.9	15	2	2	5	8	11	13	20
35-49	273	6.9	39	2	2	5	8	13	17	32
50-64	466	7.2	43	2	2	6	8	12	18	44
65 +	1070	8.7	42	2	3	7	11	16	21	35
TOTAL SINGLE DX	150	4.9	11	< 1	1	4	6	9	11	14
TOTAL MULTIPLE DX	1965	7.9	42	2	3	6	10	15	20	35
TOTAL										
0-19 YRS	43	7.3	64	1	1	4	7	19	27	37
20-34	146	5.7	15	1	2	5	7	10	13	18
35-49	316	6.6	35	1	2	5	8	12	16	31
50-64	505	7.0	41	2	2	6	8	12	17	43
65 +	1105	8.6	42	2	3	7	11	16	21	35
GRAND TOTAL	2115	7.7	40	2	3	6	9	15	20	35

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	18	8.3	7	4	5	9	10	12	12	12
35-49	41	9.0	10	5	6	9	10	13	16	20
50-64	50	11.2	35	5	6	10	13	16	21	34
65 +	31	12.8	68	7	7	10	13	24	32	43
2. MULTIPLE DX										
0-19 YRS	3	15.7	20	11	11	16	19	20	20	20
20-34	40	9.6	37	4	5	8	10	18	24	32
35-49	127	12.9	93	6	6	9	14	24	30	52
50-64	182	16.2	149	7	8	13	18	28	41	85
65 +	343	17.9	115	8	8	15	22	30	41	54
TOTAL SINGLE DX	141	10.5	33	5	6	9	11	16	21	35
TOTAL MULTIPLE DX	695	16.0	121	6	7	13	19	28	38	63
TOTAL										
0-19 YRS	4	14.0	25	9	9	13	18	20	20	20
20-34	58	9.2	28	4	5	8	10	14	20	32
35-49	168	12.0	76	6	6	9	13	22	27	43
50-64	232	15.1	129	7	7	12	17	27	37	80
65 +	374	17.4	114	7	8	14	22	30	41	54
GRAND TOTAL	836	15.1	111	6	7	12	18	27	36	58

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	11.6	12	6	6	12	14	15	15	15
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	0									
35-49	17	20.0	166	7	10	17	21	35	52	61
50-64	42	22.7	264	8	9	16	28	49	54	79
65 +	47	22.7	204	10	11	18	28	34	60	79
TOTAL SINGLE DX	5	11.6	12	6	6	12	14	15	15	15
TOTAL MULTIPLE DX	108	22.0	219	8	10	17	27	44	59	79
TOTAL										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	0									
35-49	17	20.0	167	7	10	17	21	35	52	61
50-64	47	21.5	249	8	8	15	25	47	52	79
65 +	47	22.7	[illegible]	10	11	18	28	34	60	79
GRAND TOTAL	113	21.5	214	8	10	16	26	43	58	79

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	6.7	4	5	5	6	8	9	9	9
20-34	21	9.0	15	4	4	8	12	15	15	16
35-49	42	8.4	13	4	5	7	10	14	15	19
50-64	30	10.1	16	5	5	10	13	16	16	18
65 +	11	11.0	15	7	8	10	12	17	21	21
2. MULTIPLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	28	10.5	36	5	6	9	11	20	23	32
35-49	78	12.4	128	5	6	9	12	20	28	76
50-64	86	13.0	41	6	6	11	16	23	28	33
65 +	105	17.7	106	8	9	15	21	32	37	55
TOTAL SINGLE DX	107	9.2	15	5	5	8	12	15	16	20
TOTAL MULTIPLE DX	299	14.2	93	6	7	11	16	26	32	56
TOTAL										
0-19 YRS	5	7.0	4	5	5	6	9	9	9	9
20-34	49	9.9	27	4	5	9	12	15	22	32
35-49	120	11.0	91	5	5	8	12	18	21	69
50-64	116	12.3	37	6	6	11	15	21	24	32
65 +	116	17.1	101	8	9	14	20	32	35	54
GRAND TOTAL	406	12.9	77	5	6	10	15	22	30	51

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	7.8	39	2	4	7	8	11	21	39
20-34	179	6.5	43	1	3	6	7	8	11	35
35-49	158	6.5	6	2	4	6	7	9	12	15
50-64	66	8.0	5	5	6	8	9	10	13	17
65 +	41	10.6	33	4	5	9	13	17	23	31
2. MULTIPLE DX										
0-19 YRS	310	16.6	216	4	5	11	23	36	57	99 +
20-34	316	7.1	27	2	4	6	7	10	16	38
35-49	479	9.0	51	4	5	7	9	16	24	46
50-64	344	12.6	131	4	6	9	14	22	30	77
65 +	450	16.8	149	5	7	13	20	32	46	78
TOTAL SINGLE DX	529	7.2	27	2	4	7	8	10	14	26
TOTAL MULTIPLE DX	1899	12.4	127	4	5	9	14	26	35	75
TOTAL										
0-19 YRS	395	14.7	192	3	4	10	19	35	48	99 +
20-34	495	6.9	34	2	4	6	7	10	13	39
35-49	637	8.4	42	3	4	7	9	13	21	39
50-64	410	11.8	114	5	6	9	13	20	26	74
65 +	491	16.3	143	5	7	12	19	30	43	74
GRAND TOTAL	2428	11.3	110	4	5	8	13	23	33	68

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	78	3.8	7	1	1	3	5	7	10	15
20-34	62	4.5	8	<1	<1	4	6	8	10	15
35-49	76	4.9	13	<1	<1	4	7	8	12	19
50-64	106	3.6	12	<1	<1	2	5	8	10	17
65+	102	2.9	12	<1	<1	1	4	8	9	19
2. MULTIPLE DX										
0-19 YRS	155	6.9	94	1	1	5	8	13	21	86
20-34	221	6.5	28	2	2	5	8	11	16	31
35-49	375	6.4	37	1	2	5	7	11	17	35
50-64	627	7.1	44	1	2	5	9	14	18	35
65+	1491	8.5	56	1	2	7	11	16	23	39
TOTAL SINGLE DX	424	3.8	11	<1	<1	3	5	8	10	17
TOTAL MULTIPLE DX	2869	7.7	52	1	2	6	9	15	21	39
TOTAL										
0-19 YRS	233	5.8	68	1	1	4	6	11	18	52
20-34	283	6.1	24	1	2	5	7	11	15	28
35-49	451	6.1	33	<1	1	5	7	11	16	31
50-64	733	6.6	42	<1	1	5	8	13	17	34
65+	593	8.2	55	<1	1	6	10	16	22	38
GRAND TOTAL	3293	7.2	48	1	1	6	9	14	19	37

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	8.1	7	5	6	7	10	12	14	15
20-34	15	10.9	23	6	7	9	16	17	20	21
35-49	22	9.9	27	5	5	8	12	16	23	24
50-64	23	12.2	91	5	6	10	12	19	33	51
65+	21	10.2	21	5	6	9	12	16	21	23
2. MULTIPLE DX										
0-19 YRS	60	23.3	756	5	6	11	32	96	99+	99+
20-34	87	12.2	73	5	6	9	15	23	31	49
35-49	124	14.3	170	6	6	10	15	29	41	79
50-64	157	19.0	212	6	8	14	23	41	52	98
65+	385	19.0	153	7	8	15	23	35	44	71
TOTAL SINGLE DX	96	10.4	38	5	6	9	12	17	22	39
TOTAL MULTIPLE DX	813	17.9	211	6	7	13	21	35	52	99+
TOTAL										
0-19 YRS	75	20.2	642	5	6	10	25	92	99+	99+
20-34	102	12.0	66	5	6	9	15	22	29	46
35-49	146	13.7	151	6	6	10	14	25	35	76
50-64	180	18.1	201	6	7	13	21	39	51	94
65+	406	18.6	151	7	8	15	23	35	43	70
GRAND TOTAL	909	17.1	198	6	7	12	20	34	50	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	12.4	75	5	6	10	14	27	32	41
20-34	59	9.8	15	5	6	9	12	15	18	23
35-49	107	10.4	26	6	6	9	12	16	20	34
50-64	239	9.8	22	5	7	9	11	14	15	30
65+	247	10.6	34	6	7	10	11	15	17	38
2. MULTIPLE DX										
0-19 YRS	84	20.5	289	5	6	12	32	53	65	99+
20-34	157	12.1	62	6	6	10	14	21	25	50
35-49	423	13.3	82	6	7	11	15	21	28	53
50-64	1061	12.7	66	7	7	10	14	20	27	51
65+	2870	14.8	73	7	8	12	17	25	31	47
TOTAL SINGLE DX	679	10.3	29	6	7	9	11	15	17	33
TOTAL MULTIPLE DX	4595	14.2	78	7	8	12	16	24	31	53
TOTAL										
0-19 YRS	111	18.5	248	5	6	11	28	46	54	99+
20-34	216	11.5	50	6	6	9	13	20	23	49
35-49	530	12.7	72	6	7	10	14	20	27	51
50-64	1300	12.2	60	6	7	10	13	18	25	49
65+	3117	14.5	72	7	8	12	17	24	31	47
GRAND TOTAL	5274	13.7	73	7	7	11	15	22	30	51

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	9.9	77	3	4	7	8	26	31	31
20-34	3	11.3	17	8	8	10	14	16	16	16
35-49	7	12.3	51	7	7	9	15	25	27	27
50-64	7	7.3	2	5	5	7	9	9	9	9
65+	10	8.9	13	6	6	8	9	15	18	18
2. MULTIPLE DX										
0-19 YRS	29	20.8	639	4	4	9	24	67	86	91
20-34	14	14.1	138	3	4	10	15	35	40	42
35-49	27	15.6	151	2	4	13	19	26	41	63
50-64	49	16.5	214	6	7	11	18	34	41	93
65+	158	16.8	127	7	8	14	20	28	35	88
TOTAL SINGLE DX	38	9.7	37	4	5	8	9	17	25	31
TOTAL MULTIPLE DX	277	16.9	197	5	7	13	20	30	42	91
TOTAL										
0-19 YRS	40	17.8	503	4	4	8	19	52	79	91
20-34	17	13.6	116	3	4	10	15	32	39	42
35-49	34	14.9	130	2	6	12	18	27	35	63
50-64	56	15.3	197	6	6	10	16	32	40	90
65+	168	16.3	124	7	8	14	20	27	35	85
GRAND TOTAL	315	16.0	183	5	6	12	19	29	40	90

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	6.2	12	2	3	6	8	10	12	27
20-34	67	7.8	10	4	4	7	9	12	13	19
35-49	60	7.7	8	3	4	7	9	11	13	17
50-64	65	8.3	61	2	3	8	9	11	14	58
65 +	55	9.9	40	2	3	8	12	17	21	40
2. MULTIPLE DX										
0-19 YRS	242	12.0	145	3	4	8	13	28	42	99 +
20-34	162	9.8	45	4	5	8	10	17	24	36
35-49	207	11.1	81	4	5	9	11	20	25	59
50-64	220	12.7	101	5	6	10	14	22	30	80
65 +	460	13.3	91	4	6	10	16	23	32	50
TOTAL SINGLE DX	403	7.6	25	2	3	7	9	12	15	24
TOTAL MULTIPLE DX	1291	12.2	97	4	5	9	14	23	31	63
TOTAL										
0-19 YRS	398	9.8	102	3	3	7	10	19	31	99 +
20-34	229	9.2	36	4	5	8	10	15	21	36
35-49	267	10.3	67	4	5	9	11	16	23	54
50-64	285	11.7	95	4	5	9	13	21	26	72
65 +	515	12.9	87	4	5	10	15	23	32	47
GRAND TOTAL	1694	11.1	84	3	4	9	12	20	30	61

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	9.5	17	4	5	8	13	16	18	19
20-34	4	7.3	4	5	5	7	9	10	10	10
35-49	8	8.5	27	2	3	9	10	16	19	19
50-64	9	8.3	13	1	3	9	10	13	14	14
65 +	13	15.2	109	4	6	11	20	35	37	37
2. MULTIPLE DX										
0-19 YRS	29	15.9	163	5	6	9	23	41	50	99 +
20-34	35	17.9	337	6	6	11	19	51	80	99 +
35-49	41	18.7	297	6	7	13	19	41	61	84
50-64	86	15.3	127	6	7	11	18	27	36	69
65 +	247	18.0	135	6	7	15	22	36	42	61
TOTAL SINGLE DX	56	10.3	44	4	5	9	12	19	21	37
TOTAL MULTIPLE DX	438	17.4	167	6	7	14	21	38	45	84
TOTAL										
0-19 YRS	51	13.2	109	5	5	9	17	32	43	99
20-34	39	16.8	313	5	6	10	17	48	75	99 +
35-49	49	17.0	266	4	6	10	18	40	58	84
50-64	95	14.6	121	6	7	11	17	26	34	66
65 +	260	17.8	135	5	7	15	22	35	42	61
GRAND TOTAL	494	16.6	158	5	6	13	21	34	44	82

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2984	3.6	5	1	2	3	4	7	8	12
20-34	1848	3.4	3	2	2	3	4	5	7	10
35-49	747	4.2	5	2	2	4	5	7	9	13
50-64	296	5.0	6	2	2	4	6	9	10	13
65 +	111	5.6	7	2	3	5	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	935	5.7	20	2	2	4	7	11	14	23
20-34	737	5.5	15	2	2	4	7	11	14	20
35-49	413	6.8	18	2	3	6	8	12	17	22
50-64	314	9.0	45	2	3	7	11	17	22	34
65 +	303	9.7	28	4	4	9	12	17	22	30
TOTAL SINGLE DX	5986	3.7	5	2	2	3	4	7	8	12
TOTAL MULTIPLE DX	2702	6.7	25	2	2	5	8	13	17	24
TOTAL										
0-19 YRS	3919	4.1	10	2	2	3	5	8	10	16
20-34	2585	4.0	8	2	2	3	4	7	9	16
35-49	1160	5.1	12	2	2	4	6	9	12	19
50-64	610	7.1	31	2	3	6	9	13	17	25
65 +	414	8.6	26	3	4	8	11	15	19	29
GRAND TOTAL	8688	4.6	13	2	2	3	5	9	11	19

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	4.0	13	2	2	3	4	6	12	19
20-34	18	4.2	4	2	2	4	4	7	9	10
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	3	6.3	6	4	4	6	8	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	14	5.3	9	3	3	4	6	8	13	15
20-34	18	6.7	34	3	3	5	7	13	21	27
35-49	13	6.8	14	3	3	5	9	13	15	15
50-64	5	11.2	15	6	6	11	15	15	15	15
65 +	3	11.7	17	7	7	13	14	15	15	15
TOTAL SINGLE DX	45	4.2	9	2	2	3	4	7	9	19
TOTAL MULTIPLE DX	53	7.0	23	3	3	5	8	15	15	27
TOTAL										
0-19 YRS	36	4.5	12	2	2	3	5	7	13	19
20-34	36	5.4	20	2	3	4	6	10	13	27
35-49	15	6.4	13	3	3	5	8	12	14	15
50-64	8	9.4	17	4	5	9	13	15	15	15
65 +	3	11.7	17	7	7	13	14	15	15	15
GRAND TOTAL	98	5.8	18	2	3	4	7	12	15	23

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.7	11	4	4	5	9	12	13	13
20-34	8	5.3	7	2	2	5	6	10	11	11
35-49	9	6.9	5	3	3	8	8	10	10	10
50-64	2	14.5	113	7	7	14	22	22	22	22
65 +	0									
2. MULTIPLE DX										
0-19 YRS	10	8.0	31	2	2	7	9	17	19	19
20-34	2	15.0	18	12	12	15	18	18	18	18
35-49	5	7.6	7	5	5	6	10	11	11	11
50-64	3	12.7	17	8	8	14	15	16	16	16
65 +	3	8.7	6	6	6	9	10	11	11	11
TOTAL SINGLE DX	26	6.9	17	3	3	6	8	11	15	22
TOTAL MULTIPLE DX	23	9.2	23	3	4	9	12	17	18	19
TOTAL										
0-19 YRS	17	7.5	23	2	3	5	9	15	18	19
20-34	10	7.2	25	2	2	5	11	15	18	18
35-49	14	7.1	6	3	4	7	9	10	11	11
50-64	5	13.4	38	7	7	14	17	22	22	22
65 +	3	8.7	6	6	6	9	10	11	11	11
GRAND TOTAL	49	8.0	21	3	3	6	10	15	18	22

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	3.0	6	<1	1	2	4	7	9	10
20-34	16	3.0	4	<1	<1	2	4	7	8	8
35-49	13	2.8	6	<1	<1	1	5	6	8	8
50-64	39	3.1	31	<1	1	2	3	5	9	35
65 +	56	2.5	3	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	49	6.4	38	1	1	4	8	13	22	30
20-34	46	4.7	24	1	1	4	5	8	13	29
35-49	55	4.7	18	1	1	4	5	8	11	28
50-64	90	6.7	29	1	2	5	9	15	18	24
65 +	278	7.4	47	1	2	5	9	16	22	35
TOTAL SINGLE DX	164	2.8	11	<1	<1	2	3	5	8	12
TOTAL MULTIPLE DX	516	6.7	39	1	2	5	8	15	20	30
TOTAL										
0-19 YRS	89	4.8	26	1	1	3	6	10	13	28
20-34	62	4.2	20	<1	1	3	5	7	11	28
35-49	68	4.3	17	1	1	4	5	8	10	27
50-64	129	5.6	33	1	1	3	7	14	17	26
65 +	332	6.6	43	1	1	5	8	15	20	34
GRAND TOTAL	680	5.7	35	1	1	4	7	13	18	29

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	2.3	1	1	1	2	3	4	4	5
20-34	140	2.6	2	1	1	2	3	5	6	8
35-49	115	2.5	2	1	1	2	3	5	5	8
50-64	61	3.0	3	1	1	3	4	5	7	11
65 +	10	3.2	1	2	2	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	25	5.2	41	1	1	3	6	11	17	32
20-34	99	5.3	86	1	1	3	5	10	13	62
35-49	125	4.9	49	1	1	3	4	11	21	38
50-64	106	5.4	22	1	1	4	7	11	14	25
65 +	87	7.1	55	2	2	5	9	14	19	43
TOTAL SINGLE DX	358	2.6	3	1	1	2	3	5	6	8
TOTAL MULTIPLE DX	442	5.5	52	1	1	4	6	11	15	38
TOTAL										
0-19 YRS	57	3.6	21	1	1	3	4	6	11	31
20-34	239	3.7	39	1	1	3	4	6	9	17
35-49	240	3.7	28	1	1	2	4	6	11	28
50-64	167	4.5	16	1	1	3	6	10	11	23
65 +	97	6.7	51	2	2	5	8	13	17	43
GRAND TOTAL	800	4.2	32	1	1	3	5	8	11	28

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	9.8	46	3	5	9	11	15	18	43
20-34	12	11.9	40	7	7	10	13	20	29	30
35-49	27	10.1	8	6	7	10	12	14	15	16
50-64	55	10.5	11	6	7	10	12	15	16	22
65 +	52	12.6	38	6	8	11	15	18	23	42
2. MULTIPLE DX										
0-19 YRS	36	11.1	16	6	7	10	13	18	19	22
20-34	29	15.0	81	6	7	13	18	24	38	45
35-49	72	14.0	76	6	7	12	15	22	35	50
50-64	192	13.8	50	7	8	12	17	21	24	32
65 +	497	16.5	109	8	9	13	19	28	36	71
TOTAL SINGLE DX	181	11.0	28	5	7	10	13	16	18	38
TOTAL MULTIPLE DX	826	15.4	90	7	8	13	18	26	33	60
TOTAL										
0-19 YRS	71	10.5	31	5	6	9	12	17	18	39
20-34	41	14.1	70	6	7	11	17	24	34	45
35-49	99	13.0	61	6	7	11	15	19	27	48
50-64	247	13.1	44	7	8	12	15	21	23	30
65 +	549	16.2	104	8	9	13	18	27	35	71
GRAND TOTAL	1007	14.6	82	7	8	12	17	24	31	50

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	285	3.0	8	1	1	2	4	6	8	19
20-34	497	4.0	8	1	1	3	5	7	8	17
35-49	531	4.5	26	< 1	1	4	5	7	9	18
50-64	465	4.3	9	< 1	1	4	6	8	10	15
65 +	375	4.7	20	< 1	< 1	4	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	666	6.2	76	1	1	4	7	12	21	62
20-34	1811	5.9	39	1	2	4	7	11	15	33
35-49	2978	6.1	35	1	2	5	7	11	16	30
50-64	4248	6.8	39	1	2	5	8	13	18	35
65 +	8391	8.3	53	2	3	6	10	16	21	40
TOTAL SINGLE DX	2153	4.2	16	< 1	1	3	5	8	10	17
TOTAL MULTIPLE DX	18094	7.3	48	2	2	5	9	14	19	38
TOTAL										
0-19 YRS	951	5.2	58	1	1	3	6	9	16	53
20-34	2308	5.5	33	1	2	4	6	10	14	30
35-49	3509	5.9	35	1	2	4	7	11	15	29
50-64	4713	6.6	37	1	2	5	8	12	17	34
65 +	8766	8.2	52	2	3	6	10	16	21	39
GRAND TOTAL	20247	7.0	45	1	2	5	8	13	18	36

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.7	1	< 1	< 1	1	2	3	4	4
20-34	115	2.3	4	1	1	2	3	4	5	11
35-49	112	2.2	1	1	1	2	3	4	5	7
50-64	69	1.9	1	1	1	2	2	3	4	6
65 +	18	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	10	2.3	1	1	1	2	3	4	5	5
20-34	81	3.0	4	1	1	3	4	5	6	14
35-49	141	3.1	11	1	1	2	4	5	7	12
50-64	124	3.3	4	1	1	3	4	6	8	11
65 +	62	3.6	6	1	1	3	4	6	9	15
TOTAL SINGLE DX	328	2.1	2	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	418	3.2	7	1	1	3	4	5	8	12
TOTAL										
0-19 YRS	24	2.0	1	< 1	1	2	3	4	4	5
20-34	196	2.6	5	1	1	2	3	4	5	13
35-49	253	2.7	7	1	1	2	3	5	6	9
50-64	193	2.8	4	1	1	2	4	5	6	11
65 +	80	3.3	6	1	1	3	4	6	8	14
GRAND TOTAL	746	2.7	5	1	1	2	3	5	6	11

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.5		< 1	< 1	1	2	3	3	3
20-34	79	2.1	2	< 1	< 1	2	3	4	5	9
35-49	70	1.9		< 1	< 1	2	3	3	4	4
50-64	32	2.4	1	< 1	1	2	3	4	4	5
65 +	13	2.8	5	< 1	< 1	2	3	5	9	10
2. MULTIPLE DX										
0-19 YRS	8	3.6	10	< 1	< 1	3	4	9	11	11
20-34	95	3.0	8	< 1	1	3	4	5	7	18
35-49	154	3.0	7	1	1	3	4	5	6	19
50-64	108	3.5	7	1	1	3	4	6	9	16
65 +	92	5.0	33	1	1	4	5	9	14	35
TOTAL SINGLE DX	205	2.1	2	< 1	< 1	2	3	4	4	8
TOTAL MULTIPLE DX	457	3.6	13	1	1	3	4	6	8	20
TOTAL										
0-19 YRS	19	2.4	6	< 1	< 1	1	3	4	8	11
20-34	174	2.6	6	< 1	1	2	3	4	6	9
35-49	224	2.7	5	< 1	1	2	4	4	5	17
50-64	140	3.3	6	1	1	3	4	6	8	14
65 +	105	4.7	30	1	1	3	5	8	13	34
GRAND TOTAL	662	3.1	10	<1	1	2	4	5	7	19

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.2	3	1	1	3	5	5	5	5
20-34	166	3.0	6	1	1	3	4	5	6	10
35-49	242	3.0	2	1	2	2	4	5	6	8
50-64	142	3.0	3	1	1	3	4	5	6	10
65 +	35	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
0-19 YRS	11	2.8	1	2	2	3	3	4	5	5
20-34	570	3.5	4	1	2	3	4	6	7	10
35-49	1109	3.5	5	1	1	3	4	6	7	12
50-64	799	4.0	12	1	2	3	5	7	8	17
65 +	455	4.8	12	1	2	4	6	9	11	19
TOTAL SINGLE DX	591	3.0	4	1	1	3	4	5	6	9
TOTAL MULTIPLE DX	2944	3.9	8	1	2	3	5	6	8	15
TOTAL										
0-19 YRS	17	2.9	2	1	2	3	4	5	5	5
20-34	736	3.4	5	1	1	3	4	6	6	10
35-49	1351	3.4	5	1	1	3	4	6	7	11
50-64	941	3.9	11	1	1	3	5	7	8	16
65 +	490	4.6	12	1	2	4	5	9	11	19
GRAND TOTAL	3535	3.7	8	1	1	3	4	6	8	14

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	3.4	6	1	1	3	5	7	8	12
20-34	86	2.7	4	1	1	2	3	5	8	11
35-49	110	2.6	5	1	1	2	3	5	7	12
50-64	55	2.9	5	< 1	1	2	4	4	8	15
65 +	23	4.2	8	1	1	3	6	9	10	12
2. MULTIPLE DX										
0-19 YRS	51	6.5	36	1	2	5	7	12	16	34
20-34	99	3.5	9	1	1	3	4	7	9	19
35-49	150	4.4	34	1	1	3	5	8	10	34
50-64	102	5.0	54	1	1	3	6	10	12	43
65 +	115	5.6	27	1	2	4	8	11	16	29
TOTAL SINGLE DX	317	2.9	6	1	1	2	4	6	8	12
TOTAL MULTIPLE DX	517	4.8	33	1	1	3	6	10	12	29
TOTAL										
0-19 YRS	94	5.1	25	1	1	4	7	10	14	31
20-34	185	3.1	8	1	1	2	4	6	8	16
35-49	260	3.7	23	1	1	2	4	7	10	24
50-64	157	4.2	38	1	1	3	4	8	11	18
65 +	138	5.4	25	1	2	3	7	11	15	26
GRAND TOTAL	834	4.1	24	1	1	3	5	8	11	22

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	3	4.7		4	4	5	5	5	5	5
35-49	5	5.8	9	3	3	5	7	11	11	11
50-64	2	6.5	41	2	2	6	11	11	11	11
65 +	3	11.0	7	9	9	10	13	14	14	14
2. MULTIPLE DX										
0-19 YRS	2	15.5	181	6	6	15	25	25	25	25
20-34	15	11.1	77	3	5	8	12	30	32	33
35-49	10	12.7	121	2	2	13	17	29	35	35
50-64	14	19.4	294	2	4	16	24	32	63	72
65 +	25	18.1	185	1	1	16	24	36	48	56
TOTAL SINGLE DX	15	6.6	12	2	3	5	10	11	13	14
TOTAL MULTIPLE DX	66	15.9	175	2	2	14	22	32	38	69
TOTAL										
0-19 YRS	4	10.3	98	4	4	6	16	25	25	25
20-34	18	10.1	70	3	4	7	11	25	32	33
35-49	15	10.4	92	2	2	5	17	23	32	35
50-64	16	17.8	278	2	2	15	23	27	59	72
65 +	28	17.4	170	1	2	15	23	35	46	56
GRAND TOTAL	81	14.2	158	2	2	11	17	30	35	67

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	4.8	69	1	1	2	5	9	16	53
20-34	66	4.9	113	1	1	2	5	10	13	73
35-49	93	3.0	20	1	1	1	2	9	12	25
50-64	72	3.2	16	1	1	1	3	9	11	19
65 +	43	3.8	13	1	1	2	6	10	12	14
2. MULTIPLE DX										
0-19 YRS	159	11.2	200	1	1	6	14	27	51	97
20-34	135	7.3	96	1	1	4	9	16	25	47
35-49	283	7.9	146	1	1	3	9	18	30	72
50-64	363	8.7	83	1	1	7	11	19	25	51
65 +	448	9.7	77	1	1	8	13	19	27	51
TOTAL SINGLE DX	361	3.9	48	1	1	2	4	9	13	28
TOTAL MULTIPLE DX	1388	9.0	110	1	1	6	12	20	28	58
TOTAL										
0-19 YRS	246	8.9	163	1	1	4	10	23	42	79
20-34	201	6.5	103	1	1	3	8	13	22	54
35-49	376	6.7	120	1	1	2	8	15	24	60
50-64	435	7.8	76	1	1	5	11	18	24	50
65 +	491	9.2	75	1	1	7	12	18	25	48
GRAND TOTAL	1749	8.0	101	1	1	5	10	18	25	56

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	216	4.9	6	2	3	4	6	8	9	19
20-34	2006	4.6	4	2	3	4	5	7	8	11
35-49	1837	5.0	5	2	3	5	6	8	9	13
50-64	1281	5.4	5	3	3	5	6	8	10	14
65 +	643	6.8	15	3	4	6	8	10	13	20
2. MULTIPLE DX										
0-19 YRS	188	7.0	21	3	3	6	8	12	17	35
20-34	1911	6.3	20	3	3	5	7	10	13	24
35-49	2607	6.6	21	3	3	6	8	11	13	23
50-64	2986	7.8	27	3	4	6	9	13	16	26
65 +	4314	10.7	47	4	5	9	13	18	22	38
TOTAL SINGLE DX	5983	5.2	6	2	3	5	6	8	9	14
TOTAL MULTIPLE DX	12006	8.3	35	3	4	7	10	14	18	32
TOTAL										
0-19 YRS	404	5.9	15	2	3	5	7	9	12	21
20-34	3917	5.5	13	2	3	5	6	9	11	18
35-49	4444	5.9	15	2	3	5	7	9	12	20
50-64	4267	7.0	22	3	3	6	8	12	15	24
65 +	4957	10.2	45	4	5	8	12	17	21	37
GRAND TOTAL	17989	7.3	28	3	3	6	9	13	16	28

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	9.2	36	1	1	8	13	18	20	20
20-34	38	4.8	10	< 1	1	4	7	10	11	12
35-49	36	6.4	22	1	1	6	10	13	14	15
50-64	34	6.9	19	1	2	6	10	13	16	16
65 +	44	9.0	76	< 1	1	8	11	16	19	55
2. MULTIPLE DX										
0-19 YRS	17	10.5	64	1	2	8	13	25	30	31
20-34	65	8.3	71	1	2	6	10	16	22	53
35-49	135	9.3	77	1	2	7	13	17	24	54
50-64	263	11.3	97	2	3	9	14	24	29	42
65 +	588	12.3	80	2	3	11	16	24	29	45
TOTAL SINGLE DX	161	7.0	36	1	1	6	10	13	16	20
TOTAL MULTIPLE DX	1068	11.4	85	2	3	9	15	23	28	46
TOTAL										
0-19 YRS	26	10.1	54	1	1	8	13	20	28	31
20-34	103	7.0	52	1	1	6	9	13	20	40
35-49	171	8.7	67	1	1	7	12	16	21	51
50-64	297	10.8	91	2	3	9	14	23	28	42
65 +	632	12.0	80	2	3	10	16	23	29	47
GRAND TOTAL	1229	10.8	81	1	2	9	14	21	28	45

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	5.4	9	2	2	6	8	10	10	10
20-34	17	7.7	25	1	2	7	10	12	19	22
35-49	36	6.3	46	1	1	5	7	11	21	35
50-64	33	5.4	16	1	1	4	8	11	13	17
65 +	19	7.5	53	1	1	5	10	21	25	25
2. MULTIPLE DX										
0-19 YRS	20	17.8	238	1	3	12	23	43	50	54
20-34	73	16.1	330	1	2	9	20	42	60	90
35-49	161	9.6	94	1	1	7	12	21	30	47
50-64	209	13.2	159	1	2	10	17	28	40	71
65 +	322	12.6	156	2	3	9	16	25	35	83
TOTAL SINGLE DX	112	6.4	33	1	1	5	9	12	18	29
TOTAL MULTIPLE DX	785	12.6	166	1	2	9	16	27	38	70
TOTAL										
0-19 YRS	27	14.6	207	1	2	9	19	40	47	54
20-34	90	14.5	283	1	2	8	17	32	56	85
35-49	197	9.0	87	1	1	6	11	21	29	47
50-64	242	12.1	147	1	2	8	16	26	36	70
65 +	341	12.4	152	1	3	9	15	25	35	81
GRAND TOTAL	897	11.8	153	1	2	8	15	25	36	69

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	117	3.5	11	1	1	3	5	7	8	20
20-34	168	4.6	10	1	1	4	6	9	11	16
35-49	156	4.4	12	< 1	1	3	6	9	11	21
50-64	195	4.1	10	< 1	< 1	3	5	8	11	16
65 +	165	4.6	28	< 1	< 1	3	6	10	12	33
2. MULTIPLE DX										
0-19 YRS	193	6.5	108	1	1	4	7	11	17	69
20-34	345	5.9	32	1	2	5	7	11	14	33
35-49	722	5.9	27	1	2	5	7	11	14	27
50-64	1249	6.7	39	1	2	5	8	12	18	34
65 +	2937	7.9	49	2	2	6	10	15	20	43
TOTAL SINGLE DX	801	4.3	15	< 1	< 1	3	5	9	11	19
TOTAL MULTIPLE DX	5446	7.2	46	1	2	5	9	13	18	38
TOTAL										
0-19 YRS	310	5.4	74	1	1	4	6	9	14	43
20-34	513	5.4	26	1	2	4	7	10	13	26
35-49	878	5.7	26	1	2	4	7	11	14	26
50-64	1444	6.3	36	1	2	5	8	11	16	32
65 +	3102	7.8	49	1	2	6	10	14	20	41
GRAND TOTAL	6247	6.8	43	1	2	5	8	13	18	35

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	617	1.5		< 1	< 1	1	2	3	3	5
20-34	834	1.8	1	1	1	2	2	3	4	5
35-49	880	1.9	1	1	1	2	2	3	4	6
50-64	1174	2.1	1	1	1	2	3	4	5	7
65 +	936	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	436	1.9	2	< 1	< 1	1	2	4	5	14
20-34	348	2.4	4	1	1	2	3	5	5	13
35-49	573	3.1	9	1	1	2	4	6	7	16
50-64	1061	3.1	9	1	1	2	4	6	8	16
65 +	1988	4.1	12	1	1	3	5	8	11	19
TOTAL SINGLE DX	4441	2.0	2	< 1	1	2	3	4	4	7
TOTAL MULTIPLE DX	4406	3.4	10	1	1	3	4	6	9	17
TOTAL										
0-19 YRS	1053	1.7	2	< 1	< 1	1	2	3	4	8
20-34	1182	2.0	2	1	1	2	3	3	4	7
35-49	1453	2.4	5	1	1	2	3	4	5	11
50-64	2235	2.6	6	1	1	2	3	5	6	11
65 +	2924	3.6	10	1	1	3	4	7	9	17
GRAND TOTAL	8847	2.7	6	1	1	2	3	5	7	13

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	426	1.3		<1	<1	1	1	2	2	4
20-34	101	2.2	1	1	1	2	3	4	5	8
35-49	148	2.5	2	1	1	2	3	4	5	9
50-64	190	2.6	2	1	1	2	3	4	5	9
65 +	118	2.8	2	1	1	3	4	4	5	9
2. MULTIPLE DX										
0-19 YRS	492	4.6	170	<1	1	1	2	5	16	88
20-34	51	2.7	1	1	1	2	3	5	6	7
35-49	119	3.0	4	1	1	2	4	5	6	12
50-64	199	3.4	5	1	1	3	4	6	7	13
65 +	288	4.6	12	1	1	4	6	8	12	17
TOTAL SINGLE DX	983	2.0	2	<1	1	2	3	4	4	8
TOTAL MULTIPLE DX	1149	4.1	78	1	1	2	4	7	10	71
TOTAL										
0-19 YRS	918	3.1	94	<1	<1	1	2	3	6	76
20-34	152	2.4	2	1	1	2	3	4	5	7
35-49	267	2.7	3	1	1	2	3	5	6	11
50-64	389	3.0	4	1	1	3	4	5	6	10
65 +	406	4.0	10	1	1	3	5	7	10	15
GRAND TOTAL	2132	3.1	44	<1	1	2	3	5	7	29

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.9		1	1	2	3	3	3	3
20-34	20	2.0		1	1	2	3	3	4	4
35-49	25	2.4	2	1	1	2	3	4	6	6
50-64	46	2.4	1	1	1	2	4	4	4	5
65 +	53	3.2	4	1	1	2	4	7	8	9
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	2.5	2	1	1	2	4	5	5	5
35-49	21	3.9	8	1	1	3	4	9	11	13
50-64	58	4.4	12	1	1	3	6	8	13	17
65 +	127	7.0	47	1	2	5	8	14	21	36
TOTAL SINGLE DX	151	2.6	3	1	1	2	3	4	6	9
TOTAL MULTIPLE DX	219	5.7	34	1	1	4	7	12	16	28
TOTAL										
0-19 YRS	9	1.8	1	1	1	2	2	3	3	3
20-34	31	2.1	1	1	1	2	3	4	4	5
35-49	46	3.0	6	1	1	3	3	6	8	13
50-64	104	3.5	8	1	1	3	4	6	9	16
65 +	180	5.9	38	1	1	4	7	12	18	30
GRAND TOTAL	370	4.4	24	1	1	3	5	9	13	25

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	1.5		<1	<1	1	2	2	3	5
20-34	68	1.9	1	<1	1	2	2	3	5	6
35-49	104	2.0	1	<1	1	2	2	4	4	7
50-64	90	2.4	3	1	1	2	3	5	6	8
65 +	51	3.3	4	1	1	3	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	66	5.0	116	<1	1	2	3	11	22	65
20-34	63	3.9	11	1	1	3	5	8	11	17
35-49	134	4.1	10	1	1	3	5	9	11	15
50-64	156	4.8	16	1	2	4	6	9	11	24
65 +	155	6.5	77	1	1	4	7	12	17	55
TOTAL SINGLE DX	432	2.1	2	<1	1	2	3	4	5	8
TOTAL MULTIPLE DX	574	5.0	43	1	1	3	6	9	12	33
TOTAL										
0-19 YRS	185	2.7	44	<1	<1	1	2	3	6	40
20-34	131	2.9	7	<1	1	2	4	6	8	16
35-49	238	3.2	8	1	1	2	4	7	9	13
50-64	246	3.9	13	1	1	3	5	8	9	18
65 +	206	5.7	62	1	1	4	7	10	15	48
GRAND TOTAL	1006	3.8	28	<1	1	2	4	8	10	21

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	2.5	4	<1	<1	2	3	5	7	9
20-34	140	3.0	2	1	1	3	4	5	6	8
35-49	288	3.5	4	1	1	3	4	6	8	10
50-64	298	3.7	3	1	1	3	5	6	7	9
65 +	221	4.7	6	1	2	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	25	3.2	4	1	1	3	4	6	7	9
20-34	116	4.2	7	1	1	3	6	8	10	13
35-49	369	5.5	15	1	2	5	7	10	12	21
50-64	512	5.7	14	1	2	5	7	10	12	21
65 +	702	7.0	38	2	2	6	8	12	16	37
TOTAL SINGLE DX	969	3.7	5	1	1	3	5	7	8	10
TOTAL MULTIPLE DX	1724	6.0	25	1	2	5	7	10	14	26
TOTAL										
0-19 YRS	47	2.9	4	<1	<1	2	4	6	7	9
20-34	256	3.5	5	1	1	3	5	6	8	12
35-49	657	4.6	12	1	1	4	6	8	10	17
50-64	810	4.9	11	1	2	4	6	9	11	19
65 +	923	6.4	32	2	2	5	8	11	14	31
GRAND TOTAL	2693	5.2	19	1	2	4	6	9	12	21

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	6.5	5	2	3	7	7	10	10	10
20-34	5	7.4	12	4	4	7	9	13	13	13
35-49	4	4.8	1	3	3	5	6	6	6	6
50-64	11	6.1	3	4	4	6	7	9	10	10
65 +	9	9.3	27	2	4	8	10	18	21	21
2. MULTIPLE DX										
0-19 YRS	24	11.8	131	3	3	8	14	22	38	56
20-34	28	7.9	26	2	3	7	8	15	19	26
35-49	43	7.9	72	3	4	7	8	9	10	61
50-64	52	9.6	41	3	5	7	11	18	24	37
65 +	99	12.4	94	4	5	10	15	21	24	64
TOTAL SINGLE DX	39	7.0	12	3	4	7	8	10	13	21
TOTAL MULTIPLE DX	246	10.5	78	3	4	8	12	18	24	56
TOTAL										
0-19 YRS	34	10.2	99	2	3	7	13	17	28	56
20-34	33	7.8	24	2	4	7	8	14	18	26
35-49	47	7.6	67	3	4	7	8	9	10	61
50-64	63	9.0	36	4	5	7	10	15	23	36
65 +	108	12.2	90	4	5	10	15	21	24	62
GRAND TOTAL	285	10.0	70	3	4	8	11	18	23	55

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	4.3	13	1	1	3	6	9	12	17
20-34	109	4.0	14	< 1	1	3	5	7	10	21
35-49	92	5.4	22	1	1	5	7	10	14	27
50-64	56	6.1	24	< 1	1	5	8	12	16	25
65 +	54	6.6	63	< 1	1	5	8	11	17	54
2. MULTIPLE DX										
0-19 YRS	120	9.2	83	1	2	7	11	19	26	49
20-34	187	8.4	108	1	1	6	10	16	21	65
35-49	354	9.5	86	1	2	7	12	21	26	55
50-64	493	10.3	96	2	2	8	13	19	24	54
65 +	643	12.2	95	2	3	10	15	24	32	52
TOTAL SINGLE DX	413	5.0	24	1	1	4	7	10	13	21
TOTAL MULTIPLE DX	1797	10.6	96	1	2	8	13	21	28	57
TOTAL										
0-19 YRS	222	7.0	57	1	1	5	8	15	20	38
20-34	296	6.8	78	1	1	4	8	12	18	63
35-49	446	8.6	76	1	1	6	11	19	24	42
50-64	549	9.9	91	2	2	7	12	19	24	53
65 +	697	11.8	95	2	3	9	15	23	32	54
GRAND TOTAL	2210	9.5	87	1	2	7	12	19	26	52

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	5.2	9	2	2	5	7	9	11	15
20-34	195	5.0	7	2	2	4	6	8	10	15
35-49	100	5.9	8	2	2	5	8	10	11	15
50-64	63	8.9	27	1	2	9	12	15	17	28
65 +	52	11.7	154	2	4	9	13	17	33	79
2. MULTIPLE DX										
0-19 YRS	178	12.1	221	2	3	7	13	28	47	93
20-34	447	7.2	45	2	3	5	8	13	19	31
35-49	270	11.8	167	3	4	7	12	25	37	77
50-64	291	13.9	124	4	5	10	16	27	35	61
65 +	446	16.6	149	5	6	13	21	31	40	88
TOTAL SINGLE DX	526	6.3	29	2	2	5	8	11	14	20
TOTAL MULTIPLE DX	1632	12.2	140	3	4	9	15	25	34	69
TOTAL										
0-19 YRS	294	9.4	149	2	2	6	10	18	33	82
20-34	642	6.5	35	2	3	5	8	11	16	30
35-49	370	10.2	131	3	3	7	10	19	30	72
50-64	354	13.0	111	3	4	10	15	25	32	59
65 +	498	16.1	152	5	6	12	20	30	40	84
GRAND TOTAL	2158	10.8	119	2	3	8	13	22	31	62

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	107	2.9	5	< 1	< 1	2	4	6	8	10
20-34	403	2.6	4	< 1	< 1	2	4	5	7	9
35-49	79	2.5	5	< 1	< 1	1	4	5	7	11
50-64	11	2.3	2	< 1	< 1	2	3	5	6	6
65 +	4	3.8	11	< 1	< 1	3	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	133	3.6	5	< 1	1	3	5	6	7	11
20-34	689	3.3	8	< 1	< 1	3	5	7	9	13
35-49	168	3.2	10	< 1	< 1	2	4	6	9	15
50-64	30	8.1	184	< 1	1	4	10	19	24	72
65 +	30	9.5	66	1	2	6	13	22	29	31
TOTAL SINGLE DX	604	2.6	5	< 1	< 1	2	4	5	7	10
TOTAL MULTIPLE DX	1050	3.7	17	< 1	< 1	3	5	7	10	18
TOTAL										
0-19 YRS	240	3.3	5	< 1	< 1	3	5	6	8	11
20-34	1092	3.1	7	< 1	< 1	2	4	6	8	11
35-49	247	3.0	9	< 1	< 1	2	4	6	8	13
50-64	41	6.6	141	< 1	< 1	3	6	16	22	72
65 +	34	8.9	63	< 1	1	6	12	19	29	31
GRAND TOTAL	1654	3.3	12	<1	<1	2	4	6	9	14

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	8.2	25	3	4	7	9	15	19	28
20-34	168	6.7	18	1	2	6	8	12	15	24
35-49	160	6.4	14	1	1	7	8	11	13	20
50-64	106	8.3	18	2	3	8	11	15	17	19
65 +	80	10.4	19	5	5	10	12	17	19	25
2. MULTIPLE DX										
0-19 YRS	202	11.4	133	2	3	8	14	28	45	99 +
20-34	556	6.4	53	1	2	5	7	11	16	41
35-49	502	8.2	39	2	3	6	10	17	20	33
50-64	493	11.9	99	2	4	9	15	22	30	75
65 +	779	14.5	116	3	5	12	18	29	37	71
TOTAL SINGLE DX	593	7.6	20	2	3	7	9	14	16	22
TOTAL MULTIPLE DX	2532	10.7	95	2	3	8	14	22	30	66
TOTAL										
0-19 YRS	281	10.5	105	2	3	8	12	23	34	99 +
20-34	724	6.5	45	1	2	5	8	11	16	32
35-49	662	7.8	34	1	2	6	10	15	19	30
50-64	599	11.3	87	2	4	9	14	20	27	70
65 +	859	14.1	109	3	5	11	17	28	36	70
GRAND TOTAL	3125	10.2	82	2	3	8	13	20	28	59

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	7.1	14	2	3	6	9	13	14	16
20-34	39	7.2	3	4	5	7	8	10	11	13
35-49	49	7.8	7	5	5	7	8	12	13	17
50-64	57	8.7	9	5	6	8	9	12	14	23
65 +	46	9.3	33	5	6	8	10	13	19	35
2. MULTIPLE DX										
0-19 YRS	109	9.7	85	3	3	7	11	16	23	86
20-34	64	11.4	86	4	5	8	14	22	26	59
35-49	111	11.3	65	5	6	9	13	17	22	61
50-64	218	12.4	66	6	6	10	14	22	28	49
65 +	363	13.7	80	6	7	11	16	27	35	72
TOTAL SINGLE DX	241	8.0	14	4	5	7	9	12	14	25
TOTAL MULTIPLE DX	865	12.4	78	5	6	10	14	23	31	60
TOTAL										
0-19 YRS	159	8.9	65	2	3	7	11	15	18	74
20-34	103	9.8	59	4	5	7	10	18	23	45
35-49	160	10.2	50	5	5	8	12	15	19	57
50-64	275	11.6	57	6	6	9	13	20	27	42
65 +	409	13.2	77	6	7	10	15	27	35	60
GRAND TOTAL	1106	11.4	67	5	5	9	13	20	28	54

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	281	4.8	15	1	2	4	6	10	14	18
20-34	125	5.1	15	1	1	5	8	10	12	18
35-49	108	5.2	14	1	1	5	8	10	12	17
50-64	75	5.1	12	1	1	5	7	9	12	18
65 +	34	5.7	25	1	1	5	8	11	15	25
2. MULTIPLE DX										
0-19 YRS	319	10.3	113	1	2	7	14	22	34	54
20-34	283	10.5	66	1	2	9	14	21	26	40
35-49	310	10.4	76	1	2	8	14	23	28	39
50-64	319	11.3	90	1	2	8	16	23	31	39
65 +	366	11.7	116	2	2	9	15	25	30	59
TOTAL SINGLE DX	623	5.0	15	1	1	4	7	10	12	19
TOTAL MULTIPLE DX	1597	10.9	94	1	2	8	15	23	30	44
TOTAL										
0-19 YRS	600	7.7	75	1	2	5	9	17	24	47
20-34	408	8.9	57	1	1	7	12	18	24	38
35-49	418	9.1	65	1	1	7	12	21	26	36
50-64	394	10.1	82	1	2	8	14	22	29	38
65 +	400	11.2	112	1	2	8	14	24	29	52
GRAND TOTAL	2220	9.2	79	1	2	7	12	20	26	42

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	2.8	4	1	1	2	3	6	7	7
20-34	41	5.9	11	1	2	5	8	10	12	15
35-49	54	6.2	16	1	2	6	8	13	14	20
50-64	48	7.6	15	2	2	8	10	13	14	17
65 +	31	7.1	42	1	1	5	10	14	22	31
2. MULTIPLE DX										
0-19 YRS	15	6.9	14	2	3	7	8	14	15	15
20-34	37	8.1	43	2	2	7	9	16	23	34
35-49	65	7.4	11	2	2	7	9	13	15	18
50-64	91	9.7	70	1	3	8	12	15	22	53
65 +	121	9.0	28	2	3	8	12	16	19	26
TOTAL SINGLE DX	184	6.5	20	1	2	6	8	13	14	21
TOTAL MULTIPLE DX	329	8.7	39	2	3	8	11	15	19	29
TOTAL										
0-19 YRS	25	5.3	14	1	1	5	7	9	14	15
20-34	78	6.9	28	2	2	6	9	11	16	31
35-49	119	6.8	15	1	2	7	9	13	14	19
50-64	139	9.0	52	1	2	8	12	14	19	33
65 +	152	8.6	32	1	2	8	11	16	20	31
GRAND TOTAL	513	7.9	33	1	2	7	10	14	17	26

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	6.3	9	3	4	6	8	10	11	16
20-34	5	9.8	12	7	7	8	13	15	15	15
35-49	5	9.0	10	6	6	8	11	14	14	14
50-64	3	9.0	57	2	2	8	15	17	17	17
65 +	2	13.0	8	11	11	13	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	180	8.9	32	4	4	7	11	16	19	28
20-34	17	11.4	31	5	6	10	13	22	25	25
35-49	20	16.2	89	7	8	13	18	32	39	43
50-64	29	16.1	64	9	9	13	19	26	33	45
65 +	33	17.7	96	9	9	13	23	31	34	50
TOTAL SINGLE DX	173	6.6	11	3	4	6	8	10	13	17
TOTAL MULTIPLE DX	279	11.4	59	4	5	9	14	21	27	44
TOTAL										
0-19 YRS	338	7.7	23	3	4	6	9	13	16	25
20-34	22	11.0	27	6	6	10	12	18	24	25
35-49	25	14.8	81	6	7	12	16	29	37	43
50-64	32	15.5	66	8	9	13	18	26	31	45
65 +	35	17.4	92	9	9	13	23	30	33	50
GRAND TOTAL	452	9.5	46	4	4	8	11	17	24	35

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	3.3	4	1	1	3	4	6	8	10
20-34	521	3.0	3	1	1	3	4	5	6	9
35-49	656	3.0	3	1	1	3	4	5	6	8
50-64	406	3.1	3	1	1	3	4	6	7	10
65 +	101	3.3	4	1	1	3	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	50	6.0	19	1	1	5	8	12	14	23
20-34	233	4.4	9	1	1	4	5	8	10	15
35-49	388	4.3	8	1	1	4	5	8	11	15
50-64	370	4.9	24	1	1	4	6	9	11	23
65 +	377	6.1	25	1	2	5	8	12	16	29
TOTAL SINGLE DX	1736	3.0	3	1	1	3	4	5	7	9
TOTAL MULTIPLE DX	1418	5.0	18	1	1	4	6	10	13	23
TOTAL										
0-19 YRS	102	4.6	13	1	1	4	6	9	12	18
20-34	754	3.4	6	1	1	3	4	6	8	14
35-49	1044	3.5	6	1	1	3	4	6	8	13
50-64	776	3.9	14	1	1	3	5	7	10	16
65 +	478	5.5	23	1	2	4	7	11	15	27
GRAND TOTAL	3154	3.9	11	1	1	3	5	7	10	16

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	140	2.8	6	<1	<1	2	4	6	8	12
20-34	367	3.4	6	1	1	3	5	6	8	13
35-49	445	3.1	4	1	1	3	4	6	7	11
50-64	378	3.2	5	<1	1	3	4	7	8	11
65 +	194	3.7	16	<1	<1	3	5	8	10	24
2. MULTIPLE DX										
0-19 YRS	216	4.5	31	<1	<1	3	6	9	11	39
20-34	550	5.3	29	1	1	4	7	10	13	22
35-49	837	6.2	36	1	1	5	8	12	17	32
50-64	1104	7.4	57	1	2	5	9	15	20	37
65 +	2313	9.1	67	2	2	7	11	18	24	45
TOTAL SINGLE DX	1524	3.3	7	<1	1	3	4	6	8	12
TOTAL MULTIPLE DX	5020	7.6	57	1	2	6	9	15	21	38
TOTAL										
0-19 YRS	356	3.9	22	<1	<1	3	5	8	11	26
20-34	917	4.5	21	1	1	3	6	8	11	20
35-49	1282	5.1	28	1	1	4	6	10	14	27
50-64	1482	6.3	47	1	1	4	8	13	18	36
65 +	2507	8.6	65	1	2	6	11	17	24	43
GRAND TOTAL	6544	6.6	48	1	1	5	8	14	19	36

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.6	5	1	1	1	4	6	6	6
20-34	22	1.9	2	<1	<1	1	2	4	6	8
35-49	72	2.4	2	1	1	2	3	5	6	7
50-64	183	2.5	2	<1	1	2	3	5	6	7
65+	339	3.2	7	1	1	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	16	6.6	55	1	2	5	7	13	27	32
20-34	39	3.4	6	<1	1	3	5	7	9	11
35-49	126	4.0	17	1	1	3	5	8	12	22
50-64	413	4.4	22	1	1	3	5	9	12	28
65+	1524	5.9	40	1	2	4	7	12	16	30
TOTAL SINGLE DX	621	2.8	5	1	1	2	4	5	7	12
TOTAL MULTIPLE DX	2118	5.4	36	1	1	4	6	11	16	29
TOTAL										
0-19 YRS	21	5.7	46	1	1	5	6	10	22	32
20-34	61	2.8	6	<1	1	2	4	6	8	11
35-49	198	3.4	13	1	1	2	4	7	9	19
50-64	596	3.8	17	1	1	3	4	7	10	25
65+	1863	5.4	36	1	1	4	6	11	16	29
GRAND TOTAL	2739	4.8	30	1	1	3	5	10	14	29

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	5.2	15	1	1	4	7	12	14	15
20-34	45	4.5	10	1	1	4	5	9	11	14
35-49	66	4.5	8	1	2	4	6	8	11	15
50-64	57	5.4	16	1	1	4	9	11	13	15
65+	83	5.4	32	1	1	4	7	12	14	34
2. MULTIPLE DX										
0-19 YRS	187	10.6	159	2	2	8	12	24	37	76
20-34	71	9.9	196	1	2	5	10	26	33	85
35-49	108	8.0	67	1	2	5	10	15	23	48
50-64	221	9.1	108	1	2	6	11	16	24	62
65+	650	9.8	93	2	2	7	13	21	27	50
TOTAL SINGLE DX	298	5.1	18	1	1	4	7	11	13	16
TOTAL MULTIPLE DX	1237	9.7	110	1	2	7	12	20	29	64
TOTAL										
0-19 YRS	234	9.5	135	1	2	6	11	16	33	71
20-34	116	7.8	131	1	1	5	8	15	31	65
35-49	174	6.7	48	1	2	5	8	14	17	43
50-64	278	8.4	92	1	2	6	10	15	21	53
65+	733	9.3	88	1	2	7	12	20	26	50
GRAND TOTAL	1535	8.8	95	1	2	6	11	17	25	57

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.9	7	<1	<1	<1	1	4	9	13
20-34	3	1.3		1	1	1	2	2	2	2
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	0									
2. MULTIPLE DX										
0-19 YRS	17	3.1	9	<1	1	2	4	7	11	12
20-34	4	3.0	11	1	1	2	5	8	8	8
35-49	4	6.3	5	4	4	6	8	9	9	9
50-64	8	4.1	6	1	1	3	6	8	8	8
65+	9	9.9	77	3	3	7	14	25	29	29
TOTAL SINGLE DX	27	2.0	6	<1	<1	1	2	4	6	13
TOTAL MULTIPLE DX	42	5.0	28	1	1	3	7	10	15	29
TOTAL										
0-19 YRS	36	2.5	8	<1	<1	1	3	5	11	13
20-34	7	2.3	7	1	1	1	2	7	8	8
35-49	7	4.4	9	1	1	4	6	9	9	9
50-64	10	4.0	5	1	1	3	6	7	8	8
65+	9	9.9	77	3	3	7	14	25	29	29
GRAND TOTAL	69	3.8	22	<1	<1	2	4	8	13	27

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	454	3.7	8	1	1	3	5	7	10	13
20-34	38	3.8	12	<1	1	3	4	8	13	16
35-49	41	4.1	11	<1	1	3	5	9	12	15
50-64	33	3.2	4	1	1	3	5	6	8	9
65+	23	3.7	4	<1	1	3	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	204	5.0	29	1	1	3	6	11	14	29
20-34	26	5.5	49	<1	<1	4	6	12	17	36
35-49	33	7.5	182	1	1	5	6	10	23	78
50-64	39	4.3	8	1	1	4	6	9	10	13
65+	71	6.7	65	1	1	5	8	11	18	54
TOTAL SINGLE DX	589	3.7	8	1	1	3	5	7	10	14
TOTAL MULTIPLE DX	373	5.5	50	1	1	4	6	11	16	35
TOTAL										
0-19 YRS	658	4.1	15	1	1	3	5	9	11	19
20-34	64	4.5	28	<1	1	3	5	9	13	33
35-49	74	5.6	89	1	1	4	6	9	15	65
50-64	72	3.8	7	1	1	3	5	7	9	12
65+	94	6.0	52	1	1	5	7	10	17	46
GRAND TOTAL	962	4.4	25	1	1	3	5	9	11	23

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	1.3		< 1	< 1	1	1	2	3	3
20-34	14	2.6	3	1	1	2	4	6	6	6
35-49	21	3.3	12	< 1	1	2	4	7	12	16
50-64	13	2.6	2	< 1	1	2	3	5	5	5
65 +	15	4.7	10	< 1	2	4	5	10	11	11
2. MULTIPLE DX										
0-19 YRS	48	3.6	8	< 1	1	3	5	6	10	13
20-34	71	6.1	41	1	1	4	7	12	22	35
35-49	99	8.1	123	1	1	6	9	14	18	69
50-64	125	5.8	15	1	2	5	7	10	14	19
65 +	344	8.6	49	2	2	7	11	16	20	45
TOTAL SINGLE DX	80	2.9	7	< 1	< 1	2	4	5	9	14
TOTAL MULTIPLE DX	687	7.4	53	1	2	6	9	14	19	40
TOTAL										
0-19 YRS	65	3.0	7	< 1	< 1	2	4	6	10	13
20-34	85	5.5	37	1	1	4	7	10	19	34
35-49	120	7.2	107	1	1	5	8	13	17	58
50-64	138	5.5	15	1	2	5	7	10	13	19
65 +	359	8.4	49	1	2	7	10	16	20	44
GRAND TOTAL	767	6.9	50	1	1	5	9	13	17	37

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.0	3	1	1	1	3	4	7	7
20-34	45	1.9	1	1	1	1	3	3	4	6
35-49	31	2.4	3	1	1	2	3	4	6	9
50-64	23	1.8	1	1	1	1	2	3	5	6
65 +	28	2.3	2	< 1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	35	5.4	117	1	1	3	5	8	14	65
20-34	45	3.4	11	< 1	< 1	3	5	7	9	20
35-49	66	4.4	16	1	1	3	6	8	14	21
50-64	96	5.6	96	1	1	4	6	11	18	95
65 +	271	5.8	33	1	2	4	7	11	15	37
TOTAL SINGLE DX	139	2.1	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	513	5.4	47	1	1	4	6	11	14	40
TOTAL										
0-19 YRS	47	4.5	90	1	1	2	5	8	11	65
20-34	90	2.6	7	< 1	1	2	3	5	7	16
35-49	97	3.7	13	1	1	2	5	8	11	19
50-64	119	4.9	80	1	1	3	5	10	13	92
65 +	299	5.5	31	1	1	4	7	11	14	34
GRAND TOTAL	652	4.7	39	1	1	3	5	9	13	33

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	23	4.7	2	2	3	5	5	6	7	8
35-49	111	5.5	2	3	3	6	6	8	8	10
50-64	94	5.5	3	2	3	6	6	8	9	10
65 +	44	7.0	7	2	5	7	8	10	11	17
2. MULTIPLE DX										
0-19 YRS	0									
20-34	36	5.7	4	2	4	5	7	8	10	12
35-49	163	7.0	19	4	4	6	7	11	14	17
50-64	177	7.3	11	3	4	7	9	11	13	24
65 +	146	8.2	20	4	5	7	9	13	15	26
TOTAL SINGLE DX	272	5.7	4	2	3	6	7	8	9	11
TOTAL MULTIPLE DX	522	7.3	17	3	4	7	8	11	14	23
TOTAL										
0-19 YRS	0									
20-34	59	5.3	4	2	3	5	6	8	9	12
35-49	274	6.4	13	3	4	6	7	9	12	16
50-64	271	6.7	10	3	4	6	8	10	11	19
65 +	190	7.9	18	3	5	7	9	12	14	24
GRAND TOTAL	794	6.8	13	3	4	6	8	10	12	19

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	25	4.7	3	2	2	5	6	7	8	8
35-49	56	4.7	2	2	2	5	6	7	7	9
50-64	63	5.1	3	2	3	5	6	7	9	11
65 +	26	5.9	4	3	3	6	8	9	10	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	20	5.1	2	3	3	5	6	7	8	8
35-49	106	5.5	5	3	3	5	7	8	9	16
50-64	129	5.8	4	3	3	6	7	8	9	13
65 +	117	6.6	7	3	4	6	8	10	13	15
TOTAL SINGLE DX	170	5.0	4	2	3	5	6	8	8	11
TOTAL MULTIPLE DX	372	5.9	6	3	3	6	7	9	10	14
TOTAL										
0-19 YRS	0									
20-34	45	4.8	3	2	3	5	6	7	8	8
35-49	162	5.2	4	3	3	5	6	7	8	13
50-64	192	5.6	4	3	3	5	7	8	9	12
65 +	143	6.5	7	3	4	6	8	10	12	15
GRAND TOTAL	542	5.7	5	3	3	5	7	8	9	13

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	3.4	3	1	1	4	5	6	6	6
20-34	53	2.7	3	1	1	2	3	5	7	9
35-49	94	3.0	6	1	1	2	4	6	7	15
50-64	67	3.2	7	1	1	2	5	7	8	15
65 +	23	3.0	4	1	1	2	3	6	8	10
2. MULTIPLE DX										
0-19 YRS	28	5.1	31	<1	<1	3	7	14	16	23
20-34	52	6.5	92	1	1	4	7	13	23	63
35-49	126	4.8	14	1	1	4	8	9	14	21
50-64	134	7.2	105	1	1	4	8	17	29	47
65 +	170	7.9	54	1	2	6	9	17	23	37
TOTAL SINGLE DX	248	3.0	6	1	1	2	4	6	7	10
TOTAL MULTIPLE DX	510	6.7	62	1	1	4	8	14	21	37
TOTAL										
0-19 YRS	39	4.6	24	<1	1	3	5	12	15	23
20-34	105	4.6	51	1	1	3	5	9	13	42
35-49	220	4.0	12	1	1	3	5	7	10	20
50-64	201	5.9	76	1	1	3	7	10	20	38
65 +	193	7.3	51	1	2	5	9	16	21	37
GRAND TOTAL	758	5.5	46	1	1	3	6	11	17	34

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	2.5	3	<1	1	2	3	6	6	9
20-34	408	1.9	1	<1	1	2	2	3	4	7
35-49	690	1.9	3	<1	1	2	2	3	4	8
50-64	554	1.9	1	<1	1	2	2	3	4	7
65 +	203	2.5	9	<1	1	2	3	4	6	21
2. MULTIPLE DX										
0-19 YRS	16	6.8	30	1	1	4	12	15	15	15
20-34	151	3.4	11	1	1	2	4	8	11	19
35-49	345	2.9	9	1	1	2	3	5	8	14
50-64	410	3.1	9	1	1	2	3	7	9	14
65 +	398	3.5	12	1	1	2	4	8	10	19
TOTAL SINGLE DX	1890	2.0	3	<1	1	2	2	3	4	8
TOTAL MULTIPLE DX	1320	3.2	11	1	1	2	3	7	10	16
TOTAL										
0-19 YRS	51	3.9	15	1	1	2	5	11	14	15
20-34	559	2.3	5	<1	1	2	2	4	6	13
35-49	1035	2.3	5	<1	1	2	2	4	5	11
50-64	964	2.4	6	<1	1	2	2	4	7	12
65 +	601	3.2	12	1	1	2	3	7	9	19
GRAND TOTAL	3210	2.5	7	1	1	2	2	5	7	13

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	4	3.5	1	2	2	3	4	5	5	5
35-49	28	3.8	4	1	1	4	5	6	7	12
50-64	544	4.3	2	2	3	4	5	6	7	10
65 +	1075	4.9	4	2	3	5	6	7	9	14
2. MULTIPLE DX										
0-19 YRS	8	14.4	192	2	3	11	18	37	45	45
20-34	9	4.6	12	<1	<1	4	7	10	11	11
35-49	74	5.0	14	1	2	4	6	9	12	22
50-64	1783	5.4	12	2	3	5	6	9	11	21
65 +	7700	6.8	29	3	3	5	7	12	16	28
TOTAL SINGLE DX	1654	4.7	4	2	3	4	5	7	8	14
TOTAL MULTIPLE DX	9574	6.5	27	3	3	5	7	11	15	27
TOTAL										
0-19 YRS	11	11.8	154	2	3	6	15	30	44	45
20-34	13	4.2	9	<1	1	4	5	9	11	11
35-49	102	4.7	12	1	2	4	5	8	11	20
50-64	2327	5.1	10	2	3	4	6	8	11	20
65 +	8775	6.5	27	3	3	5	7	11	15	27
GRAND TOTAL	11228	6.2	24	3	3	5	7	11	14	25

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64	53	9.5	8	5	6	9	11	14	15	16
65 +	64	9.6	10	5	6	9	11	15	16	17
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	4	8.5	25	5	5	6	11	16	16	16
50-64	145	10.8	26	6	7	9	12	17	20	30
65 +	434	11.1	46	6	7	9	12	17	21	39
TOTAL SINGLE DX	120	9.5	9	5	6	9	11	15	16	17
TOTAL MULTIPLE DX	584	11.0	41	6	7	9	12	17	20	35
TOTAL										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	0									
35-49	6	8.5	16	5	5	7	10	15	16	16
50-64	198	10.5	22	6	6	9	12	16	18	29
65 +	498	10.9	42	6	7	9	12	16	20	35
GRAND TOTAL	704	10.7	36	6	6	9	12	16	19	31

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	3	8.0	147	1	1	1	17	22	22	22
35-49	13	1.8		<1	<1	2	2	3	4	4
50-64	95	2.0	2	1	1	1	2	3	5	11
65 +	101	2.5	5	<1	1	2	3	5	6	14
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	21	4.1	21	<1	1	2	5	14	15	15
50-64	153	3.8	14	1	1	2	5	9	12	30
65 +	369	6.2	42	1	1	4	8	13	18	26
TOTAL SINGLE DX	214	2.3	6	<1	1	2	3	4	6	14
TOTAL MULTIPLE DX	544	5.5	35	1	1	4	7	12	15	26
TOTAL										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	3	8.0	147	1	1	1	17	22	22	22
35-49	34	3.2	14	<1	1	2	3	8	14	15
50-64	248	3.1	11	1	1	2	4	7	10	14
65 +	470	5.4	37	1	1	4	7	12	15	25
GRAND TOTAL	758	4.6	29	1	1	3	6	10	14	23

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	1.5		<1	<1	1	2	2	3	6
20-34	51	2.9	5	<1	1	2	4	6	8	12
35-49	30	3.7	10	1	1	2	5	9	10	14
50-64	22	2.6	5	<1	1	2	3	6	8	9
65 +	28	3.1	13	<1	<1	2	4	5	14	17
2. MULTIPLE DX										
0-19 YRS	48	2.9	3	<1	1	3	4	6	6	9
20-34	40	6.0	24	1	2	5	8	10	14	29
35-49	37	5.0	12	1	1	4	7	9	13	15
50-64	34	6.7	76	<1	1	4	9	14	19	48
65 +	60	5.3	14	1	2	4	8	12	14	91
TOTAL SINGLE DX	177	2.7	7	<1	1	2	3	6	8	14
TOTAL MULTIPLE DX	219	5.1	24	1	1	4	7	11	14	35
TOTAL										
0-19 YRS	94	2.2	3	<1	<1	2	3	4	6	8
20-34	91	4.3	16	1	1	3	6	9	11	24
35-49	67	4.4	12	1	1	3	7	9	11	15
50-64	56	5.1	52	<1	1	3	6	11	15	46
65 +	88	4.6	15	1	1	3	7	12	14	68
GRAND TOTAL	396	4.0	18	<1	1	3	5	9	12	19

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	78	1.9	3	<1	1	1	2	3	4	12
20-34	65	2.4	4	1	1	2	3	5	6	14
35-49	49	2.7	4	1	1	2	3	5	7	11
50-64	29	2.7	9	<1	1	2	3	6	8	16
65 +	80	2.7	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	78	2.2	4	<1	1	1	3	4	8	9
20-34	47	4.7	30	1	1	3	6	11	15	29
35-49	47	4.5	46	<1	1	3	5	11	15	41
50-64	88	5.4	34	1	1	3	7	14	19	26
65 +	430	7.1	85	1	1	4	9	15	23	64
TOTAL SINGLE DX	301	2.4	5	<1	1	2	3	5	7	13
TOTAL MULTIPLE DX	690	6.0	66	1	1	3	7	14	20	50
TOTAL										
0-19 YRS	156	2.0	4	<1	1	1	2	4	6	11
20-34	112	3.4	16	1	1	2	4	7	12	25
35-49	96	3.6	25	1	1	2	4	6	12	32
50-64	117	4.8	29	1	1	3	5	13	18	25
65 +	510	6.4	75	1	1	4	8	14	21	55
GRAND TOTAL	991	4.9	50	1	1	3	6	12	16	39

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	315	1.4		< 1	< 1	1	2	2	3	5
20-34	52	1.7	1	1	1	1	2	3	3	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	5.5	5	4	4	5	7	7	7	7
65 +	0									
2. MULTIPLE DX										
0-19 YRS	195	1.9	4	< 1	1	1	2	3	5	12
20-34	11	2.1	2	1	1	2	2	5	5	5
35-49	0									
50-64	3	4.3	9	1	1	5	6	7	7	7
65 +	3	2.3		2	2	2	3	3	3	3
TOTAL SINGLE DX	372	1.5	1	< 1	< 1	1	2	2	3	6
TOTAL MULTIPLE DX	212	2.0	4	< 1	1	1	2	4	5	11
TOTAL										
0-19 YRS	510	1.6	2	< 1	< 1	1	2	3	4	7
20-34	63	1.7	1	1	1	1	2	3	5	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64	5	4.8	6	1	1	5	7	7	7	7
65 +	3	2.3		2	2	2	3	3	3	3
GRAND TOTAL	**584**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	1.3		< 1	< 1	1	1	2	3	4
20-34	20	2.7	7	< 1	< 1	2	3	7	9	10
35-49	8	2.9	17	1	1	2	2	10	13	13
50-64	3	4.3	10	2	2	3	7	8	8	8
65 +	0									
2. MULTIPLE DX										
0-19 YRS	28	2.4	4	< 1	< 1	1	3	5	6	9
20-34	20	3.0	7	< 1	1	2	4	7	9	11
35-49	10	2.9	2	1	1	3	4	5	5	5
50-64	5	2.6	3	1	1	2	4	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	108	1.7	3	< 1	< 1	1	2	3	4	11
TOTAL MULTIPLE DX	64	2.6	5	< 1	1	2	4	5	7	11
TOTAL										
0-19 YRS	105	1.6	2	< 1	< 1	1	2	3	4	7
20-34	40	2.8	7	< 1	< 1	2	3	7	9	11
35-49	18	2.9	8	1	1	2	4	5	10	13
50-64	8	3.3	6	1	1	3	4	7	8	8
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**172**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	12	1.0		< 1	< 1	< 1	< 1	1	1	1
35-49	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	6	2.8	6	< 1	< 1	2	5	7	7	7
35-49	7	2.1	1	< 1	< 1	2	3	4	4	4
50-64	0									
65 +	0									
TOTAL SINGLE DX	15	1.0		< 1	< 1	< 1	< 1	< 1	1	1
TOTAL MULTIPLE DX	13	2.5	4	< 1	< 1	2	4	5	7	7
TOTAL										
0-19 YRS	0									
20-34	18	1.6	3	< 1	< 1	< 1	1	4	6	7
35-49	10	1.8	2	< 1	< 1	1	2	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**28**	**1.7**	**2**	**<1**	**<1**	**<1**	**2**	**4**	**5**	**7**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	1.4		< 1	< 1	1	2	2	3	5
20-34	82	1.8	2	< 1	< 1	1	2	3	5	10
35-49	88	1.6	1	1	1	1	2	3	4	8
50-64	47	2.0	1	< 1	< 1	2	3	3	5	7
65 +	32	1.7		< 1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	73	1.7	1	< 1	< 1	1	2	3	4	5
20-34	50	2.2	2	< 1	1	2	2	5	6	8
35-49	57	2.8	7	< 1	1	2	3	7	10	12
50-64	79	2.5	2	< 1	1	2	3	5	6	8
65 +	71	3.6	9	1	1	3	4	6	10	16
TOTAL SINGLE DX	346	1.7	1	< 1	< 1	1	2	3	4	7
TOTAL MULTIPLE DX	330	2.6	5	< 1	1	2	3	5	7	12
TOTAL										
0-19 YRS	170	1.5	1	< 1	< 1	1	2	3	3	5
20-34	132	1.9	3	< 1	1	1	2	4	6	9
35-49	145	2.1	4	1	1	1	2	4	6	11
50-64	126	2.3	3	< 1	1	2	3	5	6	8
65 +	103	3.0	7	1	1	2	4	5	8	15
GRAND TOTAL	**676**	**2.1**	**3**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	1.2	1	<1	<1	<1	<1	1	2	7
20-34	23	1.4		<1	<1	1	1	3	4	4
35-49	11	2.1	13	<1	<1	<1	1	6	12	13
50-64	12	1.7	2	<1	<1	1	2	4	6	6
65 +	8	1.3		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	64	3.0	29	<1	<1	1	2	8	16	91
20-34	20	2.7	4	<1	<1	2	4	6	7	7
35-49	52	3.5	21	<1	<1	1	4	10	12	26
50-64	47	3.2	12	<1	1	2	4	6	11	19
65 +	43	5.0	31	1	1	2	7	13	20	25
TOTAL SINGLE DX	168	1.3	2	<1	<1	<1	1	2	3	12
TOTAL MULTIPLE DX	226	3.5	23	<1	<1	2	4	9	13	29
TOTAL										
0-19 YRS	178	1.8	12	<1	<1	<1	1	3	5	32
20-34	43	2.0	3	<1	<1	1	3	4	6	7
35-49	63	3.3	20	<1	<1	1	4	10	13	24
50-64	59	2.9	11	<1	1	2	3	6	10	19
65 +	51	4.4	28	<1	<1	2	6	11	19	25
GRAND TOTAL	**394**	**2.6**	**15**	**<1**	**<1**	**1**	**2**	**6**	**10**	**23**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	2.7	6	<1	<1	1	4	6	8	13
20-34	30	3.5	3	1	1	3	5	6	6	9
35-49	40	3.7	8	1	1	3	4	8	11	13
50-64	110	2.9	2	1	1	3	4	5	6	7
65 +	59	3.2	3	<1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	57	5.0	28	1	1	3	7	11	15	28
20-34	32	4.8	20	1	1	4	6	9	11	25
35-49	142	5.2	29	1	2	4	5	9	14	35
50-64	277	3.6	5	1	1	3	4	6	8	14
65 +	194	4.9	28	1	1	4	5	8	12	33
TOTAL SINGLE DX	296	3.1	4	1	1	3	4	5	7	11
TOTAL MULTIPLE DX	702	4.5	19	1	1	3	5	8	11	27
TOTAL										
0-19 YRS	114	3.8	19	<1	1	2	5	9	11	25
20-34	62	4.1	12	1	1	4	5	7	9	23
35-49	182	4.9	25	1	2	4	5	9	12	32
50-64	387	3.4	4	1	1	3	4	6	7	12
65 +	253	4.5	23	1	1	3	5	7	11	32
GRAND TOTAL	**998**	**4.0**	**15**	**1**	**1**	**3**	**5**	**7**	**9**	**24**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	4.0	2	2	2	4	5	6	7	10
20-34	285	4.1	2	2	2	4	5	6	7	10
35-49	55	4.8	3	2	3	5	6	7	9	11
50-64	7	5.9	1	4	4	6	7	8	8	8
65 +	6	6.7	10	4	4	5	9	12	12	12
2. MULTIPLE DX										
0-19 YRS	135	4.4	5	2	2	4	5	7	8	15
20-34	639	4.5	5	2	2	4	5	7	8	13
35-49	126	4.9	14	1	2	4	5	8	10	23
50-64	21	10.3	86	3	4	6	11	31	62	99 +
65 +	31	10.2	26	4	5	10	13	17	22	24
TOTAL SINGLE DX	459	4.2	3	2	2	4	5	6	7	11
TOTAL MULTIPLE DX	952	4.9	11	2	2	4	5	8	10	19
TOTAL										
0-19 YRS	241	4.2	4	2	2	4	5	7	8	11
20-34	924	4.4	5	2	2	4	5	6	8	12
35-49	181	4.9	11	1	2	4	5	8	9	18
50-64	28	9.2	69	4	4	6	10	28	39	99 +
65 +	37	9.6	25	4	4	9	12	17	21	24
GRAND TOTAL	**1411**	**4.7**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**16**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	4.4	2	2	2	4	5	6	7	10
20-34	356	4.3	1	3	3	4	5	6	7	8
35-49	127	4.7	3	3	3	4	5	7	7	13
50-64	13	5.0	4	2	2	5	6	8	8	8
65 +	10	5.4	3	2	3	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	97	6.0	55	3	3	5	6	8	9	46
20-34	934	5.0	6	3	3	5	6	7	9	14
35-49	485	5.6	12	3	3	5	6	8	11	20
50-64	72	7.2	21	3	4	6	8	11	15	29
65 +	79	12.1	90	4	5	10	14	23	29	60
TOTAL SINGLE DX	564	4.4	2	2	3	4	5	6	7	8
TOTAL MULTIPLE DX	1667	5.7	18	3	3	5	6	9	11	24
TOTAL										
0-19 YRS	155	5.4	36	2	3	5	6	8	9	13
20-34	1290	4.8	5	3	3	4	5	7	8	13
35-49	612	5.4	11	3	3	5	6	8	10	19
50-64	85	6.9	19	3	3	6	8	10	15	29
65 +	89	11.4	85	4	5	9	13	22	29	57
GRAND TOTAL	2231	5.4	14	3	3	5	6	8	10	19

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	56	4.7	2	3	3	4	6	7	8	10
35-49	86	5.0	3	3	3	5	6	7	8	13
50-64	43	5.4	3	3	4	5	6	8	10	10
65 +	17	7.7	17	5	5	6	8	14	18	20
2. MULTIPLE DX										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	334	5.3	5	3	3	5	6	7	9	17
35-49	606	5.6	5	3	4	5	6	8	10	15
50-64	194	7.7	34	4	4	6	8	13	17	40
65 +	124	10.1	37	4	5	8	12	18	22	33
TOTAL SINGLE DX	205	5.2	5	3	3	5	6	7	10	14
TOTAL MULTIPLE DX	1260	6.3	16	3	4	5	7	10	13	22
TOTAL										
0-19 YRS	5	4.6	1	3	3	5	5	6	6	6
20-34	390	5.2	5	3	3	5	6	7	9	16
35-49	692	5.5	6	3	4	5	6	8	10	14
50-64	237	7.3	29	4	4	6	8	12	16	33
65 +	141	9.8	35	4	5	7	12	18	22	32
GRAND TOTAL	1465	6.1	14	3	4	5	7	10	12	22

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	3.8	18	< 1	< 1	2	3	9	15	19
20-34	59	2.7	3	< 1	< 1	2	4	6	7	8
35-49	11	3.0	3	< 1	< 1	3	4	5	6	6
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	29	4.4	19	< 1	1	3	4	9	14	22
20-34	265	3.9	5	< 1	1	4	5	6	8	13
35-49	61	3.8	5	< 1	< 1	4	5	7	8	11
50-64	5	4.8	3	2	2	5	6	7	7	7
65 +	10	16.2	453	1	1	8	25	49	71	71
TOTAL SINGLE DX	96	3.0	7	< 1	< 1	2	4	6	7	17
TOTAL MULTIPLE DX	370	4.2	21	< 1	1	4	5	7	10	20
TOTAL										
0-19 YRS	53	4.1	19	< 1	1	3	4	9	14	22
20-34	324	3.7	5	< 1	1	4	5	6	8	12
35-49	72	3.7	5	< 1	< 1	4	5	6	8	11
50-64	7	3.9	5	< 1	< 1	5	5	7	7	7
65 +	10	16.2	453	1	1	8	25	49	71	71
GRAND TOTAL	466	[illegible].0	19	<1	1	3	5	7	9	18

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	329	1.1		< 1	< 1	< 1	< 1	< 1	1	5
35-49	150	1.1		< 1	< 1	< 1	< 1	< 1	1	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	176	1.7	2	< 1	< 1	1	2	3	5	10
35-49	88	1.5	2	< 1	< 1	< 1	1	3	3	10
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	0									
TOTAL SINGLE DX	481	1.1		< 1	< 1	< 1	< 1	< 1	1	4
TOTAL MULTIPLE DX	267	1.7	2	< 1	< 1	1	2	3	5	10
TOTAL										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	505	1.3	1	< 1	< 1	< 1	1	2	3	6
35-49	238	1.2	1	< 1	< 1	< 1	< 1	1	3	7
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	0									
GRAND TOTAL	748	1.3	1	<1	<1	<1	<1	2	3	6

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	184	2.1	2	< 1	< 1	2	3	4	4	7
35-49	63	2.0	1	< 1	< 1	1	3	4	4	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	13	3.3	7	1	1	3	4	6	10	11
20-34	1317	2.7	1	1	2	3	3	4	5	7
35-49	234	2.8	1	1	1	3	3	4	5	8
50-64	4	9.3	18	3	3	11	12	12	12	12
65 +	0									
TOTAL SINGLE DX	248	2.1	2	< 1	< 1	2	3	4	4	8
TOTAL MULTIPLE DX	1568	2.8	2	1	1	3	3	4	5	7
TOTAL										
0-19 YRS	14	3.4	7	1	1	3	4	6	10	11
20-34	1501	2.7	2	1	1	3	3	4	5	7
35-49	297	2.6	2	1	1	3	3	4	4	8
50-64	4	9.3	18	3	3	11	12	12	12	12
65 +	0									
GRAND TOTAL	1816	2.7	2	1	1	3	3	4	5	7

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	64	4.2	1	3	3	4	5	6	6	8
20-34	761	3.7	1	1	2	4	4	5	6	7
35-49	120	3.8	2	1	2	4	5	6	7	8
50-64	3	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	76	4.4	2	2	3	4	5	6	7	11
20-34	1117	4.1	3	2	3	4	5	6	7	10
35-49	203	4.4	5	2	3	4	5	6	8	15
50-64	6	5.8	11	1	1	5	8	11	11	11
65 +	4	9.5	25	5	5	8	13	16	16	16
TOTAL SINGLE DX	948	3.7	2	1	2	4	4	5	6	8
TOTAL MULTIPLE DX	1406	4.2	4	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	140	4.3	2	2	3	4	5	6	7	11
20-34	1878	3.9	3	2	2	4	5	5	6	9
35-49	323	4.2	4	2	2	4	5	6	7	12
50-64	9	5.2	8	1	2	5	6	10	11	11
65 +	4	9.5	26	5	5	8	13	16	16	16
GRAND TOTAL	2354	4.0	3	2	2	4	5	6	6	10

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.3		< 1	< 1	1	2	2	2	2
20-34	165	1.5	1	< 1	< 1	1	2	3	4	6
35-49	50	1.6	1	< 1	< 1	1	2	3	4	6
50-64	19	1.5		< 1	< 1	1	2	3	4	4
65 +	12	1.9	4	< 1	< 1	1	2	4	7	8
2. MULTIPLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	108	2.8	58	< 1	< 1	1	3	5	5	38
35-49	71	3.6	54	< 1	< 1	2	3	6	7	49
50-64	27	2.6	7	< 1	< 1	2	3	6	10	13
65 +	33	5.3	112	< 1	1	2	3	11	38	47
TOTAL SINGLE DX	253	1.6	1	< 1	< 1	1	2	3	4	6
TOTAL MULTIPLE DX	242	3.3	58	< 1	< 1	2	3	5	7	48
TOTAL										
0-19 YRS	10	1.3		< 1	< 1	1	2	2	2	2
20-34	273	2.0	24	< 1	< 1	1	2	4	5	7
35-49	121	2.8	33	< 1	< 1	1	3	5	6	36
50-64	46	2.1	5	< 1	< 1	1	2	4	7	13
65 +	45	4.4	85	< 1	< 1	2	3	8	24	47
GRAND TOTAL	495	2.4	30	<1	<1	1	2	4	6	25

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.4	1	< 1	< 1	< 1	1	3	3	3
20-34	48	1.3		< 1	< 1	1	1	2	3	4
35-49	32	1.6	2	< 1	< 1	< 1	1	3	6	9
50-64	17	1.9	3	< 1	< 1	1	2	6	7	7
65 +	16	3.6	8	< 1	< 1	2	6	8	9	9
2. MULTIPLE DX										
0-19 YRS	8	6.3	137	< 1	< 1	2	4	26	35	35
20-34	79	2.6	7	< 1	< 1	1	4	6	8	13
35-49	94	3.5	17	< 1	< 1	1	5	8	11	22
50-64	69	4.7	33	< 1	< 1	2	6	13	16	30
65 +	97	6.4	38	1	1	5	7	14	17	35
TOTAL SINGLE DX	118	1.8	3	< 1	< 1	1	2	4	7	9
TOTAL MULTIPLE DX	347	4.4	28	< 1	< 1	3	6	10	15	32
TOTAL										
0-19 YRS	13	4.4	86	< 1	< 1	1	3	11	30	35
20-34	127	2.1	5	< 1	< 1	1	2	5	7	13
35-49	126	3.0	15	< 1	< 1	1	4	7	10	21
50-64	86	4.2	29	< 1	< 1	2	5	10	16	29
65 +	113	6.0	35	< 1	1	5	7	12	17	35
GRAND TOTAL	465	3.8	23	<1	<1	2	5	8	13	23

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	2.4	2	< 1	1	2	3	4	5	7
20-34	311	2.0	1	1	1	2	3	4	5	7
35-49	38	1.9	2	1	1	1	3	3	4	8
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9	3.7	7	1	1	3	5	8	9	9
20-34	104	3.8	45	1	1	2	4	7	9	45
35-49	10	13.2	684	1	1	3	7	53	86	86
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	375	2.0	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	124	4.5	95	1	1	3	4	7	10	67
TOTAL										
0-19 YRS	34	2.8	4	1	1	2	3	5	7	9
20-34	415	2.5	13	1	1	2	3	4	5	10
35-49	48	4.3	154	1	1	2	3	4	9	86
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**499**	**2.6**	**26**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.3	3	3	3	4	5	7	7	7
20-34	109	4.1	2	1	2	4	5	6	7	8
35-49	38	3.9	4	< 1	1	4	5	6	7	11
50-64	4	2.8	5	< 1	< 1	2	4	6	6	6
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	8	3.5	5	1	1	3	5	7	8	8
20-34	281	4.7	5	1	2	5	6	7	8	15
35-49	120	4.9	12	1	1	4	6	9	10	19
50-64	31	7.5	95	< 1	1	5	8	15	30	48
65 +	26	7.3	47	1	2	6	8	16	22	32
TOTAL SINGLE DX	157	4.0	3	1	1	4	5	6	7	8
TOTAL MULTIPLE DX	466	5.1	16	1	2	5	6	8	10	20
TOTAL										
0-19 YRS	12	3.8	5	1	1	3	5	7	8	8
20-34	390	4.5	5	1	2	5	5	7	7	12
35-49	158	4.6	10	1	1	4	5	8	10	15
50-64	35	7.0	87	< 1	1	5	8	14	27	48
65 +	28	7.0	46	1	2	5	8	15	21	32
GRAND TOTAL	**623**	**4.8**	**13**	**1**	**2**	**4**	**6**	**7**	**9**	**18**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	5.0	6	3	3	4	7	9	9	9
20-34	498	5.1	1	3	4	5	6	7	7	9
35-49	769	5.2	1	3	4	5	6	7	7	9
50-64	196	6.2	6	4	4	6	7	8	12	17
65 +	121	6.8	8	4	4	6	8	10	13	20
2. MULTIPLE DX										
0-19 YRS	31	6.0	6	3	3	6	7	9	13	14
20-34	4593	5.5	5	3	4	5	6	7	8	13
35-49	9471	5.6	5	4	4	5	6	7	9	14
50-64	2013	6.4	12	4	4	6	7	9	11	19
65 +	916	8.8	36	5	5	7	10	14	18	37
TOTAL SINGLE DX	1589	5.4	3	3	4	5	6	7	8	13
TOTAL MULTIPLE DX	17024	5.8	9	4	4	5	6	8	10	16
TOTAL										
0-19 YRS	36	5.9	7	3	3	6	7	9	12	14
20-34	5091	5.4	5	3	4	5	6	7	8	13
35-49	10240	5.5	5	4	4	5	6	7	9	14
50-64	2209	6.4	12	4	4	6	7	9	11	18
65 +	1037	8.6	34	4	5	7	9	14	17	35
GRAND TOTAL	**18613**	**5.8**	**8**	**4**	**4**	**5**	**6**	**8**	**9**	**16**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	368	4.3	1	3	3	4	5	6	6	7
35-49	315	4.4	2	3	3	4	5	6	7	10
50-64	121	5.4	2	3	3	5	6	8	9	11
65 +	101	6.7	8	4	4	6	7	10	11	21
2. MULTIPLE DX										
0-19 YRS	4	4.5	3	3	3	4	6	7	7	7
20-34	1770	4.5	2	3	3	4	5	6	7	10
35-49	2617	4.8	2	3	3	5	6	7	8	10
50-64	636	5.8	4	3	4	5	7	8	9	14
65 +	623	6.6	4	4	4	6	7	9	10	14
TOTAL SINGLE DX	907	4.7	3	3	3	4	6	7	8	10
TOTAL MULTIPLE DX	5650	5.0	3	3	3	5	6	7	8	11
TOTAL										
0-19 YRS	6	5.5	7	3	3	5	7	10	10	10
20-34	2138	4.4	2	3	3	4	5	6	7	10
35-49	2932	4.7	3	3	3	4	5	7	7	10
50-64	757	5.7	4	3	4	5	7	8	9	14
65 +	724	6.6	5	4	4	6	7	9	10	15
GRAND TOTAL	**6557**	**5.0**	**3**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	17	9.6	14	7	7	8	9	13	20	23
35-49	9	10.0	10	6	6	9	12	14	15	15
50-64	5	12.4	39	6	6	10	17	22	22	22
65 +	2	11.0	8	9	9	11	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	0									
20-34	16	9.6	6	7	7	9	10	12	15	17
35-49	40	11.5	51	5	6	9	13	20	23	44
50-64	19	12.4	25	6	8	10	16	20	23	24
65 +	17	14.9	168	4	5	11	16	28	48	59
TOTAL SINGLE DX	33	10.2	16	6	7	9	12	15	21	23
TOTAL MULTIPLE DX	92	12.0	60	5	7	10	13	20	24	53
TOTAL										
0-19 YRS	0									
20-34	33	9.6	10	7	7	9	10	12	17	23
35-49	49	11.2	44	6	6	9	13	19	22	44
50-64	24	12.4	27	6	8	10	16	21	23	24
65 +	19	14.5	152	4	5	11	16	26	45	59
GRAND TOTAL	125	11.5	49	6	7	10	13	19	22	48

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.3		< 1	< 1	1	2	2	2	2
20-34	35	1.7	1	< 1	< 1	1	2	4	4	5
35-49	4	1.8	2	< 1	< 1	1	2	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	5.1	41	< 1	< 1	2	6	16	20	20
20-34	49	4.2	30	< 1	< 1	2	6	7	12	33
35-49	9	4.2	17	< 1	< 1	4	5	11	14	14
50-64	0									
65 +	0									
TOTAL SINGLE DX	49	1.6	1	< 1	< 1	1	2	4	4	5
TOTAL MULTIPLE DX	66	4.3	29	< 1	< 1	2	6	7	15	31
TOTAL										
0-19 YRS	18	3.0	21	< 1	< 1	1	2	7	15	20
20-34	84	3.1	20	< 1	< 1	2	4	6	8	29
35-49	13	3.5	14	< 1	< 1	2	4	8	13	14
50-64	0									
65 +	0									
GRAND TOTAL	115	3.1	19	<1	<1	2	4	7	8	25

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	519	1.5	2	< 1	< 1	1	2	2	3	5
20-34	2287	1.4	1	< 1	< 1	1	1	2	4	5
35-49	569	1.3		< 1	< 1	1	1	2	3	5
50-64	167	1.3		< 1	< 1	< 1	1	2	3	5
65 +	69	1.4	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX										
0-19 YRS	225	2.6	4	< 1	1	2	3	5	6	11
20-34	1254	2.6	11	< 1	< 1	2	3	5	7	13
35-49	896	2.6	10	< 1	< 1	1	3	6	8	15
50-64	326	3.6	23	< 1	< 1	2	4	9	14	24
65 +	312	4.4	41	< 1	< 1	2	5	10	15	29
TOTAL SINGLE DX	3611	1.4	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	3013	2.9	16	< 1	< 1	2	3	6	8	18
TOTAL										
0-19 YRS	744	1.9	4	< 1	< 1	1	2	3	5	7
20-34	3541	1.8	5	< 1	< 1	1	2	4	5	9
35-49	1465	2.1	7	< 1	< 1	1	2	5	7	12
50-64	493	2.8	17	< 1	< 1	1	2	6	11	23
65 +	381	3.9	35	< 1	< 1	2	4	9	14	22
GRAND TOTAL	6624	2.1	8	<1	<1	1	2	4	6	13

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.2		< 1	< 1	1	1	2	2	2
20-34	41	1.3		< 1	< 1	< 1	1	2	3	5
35-49	7	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	16	4.8	27	< 1	1	2	6	15	16	16
20-34	53	4.1	27	< 1	< 1	2	5	9	17	28
35-49	18	4.2	75	< 1	< 1	1	2	10	27	37
50-64	0									
65 +	0									
TOTAL SINGLE DX	60	1.2		< 1	< 1	< 1	1	2	2	5
TOTAL MULTIPLE DX	87	4.2	37	< 1	< 1	2	5	12	16	34
TOTAL										
0-19 YRS	28	3.2	19	< 1	< 1	1	3	10	16	16
20-34	94	2.9	18	< 1	< 1	1	3	6	11	24
35-49	25	3.3	55	< 1	< 1	1	2	4	19	37
50-64	0									
65 +	0									
GRAND TOTAL	147	3.0	24	<1	<1	1	3	6	13	28

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	103	1.3		< 1	< 1	1	1	2	3	4
20-34	532	1.3		< 1	< 1	1	1	2	3	5
35-49	66	1.2		< 1	< 1	1	1	2	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	33	2.2	2	1	1	2	3	4	6	8
20-34	176	2.4	5	< 1	< 1	2	3	4	6	15
35-49	38	2.9	16	< 1	< 1	2	3	5	11	23
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	3	4.3	12	1	1	4	7	8	8	8
TOTAL SINGLE DX	701	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	253	2.5	7	< 1	< 1	2	3	4	6	16
TOTAL										
0-19 YRS	136	1.5	1	< 1	< 1	1	2	3	4	6
20-34	708	1.5	2	< 1	< 1	1	2	3	4	8
35-49	104	1.8	7	< 1	< 1	1	2	3	5	18
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	3	4.3	12	1	1	4	7	8	8	8
GRAND TOTAL	954	1.6	3	<1	<1	1	2	3	4	8

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	9	3.9	3	1	1	4	5	7	7	7
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5	4.4	1	3	3	4	5	6	6	6
20-34	45	3.8	2	1	2	4	5	6	6	7
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	3	5.0	1	4	4	5	6	6	6	6
TOTAL SINGLE DX	12	3.9	4	1	1	4	5	6	7	7
TOTAL MULTIPLE DX	57	4.0	2	1	2	4	5	6	6	7
TOTAL										
0-19 YRS	7	4.0	2	2	2	4	5	6	6	6
20-34	54	3.8	2	1	2	4	5	6	6	7
35-49	4	4.5	3	2	2	5	6	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65 +	3	5.0	1	4	4	5	6	6	6	6
GRAND TOTAL	69	4.0	2	1	2	4	5	6	6	7

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.7	5	1	1	1	4	7	8	8
20-34	37	2.9	4	< 1	< 1	3	5	6	7	8
35-49	11	2.7	5	< 1	< 1	2	4	6	8	8
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	17	3.9	3	1	2	4	5	7	8	9
20-34	80	4.2	13	1	1	4	5	7	11	19
35-49	32	3.4	4	< 1	1	3	5	6	6	10
50-64	21	4.5	20	1	1	3	5	10	16	21
65 +	14	4.3	5	< 1	1	4	6	8	8	8
TOTAL SINGLE DX	65	2.8	4	< 1	1	3	4	6	7	8
TOTAL MULTIPLE DX	164	4.1	11	1	1	3	5	7	9	20
TOTAL										
0-19 YRS	28	3.5	5	1	1	3	5	7	8	9
20-34	117	3.8	11	< 1	1	3	5	6	8	19
35-49	43	3.2	5	< 1	1	3	5	6	7	10
50-64	24	4.3	19	1	1	3	5	8	15	21
65 +	17	3.9	5	< 1	1	3	6	8	8	8
GRAND TOTAL	229	3.7	9	1	1	3	5	6	8	19

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	24	4.3	10	1	2	3	5	7	11	17
35-49	131	4.4	3	2	2	4	5	7	8	9
50-64	223	4.9	3	2	3	5	6	8	9	10
65 +	157	5.0	4	2	2	5	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	52	4.7	5	2	2	4	6	8	9	13
35-49	223	5.7	7	2	3	5	7	8	10	17
50-64	421	5.5	7	3	3	5	6	8	9	14
65 +	429	6.1	7	3	4	6	7	8	10	14
TOTAL SINGLE DX	535	4.8	4	2	2	5	6	7	8	10
TOTAL MULTIPLE DX	1126	5.7	8	3	3	5	7	8	10	15
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	76	4.6	7	2	2	4	6	7	9	16
35-49	354	5.2	7	2	3	5	6	8	9	15
50-64	644	5.3	6	2	3	5	6	8	9	13
65 +	586	5.8	7	3	3	6	7	8	9	13
GRAND TOTAL	1661	5.4	7	2	3	5	7	8	9	13

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	3.2	14	<1	1	2	3	8	11	19
20-34	53	2.9	2	1	1	2	4	5	6	7
35-49	29	3.9	5	1	1	4	5	7	9	10
50-64	17	3.8	8	<1	1	4	5	8	10	11
65 +	13	5.1	3	1	3	5	6	8	9	9
2. MULTIPLE DX										
0-19 YRS	21	4.0	7	1	1	3	5	9	10	10
20-34	43	3.7	7	1	1	3	6	6	8	13
35-49	29	6.2	72	1	1	4	6	16	23	42
50-64	30	5.3	6	1	2	5	7	8	10	12
65 +	35	7.8	14	1	5	7	9	13	17	18
TOTAL SINGLE DX	140	3.5	7	1	1	3	5	6	9	12
TOTAL MULTIPLE DX	158	5.4	23	1	1	5	7	10	12	22
TOTAL										
0-19 YRS	49	3.6	12	1	1	2	5	9	10	19
20-34	96	3.3	5	1	1	3	5	6	7	12
35-49	58	5.1	40	1	1	4	5	8	16	40
50-64	47	4.7	8	1	1	5	7	8	10	12
65 +	48	7.0	13	1	4	6	9	11	15	18
GRAND TOTAL	298	4.5	16	1	1	4	6	9	10	20

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	3.0	11	<1	<1	2	3	7	11	15
20-34	81	3.1	8	<1	<1	3	4	6	8	13
35-49	50	4.4	19	<1	<1	3	6	10	15	20
50-64	16	5.8	58	<1	<1	3	6	18	26	29
65 +	24	5.3	22	1	2	4	6	7	14	26
2. MULTIPLE DX										
0-19 YRS	41	3.6	18	<1	<1	2	3	8	15	20
20-34	198	3.9	15	<1	<1	3	5	8	13	21
35-49	83	5.1	23	<1	1	4	6	12	17	21
50-64	73	6.2	17	1	3	5	8	11	13	26
65 +	115	7.0	92	1	2	5	7	14	16	69
TOTAL SINGLE DX	191	3.9	17	<1	<1	3	5	7	11	24
TOTAL MULTIPLE DX	510	5.1	36	<1	1	4	6	11	14	23
TOTAL										
0-19 YRS	61	3.4	16	<1	<1	2	3	8	13	20
20-34	279	3.7	13	<1	<1	3	4	8	11	18
35-49	133	4.8	21	<1	<1	3	6	11	16	21
50-64	89	6.1	24	1	2	5	7	11	15	29
65 +	139	6.7	81	1	2	5	7	13	16	66
GRAND TOTAL	701	4.8	31	<1	1	3	6	10	14	23

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	2.1	3	<1	<1	2	2	4	7	8
20-34	91	1.7	1	<1	<1	1	2	3	5	7
35-49	52	1.3		<1	<1	1	1	2	3	5
50-64	19	1.8	1	<1	<1	1	3	3	4	4
65 +	14	2.0	4	<1	<1	1	2	4	8	9
2. MULTIPLE DX										
0-19 YRS	31	3.5	8	<1	<1	3	5	8	9	13
20-34	92	3.4	13	<1	<1	2	4	7	9	21
35-49	48	3.8	23	1	1	3	4	8	10	32
50-64	45	6.7	61	<1	1	4	8	14	30	34
65 +	46	6.5	45	<1	1	4	10	15	18	33
TOTAL SINGLE DX	205	1.7	2	<1	<1	1	2	3	4	8
TOTAL MULTIPLE DX	262	4.6	30	<1	1	3	5	10	15	32
TOTAL										
0-19 YRS	60	2.8	6	<1	<1	2	3	6	8	13
20-34	183	2.5	8	<1	<1	2	3	5	7	19
35-49	100	2.5	13	<1	<1	1	3	5	8	21
50-64	64	5.3	48	<1	<1	3	6	11	22	34
65 +	60	5.5	39	<1	<1	3	7	14	17	32
GRAND TOTAL	467	3.3	20	<1	<1	2	3	7	11	29

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	3	3.7	5	1	1	5	5	5	5	5
35-49	5	5.2	26	<1	<1	3	7	14	14	14
50-64	9	7.9	21	2	3	7	13	14	14	14
65 +	17	7.1	27	<1	1	6	11	14	18	20
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	4.6	9	<1	<1	5	7	9	9	9
35-49	11	8.2	28	<1	1	7	12	15	16	16
50-64	17	12.4	111	2	3	9	14	30	37	40
65 +	26	11.6	136	3	4	8	13	19	40	57
TOTAL SINGLE DX	34	6.7	24	<1	1	5	11	14	14	20
TOTAL MULTIPLE DX	62	10.4	97	1	2	8	13	18	33	55
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	4.3	8	<1	<1	5	6	8	9	9
35-49	16	7.3	28	<1	<1	6	12	15	16	16
50-64	26	10.8	83	2	3	8	14	24	33	40
65 +	43	9.8	97	1	2	8	12	18	26	57
GRAND TOTAL	96	9.1	74	1	2	7	12	16	23	49

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	1.8	1	1	1	1	2	4	5	6
20-34	14	2.6	2	1	1	2	3	5	6	7
35-49	7	3.1	3	1	1	3	5	6	6	6
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	10	2.7	3	1	1	2	4	5	6	6
20-34	16	3.4	9	< 1	1	3	4	6	11	13
35-49	5	3.4	2	1	1	4	4	5	5	5
50-64	5	7.0	31	1	1	7	9	16	16	16
65 +	2	4.0	2	3	3	4	5	5	5	5
TOTAL SINGLE DX	42	2.3	2	1	1	2	3	5	6	7
TOTAL MULTIPLE DX	38	3.7	10	1	1	3	5	7	11	16
TOTAL										
0-19 YRS	30	2.1	2	1	1	1	2	5	6	6
20-34	30	3.1	6	1	1	2	4	6	7	13
35-49	12	3.3	3	1	1	3	4	5	6	6
50-64	5	7.0	32	1	1	7	9	16	16	16
65 +	3	3.3	2	2	2	3	4	5	5	5
GRAND TOTAL	80	3.0	6	1	1	2	4	6	7	15

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	10.0		10	10	10	10	10	10	10
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	13.1	452	< 1	1	7	10	49	65	65
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	7.0	60	< 1	< 1	4	12	18	18	18
TOTAL SINGLE DX	6	2.5	14	< 1	< 1	1	1	9	10	10
TOTAL MULTIPLE DX	15	9.1	263	< 1	< 1	3	9	18	53	65
TOTAL										
0-19 YRS	12	9.1	324	< 1	< 1	2	9	27	60	65
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	4	7.0	61	< 1	< 1	4	12	18	18	18
GRAND TOTAL	21	7.2	197	< 1	< 1	2	9	14	39	65

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1104	2.5		1	2	2	3	3	4	5
20-34	4609	2.6	1	1	2	3	3	3	4	5
35-49	202	2.7		1	2	3	3	4	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1041	3.1	7	2	2	3	3	4	5	12
20-34	4852	3.0	5	2	2	3	3	4	5	8
35-49	327	3.4	7	2	2	3	4	5	7	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	5916	2.6	1	1	2	3	3	3	4	5
TOTAL MULTIPLE DX	6221	3.0	6	2	2	3	3	4	5	9
TOTAL										
0-19 YRS	2145	2.8	4	1	2	3	3	4	4	8
20-34	9461	2.8	4	2	2	3	3	4	4	7
35-49	529	3.1	5	2	2	3	3	4	5	9
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	12137	2.8	4	2	2	3	3	4	4	7

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.3		2	2	2	3	3	3	3
20-34	41	2.0		1	1	2	2	3	3	4
35-49	3	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	32	2.1	1	1	1	2	3	4	4	5
20-34	133	3.3	21	1	1	2	3	5	9	30
35-49	6	3.0	1	2	2	3	4	5	5	5
50-64	0									
65 +	0									
TOTAL SINGLE DX	50	2.1	1	1	1	2	3	3	3	4
TOTAL MULTIPLE DX	171	3.1	17	1	1	2	3	5	7	25
TOTAL										
0-19 YRS	38	2.2	1	1	1	2	3	3	4	5
20-34	174	3.0	17	1	1	2	3	4	7	24
35-49	9	2.8	1	2	2	2	3	5	5	5
50-64	0									
65 +	0									
GRAND TOTAL	221	2.9	14	1	1	2	3	4	5	19

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	316	2.4	1	1	1	2	3	3	4	7
20-34	1576	2.5	1	1	2	2	3	3	4	6
35-49	108	2.7	8	1	2	2	3	4	4	17
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	493	2.8	2	1	2	3	3	4	5	8
20-34	2309	2.9	2	2	2	3	3	4	5	8
35-49	178	3.0	1	2	2	3	3	4	5	7
50-64	0									
65 +	0									
TOTAL SINGLE DX	2000	2.5	2	1	2	2	3	3	4	6
TOTAL MULTIPLE DX	2980	2.9	2	2	2	3	3	4	5	8
TOTAL										
0-19 YRS	809	2.6	2	1	2	2	3	4	5	8
20-34	3885	2.7	2	1	2	3	3	4	4	7
35-49	286	2.9	4	2	2	3	3	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	4980	2.7	2	1	2	3	3	4	4	7

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6990	2.2	1	1	1	2	3	3	4	5
20-34	26594	2.3	1	1	1	2	3	3	4	5
35-49	1419	2.3		1	1	2	3	3	4	5
50-64	5	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2884	2.8	5	1	1	2	3	4	5	11
20-34	14562	2.8	4	1	2	2	3	4	5	9
35-49	1260	3.1	8	1	2	3	3	4	6	12
50-64	3	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	35008	2.3	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	18709	2.8	5	1	2	2	3	4	5	10
TOTAL										
0-19 YRS	9874	2.4	2	1	1	2	3	3	4	7
20-34	41156	2.5	2	1	1	2	3	3	4	7
35-49	2679	2.7	5	1	1	2	3	4	4	8
50-64	8	2.0	1	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	53717	2.5	3	1	1	2	3	3	4	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	947	4.4	2	3	3	4	5	6	6	10
20-34	6143	4.4	3	3	3	4	5	5	6	8
35-49	352	4.5	4	3	3	4	5	6	6	7
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2393	5.3	12	3	3	5	[illegible]	8	9	15
20-34	15640	5.0	9	3	3	4	5	6	8	16
35-49	1528	5.2	12	3	3	5	5	7	9	21
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
TOTAL SINGLE DX	7444	4.4	3	3	3	4	5	6	6	8
TOTAL MULTIPLE DX	19562	5.1	10	3	3	4	5	7	8	16
TOTAL										
0-19 YRS	3340	5.1	10	3	3	4	5	7	9	14
20-34	21783	4.8	8	3	3	4	5	6	7	14
35-49	1880	5.1	11	3	3	5	5	6	8	19
50-64	3	4.7		4	4	5	5	5	5	5
65 +	0									
GRAND TOTAL	27006	4.9	8	3	3	4	5	6	8	14

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	4.4		3	4	4	5	5	6	8
20-34	377	4.2	1	3	3	4	5	5	6	8
35-49	28	4.3		3	3	4	5	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	158	5.0	3	3	3	5	5	8	9	12
20-34	1027	5.1	12	3	3	4	5	7	9	22
35-49	120	5.2	11	3	4	5	6	7	8	19
50-64	0									
65 +	0									
TOTAL SINGLE DX	513	4.2	1	3	3	4	5	5	6	8
TOTAL MULTIPLE DX	1305	5.1	12	3	3	4	5	7	9	19
TOTAL										
0-19 YRS	266	4.8	3	3	3	4	5	7	8	11
20-34	1404	4.9	10	3	3	4	5	6	8	16
35-49	148	5.0	9	3	4	5	5	6	8	12
50-64	0									
65 +	0									
GRAND TOTAL	1818	4.9	9	3	3	4	5	6	8	14

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.7	2	2	2	3	4	6	6	6
20-34	44	3.0	1	1	1	3	4	5	5	5
35-49	7	4.7	4	2	2	5	6	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	66	3.8	3	1	2	4	4	6	7	12
35-49	8	3.8		2	2	4	4	5	5	5
50-64	0									
65 +	0									
TOTAL SINGLE DX	57	3.3	2	1	1	3	4	5	6	8
TOTAL MULTIPLE DX	75	3.8	3	1	2	4	4	6	6	12
TOTAL										
0-19 YRS	7	3.7	2	2	2	4	4	6	6	6
20-34	110	3.5	3	1	1	4	4	5	6	10
35-49	15	4.2	2	2	2	4	5	6	7	8
50-64	0									
65 +	0									
GRAND TOTAL	132	3.6	3	1	1	4	4	5	6	9

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	1.3		1	1	1	2	2	2	3
20-34	45	1.4		<1	1	1	2	2	3	3
35-49	7	1.4		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	26	2.2	2	<1	1	2	2	6	6	7
35-49	4	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
TOTAL SINGLE DX	99	1.3		1	1	1	2	2	2	3
TOTAL MULTIPLE DX	35	2.0	2	1	1	2	2	3	6	7
TOTAL										
0-19 YRS	52	1.3		1	1	1	2	2	2	3
20-34	71	1.7	1	1	1	1	2	3	3	7
35-49	11	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
GRAND TOTAL	134	1.5	1	1	1	1	2	2	3	6

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	5.3	36	<1	1	3	6	15	21	23
20-34	73	4.5	41	<1	<1	3	4	10	15	34
35-49	8	3.9	21	<1	<1	2	4	12	15	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	31	6.0	41	1	1	4	7	12	21	32
20-34	92	6.1	61	1	1	4	7	10	15	51
35-49	16	7.1	28	1	2	6	11	16	17	17
50-64	0									
65 +	0									
TOTAL SINGLE DX	106	4.7	38	<1	<1	3	4	12	16	32
TOTAL MULTIPLE DX	139	6.2	52	1	1	4	7	12	17	51
TOTAL										
0-19 YRS	56	5.7	39	1	1	4	7	13	21	31
20-34	165	5.4	53	<1	1	3	6	10	15	48
35-49	24	6.0	28	1	1	4	8	15	16	17
50-64	0									
65 +	0									
GRAND TOTAL	245	5.5	47	<1	1	3	6	12	16	36

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	1.9	1	<1	<1	1	2	4	5	6
20-34	359	1.9	1	<1	<1	1	2	3	4	7
35-49	15	2.1	1	<1	<1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	54	2.1	2	<1	<1	2	3	4	5	8
20-34	249	3.1	17	<1	1	2	3	6	7	25
35-49	12	2.4	3	<1	<1	2	3	5	8	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	474	1.9	2	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	315	2.9	15	<1	<1	2	3	5	7	20
TOTAL										
0-19 YRS	154	1.9	2	<1	<1	1	2	4	5	7
20-34	608	2.4	9	<1	<1	2	3	4	6	14
35-49	27	2.3	2	<1	<1	2	3	4	5	8
50-64	0									
65 +	0									
GRAND TOTAL	789	2.3	7	<1	<1	2	3	4	5	10

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	571	2.2		1	1	2	3	3	3	4
20-34	2516	2.2		1	1	2	3	3	3	4
35-49	144	2.3		1	1	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	785	2.7	2	1	2	2	3	4	5	10
20-34	3260	2.7	8	1	2	2	3	4	5	8
35-49	254	2.7	2	1	1	2	3	4	5	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	3231	2.2	1	1	1	2	3	3	3	4
TOTAL MULTIPLE DX	4300	2.7	7	1	2	2	3	4	5	8
TOTAL										
0-19 YRS	1356	2.5	2	1	1	2	3	3	4	7
20-34	5776	2.5	5	1	[illegible]	2	3	3	4	7
35-49	398	2.6	2	1	1	2	3	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	7531	2.5	4	1	1	2	3	3	4	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE-DX										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	4	4
20-34	17	3.2	2	<1	1	3	4	5	6	6
35-49	11	8.0	66	2	2	5	8	21	29	30
50-64	15	2.9	9	<1	1	2	3	10	10	10
65 +	17	5.4	10	1	1	5	7	10	11	12
2. MULTIPLE DX										
0-19 YRS	11	5.5	22	1	1	4	8	13	17	17
20-34	14	6.9	53	1	2	4	8	13	26	30
35-49	23	5.2	24	<1	1	3	8	11	15	20
50-64	19	9.8	150	1	1	7	11	24	42	51
65 +	41	9.3	88	2	2	5	12	25	33	36
TOTAL SINGLE DX	72	4.1	18	<1	1	3	5	9	10	27
TOTAL MULTIPLE DX	108	7.8	76	1	1	4	10	17	30	42
TOTAL										
0-19 YRS	23	3.4	15	<1	<1	2	4	9	12	17
20-34	31	4.9	28	1	1	3	5	9	11	30
35-49	34	6.1	38	1	1	4	8	13	19	30
50-64	34	6.8	98	1	1	3	10	11	28	51
65 +	58	8.2	89	1	2	5	10	20	30	36
GRAND TOTAL	180	6.3	56	1	1	4	8	12	22	35

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	194	3.1	2	1	2	3	4	5	6	10
20-34	359	2.8	4	1	1	2	3	4	5	9
35-49	214	2.6	1	1	1	2	3	4	4	7
50-64	62	2.7	1	1	1	3	3	4	5	6
65 +	12	2.9	1	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	242	3.2	3	1	2	3	4	5	7	11
20-34	295	3.2	4	1	2	3	4	5	6	8
35-49	203	3.8	33	1	2	3	4	6	8	16
50-64	61	5.1	55	1	1	3	4	9	20	43
65 +	22	3.3	2	1	2	3	4	5	6	7
TOTAL SINGLE DX	841	2.8	3	1	1	3	3	4	5	8
TOTAL MULTIPLE DX	823	3.5	15	1	2	3	4	5	7	15
TOTAL										
0-19 YRS	436	3.2	3	1	2	3	4	5	6	10
20-34	654	3.0	4	1	1	3	4	5	5	8
35-49	417	3.2	18	1	1	3	4	5	6	12
50-64	123	3.9	30	1	1	3	4	5	9	37
65 +	34	3.2	2	1	2	3	4	5	5	7
GRAND TOTAL	1664	3.1	9	1	1	3	4	5	6	11

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	2.1	1	<1	1	2	3	4	5	6
20-34	52	2.7	12	1	1	2	3	4	5	25
35-49	10	2.4	2	1	1	2	3	5	6	6
50-64	3	4.7	30	1	1	2	9	11	11	11
65 +	5	2.8	3	1	1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	92	5.0	62	1	1	3	5	8	21	46
20-34	108	3.8	7	1	1	3	5	8	9	15
35-49	37	5.4	16	1	1	4	7	12	14	19
50-64	18	5.7	35	1	2	4	6	8	20	28
65 +	11	6.5	56	1	1	5	7	17	27	28
TOTAL SINGLE DX	110	2.5	8	1	1	2	3	5	6	17
TOTAL MULTIPLE DX	266	4.7	32	1	1	3	5	8	12	30
TOTAL										
0-19 YRS	132	4.1	45	1	1	2	4	7	9	36
20-34	160	3.5	10	1	1	3	4	7	9	16
35-49	47	4.8	15	1	1	4	6	10	13	19
50-64	21	5.5	33	1	1	4	6	10	19	28
65 +	16	5.4	42	1	1	3	6	9	22	28
GRAND TOTAL	376	4.1	26	1	1	3	5	7	10	29

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	2.2	2	<1	1	2	3	4	5	6
20-34	166	2.6	3	1	1	2	3	5	6	11
35-49	68	2.5	4	1	1	2	3	5	6	13
50-64	14	2.6	1	1	1	3	3	4	4	4
65 +	4	3.3	11	1	1	2	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	151	6.6	57	1	1	4	8	12	21	36
20-34	283	6.7	76	1	1	4	8	14	18	43
35-49	125	5.4	59	1	1	4	5	9	12	50
50-64	51	7.1	33	1	1	6	9	15	18	30
65 +	41	10.8	82	2	3	7	14	26	30	39
TOTAL SINGLE DX	303	2.5	4	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	651	6.7	67	1	1	4	8	13	20	39
TOTAL										
0-19 YRS	202	5.5	47	1	1	4	6	11	19	34
20-34	449	5.2	54	1	1	3	6	11	14	33
35-49	193	4.4	42	1	1	3	5	8	11	34
50-64	65	6.1	30	1	1	4	8	13	16	29
65 +	45	10.1	80	2	3	7	13	24	30	39
GRAND TOTAL	954	5.4	51	1	1	3	6	11	15	33

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.0	7	<1	<1	3	3	7	10	10
20-34	20	2.6	3	<1	1	2	4	5	6	7
35-49	19	2.3	1	<1	1	2	3	3	4	5
50-64	16	2.3	3	<1	<1	2	3	5	6	7
65 +	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	17	2.9	3	1	1	2	4	6	7	7
20-34	15	4.5	5	1	2	4	6	7	9	9
35-49	20	4.0	14	<1	1	2	5	11	13	13
50-64	18	3.2	3	1	1	3	4	5	8	9
65 +	16	4.3	22	1	1	3	5	12	18	18
TOTAL SINGLE DX	67	2.4	3	<1	<1	2	3	5	6	10
TOTAL MULTIPLE DX	86	3.7	10	1	1	3	5	7	10	16
TOTAL										
0-19 YRS	26	2.9	5	<1	1	2	3	6	8	10
20-34	35	3.4	5	1	1	3	5	7	7	9
35-49	39	3.1	8	<1	1	2	3	6	12	13
50-64	34	2.8	4	<1	1	2	4	5	7	9
65 +	19	3.8	20	<1	<1	2	4	10	15	18
GRAND TOTAL	153	3.2	7	<1	1	2	4	6	9	13

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	194	4.7	28	1	1	3	5	9	14	34
20-34	63	4.8	48	<1	1	3	5	8	16	39
35-49	62	5.4	37	1	1	4	6	9	17	39
50-64	70	5.1	4	1	2	5	6	8	9	10
65 +	24	5.1	10	1	2	4	6	10	12	14
2. MULTIPLE DX										
0-19 YRS	217	6.1	55	1	1	4	7	15	26	64
20-34	85	6.6	66	1	1	4	8	13	17	48
35-49	88	6.4	55	1	1	4	7	13	29	36
50-64	112	7.7	63	1	2	5	8	15	28	72
65 +	73	8.8	65	1	2	7	11	18	25	41
TOTAL SINGLE DX	413	4.9	28	1	1	4	5	9	14	35
TOTAL MULTIPLE DX	575	6.9	61	1	1	4	8	15	26	47
TOTAL										
0-19 YRS	411	5.5	43	1	1	4	6	12	21	40
20-34	148	5.8	59	1	1	4	7	13	16	44
35-49	150	6.0	48	1	1	4	6	11	21	39
50-64	182	6.7	42	1	2	5	7	12	21	49
65 +	97	7.9	54	1	2	6	10	17	21	41
GRAND TOTAL	988	6.1	48	1	1	4	7	12	20	41

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	1.8		<1	1	2	2	3	4	4
20-34	60	1.8	1	<1	<1	2	2	3	4	7
35-49	92	2.2	1	<1	1	2	3	4	5	6
50-64	97	2.4	1	<1	1	2	3	4	5	7
65 +	31	2.8	2	<1	1	2	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	59	2.5	2	<1	<1	2	3	5	5	8
20-34	108	2.5	1	1	1	2	3	5	5	6
35-49	217	2.7	3	<1	1	2	3	5	6	10
50-64	343	2.9	3	<1	1	2	4	5	7	9
65 +	281	3.3	9	1	1	3	4	6	8	12
TOTAL SINGLE DX	321	2.2	2	<1	1	2	3	4	5	6
TOTAL MULTIPLE DX	1008	2.9	5	<1	1	3	4	5	6	10
TOTAL										
0-19 YRS	100	2.2	2	<1	<1	2	3	4	5	8
20-34	168	2.3	2	<1	1	2	3	4	5	7
35-49	309	2.6	3	<1	1	2	3	5	5	9
50-64	440	2.8	3	<1	1	2	3	5	6	9
65 +	312	3.3	9	1	1	3	4	6	7	12
GRAND TOTAL	1329	2.7	4	<1	1	2	3	5	6	9

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	422	3.6	22	<1	1	2	4	6	11	33
20-34	386	3.5	12	<1	1	2	4	7	9	18
35-49	360	3.6	14	<1	<1	2	5	8	10	20
50-64	267	4.1	26	<1	1	3	5	8	13	21
65 +	104	4.8	23	<1	1	3	6	10	12	28
2. MULTIPLE DX										
0-19 YRS	323	9.3	178	1	1	4	11	21	39	81
20-34	435	9.0	128	1	1	5	12	23	34	65
35-49	452	8.5	166	<1	1	4	9	20	37	75
50-64	484	9.2	146	1	1	5	11	22	38	62
65 +	497	11.3	166	1	2	7	14	25	42	71
TOTAL SINGLE DX	1539	3.7	19	<1	1	2	5	8	11	22
TOTAL MULTIPLE DX	2191	9.5	157	1	1	5	11	23	38	72
TOTAL										
0-19 YRS	745	6.1	98	1	1	3	6	14	22	59
20-34	821	6.4	82	<1	1	3	7	16	24	56
35-49	812	6.3	105	<1	1	3	7	14	24	60
50-64	751	7.4	110	1	1	4	8	17	25	53
65 +	601	10.1	148	1	1	6	13	23	36	69
GRAND TOTAL	3730	7.1	108	<1	1	3	8	17	27	59

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	293	4.3	22	1	1	3	5	8	10	30
20-34	115	4.9	21	1	1	4	6	11	14	24
35-49	73	5.4	75	1	1	4	6	8	10	62
50-64	65	6.1	18	1	2	5	8	11	16	21
65 +	70	9.6	25	3	3	9	14	16	17	24
2. MULTIPLE DX										
0-19 YRS	144	8.4	49	1	1	4	7	18	23	32
20-34	127	9.1	150	1	1	5	11	20	39	60
35-49	81	10.7	204	1	2	6	11	30	34	80
50-64	115	9.6	68	2	2	7	13	18	25	42
65 +	286	13.8	119	4	5	11	17	24	30	58
TOTAL SINGLE DX	616	5.4	31	1	1	4	6	11	15	28
TOTAL MULTIPLE DX	753	10.6	120	1	2	8	13	22	29	55
TOTAL										
0-19 YRS	437	5.0	32	1	1	3	6	9	18	31
20-34	242	7.1	93	1	1	4	8	16	23	54
35-49	154	8.2	150	1	1	4	8	16	32	71
50-64	180	8.4	53	2	2	6	10	17	22	29
65 +	356	13.0	103	3	5	11	15	23	29	55
GRAND TOTAL	1369	8.3	87	1	1	5	10	18	24	48

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	184	2.4	18	<1	<1	1	2	4	7	28
20-34	277	2.2	3	<1	<1	1	3	5	6	8
35-49	197	2.9	6	<1	<1	2	4	6	8	14
50-64	99	3.3	15	<1	<1	2	4	6	10	23
65 +	92	4.3	20	<1	<1	3	4	12	13	21
2. MULTIPLE DX										
0-19 YRS	160	3.8	26	<1	<1	2	3	8	17	23
20-34	150	5.7	61	1	1	3	6	15	21	42
35-49	115	6.3	59	1	1	4	8	13	20	49
50-64	122	9.0	179	1	2	5	10	18	41	88
65 +	220	9.5	124	1	2	6	11	19	36	50
TOTAL SINGLE DX	849	2.8	11	<1	<1	2	3	5	8	19
TOTAL MULTIPLE DX	767	7.0	95	1	1	4	8	16	24	49
TOTAL										
0-19 YRS	344	3.1	23	<1	<1	2	3	6	14	25
20-34	427	3.4	27	<1	<1	2	4	7	10	31
35-49	312	4.2	29	<1	1	2	5	9	11	26
50-64	221	6.4	114	<1	1	3	6	14	24	76
65 +	312	8.0	99	1	1	4	10	16	24	48
GRAND TOTAL	1616	4.8	56	<1	1	2	5	11	17	42

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	78	9.6	73	1	2	6	14	23	24	42
20-34	24	7.7	7	4	4	8	11	11	12	12
35-49	12	16.3	659	3	3	8	11	46	89	96
50-64	20	8.2	12	3	4	7	11	14	15	15
65 +	51	11.4	51	4	5	10	14	18	29	36
2. MULTIPLE DX										
0-19 YRS	72	16.9	161	3	5	13	23	32	45	63
20-34	59	15.8	157	4	6	13	19	35	49	97
35-49	20	15.0	64	6	7	12	19	25	32	38
50-64	65	14.3	183	4	6	10	15	33	39	83
65 +	376	15.4	110	6	7	13	17	27	34	65
TOTAL SINGLE DX	185	10.1	90	2	3	8	12	19	24	42
TOTAL MULTIPLE DX	592	15.5	127	6	7	12	18	29	38	68
TOTAL										
0-19 YRS	150	13.1	128	2	3	9	20	25	33	51
20-34	83	13.5	127	4	5	11	14	27	48	88
35-49	32	15.4	274	3	6	11	17	25	37	96
50-64	85	12.9	149	4	5	10	13	20	36	75
65 +	427	14.9	105	6	7	12	17	26	33	57
GRAND TOTAL	777	14.2	123	4	5	11	17	25	35	67

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	7.0	15	2	3	6	9	12	15	20
20-34	69	8.0	18	3	3	7	10	15	16	85
35-49	64	8.8	16	4	5	8	10	15	17	22
50-64	126	9.5	13	5	6	9	11	13	17	23
65 +	458	11.9	28	5	6	11	14	18	20	31
2. MULTIPLE DX										
0-19 YRS	122	13.2	140	3	4	11	15	23	40	84
20-34	178	13.8	76	4	6	11	17	25	32	55
35-49	171	15.7	171	4	6	12	18	29	48	70
50-64	346	15.0	106	5	8	12	17	26	36	62
65 +	3025	14.9	79	6	8	13	17	24	31	55
TOTAL SINGLE DX	811	10.4	26	4	5	10	13	16	19	29
TOTAL MULTIPLE DX	3842	14.8	68	6	7	13	17	24	32	58
TOTAL										
0-19 YRS	216	10.5	96	3	3	8	13	19	25	72
20-34	247	12.2	67	3	5	10	15	22	31	57
35-49	235	13.8	138	4	5	10	16	25	36	70
50-64	472	13.5	87	5	6	11	16	23	30	57
65 +	3483	14.5	74	6	7	13	16	23	30	53
GRAND TOTAL	4653	14.0	80	5	7	12	16	23	30	56

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	171	8.2	85	1	1	4	11	21	24	46
20-34	5	10.8	79	2	2	9	19	22	22	22
35-49	5	25.2	502	2	2	31	40	54	54	54
50-64	5	6.6	16	2	2	6	10	12	12	12
65 +	13	9.9	50	1	1	10	12	17	27	29
2. MULTIPLE DX										
0-19 YRS	88	14.0	183	1	2	8	21	34	41	56
20-34	26	17.4	214	3	4	12	31	43	54	99 +
35-49	11	11.2	110	3	4	9	12	25	40	41
50-64	10	37.2	1393	2	2	27	63	94	96	96
65 +	51	13.1	119	3	5	10	16	24	30	69
TOTAL SINGLE DX	199	8.8	96	1	1	5	12	22	28	50
TOTAL MULTIPLE DX	186	15.3	251	2	3	9	21	38	51	95
TOTAL										
0-19 YRS	259	10.2	126	1	1	6	15	24	34	53
20-34	31	16.4	196	3	3	11	27	42	46	99 +
35-49	16	15.6	253	2	3	9	23	40	50	54
50-64	15	27.0	1123	2	2	9	49	92	95	96
65 +	64	12.5	106	2	5	10	14	23	29	64
GRAND TOTAL	385	11.9	181	1	2	7	16	29	40	67

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	3.2	16	< 1	1	2	3	8	14	20
20-34	106	3.0	6	< 1	< 1	2	4	7	8	11
35-49	71	3.0	4	< 1	1	2	4	7	8	9
50-64	60	3.4	9	1	1	3	5	7	9	16
65 +	46	3.2	7	< 1	1	2	4	7	7	16
2. MULTIPLE DX										
0-19 YRS	52	7.7	78	1	1	3	11	21	26	37
20-34	59	6.7	55	1	1	4	9	15	18	46
35-49	52	7.0	106	1	1	4	6	16	20	62
50-64	56	5.9	66	1	1	3	6	15	26	44
65 +	93	6.4	48	1	1	4	8	12	17	42
TOTAL SINGLE DX	487	3.1	11	< 1	1	2	4	7	9	18
TOTAL MULTIPLE DX	312	6.7	67	1	1	4	8	16	22	46
TOTAL										
0-19 YRS	256	4.1	32	1	1	2	4	12	19	26
20-34	165	4.3	27	< 1	1	3	5	9	13	23
35-49	123	4.7	52	1	1	3	5	8	16	45
50-64	116	4.6	38	1	1	3	5	9	16	34
65 +	139	5.4	37	1	1	3	7	10	15	36
GRAND TOTAL	799	4.5	36	1	1	3	5	9	16	29

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	861	2.5	2	1	1	2	3	5	6	8
20-34	963	3.5	6	1	1	3	4	7	8	12
35-49	668	3.8	5	1	1	3	5	7	8	12
50-64	558	4.4	7	1	2	4	6	8	10	13
65 +	318	5.3	11	1	2	4	7	10	12	16
2. MULTIPLE DX										
0-19 YRS	393	5.5	45	1	2	4	6	10	16	39
20-34	805	6.4	58	1	1	4	7	12	18	45
35-49	588	7.3	66	1	2	5	9	15	24	46
50-64	637	7.5	47	1	2	6	9	15	21	43
65 +	777	8.8	57	2	3	7	11	16	21	40
TOTAL SINGLE DX	3368	3.6	7	1	1	3	5	7	9	12
TOTAL MULTIPLE DX	3200	7.3	57	1	2	5	9	14	21	43
TOTAL										
0-19 YRS	1254	3.4	18	1	1	2	4	6	8	24
20-34	1768	4.8	33	1	1	3	5	9	12	33
35-49	1256	5.5	37	1	1	4	6	10	15	33
50-64	1195	6.1	31	1	2	5	7	11	16	32
65 +	1095	7.7	47	2	3	6	9	14	19	37
GRAND TOTAL	6568	5.4	35	1	1	4	6	10	14	33

713: Other reduction of fracture without internal fixation, except maxillo- facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1143	1.9	4	< 1	1	1	2	3	4	12
20-34	284	3.1	5	< 1	1	2	4	6	8	12
35-49	213	3.6	18	1	1	3	4	7	9	13
50-64	193	3.4	22	1	1	2	4	6	9	30
65 +	143	3.7	19	1	1	2	4	7	11	29
2. MULTIPLE DX										
0-19 YRS	418	4.8	49	1	1	2	5	12	18	39
20-34	286	5.8	69	1	1	3	7	12	17	39
35-49	233	7.1	71	1	1	4	8	15	24	58
50-64	222	6.3	87	1	1	4	7	13	17	66
65 +	431	7.7	70	1	2	5	10	17	23	59
TOTAL SINGLE DX	1976	2.5	10	< 1	1	2	3	5	7	14
TOTAL MULTIPLE DX	1590	6.3	68	1	1	4	7	14	21	48
TOTAL										
0-19 YRS	1561	2.7	18	< 1	1	1	3	5	8	25
20-34	570	4.4	39	1	1	3	5	9	12	29
35-49	446	5.4	49	1	1	3	6	10	16	53
50-64	415	4.9	59	1	1	3	5	10	15	41
65 +	574	6.7	61	1	1	4	8	14	21	43
GRAND TOTAL	3566	4.2	39	1	1	2	5	9	14	29

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	107	4.9	35	< 1	1	2	7	13	19	28
20-34	60	3.0	28	< 1	< 1	1	3	5	10	36
35-49	37	3.0	16	< 1	< 1	1	3	6	10	23
50-64	36	4.3	63	< 1	< 1	2	4	7	27	36
65 +	44	4.5	38	< 1	1	2	5	9	17	35
2. MULTIPLE DX										
0-19 YRS	38	7.2	172	1	1	3	7	16	22	79
20-34	77	8.0	144	< 1	1	3	10	18	32	65
35-49	45	4.9	49	< 1	1	3	6	11	13	45
50-64	47	6.2	98	1	1	4	6	9	24	50
65 +	125	8.4	69	1	1	6	10	17	24	41
TOTAL SINGLE DX	284	4.1	36	< 1	< 1	2	5	9	16	35
TOTAL MULTIPLE DX	332	7.4	100	1	1	4	9	16	23	53
TOTAL										
0-19 YRS	145	5.5	71	< 1	1	3	7	14	19	32
20-34	137	5.8	99	< 1	1	2	6	14	20	63
35-49	82	4.0	35	< 1	< 1	2	5	8	12	38
50-64	83	5.4	83	< 1	< 1	3	6	9	25	50
65 +	169	7.4	64	1	1	5	9	17	21	40
GRAND TOTAL	616	5.9	73	<1	1	3	7	14	20	43

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	3.3	14	1	1	2	4	6	10	25
20-34	70	2.7	2	1	1	2	3	5	6	8
35-49	45	3.0	7	1	1	2	4	5	7	17
50-64	18	3.1	3	< 1	1	3	4	6	7	8
65 +	6	6.0	29	1	1	4	10	14	15	15
2. MULTIPLE DX										
0-19 YRS	34	3.4	8	1	1	3	4	6	10	15
20-34	34	7.9	57	2	2	5	8	21	27	28
35-49	24	6.2	123	1	1	4	5	11	25	57
50-64	19	10.5	215	1	2	6	11	22	48	66
65 +	29	12.5	151	2	2	9	14	30	39	53
TOTAL SINGLE DX	205	3.1	8	1	1	2	4	5	8	16
TOTAL MULTIPLE DX	140	7.8	105	1	2	4	8	19	27	58
TOTAL										
0-19 YRS	100	3.3	12	1	1	2	4	6	10	21
20-34	104	4.4	26	1	1	3	5	8	16	27
35-49	69	4.1	49	1	1	3	4	6	11	49
50-64	37	6.9	123	1	1	4	6	14	22	66
65 +	35	11.4	135	2	2	8	13	28	36	53
GRAND TOTAL	345	5.0	53	1	1	3	5	11	16	39

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	201	4.3	21	1	1	3	5	10	13	24
20-34	133	3.1	9	< 1	< 1	2	4	7	9	17
35-49	75	3.5	9	< 1	1	3	5	8	11	14
50-64	46	5.0	49	< 1	< 1	3	7	10	18	43
65 +	33	9.1	90	< 1	1	7	12	20	32	42
2. MULTIPLE DX										
0-19 YRS	167	6.6	50	1	1	3	9	16	21	33
20-34	163	7.1	130	< 1	1	3	8	14	31	67
35-49	128	7.7	156	1	1	4	8	18	28	68
50-64	106	10.7	171	1	2	6	14	21	37	73
65 +	152	16.3	282	2	3	10	22	41	53	85
TOTAL SINGLE DX	488	4.3	26	< 1	1	3	5	10	13	25
TOTAL MULTIPLE DX	716	9.6	168	1	1	5	11	23	35	76
TOTAL										
0-19 YRS	368	5.3	36	1	1	3	7	13	18	30
20-34	296	5.3	80	< 1	1	3	5	11	17	47
35-49	203	6.1	106	1	1	3	6	13	21	58
50-64	152	9.0	141	1	1	5	11	19	32	64
65 +	185	15.0	255	1	2	9	20	38	50	84
GRAND TOTAL	1204	7.4	117	1	1	3	9	18	27	58

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	6.1	24	2	2	5	7	9	18	26
20-34	1482	6.2	12	2	3	5	8	10	12	20
35-49	2570	6.3	12	2	3	6	8	11	13	18
50-64	976	6.8	13	3	3	6	8	11	14	21
65 +	204	8.4	26	3	3	8	10	15	18	26
2. MULTIPLE DX										
0-19 YRS	31	11.0	116	2	3	8	12	23	26	58
20-34	488	8.5	29	3	3	7	10	14	18	34
35-49	1387	8.7	35	3	4	7	10	15	20	32
50-64	1064	8.8	40	3	4	7	10	16	19	27
65 +	651	11.1	53	4	5	9	14	20	25	40
TOTAL SINGLE DX	5286	6.5	14	2	3	6	8	11	13	21
TOTAL MULTIPLE DX	3621	9.2	41	3	4	8	11	16	21	34
TOTAL										
0-19 YRS	85	7.9	63	2	2	6	8	15	24	47
20-34	1970	6.8	18	2	3	6	8	11	14	24
35-49	3957	7.2	22	3	3	6	9	12	15	25
50-64	2040	7.9	29	3	3	7	9	13	17	26
65 +	855	10.5	48	3	4	9	13	18	24	39
GRAND TOTAL	8907	7.6	26	3	3	6	9	13	17	27

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	1.8	1	<1	<1	1	2	4	4	7
20-34	135	1.7	1	<1	<1	1	2	4	4	5
35-49	110	1.7	1	<1	<1	1	2	4	4	6
50-64	55	1.9	1	<1	<1	1	3	4	5	6
65 +	19	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	98	2.4	2	<1	<1	2	3	4	5	8
20-34	269	2.6	3	<1	<1	2	3	5	6	10
35-49	160	2.7	18	<1	<1	2	3	5	6	28
50-64	197	2.6	10	<1	<1	2	3	4	8	17
65 +	141	2.8	6	<1	1	2	3	7	8	14
TOTAL SINGLE DX	396	1.7	1	<1	<1	1	2	4	4	6
TOTAL MULTIPLE DX	885	2.6	8	<1	<1	2	3	5	7	13
TOTAL										
0-19 YRS	175	2.1	2	<1	<1	2	3	4	5	7
20-34	404	2.3	3	<1	<1	2	3	4	6	9
35-49	290	2.3	12	<1	<1	1	3	4	5	11
50-64	252	2.5	9	<1	<1	2	3	4	6	16
65 +	160	2.7	6	<1	1	2	3	6	8	13
GRAND TOTAL	1281	2.4	6	<1	<1	2	3	4	6	11

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	194	2.5	10	<1	<1	1	2	5	8	17
20-34	251	2.2	5	<1	<1	1	2	5	8	11
35-49	220	2.3	4	<1	<1	1	3	5	7	11
50-64	101	3.5	20	<1	<1	2	3	10	15	22
65 +	56	3.7	35	<1	<1	2	4	7	12	40
2. MULTIPLE DX										
0-19 YRS	164	4.9	69	<1	<1	2	4	14	19	43
20-34	296	3.3	17	<1	<1	2	4	7	11	23
35-49	234	4.3	74	<1	<1	2	4	9	16	55
50-64	251	5.2	63	<1	1	3	5	11	18	55
65 +	215	8.0	116	<1	1	4	10	21	30	66
TOTAL SINGLE DX	822	2.6	10	<1	<1	1	3	5	8	16
TOTAL MULTIPLE DX	1160	5.0	67	<1	<1	2	5	12	20	45
TOTAL										
0-19 YRS	358	3.6	39	<1	<1	1	3	8	14	28
20-34	547	2.8	12	<1	<1	2	3	6	9	18
35-49	454	3.4	42	<1	<1	2	3	6	11	30
50-64	352	4.7	52	<1	<1	2	5	11	16	32
65 +	271	7.1	103	<1	1	3	8	20	27	56
GRAND TOTAL	1982	4.0	45	<1	<1	2	4	9	15	33

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	211	7.9	11	5	6	7	9	10	14	23
20-34	134	8.6	16	4	5	8	10	13	15	27
35-49	203	7.7	13	3	4	7	9	12	15	23
50-64	75	8.2	35	4	4	7	9	12	15	43
65 +	11	7.1	7	2	4	7	9	10	11	11
2. MULTIPLE DX										
0-19 YRS	191	11.1	81	4	5	9	11	18	25	58
20-34	155	13.1	111	4	6	10	15	30	39	97
35-49	266	11.1	98	4	5	9	12	18	25	87
50-64	171	11.5	67	5	5	9	13	21	24	48
65 +	69	14.6	147	5	6	11	16	26	37	78
TOTAL SINGLE DX	634	8.0	16	4	5	7	9	11	15	24
TOTAL MULTIPLE DX	846	11.8	95	4	5	9	13	22	29	65
TOTAL										
0-19 YRS	402	9.4	47	4	5	8	10	14	19	39
20-34	289	11.0	72	4	5	9	12	19	31	63
35-49	463	9.6	64	4	4	8	11	15	22	46
50-64	246	10.5	60	4	5	8	12	18	23	49
65 +	80	13.6	135	5	5	10	15	24	33	74
GRAND TOTAL	1480	10.2	65	4	5	8	11	17	24	50

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	3.6	5	1	1	3	5	6	7	13
20-34	106	3.7	5	< 1	1	3	5	7	8	10
35-49	88	4.1	7	1	1	4	5	7	10	14
50-64	82	3.6	8	1	1	2	5	8	9	14
65 +	35	2.9	9	< 1	< 1	2	3	7	9	15
2. MULTIPLE DX										
0-19 YRS	49	4.0	5	1	1	4	5	8	9	12
20-34	85	4.4	8	1	2	4	6	8	10	15
35-49	108	4.6	11	1	2	4	5	8	9	22
50-64	104	4.7	8	1	1	4	6	9	10	16
65 +	83	6.1	77	< 1	1	4	8	11	14	56
TOTAL SINGLE DX	361	3.7	7	< 1	1	3	5	7	9	13
TOTAL MULTIPLE DX	429	4.8	23	1	1	4	6	9	10	19
TOTAL										
0-19 YRS	99	3.8	5	1	1	3	5	7	8	13
20-34	191	4.0	7	1	1	3	5	7	10	12
35-49	196	4.4	10	1	1	4	5	7	10	17
50-64	186	4.2	9	1	1	3	6	9	10	15
65 +	118	5.2	59	< 1	< 1	3	6	10	13	55
GRAND TOTAL	790	4.3	16	1	1	4	5	8	10	16

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	15.2	149	4	4	10	26	32	32	32
20-34	30	9.5	14	5	5	9	11	13	14	25
35-49	91	9.9	7	6	7	9	11	13	16	19
50-64	256	10.6	14	6	7	10	12	15	16	21
65 +	506	11.0	13	6	7	11	13	15	17	23
2. MULTIPLE DX										
0-19 YRS	4	20.0	260	9	9	13	29	44	44	44
20-34	74	10.9	20	6	6	10	13	17	21	29
35-49	191	12.9	83	6	7	10	14	19	33	57
50-64	543	13.0	68	7	8	11	14	20	25	56
65 +	1668	13.9	47	7	8	12	16	21	26	41
TOTAL SINGLE DX	888	10.7	14	6	7	10	12	15	17	24
TOTAL MULTIPLE DX	2480	13.6	54	7	8	12	15	21	26	44
TOTAL										
0-19 YRS	9	17.3	179	4	5	13	26	39	44	44
20-34	104	10.5	19	5	6	10	12	15	20	27
35-49	282	11.9	61	6	7	10	13	17	21	52
50-64	799	12.3	52	7	7	11	13	17	22	43
65 +	2174	13.2	41	7	8	12	15	20	24	39
GRAND TOTAL	3368	12.8	45	7	8	11	14	19	24	41

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.0		2	2	3	4	4	4	4
20-34	9	8.6	7	5	5	8	11	12	13	13
35-49	15	8.9	24	3	5	8	11	16	20	22
50-64	60	10.3	25	6	6	9	11	15	19	36
65 +	295	11.7	26	5	7	11	14	17	20	28
2. MULTIPLE DX										
0-19 YRS	3	9.0	84	1	1	7	16	19	19	19
20-34	8	10.4	68	2	2	8	16	23	23	23
35-49	41	11.0	55	4	5	10	12	16	19	50
50-64	193	14.8	100	7	8	13	17	22	31	77
65 +	1905	15.1	70	7	8	13	17	24	31	50
TOTAL SINGLE DX	383	11.2	27	5	6	10	14	17	20	28
TOTAL MULTIPLE DX	2150	15.0	73	7	8	13	17	24	31	53
TOTAL										
0-19 YRS	7	5.6	39	1	1	3	6	17	19	19
20-34	17	9.4	34	2	3	8	11	21	23	23
35-49	56	10.5	47	4	5	9	12	16	20	48
50-64	253	13.7	86	6	7	12	15	20	27	73
65 +	2200	14.6	65	7	8	13	16	23	29	49
GRAND TOTAL	2533	14.4	68	7	8	13	16	23	29	50

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	174	2.8	2	1	1	3	4	4	5	11
20-34	268	3.5	4	1	2	3	4	6	7	11
35-49	99	6.2	21	1	1	5	9	11	13	26
50-64	262	9.9	15	3	5	10	12	15	16	19
65 +	514	10.8	13	5	7	10	13	16	17	21
2. MULTIPLE DX										
0-19 YRS	226	3.5	4	1	1	3	4	6	7	11
20-34	328	4.1	10	1	1	4	5	7	9	16
35-49	208	6.1	24	1	1	5	8	12	16	20
50-64	448	11.3	31	3	5	11	13	17	20	31
65 +	1527	13.1	37	6	8	12	15	19	23	37
TOTAL SINGLE DX	1317	7.7	23	1	2	8	11	14	16	19
TOTAL MULTIPLE DX	2737	10.4	44	2	3	10	14	17	21	33
TOTAL										
0-19 YRS	400	3.2	4	1	1	3	4	5	6	11
20-34	596	3.9	8	1	1	3	5	6	8	13
35-49	307	6.1	23	1	1	5	9	12	16	22
50-64	710	10.8	26	3	5	10	13	16	19	28
65 +	2041	12.5	33	6	7	12	15	18	21	34
GRAND TOTAL	4054	9.5	39	2	2	9	13	16	19	30

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	2.2	3	1	1	2	3	3	4	5
20-34	452	2.3	1	1	1	2	3	4	5	6
35-49	239	2.6	2	1	1	2	3	4	5	9
50-64	210	3.1	5	1	1	3	4	6	7	12
65 +	101	4.1	7	< 1	1	4	5	8	9	14
2. MULTIPLE DX										
0-19 YRS	65	2.2	1	1	1	2	3	4	5	7
20-34	199	3.1	6	1	1	3	4	6	7	16
35-49	217	4.0	28	1	1	3	4	7	11	25
50-64	272	4.1	12	1	1	3	5	8	10	18
65 +	254	5.9	26	1	2	5	7	13	14	27
TOTAL SINGLE DX	1251	2.6	4	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	1007	4.2	19	1	1	3	5	8	12	21
TOTAL										
0-19 YRS	314	2.2	4	1	1	2	3	4	4	6
20-34	651	2.6	3	1	1	2	3	4	6	10
35-49	456	3.3	15	1	1	2	4	5	8	18
50-64	482	3.7	10	1	1	3	4	7	9	15
65 +	355	5.4	22	1	2	4	7	11	13	23
GRAND TOTAL	2258	3.3	11	1	1	3	4	6	9	16

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	3.1	15	< 1	1	2	3	6	12	21
20-34	95	3.1	10	< 1	< 1	2	4	6	9	19
35-49	87	3.1	7	< 1	< 1	2	4	8	10	11
50-64	62	3.3	15	< 1	< 1	1	4	7	13	20
65 +	37	3.5	16	< 1	< 1	< 1	6	9	12	18
2. MULTIPLE DX										
0-19 YRS	203	5.4	88	1	1	3	5	11	17	58
20-34	108	7.5	55	1	1	5	10	17	30	99 +
35-49	116	6.8	49	1	1	5	8	14	20	41
50-64	94	6.8	46	< 1	2	4	8	15	16	36
65 +	90	10.6	86	1	2	8	15	27	30	36
TOTAL SINGLE DX	397	3.2	13	< 1	< 1	2	4	7	10	17
TOTAL MULTIPLE DX	611	7.0	71	1	1	4	8	16	25	45
TOTAL										
0-19 YRS	319	4.6	63	1	1	2	4	9	14	45
20-34	203	5.5	39	< 1	1	3	6	14	20	67
35-49	203	5.2	35	< 1	< 1	3	7	11	15	32
50-64	156	5.4	37	< 1	< 1	4	7	14	16	33
65 +	127	8.6	77	< 1	< 1	6	11	24	28	34
GRAND TOTAL	1008	5.5	52	<1	<1	3	7	13	19	38

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	2.4	9	< 1	< 1	1	3	5	7	17
20-34	121	2.4	11	< 1	< 1	< 1	2	6	9	18
35-49	97	2.5	11	< 1	< 1	1	2	5	9	20
50-64	79	2.5	5	< 1	< 1	1	3	6	7	12
65 +	59	2.6	7	< 1	< 1	1	3	5	9	13
2. MULTIPLE DX										
0-19 YRS	56	6.1	72	1	1	3	7	16	27	46
20-34	65	5.4	66	< 1	< 1	3	6	11	15	54
35-49	83	6.7	87	1	1	3	7	17	25	49
50-64	114	8.1	73	< 1	1	6	11	17	25	42
65 +	142	9.2	152	< 1	1	6	10	19	30	71
TOTAL SINGLE DX	477	2.5	9	< 1	< 1	1	3	5	8	15
TOTAL MULTIPLE DX	460	7.6	101	< 1	1	4	9	17	26	50
TOTAL										
0-19 YRS	177	3.5	32	< 1	< 1	2	3	7	12	29
20-34	186	3.4	32	< 1	< 1	1	3	8	12	24
35-49	180	4.4	51	< 1	< 1	2	4	10	17	44
50-64	193	5.8	53	< 1	< 1	3	7	14	18	38
65 +	201	7.3	119	< 1	< 1	4	8	15	26	59
GRAND TOTAL	937	5.0	61	<1	<1	2	6	12	17	45

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	15	1.7	1	< 1	< 1	1	3	4	4	4
35-49	25	1.9	5	< 1	< 1	1	2	4	8	10
50-64	54	1.7	1	1	1	1	2	3	3	9
65 +	31	1.9	1	< 1	< 1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	5	4.0	31	< 1	< 1	2	5	14	14	14
20-34	14	7.5	117	< 1	< 1	3	8	29	34	36
35-49	10	10.2	559	< 1	< 1	2	5	43	77	77
50-64	32	2.0	1	< 1	1	2	2	4	5	5
65 +	46	2.4	4	1	1	2	3	4	8	9
TOTAL SINGLE DX	128	1.8	2	< 1	< 1	1	2	3	4	9
TOTAL MULTIPLE DX	107	3.7	73	< 1	1	2	3	7	9	54
TOTAL										
0-19 YRS	8	3.5	21	< 1	< 1	2	4	12	14	14
20-34	29	4.5	64	< 1	< 1	1	4	9	28	36
35-49	35	4.3	166	< 1	< 1	1	2	8	10	77
50-64	86	1.8	2	< 1	1	1	2	3	4	8
65 +	77	2.2	3	< 1	< 1	2	3	4	7	9
GRAND TOTAL	235	2.7	35	<1	<1	1	3	4	8	29

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	125	1.6	1	<1	<1	1	2	3	3	9
20-34	123	1.8	1	<1	<1	1	2	3	5	8
35-49	62	1.5		<1	<1	1	2	3	3	6
50-64	31	1.8	2	<1	1	1	2	4	6	6
65 +	9	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	89	2.3	6	<1	1	2	2	3	8	14
20-34	188	2.6	6	<1	1	2	3	5	8	13
35-49	71	3.2	37	<1	1	2	3	4	6	43
50-64	40	2.7	6	<1	1	2	3	6	8	13
65 +	25	4.6	66	<1	1	3	4	9	19	42
TOTAL SINGLE DX	350	1.7	2	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	413	2.8	15	<1	1	2	3	5	8	15
TOTAL										
0-19 YRS	214	1.9	4	<1	1	1	2	3	5	13
20-34	311	2.3	5	<1	<1	2	3	5	7	12
35-49	133	2.4	21	<1	1	1	2	4	5	21
50-64	71	2.3	5	<1	1	1	2	5	7	12
65 +	34	3.7	51	<1	1	2	3	6	11	42
GRAND TOTAL	763	2.3	9	<1	<1	1	2	4	6	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	2.2	2	<1	1	2	2	4	5	9
20-34	147	2.5	2	<1	1	2	3	4	5	8
35-49	172	3.0	10	<1	1	2	3	5	7	18
50-64	188	[illegible]	3	<1	1	3	4	5	6	9
65 +	74	2.8	1	1	1	3	4	4	5	7
2. MULTIPLE DX										
0-19 YRS	50	5.3	73	1	1	3	4	11	25	46
20-34	123	3.7	11	<1	1	3	4	8	11	18
35-49	163	4.1	36	1	1	3	4	7	9	22
50-64	200	4.2	28	1	1	3	5	7	10	19
65 +	158	6.1	48	1	2	4	6	13	22	37
TOTAL SINGLE DX	656	2.7	5	<1	1	2	3	5	6	10
TOTAL MULTIPLE DX	694	4.6	36	1	1	3	5	8	12	31
TOTAL										
0-19 YRS	125	3.5	33	<1	1	2	3	6	10	38
20-34	270	3.0	7	<1	1	2	3	6	8	14
35-49	335	3.5	23	1	1	3	4	6	8	19
50-64	388	3.6	17	1	1	3	4	6	8	16
65 +	232	5.1	36	1	2	3	5	10	17	32
GRAND TOTAL	1350	3.7	22	1	1	3	4	6	9	23

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	318	2.4	2	1	1	2	3	4	5	8
20-34	107	3.2	8	1	1	2	4	6	9	16
35-49	105	2.4	3	<1	1	2	3	4	5	12
50-64	40	2.7	2	1	1	2	4	5	6	7
65 +	17	3.4	5	<1	1	3	4	7	9	10
2. MULTIPLE DX										
0-19 YRS	346	2.9	5	1	1	2	4	5	6	15
20-34	93	5.4	58	1	1	4	6	9	14	50
35-49	61	5.1	46	1	1	3	4	10	20	38
50-64	52	7.4	111	1	2	4	6	18	28	58
65 +	49	8.4	118	1	2	5	10	17	31	99 +
TOTAL SINGLE DX	587	2.6	4	1	1	2	3	5	6	12
TOTAL MULTIPLE DX	601	4.3	40	1	1	3	4	8	12	41
TOTAL										
0-19 YRS	664	2.7	4	1	1	2	3	4	6	11
20-34	200	4.2	33	1	1	3	5	8	12	35
35-49	166	3.4	21	1	1	2	4	5	9	30
50-64	92	5.4	70	1	1	4	5	7	21	52
65 +	66	7.1	94	1	2	4	8	13	29	95
GRAND TOTAL	1188	3.5	23	1	1	2	4	6	9	27

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	2.1	8	<1	<1	1	2	4	6	16
20-34	49	1.9	1	<1	1	2	2	3	4	8
35-49	31	2.9	12	1	1	2	2	8	13	15
50-64	27	2.1	4	<1	<1	1	2	5	6	11
65 +	6	1.3		<1	<1	1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	15	10.1	337	1	1	2	13	19	59	73
20-34	48	3.5	16	<1	1	2	4	7	10	23
35-49	62	5.8	69	1	1	3	6	13	23	48
50-64	60	5.1	35	1	1	2	7	12	14	34
65 +	45	8.4	100	<1	1	6	12	17	25	56
TOTAL SINGLE DX	142	2.2	6	<1	<1	1	2	4	6	15
TOTAL MULTIPLE DX	230	5.9	74	<1	1	3	7	14	19	51
TOTAL										
0-19 YRS	44	4.8	130	<1	1	2	3	15	17	73
20-34	97	2.7	10	<1	1	2	3	5	8	20
35-49	93	4.9	52	1	1	2	5	11	18	42
50-64	87	4.1	27	<1	1	2	5	11	12	30
65 +	51	7.5	94	<1	<1	3	11	16	23	56
GRAND TOTAL	372	4.5	52	<1	1	2	5	11	16	34

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.0	19	4	4	5	10	12	12	12
20-34	5	4.0	21	<1	<1	2	6	12	12	12
35-49	5	6.2	51	<1	<1	2	10	18	18	18
50-64	2	8.0		8	8	8	8	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	15.8	291	2	2	11	22	44	47	47
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64	6	18.0	375	5	5	11	14	53	57	57
65+	13	10.7	66	2	4	8	14	25	29	30
TOTAL SINGLE DX	16	6.0	24	<1	<1	5	8	12	16	18
TOTAL MULTIPLE DX	29	12.6	166	2	3	8	14	28	47	57
TOTAL										
0-19 YRS	4	7.3	13	4	4	6	10	12	12	12
20-34	11	10.5	192	<1	1	4	13	32	46	47
35-49	8	5.6	31	<1	1	3	7	15	18	18
50-64	8	15.5	289	5	6	9	13	44	57	57
65+	14	10.5	62	2	4	8	13	25	29	30
GRAND TOTAL	45	10.2	124	1	2	8	12	22	34	57

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.5	102	1	1	2	3	4	32	41
20-34	17	4.9	11	1	1	4	7	10	11	11
35-49	9	6.6	46	<1	<1	4	9	17	22	22
50-64	9	5.4	38	<1	<1	3	6	15	21	21
65+	13	4.6	7	<1	<1	5	8	8	10	10
2. MULTIPLE DX										
0-19 YRS	11	9.9	216	1	1	2	15	34	46	47
20-34	40	10.3	213	1	1	5	12	22	31	86
35-49	115	13.3	127	3	3	10	15	26	36	62
50-64	286	13.6	120	3	4	11	18	25	30	61
65+	453	13.7	145	2	3	11	17	27	36	67
TOTAL SINGLE DX	63	5.1	39	<1	1	3	7	10	14	39
TOTAL MULTIPLE DX	905	13.4	139	2	3	11	17	26	34	63
TOTAL										
0-19 YRS	26	6.8	152	1	1	2	4	24	42	47
20-34	57	8.7	158	1	1	5	10	17	26	82
35-49	124	12.8	124	2	3	10	15	24	35	62
50-64	295	13.3	120	2	3	11	18	25	30	61
65+	466	13.4	144	2	3	10	17	27	35	66
GRAND TOTAL	968	12.9	137	2	2	10	16	25	33	62

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.0	19	4	4	5	10	12	12	12
20-34	4	4.8	1	4	4	5	5	6	6	6
35-49	4	17.0	127	6	6	15	26	31	31	31
50-64	3	7.0	13	4	4	6	10	11	11	11
65+	11	11.2	31	4	5	11	16	19	20	20
2. MULTIPLE DX										
0-19 YRS	5	8.6	70	1	1	8	22	92	99+	99+
20-34	19	14.1	93	4	5	10	21	28	32	36
35-49	46	21.2	249	6	7	17	25	50	61	68
50-64	199	18.2	142	6	7	15	23	34	40	67
65+	576	17.0	135	6	7	14	21	33	42	68
TOTAL SINGLE DX	25	10.1	47	4	4	7	13	20	23	31
TOTAL MULTIPLE DX	845	17.4	143	6	7	14	22	33	42	70
TOTAL										
0-19 YRS	8	8.0	46	1	2	6	14	69	99+	99+
20-34	23	12.4	89	3	4	9	19	27	31	36
35-49	50	20.8	238	6	7	17	25	43	61	68
50-64	202	18.0	142	6	7	15	22	34	40	66
65+	587	16.9	135	6	7	14	21	33	42	67
GRAND TOTAL	870	17.2	142	5	7	14	22	33	42	70

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	6.5	19	3	3	4	11	13	13	13
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	3	16.0	151	7	7	11	25	30	30	30
50-64	5	8.4	11	5	5	8	10	14	14	14
65+	17	12.1	50	4	5	10	16	21	28	31
2. MULTIPLE DX										
0-19 YRS	7	16.6	336	2	2	8	32	45	46	46
20-34	7	14.4	95	6	6	12	16	31	35	35
35-49	26	19.3	290	2	3	12	27	45	62	64
50-64	111	18.8	210	4	6	16	25	41	64	99+
65+	784	16.1	185	4	6	12	20	33	47	94
TOTAL SINGLE DX	33	10.5	48	3	4	8	13	20	29	31
TOTAL MULTIPLE DX	935	16.5	192	4	6	13	20	35	49	95
TOTAL										
0-19 YRS	13	11.9	204	2	3	7	11	41	45	46
20-34	9	12.7	84	5	5	10	14	28	35	35
35-49	29	19.0	271	2	4	12	27	44	61	64
50-64	116	18.3	206	4	5	15	24	41	62	99+
65+	801	16.0	183	4	6	12	20	33	46	93
GRAND TOTAL	968	16.3	188	4	5	12	20	34	48	94

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	19.5	421	5	5	19	34	34	34	34
35-49	4	10.3	21	4	4	11	13	15	15	15
50-64	4	8.5		8	8	8	9	9	9	9
65 +	11	12.5	46	3	5	11	15	24	25	25
2. MULTIPLE DX										
0-19 YRS	7	3.9	8	1	1	3	6	9	9	9
20-34	9	18.9	78	7	8	20	25	31	31	31
35-49	30	15.2	101	5	6	13	17	26	44	46
50-64	67	20.8	270	4	6	17	28	35	71	96
65 +	128	20.4	252	4	6	15	26	46	62	83
TOTAL SINGLE DX	23	11.2	58	3	4	9	14	23	28	34
TOTAL MULTIPLE DX	241	19.3	234	4	6	15	24	39	61	80
TOTAL										
0-19 YRS	9	3.7	7	1	1	3	5	8	9	9
20-34	11	19.0	105	5	6	20	28	32	34	34
35-49	34	14.6	94	4	5	13	17	24	41	46
50-64	71	20.1	263	4	7	16	27	35	71	95
65 +	139	19.8	241	4	6	15	25	43	61	80
GRAND TOTAL	264	18.6	223	4	5	15	24	36	60	79

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.7	9	1	1	2	7	8	8	8
20-34	8	7.6	18	3	3	7	10	14	15	15
35-49	4	6.8	19	2	2	7	10	11	11	11
50-64	5	4.4	10	2	2	3	5	10	10	10
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	8	7.4	34	< 1	1	6	9	17	20	20
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	21.0	242	10	10	21	32	32	32	32
65 +	1	19.0		19	19	19	19	19	19	19
TOTAL SINGLE DX	23	5.7	16	1	2	4	9	11	13	15
TOTAL MULTIPLE DX	17	7.7	74	< 1	1	5	10	20	28	32
TOTAL										
0-19 YRS	10	2.7	7	1	1	2	2	7	8	8
20-34	16	7.5	25	1	3	6	10	15	18	20
35-49	6	5.5	17	1	1	4	10	11	11	11
50-64	7	9.1	113	2	2	4	10	28	32	32
65 +	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	40	6.6	40	1	1	4	10	13	19	32

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.0	4	< 1	< 1	2	5	6	7	7
20-34	17	1.9	4	< 1	< 1	1	2	4	7	9
35-49	15	6.1	68	< 1	1	3	5	24	27	28
50-64	12	6.3	60	1	1	3	9	16	26	28
65 +	10	4.9	6	1	1	5	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	6	7.5	126	1	1	3	6	28	30	30
20-34	22	6.1	48	< 1	1	3	6	15	20	28
35-49	23	10.5	53	1	2	11	16	20	24	30
50-64	31	10.5	93	2	2	7	15	22	29	46
65 +	104	10.9	103	3	4	8	14	19	23	63
TOTAL SINGLE DX	63	4.4	32	< 1	< 1	2	5	8	16	28
TOTAL MULTIPLE DX	186	10.1	90	2	2	7	14	19	27	47
TOTAL										
0-19 YRS	15	4.8	53	< 1	1	2	5	7	24	30
20-34	39	4.3	33	< 1	< 1	2	4	15	15	28
35-49	38	8.8	63	1	1	6	12	21	26	30
50-64	43	9.3	86	1	1	7	12	20	28	46
65 +	114	10.4	97	2	3	8	13	19	23	59
GRAND TOTAL	249	8.7	82	1	1	6	11	18	24	46

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	3.7	14	1	1	2	6	8	8	8
65 +	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	13.3	114	4	4	11	21	25	25	25
50-64	1	8.0		8	8	8	8	8	8	8
65 +	4	8.8	43	3	3	7	14	17	17	17
TOTAL SINGLE DX	6	6.0	38	1	1	4	8	16	17	17
TOTAL MULTIPLE DX	9	9.7	55	3	3	8	13	22	25	25
TOTAL										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	4	11.8	86	4	4	9	18	25	25	25
50-64	4	4.8	14	1	1	5	8	8	8	8
65 +	5	10.4	46	3	3	[illegible]	17	17	17	17
GRAND TOTAL	15	8.2	48	1	1	7	11	17	23	25

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. S[illegible] (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	1.7		<1	<1	1	2	3	3	5
20-34	150	1.5	1	<1	<1	<1	1	3	4	7
35-49	439	1.7	1	<1	<1	1	2	4	5	7
50-64	390	2.0	4	<1	<1	1	2	4	6	8
65 +	240	2.1	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX										
0-19 YRS	19	2.0	2	<1	<1	2	3	3	5	7
20-34	98	3.7	21	<1	<1	2	4	7	11	28
35-49	389	3.6	23	<1	<1	2	4	9	13	21
50-64	440	4.3	34	<1	<1	2	5	9	14	32
65 +	472	5.9	60	<1	1	4	7	14	18	38
TOTAL SINGLE DX	1261	1.9	3	<1	<1	1	2	4	5	8
TOTAL MULTIPLE DX	1418	4.6	40	<1	<1	2	5	10	15	30
TOTAL										
0-19 YRS	61	1.8	1	<1	<1	1	2	3	3	7
20-34	248	2.4	11	<1	<1	1	3	5	7	20
35-49	828	2.6	13	<1	<1	1	3	6	8	18
50-64	830	3.2	22	<1	<1	2	4	7	9	29
65 +	712	4.6	44	<1	<1	2	6	11	15	27
GRAND TOTAL	2679	3.3	24	<1	<1	2	4	7	11	24

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.7		<1	<1	1	2	3	3	3
20-34	11	4.7	12	1	1	4	8	9	10	10
35-49	35	4.7	4	2	2	5	6	8	8	10
50-64	55	4.2	6	<1	1	4	6	7	8	12
65 +	55	4.6	5	1	2	4	6	7	8	15
2. MULTIPLE DX										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	13	2.9	1	1	1	3	4	4	5	5
35-49	58	4.8	17	1	1	4	6	7	11	29
50-64	103	5.2	20	2	2	4	6	9	9	33
65 +	163	6.4	28	1	2	6	8	11	15	47
TOTAL SINGLE DX	171	4.2	6	1	1	4	6	7	8	12
TOTAL MULTIPLE DX	340	5.6	24	1	2	5	7	9	12	32
TOTAL										
0-19 YRS	18	2.2	3	<1	<1	2	3	4	6	8
20-34	24	3.8	7	1	1	3	5	8	9	10
35-49	93	4.7	12	1	2	4	6	8	9	22
50-64	158	4.8	16	1	2	4	6	8	9	30
65 +	218	6.0	24	1	2	5	7	10	13	35
GRAND TOTAL	511	5.2	18	1	2	4	6	9	11	29

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	53	4.8	4	3	3	4	5	6	8	15
35-49	356	4.5	3	2	2	4	6	7	8	10
50-64	509	4.6	3	2	3	4	6	7	8	11
65 +	486	5.1	3	2	3	5	6	7	9	11
2. MULTIPLE DX										
0-19 YRS	2	14.5	1	14	14	14	15	15	15	15
20-34	54	5.9	11	2	3	5	7	10	12	21
35-49	397	5.3	8	2	3	5	6	8	10	17
50-64	752	5.7	11	2	3	5	7	9	11	18
65 +	1386	6.4	19	2	3	6	7	10	12	23
TOTAL SINGLE DX	1405	4.8	4	2	3	5	6	7	8	11
TOTAL MULTIPLE DX	2591	6.0	15	2	3	5	7	9	12	22
TOTAL										
0-19 YRS	3	10.3	52	2	2	14	15	15	15	15
20-34	107	5.4	8	3	3	5	6	8	11	18
35-49	753	4.9	6	2	3	5	6	7	9	13
50-64	1261	5.3	8	2	3	5	6	8	10	17
65 +	1872	6.1	16	2	3	5	7	9	11	22
GRAND TOTAL	3996	5.6	12	2	3	5	7	9	10	18

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	142	2.3	1	1	1	2	3	4	5	7
20-34	303	2.3	2	<1	1	2	3	4	5	8
35-49	260	2.8	3	<1	1	2	4	5	7	10
50-64	128	2.7	2	1	1	2	3	5	6	8
65 +	21	2.7	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	54	3.3	32	1	1	2	4	4	6	42
20-34	187	3.3	4	1	1	3	4	5	6	11
35-49	420	3.6	16	1	1	3	4	6	8	16
50-64	249	3.6	6	1	1	3	5	6	8	14
65 +	74	5.2	25	1	1	4	6	12	16	24
TOTAL SINGLE DX	854	2.5	3	<1	1	2	3	5	5	8
TOTAL MULTIPLE DX	984	3.6	13	1	1	3	4	6	8	16
TOTAL										
0-19 YRS	196	2.6	10	1	1	2	3	4	5	8
20-34	490	2.7	3	<1	1	2	4	5	5	9
35-49	680	3.3	12	<1	1	3	4	6	7	12
50-64	377	3.3	5	1	1	3	4	6	7	12
65 +	95	4.6	21	1	1	3	5	11	15	24
GRAND TOTAL	1838	3.1	9	1	1	3	4	5	7	13

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	247	2.1	1	<1	1	2	3	4	5	7
20-34	319	2.1	1	1	1	2	3	3	5	7
35-49	70	2.5	8	1	1	2	3	4	5	20
50-64	15	2.8	11	<1	1	2	3	5	12	14
65 +	6	2.7	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	44	3.1	7	1	1	3	4	5	7	18
20-34	85	3.0	17	1	1	2	3	4	6	28
35-49	25	3.0	3	<1	1	3	4	6	7	8
50-64	12	3.8	5	<1	1	4	5	7	9	9
65 +	6	9.5	168	1	1	5	10	32	35	35
TOTAL SINGLE DX	657	2.2	3	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	172	3.3	18	1	1	2	4	5	7	29
TOTAL										
0-19 YRS	291	2.3	3	1	1	2	3	4	5	7
20-34	404	2.3	5	1	1	2	3	4	5	8
35-49	95	2.6	7	1	1	2	3	5	6	16
50-64	27	3.2	9	<1	1	2	5	6	10	14
65 +	12	6.1	90	<1	1	3	6	17	32	35
GRAND TOTAL	829	2.4	6	1	1	2	3	4	5	9

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	258	2.7	28	<1	<1	1	2	5	8	17
20-34	178	2.9	13	<1	<1	1	3	7	11	19
35-49	184	2.7	8	<1	<1	1	3	6	9	16
50-64	159	3.4	34	<1	<1	1	4	8	10	28
65 +	109	2.7	6	<1	<1	1	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	179	5.1	35	<1	1	3	6	12	17	31
20-34	251	7.5	78	<1	1	5	9	18	25	41
35-49	341	7.7	74	<1	1	5	10	19	28	40
50-64	406	7.3	68	<1	1	5	10	16	22	32
65 +	678	9.3	119	<1	1	7	11	18	25	67
TOTAL SINGLE DX	888	2.9	20	<1	<1	1	3	6	9	18
TOTAL MULTIPLE DX	1855	7.9	88	<1	1	5	10	17	23	46
TOTAL										
0-19 YRS	437	3.7	33	<1	<1	2	4	8	13	30
20-34	429	5.6	57	<1	<1	3	7	14	22	35
35-49	525	6.0	57	<1	<1	3	7	14	23	38
50-64	565	6.2	62	<1	<1	4	8	14	20	30
65 +	787	8.4	110	<1	<1	6	10	17	23	66
GRAND TOTAL	2743	6.3	72	<1	<1	4	8	14	21	41

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	729	3.9	16	<1	1	3	5	8	11	22
20-34	733	4.1	19	<1	1	3	5	9	11	22
35-49	421	4.6	32	<1	1	3	6	9	13	37
50-64	308	5.0	25	<1	1	3	6	11	14	25
65 +	227	6.3	59	<1	1	4	8	14	18	46
2. MULTIPLE DX										
0-19 YRS	1460	6.2	80	1	1	3	7	15	22	58
20-34	1917	7.1	101	1	1	4	8	17	27	61
35-49	1568	9.3	129	1	1	6	11	21	33	63
50-64	1475	10.8	130	1	2	7	14	24	33	65
65 +	2659	14.0	195	2	3	10	18	32	45	91
TOTAL SINGLE DX	2418	4.4	26	<1	1	3	5	9	13	27
TOTAL MULTIPLE DX	9079	10.0	144	1	1	6	12	23	35	72
TOTAL										
0-19 YRS	2189	5.4	61	1	1	3	6	12	19	45
20-34	2650	6.3	80	1	1	3	7	14	22	53
35-49	1989	8.3	113	1	1	5	10	18	30	61
50-64	1783	9.8	117	1	2	7	12	22	31	58
65 +	2886	13.4	189	1	2	9	17	31	44	89
GRAND TOTAL	11497	8.8	124	1	1	5	11	21	31	65

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	6.5	49	< 1	1	4	8	16	22	32
20-34	101	5.7	33	1	1	4	7	11	16	33
35-49	78	7.1	64	< 1	1	5	8	17	25	41
50-64	38	7.6	49	< 1	1	6	10	14	22	36
65 +	57	8.2	48	< 1	1	6	12	19	24	28
2. MULTIPLE DX										
0-19 YRS	165	16.6	165	1	2	15	24	37	45	99 +
20-34	140	13.8	166	1	2	9	20	32	38	85
35-49	128	13.7	171	1	2	10	19	31	36	67
50-64	144	13.9	196	1	2	10	19	33	46	76
65 +	288	15.7	191	3	4	12	20	30	49	89
TOTAL SINGLE DX	395	6.8	49	< 1	1	5	8	16	22	35
TOTAL MULTIPLE DX	865	15.0	181	1	2	11	20	33	45	83
TOTAL										
0-19 YRS	286	12.3	141	1	1	9	19	30	40	86
20-34	241	10.4	127	1	1	7	14	27	34	56
35-49	206	11.2	141	1	1	7	15	26	35	57
50-64	182	12.6	172	1	2	8	17	29	44	73
65 +	345	14.4	175	2	3	11	19	27	45	83
GRAND TOTAL	1260	12.4	154	1	2	8	17	28	38	74

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	2.8	10	< 1	< 1	1	3	9	11	12
20-34	36	5.1	40	< 1	< 1	3	6	11	19	32
35-49	34	6.5	131	< 1	< 1	2	6	12	34	58
50-64	12	7.0	92	< 1	< 1	2	11	21	30	32
65 +	7	4.0	35	< 1	< 1	1	4	15	17	17
2. MULTIPLE DX										
0-19 YRS	37	7.1	91	< 1	1	3	8	18	27	48
20-34	55	14.2	358	< 1	< 1	7	23	47	95	99 +
35-49	39	16.5	437	1	1	8	28	77	99 +	99 +
50-64	34	20.4	798	< 1	1	6	25	72	90	93
65 +	54	19.7	306	2	2	14	31	45	61	99
TOTAL SINGLE DX	111	5.2	68	< 1	< 1	2	6	12	17	46
TOTAL MULTIPLE DX	219	15.7	397	< 1	1	8	25	48	84	99 +
TOTAL										
0-19 YRS	59	5.5	65	< 1	< 1	2	7	13	23	46
20-34	91	10.6	251	< 1	< 1	4	16	32	78	99 +
35-49	73	11.9	316	< 1	1	4	17	54	79	99 +
50-64	46	16.9	644	< 1	< 1	5	18	63	85	93
65 +	61	17.9	300	1	2	13	28	43	55	98
GRAND TOTAL	330	12.2	310	<1	<1	5	17	39	65	99 +

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.93; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	125	2.0	2	< 1	1	2	2	4	5	9
20-34	60	2.6	7	< 1	< 1	2	3	6	8	15
35-49	84	2.6	10	< 1	< 1	1	3	6	7	20
50-64	114	2.3	7	< 1	1	1	2	5	8	16
65 +	29	1.6	2	< 1	1	1	1	2	6	8
2. MULTIPLE DX										
0-19 YRS	137	4.7	74	1	1	2	4	8	20	61
20-34	90	5.3	81	< 1	1	3	5	10	16	59
35-49	178	4.4	37	1	1	3	5	8	11	39
50-64	226	3.8	28	1	1	2	4	8	15	27
65 +	168	9.3	139	1	1	6	11	21	28	67
TOTAL SINGLE DX	412	2.3	6	< 1	< 1	1	2	5	7	15
TOTAL MULTIPLE DX	799	5.4	71	1	1	3	6	11	20	49
TOTAL										
0-19 YRS	262	3.4	42	< 1	1	2	3	6	8	50
20-34	150	4.2	53	< 1	< 1	2	4	8	14	42
35-49	262	3.8	29	< 1	1	2	4	7	10	30
50-64	340	3.3	21	1	1	2	4	7	11	23
65 +	197	8.1	126	1	1	5	9	18	27	66
GRAND TOTAL	1211	4.3	51	<1	1	2	5	9	15	43

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	2.8	4	1	1	2	4	5	8	9
20-34	7	2.7	1	1	1	3	4	4	4	4
35-49	5	3.0	8	1	1	2	4	8	8	8
50-64	7	2.6		2	2	2	3	4	4	4
65 +	5	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	15	3.3	13	<1	1	2	3	8	12	14
20-34	14	5.6	60	1	2	3	5	13	27	31
35-49	18	5.2	16	1	1	4	7	11	14	15
50-64	18	4.6	5	2	2	4	5	9	9	9
65 +	85	8.3	70	2	3	6	9	16	21	54
TOTAL SINGLE DX	40	2.8	3	1	1	2	3	5	7	9
TOTAL MULTIPLE DX	150	6.8	52	1	2	5	8	14	18	31
TOTAL										
0-19 YRS	31	3.0	9	1	1	2	3	7	9	14
20-34	21	4.7	42	1	1	3	4	9	20	31
35-49	23	4.7	15	1	1	3	7	10	13	15
50-64	25	4.0	5	2	2	3	5	9	9	9
65 +	90	8.0	68	2	3	6	9	15	21	52
GRAND TOTAL	190	5.9	45	1	1	4	7	11	16	30

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	129	2.3	3	1	1	2	3	5	6	8
20-34	1376	2.8	8	1	1	2	3	6	9	13
35-49	1828	2.7	8	1	1	2	3	6	8	14
50-64	834	2.6	8	1	1	2	3	6	8	15
65 +	210	2.8	10	1	1	2	3	7	9	20
2. MULTIPLE DX										
0-19 YRS	117	2.9	6	1	1	2	3	7	9	15
20-34	879	4.7	29	1	1	3	6	10	14	29
35-49	1524	4.3	26	1	1	2	5	9	12	25
50-64	1191	4.5	31	1	1	3	6	10	14	26
65 +	729	5.9	45	1	1	4	8	13	18	33
TOTAL SINGLE DX	4377	2.7	8	1	1	2	3	6	9	14
TOTAL MULTIPLE DX	4440	4.7	31	1	1	3	6	10	14	28
TOTAL										
0-19 YRS	246	2.6	6	1	1	2	3	6	7	11
20-34	2255	3.6	17	1	1	2	4	8	11	19
35-49	3352	3.4	17	1	1	2	4	8	10	19
50-64	2025	3.8	23	1	1	2	4	9	12	23
65 +	939	5.2	39	1	1	3	7	12	16	31
GRAND TOTAL	8817	3.7	21	1	1	2	4	8	11	21

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	3.3	12	1	1	2	3	8	12	18
20-34	103	3.8	13	1	1	2	5	9	11	20
35-49	150	3.9	19	1	1	3	4	8	11	27
50-64	199	3.4	15	<1	1	2	4	8	10	22
65 +	164	3.3	8	1	1	2	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	65	5.7	28	1	1	4	8	11	18	27
20-34	139	5.3	47	1	1	3	6	11	16	33
35-49	312	6.7	66	1	1	4	8	14	18	64
50-64	742	6.1	36	1	1	4	8	12	16	28
65 +	1176	6.5	51	1	2	5	8	12	17	34
TOTAL SINGLE DX	670	3.5	14	1	1	2	4	8	11	19
TOTAL MULTIPLE DX	2434	6.3	48	1	1	4	8	12	17	34
TOTAL										
0-19 YRS	119	4.6	22	1	1	3	6	10	14	23
20-34	242	4.7	33	1	1	3	6	10	13	28
35-49	462	5.1	53	1	1	3	7	12	17	52
50-64	941	5.[illegible]	33	1	1	4	7	12	15	28
65 +	1340	6.1	47	1	1	4	8	12	16	32
GRAND TOTAL	3104	5.7	42	1	1	4	7	12	15	31

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	4	4.3	7	1	1	4	6	7	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	6.0	18	3	3	6	9	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	5	3.6	4	<1	<1	3	5	6	6	6
35-49	23	4.9	7	1	2	4	7	8	10	11
50-64	48	5.4	9	1	1	6	8	9	11	11
65 +	24	5.0	13	1	1	5	7	9	12	16
TOTAL SINGLE DX	8	4.3	8	1	1	3	6	8	9	9
TOTAL MULTIPLE DX	100	5.1	10	1	1	5	8	9	10	14
TOTAL										
0-19 YRS	0									
20-34	9	3.9	5	<1	<1	3	6	7	7	7
35=49	25	4.7	7	1	2	4	7	8	9	11
50-64	50	5.4	9	1	1	6	8	9	11	11
65 +	24	5.0	13	1	1	5	7	9	12	16
GRAND TOTAL	108	5.0	9	1	1	5	7	9	10	13

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.5	12	< 1	1	2	4	10	11	16
20-34	251	4.1	14	1	1	3	6	9	11	15
35-49	293	4.3	13	< 1	1	3	6	9	11	16
50-64	276	3.7	12	< 1	1	2	5	9	11	14
65 +	287	4.3	13	< 1	1	3	7	10	12	15
2. MULTIPLE DX										
0-19 YRS	79	7.4	115	1	1	4	9	15	27	63
20-34	312	6.2	45	1	1	5	8	12	20	30
35-49	717	6.3	31	1	1	5	9	12	16	30
50-64	1253	6.2	33	1	1	5	8	13	16	27
65 +	2228	7.3	48	1	2	6	10	14	18	35
TOTAL SINGLE DX	1182	4.1	13	< 1	1	3	6	9	11	15
TOTAL MULTIPLE DX	4589	6.8	43	1	1	5	9	13	17	30
TOTAL										
0-19 YRS	154	5.5	69	1	1	2	6	11	15	54
20-34	563	5.2	32	1	1	3	7	11	14	25
35-49	1010	5.7	27	1	1	4	8	12	14	26
50-64	1529	5.7	31	1	1	4	8	12	15	26
65 +	2515	7.0	45	1	1	6	9	14	18	32
GRAND TOTAL	5771	6.2	38	1	1	5	9	13	16	28

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4151	3.7	25	1	1	3	4	7	10	21
20-34	4431	3.7	13	1	1	3	4	7	9	20
35-49	3468	3.9	18	1	1	3	5	8	10	18
50-64	2271	4.5	20	1	1	3	5	9	12	20
65 +	1727	5.8	27	1	2	4	7	11	14	26
2. MULTIPLE DX										
0-19 YRS	7707	5.5	54	1	1	4	6	10	16	43
20-34	8243	5.2	32	1	1	4	6	10	14	29
35-49	9891	5.7	30	1	2	4	7	11	15	29
50-64	14287	6.6	35	2	2	5	8	12	16	31
65 +	32817	8.0	45	2	3	6	10	15	19	35
TOTAL SINGLE DX	16048	4.1	21	1	1	3	5	8	11	21
TOTAL MULTIPLE DX	72945	6.8	42	1	2	5	8	13	18	34
TOTAL										
0-19 YRS	11858	4.9	45	1	1	3	5	9	14	36
20-34	12674	4.6	26	1	1	3	5	9	13	28
35-49	13359	5.2	28	1	1	4	6	10	14	27
50-64	16558	6.3	34	1	2	5	8	12	16	30
65 +	34544	7.9	45	2	3	6	10	15	19	35
GRAND TOTAL	88993	6.3	40	1	2	5	8	12	17	32

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2132	4.8	32	1	1	3	5	10	17	30
20-34	601	6.4	49	1	1	4	8	13	18	42
35-49	613	6.1	34	1	1	4	8	13	17	30
50-64	439	5.9	34	1	1	4	7	11	16	31
65 +	306	6.9	50	1	2	5	8	13	18	42
2. MULTIPLE DX										
0-19 YRS	3249	6.8	88	1	2	4	7	14	24	57
20-34	1079	8.0	90	1	2	5	9	17	26	52
35-49	1304	8.2	76	1	2	5	10	17	25	49
50-64	1996	8.1	62	2	2	6	9	15	22	43
65 +	5063	9.3	71	2	3	7	11	18	25	48
TOTAL SINGLE DX	4091	5.5	37	1	1	4	6	12	17	32
TOTAL MULTIPLE DX	12691	8.4	78	2	2	6	10	17	24	50
TOTAL										
0-19 YRS	5381	6.0	67	1	1	4	6	13	20	45
20-34	1680	7.4	76	1	2	5	9	15	24	49
35-49	1917	7.6	64	1	2	5	9	16	24	45
50-64	2435	7.7	58	2	2	6	9	14	20	42
65 +	5369	9.4	71	2	3	7	11	18	24	47
GRAND TOTAL	16782	7.7	70	1	2	5	9	16	23	46

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.6; 99.8-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2372	3.9	40	1	1	2	4	7	11	31
20-34	1181	3.7	22	<1	1	2	4	7	9	28
35-49	1027	3.9	13	1	1	3	5	8	11	19
50-64	842	4.7	18	1	1	3	6	9	12	24
65 +	825	5.1	25	1	1	4	6	9	12	28
2. MULTIPLE DX										
0-19 YRS	5323	6.3	78	1	1	4	6	13	23	52
20-34	2744	5.5	47	1	1	3	6	11	18	38
35-49	4307	5.6	43	1	1	4	7	11	15	35
50-64	8040	6.2	36	1	2	5	8	12	16	31
65 +	18973	7.4	41	2	2	6	9	14	18	34
TOTAL SINGLE DX	6247	4.1	28	1	1	3	5	8	11	28
TOTAL MULTIPLE DX	39387	6.7	47	1	2	5	8	13	18	38
TOTAL										
0-19 YRS	7695	5.5	68	1	1	3	5	11	20	49
20-34	3925	5.0	41	1	1	3	5	10	16	35
35-49	5334	5.3	38	1	1	4	6	10	14	33
50-64	8882	6.1	35	1	2	4	7	11	15	30
65 +	19798	7.3	41	2	2	6	9	14	18	34
GRAND TOTAL	45634	6.3	45	1	2	4	8	12	17	35

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29; 37.79
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1987 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
211	angina
165	aortic aneurysm
338	pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	elective
256	illegal
258	missed
256	self-induced
257	spontaneous
255	therapeutic
259	threatened
	Abscess
210	anal
312	bone
292	digit
188	mouth
188	salivary gland
291	skin and subcutaneous tissue, except digit
188	tongue
81	Acidosis, except diabetic
72	diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
	Alcohol
107	abuse
104	dependence
107	intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
90	Alzheimer's dementia
1	Amebiasis
140	AMI
340	Amnesia
	Amputation, traumatic
372	lower limb
371	upper limb
79	Amyloidosis
210	Anal abscess, fissure, fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	aplastic
82	iron deficiency
267	of pregnancy
269	with delivery
83	sickle cell
166	Aneurysm, except aorta
165	aorta
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	central nervous system
320	circulatory system
323	digestive system, except cleft palate and lip, and pyloric stenosis
319	ear
319	eye
327	generalized
325	genitourinary system, except undescended testis and urethral stenosis
320	heart

DIAGNOSIS INDEX (continued)

Group No. Title
Anomaly, congenital **(continued)**
317   musculoskeletal system, except clubfoot
323   respiratory system
340 Anorexia, except nervosa
111   nervosa
140 Anterior wall infarction
101 Anxiety reaction or neurosis, except depression
102   depression
165 Aortic aneurysm
Aortic valve disease-*see Valvular disease*
128 Aphakia
84 Aplastic anemia
199 Appendicitis, except acute
197   acute, without peritonitis
198   with peritonitis
199   recurrent
148 Arrhythmia, heart
168 Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
Arteriosclerosis
163   cerebral
143   coronary
164   lower limb
Arteriosclerotic
151   cardiovascular disease
91   dementia or psychosis
143   heart disease
164   vascular disease
299 Arthritis, except osteo- and rheumatoid
298   osteo-, except spine
303   spine
299   pyogenic
297   rheumatoid, except spine
302   spine
339 Ascites
151 ASCVD
143 ASHD

Group No. Title
183 Asthma
183 Asthmatic bronchitis
Atherosclerosis-*see Arteriosclerosis*
147 Atrial fibrillation and flutter
76 Avitaminosis

145 Bacterial endocarditis
234 Bacteriuria, except in pregnancy
266   in pregnancy
287   with delivery
311 Baker's cyst
235 Benign prostatic hyperplasia (BPH)
234 Bladder disease, except calculus and cystitis
48 Blast cell leukemia
Bleeding
251   menopausal
251   postmenopausal
250   uterine, dysfunctional
221 Blind loop syndrome
129 Blindness
148 Block, heart
332 Bloody nose
313 Bone disease, except osteomyelitis and osteoarthritis
123 Borderline glaucoma
1 Botulism
67 Bowen's disease
235 BPH
242 Breast disease, except fibrocystic
241   fibrocystic
183 Bronchial asthma
174 Bronchiolitis, acute
181 Bronchitis
174   acute
181   chronic
179 Bronchopneumonia
6 Brucellosis

DIAGNOSIS INDEX (continued)

Group No.	Title
376	Bruise, except eye and orbit
375	eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	third degree
309	Bursitis
	Calculus
217	bile duct, except cystic
231	bladder
215	cystic bile duct
215	gallbladder
228	renal
188	salivary gland
229	ureter
231	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	cervix
148	Cardiac arrest
390	postoperative
150	Cardiomyopathy
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	diabetic
124	senile
221	Celiac disease
	Cellulitis
292	digit
291	skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis

Group No.	Title
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
	Chemical
340	diabetes mellitus
385	poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis
212	alcoholic
213	biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
	Colic
215	biliary
337	renal
208	Colitis, except mucous and ulcerative
211	mucous
211	ulcerative
296	Collagen disease, NOS

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Coma, except diabetic and hepatic
72	diabetic
214	hepatic
11	Common warts
	Complication of
390	amputation stump
387	cardiac pacemaker
	drugs-*see Effect, adverse*
387	grafts
387	internal orthopedic device
391	medical care, except drugs
387	prosthesis, any
390	surgery, not elsewhere classified
387	transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	eye and orbit
329	Convulsions, except epileptic
116	epileptic
184	COPD
	Coronary
143	artery disease
142	insufficiency, except chronic
143	chronic
140	occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	chest
377	limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	mouth
243	ovarian
293	pilonidal
121	retinal
294	sebaceous
311	synovial
	Cystic
241	breast
218	duct remnant
77	fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
12	Cytomegalic inclusion disease
134	Deafness
295	Decubitus
	Deficiency
112	mental
76	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
316	musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	acute or subacute
	Delivery, complicated by:
278	abnormality, bony pelvis
272	abruptio placentae
287	acute toxemia

DIAGNOSIS INDEX (continued)

Group No.	Title
	Delivery, complicated by: **(continued)**
276	breech presentation
278	cephalopelvic disproportion
287	complication, not elsewhere classified
287	eclampsia
278	fetopelvic disproportion
287	hypertensive disorder
277	malpresentation, except breech
275	multiple fetation
	placenta
272	abruptio
271	previa
287	pre-eclampsia
	premature
282	rupture of membranes
272	separation of placenta
281	previous cesarean section
279	prolonged labor, not otherwise specified
287	toxemia
279	uterine inertia
270	Delivery, normal or uncomplicated
	Dementia
90	Alzheimer's
91	arteriosclerotic
90	presenile
90	senile
	Dependence
104	alcoholic
106	amphetamine
106	barbiturate
106	cocaine
105	heroin
106	LSD
106	marijuana
105	methadone
105	morphine
105	opioid

Group No.	Title
111	Depression, except neurotic, postpartum, and psychotic
102	neurotic
267	postpartum
98	psychotic
	Depressive
102	neurosis
98	psychosis
102	reaction
301	Derangement, joint except knee
300	knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	chemical
71	uncomplicated
73	uncontrolled
	Diabetic complications
72	acidosis
73	cataract
73	circulatory disorder
72	coma
73	gangrene
73	nephropathy
73	neuropathy
73	retinopathy
73	ulcer
	Dialysis
397	peritoneal
397	renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	functional
1	infectious
6	Diphtheria

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease
199	appendix, except acute appendicitis
151	arteriosclerotic cardiovascular
168	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	arthropod-borne
79	autoimmune, except AIDS
12	AIDS
6	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	biliary ducts
234	bladder, except calculus and cystitis
313	bone, except osteomyelitis and osteoarthritis
242	breast, except fibrocystic
241	fibrocystic
221	celiac
	central nervous system
7	enteroviral
113	inflammatory, except enteroviral
117	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
136	chronic rheumatic heart
296	connective tissue, diffuse
143	coronary artery
211	Crohn's
75	Cushing's
12	cytomegalic inclusion
187	dental
209	diverticular
196	duodenum, except ulcer and inflammatory
134	ear, except inflammatory and otosclerosis
145	endocarditis, bacterial
75	endocrine, except ovary, thyroid, and diabetes mellitus
189	esophagus
129	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
	Disease (continued)
	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment (continued)
128	inflammatory, except lacrimal tract
252	fallopian tube, except endometriosis
316	fascia
252	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	gallbladder
252	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
138	hypertensive
143	ischemic, except infarction and angina pectoris
136	rheumatic, chronic
150	other, except arrhythmia and bacterial endocarditis
86	hematopoietic, except anemia, hemophilia, and leukemia
328	hemolytic, newborn
12	HIV infection (AIDS)
46	Hodgkin's
137	hypertensive, except heart and renal
138	heart
139	renal
17	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	infectious
143	ischemic heart, except acute infarction and angina pectoris
187	jaw
301	joint, except internal derangement, ruptured disc, and sacroiliac
306	sacroiliac
230	kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	lacrimal tract, inflammation
188	lip

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
214	liver, except infectious and serum hepatitis, and cirrhosis
186	lung, except pneumonia, obstructive, and pneumothorax
184	obstructive, except asthma, bronchitis, and emphysema
240	male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	mouth, except dental
117	muscle, except deformity
120	nervous system, except CNS and sciatica
184	obstructive lung, except asthma, bronchitis, and emphysema
252	ovary, except endometriosis
	Paget's
313	bone
32	breast
219	pancreas
252	parametrium, except endometriosis
17	parasitic, except helminthiasis
114	Parkinson's
244	pelvic inflammatory
196	peptic
328	perinatal
120	peripheral nervous system, except sciatica
211	peritoneum
186	pleura
236	prostate, except hypertrophy
186	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	rheumatic
135	active
136	chronic
188	salivary gland
83	sickle-cell
295	skin, except infective, pilonidal and sebaceous cysts
196	stomach, except ulcer and inflammatory
187	teeth
316	tendon, except tenosynovitis
	Disease (continued)
188	tongue
340	undiagnosed
186	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	ureter, except calculus
234	urethra, except calculus and stricture
14	venereal
12	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	with exanthem
359	Dislocation, joint, except knee and shoulder
358	knee
357	shoulder
	Disorder
111	behavior
81	electrolyte
79	immunodeficiency, except AIDS
12	AIDS
250	menstruation, except metrorrhagia
103	personality
109	psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	lumbar
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
	Diverticulum
189	esophagus
209	intestine
	Drug
108	abuse, except alcohol
106	dependence, except opioid
105	opioid
93	induced psychosis
384	poisoning or overdose
93	withdrawal syndrome or symptoms

DIAGNOSIS INDEX (continued)

Group No.	Title
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
	Dysfunction
74	ovarian
317	somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
102	Dysthymia
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	with delivery
254	Ectopic pregnancy
	Effect, adverse
386	drugs, not otherwise specified
384	overdose or wrong substance given or taken
386	external conditions
385	nonmedical substance
386	radiation
386	temperature
268	Elderly primigravida
287	with delivery
	Elective
255	abortion
392	sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	arterial, except cerebral and precerebral
	cerebral
158	without paralysis
159	with paralysis
	Embolism **(continued)**
167	lower limb
	precerebral
156	without paralysis
157	with paralysis
144	pulmonary, except postoperative
390	postoperative
172	vein
182	Emphysema
113	Encephalitis, except viral
12	viral
18	late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	bacterial
208	noninfectious
211	regional
1	viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	follow-up
298	medical

DIAGNOSIS INDEX (continued)

Group No.	Title
	Failure
149	heart
390	postoperative
225	renal, except chronic
224	chronic
186	respiratory (acute)
340	Fainting
263	False labor
	Fever
135	active rheumatic
330	of undetermined origin (FUO)
1	paratyphoid
288	puerperal
4	scarlet
1	typhoid
12	yellow
	Fibrillation or flutter
147	atrial
148	ventricular
	Fibrocystic disease
241	breast
77	pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	in eye
	Fracture
354	ankle
349	arm, except upper
348	upper
354	bimalleolar
350	carpal
355	clavicle
	Fracture (continued)
349	Colles'
343	face bone
352	femur, except upper end
351	upper end
353	fibula, except lateral malleolus
350	finger
354	foot
350	hand
398	healed, aftercare, except removal of fixation device
396	removal of fixation device
351	hip
348	humerus
354	knee
354	lateral malleolus
353	leg, lower, except ankle and upper
352	upper, except hip
343	mandible
354	medial malleolus
350	metacarpal
354	metatarsal
356	multiple bones
343	nose
354	patella
347	pelvis
349	radius
346	rib
355	scapula
	skull
342	base
341	vault
	spine
344	without cord injury
345	with cord injury
346	sternum
354	tarsal
346	thorax

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
353	tibia
354	toe
354	trimalleolar
349	ulna
	vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	gas
	Gastric ulcer-*see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	infectious
208	noninfectious
1	viral
220	Gastrointestinal hemorrhage
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	acute
122	closed-angle
122	open-angle
222	Glomerulonephritis, except acute
223	acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	without pregnancy
268	Habitual aborter
252	without pregnancy
310	Hallux valgus or varus, except congenital
327	congenital
310	Hammer toe
331	Headache, except migraine and tension
118	migraine
111	tension
398	Healed fracture aftercare, except removal of fixation device
396	removal of fixation device
	Heart
140	attack
149	failure
390	postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma-*see also Contusion*
388	postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	hereditary
328	newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	antepartum, except early
260	early
172	blood vessel, spontaneous
250	dysfunctional uterine
220	gastrointestinal
	intracerebral, except subarachnoid
155	with paralysis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hemorrhage **(continued)**
	intracerebral, except subarachnoid (continued)
154	without paralysis
258	postabortal
388	postoperative wound
274	postpartum, except delayed or secondary
289	delayed or secondary
260	pregnancy, early
289	puerperal, after 24 hours
	subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	chronic
9	infectious
9	serum
9	viral
	Hernia
205	abdominal, except inguinal
206	with complication
204	diaphragmatic
206	with complication
205	femoral
206	with complication
204	hiatal
206	with complication
203	incisional
206	with complication
200	inguinal
206	with complication
203	postoperative
206	with complication
202	umbilical
206	with complication
203	ventral
206	with complication

Group No.	Title
105	Heroin dependence or addiction
8	Herpes simplex
18	late effect
8	Herpes zoster
18	late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	with delivery
139	renal
139	renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic

DIAGNOSIS INDEX (continued)

Group No. Title

- 340 Ill-defined conditions
- 328 Immaturity of newborn
- 79 Immunodeficiency disorder, except AIDS
  - 12 AIDS
- 160 Impending CVA
- 292 Impetigo
- 257 Incomplete abortion
- 337 Incontinence
- 140 Infarction, acute myocardial
- Infection
  - 232 bladder
  - 312 bone
  - 246 cervix
  - 227 kidney, except nephritis, nephrosis, and acute pyelonephritis
  - 6 meningococcal
  - 389 postoperative wound
  - 288 puerperal, major
  - 292 skin and subcutaneous tissue, except cellulitis and abscess
  - 173 upper respiratory, except streptococcal
  - 234 urinary tract
    - 266 in pregnancy
  - 247 uterine, except cervix
  - 247 vaginal
  - 247 vulvar
  - 389 wound, postoperative
- 10 Infectious mononucleosis
- Infertility
  - 252 female
  - 240 male
- Inflammation
  - 113 central nervous system
  - 129 eye, except lacrimal tract
    - 127 lacrimal tract
- 180 Influenza
- 180 Influenzal pneumonia
- Inguinal hernia
  - 200 without complication

Group No. Title

- Inguinal hernia **(continued)**
  - 201 with complication
- Injury
  - 328 birth
  - 373 blood vessel
  - 377 crush, except abdomen and chest
    - 367 abdomen
    - 366 chest
  - 365 head, except concussion
  - 367 internal, except chest
    - 366 chest
  - 358 knee ligament or meniscus
  - 374 late effect
  - 363 musculoskeletal, except back and sacroiliac region
    - 362 back
    - 361 sacroiliac region
  - 382 nerve
  - 386 radiation
    - 374 late effect
  - 382 spinal cord
  - 376 superficial
- Insufficiency
  - heart valve-*see Valvular disease*
  - 186 respiratory (acute)
- 250 Intermenstrual bleeding
- 160 Intermittent cerebral ischemia
- 301 Internal derangement of joint, except knee
  - 300 knee
- 211 Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
- 107 Intoxication, acute alcohol
- 98 Involutional melancholia
- 128 Iridocyclitis
- 128 Iritis
- 82 Iron deficiency anemia
- 211 Irritable colon or bowel

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ischemic
163	cerebrovascular disease, generalized
143	heart disease, except acute or subacute
142	acute or subacute, except infarction
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis; infection, and calculus
227	infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	abdominal wall
371	arm
370	back
365	cerebral
370	chest
368	eye
371	hand
369	head, except eye
372	leg
372	lower limb
370	multiple sites
369	neck
285	perineum, in delivery, except first and second degree
284	first and second degree
370	trunk
371	upper limb
212	Laennec's cirrhosis
255	Legal abortion
48	Leukemia, except lymphocytic

Group No.	Title
	Leukemia, except lymphocytic **(continued)**
47	lymphocytic
214	Liver disease, except infectious and serum hepatitis and cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia and obstructive
179	pneumonia
184	obstructive
88	Lymphadenitis, except acute and mesenteric
292	acute
87	mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
242	Mastitis, except puerperal
290	puerperal
8	Measles
18	late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	tuberculous
7	viral
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	bladder
53	bone
63	brain
55	breast
52	bronchus
50	buccal cavity
57	cervix
53	connective tissue
51	digestive
	Neoplasm, benign (continued)
65	endocrine, except thyroid
62	eye
	genitalia
59	female, except uterus and ovary
60	male
61	kidney
52	larynx
52	lung
53	muscle
63	nervous system
58	ovary
50	pharynx
60	prostate
52	respiratory
60	scrotum
54	skin
52	thymus
64	thyroid
61	ureter
61	urethra
61	urinary
57	uterus, except fibroma
56	fibroma
59	vagina
59	vulva
	Neoplasm, malignant
44	adrenal gland
39	bladder
29	bone
42	brain
32	breast
27	bronchus
19	buccal cavity
43	cerebral meninges
33	cervix uteri
23	colon

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant (continued)
29	connective tissue
44	endocrine glands
20	esophagus
41	eye
36	fallopian tube
	genitalia
36	female, except uterus and ovary
38	male, except prostate
45	ill-defined sites
25	intestine, except colon and rectum
23	large, except rectum
22	small
40	kidney
23	large intestine, except rectum
27	lung
49	lymphatic, except Hodgkin's disease
45	metastatic
19	mouth
43	nervous system, except brain
35	ovary
26	pancreas
19	pharynx
44	pituitary gland
36	placenta
37	prostate
24	rectum
28	respiratory system, except bronchus and lung
38	scrotum
45	secondary
31	skin, except genitalia
22	small intestine
43	spinal cord and meninges
21	stomach
44	thyroid gland
40	ureter
40	urethra

Group No.	Title
	Neoplasm, malignant (continued)
40	urinary tract, except bladder
34	uterus, except cervix
36	vagina
36	vulva
68	Neoplasm, uncertain behavior or unspecified type, any site
222	Nephritis, except acute
223	acute
222	Nephrosis, except tubular
225	tubular
222	Nephropathy, except diabetic
73	diabetic
315	Neuralgia, except sciatic and trigeminal
307	sciatic
120	trigeminal
315	Neuritis, except median and sciatic
119	median
307	sciatic
120	Neuroma, except amputation stump
390	amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	anxiety
109	cardiac
102	depressive
	Nevus
54	skin
327	vascular
	Newborn, hospital
394	multiple
393	single term
394	twin
	Newborn, nonhospital
395	multiple
395	single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia

DIAGNOSIS INDEX (continued)

Group No.	Title
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	bile duct, except calculus
207	intestinal, except postoperative
390	postoperative
172	portal vein
172	vena cava
184	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
158	cerebral, without paralysis
159	with paralysis
156	precerebral, without paralysis
157	with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
	Organic brain syndrome
89	acute
90	Alzheimer's dementia
91	arteriosclerotic
89	transient
298	Osteoarthritis
298	hip
298	knee
303	spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	chronic and unspecified
131	acute
133	Otosclerosis

Group No.	Title
	Ovarian
243	cyst
252	disease, except endometriosis
74	dysfunction
254	pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
338	abdominal
335	chest
253	female genital organ
331	head
335	precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except in appendicitis
198	in appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID

DIAGNOSIS INDEX (continued)

Group No. Title

- 171 Piles
- 293 Pilonidal cyst
- 16 Pinworm infection
- 70 PKU
- 264 Placenta previa
  - 271 with delivery
- 11 Plantar warts
- 186 Pleural disease
- 186 Pleurisy
- 17 Pneumocystosis
- 179 Pneumonia, except influenzal
  - 180 with influenza
- Pneumothorax
  - 185 spontaneous
  - 366 traumatic
- 385 Poisoning, except food and drug
  - 384 drug
  - 1 food
- 7 Poliomyelitis
  - 18 late effect
- 74 Polycystic ovary
- 68 Polycythemia, except secondary
  - 86 secondary
- 268 Polyhydramnios
  - 287 with delivery
- Polyp
  - 211 anal
  - 68 bladder
  - 252 cervix
  - 211 intestinal
  - 178 laryngeal
  - 176 nasal
  - 211 rectal
  - 176 sinus
  - 178 vocal cord
- 172 Portal vein thrombosis
- 218 Postcholecystectomy syndrome

Group No. Title

- 211 Postgastrectomy dumping syndrome
- 172 Postmastectomy lymphedema
- Postoperative wound
  - 390 dehiscence
  - 388 hemorrhage
  - 389 infection
- Postpartum
  - 290 complication, not elsewhere classified
  - 267 depression
    - 269 with delivery
- 3 Pott's disease
- Precerebral occlusion
  - 156 without paralysis
  - 157 with paralysis
- 340 Prediabetes
- 261 Pre-eclampsia
  - 287 with delivery
- 123 Preglaucoma
- 398 Pregnancy
  - 254 ectopic
  - 254 ovarian
  - 268 post-term
    - 287 with delivery
  - 254 tubal
  - 398 undelivered
- 268 Premature rupture of membranes
  - 282 with delivery
- 328 Prematurity of newborn
- 253 Premenstrual tension
- 90 Presenile dementia or psychosis
- Prolapse
  - 128 iris
  - 248 uterovaginal
- 236 Prostatic disease, except hypertrophy
  - 235 hypertrophy
- Proteinuria
  - 340 except postural

DIAGNOSIS INDEX (continued)

Group No.	Title
	Proteinuria **(continued)**
223	postural or orthostatic
	Psychogenic
109	diarrhea
109	hyperventilation
109	paralysis
109	vomiting
116	Psychomotor epilepsy
100	Psychosis
92	alcoholic
90	Alzheimer's
91	arteriosclerotic
98	depressive
93	drug-induced
99	manic-depressive
89	organic, acute or transient
90	chronic, except arteriosclerotic
90	senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
	Pulmonary
144	embolism
182	emphysema
1	tuberculosis
	valve disease-*see Valvular disease*
227	Pyelitis, except acute
226	acute
227	Pyelonephritis, except acute
226	acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash

Group No.	Title
	Reaction
101	anxiety
102	depressive
386	drug, not elsewhere classified
391	transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
	Renal
228	calculus
397	dialysis treatment
225	failure, except chronic
224	chronic
139	hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	cyst
121	detachment
121	hemorrhage
121	tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	spine
13	Rickettsiosis
8	Rubella
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
	Rupture
172	blood vessel
305	intervertebral disc, except lumbar
304	lumbar disc
243	ovarian cyst
268	uterus
290	postpartum
286	with delivery
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute episode
95	acute episode
97	childhood
94	paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	puerperal
5	Septicemia
288	puerperal
9	Serum hepatitis
391	Serum sickness

Group No.	Title
	Shock
391	anaphylactic, except due to drug
386	due to drug
333	nontraumatic
390	postoperative
383	traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
	Spontaneous
257	abortion
185	pneumothorax
363	Sprain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
322	pyloric, congenital
233	urethral, except congenital
325	congenital
392	Sterilization, elective

DIAGNOSIS INDEX (continued)

Group No. Title
196 Stomach disease, except ulcer and inflammation
    ulcer-*see Ulcer, gastric*
188 Stomatitis
126 Strabismus
363 Strain, except back, knee, and sacroiliac region
362   back
360   knee
361   sacroiliac region
4 Streptococcal sore throat
253 Stress incontinence, female
233 Stricture of urethral meatus, except congenital
325   congenital
Stroke
161   without paralysis
162   with paralysis
145 Subacute bacterial endocarditis
Subarachnoid hemorrhage
152   without paralysis
153   with paralysis
292 Subcutaneous infection, except cellulitis
309 Synovitis
14 Syphilis
296 Systemic lupus erythematosus (SLE)

333 Tachycardia, except paroxysmal
148   paroxysmal, except atrial
146   atrial or supraventricular
314 Talipes deformity, acquired
16 Tapeworm infestation
Tear
358   medial meniscus, current injury
300   old
121   retinal
309 Tenosynovitis, except spine
308   spine
111 Tension headache
255 Termination of pregnancy

Group No. Title
6 Tetanus
165 Thoracic aortic aneurysm
259 Threatened abortion
86 Thrombocytopenia
169 Thrombophlebitis
172   migrans
Thrombosis
167   arterial, except cerebral and precerebral
158   cerebral, without paralysis
159   with paralysis
172   portal vein
156   precerebral, without paralysis
157   with paralysis
172   vein
70 Thyroid disease, except nodule or goiter
69   nodule or goiter
70 Thyrotoxicosis
160 TIA
120 Tic douloureux
177 Tonsillitis, chronic
261 Toxemia of pregnancy
287   with delivery
261 Toxemia of the puerperium
287   with delivery
174 Tracheobronchitis, acute
391 Transfusion reaction
160 Transient ischemic attack (TIA)
125 Traumatic cataract
Treatment
398   chemotherapy
397   dialysis
398   physical therapy
398   radiotherapy
16 Trichinosis
17 Trichomoniasis
Tricuspid valve disease-*see Valvular disease*
120 Trigeminal neuralgia

DIAGNOSIS INDEX (continued)

Group No.	Title
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	bone
18	late effect
2	lung
3	nonrespiratory
2	respiratory
13	Typhus
	Ulcer
192	duodenal
193	with hemorrhage or perforation
194	with obstruction
190	gastric
191	with hemorrhage or perforation
194	with obstruction
192	gastrojejunal
193	with hemorrhage or perforation
194	with obstruction
192	peptic, except gastric
193	with hemorrhage or perforation
194	with obstruction
295	skin
170	varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
4	streptococcal
225	Uremia, except chronic
224	chronic
	Ureteral
230	disease, except calculus
229	calculus

Group No.	Title
	Urethral
230	disease, except calculus
229	calculus
234	disease, except calculus and stricture
231	calculus
233	stenosis, except congenital
325	congenital
233	stricture, except congenital
325	congenital
234	Urethritis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
	Uterine
57	fibroma
248	prolapse
128	Uveitis
247	Vaginitis, except atrophic and senile
251	atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	nonrheumatic
136	rheumatic
172	Varices, esophagus
170	Varicose veins of lower extremities
314	Varus deformity, limb
	Veneral
14	disease
11	wart
308	Vertebrogenic pain syndrome
340	Vertigo
	Viral
12	encephalitis
18	late effect
1	gastroenteritis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Viral (continued)
9	hepatitis
7	meningitis
18	late effect
11	wart
	Vitreous
128	abscess
128	prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	of pregnancy
247	Vulvar infection
247	Vulvitis

Group No.	Title
11	Warts, viral
6	Whooping cough
	Withdrawal
92	alcohol
93	drug
	Wound
390	dehiscence
	infection
389	postoperative
383	posttraumatic
	open-*see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	cervix
732	finger
737	foot
733	forearm
733	hand
737	hip
736	leg, above knee
735	below knee
739	revision (any site)
732	thumb
734	toe
733	upper arm
	Anastomosis
617	bile duct
581	blood vessel
617	gallbladder
601	intestine
609	rectum
757	Angiocardiography, except coronary vessels
756	coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	cardiac vessels
755	cerebral vessels
581	Angioplasty, except coronary
575	coronary artery
581	percutaneous transluminal, except coronary
	Angioplasty, except coronary **(continued)**
	percutaneous transluminal, except coronary (continued)
575	coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	incidental
	Arteriography
757	aorta
755	cerebral
756	coronary
757	femoral
755	head
756	heart
757	renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	hip, except total replacement
722	total replacement
724	knee
699	temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	insemination
690	rupture of membranes for delivery
	Aspiration
752	breast, except for biopsy
742	biopsy
741	bursa
682	cul-de-sac

OPERATION INDEX (continued)

Group No.	Title
	Aspiration **(continued)**
677	curettage, uterus, except for termination of pregnancy
674	termination of pregnancy
651	hydrocele, except of spermatic cord
656	spermatic cord
632	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
537	middle ear
546	nasal sinus
663	ovary
752	skin
656	spermatocele
529	vitreous
	Augmentation
745	breast
699	chin
	Balloon
581	angioplasty, except coronary
575	coronary
571	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
638	bladder, except transurethral approach
637	transurethral approach
705	bone, except facial
698	facial
586	bone marrow
501	brain
742	breast
563	bronchus
501	cerebral meninges
668	cervix
597	colon
597	duodenum

Group No.	Title
	Biopsy **(continued)**
668	endocervical
588	esophagus
532	eyeball
517	eyelid
666	fallopian tubes
597	intestine (large) (small)
719	joint structure
632	kidney
597	large intestine
558	larynx
552	lip
615	liver
565	lung
582	lymph nodes
570	mediastinum
	meninges
501	cerebral
507	spinal
727	muscle
543	nose
532	orbit
660	ovary, except by aspiration
663	aspiration
618	pancreas
658	penis
508	peripheral nerve
626	peritoneum
556	pharynx
570	pleura
650	prostate
606	rectum
651	scrotum
747	skin
597	small intestine
507	spinal meninges
654	testes

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
514	thyroid
552	tongue
559	trachea
635	ureter
670	uterine ligaments
670	uterus
552	uvula
682	vagina
558	vocal cord
683	vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	hand
726	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic)
572	coronary
596	gastric
572	heart
579	heart-lung
601	intestine
596	stomach
634	urinary
763	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies

Group No.	Title
	Cardiac (continued)
764	function tests
576	mapping studies
	massage
763	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
764	stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
647	bladder, except suprapubic approach
638	suprapubic approach
581	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
645	ureteral
647	urethral, indwelling
587	vein, except umbilical
581	umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn

OPERATION INDEX (continued)

Group No. Title
Closure
617 cholecystostomy
601 colostomy
fistula-*see Fistulectomy*
596 gastric anastomosis
601 sigmoidostomy
570 thoracostomy
635 ureterostomy
640 urethrostomy
599 Colectomy
568 Collapse of lung, surgical
619 Colonoscopy, except surgical approach
609 surgical approach (transabdominal)
602 Colostomy, except loop
600 loop
681 Colporrhaphy, except for cystocele or rectocele repair
680 cystocele or rectocele repair
758 Computerized axial tomography (C.A.T. scan)
667 Conization of cervix
520 Conjunctivoplasty
764 Consultation
760 Continuous positive airway pressure (CPAP)
Control of hemorrhage
638 bladder
581 blood vessel
569 chest
627 laparotomy site
544 nose, except by anterior packing
557 anterior packing
569 pleura
581 postoperative, not elsewhere classified
650 prostate
590 stomach
556 tonsil
521 Corneal transplant
572 Coronary bypass
760 CPAP (continuous positive airway pressure)

Group No. Title
503 Cranioplasty
502 Craniotomy
668 Cryoconization, cervix
682 Culdocentesis
682 Culdoscopy, except for tubal ligation
664 tubal ligation
523 Cyclocryotherapy (eye)
523 Cyclodialysis
638 Cystectomy (bladder)
680 Cystocele repair
636 Cystoscopy
638 Cystostomy
638 Cystotomy

675 D and C (uterus), except for termination of pregnancy
674 termination of pregnancy
519 Dacryocystorhinostomy
Debridement
748 burn (skin)
705 fracture, except of skull
503 skull
752 nail, nail bed, nail fold
748 skin (infection) (wound)
Decompression
509 carpal tunnel
502 cranial
506 laminectomy
506 spinal
Delivery
690 artificial rupture of membranes
688 breech extraction
692 cesarean section, except low cervical
691 low cervical
689 forceps, except low forceps
687 low forceps
689 internal and combined version
751 Dermabrasion

OPERATION INDEX (continued)

Group No.	Title
601	Derotation, intestine
580	Dialysis, except peritoneal
629	peritoneal
	Dilation
638	bladder (neck)
635	ureteral meatus
645	ureterovesical orifice
641	urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	closed
715	open
702	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
726	fascia, except of hand
728	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
647	bladder, except surgical approach
638	surgical approach (suprapubic)
569	chest
537	middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
579	ECMO (extracorporeal membrane oxygenation)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)

Group No.	Title
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
617	biliary tract
636	bladder
567	bronchus
619	colon, except surgical approach
609	surgical approach (transabdominal)
682	cul-de-sac, except for tubal ligation
664	tubal ligation
589	esophagus
589	gastric, except surgical approach
596	surgical approach (transabdominal)
647	ileal conduit
576	larynx
628	peritoneum
557	pharynx
609	small intestine
589	stomach, except surgical approach
596	surgical approach (transabdominal)
570	thorax, transpleural
636	urethra
679	uterus
686	vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	low forceps
689	other forceps
544	Epistaxis control, except by anterior packing
557	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac

OPERATION INDEX (continued)

Group No.	Title
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	biliary tract
763	Erythrocytapheresis
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	eyeball
673	pelvic
	Examination
764	eye
764	general physical
764	gynecologic
764	pelvic
761	psychiatric
763	Exchange transfusion, except intrauterine
696	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
727	Baker's cyst
705	bone, except facial
699	facial, except partial
698	partial
556	branchial cleft cyst
704	bunion
517	chalazion, eyelid
599	colon
665	fallopian tubes, bilateral, except endoscopic approach
664	endoscopic approach
670	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
727	tendon (of hand)

Group No.	Title
	Excision (continued)
612	hemorrhoids
	hydrocele
679	round ligament
656	spermatic cord
651	tunica vaginalis
717	intervertebral disc or cartilage
719	joint, except intervertebral disc and cartilage of knee
717	intervertebral disc
718	knee cartilage
631	kidney, except partial
632	partial
718	knee cartilage (semilunar)
582	lymph nodes, except radical
583	radical
508	neuroma, peripheral nerve
	ovary
662	bilateral
661	unilateral
550	parotid gland
746	pilonidal cyst or sinus
515	pituitary gland
649	prostate, except transurethral approach
648	transurethral approach
522	pterygium
747	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
718	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
751	toenail
552	tongue
553	tonsil, except with adenoids
554	with adenoids
556	tonsil tag

OPERATION INDEX (continued)

Group No. — **Title**

- Excision **(continued)**
  - tubes and ovaries
    - 662 bilateral
    - 661 unilateral
  - 670 uterine fibroid
  - 577 varicocele, except of spermatic cord
    - 656 spermatic cord
- Excision of lesion (and destruction of tissue)
  - 626 abdominal wall
  - 611 anus
  - 617 bile duct
  - 638 bladder, except transurethral approach
    - 637 transurethral approach
  - 705 bone, except facial
    - 698 facial
  - 501 brain
  - 742 breast
  - 563 bronchus
  - 501 cerebral meninges
  - 668 cervix, except by conization
    - 667 conization
  - 597 colon
  - 520 conjunctiva
  - 522 cornea
  - 597 duodenum
  - 534 ear, external
  - 588 esophagus
  - 532 eye
  - 517 eyelid
  - 666 fallopian tube
  - 549 gingiva, gums
  - 597 intestine
  - 524 iris
  - 632 kidney
  - 597 large intestine
  - 558 larynx
  - 552 lip

Group No. — **Title**

- Excision of lesion **(continued)**
  - 565 lung
  - meninges
    - 501 cerebral
    - 507 spinal
  - 727 muscle
  - nerve
    - 508 peripheral
    - 511 sympathetic
  - 543 nose, except submucous resection
    - 541 submucous resection
  - 660 ovary
  - 550 parotid gland
  - 658 penis
  - perineum
    - 683 female
    - 747 male
  - 508 peripheral nerve
  - 607 perirectal tissue
  - 626 peritoneum
  - 606 rectum
  - 550 salivary gland
  - 524 sclera
  - 651 scrotum
  - 747 skin, except radical and of pilonidal cyst or sinus
    - 746 pilonidal cyst or sinus
    - 748 radical
  - 501 skull
  - 597 small intestine
  - 507 spinal meninges
  - 592 stomach
  - 727 tendon
  - 654 testis
  - 552 tongue
  - 559 trachea
  - 635 ureter
  - 640 urethra

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion (continued)
679	uterine ligament
670	uterus
682	vagina
559	vocal cord
683	vulva
	Exenteration
532	eyeball, orbit
673	pelvic
	Exploration
627	abdominal cavity
617	bile duct
632	kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
	Extracorporeal
579	circulation
579	membrane oxygenation (ECMO)
508	shock wave lithotripsy (ESWL)
	Extraction
688	breech, for delivery
547	dental
686	menstrual
547	teeth
689	vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	hand
726	Fasciotomy, except of hand
728	hand
	Fistulectomy
610	anal
638	bladder
556	branchial cleft
564	bronchus
601	intestine
	Fistulectomy (continued)
542	nasal
542	nasolabial
546	oroantral
609	perirectal
556	pharynx
640	rectourethral
679	rectouterine
681	rectovaginal
638	rectovesical
609	rectum
562	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction-*see Fracture-reduction*
689	Forceps delivery, except low forceps
687	low forceps
	Formation
581	arteriovenous shunt for dialysis
601	endoileal rectal pouch
634	ileal conduit or bladder
	Fracture-reduction
701	facial bone, except closed reduction
700	closed reduction
	femur
710	closed, except with internal fixation
708	with internal fixation
710	open, except with internal fixation
709	with internal fixation
701	mandible, except closed reduction
700	closed reduction
701	maxillofacial, except closed reduction
700	closed reduction
544	nose
	other sites
713	closed, except with internal fixation

OPERATION INDEX (continued)

Group No.	Title
	Fracture-reduction **(continued)**
	other sites (continued)
	closed, except with internal fixation (continued)
711	with internal fixation
713	open, except with internal fixation
712	with internal fixation
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	spinal
508	Ganglionectomy, except of tendon
727	tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	total
589	Gastroscopy, except surgical approach
596	surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	bone, except facial and skull
702	facial
503	skull
749	free, of skin
552	lip
731	muscle, except of hand
729	hand
750	pedicle, of skin
	skin
749	free
750	pedicle

Group No.	Title
	Graft **(continued)**
731	tendon, except of hand
729	hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	diaphragmatic
624	epigastric
622	femoral
624	incisional
	inguinal
621	bilateral
620	unilateral
623	umbilical
624	ventral
723	Hip replacement, except total
722	total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	radical
672	vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	termination of pregnancy
602	Ileostomy, except loop
600	loop
634	Ileoureterostomy

OPERATION INDEX (continued)

Group No. Title

- Implant, implantation
  - 642 artificial urinary sphincter
  - 745 breast
  - 574 cardiac pacemaker (electrodes) (pulse generator)
  - 575 cardioverter/defibrillator
  - 539 cochlear prosthetic device
  - 539 electromagnetic hearing device (bone) (cochlea)
  - 740 limb prosthesis
- Incision (and drainage)
  - 626 abdominal wall
  - 610 anal fistula
  - 605 appendix
  - 683 Bartholin's gland or abscess
  - 703 bone, except facial
    - 702 facial
  - 501 brain
  - 745 breast
  - 501 cerebral meninges
  - 569 chest (wall)
  - 522 cornea
  - 502 cranial sinus
  - 534 ear, external
  - 518 eyelid
  - 552 floor of mouth
  - 617 gallbladder
  - 549 gingiva, gums
  - 600 intestine
  - 716 joint
  - 519 lacrimal gland or sac
  - 614 liver
  - 582 lymph nodes
  - 539 mastoid
  - meninges
    - 501 cerebral
    - 506 spinal
  - 537 middle ear
  - 726 muscle

Group No. Title

- Incision (and drainage) **(continued)**
  - nasal sinus-*see Sinusotomy*
  - 726 palmar space (hand)
  - 618 pancreas
  - 613 perianal tissue
  - perineum
    - 683 female
    - 748 male
  - 607 perirectal tissue
  - 627 peritoneum, except via cul-de-sac
    - 682 via cul-de-sac
  - 746 pilonidal cyst or sinus
  - 569 pleura
  - 607 rectovaginal septum
  - 607 rectum
  - 626 retroperitoneal abscess
  - 651 scrotum
  - sinus (nasal)-*see Sinusotomy*
  - 748 skin, except pilonidal cyst or sinus
    - 746 pilonidal cyst or sinus
  - 506 spinal meninges
  - 726 tendon
  - 569 thorax
  - 633 ureter
  - 682 vagina
  - 683 vulva
- 690 Induction of labor (medical or surgical) for delivery
- Infusion
  - concentrated nutritional substances
    - 764 enteral
    - 763 parenteral (PPN) (TPN)
- Injection
  - 694 intra-amniotic, for termination of pregnancy
  - 763 therapeutic agent (drugs)
    - 745 breast
    - 741 bursa
    - 741 joint

OPERATION INDEX (continued)

Group No.	Title
	Injection **(continued)**
	therapeutic agent (drugs) (continued)
741	tendon
686	Insemination, artificial
	Insertion
706	bone growth stimulator
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
748	infusion pump
686	intrauterine contraceptive device
679	laminaria, uterus
658	penile prosthesis
751	tissue expander, except breast
745	breast
645	ureteral stent, except by incision
633	by incision
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
	Lens extraction, except intracapsular **(continued)**
525	intracapsular
763	Leukopheresis
	Ligation
665	fallopian tubes (bilateral), except endoscopic approach
664	endoscopic approach
612	hemorrhoids
577	varicose veins
655	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	bladder
646	extracorporeal shock wave (ESWL)
635	kidney
646	ultrasonic
635	ureter
	Lobectomy
501	brain
615	liver
566	lung, except partial
565	partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	abdominal
741	hand
5[illegible]	iris
716	joint
731	muscle, except of hand
741	hand
630	pelvis
630	peritoneum
731	tendon, except of hand
741	hand
758	Magnetic resonance imaging (MRI)
745	Mammectomy

OPERATION INDEX (continued)

Group No.	Title
758	Mammography
745	Mammoplasty, augmentation or reduction
699	Mandibulectomy, except partial
698	partial
699	Mandibulotomy
	Mastectomy
743	complete
743	simple, except extended
744	extended
742	subtotal
744	radical
743	partial
538	Mastoidectomy, except revision
539	revision
745	Mastotomy
	Meatotomy
635	ureteral
639	urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
758	MRI (magnetic resonance imaging)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
764	enteral
763	parenteral (PPN) (TPN)
682	Obliteration, vagina or vaginal vault
751	Onychectomy

Group No.	Title
751	Onychoplasty
	Oophorectomy
662	bilateral
661	unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	suspension
705	Ostectomy, except facial bone
699	facial bone, except partial
698	partial
706	Osteoplasty, except facial bone
699	facial bone
703	Osteotomy, except facial bone
699	facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
763	Photopheresis

OPERATION INDEX (continued)

Group No. Title

- 540 Piercing, ear
- 763 Plasmapheresis
- 763 Plateletpheresis
- 576 Pleurocentesis
- 576 Pleurodesis, chemical
- 570 Pleurosclerosis
- Plication
  - 644 urethral, urethrovesical
  - 581 vena cava
- 753 Pneumoencephalography
- 566 Pneumonectomy
- 764 Polysomnogram
- 763 PPN (peripheral parenteral nutrition)
- 659 Preputiotomy
- 608 Proctectomy
- 609 Proctopexy
- 619 Proctosigmoidoscopy, except surgical approach
  - 609 surgical approach (transabdominal)
- 607 Proctotomy
- 649 Prostatectomy, except transurethral approach
  - 648 transurethral approach
- 761 Psychiatric testing and evaluation
- 761 Psychotherapy
- 575 PTCA (percutaneous transluminal coronary angioplasty)
- Puncture
  - 501 cranial
  - 512 lumbar
  - 501 skull, for drainage
  - 512 spinal
- 758 Pyelogram (intravenous) (retrograde)
- 636 Pyeloscopy
- 632 Pyelotomy
- 590 Pyloromyotomy
- 596 Pyloroplasty

- 759 Radiation therapy

Group No. Title

- Radiography
  - 757 arteries, except cerebral and coronary
    - 755 cerebral
    - 756 coronary
  - 758 breast
  - 755 cerebral
    - 755 arteries
    - 753 ventricles
  - 758 chest
  - 758 gallbladder
  - 758 kidney
  - 758 skeletal
  - 758 spine, except myelogram
    - 754 myelogram
  - 757 veins
- Reattachment
  - 738 extremity
  - 528 retina
  - 731 tendon, except of hand
    - 729 hand
- 530 Recession, ocular muscle
- Reconstruction
  - 535 ear ossicles
  - 699 mandible
  - 729 thumb
- 680 Rectocele repair
- Reduction
  - dislocation, except temporomandibular
    - 714 closed
    - 715 open
    - 702 temporomandibular (joint)
  - fracture
    - 701 facial bone, except closed reduction
      - 700 closed reduction
    - femur
      - 710 closed, except with internal fixation
        - 708 with internal fixation

OPERATION INDEX (continued)

Group No. **Title**

- Reduction (continued)
  - fracture (continued)
    - femur (continued)
      - 710 open, except with internal fixation
        - 709 with internal fixation
    - 701 mandible, except closed reduction
      - 700 closed reduction
    - 701 maxillofacial, except closed reduction
      - 700 closed reduction
    - 544 nose
    - site, other than above
      - 713 closed, except with internal fixation
        - 711 with internal fixation
      - 713 open, except with internal fixation
        - 712 with internal fixation
  - 619 hemorrhoids
  - hernia-*see also Herniorrhaphy*
    - 764 manual
  - 601 intestinal torsion
  - 601 intussusception, intestine
  - 745 mammoplasty
  - 601 volvulus, intestine
- Release
  - adhesions-*see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 scar contracture, skin
  - 642 urethral stricture
- Removal
  - 707 bone growth stimulator
  - calculus
    - 617 biliary tract
    - 638 bladder
    - 632 kidney, except transurethral approach
      - 635 transurethral approach
    - 519 lacrimal tract (by incision)
      - 533 without incision
    - 633 ureter, except transurethral approach

Group No. **Title**

- Removal (continued)
  - calculus (continued)
    - ureter, except transurethral approach (continued)
      - 635 transurethral approach
  - 764 catheter, nonoperatively
  - 764 cholecystotomy tube
  - 693 ectopic fetus
  - 707 fixation device, internal
  - foreign body
    - 762 bronchus, except with incision
      - 563 with incision
    - 532 eye, except as below
      - 524 anterior chamber
      - 520 conjunctiva
      - 524 iris
      - 527 lens
    - prosthesis
      - 745 breast
      - 716 joint
  - 596 gastric balloon
  - 658 penile prosthesis
  - 697 retained placenta, manually
  - 764 sutures
  - 764 t-tube, gallbladder
  - 764 therapeutic device, nonoperatively
  - 748 tissue expander, except breast
    - 745 breast
  - 529 vitreous
- 580 Renal dialysis
- Repair
  - 630 abdominal wall
  - 613 anal fistula, except by excision
    - 610 excision
  - 581 aneurysm (arteriovenous)
  - 638 bladder, except obstetric laceration
    - 697 obstetric laceration
  - 518 blepharoptosis

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
581	blood vessel
706	bone, except facial
699	facial
745	breast
564	bronchial fistula
704	bunion
571	cardiac septal defect
669	cervix, except obstetric laceration
697	obstetric laceration
570	chest wall
551	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
680	cystocele, vagina
730	diastasis recti
534	ear, external
518	ectropion or entropion, eyelid
697	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
704	hallux valgus
729	hand
	hernia-*see Herniorrhaphy*
723	hip, except total replacement
722	total replacement
	hydrocephalus, by ventricular shunt
504	extracranial
505	intracranial (ventriculostomy)
601	intestine
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
724	knee (joint)

Group No.	Title
	Repair (continued)
	Laceration-*see also Repair, by site*
697	obstetric
562	larynx
552	lip
615	liver
568	lung
731	muscle, except extraocular and of hand
531	extraocular
729	hand
556	nasopharyngeal atresia
542	nose
663	ovary
551	palate
658	penis
685	perineum, female, except obstetric laceration
697	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
680	rectocele, vagina
609	rectum
528	retinal detachment or tear
730	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
596	stomach
644	stress incontinence, except urethral suspension
643	urethral suspension
731	tendon, except of hand
729	hand
654	testis
562	trachea
635	ureter
640	urethra
679	uterus, except obstetric laceration and supporting structures
697	obstetric laceration

OPERATION INDEX (continued)

Group No.	Title
	Repair **(continued)**
	uterus, except obstetric laceration and supporting structures (continued)
678	supporting structures
681	vagina, except for cystocele and rectocele, and obstetric laceration
680	cystocele and rectocele
697	obstetric laceration
552	vestibular arch (mouth)
685	vulva, except obstetric laceration
697	obstetric laceration
	Replacement
574	cardiac pacemaker
571	heart valve
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
658	penile prosthesis
647	urinary catheter
	Resection
638	bladder
581	blood vessel
564	bronchus
599	large intestine
730	muscle, except of hand
728	hand
541	nasal septum, submucous
530	ocular muscle
660	ovary
608	rectum (abdominoperineal) (pull-through)
549	root of tooth
598	small intestine
730	tendon, except of hand
728	hand
548	Restoration, tooth
758	Retrograde pyelogram

Group No.	Title
	Revision
739	amputation stump
581	arteriovenous shunt for dialysis
596	gastric anastomosis
601	intestinal anastomosis
539	mastoidectomy
562	tracheostomy
539	tympanoplasty
505	ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	bilateral
666	unilateral
	Salpingo-oophorectomy
662	bilateral
661	unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt-*see also Bypass*
504	cerebral ventricles, except intracranial and revision
505	intracranial
505	revision
578	peripheral vessels
630	peritoneovenous
578	systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy

OPERATION INDEX (continued)

Group No.	Title
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	radical maxillary
751	Size-reduction, skin tissue except breast
745	breast
	Sphincterotomy
617	ampullary (of Vater) (pancreas)
613	anus
638	bladder neck
	Spinal
720	fusion
512	tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	foot
724	knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	urethral suspension
	Stress test
764	cardiac
764	fetal
764	uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	urethra, except with bladder neck
644	with bladder neck
644	urethrovesical
	Suture-*see also Repair, by site*
730	muscle, except of hand
729	hand
748	skin
730	tendon, except of hand
729	hand
510	Sympathectomy

Group No.	Title
719	Synovectomy
554	T and A
	Takedown-*see Closure*
730	Tenosynovectomy, except of hand
728	hand
726	Tenotomy, except of hand
728	hand
	Termination of pregnancy
676	aspiration curettage
674	dilation and curettage
691	hysterotomy
694	intra-amniotic injection
	Therapy
761	behavior
763	cancer (chemical)
761	electroconvulsive (ECT)
760	occupational
760	physical
761	psychiatric
759	radiation
761	shock (EST)
760	speech
760	ventilation
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
581	Thromboendarterectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	with adenoidectomy
548	Tooth restoration
763	TPN (total parenteral nutrition)
562	Tracheostomy, except permanent

OPERATION INDEX (continued)

Group No.	Title
	Tracheostomy, except permanent **(continued)**
561	permanent
760	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
763	blood, except intrauterine exchange
696	intrauterine
585	bone marrow
763	coagulation factor
763	gamma globulin
763	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
571	heart
632	kidney
731	muscle, except of hand
729	hand
731	tendon, except of hand
729	hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	revision
537	Tympanotomy
	Ultrasonic fragmentation of calculus
617	biliary
646	urinary, except by percutaneous nephrostomy
632	percutaneous nephrostomy

Group No.	Title
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
571	Valvuloplasty, cardiac
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	revision
753	Ventriculography
684	Vulvectomy
	X-ray-*see Radiography*
751	Z-plasty, skin

ℓ 3850-1.5-4

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, Western Region, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1988

LENGTH OF STAY

Copyright 1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0895-982x

Length of Stay by Diagnosis and Operation, Northeastern Region, 1987
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1987
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1987
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1987
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. The first edition of the Psychiatric Length of Stay series was introduced in 1987. Length of Stay by Psychiatric Diagnosis is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data v
Data Quality v
Geographic Coverage vi
1987 Length of Stay Hospital Characteristics viii

Organization of Length of Stay Tables ix

Patient Data Assignment
Definition of Multiple Diagnoses Patients
Definition of Operated Patients

Explanation of Statistics x

Application of Length of Stay Tables xi

Length of Stay Trends xii

AIDS Supplement xiv

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-398 4
Length of Stay Operation Groups 203
Summary of All Patients in Operation Groups 204
Operation Groups 501-764 205

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 271

Indexes 275

Diagnosis Index 277
Operation Index 299

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1987 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other sources are included in the 1987 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1987 LENGTH OF STAY BOOKS

Research Services
Linda Vanek, Product Manager
Jeanine DeLay, Assistant Director
James Chesney, Director

Development Services
Marion S. Morris, Senior Programmer Analyst
Joyce Beach, Senior Programmer Analyst

Operations
Lale A. Olson, Forms Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to Research Services staff: Carol Prevost, Research Associate, for her Length of Stay expertise, technical advice and patience; Roger Wroblewski, Statistician, for data analysis; Dorothy Kempter and Nancy Cauthen for reviewing the AIDS text; Rhonda Gregory and Kathy Lundquist for clerical and technical support.

Appreciation is extended to other individuals at CPHA: Robert Seeman, Senior Nosologist, for his explanation of coding issues and valuable assistance in producing the AIDS Supplement; John Hallfrisch, MD, Consultant, for his interpretation of clinical data; Robert Travis, Librarian, for meticulously checking the text through its many stages; and the staff of Operations, Client Services, and Word Processing.

INTRODUCTION

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The regional volumes of the Length of Stay series are defined by four census regions as described in the map below.



Most data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These data enhance CPHA as a national health information center.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

1987 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	342	43	12.6
25-49	1,196	208	17.4
50-99	1,254	281	22.4
100-199	1,251	281	22.4
200-299	721	188	26.1
300-399	434	102	23.5
400-499	213	55	25.8
500+	306	70	22.9
Total	**5,717**	**1,228**	**21.5**
Region and Census Division			
Northeast	811	295	36.4
New England	241	111	46.1
Middle Atlantic	570	184	32.3
North Central	1,660	333	20.0
East North Central	878	267	30.4
West North Central	782	66	8.4
South	2,120	269	12.7
South Atlantic	814	142	17.4
East South Central	491	65	13.2
West South Central	815	62	7.6
West	1,126	331	29.4
Mountain	378	146	38.6
Pacific	748	185	24.7
Location			
Rural	2,691	549	20.4
Urban	3,026	679	22.4
Teaching Intensity			
Low	4,702	934	19.9
Medium	611	156	25.5
High	340	74	21.8
Unknown	64	64	100.0

The Pediatric book was compiled from the data of 1,119 hospitals. The Geriatric book was compiled from the data of 1,178 hospitals.

---

[1] Hospitals with average stay less than 30 days.

[2] 1986 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

ORGANIZATION OF LENGTH OF STAY TABLES

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnoses, operated or nonoperated status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnoses and age.

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1987, are reflected in the index at the back of the book.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. The principal procedure is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Diagnoses Patients

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. The Class 1 procedure may or may not relate to the principal diagnosis (Dx). Patients with only Class 2-4 procedures are considered nonoperated.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one UHDDS Class 1 procedure was present. These tables contain procedures which are either therapeutic to the principal Dx or the only procedure.

While most List B groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. These miscellaneous groups are included for informational purposes only.

List B tables which contain no significant Class 1 procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay. Several tables which, as of October 1987, contain a single low volume Class 1 procedure continue to be identified with a disclaimer.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

[2] UHDDS Classes of Procedures, *ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple Dx, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

LENGTH OF STAY TRENDS

The Length of Stay series sets the industry standard for normative patient stay data from short-term, nonfederal hospitals. First created with 1963-1964 PAS data, the series currently incorporates PAS as well as data from other sources, e.g., hospital associations. The 1987 Length of Stay series is based on over six million patient records, representing 21.5 percent of the short-term, nonfederal hospitals in the United States.

CPHA's annual publication of a reliable, extensive database allows for analysis of length of stay trends. The following table illustrates hospital stay data for the nine year period, 1979-1987.

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1987

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8
All Patients Except Newborn									
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0

Source: 1979-1987 *Length of Stay by Diagnosis,* U.S. and Regions

For the total United States the average length of stay fell 13% during the nine year period, from 6.7 days in 1979 to 5.8 days in 1987. While the largest decrease occurred between 1983 and 1984, average stay appears to have levelled off since 1986. Regional variations have remained consistent; hospital stays are highest in the Northeast region and lowest in the West (1.8 day difference).

In the following table the length of stay for normal delivery (*ICD-9-CM* Code 650, List A group 270) is displayed for the five years between 1983 and 1987. This example illustrates the overall decline in length of stay, as well as the regional variations described above.

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1983-1987

	1983	1984	1985	1986	1987
U.S.	2.8	2.6	2.5	2.3	2.2
Northeast	3.1	3.0	2.9	2.8	2.7
North Central	3.1	2.9	2.7	2.5	2.4
South	2.7	2.6	2.5	2.4	2.3
West	2.0	1.9	1.9	1.8	1.7

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1983 for frequently performed surgeries in the United States.

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1983-1987

	1983	1984	1985	1986	1987
Appendectomy	5.3	5.1	4.8	4.7	4.6
Cervical Cesarean Section	5.8	5.6	5.3	5.0	4.8
Cholecystectomy	9.9	9.1	8.2	7.7	7.2
Transurethral Prostatectomy	9.3	8.2	7.1	6.5	6.1
Unilateral Repair of Inguinal Hernia	4.1	3.7	3.2	2.8	2.6
Vaginal Hysterectomy	6.7	6.3	5.8	5.2	4.8

AIDS SUPPLEMENT

The national epidemic of Acquired Immunodeficiency Syndrome (AIDS) has had a major impact on every aspect of the healthcare system. While inpatient hospital stays represent only one of the resources used by AIDS patients, reliable hospital data can be a valuable tool for describing the health crisis. The annual collection of patient data from short-term nonfederal hospitals allows CPHA to present clinical and demographic data on AIDS diagnoses.

In October 1986, new diagnosis classification codes specific to Human Immunodeficiency Virus infection (HIV)[1] were created for *ICD-9-CM* to monitor the diagnoses and manifestations of the disease:

ICD-9-CM AIDS Related Diagnoses Codes (October, 1986)

CODE	TITLE
042	HTLV-III/LAV INFECTION WITH SPECIFIED CONDITIONS
042.0	HTLV-III/LAV INFECTION WITH SPECIFIED INFECTIONS
042.1	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED INFECTIONS
042.2	HTLV-III/LAV INFECTION WITH SPECIFIED MALIGNANT NEOPLASMS
042.9	ACQUIRED IMMUNODEFICIENCY SYNDROME WITH OR WITHOUT OTHER CONDITIONS
043	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED CONDITIONS
043.0	HTLV-III/LAV INFECTION CAUSING LYMPHADENOPATHY
043.1	HTLV-III/LAV INFECTION CAUSING SPECIFIED DISEASES OF THE CENTRAL NERVOUS SYSTEM
043.2	HTLV-III/LAV INFECTION CAUSING OTHER DISORDERS INVOLVING THE IMMUNE MECHANISM
043.3	HTLV-III/LAV INFECTION CAUSING OTHER SPECIFIED CONDITIONS
043.9	ACQUIRED IMMUNODEFICIENCY SYNDROME-RELATED COMPLEX WITH OR WITHOUT OTHER CONDITIONS
044	OTHER HTLV-III/LAV INFECTION
044.0	HTLV-III/LAV INFECTION CAUSING SPECIFIED ACUTE INFECTIONS
044.9	HTLV-III/LAV INFECTION, NOT OTHERWISE SPECIFIED (WITH OR WITHOUT OTHER CONDITIONS NOT CLASSIFIABLE TO 042, 043, 044)
795.8	POSITIVE SEROLOGICAL OR VIRAL CULTURE FINDINGS FOR HUMAN T-CELL LYMPHOTROPIC VIRUS-III/LYMPHADENOPATHY ASSOCIATED VIRUS (HTLV-III/LAV)

The protocols[2] established by the Centers for Disease Control (CDC) instruct users to give priority to conditions classified by codes in categories 042 over those classified by codes in categories 043 and 044. Conditions classified by codes in category 043 are given priority over 044. Codes in categories 042, 043, and 044 are considered mutually exclusive, and are never to be listed together on the same record.

---

[1] Originally published as Human T-cell Lymphotropic Virus-III/Lymphadenopathy-Associated Virus (HTLV-III/LAV) infection, the terminology was revised effective January 1988 to Human Immunodeficiency Virus (HIV), as authorized by the Centers for Disease Control, Atlanta, Georgia and the National Center for Health Statistics.

[2] *HTLV-III LAV Infection Codes, Official Authorized Addendum, Effective October 1, 1986:* WHO Collaborating Center for Classification of Diseases for North America at the National Center for Health Statistics, with the Health Care Financing Administration.

The 1986 classification of HIV infection codes was intended as an interim system, to be reviewed after a period of use. In August 1987, a revision of the CDC Case Definition[3] attempted to provide clarification with examples of laboratory evidence for or against HIV infection, definitive diagnostic methods, and guidelines for presumptive diagnosis of diseases indicative of AIDS. (Since the reporting of the new definition was targeted for September 1 1987, its use would have little bearing on the 1987 Length of Stay data.)

Within the standard CPHA Length of Stay tables, AIDS diagnoses codes in *ICD-9-CM* categories 042, 043 and 044 fall into List A Group 12 along with a number of other viral diseases. *ICD-9-CM* Code 795.8, Positive HIV Findings, is found in List A Group 340, an aggregate group containing a large number of codes denoting signs, symptoms and ill-defined conditions. Since data pertaining to the AIDS codes are presently grouped with several disparate codes in each of the standard Length of Stay tables, the prevalence of AIDS is masked. This Supplement, therefore, examines each category of AIDS codes individually to provide additional information on AIDS as recorded in the 1987 Length of Stay database.

1987 AIDS DATABASE:

As in the 1987 Length of Stay tables, discharge records representing 21.5% of short-term general hospitals in the United States comprise the database. Unlike the standard Length of Stay tables, in which patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis, records are included in the AIDS Supplement if they have any AIDS code as either a principal or a secondary diagnosis. In addition, discharge records with an AIDS diagnosis are not excluded, as in the standard Length of Stay tables, when there is a death or transfer to a short-term hospital. While these adjustments augment the base of AIDS records, the resulting data should not be considered in the same manner as the traditional length of stay tables. The data presented in this section are intended to enhance knowledge and are not recommended for purposes of utilization review.

From over 6 million 1987 Length of Stay records, 11,477 (.2%) have an AIDS code as either a principal or secondary diagnosis, that is, one in every 500 hospital discharge records. In the majority of the records (73%), the AIDS code is listed as a secondary rather than as a principal diagnosis. There are 228 records where an AIDS code is both a principal and a secondary and 187 with multiple secondary AIDS codes.

Some precautions are suggested when reviewing the AIDS database:

1. The Length of Stay series is not based on a representative sample, but rather on a total count of discharge records from voluntary participating hospitals. (Refer to page viii for a description of these hospitals.)
2. Hospital records are based on occurrences of discharges, and may include the same patient more than once. With AIDS patients, there may be a relatively high number of readmissions within a year, possibly with a change in the assignment of the particular AIDS code as determined by the associated disease manifestations.

Given the cautions above, the AIDS Supplement is presented by CPHA as a research study and is not intended for comparing lengths of stay. The intent is to increase knowledge about one aspect of the AIDS health crisis, as well as to raise some issues about the coding of AIDS on medical records.

PROFILE OF AIDS RECORDS:

Table 1 presents a summary profile of the AIDS records from the 1987 Length of Stay database. (See page xviii.)

Regional Representation: The number of discharge records with an AIDS diagnosis is proportionally greater in the Northeast region of the United States (4 out of every 1000 hospital discharge records) and in the Western region (2 out of every 1000 discharge records) than in the North Central and Southern regions (1 out of 1000).

Sex/Age: Eighty-six percent of the AIDS discharge records represent male patients with almost half (45%) falling between the ages of 30 and 39.

---

[3] Revision of the CDC Surveillance Case Definition for Acquired Immunodeficiency Syndrome. *Morbidity and Mortality Weekly Report* (Vol. 36, No. 15) August 1987.

Disposition: Eighty-four percent of the AIDS discharge records represent live discharges. An overwhelming majority (88%) of these are discharged to home or self-care.

Payment: The sources of payment are private (self-pay, insurance or workers' compensation) for 51% of the records, and public for 36%. Medicaid constitutes 28% of all payment sources, representing over three-quarters of the public sources.

LENGTH OF STAY:

The average length of stay for the total AIDS base is 14.9 days, with the median (50th percentile) at 9 days. Other percentile distributions are as follows:

5%	1 day	90%	32 days
10%	2 days	95%	45 days
75%	19 days	99%	83 days

Table 2 shows the average length of stay for 3,140 records classified with any AIDS code (in categories 042, 043, 044, or code 795.8) as a principal diagnosis. (See page xix.)

Table 3 shows the average length of stay for 8,337 records classified with any AIDS code (in categories 042, 043, 044, or code 795.8) as a secondary diagnosis. (See page xx.)

For both tables 2 and 3 there appears to be a correlation between the length of stay and the particular AIDS code listed; the average overall length of stay is greater for codes in category 042 than for categories 043, 044, or for code 795.8.

Length of Stay by Operation:

The profile of AIDS records indicates that in more than one half of the hospital stays an operative procedure (*ICD-9-CM* codes 01.0-86.99) is performed. The majority of the reported procedures, e.g., bronchoscopies or CAT scans, are diagnostic rather than therapeutic procedures, and are not considered to affect length of stay.

DIAGNOSES FREQUENTLY ASSOCIATED WITH AIDS:

The following table shows those disease conditions which are most frequently listed with an AIDS code on discharge records, and displays the length of stay for that disease with each AIDS code, as well as the length of stay for the disease when it occurs without AIDS. For this table, each AIDS record is counted once, and may appear as a principal or secondary diagnosis code. In records where more than one AIDS code is listed, codes in category 042 are selected over those in categories 043 or 044, those in categories 043 over those in categories 044 or 795.8, and codes in category 044 over code 795.8.

The associated diseases are counted for each occurrence; one AIDS record may contain a number of other diagnoses codes. Multiple occurrences will also influence length of stay as one patient with a single hospital stay can appear more than once.

The most striking observation is that the length of stay increases significantly for any disease when reported in association with an AIDS diagnosis. For example, patients with anemia (*ICD-9-CM* codes 280.0-285.9) have an average hospital stay of 10.2 days when no AIDS diagnosis is present, but 17.3 days when accompanied by an AIDS diagnosis.

Frequently Associated Dx Codes with AIDS as Principal or Secondary

	Pneumocystosis (136.3)		Candidiasis (112.0,112.3,112.5-112.9)		Kaposi's Sarcoma (173.0-173.9)	
	OCCURRENCE	AVG LOS	OCCURRENCE	AVG LOS	OCCURRENCE	AVG LOS
With 042 Codes	2,762	18.1	2,183	19.7	1,073	44.3
With 043 Codes	54	22.4	3,172	18.9	40	15.9
With 044 Codes	20	11.2	68	13.6	5	11.4
With 795.8 Codes	47	21.9	120	16.7	3	9.3
With No AIDS Dx	745	16.9	16,931	14.8	6,924	7.9
Total Occurences:	3,628		19,694		8,045	

ISSUES:

The data collection for this AIDS Supplement indicates that there is considerable variation in the manner in which AIDS is reported. With AIDS patients presenting many disease manifestations, confusion may exist over the selection of the appropriate AIDS code:

1. Despite the fact that the October 1986 Addendum to the *ICD-9-CM* classification states that codes in categories 042, 043 and 044 are mutually exclusive, there is evidence of multiple coding of AIDS diagnoses.
2. The Addendum also instructs that certain disease manifestations are expected with specific AIDS codes; for example, Kaposi's sarcoma (173.0-173.9) should be linked only with one AIDS code (042.2). However, in this base, codes 173.0-173.9 are also found on discharge records in association with codes in categories 043, 044, and code 795.8.
3. There is some confusion with the coding of pneumocystosis (136.3). While pneumocystosis is found as either a principal or a secondary diagnosis on 3,628 of the Length of Stay records, 20% do not record any AIDS in association. On one hand this may indicate a reluctance to report AIDS. Or, on the other hand, this may be evidence of miscoding, since code 136.3 is sometimes reported in error for a benign form of pneumonia not intended as Pneumocystis carinii pneumonia.

SUMMARY:

The examination of 1987 discharge records from a collection of short-term general hospitals provides a base for analysis of records listing an AIDS code as either a principal or a secondary diagnosis. The data show a significant increase in hospital stay when a disease is recorded in association with an AIDS code. There is, however, evidence of some confusion over the coding of AIDS on hospital records. This study suggests the need for further exploration of the actual practice of AIDS coding and the formulation of recommendations for revision or clarification of the classification system.

Table 1
Profile of AIDS Records

	#	%
TOTAL DISCHARGE RECORDS WITH ANY AIDS Dx	11,477	100.0
AIDS as Principal Dx	3,140	27.4
AIDS as Secondary Dx	8,337	72.6

	#	% of Total Discharges
REGIONAL REPRESENTATION		
North Central	1,737	.1
Northeast	5,453	.4
South	2,712	.1
West	1,575	.2

	#	%
AGE		
Newborn - <1 yr	170	1.5
1 yr - 9 yrs	395	3.4
10 - 19 yrs	119	1.0
20 - 29 yrs	2,263	19.7
30 - 39 yrs	5,166	45.0
40 - 49 yrs	2,284	19.9
50 - 59 yrs	741	6.5
60+	339	3.0
SEX		
Male	9,852	85.8
Female	1,625	14.2
DISCHARGES		
Total Alive	9,585	83.5
Total Expired	1,892	16.5
DISPOSITION		
Home or Self-Care	8,408	87.7
Home Health Service	533	5.6
Short-Term Hospital	220	2.3
Skilled Nursing Facility	95	1.0
Inter. Care Facility	4	
Other Facility	325	3.4

	#	%
PAYMENT SOURCE		
Medicaid	3,230	28.1
Medicare	549	4.8
Other Government	333	2.9
Workers' Compensation	14	.1
Blue Cross	2,108	18.4
Other Insurance	2,327	20.3
Self-Pay	1,408	12.3
Other	1,508	13.1
LENGTH OF STAY		
<1 Day	119	1.1
1-7 Days	4,711	41.0
8-14 Days	2,710	23.6
15-21 Days	1,599	13.9
22-28 Days	919	8.0
29-36 Days	515	4.5
37-42 Days	253	2.2
43-49 Days	200	1.7
50+ Days	451	3.9

AVERAGE LOS IN DAYS: 14.9

MEDIAN LOS IN DAYS: 9

Table 2
Average Length of Stay
Discharge Records with AIDS as Principal Dx

CODE	TOTAL DISCHARGE RECORDS #	%	AVERAGE STAY	PERCENTILES 5TH	10TH	50TH	75TH	90TH	95TH	99TH
042										
AGE RANGES:										
Newborn-< 1 yr	35	1.4	48.1	2	3	22	42	80	99	99+
1 yr-9 yrs	104	4.3	12.5	1	1	5	13	38	57	76
10 yrs-19 yrs	31	1.3	5.9	<1	<1	1	7	20	25	32
20-29 yrs	492	20.2	15.7	1	2	11	20	34	52	84
30-39 yrs	1,087	44.6	19.9	1	3	13	24	43	59	99+
40-49 yrs	474	19.5	19.4	2	3	13	25	42	56	99
50-59 yrs	166	6.8	20.9	2	3	14	25	41	73	99
60+	47	1.9	24.9	3	4	17	30	62	76	99+
TOTAL	2,436	100.0	19.9	1	2	12	23	41	59	98
043										
AGE RANGES:										
Newborn-< 1 yr	8	1.3	36.5	1	2	18	27	80	99+	99+
1 yr-9 yrs	42	7.1	11.7	1	2	7	13	25	43	91
10 yrs-19 yrs	2	.3	43.0	5	5	43	81	81	81	81
20-29 yrs	122	20.5	12.2	1	2	7	14	28	46	83
30-39 yrs	273	46.0	15.1	1	2	9	19	35	47	97
40-49 yrs	94	15.8	22.7	1	4	12	28	65	69	99+
50-59 yrs	36	6.1	12.4	1	1	9	18	32	36	49
60+	17	2.9	16.5	3	4	14	20	43	53	56
TOTAL	594	100.0	15.7	1	2	7	17	40	55	99
044										
AGE RANGES:										
Newborn-< 1 yr	3	3.5	5.0	4	4	4	6	7	7	7
1 yr-9 yrs	5	5.8	20.6	2	2	7	43	50	50	50
10 yrs-19 yrs	2	2.3	13.5	3	3	13	24	24	24	24
20-29 yrs	16	18.6	8.9	1	2	7	13	19	24	26
30-39 yrs	40	46.5	11.9	2	2	8	14	20	29	87
40-49 yrs	14	16.3	10.3	2	2	6	14	27	32	33
50-59 yrs	3	3.5	5.7	2	2	6	8	9	9	9
60+	3	3.5	28.7	4	4	24	49	58	58	58
TOTAL	86	100.0	11.7	2	2	7	14	25	35	77
795.8										
AGE RANGES:										
Newborn-< 1 yr	4	16.7	11.0	6	6	9	15	19	19	19
1 yr-9 yrs	5	20.8	9.0	3	3	4	12	27	27	27
10 yrs-19 yrs	0	0.0	0.0	0	0	0	0	0	0	0
20-29 yrs	2	8.3	2.5	<1	<1	2	4	4	4	4
30-39 yrs	9	37.5	16.7	<1	<1	12	20	49	67	67
40-49 yrs	3	12.5	5.0	4	4	4	6	7	7	7
50-59 yrs	1	4.2	6.0	6	6	6	6	6	6	6
60+	0	0.0	0.0	0	0	0	0	0	0	0
TOTAL	24	100.0	11.0	<1	1	6	14	22	39	67

Table 3
Average Length of Stay
Discharge Records with AIDS as Secondary Dx

CODE	TOTAL DISCHARGE RECORDS #	%	AVERAGE STAY	PERCENTILES 5TH	10TH	50TH	75TH	90TH	95TH	99TH
042										
AGE RANGES:										
Newborn-< 1 yr	46	.8	25.7	1	2	11	26	55	68	99+
1 yr-9 yrs	127	2.3	18.7	2	3	8	15	34	49	99+
10 yrs-19 yrs	34	.6	9.5	1	1	8	13	23	25	30
20-29 yrs	1,000	18.1	13.5	1	2	9	18	29	39	73
30-39 yrs	2,592	46.8	13.8	1	2	10	18	28	37	75
40-49 yrs	1,221	22.1	14.6	1	2	10	19	31	43	72
50-59 yrs	365	6.6	16.5	1	2	12	21	32	42	81
60+	150	2.7	18.3	3	3	12	23	45	61	76
Total	5,535	100.0	14.4	1	2	10	19	29	40	76
043										
AGE RANGES:										
Newborn-< 1 yr	19	1.9	16.3	4	4	8	22	35	56	71
1 yr-9 yrs	56	5.7	11.3	1	2	5	13	26	42	89
10 yrs-19 yrs	10	1.0	4.8	1	1	4	7	10	10	10
20-29 yrs	190	19.3	12.8	1	2	7	12	30	49	90
30-39 yrs	446	45.2	11.6	1	2	7	14	26	36	59
40-49 yrs	169	17.1	12.2	1	1	8	15	29	41	64
50-59 yrs	61	6.2	13.6	2	2	11	18	26	34	62
60+	35	3.5	15.1	2	3	8	17	34	60	83
Total	986	100.0	12.2	1	2	7	15	28	41	69
044										
AGE RANGES:										
Newborn-< 1 yr	7	1.4	6.3	2	2	4	9	15	16	16
1 yr-9 yrs	17	3.4	6.8	1	1	4	8	12	31	41
10 yrs-19 yrs	15	3.0	7.6	<1	1	7	11	16	17	18
20-29 yrs	113	22.6	9.7	1	2	6	11	21	38	56
30-39 yrs	211	42.2	10.0	1	2	7	14	22	30	43
40-49 yrs	87	17.4	14.8	1	2	8	18	41	50	90
50-59 yrs	26	5.2	19.9	3	3	10	27	55	65	74
60+	24	4.8	15.5	2	2	7	19	49	60	85
Total	500	100.0	11.3	1	2	7	14	27	42	60
795.8										
AGE RANGES:										
Newborn-< 1 yr	48	3.6	25.7	2	2	13	31	67	98	99+
1 yr-9 yrs	39	3.0	10.0	1	2	5	12	17	26	91
10 yrs-19 yrs	25	1.9	7.4	<1	1	5	8	19	27	37
20-29 yrs	328	24.9	9.5	1	2	6	12	22	30	47
30-39 yrs	508	38.6	12.8	1	2	8	15	28	39	76
40-49 yrs	222	16.9	13.9	1	2	9	19	31	43	62
50-59 yrs	83	6.3	13.6	1	2	9	18	28	48	81
60+	63	4.8	12.4	1	2	9	19	30	35	42
Total	1,316	100.0	12.5	1	2	7	15	28	39	73

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140880	2.2	7	1	1	2	2	4	4	10
20-34	72416	2.4	12	< 1	1	2	2	4	6	18
35-49	24058	3.7	26	< 1	1	2	4	7	11	28
50-64	14518	3.9	21	1	1	3	5	8	11	26
65 +	13907	4.2	20	1	1	3	5	8	11	25
B. Operated										
0-19 YRS	37754	2.4	7	< 1	1	2	3	5	6	12
20-34	91110	2.5	4	< 1	1	2	3	4	6	10
35-49	40387	3.2	7	< 1	1	3	4	6	8	13
50-64	28143	3.7	11	< 1	1	3	5	8	9	14
65 +	26035	4.7	17	< 1	1	4	7	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	126451	3.9	37	1	1	2	4	6	11	37
20-34	70976	5.2	53	1	1	3	5	12	22	33
35-49	61994	5.3	44	1	1	3	6	11	20	31
50-64	85284	5.2	30	1	1	4	6	10	14	29
65 +	219033	6.0	29	1	2	5	7	11	15	27
B. Operated										
0-19 YRS	38591	5.3	78	1	1	3	5	11	20	56
20-34	133669	4.0	23	1	1	3	4	7	10	25
35-49	84480	5.3	37	1	1	4	6	10	15	32
50-64	87626	6.8	56	1	1	5	9	14	19	39
65 +	154176	8.5	67	1	2	7	11	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265779	2.6	12	< 1	1	2	3	4	6	17
B. Operated	223429	3.0	8	< 1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	563738	5.2	36	1	1	3	6	10	15	30
B. Operated	498542	6.2	52	1	1	4	8	13	18	38
1. SINGLE DX	489208	2.8	10	< 1	1	2	3	5	7	15
2. MULTIPLE DX	1062280	5.7	44	1	1	4	7	12	17	34
A. Not Operated	829517	4.4	30	1	1	3	5	9	13	29
B. Operated	721971	5.2	41	1	1	3	6	11	15	33
TOTAL										
0-19 YRS	343676	3.2	27	1	1	2	3	5	8	29
20-34	368171	3.5	23	1	1	2	4	6	10	28
35-49	210919	4.7	33	1	1	3	5	9	14	30
50-64	215571	5.6	39	1	1	4	7	11	16	31
65 +	413151	6.8	44	1	2	5	9	13	18	34
GRAND TOTAL	**1551488**	**4.8**	**35**	**1**	**1**	**3**	**5**	**10**	**14**	**30**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40071	2.8	20	< 1	1	2	3	5	7	26
20-34	72416	2.4	12	< 1	1	2	2	4	6	18
35-49	24058	3.7	26	< 1	1	2	4	7	11	28
50-64	14518	3.9	21	1	1	3	5	8	11	26
65 +	13907	4.2	20	1	1	3	5	8	11	25
B. Operated										
0-19 YRS	37725	2.4	7	< 1	1	2	3	5	6	12
20-34	91110	2.5	4	< 1	1	2	3	4	6	10
35-49	40387	3.2	7	< 1	1	3	4	6	8	13
50-64	28143	3.7	11	< 1	1	3	5	8	9	14
65 +	26035	4.7	17	< 1	1	4	7	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58258	4.8	65	1	1	2	4	9	19	45
20-34	70976	5.2	53	1	1	3	5	12	22	33
35-49	61994	5.3	44	1	1	3	6	11	20	31
50-64	85284	5.2	30	1	1	4	6	10	14	29
65 +	219033	6.0	29	1	2	5	7	11	15	27
B. Operated										
0-19 YRS	35973	4.5	46	1	1	2	5	9	15	37
20-34	133669	4.0	23	1	1	3	4	7	10	25
35-49	84480	5.3	37	1	1	4	6	10	15	32
50-64	87626	6.8	56	1	1	5	9	14	19	39
65 +	154176	8.5	67	1	2	7	11	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164970	3.0	18	< 1	1	2	3	6	8	23
B. Operated	223400	3.0	8	< 1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	495545	5.5	39	1	1	4	7	11	16	31
B. Operated	495924	6.1	50	1	1	4	7	13	18	37
1. SINGLE DX	388370	3.0	12	< 1	1	2	4	6	8	16
2. MULTIPLE DX	991469	5.8	44	1	1	4	7	12	17	34
A. Not Operated	660515	4.9	35	1	1	3	6	10	15	30
B. Operated	719324	5.2	39	1	1	3	6	11	15	32
TOTAL										
0-19 YRS	172027	3.8	39	< 1	1	2	4	7	12	36
20-34	368171	3.5	23	1	1	2	4	6	10	28
35-49	210919	4.7	33	1	1	3	5	9	14	30
50-64	215571	5.6	39	1	1	4	7	11	16	31
65 +	413151	6.8	44	1	2	5	9	13	18	34
GRAND TOTAL	**1379839**	**5.0**	**37**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	559	2.3	4	1	1	2	3	4	5	11
20-34	295	2.4	3	< 1	1	2	3	4	6	9
35-49	169	2.5	3	1	1	2	3	5	5	9
50-64	87	2.7	4	1	1	2	3	6	7	9
65 +	79	2.6	2	< 1	1	2	3	5	6	8
B. Operated										
0-19 YRS	16	4.2	16	1	1	3	4	12	14	14
20-34	22	3.9	5	1	2	4	5	7	9	10
35-49	20	4.3	8	1	1	4	5	5	10	15
50-64	6	4.2	7	2	2	3	7	8	8	8
65 +	3	7.7	16	3	3	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1446	3.0	15	1	1	2	3	5	7	15
20-34	666	2.6	4	1	1	2	3	5	6	9
35-49	428	3.4	10	1	1	3	4	6	8	14
50-64	391	3.5	6	1	1	3	4	6	8	13
65 +	931	4.7	26	1	2	3	5	9	12	20
B. Operated										
0-19 YRS	45	7.4	96	1	1	4	6	32	36	99 +
20-34	63	4.6	9	1	2	4	6	7	11	17
35-49	67	7.4	55	2	2	5	9	13	18	49
50-64	64	7.6	37	2	2	6	10	15	18	34
65 +	120	9.5	76	2	3	7	10	19	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1189	2.4	3	1	1	2	3	4	5	9
B. Operated	67	4.3	9	1	2	4	5	8	11	15
2. MULTIPLE DX										
A. Not Operated	3862	3.4	15	1	1	3	4	6	9	16
B. Operated	359	7.6	58	1	2	5	9	15	24	47
1. SINGLE DX	1256	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	4221	3.8	20	1	1	3	4	7	10	20
A. Not Operated	5051	3.2	12	1	1	2	4	6	8	15
B. Operated	426	7.1	52	1	2	5	8	14	20	43
TOTAL										
0-19 YRS	2066	2.9	14	1	1	2	3	5	7	16
20-34	1046	2.7	4	1	1	2	3	5	6	10
35-49	684	3.6	14	1	1	3	4	6	9	17
50-64	548	3.8	11	1	1	3	5	7	9	17
65 +	1133	5.0	32	1	2	4	6	10	13	27
GRAND TOTAL	**5477**	**3.5**	**16**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.6	7	1	1	1	4	7	7	7
20-34	8	6.0	10	3	3	5	8	11	12	12
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	5	8.4	31	1	1	11	12	14	14	14
65 +	0									
B. Operated										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	6	7.3	13	< 1	1	8	10	11	11	11
35-49	2	13.0	98	6	6	13	20	20	20	20
50-64	4	6.0	15	2	2	5	9	11	11	11
65 +	3	5.7	6	3	3	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.0	16	1	1	3	5	11	11	11
20-34	19	7.8	22	1	3	8	9	13	18	22
35-49	25	8.1	27	2	2	7	11	14	19	21
50-64	30	10.8	55	3	4	8	15	24	28	28
65 +	44	13.0	111	2	3	12	16	24	32	55
B. Operated										
0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	14	12.6	28	5	7	12	17	20	22	23
35-49	15	13.5	220	1	3	9	15	38	52	57
50-64	19	14.2	126	3	4	11	19	29	38	46
65 +	47	14.1	109	4	5	12	16	25	42	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	5.2	17	1	1	4	7	12	13	14
B. Operated	18	6.8	20	1	2	6	9	11	16	20
2. MULTIPLE DX										
A. Not Operated	123	10.3	67	2	3	8	14	21	25	45
B. Operated	98	13.5	114	4	4	11	15	26	40	55
1. SINGLE DX	40	5.9	18	1	1	5	8	12	13	20
2. MULTIPLE DX	221	11.7	90	2	3	9	14	23	28	53
A. Not Operated	145	9.5	63	1	3	7	13	19	24	43
B. Operated	116	12.5	105	2	4	10	14	25	35	54
TOTAL										
0-19 YRS	16	3.6	8	1	1	3	5	7	10	11
20-34	47	8.9	26	2	3	8	11	16	20	23
35-49	46	9.6	96	1	2	7	12	18	24	57
50-64	58	11.4	77	2	4	9	14	26	29	45
65 +	94	13.3	108	3	4	11	16	24	39	54
GRAND TOTAL	**261**	**10.8**	**84**	**2**	**3**	**8**	**14**	**22**	**28**	**51**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	9	1.4	1	< 1	< 1	1	2	3	3	3
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	10.0	133	1	1	6	19	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	11.8	103	2	2	12	20	21	21	21
20-34	2	19.5	5	18	18	19	21	21	21	21
35-49	4	13.3	71	5	5	11	18	25	25	25
50-64	4	8.8	75	1	1	6	14	21	21	21
65 +	9	9.8	96	2	2	8	11	26	34	34
B. Operated										
0-19 YRS	3	6.3	20	2	2	6	10	11	11	11
20-34	5	9.0	6	6	6	10	11	12	12	12
35-49	19	15.2	161	1	2	13	18	30	44	56
50-64	15	17.9	256	2	4	13	26	50	51	51
65 +	13	17.1	297	1	1	10	26	45	51	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.0	3	4	4	7	7	7	7	7
B. Operated	17	3.9	31	< 1	1	1	5	9	18	23
2. MULTIPLE DX										
A. Not Operated	23	11.4	78	1	2	9	19	22	28	34
B. Operated	55	15.3	198	1	2	10	19	40	51	56
1. SINGLE DX	20	4.3	27	< 1	1	2	6	9	16	23
2. MULTIPLE DX	78	14.2	164	1	2	10	19	30	47	55
A. Not Operated	26	10.8	72	2	2	8	18	21	27	34
B. Operated	72	12.6	181	1	1	8	17	29	49	55
TOTAL										
0-19 YRS	16	4.9	44	< 1	1	2	5	19	21	21
20-34	10	10.3	30	4	4	10	12	19	21	21
35-49	26	13.7	136	1	2	11	17	29	35	56
50-64	20	15.3	225	1	1	8	23	39	50	51
65 +	26	13.3	199	1	1	8	17	39	45	52
GRAND TOTAL	**98**	**12.1**	**152**	**1**	**1**	**8**	**17**	**28**	**42**	**54**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.0	2	< 1	1	2	2	4	5	8
20-34	29	2.8	3	1	1	2	3	5	8	8
35-49	10	2.3		2	2	2	2	3	4	4
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	18	1.2		< 1	1	1	1	2	2	2
20-34	5	1.6	2	1	1	1	2	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	2.5	2	1	1	2	3	4	5	8
20-34	103	2.8	2	1	1	3	3	4	5	9
35-49	34	3.3	2	1	2	3	4	5	6	7
50-64	22	4.0	2	2	2	4	4	6	7	8
65 +	13	3.8	8	1	1	3	4	9	10	10
B. Operated										
0-19 YRS	18	1.6	1	1	1	1	2	3	4	4
20-34	12	1.9	1	1	1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	2.3	2	1	1	2	3	4	6	8
B. Operated	23	1.3		< 1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	368	2.8	3	1	1	2	3	5	6	9
B. Operated	32	2.1	5	1	1	1	2	4	4	13
1. SINGLE DX	121	2.1	2	1	1	2	2	4	5	8
2. MULTIPLE DX	400	2.7	3	1	1	2	3	5	6	9
A. Not Operated	466	2.7	3	1	1	2	3	5	6	8
B. Operated	55	1.7	3	1	1	1	2	3	4	13
TOTAL										
0-19 YRS	288	2.3	2	1	1	2	3	4	5	8
20-34	149	2.7	2	1	1	2	3	4	5	8
35-49	45	3.0	2	1	2	3	4	5	6	7
50-64	25	4.3	5	2	2	4	5	7	9	13
65 +	14	3.8	7	1	2	3	4	9	10	10
GRAND TOTAL	**521**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	216	3.8	7	1	2	3	4	7	10	14
20-34	12	5.7	39	1	1	4	6	13	22	24
35-49	13	5.5	5	1	3	5	7	9	10	10
50-64	14	6.8	15	3	3	6	10	11	15	16
65 +	30	5.8	9	3	3	5	7	9	10	16
B. Operated										
0-19 YRS	6	5.5	10	2	2	6	8	9	9	9
20-34	1	14.0		14	14	14	14	14	14	14
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	5.0	32	< 1	< 1	4	9	9	9	9
65 +	9	12.0	45	5	6	10	13	23	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	490	5.3	25	1	2	4	7	10	14	22
20-34	193	7.4	32	2	2	6	9	15	17	29
35-49	254	8.2	31	3	3	7	10	15	20	29
50-64	594	8.6	47	2	3	7	10	14	19	38
65 +	2559	9.2	39	3	4	8	11	16	20	33
B. Operated										
0-19 YRS	49	13.2	79	4	4	10	18	27	30	37
20-34	71	14.9	171	3	4	10	22	30	50	93
35-49	121	15.7	252	4	5	10	18	30	47	92
50-64	215	17.8	219	5	6	14	22	37	51	74
65 +	753	16.5	149	4	6	13	20	32	43	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	285	4.3	9	1	2	3	5	9	10	15
B. Operated	19	9.1	37	1	2	9	11	15	22	28
2. MULTIPLE DX										
A. Not Operated	4090	8.5	39	2	3	7	10	15	19	33
B. Operated	1209	16.4	171	4	5	13	20	31	44	76
1. SINGLE DX	304	4.6	12	1	2	3	6	9	11	16
2. MULTIPLE DX	5299	10.3	80	2	3	8	12	19	26	49
A. Not Operated	4375	8.2	38	2	3	7	10	15	18	31
B. Operated	1228	16.3	169	4	5	13	20	31	43	76
TOTAL										
0-19 YRS	761	5.4	28	1	2	4	7	10	14	27
20-34	277	9.3	79	2	3	6	11	21	27	54
35-49	389	10.5	111	3	3	8	12	19	26	62
50-64	825	10.9	108	3	4	8	12	20	29	61
65 +	3351	10.8	73	3	4	9	13	20	26	48
GRAND TOTAL	**5603**	**10.0**	**78**	**2**	**3**	**8**	**12**	**19**	**26**	**49**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	162	5.7	10	1	2	6	8	10	11	14
20-34	38	4.5	7	< 1	1	4	6	9	10	10
35-49	14	4.0	4	2	2	3	4	8	9	9
50-64	6	3.3	3	1	1	3	4	6	6	6
65 +	11	6.2	16	3	3	4	9	13	14	14
B. Operated										
0-19 YRS	7	6.0	37	< 1	< 1	5	8	16	18	18
20-34	4	7.3	6	4	4	7	9	10	10	10
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	0									
65 +	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	154	6.9	20	2	2	6	9	13	15	21
20-34	72	6.1	19	1	2	5	9	12	14	20
35-49	53	6.2	17	2	2	5	8	12	13	21
50-64	62	7.5	25	2	3	6	10	16	18	22
65 +	136	7.3	27	2	3	6	9	13	18	29
B. Operated										
0-19 YRS	12	15.8	159	2	4	11	26	58	92	99 +
20-34	35	11.0	148	2	2	8	14	21	23	71
35-49	28	16.9	340	2	3	11	17	51	60	76
50-64	24	13.4	130	2	4	10	19	27	40	48
65 +	61	19.3	272	4	6	15	25	39	62	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	231	5.4	10	1	2	5	8	10	11	14
B. Operated	14	6.7	24	< 1	1	6	9	14	17	18
2. MULTIPLE DX										
A. Not Operated	477	6.9	22	2	2	6	9	13	16	23
B. Operated	160	15.9	232	2	4	12	20	36	54	99
1. SINGLE DX	245	5.5	11	1	2	5	8	10	11	14
2. MULTIPLE DX	637	9.2	90	2	2	7	11	18	24	60
A. Not Operated	708	6.4	19	2	2	5	8	11	14	22
B. Operated	174	15.2	222	2	3	11	19	32	51	99
TOTAL										
0-19 YRS	335	6.6	23	2	2	6	9	11	14	28
20-34	149	6.9	51	1	2	5	9	13	17	23
35-49	97	9.0	132	2	3	5	10	16	23	68
50-64	92	8.7	59	2	3	6	11	19	22	43
65 +	209	10.8	127	2	3	8	13	23	30	84
GRAND TOTAL	**882**	**8.1**	**71**	**2**	**2**	**6**	**10**	**15**	**21**	**51**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	596	2.9	3	1	1	3	3	4	6	10
20-34	345	2.9	3	1	1	3	3	5	6	9
35-49	99	3.5	6	1	1	3	4	6	9	12
50-64	13	4.2	9	1	2	3	5	9	11	12
65+	7	4.0	7	1	1	4	5	8	9	9
B. Operated										
0-19 YRS	5	3.6	3	1	1	4	5	5	5	5
20-34	3	7.0	13	3	3	8	9	10	10	10
35-49	4	2.8	2	2	2	2	4	5	5	5
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	315	3.6	9	1	1	3	4	6	9	12
20-34	195	3.8	7	1	2	3	5	7	8	16
35-49	90	4.3	6	1	2	4	6	8	9	11
50-64	26	6.6	30	1	2	5	9	14	19	24
65+	21	6.0	17	2	2	4	8	13	15	16
B. Operated										
0-19 YRS	5	5.0	16	3	3	3	6	12	12	12
20-34	10	6.6	17	3	3	5	10	13	15	15
35-49	4	8.8	24	5	5	7	12	16	16	16
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	6	17.3	65	7	7	18	20	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1060	3.0	3	1	1	3	4	5	6	10
B. Operated	12	4.2	7	1	1	4	5	9	10	10
2. MULTIPLE DX										
A. Not Operated	647	3.9	10	1	2	3	4	7	9	15
B. Operated	27	9.1	46	3	3	7	12	19	22	30
1. SINGLE DX	1072	3.0	3	1	1	3	4	5	6	10
2. MULTIPLE DX	674	4.1	12	1	2	3	5	7	10	19
A. Not Operated	1707	3.3	6	1	1	3	4	6	8	11
B. Operated	39	7.6	39	2	2	5	11	16	20	30
TOTAL										
0-19 YRS	921	3.2	5	1	1	3	4	5	7	10
20-34	553	3.3	5	1	1	3	4	6	7	10
35-49	197	3.9	6	1	1	3	5	7	9	12
50-64	41	5.9	24	1	2	4	8	12	16	24
65+	34	7.6	43	2	2	5	10	17	20	30
GRAND TOTAL	**1746**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	3.5	10	1	1	3	4	7	10	18
20-34	52	3.6	5	1	1	3	5	7	8	11
35-49	20	3.3	5	<1	1	3	4	7	9	10
50-64	25	5.6	19	1	1	6	7	9	15	22
65+	54	4.3	5	1	2	4	6	7	8	10
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	4.7		4	4	5	5	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	4.7	30	1	1	2	9	11	11	11
65+	5	7.2	30	1	1	6	9	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	303	3.8	8	1	1	3	5	7	9	13
20-34	129	5.4	15	1	2	4	7	11	12	18
35-49	60	8.3	165	2	2	6	7	13	23	82
50-64	123	6.5	31	2	2	5	7	13	16	34
65+	481	6.8	27	2	2	6	9	12	17	27
B. Operated										
0-19 YRS	11	10.0	56	1	3	10	13	21	26	27
20-34	17	10.2	74	2	2	7	14	26	29	30
35-49	9	13.2	49	2	3	14	19	22	22	22
50-64	22	16.1	193	1	2	12	21	40	48	49
65+	61	13.6	94	3	4	11	18	31	36	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	246	3.9	9	1	1	3	5	7	10	17
B. Operated	14	5.9	21	1	1	5	7	13	15	16
2. MULTIPLE DX										
A. Not Operated	1096	5.9	30	1	2	5	7	11	14	25
B. Operated	120	13.2	103	2	3	11	17	29	36	48
1. SINGLE DX	260	4.0	10	1	1	3	5	7	10	17
2. MULTIPLE DX	1216	6.6	42	1	2	5	8	13	18	34
A. Not Operated	1342	5.5	27	1	2	4	7	10	13	24
B. Operated	134	12.5	100	2	2	10	16	28	35	48
TOTAL										
0-19 YRS	410	4.0	11	1	1	3	5	8	10	18
20-34	201	5.3	19	1	2	4	7	10	13	25
35-49	91	7.6	122	1	2	5	7	14	21	74
50-64	173	7.6	59	1	2	6	9	15	22	45
65+	601	7.3	37	2	2	6	9	14	19	33
GRAND TOTAL	**1476**	**6.2**	**37**	**1**	**2**	**5**	**7**	**12**	**16**	**31**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.8	3	1	1	2	3	6	7	8
20-34	81	4.1	8	1	1	3	5	8	11	14
35-49	39	4.2	6	2	2	4	5	7	9	13
50-64	8	4.5	3	2	2	4	6	7	7	7
65 +	9	4.9	11	2	2	3	8	10	10	10
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	[illegible]	1	1	1	1	1	3	4	4
35-49	6	[illegible]	3	1	1	1	2	5	5	5
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	3.1	2	1	2	3	4	5	6	9
20-34	183	4.7	9	1	2	4	6	9	10	16
35-49	93	4.6	9	1	2	4	6	8	9	19
50-64	60	5.9	19	1	2	5	7	10	14	27
65 +	55	6.4	14	2	2	6	9	12	15	95
B. Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	13	7.2	76	1	1	5	9	18	30	33
35-49	20	7.3	35	1	1	6	12	15	18	20
50-64	15	9.5	142	1	2	4	13	17	40	48
65 +	19	13.5	256	3	3	11	16	18	50	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	3.9	7	1	1	3	5	7	10	13
B. Operated	19	1.6	1	1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	446	4.9	11	1	2	4	6	9	10	17
B. Operated	69	9.4	128	1	1	7	13	17	21	71
1. SINGLE DX	198	3.6	7	1	1	3	4	7	9	13
2. MULTIPLE DX	515	5.5	29	1	2	4	7	10	14	24
A. Not Operated	625	4.6	10	1	2	4	6	9	10	16
B. Operated	88	7.7	110	1	1	5	10	17	18	65
TOTAL										
0-19 YRS	100	3.0	3	1	1	3	4	5	7	9
20-34	284	4.6	12	1	1	4	6	9	10	16
35-49	158	4.7	12	1	1	4	6	8	12	20
50-64	87	6.2	40	1	2	5	7	12	17	41
65 +	84	7.8	76	2	2	6	10	15	17	92
GRAND TOTAL	**713**	**5.0**	**23**	**1**	**1**	**4**	**6**	**9**	**13**	**19**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	106	2.9	4	1	1	2	3	5	7	11
20-34	23	3.3	5	1	1	3	4	7	9	9
35-49	6	3.7	3	2	2	3	5	6	6	6
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	17.0		17	17	17	17	17	17	17
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	268	2.9	3	1	1	3	4	5	6	9
20-34	70	4.3	8	2	2	3	5	7	8	18
35-49	11	3.3	2	1	1	3	4	5	6	6
50-64	11	5.5	40	1	2	4	4	14	23	24
65 +	2	6.0	2	5	5	6	7	7	7	7
B. Operated										
0-19 YRS	15	6.1	11	2	2	6	8	11	12	12
20-34	8	5.3	23	1	1	3	8	13	15	15
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	4.0	8	2	2	4	6	6	6	6
65 +	2	5.0	18	2	2	5	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	3.0	4	1	1	2	4	6	7	10
B. Operated	5	6.2	38	2	2	4	8	17	17	17
2. MULTIPLE DX										
A. Not Operated	362	3.3	5	1	1	3	4	6	7	13
B. Operated	28	5.6	13	2	2	6	8	11	12	15
1. SINGLE DX	143	3.1	5	1	1	2	4	6	8	13
2. MULTIPLE DX	390	3.4	6	1	1	3	4	6	8	14
A. Not Operated	500	3.2	5	1	1	3	4	6	7	11
B. Operated	33	5.7	16	2	2	5	8	11	15	17
TOTAL										
0-19 YRS	391	3.0	4	1	1	3	4	5	7	11
20-34	103	4.2	8	1	2	3	5	8	9	17
35-49	19	4.3	12	1	2	4	5	7	12	17
50-64	16	4.8	29	1	1	4	4	7	19	24
65 +	4	5.5	7	2	2	6	7	8	8	8
GRAND TOTAL	**533**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	4	4
20-34	44	1.2		<1	<1	1	1	2	3	3
35-49	9	1.1		<1	<1	<1	1	2	2	2
50-64	6	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	28	1.6	1	<1	<1	1	2	4	5	5
35-49	8	2.6	9	<1	<1	1	3	8	10	10
50-64	6	2.3	3	1	1	2	3	5	5	5
65+	4	3.5	4	1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	73	1.2		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	55	2.0	3	<1	<1	1	3	4	5	10
1. SINGLE DX	73	1.2		<1	<1	1	1	2	3	4
2. MULTIPLE DX	55	2.0	3	<1	<1	1	3	4	5	10
A. Not Operated	0									
B. Operated	128	1.6	2	<1	<1	1	2	3	4	7
TOTAL										
0-19 YRS	22	1.5	1	<1	<1	1	2	3	4	4
20-34	72	1.4	1	<1	<1	1	1	2	3	5
35-49	17	1.8	5	<1	<1	1	2	3	8	10
50-64	12	1.7	2	<1	<1	1	2	4	5	5
65+	5	3.0	5	1	1	3	4	6	6	6
GRAND TOTAL	**128**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	801	2.4	1	1	1	2	3	4	4	6
20-34	145	2.6	3	<1	1	2	3	5	6	9
35-49	77	3.6	26	<1	1	2	4	6	9	35
50-64	33	2.6	5	<1	1	2	3	4	6	12
65+	33	4.2	12	1	1	3	5	10	11	12
B. Operated										
0-19 YRS	23	2.5	3	<1	<1	2	3	4	6	8
20-34	16	4.6	12	1	1	3	7	11	12	12
35-49	9	6.7	28	1	1	5	9	15	18	18
50-64	0									
65+	2	11.5	1	11	11	11	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1042	2.6	4	1	1	2	3	4	6	11
20-34	443	3.8	20	1	1	3	4	7	12	26
35-49	355	4.7	25	1	1	3	5	9	14	24
50-64	229	4.4	17	1	1	3	5	10	13	22
65+	403	4.8	31	1	2	4	6	8	11	29
B. Operated										
0-19 YRS	36	5.6	75	1	2	3	5	10	22	49
20-34	115	12.5	184	1	2	7	15	29	48	84
35-49	126	13.2	126	2	4	10	16	25	33	61
50-64	37	15.7	369	2	3	9	15	41	67	84
65+	37	20.1	210	4	6	16	28	42	53	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1089	2.6	4	1	1	2	3	4	5	10
B. Operated	50	4.3	14	<1	1	3	5	11	12	18
2. MULTIPLE DX										
A. Not Operated	2472	3.7	16	1	1	3	4	7	10	22
B. Operated	351	13.2	184	2	2	9	16	29	43	76
1. SINGLE DX	1139	2.7	4	1	1	2	3	4	5	11
2. MULTIPLE DX	2823	4.8	47	1	1	3	5	10	15	37
A. Not Operated	3561	3.3	13	1	1	3	4	6	8	19
B. Operated	401	12.1	171	1	2	8	15	27	41	76
TOTAL										
0-19 YRS	1902	2.6	4	1	1	2	3	4	5	9
20-34	719	5.0	54	1	1	3	5	11	19	44
35-49	567	6.5	60	1	1	4	8	15	20	36
50-64	299	5.6	73	1	1	3	6	11	15	46
65+	475	6.0	60	1	2	4	6	11	19	43
GRAND TOTAL	**3962**	**4.2**	**36**	**1**	**1**	**3**	**4**	**8**	**13**	**31**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	18	3.6	6	1	1	3	4	7	9	10
35-49	13	3.1	4	1	1	3	5	6	6	6
50-64	3	5.0	12	3	3	3	8	9	9	9
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.4	4	1	1	3	4	7	8	8
20-34	13	5.1	10	< 1	1	4	6	11	11	11
35-49	8	5.1	13	< 1	< 1	5	7	10	12	12
50-64	9	6.9	13	1	1	7	10	11	11	11
65 +	8	8.5	29	4	4	6	12	17	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	3	14.0	93	3	3	18	20	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.5	5	1	1	3	5	7	8	10
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	47	5.7	15	1	1	5	8	11	13	18
B. Operated	3	14.0	93	3	3	18	20	21	21	21
1. SINGLE DX	39	3.5	5	1	1	3	5	7	8	10
2. MULTIPLE DX	50	6.2	22	1	1	5	8	12	18	21
A. Not Operated	86	4.7	12	1	1	4	6	9	11	17
B. Operated	3	14.0	93	3	3	18	20	21	21	21
TOTAL										
0-19 YRS	12	3.3	4	1	1	3	4	6	8	8
20-34	31	4.2	8	1	1	4	5	9	11	11
35-49	21	3.9	8	< 1	1	3	6	7	9	12
50-64	12	6.4	12	1	2	7	9	11	11	11
65 +	13	9.3	41	3	4	7	16	19	21	21
GRAND TOTAL	**89**	**5.0**	**16**	**1**	**1**	**4**	**6**	**10**	**12**	**20**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	4.9	7	2	2	4	5	10	11	12
20-34	78	4.1	4	1	2	4	5	7	8	10
35-49	7	4.6	13	1	1	4	5	11	12	12
50-64	3	8.0	21	3	3	9	11	12	12	12
65 +	4	5.0	10	1	1	5	7	8	8	8
B. Operated										
0-19 YRS	5	2.2	3	< 1	< 1	1	4	4	4	4
20-34	16	3.6	11	< 1	1	2	6	8	11	12
35-49	4	2.0	4	< 1	< 1	1	3	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	3.9	5	1	2	3	5	8	9	9
20-34	76	4.0	4	1	2	4	5	7	8	13
35-49	21	8.3	30	1	1	9	10	16	20	22
50-64	10	9.2	57	2	2	8	11	22	23	23
65 +	9	8.0	36	1	2	7	10	17	21	21
B. Operated										
0-19 YRS	9	6.1	7	< 1	2	6	7	10	11	11
20-34	20	6.9	56	< 1	1	4	9	15	24	32
35-49	11	4.7	6	1	2	4	7	8	8	8
50-64	8	7.3	47	1	1	5	11	18	20	20
65 +	8	9.3	41	1	2	8	14	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	121	4.5	6	1	2	4	5	8	10	12
B. Operated	29	3.0	7	< 1	< 1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	148	5.2	17	1	2	4	6	10	13	22
B. Operated	56	6.7	34	1	1	5	8	15	19	31
1. SINGLE DX	150	4.2	7	1	1	4	5	8	10	12
2. MULTIPLE DX	204	5.6	22	1	2	4	7	10	15	22
A. Not Operated	269	4.9	12	1	2	4	6	9	11	21
B. Operated	85	5.4	28	< 1	1	4	7	12	16	28
TOTAL										
0-19 YRS	75	4.5	7	1	2	4	6	8	10	12
20-34	190	4.3	11	1	2	4	5	7	9	15
35-49	43	6.2	23	< 1	1	5	9	12	15	22
50-64	22	8.0	45	1	2	6	11	20	22	23
65 +	24	7.3	32	1	1	6	10	16	20	21
GRAND TOTAL	**354**	**5.0**	**16**	**1**	**1**	**4**	**6**	**10**	**12**	**21**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.3	28	2	2	4	9	14	14	14
20-34	9	5.0	3	2	3	5	6	7	8	8
35-49	10	5.9	19	1	1	4	10	12	14	14
50-64	2	3.0		3	3	3	3	3	3	3
65 +	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	9	7.8	40	1	1	9	9	17	22	22
35-49	15	4.9	9	1	2	4	7	10	11	11
50-64	17	6.2	23	1	1	5	8	12	17	20
65 +	10	6.4	10	1	2	6	8	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.1	36	< 1	1	3	4	5	17	29
20-34	35	10.3	81	2	2	7	14	24	31	35
35-49	54	10.3	158	1	2	6	12	24	27	82
50-64	28	6.8	30	2	3	5	7	11	20	29
65 +	74	10.0	70	3	3	7	12	21	28	44
B. Operated										
0-19 YRS	10	18.8	218	3	3	18	25	40	52	52
20-34	34	15.2	115	3	4	13	19	28	32	55
35-49	42	15.8	165	2	4	11	22	39	46	99 +
50-64	55	12.3	161	1	2	9	13	23	32	71
65 +	66	17.0	249	4	5	10	24	46	56	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	5.1	12	2	2	4	6	10	14	14
B. Operated	53	6.2	18	1	2	5	8	11	13	22
2. MULTIPLE DX										
A. Not Operated	211	9.2	88	2	2	6	11	21	28	40
B. Operated	207	15.3	186	2	4	11	20	34	48	86
1. SINGLE DX	81	5.8	16	1	2	5	8	11	13	21
2. MULTIPLE DX	418	12.2	146	2	3	8	15	28	35	73
A. Not Operated	239	8.7	81	2	2	6	11	20	27	36
B. Operated	260	13.5	165	2	3	9	17	31	46	76
TOTAL										
0-19 YRS	36	8.6	121	1	1	4	9	25	29	52
20-34	87	11.4	92	2	2	9	15	26	31	48
35-49	121	11.2	144	1	2	8	14	27	35	88
50-64	102	9.6	107	1	2	7	12	18	27	66
65 +	153	12.7	157	2	3	8	15	28	46	75
GRAND TOTAL	**499**	**11.2**	**130**	**2**	**2**	**8**	**13**	**26**	**33**	**66**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	3.8	7	< 1	1	3	5	7	10	11
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	5	5.2	20	1	1	4	8	12	12	12
35-49	3	3.0	4	< 1	< 1	3	4	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	9	5.3	11	1	2	4	8	10	11	11
35-49	9	6.1	36	1	1	4	8	16	20	20
50-64	2	6.0	18	3	3	6	9	9	9	9
65 +	4	6.3	8	4	4	6	8	10	10	10
B. Operated										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	3	13.0	133	2	2	12	22	25	25	25
35-49	4	9.0	14	4	4	9	11	13	13	13
50-64	3	10.7	26	5	5	12	14	15	15	15
65 +	3	28.7	262	10	10	37	38	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.2	8	1	2	3	5	9	10	11
B. Operated	11	4.5	11	< 1	1	4	7	9	12	12
2. MULTIPLE DX										
A. Not Operated	26	5.7	18	1	1	4	8	10	13	20
B. Operated	16	12.9	129	2	2	10	14	36	38	39
1. SINGLE DX	28	4.4	9	< 1	1	4	6	9	11	12
2. MULTIPLE DX	42	8.4	71	1	2	7	10	16	30	39
A. Not Operated	43	5.1	14	1	1	4	8	9	11	20
B. Operated	27	9.5	96	1	2	7	12	23	37	39
TOTAL										
0-19 YRS	7	4.1	8	1	1	3	6	8	9	9
20-34	29	5.5	25	1	1	4	7	12	13	25
35-49	18	6.2	24	< 1	1	5	9	12	17	20
50-64	8	7.1	21	2	2	6	10	14	15	15
65 +	8	15.0	207	4	4	9	24	38	39	39
GRAND TOTAL	**70**	**6.8**	**50**	**1**	**1**	**4**	**9**	**12**	**20**	**39**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	3.1	4	1	1	3	3	6	7	7
35-49	7	4.4	3	2	2	5	6	6	6	6
50-64	3	2.3	2	< 1	< 1	2	3	4	4	4
65 +	2	7.5	85	< 1	< 1	7	14	14	14	14
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	3.1	11	< 1	< 1	1	4	8	11	13
35-49	25	4.5	24	< 1	1	2	7	11	16	19
50-64	11	1.8	3	< 1	< 1	1	2	5	6	6
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	5.8	19	1	2	4	7	13	15	16
20-34	107	7.5	35	1	1	6	12	16	19	25
35-49	152	9.2	53	2	2	8	11	19	25	33
50-64	49	9.8	60	2	2	9	12	21	23	37
65 +	40	12.9	226	3	3	7	15	23	61	61
B. Operated										
0-19 YRS	6	9.0	12	3	3	9	11	13	13	13
20-34	158	15.3	98	4	6	13	19	27	37	70
35-49	225	15.0	131	3	5	13	20	26	33	83
50-64	54	16.0	98	2	5	14	20	30	35	48
65 +	24	11.5	59	2	3	8	16	22	27	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.7	8	< 1	1	3	5	6	9	14
B. Operated	60	3.5	15	< 1	< 1	1	5	9	12	19
2. MULTIPLE DX										
A. Not Operated	372	9.0	67	1	2	7	12	18	23	43
B. Operated	467	15.0	111	3	5	13	19	26	35	69
1. SINGLE DX	84	3.5	13	< 1	1	2	5	8	12	18
2. MULTIPLE DX	839	12.3	101	2	3	10	16	23	31	55
A. Not Operated	396	8.6	65	1	2	6	11	17	23	41
B. Operated	527	13.6	114	1	2	12	18	25	34	58
TOTAL										
0-19 YRS	33	6.0	19	1	2	5	9	12	15	16
20-34	297	11.1	86	1	2	9	15	22	29	47
35-49	409	12.0	105	1	3	10	16	24	29	50
50-64	117	11.7	92	1	1	10	17	23	32	44
65 +	67	12.1	157	2	3	8	15	23	35	61
GRAND TOTAL	**923**	**11.5**	**99**	**1**	**2**	**9**	**15**	**23**	**29**	**52**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	10.0		10	10	10	10	10	10	10
65 +	4	6.3	36	2	2	4	10	15	15	15
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	8	5.4	23	1	1	4	7	13	15	15
B. Operated	2	1.5	1	1	1	1	2	2	2	2
1. SINGLE DX	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX	10	4.6	20	1	1	3	5	12	15	15
A. Not Operated	9	5.1	20	1	1	3	6	13	15	15
B. Operated	3	4.7	30	1	1	2	9	11	11	11
TOTAL										
0-19 YRS	4	4.5	20	1	1	3	7	11	11	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	10.0		10	10	10	10	10	10	10
65 +	4	6.3	36	2	2	4	10	15	15	15
GRAND TOTAL	**12**	**5.0**	**20**	**1**	**1**	**3**	**7**	**12**	**15**	**15**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	3.8	10	1	1	2	7	8	8	8
50-64	5	4.4	10	1	1	6	7	8	8	8
65 +	4	3.3	7	< 1	< 1	3	5	6	6	6
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	15	4.2	51	1	1	2	4	7	23	29
35-49	32	2.8	5	1	1	2	4	6	7	8
50-64	93	3.6	19	< 1	1	2	4	8	12	25
65 +	101	4.1	23	1	1	2	5	9	15	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	9.8	77	3	3	6	11	25	31	31
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	11	4.3	6	< 1	1	5	6	7	9	9
50-64	44	6.8	36	< 1	1	5	8	15	20	30
65 +	49	6.3	31	1	1	5	7	15	19	28
B. Operated										
0-19 YRS	6	10.5	234	1	1	4	10	38	41	41
20-34	8	3.6	19	1	1	2	4	11	14	14
35-49	70	9.8	91	1	1	7	14	21	27	52
50-64	221	10.6	159	1	1	7	13	22	32	81
65 +	326	8.2	70	1	1	5	11	19	25	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.8	8	< 1	1	3	6	8	8	8
B. Operated	243	3.7	20	1	1	2	4	8	12	28
2. MULTIPLE DX										
A. Not Operated	117	6.4	34	1	1	5	8	14	19	30
B. Operated	631	9.2	105	1	1	6	12	20	28	45
1. SINGLE DX	260	3.7	20	1	1	2	5	8	11	27
2. MULTIPLE DX	748	8.8	95	1	1	6	12	20	27	43
A. Not Operated	134	6.1	32	1	1	5	8	11	19	30
B. Operated	874	7.7	88	1	1	4	10	17	24	41
TOTAL										
0-19 YRS	17	9.1	119	1	2	6	9	28	37	41
20-34	27	3.7	34	1	1	2	4	7	16	29
35-49	121	7.0	65	1	1	5	9	17	22	39
50-64	363	8.3	115	1	1	5	11	17	25	47
65 +	480	7.1	59	1	1	4	9	17	23	38
GRAND TOTAL	**1008**	**7.5**	**81**	**1**	**1**	**5**	**9**	**17**	**23**	**41**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	4	3.5	6	< 1	< 1	3	5	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.3	17	< 1	< 1	3	7	9	9	9
50-64	6	5.8	33	< 1	< 1	3	11	15	15	15
65 +	18	7.2	39	< 1	< 1	6	12	16	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	9.0	8	7	7	9	11	11	11	11
50-64	19	8.3	47	1	1	7	11	17	24	28
65 +	63	5.8	19	1	2	5	7	11	13	24
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	11	11.1	37	2	3	12	17	19	19	19
50-64	93	15.9	170	2	3	13	21	29	38	76
65 +	172	13.2	166	2	3	10	16	28	39	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.4	9	< 1	1	3	6	9	10	10
B. Operated	27	6.6	35	< 1	< 1	5	11	16	17	22
2. MULTIPLE DX										
A. Not Operated	84	6.4	26	1	2	5	9	12	15	27
B. Operated	276	14.0	164	2	3	11	18	28	38	61
1. SINGLE DX	34	6.1	30	< 1	< 1	4	9	15	16	22
2. MULTIPLE DX	360	12.2	142	2	2	9	16	25	33	57
A. Not Operated	91	6.3	25	1	2	5	9	12	14	27
B. Operated	303	13.4	157	1	2	11	17	27	37	60
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	18	9.2	33	1	2	8	12	18	19	19
50-64	119	14.1	154	1	2	12	19	26	36	68
65 +	257	10.8	130	1	2	7	14	23	31	57
GRAND TOTAL	**394**	**11.7**	**135**	**1**	**2**	**9**	**15**	**24**	**32**	**57**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	3	8.3	10	6	6	7	11	12	12	12
35-49	6	10.7	21	6	6	10	15	17	17	17
50-64	20	9.5	18	3	4	9	11	14	18	21
65 +	29	12.7	97	3	4	9	17	21	24	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	12	5.4	12	1	2	5	7	11	13	13
50-64	36	7.3	16	1	3	7	10	12	15	17
65 +	72	7.4	64	1	1	5	9	15	25	44
B. Operated										
0-19 YRS	2	21.0	288	9	9	21	33	33	33	33
20-34	12	13.1	12	9	9	12	16	18	18	18
35-49	50	12.1	70	3	4	10	16	21	23	51
50-64	217	14.0	83	4	6	11	17	26	33	46
65 +	510	14.5	99	3	5	12	17	26	35	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		1	1	2	2	2	2	2
B. Operated	58	11.1	58	3	5	9	13	19	22	51
2. MULTIPLE DX										
A. Not Operated	121	7.2	44	1	1	6	9	14	18	39
B. Operated	791	14.2	92	3	5	12	17	26	34	49
1. SINGLE DX	61	10.7	60	2	3	9	12	19	21	50
2. MULTIPLE DX	912	13.3	91	2	4	11	16	25	33	47
A. Not Operated	124	7.0	43	1	1	5	9	14	18	39
B. Operated	849	14.0	90	3	5	12	17	25	34	49
TOTAL										
0-19 YRS	4	12.8	195	1	1	8	21	33	33	33
20-34	15	12.1	15	6	7	12	15	18	18	18
35-49	68	10.8	61	2	3	9	14	20	22	48
50-64	274	12.7	75	3	5	11	16	24	32	44
65 +	612	13.5	100	2	4	11	17	26	34	49
GRAND TOTAL	**973**	**13.1**	**89**	**2**	**4**	**11**	**16**	**24**	**33**	**48**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65 +	3	5.3	14	< 1	< 1	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	4.2	11	2	2	3	5	10	10	10
50-64	2	13.5	25	10	10	13	17	17	17	17
65 +	11	9.5	39	3	4	8	10	17	26	27
B. Operated										
0-19 YRS	0									
20-34	3	11.7	25	7	7	11	15	17	17	17
35-49	13	11.7	125	1	2	7	14	29	38	40
50-64	34	12.6	54	5	6	11	15	21	27	40
65 +	64	14.4	124	4	7	11	16	31	47	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	5.8	6	< 1	1	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	18	8.5	36	2	2	8	10	15	23	27
B. Operated	114	13.5	100	3	6	11	16	23	39	77
1. SINGLE DX	8	5.8	6	< 1	1	6	8	8	8	8
2. MULTIPLE DX	132	12.8	94	2	5	11	15	22	37	70
A. Not Operated	18	8.5	36	2	2	8	10	15	23	27
B. Operated	122	13.0	97	3	6	11	16	22	39	74
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	10.8	20	7	7	9	14	17	17	17
35-49	20	9.1	95	1	2	6	9	24	33	40
50-64	37	12.6	50	5	6	11	15	20	26	40
65 +	78	13.3	113	3	6	11	16	24	41	90
GRAND TOTAL	**140**	**12.4**	**91**	**2**	**5**	**10**	**15**	**21**	**35**	**67**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	4.3	15	2	2	3	6	10	10	10
65 +	4	10.0	150	1	1	5	17	28	28	28
B. Operated										
0-19 YRS	0									
20-34	12	6.3	5	2	3	6	8	9	10	10
35-49	42	7.9	20	3	5	7	9	11	12	32
50-64	150	7.8	5	5	6	7	8	10	12	16
65 +	291	8.8	13	5	6	8	10	12	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	9	3.9	5	2	2	3	5	8	8	8
50-64	53	5.9	40	< 1	1	3	8	12	20	32
65 +	186	6.9	44	1	2	5	8	13	17	37
B. Operated										
0-19 YRS	2	14.0	18	11	11	14	17	17	17	17
20-34	29	9.3	26	2	3	9	11	17	18	24
35-49	174	10.5	50	5	5	9	12	18	21	38
50-64	851	10.5	39	5	6	9	12	17	21	36
65 +	2916	12.0	52	6	7	10	14	20	25	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	6.8	71	1	1	4	8	21	28	28
B. Operated	495	8.4	11	5	6	8	9	12	14	19
2. MULTIPLE DX										
A. Not Operated	250	6.6	42	1	1	5	8	13	17	33
B. Operated	3972	11.6	49	6	6	10	13	19	24	39
1. SINGLE DX	504	8.3	12	4	6	8	9	12	14	20
2. MULTIPLE DX	4222	11.3	50	4	6	10	13	19	24	39
A. Not Operated	259	6.6	42	1	1	5	8	13	18	33
B. Operated	4467	11.3	46	5	6	9	13	18	23	38
TOTAL										
0-19 YRS	2	14.0	18	11	11	14	17	17	17	17
20-34	43	8.1	23	2	2	8	10	15	17	24
35-49	226	9.8	45	3	5	8	11	16	21	38
50-64	1058	9.9	36	4	5	8	11	16	20	34
65 +	3397	11.5	50	5	6	10	13	19	24	39
GRAND TOTAL	**4726**	**11.0**	**47**	**4**	**6**	**9**	**13**	**18**	**23**	**38**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	11.3	102	5	5	6	19	23	23	23
50-64	4	2.5	3	1	1	2	4	4	4	4
65 +	9	5.0	18	< 1	< 1	4	8	11	13	13
B. Operated										
0-19 YRS	0									
20-34	3	6.3	21	1	1	9	9	9	9	9
35-49	52	7.1	11	1	1	8	9	11	12	14
50-64	111	7.4	12	1	2	8	9	11	12	16
65 +	164	8.3	20	1	2	9	11	13	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	6.0	11	2	2	6	8	10	10	10
35-49	9	6.8	22	< 1	1	7	9	14	17	17
50-64	40	7.8	73	1	1	4	9	16	30	39
65 +	89	5.9	43	1	1	4	7	13	16	39
B. Operated										
0-19 YRS	0									
20-34	16	12.7	71	4	6	10	13	28	32	33
35-49	97	11.1	69	4	6	9	12	17	22	57
50-64	449	11.8	58	3	6	10	14	19	24	55
65 +	1089	12.3	75	3	5	10	14	21	26	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	5.6	33	< 1	1	4	7	13	20	23
B. Operated	330	7.8	16	1	2	8	10	12	14	20
2. MULTIPLE DX										
A. Not Operated	143	6.5	49	1	1	4	7	14	17	39
B. Operated	1651	12.1	70	3	5	10	14	20	26	51
1. SINGLE DX	346	7.7	17	1	2	8	10	12	14	20
2. MULTIPLE DX	1794	11.6	70	2	4	10	14	20	26	49
A. Not Operated	159	6.4	47	1	1	4	7	14	17	38
B. Operated	1981	11.4	63	2	4	10	13	19	24	45
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	23	10.7	61	2	3	9	12	24	30	33
35-49	161	9.6	51	2	3	8	10	15	20	44
50-64	604	10.7	54	2	4	9	12	18	24	45
65 +	1351	11.3	70	2	3	10	14	19	25	45
GRAND TOTAL	**2140**	**11.0**	**64**	**2**	**3**	**10**	**13**	**18**	**24**	**45**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	2	1	1	3	3	4	4	4
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	0									
50-64	4	2.8	1	2	2	3	3	4	4	4
65 +	5	5.6	36	1	1	2	11	14	14	14
B. Operated										
0-19 YRS	16	6.9	12	2	3	6	10	12	13	13
20-34	8	7.6	21	< 1	1	8	9	14	16	16
35-49	11	6.0	6	2	3	6	7	10	10	10
50-64	20	7.4	17	1	2	7	11	13	14	15
65 +	30	7.2	29	1	1	7	9	16	19	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.9	15	1	1	4	7	12	13	13
20-34	8	6.3	21	2	2	4	10	13	14	14
35-49	14	4.6	16	1	1	3	6	12	13	13
50-64	17	8.3	42	2	2	4	13	19	20	21
65 +	79	7.4	38	1	2	6	9	16	22	28
B. Operated										
0-19 YRS	10	21.5	255	2	3	21	31	44	55	55
20-34	20	7.3	22	< 1	1	7	8	13	18	21
35-49	52	16.0	154	1	4	12	26	36	41	47
50-64	121	10.4	65	1	2	8	14	22	28	41
65 +	333	13.7	106	3	4	12	16	26	32	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.5	12	1	1	2	4	9	13	14
B. Operated	85	7.1	19	1	1	7	9	13	15	20
2. MULTIPLE DX										
A. Not Operated	130	6.9	34	1	1	5	9	15	19	28
B. Operated	536	13.1	105	2	4	10	16	26	32	48
1. SINGLE DX	102	6.5	19	1	1	6	9	12	15	20
2. MULTIPLE DX	666	11.9	97	1	3	9	15	25	31	47
A. Not Operated	147	6.5	32	1	1	4	9	14	18	28
B. Operated	621	12.2	98	1	3	10	15	25	31	47
TOTAL										
0-19 YRS	43	9.2	112	1	1	6	11	24	32	55
20-34	39	6.8	20	< 1	1	7	8	13	16	21
35-49	77	12.5	132	1	2	8	17	29	38	47
50-64	162	9.6	57	1	2	8	13	20	24	39
65 +	447	12.0	96	2	3	10	15	24	29	47
GRAND TOTAL	**768**	**11.1**	**90**	**1**	**2**	**9**	**14**	**23**	**29**	**47**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	10	2.9	3	< 1	1	2	4	5	6	6
65 +	10	4.5	20	< 1	< 1	3	4	12	15	15
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	6	4.8	26	< 1	< 1	3	6	13	14	14
50-64	15	8.3	26	< 1	1	8	10	18	18	18
65 +	28	9.8	49	2	2	9	13	17	25	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	20	4.6	11	< 1	1	4	7	10	11	12
50-64	55	7.1	38	1	1	5	9	18	20	26
65 +	154	6.9	25	1	2	6	9	13	17	26
B. Operated										
0-19 YRS	0									
20-34	8	11.4	59	1	1	12	17	21	22	22
35-49	53	12.0	42	3	4	12	15	22	24	28
50-64	229	14.5	116	3	5	12	18	27	39	60
65 +	541	13.9	92	3	5	12	18	26	35	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.7	11	< 1	1	3	4	8	12	15
B. Operated	50	8.7	39	< 1	1	8	11	17	18	32
2. MULTIPLE DX										
A. Not Operated	231	6.7	27	1	2	5	9	13	18	26
B. Operated	831	13.9	95	3	5	12	17	26	35	48
1. SINGLE DX	70	7.3	36	< 1	1	6	10	15	18	30
2. MULTIPLE DX	1062	12.3	89	2	3	10	16	24	30	46
A. Not Operated	251	6.4	26	1	2	5	9	13	17	26
B. Operated	881	13.6	94	2	4	11	17	25	34	48
TOTAL										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	9.7	58	1	1	8	17	20	22	22
35-49	79	9.6	44	1	1	9	14	18	22	28
50-64	309	12.5	106	2	2	10	16	24	30	50
65 +	733	12.2	84	2	3	10	16	24	31	43
GRAND TOTAL	**1132**	**12.0**	**88**	**2**	**3**	**10**	**15**	**23**	**30**	**45**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	16	2.2	2	1	1	2	2	4	5	6
50-64	41	3.3	13	1	1	2	3	7	11	20
65 +	26	4.7	15	1	2	3	6	10	12	18
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	4.3	3	1	2	4	6	6	6	6
35-49	58	5.9	10	< 1	1	6	8	9	11	16
50-64	205	5.8	12	1	1	6	8	10	11	14
65 +	190	6.1	19	1	1	6	9	12	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.0	29	2	2	4	9	14	14	14
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	96	6.4	64	1	1	4	7	14	22	48
50-64	471	5.7	28	1	1	4	7	12	16	26
65 +	805	6.6	27	1	2	5	9	13	15	26
B. Operated										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	19	10.2	31	5	6	8	13	20	23	24
35-49	228	9.1	71	1	1	8	11	18	24	41
50-64	1268	9.0	50	1	2	8	11	16	21	35
65 +	1969	10.0	50	1	3	9	13	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	3.6	12	1	1	2	4	8	10	19
B. Operated	461	5.9	15	1	1	6	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	1380	6.3	30	1	2	5	8	12	16	27
B. Operated	3485	9.6	52	1	2	8	12	17	22	36
1. SINGLE DX	546	5.5	15	1	1	5	8	10	12	17
2. MULTIPLE DX	4865	8.6	48	1	2	7	11	16	21	35
A. Not Operated	1465	6.1	29	1	2	5	8	12	15	26
B. Operated	3946	9.1	49	1	2	8	11	17	21	36
TOTAL										
0-19 YRS	6	10.7	160	2	2	5	14	33	35	35
20-34	32	7.6	29	1	2	6	9	15	21	24
35-49	398	7.7	61	1	1	6	9	15	21	43
50-64	1985	7.8	43	1	2	7	10	14	20	32
65 +	2990	8.8	44	1	2	8	11	16	21	35
GRAND TOTAL	**5411**	**8.3**	**45**	**1**	**2**	**7**	**11**	**15**	**20**	**34**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	5	1.2		< 1	< 1	1	1	2	2	2
B. Operated										
0-19 YRS	3	9.3	34	5	5	7	14	16	16	16
20-34	10	7.4	55	1	1	4	12	19	24	24
35-49	22	5.8	31	1	1	5	7	11	17	26
50-64	58	6.3	21	< 1	< 1	6	10	12	14	17
65 +	67	4.4	24	< 1	< 1	2	7	10	15	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.5	41	7	7	11	16	16	16	16
20-34	2	4.0		4	4	4	4	4	4	4
35-49	5	6.6	12	1	1	7	9	10	10	10
50-64	25	6.3	30	1	1	4	9	15	17	22
65 +	47	6.0	24	1	2	4	8	12	13	28
B. Operated										
0-19 YRS	4	7.0	9	4	4	7	9	10	10	10
20-34	10	15.3	292	5	6	9	15	39	63	63
35-49	32	9.9	44	1	2	9	13	18	23	30
50-64	158	10.6	92	1	2	9	14	20	24	63
65 +	254	10.9	87	1	1	9	1[illegible]	21	28	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.7	3	< 1	< 1	1	2	4	6	6
B. Operated	160	5.5	26	< 1	1	4	9	12	15	25
2. MULTIPLE DX										
A. Not Operated	81	6.2	25	1	2	5	8	12	16	26
B. Operated	458	10.8	90	1	2	9	14	21	26	50
1. SINGLE DX	169	5.3	26	< 1	1	4	8	12	15	25
2. MULTIPLE DX	539	10.1	82	1	2	8	13	20	24	49
A. Not Operated	90	5.8	24	1	1	4	8	12	15	26
B. Operated	618	9.4	78	1	1	8	13	19	24	46
TOTAL										
0-19 YRS	9	8.8	20	4	4	7	11	16	16	16
20-34	22	10.7	168	1	2	8	12	18	40	63
35-49	60	8.1	39	1	1	7	11	17	21	30
50-64	244	9.0	72	1	1	8	12	16	22	41
65 +	373	9.0	75	1	1	7	12	19	24	44
GRAND TOTAL	**708**	**9.0**	**73**	**1**	**1**	**7**	**12**	**18**	**23**	**43**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.3	4	1	1	3	4	5	8	9
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS	83	4.4	11	< 1	1	4	6	9	11	14
20-34	37	3.4	7	1	1	2	4	9	9	9
35-49	39	5.3	21	1	1	4	7	11	15	22
50-64	48	6.2	51	< 1	1	4	8	12	19	41
65 +	47	3.9	8	< 1	1	3	5	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	5.7	21	1	1	5	7	11	16	24
20-34	5	6.4	100	< 1	< 1	1	10	24	24	24
35-49	7	12.7	260	< 1	< 1	6	21	40	44	44
50-64	6	11.0	28	3	3	11	16	17	17	17
65 +	27	6.4	39	1	1	5	7	11	22	31
B. Operated										
0-19 YRS	36	11.7	111	1	1	9	19	34	37	99 +
20-34	39	6.4	34	1	2	5	8	13	17	33
35-49	33	10.1	94	2	2	7	13	18	24	53
50-64	53	10.0	62	1	2	8	12	20	30	33
65 +	113	8.8	67	1	1	6	12	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.5	6	< 1	1	3	4	8	9	9
B. Operated	254	4.6	20	< 1	1	3	6	9	11	22
2. MULTIPLE DX										
A. Not Operated	106	6.6	46	1	1	5	8	15	21	37
B. Operated	274	9.2	72	1	2	6	12	20	30	43
1. SINGLE DX	274	4.6	19	< 1	1	3	6	9	11	21
2. MULTIPLE DX	380	8.5	66	1	1	6	11	19	26	43
A. Not Operated	126	6.1	41	1	1	4	8	12	18	34
B. Operated	528	7.0	52	1	1	5	9	15	22	38
TOTAL										
0-19 YRS	195	6.1	39	1	1	4	8	12	19	37
20-34	83	5.0	26	1	1	4	6	9	13	30
35-49	79	7.9	76	1	1	6	10	17	23	50
50-64	108	8.3	58	1	1	6	11	17	27	36
65 +	189	7.2	52	1	1	5	9	16	22	38
GRAND TOTAL	**654**	**6.8**	**50**	**1**	**1**	**5**	**9**	**15**	**21**	**38**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	31	2.8	8	1	1	2	3	7	8	14
35-49	68	2.4	4	< 1	1	2	3	5	6	10
50-64	55	2.7	5	1	1	2	3	5	8	11
65 +	61	2.7	5	< 1	1	2	3	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	3	8.3	46	3	3	6	13	16	16	16
50-64	11	6.7	98	< 1	< 1	5	7	21	34	35
65 +	9	7.2	24	2	2	6	11	15	15	15
B. Operated										
0-19 YRS	0									
20-34	24	3.5	6	< 1	1	3	5	7	8	9
35-49	35	3.5	5	< 1	1	3	5	7	7	10
50-64	57	4.2	18	1	1	3	5	9	16	19
65 +	90	4.4	17	1	1	3	5	9	15	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	217	2.6	5	1	1	2	3	6	7	11
2. MULTIPLE DX										
A. Not Operated	26	6.7	53	< 1	1	5	8	15	20	35
B. Operated	206	4.1	14	1	1	3	5	8	11	18
1. SINGLE DX	219	2.6	5	1	1	2	3	6	7	11
2. MULTIPLE DX	232	4.4	19	1	1	3	5	9	14	20
A. Not Operated	28	6.5	50	< 1	1	5	7	15	18	35
B. Operated	423	3.3	10	1	1	2	4	7	9	17
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	58	3.1	7	1	1	2	5	7	8	14
35-49	107	3.0	6	< 1	1	2	4	6	7	13
50-64	123	3.7	20	< 1	1	2	4	8	11	23
65 +	161	3.9	14	1	1	2	5	8	11	17
GRAND TOTAL	**451**	**3.5**	**13**	**1**	**1**	**2**	**5**	**7**	**10**	**17**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	6	3.0	20	< 1	< 1	1	2	11	12	12
35-49	25	2.0	2	< 1	< 1	1	2	5	5	6
50-64	61	2.1	5	< 1	< 1	1	2	5	8	11
65 +	90	2.0	3	< 1	< 1	1	2	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	10.0	67	1	1	12	17	19	19	19
35-49	9	5.4	16	< 1	< 1	4	9	11	11	11
50-64	3	1.7		< 1	< 1	2	2	2	2	2
65 +	6	8.2	13	2	2	8	10	13	13	13
B. Operated										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	13	7.9	49	< 1	1	5	10	21	23	23
35-49	29	5.3	77	1	1	2	6	9	27	43
50-64	51	4.2	34	< 1	1	2	4	12	16	28
65 +	219	4.8	44	1	1	2	5	10	15	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	185	2.1	4	< 1	< 1	1	2	5	6	11
2. MULTIPLE DX										
A. Not Operated	23	6.7	28	< 1	1	7	11	14	17	19
B. Operated	314	4.9	46	1	1	2	6	11	16	38
1. SINGLE DX	186	2.1	4	< 1	< 1	1	2	5	6	11
2. MULTIPLE DX	337	5.0	45	1	1	2	6	12	16	36
A. Not Operated	24	6.6	27	< 1	1	6	10	13	17	19
B. Operated	499	3.8	32	< 1	1	2	4	8	13	28
TOTAL										
0-19 YRS	5	4.2	27	1	1	1	7	13	13	13
20-34	24	7.1	48	< 1	1	5	12	19	22	23
35-49	64	4.0	40	< 1	1	2	5	8	11	41
50-64	115	3.0	18	< 1	< 1	1	3	8	12	26
65 +	315	4.0	34	< 1	1	2	5	9	14	30
GRAND TOTAL	**523**	**4.0**	**32**	**< 1**	**1**	**2**	**5**	**9**	**13**	**27**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	5	1.8	1	< 1	< 1	2	2	3	3	3
50-64	8	10.0	430	< 1	< 1	2	6	45	61	61
65 +	6	2.5	5	1	1	2	2	7	7	7
B. Operated										
0-19 YRS	0									
20-34	83	2.9	2	1	1	3	3	5	5	7
35-49	731	2.9	2	1	1	3	4	5	5	8
50-64	1082	3.1	2	1	1	3	4	5	6	8
65 +	1235	3.3	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	4.4	15	< 1	< 1	3	8	10	12	12
35-49	47	5.0	19	< 1	< 1	3	7	11	16	17
50-64	72	6.1	32	< 1	1	4	8	13	19	26
65 +	91	5.8	26	< 1	1	4	8	12	17	25
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	98	3.8	16	1	1	3	4	6	9	26
35-49	801	3.6	5	1	2	3	4	6	7	13
50-64	1546	3.9	10	1	2	3	5	6	8	15
65 +	2540	4.5	11	1	2	4	5	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	5.1	160	< 1	< 1	2	3	7	29	61
B. Operated	3131	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	220	5.7	26	< 1	1	4	8	12	17	25
B. Operated	4986	4.1	10	1	2	3	5	7	9	15
1. SINGLE DX	3153	3.2	4	1	1	3	4	5	6	8
2. MULTIPLE DX	5206	4.2	10	1	2	3	5	7	9	16
A. Not Operated	242	5.6	38	< 1	1	4	7	12	17	26
B. Operated	8117	3.8	7	1	2	3	5	6	8	13
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	194	3.4	10	1	1	3	4	5	7	15
35-49	1584	3.3	4	1	1	3	4	5	7	12
50-64	2708	3.7	9	1	2	3	4	6	7	14
65 +	3872	4.1	9	1	2	4	5	7	9	15
GRAND TOTAL	**8359**	**3.8**	**8**	**1**	**2**	**3**	**5**	**6**	**8**	**14**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.0	2	1	1	2	3	4	4	4
35-49	15	2.3	1	1	2	2	2	3	5	5
50-64	18	2.9	2	1	2	3	3	4	6	8
65 +	8	1.9		< 1	< 1	2	2	3	3	3
B. Operated										
0-19 YRS	0									
20-34	39	4.0	6	< 1	1	4	5	7	10	11
35-49	64	4.4	10	1	1	3	6	9	10	15
50-64	29	4.2	9	1	1	3	5	9	10	13
65 +	16	3.8	10	< 1	1	3	5	9	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	16	5.7	53	< 1	1	3	5	14	25	30
35-49	19	3.8	8	1	2	3	4	7	11	13
50-64	22	4.2	20	< 1	1	3	4	11	15	19
65 +	25	6.2	24	< 1	1	5	9	12	18	18
B. Operated										
0-19 YRS	0									
20-34	69	7.2	35	2	2	6	9	14	16	34
35-49	123	7.3	35	1	2	6	9	14	21	28
50-64	66	7.0	36	1	1	5	9	15	18	32
65 +	80	8.2	74	1	2	6	11	18	25	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.4	1	1	1	2	3	4	4	8
B. Operated	148	4.2	9	1	1	3	6	9	10	13
2. MULTIPLE DX										
A. Not Operated	82	5.0	25	< 1	1	3	6	11	16	26
B. Operated	338	7.4	44	1	2	6	9	15	21	30
1. SINGLE DX	194	3.8	7	1	1	3	5	8	10	13
2. MULTIPLE DX	420	7.0	41	1	2	5	9	14	19	30
A. Not Operated	128	4.1	18	1	1	3	4	9	13	21
B. Operated	486	6.5	36	1	2	5	8	13	18	28
TOTAL										
0-19 YRS	0									
20-34	129	5.9	30	1	1	4	8	10	15	31
35-49	221	5.8	26	1	2	4	8	12	16	27
50-64	135	5.4	25	1	1	4	7	11	16	28
65 +	129	6.9	55	1	1	5	9	15	19	36
GRAND TOTAL	**614**	**6.0**	**33**	**1**	**1**	**4**	**8**	**12**	**17**	**28**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	2.2		2	2	2	3	3	3	3
65 +	11	2.9	3	1	1	2	4	5	7	7
B. Operated										
0-19 YRS	0									
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	34	4.4	1	3	3	4	5	5	6	7
50-64	113	4.7	6	2	3	4	5	6	7	16
65 +	151	4.6	3	1	2	5	6	7	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	11.5	85	5	5	11	18	18	18	18
35-49	6	1.7	1	1	1	2	2	3	3	3
50-64	15	3.8	8	1	1	3	5	8	10	11
65 +	32	7.5	117	< 1	1	4	7	17	38	50
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	12	6.3	42	1	2	4	6	16	24	25
35-49	119	5.4	9	3	3	5	6	7	10	21
50-64	426	5.6	13	3	3	5	6	9	10	25
65 +	720	6.6	21	3	4	5	7	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.6	2	1	2	2	3	4	6	7
B. Operated	300	4.6	4	1	3	5	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	55	6.0	77	1	1	3	6	11	21	49
B. Operated	1278	6.1	17	3	3	5	7	9	13	24
1. SINGLE DX	317	4.5	4	1	2	4	5	6	7	9
2. MULTIPLE DX	1333	6.1	20	2	3	5	7	9	13	25
A. Not Operated	72	5.2	61	1	1	3	5	9	18	48
B. Operated	1578	5.8	15	3	3	5	6	9	12	22
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	16	6.8	40	1	3	5	6	17	23	25
35-49	160	5.0	7	2	3	5	6	7	9	19
50-64	559	5.4	11	2	3	5	6	8	10	24
65 +	914	6.2	21	2	3	5	7	9	13	25
GRAND TOTAL	**1650**	**5.8**	**17**	**2**	**3**	**5**	**6**	**9**	**12**	**23**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.0	1	2	2	3	4	4	4	4
35-49	7	2.3	4	< 1	< 1	1	3	6	6	6
50-64	17	1.7		< 1	1	2	2	2	3	3
65 +	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	6	7.0	14	4	4	6	9	13	13	13
20-34	14	4.6	5	2	3	4	6	7	10	11
35-49	28	4.8	5	1	2	5	6	8	9	10
50-64	31	5.6	8	2	2	5	7	8	11	15
65 +	33	6.5	8	2	2	6	8	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	4	10.3	156	4	4	4	17	29	29	29
35-49	20	3.9	21	< 1	< 1	1	5	9	14	19
50-64	69	4.1	21	1	1	2	6	9	16	24
65 +	54	5.6	23	1	1	4	7	10	13	27
B. Operated										
0-19 YRS	4	5.5	2	4	4	5	6	7	7	7
20-34	49	6.1	12	3	3	5	7	10	12	20
35-49	143	8.0	59	3	4	6	9	13	20	81
50-64	302	10.3	53	3	4	8	13	19	24	46
65 +	350	12.0	57	5	6	10	15	22	29	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.0	1	< 1	< 1	2	2	4	4	6
B. Operated	112	5.6	7	2	2	5	7	9	11	14
2. MULTIPLE DX										
A. Not Operated	149	4.8	25	1	1	3	6	9	16	27
B. Operated	848	10.4	56	4	4	8	12	19	25	39
1. SINGLE DX	145	4.8	8	1	1	4	6	8	10	13
2. MULTIPLE DX	997	9.5	56	2	3	8	12	18	24	39
A. Not Operated	182	4.3	22	< 1	1	2	6	9	12	27
B. Operated	960	9.8	53	3	4	8	12	18	23	39
TOTAL										
0-19 YRS	12	5.9	9	2	3	5	7	10	13	13
20-34	73	5.8	18	2	3	4	6	10	12	27
35-49	198	6.9	48	1	2	6	8	11	18	56
50-64	419	8.6	50	1	2	7	11	17	21	38
65 +	440	10.7	56	2	4	9	13	21	26	39
GRAND TOTAL	**1142**	**8.9**	**52**	**1**	**2**	**7**	**11**	**17**	**23**	**38**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	3	2.7		2	2	3	3	3	3	3
B. Operated										
0-19 YRS	4	3.5	1	3	3	3	4	5	5	5
20-34	1	14.0		14	14	14	14	14	14	14
35-49	6	2.2	1	< 1	< 1	2	3	4	4	4
50-64	11	2.4	1	1	1	2	3	4	4	4
65 +	12	4.1	19	< 1	1	2	5	11	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	3	4.7	12	< 1	< 1	5	7	8	8	8
65 +	12	4.3	4	1	2	4	6	7	8	8
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	5.0	7	2	2	6	7	7	7	7
35-49	13	6.3	24	1	2	5	8	12	18	20
50-64	33	8.5	63	1	1	7	10	16	18	44
65 +	74	8.0	54	1	1	6	10	17	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.4		2	2	2	3	3	3	3
B. Operated	34	3.4	11	< 1	1	3	4	6	13	15
2. MULTIPLE DX										
A. Not Operated	16	4.4		< 1	1	4	6	8	8	8
B. Operated	124	7.9	52	1	1	6	10	17	20	45
1. SINGLE DX	39	3.3	10	< 1	1	2	3	6	12	15
2. MULTIPLE DX	140	7.5	48	1	1	6	9	16	19	44
A. Not Operated	21	3.9	4	1	1	4	5	7	8	8
B. Operated	158	6.9	46	1	1	5	9	15	19	43
TOTAL										
0-19 YRS	5	4.2	3	3	3	3	5	7	7	7
20-34	6	5.8	20	2	2	5	7	13	14	14
35-49	20	4.9	20	< 1	1	4	6	9	15	20
50-64	47	6.8	52	1	1	5	9	14	17	44
65 +	101	7.0	45	1	1	5	9	15	20	37
GRAND TOTAL	**179**	**6.6**	**42**	**1**	**1**	**5**	**9**	**14**	**18**	**40**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.0	7	1	1	2	5	6	6	6
65 +	3	5.0	37	< 1	< 1	2	9	12	12	12
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	6	4.5	10	< 1	< 1	4	8	8	8	8
50-64	250	4.9	12	< 1	1	4	7	9	10	15
65 +	722	4.1	7	< 1	1	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	16.0		16	16	16	16	16	16	16
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	46	6.3	21	1	1	5	9	14	15	21
65 +	255	5.2	14	1	1	4	7	11	13	17
B. Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	2	8.0	50	3	3	8	13	13	13	13
35-49	12	5.9	38	1	1	4	7	15	22	23
50-64	580	5.6	19	1	2	5	7	10	14	22
65 +	3609	5.3	21	1	2	4	7	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.0	19	< 1	< 1	2	6	11	12	12
B. Operated	980	4.3	9	< 1	1	4	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	304	5.4	16	1	1	4	7	11	14	18
B. Operated	4205	5.4	21	1	2	4	7	10	13	24
1. SINGLE DX	986	4.3	9	< 1	1	4	6	8	9	13
2. MULTIPLE DX	4509	5.4	21	1	2	4	7	10	13	23
A. Not Operated	310	5.3	16	1	1	4	7	11	14	18
B. Operated	5185	5.2	19	1	1	4	7	10	12	23
TOTAL										
0-19 YRS	4	4.5	6	3	3	4	6	8	8	8
20-34	3	10.7	46	3	3	13	15	16	16	16
35-49	20	5.4	25	< 1	1	4	7	10	17	23
50-64	879	5.5	17	1	1	4	7	10	13	20
65 +	4589	5.1	19	1	1	4	6	10	12	22
GRAND TOTAL	**5495**	**5.2**	**19**	**1**	**1**	**4**	**7**	**10**	**12**	**22**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.0	2	1	1	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	2.4	6	< 1	< 1	1	4	6	8	8
20-34	90	2.3	5	< 1	1	1	3	6	8	11
35-49	42	1.9	6	< 1	1	1	1	3	8	12
50-64	7	2.3	4	1	1	1	3	5	6	6
65 +	10	3.6	16	1	1	2	3	10	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	5.8	25	< 1	1	5	6	11	19	21
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	2	6.5	5	5	5	6	8	8	8	8
B. Operated										
0-19 YRS	8	5.0	18	1	1	4	8	11	12	12
20-34	47	5.4	14	1	1	6	8	9	12	17
35-49	37	5.1	17	1	1	3	8	11	12	15
50-64	16	10.2	314	1	1	4	11	22	57	72
65 +	27	4.7	15	1	1	3	7	10	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.0	2	1	1	4	4	4	4	4
B. Operated	161	2.3	6	< 1	1	1	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	17	5.5	20	< 1	1	5	6	8	17	21
B. Operated	135	5.7	51	1	1	4	8	11	12	30
1. SINGLE DX	167	2.3	6	< 1	1	1	3	6	8	12
2. MULTIPLE DX	152	5.7	48	1	1	4	8	11	12	23
A. Not Operated	23	4.8	17	< 1	1	4	5	8	13	21
B. Operated	296	3.8	29	1	1	2	6	9	12	17
TOTAL										
0-19 YRS	21	3.4	11	< 1	1	2	5	9	11	12
20-34	156	3.6	12	< 1	1	2	6	8	10	17
35-49	80	3.4	13	1	1	1	4	9	12	14
50-64	23	7.8	229	1	1	2	7	17	40	72
65 +	39	4.5	14	1	1	3	6	10	12	16
GRAND TOTAL	**319**	**3.9**	**28**	**1**	**1**	**2**	**6**	**9**	**11**	**18**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	3	1.3		1	1	1	2	2	2	2
50-64	4	4.3	5	1	1	5	6	6	6	6
65 +	4	3.0	5	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	4	4.0	9	1	1	4	6	7	7	7
20-34	11	1.7	2	< 1	< 1	1	2	4	6	6
35-49	74	2.5	7	< 1	1	2	3	5	10	13
50-64	271	2.0	4	< 1	1	1	2	4	5	12
65 +	584	2.3	6	< 1	1	1	3	4	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	7	5.7	99	< 1	< 1	2	4	23	28	28
50-64	28	4.6	43	1	1	2	5	10	14	34
65 +	85	5.2	27	1	1	4	6	9	15	31
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	10	3.3	18	< 1	< 1	2	3	10	14	14
35-49	54	5.8	63	1	1	3	7	13	20	48
50-64	483	4.7	34	1	1	3	5	12	16	29
65 +	2063	4.9	31	1	1	3	6	11	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.9	4	1	1	2	5	6	6	6
B. Operated	944	2.3	5	< 1	1	1	3	4	7	12
2. MULTIPLE DX										
A. Not Operated	121	5.0	34	1	1	4	6	10	15	33
B. Operated	2611	4.8	32	1	1	3	6	11	15	29
1. SINGLE DX	956	2.3	5	< 1	1	1	3	4	7	12
2. MULTIPLE DX	2732	4.8	32	1	1	3	6	11	15	29
A. Not Operated	133	4.8	31	1	1	3	6	9	14	33
B. Operated	3555	4.1	27	1	1	2	5	10	14	24
TOTAL										
0-19 YRS	7	3.9	6	1	1	3	6	7	7	7
20-34	21	2.5	10	< 1	< 1	1	2	6	10	14
35-49	138	3.9	35	1	1	2	4	11	13	30
50-64	786	3.8	25	1	1	2	4	10	14	23
65 +	2736	4.3	27	1	1	3	5	10	14	26
GRAND TOTAL	**3688**	**4.2**	**27**	**1**	**1**	**2**	**5**	**10**	**14**	**26**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	8	3.8	23	< 1	< 1	2	4	12	15	15
65 +	5	6.0	13	1	1	7	8	10	10	10
B. Operated										
0-19 YRS	13	6.6	6	2	4	6	7	10	12	12
20-34	9	6.0	7	2	3	6	7	10	11	11
35-49	41	6.5	6	3	4	6	8	10	11	12
50-64	69	6.4	10	1	2	7	8	10	11	19
65 +	80	6.2	11	1	1	7	8	10	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	5.2	22	1	1	3	9	12	14	14
20-34	2	2.5	5	< 1	< 1	2	4	4	4	4
35-49	12	6.5	42	< 1	1	5	8	14	23	25
50-64	39	5.0	13	1	2	4	6	10	14	16
65 +	80	6.2	30	1	1	4	8	13	16	29
B. Operated										
0-19 YRS	17	8.5	20	2	3	8	11	14	18	20
20-34	5	7.8	4	5	5	8	9	10	10	10
35-49	85	8.2	26	4	4	7	9	13	16	35
50-64	260	9.4	68	3	4	7	10	16	20	49
65 +	484	9.4	35	2	3	8	11	16	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.3	16	< 1	1	3	6	10	13	15
B. Operated	212	6.3	9	1	2	6	8	10	12	15
2. MULTIPLE DX										
A. Not Operated	142	5.7	25	1	1	4	7	12	15	26
B. Operated	851	9.3	44	2	4	8	11	16	20	34
1. SINGLE DX	228	6.2	10	1	1	6	8	10	12	15
2. MULTIPLE DX	993	8.8	42	2	3	8	10	15	20	33
A. Not Operated	158	5.6	24	1	1	4	7	12	15	25
B. Operated	1063	8.7	38	2	4	8	10	14	19	31
TOTAL										
0-19 YRS	41	6.9	17	1	1	7	9	12	14	20
20-34	17	5.9	8	1	2	6	8	10	11	11
35-49	138	7.5	22	2	4	7	9	12	15	27
50-64	376	8.3	53	2	3	7	9	14	19	36
65 +	649	8.6	33	1	2	8	11	15	19	29
GRAND TOTAL	**1221**	**8.3**	**37**	**1**	**2**	**7**	**10**	**14**	**19**	**30**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.1		< 1	< 1	1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	16	1.1		< 1	< 1	1	1	2	2	2
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	10	2.4	1	1	1	2	3	4	4	4
50-64	9	2.7	1	2	2	3	3	4	4	4
65 +	10	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	10.0		10	10	10	10	10	10	10
65 +	5	2.6	2	< 1	< 1	3	4	4	4	4
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	6	3.2	4	1	1	3	3	7	7	7
65 +	10	3.2	6	1	1	3	4	7	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.1		< 1	< 1	1	1	2	2	2
B. Operated	48	1.9	1	< 1	< 1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	8	3.1	10	< 1	< 1	2	4	8	10	10
B. Operated	24	2.8	4	1	1	2	3	5	8	9
1. SINGLE DX	60	1.7	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX	32	2.8	5	< 1	1	2	4	6	9	10
A. Not Operated	20	1.9	5	< 1	< 1	1	2	4	7	10
B. Operated	72	[illegible]	2	< 1	1	2	3	4	4	9
TOTAL										
0-19 YRS	30	1.2		< 1	< 1	1	1	2	2	2
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	14	2.4	1	1	1	2	3	4	4	4
50-64	16	3.3	5	1	2	3	3	7	9	10
65 +	26	2.5	3	< 1	1	2	3	4	6	9
GRAND TOTAL	**92**	**2.1**	**3**	**< 1**	**< 1**	**2**	**3**	**4**	**4**	**10**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	12.2	413	< 1	< 1	3	10	52	61	63
20-34	7	3.4	10	1	1	2	5	8	9	9
35-49	17	3.1	4	1	1	3	4	5	8	9
50-64	12	5.2	7	2	2	5	7	9	10	10
65 +	12	5.3	12	1	1	5	8	10	10	10
B. Operated										
0-19 YRS	33	7.2	26	1	2	7	9	10	14	29
20-34	53	6.1	11	1	2	6	8	11	12	16
35-49	84	7.2	23	2	2	6	9	14	17	25
50-64	88	7.1	18	2	2	7	10	13	15	18
65 +	54	8.0	29	1	2	7	11	16	18	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	7.0	56	1	1	4	10	15	23	38
20-34	23	11.1	349	< 1	1	5	8	38	65	72
35-49	50	6.6	49	1	1	4	7	16	21	33
50-64	83	6.8	50	1	1	5	8	12	17	43
65 +	124	7.7	34	2	2	6	10	16	20	27
B. Operated										
0-19 YRS	63	16.0	214	2	4	12	22	42	71	99 +
20-34	54	10.0	41	1	3	9	13	18	23	33
35-49	88	11.8	91	2	3	9	16	22	27	52
50-64	148	13.8	201	3	3	9	17	28	49	99 +
65 +	135	15.5	133	5	6	13	18	26	35	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	5.9	100	1	1	3	6	9	15	61
B. Operated	312	7.1	21	1	2	6	9	13	16	24
2. MULTIPLE DX										
A. Not Operated	323	7.4	65	1	2	5	9	15	21	41
B. Operated	488	13.8	149	3	4	10	17	26	38	90
1. SINGLE DX	373	6.9	34	1	2	6	9	12	16	27
2. MULTIPLE DX	811	11.2	125	1	2	8	14	22	31	73
A. Not Operated	384	7.2	71	1	1	5	9	15	21	50
B. Operated	800	11.2	110	2	3	8	14	21	29	73
TOTAL										
0-19 YRS	152	11.2	160	1	1	8	14	26	42	99
20-34	137	8.4	82	1	1	7	10	15	20	62
35-49	239	8.5	59	1	2	6	11	19	22	42
50-64	331	9.9	119	2	2	7	11	19	28	88
65 +	325	10.9	88	2	3	9	14	20	26	59
GRAND TOTAL	**1184**	**9.9**	**100**	**1**	**2**	**8**	**12**	**20**	**26**	**67**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	4	9.0	5	7	7	8	10	12	12	12
20-34	3	7.3	30	2	2	7	11	13	13	13
35-49	6	9.0	26	4	4	8	12	16	17	17
50-64	5	6.0	10	1	1	7	8	9	9	9
65 +	2	12.0	32	8	8	12	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	10.0	53	2	2	9	15	19	19	19
50-64	8	8.4	26	2	2	9	13	15	15	15
65 +	4	6.8	1	6	6	7	7	8	8	8
B. Operated										
0-19 YRS	3	12.7	56	5	5	13	18	20	20	20
20-34	6	12.2	132	1	2	8	14	32	34	34
35-49	12	15.4	283	5	5	10	16	35	62	66
50-64	14	12.8	116	2	4	10	15	21	40	46
65 +	15	14.1	62	3	8	12	18	[illegible]	32	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	20	8.3	18	1	3	8	11	14	16	17
2. MULTIPLE DX										
A. Not Operated	18	8.1	24	2	2	7	11	15	17	19
B. Operated	50	13.7	129	2	5	11	18	22	35	66
1. SINGLE DX	21	8.0	18	2	3	8	10	14	16	17
2. MULTIPLE DX	68	12.2	107	2	3	10	15	20	34	62
A. Not Operated	19	7.8	24	2	2	7	11	15	17	19
B. Operated	70	12.2	103	2	4	9	14	19	34	62
TOTAL										
0-19 YRS	8	10.5	21	5	6	9	12	18	20	20
20-34	10	9.7	92	1	1	8	13	24	34	34
35-49	22	12.7	171	3	4	9	14	20	40	66
50-64	27	10.2	74	1	2	9	13	17	22	46
65 +	22	12.0	55	3	5	10	18	19	27	35
GRAND TOTAL	**89**	**11.2**	**88**	**2**	**3**	**9**	**14**	**18**	**23**	**58**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	19	1.7		< 1	1	2	2	3	3	3
35-49	24	1.7	1	1	1	2	2	2	3	5
50-64	12	2.3		1	1	2	3	3	3	3
65 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	14	5.4	10	2	2	4	9	10	10	10
20-34	89	2.2	1	1	1	2	3	3	4	6
35-49	87	2.5	2	1	1	2	3	4	5	7
50-64	54	3.7	14	1	1	3	4	5	11	22
65 +	29	3.1	4	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.4	7	1	1	6	7	9	9	9
20-34	13	6.4	100	1	1	2	5	20	34	37
35-49	13	1.8	1	1	1	1	2	3	4	4
50-64	27	3.8	11	1	1	3	4	9	11	15
65 +	19	4.6	17	1	1	3	6	9	15	19
B. Operated										
0-19 YRS	23	8.3	145	1	1	3	7	25	35	53
20-34	113	3.9	8	1	2	3	5	7	10	15
35-49	136	3.6	10	1	2	3	4	7	10	19
50-64	92	4.9	21	1	2	3	6	11	17	22
65 +	92	5.6	23	1	2	4	7	13	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	1.8	1	1	1	2	2	3	3	5
B. Operated	273	2.8	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	79	4.2	26	1	1	3	5	9	13	32
B. Operated	456	4.6	22	1	2	3	5	9	14	24
1. SINGLE DX	333	2.7	4	1	1	2	3	4	5	11
2. MULTIPLE DX	535	4.5	23	1	2	3	5	9	14	24
A. Not Operated	139	3.2	16	1	1	2	3	6	9	21
B. Operated	729	3.9	16	1	1	3	4	7	11	22
TOTAL										
0-19 YRS	46	6.7	78	1	1	4	7	10	25	53
20-34	234	3.2	11	1	1	2	3	6	8	16
35-49	260	3.0	6	1	1	2	3	5	7	12
50-64	185	4.2	17	1	2	3	4	8	15	21
65 +	143	4.9	19	1	2	3	6	11	14	24
GRAND TOTAL	**868**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**11**	**22**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	3.3	3	1	1	3	5	5	5	5
50-64	14	5.1	33	< 1	1	3	6	11	20	23
65 +	21	5.1	20	< 1	1	4	7	10	16	20
B. Operated										
0-19 YRS	6	4.2	10	1	1	4	7	8	8	8
20-34	6	2.3	[illegible]	1	1	2	4	4	4	4
35-49	26	5.6	37	< 1	1	4	7	13	19	28
50-64	50	3.0	8	< 1	< 1	2	4	7	8	14
65 +	72	5.0	26	< 1	1	3	7	11	13	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	5.5	78	< 1	< 1	3	5	10	27	41
20-34	87	5.3	22	1	1	4	7	14	16	22
35-49	432	6.9	49	1	2	5	8	15	22	39
50-64	1193	7.1	48	1	2	5	9	14	20	32
65 +	2379	7.3	38	1	2	6	9	15	20	29
B. Operated										
0-19 YRS	46	7.5	28	1	1	7	10	16	18	23
20-34	199	8.3	80	1	1	6	9	19	26	48
35-49	680	9.1	73	1	2	7	11	19	26	43
50-64	1696	9.6	87	1	2	7	12	20	27	50
65 +	2845	10.1	78	1	2	8	13	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	4.8	21	< 1	1	4	6	8	15	23
B. Operated	160	4.4	22	< 1	1	2	6	9	13	27
2. MULTIPLE DX										
A. Not Operated	4112	7.2	42	1	2	5	9	15	20	31
B. Operated	5466	9.7	80	1	2	7	13	20	26	46
1. SINGLE DX	203	4.4	21	< 1	1	3	6	9	13	25
2. MULTIPLE DX	9578	8.6	65	1	2	7	11	18	23	41
A. Not Operated	4155	7.2	42	1	2	5	9	15	20	31
B. Operated	5626	9.6	79	1	2	7	12	20	26	45
TOTAL										
0-19 YRS	74	6.6	41	1	1	5	9	14	17	37
20-34	293	7.3	63	1	1	5	8	16	23	45
35-49	1144	8.2	64	1	2	6	10	17	24	40
50-64	2953	8.5	71	1	2	6	10	17	24	45
65 +	5317	8.8	61	1	2	7	11	18	23	39
GRAND TOTAL	**9781**	**8.5**	**65**	**1**	**2**	**6**	**11**	**18**	**23**	**40**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	50	4.4	7	< 1	1	5	6	8	10	10
20-34	65	4.4	6	1	1	5	6	8	8	9
35-49	28	4.0	12	< 1	< 1	3	6	10	11	13
50-64	10	3.6	5	1	1	3	5	7	7	7
65 +	5	3.0	10	< 1	< 1	1	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.3	12	< 1	< 1	1	8	9	9	9
20-34	16	3.1	10	< 1	1	2	4	7	10	12
35-49	11	3.5	4	1	1	3	5	6	7	7
50-64	8	5.5	9	1	2	5	7	10	11	11
65 +	6	8.5	37	3	3	6	12	18	19	19
B. Operated										
0-19 YRS	20	7.6	48	1	1	6	10	15	23	30
20-34	68	7.1	25	2	3	6	8	13	17	28
35-49	38	8.6	111	1	1	7	10	13	25	62
50-64	22	11.0	93	1	2	9	15	23	31	39
65 +	35	10.3	60	1	2	8	14	23	27	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.7	2	1	1	2	4	5	5	5
B. Operated	158	4.2	7	< 1	1	4	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	51	4.2	14	1	1	3	6	9	12	19
B. Operated	183	8.6	61	1	2	6	11	17	23	37
1. SINGLE DX	165	4.2	7	< 1	1	4	6	8	9	10
2. MULTIPLE DX	234	7.6	54	1	1	6	10	15	22	33
A. Not Operated	58	4.1	13	1	1	3	6	8	11	18
B. Operated	341	6.6	41	1	1	5	8	13	17	30
TOTAL										
0-19 YRS	80	5.1	20	< 1	1	5	7	10	12	26
20-34	153	5.4	17	1	1	5	7	9	13	22
35-49	79	6.1	63	< 1	1	4	8	11	13	53
50-64	40	8.1	64	1	1	5	12	19	24	39
65 +	47	9.1	55	1	1	7	12	22	24	28
GRAND TOTAL	**399**	**6.2**	**37**	**1**	**1**	**5**	**7**	**12**	**17**	**30**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	3.9	3	1	1	4	6	6	7	7
20-34	0									
35-49	5	3.8	4	2	2	3	5	7	7	7
50-64	6	3.3	2	< 1	< 1	3	4	5	5	5
65 +	3	3.7	9	1	1	3	6	7	7	7
B. Operated										
0-19 YRS	80	5.8	29	< 1	1	5	7	10	15	33
20-34	8	12.5	105	< 1	1	11	17	28	33	33
35-49	4	9.8	141	1	1	5	17	27	27	27
50-64	7	7.6	79	2	2	4	8	23	27	27
65 +	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	128	5.5	35	1	1	4	6	12	18	29
20-34	10	5.8	19	1	1	5	9	12	14	14
35-49	17	11.6	245	1	2	7	13	18	51	69
50-64	29	7.2	35	1	1	6	10	17	18	22
65 +	78	5.4	18	1	2	4	7	9	14	23
B. Operated										
0-19 YRS	83	14.6	283	1	2	8	19	30	49	88
20-34	12	20.8	230	5	6	17	38	62	93	99 +
35-49	18	23.2	212	6	7	23	30	37	53	63
50-64	29	15.6	251	3	4	8	22	45	51	61
65 +	62	13.5	221	2	2	8	17	30	41	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.8	3	1	1	4	5	6	7	7
B. Operated	101	6.5	43	< 1	1	5	8	13	19	36
2. MULTIPLE DX										
A. Not Operated	262	6.1	44	1	1	4	7	13	17	28
B. Operated	204	15.5	254	1	3	9	21	38	50	89
1. SINGLE DX	146	5.7	32	1	1	4	6	10	18	33
2. MULTIPLE DX	466	10.2	158	1	1	6	12	25	36	68
A. Not Operated	307	5.7	39	1	1	4	7	12	17	28
B. Operated	305	12.6	202	1	2	7	17	30	40	86
TOTAL										
0-19 YRS	322	7.7	110	1	1	5	8	18	28	58
20-34	30	13.6	161	1	2	10	18	38	51	99 +
35-49	44	15.3	235	2	3	9	23	35	45	69
50-64	71	10.4	142	1	2	6	12	25	38	59
65 +	145	8.8	120	1	2	6	9	19	26	59
GRAND TOTAL	**612**	**9.1**	**132**	**1**	**1**	**5**	**10**	**22**	**30**	**62**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.0	18	1	1	4	7	11	13	13
20-34	6	6.7	38	1	1	5	8	17	18	18
35-49	14	3.7	12	< 1	< 1	3	5	7	12	14
50-64	12	3.0	4	< 1	< 1	2	5	6	7	7
65 +	15	3.9	14	< 1	1	2	6	7	12	14
B. Operated										
0-19 YRS	19	8.1	86	1	1	6	9	19	33	39
20-34	8	20.0	235	1	1	25	33	36	36	36
35-49	12	12.3	194	1	2	5	23	33	42	43
50-64	13	16.7	510	1	1	8	21	62	68	69
65 +	10	6.3	45	< 1	1	4	8	16	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	6.0	63	< 1	1	3	7	12	24	41
20-34	32	10.2	101	1	1	8	12	28	30	36
35-49	40	6.5	57	1	1	4	9	15	26	31
50-64	65	7.3	52	1	1	5	10	16	25	31
65 +	128	7.0	80	1	1	4	8	13	24	54
B. Operated										
0-19 YRS	34	22.7	375	2	4	20	30	49	68	71
20-34	37	24.2	224	2	3	25	31	43	51	58
35-49	59	27.3	303	4	6	28	37	58	67	99 +
50-64	89	25.1	352	3	4	24	35	49	61	84
65 +	176	17.3	244	3	4	9	28	38	51	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	4.1	14	< 1	1	3	6	8	14	18
B. Operated	62	12.0	218	1	1	6	20	32	41	68
2. MULTIPLE DX										
A. Not Operated	304	7.2	71	1	1	4	9	16	26	43
B. Operated	395	21.6	300	3	4	20	32	47	58	77
1. SINGLE DX	117	8.3	137	1	1	4	8	25	34	63
2. MULTIPLE DX	699	15.4	252	1	2	8	26	37	49	72
A. Not Operated	359	6.7	64	1	1	4	8	14	25	41
B. Operated	457	20.3	299	2	3	16	31	44	58	74
TOTAL										
0-19 YRS	100	12.0	227	1	1	7	12	33	44	70
20-34	83	17.1	209	1	1	12	28	36	42	56
35-49	125	16.5	285	1	1	9	29	43	58	99 +
50-64	179	16.5	308	1	1	9	27	38	53	77
65 +	329	12.4	192	1	2	6	16	33	43	60
GRAND TOTAL	**816**	**14.4**	**241**	**1**	**1**	**7**	**24**	**36**	**48**	**70**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.8	21	1	1	1	2	7	16	17
20-34	2	3.0		3	3	3	3	3	3	3
35-49	6	3.3	5	< 1	< 1	3	4	7	7	7
50-64	22	5.6	62	1	1	2	5	22	26	27
65 +	30	5.2	11	< 1	1	5	7	11	12	13
B. Operated										
0-19 YRS	32	4.7	11	1	1	4	7	9	10	15
20-34	38	4.8	16	1	1	4	6	10	15	18
35-49	61	4.6	19	< 1	1	4	6	8	13	25
50-64	102	5.8	62	1	1	4	7	10	14	46
65 +	122	5.3	27	< 1	1	4	8	12	15	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	4.6	19	< 1	1	4	6	9	15	21
20-34	24	4.0	8	1	1	3	5	8	10	13
35-49	54	7.3	39	1	2	6	8	17	22	29
50-64	176	7.1	52	1	2	5	9	14	18	43
65 +	394	8.5	53	2	2	7	11	17	23	32
B. Operated										
0-19 YRS	36	12.8	230	2	2	8	15	23	35	87
20-34	57	12.8	233	2	2	8	14	32	63	98
35-49	151	10.7	121	1	1	8	14	25	30	83
50-64	323	12.2	165	1	2	8	15	26	36	74
65 +	640	11.2	83	2	3	9	15	22	32	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	4.7	28	< 1	1	3	5	10	17	27
B. Operated	355	5.2	33	< 1	1	4	7	10	14	35
2. MULTIPLE DX										
A. Not Operated	684	7.7	49	1	2	6	10	16	21	31
B. Operated	1207	11.5	121	1	2	9	15	23	34	68
1. SINGLE DX	427	5.1	32	< 1	1	4	7	10	14	33
2. MULTIPLE DX	1891	10.1	98	1	2	7	13	20	28	55
A. Not Operated	756	7.4	48	1	2	6	9	16	21	31
B. Operated	1562	10.1	108	1	2	7	13	21	30	59
TOTAL										
0-19 YRS	116	7.0	96	1	1	4	8	15	21	54
20-34	121	8.4	133	1	2	5	10	17	28	85
35-49	272	8.5	86	1	1	6	11	20	26	52
50-64	623	9.5	121	1	1	6	11	20	28	60
65 +	1186	9.5	69	1	2	7	12	19	27	43
GRAND TOTAL	**2318**	**9.2**	**90**	**1**	**2**	**7**	**12**	**19**	**27**	**51**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	2.0	2	< 1	< 1	2	2	4	6	6
20-34	90	1.7	1	1	1	1	2	3	3	7
35-49	137	1.8	1	1	1	2	2	3	4	6
50-64	114	1.9	1	1	1	2	2	3	3	7
65 +	110	1.9	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	17.0		17	17	17	17	17	17	17
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	9	3.0	2	< 1	< 1	3	4	5	5	5
20-34	13	2.8	3	1	1	2	3	6	7	7
35-49	39	2.0	2	1	1	2	2	4	4	9
50-64	74	2.2	3	1	1	2	3	4	4	11
65 +	104	3.2	32	1	1	2	3	5	7	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	471	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	2	9.0	128	1	1	9	17	17	17	17
B. Operated	239	2.7	15	1	1	2	3	4	6	15
1. SINGLE DX	471	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX	241	2.7	16	1	1	2	3	4	6	18
A. Not Operated	2	9.0	128	1	1	9	17	17	17	17
B. Operated	710	2.1	6	1	1	2	2	3	4	8
TOTAL										
0-19 YRS	29	2.3	2	< 1	< 1	2	3	5	6	6
20-34	103	1.8	1	1	1	2	2	3	4	7
35-49	176	1.8	1	1	1	2	2	3	4	8
50-64	189	2.1	3	1	1	2	2	3	4	12
65 +	215	2.5	16	1	1	2	3	4	5	18
GRAND TOTAL	**712**	**2.1**	**6**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	10	4.9	17	< 1	< 1	3	9	10	11	11
20-34	21	6.3	9	1	2	5	9	10	11	12
35-49	31	4.6	8	< 1	< 1	5	7	8	8	12
50-64	94	4.0	11	< 1	< 1	2	7	8	10	15
65 +	89	4.6	16	< 1	< 1	4	8	10	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	3	7.3	26	3	3	6	11	13	13	13
35-49	6	5.0	12	< 1	< 1	5	7	10	10	10
50-64	17	4.5	16	1	1	3	6	8	14	17
65 +	38	4.6	20	1	1	3	5	10	17	19
B. Operated										
0-19 YRS	9	7.0	32	1	1	6	8	16	20	20
20-34	35	8.3	45	< 1	< 1	7	11	16	24	29
35-49	75	6.0	23	< 1	1	5	8	11	14	26
50-64	195	5.5	18	< 1	< 1	5	8	10	13	17
65 +	481	7.4	44	< 1	1	7	9	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	245	4.6	13	< 1	< 1	4	7	9	11	13
2. MULTIPLE DX										
A. Not Operated	66	4.7	18	1	1	3	6	10	16	19
B. Operated	795	6.9	36	< 1	< 1	6	9	13	16	28
1. SINGLE DX	253	4.5	13	< 1	< 1	4	7	9	11	13
2. MULTIPLE DX	861	6.7	35	< 1	1	6	9	13	16	27
A. Not Operated	74	4.3	17	1	1	3	6	8	15	19
B. Operated	1040	6.3	32	< 1	< 1	6	9	12	15	24
TOTAL										
0-19 YRS	23	5.3	21	< 1	1	3	8	10	14	20
20-34	60	7.4	31	< 1	1	7	10	14	16	29
35-49	112	5.6	18	< 1	< 1	5	7	11	12	24
50-64	307	5.0	16	< 1	< 1	5	7	10	12	17
65 +	612	6.8	40	< 1	< 1	6	9	13	17	25
GRAND TOTAL	**1114**	**6.2**	**31**	**< 1**	**< 1**	**6**	**8**	**11**	**15**	**24**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	1.7		1	1	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	22	1.9	4	< 1	< 1	1	2	5	7	9
20-34	13	1.4	2	1	1	1	1	2	5	6
35-49	32	3.7	7	< 1	1	3	6	7	8	8
50-64	30	4.1	10	< 1	< 1	4	6	7	8	16
65 +	42	3.9	12	< 1	< 1	3	6	8	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	14.0		14	14	14	14	14	14	14
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	15	2.3	3	< 1	< 1	1	4	5	6	6
20-34	10	5.1	6	1	1	5	8	8	8	8
35-49	26	5.7	11	1	1	6	8	10	13	13
50-64	45	6.2	19	1	1	5	8	11	13	24
65 +	53	8.0	121	1	1	5	8	15	24	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.3		< 1	< 1	1	2	2	2	2
B. Operated	139	3.3	9	< 1	< 1	2	6	7	8	16
2. MULTIPLE DX										
A. Not Operated	4	8.3	32	2	2	8	13	14	14	14
B. Operated	149	6.3	53	1	1	5	8	11	14	53
1. SINGLE DX	146	3.2	9	< 1	< 1	2	5	7	8	16
2. MULTIPLE DX	153	6.3	53	1	1	5	8	11	14	52
A. Not Operated	11	3.8	22	< 1	< 1	2	4	13	14	14
B. Operated	288	4.9	34	< 1	1	4	7	9	12	25
TOTAL										
0-19 YRS	40	2.0	4	< 1	< 1	1	2	5	6	9
20-34	23	3.0	7	1	1	1	5	8	8	8
35-49	60	4.7	10	< 1	1	4	7	8	11	13
50-64	79	5.3	17	< 1	1	5	7	11	13	22
65 +	97	6.1	75	< 1	1	5	7	10	16	57
GRAND TOTAL	**299**	**4.8**	**34**	**< 1**	**1**	**4**	**7**	**9**	**12**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.5	3	< 1	< 1	2	4	4	4	4
50-64	0									
65 +	1	24.0		24	24	24	24	24	24	24
B. Operated										
0-19 YRS	231	1.9	5	< 1	1	1	2	3	4	15
20-34	151	1.9	3	< 1	< 1	1	2	4	5	12
35-49	143	2.3	5	< 1	< 1	1	2	5	8	14
50-64	116	1.8	3	< 1	< 1	1	2	4	5	10
65 +	69	2.0	4	< 1	< 1	1	2	4	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.3	1	< 1	< 1	2	3	3	3	3
35-49	3	1.7		< 1	< 1	2	2	2	2	2
50-64	0									
65 +	6	7.7	73	1	1	4	12	22	23	23
B. Operated										
0-19 YRS	38	3.7	17	1	1	2	3	11	14	16
20-34	54	3.4	16	< 1	1	2	4	7	13	24
35-49	85	3.4	9	< 1	1	2	5	7	10	13
50-64	95	3.7	28	< 1	1	2	4	8	11	32
65 +	107	4.4	24	< 1	1	3	7	9	11	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.0	61	< 1	< 1	2	4	18	24	24
B. Operated	710	2.0	4	< 1	< 1	1	2	4	5	13
2. MULTIPLE DX										
A. Not Operated	13	4.6	40	< 1	< 1	2	4	14	21	23
B. Operated	379	3.8	20	< 1	1	2	5	9	11	25
1. SINGLE DX	718	2.0	5	< 1	< 1	1	2	4	5	14
2. MULTIPLE DX	392	3.8	20	< 1	1	2	5	9	12	24
A. Not Operated	21	4.8	45	< 1	< 1	2	4	16	23	24
B. Operated	1089	2.6	10	< 1	< 1	1	3	6	8	16
TOTAL										
0-19 YRS	271	2.1	7	< 1	1	1	2	4	5	16
20-34	210	2.3	7	< 1	< 1	1	3	4	6	14
35-49	235	2.7	7	< 1	< 1	2	3	6	9	14
50-64	211	2.7	15	< 1	< 1	1	3	5	8	16
65 +	183	3.7	22	< 1	< 1	2	5	9	11	25
GRAND TOTAL	**1110**	**2.6**	**11**	**< 1**	**< 1**	**1**	**3**	**6**	**8**	**16**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.4	4	1	1	3	5	6	6	6
20-34	3	2.3	5	< 1	< 1	< 1	4	5	5	5
35-49	2	2.5	5	< 1	< 1	2	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	187	1.6	2	< 1	< 1	1	1	3	5	8
20-34	57	2.3	4	< 1	< 1	1	3	6	7	8
35-49	47	2.7	14	< 1	< 1	2	3	6	7	25
50-64	26	2.7	5	< 1	1	2	3	6	9	9
65 +	19	3.3	10	< 1	< 1	2	5	8	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.5	8	1	1	2	4	8	11	11
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	19	4.5	5	1	2	5	6	8	9	9
B. Operated										
0-19 YRS	61	2.7	9	< 1	< 1	1	3	7	10	15
20-34	29	4.7	25	< 1	1	3	5	13	18	19
35-49	38	3.9	10	< 1	1	3	5	9	11	14
50-64	38	6.7	173	< 1	1	3	5	12	30	75
65 +	47	7.7	51	< 1	1	6	10	15	23	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.2	4	< 1	< 1	3	5	6	7	7
B. Operated	336	2.1	5	< 1	< 1	1	2	5	7	9
2. MULTIPLE DX										
A. Not Operated	36	4.1	6	1	1	4	6	8	9	11
B. Operated	213	5.0	53	< 1	1	3	6	11	15	34
1. SINGLE DX	349	2.1	5	< 1	< 1	1	2	5	7	9
2. MULTIPLE DX	249	4.9	46	< 1	1	3	6	11	14	32
A. Not Operated	49	3.9	6	< 1	1	4	5	7	8	11
B. Operated	549	3.2	26	< 1	< 1	1	4	7	10	23
TOTAL										
0-19 YRS	264	2.0	4	< 1	< 1	1	2	5	7	11
20-34	91	3.1	12	< 1	< 1	2	4	7	9	19
35-49	89	3.3	12	< 1	< 1	2	4	7	9	21
50-64	67	5.0	103	< 1	1	2	5	9	15	68
65 +	87	6.0	34	< 1	1	5	8	14	15	33
GRAND TOTAL	**598**	**3.3**	**24**	**< 1**	**< 1**	**2**	**4**	**7**	**10**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.1		< 1	< 1	1	1	2	2	2
20-34	19	1.3		< 1	< 1	< 1	1	2	3	3
35-49	28	1.3	1	< 1	< 1	< 1	1	2	4	4
50-64	20	1.3		< 1	< 1	1	2	2	2	2
65 +	9	1.1		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	11	2.3	2	< 1	< 1	2	3	4	6	6
35-49	30	1.4	1	< 1	< 1	1	1	3	3	5
50-64	21	1.7	1	< 1	< 1	1	2	3	4	5
65 +	20	1.9	3	< 1	< 1	1	2	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	84	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	82	1.7	2	< 1	< 1	1	2	3	5	7
1. SINGLE DX	84	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX	82	1.7	2	< 1	< 1	1	2	3	5	7
A. Not Operated	0									
B. Operated	166	1.5	1	< 1	< 1	1	2	3	4	6
TOTAL										
0-19 YRS	8	1.1		< 1	< 1	1	1	2	2	2
20-34	30	1.6	1	< 1	< 1	1	2	3	3	6
35-49	58	1.3	1	< 1	< 1	< 1	1	3	4	5
50-64	41	1.5	1	< 1	< 1	1	2	2	3	5
65 +	29	1.7	2	< 1	< 1	1	2	3	6	7
GRAND TOTAL	**166**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**6**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.7		< 1	< 1	2	2	2	2	2
35-49	7	2.7	3	< 1	< 1	3	4	5	5	5
50-64	4	2.8	1	2	2	3	3	4	4	4
65 +	0									
B. Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	212	3.8	1	2	3	4	4	5	6	7
35-49	712	4.0	1	3	3	4	5	5	6	7
50-64	112	4.2	1	2	3	4	5	5	6	7
65 +	7	4.3		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	2.5	3	1	1	2	4	5	6	6
35-49	63	2.3	3	< 1	< 1	1	4	5	6	7
50-64	8	2.4	3	< 1	< 1	2	3	5	6	6
65 +	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	5	5.2	3	4	4	4	6	8	8	8
20-34	862	4.3	4	3	3	4	5	6	7	11
35-49	6393	4.4	2	3	3	4	5	6	7	10
50-64	1153	4.7	3	3	3	4	5	6	7	11
65 +	135	5.9	16	2	3	5	6	8	11	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.5	2	< 1	< 1	2	3	5	5	5
B. Operated	1045	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	89	2.3	3	< 1	< 1	1	4	5	6	7
B. Operated	8548	4.4	3	3	3	4	5	6	7	10
1. SINGLE DX	1059	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX	8637	4.4	3	3	3	4	5	6	7	10
A. Not Operated	103	2.4	3	< 1	< 1	2	4	5	6	7
B. Operated	9593	4.4	3	3	3	4	5	6	7	10
TOTAL										
0-19 YRS	7	5.1	2	4	4	4	6	8	8	8
20-34	1092	4.1	3	2	3	4	5	5	6	10
35-49	7175	4.3	2	3	3	4	5	6	7	10
50-64	1277	4.6	3	3	3	4	5	6	7	11
65 +	145	5.7	15	2	3	5	6	8	11	27
GRAND TOTAL	**9696**	**4.4**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	13	3.5	2	< 1	1	4	4	5	5	5
50-64	4	5.0	5	3	3	4	6	8	8	8
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	14	3.7	3	< 1	< 1	4	5	5	7	7
35-49	86	4.4	4	2	3	4	5	6	6	15
50-64	24	4.9	4	2	3	4	6	8	9	10
65 +	8	9.3	30	4	4	7	13	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	20	4.1	3	< 1	2	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	132	4.7	7	2	3	4	5	6	9	19
1. SINGLE DX	22	4.0	3	1	2	4	5	6	8	8
2. MULTIPLE DX	132	4.7	7	2	3	4	5	6	9	19
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	152	4.6	6	2	3	4	5	6	8	19
TOTAL										
0-19 YRS	0									
20-34	16	3.8	2	< 1	< 1	4	5	5	7	7
35-49	100	4.3	4	2	3	4	5	6	6	14
50-64	29	4.9	4	3	3	4	5	8	9	10
65 +	9	9.1	26	4	4	8	13	17	19	19
GRAND TOTAL	**154**	**4.6**	**6**	**2**	**3**	**4**	**5**	**6**	**8**	**19**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	63	3.6	2	2	2	3	4	5	6	10
20-34	316	3.6	1	2	3	3	4	5	5	6
35-49	127	3.7	1	[illegible]	3	4	4	5	5	7
50-64	68	4.3	1	3	3	4	5	6	6	7
65 +	31	5.0	2	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	59	3.9	2	2	3	4	4	5	6	8
20-34	356	4.1	4	2	3	4	4	6	7	10
35-49	439	4.5	4	3	3	4	5	6	7	12
50-64	255	5.2	5	3	4	5	6	7	9	16
65 +	254	6.6	13	3	4	6	8	10	14	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	[illegible]		4	4	4	4	4	4	4
B. Operated	605	[illegible]	1	2	3	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	2	4.0	2	3	3	4	5	5	5	5
B. Operated	1363	4.9	7	3	3	4	5	7	9	16
1. SINGLE DX	606	3.7	1	2	3	4	4	5	6	7
2. MULTIPLE DX	1365	4.9	7	3	3	4	5	7	9	16
A. Not Operated	3	4.0	1	3	3	4	5	5	5	5
B. Operated	1968	4.5	5	3	3	4	5	6	8	14
TOTAL										
0-19 YRS	122	[illegible]	[illegible]	2	3	3	4	5	6	9
20-34	673	[illegible]	[illegible]	2	3	4	4	5	6	10
35-49	567	[illegible]	[illegible]	3	3	4	5	6	7	11
50-64	323	5.0	[illegible]	3	3	4	6	7	8	16
65 +	286	6.5	12	3	4	5	7	10	13	22
GRAND TOTAL	**1971**	**4.5**	**5**	**3**	**3**	**4**	**5**	**6**	**8**	**14**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	8	3.0	2	< 1	1	3	4	5	5	5
35-49	10	3.6	2	1	1	4	4	5	6	6
50-64	3	3.0	3	1	1	4	4	4	4	4
65 +	4	3.3	8	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	10	4.6	3	2	2	5	6	7	7	7
35-49	18	4.6	4	2	3	4	5	7	9	11
50-64	10	3.0	3	< 1	< 1	3	5	5	5	5
65 +	3	5.0	4	3	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	25	3.3	3	< 1	1	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	42	4.2	4	1	1	4	5	6	7	11
1. SINGLE DX	25	3.3	3	< 1	1	4	4	5	6	7
2. MULTIPLE DX	44	4.1	4	1	1	4	5	6	7	11
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	67	3.9	4	1	1	4	5	6	7	10
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	19	3.8	3	1	2	4	5	6	7	7
35-49	29	4.1	4	1	2	4	5	6	7	11
50-64	13	3.0	3	< 1	< 1	4	4	5	5	5
65 +	7	4.0	6	1	1	4	6	7	7	7
GRAND TOTAL	**69**	**3.8**	**4**	**1**	**1**	**4**	**5**	**6**	**7**	**10**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	4	1.0		< 1	< 1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	5	1.0		< 1	< 1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	3	3.0	1	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	14	2.4	3	< 1	1	2	4	4	6	6
1. SINGLE DX	8	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX	15	2.3	3	< 1	1	2	4	4	6	6
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	22	2.0	2	< 1	< 1	1	3	4	5	6
TOTAL										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	3.3	5	< 1	< 1	3	5	6	6	6
35-49	9	1.0		< 1	< 1	1	1	1	1	1
50-64	4	2.0	2	1	1	2	3	4	4	4
65 +	4	2.8	1	2	2	3	3	4	4	4
GRAND TOTAL	**23**	**2.0**	**2**	**< 1**	**< 1**	**1**	**3**	**4**	**5**	**6**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	3.0	16	< 1	< 1	1	5	9	9	9
35-49	6	1.8	3	< 1	< 1	1	2	5	5	5
50-64	8	3.0	8	< 1	< 1	1	6	7	7	7
65 +	7	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	6.0	7	4	4	5	8	9	9	9
65 +	0									
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	4	4.8	1	4	4	5	5	6	6	6
35-49	7	5.1	10	1	1	5	7	10	10	10
50-64	30	5.4	20	1	1	5	7	9	11	23
65 +	46	5.2	21	< 1	1	4	9	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	25	2.5	6	< 1	< 1	1	3	7	8	9
2. MULTIPLE DX										
A. Not Operated	3	6.0	7	4	4	5	8	9	9	9
B. Operated	89	5.2	18	1	1	4	7	10	13	21
1. SINGLE DX	25	2.5	6	< 1	< 1	1	3	7	8	9
2. MULTIPLE DX	92	5.2	18	1	1	5	8	10	13	21
A. Not Operated	3	6.0	7	4	4	5	8	9	9	9
B. Operated	114	4.6	17	< 1	1	3	7	9	11	20
TOTAL										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	8	3.9	8	< 1	< 1	4	5	8	9	9
35-49	13	3.6	9	< 1	< 1	2	5	8	10	10
50-64	41	5.0	17	< 1	1	5	7	9	10	23
65 +	53	4.8	19	1	1	3	7	10	13	19
GRAND TOTAL	**117**	**4.6**	**16**	**< 1**	**1**	**4**	**7**	**9**	**11**	**20**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.5		< 1	< 1	1	2	2	2	2
20-34	0									
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	2	11.0	200	< 1	< 1	10	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	1.5		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	9	3.6	43	< 1	< 1	1	2	14	21	21
1. SINGLE DX	8	1.5	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX	9	3.6	43	< 1	< 1	1	2	14	21	21
A. Not Operated	0									
B. Operated	17	2.6	23	< 1	< 1	1	2	3	15	21
TOTAL										
0-19 YRS	10	1.3		< 1	< 1	1	2	2	2	2
20-34	0									
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	3	8.0	127	< 1	< 1	2	16	21	21	21
GRAND TOTAL	**17**	**2.6**	**23**	**< 1**	**< 1**	**1**	**2**	**3**	**15**	**21**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	3.8	9	1	1	2	6	8	8	8
50-64	3	4.3	12	1	1	4	7	8	8	8
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	4	5.5	8	2	2	5	7	9	9	9
20-34	25	6.9	8	1	2	8	8	10	11	13
35-49	55	6.7	8	1	2	7	8	10	10	17
50-64	63	6.8	8	1	3	7	9	10	11	13
65 +	45	7.8	45	1	2	6	9	14	23	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	6	5.0	19	1	1	4	6	12	13	13
50-64	16	5.0	16	1	1	4	5	13	14	14
65 +	45	6.5	35	1	2	5	8	14	19	29
B. Operated										
0-19 YRS	8	12.3	36	7	7	9	18	20	21	21
20-34	29	9.3	23	1	3	8	13	15	17	21
35-49	68	10.1	53	2	3	8	13	17	26	40
50-64	137	11.2	111	1	4	9	13	21	32	82
65 +	152	15.8	141	4	7	13	18	27	37	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.1	7	1	1	4	6	8	8	8
B. Operated	192	7.0	17	1	2	7	9	10	13	25
2. MULTIPLE DX										
A. Not Operated	69	5.9	28	1	1	4	7	14	17	27
B. Operated	394	12.7	110	2	5	10	15	24	32	65
1. SINGLE DX	203	6.8	17	1	2	7	8	10	13	24
2. MULTIPLE DX	463	11.7	104	2	3	9	14	22	29	61
A. Not Operated	80	5.6	26	1	1	4	7	13	16	26
B. Operated	586	10.8	87	2	4	8	13	20	27	54
TOTAL										
0-19 YRS	12	10.0	36	2	4	8	14	20	21	21
20-34	57	7.9	18	1	2	8	9	14	15	21
35-49	134	8.3	35	2	2	7	10	13	17	32
50-64	219	9.4	78	1	3	8	11	16	26	67
65 +	244	12.5	121	2	2	10	15	24	33	56
GRAND TOTAL	**666**	**10.2**	**82**	**1**	**2**	**8**	**12**	**19**	**26**	**52**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	33	1.8		1	1	2	2	3	3	3
20-34	172	2.0	1	1	1	2	2	3	3	5
35-49	217	2.0	1	1	1	2	2	3	3	4
50-64	127	2.2	1	1	1	2	3	3	4	5
65 +	60	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	2	6.0	32	2	2	6	10	10	10	10
B. Operated										
0-19 YRS	5	2.4	1	1	1	3	3	3	3	3
20-34	74	2.1	1	1	1	2	2	4	4	7
35-49	111	2.4	2	1	1	2	3	3	4	9
50-64	98	2.5	3	1	1	2	3	4	4	12
65 +	100	3.0	4	1	2	2	3	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.1		1	1	2	3	3	3	3
B. Operated	609	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	3	4.7	21	2	2	2	8	10	10	10
B. Operated	388	2.5	3	1	1	2	3	4	5	10
1. SINGLE DX	616	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX	391	2.5	3	1	1	2	3	4	5	10
A. Not Operated	10	2.9	7	1	1	2	3	7	10	10
B. Operated	997	2.2	2	1	1	2	3	3	4	7
TOTAL										
0-19 YRS	38	1.9	1	1	1	2	2	3	3	3
20-34	248	2.0	1	1	1	2	2	3	4	5
35-49	331	2.1	1	1	1	2	3	3	3	5
50-64	228	2.3	2	1	1	2	3	3	4	6
65 +	162	2.7	3	1	1	2	3	4	6	10
GRAND TOTAL	**1007**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	4	1.3		1	1	1	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	7	5.3	2	3	3	5	6	7	7	7
20-34	35	5.3	5	1	2	6	7	8	9	10
35-49	56	4.3	5	1	2	4	6	7	7	10
50-64	63	4.1	5	1	1	4	6	7	7	8
65 +	33	3.9	5	1	2	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.2	3	1	1	1	4	4	4	4
35-49	6	1.7	1	< 1	< 1	1	3	3	3	3
50-64	12	4.2	3	2	2	4	6	7	7	7
65 +	15	6.3	34	1	1	5	8	14	20	22
B. Operated										
0-19 YRS	4	3.5	1	2	2	4	4	4	4	4
20-34	50	6.1	14	2	2	6	7	9	13	22
35-49	77	5.9	31	2	2	5	7	10	12	35
50-64	155	5.5	25	2	2	4	7	10	14	30
65 +	164	7.4	62	2	2	5	9	14	20	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.1	1	1	1	2	3	4	4	4
B. Operated	194	4.4	5	1	2	4	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	38	4.3	17	1	1	3	6	8	13	22
B. Operated	450	6.3	38	2	2	5	8	12	15	39
1. SINGLE DX	202	4.3	5	1	2	4	6	7	8	9
2. MULTIPLE DX	488	6.2	37	2	2	4	7	12	15	38
A. Not Operated	46	4.0	15	1	1	3	5	7	12	22
B. Operated	644	5.7	29	2	2	5	7	10	14	32
TOTAL										
0-19 YRS	11	4.6	2	2	3	5	6	7	7	7
20-34	91	5.5	11	1	2	5	7	8	10	20
35-49	141	5.0	20	1	2	4	6	8	10	32
50-64	234	5.0	18	1	2	4	6	9	12	23
65 +	213	6.8	52	2	2	4	8	13	19	45
GRAND TOTAL	**690**	**5.6**	**28**	**1**	**2**	**4**	**7**	**10**	**14**	**32**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	165	3.0	2	1	1	3	4	4	5	7
35-49	120	3.3	2	1	1	3	4	5	6	8
50-64	21	3.6	4	< 1	< 1	4	5	5	7	9
65 +	14	3.4	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	268	3.7	2	1	1	4	4	5	6	9
35-49	290	4.2	3	1	2	4	5	6	8	10
50-64	72	4.3	3	1	2	4	5	7	8	10
65 +	65	6.6	132	2	2	4	6	9	15	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	321	3.2	2	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	6	2.0	3	< 1	< 1	1	3	5	5	5
B. Operated	695	4.2	15	1	2	4	5	6	8	10
1. SINGLE DX	321	3.2	2	1	1	3	4	5	5	8
2. MULTIPLE DX	701	4.2	15	1	2	4	5	6	8	10
A. Not Operated	6	2.0	3	< 1	< 1	1	3	5	5	5
B. Operated	1016	3.9	11	1	1	4	5	6	7	10
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	436	3.4	2	1	1	3	4	5	6	8
35-49	411	3.9	3	1	2	4	5	6	7	9
50-64	94	4.1	4	< 1	1	4	5	6	8	10
65 +	80	6.0	109	1	2	4	6	8	13	71
GRAND TOTAL	**1022**	**3.9**	**11**	**1**	**1**	**4**	**5**	**6**	**7**	**10**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	15	3.2	3	< 1	1	3	4	5	7	8
35-49	75	3.3	5	< 1	1	3	4	5	7	13
50-64	111	3.2	6	< 1	1	3	4	6	9	13
65 +	85	3.5	8	< 1	1	3	4	8	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	17.0		17	17	17	17	17	17	17
35-49	0									
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	9	4.4	7	1		5	6	8	8	8
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	13	4.4	4	1	1	4	5	8	8	8
35-49	95	4.0	9	1	1	3	5	8	9	17
50-64	166	5.1	36	1	1	4	6	10	13	25
65 +	271	5.3	25	1	1	4	7	12	15	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	286	3.3	6	< 1	1	3	4	6	9	13
2. MULTIPLE DX										
A. Not Operated	12	5.3	19	1	1	5	6	11	16	17
B. Operated	547	5.0	25	1	1	4	6	10	14	26
1. SINGLE DX	286	3.3	6	< 1	1	3	4	6	9	13
2. MULTIPLE DX	559	5.0	25	1	1	4	6	10	14	25
A. Not Operated	12	5.3	19	1	1	5	6	11	16	17
B. Operated	833	4.4	19	1	1	3	5	9	12	20
TOTAL										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	29	4.2	10	1	1	4	5	8	9	17
35-49	170	3.7	7	1	1	3	4	7	8	16
50-64	279	4.3	25	1	1	3	5	9	11	20
65 +	365	4.8	21	1	1	3	6	10	14	25
GRAND TOTAL	**845**	**4.4**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**20**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.9	38	< 1	< 1	2	3	14	20	20
20-34	5	1.2		< 1	< 1	< 1	1	2	2	2
35-49	8	2.3	2	1	1	2	3	4	5	5
50-64	12	2.0	2	< 1	< 1	1	2	5	6	6
65 +	21	2.6	5	< 1	< 1	1	4	6	7	8
B. Operated										
0-19 YRS	68	3.6	11	1	1	2	5	9	10	16
20-34	91	3.1	5	< 1	1	3	4	6	7	9
35-49	99	3.3	9	< 1	1	2	4	6	8	16
50-64	111	3.7	9	< 1	1	2	6	8	9	12
65 +	111	4.3	12	1	1	3	7	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	3.7	7	< 1	< 1	3	5	8	9	10
20-34	19	3.8	9	1	1	3	5	8	10	12
35-49	26	3.5	13	< 1	1	2	4	8	11	18
50-64	67	3.6	11	< 1	< 1	2	5	8	9	18
65 +	167	5.2	34	1	1	4	6	11	13	30
B. Operated										
0-19 YRS	43	9.7	226	1	1	7	9	19	73	99 +
20-34	100	6.5	86	1	1	4	7	11	26	88
35-49	160	5.6	38	1	1	4	6	12	19	26
50-64	231	6.2	41	1	1	5	8	11	15	22
65 +	441	7.5	37	1	2	6	9	15	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.5	9	< 1	< 1	1	3	5	7	19
B. Operated	480	3.6	9	< 1	1	2	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	297	4.5	24	< 1	1	3	5	9	12	26
B. Operated	975	6.9	52	1	1	5	9	14	19	34
1. SINGLE DX	535	3.5	9	< 1	1	2	5	8	9	14
2. MULTIPLE DX	1272	6.3	46	1	1	5	8	12	18	33
A. Not Operated	352	4.2	22	< 1	1	3	5	8	11	24
B. Operated	1455	5.8	40	1	1	4	8	11	16	31
TOTAL										
0-19 YRS	138	5.5	86	< 1	1	3	7	10	16	79
20-34	215	4.7	45	1	1	4	5	9	12	49
35-49	293	4.5	26	1	1	3	5	8	15	25
50-64	421	5.0	28	< 1	1	4	7	9	13	20
65 +	740	6.3	34	1	1	5	8	13	17	31
GRAND TOTAL	**1807**	**5.5**	**37**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	8	< 1	< 1	2	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.1		1	1	2	3	3	3	3
20-34	116	2.0	1	1	1	2	2	3	4	6
35-49	194	2.0	1	1	1	2	2	3	3	5
50-64	143	2.3	1	1	1	2	3	3	4	5
65 +	83	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	4	3.0	1	2	2	3	4	4	4	4
65 +	13	2.1	1	< 1	1	2	3	3	4	4
B. Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	34	4.5	174	1	1	2	3	4	5	79
35-49	94	2.8	2	1	1	3	4	5	5	8
50-64	120	3.0	6	1	1	2	3	5	7	15
65 +	119	3.6	8	1	2	3	4	6	7	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	8	< 1	< 1	2	5	5	5	5
B. Operated	550	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	21	2.1	1	< 1	< 1	2	3	4	4	4
B. Operated	370	3.3	21	1	1	3	4	5	7	16
1. SINGLE DX	552	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	391	3.2	20	1	1	3	4	5	7	16
A. Not Operated	23	2.2	1	< 1	< 1	2	3	4	5	5
B. Operated	920	2.6	9	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	18	2.1		< 1	1	2	3	3	3	3
20-34	153	2.6	40	1	1	2	2	3	4	6
35-49	290	2.3	1	1	1	2	3	4	5	7
50-64	267	2.6	3	1	1	2	3	4	5	9
65 +	215	3.0	5	1	1	3	3	5	6	15
GRAND TOTAL	**943**	**2.6**	**9**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	9	2.7	1	1	1	3	3	4	4	4
35-49	11	2.2	1	< 1	< 1	2	3	4	4	4
50-64	11	3.0	3	1	1	2	4	6	7	7
65 +	7	4.9	17	1	1	4	8	11	12	12
B. Operated										
0-19 YRS	20	3.4	6	1	1	3	4	5	9	13
20-34	90	2.5	3	1	1	2	3	4	6	11
35-49	76	2.5	2	1	1	2	3	3	5	9
50-64	53	2.2	1	1	1	2	3	3	4	5
65 +	26	3.2	11	1	1	2	3	5	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.3	74	1	1	3	4	15	30	31
20-34	32	3.6	7	1	1	3	5	7	10	12
35-49	51	4.0	12	1	1	3	5	8	12	18
50-64	58	5.9	70	1	1	4	7	11	13	59
65 +	133	6.7	22	2	2	6	8	12	17	25
B. Operated										
0-19 YRS	7	2.3	1	1	1	3	3	3	3	3
20-34	41	3.3	7	1	1	3	4	5	7	17
35-49	71	3.5	17	1	1	3	4	6	10	29
50-64	67	3.2	10	1	1	2	3	5	7	20
65 +	56	4.8	24	1	2	3	6	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.0	5	< 1	1	2	4	5	8	12
B. Operated	265	2.6	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. Not Operated	285	5.7	32	1	2	4	7	11	14	27
B. Operated	242	3.7	15	1	1	3	4	6	10	21
1. SINGLE DX	306	2.6	3	1	1	2	3	4	5	11
2. MULTIPLE DX	527	4.8	25	1	2	3	6	9	13	25
A. Not Operated	326	5.3	29	1	2	4	7	10	14	25
B. Operated	507	3.1	9	1	1	2	3	5	8	17
TOTAL										
0-19 YRS	41	3.7	23	1	1	3	4	5	9	31
20-34	172	2.9	5	1	1	2	3	5	7	12
35-49	209	3.2	10	1	1	2	3	5	8	16
50-64	189	3.7	27	1	1	2	4	7	10	19
65 +	222	5.8	23	1	2	4	8	11	15	25
GRAND TOTAL	**833**	**4.0**	**18**	**1**	**1**	**3**	**4**	**8**	**11**	**20**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	3.5	2	1	2	3	4	6	6	9
20-34	13	3.9	2	2	2	3	5	6	6	6
35-49	15	3.6	5	1	1	4	5	6	8	9
50-64	9	4.0	1	2	2	4	5	5	5	5
65 +	6	4.7	11	< 1	< 1	4	7	10	10	10
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	3	3.3		3	3	3	4	4	4	4
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	4.3	5	1	1	4	6	8	9	11
20-34	37	3.7	4	1	1	3	4	6	8	10
35-49	60	3.8	4	1	1	3	5	7	7	9
50-64	93	4.5	12	2	2	4	5	7	10	21
65 +	90	5.8	16	2	2	5	7	10	13	24
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	12.8	310	3	3	5	13	44	48	48
35-49	7	4.6	2	3	3	4	6	7	7	7
50-64	16	7.8	23	1	2	7	11	16	17	17
65 +	7	5.7	6	2	2	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	3.7	3	1	2	4	5	6	7	9
B. Operated	8	3.8	2	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	366	4.6	10	1	2	4	6	8	9	15
B. Operated	37	7.5	62	2	3	6	8	13	17	48
1. SINGLE DX	126	3.7	3	1	2	4	5	6	7	9
2. MULTIPLE DX	403	4.9	15	1	2	4	6	8	11	17
A. Not Operated	484	4.4	8	1	2	4	5	7	9	14
B. Operated	45	6.8	53	2	3	5	7	13	16	48
TOTAL										
0-19 YRS	163	3.9	4	1	1	4	5	7	8	10
20-34	56	4.7	39	1	2	4	5	6	9	46
35-49	85	3.8	4	1	2	3	5	6	7	9
50-64	121	4.9	13	2	2	4	6	9	13	20
65 +	104	5.8	15	2	2	5	7	10	13	23
GRAND TOTAL	**529**	**4.6**	**12**	**1**	**2**	**4**	**6**	**8**	**9**	**16**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	395	2.8	3	1	1	2	4	5	6	8
20-34	245	2.9	4	1	1	3	4	5	6	7
35-49	112	3.7	13	1	2	3	4	6	8	20
50-64	48	3.6	3	2	2	4	4	6	7	8
65 +	30	5.0	10	2	2	4	6	10	11	15
B. Operated										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	9	2.9	1	1	1	3	4	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	614	3.3	6	1	1	3	4	6	7	11
20-34	855	3.8	6	1	2	3	5	7	8	13
35-49	547	4.4	8	1	2	4	5	8	9	16
50-64	320	5.6	10	2	2	5	7	10	12	16
65 +	572	7.7	38	2	3	6	9	14	18	31
B. Operated										
0-19 YRS	24	6.5	24	2	2	5	8	11	18	24
20-34	72	8.9	156	2	2	6	8	19	24	77
35-49	90	8.6	39	3	3	7	10	18	24	30
50-64	62	11.7	83	3	5	9	14	22	27	57
65 +	96	15.4	156	5	5	12	18	28	47	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	830	3.1	5	1	1	3	4	5	6	9
B. Operated	13	3.1	1	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	2908	4.8	16	1	2	4	6	9	11	19
B. Operated	344	10.9	111	2	3	8	13	22	28	69
1. SINGLE DX	843	3.1	5	1	1	3	4	5	6	9
2. MULTIPLE DX	3252	5.4	30	1	2	4	6	10	14	25
A. Not Operated	3738	4.4	14	1	1	3	5	8	10	18
B. Operated	357	10.7	109	2	3	8	12	22	28	68
TOTAL										
0-19 YRS	1036	3.2	6	1	1	3	4	6	7	10
20-34	1181	3.9	17	1	1	3	5	7	9	17
35-49	750	4.8	14	1	2	4	6	8	11	22
50-64	430	6.2	25	2	2	5	7	11	14	25
65 +	698	8.7	60	2	3	7	10	16	22	48
GRAND TOTAL	**4095**	**4.9**	**25**	**1**	**2**	**4**	**6**	**9**	**12**	**24**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	152	3.6	4	1	1	3	5	6	7	10
20-34	120	3.4	3	1	1	3	4	6	7	8
35-49	122	3.5	3	1	2	3	5	6	7	9
50-64	134	3.7	3	1	2	3	5	6	7	10
65 +	107	4.3	5	1	2	4	6	8	8	12
B. Operated										
0-19 YRS	0									
20-34	8	2.8	4	1	1	3	3	6	7	7
35-49	11	3.3	8	1	1	3	4	7	11	11
50-64	10	2.2	1	< 1	< 1	2	3	4	4	4
65 +	17	4.6	16	1	1	3	8	9	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	228	3.9	7	1	1	3	5	6	8	12
20-34	524	4.5	35	1	1	3	5	8	10	16
35-49	894	4.6	11	1	2	4	6	8	10	16
50-64	1398	5.2	13	1	2	4	6	9	12	18
65 +	2415	5.8	15	2	2	5	7	10	13	21
B. Operated										
0-19 YRS	7	7.7	11	3	3	8	10	12	12	12
20-34	257	7.3	55	1	2	5	9	15	20	45
35-49	608	9.2	91	1	2	6	12	20	27	43
50-64	997	11.6	129	2	2	8	15	25	33	64
65 +	1327	12.6	116	2	3	10	16	26	34	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	635	3.7	4	1	2	3	5	6	7	10
B. Operated	46	3.5	9	1	1	3	4	8	10	15
2. MULTIPLE DX										
A. Not Operated	5459	5.2	16	1	2	4	7	9	12	19
B. Operated	3196	11.2	113	1	2	8	14	24	32	51
1. SINGLE DX	681	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	8655	7.5	60	1	2	5	9	15	22	41
A. Not Operated	6094	5.1	15	1	2	4	6	9	11	19
B. Operated	3242	11.1	112	1	2	8	14	24	32	51
TOTAL										
0-19 YRS	387	3.8	6	1	1	3	5	6	8	12
20-34	909	5.1	38	1	1	4	6	10	13	29
35-49	1635	6.2	45	1	2	4	7	12	18	35
50-64	2539	7.6	69	1	2	5	9	16	22	43
65 +	3866	8.1	60	2	2	6	10	16	23	42
GRAND TOTAL	**9336**	**7.2**	**57**	**1**	**2**	**5**	**8**	**14**	**21**	**40**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	2.9	2	< 1	< 1	3	4	5	5	5
20-34	29	3.4	1	2	3	3	4	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	3.3	4	1	1	3	5	7	7	7
35-49	3	5.3	44	< 1	< 1	2	10	13	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	3.7	6	< 1	1	3	5	8	9	9
20-34	94	3.8	3	1	1	4	4	6	6	10
35-49	29	4.5	3	2	3	5	5	6	7	10
50-64	3	5.7	4	4	4	5	7	8	8	8
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	1	1	1	3	3	3	3	3
B. Operated	38	3.3	1	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	10	3.9	14	< 1	< 1	3	5	10	13	13
B. Operated	138	3.9	3	1	2	4	5	6	7	10
1. SINGLE DX	41	3.2	1	1	2	3	4	5	5	5
2. MULTIPLE DX	148	3.9	4	1	1	4	5	6	7	11
A. Not Operated	13	3.5	11	< 1	1	3	4	8	12	13
B. Operated	176	3.8	3	1	2	4	5	5	7	10
TOTAL										
0-19 YRS	20	3.4	4	< 1	< 1	3	4	6	8	9
20-34	133	3.6	2	1	2	4	4	5	6	9
35-49	33	4.5	5	1	2	5	5	6	10	13
50-64	3	5.7	4	4	4	5	7	8	8	8
65 +	0									
GRAND TOTAL	**189**	**3.8**	**3**	**1**	**2**	**4**	**5**	**6**	**7**	**11**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	1.9	3	< 1	< 1	1	2	4	5	10
20-34	20	2.5	4	< 1	< 1	2	3	4	7	9
35-49	17	2.9	4	1	1	2	4	6	7	7
50-64	16	2.2	3	< 1	1	2	3	4	6	7
65 +	28	1.6	1	< 1	1	1	2	3	3	4
B. Operated										
0-19 YRS	11	3.5	6	1	1	2	5	7	8	8
20-34	12	2.3	1	1	1	2	3	4	4	4
35-49	14	4.3	9	1	1	3	7	9	10	10
50-64	12	3.1	2	1	1	3	4	5	7	7
65 +	8	3.1	9	1	1	2	3	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	2.6	17	< 1	1	1	3	5	7	26
20-34	143	3.8	16	< 1	1	2	4	9	13	19
35-49	185	3.7	17	1	1	2	4	7	12	22
50-64	341	4.2	17	1	1	3	5	8	10	26
65 +	1190	5.0	22	1	1	4	6	9	13	24
B. Operated										
0-19 YRS	15	4.6	20	1	1	3	6	13	15	16
20-34	36	5.1	18	1	1	4	7	12	15	18
35-49	68	6.1	26	1	1	5	7	15	19	86
50-64	84	6.8	73	1	1	4	8	14	25	49
65 +	159	9.4	71	2	2	7	12	18	20	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	2.1	3	< 1	< 1	2	2	4	6	9
B. Operated	57	3.3	5	1	1	2	4	7	9	10
2. MULTIPLE DX										
A. Not Operated	2029	4.5	21	1	1	3	6	9	12	24
B. Operated	362	7.5	58	1	2	5	10	16	19	49
1. SINGLE DX	194	2.5	4	< 1	1	2	3	5	7	10
2. MULTIPLE DX	2391	4.9	27	1	1	3	6	10	14	27
A. Not Operated	2166	4.3	20	1	1	3	5	9	11	23
B. Operated	419	7.0	53	1	2	5	9	15	19	43
TOTAL										
0-19 YRS	252	2.6	14	< 1	1	2	3	5	7	17
20-34	211	3.8	15	1	1	3	4	9	13	18
35-49	284	4.3	19	1	1	3	5	9	14	25
50-64	453	4.6	28	1	1	3	6	9	12	30
65 +	1385	5.4	29	1	1	4	7	11	14	27
GRAND TOTAL	**2585**	**4.7**	**26**	**1**	**1**	**3**	**6**	**10**	**13**	**26**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	3	6.7	52	2	2	3	12	15	15	15
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	6.0	21	1	2	5	9	13	16	17
20-34	25	13.4	251	1	1	6	18	39	48	53
35-49	26	8.5	101	1	2	5	9	27	34	40
50-64	45	6.8	30	2	2	5	9	14	16	31
65 +	196	7.3	37	2	3	6	9	13	17	37
B. Operated										
0-19 YRS	8	13.8	382	3	3	4	18	48	56	56
20-34	55	6.2	23	3	4	4	6	13	20	23
35-49	68	6.7	42	3	3	5	5	14	19	40
50-64	44	8.6	54	3	4	6	11	20	28	99 +
65 +	99	11.6	143	1	3	9	15	23	30	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.6	26	1	1	2	3	13	15	15
B. Operated	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	321	7.7	58	2	2	5	9	14	20	46
B. Operated	274	8.9	91	3	3	5	11	19	24	58
1. SINGLE DX	10	3.7	18	1	1	2	4	10	15	15
2. MULTIPLE DX	595	8.2	74	2	2	5	10	17	23	49
A. Not Operated	328	7.6	58	2	2	5	9	14	19	45
B. Operated	277	8.8	90	3	3	5	11	19	24	58
TOTAL										
0-19 YRS	41	7.0	95	1	1	4	7	15	23	56
20-34	80	8.5	103	2	3	4	7	20	35	51
35-49	95	7.2	58	2	3	5	6	15	26	41
50-64	89	7.7	42	2	3	5	10	17	23	76
65 +	300	8.6	76	2	3	6	11	16	22	48
GRAND TOTAL	**605**	**8.1**	**73**	**2**	**2**	**5**	**10**	**17**	**23**	**48**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	9.0	13	3	4	10	11	13	14	20
20-34	15	11.9	15	4	8	13	14	17	18	18
35-49	3	11.0	27	5	5	14	14	14	14	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	12.9	8	9	9	12	15	17	17	17
20-34	9	13.2	13	9	9	13	15	19	21	21
35-49	4	13.8		13	13	14	14	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	286	8.4	34	< 1	2	9	11	15	18	25
20-34	119	11.6	26	3	4	12	15	18	19	25
35-49	15	11.0	15	3	4	11	14	16	16	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	42	18.0	315	6	8	12	16	35	61	94
20-34	45	15.5	59	8	10	14	17	21	38	99 +
35-49	7	13.1	6	10	10	14	15	17	17	17
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	9.7	15	3	4	10	12	14	16	20
B. Operated	22	13.2	8	9	10	13	15	16	19	21
2. MULTIPLE DX										
A. Not Operated	420	9.4	33	1	2	10	13	16	18	24
B. Operated	94	16.4	170	8	9	14	16	25	53	97
1. SINGLE DX	89	10.6	15	3	5	11	13	15	17	21
2. MULTIPLE DX	514	10.7	65	2	3	10	14	17	20	51
A. Not Operated	487	9.5	30	1	3	10	13	16	18	22
B. Operated	116	15.8	140	8	9	14	16	21	42	96
TOTAL										
0-19 YRS	386	9.6	69	1	2	9	12	15	20	48
20-34	188	12.7	34	3	6	13	15	18	20	47
35-49	29	11.9	12	4	6	13	14	16	16	17
50-64	0									
65 +	0									
GRAND TOTAL	**603**	**10.7**	**58**	**2**	**3**	**10**	**14**	**17**	**20**	**47**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	4	7.3	44	3	3	5	11	17	17	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	44	5.2	3	3	3	5	6	7	8	10
35-49	46	5.2	2	3	3	5	6	7	8	8
50-64	4	4.5		4	4	4	5	5	5	5
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	0									
35-49	12	9.0	211	< 1	< 1	4	10	26	49	53
50-64	3	4.7	6	2	2	5	6	7	7	7
65 +	0									
B. Operated										
0-19 YRS	8	5.1	2	4	4	5	6	7	8	8
20-34	118	5.7	3	3	4	5	7	8	10	11
35-49	124	6.9	38	4	4	6	7	9	12	44
50-64	41	7.8	53	2	3	6	7	11	23	44
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.4	37	3	3	3	9	17	17	17
B. Operated	96	5.1	2	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. Not Operated	18	7.5	144	< 1	< 1	4	7	13	37	53
B. Operated	291	6.5	25	3	4	6	7	9	11	33
1. SINGLE DX	101	5.2	4	3	3	5	6	7	8	13
2. MULTIPLE DX	309	6.6	32	3	4	6	7	9	11	40
A. Not Operated	23	7.3	118	< 1	1	4	7	15	30	53
B. Operated	387	6.2	20	3	4	5	7	8	10	24
TOTAL										
0-19 YRS	13	5.0	5	1	2	5	6	8	9	9
20-34	162	5.6	3	3	4	5	6	8	9	11
35-49	186	6.6	40	3	4	6	7	8	12	48
50-64	48	7.3	47	2	3	6	7	10	21	44
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
GRAND TOTAL	**410**	**6.2**	**25**	**3**	**3**	**5**	**7**	**8**	**11**	**31**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	3.4	15	< 1	< 1	2	4	11	14	15
20-34	24	2.5	10	< 1	< 1	1	3	6	9	15
35-49	19	1.6	1	< 1	1	1	2	3	3	3
50-64	11	5.3	40	1	1	3	7	16	20	20
65 +	10	3.2	5	< 1	< 1	3	4	7	8	8
B. Operated										
0-19 YRS	18	2.8	3	< 1	< 1	3	4	5	6	6
20-34	21	3.6	6	< 1	1	3	5	7	8	10
35-49	38	2.0	1	< 1	1	2	3	4	4	6
50-64	27	2.7	7	< 1	1	1	3	7	8	11
65 +	14	3.8	19	1	1	2	5	9	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	4.0	33	< 1	< 1	2	4	10	20	27
20-34	67	4.7	15	1	1	3	6	11	12	19
35-49	118	5.3	32	1	1	4	7	11	14	28
50-64	127	5.6	19	1	2	4	7	11	15	22
65 +	276	6.8	24	2	2	5	8	14	17	24
B. Operated										
0-19 YRS	20	6.8	98	< 1	1	3	8	15	32	44
20-34	42	8.0	122	1	1	4	10	16	22	68
35-49	96	4.9	24	1	1	3	6	11	15	26
50-64	92	7.2	71	1	1	5	9	15	20	53
65 +	110	9.8	91	1	1	7	12	20	28	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	3.0	13	< 1	< 1	2	3	6	13	18
B. Operated	118	2.8	6	< 1	1	2	3	6	7	13
2. MULTIPLE DX										
A. Not Operated	677	5.7	26	1	1	4	7	12	17	24
B. Operated	360	7.5	75	1	1	5	9	16	22	49
1. SINGLE DX	216	2.9	9	< 1	1	2	3	6	8	16
2. MULTIPLE DX	1037	6.3	43	1	1	4	8	13	18	30
A. Not Operated	775	5.4	25	1	1	4	7	11	16	23
B. Operated	478	6.3	62	1	1	4	8	14	20	47
TOTAL										
0-19 YRS	161	4.1	34	< 1	< 1	2	4	9	17	28
20-34	154	5.1	45	1	1	3	6	11	15	24
35-49	271	4.4	25	1	1	3	6	10	13	25
50-64	257	5.9	38	1	1	4	7	12	17	23
65 +	410	7.4	44	1	2	6	9	16	19	33
GRAND TOTAL	**1253**	**5.7**	**39**	**1**	**1**	**4**	**7**	**12**	**17**	**28**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	9	2.3	2	1	1	2	3	4	5	5
50-64	8	2.6	3	1	1	2	4	5	6	6
65 +	10	2.7	1	2	2	2	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	1.3		1	1	1	2	2	2	2
50-64	5	4.8	28	< 1	< 1	3	6	14	14	14
65 +	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.7	4	1	1	4	5	6	6	6
35-49	21	3.8	6	1	1	3	5	7	8	9
50-64	44	4.1	6	1	1	3	6	7	9	10
65 +	145	5.2	47	1	2	4	6	9	12	33
B. Operated										
0-19 YRS	0									
20-34	4	4.3	11	2	2	3	6	9	9	9
35-49	8	3.3	6	1	1	2	4	7	8	8
50-64	9	7.0	24	1	2	6	8	14	18	18
65 +	30	7.1	36	< 1	2	5	9	18	20	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.5	2	1	1	2	3	4	5	6
B. Operated	13	2.8	12	< 1	< 1	2	3	6	12	14
2. MULTIPLE DX										
A. Not Operated	216	4.8	34	1	2	4	6	8	10	23
B. Operated	51	6.3	28	1	2	5	8	14	20	24
1. SINGLE DX	44	2.6	5	1	1	2	3	4	5	14
2. MULTIPLE DX	267	5.1	33	1	2	4	6	9	12	23
A. Not Operated	247	4.5	30	1	1	4	5	8	10	19
B. Operated	64	5.5	27	< 1	1	4	7	13	19	23
TOTAL										
0-19 YRS	0									
20-34	14	3.4	5	1	1	3	5	6	8	9
35-49	42	3.1	5	1	1	3	4	7	8	9
50-64	66	4.4	10	1	1	3	6	8	9	17
65 +	189	5.3	43	1	2	4	6	10	13	28
GRAND TOTAL	**311**	**4.7**	**30**	**1**	**1**	**4**	**6**	**8**	**12**	**22**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	1.9	1	< 1	1	2	2	3	4	6
20-34	26	1.7	1	< 1	< 1	1	2	3	4	6
35-49	28	1.9	1	< 1	1	2	2	4	4	4
50-64	20	3.2	2	< 1	1	3	4	5	6	7
65 +	60	3.9	10	1	1	3	5	7	9	17
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1558	2.5	8	1	1	2	3	4	6	11
20-34	659	2.9	12	1	1	2	3	5	7	14
35-49	768	3.8	14	1	1	3	5	7	10	23
50-64	1274	4.7	18	1	1	4	6	9	12	22
65 +	6506	5.5	20	1	2	4	7	10	14	22
B. Operated										
0-19 YRS	33	7.5	69	1	1	3	11	19	25	34
20-34	76	5.9	136	1	1	3	5	14	17	78
35-49	86	6.5	40	1	1	5	8	12	21	32
50-64	208	7.8	59	1	2	5	10	17	24	37
65 +	656	10.5	104	2	2	8	13	21	27	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	2.6	5	< 1	1	2	3	5	7	11
B. Operated	3	2.0	3	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	10765	4.7	19	1	1	4	6	9	12	21
B. Operated	1059	9.2	94	1	2	7	12	19	25	49
1. SINGLE DX	205	2.6	5	< 1	1	2	3	5	6	11
2. MULTIPLE DX	11824	5.1	27	1	1	4	6	10	14	25
A. Not Operated	10967	4.7	18	1	1	3	6	9	12	21
B. Operated	1062	9.2	94	1	2	7	12	19	25	49
TOTAL										
0-19 YRS	1660	2.6	10	1	1	2	3	4	6	15
20-34	761	3.1	24	1	1	2	3	5	8	20
35-49	882	4.0	17	1	1	3	5	8	11	24
50-64	1502	5.1	24	1	1	4	6	10	14	25
65 +	7224	6.0	30	1	2	5	7	11	15	27
GRAND TOTAL	**12029**	**5.1**	**27**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.7	1	< 1	1	3	3	4	5	5
20-34	7	1.9		< 1	< 1	2	2	3	3	3
35-49	7	1.9	1	1	1	1	3	4	4	4
50-64	9	2.6	4	< 1	< 1	2	3	6	7	7
65 +	11	2.4	3	< 1	< 1	1	4	5	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	3.5	8	1	1	3	4	9	9	11
20-34	30	2.6	4	< 1	1	2	4	5	7	9
35-49	105	2.8	5	1	1	2	3	5	8	11
50-64	129	4.1	12	1	1	3	5	9	10	20
65 +	623	4.6	15	1	1	4	6	9	11	18
B. Operated										
0-19 YRS	5	3.0	2	1	1	3	4	4	4	4
20-34	14	3.9	6	1	2	3	5	9	9	9
35-49	28	4.5	15	1	2	3	5	9	15	18
50-64	47	7.0	37	2	2	5	7	16	24	26
65 +	191	6.7	35	1	2	5	8	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.3	2	< 1	< 1	2	3	4	5	7
B. Operated	7	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	923	4.2	13	1	1	3	5	8	10	18
B. Operated	285	6.3	32	1	2	5	7	13	18	28
1. SINGLE DX	53	2.5	2	< 1	1	2	3	5	5	7
2. MULTIPLE DX	1208	4.7	19	1	1	4	6	9	12	22
A. Not Operated	969	4.1	13	1	1	3	5	8	10	18
B. Operated	292	6.3	31	1	2	5	7	13	18	28
TOTAL										
0-19 YRS	53	3.2	6	1	1	3	4	7	9	11
20-34	51	2.9	5	< 1	1	2	4	6	9	9
35-49	143	3.1	7	1	1	2	4	6	8	15
50-64	188	4.7	20	1	1	4	6	9	11	25
65 +	826	5.0	20	1	1	4	6	10	13	21
GRAND TOTAL	**1261**	**4.6**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108	4.5	10	1	1	4	6	9	11	12
20-34	182	4.7	14	1	2	4	6	8	12	22
35-49	58	4.6	6	1	2	4	6	8	9	11
50-64	2	6.0	32	2	2	6	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	4.0	19	1	1	2	7	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	5.2	20	1	1	4	8	9	14	24
20-34	191	6.5	21	2	2	5	8	11	14	28
35-49	83	5.2	12	1	2	4	7	10	12	16
50-64	18	6.7	15	2	3	6	8	13	15	16
65 +	0									
B. Operated										
0-19 YRS	7	5.4	9	2	2	6	8	9	9	9
20-34	20	9.6	61	2	3	7	11	19	27	35
35-49	17	13.8	167	1	1	11	19	26	43	52
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350	4.6	11	1	1	4	6	9	11	15
B. Operated	6	3.7	12	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	391	5.9	19	1	2	5	8	11	14	24
B. Operated	44	10.5	99	2	2	8	14	24	29	52
1. SINGLE DX	356	4.6	11	1	1	4	6	9	11	15
2. MULTIPLE DX	435	6.4	29	1	2	5	8	11	16	27
A. Not Operated	741	5.3	16	1	2	4	7	10	12	23
B. Operated	50	9.7	93	1	2	7	11	22	27	52
TOTAL										
0-19 YRS	216	4.8	15	1	1	4	7	9	11	22
20-34	396	5.8	21	1	2	5	7	11	14	27
35-49	159	5.9	33	1	2	5	7	11	16	27
50-64	20	6.7	15	1	2	6	8	12	15	16
65 +	0									
GRAND TOTAL	**791**	**5.6**	**22**	**1**	**2**	**4**	**7**	**10**	**14**	**24**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	2.2	4	< 1	< 1	1	3	5	6	10
20-34	24	3.1	8	< 1	< 1	2	5	7	10	11
35-49	29	2.4	4	< 1	< 1	1	4	5	6	10
50-64	36	3.0	12	< 1	< 1	1	3	9	11	14
65 +	75	1.9	3	< 1	< 1	1	2	4	5	8
B. Operated										
0-19 YRS	42	3.3	4	1	1	3	4	6	7	9
20-34	6	4.3		4	4	4	5	5	5	5
35-49	11	6.8	40	1	2	4	8	18	22	22
50-64	11	4.3	4	< 1	1	5	5	7	8	8
65 +	17	6.5	41	1	2	5	7	11	23	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	171	2.9	11	< 1	1	1	3	7	10	16
20-34	104	4.4	29	< 1	1	3	6	8	14	32
35-49	200	3.3	13	< 1	1	2	4	8	11	19
50-64	420	3.9	14	1	1	2	6	9	12	16
65 +	1289	4.0	16	1	1	3	5	8	10	20
B. Operated										
0-19 YRS	52	8.8	94	1	2	5	9	22	28	51
20-34	53	9.5	124	2	2	6	10	18	33	65
35-49	76	6.3	28	1	2	5	8	12	19	26
50-64	152	8.2	60	1	1	6	10	19	26	36
65 +	389	8.0	48	1	2	6	10	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	2.3	5	< 1	< 1	1	3	5	8	11
B. Operated	87	4.6	17	1	1	4	5	7	10	26
2. MULTIPLE DX										
A. Not Operated	2184	3.9	15	1	1	3	5	8	11	20
B. Operated	722	8.0	57	1	2	6	10	17	23	36
1. SINGLE DX	332	2.9	9	< 1	< 1	2	4	6	8	14
2. MULTIPLE DX	2906	4.9	29	1	1	3	6	10	15	27
A. Not Operated	2429	3.7	15	< 1	1	2	5	8	11	20
B. Operated	809	7.7	54	1	2	5	9	16	22	36
TOTAL										
0-19 YRS	346	3.7	25	< 1	1	2	4	8	11	24
20-34	187	5.7	58	< 1	1	4	6	11	16	42
35-49	316	4.1	19	< 1	1	3	5	9	13	23
50-64	619	4.9	28	1	1	3	7	11	15	27
65 +	1770	4.8	25	1	1	3	6	10	14	27
GRAND TOTAL	**3238**	**4.7**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.5	2	1	1	2	4	4	4	4
20-34	5	2.4	3	1	1	2	3	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	9.7	74	2	2	8	16	19	19	19
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.6	15	1	1	4	5	11	14	14
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	6	5.8	13	1	1	6	9	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	7	8.1	67	3	3	5	8	23	26	26
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	6	6.2	7	2	2	6	9	9	9	9
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	2	25.5	85	19	19	25	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.7	2	1	1	2	4	5	5	5
B. Operated	4	8.8	53	2	2	7	13	19	19	19
2. MULTIPLE DX										
A. Not Operated	27	5.7	25	1	2	4	7	10	16	26
B. Operated	10	10.7	79	2	3	8	13	25	32	32
1. SINGLE DX	16	4.2	20	1	1	3	5	8	16	19
2. MULTIPLE DX	37	7.0	43	1	2	5	9	14	24	32
A. Not Operated	39	4.7	20	1	1	4	6	9	12	26
B. Operated	14	10.1	68	2	2	7	13	21	29	32
TOTAL										
0-19 YRS	17	4.4	14	1	1	4	5	12	14	14
20-34	18	5.2	19	1	1	5	7	9	15	19
35-49	8	5.8	10	1	1	6	8	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	9	12.0	119	3	3	7	21	30	32	32
GRAND TOTAL	**53**	**6.2**	**37**	**1**	**2**	**4**	**7**	**13**	**19**	**32**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	2.5	2	< 1	1	2	3	5	5	8
20-34	19	2.7	2	< 1	< 1	3	4	4	5	5
35-49	30	2.6	3	1	1	2	3	5	5	8
50-64	27	1.8	3	< 1	< 1	1	2	4	6	7
65 +	27	3.0	7	< 1	< 1	3	4	7	9	13
B. Operated										
0-19 YRS	69	3.8	8	1	1	3	5	7	8	15
20-34	62	5.4	12	2	2	5	6	8	14	19
35-49	29	4.6	7	1	1	5	6	8	10	10
50-64	17	4.1	7	< 1	1	4	5	9	9	9
65 +	28	5.9	15	2	2	5	7	11	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	266	3.8	8	1	1	3	5	8	9	14
20-34	132	4.6	10	1	1	4	6	9	10	15
35-49	169	4.6	11	1	1	4	6	9	10	17
50-64	274	4.9	11	1	1	4	7	9	11	17
65 +	576	5.9	19	1	2	5	8	11	14	24
B. Operated										
0-19 YRS	64	6.1	41	1	1	5	7	13	19	33
20-34	82	8.3	100	2	3	5	9	16	25	64
35-49	85	7.8	55	2	2	5	8	22	25	32
50-64	158	9.9	108	2	3	6	11	18	31	58
65 +	321	10.0	63	3	3	8	12	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	2.5	3	< 1	< 1	2	3	5	6	9
B. Operated	205	4.7	10	1	1	4	6	8	10	18
2. MULTIPLE DX										
A. Not Operated	1417	5.0	14	1	1	4	7	10	12	18
B. Operated	710	9.2	76	2	3	7	11	18	25	45
1. SINGLE DX	417	3.6	8	< 1	1	3	5	7	8	15
2. MULTIPLE DX	2127	6.4	39	1	2	5	8	12	17	32
A. Not Operated	1629	4.7	13	1	1	4	6	9	11	18
B. Operated	915	8.2	65	1	2	6	10	16	23	41
TOTAL										
0-19 YRS	508	3.8	12	1	1	3	5	7	10	16
20-34	295	5.7	38	1	2	4	7	10	14	29
35-49	313	5.3	24	1	1	4	6	10	15	28
50-64	476	6.4	49	1	1	5	8	11	16	33
65 +	952	7.2	38	1	2	6	9	14	18	35
GRAND TOTAL	**2544**	**5.9**	**35**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	176	1.4	1	< 1	1	1	2	2	3	3
20-34	55	1.7	1	1	1	1	2	3	4	7
35-49	17	1.9	1	< 1	1	2	2	4	5	5
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	255	2.7	1	1	2	3	3	4	5	7
20-34	91	2.9	1	1	2	3	4	4	5	7
35-49	19	3.5	1	2	2	3	4	5	5	5
50-64	2	3.0		3	3	3	3	3	3	3
65 +	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	142	2.0	1	1	1	2	2	4	4	6
20-34	28	2.2	3	< 1	1	2	2	4	5	9
35-49	12	1.8	1	1	1	2	2	3	3	3
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	126	3.4	3	2	2	3	4	5	6	12
20-34	66	3.8	3	1	2	3	4	6	7	9
35-49	14	3.9	3	2	2	4	4	6	8	9
50-64	5	6.6	29	3	3	4	8	16	16	16
65 +	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	251	1.5	1	< 1	1	1	2	3	3	5
B. Operated	369	2.8	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	187	2.0	2	1	1	2	2	4	4	6
B. Operated	213	3.6	4	2	2	3	4	6	7	13
1. SINGLE DX	620	2.3	2	1	1	2	3	4	4	7
2. MULTIPLE DX	400	2.9	3	1	1	2	4	5	6	9
A. Not Operated	438	1.7	1	< 1	1	1	2	3	4	6
B. Operated	582	3.1	2	1	2	3	4	5	6	8
TOTAL										
0-19 YRS	699	2.4	2	1	1	2	3	4	5	7
20-34	240	2.8	2	1	1	3	4	5	6	8
35-49	62	2.8	2	1	1	3	4	5	5	9
50-64	13	4.2	14	1	2	3	4	8	14	16
65 +	6	3.3	4	2	2	3	4	7	7	7
GRAND TOTAL	**1020**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	3.8	3	1	2	3	5	6	7	8
20-34	7	4.0	5	1	1	4	5	7	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	30	2.1	3	< 1	< 1	1	3	5	6	6
20-34	9	1.3	1	< 1	< 1	1	1	3	4	4
35-49	14	1.3		< 1	< 1	1	1	2	3	3
50-64	6	1.2		< 1	< 1	1	1	2	2	2
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	3.1	3	1	1	3	5	5	6	6
20-34	6	3.5	5	< 1	< 1	3	5	7	7	7
35-49	5	5.8	3	3	3	7	7	7	7	7
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	7	4.9	6	2	2	4	7	9	9	9
B. Operated										
0-19 YRS	18	3.7	9	< 1	1	3	6	7	10	12
20-34	12	1.8	3	< 1	< 1	1	2	4	7	7
35-49	4	1.8	1	< 1	< 1	1	2	3	3	3
50-64	6	2.8	5	1	1	2	3	7	7	7
65 +	10	4.5	41	< 1	< 1	2	5	14	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	3.9	3	1	2	4	5	6	7	8
B. Operated	61	1.7	2	< 1	< 1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	62	3.6	4	1	1	3	5	6	7	9
B. Operated	50	3.1	13	< 1	< 1	2	3	7	7	22
1. SINGLE DX	116	2.7	4	< 1	1	2	4	6	6	8
2. MULTIPLE DX	112	3.4	8	< 1	1	3	5	7	7	16
A. Not Operated	117	3.7	3	1	1	3	5	6	7	8
B. Operated	111	2.3	7	< 1	< 1	1	3	6	7	16
TOTAL										
0-19 YRS	136	3.2	4	< 1	1	3	5	6	7	9
20-34	34	2.4	4	< 1	< 1	1	4	5	7	8
35-49	24	2.5	5	< 1	< 1	1	3	7	7	7
50-64	15	2.5	4	< 1	< 1	2	3	6	7	7
65 +	19	4.3	24	< 1	< 1	3	6	8	16	22
GRAND TOTAL	**228**	**3.1**	**6**	**< 1**	**1**	**2**	**4**	**6**	**7**	**10**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	5.3	29	< 1	< 1	2	11	13	13	13
20-34	13	3.4	8	< 1	1	3	4	8	10	10
35-49	9	8.1	409	< 1	< 1	1	2	39	62	62
50-64	6	4.5	51	1	1	2	15	84	99 +	99 +
65 +	24	6.3	47	1	2	5	8	10	20	35
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	11.6	159	1	1	7	15	35	37	38
20-34	64	6.1	27	1	1	5	8	14	16	25
35-49	50	6.6	67	1	1	4	8	13	28	44
50-64	79	7.3	49	1	1	5	11	17	22	81
65 +	388	6.6	41	1	2	5	8	14	18	34
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	8	9.6	60	1	1	11	14	20	22	22
50-64	5	11.4	79	2	2	8	17	25	25	25
65 +	25	7.0	70	1	1	4	9	19	26	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	5.6	87	< 1	1	3	6	12	27	96
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	599	6.8	47	1	1	5	8	14	20	37
B. Operated	39	7.9	67	1	1	5	12	21	24	35
1. SINGLE DX	59	5.6	87	< 1	1	3	6	12	27	96
2. MULTIPLE DX	638	6.8	48	1	1	5	8	15	21	37
A. Not Operated	658	6.7	50	1	1	5	8	14	20	38
B. Operated	39	7.9	67	1	1	5	12	21	24	35
TOTAL										
0-19 YRS	25	9.8	128	< 1	1	6	12	35	36	38
20-34	78	5.6	25	1	1	5	8	13	15	24
35-49	67	7.2	107	1	1	4	9	15	28	59
50-64	90	7.4	50	1	1	5	12	19	25	99 +
65 +	437	6.6	43	1	2	5	8	14	18	35
GRAND TOTAL	**697**	**6.7**	**51**	**1**	**1**	**5**	**8**	**14**	**21**	**38**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	2.3	38	< 1	1	1	2	2	5	44
20-34	34	3.8	25	< 1	1	2	4	7	18	22
35-49	19	4.9	103	< 1	< 1	2	3	8	30	46
50-64	21	6.0	77	1	1	2	5	20	30	32
65 +	130	9.8	164	1	1	6	10	23	36	76
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	7.9	153	1	1	2	10	29	41	83
20-34	132	7.9	123	1	1	3	9	19	29	78
35-49	105	9.0	168	1	1	5	10	17	30	77
50-64	136	9.3	80	1	1	6	13	20	29	63
65 +	1383	8.0	63	2	2	6	10	15	21	52
B. Operated										
0-19 YRS	5	3.8	8	1	1	3	6	8	8	8
20-34	5	4.6	24	1	1	4	78	99 +	99 +	99 +
35-49	8	25.0	870	1	2	23	54	96	99 +	99 +
50-64	11	12.3	119	1	1	11	19	29	34	35
65 +	103	11.3	108	1	2	9	15	24	28	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	267	6.6	115	< 1	1	3	6	15	28	51
B. Operated	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	1846	8.1	79	1	2	6	10	16	23	65
B. Operated	132	11.7	156	1	2	9	15	26	41	99 +
1. SINGLE DX	270	6.6	114	< 1	1	3	6	15	28	51
2. MULTIPLE DX	1978	8.4	85	1	2	6	11	17	25	72
A. Not Operated	2113	7.9	84	1	1	5	10	16	23	62
B. Operated	135	11.5	154	1	2	8	15	26	40	99 +
TOTAL										
0-19 YRS	158	5.6	110	< 1	1	1	3	20	32	57
20-34	171	6.9	103	< 1	1	3	8	19	29	99 +
35-49	132	9.4	212	1	1	4	10	21	43	91
50-64	170	9.0	83	1	1	6	12	21	29	55
65 +	1617	8.3	75	1	2	6	10	16	23	55
GRAND TOTAL	**2248**	**8.1**	**89**	**1**	**1**	**6**	**10**	**17**	**25**	**70**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	10	16.7	155	4	5	13	22	37	40	40
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	15	11.5	128	< 1	2	7	21	33	34	34
65 +	221	7.5	35	2	2	5	10	16	21	29
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	29.0	128	21	21	29	37	37	37	37
65 +	20	14.8	130	2	3	12	20	30	39	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	14.3	157	2	3	9	21	36	39	40
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	238	7.8	41	2	2	6	10	17	22	32
B. Operated	23	15.7	138	2	3	14	21	33	40	47
1. SINGLE DX	12	14.3	157	2	3	9	21	36	39	40
2. MULTIPLE DX	261	8.5	54	2	2	6	11	19	23	34
A. Not Operated	250	8.1	48	2	2	6	10	18	22	34
B. Operated	23	15.7	138	2	3	14	21	33	40	47
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	4	4.5	6	2	2	4	6	7	7	7
50-64	18	13.0	151	1	2	7	21	34	36	37
65 +	251	8.5	53	2	2	6	11	19	23	34
GRAND TOTAL	**273**	**8.7**	**59**	**2**	**2**	**6**	**11**	**20**	**23**	**36**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	31	2.4	3	< 1	< 1	2	3	5	7	7
35-49	51	3.2	6	1	1	3	3	5	9	13
50-64	32	7.4	290	1	1	3	5	13	22	97
65 +	18	8.0	33	2	2	6	11	17	20	21
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	10.7	146	1	1	6	16	31	36	37
20-34	452	8.2	68	1	1	5	12	25	28	30
35-49	874	6.5	54	1	1	4	7	15	25	32
50-64	641	6.9	46	1	2	5	8	15	25	30
65 +	380	7.1	42	2	2	5	8	15	21	37
B. Operated										
0-19 YRS	0									
20-34	17	7.7	65	< 1	1	4	10	21	25	27
35-49	32	6.8	92	1	1	4	7	17	34	37
50-64	27	10.9	117	2	2	8	14	23	41	45
65 +	27	11.4	88	1	3	9	14	22	30	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	4.6	81	1	1	3	5	10	13	36
B. Operated	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	2358	7.1	53	1	2	5	8	15	26	30
B. Operated	103	9.3	95	1	1	6	12	22	34	44
1. SINGLE DX	135	4.6	80	1	1	3	5	10	13	34
2. MULTIPLE DX	2461	7.2	55	1	2	5	8	15	27	32
A. Not Operated	2491	6.9	55	1	2	4	8	15	26	30
B. Operated	105	9.1	94	1	1	6	12	22	34	44
TOTAL										
0-19 YRS	12	9.9	141	1	1	4	16	30	36	37
20-34	501	7.8	66	1	1	5	9	23	28	29
35-49	958	6.4	53	1	1	4	7	15	25	33
50-64	700	7.1	60	1	2	5	8	15	25	31
65 +	425	7.4	46	2	2	5	9	16	21	39
GRAND TOTAL	**2596**	**7.0**	**57**	**1**	**2**	**4**	**8**	**15**	**26**	**32**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	4.2	37	< 1	< 1	1	3	16	19	21
20-34	32	2.9	12	1	1	2	3	6	7	19
35-49	14	7.2	91	1	2	3	6	29	29	29
50-64	14	5.3	61	1	1	2	4	15	27	30
65 +	5	8.2	41	2	2	5	13	18	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	5.6	32	1	1	4	7	13	22	77
20-34	500	6.3	41	1	1	5	7	12	25	30
35-49	262	6.7	41	1	2	5	7	12	22	29
50-64	103	7.3	45	1	1	6	9	15	18	37
65 +	253	6.6	42	1	2	5	8	12	18	31
B. Operated										
0-19 YRS	0									
20-34	6	5.0	22	1	1	3	8	12	13	13
35-49	6	6.5	17	1	1	6	10	12	12	12
50-64	5	5.4	16	1	1	6	8	11	11	11
65 +	16	10.5	105	1	1	7	15	30	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	4.6	41	1	1	2	4	13	20	30
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1199	6.5	41	1	1	5	7	12	22	30
B. Operated	33	8.0	64	1	1	6	10	17	30	32
1. SINGLE DX	84	4.6	41	1	1	2	4	13	20	30
2. MULTIPLE DX	1232	6.5	41	1	1	5	7	13	22	30
A. Not Operated	1283	6.4	41	1	1	5	7	12	21	30
B. Operated	33	8.0	64	1	1	6	10	17	30	32
TOTAL										
0-19 YRS	100	5.3	33	1	1	3	7	14	20	63
20-34	538	6.1	39	1	1	5	7	12	24	30
35-49	282	6.7	43	1	2	5	7	12	24	29
50-64	122	7.0	46	1	1	6	9	14	18	35
65 +	274	6.9	46	1	2	5	8	13	19	32
GRAND TOTAL	**1316**	**6.4**	**42**	**1**	**1**	**5**	**7**	**13**	**22**	**30**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	15.7	197	1	3	13	22	32	36	76
20-34	776	10.2	104	1	2	7	13	22	30	55
35-49	485	11.0	123	1	2	7	15	24	33	61
50-64	146	9.9	83	1	2	7	14	19	24	58
65 +	48	15.2	130	1	2	14	21	31	47	99 +
B. Operated										
0-19 YRS	0									
20-34	11	27.5	381	1	2	23	36	60	62	62
35-49	6	15.2	118	4	4	15	26	26	26	26
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	12.1	220	3	3	8	13	24	36	87
20-34	752	11.5	135	1	2	8	15	24	33	63
35-49	543	11.1	117	2	3	8	14	23	32	58
50-64	219	12.9	112	2	3	10	17	26	31	55
65 +	100	12.9	107	3	3	10	18	27	33	50
B. Operated										
0-19 YRS	2	16.0	128	8	8	16	24	24	24	24
20-34	22	16.6	181	3	4	14	21	30	47	62
35-49	11	25.8	656	1	3	16	38	64	87	89
50-64	11	14.5	137	4	5	11	19	31	44	45
65 +	11	17.1	98	2	5	16	22	32	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1503	10.8	113	1	2	7	14	23	32	58
B. Operated	17	23.2	312	2	3	23	28	55	61	62
2. MULTIPLE DX										
A. Not Operated	1659	11.7	127	2	3	8	15	24	32	59
B. Operated	57	18.1	244	3	5	15	23	37	46	87
1. SINGLE DX	1520	10.9	117	1	2	7	14	23	32	59
2. MULTIPLE DX	1716	11.9	132	2	3	8	15	25	33	[illegible]
A. Not Operated	3162	11.2	121	2	2	8	15	24	32	[illegible]
B. Operated	74	19.2	261	2	4	16	24	38	57	[illegible]
TOTAL										
0-19 YRS	95	14.0	206	3	3	10	19	29	34	82
20-34	1561	11.1	124	1	2	7	14	23	32	59
35-49	1045	11.2	127	2	2	8	14	24	33	61
50-64	376	11.8	103	2	2	9	16	24	28	57
65 +	159	13.8	114	2	3	12	19	28	36	55
GRAND TOTAL	**3236**	**11.4**	**125**	**2**	**2**	**8**	**15**	**24**	**32**	**59**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	9.7	58	3	3	9	13	19	28	31
20-34	48	11.4	83	1	2	8	15	24	33	36
35-49	6	3.7	3	2	2	3	4	7	7	7
50-64	4	5.5	50	1	1	2	9	16	16	16
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	23.4	219	6	8	19	29	47	58	60
20-34	42	13.3	230	< 1	2	8	17	33	45	77
35-49	10	9.8	31	3	3	9	12	18	22	22
50-64	4	4.0	5	2	2	4	6	6	6	6
65 +	5	10.4	30	3	3	11	13	18	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	10.1	74	1	2	8	13	22	31	36
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	83	14.9	207	1	3	11	20	33	45	71
B. Operated	2	12.5	181	3	3	12	22	22	22	22
1. SINGLE DX	73	10.1	74	1	2	8	13	22	31	36
2. MULTIPLE DX	85	14.9	204	1	3	11	20	32	45	71
A. Not Operated	156	12.7	150	1	2	9	16	29	35	60
B. Operated	2	12.5	181	3	3	12	22	22	22	22
TOTAL										
0-19 YRS	37	17.8	197	3	4	15	23	34	52	60
20-34	90	12.3	151	1	2	8	15	28	35	66
35-49	16	7.5	29	2	2	6	10	14	20	22
50-64	9	4.6	22	1	1	3	6	12	16	16
65 +	6	12.3	47	3	3	11	18	22	22	22
GRAND TOTAL	**158**	**12.7**	**149**	**1**	**2**	**9**	**16**	**29**	**35**	**60**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	13.5	195	1	2	8	17	34	48	61
20-34	825	10.5	107	1	2	7	14	22	28	56
35-49	509	11.9	140	2	2	8	15	28	37	58
50-64	150	12.7	115	2	3	10	17	24	39	58
65 +	29	11.1	87	2	3	8	14	29	31	34
B. Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	5	6.2	10	3	3	5	9	10	10	10
35-49	2	11.5	13	9	9	11	14	14	14	14
50-64	2	15.5	41	11	11	15	20	20	20	20
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123	18.2	297	2	2	12	27	40	56	95
20-34	1071	11.7	117	2	2	8	15	25	35	61
35-49	676	11.5	99	2	2	9	15	24	30	44
50-64	315	12.9	112	2	3	10	17	26	34	53
65 +	140	13.9	135	2	3	11	18	34	44	99 +
B. Operated										
0-19 YRS	3	15.0	3	14	14	16	58	99 +	99 +	99 +
20-34	36	21.1	384	1	4	14	26	49	60	93
35-49	21	19.0	223	2	4	13	31	50	71	99 +
50-64	8	10.8	76	2	2	7	18	24	24	24
65 +	8	23.0	240	8	9	16	35	47	49	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1613	11.4	124	2	2	8	15	24	33	58
B. Operated	10	10.4	34	3	3	10	14	19	20	20
2. MULTIPLE DX										
A. Not Operated	2325	12.3	124	2	3	9	16	26	36	63
B. Operated	76	19.4	280	2	4	14	26	49	59	99 +
1. SINGLE DX	1623	11.4	123	2	2	8	15	24	33	58
2. MULTIPLE DX	2401	12.5	130	2	3	9	16	27	36	67
A. Not Operated	3938	11.9	124	2	2	9	15	25	35	60
B. Operated	86	18.3	259	2	4	14	24	48	53	99 +
TOTAL										
0-19 YRS	227	16.1	251	2	2	11	24	39	50	94
20-34	1937	11.4	119	1	2	8	15	24	32	60
35-49	1208	11.8	119	2	2	9	15	26	35	54
50-64	475	12.8	111	2	3	10	17	25	35	57
65 +	177	13.8	135	2	3	11	18	33	43	99 +
GRAND TOTAL	**4024**	**12.0**	**128**	**2**	**2**	**9**	**16**	**26**	**36**	**61**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	30.8	518	5	5	28	50	64	70	70
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	34.9	708	3	5	40	50	96	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	30.8	518	5	5	28	50	64	70	70
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	25	34.9	708	3	5	40	50	96	99 +	99 +
B. Operated	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	9	30.8	518	5	5	28	50	64	70	70
2. MULTIPLE DX	26	33.7	719	3	3	38	48	96	99 +	99 +
A. Not Operated	34	33.8	644	3	5	34	50	88	99	99 +
B. Operated	1	3.0		3	3	3	3	3	3	3
TOTAL										
0-19 YRS	35	32.9	652	3	4	32	50	86	99	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**35**	**32.9**	**652**	**3**	**4**	**32**	**50**	**86**	**99**	**99 +**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	295	15.1	129	1	3	13	22	29	39	58
20-34	438	9.1	79	1	1	6	12	20	26	42
35-49	463	10.8	94	1	2	8	14	24	29	43
50-64	283	12.4	100	1	2	9	18	27	31	41
65 +	261	15.1	140	1	2	13	20	32	39	55
B. Operated										
0-19 YRS	2	14.5	265	3	3	14	26	26	26	26
20-34	4	8.0	51	2	2	7	14	16	16	16
35-49	3	8.7	33	2	2	12	12	12	12	12
50-64	3	5.0	12	< 1	< 1	7	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	629	21.1	327	2	3	15	34	47	61	99 +
20-34	1514	11.3	135	1	2	8	14	25	34	61
35-49	1483	12.0	135	1	2	8	16	26	33	64
50-64	797	13.7	121	2	3	11	19	28	36	52
65 +	1086	15.2	154	2	3	12	20	32	39	62
B. Operated										
0-19 YRS	19	26.5	722	1	2	18	39	73	84	87
20-34	46	16.0	288	2	3	10	18	48	56	79
35-49	48	18.4	206	2	3	15	27	43	47	99 +
50-64	42	21.0	292	4	5	16	26	41	67	77
65 +	72	21.5	257	4	6	17	28	42	60	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1740	12.0	109	1	2	9	17	27	33	49
B. Operated	12	8.5	56	< 1	1	7	12	19	25	26
2. MULTIPLE DX										
A. Not Operated	5509	13.7	168	2	2	10	18	30	41	67
B. Operated	227	20.1	300	3	4	15	26	44	62	82
1. SINGLE DX	1752	12.0	109	1	2	9	17	27	33	49
2. MULTIPLE DX	5736	14.0	174	2	2	10	18	31	42	69
A. Not Operated	7249	13.3	154	1	2	10	18	29	39	63
B. Operated	239	19.5	294	2	4	15	26	43	61	82
TOTAL										
0-19 YRS	945	19.3	280	2	3	15	28	43	56	99 +
20-34	2002	10.9	127	1	2	7	14	24	33	59
35-49	1997	11.8	128	1	2	9	16	26	33	60
50-64	1125	13.6	124	2	3	11	19	28	36	52
65 +	1419	15.5	158	2	3	13	21	32	40	63
GRAND TOTAL	**7488**	**13.5**	**160**	**1**	**2**	**10**	**18**	**30**	**40**	**65**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	14.3	154	2	3	9	18	32	43	48
20-34	511	10.5	90	1	2	7	14	23	29	44
35-49	479	10.1	81	1	2	8	13	22	28	42
50-64	242	10.7	83	1	3	8	14	24	29	44
65 +	68	13.1	85	2	3	11	19	29	32	89
B. Operated										
0-19 YRS	0									
20-34	4	9.5	90	1	1	7	15	23	23	23
35-49	15	13.7	138	< 1	1	9	19	36	37	37
50-64	1	32.0		32	32	32	32	32	32	32
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	157	17.2	236	2	3	13	26	41	50	98
20-34	728	11.4	115	1	2	8	15	25	33	55
35-49	798	11.8	126	2	3	9	16	24	32	55
50-64	527	13.7	122	2	3	11	17	28	35	59
65 +	370	15.6	157	2	3	13	21	30	40	58
B. Operated										
0-19 YRS	4	23.8	85	13	13	23	30	35	35	35
20-34	27	15.3	115	2	4	13	22	32	35	43
35-49	36	19.1	372	4	7	12	21	47	60	97
50-64	33	20.2	202	2	4	17	25	42	53	56
65 +	24	23.8	348	2	5	19	36	49	58	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1379	10.8	90	1	2	8	14	24	30	44
B. Operated	20	13.8	137	< 1	1	9	21	34	36	37
2. MULTIPLE DX										
A. Not Operated	2580	13.0	137	2	3	10	17	28	37	58
B. Operated	124	19.6	258	3	5	14	25	43	50	81
1. SINGLE DX	1399	10.8	91	1	2	8	14	24	30	44
2. MULTIPLE DX	2704	13.3	144	2	3	10	17	28	38	58
A. Not Operated	3959	12.2	121	1	2	9	16	26	34	54
B. Operated	144	18.8	244	2	4	14	25	41	48	76
TOTAL										
0-19 YRS	240	16.4	208	2	3	12	26	39	46	82
20-34	1270	11.1	105	1	2	8	15	25	31	49
35-49	1328	11.4	119	1	2	8	15	23	31	54
50-64	803	13.1	118	2	3	10	17	27	34	55
65 +	462	15.7	160	2	3	13	22	31	41	61
GRAND TOTAL	**4103**	**12.4**	**127**	**1**	**2**	**9**	**16**	**27**	**36**	**56**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	11.6	216	1	1	6	14	25	36	85
20-34	202	7.4	52	1	1	6	9	15	22	42
35-49	133	7.1	56	1	1	5	9	14	16	54
50-64	72	7.0	42	< 1	1	5	9	16	21	30
65 +	72	8.4	78	< 1	1	5	10	23	33	86
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	3.8	9	1	1	3	6	8	8	8
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	12.3	262	1	1	6	12	41	50	71
20-34	407	8.3	84	1	1	5	10	19	24	47
35-49	272	7.5	75	1	1	5	9	17	25	40
50-64	214	8.9	62	2	2	6	12	18	25	39
65 +	602	9.1	81	2	2	6	12	20	26	42
B. Operated										
0-19 YRS	2	15.5	313	3	3	15	28	28	28	28
20-34	9	11.1	411	1	1	3	9	44	64	64
35-49	10	11.7	106	2	2	10	12	26	39	39
50-64	9	9.4	67	1	1	5	17	21	21	21
65 +	36	12.7	121	1	3	8	16	25	40	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	531	7.8	72	1	1	6	10	16	22	48
B. Operated	8	4.5	7	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	1582	8.8	89	1	2	6	11	20	26	46
B. Operated	66	12.0	145	1	2	8	15	25	40	61
1. SINGLE DX	539	7.8	72	1	1	6	10	16	22	48
2. MULTIPLE DX	1648	8.9	91	1	2	6	11	20	27	46
A. Not Operated	2113	8.5	85	1	2	6	11	19	26	46
B. Operated	74	11.1	135	1	2	7	15	24	37	60
TOTAL										
0-19 YRS	142	12.0	241	1	1	6	13	34	47	77
20-34	622	8.0	78	1	1	5	10	17	24	46
35-49	418	7.5	69	1	1	5	9	15	23	45
50-64	295	8.4	58	1	2	6	11	18	24	38
65 +	710	9.2	83	1	2	6	12	21	28	45
GRAND TOTAL	**2187**	**8.6**	**87**	**1**	**2**	**6**	**11**	**19**	**26**	**47**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.4		< 1	< 1	1	2	3	3	3
20-34	50	4.0	15	< 1	1	2	5	10	14	18
35-49	48	3.5	17	< 1	< 1	2	3	11	14	19
50-64	25	4.6	37	< 1	1	2	4	11	16	29
65 +	21	5.8	103	< 1	< 1	2	5	15	31	46
B. Operated										
0-19 YRS	0									
20-34	4	4.5	40	< 1	< 1	1	8	14	14	14
35-49	0									
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	11.5	356	< 1	< 1	3	17	30	38	93
20-34	183	5.6	46	1	1	3	6	14	21	33
35-49	213	5.0	30	1	1	3	7	12	19	24
50-64	113	5.1	41	1	1	2	6	11	17	38
65 +	168	6.0	56	1	1	3	7	15	20	37
B. Operated										
0-19 YRS	0									
20-34	3	5.0	7	2	2	6	7	7	7	7
35-49	6	4.7	17	1	1	3	10	10	10	10
50-64	7	4.1	17	< 1	< 1	2	5	11	13	13
65 +	13	6.1	51	1	1	5	7	13	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	4.0	30	< 1	< 1	2	4	10	14	28
B. Operated	6	3.3	27	< 1	< 1	1	2	13	14	14
2. MULTIPLE DX										
A. Not Operated	707	5.7	57	1	1	3	7	15	20	37
B. Operated	29	5.2	30	1	1	4	7	10	14	28
1. SINGLE DX	161	4.0	30	< 1	< 1	2	4	10	14	28
2. MULTIPLE DX	736	5.7	56	1	1	3	7	14	20	37
A. Not Operated	862	5.4	52	< 1	1	3	6	14	19	36
B. Operated	35	4.9	29	< 1	1	3	7	10	14	28
TOTAL										
0-19 YRS	41	8.8	279	< 1	< 1	2	7	27	34	93
20-34	240	5.2	39	1	1	3	6	14	18	30
35-49	267	4.7	28	< 1	1	3	6	12	18	23
50-64	145	5.0	39	< 1	1	2	6	11	16	37
65 +	204	5.9	59	1	1	3	7	15	20	41
GRAND TOTAL	**897**	**5.4**	**51**	**< 1**	**1**	**3**	**6**	**14**	**19**	**35**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	141	15.4	231	1	2	11	24	40	53	99 +
20-34	122	5.0	24	< 1	1	3	7	12	16	21
35-49	103	6.0	28	1	1	4	8	14	18	24
50-64	39	8.5	88	< 1	1	5	12	23	27	45
65 +	20	7.2	51	1	1	5	9	13	24	33
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	572	20.0	347	1	2	14	31	48	63	99 +
20-34	588	7.4	67	1	1	5	9	16	24	36
35-49	469	7.4	68	1	1	5	9	17	23	44
50-64	168	6.8	40	1	1	5	9	14	22	27
65 +	174	8.0	41	2	2	6	10	18	22	29
B. Operated										
0-19 YRS	5	31.2	681	3	3	40	53	58	58	58
20-34	17	9.4	94	1	1	5	12	29	33	33
35-49	10	13.7	86	< 1	1	16	21	24	24	24
50-64	5	15.2	317	1	1	10	21	46	46	46
65 +	9	15.2	170	1	2	9	29	34	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	425	9.1	121	1	1	5	12	23	33	75
B. Operated	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	1971	11.1	177	1	1	6	14	29	42	81
B. Operated	46	14.5	211	1	1	8	21	36	47	58
1. SINGLE DX	428	9.1	120	1	1	5	12	23	33	75
2. MULTIPLE DX	2017	11.1	178	1	1	6	14	29	42	81
A. Not Operated	2396	10.7	167	1	1	6	13	27	41	81
B. Operated	49	13.8	204	1	2	7	21	35	46	58
TOTAL										
0-19 YRS	718	19.2	330	1	2	13	30	47	62	99 +
20-34	728	7.1	61	1	1	5	9	15	22	35
35-49	584	7.2	62	1	1	5	9	17	22	42
50-64	212	7.3	56	1	1	5	10	15	24	42
65 +	203	8.2	49	1	2	6	10	18	24	32
GRAND TOTAL	**2445**	**10.8**	**168**	**1**	**1**	**6**	**14**	**28**	**41**	**80**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	9.7	243	< 1	1	4	8	31	46	95
20-34	179	6.0	110	< 1	1	3	6	14	23	72
35-49	70	5.3	48	< 1	1	3	6	12	15	42
50-64	27	4.9	184	< 1	< 1	2	3	5	19	72
65 +	13	2.5	4	< 1	< 1	1	3	6	7	7
B. Operated										
0-19 YRS	0									
20-34	31	7.0	11	1	2	9	9	10	10	10
35-49	28	6.9	10	2	2	9	9	9	9	9
50-64	13	3.0	8	1	1	2	3	9	9	9
65 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	249	11.1	257	1	1	4	13	38	50	93
20-34	674	6.3	62	< 1	1	4	7	15	25	41
35-49	367	5.9	56	1	1	3	7	15	21	37
50-64	143	6.2	40	1	1	4	7	12	20	33
65 +	163	5.4	29	1	1	4	6	14	18	33
B. Operated										
0-19 YRS	7	4.0	13	< 1	< 1	3	5	10	11	11
20-34	58	12.4	200	1	1	9	15	38	50	52
35-49	42	10.2	174	1	1	6	11	22	43	61
50-64	15	4.1	20	1	1	2	5	12	14	15
65 +	23	11.0	133	2	3	7	12	22	35	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	370	6.5	131	< 1	1	3	6	15	26	78
B. Operated	75	6.1	12	1	1	9	9	9	9	10
2. MULTIPLE DX										
A. Not Operated	1596	6.9	89	1	1	4	7	16	27	50
B. Operated	145	10.3	159	1	1	7	11	23	42	59
1. SINGLE DX	445	6.4	111	< 1	1	3	8	13	24	73
2. MULTIPLE DX	1741	7.1	96	1	1	4	8	17	28	53
A. Not Operated	1966	6.8	97	1	1	3	7	16	26	54
B. Operated	220	8.8	113	1	1	8	9	16	34	57
TOTAL										
0-19 YRS	337	10.6	249	1	1	4	12	36	49	94
20-34	942	6.6	80	< 1	1	4	8	15	25	46
35-49	507	6.2	63	1	1	3	8	14	21	45
50-64	198	5.7	56	1	1	3	7	12	19	35
65 +	202	5.8	43	1	1	4	7	14	21	44
GRAND TOTAL	**2186**	**7.0**	**99**	**1**	**1**	**4**	**8**	**16**	**27**	**54**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	17.7	202	< 1	1	22	29	35	36	38
20-34	298	11.4	148	1	1	3	26	29	34	35
35-49	350	13.3	170	1	1	4	28	31	34	36
50-64	160	13.2	168	1	1	4	28	30	34	41
65 +	54	12.8	147	1	2	5	28	29	30	37
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	595	25.0	227	1	3	27	35	45	48	59
20-34	2893	17.6	130	1	2	21	28	30	31	39
35-49	2721	15.0	133	1	2	14	27	29	31	37
50-64	1515	14.4	126	2	2	11	26	29	31	35
65 +	945	13.6	108	2	2	11	21	28	31	36
B. Operated										
0-19 YRS	8	19.0	401	1	1	13	33	51	53	53
20-34	48	15.0	149	1	1	17	27	30	31	34
35-49	59	19.2	274	2	2	21	28	31	41	82
50-64	53	17.3	154	2	3	15	27	32	40	48
65 +	51	14.6	94	3	4	13	22	29	33	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	919	12.9	165	1	1	4	28	30	34	36
B. Operated	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	8669	16.3	142	1	2	20	28	30	32	43
B. Operated	219	16.7	180	1	2	15	26	31	35	61
1. SINGLE DX	921	12.9	164	1	1	4	28	30	34	36
2. MULTIPLE DX	8888	16.3	143	1	2	20	28	30	32	44
A. Not Operated	9588	16.0	145	1	2	18	28	30	33	43
B. Operated	221	16.6	180	1	2	14	26	31	35	61
TOTAL										
0-19 YRS	660	24.3	230	1	2	26	35	45	48	58
20-34	3239	17.0	135	1	2	21	28	30	31	38
35-49	3131	14.9	141	1	2	14	27	29	31	37
50-64	1729	14.4	131	2	2	11	26	30	31	37
65 +	1050	13.6	109	2	2	11	21	28	31	36
GRAND TOTAL	**9809**	**16.0**	**146**	**1**	**2**	**18**	**28**	**30**	**33**	**43**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	26.6	220	1	1	30	35	39	39	39
20-34	60	10.1	107	1	1	5	14	29	30	31
35-49	27	11.2	137	1	2	5	22	30	34	37
50-64	5	11.2	145	1	1	6	22	27	27	27
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	25.8	195	2	4	32	35	39	42	54
20-34	396	14.6	124	2	2	11	27	29	31	39
35-49	228	14.0	114	2	3	9	25	29	31	36
50-64	40	12.6	108	1	2	7	21	28	30	34
65 +	24	11.3	100	1	2	7	19	27	30	35
B. Operated										
0-19 YRS	0									
20-34	5	14.0	122	4	4	10	24	29	29	29
35-49	7	13.4	124	2	2	7	25	27	27	27
50-64	2	9.0	8	7	7	9	11	11	11	11
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	11.3	131	1	1	5	24	29	31	38
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	745	15.0	134	2	3	10	27	30	34	40
B. Operated	14	13.0	98	2	4	9	22	27	29	29
1. SINGLE DX	98	11.2	130	1	1	5	24	29	31	38
2. MULTIPLE DX	759	15.0	133	2	3	10	27	30	34	40
A. Not Operated	842	14.6	135	2	2	9	27	30	34	39
B. Operated	15	12.3	98	2	3	7	22	27	29	29
TOTAL										
0-19 YRS	62	25.9	193	1	4	32	35	39	42	54
20-34	461	14.0	123	2	2	9	26	29	31	39
35-49	262	13.7	117	2	3	8	25	29	31	37
50-64	48	12.1	104	1	2	7	21	28	30	34
65 +	24	11.3	100	1	2	7	19	27	30	35
GRAND TOTAL	**857**	**14.6**	**134**	**2**	**2**	**9**	**27**	**30**	**34**	**39**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	24.5	247	1	2	28	34	43	45	73
20-34	160	12.8	133	1	1	7	26	29	30	35
35-49	32	13.6	119	< 1	3	9	27	29	29	30
50-64	7	13.3	94	4	4	13	16	29	32	32
65 +	7	18.0	128	2	3	26	27	28	28	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	562	27.3	208	3	5	28	36	45	51	63
20-34	1691	19.1	115	2	3	22	28	30	32	38
35-49	390	19.3	112	2	3	22	28	30	32	41
50-64	74	16.6	117	2	3	17	27	31	33	36
65 +	46	16.2	86	1	3	18	24	28	29	31
B. Operated										
0-19 YRS	11	33.5	119	21	21	32	42	50	51	51
20-34	28	25.6	46	14	17	28	30	31	32	34
35-49	6	27.0	160	11	12	25	31	47	49	49
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	256	15.3	171	1	1	12	28	30	35	45
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2763	20.7	145	2	3	23	28	32	39	52
B. Operated	47	27.0	96	10	17	28	31	37	49	51
1. SINGLE DX	256	15.3	171	1	1	12	28	30	35	45
2. MULTIPLE DX	2810	20.8	144	2	3	23	28	33	39	52
A. Not Operated	3019	20.2	149	2	3	22	28	32	38	51
B. Operated	47	27.0	96	10	17	28	31	37	49	51
TOTAL										
0-19 YRS	623	27.2	210	2	4	28	36	45	50	63
20-34	1879	18.7	120	2	2	22	28	30	32	38
35-49	428	19.0	115	2	3	21	28	30	31	41
50-64	82	16.1	116	2	3	16	25	31	32	36
65 +	54	16.5	89	1	3	21	25	28	29	31
GRAND TOTAL	**3066**	**20.3**	**149**	**2**	**3**	**22**	**28**	**32**	**39**	**51**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	1.5	16	< 1	< 1	1	1	1	2	21
20-34	43	1.1		< 1	< 1	< 1	1	1	1	5
35-49	22	1.7	2	< 1	< 1	1	2	3	5	7
50-64	7	5.0	103	< 1	< 1	1	2	23	28	28
65 +	7	2.3	9	1	1	1	2	8	9	9
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	154	7.1	151	< 1	< 1	1	4	28	41	50
20-34	211	7.1	97	< 1	< 1	2	7	28	29	32
35-49	141	7.0	101	< 1	< 1	2	6	28	28	36
50-64	65	6.2	81	< 1	1	3	5	28	28	31
65 +	46	4.2	27	1	1	2	5	9	13	28
B. Operated										
0-19 YRS	7	10.1	436	< 1	< 1	1	7	47	57	57
20-34	14	3.3	31	< 1	< 1	1	2	8	19	22
35-49	8	6.1	98	< 1	< 1	2	6	23	30	30
50-64	5	2.4	3	< 1	< 1	2	3	5	5	5
65 +	7	3.6	18	< 1	< 1	2	3	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	1.6	14	< 1	< 1	1	1	2	2	22
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	617	6.8	105	< 1	< 1	2	6	28	29	42
B. Operated	41	5.0	103	< 1	< 1	2	3	11	26	57
1. SINGLE DX	184	1.6	14	< 1	< 1	1	1	2	2	22
2. MULTIPLE DX	658	6.7	105	< 1	< 1	2	6	28	29	42
A. Not Operated	799	5.6	89	< 1	< 1	1	4	25	28	41
B. Operated	43	4.8	98	< 1	< 1	2	3	10	25	57
TOTAL										
0-19 YRS	264	5.0	112	< 1	< 1	1	2	19	31	49
20-34	269	6.0	83	< 1	< 1	1	5	26	28	30
35-49	172	6.2	90	< 1	< 1	2	5	27	28	36
50-64	77	5.9	78	< 1	1	2	5	28	28	30
65 +	60	3.9	24	1	1	2	5	9	12	27
GRAND TOTAL	**842**	**5.6**	**89**	**< 1**	**< 1**	**1**	**4**	**24**	**28**	**42**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.3	9	< 1	< 1	1	3	4	9	15
20-34	61	6.5	73	1	1	3	6	24	28	29
35-49	19	3.3	10	< 1	< 1	2	4	6	11	14
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	148	12.1	169	1	1	6	22	31	39	56
20-34	317	10.8	104	< 1	1	6	21	28	28	34
35-49	104	9.3	101	1	1	5	17	26	28	37
50-64	13	14.3	96	1	2	10	25	28	28	28
65 +	20	11.4	68	2	3	8	21	22	25	27
B. Operated										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	11	9.4	94	1	1	3	18	25	27	27
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	4.9	49	< 1	< 1	2	5	14	26	29
B. Operated	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	602	10.9	118	1	1	6	21	28	29	46
B. Operated	14	9.0	79	1	1	6	13	23	26	27
1. SINGLE DX	110	4.9	47	< 1	< 1	2	5	14	26	29
2. MULTIPLE DX	616	10.9	118	1	1	6	21	28	29	46
A. Not Operated	709	10.0	113	< 1	1	5	18	28	29	42
B. Operated	17	8.0	70	1	1	3	11	22	26	27
TOTAL										
0-19 YRS	174	10.7	157	< 1	1	5	15	30	36	55
20-34	391	10.0	101	1	1	5	19	27	28	33
35-49	125	8.3	90	1	1	4	14	25	28	33
50-64	14	13.4	100	1	2	10	24	28	28	28
65 +	22	10.8	66	2	3	7	21	22	25	27
GRAND TOTAL	**726**	**10.0**	**112**	**1**	**1**	**5**	**18**	**28**	**29**	**42**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.0	7	< 1	< 1	2	4	6	9	10
20-34	10	2.1	2	< 1	< 1	2	4	4	4	4
35-49	8	1.3	1	1	1	1	1	3	3	3
50-64	6	1.7	1	1	1	2	2	3	3	3
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	7.5	209	1	1	2	4	35	44	56
20-34	43	3.4	14	< 1	1	3	4	6	8	24
35-49	47	3.8	15	1	1	2	5	8	11	22
50-64	60	3.2	8	1	1	2	4	6	7	18
65 +	82	3.0	6	1	1	2	4	6	7	13
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	3	7.3	2	6	6	7	8	9	9	9
35-49	4	4.5	6	2	2	4	6	7	7	7
50-64	4	5.5	2	4	4	5	6	7	7	7
65 +	6	6.2	13	3	3	5	7	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.1	3	< 1	1	1	3	4	5	10
B. Operated	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	256	3.7	29	1	1	2	4	7	8	34
B. Operated	19	5.7	6	2	3	6	7	8	11	13
1. SINGLE DX	42	2.2	3	< 1	1	2	3	4	5	10
2. MULTIPLE DX	275	3.8	28	1	1	2	4	7	9	32
A. Not Operated	294	3.5	26	1	1	2	4	6	8	30
B. Operated	23	5.2	7	2	2	5	7	8	10	13
TOTAL										
0-19 YRS	39	5.9	134	1	1	2	4	12	37	56
20-34	57	3.4	12	< 1	1	2	4	7	8	23
35-49	61	3.5	13	1	1	2	4	7	9	21
50-64	70	3.2	8	1	1	2	4	6	7	17
65 +	90	3.2	6	1	1	2	4	6	8	14
GRAND TOTAL	**317**	**3.3**	**25**	**1**	**1**	**2**	**4**	**7**	**8**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	315	8.1	127	< 1	1	4	10	21	30	82
20-34	315	2.9	11	< 1	< 1	2	3	6	9	16
35-49	214	4.7	45	< 1	1	3	5	10	13	31
50-64	44	5.9	49	< 1	1	3	8	15	23	29
65 +	13	6.4	40	1	1	3	11	17	18	18
B. Operated										
0-19 YRS	9	6.9	74	1	1	4	7	21	29	29
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	833	11.0	197	1	1	5	14	30	44	72
20-34	1216	5.0	38	1	1	3	6	11	16	31
35-49	829	5.4	37	1	1	3	7	12	16	32
50-64	271	5.8	55	< 1	1	3	7	14	18	40
65 +	228	8.0	80	1	1	5	10	16	21	53
B. Operated										
0-19 YRS	27	8.1	81	< 1	1	5	9	24	27	38
20-34	58	5.4	27	< 1	1	3	7	13	17	22
35-49	28	6.1	28	< 1	< 1	4	9	15	16	17
50-64	12	9.7	134	1	2	7	10	24	41	44
65 +	20	10.8	64	1	2	11	15	23	27	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	901	5.3	67	< 1	1	3	6	12	20	43
B. Operated	17	5.3	42	1	1	4	6	8	22	29
2. MULTIPLE DX										
A. Not Operated	3377	6.8	87	1	1	4	8	16	27	53
B. Operated	145	7.1	53	< 1	1	5	11	16	21	38
1. SINGLE DX	918	5.3	66	< 1	1	3	6	12	20	42
2. MULTIPLE DX	3522	6.9	86	1	1	4	8	16	26	53
A. Not Operated	4278	6.5	83	1	1	3	7	15	25	52
B. Operated	162	6.9	52	< 1	1	4	10	16	21	37
TOTAL										
0-19 YRS	1184	10.1	176	1	1	5	12	29	42	73
20-34	1592	4.6	33	< 1	1	3	5	10	15	31
35-49	1074	5.2	38	1	1	3	6	12	16	31
50-64	329	5.9	56	< 1	1	3	7	14	20	42
65 +	261	8.1	77	1	1	5	11	17	22	53
GRAND TOTAL	**4440**	**6.5**	**82**	**< 1**	**1**	**3**	**7**	**15**	**25**	**51**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	340	18.7	314	1	2	14	30	44	55	99 +
20-34	155	16.8	297	1	1	7	30	40	49	61
35-49	87	10.7	222	< 1	1	4	17	33	42	67
50-64	32	8.5	95	< 1	1	3	15	25	29	30
65 +	23	5.3	46	< 1	1	3	7	13	22	30
B. Operated										
0-19 YRS	2	6.0	18	3	3	9	77	99 +	99 +	99 +
20-34	3	1.3		< 1	< 1	< 1	2	2	2	2
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	3	2.3	2	< 1	< 1	2	3	4	4	4
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1003	22.7	395	1	2	18	40	54	73	99 +
20-34	766	15.6	258	1	2	9	26	40	47	66
35-49	453	12.6	201	1	1	6	17	39	42	61
50-64	164	10.5	143	1	1	5	15	29	35	52
65 +	201	7.8	96	1	2	5	9	18	23	69
B. Operated										
0-19 YRS	16	20.9	405	< 1	1	9	38	49	56	59
20-34	31	18.4	326	1	1	14	31	45	49	61
35-49	22	17.0	482	1	1	7	29	43	63	91
50-64	9	18.9	251	6	6	15	21	44	58	58
65 +	19	9.1	102	1	2	6	11	14	33	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	637	16.2	290	1	1	9	28	40	49	77
B. Operated	12	2.5	5	< 1	< 1	2	3	27	86	99 +
2. MULTIPLE DX										
A. Not Operated	2587	16.9	307	1	2	9	29	44	54	99 +
B. Operated	97	16.7	327	1	1	9	28	45	49	77
1. SINGLE DX	649	15.9	288	1	1	8	28	40	49	92
2. MULTIPLE DX	2684	16.9	307	1	2	9	29	44	54	99 +
A. Not Operated	3224	16.8	304	1	2	9	29	43	54	99 +
B. Operated	109	15.1	311	< 1	1	7	24	45	49	95
TOTAL										
0-19 YRS	1361	21.7	377	1	2	17	37	51	69	99 +
20-34	955	15.8	266	1	1	9	27	40	47	65
35-49	565	12.4	215	1	1	5	17	39	42	65
50-64	208	10.4	141	1	1	5	15	29	34	55
65 +	244	7.7	91	1	2	5	9	17	23	66
GRAND TOTAL	**3333**	**16.7**	**304**	**1**	**2**	**9**	**28**	**43**	**54**	**99 +**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	13	10.1	64	1	2	8	14	25	25	25
35-49	4	6.0	25	2	2	4	9	13	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	16.8	194	< 1	1	16	28	33	43	45
20-34	17	9.6	71	< 1	1	7	16	23	26	27
35-49	14	6.6	49	1	2	5	7	13	25	29
50-64	4	10.5	76	3	3	8	16	23	23	23
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	8.3	51	1	2	6	12	20	25	25
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	49	10.4	102	1	1	6	16	27	28	45
B. Operated	3	5.3	20	1	1	5	9	10	10	10
1. SINGLE DX	21	8.1	50	1	2	6	12	19	25	25
2. MULTIPLE DX	52	10.1	99	1	1	6	15	27	28	45
A. Not Operated	69	9.8	88	1	1	6	14	25	28	42
B. Operated	4	5.0	14	1	1	4	7	10	10	10
TOTAL										
0-19 YRS	16	13.3	181	< 1	1	8	24	28	40	45
20-34	30	9.8	66	1	1	7	15	24	25	27
35-49	21	6.5	36	1	2	5	7	12	20	29
50-64	4	10.5	76	3	3	8	16	23	23	23
65 +	2	4.0	8	2	2	4	6	6	6	6
GRAND TOTAL	**73**	**9.5**	**84**	**1**	**1**	**6**	**14**	**25**	**28**	**41**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	243	8.2	16	2	2	9	11	12	14	17
20-34	44	4.3	8	1	1	3	6	8	10	11
35-49	19	6.3	19	1	2	5	9	12	16	17
50-64	16	7.1	34	1	1	5	11	14	19	21
65 +	6	6.5	20	1	1	7	10	12	12	12
B. Operated										
0-19 YRS	13	10.2	22	1	5	10	11	15	21	22
20-34	8	4.9	12	1	1	4	8	10	10	10
35-49	13	4.8	39	< 1	< 1	1	8	15	19	20
50-64	9	6.2	59	1	1	2	9	20	20	20
65 +	3	6.7	44	< 1	< 1	5	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	299	9.6	23	2	3	10	12	15	16	27
20-34	64	6.7	24	1	2	5	8	15	16	22
35-49	50	8.0	23	1	2	8	10	13	17	25
50-64	47	9.5	46	2	2	9	12	18	20	39
65 +	66	13.4	70	3	4	12	17	23	27	46
B. Operated										
0-19 YRS	68	19.6	316	4	7	13	22	43	56	90
20-34	43	19.1	316	2	3	14	26	43	57	87
35-49	42	15.1	202	< 1	1	11	18	41	48	52
50-64	43	20.8	392	1	3	16	30	43	58	99
65 +	60	22.1	226	5	7	19	29	42	52	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	328	7.5	17	1	2	8	10	12	14	18
B. Operated	46	6.8	36	< 1	1	5	10	14	20	22
2. MULTIPLE DX										
A. Not Operated	526	9.6	34	2	3	10	12	16	20	29
B. Operated	256	19.6	290	1	3	15	26	42	53	87
1. SINGLE DX	374	7.4	19	1	2	8	10	12	14	20
2. MULTIPLE DX	782	12.8	139	2	3	10	15	25	36	59
A. Not Operated	854	8.8	28	2	2	9	11	15	17	27
B. Operated	302	17.6	272	1	2	13	22	40	50	83
TOTAL										
0-19 YRS	623	10.2	63	2	3	10	11	15	19	45
20-34	159	9.3	133	1	2	6	11	19	31	60
35-49	124	9.8	98	1	1	8	12	19	31	51
50-64	115	13.1	208	1	2	9	17	30	38	84
65 +	135	16.8	160	2	5	13	21	34	42	59
GRAND TOTAL	**1156**	**11.1**	**107**	**1**	**2**	**10**	**13**	**20**	**30**	**55**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	8	2.0	1	1	1	2	3	4	4	4
50-64	28	3.4	11	1	1	2	4	6	8	18
65 +	45	4.8	11	1	2	4	6	8	12	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	4.6	3	2	2	5	6	7	7	7
35-49	4	8.5	63	1	1	7	15	18	18	18
50-64	41	8.1	43	1	2	7	9	19	21	31
65 +	339	7.2	24	2	3	6	9	14	17	25
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	21.0	772	2	2	10	38	62	62	62
65 +	36	12.7	130	1	4	10	17	25	33	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	4.0	11	1	1	3	5	7	10	18
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	390	7.3	26	2	2	6	9	14	18	27
B. Operated	40	13.5	182	1	3	10	17	26	47	62
1. SINGLE DX	83	4.0	11	1	1	3	5	7	10	18
2. MULTIPLE DX	430	7.9	44	2	2	6	10	15	19	30
A. Not Operated	473	6.7	25	1	2	5	9	13	17	24
B. Operated	40	13.5	182	1	3	10	17	26	47	62
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	3.9	4	2	2	4	5	7	7	7
35-49	12	4.2	28	1	1	2	4	14	17	18
50-64	73	7.0	77	1	1	4	9	16	21	55
65 +	420	7.5	35	2	2	6	9	14	18	29
GRAND TOTAL	**513**	**7.3**	**40**	**1**	**2**	**5**	**9**	**14**	**18**	**30**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	57	5.8	15	1	1	4	8	10	12	21
35-49	93	5.4	16	1	2	4	7	9	12	24
50-64	29	5.6	18	1	1	4	8	12	15	16
65 +	8	4.3	4	1	2	4	5	7	8	8
B. Operated										
0-19 YRS	0									
20-34	7	2.6	7	1	1	1	3	7	8	8
35-49	9	3.6	12	< 1	< 1	1	7	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	89	7.1	48	< 1	2	5	9	13	15	44
35-49	172	8.1	69	1	2	6	10	15	21	48
50-64	91	7.8	30	1	1	7	10	16	18	25
65 +	17	7.5	17	1	1	7	11	13	14	14
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	13.4	474	1	1	5	11	52	62	62
35-49	29	7.7	59	1	1	6	10	16	20	38
50-64	17	11.9	94	1	3	9	20	34	75	99 +
65 +	13	8.7	58	< 1	1	8	14	18	25	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	5.5	16	1	1	4	7	10	12	22
B. Operated	18	3.4	11	< 1	1	1	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	369	7.8	52	1	2	6	10	14	18	39
B. Operated	67	9.5	106	1	1	7	12	21	38	93
1. SINGLE DX	206	5.3	15	1	1	4	7	9	12	21
2. MULTIPLE DX	436	8.0	61	1	2	6	10	15	20	50
A. Not Operated	557	7.0	41	1	2	5	9	13	17	36
B. Operated	85	8.2	92	1	1	6	10	19	29	86
TOTAL										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	160	6.7	53	1	1	5	8	12	14	51
35-49	303	7.1	52	1	1	5	9	13	18	39
50-64	138	7.8	38	1	1	7	10	16	21	45
65 +	39	7.3	29	1	1	6	10	14	15	27
GRAND TOTAL	**642**	**7.2**	**48**	**1**	**1**	**5**	**9**	**14**	**18**	**39**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	363	2.7	17	1	1	2	3	5	7	19
20-34	211	2.3	5	1	1	2	2	5	7	12
35-49	114	2.1	2	1	1	2	3	4	5	6
50-64	75	2.5	3	1	1	2	3	5	7	8
65 +	71	3.1	4	1	1	3	4	6	6	10
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	2	26.0	800	6	6	26	46	46	46	46
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	7.0	72	< 1	< 1	6	13	13	13	13
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	706	3.6	14	1	1	2	4	8	11	21
20-34	454	3.8	23	1	1	2	4	8	13	24
35-49	438	3.9	17	1	1	3	5	8	11	22
50-64	472	4.4	18	1	1	3	5	8	12	24
65 +	1029	5.4	31	1	2	4	6	11	15	25
B. Operated										
0-19 YRS	27	9.4	171	1	1	3	13	26	37	58
20-34	35	10.7	178	1	1	6	14	27	35	67
35-49	49	7.8	108	1	1	4	11	19	53	99 +
50-64	40	10.6	160	1	2	6	12	25	43	56
65 +	88	10.1	81	2	2	7	14	21	26	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	834	2.5	10	1	1	2	3	5	7	11
B. Operated	10	7.7	196	< 1	< 1	2	6	29	46	46
2. MULTIPLE DX										
A. Not Operated	3099	4.4	23	1	1	3	5	9	13	23
B. Operated	239	9.7	123	1	2	6	13	22	34	99 +
1. SINGLE DX	844	2.6	12	1	1	2	3	5	7	12
2. MULTIPLE DX	3338	4.8	32	1	1	3	6	10	14	29
A. Not Operated	3933	4.0	20	1	1	3	5	8	12	22
B. Operated	249	9.6	125	1	1	6	13	22	35	99
TOTAL										
0-19 YRS	1100	3.4	20	1	1	2	4	7	10	23
20-34	702	3.8	31	1	1	2	4	8	12	28
35-49	602	3.9	23	1	1	2	5	8	12	29
50-64	589	4.6	29	1	1	3	5	9	13	29
65 +	1189	5.6	35	1	2	4	7	12	16	29
GRAND TOTAL	**4182**	**4.3**	**28**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.2	3	< 1	1	2	3	4	6	11
20-34	87	3.0	5	1	1	3	4	6	8	11
35-49	65	2.6	2	1	1	2	3	5	6	7
50-64	50	3.4	7	1	1	3	4	6	7	17
65 +	75	4.0	12	1	1	3	6	9	13	78
B. Operated										
0-19 YRS	145	6.1	74	< 1	1	2	6	25	28	31
20-34	83	4.2	16	1	1	3	6	8	9	25
35-49	81	4.2	15	1	1	3	6	8	11	20
50-64	67	3.8	12	< 1	1	3	5	7	11	17
65 +	67	5.5	60	1	1	3	6	12	16	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	194	4.8	61	1	1	3	5	9	16	65
20-34	212	6.2	86	1	1	3	7	13	24	45
35-49	253	6.9	119	1	1	4	7	12	23	67
50-64	324	7.2	65	1	1	5	9	15	23	41
65 +	1235	8.5	78	1	2	6	10	18	28	54
B. Operated										
0-19 YRS	221	9.3	140	1	1	5	11	25	33	66
20-34	203	8.4	101	1	1	6	11	16	28	86
35-49	188	9.2	123	1	1	6	11	23	31	92
50-64	215	11.1	193	1	1	7	13	27	41	67
65 +	494	11.9	128	2	3	9	15	24	35	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350	3.0	6	1	1	2	4	6	8	15
B. Operated	443	4.9	42	< 1	1	3	6	10	20	31
2. MULTIPLE DX										
A. Not Operated	2218	7.6	81	1	1	5	9	16	25	55
B. Operated	1321	10.4	137	1	1	7	13	24	35	70
1. SINGLE DX	793	4.1	27	1	1	2	5	8	12	30
2. MULTIPLE DX	3539	8.6	104	1	1	6	10	19	29	62
A. Not Operated	2568	6.9	73	1	1	4	8	15	24	48
B. Operated	1764	9.0	119	1	1	6	11	21	31	64
TOTAL										
0-19 YRS	633	6.4	91	< 1	1	3	7	15	26	53
20-34	585	6.2	73	1	1	4	7	13	20	54
35-49	587	6.8	98	1	1	4	7	16	24	65
50-64	656	7.9	104	1	1	5	9	17	28	58
65 +	1871	9.1	91	1	2	6	11	20	29	59
GRAND TOTAL	**4332**	**7.8**	**93**	**1**	**1**	**5**	**9**	**18**	**27**	**58**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	1.7	2	< 1	< 1	1	2	3	4	10
20-34	206	2.7	5	1	1	2	3	5	7	12
35-49	174	2.6	3	1	1	2	3	5	7	9
50-64	43	2.6	5	1	1	2	3	5	8	12
65 +	9	1.8		1	1	2	2	3	3	3
B. Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	8	1.5		1	1	1	2	2	2	2
35-49	15	2.2	1	< 1	1	2	3	4	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	2.6	12	1	1	2	3	4	6	24
20-34	309	3.4	9	1	1	2	4	6	10	17
35-49	310	3.6	12	1	1	3	4	6	10	18
50-64	164	3.0	6	1	1	2	4	6	8	13
65 +	84	3.5	8	1	1	3	5	7	8	17
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	4.9	15	1	1	4	6	9	14	18
35-49	30	6.5	77	1	1	4	6	15	19	46
50-64	13	5.5	16	1	1	4	8	11	14	15
65 +	8	3.1	6	1	1	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	502	2.5	4	1	1	2	3	5	7	11
B. Operated	28	2.1	1	< 1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	945	3.3	10	1	1	2	4	6	9	16
B. Operated	75	5.4	39	1	1	4	6	12	16	39
1. SINGLE DX	530	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX	1020	3.5	12	1	1	2	4	6	10	18
A. Not Operated	1447	3.0	8	1	1	2	4	6	8	15
B. Operated	103	4.5	31	1	1	3	5	8	14	32
TOTAL										
0-19 YRS	152	2.2	7	< 1	1	2	2	4	5	12
20-34	546	3.1	8	1	1	2	4	6	8	16
35-49	529	3.4	13	1	1	2	4	6	9	18
50-64	222	3.0	6	1	1	2	4	6	8	14
65 +	101	3.3	8	1	1	2	4	7	8	16
GRAND TOTAL	**1550**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	6	1.0		< 1	< 1	< 1	1	1	1	1
20-34	61	1.1		< 1	< 1	< 1	1	1	2	3
35-49	70	1.1		< 1	< 1	< 1	1	2	2	3
50-64	51	1.2		< 1	< 1	1	1	2	2	4
65 +	51	1.2		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	6	4.0	12	1	1	3	6	10	10	10
50-64	4	1.8	1	< 1	< 1	1	2	3	3	3
65 +	9	3.2	4	< 1	< 1	3	4	6	7	7
B. Operated										
0-19 YRS	8	1.1		1	1	1	1	2	2	2
20-34	43	1.7	2	< 1	1	1	2	3	5	8
35-49	72	2.0	3	< 1	< 1	1	2	4	7	9
50-64	72	1.6	1	< 1	1	1	2	3	4	6
65 +	73	2.0	3	< 1	< 1	1	2	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.2	11	1	1	2	4	9	9	9
B. Operated	239	1.1		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	21	3.3	6	< 1	< 1	3	4	7	8	10
B. Operated	268	1.8	2	< 1	< 1	1	2	4	5	8
1. SINGLE DX	244	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	289	2.0	3	< 1	< 1	1	2	4	6	9
A. Not Operated	26	3.3	7	< 1	1	2	4	7	9	10
B. Operated	507	1.5	1	< 1	< 1	1	2	3	4	7
TOTAL										
0-19 YRS	14	1.1		< 1	< 1	1	1	2	2	2
20-34	107	1.5	2	< 1	< 1	1	1	3	4	8
35-49	151	1.7	2	< 1	< 1	1	2	3	5	9
50-64	128	1.4	1	< 1	< 1	1	2	3	3	5
65 +	133	1.8	2	< 1	< 1	1	2	4	5	8
GRAND TOTAL	**533**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**8**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	5.1	65	< 1	< 1	2	5	15	30	32
20-34	56	4.3	28	< 1	1	3	4	11	17	28
35-49	57	4.7	46	< 1	1	3	5	11	14	45
50-64	51	4.4	27	1	1	3	5	9	18	25
65 +	34	3.0	6	1	1	2	5	7	8	10
B. Operated										
0-19 YRS	33	2.5	18	< 1	< 1	1	2	4	11	23
20-34	299	2.3	4	< 1	1	2	3	4	5	8
35-49	345	2.3	4	1	1	2	3	4	6	10
50-64	191	2.6	6	< 1	1	2	3	6	8	12
65 +	104	2.8	8	< 1	1	1	3	7	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	3.8	9	< 1	1	3	5	8	9	14
20-34	75	5.3	19	1	1	4	7	12	15	20
35-49	124	5.9	66	1	1	3	7	11	18	48
50-64	183	5.8	58	1	1	3	7	12	18	41
65 +	339	6.3	47	1	1	5	8	12	16	29
B. Operated										
0-19 YRS	33	13.4	524	1	1	4	10	45	79	90
20-34	223	4.8	59	1	1	3	5	8	11	53
35-49	307	4.7	60	1	1	3	6	9	12	60
50-64	234	4.6	59	1	1	2	5	10	19	60
65 +	266	6.4	65	1	1	4	8	17	25	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	228	4.3	34	< 1	1	2	5	10	15	30
B. Operated	972	2.4	5	< 1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	747	5.9	49	1	1	4	7	12	17	31
B. Operated	1063	5.4	77	1	1	3	6	11	20	63
1. SINGLE DX	1200	2.8	11	< 1	1	2	3	5	8	18
2. MULTIPLE DX	1810	5.6	66	1	1	3	7	11	18	57
A. Not Operated	975	5.5	46	1	1	4	7	11	16	31
B. Operated	2035	4.0	45	1	1	2	4	8	12	38
TOTAL										
0-19 YRS	122	6.3	180	< 1	< 1	2	5	15	27	84
20-34	653	3.7	28	1	1	2	4	7	10	24
35-49	833	3.9	38	1	1	2	4	8	11	29
50-64	659	4.3	42	1	1	2	5	9	16	34
65 +	743	5.7	48	1	1	4	7	12	18	38
GRAND TOTAL	**3010**	**4.5**	**46**	**1**	**1**	**3**	**5**	**9**	**14**	**37**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	0									
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	43	2.2	1	1	1	2	3	4	5	6
20-34	101	2.3	2	1	1	2	3	4	5	7
35-49	151	2.5	4	1	1	2	3	4	7	10
50-64	331	2.6	2	1	1	2	3	4	5	8
65 +	340	2.7	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	4	1.5		< 1	< 1	1	2	2	2	2
50-64	7	1.4	1	1	1	1	2	3	3	3
65 +	13	1.8	2	< 1	< 1	1	2	4	6	6
B. Operated										
0-19 YRS	56	2.7	4	1	1	2	3	5	5	13
20-34	123	4.1	52	1	1	3	4	6	8	39
35-49	194	3.3	6	1	1	3	4	5	8	16
50-64	456	3.3	5	1	1	3	4	6	7	14
65 +	733	3.5	4	1	1	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.6	2	2	2	3	4	6	6	6
B. Operated	966	2.6	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	26	1.6	1	< 1	< 1	1	2	3	4	6
B. Operated	1562	3.4	9	1	1	3	4	6	7	13
1. SINGLE DX	971	2.6	3	1	1	2	3	4	5	9
2. MULTIPLE DX	1588	3.4	8	1	1	3	4	6	7	13
A. Not Operated	31	1.9	2	< 1	< 1	1	3	4	6	6
B. Operated	2528	3.1	6	1	1	3	4	5	7	10
TOTAL										
0-19 YRS	102	2.5	3	1	1	2	3	4	5	10
20-34	227	3.3	30	1	1	3	4	5	6	17
35-49	349	2.9	5	1	1	2	3	5	7	15
50-64	794	3.0	4	1	1	3	4	5	7	10
65 +	1087	3.2	4	1	1	3	4	6	7	10
GRAND TOTAL	**2559**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	4	1.0		< 1	< 1	1	1	1	1	1
65 +	11	1.7	1	< 1	< 1	1	2	3	4	4
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	2.1	4	< 1	< 1	1	2	6	7	7
50-64	17	2.0	3	1	1	1	2	4	7	8
65 +	28	2.0	1	< 1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	2.0	1	1	1	2	3	3	3	3
65 +	14	2.0	2	1	1	2	2	4	5	5
B. Operated										
0-19 YRS	4	1.8	2	< 1	< 1	1	2	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	1.7	1	< 1	< 1	1	3	4	4	4
50-64	26	3.4	5	1	2	3	4	6	7	12
65 +	95	3.5	7	1	1	3	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated	55	2.0	2	< 1	1	1	3	3	5	8
2. MULTIPLE DX										
A. Not Operated	22	2.0	1	1	1	2	2	4	4	5
B. Operated	136	3.3	6	1	1	3	4	6	8	13
1. SINGLE DX	72	1.9	2	< 1	1	1	3	3	4	8
2. MULTIPLE DX	158	3.1	6	1	1	3	4	6	7	13
A. Not Operated	39	1.8	1	< 1	1	1	2	3	4	5
B. Operated	191	2.9	5	1	1	2	4	5	7	13
TOTAL										
0-19 YRS	5	1.6	2	< 1	< 1	1	2	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	21	1.9	2	< 1	< 1	1	2	4	5	7
50-64	54	2.6	4	1	1	2	3	4	6	12
65 +	148	2.9	5	1	1	2	4	5	7	13
GRAND TOTAL	**230**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	6	1.5		1	1	1	2	2	2	2
50-64	19	2.2	3	< 1	< 1	2	3	5	6	7
65 +	28	2.0	1	< 1	1	2	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	3	1.7		< 1	< 1	2	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	11	2.3	2	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	13	2.8	4	1	1	2	4	6	7	7
35-49	10	2.9	7	1	1	2	3	7	10	10
50-64	37	3.3	14	< 1	1	2	3	9	13	16
65 +	76	2.7	6	< 1	1	2	4	5	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	60	2.0	1	< 1	1	2	2	4	4	7
2. MULTIPLE DX										
A. Not Operated	18	2.1	1	< 1	< 1	2	3	4	4	4
B. Operated	139	2.9	8	< 1	1	2	4	5	10	14
1. SINGLE DX	62	2.0	1	< 1	1	2	2	4	4	7
2. MULTIPLE DX	157	2.8	7	< 1	1	2	4	5	9	14
A. Not Operated	20	2.0	1	< 1	< 1	2	3	4	4	4
B. Operated	199	2.6	6	< 1	1	2	3	5	8	13
TOTAL										
0-19 YRS	5	2.2	2	< 1	< 1	2	3	4	4	4
20-34	19	2.5	3	1	1	2	4	5	6	7
35-49	20	2.2	4	< 1	1	2	2	3	7	10
50-64	59	2.9	10	< 1	1	2	3	6	10	16
65 +	116	2.5	4	1	1	2	3	4	6	12
GRAND TOTAL	**219**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	20	1.2	1	< 1	< 1	< 1	< 1	1	3	5
50-64	105	1.1		< 1	< 1	< 1	< 1	1	2	3
65 +	692	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	20	1.3	1	< 1	< 1	< 1	1	2	3	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	11	1.1		< 1	< 1	1	1	2	2	2
50-64	88	1.6	3	< 1	< 1	1	2	2	3	12
65 +	448	1.7	2	< 1	< 1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	817	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX										
A. Not Operated	23	1.3	1	< 1	< 1	< 1	1	3	4	4
B. Operated	547	1.7	3	< 1	< 1	1	2	3	4	10
1. SINGLE DX	821	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX	570	1.7	2	< 1	< 1	1	2	3	4	10
A. Not Operated	27	1.3	1	< 1	< 1	< 1	1	2	3	4
B. Operated	1364	1.3	1	< 1	< 1	< 1	1	2	3	7
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	31	1.2	1	< 1	< 1	< 1	1	1	2	5
50-64	197	1.3	2	< 1	< 1	< 1	1	2	3	8
65 +	1163	1.3	1	< 1	< 1	< 1	1	2	3	7
GRAND TOTAL	**1391**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	8	1.1		< 1	< 1	1	1	2	2	2
50-64	10	1.0		< 1	< 1	< 1	< 1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	3	6.3	70	< 1	< 1	2	12	16	16	16
B. Operated										
0-19 YRS	10	1.5	2	1	1	1	1	3	5	5
20-34	6	2.8	3	< 1	< 1	3	4	5	5	5
35-49	12	2.0	3	< 1	< 1	1	3	5	6	6
50-64	33	1.2	1	< 1	< 1	< 1	1	2	2	5
65 +	104	1.4	2	< 1	< 1	< 1	1	2	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	28	1.1		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	3	6.3	70	< 1	< 1	2	12	16	16	16
B. Operated	165	1.5	2	< 1	< 1	< 1	1	3	4	9
1. SINGLE DX	28	1.1		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX	168	1.6	3	< 1	< 1	< 1	1	3	4	10
A. Not Operated	3	6.3	70	< 1	< 1	2	12	16	16	16
B. Operated	193	1.4	2	< 1	< 1	< 1	1	2	4	8
TOTAL										
0-19 YRS	16	1.4	1	< 1	< 1	1	1	2	4	5
20-34	9	2.3	3	< 1	< 1	2	4	5	5	5
35-49	20	1.7	2	< 1	< 1	1	2	3	5	6
50-64	43	1.2		< 1	< 1	< 1	< 1	2	2	5
65 +	108	1.6	4	< 1	< 1	< 1	1	2	4	13
GRAND TOTAL	**196**	**1.5**	**3**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	7.0		7	7	7	7	7	7	7
65 +	5	1.6	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	261	1.0		< 1	< 1	1	1	1	1	1
20-34	6	1.0		< 1	< 1	1	1	1	1	1
35-49	10	1.0		< 1	< 1	1	1	1	1	1
50-64	5	2.6	3	1	1	2	4	5	5	5
65 +	6	1.3	1	1	1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	< 1	< 1	2	3	4	4	4
20-34	7	2.9	4	1	1	3	5	6	6	6
35-49	0									
50-64	12	3.1	6	< 1	< 1	2	4	7	9	9
65 +	15	3.0	3	1	2	3	3	5	7	8
B. Operated										
0-19 YRS	92	1.0		< 1	< 1	1	1	1	1	2
20-34	12	1.5		< 1	< 1	1	2	3	3	3
35-49	7	3.0	8	< 1	< 1	1	6	7	7	7
50-64	10	1.8	1	1	1	1	3	4	4	4
65 +	9	3.2	10	1	1	2	4	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.0	6	< 1	< 1	2	5	7	7	7
B. Operated	288	1.0		< 1	< 1	1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated	37	2.9	4	< 1	1	2	4	6	7	9
B. Operated	130	1.4	2	< 1	< 1	1	1	2	3	8
1. SINGLE DX	301	1.1	1	< 1	< 1	1	1	1	1	6
2. MULTIPLE DX	167	1.7	3	< 1	< 1	1	2	3	5	9
A. Not Operated	50	3.0	4	< 1	1	2	4	6	7	9
B. Operated	418	1.1	1	< 1	< 1	1	1	1	2	5
TOTAL										
0-19 YRS	360	1.0		< 1	< 1	1	1	1	1	2
20-34	25	1.8	2	< 1	< 1	1	2	3	5	6
35-49	18	1.9	4	< 1	< 1	1	1	6	7	7
50-64	30	3.0	5	1	1	2	4	7	7	9
65 +	35	2.6	4	1	1	2	3	5	7	11
GRAND TOTAL	**468**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**7**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	2.3	4	< 1	< 1	2	3	4	4	14
20-34	17	3.7	15	< 1	1	2	3	8	14	17
35-49	13	3.2	11	1	1	2	3	6	12	14
50-64	6	3.7	4	1	1	3	4	7	7	7
65 +	9	5.7	13	1	2	5	7	11	13	13
B. Operated										
0-19 YRS	39	1.4	1	< 1	< 1	1	1	2	4	6
20-34	62	1.6	2	< 1	1	1	2	3	5	9
35-49	49	1.7	1	< 1	1	1	2	3	3	7
50-64	49	1.6	1	< 1	< 1	1	2	3	4	5
65 +	153	1.7	1	< 1	< 1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	3.1	4	1	1	3	4	5	6	12
20-34	16	3.8	7	< 1	< 1	3	6	8	9	9
35-49	12	3.4	7	< 1	< 1	3	5	7	10	10
50-64	14	6.6	25	< 1	< 1	5	8	14	19	20
65 +	46	6.3	12	2	3	6	7	10	14	19
B. Operated										
0-19 YRS	32	2.6	6	< 1	1	1	3	6	7	12
20-34	50	2.1	2	< 1	< 1	2	3	4	5	8
35-49	55	2.4	5	1	1	2	3	5	7	13
50-64	103	2.2	3	< 1	1	2	3	4	5	10
65 +	369	2.7	10	1	1	2	3	4	6	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	3.1	9	< 1	1	2	3	6	9	16
B. Operated	352	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	148	4.5	11	1	1	4	6	9	10	19
B. Operated	609	2.5	8	< 1	1	2	3	4	6	15
1. SINGLE DX	442	1.9	3	< 1	< 1	1	2	3	5	10
2. MULTIPLE DX	757	2.9	9	< 1	1	2	3	6	8	17
A. Not Operated	238	4.0	11	< 1	1	3	5	8	10	17
B. Operated	961	2.2	5	< 1	1	2	3	4	5	13
TOTAL										
0-19 YRS	176	2.4	4	< 1	< 1	2	3	5	6	12
20-34	145	2.3	5	< 1	1	1	3	5	7	10
35-49	129	2.3	5	1	1	2	3	5	6	13
50-64	172	2.4	6	< 1	1	2	3	5	7	13
65 +	577	2.8	9	< 1	1	2	3	5	8	18
GRAND TOTAL	**1199**	**2.6**	**7**	**< 1**	**1**	**2**	**3**	**5**	**7**	**14**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	262	2.9	2	1	1	3	4	5	6	8
20-34	10	2.9	4	1	1	2	5	6	6	6
35-49	19	4.4	20	< 1	1	3	6	12	15	15
50-64	14	2.9	7	1	1	2	3	6	10	11
65 +	14	2.6	5	< 1	1	2	4	6	7	7
B. Operated										
0-19 YRS	31	1.6	1	< 1	1	1	2	3	3	6
20-34	18	3.1	19	< 1	< 1	2	4	6	14	19
35-49	26	2.5	7	< 1	1	2	3	5	8	13
50-64	43	2.6	11	< 1	< 1	1	3	6	8	19
65 +	103	2.3	4	< 1	< 1	1	3	5	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	308	3.5	4	1	2	3	4	6	7	10
20-34	42	3.6	8	< 1	1	3	4	6	10	14
35-49	50	4.5	18	1	1	3	5	9	13	25
50-64	42	3.8	6	1	2	3	5	8	9	11
65 +	97	5.0	17	1	1	4	6	11	14	21
B. Operated										
0-19 YRS	68	4.2	14	1	1	3	6	9	12	19
20-34	78	3.5	10	1	1	3	4	7	10	17
35-49	98	4.2	22	1	1	3	5	10	11	28
50-64	168	3.4	17	1	1	2	4	7	9	23
65 +	313	3.5	20	< 1	1	3	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	319	3.0	4	1	1	3	4	5	6	10
B. Operated	221	2.4	6	< 1	< 1	1	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	539	3.9	8	1	2	3	5	7	9	15
B. Operated	725	3.7	18	1	1	3	4	7	11	19
1. SINGLE DX	540	2.7	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX	1264	3.8	14	1	1	3	4	7	10	16
A. Not Operated	858	3.5	7	1	1	3	4	6	8	14
B. Operated	946	3.3	16	< 1	1	2	4	7	9	19
TOTAL										
0-19 YRS	669	3.2	4	1	1	3	4	6	7	10
20-34	148	3.4	10	1	1	3	4	7	8	18
35-49	193	4.1	19	1	1	3	5	9	12	22
50-64	267	3.3	14	< 1	1	2	4	7	9	18
65 +	527	3.5	17	< 1	1	2	4	7	10	16
GRAND TOTAL	**1804**	**3.4**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.2	5	1	1	1	3	6	6	6
35-49	3	1.3		< 1	< 1	1	2	2	2	2
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	5	1.6	1	< 1	< 1	1	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	10	2.4	2	1	1	2	3	4	5	5
35-49	12	2.1	1	< 1	< 1	2	3	3	3	3
50-64	19	2.9	3	1	1	3	4	5	6	7
65 +	35	3.9	12	1	1	3	4	7	11	18
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	9	2.2	3	1	1	1	4	5	5	5
35-49	6	2.0		1	1	2	2	3	3	3
50-64	8	2.4	4	1	1	2	3	6	7	7
65 +	13	3.0	8	1	1	2	4	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.1	3	< 1	< 1	2	2	5	6	6
B. Operated	11	1.5		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	79	3.2	7	1	1	3	4	6	7	16
B. Operated	39	2.4	4	1	1	2	3	6	8	8
1. SINGLE DX	23	1.8	2	< 1	< 1	1	2	3	5	6
2. MULTIPLE DX	118	2.9	6	1	1	2	4	6	7	13
A. Not Operated	91	3.0	6	1	1	2	4	6	7	15
B. Operated	50	2.2	4	1	1	1	2	5	7	8
TOTAL										
0-19 YRS	11	2.0	2	< 1	< 1	1	3	4	5	5
20-34	25	2.3	3	1	1	2	3	5	5	6
35-49	23	1.9	1	< 1	1	2	3	3	3	3
50-64	31	2.7	3	1	1	2	4	5	7	7
65 +	51	3.5	10	1	1	3	4	7	10	18
GRAND TOTAL	**141**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	172	2.2	2	1	1	2	3	4	4	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64	3	4.0	7	2	2	3	6	7	7	7
65 +	0									
B. Operated										
0-19 YRS	1021	1.0		< 1	< 1	1	1	1	1	2
20-34	64	1.0		< 1	1	1	1	1	2	2
35-49	71	1.1		1	1	1	1	2	2	2
50-64	68	1.1		< 1	1	1	1	1	2	3
65 +	24	1.1		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	615	2.6	6	1	1	2	3	4	5	12
20-34	27	3.3	5	1	1	3	4	7	8	10
35-49	9	3.9	17	1	1	2	5	10	14	14
50-64	9	4.7	10	< 1	< 1	5	6	9	11	11
65 +	15	5.1	11	1	2	4	7	10	13	14
B. Operated										
0-19 YRS	662	1.4	5	< 1	< 1	1	1	2	3	11
20-34	106	1.5	3	< 1	1	1	1	2	3	12
35-49	102	1.2		1	1	1	1	2	2	4
50-64	96	1.5	2	1	1	1	1	2	4	10
65 +	59	1.7	4	< 1	1	1	2	3	4	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	2.2	2	1	1	2	3	4	5	10
B. Operated	1248	1.0		< 1	< 1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	675	2.8	6	1	1	2	3	4	6	13
B. Operated	1025	1.4	4	< 1	< 1	1	1	2	3	11
1. SINGLE DX	1429	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	1700	2.0	5	< 1	< 1	1	2	4	5	12
A. Not Operated	856	2.6	5	1	1	2	3	4	5	12
B. Operated	2273	1.2	2	< 1	< 1	1	1	1	2	6
TOTAL										
0-19 YRS	2470	1.6	3	< 1	< 1	1	2	3	4	9
20-34	199	1.6	3	< 1	1	1	2	3	4	9
35-49	186	1.4	1	1	1	1	1	2	3	5
50-64	176	1.6	3	1	1	1	1	3	5	10
65 +	98	2.1	6	1	1	1	2	5	7	58
GRAND TOTAL	**3129**	**1.6**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	2.9	4	1	1	2	3	5	7	11
20-34	14	3.9	5	1	2	3	5	8	8	8
35-49	13	3.2	2	1	1	3	4	5	6	6
50-64	9	4.7	21	1	1	3	5	12	16	16
65 +	8	3.5	2	1	1	4	4	5	5	5
B. Operated										
0-19 YRS	43	2.8	13	< 1	< 1	1	3	8	11	18
20-34	17	2.4	4	< 1	1	1	3	6	7	7
35-49	18	1.3	1	1	1	1	1	2	3	4
50-64	9	1.3	1	1	1	1	2	3	3	3
65 +	12	3.1	7	1	1	2	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	149	3.4	7	1	1	3	4	7	9	15
20-34	50	4.1	5	1	1	4	5	8	8	11
35-49	44	4.1	5	1	2	4	5	7	8	12
50-64	29	9.8	265	2	2	5	9	19	40	85
65 +	48	5.9	13	2	2	5	7	12	13	16
B. Operated										
0-19 YRS	99	2.6	9	< 1	1	1	3	6	8	18
20-34	45	3.0	13	1	1	2	3	6	11	17
35-49	35	2.6	13	1	1	1	2	8	11	17
50-64	37	4.7	90	1	1	1	3	13	25	50
65 +	42	6.6	66	1	1	4	8	16	22	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	3.3	5	1	1	3	4	6	8	13
B. Operated	99	2.4	8	< 1	1	1	3	6	8	16
2. MULTIPLE DX										
A. Not Operated	320	4.6	33	1	2	3	5	8	11	18
B. Operated	258	3.6	33	1	1	1	4	8	15	29
1. SINGLE DX	200	2.8	7	1	1	2	3	6	8	14
2. MULTIPLE DX	578	4.2	33	1	1	3	5	8	11	23
A. Not Operated	421	4.3	27	1	2	3	5	8	10	16
B. Operated	357	3.3	26	1	1	1	3	8	11	23
TOTAL										
0-19 YRS	348	3.0	8	< 1	1	2	3	6	9	16
20-34	126	3.5	8	1	1	3	4	8	8	15
35-49	110	3.1	7	1	1	2	4	7	8	14
50-64	84	6.1	139	1	1	2	6	13	25	73
65 +	110	5.7	32	1	1	4	7	11	15	32
GRAND TOTAL	**778**	**3.8**	**27**	**1**	**1**	**3**	**4**	**8**	**10**	**21**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	37	1.9	1	1	1	2	2	3	4	5
35-49	66	2.3	3	1	1	2	3	4	5	9
50-64	115	2.2	3	1	1	2	3	4	6	10
65 +	104	2.1	2	1	1	2	3	4	4	8
B. Operated										
0-19 YRS	17	1.1		< 1	< 1	1	1	1	2	3
20-34	35	1.7	3	1	1	1	2	3	7	9
35-49	47	2.2	4	1	1	1	3	5	7	8
50-64	49	2.3	4	1	1	1	3	6	7	10
65 +	24	2.0	3	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.9	1	< 1	< 1	2	2	3	4	4
20-34	64	2.5	3	1	1	2	3	4	5	9
35-49	150	2.8	5	1	1	2	3	5	8	11
50-64	344	2.8	4	1	1	2	4	5	6	11
65 +	965	3.2	6	1	1	3	4	6	7	12
B. Operated										
0-19 YRS	14	1.3		< 1	< 1	1	1	2	3	3
20-34	21	3.6	13	1	1	2	5	10	12	12
35-49	32	3.2	8	1	1	2	5	7	10	11
50-64	43	4.5	12	1	1	4	6	9	10	18
65 +	66	4.6	27	1	1	3	6	9	11	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	2.2	2	1	1	2	3	4	5	8
B. Operated	172	2.0	3	1	1	1	2	5	7	9
2. MULTIPLE DX										
A. Not Operated	1532	3.0	5	1	1	2	4	5	7	11
B. Operated	176	3.9	17	1	1	3	5	8	10	19
1. SINGLE DX	501	2.1	3	1	1	2	3	4	6	9
2. MULTIPLE DX	1708	3.1	6	1	1	2	4	6	7	12
A. Not Operated	1861	2.9	5	1	1	2	4	5	7	11
B. Operated	348	3.0	11	1	1	2	4	7	9	13
TOTAL										
0-19 YRS	47	1.4	1	< 1	1	1	2	2	3	4
20-34	157	2.3	4	1	1	2	3	5	6	12
35-49	295	2.6	5	1	1	2	3	5	7	11
50-64	551	2.8	5	1	1	2	3	5	7	11
65 +	1159	3.2	7	1	1	3	4	6	7	12
GRAND TOTAL	**2209**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.0		< 1	< 1	1	1	1	1	1
20-34	59	1.2		< 1	1	1	1	2	2	3
35-49	113	1.1		1	1	1	1	2	2	2
50-64	71	1.2		< 1	1	1	1	2	3	4
65 +	27	1.3		< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	35	1.1		1	1	1	1	1	2	2
35-49	40	1.1		< 1	< 1	1	1	2	2	2
50-64	44	1.2		1	1	1	1	2	2	2
65 +	29	1.7	1	1	1	1	2	3	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	277	1.1		< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	151	1.2		1	1	1	1	2	2	4
1. SINGLE DX	278	1.1		< 1	1	1	1	2	2	3
2. MULTIPLE DX	153	1.2		1	1	1	1	2	2	4
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	428	1.2		< 1	1	1	1	2	2	3
TOTAL										
0-19 YRS	10	1.0		< 1	< 1	1	1	1	1	1
20-34	94	1.1		< 1	1	1	1	2	2	3
35-49	155	1.1		< 1	1	1	1	2	2	2
50-64	116	1.2		< 1	1	1	1	2	2	4
65 +	56	1.5	1	< 1	1	1	2	3	3	4
GRAND TOTAL	**431**	**1.2**		**<1**	**1**	**1**	**1**	**2**	**2**	**3**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.1		< 1	< 1	1	1	1	2	2
20-34	6	3.2	5	1	1	3	4	7	7	7
35-49	5	2.2	2	< 1	< 1	2	3	4	4	4
50-64	5	5.8	59	1	1	2	9	19	19	19
65 +	4	3.0	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	169	1.1		< 1	< 1	1	1	1	2	3
20-34	121	1.1		< 1	< 1	1	1	1	2	4
35-49	116	1.2		< 1	< 1	1	1	2	2	5
50-64	61	1.2		< 1	< 1	1	1	2	3	5
65 +	40	1.6	2	< 1	< 1	1	1	3	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.3	6	< 1	< 1	1	3	5	9	10
20-34	11	5.5	100	< 1	< 1	2	5	18	34	35
35-49	9	3.7	1	3	3	4	4	5	5	5
50-64	14	2.1	2	< 1	< 1	2	3	4	6	6
65 +	28	3.3	3	1	1	3	4	6	7	8
B. Operated										
0-19 YRS	194	1.3	2	< 1	< 1	1	1	2	2	8
20-34	147	1.4	2	< 1	< 1	1	1	2	4	7
35-49	152	1.6	2	< 1	1	1	1	3	4	10
50-64	148	1.5	2	< 1	1	1	1	2	4	8
65 +	72	1.4	2	< 1	1	1	1	2	3	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.4	10	< 1	< 1	1	3	5	7	19
B. Operated	507	1.2		< 1	< 1	1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated	76	3.3	17	< 1	< 1	2	4	6	7	28
B. Operated	713	1.4	2	< 1	1	1	1	2	3	10
1. SINGLE DX	545	1.3	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX	789	1.6	4	< 1	1	1	1	3	4	10
A. Not Operated	114	3.0	15	< 1	< 1	2	4	5	7	25
B. Operated	1220	1.3	1	< 1	< 1	1	1	2	3	8
TOTAL										
0-19 YRS	395	1.2	1	< 1	< 1	1	1	1	2	5
20-34	285	1.5	5	< 1	< 1	1	1	2	4	7
35-49	282	1.5	2	< 1	< 1	1	1	3	4	9
50-64	228	1.6	3	< 1	< 1	1	1	2	4	9
65 +	144	1.8	3	< 1	1	1	2	4	6	15
GRAND TOTAL	**1334**	**1.5**	**3**	**<1**	**<1**	**1**	**1**	**2**	**4**	**8**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	5.6	46	< 1	1	3	5	16	22	27
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	19.0		19	19	19	19	19	19	19
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	4.1	9	1	1	3	5	8	11	13
20-34	7	4.7	10	2	2	4	7	10	10	10
35-49	9	5.1	9	1	1	5	7	9	10	10
50-64	6	3.8	2	3	3	3	5	6	6	6
65 +	11	6.3	25	2	2	5	8	14	19	19
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	17.0		17	17	17	17	17	17	17
35-49	5	5.0	24	1	1	5	7	13	13	13
50-64	12	8.3	49	1	1	8	14	19	22	22
65 +	8	7.3	26	1	1	7	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	5.5	40	< 1	1	3	5	16	21	27
B. Operated	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated	52	4.8	12	1	2	4	6	9	11	19
B. Operated	27	7.7	38	1	1	7	13	17	19	22
1. SINGLE DX	23	6.0	47	< 1	1	3	6	17	22	27
2. MULTIPLE DX	79	5.8	22	1	1	4	8	13	16	21
A. Not Operated	74	5.0	20	1	2	3	6	10	15	25
B. Operated	28	8.1	41	1	1	7	14	18	19	22
TOTAL										
0-19 YRS	39	4.7	26	1	1	3	5	11	16	27
20-34	9	6.1	24	2	2	4	8	14	17	17
35-49	16	5.0	13	1	1	5	7	10	12	13
50-64	19	7.8	44	1	2	5	13	19	21	22
65 +	19	6.7	24	1	2	6	9	14	17	19
GRAND TOTAL	**102**	**5.8**	**27**	**1**	**1**	**4**	**8**	**14**	**18**	**24**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	5	4.6	14	2	2	2	8	10	10	10
B. Operated										
0-19 YRS	4	4.5	12	1	1	4	7	8	8	8
20-34	9	6.2	12	1	1	7	9	11	11	11
35-49	25	5.4	22	< 1	1	6	9	10	13	18
50-64	25	4.1	21	< 1	1	2	7	13	13	14
65 +	21	4.2	29	< 1	< 1	1	7	14	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	5.5	17	1	1	4	8	13	13	13
35-49	36	3.9	6	< 1	1	3	5	7	8	12
50-64	68	4.7	8	< 1	1	4	7	8	10	13
65 +	193	6.6	39	1	2	5	8	14	16	33
B. Operated										
0-19 YRS	8	6.6	38	1	1	5	11	15	17	17
20-34	29	7.3	38	< 1	1	7	10	14	24	25
35-49	139	8.2	38	1	1	8	12	16	20	26
50-64	316	9.8	95	1	1	9	12	18	27	55
65 +	409	11.5	99	1	1	10	15	23	31	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.3	9	1	1	2	4	9	10	10
B. Operated	84	4.8	21	< 1	1	2	8	11	14	17
2. MULTIPLE DX										
A. Not Operated	310	5.8	28	1	2	5	7	11	14	22
B. Operated	901	10.2	87	1	1	9	13	20	27	48
1. SINGLE DX	93	4.6	20	< 1	1	2	8	11	14	17
2. MULTIPLE DX	1211	9.1	76	1	1	8	12	18	24	44
A. Not Operated	319	5.8	28	1	2	4	7	11	14	22
B. Operated	985	9.7	84	1	1	9	13	20	27	46
TOTAL										
0-19 YRS	12	5.9	29	1	1	5	10	13	16	17
20-34	52	6.5	28	1	1	6	9	12	15	25
35-49	203	7.0	33	1	1	6	11	14	19	23
50-64	409	8.6	80	1	1	7	11	16	22	51
65 +	628	9.7	83	1	1	8	13	20	27	45
GRAND TOTAL	**1304**	**8.8**	**73**	**1**	**1**	**7**	**12**	**17**	**23**	**43**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	5	< 1	< 1	2	4	6	6	6
20-34	24	2.2	1	< 1	1	2	3	4	4	4
35-49	68	2.4	3	1	1	2	3	5	6	8
50-64	83	2.9	6	1	1	2	3	5	7	16
65 +	57	2.5	3	1	1	2	3	5	6	8
B. Operated										
0-19 YRS	167	2.6	3	1	1	2	3	5	5	9
20-34	11	2.5	9	< 1	< 1	1	3	6	11	11
35-49	16	1.7	1	< 1	1	1	2	4	4	4
50-64	21	1.4	1	< 1	< 1	1	2	3	3	3
65 +	7	4.6	23	1	1	2	8	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.7	3	1	1	2	4	5	6	6
20-34	97	3.4	11	1	1	2	4	8	10	19
35-49	346	3.2	6	1	1	3	4	6	8	12
50-64	576	3.6	18	1	1	3	4	7	8	13
65 +	836	4.1	9	1	1	3	5	8	9	16
B. Operated										
0-19 YRS	5	5.6	10	2	2	6	8	10	10	10
20-34	35	5.1	42	1	1	3	6	10	12	38
35-49	58	5.3	21	1	1	4	7	10	17	21
50-64	100	5.3	36	1	1	4	7	10	15	35
65 +	136	7.3	61	1	1	4	10	16	27	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	2.6	4	1	1	2	3	5	6	9
B. Operated	222	2.5	4	1	1	2	3	4	5	12
2. MULTIPLE DX										
A. Not Operated	1866	3.7	11	1	1	3	5	7	9	14
B. Operated	334	6.1	44	1	1	4	8	14	19	35
1. SINGLE DX	458	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	2200	4.1	17	1	1	3	5	8	10	20
A. Not Operated	2102	3.6	11	1	1	3	4	7	8	13
B. Operated	556	4.7	31	1	1	3	5	10	15	32
TOTAL										
0-19 YRS	187	2.7	4	1	1	2	4	5	6	10
20-34	167	3.5	16	1	1	2	4	8	10	21
35-49	488	3.3	7	1	1	3	4	6	8	14
50-64	780	3.7	19	1	1	3	4	7	9	18
65 +	1036	4.4	17	1	1	3	5	8	12	22
GRAND TOTAL	**2658**	**3.8**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	6	3.3	1	2	2	3	4	4	4	4
50-64	10	2.8	4	1	1	2	4	6	6	6
65 +	32	3.9	4	2	2	4	5	7	8	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	2.4	1	1	1	2	3	4	4	4
35-49	64	4.7	9	1	2	4	6	8	12	15
50-64	243	5.2	13	1	2	4	6	10	13	17
65 +	1088	5.9	14	2	2	5	7	11	14	19
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	7.0	96	2	2	3	4	25	27	27
35-49	10	7.4	26	< 1	< 1	8	10	14	18	18
50-64	91	7.0	73	1	1	5	9	15	17	51
65 +	160	9.4	81	1	2	7	12	18	23	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	3.8	7	1	1	3	4	6	8	18
B. Operated	4	3.3	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	1401	5.7	14	2	2	5	7	11	13	19
B. Operated	268	8.4	77	1	1	6	11	17	21	51
1. SINGLE DX	56	3.8	7	1	1	3	4	6	8	17
2. MULTIPLE DX	1669	6.1	25	2	2	5	8	12	15	23
A. Not Operated	1453	5.6	14	2	2	5	7	11	13	18
B. Operated	272	8.4	76	1	1	6	11	17	21	50
TOTAL										
0-19 YRS	3	10.0	57	3	3	9	16	18	18	18
20-34	14	4.4	43	1	1	3	3	7	22	27
35-49	81	4.9	11	1	2	4	7	10	12	17
50-64	344	5.6	29	1	2	4	7	11	14	22
65 +	1283	6.2	24	2	2	5	8	12	15	23
GRAND TOTAL	**1725**	**6.0**	**25**	**2**	**2**	**5**	**8**	**12**	**15**	**22**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	4.3	13	1	1	3	9	9	9	9
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65 +	7	2.6	6	1	1	2	3	7	8	8
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	3.4	4	1	1	3	5	6	6	6
35-49	9	2.6	3	< 1	< 1	3	3	5	6	6
50-64	10	2.5	5	1	1	2	3	6	7	7
65 +	11	2.3	7	1	1	1	3	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.9	7	< 1	< 1	2	3	7	9	9
20-34	16	3.5	8	1	1	3	5	9	10	10
35-49	30	3.4	3	1	2	3	4	5	8	9
50-64	41	4.9	9	1	2	4	7	9	10	14
65 +	102	7.1	33	2	2	5	9	14	20	27
B. Operated										
0-19 YRS	31	8.5	59	1	1	7	12	17	29	32
20-34	65	6.1	18	1	2	6	9	12	13	17
35-49	94	6.2	29	1	2	5	8	13	16	26
50-64	110	7.3	55	1	1	6	9	15	19	44
65 +	146	9.6	82	1	2	7	12	22	31	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.3	7	1	1	2	4	8	9	9
B. Operated	37	2.5	4	1	1	1	3	6	7	9
2. MULTIPLE DX										
A. Not Operated	197	5.6	23	1	2	4	7	11	14	26
B. Operated	446	7.7	55	1	2	6	10	16	21	35
1. SINGLE DX	56	2.8	5	1	1	2	3	6	8	9
2. MULTIPLE DX	643	7.1	46	1	2	5	9	15	20	32
A. Not Operated	216	5.4	22	1	2	4	7	10	14	25
B. Operated	483	7.3	53	1	1	6	10	16	21	35
TOTAL										
0-19 YRS	41	7.0	52	< 1	1	4	10	15	23	32
20-34	92	5.4	16	1	1	4	8	12	13	16
35-49	136	5.3	23	1	2	4	7	12	15	23
50-64	164	6.3	42	1	1	5	8	13	17	36
65 +	266	8.2	62	1	2	6	10	19	24	35
GRAND TOTAL	**699**	**6.7**	**44**	**1**	**1**	**5**	**9**	**14**	**19**	**32**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	3.8	6	< 1	< 1	4	6	7	8	8
35-49	229	5.9	7	1	1	6	8	9	10	12
50-64	515	6.3	7	1	2	7	8	9	10	13
65 +	429	6.6	9	1	2	7	8	10	11	15
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	22	5.5	8	< 1	1	6	8	9	9	9
35-49	141	6.0	8	1	2	6	8	9	11	14
50-64	211	6.0	8	1	2	6	7	10	11	13
65 +	101	7.2	22	1	2	7	9	11	13	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	6.8	11	2	3	6	7	11	15	15
20-34	36	5.8	9	1	1	5	8	10	11	13
35-49	813	6.6	11	1	2	7	8	10	12	17
50-64	2725	7.2	13	2	3	7	9	11	13	20
65 +	7124	8.4	18	3	4	8	10	13	16	24
B. Operated										
0-19 YRS	3	8.7	4	7	7	8	10	11	11	11
20-34	65	8.2	37	3	4	7	9	13	14	44
35-49	982	8.0	35	2	3	7	10	13	15	23
50-64	2465	9.4	42	2	4	8	11	15	20	35
65 +	2695	11.7	63	4	5	10	14	20	26	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1185	6.3	8	1	2	7	8	9	10	13
B. Operated	476	6.2	11	1	2	6	8	10	11	15
2. MULTIPLE DX										
A. Not Operated	10708	8.0	17	3	4	7	10	12	15	23
B. Operated	6210	10.1	52	3	4	9	12	17	23	42
1. SINGLE DX	1661	6.3	9	1	2	6	8	9	11	14
2. MULTIPLE DX	16918	8.8	31	3	4	8	10	14	18	30
A. Not Operated	11893	7.8	16	2	4	7	9	12	14	22
B. Operated	6686	9.9	50	3	4	8	12	17	22	40
TOTAL										
0-19 YRS	14	7.0	10	2	4	7	8	11	14	15
20-34	135	6.8	24	1	2	6	8	10	13	23
35-49	2165	7.1	22	1	3	7	9	11	13	21
50-64	5916	8.0	26	2	3	7	9	13	16	28
65 +	10349	9.2	32	3	4	8	11	15	19	32
GRAND TOTAL	**18579**	**8.6**	**29**	**2**	**4**	**8**	**10**	**14**	**17**	**29**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	2.3	3	1	1	2	3	5	6	7
35-49	179	2.0	1	1	1	2	2	3	4	6
50-64	319	2.1	1	1	1	2	3	3	4	6
65 +	379	2.3	1	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	0									
20-34	9	2.1	1	< 1	< 1	2	3	4	4	4
35-49	70	2.1	4	< 1	< 1	1	2	5	7	10
50-64	141	1.9	3	< 1	< 1	1	2	4	5	11
65 +	82	2.1	2	< 1	< 1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.3	4	2	2	3	4	6	6	6
20-34	78	2.3	2	1	1	2	3	4	5	7
35-49	790	2.5	3	1	1	2	3	4	6	9
50-64	2340	2.9	4	1	1	2	4	5	6	10
65 +	5274	3.2	6	1	1	3	4	6	7	11
B. Operated										
0-19 YRS	2	4.5	5	3	3	6	76	99 +	99 +	99 +
20-34	32	2.7	3	1	1	2	4	5	6	8
35-49	556	3.7	11	1	1	2	5	9	10	14
50-64	1942	4.0	15	< 1	1	2	6	9	12	18
65 +	1998	5.3	40	1	1	3	8	12	14	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	894	2.2	1	1	1	2	3	4	4	7
B. Operated	302	2.0	3	< 1	< 1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	8486	3.1	5	1	1	3	4	5	7	11
B. Operated	4530	4.5	26	1	1	3	7	10	13	23
1. SINGLE DX	1196	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	13016	3.6	13	1	1	3	4	7	10	16
A. Not Operated	9380	3.0	5	1	1	2	4	5	7	11
B. Operated	4832	4.4	25	< 1	1	3	6	10	12	22
TOTAL										
0-19 YRS	7	3.4	3	2	2	3	6	72	99 +	99 +
20-34	135	2.4	2	1	1	2	3	4	5	8
35-49	1595	2.8	6	1	1	2	3	6	8	12
50-64	4742	3.2	9	1	1	2	4	7	9	14
65 +	7733	3.7	15	1	1	3	4	7	10	17
GRAND TOTAL	**14212**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	13	1.8	1	< 1	< 1	1	2	4	5	5
35-49	130	2.3	2	1	1	2	3	4	5	9
50-64	395	2.6	2	1	1	2	3	5	6	7
65 +	490	2.7	2	1	1	2	3	5	5	9
B. Operated										
0-19 YRS	0									
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	78	3.0	7	1	1	2	3	6	8	14
50-64	215	3.4	8	1	1	3	5	8	9	13
65 +	178	3.8	15	1	1	3	5	8	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3	1	1	1	2	3	4	4	4
20-34	47	2.9	5	1	1	2	3	6	8	12
35-49	742	3.0	4	1	1	2	4	5	7	11
50-64	2849	3.3	5	1	1	3	4	6	7	11
65 +	7303	3.9	7	1	2	3	5	7	9	14
B. Operated										
0-19 YRS	2	9.5	85	3	3	9	16	16	16	16
20-34	31	4.7	10	1	1	4	7	9	10	14
35-49	847	5.4	23	1	1	4	8	11	12	19
50-64	3097	6.2	27	1	1	5	9	12	15	24
65 +	4015	7.7	49	1	1	6	11	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1030	2.6	2	1	1	2	3	5	5	8
B. Operated	475	3.5	10	1	1	3	4	8	9	14
2. MULTIPLE DX										
A. Not Operated	10948	3.7	6	1	1	3	4	7	8	13
B. Operated	7992	6.9	39	1	1	5	9	14	17	30
1. SINGLE DX	1505	2.9	5	1	1	2	3	5	7	11
2. MULTIPLE DX	18940	5.0	23	1	1	4	6	10	13	22
A. Not Operated	11978	3.6	6	1	1	3	4	6	8	13
B. Operated	8467	6.7	38	1	1	5	9	13	17	29
TOTAL										
0-19 YRS	11	3.4	19	< 1	< 1	2	3	9	15	16
20-34	95	3.3	7	1	1	2	4	7	9	13
35-49	1797	4.1	14	1	1	3	5	8	11	15
50-64	6556	4.6	18	1	1	3	6	10	12	19
65 +	11986	5.1	25	1	2	4	6	11	14	24
GRAND TOTAL	**20445**	**4.9**	**22**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	14	2.6	3	< 1	< 1	2	3	5	7	8
50-64	29	2.5	4	< 1	1	2	3	5	6	10
65 +	20	2.3	2	< 1	1	2	3	4	5	5
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	11	3.0	7	1	1	2	5	7	8	8
35-49	212	2.9	6	1	1	2	4	7	9	10
50-64	669	2.8	8	< 1	1	1	3	8	9	13
65 +	415	3.5	13	< 1	1	2	5	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	2.7	4	1	1	2	4	6	6	6
35-49	146	3.0	6	1	1	2	4	6	8	13
50-64	393	3.2	6	1	1	3	4	6	7	13
65 +	811	4.3	12	1	1	3	5	8	10	19
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	33	4.5	25	1	1	2	7	13	13	22
35-49	1202	4.6	18	1	1	3	7	10	12	17
50-64	4274	5.7	39	1	1	4	9	12	15	28
65 +	4186	7.3	59	1	1	6	10	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	2.5	3	< 1	1	2	3	5	6	10
B. Operated	1308	3.0	9	< 1	1	2	3	8	10	13
2. MULTIPLE DX										
A. Not Operated	1362	3.8	10	1	1	3	5	7	10	17
B. Operated	9698	6.3	46	1	1	4	9	13	17	32
1. SINGLE DX	1374	3.0	9	< 1	1	2	3	8	10	13
2. MULTIPLE DX	11060	6.0	42	1	1	4	9	12	16	30
A. Not Operated	1428	3.7	10	1	1	3	5	7	10	17
B. Operated	11006	5.9	43	1	1	3	9	12	16	30
TOTAL										
0-19 YRS	5	2.4	10	1	1	1	3	8	8	8
20-34	58	3.8	17	1	1	2	5	9	13	21
35-49	1574	4.2	15	1	1	3	7	9	11	16
50-64	5365	5.1	34	1	1	3	8	11	14	25
65 +	5432	6.6	50	1	1	4	9	14	18	34
GRAND TOTAL	**12434**	**5.6**	**39**	**1**	**1**	**3**	**8**	**12**	**16**	**28**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	9.5	41	5	5	9	14	14	14	14
20-34	48	7.1	6	4	4	7	8	11	12	14
35-49	76	7.2	7	3	4	7	9	10	11	16
50-64	70	6.9	5	2	4	7	8	9	10	13
65 +	92	7.7	8	3	4	8	9	11	12	18
B. Operated										
0-19 YRS	0									
20-34	21	7.4	6	3	5	7	9	11	12	13
35-49	15	9.5	24	3	4	9	11	14	21	24
50-64	20	7.0	6	2	3	7	9	10	10	11
65 +	17	7.7	12	< 1	2	8	9	12	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	7.4	19	< 1	1	7	9	14	15	15
20-34	90	7.7	8	4	4	7	9	12	13	16
35-49	226	8.1	16	3	4	8	9	13	15	21
50-64	436	8.2	11	4	5	8	10	12	14	19
65 +	1021	9.2	17	4	5	8	11	14	17	23
B. Operated										
0-19 YRS	4	13.0	241	2	2	7	22	36	36	36
20-34	38	12.8	131	5	7	10	13	22	31	71
35-49	69	10.9	43	4	5	9	13	18	23	42
50-64	165	11.6	78	4	6	9	13	20	26	35
65 +	281	13.1	79	5	6	11	15	21	29	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	288	7.3	7	3	4	7	9	10	12	14
B. Operated	73	7.8	11	2	4	8	9	11	13	22
2. MULTIPLE DX										
A. Not Operated	1780	8.8	15	4	5	8	10	13	16	22
B. Operated	557	12.4	79	5	6	10	14	21	27	55
1. SINGLE DX	361	7.4	8	3	4	7	9	10	12	14
2. MULTIPLE DX	2337	9.6	33	4	5	8	11	15	19	30
A. Not Operated	2068	8.5	14	4	5	8	10	13	15	22
B. Operated	630	11.8	73	4	6	10	14	20	26	50
TOTAL										
0-19 YRS	13	9.5	80	< 1	2	7	10	19	33	36
20-34	197	8.5	35	4	5	8	10	12	15	31
35-49	386	8.5	21	3	4	8	10	13	16	25
50-64	691	8.8	29	4	5	8	10	13	17	28
65 +	1411	9.9	31	4	5	9	12	15	19	31
GRAND TOTAL	**2698**	**9.3**	**30**	**4**	**5**	**8**	**11**	**14**	**18**	**29**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	9.3	16	5	5	10	12	13	13	13
35-49	3	11.3	65	2	2	16	16	16	16	16
50-64	5	12.0	108	2	2	10	17	29	29	29
65 +	3	8.0	1	7	7	8	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	0									
50-64	0									
65 +	3	22.0	19	19	19	20	25	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	12.8	68	2	3	14	19	24	27	28
20-34	50	14.4	136	4	5	10	16	29	43	62
35-49	51	14.0	105	3	4	11	18	28	38	48
50-64	38	15.9	112	3	4	13	22	33	35	37
65 +	97	18.0	111	4	6	16	24	32	40	46
B. Operated										
0-19 YRS	4	23.0	85	15	15	23	31	31	31	31
20-34	41	22.9	148	7	8	20	31	42	45	48
35-49	43	23.4	315	5	7	19	34	43	51	90
50-64	44	23.1	218	6	8	18	34	47	48	61
65 +	79	23.1	245	6	7	18	31	50	55	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	10.4	49	2	2	9	13	18	26	29
B. Operated	4	19.8	33	13	13	19	23	27	27	27
2. MULTIPLE DX										
A. Not Operated	249	15.9	115	3	5	14	21	31	37	46
B. Operated	211	23.1	228	6	7	19	32	45	51	68
1. SINGLE DX	18	12.5	59	2	3	11	16	25	28	29
2. MULTIPLE DX	460	19.2	179	4	6	16	27	38	46	61
A. Not Operated	263	15.6	112	3	5	14	21	31	36	46
B. Operated	215	23.0	224	6	8	19	32	44	50	67
TOTAL										
0-19 YRS	17	15.2	87	2	3	15	21	30	31	31
20-34	95	17.9	154	5	6	14	26	38	43	56
35-49	97	18.1	217	3	4	15	24	38	44	78
50-64	87	19.3	178	4	6	15	28	39	47	56
65 +	182	20.1	174	5	7	17	28	37	47	57
GRAND TOTAL	**478**	**18.9**	**176**	**4**	**6**	**15**	**27**	**38**	**45**	**60**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.0	2	< 1	< 1	2	3	4	4	4
20-34	16	1.3		< 1	< 1	1	2	2	3	3
35-49	33	1.5		< 1	< 1	1	2	2	2	3
50-64	55	1.4	1	< 1	< 1	1	2	2	3	4
65 +	39	1.8	2	< 1	1	1	2	4	5	7
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	3	2.3	5	< 1	< 1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.0	2	< 1	1	1	3	4	5	7
20-34	35	2.6	8	< 1	1	2	3	6	6	16
35-49	76	2.1	1	1	1	2	3	4	5	6
50-64	239	2.7	9	1	1	2	3	5	8	26
65 +	610	3.4	7	1	1	3	4	7	8	14
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	6	5.7	45	< 1	< 1	2	11	16	17	17
50-64	26	4.8	12	1	1	4	7	9	14	14
65 +	45	6.5	32	1	2	5	9	12	18	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	1.6	1	< 1	< 1	1	2	3	4	5
B. Operated	6	2.0	3	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	987	3.0	7	1	1	2	4	6	8	14
B. Operated	81	5.8	26	1	1	4	8	12	15	27
1. SINGLE DX	159	1.6	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	1068	3.2	9	1	1	2	4	6	9	16
A. Not Operated	1140	2.8	7	1	1	2	3	5	8	13
B. Operated	87	5.5	25	< 1	1	4	7	12	15	27
TOTAL										
0-19 YRS	39	2.0	2	< 1	< 1	1	3	4	5	7
20-34	54	2.3	6	< 1	< 1	2	2	5	6	16
35-49	115	2.1	4	< 1	1	2	2	3	5	13
50-64	322	2.6	9	< 1	1	2	3	5	8	17
65 +	697	3.5	9	1	1	3	4	7	9	16
GRAND TOTAL	**1227**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	46	1.5	1	< 1	< 1	1	2	3	3	4
35-49	143	1.5	1	< 1	< 1	1	2	3	3	4
50-64	301	1.7	1	< 1	< 1	1	2	3	4	6
65 +	362	2.0	2	< 1	< 1	2	3	4	5	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	9	3.2	4	< 1	< 1	3	4	7	7	7
65 +	10	4.2	45	< 1	< 1	1	3	15	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	4.3	36	1	1	2	5	8	18	28
20-34	119	1.8	2	< 1	1	1	2	3	4	9
35-49	365	2.4	4	< 1	< 1	2	3	5	6	10
50-64	1408	3.1	7	< 1	1	2	4	6	8	13
65 +	4895	4.0	12	1	1	3	5	8	10	16
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	6	5.0	36	1	1	3	5	16	17	17
35-49	24	8.0	89	< 1	1	4	8	25	32	37
50-64	133	6.2	45	1	1	4	7	14	17	40
65 +	430	8.2	88	1	2	6	10	15	22	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	857	1.8	2	< 1	< 1	1	2	3	4	7
B. Operated	23	3.4	21	< 1	< 1	2	4	7	14	22
2. MULTIPLE DX										
A. Not Operated	6808	3.7	11	1	1	3	5	7	9	16
B. Operated	596	7.7	78	1	2	5	9	15	22	44
1. SINGLE DX	880	1.8	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	7404	4.0	17	1	1	3	5	8	11	18
A. Not Operated	7665	3.5	10	1	1	3	4	7	9	15
B. Operated	619	7.5	77	1	1	5	9	15	22	43
TOTAL										
0-19 YRS	29	3.4	27	< 1	1	2	3	8	10	28
20-34	171	1.8	3	< 1	< 1	1	2	3	4	10
35-49	536	2.4	8	< 1	< 1	2	3	5	7	14
50-64	1851	3.1	10	< 1	1	2	4	6	8	15
65 +	5697	4.2	19	1	1	3	5	8	11	20
GRAND TOTAL	**8284**	**3.8**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.9	2	< 1	< 1	1	2	4	5	5
20-34	70	2.4	3	< 1	< 1	2	3	5	6	10
35-49	114	2.0	2	< 1	1	2	3	4	5	6
50-64	150	2.1	2	< 1	1	2	3	4	4	10
65 +	235	2.9	5	1	1	2	4	5	6	12
B. Operated										
0-19 YRS	13	3.0	4	1	1	3	4	6	8	8
20-34	27	3.6	7	< 1	1	3	6	8	9	9
35-49	36	3.2	7	< 1	1	2	5	7	9	9
50-64	80	3.1	6	< 1	1	2	4	6	7	13
65 +	189	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	3.3	17	1	1	2	3	7	12	23
20-34	224	2.5	3	1	1	2	3	5	6	9
35-49	536	3.1	14	1	1	2	3	6	8	20
50-64	1517	3.9	18	1	1	3	4	8	11	21
65 +	4807	4.3	12	1	1	3	5	8	11	18
B. Operated										
0-19 YRS	45	5.1	46	< 1	1	2	6	12	20	32
20-34	63	6.8	59	1	1	4	9	13	26	37
35-49	148	6.5	44	1	1	4	8	13	21	30
50-64	615	7.3	65	1	1	5	9	16	22	44
65 +	2799	6.3	32	1	2	5	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	608	2.4	4	< 1	1	2	3	5	6	10
B. Operated	345	3.1	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. Not Operated	7159	4.1	13	1	1	3	5	8	10	19
B. Operated	3670	6.5	38	1	2	5	8	13	17	33
1. SINGLE DX	953	2.7	4	< 1	1	2	3	5	6	10
2. MULTIPLE DX	10829	4.9	23	1	1	3	6	10	13	24
A. Not Operated	7767	3.9	13	1	1	3	5	8	10	19
B. Operated	4015	6.2	37	1	1	5	8	12	16	32
TOTAL										
0-19 YRS	172	3.4	21	< 1	1	2	4	7	12	29
20-34	384	3.3	15	< 1	1	2	4	7	9	20
35-49	834	3.5	19	1	1	2	4	7	11	24
50-64	2362	4.6	31	1	1	3	5	10	14	29
65 +	8030	5.0	20	1	1	4	6	10	13	22
GRAND TOTAL	**11782**	**4.7**	**22**	**1**	**1**	**3**	**6**	**9**	**13**	**23**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	3	2.3	2	< 1	< 1	2	3	4	4	4
35-49	12	3.9	6	1	1	3	5	7	10	10
50-64	74	4.0	6	1	2	4	5	[illegible]	8	12
65 +	400	4.4	15	1	1	3	6	8	10	18
B. Operated										
0-19 YRS	2	12.5	221	2	2	12	23	23	23	23
20-34	0									
35-49	0									
50-64	5	4.8	11	2	2	3	7	10	10	10
65 +	11	4.0	9	1	1	4	6	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	6.2	30	1	1	4	8	13	18	26
20-34	98	4.9	14	1	1	4	7	10	12	20
35-49	560	5.6	20	2	2	5	7	11	13	22
50-64	3128	5.7	19	1	2	5	7	11	14	21
65 +	17002	6.2	21	2	2	5	8	11	15	23
B. Operated										
0-19 YRS	23	14.1	294	1	2	10	19	38	88	99 +
20-34	40	6.4	60	< 1	1	4	8	15	30	99 +
35-49	130	8.3	54	1	1	7	11	17	25	34
50-64	618	9.1	69	1	2	7	12	17	22	49
65 +	1884	11.0	79	2	3	9	14	21	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	492	4.3	13	1	1	3	5	8	10	17
B. Operated	18	5.2	28	1	1	4	6	10	18	23
2. MULTIPLE DX										
A. Not Operated	20892	6.1	21	2	2	5	8	11	14	23
B. Operated	2695	10.4	78	2	2	8	14	20	27	48
1. SINGLE DX	510	4.3	14	1	1	3	5	8	10	18
2. MULTIPLE DX	23587	6.6	29	2	2	5	8	12	16	27
A. Not Operated	21384	6.1	21	2	2	5	8	11	14	23
B. Operated	2713	10.4	78	2	2	8	14	20	26	48
TOTAL										
0-19 YRS	132	7.6	85	1	2	5	9	18	25	86
20-34	141	5.3	27	1	1	4	7	11	14	50
35-49	702	6.1	27	1	2	5	8	12	15	30
50-64	3825	6.2	28	1	2	5	8	12	15	26
65 +	19297	6.6	29	2	2	5	8	12	16	26
GRAND TOTAL	**24097**	**6.6**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.7	3	< 1	1	3	4	5	5	6
20-34	85	2.2	3	1	1	2	3	4	5	10
35-49	146	2.3	3	1	1	2	3	4	6	9
50-64	91	2.3	3	1	1	2	3	4	5	10
65 +	64	3.1	4	< 1	< 1	3	4	6	7	10
B. Operated										
0-19 YRS	16	3.4	19	< 1	< 1	1	4	12	14	14
20-34	32	4.1	8	< 1	1	4	6	8	10	10
35-49	59	2.6	6	< 1	< 1	1	3	6	8	12
50-64	114	3.3	13	< 1	< 1	2	4	9	10	16
65 +	110	3.5	15	< 1	1	1	5	9	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	6.4	50	1	1	4	8	13	24	35
20-34	189	3.9	12	1	1	3	5	8	10	19
35-49	462	3.9	10	1	1	3	5	7	9	18
50-64	837	5.1	17	1	2	4	7	10	13	19
65 +	1591	6.4	29	1	2	5	8	12	16	27
B. Operated										
0-19 YRS	59	7.0	86	< 1	< 1	3	9	16	30	41
20-34	117	7.8	112	1	1	5	9	16	24	53
35-49	360	7.3	65	1	1	6	10	15	18	44
50-64	810	7.3	53	1	1	6	10	15	20	33
65 +	1414	9.6	90	1	1	8	13	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	411	2.4	3	< 1	1	2	3	5	6	9
B. Operated	331	3.3	12	< 1	< 1	2	5	9	10	14
2. MULTIPLE DX										
A. Not Operated	3135	5.5	23	1	2	4	7	11	14	23
B. Operated	2760	8.5	78	1	1	7	11	18	24	43
1. SINGLE DX	742	2.8	7	< 1	1	2	3	6	9	13
2. MULTIPLE DX	5895	6.9	51	1	1	5	9	14	19	35
A. Not Operated	3546	5.2	22	1	1	4	6	10	14	23
B. Operated	3091	7.9	73	1	1	6	11	17	23	42
TOTAL										
0-19 YRS	156	5.7	55	< 1	1	3	7	14	17	41
20-34	423	4.6	41	1	1	3	6	9	13	27
35-49	1027	4.8	32	1	1	3	6	10	14	24
50-64	1852	5.8	34	1	1	4	8	12	16	28
65 +	3179	7.6	58	1	1	5	10	16	21	38
GRAND TOTAL	**6637**	**6.5**	**48**	**1**	**1**	**4**	**9**	**14**	**18**	**33**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	9	3.8	3	1	1	4	5	6	6	6
50-64	26	4.2	18	1	2	3	4	8	17	18
65 +	73	6.0	35	1	2	4	7	12	18	36
B. Operated										
0-19 YRS	0									
20-34	1	21.0		21	21	21	21	21	21	21
35-49	9	3.8	11	1	1	3	6	9	10	10
50-64	18	4.3	16	1	1	3	6	10	13	14
65 +	27	5.9	54	1	1	4	9	12	17	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	108	5.4	29	1	2	4	6	11	17	30
B. Operated	55	5.3	38	1	1	4	8	11	14	36
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	163	5.4	32	1	1	4	6	11	16	35
A. Not Operated	109	5.3	29	1	2	4	6	11	17	30
B. Operated	55	5.3	38	1	1	4	8	11	14	36
TOTAL										
0-19 YRS	0									
20-34	1	21.0		21	21	21	21	21	21	21
35-49	18	3.8	7	1	1	3	6	7	9	10
50-64	44	4.2	17	1	1	3	5	9	15	18
65 +	101	6.0	40	1	1	4	7	12	17	38
GRAND TOTAL	**164**	**5.3**	**32**	**1**	**1**	**4**	**6**	**11**	**16**	**35**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	4	6.0	27	< 1	< 1	6	10	11	11	11
35-49	4	3.3	15	< 1	< 1	1	5	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	3.8	30	< 1	< 1	1	7	12	12	12
B. Operated										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	22	10.4	40	1	2	11	14	19	23	24
35-49	37	12.9	120	1	3	10	18	24	33	57
50-64	33	12.2	168	1	1	10	17	22	35	67
65 +	5	22.0	23	14	14	23	25	26	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	10.6	51	1	1	15	16	17	17	17
35-49	4	4.3	42	1	1	1	8	14	14	14
50-64	23	11.2	223	< 1	< 1	6	17	24	42	70
65 +	45	10.6	106	1	2	7	16	24	36	99 +
B. Operated										
0-19 YRS	7	9.6	60	1	2	5	15	21	22	22
20-34	24	19.1	328	6	8	11	23	37	57	91
35-49	63	21.0	212	4	7	17	27	45	54	96
50-64	88	22.2	201	4	8	19	30	47	67	99 +
65 +	68	23.5	237	6	7	19	31	49	53	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.9	17	< 1	< 1	2	6	11	12	12
B. Operated	99	12.5	115	1	2	10	18	23	28	62
2. MULTIPLE DX										
A. Not Operated	78	10.4	131	< 1	1	6	16	22	29	91
B. Operated	250	21.6	224	4	8	18	29	45	57	99 +
1. SINGLE DX	115	11.3	110	1	1	10	15	22	26	60
2. MULTIPLE DX	328	18.9	225	2	4	15	26	42	53	99 +
A. Not Operated	94	9.3	118	< 1	1	6	14	19	27	86
B. Operated	349	19.0	210	3	5	15	25	42	52	99
TOTAL										
0-19 YRS	13	7.7	40	1	2	5	12	17	21	22
20-34	55	13.9	183	1	2	11	16	24	34	89
35-49	108	17.0	194	1	3	14	22	39	51	84
50-64	145	18.0	[illegible]	1	2	15	25	39	60	99 +
65 +	122	18.0	215	1	4	14	25	42	51	75
GRAND TOTAL	**443**	**17.0**	**206**	**1**	**3**	**14**	**23**	**38**	**51**	**99 +**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	9.0		9	9	9	9	9	9	9
35-49	0									
50-64	3	7.7	37	1	1	9	12	13	13	13
65 +	4	5.8	10	< 1	< 1	7	8	8	8	8
B. Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	5	24.4	171	9	9	23	30	45	45	45
35-49	12	21.8	158	6	7	22	28	36	49	51
50-64	5	22.4	219	10	10	15	30	47	47	47
65 +	15	30.9	109	16	21	28	35	44	53	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	9	7.1	15	< 1	< 1	8	9	12	13	13
B. Operated	38	25.7	150	8	10	25	32	45	49	56
1. SINGLE DX	0									
2. MULTIPLE DX	47	22.1	178	5	7	22	29	43	[illegible]	56
A. Not Operated	9	7.1	15	< 1	< 1	8	9	12	13	13
B. Operated	38	25.7	150	8	10	25	32	45	49	56
TOTAL										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	7	20.0	170	9	9	20	24	41	45	45
35-49	12	21.8	158	6	7	22	28	36	49	51
50-64	8	16.9	194	1	3	14	20	40	47	47
65 +	19	25.6	198	3	7	27	34	43	51	56
GRAND TOTAL	**47**	**22.1**	**178**	**5**	**7**	**22**	**29**	**43**	[illegible]	[illegible]

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.3	28	1	1	2	7	12	12	12
35-49	3	6.3	57	1	1	3	12	15	15	15
50-64	11	4.4	16	1	1	3	7	10	14	14
65 +	60	6.2	20	1	2	6	8	11	17	20
B. Operated										
0-19 YRS	6	4.2	13	< 1	< 1	3	7	10	10	10
20-34	9	5.7	23	2	2	5	5	13	18	18
35-49	14	5.1	14	1	1	4	7	11	13	13
50-64	19	6.8	21	2	3	6	10	12	17	20
65 +	56	8.7	38	2	3	8	11	15	20	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	5.7	18	< 1	1	4	10	12	13	13
20-34	14	7.1	19	1	2	7	12	12	13	13
35-49	32	7.5	42	< 1	2	5	10	16	25	27
50-64	109	9.0	112	2	3	6	11	15	19	67
65 +	549	10.1	75	2	3	8	13	18	24	45
B. Operated										
0-19 YRS	12	10.3	64	2	2	10	13	19	30	32
20-34	30	16.4	381	2	2	9	19	31	68	93
35-49	42	12.5	109	3	3	11	17	27	73	99 +
50-64	96	15.6	159	3	5	13	20	32	43	84
65 +	273	15.6	131	4	5	13	20	30	42	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	5.8	20	1	1	5	8	12	16	20
B. Operated	104	7.3	30	1	2	6	10	13	18	31
2. MULTIPLE DX										
A. Not Operated	717	9.7	78	2	3	8	12	18	23	46
B. Operated	453	15.2	150	3	5	12	19	31	42	99
1. SINGLE DX	183	6.7	26	1	2	6	9	13	18	26
2. MULTIPLE DX	1170	11.8	113	2	3	9	15	23	31	68
A. Not Operated	796	9.3	73	2	3	7	12	17	23	40
B. Operated	557	13.7	137	3	4	11	18	29	39	92
TOTAL										
0-19 YRS	32	7.0	39	< 1	1	6	11	13	13	32
20-34	57	11.6	233	1	2	8	12	24	32	91
35-49	91	9.4	76	1	2	7	13	21	27	99 +
50-64	235	11.3	132	2	3	8	14	23	33	71
65 +	938	11.3	94	2	3	9	14	22	29	51
GRAND TOTAL	**1353**	**11.1**	**104**	**2**	**3**	**8**	**14**	**22**	**30**	**66**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	9.0	48	5	5	5	14	17	17	17
20-34	7	8.1	24	3	3	8	10	16	17	17
35-49	19	14.1	109	1	4	10	15	30	36	41
50-64	57	11.4	77	2	4	9	15	22	31	43
65 +	238	11.2	70	3	4	9	13	20	28	43
B. Operated										
0-19 YRS	0									
20-34	5	20.2	126	9	9	23	36	94	99 +	99 +
35-49	14	22.1	73	7	12	22	27	35	37	37
50-64	29	20.9	162	6	9	17	28	36	41	62
65 +	80	20.7	201	6	8	17	25	42	57	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	324	11.3	72	3	4	9	14	21	30	43
B. Operated	128	20.9	172	6	8	18	26	38	59	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	452	14.0	119	3	4	11	18	29	38	65
A. Not Operated	324	11.3	72	3	4	9	14	21	30	43
B. Operated	128	20.9	172	6	8	18	26	38	59	99 +
TOTAL										
0-19 YRS	3	9.0	48	5	5	11	58	99 +	99 +	99 +
20-34	12	13.2	97	3	3	10	22	49	90	99 +
35-49	33	17.5	107	3	6	14	25	31	37	41
50-64	86	14.6	124	3	4	11	21	30	35	56
65 +	318	13.6	119	3	4	11	17	25	38	64
GRAND TOTAL	**452**	**14.0**	**119**	**3**	**4**	**11**	**18**	**29**	**38**	**65**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	7	3.6	11	< 1	< 1	3	3	9	11	11
65 +	22	2.4	3	< 1	1	2	3	5	6	6
B. Operated										
0-19 YRS	0									
20-34	3	2.3	2	< 1	< 1	2	3	4	4	4
35-49	35	3.5	7	1	1	3	5	7	10	11
50-64	251	3.1	3	1	1	3	4	5	6	10
65 +	568	3.6	5	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	3.6	4	< 1	< 1	4	5	6	6	6
50-64	68	4.1	10	< 1	< 1	3	6	9	11	12
65 +	219	4.8	13	1	2	4	6	9	12	20
B. Operated										
0-19 YRS	4	6.8	11	3	3	7	9	10	10	10
20-34	6	16.3	841	1	1	4	12	69	75	75
35-49	86	5.4	31	1	2	4	6	10	12	37
50-64	807	4.3	10	1	2	4	5	7	10	19
65 +	2515	5.1	20	1	2	4	6	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.7	4	< 1	1	2	3	5	6	11
B. Operated	857	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	292	4.6	12	< 1	1	4	6	9	11	20
B. Operated	3418	4.9	19	1	2	4	6	9	12	20
1. SINGLE DX	888	3.4	4	1	1	3	4	6	7	11
2. MULTIPLE DX	3710	4.9	19	1	2	4	6	9	12	20
A. Not Operated	323	4.4	12	< 1	1	3	6	9	11	19
B. Operated	4275	4.6	17	1	2	4	5	8	11	18
TOTAL										
0-19 YRS	4	6.8	11	3	3	7	9	10	10	10
20-34	9	11.7	575	< 1	< 1	3	6	50	75	75
35-49	128	4.8	23	1	1	4	5	9	11	34
50-64	1133	4.0	9	1	1	3	5	7	9	15
65 +	3324	4.8	17	1	2	4	6	9	11	18
GRAND TOTAL	**4598**	**4.6**	**16**	**1**	**2**	**4**	**5**	**8**	**11**	**18**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0		2	2	2	2	2	2	2
50-64	9	8.1	15	4	4	6	11	13	14	14
65 +	34	6.2	29	1	2	5	6	12	19	28
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	0									
35-49	5	7.0	38	4	4	4	8	18	18	18
50-64	55	9.6	150	2	2	6	10	15	35	66
65 +	156	8.1	68	2	3	6	9	14	17	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	45	6.4	26	1	2	5	7	12	15	28
B. Operated	217	8.5	87	2	3	6	9	15	19	63
1. SINGLE DX	0									
2. MULTIPLE DX	262	8.1	77	2	2	6	9	15	19	61
A. Not Operated	45	6.4	26	1	2	5	7	12	15	28
B. Operated	217	8.5	87	2	3	6	9	15	19	63
TOTAL										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	0									
35-49	7	5.6	31	2	2	4	5	15	18	18
50-64	64	9.4	130	2	2	6	11	15	32	66
65 +	190	7.8	61	2	3	6	9	14	17	49
GRAND TOTAL	**262**	**8.1**	**77**	**2**	**2**	**6**	**9**	**15**	**19**	**61**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	3.3	6	< 1	< 1	3	5	6	6	6
35-49	21	3.7	5	1	1	3	5	8	8	8
50-64	85	4.4	9	1	1	4	6	9	11	13
65 +	220	6.3	30	2	2	5	8	11	13	27
B. Operated										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	11	5.2	67	1	1	3	4	16	28	29
35-49	11	5.2	14	1	1	5	6	12	12	12
50-64	21	4.0	8	< 1	1	3	6	8	9	10
65 +	28	5.3	14	1	1	4	6	11	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.6	7	1	1	5	7	7	7	7
20-34	26	7.8	53	1	1	7	9	19	25	31
35-49	141	5.6	19	2	2	4	7	10	14	24
50-64	818	6.3	28	2	2	5	8	12	16	27
65 +	4232	7.4	34	2	3	6	9	13	18	30
B. Operated										
0-19 YRS	4	21.0	90	10	10	20	27	33	33	33
20-34	23	9.2	34	2	3	7	14	16	19	23
35-49	44	11.0	89	2	3	7	15	29	34	99 +
50-64	180	9.0	44	2	2	7	12	17	24	33
65 +	541	12.4	120	2	3	9	16	25	34	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	330	5.6	24	1	2	5	7	10	12	19
B. Operated	73	4.9	19	1	1	4	6	10	12	26
2. MULTIPLE DX										
A. Not Operated	5225	7.2	33	2	2	6	9	13	17	30
B. Operated	792	11.5	101	2	3	9	14	23	33	63
1. SINGLE DX	403	5.5	23	1	2	5	7	10	12	19
2. MULTIPLE DX	6017	7.8	44	2	2	6	9	15	20	34
A. Not Operated	5555	7.1	32	2	2	6	9	13	17	30
B. Operated	865	10.9	97	2	3	8	14	22	32	60
TOTAL										
0-19 YRS	15	9.2	77	1	2	6	9	22	30	33
20-34	63	7.7	47	1	1	6	11	16	23	31
35-49	217	6.5	37	1	2	5	8	14	20	35
50-64	1104	6.5	30	2	2	5	8	13	17	28
65 +	5021	7.9	45	2	3	6	10	15	20	36
GRAND TOTAL	**6420**	**7.6**	**43**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	8.3	13	5	5	8	12	12	12	12
20-34	6	8.3	17	3	3	8	10	14	15	15
35-49	83	8.0	45	2	2	6	9	15	26	32
50-64	465	7.9	51	2	3	6	9	14	19	32
65 +	2502	9.2	51	3	3	8	11	16	20	40
B. Operated										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	12	14.8	195	3	4	9	15	43	45	45
35-49	30	14.6	154	3	5	10	16	37	42	50
50-64	78	14.6	245	2	3	10	16	29	57	98
65 +	304	15.1	164	4	5	12	18	29	43	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3062	9.0	51	2	3	7	11	16	20	38
B. Operated	426	14.9	177	4	5	11	17	29	45	89
1. SINGLE DX	0									
2. MULTIPLE DX	3488	9.7	70	3	3	8	11	17	23	47
A. Not Operated	3062	9.0	51	2	3	7	11	16	20	38
B. Operated	426	14.9	177	4	5	11	17	29	45	89
TOTAL										
0-19 YRS	8	8.1	12	5	5	8	11	12	12	12
20-34	18	12.7	141	3	4	9	13	35	44	45
35-49	113	9.7	81	2	3	7	11	19	32	45
50-64	543	8.8	84	2	3	7	10	16	24	56
65 +	2806	9.8	66	3	3	8	12	18	23	46
GRAND TOTAL	**3488**	**9.7**	**70**	**3**	**3**	**8**	**11**	**17**	**23**	**47**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	3.0	5	1	1	2	4	6	7	7
35-49	51	1.9	2	<1	1	2	2	3	4	9
50-64	138	2.4	2	1	1	2	3	4	5	8
65 +	380	2.5	3	1	1	2	3	5	6	9
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49	21	3.0	10	<1	1	2	4	8	10	12
50-64	68	2.4	2	<1	1	2	3	4	5	7
65 +	79	2.8	4	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.9	10	<1	1	2	6	9	11	11
20-34	26	2.5	2	<1	1	2	3	4	5	5
35-49	180	2.8	4	1	1	2	3	5	7	11
50-64	828	3.3	6	1	1	3	4	6	7	12
65 +	4256	3.9	9	1	1	3	5	7	9	15
B. Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	5	4.0	14	1	1	2	6	10	10	10
35-49	55	3.4	4	1	1	3	5	7	7	8
50-64	241	4.8	16	1	1	4	6	10	12	20
65 +	637	6.2	30	1	2	5	7	12	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	579	2.4	3	1	1	2	3	5	6	9
B. Operated	174	2.7	4	<1	1	2	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	5299	3.8	8	1	1	3	5	7	9	15
B. Operated	941	5.6	26	1	1	4	7	10	15	28
1. SINGLE DX	753	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	6240	4.1	11	1	1	3	5	8	10	17
A. Not Operated	5878	3.7	8	1	1	3	5	7	9	14
B. Operated	1115	5.2	23	1	1	4	7	10	13	25
TOTAL										
0-19 YRS	15	3.6	8	<1	1	2	5	7	10	11
20-34	44	2.7	3	1	1	2	4	5	6	10
35-49	307	2.8	4	1	1	2	3	6	7	11
50-64	1275	3.5	8	1	1	3	4	7	8	13
65 +	5352	4.1	12	1	1	3	5	8	10	18
GRAND TOTAL	**6993**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	14.5	365	1	1	14	28	28	28	28
20-34	4	3.0	16	< 1	< 1	1	5	9	9	9
35-49	13	3.5	9	1	1	2	4	9	11	11
50-64	45	4.2	6	1	2	4	5	8	9	10
65 +	171	5.5	25	1	2	4	7	10	14	32
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	8	4.5	14	1	1	4	7	10	11	11
50-64	16	3.0	3	1	1	3	4	4	7	8
65 +	19	8.4	387	< 1	1	4	5	9	54	89
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.3	1	3	3	4	5	5	5	5
20-34	12	4.0	5	2	2	3	5	8	8	8
35-49	56	5.6	23	1	1	4	7	10	16	25
50-64	391	6.0	58	1	2	4	7	10	13	45
65 +	2361	6.6	27	2	2	5	8	12	15	26
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	6.6	31	1	1	7	10	15	15	15
35-49	16	7.4	27	2	2	6	10	12	20	23
50-64	84	8.9	60	2	3	7	11	20	25	82
65 +	264	10.5	77	3	3	8	13	20	28	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	235	5.2	23	1	2	4	7	9	12	29
B. Operated	44	5.6	172	< 1	1	3	5	8	11	89
2. MULTIPLE DX										
A. Not Operated	2824	6.5	31	2	2	5	8	12	15	26
B. Operated	370	9.9	70	2	3	7	12	19	28	49
1. SINGLE DX	279	5.3	46	1	1	4	6	9	12	33
2. MULTIPLE DX	3194	6.9	37	2	2	5	8	13	17	32
A. Not Operated	3059	6.4	30	2	2	5	8	12	15	26
B. Operated	414	9.5	83	2	3	7	11	19	27	52
TOTAL										
0-19 YRS	8	6.8	77	1	1	4	6	21	28	28
20-34	21	4.4	13	< 1	1	3	7	9	12	15
35-49	93	5.5	22	1	1	4	7	11	15	25
50-64	536	6.2	54	1	2	4	7	11	15	49
65 +	2815	6.9	35	2	2	5	8	13	17	32
GRAND TOTAL	**3473**	**6.7**	**38**	**2**	**2**	**5**	**8**	**13**	**16**	**32**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	7.2	31	< 1	< 1	7	11	15	15	15
20-34	10	5.0	7	1	1	5	6	9	10	10
35-49	18	8.2	37	2	3	7	9	19	21	22
50-64	174	7.6	41	2	3	6	9	14	19	37
65 +	1062	8.3	47	2	3	7	10	15	19	39
B. Operated										
0-19 YRS	0									
20-34	3	4.7	16	1	1	4	8	9	9	9
35-49	7	7.1	24	2	2	6	10	15	16	16
50-64	26	10.6	124	2	3	7	10	31	37	47
65 +	110	11.9	96	3	3	9	14	25	34	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1269	8.2	46	2	3	7	10	15	19	38
B. Operated	146	11.3	97	3	3	9	13	25	34	48
1. SINGLE DX	0									
2. MULTIPLE DX	1415	8.5	52	2	3	7	10	16	21	39
A. Not Operated	1269	8.2	46	2	3	7	10	15	19	38
B. Operated	146	11.3	97	3	3	9	13	25	34	48
TOTAL										
0-19 YRS	5	7.2	31	< 1	< 1	7	11	15	15	15
20-34	13	4.9	8	1	1	5	7	9	10	10
35-49	25	7.9	32	2	3	6	9	18	20	22
50-64	200	8.0	52	2	3	6	10	14	21	37
65 +	1172	8.7	53	2	3	7	10	16	21	40
GRAND TOTAL	**1415**	**8.5**	**52**	**2**	**3**	**7**	**10**	**16**	**21**	**39**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	10	< 1	< 1	2	6	7	7	7
20-34	7	2.3	3	< 1	< 1	2	2	5	6	6
35-49	21	2.6	4	< 1	< 1	2	3	6	8	8
50-64	32	2.4	2	1	1	2	3	5	5	7
65 +	49	3.9	8	1	1	3	6	8	9	11
B. Operated										
0-19 YRS	4	4.8	14	1	1	4	7	10	10	10
20-34	8	2.3	6	< 1	< 1	1	3	6	7	7
35-49	26	6.4	21	1	1	5	11	13	13	14
50-64	25	4.8	19	1	1	4	7	10	13	19
65 +	14	3.1	10	< 1	1	2	5	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.4	32	1	1	2	5	14	18	18
20-34	23	3.1	3	< 1	1	3	4	5	7	9
35-49	122	3.4	6	1	1	3	4	7	9	12
50-64	213	4.8	60	1	1	3	5	8	11	40
65 +	796	5.2	18	1	2	4	6	10	12	20
B. Operated										
0-19 YRS	5	3.2	6	< 1	< 1	3	5	7	7	7
20-34	16	7.3	42	1	1	5	11	16	22	24
35-49	48	9.9	157	1	1	7	10	18	28	76
50-64	86	8.5	108	1	1	5	10	20	28	60
65 +	144	8.6	97	1	1	6	11	17	23	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	3.1	6	< 1	1	2	4	7	8	10
B. Operated	77	4.8	18	< 1	1	3	8	11	12	18
2. MULTIPLE DX										
A. Not Operated	1163	4.9	25	1	2	4	6	9	12	21
B. Operated	299	8.6	105	1	1	6	11	17	24	59
1. SINGLE DX	189	3.8	11	< 1	1	2	5	9	11	14
2. MULTIPLE DX	1462	5.6	43	1	1	4	7	11	15	29
A. Not Operated	1275	4.7	23	1	1	4	6	9	12	21
B. Operated	376	7.8	90	1	1	6	10	16	22	47
TOTAL										
0-19 YRS	21	4.0	18	< 1	< 1	3	5	9	14	18
20-34	54	4.1	19	< 1	1	2	5	9	13	24
35-49	217	5.1	48	1	1	3	6	11	13	33
50-64	356	5.5	66	1	1	3	6	10	19	41
65 +	1003	5.6	30	1	2	4	7	11	14	24
GRAND TOTAL	**1651**	**5.4**	**40**	**1**	**1**	**4**	**7**	**11**	**14**	**28**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	5	2.4	7	1	1	1	3	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	14	2.2	2	1	1	2	3	5	5	5
50-64	76	3.7	8	< 1	1	3	6	8	9	12
65 +	85	4.1	10	< 1	1	4	6	8	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	20	3.2	6	< 1	< 1	3	5	6	8	9
65 +	73	4.8	14	1	1	4	6	10	13	16
B. Operated										
0-19 YRS	2	10.0	128	2	2	10	18	18	18	18
20-34	10	4.9	14	< 1	< 1	4	7	10	13	13
35-49	104	7.5	43	1	1	7	9	14	23	32
50-64	541	8.1	84	1	1	6	10	15	23	43
65 +	1476	9.4	71	1	1	8	11	18	24	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.3	4	1	1	2	3	6	7	7
B. Operated	175	3.8	9	< 1	1	3	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	95	4.4	12	< 1	1	4	6	9	12	16
B. Operated	2133	8.9	73	1	1	7	11	18	24	43
1. SINGLE DX	183	3.7	9	< 1	1	3	6	8	9	13
2. MULTIPLE DX	2228	8.7	71	1	1	7	11	17	23	42
A. Not Operated	103	4.2	12	< 1	1	3	6	8	12	15
B. Operated	2308	8.5	70	1	1	7	11	17	23	41
TOTAL										
0-19 YRS	3	8.3	72	2	2	5	15	18	18	18
20-34	10	4.9	14	< 1	< 1	4	7	10	13	13
35-49	120	6.8	41	1	1	6	9	13	22	32
50-64	639	7.4	75	1	1	6	9	14	22	42
65 +	1639	8.9	68	1	1	7	11	17	23	41
GRAND TOTAL	**2411**	**8.4**	**68**	**1**	**1**	**7**	**10**	**17**	**23**	**40**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	7	1.9	1	< 1	< 1	1	3	4	4	4
65 +	11	2.3	4	< 1	< 1	< 1	3	6	7	7
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	4	5.3	8	1	1	6	7	7	7	7
50-64	53	6.7	11	1	1	7	8	10	13	14
65 +	99	8.0	17	1	1	8	10	12	13	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.0	2	< 1	< 1	1	3	4	4	4
35-49	0									
50-64	21	4.8	43	< 1	< 1	2	4	15	23	24
65 +	150	4.6	18	< 1	1	3	6	10	12	24
B. Operated										
0-19 YRS	2	11.0	8	9	9	11	13	13	13	13
20-34	9	9.0	14	2	4	9	10	14	16	16
35-49	27	13.7	215	4	5	8	15	32	49	70
50-64	415	11.5	96	3	6	9	12	19	27	75
65 +	1380	12.0	82	2	6	10	14	20	27	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.1	3	< 1	< 1	1	3	5	6	7
B. Operated	157	7.5	15	1	1	8	9	11	13	22
2. MULTIPLE DX										
A. Not Operated	175	4.6	20	< 1	1	3	6	10	12	24
B. Operated	1833	11.9	86	2	6	10	13	19	27	62
1. SINGLE DX	175	6.9	17	< 1	1	8	9	11	13	20
2. MULTIPLE DX	2008	11.2	85	1	3	9	13	19	26	59
A. Not Operated	193	4.3	19	< 1	< 1	3	6	9	12	24
B. Operated	1990	11.5	82	2	6	9	13	19	26	59
TOTAL										
0-19 YRS	2	11.0	8	9	9	11	13	13	13	13
20-34	14	6.4	22	< 1	< 1	7	9	11	15	16
35-49	31	12.6	195	3	5	8	11	25	45	70
50-64	496	10.6	88	1	3	9	11	17	25	65
65 +	1640	11.0	77	1	2	9	13	19	25	52
GRAND TOTAL	**2183**	**10.9**	**81**	**1**	**3**	**9**	**12**	**18**	**25**	**58**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	11.0		11	11	11	11	11	11	11
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.8	4	1	1	3	4	6	6	6
35-49	11	4.4	7	1	1	5	7	8	8	8
50-64	23	5.7	34	1	1	4	7	13	21	24
65 +	26	4.1	6	< 1	1	4	6	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.3	2	< 1	< 1	2	3	4	4	4
50-64	0									
65 +	7	2.6	5	1	1	2	4	6	7	7
B. Operated										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	14	5.7	14	1	2	5	9	11	12	12
35-49	27	8.4	47	1	1	6	12	19	24	25
50-64	89	8.2	59	2	3	7	9	15	18	51
65 +	240	9.5	98	1	2	7	11	17	24	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	11.0		11	11	11	11	11	11	11
B. Operated	66	4.5	16	1	1	4	6	8	9	23
2. MULTIPLE DX										
A. Not Operated	10	2.5	4	< 1	< 1	2	4	6	7	7
B. Operated	373	8.9	82	1	2	7	11	16	22	55
1. SINGLE DX	67	4.6	16	1	1	4	6	8	11	23
2. MULTIPLE DX	383	8.8	81	1	2	7	10	16	22	54
A. Not Operated	11	3.3	10	< 1	< 1	2	4	9	11	11
B. Operated	439	8.3	74	1	2	6	10	16	21	53
TOTAL										
0-19 YRS	4	2.0	4	1	1	1	3	5	5	5
20-34	20	5.3	14	1	1	4	8	11	12	12
35-49	41	6.9	38	1	1	5	10	16	21	25
50-64	112	7.7	55	1	2	6	9	14	20	48
65 +	273	8.8	90	1	2	6	10	16	22	57
GRAND TOTAL	**450**	**8.1**	**73**	**1**	**2**	**6**	**10**	**15**	**21**	**53**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	6.1	5	3	3	6	7	9	10	10
35-49	6	3.8	10	1	1	4	7	7	7	7
50-64	17	4.4	8	< 1	< 1	4	6	8	10	11
65 +	18	3.2	10	< 1	1	2	5	6	11	14
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	7.3	22	1	2	7	10	14	15	15
35-49	61	5.4	20	< 1	1	5	7	9	10	30
50-64	158	4.8	10	1	1	5	7	9	10	16
65 +	188	5.1	13	1	1	5	7	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	6.8	3	5	5	6	8	9	9	9
35-49	27	5.1	10	< 1	< 1	5	7	9	11	11
50-64	60	5.7	13	< 1	1	6	7	10	11	20
65 +	187	5.6	20	1	1	5	8	10	12	24
B. Operated										
0-19 YRS	8	9.4	30	1	2	9	13	17	17	17
20-34	28	8.1	24	2	3	7	9	17	20	21
35-49	204	7.4	42	1	1	6	9	13	17	42
50-64	869	8.3	54	1	1	7	10	15	21	35
65 +	1937	9.3	76	1	2	8	11	16	23	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	4.1	9	< 1	1	4	6	7	10	14
B. Operated	415	5.1	13	1	1	5	7	9	11	16
2. MULTIPLE DX										
A. Not Operated	279	5.6	17	1	1	5	8	10	12	22
B. Operated	3046	8.9	67	1	2	7	11	16	22	45
1. SINGLE DX	463	5.0	13	1	1	5	7	9	11	15
2. MULTIPLE DX	3325	8.6	64	1	2	7	10	16	21	42
A. Not Operated	327	5.4	16	1	1	5	7	10	11	22
B. Operated	3461	8.4	62	1	2	7	10	15	21	41
TOTAL										
0-19 YRS	10	8.6	26	1	2	8	11	16	17	17
20-34	46	7.6	19	2	3	7	9	14	18	21
35-49	298	6.7	35	1	1	6	8	11	16	35
50-64	1104	7.6	46	1	1	7	9	13	19	32
65 +	2330	8.7	68	1	2	7	11	15	21	48
GRAND TOTAL	**3788**	**8.2**	**59**	**1**	**1**	**7**	**10**	**15**	**20**	**38**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	3.9	3	1	1	4	5	7	8	9
20-34	5	3.8	5	< 1	< 1	5	5	6	6	6
35-49	6	3.2	13	< 1	< 1	2	4	9	10	10
50-64	9	5.9	49	1	1	3	6	18	23	23
65 +	13	2.2	3	< 1	< 1	2	3	5	7	7
B. Operated										
0-19 YRS	11	4.5	15	< 1	< 1	3	8	11	12	12
20-34	14	6.3	103	1	1	3	5	20	34	38
35-49	47	2.7	6	< 1	1	1	4	7	7	10
50-64	92	2.9	6	< 1	1	2	5	7	8	11
65 +	100	3.5	13	< 1	1	2	5	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	4.7	5	1	2	5	6	8	9	10
20-34	18	7.2	82	1	2	5	8	10	29	42
35-49	46	4.4	16	1	1	3	5	10	14	19
50-64	83	5.6	71	< 1	1	3	6	10	23	49
65 +	201	5.6	23	1	1	4	7	11	16	24
B. Operated										
0-19 YRS	14	7.0	53	< 1	1	6	8	15	26	29
20-34	44	11.0	264	1	1	7	12	30	65	99 +
35-49	118	6.3	37	1	1	4	9	13	21	28
50-64	382	5.6	35	1	1	3	8	13	18	32
65 +	749	7.6	80	1	1	5	9	15	22	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	3.7	10	< 1	1	3	5	7	9	20
B. Operated	264	3.3	14	< 1	1	2	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	391	5.4	33	1	1	4	7	10	15	34
B. Operated	1307	7.0	70	1	1	5	9	15	21	50
1. SINGLE DX	337	3.4	14	< 1	1	2	5	7	10	17
2. MULTIPLE DX	1698	6.6	62	1	1	4	8	14	20	46
A. Not Operated	464	5.2	30	< 1	1	4	6	10	14	31
B. Operated	1571	6.4	62	1	1	4	8	14	20	47
TOTAL										
0-19 YRS	108	4.7	12	< 1	1	4	6	8	9	20
20-34	81	8.9	182	1	1	5	9	22	40	97
35-49	217	5.0	27	1	1	3	7	11	17	26
50-64	566	5.2	36	1	1	3	7	12	16	32
65 +	1063	6.8	64	1	1	5	8	14	20	49
GRAND TOTAL	**2035**	**6.1**	**55**	**1**	**1**	**4**	**8**	**13**	**19**	**41**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	6.4	19	1	2	7	8	13	15	15
20-34	84	6.2	6	2	3	6	8	9	11	14
35-49	125	6.0	7	1	2	6	8	10	11	13
50-64	167	6.2	7	2	3	6	8	9	11	15
65 +	160	6.2	6	2	3	6	8	9	11	13
B. Operated										
0-19 YRS	5	5.6	6	3	3	5	7	9	9	9
20-34	59	6.0	11	1	1	6	8	10	11	14
35-49	69	6.0	11	1	2	6	8	11	11	13
50-64	73	6.1	7	2	3	6	8	9	10	14
65 +	86	6.2	11	1	2	6	8	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	6.6	16	1	2	7	9	11	14	16
20-34	122	7.0	13	2	3	7	9	11	14	20
35-49	300	6.8	10	2	3	7	8	11	13	18
50-64	468	6.8	15	2	3	7	8	10	12	19
65 +	983	7.5	13	3	4	7	9	12	14	19
B. Operated										
0-19 YRS	6	11.2	265	2	2	5	9	40	44	44
20-34	72	7.2	18	1	3	7	8	12	18	20
35-49	159	6.8	16	1	2	7	9	12	15	20
50-64	257	7.7	28	2	3	7	9	13	15	31
65 +	625	8.4	20	3	4	8	10	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	545	6.2	7	2	3	6	8	9	11	13
B. Operated	292	6.1	10	1	2	6	8	10	11	15
2. MULTIPLE DX										
A. Not Operated	1889	7.2	13	2	3	7	9	11	14	19
B. Operated	1119	8.0	23	2	3	7	10	13	16	28
1. SINGLE DX	837	6.1	8	1	2	6	8	9	11	14
2. MULTIPLE DX	3008	7.5	17	2	3	7	9	12	14	21
A. Not Operated	2434	7.0	12	2	3	7	8	11	13	18
B. Operated	1411	7.6	21	2	3	7	9	12	15	24
TOTAL										
0-19 YRS	36	7.2	53	1	2	6	9	11	16	44
20-34	337	6.7	12	1	3	7	8	10	13	19
35-49	653	6.6	11	2	3	6	8	11	13	18
50-64	965	6.9	17	2	3	7	8	10	13	20
65 +	1854	7.6	15	3	4	7	9	12	14	22
GRAND TOTAL	**3845**	**7.2**	**15**	**2**	**3**	**7**	**9**	**11**	**14**	**20**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	3.2	9	1	1	2	5	8	8	8
50-64	10	7.6	25	3	3	5	12	15	18	18
65 +	13	7.4	28	2	3	6	9	17	19	20
B. Operated										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	243	1.8	3	1	1	1	2	3	4	11
35-49	445	2.0	3	1	1	2	2	3	4	11
50-64	238	2.4	8	1	1	2	3	5	6	16
65 +	88	5.5	76	1	1	2	4	15	31	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	3.4	7	< 1	< 1	2	6	7	7	7
35-49	18	5.4	17	< 1	1	4	7	12	15	16
50-64	51	7.0	31	1	2	6	9	15	22	99
65 +	181	8.3	48	2	3	7	10	15	19	29
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	80	3.1	12	1	1	2	3	6	11	20
35-49	152	2.9	9	1	1	2	3	6	10	15
50-64	154	5.1	48	1	1	2	5	13	19	37
65 +	203	9.8	85	1	1	7	16	23	31	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	6.7	25	1	2	5	8	15	18	20
B. Operated	1020	2.4	11	1	1	2	2	4	5	17
2. MULTIPLE DX										
A. Not Operated	259	7.7	42	2	2	6	10	15	19	29
B. Operated	591	5.9	54	1	1	3	7	17	22	37
1. SINGLE DX	1048	2.5	12	1	1	2	2	4	6	18
2. MULTIPLE DX	850	6.4	51	1	1	4	9	16	21	37
A. Not Operated	287	7.6	41	2	2	6	10	15	19	29
B. Operated	1611	3.7	30	1	1	2	3	9	15	31
TOTAL										
0-19 YRS	9	1.4		1	1	1	2	2	2	2
20-34	331	2.2	5	1	1	2	2	4	6	13
35-49	620	2.3	5	1	1	2	3	4	6	14
50-64	453	4.0	27	1	1	2	4	10	15	29
65 +	485	8.4	70	1	1	6	12	19	26	41
GRAND TOTAL	**1898**	**4.3**	**34**	**1**	**1**	**2**	**4**	**11**	**16**	**31**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	< 1	< 1	2	3	4	4	4
20-34	7	1.6		1	1	2	2	2	2	2
35-49	8	1.9	1	1	1	2	3	3	3	3
50-64	8	1.8	1	< 1	< 1	1	3	3	3	3
65 +	7	1.7	1	< 1	< 1	2	2	3	3	3
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	89	2.5	2	1	1	2	3	5	5	8
35-49	185	2.5	2	1	1	2	3	4	5	7
50-64	126	2.4	1	1	1	2	3	4	4	6
65 +	48	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	30	2.2	2	< 1	1	2	3	4	6	7
35-49	49	2.3	2	< 1	1	2	3	5	5	5
50-64	57	3.7	10	< 1	1	3	4	8	11	16
65 +	117	4.0	18	1	1	3	5	7	8	26
B. Operated										
0-19 YRS	10	2.6	2	1	1	2	3	4	5	5
20-34	393	3.0	4	1	1	3	3	5	6	11
35-49	921	2.9	3	1	1	3	4	5	6	8
50-64	729	3.1	5	1	1	3	4	5	7	10
65 +	441	3.6	9	1	1	3	4	6	7	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.8	1	< 1	< 1	2	2	3	3	4
B. Operated	449	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	255	3.4	12	1	1	3	4	6	8	16
B. Operated	2494	3.1	5	1	1	3	4	5	6	11
1. SINGLE DX	484	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2749	3.1	6	1	1	3	4	5	7	11
A. Not Operated	290	3.2	11	< 1	1	2	4	6	8	15
B. Operated	2943	3.0	4	1	1	3	4	5	6	10
TOTAL										
0-19 YRS	18	2.3	1	< 1	1	2	3	4	5	5
20-34	519	2.9	3	1	1	3	3	5	6	9
35-49	1163	2.8	2	1	1	3	3	5	6	8
50-64	920	3.0	5	1	1	3	4	5	7	11
65 +	613	3.6	11	1	1	3	4	6	7	17
GRAND TOTAL	**3233**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	4.8	19	< 1	< 1	4	7	9	14	19
20-34	89	5.6	8	1	2	5	7	9	10	14
35-49	102	5.8	9	1	1	6	7	10	11	13
50-64	133	5.6	7	1	2	6	7	9	10	12
65 +	126	6.0	7	2	2	6	8	10	10	12
B. Operated										
0-19 YRS	40	3.2	12	< 1	< 1	1	6	8	10	13
20-34	84	4.7	13	< 1	< 1	5	7	10	11	14
35-49	66	5.7	11	1	1	6	8	10	11	13
50-64	80	5.9	14	< 1	1	6	8	9	13	20
65 +	62	6.9	9	1	3	7	8	10	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	4.1	23	1	1	3	5	8	13	30
20-34	195	5.0	15	1	1	4	7	10	12	14
35-49	376	5.9	21	1	1	5	8	10	12	26
50-64	684	5.5	15	1	1	5	7	10	11	17
65 +	1947	5.6	21	1	2	5	7	10	12	21
B. Operated										
0-19 YRS	43	5.8	85	< 1	1	2	6	11	27	43
20-34	175	6.0	19	1	1	6	8	11	13	21
35-49	286	7.7	42	1	1	6	10	14	19	33
50-64	452	8.5	49	1	2	7	10	15	20	38
65 +	818	8.8	44	1	3	8	10	16	20	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	471	5.7	8	1	2	6	7	9	10	13
B. Operated	332	5.4	13	< 1	1	6	8	10	11	15
2. MULTIPLE DX										
A. Not Operated	3254	5.5	20	1	2	5	7	10	12	21
B. Operated	1774	8.2	44	1	2	7	10	15	20	37
1. SINGLE DX	803	5.6	10	1	1	6	8	10	11	14
2. MULTIPLE DX	5028	6.5	30	1	2	6	8	11	15	30
A. Not Operated	3725	5.6	18	1	2	5	7	10	12	19
B. Operated	2106	7.8	40	1	1	7	9	14	18	35
TOTAL										
0-19 YRS	156	4.4	37	< 1	1	2	6	9	13	42
20-34	543	5.4	15	1	1	5	8	10	12	16
35-49	830	6.5	27	1	1	6	8	11	14	29
50-64	1349	6.5	27	1	2	6	8	11	14	29
65 +	2953	6.5	29	1	2	6	8	11	15	28
GRAND TOTAL	**5831**	**6.4**	**27**	**1**	**1**	**6**	**8**	**11**	**14**	**29**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2035	1.8	1	< 1	1	1	2	3	4	6
20-34	161	2.4	2	1	1	2	3	4	5	7
35-49	76	2.4	2	1	1	2	3	4	6	8
50-64	31	2.7	2	< 1	1	3	4	5	6	6
65 +	21	2.3	2	< 1	1	2	3	4	5	5
B. Operated										
0-19 YRS	169	1.6	8	< 1	< 1	1	1	2	4	21
20-34	44	1.9	5	< 1	1	1	2	4	5	14
35-49	8	4.5	19	1	1	2	7	11	13	13
50-64	6	3.0	4	< 1	< 1	2	5	6	6	6
65 +	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2491	2.5	3	1	1	2	3	4	6	9
20-34	402	3.0	3	1	1	3	4	5	6	9
35-49	226	3.4	5	1	1	3	4	6	7	12
50-64	241	4.1	8	1	1	4	5	8	10	15
65 +	397	5.4	21	1	2	4	7	10	12	20
B. Operated										
0-19 YRS	252	3.0	57	< 1	< 1	1	2	6	10	39
20-34	106	3.9	23	1	1	2	5	9	12	27
35-49	86	5.1	42	1	1	3	6	11	19	35
50-64	48	6.2	62	1	1	3	8	13	17	50
65 +	60	5.6	29	< 1	1	4	7	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2324	1.8	1	< 1	1	2	2	3	4	6
B. Operated	232	1.8	8	< 1	< 1	1	1	3	5	16
2. MULTIPLE DX										
A. Not Operated	3757	3.0	6	1	1	2	4	6	7	12
B. Operated	552	4.0	46	< 1	1	2	4	9	13	35
1. SINGLE DX	2556	1.8	2	< 1	1	1	2	3	4	6
2. MULTIPLE DX	4309	3.2	11	1	1	2	4	6	8	15
A. Not Operated	6081	2.6	5	1	1	2	3	5	6	11
B. Operated	784	3.4	36	< 1	1	1	3	8	12	29
TOTAL										
0-19 YRS	4947	2.2	5	< 1	1	2	3	4	5	9
20-34	713	2.9	6	1	1	2	4	5	7	11
35-49	396	3.6	13	1	1	3	4	7	10	20
50-64	326	4.3	16	1	1	3	5	8	11	16
65 +	483	5.2	21	1	2	4	7	10	13	22
GRAND TOTAL	**6865**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1362	2.6	3	1	1	2	3	5	6	9
20-34	51	2.6	1	1	1	2	3	5	5	5
35-49	42	3.7	4	1	2	3	5	6	8	10
50-64	50	3.6	6	1	2	3	4	6	7	14
65 +	70	3.7	4	1	1	4	5	7	8	10
B. Operated										
0-19 YRS	18	2.8	6	< 1	< 1	2	3	7	9	9
20-34	3	2.0	1	< 1	< 1	2	3	3	3	3
35-49	3	2.7	8	< 1	< 1	1	5	6	6	6
50-64	1	15.0		15	15	15	15	15	15	15
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2531	3.4	6	1	1	3	4	6	8	12
20-34	291	4.3	13	1	1	3	5	10	12	16
35-49	474	4.5	10	1	2	4	5	8	10	17
50-64	1769	5.6	17	2	2	5	7	10	12	19
65 +	4856	6.2	18	2	2	5	8	11	14	22
B. Operated										
0-19 YRS	34	7.4	56	1	1	5	8	19	27	31
20-34	32	8.4	115	1	2	4	8	22	34	50
35-49	40	5.8	18	2	2	4	7	12	16	17
50-64	101	8.8	48	1	2	7	12	19	24	68
65 +	299	11.0	138	3	3	8	12	22	34	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1575	2.7	3	1	1	2	3	5	6	9
B. Operated	26	3.5	12	< 1	< 1	2	3	9	11	15
2. MULTIPLE DX										
A. Not Operated	9921	5.3	16	1	2	4	7	10	12	19
B. Operated	506	9.7	106	2	3	7	12	21	29	86
1. SINGLE DX	1601	2.8	4	1	1	2	3	5	6	9
2. MULTIPLE DX	10427	5.5	21	1	2	4	7	10	13	23
A. Not Operated	11496	4.9	15	1	2	4	6	9	12	18
B. Operated	532	9.4	103	1	2	7	12	21	29	80
TOTAL										
0-19 YRS	3945	3.2	5	1	1	3	4	6	7	11
20-34	377	4.4	21	1	1	3	5	10	12	24
35-49	559	4.5	11	1	2	4	5	8	10	17
50-64	1921	5.8	19	2	2	5	7	10	13	23
65 +	5226	6.5	26	2	2	5	8	11	15	25
GRAND TOTAL	**12028**	**5.1**	**19**	**1**	**2**	**4**	**6**	**10**	**12**	**21**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	59	1.1		< 1	< 1	1	1	1	2	3
20-34	134	1.1		< 1	< 1	1	1	1	2	4
35-49	95	1.0		< 1	< 1	1	1	1	1	2
50-64	60	1.2		< 1	< 1	1	1	2	3	4
65 +	13	1.2		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.0		< 1	< 1	1	1	1	1	1
35-49	4	1.5	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	177	1.2		< 1	1	1	1	2	2	3
20-34	505	1.3		< 1	1	1	1	2	3	4
35-49	424	1.4	1	< 1	1	1	1	2	3	5
50-64	231	1.5	1	1	1	1	2	2	3	6
65 +	97	1.6	1	1	1	1	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	361	1.1		< 1	< 1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	9	1.4	1	< 1	< 1	1	2	3	3	3
B. Operated	1434	1.4	1	< 1	1	1	1	2	3	4
1. SINGLE DX	362	1.1		< 1	< 1	1	1	1	2	3
2. MULTIPLE DX	1443	1.4	1	< 1	1	1	1	2	3	4
A. Not Operated	10	1.4	1	< 1	< 1	1	1	3	3	3
B. Operated	1795	1.3	1	< 1	1	1	1	2	3	4
TOTAL										
0-19 YRS	236	1.2		< 1	1	1	1	2	2	3
20-34	644	1.2		< 1	1	1	1	2	2	4
35-49	523	1.3	1	< 1	1	1	1	2	3	5
50-64	291	1.4	1	< 1	1	1	2	2	3	5
65 +	111	1.6	1	1	1	1	2	3	3	5
GRAND TOTAL	**1805**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**	**4**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.0		1	1	1	1	1	1	1
20-34	13	1.1		1	1	1	1	2	2	2
35-49	22	1.0		< 1	< 1	1	1	1	2	2
50-64	18	1.1		< 1	< 1	1	1	2	2	2
65 +	11	1.3	1	< 1	< 1	1	1	2	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	23	2.2	4	< 1	< 1	1	2	6	7	7
20-34	56	1.5	2	1	1	1	1	2	3	10
35-49	105	1.9	4	< 1	1	1	2	3	4	14
50-64	72	1.5	1	< 1	< 1	1	2	2	3	6
65 +	56	1.6	1	< 1	1	1	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	70	1.1		< 1	< 1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	312	1.7	2	< 1	1	1	2	3	3	8
1. SINGLE DX	70	1.1		< 1	< 1	1	1	1	2	4
2. MULTIPLE DX	315	1.7	2	< 1	1	1	2	3	4	8
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	382	1.6	2	< 1	1	1	2	3	3	7
TOTAL										
0-19 YRS	29	1.9	3	< 1	< 1	1	2	5	7	7
20-34	69	1.4	2	1	1	1	1	2	2	9
35-49	128	1.7	3	< 1	1	1	2	3	3	13
50-64	92	1.4	1	< 1	< 1	1	2	2	3	5
65 +	67	1.5	1	< 1	1	1	2	3	3	4
GRAND TOTAL	**385**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**3**	**7**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.7	1	< 1	< 1	1	2	3	4	4
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3184	1.0		< 1	< 1	1	1	1	1	2
20-34	824	1.1		< 1	1	1	1	1	2	3
35-49	126	1.1		< 1	1	1	1	2	2	4
50-64	13	1.3	1	1	1	1	1	2	4	4
65 +	5	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	1.6	1	< 1	< 1	1	2	3	4	5
20-34	9	1.7	1	< 1	< 1	1	2	3	3	3
35-49	3	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2284	1.1	1	< 1	< 1	1	1	1	2	3
20-34	315	1.3	2	< 1	1	1	1	2	3	7
35-49	78	1.4	1	< 1	1	1	1	2	3	5
50-64	19	2.0	3	< 1	1	1	3	5	7	7
65 +	5	2.2	1	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated	4152	1.1		< 1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	54	1.7	1	< 1	< 1	1	3	3	4	5
B. Operated	2701	1.2	1	< 1	< 1	1	1	1	2	4
1. SINGLE DX	4167	1.1		< 1	1	1	1	1	2	2
2. MULTIPLE DX	2755	1.2	1	< 1	< 1	1	1	1	2	4
A. Not Operated	69	1.7	1	< 1	< 1	1	3	3	4	5
B. Operated	6853	1.1		< 1	< 1	1	1	1	2	3
TOTAL										
0-19 YRS	5522	1.1		< 1	< 1	1	1	1	2	3
20-34	1151	1.2	1	< 1	1	1	1	2	2	4
35-49	207	1.3		< 1	1	1	1	2	3	4
50-64	32	1.7	2	1	1	1	2	4	6	7
65 +	10	1.6	1	< 1	< 1	1	2	3	4	4
GRAND TOTAL	**6922**	**1.1**		**<1**	**<1**	**1**	**1**	**1**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	224	2.3	2	< 1	1	2	3	4	5	7
20-34	135	2.5	1	1	1	2	3	4	5	7
35-49	55	2.6	2	1	1	2	3	4	5	7
50-64	30	2.3	4	< 1	< 1	2	3	6	7	7
65 +	7	4.0	8	< 1	1	3	4	9	10	10
B. Operated										
0-19 YRS	244	1.8	2	< 1	1	1	2	3	4	9
20-34	291	1.9	3	< 1	1	1	2	4	5	9
35-49	209	1.6	1	< 1	< 1	1	2	3	4	6
50-64	168	1.4	1	< 1	< 1	1	2	2	3	6
65 +	97	1.6	2	< 1	< 1	1	1	3	4	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	269	2.7	4	< 1	1	2	3	5	7	11
20-34	149	3.4	5	1	1	3	4	6	7	14
35-49	99	2.9	3	< 1	< 1	3	4	5	7	9
50-64	81	3.5	8	< 1	< 1	3	4	7	10	13
65 +	99	3.7	7	1	1	3	5	7	9	14
B. Operated										
0-19 YRS	425	2.3	9	< 1	1	1	2	5	8	15
20-34	553	2.2	10	1	1	1	2	4	6	11
35-49	656	2.0	6	1	1	1	2	4	5	11
50-64	496	2.3	8	1	1	1	3	4	7	17
65 +	332	3.6	38	1	1	2	4	9	13	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	451	2.4	2	< 1	1	2	3	4	5	7
B. Operated	1009	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	697	3.1	5	< 1	1	3	4	6	8	13
B. Operated	2462	2.4	12	1	1	1	2	5	7	18
1. SINGLE DX	1460	1.9	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	3159	2.5	11	1	1	2	3	5	7	15
A. Not Operated	1148	2.8	4	< 1	1	2	3	5	7	11
B. Operated	3471	2.2	9	< 1	1	1	2	4	6	14
TOTAL										
0-19 YRS	1162	2.3	5	< 1	1	2	3	4	6	12
20-34	1128	2.3	7	1	1	2	3	4	6	10
35-49	1019	2.0	4	< 1	1	1	2	4	5	11
50-64	775	2.3	6	< 1	1	1	2	4	7	14
65 +	535	3.3	26	< 1	1	2	4	7	10	26
GRAND TOTAL	**4619**	**2.3**	**8**	**<1**	**1**	**1**	**3**	**4**	**6**	**13**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2250	3.2	3	1	1	3	4	6	7	9
20-34	664	3.8	9	1	2	3	5	6	8	11
35-49	516	4.1	5	1	2	4	5	7	8	12
50-64	368	4.7	7	2	2	4	6	8	9	14
65 +	636	5.0	8	2	2	4	6	8	10	15
B. Operated										
0-19 YRS	21	4.2	10	< 1	1	3	5	10	11	11
20-34	15	4.2	7	2	2	3	5	7	11	12
35-49	33	4.9	7	1	2	4	6	8	11	12
50-64	30	7.4	14	2	3	7	10	11	14	20
65 +	41	8.1	43	1	2	7	10	14	18	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5061	3.9	9	1	2	3	5	7	9	15
20-34	1357	5.1	19	2	2	4	6	9	11	20
35-49	1677	5.5	13	2	2	5	7	10	12	21
50-64	3379	6.6	23	2	3	5	8	11	14	24
65 +	15101	7.5	23	2	3	6	9	13	16	25
B. Operated										
0-19 YRS	169	10.5	78	1	2	9	15	21	29	90
20-34	205	11.2	123	3	3	9	13	21	28	81
35-49	311	12.3	130	3	4	9	15	22	32	77
50-64	620	12.6	98	4	4	10	15	25	31	51
65 +	1931	14.7	122	4	5	12	18	28	37	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4434	3.8	6	1	2	3	5	7	8	12
B. Operated	140	6.2	22	1	2	5	8	11	13	22
2. MULTIPLE DX										
A. Not Operated	26575	6.5	22	2	2	5	8	12	15	23
B. Operated	3236	13.6	118	3	4	11	17	26	35	73
1. SINGLE DX	4574	3.9	7	1	2	3	5	7	8	12
2. MULTIPLE DX	29811	7.2	37	2	2	6	9	13	18	32
A. Not Operated	31009	6.1	20	2	2	5	8	11	14	22
B. Operated	3376	13.3	116	3	4	10	17	26	35	73
TOTAL										
0-19 YRS	7501	3.8	10	1	1	3	5	7	9	16
20-34	2241	5.2	29	2	2	4	6	9	13	24
35-49	2537	6.1	31	2	2	5	7	10	14	27
50-64	4397	7.3	37	2	3	6	9	13	18	31
65 +	17709	8.2	39	3	3	7	10	15	19	34
GRAND TOTAL	**34385**	**6.8**	**34**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	2.2	3	1	1	2	2	4	7	8
20-34	43	2.5	2	< 1	1	2	3	4	5	6
35-49	31	2.5	3	1	1	2	3	5	6	6
50-64	12	2.3	2	1	1	2	3	4	6	6
65 +	15	3.4	12	< 1	1	2	3	10	12	13
B. Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	2.8	5	1	1	2	3	6	7	11
20-34	154	2.7	3	1	1	2	3	6	7	9
35-49	114	3.5	6	1	1	3	4	6	8	13
50-64	131	4.6	16	1	2	4	5	8	9	23
65 +	340	5.1	11	2	2	4	6	9	11	19
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	7	2.7	1	2	2	2	4	4	4	4
35-49	4	19.5	113	7	7	20	28	31	31	31
50-64	10	8.4	40	3	3	5	15	18	19	19
65 +	12	13.4	231	4	4	9	11	31	56	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	2.4	3	1	1	2	3	4	6	10
B. Operated	5	5.0	6	1	1	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	900	4.0	9	1	1	3	5	8	10	15
B. Operated	36	9.6	125	1	2	6	11	19	29	60
1. SINGLE DX	172	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX	936	4.2	15	1	1	3	5	8	10	19
A. Not Operated	1067	3.8	9	1	1	3	5	7	9	14
B. Operated	41	9.0	112	1	2	6	10	19	28	60
TOTAL										
0-19 YRS	232	2.6	4	1	1	2	3	6	7	10
20-34	206	2.7	3	1	1	2	3	5	6	8
35-49	150	3.7	14	1	1	3	4	7	9	25
50-64	153	4.7	18	1	2	4	5	8	10	19
65 +	367	5.3	20	2	2	4	6	10	12	20
GRAND TOTAL	**1108**	**4.0**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	139	1.9	1	< 1	1	2	2	4	4	6
20-34	17	2.5	4	< 1	1	2	3	6	7	8
35-49	18	3.4	2	1	1	4	5	5	6	6
50-64	51	3.7	5	1	1	3	5	7	9	11
65 +	60	4.0	5	1	2	3	5	6	7	15
B. Operated										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	3.3	6	< 1	< 1	3	5	6	6	6
65 +	5	4.8	12	< 1	< 1	7	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	218	2.6	3	1	1	2	3	4	6	9
20-34	72	3.9	8	1	1	3	5	8	9	15
35-49	105	3.8	6	1	2	3	4	7	8	15
50-64	398	5.4	16	1	2	4	7	10	13	22
65 +	937	6.1	19	2	2	5	7	11	14	22
B. Operated										
0-19 YRS	3	6.3	33	3	3	3	11	13	13	13
20-34	5	3.8	18	1	1	2	6	11	11	11
35-49	10	6.9	14	2	2	6	9	12	15	15
50-64	50	10.1	319	1	1	4	9	23	40	93
65 +	100	9.0	80	< 1	1	7	11	16	21	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	285	2.8	4	< 1	1	2	4	5	6	9
B. Operated	14	3.9	10	< 1	< 1	3	7	8	10	10
2. MULTIPLE DX										
A. Not Operated	1730	5.2	16	1	2	4	7	10	13	20
B. Operated	168	9.0	144	1	1	6	11	16	24	78
1. SINGLE DX	299	2.9	4	< 1	1	2	4	5	7	10
2. MULTIPLE DX	1898	5.6	29	1	2	4	7	10	13	24
A. Not Operated	2015	4.9	15	1	1	4	6	9	12	19
B. Operated	182	8.6	135	< 1	1	6	10	15	24	75
TOTAL										
0-19 YRS	365	2.4	2	< 1	1	2	3	4	5	8
20-34	94	3.6	8	1	1	3	4	8	9	14
35-49	134	4.0	7	1	2	3	5	7	9	16
50-64	502	5.7	46	1	2	4	7	10	13	27
65 +	1102	6.2	25	2	2	5	7	11	14	25
GRAND TOTAL	**2197**	**5.2**	**26**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	8.2	35	2	2	6	12	17	17	17
50-64	27	4.3	8	1	1	4	6	8	11	11
65 +	48	4.6	10	1	2	4	6	9	11	15
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	6.6	28	3	3	5	8	16	16	16
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	12.5	5	11	11	12	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.8	4	1	1	2	4	6	6	6
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	22	6.1	25	2	2	4	6	14	17	21
50-64	271	6.2	16	2	2	5	8	11	13	21
65 +	686	6.6	37	2	2	5	8	12	15	24
B. Operated										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	15	10.0	28	2	3	9	14	17	20	21
35-49	12	9.7	16	5	6	9	13	34	88	99 +
50-64	34	16.2	349	3	4	10	20	41	85	99 +
65 +	81	13.6	118	3	4	11	18	26	34	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	4.7	11	1	1	4	6	9	11	16
B. Operated	9	7.8	23	3	3	5	12	15	16	16
2. MULTIPLE DX										
A. Not Operated	987	6.5	31	2	2	5	8	12	15	23
B. Operated	144	13.4	155	3	4	10	16	27	39	99 +
1. SINGLE DX	89	5.0	13	1	2	4	7	11	12	17
2. MULTIPLE DX	1131	7.3	52	2	2	6	9	13	19	41
A. Not Operated	1067	6.3	29	2	2	5	8	12	14	23
B. Operated	153	13.1	149	3	4	10	16	26	38	99 +
TOTAL										
0-19 YRS	9	4.8	13	1	1	4	7	10	12	12
20-34	22	8.7	29	2	3	7	12	16	19	21
35-49	39	7.5	25	2	3	6	12	16	19	99 +
50-64	333	7.0	58	2	2	5	8	12	17	44
65 +	817	7.2	48	2	2	6	9	13	18	35
GRAND TOTAL	**1220**	**7.2**	**49**	**2**	**2**	**5**	**9**	**13**	**18**	**39**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3511	2.3	2	1	1	2	3	4	5	7
20-34	1013	2.9	3	1	1	3	4	5	6	8
35-49	931	3.3	4	1	1	3	4	6	7	11
50-64	[illegible]59	3.8	5	1	1	3	5	7	8	11
65 +	445	4.2	7	1	1	4	5	8	9	12
B. Operated										
0-19 YRS	41	2.5	2	1	1	2	3	5	6	6
20-34	19	3.1	7	< 1	1	2	4	7	10	10
35-49	18	3.5	9	1	1	3	4	6	11	14
50-64	14	3.6	5	< 1	1	3	4	7	8	9
65 +	8	4.5	21	1	1	3	7	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3149	2.8	3	1	1	2	3	5	6	10
20-34	1173	3.8	8	1	1	3	5	7	8	12
35-49	1627	4.2	7	1	2	4	5	7	9	14
50-64	2179	5.0	11	1	2	4	6	9	11	16
65 +	3527	5.7	14	2	2	5	7	10	13	19
B. Operated										
0-19 YRS	56	4.7	18	1	1	3	7	10	13	20
20-34	47	7.8	52	1	2	7	10	13	18	47
35-49	80	7.9	46	1	2	7	10	15	23	37
50-64	102	8.7	33	2	3	7	11	18	22	25
65 +	164	12.0	99	2	4	9	14	25	35	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6559	2.8	3	1	1	2	3	5	6	9
B. Operated	100	3.1	6	1	1	2	4	6	9	13
2. MULTIPLE DX										
A. Not Operated	11655	4.4	10	1	2	4	6	8	10	16
B. Operated	449	9.2	65	1	2	7	11	19	24	42
1. SINGLE DX	6659	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX	12104	4.6	13	1	2	4	6	9	11	18
A. Not Operated	18214	3.8	8	1	1	3	5	7	9	14
B. Operated	549	8.0	60	1	1	6	10	16	23	41
TOTAL										
0-19 YRS	6757	2.6	3	1	1	2	3	4	5	9
20-34	2252	3.4	7	1	1	3	4	6	8	12
35-49	2656	4.0	8	1	2	3	5	7	9	14
50-64	2954	4.9	11	1	2	4	6	9	11	18
65 +	4144	5.7	18	2	2	5	7	10	13	22
GRAND TOTAL	**18763**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**10**	**16**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	7	2.6	1	1	1	3	3	4	4	4
35-49	22	3.5	6	1	1	3	4	6	9	12
50-64	155	4.4	8	1	1	4	6	9	10	12
65 +	266	5.0	24	1	2	4	6	8	10	14
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	7.0	25	< 1	< 1	7	11	12	12	12
50-64	7	3.6	5	1	1	5	5	6	6	6
65 +	18	5.1	16	< 1	1	4	7	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	5.2	12	1	1	4	8	11	12	12
20-34	20	5.8	19	< 1	1	4	9	13	14	14
35-49	126	6.0	17	2	2	5	8	11	14	20
50-64	1211	6.3	27	2	2	5	8	11	16	26
65 +	3033	6.5	26	2	2	5	8	12	15	28
B. Operated										
0-19 YRS	7	6.6	49	1	1	6	8	18	21	21
20-34	13	10.6	32	4	5	9	14	18	22	23
35-49	25	11.2	64	2	4	8	15	24	27	32
50-64	119	11.6	190	1	3	8	13	25	43	99 +
65 +	280	12.0	121	2	3	9	15	26	34	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	453	4.7	18	1	2	4	6	8	10	14
B. Operated	33	4.6	14	< 1	1	4	6	11	12	14
2. MULTIPLE DX										
A. Not Operated	4408	6.4	26	2	2	5	8	12	15	27
B. Operated	444	11.7	132	2	3	8	14	24	34	92
1. SINGLE DX	486	4.7	17	1	1	4	6	9	10	14
2. MULTIPLE DX	4852	6.9	38	2	2	5	8	13	17	33
A. Not Operated	4861	6.3	25	2	2	5	8	11	15	27
B. Operated	477	11.2	127	1	2	8	14	23	33	91
TOTAL										
0-19 YRS	31	5.0	19	1	1	4	7	10	12	21
20-34	41	6.7	28	1	2	5	10	14	16	23
35-49	177	6.4	26	1	2	5	8	12	17	26
50-64	1492	6.5	40	1	2	5	8	12	17	32
65 +	3597	6.8	35	2	2	5	8	13	17	33
GRAND TOTAL	**5338**	**6.7**	**36**	**2**	**2**	**5**	**8**	**12**	**17**	**32**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.0	2	< 1	1	2	2	5	6	6
20-34	60	2.8	6	1	1	2	3	6	8	12
35-49	11	3.5	5	< 1	< 1	3	5	7	7	7
50-64	5	2.2	3	< 1	< 1	1	3	5	5	5
65 +	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	81	5.3	10	2	2	5	6	9	12	16
20-34	311	5.0	9	2	2	4	6	9	10	16
35-49	106	5.2	10	2	2	4	7	10	12	16
50-64	36	7.2	77	2	2	5	7	14	20	52
65 +	23	4.7	9	1	2	4	6	10	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.4	6	< 1	1	3	5	7	8	8
20-34	22	3.3	7	1	1	2	4	7	9	10
35-49	13	3.3	7	1	1	3	4	6	10	11
50-64	24	3.7	6	< 1	1	3	5	7	9	10
65 +	63	5.6	22	1	1	5	6	12	17	22
B. Operated										
0-19 YRS	35	9.0	38	3	3	8	12	15	22	31
20-34	146	8.2	37	2	3	6	10	16	20	33
35-49	96	7.5	21	2	2	7	11	14	16	19
50-64	169	8.7	47	2	3	6	12	19	21	32
65 +	295	10.2	87	2	3	7	12	21	30	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	2.7	5	1	1	2	3	6	7	11
B. Operated	557	5.2	14	2	2	4	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	136	4.5	15	1	1	4	5	9	11	19
B. Operated	741	9.0	58	2	3	7	11	18	22	39
1. SINGLE DX	659	4.8	13	1	2	4	6	9	11	16
2. MULTIPLE DX	877	8.3	54	2	2	6	11	17	21	38
A. Not Operated	238	3.7	11	1	1	3	5	7	10	18
B. Operated	1298	7.4	42	2	2	5	9	14	20	36
TOTAL										
0-19 YRS	153	5.5	20	1	1	4	7	11	14	24
20-34	539	5.6	19	1	2	4	7	10	14	21
35-49	226	6.0	16	1	2	5	9	12	14	17
50-64	234	7.8	49	1	2	5	10	18	21	33
65 +	384	9.0	75	2	3	6	11	18	27	46
GRAND TOTAL	**1536**	**6.8**	**39**	**1**	**2**	**5**	**8**	**14**	**18**	**33**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	2.7	8	< 1	1	2	3	4	10	15
20-34	71	2.7	4	< 1	1	2	4	5	6	10
35-49	82	3.3	8	1	1	2	4	7	8	16
50-64	59	3.0	4	< 1	1	3	4	6	7	10
65 +	98	3.7	6	1	1	3	5	6	9	12
B. Operated										
0-19 YRS	34	3.2	9	< 1	< 1	2	5	7	9	12
20-34	33	4.7	19	1	1	4	5	10	14	20
35-49	61	4.9	11	< 1	1	5	7	8	11	18
50-64	93	5.3	21	1	1	4	7	9	11	26
65 +	78	5.7	17	< 1	1	5	8	12	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	428	4.8	57	1	1	3	5	10	14	39
20-34	257	5.0	57	1	1	3	6	11	14	25
35-49	424	4.5	14	1	1	4	6	9	11	17
50-64	1012	5.5	26	1	2	4	7	10	14	24
65 +	3428	7.1	30	2	2	6	9	13	17	27
B. Operated										
0-19 YRS	149	8.8	186	1	1	4	10	22	33	91
20-34	180	10.3	111	1	2	6	14	24	32	60
35-49	316	10.6	117	1	2	7	14	22	27	63
50-64	592	10.6	105	1	2	8	13	22	32	53
65 +	1329	13.3	151	2	3	10	17	28	38	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	459	3.1	7	1	1	2	4	6	8	12
B. Operated	299	5.0	17	< 1	1	4	7	9	13	22
2. MULTIPLE DX										
A. Not Operated	5549	6.3	32	1	2	5	8	12	16	26
B. Operated	2566	11.9	138	1	2	9	15	25	35	66
1. SINGLE DX	758	3.8	11	< 1	1	3	5	8	10	18
2. MULTIPLE DX	8115	8.1	72	1	2	6	10	16	22	48
A. Not Operated	6008	6.1	31	1	1	5	8	12	15	25
B. Operated	28[illegible]	11.2	129	1	2	8	14	23	33	65
TOTAL										
0-19 YRS	760	5.1	74	1	1	2	5	11	17	54
20-34	541	6.4	74	1	1	4	7	14	20	53
35-49	883	6.6	59	1	1	4	8	14	19	40
50-64	1756	7.1	58	1	2	5	9	14	20	38
65 +	4933	8.7	70	2	2	6	11	17	23	47
GRAND TOTAL	**8873**	**7.7**	**69**	**1**	**2**	**5**	**10**	**16**	**22**	**46**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.8	1	< 1	< 1	2	2	3	5	5
20-34	23	5.4	66	< 1	1	3	5	9	25	39
35-49	21	2.9	4	< 1	1	2	4	6	7	8
50-64	4	3.0	6	< 1	< 1	2	5	6	6	6
65 +	4	6.0	46	< 1	< 1	3	10	16	16	16
B. Operated										
0-19 YRS	611	1.8	1	< 1	1	2	2	3	4	5
20-34	794	2.1	1	1	1	2	3	3	4	6
35-49	426	2.0	1	1	1	2	3	3	4	5
50-64	140	2.1	2	1	1	2	3	3	5	7
65 +	25	2.1	1	< 1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.7	2	< 1	< 1	3	3	4	6	8
20-34	46	2.8	6	< 1	< 1	2	3	6	9	12
35-49	39	5.2	23	< 1	1	3	8	11	18	19
50-64	31	3.7	10	< 1	1	3	5	7	10	16
65 +	28	5.3	20	1	1	4	8	11	14	18
B. Operated										
0-19 YRS	563	2.2	2	1	1	2	3	4	5	7
20-34	610	2.7	5	1	1	2	3	4	5	11
35-49	412	2.8	5	1	1	2	3	5	6	12
50-64	187	2.8	13	< 1	1	2	3	5	7	15
65 +	141	3.0	15	1	1	2	3	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	3.8	29	< 1	1	2	4	6	10	36
B. Operated	1996	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	188	3.8	13	< 1	1	3	4	9	11	18
B. Operated	1913	2.6	6	1	1	2	3	4	6	12
1. SINGLE DX	2061	2.0	2	1	1	2	3	3	4	6
2. MULTIPLE DX	2101	2.7	6	1	1	2	3	4	6	13
A. Not Operated	253	3.8	17	< 1	1	3	4	8	11	18
B. Operated	3909	2.3	3	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	1231	2.0	2	< 1	1	2	3	3	4	6
20-34	1473	2.4	4	1	1	2	3	4	5	8
35-49	898	2.6	4	1	1	2	3	4	5	11
50-64	362	2.6	8	1	1	2	3	5	6	14
65 +	198	3.3	15	1	1	2	3	7	11	19
GRAND TOTAL	**4162**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.9	3	1	1	3	4	5	6	11
20-34	34	2.7	2	1	1	2	4	5	6	6
35-49	17	3.8	6	< 1	1	3	5	7	9	10
50-64	14	3.4	3	< 1	1	3	5	6	6	6
65 +	10	4.1	7	2	2	3	4	8	11	11
B. Operated										
0-19 YRS	59	1.8	2	< 1	< 1	1	2	3	5	8
20-34	56	2.1	3	< 1	< 1	2	3	4	5	8
35-49	87	2.3	4	1	1	2	2	5	7	10
50-64	50	2.2	4	1	1	2	2	5	8	9
65 +	53	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	3.4	3	1	2	3	4	6	7	9
20-34	37	4.1	6	1	1	4	5	8	9	12
35-49	39	4.5	11	1	2	4	5	9	14	15
50-64	48	4.7	11	1	2	4	6	10	13	14
65 +	117	5.4	9	2	2	5	7	10	11	14
B. Operated										
0-19 YRS	65	3.0	12	< 1	1	2	3	7	8	22
20-34	73	3.6	14	1	1	2	5	8	10	23
35-49	92	2.7	5	1	1	2	3	6	8	11
50-64	114	2.9	9	1	1	2	3	6	8	16
65 +	120	5.0	43	1	1	3	5	12	18	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	3.1	4	1	1	3	4	6	6	11
B. Operated	305	2.0	3	< 1	1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	328	4.5	8	1	2	4	6	8	10	14
B. Operated	464	3.5	19	1	1	2	4	8	10	24
1. SINGLE DX	428	2.3	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX	792	3.9	15	1	1	3	5	8	10	20
A. Not Operated	451	4.1	7	1	2	3	5	8	10	13
B. Operated	769	2.9	13	1	1	2	3	6	8	20
TOTAL										
0-19 YRS	259	2.8	5	1	1	2	4	5	7	11
20-34	200	3.1	8	1	1	2	4	6	8	11
35-49	235	2.9	6	1	1	2	3	6	8	13
50-64	226	3.1	9	1	1	2	4	7	9	14
65 +	300	4.5	23	1	1	3	6	9	12	26
GRAND TOTAL	**1220**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	2.1	2	1	1	2	3	4	5	7
20-34	61	1.9	1	< 1	< 1	2	2	4	4	7
35-49	96	1.7	1	< 1	1	1	2	3	4	5
50-64	81	2.1	4	< 1	< 1	2	2	4	5	13
65 +	62	2.2	5	< 1	1	2	2	4	5	16
B. Operated										
0-19 YRS	39	5.3	13	< 1	1	5	7	9	14	17
20-34	29	3.8	6	1	1	3	6	7	7	10
35-49	61	4.7	10	< 1	1	4	6	8	11	16
50-64	49	5.8	107	< 1	1	4	6	8	8	75
65 +	65	4.0	7	< 1	1	4	5	6	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	260	3.1	7	1	1	2	4	6	9	14
20-34	230	3.0	7	< 1	1	2	4	5	6	17
35-49	507	3.1	5	1	1	3	4	6	7	10
50-64	669	3.2	6	1	1	2	4	6	7	11
65 +	1285	4.1	12	1	1	3	5	7	10	19
B. Operated										
0-19 YRS	141	10.7	113	1	1	8	13	22	33	63
20-34	124	7.6	130	1	1	5	7	12	22	68
35-49	294	6.4	47	1	2	5	7	12	21	59
50-64	415	6.9	74	1	2	5	7	12	20	60
65 +	845	7.4	55	1	2	5	9	15	23	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	446	2.0	2	< 1	1	2	2	4	4	7
B. Operated	243	4.7	29	< 1	1	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	2951	3.5	9	1	1	3	4	7	9	16
B. Operated	1819	7.4	68	1	2	5	8	15	22	52
1. SINGLE DX	689	3.0	13	< 1	1	2	4	6	7	14
2. MULTIPLE DX	4770	5.0	35	1	1	3	6	9	14	31
A. Not Operated	3397	3.3	8	1	1	3	4	6	8	15
B. Operated	2062	7.1	65	1	2	5	8	14	21	50
TOTAL										
0-19 YRS	586	4.8	43	1	1	3	6	10	16	40
20-34	444	4.2	45	< 1	1	3	5	7	10	28
35-49	958	4.1	20	1	1	3	5	8	10	23
50-64	1214	4.5	36	1	1	3	5	8	11	28
65 +	2257	5.3	31	1	1	4	6	10	15	30
GRAND TOTAL	**5459**	**4.7**	**33**	**1**	**1**	**3**	**6**	**9**	**13**	**30**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	28	3.4	11	< 1	1	2	4	7	9	17
35-49	34	2.3	2	< 1	1	2	3	4	5	5
50-64	19	2.8	2	1	1	3	4	5	6	7
65 +	13	3.2	3	< 1	< 1	3	4	6	6	6
B. Operated										
0-19 YRS	5	1.8	1	< 1	< 1	1	3	3	3	3
20-34	15	5.2	17	< 1	< 1	5	8	10	14	15
35-49	28	5.9	13	1	2	6	8	10	11	17
50-64	23	4.9	7	< 1	< 1	5	7	8	9	10
65 +	11	4.5	6	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.7	8	1	2	3	4	8	11	12
20-34	53	3.8	10	1	1	3	4	7	12	18
35-49	125	3.5	5	1	1	3	5	7	8	12
50-64	137	3.9	5	1	2	3	5	7	8	13
65 +	273	4.6	12	1	2	4	5	8	10	19
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	28	5.8	18	1	2	5	8	12	16	17
35-49	96	6.0	22	< 1	1	5	8	11	17	24
50-64	125	6.0	21	< 1	1	5	8	11	12	24
65 +	260	6.7	22	2	2	6	8	13	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	2.8	5	< 1	1	2	4	5	6	13
B. Operated	82	5.1	11	< 1	1	5	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	603	4.1	9	1	2	3	5	7	9	15
B. Operated	510	6.3	21	1	2	5	8	12	15	23
1. SINGLE DX	178	3.9	9	< 1	1	3	6	8	9	16
2. MULTIPLE DX	1113	5.1	16	1	2	4	6	10	13	20
A. Not Operated	699	3.9	8	1	1	3	5	7	8	15
B. Operated	592	6.2	20	< 1	2	5	8	11	14	22
TOTAL										
0-19 YRS	23	3.0	6	< 1	1	3	3	5	9	12
20-34	124	4.3	14	< 1	1	3	5	8	13	17
35-49	283	4.4	13	1	[illegible]	3	6	9	11	19
50-64	304	4.8	13	1	1	4	6	9	11	19
65 +	557	5.5	17	1	2	4	7	10	13	21
GRAND TOTAL	**1291**	**4.9**	**15**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	93TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.0	1	1	1	2	2	4	4	4
20-34	37	2.8	1	1	1	3	3	4	5	6
35-49	47	2.7	1	1	1	3	3	4	5	5
50-64	93	3.7	5	1	2	3	4	6	8	13
65 +	85	3.9	3	2	2	3	5	6	7	10
B. Operated										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	33	6.7	16	2	3	6	8	10	16	20
35-49	45	5.9	9	1	2	6	8	10	11	13
50-64	51	5.8	10	1	2	6	8	10	11	14
65 +	72	5.9	10	2	2	5	7	11	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.1	2	1	1	3	5	5	5	5
20-34	70	3.8	5	1	2	3	4	7	9	12
35-49	179	3.8	4	1	2	3	5	7	8	11
50-64	448	4.2	7	2	2	4	5	7	9	14
65 +	1093	5.4	14	2	2	4	6	9	12	19
B. Operated										
0-19 YRS	5	13.0	125	3	3	10	23	28	28	28
20-34	45	8.1	115	2	2	6	8	12	19	72
35-49	158	8.3	51	2	2	7	10	17	23	40
50-64	341	8.1	82	2	2	6	10	15	20	50
65 +	1029	9.8	93	2	3	7	12	18	26	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	269	3.4	3	1	2	3	4	5	7	11
B. Operated	203	6.0	11	1	2	6	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	1805	4.9	11	2	2	4	6	8	11	17
B. Operated	1578	9.3	87	2	3	7	11	18	24	56
1. SINGLE DX	472	4.5	8	1	2	4	6	8	10	14
2. MULTIPLE DX	3383	6.9	52	2	2	5	8	13	18	34
A. Not Operated	2074	4.7	11	2	2	4	6	8	10	17
B. Operated	1781	8.9	80	2	3	7	11	17	23	52
TOTAL										
0-19 YRS	29	5.0	37	1	1	3	5	11	21	28
20-34	185	5.2	37	1	2	4	6	9	11	24
35-49	429	5.6	26	1	2	4	7	10	14	27
50-64	933	5.7	38	2	2	4	6	11	14	26
65 +	2279	7.3	54	2	2	5	9	14	18	38
GRAND TOTAL	**3855**	**6.6**	**47**	**2**	**2**	**5**	**8**	**13**	**17**	**33**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	1.9	1	1	1	2	2	4	4	6
20-34	102	2.4	2	1	1	2	3	4	5	7
35-49	103	2.6	2	1	1	2	3	4	5	8
50-64	53	2.6	2	1	1	2	3	4	6	8
65 +	31	2.6	3	< 1	1	2	3	5	7	7
B. Operated										
0-19 YRS	5	6.2	11	< 1	< 1	7	9	9	9	9
20-34	13	6.9	4	4	5	6	8	10	11	11
35-49	31	7.4	9	3	4	7	8	11	14	15
50-64	15	6.7	4	3	4	7	8	9	10	11
65 +	6	3.8	6	< 1	< 1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	3.1	3	1	1	3	4	5	6	10
20-34	165	3.0	4	1	1	2	4	5	6	12
35-49	276	3.5	9	1	1	3	4	7	8	13
50-64	274	3.4	4	1	1	3	4	6	7	12
65 +	457	4.3	7	1	2	4	6	7	9	13
B. Operated										
0-19 YRS	6	6.3	11	< 1	< 1	7	7	11	11	11
20-34	21	8.6	18	3	4	8	11	15	17	19
35-49	57	7.5	16	2	3	7	9	12	14	24
50-64	85	7.1	35	2	2	5	9	11	17	36
65 +	114	6.9	32	1	2	6	8	11	18	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	317	2.5	2	1	1	2	3	4	5	7
B. Operated	70	6.7	7	< 1	3	7	8	11	11	15
2. MULTIPLE DX										
A. Not Operated	1211	3.7	6	1	1	3	5	7	8	13
B. Operated	283	7.2	28	2	2	6	9	12	16	30
1. SINGLE DX	387	3.2	6	1	1	2	4	7	8	11
2. MULTIPLE DX	1494	4.4	12	1	1	3	6	8	10	17
A. Not Operated	1528	3.4	6	1	1	3	4	6	8	12
B. Operated	353	7.1	24	2	3	6	8	11	15	29
TOTAL										
0-19 YRS	78	3.1	5	1	1	2	4	7	8	11
20-34	301	3.3	7	1	1	3	4	6	8	14
35-49	467	4.1	11	1	1	3	5	8	10	15
50-64	427	4.1	13	1	1	3	5	8	10	17
65 +	608	4.7	12	1	2	4	6	8	10	19
GRAND TOTAL	**1881**	**4.1**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.3	2	2	2	3	4	5	6	6
20-34	86	2.9	4	1	1	3	3	5	6	12
35-49	148	3.0	3	1	1	3	4	5	7	8
50-64	110	3.3	3	1	1	3	4	5	7	10
65 +	104	3.6	3	2	2	3	4	6	7	10
B. Operated										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	61	6.4	7	2	3	6	8	10	11	15
35-49	69	7.2	10	3	4	6	9	11	14	17
50-64	53	6.2	5	3	3	6	8	9	9	12
65 +	58	8.1	24	1	3	8	10	12	17	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.9	4	1	2	4	5	6	8	9
20-34	196	3.2	3	1	1	3	4	5	6	9
35-49	355	3.8	4	1	2	3	5	6	8	11
50-64	538	4.1	7	2	2	4	5	7	9	15
65 +	1367	5.2	11	2	2	4	6	9	11	18
B. Operated										
0-19 YRS	5	4.2	7	1	1	4	6	8	8	8
20-34	82	7.8	28	2	3	7	9	13	15	32
35-49	191	8.6	44	2	3	7	10	15	20	41
50-64	293	9.5	55	3	3	8	12	17	22	51
65 +	830	11.4	79	3	4	9	14	21	27	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	458	3.2	3	1	1	3	4	5	7	9
B. Operated	244	7.0	12	2	3	7	9	11	12	18
2. MULTIPLE DX										
A. Not Operated	2480	4.6	9	2	2	4	6	8	10	16
B. Operated	1401	10.4	68	3	4	8	13	19	25	45
1. SINGLE DX	702	4.5	9	1	2	4	6	8	10	15
2. MULTIPLE DX	3881	6.7	38	2	2	5	8	13	18	33
A. Not Operated	2938	4.4	8	1	2	4	5	8	10	15
B. Operated	1645	9.9	61	3	4	8	12	18	24	44
TOTAL										
0-19 YRS	42	3.8	3	1	2	4	5	6	7	9
20-34	425	4.5	12	1	2	4	6	8	10	16
35-49	763	5.2	20	1	2	4	6	9	12	22
50-64	994	5.7	27	2	2	4	7	11	15	30
65 +	2359	7.4	44	2	2	5	9	14	19	37
GRAND TOTAL	**4583**	**6.3**	**34**	**2**	**2**	**5**	**8**	**12**	**16**	**30**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	3.6	3	2	2	3	5	6	6	6
35-49	19	3.9	6	1	1	4	6	7	9	10
50-64	15	3.7	3	1	2	3	5	5	7	8
65 +	13	5.2	6	1	2	5	6	9	10	10
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	8.4	50	1	1	7	14	19	20	20
35-49	29	9.3	34	1	3	8	11	18	20	28
50-64	16	8.8	18	3	4	8	10	13	19	21
65 +	12	8.1	30	2	2	8	10	14	21	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.0	3	3	3	5	6	7	7	7
20-34	9	3.9	4	2	2	3	5	7	8	8
35-49	31	5.6	23	1	2	4	7	8	19	23
50-64	36	4.9	8	1	2	5	6	9	10	15
65 +	107	5.6	8	2	3	5	7	10	11	15
B. Operated										
0-19 YRS	2	13.5	13	11	11	13	16	16	16	16
20-34	11	8.1	22	2	3	9	11	14	18	18
35-49	68	10.9	40	4	5	9	14	19	20	37
50-64	89	13.2	120	4	5	11	15	26	39	59
65 +	199	13.6	70	3	5	12	17	25	29	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	4.1	5	1	2	4	5	7	9	10
B. Operated	65	8.8	29	2	3	8	11	17	20	27
2. MULTIPLE DX										
A. Not Operated	187	5.4	10	2	2	5	7	9	10	19
B. Operated	369	12.8	76	4	5	11	16	24	28	44
1. SINGLE DX	119	6.7	24	1	2	6	9	12	18	24
2. MULTIPLE DX	556	10.3	66	2	3	8	13	20	25	43
A. Not Operated	241	5.1	9	2	2	4	6	9	10	17
B. Operated	434	12.2	71	3	5	10	15	23	27	43
TOTAL										
0-19 YRS	7	7.6	20	3	3	6	10	15	16	16
20-34	34	6.1	22	2	2	4	9	12	17	20
35-49	147	8.6	37	1	2	7	11	17	20	28
50-64	156	9.9	87	2	3	7	12	19	27	50
65 +	331	10.5	61	2	3	8	14	22	25	40
GRAND TOTAL	**675**	**9.7**	**61**	**2**	**3**	**7**	**12**	**19**	**25**	**41**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	2.1	3	1	1	2	3	4	5	11
20-34	173	2.1	2	< 1	1	2	3	4	5	7
35-49	145	2.3	2	< 1	< 1	2	3	4	5	8
50-64	90	2.3	2	1	1	2	3	4	7	7
65 +	69	2.7	3	1	1	2	3	5	6	8
B. Operated										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	25	5.5	67	< 1	< 1	3	5	9	30	35
35-49	17	2.8	7	< 1	< 1	2	3	7	10	11
50-64	14	2.1	3	< 1	< 1	1	4	4	6	6
65 +	18	2.0	3	< 1	< 1	< 1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	224	2.4	3	1	1	2	3	4	6	8
20-34	641	2.8	4	1	1	2	4	5	6	10
35-49	826	3.3	6	1	1	3	4	6	7	12
50-64	894	3.6	9	1	1	3	4	7	9	15
65 +	1541	4.3	12	1	2	4	5	8	10	17
B. Operated										
0-19 YRS	17	5.1	17	< 1	1	5	6	10	15	17
20-34	100	5.3	37	< 1	1	3	6	10	14	35
35-49	149	5.6	37	1	1	4	7	9	17	38
50-64	242	5.5	24	< 1	1	4	6	11	16	26
65 +	399	7.0	54	< 1	2	5	9	13	16	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	556	2.3	2	< 1	1	2	3	4	5	7
B. Operated	77	3.4	27	< 1	< 1	2	4	6	9	33
2. MULTIPLE DX										
A. Not Operated	4126	3.6	8	1	1	3	4	7	8	14
B. Operated	907	6.1	41	< 1	1	4	7	12	16	37
1. SINGLE DX	633	2.4	5	< 1	1	2	3	4	6	9
2. MULTIPLE DX	5033	4.1	15	1	1	3	5	7	10	19
A. Not Operated	4682	3.5	8	1	1	3	4	6	8	13
B. Operated	984	5.9	40	< 1	1	4	7	11	16	36
TOTAL										
0-19 YRS	323	2.4	4	1	1	2	3	5	6	11
20-34	939	3.0	9	1	1	2	4	5	7	14
35-49	1137	3.5	10	1	1	3	4	6	8	15
50-64	1240	3.9	12	1	1	3	5	7	10	19
65 +	2027	4.7	21	1	2	4	6	9	11	19
GRAND TOTAL	**5666**	**3.9**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.8	1	< 1	1	2	2	3	4	4
20-34	43	2.2	2	< 1	1	2	3	3	6	7
35-49	33	2.3	2	1	1	2	3	4	5	5
50-64	29	2.4	2	1	1	2	3	4	5	6
65 +	26	2.2	1	< 1	1	2	3	4	4	5
B. Operated										
0-19 YRS	23	3.0	2	1	2	3	4	5	7	8
20-34	4	7.3	86	< 1	< 1	3	12	21	21	21
35-49	12	8.5	25	< 1	3	8	13	14	17	17
50-64	11	10.0	56	< 1	< 1	9	14	21	26	26
65 +	8	6.1	21	< 1	< 1	7	9	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	2.5	3	< 1	1	2	3	5	5	9
20-34	151	4.0	14	1	1	3	5	9	13	19
35-49	153	3.8	10	1	1	3	5	7	10	14
50-64	210	3.5	8	1	1	3	5	7	9	13
65 +	395	4.6	14	1	1	4	6	9	11	20
B. Operated										
0-19 YRS	25	15.2	506	1	3	8	14	30	82	95
20-34	38	8.7	49	1	2	7	11	17	19	38
35-49	110	10.0	67	1	2	8	13	20	24	43
50-64	114	11.6	136	1	1	9	15	25	30	63
65 +	202	10.3	68	2	3	8	13	19	27	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	156	2.2	2	< 1	1	2	3	4	5	7
B. Operated	58	6.2	31	< 1	1	4	9	13	17	26
2. MULTIPLE DX										
A. Not Operated	996	4.0	12	1	1	3	5	8	10	19
B. Operated	489	10.7	105	1	2	8	13	21	28	48
1. SINGLE DX	214	3.3	13	< 1	1	2	4	7	12	19
2. MULTIPLE DX	1485	6.2	52	1	1	4	7	13	18	32
A. Not Operated	1152	3.7	11	1	1	3	5	7	10	18
B. Operated	547	10.2	99	1	2	8	13	20	27	47
TOTAL										
0-19 YRS	160	4.4	100	< 1	1	2	4	7	11	73
20-34	236	4.5	22	1	1	3	5	10	15	21
35-49	308	6.0	40	1	1	4	8	13	18	31
50-64	364	6.1	63	1	1	4	8	14	19	32
65 +	631	6.4	38	1	1	5	8	13	17	32
GRAND TOTAL	**1699**	**5.8**	**48**	**1**	**1**	**4**	**7**	**13**	**17**	**31**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.1	2	< 1	1	2	3	4	5	6
20-34	27	1.9	2	< 1	1	1	2	4	4	5
35-49	5	2.8	3	1	1	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	3707	2.7	1	1	2	3	3	4	4	7
20-34	3087	2.9	2	1	2	3	3	4	5	7
35-49	1176	3.1	2	1	2	3	4	5	5	8
50-64	376	3.5	2	2	2	3	4	6	6	10
65 +	99	3.8	3	2	2	3	4	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.4		< 1	< 1	1	2	2	2	2
20-34	6	2.3	4	< 1	< 1	1	3	6	6	6
35-49	5	1.2		1	1	1	2	2	2	2
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	3	7.7	2	6	6	8	9	9	9	9
B. Operated										
0-19 YRS	637	3.6	4	2	2	3	4	6	7	11
20-34	733	3.8	4	2	2	3	4	6	7	11
35-49	378	4.3	6	2	2	4	5	7	9	13
50-64	203	5.2	11	2	2	4	6	8	13	19
65 +	165	5.9	18	2	3	5	7	10	12	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.1	2	1	1	2	3	4	5	6
B. Operated	8445	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	23	2.6	6	< 1	< 1	2	3	7	8	9
B. Operated	2116	4.1	7	2	2	3	5	7	9	14
1. SINGLE DX	8496	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX	2139	4.1	7	2	2	3	5	7	9	14
A. Not Operated	74	2.2	3	< 1	1	2	3	5	6	9
B. Operated	10561	3.1	3	1	2	3	4	5	6	9
TOTAL										
0-19 YRS	4369	2.8	2	1	2	3	3	4	5	8
20-34	3853	3.0	3	1	2	3	3	5	5	8
35-49	1564	3.4	3	1	2	3	4	5	7	10
50-64	582	4.1	6	2	2	3	5	7	8	14
65 +	267	5.1	13	2	2	4	6	9	10	23
GRAND TOTAL	**10635**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	5.1	8	1	1	6	7	8	9	9
20-34	4	4.8	7	1	1	5	6	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	884	5.6	6	2	3	5	7	8	9	14
20-34	536	5.2	7	2	2	5	7	8	9	13
35-49	382	5.8	6	2	3	6	7	9	10	14
50-64	221	6.3	8	2	3	6	8	10	11	13
65 +	91	6.5	6	3	4	6	8	10	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.7	2	4	4	5	7	8	8	8
20-34	4	5.0	3	3	3	5	6	7	7	7
35-49	7	8.0	22	2	2	8	10	15	16	16
50-64	0									
65 +	4	8.8	10	6	6	8	11	13	13	13
B. Operated										
0-19 YRS	607	8.3	31	3	4	7	9	14	18	31
20-34	430	7.4	15	3	4	7	9	12	15	21
35-49	368	7.9	13	4	4	7	9	13	15	19
50-64	397	9.1	33	4	4	8	11	15	18	28
65 +	367	10.9	48	4	5	9	13	18	25	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	5.1	7	1	1	6	7	8	9	9
B. Operated	2114	5.6	7	2	3	5	7	9	10	13
2. MULTIPLE DX										
A. Not Operated	21	6.9	11	2	3	7	8	11	14	16
B. Operated	2169	8.7	29	3	4	7	10	15	18	30
1. SINGLE DX	2129	5.6	7	2	3	5	7	9	10	13
2. MULTIPLE DX	2190	8.6	29	3	4	7	10	15	18	30
A. Not Operated	36	6.2	10	1	2	6	8	9	12	16
B. Operated	4283	7.2	20	3	3	6	8	12	15	24
TOTAL										
0-19 YRS	1506	6.7	18	2	3	6	8	10	14	23
20-34	974	6.2	11	2	3	6	7	10	12	19
35-49	758	6.8	11	3	3	6	8	11	13	17
50-64	618	8.1	26	3	4	7	10	13	16	25
65 +	463	10.0	42	4	5	8	11	18	22	35
GRAND TOTAL	**4319**	**7.2**	**20**	**3**	**3**	**6**	**8**	**12**	**15**	**24**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.7	1	< 1	< 1	2	2	3	3	3
20-34	16	2.1	1	< 1	1	2	3	3	5	5
35-49	14	2.2	3	< 1	1	2	3	5	5	5
50-64	4	3.3	2	2	2	3	4	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	247	2.7	1	1	2	2	3	4	4	6
20-34	193	3.0	2	1	2	3	4	5	5	8
35-49	77	3.1	2	1	1	3	4	4	6	9
50-64	20	3.7	3	1	2	4	5	6	7	7
65 +	10	4.9	3	2	2	5	6	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.1	3	< 1	1	2	2	5	7	8
20-34	14	1.6		1	1	2	2	2	3	3
35-49	7	3.1	5	1	1	3	5	6	6	6
50-64	5	4.0	9	< 1	< 1	3	5	9	9	9
65 +	3	5.3	17	2	2	4	8	10	10	10
B. Operated										
0-19 YRS	119	3.5	5	1	2	3	4	5	6	16
20-34	161	4.2	6	2	2	4	5	7	8	16
35-49	74	4.8	6	2	2	4	6	8	9	13
50-64	25	5.2	11	2	3	5	6	9	12	18
65 +	11	6.2	16	2	2	5	10	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.1	1	< 1	1	2	3	4	5	5
B. Operated	547	2.9	2	1	2	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated	45	2.6	5	< 1	1	2	3	5	8	10
B. Operated	390	4.2	7	2	2	4	5	7	9	16
1. SINGLE DX	601	2.8	2	1	2	3	3	4	5	8
2. MULTIPLE DX	435	4.0	7	1	2	3	5	7	9	16
A. Not Operated	99	2.3	3	< 1	1	2	3	5	5	10
B. Operated	937	3.4	4	1	2	3	4	5	7	11
TOTAL										
0-19 YRS	401	2.8	2	1	2	3	3	4	5	9
20-34	384	3.4	4	1	2	3	4	5	6	10
35-49	172	3.7	5	1	1	3	5	7	8	11
50-64	54	4.4	8	1	2	4	5	7	9	18
65 +	25	5.4	10	1	2	5	6	11	12	14
GRAND TOTAL	**1036**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	4	1.8	1	< 1	< 1	1	2	3	3	3
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	570	1.1		< 1	< 1	1	1	1	1	2
20-34	451	1.4	1	< 1	< 1	1	1	2	3	5
35-49	582	1.5	1	< 1	< 1	1	2	2	3	5
50-64	756	1.6	1	< 1	< 1	1	2	3	3	5
65 +	683	1.6	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	1.8	7	< 1	< 1	< 1	1	4	9	11
20-34	9	1.9	2	< 1	< 1	1	2	5	5	5
35-49	7	2.0	2	< 1	< 1	1	3	5	5	5
50-64	13	1.8	2	< 1	< 1	1	3	4	5	5
65 +	39	2.0	2	< 1	< 1	1	3	4	6	7
B. Operated										
0-19 YRS	444	1.4	3	< 1	< 1	1	1	2	3	8
20-34	204	1.8	2	< 1	1	1	2	3	4	7
35-49	392	1.8	2	1	1	1	2	3	4	8
50-64	724	2.1	3	1	1	2	3	4	5	8
65 +	1446	2.6	8	1	1	2	3	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.3		< 1	< 1	1	1	3	3	3
B. Operated	3042	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	85	1.9	3	< 1	< 1	1	2	5	5	10
B. Operated	3210	2.2	5	< 1	1	2	3	4	5	10
1. SINGLE DX	3060	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	3295	2.2	5	< 1	1	1	3	4	5	10
A. Not Operated	103	1.8	3	< 1	< 1	1	2	4	5	9
B. Operated	6252	1.8	3	< 1	< 1	1	2	3	4	8
TOTAL										
0-19 YRS	1037	1.2	1	< 1	< 1	1	1	1	2	5
20-34	666	1.5	1	< 1	< 1	1	2	3	4	6
35-49	985	1.6	1	< 1	1	1	2	3	3	6
50-64	1497	1.8	2	< 1	1	1	2	3	4	7
65 +	2170	2.3	6	< 1	1	2	3	4	5	11
GRAND TOTAL	**6355**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**8**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	4	1.8		< 1	< 1	2	2	2	2	2
B. Operated										
0-19 YRS	156	1.3		< 1	< 1	1	1	2	3	5
20-34	75	1.9	2	< 1	1	1	2	3	5	7
35-49	54	1.9	1	1	1	2	2	4	4	4
50-64	61	2.6	4	1	1	2	3	5	7	10
65 +	153	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	25	3.2	7	1	1	2	4	7	9	11
B. Operated										
0-19 YRS	150	1.8	2	< 1	< 1	1	2	3	4	8
20-34	38	2.4	3	1	1	2	3	6	6	7
35-49	37	2.7	4	1	1	2	4	5	6	9
50-64	115	4.1	22	1	1	3	5	8	12	28
65 +	465	5.5	30	1	1	4	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.3		< 1	< 1	1	2	2	2	2
B. Operated	499	2.0	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	33	2.9	6	< 1	1	2	4	6	9	11
B. Operated	805	4.3	23	1	1	3	5	9	13	22
1. SINGLE DX	516	2.0	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	838	4.3	23	1	1	3	5	9	13	22
A. Not Operated	50	2.3	5	< 1	< 1	2	3	5	7	11
B. Operated	1304	3.4	16	1	1	2	4	7	10	20
TOTAL										
0-19 YRS	316	1.5	1	< 1	< 1	1	2	3	3	6
20-34	115	2.0	2	< 1	1	2	2	4	6	7
35-49	95	2.2	2	1	1	2	3	4	5	8
50-64	181	3.5	16	1	1	2	4	7	10	20
65 +	647	4.7	24	1	1	3	6	10	14	22
GRAND TOTAL	**1354**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	65	1.2		< 1	< 1	1	1	1	2	5
20-34	23	1.3		< 1	< 1	1	1	2	3	3
35-49	45	1.5	1	< 1	< 1	1	2	3	3	3
50-64	51	1.6	1	< 1	< 1	1	2	3	4	6
65 +	22	1.6	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	30	2.3	16	< 1	< 1	1	1	4	14	19
20-34	36	2.4	2	< 1	1	2	3	4	5	7
35-49	59	2.7	5	1	1	2	3	5	6	14
50-64	84	2.9	5	1	1	2	4	6	7	10
65 +	52	3.9	20	< 1	1	3	5	9	14	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	206	1.4	1	< 1	< 1	1	1	3	3	5
2. MULTIPLE DX										
A. Not Operated	7	1.6	2	< 1	< 1	< 1	1	4	5	5
B. Operated	261	2.9	9	< 1	1	2	4	6	8	19
1. SINGLE DX	206	1.4	1	< 1	< 1	1	1	3	3	5
2. MULTIPLE DX	268	2.9	9	< 1	1	2	4	6	7	18
A. Not Operated	7	1.6	2	< 1	< 1	< 1	1	4	5	5
B. Operated	467	2.3	6	< 1	< 1	1	3	4	6	14
TOTAL										
0-19 YRS	97	1.5	5	< 1	< 1	1	1	2	4	17
20-34	60	2.0	2	< 1	< 1	1	3	4	5	7
35-49	106	2.2	3	< 1	< 1	2	3	4	5	11
50-64	137	2.4	4	< 1	1	2	3	5	6	9
65 +	74	3.2	16	< 1	< 1	2	4	6	12	22
GRAND TOTAL	**474**	**2.3**	**6**	**< 1**	**< 1**	**1**	**3**	**4**	**6**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
B. Operated										
0-19 YRS	32	1.3		<1	<1	1	1	2	3	3
20-34	110	2.4	3	<1	1	2	3	5	6	8
35-49	298	2.7	3	1	1	2	4	5	5	7
50-64	394	2.9	3	1	1	2	4	5	6	9
65+	273	3.0	3	1	1	3	4	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	20	3.4	10	<1	<1	2	4	7	11	14
50-64	13	1.8	1	<1	<1	2	2	3	4	4
65+	24	2.6	4	<1	1	2	4	6	7	7
B. Operated										
0-19 YRS	25	2.8	5	<1	<1	2	4	6	7	8
20-34	84	4.1	16	1	1	3	5	7	10	26
35-49	374	4.1	21	1	1	3	5	6	9	23
50-64	554	4.2	7	1	1	4	6	7	9	12
65+	722	4.7	11	1	2	4	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	2	<1	<1	1	3	4	4	4
B. Operated	1107	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	61	2.7	5	<1	<1	2	4	6	7	13
B. Operated	1759	4.3	12	1	1	4	6	8	9	17
1. SINGLE DX	1111	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	1820	4.3	12	1	1	4	5	8	9	16
A. Not Operated	65	2.6	5	<1	<1	2	4	5	7	13
B. Operated	2866	3.7	9	1	1	3	5	7	8	14
TOTAL										
0-19 YRS	58	1.9	3	<1	<1	1	2	4	6	8
20-34	199	3.2	9	<1	1	3	4	6	7	13
35-49	693	3.5	13	1	1	3	4	6	7	16
50-64	962	3.6	6	1	1	3	5	7	8	11
65+	1019	4.2	9	1	1	4	5	8	9	16
GRAND TOTAL	**2931**	**3.7**	**9**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	2.4	3	1	1	2	3	5	6	6
35-49	9	1.7	1	1	1	1	2	3	4	4
50-64	12	2.2	1	1	1	2	3	4	4	4
65+	6	2.5	2	<1	<1	2	3	5	5	5
B. Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	16	5.9	6	1	2	6	8	9	10	10
50-64	8	6.3	13	1	2	6	6	12	14	14
65+	13	6.5	6	2	4	6	8	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.0	32	1	1	1	6	14	14	14
20-34	27	2.3	2	<1	<1	2	3	4	5	5
35-49	81	3.0	7	<1	1	2	3	5	7	17
50-64	146	2.6	3	1	1	2	3	5	5	10
65+	279	3.3	5	1	1	3	4	6	8	12
B. Operated										
0-19 YRS	10	9.5	49	5	5	7	9	22	26	26
20-34	39	5.7	6	2	4	5	7	9	11	13
35-49	105	6.5	31	2	3	6	7	9	12	37
50-64	145	6.1	9	1	2	6	7	9	10	16
65+	187	8.3	54	2	3	7	10	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.1	1	1	1	2	3	4	5	6
B. Operated	40	6.1	7	1	2	6	7	10	11	14
2. MULTIPLE DX										
A. Not Operated	538	3.0	5	1	1	2	4	5	7	11
B. Operated	486	7.1	32	2	3	6	8	11	14	29
1. SINGLE DX	76	4.2	8	1	1	4	6	8	10	13
2. MULTIPLE DX	1024	4.9	22	1	1	4	6	9	11	22
A. Not Operated	574	3.0	5	1	1	2	4	5	7	11
B. Operated	526	7.0	31	2	3	6	8	11	14	27
TOTAL										
0-19 YRS	19	6.9	40	1	1	5	8	16	22	26
20-34	74	4.1	7	<1	1	4	5	8	9	13
35-49	211	4.9	21	1	1	5	6	8	10	21
50-64	311	4.3	9	1	1	4	6	8	10	12
65+	485	5.3	30	1	2	4	7	10	13	25
GRAND TOTAL	**1100**	**4.9**	**21**	**1**	**1**	**4**	**6**	**9**	**11**	**21**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.5	1	< 1	< 1	1	2	3	4	4
20-34	9	2.2	4	< 1	< 1	1	3	6	7	7
35-49	19	1.8	1	< 1	1	1	2	4	4	4
50-64	28	1.9	2	< 1	1	1	2	5	6	6
65 +	23	1.9	1	< 1	< 1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	3.3	7	< 1	< 1	2	5	7	7	7
65 +	6	5.2	17	1	1	4	7	11	12	12
B. Operated										
0-19 YRS	5	1.8	2	< 1	< 1	1	2	4	4	4
20-34	12	3.8	10	1	1	3	5	8	11	12
35-49	20	3.7	6	1	1	3	5	8	9	9
50-64	31	3.7	10	1	1	2	6	9	10	12
65 +	72	4.3	24	1	1	3	4	8	12	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	87	1.9	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	11	4.5	11	< 1	1	3	7	9	12	12
B. Operated	140	4.0	17	1	1	3	5	8	11	21
1. SINGLE DX	88	1.9	2	< 1	1	1	2	4	4	7
2. MULTIPLE DX	151	4.0	16	1	1	3	5	8	12	19
A. Not Operated	12	4.3	10	< 1	1	3	6	9	12	12
B. Operated	227	3.1	12	< 1	1	2	4	7	9	16
TOTAL										
0-19 YRS	13	1.6	1	< 1	< 1	1	2	4	4	4
20-34	21	3.1	8	< 1	1	2	4	6	9	12
35-49	41	2.8	5	1	1	2	4	6	8	9
50-64	63	2.8	7	< 1	1	2	4	7	9	12
65 +	101	3.8	19	1	1	3	4	7	12	27
GRAND TOTAL	**239**	**3.2**	**12**	**< 1**	**1**	**2**	**4**	**7**	**9**	**15**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	9	1.9	3	< 1	< 1	1	2	5	6	6
B. Operated										
0-19 YRS	12	2.6	5	< 1	< 1	2	4	6	7	7
20-34	54	2.4	4	< 1	1	2	3	5	6	11
35-49	134	2.9	6	< 1	1	2	4	6	8	12
50-64	179	3.2	7	1	1	3	4	6	9	15
65 +	174	4.1	8	1	1	4	5	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	2.7	3	1	1	2	3	6	6	6
50-64	20	3.3	3	1	1	3	5	5	6	6
65 +	65	4.6	19	1	1	4	6	9	11	27
B. Operated										
0-19 YRS	6	2.2	2	1	1	2	3	4	4	4
20-34	42	4.6	21	1	1	3	7	10	12	25
35-49	159	6.0	38	1	2	5	7	11	15	39
50-64	287	6.3	29	1	2	5	8	12	16	28
65 +	680	8.8	60	2	2	7	11	17	21	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.9	2	< 1	< 1	1	3	4	5	6
B. Operated	553	3.3	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	94	4.1	14	1	1	3	5	7	10	24
B. Operated	1174	7.6	50	1	2	6	10	15	19	37
1. SINGLE DX	568	3.3	7	1	1	3	4	7	9	13
2. MULTIPLE DX	1268	7.4	48	1	2	6	9	15	18	35
A. Not Operated	109	3.8	13	1	1	3	5	7	9	22
B. Operated	1727	6.3	40	1	1	5	8	13	17	31
TOTAL										
0-19 YRS	19	2.4	4	< 1	1	1	3	6	7	7
20-34	99	3.3	12	< 1	1	2	4	8	10	19
35-49	301	4.5	25	1	1	3	6	8	11	22
50-64	489	5.1	22	1	1	4	6	10	13	23
65 +	928	7.6	51	1	2	6	10	15	19	35
GRAND TOTAL	**1836**	**6.1**	**39**	**1**	**1**	**4**	**8**	**13**	**17**	**31**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	2.2	3	< 1	1	2	3	5	6	9
20-34	212	3.1	5	1	1	3	4	5	7	15
35-49	326	3.2	5	1	1	3	4	6	7	10
50-64	347	3.2	4	1	1	3	4	6	7	10
65 +	434	3.6	7	1	1	3	5	6	7	14
B. Operated										
0-19 YRS	105	5.5	10	1	2	5	7	9	11	18
20-34	111	7.5	12	3	4	7	9	12	13	19
35-49	152	7.8	16	4	4	7	9	12	15	25
50-64	130	9.1	16	4	5	8	11	15	16	25
65 +	160	10.1	36	5	6	9	11	15	20	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	109	3.1	9	1	1	2	4	6	8	18
20-34	246	4.3	14	1	1	3	5	8	10	20
35-49	444	4.2	10	1	1	3	5	7	10	16
50-64	862	4.6	11	1	2	4	6	8	10	18
65 +	2752	5.5	17	1	2	4	7	10	13	21
B. Operated										
0-19 YRS	166	8.6	37	3	4	7	9	15	20	37
20-34	225	10.2	51	3	4	8	12	19	26	40
35-49	408	11.6	72	4	5	9	13	22	28	48
50-64	640	12.9	86	5	6	10	15	24	31	48
65 +	1599	14.1	80	5	6	12	17	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1420	3.3	5	1	1	3	4	6	7	11
B. Operated	658	8.2	22	3	4	8	10	13	15	25
2. MULTIPLE DX										
A. Not Operated	4413	5.0	15	1	2	4	6	9	12	20
B. Operated	3038	12.9	78	4	5	11	16	23	30	49
1. SINGLE DX	2078	4.8	16	1	1	4	7	9	12	18
2. MULTIPLE DX	7451	8.3	56	2	2	6	10	17	22	38
A. Not Operated	5833	4.6	13	1	1	4	6	9	11	18
B. Operated	3696	12.1	72	4	5	10	14	22	28	48
TOTAL										
0-19 YRS	481	5.3	24	1	1	4	7	10	14	24
20-34	794	6.1	30	1	1	5	8	12	15	36
35-49	1330	6.6	41	1	2	5	8	13	18	32
50-64	1979	7.4	51	1	2	5	9	14	21	35
65 +	4945	8.3	54	2	2	6	11	17	22	36
GRAND TOTAL	**9529**	**7.5**	**49**	**1**	**2**	**6**	**10**	**15**	**20**	**35**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1034	1.9	4	< 1	1	2	2	3	4	6
20-34	638	1.8	1	< 1	1	2	2	3	4	6
35-49	320	2.2	2	< 1	1	2	3	4	5	7
50-64	156	2.5	3	< 1	1	2	3	4	6	8
65 +	131	2.4	2	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	55	3.6	15	1	1	3	4	6	11	24
20-34	77	3.5	3	2	2	3	4	6	7	12
35-49	43	3.8	6	1	1	3	5	8	9	11
50-64	21	4.7	14	1	1	4	6	9	13	16
65 +	10	6.5	54	3	3	4	6	17	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2697	2.5	6	1	1	2	3	4	5	9
20-34	1140	2.4	3	1	1	2	3	4	5	9
35-49	921	2.9	4	1	1	2	4	5	7	10
50-64	960	3.4	13	1	1	3	4	6	7	12
65 +	2305	4.3	12	1	1	3	5	8	10	18
B. Operated										
0-19 YRS	69	6.4	39	1	1	4	7	15	22	29
20-34	134	5.2	12	1	1	4	7	10	12	17
35-49	117	6.5	44	2	2	4	7	13	17	40
50-64	147	8.4	81	2	3	5	10	16	28	44
65 +	285	8.9	64	2	3	7	10	19	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2279	2.0	3	< 1	1	2	2	3	4	6
B. Operated	206	3.9	10	1	1	3	4	6	8	20
2. MULTIPLE DX										
A. Not Operated	8023	3.1	8	1	1	2	4	6	7	14
B. Operated	752	7.5	55	1	2	5	9	15	21	39
1. SINGLE DX	2485	2.1	4	< 1	1	2	3	4	5	8
2. MULTIPLE DX	8775	3.5	14	1	1	3	4	6	9	18
A. Not Operated	10302	2.9	7	1	1	2	3	5	7	12
B. Operated	958	6.7	47	1	2	5	8	14	19	38
TOTAL										
0-19 YRS	3855	2.4	6	1	1	2	3	4	5	10
20-34	1989	2.5	4	1	1	2	3	5	6	10
35-49	1401	3.0	8	1	1	2	4	5	7	14
50-64	1284	3.9	22	1	1	3	4	7	9	20
65 +	2731	4.7	19	1	1	3	6	9	12	22
GRAND TOTAL	**11260**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0	2	4	4	5	3	6	6	6
20-34	46	4.0	4	2	2	4	5	6	8	11
35-49	270	3.9	4	1	2	4	5	7	8	9
50-64	375	4.1	4	2	2	4	5	7	8	11
65 +	319	4.2	5	1	2	4	5	7	8	11
B. Operated										
0-19 YRS	3	6.3	2	5	5	6	7	8	8	8
20-34	22	6.5	6	4	4	6	6	10	13	14
35-49	80	7.6	8	3	4	8	9	11	12	15
50-64	130	8.1	9	3	6	8	9	11	14	20
65 +	81	8.6	13	3	5	8	10	13	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.7	4	5	5	6	8	9	9	9
20-34	21	4.3	10	1	1	4	5	8	12	14
35-49	209	4.6	7	1	2	4	6	8	9	13
50-64	707	4.8	7	2	2	4	6	8	9	14
65 +	2484	5.3	12	2	2	4	6	9	11	17
B. Operated										
0-19 YRS	3	6.7	1	6	6	6	8	8	8	8
20-34	55	9.1	18	4	5	8	12	14	18	22
35-49	260	9.9	30	5	5	8	11	16	22	33
50-64	636	10.4	44	4	5	9	12	17	21	44
65 +	1315	12.2	73	3	5	10	15	21	27	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1012	4.1	4	1	2	4	5	7	8	10
B. Operated	316	8.0	9	3	5	8	9	11	14	20
2. MULTIPLE DX										
A. Not Operated	3424	5.1	11	2	2	4	6	9	11	17
B. Operated	2269	11.3	59	4	5	9	13	20	25	38
1. SINGLE DX	1328	5.0	8	2	2	4	7	9	10	14
2. MULTIPLE DX	5693	7.6	39	2	2	6	9	14	18	31
A. Not Operated	4436	4.9	9	2	2	4	6	8	10	16
B. Operated	2585	10.9	54	4	5	9	13	19	24	37
TOTAL										
0-19 YRS	11	6.3	2	4	4	6	7	9	9	9
20-34	144	6.4	15	2	2	5	8	12	14	21
35-49	819	6.3	20	2	2	5	8	11	13	25
50-64	1848	6.8	27	2	2	6	8	12	15	26
65 +	4199	7.4	41	2	2	6	9	14	18	31
GRAND TOTAL	**7021**	**7.1**	**34**	**2**	**2**	**6**	**9**	**13**	**17**	**30**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.6	4	1	1	2	3	6	7	7
20-34	4	2.8	5	< 1	< 1	2	4	6	6	6
35-49	12	2.4	2	< 1	< 1	2	3	4	5	5
50-64	5	2.0	2	< 1	< 1	2	3	4	4	4
65 +	3	3.7	8	2	2	2	6	7	7	7
B. Operated										
0-19 YRS	41	1.8	3	< 1	< 1	1	2	3	5	11
20-34	294	1.9	3	< 1	1	1	2	3	4	7
35-49	402	1.9	2	1	1	2	2	3	4	7
50-64	211	2.0	2	1	1	2	2	4	5	8
65 +	64	2.8	8	< 1	1	2	3	6	7	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.0	30	< 1	1	2	9	14	16	16
20-34	16	3.0	3	< 1	1	3	4	5	6	7
35-49	23	4.2	5	< 1	1	4	6	7	8	8
50-64	24	5.8	23	< 1	1	5	7	14	17	17
65 +	30	5.1	10	1	1	5	8	9	9	13
B. Operated										
0-19 YRS	41	4.5	29	1	1	3	4	14	18	23
20-34	334	3.2	23	1	1	2	3	6	8	25
35-49	511	3.0	13	1	1	2	3	6	9	18
50-64	342	3.7	24	1	1	2	4	7	11	27
65 +	234	5.6	59	1	1	3	7	13	17	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.5	3	< 1	< 1	2	3	5	7	7
B. Operated	1012	2.0	3	< 1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	104	4.7	13	< 1	1	4	7	8	13	17
B. Operated	1462	3.7	27	1	1	2	4	7	11	23
1. SINGLE DX	1043	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	1566	3.7	26	1	1	2	4	7	11	23
A. Not Operated	135	4.2	12	< 1	1	3	6	8	12	17
B. Operated	2474	3.0	17	1	1	2	3	6	8	19
TOTAL										
0-19 YRS	100	3.3	18	< 1	1	2	3	7	14	21
20-34	648	2.6	14	1	1	2	3	5	6	15
35-49	948	2.6	8	1	1	2	3	5	7	14
50-64	582	3.2	17	1	1	2	3	6	9	19
65 +	331	5.0	46	1	1	3	6	10	15	30
GRAND TOTAL	**2609**	**3.0**	**17**	**1**	**1**	**2**	**3**	**6**	**8**	**19**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	3.0	9	< 1	< 1	2	4	7	10	14
20-34	290	3.9	11	1	1	3	5	7	9	13
35-49	255	3.7	9	< 1	1	3	5	8	9	13
50-64	125	3.3	7	< 1	1	3	4	6	9	13
65 +	159	3.4	10	< 1	1	2	4	7	10	20
B. Operated										
0-19 YRS	101	4.8	28	1	1	4	7	9	12	32
20-34	239	5.7	20	1	1	5	8	11	13	23
35-49	195	6.3	27	< 1	1	5	8	12	15	29
50-64	152	6.3	24	1	1	5	8	12	15	23
65 +	165	5.8	15	1	1	5	8	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	259	4.5	35	1	1	3	5	10	15	37
20-34	582	4.6	16	1	1	3	6	9	11	21
35-49	617	4.7	20	1	1	3	6	9	12	22
50-64	679	5.1	19	1	1	4	6	10	13	24
65 +	2006	5.2	19	1	1	4	7	10	13	21
B. Operated										
0-19 YRS	193	10.1	105	1	1	7	13	23	37	55
20-34	592	8.3	61	1	2	6	10	17	23	42
35-49	780	9.3	76	1	2	7	11	19	27	42
50-64	864	10.7	110	2	2	8	13	22	32	55
65 +	1739	11.4	113	2	3	9	14	22	31	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	974	3.6	9	< 1	1	3	5	7	9	13
B. Operated	852	5.8	23	1	1	5	8	11	14	25
2. MULTIPLE DX										
A. Not Operated	4143	5.0	20	1	1	4	6	10	13	22
B. Operated	4168	10.4	99	1	2	8	13	21	29	54
1. SINGLE DX	1826	4.6	17	< 1	1	4	6	9	12	21
2. MULTIPLE DX	8311	7.7	67	1	2	5	9	16	22	43
A. Not Operated	5117	4.7	18	1	1	4	6	9	12	21
B. Operated	5020	9.6	89	1	2	7	12	20	27	51
TOTAL										
0-19 YRS	698	5.8	55	1	1	3	7	13	21	41
20-34	1703	5.9	35	1	1	4	7	12	17	31
35-49	1847	6.7	48	1	1	5	8	14	20	34
50-64	1820	7.7	70	1	2	5	9	16	23	45
65 +	4069	7.8	68	1	2	5	10	16	22	43
GRAND TOTAL	**10137**	**7.1**	**59**	**1**	**1**	**5**	**9**	**15**	**21**	**40**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	9	3.7	5	1	1	3	5	7	7	7
50-64	11	4.3	9	< 1	< 1	4	7	9	9	9
65 +	2	8.0	18	5	5	8	11	11	11	11
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	7.3	54	3	3	4	7	20	22	22
50-64	3	4.0	13	< 1	< 1	3	7	8	8	8
65 +	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	90	7.7	45	1	2	6	10	16	20	37
35-49	337	7.2	40	1	2	5	9	14	20	34
50-64	389	7.8	33	2	3	6	10	15	19	32
65 +	235	8.1	38	2	3	7	10	15	20	29
B. Operated										
0-19 YRS	0									
20-34	14	10.3	85	1	2	7	14	23	32	34
35-49	135	11.3	141	2	2	8	13	23	34	64
50-64	187	10.0	85	1	3	7	12	21	29	47
65 +	116	9.4	53	2	3	8	12	15	27	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	4.1	8	< 1	1	3	6	9	10	11
B. Operated	13	4.8	32	< 1	1	3	5	11	20	22
2. MULTIPLE DX										
A. Not Operated	1051	7.7	37	2	2	6	9	15	20	32
B. Operated	452	10.2	93	2	3	8	12	21	29	52
1. SINGLE DX	39	4.3	15	< 1	1	3	6	8	10	22
2. MULTIPLE DX	1503	8.4	56	2	2	7	10	16	22	37
A. Not Operated	1077	7.6	37	2	2	6	9	15	20	32
B. Operated	465	10.1	92	1	3	7	12	21	29	52
TOTAL										
0-19 YRS	0									
20-34	109	7.8	49	1	2	6	10	17	21	39
35-49	487	8.3	71	2	2	6	10	17	22	50
50-64	590	8.4	50	2	2	7	10	16	23	35
65 +	356	8.5	43	2	3	7	10	15	20	38
GRAND TOTAL	**1542**	**8.3**	**55**	**2**	**2**	**6**	**10**	**16**	**22**	**37**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.8	67	1	1	2	10	18	18	18
20-34	6	6.5	39	3	3	4	6	18	19	19
35-49	5	2.4	1	1	1	2	3	4	4	4
50-64	11	4.4	18	< 1	1	3	5	11	16	16
65 +	4	10.3	46	3	3	10	16	17	17	17
B. Operated										
0-19 YRS	7	1.3		1	1	1	2	2	2	2
20-34	28	1.7	4	< 1	< 1	1	1	3	5	10
35-49	38	2.3	8	< 1	< 1	1	2	6	10	13
50-64	28	1.8	3	< 1	< 1	1	2	4	5	8
65 +	14	2.7	9	< 1	1	2	3	6	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.9	7	< 1	< 1	4	6	7	8	9
20-34	21	5.7	19	1	2	5	7	10	15	21
35-49	60	6.1	25	1	2	5	8	11	15	28
50-64	109	7.8	59	2	2	6	10	15	20	42
65 +	181	7.3	26	2	3	6	9	13	17	27
B. Operated										
0-19 YRS	12	7.0	68	1	1	4	10	18	27	29
20-34	23	3.8	26	< 1	< 1	1	5	11	18	19
35-49	67	6.6	65	1	1	5	8	13	22	47
50-64	164	6.6	44	1	1	5	10	16	18	32
65 +	177	9.2	77	1	1	7	13	19	25	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	5.4	30	1	1	3	6	16	18	19
B. Operated	115	2.0	5	< 1	< 1	1	2	5	8	12
2. MULTIPLE DX										
A. Not Operated	385	7.0	35	1	2	6	9	13	17	28
B. Operated	443	7.5	62	1	1	5	10	17	22	35
1. SINGLE DX	145	2.7	12	< 1	< 1	1	3	6	11	18
2. MULTIPLE DX	828	7.3	49	1	1	6	9	15	20	34
A. Not Operated	415	6.9	34	1	2	6	9	13	18	27
B. Operated	558	6.4	55	1	1	4	9	16	20	34
TOTAL										
0-19 YRS	37	4.6	33	< 1	1	2	6	11	16	29
20-34	78	3.8	20	< 1	1	2	5	9	15	21
35-49	170	5.3	39	1	1	4	7	11	15	30
50-64	312	6.5	47	1	1	4	9	15	18	31
65 +	376	8.1	51	1	1	6	10	17	21	37
GRAND TOTAL	**973**	**6.6**	**46**	**1**	**1**	**5**	**9**	**15**	**18**	**32**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.9	7	1	1	2	3	5	10	12
20-34	41	4.6	10	1	2	4	6	9	11	16
35-49	22	3.5	14	< 1	1	3	4	6	13	18
50-64	25	4.1	7	1	2	4	4	9	10	10
65 +	19	3.8	5	1	1	3	5	6	9	11
B. Operated										
0-19 YRS	5	5.2	34	1	1	1	11	13	13	13
20-34	8	2.8	17	1	1	1	2	10	13	13
35-49	19	5.0	97	1	1	2	4	10	29	44
50-64	15	4.6	14	1	1	3	8	10	11	11
65 +	10	8.9	300	1	1	2	10	34	57	57
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	3.9	6	1	1	3	5	7	9	10
20-34	106	4.6	13	1	2	3	6	9	12	19
35-49	189	6.1	30	1	2	4	7	12	17	28
50-64	313	7.4	58	2	2	5	9	14	19	30
65 +	400	6.5	32	2	2	5	8	11	15	30
B. Operated										
0-19 YRS	19	4.8	19	1	1	4	7	12	15	16
20-34	56	10.0	88	1	2	7	14	20	34	44
35-49	83	8.7	131	1	1	6	9	15	31	67
50-64	131	10.6	88	1	2	8	14	23	30	73
65 +	164	11.8	116	1	1	9	16	23	32	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	4.0	9	1	1	3	4	8	10	17
B. Operated	57	5.3	91	1	1	2	6	11	13	56
2. MULTIPLE DX										
A. Not Operated	1036	6.4	37	2	2	5	8	12	17	29
B. Operated	453	10.4	105	1	1	8	13	21	32	64
1. SINGLE DX	180	4.4	35	1	1	3	5	10	11	36
2. MULTIPLE DX	1489	7.6	61	1	2	5	9	16	21	39
A. Not Operated	1159	6.2	35	2	2	5	8	11	16	28
B. Operated	510	9.8	106	1	1	7	13	21	31	60
TOTAL										
0-19 YRS	68	4.0	12	1	1	3	5	9	12	16
20-34	211	6.0	38	1	2	4	7	13	16	35
35-49	313	6.5	61	1	1	4	8	13	19	43
50-64	484	8.0	55	2	2	6	10	17	22	36
65 +	593	7.9	64	1	2	6	10	16	21	40
GRAND TOTAL	**1669**	**7.3**	**59**	**1**	**2**	**5**	**9**	**15**	**20**	**40**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.7		<1	1	2	2	3	3	3
20-34	130	1.8	1	<1	<1	2	2	3	4	6
35-49	150	1.9	2	<1	<1	1	2	4	5	6
50-64	135	2.1	3	<1	1	1	3	4	5	8
65+	88	2.8	3	1	1	2	4	5	6	8
B. Operated										
0-19 YRS	190	4.2	3	2	3	4	5	6	7	10
20-34	2172	4.1	2	2	3	4	5	6	7	9
35-49	2224	4.2	2	2	3	4	5	6	7	9
50-64	1707	4.6	3	3	3	4	5	7	8	10
65+	871	5.2	4	3	3	5	6	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.9	3	1	1	3	4	5	6	6
20-34	147	2.6	3	<1	<1	2	3	5	6	8
35-49	197	2.6	3	<1	<1	2	3	5	7	9
50-64	374	3.2	7	1	1	2	4	6	9	12
65+	793	4.7	14	1	1	4	6	9	12	17
B. Operated										
0-19 YRS	191	5.3	8	2	3	5	6	9	11	19
20-34	2309	5.1	7	3	3	5	6	8	9	15
35-49	3149	5.4	9	3	3	5	6	8	10	17
50-64	3728	6.1	13	3	3	5	7	10	12	21
65+	4791	8.1	26	3	4	7	9	13	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	514	2.1	2	<1	1	2	3	4	5	7
B. Operated	7164	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	1532	3.8	10	1	1	3	5	8	10	15
B. Operated	14178	6.4	17	3	3	5	7	10	13	22
1. SINGLE DX	7678	4.2	3	2	2	4	5	6	7	10
2. MULTIPLE DX	15710	6.2	17	2	3	5	7	10	13	22
A. Not Operated	2046	3.4	9	<1	1	2	4	7	9	14
B. Operated	21342	5.8	13	3	3	5	7	9	12	20
TOTAL										
0-19 YRS	413	4.6	6	2	2	4	5	7	9	13
20-34	4758	4.5	5	2	3	4	5	7	8	11
35-49	5720	4.8	6	2	3	4	5	7	9	14
50-64	5954	5.4	11	2	3	5	6	9	11	18
65+	6543	7.2	24	2	3	6	9	12	15	25
GRAND TOTAL	**23388**	**5.6**	**13**	**2**	**3**	**5**	**6**	**9**	**11**	**20**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	46	2.7	5	1	1	2	3	4	6	14
35-49	64	2.5	2	<1	1	2	3	5	6	7
50-64	43	2.8	3	<1	1	2	4	5	6	8
65+	32	3.0	6	1	1	2	4	6	8	11
B. Operated										
0-19 YRS	11	3.7	2	1	2	4	5	5	5	5
20-34	156	4.3	4	2	3	4	5	6	8	11
35-49	160	4.9	8	2	3	4	6	8	9	19
50-64	103	5.2	6	3	3	5	6	8	10	14
65+	48	7.4	13	4	4	7	9	13	15	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.6	8	1	1	3	5	8	9	9
20-34	73	3.1	5	<1	1	3	4	6	7	14
35-49	73	3.5	6	1	1	3	5	6	8	15
50-64	115	3.9	7	<1	1	3	5	8	9	13
65+	232	5.0	18	1	1	4	6	10	13	24
B. Operated										
0-19 YRS	21	4.5	4	2	2	4	5	8	9	9
20-34	282	5.3	8	3	3	5	6	9	10	15
35-49	330	5.9	16	3	3	5	6	10	13	24
50-64	312	7.3	23	3	4	6	8	11	16	29
65+	419	9.4	31	4	4	8	11	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	2.7	4	1	1	2	3	5	6	10
B. Operated	478	5.0	7	2	3	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	501	4.2	12	1	1	3	5	8	11	18
B. Operated	1364	7.2	23	3	3	6	8	12	15	26
1. SINGLE DX	667	4.3	7	1	2	4	5	7	9	15
2. MULTIPLE DX	1865	6.4	22	2	2	5	8	11	14	24
A. Not Operated	690	3.8	10	1	1	3	5	7	9	17
B. Operated	1842	6.6	20	3	3	5	8	11	14	24
TOTAL										
0-19 YRS	44	3.9	4	1	2	4	5	7	9	9
20-34	557	4.5	7	1	2	4	5	7	9	15
35-49	627	5.0	13	1	2	4	6	8	11	21
50-64	573	5.9	18	1	2	5	7	10	13	23
65+	731	7.6	30	1	2	7	10	14	17	26
GRAND TOTAL	**2532**	**5.8**	**19**	**1**	**2**	**5**	**7**	**10**	**14**	**23**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	3.3	1	2	2	3	3	5	6	6
35-49	12	2.6	4	< 1	< 1	2	4	5	6	6
50-64	9	2.4	4	1	1	2	3	6	6	6
65 +	16	3.8	5	1	2	3	6	7	8	8
B. Operated										
0-19 YRS	8	6.3	5	2	3	6	7	9	10	10
20-34	79	4.7	5	1	1	5	6	7	9	13
35-49	67	5.4	7	1	1	5	7	9	10	12
50-64	65	5.3	9	1	1	5	7	10	11	11
65 +	106	6.3	14	1	1	7	8	10	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	4.4	7	1	1	4	5	8	10	10
35-49	14	2.6	3	< 1	1	2	3	6	6	6
50-64	42	3.1	4	1	1	2	4	6	7	11
65 +	133	4.9	10	1	2	4	6	9	12	15
B. Operated										
0-19 YRS	13	7.6	13	4	4	7	9	13	16	17
20-34	135	6.7	10	3	3	6	8	10	13	20
35-49	139	7.6	21	3	4	6	9	12	13	28
50-64	216	8.5	40	2	3	7	10	15	19	40
65 +	694	10.5	49	2	4	9	13	18	24	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.1	4	< 1	1	3	4	6	7	8
B. Operated	325	5.5	9	1	1	6	7	10	10	14
2. MULTIPLE DX										
A. Not Operated	200	4.4	9	1	1	4	6	8	11	15
B. Operated	1197	9.3	41	2	4	8	11	16	21	34
1. SINGLE DX	370	5.2	9	1	1	5	7	9	10	14
2. MULTIPLE DX	1397	8.6	40	2	3	7	11	15	20	33
A. Not Operated	245	4.1	8	1	1	3	5	8	10	14
B. Operated	1522	8.5	37	1	3	7	10	15	19	33
TOTAL										
0-19 YRS	22	7.0	10	3	4	6	8	11	14	17
20-34	232	5.8	9	1	2	5	7	9	11	17
35-49	232	6.4	18	1	2	6	8	11	12	24
50-64	332	7.0	33	1	2	6	9	12	16	32
65 +	949	9.1	44	1	3	8	11	16	21	34
GRAND TOTAL	**1767**	**7.9**	**35**	**1**	**2**	**7**	**10**	**14**	**18**	**32**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	12	3.3	3	1	1	3	4	6	7	7
35-49	21	3.2	8	1	1	3	4	8	11	11
50-64	11	3.5	3	1	1	3	5	6	7	7
65 +	14	3.1	4	1	1	3	4	7	7	7
B. Operated										
0-19 YRS	3	9.3	17	6	6	8	12	14	14	14
20-34	12	4.8	11	1	1	4	7	10	11	11
35-49	17	4.4	9	1	1	4	7	8	9	9
50-64	39	3.5	8	1	1	2	5	8	9	10
65 +	21	5.7	18	< 1	1	5	7	12	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	6.0	9	2	3	5	7	10	13	15
20-34	24	4.5	7	1	2	4	6	8	11	12
35-49	41	4.9	17	1	1	4	6	9	16	19
50-64	64	5.1	16	1	1	4	7	9	15	19
65 +	165	6.0	19	2	2	5	8	11	13	24
B. Operated										
0-19 YRS	20	15.1	160	1	1	11	22	33	41	46
20-34	46	7.6	96	< 1	1	5	9	16	18	64
35-49	89	9.7	155	1	2	7	10	17	28	77
50-64	136	9.4	75	1	2	7	12	19	23	43
65 +	307	11.7	143	1	2	9	14	24	35	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	3.3	5	1	1	3	4	7	7	11
B. Operated	92	4.5	12	1	1	4	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	346	5.6	16	1	2	5	7	11	13	19
B. Operated	598	10.7	128	1	2	8	13	21	31	66
1. SINGLE DX	152	4.0	10	1	1	3	6	8	10	15
2. MULTIPLE DX	944	8.8	93	1	2	6	11	17	25	62
A. Not Operated	406	5.3	15	1	2	4	7	10	13	19
B. Operated	690	9.9	117	1	1	7	12	19	29	64
TOTAL										
0-19 YRS	77	8.5	63	1	3	6	9	16	28	44
20-34	94	5.9	53	1	1	4	7	11	15	45
35-49	168	7.2	95	1	1	5	8	13	18	70
50-64	250	7.1	53	1	1	5	9	16	19	36
65 +	507	9.4	102	1	2	7	11	18	26	62
GRAND TOTAL	**1096**	**8.2**	**84**	**1**	**1**	**6**	**10**	**16**	**23**	**57**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	4.7	9	1	2	4	6	8	10	18
20-34	204	4.7	12	1	2	4	6	8	11	19
35-49	252	4.4	8	1	2	4	5	8	10	15
50-64	165	4.5	13	1	2	4	5	8	12	21
65 +	117	4.4	6	1	2	4	5	7	9	12
B. Operated										
0-19 YRS	7	7.7	23	4	4	6	11	15	16	16
20-34	29	5.3	9	1	1	5	8	9	10	13
35-49	44	7.6	38	< 1	1	6	11	15	19	28
50-64	37	7.7	21	2	2	8	10	12	15	25
65 +	18	10.0	252	< 1	1	7	10	12	48	72
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	5.5	17	1	2	4	6	12	15	19
20-34	586	5.4	17	1	2	5	7	10	12	20
35-49	1036	5.9	18	2	2	5	7	11	14	22
50-64	826	6.2	21	2	2	5	8	11	15	24
65 +	969	6.1	15	2	2	5	8	11	14	20
B. Operated										
0-19 YRS	17	17.7	198	3	5	12	27	40	48	52
20-34	145	13.6	183	2	3	9	17	35	48	76
35-49	312	15.7	205	2	5	11	20	36	53	99 +
50-64	303	13.2	160	3	4	10	16	26	34	93
65 +	390	13.2	116	3	4	11	16	25	35	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	795	4.5	10	1	2	4	5	8	10	17
B. Operated	135	7.5	55	< 1	1	6	9	13	16	35
2. MULTIPLE DX										
A. Not Operated	3484	6.0	18	2	2	5	7	11	14	21
B. Operated	1167	14.0	161	2	4	10	17	29	42	83
1. SINGLE DX	930	4.9	17	1	2	4	6	9	12	18
2. MULTIPLE DX	4651	8.0	66	2	2	6	9	15	22	47
A. Not Operated	4279	5.7	17	2	2	5	7	10	13	21
B. Operated	1302	13.3	154	2	4	10	16	28	41	82
TOTAL										
0-19 YRS	148	6.7	49	1	2	5	7	13	19	42
20-34	964	6.5	50	1	2	5	7	12	17	47
35-49	1644	7.6	68	1	2	5	9	15	22	50
50-64	1331	7.6	61	2	2	5	9	15	21	38
65 +	1494	7.9	54	2	2	6	10	15	20	41
GRAND TOTAL	**5581**	**7.5**	**59**	**2**	**2**	**5**	**9**	**14**	**20**	**44**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.9	2	< 1	< 1	1	3	4	5	6
20-34	49	2.5	3	1	1	2	3	4	7	8
35-49	69	2.4	2	< 1	< 1	2	3	5	5	7
50-64	98	2.6	2	1	1	2	3	4	5	8
65 +	141	3.2	4	1	1	3	4	6	7	10
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	7	4.0	3	1	2	4	4	6	7	7
50-64	6	4.8	8	1	1	4	8	8	8	8
65 +	20	5.4	22	1	1	4	8	11	15	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	2.7	4	< 1	1	2	3	5	7	11
20-34	299	2.8	4	1	1	2	4	5	6	11
35-49	558	3.7	6	1	1	3	5	7	9	14
50-64	1048	4.1	11	1	2	3	5	7	9	16
65 +	3320	4.9	13	1	2	4	6	9	11	18
B. Operated										
0-19 YRS	16	5.5	32	1	1	4	7	15	19	21
20-34	46	5.2	59	1	1	3	7	8	13	52
35-49	107	6.1	35	1	2	4	7	14	17	32
50-64	266	6.8	53	1	2	5	8	14	17	42
65 +	904	7.7	41	2	3	6	9	15	21	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	394	2.7	3	1	1	2	4	5	6	9
B. Operated	39	4.5	14	1	1	4	5	9	12	19
2. MULTIPLE DX										
A. Not Operated	5327	4.4	11	1	2	4	5	8	10	17
B. Operated	1339	7.3	44	2	2	5	9	15	20	37
1. SINGLE DX	433	2.9	4	1	1	2	4	5	7	10
2. MULTIPLE DX	6666	5.0	19	1	2	4	6	9	12	22
A. Not Operated	5721	4.3	11	1	2	4	5	8	10	17
B. Operated	1378	7.2	43	2	2	5	9	15	20	37
TOTAL										
0-19 YRS	156	2.8	7	< 1	1	2	3	6	8	16
20-34	399	3.0	10	1	1	2	4	5	7	12
35-49	741	3.9	11	1	1	3	5	7	9	17
50-64	1418	4.5	20	1	2	3	5	8	12	20
65 +	4385	5.4	20	1	2	4	6	10	13	24
GRAND TOTAL	**7099**	**4.9**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.2	2	1	1	1	3	4	5	6
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	3	7.7	66	2	2	4	14	17	17	17
B. Operated										
0-19 YRS	5	9.2	210	1	1	3	12	35	35	35
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	3	7.3	12	4	4	7	10	11	11	11
50-64	4	5.0	10	1	1	5	7	8	8	8
65 +	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	3.0	10	1	1	2	4	5	10	17
20-34	5	3.6	3	1	1	4	5	6	6	6
35-49	15	4.4	14	1	2	4	5	6	14	17
50-64	15	9.1	85	2	2	6	10	21	32	36
65 +	42	7.6	51	1	2	5	13	17	22	34
B. Operated										
0-19 YRS	12	14.8	95	1	4	12	24	28	28	28
20-34	7	9.4	45	2	2	9	13	20	21	21
35-49	19	18.2	225	5	6	12	25	41	53	59
50-64	28	15.8	240	2	3	11	20	31	53	72
65 +	21	12.2	53	2	4	11	16	22	28	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.7	9	1	1	2	3	4	6	17
B. Operated	16	6.4	68	< 1	1	4	8	11	28	35
2. MULTIPLE DX										
A. Not Operated	148	5.1	34	1	1	3	6	13	17	34
B. Operated	87	14.8	157	2	4	11	19	28	37	67
1. SINGLE DX	48	3.9	30	1	1	2	4	8	12	35
2. MULTIPLE DX	235	8.7	101	1	1	5	12	21	28	52
A. Not Operated	180	4.7	31	1	1	3	5	12	17	30
B. Operated	103	13.5	152	2	2	9	17	28	35	65
TOTAL										
0-19 YRS	114	4.3	38	1	1	2	4	10	19	31
20-34	16	5.8	30	< 1	1	3	8	14	19	21
35-49	38	11.4	163	2	2	6	14	29	41	59
50-64	47	12.8	183	2	2	8	17	28	38	72
65 +	68	9.0	54	2	2	7	14	18	23	33
GRAND TOTAL	**283**	**7.9**	**92**	**1**	**1**	**4**	**10**	**18**	**27**	**49**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	2.1	2	< 1	< 1	1	3	4	6	7
20-34	7	3.3	3	1	1	4	5	5	5	5
35-49	7	3.7	9	1	1	2	6	8	9	9
50-64	4	3.0	3	1	1	3	4	5	5	5
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	48	1.7	1	1	1	1	2	3	4	7
20-34	36	1.6	2	< 1	1	1	2	2	3	8
35-49	31	1.7	2	1	1	1	2	4	6	6
50-64	32	1.9	4	1	1	1	2	5	7	9
65 +	12	1.4	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	3.3	14	< 1	< 1	2	4	8	10	21
20-34	31	4.7	17	1	1	3	6	10	15	18
35-49	16	5.2	7	< 1	1	5	7	8	9	10
50-64	19	4.2	11	< 1	1	3	7	9	11	11
65 +	51	6.4	21	1	2	5	8	13	18	20
B. Operated										
0-19 YRS	41	5.3	63	1	1	2	5	14	20	43
20-34	70	4.9	52	1	1	2	6	12	14	46
35-49	69	3.9	31	1	1	2	4	11	13	32
50-64	77	3.9	24	1	1	2	5	8	17	25
65 +	76	8.8	107	1	1	6	11	21	30	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.3	3	< 1	< 1	2	3	5	6	8
B. Operated	159	1.7	2	1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	210	4.5	17	< 1	< 1	3	6	10	12	19
B. Operated	333	5.4	58	1	1	2	6	12	20	44
1. SINGLE DX	244	1.9	2	< 1	< 1	1	2	4	6	8
2. MULTIPLE DX	543	5.1	42	< 1	1	3	6	11	17	33
A. Not Operated	295	3.9	14	< 1	< 1	3	5	8	10	19
B. Operated	492	4.2	43	1	1	2	5	10	15	35
TOTAL										
0-19 YRS	247	3.0	18	< 1	< 1	2	3	7	10	20
20-34	144	4.0	31	1	1	2	5	10	12	23
35-49	123	3.5	20	1	1	2	5	8	11	28
50-64	132	3.4	17	1	1	2	4	8	10	21
65 +	141	7.2	70	1	1	5	9	16	21	50
GRAND TOTAL	**787**	**4.1**	**32**	**< 1**	**1**	**2**	**5**	**9**	**13**	**27**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.3	3	1	1	3	5	6	7	7
20-34	4	3.0	7	1	1	2	5	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	5	3.2	15	1	1	2	4	10	10	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	3.7	9	1	1	3	6	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	3.6	5	1	1	2	5	7	8	10
20-34	7	4.6	8	2	2	3	7	9	9	9
35-49	9	4.7	5	3	3	4	5	8	10	10
50-64	5	4.2	7	2	2	3	6	8	8	8
65 +	27	6.8	23	3	3	4	9	15	17	21
B. Operated										
0-19 YRS	9	7.3	29	2	2	6	12	15	16	16
20-34	14	6.6	51	1	1	4	10	17	23	25
35-49	10	6.3	19	1	1	6	11	12	12	12
50-64	17	7.4	35	1	1	6	12	15	18	19
65 +	23	12.1	91	1	2	9	17	28	33	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.4	3	1	1	3	5	6	7	7
B. Operated	11	3.5	8	1	1	2	5	8	10	10
2. MULTIPLE DX										
A. Not Operated	83	4.9	13	1	2	4	6	9	13	19
B. Operated	73	8.6	56	1	1	7	12	17	24	36
1. SINGLE DX	36	3.4	5	1	1	3	5	7	7	10
2. MULTIPLE DX	156	6.6	36	1	1	5	9	15	18	31
A. Not Operated	108	4.5	11	1	2	4	6	8	10	18
B. Operated	84	7.9	53	1	1	6	11	17	22	36
TOTAL										
0-19 YRS	65	4.0	9	1	1	3	5	7	10	16
20-34	30	5.1	30	1	1	3	7	12	16	25
35-49	21	5.5	11	1	2	4	7	11	12	12
50-64	25	6.3	28	1	1	5	9	15	16	19
65 +	51	9.1	60	2	3	7	11	19	27	38
GRAND TOTAL	**192**	**6.0**	**32**	**1**	**1**	**4**	**7**	**13**	**17**	**29**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	7	4.6	22	< 1	< 1	2	7	12	13	13
B. Operated										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	23	3.3	11	< 1	< 1	2	4	8	11	14
35-49	19	3.8	11	< 1	1	2	5	10	11	11
50-64	26	1.9	2	< 1	< 1	2	2	4	5	6
65 +	30	2.7	7	< 1	1	2	3	6	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.5	12	1	1	2	2	5	12	14
20-34	24	3.5	10	< 1	< 1	4	5	6	9	15
35-49	29	4.7	13	1	1	3	7	11	12	14
50-64	42	6.1	17	1	1	6	9	12	13	18
65 +	206	7.3	29	1	2	6	10	15	17	27
B. Operated										
0-19 YRS	58	7.3	41	1	1	7	10	14	19	34
20-34	193	8.6	118	1	1	5	10	19	32	58
35-49	262	7.9	72	1	1	6	10	17	23	43
50-64	344	8.0	73	1	1	5	10	17	25	44
65 +	411	10.4	108	1	2	7	14	23	28	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.9	18	< 1	< 1	2	6	11	13	13
B. Operated	100	3.0	8	< 1	1	2	4	7	10	13
2. MULTIPLE DX										
A. Not Operated	314	6.4	26	1	1	5	9	13	16	26
B. Operated	1268	8.8	91	1	1	6	12	19	27	49
1. SINGLE DX	109	3.0	9	< 1	< 1	2	4	7	11	14
2. MULTIPLE DX	1582	8.3	79	1	1	6	11	18	25	44
A. Not Operated	323	6.4	26	1	1	5	9	13	16	26
B. Operated	1368	8.4	87	1	1	6	11	19	26	48
TOTAL										
0-19 YRS	73	6.4	39	1	1	4	9	14	18	32
20-34	241	7.6	101	< 1	1	4	8	17	29	50
35-49	310	7.3	64	1	1	5	9	15	20	38
50-64	413	7.4	65	1	1	5	10	17	23	42
65 +	654	9.0	82	1	2	6	12	20	26	44
GRAND TOTAL	**1691**	**8.0**	**76**	**1**	**1**	**5**	**11**	**17**	**24**	**44**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	1	< 1	< 1	2	2	3	3	3
20-34	5	3.0	2	2	2	2	4	5	5	5
35-49	4	3.3	3	1	1	3	4	5	5	5
50-64	2	3.0	8	< 1	< 1	2	5	5	5	5
65 +	6	5.2	33	< 1	< 1	3	7	15	16	16
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	4	1.0		1	1	1	1	1	1	1
50-64	9	2.1	2	1	1	1	3	5	5	5
65 +	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	5.2	13	1	1	4	7	11	13	13
20-34	22	4.2	6	2	2	4	5	8	10	11
35-49	29	5.8	12	1	2	6	8	10	11	17
50-64	98	6.9	28	1	2	5	9	13	18	28
65 +	565	7.7	30	2	3	6	9	14	18	28
B. Operated										
0-19 YRS	14	16.1	165	2	4	11	24	34	45	48
20-34	46	11.6	119	1	1	8	16	28	34	50
35-49	65	10.9	133	1	2	8	14	22	25	77
50-64	124	11.9	135	2	2	9	15	25	29	79
65 +	346	13.8	82	3	4	12	19	26	30	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.4	11	< 1	< 1	3	4	6	11	16
B. Operated	24	1.8	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	723	7.4	28	2	2	6	9	14	18	27
B. Operated	595	13.0	104	2	3	11	17	25	30	61
1. SINGLE DX	46	2.5	6	< 1	1	2	3	5	6	16
2. MULTIPLE DX	1318	9.9	70	2	3	8	13	20	26	41
A. Not Operated	745	7.2	28	2	2	6	9	14	18	27
B. Operated	619	12.5	105	1	2	10	17	25	30	59
TOTAL										
0-19 YRS	29	9.7	121	1	1	6	12	25	33	48
20-34	78	8.4	87	1	2	5	9	22	30	46
35-49	102	8.8	97	1	1	7	10	17	23	57
50-64	233	9.3	92	1	2	7	12	18	25	46
65 +	922	9.9	58	2	3	8	13	20	25	40
GRAND TOTAL	**1364**	**9.6**	**70**	**2**	**2**	**7**	**13**	**19**	**25**	**41**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	163	3.1	2	1	2	3	4	5	6	8
20-34	285	3.5	3	1	2	3	4	6	6	9
35-49	92	3.5	4	1	2	3	5	6	7	10
50-64	56	3.9	5	1	2	4	4	7	9	12
65 +	39	4.4	8	1	2	4	6	9	11	12
B. Operated										
0-19 YRS	9	5.2	11	1	1	4	8	10	10	10
20-34	8	3.1	2	1	1	3	4	5	5	5
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	6	5.7	1	4	4	6	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	456	3.6	4	1	2	3	4	6	7	10
20-34	876	3.9	4	2	2	4	5	6	7	10
35-49	449	4.4	7	2	2	4	5	7	9	15
50-64	444	5.1	8	2	2	4	6	9	11	15
65 +	927	5.8	11	2	3	5	7	10	12	18
B. Operated										
0-19 YRS	24	6.7	19	2	2	5	8	13	16	20
20-34	80	6.5	22	1	2	5	8	12	16	25
35-49	48	8.2	51	2	3	7	10	13	15	51
50-64	63	9.1	34	3	3	8	11	15	23	31
65 +	127	12.3	85	4	5	9	15	23	33	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	635	3.5	3	1	2	3	4	6	7	10
B. Operated	28	4.5	5	1	2	4	6	7	10	10
2. MULTIPLE DX										
A. Not Operated	3152	4.7	8	2	2	4	6	8	10	15
B. Operated	342	9.4	57	2	3	7	11	18	23	42
1. SINGLE DX	663	3.5	3	1	2	3	4	6	7	10
2. MULTIPLE DX	3494	5.1	14	2	2	4	6	9	11	20
A. Not Operated	3787	4.5	7	2	2	4	5	8	9	14
B. Operated	370	9.0	55	2	3	7	11	17	23	41
TOTAL										
0-19 YRS	652	3.7	4	1	2	3	4	6	7	10
20-34	1249	3.9	5	1	2	4	5	6	7	12
35-49	592	4.6	11	2	2	4	6	8	10	15
50-64	565	5.5	12	2	2	5	7	10	12	18
65 +	1099	6.5	24	2	3	5	8	11	14	27
GRAND TOTAL	**4157**	**4.9**	**13**	**2**	**2**	**4**	**6**	**8**	**11**	**19**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	141	3.0	2	1	2	3	4	5	6	7
20-34	182	3.1	3	1	2	3	4	5	6	10
35-49	61	3.5	3	1	2	3	4	6	7	10
50-64	28	3.3	4	1	1	3	5	7	7	7
65 +	25	3.6	3	1	1	4	4	6	8	8
B. Operated										
0-19 YRS	6	7.5	27	< 1	< 1	7	12	14	14	14
20-34	7	4.7	8	1	1	4	6	9	10	10
35-49	13	4.5	6	< 1	< 1	5	5	8	10	10
50-64	2	7.0	8	5	5	7	9	9	9	9
65 +	3	8.7	4	7	7	8	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	225	3.6	5	1	1	3	4	6	7	13
20-34	429	3.8	4	1	2	3	5	6	7	11
35-49	235	4.5	9	2	2	4	5	8	9	16
50-64	203	5.3	10	2	2	5	7	10	11	16
65 +	422	6.3	24	2	3	5	7	11	14	23
B. Operated										
0-19 YRS	20	5.2	6	2	3	4	6	9	10	11
20-34	63	7.1	18	3	3	6	9	13	17	21
35-49	63	9.7	44	3	4	8	13	18	23	34
50-64	73	10.7	98	2	4	8	12	21	31	60
65 +	92	11.8	55	3	4	10	15	22	28	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	437	3.1	3	1	2	3	4	5	6	8
B. Operated	31	5.7	11	< 1	1	5	8	11	12	14
2. MULTIPLE DX										
A. Not Operated	1514	4.8	12	1	2	4	6	8	10	18
B. Operated	311	9.7	56	3	3	8	12	18	23	37
1. SINGLE DX	468	3.3	4	1	2	3	4	6	7	10
2. MULTIPLE DX	1825	5.6	23	2	2	4	7	10	14	24
A. Not Operated	1951	4.4	11	1	2	4	5	8	9	16
B. Operated	342	9.4	53	2	3	8	12	18	23	36
TOTAL										
0-19 YRS	392	3.5	4	1	1	3	4	6	7	13
20-34	681	3.9	6	1	2	3	5	7	8	14
35-49	372	5.2	18	2	2	4	6	9	13	24
50-64	306	6.4	36	2	2	5	8	11	15	33
65 +	542	7.1	33	2	3	6	8	12	18	30
GRAND TOTAL	**2293**	**5.1**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.7	1	< 1	< 1	1	2	3	5	5
20-34	183	1.6	1	< 1	< 1	1	2	3	4	6
35-49	250	1.5	1	< 1	< 1	1	2	3	3	5
50-64	133	1.6	2	< 1	< 1	1	2	3	4	8
65 +	51	1.7	1	< 1	< 1	1	2	3	4	5
B. Operated										
0-19 YRS	4	5.0	5	3	3	4	6	8	8	8
20-34	89	3.4	8	1	1	2	5	7	9	14
35-49	130	3.0	7	< 1	1	2	4	8	9	11
50-64	100	3.5	11	1	1	2	5	8	10	18
65 +	58	3.8	8	1	1	3	6	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.1	8	< 1	< 1	1	2	5	10	11
20-34	174	2.3	8	< 1	1	2	3	4	5	15
35-49	231	2.2	3	< 1	1	2	3	5	5	8
50-64	185	2.6	5	1	1	2	3	5	8	12
65 +	154	3.2	8	1	1	2	4	7	9	13
B. Operated										
0-19 YRS	13	5.1	7	1	1	5	7	8	9	9
20-34	99	4.8	11	1	1	4	7	9	11	16
35-49	162	5.9	41	1	1	4	7	12	17	39
50-64	237	5.3	31	1	1	4	7	10	14	34
65 +	209	6.4	36	1	1	5	8	12	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	632	1.6	1	< 1	< 1	1	2	3	4	6
B. Operated	381	3.4	9	1	1	2	5	8	9	13
2. MULTIPLE DX										
A. Not Operated	757	2.5	6	< 1	1	2	3	5	7	12
B. Operated	720	5.7	32	1	1	4	7	11	15	31
1. SINGLE DX	1013	2.3	5	< 1	1	1	3	5	7	10
2. MULTIPLE DX	1477	4.1	21	1	1	3	5	8	11	21
A. Not Operated	1389	2.1	4	< 1	1	1	2	4	5	10
B. Operated	1101	4.9	25	1	1	4	7	10	13	24
TOTAL										
0-19 YRS	45	3.1	7	< 1	1	2	5	8	8	11
20-34	545	2.7	8	< 1	1	2	3	6	8	14
35-49	773	2.9	13	< 1	1	2	3	6	8	17
50-64	655	3.5	17	1	1	2	4	8	10	18
65 +	472	4.5	23	1	1	3	6	9	12	25
GRAND TOTAL	**2490**	**3.3**	**15**	**< 1**	**1**	**2**	**4**	**8**	**10**	**18**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	1.6	1	< 1	1	1	2	3	3	7
20-34	726	1.5	1	< 1	< 1	1	2	2	3	5
35-49	1158	1.5	1	< 1	1	1	2	3	3	5
50-64	612	1.5	1	< 1	1	1	2	3	3	5
65 +	202	1.7	1	< 1	1	1	2	3	3	6
B. Operated										
0-19 YRS	42	3.0	5	1	1	2	4	6	8	10
20-34	522	2.8	5	1	1	2	4	6	7	11
35-49	773	2.7	4	1	1	2	4	5	7	9
50-64	503	2.9	5	1	1	2	4	6	8	10
65 +	220	2.9	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	1.6	1	< 1	1	1	2	3	3	4
20-34	325	1.9	2	< 1	1	1	2	3	4	8
35-49	547	1.8	1	< 1	1	1	2	3	4	6
50-64	508	1.9	2	< 1	1	1	2	4	4	8
65 +	368	2.4	3	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	28	4.5	15	1	1	3	6	8	16	16
20-34	285	4.1	11	1	1	3	6	8	10	13
35-49	487	3.8	8	1	1	3	5	8	9	14
50-64	557	4.2	14	1	1	3	5	8	10	18
65 +	535	5.5	20	1	1	4	8	11	15	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2773	1.5	1	< 1	1	1	2	3	3	5
B. Operated	2060	2.8	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	1771	2.0	2	< 1	1	2	2	4	5	8
B. Operated	1892	4.5	14	1	1	3	6	9	11	18
1. SINGLE DX	4833	2.1	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	3663	3.3	10	1	1	2	4	7	9	15
A. Not Operated	4544	1.7	1	< 1	1	1	2	3	4	6
B. Operated	3952	3.6	10	1	1	3	5	7	9	15
TOTAL										
0-19 YRS	168	2.4	5	< 1	1	2	3	5	6	15
20-34	1858	2.3	5	< 1	1	2	3	5	6	11
35-49	2965	2.2	4	< 1	1	2	3	5	6	9
50-64	2180	2.6	7	< 1	1	2	3	5	7	12
65 +	1325	3.6	12	1	1	2	5	8	11	18
GRAND TOTAL	**8496**	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**5**	**7**	**12**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.0	1	1	1	2	2	3	4	4
20-34	24	2.2	3	1	1	[illegible]	3	5	6	7
35-49	20	2.2	1	< 1	1	2	3	4	5	5
50-64	6	2.3	1	1	1	2	3	4	4	4
65 +	7	4.3	10	1	1	4	7	8	8	8
B. Operated										
0-19 YRS	178	4.5	3	1	2	5	6	7	8	9
20-34	83	4.4	12	< 1	1	4	6	7	9	21
35-49	71	4.2	10	< 1	1	4	6	8	10	14
50-64	64	3.5	9	< 1	< 1	2	5	7	8	15
65 +	37	3.8	11	< 1	1	3	5	7	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	3.4	26	< 1	< 1	1	4	7	14	26
20-34	58	2.6	5	< 1	1	2	3	5	7	13
35-49	55	3.3	9	< 1	1	3	4	5	11	15
50-64	79	3.3	6	1	1	3	4	6	8	14
65 +	148	5.4	15	1	2	5	7	10	13	19
B. Operated										
0-19 YRS	236	5.3	11	1	2	5	7	8	11	16
20-34	190	5.5	12	1	1	5	7	10	13	17
35-49	230	5.9	27	1	1	5	7	11	14	34
50-64	292	6.7	30	1	1	5	8	13	17	29
65 +	413	7.2	39	1	1	6	10	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	2.4	3	1	1	2	3	5	6	8
B. Operated	433	4.2	7	< 1	1	4	6	7	8	14
2. MULTIPLE DX										
A. Not Operated	381	4.0	13	< 1	1	3	5	8	11	18
B. Operated	1361	6.3	27	1	1	5	8	12	15	27
1. SINGLE DX	500	4.0	7	1	1	4	5	7	8	13
2. MULTIPLE DX	1742	5.8	25	1	1	5	7	11	15	25
A. Not Operated	448	3.8	12	1	1	3	5	8	10	17
B. Operated	1794	5.8	23	1	1	5	7	11	14	25
TOTAL										
0-19 YRS	465	4.7	9	1	1	5	6	8	9	16
20-34	355	4.5	12	1	1	4	6	9	11	17
35-49	376	5.0	22	1	1	4	6	10	13	24
50-64	441	5.6	25	1	1	4	7	11	15	27
65 +	605	6.5	32	1	1	5	8	13	17	27
GRAND TOTAL	**2242**	**5.4**	**22**	**1**	**1**	**4**	**7**	**10**	**14**	**24**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (5)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	35	1.5	1	< 1	< 1	1	2	3	4	4
35-49	43	1.6	1	< 1	< 1	1	2	3	4	5
50-64	23	1.5	1	< 1	< 1	1	2	3	3	3
65 +	11	2.0	1	1	1	2	2	4	5	5
B. Operated										
0-19 YRS	5	2.4	7	1	1	1	3	7	7	7
20-34	15	2.1	2	1	1	2	3	3	5	6
35-49	16	2.3	5	< 1	< 1	1	3	6	7	7
50-64	15	3.7	22	< 1	< 1	2	4	10	16	18
65 +	24	2.8	5	< 1	1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	20	1.7	1	< 1	< 1	1	2	3	4	4
35-49	29	2.1	4	< 1	< 1	1	2	4	6	11
50-64	24	1.9	1	< 1	1	2	2	4	4	5
65 +	32	2.8	9	1	1	2	3	4	11	15
B. Operated										
0-19 YRS	7	2.9	4	1	1	2	4	6	7	7
20-34	21	3.6	5	1	1	4	5	7	8	9
35-49	25	2.2	4	< 1	1	1	3	6	7	7
50-64	77	3.3	9	< 1	1	3	4	6	7	19
65 +	209	3.9	9	1	1	3	5	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	1.6	1	< 1	1	1	2	3	3	5
B. Operated	75	2.7	8	< 1	< 1	2	3	6	8	16
2. MULTIPLE DX										
A. Not Operated	109	2.2	4	< 1	< 1	2	2	4	5	13
B. Operated	339	3.6	8	1	1	3	5	7	9	14
1. SINGLE DX	191	2.0	4	< 1	< 1	1	2	4	6	10
2. MULTIPLE DX	448	3.3	8	1	1	2	4	6	9	14
A. Not Operated	225	1.9	3	< 1	1	1	2	3	4	11
B. Operated	414	3.5	8	1	1	3	5	7	9	15
TOTAL										
0-19 YRS	20	2.4	4	1	1	2	3	6	7	7
20-34	91	2.1	3	< 1	1	1	3	4	5	9
35-49	113	2.0	3	< 1	< 1	1	2	4	6	9
50-64	139	2.8	8	< 1	1	2	4	5	7	19
65 +	276	3.6	8	1	1	3	5	7	10	15
GRAND TOTAL	**639**	**2.9**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**	**14**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.9	1	< 1	< 1	2	2	4	4	4
20-34	8	2.0	3	< 1	< 1	1	2	5	6	6
35-49	9	3.0	2	2	2	2	4	5	6	6
50-64	11	2.6	3	1	1	2	4	5	6	6
65 +	5	3.0	4	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	6	2.0	2	< 1	< 1	1	3	4	4	4
20-34	18	2.7	4	< 1	< 1	2	4	6	7	7
35-49	24	2.3	22	< 1	< 1	1	1	3	10	24
50-64	20	1.2		< 1	< 1	1	1	2	3	4
65 +	35	2.7	13	< 1	< 1	1	3	6	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.8	5	1	1	2	3	5	6	12
20-34	27	3.8	4	1	1	4	5	7	7	8
35-49	35	4.1	9	1	2	3	5	9	11	13
50-64	59	3.8	10	1	1	3	5	7	10	19
65 +	167	5.7	17	2	2	5	7	10	12	19
B. Operated										
0-19 YRS	17	2.6	5	< 1	< 1	2	3	7	8	8
20-34	36	5.7	41	< 1	1	4	6	10	23	28
35-49	71	4.9	39	< 1	< 1	2	6	14	21	28
50-64	120	4.6	28	< 1	1	3	6	11	14	30
65 +	301	5.6	55	< 1	1	3	7	12	15	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.5	3	< 1	1	2	3	5	6	6
B. Operated	103	2.3	11	< 1	< 1	1	2	4	7	20
2. MULTIPLE DX										
A. Not Operated	320	4.7	14	1	2	4	6	9	11	18
B. Operated	545	5.2	44	< 1	1	3	7	11	15	31
1. SINGLE DX	143	2.3	8	< 1	< 1	1	3	5	6	17
2. MULTIPLE DX	865	5.0	33	< 1	1	3	6	10	14	28
A. Not Operated	360	4.5	13	1	1	4	6	8	11	18
B. Operated	648	4.7	40	< 1	< 1	3	6	11	15	29
TOTAL										
0-19 YRS	62	2.6	4	< 1	< 1	2	3	5	7	12
20-34	89	4.2	20	< 1	1	3	5	7	10	26
35-49	139	4.1	27	< 1	< 1	2	4	10	17	25
50-64	210	3.9	20	< 1	1	2	5	10	12	23
65 +	508	5.4	40	< 1	1	4	7	11	15	32
GRAND TOTAL	**1008**	**4.6**	**30**	**< 1**	**1**	**3**	**6**	**10**	**14**	**26**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	31	1.2		< 1	< 1	1	1	2	3	3
20-34	71	1.5	1	< 1	< 1	1	2	3	3	6
35-49	53	1.5	2	< 1	< 1	1	1	3	4	8
50-64	51	1.6	2	< 1	< 1	1	2	3	4	10
65 +	75	2.0	4	< 1	1	1	2	4	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	6.3	34	2	2	4	11	13	13	13
65 +	12	2.4	2	< 1	< 1	2	3	5	5	5
B. Operated										
0-19 YRS	43	1.7	2	< 1	< 1	1	2	3	5	8
20-34	73	2.0	3	< 1	< 1	1	2	4	6	7
35-49	92	2.2	3	< 1	1	1	3	4	6	9
50-64	112	3.2	18	< 1	1	2	3	7	10	24
65 +	310	2.8	5	1	1	2	4	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	1	1	1	2	2	3	3	3
B. Operated	281	1.6	2	< 1	< 1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	22	2.8	7	< 1	< 1	2	4	5	8	13
B. Operated	630	2.6	7	< 1	1	2	3	5	7	12
1. SINGLE DX	288	1.6	2	< 1	< 1	1	2	3	4	9
2. MULTIPLE DX	652	2.6	7	< 1	1	2	3	5	7	12
A. Not Operated	29	2.6	6	< 1	1	2	3	5	6	13
B. Operated	911	2.3	5	< 1	1	1	3	4	7	11
TOTAL										
0-19 YRS	78	1.5	1	< 1	< 1	1	1	3	4	7
20-34	147	1.7	2	< 1	< 1	1	2	4	5	7
35-49	149	1.9	2	< 1	< 1	1	2	4	5	8
50-64	168	2.8	14	< 1	1	2	3	5	9	23
65 +	398	2.7	5	1	1	2	3	5	8	11
GRAND TOTAL	**940**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**4**	**7**	**12**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	121	2.5	2	< 1	1	2	3	4	6	8
20-34	55	2.1	1	< 1	1	2	3	4	5	6
35-49	34	2.6	2	1	1	2	3	4	5	7
50-64	33	3.2	6	1	1	2	4	7	8	9
65 +	79	4.2	15	1	1	3	5	7	12	24
B. Operated										
0-19 YRS	43	1.8	3	< 1	< 1	1	2	4	6	8
20-34	44	1.6	1	< 1	< 1	1	2	3	4	4
35-49	56	1.5	1	< 1	< 1	1	2	3	4	6
50-64	106	2.0	2	< 1	1	1	2	4	4	8
65 +	171	2.2	4	< 1	1	1	3	4	5	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	559	3.3	5	1	1	3	4	6	8	13
20-34	424	3.8	11	1	1	3	5	7	9	19
35-49	425	4.7	13	1	2	4	5	9	11	19
50-64	762	5.3	17	1	2	4	6	10	12	24
65 +	4216	6.4	25	2	2	5	8	11	14	25
B. Operated										
0-19 YRS	103	4.[illegible]	14	< 1	1	3	6	10	12	17
20-34	146	6.3	77	< 1	1	4	7	12	22	50
35-49	226	6.1	62	1	1	4	8	14	19	58
50-64	423	6.4	76	1	1	4	8	14	19	59
65 +	1632	7.0	48	1	1	5	9	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	322	2.9	6	1	1	2	3	5	7	14
B. Operated	420	1.9	3	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	6386	5.7	22	1	2	5	7	10	13	23
B. Operated	2530	6.7	55	1	1	4	9	15	20	38
1. SINGLE DX	742	2.4	4	< 1	1	2	3	4	6	10
2. MULTIPLE DX	8916	6.0	31	1	2	5	7	11	15	28
A. Not Operated	6708	5.5	22	1	2	4	7	10	13	23
B. Operated	2950	6.0	50	1	1	4	8	14	19	37
TOTAL										
0-19 YRS	826	3.2	6	1	1	3	4	6	8	13
20-34	669	4.1	26	1	1	3	5	7	10	28
35-49	741	4.8	28	1	1	3	6	10	13	26
50-64	1324	5.4	36	1	1	4	6	10	14	30
65 +	6098	6.4	31	1	2	5	8	12	16	28
GRAND TOTAL	**9658**	**5.7**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	2.0	3	< 1	< 1	1	3	4	4	4
65 +	6	2.7	1	1	1	3	3	4	4	4
B. Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	3	3.0	4	< 1	< 1	3	4	5	5	5
35-49	33	2.2	1	< 1	< 1	2	3	4	4	4
50-64	869	3.0	2	1	1	3	4	5	5	7
65 +	1633	3.2	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	40	3.4	10	< 1	< 1	2	4	8	10	14
65 +	192	3.4	14	< 1	< 1	2	4	6	10	27
B. Operated										
0-19 YRS	3	7.7	10	4	4	9	10	10	10	10
20-34	7	2.9	2	1	1	3	4	5	5	5
35-49	103	3.3	4	1	1	3	4	5	7	11
50-64	2787	3.5	4	1	2	3	4	6	7	11
65 +	9541	4.3	10	2	2	4	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.4	2	< 1	< 1	3	3	4	4	4
B. Operated	2540	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	233	3.4	13	< 1	< 1	2	4	7	10	26
B. Operated	12441	4.2	9	2	2	3	5	7	9	15
1. SINGLE DX	2549	3.[illegible]	2	1	1	3	4	5	6	8
2. MULTIPLE DX	12674	4.[illegible]	9	1	2	3	5	7	9	16
A. Not Operated	242	3.4	13	< 1	< 1	2	4	7	10	26
B. Operated	14981	4.0	8	1	2	3	5	7	8	14
TOTAL										
0-19 YRS	5	6.2	10	3	3	5	9	10	10	10
20-34	10	2.9	2	<1	<1	3	4	5	5	5
35-49	137	3.1	3	<1	1	3	4	5	6	11
50-64	3699	3.4	4	1	2	3	4	5	7	10
65 +	11372	4.2	9	1	2	4	5	7	9	16
GRAND TOTAL	**15223**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	3.0	3	< 1	1	3	4	5	6	6
35-49	17	3.6	3	2	2	3	5	6	7	7
50-64	20	3.5	2	1	2	3	4	5	6	7
65 +	11	2.7	2	1	1	2	3	5	6	6
B. Operated										
0-19 YRS	0									
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	6	2.5	2	< 1	< 1	2	4	4	4	4
50-64	13	2.3	3	< 1	< 1	2	3	5	6	6
65 +	9	2.8	5	< 1	< 1	2	4	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	34	3.8	3	1	2	4	5	6	7	9
35-49	91	3.6	6	1	1	3	4	6	7	16
50-64	128	4.2	6	2	2	4	5	7	10	13
65 +	147	4.6	9	2	2	4	6	8	10	16
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	3.5	6	< 1	< 1	3	5	7	7	7
35-49	19	3.1	7	< 1	< 1	2	4	8	10	10
50-64	72	3.9	11	< 1	1	3	5	7	9	20
65 +	148	5.1	41	1	1	4	6	9	14	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	3.3	2	1	2	3	4	6	6	7
B. Operated	31	2.4	3	< 1	< 1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	401	4.2	7	1	2	4	5	7	9	15
B. Operated	246	4.5	29	< 1	1	3	5	8	13	23
1. SINGLE DX	94	3.0	3	< 1	1	3	4	6	6	8
2. MULTIPLE DX	647	4.3	15	1	1	3	5	7	10	17
A. Not Operated	464	4.1	6	1	2	3	5	7	8	14
B. Operated	277	4.3	26	< 1	1	3	5	7	12	21
TOTAL										
0-19 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
20-34	58	3.4	3	< 1	1	3	5	6	7	9
35-49	133	3.5	6	1	1	3	4	6	7	15
50-64	233	3.9	7	1	1	3	5	7	9	14
65 +	315	4.7	24	1	2	4	6	8	12	21
GRAND TOTAL	**741**	**4.2**	**14**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	60	1.1		< 1	< 1	1	1	2	2	2
20-34	20	1.1		1	1	1	1	2	2	2
35-49	33	1.4	1	< 1	< 1	1	2	3	3	4
50-64	46	1.4	1	< 1	< 1	1	2	2	3	6
65 +	33	1.5	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	4	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	43	1.3	1	< 1	< 1	1	1	3	3	4
20-34	14	1.6	1	1	1	1	2	3	5	5
35-49	26	1.5	1	< 1	1	1	1	3	4	4
50-64	42	2.2	7	1	1	1	2	4	6	17
65 +	77	2.0	3	< 1	< 1	1	2	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	192	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	9	1.7	1	< 1	< 1	1	2	4	4	4
B. Operated	202	1.8	3	< 1	< 1	1	2	3	5	9
1. SINGLE DX	194	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	211	1.8	3	< 1	< 1	1	2	3	5	9
A. Not Operated	11	1.5	1	< 1	< 1	1	2	3	4	4
B. Operated	394	1.5	2	< 1	< 1	1	2	3	4	7
TOTAL										
0-19 YRS	108	1.2		< 1	< 1	1	1	2	2	4
20-34	34	1.3	1	1	1	1	1	2	3	5
35-49	60	1.4	1	< 1	< 1	1	1	3	4	4
50-64	89	1.8	4	< 1	1	1	2	3	4	13
65 +	114	1.8	2	< 1	< 1	1	2	4	5	9
GRAND TOTAL	**405**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.2	5	< 1	1	3	4	7	8	9
20-34	81	3.7	5	< 1	1	3	5	7	8	10
35-49	55	3.9	5	1	1	4	5	7	9	10
50-64	23	5.1	10	1	2	5	7	8	11	15
65 +	12	4.3	3	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	20	2.0	2	< 1	< 1	1	3	4	5	6
20-34	21	1.9	2	< 1	1	1	2	4	5	6
35-49	28	2.6	5	< 1	1	2	4	5	6	10
50-64	12	1.7	2	< 1	< 1	1	2	4	6	6
65 +	9	1.9	1	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.0	2	1	1	2	4	5	6	6
20-34	72	4.2	7	2	2	3	5	7	9	15
35-49	51	5.0	8	1	2	4	6	9	10	16
50-64	40	5.1	7	2	2	5	7	9	10	12
65 +	94	5.1	6	2	2	5	7	8	10	12
B. Operated										
0-19 YRS	9	3.4	10	1	1	2	5	9	10	10
20-34	20	3.2	7	1	1	2	4	8	9	9
35-49	34	6.7	64	1	1	5	8	16	29	35
50-64	34	5.2	28	1	1	4	6	12	17	26
65 +	65	6.9	29	1	2	5	9	16	19	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	204	3.9	5	1	1	3	5	7	8	10
B. Operated	90	2.1	3	< 1	1	1	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	270	4.8	7	2	2	4	6	8	10	13
B. Operated	162	5.8	33	1	1	4	8	13	18	30
1. SINGLE DX	294	3.3	5	1	1	3	5	6	8	10
2. MULTIPLE DX	432	5.2	17	1	2	4	7	9	13	20
A. Not Operated	474	4.4	6	1	2	4	6	8	9	13
B. Operated	252	4.5	26	1	1	3	6	10	16	26
TOTAL										
0-19 YRS	75	2.9	4	< 1	1	2	4	6	8	10
20-34	194	3.6	6	1	1	3	5	7	8	12
35-49	168	4.6	19	1	1	4	6	9	10	29
50-64	109	4.8	15	1	1	4	6	9	12	21
65 +	180	5.6	15	1	2	5	7	10	14	20
GRAND TOTAL	**726**	**4.4**	**13**	**1**	**1**	**4**	**6**	**8**	**10**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	4	< 1	< 1	2	4	5	5	5
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	85	1.0		< 1	< 1	< 1	1	1	1	1
20-34	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	5	1.0		< 1	< 1	< 1	1	1	1	1
50-64	4	1.0		< 1	< 1	1	1	1	1	1
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	1.3		< 1	< 1	< 1	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	22	1.2		< 1	< 1	1	1	2	2	2
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	7	1.6	1	1	1	1	2	4	4	4
50-64	10	1.2		< 1	< 1	1	1	2	3	3
65 +	14	4.3	95	< 1	< 1	2	2	7	31	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.0	3	< 1	< 1	1	3	5	5	5
B. Operated	100	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	8	2.0	2	< 1	< 1	1	3	4	5	5
B. Operated	56	2.0	24	< 1	< 1	1	2	2	3	36
1. SINGLE DX	107	1.1		< 1	< 1	< 1	1	1	1	4
2. MULTIPLE DX	64	2.0	22	< 1	< 1	1	2	3	4	33
A. Not Operated	15	2.0	2	< 1	< 1	1	3	5	5	5
B. Operated	156	1.4	9	< 1	< 1	< 1	1	1	2	4
TOTAL										
0-19 YRS	114	1.1		< 1	< 1	< 1	1	1	2	4
20-34	7	1.0		< 1	< 1	< 1	1	1	1	1
35-49	15	1.5	2	< 1	< 1	1	1	4	5	5
50-64	17	1.2		< 1	< 1	1	1	2	3	3
65 +	18	3.7	74	< 1	< 1	2	2	3	24	38
GRAND TOTAL	**171**	**1.4**	**8**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.0	1	< 1	< 1	2	3	4	4	4
20-34	9	2.2	1	< 1	< 1	2	3	4	4	4
35-49	12	4.3	14	< 1	< 1	3	7	10	11	11
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	4	6.8	20	3	3	5	10	13	13	13
B. Operated										
0-19 YRS	313	1.2		< 1	< 1	1	1	2	2	4
20-34	119	1.6	2	< 1	1	1	2	3	4	9
35-49	87	2.0	7	< 1	< 1	1	2	5	7	17
50-64	156	1.6	1	1	1	1	2	3	3	6
65 +	118	1.9	2	1	1	1	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.3	1	< 1	1	2	3	4	5	5
20-34	20	2.6	2	< 1	< 1	2	4	5	5	6
35-49	13	2.8	2	1	1	2	4	5	5	5
50-64	20	2.8	5	< 1	< 1	2	4	7	8	8
65 +	29	5.9	29	< 1	1	4	8	13	20	21
B. Operated										
0-19 YRS	123	1.7	3	< 1	1	1	2	3	6	9
20-34	90	2.3	10	1	1	1	2	5	7	20
35-49	154	3.0	14	1	1	2	4	5	7	25
50-64	337	2.5	8	1	1	2	3	5	8	17
65 +	320	3.0	12	1	1	2	3	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	3.1	8	< 1	< 1	2	4	7	10	13
B. Operated	793	1.5	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	97	3.6	13	< 1	< 1	2	4	7	11	21
B. Operated	1024	2.6	10	1	1	2	3	5	8	18
1. SINGLE DX	840	1.6	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX	1121	2.7	10	1	1	2	3	5	8	19
A. Not Operated	144	3.4	11	< 1	< 1	2	4	7	10	20
B. Operated	1817	2.2	7	< 1	1	1	2	4	6	13
TOTAL										
0-19 YRS	470	1.4	1	< 1	< 1	1	1	2	3	8
20-34	238	2.0	5	< 1	1	1	2	4	6	12
35-49	266	2.7	12	< 1	1	2	3	5	7	20
50-64	516	2.3	6	1	1	2	3	4	7	12
65 +	471	2.9	12	1	1	2	3	6	9	20
GRAND TOTAL	**1961**	**2.2**	**7**	**<1**	**1**	**1**	**2**	**4**	**7**	**13**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	6	1.8	1	< 1	< 1	2	2	3	3	3
20-34	65	2.0	1	< 1	< 1	2	3	4	4	5
35-49	213	1.9	2	< 1	< 1	1	3	4	4	7
50-64	125	1.7	2	< 1	< 1	1	2	3	5	7
65 +	57	1.4	1	< 1	< 1	< 1	1	2	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	74	2.6	2	< 1	< 1	2	4	5	6	6
35-49	296	2.8	3	< 1	< 1	3	4	5	5	9
50-64	205	2.2	2	< 1	< 1	2	3	4	4	7
65 +	136	2.9	28	< 1	< 1	2	3	6	6	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated	466	1.8	2	< 1	< 1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	713	2.6	7	< 1	< 1	2	3	4	6	9
1. SINGLE DX	469	1.8	2	< 1	< 1	1	2	4	4	7
2. MULTIPLE DX	713	2.6	7	< 1	< 1	2	3	4	6	9
A. Not Operated	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated	1179	2.3	5	< 1	< 1	2	3	4	5	7
TOTAL										
0-19 YRS	8	1.6	1	< 1	< 1	1	2	3	3	3
20-34	139	2.3	2	< 1	< 1	2	3	4	5	6
35-49	510	2.4	3	< 1	< 1	2	3	4	5	7
50-64	331	2.0	2	< 1	< 1	1	3	4	4	7
65 +	194	2.5	20	< 1	< 1	2	3	5	6	12
GRAND TOTAL	**1182**	**2.3**	**5**	**< 1**	**< 1**	**2**	**3**	**4**	**5**	**7**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.4	1	1	1	2	3	4	4	4
20-34	12	2.5	1	1	1	3	3	3	3	3
35-49	14	2.9	1	2	2	3	3	4	6	6
50-64	4	2.5	4	< 1	< 1	2	4	5	5	5
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	190	1.9	1	< 1	1	2	2	3	3	5
20-34	380	2.1	1	1	1	2	3	3	4	5
35-49	252	2.1	1	< 1	< 1	2	3	3	4	6
50-64	182	2.2	2	< 1	< 1	2	3	4	4	10
65 +	69	2.0	2	< 1	< 1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.7	1	< 1	< 1	3	4	4	4	4
20-34	14	2.4	1	1	1	2	3	4	4	4
35-49	18	4.1	6	< 1	1	4	6	7	8	9
50-64	9	2.4	4	< 1	< 1	2	3	6	7	7
65 +	8	3.3	6	1	1	2	5	7	7	7
B. Operated										
0-19 YRS	59	2.0	1	1	1	2	2	3	4	4
20-34	236	2.2	2	1	1	2	3	4	4	6
35-49	331	2.5	3	1	1	2	3	4	5	8
50-64	266	2.6	5	1	1	2	3	5	5	12
65 +	170	2.7	5	< 1	< 1	2	3	5	6	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.7	1	1	1	3	3	4	5	6
B. Operated	1073	2.1	1	< 1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	55	3.1	4	< 1	1	3	4	7	7	9
B. Operated	1062	2.5	3	1	1	2	3	4	5	9
1. SINGLE DX	1115	2.1	1	< 1	1	2	3	3	4	5
2. MULTIPLE DX	1117	2.5	4	1	1	2	3	4	5	9
A. Not Operated	97	2.9	3	1	1	3	4	5	7	8
B. Operated	2135	2.3	2	< 1	1	2	3	4	5	8
TOTAL										
0-19 YRS	265	2.0	1	1	1	2	2	3	4	5
20-34	642	2.1	1	1	1	2	3	3	4	5
35-49	615	2.4	3	< 1	1	2	3	4	5	8
50-64	461	2.4	4	< 1	1	2	3	4	5	10
65 +	249	2.5	4	< 1	< 1	2	3	5	6	12
GRAND TOTAL	**2232**	**2.3**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**	**8**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	1.6	1	< 1	1	1	2	2	3	4
20-34	280	1.7	1	< 1	< 1	1	2	3	4	7
35-49	69	1.7	1	< 1	1	1	2	3	3	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	242	3.0	2	1	1	3	4	5	5	7
20-34	790	3.0	3	1	1	3	4	5	6	8
35-49	246	3.5	2	1	1	3	4	5	6	9
50-64	48	4.0	1	2	3	4	5	5	6	8
65 +	24	4.4	2	2	3	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	1.9	1	1	1	2	2	3	4	7
20-34	207	2.1	2	< 1	1	2	3	4	4	6
35-49	65	2.4	2	< 1	1	2	3	5	5	6
50-64	7	2.3	1	< 1	< 1	2	3	4	4	4
65 +	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	278	3.3	3	1	1	3	4	5	7	10
20-34	1668	3.8	3	1	2	4	4	6	7	10
35-49	1012	4.3	5	2	3	4	5	6	7	13
50-64	153	4.9	8	3	3	4	5	6	8	31
65 +	99	6.3	12	3	4	5	7	11	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	500	1.7	1	< 1	1	1	2	3	4	6
B. Operated	1350	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	372	2.1	2	< 1	1	2	3	4	4	6
B. Operated	3210	4.0	5	1	2	4	5	6	7	12
1. SINGLE DX	1850	2.7	3	< 1	1	3	4	5	5	7
2. MULTIPLE DX	3582	3.8	5	1	1	4	5	6	7	12
A. Not Operated	872	1.9	1	< 1	1	2	2	3	4	6
B. Operated	4560	3.8	4	1	1	4	5	6	7	11
TOTAL										
0-19 YRS	759	2.7	3	1	1	2	4	5	5	8
20-34	2945	3.2	3	1	1	3	4	5	6	9
35-49	1392	4.0	5	1	2	4	5	6	7	12
50-64	210	4.6	7	2	3	4	5	6	7	23
65 +	126	5.8	11	3	3	5	7	10	12	20
GRAND TOTAL	**5432**	**3.5**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	420	3.1	2	1	1	3	4	5	6	8
20-34	1000	3.4	3	1	2	3	4	6	7	9
35-49	163	3.9	3	1	2	4	5	6	7	9
50-64	5	6.6	23	2	2	6	9	14	14	14
65 +	5	3.8	13	1	1	2	7	9	9	9
B. Operated										
0-19 YRS	72	4.1	4	1	2	4	5	7	7	11
20-34	424	3.8	5	< 1	1	3	5	6	9	12
35-49	154	4.1	3	1	2	4	5	6	7	9
50-64	20	4.2	2	1	2	4	5	6	7	8
65 +	5	4.6		4	4	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	330	3.7	3	1	2	3	5	6	7	9
20-34	948	4.1	5	1	2	4	5	7	8	11
35-49	200	4.8	9	2	2	4	6	8	10	16
50-64	23	5.3	10	1	2	5	6	10	12	14
65 +	15	5.3	13	1	2	4	8	11	12	12
B. Operated										
0-19 YRS	209	5.2	11	1	2	4	7	9	12	18
20-34	2219	4.4	6	1	2	4	5	7	9	15
35-49	1084	4.9	11	2	3	4	5	8	10	17
50-64	107	6.9	25	3	3	5	8	14	17	27
65 +	45	8.4	33	3	4	7	10	17	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1593	3.4	3	1	2	3	4	6	6	9
B. Operated	675	3.9	4	1	1	4	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	1516	4.1	5	1	2	4	5	7	9	12
B. Operated	3664	4.7	9	2	3	4	5	8	10	17
1. SINGLE DX	2268	3.6	3	1	2	3	4	6	7	10
2. MULTIPLE DX	5180	4.5	8	1	2	4	5	7	10	15
A. Not Operated	3109	3.8	4	1	2	3	5	6	7	11
B. Operated	4339	4.6	8	1	2	4	5	7	10	16
TOTAL										
0-19 YRS	1031	3.8	5	1	2	3	5	6	8	12
20-34	4591	4.1	5	1	2	4	5	7	8	13
35-49	1601	4.7	9	2	3	4	5	7	10	16
50-64	155	6.3	21	2	3	5	7	12	16	27
65 +	70	7.1	27	1	2	5	9	14	17	28
GRAND TOTAL	**7448**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	24	2.3	3	< 1	< 1	2	3	4	6	9
35-49	13	2.5	2	< 1	< 1	3	4	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	2.3	2	< 1	< 1	2	3	4	5	5
20-34	328	3.4	2	< 1	1	3	4	5	5	8
35-49	299	3.8	2	1	2	4	4	5	6	7
50-64	15	4.9	2	3	3	5	5	7	8	8
65 +	4	5.0	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.4	5	1	1	3	4	7	8	8
20-34	33	2.9	4	< 1	1	2	4	6	7	8
35-49	13	2.2	1	< 1	< 1	2	3	4	4	4
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	39	3.9	8	< 1	1	3	5	8	10	13
20-34	2318	4.0	2	2	3	4	5	5	6	9
35-49	3604	4.4	3	3	3	4	5	6	7	10
50-64	368	4.6	3	3	3	4	5	6	7	11
65 +	48	5.8	19	2	3	5	6	9	16	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.3	3	< 1	< 1	2	3	4	5	9
B. Operated	667	3.5	2	< 1	1	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	54	2.7	3	< 1	1	2	4	5	7	8
B. Operated	6377	4.3	3	2	3	4	5	6	7	10
1. SINGLE DX	706	3.5	2	< 1	1	4	4	5	6	8
2. MULTIPLE DX	6431	4.3	3	2	3	4	5	6	7	10
A. Not Operated	93	2.5	3	< 1	1	2	3	5	6	9
B. Operated	7044	4.2	3	2	3	4	5	6	7	10
TOTAL										
0-19 YRS	69	3.3	6	< 1	1	3	4	7	8	13
20-34	2703	3.9	2	1	2	4	5	5	6	9
35-49	3929	4.3	3	3	3	4	5	6	7	10
50-64	383	4.6	3	3	3	4	5	6	7	11
65 +	53	5.6	18	1	3	5	6	9	15	25
GRAND TOTAL	**7137**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	3.2	6	< 1	< 1	3	4	7	9	9
35-49	8	1.5	1	< 1	< 1	< 1	2	3	3	3
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.0		< 1	< 1	2	2	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	5	3.2	1	2	2	3	4	4	4	4
20-34	97	3.8	3	< 1	2	4	5	6	7	10
35-49	146	3.8	2	< 1	2	4	4	5	6	7
50-64	34	3.7	5	< 1	< 1	4	5	5	7	12
65 +	10	5.1	7	3	3	4	5	9	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.3	1	2	2	3	4	4	4	4
B. Operated	24	2.3	4	< 1	< 1	1	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	9	1.9		< 1	< 1	2	2	3	3	3
B. Operated	292	3.9	3	< 1	1	4	5	6	7	10
1. SINGLE DX	28	2.5	3	< 1	< 1	2	3	4	5	9
2. MULTIPLE DX	301	3.8	3	< 1	1	4	5	6	7	9
A. Not Operated	13	2.3	1	< 1	1	2	3	4	4	4
B. Operated	316	3.7	3	< 1	< 1	4	4	6	7	10
TOTAL										
0-19 YRS	8	3.0	1	2	2	3	4	4	4	4
20-34	116	3.7	3	< 1	1	4	4	6	7	10
35-49	156	3.7	2	< 1	< 1	4	4	5	6	7
50-64	37	3.5	5	< 1	< 1	4	5	5	7	12
65 +	12	4.4	8	1	1	4	5	8	11	12
GRAND TOTAL	**329**	**3.7**	**3**	**< 1**	**< 1**	**4**	**4**	**5**	**7**	**9**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.8	5	<1	1	2	3	5	9	10
20-34	49	3.3	3	1	2	3	4	6	6	9
35-49	14	3.1	2	1	1	3	4	5	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	8	2.6	4	<1	<1	2	3	6	7	7
20-34	58	1.8	2	<1	<1	1	2	4	5	7
35-49	31	2.2	6	<1	<1	1	2	6	7	10
50-64	8	1.0		<1	<1	1	1	1	1	1
65 +	4	3.0	8	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	3.4	4	1	2	3	4	7	8	10
20-34	82	3.5	5	1	2	3	4	6	8	12
35-49	33	3.7	4	1	2	3	5	7	8	8
50-64	15	6.1	31	<1	1	5	8	13	20	22
65 +	9	5.8	6	1	2	6	7	9	9	9
B. Operated										
0-19 YRS	10	3.1	4	1	1	3	4	6	7	7
20-34	90	3.5	5	<1	1	3	4	7	8	12
35-49	89	3.7	4	1	1	4	5	6	7	10
50-64	23	6.6	46	<1	1	5	8	16	22	27
65 +	16	4.7	9	<1	2	4	6	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.2	3	1	1	3	4	5	6	10
B. Operated	109	2.0	3	<1	<1	1	2	5	7	8
2. MULTIPLE DX										
A. Not Operated	165	3.9	7	1	2	3	5	7	9	13
B. Operated	228	4.0	10	<1	1	3	5	7	9	16
1. SINGLE DX	187	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX	393	3.9	9	1	1	3	5	7	9	15
A. Not Operated	243	3.7	6	1	2	3	4	7	8	13
B. Operated	337	3.3	8	<1	<1	3	4	7	8	15
TOTAL										
0-19 YRS	58	3.1	4	1	1	3	4	6	8	10
20-34	279	3.1	4	<1	1	3	4	6	7	11
35-49	167	3.4	4	<1	1	3	4	6	7	10
50-64	47	5.4	36	<1	<1	3	7	14	20	27
65 +	29	4.8	8	<1	1	5	7	9	10	12
GRAND TOTAL	**580**	**3.5**	**7**	**<1**	**1**	**3**	**4**	**7**	**8**	**13**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	[illegible]
35-49	0									
50-64	0									
65 +	2	4.0	18	1	1	4	7	7	7	7
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	140	3.6	1	2	2	4	4	5	6	7
35-49	301	3.7	2	2	2	4	4	5	6	8
50-64	456	4.0	3	2	2	4	5	6	7	9
65 +	503	4.2	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.5	4	1	1	4	5	5	5	5
35-49	10	2.2	4	<1	<1	<1	4	6	7	7
50-64	11	2.2	4	<1	<1	1	3	5	7	7
65 +	25	2.8	8	<1	<1	1	3	7	9	13
B. Operated										
0-19 YRS	7	10.0	200	4	4	5	6	35	42	42
20-34	873	4.0	2	2	3	4	5	6	6	8
35-49	2114	4.3	4	2	3	4	5	6	7	9
50-64	1764	4.6	3	2	3	4	5	7	7	11
65 +	2050	5.1	5	2	3	5	6	7	9	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.0	9	1	1	4	6	7	7	7
B. Operated	1401	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	50	2.6	6	<1	<1	1	4	6	7	13
B. Operated	6808	4.6	4	2	3	4	5	7	8	11
1. SINGLE DX	1404	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX	6858	4.6	4	2	3	4	5	7	8	11
A. Not Operated	53	2.7	6	<1	<1	1	4	7	7	13
B. Operated	8209	4.5	4	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	8	9.3	176	4	4	5	6	31	42	42
20-34	1018	4.0	2	2	3	4	5	5	6	8
35-49	2425	4.3	4	2	3	4	5	6	7	9
50-64	2231	4.5	3	2	3	4	5	6	7	11
65 +	2580	4.9	4	2	3	5	6	7	8	12
GRAND TOTAL	**8262**	**4.5**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	6	2.5	3	< 1	< 1	2	4	5	5	5
35-49	10	1.6	1	< 1	< 1	1	2	3	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	4.2	5	< 1	1	4	5	7	8	11
35-49	63	3.7	3	< 1	1	4	5	5	6	11
50-64	10	4.4	4	1	2	4	6	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	17	2.1	2	< 1	< 1	1	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	6	2.5	2	1	1	2	3	5	5	5
B. Operated	103	3.9	4	< 1	1	4	5	6	7	11
1. SINGLE DX	18	2.0	2	< 1	< 1	1	3	4	5	5
2. MULTIPLE DX	109	3.8	4	1	1	4	5	6	7	11
A. Not Operated	7	2.3	2	1	1	2	3	5	5	5
B. Operated	120	3.6	4	< 1	< 1	4	5	6	7	11
TOTAL										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	37	3.8	5	< 1	< 1	4	5	6	8	11
35-49	76	3.3	3	< 1	< 1	3	4	5	6	10
50-64	12	4.4	3	1	2	4	6	7	7	7
65 +	0									
GRAND TOTAL	**127**	**3.5**	**4**	**< 1**	**1**	**4**	**5**	**6**	**7**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.9	2	1	1	1	2	4	5	5
20-34	18	1.3		< 1	< 1	1	2	2	3	3
35-49	10	1.7	1	1	1	2	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	15	1.4		< 1	< 1	1	2	2	3	3
20-34	201	2.5	2	< 1	< 1	3	4	4	5	6
35-49	344	2.4	3	< 1	< 1	2	4	5	5	6
50-64	31	1.7	2	< 1	< 1	1	2	4	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	2.1	1	< 1	1	2	3	3	4	4
20-34	77	2.3	7	< 1	< 1	1	3	4	7	16
35-49	74	1.5	1	< 1	< 1	1	2	2	3	6
50-64	4	2.8	4	1	1	3	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	31	2.5	4	< 1	< 1	2	3	5	7	10
20-34	1155	3.7	3	1	1	4	4	5	6	8
35-49	2695	3.9	3	1	2	4	5	5	6	9
50-64	221	3.9	4	< 1	1	4	5	6	7	9
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	1.5	1	< 1	1	1	2	3	3	5
B. Operated	591	2.4	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	188	2.0	3	< 1	< 1	1	2	4	4	9
B. Operated	4102	3.8	3	1	1	4	5	5	6	9
1. SINGLE DX	627	2.3	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX	4290	3.7	3	1	1	4	5	5	6	9
A. Not Operated	224	1.9	3	< 1	< 1	1	2	3	4	8
B. Operated	4693	3.6	3	< 1	1	4	4	5	6	9
TOTAL										
0-19 YRS	86	2.1	2	< 1	1	2	3	4	4	9
20-34	1451	3.4	3	< 1	1	4	4	5	6	8
35-49	3123	3.7	3	< 1	1	4	5	5	6	9
50-64	257	3.6	4	< 1	1	4	5	6	7	8
65 +	0									
GRAND TOTAL	**4917**	**3.6**	**3**	**< 1**	**1**	**4**	**4**	**5**	**6**	**9**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	16	2.1	1	< 1	< 1	2	3	4	4	4
50-64	60	1.6	2	< 1	< 1	< 1	1	4	5	7
65 +	31	1.7	4	< 1	< 1	1	1	4	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	12	2.3	2	1	1	2	4	1	4	4
65 +	18	2.8	2	1	1	3	4	4	6	7
B. Operated										
0-19 YRS	0									
20-34	37	4.3	6	2	3	4	5	5	7	17
35-49	109	3.6	3	< 1	1	4	4	5	7	8
50-64	215	3.4	4	< 1	< 1	4	5	6	7	10
65 +	165	3.2	5	< 1	< 1	2	5	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	12	< 1	< 1	1	4	9	9	9
B. Operated	112	1.7	2	< 1	< 1	1	2	4	4	8
2. MULTIPLE DX										
A. Not Operated	33	2.5	2	1	1	3	4	4	4	7
B. Operated	526	3.5	4	< 1	< 1	4	5	6	7	10
1. SINGLE DX	117	1.8	3	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX	559	3.4	4	< 1	< 1	3	5	6	7	10
A. Not Operated	38	2.6	3	< 1	1	2	4	4	6	9
B. Operated	638	3.1	5	< 1	< 1	3	4	6	7	10
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	42	4.0	6	1	2	4	5	5	6	17
35-49	128	3.4	3	< 1	< 1	4	4	5	7	8
50-64	289	3.0	4	< 1	< 1	3	4	5	6	10
65 +	216	2.9	5	< 1	< 1	2	4	6	7	10
GRAND TOTAL	**676**	**3.1**	**4**	**< 1**	**< 1**	**3**	**4**	**6**	**7**	**10**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.3	3	< 1	< 1	2	3	5	7	7
20-34	25	1.9	1	< 1	1	2	2	3	4	5
35-49	16	2.1	3	< 1	< 1	2	2	3	7	8
50-64	4	2.8	2	1	1	3	4	4	4	4
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	44	3.2	2	< 1	1	3	4	4	6	7
20-34	320	2.7	3	< 1	< 1	3	4	5	5	8
35-49	218	3.1	3	< 1	< 1	3	4	5	6	10
50-64	117	3.4	4	< 1	< 1	4	5	6	7	10
65 +	47	2.8	4	< 1	< 1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.8	4	< 1	< 1	2	4	6	6	6
20-34	41	1.9	2	< 1	< 1	1	3	4	4	6
35-49	28	3.2	7	< 1	< 1	3	4	7	8	12
50-64	10	2.5	6	< 1	< 1	2	3	6	9	9
65 +	13	4.8	9	1	2	5	6	9	11	12
B. Operated										
0-19 YRS	64	3.5	4	1	1	4	4	5	7	10
20-34	854	3.7	3	1	2	4	4	5	6	9
35-49	1264	4.0	4	1	2	4	5	6	7	11
50-64	670	4.7	10	1	3	4	5	6	9	17
65 +	350	6.3	38	1	1	5	7	12	16	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.1	2	< 1	< 1	2	2	3	5	8
B. Operated	746	2.9	3	< 1	< 1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	101	2.8	5	< 1	< 1	2	4	6	7	12
B. Operated	3202	4.3	9	1	2	4	5	6	8	16
1. SINGLE DX	804	2.9	3	< 1	< 1	3	4	5	6	9
2. MULTIPLE DX	3303	4.3	9	1	2	4	5	6	8	16
A. Not Operated	159	2.5	4	< 1	< 1	2	3	5	7	11
B. Operated	3948	4.1	8	< 1	1	4	5	6	8	15
TOTAL										
0-19 YRS	127	3.3	3	< 1	1	3	4	5	7	10
20-34	1240	3.3	3	< 1	1	3	4	5	6	9
35-49	1526	3.9	4	< 1	1	4	5	6	7	11
50-64	801	4.5	10	< 1	1	4	5	6	8	16
65 +	413	5.8	34	< 1	1	5	7	11	16	31
GRAND TOTAL	**4107**	**4.0**	**8**	**< 1**	**1**	**4**	**5**	**6**	**8**	**15**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	1.5	1	< 1	< 1	1	2	3	3	4
20-34	106	1.8	1	< 1	< 1	1	2	4	4	5
35-49	23	1.6	1	< 1	< 1	1	1	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	48	2.1	9	< 1	< 1	1	2	4	5	20
20-34	351	2.7	3	< 1	< 1	3	4	5	5	7
35-49	485	3.6	3	< 1	1	4	5	6	6	8
50-64	350	4.0	2	2	2	4	5	6	7	8
65 +	205	4.4	9	2	2	4	5	6	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	2.8	29	< 1	< 1	1	2	4	7	30
20-34	180	3.2	29	< 1	< 1	2	3	5	10	30
35-49	66	8.0	189	< 1	< 1	2	4	32	40	61
50-64	12	11.0	247	< 1	< 1	4	16	36	47	49
65 +	14	2.4	2	< 1	1	2	3	4	5	5
B. Operated										
0-19 YRS	51	2.8	2	< 1	1	3	4	5	6	7
20-34	1703	3.7	2	1	2	4	4	5	6	8
35-49	1603	4.2	3	2	3	4	5	6	7	9
50-64	630	4.8	6	2	3	4	6	7	8	12
65 +	462	5.1	6	2	3	5	6	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180	1.7	1	< 1	< 1	1	2	3	4	5
B. Operated	1439	3.6	4	< 1	1	4	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	320	4.3	74	< 1	< 1	2	3	6	27	44
B. Operated	4449	4.2	3	1	2	4	5	6	7	10
1. SINGLE DX	1619	3.4	4	< 1	1	3	4	6	6	9
2. MULTIPLE DX	4769	4.2	8	1	2	4	5	6	7	12
A. Not Operated	500	3.4	49	< 1	< 1	1	3	4	14	40
B. Operated	5888	4.0	4	1	2	4	5	6	7	10
TOTAL										
0-19 YRS	196	2.3	10	< 1	< 1	1	3	4	5	23
20-34	2340	3.5	5	< 1	1	3	4	5	6	9
35-49	2177	4.1	9	1	2	4	5	6	7	10
50-64	993	4.6	8	2	2	4	5	7	8	11
65 +	682	4.8	7	2	2	4	6	7	9	14
GRAND TOTAL	**6388**	**4.0**	**7**	**1**	**1**	**4**	**5**	**6**	**7**	**10**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.2		< 1	< 1	< 1	< 1	2	2	2
20-34	23	1.8	1	< 1	< 1	1	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1[illegible]	3.1	1	1	2	3	4	4	5	6
20-34	165[illegible]	3.3	1	2	2	3	4	4	5	6
35-49	278	3.4	1	1	2	3	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	20	2.0	1	< 1	< 1	2	3	4	4	4
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	113	3.6	2	2	2	4	4	5	6	8
20-34	2004	3.6	2	2	2	4	4	5	6	8
35-49	405	3.8	2	2	2	4	4	5	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	1.7	1	< 1	< 1	1	2	4	4	4
B. Operated	2063	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	25	2.4	6	< 1	< 1	2	3	4	6	13
B. Operated	2522	3.7	2	2	2	4	4	5	6	8
1. SINGLE DX	2093	3.3	1	1	2	3	4	4	5	6
2. MULTIPLE DX	2547	3.6	2	2	2	4	4	5	6	8
A. Not Operated	55	2.0	3	< 1	< 1	1	3	4	4	13
B. Operated	4585	3.5	2	2	2	3	4	5	5	7
TOTAL										
0-19 YRS	256	3.3	1	1	2	3	4	5	5	7
20-34	3698	3.5	2	2	2	3	4	5	5	7
35-49	686	3.6	2	1	2	4	4	5	6	9
50-64	0									
65 +	0									
GRAND TOTAL	**4640**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.4	1	< 1	< 1	1	2	3	3	3
20-34	19	1.4	1	< 1	< 1	1	2	2	3	4
35-49	6	1.2		< 1	< 1	1	1	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	81	1.0		< 1	< 1	1	1	1	1	3
20-34	160	1.3		< 1	< 1	1	1	2	3	4
35-49	23	1.0		< 1	< 1	1	1	1	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.4	1	< 1	< 1	1	2	3	3	3
20-34	31	3.2	23	< 1	1	1	3	10	13	23
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	53	1.8	8	< 1	< 1	1	1	3	4	21
20-34	272	2.1	5	< 1	< 1	1	2	5	6	11
35-49	51	2.5	14	< 1	< 1	1	2	5	8	23
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.3		< 1	< 1	1	2	2	3	4
B. Operated	264	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	44	2.7	17	< 1	1	1	2	5	11	23
B. Operated	376	2.1	7	< 1	< 1	1	2	5	6	13
1. SINGLE DX	297	1.2		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	420	2.2	8	< 1	< 1	1	2	5	7	15
A. Not Operated	77	2.1	10	< 1	< 1	1	2	3	8	20
B. Operated	640	1.7	4	< 1	< 1	1	1	3	5	11
TOTAL										
0-19 YRS	150	1.3	3	< 1	< 1	1	1	2	3	5
20-34	482	1.9	5	< 1	< 1	1	2	4	6	11
35-49	85	2.0	9	< 1	< 1	1	2	4	6	20
50-64	0									
65 +	0									
GRAND TOTAL	**717**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	2	2.5	5	1	1	2	4	4	4	4
1. SINGLE DX	3	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	3	3.0	3	1	1	4	4	4	4	4
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	5	2.8	1	1	1	3	3	4	4	4
TOTAL										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**6**	**3.0**	**1**	**1**	**1**	**3**	**4**	**4**	**4**	**4**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	1.2		<1	<1	1	1	2	3	4
20-34	221	1.3	1	<1	<1	1	1	2	3	5
35-49	29	1.2		<1	<1	1	1	2	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	389	1.2	1	<1	<1	1	1	2	2	5
20-34	2033	1.2		<1	<1	1	1	1	2	4
35-49	421	1.1		<1	<1	1	1	1	2	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.0	4	<1	1	2	2	2	7	10
20-34	97	1.7	1	<1	<1	1	2	3	4	6
35-49	16	1.4		<1	<1	1	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	106	1.6	2	<1	<1	1	2	3	4	8
20-34	634	1.8	2	<1	<1	1	2	3	4	10
35-49	127	1.9	2	<1	<1	1	2	4	5	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	315	1.3	1	<1	<1	1	1	2	3	4
B. Operated	2844	1.2		<1	<1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	131	1.7	1	<1	<1	1	2	3	4	7
B. Operated	868	1.8	2	<1	<1	1	2	3	4	9
1. SINGLE DX	3159	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	999	1.8	2	<1	<1	1	2	3	4	9
A. Not Operated	446	1.4	1	<1	<1	1	2	2	3	5
B. Operated	3712	1.3	1	<1	<1	1	1	2	3	5
TOTAL										
0-19 YRS	578	1.3	1	<1	<1	1	1	2	3	6
20-34	2985	1.3	1	<1	<1	1	1	2	3	5
35-49	593	1.3	1	<1	<1	1	1	2	3	5
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65 +	0									
GRAND TOTAL	**4158**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.3	4	<1	<1	2	3	4	5	11
20-34	159	1.6	1	<1	<1	1	2	3	4	7
35-49	35	1.9	3	<1	<1	1	2	4	5	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	91	1.4	1	<1	<1	1	2	2	3	4
20-34	625	1.2	1	<1	<1	1	1	2	2	5
35-49	131	1.2	1	<1	<1	1	1	2	2	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.0	4	1	1	3	3	5	8	10
20-34	90	2.7	5	<1	1	2	3	5	7	11
35-49	15	2.2	3	<1	1	1	3	4	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	49	2.7	9	<1	<1	2	3	5	8	18
20-34	332	2.1	3	<1	<1	1	2	4	6	8
35-49	93	2.0	4	<1	<1	1	2	5	7	12
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	1.8	2	<1	<1	1	2	4	5	8
B. Operated	847	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	130	2.7	4	1	1	2	3	5	7	11
B. Operated	476	2.1	4	<1	<1	1	3	4	6	11
1. SINGLE DX	1083	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	606	2.2	4	<1	1	1	3	5	6	11
A. Not Operated	366	2.1	3	<1	<1	1	3	4	5	10
B. Operated	1323	1.6	2	<1	<1	1	2	3	4	7
TOTAL										
0-19 YRS	207	2.1	4	<1	<1	1	3	4	5	11
20-34	1206	1.6	2	<1	<1	1	2	3	4	8
35-49	274	1.6	2	<1	<1	1	1	3	5	9
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
GRAND TOTAL	**1689**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	1.3	1	< 1	< 1	1	1	2	2	5
20-34	200	1.7	3	< 1	< 1	1	2	3	4	7
35-49	22	1.5	1	< 1	< 1	1	1	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	21	1.0		< 1	< 1	1	1	1	2	2
35-49	5	1.4	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	1.8	1	< 1	< 1	2	2	3	4	5
20-34	122	2.1	2	< 1	1	2	3	4	4	9
35-49	18	2.9	9	< 1	1	2	3	6	11	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	27	4.8	60	< 1	1	2	4	11	23	37
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	256	1.6	2	< 1	< 1	1	2	3	3	7
B. Operated	31	1.1		< 1	< 1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	160	2.1	3	< 1	1	2	3	4	4	12
B. Operated	29	4.6	56	< 1	< 1	2	4	10	22	37
1. SINGLE DX	287	1.6	2	< 1	< 1	1	2	3	3	6
2. MULTIPLE DX	189	2.5	12	< 1	1	2	3	4	5	18
A. Not Operated	416	1.8	3	< 1	< 1	1	2	3	4	7
B. Operated	60	2.8	30	< 1	< 1	1	2	5	10	35
TOTAL										
0-19 YRS	60	1.5	1	< 1	< 1	1	2	2	4	5
20-34	370	2.0	7	< 1	< 1	1	2	3	4	13
35-49	46	2.0	5	< 1	< 1	1	2	4	6	13
50-64	0									
65 +	0									
GRAND TOTAL	**476**	**1.9**	**6**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**12**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	45	1.6	1	< 1	< 1	1	2	3	4	5
35-49	4	2.5	1	1	1	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	5	1.0		< 1	< 1	< 1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	2.0	5	< 1	< 1	1	2	3	5	12
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.5	3	< 1	< 1	2	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	1.7	1	< 1	< 1	1	2	3	4	5
B. Operated	6	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	32	2.0	4	< 1	< 1	1	2	3	5	12
B. Operated	5	2.2	3	< 1	< 1	1	4	4	4	4
1. SINGLE DX	59	1.6	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	37	2.0	4	< 1	< 1	1	2	4	5	12
A. Not Operated	85	1.8	2	< 1	< 1	1	2	3	4	10
B. Operated	11	1.5	1	< 1	< 1	1	1	4	4	4
TOTAL										
0-19 YRS	7	1.4	1	< 1	< 1	1	2	3	3	3
20-34	83	1.8	2	< 1	< 1	1	2	3	4	10
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**96**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**9**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A Not Operated										
0-19 YRS	114	2.7	8	< 1	1	2	2	4	9	17
20-34	730	2.3	3	< 1	1	2	3	4	6	9
35-49	76	2.3	2	< 1	1	2	3	5	6	8
50-64	0									
65 +	0									
B Operated										
0-19 YRS	16	2.6	5	< 1	< 1	2	3	5	8	10
20-34	85	3.0	6	< 1	1	3	4	6	8	13
35-49	10	2.2	8	< 1	< 1	1	2	6	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A Not Operated										
0-19 YRS	44	1.9	1	< 1	< 1	2	3	3	4	4
20-34	307	2.5	4	< 1	< 1	2	3	5	6	12
35-49	47	2.9	5	< 1	1	2	4	7	8	11
50-64	0									
65 +	0									
B Operated										
0-19 YRS	25	2.7	6	< 1	< 1	2	3	6	[illegible]	11
20-34	134	3.4	46	< 1	< 1	1	3	7	8	42
35-49	20	2.4	8	< 1	< 1	1	3	6	10	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	920	2.4	4	< 1	1	2	3	4	6	10
B. Operated	111	2.9	6	< 1	1	2	3	6	9	12
2. MULTIPLE DX										
A. Not Operated	398	2.5	4	< 1	< 1	2	3	5	6	11
B. Operated	179	3.2	36	< 1	< 1	1	3	6	9	33
1. SINGLE DX	1031	2.4	4	< 1	1	2	3	4	6	11
2. MULTIPLE DX	577	2.7	14	< 1	< 1	2	3	5	7	15
A. Not Operated	1318	2.4	4	< 1	1	2	3	4	6	11
B. Operated	290	3.1	25	< 1	< 1	2	3	6	9	22
TOTAL										
0-19 YRS	199	2.5	6	< 1	< 1	2	3	4	7	16
20-34	1256	2.5	8	< 1	1	2	3	5	6	12
35-49	153	2.5	4	< 1	< 1	2	3	5	7	11
50-64	0									
65 +	0									
GRAND TOTAL	**1608**	**2.5**	**8**	**< 1**	**1**	**2**	**3**	**5**	**6**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154	2.6	3	1	1	2	3	4	6	11
20-34	1078	2.9	4	1	1	2	4	5	6	9
35-49	53	2.8	3	< 1	1	2	4	5	7	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	4.5	16	1	1	3	7	10	10	10
20-34	35	3.8	38	< 1	< 1	2	3	6	22	29
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	127	2.4	2	1	1	2	3	4	5	7
20-34	881	3.2	6	1	1	3	4	6	7	12
35-49	56	3.5	11	1	1	3	4	5	8	21
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	7.3	50	1	1	6	13	15	15	15
20-34	56	6.1	39	< 1	1	3	8	16	20	27
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1285	2.9	4	1	1	2	4	5	6	9
B. Operated	40	3.9	35	< 1	< 1	2	3	6	18	29
2. MULTIPLE DX										
A. Not Operated	1064	3.1	5	1	1	3	4	6	7	12
B. Operated	59	6.1	39	< 1	1	3	8	16	20	26
1. SINGLE DX	1325	2.9	5	1	1	2	3	5	6	10
2. MULTIPLE DX	1123	3.3	8	1	1	3	4	6	8	16
A. Not Operated	2349	3.0	4	1	1	2	4	5	7	11
B. Operated	99	5.2	38	< 1	< 1	3	6	15	20	28
TOTAL										
0-19 YRS	288	2.6	3	1	1	2	3	5	6	11
20-34	2050	3.1	6	1	1	3	4	6	7	13
35-49	110	3.2	7	1	1	3	4	5	7	17
50-64	0									
65 +	0									
GRAND TOTAL	**2448**	**3.1**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	440	1.1		< 1	< 1	< 1	1	1	2	3
20-34	2212	1.1		< 1	< 1	< 1	1	1	1	3
35-49	192	1.2	6	< 1	< 1	< 1	1	1	1	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	111	1.1		< 1	< 1	< 1	1	1	1	5
20-34	450	1.1		< 1	< 1	< 1	1	1	1	3
35-49	24	1.1		< 1	< 1	< 1	1	1	2	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	1.4	1	< 1	< 1	1	1	2	3	7
20-34	341	1.5	2	< 1	< 1	1	1	3	4	11
35-49	44	1.2	1	< 1	< 1	1	1	2	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	1.3		< 1	< 1	1	1	2	3	3
20-34	71	1.9	30	< 1	< 1	1	1	2	4	38
35-49	7	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2844	1.1	1	< 1	< 1	< 1	1	1	1	3
B. Operated	585	1.1		< 1	< 1	< 1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated	452	1.5	2	< 1	< 1	1	1	3	4	8
B. Operated	92	1.8	23	< 1	< 1	1	1	2	3	29
1. SINGLE DX	3429	1.1	1	< 1	< 1	< 1	1	1	1	3
2. MULTIPLE DX	544	1.5	5	< 1	< 1	1	1	2	4	8
A. Not Operated	3296	1.1	1	< 1	< 1	< 1	1	1	2	4
B. Operated	677	1.2	4	< 1	< 1	< 1	1	1	2	5
TOTAL										
0-19 YRS	632	1.1		< 1	< 1	< 1	1	1	2	4
20-34	3074	1.1	1	< 1	< 1	< 1	1	1	2	4
35-49	267	1.2	4	< 1	< 1	< 1	1	1	2	4
50-64	0									
65 +	0									
GRAND TOTAL	**3973**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.3		< 1	< 1	1	2	2	2	2
20-34	286	2.6	7	< 1	< 1	2	3	5	7	15
35-49	46	2.3	5	< 1	< 1	1	3	5	8	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	40	4.0	25	< 1	< 1	2	4	10	16	23
35-49	12	3.3	5	< 1	< 1	3	5	6	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.1	1	< 1	< 1	2	3	4	4	4
20-34	127	4.1	23	< 1	1	2	4	9	15	25
35-49	33	3.5	6	< 1	< 1	2	6	7	8	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	26	6.5	76	< 1	1	5	7	11	19	46
35-49	3	5.3	9	2	2	6	7	8	8	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	343	2.5	7	< 1	< 1	2	3	5	7	14
B. Operated	54	3.7	20	< 1	< 1	2	4	9	12	23
2. MULTIPLE DX										
A. Not Operated	169	3.8	19	< 1	1	2	4	9	12	22
B. Operated	29	6.3	69	< 1	1	5	7	11	14	46
1. SINGLE DX	397	2.6	9	< 1	< 1	2	3	5	8	18
2. MULTIPLE DX	198	4.2	27	< 1	1	2	5	9	12	27
A. Not Operated	512	2.9	11	< 1	< 1	2	3	6	9	19
B. Operated	83	4.6	38	< 1	1	3	6	10	12	38
TOTAL										
0-19 YRS	22	1.6	1	< 1	< 1	1	2	3	4	4
20-34	479	3.3	17	< 1	1	2	3	7	11	21
35-49	94	2.9	6	< 1	< 1	2	4	7	8	11
50-64	0									
65 +	0									
GRAND TOTAL	**595**	**3.2**	**15**	**<1**	**<1**	**2**	**3**	**7**	**10**	**20**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	1.7	2	< 1	< 1	1	2	3	5	8
20-34	377	1.7	2	< 1	< 1	1	2	3	4	7
35-49	47	1.3		< 1	< 1	1	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.8	1	< 1	< 1	1	3	3	3	3
20-34	56	2.1	5	< 1	< 1	1	2	5	8	11
35-49	4	1.5		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.2	9	< 1	< 1	1	2	3	8	17
20-34	231	2.4	10	< 1	< 1	1	3	5	6	12
35-49	25	2.5	5	< 1	< 1	2	3	6	8	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.4	1	1	1	1	2	3	3	3
20-34	39	3.6	11	< 1	< 1	2	5	7	10	18
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	494	1.6	2	< 1	< 1	1	2	3	4	7
B. Operated	66	2.0	4	< 1	< 1	1	2	4	7	11
2. MULTIPLE DX										
A. Not Operated	291	2.4	9	< 1	< 1	1	3	5	6	14
B. Operated	50	3.2	9	< 1	< 1	2	4	6	9	18
1. SINGLE DX	560	1.7	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX	341	2.5	9	< 1	< 1	2	3	5	7	17
A. Not Operated	785	1.9	5	< 1	< 1	1	2	3	5	9
B. Operated	116	2.5	7	< 1	< 1	2	3	6	8	13
TOTAL										
0-19 YRS	119	1.8	4	< 1	< 1	1	2	3	5	11
20-34	703	2.1	5	< 1	< 1	1	2	4	6	10
35-49	79	1.7	2	< 1	< 1	1	2	3	5	9
50-64	0									
65 +	0									
GRAND TOTAL	**901**	**2.0**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**10**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	2.6	3	1	1	2	4	4	5	10
20-34	210	2.3	2	< 1	1	2	3	4	4	6
35-49	12	1.7	1	< 1	< 1	1	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.8	7	< 1	< 1	< 1	5	7	7	7
20-34	15	1.7	2	< 1	< 1	1	2	3	5	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	332	3.0	3	< 1	1	3	4	5	6	8
20-34	846	2.8	2	< 1	1	3	4	5	5	8
35-49	37	2.8	1	1	1	3	3	4	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	2.8	5	< 1	< 1	2	4	6	8	9
20-34	81	3.5	9	< 1	< 1	3	5	6	8	18
35-49	5	2.0	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	297	2.4	2	< 1	1	2	3	4	4	7
B. Operated	21	2.1	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	1215	2.9	3	< 1	1	3	4	5	5	8
B. Operated	106	3.3	8	< 1	< 1	3	4	6	8	15
1. SINGLE DX	318	2.3	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	1321	2.9	3	< 1	1	3	4	5	6	8
A. Not Operated	1512	2.8	2	< 1	1	3	4	5	5	8
B. Operated	127	3.1	7	< 1	< 1	2	4	6	8	13
TOTAL										
0-19 YRS	432	3.0	3	< 1	1	3	4	5	6	9
20-34	1152	2.8	3	< 1	1	2	4	5	5	8
35-49	55	2.5	2	< 1	1	2	3	4	5	6
50-64	0									
65 +	0									
GRAND TOTAL	**1639**	**2.8**	**3**	**< 1**	**1**	**3**	**4**	**5**	**5**	**8**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.5	3	< 1	1	2	3	6	7	7
20-34	229	2.6	3	< 1	1	2	3	5	6	8
35-49	49	2.9	3	< 1	1	2	3	6	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	31	2.9	12	< 1	< 1	2	4	5	6	20
35-49	3	3.3	16	< 1	< 1	< 1	6	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	216	2.7	15	< 1	< 1	2	3	5	6	21
20-34	1380	3.0	10	< 1	1	2	4	6	8	14
35-49	152	3.1	5	< 1	1	2	4	6	7	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	40	3.8	17	< 1	< 1	3	4	7	8	26
20-34	238	3.7	13	< 1	1	3	5	7	10	18
35-49	28	4.1	25	< 1	< 1	2	5	7	13	26
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	300	2.7	3	< 1	1	2	3	5	6	8
B. Operated	38	2.7	11	< 1	< 1	2	3	6	7	20
2. MULTIPLE DX										
A. Not Operated	1748	3.0	10	< 1	1	2	4	6	7	14
B. Operated	306	3.8	15	< 1	< 1	3	5	7	10	22
1. SINGLE DX	338	2.7	4	< 1	1	2	3	5	6	8
2. MULTIPLE DX	2054	3.1	11	< 1	1	2	4	6	8	15
A. Not Operated	2048	2.9	9	< 1	1	2	4	6	7	14
B. Operated	344	3.7	14	< 1	< 1	3	4	7	10	20
TOTAL										
0-19 YRS	282	2.9	14	< 1	< 1	2	3	6	7	22
20-34	1878	3.0	10	< 1	1	2	4	6	8	15
35-49	232	3.2	7	< 1	1	2	4	6	8	13
50-64	0									
65 +	0									
GRAND TOTAL	**2392**	**3.0**	**10**	**< 1**	**1**	**2**	**4**	**6**	**7**	**15**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	816	1.8	12	< 1	< 1	1	2	3	4	7
20-34	4048	1.8	6	< 1	< 1	1	2	3	5	11
35-49	333	2.1	7	< 1	< 1	1	2	4	7	15
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	255	2.1	9	< 1	< 1	1	2	4	6	19
20-34	1472	2.0	11	< 1	< 1	1	2	4	6	14
35-49	165	2.5	21	< 1	< 1	1	2	5	7	24
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	448	2.2	5	< 1	< 1	1	3	5	7	14
20-34	2152	2.6	16	< 1	< 1	1	3	5	8	20
35-49	221	3.1	26	< 1	< 1	1	3	6	12	24
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	193	3.0	13	< 1	< 1	2	3	6	11	20
20-34	1058	3.0	24	< 1	< 1	1	3	6	9	27
35-49	131	2.4	20	< 1	< 1	1	2	5	6	25
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5198	1.8	7	< 1	< 1	1	2	3	5	11
B. Operated	1892	2.1	12	< 1	< 1	1	2	4	6	15
2. MULTIPLE DX										
A. Not Operated	2821	2.6	15	< 1	< 1	1	3	5	7	19
B. Operated	1382	3.0	22	< 1	< 1	1	3	6	9	24
1. SINGLE DX	7090	1.9	8	< 1	< 1	1	2	3	5	12
2. MULTIPLE DX	4203	2.7	18	< 1	< 1	1	3	5	8	21
A. Not Operated	8019	2.1	10	< 1	< 1	1	2	4	6	14
B. Operated	3274	2.5	16	< 1	< 1	1	2	5	7	20
TOTAL										
0-19 YRS	1712	2.1	10	< 1	< 1	1	2	4	5	13
20-34	8730	2.2	12	< 1	< 1	1	2	4	6	16
35-49	850	2.5	17	< 1	< 1	1	2	5	7	19
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**11293**	**2.2**	**12**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**16**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	1.6		1	1	2	2	2	2	3
20-34	498	1.8	1	1	1	2	2	3	3	4
35-49	45	1.9	1	1	1	2	2	3	3	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	37	2.2	1	1	1	2	3	4	4	4
20-34	371	2.4	1	1	1	2	3	4	4	5
35-49	51	2.2	1	1	1	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	1.8	1	1	1	2	2	3	3	4
20-34	873	2.0	4	1	1	2	2	3	3	5
35-49	78	2.1	2	1	1	2	2	3	4	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	246	3.2	11	1	1	3	4	4	6	19
20-34	2435	3.4	10	1	1	3	4	5	6	18
35-49	444	3.4	3	1	2	3	4	5	6	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	630	1.8	1	1	1	2	2	3	3	4
B. Operated	459	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	1071	2.0	3	1	1	2	2	3	3	5
B. Operated	3125	3.3	9	1	1	3	4	5	6	16
1. SINGLE DX	1089	2.0	1	1	1	2	2	3	4	5
2. MULTIPLE DX	4196	3.0	8	1	1	3	4	5	5	13
A. Not Operated	1701	1.9	2	1	1	2	2	3	3	5
B. Operated	3584	3.2	9	1	1	3	4	5	6	14
TOTAL										
0-19 YRS	486	2.5	6	1	1	2	3	4	4	13
20-34	4177	2.8	8	1	1	2	3	4	5	11
35-49	622	3.0	3	1	1	3	4	5	6	11
50-64	0									
65 +	0									
GRAND TOTAL	**5285**	**2.8**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3768	1.6		1	1	2	2	2	3	3
20-34	25396	1.6	1	1	1	2	2	2	3	3
35-49	2087	1.7	1	< 1	1	2	2	3	3	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1531	1.7	1	1	1	2	2	2	3	3
20-34	9233	1.7	1	1	1	2	2	3	3	3
35-49	702	1.8	1	1	1	2	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	1.9	1	1	1	2	2	3	3	5
20-34	804	1.9	2	1	1	2	2	3	3	4
35-49	67	2.1	1	1	1	2	3	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	99	1.8	1	1	1	2	2	3	3	5
20-34	3176	2.2	1	1	1	2	3	3	3	4
35-49	586	2.3	1	1	1	2	3	3	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31253	1.6	1	1	1	2	2	2	3	3
B. Operated	11467	1.7	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	1010	1.9	2	1	1	2	2	3	3	4
B. Operated	3861	2.2	1	1	1	2	3	3	4	4
1. SINGLE DX	42720	1.6	1	1	1	2	2	2	3	3
2. MULTIPLE DX	4871	2.1	1	1	1	2	3	3	3	4
A. Not Operated	32263	1.6	1	1	1	2	2	2	3	3
B. Operated	15328	1.8	1	1	1	2	2	3	3	4
TOTAL										
0-19 YRS	5536	1.6		1	1	2	2	2	3	3
20-34	38609	1.7	1	1	1	2	2	3	3	4
35-49	3442	1.8	1	1	1	2	2	3	3	4
50-64	4	1.3		1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**47591**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	2.1	1	< 1	1	2	3	3	5	5
35-49	4	1.8		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	7.8	28	3	3	5	13	14	14	14
20-34	111	4.8	19	2	3	4	4	6	13	27
35-49	28	9.1	193	3	4	4	5	26	45	63
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	23	4.2	27	1	1	3	4	6	14	27
35-49	1	10.0		10	10	10	10	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	11.4	272	2	2	4	8	36	52	57
20-34	447	7.5	84	2	3	4	7	16	27	49
35-49	135	9.1	148	3	3	4	8	24	39	66
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.1	1	< 1	1	2	3	3	4	5
B. Operated	144	5.8	55	2	3	4	5	9	17	44
2. MULTIPLE DX										
A. Not Operated	29	3.9	24	1	1	3	4	7	11	27
B. Operated	596	8.0	103	2	3	4	7	18	29	56
1. SINGLE DX	164	5.3	50	1	2	4	4	8	15	42
2. MULTIPLE DX	625	7.8	100	2	3	4	7	17	29	55
A. Not Operated	49	3.1	15	1	1	2	3	6	7	27
B. Operated	740	7.5	94	2	3	4	6	16	28	54
TOTAL										
0-19 YRS	25	8.4	169	1	1	3	6	28	40	57
20-34	596	6.8	69	2	2	4	6	14	25	44
35-49	168	8.9	151	2	3	4	7	23	39	63
50-64	0									
65 +	0									
GRAND TOTAL	**789**	**7.3**	**90**	**2**	**2**	**4**	**6**	**16**	**27**	**54**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.6	1	< 1	1	1	2	3	4	4
20-34	114	1.8	1	1	1	2	2	3	3	5
35-49	15	1.5		1	1	1	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	2.9	1	1	2	3	4	4	5	5
20-34	169	2.8	2	1	1	3	4	4	5	6
35-49	11	2.5	2	1	1	2	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	1.5		< 1	< 1	1	2	2	3	3
20-34	138	2.4	3	< 1	1	2	3	4	5	12
35-49	16	3.0	11	1	1	2	3	6	12	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	68	3.3	4	1	1	3	4	5	6	13
20-34	711	4.4	37	1	2	3	4	6	9	35
35-49	100	5.1	27	2	2	4	5	8	14	34
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	1.7	1	1	1	2	2	3	3	4
B. Operated	195	2.8	2	1	1	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	178	2.3	4	< 1	1	2	3	4	5	13
B. Operated	879	4.4	34	1	2	4	4	6	9	33
1. SINGLE DX	343	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX	1057	4.1	29	1	1	3	4	6	9	31
A. Not Operated	326	2.1	2	1	1	2	2	3	4	10
B. Operated	1074	4.1	28	1	1	3	4	6	8	31
TOTAL										
0-19 YRS	126	2.7	3	1	1	2	4	4	5	9
20-34	1132	3.7	25	1	1	3	4	5	7	27
35-49	142	4.3	22	1	1	3	5	7	11	31
50-64	0									
65 +	0									
GRAND TOTAL	**1400**	**3.6**	**23**	**1**	**1**	**3**	**4**	**5**	**7**	**25**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	30	1.8		1	1	2	2	3	3	3
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	38	1.7	1	1	1	2	2	3	3	4
20-34	484	1.8	1	1	1	2	2	3	3	5
35-49	45	1.7	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.1	1	1	1	2	3	4	4	4
20-34	28	2.0	1	1	1	2	2	3	3	4
35-49	4	2.0	2	< 1	< 1	1	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	48	1.9	1	1	1	2	2	3	3	5
20-34	415	2.3	3	1	1	2	3	3	4	8
35-49	64	3.2	22	1	1	2	3	5	9	33
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	1.9	1	1	1	2	2	3	3	5
B. Operated	567	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	40	2.0	1	< 1	1	2	2	3	4	4
B. Operated	527	2.4	5	1	1	2	3	4	4	9
1. SINGLE DX	601	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX	567	2.4	5	1	1	2	3	4	4	9
A. Not Operated	74	1.9	1	1	1	2	2	3	4	5
B. Operated	1094	2.1	3	1	1	2	2	3	4	7
TOTAL										
0-19 YRS	96	1.8	1	1	1	2	2	3	3	5
20-34	957	2.0	2	1	1	2	2	3	4	7
35-49	115	2.6	13	1	1	2	3	4	5	20
50-64	0									
65 +	0									
GRAND TOTAL	**1168**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.5		1	1	1	2	2	2	4
20-34	215	1.8	1	1	1	2	2	3	3	4
35-49	15	1.7	1	< 1	< 1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	33	2.0	1	1	1	2	2	4	5	5
20-34	144	1.9	1	< 1	1	2	2	3	3	6
35-49	15	2.4	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	1.8	1	1	1	2	2	3	4	4
20-34	163	2.1	1	1	1	2	2	3	3	4
35-49	11	2.3	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	2.0	1	< 1	< 1	2	3	3	3	5
20-34	266	2.4	2	1	1	2	3	4	4	8
35-49	31	2.9	3	1	1	3	3	5	7	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	269	1.7	1	1	1	2	2	3	3	4
B. Operated	192	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	196	2.1	1	1	1	2	3	3	3	4
B. Operated	347	2.4	2	1	1	2	3	4	4	8
1. SINGLE DX	461	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX	543	2.3	2	1	1	2	3	3	4	7
A. Not Operated	465	1.9	1	1	1	2	2	3	3	4
B. Operated	539	2.2	2	1	1	2	3	4	4	7
TOTAL										
0-19 YRS	144	1.8	1	1	1	2	2	3	4	5
20-34	788	2.1	1	1	1	2	2	3	4	6
35-49	72	2.4	2	1	1	2	3	4	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**1004**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2		2	2	2	3	3	3	3
20-34	58	2.4	1	1	1	2	3	3	4	5
35-49	7	2.6		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	4.2	6	2	2	3	4	9	9	9
20-34	70	3.0	2	1	1	3	4	5	5	6
35-49	8	2.9	2	1	1	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.2	2	1	1	3	5	5	5	5
20-34	99	2.2	1	1	1	2	3	3	4	5
35-49	9	2.2	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	3.8	6	2	2	3	4	5	6	16
20-34	720	4.6	24	2	2	4	5	6	10	31
35-49	107	4.8	26	2	2	4	5	7	8	33
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	2.4	1	1	1	2	3	3	4	5
B. Operated	84	3.1	2	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	118	2.3	1	1	1	2	3	4	5	5
B. Operated	877	4.6	23	2	2	4	5	6	9	30
1. SINGLE DX	154	2.8	1	1	1	3	3	4	5	6
2. MULTIPLE DX	995	4.3	21	1	2	4	5	6	8	27
A. Not Operated	188	2.3	1	1	1	2	3	3	4	5
B. Operated	961	4.4	21	2	2	4	5	6	9	29
TOTAL										
0-19 YRS	71	3.6	5	2	2	3	4	5	6	15
20-34	947	4.1	19	1	2	3	4	6	8	25
35-49	131	4.4	22	1	2	3	5	6	8	27
50-64	0									
65 +	0									
GRAND TOTAL	**1149**	**4.1**	**18**	**1**	**2**	**3**	**4**	**6**	**8**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	66	1.6	1	< 1	1	1	2	3	3	5
35-49	8	1.4	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	193	3.5	1	2	3	3	4	4	5	6
20-34	1477	3.6	1	2	3	4	4	4	5	6
35-49	140	3.6	1	2	3	4	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.4	1	< 1	< 1	1	2	3	4	4
20-34	44	2.5	15	< 1	1	2	3	4	5	26
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	229	4.1	4	2	2	4	4	6	7	14
20-34	2060	3.9	6	2	3	4	4	5	6	11
35-49	318	3.8	2	2	3	4	4	5	6	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	1.6	1	< 1	1	1	2	3	3	5
B. Operated	1810	3.6	1	2	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	55	2.4	12	< 1	1	1	2	4	6	25
B. Operated	2607	3.9	5	2	3	4	4	5	6	11
1. SINGLE DX	1888	3.5	1	2	2	4	4	4	5	6
2. MULTIPLE DX	2662	3.9	5	2	2	4	4	5	6	11
A. Not Operated	133	1.9	6	< 1	1	1	2	3	4	10
B. Operated	4417	3.8	3	2	3	4	4	5	5	9
TOTAL										
0-19 YRS	435	3.8	3	1	2	4	4	5	6	11
20-34	3647	3.7	4	2	2	4	4	5	5	9
35-49	468	3.7	2	1	2	4	4	5	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**4550**	**3.7**	**4**	**2**	**2**	**4**	**4**	**5**	**5**	**9**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	1.7	1	1	1	2	2	3	3	4
20-34	495	1.7	1	1	1	2	2	3	3	3
35-49	52	1.8	1	< 1	1	2	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	102	2.4	1	1	1	2	3	4	4	6
20-34	819	2.5	1	1	1	2	3	4	5	6
35-49	76	2.9	2	1	1	3	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	1.7		< 1	1	2	2	3	3	3
20-34	435	1.8	1	1	1	2	2	3	3	5
35-49	36	2.0	1	1	1	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	448	3.2	3	1	1	3	4	5	6	9
20-34	4074	3.2	6	1	1	3	4	5	5	8
35-49	538	3.6	6	1	2	3	4	5	6	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	602	1.7	1	1	1	2	2	3	3	4
B. Operated	997	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	521	1.8	1	1	1	2	2	3	3	4
B. Operated	5060	3.3	6	1	1	3	4	5	5	8
1. SINGLE DX	1599	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX	5581	3.1	5	1	1	3	4	5	5	8
A. Not Operated	1123	1.8	1	1	1	2	2	3	3	4
B. Operated	6057	3.1	5	1	1	3	4	5	5	8
TOTAL										
0-19 YRS	654	2.8	2	1	1	3	4	5	6	8
20-34	5823	2.9	5	1	1	3	4	5	5	7
35-49	702	3.3	5	1	1	3	4	5	5	10
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**7180**	**2.9**	**5**	**1**	**1**	**3**	**4**	**5**	**5**	**7**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	2.0	2	< 1	< 1	1	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	188	3.8	1	3	3	4	4	5	6	9
20-34	1020	3.9	1	2	3	4	4	5	5	6
35-49	86	4.2	1	3	3	4	5	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	39	2.5	1	< 1	1	2	3	4	4	4
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	781	4.2	2	3	3	4	5	5	6	11
20-34	5061	4.2	2	3	3	4	5	5	6	8
35-49	514	4.3	1	3	3	4	5	5	6	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.1	1	< 1	< 1	2	3	4	4	4
B. Operated	1294	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	45	2.6	2	< 1	1	3	4	4	4	6
B. Operated	6356	4.2	2	3	3	4	5	5	6	8
1. SINGLE DX	1307	3.9	1	2	3	4	4	5	5	6
2. MULTIPLE DX	6401	4.2	2	3	3	4	5	5	6	8
A. Not Operated	58	2.4	2	< 1	1	2	3	4	4	6
B. Operated	7650	4.1	1	3	3	4	5	5	6	8
TOTAL										
0-19 YRS	974	4.1	2	3	3	4	5	5	6	11
20-34	6131	4.1	1	3	3	4	5	5	6	8
35-49	603	4.3	1	3	3	4	5	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**7708**	**4.1**	**1**	**3**	**3**	**4**	**5**	**5**	**6**	**8**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	1.9	1	1	1	2	2	3	3	5
20-34	644	1.9	1	1	1	2	2	3	3	4
35-49	59	1.9	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	229	3.2	2	1	1	3	4	5	5	6
20-34	1524	3.0	2	1	1	3	4	5	5	6
35-49	145	3.1	2	1	1	3	4	5	5	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	2.1	1	1	1	2	3	3	4	6
20-34	528	2.1	1	1	1	2	3	3	4	5
35-49	50	2.0	1	1	1	2	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	581	3.4	3	1	1	3	4	5	6	12
20-34	4776	3.4	2	1	2	3	4	5	6	8
35-49	537	3.8	11	1	2	4	5	5	6	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	788	1.9	1	1	1	2	2	3	3	4
B. Operated	1899	3.0	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	669	2.1	1	1	1	2	3	3	4	5
B. Operated	5895	3.4	3	1	2	3	4	5	6	8
1. SINGLE DX	2687	2.7	2	1	1	2	4	5	5	6
2. MULTIPLE DX	6564	3.3	3	1	1	3	4	5	6	8
A. Not Operated	1457	2.0	1	1	1	2	2	3	3	4
B. Operated	7794	3.3	3	1	1	3	4	5	6	8
TOTAL										
0-19 YRS	986	3.1	3	1	1	3	4	5	6	8
20-34	7472	3.1	2	1	1	3	4	5	5	7
35-49	791	3.4	9	1	1	3	4	5	6	8
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
GRAND TOTAL	**9251**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**7**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.0	1	1	1	2	3	3	3	3
20-34	67	1.8	1	1	1	2	2	3	3	4
35-49	8	1.8	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	30	2.7	2	1	1	3	4	5	5	6
20-34	252	3.0	2	1	1	3	4	5	5	6
35-49	28	2.9	2	1	1	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.9	1	1	1	1	3	4	4	4
20-34	59	1.9	1	1	1	2	2	3	4	4
35-49	15	2.0	1	< 1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	119	3.5	3	1	1	3	4	5	7	9
20-34	1085	3.7	11	1	2	3	4	5	6	13
35-49	173	3.7	4	1	2	4	4	5	6	11
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	1.8	1	1	1	2	2	3	3	4
B. Operated	310	3.0	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	81	1.9	1	1	1	2	2	3	4	4
B. Operated	1378	3.7	10	1	2	3	4	5	6	11
1. SINGLE DX	392	2.7	2	1	1	3	4	4	5	6
2. MULTIPLE DX	1459	3.6	9	1	2	3	4	5	6	11
A. Not Operated	163	1.9	1	1	1	2	2	3	3	4
B. Operated	1688	3.6	8	1	2	3	4	5	6	10
TOTAL										
0-19 YRS	163	3.2	3	1	1	3	4	5	6	9
20-34	1463	3.4	9	1	1	3	4	5	6	10
35-49	224	3.4	4	1	1	3	4	5	6	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**1851**	**3.4**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	354	1.8	1	1	1	2	2	3	3	4
35-49	42	1.9	1	< 1	1	2	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	213	3.3	1	2	2	3	4	4	5	6
20-34	4911	3.5	1	2	2	4	4	4	5	6
35-49	515	3.7	1	2	3	4	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	162	1.7	1	1	1	2	2	3	3	6
35-49	27	1.9		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	185	3.4	1	2	2	3	4	4	5	6
20-34	8058	3.6	1	2	2	4	4	5	5	7
35-49	1309	3.9	3	2	3	4	4	5	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	402	1.8	1	1	1	2	2	3	3	4
B. Operated	5639	3.5	1	2	3	4	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	192	1.8	1	1	1	2	2	3	3	5
B. Operated	9552	3.7	2	2	3	4	4	5	5	7
1. SINGLE DX	6041	3.4	1	2	2	3	4	4	5	6
2. MULTIPLE DX	9744	3.6	2	2	2	4	4	5	5	7
A. Not Operated	594	1.8	1	1	1	2	2	3	3	4
B. Operated	15191	3.6	1	2	3	4	4	5	5	7
TOTAL										
0-19 YRS	407	3.3	1	2	2	3	4	4	5	6
20-34	13485	3.5	1	2	2	4	4	5	5	6
35-49	1893	3.8	3	2	2	4	4	5	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**15785**	**3.5**	**2**	**2**	**2**	**4**	**4**	**5**	**5**	**7**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.0	1	1	1	2	2	3	4	6
20-34	701	1.9	1	1	1	2	2	3	3	5
35-49	79	2.2	1	1	1	2	3	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	100	1.8	1	1	1	2	2	3	3	5
20-34	693	2.2	5	1	1	2	2	3	4	6
35-49	69	2.1	1	1	1	2	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108	2.4	10	1	1	2	3	3	4	18
20-34	657	2.5	4	1	1	2	3	4	6	11
35-49	97	2.5	2	1	1	2	3	4	5	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	359	3.2	6	1	1	3	4	5	7	15
20-34	2975	3.3	11	1	1	3	4	5	6	16
35-49	446	3.6	15	1	1	3	4	6	7	13
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	853	2.0	1	1	1	2	2	3	3	5
B. Operated	862	2.1	4	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	862	2.5	5	1	1	2	3	4	5	11
B. Operated	3781	3.3	11	1	1	3	4	5	7	15
1. SINGLE DX	1715	2.0	3	1	1	2	2	3	3	5
2. MULTIPLE DX	4643	3.2	10	1	1	3	4	5	6	14
A. Not Operated	1715	2.2	3	1	1	2	3	3	4	9
B. Operated	4643	3.1	10	1	1	2	4	5	6	14
TOTAL										
0-19 YRS	640	2.7	5	1	1	2	3	5	6	11
20-34	5026	2.9	8	1	1	2	3	5	6	12
35-49	691	3.1	11	1	1	3	4	5	6	12
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**6358**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	526	1.6		1	1	1	2	2	3	3
20-34	4041	1.7		1	1	2	2	3	3	3
35-49	317	1.7		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	324	1.7	1	1	1	2	2	3	3	4
20-34	2704	1.8	1	1	1	2	2	3	3	4
35-49	242	1.9	1	1	1	2	2	3	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	162	1.7	1	1	1	2	2	3	3	4
20-34	1306	1.8	1	1	1	2	2	3	3	4
35-49	117	1.9	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	401	2.1	1	1	1	2	3	3	4	5
20-34	3844	2.2	1	1	1	2	3	3	4	5
35-49	466	2.3	1	1	1	2	3	4	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4884	1.7		1	1	2	2	3	3	3
B. Operated	3271	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	1585	1.8	1	1	1	2	2	3	3	4
B. Operated	4711	2.2	1	1	1	2	3	3	4	5
1. SINGLE DX	8155	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	6296	2.1	1	1	1	2	3	3	4	5
A. Not Operated	6469	1.7	1	1	1	2	2	3	3	4
B. Operated	7982	2.0	1	1	1	2	2	3	4	5
TOTAL										
0-19 YRS	1413	1.8	1	1	1	2	2	3	3	4
20-34	11895	1.9	1	1	1	2	2	3	3	5
35-49	1142	2.0	1	1	1	2	2	3	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**14451**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	129	1.5		< 1	1	1	2	2	3	4
20-34	837	1.6		< 1	1	1	2	2	3	3
35-49	93	1.7	1	< 1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1118	1.6		1	1	2	2	2	3	3
20-34	9537	1.6	1	1	1	2	2	2	3	3
35-49	983	1.7	1	< 1	1	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	1.9		1	1	2	2	3	3	4
20-34	465	1.7	1	1	1	2	2	3	3	4
35-49	48	1.6		< 1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	714	1.8	1	1	1	2	2	3	3	5
20-34	7205	1.9	4	1	1	2	2	3	3	5
35-49	1006	2.0	3	1	1	2	2	3	3	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1059	1.6		< 1	1	1	2	2	3	3
B. Operated	11638	1.6	1	1	1	2	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	582	1.7	1	1	1	2	2	3	3	4
B. Operated	8926	1.9	3	1	1	2	2	3	3	5
1. SINGLE DX	12697	1.6	1	1	1	2	2	2	3	3
2. MULTIPLE DX	9508	1.9	3	1	1	2	2	3	3	5
A. Not Operated	1641	1.6	1	< 1	1	1	2	3	3	4
B. Operated	20564	1.8	2	1	1	2	2	3	3	4
TOTAL										
0-19 YRS	2030	1.7	1	1	1	2	2	3	3	4
20-34	18044	1.7	2	1	1	2	2	3	3	4
35-49	2130	1.8	2	1	1	2	2	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**22205**	**1.7**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	1.7		1	1	2	2	3	3	3
20-34	189	1.8	1	1	1	2	2	3	3	4
35-49	8	1.8	1	< 1	< 1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	741	1.8		1	1	2	2	3	3	4
20-34	3223	1.9	1	1	1	2	2	3	3	4
35-49	188	1.9	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	1.8	1	1	1	2	2	3	4	4
20-34	112	1.9	1	< 1	1	2	2	3	3	4
35-49	6	2.8	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	544	2.0	1	1	1	2	2	3	3	5
20-34	3212	2.2	4	1	1	2	3	3	4	5
35-49	241	2.3	1	1	1	2	3	4	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	1.8	1	1	1	2	2	3	3	4
B. Operated	4152	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	146	1.9	1	< 1	1	2	2	3	3	4
B. Operated	3997	2.2	3	1	1	2	3	3	4	5
1. SINGLE DX	4394	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	4143	2.2	3	1	1	2	3	3	4	5
A. Not Operated	388	1.9	1	1	1	2	2	3	3	4
B. Operated	8149	2.0	2	1	1	2	2	3	3	5
TOTAL										
0-19 YRS	1358	1.9	1	1	1	2	2	3	3	4
20-34	6736	2.0	2	1	1	2	2	3	3	5
35-49	443	2.1	1	1	1	2	3	3	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**8537**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	1.5		1	1	1	2	2	3	3
20-34	241	1.6		1	1	2	2	2	3	3
35-49	16	2.1	1	1	1	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	245	1.6		1	1	2	2	2	3	3
20-34	1256	1.7		1	1	2	2	3	3	3
35-49	67	2.0	1	1	1	2	2	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	1.5		< 1	1	1	2	2	3	3
20-34	113	1.9	1	< 1	1	2	2	3	4	5
35-49	7	2.1	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	206	2.0	1	1	1	2	2	3	3	6
20-34	1324	2.0	2	1	1	2	2	3	4	5
35-49	104	2.3	1	1	1	2	3	4	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	297	1.6		1	1	2	2	2	3	4
B. Operated	1568	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	134	1.9	1	< 1	1	2	2	3	3	5
B. Operated	1634	2.0	2	1	1	2	2	3	4	6
1. SINGLE DX	1865	1.7		1	1	2	2	2	3	3
2. MULTIPLE DX	1768	2.0	2	1	1	2	2	3	4	6
A. Not Operated	431	1.7	1	1	1	2	2	3	3	4
B. Operated	3202	1.9	1	1	1	2	[illegible]	3	3	5
TOTAL										
0-19 YRS	505	1.8	1	1	1	2	[illegible]	3	3	4
20-34	2934	1.8	1	1	1	2	2	3	3	5
35-49	194	2.1	1	1	1	2	3	3	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**3633**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	820	1.7	1	1	1	2	2	3	3	5
20-34	5075	1.8	3	1	1	2	2	3	3	4
35-49	461	1.9	3	1	1	2	2	3	3	7
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	1676	2.3	3	1	1	2	3	4	4	7
20-34	9888	2.2	2	1	1	2	3	4	4	6
35-49	893	2.4	2	1	1	2	3	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	655	2.1	2	1	1	2	2	3	4	8
20-34	4094	2.0	2	1	1	2	2	3	4	7
35-49	452	2.2	6	1	1	2	3	3	4	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3407	2.9	4	1	1	2	4	5	6	10
20-34	23377	3.1	8	1	1	3	4	5	6	13
35-49	2865	3.5	11	1	1	3	4	5	7	18
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6357	1.8	2	1	1	2	2	3	3	5
B. Operated	12458	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	5201	2.0	2	1	1	2	2	3	4	7
B. Operated	29649	3.1	8	1	1	3	4	5	6	13
1. SINGLE DX	18815	2.1	2	1	1	2	2	3	4	6
2. MULTIPLE DX	34850	2.9	7	1	1	2	4	5	6	12
A. Not Operated	11558	1.9	2	1	1	2	2	3	3	6
B. Operated	42107	2.8	6	1	1	2	3	5	6	11
TOTAL										
0-19 YRS	6558	2.5	4	1	1	2	3	4	5	9
20-34	42434	2.6	5	1	1	2	3	4	5	10
35-49	4671	3.0	9	1	1	2	4	5	6	14
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	0									
GRAND TOTAL	**53665**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	3.0	1	1	2	3	3	4	5	6
20-34	191	3.2	2	1	2	3	4	5	6	8
35-49	10	3.9	5	1	1	4	6	7	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	12	3.2	13	< 1	< 1	2	3	7	13	14
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.3	2	1	2	3	4	6	6	6
20-34	169	3.6	4	1	2	3	4	5	7	12
35-49	21	3.3	2	1	2	3	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	4.2	3	3	3	4	5	7	7	7
20-34	41	5.8	29	< 1	1	5	6	14	17	27
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	247	3.2	2	1	2	3	4	5	6	8
B. Operated	16	3.2	10	< 1	< 1	2	4	4	11	14
2. MULTIPLE DX										
A. Not Operated	227	3.5	3	1	2	3	4	5	7	10
B. Operated	49	5.5	25	1	1	4	6	13	16	27
1. SINGLE DX	263	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX	276	3.9	8	1	2	3	5	6	8	15
A. Not Operated	474	3.3	3	1	2	3	4	5	6	9
B. Operated	65	4.9	22	< 1	1	4	5	13	15	26
TOTAL										
0-19 YRS	92	3.2	2	1	2	3	4	5	6	7
20-34	413	3.6	5	1	2	3	4	6	7	14
35-49	34	3.5	3	1	2	3	4	6	7	8
50-64	0									
65 +	0									
GRAND TOTAL	**539**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	34	1.4	1	< 1	1	1	2	2	3	4
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	1.2		< 1	< 1	1	1	2	2	2
20-34	102	1.3		< 1	< 1	1	2	2	2	4
35-49	12	1.4	1	< 1	< 1	1	1	3	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	30	1.9	1	< 1	< 1	2	2	3	5	6
35-49	8	1.6	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	1.5	1	< 1	< 1	1	2	2	4	4
20-34	125	2.5	7	< 1	1	2	3	5	6	14
35-49	14	2.2	3	1	1	2	3	4	7	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	1.5	1	< 1	1	1	2	2	3	4
B. Operated	124	1.3	1	< 1	< 1	1	2	2	2	5
2. MULTIPLE DX										
A. Not Operated	41	1.8	1	< 1	< 1	1	2	3	4	6
B. Operated	154	2.3	6	< 1	1	2	3	5	6	11
1. SINGLE DX	162	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	195	2.2	5	< 1	1	2	3	4	6	11
A. Not Operated	79	1.6	1	< 1	< 1	1	2	3	3	6
B. Operated	278	1.9	4	< 1	< 1	1	2	3	5	10
TOTAL										
0-19 YRS	29	1.4		< 1	< 1	1	2	2	3	4
20-34	291	1.9	3	< 1	< 1	1	2	3	5	9
35-49	37	1.8	2	< 1	< 1	1	2	3	4	8
50-64	0									
65 +	0									
GRAND TOTAL	**357**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.5	1	1	1	2	3	4	5	5
20-34	122	3.7	8	1	1	3	4	8	9	13
35-49	13	4.2	6	2	2	3	5	8	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	2.2	3	< 1	1	2	2	4	7	8
20-34	138	2.4	5	< 1	1	2	3	4	7	13
35-49	23	1.8	1	< 1	< 1	2	2	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	4.7	13	1	1	3	7	9	12	15
20-34	98	4.0	31	1	1	3	5	7	9	33
35-49	13	5.1	9	1	2	4	6	10	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	4.0	9	< 1	1	3	6	8	10	11
20-34	125	3.4	19	1	1	2	4	8	11	23
35-49	13	2.8	6	< 1	< 1	2	3	7	8	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	3.6	7	1	1	3	4	8	9	12
B. Operated	185	2.3	4	< 1	1	2	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	130	4.2	26	1	1	3	5	8	9	23
B. Operated	158	3.4	16	1	1	2	4	8	10	19
1. SINGLE DX	331	2.9	6	1	1	2	3	7	8	12
2. MULTIPLE DX	288	3.8	21	1	1	2	5	8	10	17
A. Not Operated	276	3.9	16	1	1	3	5	8	9	14
B. Operated	343	2.8	10	< 1	1	2	3	6	8	14
TOTAL										
0-19 YRS	74	3.4	8	1	1	2	4	8	9	14
20-34	483	3.3	15	1	1	2	4	7	9	14
35-49	62	3.2	6	< 1	1	2	4	7	8	12
50-64	0									
65 +	0									
GRAND TOTAL	**619**	**3.3**	**13**	**1**	**1**	**2**	**4**	**7**	**9**	**14**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	384	2.9	2	1	2	3	3	5	6	9
20-34	370	3.4	6	1	1	3	4	6	7	11
35-49	277	3.6	5	1	2	3	4	6	8	12
50-64	183	4.1	5	1	2	4	5	7	8	12
65 +	157	4.8	6	2	2	4	6	8	10	13
B. Operated										
0-19 YRS	132	3.4	6	< 1	1	3	5	7	8	10
20-34	169	4.5	12	1	2	4	6	8	11	18
35-49	143	4.6	14	1	1	4	6	9	10	17
50-64	66	5.2	21	1	2	4	6	10	17	24
65 +	45	5.0	8	2	2	4	7	7	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	539	3.6	6	2	2	3	4	6	7	14
20-34	699	4.4	9	1	2	4	5	8	9	14
35-49	837	5.2	12	2	2	4	6	9	11	16
50-64	969	6.0	16	2	2	5	8	10	14	21
65 +	1904	6.8	26	2	3	6	8	12	15	26
B. Operated										
0-19 YRS	236	5.6	27	1	2	4	7	11	15	28
20-34	519	7.3	69	2	2	5	8	14	20	53
35-49	574	7.9	59	2	2	6	9	16	21	47
50-64	532	10.1	92	2	3	7	13	20	27	62
65 +	776	10.7	89	2	3	8	13	20	28	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1371	3.6	5	1	2	3	4	6	7	11
B. Operated	555	4.4	12	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	4948	5.7	18	2	2	5	7	10	13	21
B. Operated	2637	8.8	77	2	2	6	11	18	24	52
1. SINGLE DX	1926	3.8	7	1	2	3	5	7	8	14
2. MULTIPLE DX	7585	6.8	41	2	2	5	8	13	17	34
A. Not Operated	6319	5.2	16	2	2	4	7	10	12	20
B. Operated	3192	8.1	68	1	2	6	10	16	22	47
TOTAL										
0-19 YRS	1291	3.8	9	1	2	3	4	7	9	15
20-34	1757	5.0	29	1	2	4	6	9	13	25
35-49	1831	5.7	28	1	2	4	7	10	14	28
50-64	1750	7.0	42	2	2	5	8	14	18	33
65 +	2882	7.7	45	2	3	6	9	14	19	35
GRAND TOTAL	**9511**	**6.2**	**35**	**2**	**2**	**5**	**7**	**12**	**16**	**31**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	3.4	4	1	1	3	4	7	8	10
20-34	73	3.2	2	1	1	3	4	5	6	7
35-49	46	3.4	8	1	1	3	4	5	11	15
50-64	35	3.7	5	2	2	3	5	5	7	13
65 +	10	5.1	3	2	2	6	6	7	8	8
B. Operated										
0-19 YRS	71	2.7	6	< 1	< 1	2	4	5	7	14
20-34	51	3.7	5	1	1	3	4	7	9	9
35-49	34	3.4	5	1	1	3	5	7	8	9
50-64	23	2.7	6	< 1	< 1	1	4	6	8	10
65 +	12	2.8	7	< 1	< 1	2	3	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	162	3.8	6	1	2	3	4	7	9	13
20-34	113	4.0	8	1	2	3	5	6	10	17
35-49	108	4.9	13	2	2	4	6	8	12	21
50-64	91	4.6	5	1	2	4	6	8	9	11
65 +	191	6.0	9	2	3	5	8	10	12	15
B. Operated										
0-19 YRS	81	4.7	13	< 1	1	4	6	10	11	19
20-34	105	5.6	28	1	2	5	7	10	14	31
35-49	116	6.1	19	1	1	5	8	13	16	19
50-64	117	6.2	16	1	2	6	8	12	14	21
65 +	143	7.9	30	2	2	7	10	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	3.5	4	1	1	3	4	6	7	12
B. Operated	191	3.1	6	< 1	< 1	2	4	7	8	11
2. MULTIPLE DX										
A. Not Operated	665	4.7	9	1	2	4	6	8	11	15
B. Operated	562	6.3	23	1	2	5	8	12	15	22
1. SINGLE DX	439	3.3	5	< 1	1	3	4	6	8	11
2. MULTIPLE DX	1227	5.4	16	1	2	4	7	10	13	20
A. Not Operated	913	4.4	8	1	2	4	6	8	10	14
B. Operated	753	5.5	21	1	1	4	7	11	14	21
TOTAL										
0-19 YRS	398	3.7	7	1	1	3	5	7	10	13
20-34	342	4.3	13	1	2	3	5	8	10	17
35-49	304	5.0	14	1	2	4	6	10	13	18
50-64	266	5.0	11	1	2	4	6	9	12	16
65 +	356	6.6	19	2	2	6	8	11	14	24
GRAND TOTAL	**1666**	**4.9**	**14**	**1**	**1**	**4**	**6**	**9**	**12**	**17**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.0		4	4	4	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	121	1.7	2	< 1	< 1	1	2	3	4	8
20-34	261	1.7	1	< 1	1	1	2	3	4	6
35-49	59	1.8	3	< 1	< 1	1	2	4	4	12
50-64	6	2.8	16	< 1	< 1	1	2	10	11	11
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
20-34	4	1.8	1	< 1	< 1	1	2	3	3	3
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	23	2.7	4	< 1	1	2	4	6	7	7
20-34	54	2.2	2	1	1	2	3	4	5	8
35-49	26	1.8	1	1	1	2	2	3	3	4
50-64	7	7.7	117	2	2	4	6	27	32	32
65 +	4	7.0	89	1	1	3	12	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.4	2	1	1	2	4	4	4	4
B. Operated	448	1.7	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	7	1.9	1	< 1	< 1	1	3	4	4	4
B. Operated	114	2.7	13	1	1	2	3	5	6	25
1. SINGLE DX	453	1.7	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX	121	2.6	12	< 1	1	2	3	5	6	24
A. Not Operated	12	2.1	2	< 1	< 1	2	3	4	4	4
B. Operated	562	1.9	4	< 1	1	1	2	3	4	10
TOTAL										
0-19 YRS	147	1.9	3	< 1	< 1	1	2	4	4	7
20-34	321	1.8	1	< 1	1	1	2	3	4	7
35-49	87	1.8	2	< 1	1	1	2	3	4	10
50-64	13	5.5	72	< 1	1	2	5	15	29	32
65 +	6	5.0	63	1	1	2	4	19	21	21
GRAND TOTAL	**574**	**1.9**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	25	1.3	1	< 1	< 1	< 1	1	1	3	7
20-34	18	1.1		< 1	< 1	1	1	1	2	2
35-49	15	1.4	1	< 1	< 1	< 1	2	3	3	3
50-64	7	1.9	2	< 1	< 1	< 1	2	4	5	5
65 +	5	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.2	7	< 1	< 1	1	3	7	7	7
20-34	10	3.1	5	< 1	< 1	2	5	6	7	7
35-49	10	2.1	4	< 1	< 1	1	3	5	7	7
50-64	7	3.0	9	< 1	< 1	2	4	8	9	9
65 +	10	1.9	1	1	1	2	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	70	1.3	1	< 1	< 1	1	1	2	3	7
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	42	2.5	4	< 1	< 1	2	3	6	7	9
1. SINGLE DX	70	1.3	1	< 1	< 1	1	1	2	3	7
2. MULTIPLE DX	43	2.5	4	< 1	< 1	2	3	6	7	9
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	112	1.7	2	< 1	< 1	1	2	4	6	8
TOTAL										
0-19 YRS	31	1.5	2	< 1	< 1	1	1	2	7	7
20-34	28	1.8	3	< 1	< 1	1	2	4	6	7
35-49	25	1.7	2	< 1	< 1	1	2	3	4	7
50-64	14	2.4	6	< 1	< 1	1	2	6	8	9
65 +	15	1.6	1	< 1	< 1	1	2	4	4	4
GRAND TOTAL	**113**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**6**	**8**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	3.4	25	1	1	2	3	7	8	33
20-34	61	2.7	4	1	1	2	3	6	7	9
35-49	39	3.6	20	< 1	< 1	3	4	6	16	21
50-64	24	2.9	3	1	1	2	4	5	7	8
65 +	22	4.7	21	1	1	3	7	9	16	21
B. Operated										
0-19 YRS	89	2.1	6	< 1	< 1	1	2	5	7	13
20-34	97	2.7	11	< 1	< 1	2	3	5	9	20
35-49	118	3.5	19	< 1	1	2	5	8	11	26
50-64	99	4.4	25	< 1	< 1	2	6	11	15	24
65 +	99	5.5	30	< 1	< 1	3	8	14	16	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	169	4.2	21	1	1	3	5	8	14	27
20-34	175	4.8	23	1	1	3	6	10	12	23
35-49	196	5.2	35	1	1	4	6	10	15	36
50-64	224	5.9	20	1	2	5	8	12	15	23
65 +	663	8.2	66	2	2	6	10	16	21	43
B. Operated										
0-19 YRS	150	6.8	118	< 1	1	2	7	20	29	54
20-34	295	13.6	246	1	1	8	18	41	56	99 +
35-49	370	13.7	332	1	1	6	18	38	55	95
50-64	424	12.5	234	1	1	7	16	35	45	89
65 +	929	14.7	199	2	3	11	18	32	44	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	3.3	16	< 1	1	2	4	7	8	21
B. Operated	502	3.7	20	< 1	< 1	2	5	9	13	22
2. MULTIPLE DX										
A. Not Operated	1427	6.5	47	1	2	5	8	13	18	34
B. Operated	2168	13.4	233	1	1	8	17	34	46	89
1. SINGLE DX	722	3.6	18	< 1	< 1	2	4	8	12	21
2. MULTIPLE DX	3595	10.7	170	1	1	6	13	26	40	79
A. Not Operated	1647	6.1	44	1	1	4	7	12	17	33
B. Operated	2670	11.6	207	1	1	7	15	30	43	85
TOTAL										
0-19 YRS	482	4.5	52	< 1	1	2	4	9	18	39
20-34	628	8.4	148	1	1	4	10	22	41	73
35-49	723	9.2	205	1	1	4	9	27	39	85
50-64	771	9.3	151	1	1	5	11	23	37	78
65 +	1713	11.5	148	1	2	8	14	24	37	72
GRAND TOTAL	**4317**	**9.5**	**152**	**1**	**1**	**5**	**12**	**23**	**36**	**73**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	4	< 1	< 1	2	3	6	7	7
20-34	29	2.7	5	< 1	< 1	2	3	7	8	8
35-49	20	7.0	88	1	2	4	6	15	30	43
50-64	5	4.4	4	1	1	5	6	6	6	6
65 +	3	3.0	3	1	1	4	4	4	4	4
B. Operated										
0-19 YRS	6	3.0	4	1	1	2	3	7	7	7
20-34	17	2.0	5	1	1	1	2	3	8	10
35-49	14	2.4	2	< 1	1	2	3	4	5	5
50-64	5	1.6	1	< 1	< 1	1	2	3	3	3
65 +	6	3.7	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	5.4	42	< 1	1	3	6	12	17	36
20-34	112	4.9	13	1	1	4	7	10	11	17
35-49	103	6.5	45	1	2	5	7	13	20	37
50-64	71	7.0	27	1	2	6	9	13	19	27
65 +	88	8.5	128	2	2	5	9	14	25	71
B. Operated										
0-19 YRS	15	12.1	108	1	2	7	19	26	33	36
20-34	87	8.7	55	1	1	7	12	20	24	29
35-49	51	7.7	46	1	1	6	11	18	20	32
50-64	59	10.2	82	1	2	8	12	25	32	95
65 +	58	11.2	59	2	3	10	14	23	27	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	4.1	33	< 1	1	3	5	7	11	39
B. Operated	48	2.4	4	< 1	1	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	412	6.5	52	1	2	5	8	12	17	37
B. Operated	270	9.6	64	1	2	7	13	21	26	38
1. SINGLE DX	114	3.4	21	< 1	1	2	4	6	8	27
2. MULTIPLE DX	682	7.7	59	1	2	5	10	17	23	37
A. Not Operated	478	6.1	50	1	1	4	7	11	15	38
B. Operated	318	8.5	61	1	1	7	11	19	25	37
TOTAL										
0-19 YRS	68	6.3	57	1	1	3	7	14	25	36
20-34	245	5.8	32	1	1	4	8	12	19	25
35-49	188	6.6	48	1	1	4	7	14	20	39
50-64	140	8.0	52	1	2	6	10	18	25	52
65 +	155	9.2	98	2	2	7	11	17	26	64
GRAND TOTAL	**796**	**7.1**	**56**	**1**	**1**	**5**	**9**	**16**	**21**	**37**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	4.4	9	1	1	3	5	9	11	13
20-34	13	3.6	4	1	1	3	6	6	6	6
35-49	27	5.1	23	1	1	3	7	11	16	21
50-64	28	4.5	9	1	1	4	6	8	9	15
65 +	24	5.2	14	1	2	3	8	10	14	14
B. Operated										
0-19 YRS	14	5.0	24	< 1	1	3	6	14	16	16
20-34	58	4.9	9	1	1	4	7	9	11	12
35-49	135	4.0	9	1	1	3	5	9	10	13
50-64	219	4.9	14	1	1	4	7	10	12	17
65 +	173	5.6	16	1	1	5	9	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	8.7	55	1	2	6	13	20	27	29
20-34	26	6.5	34	1	1	5	6	17	21	21
35-49	50	6.4	54	1	1	4	7	14	18	43
50-64	100	5.1	15	1	1	4	7	10	14	19
65 +	206	6.4	21	1	2	5	8	12	14	28
B. Operated										
0-19 YRS	14	7.7	35	1	1	7	10	15	21	23
20-34	55	5.9	12	1	2	5	8	10	12	15
35-49	171	5.5	30	1	1	4	7	11	12	28
50-64	365	6.0	30	1	1	5	8	12	15	23
65 +	460	8.1	49	1	2	7	11	15	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	4.7	13	1	1	3	6	9	12	17
B. Operated	599	4.9	14	1	1	4	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	417	6.3	28	1	2	5	8	13	15	29
B. Operated	1065	6.9	38	1	2	5	9	13	16	29
1. SINGLE DX	718	4.9	13	1	1	4	7	10	12	16
2. MULTIPLE DX	1482	6.7	35	1	2	5	9	13	16	29
A. Not Operated	536	5.9	25	1	1	5	7	12	15	27
B. Operated	1664	6.2	30	1	1	5	9	12	15	23
TOTAL										
0-19 YRS	90	6.7	36	1	1	5	9	14	20	29
20-34	152	5.4	14	1	1	5	7	10	12	21
35-49	383	5.0	26	1	1	3	7	10	13	26
50-64	712	5.5	22	1	1	4	8	11	14	20
65 +	863	7.1	36	1	2	6	10	13	16	29
GRAND TOTAL	**2200**	**6.1**	**29**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	9	4.6	7	1	1	4	7	8	8	8
65 +	33	6.3	18	2	2	5	8	13	15	19
B. Operated										
0-19 YRS	9	4.6	15	< 1	< 1	4	9	10	10	10
20-34	101	2.9	5	< 1	1	2	4	6	8	11
35-49	298	4.2	8	1	1	4	6	8	10	12
50-64	1124	6.7	13	1	1	7	9	11	12	15
65 +	2165	8.6	11	3	5	8	10	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	6	2.7	10	< 1	< 1	1	3	8	9	9
35-49	4	9.8	38	1	1	11	14	15	15	15
50-64	80	3.5	12	< 1	< 1	2	5	8	9	17
65 +	355	4.9	16	< 1	1	4	7	10	13	19
B. Operated										
0-19 YRS	13	6.8	59	< 1	1	4	9	16	27	29
20-34	158	4.7	32	1	1	3	6	10	13	32
35-49	401	5.1	15	1	1	4	7	10	12	15
50-64	1720	7.9	23	1	2	8	10	13	14	21
65 +	5313	10.0	23	4	6	9	12	15	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	5.8	16	2	2	5	8	12	14	19
B. Operated	3697	7.5	14	1	2	8	10	12	13	16
2. MULTIPLE DX										
A. Not Operated	447	4.7	16	< 1	< 1	4	7	10	13	19
B. Operated	7605	9.1	25	2	3	9	11	14	16	26
1. SINGLE DX	3744	7.4	14	1	2	8	10	12	13	16
2. MULTIPLE DX	8052	8.9	25	1	3	9	11	14	16	25
A. Not Operated	494	4.8	16	< 1	1	4	7	10	13	19
B. Operated	11302	8.6	22	1	3	8	11	13	15	23
TOTAL										
0-19 YRS	24	6.0	39	< 1	1	4	9	11	18	29
20-34	267	4.0	22	1	1	3	5	9	11	21
35-49	706	4.7	12	1	1	4	7	10	11	14
50-64	2933	7.3	19	1	2	7	10	12	14	19
65 +	7866	9.3	21	2	5	9	11	14	16	25
GRAND TOTAL	**11796**	**8.4**	**22**	**1**	**2**	**8**	**11**	**13**	**15**	**23**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	5.7	14	1	2	5	8	9	14	21
20-34	38	3.3	2	1	2	3	4	6	6	7
35-49	19	4.4	14	1	1	3	5	9	13	16
50-64	18	3.8	14	< 1	< 1	3	4	8	14	17
65 +	15	4.4	24	< 1	< 1	3	4	10	17	20
B. Operated										
0-19 YRS	60	8.1	33	1	2	7	11	14	20	27
20-34	138	3.8	12	1	1	3	5	8	10	21
35-49	190	3.9	10	< 1	1	3	5	7	9	16
50-64	121	4.2	10	1	1	3	6	8	10	15
65 +	76	5.6	15	< 1	1	5	9	11	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	5.1	13	1	1	4	7	10	11	16
20-34	68	4.6	11	< 1	1	4	6	10	11	16
35-49	62	6.2	24	1	1	5	8	12	17	21
50-64	68	5.4	12	2	2	4	7	10	13	17
65 +	179	6.3	31	1	2	5	8	11	14	33
B. Operated										
0-19 YRS	119	11.6	80	3	4	10	14	22	29	55
20-34	170	6.2	44	1	1	4	7	13	17	35
35-49	245	7.1	57	1	1	5	9	16	25	34
50-64	267	8.9	110	1	2	6	10	18	27	51
65 +	275	12.1	122	2	2	9	14	27	35	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	156	4.6	13	1	2	4	6	9	10	20
B. Operated	585	4.6	15	1	1	3	6	10	12	20
2. MULTIPLE DX										
A. Not Operated	437	5.7	22	1	2	4	7	11	14	22
B. Operated	1076	9.2	93	1	2	7	11	20	29	52
1. SINGLE DX	741	4.6	14	1	1	3	6	10	12	20
2. MULTIPLE DX	1513	8.2	75	1	2	6	10	16	25	49
A. Not Operated	593	5.4	19	1	2	4	7	10	14	21
B. Operated	1661	7.6	70	1	1	5	10	16	23	49
TOTAL										
0-19 YRS	305	8.4	51	1	2	7	11	15	22	31
20-34	414	4.9	25	1	1	3	6	10	14	32
35-49	516	5.7	36	1	1	4	7	12	16	29
50-64	474	7.0	72	1	1	5	9	14	21	50
65 +	545	9.1	84	1	2	7	11	20	28	52
GRAND TOTAL	**2254**	**7.0**	**58**	**1**	**1**	**5**	**9**	**14**	**21**	**41**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.8	2	< 1	< 1	1	2	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	218	2.3	2	< 1	< 1	2	3	4	4	5
20-34	577	2.5	2	< 1	< 1	3	3	4	5	6
35-49	254	2.3	2	< 1	< 1	2	3	4	5	8
50-64	65	1.7	1	< 1	< 1	1	2	3	5	6
65 +	23	2.5	11	< 1	< 1	1	2	8	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.0	16	< 1	< 1	< 1	4	10	10	10
20-34	11	2.1	4	< 1	< 1	1	3	5	7	7
35-49	8	3.0	4	1	1	3	4	6	7	7
50-64	4	1.0		< 1	< 1	1	1	1	1	1
65 +	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
0-19 YRS	274	2.8	3	< 1	1	3	4	4	5	6
20-34	787	2.9	3	< 1	1	3	4	5	6	9
35-49	438	2.6	4	< 1	< 1	2	3	4	6	9
50-64	247	2.0	5	< 1	< 1	1	2	4	5	8
65 +	164	2.1	3	< 1	< 1	1	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.4	1	< 1	< 1	1	1	3	4	4
B. Operated	1137	2.4	2	< 1	< 1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	30	2.5	6	< 1	< 1	1	3	7	7	10
B. Operated	1910	2.6	3	< 1	< 1	2	3	5	5	8
1. SINGLE DX	1145	2.4	2	< 1	< 1	2	3	4	5	7
2. MULTIPLE DX	1940	2.6	3	< 1	< 1	2	3	5	5	8
A. Not Operated	38	2.3	5	< 1	< 1	1	3	6	7	10
B. Operated	3047	2.5	3	< 1	< 1	2	3	4	5	8
TOTAL										
0-19 YRS	500	2.6	2	< 1	1	3	3	4	5	6
20-34	1376	2.8	2	< 1	1	3	4	4	5	8
35-49	704	2.5	3	< 1	< 1	2	3	4	5	8
50-64	316	1.9	4	< 1	< 1	1	2	4	5	8
65 +	189	2.2	4	< 1	< 1	1	3	4	5	12
GRAND TOTAL	**3085**	**2.5**	**3**	**< 1**	**< 1**	**2**	**3**	**4**	**5**	**8**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	2.4	2	< 1	< 1	2	3	4	5	6
20-34	33	2.5	5	< 1	< 1	2	3	5	9	10
35-49	25	2.7	3	< 1	1	2	3	6	6	7
50-64	13	2.8	4	< 1	< 1	2	4	6	7	7
65 +	22	3.8	10	< 1	1	3	5	8	11	14
B. Operated										
0-19 YRS	783	2.1	2	1	1	2	3	3	4	7
20-34	1260	2.2	1	1	1	2	3	4	4	7
35-49	456	2.4	4	< 1	1	2	3	4	5	8
50-64	118	2.4	3	< 1	1	2	3	4	5	11
65 +	56	4.2	16	< 1	< 1	3	5	11	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.6	6	< 1	1	2	3	4	8	14
20-34	77	2.6	3	< 1	< 1	2	3	5	7	8
35-49	71	4.2	30	< 1	< 1	2	4	14	18	26
50-64	73	3.0	5	< 1	< 1	2	4	7	8	9
65 +	211	5.0	22	1	1	3	6	10	14	31
B. Operated										
0-19 YRS	449	2.9	10	1	1	2	3	5	6	19
20-34	780	2.8	6	1	1	2	3	5	6	11
35-49	446	2.9	7	1	1	2	4	6	7	15
50-64	236	3.6	12	1	1	2	5	9	11	15
65 +	216	5.7	27	1	1	4	8	12	17	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	2.7	5	< 1	1	2	3	6	7	11
B. Operated	2673	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	476	4.0	17	< 1	1	3	5	8	12	25
B. Operated	2127	3.2	10	1	1	2	4	6	9	18
1. SINGLE DX	2806	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	2603	3.4	12	1	1	2	4	7	9	20
A. Not Operated	609	3.7	15	< 1	1	3	4	7	10	24
B. Operated	4800	2.7	6	1	1	2	3	5	7	13
TOTAL										
0-19 YRS	1316	2.4	5	1	1	2	3	4	5	11
20-34	2150	2.4	3	1	1	2	3	4	5	8
35-49	998	2.8	7	< 1	1	2	3	5	7	17
50-64	440	3.2	8	1	1	2	4	7	9	13
65 +	505	5.1	23	1	1	4	7	11	15	25
GRAND TOTAL	**5409**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	3	10.7	120	2	2	7	19	23	23	23
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	5	5.2	19	< 1	< 1	5	9	11	11	11
50-64	8	6.3	14	1	1	6	9	11	12	12
65 +	11	5.6	7	3	3	4	8	10	11	11
B. Operated										
0-19 YRS	0									
20-34	6	7.3	17	3	3	7	9	13	14	14
35-49	10	9.8	36	1	2	11	15	16	17	17
50-64	4	9.5	2	8	8	9	10	11	11	11
65 +	5	10.8	48	6	6	8	12	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	8.4	70	2	2	5	11	23	23	23
B. Operated	3	8.0	4	6	6	8	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	27	5.9	10	1	1	5	9	10	11	12
B. Operated	25	9.4	27	2	3	8	14	16	18	23
1. SINGLE DX	8	8.3	41	2	3	6	9	19	23	23
2. MULTIPLE DX	52	7.6	21	1	2	7	9	14	16	23
A. Not Operated	32	6.3	18	1	2	5	8	11	12	23
B. Operated	28	9.2	24	2	3	8	12	16	18	23
TOTAL										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	9	7.1	12	3	3	7	9	12	14	14
35-49	19	8.7	41	< 1	1	8	14	17	20	23
50-64	14	7.2	10	1	2	8	9	11	12	12
65 +	16	7.3	24	3	3	6	9	11	19	23
GRAND TOTAL	**60**	**7.7**	**23**	**1**	**2**	**7**	**9**	**14**	**16**	**23**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	5.6	6	3	3	5	7	9	10	10
35-49	24	4.8	14	< 1	1	4	7	10	12	14
50-64	30	4.9	18	1	1	3	6	11	16	17
65 +	51	3.7	5	1	1	3	5	7	8	10
B. Operated										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	63	3.4	8	< 1	1	2	5	8	9	11
35-49	287	3.3	6	1	1	3	5	7	8	12
50-64	328	3.8	8	1	1	3	5	8	9	14
65 +	212	4.5	18	1	1	3	7	9	12	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	6	5.2	9	2	2	5	7	9	9	9
35-49	65	5.5	14	1	1	5	7	10	15	16
50-64	161	5.1	13	1	1	4	7	10	12	17
65 +	523	5.8	19	1	2	5	7	10	14	20
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	75	4.6	15	1	1	4	6	9	11	23
35-49	412	4.7	17	1	1	4	6	9	12	18
50-64	590	5.3	23	1	1	4	7	10	14	22
65 +	652	7.5	49	1	1	6	9	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	4.4	11	1	1	4	6	9	10	16
B. Operated	893	3.8	10	1	1	3	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	757	5.6	17	1	2	5	7	10	13	18
B. Operated	1730	6.0	32	1	1	5	8	12	15	26
1. SINGLE DX	1005	3.8	10	1	1	3	5	8	10	14
2. MULTIPLE DX	2487	5.9	28	1	1	5	8	11	14	24
A. Not Operated	869	5.4	16	1	1	5	7	10	13	17
B. Operated	2623	5.2	26	1	1	4	7	10	13	24
TOTAL										
0-19 YRS	6	6.7	23	1	1	5	12	13	13	13
20-34	151	4.2	12	1	1	3	6	8	10	16
35-49	788	4.3	13	1	1	4	6	8	11	16
50-64	1109	4.8	18	1	1	4	7	10	12	18
65 +	1438	6.3	33	1	1	5	8	12	15	27
GRAND TOTAL	**3492**	**5.3**	**24**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	4.4	10	< 1	1	4	7	9	10	11
20-34	437	4.3	11	1	1	4	6	8	10	16
35-49	607	4.8	11	1	1	4	6	8	10	16
50-64	275	5.1	12	1	1	5	7	9	12	16
65 +	105	5.1	11	1	1	5	7	9	12	14
B. Operated										
0-19 YRS	100	3.6	5	1	1	3	5	7	8	9
20-34	2960	4.2	9	1	1	4	5	8	10	15
35-49	4361	4.3	9	1	1	4	6	8	10	15
50-64	1739	4.4	11	1	1	4	6	8	10	16
65 +	517	5.5	16	1	1	5	7	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.8	11	1	1	4	8	9	9	9
20-34	232	5.4	17	1	1	5	7	10	13	21
35-49	513	5.4	15	1	1	5	7	10	12	19
50-64	431	5.9	14	1	1	5	8	10	13	18
65 +	533	6.3	19	1	2	5	8	11	14	21
B. Operated										
0-19 YRS	27	5.1	9	1	1	6	7	8	10	13
20-34	1071	6.0	21	1	2	5	7	11	14	24
35-49	2071	6.0	19	1	1	5	8	11	14	22
50-64	1596	6.6	26	1	1	6	8	12	15	25
65 +	1147	7.9	30	1	2	7	10	15	18	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1441	4.7	11	1	1	4	6	9	10	16
B. Operated	9677	4.3	10	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	1717	5.8	17	1	1	5	8	11	13	20
B. Operated	5912	6.5	24	1	1	6	8	12	15	24
1. SINGLE DX	11118	4.4	10	1	1	4	6	8	10	15
2. MULTIPLE DX	7629	6.4	22	1	1	5	8	12	15	23
A. Not Operated	3158	5.3	14	1	1	5	7	10	12	18
B. Operated	15589	5.2	16	1	1	4	7	10	13	20
TOTAL										
0-19 YRS	152	4.0	6	1	1	4	6	7	9	11
20-34	4700	4.7	13	1	1	4	6	9	11	18
35-49	7552	4.9	13	1	1	4	6	9	11	18
50-64	4041	5.5	18	1	1	5	7	10	13	20
65 +	2302	6.9	25	1	1	6	9	13	16	23
GRAND TOTAL	**18747**	**5.2**	**16**	**1**	**1**	**4**	**7**	**10**	**12**	**19**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.6	9	1	1	6	7	8	8	8
20-34	46	3.7	6	< 1	1	3	5	7	9	11
35-49	76	4.8	10	1	1	5	6	8	10	17
50-64	32	3.5	7	1	1	3	5	7	8	11
65 +	13	4.2	10	1	1	4	6	8	11	12
B. Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	323	3.3	7	1	1	3	4	6	7	11
35-49	1021	3.4	5	1	1	3	5	6	8	11
50-64	383	3.5	7	< 1	1	3	4	7	8	13
65 +	56	5.1	16	1	1	4	6	11	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	29	5.9	45	< 1	1	4	7	12	16	35
35-49	94	4.9	18	< 1	1	4	6	10	15	20
50-64	78	5.0	16	< 1	1	4	7	10	14	20
65 +	82	5.7	15	1	2	5	7	10	15	18
B. Operated										
0-19 YRS	4	5.3	9	1	1	6	7	8	8	8
20-34	172	4.3	12	1	1	4	6	8	10	19
35-49	652	4.5	13	1	1	4	6	8	12	19
50-64	411	4.8	18	1	1	4	6	9	12	21
65 +	144	7.4	65	1	1	5	10	14	23	41
SUBTOTALS:	-									
1. SINGLE DX										
A. Not Operated	172	4.2	9	1	1	4	6	8	10	13
B. Operated	1786	3.5	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	286	5.2	19	< 1	1	4	7	10	15	20
B. Operated	1383	4.9	21	1	1	4	6	9	13	23
1. SINGLE DX	1958	3.5	7	1	1	3	5	7	8	12
2. MULTIPLE DX	1669	5.0	21	1	1	4	6	10	13	23
A. Not Operated	458	4.8	15	1	1	4	7	9	12	18
B. Operated	3169	4.1	13	1	1	3	5	8	10	18
TOTAL										
0-19 YRS	15	4.5	7	1	1	4	6	8	8	8
20-34	570	3.8	11	1	1	3	5	7	9	14
35-49	1843	4.0	9	1	1	3	5	7	9	16
50-64	904	4.2	13	1	1	4	5	8	11	18
65 +	295	6.4	41	1	1	5	8	13	16	36
GRAND TOTAL	**3627**	**4.2**	**14**	**1**	**1**	**4**	**5**	**8**	**10**	**18**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	1	1	1	2	3	3	3	3
20-34	12	6.1	17	2	2	4	10	12	13	13
35-49	30	4.4	5	1	2	4	6	8	8	10
50-64	15	7.0	18	1	1	7	10	13	14	15
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	31	4.0	18	1	1	2	6	11	14	15
35-49	28	3.9	12	< 1	1	2	7	9	10	12
50-64	6	5.2	9	1	1	6	7	9	9	9
65 +	3	4.0	27	< 1	< 1	1	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	25	5.6	12	1	1	5	8	10	11	15
35-49	38	5.3	9	1	2	5	6	9	11	16
50-64	23	5.6	13	1	2	4	8	11	13	13
65 +	38	6.4	21	1	2	5	8	12	16	20
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	28	5.4	15	1	1	6	8	10	12	16
35-49	44	6.4	16	1	1	7	8	11	15	16
50-64	23	6.4	18	1	1	6	9	10	14	20
65 +	11	9.7	36	1	1	10	12	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	5.1	12	1	2	4	7	10	12	15
B. Operated	69	4.1	14	1	1	2	7	10	11	15
2. MULTIPLE DX										
A. Not Operated	125	5.8	15	1	2	5	8	11	13	20
B. Operated	108	6.4	19	1	1	6	9	11	16	20
1. SINGLE DX	133	4.6	13	1	1	3	7	10	12	15
2. MULTIPLE DX	233	6.1	17	1	1	5	8	11	14	20
A. Not Operated	189	5.6	14	1	2	5	7	11	13	20
B. Operated	177	5.5	18	1	1	6	8	11	13	19
TOTAL										
0-19 YRS	9	4.8	41	< 1	< 1	2	4	16	21	21
20-34	96	5.1	15	1	1	4	8	10	13	16
35-49	140	5.2	12	1	1	5	7	9	11	16
50-64	67	6.1	15	1	1	6	9	11	13	19
65 +	54	6.8	25	1	1	5	11	12	18	21
GRAND TOTAL	**366**	**5.6**	**16**	**1**	**1**	**5**	**8**	**11**	**13**	**20**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	26	4.1	5	1	2	4	6	7	8	8
35-49	42	4.9	9	1	2	4	7	9	12	14
50-64	35	5.2	12	1	1	4	8	9	11	15
65 +	19	4.0	11	< 1	1	4	4	6	12	16
B. Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	33	1.8	3	< 1	1	1	2	5	5	7
35-49	31	2.4	6	1	1	1	3	7	8	9
50-64	17	2.8	8	< 1	1	1	4	8	9	9
65 +	4	6.0	34	1	1	6	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.3	1	4	4	5	6	6	6	6
20-34	24	4.5	9	1	1	4	7	8	10	11
35-49	44	5.3	19	1	2	4	6	10	14	25
50-64	42	5.6	9	1	2	5	7	9	12	15
65 +	89	5.8	14	2	2	5	7	10	13	21
B. Operated										
0-19 YRS	0									
20-34	14	2.7	5	< 1	1	1	5	6	7	7
35-49	37	4.1	28	1	1	2	5	7	18	26
50-64	20	6.6	10	1	1	7	8	11	12	12
65 +	22	5.1	14	1	1	4	7	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	4.7	9	1	1	4	6	9	11	15
B. Operated	88	2.4	6	< 1	1	1	3	7	8	11
2. MULTIPLE DX										
A. Not Operated	203	5.5	13	1	2	5	7	9	13	20
B. Operated	93	4.6	19	1	1	4	7	9	13	23
1. SINGLE DX	211	3.8	9	1	1	3	5	8	9	14
2. MULTIPLE DX	296	5.2	15	1	1	5	7	9	13	21
A. Not Operated	326	5.2	12	1	2	5	7	9	11	18
B. Operated	181	3.6	14	1	1	1	5	8	10	18
TOTAL										
0-19 YRS	8	4.4	3	1	2	5	6	6	6	6
20-34	97	3.2	6	1	1	2	5	7	8	10
35-49	154	4.3	17	1	1	3	6	8	13	25
50-64	114	5.2	11	1	1	5	7	9	12	15
65 +	134	5.4	14	1	2	5	7	10	13	20
GRAND TOTAL	**507**	**4.6**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.4	4	< 1	1	2	3	4	7	11
20-34	301	4.0	11	1	1	3	6	8	10	16
35-49	474	4.1	11	1	1	3	6	8	10	14
50-64	238	3.9	9	1	1	3	5	8	10	13
65 +	120	3.7	11	1	1	3	5	7	9	18
B. Operated										
0-19 YRS	33	3.8	7	1	1	4	6	7	8	10
20-34	464	2.3	7	1	1	1	3	6	8	12
35-49	707	2.7	9	< 1	1	1	4	7	8	14
50-64	560	3.5	9	1	1	2	5	8	9	13
65 +	528	5.0	16	1	1	5	8	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	3.4	13	1	1	2	4	7	13	17
20-34	392	5.4	26	1	1	4	6	11	16	25
35-49	728	5.9	31	1	1	4	7	11	18	30
50-64	634	5.4	27	1	1	4	7	11	16	25
65 +	980	5.7	22	1	1	5	7	11	14	25
B. Operated										
0-19 YRS	45	7.0	18	1	2	6	9	11	13	23
20-34	401	4.3	32	1	1	2	5	9	14	25
35-49	769	4.8	25	1	1	4	7	10	13	28
50-64	952	6.0	22	1	1	5	8	11	14	23
65 +	1419	8.1	32	1	1	7	10	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1168	4.0	10	1	1	3	5	8	10	15
B. Operated	2292	3.4	11	1	1	2	5	8	10	14
2. MULTIPLE DX										
A. Not Operated	2777	5.6	26	1	1	4	7	11	16	26
B. Operated	3586	6.4	30	1	1	6	9	13	16	26
1. SINGLE DX	3460	3.6	11	1	1	2	5	8	10	14
2. MULTIPLE DX	6363	6.1	28	1	1	5	8	12	16	26
A. Not Operated	3945	5.1	22	1	1	4	7	10	14	25
B. Operated	5878	5.2	25	1	1	4	8	11	14	23
TOTAL										
0-19 YRS	156	4.3	14	1	1	3	6	9	11	17
20-34	1558	3.9	20	1	1	2	5	8	12	23
35-49	2678	4.4	21	1	1	3	6	9	12	25
50-64	2384	5.0	20	1	1	4	7	10	13	21
65 +	3047	6.6	27	1	1	6	9	13	16	26
GRAND TOTAL	**9823**	**5.2**	**24**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	2.3	2	< 1	1	2	3	4	5	6
20-34	55	2.9	2	1	2	3	4	4	6	7
35-49	41	2.8	4	< 1	< 1	3	3	5	6	11
50-64	39	3.6	8	< 1	1	3	4	7	10	15
65 +	22	2.8	1	1	1	3	4	4	5	5
B. Operated										
0-19 YRS	93	1.7	2	< 1	< 1	1	2	4	6	7
20-34	323	1.8	2	< 1	< 1	1	2	3	4	6
35-49	552	1.9	2	< 1	1	2	2	3	4	6
50-64	323	2.0	2	< 1	< 1	2	2	4	5	9
65 +	104	2.4	3	< 1	< 1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	2.9	4	1	1	3	4	5	7	10
20-34	62	3.6	5	1	1	3	4	7	8	11
35-49	97	3.6	7	< 1	1	3	5	7	8	14
50-64	107	4.6	15	1	2	4	6	8	10	27
65 +	140	4.8	10	1	2	4	6	9	10	16
B. Operated										
0-19 YRS	48	3.7	20	< 1	1	2	4	7	14	23
20-34	280	2.6	7	< 1	1	2	3	5	7	14
35-49	570	2.6	5	1	1	2	3	5	7	11
50-64	486	3.0	8	1	1	2	3	6	8	15
65 +	267	3.8	20	1	1	2	5	8	11	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	224	2.8	3	1	1	2	4	5	6	11
B. Operated	1395	1.9	2	< 1	< 1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated	452	4.2	10	1	1	3	5	6	10	15
B. Operated	1651	2.9	9	1	1	2	3	6	8	15
1. SINGLE DX	1619	2.1	2	< 1	< 1	2	3	4	5	8
2. MULTIPLE DX	2103	3.2	9	1	1	2	4	6	8	15
A. Not Operated	676	3.7	8	1	1	3	5	7	8	14
B. Operated	3046	2.5	6	< 1	1	2	3	5	7	12
TOTAL										
0-19 YRS	254	2.5	6	< 1	< 1	2	3	5	6	14
20-34	720	2.4	4	< 1	1	2	3	4	6	10
35-49	1260	2.4	4	< 1	1	2	3	4	6	11
50-64	955	2.9	7	< 1	1	2	3	6	8	14
65 +	533	3.8	14	< 1	1	3	5	8	10	18
GRAND TOTAL	**3722**	**2.7**	**7**	**< 1**	**1**	**2**	**3**	**5**	**7**	**13**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	74	1.7	1	1	1	2	2	3	3	4
20-34	124	1.7	1	< 1	1	1	2	3	3	5
35-49	184	1.9	1	< 1	< 1	2	2	3	4	6
50-64	219	1.8	1	< 1	1	1	2	3	4	5
65 +	107	1.6	1	< 1	< 1	1	2	3	3	5
2. MULT!PLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	6	< 1	< 1	1	4	6	6	6
35-49	4	1.5		< 1	< 1	1	2	2	2	2
50-64	4	1.0		< 1	< 1	< 1	1	1	1	1
65 +	6	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	97	2.0	1	1	1	2	3	4	4	6
20-34	235	2.1	1	1	1	2	3	3	5	6
35-49	438	2.1	2	1	1	2	3	4	4	6
50-64	658	2.2	2	1	1	2	3	4	5	7
65 +	554	2.5	3	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	708	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	18	1.4	1	< 1	< 1	1	1	2	5	6
B. Operated	1982	2.2	2	1	1	2	3	4	5	7
1. SINGLE DX	708	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	2000	2.2	2	1	1	2	3	4	5	7
A. Not Operated	18	1.4	1	< 1	< 1	1	1	2	5	6
B. Operated	2690	2.1	2	< 1	1	2	3	4	4	6
TOTAL										
0-19 YRS	171	1.9	1	1	1	2	2	3	4	5
20-34	363	2.0	1	< 1	1	2	3	3	4	6
35-49	626	2.0	2	< 1	1	2	3	4	4	6
50-64	881	2.1	2	1	1	2	3	4	4	6
65 +	667	2.3	3	< 1	1	2	3	4	5	8
GRAND TOTAL	**2708**	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**4**	**6**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	56	1.1		< 1	< 1	1	1	1	2	6
20-34	65	1.3	1	< 1	< 1	< 1	1	2	3	8
35-49	64	1.4	1	< 1	< 1	1	1	2	3	7
50-64	45	1.5	1	< 1	< 1	1	2	3	3	4
65 +	20	1.7	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	9.0		9	9	9	9	9	9	9
50-64	5	3.2	3	< 1	< 1	4	4	5	5	5
65 +	4	2.3		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	9	1.2		< 1	< 1	1	1	2	2	2
20-34	44	1.7	1	< 1	< 1	1	2	3	4	5
35-49	44	2.3	4	< 1	< 1	2	3	4	5	11
50-64	35	2.4	3	< 1	1	2	3	5	6	7
65 +	47	4.0	12	< 1	1	2	6	9	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.9		1	1	2	2	3	3	3
B. Operated	250	1.3	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	11	3.2	5	< 1	1	2	4	7	9	9
B. Operated	179	2.5	6	< 1	< 1	2	3	5	8	11
1. SINGLE DX	259	1.4	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX	190	2.6	6	< 1	< 1	2	3	5	8	11
A. Not Operated	20	2.6	3	< 1	1	2	3	5	7	9
B. Operated	429	1.8	3	< 1	< 1	1	2	4	5	10
TOTAL										
0-19 YRS	65	1.2		< 1	< 1	1	1	1	2	5
20-34	112	1.5	1	< 1	< 1	1	2	3	4	7
35-49	112	1.8	3	< 1	< 1	1	2	3	5	10
50-64	88	2.0	2	< 1	< 1	2	2	4	5	7
65 +	72	3.2	9	< 1	< 1	2	4	8	10	16
GRAND TOTAL	**449**	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	6.5	21	1	2	6	7	14	16	21
20-34	9	6.8	34	< 1	1	6	9	16	20	20
35-49	8	3.6	3	2	2	3	5	6	6	6
50-64	10	6.1	15	1	1	6	7	12	15	15
65 +	11	9.3	51	3	3	5	15	21	22	22
B. Operated										
0-19 YRS	75	7.5	22	1	3	7	9	13	16	26
20-34	54	7.3	33	< 1	1	6	10	16	19	24
35-49	51	6.1	24	1	2	5	8	11	14	30
50-64	45	8.0	71	1	1	6	11	15	23	47
65 +	36	7.4	51	< 1	1	6	10	14	21	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	9.3	35	3	3	8	12	17	21	32
20-34	38	7.5	34	1	2	5	12	17	20	21
35-49	51	9.0	49	1	2	7	11	18	21	42
50-64	54	10.7	124	2	3	8	12	22	23	77
65 +	93	12.6	105	3	4	10	14	24	34	53
B. Operated										
0-19 YRS	114	12.3	113	1	3	8	17	28	34	50
20-34	185	13.0	126	2	3	10	16	32	41	99 +
35-49	251	13.3	169	2	3	10	16	27	44	86
50-64	290	13.6	182	2	3	9	16	29	44	73
65 +	360	14.9	166	2	3	11	18	31	43	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	6.5	24	1	2	5	8	14	20	21
B. Operated	261	7.2	37	1	1	6	9	14	18	31
2. MULTIPLE DX										
A. Not Operated	323	10.2	74	2	3	8	13	20	23	46
B. Operated	1200	13.7	159	2	3	10	17	30	43	67
1. SINGLE DX	363	7.0	33	1	2	6	9	14	18	30
2. MULTIPLE DX	1523	13.0	143	2	3	9	16	27	40	63
A. Not Operated	425	9.3	65	2	3	7	12	19	22	43
B. Operated	1461	12.5	144	1	3	9	15	27	40	63
TOTAL										
0-19 YRS	340	9.4	61	1	3	7	12	20	25	38
20-34	286	11.0	100	1	2	8	14	24	37	85
35-49	361	11.4	136	2	2	8	14	22	35	63
50-64	399	12.4	161	2	2	8	14	25	38	73
65 +	500	13.8	148	2	3	11	17	29	42	60
GRAND TOTAL	**1886**	**11.8**	**128**	**2**	**3**	**9**	**14**	**24**	**36**	**61**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	3.7	15	< 1	< 1	2	5	8	13	17
20-34	26	2.3	3	< 1	1	2	3	4	6	8
35-49	40	2.2	6	< 1	1	2	2	3	4	16
50-64	50	2.6	4	1	1	2	3	5	8	9
65 +	92	4.0	8	1	1	3	5	7	11	14
B. Operated										
0-19 YRS	497	3.0	12	1	1	2	4	6	8	16
20-34	478	2.9	6	1	1	2	4	5	7	13
35-49	309	3.7	17	< 1	1	3	5	7	8	12
50-64	228	4.3	10	1	1	4	6	8	10	12
65 +	141	6.7	16	1	2	7	9	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.9	16	< 1	1	3	5	8	16	17
20-34	82	3.5	13	< 1	1	2	4	8	11	19
35-49	191	3.1	8	1	1	2	4	7	9	16
50-64	338	5.8	43	1	1	4	7	11	15	32
65 +	2259	6.7	25	2	2	6	8	12	15	24
B. Operated										
0-19 YRS	267	3.6	13	1	1	2	4	7	11	20
20-34	570	4.4	30	1	1	3	5	9	11	29
35-49	532	5.6	43	1	1	4	7	11	15	33
50-64	587	7.5	38	1	2	6	10	14	18	33
65 +	1073	10.8	57	2	3	9	13	18	24	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	246	3.2	8	1	1	2	4	6	8	16
B. Operated	1653	3.6	12	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	2900	6.2	27	1	2	5	8	12	15	24
B. Operated	3029	7.4	49	1	1	6	10	15	19	34
1. SINGLE DX	1899	3.6	12	1	1	2	5	7	9	15
2. MULTIPLE DX	5929	6.8	39	1	1	5	9	13	17	31
A. Not Operated	3146	6.0	26	1	2	5	8	11	14	24
B. Operated	4682	6.1	40	1	1	4	8	13	16	31
TOTAL										
0-19 YRS	832	3.3	13	1	1	2	4	7	9	17
20-34	1156	3.7	19	1	1	2	4	8	10	19
35-49	1072	4.5	29	1	1	3	6	9	12	23
50-64	1203	6.2	35	1	1	5	8	12	16	31
65 +	3565	7.8	38	2	2	6	10	14	18	31
GRAND TOTAL	**7828**	**6.0**	**34**	**1**	**1**	**4**	**8**	**12**	**16**	**29**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	103	2.6	18	1	1	2	3	4	5	29
20-34	33	2.5	2	< 1	1	2	3	5	6	7
35-49	20	2.5	3	< 1	< 1	2	3	5	6	7
50-64	13	2.8	5	< 1	< 1	2	4	6	8	8
65 +	15	3.1	7	< 1	< 1	2	4	6	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.5	17	< 1	< 1	1	5	10	13	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	6.7	31	1	1	5	8	16	17	17
50-64	6	13.0	306	1	1	3	24	42	44	44
65 +	10	8.9	31	2	3	7	13	17	20	20
B. Operated										
0-19 YRS	219	3.6	42	1	1	2	4	6	7	54
20-34	107	3.8	17	1	1	3	4	7	10	24
35-49	98	4.3	23	1	1	3	5	9	12	32
50-64	90	5.2	51	1	1	3	5	12	15	47
65 +	80	5.7	20	1	1	5	7	10	15	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated	184	2.7	12	< 1	1	2	3	5	6	17
2. MULTIPLE DX										
A. Not Operated	35	7.2	76	< 1	< 1	4	8	17	23	44
B. Operated	594	4.3	33	1	1	3	5	8	12	34
1. SINGLE DX	186	2.6	11	< 1	1	2	3	5	6	16
2. MULTIPLE DX	629	4.4	36	1	1	3	5	8	13	35
A. Not Operated	37	6.9	73	< 1	< 1	4	8	16	23	44
B. Operated	778	3.9	28	1	1	3	4	7	10	34
TOTAL										
0-19 YRS	334	3.3	33	1	1	2	4	5	7	40
20-34	142	3.5	13	1	1	3	4	6	9	18
35-49	125	4.1	21	1	1	3	5	8	11	30
50-64	109	5.3	61	1	1	3	5	12	15	48
65 +	105	5.6	21	1	1	4	7	11	15	22
GRAND TOTAL	**815**	**4.0**	**31**	**1**	**1**	**3**	**4**	**7**	**11**	**34**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	3.0	3	1	1	3	4	5	5	5
35-49	6	7.2	55	2	2	4	7	20	22	22
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	5	3.2	8	1	1	2	4	8	8	8
B. Operated										
0-19 YRS	0									
20-34	5	2.8	9	1	1	1	4	8	8	8
35-49	6	1.8	2	< 1	< 1	1	3	4	4	4
50-64	6	1.7	3	< 1	< 1	1	1	5	5	5
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	3.6	6	< 1	< 1	3	6	7	7	7
35-49	9	4.3	12	< 1	< 1	4	7	9	11	11
50-64	15	4.2	6	1	1	4	7	7	8	8
65 +	29	5.5	10	1	2	5	7	11	12	12
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	7.2	32	3	3	5	9	17	17	17
35-49	10	3.9	27	1	1	1	4	12	17	17
50-64	14	5.8	23	1	1	4	9	13	15	16
65 +	6	9.5	86	1	1	6	14	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.9	18	1	1	3	4	7	12	22
B. Operated	19	1.9	4	< 1	< 1	1	2	5	7	8
2. MULTIPLE DX										
A. Not Operated	62	4.7	9	1	1	4	7	10	11	12
B. Operated	36	5.9	35	1	1	4	8	16	17	26
1. SINGLE DX	43	3.0	13	< 1	1	2	4	6	8	22
2. MULTIPLE DX	98	5.2	19	1	1	4	7	11	14	22
A. Not Operated	86	4.5	12	1	1	4	6	8	11	18
B. Operated	55	4.6	25	1	1	2	6	13	17	26
TOTAL										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	27	3.9	11	< 1	1	3	5	7	9	17
35-49	31	4.3	24	< 1	1	3	5	9	17	22
50-64	37	4.3	13	1	1	3	7	9	12	16
65 +	42	5.6	22	1	1	4	7	11	13	26
GRAND TOTAL	**141**	**4.5**	**18**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.9	1	< 1	1	1	3	3	4	6
20-34	45	2.5	3	1	1	2	3	5	7	8
35-49	62	2.5	4	1	1	2	3	5	7	9
50-64	46	2.3	3	< 1	1	2	3	5	6	10
65 +	37	3.0	15	1	1	2	3	4	5	25
B. Operated										
0-19 YRS	211	4.8	13	< 1	1	5	8	9	10	15
20-34	241	3.5	9	< 1	1	2	5	8	9	14
35-49	287	2.9	9	< 1	1	2	4	7	8	18
50-64	279	2.2	4	< 1	< 1	1	3	4	7	11
65 +	155	2.3	5	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	2.6	6	< 1	1	2	4	6	10	12
20-34	131	3.6	13	1	1	3	5	7	11	21
35-49	223	3.3	8	< 1	1	2	4	7	9	13
50-64	238	3.8	15	< 1	1	2	5	9	12	18
65 +	395	4.8	15	1	1	4	6	10	12	22
B. Operated										
0-19 YRS	374	4.8	48	< 1	1	2	6	11	17	36
20-34	427	4.7	34	1	1	3	6	11	15	26
35-49	478	5.4	40	1	1	3	7	12	18	30
50-64	497	5.3	52	1	1	3	7	11	18	33
65 +	49[illegible]	5.7	54	1	1	3	7	12	16	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	221	2.5	5	1	1	2	3	5	6	9
B. Operated	1173	3.1	9	< 1	1	2	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	1038	4.0	13	1	1	3	5	8	11	19
B. Operated	2275	5.2	46	1	1	3	7	12	17	33
1. SINGLE DX	1394	3.0	8	< 1	1	2	4	7	9	14
2. MULTIPLE DX	3313	4.8	36	1	1	3	6	11	15	29
A. Not Operated	1259	3.7	12	1	1	3	5	8	11	18
B. Operated	3448	4.5	34	< 1	1	2	6	10	14	28
TOTAL										
0-19 YRS	667	4.5	32	< 1	1	2	7	10	13	30
20-34	844	4.1	22	1	1	2	5	9	12	22
35-49	1050	4.1	24	1	1	2	5	9	13	23
50-64	1060	4.0	31	< 1	1	2	5	9	12	26
65 +	1086	4.8	33	1	1	3	6	10	14	27
GRAND TOTAL	**4707**	**4.3**	**28**	**1**	**1**	**2**	**6**	**9**	**13**	**25**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	14	5.3	13	1	2	5	6	9	14	16
35-49	6	4.2	4	1	1	4	5	7	7	7
50-64	3	3.7	4	2	2	3	5	6	6	6
65 +	5	2.6	1	1	1	3	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	6	2.5	8	1	1	1	3	7	8	8
35-49	6	4.8	39	1	1	2	6	16	17	17
50-64	4	2.0	2	1	1	2	3	4	4	4
65 +	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3	2	3	3	4	5	6	6	6
B. Operated	5	3.8	9	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	29	4.3	8	1	1	4	5	7	8	16
B. Operated	18	3.0	16	1	1	1	3	7	13	17
1. SINGLE DX	8	4.0	6	1	1	3	6	7	8	8
2. MULTIPLE DX	47	3.8	12	1	1	3	5	7	9	17
A. Not Operated	32	4.3	8	1	1	4	5	7	8	16
B. Operated	23	3.2	14	1	1	1	4	8	11	17
TOTAL										
0-19 YRS	2	3.5	13	< 1	< 1	3	6	6	6	6
20-34	22	4.4	12	1	1	4	6	8	11	16
35-49	15	4.5	17	1	1	4	6	8	15	17
50-64	9	2.7	3	1	1	2	3	5	6	6
65 +	7	2.1	1	1	1	2	3	4	4	4
GRAND TOTAL	**55**	**3.8**	**11**	**1**	**1**	**3**	**5**	**7**	**8**	**17**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	5.2	94	< 1	< 1	3	3	20	31	31
20-34	5	3.4	2	1	1	4	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	47	4.1	4	1	1	4	6	7	8	9
20-34	5	6.0	4	4	4	6	7	9	9	9
35-49	14	7.4	16	1	2	7	8	12	17	18
50-64	2	1.0		1	1	1	1	1	1	1
65 +	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	3.2	7	1	1	2	4	6	8	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65 +	9	6.9	44	2	2	4	8	18	23	23
B. Operated										
0-19 YRS	82	8.1	59	1	1	6	10	17	22	41
20-34	10	11.3	68	4	4	9	13	25	29	29
35-49	11	16.5	105	4	4	13	22	33	35	35
50-64	5	14.4	59	5	5	15	18	26	26	26
65 +	6	6.8	15	3	3	6	7	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.3	56	< 1	1	3	4	5	24	31
B. Operated	70	4.8	8	1	1	4	7	8	9	17
2. MULTIPLE DX										
A. Not Operated	59	3.9	13	1	1	3	5	7	10	22
B. Operated	114	9.4	68	1	2	7	12	21	28	41
1. SINGLE DX	85	4.8	16	1	1	4	6	8	9	26
2. MULTIPLE DX	173	7.5	56	1	1	5	10	15	23	39
A. Not Operated	74	4.0	21	1	1	3	4	7	10	29
B. Operated	184	7.6	50	1	1	6	9	15	22	38
TOTAL										
0-19 YRS	184	5.7	38	1	1	4	7	11	17	37
20-34	21	7.7	45	2	3	5	9	17	25	29
35-49	28	10.5	72	1	2	8	13	22	32	35
50-64	8	10.1	72	1	1	9	15	23	26	26
65 +	17	6.6	28	2	2	5	7	13	20	23
GRAND TOTAL	**258**	**6.6**	**44**	**1**	**1**	**5**	**8**	**14**	**21**	**35**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.1		< 1	< 1	< 1	1	1	2	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	191	1.5	2	< 1	< 1	1	1	3	4	7
20-34	25	1.8	2	< 1	1	1	2	4	6	6
35-49	25	1.3		< 1	1	1	2	2	3	4
50-64	16	1.4		< 1	< 1	1	2	2	3	3
65 +	4	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	1.4	1	< 1	< 1	1	1	3	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	89	1.7	2	< 1	1	1	2	3	4	7
20-34	22	2.6	7	< 1	< 1	2	3	6	9	12
35-49	10	4.8	79	< 1	< 1	2	3	17	30	30
50-64	13	1.8	1	< 1	< 1	1	2	4	4	4
65 +	14	2.0	2	1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	1.2		< 1	< 1	< 1	1	2	3	3
B. Operated	261	1.5	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	12	1.3	1	< 1	< 1	1	1	3	4	4
B. Operated	148	2.1	8	< 1	1	1	2	4	5	12
1. SINGLE DX	286	1.5	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	160	2.0	7	< 1	1	1	2	4	5	12
A. Not Operated	37	1.2		< 1	< 1	1	1	2	3	4
B. Operated	409	1.7	4	< 1	< 1	1	2	3	4	7
TOTAL										
0-19 YRS	315	1.5	2	< 1	< 1	1	2	3	4	7
20-34	49	2.2	4	< 1	1	1	2	5	6	12
35-49	35	2.3	24	< 1	1	1	2	3	4	30
50-64	29	1.6	1	< 1	< 1	1	2	3	4	4
65 +	18	2.0	2	1	1	2	3	4	5	5
GRAND TOTAL	**446**	**1.7**	**4**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**7**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.2	3	< 1	< 1	1	3	4	7	7
20-34	8	2.6	2	1	1	2	4	5	5	5
35-49	3	5.0	48	1	1	1	10	13	13	13
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	370	3.9	8	< 1	< 1	4	6	7	8	13
20-34	48	4.1	12	< 1	< 1	3	7	9	9	15
35-49	49	3.1	7	< 1	1	2	6	7	8	10
50-64	19	4.6	15	1	1	3	8	10	12	13
65 +	6	5.8	25	< 1	< 1	5	9	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	4.7	47	< 1	< 1	3	5	9	13	41
20-34	21	3.0	8	< 1	< 1	2	4	5	9	14
35-49	13	3.1	6	< 1	< 1	2	4	7	9	9
50-64	8	5.8	15	1	1	5	8	12	12	12
65 +	18	6.3	88	1	2	4	6	8	29	43
B. Operated										
0-19 YRS	778	7.8	97	< 1	< 1	6	9	16	30	67
20-34	100	6.1	27	< 1	1	6	9	11	15	27
35-49	67	8.0	67	1	1	7	10	16	22	48
50-64	59	7.5	52	1	1	7	10	14	20	39
65 +	44	8.5	92	< 1	1	6	12	18	25	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.5	6	< 1	1	2	3	5	7	13
B. Operated	492	3.9	9	< 1	< 1	4	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	170	4.6	42	< 1	1	3	5	9	12	42
B. Operated	1048	7.6	86	< 1	1	6	9	15	27	50
1. SINGLE DX	530	3.8	9	< 1	< 1	3	6	8	9	13
2. MULTIPLE DX	1218	7.2	81	< 1	1	5	9	14	24	50
A. Not Operated	208	4.2	36	< 1	1	3	5	8	12	41
B. Operated	1540	6.4	64	< 1	1	5	8	13	19	48
TOTAL										
0-19 YRS	1283	6.3	69	< 1	< 1	5	8	12	20	49
20-34	177	5.1	21	< 1	1	4	8	10	13	20
35-49	132	5.6	44	1	1	4	7	11	16	40
50-64	88	6.6	41	1	1	6	9	12	15	37
65 +	68	7.7	85	1	1	5	10	16	22	49
GRAND TOTAL	**1748**	**6.2**	**61**	**< 1**	**1**	**5**	**8**	**12**	**18**	**45**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	328	2.1	1	1	1	2	3	3	4	6
20-34	7	2.0	1	1	1	2	3	3	3	3
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	1.6	1	< 1	< 1	< 1	2	3	5	5
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	320	2.7	11	1	1	2	3	4	5	8
20-34	9	2.2	2	1	1	2	3	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	338	2.1		1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	14	1.6	1	< 1	< 1	< 1	2	3	5	5
B. Operated	331	2.7	11	1	1	2	3	4	5	8
1. SINGLE DX	339	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	345	2.6	11	1	1	2	3	4	5	8
A. Not Operated	15	1.7	1	< 1	< 1	< 1	2	3	5	5
B. Operated	669	2.4	6	1	1	2	3	4	5	6
TOTAL										
0-19 YRS	662	2.4	6	1	1	2	3	4	5	6
20-34	17	2.1	1	< 1	1	2	3	4	4	4
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**684**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**6**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.9	1	< 1	< 1	2	2	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	298	2.9	1	2	2	3	3	4	5	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.2	3	1	1	3	4	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	121	3.8	3	2	2	4	5	6	7	11
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.9	1	< 1	< 1	2	2	4	4	4
B. Operated	298	2.9	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	5	3.2	3	1	1	3	4	6	6	6
B. Operated	121	3.8	3	2	2	4	5	6	7	11
1. SINGLE DX	307	2.9	1	1	2	3	3	4	5	7
2. MULTIPLE DX	126	3.8	3	2	2	3	5	6	6	11
A. Not Operated	14	2.4	2	< 1	1	2	3	4	6	6
B. Operated	419	3.2	2	2	2	3	4	5	5	9
TOTAL										
0-19 YRS	433	3.1	2	2	2	3	4	5	5	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**433**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**9**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.0	2	< 1	< 1	1	2	4	5	8
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	154	4.3	19	< 1	1	3	6	9	9	14
20-34	25	4.4	3	1	1	5	6	6	7	7
35-49	20	3.8	9	1	1	3	6	8	9	10
50-64	11	4.4	29	1	1	2	6	12	18	19
65 +	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	4.7	33	< 1	1	3	6	10	14	33
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	3.2	3	1	1	3	5	5	5	5
50-64	6	4.0	3	< 1	< 1	5	5	5	5	5
65 +	11	5.0	10	1	1	5	6	10	12	12
B. Operated										
0-19 YRS	263	6.3	33	1	1	5	8	14	19	39
20-34	42	7.0	54	1	2	6	8	12	13	49
35-49	24	6.0	9	1	2	6	8	10	11	12
50-64	30	6.5	9	1	2	7	8	10	11	14
65 +	34	10.5	80	1	1	9	11	22	35	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.0	2	< 1	< 1	1	2	4	5	8
B. Operated	213	4.3	16	< 1	1	4	6	9	9	16
2. MULTIPLE DX										
A. Not Operated	114	4.5	27	< 1	1	3	6	9	13	32
B. Operated	393	6.7	37	1	1	6	8	12	17	41
1. SINGLE DX	253	3.9	15	< 1	1	3	6	8	9	14
2. MULTIPLE DX	507	6.2	36	1	1	5	8	12	16	39
A. Not Operated	154	3.9	22	< 1	1	2	5	8	12	31
B. Operated	606	5.9	31	1	1	5	8	11	[illegible]	39
TOTAL										
0-19 YRS	543	5.2	28	< 1	1	4	7	10	15	34
20-34	70	5.9	35	1	1	5	7	9	12	42
35-49	51	4.7	9	1	1	4	7	9	10	12
50-64	47	5.7	13	1	1	6	8	10	11	19
65 +	49	8.6	65	1	1	8	10	15	23	41
GRAND TOTAL	**760**	**5.5**	**30**	**1**	**1**	**4**	**7**	**10**	**14**	**35**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	198	1.1		< 1	< 1	1	1	2	2	3
20-34	11	1.5	1	< 1	< 1	1	2	3	4	4
35-49	6	1.2		< 1	< 1	1	1	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	134	1.4	1	< 1	< 1	1	1	3	4	6
20-34	10	1.6		< 1	< 1	1	2	3	3	3
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	217	1.1		< 1	< 1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	150	1.5	1	< 1	< 1	1	1	3	4	7
1. SINGLE DX	218	1.1		< 1	< 1	1	1	2	2	3
2. MULTIPLE DX	152	1.5	1	< 1	< 1	1	1	3	4	7
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	367	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL										
0-19 YRS	335	1.2	1	< 1	< 1	1	1	2	3	5
20-34	21	1.5	1	< 1	< 1	1	2	3	3	4
35-49	11	1.5		< 1	< 1	1	2	3	3	3
50-64	3	3.0	12	1	1	1	6	7	7	7
65 +	0									
GRAND TOTAL	**370**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**5**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.1		< 1	< 1	1	1	2	2	2
20-34	4	3.3	15	1	1	2	5	9	9	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	322	2.4	5	< 1	< 1	1	3	5	6	12
20-34	62	2.9	5	< 1	1	2	4	6	7	12
35-49	33	3.2	4	< 1	1	3	4	6	8	8
50-64	11	4.6	8	1	1	5	7	9	9	9
65 +	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.8	4	< 1	< 1	3	4	5	31	99 +
20-34	32	2.5	4	1	1	2	3	4	7	11
35-49	46	3.7	6	1	2	3	4	8	10	11
50-64	14	3.1	2	< 1	1	3	4	5	5	5
65 +	9	2.3	2	1	1	2	3	5	5	5
B. Operated										
0-19 YRS	263	3.6	8	< 1	1	3	5	7	9	12
20-34	106	4.3	14	1	1	3	5	9	11	21
35-49	94	4.8	9	1	1	4	7	8	11	14
50-64	47	5.9	12	1	2	5	8	10	10	20
65 +	36	7.9	48	1	1	6	11	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.2	6	< 1	< 1	1	2	6	8	9
B. Operated	431	2.6	5	< 1	1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	125	3.1	4	< 1	1	3	4	5	9	33
B. Operated	546	4.4	13	1	1	4	6	9	11	19
1. SINGLE DX	446	2.6	5	< 1	1	2	4	5	7	12
2. MULTIPLE DX	671	4.2	12	1	1	3	5	8	11	18
A. Not Operated	140	3.0	5	< 1	1	3	4	5	9	19
B. Operated	977	3.6	10	< 1	1	3	5	8	10	14
TOTAL										
0-19 YRS	618	2.9	6	< 1	1	2	4	6	8	12
20-34	204	3.6	10	1	1	3	4	7	10	18
35-49	174	4.2	7	1	1	4	5	8	10	14
50-64	73	5.2	10	1	1	5	7	9	10	18
65 +	48	6.6	41	1	1	5	9	13	19	35
GRAND TOTAL	**1117**	**3.5**	**10**	**< 1**	**1**	**3**	**5**	**7**	**9**	**14**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	208	2.0	1	1	1	2	2	[illegible]	4	6
20-34	6	2.2	3	< 1	< 1	2	3	5	5	5
35-49	5	4.0	1	3	3	4	5	5	5	5
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.3	1	< 1	< 1	1	1	3	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	146	2.4	6	< 1	1	2	3	4	5	13
20-34	42	2.5	3	< 1	1	2	3	5	6	8
35-49	32	2.2	2	< 1	1	2	3	4	4	7
50-64	21	2.3	1	1	1	2	3	4	4	4
65 +	15	2.1	2	< 1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	223	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	10	1.7	2	< 1	< 1	1	1	4	5	5
B. Operated	256	2.4	4	< 1	1	2	3	4	5	8
1. SINGLE DX	227	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX	266	2.4	4	< 1	1	2	3	4	5	8
A. Not Operated	14	1.5	2	< 1	< 1	1	1	4	5	5
B. Operated	479	2.2	3	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	367	2.1	3	< 1	1	2	3	3	4	8
20-34	48	2.5	3	< 1	1	2	3	5	5	8
35-49	37	2.5	2	< 1	1	2	3	4	5	7
50-64	24	2.2	1	1	1	2	3	4	4	4
65 +	17	2.5	3	< 1	1	2	3	5	6	6
GRAND TOTAL	**493**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**7**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	2.9	19	< 1	< 1	1	2	7	15	21
20-34	4	4.3	7	2	2	3	6	8	8	8
35-49	10	4.0	4	1	1	4	6	7	7	7
50-64	8	3.0	8	1	1	2	5	8	8	8
65 +	3	5.7	17	< 1	< 1	7	8	9	9	9
B. Operated										
0-19 YRS	773	2.9	8	< 1	1	2	4	6	7	15
20-34	170	3.2	7	1	1	2	5	7	9	10
35-49	111	3.0	8	1	1	1	5	8	9	11
50-64	46	4.3	25	1	1	2	6	9	19	21
65 +	14	3.0	7	< 1	1	2	5	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	3.9	18	< 1	< 1	2	5	8	14	21
20-34	22	4.6	14	< 1	< 1	4	8	10	12	13
35-49	15	3.7	11	< 1	< 1	2	6	8	11	12
50-64	25	4.1	14	< 1	1	3	5	8	14	14
65 +	30	5.8	10	2	3	5	8	10	13	14
B. Operated										
0-19 YRS	397	4.8	48	< 1	1	3	5	10	16	44
20-34	116	5.6	18	1	1	5	8	10	15	21
35-49	130	6.5	26	1	1	6	8	12	16	25
50-64	104	6.8	34	1	1	6	10	12	16	32
65 +	67	7.7	65	1	1	6	10	14	24	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	3.2	16	< 1	< 1	1	4	8	11	20
B. Operated	1114	3.0	9	< 1	1	2	4	7	8	15
2. MULTIPLE DX										
A. Not Operated	184	4.3	15	< 1	< 1	3	6	9	13	19
B. Operated	814	5.7	41	1	1	4	7	11	16	35
1. SINGLE DX	1205	3.0	9	< 1	1	2	4	7	8	15
2. MULTIPLE DX	998	5.4	36	1	1	4	7	11	15	27
A. Not Operated	275	3.9	15	< 1	< 1	3	5	8	13	20
B. Operated	1928	4.1	24	< 1	1	3	6	9	11	23
TOTAL										
0-19 YRS	1328	3.5	22	< 1	1	2	4	7	10	21
20-34	312	4.2	13	1	1	3	6	9	10	19
35-49	266	4.8	19	1	1	4	7	10	12	24
50-64	183	5.7	30	1	1	4	8	11	15	22
65 +	114	6.6	44	1	1	5	9	12	15	41
GRAND TOTAL	**2203**	**4.1**	**23**	**< 1**	**1**	**3**	**6**	**9**	**12**	**22**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2779	2.3	4	1	1	2	2	3	4	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	4.5	23	< 1	< 1	3	6	11	16	21
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1620	6.3	81	1	1	3	7	15	23	47
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	154	17.0	379	1	2	10	23	53	69	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2779	2.3	4	1	1	2	2	3	4	10
B. Operated	28	4.5	23	< 1	< 1	3	6	11	16	21
2. MULTIPLE DX										
A. Not Operated	1620	6.3	81	1	1	3	7	15	23	47
B. Operated	154	17.0	379	1	2	10	23	53	69	99 +
1. SINGLE DX	2807	2.3	4	1	1	2	2	3	4	11
2. MULTIPLE DX	1774	7.2	116	1	1	3	8	18	28	67
A. Not Operated	4399	3.8	36	1	1	2	3	7	13	32
B. Operated	182	15.0	344	1	1	9	19	49	69	99 +
TOTAL										
0-19 YRS	4581	4.2	53	1	1	2	3	8	15	37
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**4581**	**4.2**	**53**	**1**	**1**	**2**	**3**	**8**	**15**	**37**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	610	1.8	2	< 1	1	1	2	3	4	8
20-34	206	1.8	1	< 1	1	1	2	3	4	7
35-49	126	2.0	2	< 1	1	2	2	3	4	9
50-64	93	2.1	2	1	1	2	3	4	5	8
65 +	94	2.7	7	1	1	2	3	5	6	17
B. Operated										
0-19 YRS	4	4.0	22	1	1	2	7	11	11	11
20-34	5	3.6	18	< 1	< 1	2	5	11	11	11
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	3.3	3	1	1	3	4	5	5	5
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1231	2.3	4	1	1	2	3	4	5	11
20-34	434	2.6	9	1	1	2	3	5	7	15
35-49	447	3.3	13	1	1	2	4	7	9	15
50-64	500	3.7	15	1	1	3	4	7	10	22
65 +	1021	4.6	14	1	2	4	6	9	12	18
B. Operated										
0-19 YRS	26	2.8	7	< 1	1	2	3	8	9	10
20-34	35	6.1	45	1	1	3	8	18	21	25
35-49	41	5.0	20	1	1	4	6	13	15	17
50-64	37	10.2	73	1	2	8	16	19	20	45
65 +	77	8.3	40	1	2	7	11	17	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1129	1.9	2	< 1	1	1	2	3	5	8
B. Operated	16	3.6	11	< 1	1	2	4	10	11	11
2. MULTIPLE DX										
A. Not Operated	3633	3.3	11	1	1	2	4	7	9	16
B. Operated	216	7.0	44	1	1	5	10	16	20	29
1. SINGLE DX	1145	1.9	3	< 1	1	1	2	3	5	8
2. MULTIPLE DX	3849	3.5	13	1	1	2	4	7	10	18
A. Not Operated	4762	3.0	9	1	1	2	4	6	8	15
B. Operated	232	6.7	42	1	1	4	10	16	19	29
TOTAL										
0-19 YRS	1871	2.1	4	1	1	2	2	4	5	10
20-34	680	2.6	9	1	1	2	3	5	7	16
35-49	616	3.2	11	1	1	2	4	6	9	15
50-64	634	3.9	19	1	1	3	4	8	12	22
65 +	1193	4.7	16	1	1	4	6	9	12	20
GRAND TOTAL	**4994**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	241	2.7	3	1	1	2	3	4	5	10
20-34	30	3.3	5	1	1	3	4	6	7	10
35-49	25	4.8	8	2	2	4	7	8	10	11
50-64	29	3.2	3	1	1	3	4	5	8	8
65 +	24	3.4	3	1	1	3	5	6	6	7
B. Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	1	12.0		12	12	12	12	12	12	12
35-49	6	7.2	16	3	3	6	12	12	12	12
50-64	7	7.9	1	7	7	8	9	9	9	9
65 +	6	9.3	9	5	5	10	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	623	3.2	6	1	1	3	4	5	7	12
20-34	190	4.0	7	1	2	3	5	7	9	13
35-49	255	5.1	19	1	2	4	6	9	14	26
50-64	360	5.2	12	2	2	4	7	9	11	19
65 +	742	5.3	18	2	2	4	7	9	11	21
B. Operated										
0-19 YRS	26	6.6	44	1	1	5	7	17	20	30
20-34	45	8.5	92	2	2	6	10	17	20	62
35-49	52	8.3	42	2	2	7	11	17	22	34
50-64	82	8.1	39	2	3	6	11	15	19	34
65 +	135	11.4	74	2	4	10	14	21	26	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	349	3.0	4	1	1	3	3	5	7	10
B. Operated	23	7.6	11	2	3	7	11	12	12	12
2. MULTIPLE DX										
A. Not Operated	2170	4.6	13	1	2	4	6	8	11	19
B. Operated	340	9.4	63	2	2	7	12	17	23	39
1. SINGLE DX	372	3.3	5	1	1	3	4	7	8	12
2. MULTIPLE DX	2510	5.2	23	1	2	4	6	10	13	24
A. Not Operated	2519	4.3	12	1	2	3	5	8	10	17
B. Operated	363	9.3	60	2	3	7	12	17	22	37
TOTAL										
0-19 YRS	893	3.2	6	1	1	3	4	5	7	13
20-34	266	4.7	24	1	2	4	6	9	11	17
35-49	338	5.6	23	1	2	4	7	11	16	26
50-64	478	5.6	17	2	2	4	7	10	14	23
65 +	907	6.2	31	2	2	5	7	11	15	28
GRAND TOTAL	**2882**	**5.0**	**21**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	1.8	1	< 1	1	1	2	3	4	5
20-34	94	2.4	3	< 1	1	2	3	4	6	9
35-49	65	1.9	1	< 1	1	2	3	3	4	6
50-64	23	2.9	7	1	1	3	4	4	8	14
65 +	10	2.2	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	15	3.1	21	< 1	1	2	3	6	16	19
35-49	10	1.6	1	< 1	< 1	1	2	3	4	4
50-64	10	1.3		1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	2.6	3	< 1	1	2	3	4	6	10
20-34	223	3.4	9	1	1	3	4	7	8	18
35-49	205	3.1	7	1	1	2	4	6	7	14
50-64	153	3.4	10	1	1	2	4	7	9	12
65 +	136	3.7	12	1	1	3	4	7	9	18
B. Operated										
0-19 YRS	4	4.8	6	1	1	6	6	6	6	6
20-34	20	6.8	152	< 1	1	2	6	15	36	55
35-49	27	5.9	135	< 1	1	3	5	9	20	52
50-64	20	5.5	20	1	1	4	8	13	15	16
65 +	21	4.7	11	1	1	3	7	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	228	2.2	3	< 1	1	2	3	4	5	9
B. Operated	39	2.1	9	< 1	1	1	2	3	5	19
2. MULTIPLE DX										
A. Not Operated	780	3.3	9	1	1	3	4	6	8	17
B. Operated	92	5.7	78	1	1	3	7	12	15	59
1. SINGLE DX	267	2.2	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX	872	3.5	16	1	1	3	4	7	9	18
A. Not Operated	1008	3.0	8	1	1	2	4	6	8	15
B. Operated	131	4.6	60	1	1	2	6	9	14	56
TOTAL										
0-19 YRS	106	2.3	3	< 1	1	2	3	4	6	9
20-34	352	3.3	17	1	1	2	4	6	8	19
35-49	307	3.0	17	1	1	2	4	6	7	14
50-64	206	3.4	11	1	1	2	4	8	9	15
65 +	168	3.7	11	1	1	3	4	7	9	18
GRAND TOTAL	**1139**	**3.2**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.4	2	1	1	2	3	5	5	5
20-34	21	2.3	1	< 1	1	2	3	4	4	4
35-49	32	2.9	2	1	1	3	4	5	5	5
50-64	43	2.6	3	< 1	< 1	2	3	5	6	7
65 +	47	1.9	2	< 1	1	2	2	4	5	6
B. Operated										
0-19 YRS	6	2.5	8	1	1	2	2	7	8	8
20-34	30	3.0	2	1	1	3	4	6	6	6
35-49	32	3.6	2	2	2	3	5	6	6	7
50-64	52	2.8	2	< 1	1	3	4	5	5	7
65 +	67	3.1	4	< 1	1	3	4	6	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.7	1	< 1	< 1	1	2	3	4	4
20-34	20	2.3	2	< 1	< 1	2	3	4	5	6
35-49	47	3.5	6	1	1	3	5	6	9	11
50-64	123	3.5	9	< 1	1	3	4	7	8	20
65 +	250	3.7	24	1	1	3	5	7	10	16
B. Operated										
0-19 YRS	10	3.3	6	< 1	< 1	3	5	7	8	8
20-34	26	4.4	8	1	1	4	6	7	11	12
35-49	75	4.0	5	1	2	3	5	8	8	11
50-64	161	4.2	7	1	1	4	6	8	8	13
65 +	278	4.6	18	1	1	4	6	8	10	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	2.4	2	< 1	1	2	3	5	5	7
B. Operated	187	3.1	3	1	1	3	4	6	6	8
2. MULTIPLE DX										
A. Not Operated	455	3.5	17	< 1	1	3	4	6	9	16
B. Operated	550	4.4	12	1	1	4	6	8	10	19
1. SINGLE DX	338	2.8	3	< 1	1	2	4	5	6	7
2. MULTIPLE DX	1005	4.0	14	1	1	3	5	7	9	17
A. Not Operated	606	3.2	13	< 1	1	2	4	6	8	15
B. Operated	737	4.0	10	1	1	3	5	7	9	16
TOTAL										
0-19 YRS	39	2.4	4	< 1	1	2	3	5	7	8
20-34	97	3.1	4	< 1	1	3	4	6	7	12
35-49	186	3.6	4	1	1	3	5	6	8	11
50-64	379	3.6	7	1	1	3	5	7	8	13
65 +	642	3.9	18	1	1	3	5	7	10	19
GRAND TOTAL	**1343**	**3.7**	**12**	**1**	**1**	**3**	**5**	**7**	**8**	**15**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.6	3	< 1	1	2	3	5	6	6
20-34	13	2.4	3	1	1	2	4	5	5	5
35-49	19	2.7	5	1	1	2	3	6	8	9
50-64	14	1.5		< 1	1	1	2	2	3	3
65 +	13	2.2	3	1	1	1	2	5	7	7
B. Operated										
0-19 YRS	41	2.0	7	< 1	< 1	1	1	5	7	15
20-34	38	1.7	3	< 1	< 1	1	2	3	4	11
35-49	37	1.6	2	< 1	< 1	1	2	3	4	8
50-64	16	1.3		< 1	< 1	1	1	2	3	3
65 +	13	2.2	6	< 1	< 1	< 1	2	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.3	13	1	1	2	4	6	13	16
20-34	36	2.8	7	1	1	2	4	6	9	12
35-49	51	2.9	10	< 1	1	2	3	6	9	15
50-64	96	3.3	10	1	1	2	4	8	10	15
65 +	211	5.1	25	1	1	3	7	11	15	25
B. Operated										
0-19 YRS	25	6.2	92	< 1	< 1	2	7	10	33	41
20-34	39	3.6	13	< 1	1	2	4	7	10	19
35-49	41	6.4	141	1	1	2	7	16	17	73
50-64	52	9.2	122	< 1	1	5	13	28	30	55
65 +	70	10.1	138	1	1	8	12	22	26	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	2.3	3	1	1	2	3	5	6	9
B. Operated	145	1.8	4	< 1	< 1	1	2	3	6	11
2. MULTIPLE DX										
A. Not Operated	419	4.1	19	1	1	2	5	10	13	19
B. Operated	227	7.7	112	< 1	1	4	9	19	27	60
1. SINGLE DX	218	1.9	4	< 1	< 1	1	2	4	6	10
2. MULTIPLE DX	646	5.4	54	1	1	3	7	12	18	35
A. Not Operated	492	3.8	17	1	1	2	5	9	12	19
B. Operated	372	5.4	78	< 1	< 1	2	7	14	22	45
TOTAL										
0-19 YRS	105	3.4	30	< 1	< 1	1	4	7	11	35
20-34	126	2.7	8	< 1	< 1	2	4	6	7	14
35-49	148	3.5	46	< 1	< 1	1	3	8	15	19
50-64	178	4.7	49	< 1	1	2	5	12	19	30
65 +	307	6.0	55	1	1	3	8	13	19	35
GRAND TOTAL	**864**	**4.5**	**44**	**< 1**	**1**	**2**	**5**	**10**	**16**	**30**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	2	4.0	18	1	1	4	7	7	7	7
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	9	10.0	204	< 1	1	2	13	35	35	35
35-49	4	11.3	180	1	1	6	19	31	31	31
50-64	13	7.8	200	< 1	1	3	6	20	48	54
65 +	16	7.2	26	1	1	6	10	15	17	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	12.3	41	5	5	15	16	17	17	17
35-49	4	5.5	18	1	1	5	8	11	11	11
50-64	8	5.1	13	< 1	1	4	8	10	11	11
65 +	58	9.1	62	1	2	7	11	19	29	34
B. Operated										
0-19 YRS	16	5.3	30	< 1	< 1	3	9	15	16	16
20-34	28	11.5	318	1	1	7	13	24	36	94
35-49	44	13.8	229	1	1	9	15	34	52	66
50-64	130	15.1	217	2	2	11	19	33	41	82
65 +	383	14.3	154	3	4	11	18	27	44	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	12	1	1	1	6	7	7	7
B. Operated	43	8.3	120	< 1	1	5	9	21	35	54
2. MULTIPLE DX										
A. Not Operated	73	8.6	55	1	2	6	11	17	28	34
B. Operated	601	14.1	179	2	3	10	17	28	43	77
1. SINGLE DX	46	8.0	114	1	1	5	8	18	35	54
2. MULTIPLE DX	674	13.5	168	2	3	10	16	28	41	74
A. Not Operated	76	8.4	55	1	2	6	11	17	27	34
B. Operated	644	13.7	177	2	2	10	17	28	43	76
TOTAL										
0-19 YRS	18	5.1	28	< 1	< 1	3	8	15	16	16
20-34	40	11.2	264	1	1	6	14	28	35	94
35-49	52	12.9	210	1	1	8	15	31	50	66
50-64	151	14.0	212	1	2	9	18	31	41	79
65 +	459	13.4	142	2	3	10	16	27	37	66
GRAND TOTAL	**720**	**13.1**	**167**	**1**	**2**	**9**	**16**	**27**	**39**	**70**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.3	4	1	1	2	3	4	7	10
20-34	329	1.6	1	< 1	1	1	2	3	3	5
35-49	1406	1.7	1	1	1	1	2	3	3	5
50-64	1223	1.9	1	1	1	2	2	3	4	6
65 +	561	1.9	1	1	1	2	2	3	4	6
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	37	1.9	1	< 1	1	2	2	4	5	6
35-49	261	1.9	3	< 1	< 1	1	2	4	5	7
50-64	334	1.8	2	< 1	< 1	1	2	3	5	7
65 +	118	1.9	2	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	1.5	1	< 1	1	1	2	3	3	4
20-34	674	2.2	4	< 1	1	2	3	4	5	11
35-49	3336	2.2	3	1	1	2	3	4	5	8
50-64	4690	2.4	3	1	1	2	3	4	5	8
65 +	5124	2.9	4	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	80	2.9	7	< 1	1	2	4	6	9	13
35-49	687	2.7	5	< 1	1	2	3	5	7	11
50-64	1269	2.8	7	< 1	1	2	4	6	8	12
65 +	946	3.4	9	1	1	2	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3541	1.8	1	< 1	1	2	2	3	4	5
B. Operated	752	1.9	2	< 1	< 1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated	13859	2.5	3	1	1	2	3	4	6	9
B. Operated	2984	3.0	7	< 1	1	2	4	6	8	12
1. SINGLE DX	4293	1.8	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX	16843	2.6	4	1	1	2	3	5	6	10
A. Not Operated	17400	2.3	3	1	1	2	3	4	5	9
B. Operated	3736	2.7	6	< 1	1	2	3	6	8	12
TOTAL										
0-19 YRS	61	1.8	2	< 1	1	1	2	3	4	9
20-34	1120	2.1	3	< 1	1	2	2	4	5	9
35-49	5690	2.1	3	1	1	2	2	4	5	8
50-64	7516	2.3	3	1	1	2	3	4	5	9
65 +	6749	2.8	5	1	1	2	3	5	7	11
GRAND TOTAL	**21136**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	2.0	3	1	1	2	3	4	5	9
20-34	14	1.7	1	< 1	< 1	1	2	3	4	4
35-49	22	2.3	2	< 1	< 1	2	3	5	6	6
50-64	21	1.4	1	< 1	< 1	1	2	3	3	4
65 +	18	2.9	5	1	1	2	3	7	9	9
B. Operated										
0-19 YRS	12	1.8	5	< 1	< 1	1	1	5	8	9
20-34	9	3.0	5	1	1	3	4	7	7	7
35-49	29	2.6	9	< 1	< 1	1	3	5	11	13
50-64	36	1.8	2	< 1	< 1	1	3	4	4	6
65 +	18	2.9	7	< 1	< 1	1	5	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	378	3.1	11	1	1	2	4	6	9	18
20-34	70	2.3	2	< 1	1	2	3	4	6	7
35-49	106	2.8	4	< 1	1	2	4	6	7	9
50-64	256	3.9	10	1	1	3	5	8	10	15
65 +	509	4.2	13	1	1	3	5	8	10	17
B. Operated										
0-19 YRS	29	8.5	264	1	1	4	6	22	52	75
20-34	24	4.4	24	< 1	1	2	6	12	15	19
35-49	59	4.1	35	1	1	2	5	9	14	38
50-64	122	4.5	30	1	1	3	6	10	12	32
65 +	204	5.6	35	1	1	4	7	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	2.1	3	< 1	1	2	3	4	5	9
B. Operated	104	2.3	5	< 1	< 1	1	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	1319	3.6	11	1	1	3	5	7	10	16
B. Operated	438	5.2	49	1	1	3	6	11	16	40
1. SINGLE DX	370	2.1	4	< 1	1	1	3	4	6	9
2. MULTIPLE DX	1757	4.0	21	1	1	3	5	8	11	22
A. Not Operated	1585	3.4	10	1	1	2	4	7	9	16
B. Operated	542	4.7	42	1	1	3	6	10	14	39
TOTAL										
0-19 YRS	610	3.0	22	1	1	2	3	6	8	19
20-34	117	2.7	7	< 1	< 1	2	3	6	7	16
35-49	216	3.1	13	< 1	1	2	4	6	8	15
50-64	435	3.8	15	< 1	1	3	5	8	11	17
65 +	749	4.6	19	1	1	3	6	9	11	23
GRAND TOTAL	**2127**	**3.7**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.5		1	1	1	2	2	3	3
20-34	55	1.5	1	< 1	1	1	2	2	3	6
35-49	80	1.6	1	< 1	< 1	1	2	3	4	6
50-64	63	1.4	1	< 1	1	1	2	2	3	5
65 +	32	2.1	2	1	1	2	3	4	4	7
B. Operated										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	15	3.1	5	1	1	2	3	6	9	10
35-49	20	3.3	5	< 1	< 1	3	5	6	8	9
50-64	15	2.7	4	< 1	1	2	4	6	7	7
65 +	22	3.0	5	< 1	1	2	4	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.0	36	< 1	< 1	1	2	4	16	28
20-34	60	1.9	2	< 1	1	1	2	4	5	6
35-49	97	2.0	2	< 1	1	2	3	4	5	8
50-64	130	2.8	4	1	1	2	3	6	7	10
65 +	265	4.7	40	1	1	3	5	8	13	21
B. Operated										
0-19 YRS	19	2.6	7	< 1	< 1	1	3	8	9	9
20-34	40	3.6	10	1	1	2	5	8	10	13
35-49	58	3.5	7	< 1	1	3	5	7	9	12
50-64	85	3.8	6	1	1	3	5	7	8	14
65 +	289	4.9	19	1	1	4	6	11	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	1.6	1	< 1	1	1	2	3	4	6
B. Operated	78	2.9	5	< 1	1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	572	3.4	23	1	1	2	4	7	9	18
B. Operated	491	4.3	14	1	1	3	6	9	12	20
1. SINGLE DX	323	1.9	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	1063	3.9	19	1	1	3	5	8	11	19
A. Not Operated	817	2.9	17	< 1	1	2	3	6	8	15
B. Operated	569	4.1	13	1	1	3	5	9	11	19
TOTAL										
0-19 YRS	60	2.3	14	< 1	< 1	1	2	4	7	26
20-34	170	2.2	4	< 1	1	1	2	5	6	11
35-49	255	2.3	4	< 1	< 1	2	3	5	7	9
50-64	293	2.8	5	1	1	2	4	6	7	11
65 +	608	4.6	27	1	1	3	6	10	13	21
GRAND TOTAL	**1386**	**3.4**	**16**	**< 1**	**1**	**2**	**4**	**7**	**10**	**18**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	766	1.6	1	< 1	< 1	1	2	3	3	6
20-34	1011	1.9	2	< 1	1	1	2	4	5	7
35-49	583	2.2	3	< 1	1	2	3	4	5	8
50-64	339	2.2	2	< 1	1	2	3	4	5	8
65 +	201	2.6	10	< 1	1	2	3	4	5	10
B. Operated										
0-19 YRS	161	2.6	1	1	1	2	3	4	5	7
20-34	205	3.0	3	1	1	3	4	5	6	8
35-49	96	3.4	12	1	1	3	4	6	8	22
50-64	33	3.8	8	1	1	3	5	7	10	12
65 +	14	3.1	10	< 1	< 1	2	4	7	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	636	1.9	2	< 1	1	1	2	3	4	7
20-34	1255	2.6	5	< 1	1	2	3	5	7	11
35-49	1010	3.2	7	1	1	3	4	6	7	12
50-64	889	3.3	15	1	1	3	4	6	7	12
65 +	1442	3.7	9	1	1	3	5	7	9	14
B. Operated										
0-19 YRS	149	3.0	3	1	1	3	4	5	6	8
20-34	317	4.6	17	1	1	3	5	9	12	20
35-49	212	5.1	21	1	1	4	7	10	12	23
50-64	167	6.0	30	1	1	5	8	11	15	30
65 +	253	6.2	26	1	1	5	8	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2900	2.0	3	< 1	1	1	2	4	5	8
B. Operated	529	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	5232	3.0	8	1	1	2	4	6	7	12
B. Operated	1098	5.0	21	1	1	4	6	10	14	23
1. SINGLE DX	3429	2.1	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX	6330	3.4	11	1	1	2	4	7	9	15
A. Not Operated	8132	2.7	6	< 1	1	2	3	5	7	11
B. Operated	1627	4.4	17	1	1	3	5	9	12	21
TOTAL										
0-19 YRS	1732	1.9	2	< 1	1	1	2	3	4	7
20-34	2788	2.6	6	< 1	1	2	3	5	6	12
35-49	1901	3.1	8	1	1	2	4	6	8	13
50-64	1428	3.4	15	1	1	2	4	6	8	15
65 +	1910	3.9	12	1	1	3	5	8	10	17
GRAND TOTAL	**9759**	**2.9**	**8**	**< 1**	**1**	**2**	**4**	**6**	**8**	**13**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	1.8	2	< 1	1	1	2	3	4	9
20-34	42	2.3	2	1	1	2	3	5	6	6
35-49	31	2.3	3	< 1	< 1	1	3	5	6	8
50-64	28	1.9	1	< 1	< 1	1	3	3	4	5
65 +	21	2.3	4	1	1	2	3	5	7	8
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	32	2.7	4	< 1	< 1	2	3	5	7	9
35-49	22	4.0	10	< 1	< 1	3	5	9	11	12
50-64	19	4.1	12	< 1	1	4	5	7	12	16
65 +	12	5.0	28	< 1	1	3	6	13	18	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	297	2.4	12	1	1	2	3	4	5	9
20-34	252	2.7	4	1	1	2	4	5	7	9
35-49	290	3.5	12	1	1	3	4	7	11	15
50-64	420	4.1	13	1	1	3	5	8	11	19
65 +	954	4.6	16	1	1	4	6	9	12	19
B. Operated										
0-19 YRS	76	2.8	12	1	1	1	3	6	10	20
20-34	144	3.3	16	1	1	2	4	8	14	19
35-49	130	3.7	13	1	1	3	5	8	11	20
50-64	149	6.8	63	1	1	5	8	16	22	41
65 +	301	6.2	39	1	1	4	8	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	2.0	2	< 1	1	1	3	4	5	8
B. Operated	88	3.6	11	< 1	< 1	3	5	7	10	18
2. MULTIPLE DX										
A. Not Operated	2213	3.9	13	1	1	3	5	8	10	18
B. Operated	800	5.1	35	1	1	3	7	12	17	31
1. SINGLE DX	271	2.5	6	< 1	1	2	3	5	7	12
2. MULTIPLE DX	3013	4.2	19	1	1	3	5	9	12	22
A. Not Operated	2396	3.7	13	1	1	3	5	7	10	18
B. Operated	888	4.9	33	1	1	3	7	11	16	30
TOTAL										
0-19 YRS	437	2.4	11	1	1	2	3	4	6	13
20-34	470	2.9	8	1	1	2	4	6	7	16
35-49	473	3.5	12	1	1	3	4	7	10	16
50-64	616	4.7	26	1	1	3	6	9	13	29
65 +	1288	5.0	22	1	1	4	6	10	14	25
GRAND TOTAL	**3284**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**12**	**22**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	456	2.6	9	< 1	1	2	3	5	7	13
20-34	130	3.0	39	< 1	1	2	2	4	6	38
35-49	211	2.6	32	< 1	1	1	2	4	5	34
50-64	287	1.9	2	< 1	1	2	2	3	4	8
65 +	427	2.2	4	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	46	2.1	3	< 1	1	1	3	5	7	8
20-34	60	2.3	7	< 1	< 1	1	2	5	7	16
35-49	113	1.7	2	< 1	1	1	2	4	5	8
50-64	98	1.8	2	< 1	< 1	1	3	4	5	7
65 +	45	4.0	84	< 1	< 1	1	3	6	19	57
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	867	4.2	34	1	1	3	5	8	11	30
20-34	596	3.1	20	< 1	1	2	3	6	8	26
35-49	917	3.3	20	1	1	2	3	6	10	25
50-64	2002	3.7	18	1	1	2	4	8	11	20
65 +	6587	4.2	17	1	1	3	5	8	11	19
B. Operated										
0-19 YRS	109	7.0	139	< 1	1	3	7	22	34	87
20-34	153	3.3	20	1	1	2	3	7	12	26
35-49	220	3.8	44	1	1	2	4	7	9	43
50-64	398	5.1	49	1	1	2	5	14	19	35
65 +	851	7.9	88	1	1	5	10	18	25	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1511	2.4	12	< 1	1	2	3	4	5	12
B. Operated	362	2.2	13	< 1	1	1	2	4	6	16
2. MULTIPLE DX										
A. Not Operated	10969	4.0	19	1	1	3	5	8	11	21
B. Operated	1731	6.2	74	1	1	3	7	15	22	48
1. SINGLE DX	1873	2.3	12	< 1	1	2	3	4	5	13
2. MULTIPLE DX	12700	4.3	27	1	1	3	5	9	12	26
A. Not Operated	12480	3.8	18	1	1	3	4	7	10	20
B. Operated	2093	5.5	66	1	1	3	6	13	21	42
TOTAL										
0-19 YRS	1478	3.8	34	1	1	2	4	8	11	32
20-34	939	3.1	22	< 1	1	2	3	6	8	30
35-49	1461	3.2	24	1	1	2	3	6	9	29
50-64	2785	3.7	21	1	1	2	4	8	11	22
65 +	7910	4.5	26	1	1	3	5	9	12	25
GRAND TOTAL	**14573**	**4.0**	**26**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	211	1.7	3	< 1	1	1	2	3	4	7
20-34	20	3.3	9	1	1	3	4	6	10	14
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	55	3.3	3	1	1	3	4	5	6	9
20-34	19	3.8	9	1	1	2	6	8	10	11
35-49	14	4.8	6	2	3	4	7	8	10	11
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	224	2.9	10	1	1	2	3	6	9	17
20-34	55	4.7	28	1	1	3	6	14	16	96
35-49	32	6.3	43	< 1	< 1	4	8	15	20	30
50-64	16	6.0	46	< 1	1	3	8	14	23	27
65 +	21	6.4	25	1	1	6	10	12	17	21
B. Operated										
0-19 YRS	163	9.7	149	1	1	5	11	23	38	57
20-34	130	12.2	173	1	2	8	16	31	44	99 +
35-49	58	10.6	94	2	3	8	11	25	30	52
50-64	28	20.5	378	2	3	15	30	49	67	72
65 +	18	19.9	346	1	2	15	34	49	59	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	1.9	4	< 1	1	1	2	3	4	11
B. Operated	92	3.8	9	1	1	3	4	7	8	18
2. MULTIPLE DX										
A. Not Operated	348	3.8	20	1	1	2	4	9	14	27
B. Operated	397	11.9	182	1	2	7	15	30	44	73
1. SINGLE DX	328	2.4	6	< 1	1	2	3	4	7	12
2. MULTIPLE DX	745	8.1	122	1	1	4	9	21	33	67
A. Not Operated	584	3.0	14	1	1	2	3	7	11	21
B. Operated	489	10.4	159	1	2	6	12	26	38	72
TOTAL										
0-19 YRS	653	4.2	52	1	1	2	4	9	15	41
20-34	224	8.9	124	1	1	5	11	24	34	99 +
35-49	108	8.3	70	1	1	5	10	19	26	43
50-64	48	14.3	288	1	2	7	19	37	51	72
65 +	40	12.9	212	1	1	7	17	35	47	64
GRAND TOTAL	**1073**	**6.4**	**93**	**1**	**1**	**3**	**7**	**16**	**26**	**56**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	1.9	2	1	1	1	2	4	5	6
20-34	29	3.6	11	1	1	2	5	8	10	14
35-49	12	3.7	6	< 1	1	3	5	7	9	9
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	18	6.5	51	1	2	5	7	8	24	34
20-34	15	4.9	20	1	2	3	5	12	15	16
35-49	6	4.5	5	2	2	4	6	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	242	4.1	32	1	1	2	4	9	14	25
20-34	173	5.9	58	1	1	4	8	12	14	36
35-49	75	5.4	24	1	1	3	8	11	15	24
50-64	28	6.6	49	2	2	4	7	14	28	30
65 +	46	7.5	26	2	2	6	10	12	19	24
B. Operated										
0-19 YRS	132	12.1	223	1	2	7	16	26	39	82
20-34	160	15.6	308	1	2	10	23	45	77	99 +
35-49	79	12.3	205	1	2	7	18	29	41	74
50-64	31	16.4	370	2	3	9	20	42	70	78
65 +	22	12.0	143	2	2	7	16	28	40	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	2.3	4	1	1	1	3	5	6	10
B. Operated	42	5.7	34	1	2	4	7	11	17	34
2. MULTIPLE DX										
A. Not Operated	564	5.2	40	1	1	3	7	12	15	28
B. Operated	424	13.8	259	1	2	8	18	35	54	99 +
1. SINGLE DX	229	2.9	11	1	1	2	4	6	8	16
2. MULTIPLE DX	988	8.9	152	1	1	5	10	23	34	80
A. Not Operated	751	4.5	33	1	1	3	5	10	13	24
B. Operated	466	13.0	244	1	2	7	17	34	50	98
TOTAL										
0-19 YRS	532	5.6	87	1	1	3	6	13	23	55
20-34	377	9.8	184	1	1	5	12	27	41	99 +
35-49	172	8.4	118	1	1	4	10	21	28	56
50-64	64	11.0	226	2	2	5	13	28	42	77
65 +	72	8.9	66	2	2	6	11	19	24	46
GRAND TOTAL	**1217**	**7.8**	**131**	**1**	**1**	**4**	**9**	**19**	**29**	**78**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.4		1	1	1	2	3	3	3
20-34	21	1.5		<1	<1	1	2	3	3	3
35-49	10	1.4		<1	<1	1	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5
65 +	4	2.5	9	1	1	1	4	7	7	7
B. Operated										
0-19 YRS	272	1.5	1	<1	<1	1	2	3	4	5
20-34	439	1.9	3	<1	1	1	2	4	5	10
35-49	145	2.2	4	<1	1	2	2	4	6	11
50-64	29	1.8	1	<1	1	1	2	3	4	4
65 +	19	2.6	9	1	1	2	3	5	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	2.0	3	<1	<1	1	2	4	5	10
20-34	110	2.7	46	<1	1	1	3	5	7	34
35-49	51	2.8	8	<1	1	2	3	6	8	17
50-64	23	2.7	5	1	1	2	3	5	8	11
65 +	46	5.0	27	1	1	3	5	11	18	23
B. Operated										
0-19 YRS	395	3.4	18	<1	1	2	4	7	11	22
20-34	790	3.5	15	1	1	2	4	7	10	18
35-49	336	4.1	28	1	1	3	5	8	12	31
50-64	106	4.3	25	1	1	3	5	10	15	26
65 +	96	6.1	54	1	1	4	8	14	17	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	1.6	1	<1	<1	1	2	3	3	7
B. Operated	904	1.8	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	295	2.9	25	<1	1	2	3	5	9	19
B. Operated	1723	3.8	21	1	1	2	4	8	12	23
1. SINGLE DX	952	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX	2018	3.7	22	1	1	2	4	8	11	22
A. Not Operated	343	2.7	21	<1	1	2	3	5	8	18
B. Operated	2627	3.1	16	<1	1	2	4	7	10	19
TOTAL										
0-19 YRS	744	2.5	11	<1	<1	1	3	5	8	16
20-34	1360	2.9	14	<1	1	2	3	6	9	15
35-49	542	3.4	20	1	1	2	4	7	10	23
50-64	159	3.6	19	1	1	2	4	7	12	22
65 +	165	5.3	42	1	1	3	7	12	15	27
GRAND TOTAL	**2970**	**3.1**	**16**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	2.9	6	<1	1	2	4	6	7	13
20-34	281	3.7	19	1	1	3	5	7	8	18
35-49	144	4.1	22	1	1	3	5	7	9	32
50-64	109	4.7	10	1	2	4	6	8	10	19
65 +	158	5.0	12	1	2	4	6	9	11	16
B. Operated										
0-19 YRS	27	9.2	83	1	2	8	10	17	28	47
20-34	63	8.2	23	2	3	9	10	14	18	22
35-49	32	10.1	64	1	1	9	12	23	29	30
50-64	12	9.8	60	1	2	6	15	23	24	24
65 +	8	12.9	64	3	4	10	18	25	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	171	3.6	10	1	1	3	4	7	9	20
20-34	400	4.7	16	1	1	4	6	9	12	16
35-49	281	5.3	30	1	1	4	6	11	13	19
50-64	298	6.5	26	1	2	5	8	12	15	30
65 +	1544	7.0	28	2	3	6	9	13	16	25
B. Operated										
0-19 YRS	79	8.6	80	1	2	7	10	18	21	56
20-34	239	11.1	134	1	2	7	12	24	40	54
35-49	134	11.2	136	2	2	8	13	22	43	79
50-64	79	11.2	104	1	2	9	15	22	25	62
65 +	170	13.1	111	2	3	9	18	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	801	4.1	16	1	1	3	5	7	10	16
B. Operated	142	9.2	49	1	2	9	11	18	24	31
2. MULTIPLE DX										
A. Not Operated	2694	6.2	26	1	2	5	8	12	14	24
B. Operated	701	11.3	120	1	2	8	14	24	36	55
1. SINGLE DX	943	4.9	24	1	1	4	6	10	12	25
2. MULTIPLE DX	3395	7.3	50	1	2	6	9	14	19	38
A. Not Operated	3495	5.7	24	1	2	5	7	11	14	23
B. Operated	843	11.0	109	1	2	8	13	23	33	54
TOTAL										
0-19 YRS	386	4.8	34	1	1	3	6	10	14	24
20-34	98[illegible]	6.2	55	1	1	4	7	12	16	48
35-49	591	6.6	61	1	1	4	8	13	18	47
50-64	498	6.9	40	1	2	5	8	14	18	32
65 +	1880	7.5	37	2	3	6	9	14	18	32
GRAND TOTAL	**4338**	**6.8**	**45**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	6.3	41	3	3	3	7	18	19	19
20-34	8	3.1	4	1	1	3	4	6	7	7
35-49	3	6.7	36	1	1	6	11	13	13	13
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	3	24.3	265	13	13	17	36	43	43	43
20-34	12	12.5	38	4	6	11	17	21	24	24
35-49	3	8.3	16	4	4	9	11	12	12	12
50-64	1	12.0		12	12	12	12	12	12	12
65 +	3	12.7	14	10	10	11	15	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	8.7	23	2	2	8	13	15	15	15
20-34	8	9.6	102	< 1	< 1	7	12	27	32	32
35-49	14	14.6	249	1	3	9	15	48	50	51
50-64	9	6.9	30	1	1	4	11	15	16	16
65 +	21	10.9	67	5	5	8	11	24	31	37
B. Operated										
0-19 YRS	32	22.1	260	[illegible]	7	19	25	44	51	82
20-34	89	26.4	407	7	9	20	33	57	70	97
35-49	46	22.7	228	8	9	16	31	43	59	69
50-64	26	27.2	368	5	7	23	40	57	69	78
65 +	16	21.5	332	5	6	18	39	59	86	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.7	18	1	1	3	5	10	16	19
B. Operated	22	13.5	69	4	6	12	17	21	32	43
2. MULTIPLE DX										
A. Not Operated	58	10.8	106	1	2	7	13	21	35	51
B. Operated	209	24.7	333	6	8	19	[illegible]	51	69	97
1. SINGLE DX	43	9.2	63	1	2	7	[illegible]	19	22	43
2. MULTIPLE DX	267	21.7	316	4	6	[illegible]	8	47	62	93
A. Not Operated	79	9.1	89	1	2	6	11	18	30	50
B. Operated	231	23.6	318	6	8	18	30	50	67	96
TOTAL										
0-19 YRS	47	18.5	237	2	3	17	21	42	48	82
20-34	117	22.3	378	2	4	17	29	46	69	97
35-49	66	19.6	235	4	5	14	25	43	55	68
50-64	38	20.8	347	2	3	15	25	44	63	78
65 +	42	14.7	187	4	5	10	[illegible]	10	54	99 +
GRAND TOTAL	**310**	**19.9**	**299**	**2**	**4**	**15**	[illegible]	[illegible]	**61**	**87**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.4		< 1	< 1	1	2	3	3	3
20-34	50	2.0	2	1	1	1	3	4	4	8
35-49	56	2.1	2	< 1	1	2	3	4	5	7
50-64	27	2.1	2	< 1	1	2	3	4	6	6
65 +	50	3.7	12	1	1	3	5	8	9	21
B. Operated										
0-19 YRS	3	5.3	16	3	3	3	8	10	10	10
20-34	7	3.0	3	1	1	3	5	5	5	5
35-49	9	4.3	5	1	1	4	6	8	8	8
50-64	3	5.0	3	3	3	6	6	6	6	6
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	3.1	7	1	1	2	4	7	9	14
20-34	222	3.1	8	1	1	2	4	6	7	17
35-49	288	3.7	15	1	1	3	4	8	9	17
50-64	294	4.4	40	1	1	3	5	8	11	19
65 +	730	5.7	19	1	2	4	8	11	14	21
B. Operated										
0-19 YRS	32	4.9	10	1	1	5	7	9	9	15
20-34	139	5.9	36	1	1	4	8	12	19	31
35-49	120	7.0	53	1	1	5	8	13	22	41
50-64	96	7.8	61	1	2	6	10	14	18	47
65 +	153	9.8	64	2	2	8	13	21	28	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	2.5	5	< 1	1	2	3	5	7	9
B. Operated	23	4.3	6	1	1	4	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	1600	4.6	21	1	1	3	6	9	12	20
B. Operated	540	7.5	53	1	1	5	10	16	22	41
1. SINGLE DX	216	2.7	5	1	1	2	3	6	7	10
2. MULTIPLE DX	2140	5.4	31	1	1	4	7	11	14	28
A. Not Operated	1793	4.4	20	1	1	3	6	9	12	20
B. Operated	563	7.4	51	1	1	5	9	15	22	40
TOTAL										
0-19 YRS	111	3.5	9	1	1	3	5	8	9	15
20-34	418	3.9	18	1	1	3	4	8	11	22
35-49	473	4.3	26	1	1	3	5	9	11	28
50-64	420	5.0	45	1	1	3	6	10	13	32
65 +	934	6.2	29	1	2	5	8	13	17	29
GRAND TOTAL	**2356**	**5.1**	**29**	**1**	**1**	**4**	**6**	**11**	**14**	**27**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	3.2	5	1	1	3	4	6	9	10
20-34	64	4.8	15	1	1	4	6	10	13	19
35-49	41	4.6	10	1	1	4	6	9	11	14
50-64	50	7.4	140	2	2	5	7	11	15	86
65 +	196	5.8	11	1	2	5	8	10	12	16
B. Operated										
0-19 YRS	8	11.0	153	1	1	9	11	32	40	40
20-34	17	12.5	163	2	3	10	14	22	45	57
35-49	5	11.0	49	< 1	< 1	11	17	18	18	18
50-64	4	7.3	13	4	4	6	10	12	12	12
65 +	5	15.2	217	4	4	11	41	94	99 +	99 +
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	126	7.1	86	1	2	4	7	14	33	44
20-34	206	7.6	65	1	2	5	9	13	20	45
35-49	130	7.6	42	2	2	6	9	14	22	36
50-64	154	8.5	71	2	2	6	10	17	24	48
65 +	1114	8.1	37	2	3	7	10	14	18	31
B. Operated										
0-19 YRS	79	11.9	133	2	3	8	16	29	45	86
20-34	142	13.6	133	2	3	11	17	28	43	56
35-49	90	16.5	249	2	4	12	19	40	48	80
50-64	53	14.6	159	4	5	10	18	30	39	76
65 +	144	16.3	164	4	4	13	19	40	50	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	381	5.5	28	1	2	5	7	10	12	17
B. Operated	39	11.8	130	1	2	10	13	32	49	99 +
2. MULTIPLE DX										
A. Not Operated	1730	8.0	47	2	3	6	10	14	19	39
B. Operated	508	14.7	166	3	4	11	18	32	46	63
1. SINGLE DX	420	6.1	41	1	2	5	8	11	14	40
2. MULTIPLE DX	2238	9.5	82	2	3	7	11	18	26	50
A. Not Operated	2111	7.5	45	2	2	6	9	14	18	38
B. Operated	547	14.5	164	2	4	11	17	32	46	63
TOTAL										
0-19 YRS	243	8.3	101	1	2	5	9	19	35	50
20-34	429	9.4	94	1	2	6	11	19	29	50
35-49	266	10.2	128	1	2	7	12	21	33	62
50-64	261	9.5	107	2	3	7	11	19	27	65
65 +	1459	8.6	54	2	3	7	10	15	21	47
GRAND TOTAL	**2658**	**9.0**	**77**	**2**	**2**	**7**	**11**	**17**	**24**	**50**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	2.0	10	< 1	1	1	2	3	4	20
20-34	14	1.6	1	< 1	1	2	2	3	3	3
35-49	19	1.8	1	< 1	< 1	2	2	3	4	5
50-64	24	2.2	3	< 1	1	2	3	3	5	9
65 +	79	3.8	16	1	1	3	4	7	11	25
B. Operated										
0-19 YRS	910	2.0	7	1	1	1	2	3	5	16
20-34	107	3.0	10	1	1	2	4	5	6	20
35-49	113	2.9	5	1	1	2	4	6	7	11
50-64	96	2.7	4	1	1	2	3	5	6	12
65 +	148	4.1	11	1	1	3	5	8	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	4.3	49	1	1	1	3	13	23	29
20-34	29	2.4	5	< 1	< 1	2	3	5	6	12
35-49	31	3.5	9	1	1	2	5	8	11	12
50-64	63	5.0	25	1	1	3	6	13	18	20
65 +	425	5.3	23	1	2	4	7	10	13	24
B. Operated										
0-19 YRS	268	4.1	41	1	1	2	4	10	15	27
20-34	155	5.5	23	1	1	4	7	11	15	24
35-49	121	6.2	40	1	1	3	6	10	16	34
50-64	176	5.6	20	1	2	4	7	11	15	26
65 +	423	7.1	36	1	2	6	9	13	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	2.7	11	1	1	2	3	5	9	17
B. Operated	1374	2.5	8	1	1	2	3	4	7	16
2. MULTIPLE DX										
A. Not Operated	589	5.0	24	1	1	4	6	10	14	25
B. Operated	1143	5.7	35	1	1	4	7	12	17	27
1. SINGLE DX	1562	2.5	8	1	1	2	3	5	8	16
2. MULTIPLE DX	1732	5.5	31	1	1	4	7	11	15	27
A. Not Operated	777	4.4	21	1	1	3	5	9	13	22
B. Operated	2517	3.9	23	1	1	2	5	9	13	24
TOTAL										
0-19 YRS	1271	2.5	16	1	1	1	2	4	10	20
20-34	305	4.1	18	1	1	3	5	9	12	23
35-49	284	3.9	22	1	1	3	5	8	11	22
50-64	359	4.5	17	1	1	3	5	10	14	24
65 +	1075	5.7	27	1	2	4	7	11	14	28
GRAND TOTAL	**3294**	**4.1**	**22**	**1**	**1**	**2**	**5**	**9**	**13**	**24**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	1.4	1	< 1	1	1	2	3	3	4
20-34	15	1.4		< 1	< 1	1	2	2	3	3
35-49	4	2.8	3	< 1	< 1	2	4	5	5	5
50-64	8	3.1	15	< 1	< 1	1	4	10	12	12
65 +	8	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	989	1.6	1	< 1	1	1	2	3	4	6
20-34	448	2.2	3	1	1	2	3	4	5	9
35-49	346	1.9	1	1	1	2	2	3	4	5
50-64	258	1.9	2	1	1	2	2	3	4	8
65 +	242	2.3	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	2.1	3	1	1	1	3	5	5	6
20-34	55	2.1	2	< 1	< 1	2	3	4	4	7
35-49	27	3.9	17	< 1	1	2	5	10	12	19
50-64	27	4.7	20	1	1	3	5	11	16	19
65 +	100	5.0	25	1	1	4	6	9	13	29
B. Operated										
0-19 YRS	316	2.9	13	1	1	2	3	6	10	21
20-34	409	4.7	22	1	1	3	5	10	14	26
35-49	251	4.3	26	1	1	3	5	8	12	31
50-64	263	4.1	15	1	1	3	5	9	12	20
65 +	473	4.2	11	1	1	3	6	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	1.7	3	< 1	< 1	1	2	3	4	11
B. Operated	2283	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	242	3.8	17	1	1	2	5	7	11	22
B. Operated	1712	4.1	17	1	1	3	5	8	11	21
1. SINGLE DX	2347	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	1954	4.0	17	1	1	3	5	[illegible]	11	21
A. Not Operated	306	3.4	14	< 1	1	2	4	7	10	20
B. Operated	3995	2.8	10	1	1	2	3	6	8	16
TOTAL										
0-19 YRS	1367	1.9	4	< 1	1	1	2	3	5	10
20-34	927	3.3	13	1	1	2	4	7	10	17
35-49	628	2.9	13	1	1	2	3	5	8	19
50-64	556	3.1	10	1	1	2	4	6	9	19
65 +	823	3.7	11	1	1	3	5	7	10	17
GRAND TOTAL	**4301**	**2.8**	**10**	**1**	**1**	**2**	**3**	**6**	**8**	**16**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.1	1	1	1	2	3	3	3	3
20-34	14	2.2	1	1	1	2	3	3	4	4
35-49	9	1.7	2	< 1	< 1	1	2	4	5	5
50-64	7	2.0		1	1	2	2	3	3	3
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	191	1.5	1	< 1	< 1	1	1	3	4	6
20-34	318	1.6	2	< 1	< 1	1	2	3	4	7
35-49	149	1.6	2	< 1	< 1	1	2	3	5	6
50-64	55	1.4	1	< 1	< 1	1	2	3	3	4
65 +	20	1.6		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.7	1	1	1	2	2	3	4	4
20-34	42	2.0	2	< 1	< 1	2	3	4	5	5
35-49	19	1.7	2	< 1	< 1	1	2	4	5	6
50-64	10	2.9	6	< 1	< 1	2	3	6	9	9
65 +	13	5.5	19	< 1	1	5	7	13	15	15
B. Operated										
0-19 YRS	141	2.5	8	< 1	< 1	2	3	5	7	18
20-34	332	2.6	7	< 1	1	2	3	5	7	12
35-49	181	2.7	12	1	1	2	3	5	7	15
50-64	93	2.2	3	1	1	2	2	4	7	9
65 +	77	3.3	7	1	1	3	4	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.1	1	< 1	1	2	3	3	4	5
B. Operated	733	1.6	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	94	2.5	6	< 1	< 1	2	3	5	7	14
B. Operated	824	2.6	8	< 1	1	2	3	5	7	11
1. SINGLE DX	772	1.6	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	918	2.6	8	< 1	1	2	3	5	7	12
A. Not Operated	133	2.4	4	< 1	1	2	3	5	7	13
B. Operated	1557	2.1	5	< 1	< 1	1	2	4	6	10
TOTAL										
0-19 YRS	349	1.9	4	< 1	< 1	1	2	4	5	10
20-34	706	2.1	5	< 1	< 1	1	2	4	6	10
35-49	358	2.2	7	< 1	< 1	1	2	4	6	11
50-64	165	2.0	2	< 1	1	1	2	4	5	9
65 +	112	3.3	8	1	1	2	4	7	10	13
GRAND TOTAL	**1690**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**10**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	10.2	158	< 1	1	4	12	32	39	43
20-34	4	1.0		1	1	1	1	1	1	1
35-49	5	2.4	1	1	1	2	3	4	4	4
50-64	15	3.1	2	< 1	1	3	4	5	6	6
65 +	97	6.2	27	1	1	5	8	13	18	25
B. Operated										
0-19 YRS	84	7.1	46	1	2	5	8	16	24	31
20-34	54	7.2	29	2	3	6	9	12	17	33
35-49	129	6.5	13	3	3	6	8	10	11	25
50-64	253	7.6	15	3	4	7	9	11	13	22
65 +	1447	9.5	19	4	5	9	11	14	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	11.9	143	< 1	1	9	16	31	40	42
20-34	8	10.4	339	1	1	3	9	42	55	55
35-49	13	5.2	10	< 1	1	5	8	10	10	10
50-64	53	10.0	150	2	2	6	11	19	41	62
65 +	571	8.6	59	2	2	7	11	16	23	44
B. Operated										
0-19 YRS	70	10.9	132	2	3	8	13	21	26	75
20-34	130	12.5	88	3	5	10	16	23	36	50
35-49	191	11.0	83	4	5	9	12	19	27	54
50-64	664	10.9	46	4	5	9	12	18	23	36
65 +	8010	11.4	44	5	6	10	13	18	22	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	6.1	43	1	1	4	7	13	19	34
B. Operated	1967	8.9	21	4	4	8	11	14	16	26
2. MULTIPLE DX										
A. Not Operated	667	8.8	71	1	2	7	11	16	24	50
B. Operated	9065	11.4	46	5	6	10	13	18	23	38
1. SINGLE DX	2106	8.7	23	3	4	8	11	14	16	27
2. MULTIPLE DX	9732	11.2	48	4	6	10	13	18	23	39
A. Not Operated	806	8.3	67	1	2	6	11	16	23	46
B. Operated	11032	10.9	42	5	6	10	13	17	22	36
TOTAL										
0-19 YRS	194	9.3	100	1	2	6	11	21	28	43
20-34	196	10.7	86	2	3	8	13	20	27	52
35-49	338	8.9	58	3	3	7	10	15	22	40
50-64	985	9.9	45	3	4	8	11	16	22	40
65 +	10125	10.9	42	5	6	10	13	17	21	36
GRAND TOTAL	**11838**	**10.8**	**45**	**4**	**5**	**9**	**13**	**17**	**22**	**37**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	242	12.7	103	1	1	12	20	26	29	42
20-34	3	3.3		3	3	3	4	4	4	4
35-49	6	14.7	533	1	1	5	13	56	61	61
50-64	8	8.5	72	2	2	6	10	23	28	28
65 +	35	6.7	52	1	2	5	7	11	26	36
B. Operated										
0-19 YRS	341	9.4	93	1	1	5	14	24	29	41
20-34	110	8.8	46	2	3	7	11	16	19	44
35-49	54	7.7	26	2	2	6	11	14	19	22
50-64	37	10.4	92	3	4	7	12	21	29	52
65 +	64	10.9	87	1	4	9	13	17	22	64
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	15.3	145	1	2	16	24	30	35	47
20-34	24	13.1	472	1	1	4	18	28	70	95
35-49	23	17.7	407	1	2	9	29	58	59	60
50-64	25	8.8	89	1	2	6	10	18	34	39
65 +	234	11.3	150	2	3	7	13	25	42	64
B. Operated										
0-19 YRS	386	13.3	114	2	3	10	18	27	33	52
20-34	337	13.3	120	3	4	11	17	25	35	62
35-49	142	15.5	237	2	4	10	18	35	45	79
50-64	102	17.2	205	4	6	12	22	41	50	83
65 +	487	14.5	111	5	6	12	17	25	33	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	294	11.8	107	1	1	9	19	26	29	43
B. Operated	606	9.4	78	1	1	7	12	21	27	44
2. MULTIPLE DX										
A. Not Operated	439	12.8	179	1	2	8	18	29	41	61
B. Operated	1454	14.2	134	3	5	11	17	27	37	66
1. SINGLE DX	900	10.1	89	1	1	7	14	23	28	43
2 MULTIPLE DX	1893	13.9	144	2	3	10	17	27	38	65
A. Not Operated	733	12.4	150	1	2	8	18	27	35	59
B. Operated	2060	12.8	122	2	3	10	16	25	33	61
TOTAL										
0-19 YRS	1102	12.2	113	1	2	9	19	26	31	46
20-34	474	12.2	123	2	4	9	15	22	31	60
35-49	225	13.8	220	1	3	9	16	34	46	75
50-64	172	14.1	170	3	4	10	17	35	43	68
65 +	820	13.0	121	2	4	10	15	24	35	64
GRAND TOTAL	**2793**	**12.7**	**129**	**1**	**2**	**10**	**17**	**26**	**34**	**60**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	1.9	7	1	1	1	2	3	4	13
20-34	89	2.3	3	< 1	1	2	3	4	6	8
35-49	50	2.5	3	< 1	1	2	3	5	6	8
50-64	30	2.4	4	1	1	2	3	4	4	12
65 +	53	4.6	11	1	2	4	6	8	11	20
B. Operated										
0-19 YRS	544	2.9	8	1	1	2	4	5	7	12
20-34	467	4.3	10	1	1	4	5	8	10	15
35-49	349	4.4	11	1	2	4	5	8	10	15
50-64	169	4.8	11	1	1	4	6	8	11	17
65 +	94	5.8	11	1	2	5	8	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	2.6	5	1	1	2	3	6	6	12
20-34	74	3.1	6	1	1	2	4	6	7	16
35-49	59	4.6	14	< 1	1	3	6	11	13	17
50-64	78	4.5	20	1	1	3	6	9	13	26
65 +	200	7.2	29	2	3	5	9	13	17	28
B. Operated										
0-19 YRS	301	6.0	56	1	1	4	7	11	16	50
20-34	577	7.8	58	2	2	5	9	15	22	45
35-49	347	8.6	93	1	2	6	10	16	23	49
50-64	265	10.2	94	2	2	7	13	22	27	55
65 +	295	10.6	89	2	3	8	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	345	2.6	6	1	1	2	3	5	7	11
B. Operated	1623	4.0	11	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	478	5.2	22	1	1	4	6	11	14	22
B. Operated	1785	8.5	77	1	2	6	10	17	24	49
1. SINGLE DX	1968	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX	2263	7.8	67	1	2	5	9	15	22	45
A. Not Operated	823	4.1	17	1	1	3	5	8	13	20
B. Operated	3408	6.3	50	1	1	4	8	13	18	37
TOTAL										
0-19 YRS	1035	3.7	24	1	1	2	4	7	10	23
20-34	1207	5.8	36	1	1	4	7	11	15	32
35-49	805	6.1	51	1	2	4	7	12	16	37
50-64	542	7.3	61	1	1	5	8	16	22	41
65 +	642	8.3	57	2	3	6	10	15	21	40
GRAND TOTAL	**4231**	**5.9**	**45**	**1**	**1**	**4**	**7**	**12**	**17**	**35**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.1	3	< 1	< 1	2	3	4	5	9
20-34	65	2.4	2	1	1	2	3	4	6	7
35-49	63	2.2	3	< 1	< 1	2	3	4	5	8
50-64	34	2.8	6	< 1	1	2	3	8	9	9
65 +	44	4.2	11	1	1	3	5	9	12	16
B. Operated										
0-19 YRS	696	2.3	4	1	1	2	3	4	5	10
20-34	1324	2.9	7	1	1	2	4	5	6	10
35-49	1045	3.1	5	1	1	3	4	5	6	9
50-64	757	3.5	4	1	1	3	4	6	7	10
65 +	419	4.3	6	1	2	4	5	7	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	2.5	4	< 1	1	2	3	4	7	10
20-34	98	2.9	6	< 1	1	2	4	6	8	13
35-49	78	4.0	7	1	1	3	6	7	9	12
50-64	93	4.3	15	1	1	3	6	8	13	19
65 +	216	5.0	13	1	2	4	6	10	12	18
B. Operated										
0-19 YRS	428	4.4	31	1	1	3	5	8	13	32
20-34	911	4.9	27	1	1	4	5	9	14	31
35-49	691	4.8	24	1	2	4	6	9	12	21
50-64	655	5.8	24	2	2	4	7	10	15	24
65 +	861	6.7	31	2	3	5	8	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	244	2.7	5	< 1	1	2	3	5	7	12
B. Operated	4241	3.1	5	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	539	4.1	11	1	1	3	5	8	11	16
B. Operated	3546	5.4	28	1	2	4	6	10	14	28
1. SINGLE DX	4485	3.1	5	1	1	3	4	5	7	10
2. MULTIPLE DX	4085	5.3	26	1	1	4	6	10	13	27
A. Not Operated	783	3.6	9	1	1	3	5	7	9	15
B. Operated	7787	4.2	17	1	1	3	5	7	10	21
TOTAL										
0-19 YRS	1216	3.1	14	1	1	2	3	5	8	18
20-34	2398	3.7	15	1	1	3	4	6	9	21
35-49	1877	3.7	12	1	1	3	4	6	8	17
50-64	1539	4.5	14	1	1	4	5	8	10	20
65 +	1540	5.8	22	2	2	5	7	10	13	24
GRAND TOTAL	**8570**	**4.1**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.3		< 1	< 1	1	1	2	3	3
20-34	[illegible]	1.8	1	< 1	< 1	2	3	3	3	3
35-49	6	2.3	2	1	1	2	4	4	4	4
50-64	6	1.8	3	1	1	1	2	5	5	5
65 +	9	5.0	60	1	1	2	5	18	25	25
B. Operated										
0-19 YRS	20	1.7	1	< 1	1	1	2	3	4	4
20-34	37	1.6	1	< 1	1	1	2	2	3	5
35-49	16	1.8	1	1	1	2	2	3	4	4
50-64	4	2.3	1	1	1	2	3	3	3	3
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	2.1	2	1	1	2	3	4	5	8
20-34	102	2.6	4	1	1	2	3	5	7	11
35-49	74	2.6	4	1	1	2	3	5	7	8
50-64	48	3.2	9	1	1	2	4	7	12	14
65 +	82	5.6	16	1	1	4	8	12	13	17
B. Operated										
0-19 YRS	31	3.5	12	1	1	2	4	8	11	16
20-34	87	4.0	19	< 1	1	3	5	9	12	25
35-49	41	4.4	23	1	1	3	5	8	13	28
50-64	10	5.2	18	1	1	4	6	12	13	13
65 +	15	10.1	71	1	2	7	17	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	2.3	13	< 1	1	1	2	4	5	25
B. Operated	79	1.7	1	< 1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	364	3.3	9	1	1	2	4	7	10	14
B. Operated	184	4.6	25	1	1	3	5	11	15	27
1. SINGLE DX	128	1.9	5	< 1	1	1	2	3	4	11
2. MULTIPLE DX	548	3.7	15	1	1	2	4	8	12	19
A. Not Operated	413	3.2	9	1	1	2	4	7	10	14
B. Operated	263	3.7	19	1	1	2	4	8	12	25
TOTAL										
0-19 YRS	121	2.3	5	1	1	2	3	4	5	13
20-34	242	2.9	10	< 1	1	2	3	6	9	15
35-49	137	3.0	10	1	1	2	4	6	7	17
50-64	68	3.3	10	1	1	2	4	7	12	14
65 +	108	6.1	29	1	1	4	8	13	18	25
GRAND TOTAL	**676**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**11**	**19**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.8	30	1	1	2	3	13	17	17
20-34	6	5.3	11	2	2	4	7	11	11	11
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.1	9	1	1	3	6	9	10	10
20-34	8	11.1	146	1	2	6	17	32	34	34
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	5	11.8	69	4	4	10	14	26	26	26
B. Operated										
0-19 YRS	8	25.1	802	3	4	16	26	73	92	92
20-34	12	10.5	71	2	3	11	16	99 +	99 +	99 +
35-49	7	6.4	22	3	3	4	10	14	14	14
50-64	2	8.5	1	8	8	8	9	9	9	9
65 +	2	19.5	113	12	12	19	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.3	19	1	1	3	5	11	15	17
B. Operated	4	5.3	4	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	25	7.8	72	1	2	4	9	26	28	34
B. Operated	31	13.8	277	3	3	12	16	45	99	99 +
1. SINGLE DX	19	4.5	16	1	1	3	5	10	14	17
2. MULTIPLE DX	56	11.1	192	2	2	8	14	28	69	99 +
A. Not Operated	40	6.5	54	1	1	4	8	14	26	34
B. Operated	35	12.8	252	3	3	10	15	32	97	99 +
TOTAL										
0-19 YRS	28	10.0	313	1	1	4	12	23	34	92
20-34	28	9.1	76	2	2	6	12	33	99 +	99 +
35-49	10	5.8	18	2	2	4	8	13	14	14
50-64	2	8.5	1	8	8	8	9	9	9	9
65 +	7	14.0	79	4	5	10	22	27	27	27
GRAND TOTAL	**75**	**9.5**	**155**	**1**	**2**	**6**	**12**	**26**	**34**	**99 +**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	1.1		< 1	< 1	1	1	2	2	2
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	64	1.8	3	1	1	2	2	3	3	13
20-34	247	1.7	1	1	1	1	2	3	3	4
35-49	114	1.7	1	< 1	1	1	2	3	3	5
50-64	27	1.8	1	< 1	1	1	2	4	4	5
65 +	19	1.5	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	19	2.1	2	< 1	< 1	1	3	4	5	6
35-49	5	1.4	1	< 1	< 1	1	2	3	3	3
50-64	7	2.3	3	1	1	2	4	5	5	5
65 +	14	4.4	12	< 1	1	4	8	9	10	10
B. Operated										
0-19 YRS	14	3.6	35	< 1	1	2	3	6	20	24
20-34	67	2.2	3	1	1	2	3	4	5	12
35-49	51	2.4	3	< 1	1	2	3	4	5	10
50-64	24	2.7	8	< 1	1	2	3	4	8	15
65 +	38	4.2	18	< 1	1	3	5	11	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.3		< 1	< 1	1	2	2	2	2
B. Operated	471	1.7	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	49	2.7	6	< 1	1	2	4	6	9	10
B. Operated	194	2.8	9	1	1	2	3	5	8	19
1. SINGLE DX	482	1.7	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	243	2.8	9	< 1	1	2	3	5	9	15
A. Not Operated	60	2.5	5	< 1	< 1	1	3	5	8	10
B. Operated	665	2.0	4	1	1	2	2	3	4	12
TOTAL										
0-19 YRS	84	2.2	9	1	1	2	2	3	4	21
20-34	340	1.8	1	1	1	1	2	3	4	6
35-49	172	1.9	2	< 1	1	2	2	3	4	8
50-64	58	2.2	4	1	1	2	3	4	5	14
65 +	71	3.5	14	< 1	1	2	4	9	11	20
GRAND TOTAL	**725**	**2.1**	**4**	**< 1**	**1**	**2**	**2**	**3**	**4**	**11**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	2	< 1	< 1	1	2	5	5	5
20-34	7	2.6	7	< 1	< 1	1	3	7	8	8
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	157	2.0	1	< 1	< 1	2	3	4	4	5
20-34	244	1.9	3	< 1	< 1	1	2	4	5	6
35-49	139	1.6	2	< 1	< 1	1	2	4	5	7
50-64	45	1.4	2	< 1	< 1	1	1	2	4	9
65 +	19	2.6	8	< 1	< 1	1	3	6	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	2.0	4	< 1	< 1	1	2	6	6	6
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	3	1.7	1	< 1	< 1	< 1	2	3	3	3
65 +	5	4.2	5	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	184	2.6	3	< 1	1	2	3	5	6	8
20-34	392	2.7	4	< 1	< 1	2	3	5	6	11
35-49	221	2.4	4	< 1	< 1	2	3	5	6	10
50-64	135	2.3	3	< 1	< 1	2	3	5	5	8
65 +	82	3.2	12	< 1	1	2	4	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.1	4	< 1	< 1	1	2	5	7	8
B. Operated	604	1.8	2	< 1	< 1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated	20	2.5	4	< 1	< 1	2	3	6	7	7
B. Operated	1014	2.6	4	< 1	< 1	2	3	5	6	10
1. SINGLE DX	620	1.9	2	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX	1034	2.6	4	< 1	< 1	2	3	5	6	10
A. Not Operated	36	2.3	4	< 1	< 1	2	3	6	7	8
B. Operated	1618	2.3	4	< 1	< 1	2	3	4	6	10
TOTAL										
0-19 YRS	348	2.3	2	< 1	< 1	2	3	4	5	7
20-34	649	2.4	4	< 1	< 1	2	3	4	5	10
35-49	366	2.1	3	< 1	< 1	1	3	5	6	9
50-64	183	2.1	3	< 1	< 1	1	3	5	5	9
65 +	108	3.1	11	< 1	< 1	2	4	8	10	16
GRAND TOTAL	**1654**	**2.3**	**4**	**< 1**	**< 1**	**2**	**3**	**4**	**6**	**10**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.1	5	1	1	2	5	6	7	7
20-34	17	4.9	24	< 1	< 1	2	9	12	15	16
35-49	11	4.3	12	1	1	3	6	10	12	12
50-64	7	3.3	5	< 1	< 1	3	5	6	6	6
65 +	3	11.7	120	3	3	8	20	24	24	24
B. Operated										
0-19 YRS	120	2.4	11	< 1	< 1	1	3	4	6	21
20-34	131	3.0	7	< 1	1	2	4	7	9	12
35-49	72	3.1	11	1	1	2	4	7	10	16
50-64	33	2.4	6	< 1	1	2	3	5	6	13
65 +	22	2.3	9	< 1	< 1	1	2	5	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	4.9	44	< 1	1	3	6	7	20	31
20-34	28	6.1	19	1	1	6	8	14	15	15
35-49	26	5.5	30	1	1	4	7	10	17	27
50-64	25	5.8	36	< 1	1	3	8	15	21	22
65 +	24	8.5	93	2	2	5	9	20	31	44
B. Operated										
0-19 YRS	95	4.8	25	1	1	3	6	11	16	24
20-34	142	5.4	54	1	1	4	7	11	15	24
35-49	102	5.8	29	1	1	4	8	13	17	24
50-64	78	6.0	56	1	1	3	7	13	18	45
65 +	82	7.3	92	1	1	5	8	16	20	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	4.4	20	< 1	1	3	6	10	13	24
B. Operated	378	2.7	9	< 1	1	2	3	6	9	15
2. MULTIPLE DX										
A. Not Operated	122	6.2	43	1	1	4	8	14	20	35
B. Operated	499	5.8	50	1	1	4	7	13	17	29
1. SINGLE DX	431	2.9	11	< 1	1	2	3	7	10	16
2. MULTIPLE DX	621	5.9	49	1	1	4	7	13	17	31
A. Not Operated	175	5.7	37	1	1	4	7	12	17	30
B. Operated	877	4.5	35	1	1	3	5	10	14	24
TOTAL										
0-19 YRS	249	3.6	19	< 1	1	2	4	7	13	21
20-34	318	4.5	31	< 1	1	3	6	10	13	18
35-49	211	4.8	23	1	1	3	7	11	15	24
50-64	143	5.0	40	1	1	3	6	12	16	36
65 +	131	6.8	82	1	1	4	8	16	22	50
GRAND TOTAL	**1052**	**4.7**	**35**	**1**	**1**	**3**	**5**	**10**	**15**	**25**

360: Sprains and strains of knee ano leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	14	2.5	4	< 1	< 1	1	5	6	6	6
35-49	6	3.0	4	1	1	2	3	7	7	7
50-64	2	1.0		1	1	1	1	1	1	1
65 +	9	3.6	12	< 1	< 1	2	4	10	10	10
B. Operated										
0-19 YRS	289	2.5	1	< 1	1	3	3	4	5	6
20-34	517	2.8	2	< 1	1	3	3	4	5	8
35-49	172	2.8	2	< 1	1	3	4	5	6	7
50-64	27	3.4	3	1	1	3	4	5	6	8
65 +	15	2.7	2	1	1	3	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.0	1	< 1	< 1	2	3	4	4	4
20-34	21	2.5	4	< 1	< 1	2	3	4	7	10
35-49	22	2.5	3	< 1	< 1	2	4	5	6	6
50-64	22	3.0	3	1	1	3	4	5	7	9
65 +	80	5.8	39	1	2	4	7	11	12	41
B. Operated										
0-19 YRS	389	3.2	3	1	1	3	4	5	5	9
20-34	884	3.3	3	1	1	3	4	5	6	10
35-49	395	3.4	3	1	1	3	4	5	7	10
50-64	77	5.3	46	1	2	4	5	8	13	47
65 +	39	6.0	22	1	2	4	8	10	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.7	6	< 1	< 1	2	3	6	8	10
B. Operated	1020	2.7	2	< 1	1	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	156	4.2	24	< 1	1	3	5	8	11	20
B. Operated	1784	3.5	6	1	1	3	4	5	7	11
1. SINGLE DX	1055	2.7	2	< 1	1	3	3	4	5	7
2. MULTIPLE DX	1940	3.5	7	1	1	3	4	6	7	11
A. Not Operated	191	3.9	21	< 1	1	3	5	8	10	20
B. Operated	2804	3.2	4	1	1	3	4	5	6	10
TOTAL										
0-19 YRS	693	2.9	2	< 1	1	3	4	5	5	8
20-34	1436	3.1	3	< 1	1	3	4	5	6	9
35-49	595	3.2	3	1	1	3	4	5	7	10
50-64	128	4.4	30	1	1	4	5	7	9	34
65 +	143	5.4	30	1	2	4	7	10	12	26
GRAND TOTAL	**2995**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.5	6	1	1	3	5	6	9	10
20-34	218	3.9	5	1	1	3	5	7	8	11
35-49	261	4.3	6	1	1	4	6	8	9	13
50-64	103	4.3	7	1	2	4	5	7	9	16
65 +	44	4.6	6	1	2	4	6	9	10	11
B. Operated										
0-19 YRS	3	2.7	2	< 1	< 1	3	4	4	4	4
20-34	35	4.5	33	1	1	2	6	10	11	32
35-49	34	4.4	12	1	1	3	7	9	10	15
50-64	4	3.5	3	< 1	< 1	4	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.2	6	< 1	< 1	2	5	7	9	10
20-34	224	4.6	13	1	1	4	6	8	10	23
35-49	318	4.7	9	1	2	4	6	8	10	15
50-64	205	4.7	8	1	2	4	6	8	9	15
65 +	289	5.4	11	2	2	5	7	9	12	17
B. Operated										
0-19 YRS	0									
20-34	33	7.0	28	1	1	7	9	15	18	23
35-49	38	5.2	24	1	1	4	7	11	17	22
50-64	16	5.6	13	< 1	1	6	8	10	12	13
65 +	16	8.6	24	1	2	9	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	643	4.1	6	1	1	4	5	7	9	13
B. Operated	77	4.3	21	1	1	3	6	9	10	27
2. MULTIPLE DX										
A. Not Operated	1060	4.8	10	1	2	4	6	8	11	16
B. Operated	103	6.4	24	1	1	6	9	13	17	22
1. SINGLE DX	720	4.2	8	1	1	4	5	8	9	13
2. MULTIPLE DX	1163	5.0	12	1	2	4	6	9	11	18
A. Not Operated	1703	4.6	9	1	2	4	6	8	10	15
B. Operated	180	5.5	24	1	1	4	8	11	15	23
TOTAL										
0-19 YRS	44	3.3	6	< 1	1	3	5	6	9	10
20-34	510	4.4	12	1	1	4	6	8	10	20
35-49	651	4.5	9	1	1	4	6	8	10	15
50-64	328	4.6	8	1	2	4	6	8	9	16
65 +	350	5.4	12	2	2	5	7	10	12	17
GRAND TOTAL	**1883**	**4.7**	**10**	**1**	**1**	**4**	**6**	**8**	**10**	**16**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	1.8	4	< 1	1	1	2	3	5	13
20-34	243	3.4	7	< 1	1	3	5	7	8	14
35-49	216	4.1	6	1	1	4	5	8	9	12
50-64	76	3.8	5	1	1	3	5	7	8	9
65 +	22	2.8	4	< 1	1	2	4	5	8	10
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	57	2.0	5	1	1	1	2	5	7	13
35-49	47	2.7	9	< 1	< 1	1	4	7	9	14
50-64	11	3.5	21	1	1	1	4	11	16	16
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	2.6	4	1	1	2	4	6	7	10
20-34	404	3.6	8	< 1	1	3	5	8	9	12
35-49	409	4.6	12	1	1	4	6	9	12	16
50-64	243	4.3	10	1	1	3	6	8	10	16
65 +	316	5.2	13	1	2	4	7	9	11	18
B. Operated										
0-19 YRS	11	2.1	4	< 1	< 1	1	2	5	7	7
20-34	66	4.4	19	1	1	3	6	10	14	19
35-49	67	3.8	14	1	1	2	6	9	12	15
50-64	37	4.2	13	1	1	4	5	8	12	17
65 +	34	11.2	105	1	1	8	14	28	38	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	607	3.6	6	1	1	3	5	7	8	13
B. Operated	117	2.5	8	< 1	1	1	3	6	8	15
2. MULTIPLE DX										
A. Not Operated	1470	4.3	11	1	1	3	6	8	10	15
B. Operated	215	5.1	36	1	1	3	7	12	15	35
1. SINGLE DX	724	3.4	7	1	1	3	5	7	8	13
2. MULTIPLE DX	1685	4.4	14	1	1	3	6	9	11	17
A. Not Operated	2077	4.1	10	1	1	3	6	8	10	15
B. Operated	332	4.2	28	1	1	2	6	10	14	29
TOTAL										
0-19 YRS	160	2.3	4	< 1	1	1	3	5	7	10
20-34	770	3.5	8	< 1	1	3	5	7	9	14
35-49	739	4.3	11	1	1	4	6	8	11	15
50-64	367	4.2	10	1	1	3	6	8	10	16
65 +	373	5.6	24	1	1	4	8	10	13	28
GRAND TOTAL	**2409**	**4.1**	**12**	**1**	**1**	**3**	**6**	**8**	**10**	**15**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.1	2	< 1	< 1	2	3	4	5	7
20-34	33	2.1	2	< 1	< 1	2	3	4	5	5
35-49	22	2.1	2	< 1	1	2	3	4	5	5
50-64	17	2.6	6	< 1	1	2	3	6	9	10
65 +	20	3.3	3	1	1	3	4	6	7	8
B. Operated										
0-19 YRS	69	1.5	1	< 1	< 1	1	2	3	4	6
20-34	340	1.8	1	< 1	1	2	2	3	4	5
35-49	530	2.0	1	1	1	2	2	3	4	6
50-64	555	2.4	2	1	1	2	3	4	5	7
65 +	239	2.8	2	1	1	3	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.1	8	< 1	< 1	1	2	4	10	12
20-34	48	2.4	5	< 1	< 1	2	3	4	8	12
35-49	42	2.8	7	< 1	< 1	2	4	6	8	13
50-64	50	2.6	10	< 1	< 1	2	3	5	6	21
65 +	144	4.3	11	1	1	4	6	8	9	20
B. Operated										
0-19 YRS	36	1.8	1	< 1	1	1	2	3	4	6
20-34	114	2.6	5	1	1	2	3	5	7	14
35-49	271	2.4	3	1	1	2	3	4	5	8
50-64	486	3.1	5	1	1	2	4	6	7	13
65 +	361	3.5	5	1	1	3	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	2.4	3	< 1	1	2	3	5	6	9
B. Operated	1733	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	298	3.4	10	< 1	1	2	4	7	9	18
B. Operated	1268	3.0	5	1	1	2	4	5	7	12
1. SINGLE DX	1848	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX	1566	3.1	6	1	1	2	4	6	7	13
A. Not Operated	413	3.1	8	< 1	1	2	4	6	8	14
B. Operated	3001	2.5	3	1	1	2	3	4	6	9
TOTAL										
0-19 YRS	142	1.7	2	< 1	< 1	1	2	3	4	7
20-34	535	2.1	2	< 1	1	2	3	4	4	8
35-49	865	2.2	2	1	1	2	3	4	5	7
50-64	1108	2.7	4	1	1	2	3	5	6	9
65 +	764	3.4	6	1	1	3	4	6	7	13
GRAND TOTAL	**3414**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	803	1.1		< 1	1	1	1	2	2	3
20-34	201	1.6	1	< 1	< 1	1	2	3	4	6
35-49	63	1.5	1	< 1	< 1	1	2	3	4	4
50-64	24	1.5	1	< 1	1	1	2	2	4	6
65 +	15	1.5	1	< 1	1	1	2	2	4	5
B. Operated										
0-19 YRS	509	3.2	30	1	1	2	3	4	7	30
20-34	6	1.2		< 1	< 1	1	1	2	2	2
35-49	4	3.3	4	1	1	3	5	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1092	1.5	1	< 1	1	1	2	3	4	6
20-34	782	2.0	5	< 1	1	1	2	4	5	12
35-49	391	2.2	5	< 1	1	2	3	4	6	11
50-64	181	2.7	9	1	1	2	3	4	8	20
65 +	346	3.7	11	1	1	3	5	7	9	17
B. Operated										
0-19 YRS	373	2.6	20	< 1	1	1	2	5	7	29
20-34	431	2.9	13	< 1	1	2	3	5	9	23
35-49	166	3.7	38	< 1	1	2	4	7	11	44
50-64	76	5.2	85	1	1	2	5	11	20	58
65 +	125	4.2	30	1	1	3	4	7	13	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1106	1.3	1	< 1	1	1	1	2	2	4
B. Operated	521	3.2	30	1	1	2	3	4	7	30
2. MULTIPLE DX										
A. Not Operated	2792	2.1	5	< 1	1	1	2	4	6	12
B. Operated	1171	3.2	26	< 1	1	2	3	6	9	26
1. SINGLE DX	1627	1.9	11	< 1	1	1	2	3	4	15
2. MULTIPLE DX	3963	2.4	11	< 1	1	1	3	5	7	16
A. Not Operated	3898	1.9	4	< 1	1	1	2	4	5	9
B. Operated	1692	3.2	27	1	1	2	3	5	9	28
TOTAL										
0-19 YRS	2777	1.9	10	< 1	1	1	2	3	4	14
20-34	1420	2.2	7	< 1	1	1	2	4	5	[illegible]
35-49	624	2.6	14	< 1	1	2	3	5	7	[illegible]
50-64	283	3.3	30	1	1	2	3	6	10	[illegible]
65 +	486	3.7	16	1	1	3	4	7	9	19
GRAND TOTAL	**5590**	**2.3**	**11**	**< 1**	**1**	**1**	**2**	**4**	**6**	**16**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	384	1.5	2	< 1	< 1	1	1	3	4	7
20-34	98	2.6	10	< 1	1	2	3	6	8	19
35-49	37	3.1	9	1	1	2	4	6	8	17
50-64	16	3.7	9	< 1	1	3	5	9	10	11
65 +	23	3.3	13	< 1	< 1	2	4	6	10	17
B. Operated										
0-19 YRS	31	8.1	70	1	2	5	9	22	29	35
20-34	19	7.6	27	3	4	6	8	15	21	23
35-49	27	5.9	10	1	2	6	7	10	11	13
50-64	21	5.9	14	1	2	5	9	10	13	17
65 +	48	7.9	22	2	2	7	9	14	18	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	627	3.1	39	< 1	1	1	3	6	10	31
20-34	479	4.1	49	< 1	< 1	2	4	9	16	40
35-49	222	4.0	24	1	1	2	4	9	14	27
50-64	127	5.8	65	1	1	3	6	13	19	46
65 +	290	6.7	42	1	1	5	9	15	19	37
B. Operated										
0-19 YRS	291	11.5	190	< 1	1	6	18	33	44	90
20-34	374	12.8	265	1	1	6	16	38	52	89
35-49	176	10.4	179	1	1	6	13	31	52	99 +
50-64	100	14.6	253	1	2	9	24	39	54	99 +
65 +	295	14.0	165	2	3	10	18	31	38	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	558	1.9	5	< 1	< 1	1	2	4	6	11
B. Operated	146	7.2	30	1	2	6	9	13	18	29
2. MULTIPLE DX										
A. Not Operated	1745	4.3	44	< 1	1	2	5	10	15	36
B. Operated	1236	12.6	211	1	1	8	17	34	46	99 +
1. SINGLE DX	704	3.0	14	< 1	1	1	4	7	10	20
2. MULTIPLE DX	2981	7.7	130	< 1	1	3	9	20	33	69
A. Not Operated	2303	3.7	35	< 1	1	2	4	8	13	31
B. Operated	1382	12.0	195	1	1	7	16	32	45	89
TOTAL										
0-19 YRS	1333	4.6	76	< 1	1	1	4	12	22	49
20-34	970	7.4	146	< 1	1	3	7	20	35	70
35-49	462	6.5	91	1	1	3	8	15	27	74
50-64	264	9.0	147	1	1	5	10	25	39	84
65 +	656	10.0	109	1	2	7	13	21	32	61
GRAND TOTAL	**3685**	**6.8**	**111**	**< 1**	**1**	**3**	**8**	**18**	**30**	**62**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.7	1	< 1	1	1	2	3	4	4
20-34	40	1.9	1	< 1	1	1	3	3	5	5
35-49	17	2.2	2	< 1	< 1	1	3	4	5	6
50-64	9	3.2	6	1	1	2	5	7	8	8
65 +	6	2.0	1	< 1	< 1	2	2	4	4	4
B. Operated										
0-19 YRS	25	3.8	6	1	2	3	5	7	9	11
20-34	79	4.2	8	2	2	3	5	7	9	19
35-49	30	3.7	6	1	1	3	5	7	8	12
50-64	8	2.9	2	1	1	3	3	5	6	6
65 +	3	5.7	6	3	3	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	2.3	2	1	1	2	3	4	5	7
20-34	137	2.9	5	1	1	2	4	6	8	11
35-49	118	3.6	6	1	1	3	5	7	9	11
50-64	93	4.1	13	1	1	3	5	9	12	19
65 +	142	5.1	11	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	115	7.0	64	2	2	5	8	11	17	50
20-34	366	7.0	40	2	2	5	8	13	17	37
35-49	218	8.0	65	2	2	5	9	17	26	48
50-64	128	8.5	75	2	2	6	10	17	25	49
65 +	143	9.4	47	2	3	8	12	19	25	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	2.0	2	< 1	1	1	3	4	5	7
B. Operated	145	4.0	7	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	556	3.8	8	1	1	3	5	7	10	14
B. Operated	970	7.8	55	2	2	6	9	15	21	45
1. SINGLE DX	234	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	1526	6.3	42	1	2	5	8	12	18	37
A. Not Operated	645	3.5	8	1	1	3	5	7	9	13
B. Operated	1115	7.3	50	2	2	5	9	14	20	44
TOTAL										
0-19 YRS	223	4.9	39	1	1	3	6	9	11	48
20-34	622	5.4	30	1	1	4	7	10	14	30
35-49	383	6.0	44	1	1	4	7	12	17	43
50-64	238	6.4	51	1	2	4	7	12	20	38
65 +	294	7.2	33	1	2	6	9	15	19	29
GRAND TOTAL	**1760**	**5.9**	**38**	**1**	**1**	**4**	**7**	**11**	**17**	**35**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	3.0	7	1	1	2	4	7	9	12
20-34	75	2.9	5	<1	1	2	4	7	7	10
35-49	22	3.3	10	1	1	2	4	7	10	15
50-64	8	2.3	2	1	1	2	3	4	4	4
65 +	7	2.7	3	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	96	5.7	6	2	3	5	7	9	9	16
20-34	86	5.4	10	2	2	5	6	8	8	22
35-49	38	6.1	12	1	2	5	7	10	12	19
50-64	11	5.2	10	1	1	5	8	9	10	10
65 +	6	5.8	10	3	3	6	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	201	3.7	10	<1	1	3	5	7	10	15
20-34	207	3.5	13	1	1	3	4	7	8	13
35-49	101	3.8	8	1	1	3	5	6	10	14
50-64	30	5.0	18	1	2	4	6	10	12	22
65 +	54	6.5	50	1	2	4	8	13	17	39
B. Operated										
0-19 YRS	376	9.4	75	3	4	7	10	18	27	50
20-34	625	9.8	97	3	4	7	10	17	30	58
35-49	280	10.2	85	2	4	8	12	19	30	53
50-64	116	12.3	137	3	5	9	12	21	37	66
65 +	100	13.7	195	2	3	10	17	30	38	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	252	3.0	6	1	1	2	4	6	8	11
B. Operated	237	5.6	9	2	3	5	7	9	10	19
2. MULTIPLE DX										
A. Not Operated	593	3.9	15	1	1	3	5	8	10	16
B. Operated	1497	10.2	100	3	4	7	11	20	31	58
1. SINGLE DX	489	4.3	9	1	1	4	6	8	9	14
2. MULTIPLE DX	2090	8.5	84	1	2	6	9	16	26	53
A. Not Operated	845	3.7	13	1	1	3	5	7	10	16
B. Operated	1734	9.6	90	2	3	7	10	18	28	57
TOTAL										
0-19 YRS	813	6.4	47	1	1	5	7	12	18	36
20-34	993	7.6	73	1	1	6	8	13	24	51
35-49	441	8.1	66	1	2	6	9	15	21	45
50-64	165	10.0	113	2	2	8	11	18	28	60
65 +	167	10.6	147	1	2	7	12	24	37	89
GRAND TOTAL	**2579**	**7.7**	**72**	**1**	**1**	**6**	**9**	**14**	**22**	**49**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.4	2	1	1	2	4	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	106	2.0	2	<1	1	1	3	4	5	6
20-34	64	2.5	4	<1	1	2	3	5	6	11
35-49	31	2.7	3	<1	<1	2	4	5	6	7
50-64	15	2.5	2	1	1	2	3	5	6	6
65 +	6	3.7	2	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.7	1	<1	<1	1	2	3	3	3
20-34	8	3.0	6	<1	<1	2	4	7	8	8
35-49	6	3.3	10	1	1	2	5	9	9	9
50-64	3	3.7	2	2	2	4	5	5	5	5
65 +	4	2.8	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	147	2.7	6	1	1	2	3	6	7	15
20-34	154	2.9	5	1	1	3	4	5	7	17
35-49	72	3.4	8	<1	1	3	4	6	8	16
50-64	42	4.3	30	1	1	3	5	7	9	36
65 +	40	4.4	46	<1	<1	3	5	7	10	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.6	2	1	1	2	4	5	5	5
B. Operated	222	2.3	3	<1	1	2	3	5	5	7
2. MULTIPLE DX										
A. Not Operated	30	2.7	4	<1	1	2	4	5	8	9
B. Operated	455	3.2	12	1	1	2	4	6	8	16
1. SINGLE DX	234	2.3	3	<1	1	2	3	5	5	7
2. MULTIPLE DX	485	3.1	11	<1	1	2	4	6	8	16
A. Not Operated	42	2.7	4	<1	1	2	4	5	6	9
B. Operated	677	2.9	9	<1	1	2	4	5	7	15
TOTAL										
0-19 YRS	269	2.4	4	<1	1	2	3	5	6	11
20-34	228	2.8	4	1	1	2	4	5	6	13
35-49	111	3.2	6	<1	1	3	4	6	8	15
50-64	61	3.8	22	1	1	2	4	6	8	33
65 +	50	4.1	37	<1	1	3	5	6	9	43
GRAND TOTAL	**719**	**2.9**	**9**	**<1**	**1**	**2**	**4**	**5**	**7**	**15**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.7	1	< 1	1	1	2	3	4	5
20-34	33	1.5	1	< 1	< 1	1	2	3	3	4
35-49	10	1.7	1	< 1	< 1	1	2	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65 +	4	6.0	65	1	1	2	10	18	18	18
B. Operated										
0-19 YRS	152	1.3	1	< 1	< 1	1	1	2	3	6
20-34	82	2.0	4	< 1	1	1	2	4	6	12
35-49	31	1.7	2	< 1	< 1	1	1	4	6	6
50-64	8	1.5	1	< 1	< 1	1	2	3	4	4
65 +	5	2.6	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	2.1	21	1	1	1	2	3	5	28
20-34	143	1.9	2	< 1	< 1	1	3	4	4	8
35-49	68	2.5	5	< 1	< 1	2	3	6	7	11
50-64	33	2.4	2	< 1	1	2	3	5	6	6
65 +	61	3.7	8	< 1	1	3	4	8	10	12
B. Operated										
0-19 YRS	418	2.2	11	< 1	1	1	2	4	6	11
20-34	585	2.9	28	< 1	< 1	2	3	5	8	25
35-49	248	2.8	14	< 1	1	2	3	5	10	17
50-64	137	3.5	27	< 1	1	2	4	7	10	26
65 +	146	3.4	17	1	1	2	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	1.8	4	< 1	< 1	1	2	3	3	13
B. Operated	278	1.6	2	< 1	< 1	1	1	3	4	9
2. MULTIPLE DX										
A. Not Operated	397	2.4	8	< 1	< 1	2	3	5	7	11
B. Operated	1534	2.8	20	< 1	1	2	3	6	8	19
1. SINGLE DX	367	1.7	3	< 1	< 1	1	2	3	4	9
2. MULTIPLE DX	1931	2.7	18	< 1	1	2	3	5	7	16
A. Not Operated	486	2.3	7	< 1	< 1	2	3	4	6	11
B. Operated	1812	2.6	18	< 1	1	1	3	5	7	17
TOTAL										
0-19 YRS	701	2.0	10	< 1	1	1	2	4	5	10
20-34	843	2.6	20	< 1	< 1	1	3	5	7	16
35-49	357	2.6	11	< 1	1	2	3	6	7	16
50-64	181	3.1	21	< 1	1	2	3	6	8	22
65 +	216	3.5	15	1	1	2	4	8	9	18
GRAND TOTAL	**2298**	**2.5**	**15**	**< 1**	**< 1**	**1**	**3**	**5**	**7**	**15**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.7	1	< 1	< 1	1	2	3	4	4
20-34	112	1.3	1	< 1	< 1	1	1	2	2	5
35-49	42	1.2		< 1	< 1	1	1	2	2	3
50-64	14	1.1		< 1	< 1	1	1	2	3	3
65 +	0									
B. Operated										
0-19 YRS	84	2.1	3	< 1	1	1	2	5	6	9
20-34	117	2.3	3	< 1	< 1	1	4	5	6	7
35-49	39	2.4	3	1	1	2	3	5	6	6
50-64	6	1.8	3	< 1	< 1	1	2	5	5	5
65 +	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	3.8	73	< 1	1	2	3	5	9	47
20-34	111	1.7	3	< 1	< 1	1	2	3	4	11
35-49	39	2.1	7	< 1	< 1	1	2	4	6	17
50-64	10	1.7	2	< 1	< 1	1	2	4	6	6
65 +	10	5.0	6	1	1	5	7	8	9	9
B. Operated										
0-19 YRS	85	3.8	48	< 1	1	2	4	7	10	46
20-34	234	4.4	40	< 1	1	3	6	9	12	27
35-49	67	4.8	17	1	1	4	7	10	11	22
50-64	23	4.8	18	< 1	1	4	7	11	14	17
65 +	18	5.1	21	1	1	4	6	10	16	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	1.3	1	< 1	< 1	1	1	2	3	4
B. Operated	249	2.2	3	< 1	< 1	1	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	198	2.3	15	< 1	< 1	1	2	4	6	17
B. Operated	427	4.4	36	< 1	1	3	6	9	12	23
1. SINGLE DX	456	1.8	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX	625	3.7	30	< 1	1	2	4	8	10	21
A. Not Operated	405	1.8	8	< 1	< 1	1	2	3	4	8
B. Operated	676	3.6	25	< 1	1	2	5	8	9	19
TOTAL										
0-19 YRS	236	2.8	28	< 1	< 1	2	3	5	8	24
20-34	574	2.9	19	< 1	< 1	1	3	6	8	14
35-49	187	2.9	10	< 1	< 1	2	4	7	9	16
50-64	53	2.9	11	< 1	< 1	1	4	7	10	17
65 +	31	4.9	15	1	1	4	6	9	10	20
GRAND TOTAL	**1081**	**2.9**	**19**	**< 1**	**< 1**	**2**	**3**	**6**	**9**	**17**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	2.3	2	1	1	2	3	4	5	7
20-34	109	2.2	2	< 1	< 1	2	3	4	4	7
35-49	53	2.4	1	< 1	1	2	3	4	5	6
50-64	19	2.8	1	1	1	3	3	5	5	5
65 +	4	2.8		2	2	3	3	3	3	3
B. Operated										
0-19 YRS	302	2.0	4	< 1	< 1	1	2	4	6	11
20-34	571	2.0	4	< 1	< 1	1	2	4	6	10
35-49	235	2.3	6	< 1	< 1	1	2	5	7	16
50-64	106	2.3	8	< 1	1	1	2	4	7	18
65 +	41	1.9	1	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	3.7	83	< 1	1	2	3	5	6	65
20-34	160	3.0	10	< 1	1	2	3	6	8	18
35-49	79	3.2	5	< 1	1	3	4	6	7	11
50-64	31	3.0	2	< 1	1	3	4	5	5	6
65 +	38	3.6	4	1	1	3	4	5	8	9
B. Operated										
0-19 YRS	336	2.5	5	< 1	1	2	3	6	6	11
20-34	829	3.1	14	< 1	1	2	4	6	9	19
35-49	354	3.1	14	< 1	1	2	4	7	10	17
50-64	158	3.0	11	< 1	1	2	4	7	9	16
65 +	160	4.1	35	1	1	2	4	8	12	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	2.3	1	< 1	1	2	3	4	5	6
B. Operated	1255	2.1	5	< 1	< 1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	372	3.2	20	< 1	1	2	4	5	8	17
B. Operated	1837	3.1	14	< 1	1	2	4	6	9	17
1. SINGLE DX	1491	2.1	4	< 1	< 1	1	2	4	6	11
2. MULTIPLE DX	2209	3.1	15	< 1	1	2	4	6	9	17
A. Not Operated	608	2.9	13	< 1	1	2	3	5	6	13
B. Operated	3092	2.7	10	< 1	1	2	3	5	8	16
TOTAL										
0-19 YRS	753	2.4	11	< 1	1	1	3	5	6	11
20-34	1669	2.7	10	< 1	1	2	3	5	7	14
35-49	721	2.8	10	< 1	1	2	3	6	8	16
50-64	314	2.7	8	< 1	1	2	3	5	8	16
65 +	243	3.6	25	1	1	2	4	7	10	30
GRAND TOTAL	**3700**	**2.7**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	2.0	1	< 1	< 1	2	3	3	5	5
20-34	67	2.6	4	< 1	1	2	3	5	7	10
35-49	17	2.9	5	< 1	< 1	2	4	6	8	9
50-64	10	3.1	9	< 1	< 1	2	4	8	11	11
65 +	5	3.4	8	1	1	3	5	8	8	8
B. Operated										
0-19 YRS	272	2.5	5	< 1	1	2	3	5	7	11
20-34	285	2.9	13	< 1	1	2	3	6	7	15
35-49	91	2.7	6	< 1	1	2	4	5	7	13
50-64	44	3.5	10	< 1	1	3	4	7	11	14
65 +	23	5.7	49	1	2	4	6	10	20	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	2.9	5	< 1	1	2	3	6	7	11
20-34	58	2.9	6	< 1	1	2	3	6	6	15
35-49	36	4.3	7	1	2	4	5	7	9	14
50-64	17	7.2	19	2	2	6	11	14	15	15
65 +	43	5.1	10	1	2	4	7	9	11	15
B. Operated										
0-19 YRS	237	4.2	34	< 1	1	3	4	8	12	23
20-34	281	6.5	74	1	1	4	7	14	22	46
35-49	147	5.6	38	1	1	4	7	13	19	28
50-64	70	8.3	68	1	2	5	10	18	31	39
65 +	79	11.4	102	1	2	9	15	24	26	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	2.5	4	< 1	< 1	2	3	5	6	10
B. Operated	715	2.9	10	< 1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	201	4.0	9	1	1	3	5	9	11	15
B. Operated	814	6.3	62	1	1	4	7	14	21	38
1. SINGLE DX	866	2.8	9	< 1	1	2	3	5	8	14
2. MULTIPLE DX	1015	5.8	52	1	1	4	7	13	19	35
A. Not Operated	352	3.3	7	< 1	1	3	4	6	9	14
B. Operated	1529	4.7	41	1	1	3	5	10	15	32
TOTAL										
0-19 YRS	608	3.2	16	< 1	1	2	4	6	8	18
20-34	691	4.3	39	1	1	3	5	8	14	33
35-49	291	4.4	24	1	1	3	5	9	14	26
50-64	141	6.3	45	1	1	4	8	14	18	37
65 +	150	8.4	74	1	2	6	10	18	25	35
GRAND TOTAL	**1881**	**4.4**	**35**	**<1**	**1**	**3**	**5**	**9**	**14**	**31**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	11	1.9	3	< 1	< 1	1	3	5	6	6
20-34	18	3.2	12	< 1	< 1	2	3	10	11	12
35-49	8	2.9	3	1	1	2	4	6	6	6
50-64	5	3.6	4	1	1	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.8	21	1	1	1	2	10	15	15
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	3	3.0	7	1	1	2	5	6	6	6
B. Operated										
0-19 YRS	54	4.3	18	1	1	3	5	8	11	26
20-34	125	6.8	88	< 1	1	4	8	15	22	59
35-49	62	6.2	55	< 1	1	5	8	12	16	43
50-64	21	11.3	265	1	1	5	9	38	54	59
65 +	25	10.8	332	1	1	4	9	23	62	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.8	5	< 1	< 1	3	6	6	6	6
B. Operated	42	2.9	7	< 1	< 1	2	3	6	9	12
2. MULTIPLE DX										
A. Not Operated	15	2.8	13	1	1	1	3	6	13	15
B. Operated	287	6.9	104	1	1	4	7	13	24	58
1. SINGLE DX	47	3.0	7	< 1	< 1	2	4	6	9	12
2. MULTIPLE DX	302	6.7	100	1	1	4	7	13	23	58
A. Not Operated	20	3.1	11	< 1	1	2	4	6	11	15
B. Operated	329	6.4	93	1	1	4	7	12	22	57
TOTAL										
0-19 YRS	75	3.7	16	1	1	3	5	7	11	23
20-34	144	6.3	79	< 1	1	4	8	12	21	57
35-49	75	5.7	47	1	1	4	7	12	15	42
50-64	26	9.8	222	1	1	5	8	30	52	59
65 +	29	9.8	291	1	1	4	8	20	58	79
GRAND TOTAL	**349**	**6.2**	**89**	**1**	**1**	**4**	**7**	**12**	**20**	**57**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	16	2.7	7	< 1	< 1	2	3	7	9	10
20-34	42	2.5	3	< 1	1	2	3	4	6	9
35-49	23	3.7	11	< 1	< 1	3	6	8	10	13
50-64	9	3.3	10	< 1	< 1	1	6	8	9	9
65 +	4	3.5	9	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	23.7	904	2	2	34	79	99 +	99 +	99 +
20-34	9	3.0	6	< 1	< 1	3	4	7	8	8
35-49	17	4.4	16	1	1	3	5	11	15	16
50-64	6	1.7		1	1	2	2	2	2	2
65 +	7	7.0	27	2	2	4	11	14	15	15
B. Operated										
0-19 YRS	16	2.6	3	< 1	1	2	4	5	6	6
20-34	46	4.2	36	1	1	2	4	12	22	26
35-49	38	7.3	223	1	1	4	6	14	21	92
50-64	29	4.8	19	1	1	4	6	8	10	24
65 +	12	6.7	59	1	1	3	10	20	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.9	9	1	1	1	4	8	9	9
B. Operated	94	2.9	6	< 1	< 1	2	4	7	8	12
2. MULTIPLE DX										
A. Not Operated	42	5.5	84	1	1	3	5	13	31	99 +
B. Operated	141	5.2	82	1	1	3	5	10	20	32
1. SINGLE DX	101	2.9	6	< 1	< 1	2	4	7	8	11
2. MULTIPLE DX	183	5.3	82	1	1	3	5	11	20	80
A. Not Operated	49	5.1	74	1	1	3	5	12	16	99 +
B. Operated	235	4.3	53	< 1	1	2	5	8	14	25
TOTAL										
0-19 YRS	38	4.2	86	< 1	< 1	2	4	9	37	99 +
20-34	98	3.4	19	< 1	1	2	4	6	11	26
35-49	79	5.6	115	< 1	1	3	6	10	15	72
50-64	44	4.1	16	1	1	3	6	7	9	24
65 +	25	6.0	37	1	1	3	8	15	20	23
GRAND TOTAL	**284**	**4.4**	**56**	**< 1**	**1**	**3**	**5**	**9**	**14**	**47**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	4.2	3	2	2	4	5	6	7	10
20-34	26	3.7	5	1	1	4	5	5	7	11
35-49	13	3.2	4	< 1	1	3	4	6	7	7
50-64	5	4.8	6	3	3	4	6	9	9	9
65 +	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	2	7.5	85	1	1	7	14	14	14	14
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	3.5	4	1	1	3	5	6	7	7
20-34	39	3.0	4	< 1	< 1	3	4	5	6	10
35-49	10	2.8	3	1	1	3	4	5	6	6
50-64	9	2.3	1	1	1	2	3	4	4	4
65 +	17	3.3	4	1	1	3	4	6	7	8
B. Operated										
0-19 YRS	18	4.5	26	1	1	2	5	15	17	17
20-34	15	4.0	6	1	1	4	5	7	9	9
35-49	9	4.6	18	2	2	3	5	11	15	15
50-64	6	4.5	18	2	2	3	3	12	13	13
65 +	7	8.0	28	1	2	6	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	3.9	3	1	2	4	5	6	7	10
B. Operated	5	4.2	32	1	1	1	6	14	14	14
2. MULTIPLE DX										
A. Not Operated	137	3.2	4	1	1	3	4	6	7	8
B. Operated	55	4.8	19	1	1	3	6	13	15	17
1. SINGLE DX	139	3.9	4	1	1	4	5	6	7	11
2. MULTIPLE DX	192	3.7	8	1	1	3	5	6	9	16
A. Not Operated	271	3.6	4	1	1	4	5	6	7	10
B. Operated	60	4.8	19	1	1	3	6	13	15	17
TOTAL										
0-19 YRS	168	4.0	6	1	1	4	5	6	7	16
20-34	82	3.4	5	< 1	1	3	5	5	7	11
35-49	33	3.4	7	1	1	3	4	6	7	15
50-64	20	3.6	8	1	1	3	4	7	11	13
65 +	28	4.3	13	1	1	3	5	11	13	15
GRAND TOTAL	**331**	**3.8**	**7**	**1**	**1**	**3**	**5**	**6**	**8**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	264	1.5	1	< 1	< 1	1	2	3	4	6
20-34	249	1.6	1	< 1	< 1	1	2	3	4	5
35-49	129	1.8	1	< 1	1	1	2	3	4	6
50-64	63	2.2	3	< 1	1	1	2	5	7	8
65 +	75	2.6	4	1	1	2	3	6	7	8
B. Operated										
0-19 YRS	56	2.1	5	< 1	< 1	1	2	6	8	10
20-34	37	1.8	2	< 1	< 1	1	2	4	4	8
35-49	25	2.4	2	< 1	1	2	3	5	6	7
50-64	11	3.2	11	< 1	< 1	2	3	9	11	11
65 +	13	2.6	4	< 1	1	2	3	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	552	1.6	2	< 1	1	1	2	3	4	9
20-34	740	1.9	2	< 1	< 1	1	2	4	5	8
35-49	430	2.3	3	< 1	1	2	3	4	6	11
50-64	325	3.2	9	1	1	2	4	7	10	15
65 +	906	4.5	15	1	1	3	6	9	11	18
B. Operated										
0-19 YRS	86	2.1	2	< 1	1	2	2	4	5	8
20-34	179	3.2	26	< 1	1	2	3	6	9	18
35-49	101	3.6	8	< 1	1	3	5	8	10	12
50-64	71	6.0	63	1	1	4	8	11	14	50
65 +	136	7.7	97	1	1	5	10	16	24	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	780	1.7	2	< 1	< 1	1	2	3	5	7
B. Operated	142	2.2	4	< 1	< 1	1	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	2953	2.9	8	< 1	1	2	3	6	8	15
B. Operated	573	4.5	45	1	1	2	5	10	13	34
1. SINGLE DX	922	1.8	2	< 1	< 1	1	2	3	5	8
2. MULTIPLE DX	3526	3.1	15	< 1	1	2	4	7	9	17
A. Not Operated	3733	2.6	7	< 1	1	2	3	6	8	13
B. Operated	715	4.1	38	< 1	1	2	5	9	12	28
TOTAL										
0-19 YRS	958	1.7	2	< 1	< 1	1	2	3	4	8
20-34	1205	2.0	6	< 1	< 1	1	2	4	5	9
35-49	685	2.4	4	< 1	1	2	3	5	6	11
50-64	470	3.5	18	1	1	2	4	8	11	19
65 +	1130	4.8	25	1	1	3	6	9	13	23
GRAND TOTAL	**4448**	**2.9**	**12**	**< 1**	**1**	**2**	**3**	**6**	**8**	**15**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	1.6	1	< 1	1	1	2	3	4	4
20-34	27	2.0	2	< 1	1	2	3	4	5	7
35-49	6	1.3		1	1	1	2	2	2	2
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	14	2.4	5	< 1	1	1	3	6	7	8
20-34	33	2.7	5	< 1	1	2	3	5	7	12
35-49	22	3.0	7	< 1	< 1	2	4	7	9	9
50-64	10	2.3	2	1	1	2	3	5	6	6
65 +	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	1.4	1	< 1	< 1	1	2	2	3	4
20-34	29	3.5	4	1	1	4	5	6	7	7
35-49	16	3.5	7	1	1	3	5	8	9	9
50-64	13	3.4	6	1	1	3	5	7	8	8
65 +	7	4.3	20	1	1	3	5	12	14	14
B. Operated										
0-19 YRS	26	5.3	20	1	1	4	7	13	14	17
20-34	72	7.9	82	1	1	5	9	21	27	45
35-49	57	4.7	21	1	1	3	7	12	18	93
50-64	21	6.9	108	< 1	1	3	8	16	30	47
65 +	5	9.4	79	1	1	8	13	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	1.8	1	< 1	1	1	2	3	4	7
B. Operated	80	2.9	9	< 1	1	2	3	6	8	18
2. MULTIPLE DX										
A. Not Operated	84	3.1	6	1	1	2	5	6	8	12
B. Operated	181	6.4	58	1	1	4	8	16	23	47
1. SINGLE DX	140	2.4	6	< 1	1	2	3	5	7	13
2. MULTIPLE DX	265	5.4	44	1	1	3	6	12	18	45
A. Not Operated	144	2.5	4	1	1	2	3	5	7	10
B. Operated	261	5.3	45	1	1	3	6	12	19	46
TOTAL										
0-19 YRS	82	2.9	10	< 1	1	1	3	7	11	16
20-34	161	5.0	45	1	1	3	6	11	20	40
35-49	101	3.9	15	1	1	2	5	9	14	58
50-64	46	4.7	55	< 1	1	2	6	8	16	47
65 +	15	6.7	52	1	1	3	9	20	23	24
GRAND TOTAL	**405**	**4.3**	**33**	**1**	**1**	**2**	**5**	**9**	**15**	**34**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.3	5	< 1	< 1	1	4	5	5	5
20-34	2	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	3	1.7	1	< 1	< 1	< 1	2	3	3	3
B. Operated	5	2.6	3	< 1	< 1	3	4	5	5	5
1. SINGLE DX	5	1.6	2	< 1	< 1	1	2	4	4	4
2. MULTIPLE DX	8	2.3	2	< 1	< 1	2	3	4	5	5
A. Not Operated	6	1.8	2	< 1	< 1	1	3	4	4	4
B. Operated	7	2.1	2	< 1	< 1	1	3	5	5	5
TOTAL										
0-19 YRS	8	2.1	3	< 1	< 1	1	3	5	5	5
20-34	4	2.0	1	< 1	< 1	1	3	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
GRAND TOTAL	**13**	**2.0**	**2**	**< 1**	**< 1**	**1**	**3**	**4**	**5**	**5**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	321	1.1		<1	<1	1	1	1	2	3
20-34	51	1.3		<1	<1	1	1	2	2	3
35-49	43	1.1		<1	<1	1	1	2	2	3
50-64	39	1.4	2	<1	<1	1	1	3	5	6
65 +	31	1.4	1	<1	<1	1	1	2	4	7
B. Operated										
0-19 YRS	143	1.5	1	<1	<1	1	2	2	3	6
20-34	22	2.0	2	<1	<1	1	3	4	5	6
35-49	7	1.7	4	<1	<1	1	1	5	6	6
50-64	12	2.2	5	<1	<1	2	2	5	8	9
65 +	9	2.6	5	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	2.1	13	<1	<1	1	2	4	5	24
20-34	26	2.5	6	<1	<1	2	3	6	8	11
35-49	41	2.4	5	1	1	2	3	5	7	10
50-64	56	2.7	9	<1	<1	1	3	7	9	17
65 +	160	3.5	12	1	1	2	4	7	11	17
B. Operated										
0-19 YRS	54	2.8	8	1	1	2	3	5	7	17
20-34	21	5.6	36	<1	<1	3	7	12	19	26
35-49	26	3.3	7	<1	1	2	5	7	8	10
50-64	46	6.6	37	1	1	5	9	14	19	28
65 +	86	5.8	60	<1	1	3	7	13	19	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	485	1.2		<1	<1	1	1	1	2	4
B. Operated	193	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	416	2.8	11	<1	1	2	3	6	9	17
B. Operated	233	5.0	37	<1	1	3	7	12	16	29
1. SINGLE DX	678	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	649	3.6	21	<1	1	2	4	8	12	22
A. Not Operated	901	1.9	6	<1	<1	1	2	4	6	12
B. Operated	426	3.5	24	<1	<1	2	4	8	12	23
TOTAL										
0-19 YRS	651	1.5	4	<1	<1	1	1	3	4	8
20-34	120	2.4	10	<1	<1	1	2	6	8	17
35-49	117	2.1	4	<1	<1	1	2	5	7	10
50-64	153	3.5	19	<1	<1	1	4	9	13	22
65 +	286	3.9	27	<1	1	2	5	9	13	21
GRAND TOTAL	**1327**	**2.4**	**12**	**<1**	**<1**	**1**	**2**	**5**	**8**	**17**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.6	7	1	1	2	6	7	7	7
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	6	2.5	3	<1	<1	2	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	35	5.4	31	1	1	4	6	14	16	27
20-34	16	5.1	25	1	1	3	8	9	17	20
35-49	20	5.9	16	1	2	5	8	12	14	15
50-64	11	5.5	12	1	1	5	8	10	11	11
65 +	3	8.0	27	2	2	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	5.3	33	<1	1	4	8	10	17	27
20-34	38	7.8	65	1	1	5	10	16	31	34
35-49	28	6.8	84	1	1	3	8	15	29	42
50-64	13	7.8	26	1	1	7	9	17	19	19
65 +	22	9.2	95	2	3	6	10	18	30	47
B. Operated										
0-19 YRS	99	14.3	232	1	1	9	24	33	45	95
20-34	117	16.8	318	1	2	13	21	37	65	94
35-49	83	15.4	174	1	2	13	22	34	43	57
50-64	48	16.5	217	1	1	10	23	39	44	59
65 +	60	20.2	252	3	4	18	29	49	53	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.8	4	<1	<1	2	4	6	7	7
B. Operated	85	5.5	23	1	1	5	7	11	15	25
2. MULTIPLE DX										
A. Not Operated	124	7.4	64	1	1	5	9	16	26	43
B. Operated	407	16.4	247	1	1	12	23	38	51	90
1. SINGLE DX	98	5.2	21	1	1	4	7	11	15	24
2. MULTIPLE DX	531	14.3	219	1	1	9	20	35	47	77
A. Not Operated	137	6.9	60	1	1	5	8	16	24	43
B. Operated	492	14.5	225	1	1	9	21	36	49	83
TOTAL										
0-19 YRS	162	10.7	172	1	1	5	18	28	33	85
20-34	173	13.6	253	1	1	8	18	34	55	87
35-49	137	11.7	146	1	1	6	18	28	37	55
50-64	72	13.2	172	1	1	8	19	36	42	57
65 +	85	16.9	228	3	4	11	24	46	51	87
GRAND TOTAL	**629**	**12.8**	**199**	**1**	**1**	**8**	**19**	**33**	**43**	**73**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	2.7	6	< 1	1	2	4	6	9	11
20-34	45	2.4	3	1	1	2	3	5	7	8
35-49	23	3.6	14	< 1	1	2	5	9	12	16
50-64	8	3.0	5	1	1	2	5	6	6	6
65 +	4	4.8	9	< 1	< 1	5	7	8	8	8
B. Operated										
0-19 YRS	13	3.8	12	1	1	2	5	8	12	13
20-34	20	3.1	11	< 1	1	2	3	8	11	14
35-49	7	4.0	14	1	1	2	7	10	10	10
50-64	2	17.5	545	< 1	< 1	17	34	34	34	34
65 +	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	265	3.6	11	1	1	2	5	8	10	17
20-34	145	3.9	15	1	1	2	5	9	13	18
35-49	101	4.3	20	1	1	3	6	9	11	25
50-64	65	5.0	40	1	1	3	5	14	17	35
65 +	69	8.4	60	1	1	6	12	18	25	38
B. Operated										
0-19 YRS	74	6.4	31	1	1	5	9	15	18	23
20-34	72	8.3	73	1	1	6	11	17	24	45
35-49	34	11.0	280	1	1	6	13	22	45	88
50-64	33	10.5	108	1	2	5	19	25	27	41
65 +	30	13.2	109	2	3	10	19	30	32	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	2.8	6	1	1	2	4	6	8	11
B. Operated	45	4.1	31	< 1	1	2	5	9	13	34
2. MULTIPLE DX										
A. Not Operated	645	4.4	23	1	1	3	6	10	14	25
B. Operated	243	9.0	101	1	1	6	12	22	26	47
1. SINGLE DX	196	3.1	12	1	1	2	4	7	9	15
2. MULTIPLE DX	888	5.7	49	1	1	3	7	13	18	32
A. Not Operated	796	4.1	21	1	1	2	5	9	13	24
B. Operated	288	8.2	94	1	1	5	11	19	25	45
TOTAL										
0-19 YRS	423	3.9	15	1	1	3	5	9	12	19
20-34	282	4.7	32	1	1	3	6	11	15	29
35-49	165	5.6	79	1	1	3	7	12	16	46
50-64	108	6.8	71	1	1	3	8	21	25	39
65 +	106	9.5	76	1	2	6	14	24	28	39
GRAND TOTAL	**1084**	**5.2**	**43**	**1**	**1**	**3**	**6**	**12**	**17**	**31**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.9	6	< 1	< 1	2	5	7	7	7
20-34	9	5.6	103	< 1	< 1	2	4	22	32	32
35-49	13	2.3	6	< 1	< 1	1	3	5	9	10
50-64	9	4.6	10	1	1	5	7	9	9	9
65 +	0									
B. Operated										
0-19 YRS	24	1.3		< 1	< 1	1	1	2	3	3
20-34	53	1.3		< 1	< 1	1	2	2	3	4
35-49	24	1.9	1	< 1	< 1	1	3	4	4	4
50-64	12	1.9	2	< 1	< 1	1	3	4	4	4
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	5.7	67	< 1	< 1	2	7	14	26	35
20-34	39	3.4	8	1	1	3	5	7	10	13
35-49	24	4.9	24	1	1	3	5	10	15	23
50-64	25	5.3	18	1	1	4	8	12	13	16
65 +	30	5.6	14	1	1	5	7	12	13	13
B. Operated										
0-19 YRS	47	2.8	38	< 1	1	1	2	3	7	36
20-34	124	2.8	17	< 1	1	1	3	7	8	29
35-49	62	5.1	86	< 1	1	2	3	12	32	44
50-64	26	4.8	19	< 1	1	3	7	12	13	15
65 +	20	8.2	56	1	1	5	13	19	24	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	3.6	25	< 1	< 1	2	4	8	9	32
B. Operated	115	1.5	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	137	4.8	22	1	1	3	6	11	13	25
B. Operated	279	3.9	41	< 1	1	2	3	9	15	36
1. SINGLE DX	162	2.1	8	< 1	< 1	1	2	4	6	10
2. MULTIPLE DX	416	4.2	35	< 1	1	2	5	11	13	35
A. Not Operated	184	4.5	23	< 1	1	3	6	10	12	29
B. Operated	394	3.2	30	< 1	< 1	1	3	7	12	33
TOTAL										
0-19 YRS	106	3.0	31	< 1	< 1	1	2	6	9	35
20-34	225	2.7	15	< 1	1	1	3	6	8	28
35-49	123	4.2	50	< 1	1	2	3	10	15	39
50-64	72	4.5	15	< 1	1	3	6	11	12	16
65 +	52	6.4	31	1	1	5	9	14	16	26
GRAND TOTAL	**578**	**3.6**	**28**	**<1**	**1**	**2**	**4**	**9**	**12**	**32**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	1.6	2	< 1	1	1	2	3	5	7
20-34	113	2.1	3	< 1	< 1	1	2	4	5	10
35-49	55	2.4	5	1	1	2	3	5	8	10
50-64	18	2.0	1	< 1	1	2	3	4	4	4
65 +	10	3.5	10	< 1	< 1	2	6	8	10	10
B. Operated										
0-19 YRS	37	2.9	7	< 1	< 1	2	4	7	8	11
20-34	54	4.3	22	< 1	< 1	2	5	11	13	23
35-49	31	4.5	39	< 1	< 1	2	4	14	22	24
50-64	19	3.4	13	< 1	< 1	2	5	7	12	15
65 +	6	3.7	5	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	152	2.0	3	< 1	1	2	2	4	6	8
20-34	279	2.5	4	< 1	1	2	3	5	6	12
35-49	133	3.3	9	< 1	1	2	5	7	11	13
50-64	100	3.3	6	1	1	2	4	8	9	10
65 +	173	5.5	20	1	1	4	7	11	16	21
B. Operated										
0-19 YRS	83	5.9	47	< 1	1	4	8	13	18	39
20-34	138	5.4	34	1	1	3	7	11	17	33
35-49	79	6.4	64	1	1	4	7	14	16	51
50-64	42	8.4	76	1	1	5	11	23	30	34
65 +	43	11.0	122	1	2	7	15	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	301	2.0	3	< 1	1	1	2	4	6	9
B. Operated	147	3.9	20	< 1	< 1	2	5	9	13	23
2. MULTIPLE DX										
A. Not Operated	837	3.2	10	< 1	1	2	4	7	10	16
B. Operated	385	6.7	60	1	1	4	8	15	22	36
1. SINGLE DX	448	2.6	9	< 1	1	2	3	6	8	15
2. MULTIPLE DX	1222	4.3	28	1	1	3	5	9	13	27
A. Not Operated	1138	2.9	8	< 1	1	2	4	7	8	14
B. Operated	532	5.9	50	< 1	1	4	7	13	21	36
TOTAL										
0-19 YRS	377	2.9	15	< 1	1	2	3	7	9	18
20-34	584	3.3	14	< 1	1	2	4	7	10	20
35-49	298	4.1	28	< 1	1	2	5	8	12	25
50-64	179	4.4	28	1	1	2	5	9	12	32
65 +	232	6.4	43	1	1	4	8	14	20	30
GRAND TOTAL	**1670**	**3.9**	**24**	**< 1**	**1**	**2**	**5**	**8**	**12**	**24**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	930	1.3	1	< 1	< 1	1	1	2	3	4
20-34	366	1.4	1	< 1	< 1	1	2	2	3	5
35-49	168	1.6	1	< 1	< 1	1	2	3	3	8
50-64	48	1.7	3	< 1	< 1	1	2	3	4	12
65 +	31	2.6	3	< 1	< 1	2	3	5	6	8
B. Operated										
0-19 YRS	8	2.0	1	< 1	< 1	2	3	4	4	4
20-34	7	1.7	2	< 1	< 1	1	2	4	5	5
35-49	0									
50-64	0									
65 +	3	3.3	16	< 1	< 1	1	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1676	2.6	22	< 1	1	1	2	4	7	25
20-34	2371	2.6	15	< 1	< 1	1	3	5	7	22
35-49	1445	2.8	13	< 1	1	2	3	5	8	18
50-64	637	3.7	19	1	1	2	4	8	11	24
65 +	979	4.8	23	1	1	3	6	9	13	28
B. Operated										
0-19 YRS	52	5.4	42	< 1	1	4	6	12	17	41
20-34	115	6.3	145	< 1	1	2	5	14	25	79
35-49	70	9.2	167	1	1	4	16	22	30	76
50-64	46	7.7	57	1	1	5	11	20	26	28
65 +	64	10.1	112	1	2	7	11	20	36	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1543	1.4	1	< 1	< 1	1	2	2	3	5
B. Operated	18	2.1	4	< 1	< 1	1	3	5	7	8
2. MULTIPLE DX										
A. Not Operated	7108	3.0	18	< 1	1	2	3	6	9	22
B. Operated	347	7.6	118	1	1	4	9	18	26	57
1. SINGLE DX	1561	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	7455	3.2	24	< 1	1	2	3	6	10	25
A. Not Operated	8651	2.7	16	< 1	1	2	3	5	8	21
B. Operated	365	7.4	114	< 1	1	4	9	18	26	54
TOTAL										
0-19 YRS	2666	2.2	15	< 1	< 1	1	2	4	6	18
20-34	2859	2.6	19	< 1	< 1	1	3	5	7	23
35-49	1683	2.9	20	< 1	1	2	3	6	9	22
50-64	731	3.9	22	< 1	1	2	4	9	12	26
65 +	1077	5.0	30	1	1	3	6	10	15	31
GRAND TOTAL	**9016**	**2.9**	**20**	**< 1**	**1**	**2**	**3**	**6**	**9**	**23**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	304	1.4	1	< 1	< 1	1	1	2	3	6
20-34	154	1.6	6	< 1	< 1	1	2	2	3	7
35-49	90	1.4	1	< 1	< 1	1	1	2	4	6
50-64	47	1.3	1	< 1	< 1	1	1	2	3	4
65 +	21	1.4	1	< 1	< 1	1	1	3	4	5
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	7	2.7	5	1	1	2	4	6	7	7
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	254	1.7	3	< 1	1	1	2	3	4	11
20-34	277	2.4	12	< 1	< 1	1	2	5	7	14
35-49	185	2.3	5	< 1	< 1	2	3	4	6	11
50-64	129	2.6	9	< 1	1	2	3	5	8	19
65 +	101	3.3	9	1	1	2	4	7	9	16
B. Operated										
0-19 YRS	15	12.6	409	1	1	7	13	19	67	83
20-34	41	6.5	48	1	1	4	9	15	18	37
35-49	19	4.9	55	< 1	< 1	2	5	24	64	99 +
50-64	23	10.2	142	1	1	7	14	27	39	44
65 +	14	9.2	106	< 1	1	5	15	23	33	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	616	1.4	2	< 1	< 1	1	1	2	3	6
B. Operated	12	2.8	4	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	946	2.3	8	< 1	< 1	1	3	5	7	13
B. Operated	112	8.2	125	1	1	4	10	19	35	89
1. SINGLE DX	628	1.5	2	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX	1058	2.9	23	< 1	1	1	3	6	10	24
A. Not Operated	1562	2.0	6	< 1	< 1	1	2	4	6	11
B. Operated	124	7.6	116	1	1	4	9	19	30	87
TOTAL										
0-19 YRS	576	1.8	15	< 1	< 1	1	2	3	4	13
20-34	479	2.5	14	< 1	< 1	1	2	5	8	19
35-49	296	2.2	8	< 1	< 1	1	2	4	6	21
50-64	199	3.2	28	< 1	1	1	3	6	10	31
65 +	136	3.6	21	< 1	1	2	4	8	12	24
GRAND TOTAL	**1686**	**2.4**	**16**	**< 1**	**< 1**	**1**	**2**	**5**	**7**	**19**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	160	1.5	5	< 1	1	1	1	2	4	6
20-34	127	1.5	1	< 1	1	1	2	3	3	7
35-49	85	1.5	1	< 1	< 1	1	2	3	3	4
50-64	38	1.8	1	< 1	< 1	1	2	3	4	6
65 +	39	2.2	2	1	1	2	3	4	5	6
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	5	10.0	282	2	2	3	12	40	40	40
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	227	3.4	67	1	1	2	3	5	8	44
20-34	227	2.6	8	1	1	2	3	5	7	16
35-49	241	2.6	7	1	1	2	3	5	6	12
50-64	273	3.6	11	1	1	2	4	8	10	17
65 +	596	4.1	12	1	1	3	5	8	11	19
B. Operated										
0-19 YRS	24	6.0	82	< 1	< 1	2	7	17	26	40
20-34	35	2.4	8	1	1	1	2	7	8	14
35-49	44	6.6	131	< 1	1	2	5	22	32	56
50-64	50	7.4	96	1	1	4	9	17	27	52
65 +	91	8.7	170	1	1	5	10	22	31	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	449	1.6	2	< 1	1	1	2	3	4	6
B. Operated	12	5.7	121	< 1	< 1	2	4	18	37	40
2. MULTIPLE DX										
A. Not Operated	1564	3.5	19	1	1	2	4	7	9	20
B. Operated	244	6.9	119	1	1	3	7	20	27	52
1. SINGLE DX	461	1.7	6	< 1	1	1	2	3	4	6
2. MULTIPLE DX	1808	3.9	34	1	1	2	4	8	11	28
A. Not Operated	2013	3.0	16	1	1	2	4	6	8	17
B. Operated	256	6.8	118	1	1	3	7	20	28	51
TOTAL										
0-19 YRS	414	2.8	44	< 1	1	1	2	4	7	37
20-34	394	2.3	10	1	1	1	2	4	7	15
35-49	372	2.8	22	< 1	1	2	3	5	7	28
50-64	362	3.9	24	1	1	2	5	8	11	23
65 +	727	4.6	34	1	1	3	5	9	12	26
GRAND TOTAL	**2269**	**3.5**	**29**	**1**	**1**	**2**	**4**	**7**	**10**	**26**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.6	1	1	1	1	2	3	4	4
20-34	34	2.7	4	< 1	< 1	2	4	6	7	9
35-49	23	3.3	11	< 1	1	2	4	8	11	13
50-64	25	4.4	15	1	1	3	7	8	11	19
65 +	45	4.9	32	< 1	< 1	3	6	10	19	28
B. Operated										
0-19 YRS	145	2.8	6	< 1	1	2	4	6	8	11
20-34	295	3.4	11	< 1	1	2	4	8	10	16
35-49	337	4.0	14	< 1	1	3	6	9	11	17
50-64	448	5.0	19	1	1	3	7	10	13	22
65 +	801	5.5	22	1	1	4	9	12	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	178	5.3	23	1	1	4	7	10	15	28
20-34	149	5.1	25	1	1	4	6	10	14	19
35-49	212	5.3	22	< 1	1	4	7	10	12	18
50-64	253	5.9	33	1	1	4	7	12	17	30
65 +	499	6.0	27	1	1	5	8	12	15	28
B. Operated										
0-19 YRS	665	6.8	85	1	1	4	8	16	23	57
20-34	953	6.5	62	1	1	4	8	14	19	41
35-49	1295	6.9	66	1	1	5	9	14	20	50
50-64	2317	7.4	68	1	1	5	10	15	22	44
65 +	4432	8.3	80	1	1	6	11	17	24	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	3.7	17	< 1	1	2	5	8	10	21
B. Operated	2026	4.7	18	1	1	3	7	11	13	19
2. MULTIPLE DX										
A. Not Operated	1291	5.7	27	1	1	4	7	11	15	27
B. Operated	9662	7.6	74	1	1	5	10	16	23	45
1. SINGLE DX	2166	4.6	18	1	1	3	7	10	13	19
2. MULTIPLE DX	10953	7.4	69	1	1	5	10	15	22	43
A. Not Operated	1431	5.5	26	1	1	4	7	11	15	27
B. Operated	11688	7.1	66	1	1	5	9	15	21	42
TOTAL										
0-19 YRS	1001	5.9	64	1	1	4	7	13	20	45
20-34	1431	5.6	48	1	1	3	7	12	17	38
35-49	1867	6.2	52	1	1	4	8	13	17	43
50-64	3043	6.9	59	1	1	5	9	15	20	40
65 +	5777	7.7	68	1	1	6	10	16	22	41
GRAND TOTAL	**13119**	**6.9**	**62**	**1**	**1**	**5**	**9**	**15**	**20**	**41**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	1.3		< 1	< 1	1	1	2	3	4
20-34	82	1.8	2	< 1	< 1	1	2	3	4	8
35-49	67	2.5	4	< 1	1	2	3	5	6	10
50-64	86	2.2	2	1	1	2	3	4	5	7
65 +	129	2.6	3	1	1	2	3	5	6	11
B. Operated										
0-19 YRS	135	1.4	1	< 1	< 1	1	2	2	3	6
20-34	154	2.1	3	< 1	1	1	2	4	5	9
35-49	115	2.2	3	< 1	1	2	3	4	5	8
50-64	68	2.1	2	< 1	1	2	3	4	4	7
65 +	75	3.0	10	1	1	2	4	5	7	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	1.8	1	< 1	< 1	2	2	4	4	4
20-34	81	2.9	7	1	1	2	4	7	8	13
35-49	92	2.9	14	1	1	2	3	6	8	24
50-64	132	3.2	8	1	1	3	4	6	8	16
65 +	391	3.6	7	1	1	3	5	7	9	14
B. Operated										
0-19 YRS	93	1.7	2	1	1	1	2	4	5	8
20-34	173	2.9	8	1	1	2	4	6	9	16
35-49	154	3.4	20	1	1	2	4	7	10	26
50-64	233	3.8	20	1	1	2	4	8	12	24
65 +	529	4.0	29	1	1	2	5	9	13	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	441	2.1	2	< 1	1	2	3	4	5	9
B. Operated	547	2.1	4	< 1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	720	3.3	8	1	1	2	4	7	8	15
B. Operated	1182	3.6	22	1	1	2	4	8	12	25
1. SINGLE DX	988	2.1	3	< 1	1	1	3	4	5	8
2. MULTIPLE DX	1902	3.5	16	1	1	2	4	7	10	20
A. Not Operated	1161	2.8	6	1	1	2	3	6	8	13
B. Operated	1729	3.1	16	1	1	2	3	7	9	21
TOTAL										
0-19 YRS	329	1.5	1	< 1	< 1	1	2	3	4	7
20-34	490	2.4	5	< 1	1	2	3	5	8	13
35-49	428	2.8	12	1	1	2	3	5	8	20
50-64	519	3.2	12	1	1	2	4	6	9	21
65 +	1124	3.6	18	1	1	2	4	7	10	19
GRAND TOTAL	**2890**	**3.0**	**12**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	4.2	5	2	2	4	5	7	8	14
20-34	119	3.7	4	2	2	3	4	6	7	11
35-49	96	4.5	9	1	2	4	5	9	11	16
50-64	70	4.7	12	1	2	4	5	8	13	20
65 +	52	5.7	13	2	2	5	7	10	12	19
B. Operated										
0-19 YRS	45	6.9	40	1	2	4	9	15	17	36
20-34	102	6.0	30	1	2	4	8	11	13	36
35-49	86	5.8	22	1	1	5	8	11	15	26
50-64	54	6.7	33	2	2	5	9	11	22	26
65 +	48	7.3	51	1	1	5	11	15	23	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	5.3	13	1	2	4	7	10	13	18
20-34	200	4.9	12	2	2	4	6	9	13	19
35-49	186	5.6	16	2	2	5	7	10	14	22
50-64	222	6.7	30	2	3	5	8	12	17	31
65 +	384	7.0	24	2	3	6	9	13	17	26
B. Operated										
0-19 YRS	103	8.3	48	1	2	6	11	17	23	36
20-34	263	9.2	77	1	2	7	12	18	28	55
35-49	335	11.0	115	2	3	8	14	22	31	63
50-64	349	12.8	162	2	3	9	15	30	37	72
65 +	520	12.8	122	2	3	10	16	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	395	4.4	8	2	2	4	5	7	10	16
B. Operated	335	6.4	33	1	2	5	8	13	16	33
2. MULTIPLE DX										
A. Not Operated	1082	6.2	21	2	2	5	7	11	15	25
B. Operated	1570	11.5	119	2	3	8	14	25	33	60
1. SINGLE DX	730	5.3	20	1	2	4	6	10	13	26
2. MULTIPLE DX	2652	9.3	86	2	2	7	11	20	29	46
A. Not Operated	1477	5.7	18	2	2	5	7	10	14	23
B. Operated	1905	10.6	108	1	2	8	13	23	32	55
TOTAL										
0-19 YRS	296	6.4	30	1	2	5	8	14	16	31
20-34	684	6.5	43	1	2	4	8	13	17	39
35-49	703	8.0	71	1	2	6	9	17	23	45
50-64	695	9.6	105	2	2	6	11	21	30	55
65 +	1004	9.9	84	2	3	7	12	21	29	45
GRAND TOTAL	**3382**	**8.5**	**75**	**2**	**2**	**6**	**10**	**18**	**26**	**44**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.2	2	1	1	2	3	4	6	7
20-34	82	3.5	7	1	1	3	5	8	9	10
35-49	70	4.5	12	1	1	3	6	9	10	17
50-64	69	4.5	21	1	1	3	7	9	11	29
65 +	49	3.7	26	< 1	1	2	4	7	9	34
B. Operated										
0-19 YRS	41	2.7	9	< 1	< 1	1	3	8	10	12
20-34	98	4.3	20	1	1	3	5	10	14	23
35-49	95	4.0	11	< 1	1	3	6	7	9	19
50-64	78	4.3	14	1	1	3	6	9	13	19
65 +	95	4.8	15	< 1	1	3	7	10	11	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	3.4	32	1	1	2	4	6	11	26
20-34	362	3.5	10	1	1	2	5	7	9	19
35-49	444	4.0	13	1	1	3	6	8	10	17
50-64	486	4.6	27	1	1	3	6	9	11	16
65 +	754	5.4	21	1	1	4	7	10	12	22
B. Operated										
0-19 YRS	381	3.0	33	1	1	1	2	6	10	35
20-34	822	3.6	25	1	1	2	4	9	12	24
35-49	877	5.1	58	1	1	2	6	11	17	42
50-64	978	6.0	63	1	1	3	8	14	18	42
65 +	1627	6.7	73	1	1	4	8	16	24	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	301	3.9	14	1	1	3	5	8	9	16
B. Operated	407	4.2	15	< 1	1	3	6	9	11	19
2. MULTIPLE DX										
A. Not Operated	2207	4.5	20	1	1	3	6	9	11	20
B. Operated	4685	5.4	58	1	1	2	7	13	19	38
1. SINGLE DX	708	4.0	14	1	1	3	5	9	10	18
2. MULTIPLE DX	6892	5.1	46	1	1	3	7	11	16	35
A. Not Operated	2508	4.4	19	1	1	3	6	9	11	20
B. Operated	5092	5.3	55	1	1	2	7	12	18	38
TOTAL										
0-19 YRS	614	3.0	29	1	1	1	3	6	10	32
20-34	1364	3.6	20	1	1	2	4	8	11	22
35-49	1486	4.7	39	1	1	3	6	10	14	31
50-64	1611	5.5	49	1	1	3	7	11	15	38
65 +	2525	6.2	55	1	1	4	8	14	20	37
GRAND TOTAL	**7600**	**5.0**	**43**	**1**	**1**	**3**	**6**	**11**	**15**	**34**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.5	1	< 1	< 1	1	2	3	3	3
20-34	8	2.6	1	1	1	3	3	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	4	9.3	43	1	1	10	14	15	15	15
B. Operated										
0-19.YRS	0									
20-34	4	1.8	2	1	1	1	3	4	4	4
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.7	4	1	1	2	3	6	7	8
20-34	27	3.9	7	1	1	3	5	6	10	12
35-49	31	4.3	10	1	1	3	6	9	10	14
50-64	31	4.7	9	1	1	4	7	9	10	12
65 +	64	4.3	23	1	1	3	6	7	9	33
B. Operated										
0-19 YRS	4	10.3	61	3	3	10	17	17	17	17
20-34	12	12.2	363	1	2	7	11	32	65	71
35-49	12	8.3	153	1	1	5	9	21	42	46
50-64	14	6.2	12	1	3	6	7	10	14	15
65 +	23	8.1	207	1	2	5	7	11	36	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.1	13	< 1	1	2	3	6	14	15
B. Operated	5	2.4	4	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	182	4.0	13	1	1	3	6	8	9	13
B. Operated	65	8.6	169	1	1	5	8	16	24	72
1. SINGLE DX	32	3.0	11	1	1	2	3	6	13	15
2. MULTIPLE DX	247	5.2	58	1	1	3	7	9	12	47
A. Not Operated	209	3.9	13	1	1	3	5	8	9	15
B. Operated	70	8.2	159	1	1	5	7	15	17	72
TOTAL										
0-19 YRS	43	3.1	12	1	1	2	3	6	11	17
20-34	51	5.5	98	1	1	3	5	9	14	70
35-49	45	5.2	49	1	1	3	7	10	12	46
50-64	48	5.0	10	1	1	5	7	9	10	15
65 +	92	5.4	71	1	1	4	6	9	14	57
GRAND TOTAL	**279**	**5.0**	**53**	**1**	**1**	**3**	**6**	**9**	**12**	**43**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		< 1	< 1	< 1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20 34	330	1.2		< 1	< 1	< 1	1	2	3	4
35-49	167	1.1		< 1	< 1	< 1	1	1	2	3
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	2.2	3	1	1	2	3	5	5	5
20-34	202	1.9	2	< 1	< 1	1	2	4	4	7
35-49	136	1.8	2	< 1	< 1	1	2	4	5	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	504	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	344	1.9	2	< 1	< 1	1	2	4	5	6
1. SINGLE DX	507	1.1		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	347	1.8	2	< 1	< 1	1	2	4	4	6
A. Not Operated	6	1.0		< 1	< 1	< 1	< 1	1	1	1
B. Operated	848	1.4	1	< 1	< 1	1	1	3	4	5
TOTAL										
0-19 YRS	11	1.6	2	< 1	< 1	1	2	4	5	5
20-34	538	1.4	1	< 1	< 1	1	1	3	4	5
35-49	303	1.4	1	< 1	< 1	1	1	3	4	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
GRAND TOTAL	**854**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**4**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	1	21.0		21	21	21	21	21	21	21
1500-1749	1	31.0		31	31	31	31	31	31	31
1750-2499	1190	2.1	1	1	1	2	3	4	4	6
2500 +	98245	1.9	1	1	1	2	2	3	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	28	2.0	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	15	67.3	277	38	47	66	86	93	98	99 +
1000-1499	107	35.5	246	13	18	35	44	52	66	95
1500-1749	209	20.9	92	9	10	19	26	32	38	57
1750-2499	4428	5.6	30	1	1	4	7	13	17	26
2500 +	61359	2.7	3	1	1	2	4	4	5	9
B. Operated										
1-999 G	69	74.0	304	44	57	90	99 +	99 +	99 +	99 +
1000-1499	189	49.6	369	19	27	50	65	85	99 +	99 +
1500-1749	129	31.0	194	14	16	29	38	51	63	99 +
1750-2499	564	15.7	161	1	3	13	21	31	40	93
2500 +	1417	7.0	69	1	1	5	8	14	20	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99437	1.9	1	1	1	2	2	3	4	5
B. Operated	28	2.0	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	66118	3.0	10	1	1	2	4	5	6	15
B. Operated	2368	15.7	377	1	2	8	21	51	77	99 +
1. SINGLE DX	99465	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	68486	3.5	28	1	1	2	4	5	8	27
A. Not Operated	165555	2.3	5	1	1	2	3	4	5	9
B. Operated	2396	15.6	375	1	2	8	21	51	77	99 +
TOTAL										
1-999 G	84	72.8	302	44	57	88	99 +	99 +	99 +	99 +
1000-1499	297	44.5	370	16	21	43	59	80	97	99 +
1500-1749	339	24.8	154	9	12	23	30	40	51	82
1750-2499	6182	5.9	48	1	1	3	7	14	19	34
2500 +	161049	2.2	3	1	1	2	3	4	5	7
GRAND TOTAL	**167951**	**2.5**	**13**	**1**	**1**	**2**	**3**	**4**	**5**	**14**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	211	3.3	2	2	2	3	4	5	6	8
2500 +	941	3.2	2	1	2	3	4	5	5	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	1	3.0		3	3	3	3	3	3	3
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	30	33.6	134	17	18	33	41	49	55	58
1500-1749	79	20.7	81	9	11	19	26	35	39	46
1750-2499	903	7.5	45	2	2	5	11	15	18	26
2500 +	895	4.1	5	2	2	4	5	6	8	13
B. Operated										
1-999 G	5	69.6	479	39	50	98	99 +	99 +	99 +	99 +
1000-1499	35	44.4	405	12	18	42	59	81	96	99 +
1500-1749	44	29.5	101	15	17	29	35	42	46	64
1750-2499	112	17.1	173	3	6	15	21	26	35	84
2500 +	32	8.8	76	2	3	5	10	17	25	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1152	3.2	2	1	2	3	4	5	5	7
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1907	6.9	52	2	2	4	7	15	20	38
B. Operated	228	23.7	355	3	5	20	34	58	81	99 +
1. SINGLE DX	1153	3.2	2	1	2	3	4	5	5	7
2. MULTIPLE DX	2135	8.7	111	2	2	5	10	20	29	64
A. Not Operated	3059	5.5	36	1	2	4	5	12	16	32
B. Operated	229	23.6	355	3	5	20	34	58	81	99 +
TOTAL										
1-999 G	5	69.6	479	39	50	98	99 +	99 +	99 +	99 +
1000-1499	65	39.4	305	17	18	39	49	71	83	99 +
1500-1749	123	23.9	105	11	12	23	29	38	42	55
1750-2499	1227	7.7	61	2	2	5	11	16	20	30
2500 +	1868	3.8	5	1	2	4	4	5	7	13
GRAND TOTAL	**3288**	**6.8**	**80**	**2**	**2**	**4**	**6**	**15**	**22**	**50**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	5	2.2	3	1	1	1	3	5	5	5
2500 +	215	1.4	1	< 1	< 1	1	2	2	3	4
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	1	26.0		26	26	26	26	26	26	26
1500-1749	4	29.3	113	22	22	25	35	45	45	45
1750-2499	38	6.6	50	1	1	3	9	14	20	35
2500 +	125	2.6	6	< 1	1	2	3	5	6	15
B. Operated										
1-999 G	2	68.0	1922	37	37	68	99	99	99	99 +
1000-1499	2	53.0	450	38	38	53	68	68	68	68
1500-1749	1	31.0		31	31	31	31	31	31	31
1750-2499	7	9.7	52	1	1	13	17	75	99 +	99 +
2500 +	10	5.5	13	1	1	5	7	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	1.4	1	< 1	< 1	1	2	2	3	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	168	4.3	39	1	1	2	4	9	19	33
B. Operated	22	18.0	593	1	1	10	28	74	99	99 +
1. SINGLE DX	220	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	190	5.8	120	1	1	2	6	14	26	86
A. Not Operated	388	2.7	19	< 1	1	1	2	5	8	25
B. Operated	22	18.0	593	1	1	10	28	74	99	99 +
TOTAL										
1-999 G	2	68.0	1922	37	37	68	99	99	99	99 +
1000-1499	3	44.0	468	26	26	38	60	68	68	68
1500-1749	5	29.6	85	22	22	26	34	45	45	45
1750-2499	50	6.6	48	1	1	3	10	17	20	99
2500 +	350	1.9	4	< 1	1	1	2	4	5	11
GRAND TOTAL	**410**	**3.5**	**60**	**<1**	**1**	**1**	**2**	**6**	**13**	**41**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	3	5.0	16	1	1	5	8	9	9	9
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	229	1.4	1	< 1	< 1	1	2	2	3	4
20-34	367	1.7	2	< 1	< 1	1	2	3	5	7
35-49	202	1.7	1	< 1	< 1	1	2	3	4	6
50-64	116	1.7	2	< 1	< 1	1	2	3	4	7
65 +	72	2.0	3	< 1	< 1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	10	1.5	1	< 1	< 1	1	2	3	4	4
50-64	4	1.3		< 1	< 1	1	2	2	2	2
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	119	2.0	5	< 1	1	1	2	3	5	13
20-34	136	3.0	8	< 1	1	2	4	6	8	18
35-49	102	2.9	10	< 1	1	2	3	7	9	17
50-64	94	3.0	24	< 1	1	2	3	6	8	30
65 +	73	2.9	6	< 1	1	2	4	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.5	19	1	1	3	7	12	13	13
B. Operated	986	1.7	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	23	1.4	1	< 1	< 1	1	2	2	3	4
B. Operated	524	2.7	10	< 1	1	2	3	5	7	16
1. SINGLE DX	994	1.7	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	547	2.7	10	< 1	1	2	3	5	7	16
A. Not Operated	31	2.2	7	< 1	< 1	1	2	4	9	13
B. Operated	1510	2.0	5	< 1	< 1	1	2	4	5	10
TOTAL										
0-19 YRS	353	1.6	2	< 1	< 1	1	2	3	3	6
20-34	510	2.1	4	< 1	< 1	1	3	4	5	9
35-49	316	2.1	5	< 1	< 1	1	2	4	6	12
50-64	214	2.3	12	< 1	< 1	1	2	4	6	11
65 +	148	2.4	5	< 1	< 1	2	3	5	7	12
GRAND TOTAL	**1541**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	2	16.0	392	2	2	16	30	30	30	30
B. Operated										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	21	3.1	12	< 1	1	2	3	7	11	16
35-49	33	3.2	4	< 1	1	3	4	6	7	8
50-64	23	2.7	5	< 1	< 1	2	3	6	8	9
65 +	35	5.9	45	< 1	1	3	7	15	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8	6.3	94	1	1	3	4	22	30	30
B. Operated	116	3.9	19	< 1	1	3	5	8	9	28
1. SINGLE DX	0									
2. MULTIPLE DX	124	4.1	24	< 1	1	3	5	8	11	29
A. Not Operated	8	6.3	94	1	1	3	4	22	30	30
B. Operated	116	3.9	19	< 1	1	3	5	8	9	28
TOTAL										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	23	3.1	11	< 1	1	2	4	7	10	16
35-49	34	3.2	3	< 1	1	3	4	6	7	8
50-64	26	2.7	5	< 1	< 1	2	3	6	8	9
65 +	37	6.5	59	< 1	1	3	8	17	28	30
GRAND TOTAL	**124**	**4.1**	**24**	**< 1**	**1**	**3**	**5**	**8**	**11**	**29**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	394	1.7	3	< 1	< 1	1	2	3	4	9
20-34	703	1.7	3	< 1	< 1	1	2	3	4	9
35-49	336	1.8	4	< 1	< 1	1	2	4	5	6
50-64	261	2.1	3	< 1	1	1	3	5	6	8
65 +	255	2.1	5	< 1	< 1	1	3	4	5	11
B. Operated										
0-19 YRS	174	2.7	6	< 1	< 1	1	4	7	8	10
20-34	384	3.2	10	< 1	< 1	2	4	7	8	11
35-49	368	3.5	8	< 1	1	2	5	8	9	12
50-64	261	4.1	10	< 1	< 1	3	6	9	10	12
65 +	166	4.8	17	< 1	< 1	4	8	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2215	3.7	45	< 1	1	2	4	6	9	40
20-34	1709	4.2	60	< 1	1	2	4	7	18	44
35-49	2630	3.9	50	1	1	2	4	7	14	42
50-64	5227	3.8	45	1	1	2	4	7	14	35
65 +	7819	6.6	82	1	1	3	7	18	27	42
B. Operated										
0-19 YRS	681	4.0	60	< 1	1	1	4	8	13	65
20-34	967	3.6	38	1	1	2	4	8	11	45
35-49	1325	4.3	43	1	1	2	5	9	14	38
50-64	1712	5.3	62	1	1	3	6	10	16	44
65 +	2306	6.3	80	1	1	3	8	14	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1949	1.8	3	< 1	< 1	1	2	4	5	8
B. Operated	1353	3.6	10	< 1	< 1	2	5	8	9	13
2. MULTIPLE DX										
A. Not Operated	19600	5.0	64	1	1	2	5	12	21	41
B. Operated	6991	5.1	62	1	1	2	6	11	18	46
1. SINGLE DX	3302	2.5	7	< 1	< 1	1	3	6	8	11
2. MULTIPLE DX	26591	5.0	63	1	1	2	5	11	20	42
A. Not Operated	21549	4.7	59	1	1	2	5	11	20	40
B. Operated	8344	4.8	54	< 1	1	2	6	10	15	43
TOTAL										
0-19 YRS	3464	3.5	42	< 1	1	2	4	6	10	39
20-34	3763	3.5	39	< 1	< 1	2	4	6	11	39
35-49	4659	3.8	42	1	1	2	4	7	12	37
50-64	7461	4.1	47	1	1	2	4	8	13	36
65 +	10546	6.4	79	1	1	3	7	17	25	43
GRAND TOTAL	**29893**	**4.7**	**58**	**1**	**1**	**2**	**5**	**10**	**19**	**40**

Length of Stay Tables
Operation Groups

331 Hospitals, Western Region, January-December 1987, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52193	2.4	8	< 1	1	2	3	4	6	13
20-34	136002	2.3	4	< 1	1	2	3	4	5	9
35-49	49655	3.1	8	< 1	1	2	4	6	8	13
50-64	32988	3.7	11	< 1	1	3	5	8	9	15
65 +	30674	4.6	17	< 1	1	3	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	58656	5.0	66	1	1	3	5	10	17	49
20-34	160189	3.9	23	1	1	3	4	7	10	25
35-49	106224	5.2	36	1	1	4	6	10	14	31
50-64	122244	6.4	48	1	1	5	8	13	18	36
65 +	250455	7.7	53	1	2	6	10	15	20	38
TOTAL SINGLE DX	301512	2.9	8	< 1	1	2	3	6	8	13
TOTAL MULTIPLE DX	697768	6.0	46	1	1	4	7	12	17	35
TOTAL										
0-19 YRS	110849	3.8	40	< 1	1	2	4	7	12	35
20-34	296191	3.2	15	1	1	2	4	5	8	18
35-49	155879	4.6	28	1	1	3	5	9	12	27
50-64	155232	5.9	42	1	1	4	7	12	16	33
65 +	281129	7.4	50	1	2	6	9	15	19	36
GRAND TOTAL	**999280**	**5.1**	**37**	**1**	**1**	**3**	**6**	**11**	**15**	**31**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	6.0	17	1	1	6	8	10	11	25
20-34	95	7.0	31	1	1	7	8	11	12	36
35-49	153	7.0	17	2	2	6	9	12	16	21
50-64	138	7.4	14	2	2	7	9	13	15	18
65+	155	8.7	35	2	3	8	11	15	22	33
2. MULTIPLE DX										
0-19 YRS	191	16.3	302	1	2	11	19	39	68	96
20-34	192	17.4	233	3	5	12	25	44	66	99+
35-49	271	14.3	137	2	4	11	18	30	41	95
50-64	454	14.9	190	3	5	11	18	29	44	97
65+	677	16.1	134	4	6	13	19	31	39	64
TOTAL SINGLE DX	616	7.4	24	1	2	7	9	13	16	26
TOTAL MULTIPLE DX	1785	15.7	178	3	5	12	19	32	45	95
TOTAL										
0-19 YRS	266	13.4	244	1	2	8	16	34	54	90
20-34	287	13.9	190	1	3	9	18	34	48	99+
35-49	424	11.7	107	2	3	9	14	23	33	80
50-64	592	13.1	159	2	4	9	15	26	36	90
65+	832	14.7	124	4	5	12	18	28	38	61
GRAND TOTAL	2401	13.5	152	2	4	10	17	27	39	83

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	4.9	6	2	2	4	6	9	10	12
20-34	31	6.5	26	2	2	5	8	14	19	23
35-49	30	7.1	11	1	3	7	8	13	14	14
50-64	31	8.4	24	2	3	7	10	18	20	20
65+	37	9.1	28	3	4	8	11	16	19	29
2. MULTIPLE DX										
0-19 YRS	110	13.3	213	3	4	8	15	25	54	94
20-34	91	14.3	126	4	5	11	19	35	54	99+
35-49	84	13.9	141	3	5	10	15	30	38	66
50-64	98	22.2	373	4	6	16	31	54	71	93
65+	163	16.5	184	4	6	12	21	35	43	81
TOTAL SINGLE DX	170	7.1	21	2	3	6	9	13	17	22
TOTAL MULTIPLE DX	546	16.1	216	4	5	11	20	37	53	99
TOTAL										
0-19 YRS	151	11.0	171	3	3	7	12	22	45	90
20-34	122	12.3	112	3	4	9	16	28	43	99+
35-49	114	12.1	116	3	4	9	14	26	34	57
50-64	129	18.9	324	4	5	11	25	43	66	89
65+	200	15.1	164	4	5	11	18	31	41	77
GRAND TOTAL	716	14.0	184	3	4	9	17	31	45	87

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	187	3.9	7	1	2	4	5	6	7	9
20-34	43	3.4	6	1	1	3	5	8	9	11
35-49	28	4.6	3	2	3	4	5	7	8	10
50-64	14	3.8	7	1	1	3	5	7	10	11
65+	8	3.8	1	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	138	6.4	42	1	2	4	7	13	20	35
20-34	93	8.4	119	1	2	5	8	18	30	61
35-49	44	7.9	47	2	2	6	10	19	27	99+
50-64	25	10.0	191	2	3	6	12	17	31	72
65+	15	8.9	114	1	2	5	9	16	38	45
TOTAL SINGLE DX	280	3.9	7	1	2	4	5	6	8	11
TOTAL MULTIPLE DX	315	7.6	81	1	2	5	8	16	25	54
TOTAL										
0-19 YRS	325	5.0	24	1	2	4	5	8	13	30
20-34	136	6.9	89	1	1	4	8	14	25	47
35-49	72	6.6	33	2	2	4	8	15	22	84
50-64	39	7.7	133	1	2	5	9	16	17	72
65+	23	7.1	80	1	2	5	7	13	26	45
GRAND TOTAL	595	5.9	50	1	2	4	6	11	17	41

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	5.0	7	1	2	4	7	8	10	13
20-34	9	4.9	4	2	2	5	6	8	8	8
35-49	8	5.1	5	2	2	5	7	8	8	8
50-64	17	5.0	14	1	2	4	6	8	14	18
65+	23	8.1	115	1	2	6	8	14	31	54
2. MULTIPLE DX										
0-19 YRS	109	13.6	328	2	3	7	14	56	82	99+
20-34	44	13.2	164	2	4	8	16	36	53	99+
35-49	24	14.5	262	2	3	10	19	49	80	99+
50-64	60	17.0	263	3	3	13	22	40	77	99+
65+	149	14.4	143	3	4	11	18	27	34	69
TOTAL SINGLE DX	120	5.6	29	1	2	5	7	8	12	29
TOTAL MULTIPLE DX	386	14.5	223	3	3	10	18	34	63	99+
TOTAL										
0-19 YRS	172	10.4	227	2	2	6	10	24	65	99+
20-34	53	11.8	146	2	3	8	13	33	48	98
35-49	32	12.2	213	2	3	7	16	31	69	99+
50-64	77	14.4	233	2	3	8	20	37	64	99+
65+	172	13.6	144	3	4	10	17	26	34	69
GRAND TOTAL	506	12.3	191	2	3	8	16	29	49	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	4.6	53	1	1	3	4	8	12	46
20-34	36	6.4	19	1	2	5	9	13	13	22
35-49	20	4.4	6	1	1	4	6	8	9	10
50-64	13	4.6	15	1	1	4	8	10	11	11
65 +	12	7.0	44	1	2	4	8	19	22	23
2. MULTIPLE DX										
0-19 YRS	427	7.8	114	1	1	4	9	21	34	99 +
20-34	131	14.6	275	2	3	8	18	32	47	89
35-49	88	14.5	204	1	3	10	21	38	71	99 +
50-64	71	13.8	169	2	3	10	17	29	43	64
65 +	105	14.3	182	1	3	10	19	39	48	99 +
TOTAL SINGLE DX	168	5.1	37	1	1	4	6	10	13	40
TOTAL MULTIPLE DX	822	11.0	173	1	2	6	15	30	43	99 +
TOTAL										
0-19 YRS	514	7.3	105	1	1	4	7	19	31	91
20-34	167	12.8	231	2	3	7	15	30	45	84
35-49	108	12.6	183	1	2	8	19	34	45	99 +
50-64	84	12.4	156	1	2	9	16	28	38	63
65 +	117	13.5	172	1	3	9	18	38	46	99 +
GRAND TOTAL	990	10.0	154	1	1	5	13	27	41	98

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	7.8	15	3	4	7	9	14	16	17
20-34	161	5.6	9	2	3	5	7	9	12	18
35-49	355	5.7	10	2	3	5	7	9	11	21
50-64	413	5.9	8	2	3	5	7	10	11	15
65 +	397	7.3	14	3	3	7	9	12	14	22
2. MULTIPLE DX										
0-19 YRS	29	15.1	234	3	4	11	19	25	38	82
20-34	186	8.6	52	3	3	7	10	15	23	39
35-49	540	8.3	40	3	3	7	9	15	20	33
50-64	877	8.7	46	3	4	7	10	15	20	37
65 +	1450	9.9	45	4	4	8	12	17	21	43
TOTAL SINGLE DX	1344	6.2	11	2	3	6	8	10	12	19
TOTAL MULTIPLE DX	3082	9.2	48	3	4	8	11	16	21	38
TOTAL										
0-19 YRS	47	12.3	161	3	4	9	15	23	27	82
20-34	347	7.2	34	3	3	6	8	12	17	34
35-49	895	7.3	30	2	3	6	8	13	17	30
50-64	1290	7.8	36	3	3	6	9	13	18	33
65 +	1847	9.3	40	3	4	8	11	16	20	36
GRAND TOTAL	4426	8.3	39	3	3	7	10	14	19	33

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	11.5	102	1	1	7	23	28	31	32
20-34	73	4.9	13	1	1	4	7	10	13	14
35-49	111	4.5	18	1	1	3	6	10	14	22
50-64	66	5.9	24	1	1	5	8	12	15	25
65 +	33	6.7	18	1	2	6	10	14	16	16
2. MULTIPLE DX										
0-19 YRS	126	12.4	136	2	3	9	16	25	31	63
20-34	145	9.9	94	1	2	7	13	23	32	60
35-49	153	9.7	116	1	2	6	12	24	29	61
50-64	146	12.0	127	1	3	9	15	24	39	54
65 +	174	13.0	148	1	3	10	16	25	39	63
TOTAL SINGLE DX	354	6.5	42	1	1	5	8	14	25	31
TOTAL MULTIPLE DX	744	11.4	127	1	2	8	14	24	33	61
TOTAL										
0-19 YRS	197	12.1	124	1	2	9	16	26	31	61
20-34	218	8.2	73	1	1	6	11	19	24	50
35-49	264	7.5	82	1	1	5	9	17	25	50
50-64	212	10.1	104	1	2	7	13	23	29	52
65 +	207	12.0	133	1	2	9	15	22	34	58
GRAND TOTAL	1098	9.8	105	1	1	7	12	23	29	53

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.5	2	< 1	< 1	1	1	4	6	6
20-34	46	2.2	4	< 1	< 1	1	3	6	8	9
35-49	71	2.7	5	< 1	< 1	1	4	7	7	10
50-64	54	3.5	9	< 1	< 1	2	5	8	9	15
65 +	30	2.7	7	< 1	< 1	1	3	7	7	12
2. MULTIPLE DX										
0-19 YRS	15	8.5	512	1	1	2	5	6	69	90
20-34	65	4.3	21	1	1	2	5	12	13	23
35-49	69	4.3	17	< 1	1	3	5	11	13	17
50-64	83	5.3	23	1	1	5	7	9	13	26
65 +	93	5.8	46	1	1	3	7	14	19	35
TOTAL SINGLE DX	211	2.7	7	< 1	< 1	1	4	7	8	11
TOTAL MULTIPLE DX	325	5.2	50	1	1	3	7	11	15	28
TOTAL										
0-19 YRS	25	5.7	312	< 1	1	1	4	6	27	90
20-34	111	3.4	16	< 1	1	2	4	8	12	22
35-49	140	3.5	12	< 1	1	2	5	8	11	17
50-64	137	4.6	19	< 1	1	3	7	9	10	23
65 +	123	5.0	39	< 1	1	2	7	12	15	31
GRAND TOTAL	536	4.2	35	<1	1	2	6	9	13	24

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	1.2		<1	<1	1	1	2	2	5
20-34	234	1.5	4	<1	<1	1	1	2	3	5
35-49	227	1.7	2	<1	<1	1	2	4	5	9
50-64	167	1.9	3	<1	<1	1	2	4	6	10
65+	101	1.9	4	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
0-19 YRS	112	2.1	12	<1	1	1	2	4	6	21
20-34	298	2.6	19	<1	1	2	3	6	8	12
35-49	295	3.2	42	<1	1	2	3	7	9	26
50-64	205	2.3	9	<1	1	1	2	5	7	20
65+	202	2.6	6	<1	1	1	3	6	8	12
TOTAL SINGLE DX	818	1.7	3	<1	<1	1	2	3	4	9
TOTAL MULTIPLE DX	1112	2.7	21	<1	1	1	3	6	8	21
TOTAL										
0-19 YRS	201	1.7	7	<1	<1	1	1	3	4	14
20-34	532	2.1	13	<1	<1	1	2	4	6	11
35-49	522	2.6	25	<1	<1	1	2	5	8	22
50-64	372	2.1	7	<1	<1	1	2	4	7	11
65+	303	2.4	6	<1	<1	1	3	6	8	12
GRAND TOTAL	**1930**	**2.2**	**13**	**<1**	**<1**	**1**	**2**	**4**	**7**	**13**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.3	4	2	2	4	6	7	7	7
20-34	14	5.0	10	<1	2	4	7	9	13	14
35-49	18	4.7	4	2	2	4	6	8	9	9
50-64	10	4.3	6	<1	<1	4	6	8	9	9
65+	0									
2. MULTIPLE DX										
0-19 YRS	4	6.0	14	1	1	7	9	9	9	9
20-34	21	3.8	1	2	2	4	5	6	6	6
35-49	17	7.0	12	1	2	6	9	12	14	14
50-64	32	10.6	194	2	3	6	13	22	26	78
65+	49	8.0	19	3	3	7	10	13	17	25
TOTAL SINGLE DX	46	4.7	7	1	2	4	6	8	9	14
TOTAL MULTIPLE DX	123	7.7	64	2	3	6	9	14	19	40
TOTAL										
0-19 YRS	8	5.1	9	1	1	5	8	9	9	9
20-34	35	4.3	5	2	2	4	5	7	8	14
35-49	35	5.8	9	2	2	5	8	9	12	14
50-64	42	9.1	156	1	2	5	9	20	24	78
65+	49	8.0	20	3	3	7	10	13	17	25
GRAND TOTAL	**169**	**6.9**	**50**	**2**	**2**	**5**	**8**	**13**	**15**	**26**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	93TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	3.0	3	1	1	3	5	5	5	5
35-49	7	1.4		<1	<1	1	2	2	2	2
50-64	8	2.1	2	<1	<1	1	3	5	5	5
65+	11	3.4	19	1	1	1	3	12	14	14
2. MULTIPLE DX										
0-19 YRS	6	5.0	69	1	1	2	2	20	22	22
20-34	16	5.6	32	<1	<1	4	6	17	19	20
35-49	21	4.0	17	<1	1	3	5	8	14	19
50-64	19	5.9	12	1	1	6	9	10	12	13
65+	31	8.1	94	1	1	5	7	27	32	37
TOTAL SINGLE DX	34	2.5	8	<1	1	1	3	5	9	14
TOTAL MULTIPLE DX	93	6.1	49	1	1	4	7	14	22	35
TOTAL										
0-19 YRS	7	4.4	60	1	1	2	2	18	22	22
20-34	23	4.8	25	<1	1	4	5	12	19	20
35-49	28	3.3	14	<1	<1	2	3	7	11	19
50-64	27	4.8	13	<1	1	4	8	9	11	13
65+	42	6.8	78	1	1	4	6	22	30	37
GRAND TOTAL	**127**	**5.1**	**40**	**<1**	**1**	**3**	**6**	**10**	**20**	**33**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	2.4	2	1	1	2	3	4	4	11
20-34	459	2.1	1	1	1	2	3	3	4	6
35-49	575	2.2	1	1	1	2	3	3	4	7
50-64	367	2.5	2	1	1	2	3	4	4	6
65 +	188	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	26	2.6	1	1	1	3	3	3	5	7
20-34	247	3.3	27	1	1	2	3	5	7	18
35-49	393	2.9	6	1	1	2	3	5	6	11
50-64	355	3.2	7	1	1	2	4	6	8	16
65 +	333	3.9	21	1	2	3	4	6	9	27
TOTAL SINGLE DX	1664	2.3	2	1	1	2	3	3	4	6
TOTAL MULTIPLE DX	1354	3.3	14	1	1	3	4	5	7	17
TOTAL										
0-19 YRS	101	2.4	2	1	1	2	3	4	4	10
20-34	706	2.5	11	1	1	2	3	4	5	10
35-49	968	2.5	4	1	1	2	3	4	5	9
50-64	722	2.8	5	1	1	2	3	4	6	14
65 +	521	3.4	15	1	1	3	4	5	7	17
GRAND TOTAL	3018	2.7	8	1	1	2	3	4	6	12

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	1.3		< 1	< 1	1	1	2	3	6
20-34	67	2.0	2	1	1	2	3	3	5	9
35-49	71	1.7	1	< 1	1	1	2	3	3	6
50-64	62	2.1		1	1	2	3	3	4	5
65 +	41	2.4	1	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	30	2.8	7	< 1	1	2	4	6	11	12
20-34	78	5.6	105	1	1	3	6	10	13	69
35-49	104	4.7	17	1	2	3	5	9	15	22
50-64	187	4.1	23	1	2	3	4	8	13	23
65 +	213	6.1	55	1	2	4	6	13	19	45
TOTAL SINGLE DX	341	1.8	1	< 1	1	1	2	3	4	7
TOTAL MULTIPLE DX	612	5.0	44	1	1	3	5	10	15	35
TOTAL										
0-19 YRS	130	1.6	3	< 1	< 1	1	1	3	5	11
20-34	145	4.0	61	1	1	2	4	9	10	24
35-49	175	3.5	13	1	1	2	4	7	11	21
50-64	249	3.6	19	1	1	3	4	5	11	16
65 +	254	5.5	49	1	2	3	5	11	16	43
GRAND TOTAL	953	3.9	31	1	1	2	4	8	12	27

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	6.4	5	2	3	6	8	10	10	10
20-34	35	6.1	2	3	4	6	7	8	9	10
35-49	37	5.5	2	3	4	5	6	7	8	10
50-64	39	5.8	2	3	4	6	7	7	8	8
65 +	17	6.9	4	5	5	7	8	9	12	13
2. MULTIPLE DX										
0-19 YRS	9	10.9	123	1	3	7	18	69	99 +	99 +
20-34	53	8.5	30	4	4	7	10	14	21	34
35-49	76	9.1	60	4	4	6	9	18	25	46
50-64	82	9.2	49	3	4	7	10	17	22	40
65 +	89	11.4	54	4	5	10	14	20	28	39
TOTAL SINGLE DX	145	6.0	3	3	4	6	7	8	9	11
TOTAL MULTIPLE DX	309	9.8	53	4	4	7	11	18	25	40
TOTAL										
0-19 YRS	26	7.9	48	2	3	7	9	16	47	99 +
20-34	88	7.5	21	4	4	7	8	12	15	30
35-49	113	7.9	44	4	4	6	8	13	21	41
50-64	121	8.1	36	3	4	7	8	14	19	40
65 +	106	10.7	49	4	5	9	13	19	26	38
GRAND TOTAL	454	8.6	40	3	4	7	9	15	21	39

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	1.1		<1	<1	1	1	1	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	7	1.0		<1	<1	<1	1	1	1	1
65 +	8	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	6	1.7	2	<1	<1	1	1	5	5	5
20-34	7	1.4		<1	<1	1	2	3	3	3
35-49	9	10.3	140	1	1	6	17	30	32	32
50-64	10	3.7	10	1	1	2	7	8	9	9
65 +	22	3.1	12	<1	<1	2	3	8	11	15
TOTAL SINGLE DX	42	1.2		<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	54	4.0	37	<1	1	2	5	9	15	32
TOTAL										
0-19 YRS	32	1.2	1	<1	<1	1	1	2	2	5
20-34	8	1.8	1	<1	<1	1	2	4	4	4
35-49	9	10.3	141	1	1	6	17	30	32	32
50-64	17	2.6	8	<1	<1	1	3	8	9	9
65 +	30	2.6	9	<1	<1	2	3	6	9	15
GRAND TOTAL	96	2.8	23	<1	<1	1	2	7	9	30

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	1.2		<1	<1	1	1	2	2	7
20-34	17	1.0		<1	1	1	1	1	1	1
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	15	1.2		<1	<1	1	1	2	3	3
65 +	37	1.3		<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
0-19 YRS	163	2.6	6	<1	1	2	3	5	7	16
20-34	192	2.8	13	<1	[illegible]	2	3	6	8	18
35-49	107	3.3	25	<1	1	2	4	6	8	29
50-64	81	3.4	11	<1	1	2	4	7	11	17
65 +	130	5.3	52	<1	<1	2	7	14	19	35
TOTAL SINGLE DX	139	1.2	1	<1	<1	1	1	2	2	5
TOTAL MULTIPLE DX	673	3.4	22	<1	1	2	4	7	11	24
TOTAL										
0-19 YRS	228	2.2	5	<1	1	1	2	5	6	14
20-34	209	2.7	12	<1	1	1	3	6	8	17
35-49	112	3.2	24	<1	1	2	4	6	8	27
50-64	96	3.0	11	<1	<1	2	3	7	10	17
65 +	167	4.4	44	<1	<1	2	6	11	16	29
GRAND TOTAL	812	3.0	19	<1	<1	2	3	6	9	21

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.0		<1	<1	1	1	1	2	2
20-34	12	1.1		<1	<1	1	1	2	2	2
35-49	12	1.2		1	1	1	1	2	3	3
50-64	16	1.3		1	1	1	2	2	3	3
65 +	23	1.3		1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	15	1.8	5	1	1	1	1	3	8	10
20-34	13	1.3		<1	<1	1	1	3	3	3
35-49	14	1.1		1	1	1	1	2	2	2
50-64	22	2.1	5	1	1	1	2	5	9	11
65 +	41	2.5	9	1	1	1	2	7	10	14
TOTAL SINGLE DX	84	1.2		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	105	2.0	6	1	1	1	2	3	8	12
TOTAL										
0-19 YRS	36	1.4	2	<1	1	1	1	2	3	10
20-34	25	1.2		<1	1	1	1	2	3	3
35-49	26	1.1		1	1	1	1	1	2	3
50-64	38	1.8	4	1	1	1	2	3	6	11
65 +	64	2.1	7	1	1	1	2	4	9	14
GRAND TOTAL	189	1.6	4	1	1	1	1	2	4	11

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	5	4.2	11	<1	<1	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	9	3.2	27	1	1	1	2	11	17	17
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	4	6.3	35	2	2	4	10	15	15	15
50-64	0									
65 +	5	6.0	30	1	1	3	12	12	12	12
TOTAL SINGLE DX	16	2.1	5	<1	<1	1	2	6	8	9
TOTAL MULTIPLE DX	21	4.5	25	1	1	2	5	13	16	17
TOTAL										
0-19 YRS	19	2.1	13	<1	<1	1	2	3	11	17
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	4	6.3	36	2	2	4	10	15	15	15
50-64	0									
65 +	10	5.1	20	<1	<1	3	9	12	12	12
GRAND TOTAL	37	3.4	17	<1	<1	2	4	11	14	17

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.6	2	1	1	1	2	3	5	6
20-34	52	1.5		1	1	1	2	3	4	5
35-49	35	1.9		< 1	1	2	2	3	4	5
50-64	22	1.5		< 1	< 1	1	2	2	3	4
65 +	96	2.0	1	1	1	2	3	3	4	8
2. MULTIPLE DX										
0-19 YRS	12	2.5	9	1	1	1	3	6	11	12
20-34	35	2.2	1	< 1	1	2	3	3	4	4
35-49	41	2.5	2	1	1	2	3	5	7	8
50-64	72	2.8	18	1	1	2	3	4	5	31
65 +	369	2.7	5	1	1	2	3	4	5	12
TOTAL SINGLE DX	219	1.8	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	529	2.6	7	1	1	2	3	4	5	12
TOTAL										
0-19 YRS	26	2.0	5	1	1	1	2	3	7	12
20-34	87	1.8	1	< 1	1	1	2	3	4	5
35-49	76	2.2	2	1	1	2	3	4	6	8
50-64	94	2.5	14	1	1	2	3	4	4	24
65 +	465	2.5	5	1	1	2	3	4	5	10
GRAND TOTAL	748	2.4	5	1	1	2	3	4	5	10

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	2.4	2	< 1	1	2	4	5	5	6
20-34	27	2.7	3	< 1	1	2	3	5	6	8
35-49	24	2.8	4	< 1	< 1	2	4	6	7	7
50-64	12	2.3	2	< 1	< 1	2	4	5	5	5
65 +	14	1.5	1	< 1	< 1	1	1	3	5	5
2. MULTIPLE DX										
0-19 YRS	57	2.8	3	1	1	3	4	5	7	9
20-34	39	2.9	4	1	1	3	3	6	9	99 +
35-49	27	3.4	5	1	1	3	4	5	8	11
50-64	15	3.1	9	< 1	< 1	2	4	9	10	10
65 +	28	5.1	67	1	1	2	5	10	21	42
TOTAL SINGLE DX	123	2.4	3	< 1	< 1	2	4	5	6	7
TOTAL MULTIPLE DX	166	3.3	16	1	1	3	4	6	9	38
TOTAL										
0-19 YRS	103	2.6	3	< 1	1	2	4	5	6	8
20-34	66	2.8	4	1	1	3	3	6	7	85
35-49	51	3.1	5	< 1	< 1	3	4	6	7	11
50-64	27	2.8	6	< 1	< 1	2	4	6	9	10
65 +	42	3.9	48	< 1	< 1	2	3	8	14	42
GRAND TOTAL	289	3.0	10	<1	1	2	4	6	7	16

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.1		< 1	< 1	1	1	2	2	2
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	13	2.1	2	< 1	< 1	2	2	4	6	7
50-64	32	2.2	3	1	1	2	3	4	7	8
65 +	46	1.9	1	< 1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	13	1.5	1	< 1	< 1	1	2	3	4	4
20-34	13	2.8	3	1	1	2	4	6	7	7
35-49	21	2.5	4	< 1	1	2	3	5	7	10
50-64	57	3.5	10	< 1	1	2	4	8	11	16
65 +	141	3.4	10	< 1	1	2	4	7	12	15
TOTAL SINGLE DX	105	1.9	2	< 1	1	2	2	3	4	8
TOTAL MULTIPLE DX	245	3.2	9	< 1	1	2	4	7	10	14
TOTAL										
0-19 YRS	23	1.3	1	< 1	< 1	1	1	2	3	4
20-34	17	2.6	3	1	1	2	4	5	6	7
35-49	34	2.3	4	< 1	1	2	3	5	7	10
50-64	89	3.0	8	1	1	2	4	6	9	15
65 +	187	3.0	8	< 1	1	2	4	6	9	14
GRAND TOTAL	350	2.8	7	<1	1	2	3	5	8	14

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.0	2	1	1	1	2	5	6	6
20-34	18	2.7	7	1	1	2	4	5	10	12
35-49	8	3.0	4	1	1	2	4	6	7	7
50-64	11	2.5	7	< 1	< 1	1	4	7	10	10
65 +	14	2.5	5	< 1	< 1	2	3	5	8	9
2. MULTIPLE DX										
0-19 YRS	29	4.7	21	< 1	< 1	3	6	13	17	17
20-34	26	4.4	22	1	1	3	5	7	12	26
35-49	13	3.9	8	< 1	1	4	5	8	10	10
50-64	23	4.7	14	1	1	4	6	10	14	15
65 +	84	4.0	14	< 1	1	3	5	10	12	16
TOTAL SINGLE DX	60	2.6	6	< 1	1	2	3	5	8	12
TOTAL MULTIPLE DX	175	4.2	16	< 1	1	3	5	9	13	17
TOTAL										
0-19 YRS	38	4.1	18	< 1	< 1	3	5	9	16	17
20-34	44	3.7	17	1	1	3	4	7	9	26
35-49	21	3.6	7	< 1	1	3	5	8	9	10
50-64	34	4.0	13	< 1	1	3	4	9	12	15
65 +	98	3.8	13	< 1	1	3	5	10	12	16
GRAND TOTAL	235	3.8	14	<1	1	3	5	9	12	17

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	8	1.0		<1	<1	<1	1	1	1	1
65+	26	1.0		<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
0-19 YRS	7	2.0	2	1	1	2	2	4	5	5
20-34	2	2.0		2	2	2	2	2	2	2
35-49	8	2.0	2	<1	<1	2	3	4	5	5
50-64	21	1.8	2	<1	<1	1	2	4	5	6
65+	61	3.1	12	1	1	2	3	6	11	19
TOTAL SINGLE DX	43	1.1		<1	<1	<1	<1	1	2	2
TOTAL MULTIPLE DX	99	2.6	9	1	1	2	3	5	8	18
TOTAL										
0-19 YRS	12	1.8	1	1	1	2	2	3	5	5
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	11	1.7	2	<1	<1	1	2	4	5	5
50-64	29	1.6	2	<1	<1	1	2	3	5	6
65+	87	2.5	10	<1	<1	1	2	5	9	18
GRAND TOTAL	142	2.2	7	<1	<1	1	2	5	6	16

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.2		<1	<1	1	1	2	3	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	24	1.0		<1	<1	<1	1	1	2	2
50-64	106	1.1		<1	<1	<1	<1	1	2	3
65+	644	1.0		<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
0-19 YRS	15	2.1	5	<1	1	1	2	5	9	10
20-34	6	3.5	5	<1	<1	3	5	7	7	7
35-49	31	4.1	109	<1	<1	1	3	5	13	59
50-64	131	1.8	4	<1	<1	1	2	3	5	14
65+	690	2.2	15	<1	<1	1	2	4	8	16
TOTAL SINGLE DX	797	1.0		<1	<1	<1	<1	<1	1	2
TOTAL MULTIPLE DX	873	2.2	17	<1	<1	1	2	4	8	15
TOTAL										
0-19 YRS	37	1.6	3	<1	<1	1	1	2	5	10
20-34	7	3.3	5	<1	<1	3	5	7	7	7
35-49	55	2.8	63	<1	<1	1	2	4	6	57
50-64	237	1.5	3	<1	<1	<1	1	2	3	11
65+	1334	1.6	8	<1	<1	<1	1	2	4	12
GRAND TOTAL	1670	1.7	9	<1	<1	<1	1	3	4	13

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	8	1.1		<1	<1	1	1	2	2	2
65+	48	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
0-19 YRS	4	3.0	8	1	1	2	5	7	7	7
20-34	1	25.0		25	25	25	25	25	25	25
35-49	1	1.0		1	1	1	1	1	1	1
50-64	10	2.3	7	<1	<1	1	2	6	10	10
65+	49	2.0	5	<1	<1	1	2	4	7	15
TOTAL SINGLE DX	61	1.1		<1	<1	<1	1	1	2	3
TOTAL MULTIPLE DX	65	2.4	14	<1	<1	1	2	6	8	23
TOTAL										
0-19 YRS	5	2.6	7	<1	<1	1	4	7	7	7
20-34	2	13.0	288	1	1	13	25	25	25	25
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	18	1.8	5	<1	<1	1	2	3	7	10
65+	97	1.5	3	<1	<1	<1	1	2	4	11
GRAND TOTAL	126	1.8	8	<1	<1	<1	1	3	6	17

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	2.2	1	1	1	2	3	3	4	6
20-34	103	2.5	4	1	1	2	3	4	6	13
35-49	153	2.5	3	1	1	2	3	4	6	10
50-64	330	2.5	2	1	1	2	3	4	5	8
65+	340	2.7	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	57	2.6	3	1	1	2	3	4	5	13
20-34	168	4.1	41	1	1	3	4	6	10	27
35-49	248	3.7	11	1	1	3	4	6	9	17
50-64	499	3.3	4	1	1	3	4	5	7	10
65+	783	3.5	4	1	1	3	4	6	7	11
TOTAL SINGLE DX	967	2.6	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	1755	3.5	9	1	1	3	4	6	7	13
TOTAL										
0-19 YRS	98	2.4	3	1	1	2	3	4	5	10
20-34	271	3.5	28	1	1	3	4	6	7	19
35-49	401	3.3	9	1	1	3	4	5	8	16
50-64	829	3.0	4	1	1	3	4	5	7	9
65+	1123	3.3	4	1	1	3	4	5	7	10
GRAND TOTAL	2722	3.2	7	1	1	3	4	5	7	11

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	1.5		< 1	< 1	1	2	2	3	4
20-34	14	2.6	3	< 1	1	2	4	5	7	7
35-49	23	2.3	8	1	1	1	2	5	10	13
50-64	39	2.5	3	1	1	2	3	6	7	7
65 +	66	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	35	5.6	260	1	1	2	3	5	13	97
20-34	75	3.5	7	1	1	3	5	7	9	14
35-49	103	3.2	8	1	1	3	3	6	10	16
50-64	183	3.1	5	1	1	3	4	5	7	12
65 +	293	3.6	19	1	1	3	4	8	9	20
TOTAL SINGLE DX	167	2.4	4	< 1	1	2	3	5	6	9
TOTAL MULTIPLE DX	689	3.5	25	1	1	3	4	7	9	17
TOTAL										
0-19 YRS	60	3.9	154	< 1	< 1	2	2	4	8	89
20-34	89	3.4	7	1	1	3	4	7	8	14
35-49	126	3.1	9	1	1	2	3	6	10	15
50-64	222	3.0	5	1	1	2	4	6	7	11
65 +	359	3.4	17	1	1	3	4	7	9	19
GRAND TOTAL	856	3.3	21	1	1	2	4	6	8	15

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	262	1.0		< 1	< 1	1	1	1	1	1
20-34	5	1.0		< 1	< 1	1	1	1	1	1
35-49	8	1.0		< 1	< 1	1	1	1	1	1
50-64	2	1.0		1		1	1	1	1	1
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	104	1.0		< 1	< 1	1	1	1	1	3
20-34	10	1.3		< 1	< 1	1	2	2	2	2
35-49	4	1.0		< 1	< 1	< 1	1	1	1	1
50-64	6	1.0		< 1	< 1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	280	1.0		< 1	< 1	1	1	1	1	1
TOTAL MULTIPLE DX	125	1.1		< 1	< 1	1	1	1	2	3
TOTAL										
0-19 YRS	366	1.0		< 1	< 1	1	1	1	1	1
20-34	15	1.2		< 1	< 1	1	1	2	2	2
35-49	12	1.0		< 1	< 1	1	1	1	1	1
50-64	8	1.0		< 1	< 1	1	1	1	1	1
65 +	4	1.3		1	1	1	2	2	2	2
GRAND TOTAL	405	1.0		<1	<1	1	1	1	1	2

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
TOTAL SINGLE DX	2	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	2	1.0		< 1	< 1	< 1	1	1	1	1
TOTAL										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	4	1.0		<1	<1	1	1	1	1	1

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	4.0	7	< 1	1	4	6	7	8	12
20-34	37	2.1	2	< 1	1	2	3	4	5	7
35-49	26	1.9		< 1	< 1	2	3	3	4	4
50-64	24	2.0		< 1	1	2	3	3	4	4
65 +	21	2.1	2	< 1	1	2	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	50	5.3	17	1	1	5	7	10	15	20
20-34	57	3.9	11	< 1	1	3	5	8	12	17
35-49	53	3.9	47	1	1	2	4	5	7	49
50-64	62	4.3	46	1	1	2	5	7	13	40
65 +	103	4.9	57	1	1	2	5	9	15	50
TOTAL SINGLE DX	185	2.9	5	< 1	1	2	4	6	7	8
TOTAL MULTIPLE DX	325	4.5	39	1	1	3	5	8	14	41
TOTAL										
0-19 YRS	127	4.5	12	1	1	4	7	8	9	18
20-34	94	3.2	8	< 1	1	2	4	6	10	16
35-49	79	3.2	33	1	1	2	3	5	6	40
50-64	86	3.7	35	< 1	1	2	3	6	9	39
65 +	124	4.4	49	1	1	2	5	9	14	47
GRAND TOTAL	510	3.9	27	1	1	2	5	7	10	27

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	1.7	3	<1	<1	1	2	3	4	10
20-34	34	2.4	9	<1	1	1	2	6	10	15
35-49	27	1.6	1	<1	<1	1	2	3	5	7
50-64	13	2.1	5	<1	<1	1	2	6	8	8
65 +	16	1.9	2	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
0-19 YRS	128	3.3	22	<1	1	2	3	7	15	26
20-34	82	4.5	38	<1	1	2	5	12	17	30
35-49	45	4.4	35	<1	1	2	4	12	20	26
50-64	32	4.9	69	1	1	2	5	12	12	46
65 +	72	4.6	24	1	1	3	5	13	16	22
TOTAL SINGLE DX	220	1.8	4	<1	<1	1	2	4	6	12
TOTAL MULTIPLE DX	359	4.1	32	<1	1	2	4	11	16	28
TOTAL										
0-19 YRS	258	2.5	13	<1	<1	1	3	4	8	25
20-34	116	3.9	31	<1	1	1	4	11	15	29
35-49	72	3.3	25	<1	<1	1	3	10	12	26
50-64	45	4.1	52	<1	<1	1	4	10	12	46
65 +	88	4.1	21	1	1	2	5	12	15	21
GRAND TOTAL	**579**	**3.2**	**23**	**<1**	**<1**	**1**	**3**	**7**	**13**	**26**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.0		<1	1	1	1	1	1	1
20-34	73	1.1		<1	1	1	1	2	2	2
35-49	130	1.1		1	1	1	1	1	2	2
50-64	83	1.2		<1	1	1	1	2	3	4
65 +	32	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	14	1.0		1	1	1	1	1	1	1
20-34	62	1.2		<1	1	1	1	2	2	5
35-49	65	1.2		<1	<1	1	1	2	2	3
50-64	69	1.2		1	1	1	1	2	2	3
65 +	40	1.5		<1	1	1	2	3	4	4
TOTAL SINGLE DX	339	1.1		<1	1	1	1	2	2	3
TOTAL MULTIPLE DX	250	1.2		<1	1	1	1	2	2	4
TOTAL										
0-19 YRS	35	1.0		1	1	1	1	1	1	1
20-34	135	1.1		<1	1	1	1	2	2	3
35-49	195	1.1		<1	1	1	1	2	2	2
50-64	152	1.2		1	1	1	1	2	2	3
65 +	72	1.4	1	<1	1	1	2	2	3	4
GRAND TOTAL	**589**	**1.2**		**<1**	**1**	**1**	**1**	**2**	**2**	**3**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	1.1		<1	<1	1	1	1	2	2
20-34	96	1.1		<1	1	1	1	1	2	3
35-49	90	1.1		<1	<1	1	1	1	2	2
50-64	60	1.1		<1	<1	1	1	1	2	2
65 +	26	1.4	1	<1	<1	1	1	2	3	8
2. MULTIPLE DX										
0-19 YRS	182	1.1		<1	<1	1	1	1	2	2
20-34	119	1.3	1	<1	1	1	1	2	2	6
35-49	113	1.3	1	<1	1	1	1	2	2	8
50-64	114	1.3	1	<1	1	1	1	2	3	8
65 +	64	1.7	4	<1	1	1	2	3	8	87
TOTAL SINGLE DX	436	1.1		<1	<1	1	1	1	2	3
TOTAL MULTIPLE DX	592	1.3	1	<1	1	1	1	2	2	8
TOTAL										
0-19 YRS	346	1.1		<1	<1	1	1	1	2	2
20-34	215	1.2	1	<1	1	1	1	2	2	4
35-49	203	1.2	1	<1	1	1	1	2	2	5
50-64	174	1.3	1	<1	<1	1	1	2	2	7
65 +	90	1.6	3	<1	1	1	1	3	7	64
GRAND TOTAL	**1028**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**6**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	929	1.0		<1	<1	1	1	1	1	2
20-34	7	1.3		<1	<1	1	2	2	2	2
35-49	7	2.3	4	<1	<1	1	3	6	6	6
50-64	7	1.0		<1	<1	1	1	1	1	1
65 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	602	1.8	7	<1	<1	1	1	3	6	14
20-34	21	2.7	12	<1	<1	1	2	6	12	16
35-49	18	3.9	31	<1	1	1	2	12	17	20
50-64	19	8.7	160	<1	<1	2	13	30	35	40
65 +	22	5.8	42	<1	1	3	8	16	21	25
TOTAL SINGLE DX	953	1.0		<1	<1	1	1	1	1	2
TOTAL MULTIPLE DX	682	2.2	16	<1	<1	1	1	4	7	26
TOTAL										
0-19 YRS	1531	1.3	3	<1	<1	1	1	1	3	8
20-34	28	2.3	10	<1	<1	1	2	5	9	16
35-49	25	3.4	24	<1	<1	1	3	11	14	20
50-64	26	6.6	128	<1	<1	1	3	29	32	40
65 +	25	5.3	39	<1	1	2	7	15	20	25
GRAND TOTAL	1635	1.5	7	<1	<1	1	1	2	4	12

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	1.5	2	<1	1	1	1	2	5	10
20-34	49	1.3		<1	1	1	1	2	2	7
35-49	55	1.1		1	1	1	1	1	2	3
50-64	49	1.6	2	1	1	1	1	3	4	9
65 +	25	1.5	2	1	1	1	1	3	5	7
2. MULTIPLE DX										
0-19 YRS	168	1.8	5	1	1	1	1	4	7	12
20-34	109	1.6	1	1	1	1	2	3	4	7
35-49	121	1.7	4	1	1	1	2	3	5	13
50-64	105	2.4	32	1	1	1	2	4	7	38
65 +	73	3.3	45	1	1	1	2	6	11	42
TOTAL SINGLE DX	249	1.4	2	1	1	1	1	2	3	8
TOTAL MULTIPLE DX	576	2.1	14	1	1	1	2	3	7	16
TOTAL										
0-19 YRS	239	1.7	5	1	1	1	1	3	7	11
20-34	158	1.5	1	1	1	1	1	3	4	7
35-49	176	1.5	3	1	1	1	1	2	3	11
50-64	154	2.2	23	1	1	1	2	3	7	28
65 +	98	2.9	35	1	1	1	2	5	9	38
GRAND TOTAL	825	1.9	11	1	1	1	1	3	5	12

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	68	1.3	2	<1	<1	1	1	1	2	11
20-34	61	1.3		<1	<1		1	2	3	6
35-49	70	1.6	1	1	1	1	2	3	4	8
50-64	54	1.6	1	1	1	1	2	3	5	6
65 +	36	1.9	2	1	1	1	2	4	6	8
2. MULTIPLE DX										
0-19 YRS	92	2.1	12	<1	<1	1	1	3	11	20
20-34	50	2.2	6	<1	1	1	2	6	8	12
35-49	63	1.8	2	1	1	1	2	3	5	9
50-64	71	2.7	13	1	1	2	2	5	9	22
65 +	51	3.1	16	1	1	1	3	7	15	19
TOTAL SINGLE DX	289	1.5	2	<1	1	1	1	2	4	8
TOTAL MULTIPLE DX	327	2.3	10	<1	1	1	2	5	9	17
TOTAL										
0-19 YRS	160	1.8	8	<1	<1	1	1	2	7	14
20-34	111	1.7	3	<1	1	1	2	3	6	11
35-49	133	1.7	2	1	1	1	2	3	5	8
50-64	125	2.2	8	1	1	1	2	4	7	18
65 +	87	2.6	11	1	1	1	3	6	8	18
GRAND TOTAL	616	1.9	6	<1	1	1	2	3	7	15

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.1		1	1	1	1	2	2	2
20-34	36	1.1		1	1	1	1	2	2	2
35-49	26	1.0		< 1	1	1	1	1	2	2
50-64	19	1.5		1	1	1	2	3	4	4
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	64	1.3		1	1	1	2	2	3	3
20-34	184	1.6	8	1	1	1	2	2	3	5
35-49	153	1.8	3	1	1	1	2	3	5	12
50-64	99	1.7	2	1	1	1	2	3	5	10
65 +	43	2.0	4	1	1	1	2	3	5	13
TOTAL SINGLE DX	95	1.2		1	1	1	1	2	2	4
TOTAL MULTIPLE DX	543	1.7	5	1	1	1	2	3	4	11
TOTAL										
0-19 YRS	76	1.3		1	1	1	1	2	2	3
20-34	220	1.5	7	1	1	1	1	2	3	5
35-49	179	1.7	3	1	1	1	2	3	4	12
50-64	118	1.7	2	1	1	1	2	3	5	9
65 +	45	2.0	4	1	1	1	2	3	5	13
GRAND TOTAL	**638**	**1.6**	**4**	**1**	**1**	**1**	**2**	**3**	**3**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	1.2		< 1	< 1	1	1	2	2	7
20-34	158	1.2		< 1	< 1	1	1	2	2	3
35-49	111	1.1		< 1	< 1	1	1	1	2	6
50-64	70	1.1		< 1	1	1	1	2	2	4
65 +	25	1.6	2	< 1	< 1	1	1	3	6	8
2. MULTIPLE DX										
0-19 YRS	304	1.5	1	< 1	1	1	2	3	3	6
20-34	594	1.4	1	< 1	1	1	1	2	3	5
35-49	498	1.5	1	< 1	1	1	2	3	3	7
50-64	256	1.8	5	1	1	1	2	3	4	10
65 +	145	2.3	8	< 1	1	1	2	4	6	18
TOTAL SINGLE DX	462	1.2	1	< 1	< 1	1	1	2	2	6
TOTAL MULTIPLE DX	1797	1.6	3	< 1	1	1	2	3	4	7
TOTAL										
0-19 YRS	402	1.5	1	< 1	1	1	2	3	3	6
20-34	752	1.4	1	< 1	1	1	1	2	3	5
35-49	609	1.4	1	< 1	1	1	1	2	3	6
50-64	329	1.7	4	< 1	1	1	2	3	4	9
65 +	170	2.2	8	< 1	1	1	2	4	6	18
GRAND TOTAL	**2259**	**1.5**	**2**	**<1**	**1**	**1**	**2**	**3**	**3**	**7**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.6	1	< 1	< 1	1	2	3	5	6
20-34	16	1.4		< 1	< 1	1	2	3	3	3
35-49	36	1.6	1	< 1	< 1	1	2	4	5	6
50-64	25	1.2		< 1	< 1	1	1	2	2	3
65 +	28	1.4		< 1	< 1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	68	2.2	5	< 1	1	1	2	6	8	12
20-34	128	1.9	13	< 1	1	1	2	3	4	16
35-49	134	1.8	4	< 1	1	1	2	3	4	13
50-64	110	2.1	9	< 1	1	1	2	3	5	20
65 +	105	3.9	35	1	1	2	5	9	13	34
TOTAL SINGLE DX	126	1.4	1	< 1	< 1	1	1	2	4	6
TOTAL MULTIPLE DX	545	2.3	14	< 1	1	1	2	5	8	18
TOTAL										
0-19 YRS	89	2.0	5	< 1	< 1	1	2	5	8	11
20-34	144	1.8	12	< 1	1	1	2	3	4	11
35-49	170	1.7	4	< 1	< 1	1	2	3	4	12
50-64	135	1.9	8	< 1	< 1	1	2	3	5	19
65 +	133	3.4	29	< 1	1	2	3	8	12	26
GRAND TOTAL	**671**	**2.1**	**12**	**<1**	**1**	**1**	**2**	**4**	**7**	**17**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	1.2		< 1	< 1	1	1	1	2	6
20-34	89	1.9	2	< 1	< 1	1	3	4	5	7
35-49	48	2.9	2	< 1	1	3	4	6	6	7
50-64	59	2.7	2	< 1	1	3	4	5	5	7
65 +	71	3.1	3	< 1	1	3	4	6	6	9
2. MULTIPLE DX										
0-19 YRS	101	3.0	25	< 1	< 1	1	3	6	11	28
20-34	168	2.4	6	< 1	1	1	3	5	7	14
35-49	136	3.2	4	1	1	3	5	6	8	10
50-64	173	4.6	19	1	1	4	5	8	11	26
65 +	342	5.0	31	1	1	4	6	9	14	25
TOTAL SINGLE DX	373	2.2	3	< 1	< 1	1	3	5	6	7
TOTAL MULTIPLE DX	920	4.0	21	1	1	3	5	8	10	24
TOTAL										
0-19 YRS	207	2.1	14	< 1	< 1	1	1	4	7	25
20-34	257	2.2	5	< 1	< 1	1	3	5	7	12
35-49	184	3.1	4	1	1	3	4	6	7	9
50-64	232	4.1	16	1	1	3	5	7	8	26
65 +	413	4.7	27	1	1	4	6	8	12	24
GRAND TOTAL	**1293**	**3.5**	**17**	**<1**	**1**	**2**	**4**	**7**	**9**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	1.4	1	1	1	1	1	2	4	6
20-34	69	1.5		<1	1	1	2	2	3	6
35-49	79	1.4		<1	1	1	2	2	2	5
50-64	56	1.4		1	1	1	2	3	3	3
65 +	25	1.8	1	<1	1	1	2	4	4	5
2. MULTIPLE DX										
0-19 YRS	31	1.9	7	<1	<1	1	2	3	8	15
20-34	151	2.2	7	1	1	1	2	4	7	17
35-49	203	2.2	12	1	1	1	2	3	5	26
50-64	148	2.5	20	1	1	2	2	4	7	20
65 +	104	3.0	24	1	1	2	3	6	8	31
TOTAL SINGLE DX	252	1.4	1	1	1	1	2	2	3	5
TOTAL MULTIPLE DX	637	2.4	15	1	1	1	2	4	7	22
TOTAL										
0-19 YRS	54	1.7	5	<1	1	1	1	2	5	15
20-34	220	2.0	6	1	1	1	2	3	6	16
35-49	282	2.0	10	1	1	1	2	3	4	25
50-64	204	2.2	15	1	1	1	2	3	6	15
65 +	129	2.8	20	1	1	1	3	5	7	27
GRAND TOTAL	889	2.1	11	1	1	1	2	3	6	20

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	1.8	2	<1	<1	1	2	5	6	6
20-34	65	2.5	9	<1	1	1	3	4	11	17
35-49	64	2.1	4	<1	<1	1	2	5	7	12
50-64	62	2.2	5	<1	1	1	2	4	7	14
65 +	46	2.1	3	<1	1	1	3	6	6	7
2. MULTIPLE DX										
0-19 YRS	171	3.0	23	<1	<1	1	3	8	10	29
20-34	247	3.3	32	1	1	1	3	7	12	31
35-49	330	2.6	14	1	1	1	3	6	8	23
50-64	242	3.0	16	1	1	2	3	7	11	25
65 +	172	4.7	70	1	1	2	4	12	20	72
TOTAL SINGLE DX	284	2.2	5	<1	1	1	2	5	7	14
TOTAL MULTIPLE DX	1162	3.2	28	1	1	1	3	7	11	28
TOTAL										
0-19 YRS	218	2.7	19	<1	<1	1	2	7	9	28
20-34	312	3.2	28	1	1	1	3	7	11	29
35-49	394	2.5	13	1	1	1	3	5	8	20
50-64	304	2.8	14	1	1	2	3	6	10	23
65 +	218	4.1	57	1	1	2	4	10	18	47
GRAND TOTAL	1446	3.0	24	1	1	1	3	6	10	26

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	1.1		<1	<1	1	1	2	2	2
20-34	17	2.5	5	<1	<1	2	3	5	8	10
35-49	10	3.3	7	<1	<1	2	7	7	7	7
50-64	8	1.5		<1	<1	1	2	2	2	2
65 +	4	1.8	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	85	3.3	54	<1	1	1	3	6	13	86
20-34	89	5.4	45	1	1	2	7	15	21	31
35-49	78	6.3	177	1	1	2	5	13	37	99
50-64	74	8.4	185	<1	<1	2	9	33	44	92
65 +	111	5.4	59	1	1	2	6	14	21	40
TOTAL SINGLE DX	71	1.8	3	<1	<1	1	2	3	7	9
TOTAL MULTIPLE DX	437	5.7	100	1	1	2	6	14	27	71
TOTAL										
0-19 YRS	117	2.7	41	<1	1	1	2	5	9	74
20-34	106	4.9	40	1	1	2	7	12	19	31
35-49	88	5.9	159	1	1	2	5	13	30	99
50-64	82	7.8	172	<1	<1	2	8	27	44	89
65 +	115	5.3	58	1	1	2	6	14	21	40
GRAND TOTAL	508	5.1	88	<1	1	2	5	13	24	64

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	1.0		<1	<1	1	1	1	1	2
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	5	1.2		1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	73	1.6	6	<1	<1	1	1	2	2	18
20-34	7	6.4	74	1	1	2	15	19	19	19
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	2	13.5	1	13	13	13	14	14	14	14
65 +	4	4.5	32	1	1	2	8	13	13	13
TOTAL SINGLE DX	60	1.1		<1	<1	1	1	1	2	3
TOTAL MULTIPLE DX	89	2.4	17	<1	<1	1	2	3	13	20
TOTAL										
0-19 YRS	120	1.4	4	<1	<1	1	1	2	2	13
20-34	12	4.4	47	<1	<1	2	3	19	19	19
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	7	4.7	36	1	1	1	10	14	14	14
65 +	5	3.8	27	1	1	2	5	13	13	13
GRAND TOTAL	149	1.9	10	<1	<1	1	1	2	9	19

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	1.2		<1	<1	1	1	2	3	4
20-34	11	2.6	3	1	1	2	4	5	6	6
35-49	22	1.8		<1	1	2	2	3	4	4
50-64	35	1.8		1	1	2	2	3	4	5
65+	12	2.8	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	82	1.7	2	<1	<1	1	2	3	4	10
20-34	26	2.8	2	1	1	2	4	5	6	7
35-49	26	2.7	4	1	1	2	4	7	8	9
50-64	46	3.4	20	1	1	2	4	7	13	24
65+	43	4.3	25	1	1	2	5	12	15	23
TOTAL SINGLE DX	186	1.6	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	223	2.8	12	<1	1	2	3	6	10	19
TOTAL										
0-19 YRS	188	1.4	1	<1	<1	1	1	2	3	7
20-34	37	2.8	3	1	1	2	4	5	6	7
35-49	48	2.3	3	1	1	2	2	5	7	9
50-64	81	2.7	13	1	1	2	3	4	9	22
65+	55	4.0	21	1	1	2	5	11	14	23
GRAND TOTAL	409	2.2	7	<1	<1	1	2	4	7	15

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	1.7	1	<1	<1	1	2	3	4	8
20-34	144	1.7		1	1	1	2	3	3	5
35-49	231	1.8	1	1	1	2	2	3	4	6
50-64	186	1.8		1	1	2	2	3	3	5
65+	185	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	39	2.2	5	1	1	1	2	4	9	11
20-34	60	2.4	4	1	1	2	3	6	7	11
35-49	109	2.2	4	1	1	2	2	4	6	13
50-64	187	2.5	6	1	1	2	3	4	6	16
65+	277	3.8	19	1	1	2	4	7	12	26
TOTAL SINGLE DX	805	1.8	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	672	3.0	12	1	1	2	3	6	8	21
TOTAL										
0-19 YRS	98	1.9	3	<1	1	1	2	3	5	10
20-34	204	1.9	2	1	1	2	2	3	5	7
35-49	340	1.9	2	1	1	2	2	3	4	7
50-64	373	2.2	4	1	1	2	2	4	5	13
65+	462	3.1	13	1	1	2	3	6	8	25
GRAND TOTAL	1477	2.3	6	1	1	2	3	4	5	13

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	184	2.3	1	1	1	2	3	3	4	6
20-34	11	2.2	1	1	1	2	3	4	4	4
35-49	10	1.1		1	1	1	1	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	243	2.9	13	1	1	3	3	4	5	8
20-34	17	1.8	1	1	1	1	2	4	5	5
35-49	28	2.1	2	1	1	2	3	4	5	7
50-64	26	1.7		1	1	1	2	3	4	4
65+	6	3.8	11	1	1	2	7	9	9	9
TOTAL SINGLE DX	209	2.2	1	1	1	2	3	3	4	6
TOTAL MULTIPLE DX	320	2.7	11	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	427	2.6	9	1	1	2	3	4	5	7
20-34	28	1.9	1	1	1	2	3	4	4	5
35-49	38	1.9	2	1	1	1	2	4	4	7
50-64	29	1.7	1	1	1	1	2	3	4	4
65+	7	3.4	11	1	1	2	6	9	9	9
GRAND TOTAL	529	2.5	7	1	1	2	3	4	5	7

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	264	1.8	1	<1	<1	1	2	3	4	6
20-34	64	3.2	7	<1	1	3	4	6	8	15
35-49	61	2.8	5	<1	1	2	4	6	7	11
50-64	88	3.4	19	<1	1	2	4	8	10	26
65+	90	3.4	18	<1	<1	2	4	8	12	25
2. MULTIPLE DX										
0-19 YRS	307	3.0	28	<1	1	2	3	6	7	23
20-34	236	3.3	10	<1	1	2	4	7	9	15
35-49	168	4.8	41	1	1	3	6	11	15	29
50-64	216	5.6	37	1	1	3	8	14	16	31
65+	304	6.7	52	1	1	4	8	16	22	35
TOTAL SINGLE DX	567	2.6	8	<1	1	2	3	5	7	15
TOTAL MULTIPLE DX	1231	4.7	37	1	1	3	6	11	15	29
TOTAL										
0-19 YRS	571	2.4	16	<1	1	2	3	4	6	13
20-34	300	3.3	10	<1	1	2	4	7	9	15
35-49	229	4.2	32	1	1	2	5	9	14	28
50-64	304	5.0	33	1	1	3	7	13	15	31
65+	394	5.9	47	1	1	3	8	15	21	33
GRAND TOTAL	1798	4.0	29	<1	1	2	4	9	14	27

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1413	1.1		<1	1	1	1	1	2	3
20-34	837	1.2		<1	1	1	1	2	2	4
35-49	133	1.3	1	<1	1	1	1	2	2	8
50-64	15	1.2		1	1	1	1	2	2	2
65 +	7	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	563	1.2		<1	1	1	1	2	2	5
20-34	368	1.5	1	1	1	1	2	3	4	8
35-49	107	1.8	3	<1	1	1	2	3	5	13
50-64	34	4.2	38	1	1	1	4	14	20	24
65 +	15	3.1	3	1	1	2	5	6	6	6
TOTAL SINGLE DX	2405	1.1	1	<1	1	1	1	1	2	3
TOTAL MULTIPLE DX	1087	1.5	3	<1	1	1	1	2	4	9
TOTAL										
0-19 YRS	1976	1.1	1	<1	1	1	1	1	2	3
20-34	1205	1.3	1	1	1	1	1	2	3	5
35-49	240	1.5	2	<1	1	1	1	2	3	9
50-64	49	3.3	28	1	1	1	2	10	18	24
65 +	22	2.6	3	1	1	2	4	5	6	6
GRAND TOTAL	3492	1.3	1	<1	1	1	1	2	2	5

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1940	1.0		<1	<1	1	1	1	1	2
20-34	67	1.2		<1	1	1	1	2	2	5
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	0									
65 +	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2011	1.2	5	<1	<1	1	1	1	2	4
20-34	76	1.3		1	1	1	1	2	3	5
35-49	7	1.7		1	1	2	2	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	7	4.4	10	<1	<1	3	8	8	8	8
TOTAL SINGLE DX	2014	1.1		<1	<1	1	1	1	1	2
TOTAL MULTIPLE DX	2102	1.2	5	<1	<1	1	1	1	2	4
TOTAL										
0-19 YRS	3951	1.1	3	<1	<1	1	1	1	2	3
20-34	143	1.3	1	1	1	1	1	2	3	5
35-49	10	1.9	1	<1	<1	2	2	3	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	11	3.2	9	<1	<1	1	6	8	8	8
GRAND TOTAL	4116	1.1	3	<1	<1	1	1	1	2	3

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	1.0		<1	<1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	205	1.3	3	<1	<1	1	1	1	2	8
20-34	5	1.4		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
TOTAL SINGLE DX	71	1.0		<1	<1	1	1	1	1	1
TOTAL MULTIPLE DX	212	1.3	4	<1	<1	1	1	1	2	10
TOTAL										
0-19 YRS	276	1.2	2	<1	<1	1	1	1	1	6
20-34	5	1.4		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	283	1.2	3	<1	<1	1	1	1	2	8

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	243	1.7	1	<1	1	1	2	3	4	7
20-34	156	2.3	7	<1	1	2	3	4	6	9
35-49	101	1.9	1	1	1	1	2	4	5	7
50-64	49	2.0	2	<1	<1	1	2	4	6	7
65 +	35	2.8	7	<1	1	2	4	5	8	15
2. MULTIPLE DX										
0-19 YRS	149	3.3	29	1	1	2	3	6	8	40
20-34	122	3.2	15	1	1	2	3	6	10	22
35-49	138	2.8	13	1	1	2	3	5	9	21
50-64	95	4.2	37	1	1	2	4	11	16	34
65 +	96	6.8	80	1	1	4	8	21	23	46
TOTAL SINGLE DX	584	2.0	4	<1	1	1	2	4	5	8
TOTAL MULTIPLE DX	600	3.9	34	1	1	2	4	7	14	32
TOTAL										
0-19 YRS	392	2.3	13	<1	1	1	3	4	6	9
20-34	278	2.7	11	<1	1	2	3	4	7	18
35-49	239	2.5	9	1	1	2	3	4	6	16
50-64	144	3.4	27	<1	1	2	3	7	13	34
65 +	131	5.8	64	1	1	3	7	15	23	36
GRAND TOTAL	1184	3.0	20	<1	1	2	3	6	8	25

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	1.5		<1	<1	1	2	2	3	4
20-34	8	2.4	1	1	1	2	3	4	4	4
35-49	16	2.5	2	<1	1	2	3	5	6	6
50-64	29	2.3	2	<1	<1	2	3	5	6	7
65+	20	2.7	7	<1	1	2	3	7	9	10
2. MULTIPLE DX										
0-19 YRS	34	2.7	4	<1	1	2	3	7	7	8
20-34	19	3.2	6	1	1	2	5	8	9	9
35-49	26	3.8	7	<1	1	3	5	8	9	10
50-64	68	4.2	19	<1	1	3	5	10	14	21
65+	107	4.2	14	1	1	3	5	9	12	20
TOTAL SINGLE DX	90	2.3	3	<1	<1	2	3	4	6	10
TOTAL MULTIPLE DX	254	3.9	13	<1	1	3	5	8	11	19
TOTAL										
0-19 YRS	51	2.3	3	<1	<1	2	3	5	7	8
20-34	27	3.0	5	1	1	2	3	7	8	9
35-49	42	3.3	6	<1	1	3	4	8	9	10
50-64	97	3.6	15	<1	<1	2	4	7	12	20
65+	127	4.0	14	1	1	3	5	9	12	19
GRAND TOTAL	**344**	**3.5**	**11**	**<1**	**1**	**2**	**4**	**7**	**10**	**18**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.3	1	<1	<1	1	1	2	4	6
20-34	19	1.4	1	<1	<1	1	1	3	4	5
35-49	22	2.5	27	<1	1	1	2	2	12	26
50-64	35	1.3	1	<1	<1	1	1	2	4	7
65+	46	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX										
0-19 YRS	37	2.0	5	<1	<1	1	2	6	8	12
20-34	7	1.9	2	<1	<1	1	2	4	5	5
35-49	27	2.9	31	<1	<1	1	2	5	9	30
50-64	58	3.1	42	<1	<1	1	2	5	20	34
65+	92	3.0	13	<1	<1	1	3	7	10	19
TOTAL SINGLE DX	144	1.4	5	<1	<1	1	1	2	3	8
TOTAL MULTIPLE DX	221	2.8	22	<1	<1	1	2	6	10	29
TOTAL										
0-19 YRS	59	1.7	4	<1	<1	1	1	4	7	12
20-34	26	1.5	1	<1	<1	1	1	3	5	5
35-49	49	2.7	29	<1	<1	1	2	4	6	30
50-64	93	2.5	28	<1	<1	1	2	3	7	32
65+	138	2.3	10	<1	<1	1	2	5	9	17
GRAND TOTAL	**365**	**2.3**	**15**	**<1**	**<1**	**1**	**2**	**4**	**7**	**26**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.8	39	1	1	2	8	14	14	14
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49	6	4.2	8	<1	<1	4	7	7	7	7
50-64	10	10.7	98	1	1	8	12	28	32	32
65+	3	9.3	30	4	4	9	13	15	15	15
2. MULTIPLE DX										
0-19 YRS	14	8.0	189	<1	1	1	4	26	42	47
20-34	6	4.3	3	1	1	5	5	6	6	6
35-49	8	13.4	54	2	4	12	18	24	26	26
50-64	38	7.6	27	1	1	7	12	14	16	21
65+	32	10.4	80	1	1	9	15	23	28	37
TOTAL SINGLE DX	27	6.9	55	<1	1	5	9	15	25	32
TOTAL MULTIPLE DX	98	8.8	70	1	1	6	13	19	24	42
TOTAL										
0-19 YRS	18	7.3	154	<1	1	1	4	24	38	47
20-34	10	3.4	4	1	1	4	5	6	6	6
35-49	14	9.4	55	<1	<1	8	14	19	24	26
50-64	48	8.2	42	1	1	7	12	15	21	32
65+	35	10.3	75	1	1	9	15	22	27	37
GRAND TOTAL	**125**	**8.4**	**67**	**1**	**1**	**6**	**13**	**18**	**24**	**39**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	17	10.1	4	6	7	10	12	13	14	14
65+	14	12.4	35	5	6	10	15	23	25	25
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	8	10.4	12	6	6	10	12	16	17	17
50-64	77	15.9	157	6	8	13	16	25	38	81
65+	104	16.1	130	7	8	12	17	32	42	61
TOTAL SINGLE DX	32	10.9	20	5	6	10	12	16	22	25
TOTAL MULTIPLE DX	190	15.7	136	7	8	12	16	28	39	71
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	9	9.7	15	4	5	10	11	15	17	17
50-64	94	14.9	134	6	8	12	15	22	35	77
65+	118	15.6	120	7	7	12	17	30	40	58
GRAND TOTAL	**222**	**15.0**	**122**	**6**	**7**	**12**	**16**	**25**	**37**	**68**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64	3	2.7		2	2	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	7	40.0	212	21	24	38	58	90	99+	99+
20-34	10	23.8	568	2	4	14	48	85	99	99+
35-49	22	22.0	523	2	3	15	37	68	94	99+
50-64	50	20.3	389	2	3	16	35	79	99+	99+
65+	93	29.3	607	4	4	25	50	84	99+	99+
TOTAL SINGLE DX	6	4.7	17	1	1	3	7	11	12	12
TOTAL MULTIPLE DX	182	26.1	534	3	4	21	44	80	99+	99+
TOTAL										
0-19 YRS	7	40.0	212	21	24	38	58	90	99+	99+
20-34	10	23.8	568	2	4	14	48	85	99	99+
35-49	24	21.0	491	2	3	12	34	62	93	99+
50-64	53	19.3	384	2	3	14	34	73	99+	99+
65+	94	29.0	610	3	4	24	50	83	99+	99+
GRAND TOTAL	**188**	**25.4**	**532**	**2**	**3**	**21**	**43**	**79**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	9.3	129	1	1	6	9	29	39	43
20-34	7	2.1	2	1	1	1	3	5	5	5
35-49	8	5.9	7	< 1	1	6	8	9	9	9
50-64	16	2.9	6	< 1	1	2	5	6	9	10
65+	9	11.6	194	1	1	6	16	36	40	40
2. MULTIPLE DX										
0-19 YRS	96	13.1	349	1	1	7	19	46	87	99+
20-34	74	25.5	693	1	2	11	46	68	77	94
35-49	63	19.7	346	1	2	15	36	60	99+	99+
50-64	146	25.3	548	1	1	20	43	59	75	92
65+	181	28.1	485	1	4	25	44	71	99+	99+
TOTAL SINGLE DX	60	6.6	83	1	1	4	7	11	32	43
TOTAL MULTIPLE DX	560	23.5	515	1	1	16	40	67	83	99+
TOTAL										
0-19 YRS	116	12.5	313	1	1	6	16	43	82	99+
20-34	81	23.5	676	1	1	10	42	67	76	94
35-49	71	18.2	327	1	2	11	34	58	99+	99+
50-64	162	23.1	539	1	1	14	41	58	74	91
65+	190	27.3	483	1	3	23	44	71	99+	99+
GRAND TOTAL	**620**	**21.9**	**498**	**1**	**1**	**14**	**38**	**63**	**82**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.6	15	1	1	4	5	11	14	14
20-34	17	4.2	10	< 1	< 1	3	7	8	11	12
35-49	34	4.3	11	< 1	1	4	7	10	11	11
50-64	56	4.3	16	< 1	1	3	6	10	13	20
65+	68	5.0	20	< 1	< 1	4	8	12	14	19
2. MULTIPLE DX										
0-19 YRS	22	5.5	28	< 1	1	4	8	14	17	18
20-34	129	11.0	86	2	3	9	14	22	29	74
35-49	272	11.2	77	1	2	9	15	23	27	44
50-64	574	9.0	57	1	2	7	11	18	25	38
65+	1268	10.2	61	1	2	8	14	20	25	37
TOTAL SINGLE DX	184	4.6	16	< 1	< 1	3	7	10	13	18
TOTAL MULTIPLE DX	2265	10.0	64	1	2	8	13	20	26	39
TOTAL										
0-19 YRS	31	5.2	24	1	1	4	7	13	17	18
20-34	146	10.2	82	1	2	8	14	21	28	68
35-49	306	10.5	75	1	2	8	14	22	27	40
50-64	630	8.5	56	1	2	7	11	17	24	37
65+	1336	10.0	60	1	2	8	13	20	25	37
GRAND TOTAL	**2449**	**9.6**	**62**	**1**	**2**	**8**	**13**	**19**	**25**	**38**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	11.5	1	11	11	11	12	12	12	12
65+	0									
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	6	10.2	170	1	1	3	22	30	31	31
TOTAL SINGLE DX	4	9.0	13	4	4	10	11	12	12	12
TOTAL MULTIPLE DX	11	6.9	101	1	1	2	6	26	31	31
TOTAL										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	4	7.3	25	2	2	7	11	12	12	12
65+	6	10.2	171	1	1	3	22	30	31	31
GRAND TOTAL	**15**	**7.5**	**76**	**1**	**1**	**4**	**10**	**22**	**29**	**31**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	7.2	9	3	4	7	9	10	14	16
20-34	37	6.1	7	3	4	5	8	9	10	16
35-49	62	6.3	18	1	2	5	7	12	16	23
50-64	121	6.7	36	1	2	6	7	10	16	35
65 +	109	6.5	13	1	2	6	8	10	12	22
2. MULTIPLE DX										
0-19 YRS	48	9.4	45	3	3	8	12	17	21	36
20-34	185	11.4	78	3	4	9	15	21	26	40
35-49	282	11.7	125	3	4	8	14	23	32	89
50-64	629	9.3	43	2	3	8	11	18	23	34
65 +	975	10.1	66	2	3	8	13	18	24	44
TOTAL SINGLE DX	347	6.5	21	1	2	6	8	10	13	27
TOTAL MULTIPLE DX	2119	10.2	69	2	3	8	13	19	25	43
TOTAL										
0-19 YRS	66	8.8	36	3	3	8	10	16	19	35
20-34	222	10.6	70	3	4	8	14	20	23	38
35-49	344	10.8	111	3	4	8	13	20	30	86
50-64	750	8.9	44	1	3	7	11	17	22	34
65 +	1084	9.7	62	2	3	8	12	18	23	42
GRAND TOTAL	2466	9.7	64	2	3	8	12	18	23	41

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	9.3	42	4	4	8	9	21	22	22
35-49	34	6.9	3	4	4	7	8	9	10	12
50-64	95	7.3	5	4	5	7	8	10	11	17
65 +	60	9.2	11	5	5	9	12	14	15	21
2. MULTIPLE DX										
0-19 YRS	10	21.1	415	3	4	10	47	51	53	53
20-34	36	15.1	237	6	6	9	16	24	59	71
35-49	84	12.4	119	5	5	9	14	21	31	68
50-64	389	11.4	60	5	6	9	13	18	23	58
65 +	599	12.2	56	6	7	10	14	20	27	44
TOTAL SINGLE DX	196	7.9	9	4	5	7	9	12	13	21
TOTAL MULTIPLE DX	1118	12.1	72	6	6	10	14	20	27	60
TOTAL										
0-19 YRS	11	20.0	387	3	4	9	40	51	53	53
20-34	42	14.2	212	5	6	9	16	23	56	71
35-49	118	10.8	92	4	5	8	12	17	28	62
50-64	484	10.6	52	5	6	9	12	17	21	52
65 +	659	12.0	53	6	6	10	14	19	26	43
GRAND TOTAL	1314	11.5	65	5	6	9	13	19	25	56

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	172	1.7	3	<1	<1	1	2	3	4	11
20-34	31	4.3	17	<1	<1	3	6	10	12	20
35-49	42	5.8	22	1	1	4	7	13	17	19
50-64	53	4.4	16	<1	<1	3	6	10	11	21
65 +	49	5.1	14	<1	<1	4	8	11	11	13
2. MULTIPLE DX										
0-19 YRS	204	7.2	170	<1	1	3	8	16	24	97
20-34	232	12.0	105	2	3	9	15	23	34	74
35-49	379	11.3	96	2	3	8	15	23	31	61
50-64	639	9.8	69	2	2	8	13	19	26	41
65 +	1390	11.9	85	2	3	10	16	23	31	45
TOTAL SINGLE DX	347	3.3	13	<1	<1	2	4	9	11	18
TOTAL MULTIPLE DX	2844	11.0	93	1	2	9	14	22	30	56
TOTAL										
0-19 YRS	376	4.7	101	<1	<1	2	[illegible]	10	18	84
20-34	263	11.1	101	1	2	8	14	23	31	68
35-49	421	10.7	92	1	2	8	14	22	29	58
50-64	692	9.4	67	1	2	8	12	19	25	40
65 +	1439	11.7	85	2	3	10	15	23	30	45
GRAND TOTAL	3191	10.2	90	1	1	8	13	21	29	53

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.5	8	1	1	3	3	9	11	11
20-34	29	3.6	3	1	1	3	4	6	7	9
35-49	10	4.5	11	1	1	4	5	10	12	12
50-64	10	4.5	6	2	2	4	5	8	10	10
65 +	3	7.3	22	2	2	9	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	25	6.6	37	1	2	5	8	13	19	31
20-34	39	8.8	59	2	3	6	11	17	26	38
35-49	28	11.3	135	1	2	8	14	27	44	46
50-64	44	8.9	55	1	2	7	12	19	23	36
65 +	55	17.5	363	2	4	9	19	51	58	85
TOTAL SINGLE DX	65	4.0	7	1	2	3	5	8	10	12
TOTAL MULTIPLE DX	191	11.4	168	2	2	8	13	25	38	64
TOTAL										
0-19 YRS	38	5.6	29	1	2	4	7	11	14	31
20-34	68	6.6	42	2	2	4	8	13	18	37
35-49	38	9.5	110	1	2	6	12	22	38	46
50-64	54	8.1	49	1	2	6	10	19	22	36
65 +	58	17.0	350	2	3	9	19	50	58	85
GRAND TOTAL	256	9.5	138	1	2	6	10	19	37	58

D

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	4.9	7	2	2	4	6	9	10	15
20-34	334	4.6	8	2	2	4	6	8	10	14
35-49	136	4.6	7	2	2	4	6	8	10	13
50-64	59	4.7	7	1	2	4	6	8	10	14
65 +	62	6.2	23	1	2	6	7	12	15	28
2. MULTIPLE DX										
0-19 YRS	204	11.2	205	1	2	7	13	30	58	99 +
20-34	461	7.6	50	2	2	5	9	16	20	37
35-49	395	7.8	60	2	2	6	10	15	19	30
50-64	640	8.9	58	2	3	7	11	18	22	45
65 +	1043	10.6	77	3	3	8	14	21	28	48
TOTAL SINGLE DX	686	4.8	9	2	2	4	6	8	10	15
TOTAL MULTIPLE DX	2743	9.3	77	2	3	7	12	19	25	50
TOTAL										
0-19 YRS	299	9.2	151	1	2	6	10	18	38	99 +
20-34	795	6.3	35	2	2	5	7	12	17	30
35-49	531	7.0	49	2	2	5	9	14	18	26
50-64	699	8.6	55	2	3	6	11	17	22	41
65 +	1105	10.3	75	2	3	7	14	21	27	47
GRAND TOTAL	3429	8.4	67	2	2	6	10	17	23	48

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	4.4	8	< 1	1	4	6	8	9	16
20-34	80	4.6	15	< 1	1	4	6	10	13	18
35-49	75	4.1	12	< 1	1	2	6	8	11	17
50-64	74	3.7	13	< 1	1	2	5	8	11	17
65 +	62	3.7	14	< 1	< 1	2	5	8	9	21
2. MULTIPLE DX										
0-19 YRS	55	8.0	52	< 1	1	6	10	17	26	35
20-34	113	9.4	108	1	2	7	11	17	29	68
35-49	172	9.9	97	1	1	7	14	23	27	95
50-64	342	8.6	112	1	1	5	11	19	29	57
65 +	505	9.3	83	1	1	7	13	20	27	47
TOTAL SINGLE DX	365	4.1	13	< 1	1	3	6	8	11	17
TOTAL MULTIPLE DX	1187	9.2	95	1	1	7	12	20	27	58
TOTAL										
0-19 YRS	129	5.9	30	< 1	1	5	7	12	16	30
20-34	193	7.5	75	1	1	5	9	14	19	51
35-49	247	8.1	79	1	1	6	10	19	26	81
50-64	416	7.8	99	1	1	5	9	17	27	56
65 +	567	8.7	79	1	1	7	12	18	26	45
GRAND TOTAL	1552	8.0	80	1	1	5	11	17	25	52

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	6.2	7	1	1	6	7	9	12	15
20-34	30	8.8	106	1	3	7	9	10	11	62
35-49	28	7.4	9	2	3	7	9	10	12	18
50-64	34	9.0	13	2	5	9	10	13	14	23
65 +	36	9.1	11	3	4	9	12	14	15	15
2. MULTIPLE DX										
0-19 YRS	323	12.1	138	4	5	8	13	22	40	82
20-34	102	11.5	53	6	6	9	13	19	25	44
35-49	266	14.1	140	6	7	11	15	21	33	72
50-64	603	14.1	93	7	7	11	15	25	32	56
65 +	1025	15.8	106	7	8	13	18	28	36	59
TOTAL SINGLE DX	238	7.5	23	1	4	7	9	11	13	19
TOTAL MULTIPLE DX	2319	14.5	111	6	7	11	16	25	35	61
TOTAL										
0-19 YRS	433	10.6	112	2	5	8	11	18	35	78
20-34	132	10.8	66	5	6	8	11	18	25	49
35-49	294	13.4	132	6	7	10	14	20	32	71
50-64	637	13.8	90	7	7	11	15	23	32	56
65 +	1061	15.6	104	6	8	13	18	27	35	59
GRAND TOTAL	2557	13.8	107	5	6	11	15	24	34	60

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	9	2.7	5	< 1	< 1	1	4	7	7	7
35-49	44	7.5	5	2	6	7	9	10	12	14
50-64	129	8.7	6	6	6	8	10	12	13	16
65 +	111	10.0	15	6	7	9	11	14	16	27
2. MULTIPLE DX										
0-19 YRS	6	10.3	111	3	3	6	11	29	31	31
20-34	21	8.9	40	1	2	8	13	19	21	22
35-49	824	10.0	28	6	7	9	11	14	17	30
50-64	3406	11.4	42	6	7	10	13	17	21	38
65 +	3979	13.7	73	7	8	11	15	22	29	55
TOTAL SINGLE DX	296	8.8	12	3	6	8	10	13	14	19
TOTAL MULTIPLE DX	8236	12.3	58	7	7	10	14	19	25	45
TOTAL										
0-19 YRS	9	8.2	83	1	2	5	9	23	31	31
20-34	30	7.0	38	< 1	< 1	6	10	16	21	22
35-49	868	9.8	28	6	6	9	11	14	16	30
50-64	3535	11.3	42	6	7	10	12	17	21	37
65 +	4090	13.6	72	7	8	11	15	22	28	54
GRAND TOTAL	8532	12.2	57	6	7	10	13	19	25	45

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	1.6	4	< 1	< 1	1	1	2	4	11
20-34	109	2.4	4	< 1	1	1	3	6	8	10
35-49	609	2.4	5	< 1	< 1	1	3	6	7	10
50-64	1126	2.2	4	< 1	< 1	1	2	5	7	10
65 +	559	2.3	5	< 1	< 1	1	2	5	8	12
2. MULTIPLE DX										
0-19 YRS	363	2.3	12	< 1	< 1	1	2	5	10	24
20-34	275	3.8	16	< 1	1	2	5	9	10	16
35-49	2543	3.8	16	< 1	1	2	5	8	10	18
50-64	7031	3.8	15	1	1	2	5	9	11	17
65 +	7212	4.7	24	1	1	3	7	10	13	23
TOTAL SINGLE DX	2559	2.2	5	< 1	< 1	1	2	5	7	10
TOTAL MULTIPLE DX	17424	4.1	19	1	1	2	6	9	12	20
TOTAL										
0-19 YRS	519	2.1	11	< 1	< 1	1	1	4	8	22
20-34	384	3.4	14	< 1	1	2	5	8	10	15
35-49	3152	3.5	14	< 1	1	2	5	8	10	17
50-64	8157	3.5	14	< 1	1	2	5	8	10	15
65 +	7771	4.5	23	1	1	3	6	10	13	23
GRAND TOTAL	19983	3.9	18	<1	1	2	5	9	11	20

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.5	1	1	1	2	4	4	5	5
20-34	22	2.4	2	< 1	1	2	4	5	6	6
35-49	28	3.2	5	< 1	< 1	3	4	7	8	9
50-64	87	3.1	6	< 1	1	2	4	6	8	14
65 +	351	2.5	4	< 1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	65	4.7	30	1	1	4	5	9	13	36
20-34	45	4.6	34	1	1	3	5	12	14	35
35-49	124	6.7	45	1	2	4	8	14	17	35
50-64	662	7.3	56	1	2	5	9	15	21	36
65 +	3960	6.8	33	1	2	5	9	14	18	28
TOTAL SINGLE DX	505	2.6	5	< 1	1	2	3	5	7	12
TOTAL MULTIPLE DX	4856	6.8	37	1	2	5	9	14	18	29
TOTAL										
0-19 YRS	82	4.3	26	1	1	3	5	9	12	32
20-34	67	3.9	25	1	1	2	5	7	12	32
35-49	152	6.1	40	1	1	4	8	13	16	30
50-64	749	6.8	52	1	1	5	9	14	20	35
65 +	4311	6.5	33	1	1	5	8	14	18	27
GRAND TOTAL	5361	6.4	36	1	1	5	8	14	18	29

575: Miscellaneous operations on heart (35[illegible] 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	3.1	9	< 1	< 1	1	6	8	9	9
20-34	34	5.9	38	< 1	1	5	6	8	20	33
35-49	170	3.9	6	1	1	3	6	8	8	11
50-64	354	3.3	5	1	1	3	4	6	7	12
65 +	273	3.5	10	1	1	3	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	73	8.0	99	< 1	< 1	5	11	18	40	87
20-34	125	7.1	90	1	2	6	8	11	17	52
35-49	1147	4.8	23	1	1	3	6	9	11	21
50-64	3311	4.6	15	1	1	3	6	9	11	19
65 +	2919	5.7	27	1	2	4	7	11	14	28
TOTAL SINGLE DX	850	3.6	9	1	1	3	5	7	8	13
TOTAL MULTIPLE DX	7575	5.1	24	1	1	4	7	10	13	24
TOTAL										
0-19 YRS	92	6.9	84	< 1	< 1	4	9	16	37	76
20-34	159	6.9	79	1	2	5	8	11	19	38
35-49	1317	4.7	21	1	1	3	6	9	11	20
50-64	3665	4.4	15	1	1	3	6	9	11	18
65 +	3192	5.5	27	1	2	4	7	11	13	27
GRAND TOTAL	8425	5.0	23	1	1	4	6	10	12	23

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	2.4	4	< 1	< 1	2	3	5	7	12
20-34	56	3.4	7	< 1	< 1	3	5	8	8	13
35-49	73	3.4	14	< 1	< 1	1	5	8	9	20
50-64	99	2.3	8	< 1	< 1	1	2	6	8	17
65 +	100	3.3	9	< 1	< 1	2	5	8	11	13
2. MULTIPLE DX										
0-19 YRS	501	5.0	59	1	1	3	5	11	17	65
20-34	208	9.0	124	1	2	6	11	17	24	73
35-49	378	7.9	63	1	1	6	10	16	22	38
50-64	857	7.6	46	1	1	6	10	16	20	36
65 +	2342	9.3	54	2	2	8	12	18	23	35
TOTAL SINGLE DX	484	2.8	8	< 1	< 1	1	4	7	9	14
TOTAL MULTIPLE DX	4286	8.[illegible]	59	1	2	7	11	17	22	38
TOTAL										
0-19 YRS	657	4.4	47	< 1	1	2	4	9	14	51
20-34	264	7.8	105	1	1	5	9	15	23	65
35-49	451	7.2	58	1	1	5	9	15	20	34
50-64	956	7.1	45	1	1	5	10	16	19	33
65 +	2442	9.1	54	1	2	7	12	18	23	35
GRAND TOTAL	4770	7.8	57	1	1	6	11	16	21	36

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	244	1.8	1	1	1	1	2	3	4	6
35-49	433	1.8	1	1	1	2	2	3	4	6
50-64	230	2.1	2	1	1	2	2	3	5	11
65 +	76	2.5	5	1	1	2	3	4	5	16
2. MULTIPLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	87	2.4	6	1	1	2	3	4	6	16
35-49	166	2.3	3	1	1	2	3	4	5	12
50-64	133	2.4	3	1	1	2	3	4	7	10
65 +	118	4.2	17	1	1	3	5	9	14	19
TOTAL SINGLE DX	989	1.9	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	507	2.8	8	1	1	2	3	5	8	16
TOTAL										
0-19 YRS	9	1.3		1	1	1	2	2	2	2
20-34	331	1.9	3	1	1	2	2	3	4	11
35-49	599	1.9	2	1	1	2	2	3	4	7
50-64	363	2.2	3	1	1	2	3	4	5	10
65 +	194	3.5	13	1	1	2	4	8	11	19
GRAND TOTAL	1496	2.2	4	1	1	2	3	4	5	13

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	5.8	3	2	3	6	7	8	8	8
20-34	18	4.0	15	<1	1	3	6	9	13	15
35-49	51	5.0	8	1	1	5	7	9	10	12
50-64	161	5.8	7	1	2	6	7	9	10	16
65 +	183	6.0	9	1	2	6	[illegible]	10	11	14
2. MULTIPLE DX										
0-19 YRS	65	8.5	45	1	2	7	[illegible]	18	22	36
20-34	190	8.5	93	1	1	6	10	17	27	55
35-49	389	8.7	79	1	2	7	11	16	22	60
50-64	1430	9.9	73	2	3	8	12	18	27	42
65 +	2741	11.7	93	3	4	9	14	22	31	53
TOTAL SINGLE DX	424	5.7	9	1	2	6	7	9	11	14
TOTAL MULTIPLE DX	4815	10.8	87	2	4	8	13	21	29	52
TOTAL										
0-19 YRS	76	8.1	40	1	2	7	10	[illegible]	21	35
20-34	208	8.1	89	1	1	6	9	[illegible]	25	52
35-49	440	8.3	73	1	2	7	10	[illegible]	[illegible]	57
50-64	1591	9.5	68	2	3	7	11	[illegible]	[illegible]	40
65 +	2924	11.4	90	3	4	9	13	[illegible]	[illegible]	52
GRAND TOTAL	5239	10.4	82	2	3	8	12	19	28	50

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	15.0	55	7	7	14	16	27	30	30
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	0									
50-64	1	32.0		32	32	32	32	32	32	32
65 +	1	12.0		12	12	12	12	12	12	12
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	11	15.5	68	7	8	13	16	31	32	32
TOTAL										
0-19 YRS	7	15.0	56	7	7	14	16	27	30	30
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	0									
50-64	1	32.0		32	32	32	32	32	32	32
65 +	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	11	15.5	68	7	8	13	16	31	32	32

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	4	1.5		1	1	1	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64	7	2.4	4	1	1	2	2	6	7	7
65 +	3	9.7	156	1	1	4	19	24	24	24
2. MULTIPLE DX										
0-19 YRS	38	3.8	12	1	1	2	5	9	12	14
20-34	400	4.6	25	1	1	3	6	9	12	31
35-49	447	5.1	25	1	1	3	6	11	15	23
50-64	748	5.6	32	1	1	4	7	12	16	28
65 +	996	5.7	25	1	2	4	7	11	15	27
TOTAL SINGLE DX	19	3.9	33	1	1	2	3	11	19	24
TOTAL MULTIPLE DX	2629	5.4	27	1	1	4	7	11	15	27
TOTAL										
0-19 YRS	40	4.1	14	1	1	2	5	10	13	14
20-34	404	4.5	25	1	1	3	6	9	12	31
35-49	450	5.0	26	1	1	3	6	11	15	23
50-64	755	5.6	32	1	1	4	7	12	16	28
65 +	999	5.7	26	1	2	4	7	11	15	27
GRAND TOTAL	2648	5.4	28	1	1	4	7	11	15	27

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	205	4.5	11	1	1	4	6	8	10	15
20-34	131	4.4	23	<1	1	2	6	12	15	22
35-49	193	5.6	46	1	1	3	7	11	19	34
50-64	481	4.5	22	1	1	3	6	9	11	21
65 +	828	4.6	11	1	1	4	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	2010	14.8	294	1	2	8	19	40	61	99 +
20-34	695	7.6	96	1	1	5	9	17	25	50
35-49	1133	7.7	80	1	1	5	9	16	26	48
50-64	3175	7.8	78	1	1	5	9	16	24	50
65 +	7436	8.7	74	1	2	6	11	17	24	49
TOTAL SINGLE DX	1838	4.7	19	1	1	4	6	9	11	21
TOTAL MULTIPLE DX	14449	9.2	113	1	2	6	11	19	29	66
TOTAL										
0-19 YRS	2215	13.9	277	1	2	8	17	37	58	99 +
20-34	826	7.1	86	1	1	4	9	16	24	43
35-49	1326	7.4	76	1	1	5	9	16	25	47
50-64	3656	7.4	72	1	1	5	9	15	22	47
65 +	8264	8.3	70	1	2	6	10	16	23	47
GRAND TOTAL	16287	8.7	104	1	1	6	10	18	27	62

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	162	2.4	5	<1	<1	1	3	6	7	10
20-34	79	2.5	9	<1	<1	1	2	6	10	16
35-49	101	2.0	3	<1	<1	1	2	4	5	12
50-64	127	2.8	5	<1	<1	2	4	6	7	11
65 +	102	3.5	10	<1	<1	2	5	8	9	17
2. MULTIPLE DX										
0-19 YRS	98	5.3	25	<1	1	4	8	11	15	25
20-34	140	7.0	91	<1	1	4	9	16	20	64
35-49	182	6.1	56	1	1	3	8	16	22	36
50-64	296	6.1	42	1	1	4	8	12	17	34
65 +	526	6.4	35	1	1	5	8	13	19	37
TOTAL SINGLE DX	571	2.6	7	<1	<1	2	3	6	8	13
TOTAL MULTIPLE DX	1242	6.3	46	1	1	4	8	13	19	36
TOTAL										
0-19 YRS	260	3.5	15	<1	<1	2	5	8	11	16
20-34	219	5.4	66	<1	<1	3	7	12	18	36
35-49	283	4.6	41	<1	1	2	5	12	17	34
50-64	423	5.1	34	<1	1	3	7	10	14	29
65 +	628	6.0	32	1	1	5	8	13	17	34
GRAND TOTAL	1813	5.1	36	<1	1	3	7	11	16	31

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	[illegible]	2.2	1	1	1	2	3	4	4	4
20-34	17	4.1	5	1	1	4	6	7	8	8
35-49	44	2.8	5	1	1	2	3	6	8	12
50-64	77	3.4	5	1	1	3	4	6	8	12
65 +	81	3.5	3	1	1	4	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	10	4.5	9	1	1	4	8	9	9	9
20-34	63	6.0	32	1	1	5	8	9	15	38
35-49	100	5.5	26	1	1	4	7	11	16	27
50-64	193	5.5	19	1	2	4	7	10	15	24
65 +	308	6.7	48	1	2	5	7	12	21	40
TOTAL SINGLE DX	225	3.3	5	1	1	3	4	6	8	11
TOTAL MULTIPLE DX	674	6.1	35	1	2	5	7	10	16	36
TOTAL										
0-19 YRS	16	3.6	7	1	1	2	5	8	9	9
20-34	80	5.6	28	1	1	5	7	9	12	34
35-49	144	4.6	22	1	1	3	6	9	13	24
50-64	270	4.9	16	1	2	4	6	9	11	23
65 +	389	6.0	41	1	2	5	7	10	16	39
GRAND TOTAL	899	5.4	29	1	1	4	7	9	13	30

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	15.0		15	15	15	15	15	15	15
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	3	3.0	4	1	1	3	4	5	5	5
65 +	3	12.0	244	2	2	4	23	30	30	30
TOTAL SINGLE DX	3	7.0	52	1	1	5	12	15	15	15
TOTAL MULTIPLE DX	7	6.6	109	1	1	3	5	25	30	30
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	0									
50-64	4	6.0	39	1	1	4	10	15	15	15
65 +	3	12.0	244	2	2	4	23	30	30	30
GRAND TOTAL	10	6.7	84	1	1	3	5	22	30	30

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	16.7	520	3	3	4	33	43	43	43
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9	42.4	356	21	22	38	51	72	84	84
20-34	3	38.0	1	37	37	38	39	39	39	39
35-49	2	26.0	242	15	15	26	37	37	37	37
50-64	0									
65 +	0									
TOTAL SINGLE DX	4	13.3	394	3	3	4	23	43	43	43
TOTAL MULTIPLE DX	14	39.1	273	16	20	38	39	56	78	84
TOTAL										
0-19 YRS	9	42.4	357	21	22	38	51	72	84	84
20-34	4	29.3	307	3	3	37	38	39	39	39
35-49	5	20.4	347	3	3	15	38	43	43	43
50-64	0									
65 +	0									
GRAND TOTAL	18	33.4	401	3	3	37	39	52	72	84

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	212	4.8	15	1	1	4	6	8	10	22
20-34	146	5.7	20	2	2	5	6	8	11	33
35-49	96	5.8	19	2	2	5	7	10	14	25
50-64	69	6.3	45	1	2	4	8	12	20	35
65 +	89	7.0	37	1	2	5	8	13	21	33
2. MULTIPLE DX										
0-19 YRS	369	8.6	66	1	2	6	10	19	27	37
20-34	450	10.4	117	2	3	7	10	24	31	55
35-49	436	10.4	99	2	3	7	12	23	31	60
50-64	702	10.2	88	2	3	7	13	21	29	49
65 +	1861	10.2	70	2	3	8	13	20	27	44
TOTAL SINGLE DX	612	5.7	24	1	2	5	7	9	13	31
TOTAL MULTIPLE DX	3818	10.1	83	2	3	7	12	21	28	48
TOTAL										
0-19 YRS	581	7.2	51	1	2	5	8	15	22	37
20-34	596	9.3	98	2	3	6	9	20	29	53
35-49	532	9.5	88	2	2	7	11	21	31	54
50-64	771	9.9	86	2	3	7	12	20	29	49
65 +	1950	10.0	70	2	3	7	13	20	26	44
GRAND TOTAL	4430	9.5	77	2	3	7	11	20	27	46

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	120	5.7	39	< 1	1	4	8	12	15	40
20-34	80	8.3	69	1	1	5	11	18	29	37
35-49	64	7.2	44	< 1	1	5	11	15	22	28
50-64	58	7.1	151	< 1	1	3	6	16	26	68
65 +	44	6.3	48	< 1	1	4	7	19	22	30
2. MULTIPLE DX										
0-19 YRS	355	11.4	197	1	1	7	13	28	40	78
20-34	427	11.8	118	1	2	9	15	27	32	74
35-49	663	10.8	123	1	2	7	14	24	34	59
50-64	935	10.2	113	1	1	7	14	24	29	51
65 +	1484	11.9	101	2	2	9	16	25	32	50
TOTAL SINGLE DX	366	6.8	66	< 1	1	4	9	15	22	39
TOTAL MULTIPLE DX	3864	11.2	119	1	2	8	15	25	32	56
TOTAL										
0-19 YRS	475	9.9	164	1	1	6	12	25	34	75
20-34	507	11.2	112	1	2	8	15	26	32	62
35-49	727	10.5	118	1	2	7	13	23	33	57
50-64	993	10.0	116	1	1	6	13	24	29	58
65 +	1528	11.7	101	1	2	9	15	24	32	49
GRAND TOTAL	4230	10.8	116	1	2	8	14	24	32	56

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	3.4	17	< 1	1	1	4	10	13	15
20-34	12	4.3	34	1	1	2	6	12	20	21
35-49	30	5.2	14	1	1	5	8	10	12	16
50-64	28	7.5	184	1	1	5	7	9	21	75
65 +	52	5.7	26	< 1	1	4	7	15	17	22
2. MULTIPLE DX										
0-19 YRS	88	7.2	122	< 1	1	2	9	18	35	55
20-34	66	7.5	46	1	1	5	10	16	25	89
35-49	235	7.0	37	1	2	5	8	16	22	42
50-64	427	8.8	110	1	2	6	10	19	24	58
65 +	815	8.9	84	1	2	6	11	18	26	52
TOTAL SINGLE DX	138	5.6	56	1	1	4	7	11	16	28
TOTAL MULTIPLE DX	1631	8.4	86	1	2	6	10	18	25	57
TOTAL										
0-19 YRS	104	6.6	108	< 1	1	2	8	15	30	53
20-34	78	7.0	45	1	1	5	9	16	24	81
35-49	265	6.8	35	1	2	5	8	14	21	33
50-64	455	8.7	115	1	2	5	10	19	24	58
65 +	867	8.7	82	1	2	6	11	18	25	48
GRAND TOTAL	1769	8.2	84	1	1	6	10	17	24	56

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	311	2.8	1	2	2	3	3	4	5	7
20-34	3	6.7	9	4	4	6	9	10	10	10
35-49	0									
50-64	3	8.0	7	5	5	9	10	10	10	10
65 +	2	10.5	5	9	9	10	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	127	4.3	17	2	2	4	5	6	7	20
20-34	5	8.0	44	1	1	7	10	19	19	19
35-49	8	13.6	68	5	5	12	19	26	27	27
50-64	13	11.1	13	7	7	10	13	15	19	20
65 +	34	15.5	102	7	7	12	17	28	36	54
TOTAL SINGLE DX	319	3.0	2	2	2	3	3	4	5	9
TOTAL MULTIPLE DX	187	7.3	56	2	2	5	9	14	23	43
TOTAL										
0-19 YRS	438	3.3	6	2	2	3	4	5	6	9
20-34	8	7.5	28	1	2	6	9	16	19	19
35-49	8	13.6	69	5	5	12	19	26	27	27
50-64	16	10.5	13	6	7	10	13	14	18	20
65 +	36	15.3	98	7	7	12	17	27	35	54
GRAND TOTAL	506	4.6	26	2	2	3	4	9	13	27

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.8	5	2	2	3	5	7	7	7
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	3	9.0	112	1	1	5	17	21	21	21
65 +	12	12.5	636	< 1	< 1	3	9	46	83	89
2. MULTIPLE DX										
0-19 YRS	70	15.8	273	1	2	9	26	43	56	94
20-34	26	24.9	811	4	4	12	34	84	89	94
35-49	55	15.2	210	2	3	11	22	33	44	74
50-64	130	12.9	106	1	2	11	19	25	37	67
65 +	754	15.7	184	2	3	12	22	32	41	73
TOTAL SINGLE DX	23	9.7	343	< 1	1	3	8	22	49	89
TOTAL MULTIPLE DX	1035	15.5	200	2	3	12	21	33	43	87
TOTAL										
0-19 YRS	74	15.1	266	1	2	8	24	42	55	93
20-34	28	23.8	770	4	4	12	30	82	89	94
35-49	57	14.9	207	2	3	10	21	32	44	73
50-64	133	12.8	106	1	2	11	19	24	37	66
65 +	766	15.6	191	2	3	12	21	32	41	84
GRAND TOTAL	1058	15.4	203	1	3	12	21	33	43	88

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.0	88	< 1	< 1	3	9	23	25	25
20-34	23	3.3	4	< 1	< 1	3	5	6	7	8
35-49	36	5.1	29	1	1	3	6	10	13	31
50-64	46	3.8	6	< 1	< 1	4	5	8	8	13
65 +	61	4.1	7	< 1	< 1	4	6	8	10	11
2. MULTIPLE DX										
0-19 YRS	13	4.5	5	< 1	1	4	6	8	9	9
20-34	93	5.7	33	< 1	1	5	8	11	13	35
35-49	199	5.3	28	< 1	1	4	6	10	13	33
50-64	412	6.5	53	1	2	4	8	12	16	42
65 +	1219	7.9	41	1	3	6	10	15	20	35
TOTAL SINGLE DX	172	4.2	14	< 1	< 1	4	5	8	10	22
TOTAL MULTIPLE DX	1936	7.2	43	1	2	5	9	14	19	38
TOTAL										
0-19 YRS	19	5.3	29	< 1	< 1	4	6	9	18	25
20-34	116	5.2	28	< 1	< 1	4	7	10	12	28
35-49	235	5.3	29	< 1	1	4	6	10	13	33
50-64	458	6.3	49	< 1	2	4	7	12	16	41
65 +	1280	7.7	40	1	2	6	10	15	20	34
GRAND TOTAL	2108	7.0	41	<1	2	5	9	14	18	37

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.3	16	1	1	1	6	8	8	8
20-34	31	9.6	32	2	4	8	11	17	20	28
35-49	51	9.4	12	5	6	8	11	15	17	20
50-64	48	8.6	9	5	6	8	10	12	13	21
65 +	37	10.4	19	6	7	9	11	18	21	22
2. MULTIPLE DX										
0-19 YRS	8	12.9	80	5	6	11	15	28	33	33
20-34	53	12.4	92	5	6	11	14	17	25	71
35-49	159	12.6	65	5	6	10	15	23	26	54
50-64	287	13.2	85	6	7	11	15	22	30	58
65 +	569	16.6	138	7	8	13	19	29	40	68
TOTAL SINGLE DX	170	9.3	17	5	6	8	11	15	19	22
TOTAL MULTIPLE DX	1076	14.9	114	6	7	12	17	25	35	67
TOTAL										
0-19 YRS	11	10.3	79	1	1	8	13	23	32	33
20-34	84	11.4	72	3	6	10	13	17	22	57
35-49	210	11.8	54	5	6	9	14	20	25	52
50-64	335	12.6	77	6	7	10	14	21	28	52
65 +	606	16.3	134	7	8	13	19	28	38	68
GRAND TOTAL	1246	14.1	105	6	7	11	16	24	33	64

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	3	11.3	12	8	8	11	14	15	15	15
50-64	8	10.9	6	8	8	11	12	15	16	16
65 +	11	13.4	32	7	7	12	18	22	22	22
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	15	18.1	161	8	9	16	20	22	51	61
50-64	71	19.0	184	8	9	14	21	34	39	88
65 +	126	19.7	128	9	10	15	26	36	45	57
TOTAL SINGLE DX	22	12.2	20	7	8	11	15	20	22	22
TOTAL MULTIPLE DX	213	19.3	148	9	9	15	23	34	45	63
TOTAL										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	18	17.0	141	8	8	14	19	22	45	61
50-64	79	18.2	172	8	9	13	19	33	39	85
65 +	137	19.2	124	9	9	15	25	35	45	56
GRAND TOTAL	235	18.7	141	8	9	15	22	34	44	62

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	8.4	7	5	5	9	10	12	12	12
20-34	17	6.1	2	3	4	6	7	8	9	9
35-49	52	8.2	15	5	5	7	9	12	14	28
50-64	25	7.4	17	4	5	7	8	9	15	26
65 +	9	10.9	49	6	6	8	11	22	29	29
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	41	8.1	27	3	4	7	9	12	16	34
35-49	88	10.0	18	5	6	9	12	17	18	24
50-64	108	10.7	36	5	5	9	13	19	25	34
65 +	165	16.0	107	7	7	13	19	28	38	55
TOTAL SINGLE DX	108	7.9	17	5	5	7	9	11	13	28
TOTAL MULTIPLE DX	403	12.4	69	5	6	10	15	21	28	45
TOTAL										
0-19 YRS	6	8.8	7	5	5	9	11	12	12	12
20-34	58	7.5	21	3	4	7	8	11	15	33
35-49	140	9.3	18	5	6	8	11	15	18	26
50-64	133	10.1	34	5	5	8	11	19	24	33
65 +	174	15.7	106	6	7	12	19	28	38	54
GRAND TOTAL	511	11.5	62	5	6	9	14	20	27	43

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	5.4	7	2	3	5	7	8	9	17
20-34	118	6.2	11	3	4	6	7	8	10	22
35-49	142	6.3	6	3	4	6	8	9	11	15
50-64	69	7.1	6	4	5	7	8	10	11	18
65 +	62	8.3	13	3	5	8	10	12	16	21
2. MULTIPLE DX										
0-19 YRS	166	14.5	234	2	4	9	19	45	85	99 +
20-34	309	7.5	41	3	4	6	7	11	19	37
35-49	506	8.6	69	4	4	6	9	14	21	58
50-64	449	10.8	94	4	5	8	12	18	25	59
65 +	745	14.7	118	5	6	12	17	26	36	62
TOTAL SINGLE DX	441	6.6	10	3	4	6	8	10	12	17
TOTAL MULTIPLE DX	2175	11.4	108	4	4	8	13	22	32	66
TOTAL										
0-19 YRS	216	12.4	196	2	3	8	15	36	58	99 +
20-34	427	7.1	33	3	4	6	7	10	15	36
35-49	648	8.1	57	4	4	6	8	14	19	47
50-64	518	10.3	84	4	5	7	11	18	24	58
65 +	807	14.2	113	5	6	11	17	25	34	58
GRAND TOTAL	2616	10.6	95	4	4	8	12	20	29	59

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	4.1	8	1	1	3	6	7	10	15
20-34	54	4.0	5	< 1	1	4	5	7	9	11
35-49	67	3.9	6	< 1	< 1	4	5	7	9	11
50-64	92	3.7	11	< 1	< 1	2	6	8	9	16
65 +	89	4.8	43	< 1	< 1	3	7	9	10	43
2. MULTIPLE DX										
0-19 YRS	72	7.3	45	1	2	5	10	17	21	35
20-34	190	6.0	27	1	1	5	7	12	16	26
35-49	312	6.5	54	1	2	5	7	11	15	56
50-64	536	6.5	43	< 1	1	5	8	13	18	30
65 +	1602	7.7	53	1	2	6	9	15	22	40
TOTAL SINGLE DX	345	4.1	18	< 1	< 1	3	6	8	9	15
TOTAL MULTIPLE DX	2712	7.2	50	1	2	5	9	14	20	39
TOTAL										
0-19 YRS	115	6.1	34	1	1	4	7	13	17	30
20-34	244	5.5	24	1	1	4	7	11	14	25
35-49	379	6.0	47	< 1	1	5	7	11	14	52
50-64	628	6.1	40	< 1	< 1	5	7	13	17	29
65 +	1691	7.6	53	1	2	6	9	15	21	40
GRAND TOTAL	3057	6.9	47	< 1	1	5	8	13	18	38

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	7.4	5	4	4	8	9	10	11	12
20-34	26	8.3	21	5	5	7	9	13	16	28
35-49	36	7.8	7	4	5	7	9	12	13	14
50-64	23	8.4	11	3	5	8	10	12	14	17
65 +	42	9.6	13	5	6	9	11	13	19	21
2. MULTIPLE DX										
0-19 YRS	77	16.7	248	5	6	10	22	36	50	85
20-34	142	12.0	100	5	5	8	12	23	39	50
35-49	210	12.8	95	5	6	9	14	25	29	56
50-64	316	17.0	190	6	7	11	21	38	46	72
65 +	654	15.5	116	6	7	12	18	27	35	66
TOTAL SINGLE DX	151	8.4	12	4	5	8	10	12	13	21
TOTAL MULTIPLE DX	1399	15.1	138	6	6	11	17	29	40	63
TOTAL										
0-19 YRS	101	14.5	206	5	5	9	15	32	43	80
20-34	168	11.5	90	5	5	8	12	22	36	49
35-49	246	12.0	86	5	6	9	13	24	28	54
50-64	339	16.4	183	5	7	11	20	37	45	69
65 +	696	15.1	112	6	7	12	18	26	35	64
GRAND TOTAL	1550	14.5	130	5	6	10	17	28	39	60

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	5.8	5	2	3	6	7	9	11	11
20-34	78	8.4	17	4	5	7	10	13	15	26
35-49	171	8.6	17	5	5	8	10	12	14	31
50-64	360	8.2	8	5	6	8	9	11	13	20
65 +	452	9.1	15	6	6	8	10	13	15	20
2. MULTIPLE DX										
0-19 YRS	73	11.5	111	3	4	8	12	23	32	57
20-34	255	11.8	92	4	5	9	13	21	29	69
35-49	593	11.6	62	5	6	9	13	20	26	45
50-64	1713	11.5	60	6	6	9	13	18	24	48
65 +	4599	12.9	63	6	7	10	15	21	28	46
TOTAL SINGLE DX	1093	8.6	14	5	6	8	10	12	14	22
TOTAL MULTIPLE DX	7233	12.4	64	6	7	10	14	21	27	47
TOTAL										
0-19 YRS	105	9.8	86	3	4	7	10	22	26	55
20-34	333	11.0	77	4	5	9	12	19	27	65
35-49	764	10.9	54	5	6	9	12	19	25	42
50-64	2073	11.0	53	6	6	9	12	17	22	46
65 +	5051	12.5	60	6	7	10	14	21	27	45
GRAND TOTAL	8326	11.9	59	6	6	10	13	20	26	45

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.5	7	2	2	4	6	8	8	8
20-34	3	4.3		4	4	4	5	5	5	5
35-49	12	9.1	11	5	6	9	10	13	17	18
50-64	10	6.6	1	5	5	6	7	8	9	9
65 +	12	8.8	27	4	5	7	9	17	22	23
2. MULTIPLE DX										
0-19 YRS	24	10.1	32	3	4	10	15	18	43	99 +
20-34	18	15.1	269	2	3	8	15	44	54	58
35-49	49	12.2	87	5	6	9	15	21	23	65
50-64	68	12.3	53	4	6	10	14	24	28	33
65 +	190	15.5	178	6	7	11	17	29	37	81
TOTAL SINGLE DX	41	7.6	14	3	4	7	9	11	16	23
TOTAL MULTIPLE DX	349	14.0	138	5	6	10	16	25	34	79
TOTAL										
0-19 YRS	28	9.3	33	2	3	8	13	18	28	99 +
20-34	21	13.6	244	2	3	7	14	41	52	58
35-49	61	11.6	74	5	6	9	13	19	23	60
50-64	78	11.6	51	4	6	9	13	23	27	33
65 +	202	15.1	172	6	7	11	16	28	37	80
GRAND TOTAL	390	13.4	129	4	6	10	15	24	33	78

601: Intestinal anastomosis or repair (45.9; 46.4-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	5.2	5	1	2	5	7	8	8	11
20-34	78	6.4	7	2	3	6	8	10	11	15
35-49	107	7.4	7	3	4	7	8	10	11	18
50-64	109	7.0	5	3	4	7	9	10	11	12
65 +	128	7.0	13	2	3	7	9	11	12	20
2. MULTIPLE DX										
0-19 YRS	218	10.2	116	3	4	7	10	22	35	93
20-34	191	8.8	38	3	4	7	10	14	23	49
35-49	310	10.6	69	3	5	8	12	19	28	46
50-64	480	11.1	75	4	5	9	12	19	27	52
65 +	857	12.3	85	4	5	9	14	23	30	52
TOTAL SINGLE DX	510	6.7	9	2	3	7	8	10	11	15
TOTAL MULTIPLE DX	2056	11.2	81	4	5	9	12	20	29	54
TOTAL										
0-19 YRS	306	8.7	90	2	3	7	9	17	29	78
20-34	269	3.1	31	3	4	7	9	13	19	35
35-49	417	9.8	55	3	5	8	10	18	25	42
50-64	589	10.4	65	4	5	8	11	17	24	47
65 +	985	11.6	79	4	5	9	14	21	29	51
GRAND TOTAL	**2566**	**10.3**	**70**	**3**	**4**	**8**	**11**	**18**	**26**	**51**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	6.5	10	2	2	7	9	10	11	11
20-34	5	7.4	13	< 1	< 1	9	9	10	10	10
35-49	11	6.4	12	1	2	7	8	11	13	13
50-64	16	8.6	33	1	1	7	13	17	19	20
65 +	10	8.8	14	4	4	9	11	14	17	17
2. MULTIPLE DX										
0-19 YRS	20	14.8	56	6	7	14	21	29	61	99 +
20-34	26	16.3	256	5	5	13	19	68	99 +	99 +
35-49	63	16.2	182	4	5	12	21	32	50	97
50-64	128	18.3	234	5	6	14	23	33	57	94
65 +	322	14.6	75	5	6	12	19	26	33	47
TOTAL SINGLE DX	50	7.7	19	1	2	7	10	14	17	20
TOTAL MULTIPLE DX	559	15.7	133	5	6	13	20	29	42	99
TOTAL										
0-19 YRS	28	12.4	57	3	5	10	19	27	33	99 +
20-34	31	14.8	227	3	5	11	16	61	96	99 +
35-49	74	14.7	169	2	5	10	19	29	47	95
50-64	144	17.2	221	4	5	12	21	32	52	93
65 +	332	14.4	74	5	6	12	19	25	32	47
GRAND TOTAL	**609**	**15.1**	**128**	**4**	**6**	**12**	**19**	**27**	**40**	**95**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5283	3.2	3	1	2	3	4	5	7	9
20-34	4087	3.2	3	1	2	3	4	5	6	9
35-49	1720	3.7	3	1	2	3	4	6	8	10
50-64	630	4.5	6	2	2	4	6	8	9	12
65 +	205	5.1	7	2	2	5	6	9	10	14
2. MULTIPLE DX										
0-19 YRS	1659	5.3	19	2	2	4	6	10	13	22
20-34	1626	4.7	9	2	2	4	6	8	10	16
35-49	878	5.7	11	2	2	5	7	10	12	18
50-64	636	7.3	27	2	3	6	9	13	16	25
65 +	550	8.8	42	3	3	7	10	15	20	36
TOTAL SINGLE DX	11925	3.3	4	1	2	3	4	6	7	10
TOTAL MULTIPLE DX	5349	5.8	20	2	2	5	7	10	14	22
TOTAL										
0-19 YRS	6942	3.7	8	1	2	3	4	7	8	15
20-34	5713	3.6	5	2	2	3	4	6	8	12
35-49	2598	4.4	8	2	2	4	5	8	10	15
50-64	1266	5.9	19	2	2	5	7	10	13	20
65 +	755	7.8	35	2	3	6	9	14	18	32
GRAND TOTAL	**17274**	**4.1**	**10**	**2**	**2**	**3**	**5**	**7**	**9**	**16**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	4.6	19	2	2	3	5	10	16	20
20-34	31	3.9	6	1	2	3	4	7	9	13
35-49	8	3.6	1	2	2	3	4	6	6	6
50-64	3	5.0	4	3	3	5	6	7	7	7
65 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	19	3.8	2	2	2	3	5	6	7	7
20-34	28	5.5	8	3	3	4	6	10	11	15
35-49	12	5.6	18	2	2	4	7	11	17	18
50-64	8	8.5	46	3	3	6	11	20	23	23
65 +	5	8.0	15	5	5	6	11	14	14	14
TOTAL SINGLE DX	75	4.2	11	2	2	3	5	7	12	19
TOTAL MULTIPLE DX	72	5.6	14	2	3	4	6	10	14	22
TOTAL										
0-19 YRS	50	4.3	13	2	2	3	5	6	15	20
20-34	59	4.7	8	2	2	4	5	9	11	15
35-49	20	4.8	12	2	2	4	6	7	13	18
50-64	11	7.5	36	3	3	5	10	16	22	23
65 +	7	7.0	13	4	4	5	9	13	14	14
GRAND TOTAL	**147**	**4.9**	**13**	**2**	**2**	**4**	**5**	**9**	**13**	**20**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	6.8	6	3	4	6	8	11	11	11
20-34	15	6.5	5	2	3	7	7	8	11	12
35-49	8	7.9	3	4	5	8	9	10	10	10
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	18	7.7	14	2	3	7	10	11	15	18
20-34	6	9.2	14	3	3	9	12	14	14	14
35-49	8	9.4	17	3	3	10	12	14	15	15
50-64	7	11.0	21	5	5	10	15	17	17	17
65 +	5	15.6	64	9	9	11	22	27	27	27
TOTAL SINGLE DX	34	6.9	5	3	4	7	8	10	11	12
TOTAL MULTIPLE DX	44	9.6	25	3	4	9	12	16	19	27
TOTAL										
0-19 YRS	27	7.4	12	2	3	7	10	11	12	18
20-34	21	7.2	9	2	3	7	8	12	13	14
35-49	16	8.6	10	3	4	9	10	13	14	15
50-64	8	10.6	19	5	5	10	14	17	17	17
65 +	6	14.0	66	6	6	10	21	26	27	27
GRAND TOTAL	78	8.4	18	3	4	8	10	13	17	25

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	2.5	6	<1	1	2	2	6	8	12
20-34	11	2.1	1	1	1	2	3	4	4	4
35-49	27	2.4	8	<1	<1	1	2	5	7	15
50-64	48	2.2	3	<1	<1	2	3	4	5	10
65 +	84	2.5	5	<1	1	2	3	5	6	13
2. MULTIPLE DX										
0-19 YRS	19	9.4	345	<1	1	3	7	29	58	78
20-34	21	4.2	5	<1	1	5	6	7	8	8
35-49	41	7.1	106	1	2	4	6	14	39	47
50-64	90	5.6	38	1	1	3	8	13	19	31
65 +	339	5.4	27	1	1	4	7	12	16	24
TOTAL SINGLE DX	196	2.4	5	<1	1	2	3	5	6	13
TOTAL MULTIPLE DX	510	5.7	46	1	1	4	7	12	18	35
TOTAL										
0-19 YRS	45	5.4	157	<1	1	2	4	7	24	78
20-34	32	3.5	5	1	1	3	5	7	8	8
35-49	68	5.2	72	1	1	3	5	9	18	46
50-64	138	4.4	29	1	1	2	5	10	17	28
65 +	423	4.8	24	1	1	3	6	11	15	24
GRAND TOTAL	706	4.8	37	1	1	3	5	10	15	30

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.6	6	<1	<1	1	3	6	9	11
20-34	105	2.2	3	<1	1	2	3	4	5	10
35-49	121	2.1	2	1	1	2	3	4	5	9
50-64	60	2.3	2	1	1	2	3	5	6	7
65 +	21	4.2	10	1	1	3	6	8	11	15
2. MULTIPLE DX										
0-19 YRS	21	5.7	32	1	1	3	6	16	18	20
20-34	103	4.4	86	1	1	2	5	8	10	56
35-49	145	4.7	24	1	1	3	5	10	17	23
50-64	99	5.6	54	1	1	4	6	12	17	43
65 +	88	8.0	72	1	2	6	10	18	25	84
TOTAL SINGLE DX	330	2.3	4	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	456	5.5	56	1	1	3	6	12	18	37
TOTAL										
0-19 YRS	44	4.1	21	<1	1	2	4	11	16	20
20-34	208	3.3	45	1	1	2	4	6	8	19
35-49	266	3.5	16	1	1	2	4	7	11	21
50-64	159	4.3	37	1	1	3	5	8	14	25
65 +	109	7.3	63	1	2	5	9	16	23	75
GRAND TOTAL	786	4.2	36	1	1	2	5	8	13	25

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	7.8	3	4	5	8	9	10	10	11
20-34	16	10.6	44	6	7	9	10	18	29	33
35-49	47	8.0	7	3	5	8	10	12	12	14
50-64	82	8.7	7	5	6	8	10	12	14	18
65 +	97	9.9	13	4	6	10	11	14	16	24
2. MULTIPLE DX										
0-19 YRS	44	8.8	18	4	5	8	9	15	19	23
20-34	40	10.6	29	3	6	9	13	21	23	24
35-49	124	11.8	51	6	7	9	12	19	25	47
50-64	406	12.1	40	6	7	10	14	19	24	38
65 +	925	14.3	95	6	7	12	16	24	32	55
TOTAL SINGLE DX	264	9.0	12	4	6	9	10	12	14	20
TOTAL MULTIPLE DX	1539	13.3	75	6	7	11	15	22	28	51
TOTAL										
0-19 YRS	66	8.4	14	4	5	8	9	14	16	23
20-34	56	10.6	33	4	6	9	12	21	23	32
35-49	171	10.7	43	5	6	9	11	17	22	42
50-64	488	11.6	37	6	7	10	13	18	22	36
65 +	1022	13.9	89	6	7	11	15	23	31	54
GRAND TOTAL	1803	12.7	68	6	7	10	14	21	27	50

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	2.8	6	<1	1	2	3	7	8	13
20-34	417	3.5	9	1	1	3	4	6	8	20
35-49	471	3.5	6	1	1	3	4	7	8	11
50-64	397	3.8	8	1	1	3	4	7	9	15
65 +	375	4.3	14	<1	1	4	5	8	11	20
2. MULTIPLE DX										
0-19 YRS	291	5.7	70	1	1	4	6	11	18	61
20-34	1545	5.2	41	1	1	4	6	10	14	36
35-49	2728	5.3	28	1	2	4	6	10	14	28
50-64	3924	5.8	34	1	2	4	7	11	15	28
65 +	9459	6.9	36	2	2	5	8	13	17	31
TOTAL SINGLE DX	1781	3.7	9	1	1	3	5	7	9	15
TOTAL MULTIPLE DX	17947	6.3	36	1	2	5	7	12	16	31
TOTAL										
0-19 YRS	412	4.9	54	1	1	3	5	9	14	40
20-34	1962	4.9	35	1	1	3	5	9	13	28
35-49	3199	5.1	26	1	2	4	6	9	13	27
50-64	4321	5.7	33	1	2	4	7	11	15	28
65 +	9834	6.8	36	2	2	5	8	13	17	31
GRAND TOTAL	**19728**	**6.0**	**34**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.4		<1	<1	1	1	3	3	3
20-34	93	1.6	1	<1	<1	1	2	3	4	7
35-49	159	1.6		1	1	1	2	3	3	4
50-64	80	1.7	1	<1	1	1	2	3	4	9
65 +	20	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	7	1.7	1	<1	<1	1	3	4	4	4
20-34	101	2.1	1	1	1	2	3	4	4	7
35-49	161	2.3	3	1	1	2	3	4	6	9
50-64	113	2.4	2	1	1	2	3	4	5	10
65 +	64	3.6	11	1	1	3	4	8	10	18
TOTAL SINGLE DX	363	1.6	1	<1	1	1	2	3	3	5
TOTAL MULTIPLE DX	446	2.4	4	1	1	2	3	4	6	11
TOTAL										
0-19 YRS	18	1.5	1	<1	<1	1	1	3	4	4
20-34	194	1.9	1	<1	1	2	2	3	4	7
35-49	320	1.9	2	1	1	2	2	3	4	8
50-64	193	2.1	3	1	1	2	3	3	5	10
65 +	84	3.1	10	<1	1	2	4	7	9	18
GRAND TOTAL	**809**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**	**9**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	53	1.3		<1	<1	1	1	2	3	3
35-49	40	1.6	1	<1	<1	1	2	2	3	9
50-64	20	1.5		<1	<1	1	2	3	3	4
65 +	24	2.3	2	1	1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	9	4.7	33	1	1	3	5	14	19	19
20-34	79	2.4	4	1	1	2	3	4	5	15
35-49	115	2.1	3	1	1	2	3	3	4	11
50-64	100	2.6	4	<1	1	2	3	5	7	12
65 +	98	4.2	21	1	1	3	5	9	10	28
TOTAL SINGLE DX	140	1.6	1	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	401	2.9	10	1	1	2	3	5	8	17
TOTAL										
0-19 YRS	12	4.0	26	1	1	2	4	11	18	19
20-34	132	2.0	3	<1	1	1	3	4	4	9
35-49	155	2.0	3	<1	1	2	2	3	4	9
50-64	120	2.4	4	<1	1	2	3	4	7	12
65 +	122	3.8	18	1	1	2	5	8	10	24
GRAND TOTAL	**541**	**2.5**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	84	2.6	2	1	1	2	3	4	6	8
35-49	182	2.5	1	1	1	2	3	4	5	8
50-64	124	2.5	3	1	1	2	3	4	5	10
65 +	51	2.6	1	1	1	2	4	4	4	5
2. MULTIPLE DX										
0-19 YRS	10	2.6	1	1	1	2	3	4	5	5
20-34	403	2.9	3	1	1	3	3	5	6	11
35-49	938	2.9	3	1	1	3	4	5	6	9
50-64	724	3.1	4	1	1	3	4	5	7	11
65 +	456	3.8	11	1	1	3	4	7	9	21
TOTAL SINGLE DX	441	2.5	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	2531	3.1	5	1	1	3	4	5	7	12
TOTAL										
0-19 YRS	10	2.6	2	1	1	2	3	4	5	5
20-34	487	2.9	3	1	1	3	3	5	6	9
35-49	1120	2.9	3	1	1	3	3	5	6	8
50-64	848	3.0	5	1	1	3	4	5	6	10
65 +	507	3.7	10	1	1	3	4	7	8	20
GRAND TOTAL	**2972**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	2.2	1	<1	<1	2	3	4	5	5
20-34	109	2.3	2	1	1	2	3	5	6	8
35-49	107	2.3	2	<1	1	2	3	4	6	10
50-64	67	2.2	2	1	1	2	3	4	5	7
65+	34	2.6	5	<1	1	2	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	42	4.2	8	1	1	4	6	7	9	15
20-34	117	3.3	7	1	1	2	4	7	8	14
35-49	147	3.9	32	1	1	2	4	7	11	30
50-64	132	5.2	53	1	1	3	5	9	17	43
65+	128	4.5	30	1	1	3	5	9	14	28
TOTAL SINGLE DX	345	2.3	3	<1	1	2	3	4	6	8
TOTAL MULTIPLE DX	566	4.2	30	1	1	3	5	8	11	33
TOTAL										
0-19 YRS	70	3.4	7	<1	1	3	5	7	7	14
20-34	226	2.8	6	1	1	2	4	6	7	13
35-49	254	3.2	20	1	1	2	3	6	9	24
50-64	199	4.2	38	1	1	2	5	8	10	38
65+	162	4.1	26	1	1	3	4	9	12	23
GRAND TOTAL	**911**	**3.5**	**21**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	4	8.3	21	2	2	9	11	13	13	13
35-49	6	12.7	258	2	2	6	15	41	44	44
50-64	4	6.3	25	1	1	6	10	11	11	11
65+	4	4.8	25	1	1	3	8	12	12	12
2. MULTIPLE DX										
0-19 YRS	9	10.8	49	1	3	9	12	22	27	27
20-34	17	12.0	106	1	2	9	15	22	37	45
35-49	28	11.1	117	2	3	7	14	23	42	47
50-64	27	14.2	73	1	2	14	20	27	43	99+
65+	58	16.1	107	3	6	15	20	27	37	60
TOTAL SINGLE DX	20	8.4	93	1	1	6	11	14	29	44
TOTAL MULTIPLE DX	139	13.9	101	2	3	13	17	26	38	65
TOTAL										
0-19 YRS	11	10.1	49	1	1	9	13	19	26	27
20-34	21	11.3	91	1	2	9	14	19	33	45
35-49	34	11.4	136	2	3	7	14	27	43	47
50-64	31	13.2	73	1	2	13	18	26	36	99+
65+	62	15.3	110	2	4	14	20	26	35	59
GRAND TOTAL	**159**	**13.2**	**103**	**1**	**2**	**12**	**16**	**25**	**38**	**60**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	4.3	12	1	1	3	7	10	11	11
20-34	79	2.6	7	<1	1	1	4	6	8	14
35-49	93	2.4	8	<1	<1	1	2	6	9	13
50-64	87	2.5	7	<1	1	1	3	7	9	13
65+	46	4.8	79	1	1	1	6	11	14	57
2. MULTIPLE DX										
0-19 YRS	87	8.3	93	1	1	6	10	20	34	99+
20-34	194	7.9	78	1	1	6	9	14	27	48
35-49	250	7.7	100	1	1	5	10	17	26	53
50-64	399	7.4	70	1	1	5	10	16	21	42
65+	561	9.2	65	1	1	8	12	19	25	42
TOTAL SINGLE DX	333	3.0	19	<1	1	1	4	7	10	14
TOTAL MULTIPLE DX	1491	8.3	76	1	1	6	11	17	24	46
TOTAL										
0-19 YRS	115	7.3	77	1	1	5	10	16	27	99+
20-34	273	6.4	64	1	1	4	8	13	20	45
35-49	343	6.3	81	<1	1	3	8	13	20	49
50-64	486	6.5	63	1	1	4	9	15	19	37
65+	607	8.9	68	1	1	7	12	18	24	43
GRAND TOTAL	**1824**	**7.3**	**70**	**1**	**1**	**5**	**10**	**16**	**22**	[illegible]

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	212	4.3	3	2	3	4	5	6	8	11
20-34	2402	4.1	2	2	3	4	5	6	7	9
35-49	2420	4.3	2	2	3	4	5	6	7	10
50-64	1843	4.7	3	3	3	4	5	7	8	11
65+	968	5.4	4	3	3	5	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	238	5.6	11	2	3	5	7	9	12	20
20-34	2792	5.4	12	3	3	5	6	8	10	18
35-49	3658	5.7	15	3	3	5	6	9	11	21
50-64	4309	6.5	18	3	3	5	7	10	13	24
65+	5892	8.9	38	4	4	7	10	15	20	34
TOTAL SINGLE DX	7845	4.5	3	2	3	4	5	7	8	11
TOTAL MULTIPLE DX	16889	7.0	26	3	3	6	8	12	15	27
TOTAL										
0-19 YRS	450	5.0	8	2	3	4	6	8	10	18
20-34	5194	4.8	8	2	3	4	5	7	9	14
35-49	6078	5.2	11	3	3	4	6	8	10	17
50-64	6152	6.0	15	3	3	5	7	10	12	21
65+	6860	8.4	35	3	4	7	10	14	18	[illegible]
GRAND TOTAL	**24734**	**6.2**	**20**	**3**	**3**	**5**	**7**	**10**	**13**	**24**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.6	26	1	1	8	11	12	12	12
20-34	50	3.7	8	1	1	2	6	9	10	11
35-49	65	4.8	17	<1	1	3	7	10	12	21
50-64	80	4.2	10	1	1	3	6	9	10	14
65 +	100	5.7	18	1	1	5	8	12	14	20
2. MULTIPLE DX										
0-19 YRS	27	15.3	70	4	6	14	19	29	32	37
20-34	115	7.9	52	1	1	6	12	18	22	33
35-49	231	9.2	72	1	2	7	11	19	27	47
50-64	446	9.7	63	1	2	8	12	21	25	40
65 +	1183	10.9	78	1	2	9	14	21	26	44
TOTAL SINGLE DX	302	4.8	15	1	1	4	7	10	12	18
TOTAL MULTIPLE DX	2002	10.3	74	1	2	8	13	21	26	43
TOTAL										
0-19 YRS	34	13.5	73	1	2	12	17	25	31	37
20-34	165	6.6	43	1	1	5	9	16	20	28
35-49	296	8.3	64	1	1	7	10	17	26	44
50-64	526	8.8	59	1	1	7	11	19	24	37
65 +	1283	10.5	76	1	2	9	14	20	26	43
GRAND TOTAL	**2304**	**9.6**	**70**	**1**	**1**	**8**	**12**	**19**	**25**	**41**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	8.7	16	4	4	8	9	15	16	16
20-34	23	5.4	9	<1	1	6	7	9	11	13
35-49	35	5.8	15	1	1	5	8	11	13	17
50-64	46	6.8	30	<1	1	6	10	15	16	25
65 +	32	9.3	190	1	1	5	11	22	31	72
2. MULTIPLE DX										
0-19 YRS	20	19.0	220	1	2	15	27	45	49	50
20-34	65	13.7	179	1	3	10	17	37	48	93
35-49	165	15.4	274	1	1	10	21	38	57	98
50-64	234	13.3	175	1	3	11	16	26	41	97
65 +	402	12.6	128	2	3	9	16	26	37	56
TOTAL SINGLE DX	142	7.0	59	1	1	6	9	14	17	35
TOTAL MULTIPLE DX	886	13.5	175	1	2	10	17	29	43	81
TOTAL										
0-19 YRS	26	16.6	190	1	2	12	21	41	49	50
20-34	88	11.5	148	1	2	7	13	31	47	84
35-49	200	13.7	242	1	1	9	16	36	54	94
50-64	280	12.2	157	1	2	10	15	25	37	96
65 +	434	12.4	134	1	2	9	16	25	36	59
GRAND TOTAL	**1028**	**12.6**	**164**	**1**	**2**	**9**	**15**	**27**	**41**	**79**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	3.2	5	<1	1	3	4	6	9	10
20-34	134	3.6	5	1	1	3	4	7	9	12
35-49	128	4.0	14	<1	1	3	5	7	11	25
50-64	112	3.9	11	<1	1	3	5	8	10	17
65 +	128	4.4	17	<1	1	3	6	8	10	28
2. MULTIPLE DX										
0-19 YRS	90	4.5	20	<1	1	4	5	9	13	23
20-34	318	5.7	37	1	2	4	6	11	16	30
35-49	435	5.7	34	1	2	4	7	11	16	29
50-64	801	6.2	29	1	2	5	8	12	16	28
65 +	2562	6.9	31	2	2	5	8	13	17	27
TOTAL SINGLE DX	536	3.9	12	<1	1	3	5	7	10	18
TOTAL MULTIPLE DX	4206	6.5	32	1	2	5	8	13	17	28
TOTAL										
0-19 YRS	124	4.2	16	<1	1	3	5	8	12	22
20-34	452	5.1	29	1	2	4	6	10	14	29
35-49	563	5.3	30	1	1	4	6	10	15	28
50-64	913	5.9	28	1	2	4	7	12	16	27
65 +	2690	6.7	32	1	2	5	8	13	17	27
GRAND TOTAL	**4742**	**6.2**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	485	1.1		<1	<1	1	1	1	2	3
20-34	436	1.5	1	<1	<1	1	2	2	3	7
35-49	483	1.5	1	<1	<1	1	2	2	3	5
50-64	629	1.6	1	<1	<1	1	2	3	4	6
65 +	691	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	382	1.9	30	<1	<1	1	1	3	4	12
20-34	281	1.8	2	<1	1	1	2	3	5	7
35-49	427	1.9	2	1	1	1	2	3	5	9
50-64	757	2.3	5	1	1	2	3	5	7	12
65 +	1895	3.1	11	1	1	2	4	7	9	18
TOTAL SINGLE DX	2724	1.5	1	<1	<1	1	2	3	3	6
TOTAL MULTIPLE DX	3742	2.6	11	1	1	2	3	5	8	15
TOTAL										
0-19 YRS	867	1.5	13	<1	<1	1	1	2	3	7
20-34	717	1.6	2	<1	<1	1	2	3	4	7
35-49	910	1.7	2	<1	1	1	2	3	4	8
50-64	1386	2.0	3	<1	1	1	2	4	5	10
65 +	2586	2.8	9	<1	1	2	3	6	8	15
GRAND TOTAL	**6466**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	243	1.1		< 1	< 1	1	1	1	2	3
20-34	89	1.5		1	1	1	2	3	3	5
35-49	159	1.6		1	1	1	2	3	3	4
50-64	189	1.7	1	< 1	1	1	2	3	4	6
65 +	148	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	264	3.5	123	< 1	< 1	1	1	4	26	99 +
20-34	65	1.7	1	1	1	1	2	3	4	6
35-49	124	2.0	8	1	1	1	2	3	4	15
50-64	214	2.1	1	1	1	2	3	4	5	7
65 +	419	3.0	10	1	1	2	3	6	8	16
TOTAL SINGLE DX	828	1.5	1	< 1	< 1	1	2	3	3	5
TOTAL MULTIPLE DX	1086	2.7	36	< 1	1	1	3	5	7	36
TOTAL										
0-19 YRS	507	2.4	66	< 1	< 1	1	1	2	5	85
20-34	154	1.6	1	1	1	1	2	3	3	5
35-49	283	1.8	4	1	1	1	2	3	3	6
50-64	403	2.0	2	1	1	2	2	4	4	7
65 +	567	2.7	8	1	1	2	3	5	7	14
GRAND TOTAL	1914	2.2	21	< 1	1	1	2	4	5	19

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.9	3	< 1	< 1	1	2	5	7	7
20-34	18	1.7		< 1	1	2	2	3	4	4
35-49	40	1.7		< 1	1	1	2	3	3	4
50-64	45	2.0	1	1	1	1	3	4	5	7
65 +	92	3.3	7	1	1	2	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	14	1.9	1	1	1	2	2	3	5	5
35-49	28	2.2	2	1	1	2	3	4	6	8
50-64	52	3.1	8	1	1	2	4	7	9	16
65 +	217	6.5	57	1	1	4	8	13	18	37
TOTAL SINGLE DX	206	2.5	5	< 1	1	2	3	5	7	11
TOTAL MULTIPLE DX	314	5.3	45	1	1	3	6	12	15	32
TOTAL										
0-19 YRS	14	2.0	4	< 1	< 1	1	2	5	7	7
20-34	32	1.8	1	1	1	2	2	3	4	5
35-49	68	1.9	2	1	1	2	2	3	4	8
50-64	97	2.6	6	1	1	2	3	5	7	14
65 +	309	5.5	45	1	1	3	7	12	15	32
GRAND TOTAL	520	4.2	31	1	1	3	5	9	13	22

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	1.2		< 1	< 1	1	1	2	2	5
20-34	36	1.5		< 1	< 1	1	2	3	3	4
35-49	81	1.8	1	< 1	< 1	1	2	3	4	7
50-64	111	2.0	2	< 1	1	1	3	4	5	7
65 +	49	2.2	2	< 1	< 1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	47	5.0	174	< 1	< 1	1	2	12	22	74
20-34	55	2.5	3	< 1	1	2	3	4	6	10
35-49	114	3.6	16	1	1	3	4	7	10	22
50-64	187	3.8	10	1	1	3	5	8	10	15
65 +	163	4.9	22	1	1	3	6	11	13	21
TOTAL SINGLE DX	347	1.8	2	< 1	< 1	1	2	3	4	6
TOTAL MULTIPLE DX	566	4.1	28	1	1	3	5	9	11	21
TOTAL										
0-19 YRS	117	2.7	73	< 1	< 1	1	1	3	6	61
20-34	91	2.1	2	< 1	1	2	3	4	5	9
35-49	195	2.8	11	< 1	1	2	3	5	8	15
50-64	298	3.1	8	1	1	2	4	7	9	12
65 +	212	4.3	19	1	1	3	5	10	13	20
GRAND TOTAL	913	3.2	19	< 1	1	2	4	7	10	16

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	1.3		< 1	< 1	1	1	2	3	3
20-34	141	2.4	2	< 1	< 1	2	3	5	6	7
35-49	358	2.8	3	1	1	2	4	5	6	8
50-64	472	2.9	3	1	1	3	4	5	6	9
65 +	331	3.2	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	27	2.9	5	< 1	< 1	2	4	6	8	11
20-34	107	4.6	38	1	1	3	5	8	11	40
35-49	469	4.2	13	1	1	3	5	7	9	20
50-64	707	4.6	17	1	1	4	6	8	10	18
65 +	1036	5.4	19	1	1	4	7	10	15	22
TOTAL SINGLE DX	1334	2.9	3	1	1	2	4	5	6	8
TOTAL MULTIPLE DX	2346	4.9	19	1	1	4	6	9	12	22
TOTAL										
0-19 YRS	59	2.0	3	< 1	< 1	1	2	4	6	11
20-34	248	3.3	19	< 1	1	2	4	6	8	24
35-49	827	3.6	10	1	1	3	4	6	8	16
50-64	1179	4.0	13	1	1	3	5	7	9	16
65 +	1367	4.9	16	1	1	4	6	9	13	22
GRAND TOTAL	3680	4.1	14	1	1	3	5	8	10	19

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	4.8	4	1	1	5	6	7	7	7
20-34	5	5.6	15	1	1	6	8	11	11	11
35-49	16	5.0	6	1	2	5	6	9	10	10
50-64	21	6.5	17	< 1	1	6	9	13	15	16
65 +	16	7.2	5	3	5	7	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	20	13.2	181	1	2	7	24	45	71	99 +
20-34	32	5.5	7	1	2	5	8	9	10	12
35-49	73	7.2	40	4	4	6	7	10	14	47
50-64	107	8.1	44	3	4	7	9	13	16	41
65 +	151	11.2	62	5	5	9	13	18	25	37
TOTAL SINGLE DX	64	6.1	11	1	2	6	8	10	12	16
TOTAL MULTIPLE DX	383	9.2	59	3	4	7	10	16	23	52
TOTAL										
0-19 YRS	26	11.3	152	1	1	6	16	40	55	99 +
20-34	37	5.5	8	1	1	5	8	9	11	12
35-49	89	6.8	35	3	4	6	7	10	11	41
50-64	128	7.8	41	2	3	7	9	13	16	33
65 +	167	10.8	58	5	5	9	12	18	24	36
GRAND TOTAL	**447**	**8.7**	**53**	**2**	**4**	**7**	**10**	**15**	**20**	**47**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	3.9	21	< 1	< 1	2	5	12	15	22
20-34	131	3.8	14	< 1	1	3	5	7	9	22
35-49	100	4.2	7	< 1	1	4	6	8	9	13
50-64	73	4.7	13	< 1	1	4	7	9	12	19
65 +	58	5.8	22	1	1	5	7	12	15	25
2. MULTIPLE DX										
0-19 YRS	101	7.7	96	1	1	5	8	16	33	51
20-34	329	6.2	39	1	1	4	8	12	15	35
35-49	510	8.2	53	1	2	6	10	17	22	37
50-64	702	9.1	54	2	2	7	11	18	23	36
65 +	1048	9.8	64	2	3	8	12	18	23	47
TOTAL SINGLE DX	438	4.3	15	< 1	1	3	6	8	12	19
TOTAL MULTIPLE DX	2690	8.8	59	1	2	7	11	17	22	42
TOTAL										
0-19 YRS	177	6.1	68	< 1	1	4	7	13	23	46
20-34	460	5.5	33	1	1	4	7	12	15	33
35-49	610	7.5	48	1	2	6	9	16	22	35
50-64	775	8.7	53	1	2	7	11	17	23	33
65 +	1106	9.6	63	2	2	8	12	18	23	46
GRAND TOTAL	**3128**	**8.2**	**56**	**1**	**2**	**6**	**10**	**17**	**21**	**39**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	658	3.5	25	1	1	2	4	5	9	29
20-34	277	4.4	17	1	2	4	5	7	9	17
35-49	111	4.9	10	1	2	5	6	8	9	20
50-64	49	8.2	74	1	3	6	9	11	23	58
65 +	49	7.7	21	2	3	7	10	14	16	25
2. MULTIPLE DX										
0-19 YRS	216	7.5	42	2	2	5	9	16	21	36
20-34	593	6.9	48	2	2	5	8	13	19	37
35-49	400	9.4	102	2	3	6	10	20	28	62
50-64	371	12.2	129	4	4	9	15	25	36	81
65 +	597	13.6	127	4	5	10	17	26	35	62
TOTAL SINGLE DX	1144	4.2	26	1	1	3	5	8	10	26
TOTAL MULTIPLE DX	2177	10.2	101	2	3	7	12	21	30	56
TOTAL										
0-19 YRS	874	4.5	33	1	1	3	5	9	15	30
20-34	870	6.1	40	1	2	4	7	11	17	36
35-49	511	8.5	86	2	3	6	9	18	26	55
50-64	420	11.8	125	3	4	8	14	24	33	76
65 +	646	13.1	122	3	4	10	16	25	34	60
GRAND TOTAL	**3321**	**8.1**	**83**	**1**	**2**	**5**	**9**	**18**	**25**	**48**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	182	2.3	3	< 1	< 1	2	3	5	6	8
20-34	671	2.2	2	< 1	< 1	1	3	5	5	8
35-49	120	2.1	4	< 1	< 1	1	3	4	6	12
50-64	10	2.0	1	1	1	2	3	4	4	4
65 +	6	5.7	26	< 1	< 1	5	6	14	15	15
2. MULTIPLE DX										
0-19 YRS	240	3.5	15	< 1	< 1	3	5	7	8	15
20-34	1008	3.0	7	< 1	< 1	2	4	6	7	14
35-49	249	3.2	11	< 1	< 1	2	4	6	8	23
50-64	40	5.1	32	< 1	< 1	3	6	15	18	21
65 +	53	7.8	110	1	1	5	10	19	20	68
TOTAL SINGLE DX	989	2.3	3	< 1	< 1	1	3	5	6	9
TOTAL MULTIPLE DX	1590	3.3	14	< 1	< 1	2	4	7	9	19
TOTAL										
0-19 YRS	422	3.0	11	< 1	< 1	2	4	6	8	13
20-34	1679	2.7	6	< 1	< 1	2	4	5	7	13
35-49	369	2.8	10	< 1	< 1	2	4	6	8	16
50-64	50	4.5	28	< 1	1	2	5	14	17	21
65 +	59	7.6	101	< 1	1	5	10	18	20	65
GRAND TOTAL	**2579**	**2.9**	**10**	**<1**	**<1**	**2**	**4**	**6**	**7**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	5.9	12	1	2	6	8	10	13	18
20-34	213	5.4	12	1	2	5	7	10	12	17
35-49	195	6.3	15	1	3	5	8	11	13	25
50-64	143	7.8	17	2	3	7	10	14	15	18
65 +	138	8.6	23	1	3	8	11	14	17	28
2. MULTIPLE DX										
0-19 YRS	187	11.3	182	2	3	7	13	26	39	87
20-34	821	5.9	36	1	2	4	7	11	15	34
35-49	648	7.9	63	1	2	5	9	16	24	41
50-64	646	10.7	71	2	3	9	13	20	27	44
65 +	1207	13.1	76	3	5	11	16	24	30	50
TOTAL SINGLE DX	760	6.7	18	1	2	6	9	12	14	23
TOTAL MULTIPLE DX	3509	9.9	78	2	3	8	13	20	27	46
TOTAL										
0-19 YRS	258	9.8	141	1	2	6	10	21	35	74
20-34	1034	5.8	31	1	2	4	7	11	14	30
35-49	843	7.5	53	1	2	5	9	14	22	35
50-64	789	10.2	63	2	3	8	12	18	25	42
65 +	1345	12.7	73	3	5	11	16	23	29	48
GRAND TOTAL	**4269**	**9.3**	**69**	**2**	**3**	**7**	**12**	**18**	**25**	**43**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	191	2.9	4	1	1	2	4	5	7	11
20-34	34	5.3	4	1	3	5	7	8	8	11
35-49	58	6.2	4	2	4	6	7	9	11	12
50-64	70	6.6	7	1	4	7	8	9	11	19
65 +	59	7.7	5	4	5	7	9	11	13	16
2. MULTIPLE DX										
0-19 YRS	63	6.9	33	2	2	5	9	12	15	32
20-34	89	8.5	43	3	4	7	9	15	22	77
35-49	176	8.7	37	4	5	7	9	14	19	40
50-64	327	9.4	36	5	5	8	10	16	21	34
65 +	479	10.7	38	5	6	9	12	17	23	39
TOTAL SINGLE DX	412	4.9	9	1	1	5	7	8	10	14
TOTAL MULTIPLE DX	1134	9.6	39	4	5	8	11	16	21	40
TOTAL										
0-19 YRS	254	3.9	15	1	1	3	5	8	11	17
20-34	123	7.6	35	3	4	6	8	13	19	58
35-49	234	8.1	31	4	4	7	9	13	17	38
50-64	397	9.0	33	4	5	7	10	15	20	34
65 +	538	10.4	36	5	6	9	12	17	21	36
GRAND TOTAL	**1546**	**8.4**	**35**	**2**	**3**	**7**	**10**	**14**	**19**	**35**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	131	3.2	6	1	1	3	4	6	8	14
20-34	169	3.9	11	1	1	3	6	8	10	16
35-49	147	3.9	8	1	1	3	6	8	9	11
50-64	128	4.1	12	1	1	3	6	9	10	19
65 +	62	4.0	9	1	1	3	6	8	9	15
2. MULTIPLE DX										
0-19 YRS	235	6.7	50	1	1	5	8	14	18	37
20-34	427	8.0	89	1	1	6	10	15	21	50
35-49	495	7.8	58	1	1	7	10	16	21	33
50-64	487	7.6	50	1	1	6	9	15	23	37
65 +	592	9.8	87	1	2	7	12	21	28	52
TOTAL SINGLE DX	637	3.8	10	1	1	3	5	8	9	14
TOTAL MULTIPLE DX	2236	8.2	71	1	1	6	10	17	23	48
TOTAL										
0-19 YRS	366	5.4	38	1	1	4	7	12	16	30
20-34	596	6.9	71	1	1	5	9	14	18	48
35-49	642	6.9	50	1	1	6	9	14	18	32
50-64	615	6.9	45	1	1	5	9	14	20	34
65 +	654	9.2	83	1	1	7	12	20	27	51
GRAND TOTAL	**2873**	**7.2**	**60**	**1**	**1**	**5**	**9**	**15**	**21**	**40**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.3	10	< 1	< 1	5	6	9	10	10
20-34	49	5.1	8	1	1	5	7	9	11	12
35-49	80	4.0	5	1	1	4	6	7	8	9
50-64	61	4.9	6	< 1	1	5	7	8	9	10
65 +	27	4.3	4	1	2	4	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	7	11.7	216	1	1	7	14	38	43	43
20-34	52	5.5	13	1	2	5	7	10	12	18
35-49	76	5.8	14	1	1	5	8	11	13	17
50-64	99	7.3	42	1	2	6	9	14	19	38
65 +	132	8.3	22	2	3	8	10	14	17	25
TOTAL SINGLE DX	224	4.5	7	1	1	4	6	8	9	11
TOTAL MULTIPLE DX	366	7.2	29	1	2	6	9	13	16	25
TOTAL										
0-19 YRS	14	8.0	119	< 1	1	5	8	19	38	43
20-34	101	5.3	11	1	1	5	7	9	11	17
35-49	156	4.9	11	1	1	4	7	9	11	15
50-64	160	6.4	30	1	1	6	8	10	16	25
65 +	159	7.7	21	2	2	7	10	13	16	24
GRAND TOTAL	**590**	**6.2**	**22**	**1**	**1**	**5**	**8**	**11**	**14**	**23**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	4.7	2	2	3	5	6	7	8	9
20-34	9	5.2	1	3	3	6	6	6	6	6
35-49	10	6.4	9	2	2	7	10	10	10	10
50-64	4	6.8	5	4	4	7	8	9	9	9
65 +	3	5.7	17	1	1	7	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	156	6.1	13	2	3	5	7	10	13	20
20-34	36	6.4	9	1	2	6	8	10	12	16
35-49	39	10.3	42	5	6	9	11	20	32	99 +
50-64	41	10.4	33	3	5	9	14	19	24	99 +
65 +	75	12.7	54	4	6	11	15	21	25	46
TOTAL SINGLE DX	149	4.9	3	2	3	5	6	7	9	10
TOTAL MULTIPLE DX	347	8.6	35	3	3	7	10	16	20	37
TOTAL										
0-19 YRS	279	5.5	9	2	3	5	6	9	10	16
20-34	45	6.2	8	2	2	6	8	9	11	16
35-49	49	9.5	38	3	4	8	10	15	29	99 +
50-64	45	10.0	32	3	5	9	14	19	22	99 +
65 +	78	12.5	55	4	6	11	14	21	24	46
GRAND TOTAL	**496**	**7.5**	**28**	**2**	**3**	**6**	**9**	**14**	**18**	**34**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	3.3	6	< 1	1	3	4	7	9	11
20-34	293	2.5	3	1	1	2	3	5	6	10
35-49	422	2.6	3	1	1	2	3	5	6	9
50-64	273	2.5	3	1	1	2	3	5	6	10
65 +	140	2.8	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	54	4.9	10	1	1	4	7	10	11	14
20-34	199	3.9	8	1	1	3	5	7	9	14
35-49	279	3.4	10	1	1	3	4	6	8	13
50-64	317	3.9	17	1	1	3	5	8	10	17
65 +	363	5.3	23	1	1	4	7	11	15	23
TOTAL SINGLE DX	1166	2.6	4	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	1212	4.2	16	1	1	3	6	9	11	20
TOTAL										
0-19 YRS	92	4.3	9	1	1	4	6	9	10	13
20-34	492	3.1	6	1	1	2	4	6	8	12
35-49	701	2.9	6	1	1	2	4	6	7	11
50-64	590	3.2	11	1	1	2	4	6	9	14
65 +	503	4.6	20	1	1	3	6	10	13	22
GRAND TOTAL	**2378**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	1.8	2	< 1	< 1	1	2	5	6	7
20-34	180	2.7	11	< 1	< 1	2	3	5	7	16
35-49	241	2.5	8	< 1	< 1	1	3	5	6	16
50-64	223	2.5	3	< 1	< 1	2	3	5	6	8
65 +	164	2.4	6	< 1	< 1	1	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	123	3.9	23	< 1	< 1	2	5	8	11	27
20-34	273	5.7	48	< 1	1	4	7	11	15	45
35-49	437	5.1	28	< 1	1	4	6	11	16	22
50-64	634	6.2	74	< 1	1	4	7	12	19	54
65 +	1579	7.4	52	1	1	5	10	16	20	36
TOTAL SINGLE DX	860	2.5	7	< 1	< 1	2	3	5	6	12
TOTAL MULTIPLE DX	3046	6.5	53	< 1	1	4	8	14	19	37
TOTAL										
0-19 YRS	175	3.3	18	< 1	< 1	1	4	7	10	20
20-34	453	4.5	36	< 1	1	3	5	9	12	35
35-49	678	4.1	23	< 1	< 1	3	5	9	14	22
50-64	857	5.2	59	< 1	1	3	6	10	15	48
65 +	1743	6.9	50	< 1	1	5	9	15	20	35
GRAND TOTAL	**3906**	**5.6**	**46**	**< 1**	**1**	**4**	**7**	**12**	**17**	**35**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.4	3	1	1	2	3	6	7	7
20-34	28	1.3		< 1	< 1	1	2	2	3	3
35-49	94	1.6	1	< 1	1	1	2	3	4	7
50-64	315	1.6	1	< 1	1	1	2	3	4	5
65 +	694	2.0	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	14	4.1	41	< 1	1	2	3	11	22	25
20-34	50	4.7	84	< 1	1	2	5	9	11	62
35-49	115	3.0	25	1	1	2	3	6	8	29
50-64	615	3.1	17	1	1	2	3	6	8	23
65 +	2605	3.7	17	1	1	3	4	8	11	19
TOTAL SINGLE DX	1140	1.8	2	< 1	1	1	2	3	4	7
TOTAL MULTIPLE DX	3399	3.6	19	1	1	2	4	7	10	20
TOTAL										
0-19 YRS	23	3.4	27	< 1	1	2	3	7	15	25
20-34	78	3.5	57	< 1	< 1	1	3	8	10	51
35-49	209	2.4	15	< 1	1	1	2	4	7	14
50-64	930	2.6	12	< 1	1	2	3	5	7	17
65 +	3299	3.3	15	1	1	2	4	7	10	18
GRAND TOTAL	**4539**	**3.2**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	3.5	7	1	1	3	5	7	8	12
20-34	27	3.2	3	< 1	1	3	5	6	6	7
35-49	69	3.8	9	1	1	3	5	8	11	15
50-64	99	3.7	12	< 1	1	3	5	9	11	17
65 +	148	3.9	13	< 1	1	2	6	10	11	14
2. MULTIPLE DX										
0-19 YRS	111	6.0	37	1	1	4	8	12	18	65
20-34	110	8.7	103	1	1	6	9	17	31	58
35-49	164	6.7	67	1	1	4	8	14	20	69
50-64	335	8.2	121	1	1	5	10	17	23	57
65 +	1027	7.7	71	1	1	5	10	17	22	48
TOTAL SINGLE DX	377	3.8	11	< 1	1	3	5	9	11	15
TOTAL MULTIPLE DX	1747	7.7	81	1	1	5	10	16	22	49
TOTAL										
0-19 YRS	145	5.5	31	1	1	4	7	11	16	45
20-34	137	7.6	88	1	1	5	8	13	28	57
35-49	233	5.8	52	1	1	4	7	13	18	44
50-64	434	7.1	100	1	1	4	9	15	20	51
65 +	1175	7.2	66	1	1	5	10	16	21	46
GRAND TOTAL	**2124**	**7.0**	**70**	**1**	**1**	**4**	**9**	**15**	**20**	**48**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	1.3		< 1	< 1	< 1	1	3	3	3
20-34	3	7.7	133	< 1	< 1	1	16	21	21	21
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	4	6.0	40	< 1	< 1	4	10	15	15	15
65 +	9	3.4	5	1	1	2	5	7	7	7
TOTAL SINGLE DX	11	1.2		< 1	< 1	1	1	2	2	2
TOTAL MULTIPLE DX	25	3.8	23	< 1	< 1	2	5	7	16	21
TOTAL										
0-19 YRS	13	1.2		< 1	< 1	< 1	1	2	3	3
20-34	4	6.3	97	< 1	< 1	1	11	21	21	21
35-49	3	3.0	4	< 1	< 1	3	4	5	5	5
50-64	7	3.9	27	< 1	< 1	1	5	13	15	15
65 +	9	3.4	6	1	1	2	5	7	7	7
GRAND TOTAL	**36**	**3.0**	**17**	**< 1**	**< 1**	**1**	**3**	**7**	**13**	**21**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223	2.1	2	< 1	1	1	3	4	5	8
20-34	47	2.0	1	< 1	< 1	2	3	4	5	6
35-49	46	2.7	2	< 1	< 1	2	4	5	5	8
50-64	48	2.7	3	< 1	1	2	4	5	6	10
65 +	31	2.5	6	< 1	1	2	3	4	8	13
2. MULTIPLE DX										
0-19 YRS	129	2.5	6	< 1	1	1	3	6	7	15
20-34	45	3.8	12	< 1	1	3	5	7	8	21
35-49	62	3.3	11	< 1	1	2	4	7	9	20
50-64	68	3.9	12	1	1	3	5	7	11	20
65 +	131	3.8	12	1	1	3	6	8	11	17
TOTAL SINGLE DX	395	2.3	3	< 1	1	2	3	4	6	8
TOTAL MULTIPLE DX	435	3.4	11	1	1	2	4	7	9	18
TOTAL										
0-19 YRS	352	2.3	4	< 1	1	1	3	5	6	9
20-34	92	2.9	7	< 1	< 1	2	4	6	7	16
35-49	108	3.1	8	< 1	1	2	4	5	8	15
50-64	116	3.4	9	1	1	3	4	7	9	17
65 +	162	3.6	12	1	1	2	5	8	10	15
GRAND TOTAL	**830**	**2.8**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**	**14**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.1		< 1	< 1	< 1	1	2	2	2
20-34	13	1.8	1	< 1	< 1	1	2	4	5	5
35-49	10	2.6	3	< 1	< 1	2	4	5	6	6
50-64	13	1.6		< 1	< 1	1	2	3	3	3
65 +	8	2.9	4	< 1	< 1	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	10	1.9		< 1	< 1	2	3	3	3	3
20-34	33	7.9	216	1	1	3	6	17	54	64
35-49	36	4.7	35	1	1	3	5	11	17	31
50-64	51	6.6	70	1	1	4	8	14	27	46
65 +	226	7.8	84	1	1	5	10	17	23	51
TOTAL SINGLE DX	55	1.9	2	< 1	< 1	1	3	4	5	7
TOTAL MULTIPLE DX	356	7.2	88	1	1	4	8	16	24	57
TOTAL										
0-19 YRS	21	1.5	1	< 1	< 1	1	2	3	3	3
20-34	46	6.2	162	< 1	1	2	5	10	35	64
35-49	46	4.2	29	< 1	1	3	4	7	17	31
50-64	64	5.6	60	< 1	1	3	7	12	21	44
65 +	234	7.6	83	1	1	5	9	17	22	50
GRAND TOTAL	**411**	**6.5**	**80**	**< 1**	**1**	**4**	**7**	**14**	**21**	**52**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.4	1	< 1	< 1	1	1	3	5	5
20-34	47	1.7	2	< 1	1	1	1	4	5	7
35-49	40	1.5	1	< 1	< 1	1	1	3	4	8
50-64	37	1.8	3	< 1	1	1	2	3	5	10
65 +	83	2.0	2	1	1	1	2	4	5	10
2. MULTIPLE DX										
0-19 YRS	27	2.3	4	< 1	1	2	2	6	8	9
20-34	66	3.4	37	< 1	1	1	4	8	11	41
35-49	73	3.2	17	1	1	2	3	6	9	26
50-64	116	4.1	18	1	1	3	5	8	12	25
65 +	388	3.8	13	1	1	3	5	7	9	19
TOTAL SINGLE DX	221	1.8	2	< 1	1	1	2	4	5	9
TOTAL MULTIPLE DX	670	3.7	17	1	1	3	4	7	11	23
TOTAL										
0-19 YRS	41	2.0	4	< 1	< 1	1	2	5	7	9
20-34	113	2.7	23	< 1	1	1	3	5	9	26
35-49	113	2.6	13	1	1	1	3	5	8	22
50-64	153	3.6	16	1	1	2	4	7	11	25
65 +	471	3.4	12	1	1	3	4	7	9	17
GRAND TOTAL	**891**	**3.2**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	36	4.3	3	1	3	4	5	6	6	13
35-49	192	4.6	2	3	3	4	5	6	7	10
50-64	149	4.5	2	2	3	4	5	7	7	8
65 +	93	4.9	12	2	2	4	5	7	9	24
2. MULTIPLE DX										
0-19 YRS	3	5.0	3	3	3	6	6	6	6	6
20-34	52	5.0	2	3	3	5	6	7	8	8
35-49	298	5.0	4	3	3	5	6	7	8	11
50-64	347	5.4	7	3	3	5	6	8	10	15
65 +	228	5.6	6	3	3	5	7	8	9	17
TOTAL SINGLE DX	470	4.6	5	2	3	4	5	7	7	11
TOTAL MULTIPLE DX	928	5.3	6	3	3	5	6	8	8	14
TOTAL										
0-19 YRS	3	5.0	3	3	3	6	6	6	6	6
20-34	88	4.7	3	2	3	4	5	7	7	11
35-49	490	4.8	4	3	3	5	5	7	7	10
50-64	496	5.1	6	3	3	5	6	7	8	14
65 +	321	5.4	9	2	3	5	6	8	9	17
GRAND TOTAL	**1398**	**5.1**	**6**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	24	3.6	2	1	2	3	4	6	6	7
35-49	145	3.5	1	1	2	3	4	5	6	6
50-64	164	3.6	2	1	2	3	4	5	6	9
65 +	114	4.2	4	2	2	4	5	6	8	14
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	47	4.1	2	2	2	4	5	6	7	8
35-49	223	4.2	3	2	2	4	5	6	8	12
50-64	289	4.1	3	2	2	4	5	7	7	10
65 +	304	4.7	4	2	3	4	6	7	8	13
TOTAL SINGLE DX	449	3.7	3	2	2	4	4	6	6	9
TOTAL MULTIPLE DX	864	4.4	4	2	2	4	5	7	8	11
TOTAL										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	71	3.9	2	2	2	4	5	6	7	8
35-49	368	3.9	3	2	2	4	5	6	6	10
50-64	453	3.9	3	2	2	4	5	6	7	9
65 +	418	4.6	4	2	2	4	6	7	8	14
GRAND TOTAL	**1313**	**4.1**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	3.9	12	1	1	2	6	10	10	10
20-34	82	2.6	4	1	1	2	3	6	7	10
35-49	123	2.5	3	< 1	1	2	3	5	6	9
50-64	76	2.6	4	1	1	2	3	5	7	10
65 +	29	2.7	3	1	1	2	3	6	6	7
2. MULTIPLE DX										
0-19 YRS	10	5.4	2	2	2	6	6	7	7	7
20-34	122	4.7	19	1	1	3	6	11	14	22
35-49	156	4.8	24	1	1	3	6	9	13	30
50-64	176	5.3	40	1	1	4	7	11	15	26
65 +	233	7.1	43	1	1	5	10	16	20	30
TOTAL SINGLE DX	321	2.6	4	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	697	5.7	35	1	1	4	7	13	17	27
TOTAL										
0-19 YRS	21	4.6	8	1	1	6	6	8	10	10
20-34	204	3.9	14	1	1	3	5	8	12	20
35-49	279	3.8	16	1	1	2	5	8	10	18
50-64	252	4.5	31	1	1	3	5	9	14	22
65 +	262	6.6	41	1	1	4	9	15	19	29
GRAND TOTAL	1018	4.7	27	1	1	3	6	10	14	25

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34	46	1.4		1	1	1	2	3	3	4
35-49	84	1.9	1	1	1	1	2	3	5	7
50-64	53	2.1	3	< 1	1	1	3	4	6	10
65 +	30	2.2	5	1	1	1	2	4	7	13
2. MULTIPLE DX										
0-19 YRS	5	6.0	23	2	2	4	9	14	14	14
20-34	42	5.3	34	1	1	3	6	13	15	31
35-49	68	4.4	21	1	1	2	6	10	16	22
50-64	102	5.2	40	1	1	3	7	12	17	33
65 +	95	5.7	40	1	1	3	9	14	19	30
TOTAL SINGLE DX	216	1.9	3	1	1	1	2	4	5	9
TOTAL MULTIPLE DX	312	5.2	35	1	1	3	7	12	16	30
TOTAL										
0-19 YRS	8	4.9	19	1	1	3	7	12	14	14
20-34	88	3.3	20	1	1	2	4	7	13	25
35-49	152	3.0	12	1	1	2	3	7	9	18
50-64	155	4.1	30	1	1	2	5	9	12	30
65 +	125	4.9	35	1	1	2	6	13	16	29
GRAND TOTAL	528	3.9	24	1	1	2	4	10	13	29

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
20-34	4	3.0	2	1	1	3	4	5	5	5
35-49	30	2.7	1	1	1	3	3	4	4	7
50-64	881	3.0	1	1	1	3	4	4	5	6
65 +	1819	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	6	6.3	7	4	4	6	8	10	10	10
20-34	10	4.1	12	1	1	3	5	9	13	13
35-49	107	3.9	9	1	1	3	5	7	10	17
50-64	3018	3.7	6	2	2	3	4	6	7	13
65 +	12067	4.7	15	2	2	4	5	8	11	21
TOTAL SINGLE DX	2737	3.2	2	1	2	3	4	5	5	7
TOTAL MULTIPLE DX	15208	4.5	14	2	2	4	5	7	11	20
TOTAL										
0-19 YRS	9	4.9	9	< 1	1	4	8	9	10	10
20-34	14	3.8	9	1	1	3	5	7	12	13
35-49	137	3.7	8	1	1	3	4	6	9	17
50-64	3899	3.5	5	1	2	3	4	5	7	12
65 +	13886	4.5	14	2	2	4	5	7	11	20
GRAND TOTAL	17945	4.3	12	2	2	3	5	7	10	19

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	4	6.5	3	4	4	7	8	8	8	8
50-64	120	7.5	12	4	4	7	8	10	12	22
65 +	234	7.2	4	4	5	7	8	10	11	13
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	52	99 +	99 +	99 +	99 +
20-34	1	7.0		7	7	7	7	7	7	7
35-49	6	10.0	52	2	2	9	11	22	23	23
50-64	263	8.0	14	4	5	7	9	13	15	22
65 +	916	9.0	23	4	5	8	10	14	17	30
TOTAL SINGLE DX	358	7.3	7	4	5	7	8	10	12	15
TOTAL MULTIPLE DX	1187	8.8	21	4	5	8	10	13	17	30
TOTAL										
0-19 YRS	1	4.0		4	4	52	99 +	99 +	99 +	99 +
20-34	1	7.0		7	7	7	7	7	7	7
35-49	10	8.6	34	2	3	8	11	17	23	23
50-64	383	7.8	14	4	5	7	9	11	14	22
65 +	1150	8.7	20	4	5	8	10	13	15	29
GRAND TOTAL	1545	8.5	18	4	5	8	9	12	15	26

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	6	1.0		< 1	< 1	< 1	< 1	1	1	1
50-64	74	1.4		< 1	< 1	1	1	3	4	5
65 +	145	1.6	5	< 1	< 1	1	1	3	4	10
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	14	2.8	9	< 1	1	1	3	8	10	11
50-64	133	3.2	15	< 1	< 1	2	3	7	10	24
65 +	460	4.4	33	< 1	1	2	5	11	14	29
TOTAL SINGLE DX	227	1.5	4	< 1	< 1	1	1	3	4	6
TOTAL MULTIPLE DX	608	4.1	29	< 1	1	2	5	10	14	28
TOTAL										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	20	2.3	7	< 1	< 1	1	2	6	9	11
50-64	207	2.6	11	< 1	< 1	1	3	5	8	22
65 +	605	3.8	28	< 1	< 1	2	4	9	13	28
GRAND TOTAL	835	3.4	23	< 1	< 1	2	4	8	12	26

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	1.3		< 1	< 1	1	1	2	3	6
20-34	37	2.4	6	1	1	1	2	7	8	12
35-49	39	2.1	2	< 1	< 1	2	3	4	6	7
50-64	19	1.5	1	< 1	< 1	1	2	2	4	6
65 +	32	2.2	3	< 1	< 1	1	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	52	2.6	17	< 1	< 1	1	2	6	12	24
20-34	23	3.2	9	1	1	2	4	8	10	12
35-49	46	5.2	39	< 1	1	4	7	10	17	35
50-64	48	4.9	59	1	1	2	4	11	22	42
65 +	92	4.7	25	1	1	3	6	11	16	24
TOTAL SINGLE DX	181	1.9	3	< 1	< 1	1	2	4	6	9
TOTAL MULTIPLE DX	261	4.3	32	< 1	1	2	5	10	15	25
TOTAL										
0-19 YRS	106	1.9	9	< 1	< 1	1	1	3	6	19
20-34	60	2.7	8	1	1	1	3	8	9	12
35-49	85	3.8	24	< 1	1	2	4	8	11	30
50-64	67	4.0	45	1	1	1	3	10	19	39
65 +	124	4.1	21	< 1	1	2	5	9	13	23
GRAND TOTAL	442	3.3	21	< 1	< 1	1	3	8	11	23

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	1.3		< 1	1	1	1	2	3	6
20-34	111	1.8	2	< 1	< 1	1	2	3	4	11
35-49	59	1.7	2	< 1	1	1	2	3	5	10
50-64	31	1.2		< 1	< 1	1	1	2	2	3
65 +	101	1.7	1	< 1	1	1	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	76	2.0	5	< 1	1	1	2	4	7	13
20-34	78	2.9	7	1	1	2	4	8	9	12
35-49	57	3.1	8	1	1	2	4	8	9	12
50-64	102	5.1	69	1	1	2	5	11	15	50
65 +	623	5.0	48	1	1	2	7	11	17	39
TOTAL SINGLE DX	373	1.6	2	< 1	1	1	2	3	4	7
TOTAL MULTIPLE DX	936	4.5	43	1	1	2	6	10	15	35
TOTAL										
0-19 YRS	147	1.7	3	< 1	1	1	2	3	4	12
20-34	189	2.2	5	< 1	1	1	2	5	8	11
35-49	116	2.4	6	< 1	1	1	3	6	8	11
50-64	133	4.2	56	1	1	2	5	10	14	36
65 +	724	4.5	44	1	1	2	6	10	16	36
GRAND TOTAL	1309	3.7	33	< 1	1	2	4	9	12	25

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	350	1.1		< 1	< 1	1	1	2	2	4
20-34	59	1.5		< 1	1	1	2	3	3	4
35-49	9	1.7		1	1	2	2	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-19 YRS	157	1.7	9	< 1	< 1	1	1	3	4	7
20-34	22	1.6	1	< 1	1	1	2	3	4	6
35-49	6	2.5	6	1	1	1	4	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	7.0		7	7	7	7	7	7	7
TOTAL SINGLE DX	421	1.2		< 1	< 1	1	1	2	2	4
TOTAL MULTIPLE DX	187	1.7	9	< 1	1	1	2	3	4	7
TOTAL										
0-19 YRS	507	1.3	3	< 1	< 1	1	1	2	3	5
20-34	81	1.5	1	< 1	1	1	2	3	3	5
35-49	15	2.0	3	1	1	1	2	4	6	7
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	2	4.0	18	< 1	< 1	3	7	7	7	7
GRAND TOTAL	**608**	**1.4**	**3**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**6**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	1.3		< 1	< 1	1	1	2	4	6
20-34	22	1.2		< 1	< 1	1	1	2	2	2
35-49	20	1.4	1	< 1	< 1	1	1	3	4	5
50-64	4	1.5		1	1	1	2	2	2	2
65 +	4	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	41	2.4	44	1	1	1	2	2	3	44
20-34	15	1.4		< 1	< 1	1	2	3	3	3
35-49	18	1.6	1	< 1	1	1	2	4	5	5
50-64	8	4.8	11	1	1	4	6	10	12	12
65 +	7	3.0	1	1	1	3	4	5	5	5
TOTAL SINGLE DX	115	1.3	1	< 1	< 1	1	1	2	3	6
TOTAL MULTIPLE DX	89	2.3	23	1	1	1	2	4	5	31
TOTAL										
0-19 YRS	106	1.8	18	< 1	1	1	1	2	4	23
20-34	37	1.3		< 1	< 1	1	2	2	3	3
35-49	38	1.5	1	< 1	1	1	1	3	5	5
50-64	12	3.7	10	1	1	3	5	8	11	12
65 +	11	2.6	2	1	1	3	4	5	5	5
GRAND TOTAL	**204**	**1.8**	**10**	**< 1**	**1**	**1**	**2**	**3**	**4**	**9**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	9	1.4		< 1	< 1	< 1	1	3	3	3
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-19 YRS	0									
20-34	6	1.3		1	1	1	2	2	2	2
35-49	3	10.3	234	1	1	2	21	28	28	28
50-64	0									
65 +	0									
TOTAL SINGLE DX	14	1.3	1	< 1	< 1	< 1	1	3	3	3
TOTAL MULTIPLE DX	9	4.3	79	1	1	1	2	18	28	28
TOTAL										
0-19 YRS	0									
20-34	10	1.2		< 1	< 1	1	1	2	2	2
35-49	12	3.7	59	< 1	< 1	1	2	11	25	28
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
GRAND TOTAL	**23**	**2.5**	**31**	**< 1**	**< 1**	**1**	**2**	**3**	**12**	**28**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	1.1		< 1	< 1	1	1	2	2	3
20-34	68	1.4	1	< 1	< 1	1	1	2	3	8
35-49	74	1.5	3	< 1	< 1	1	1	2	4	12
50-64	61	1.3		< 1	< 1	1	1	2	3	6
65 +	19	1.5		< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	44	1.5	2	< 1	< 1	1	2	3	4	10
20-34	60	1.5	1	< 1	1	1	1	3	4	6
35-49	69	2.4	15	1	1	1	2	4	6	27
50-64	57	2.3	10	1	1	1	2	4	6	18
65 +	75	2.8	9	< 1	1	2	3	5	9	18
TOTAL SINGLE DX	303	1.3	1	< 1	< 1	1	1	2	3	7
TOTAL MULTIPLE DX	305	2.2	9	< 1	1	1	2	4	6	17
TOTAL										
0-19 YRS	125	1.3	1	< 1	< 1	1	1	2	3	5
20-34	128	1.4	1	< 1	< 1	1	1	3	3	7
35-49	143	1.9	9	< 1	1	1	2	3	5	13
50-64	118	1.8	5	< 1	1	1	2	3	4	17
65 +	94	2.6	8	< 1	1	2	3	5	8	18
GRAND TOTAL	**608**	**1.8**	**5**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	1.0		<1	<1	<1	1	1	1	2
20-34	7	1.1		<1	<1	<1	1	2	2	2
35-49	11	1.3		<1	<1	<1	1	2	4	4
50-64	6	2.2	8	<1	<1	1	1	7	8	8
65 +	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	43	5.3	94	<1	<1	1	4	17	29	44
20-34	8	3.6	39	<1	<1	1	2	14	19	19
35-49	14	2.4	6	<1	1	1	3	5	9	10
50-64	18	3.7	38	<1	<1	1	3	10	20	26
65 +	27	4.6	24	<1	<1	2	7	10	17	20
TOTAL SINGLE DX	121	1.1	1	<1	<1	<1	1	1	1	5
TOTAL MULTIPLE DX	110	4.4	52	<1	<1	1	4	10	20	38
TOTAL										
0-19 YRS	137	2.4	33	<1	<1	<1	1	2	8	35
20-34	15	2.5	21	<1	<1	1	2	3	15	19
35-49	25	1.9	4	<1	<1	1	2	4	6	10
50-64	24	3.3	31	<1	<1	1	3	9	15	26
65 +	30	4.3	23	<1	<1	2	6	10	17	20
GRAND TOTAL	**231**	**2.7**	**28**	**<1**	**<1**	**1**	**1**	**6**	**10**	**28**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	1.4		<1	<1	1	1	2	3	4
20-34	22	1.8		<1	1	1	3	3	4	4
35-49	50	2.3	2	<1	<1	2	3	5	6	8
50-64	168	1.9	2	1	1	1	2	3	4	8
65 +	119	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	42	2.8	5	<1	1	2	4	8	8	9
20-34	46	4.8	31	<1	1	3	6	11	19	26
35-49	143	3.0	9	1	1	2	4	6	8	17
50-64	388	2.7	11	1	1	2	3	5	7	20
65 +	328	3.1	21	1	1	2	3	6	9	21
TOTAL SINGLE DX	393	2.0	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	947	3.0	16	1	1	2	3	5	8	21
TOTAL										
0-19 YRS	76	2.1	4	<1	1	1	2	4	8	9
20-34	68	3.8	23	<1	1	2	4	9	12	26
35-49	193	2.8	8	1	1	2	3	5	7	16
50-64	556	2.4	9	1	1	2	3	4	6	18
65 +	447	2.9	17	1	1	2	3	5	8	19
GRAND TOTAL	**1340**	**2.7**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**18**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	172	3.4	1	2	2	3	4	5	6	8
20-34	539	3.4	1	2	2	3	4	5	5	8
35-49	98	3.5	1	1	2	3	4	5	6	7
50-64	8	4.0	3	2	2	4	5	7	8	8
65 +	3	6.3	9	3	3	7	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	193	3.8	4	2	2	3	4	6	8	12
20-34	1062	3.8	2	2	2	4	4	5	6	9
35-49	250	4.1	6	1	2	4	4	5	8	14
50-64	21	6.8	14	3	4	6	8	14	15	16
65 +	36	8.4	31	3	4	7	10	12	20	33
TOTAL SINGLE DX	820	3.5	2	2	2	3	4	5	6	8
TOTAL MULTIPLE DX	1562	4.0	5	2	2	4	4	6	7	13
TOTAL										
0-19 YRS	365	3.6	3	2	2	3	4	5	7	10
20-34	1601	3.7	2	2	2	4	4	5	6	9
35-49	348	3.9	5	1	2	4	4	5	7	14
50-64	29	6.0	12	3	3	5	7	12	14	16
65 +	39	8.3	30	3	4	7	9	12	20	33
GRAND TOTAL	**2382**	**3.8**	**4**	**2**	**2**	**4**	**4**	**5**	**7**	**11**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	4.0	3	2	2	4	5	6	7	13
20-34	444	3.7	1	2	2	4	4	5	6	9
35-49	233	3.9	1	2	3	4	4	5	6	8
50-64	32	4.2	2	2	3	4	5	6	8	8
65 +	13	5.2	3	2	3	5	7	7	8	8
2. MULTIPLE DX										
0-19 YRS	122	4.7	7	2	3	4	5	7	9	17
20-34	1217	4.3	4	2	3	4	5	6	8	13
35-49	791	4.5	5	3	3	4	5	7	9	13
50-64	86	6.1	12	3	3	5	7	12	16	69
65 +	113	9.5	54	3	4	7	11	19	27	39
TOTAL SINGLE DX	783	3.8	2	2	2	4	4	5	6	9
TOTAL MULTIPLE DX	2329	4.7	9	2	3	4	5	7	9	17
TOTAL										
0-19 YRS	183	4.5	6	2	3	4	5	6	8	14
20-34	1661	4.1	4	2	3	4	5	6	7	12
35-49	1024	4.4	5	2	3	4	5	6	9	13
50-64	118	5.6	11	3	3	5	6	10	15	43
65 +	126	9.0	51	3	4	7	10	18	26	38
GRAND TOTAL	**3112**	**4.5**	**7**	**2**	**3**	**4**	**5**	**7**	**9**	**16**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	40	3.8	1	2	2	4	5	5	6	7
35-49	117	4.1	3	2	3	4	4	6	7	12
50-64	74	4.4	3	3	3	4	5	6	6	14
65 +	47	5.3	3	3	4	5	6	8	10	12
2. MULTIPLE DX										
0-19 YRS	5	5.8	16	3	3	4	7	13	13	13
20-34	377	4.3	3	2	3	4	5	6	8	13
35-49	747	4.7	6	3	3	4	5	7	8	18
50-64	314	6.8	29	3	3	5	7	14	16	30
65 +	258	8.3	28	3	4	7	10	15	19	29
TOTAL SINGLE DX	278	4.3	3	2	3	4	5	6	7	12
TOTAL MULTIPLE DX	1701	5.5	15	3	3	4	6	9	13	22
TOTAL										
0-19 YRS	5	5.8	17	3	3	4	7	13	13	13
20-34	417	4.2	4	2	3	4	5	6	8	12
35-49	864	4.6	6	3	3	4	5	6	8	18
50-64	388	6.4	25	3	3	5	7	13	15	28
65 +	305	7.8	26	3	4	6	9	14	18	27
GRAND TOTAL	**1979**	**5.4**	**14**	**3**	**3**	**4**	**6**	**9**	**13**	**21**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.4	1	<1	<1	2	3	4	5	5
20-34	142	2.4	2	<1	<1	2	3	4	6	8
35-49	44	1.9	2	<1	<1	1	3	4	5	5
50-64	4	4.3	8	1	1	4	6	8	8	8
65 +	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	49	3.5	6	1	1	3	4	8	10	10
20-34	498	3.2	3	<1	1	3	4	5	6	10
35-49	164	3.2	4	<1	1	3	4	5	7	13
50-64	7	4.7	4	3	3	4	6	8	8	8
65 +	4	6.5	46	1	1	5	12	15	15	15
TOTAL SINGLE DX	226	2.3	3	<1	<1	2	3	4	5	8
TOTAL MULTIPLE DX	722	3.2	4	<1	1	3	4	5	7	10
TOTAL										
0-19 YRS	83	3.0	5	<1	1	3	4	6	8	10
20-34	640	3.0	3	<1	1	3	4	5	6	10
35-49	208	2.9	4	<1	<1	3	4	5	6	11
50-64	11	4.5	5	1	2	4	6	8	8	8
65 +	6	5.3	31	1	1	3	9	14	15	15
GRAND TOTAL	**948**	**3.0**	**4**	**<1**	**1**	**3**	**4**	**5**	**7**	**10**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	148	1.1		<1	<1	<1	<1	1	2	4
35-49	78	1.1		<1	<1	<1	<1	1	1	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	171	2.0	3	<1	<1	2	3	3	4	7
35-49	77	1.4		<1	<1	1	1	3	3	4
50-64	0									
65 +	0									
TOTAL SINGLE DX	226	1.1		<1	<1	<1	<1	1	2	4
TOTAL MULTIPLE DX	248	1.8	3	<1	<1	1	2	3	4	7
TOTAL										
0-19 YRS	0									
20-34	319	1.6	2	<1	<1	1	2	3	3	6
35-49	155	1.2		<1	<1	<1	1	2	3	4
50-64	0									
65 +	0									
GRAND TOTAL	**474**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**3**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.2	3	<1	<1	<1	3	5	5	5
20-34	273	1.7		<1	<1	1	2	3	4	5
35-49	98	1.4		<1	<1	1	1	2	3	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
2. MULTIPLE DX										
0-19 YRS	12	2.8	5	1	1	2	4	7	7	7
20-34	1718	2.4	2	1	1	2	3	3	4	6
35-49	409	2.5	2	1	1	2	3	4	4	9
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	0									
TOTAL SINGLE DX	377	1.6	1	<1	<1	1	2	3	4	5
TOTAL MULTIPLE DX	2141	2.4	2	1	1	2	3	4	4	8
TOTAL										
0-19 YRS	17	2.6	5	<1	<1	2	4	6	7	7
20-34	1991	2.3	2	1	1	2	3	3	4	6
35-49	507	2.3	2	<1	1	2	3	4	4	8
50-64	3	4.3	17	<1	<1	3	7	9	9	9
65+	0									
GRAND TOTAL	**2518**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**3**	**4**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	3.3		2	2	3	4	4	5	6
20-34	1487	3.3	1	2	2	3	4	4	5	6
35-49	287	3.3	1	2	2	3	4	5	5	7
50-64	3	4.0	13	<1	<1	3	7	8	8	8
65+	0									
2. MULTIPLE DX										
0-19 YRS	100	3.8	1	2	2	4	4	5	6	9
20-34	2129	3.6	1	2	2	3	4	5	5	8
35-49	458	3.7	1	2	2	4	4	5	6	9
50-64	11	8.5	64	1	2	5	10	22	27	28
65+	3	3.7	6	1	1	4	5	6	6	6
TOTAL SINGLE DX	1904	3.3	1	2	2	3	4	4	5	6
TOTAL MULTIPLE DX	2701	3.6	2	2	2	4	4	5	6	8
TOTAL										
0-19 YRS	227	3.5	1	2	2	3	4	5	5	8
20-34	3616	3.5	2	2	2	3	4	5	5	7
35-49	745	3.5	2	2	2	3	4	5	6	8
50-64	14	7.5	56	<1	1	5	10	19	26	28
65+	3	3.7	6	1	1	4	5	6	6	6
GRAND TOTAL	**4605**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	76	1.1		<1	<1	1	1	1	2	5
35-49	48	1.2		<1	<1	1	1	2	3	4
50-64	20	1.0		<1	<1	<1	1	1	1	1
65+	11	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	70	1.5		<1	<1	1	1	3	4	5
35-49	64	2.6	14	<1	<1	1	2	6	9	21
50-64	24	1.7	1	<1	<1	1	2	3	4	7
65+	18	2.8	14	1	1	2	2	6	13	17
TOTAL SINGLE DX	158	1.1		<1	<1	1	1	1	2	4
TOTAL MULTIPLE DX	179	2.0	8	<1	<1	1	2	4	6	19
TOTAL										
0-19 YRS	6	1.3	1	<1	<1	1	1	3	3	3
20-34	146	1.3	1	<1	<1	1	1	2	4	5
35-49	112	2.0	9	<1	<1	1	1	4	7	20
50-64	44	1.4	1	<1	<1	1	1	2	3	7
65+	29	2.1	10	<1	1	1	2	4	7	17
GRAND TOTAL	**337**	**1.6**	**4**	**<1**	**<1**	**1**	**1**	**3**	**4**	**10**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	24	1.2		<1	<1	1	1	2	2	3
35-49	24	1.7	2	<1	<1	1	1	4	6	7
50-64	5	1.2		<1	<1	<1	1	2	2	2
65+	15	3.9	4	1	1	4	6	6	8	8
2. MULTIPLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	68	3.6	43	<1	<1	1	4	7	12	40
35-49	45	2.6	23	<1	<1	1	3	4	6	33
50-64	44	4.5	31	<1	1	3	5	9	13	33
65+	94	5.0	9	1	2	4	6	8	12	17
TOTAL SINGLE DX	68	2.0	3	<1	<1	1	2	5	6	8
TOTAL MULTIPLE DX	253	4.1	26	<1	1	3	5	8	11	33
TOTAL										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	92	2.9	33	<1	<1	1	2	6	9	37
35-49	69	2.3	16	<1	<1	1	2	4	6	28
50-64	49	4.2	29	<1	<1	3	5	9	12	33
65+	109	4.8	9	1	2	4	6	8	11	16
GRAND TOTAL	**321**	**3.6**	**22**	**<1**	**<1**	**2**	**5**	**7**	**10**	**30**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.4		<1	<1	1	2	3	3	3
20-34	319	1.7	3	<1	1	1	2	3	4	11
35-49	64	1.9	2	<1	1	1	2	4	6	8
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	8	2.9	1	1	1	3	4	5	5	5
20-34	145	3.7	23	<1	1	2	4	8	13	24
35-49	30	2.1	4	1	1	1	2	5	9	9
50-64	0									
65+	0									
TOTAL SINGLE DX	397	1.7	3	<1	1	1	2	3	4	10
TOTAL MULTIPLE DX	183	3.4	20	1	1	2	4	7	13	22
TOTAL										
0-19 YRS	22	2.0	1	<1	1	1	3	4	4	5
20-34	464	2.3	11	<1	1	1	2	4	7	18
35-49	94	2.0	3	<1	1	1	2	4	6	9
50-64	0									
65+	0									
GRAND TOTAL	580	2.2	9	<1	1	1	2	4	7	15

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.5	1	1	1	2	3	4	4	4
20-34	153	3.7	1	2	2	4	4	5	6	7
35-49	65	3.6	2	1	2	4	4	5	6	9
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	3.5	5	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	11	4.3	6	1	1	4	6	8	9	9
20-34	332	4.1	5	1	3	4	5	5	7	15
35-49	222	4.0	5	1	1	4	4	6	7	12
50-64	11	6.2	58	<1	<1	2	10	19	24	24
65+	25	7.4	36	1	2	5	10	15	22	25
TOTAL SINGLE DX	227	3.7	2	1	2	4	4	5	6	7
TOTAL MULTIPLE DX	601	4.2	8	1	2	4	5	6	8	17
TOTAL										
0-19 YRS	15	3.8	5	1	1	3	5	7	8	9
20-34	485	4.0	4	1	3	4	4	5	6	10
35-49	287	3.9	4	1	1	4	4	6	7	11
50-64	12	5.8	55	<1	<1	2	9	18	23	24
65+	29	6.9	34	<1	1	5	9	14	21	25
GRAND TOTAL	828	4.1	6	1	2	4	5	6	7	15

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.8	1	2	2	4	4	6	6	6
20-34	453	4.2	1	3	3	4	5	6	6	11
35-49	1095	4.3	1	3	3	4	5	5	6	8
50-64	381	4.6	1	3	3	4	5	6	7	9
65+	207	5.2	2	3	4	5	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	36	5.3	11	2	2	4	6	9	13	18
20-34	4670	4.6	4	3	3	4	5	6	7	13
35-49	12762	4.7	3	3	3	4	5	6	7	11
50-64	3167	5.2	6	3	4	5	6	7	9	16
65+	1532	6.9	22	4	4	5	7	11	15	28
TOTAL SINGLE DX	2142	4.4	2	3	3	4	5	6	6	9
TOTAL MULTIPLE DX	22167	4.9	6	3	3	4	5	7	8	14
TOTAL										
0-19 YRS	42	5.1	10	2	2	4	5	9	12	18
20-34	5123	4.6	4	3	3	4	5	6	7	12
35-49	13857	4.6	3	3	3	4	5	6	7	11
50-64	3548	5.1	6	3	4	5	5	7	9	15
65+	1739	6.7	20	4	4	5	7	10	14	28
GRAND TOTAL	24309	4.8	5	3	3	4	5	6	8	14

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	386	3.4		2	2	3	4	4	5	6
35-49	509	3.4	1	2	2	3	4	5	5	7
50-64	165	4.2	1	2	3	4	5	6	7	8
65+	172	4.7	2	3	3	5	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	9	3.1	2	1	1	4	4	5	5	5
20-34	2022	3.7	1	2	3	4	4	5	6	7
35-49	4388	3.8	1	2	3	4	4	5	6	8
50-64	1135	4.5	2	3	3	4	5	6	7	9
65+	939	5.3	12	3	3	5	6	7	9	13
TOTAL SINGLE DX	1235	3.7	2	2	2	3	4	5	6	7
TOTAL MULTIPLE DX	8493	4.0	3	2	3	4	5	6	6	9
TOTAL										
0-19 YRS	12	2.9	2	1	1	3	4	5	5	5
20-34	2408	3.6	1	2	3	3	4	5	6	7
35-49	4897	3.7	2	2	3	4	4	5	6	8
50-64	1300	4.4	2	3	3	4	5	6	7	9
65+	1111	5.2	11	3	3	5	6	7	8	13
GRAND TOTAL	9728	4.0	3	2	3	4	5	6	6	9

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	11	7.5	10	2	4	7	10	12	14	14
35-49	11	8.7	7	6	6	8	9	12	16	16
50-64	6	8.3	3	5	5	9	10	10	10	10
65 +	2	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	8.2	5	4	6	8	9	10	12	15
35-49	44	9.6	21	4	5	9	11	15	21	25
50-64	29	13.3	189	4	4	10	17	50	98	99 +
65 +	35	17.3	146	6	6	13	18	39	41	57
TOTAL SINGLE DX	30	8.3	7	5	5	8	10	11	14	16
TOTAL MULTIPLE DX	132	12.2	99	4	5	9	14	23	38	99 +
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	34	8.0	7	3	5	8	9	10	13	15
35-49	55	9.4	18	4	6	9	11	14	19	25
50-64	35	12.5	161	4	5	9	15	32	91	99 +
65 +	37	16.9	141	6	6	13	17	38	41	57
GRAND TOTAL	**162**	**11.5**	**84**	**4**	**5**	**9**	**13**	**19**	**33**	**96**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	1.3		< 1	< 1	1	1	2	3	5
20-34	106	1.6	3	< 1	< 1	1	1	3	4	11
35-49	22	1.5	1	< 1	< 1	1	1	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	17	2.2	3	< 1	< 1	1	3	5	7	8
20-34	138	2.7	12	< 1	< 1	1	3	6	10	18
35-49	24	1.7	3	< 1	< 1	1	2	3	5	9
50-64	0									
65 +	0									
TOTAL SINGLE DX	154	1.5	2	< 1	< 1	1	1	3	4	7
TOTAL MULTIPLE DX	179	2.5	10	< 1	< 1	1	3	5	9	17
TOTAL										
0-19 YRS	43	1.7	2	< 1	< 1	1	2	3	5	8
20-34	244	2.2	9	< 1	< 1	1	2	4	7	16
35-49	46	1.6	2	< 1	< 1	1	1	3	4	9
50-64	0									
65 +	0									
GRAND TOTAL	**333**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**16**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	418	1.3		< 1	< 1	1	1	2	3	5
20-34	2296	1.3		< 1	< 1	1	1	2	3	5
35-49	631	1.2		< 1	< 1	1	1	1	2	5
50-64	108	1.1		< 1	< 1	< 1	1	1	2	4
65 +	56	1.5	2	< 1	< 1	1	1	3	6	9
2. MULTIPLE DX										
0-19 YRS	265	2.2	5	< 1	< 1	1	3	4	5	14
20-34	1547	2.2	9	< 1	< 1	1	3	4	5	9
35-49	793	2.1	8	< 1	< 1	1	2	4	6	14
50-64	256	2.9	19	< 1	< 1	1	3	6	11	28
65 +	231	3.2	15	< 1	< 1	2	4	7	10	22
TOTAL SINGLE DX	3509	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	3092	2.3	10	< 1	< 1	1	3	4	6	14
TOTAL										
0-19 YRS	683	1.6	3	< 1	< 1	1	2	3	4	8
20-34	3843	1.6	4	< 1	< 1	1	2	3	4	7
35-49	1424	1.7	5	< 1	< 1	1	1	3	4	10
50-64	364	2.3	15	< 1	< 1	1	2	5	8	23
65 +	287	2.9	13	< 1	< 1	1	3	7	9	20
GRAND TOTAL	**6601**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	1.1		< 1	< 1	< 1	1	1	2	2
20-34	75	1.1		< 1	< 1	1	1	1	2	3
35-49	25	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	26	1.9	6	< 1	< 1	< 1	2	3	7	13
20-34	134	2.7	19	< 1	< 1	1	2	6	9	24
35-49	27	3.3	25	< 1	< 1	1	3	10	15	23
50-64	0									
65 +	0									
TOTAL SINGLE DX	117	1.1		< 1	< 1	1	1	1	2	3
TOTAL MULTIPLE DX	187	2.7	19	< 1	< 1	1	2	6	10	22
TOTAL										
0-19 YRS	43	1.6	4	< 1	< 1	< 1	1	2	4	13
20-34	209	2.1	13	< 1	< 1	1	2	4	7	19
35-49	52	2.2	14	< 1	< 1	1	1	4	10	23
50-64	0									
65 +	0									
GRAND TOTAL	**304**	**2.0**	**12**	**<1**	**<1**	**1**	**2**	**4**	**7**	**19**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	1.4		< 1	< 1	1	1	3	4	4
20-34	649	1.2		< 1	< 1	1	1	2	2	4
35-49	132	1.2		< 1	< 1	1	1	2	2	6
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	36	2.2	4	< 1	< 1	1	3	4	7	11
20-34	235	2.3	21	< 1	< 1	1	2	4	5	15
35-49	65	2.3	7	< 1	< 1	1	2	5	7	17
50-64	6	2.3	1	1	1	3	3	3	3	3
65 +	5	8.6	46	1	1	10	15	15	15	15
TOTAL SINGLE DX	863	1.2	1	< 1	< 1	1	1	2	2	4
TOTAL MULTIPLE DX	347	2.4	18	< 1	< 1	1	2	4	7	15
TOTAL										
0-19 YRS	116	1.7	2	< 1	< 1	1	2	3	4	9
20-34	884	1.5	7	< 1	< 1	1	1	2	3	7
35-49	197	1.6	3	< 1	< 1	1	1	3	5	10
50-64	7	2.1	1	< 1	< 1	3	3	3	3	3
65 +	6	7.3	47	1	1	6	15	15	15	15
GRAND TOTAL	1210	1.5	6	<1	<1	1	1	2	4	10

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	3.6	1	1	2	4	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.7		3	3	4	4	4	4	4
65 +	3	3.3	5	2	2	2	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	8	3.6	2	1	1	4	5	6	6	6
20-34	48	3.9	8	1	2	3	4	5	10	17
35-49	9	3.0	1	1	1	3	4	4	4	4
50-64	5	5.0	1	4	4	5	6	7	7	7
65 +	6	4.8	17	2	2	3	8	12	12	12
TOTAL SINGLE DX	20	3.5	2	1	2	3	5	5	6	6
TOTAL MULTIPLE DX	76	3.9	7	1	2	3	4	6	9	16
TOTAL										
0-19 YRS	9	3.6	2	1	2	3	4	6	6	6
20-34	60	3.8	7	1	2	3	4	5	8	17
35-49	10	2.9	1	1	1	3	4	4	4	4
50-64	8	4.5	1	3	3	4	5	6	7	7
65 +	9	4.3	13	2	2	2	6	10	12	12
GRAND TOTAL	96	3.8	6	1	2	3	4	5	8	16

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	2.7	2	< 1	< 1	3	4	5	5	5
20-34	86	2.8	67	< 1	< 1	1	3	4	5	51
35-49	26	2.3	1	< 1	< 1	2	3	4	5	6
50-64	10	2.9	1	1	1	3	4	5	5	5
65 +	11	2.5	3	1	1	2	3	5	7	7
2. MULTIPLE DX										
0-19 YRS	20	4.0	7	1	1	4	5	8	10	11
20-34	164	2.9	5	< 1	1	3	4	5	6	11
35-49	52	3.9	35	< 1	< 1	3	4	6	7	43
50-64	19	3.8	36	1	1	2	4	5	18	28
65 +	20	3.2	4	1	2	3	3	4	8	12
TOTAL SINGLE DX	153	2.7	38	< 1	< 1	2	3	4	5	7
TOTAL MULTIPLE DX	275	3.2	14	< 1	1	3	4	5	7	22
TOTAL										
0-19 YRS	40	3.4	5	< 1	< 1	3	4	6	8	11
20-34	250	2.8	27	< 1	< 1	2	3	5	5	12
35-49	78	3.4	25	< 1	< 1	3	4	5	7	34
50-64	29	3.5	24	1	1	3	4	5	6	28
65 +	31	3.0	4	1	1	3	3	4	7	12
GRAND TOTAL	428	3.0	22	<1	<1	3	4	5	6	15

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	37	2.6	1	< 1	1	3	3	4	5	5
35-49	116	3.4	2	1	2	3	4	5	6	9
50-64	247	3.7	2	2	2	4	5	6	6	8
65 +	242	3.7	2	1	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	90	3.6	2	1	2	3	4	6	7	9
35-49	350	4.2	3	2	2	4	5	6	7	13
50-64	593	4.3	3	2	2	4	5	6	7	10
65 +	704	4.7	4	2	3	4	6	7	8	12
TOTAL SINGLE DX	643	3.6	3	1	2	3	4	6	6	8
TOTAL MULTIPLE DX	1738	4.4	4	2	2	4	5	7	8	11
TOTAL										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	127	3.3	3	1	1	3	4	5	6	9
35-49	466	4.0	3	2	2	4	5	6	7	11
50-64	840	4.1	3	2	2	4	5	6	7	9
65 +	946	4.5	4	2	2	4	5	7	8	11
GRAND TOTAL	2381	4.2	4	2	2	4	5	6	7	11

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	3.9	20	< 1	< 1	2	5	12	13	14
20-34	106	2.5	4	< 1	< 1	2	3	4	6	13
35-49	42	2.2	2	< 1	1	2	3	4	5	7
50-64	28	3.9	4	1	1	4	5	6	8	8
65 +	32	4.3	6	1	2	4	5	6	8	16
2. MULTIPLE DX										
0-19 YRS	20	4.2	22	< 1	1	3	5	10	16	20
20-34	76	2.8	3	< 1	1	2	3	5	7	10
35-49	45	3.8	4	1	1	4	5	7	8	8
50-64	61	5.2	12	2	3	4	6	8	11	24
65 +	114	6.5	37	2	3	5	7	10	12	44
TOTAL SINGLE DX	224	3.0	6	< 1	1	2	4	5	7	14
TOTAL MULTIPLE DX	316	4.8	21	1	1	4	6	9	10	25
TOTAL										
0-19 YRS	36	4.1	21	< 1	1	2	5	12	13	20
20-34	182	2.6	4	< 1	< 1	2	3	5	7	11
35-49	87	3.0	4	< 1	1	3	4	6	7	8
50-64	89	4.8	10	1	2	4	6	7	9	21
65 +	146	6.0	32	2	3	5	7	10	12	41
GRAND TOTAL	540	4.1	16	< 1	1	3	5	7	10	19

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.5		< 1	< 1	1	2	3	3	4
20-34	94	2.8	5	< 1	< 1	2	4	5	9	11
35-49	53	3.4	7	< 1	< 1	3	4	7	9	14
50-64	19	2.8	2	1	2	2	4	5	6	7
65 +	37	3.2	4	1	1	3	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	50	3.7	12	< 1	1	3	6	8	10	18
20-34	240	4.0	21	1	1	3	4	7	10	22
35-49	87	5.1	13	1	1	4	7	10	12	20
50-64	100	5.0	14	1	1	4	7	10	13	21
65 +	220	5.0	25	1	1	4	5	8	13	29
TOTAL SINGLE DX	240	2.8	5	< 1	< 1	2	4	5	8	11
TOTAL MULTIPLE DX	697	4.6	20	1	1	4	5	8	12	23
TOTAL										
0-19 YRS	87	2.8	8	< 1	1	2	3	7	8	15
20-34	334	3.6	17	< 1	1	3	4	7	10	21
35-49	140	4.5	12	< 1	1	4	6	9	11	17
50-64	119	4.6	14	1	1	4	6	8	12	21
65 +	257	4.7	23	1	1	4	5	8	13	28
GRAND TOTAL	937	4.1	17	1	1	3	5	8	11	21

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	2.4	3	< 1	< 1	2	3	4	7	9
20-34	73	1.7	1	< 1	< 1	1	2	3	4	7
35-49	40	1.7	2	< 1	< 1	1	2	4	6	9
50-64	23	1.3		< 1	< 1	1	2	2	3	3
65 +	7	1.7	1	< 1	< 1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	22	2.2	4	< 1	< 1	1	3	5	8	9
20-34	74	3.3	47	1	1	2	3	5	9	48
35-49	46	3.2	23	< 1	1	2	3	7	9	31
50-64	42	5.1	64	< 1	< 1	2	5	12	20	44
65 +	52	4.9	33	< 1	1	3	6	11	15	28
TOTAL SINGLE DX	163	1.7	2	< 1	< 1	1	2	3	4	9
TOTAL MULTIPLE DX	236	3.9	39	< 1	1	2	4	8	13	33
TOTAL										
0-19 YRS	42	2.3	4	< 1	< 1	2	3	4	8	9
20-34	147	2.5	25	< 1	< 1	2	2	4	6	17
35-49	86	2.5	14	< 1	< 1	1	2	4	8	25
50-64	65	3.8	45	< 1	< 1	1	4	8	15	41
65 +	59	4.5	31	< 1	1	3	6	10	15	28
GRAND TOTAL	399	3.0	25	< 1	< 1	2	3	6	9	23

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49	10	3.2	5	< 1	< 1	2	3	7	8	8
50-64	7	3.1	8	1	1	3	4	8	9	9
65 +	9	4.7	24	1	1	2	7	13	15	15
2. MULTIPLE DX										
0-19 YRS	0									
20-34	11	7.0	43	1	1	6	10	17	21	21
35-49	10	3.6	9	1	1	2	4	9	9	9
50-64	9	5.8	30	2	2	3	8	15	17	17
65 +	45	7.6	29	1	2	6	10	15	18	22
TOTAL SINGLE DX	29	3.8	12	1	1	3	5	9	10	15
TOTAL MULTIPLE DX	75	6.7	29	1	1	5	10	15	17	22
TOTAL										
0-19 YRS	0									
20-34	14	6.6	35	1	1	5	8	16	20	21
35-49	20	3.4	7	< 1	1	2	4	8	9	9
50-64	16	4.6	21	1	1	3	5	13	16	17
65 +	54	7.1	29	1	1	6	10	15	17	22
GRAND TOTAL	104	5.9	26	1	1	4	9	14	17	22

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.2		<1	<1	1	1	2	2	2
20-34	31	2.0	1	<1	1	2	3	4	4	5
35-49	9	1.7		1	1	2	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65 +	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	8	1.6		1	1	2	2	3	3	3
20-34	39	3.2	23	1	1	2	3	5	8	31
35-49	12	3.8	10	1	1	2	5	10	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5
TOTAL SINGLE DX	67	1.7	1	<1	<1	2	2	3	3	5
TOTAL MULTIPLE DX	61	3.1	18	1	1	2	3	6	9	29
TOTAL										
0-19 YRS	30	1.3		<1	<1	1	2	2	2	3
20-34	70	2.7	14	1	1	2	3	4	5	27
35-49	21	2.9	7	1	1	2	3	7	10	11
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	4	2.8	3	<1	<1	2	4	5	5	5
GRAND TOTAL	128	2.4	9	<1	1	2	3	4	5	15

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	4	17.0	442	1	1	10	32	46	46	46
20-34	4	3.0	2	<1	<1	3	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	2	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	4	3.8	8	1	1	3	6	7	7	7
TOTAL MULTIPLE DX	12	7.0	176	<1	<1	2	4	27	43	46
TOTAL										
0-19 YRS	5	15.0	352	1	1	7	26	46	46	46
20-34	5	3.4	2	<1	<1	4	4	5	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65 +	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	16	6.2	133	<1	<1	2	5	18	38	46

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	563	1.9		1	1	2	2	3	3	4
20-34	3261	2.0		1	1	2	2	3	3	4
35-49	251	2.1		1	1	2	3	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	789	2.3	3	1	1	2	3	3	4	7
20-34	5483	2.4	1	1	1	2	3	3	4	6
35-49	551	2.6	1	1	1	2	3	4	4	7
50-64	0									
65 +	0									
TOTAL SINGLE DX	4076	2.0	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	6823	2.4	2	1	1	2	3	3	4	6
TOTAL										
0-19 YRS	1352	2.1	2	1	1	2	2	3	3	5
20-34	8744	2.3	1	1	1	2	3	3	4	5
35-49	802	2.4	1	1	1	2	3	4	4	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	10899	2.2	2	1	1	2	3	3	4	5

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	50	1.5		<1	1	1	2	3	3	3
35-49	10	2.2	1	<1	<1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	22	1.9	2	<1	1	1	2	4	6	8
20-34	183	2.3	5	1	1	2	3	4	5	16
35-49	34	2.6	3	1	1	2	3	4	5	11
50-64	0									
65 +	0									
TOTAL SINGLE DX	63	1.6	1	<1	1	1	2	3	3	4
TOTAL MULTIPLE DX	239	2.3	5	1	1	2	3	4	5	12
TOTAL										
0-19 YRS	25	1.8	3	<1	1	1	2	4	6	8
20-34	233	2.1	4	1	1	2	2	3	5	9
35-49	44	2.5	3	<1	1	2	3	4	5	11
50-64	0									
65 +	0									
GRAND TOTAL	302	2.2	4	1	1	2	3	4	5	9

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	498	1.9	1	1	1	2	2	3	3	4
20-34	3487	2.0		1	1	2	2	3	3	4
35-49	358	2.0		1	1	2	2	3	3	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	764	2.1	1	1	1	2	3	3	4	5
20-34	6028	2.3	2	1	1	2	3	3	4	6
35-49	737	2.6	8	1	1	2	3	4	4	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	4344	2.0	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	7530	2.3	3	1	1	2	3	3	4	6
TOTAL										
0-19 YRS	1262	2.0	1	1	1	2	2	3	4	5
20-34	9515	2.2	2	1	1	2	3	3	4	5
35-49	1095	2.4	6	1	1	2	3	3	4	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	11874	2.2	2	1	1	2	3	3	4	5

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7944	1.7		1	1	2	2	2	3	4
20-34	52780	1.7	1	1	1	2	2	3	3	4
35-49	4458	1.8	1	< 1	1	2	2	3	3	4
50-64	5	2.8	12	< 1	< 1	1	4	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3330	2.2	2	1	1	2	3	3	4	8
20-34	25959	2.2	3	1	1	2	3	3	4	7
35-49	3247	2.5	8	1	1	2	3	4	4	9
50-64	3	11.7	206	1	1	6	22	28	28	28
65 +	0									
TOTAL SINGLE DX	65187	1.7	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	32539	2.2	4	1	1	2	3	3	4	7
TOTAL										
0-19 YRS	11274	1.8	1	1	1	2	2	3	3	6
20-34	78739	1.9	2	1	1	2	2	3	3	5
35-49	7705	2.1	4	1	1	2	2	3	4	6
50-64	8	6.1	87	< 1	< 1	2	7	22	28	28
65 +	0									
GRAND TOTAL	97726	1.9	2	1	1	2	2	3	3	5

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	969	3.8	1	2	3	4	4	5	5	8
20-34	9527	3.8	1	2	3	4	4	5	5	6
35-49	1012	4.1	6	3	3	4	4	5	5	8
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2870	4.4	5	3	3	4	5	6	7	13
20-34	29013	4.4	8	3	3	4	5	6	7	14
35-49	4205	4.6	11	3	3	4	5	6	7	17
50-64	6	6.0	9	3	3	5	8	11	11	11
65 +	0									
TOTAL SINGLE DX	11511	3.8	2	3	3	4	4	5	5	7
TOTAL MULTIPLE DX	36094	4.4	8	3	3	4	5	6	7	14
TOTAL										
0-19 YRS	3839	4.2	4	3	3	4	5	6	7	12
20-34	38540	4.2	6	3	3	4	5	5	6	12
35-49	5217	4.5	11	3	3	4	5	6	7	15
50-64	9	4.8	10	1	1	4	6	10	11	11
65 +	0									
GRAND TOTAL	47605	4.2	7	3	3	4	5	5	6	12

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	4.1	2	3	3	4	5	6	7	10
20-34	265	3.7	1	2	3	4	4	5	5	8
35-49	24	3.6	1	2	2	4	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	74	4.6	4	3	3	4	5	6	8	15
20-34	647	5.2	34	3	3	4	5	7	10	31
35-49	113	5.9	42	2	3	4	5	7	13	41
50-64	0									
65 +	0									
TOTAL SINGLE DX	325	3.7	1	2	3	4	4	5	6	8
TOTAL MULTIPLE DX	834	5.2	33	3	3	4	5	7	10	35
TOTAL										
0-19 YRS	110	4.4	4	3	3	4	5	6	7	14
20-34	912	4.8	25	3	3	4	5	6	8	22
35-49	137	5.5	36	2	3	4	5	7	12	40
50-64	0									
65 +	0									
GRAND TOTAL	1159	4.8	25	3	3	4	5	6	8	26

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	2.8	1	<1	<1	3	4	5	5	5
20-34	117	3.0	1	1	1	3	4	4	5	6
35-49	17	2.8	1	1	1	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	17	3.4		2	2	3	4	5	5	5
20-34	125	3.6	2	1	2	4	4	5	6	9
35-49	25	3.4	1	1	1	4	4	5	6	7
50-64	0									
65 +	0									
TOTAL SINGLE DX	144	3.0	1	1	1	3	4	4	5	6
TOTAL MULTIPLE DX	167	3.6	2	1	2	4	4	5	6	9
TOTAL										
0-19 YRS	27	3.2	1	1	2	3	4	5	5	5
20-34	242	3.3	2	1	2	3	4	5	6	8
35-49	42	3.2	2	1	1	3	4	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	311	3.3	2	1	2	3	4	4	5	8

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	1.0		<1	<1	1	1	1	1	1
20-34	38	1.2		<1	<1	1	1	1	3	6
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9	1.8	4	<1	<1	1	2	5	7	7
20-34	30	1.7	6	<1	<1	1	1	2	6	14
35-49	9	1.1		<1	<1	1	1	2	2	2
50-64	0									
65 +	0									
TOTAL SINGLE DX	78	1.1		<1	<1	1	1	1	2	5
TOTAL MULTIPLE DX	48	1.6	5	<1	<1	1	1	2	6	14
TOTAL										
0-19 YRS	44	1.2	1	<1	<1	1	1	1	2	7
20-34	68	1.4	3	<1	<1	1	1	2	3	13
35-49	14	1.1		<1	<1	1	1	2	2	2
50-64	0									
65 +	0									
GRAND TOTAL	126	1.3	2	<1	<1	1	1	1	2	9

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	4.5	42	<1	1	2	5	8	22	30
20-34	313	3.9	21	<1	1	2	5	8	12	24
35-49	29	5.2	91	<1	<1	2	4	13	26	47
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	81	4.3	19	<1	1	3	5	10	13	24
20-34	357	5.4	45	1	1	3	6	11	20	35
35-49	25	4.5	21	<1	1	3	5	9	16	20
50-64	0									
65 +	0									
TOTAL SINGLE DX	405	4.1	29	<1	1	2	5	8	13	29
TOTAL MULTIPLE DX	463	5.2	39	1	1	3	6	11	18	30
TOTAL										
0-19 YRS	144	4.4	29	<1	1	3	5	10	15	29
20-34	670	4.7	34	<1	1	3	5	10	16	30
35-49	54	4.9	58	<1	<1	2	5	10	19	46
50-64	0									
65 +	0									
GRAND TOTAL	868	4.7	35	<1	1	3	5	10	16	30

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	873	1.6		<1	<1	1	2	3	3	4
20-34	5200	1.7		<1	<1	2	2	3	3	4
35-49	387	1.8		<1	<1	2	2	3	3	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	483	2.0	1	<1	1	2	2	3	4	7
20-34	2738	2.1	6	<1	1	2	2	3	4	7
35-49	276	2.0	1	<1	1	2	2	3	4	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	6461	1.7	1	<1	<1	2	2	3	3	4
TOTAL MULTIPLE DX	3497	2.1	6	<1	1	2	2	3	4	7
TOTAL										
0-19 YRS	1356	1.8	1	<1	<1	2	2	3	3	5
20-34	7938	1.8	3	<1	<1	2	2	3	3	6
35-49	663	1.9	1	<1	1	2	2	3	3	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	9958	1.8	3	<1	<1	2	2	3	3	6

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1470	1.6		1	1	2	2	2	3	3
20-34	10667	1.6		1	1	2	2	2	3	3
35-49	985	1.7	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1681	1.9	1	1	1	2	2	3	3	6
20-34	13196	2.0	2	1	1	2	2	3	3	5
35-49	1566	2.2	4	1	1	2	2	3	4	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	13122	1.6	1	1	1	2	2	2	3	3
TOTAL MULTIPLE DX	16444	2.0	3	1	1	2	2	3	3	6
TOTAL										
0-19 YRS	3151	1.8	1	1	1	2	2	3	3	5
20-34	23863	1.8	2	1	1	2	2	3	3	5
35-49	2551	2.0	3	1	1	2	2	3	3	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	29566	1.8	2	1	1	2	2	3	3	5

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	2.4	2	1	1	2	3	4	6	6
20-34	30	2.0	2	1	1	1	2	4	6	8
35-49	19	1.8	1	< 1	1	1	2	3	4	5
50-64	14	3.1	10	< 1	1	2	3	8	10	11
65 +	9	4.6	11	1	1	3	7	10	10	10
2. MULTIPLE DX										
0-19 YRS	14	2.8	8	1	1	2	3	5	10	12
20-34	23	4.5	18	1	1	3	7	11	15	17
35-49	23	5.0	37	1	1	3	5	12	19	28
50-64	37	6.9	64	1	1	5	8	15	26	38
65 +	39	8.1	68	1	1	6	10	18	25	44
TOTAL SINGLE DX	86	2.5	5	1	1	2	3	6	8	11
TOTAL MULTIPLE DX	136	6.1	50	1	1	4	8	12	19	39
TOTAL										
0-19 YRS	28	2.6	5	1	1	2	3	4	7	12
20-34	53	3.1	11	1	1	2	3	7	10	17
35-49	42	3.5	23	1	1	2	4	7	13	28
50-64	51	5.8	52	1	1	3	8	12	18	38
65 +	48	7.5	60	1	1	6	9	15	22	44
GRAND TOTAL	222	4.7	35	1	1	3	6	10	15	33

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	408	2.1	1	1	1	2	3	3	4	6
20-34	757	2.1		1	1	2	3	3	4	5
35-49	383	2.1		1	1	2	3	3	4	5
50-64	81	2.3	1	1	1	2	3	4	5	6
65 +	14	3.1	10	1	1	2	3	5	12	14
2. MULTIPLE DX										
0-19 YRS	352	2.6	2	1	1	2	3	4	5	9
20-34	572	2.6	2	1	1	2	3	4	5	8
35-49	365	2.8	4	1	1	2	3	4	6	12
50-64	88	3.0	7	1	1	2	3	5	6	18
65 +	27	3.0	3	1	1	2	4	6	7	8
TOTAL SINGLE DX	1643	2.1	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	1404	2.7	3	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	760	2.3	2	1	1	2	3	4	4	7
20-34	1329	2.3	2	1	1	2	3	4	4	6
35-49	748	2.4	3	1	1	2	3	4	5	7
50-64	169	2.7	4	1	1	2	3	4	5	11
65 +	41	3.0	6	1	1	2	4	6	7	14
GRAND TOTAL	3047	2.4	2	1	1	2	3	4	4	7

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	1.5		< 1	< 1	1	2	3	4	6
20-34	111	2.0	2	< 1	1	1	3	4	5	9
35-49	33	1.8	2	1	1	1	2	4	6	6
50-64	3	1.3		1	1	1	2	2	2	2
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	97	3.4	18	1	1	2	3	7	13	25
20-34	170	3.8	19	1	1	3	4	7	10	21
35-49	60	3.8	9	1	1	3	5	8	11	15
50-64	13	6.3	64	1	1	4	7	17	27	29
65 +	13	6.1	23	< 1	1	4	10	13	15	15
TOTAL SINGLE DX	209	1.8	2	< 1	1	1	2	4	5	7
TOTAL MULTIPLE DX	353	3.9	19	1	1	3	4	8	12	24
TOTAL										
0-19 YRS	156	2.7	12	< 1	1	2	3	5	8	24
20-34	281	3.1	13	1	1	2	4	6	8	17
35-49	93	3.1	8	1	1	2	4	7	9	14
50-64	16	5.4	56	1	1	3	5	14	24	29
65 +	16	5.1	23	< 1	1	3	9	13	14	15
GRAND TOTAL	562	3.1	14	1	1	2	4	6	9	17

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	1.8	1	1	1	2	2	3	4	5
20-34	257	2.2	4	1	1	1	2	4	6	12
35-49	96	2.6	4	1	1	2	3	5	7	13
50-64	25	2.0	1	1	1	2	3	4	4	4
65 +	10	2.2	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	197	5.1	40	1	1	3	5	11	18	36
20-34	474	4.6	25	1	1	3	5	11	15	27
35-49	208	5.2	42	1	1	3	6	11	18	32
50-64	70	6.1	116	1	1	3	6	10	22	66
65 +	57	7.8	78	1	1	6	11	15	19	56
TOTAL SINGLE DX	507	2.2	4	1	1	2	3	4	5	11
TOTAL MULTIPLE DX	1006	5.1	42	1	1	3	6	11	17	33
TOTAL										
0-19 YRS	316	3.9	28	1	1	2	4	8	13	31
20-34	731	3.8	19	1	1	2	4	8	12	24
35-49	304	4.3	32	1	1	3	5	9	14	28
50-64	95	5.1	89	1	1	3	5	7	17	61
65 +	67	7.0	71	1	1	4	9	14	18	53
GRAND TOTAL	1513	4.1	31	1	1	2	4	9	13	28

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.2	6	1	1	2	2	3	8	12
20-34	28	1.8	1	< 1	< 1	1	2	4	5	7
35-49	29	1.9	2	1	1	1	2	4	5	9
50-64	17	1.6		< 1	1	1	2	3	3	3
65 +	5	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	26	4.3	35	1	1	3	4	7	18	30
20-34	29	2.3	4	< 1	1	2	3	5	7	9
35-49	19	4.7	61	1	1	3	4	7	23	36
50-64	25	3.2	13	< 1	1	2	3	7	13	15
65 +	19	5.2	30	< 1	1	2	6	13	18	21
TOTAL SINGLE DX	98	1.9	3	1	1	1	2	3	4	11
TOTAL MULTIPLE DX	118	3.8	26	1	1	2	4	7	14	32
TOTAL										
0-19 YRS	45	3.4	24	1	1	2	3	5	13	30
20-34	57	2.1	3	< 1	1	1	2	4	6	9
35-49	48	3.0	27	1	1	2	3	5	7	36
50-64	42	2.5	9	< 1	1	2	3	5	9	15
65 +	24	4.5	26	< 1	1	2	5	12	16	21
GRAND TOTAL	216	2.9	17	1	1	2	3	6	9	24

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	3.6	19	< 1	1	3	4	7	8	19
20-34	113	4.0	22	1	1	3	5	8	14	26
35-49	148	3.5	4	< 1	1	3	5	7	8	10
50-64	144	3.9	4	1	1	4	5	6	7	11
65 +	44	3.7	6	< 1	1	4	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	252	4.7	32	1	1	3	5	8	16	28
20-34	185	5.8	64	1	1	3	6	13	20	47
35-49	184	5.0	27	1	1	4	6	10	14	28
50-64	207	4.8	33	1	1	4	6	8	11	37
65 +	125	8.4	80	1	2	5	9	18	26	48
TOTAL SINGLE DX	653	3.7	13	1	1	3	5	7	8	17
TOTAL MULTIPLE DX	953	5.5	46	1	1	4	6	11	17	36
TOTAL										
0-19 YRS	456	4.2	27	1	1	3	5	7	11	26
20-34	298	5.1	49	1	1	3	5	11	18	37
35-49	332	4.3	18	< 1	1	4	5	8	11	24
50-64	351	4.4	22	1	1	4	5	7	9	20
65 +	169	7.2	65	1	2	5	8	14	24	44
GRAND TOTAL	1606	4.8	33	1	1	3	5	8	13	29

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	1.7		1	1	1	2	3	3	4
20-34	108	1.7		< 1	1	2	2	3	3	5
35-49	164	2.0	1	< 1	1	2	3	4	5	6
50-64	157	1.8		1	1	2	2	3	3	5
65 +	64	1.9	1	< 1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	109	2.0	1	1	1	2	3	3	4	6
20-34	242	2.0	1	1	1	2	3	3	4	5
35-49	427	2.2	2	1	1	2	3	4	4	8
50-64	590	2.2	1	1	1	2	3	4	5	7
65 +	474	2.5	3	1	1	2	3	4	5	10
TOTAL SINGLE DX	564	1.8	1	< 1	1	2	2	3	4	5
TOTAL MULTIPLE DX	1842	2.2	3	1	1	2	3	4	5	7
TOTAL										
0-19 YRS	180	1.9	1	1	1	2	2	3	4	6
20-34	350	1.9	1	1	1	2	2	3	4	5
35-49	591	2.1	2	< 1	1	2	3	4	4	6
50-64	747	2.1	2	1	1	2	3	4	4	6
65 +	538	2.4	4	1	1	2	3	4	5	10
GRAND TOTAL	2406	2.1	2	1	1	2	3	4	4	6

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	648	2.8	13	<1	1	2	3	6	8	17
20-34	748	2.8	8	<1	1	2	3	5	7	17
35-49	604	2.6	7	<1	1	2	3	5	7	13
50-64	362	2.9	12	<1	1	2	3	5	7	13
65 +	190	3.8	14	<1	1	3	5	7	11	15
2. MULTIPLE DX										
0-19 YRS	382	6.7	98	1	1	3	7	17	27	56
20-34	936	6.2	75	1	1	3	7	14	23	52
35-49	882	5.3	66	1	1	3	5	12	20	43
50-64	778	7.0	98	1	1	4	8	17	27	53
65 +	831	9.2	120	1	1	6	12	21	29	59
TOTAL SINGLE DX	2552	2.8	10	<1	1	2	3	6	8	15
TOTAL MULTIPLE DX	3809	6.9	92	1	1	3	8	16	25	55
TOTAL										
0-19 YRS	1030	4.3	49	<1	1	2	4	9	16	38
20-34	1684	4.7	48	1	1	3	5	10	17	39
35-49	1486	4.2	44	1	1	2	4	8	15	37
50-64	1140	5.7	75	1	1	3	6	12	22	44
65 +	1021	8.2	105	1	1	5	10	19	26	57
GRAND TOTAL	**6361**	**5.3**	**63**	**1**	**1**	**3**	**6**	**12**	**19**	**43**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	341	4.1	26	1	1	3	5	8	12	29
20-34	238	3.6	11	1	1	3	4	7	11	16
35-49	147	4.0	10	1	1	3	5	8	11	16
50-64	104	4.6	6	1	1	4	7	8	9	11
65 +	141	6.8	9	2	3	7	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	207	6.5	86	1	1	3	8	17	24	63
20-34	298	5.9	58	1	1	4	7	12	16	42
35-49	181	6.5	35	1	1	5	9	14	18	29
50-64	210	8.7	81	1	2	6	10	19	25	48
65 +	575	10.0	50	3	4	8	12	18	23	40
TOTAL SINGLE DX	971	4.4	17	1	1	3	6	9	11	23
TOTAL MULTIPLE DX	1471	8.0	63	1	2	6	10	16	23	44
TOTAL										
0-19 YRS	548	5.0	50	1	1	3	5	11	20	39
20-34	536	4.9	39	1	1	3	5	11	14	30
35-49	328	5.4	26	1	1	4	7	11	16	27
50-64	314	7.3	60	1	2	6	8	15	21	38
65 +	716	9.3	44	3	4	8	11	16	21	38
GRAND TOTAL	**2442**	**6.6**	**48**	**1**	**1**	**5**	**8**	**13**	**19**	**36**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	286	1.8	4	<1	<1	1	2	3	5	11
20-34	479	1.9	3	<1	<1	1	2	4	5	8
35-49	294	2.1	3	<1	<1	1	2	4	5	10
50-64	184	2.4	8	<1	<1	2	3	4	6	20
65 +	147	2.7	6	<1	1	2	3	6	9	12
2. MULTIPLE DX										
0-19 YRS	204	3.4	34	<1	1	2	3	7	11	37
20-34	351	4.4	40	1	1	3	5	9	16	37
35-49	255	4.6	33	1	1	3	5	10	14	27
50-64	266	4.8	47	1	1	2	5	11	20	40
65 +	354	7.7	83	1	1	4	10	18	26	56
TOTAL SINGLE DX	1390	2.1	5	<1	<1	1	2	4	5	11
TOTAL MULTIPLE DX	1430	5.2	53	1	1	3	6	12	19	42
TOTAL										
0-19 YRS	490	2.5	18	<1	<1	1	2	4	7	23
20-34	830	3.0	21	<1	1	2	3	6	8	24
35-49	549	3.2	19	<1	1	2	4	7	10	24
50-64	450	3.8	33	<1	1	2	4	8	13	28
65 +	501	6.2	66	1	1	3	8	15	22	43
GRAND TOTAL	**2820**	**3.7**	**31**	**<1**	**1**	**2**	**4**	**8**	**13**	**29**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	11.8	94	2	3	8	17	26	31	45
20-34	32	6.1	14	1	2	5	7	11	14	19
35-49	34	6.1	12	2	3	5	7	10	16	17
50-64	46	6.9	8	3	4	6	8	12	13	15
65 +	87	8.0	23	3	4	7	9	12	14	32
2. MULTIPLE DX										
0-19 YRS	100	12.7	66	4	5	10	17	22	29	44
20-34	89	11.2	52	4	5	9	14	19	26	41
35-49	53	11.6	184	3	4	9	12	18	28	81
50-64	84	10.3	25	4	5	10	13	18	19	30
65 +	700	10.9	41	4	5	10	12	17	22	37
TOTAL SINGLE DX	278	8.4	43	2	3	7	10	16	22	34
TOTAL MULTIPLE DX	1026	11.1	51	4	5	9	13	18	23	38
TOTAL										
0-19 YRS	179	12.3	79	3	4	10	18	24	30	45
20-34	121	9.8	48	3	4	8	13	18	23	39
35-49	87	9.5	123	3	3	7	10	16	20	76
50-64	130	9.1	22	4	4	8	11	15	18	26
65 +	787	10.6	40	4	5	9	12	17	21	36
GRAND TOTAL	**1304**	**10.5**	**51**	**4**	**4**	**9**	**12**	**18**	**23**	**37**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	5.8	14	1	2	5	8	11	13	18
20-34	107	7.0	18	1	2	6	9	12	17	22
35-49	135	6.8	14	2	3	7	8	11	13	20
50-64	167	7.5	18	3	4	7	9	12	14	22
65 +	830	9.7	25	5	5	9	11	14	17	29
2. MULTIPLE DX										
0-19 YRS	162	11.0	114	3	3	8	13	19	31	70
20-34	274	13.5	110	4	5	11	17	25	34	53
35-49	248	11.7	91	3	5	9	14	21	29	55
50-64	514	11.8	76	4	5	10	13	20	30	59
65 +	4521	11.7	44	5	6	10	14	18	23	39
TOTAL SINGLE DX	1337	8.7	24	3	4	8	10	14	16	27
TOTAL MULTIPLE DX	5719	11.8	55	5	6	10	14	19	24	43
TOTAL										
0-19 YRS	260	9.1	83	2	2	7	11	16	22	51
20-34	381	11.7	93	3	4	9	14	21	28	47
35-49	383	10.0	69	3	3	8	12	19	24	41
50-64	681	10.8	66	4	5	9	12	19	26	55
65 +	5351	11.4	42	5	6	10	13	18	22	38
GRAND TOTAL	7056	11.2	50	4	5	10	13	18	23	41

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	210	8.2	92	1	1	3	13	23	27	41
20-34	12	13.3	293	1	1	5	22	44	46	46
35-49	9	8.4	77	1	2	5	11	24	25	25
50-64	13	13.0	237	<1	1	4	22	36	49	52
65 +	16	8.9	267	1	1	5	8	11	52	69
2. MULTIPLE DX										
0-19 YRS	137	10.3	83	1	2	7	16	24	30	37
20-34	36	14.8	169	2	4	10	19	42	55	99 +
35-49	19	19.7	500	<1	1	12	33	45	70	90
50-64	21	15.3	184	2	3	8	27	37	39	40
65 +	93	12.2	197	2	3	8	13	25	47	77
TOTAL SINGLE DX	260	8.7	118	1	1	3	12	24	30	50
TOTAL MULTIPLE DX	306	12.4	164	1	2	8	15	28	39	75
TOTAL										
0-19 YRS	347	9.0	90	1	1	4	14	23	28	39
20-34	48	14.4	195	1	2	10	19	43	48	99 +
35-49	28	16.1	386	1	1	9	19	42	49	90
50-64	34	14.4	200	1	2	8	24	37	40	52
65 +	109	11.7	207	1	2	8	11	24	47	76
GRAND TOTAL	566	10.7	146	1	1	6	14	26	35	58

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	298	2.1	6	<1	1	1	2	4	7	17
20-34	150	2.7	4	<1	1	2	4	5	6	12
35-49	129	2.6	4	1	1	2	3	6	7	10
50-64	76	2.4	7	1	1	2	3	4	9	78
65 +	77	2.5	3	<1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	107	4.4	29	1	1	2	5	12	16	62
20-34	121	6.2	57	<1	1	4	7	11	22	44
35-49	90	5.4	32	1	1	3	6	13	19	26
50-64	79	5.1	25	1	1	3	7	13	16	23
65 +	136	6.4	37	1	1	5	8	13	18	31
TOTAL SINGLE DX	730	2.4	6	<1	1	2	3	5	7	14
TOTAL MULTIPLE DX	533	5.6	38	<1	1	3	7	13	19	34
TOTAL										
0-19 YRS	405	2.7	14	1	1	1	3	7	10	19
20-34	271	4.3	31	<1	1	3	5	8	11	33
35-49	219	3.8	18	1	1	2	4	9	12	22
50-64	155	3.8	18	1	1	2	5	9	15	24
65 +	213	5.0	29	1	1	3	7	11	15	25
GRAND TOTAL	1263	3.8	22	1	1	2	4	9	12	24

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1578	2.1	2	1	1	2	3	4	5	8
20-34	2085	2.8	4	1	1	2	4	5	7	11
35-49	1502	3.0	4	1	1	3	4	5	6	11
50-64	953	3.4	4	1	1	3	4	6	7	11
65 +	597	4.1	6	1	2	4	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	795	4.3	32	1	1	3	5	9	12	32
20-34	1673	5.4	36	1	1	4	6	11	16	32
35-49	1211	5.6	45	1	1	4	6	11	16	37
50-64	1065	6.2	35	1	2	4	7	13	18	34
65 +	1340	7.1	44	2	2	6	9	13	18	34
TOTAL SINGLE DX	6715	2.9	4	1	1	2	4	5	7	11
TOTAL MULTIPLE DX	6084	5.8	40	1	1	4	7	11	16	34
TOTAL										
0-19 YRS	2373	2.8	13	1	1	2	3	5	8	18
20-34	3758	3.9	20	1	1	3	4	8	11	23
35-49	2713	4.2	24	1	1	3	5	8	11	25
50-64	2018	4.9	23	1	1	4	6	9	13	25
65 +	1937	6.2	35	1	2	5	7	11	15	29
GRAND TOTAL	12799	4.3	23	1	1	3	5	8	12	24

713: Other reduction of fracture without internal fixation, except maxillo- facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1350	1.8	6	< 1	1	1	2	3	4	14
20-34	351	2.8	7	< 1	1	2	4	6	8	12
35-49	282	2.4	3	< 1	1	2	3	5	6	9
50-64	226	2.6	6	< 1	1	2	3	5	7	12
65 +	187	3.0	7	1	1	2	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	542	4.2	41	1	1	2	4	10	17	34
20-34	394	4.9	37	1	1	3	5	10	15	32
35-49	272	5.9	84	1	1	3	6	13	19	54
50-64	281	6.1	5[illegible]	1	1	4	7	14	19	37
65 +	621	6.3	47	1	1	4	8	12	18	31
TOTAL SINGLE DX	2396	2.2	7	< 1	1	1	2	4	6	12
TOTAL MULTIPLE DX	2110	5.4	51	1	1	3	6	12	17	35
TOTAL										
0-19 YRS	1892	2.5	18	< 1	1	1	2	4	8	23
20-34	745	3.9	25	< 1	1	2	4	8	12	27
35-49	554	4.2	46	1	1	2	4	8	13	31
50-64	507	4.6	39	1	1	3	5	10	15	27
65 +	808	5.5	40	1	1	4	7	11	16	29
GRAND TOTAL	4506	3.7	30	<1	1	2	4	8	12	27

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	3.2	20	< 1	< 1	1	3	9	15	21
20-34	75	2.5	4	< 1	< 1	2	3	5	7	10
35-49	66	2.1	3	< 1	< 1	1	3	3	6	12
50-64	54	3.0	9	< 1	1	2	3	6	10	18
65 +	139	3.8	16	< 1	1	2	5	9	12	17
2. MULTIPLE DX										
0-19 YRS	77	4.6	24	1	1	3	6	13	16	22
20-34	116	5.0	24	1	1	3	7	11	16	23
35-49	80	5.9	84	< 1	1	3	7	12	17	57
50-64	85	5.2	31	1	1	3	6	15	16	31
65 +	282	6.3	38	1	1	4	8	15	19	28
TOTAL SINGLE DX	461	3.1	13	< 1	< 1	2	3	7	11	18
TOTAL MULTIPLE DX	640	5.7	40	1	1	4	7	13	18	30
TOTAL										
0-19 YRS	204	3.7	22	< 1	1	2	4	11	15	21
20-34	191	4.0	18	< 1	1	2	5	9	12	19
35-49	146	4.2	52	< 1	< 1	2	4	9	13	43
50-64	139	4.4	24	< 1	1	3	5	11	15	24
65 +	421	5.5	33	1	1	4	7	13	18	27
GRAND TOTAL	1101	4.6	30	<1	1	3	6	11	16	23

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	2.6	7	1	1	2	3	5	6	17
20-34	132	2.3	6	1	1	2	3	4	4	17
35-49	64	1.9	2	1	1	2	2	4	4	8
50-64	17	3.7	11	< 1	1	2	6	9	11	12
65 +	15	4.1	14	< 1	1	3	6	8	13	14
2. MULTIPLE DX										
0-19 YRS	52	3.8	9	1	1	3	5	7	11	16
20-34	63	4.3	18	< 1	1	3	5	9	13	24
35-49	41	4.9	16	1	1	3	6	11	15	17
50-64	28	3.1	6	1	1	2	4	6	8	13
65 +	49	9.4	123	1	2	8	11	16	23	75
TOTAL SINGLE DX	340	2.5	7	1	1	2	3	4	7	14
TOTAL MULTIPLE DX	233	5.2	41	1	1	3	7	11	14	25
TOTAL										
0-19 YRS	164	3.0	8	1	1	2	4	5	7	16
20-34	195	2.9	11	1	1	2	3	6	9	18
35-49	105	3.1	10	1	1	2	3	8	10	17
50-64	45	3.3	8	< 1	1	2	4	7	10	13
65 +	64	8.2	102	1	1	6	10	14	21	68
GRAND TOTAL	573	3.6	22	1	1	2	4	8	11	20

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	294	3.0	11	< 1	1	2	3	7	11	17
20-34	253	2.5	5	< 1	1	2	3	5	7	10
35-49	165	2.9	11	< 1	1	2	3	6	8	19
50-64	80	3.4	12	< 1	1	2	4	8	10	20
65 +	44	5.2	18	1	1	4	8	12	13	17
2. MULTIPLE DX										
0-19 YRS	297	5.2	34	1	1	3	7	14	18	27
20-34	359	4.6	43	1	1	3	5	10	16	35
35-49	285	6.1	73	1	1	3	7	15	24	46
50-64	284	8.5	112	1	1	5	10	21	31	53
65 +	336	12.3	166	1	2	9	15	26	39	67
TOTAL SINGLE DX	836	3.0	10	< 1	1	2	3	7	10	16
TOTAL MULTIPLE DX	1561	7.3	94	1	1	4	9	18	26	54
TOTAL										
0-19 YRS	591	4.1	24	< 1	1	2	4	11	14	23
20-34	612	3.8	29	1	1	2	4	8	12	29
35-49	450	4.9	53	< 1	1	2	5	12	19	43
50-64	364	7.3	95	1	1	4	9	18	27	48
65 +	380	11.5	154	1	2	8	14	24	36	66
GRAND TOTAL	2397	5.8	69	1	1	3	7	14	21	44

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	3.8	3	1	1	4	5	6	7	9
20-34	2428	4.7	7	2	2	4	6	8	10	15
35-49	3947	4.8	8	2	2	4	6	8	10	15
50-64	1567	5.0	7	2	2	4	6	8	10	15
65 +	456	6.6	13	2	3	6	8	11	14	18
2. MULTIPLE DX										
0-19 YRS	35	8.5	75	1	2	6	10	17	21	47
20-34	989	6.5	23	2	3	5	7	11	16	26
35-49	2180	6.2	19	2	3	5	7	11	14	23
50-64	1733	7.0	28	2	3	6	8	12	15	29
65 +	1208	8.9	35	3	4	7	11	16	20	32
TOTAL SINGLE DX	8477	4.9	8	2	2	4	6	8	10	15
TOTAL MULTIPLE DX	6145	7.0	27	2	3	6	8	12	16	27
TOTAL										
0-19 YRS	114	5.3	29	1	2	4	6	8	16	30
20-34	3417	5.2	13	2	2	4	6	9	11	20
35-49	6127	5.3	12	2	2	4	6	9	12	18
50-64	3300	6.0	20	2	2	5	7	10	13	22
65 +	1664	8.3	31	3	3	7	10	15	18	30
GRAND TOTAL	**14622**	**5.8**	**17**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	1.3		< 1	< 1	1	1	2	3	5
20-34	183	1.6	1	< 1	< 1	1	2	3	4	6
35-49	143	1.5	1	< 1	< 1	1	1	3	4	6
50-64	78	1.7	1	< 1	< 1	1	2	4	5	7
65 +	38	1.7	2	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	179	2.6	3	< 1	1	2	3	4	5	8
20-34	490	2.6	5	< 1	1	2	3	4	5	8
35-49	358	2.2	2	< 1	< 1	2	3	4	5	10
50-64	303	2.2	7	< 1	< 1	1	2	4	6	11
65 +	247	2.2	5	< 1	1	1	3	4	7	13
TOTAL SINGLE DX	497	1.6	1	< 1	< 1	1	2	3	4	6
TOTAL MULTIPLE DX	1577	2.4	5	< 1	< 1	2	3	4	5	10
TOTAL										
0-19 YRS	234	2.3	3	< 1	< 1	2	3	4	5	7
20-34	673	2.4	5	< 1	< 1	2	3	4	5	7
35-49	501	2.0	3	< 1	< 1	1	3	4	5	7
50-64	381	2.1	6	< 1	< 1	1	2	4	5	11
65 +	285	2.2	5	< 1	< 1	1	3	4	6	12
GRAND TOTAL	**2074**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**8**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	272	2.0	7	< 1	< 1	1	2	4	5	14
20-34	480	1.8	2	< 1	< 1	1	2	3	5	10
35-49	319	1.8	2	< 1	< 1	1	2	3	5	9
50-64	160	2.2	6	< 1	< 1	1	2	4	6	14
65 +	76	2.3	5	< 1	< 1	1	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	268	3.5	43	< 1	< 1	1	3	7	16	32
20-34	625	3.1	16	< 1	< 1	2	3	6	11	21
35-49	535	3.3	27	< 1	< 1	2	3	7	12	25
50-64	406	4.9	67	< 1	< 1	2	5	11	21	45
65 +	378	6.1	74	< 1	1	3	7	16	24	37
TOTAL SINGLE DX	1307	1.9	4	< 1	< 1	1	2	4	5	12
TOTAL MULTIPLE DX	2212	4.0	43	< 1	< 1	2	4	9	16	35
TOTAL										
0-19 YRS	540	2.7	26	< 1	< 1	1	3	5	9	25
20-34	1105	2.5	11	< 1	< 1	1	3	5	8	16
35-49	854	2.8	19	< 1	< 1	1	3	6	9	21
50-64	566	4.1	52	< 1	< 1	2	4	9	16	42
65 +	454	5.4	65	< 1	< 1	2	6	14	23	35
GRAND TOTAL	**3519**	**3.2**	**30**	**<1**	**<1**	**1**	**3**	**7**	**12**	**29**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	7.7	9	3	4	7	9	11	14	17
20-34	204	6.9	11	3	3	6	8	10	13	20
35-49	289	6.2	13	1	2	6	8	10	12	22
50-64	130	6.4	15	2	2	6	8	11	15	21
65 +	38	6.5	16	3	3	6	8	10	11	26
2. MULTIPLE DX										
0-19 YRS	170	11.7	97	4	4	9	14	21	30	50
20-34	299	11.7	137	3	4	8	13	20	33	72
35-49	490	9.4	61	3	3	8	11	17	22	48
50-64	345	10.3	81	3	4	8	11	18	24	52
65 +	190	12.5	99	3	4	10	15	24	37	60
TOTAL SINGLE DX	813	6.7	13	2	3	6	8	10	13	21
TOTAL MULTIPLE DX	1494	10.7	91	3	4	8	12	19	27	56
TOTAL										
0-19 YRS	322	9.8	59	3	4	8	11	16	22	43
20-34	503	9.7	92	3	4	7	10	16	24	63
35-49	779	8.2	46	2	3	7	9	14	19	39
50-64	475	9.2	66	3	3	7	11	16	21	50
65 +	228	11.5	90	3	3	9	14	22	31	56
GRAND TOTAL	**2307**	**9.3**	**67**	**3**	**3**	**7**	**10**	**16**	**22**	**49**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	2.3	1	1	1	2	3	4	5	5
20-34	163	2.8	3	< 1	1	3	4	5	7	8
35-49	181	3.1	3	1	1	3	4	5	6	11
50-64	168	2.7	3	< 1	1	2	4	5	6	10
65 +	87	2.6	4	< 1	< 1	2	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	83	3.5	13	1	1	3	4	6	8	25
20-34	174	3.3	4	1	1	3	4	6	7	11
35-49	207	4.1	26	1	1	3	5	7	9	35
50-64	295	4.0	22	1	1	3	5	7	10	20
65 +	205	4.2	11	1	1	3	5	8	10	18
TOTAL SINGLE DX	614	2.8	3	< 1	1	2	4	5	6	9
TOTAL MULTIPLE DX	964	3.9	17	1	1	3	5	7	9	19
TOTAL										
0-19 YRS	118	3.1	10	1	1	3	4	5	7	22
20-34	337	3.1	4	1	1	3	4	6	7	10
35-49	368	3.7	17	1	1	3	4	6	8	19
50-64	463	3.5	16	1	1	3	4	6	8	19
65 +	292	3.7	10	1	1	3	5	7	9	16
GRAND TOTAL	1578	3.5	12	1	1	3	4	6	8	16

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	8.0	20	3	3	9	10	15	16	16
20-34	66	7.6	11	3	4	7	9	11	13	20
35-49	177	7.4	6	3	4	7	9	11	12	16
50-64	568	8.4	7	5	6	8	9	11	13	18
65 +	1198	9.3	8	5	6	9	11	13	14	20
2. MULTIPLE DX										
0-19 YRS	7	8.6	93	1	1	5	10	25	29	29
20-34	143	9.4	22	3	5	9	10	14	18	31
35-49	353	9.2	17	5	5	8	11	13	17	29
50-64	1091	9.9	19	5	6	9	11	14	17	27
65 +	3777	11.4	36	6	7	10	13	16	21	35
TOTAL SINGLE DX	2016	8.8	9	5	6	8	10	12	14	19
TOTAL MULTIPLE DX	5371	10.9	32	6	6	10	12	16	20	33
TOTAL										
0-19 YRS	14	8.3	53	1	2	7	10	17	26	29
20-34	209	8.8	20	3	5	8	10	13	16	29
35-49	530	8.6	14	4	5	8	10	12	15	25
50-64	1659	9.4	16	5	6	9	10	13	16	25
65 +	4975	10.9	30	6	7	10	12	16	19	32
GRAND TOTAL	7387	10.3	26	5	6	9	12	15	18	30

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	5.3	22	< 1	< 1	5	7	12	16	16
20-34	16	7.1	7	1	3	8	9	10	11	11
35-49	19	8.4	29	2	4	6	9	17	22	24
50-64	68	9.3	12	5	6	9	11	12	15	25
65 +	460	10.0	11	5	6	10	12	14	16	20
2. MULTIPLE DX										
0-19 YRS	12	8.2	29	4	4	6	10	17	20	21
20-34	17	9.6	8	5	5	9	12	14	15	15
35-49	39	10.5	16	5	6	10	12	17	18	23
50-64	219	12.3	68	5	6	10	14	21	26	50
65 +	2528	11.8	45	6	6	10	13	18	24	38
TOTAL SINGLE DX	573	9.7	13	5	6	9	12	14	16	20
TOTAL MULTIPLE DX	2815	11.8	47	5	6	10	13	18	24	40
TOTAL										
0-19 YRS	22	6.9	27	< 1	1	5	9	16	18	21
20-34	33	8.4	10	3	4	9	10	12	14	15
35-49	58	9.8	21	4	5	9	12	17	19	24
50-64	287	11.6	56	5	6	10	13	18	23	43
65 +	2988	11.5	41	6	6	10	13	18	23	37
GRAND TOTAL	3388	11.4	42	5	6	10	13	17	23	37

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	582	2.8	2	1	1	3	3	4	5	7
20-34	1037	3.0	2	1	1	3	4	4	5	8
35-49	351	3.9	6	1	1	3	5	7	9	13
50-64	528	7.9	10	3	4	8	10	12	14	17
65 +	1250	9.0	10	5	6	9	11	13	14	17
2. MULTIPLE DX										
0-19 YRS	596	3.5	6	1	2	3	4	5	6	11
20-34	1429	3.6	6	1	2	3	4	6	7	13
35-49	708	4.5	20	1	2	3	5	8	10	21
50-64	953	9.0	35	3	4	9	11	13	16	24
65 +	3288	10.4	24	5	6	10	12	15	18	28
TOTAL SINGLE DX	3748	5.7	14	1	2	5	8	11	13	16
TOTAL MULTIPLE DX	6974	7.6	30	2	2	7	10	13	16	24
TOTAL										
0-19 YRS	1178	3.1	5	1	1	3	4	5	5	10
20-34	2466	3.4	5	1	2	3	4	5	6	12
35-49	1059	4.3	16	1	2	3	5	8	10	17
50-64	1481	8.6	27	3	4	8	10	13	15	21
65 +	4538	10.0	21	5	6	9	12	14	17	25
GRAND TOTAL	10722	7.0	25	2	2	6	10	12	15	22

725: Repair of other joint (81.3; 81.48-31.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	520	1.8		1	1	2	2	3	3	5
20-34	1101	2.0	1	1	1	2	3	3	4	5
35-49	610	2.1	2	1	1	2	3	4	4	6
50-64	475	2.2	2	1	1	2	3	4	5	7
65 +	270	3.6	7	1	1	3	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	150	2.5	9	1	1	2	3	4	6	14
20-34	488	2.5	3	1	1	2	3	4	5	10
35-49	520	2.5	5	1	1	2	3	4	6	12
50-64	635	2.9	6	1	1	2	3	6	8	14
65 +	604	4.4	15	1	1	3	6	8	11	20
TOTAL SINGLE DX	2976	2.2	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	2397	3.1	9	1	1	2	4	6	8	15
TOTAL										
0-19 YRS	670	2.0	3	1	1	2	2	3	4	7
20-34	1589	2.1	2	1	1	2	3	4	4	7
35-49	1130	2.3	4	1	1	2	3	4	5	8
50-64	1110	2.6	5	1	1	2	3	5	7	12
65 +	874	4.1	13	1	1	3	5	8	11	18
GRAND TOTAL	5373	2.6	5	1	1	2	3	5	6	12

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	151	2.6	8	<1	<1	2	3	6	7	16
20-34	116	3.1	8	<1	1	2	4	7	10	14
35-49	117	2.5	3	<1	<1	2	4	5	6	8
50-64	62	2.5	4	<1	<1	2	3	5	6	11
65 +	40	3.1	8	<1	<1	2	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	217	4.6	50	1	1	3	5	9	13	35
20-34	239	6.2	68	1	1	4	7	14	18	38
35-49	180	6.4	68	1	1	4	8	14	22	40
50-64	137	6.1	28	1	1	5	8	13	16	30
65 +	180	8.7	96	1	1	6	11	19	27	37
TOTAL SINGLE DX	486	2.7	7	<1	<1	2	3	5	7	13
TOTAL MULTIPLE DX	953	6.3	66	1	1	4	8	13	21	35
TOTAL										
0-19 YRS	368	3.8	34	<1	1	2	4	7	10	25
20-34	355	5.2	51	1	1	3	6	11	15	30
35-49	297	4.8	46	<1	1	3	5	11	16	37
50-64	199	4.9	24	<1	1	3	7	11	14	25
65 +	220	7.7	85	<1	1	5	10	16	26	35
GRAND TOTAL	1439	5.1	49	<1	1	3	6	11	16	33

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.4		<1	<1	1	1	2	3	6
20-34	110	1.8	9	<1	<1	1	2	3	5	16
35-49	115	1.9	4	<1	<1	1	2	3	7	12
50-64	94	1.6	1	<1	<1	1	2	3	4	8
65 +	57	2.5	4	<1	<1	2	3	4	7	11
2. MULTIPLE DX										
0-19 YRS	30	6.9	98	<1	<1	2	10	20	31	42
20-34	84	3.7	15	<1	1	2	5	8	13	19
35-49	87	6.3	144	<1	1	2	7	16	25	75
50-64	127	5.8	51	1	1	3	8	12	16	42
65 +	192	7.7	101	1	1	5	9	16	26	51
TOTAL SINGLE DX	475	1.8	4	<1	<1	1	2	3	4	9
TOTAL MULTIPLE DX	520	6.3	84	<1	1	3	8	14	21	43
TOTAL										
0-19 YRS	129	2.7	29	<1	<1	1	2	5	10	33
20-34	194	2.6	13	<1	<1	1	3	5	8	19
35-49	202	3.8	69	<1	<1	1	3	8	15	37
50-64	221	4.0	34	<1	<1	2	4	9	12	35
65 +	249	6.5	84	<1	1	4	8	14	22	46
GRAND TOTAL	995	4.1	51	<1	<1	2	4	10	15	34

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.5	3	<1	<1	2	4	5	5	5
20-34	15	1.9	1	<1	<1	2	2	3	5	5
35-49	37	1.6	7	<1	<1	1	1	2	3	18
50-64	102	1.2		<1	<1	1	1	2	2	6
65 +	76	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	9	3.7	12	1	1	3	5	9	12	12
20-34	24	3.2	4	<1	1	2	5	7	7	7
35-49	34	3.1	11	<1	1	2	4	7	9	17
50-64	67	2.4	9	<1	1	1	2	7	12	14
65 +	75	1.8	6	1	1	1	2	3	4	17
TOTAL SINGLE DX	234	1.3	2	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	209	2.4	8	<1	1	1	2	6	7	15
TOTAL										
0-19 YRS	13	3.3	9	<1	<1	3	5	7	11	12
20-34	39	2.7	4	<1	<1	2	3	6	7	7
35-49	71	2.3	10	<1	<1	1	2	6	7	18
50-64	169	1.7	4	<1	<1	1	1	2	6	13
65 +	151	1.5	3	<1	<1	1	1	2	3	7
GRAND TOTAL	443	1.9	5	<1	<1	1	2	3	6	13

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	1.5		< 1	< 1	1	2	3	3	5
20-34	207	1.4		< 1	< 1	1	2	2	3	5
35-49	79	1.3		< 1	< 1	1	1	2	3	4
50-64	49	1.4	1	< 1	< 1	1	1	3	3	6
65 +	11	1.7	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	155	1.8	1	< 1	< 1	1	2	4	5	7
20-34	337	2.4	10	1	1	2	3	4	6	17
35-49	146	2.3	3	< 1	1	2	3	4	6	10
50-64	69	2.5	5	1	1	2	3	5	8	13
65 +	46	2.4	3	< 1	1	2	3	5	6	10
TOTAL SINGLE DX	452	1.4	1	< 1	< 1	1	2	3	3	5
TOTAL MULTIPLE DX	753	2.3	6	< 1	1	2	2	4	6	13
TOTAL										
0-19 YRS	261	1.7	1	< 1	< 1	1	2	3	4	7
20-34	544	2.1	7	< 1	1	1	2	4	5	14
35-49	225	1.9	3	< 1	< 1	1	2	4	5	10
50-64	118	2.1	4	< 1	1	1	2	4	6	12
65 +	57	2.2	3	< 1	1	2	3	4	6	10
GRAND TOTAL	1205	2.0	4	<1	<1	1	2	4	5	11

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.2	7	< 1	< 1	1	2	4	6	16
20-34	321	2.1	3	< 1	1	2	3	3	4	9
35-49	477	2.1	2	1	1	2	3	4	4	7
50-64	530	2.5	1	1	1	2	3	4	5	7
65 +	256	2.8	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	83	3.7	53	1	1	2	4	6	11	48
20-34	178	3.6	29	1	1	2	4	6	10	33
35-49	353	3.3	13	1	1	2	4	6	10	19
50-64	509	3.6	25	1	1	3	4	7	8	18
65 +	424	4.0	16	1	1	3	4	7	10	18
TOTAL SINGLE DX	1686	2.3	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1547	3.6	22	1	1	3	4	7	9	20
TOTAL										
0-19 YRS	185	2.9	28	< 1	1	1	3	5	8	34
20-34	499	2.6	13	1	1	2	3	4	6	19
35-49	830	2.7	8	1	1	2	3	5	6	15
50-64	1039	3.0	14	1	1	2	3	5	7	12
65 +	680	3.5	12	1	1	3	4	6	8	16
GRAND TOTAL	3233	3.0	13	1	1	2	3	5	7	16

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCE[illegible]ES						
				5TH (5)	10TH (6)	50TH (7)	75T[illegible] (8)	[illegible]0TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	252	1.8	1	< 1	1	1	2	3	4	6
20-34	222	2.2	[illegible]	< 1	1	2	3	4	4	7
35-49	252	2.1	2	1	1	2	3	4	5	7
50-64	99	2.2	2	< 1	1	2	3	4	6	9
65 +	34	3.8	7	1	2	3	4	8	11	12
2. MULTIPLE DX										
0-19 YRS	326	2.6	20	< 1	1	2	3	4	5	27
20-34	173	4.5	66	1	1	3	4	7	12	58
35-49	152	5.3	80	1	1	3	5	10	17	59
50-64	115	5.5	115	1	1	3	4	8	16	66
65 +	126	6.6	68	1	2	4	7	13	24	66
TOTAL SINGLE DX	859	2.1	2	1	1	2	3	4	4	8
TOTAL MULTIPLE DX	892	4.4	60	1	1	3	4	8	14	58
TOTAL										
0-19 YRS	578	2.3	12	< 1	1	2	3	4	4	16
20-34	395	3.2	32	1	1	2	3	5	7	26
35-49	404	3.3	34	1	1	2	3	5	9	36
50-64	214	4.0	66	1	1	2	4	7	11	60
65 +	160	6.0	56	1	2	4	6	11	19	55
GRAND TOTAL	1751	3.3	33	1	1	2	3	5	8	30

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	1.3	1	< 1	< 1	1	1	2	4	6
20-34	64	2.1	3	< 1	< 1	1	2	4	5	11
35-49	38	1.5	1	< 1	< 1	1	2	3	3	7
50-64	27	1.8	2	< 1	< 1	1	2	3	7	7
65 +	16	1.8	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	30	3.1	6	< 1	< 1	2	5	7	9	10
20-34	75	3.1	10	< 1	1	2	4	8	11	14
35-49	79	3.4	13	1	1	2	4	8	13	17
50-64	59	4.8	158	< 1	< 1	2	4	10	15	88
65 +	60	7.8	111	1	1	3	10	25	29	52
TOTAL SINGLE DX	178	1.7	2	< 1	< 1	1	2	3	5	9
TOTAL MULTIPLE DX	303	4.4	62	< 1	1	2	4	11	15	34
TOTAL										
0-19 YRS	63	2.2	4	< 1	< 1	1	2	5	7	10
20-34	139	2.6	7	< 1	1	2	3	6	10	13
35-49	117	2.8	10	< 1	1	1	3	7	10	16
50-64	86	3.9	111	< 1	< 1	1	3	7	12	68
65 +	76	6.5	94	1	1	2	7	16	29	50
GRAND TOTAL	481	3.4	42	<1	1	2	3	8	11	29

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	4	4.0	2	2	2	4	5	6	6	6
35-49	4	8.3	11	6	6	7	10	13	13	13
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	2	13.5	25	10	10	13	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	15	10.5	79	1	1	8	15	19	30	34
35-49	15	11.4	167	1	1	6	17	39	40	40
50-64	6	13.8	255	4	4	6	17	42	45	45
65 +	11	21.6	667	4	6	13	25	57	92	95
TOTAL SINGLE DX	15	6.1	19	1	2	4	8	13	16	17
TOTAL MULTIPLE DX	50	13.1	259	1	1	8	16	33	40	95
TOTAL										
0-19 YRS	5	3.2	2	1	1	4	4	4	4	4
20-34	19	9.1	69	1	1	6	13	19	27	34
35-49	19	10.7	134	1	1	6	15	31	40	40
50-64	9	10.0	194	1	1	5	9	34	45	45
65 +	13	20.4	567	4	6	13	20	45	85	95
GRAND TOTAL	**65**	**11.5**	**211**	**1**	**1**	**6**	**15**	**28**	**39**	**87**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.4		< 1	< 1	1	2	3	3	3
20-34	12	3.3	25	< 1	< 1	2	3	9	18	19
35-49	16	3.8	4	< 1	1	4	6	7	7	7
50-64	13	3.7	13	< 1	1	3	4	11	13	13
65 +	28	4.6	25	< 1	< 1	2	7	13	16	18
2. MULTIPLE DX										
0-19 YRS	18	4.9	22	1	1	4	7	17	64	99 +
20-34	58	9.8	134	2	2	6	13	22	30	72
35-49	135	10.6	59	1	2	8	16	22	27	30
50-64	288	12.9	143	2	2	10	16	26	30	68
65 +	487	11.2	97	1	2	9	15	23	30	49
TOTAL SINGLE DX	81	3.6	16	< 1	< 1	2	4	9	14	19
TOTAL MULTIPLE DX	986	11.4	107	1	2	9	15	23	29	51
TOTAL										
0-19 YRS	30	3.5	16	1	1	3	4	9	20	99 +
20-34	70	8.7	122	1	1	5	12	20	30	66
35-49	151	9.9	58	1	2	8	15	22	25	29
50-64	301	12.5	141	1	2	10	16	25	30	65
65 +	515	10.9	95	1	2	8	15	22	30	47
GRAND TOTAL	**1067**	**10.8**	**105**	**1**	**2**	**8**	**15**	**22**	**29**	**51**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	29.0	1352	3	3	29	55	55	55	55
35-49	6	6.8	12	3	3	6	8	12	13	13
50-64	8	12.8	284	4	4	6	10	41	54	54
65 +	10	8.7	7	6	6	8	11	12	13	13
2. MULTIPLE DX										
0-19 YRS	6	14.2	101	2	2	12	25	27	27	27
20-34	38	13.2	116	3	3	10	19	29	38	49
35-49	67	18.3	306	4	5	12	21	39	51	96
50-64	197	17.3	145	5	6	14	21	34	42	70
65 +	579	16.7	164	5	6	13	21	32	43	66
TOTAL SINGLE DX	27	11.0	166	3	4	7	11	13	54	55
TOTAL MULTIPLE DX	887	16.8	169	5	6	13	21	33	43	70
TOTAL										
0-19 YRS	7	13.3	90	2	3	11	22	27	27	27
20-34	40	14.0	158	3	3	10	19	31	45	55
35-49	73	17.3	292	3	5	11	20	37	50	95
50-64	205	17.1	151	5	6	14	21	34	44	69
65 +	589	16.6	163	5	6	13	20	32	43	66
GRAND TOTAL	**914**	**16.6**	**170**	**4**	**6**	**13**	**21**	**33**	**43**	**69**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	8.3	6	5	5	8	10	12	12	12
20-34	3	6.3	16	2	2	7	9	10	10	10
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	4	7.0	16	4	4	5	9	13	13	13
65 +	12	9.8	30	4	5	8	12	17	23	24
2. MULTIPLE DX										
0-19 YRS	5	15.0	184	2	2	12	19	38	38	38
20-34	7	22.6	187	5	8	20	41	83	99 +	99 +
35-49	20	24.4	624	2	4	15	31	65	81	90
50-64	88	19.2	206	3	6	15	27	37	48	69
65 +	471	14.6	133	4	5	11	18	28	39	70
TOTAL SINGLE DX	28	8.1	21	2	4	7	10	14	15	24
TOTAL MULTIPLE DX	591	15.7	166	3	5	11	20	33	44	74
TOTAL										
0-19 YRS	12	11.1	82	2	4	9	12	20	35	38
20-34	10	17.7	190	2	4	16	34	66	97	99 +
35-49	22	22.4	607	1	3	13	23	62	80	90
50-64	92	18.7	204	3	5	15	26	37	48	69
65 +	483	14.5	131	4	5	11	18	28	39	70
GRAND TOTAL	**619**	**15.4**	**161**	**3**	**5**	**11**	**19**	**32**	**43**	**73**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.9	27	1	1	3	6	14	17	17
20-34	5	17.6	341	2	2	9	36	40	40	40
35-49	4	10.8	99	3	3	7	17	25	25	25
50-64	4	6.0	8	3	3	5	8	10	10	10
65 +	2	10.0	72	4	4	10	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	7	6.7	74	2	2	4	5	22	26	26
20-34	17	12.5	91	2	5	10	18	22	35	41
35-49	34	15.6	103	3	5	13	24	29	36	38
50-64	90	16.1	195	3	4	11	21	33	41	78
65 +	155	17.1	182	3	4	14	20	34	42	76
TOTAL SINGLE DX	23	9.3	114	1	2	5	10	27	37	40
TOTAL MULTIPLE DX	303	16.1	171	3	4	13	20	32	41	72
TOTAL										
0-19 YRS	15	5.7	46	1	2	3	6	17	24	26
20-34	22	13.7	139	1	2	10	18	36	40	41
35-49	38	15.1	102	3	4	12	24	28	35	38
50-64	94	15.7	191	3	4	11	20	33	41	76
65 +	157	17.0	181	3	4	14	19	33	42	76
GRAND TOTAL	**326**	**15.6**	**170**	**2**	**4**	**12**	**20**	**32**	**41**	**71**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.4	7	1	1	4	7	8	9	10
20-34	16	5.1	8	2	2	5	6	9	12	13
35-49	11	4.6	8	< 1	< 1	5	7	8	9	9
50-64	0									
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	8	4.3	4	1	2	4	6	7	7	7
20-34	23	7.4	30	2	3	6	8	11	19	30
35-49	10	6.7	31	2	2	4	9	16	19	19
50-64	5	8.0	73	3	3	4	11	23	23	23
65 +	4	3.3	3	2	2	3	4	6	6	6
TOTAL SINGLE DX	44	4.6	8	< 1	1	4	6	8	9	13
TOTAL MULTIPLE DX	50	6.5	29	2	2	5	7	11	19	30
TOTAL										
0-19 YRS	23	4.3	6	1	1	4	6	7	9	10
20-34	39	6.5	22	2	2	6	7	10	13	30
35-49	21	5.6	20	< 1	1	5	7	11	16	19
50-64	5	8.0	73	3	3	4	11	23	23	23
65 +	6	2.7	3	1	1	2	3	6	6	6
GRAND TOTAL	**94**	**5.6**	**20**	**1**	**2**	**5**	**7**	**9**	**13**	**27**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.4		1	1	1	2	2	2	2
20-34	18	2.9	12	< 1	1	2	3	5	12	16
35-49	11	3.2	4	< 1	< 1	3	5	6	8	8
50-64	6	2.3	3	< 1	< 1	2	4	5	5	5
65 +	9	3.4	5	1	1	3	4	7	9	9
2. MULTIPLE DX										
0-19 YRS	12	2.4	3	< 1	< 1	2	3	6	7	7
20-34	23	4.0	9	< 1	1	3	5	8	12	12
35-49	35	8.9	108	1	1	6	9	20	36	45
50-64	54	9.6	127	1	2	7	12	16	31	61
65 +	131	8.4	46	1	2	7	11	16	24	33
TOTAL SINGLE DX	52	2.8	7	< 1	1	2	3	5	8	16
TOTAL MULTIPLE DX	255	8.0	70	1	1	6	10	16	25	45
TOTAL										
0-19 YRS	20	2.0	3	< 1	< 1	1	3	4	6	7
20-34	41	3.5	11	< 1	1	2	4	7	12	16
35-49	46	7.5	89	1	1	4	8	19	32	45
50-64	60	8.9	119	1	1	6	10	15	29	60
65 +	140	8.1	46	1	2	6	11	16	23	33
GRAND TOTAL	**307**	**7.1**	**63**	**1**	**1**	**5**	**9**	**15**	**22**	**41**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3	7.0	27	1	1	10	10	10	10	10
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	4	3.8	6	< 1	< 1	3	5	7	7	7
65 +	6	9.0	52	3	3	6	10	22	23	23
TOTAL SINGLE DX	4	2.0	1	1	1	2	3	3	3	3
TOTAL MULTIPLE DX	18	5.6	29	< 1	1	4	7	10	18	23
TOTAL										
0-19 YRS	3	7.0	27	1	1	10	10	10	10	10
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	5	3.6	5	< 1	< 1	3	5	7	7	7
65 +	7	8.0	51	2	2	6	9	20	23	23
GRAND TOTAL	**22**	**4.9**	**26**	**<1**	**1**	**3**	**7**	**10**	**15**	**23**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.1		<1	<1	<1	1	1	2	2
20-34	84	1.4		<1	<1	<1	1	2	3	4
35-49	347	1.5		<1	<1	1	2	3	3	5
50-64	345	1.7	1	<1	<1	1	2	3	4	5
65 +	259	1.8	1	<1	<1	1	2	4	4	6
2. MULTIPLE DX										
0-19 YRS	8	5.9	69	<1	<1	2	8	20	25	25
20-34	71	2.8	12	<1	<1	1	3	5	13	19
35-49	341	2.6	8	<1	<1	1	3	5	9	15
50-64	436	3.1	14	<1	<1	2	3	6	10	21
65 +	554	4.2	28	<1	<1	2	5	10	14	23
TOTAL SINGLE DX	1050	1.6	1	<1	<1	1	2	3	4	5
TOTAL MULTIPLE DX	1410	3.4	19	<1	<1	2	4	8	12	21
TOTAL										
0-19 YRS	23	2.7	28	<1	<1	1	1	7	15	25
20-34	155	2.0	6	<1	<1	1	2	3	5	14
35-49	688	2.0	5	<1	<1	1	2	4	5	14
50-64	781	2.5	9	<1	<1	1	3	5	7	19
65 +	813	3.4	21	<1	<1	2	4	8	12	22
GRAND TOTAL	2460	2.6	12	<1	<1	1	3	5	9	19

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	13	2.4	1	<1	1	2	3	4	5	5
35-49	106	3.1	1	1	2	3	4	5	5	7
50-64	108	3.2	3	1	1	3	4	5	6	11
65 +	105	3.5	4	1	2	3	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	0									
20-34	21	2.8	1	<1	1	3	3	5	6	6
35-49	156	3.5	4	1	2	3	4	5	7	14
50-64	185	3.6	6	1	2	3	4	6	8	16
65 +	284	4.4	13	1	2	4	5	8	10	17
TOTAL SINGLE DX	334	3.2	3	1	1	3	4	5	6	9
TOTAL MULTIPLE DX	646	3.9	9	1	2	3	5	7	9	17
TOTAL										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	34	2.6	2	<1	1	3	3	5	5	6
35-49	262	3.4	3	1	2	3	4	5	6	12
50-64	293	3.4	5	1	2	3	4	6	8	13
65 +	389	4.2	11	1	2	3	5	7	9	17
GRAND TOTAL	980	3.7	7	1	2	3	4	6	8	15

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.3	18	1	1	3	7	10	10	10
20-34	63	3.0	1	1	1	3	4	5	5	7
35-49	489	3.3	1	1	2	3	4	5	6	8
50-64	772	3.4	2	2	2	3	4	5	6	8
65 +	946	3.6	2	2	2	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	6	2.5	1	<1	<1	2	3	4	4	4
20-34	78	3.7	6	1	1	3	4	7	9	15
35-49	644	3.7	3	2	2	3	4	6	7	12
50-64	1263	3.9	6	2	2	3	5	6	7	14
65 +	2124	4.6	9	2	2	4	5	8	9	17
TOTAL SINGLE DX	2274	3.5	2	2	2	3	4	5	6	9
TOTAL MULTIPLE DX	4115	4.2	8	2	2	4	5	7	9	15
TOTAL										
0-19 YRS	10	3.2	8	<1	<1	2	4	7	10	10
20-34	141	3.4	5	1	1	3	4	5	7	14
35-49	1133	3.5	3	2	2	3	4	5	7	9
50-64	2035	3.7	5	2	2	3	4	6	7	11
65 +	3070	4.3	7	2	2	4	5	7	8	14
GRAND TOTAL	6389	4.0	6	2	2	3	5	6	8	12

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	199	1.9		<1	1	2	2	3	3	5
20-34	452	2.1	1	1	1	2	3	3	4	5
35-49	396	2.4	1	1	1	2	3	4	5	7
50-64	249	2.4	1	1	1	2	3	4	5	7
65 +	66	2.6	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	68	2.1	1	1	1	2	3	3	4	8
20-34	365	2.8	16	1	1	2	3	4	5	19
35-49	826	2.6	3	1	1	2	3	5	5	10
50-64	639	2.6	3	1	1	2	3	4	5	9
65 +	229	3.0	4	1	1	2	4	5	7	12
TOTAL SINGLE DX	1362	2.2	1	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	2127	2.7	6	1	1	2	3	5	6	10
TOTAL										
0-19 YRS	267	2.0	1	1	1	2	2	3	4	5
20-34	817	2.4	8	1	1	2	3	4	4	7
35-49	1222	2.5	3	1	1	2	3	4	5	8
50-64	888	2.5	3	1	1	2	3	4	5	9
65 +	295	2.9	4	1	1	2	4	5	6	12
GRAND TOTAL	3489	2.5	4	1	1	2	3	4	5	9

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	1.7	2	<1	<1	1	2	3	4	8
20-34	247	1.7	1	<1	1	1	2	3	4	6
35-49	54	1.8	3	<1	1	1	2	3	4	13
50-64	6	2.8	16	<1	<1	1	2	10	11	11
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	29	2.2	1	<1	1	2	3	5	5	5
20-34	63	2.1	2	<1	1	2	2	4	5	9
35-49	28	3.5	77	<1	1	2	2	4	10	48
50-64	10	6.5	82	2	2	4	5	19	32	32
65 +	6	7.0	67	1	1	3	13	20	21	21
TOTAL SINGLE DX	424	1.7	2	<1	1	1	2	3	4	9
TOTAL MULTIPLE DX	136	3.0	27	1	1	2	3	5	6	34
TOTAL										
0-19 YRS	144	1.8	2	<1	1	1	2	4	4	6
20-34	310	1.8	2	<1	1	1	2	3	4	8
35-49	82	2.4	29	<1	1	1	2	3	5	37
50-64	16	5.1	58	<1	1	3	5	10	26	32
65 +	8	5.5	56	1	1	2	8	19	21	21
GRAND TOTAL	560	2.0	8	<1	1	1	2	3	4	13

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	213	1.7	4	<1	<1	1	1	3	5	13
20-34	155	1.9	5	<1	<1	1	2	3	5	12
35-49	156	2.2	5	<1	<1	1	2	4	6	8
50-64	127	2.7	11	<1	<1	1	3	7	9	17
65 +	105	2.8	18	<1	<1	1	2	7	12	23
2. MULTIPLE DX										
0-19 YRS	166	5.1	70	<1	1	2	5	15	25	50
20-34	236	8.7	138	1	1	4	11	20	31	60
35-49	300	7.8	115	1	1	4	8	19	30	56
50-64	320	7.6	101	1	1	5	10	17	24	45
65 +	600	8.5	88	1	1	6	11	19	26	61
TOTAL SINGLE DX	756	2.2	8	<1	<1	1	2	4	8	15
TOTAL MULTIPLE DX	1622	7.9	103	1	1	4	10	18	27	57
TOTAL										
0-19 YRS	379	3.2	36	<1	<1	1	2	7	14	40
20-34	391	6.0	96	<1	<1	2	7	15	24	54
35-49	456	5.9	85	<1	<1	3	6	13	24	49
50-64	447	6.2	80	<1	<1	3	8	14	21	38
65 +	705	7.7	83	<1	1	5	10	18	25	53
GRAND TOTAL	2378	6.1	80	<1	<1	3	7	15	23	48

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	644	2.7	8	<1	1	2	3	6	8	14
20-34	828	3.5	14	<1	1	2	4	7	9	20
35-49	515	3.9	21	1	1	3	5	8	11	21
50-64	300	4.8	32	<1	1	3	6	11	17	29
65 +	270	5.5	38	1	1	4	7	11	15	33
2. MULTIPLE DX										
0-19 YRS	1854	4.4	47	<1	1	2	5	9	15	36
20-34	3167	5.5	63	<1	1	3	6	13	20	48
35-49	2097	7.7	110	1	1	4	9	17	27	62
50-64	1837	9.9	126	1	2	6	12	23	35	64
65 +	3360	11.2	151	1	2	7	14	25	36	69
TOTAL SINGLE DX	2557	3.7	20	<1	1	2	4	8	11	23
TOTAL MULTIPLE DX	12315	7.9	109	1	1	4	9	18	28	60
TOTAL										
0-19 YRS	2498	3.9	38	<1	1	2	4	8	13	33
20-34	3995	5.1	54	<1	1	3	6	11	17	44
35-49	2612	6.9	95	1	1	4	8	15	23	57
50-64	2137	9.2	117	1	1	6	11	21	32	62
65 +	3630	10.8	145	1	2	7	13	24	35	69
GRAND TOTAL	14872	7.2	96	1	1	4	8	16	25	55

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	2.8	6	< 1	1	2	4	6	7	13
20-34	90	4.3	28	< 1	1	3	6	9	11	33
35-49	53	5.5	43	< 1	< 1	4	6	13	19	34
50-64	52	4.6	19	< 1	1	3	6	11	11	25
65 +	56	8.5	86	1	1	6	13	19	31	43
2. MULTIPLE DX										
0-19 YRS	157	11.8	166	1	1	7	19	29	38	55
20-34	222	11.7	177	1	1	8	16	30	40	70
35-49	168	13.3	214	1	1	9	18	28	47	91
50-64	180	12.7	186	1	1	8	17	30	41	70
65 +	316	15.1	166	1	2	12	22	32	41	98
TOTAL SINGLE DX	324	4.9	38	< 1	1	3	6	11	15	36
TOTAL MULTIPLE DX	1043	13.2	181	1	1	9	19	31	41	72
TOTAL										
0-19 YRS	230	8.9	133	1	1	4	12	25	31	54
20-34	312	9.6	146	1	1	5	12	23	36	60
35-49	221	11.4	184	1	1	7	15	26	41	89
50-64	232	10.9	160	1	1	7	14	26	39	67
65 +	372	14.1	160	1	2	11	21	31	40	88
GRAND TOTAL	1367	11.2	159	1	1	7	16	27	38	63

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	2.9	6	< 1	1	2	4	7	8	10
20-34	35	2.6	7	< 1	< 1	1	3	7	10	11
35-49	26	3.1	15	1	1	2	3	5	11	21
50-64	11	4.0	11	< 1	< 1	3	6	9	12	12
65 +	10	3.5	17	1	1	2	4	10	14	14
2. MULTIPLE DX										
0-19 YRS	53	7.2	71	1	1	4	11	19	25	42
20-34	117	11.0	216	1	1	5	13	33	43	65
35-49	83	18.0	425	1	1	11	27	51	72	97
50-64	57	16.0	418	1	1	8	22	40	71	87
65 +	84	16.6	327	1	1	11	21	46	54	98
TOTAL SINGLE DX	118	3.0	10	< 1	1	2	4	7	9	16
TOTAL MULTIPLE DX	394	13.9	305	1	1	7	17	40	54	90
TOTAL										
0-19 YRS	89	5.5	50	1	1	2	7	14	21	37
20-34	152	9.1	181	1	1	3	10	25	40	62
35-49	109	14.4	367	1	1	5	21	42	66	95
50-64	68	14.1	371	< 1	1	6	15	36	61	86
65 +	94	15.2	310	1	1	9	19	42	54	97
GRAND TOTAL	512	11.4	258	1	1	5	14	33	48	84

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.93; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	1.5	1	< 1	< 1	1	1	3	4	7
20-34	33	1.7	1	< 1	< 1	1	2	3	4	5
35-49	81	2.5	8	< 1	1	2	3	4	8	19
50-64	60	2.1	1	< 1	1	2	3	4	5	6
65 +	26	1.8	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	110	2.8	18	< 1	< 1	1	2	6	12	24
20-34	113	3.4	[illegible]	1	1	2	4	8	10	16
35-49	181	3.9	38	1	1	2	4	8	11	41
50-64	164	3.8	37	1	1	2	4	8	10	36
65 +	122	6.1	47	1	1	4	7	15	23	32
TOTAL SINGLE DX	283	2.0	4	< 1	< 1	1	2	4	5	9
TOTAL MULTIPLE DX	690	4.0	33	1	1	2	4	9	13	28
TOTAL										
0-19 YRS	193	2.2	12	< 1	< 1	1	2	4	6	23
20-34	146	3.0	8	< 1	1	2	4	7	9	15
35-49	262	3.5	29	1	1	2	3	7	10	27
50-64	224	3.3	28	1	1	2	4	7	9	29
65 +	148	5.4	42	< 1	1	3	6	13	22	29
GRAND TOTAL	973	3.4	25	< 1	1	2	4	7	11	26

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.4	54	1	1	2	3	17	21	21
20-34	3	1.7		1	1	2	2	2	2	2
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	10	5.6	51	1	1	2	7	18	21	21
20-34	15	7.7	287	1	1	2	6	11	54	68
35-49	12	4.9	7	< 1	1	5	7	9	9	9
50-64	18	8.0	27	2	3	7	11	14	19	21
65 +	62	7.3	26	1	2	6	11	15	16	23
TOTAL SINGLE DX	17	3.1	22	< 1	1	2	3	5	15	21
TOTAL MULTIPLE DX	117	7.1	58	1	1	5	9	14	17	38
TOTAL										
0-19 YRS	17	5.1	49	1	1	2	4	20	21	21
20-34	18	6.7	242	1	1	2	5	10	45	68
35-49	14	4.8	6	< 1	1	4	7	9	9	9
50-64	19	7.6	28	< 1	2	7	11	14	18	21
65 +	66	7.0	27	1	1	6	11	15	16	22
GRAND TOTAL	134	6.6	55	1	1	4	9	14	17	30

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.4	12	< 1	< 1	1	2	5	9	23
20-34	1379	2.0	6	< 1	1	1	1	5	7	12
35-49	2121	1.8	5	< 1	1	1	1	4	6	11
50-64	1050	1.6	4	< 1	1	1	1	3	6	12
65 +	495	1.7	4	< 1	< 1	1	1	3	6	12
2. MULTIPLE DX										
0-19 YRS	46	2.2	5	< 1	1	1	3	6	7	11
20-34	802	3.3	15	1	1	1	4	8	11	22
35-49	1429	3.0	15	1	1	1	4	7	10	17
50-64	1228	3.2	22	1	1	1	3	8	11	22
65 +	1062	4.7	37	1	1	2	7	11	16	31
TOTAL SINGLE DX	5098	1.8	5	< 1	1	1	1	4	6	12
TOTAL MULTIPLE DX	4567	3.5	23	1	1	1	4	8	12	23
TOTAL										
0-19 YRS	99	2.3	9	< 1	1	1	2	5	8	17
20-34	2181	2.5	11	< 1	1	1	2	6	9	16
35-49	3550	2.3	9	< 1	1	1	2	6	8	15
50-64	2278	2.5	15	< 1	1	1	2	6	9	18
65 +	1557	3.7	29	< 1	1	1	4	9	14	26
GRAND TOTAL	9665	2.6	14	<1	1	1	2	7	9	18

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	3.6	11	< 1	1	2	6	10	10	11
20-34	88	3.3	52	< 1	< 1	1	3	5	11	48
35-49	141	3.0	13	< 1	1	1	3	8	12	17
50-64	226	2.4	6	< 1	1	1	3	5	7	12
65 +	232	2.4	4	< 1	1	1	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	43	9.2	195	1	1	4	7	30	39	69
20-34	161	5.7	46	1	1	3	7	15	19	35
35-49	273	5.9	53	1	1	3	7	12	18	40
50-64	685	5.2	[illegible]	1	1	3	7	12	15	27
65 +	1374	5.4	32	1	1	4	7	11	14	24
TOTAL SINGLE DX	712	2.7	13	< 1	1	1	3	6	9	16
TOTAL MULTIPLE DX	2536	5.5	38	1	1	4	7	12	15	30
TOTAL										
0-19 YRS	68	7.2	134	1	1	3	7	15	32	65
20-34	249	4.9	50	< 1	1	2	5	13	18	36
35-49	414	4.9	41	1	1	3	6	11	16	38
50-64	911	4.5	27	1	1	3	6	10	14	25
65 +	1606	5.0	30	1	1	4	7	10	13	23
GRAND TOTAL	3248	4.9	34	1	1	3	6	11	14	28

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	0									
20-34	5	2.6	2	1	1	3	4	4	4	4
35-49	37	1.9	2	< 1	< 1	1	2	5	5	6
50-64	89	1.9	3	< 1	< 1	1	2	5	7	10
65 +	60	2.1	6	< 1	< 1	1	2	4	7	15
2. MULTIPLE DX										
0-19 YRS	0									
20-34	15	3.1	7	1	1	2	4	7	9	10
35-49	192	3.3	7	< 1	< 1	2	5	7	8	13
50-64	474	3.2	10	< 1	< 1	2	4	7	9	16
65 +	569	4.0	14	< 1	< 1	3	6	9	11	18
TOTAL SINGLE DX	191	2.0	4	< 1	< 1	1	2	4	7	11
TOTAL MULTIPLE DX	1250	3.6	12	< 1	< 1	2	5	8	10	16
TOTAL										
0-19 YRS	0									
20-34	20	3.0	6		1	2	4	6	8	10
35-49	229	3.0	7	< 1	< 1	2	4	7	8	12
50-64	563	3.0	9	< 1	< 1	1	4	7	9	16
65 +	629	3.8	14	< 1	< 1	2	5	9	11	18
GRAND TOTAL	1441	3.4	11	<1	<1	2	5	8	10	16

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.2	12	<1	<1	1	4	8	11	15
20-34	268	4.7	13	<1	1	4	7	10	11	14
35-49	317	4.1	11	1	1	3	7	9	11	13
50-64	396	3.7	10	<1	1	2	6	8	9	13
65+	367	4.0	12	<1	1	3	7	8	10	15
2. MULTIPLE DX										
0-19 YRS	107	5.0	44	<1	<1	2	6	12	19	69
20-34	437	6.0	43	1	1	5	8	11	13	27
35-49	801	5.7	22	1	1	5	8	10	13	22
50-64	1635	5.6	22	1	1	5	8	11	13	21
65+	3100	6.5	35	1	1	6	9	12	16	30
TOTAL SINGLE DX	1423	4.0	12	<1	1	3	7	9	10	14
TOTAL MULTIPLE DX	6080	6.1	31	1	1	5	8	11	15	27
TOTAL										
0-19 YRS	182	4.2	32	<1	<1	2	6	10	16	41
20-34	705	5.5	32	1	1	4	8	10	13	26
35-49	1118	5.3	20	1	1	4	8	10	12	20
50-64	2031	5.2	21	1	1	4	8	10	13	20
65+	3467	6.2	33	1	1	5	8	12	15	29
GRAND TOTAL	**7503**	**5.7**	**28**	**1**	**1**	**5**	**8**	**11**	**14**	**24**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3588	2.8	15	<1	1	2	3	5	7	17
20-34	5281	3.1	14	<1	1	2	4	6	8	17
35-49	3661	3.3	11	1	1	2	4	7	8	17
50-64	2579	3.6	10	1	1	3	5	7	9	15
65+	2395	4.2	13	1	1	3	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	7042	4.9	52	1	1	3	5	10	15	41
20-34	10557	4.7	35	1	1	3	5	9	13	31
35-49	11028	5.3	34	1	1	4	6	10	14	30
50-64	16963	5.8	28	1	2	4	7	11	15	28
65+	47216	6.7	29	2	2	5	8	13	16	28
TOTAL SINGLE DX	17504	3.3	14	1	1	2	4	7	9	17
TOTAL MULTIPLE DX	92806	6.0	33	1	2	4	7	12	15	29
TOTAL										
0-19 YRS	10630	4.2	41	1	1	2	4	8	13	36
20-34	15838	4.2	29	1	1	3	5	8	12	28
35-49	14689	4.8	29	1	1	3	6	9	13	28
50-64	19542	5.5	27	1	1	4	7	11	14	27
65+	49611	6.8	29	2	2	5	8	12	16	27
GRAND TOTAL	**110310**	**5.6**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2576	3.6	25	1	1	2	3	6	13	27
20-34	756	4.4	24	1	1	3	5	8	11	25
35-49	730	4.6	20	1	1	4	6	9	11	22
50-64	496	4.5	28	1	1	3	6	9	10	22
65+	515	5.2	33	1	1	4	6	9	14	34
2. MULTIPLE DX										
0-19 YRS	4796	5.5	76	1	1	3	5	11	20	51
20-34	1630	6.8	76	1	1	4	7	14	22	47
35-49	2084	6.6	54	1	2	4	8	14	19	38
50-64	3245	6.8	57	1	2	5	8	13	18	39
65+	10314	7.7	47	2	2	6	9	15	20	36
TOTAL SINGLE DX	5073	4.1	26	1	1	3	5	8	12	27
TOTAL MULTIPLE DX	22069	6.9	59	1	2	5	8	14	20	42
TOTAL										
0-19 YRS	7372	4.8	59	1	1	3	4	9	17	43
20-34	2386	6.0	61	1	1	4	7	12	20	44
35-49	2814	6.1	46	1	1	4	7	12	18	35
50-64	3741	6.5	54	1	2	5	8	12	17	37
65+	10829	7.6	47	2	2	6	9	15	20	36
GRAND TOTAL	**27142**	**6.4**	**54**	**1**	**1**	**4**	**8**	**13**	**19**	**39**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.6; 99.8-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3070	2.5	8	< 1	1	2	3	4	6	13
20-34	2769	2.3	11	< 1	< 1	1	2	4	6	14
35-49	1675	3.0	13	< 1	1	2	3	6	8	16
50-64	1549	3.3	11	1	1	2	4	7	8	16
65 +	1463	3.6	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	7375	5.3	80	1	1	3	5	10	17	58
20-34	4726	4.3	43	< 1	1	2	5	9	14	34
35-49	6114	4.4	27	1	1	3	5	9	13	28
50-64	11823	5.1	26	1	1	4	6	10	13	27
65 +	31383	6.1	27	1	2	5	8	12	15	26
TOTAL SINGLE DX	10526	2.8	11	< 1	< 1	2	3	5	7	14
TOTAL MULTIPLE DX	61421	5.5	36	1	1	4	7	11	15	29
TOTAL										
0-19 YRS	10445	4.5	61	1	1	2	4	8	14	49
20-34	7495	3.5	33	< 1	< 1	2	4	7	11	29
35-49	7789	4.1	25	1	1	3	5	8	12	27
50-64	13372	4.9	25	1	1	3	6	9	13	26
65 +	32846	5.9	27	1	2	5	8	12	15	26
GRAND TOTAL	71947	5.1	33	1	1	3	6	10	14	28

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29; 37.79
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1987 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
211	angina
165	aortic aneurysm
338	pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	elective
256	illegal
258	missed
256	self-induced
257	spontaneous
255	therapeutic
259	threatened
	Abscess
210	anal
312	bone
292	digit
188	mouth
188	salivary gland
291	skin and subcutaneous tissue, except digit
188	tongue
81	Acidosis, except diabetic
72	diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
	Alcohol
107	abuse
104	dependence
107	intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
90	Alzheimer's dementia
1	Amebiasis
140	AMI
340	Amnesia
	Amputation, traumatic
372	lower limb
371	upper limb
79	Amyloidosis
210	Anal abscess, fissure, fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	aplastic
82	iron deficiency
267	of pregnancy
269	with delivery
83	sickle cell
166	Aneurysm, except aorta
165	aorta
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	central nervous system
320	circulatory system
323	digestive system, except cleft palate and lip, and pyloric stenosis
319	ear
319	eye
327	generalized
325	genitourinary system, except undescended testis and urethral stenosis
320	heart

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
317	musculoskeletal system, except clubfoot
323	respiratory system
340	Anorexia, except nervosa
111	nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	depression
165	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	acute, without peritonitis
198	with peritonitis
199	recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
163	cerebral
143	coronary
164	lower limb
	Arteriosclerotic
151	cardiovascular disease
91	dementia or psychosis
143	heart disease
164	vascular disease
299	Arthritis, except osteo- and rheumatoid
298	osteo-, except spine
303	spine
299	pyogenic
297	rheumatoid, except spine
302	spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	menopausal
251	postmenopausal
250	uterine, dysfunctional
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
242	Breast disease, except fibrocystic
241	fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis
174	acute
181	chronic
179	Bronchopneumonia
6	Brucellosis

DIAGNOSIS INDEX (continued)

Group No. Title

- 376 Bruise, except eye and orbit
  - 375 eye and orbit
- 310 Bunion
- 381 Burn, any site, except third degree
  - 380 third degree
- 309 Bursitis

- Calculus
  - 217 bile duct, except cystic
  - 231 bladder
  - 215 cystic bile duct
  - 215 gallbladder
  - 228 renal
  - 188 salivary gland
  - 229 ureter
  - 231 urethra
- Cancer-*see Neoplasm, malignant*
- Carcinoma-*see Neoplasm, malignant*
- 67 Carcinoma in situ, except cervix
  - 66 cervix
- 148 Cardiac arrest
  - 390 postoperative
- 150 Cardiomyopathy
- 189 Cardiospasm
- 119 Carpal tunnel syndrome
- 125 Cataract, except senile and diabetic
  - 73 diabetic
  - 124 senile
- 221 Celiac disease
- Cellulitis
  - 292 digit
  - 291 skin and subcutaneous tissue, except digit
- 117 Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
- Cerebral hemorrhage, except subarachnoid
  - 154 without paralysis
  - 155 with paralysis

Group No. Title

- Cerebrovascular accident
  - 161 without paralysis
  - 162 with paralysis
- 268 Cervical incompetence
  - 280 with delivery
- 246 Cervical infection
- 246 Cervicitis
- Chemical
  - 340 diabetes mellitus
  - 385 poisoning
- 398 Chemotherapy session or treatment
- 8 Chickenpox
- 97 Childhood psychoses
- 218 Cholangitis
- Cholecystitis
  - 216 without cholelithiasis
  - 215 with cholelithiasis
- 217 Choledocholithiasis
- 215 Cholelithiasis
- 36 Choriocarcinoma
- 128 Chorioretinitis
- 213 Cirrhosis
  - 212 alcoholic
  - 213 biliary
  - 212 Laennec's
- 321 Cleft palate and lip
- 122 Closed-angle glaucoma
- 326 Clubfoot
- 173 Cold, head
- Colic
  - 215 biliary
  - 337 renal
- 208 Colitis, except mucous and ulcerative
  - 211 mucous
  - 211 ulcerative
- 296 Collagen disease, NOS

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Coma, except diabetic and hepatic
72	diabetic
214	hepatic
11	Common warts
	Complication of
390	amputation stump
387	cardiac pacemaker
	drugs-*see Effect, adverse*
387	grafts
387	internal orthopedic device
391	medical care, except drugs
387	prosthesis, any
390	surgery, not elsewhere classified
387	transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	eye and orbit
329	Convulsions, except epileptic
116	epileptic
184	COPD
	Coronary
143	artery disease
142	insufficiency, except chronic
143	chronic
140	occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	chest
377	limbs
75	Cushing's syndrome

Group No.	Title
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	mouth
243	ovarian
293	pilonidal
121	retinal
294	sebaceous
311	synovial
	Cystic
241	breast
218	duct remnant
77	fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
12	Cytomegalic inclusion disease
134	Deafness
295	Decubitus
	Deficiency
112	mental
76	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
316	musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	acute or subacute
	Delivery, complicated by:
278	abnormality, bony pelvis
272	abruptio placentae
287	acute toxemia

DIAGNOSIS INDEX (continued)

Group No.	Title
	Delivery, complicated by: **(continued)**
276	breech presentation
278	cephalopelvic disproportion
287	complication, not elsewhere classified
287	eclampsia
278	fetopelvic disproportion
287	hypertensive disorder
277	malpresentation, except breech
275	multiple fetation
	placenta
272	abruptio
271	previa
287	pre-eclampsia
	premature
282	rupture of membranes
272	separation of placenta
281	previous cesarean section
279	prolonged labor, not otherwise specified
287	toxemia
279	uterine inertia
270	Delivery, normal or uncomplicated
	Dementia
90	Alzheimer's
91	arteriosclerotic
90	presenile
90	senile
	Dependence
104	alcoholic
106	amphetamine
106	barbiturate
106	cocaine
105	heroin
106	LSD
106	marijuana
105	methadone
105	morphine
105	opioid

Group No.	Title
111	Depression, except neurotic, postpartum, and psychotic
102	neurotic
267	postpartum
98	psychotic
	Depressive
102	neurosis
98	psychosis
102	reaction
301	Derangement, joint except knee
300	knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	chemical
71	uncomplicated
73	uncontrolled
	Diabetic complications
72	acidosis
73	cataract
73	circulatory disorder
72	coma
73	gangrene
73	nephropathy
73	neuropathy
73	retinopathy
73	ulcer
	Dialysis
397	peritoneal
397	renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	functional
1	infectious
6	Diphtheria

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease
199	appendix, except acute appendicitis
151	arteriosclerotic cardiovascular
168	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	arthropod-borne
79	autoimmune, except AIDS
12	AIDS
6	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	biliary ducts
234	bladder, except calculus and cystitis
313	bone, except osteomyelitis and osteoarthritis
242	breast, except fibrocystic
241	fibrocystic
221	celiac
	central nervous system
7	enteroviral
113	inflammatory, except enteroviral
117	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
136	chronic rheumatic heart
296	connective tissue, diffuse
143	coronary artery
211	Crohn's
75	Cushing's
12	cytomegalic inclusion
187	dental
209	diverticular
196	duodenum, except ulcer and inflammatory
134	ear, except inflammatory and otosclerosis
145	endocarditis, bacterial
75	endocrine, except ovary, thyroid, and diabetes mellitus
189	esophagus
129	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
	Disease (continued)
	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment (continued)
128	inflammatory, except lacrimal tract
252	fallopian tube, except endometriosis
316	fascia
252	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	gallbladder
252	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
138	hypertensive
143	ischemic, except infarction and angina pectoris
136	rheumatic, chronic
150	other, except arrhythmia and bacterial endocarditis
86	hematopoietic, except anemia, hemophilia, and leukemia
328	hemolytic, newborn
12	HIV infection (AIDS)
46	Hodgkin's
137	hypertensive, except heart and renal
138	heart
139	renal
17	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	infectious
143	ischemic heart, except acute infarction and angina pectoris
187	jaw
301	joint, except internal derangement, ruptured disc, and sacroiliac
306	sacroiliac
230	kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	lacrimal tract, inflammation
188	lip

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
214	liver, except infectious and serum hepatitis, and cirrhosis
186	lung, except pneumonia, obstructive, and pneumothorax
184	obstructive, except asthma, bronchitis, and emphysema
240	male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	mouth, except dental
117	muscle, except deformity
120	nervous system, except CNS and sciatica
184	obstructive lung, except asthma, bronchitis, and emphysema
252	ovary, except endometriosis
	Paget's
313	bone
32	breast
219	pancreas
252	parametrium, except endometriosis
17	parasitic, except helminthiasis
114	Parkinson's
244	pelvic inflammatory
196	peptic
328	perinatal
120	peripheral nervous system, except sciatica
211	peritoneum
186	pleura
236	prostate, except hypertrophy
186	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	rheumatic
135	active
136	chronic
188	salivary gland
83	sickle-cell
295	skin, except infective, pilonidal and sebaceous cysts
196	stomach, except ulcer and inflammatory
187	teeth
316	tendon, except tenosynovitis

Group No.	Title
	Disease (continued)
188	tongue
340	undiagnosed
186	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	ureter, except calculus
234	urethra, except calculus and stricture
14	venereal
12	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	with exanthem
359	Dislocation, joint, except knee and shoulder
358	knee
357	shoulder
	Disorder
111	behavior
81	electrolyte
79	immunodeficiency, except AIDS
12	AIDS
250	menstruation, except metrorrhagia
103	personality
109	psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	lumbar
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
	Diverticulum
189	esophagus
209	intestine
	Drug
108	abuse, except alcohol
106	dependence, except opioid
105	opioid
93	induced psychosis
384	poisoning or overdose
93	withdrawal syndrome or symptoms

DIAGNOSIS INDEX (continued)

Group No.	Title
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
	Dysfunction
74	ovarian
317	somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
102	Dysthymia
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	with delivery
254	Ectopic pregnancy
	Effect, adverse
386	drugs, not otherwise specified
384	overdose or wrong substance given or taken
386	external conditions
385	nonmedical substance
386	radiation
386	temperature
268	Elderly primigravida
287	with delivery
	Elective
255	abortion
392	sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	arterial, except cerebral and precerebral
	cerebral
158	without paralysis
159	with paralysis
	Embolism **(continued)**
167	lower limb
	precerebral
156	without paralysis
157	with paralysis
144	pulmonary, except postoperative
390	postoperative
172	vein
182	Emphysema
113	Encephalitis, except viral
12	viral
18	late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	bacterial
208	noninfectious
211	regional
1	viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	follow-up
298	medical

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Failure
  - 149 heart
    - 390 postoperative
  - 225 renal, except chronic
    - 224 chronic
  - 186 respiratory (acute)
- 340 Fainting
- 263 False labor
- Fever
  - 135 active rheumatic
  - 330 of undetermined origin (FUO)
  - 1 paratyphoid
  - 288 puerperal
  - 4 scarlet
  - 1 typhoid
  - 12 yellow
- Fibrillation or flutter
  - 147 atrial
  - 148 ventricular
- Fibrocystic disease
  - 241 breast
  - 77 pancreas
- 56 Fibroma, uterus
- 16 Filariasis
- 210 Fissure, anal
- 210 Fistula, anal
- 128 Flat anterior chamber
- 1 Food poisoning
- 379 Foreign body in body orifice, except eye
  - 378 in eye
- Fracture
  - 354 ankle
  - 349 arm, except upper
    - 348 upper
  - 354 bimalleolar
  - 350 carpal
  - 355 clavicle

Group No. **Title**

- Fracture (continued)
  - 349 Colles'
  - 343 face bone
  - 352 femur, except upper end
    - 351 upper end
  - 353 fibula, except lateral malleolus
  - 350 finger
  - 354 foot
  - 350 hand
  - 398 healed, aftercare, except removal of fixation device
    - 396 removal of fixation device
  - 351 hip
  - 348 humerus
  - 354 knee
  - 354 lateral malleolus
  - 353 leg, lower, except ankle and upper
    - 352 upper, except hip
  - 343 mandible
  - 354 medial malleolus
  - 350 metacarpal
  - 354 metatarsal
  - 356 multiple bones
  - 343 nose
  - 354 patella
  - 347 pelvis
  - 349 radius
  - 346 rib
  - 355 scapula
  - skull
    - 342 base
    - 341 vault
  - spine
    - 344 without cord injury
    - 345 with cord injury
  - 346 sternum
  - 354 tarsal
  - 346 thorax

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Fracture **(continued)**
  - 353 tibia
  - 354 toe
  - 354 trimalleolar
  - 349 ulna
  - vertebra
    - 344 without cord injury
    - 345 with cord injury
- 330 FUO

- 216 Gallbladder disease
- 311 Ganglion, tendon sheath
- 334 Gangrene, except gas gangrene
  - 6 gas
- Gastric ulcer-*see Ulcer, gastric*
- 195 Gastritis
- 208 Gastroenteritis, except infectious
  - 1 infectious
  - 208 noninfectious
  - 1 viral
- 220 Gastrointestinal hemorrhage
- 164 Generalized arteriosclerosis
- 3 Generalized tuberculosis
- 314 Genu valgum or varum, except congenital
  - 327 congenital
- 220 GI hemorrhage
- 123 Glaucoma, except acute
  - 122 acute
  - 122 closed-angle
  - 122 open-angle
- 222 Glomerulonephritis, except acute
  - 223 acute
- 69 Goiter
- 14 Gonorrhea
- 80 Gout
- 387 Graft-versus-Host disease, except of bone marrow
  - 391 bone marrow

Group No. **Title**

- 116 Grand mal epilepsy
- 268 Grand multiparity
  - 392 without pregnancy

- 268 Habitual aborter
  - 252 without pregnancy
- 310 Hallux valgus or varus, except congenital
  - 327 congenital
- 310 Hammer toe
- 331 Headache, except migraine and tension
  - 118 migraine
  - 111 tension
- 398 Healed fracture aftercare, except removal of fixation device
  - 396 removal of fixation device
- Heart
  - 140 attack
  - 149 failure
    - 390 postoperative
- 16 Helminthiasis
- 54 Hemangioma
- 220 Hematemesis
- Hematoma-*see also Contusion*
  - 388 postoperative wound
- 84 Hemolytic anemia, except hereditary and newborn
  - 83 hereditary
  - 328 newborn
- 328 Hemolytic disease of newborn
- 85 Hemophilia
- 336 Hemoptysis
- Hemorrhage
  - 265 antepartum, except early
    - 260 early
  - 172 blood vessel, spontaneous
  - 250 dysfunctional uterine
  - 220 gastrointestinal
  - intracerebral, except subarachnoid
    - 155 with paralysis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hemorrhage **(continued)**
	intracerebral, except subarachnoid (continued)
154	without paralysis
258	postabortal
388	postoperative wound
274	postpartum, except delayed or secondary
289	delayed or secondary
260	pregnancy, early
289	puerperal, after 24 hours
	subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	chronic
9	infectious
9	serum
9	viral
	Hernia
205	abdominal, except inguinal
206	with complication
204	diaphragmatic
206	with complication
205	femoral
206	with complication
204	hiatal
206	with complication
203	incisional
206	with complication
200	inguinal
206	with complication
203	postoperative
206	with complication
202	umbilical
206	with complication
203	ventral
206	with complication

Group No.	Title
105	Heroin dependence or addiction
8	Herpes simplex
18	late effect
8	Herpes zoster
18	late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	with delivery
139	renal
139	renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Ill-defined conditions
328	Immaturity of newborn
79	Immunodeficiency disorder, except AIDS
12	AIDS
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
140	Infarction, acute myocardial
	Infection
232	bladder
312	bone
246	cervix
227	kidney, except nephritis, nephrosis, and acute pyelonephritis
6	meningococcal
389	postoperative wound
288	puerperal, major
292	skin and subcutaneous tissue, except cellulitis and abscess
173	upper respiratory, except streptococcal
234	urinary tract
266	in pregnancy
247	uterine, except cervix
247	vaginal
247	vulvar
389	wound, postoperative
10	Infectious mononucleosis
	Infertility
252	female
240	male
	Inflammation
113	central nervous system
129	eye, except lacrimal tract
127	lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
	Inguinal hernia **(continued)**
201	with complication
	Injury
328	birth
373	blood vessel
377	crush, except abdomen and chest
367	abdomen
366	chest
365	head, except concussion
367	internal, except chest
366	chest
358	knee ligament or meniscus
374	late effect
363	musculoskeletal, except back and sacroiliac region
362	back
361	sacroiliac region
382	nerve
386	radiation
374	late effect
382	spinal cord
376	superficial
	Insufficiency
	heart valve-*see Valvular disease*
186	respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ischemic
163	cerebrovascular disease, generalized
143	heart disease, except acute or subacute
142	acute or subacute, except infarction
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	abdominal wall
371	arm
370	back
365	cerebral
370	chest
368	eye
371	hand
369	head, except eye
372	leg
372	lower limb
370	multiple sites
369	neck
285	perineum, in delivery, except first and second degree
284	first and second degree
370	trunk
371	upper limb
212	Laennec's cirrhosis
255	Legal abortion
48	Leukemia, except lymphocytic

Group No.	Title
	Leukemia, except lymphocytic **(continued)**
47	lymphocytic
214	Liver disease, except infectious and serum hepatitis and cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia and obstructive
179	pneumonia
184	obstructive
88	Lymphadenitis, except acute and mesenteric
292	acute
87	mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
242	Mastitis, except puerperal
290	puerperal
8	Measles
18	late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	tuberculous
7	viral
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	bladder
53	bone
63	brain
55	breast
52	bronchus
50	buccal cavity
57	cervix
53	connective tissue
51	digestive

Group No.	Title
	Neoplasm, benign **(continued)**
65	endocrine, except thyroid
62	eye
	genitalia
59	female, except uterus and ovary
60	male
61	kidney
52	larynx
52	lung
53	muscle
63	nervous system
58	ovary
50	pharynx
60	prostate
52	respiratory
60	scrotum
54	skin
52	thymus
64	thyroid
61	ureter
61	urethra
61	urinary
57	uterus, except fibroma
56	fibroma
59	vagina
59	vulva
	Neoplasm, malignant
44	adrenal gland
39	bladder
29	bone
42	brain
32	breast
27	bronchus
19	buccal cavity
43	cerebral meninges
33	cervix uteri
23	colon

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
29	connective tissue
44	endocrine glands
20	esophagus
41	eye
36	fallopian tube
	genitalia
36	female, except uterus and ovary
38	male, except prostate
45	ill-defined sites
25	intestine, except colon and rectum
23	large, except rectum
22	small
40	kidney
23	large intestine, except rectum
27	lung
49	lymphatic, except Hodgkin's disease
45	metastatic
19	mouth
43	nervous system, except brain
35	ovary
26	pancreas
19	pharynx
44	pituitary gland
36	placenta
37	prostate
24	rectum
28	respiratory system, except bronchus and lung
38	scrotum
45	secondary
31	skin, except genitalia
22	small intestine
43	spinal cord and meninges
21	stomach
44	thyroid gland
40	ureter
40	urethra

Group No.	Title
	Neoplasm, malignant **(continued)**
40	urinary tract, except bladder
34	uterus, except cervix
36	vagina
36	vulva
68	Neoplasm, uncertain behavior or unspecified type, any site
222	Nephritis, except acute
223	acute
222	Nephrosis, except tubular
225	tubular
222	Nephropathy, except diabetic
73	diabetic
315	Neuralgia, except sciatic and trigeminal
307	sciatic
120	trigeminal
315	Neuritis, except median and sciatic
119	median
307	sciatic
120	Neuroma, except amputation stump
390	amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	anxiety
109	cardiac
102	depressive
	Nevus
54	skin
327	vascular
	Newborn, hospital
394	multiple
393	single term
394	twin
	Newborn, nonhospital
395	multiple
395	single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia

DIAGNOSIS INDEX (continued)

Group No.	Title
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	bile duct, except calculus
207	intestinal, except postoperative
390	postoperative
172	portal vein
172	vena cava
184	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
158	cerebral, without paralysis
159	with paralysis
156	precerebral, without paralysis
157	with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
	Organic brain syndrome
89	acute
90	Alzheimer's dementia
91	arteriosclerotic
89	transient
298	Osteoarthritis
298	hip
298	knee
303	spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	chronic and unspecified
131	acute
133	Otosclerosis
	Ovarian
243	cyst
252	disease, except endometriosis
74	dysfunction
254	pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
338	abdominal
335	chest
253	female genital organ
331	head
335	precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except in appendicitis
198	in appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID

DIAGNOSIS INDEX (continued)

Group No.	Title
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
17	Pneumocystosis
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	spontaneous
366	traumatic
385	Poisoning, except food and drug
384	drug
1	food
7	Poliomyelitis
18	late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	secondary
268	Polyhydramnios
287	with delivery
	Polyp
211	anal
68	bladder
252	cervix
211	intestinal
178	laryngeal
176	nasal
211	rectal
176	sinus
178	vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
	Postoperative wound
390	dehiscence
388	hemorrhage
389	infection
	Postpartum
290	complication, not elsewhere classified
267	depression
269	with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	ectopic
254	ovarian
268	post-term
287	with delivery
254	tubal
398	undelivered
268	Premature rupture of membranes
282	with delivery
328	Prematurity of newborn
253	Premenstrual tension
90	Presenile dementia or psychosis
	Prolapse
128	iris
248	uterovaginal
236	Prostatic disease, except hypertrophy
235	hypertrophy
	Proteinuria
340	except postural

DIAGNOSIS INDEX (continued)

Group No.	Title
	Proteinuria **(continued)**
223	postural or orthostatic
	Psychogenic
109	diarrhea
109	hyperventilation
109	paralysis
109	vomiting
116	Psychomotor epilepsy
100	Psychosis
92	alcoholic
90	Alzheimer's
91	arteriosclerotic
98	depressive
93	drug-induced
99	manic-depressive
89	organic, acute or transient
90	chronic, except arteriosclerotic
90	senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
	Pulmonary
144	embolism
182	emphysema
1	tuberculosis
	valve disease-*see Valvular disease*
227	Pyelitis, except acute
226	acute
227	Pyelonephritis, except acute
226	acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash

Group No.	Title
	Reaction
101	anxiety
102	depressive
386	drug, not elsewhere classified
391	transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
	Renal
228	calculus
397	dialysis treatment
225	failure, except chronic
224	chronic
139	hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	cyst
121	detachment
121	hemorrhage
121	tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	spine
13	Rickettsiosis
8	Rubella
18	late effect

DIAGNOSIS INDEX (continued)

Group No. Title

- Rupture
  - 172 blood vessel
  - 305 intervertebral disc, except lumbar
    - 304 lumbar disc
  - 243 ovarian cyst
  - 268 uterus
    - 290 postpartum
    - 286 with delivery
- 198 Ruptured appendix
- 306 Sacroiliac instability

- 1 Salmonellosis
- 244 Salpingitis
- Sarcoma-*see Neoplasm, malignant, connective tissue*
- 96 Schizophrenia, except paranoid, childhood, and acute episode
  - 95 acute episode
  - 97 childhood
  - 94 paranoid
- 307 Sciatica
- 115 Sclerosis, multiple
- 316 Scoliosis
- 294 Sebaceous cyst
- 329 Seizure, except epileptic
  - 116 epileptic
- 256 Self-induced abortion
- 124 Senile cataract
- 90 Senile dementia or psychosis
- 340 Senility
- 357 Separation, shoulder
- 5 Sepsis
  - 288 puerperal
- 5 Septicemia
  - 288 puerperal
- 9 Serum hepatitis
- 391 Serum sickness

Group No. Title

- Shock
  - 391 anaphylactic, except due to drug
    - 386 due to drug
  - 333 nontraumatic
  - 390 postoperative
  - 383 traumatic
- 83 Sickle cell anemia or crisis
- 178 Sinusitis
- 295 Skin disease, except infective and pilonidal and sebaceous cysts
- 292 Skin infection, except cellulitis
- 305 Slipped intervertebral disc, except lumbar
  - 304 lumbar disc
- 8 Smallpox
- 317 Somatic dysfunction, osteopathic
- 240 Spermatocele
- 318 Spina bifida
- 302 Spondylitis, ankylosing
- 303 Spondylosis
- Spontaneous
  - 257 abortion
  - 185 pneumothorax
- 363 Sprain, except back, knee, and sacroiliac region
  - 362 back
  - 360 knee
  - 361 sacroiliac region
- 170 Stasis dermatitis
- 116 Status epilepticus
- 221 Steatorrhea
- 74 Stein-Leventhal syndrome
- 48 Stem cell leukemia
- Stenosis
  - heart valve-*see Valvular disease*
  - 322 pyloric, congenital
  - 233 urethral, except congenital
    - 325 congenital
- 392 Sterilization, elective

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	paroxysmal, except atrial
146	atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	medial meniscus, current injury
300	old
121	retinal
309	Tenosynovitis, except spine
308	spine
111	Tension headache
255	Termination of pregnancy

Group No.	Title
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	migrans
	Thrombosis
167	arterial, except cerebral and precerebral
158	cerebral, without paralysis
159	with paralysis
172	portal vein
156	precerebral, without paralysis
157	with paralysis
172	vein
70	Thyroid disease, except nodule or goiter
69	nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	chemotherapy
397	dialysis
398	physical therapy
398	radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
120	Trigeminal neuralgia

DIAGNOSIS INDEX (continued)

Group No.	Title
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	bone
18	late effect
2	lung
3	nonrespiratory
2	respiratory
13	Typhus
	Ulcer
192	duodenal
193	with hemorrhage or perforation
194	with obstruction
190	gastric
191	with hemorrhage or perforation
194	with obstruction
192	gastrojejunal
193	with hemorrhage or perforation
194	with obstruction
192	peptic, except gastric
193	with hemorrhage or perforation
194	with obstruction
295	skin
170	varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
4	streptococcal
225	Uremia, except chronic
224	chronic
	Ureteral
230	disease, except calculus
229	calculus

Group No.	Title
	Urethral
230	disease, except calculus
229	calculus
234	disease, except calculus and stricture
231	calculus
233	stenosis, except congenital
325	congenital
233	stricture, except congenital
325	congenital
234	Urethritis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
	Uterine
57	fibroma
248	prolapse
128	Uveitis
247	Vaginitis, except atrophic and senile
251	atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	nonrheumatic
136	rheumatic
172	Varices, esophagus
170	Varicose veins of lower extremities
314	Varus deformity, limb
	Veneral
14	disease
11	wart
308	Vertebrogenic pain syndrome
340	Vertigo
	Viral
12	encephalitis
18	late effect
1	gastroenteritis

DIAGNOSIS INDEX (continued)

Group No. **Title**
Viral **(continued)**
9 hepatitis
7 meningitis
18 late effect
11 wart
Vitreous
128 abscess
128 prolapse
255 Voluntary abortion
207 Volvulus
339 Vomiting
262 of pregnancy
247 Vulvar infection
247 Vulvitis

Group No. **Title**
11 Warts, viral
6 Whooping cough
Withdrawal
92 alcohol
93 drug
Wound
390 dehiscence
infection
389 postoperative
383 posttraumatic
open-*see Laceration*

12 Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	cervix
732	finger
737	foot
733	forearm
733	hand
737	hip
736	leg, above knee
735	below knee
739	revision (any site)
732	thumb
734	toe
733	upper arm
	Anastomosis
617	bile duct
581	blood vessel
617	gallbladder
601	intestine
609	rectum
757	Angiocardiography, except coronary vessels
756	coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	cardiac vessels
755	cerebral vessels
581	Angioplasty, except coronary
575	coronary artery
581	percutaneous transluminal, except coronary
	Angioplasty, except coronary **(continued)**
	percutaneous transluminal, except coronary (continued)
575	coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	incidental
	Arteriography
757	aorta
755	cerebral
756	coronary
757	femoral
755	head
756	heart
757	renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	hip, except total replacement
722	total replacement
724	knee
699	temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	insemination
690	rupture of membranes for delivery
	Aspiration
752	breast, except for biopsy
742	biopsy
741	bursa
682	cul-de-sac

OPERATION INDEX (continued)

Group No. Title

Aspiration (continued)
- 677 curettage, uterus, except for termination of pregnancy
  - 674 termination of pregnancy
- 651 hydrocele, except of spermatic cord
  - 656 spermatic cord
- 632 kidney
- 614 liver, percutaneous, except for biopsy
  - 615 biopsy
- 537 middle ear
- 546 nasal sinus
- 663 ovary
- 752 skin
- 656 spermatocele
- 529 vitreous

Augmentation
- 745 breast
- 699 chin

Balloon
- 581 angioplasty, except coronary
  - 575 coronary
- 571 valvuloplasty, heart

Biopsy
- 515 adrenal gland
- 611 anus
- 638 bladder, except transurethral approach
  - 637 transurethral approach
- 705 bone, except facial
  - 698 facial
- 586 bone marrow
- 501 brain
- 742 breast
- 563 bronchus
- 501 cerebral meninges
- 668 cervix
- 597 colon
- 597 duodenum

Group No. Title

Biopsy (continued)
- 668 endocervical
- 588 esophagus
- 532 eyeball
- 517 eyelid
- 666 fallopian tubes
- 597 intestine (large) (small)
- 719 joint structure
- 632 kidney
- 597 large intestine
- 558 larynx
- 552 lip
- 615 liver
- 565 lung
- 582 lymph nodes
- 570 mediastinum
- meninges
  - 501 cerebral
  - 507 spinal
- 727 muscle
- 543 nose
- 532 orbit
- 660 ovary, except by aspiration
  - 663 aspiration
- 618 pancreas
- 658 penis
- 508 peripheral nerve
- 626 peritoneum
- 556 pharynx
- 570 pleura
- 650 prostate
- 606 rectum
- 651 scrotum
- 747 skin
- 597 small intestine
- 507 spinal meninges
- 654 testes

OPERATION INDEX (continued)

Group No. Title

- Biopsy **(continued)**
  - 514 thyroid
  - 552 tongue
  - 559 trachea
  - 635 ureter
  - 670 uterine ligaments
  - 670 uterus
  - 552 uvula
  - 682 vagina
  - 558 vocal cord
  - 683 vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery
- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 aortocoronary
  - 578 blood vessels (systemic)
  - 572 coronary
  - 596 gastric
  - 572 heart
  - 579 heart-lung
  - 601 intestine
  - 596 stomach
  - 634 urinary

- 763 Cancer chemotherapy
- Cardiac
  - 573 catheterization
  - 576 electrophysiologic stimulation studies

Group No. Title

- Cardiac **(continued)**
  - 764 function tests
  - 576 mapping studies
  - massage
    - 763 closed
    - 575 open
  - 574 pacemaker insertion or replacement
  - 575 revascularization, except coronary bypass
    - 572 coronary bypass
  - 764 stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 intracapsular
- Catheterization
  - 647 bladder, except suprapubic approach
    - 638 suprapubic approach
  - 581 blood vessel
  - 573 cardiac
  - 512 spinal canal (for infusion of agents)
  - 645 ureteral
  - 647 urethral, indwelling
  - 587 vein, except umbilical
    - 581 umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 low cervical
- 717 Chemonucleolysis
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn

OPERATION INDEX (continued)

Group No.	Title
	Closure
617	cholecystostomy
601	colostomy
	fistula-*see Fistulectomy*
596	gastric anastomosis
601	sigmoidostomy
570	thoracostomy
635	ureterostomy
640	urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	surgical approach (transabdominal)
602	Colostomy, except loop
600	loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
760	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
638	bladder
581	blood vessel
569	chest
627	laparotomy site
544	nose, except by anterior packing
557	anterior packing
569	pleura
581	postoperative, not elsewhere classified
650	prostate
590	stomach
556	tonsil
521	Corneal transplant
572	Coronary bypass
760	CPAP (continuous positive airway pressure)

Group No.	Title
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	burn (skin)
705	fracture, except of skull
503	skull
752	nail, nail bed, nail fold
748	skin (infection) (wound)
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
690	artificial rupture of membranes
688	breech extraction
692	cesarean section, except low cervical
691	low cervical
689	forceps, except low forceps
687	low forceps
689	internal and combined version
751	Dermabrasion

OPERATION INDEX (continued)

Group No. **Title**
601 Derotation, intestine
580 Dialysis, except peritoneal
629   peritoneal
Dilation
638   bladder (neck)
635   ureteral meatus
645   ureterovesical orifice
641   urethra, urethrovesical junction
675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
674   termination of pregnancy
Dislocation-reduction, except temporomandibular
714   closed
715   open
702   temporomandibular (joint)
Division
  adhesions-*see Lysis, adhesions*
613   anal sphincter
726   fascia, except of hand
728   hand
508   peripheral nerve
511   sympathetic nerve or ganglion
659 Dorsal or lateral slit of prepuce
Drainage-*see also Incision (and drainage)*
647   bladder, except surgical approach
638   surgical approach (suprapubic)
569   chest
537   middle ear
763 Drug therapy
598 Duodenectomy

764 ECG (electrocardiogram)
579 ECMO (extracorporeal membrane oxygenation)
758 Echoencephalography
764 EEG (electroencephalogram)
764 EKG (electrocardiogram)
764 Electrocardiogram (ECG) (EKG)

Group No. **Title**
764 Electroencephalogram (EEG)
752 Electrolysis, skin
753 Encephalography
Endoscopy
617   biliary tract
636   bladder
567   bronchus
619   colon, except surgical approach
609   surgical approach (transabdominal)
682   cul-de-sac, except for tubal ligation
664   tubal ligation
589   esophagus
589   gastric, except surgical approach
596   surgical approach (transabdominal)
647   ileal conduit
576   larynx
628   peritoneum
557   pharynx
609   small intestine
589   stomach, except surgical approach
596   surgical approach (transabdominal)
570   thorax, transpleural
636   urethra
679   uterus
686   vagina
602 Enterostomy
532 Enucleation, eyeball
533 Epilation, eyelid
697 Episioperinorrhaphy
697 Episiorrhaphy
690 Episiotomy, except with forceps delivery
687   low forceps
689   other forceps
544 Epistaxis control, except by anterior packing
557   anterior packing
576 EPS (electrophysiologic stimulation studies), cardiac

OPERATION INDEX (continued)

Group No.	Title
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	biliary tract
763	Erythrocytapheresis
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	eyeball
673	pelvic
	Examination
764	eye
764	general physical
764	gynecologic
764	pelvic
761	psychiatric
763	Exchange transfusion, except intrauterine
696	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
727	Baker's cyst
705	bone, except facial
699	facial, except partial
698	partial
556	branchial cleft cyst
704	bunion
517	chalazion, eyelid
599	colon
665	fallopian tubes, bilateral, except endoscopic approach
664	endoscopic approach
670	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
727	tendon (of hand)

Group No.	Title
	Excision (**continued**)
612	hemorrhoids
	hydrocele
679	round ligament
656	spermatic cord
651	tunica vaginalis
717	intervertebral disc or cartilage
719	joint, except intervertebral disc and cartilage of knee
717	intervertebral disc
718	knee cartilage
631	kidney, except partial
632	partial
718	knee cartilage (semilunar)
582	lymph nodes, except radical
583	radical
508	neuroma, peripheral nerve
	ovary
662	bilateral
661	unilateral
550	parotid gland
746	pilonidal cyst or sinus
515	pituitary gland
649	prostate, except transurethral approach
648	transurethral approach
522	pterygium
747	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
718	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
751	toenail
552	tongue
553	tonsil, except with adenoids
554	with adenoids
556	tonsil tag

OPERATION INDEX (continued)

Group No.	Title
	Excision (**continued**)
	tubes and ovaries
662	bilateral
661	unilateral
670	uterine fibroid
577	varicocele, except of spermatic cord
656	spermatic cord
	Excision of lesion (and destruction of tissue)
626	abdominal wall
611	anus
617	bile duct
638	bladder, except transurethral approach
637	transurethral approach
705	bone, except facial
698	facial
501	brain
742	breast
563	bronchus
501	cerebral meninges
668	cervix, except by conization
667	conization
597	colon
520	conjunctiva
522	cornea
597	duodenum
534	ear, external
588	esophagus
532	eye
517	eyelid
666	fallopian tube
549	gingiva, gums
597	intestine
524	iris
632	kidney
597	large intestine
558	larynx
552	lip
	Excision of lesion (**continued**)
565	lung
	meninges
501	cerebral
507	spinal
727	muscle
	nerve
508	peripheral
511	sympathetic
543	nose, except submucous resection
541	submucous resection
660	ovary
550	parotid gland
658	penis
	perineum
683	female
747	male
508	peripheral nerve
607	perirectal tissue
626	peritoneum
606	rectum
550	salivary gland
524	sclera
651	scrotum
747	skin, except radical and of pilonidal cyst or sinus
746	pilonidal cyst or sinus
748	radical
501	skull
597	small intestine
507	spinal meninges
592	stomach
727	tendon
654	testis
552	tongue
559	trachea
635	ureter
640	urethra

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
679	uterine ligament
670	uterus
682	vagina
559	vocal cord
683	vulva
	Exenteration
532	eyeball, orbit
673	pelvic
	Exploration
627	abdominal cavity
617	bile duct
632	kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
	Extracorporeal
579	circulation
579	membrane oxygenation (ECMO)
508	shock wave lithotripsy (ESWL)
	Extraction
688	breech, for delivery
547	dental
686	menstrual
547	teeth
689	vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	hand
726	Fasciotomy, except of hand
728	hand
	Fistulectomy
610	anal
638	bladder
556	branchial cleft
564	bronchus
601	intestine
	Fistulectomy **(continued)**
542	nasal
542	nasolabial
546	oroantral
609	perirectal
556	pharynx
640	rectourethral
679	rectouterine
681	rectovaginal
638	rectovesical
609	rectum
562	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction-*see Fracture-reduction*
689	Forceps delivery, except low forceps
687	low forceps
	Formation
581	arteriovenous shunt for dialysis
601	endoileal rectal pouch
634	ileal conduit or bladder
	Fracture-reduction
701	facial bone, except closed reduction
700	closed reduction
	femur
710	closed, except with internal fixation
708	with internal fixation
710	open, except with internal fixation
709	with internal fixation
701	mandible, except closed reduction
700	closed reduction
701	maxillofacial, except closed reduction
700	closed reduction
544	nose
	other sites
713	closed, except with internal fixation

OPERATION INDEX (continued)

Group No.	Title
	Fracture-reduction **(continued)**
	other sites (continued)
	closed, except with internal fixation (continued)
711	with internal fixation
713	open, except with internal fixation
712	with internal fixation
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	spinal
508	Ganglionectomy, except of tendon
727	tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	total
589	Gastroscopy, except surgical approach
596	surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	bone, except facial and skull
702	facial
503	skull
749	free, of skin
552	lip
731	muscle, except of hand
729	hand
750	pedicle, of skin
	skin
749	free
750	pedicle

Group No.	Title
	Graft **(continued)**
731	tendon, except of hand
729	hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	diaphragmatic
624	epigastric
622	femoral
624	incisional
	inguinal
621	bilateral
620	unilateral
623	umbilical
624	ventral
723	Hip replacement, except total
722	total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	radical
672	vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	termination of pregnancy
602	Ileostomy, except loop
600	loop
634	Ileoureterostomy

OPERATION INDEX (continued)

Group No.	Title
	Implant, implantation
642	artificial urinary sphincter
745	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
539	cochlear prosthetic device
539	electromagnetic hearing device (bone) (cochlea)
740	limb prosthesis
	Incision (and drainage)
626	abdominal wall
610	anal fistula
605	appendix
683	Bartholin's gland or abscess
703	bone, except facial
702	facial
501	brain
745	breast
501	cerebral meninges
569	chest (wall)
522	cornea
502	cranial sinus
534	ear, external
518	eyelid
552	floor of mouth
617	gallbladder
549	gingiva, gums
600	intestine
716	joint
519	lacrimal gland or sac
614	liver
582	lymph nodes
539	mastoid
	meninges
501	cerebral
506	spinal
537	middle ear
726	muscle

Group No.	Title
	Incision (and drainage) **(continued)**
	nasal sinus-*see Sinusotomy*
726	palmar space (hand)
618	pancreas
613	perianal tissue
	perineum
683	female
748	male
607	perirectal tissue
627	peritoneum, except via cul-de-sac
682	via cul-de-sac
746	pilonidal cyst or sinus
569	pleura
607	rectovaginal septum
607	rectum
626	retroperitoneal abscess
651	scrotum
	sinus (nasal)-*see Sinusotomy*
748	skin, except pilonidal cyst or sinus
746	pilonidal cyst or sinus
506	spinal meninges
726	tendon
569	thorax
633	ureter
682	vagina
683	vulva
690	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
764	enteral
763	parenteral (PPN) (TPN)
	Injection
694	intra-amniotic, for termination of pregnancy
763	therapeutic agent (drugs)
745	breast
741	bursa
741	joint

OPERATION INDEX (continued)

Group No.	Title
	Injection **(continued)**
	therapeutic agent (drugs) (continued)
741	tendon
686	Insemination, artificial
	Insertion
706	bone growth stimulator
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
748	infusion pump
686	intrauterine contraceptive device
679	laminaria, uterus
658	penile prosthesis
751	tissue expander, except breast
745	breast
645	ureteral stent, except by incision
633	by incision
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular

Group No.	Title
	Lens extraction, except intracapsular **(continued)**
525	intracapsular
763	Leukopheresis
	Ligation
665	fallopian tubes (bilateral), except endoscopic approach
664	endoscopic approach
612	hemorrhoids
577	varicose veins
655	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	bladder
646	extracorporeal shock wave (ESWL)
635	kidney
646	ultrasonic
635	ureter
	Lobectomy
501	brain
615	liver
566	lung, except partial
565	partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	abdominal
741	hand
524	iris
716	joint
731	muscle, except of hand
741	hand
630	pelvis
630	peritoneum
731	tendon, except of hand
741	hand
758	Magnetic resonance imaging (MRI)
745	Mammectomy

OPERATION INDEX (continued)

Group No.	Title
758	Mammography
745	Mammoplasty, augmentation or reduction
699	Mandibulectomy, except partial
698	partial
699	Mandibulotomy
	Mastectomy
743	complete
743	simple, except extended
744	extended
742	subtotal
744	radical
743	partial
538	Mastoidectomy, except revision
539	revision
745	Mastotomy
	Meatotomy
635	ureteral
639	urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
758	MRI (magnetic resonance imaging)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
764	enteral
763	parenteral (PPN) (TPN)
682	Obliteration, vagina or vaginal vault
751	Onychectomy

Group No.	Title
751	Onychoplasty
	Oophorectomy
662	bilateral
661	unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	suspension
705	Ostectomy, except facial bone
699	facial bone, except partial
698	partial
706	Osteoplasty, except facial bone
699	facial bone
703	Osteotomy, except facial bone
699	facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
763	Photopheresis

OPERATION INDEX (continued)

Group
No. Title
540 Piercing, ear
763 Plasmapheresis
763 Plateletpheresis
576 Pleurocentesis
576 Pleurodesis, chemical
570 Pleurosclerosis
Plication
  644 urethral, urethrovesical
  581 vena cava
753 Pneumoencephalography
566 Pneumonectomy
764 Polysomnogram
763 PPN (peripheral parenteral nutrition)
659 Preputiotomy
608 Proctectomy
609 Proctopexy
619 Proctosigmoidoscopy, except surgical approach
  609 surgical approach (transabdominal)
607 Proctotomy
649 Prostatectomy, except transurethral approach
  648 transurethral approach
761 Psychiatric testing and evaluation
761 Psychotherapy
575 PTCA (percutaneous transluminal coronary angioplasty)
Puncture
  501 cranial
  512 lumbar
  501 skull, for drainage
  512 spinal
758 Pyelogram (intravenous) (retrograde)
636 Pyeloscopy
632 Pyelotomy
590 Pyloromyotomy
596 Pyloroplasty

759 Radiation therapy

Group
No. Title
Radiography
  757 arteries, except cerebral and coronary
    755 cerebral
    756 coronary
  758 breast
  755 cerebral
    755 arteries
    753 ventricles
  758 chest
  758 gallbladder
  758 kidney
  758 skeletal
  758 spine, except myelogram
    754 myelogram
  757 veins
Reattachment
  738 extremity
  528 retina
  731 tendon, except of hand
    729 hand
530 Recession, ocular muscle
Reconstruction
  535 ear ossicles
  699 mandible
  729 thumb
680 Rectocele repair
Reduction
  dislocation, except temporomandibular
    714 closed
    715 open
    702 temporomandibular (joint)
  fracture
    701 facial bone, except closed reduction
      700 closed reduction
    femur
      710 closed, except with internal fixation
        708 with internal fixation

OPERATION INDEX (continued)

Group No.	**Title**
	Reduction **(continued)**
	fracture (continued)
	femur (continued)
710	open, except with internal fixation
709	with internal fixation
701	mandible, except closed reduction
700	closed reduction
701	maxillofacial, except closed reduction
700	closed reduction
544	nose
	site, other than above
713	closed, except with internal fixation
711	with internal fixation
713	open, except with internal fixation
712	with internal fixation
619	hemorrhoids
	hernia-*see also Herniorrhaphy*
764	manual
601	intestinal torsion
601	intussusception, intestine
745	mammoplasty
601	volvulus, intestine
	Release
	adhesions-*see Lysis, adhesions*
728	Dupuytren's contracture
749	scar contracture, skin
642	urethral stricture
	Removal
707	bone growth stimulator
	calculus
617	biliary tract
638	bladder
632	kidney, except transurethral approach
635	transurethral approach
519	lacrimal tract (by incision)
533	without incision
633	ureter, except transurethral approach

Group No.	**Title**
	Removal **(continued)**
	calculus (continued)
	ureter, except transurethral approach (continued)
635	transurethral approach
764	catheter, nonoperatively
764	cholecystotomy tube
693	ectopic fetus
707	fixation device, internal
	foreign body
762	bronchus, except with incision
563	with incision
532	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
745	breast
716	joint
596	gastric balloon
658	penile prosthesis
697	retained placenta, manually
764	sutures
764	t-tube, gallbladder
764	therapeutic device, nonoperatively
748	tissue expander, except breast
745	breast
529	vitreous
580	Renal dialysis
	Repair
630	abdominal wall
613	anal fistula, except by excision
610	excision
581	aneurysm (arteriovenous)
638	bladder, except obstetric laceration
697	obstetric laceration
518	blepharoptosis

OPERATION INDEX (continued)

Group No. Title

- Repair (continued)
  - 581 blood vessel
  - 706 bone, except facial
    - 699 facial
  - 745 breast
  - 564 bronchial fistula
  - 704 bunion
  - 571 cardiac septal defect
  - 669 cervix, except obstetric laceration
    - 697 obstetric laceration
  - 570 chest wall
  - 551 cleft palate
  - 520 conjunctiva
  - 522 cornea, except transplant
    - 521 transplant
  - 680 cystocele, vagina
  - 730 diastasis recti
  - 534 ear, external
  - 518 ectropion or entropion, eyelid
  - 697 episiotomy
  - 518 eyelid
  - fistula-*see Fistulectomy*
  - 704 hallux valgus
  - 729 hand
  - hernia-*see Herniorrhaphy*
  - 723 hip, except total replacement
    - 722 total replacement
  - hydrocephalus, by ventricular shunt
    - 504 extracranial
    - 505 intracranial (ventriculostomy)
  - 601 intestine
  - 725 joint, except hip and knee
    - 723 hip, except total replacement
      - 722 total replacement
    - 724 knee
  - 724 knee (joint)

Group No. Title

- Repair (continued)
  - Laceration-*see also Repair, by site*
    - 697 obstetric
  - 562 larynx
  - 552 lip
  - 615 liver
  - 568 lung
  - 731 muscle, except extraocular and of hand
    - 531 extraocular
    - 729 hand
  - 556 nasopharyngeal atresia
  - 542 nose
  - 663 ovary
  - 551 palate
  - 658 penis
  - 685 perineum, female, except obstetric laceration
    - 697 obstetric laceration
  - 509 peripheral nerve
  - 596 pylorus, stomach
  - 680 rectocele, vagina
  - 609 rectum
  - 528 retinal detachment or tear
  - 730 rotator-cuff (shoulder)
  - 503 skull
  - 507 spina bifida
  - 507 spinal meningocele
  - 596 stomach
  - 644 stress incontinence, except urethral suspension
    - 643 urethral suspension
  - 731 tendon, except of hand
    - 729 hand
  - 654 testis
  - 562 trachea
  - 635 ureter
  - 640 urethra
  - 679 uterus, except obstetric laceration and supporting structures
    - 697 obstetric laceration

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
	uterus, except obstetric laceration and supporting structures (continued)
678	supporting structures
681	vagina, except for cystocele and rectocele, and obstetric laceration
680	cystocele and rectocele
697	obstetric laceration
552	vestibular arch (mouth)
685	vulva, except obstetric laceration
697	obstetric laceration
	Replacement
574	cardiac pacemaker
571	heart valve
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
658	penile prosthesis
647	urinary catheter
	Resection
638	bladder
581	blood vessel
564	bronchus
599	large intestine
730	muscle, except of hand
728	hand
541	nasal septum, submucous
530	ocular muscle
660	ovary
608	rectum (abdominoperineal) (pull-through)
549	root of tooth
598	small intestine
730	tendon, except of hand
728	hand
548	Restoration, tooth
758	Retrograde pyelogram

Group No.	Title
	Revision
739	amputation stump
581	arteriovenous shunt for dialysis
596	gastric anastomosis
601	intestinal anastomosis
539	mastoidectomy
562	tracheostomy
539	tympanoplasty
505	ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	bilateral
666	unilateral
	Salpingo-oophorectomy
662	bilateral
661	unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt-*see also Bypass*
504	cerebral ventricles, except intracranial and revision
505	intracranial
505	revision
578	peripheral vessels
630	peritoneovenous
578	systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy

OPERATION INDEX (continued)

Group No.	Title
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	radical maxillary
751	Size-reduction, skin tissue except breast
745	breast
	Sphincterotomy
617	ampullary (of Vater) (pancreas)
613	anus
638	bladder neck
	Spinal
720	fusion
512	tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	foot
724	knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	urethral suspension
	Stress test
764	cardiac
764	fetal
764	uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	urethra, except with bladder neck
644	with bladder neck
644	urethrovesical
	Suture-*see also Repair, by site*
730	muscle, except of hand
729	hand
748	skin
730	tendon, except of hand
729	hand
510	Sympathectomy

Group No.	Title
719	Synovectomy
554	T and A
	Takedown-*see Closure*
730	Tenosynovectomy, except of hand
728	hand
726	Tenotomy, except of hand
728	hand
	Termination of pregnancy
676	aspiration curettage
674	dilation and curettage
691	hysterotomy
694	intra-amniotic injection
	Therapy
761	behavior
763	cancer (chemical)
761	electroconvulsive (ECT)
760	occupational
760	physical
761	psychiatric
759	radiation
761	shock (EST)
760	speech
760	ventilation
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
581	Thromboendarterectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	with adenoidectomy
548	Tooth restoration
763	TPN (total parenteral nutrition)
562	Tracheostomy, except permanent

OPERATION INDEX (continued)

Group No.	Title
	Tracheostomy, except permanent **(continued)**
561	permanent
760	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
763	blood, except intrauterine exchange
696	intrauterine
585	bone marrow
763	coagulation factor
763	gamma globulin
763	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
571	heart
632	kidney
731	muscle, except of hand
729	hand
731	tendon, except of hand
729	hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	revision
537	Tympanotomy
	Ultrasonic fragmentation of calculus
617	biliary
646	urinary, except by percutaneous nephrostomy
632	percutaneous nephrostomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
571	Valvuloplasty, cardiac
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	revision
753	Ventriculography
684	Vulvectomy
	X-ray-*see Radiography*
751	Z-plasty, skin

R3850-1.6-4

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Geriatric Length of Stay by Diagnosis and Operation, United States, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1988

LENGTH OF STAY

Copyright 1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0895-982x

Length of Stay by Diagnosis and Operation, Northeastern Region, 1987
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1987
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1987
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1987
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. The first edition of the Psychiatric Length of Stay series was introduced in 1987. Length of Stay by Psychiatric Diagnosis is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data v
Data Quality v
Geographic Coverage vi
1987 Length of Stay Hospital Characteristics viii

Organization of Length of Stay Tables ix

Patient Data Assignment
Definition of Multiple Diagnoses Patients
Definition of Operated Patients

Explanation of Statistics x

Application of Length of Stay Tables xi

Length of Stay Trends xii

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 3
Diagnosis Groups 1-398 4
Length of Stay Operation Groups 203
Summary of All Patients in Operation Groups 204
Operation Groups 501-764 205

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 271

Indexes 275

Diagnosis Index 277
Operation Index 299

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1987 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other sources are included in the 1987 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1987 LENGTH OF STAY BOOKS

Research Services
Linda Vanek, Product Manager
Jeanine DeLay, Assistant Director
James Chesney, Director

Development Services
Marion S. Morris, Senior Programmer Analyst
Joyce Beach, Senior Programmer Analyst

Operations
Lale A. Olson, Forms Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to Research Services staff: Carol Prevost, Research Associate, for her Length of Stay expertise, technical advice and patience; Roger Wroblewski, Statistician, for data analysis; Dorothy Kempter and Nancy Cauthen for reviewing the AIDS text; Rhonda Gregory and Kathy Lundquist for clerical and technical support.

Appreciation is extended to other individuals at CPHA: Robert Seeman, Senior Nosologist, for his explanation of coding issues and valuable assistance in producing the AIDS Supplement; John Hallfrisch, MD, Consultant, for his interpretation of clinical data; Robert Travis, Librarian, for meticulously checking the text through its many stages; and the staff of Operations, Client Services, and Word Processing.

INTRODUCTION

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The regional volumes of the Length of Stay series are defined by four census regions as described in the map below.



Most data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These data enhance CPHA as a national health information center.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

STATE INCLUSIONS BY REGION

Northeast	North Central
Connecticut	Illinois
Maine	Indiana
Massachusetts	Iowa
New Hampshire	Kansas
New Jersey	Michigan
New York	Minnesota
Pennsylvania	Missouri
Rhode Island	Nebraska
Vermont	North Dakota
	Ohio
	South Dakota
	Wisconsin

South	West
Alabama	Alaska
Arkansas	Arizona
Delaware	California
District of Columbia	Colorado
Florida	Hawaii
Georgia	Idaho
Kentucky	Montana
Louisiana	Nevada
Maryland	New Mexico
Mississippi	Oregon
North Carolina	Utah
Oklahoma	Washington
South Carolina	Wyoming
Tennessee	
Texas	
Virginia	
West Virginia	

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

1987 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	342	43	12.6
25-49	1,196	208	17.4
50-99	1,254	281	22.4
100-199	1,251	281	22.4
200-299	721	188	26.1
300-399	434	102	23.5
400-499	213	55	25.8
500+	306	70	22.9
Total	**5,717**	**1,228**	**21.5**
Region and Census Division			
Northeast	811	295	36.4
New England	241	111	46.1
Middle Atlantic	570	184	32.3
North Central	1,660	333	20.0
East North Central	878	267	30.4
West North Central	782	66	8.4
South	2,120	269	12.7
South Atlantic	814	142	17.4
East South Central	491	65	13.2
West South Central	815	62	7.6
West	1,126	331	29.4
Mountain	378	146	38.6
Pacific	748	185	24.7
Location			
Rural	2,691	549	20.4
Urban	3,026	679	22.4
Teaching Intensity			
Low	4,702	934	19.9
Medium	611	156	25.5
High	340	74	21.8
Unknown	64	64	100.0

The Pediatric book was compiled from the data of 1,119 hospitals. The Geriatric book was compiled from the data of 1,178 hospitals.

---

[1] Hospitals with average stay less than 30 days.

[2] 1986 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

ORGANIZATION OF LENGTH OF STAY TABLES

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnoses, operated or nonoperated status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnoses and age.

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1987, are reflected in the index at the back of the book.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. The principal procedure is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Diagnoses Patients

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. The Class 1 procedure may or may not relate to the principal diagnosis (Dx). Patients with only Class 2-4 procedures are considered nonoperated.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one UHDDS Class 1 procedure was present. These tables contain procedures which are either therapeutic to the principal Dx or the only procedure.

While most List B groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. These miscellaneous groups are included for informational purposes only.

List B tables which contain no significant Class 1 procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay. Several tables which, as of October 1987, contain a single low volume Class 1 procedure continue to be identified with a disclaimer.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

[2] UHDDS Classes of Procedures, *ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple Dx, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

LENGTH OF STAY TRENDS

The Length of Stay series sets the industry standard for normative patient stay data from short-term, nonfederal hospitals. First created with 1963-1964 PAS data, the series currently incorporates PAS as well as data from other sources, e.g., hospital associations. The 1987 Length of Stay series is based on over six million patient records, representing 21.5 percent of the short-term, nonfederal hospitals in the United States.

CPHA's annual publication of a reliable, extensive database allows for analysis of length of stay trends. The following table illustrates hospital stay data for the nine year period, 1979-1987.

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1987

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8

All Patients Except Newborn

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0

Source: 1979-1987 *Length of Stay by Diagnosis*, U.S. and Regions

For the total United States the average length of stay fell 13% during the nine year period, from 6.7 days in 1979 to 5.8 days in 1987. While the largest decrease occurred between 1983 and 1984, average stay appears to have levelled off since 1986. Regional variations have remained consistent; hospital stays are highest in the Northeast region and lowest in the West (1.8 day difference).

In the following table the length of stay for normal delivery (*ICD-9-CM* Code 650, List A group 270) is displayed for the five years between 1983 and 1987. This example illustrates the overall decline in length of stay, as well as the regional variations described above.

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1983-1987

	1983	1984	1985	1986	1987
U.S.	2.8	2.6	2.5	2.3	2.2
Northeast	3.1	3.0	2.9	2.8	2.7
North Central	3.1	2.9	2.7	2.5	2.4
South	2.7	2.6	2.5	2.4	2.3
West	2.0	1.9	1.9	1.8	1.7

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1983 for frequently performed surgeries in the United States.

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1983-1987

	1983	1984	1985	1986	1987
Appendectomy	5.3	5.1	4.8	4.7	4.6
Cervical Cesarean Section	5.8	5.6	5.3	5.0	4.8
Cholecystectomy	9.9	9.1	8.2	7.7	7.2
Transurethral Prostatectomy	9.3	8.2	7.1	6.5	6.1
Unilateral Repair of Inguinal Hernia	4.1	3.7	3.2	2.8	2.6
Vaginal Hysterectomy	6.7	6.3	5.8	5.2	4.8

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14440	5.1	35	1	1	3	6	10	14	32
70-74	12771	5.4	38	1	1	4	6	10	15	33
75-79	10201	5.4	37	1	1	4	7	10	14	32
80-84	7222	5.6	33	1	1	4	7	11	15	31
85 +	6747	5.5	29	1	1	4	7	11	14	29
B. Operated										
65-69 YRS	30749	4.8	17	1	1	4	7	10	12	18
70-74	25011	5.1	21	< 1	1	4	7	11	13	20
75-79	17592	5.5	24	< 1	1	4	8	12	14	21
80-84	10188	6.0	32	< 1	1	4	9	13	16	26
85 +	6779	6.9	41	< 1	1	5	10	14	18	29
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	188836	6.7	42	1	2	5	8	13	17	33
70-74	202554	7.1	44	1	2	5	9	14	18	35
75-79	196361	7.5	49	2	2	6	9	14	19	37
80-84	161333	8.0	54	2	2	6	10	15	20	41
85 +	155768	8.4	62	2	3	6	10	16	21	46
B. Operated										
65-69 YRS	167397	9.1	88	1	2	7	11	18	26	53
70-74	159908	9.8	95	1	2	7	12	20	28	56
75-79	131502	10.7	108	1	2	8	14	22	30	60
80-84	86538	11.8	122	2	2	9	15	24	33	69
85 +	66707	12.8	131	2	3	10	16	26	36	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51381	5.4	35	1	1	4	6	10	15	32
B. Operated	90319	5.3	23	< 1	1	4	7	11	14	22
2. MULTIPLE DX										
A. Not Operated	904852	7.5	50	2	2	6	9	14	19	38
B. Operated	612052	10.4	105	1	2	8	13	21	30	60
1. SINGLE DX	141700	5.3	28	1	1	4	7	11	14	25
2. MULTIPLE DX	1516904	8.7	74	1	2	6	11	17	24	49
A. Not Operated	956233	7.4	49	1	2	6	9	14	19	38
B. Operated	702371	9.7	97	1	2	7	12	20	28	57
TOTAL										
65-69 YRS	401422	7.5	61	1	2	5	9	15	21	42
70-74	400244	8.0	65	1	2	6	10	16	22	44
75-79	355656	8.5	72	1	2	6	11	17	23	47
80-84	265281	9.1	79	2	2	7	11	18	25	51
85 +	236001	9.5	85	2	2	7	12	19	26	56
GRAND TOTAL	**1658604**	**8.4**	**71**	**1**	**2**	**6**	**10**	**17**	**23**	**47**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	68	3.1	5	1	1	3	4	6	7	11
70-74	51	3.4	6	< 1	1	3	5	7	8	10
75-79	42	3.3	4	1	1	3	4	6	7	8
80-84	33	3.6	10	1	1	3	4	5	12	16
85 +	31	4.1	16	< 1	1	2	5	10	14	16
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	5	7.6	13	4	4	6	11	12	12	12
75-79	4	7.8	7	5	5	8	10	10	10	10
80-84										
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	786	4.6	12	1	2	4	5	9	11	17
70-74	812	5.0	21	1	2	4	6	10	13	25
75-79	690	5.2	17	1	2	4	6	10	13	20
80-84	545	6.3	49	2	2	4	7	12	16	38
85 +	607	6.4	48	2	2	5	8	12	17	35
B. Operated										
65-69 YRS	119	9.7	75	2	3	7	12	22	28	43
70-74	110	13.4	153	3	4	9	17	27	37	65
75-79	105	12.2	108	3	4	10	13	26	34	56
80-84	62	12.1	150	3	4	8	13	26	36	67
85 +	50	12.5	103	5	5	9	14	25	40	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	225	3.4	7	1	1	3	4	6	8	14
B. Operated	11	6.7	12	2	3	6	10	11	12	12
2. MULTIPLE DX										
A. Not Operated	3440	5.4	28	1	2	4	6	10	14	28
B. Operated	446	11.8	116	3	4	8	14	25	34	59
1. SINGLE DX	236	3.6	8	1	1	3	5	7	9	14
2. MULTIPLE DX	3886	6.2	42	1	2	4	7	12	16	36
A. Not Operated	3665	5.3	27	1	2	4	6	10	13	28
B. Operated	457	11.7	114	3	4	8	13	25	33	59
TOTAL										
65-69 YRS	974	5.1	22	1	2	4	6	10	13	26
70-74	978	5.9	42	1	2	4	7	11	16	37
75-79	841	6.0	33	1	2	4	7	12	16	31
80-84	640	6.7	60	2	2	5	8	13	19	45
85 +	689	6.8	53	1	2	5	8	13	20	38
GRAND TOTAL	**4122**	**6.0**	**41**	**1**	**2**	**4**	**7**	**11**	**16**	**35**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	9.4	55	1	1	7	16	19	19	19
70-74	1	12.0		12	12	12	12	12	12	12
75-79	1	9.0		9	9	9	9	9	9	9
80-84	3	9.7	2	8	8	10	11	11	11	11
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	5	8.4	24	5	5	7	10	17	17	17
70-74	5	6.4	13	3	3	6	9	11	11	11
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	8.0		8	8	8	8	8	8	8
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	49	11.2	53	3	4	9	14	22	24	38
70-74	55	12.4	89	3	3	10	17	25	26	54
75-79	46	12.1	70	3	3	11	15	24	28	43
80-84	42	13.7	95	3	4	13	18	35	38	99 +
85 +	43	12.6	97	3	4	10	15	25	33	53
B. Operated										
65-69 YRS	63	15.1	166	3	5	11	18	35	47	95
70-74	65	15.9	134	4	5	12	22	30	47	93
75-79	57	18.6	249	4	4	14	24	39	51	79
80-84	55	18.0	291	3	4	13	22	41	72	99
85 +	23	20.6	227	4	6	17	27	31	48	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	9.2	26	1	3	9	12	17	19	19
B. Operated	13	7.0	16	1	2	7	8	12	16	17
2. MULTIPLE DX										
A. Not Operated	235	12.4	80	3	3	10	16	24	30	53
B. Operated	263	17.1	207	3	4	13	22	37	51	97
1. SINGLE DX	24	8.0	21	1	3	7	10	15	18	19
2. MULTIPLE DX	498	14.9	153	3	4	12	19	30	42	80
A. Not Operated	246	12.2	78	3	3	10	16	24	30	53
B. Operated	276	16.7	203	3	4	12	22	36	51	94
TOTAL										
65-69 YRS	122	13.0	114	3	4	10	16	27	37	77
70-74	126	14.0	113	3	4	11	18	25	37	68
75-79	105	15.6	176	3	4	12	18	32	43	70
80-84	101	15.9	203	3	4	13	20	35	57	99 +
85 +	68	15.0	155	3	4	12	19	29	33	73
GRAND TOTAL	**522**	**14.6**	**148**	**3**	**4**	**11**	**18**	**30**	**41**	**80**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	14.0		14	14	14	14	14	14	14
75-79	0									
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
B. Operated										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74	2	23.5	613	6	6	23	41	41	41	41
75-79	1	6.0		6	6	6	6	6	6	6
80-84	2	1.0		1	1	1	1	1	1	1
85 +	2	12.0	242	1	1	12	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	14.0	110	3	3	11	20	30	34	34
70-74	8	7.1	47	2	2	5	8	19	23	23
75-79	9	10.8	54	2	3	10	16	22	23	23
80-84	3	30.0	651	5	5	29	49	56	56	56
85 +	2	17.0	18	14	14	20	80	99 +	99 +	99 +
B. Operated										
65-69 YRS	10	23.2	163	7	8	21	30	42	45	45
70-74	18	24.0	554	3	5	12	33	69	76	76
75-79	14	24.1	598	2	4	13	38	61	78	83
80-84	7	26.7	210	11	13	21	35	50	53	53
85 +	7	15.0	195	1	2	13	32	83	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	10.5	25	7	7	10	14	14	14	14
B. Operated	9	9.7	187	1	1	6	11	34	41	41
2. MULTIPLE DX										
A. Not Operated	30	13.0	141	2	3	9	20	31	55	99 +
B. Operated	56	23.1	394	3	5	17	34	53	76	99
1. SINGLE DX	11	9.8	152	1	1	6	12	30	40	41
2. MULTIPLE DX	86	19.6	326	2	4	14	27	52	76	99 +
A. Not Operated	32	12.8	133	2	3	9	20	30	53	99 +
B. Operated	65	21.2	384	1	2	14	31	52	76	97
TOTAL										
65-69 YRS	20	17.6	160	2	3	15	27	37	42	45
70-74	29	19.0	428	2	3	9	25	48	76	76
75-79	24	18.3	406	2	4	11	21	52	66	83
80-84	13	22.0	335	1	1	21	32	54	56	56
85 +	11	14.8	146	1	1	14	28	99 +	99 +	99 +
GRAND TOTAL	**97**	**18.5**	**314**	**1**	**3**	**13**	**23**	**49**	**68**	**99 +**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	20	3.8	4	1	1	3	5	6	8	10
70-74	13	4.9	14	1	2	4	6	12	13	13
75-79	10	3.7	2	2	2	4	5	6	6	6
80-84	8	10.8	237	2	2	6	9	37	48	48
85 +	5	5.8	8	2	2	7	8	9	9	9
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5		2	2	2	3	3	3	3
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	56	5.2	41	1	2	4	6	9	11	46
B. Operated	2	4.5	1	4	4	4	5	5	5	5
1. SINGLE DX	5	2.6		2	2	3	3	3	3	3
2. MULTIPLE DX	58	5.2	40	1	2	4	6	9	11	45
A. Not Operated	60	5.0	39	1	2	4	6	9	11	44
B. Operated	3	4.0	1	3	3	4	5	5	5	5
TOTAL										
65-69 YRS	23	3.7	4	1	2	3	5	6	8	10
70-74	16	4.6	12	1	2	3	6	11	13	13
75-79	11	3.6	2	2	2	3	5	6	6	6
80-84	8	10.8	237	2	2	6	9	37	48	48
85 +	5	5.8	8	2	2	7	8	9	9	9
GRAND TOTAL	**63**	**5.0**	**37**	**1**	**2**	**4**	**6**	**9**	**11**	**43**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	23	6.9	13	1	2	6	9	11	14	16
70-74	21	6.9	35	1	2	6	8	10	19	30
75-79	28	7.0	12	3	3	6	8	12	16	17
80-84	34	8.4	53	2	3	7	10	15	36	99 +
85 +	33	8.4	27	2	3	6	11	18	18	21
B. Operated										
65-69 YRS	3	26.3	825	5	5	15	48	59	59	59
70-74	3	14.0	61	9	9	10	20	23	23	23
75-79	2	8.5	1	8	8	8	9	9	9	9
80-84	6	17.7	41	12	12	15	23	27	28	28
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1676	10.2	54	3	4	8	12	17	24	40
70-74	2002	10.4	52	3	4	9	13	18	23	38
75-79	2216	10.9	50	4	5	9	13	18	24	41
80-84	2165	11.3	65	4	5	9	13	19	25	44
85 +	2740	11.5	65	4	5	10	14	20	25	43
B. Operated										
65-69 YRS	676	18.7	199	5	6	15	24	39	51	99 +
70-74	722	19.2	177	5	7	15	25	39	53	99 +
75-79	727	18.7	182	6	7	15	23	35	48	93
80-84	617	20.0	177	6	8	16	25	41	49	99 +
85 +	578	20.5	193	7	8	17	25	41	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	7.6	29	2	3	6	10	15	17	49
B. Operated	15	16.7	179	5	7	13	21	28	51	59
2. MULTIPLE DX										
A. Not Operated	10799	10.9	58	4	5	9	13	19	24	42
B. Operated	3320	19.3	186	6	7	16	24	39	52	99 +
1. SINGLE DX	154	8.5	50	2	3	7	10	16	20	58
2. MULTIPLE DX	14119	12.9	101	4	5	10	15	24	33	64
A. Not Operated	10938	10.9	58	4	5	9	13	19	24	42
B. Operated	3335	19.3	186	6	7	16	24	39	52	99 +
TOTAL										
65-69 YRS	2378	12.6	111	4	5	9	15	25	33	62
70-74	2748	12.7	99	4	5	10	15	24	33	64
75-79	2973	12.7	93	4	5	10	15	23	31	62
80-84	2822	13.1	102	4	5	10	16	25	33	66
85 +	3352	13.0	98	4	5	11	16	23	31	64
GRAND TOTAL	**14273**	**12.9**	**100**	**4**	**5**	**10**	**15**	**24**	**33**	**64**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	8.2	17	4	4	7	12	13	13	13
70-74	8	4.6	7	2	2	4	6	9	10	10
75-79	10	6.2	16	3	3	4	8	13	14	14
80-84	4	4.3	10	2	2	3	6	9	9	9
85 +	8	4.9	4	2	2	5	6	7	7	7
B. Operated										
65-69 YRS	1	14.0		14	14	14	14	14	14	14
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	1	17.0		17	17	17	17	17	17	17
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	103	7.4	21	2	3	6	9	14	17	23
70-74	115	9.3	74	3	3	7	11	19	26	49
75-79	110	8.2	67	3	3	6	10	14	16	48
80-84	81	8.7	39	3	4	7	10	15	22	35
85 +	96	8.2	34	2	3	7	10	15	20	31
B. Operated										
65-69 YRS	47	16.7	225	3	5	13	19	32	47	89
70-74	57	19.6	198	5	6	16	27	39	48	66
75-79	48	21.3	329	4	5	15	35	47	95	99 +
80-84	34	18.4	138	4	6	16	28	33	43	52
85 +	24	15.5	228	4	5	12	19	29	44	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	5.6	11	2	2	5	7	12	13	14
B. Operated	3	11.7	46	4	4	14	16	17	17	17
2. MULTIPLE DX										
A. Not Operated	505	8.4	48	3	3	7	10	15	20	36
B. Operated	210	18.7	227	4	5	14	25	39	51	97
1. SINGLE DX	38	6.1	15	2	2	5	7	13	14	17
2. MULTIPLE DX	715	11.4	123	3	3	8	14	24	35	65
A. Not Operated	540	8.2	46	3	3	7	10	15	19	35
B. Operated	213	18.6	225	4	5	14	25	38	51	97
TOTAL										
65-69 YRS	156	10.3	99	3	3	8	13	19	24	50
70-74	181	12.3	135	3	3	8	15	28	37	63
75-79	168	11.8	173	3	3	8	14	32	40	99
80-84	120	11.4	86	3	4	9	14	25	30	46
85 +	128	9.3	76	2	3	7	11	19	24	45
GRAND TOTAL	**753**	**11.1**	**119**	**3**	**3**	**8**	**13**	**23**	**34**	**65**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047 048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	6.2	10	3	3	6	9	10	10	10
70-74	4	3.0	3	1	1	3	4	5	5	5
75-79	2	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	3	13.0	243	4	4	4	24	31	31	31
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	9.4	134	1	2	5	8	23	42	50
70-74	21	9.1	34	3	3	8	12	15	22	28
75-79	14	10.6	89	3	3	8	14	18	35	40
80-84	12	9.3	35	2	3	7	14	18	21	22
85 +	6	16.2	61	9	9	12	24	28	28	28
B. Operated										
65-69 YRS	0									
70-74	5	27.2	492	7	7	16	44	61	61	61
75-79	4	16.3	95	6	6	15	24	28	28	28
80-84	2	18.0	8	16	16	18	20	20	20	20
85 +	3	19.3	86	13	13	15	26	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	6.3	53	1	2	4	7	10	26	31
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	80	10.0	79	2	3	7	12	19	28	47
B. Operated	14	21.1	211	6	7	16	28	40	56	61
1. SINGLE DX	15	6.3	53	1	2	4	7	10	26	31
2. MULTIPLE DX	94	11.7	113	3	3	8	14	25	36	56
A. Not Operated	95	9.4	77	2	3	7	11	17	28	46
B. Operated	14	21.1	211	6	7	16	28	40	56	61
TOTAL										
65-69 YRS	33	8.8	112	2	3	5	9	18	39	50
70-74	30	11.3	148	2	3	8	14	22	38	61
75-79	20	11.0	88	3	3	8	14	24	34	40
80-84	14	10.5	41	2	4	7	16	20	22	22
85 +	12	16.2	93	4	4	13	26	30	31	31
GRAND TOTAL	**109**	**10.9**	**107**	**2**	**3**	**8**	**14**	**25**	**31**	**54**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	54	4.4	7	< 1	1	4	6	7	9	14
70-74	46	5.0	12	1	2	5	6	7	9	24
75-79	44	5.1	5	2	2	5	7	8	9	10
80-84	25	5.6	15	1	1	5	8	10	14	15
85 +	10	5.3	8	2	2	5	6	10	11	11
B. Operated										
65-69 YRS	5	2.2	1	1	1	2	3	3	3	3
70-74	7	4.9	15	1	1	4	7	11	12	12
75-79	8	7.0	35	1	1	7	11	15	16	16
80-84	3	3.7	6	< 1	< 1	4	5	6	6	6
85 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	326	7.0	30	2	2	6	8	12	15	32
70-74	441	7.3	36	2	3	6	9	13	17	29
75-79	444	7.9	30	2	3	7	10	14	18	33
80-84	339	8.3	44	2	3	7	10	16	19	48
85 +	319	9.4	83	2	3	7	11	18	24	64
B. Operated										
65-69 YRS	45	15.5	357	2	2	8	15	36	63	83
70-74	50	11.5	135	2	2	8	14	20	36	69
75-79	58	13.9	106	3	5	11	19	27	37	53
80-84	31	15.0	148	3	4	12	21	34	52	99 +
85 +	21	15.4	64	5	6	15	24	30	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	4.9	9	1	2	4	6	9	10	15
B. Operated	25	4.8	18	< 1	1	3	6	12	13	16
2. MULTIPLE DX										
A. Not Operated	1869	7.9	44	2	3	6	10	14	19	37
B. Operated	205	14.0	169	2	3	10	18	31	39	90
1. SINGLE DX	204	4.9	10	1	1	4	6	9	11	15
2. MULTIPLE DX	2074	8.5	59	2	3	7	10	16	21	43
A. Not Operated	2048	7.7	41	2	3	6	9	14	18	35
B. Operated	230	13.0	161	2	2	9	16	30	38	86
TOTAL										
65-69 YRS	430	7.5	68	2	2	6	8	13	19	47
70-74	544	7.5	45	2	2	6	9	14	18	36
75-79	554	8.3	40	2	3	7	10	15	19	37
80-84	398	8.6	54	2	3	7	10	16	22	53
85 +	352	9.6	82	2	3	7	12	19	25	72
GRAND TOTAL	**2278**	**8.2**	**56**	**2**	**3**	**6**	**10**	**15**	**20**	**41**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	8.3	63	2	3	5	9	24	25	25
70-74	6	6.5	22	< 1	< 1	7	10	12	12	12
75-79	3	11.0	63	5	5	8	17	20	20	20
80-84	1	2.0		2	2	2	2	2	2	2
85 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	4	1.5	1	1	1	1	2	3	3	3
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	60	7.2	21	1	2	6	10	13	16	92
70-74	58	7.4	20	2	3	6	10	14	17	21
75-79	38	10.1	194	2	3	7	11	15	20	89
80-84	19	7.8	44	1	2	7	9	15	24	31
85 +	16	10.6	64	2	3	10	13	15	30	36
B. Operated										
65-69 YRS	20	12.0	152	2	3	9	13	24	43	56
70-74	20	16.8	327	1	2	10	20	39	63	76
75-79	10	16.2	50	10	11	14	17	26	35	35
80-84	4	24.8	763	4	4	16	45	63	63	63
85 +	1	17.0		17	17	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	7.6	45	1	2	5	10	20	24	25
B. Operated	6	2.7	10	1	1	1	3	8	9	9
2. MULTIPLE DX										
A. Not Operated	191	8.2	61	2	3	7	10	14	17	67
B. Operated	55	15.5	231	2	4	11	18	31	54	75
1. SINGLE DX	30	6.6	41	1	1	4	9	16	24	25
2. MULTIPLE DX	246	9.8	108	2	3	7	12	17	25	76
A. Not Operated	215	8.1	59	2	2	7	10	14	19	54
B. Operated	61	14.2	224	1	1	10	17	30	53	75
TOTAL										
65-69 YRS	93	8.4	56	2	2	7	10	16	25	81
70-74	88	9.2	105	1	2	7	11	18	22	66
75-79	51	11.3	161	3	3	8	14	18	22	88
80-84	25	10.0	175	1	2	7	9	27	39	63
85 +	19	10.3	60	2	3	10	13	16	27	36
GRAND TOTAL	**276**	**9.5**	**101**	**2**	**2**	**7**	**11**	**17**	**25**	**72**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	7.0	62	1	1	4	9	18	27	29
70-74	5	10.2	146	1	1	5	15	31	31	31
75-79	3	7.3	6	5	5	7	9	10	10	10
80-84	2	8.5	25	5	5	8	12	12	12	12
85 +	6	9.8	91	1	1	7	21	21	21	21
B. Operated										
65-69 YRS	5	6.0	9	3	3	6	9	9	9	9
70-74	1	8.0		8	8	8	8	8	8	8
75-79	2	8.5	85	2	2	8	15	15	15	15
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	28	8.3	67	1	1	5	11	21	29	31
B. Operated	9	7.0	17	2	2	8	9	13	15	15
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	37	8.0	54	1	1	6	10	20	26	31
A. Not Operated	29	8.1	66	1	1	5	11	21	29	31
B. Operated	9	7.0	17	2	2	8	9	13	15	15
TOTAL										
65-69 YRS	18	6.5	43	1	1	4	9	12	23	29
70-74	6	9.8	117	1	1	6	10	29	31	31
75-79	5	7.8	25	2	2	7	11	15	15	15
80-84	3	8.3	12	5	5	8	11	12	12	12
85 +	6	9.8	91	1	1	7	21	21	21	21
GRAND TOTAL	**38**	**7.9**	**54**	**1**	**1**	**6**	**10**	**19**	**26**	**31**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	1.8	1	1	1	2	2	3	3	3
70-74	3	3.0	3	2	2	2	4	5	5	5
75-79	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	10	5.4	15	1	1	5	6	11	14	14
70-74	4	1.8	1	1	1	2	2	3	3	3
75-79	3	2.7		2	2	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85 +	3	5.0	7	2	2	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	2.1	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	21	4.0	10	1	1	3	6	8	11	14
1. SINGLE DX	11	2.1	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX	22	4.0	10	1	1	3	6	8	11	14
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	32	3.4	8	< 1	1	2	5	7	9	14
TOTAL										
65-69 YRS	15	4.2	13	1	1	3	6	9	13	14
70-74	7	2.3	2	1	1	2	3	5	5	5
75-79	5	2.0	1	< 1	< 1	2	3	3	3	3
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	4	4.5	6	2	2	4	6	7	7	7
GRAND TOTAL	**33**	**3.3**	**8**	**< 1**	**1**	**2**	**5**	**6**	**9**	**14**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	4.2	9	1	2	3	5	10	11	11
70-74	27	3.6	7	< 1	1	3	4	6	9	14
75-79	19	3.3	8	< 1	1	3	4	7	10	12
80-84	13	3.3	7	1	1	2	4	7	9	10
85 +	13	5.2	14	1	1	5	8	11	11	11
B. Operated										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	0									
75-79	3	23.7	108	12	12	27	31	32	32	32
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	313	5.2	15	1	2	4	7	10	14	19
70-74	325	4.8	17	1	2	4	6	9	11	26
75-79	302	5.5	42	1	2	4	6	9	12	37
80-84	246	5.8	35	2	2	4	7	11	14	30
85 +	203	5.7	24	2	2	4	7	10	15	27
B. Operated										
65-69 YRS	42	18.5	184	4	5	15	27	38	58	99 +
70-74	26	14.4	220	3	4	11	16	26	49	73
75-79	21	12.3	64	2	3	11	18	24	27	28
80-84	15	13.8	120	2	4	11	20	33	36	37
85 +	14	14.5	233	5	6	8	10	41	54	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	3.9	9	1	1	3	5	9	11	13
B. Operated	4	20.5	112	11	11	19	29	32	32	32
2. MULTIPLE DX										
A. Not Operated	1389	5.4	26	1	2	4	6	10	13	26
B. Operated	118	15.4	169	3	4	11	21	33	43	81
1. SINGLE DX	103	4.5	22	1	1	3	5	10	12	29
2. MULTIPLE DX	1507	6.1	45	2	2	4	7	11	17	35
A. Not Operated	1488	5.3	25	1	2	4	6	10	13	25
B. Operated	122	15.6	167	3	4	11	21	32	43	80
TOTAL										
65-69 YRS	383	6.6	50	1	2	4	7	14	21	41
70-74	378	5.4	36	1	2	4	6	10	14	30
75-79	345	6.0	48	1	2	4	7	10	16	33
80-84	274	6.1	42	1	2	4	7	11	15	34
85 +	230	6.2	40	2	2	4	7	10	19	33
GRAND TOTAL	**1610**	**6.0**	**44**	**1**	**2**	**4**	**7**	**11**	**16**	**34**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	6.1	35	2	2	3	7	17	19	19
70-74	6	3.0	5	1	1	2	4	7	7	7
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84	0									
85 +	2	17.0	338	4	4	17	30	30	30	30
B. Operated										
65-69 YRS	0									
70-74	2	6.0	2	5	5	6	7	7	7	7
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	7.0	16	2	2	6	10	14	15	16
70-74	18	9.2	29	2	2	8	14	17	18	18
75-79	10	5.3	7	1	1	5	7	8	9	9
80-84	9	7.1	13	3	3	6	9	13	14	14
85 +	7	10.4	117	2	2	4	21	27	27	27
B. Operated										
65-69 YRS	2	26.0	128	18	18	26	34	34	34	34
70-74	3	15.0	112	3	3	19	22	23	23	23
75-79	1	13.0		13	13	13	13	13	13	13
80-84	3	19.0	103	8	8	21	26	28	28	28
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.8	53	1	1	3	6	15	26	30
B. Operated	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	67	7.7	28	2	2	6	10	15	17	27
B. Operated	9	18.6	92	3	5	19	24	32	34	34
1. SINGLE DX	20	5.8	48	1	1	4	6	13	24	30
2. MULTIPLE DX	76	9.0	47	2	2	7	12	18	24	32
A. Not Operated	85	7.3	34	2	2	6	9	15	18	29
B. Operated	11	16.3	100	3	4	18	22	30	34	34
TOTAL										
65-69 YRS	32	8.0	45	2	2	6	10	17	19	34
70-74	29	8.3	38	1	2	7	14	18	19	23
75-79	14	5.4	11	1	2	4	7	9	12	13
80-84	12	10.1	57	3	4	7	12	23	27	28
85 +	9	11.9	138	2	2	4	25	29	30	30
GRAND TOTAL	**96**	**8.3**	**49**	**2**	**2**	**6**	**11**	**18**	**24**	**32**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	5.6	17	1	1	4	10	10	10	10
70-74	1	11.0		11	11	11	11	11	11	11
75-79	5	5.4	17	1	1	7	8	10	10	10
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	4.0		4	4	4	4	4	4	4
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	6.6	18	< 1	1	6	10	11	14	18
70-74	12	9.7	25	2	3	10	12	16	19	20
75-79	19	6.7	16	1	2	6	11	12	13	13
80-84	7	14.6	90	1	4	15	25	79	99 +	99 +
85 +	12	9.8	43	2	3	7	14	21	21	21
B. Operated										
65-69 YRS	15	10.7	64	1	3	8	16	23	27	28
70-74	10	15.7	778	1	2	8	15	96	99 +	99 +
75-79	14	22.1	728	1	1	14	20	75	87	91
80-84	2	4.0	8	2	2	4	6	6	6	6
85 +	3	7.0	13	4	4	6	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.5	16	1	1	4	10	10	11	11
B. Operated	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	73	8.4	33	1	2	7	11	18	21	83
B. Operated	44	14.9	438	1	2	8	17	32	92	99 +
1. SINGLE DX	17	4.8	14	1	1	4	8	10	11	11
2. MULTIPLE DX	117	10.8	193	1	2	7	13	20	31	99 +
A. Not Operated	86	8.0	32	1	1	7	11	16	21	74
B. Operated	48	13.9	412	1	2	7	16	30	91	99 +
TOTAL										
65-69 YRS	44	7.8	37	1	1	6	10	16	19	28
70-74	24	12.0	328	2	2	9	12	20	95	99 +
75-79	40	11.7	312	1	1	7	12	19	52	91
80-84	11	10.5	88	1	1	10	20	51	93	99 +
85 +	15	9.2	37	2	4	7	12	21	21	21
GRAND TOTAL	**134**	**10.1**	**174**	**1**	**1**	**7**	**11**	**20**	**29**	**99 +**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.6	7	< 1	< 1	3	5	8	8	8
70-74	3	3.3	1	2	2	4	4	4	4	4
75-79	1	6.0		6	6	6	6	6	6	6
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	9	7.8	15	1	3	8	9	14	14	14
70-74	7	9.6	46	1	2	8	13	20	22	22
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	63	10.7	74	2	3	8	12	20	28	47
70-74	72	9.6	73	3	3	8	12	16	21	56
75-79	51	9.3	59	3	4	7	11	19	34	99
80-84	50	9.1	29	2	3	8	13	16	18	25
85 +	64	10.7	47	4	5	9	14	18	22	41
B. Operated										
65-69 YRS	86	16.4	218	2	3	12	22	36	49	72
70-74	59	17.3	279	2	5	12	23	36	66	99
75-79	43	19.8	312	4	6	12	24	54	58	63
80-84	27	21.4	204	4	6	19	25	46	49	59
85 +	11	16.4	268	3	4	11	17	45	56	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.9	4	< 1	1	4	5	7	8	8
B. Operated	18	8.2	26	1	2	7	10	14	19	22
2. MULTIPLE DX										
A. Not Operated	300	9.9	58	3	3	8	12	18	23	46
B. Operated	226	17.9	251	2	4	12	23	42	56	80
1. SINGLE DX	28	6.7	22	1	1	6	8	14	15	22
2. MULTIPLE DX	526	13.3	156	3	4	9	16	27	42	70
A. Not Operated	310	9.7	57	2	3	8	12	18	23	46
B. Operated	244	17.2	241	2	4	12	23	39	56	77
TOTAL										
65-69 YRS	163	13.3	156	2	3	9	17	29	39	67
70-74	141	12.7	171	2	3	9	15	26	36	93
75-79	96	13.9	198	3	4	8	17	37	55	83
80-84	79	13.2	122	3	4	10	16	25	39	56
85 +	75	11.5	80	3	4	9	14	18	26	54
GRAND TOTAL	**554**	**13.0**	**152**	**2**	**4**	**9**	**16**	**26**	**41**	**68**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	0									
75-79	0									
80-84	1	9.0		9	9	9	9	9	9	9
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	9.3	12	4	4	11	11	11	11	11
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	7.0	18	4	4	7	10	10	10	10
80-84	2	9.5	1	9	9	9	10	10	10	10
85 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
65-69 YRS	5	19.0	164	6	6	19	25	39	39	39
70-74	0									
75-79	4	29.0	82	16	16	31	34	37	37	37
80-84	1	31.0		31	31	31	31	31	31	31
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	9.0		9	9	9	9	9	9	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10	8.4	8	4	4	9	11	11	11	11
B. Operated	10	24.2	130	6	8	26	32	38	39	39
1. SINGLE DX	2	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX	20	16.3	131	4	5	11	26	34	38	39
A. Not Operated	12	8.5	6	4	4	9	10	11	11	11
B. Operated	10	24.2	130	6	8	26	32	38	39	39
TOTAL										
65-69 YRS	10	14.1	103	4	5	11	19	30	39	39
70-74	1	7.0		7	7	7	7	7	7	7
75-79	6	21.7	182	4	5	23	32	36	37	37
80-84	4	14.8	118	9	9	10	20	31	31	31
85 +	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**22**	**15.6**	**123**	**4**	**5**	**10**	**21**	**33**	**38**	**39**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	7.5	85	< 1	< 1	7	14	14	14	14
70-74	1	8.0		8	8	8	8	8	8	8
75-79	2	5.5	13	3	3	5	8	8	8	8
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	6.5	19	< 1	< 1	7	10	10	10	10
70-74	5	3.6	4	1	1	4	5	6	6	6
75-79	0									
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	42	11.1	156	2	3	8	12	19	38	61
70-74	34	8.9	108	3	3	6	9	16	23	61
75-79	30	11.4	76	4	4	9	14	25	28	41
80-84	21	12.2	51	3	4	11	16	23	26	29
85 +	11	6.6	13	2	2	5	10	12	12	12
B. Operated										
65-69 YRS	52	12.2	166	1	3	10	14	22	30	84
70-74	32	13.1	101	2	3	9	18	27	36	38
75-79	12	15.8	58	5	6	15	22	26	28	28
80-84	4	21.5	576	1	1	15	39	54	54	54
85 +	5	9.8	39	3	3	10	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.8	26	< 1	< 1	8	10	14	14	14
B. Operated	10	5.0	10	< 1	< 1	5	6	10	10	10
2. MULTIPLE DX										
A. Not Operated	138	10.4	100	3	3	8	12	20	26	61
B. Operated	105	13.1	140	2	3	10	17	25	32	68
1. SINGLE DX	15	5.6	15	< 1	< 1	5	8	10	13	14
2. MULTIPLE DX	243	11.6	119	2	3	8	15	23	29	61
A. Not Operated	143	10.3	97	3	3	8	12	20	25	61
B. Operated	115	12.4	134	1	3	10	16	25	31	65
TOTAL										
65-69 YRS	100	11.4	153	1	3	9	13	20	28	73
70-74	72	10.4	102	2	3	7	13	23	30	56
75-79	44	12.3	73	4	4	10	16	25	28	41
80-84	25	13.7	127	2	4	11	18	25	35	54
85 +	17	7.5	21	2	3	6	11	15	16	16
GRAND TOTAL	**258**	**11.2**	**114**	**2**	**3**	**8**	**14**	**23**	**28**	**61**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	7.3	46	2	2	5	12	15	15	15
70-74	1	13.0		13	13	13	13	13	13	13
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	3	13.3	236	3	3	6	25	31	31	31
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	6	6.7	34	2	2	4	13	15	15	15
B. Operated	3	13.3	236	3	3	6	25	31	31	31
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	9	8.9	91	2	2	5	13	25	31	31
A. Not Operated	7	6.1	30	2	2	3	11	15	15	15
B. Operated	3	13.3	236	3	3	6	25	31	31	31
TOTAL										
65-69 YRS	7	9.3	111	2	2	5	13	28	31	31
70-74	1	13.0		13	13	13	13	13	13	13
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**10**	**8.3**	**85**	**2**	**2**	**4**	**13**	**23**	**31**	**31**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.5	4	< 1	< 1	2	4	5	5	5
70-74	6	7.2	109	< 1	< 1	3	6	26	28	28
75-79	11	7.2	97	1	1	5	7	19	35	36
80-84	1	6.0		6	6	6	6	6	6	6
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	128	4.9	19	1	1	3	7	12	14	18
70-74	110	3.8	16	1	1	2	5	8	14	19
75-79	80	4.0	22	< 1	1	3	5	8	16	26
80-84	41	3.9	11	1	1	3	6	9	11	13
85 +	31	4.1	22	1	1	3	5	7	8	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	56	8.9	99	1	2	6	10	21	27	58
70-74	69	7.1	98	1	1	4	7	16	20	64
75-79	40	9.6	106	1	2	6	12	19	34	51
80-84	28	9.0	97	1	2	6	10	20	30	48
85 +	20	6.4	13	1	2	6	9	12	13	14
B. Operated										
65-69 YRS	505	11.8	174	1	1	8	15	28	39	85
70-74	393	11.8	184	1	2	7	16	28	37	78
75-79	249	10.6	127	1	2	7	15	26	32	99
80-84	147	8.3	108	1	2	5	10	20	26	90
85 +	98	9.7	127	1	2	7	11	19	37	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	6.0	74	< 1	1	4	6	12	31	36
B. Operated	390	4.2	18	1	1	3	5	10	13	21
2. MULTIPLE DX										
A. Not Operated	213	8.2	92	1	2	5	9	18	25	54
B. Operated	1392	11.0	159	1	2	7	15	26	37	84
1. SINGLE DX	413	4.3	21	1	1	3	5	10	14	24
2. MULTIPLE DX	1605	10.7	151	1	2	7	14	25	35	79
A. Not Operated	236	8.0	90	1	1	5	9	18	26	52
B. Operated	1782	9.6	136	1	1	6	12	23	32	74
TOTAL										
65-69 YRS	693	10.2	145	1	1	6	13	24	34	76
70-74	578	9.6	151	1	1	5	13	23	30	69
75-79	380	9.0	109	1	1	5	13	23	30	78
80-84	217	7.6	90	1	1	5	9	18	23	61
85 +	150	8.0	95	1	1	5	9	15	30	53
GRAND TOTAL	**2018**	**9.4**	**131**	**1**	**1**	**5**	**12**	**22**	**31**	**70**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	6.4	66	< 1	1	4	6	20	26	26
70-74	2	8.0	2	7	7	8	9	9	9	9
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	33.0		33	33	33	33	33	33	33
85 +	4	5.3	5	2	2	6	7	7	7	7
B. Operated										
65-69 YRS	17	6.1	29	< 1	< 1	5	7	13	19	22
70-74	30	8.4	58	1	1	6	12	18	19	36
75-79	19	7.3	35	< 1	1	6	11	16	19	20
80-84	6	11.7	39	1	2	13	16	18	18	18
85 +	7	6.4	16	3	3	5	8	13	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	77	6.2	20	2	2	5	7	15	16	17
70-74	49	8.7	70	2	2	5	10	24	29	36
75-79	44	7.3	30	1	2	5	11	15	18	21
80-84	32	8.5	46	1	2	7	11	17	25	28
85 +	15	8.7	90	1	2	6	9	28	32	33
B. Operated										
65-69 YRS	237	17.8	250	2	3	13	23	43	54	84
70-74	182	15.1	182	1	3	12	21	32	43	64
75-79	151	16.1	214	2	3	12	22	32	36	82
80-84	89	13.8	113	3	3	12	17	29	40	83
85 +	61	11.8	95	2	3	9	16	27	30	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	7.6	74	1	2	5	7	23	31	33
B. Operated	79	7.7	41	< 1	1	6	12	17	19	32
2. MULTIPLE DX										
A. Not Operated	217	7.5	42	1	2	5	10	15	22	32
B. Operated	720	15.7	198	2	3	12	21	33	46	76
1. SINGLE DX	96	7.7	47	< 1	1	6	11	17	20	35
2. MULTIPLE DX	937	13.8	174	2	3	10	17	30	41	66
A. Not Operated	234	7.5	44	1	2	5	10	15	23	33
B. Operated	799	15.0	188	2	3	11	19	32	44	70
TOTAL										
65-69 YRS	339	14.3	210	1	3	10	18	32	48	75
70-74	263	13.1	154	1	2	10	16	28	36	59
75-79	216	13.4	175	1	3	10	17	29	35	71
80-84	128	12.5	99	2	3	11	16	27	35	66
85 +	87	10.5	87	2	2	7	14	26	30	44
GRAND TOTAL	**1033**	**13.3**	**165**	**1**	**2**	**10**	**17**	**29**	**39**	**64**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	6.0	21	2	2	5	9	11	11	11
70-74	1	5.0		5	5	5	5	5	5	5
75-79	2	2.0		2	2	2	2	2	2	2
80-84	2	3.0	2	2	2	3	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	33	11.5	84	2	5	9	13	20	22	54
70-74	27	12.9	75	3	6	11	16	19	34	43
75-79	26	14.0	82	3	4	11	18	28	34	40
80-84	12	13.0	67	1	4	11	17	25	30	31
85 +	10	11.2	22	1	4	11	14	16	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	75	8.5	57	2	2	6	11	18	23	41
70-74	69	10.0	94	1	2	7	12	25	36	42
75-79	73	8.3	70	1	2	7	11	15	20	55
80-84	51	10.0	89	2	3	8	11	18	26	59
85 +	70	7.4	28	1	1	6	10	17	20	83
B. Operated										
65-69 YRS	466	16.2	148	4	7	13	19	30	41	77
70-74	518	16.2	132	5	6	13	20	29	40	74
75-79	476	17.1	154	5	7	14	21	30	38	67
80-84	317	17.9	114	4	7	16	22	32	40	53
85 +	251	16.7	141	4	6	14	22	30	35	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.1	10	2	2	3	5	9	11	11
B. Operated	108	12.6	72	2	4	11	15	21	31	48
2. MULTIPLE DX										
A. Not Operated	338	8.8	66	1	2	7	11	18	24	47
B. Operated	2028	16.7	139	4	7	14	21	30	39	68
1. SINGLE DX	116	12.0	72	2	3	10	14	21	30	47
2. MULTIPLE DX	2366	15.6	137	3	5	13	20	29	37	66
A. Not Operated	346	8.7	66	1	2	7	11	18	24	46
B. Operated	2136	16.5	137	4	6	14	20	30	39	67
TOTAL										
65-69 YRS	577	14.9	139	3	5	12	18	28	39	70
70-74	615	15.3	129	3	5	13	19	28	39	70
75-79	577	15.8	149	2	5	13	20	29	37	66
80-84	382	16.6	117	3	5	14	21	31	38	53
85 +	331	14.6	128	2	4	12	19	29	34	76
GRAND TOTAL	**2482**	**15.4**	**134**	**3**	**5**	**13**	**19**	**29**	**37**	**65**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	5	7.2	13	< 1	< 1	9	9	10	10	10
70-74	2	20.0	242	9	9	20	31	31	31	31
75-79	0									
80-84	1	8.0		8	8	8	8	8	8	8
85 +	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	11.0	32	4	4	11	16	17	17	17
70-74	14	7.7	14	2	3	7	10	12	15	16
75-79	9	9.1	49	4	4	7	9	20	27	27
80-84	5	6.4	7	3	3	6	8	10	10	10
85 +	8	6.5	4	4	4	6	8	9	9	9
B. Operated										
65-69 YRS	69	18.4	203	6	8	14	20	35	58	68
70-74	77	15.9	110	7	8	13	19	31	43	88
75-79	76	19.1	120	8	8	16	23	36	42	55
80-84	38	18.7	203	6	7	16	20	34	54	72
85 +	28	20.8	199	5	9	19	23	40	50	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	9	10.9	68	< 1	3	9	11	24	31	31
2. MULTIPLE DX										
A. Not Operated	42	8.1	22	3	4	7	9	15	17	27
B. Operated	288	18.2	156	7	8	15	22	34	48	70
1. SINGLE DX	10	10.1	67	< 1	1	9	10	22	31	31
2. MULTIPLE DX	330	16.9	150	5	7	14	20	32	44	69
A. Not Operated	43	8.0	22	3	4	7	9	15	17	27
B. Operated	297	18.0	154	7	8	15	21	33	47	70
TOTAL										
65-69 YRS	80	17.1	188	5	7	13	19	33	51	68
70-74	93	14.8	105	3	7	11	18	30	37	81
75-79	85	18.0	122	7	8	16	22	35	41	55
80-84	45	16.8	193	3	5	14	19	33	53	72
85 +	37	17.5	186	4	5	15	22	31	47	71
GRAND TOTAL	**340**	**16.7**	**149**	**4**	**7**	**14**	**20**	**32**	**44**	**69**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	2.4	2	1	1	2	4	4	4	4
70-74	5	8.0	128	1	1	4	11	28	28	28
75-79	6	2.3	2	< 1	< 1	2	3	5	5	5
80-84	3	7.0	28	3	3	5	11	13	13	13
85 +	3	9.0	84	1	1	7	16	19	19	19
B. Operated										
65-69 YRS	281	9.0	10	5	6	8	10	12	15	20
70-74	283	9.3	10	5	6	9	11	13	15	21
75-79	212	10.5	20	6	7	10	12	16	19	30
80-84	126	10.9	57	2	6	10	12	15	20	43
85 +	73	12.3	31	5	7	11	15	19	24	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	175	8.5	73	1	2	6	11	18	27	43
70-74	170	8.2	40	1	2	7	10	17	21	34
75-79	179	8.4	69	1	2	6	11	16	26	47
80-84	194	7.8	49	1	2	6	9	17	21	34
85 +	188	8.7	81	2	2	6	10	18	30	62
B. Operated										
65-69 YRS	2515	13.2	85	6	7	11	15	22	29	59
70-74	2922	13.5	75	6	7	11	15	22	30	50
75-79	2857	14.4	78	7	8	12	17	24	31	53
80-84	2117	15.9	97	7	8	13	19	27	34	56
85 +	1558	17.0	111	7	8	14	21	29	38	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	4.7	37	< 1	1	3	5	12	20	28
B. Operated	975	9.9	21	5	6	9	11	14	18	24
2. MULTIPLE DX										
A. Not Operated	906	8.3	63	1	2	6	10	17	23	42
B. Operated	11969	14.6	88	7	7	12	17	25	32	56
1. SINGLE DX	1002	9.8	22	4	6	9	11	14	18	25
2. MULTIPLE DX	12875	14.1	89	5	7	12	17	24	32	55
A. Not Operated	933	8.2	62	1	2	6	10	17	23	41
B. Operated	12944	14.2	85	6	7	12	16	24	31	54
TOTAL										
65-69 YRS	2981	12.5	80	5	6	10	14	21	28	56
70-74	3380	12.9	71	5	7	11	15	21	28	48
75-79	3254	13.8	76	6	7	11	16	23	30	51
80-84	2440	15.0	97	5	7	12	18	26	33	55
85 +	1822	16.0	112	4	7	14	20	28	37	67
GRAND TOTAL	**13877**	**13.8**	**85**	**5**	**7**	**11**	**16**	**24**	**31**	**53**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.4	10	2	2	2	4	9	9	9
70-74	11	2.6	4	< 1	< 1	2	4	6	7	7
75-79	3	3.3	10	1	1	2	6	7	7	7
80-84	4	6.0	28	< 1	< 1	5	10	13	13	13
85 +	5	4.6	7	< 1	< 1	5	6	8	8	8
B. Operated										
65-69 YRS	169	9.4	27	1	2	10	11	15	18	22
70-74	163	10.0	27	2	3	10	12	15	18	27
75-79	123	9.8	40	1	2	10	12	15	20	31
80-84	70	9.5	54	1	2	9	14	17	24	36
85 +	57	7.8	57	1	1	5	9	18	22	41
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	91	8.1	76	1	2	5	10	14	26	49
70-74	101	7.6	63	1	2	5	8	17	26	42
75-79	88	10.0	118	1	1	7	12	24	41	47
80-84	72	7.0	48	1	2	5	9	13	17	41
85 +	93	8.2	68	1	2	6	9	16	22	46
B. Operated										
65-69 YRS	1176	13.9	88	4	6	12	16	24	31	53
70-74	1263	14.1	81	4	6	12	17	24	30	51
75-79	973	15.4	138	3	6	13	18	27	38	65
80-84	731	16.4	140	3	5	14	20	31	43	88
85 +	556	15.2	143	2	4	13	19	28	38	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.7	9	< 1	< 1	2	6	8	9	13
B. Operated	582	9.5	36	1	2	9	12	15	19	29
2. MULTIPLE DX										
A. Not Operated	445	8.2	75	1	2	6	10	16	28	45
B. Operated	4699	14.8	112	3	6	12	18	26	35	64
1. SINGLE DX	610	9.3	36	1	2	9	12	15	19	29
2. MULTIPLE DX	5144	14.2	112	3	4	12	17	26	34	63
A. Not Operated	473	8.0	73	1	2	5	9	16	26	45
B. Operated	5281	14.2	106	3	5	12	17	25	33	62
TOTAL										
65-69 YRS	1441	12.9	84	3	5	11	15	22	30	49
70-74	1538	13.1	78	3	4	11	16	23	29	47
75-79	1187	14.4	131	2	4	12	17	26	36	63
80-84	877	15.0	135	2	3	13	19	29	39	77
85 +	711	13.6	134	2	3	11	18	26	36	82
GRAND TOTAL	**5754**	**13.7**	**106**	**2**	**4**	**11**	**16**	**25**	**33**	**59**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.4	14	1	1	4	7	10	10	10
70-74	4	6.5	12	2	2	7	9	10	10	10
75-79	4	13.0	82	1	1	14	19	23	23	23
80-84	4	4.5	32	1	1	2	8	13	13	13
85 +	2	7.5	5	6	6	7	9	9	9	9
B. Operated										
65-69 YRS	33	7.3	17	1	1	7	10	13	14	17
70-74	26	7.0	47	< 1	1	5	9	18	23	29
75-79	23	10.3	50	1	2	9	14	19	26	29
80-84	11	7.5	40	< 1	< 1	8	13	16	18	18
85 +	3	10.7	49	4	4	10	16	18	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	61	8.2	68	1	2	6	10	13	22	53
70-74	74	8.0	33	1	2	7	10	16	19	27
75-79	59	8.3	39	1	2	7	11	15	21	32
80-84	47	11.2	200	1	2	6	15	26	30	87
85 +	47	9.9	57	1	2	8	14	20	25	36
B. Operated										
65-69 YRS	312	15.2	163	4	5	12	18	32	43	66
70-74	314	15.6	131	4	5	13	19	31	38	76
75-79	282	16.0	143	2	4	13	21	29	36	61
80-84	200	17.2	132	4	7	15	22	32	39	61
85 +	157	16.9	131	5	7	14	19	31	39	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	7.0	36	1	1	6	10	14	19	23
B. Operated	96	8.1	37	1	1	7	11	16	19	29
2. MULTIPLE DX										
A. Not Operated	288	8.9	73	1	2	7	11	18	24	35
B. Operated	1265	16.0	142	3	5	13	20	31	39	65
1. SINGLE DX	115	7.9	37	1	1	7	11	15	19	29
2. MULTIPLE DX	1553	14.7	137	2	4	12	18	29	37	60
A. Not Operated	307	8.8	71	1	2	7	11	17	24	34
B. Operated	1361	15.5	139	3	5	13	19	30	39	63
TOTAL										
65-69 YRS	411	13.4	146	2	4	10	16	26	39	54
70-74	418	13.6	119	2	4	11	17	26	35	73
75-79	368	14.4	128	2	3	12	19	27	33	55
80-84	262	15.5	148	2	3	13	20	30	38	64
85 +	209	15.1	120	3	5	13	18	30	36	56
GRAND TOTAL	**1668**	**14.2**	**133**	**2**	**4**	**11**	**18**	**28**	**36**	**59**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	5.2	19	1	1	5	6	12	13	13
70-74	4	2.8	2	< 1	< 1	3	4	4	4	4
75-79	12	5.3	26	1	2	4	5	12	19	20
80-84	4	8.3	31	2	2	8	12	15	15	15
85 +	4	6.5	42	< 1	< 1	5	11	15	15	15
B. Operated										
65-69 YRS	23	10.4	135	1	1	8	14	25	38	50
70-74	20	9.0	47	1	1	8	13	19	23	24
75-79	13	10.4	71	1	2	8	17	24	26	26
80-84	13	13.1	47	3	6	11	20	23	24	24
85 +	6	10.8	49	2	2	10	16	20	21	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	134	7.4	33	1	2	6	10	16	18	26
70-74	143	8.3	43	2	3	6	11	17	21	32
75-79	143	7.9	26	2	3	7	11	15	18	24
80-84	96	7.0	25	2	2	7	8	14	18	25
85 +	93	8.7	40	2	3	7	11	19	22	28
B. Operated										
65-69 YRS	489	16.2	151	3	5	13	21	32	43	72
70-74	523	17.7	156	4	6	15	22	34	43	65
75-79	460	16.0	100	3	6	14	21	29	36	49
80-84	324	15.7	94	3	5	14	21	28	35	54
85 +	202	16.7	110	3	5	15	23	30	37	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	5.5	23	< 1	1	4	6	14	15	20
B. Operated	75	10.5	76	1	2	9	15	23	24	45
2. MULTIPLE DX										
A. Not Operated	609	7.9	34	2	2	6	10	16	19	27
B. Operated	1998	16.5	128	3	5	14	21	31	40	60
1. SINGLE DX	105	9.1	66	1	1	7	13	21	24	40
2. MULTIPLE DX	2607	14.5	119	2	4	12	19	28	36	57
A. Not Operated	639	7.8	33	2	2	6	10	16	19	27
B. Operated	2073	16.3	127	3	5	14	21	30	39	60
TOTAL										
65-69 YRS	652	14.1	138	2	3	11	18	28	39	64
70-74	690	15.4	145	3	4	13	20	29	41	63
75-79	628	13.8	94	2	4	12	18	27	32	45
80-84	437	13.6	89	2	3	12	18	26	33	53
85 +	305	14.0	101	2	3	12	20	27	35	49
GRAND TOTAL	**2712**	**14.3**	**118**	**2**	**3**	**12**	**19**	**27**	**36**	**56**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	37	6.9	41	1	2	6	9	13	18	36
70-74	38	6.0	25	2	2	4	8	13	18	22
75-79	22	4.6	8	< 1	1	5	6	8	9	10
80-84	11	4.3	6	< 1	1	5	6	7	7	7
85 +	5	8.6	21	2	2	10	12	13	13	13
B. Operated										
65-69 YRS	315	7.3	30	< 1	1	7	10	13	16	27
70-74	204	7.2	40	< 1	1	6	10	14	19	34
75-79	131	6.6	28	< 1	1	6	9	13	14	23
80-84	61	7.2	31	< 1	1	7	10	14	18	25
85 +	16	8.7	83	< 1	1	5	14	26	29	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	985	8.1	51	1	2	6	10	16	21	37
70-74	963	8.2	57	2	2	6	10	16	22	38
75-79	692	8.9	58	2	2	7	12	17	23	35
80-84	392	9.5	73	2	3	7	11	19	25	56
85 +	207	9.3	100	1	2	6	11	19	27	47
B. Operated										
65-69 YRS	3195	12.0	84	2	3	10	15	22	29	52
70-74	2775	12.1	86	2	3	10	15	23	31	49
75-79	1818	12.6	102	2	3	10	16	24	31	55
80-84	773	12.6	115	2	3	10	16	25	31	67
85 +	287	13.4	122	3	3	10	17	26	36	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	6.0	25	1	2	5	8	11	15	27
B. Operated	727	7.2	33	< 1	1	7	10	13	17	28
2. MULTIPLE DX										
A. Not Operated	3239	8.5	60	2	2	6	11	17	22	39
B. Operated	8848	12.3	92	2	3	10	15	23	30	53
1. SINGLE DX	840	7.0	32	< 1	1	6	9	13	17	28
2. MULTIPLE DX	12087	11.3	86	2	3	9	14	22	29	50
A. Not Operated	3352	8.4	59	2	2	6	11	17	22	38
B. Operated	9575	11.9	90	2	3	10	15	23	30	51
TOTAL										
65-69 YRS	4532	10.8	76	2	3	9	14	21	27	47
70-74	3980	10.9	80	2	3	9	14	21	28	46
75-79	2663	11.3	90	2	3	9	15	22	28	49
80-84	1237	11.3	100	2	3	9	15	22	30	63
85 +	515	11.5	115	2	3	9	15	23	32	56
GRAND TOTAL	**12927**	**11.0**	**84**	**2**	**3**	**9**	**14**	**21**	**28**	**48**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	2.7	8	1	1	2	3	8	9	9
70-74	6	2.2	6	< 1	< 1	1	2	6	7	7
75-79	4	2.3	6	< 1	< 1	1	4	6	6	6
80-84	3	2.3	5	< 1	< 1	< 1	4	5	5	5
85 +	0									
B. Operated										
65-69 YRS	74	7.4	35	1	1	7	10	15	20	27
70-74	78	6.1	46	< 1	1	3	11	14	16	34
75-79	34	5.9	120	< 1	1	2	8	10	13	64
80-84	21	6.7	43	< 1	1	5	9	17	22	26
85 +	5	5.0	71	< 1	< 1	1	6	20	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	57	6.6	26	1	2	5	8	13	18	27
70-74	40	6.4	27	1	1	5	8	12	15	27
75-79	29	8.0	37	1	2	6	12	18	19	21
80-84	19	8.2	52	< 1	1	7	10	18	26	30
85 +	16	5.7	15	1	2	4	8	11	13	14
B. Operated										
65-69 YRS	368	12.5	94	1	2	11	16	24	32	50
70-74	305	12.5	136	1	2	10	16	25	31	74
75-79	190	12.7	107	1	1	11	18	28	32	51
80-84	87	15.0	234	1	1	12	21	36	44	74
85 +	53	9.3	79	1	1	7	16	21	24	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.4	6	< 1	< 1	1	3	6	8	9
B. Operated	212	6.5	54	< 1	1	4	10	14	19	32
2. MULTIPLE DX										
A. Not Operated	161	6.9	30	1	2	5	9	13	19	28
B. Operated	1003	12.6	122	1	1	11	16	25	33	58
1. SINGLE DX	232	6.2	51	< 1	1	3	9	13	18	30
2. MULTIPLE DX	1164	11.8	113	1	2	10	15	24	31	52
A. Not Operated	181	6.4	29	1	1	5	8	13	18	28
B. Operated	1215	11.5	115	1	1	10	15	24	31	53
TOTAL										
65-69 YRS	506	10.9	83	1	1	9	15	21	28	49
70-74	429	10.6	117	1	1	9	14	22	29	67
75-79	257	11.1	107	1	1	9	16	24	31	52
80-84	130	12.4	185	1	1	8	16	29	39	69
85 +	74	8.2	66	1	1	5	12	20	23	38
GRAND TOTAL	**1396**	**10.8**	**107**	**1**	**1**	**9**	**14**	**22**	**30**	**51**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	4	4.5	3	2	2	5	6	6	6	6
75-79	2	8.5	85	2	2	8	15	15	15	15
80-84	1	8.0		8	8	54	99 +	99 +	99 +	99 +
85 +	0									
B. Operated										
65-69 YRS	58	5.0	21	1	1	3	7	12	14	23
70-74	39	6.1	24	1	1	4	10	13	16	19
75-79	35	4.6	13	< 1	1	3	7	8	13	16
80-84	16	7.4	37	1	2	5	11	15	21	24
85 +	14	5.9	20	< 1	1	4	10	12	14	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	26	7.2	23	1	1	6	10	15	16	16
70-74	16	9.3	47	2	3	6	11	22	23	24
75-79	23	6.9	27	1	1	6	11	15	18	19
80-84	15	8.4	54	1	2	7	11	12	26	31
85 +	16	5.2	11	1	1	4	8	10	11	11
B. Operated										
65-69 YRS	123	11.4	137	1	2	8	15	23	40	78
70-74	122	10.6	125	1	2	8	14	23	31	64
75-79	80	12.0	126	1	2	8	16	26	33	52
80-84	61	10.1	64	2	3	9	13	19	26	41
85 +	59	11.0	108	1	2	7	14	28	34	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.4	17	2	2	5	8	57	99 +	99 +
B. Operated	162	5.5	22	1	1	4	8	12	14	23
2. MULTIPLE DX										
A. Not Operated	96	7.3	31	1	1	6	10	14	18	28
B. Operated	445	11.1	117	1	2	8	14	24	33	57
1. SINGLE DX	171	5.5	21	1	1	4	8	12	15	24
2. MULTIPLE DX	541	10.4	104	1	2	7	14	22	30	53
A. Not Operated	105	7.2	30	1	2	6	10	15	19	61
B. Operated	607	9.6	98	1	2	7	13	21	29	53
TOTAL										
65-69 YRS	209	9.0	98	1	1	6	12	18	28	62
70-74	181	9.4	97	1	2	7	12	20	25	55
75-79	140	9.3	91	1	1	6	12	22	27	52
80-84	93	9.4	57	2	2	8	12	19	29	74
85 +	89	9.1	83	1	2	6	12	18	30	45
GRAND TOTAL	**712**	**9.2**	**88**	**1**	**2**	**7**	**12**	**20**	**28**	**53**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	79	3.2	6	1	1	2	5	6	9	11
70-74	55	3.8	18	< 1	1	2	6	9	11	23
75-79	45	3.9	9	< 1	1	3	6	8	8	17
80-84	28	4.3	9	< 1	1	4	6	8	9	14
85 +	12	4.6	17	< 1	< 1	3	7	11	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	5.4	19	2	2	4	7	13	14	14
70-74	7	5.6	29	< 1	< 1	4	9	14	15	15
75-79	9	9.1	86	1	1	7	9	24	32	32
80-84	6	6.5	25	2	2	5	7	15	16	16
85 +	6	10.3	31	5	5	9	13	19	20	20
B. Operated										
65-69 YRS	88	6.3	34	1	1	5	8	13	19	29
70-74	107	5.9	27	1	1	4	8	13	20	55
75-79	107	7.3	82	1	1	5	9	14	18	57
80-84	52	10.2	193	1	2	5	12	21	44	71
85 +	53	6.1	31	1	1	4	8	15	18	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.4	6	< 1	< 1	2	5	7	7	7
B. Operated	219	3.7	10	< 1	1	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	36	7.4	40	1	2	6	10	15	19	32
B. Operated	407	6.9	66	1	1	5	9	15	21	51
1. SINGLE DX	224	3.7	10	< 1	1	3	5	8	9	15
2. MULTIPLE DX	443	7.0	64	1	1	5	9	15	20	47
A. Not Operated	41	6.9	38	1	1	5	9	14	18	32
B. Operated	626	5.8	49	1	1	4	8	12	17	35
TOTAL										
65-69 YRS	177	4.8	23	1	1	3	6	10	13	24
70-74	170	5.3	25	1	1	3	8	11	17	24
75-79	163	6.4	63	1	1	5	8	13	17	43
80-84	86	8.0	127	1	1	4	9	17	22	67
85 +	71	6.2	30	< 1	1	5	9	14	18	23
GRAND TOTAL	**667**	**5.9**	**48**	**1**	**1**	**4**	**8**	**13**	**17**	**32**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	3.0			3	3	3	3	3	3
B. Operated										
65-69 YRS	98	2.3	5	< 1	< 1	1	3	5	7	13
70-74	106	2.4	5	< 1	< 1	1	3	6	8	10
75-79	97	2.3	5	< 1	< 1	1	3	5	6	13
80-84	78	2.2	6	< 1	< 1	2	2	4	6	16
85 +	89	2.6	5	< 1	< 1	2	3	6	8	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	4.5	25	< 1	< 1	4	8	8	8	8
70-74	10	6.0	25	< 1	< 1	5	9	13	17	17
75-79	8	6.0	15	2	2	6	8	12	13	13
80-84	8	10.9	175	< 1	1	5	17	34	37	37
85 +	19	7.4	34	1	1	7	11	15	18	21
B. Operated										
65-69 YRS	197	5.6	53	< 1	1	3	7	13	20	42
70-74	235	5.6	58	< 1	1	3	7	11	17	41
75-79	220	4.3	22	< 1	1	2	6	9	14	25
80-84	215	5.6	64	< 1	1	3	7	13	17	60
85 +	286	5.9	55	1	1	3	7	14	17	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	1	2	2	3	4	4	4	4
B. Operated	468	2.4	5	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	47	7.3	51	< 1	1	6	9	15	22	37
B. Operated	1153	5.4	52	< 1	1	3	7	13	17	43
1. SINGLE DX	471	2.4	5	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX	1200	5.5	52	< 1	1	3	7	13	17	42
A. Not Operated	50	7.1	49	< 1	1	5	9	15	21	37
B. Operated	1621	4.5	40	< 1	< 1	2	5	10	15	37
TOTAL										
65-69 YRS	298	4.5	41	< 1	< 1	2	5	11	16	36
70-74	351	4.7	43	< 1	< 1	2	6	10	14	41
75-79	325	3.7	18	< 1	< 1	2	5	8	11	23
80-84	302	4.8	54	< 1	1	2	5	12	16	54
85 +	395	5.2	45	< 1	1	3	6	12	17	46
GRAND TOTAL	**1671**	**4.6**	**41**	**< 1**	**1**	**2**	**6**	**10**	**15**	**37**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	4.4	4	2	2	4	6	7	8	8
70-74	12	4.3	26	1	1	3	5	11	18	19
75-79	5	4.8	10	1	1	4	8	8	8	8
80-84	3	6.0	13	2	2	7	8	9	9	9
85 +	7	8.3	58	2	2	7	10	21	24	24
B. Operated										
65-69 YRS	1268	4.2	4	1	2	4	5	7	8	11
70-74	1043	4.2	5	1	2	4	5	7	8	10
75-79	712	4.5	6	1	2	4	6	7	8	13
80-84	404	4.4	5	1	2	4	6	7	8	11
85 +	228	4.1	4	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	108	9.3	154	1	2	5	11	22	30	71
70-74	108	6.4	38	1	1	5	8	13	17	33
75-79	73	7.7	52	1	2	6	9	18	34	99 +
80-84	59	7.9	69	1	1	5	9	17	27	40
85 +	52	9.6	130	< 1	1	6	10	21	28	60
B. Operated										
65-69 YRS	2919	5.7	21	2	2	5	7	9	12	24
70-74	2725	5.9	18	2	2	5	7	9	13	23
75-79	2155	6.4	27	2	3	5	8	10	14	28
80-84	1335	6.5	27	2	3	6	8	11	14	29
85 +	858	6.8	32	2	2	5	8	13	18	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	5.2	20	1	1	4	7	8	14	24
B. Operated	3655	4.3	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	400	8.1	89	1	1	5	9	17	27	59
B. Operated	9992	6.1	23	2	2	5	7	10	13	27
1. SINGLE DX	3698	4.3	5	1	2	4	5	7	8	11
2. MULTIPLE DX	10392	6.2	26	2	2	5	7	10	14	28
A. Not Operated	443	7.8	83	1	1	5	9	17	26	58
B. Operated	13647	5.6	19	2	2	5	7	9	12	23
TOTAL										
65-69 YRS	4311	5.3	20	2	2	5	6	8	11	23
70-74	3888	5.4	16	2	2	5	7	9	11	21
75-79	2945	6.0	23	2	2	5	7	10	13	27
80-84	1801	6.1	24	2	2	5	7	10	13	28
85 +	1145	6.4	33	1	2	5	8	11	17	36
GRAND TOTAL	**14090**	**5.7**	**21**	**2**	**2**	**5**	**7**	**9**	**12**	**25**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	2.9		2	2	3	3	4	4	4
70-74	15	2.6	1	<1	<1	3	4	4	4	4
75-79	8	3.3	1	2	2	3	4	5	5	5
80-84	4	3.0	1	2	2	3	4	4	4	4
85 +	6	4.0	5	2	2	3	5	8	8	8
B. Operated										
65-69 YRS	31	5.0	11	<1	<1	4	8	10	12	12
70-74	28	4.1	15	1	1	3	5	9	11	19
75-79	10	4.8	8	<1	<1	5	7	9	10	10
80-84	6	5.2	22	1	1	3	11	11	11	11
85 +	8	3.5	1	2	2	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	42	6.4	71	1	2	4	7	11	23	50
70-74	26	6.7	41	1	2	4	8	16	21	30
75-79	31	5.9	11	3	3	5	8	10	11	18
80-84	22	7.1	40	1	1	4	9	19	22	23
85 +	18	6.2	36	1	2	4	8	14	21	25
B. Operated										
65-69 YRS	149	8.7	69	1	2	6	11	18	27	42
70-74	103	8.7	93	2	2	6	10	17	23	58
75-79	95	9.5	118	2	2	7	11	16	27	66
80-84	38	11.3	120	2	2	8	14	20	33	58
85 +	39	10.2	78	2	2	6	15	25	28	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	3.0	1	1	2	3	4	4	5	8
B. Operated	83	4.5	11	<1	1	3	7	9	11	17
2. MULTIPLE DX										
A. Not Operated	141	6.4	42	1	2	4	8	12	19	32
B. Operated	424	9.3	91	2	2	7	12	18	27	53
1. SINGLE DX	133	4.0	8	<1	1	3	5	8	10	13
2. MULTIPLE DX	565	8.6	80	1	2	6	11	18	24	50
A. Not Operated	191	5.5	33	1	2	4	6	10	18	29
B. Operated	507	8.5	81	1	2	6	11	17	24	50
TOTAL										
65-69 YRS	239	7.4	60	1	2	5	9	14	21	43
70-74	174	7.1	68	1	2	5	8	15	20	38
75-79	144	8.1	85	2	2	6	9	14	21	58
80-84	70	9.0	86	1	2	6	12	18	22	55
85 +	71	7.9	59	2	2	4	11	20	25	35
GRAND TOTAL	**698**	**7.7**	**70**	**1**	**2**	**5**	**9**	**16**	**22**	**46**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	24	3.1	4	1	1	3	4	5	7	11
70-74	16	3.2	2	1	1	3	4	5	6	7
75-79	3	2.7	1	2	2	2	4	4	4	4
80-84	5	2.8		2	2	3	3	3	3	3
85 +	3	2.3	1	1	1	3	3	3	3	3
B. Operated										
65-69 YRS	199	5.4	5	1	3	5	7	8	9	12
70-74	151	5.6	13	<1	1	5	7	9	10	15
75-79	86	6.1	10	1	2	6	8	9	13	18
80-84	41	5.1	6	1	1	5	7	8	9	11
85 +	19	5.1	11	<1	1	5	7	10	12	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	5.6	55	1	1	4	6	10	12	50
70-74	51	5.0	24	<1	1	4	6	12	15	27
75-79	36	6.7	81	1	2	4	6	14	16	54
80-84	33	7.4	75	2	2	5	7	15	33	39
85 +	23	11.6	126	2	3	6	15	29	40	40
B. Operated										
65-69 YRS	901	7.5	31	2	4	6	8	13	16	34
70-74	785	8.0	44	2	4	7	9	13	18	39
75-79	496	8.0	28	2	4	7	9	14	18	31
80-84	301	8.9	66	2	3	7	10	15	23	56
85 +	161	9.3	52	1	3	8	11	18	21	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	3.0	3	1	1	3	3	5	5	11
B. Operated	496	5.6	9	1	2	5	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	189	6.7	66	1	2	4	7	14	21	46
B. Operated	2644	8.0	40	2	4	7	9	14	18	35
1. SINGLE DX	547	5.3	9	1	2	5	7	8	10	14
2. MULTIPLE DX	2833	7.9	42	2	3	6	9	14	18	37
A. Not Operated	240	5.9	55	1	2	4	6	13	16	41
B. Operated	3140	7.6	36	2	3	6	8	13	17	35
TOTAL										
65-69 YRS	1170	7.0	28	2	3	6	8	12	15	31
70-74	1003	7.4	39	2	3	6	8	12	16	34
75-79	621	7.6	29	2	3	7	9	13	17	31
80-84	380	8.3	61	2	2	7	9	14	22	52
85 +	206	9.1	58	1	2	7	11	18	22	42
GRAND TOTAL	**3380**	**7.5**	**37**	**2**	**3**	**6**	**8**	**13**	**17**	**35**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	1.9	1	< 1	< 1	2	3	3	3	3
70-74	5	1.2		1	1	1	2	2	2	2
75-79	4	3.0	4	2	2	2	4	6	6	6
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	45	7.4	12	2	3	7	9	11	14	17
70-74	29	7.2	12	2	3	7	9	11	14	17
75-79	18	8.8	11	5	5	8	12	14	15	15
80-84	7	8.9	16	3	3	9	11	14	15	15
85 +	4	16.5	428	1	1	9	28	47	47	47
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	80	6.0	30	1	1	4	8	12	17	27
70-74	66	6.1	39	1	1	4	8	15	17	34
75-79	70	8.6	73	1	2	6	12	18	21	46
80-84	38	9.4	56	2	3	8	12	17	20	43
85 +	36	11.4	86	3	3	9	13	24	34	43
B. Operated										
65-69 YRS	474	12.9	72	5	6	11	16	23	31	47
70-74	384	14.1	122	5	6	11	16	27	39	64
75-79	268	16.0	148	5	6	12	20	30	39	62
80-84	154	15.6	118	5	7	13	19	27	33	68
85 +	71	16.3	128	7	7	13	19	26	43	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.9	2	< 1	< 1	2	2	3	5	6
B. Operated	103	8.1	27	2	4	8	10	13	15	31
2. MULTIPLE DX										
A. Not Operated	290	7.7	56	1	1	6	10	17	21	41
B. Operated	1351	14.3	111	5	6	11	17	26	35	58
1. SINGLE DX	119	7.3	28	1	2	7	9	12	15	26
2. MULTIPLE DX	1641	13.2	107	3	4	10	16	25	33	55
A. Not Operated	306	7.4	54	1	1	5	9	16	20	40
B. Operated	1454	13.9	108	5	6	11	16	25	34	56
TOTAL										
65-69 YRS	606	11.5	69	2	4	9	15	22	28	45
70-74	484	12.5	114	2	4	10	15	24	35	57
75-79	360	14.0	136	3	4	11	18	27	35	55
80-84	199	14.2	109	4	5	11	17	26	30	65
85 +	111	14.7	126	4	6	11	17	26	43	58
GRAND TOTAL	**1760**	**12.8**	**104**	**2**	**4**	**10**	**15**	**24**	**33**	**55**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.6	1	1	1	3	3	4	4	4
70-74	3	3.7		3	3	4	4	4	4	4
75-79	2	14.5	265	3,	3	14	26	26	26	26
80-84	1	28.0		28	28	28	28	28	28	28
85 +	3	2.7		2	2	3	3	3	3	3
B. Operated										
65-69 YRS	15	6.5	25	< 1	1	5	11	14	15	15
70-74	18	6.2	21	1	1	5	9	12	14	16
75-79	22	7.5	22	1	2	7	10	15	16	16
80-84	23	5.0	23	1	1	4	6	12	17	20
85 +	13	5.8	21	< 1	1	5	7	12	17	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	3.9	2	2	2	4	5	6	6	6
70-74	8	7.1	138	1	1	3	5	27	36	36
75-79	19	8.8	93	1	1	4	14	23	31	36
80-84	13	10.2	95	< 1	1	7	20	24	28	29
85 +	16	8.9	53	1	2	7	12	13	25	28
B. Operated										
65-69 YRS	87	10.6	102	1	2	8	13	19	30	58
70-74	87	11.3	69	2	3	9	14	22	27	43
75-79	85	10.5	140	1	2	8	12	22	28	66
80-84	61	10.7	97	1	2	8	14	21	28	57
85 +	76	9.4	53	1	2	8	13	19	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	6.4	77	1	2	3	4	26	28	28
B. Operated	91	6.2	22	1	1	4	9	14	15	19
2. MULTIPLE DX										
A. Not Operated	63	8.4	78	1	1	4	11	22	28	36
B. Operated	396	10.5	92	1	2	8	13	21	27	55
1. SINGLE DX	105	6.2	29	1	1	4	9	14	16	27
2. MULTIPLE DX	459	10.2	90	1	2	8	13	21	27	52
A. Not Operated	77	8.0	77	1	1	4	9	23	28	36
B. Operated	487	9.7	82	1	2	8	12	19	24	51
TOTAL										
65-69 YRS	114	9.3	87	1	2	7	11	16	25	55
70-74	116	10.0	68	1	2	8	13	21	27	40
75-79	128	9.8	113	1	2	7	12	21	25	60
80-84	98	9.5	87	1	1	7	13	21	26	49
85 +	108	8.7	49	1	2	7	12	18	22	33
GRAND TOTAL	**564**	**9.5**	**81**	**1**	**2**	**8**	**12**	**19**	**25**	**50**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	5.7	19	< 1	< 1	5	10	11	12	12
70-74	7	3.3	16	< 1	< 1	2	4	10	12	12
75-79	7	5.4	14	2	2	6	8	11	12	12
80-84	4	10.0	197	2	2	3	17	31	31	31
85 +	8	7.5	72	2	2	5	7	22	28	28
B. Operated										
65-69 YRS	674	5.3	12	1	1	5	7	10	12	16
70-74	722	4.6	10	1	1	4	6	9	11	16
75-79	501	4.4	13	1	1	4	6	8	10	15
80-84	303	4.6	11	1	1	4	6	8	12	16
85 +	154	5.1	14	1	1	4	6	10	13	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	225	7.1	38	1	1	6	9	14	20	34
70-74	259	7.6	49	1	2	5	11	15	22	40
75-79	273	7.6	80	1	2	5	9	14	20	55
80-84	218	7.5	57	1	2	5	9	15	22	37
85 +	177	8.0	53	1	2	6	10	17	22	40
B. Operated										
65-69 YRS	2781	6.9	36	1	2	5	9	13	17	30
70-74	3564	6.6	37	1	2	5	8	12	17	29
75-79	3209	6.7	34	1	2	5	8	13	17	29
80-84	2280	7.3	39	1	2	6	9	14	19	32
85 +	1483	8.4	61	2	2	6	10	16	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	6.1	45	< 1	1	4	7	12	23	31
B. Operated	2354	4.8	12	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	1152	7.6	56	1	2	5	9	15	21	40
B. Operated	13317	7.0	39	1	2	5	8	14	18	31
1. SINGLE DX	2390	4.8	12	1	1	4	6	9	11	16
2. MULTIPLE DX	14469	7.0	41	1	2	5	9	14	18	33
A. Not Operated	1188	7.5	56	1	2	5	9	15	21	40
B. Operated	15671	6.7	36	1	2	5	8	13	17	30
TOTAL										
65-69 YRS	3690	6.6	32	1	2	5	8	13	16	28
70-74	4552	6.4	34	1	2	5	8	12	16	28
75-79	3990	6.4	35	1	2	5	8	12	16	30
80-84	2805	7.0	38	1	2	5	9	14	18	32
85 +	1822	8.1	57	1	2	6	10	15	21	40
GRAND TOTAL	**16859**	**6.7**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	3.1	12	< 1	1	2	3	7	13	14
70-74	7	2.6	2	< 1	< 1	2	4	5	5	5
75-79	8	3.5	9	1	1	3	4	8	10	10
80-84	5	3.8	5	2	2	3	5	7	7	7
85 +	6	4.3	9	< 1	< 1	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	8	10.1	284	1	1	3	10	40	50	50
80-84	1	8.0		8	8	8	8	8	8	8
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	26	8.3	106	1	1	4	9	18	36	44
70-74	28	5.0	13	1	1	4	8	10	12	13
75-79	27	7.6	50	1	1	4	11	22	23	23
80-84	15	6.9	31	< 1	1	5	10	16	19	20
85 +	17	6.4	14	1	2	6	9	10	14	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	39	3.4	8	< 1	1	2	5	7	10	14
2. MULTIPLE DX										
A. Not Operated	11	8.4	210	1	1	3	7	30	48	50
B. Operated	113	[illegible]	46	1	1	5	9	15	20	38
1. SINGLE DX	39	3.4	8	< 1	1	2	5	7	10	14
2. MULTIPLE DX	124	7.0	59	1	1	5	9	15	21	46
A. Not Operated	11	8.4	210	1	1	3	7	30	48	50
B. Operated	152	6.0	38	1	1	4	8	12	18	34
TOTAL										
65-69 YRS	40	6.5	78	1	1	3	8	15	26	44
70-74	35	4.5	11	1	1	3	7	10	12	13
75-79	43	7.3	84	1	1	3	9	20	23	50
80-84	21	6.2	24	1	1	5	8	13	18	20
85 +	24	5.7	13	1	2	5	9	10	12	16
GRAND TOTAL	**163**	**6.1**	**49**	**1**	**1**	**4**	**8**	**13**	**18**	**43**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	2.4	4	< 1	< 1	2	3	6	7	7
70-74	4	3.0	5	1	1	2	4	6	6	6
75-79	3	3.0	3	1	1	4	4	4	4	4
80-84	3	5.0	7	3	3	4	7	8	8	8
85 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
65-69 YRS	488	3.4	14	< 1	1	2	4	7	11	19
70-74	565	3.1	11	1	1	2	4	6	10	16
75-79	459	3.3	12	< 1	1	2	4	7	10	16
80-84	314	3.1	9	1	1	2	4	6	8	16
85 +	213	3.8	13	1	1	3	5	7	9	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	57	7.0	99	1	1	4	7	17	29	53
70-74	74	6.0	66	< 1	1	4	7	13	18	90
75-79	81	6.8	38	1	2	4	9	15	21	31
80-84	87	7.8	87	1	1	5	9	15	25	56
85 +	86	8.0	53	1	1	6	9	18	23	35
B. Operated										
65-69 YRS	1669	6.5	60	1	1	4	8	15	20	38
70-74	2048	6.8	73	1	1	4	8	15	22	45
75-79	1928	6.8	62	1	1	4	8	15	20	44
80-84	1417	6.9	56	1	1	4	8	15	21	38
85 +	1189	7.4	64	1	2	5	9	15	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.9	4	< 1	1	2	4	6	7	8
B. Operated	2039	3.3	12	1	1	2	4	7	10	17
2. MULTIPLE DX										
A. Not Operated	385	7.2	67	1	1	5	8	16	23	49
B. Operated	8251	6.8	64	1	1	4	8	15	21	42
1. SINGLE DX	2061	3.3	12	1	1	2	4	7	10	17
2. MULTIPLE DX	8636	6.9	64	1	1	4	8	15	21	42
A. Not Operated	407	7.0	64	1	1	5	8	15	22	46
B. Operated	10290	6.1	55	1	1	4	7	14	19	38
TOTAL										
65-69 YRS	2223	5.8	53	1	1	3	7	13	18	34
70-74	2691	6.0	62	1	1	3	7	13	19	41
75-79	2471	6.2	54	1	1	4	7	14	19	36
80-84	1821	6.3	51	1	1	4	8	14	19	37
85 +	1491	6.9	58	1	2	5	8	14	20	39
GRAND TOTAL	**10697**	**6.2**	**56**	**1**	**1**	**4**	**7**	**14**	**19**	**38**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	8.7	36	3	3	8	13	15	15	15
70-74	1	1.0		1	1	1	1	1	1	1
75-79	4	4.0	6	< 1	< 1	4	6	7	7	7
80-84	1	10.0		10	10	10	10	10	10	10
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	108	7.2	12	1	2	7	9	11	13	19
70-74	80	8.6	40	1	1	8	10	13	19	37
75-79	64	7.8	14	1	2	8	9	12	14	21
80-84	28	8.1	18	1	2	8	10	14	16	18
85 +	15	7.4	26	2	2	7	9	11	20	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	88	9.1	174	1	2	5	11	19	23	85
70-74	71	6.7	40	1	2	4	9	14	18	34
75-79	61	7.0	35	1	2	5	11	15	20	25
80-84	35	11.0	82	3	4	8	12	26	33	40
85 +	49	9.2	72	2	2	7	11	18	25	47
B. Operated										
65-69 YRS	572	11.1	65	2	4	9	13	20	27	49
70-74	560	12.1	89	2	4	10	14	22	30	59
75-79	424	11.8	69	1	4	10	15	22	28	38
80-84	305	12.6	79	2	4	11	16	23	31	45
85 +	135	12.9	92	2	3	11	17	23	28	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.7	19	< 1	< 1	4	8	12	15	15
B. Operated	295	7.8	21	1	2	8	9	12	14	23
2. MULTIPLE DX										
A. Not Operated	304	8.4	89	1	2	6	10	17	25	43
B. Operated	1996	11.9	77	2	4	10	14	22	29	48
1. SINGLE DX	305	7.7	21	1	2	8	9	12	14	23
2. MULTIPLE DX	2300	11.4	80	2	3	9	14	21	28	47
A. Not Operated	314	8.3	86	1	2	6	10	17	24	43
B. Operated	2291	11.4	72	2	4	9	14	21	28	46
TOTAL										
65-69 YRS	771	10.3	72	2	3	9	12	18	23	49
70-74	712	11.2	82	2	3	9	13	20	29	53
75-79	553	10.7	62	1	2	9	13	20	26	37
80-84	369	12.1	76	2	4	10	16	23	29	44
85 +	200	11.6	85	2	3	9	15	21	27	47
GRAND TOTAL	**2605**	**11.0**	**74**	**2**	**3**	**9**	**13**	**20**	**27**	**46**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	10	2.1	2	1	1	2	3	4	5	5
70-74	11	2.4	2	1	1	2	3	4	6	6
75-79	10	2.6	6	1	1	2	3	6	9	9
80-84	5	2.4	1	1	1	3	3	3	3	3
85 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	5	3.0	2	< 1	< 1	3	4	4	4	4
75-79	3	3.0	7	1	1	2	5	6	6	6
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	10	2.9	4	1	1	2	4	6	7	7
70-74	15	4.4	14	1	2	3	5	9	13	15
75-79	7	4.4	8	2	2	4	6	9	10	10
80-84	4	7.5	63	1	1	5	12	19	19	19
85 +	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	38	2.4	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	8	3.0	3	< 1	< 1	3	4	5	6	6
B. Operated	38	4.2	14	1	1	3	5	9	13	19
1. SINGLE DX	40	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	46	4.0	12	1	1	3	4	8	11	19
A. Not Operated	10	2.6	3	< 1	< 1	2	4	5	6	6
B. Operated	76	3.3	9	1	1	3	4	6	9	18
TOTAL										
65-69 YRS	22	2.4	3	1	1	2	3	5	6	7
70-74	31	3.5	8	1	1	3	4	7	9	15
75-79	20	3.3	7	1	1	2	4	8	9	10
80-84	9	4.7	31	1	1	3	4	14	19	19
85 +	4	2.3	2	1	1	2	3	4	4	4
GRAND TOTAL	**86**	**3.2**	**9**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	8.9	89	1	1	6	10	17	31	41
70-74	13	6.0	9	1	3	7	8	10	11	11
75-79	5	6.0	10	2	2	6	8	10	10	10
80-84	5	9.6	11	6	6	9	11	15	15	15
85 +	4	8.3	90	1	1	5	14	22	22	22
B. Operated										
65-69 YRS	64	10.5	41	2	4	10	13	16	20	39
70-74	48	8.8	29	2	2	9	12	16	19	21
75-79	22	10.5	39	2	3	9	16	20	21	22
80-84	11	14.2	105	2	3	12	22	30	34	34
85 +	9	15.8	109	2	4	14	23	31	35	35
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	141	10.6	134	1	2	8	14	21	25	98
70-74	109	11.2	166	2	2	7	11	24	44	65
75-79	74	10.6	97	2	2	8	14	24	31	50
80-84	66	11.0	157	2	3	7	12	22	37	76
85 +	29	11.5	94	1	3	9	13	22	34	48
B. Operated										
65-69 YRS	184	19.3	257	5	7	14	23	44	65	99 +
70-74	178	17.9	173	3	6	16	22	31	39	71
75-79	102	19.7	192	4	8	15	23	40	46	70
80-84	49	16.7	136	5	7	13	19	30	35	63
85 +	7	21.1	207	5	7	16	31	44	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	7.8	47	1	2	7	9	16	18	41
B. Operated	154	10.5	47	2	2	10	14	19	23	35
2. MULTIPLE DX										
A. Not Operated	419	10.9	136	2	2	8	13	22	33	73
B. Operated	520	18.7	203	4	7	15	22	38	54	77
1. SINGLE DX	199	9.9	48	2	2	9	13	18	22	38
2. MULTIPLE DX	939	15.2	188	2	3	12	19	31	44	75
A. Not Operated	464	10.6	128	2	2	7	13	21	32	70
B. Operated	674	16.8	179	3	5	14	20	32	44	74
TOTAL										
65-69 YRS	407	14.4	192	2	3	11	16	29	46	99
70-74	348	14.1	160	2	3	10	19	27	38	66
75-79	203	15.1	158	2	3	12	18	30	41	68
80-84	131	13.4	145	3	3	10	16	28	34	67
85 +	49	13.4	119	1	3	10	16	30	36	48
GRAND TOTAL	**1138**	**14.3**	**167**	**2**	**3**	**11**	**17**	**28**	**41**	**73**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	8.5	1	8	8	8	9	9	9	9
70-74	3	6.7	5	4	4	8	8	8	8	8
75-79	1	16.0		16	16	16	16	16	16	16
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	6.0	12	1	1	6	8	10	10	10
70-74	2	8.5	5	7	7	8	10	10	10	10
75-79	3	15.3	496	1	1	4	32	41	41	41
80-84	2	35.0	1352	9	9	35	61	61	61	61
85 +	4	7.8	10	5	5	7	10	12	12	12
B. Operated										
65-69 YRS	13	11.8	86	1	2	10	13	26	33	35
70-74	15	16.6	72	9	9	15	21	23	36	41
75-79	14	19.1	230	2	4	14	29	44	48	49
80-84	3	16.3	74	7	7	18	22	24	24	24
85 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	7	8.7	13	4	5	8	9	15	16	16
2. MULTIPLE DX										
A. Not Operated	16	12.1	253	1	2	7	10	38	55	61
B. Operated	46	15.8	126	2	6	12	22	34	42	49
1. SINGLE DX	8	8.0	15	3	3	8	9	14	16	16
2. MULTIPLE DX	62	14.8	157	1	4	10	18	35	42	60
A. Not Operated	17	11.6	242	1	2	7	10	35	54	61
B. Operated	53	14.8	116	2	5	11	19	30	40	49
TOTAL										
65-69 YRS	20	10.0	63	1	2	8	11	21	29	35
70-74	21	13.8	73	4	6	10	18	23	31	41
75-79	18	18.3	237	1	2	14	29	43	47	49
80-84	6	21.2	425	7	7	13	24	57	61	61
85 +	5	7.4	8	5	5	6	9	12	12	12
GRAND TOTAL	**70**	**14.0**	**145**	**1**	**4**	**10**	**18**	**32**	**41**	**59**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	0									
75-79	4	2.0	2	< 1	< 1	1	3	4	4	4
80-84	2	7.5	13	5	5	7	10	10	10	10
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	29	3.3	5	1	1	3	4	6	9	11
70-74	22	3.8	9	1	1	3	4	6	11	15
75-79	12	4.8	9	1	1	4	6	10	11	11
80-84	10	3.5	3	2	2	3	4	6	7	7
85 +	4	8.3	86	2	2	4	13	22	22	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	4.3	9	1	1	3	7	10	10	10
70-74	16	6.8	28	1	2	5	9	13	19	22
75-79	15	6.8	25	2	2	6	9	15	18	19
80-84	7	6.0	26	2	2	4	6	15	17	17
85 +	9	7.6	78	1	1	4	9	21	29	29
B. Operated										
65-69 YRS	118	7.5	71	1	2	4	8	16	30	41
70-74	101	6.7	42	2	2	4	8	15	19	34
75-79	70	10.7	127	2	2	6	15	27	32	59
80-84	46	11.1	134	2	2	6	14	28	35	57
85 +	30	12.0	159	4	4	9	13	22	33	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.3	9	< 1	< 1	2	4	8	10	10
B. Operated	77	3.9	11	1	1	3	4	7	10	20
2. MULTIPLE DX										
A. Not Operated	65	6.1	28	1	2	4	9	11	17	28
B. Operated	365	8.7	91	2	2	5	10	20	31	43
1. SINGLE DX	86	3.9	10	1	1	3	4	7	10	19
2. MULTIPLE DX	430	8.3	83	2	2	5	10	18	29	41
A. Not Operated	74	5.8	26	1	1	4	8	11	17	27
B. Operated	442	7.9	81	1	2	5	9	18	29	40
TOTAL										
65-69 YRS	167	6.4	55	1	2	4	8	13	25	40
70-74	139	6.3	36	1	2	4	8	14	18	33
75-79	101	9.0	99	1	2	6	11	24	30	49
80-84	65	9.2	106	2	2	5	12	20	32	54
85 +	44	10.6	133	2	3	8	11	22	30	69
GRAND TOTAL	**516**	**7.6**	**73**	**1**	**2**	**4**	**9**	**17**	**27**	**40**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	31	6.8	54	1	1	4	9	12	20	39
70-74	18	5.7	42	< 1	1	3	6	14	23	27
75-79	19	7.8	45	< 1	1	6	12	19	21	22
80-84	13	6.0	42	< 1	1	3	7	18	21	22
85 +	11	6.1	9	2	2	7	8	10	11	11
B. Operated										
65-69 YRS	84	6.8	35	1	1	6	9	13	18	30
70-74	83	5.0	17	1	1	4	7	9	13	21
75-79	49	6.3	33	< 1	< 1	5	8	17	18	21
80-84	25	8.4	31	1	2	8	11	19	19	19
85 +	26	5.6	50	< 1	< 1	3	6	18	23	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2651	8.6	54	2	2	7	11	18	22	32
70-74	2631	9.1	59	2	2	7	12	19	24	40
75-79	1981	9.5	76	2	2	7	12	20	26	46
80-84	1354	9.5	67	2	3	7	12	19	24	42
85 +	848	10.0	86	2	3	7	12	20	29	49
B. Operated										
65-69 YRS	3360	11.9	115	1	2	9	16	25	34	58
70-74	3188	12.4	121	1	3	9	16	25	33	60
75-79	2383	12.8	128	1	2	10	17	27	34	59
80-84	1364	12.9	141	2	3	10	17	25	35	68
85 +	729	12.9	136	1	2	10	17	26	36	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	6.6	42	-	1	5	8	16	20	34
B. Operated	267	6.2	31	1	1	4	8	14	18	27
2. MULTIPLE DX										
A. Not Operated	9465	9.2	65	2	2	7	12	19	24	40
B. Operated	11024	12.4	124	1	2	9	16	25	34	60
1. SINGLE DX	359	6.3	33	1	1	4	8	14	19	27
2. MULTIPLE DX	20489	10.9	99	2	2	8	14	22	30	52
A. Not Operated	9557	9.2	64	2	2	7	12	19	24	40
B. Operated	11291	12.3	123	1	2	9	16	25	34	60
TOTAL										
65-69 YRS	6126	10.4	90	1	2	8	13	21	28	49
70-74	5920	10.8	95	2	2	8	14	22	30	50
75-79	4432	11.2	106	1	2	8	15	23	31	54
80-84	2756	11.2	106	2	3	8	14	22	29	56
85 +	1614	11.2	110	2	3	8	14	23	32	56
GRAND TOTAL	**20848**	**10.8**	**99**	**2**	**2**	**8**	**14**	**22**	**29**	**52**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	7.0	18	4	4	7	10	10	10	10
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
65-69 YRS	17	4.2	20	< 1	< 1	3	5	8	15	19
70-74	5	7.6	131	1	1	3	10	28	28	28
75-79	4	13.3	507	1	1	2	25	47	47	47
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	5.3	12	1	2	4	7	11	12	12
70-74	13	11.5	98	< 1	1	9	20	27	29	29
75-79	8	14.1	155	1	2	10	22	34	37	37
80-84	5	10.4	131	1	1	7	15	30	30	30
85 +	2	6.5	13	4	4	6	9	9	9	9
B. Operated										
65-69 YRS	47	10.9	111	1	2	8	13	23	34	54
70-74	45	13.1	96	3	3	11	18	25	36	45
75-79	27	15.0	125	3	4	12	18	33	42	44
80-84	19	12.8	55	3	4	11	17	21	28	33
85 +	11	17.5	54	7	9	17	22	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.2	9	2	2	4	7	10	10	10
B. Operated	27	6.1	103	< 1	< 1	3	5	17	31	47
2. MULTIPLE DX										
A. Not Operated	43	9.5	82	1	1	7	12	26	29	37
B. Operated	149	13.0	99	2	3	11	17	27	34	45
1. SINGLE DX	32	5.9	87	< 1	1	3	5	13	27	47
2. MULTIPLE DX	192	12.2	97	2	2	10	17	26	33	45
A. Not Operated	48	9.0	76	1	1	6	11	25	29	37
B. Operated	176	12.0	105	1	2	10	16	25	34	46
TOTAL										
65-69 YRS	81	8.4	79	1	1	6	10	18	25	49
70-74	64	12.2	97	1	2	10	18	26	31	44
75-79	39	14.7	154	1	2	12	18	35	43	47
80-84	25	11.8	69	1	2	11	16	21	31	33
85 +	15	14.1	75	2	4	13	19	28	29	30
GRAND TOTAL	**224**	**11.3**	**100**	**1**	**2**	**9**	**16**	**25**	**33**	**46**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	8.3	48	1	1	7	13	17	17	17
70-74	6	4.5	8	1	1	4	7	8	8	8
75-79	4	3.8	4	1	1	4	5	5	5	5
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	5	5.6	8	3	3	5	8	9	9	9
70-74	3	4.0	9	1	1	4	6	7	7	7
75-79	0									
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	3	13.3	24	10	10	11	17	19	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	63	7.2	28	1	2	5	11	14	16	28
70-74	79	6.3	31	1	2	4	8	13	18	29
75-79	77	7.6	50	1	1	6	9	17	24	38
80-84	56	9.7	69	2	3	7	13	21	29	38
85+	47	10.2	165	2	2	6	12	22	28	82
B. Operated										
65-69 YRS	71	12.4	97	3	3	9	18	33	42	99+
70-74	70	10.7	65	1	3	10	13	21	27	38
75-79	51	14.2	268	2	2	9	17	29	56	88
80-84	38	14.3	142	4	4	10	19	35	44	49
85+	32	11.8	124	3	3	7	16	26	42	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	5.2	16	1	1	5	7	10	15	17
B. Operated	13	6.5	25	1	1	5	9	13	18	19
2. MULTIPLE DX										
A. Not Operated	322	8.0	62	1	2	6	10	16	23	38
B. Operated	262	12.5	131	2	3	9	16	26	40	84
1. SINGLE DX	30	5.8	20	1	1	5	8	11	17	19
2. MULTIPLE DX	584	10.0	98	2	2	7	12	22	30	54
A. Not Operated	339	7.8	60	1	2	6	10	16	22	38
B. Operated	275	12.2	128	2	3	9	15	26	39	80
TOTAL										
65-69 YRS	143	9.8	68	2	3	8	12	22	33	99+
70-74	158	8.1	50	1	2	6	11	17	23	37
75-79	132	10.1	143	1	2	7	11	24	29	63
80-84	97	11.4	101	2	3	8	14	22	38	47
85+	84	10.8	141	2	3	7	13	22	32	70
GRAND TOTAL	**614**	**9.8**	**95**	**1**	**2**	**7**	**12**	**21**	**30**	**52**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	2.3	2	1	1	2	3	5	5	5
70-74	7	3.9	13	<1	<1	1	7	9	9	9
75-79	14	2.8	13	<1	1	1	3	8	13	14
80-84	7	2.6	3	1	1	2	4	6	6	6
85+	6	4.0	6	1	1	5	5	7	7	7
B. Operated										
65-69 YRS	12	7.0	49	<1	1	4	8	21	21	21
70-74	11	12.5	225	2	2	6	20	35	50	51
75-79	6	14.5	214	1	1	11	22	38	40	40
80-84	7	7.0	62	1	1	4	8	21	24	24
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	84	8.4	87	1	1	5	9	18	33	43
70-74	112	8.0	89	1	1	5	10	18	29	49
75-79	94	8.3	66	1	2	6	9	19	24	42
80-84	68	8.8	75	1	2	7	11	16	22	55
85+	62	7.9	84	1	2	5	8	18	34	43
B. Operated										
65-69 YRS	158	24.8	324	2	4	25	34	50	61	75
70-74	146	21.9	374	3	4	13	33	56	60	67
75-79	142	18.7	286	2	3	10	29	47	54	63
80-84	92	13.4	159	2	4	8	17	33	39	58
85+	62	13.7	163	3	4	9	16	31	44	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.0	8	<1	1	2	5	7	8	14
B. Operated	36	9.9	131	1	2	5	11	24	35	51
2. MULTIPLE DX										
A. Not Operated	420	8.3	80	1	1	6	10	18	28	45
B. Operated	600	19.8	301	3	4	12	31	47	56	68
1. SINGLE DX	79	6.2	75	1	1	3	7	18	23	48
2. MULTIPLE DX	1020	15.0	242	1	2	8	22	38	51	65
A. Not Operated	463	7.8	75	1	1	5	9	16	27	45
B. Operated	636	19.2	297	2	3	12	30	46	56	68
TOTAL										
65-69 YRS	263	18.0	295	1	2	10	30	42	52	73
70-74	276	15.4	290	1	2	7	22	45	56	66
75-79	256	13.9	219	1	2	8	19	39	47	60
80-84	174	10.9	123	1	2	7	14	26	34	59
85+	130	10.5	128	1	2	6	12	25	35	58
GRAND TOTAL	**1099**	**14.4**	**235**	**1**	**2**	**8**	**20**	**37**	**50**	**64**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	4.4	11	< 1	1	3	7	10	11	12
70-74	19	[illegible]	27	< 1	< 1	3	6	11	17	22
75-79	24	6.5	30	1	2	5	7	16	20	23
80-84	13	7.3	27	1	2	6	12	15	17	17
85 +	13	6.2	13	1	2	6	8	11	13	13
B. Operated										
65-69 YRS	138	5.9	28	1	1	5	8	12	15	22
70-74	113	5.2	24	< 1	1	3	7	12	17	20
75-79	83	6.0	31	< 1	1	4	8	14	20	23
80-84	56	5.7	41	< 1	< 1	3	7	12	18	35
85 +	33	10.0	160	1	1	6	12	19	39	63
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	381	9.1	57	2	2	7	12	18	23	38
70-74	378	10.2	103	2	3	8	12	20	28	62
75-79	304	10.5	100	2	2	8	13	20	26	54
80-84	219	9.8	67	2	3	7	13	20	25	47
85 +	154	10.0	65	2	3	8	13	20	27	52
B. Operated										
65-69 YRS	701	13.5	149	2	3	10	17	29	38	66
70-74	729	13.5	158	2	3	10	17	29	39	[illegible]
75-79	582	14.1	141	2	3	11	18	28	37	83
80-84	430	16.0	186	2	3	13	21	33	46	72
85 +	251	15.3	150	3	4	11	20	33	38	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	5.6	21	< 1	1	4	8	12	15	23
B. Operated	423	6.0	40	< 1	1	4	8	14	18	27
2. MULTIPLE DX										
A. Not Operated	1436	9.9	81	2	2	7	12	19	26	49
B. Operated	2693	14.2	156	2	3	11	18	29	39	69
1. SINGLE DX	520	6.0	37	< 1	1	4	8	13	18	23
2. MULTIPLE DX	4129	12.7	134	2	3	9	16	26	35	63
A. Not Operated	1533	9.6	78	2	2	7	12	19	25	46
B. Operated	3116	13.1	148	1	2	10	17	28	38	66
TOTAL										
65-69 YRS	1248	11.1	112	1	2	8	14	23	32	56
70-74	1239	11.6	134	1	2	8	14	25	34	65
75-79	993	12.1	124	1	2	9	16	24	33	63
80-84	718	13.2	149	2	2	10	18	27	38	63
85 +	451	12.9	125	2	3	9	17	27	36	55
GRAND TOTAL	**4649**	**11.9**	**128**	**1**	**2**	**9**	**15**	**25**	**34**	**61**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	131	2.1	1	1	1	2	2	4	4	5
70-74	101	2.3	2	1	1	2	3	4	5	9
75-79	64	2.3	2	< 1	1	2	3	4	5	6
80-84	24	2.3	1	1	1	2	3	4	4	4
85 +	10	2.6	3	1	1	2	3	5	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	3	2.3	5	1	1	1	4	5	5	5
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	133	2.8	4	1	1	2	3	5	5	13
70-74	143	3.4	11	1	1	3	4	5	7	23
75-79	83	4.1	34	1	1	3	4	7	11	39
80-84	45	3.3	4	1	1	3	4	5	7	11
85 +	19	3.9	7	1	1	4	5	7	10	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	330	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	3	2.3	5	1	1	1	4	5	5	5
B. Operated	423	3.3	13	1	1	3	4	5	7	17
1. SINGLE DX	332	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX	426	3.3	13	1	1	3	4	5	7	17
A. Not Operated	5	2.2	3	1	1	2	3	5	5	5
B. Operated	753	2.8	8	1	1	2	3	5	6	12
TOTAL										
65-69 YRS	264	2.4	3	1	1	2	3	4	5	9
70-74	249	2.9	8	1	1	2	3	5	6	12
75-79	147	3.3	21	1	1	2	4	5	7	18
80-84	69	3.0	3	1	1	3	4	5	6	10
85 +	29	3.5	6	1	1	3	4	7	7	12
GRAND TOTAL	**758**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.7	1	1	1	1	3	3	3	3
70-74	4	4.5	20	< 1	< 1	3	7	11	11	11
75-79	6	2.2	4	< 1	< 1	1	2	6	6	6
80-84	4	2.5	2	1	1	2	3	4	4	4
85 +	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated										
65-69 YRS	117	4.2	14	< 1	< 1	3	7	9	11	15
70-74	104	4.0	14	< 1	< 1	2	7	11	11	13
75-79	85	3.3	12	< 1	< 1	2	6	9	10	14
80-84	49	3.4	13	< 1	< 1	1	5	10	10	12
85 +	18	6.6	56	< 1	< 1	4	9	16	24	29
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	31	6.0	61	< 1	< 1	3	9	14	15	40
70-74	34	3.9	7	< 1	1	3	5	8	10	11
75-79	35	4.5	[illegible]	1	1	4	6	10	11	11
80-84	43	5.8	[illegible]	< 1	1	5	9	14	17	19
85 +	23	4.8	14	1	1	3	7	10	13	16
B. Operated										
65-69 YRS	573	7.5	47	< 1	1	7	9	14	19	40
70-74	597	7.7	52	1	1	7	10	14	18	37
75-79	525	8.4	58	1	1	7	11	17	22	42
80-84	405	8.9	62	[illegible]	1	8	12	19	24	41
85 +	250	8.6	60	1	1	7	12	17	23	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.6	6	< 1	< 1	2	3	5	8	11
B. Operated	373	4.0	16	< 1	< 1	2	7	10	11	15
2. MULTIPLE DX										
A. Not Operated	166	5.0	23	< 1	1	4	7	11	14	19
B. Operated	2350	8.1	55	1	1	7	10	15	21	40
1. SINGLE DX	393	3.9	15	< 1	< 1	2	7	10	11	15
2. MULTIPLE DX	2516	7.9	53	1	1	7	10	15	21	40
A. Not Operated	186	4.8	22	< 1	1	3	6	11	13	19
B. Operated	2723	7.5	51	< 1	1	6	10	15	20	36
TOTAL										
65-69 YRS	724	6.9	43	< 1	< 1	6	9	13	18	40
70-74	739	7.0	46	< 1	1	6	10	13	16	35
75-79	651	7.5	53	< 1	1	6	10	15	20	35
80-84	501	8.0	57	< 1	1	7	11	17	22	35
85 +	294	8.1	57	1	1	6	11	16	22	42
GRAND TOTAL	**2909**	**7.4**	**50**	**< 1**	**1**	**6**	**10**	**15**	**19**	**35**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	38	4.7	15	< 1	1	5	7	9	10	19
70-74	42	4.2	13	< 1	< 1	3	7	9	10	16
75-79	11	3.5	10	< 1	< 1	1	6	8	9	9
80-84	6	8.8	148	1	1	4	9	31	33	33
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	6	5.8	33	2	2	3	7	16	17	17
75-79	3	6.3	33	3	3	3	11	13	13	13
80-84	4	4.8	20	1	1	3	8	11	11	11
85 +	2	9.0	50	4	4	9	14	14	14	14
B. Operated										
65-69 YRS	86	6.9	68	1	1	6	9	12	18	52
70-74	58	9.3	105	1	1	6	14	21	25	52
75-79	44	8.7	47	1	2	7	13	19	21	31
80-84	19	7.4	99	< 1	< 1	5	9	14	31	45
85 +	6	7.5	80	2	2	3	9	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	97	4.6	22	< 1	1	3	7	9	10	26
2. MULTIPLE DX										
A. Not Operated	17	5.6	24	1	2	3	8	14	16	17
B. Operated	213	8.0	76	1	1	6	10	17	24	49
1. SINGLE DX	97	4.6	22	< 1	1	3	7	9	10	26
2. MULTIPLE DX	230	7.8	73	1	1	6	10	16	22	47
A. Not Operated	17	5.6	24	1	2	3	8	14	16	17
B. Operated	310	6.9	62	1	1	5	9	15	20	45
TOTAL										
65-69 YRS	126	6.2	52	1	1	5	8	11	15	43
70-74	106	7.1	70	1	1	4	9	16	22	49
75-79	58	7.6	42	1	1	6	11	17	20	30
80-84	29	7.3	94	< 1	1	5	9	14	34	45
85 +	8	7.9	65	2	2	4	11	22	25	25
GRAND TOTAL	**327**	**6.9**	**60**	**1**	**1**	**5**	**9**	**14**	**20**	**45**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	4	12.0	65	7	7	8	16	24	24	24
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	113	2.2	5	< 1	< 1	1	2	5	7	12
70-74	82	2.1	4	< 1	< 1	1	3	4	6	10
75-79	35	2.8	3	< 1	< 1	1	3	7	10	11
80-84	20	2.0	2	< 1	< 1	1	3	4	6	7
85 +	9	1.8	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	4.5	13	1	1	3	8	10	10	10
70-74	7	10.7	84	2	2	9	20	23	23	23
75-79	9	4.2	7	1	1	5	6	8	8	8
80-84	7	5.4	11	1	1	5	8	10	10	10
85 +	4	10.0	46	5	5	7	14	20	20	20
B. Operated										
65-69 YRS	190	4.8	25	1	1	3	6	11	17	24
70-74	153	5.4	59	< 1	1	3	6	11	17	43
75-79	96	5.7	41	1	1	3	7	14	19	34
80-84	46	8.3	82	1	1	5	11	21	27	43
85 +	17	7.3	21	1	2	7	9	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	12.0	65	7	7	8	16	24	24	24
B. Operated	259	2.2	5	< 1	< 1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	33	6.6	34	1	1	5	8	14	22	23
B. Operated	502	5.6	44	1	1	3	7	13	19	37
1. SINGLE DX	263	2.4	7	< 1	< 1	1	3	5	8	11
2. MULTIPLE DX	535	5.6	44	1	1	3	7	13	19	35
A. Not Operated	37	7.2	38	1	1	6	9	18	23	24
B. Operated	761	4.4	33	< 1	< 1	2	5	10	15	26
TOTAL										
65-69 YRS	309	3.9	19	< 1	< 1	2	5	9	13	22
70-74	242	4.4	44	< 1	< 1	2	5	10	14	41
75-79	144	5.1	34	< 1	1	3	7	10	17	26
80-84	73	6.3	61	< 1	< 1	3	8	18	24	40
85 +	30	6.0	26	< 1	1	5	8	14	17	20
GRAND TOTAL	**798**	**4.6**	**34**	**< 1**	**< 1**	**2**	**6**	**10**	**16**	**26**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	29	3.4	19	< 1	< 1	1	4	8	16	18
70-74	17	3.5	10	< 1	< 1	2	5	8	11	12
75-79	9	3.2	15	< 1	< 1	2	3	10	13	13
80-84	5	1.8	1	< 1	< 1	2	2	3	3	3
85 +	6	1.8	4	< 1	< 1	< 1	1	5	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	7.9	101	2	2	5	7	22	36	36
70-74	9	5.2	9	2	2	5	6	10	12	12
75-79	12	7.1	34	2	3	5	7	17	22	23
80-84	11	8.8	84	1	1	6	10	24	30	31
85 +	15	7.1	18	2	3	6	8	15	15	15
B. Operated										
65-69 YRS	74	4.8	24	< 1	< 1	3	7	13	14	24
70-74	51	7.1	34	< 1	1	6	10	15	16	30
75-79	35	6.5	14	2	2	6	9	13	14	15
80-84	33	7.3	55	1	2	4	8	20	23	29
85 +	26	14.8	313	2	2	8	20	38	61	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.2	6	1	1	4	7	7	7	7
B. Operated	66	3.2	13	< 1	< 1	2	3	7	12	18
2. MULTIPLE DX										
A. Not Operated	57	7.3	45	2	2	5	8	15	22	36
B. Operated	219	7.2	71	< 1	1	5	9	15	21	44
1. SINGLE DX	72	3.3	13	< 1	< 1	2	4	7	12	18
2. MULTIPLE DX	276	7.2	66	< 1	1	5	9	15	21	37
A. Not Operated	63	7.0	42	2	2	5	7	14	21	35
B. Operated	285	6.2	60	< 1	1	4	8	14	20	37
TOTAL										
65-69 YRS	115	4.7	29	< 1	< 1	3	6	11	15	29
70-74	78	6.1	27	< 1	1	5	9	13	16	27
75-79	57	6.1	19	1	2	5	8	13	14	22
80-84	51	6.9	57	1	1	4	8	20	23	31
85 +	47	10.7	200	< 1	1	6	12	23	41	72
GRAND TOTAL	**348**	**6.4**	**57**	**< 1**	**1**	**4**	**8**	**14**	**20**	**36**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	38	1.3		< 1	< 1	1	2	2	2	4
70-74	26	1.7	1	< 1	< 1	1	2	3	3	3
75-79	10	1.5		< 1	< 1	1	2	2	2	2
80-84	9	1.8	1	< 1	< 1	2	2	3	3	3
85 +	3	4.0	27	< 1	< 1	1	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	61	3.2	11	< 1	< 1	2	4	8	10	17
70-74	48	3.1	13	< 1	< 1	2	3	6	11	21
75-79	30	2.2	1	1	1	2	3	4	4	6
80-84	17	2.1	3	< 1	< 1	1	2	5	6	6
85 +	16	3.3	5	< 1	1	2	4	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	86	1.6	1	< 1	< 1	1	2	3	3	8
2. MULTIPLE DX										
A. Not Operated	4	2.0	2	1	1	2	3	4	4	4
B. Operated	172	2.9	8	< 1	< 1	2	3	6	8	17
1. SINGLE DX	86	1.6	1	< 1	< 1	1	2	3	3	8
2. MULTIPLE DX	176	2.9	8	< 1	< 1	2	3	6	8	17
A. Not Operated	4	2.0	2	1	1	2	3	4	4	4
B. Operated	258	2.5	6	< 1	< 1	2	3	5	7	13
TOTAL										
65-69 YRS	99	2.5	8	< 1	< 1	2	2	5	9	16
70-74	75	2.6	9	< 1	< 1	2	3	5	7	19
75-79	41	2.0	1	< 1	1	2	2	4	4	6
80-84	27	1.9	2	< 1	< 1	1	2	4	5	6
85 +	20	3.4	7	< 1	< 1	2	4	8	9	10
GRAND TOTAL	**262**	**2.5**	**6**	**< 1**	**< 1**	**2**	**3**	**5**	**7**	**13**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	15	4.8	4	< 1	< 1	5	6	8	8	8
70-74	9	4.4	2	< 1	1	5	5	6	6	6
75-79	7	5.3	3	3	3	5	7	8	8	8
80-84	2	7.5	1	7	7	7	8	8	8	8
85 +	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	2.3	2	< 1	< 1	2	3	4	4	4
70-74	5	2.8	3	< 1	< 1	2	4	5	5	5
75-79	3	4.7	30	1	1	2	9	11	11	11
80-84	4	4.5	6	3	3	4	6	8	8	8
85 +	5	4.6	6	1	1	4	7	7	7	7
B. Operated										
65-69 YRS	225	6.8	34	3	4	6	7	10	15	25
70-74	145	7.0	17	2	4	6	8	10	13	28
75-79	74	7.9	23	2	4	7	9	14	17	28
80-84	29	10.0	29	2	4	8	14	17	21	22
85 +	21	12.4	146	3	4	7	15	26	40	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	35	5.0	3	< 1	3	5	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	20	3.8	7	< 1	< 1	3	5	8	9	11
B. Operated	494	7.5	33	3	4	6	8	12	17	28
1. SINGLE DX	35	5.0	3	< 1	3	5	6	8	8	8
2. MULTIPLE DX	514	7.3	33	2	4	6	8	12	17	27
A. Not Operated	20	3.8	7	< 1	< 1	3	5	8	9	11
B. Operated	529	7.3	31	2	4	6	8	12	16	27
TOTAL										
65-69 YRS	243	6.7	32	2	4	6	7	10	14	25
70-74	159	6.7	17	2	4	6	8	10	12	28
75-79	84	7.6	22	2	4	7	9	14	17	27
80-84	35	9.2	28	2	3	8	13	17	20	22
85 +	28	10.5	121	3	4	7	12	24	30	56
GRAND TOTAL	**549**	**7.2**	**31**	**2**	**4**	**6**	**8**	**12**	**16**	**27**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	2	7.0		7	7	7	7	7	7	7
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	9	5.3	10	2	2	5	6	10	13	13
70-74	5	9.4	35	3	3	8	12	19	19	19
75-79	3	12.7	50	5	5	14	18	19	19	19
80-84	0									
85 +	3	4.0	1	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	20	7.3	26	2	2	5	9	16	19	19
1. SINGLE DX	4	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX	20	7.3	26	2	2	5	9	16	19	19
A. Not Operated	0									
B. Operated	24	7.2	22	2	3	6	8	14	19	19
TOTAL										
65-69 YRS	9	5.3	10	2	2	5	6	10	13	13
70-74	7	8.7	25	3	4	7	9	17	19	19
75-79	4	11.5	39	5	5	11	16	19	19	19
80-84	0									
85 +	4	4.5	2	3	3	4	5	6	6	6
GRAND TOTAL	**24**	**7.2**	**22**	**2**	**3**	**6**	**8**	**14**	**19**	**19**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	57	5.8	14	3	3	5	6	8	10	26
70-74	39	6.4	8	3	4	6	7	9	13	16
75-79	14	5.6	2	3	4	6	7	7	7	7
80-84	8	6.9	1	6	6	7	8	9	9	9
85 +	5	9.8	41	4	4	7	14	20	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	10.0	32	6	6	10	14	14	14	14
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	1	10.0		10	10	10	10	10	10	10
85 +	0									
B. Operated										
65-69 YRS	332	7.2	16	4	4	6	8	11	16	23
70-74	237	7.8	20	4	4	7	9	[illegible]	18	34
75-79	172	8.6	27	4	5	7	10	14	18	35
80-84	90	9.0	27	4	5	8	11	13	19	32
85 +	68	11.3	78	4	5	9	13	19	26	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	123	6.2	11	3	4	5	7	8	12	22
2. MULTIPLE DX										
A. Not Operated	4	8.8	17	5	5	8	12	14	14	14
B. Operated	899	8.1	26	4	4	7	9	13	18	30
1. SINGLE DX	124	6.2	11	3	4	5	7	8	11	22
2. MULTIPLE DX	903	8.1	26	4	4	7	9	13	18	30
A. Not Operated	5	7.8	17	4	4	6	11	14	14	14
B. Operated	1022	7.9	24	4	4	6	9	13	18	29
TOTAL										
65-69 YRS	392	7.0	16	4	4	6	8	11	16	24
70-74	277	7.6	18	4	4	6	8	12	16	31
75-79	186	8.4	26	4	4	7	9	14	17	34
80-84	99	8.8	25	4	5	7	11	13	19	31
85 +	73	11.2	75	4	5	8	13	20	25	53
GRAND TOTAL	**1027**	**7.9**	**24**	**4**	**4**	**6**	**9**	**13**	**18**	**29**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	2	1.0		< 1	< 1	< 1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	6.6	23	< 1	1	6	8	14	16	16
70-74	7	12.4	409	2	2	6	8	48	58	58
75-79	4	8.0	1	7	7	8	9	9	9	9
80-84	2	5.5	1	5	5	5	6	6	6	6
85 +	3	7.7	66	2	2	4	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	2.5	6	< 1	< 1	1	4	7	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	23	8.7	131	1	2	6	8	16	31	58
1. SINGLE DX	6	2.5	6	< 1	< 1	1	4	7	7	7
2. MULTIPLE DX	23	8.7	131	1	2	6	8	16	31	58
A. Not Operated	0									
B. Operated	29	7.4	110	< 1	1	6	7	13	19	58
TOTAL										
65-69 YRS	9	5.7	21	< 1	< 1	5	7	13	16	16
70-74	9	9.9	332	< 1	< 1	5	7	38	58	58
75-79	5	6.6	11	1	1	7	9	9	9	9
80-84	2	5.5	1	5	5	5	6	6	6	6
85 +	4	7.5	44	2	2	5	12	17	17	17
GRAND TOTAL	**29**	**7.4**	**110**	**< 1**	**1**	**6**	**7**	**13**	**19**	**58**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	3.2	2	1	1	3	4	5	5	5
70-74	7	6.7	41	2	2	5	6	18	21	21
75-79	10	4.1	5	1	1	4	5	7	9	9
80-84	6	7.3	60	< 1	< 1	4	13	19	20	20
85 +	3	15.3	114	6	6	13	23	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	11.0		11	11	11	11	11	11	11
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	39	5.6	33	1	1	4	5	13	21	27
1. SINGLE DX	3	5.0	27	2	2	2	9	11	11	11
2. MULTIPLE DX	40	5.5	33	1	1	4	5	13	20	27
A. Not Operated	2	6.5	41	2	2	6	11	11	11	11
B. Operated	41	5.4	32	1	1	4	5	13	20	27
TOTAL										
65-69 YRS	16	3.5	6	1	2	3	4	5	9	11
70-74	7	6.7	41	2	2	5	6	18	21	21
75-79	11	3.9	5	1	1	3	5	7	9	9
80-84	6	7.3	60	< 1	< 1	4	13	19	20	20
85 +	3	15.3	114	6	6	13	23	27	27	27
GRAND TOTAL	**43**	**5.5**	**31**	**1**	**2**	**4**	**5**	**13**	**20**	**27**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	15	4.1	12	< 1	1	2	8	9	10	10
70-74	9	1.9	1	1	1	2	2	4	4	4
75-79	4	2.0	2	1	1	2	3	4	4	4
80-84	5	2.8	2	2	2	2	3	5	5	5
85 +	4	4.0	12	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	52	5.7	23	1	1	5	8	10	13	27
70-74	43	4.9	27	< 1	1	3	7	12	14	27
75-79	46	5.3	30	1	1	3	7	12	17	29
80-84	31	6.6	29	1	1	5	10	15	19	19
85 +	16	5.7	47	1	1	3	7	13	23	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	37	3.2	7	1	1	2	4	8	9	10
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	188	5.6	28	1	1	4	8	12	16	27
1. SINGLE DX	38	3.1	7	< 1	1	2	4	8	9	10
2. MULTIPLE DX	189	5.5	28	1	1	4	8	12	16	27
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	225	5.2	26	1	1	3	7	11	16	27
TOTAL										
65-69 YRS	68	5.3	20	< 1	1	4	8	10	11	25
70-74	52	4.4	24	1	1	3	6	11	13	27
75-79	51	5.0	29	1	1	3	6	10	16	29
80-84	36	6.1	26	1	1	4	9	15	18	19
85 +	20	5.4	39	1	1	3	7	12	20	27
GRAND TOTAL	**227**	**5.1**	**25**	**1**	**1**	**3**	**7**	**11**	**16**	**27**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	21.0		21	21	21	21	21	21	21
70-74	2	2.0	2	< 1	< 1	1	3	3	3	3
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	2	5.0	2	4	4	5	6	6	6	6
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	7	5.9	47	< 1	< 1	4	6	18	21	21
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	7	5.9	47	< 1	< 1	4	6	18	21	21
A. Not Operated	0									
B. Operated	9	4.9	39	< 1	< 1	3	5	15	21	21
TOTAL										
65-69 YRS	2	11.0	200	1	1	11	21	21	21	21
70-74	3	2.0	1	< 1	< 1	2	3	3	3	3
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	2	5.0	2	4	4	5	6	6	6	6
85 +	0									
GRAND TOTAL	**9**	**4.9**	**39**	**< 1**	**< 1**	**3**	**5**	**15**	**21**	**21**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	3	3.0	7	< 1	< 1	2	5	6	6	6
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	51	9.2	30	2	3	8	13	16	19	27
70-74	38	7.8	16	2	4	7	9	13	15	22
75-79	20	11.3	39	2	4	10	17	21	21	22
80-84	11	12.1	64	1	2	11	19	23	25	25
85 +	3	18.0	244	8	8	10	29	36	36	36
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	5.9	39	1	1	4	6	12	21	29
70-74	32	5.9	28	2	2	5	7	10	16	29
75-79	48	7.6	33	1	1	7	10	14	20	24
80-84	52	8.8	59	2	3	6	9	16	26	45
85 +	54	9.5	113	2	3	6	11	20	30	59
B. Operated										
65-69 YRS	201	14.3	133	3	6	12	18	26	32	90
70-74	178	15.8	154	3	5	12	20	31	38	96
75-79	117	19.7	219	5	8	15	23	36	56	75
80-84	51	20.1	284	4	7	14	26	50	58	99 +
85 +	26	20.7	148	7	9	17	26	39	49	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.1	5	< 1	< 1	2	5	6	6	6
B. Operated	123	9.6	37	2	3	8	12	19	22	29
2. MULTIPLE DX										
A. Not Operated	213	7.9	61	1	2	6	9	15	24	44
B. Operated	573	16.7	176	3	6	13	21	32	47	86
1. SINGLE DX	131	9.2	37	1	2	8	12	18	22	29
2. MULTIPLE DX	786	14.3	160	2	3	11	19	29	40	80
A. Not Operated	221	7.7	59	1	2	6	9	15	23	44
B. Operated	696	15.4	158	3	5	12	20	29	41	80
TOTAL										
65-69 YRS	281	12.5	113	2	3	10	16	24	29	81
70-74	251	13.2	133	2	3	10	16	28	36	88
75-79	186	15.6	180	2	4	12	21	29	43	72
80-84	115	14.1	187	2	4	9	16	34	48	86
85 +	84	13.3	150	2	3	8	17	28	40	56
GRAND TOTAL	**917**	**13.6**	**145**	**2**	**3**	**10**	**17**	**27**	**37**	**78**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	91	2.3	1	1	1	2	3	3	4	6
70-74	52	3.1	2	2	2	3	4	5	5	8
75-79	33	3.1	1	1	2	3	4	5	5	5
80-84	7	2.0		1	1	2	2	3	3	3
85 +	5	3.4	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	2.0	2	1	1	2	3	4	4	4
70-74	2	8.5	5	7	7	8	10	10	10	10
75-79	4	6.5	4	4	4	7	8	8	8	8
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	132	3.9	19	1	2	3	4	7	9	23
70-74	96	3.4	7	1	2	3	4	5	8	17
75-79	65	5.1	40	2	2	4	5	8	15	44
80-84	29	5.3	26	2	2	4	5	9	17	27
85 +	3	12.3	209	3	3	5	23	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		1	1	2	2	2	2	2
B. Operated	188	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	10	5.1	10	1	1	5	8	9	10	10
B. Operated	325	4.2	22	1	2	3	4	7	9	27
1. SINGLE DX	191	2.7	1	1	1	2	3	4	5	7
2. MULTIPLE DX	335	4.2	22	1	2	3	4	7	10	27
A. Not Operated	13	4.3	10	1	1	4	7	9	10	10
B. Operated	513	3.6	15	1	2	3	4	5	8	21
TOTAL										
65-69 YRS	230	3.2	12	1	1	3	3	5	7	17
70-74	150	3.4	6	1	2	3	4	5	8	11
75-79	102	4.5	27	1	2	4	5	7	9	33
80-84	36	4.6	23	1	2	3	5	9	14	27
85 +	8	6.8	84	1	1	5	5	22	29	29
GRAND TOTAL	**526**	**3.7**	**15**	**1**	**2**	**3**	**4**	**6**	**8**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	25	5.4	21	2	3	4	6	8	13	25
70-74	25	3.9	5	1	2	4	5	8	8	9
75-79	19	5.6	15	1	1	5	8	11	13	15
80-84	7	6.3	18	2	2	4	9	13	14	14
85 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	4.7	7	1	2	5	6	8	10	11
70-74	14	7.4	31	1	2	6	10	18	19	19
75-79	8	7.3	46	1	1	4	13	17	19	19
80-84	6	6.7	60	1	1	4	7	20	22	22
85 +	6	10.5	18	6	6	10	12	17	18	18
B. Operated										
65-69 YRS	152	7.7	49	2	2	5	10	16	22	42
70-74	153	8.8	97	2	3	5	10	19	25	62
75-79	105	8.2	71	2	3	5	10	19	31	71
80-84	41	9.7	87	2	2	6	12	23	29	43
85 +	13	14.6	213	3	4	11	17	41	49	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	78	5.0	14	1	2	4	7	9	11	22
2. MULTIPLE DX										
A. Not Operated	57	6.5	26	1	2	5	8	14	19	22
B. Operated	464	8.6	78	2	3	5	10	19	25	49
1. SINGLE DX	80	5.0	13	1	2	4	7	9	10	22
2. MULTIPLE DX	521	8.3	73	2	3	5	10	18	24	48
A. Not Operated	59	6.5	25	1	2	5	8	13	19	22
B. Operated	542	8.1	70	2	2	5	10	16	24	48
TOTAL										
65-69 YRS	201	7.1	41	2	2	5	9	14	20	37
70-74	193	8.0	82	2	2	5	9	17	21	56
75-79	182	7.8	61	2	2	5	10	16	29	57
80-84	54	8.9	75	2	2	5	10	22	25	43
85 +	21	12.5	143	3	4	10	14	27	44	51
GRAND TOTAL	**601**	**7.9**	**66**	**2**	**2**	**5**	**10**	**16**	**23**	**46**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	26	4.3	4	1	1	4	5	7	8	9
70-74	11	3.0	3	< 1	< 1	3	5	5	5	5
75-79	8	4.9	6	2	2	5	7	8	9	9
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	8.0	98	1	1	8	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	4.0	1	3	3	4	5	5	5	5
70-74	2	8.5	13	6	6	8	11	11	11	11
75-79	0									
80-84	2	2.5	5	< 1	< 1	2	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	80	6.7	112	1	2	5	7	9	11	74
70-74	57	6.0	32	1	2	5	7	9	17	37
75-79	28	4.7	14	1	1	4	6	9	14	16
80-84	17	5.5	16	1	1	4	7	13	13	13
85 +	3	4.0	7	2	2	3	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	48	4.2	7	1	1	4	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	7	4.9	10	< 1	1	4	6	10	11	11
B. Operated	185	6.0	62	1	2	5	7	9	13	34
1. SINGLE DX	49	4.2	7	1	1	4	5	7	9	15
2. MULTIPLE DX	192	6.0	60	1	2	5	7	9	13	34
A. Not Operated	8	4.6	9	< 1	1	4	5	9	11	11
B. Operated	233	5.6	51	1	1	5	6	9	13	30
TOTAL										
65-6	109	6.0	84	1	2	5	6	9	10	55
70-	70	5.6	28	1	1	5	6	9	17	34
75	37	4.7	12	1	1	4	6	9	12	16
80-8	20	5.0	16	< 1	1	4	6	13	13	13
85 +	5	5.6	33	1	1	3	9	15	15	15
GRAND TOTAL	**241**	**5.6**	**50**	**1**	**1**	**5**	**6**	**9**	**13**	**29**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	2	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	78	4.0	10	< 1	1	3	5	9	10	16
70-74	84	3.9	9	1	1	3	5	7	9	15
75-79	52	4.1	17	< 1	1	3	5	9	12	21
80-84	28	3.9	13	< 1	< 1	3	4	11	13	13
85 +	13	2.8	3	< 1	< 1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74	6	1.8	3	1	1	1	2	5	5	5
75-79	4	5.3	10	1	1	6	7	8	8	8
80-84	3	3.3	5	2	2	2	5	6	6	6
85 +	5	4.8	4	2	2	5	6	7	7	7
B. Operated										
65-69 YRS	283	6.6	55	1	1	5	8	13	22	37
70-74	249	7.5	101	1	1	5	9	14	18	89
75-79	204	7.5	89	1	1	5	9	17	24	53
80-84	141	7.4	51	1	1	5	11	16	20	35
85 +	74	6.8	61	1	1	5	9	13	16	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3	1	3	3	5	5	5	5	5
B. Operated	255	3.9	11	< 1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	20	3.6	6	1	1	3	6	7	8	8
B. Operated	951	7.2	74	1	1	5	9	15	20	51
1. SINGLE DX	258	3.9	11	< 1	1	3	5	8	10	17
2. MULTIPLE DX	971	7.1	73	1	1	5	9	15	19	50
A. Not Operated	23	3.7	5	1	1	4	5	7	8	8
B. Operated	1206	6.5	63	1	1	4	8	13	18	45
TOTAL										
65-69 YRS	364	6.0	46	1	1	4	8	11	17	32
70-74	339	6.5	79	1	1	4	8	13	17	61
75-79	260	6.8	75	1	1	4	8	15	21	47
80-84	174	6.7	45	1	1	4	10	15	18	31
85 +	92	6.1	51	1	1	4	7	13	15	44
GRAND TOTAL	**1229**	**6.4**	**62**	**1**	**1**	**4**	**8**	**13**	**18**	**45**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	3.8	10	< 1	< 1	3	4	9	11	11
70-74	10	4.5	7	< 1	1	4	6	8	9	9
75-79	20	2.7	7	< 1	< 1	1	3	7	9	10
80-84	4	3.8	10	< 1	< 1	3	6	7	7	7
85 +	3	5.0	28	1	1	3	9	11	11	11
B. Operated										
65-69 YRS	135	4.7	17	< 1	1	3	7	10	12	19
70-74	136	4.5	13	< 1	1	3	8	10	11	13
75-79	88	4.4	11	< 1	1	4	7	9	10	13
80-84	45	3.9	11	< 1	1	2	6	10	10	11
85 +	31	3.7	12	1	1	3	5	8	9	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	154	6.8	98	1	1	4	8	13	21	68
70-74	145	5.0	18	< 1	1	4	6	11	14	24
75-79	176	7.9	124	< 1	1	5	8	16	32	75
80-84	153	8.0	75	1	2	5	10	17	22	32
85 +	123	8.5	99	1	2	6	11	18	22	59
B. Operated										
65-69 YRS	424	8.8	76	1	2	7	11	17	24	56
70-74	497	8.5	63	1	2	7	10	16	22	44
75-79	435	9.9	94	1	2	8	12	20	27	66
80-84	298	9.2	75	1	2	7	13	19	25	38
85 +	244	9.0	54	1	2	7	13	18	22	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	3.5	9	< 1	< 1	2	5	9	10	11
B. Operated	435	4.4	13	< 1	1	3	7	9	11	14
2. MULTIPLE DX										
A. Not Operated	751	7.2	95	1	1	5	8	14	21	69
B. Operated	1898	9.0	74	1	2	7	11	18	24	49
1. SINGLE DX	486	4.3	13	< 1	1	3	7	9	11	14
2. MULTIPLE DX	2649	8.5	78	1	2	6	11	17	23	53
A. Not Operated	802	7.0	81	1	1	4	6	14	20	67
B. Operated	2333	8.2	66	1	1	7	10	16	22	41
TOTAL										
65-69 YRS	727	7.5	71	1	1	6	9	15	21	55
70-74	788	7.1	49	1	1	6	9	14	19	36
75-79	719	8.5	93	1	1	6	10	18	24	67
80-84	500	8.3	71	1	2	6	11	17	24	34
85 +	401	8.4	66	1	2	6	11	17	22	37
GRAND TOTAL	**3135**	**7.9**	**70**	**1**	**1**	**6**	**10**	**16**	**22**	**46**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.7	4	1	1	2	4	5	5	5
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	117	2.6	2	1	1	2	3	4	4	7
70-74	76	3.0	2	1	1	3	4	5	5	7
75-79	31	3.2	1	2	2	3	4	5	5	6
80-84	10	2.9	1	1	1	3	4	5	5	5
85 +	4	7.3	62	2	2	4	12	19	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	3.0	3	1	1	2	5	6	6	6
70-74	14	3.8	22	< 1	1	2	5	8	16	19
75-79	7	4.9	8	< 1	< 1	6	7	8	8	8
80-84	12	4.3	8	< 1	1	4	5	8	11	12
85 +	9	5.9	12	2	2	6	7	11	13	13
B. Operated										
65-69 YRS	205	4.3	11	2	2	3	5	7	11	18
70-74	161	5.1	24	2	2	4	5	9	12	31
75-79	109	4.8	13	1	2	4	5	11	12	18
80-84	35	6.5	29	1	2	5	9	15	19	21
85 +	16	10.8	134	2	3	5	15	28	36	40
SURTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.7	3	1	1	2	5	5	5	5
B. Operated	238	2.9	3	1	1	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated	53	4.2	12	< 1	1	3	6	7	12	19
B. Operated	526	5.0	21	2	2	4	5	10	14	28
1. SINGLE DX	244	2.9	3	1	1	3	4	4	5	8
2. MULTIPLE DX	579	4.9	21	1	2	4	6	9	13	28
A. Not Operated	59	4.1	11	< 1	1	3	6	7	11	18
B. Operated	764	4.4	17	1	2	3	5	7	12	21
TOTAL										
65-69 YRS	336	3.7	8	1	2	3	4	6	8	16
70-74	253	4.4	18	1	2	3	5	7	10	30
75-79	148	4.4	11	1	2	3	5	9	12	17
80-84	57	5.4	21	1	2	4	6	13	15	21
85 +	29	8.8	87	2	2	5	9	25	29	40
GRAND TOTAL	**823**	**4.3**	**16**	**1**	**2**	**3**	**5**	**7**	**12**	**21**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.2	2	1	1	2	3	4	4	4
70-74	8	6.4	15	3	3	5	9	13	13	13
75-79	6	3.2	3	1	1	4	4	5	5	5
80-84	4	10.0	55	2	2	9	15	20	20	20
85 +	2	8.5	41	4	4	8	13	13	13	13
B. Operated										
65-69 YRS	39	2.7	1	1	1	3	3	4	5	6
70-74	19	3.7	15	1	1	3	4	7	13	18
75-79	11	4.9	21	< 1	2	4	5	11	17	18
80-84	4	2.5	1	1	1	3	3	3	3	3
85 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	151	8.2	51	2	3	7	9	15	23	59
70-74	146	7.9	28	2	3	7	10	15	19	26
75-79	175	8.9	66	2	3	7	10	15	21	51
80-84	119	10.1	67	2	3	8	13	19	25	46
85 +	84	10.4	100	3	3	7	11	23	31	56
B. Operated										
65-69 YRS	79	7.3	109	1	2	4	8	16	28	90
70-74	78	10.0	207	1	2	5	10	22	47	96
75-79	55	13.9	241	2	3	8	18	30	49	75
80-84	43	18.0	344	4	6	12	19	43	58	99
85 +	14	17.6	507	3	4	10	23	90	97	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	5.5	22	1	1	4	7	13	15	20
B. Operated	75	3.3	8	1	1	3	4	5	6	18
2. MULTIPLE DX										
A. Not Operated	675	8.9	59	2	3	7	11	17	23	44
B. Operated	269	11.7	234	2	2	7	13	27	50	99 +
1. SINGLE DX	100	3.8	12	1	1	3	4	6	12	19
2. MULTIPLE DX	944	9.7	110	2	3	7	11	20	28	68
A. Not Operated	700	8.8	58	2	3	7	11	17	23	43
B. Operated	344	9.8	197	1	2	5	11	22	45	99
TOTAL										
65-69 YRS	274	7.1	63	1	2	5	8	14	23	66
70-74	251	8.2	84	2	2	6	10	17	22	72
75-79	247	9.7	107	2	3	7	11	20	28	61
80-84	170	11.9	147	2	3	9	14	21	37	61
85 +	102	11.2	156	2	3	8	12	23	35	95
GRAND TOTAL	**1044**	**9.2**	**104**	**2**	**2**	**6**	**11**	**19**	**27**	**66**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	4.7	6	<1	2	5	6	7	9	10
70-74	13	5.4	5	2	2	6	7	8	10	10
75-79	6	4.0	10	1	1	3	4	9	10	10
80-84	5	5.6	7	3	3	5	7	10	10	10
85 +	6	5.2	28	1	1	3	9	13	14	14
B. Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	9.7	21	7	7	7	13	15	15	15
80-84	2	8.0	50	3	3	8	13	13	13	13
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	105	6.1	22	1	2	5	7	13	16	22
70-74	106	7.1	47	2	3	5	8	12	15	41
75-79	80	6.4	18	2	2	6	8	10	14	25
80-84	54	7.0	19	2	2	6	10	12	14	22
85 +	34	9.3	78	2	3	6	9	20	32	43
B. Operated										
65-69 YRS	22	7.6	32	1	2	6	9	17	20	20
70-74	16	11.3	244	2	3	8	11	16	52	68
75-79	8	10.9	29	2	3	10	15	18	18	18
80-84	10	7.3	23	1	1	6	11	14	14	14
85 +	2	29.5	313	17	17	29	42	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	5.0	8	1	2	4	6	10	10	14
B. Operated	7	7.6	25	1	1	7	12	15	15	15
2. MULTIPLE DX										
A. Not Operated	379	6.8	33	2	2	6	8	13	16	28
B. Operated	58	9.8	106	1	2	7	12	17	20	66
1. SINGLE DX	51	5.3	11	1	2	5	7	10	13	15
2. MULTIPLE DX	437	7.2	43	2	2	6	8	13	17	35
A. Not Operated	423	6.6	31	2	2	5	8	12	15	26
B. Operated	65	9.5	97	1	2	7	12	17	20	64
TOTAL										
65-69 YRS	142	6.2	22	1	2	5	7	14	17	22
70-74	136	7.4	67	2	2	6	8	12	16	64
75-79	97	6.7	20	2	2	6	8	14	15	24
80-84	71	6.9	18	2	2	6	10	13	14	21
85 +	42	9.7	96	1	2	6	10	21	37	43
GRAND TOTAL	**488**	**7.0**	**40**	**2**	**2**	**6**	**8**	**13**	**17**	**32**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	34	4.8	8	2	2	4	6	8	10	15
70-74	27	5.1	5	2	2	5	7	8	9	9
75-79	25	5.4	16	1	1	5	7	10	15	16
80-84	24	7.5	32	1	1	7	10	15	18	22
85 +	8	6.9	14	3	3	6	8	13	15	15
B. Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	1	7.0		7	7	7	7	7	7	7
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	591	8.1	36	2	3	7	10	14	17	34
70-74	486	8.9	42	2	3	7	11	16	21	34
75-79	497	10.1	67	3	3	8	12	19	25	43
80-84	379	10.7	92	3	4	8	13	20	27	57
85 +	286	10.8	77	3	4	8	13	19	26	52
B. Operated										
65-69 YRS	111	16.8	179	5	6	14	22	37	54	99 +
70-74	112	19.7	248	5	6	17	23	37	63	92
75-79	83	19.2	225	7	8	15	22	35	51	78
80-84	56	18.9	218	6	7	15	22	35	45	83
85 +	38	22.8	321	7	8	18	25	50	64	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	5.7	15	1	2	5	7	10	15	18
B. Operated	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	2239	9.5	60	2	3	8	11	17	23	44
B. Operated	400	19.0	227	5	7	15	23	37	53	98
1. SINGLE DX	120	5.7	14	1	2	5	7	10	15	18
2. MULTIPLE DX	2639	10.9	97	3	3	8	13	21	28	66
A. Not Operated	2357	9.3	58	2	3	8	11	16	23	44
B. Operated	402	18.9	227	5	7	15	23	37	53	98
TOTAL										
65-69 YRS	737	9.2	67	2	3	7	11	17	24	46
70-74	625	10.7	95	3	3	8	13	21	27	72
75-79	606	11.1	98	3	3	8	13	21	28	56
80-84	459	11.5	112	3	4	9	14	22	28	66
85 +	332	12.1	118	3	4	9	14	22	31	72
GRAND TOTAL	**2759**	**10.7**	**94**	**3**	**3**	**8**	**13**	**21**	**27**	**65**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	252	5.5	7	2	3	5	7	9	10	15
70-74	209	5.9	22	2	3	5	7	10	12	19
75-79	160	5.8	24	2	2	5	7	9	12	17
80-84	69	5.8	8	2	2	6	7	9	11	14
85 +	46	5.8	9	1	2	6	7	10	12	13
B. Operated										
65-69 YRS	26	5.8	59	< 1	1	3	7	14	20	38
70-74	12	5.2	24	1	1	3	8	14	15	15
75-79	10	4.2	10	1	1	3	8	9	9	9
80-84	6	5.2	23	1	1	3	9	13	13	13
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3894	7.1	35	2	3	6	8	12	15	29
70-74	3494	7.4	34	2	3	6	9	13	16	32
75-79	2895	7.8	45	2	3	6	9	14	18	36
80-84	1845	8.0	50	3	3	7	9	14	18	45
85 +	1265	8.7	60	3	3	7	10	15	22	56
B. Operated										
65-69 YRS	2001	15.0	193	2	3	11	19	31	44	85
70-74	1746	16.2	203	2	4	12	21	35	49	97
75-79	1320	16.4	179	3	4	12	22	34	45	93
80-84	736	17.0	191	3	5	13	21	36	46	87
85 +	440	16.2	185	3	5	12	19	34	49	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	736	5.7	15	2	3	5	7	9	11	17
B. Operated	55	5.3	37	1	1	3	7	13	15	37
2. MULTIPLE DX										
A. Not Operated	13393	7.6	41	2	3	6	9	13	17	35
B. Operated	6243	15.9	192	2	4	12	20	33	46	91
1. SINGLE DX	791	5.7	17	2	2	5	7	9	12	17
2. MULTIPLE DX	19636	10.3	104	2	3	7	12	20	30	64
A. Not Operated	14129	7.5	40	2	3	6	9	13	17	34
B. Operated	6298	15.9	192	2	4	12	20	33	46	90
TOTAL										
65-69 YRS	6173	9.6	99	2	3	7	11	19	27	61
70-74	5461	10.1	104	2	3	7	12	20	30	63
75-79	4385	10.3	100	2	3	7	12	21	30	59
80-84	2656	10.5	104	3	3	8	12	20	30	67
85 +	1752	10.5	101	3	3	8	12	20	31	72
GRAND TOTAL	**20427**	**10.1**	**102**	**2**	**3**	**7**	**12**	**20**	**29**	**63**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	0									
2. MULTIPLE DX	1	9.0		9	9	9	9	9	9	9
A. Not Operated	0									
B. Operated	1	9.0		9	9	9	9	9	9	9
TOTAL										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	2.6	5	< 1	< 1	2	3	5	7	10
70-74	27	2.7	3	< 1	< 1	2	3	6	6	7
75-79	22	3.5	9	< 1	< 1	2	4	9	10	11
80-84	18	3.2	9	1	1	2	4	8	9	10
85 +	11	3.9	13	1	1	3	6	9	12	12
B. Operated										
65-69 YRS	15	4.8	24	1	2	4	4	10	18	21
70-74	5	4.0	1	3	3	4	5	5	5	5
75-79	5	2.8	3	1	1	2	4	5	5	5
80-84	0									
85 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1020	5.6	30	1	1	4	7	11	15	25
70-74	1135	6.1	31	1	2	5	8	12	16	29
75-79	1203	6.1	27	1	2	5	8	12	16	25
80-84	991	6.7	37	1	2	5	8	13	17	36
85 +	721	7.0	45	1	2	5	8	13	18	41
B. Operated										
65-69 YRS	191	11.9	110	2	2	8	14	21	30	64
70-74	181	9.9	69	2	3	7	13	20	25	42
75-79	176	15.2	233	2	3	11	19	34	49	79
80-84	104	14.3	112	4	4	11	19	27	34	54
85 +	74	13.9	87	3	4	11	18	28	35	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	3.1	7	< 1	1	2	4	7	9	11
B. Operated	26	4.4	16	1	2	4	5	9	12	21
2. MULTIPLE DX										
A. Not Operated	5070	6.2	33	1	2	5	8	12	17	29
B. Operated	726	12.5	132	2	3	9	16	25	37	60
1. SINGLE DX	126	3.4	9	< 1	1	3	4	7	9	14
2. MULTIPLE DX	5796	7.0	50	1	2	5	9	14	19	39
A. Not Operated	5170	6.2	33	1	2	5	8	12	16	29
B. Operated	752	12.2	130	2	3	9	16	25	35	60
TOTAL										
65-69 YRS	1248	6.3	46	1	2	4	8	13	18	39
70-74	1348	6.5	37	1	2	5	8	13	18	31
75-79	1406	7.2	62	1	2	5	8	15	20	45
80-84	1113	7.3	48	1	2	5	9	15	21	38
85 +	807	7.6	53	1	2	6	9	15	21	40
GRAND TOTAL	**5922**	**7.0**	**49**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	8.0		8	8	8	8	8	8	8
75-79	3	6.3	56	2	2	2	12	15	15	15
80-84	1	3.0		3	3	3	3	3	3	3
85 +	3	6.7	12	3	3	7	9	10	10	10
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	3	5.3	10	3	3	4	8	9	9	9
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	9.0		9	9	9	9	9	9	9
85 +	5	3.2	3	< 1	< 1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	117	10.0	98	2	3	7	12	19	26	56
70-74	152	10.2	149	2	3	7	11	20	36	95
75-79	176	9.9	100	3	3	7	12	18	25	57
80-84	166	9.6	128	2	2	6	10	17	29	62
85 +	219	10.1	103	2	3	7	11	22	29	56
B. Operated										
65-69 YRS	94	16.2	248	2	4	12	20	35	47	97
70-74	123	13.2	131	2	3	11	17	30	47	99 +
75-79	134	12.8	145	2	3	10	17	27	33	62
80-84	122	11.9	125	1	3	8	15	28	40	74
85 +	179	10.4	137	1	2	7	13	23	33	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	6.0	20	2	2	4	8	13	15	15
B. Operated	11	3.9	9	< 1	< 1	3	5	9	9	9
2. MULTIPLE DX										
A. Not Operated	830	10.0	115	2	3	7	11	20	28	61
B. Operated	652	12.5	154	2	3	9	15	27	41	86
1. SINGLE DX	20	4.9	14	< 1	1	4	7	10	12	15
2. MULTIPLE DX	1482	11.1	133	2	3	8	13	23	33	71
A. Not Operated	839	9.9	114	2	3	7	11	19	28	60
B. Operated	663	12.4	152	1	3	9	15	27	41	85
TOTAL										
65-69 YRS	213	12.7	173	2	3	9	15	25	42	85
70-74	279	11.5	141	2	3	8	13	25	38	98
75-79	314	11.0	120	2	3	8	14	23	29	59
80-84	290	10.5	127	2	3	7	12	24	31	64
85 +	406	10.1	117	2	3	7	11	22	30	59
GRAND TOTAL	**1502**	**11.0**	**132**	**2**	**3**	**8**	**13**	**23**	**33**	**71**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	6.8	16	3	3	5	10	12	12	12
70-74	2	2.0		2	2	2	2	2	2	2
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	9	9.8	137	1	2	6	8	29	40	40
70-74	4	15.5	460	1	1	7	29	47	47	47
75-79	0									
80-84	1	10.0		10	10	10	10	10	10	10
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	3.0	7	< 1	< 1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	8	5.1	14	2	2	4	7	11	12	12
B. Operated	14	11.4	197	1	1	6	11	41	46	47
1. SINGLE DX	3	3.0	7	< 1	< 1	2	5	6	6	6
2. MULTIPLE DX	22	9.1	137	1	2	5	10	21	43	47
A. Not Operated	8	5.1	14	2	2	4	7	11	12	12
B. Operated	17	9.9	172	< 1	1	6	10	34	45	47
TOTAL										
65-69 YRS	15	8.2	89	< 1	1	5	9	12	33	40
70-74	6	11.0	324	1	1	3	11	43	47	47
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	10.0		10	10	10	10	10	10	10
85 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**25**	**8.4**	**124**	**1**	**1**	**5**	**10**	**12**	**42**	**47**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	8.1	128	1	1	3	10	23	38	40
70-74	8	4.1	5	1	1	4	6	7	8	8
75-79	10	3.7	6	< 1	1	3	4	8	8	8
80-84	8	4.1	3	2	2	4	6	6	6	6
85 +	5	4.4	29	1	1	2	6	14	14	14
B. Operated										
65-69 YRS	23	3.3	15	< 1	1	2	4	7	12	18
70-74	10	3.1	7	< 1	< 1	2	5	7	8	8
75-79	5	7.2	59	1	1	2	15	17	17	17
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	3	3.7	14	< 1	< 1	2	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	274	8.3	41	2	2	6	10	18	21	31
70-74	228	7.7	33	1	2	6	10	15	20	30
75-79	200	8.6	63	1	2	7	10	16	20	42
80-84	158	8.1	46	2	2	6	10	16	21	41
85 +	115	7.4	43	2	2	6	9	15	17	36
B. Operated										
65-69 YRS	137	9.8	120	1	1	7	12	21	34	58
70-74	103	9.5	72	1	2	7	12	17	26	47
75-79	89	12.6	89	1	4	9	17	27	33	46
80-84	55	13.4	222	2	3	9	19	27	40	99 +
85 +	36	15.0	164	4	5	11	16	26	49	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	5.2	42	1	2	3	6	9	16	40
B. Operated	43	3.7	17	< 1	1	2	5	8	15	18
2. MULTIPLE DX										
A. Not Operated	975	8.1	45	2	2	6	10	16	20	34
B. Operated	420	11.2	121	1	2	8	14	23	33	59
1. SINGLE DX	86	4.4	30	< 1	1	3	5	8	16	32
2. MULTIPLE DX	1395	9.0	70	1	2	7	11	18	24	42
A. Not Operated	1018	7.9	45	2	2	6	10	16	20	34
B. Operated	463	10.5	116	1	1	8	13	22	31	57
TOTAL										
65-69 YRS	446	8.5	67	1	2	6	11	18	22	40
70-74	349	8.0	45	1	2	6	10	16	21	34
75-79	304	9.6	73	1	2	7	12	19	26	42
80-84	223	9.2	94	2	2	6	11	20	23	60
85 +	159	9.0	80	2	2	6	11	17	25	56
GRAND TOTAL	**1481**	**8.7**	**69**	**1**	**2**	**7**	**11**	**18**	**23**	**42**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	3.8	5	1	1	3	5	8	8	8
70-74	12	3.4	4	2	2	3	4	6	9	9
75-79	7	2.4		2	2	2	3	3	3	3
80-84	6	2.2	2	< 1	< 1	2	2	5	5	5
85 +	4	4.0	11	2	2	3	6	9	9	9
B. Operated										
65-69 YRS	5	5.2	17	< 1	< 1	3	9	11	11	11
70-74	2	1.0		1	1	1	1	1	1	1
75-79	3	2.3	1	1	1	3	3	3	3	3
80-84	3	2.3	2	1	1	2	3	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	144	5.8	18	2	2	5	7	10	13	28
70-74	179	5.8	19	2	2	5	7	11	14	23
75-79	135	6.2	38	2	2	4	7	12	16	33
80-84	125	7.0	38	2	2	5	9	13	18	33
85 +	115	7.9	96	2	3	6	8	14	18	73
B. Operated										
65-69 YRS	29	9.7	226	< 1	1	6	11	22	82	99 +
70-74	43	10.3	101	1	2	7	14	19	22	60
75-79	33	9.2	65	1	2	7	11	23	26	29
80-84	28	10.9	77	2	2	8	15	24	29	34
85 +	20	13.6	103	3	3	11	22	28	34	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.2	4	1	2	2	4	6	8	9
B. Operated	13	3.2	9	< 1	< 1	3	4	9	11	11
2. MULTIPLE DX										
A. Not Operated	698	6.4	39	2	2	5	8	12	16	28
B. Operated	153	10.5	112	1	2	7	14	23	28	81
1. SINGLE DX	54	3.2	5	1	1	3	4	8	9	11
2. MULTIPLE DX	851	7.2	54	2	2	5	8	14	19	34
A. Not Operated	739	6.3	38	2	2	5	8	12	16	27
B. Operated	166	10.0	107	1	2	7	14	23	26	78
TOTAL										
65-69 YRS	190	6.3	51	2	2	5	7	11	15	61
70-74	236	6.4	37	1	2	5	8	13	18	25
75-79	178	6.6	43	1	2	4	8	13	19	29
80-84	162	7.5	46	2	2	5	9	15	22	33
85 +	139	8.6	98	2	3	6	10	18	22	72
GRAND TOTAL	**905**	**6.9**	**52**	**2**	**2**	**5**	**8**	**14**	**19**	**33**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	39	4.3	11	1	1	3	6	8	12	15
70-74	51	4.7	24	1	1	3	6	10	18	25
75-79	56	4.3	9	1	2	4	5	7	10	17
80-84	53	5.0	11	1	2	4	7	10	12	14
85 +	73	5.3	32	1	2	4	6	9	11	38
B. Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	3	6.3	24	3	3	4	10	12	12	12
75-79	3	14.0	129	< 1	< 1	19	21	22	22	22
80-84	3	8.7	100	1	1	5	16	20	20	20
85 +	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3842	6.2	33	2	2	5	8	12	15	28
70-74	4867	6.7	42	2	2	5	8	13	17	36
75-79	5568	6.9	36	2	2	5	8	13	17	33
80-84	5664	7.8	63	2	2	6	9	14	20	49
85 +	7325	8.3	64	2	3	6	10	15	21	50
B. Operated										
65-69 YRS	588	12.5	140	2	3	9	15	26	37	74
70-74	675	13.5	143	2	4	10	17	28	38	75
75-79	744	14.2	168	3	4	11	18	29	42	99 +
80-84	705	16.2	211	3	5	12	20	36	58	99 +
85 +	904	17.1	214	4	5	13	22	38	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	272	4.8	19	1	1	4	6	9	12	24
B. Operated	13	7.7	62	< 1	1	4	14	20	22	22
2. MULTIPLE DX										
A. Not Operated	27266	7.4	50	2	2	6	9	14	19	41
B. Operated	3616	14.9	181	3	4	11	19	32	46	99 +
1. SINGLE DX	285	4.9	21	1	1	4	6	10	12	24
2. MULTIPLE DX	30882	8.2	72	2	2	6	10	16	22	54
A. Not Operated	27538	7.3	50	2	2	6	9	14	18	41
B. Operated	3629	14.9	181	3	4	11	19	32	46	99 +
TOTAL										
65-69 YRS	4471	7.1	51	2	2	5	9	14	19	38
70-74	5596	7.5	59	2	2	5	9	15	20	43
75-79	6371	7.7	56	2	2	6	9	15	21	44
80-84	6425	8.7	86	2	3	6	10	17	24	63
85 +	8304	9.2	88	2	3	7	11	18	26	64
GRAND TOTAL	**31167**	**8.2**	**71**	**2**	**2**	**6**	**10**	**16**	**22**	**53**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	3.1	3	< 1	1	3	4	6	6	6
70-74	16	3.3	5	< 1	1	3	5	7	8	8
75-79	17	3.7	9	1	2	3	4	9	11	12
80-84	14	3.4	6	< 1	1	3	5	7	8	8
85 +	20	3.6	9	< 1	< 1	2	6	8	9	11
B. Operated										
65-69 YRS	6	4.7	3	3	3	4	6	7	7	7
70-74	4	7.5	50	3	3	4	11	18	18	18
75-79	10	8.0	76	2	2	6	6	23	30	30
80-84	5	13.8	218	5	5	7	17	40	40	40
85 +	4	4.3	7	2	2	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	415	4.9	11	1	1	4	7	9	11	17
70-74	542	5.4	16	1	2	5	7	10	12	22
75-79	708	5.5	17	1	2	5	7	11	14	22
80-84	657	6.3	53	1	2	5	7	12	15	50
85 +	886	6.2	39	1	2	5	7	12	16	32
B. Operated										
65-69 YRS	227	7.9	31	2	3	7	10	14	18	29
70-74	283	7.9	40	2	3	7	10	15	19	53
75-79	319	9.4	42	2	3	8	12	18	22	32
80-84	238	10.0	43	3	3	8	12	18	23	36
85 +	234	10.2	91	3	4	8	12	18	27	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	3.4	6	< 1	1	3	5	7	8	12
B. Operated	29	7.7	73	2	2	5	7	17	30	40
2. MULTIPLE DX										
A. Not Operated	3208	5.8	30	1	2	5	7	11	14	27
B. Operated	1301	9.1	49	2	3	7	11	17	22	40
1. SINGLE DX	112	4.5	26	1	1	3	6	8	11	34
2. MULTIPLE DX	4509	6.7	38	1	2	5	8	13	17	32
A. Not Operated	3291	5.7	29	1	2	5	7	11	14	26
B. Operated	1330	9.0	50	2	3	7	11	17	22	40
TOTAL										
65-69 YRS	664	5.9	20	1	2	5	7	11	14	21
70-74	845	6.2	25	1	2	5	8	11	16	29
75-79	1054	6.7	28	1	2	5	8	14	16	29
80-84	914	7.3	54	1	2	6	9	14	18	41
85 +	1144	7.0	52	1	2	5	8	14	18	43
GRAND TOTAL	**4621**	**6.7**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	1	10.0		10	10	10	10	10	10	10
85 +	3	4.3	4	2	2	5	6	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	4.2	14	1	1	4	6	10	10	10
70-74	10	3.9	6	1	1	3	6	7	7	7
75-79	0									
80-84	0									
85 +	2	8.5	61	3	3	8	14	14	14	14
B. Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	0									
75-79	0									
80-84	1	10.0		10	10	10	10	10	10	10
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.8	9	2	2	4	6	10	10	10
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	17	4.5	13	1	1	4	6	9	13	14
B. Operated	2	8.5	5	7	7	8	10	10	10	10
1. SINGLE DX	6	4.8	9	2	2	4	6	10	10	10
2. MULTIPLE DX	19	4.9	13	1	1	4	7	10	12	14
A. Not Operated	23	4.6	11	1	1	4	6	10	12	14
B. Operated	2	8.5	5	7	7	8	10	10	10	10
TOTAL										
65-69 YRS	7	4.4	11	1	1	4	6	9	10	10
70-74	11	3.8	5	1	1	3	6	7	7	7
75-79	0									
80-84	2	10.0		10	10	10	10	10	10	10
85 +	5	6.0	23	2	2	5	8	14	14	14
GRAND TOTAL	**25**	**4.9**	**12**	**1**	**1**	**4**	**7**	**10**	**11**	**14**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	45	2.7	14	< 1	1	1	3	5	7	24
70-74	68	3.5	15	1	1	2	4	8	9	24
75-79	66	2.4	5	< 1	< 1	2	3	5	6	13
80-84	59	3.0	9	< 1	< 1	2	4	6	12	14
85 +	82	3.3	7	< 1	< 1	3	4	8	9	12
B. Operated										
65-69 YRS	17	4.2	9	< 1	1	3	7	8	10	11
70-74	17	7.4	43	< 1	1	6	9	13	23	29
75-79	22	6.7	13	2	3	6	9	12	14	16
80-84	12	7.2	11	2	4	6	7	13	14	14
85 +	18	5.6	14	1	1	4	9	11	13	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	999	4.7	31	1	1	3	6	9	13	29
70-74	1194	5.0	24	1	1	4	6	1[illegible]	14	26
75-79	1279	5.4	35	1	1	4	7	11	15	27
80-84	1219	5.5	38	1	1	4	7	10	15	34
85 +	1197	6.0	40	1	1	4	8	12	16	34
B. Operated										
65-69 YRS	370	10.4	89	1	2	8	13	22	28	52
70-74	455	9.9	83	2	3	7	12	20	24	42
75-79	547	10.0	93	2	3	8	12	20	28	52
80-84	422	10.8	96	2	3	8	13	21	28	61
85 +	375	11.1	109	2	3	8	14	22	28	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	3.0	10	< 1	1	2	4	6	8	15
B. Operated	86	6.2	19	1	2	6	8	11	13	24
2. MULTIPLE DX										
A. Not Operated	5888	5.3	34	1	1	4	7	11	15	29
B. Operated	2169	10.4	94	2	3	8	13	21	28	58
1. SINGLE DX	406	3.7	13	< 1	1	2	5	8	11	16
2. MULTIPLE DX	8057	6.7	55	1	1	5	8	14	19	38
A. Not Operated	6208	5.2	33	1	1	4	7	11	14	28
B. Operated	2255	10.2	91	2	3	8	13	2[illegible]	28	57
TOTAL										
65-69 YRS	1431	6.1	52	1	1	4	8	13	19	36
70-74	1734	6.3	44	1	1	4	8	13	18	34
75-79	1914	6.6	55	1	1	5	8	1[illegible]	18	37
80-84	1712	6.7	57	1	1	5	8	14	19	40
85 +	1672	7.0	59	1	1	5	9	14	20	39
GRAND TOTAL	**8463**	**6.6**	**53**	**1**	**1**	**5**	**8**	**14**	**19**	**37**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	27.0		27	27	27	27	27	27	27
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	14.0	65	9	9	10	18	26	26	26
70-74	3	7.0	37	3	3	4	11	14	14	14
75-79	5	4.0	1	3	3	4	5	5	5	5
80-84	4	7.5	6	6	6	7	9	11	11	11
85 +	0									
B. Operated										
65-69 YRS	1	19.0		19	19	19	19	19	19	19
70-74	0									
75-79	0									
80-84	2	11.0	162	2	2	11	20	20	20	20
85 +	3	30.0	732	2	2	32	50	56	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	27.0		27	27	27	27	27	27	27
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	16	7.9	34	3	3	6	10	14	22	26
B. Operated	6	21.8	414	2	2	19	32	54	56	56
1. SINGLE DX	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX	22	11.7	163	2	3	7	14	28	42	56
A. Not Operated	17	9.1	54	3	3	6	11	24	27	27
B. Operated	6	21.8	414	2	2	19	32	54	56	56
TOTAL										
65-69 YRS	6	17.0	67	9	9	15	26	27	27	27
70-74	3	7.0	37	3	3	4	11	14	14	14
75-79	5	4.0	1	3	3	4	5	5	5	5
80-84	6	8.7	39	2	2	7	11	19	20	20
85 +	3	30.0	732	2	2	32	50	56	56	56
GRAND TOTAL	**23**	**12.4**	**166**	**2**	**3**	**7**	**18**	**28**	**40**	**56**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	3.0	16	1	1	2	3	4	11	20
70-74	38	3.3	6	1	1	3	4	7	8	11
75-79	17	3.1	8	< 1	< 1	2	3	5	10	13
80-84	11	5.3	24	< 1	< 1	3	8	13	15	15
85 +	7	3.4	8	< 1	< 1	2	6	7	7	7
B. Operated										
65-69 YRS	28	7.1	32	2	2	5	9	17	21	23
70-74	33	7.1	20	2	3	6	9	12	12	25
75-79	17	4.5	9	< 1	1	4	6	8	11	12
80-84	9	5.9	23	< 1	1	5	12	12	12	12
85 +	5	9.4	73	2	2	5	17	21	21	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	661	6.7	27	1	2	5	8	12	16	27
70-74	606	6.5	33	1	2	5	8	12	16	31
75-79	507	6.8	32	1	2	5	9	13	17	29
80-84	334	7.0	31	1	2	5	9	14	17	27
85 +	272	7.2	29	1	2	6	10	14	17	30
B. Operated										
65-69 YRS	349	10.9	129	2	3	8	13	22	31	58
70-74	336	12.8	164	3	4	9	14	29	41	72
75-79	305	12.1	90	3	4	9	16	24	30	45
80-84	215	13.3	134	3	4	9	16	27	39	57
85 +	163	12.2	93	3	4	9	16	26	36	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	3.4	11	< 1	1	2	4	7	10	18
B. Operated	92	6.6	25	1	2	5	8	12	17	24
2. MULTIPLE DX										
A. Not Operated	2380	6.8	31	1	2	5	9	13	17	28
B. Operated	1368	12.2	126	3	4	9	15	25	36	58
1. SINGLE DX	187	5.0	20	1	1	4	6	12	13	22
2. MULTIPLE DX	3748	8.7	72	1	2	6	10	17	24	44
A. Not Operated	2475	6.6	30	1	2	5	8	13	17	28
B. Operated	1460	11.8	121	3	3	8	14	24	35	56
TOTAL										
65-69 YRS	1060	8.0	65	1	2	6	9	15	21	41
70-74	1013	8.5	84	1	2	6	10	16	24	47
75-79	846	8.6	59	1	2	7	11	18	23	38
80-84	569	9.3	79	2	2	7	12	19	26	49
85 +	447	9.0	58	1	2	7	12	18	25	44
GRAND TOTAL	**3935**	**8.6**	**70**	**1**	**2**	**6**	**10**	**17**	**23**	**44**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	0									
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	4.0	3	2	2	4	5	7	7	7
70-74	2	3.0		3	3	3	3	3	3	3
75-79	5	1.8	1	1	1	2	2	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	5.8	14	2	2	5	7	12	12	12
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	13	3.0	3	1	1	3	4	5	7	7
B. Operated	8	5.9	9	2	3	5	7	11	12	12
1. SINGLE DX	6	2.7	5	1	1	2	3	7	7	7
2. MULTIPLE DX	21	4.1	7	1	1	3	5	7	10	12
A. Not Operated	16	2.7	3	1	1	2	3	5	6	7
B. Operated	11	5.4	9	2	2	5	7	10	12	12
TOTAL										
65-69 YRS	15	4.3	8	1	2	4	6	7	11	12
70-74	5	3.4	3	1	1	3	4	6	6	6
75-79	6	2.8	7	1	1	2	3	7	8	8
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**27**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	8.0		8	8	8	8	8	8	8
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	2.0	2	< 1	< 1	2	3	4	4	4
70-74	5	3.4	11	< 1	< 1	2	5	9	9	9
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	5.6	21	2	2	4	6	13	16	16
70-74	5	8.4	41	3	3	7	11	19	19	19
75-79	2	7.0	8	5	5	7	9	9	9	9
80-84	0									
85 +	3	6.7	9	4	4	6	9	10	10	10
B. Operated										
65-69 YRS	19	4.8	24	1	1	3	7	9	16	22
70-74	13	4.7	13	< 1	1	4	7	11	11	11
75-79	7	3.6	10	1	1	4	4	9	10	10
80-84	5	2.2	3	1	1	1	3	5	5	5
85 +	3	5.3	16	3	3	3	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	8.0		8	8	8	8	8	8	8
B. Operated	13	3.2	9	< 1	< 1	2	4	9	10	10
2. MULTIPLE DX										
A. Not Operated	18	6.7	21	2	3	5	9	14	18	19
B. Operated	47	4.4	16	1	1	3	6	10	11	22
1. SINGLE DX	15	3.8	11	< 1	< 1	2	7	9	10	10
2. MULTIPLE DX	65	5.0	18	1	1	4	7	10	12	22
A. Not Operated	20	6.9	19	2	3	6	8	13	17	19
B. Operated	60	4.1	14	< 1	1	3	6	9	11	21
TOTAL										
65-69 YRS	33	4.5	20	1	1	3	6	8	15	22
70-74	25	5.4	19	< 1	1	4	8	11	13	19
75-79	10	4.1	10	1	1	4	5	9	10	10
80-84	5	2.2	3	1	1	1	3	5	5	5
85 +	7	6.6	11	3	3	6	10	10	10	10
GRAND TOTAL	**80**	**4.8**	**17**	**1**	**1**	**4**	**7**	**10**	**11**	**21**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	23	9.5	113	2	2	6	9	25	38	42
70-74	29	12.4	82	2	2	12	18	25	29	35
75-79	19	9.7	134	2	2	4	14	20	37	50
80-84	19	7.3	39	1	2	5	9	18	21	24
85 +	18	5.8	23	1	2	4	8	13	16	18
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	234	10.5	142	1	2	7	13	23	33	56
70-74	304	9.5	81	1	2	7	12	20	28	53
75-79	352	9.9	104	2	2	6	13	20	31	62
80-84	345	9.1	81	2	3	6	12	17	25	60
85 +	338	8.7	132	2	2	6	10	18	28	92
B. Operated										
65-69 YRS	34	12.3	138	1	1	10	18	24	29	60
70-74	25	12.9	234	1	2	8	16	35	44	70
75-79	19	15.7	144	1	2	16	27	31	35	37
80-84	28	11.8	122	1	2	9	14	25	36	50
85 +	24	8.2	51	1	1	7	10	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	9.3	83	2	2	6	13	21	26	45
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1573	9.5	106	2	2	6	12	20	28	61
B. Operated	130	12.0	138	1	1	8	17	26	35	62
1. SINGLE DX	108	9.3	83	2	2	6	13	21	26	45
2. MULTIPLE DX	1703	9.7	109	1	2	7	12	21	29	61
A. Not Operated	1681	9.5	105	2	2	6	12	20	28	60
B. Operated	130	12.0	138	1	1	8	17	26	35	62
TOTAL										
65-69 YRS	291	10.7	139	1	2	7	13	23	33	55
70-74	358	10.0	92	1	2	7	13	22	30	56
75-79	390	10.1	109	2	2	7	14	[illegible]	32	61
80-84	392	9.2	82	2	3	6	12	18	25	56
85 +	380	8.6	122	1	2	6	10	18	25	90
GRAND TOTAL	**1811**	**9.7**	**108**	**1**	**2**	**7**	**12**	**21**	**29**	**60**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	52	11.6	256	1	1	8	13	21	41	98
70-74	113	11.8	167	1	1	8	16	24	41	70
75-79	105	12.5	95	2	3	10	18	27	31	45
80-84	130	13.4	181	1	2	9	17	30	44	64
85 +	138	9.2	96	1	1	6	11	22	29	66
B. Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	3	7.3	70	2	2	3	13	17	17	17
80-84	2	11.5	61	6	6	11	17	17	17	17
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	511	10.4	84	2	3	8	14	21	30	69
70-74	869	11.7	155	2	2	8	14	26	39	92
75-79	1326	11.8	163	2	3	8	14	25	40	92
80-84	1367	10.8	140	2	3	7	13	22	39	99 +
85 +	1305	11.9	194	2	3	7	14	26	46	99 +
B. Operated										
65-69 YRS	67	18.9	312	2	3	15	26	40	67	99
70-74	105	16.9	226	2	3	12	24	38	62	99 +
75-79	131	18.7	341	3	4	13	23	46	77	99 +
80-84	132	18.0	239	3	5	14	24	52	99	99 +
85 +	117	16.6	277	2	3	11	22	47	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	538	11.6	148	1	2	8	15	25	35	63
B. Operated	6	8.2	49	2	2	5	17	17	17	17
2. MULTIPLE DX										
A. Not Operated	5378	11.4	156	2	3	8	14	24	39	99 +
B. Operated	552	17.8	276	2	3	13	24	44	75	99 +
1. SINGLE DX	544	11.6	147	1	2	8	15	25	35	62
2. MULTIPLE DX	5930	12.0	171	2	3	8	14	27	42	99 +
A. Not Operated	5916	11.4	155	2	3	8	14	24	39	98
B. Operated	558	17.7	275	2	3	13	24	43	75	99 +
TOTAL										
65-69 YRS	631	11.4	128	2	3	8	15	23	33	94
70-74	1087	12.2	165	2	2	8	15	27	41	94
75-79	1565	12.4	176	2	3	8	14	27	42	97
80-84	1631	11.6	155	2	3	8	14	25	42	99 +
85 +	1560	12.0	194	2	3	8	14	27	49	99 +
GRAND TOTAL	**6474**	**11.9**	**169**	**2**	**3**	**8**	**14**	**26**	**42**	**99 +**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	15.3	16	11	11	15	18	20	20	20
70-74	11	12.9	176	1	2	8	19	36	40	40
75-79	10	6.7	13	1	2	7	8	11	13	13
80-84	10	8.4	58	1	2	5	10	21	26	26
85 +	5	9.4	14	4	4	9	13	13	13	13
B. Operated										
65-69 YRS	0									
70-74	1	8.0		8	8	8	8	8	8	8
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	79	15.3	210	2	4	11	21	30	52	94
70-74	149	11.4	139	2	3	8	14	29	41	99 +
75-79	228	12.2	130	2	3	9	15	24	32	66
80-84	202	12.7	151	3	3	9	16	28	44	99 +
85 +	203	13.3	253	2	3	8	15	25	53	98
B. Operated										
65-69 YRS	13	12.8	55	2	4	12	17	23	28	29
70-74	18	16.1	122	6	6	14	19	41	75	99 +
75-79	31	18.6	311	5	7	14	20	67	97	99 +
80-84	15	20.7	212	3	4	19	32	92	99 +	99 +
85 +	27	20.2	352	2	3	18	25	34	54	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	10.0	73	1	3	8	13	21	30	40
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	861	12.7	173	2	3	9	16	27	43	99 +
B. Operated	104	18.2	241	3	6	15	22	46	95	99 +
1. SINGLE DX	41	10.0	71	1	3	8	13	21	30	40
2. MULTIPLE DX	965	13.3	183	2	3	9	17	29	46	99 +
A. Not Operated	901	12.6	169	2	3	9	15	27	41	99 +
B. Operated	105	18.1	240	3	6	15	22	45	95	99 +
TOTAL										
65-69 YRS	96	15.0	181	2	4	12	19	29	47	90
70-74	179	11.9	139	2	3	8	15	33	41	99 +
75-79	269	12.7	151	2	3	10	15	25	42	99
80-84	227	13.0	155	3	3	10	17	28	45	99 +
85 +	235	14.0	263	2	3	9	18	30	51	97
GRAND TOTAL	**1006**	**13.2**	**179**	**2**	**3**	**9**	**16**	**28**	**45**	**99 +**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	5.6	23	2	2	4	8	15	21	99 +
70-74	7	10.7	46	4	4	9	15	22	23	23
75-79	3	11.0	49	3	3	14	15	16	16	16
80-84	3	5.0	1	4	4	5	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	13.0		13	13	13	13	13	13	13
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	537	7.7	59	2	2	5	9	16	21	39
70-74	305	8.3	53	2	3	6	9	18	25	39
75-79	178	9.7	106	2	3	7	13	21	27	39
80-84	52	7.3	14	3	4	6	10	15	17	99 +
85 +	26	11.0	124	3	3	6	12	30	34	48
B. Operated										
65-69 YRS	32	15.3	208	3	5	12	19	31	72	99 +
70-74	32	13.6	133	1	3	10	18	30	32	56
75-79	14	31.5	309	7	7	30	43	57	62	64
80-84	4	17.8	422	4	4	9	30	48	48	48
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	6.8	30	2	2	5	10	17	22	99 +
B. Operated	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	1098	8.2	65	2	2	6	10	18	23	41
B. Operated	82	17.5	237	3	4	13	23	43	56	92
1. SINGLE DX	43	7.0	30	2	2	5	10	16	22	99 +
2. MULTIPLE DX	1180	8.9	82	2	2	6	11	20	27	48
A. Not Operated	1140	8.2	64	2	2	5	10	18	23	41
B. Operated	83	17.5	235	3	4	13	23	43	56	92
TOTAL										
65-69 YRS	598	8.0	68	2	2	5	9	18	22	46
70-74	344	8.8	62	2	3	6	11	20	26	40
75-79	196	11.3	149	2	3	7	14	24	35	60
80-84	59	7.9	42	3	4	6	10	15	31	99 +
85 +	26	11.0	124	3	3	6	12	30	34	48
GRAND TOTAL	**1223**	**8.8**	**80**	**2**	**2**	**6**	**11**	**19**	**26**	**48**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	10.6	88	1	1	6	19	23	23	23
70-74	5	8.0	44	2	2	6	13	18	18	18
75-79	3	4.3	17	1	1	3	7	9	9	9
80-84	6	6.2	7	3	3	6	7	11	11	11
85+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	199	7.9	51	2	2	6	9	16	23	35
70-74	206	7.9	59	2	2	6	9	16	23	46
75-79	207	8.3	82	2	2	6	10	16	21	39
80-84	145	7.9	90	2	2	6	9	15	19	71
85+	138	6.7	29	1	2	5	9	13	19	39
B. Operated										
65-69 YRS	14	11.5	111	1	1	9	16	32	32	32
70-74	19	10.5	63	1	1	9	14	24	26	27
75-79	21	11.0	55	2	3	9	14	22	27	31
80-84	8	8.1	44	1	1	7	13	18	19	19
85+	5	9.4	55	1	1	8	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	7.0	37	1	2	5	9	18	20	23
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	895	7.8	63	2	2	6	9	15	21	42
B. Operated	67	10.5	65	1	1	9	15	22	28	32
1. SINGLE DX	21	7.0	37	1	2	5	9	18	20	23
2. MULTIPLE DX	962	8.0	63	1	2	6	10	16	21	40
A. Not Operated	916	7.8	62	2	2	6	9	15	21	41
B. Operated	67	10.5	65	1	1	9	15	22	28	32
TOTAL										
65-69 YRS	218	8.2	55	2	2	6	10	17	24	35
70-74	230	8.1	59	1	2	6	10	17	24	45
75-79	231	8.5	79	1	2	7	10	17	21	35
80-84	159	7.9	85	2	2	6	10	15	19	68
85+	145	6.7	30	1	2	5	9	13	19	34
GRAND TOTAL	**983**	**8.0**	**63**	**1**	**2**	**6**	**10**	**16**	**21**	**40**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	67	16.6	165	2	3	14	24	40	47	99+
70-74	40	17.0	111	3	6	15	24	31	35	50
75-79	22	14.1	142	2	4	9	16	37	40	41
80-84	8	14.1	67	2	3	14	19	25	27	27
85+	4	11.8	147	2	2	8	21	28	28	28
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	166	20.3	241	3	6	17	27	40	62	83
70-74	106	18.8	192	3	5	17	28	47	69	99+
75-79	56	17.5	237	3	4	14	21	31	43	94
80-84	36	17.7	224	3	4	12	25	47	54	99+
85+	20	14.7	146	3	5	8	22	35	38	40
B. Operated										
65-69 YRS	11	17.5	53	6	7	20	22	26	30	30
70-74	6	32.8	319	18	18	29	36	63	66	66
75-79	8	26.9	558	8	8	21	33	66	79	79
80-84	3	17.0	3	15	15	18	18	18	18	18
85+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	16.1	138	2	3	14	24	36	42	99+
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	384	19.0	221	3	5	17	26	41	56	99+
B. Operated	29	22.7	272	6	8	18	29	36	67	79
1. SINGLE DX	141	16.1	138	2	3	14	24	36	42	99+
2. MULTIPLE DX	413	19.2	225	3	5	17	26	40	58	99+
A. Not Operated	525	18.2	200	3	4	15	25	39	50	99+
B. Operated	29	22.7	272	6	8	18	29	36	67	79
TOTAL										
65-69 YRS	244	19.2	214	2	4	17	26	40	49	99+
70-74	152	18.9	182	3	5	17	26	41	60	99+
75-79	86	17.5	246	3	4	13	22	36	42	91
80-84	47	17.1	182	3	4	14	21	45	51	99+
85+	25	13.7	141	2	2	7	21	34	37	40
GRAND TOTAL	**554**	**18.4**	**204**	**3**	**5**	**16**	**25**	**39**	**50**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	17.0		17	17	17	17	17	17	17
70-74	1	13.0		13	13	13	13	13	13	13
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	14.6	311	3	4	8	12	46	54	54
70-74	3	15.0	13	11	11	16	17	18	18	18
75-79	3	24.7	126	15	15	22	33	37	37	37
80-84	1	14.0		14	14	14	14	14	14	14
85 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	22.0		22	22	22	22	22	22	22
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	15.0	8	13	13	15	17	17	17	17
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	15	16.1	178	4	6	12	17	37	50	54
B. Operated	1	22.0		22	22	22	22	22	22	22
1. SINGLE DX	2	15.0	8	13	13	15	17	17	17	17
2. MULTIPLE DX	16	16.4	168	4	6	13	20	36	49	54
A. Not Operated	17	15.9	156	4	6	13	17	34	48	54
B. Operated	1	22.0		22	22	22	22	22	22	22
TOTAL										
65-69 YRS	8	14.9	268	3	4	10	14	43	54	54
70-74	4	14.5	10	11	11	14	17	18	18	18
75-79	4	24.0	86	15	15	22	30	37	37	37
80-84	1	14.0		14	14	14	14	14	14	14
85 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**18**	**16.3**	**149**	**4**	**6**	**13**	**18**	**33**	**47**	**54**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	83	17.0	178	4	5	13	19	41	48	52
70-74	49	19.4	229	1	3	16	24	39	53	73
75-79	28	11.7	68	1	2	9	18	22	28	30
80-84	10	11.8	51	1	3	10	16	22	25	25
85 +	8	8.5	33	2	2	7	11	18	20	20
B. Operated										
65-69 YRS	1	53.0		53	53	53	53	53	53	53
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	332	18.4	208	3	5	15	24	35	45	85
70-74	184	18.7	164	3	6	16	26	36	49	62
75-79	119	17.0	248	2	3	14	20	39	54	91
80-84	50	17.4	226	2	3	13	28	46	59	99 +
85 +	14	13.8	302	6	6	8	21	97	99 +	99 +
B. Operated										
65-69 YRS	27	29.7	424	8	10	24	44	69	85	99 +
70-74	11	19.9	81	8	9	20	29	55	94	99 +
75-79	8	25.4	688	5	6	15	33	71	81	81
80-84	4	26.5	630	7	7	18	42	63	63	63
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	178	16.2	169	2	3	13	20	34	47	54
B. Operated	1	53.0		53	53	53	53	53	53	53
2. MULTIPLE DX										
A. Not Operated	699	18.1	206	3	4	15	25	36	51	99 +
B. Operated	50	26.6	394	7	8	21	39	66	83	99 +
1. SINGLE DX	179	16.4	175	2	3	13	20	35	48	54
2. MULTIPLE DX	749	18.6	222	3	5	15	25	38	52	99 +
A. Not Operated	877	17.7	199	3	4	14	23	36	49	90
B. Operated	51	27.1	400	7	8	22	42	65	83	99 +
TOTAL										
65-69 YRS	443	18.9	224	3	5	15	25	36	51	84
70-74	244	18.9	172	3	5	16	26	37	51	74
75-79	155	16.5	242	2	3	13	20	38	48	87
80-84	64	17.1	223	2	3	13	25	45	61	99 +
85 +	22	11.9	205	3	5	8	11	73	99 +	99 +
GRAND TOTAL	**928**	**18.2**	**214**	**3**	**4**	**15**	**24**	**38**	**51**	**99 +**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	427	18.5	172	2	4	16	25	35	43	69
70-74	414	19.4	201	2	4	17	26	39	48	66
75-79	284	20.3	226	2	4	18	28	41	51	67
80-84	132	21.7	207	4	6	19	30	39	48	70
85 +	68	19.3	229	2	3	15	28	42	54	66
B. Operated										
65-69 YRS	5	25.0	316	4	4	33	38	43	43	43
70-74	4	21.5	354	5	5	18	37	44	44	44
75-79	2	15.0	18	12	12	15	18	18	18	18
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1802	19.0	193	3	5	16	25	37	48	67
70-74	1728	19.1	185	3	5	16	26	38	47	71
75-79	1412	19.4	193	3	5	16	26	38	47	72
80-84	734	18.8	192	3	5	16	26	38	48	74
85 +	360	17.8	161	3	5	15	24	34	42	59
B. Operated										
65-69 YRS	121	27.6	305	6	8	24	38	56	72	99 +
70-74	148	24.9	254	6	7	22	34	48	57	88
75-79	102	27.0	317	6	8	24	36	57	71	99 +
80-84	70	25.3	239	6	8	22	34	45	48	79
85 +	23	23.7	300	6	7	21	28	59	87	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1325	19.5	199	2	4	17	26	39	47	67
B. Operated	11	21.9	249	4	5	18	36	43	44	44
2. MULTIPLE DX										
A. Not Operated	6036	19.0	189	3	5	16	25	38	47	69
B. Operated	464	26.1	280	6	8	23	36	51	64	99 +
1. SINGLE DX	1336	19.5	199	2	4	17	26	39	47	67
2. MULTIPLE DX	6500	19.5	199	3	5	16	26	39	48	75
A. Not Operated	7361	19.1	191	3	5	16	26	38	47	68
B. Operated	475	26.0	279	6	8	23	36	51	64	99 +
TOTAL										
65-69 YRS	2355	19.3	199	3	5	16	25	38	49	74
70-74	2294	19.6	195	3	5	17	26	39	48	72
75-79	1800	19.9	208	3	5	17	27	39	49	75
80-84	936	19.7	200	3	5	17	27	39	48	74
85 +	451	18.3	179	3	5	15	25	36	45	66
GRAND TOTAL	**7836**	**19.5**	**199**	**3**	**5**	**17**	**26**	**39**	**48**	**74**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	147	18.7	195	3	6	16	23	35	43	76
70-74	158	17.8	204	2	3	14	25	32	41	73
75-79	51	17.7	142	3	6	15	26	38	41	99
80-84	23	20.8	220	2	4	18	27	48	51	52
85 +	10	17.7	125	4	4	16	22	35	38	38
B. Operated										
65-69 YRS	0									
70-74	1	11.0		11	11	11	11	11	11	11
75-79	0									
80-84	1	19.0		19	19	19	19	19	19	19
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	591	19.3	196	3	5	16	25	38	49	69
70-74	464	19.2	196	3	5	16	25	37	45	79
75-79	265	18.8	193	3	5	16	26	39	48	98
80-84	149	18.3	207	2	3	15	26	35	43	62
85 +	51	18.1	143	4	6	15	24	32	39	59
B. Operated										
65-69 YRS	43	24.6	235	6	8	21	38	47	53	62
70-74	35	23.5	327	3	7	17	31	64	72	99 +
75-79	19	31.4	547	7	9	21	49	80	98	99 +
80-84	7	19.4	88	5	7	20	21	33	36	36
85 +	6	30.3	551	5	7	26	28	70	75	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	389	18.3	190	2	5	15	24	35	43	75
B. Operated	2	15.0	32	11	11	15	19	19	19	19
2. MULTIPLE DX										
A. Not Operated	1520	19.0	194	3	5	16	25	38	47	73
B. Operated	110	25.4	325	5	8	20	35	55	66	99 +
1. SINGLE DX	391	18.3	189	2	5	15	24	35	43	75
2. MULTIPLE DX	1630	19.4	205	3	5	16	26	39	49	80
A. Not Operated	1909	18.9	193	3	5	16	25	37	47	75
B. Operated	112	25.2	321	5	8	20	35	55	66	99 +
TOTAL										
65-69 YRS	781	19.5	199	3	5	16	25	39	49	69
70-74	658	19.1	205	3	5	16	25	36	46	80
75-79	335	19.3	212	3	5	17	27	40	51	99 +
80-84	180	18.7	202	2	4	16	26	36	47	60
85 +	67	19.1	180	4	5	16	26	32	41	72
GRAND TOTAL	**2021**	**19.2**	**202**	**3**	**5**	**16**	**25**	**38**	**49**	**77**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	41	13.2	175	1	2	9	19	32	41	59
70-74	50	12.3	87	2	3	10	17	27	33	40
75-79	57	9.4	90	1	2	6	14	20	27	54
80-84	46	10.7	108	< 1	1	7	17	32	36	99 +
85 +	31	10.3	74	1	2	8	14	25	29	34
B. Operated										
65-69 YRS	3	3.3	1	2	2	4	4	4	4	4
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	1	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	403	11.8	142	2	2	8	16	25	35	68
70-74	486	10.6	103	2	2	7	14	22	31	54
75-79	506	11.8	138	2	2	8	16	26	31	71
80-84	441	10.9	140	2	2	7	13	25	34	65
85 +	422	10.8	143	2	3	7	13	20	35	71
B. Operated										
65-69 YRS	31	20.3	446	2	4	15	27	75	96	99 +
70-74	36	14.6	254	1	3	9	17	42	55	69
75-79	44	17.9	311	3	4	11	22	42	55	89
80-84	37	18.5	217	1	4	13	29	39	58	99 +
85 +	29	16.6	371	3	3	8	18	41	50	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	225	11.1	106	1	2	8	14	27	34	57
B. Operated	5	3.2	3	< 1	< 1	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	2258	11.2	133	2	2	7	14	24	33	64
B. Operated	177	17.6	310	2	4	11	22	46	63	99 +
1. SINGLE DX	230	10.9	105	1	2	8	14	26	34	57
2. MULTIPLE DX	2435	11.6	148	2	2	8	15	25	36	70
A. Not Operated	2483	11.2	130	2	2	7	14	25	34	64
B. Operated	182	17.2	307	2	4	11	21	44	61	99 +
TOTAL										
65-69 YRS	478	12.4	168	2	2	8	17	26	38	81
70-74	573	11.0	112	2	2	8	14	23	33	56
75-79	606	12.0	149	2	2	8	16	26	32	71
80-84	524	11.4	146	2	2	7	14	27	36	72
85 +	482	11.1	153	2	3	8	13	23	36	71
GRAND TOTAL	**2665**	**11.6**	**144**	**2**	**2**	**8**	**15**	**25**	**36**	**69**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	7.2	56	1	1	3	11	19	22	28
70-74	23	7.6	99	< 1	< 1	5	10	16	30	46
75-79	21	5.4	25	< 1	< 1	4	6	14	17	19
80-84	9	2.7	3	< 1	< 1	2	4	5	5	5
85 +	7	3.1	19	< 1	< 1	2	2	11	13	13
B. Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	201	6.4	53	1	1	4	8	15	20	36
70-74	259	6.7	62	1	1	4	8	17	22	37
75-79	150	6.5	52	1	1	4	7	14	18	38
80-84	99	6.1	71	1	1	4	6	12	15	50
85 +	75	5.0	26	1	1	3	6	12	15	27
B. Operated										
65-69 YRS	15	8.6	55	1	1	7	14	16	25	28
70-74	12	19.1	320	1	3	11	29	44	60	63
75-79	22	7.5	35	1	2	7	12	21	49	99 +
80-84	7	10.1	67	4	4	6	14	24	26	26
85 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	6.1	53	< 1	1	3	9	15	20	40
B. Operated	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	784	6.4	55	1	1	4	7	15	20	39
B. Operated	57	10.5	119	1	2	7	14	27	34	97
1. SINGLE DX	88	5.9	52	< 1	1	3	8	15	19	39
2. MULTIPLE DX	841	6.6	61	1	1	4	8	15	21	41
A. Not Operated	870	6.3	55	1	1	4	7	15	20	40
B. Operated	59	10.1	118	1	1	7	13	26	33	96
TOTAL										
65-69 YRS	244	6.6	53	1	1	4	8	16	20	32
70-74	294	7.3	80	1	1	4	9	17	23	44
75-79	193	6.5	47	1	1	4	8	15	21	47
80-84	115	6.0	67	1	1	4	6	13	16	49
85 +	83	4.8	25	1	1	3	6	12	14	26
GRAND TOTAL	**929**	**6.6**	**60**	**1**	**1**	**4**	**8**	**15**	**21**	**42**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	44	10.1	85	2	2	7	13	20	35	39
70-74	19	11.5	88	1	2	10	14	24	33	38
75-79	18	12.3	140	1	2	11	16	29	41	46
80-84	9	5.8	60	1	1	4	5	18	26	26
85 +	7	4.1	1	2	2	4	5	5	5	5
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	242	10.4	95	2	2	7	14	25	28	44
70-74	214	9.5	56	2	2	7	14	19	22	34
75-79	170	10.8	81	2	3	8	15	22	29	35
80-84	94	12.4	260	2	3	7	12	30	41	94
85 +	64	8.2	41	2	3	7	11	14	17	36
B. Operated										
65-69 YRS	21	16.0	364	1	3	12	18	30	60	90
70-74	11	18.1	314	4	4	14	17	45	65	67
75-79	13	20.7	372	6	7	13	26	45	71	77
80-84	6	13.7	163	6	6	9	33	88	99 +	99 +
85 +	6	20.2	366	4	4	15	22	53	57	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	10.0	90	1	2	7	13	20	34	43
B. Operated	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	784	10.3	97	2	2	7	14	21	28	46
B. Operated	57	17.7	319	4	4	13	21	38	73	99
1. SINGLE DX	98	10.0	89	1	2	7	13	20	34	43
2. MULTIPLE DX	841	10.8	115	2	3	7	14	22	30	58
A. Not Operated	881	10.3	96	2	2	7	14	21	29	[illegible]
B. Operated	58	17.6	313	4	4	12	20	38	72	99
TOTAL										
65-69 YRS	307	10.8	113	2	2	8	14	25	30	46
70-74	244	10.1	72	2	2	7	14	20	23	40
75-79	201	11.6	108	2	3	8	16	25	31	55
80-84	109	11.9	239	1	2	6	12	30	41	99
85 +	78	8.8	70	2	3	7	12	16	20	51
GRAND TOTAL	**939**	**10.7**	**112**	**2**	**2**	**7**	**14**	**22**	**30**	**57**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	9.0	72	1	1	7	14	22	28	33
70-74	14	5.4	13	< 1	1	6	8	10	11	11
75-79	11	5.1	39	< 1	< 1	2	6	16	21	21
80-84	7	8.3	65	2	2	4	15	21	22	22
85 +	8	4.6	13	1	1	4	6	10	12	12
B. Operated										
65-69 YRS	7	2.9	4	1	1	2	4	6	6	6
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	167	8.8	72	1	2	5	13	20	25	36
70-74	132	8.9	91	1	2	5	12	21	28	40
75-79	130	8.2	112	1	2	5	10	18	27	98
80-84	101	8.2	72	1	2	5	9	21	25	43
85 +	83	7.6	57	1	2	5	9	17	25	35
B. Operated										
65-69 YRS	24	8.9	64	1	2	6	12	22	26	34
70-74	23	9.6	89	2	2	6	12	30	31	32
75-79	12	12.0	167	2	2	7	17	30	44	46
80-84	7	13.1	443	1	1	7	36	88	99 +	99 +
85 +	7	21.9	330	2	3	21	29	51	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	7.0	47	1	1	5	10	16	22	32
B. Operated	10	2.9	3	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	613	8.4	82	1	2	5	10	20	26	37
B. Operated	73	11.3	152	2	2	7	14	30	44	90
1. SINGLE DX	76	6.4	43	1	1	4	8	15	22	31
2. MULTIPLE DX	686	8.7	90	1	2	5	11	21	28	54
A. Not Operated	679	8.3	79	1	2	5	10	20	26	37
B. Operated	83	10.3	141	1	2	6	13	30	38	86
TOTAL										
65-69 YRS	224	8.7	70	1	2	6	13	20	25	35
70-74	171	8.6	84	1	2	5	11	21	29	34
75-79	154	8.2	111	1	2	5	10	20	27	94
80-84	115	8.5	91	1	2	5	10	22	31	74
85 +	98	8.4	84	1	2	5	10	21	30	46
GRAND TOTAL	**762**	**8.5**	**86**	**1**	**2**	**5**	**11**	**20**	**27**	**49**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	116	9.3	100	1	2	4	15	28	29	32
70-74	49	7.7	76	1	1	5	8	24	28	37
75-79	16	6.7	51	1	2	4	6	19	25	27
80-84	8	5.1	56	< 1	< 1	3	5	18	23	23
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1369	12.9	109	2	2	9	21	28	31	38
70-74	844	13.1	109	2	2	9	21	28	31	37
75-79	365	11.9	101	2	2	7	21	28	30	36
80-84	111	9.1	64	1	2	6	13	22	28	57
85 +	50	10.6	184	1	2	6	12	28	36	79
B. Operated										
65-69 YRS	82	15.8	116	2	3	14	25	30	40	81
70-74	60	16.5	124	3	5	14	26	32	42	94
75-79	13	12.8	69	1	5	12	15	25	31	33
80-84	7	25.3	610	2	3	15	36	65	72	72
85 +	2	10.5	5	9	9	10	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	8.5	87	1	1	4	9	28	29	32
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2739	12.6	108	2	2	8	21	28	31	37
B. Operated	164	16.2	135	3	4	14	25	33	41	95
1. SINGLE DX	190	8.5	87	1	1	4	9	28	29	32
2. MULTIPLE DX	2903	12.8	110	2	2	9	21	28	31	41
A. Not Operated	2929	12.4	107	2	2	8	21	28	30	37
B. Operated	164	16.2	135	3	4	14	25	33	41	95
TOTAL										
65-69 YRS	1567	12.8	110	2	2	8	21	28	31	39
70-74	953	13.0	110	2	2	9	21	28	31	41
75-79	394	11.7	98	1	2	7	21	28	30	36
80-84	126	9.8	104	1	2	6	14	25	29	78
85 +	53	10.5	174	1	2	6	12	28	35	78
GRAND TOTAL	**3093**	**12.6**	**110**	**2**	**2**	**8**	**21**	**28**	**31**	**40**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	11.9	68	2	3	8	19	26	28	28
70-74	9	12.6	145	1	1	9	22	31	34	34
75-79	12	19.1	155	4	4	22	30	35	35	35
80-84	2	13.0	50	8	8	13	18	18	18	18
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	29.0		29	29	29	29	29	29	29
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	51	13.6	104	2	3	8	22	28	34	35
B. Operated	1	29.0		29	29	29	29	29	29	29
1. SINGLE DX	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX	52	13.9	107	2	3	9	23	29	34	35
A. Not Operated	53	13.2	104	2	3	8	22	28	34	35
B. Operated	1	29.0		29	29	29	29	29	29	29
TOTAL										
65-69 YRS	28	11.6	68	2	3	8	18	26	28	28
70-74	9	12.6	145	1	1	9	22	31	34	34
75-79	13	17.8	162	3	4	22	29	35	35	35
80-84	3	18.3	110	8	8	18	26	29	29	29
85 +	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**54**	**13.5**	**107**	**2**	**3**	**8**	**23**	**28**	**34**	**35**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	7.2	61	1	1	5	8	21	22	22
70-74	8	17.5	113	4	4	22	26	28	28	28
75-79	3	23.7	114	12	12	26	31	33	33	33
80-84	2	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	66	17.9	152	2	3	15	28	29	32	62
70-74	42	16.0	102	3	4	13	24	29	33	41
75-79	30	16.8	94	3	3	18	25	29	30	33
80-84	13	16.0	59	4	5	17	21	24	30	31
85 +	9	12.6	59	1	2	12	18	23	23	23
B. Operated										
65-69 YRS	3	22.3	5	21	21	21	24	25	25	25
70-74	2	29.5	1	29	29	29	30	30	30	30
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	13.6	126	1	1	8	25	28	31	33
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	160	16.7	114	3	3	15	25	29	31	49
B. Operated	5	25.2	18	21	21	25	29	30	30	30
1. SINGLE DX	19	13.6	126	1	1	8	25	28	31	33
2. MULTIPLE DX	165	17.0	114	3	3	16	26	29	31	49
A. Not Operated	179	16.4	116	2	3	15	26	29	31	47
B. Operated	5	25.2	18	21	21	25	29	30	30	30
TOTAL										
65-69 YRS	75	17.2	147	2	3	15	27	29	31	60
70-74	52	16.8	104	3	4	15	25	29	31	41
75-79	33	17.4	96	3	3	19	26	29	32	33
80-84	15	14.1	75	2	2	14	21	22	29	31
85 +	9	12.6	59	1	2	12	18	23	23	23
GRAND TOTAL	**184**	**16.6**	**115**	**2**	**3**	**15**	**26**	**29**	**31**	**47**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-59 YRS	11	3.4	7	< 1	< 1	2	5	8	9	9
70-74	9	4.7	27	< 1	< 1	2	7	13	16	16
75-79	3	3.0	3	2	2	2	4	5	5	5
80-84	1	1.0		1	1	1	1	1	1	1
85 +	5	5.8	66	1	1	2	9	20	20	20
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	61	5.6	48	1	1	3	6	11	23	35
70-74	54	5.6	52	1	1	3	6	12	21	39
75-79	34	4.7	31	< 1	1	2	6	10	18	27
80-84	26	3.8	16	1	1	3	4	7	13	20
85 +	12	3.2	22	< 1	< 1	2	3	8	17	18
B. Operated										
65-69 YRS	5	8.2	83	1	1	3	15	22	22	22
70-74	8	7.4	73	< 1	< 1	4	11	22	25	25
75-79	2	12.0	162	3	3	12	21	21	21	21
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	4.1	21	< 1	1	2	5	9	16	20
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	187	5.1	40	1	1	3	6	11	19	33
B. Operated	17	7.6	68	< 1	1	3	13	22	24	25
1. SINGLE DX	29	4.1	21	< 1	1	2	5	9	16	20
2. MULTIPLE DX	204	5.3	42	1	1	3	6	12	20	32
A. Not Operated	216	4.9	37	1	1	3	6	10	19	31
B. Operated	17	7.6	68	< 1	1	3	13	22	24	25
TOTAL										
65-69 YRS	77	5.5	44	1	1	3	6	12	21	34
70-74	71	5.7	50	1	1	3	7	15	22	37
75-79	39	4.9	34	< 1	1	2	6	10	21	27
80-84	28	3.7	15	1	1	3	4	6	12	20
85 +	18	3.8	32	< 1	1	2	3	14	19	20
GRAND TOTAL	**233**	**5.1**	**40**	**1**	**1**	**3**	**6**	**11**	**20**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	3	3.7	6	1	1	4	5	6	6	6
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	24	10.4	61	1	1	8	18	21	23	24
70-74	16	16.4	204	2	2	15	23	30	48	56
75-79	10	7.7	40	1	2	6	8	17	24	24
80-84	7	6.7	16	1	2	7	9	12	13	13
85 +	4	4.8		4	4	5	5	5	5	5
B. Operated										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	2	15.0	98	8	8	15	22	22	22	22
75-79	2	12.0	18	9	9	12	15	15	15	15
80-84	0									
85 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.7	5	1	1	4	6	6	6	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	61	10.7	96	1	2	7	18	23	26	53
B. Operated	6	12.5	28	8	8	12	20	84	99 +	99 +
1. SINGLE DX	7	3.7	5	1	1	4	6	6	6	6
2. MULTIPLE DX	67	10.9	90	1	2	8	18	24	27	92
A. Not Operated	68	10.0	91	1	2	6	14	23	25	51
B. Operated	6	12.5	28	8	8	12	20	84	99 +	99 +
TOTAL										
65-69 YRS	26	10.3	58	1	1	8	18	21	23	24
70-74	21	14.4	179	1	2	8	21	28	42	56
75-79	12	8.4	37	1	3	7	10	18	23	24
80-84	8	6.3	16	1	2	7	10	65	99 +	99 +
85 +	7	5.0	6	1	2	5	6	8	9	9
GRAND TOTAL	**74**	**10.2**	**86**	**1**	**2**	**7**	**15**	**23**	**26**	**89**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.8	17	1	1	2	5	11	11	11
70-74	4	2.3	2	1	1	2	3	4	4	4
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	5	4.2	2	2	2	5	5	5	5	5
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	86	3.9	7	1	1	3	5	7	9	14
70-74	67	4.2	9	1	1	4	5	8	10	14
75-79	67	4.7	23	1	1	3	6	8	17	25
80-84	38	4.3	14	1	1	3	5	9	14	17
85 +	32	4.3	7	1	1	4	6	8	10	12
B. Operated										
65-69 YRS	12	6.8	40	2	2	5	8	14	23	25
70-74	4	7.5	60	2	2	4	12	19	19	19
75-79	6	5.5	16	1	1	5	6	12	13	13
80-84	3	25.0	1204	3	3	7	50	65	65	65
85 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.4	6	1	1	2	5	5	9	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	290	4.2	12	1	1	3	5	8	10	17
B. Operated	26	8.7	161	2	2	5	8	18	33	65
1. SINGLE DX	17	3.4	6	1	1	2	5	5	9	11
2. MULTIPLE DX	316	4.6	25	1	1	3	5	8	11	25
A. Not Operated	307	4.2	12	1	1	3	5	8	10	17
B. Operated	26	8.7	161	2	2	5	8	18	33	65
TOTAL										
65-69 YRS	103	4.2	12	1	2	3	5	8	10	20
70-74	75	4.3	11	1	1	4	5	8	10	18
75-79	75	4.7	22	1	1	3	6	8	16	25
80-84	46	5.6	92	1	1	4	5	9	16	65
85 +	34	4.3	7	1	1	4	6	7	10	12
GRAND TOTAL	**333**	**4.6**	**24**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	38	7.0	47	1	1	6	9	16	23	31
70-74	28	7.9	48	< 1	1	6	13	19	21	23
75-79	20	8.9	79	1	1	7	12	19	31	37
80-84	28	11.2	115	2	4	7	13	22	32	55
85 +	6	12.8	46	4	4	12	19	21	21	21
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	246	8.8	67	1	2	7	12	19	25	45
70-74	189	10.0	91	1	2	7	12	22	30	50
75-79	164	10.0	63	1	2	8	13	23	26	34
80-84	133	8.5	58	2	2	6	11	15	25	43
85 +	69	9.3	110	1	2	6	11	23	29	55
B. Operated										
65-69 YRS	20	12.7	82	1	2	11	19	26	30	31
70-74	8	7.3	29	3	3	5	10	16	18	18
75-79	15	14.2	104	3	5	13	18	22	39	44
80-84	7	12.7	42	7	7	11	14	24	26	26
85 +	6	13.5	195	1	1	7	28	33	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	8.8	69	1	1	6	12	19	24	42
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	801	9.3	74	1	2	7	12	21	26	46
B. Operated	56	12.4	86	1	3	11	18	26	30	43
1. SINGLE DX	120	8.8	69	1	1	6	12	19	24	42
2. MULTIPLE DX	857	9.5	75	1	2	7	12	21	27	45
A. Not Operated	921	9.3	73	1	2	7	12	21	26	46
B. Operated	56	12.4	86	1	3	11	18	26	30	43
TOTAL										
65-69 YRS	304	8.9	66	1	2	7	12	19	26	41
70-74	225	9.7	84	1	2	7	12	21	27	50
75-79	199	10.2	68	1	2	8	13	23	26	37
80-84	168	9.1	67	2	2	6	12	17	26	49
85 +	81	9.9	110	1	2	6	12	23	29	54
GRAND TOTAL	**977**	**9.5**	**75**	**1**	**2**	**7**	**12**	**21**	**27**	**45**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	7.3	52	1	1	4	8	15	25	33
70-74	15	8.5	144	< 1	< 1	5	11	17	40	48
75-79	24	13.4	330	1	1	6	14	50	58	69
80-84	15	8.4	94	1	1	5	11	17	33	39
85 +	8	11.8	140	< 1	< 1	9	21	28	30	30
B. Operated										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	0									
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	2	7.0	72	1	1	7	13	13	13	13
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	209	10.0	102	2	2	6	13	22	29	53
70-74	212	9.7	116	1	2	6	13	21	26	66
75-79	197	8.6	81	1	2	5	10	20	31	49
80-84	142	10.3	105	2	2	7	13	20	27	60
85 +	88	8.8	45	2	3	7	12	19	24	75
B. Operated										
65-69 YRS	22	21.1	467	2	3	10	40	50	64	77
70-74	22	14.0	242	1	2	9	17	34	54	61
75-79	19	10.7	105	2	3	8	12	23	36	45
80-84	11	12.5	37	4	5	13	17	21	23	23
85 +	13	14.9	263	3	3	6	19	41	51	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	9.8	158	1	1	5	11	22	40	63
B. Operated	5	4.2	26	< 1	< 1	2	6	13	13	13
2. MULTIPLE DX										
A. Not Operated	848	9.5	95	2	2	6	12	21	29	56
B. Operated	87	15.0	251	2	3	9	17	42	50	71
1. SINGLE DX	93	9.5	152	< 1	1	5	11	21	38	63
2. MULTIPLE DX	935	10.0	112	2	2	6	13	22	33	59
A. Not Operated	936	9.5	101	1	2	6	12	21	30	56
B. Operated	92	14.4	244	2	3	9	16	41	50	70
TOTAL										
65-69 YRS	259	10.6	137	1	2	7	13	24	37	56
70-74	249	10.0	129	1	2	6	13	22	33	66
75-79	241	9.2	108	1	2	6	10	21	33	55
80-84	170	10.2	99	2	2	7	13	20	25	56
85 +	109	9.7	79	2	2	7	13	22	30	72
GRAND TOTAL	**1028**	**10.0**	**116**	**1**	**2**	**6**	**12**	**22**	**33**	**59**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	2	18.5	545	2	2	18	35	35	35	35
75-79	0									
80-84	2	15.5	181	6	6	15	25	25	25	25
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	15.0		15	15	15	15	15	15	15
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5	15.0	204	2	2	7	27	35	35	35
B. Operated	1	15.0		15	15	15	15	15	15	15
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	6	15.0	163	2	2	11	25	34	35	35
A. Not Operated	6	13.2	183	2	2	6	25	34	35	35
B. Operated	1	15.0		15	15	15	15	15	15	15
TOTAL										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	2	18.5	545	2	2	18	35	35	35	35
75-79	1	15.0		15	15	15	15	15	15	15
80-84	2	15.5	181	6	6	15	25	25	25	25
85 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**7**	**13.4**	**153**	**2**	**2**	**7**	**22**	**33**	**35**	**35**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	9.2	65	1	1	7	14	20	27	28
70-74	4	4.8	23	1	1	4	8	11	11	11
75-79	3	16.7	74	9	9	15	23	26	26	26
80-84	0									
85 +	2	9.0	72	3	3	9	15	15	15	15
B. Operated										
65-69 YRS	9	9.0	62	< 1	< 1	11	13	20	24	24
70-74	3	5.0	9	2	2	5	7	8	8	8
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	64	13.8	90	2	3	12	18	23	31	49
70-74	56	16.6	189	2	4	13	21	35	47	65
75-79	43	16.5	88	2	6	14	21	31	34	41
80-84	36	16.7	226	3	4	11	20	39	51	63
85 +	18	16.3	124	4	8	14	21	30	43	50
B. Operated										
65-69 YRS	58	24.7	308	2	5	21	35	48	55	76
70-74	60	20.8	222	2	3	18	30	42	51	97
75-79	36	27.0	362	3	6	23	38	56	61	75
80-84	18	25.2	475	2	4	23	36	93	99 +	99 +
85 +	5	25.8	376	9	9	22	32	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	9.4	62	1	1	8	15	21	27	28
B. Operated	14	7.4	45	< 1	1	5	12	15	22	24
2. MULTIPLE DX										
A. Not Operated	217	15.7	139	2	4	13	20	31	43	58
B. Operated	177	23.9	306	2	4	21	34	51	64	99 +
1. SINGLE DX	34	8.6	55	1	1	6	13	16	26	28
2. MULTIPLE DX	394	19.4	231	2	4	15	26	43	53	82
A. Not Operated	237	15.2	136	2	3	12	20	30	40	57
B. Operated	191	22.7	306	2	3	20	32	49	62	99 +
TOTAL										
65-69 YRS	142	17.6	210	2	2	14	23	40	48	73
70-74	123	18.0	208	2	3	14	25	39	48	82
75-79	83	20.9	232	3	6	17	27	42	55	71
80-84	55	19.2	318	2	3	15	28	52	80	99 +
85 +	25	17.6	175	2	8	14	21	32	52	59
GRAND TOTAL	**428**	**18.6**	**225**	**2**	**3**	**15**	**25**	**40**	**52**	**78**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	5.1	11	1	1	5	7	9	11	17
70-74	38	7.5	138	1	1	4	7	15	38	55
75-79	16	6.9	52	1	2	5	7	14	26	31
80-84	19	7.3	25	2	3	7	10	13	18	22
85 +	8	9.8	151	2	2	6	10	31	39	39
B. Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	2	7.0	32	3	3	7	11	11	11	11
75-79	3	9.0	25	4	4	9	13	14	14	14
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	233	9.6	94	2	3	7	11	18	26	72
70-74	357	9.8	64	2	3	8	13	19	29	99 +
75-79	443	10.2	77	3	3	8	12	19	24	54
80-84	331	10.4	71	3	4	8	13	20	26	60
85 +	186	10.8	132	2	3	8	12	20	28	76
B. Operated										
65-69 YRS	29	17.0	291	2	6	11	18	35	48	86
70-74	51	19.9	221	5	7	17	32	55	92	99 +
75-79	67	20.5	433	3	4	15	27	73	96	99 +
80-84	38	12.6	117	3	4	10	20	72	99 +	99 +
85 +	20	23.1	253	2	5	20	34	48	55	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	6.9	73	1	1	4	7	13	18	53
B. Operated	6	8.3	17	3	3	9	11	14	14	14
2. MULTIPLE DX										
A. Not Operated	1550	10.1	82	2	3	8	12	19	27	69
B. Operated	205	18.6	290	4	5	14	25	55	94	99 +
1. SINGLE DX	115	7.0	70	1	1	5	8	14	18	53
2. MULTIPLE DX	1755	11.1	113	2	3	8	14	22	34	99 +
A. Not Operated	1659	9.9	82	2	3	8	12	19	27	66
B. Operated	211	18.3	285	3	5	14	24	53	92	99 +
TOTAL										
65-69 YRS	291	9.9	112	2	3	7	11	19	27	79
70-74	448	10.8	99	2	3	8	14	22	40	99 +
75-79	529	11.4	132	3	3	8	14	22	36	97
80-84	388	10.4	74	3	4	8	13	21	29	99 +
85 +	214	11.9	156	2	3	8	14	25	35	75
GRAND TOTAL	**1870**	**10.9**	**112**	**2**	**3**	**8**	**13**	**22**	**33**	**99 +**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	5.4	10	2	2	4	7	10	11	11
70-74	5	8.2	39	4	4	6	11	19	19	19
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	4.7	22	1	1	3	8	10	10	10
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	44	10.6	154	2	3	8	12	22	46	99 +
70-74	21	11.3	49	2	4	9	16	20	25	28
75-79	6	15.3	519	< 1	< 1	6	14	56	61	61
80-84	1	11.0		11	11	11	11	11	11	11
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	18	12.4	396	1	2	6	11	24	63	88
70-74	9	14.0	165	< 1	1	14	18	35	40	40
75-79	4	21.8	146	9	9	21	31	36	36	36
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	6.1	21	1	2	4	8	12	17	19
B. Operated	3	4.7	22	1	1	3	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	73	11.1	144	1	3	8	14	22	34	95
B. Operated	31	14.1	293	1	2	8	15	31	40	88
1. SINGLE DX	17	5.8	20	1	1	4	8	11	16	19
2. MULTIPLE DX	104	12.0	188	1	3	8	15	25	37	93
A. Not Operated	87	10.3	127	1	3	7	13	20	29	92
B. Operated	34	13.2	275	1	2	8	15	29	39	88
TOTAL										
65-69 YRS	73	10.2	192	1	2	7	11	21	34	97
70-74	35	11.5	76	1	3	8	15	23	28	40
75-79	11	16.4	339	< 1	1	9	24	46	60	61
80-84	1	11.0		11	11	11	11	11	11	11
85 +	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**121**	**11.1**	**169**	**1**	**2**	**8**	**14**	**23**	**36**	**91**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	84	3.2	4	1	1	3	4	5	7	10
70-74	70	3.6	6	1	1	3	5	7	8	14
75-79	40	3.6	6	1	1	3	4	6	9	14
80-84	34	4.0	4	1	2	4	5	6	7	9
85 +	21	4.6	32	1	1	3	5	7	18	28
B. Operated										
65-69 YRS	4	4.5	4	3	3	4	6	7	7	7
70-74	1	5.0		5	5	5	5	5	5	5
75-79	2	4.5	25	1	1	4	8	8	8	8
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	889	6.5	43	1	2	4	8	13	19	30
70-74	993	6.4	39	1	2	5	8	12	17	40
75-79	839	6.3	31	1	2	5	8	13	17	27
80-84	619	7.4	69	2	2	5	9	15	19	45
85 +	481	7.1	50	2	2	5	8	14	17	41
B. Operated										
65-69 YRS	111	14.0	216	2	3	9	18	33	40	98
70-74	109	13.4	169	2	3	9	15	27	42	68
75-79	75	16.0	153	3	4	13	22	38	49	99 +
80-84	63	17.1	247	2	4	12	21	43	47	70
85 +	27	16.5	263	2	4	10	23	50	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	249	3.6	7	1	1	3	5	6	8	14
B. Operated	8	4.1	7	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	3821	6.7	45	1	2	5	8	13	18	33
B. Operated	385	14.9	199	2	3	11	19	34	47	99
1. SINGLE DX	257	3.6	7	1	1	3	5	6	8	14
2. MULTIPLE DX	4206	7.4	64	1	2	5	9	15	21	46
A. Not Operated	4070	6.5	43	1	2	5	8	13	17	32
B. Operated	393	14.7	197	2	3	10	19	33	47	98
TOTAL										
65-69 YRS	1088	7.0	64	1	2	5	8	15	21	39
70-74	1173	6.9	54	1	2	5	8	14	19	46
75-79	956	6.9	47	1	2	5	8	14	20	41
80-84	717	8.1	90	2	2	5	9	16	22	50
85 +	529	7.5	64	2	2	5	9	15	20	46
GRAND TOTAL	**4463**	**7.2**	**62**	**1**	**2**	**5**	**8**	**15**	**20**	**46**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	70	6.5	69	1	1	5	8	11	17	53
70-74	59	5.4	41	1	1	3	7	11	16	41
75-79	69	6.5	44	1	1	5	8	12	29	87
80-84	40	6.8	33	1	2	5	9	15	19	24
85 +	33	4.9	24	1	1	2	7	10	13	24
B. Operated										
65-69 YRS	62	5.1	46	< 1	1	3	6	10	19	37
70-74	61	6.1	20	1	1	6	8	11	14	23
75-79	49	5.9	22	1	1	5	8	13	16	19
80-84	21	6.4	32	1	1	4	8	16	20	22
85 +	10	9.1	255	1	1	5	7	31	54	54
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	780	10.6	152	2	2	7	12	21	32	77
70-74	940	9.9	116	2	2	7	12	22	35	73
75-79	1151	10.0	111	2	2	7	12	21	33	88
80-84	894	10.2	113	2	3	7	12	21	30	88
85 +	733	10.3	130	2	3	7	12	21	32	99 +
B. Operated										
65-69 YRS	489	12.9	173	2	2	9	16	27	47	99 +
70-74	514	13.7	158	2	3	10	18	28	39	73
75-79	415	14.8	171	2	4	11	20	32	49	99 +
80-84	289	15.7	218	2	3	11	20	37	50	96
85 +	156	15.0	232	2	4	11	19	30	45	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	271	6.1	46	1	1	4	8	12	18	42
B. Operated	203	5.9	40	1	1	5	8	12	16	33
2. MULTIPLE DX										
A. Not Operated	4498	10.2	123	2	2	7	12	21	32	86
B. Operated	1863	14.1	181	2	3	10	18	31	46	99 +
1. SINGLE DX	474	6.0	43	1	1	4	8	12	17	38
2. MULTIPLE DX	6361	11.3	143	2	3	8	14	24	36	92
A. Not Operated	4769	9.9	119	2	2	7	12	21	31	84
B. Operated	2066	13.3	173	1	2	10	17	29	44	98
TOTAL										
65-69 YRS	1401	10.9	154	1	2	8	13	23	36	89
70-74	1574	10.8	128	1	2	7	13	24	35	69
75-79	1684	10.9	127	2	2	8	13	24	36	99
80-84	1244	11.3	140	2	3	8	14	24	36	91
85 +	932	10.9	149	2	3	8	12	22	33	97
GRAND TOTAL	**6835**	**11.0**	**138**	**2**	**2**	**8**	**13**	**24**	**35**	**90**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	3.1	6	< 1	1	2	4	7	9	11
70-74	7	1.6	1	< 1	< 1	1	2	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	7	2.1		1	1	2	3	3	3	3
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	113	4.0	9	1	1	3	5	7	9	16
70-74	87	4.9	15	1	1	3	7	10	14	19
75-79	64	4.4	13	1	1	3	5	9	13	18
80-84	26	4.1	7	1	1	3	7	7	9	11
85 +	14	3.9	9	1	1	3	5	9	10	10
B. Operated										
65-69 YRS	16	6.4	20	2	2	5	9	12	16	18
70-74	15	4.5	10	1	1	4	7	8	11	12
75-79	6	5.8	5	2	2	6	7	8	8	8
80-84	5	5.8	18	3	3	4	8	13	13	13
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.7	5	< 1	1	2	3	5	8	11
B. Operated	4	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	304	4.3	11	1	1	3	6	9	10	18
B. Operated	42	5.6	14	1	2	5	7	11	13	18
1. SINGLE DX	46	2.7	4	< 1	1	2	3	5	8	11
2. MULTIPLE DX	346	4.5	12	1	1	3	6	9	11	18
A. Not Operated	346	4.1	11	1	1	3	5	8	10	18
B. Operated	46	5.3	13	1	2	5	7	11	12	18
TOTAL										
65-69 YRS	157	4.1	10	1	1	3	5	8	10	18
70-74	110	4.6	14	1	1	3	6	9	13	18
75-79	72	4.4	12	1	1	3	6	9	12	17
80-84	38	3.9	8	1	1	3	5	7	10	13
85 +	15	3.9	9	1	1	3	5	9	10	10
GRAND TOTAL	**392**	**4.3**	**11**	**1**	**1**	**3**	**6**	**8**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	61	1.3		< 1	< 1	< 1	1	2	3	4
70-74	49	1.2		< 1	< 1	< 1	1	2	2	3
75-79	46	1.2		< 1	< 1	< 1	1	1	2	4
80-84	30	1.2		< 1	< 1	< 1	1	2	2	2
85 +	11	1.8	3	< 1	< 1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	4.4	4	< 1	2	4	6	7	7	7
70-74	11	4.3	7	< 1	1	3	7	9	9	9
75-79	10	3.5	10	< 1	< 1	2	5	8	11	11
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	4	3.3	3	1	1	3	4	5	5	5
B. Operated										
65-69 YRS	99	2.3	6	< 1	< 1	2	3	5	7	14
70-74	106	3.1	59	< 1	< 1	2	3	4	6	47
75-79	59	2.3	7	< 1	< 1	1	2	4	7	14
80-84	39	2.4	2	< 1	1	2	3	5	6	7
85 +	30	2.9	6	< 1	< 1	2	3	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	197	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	38	3.9	6	< 1	1	3	5	8	9	11
B. Operated	333	2.6	22	< 1	< 1	2	3	5	7	15
1. SINGLE DX	197	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX	371	2.8	21	< 1	< 1	2	3	5	7	14
A. Not Operated	38	3.9	6	< 1	1	3	5	8	9	11
B. Operated	530	2.1	15	< 1	< 1	1	2	4	5	11
TOTAL										
65-69 YRS	171	2.1	4	< 1	< 1	1	2	4	7	9
70-74	166	2.6	39	< 1	< 1	1	3	4	6	21
75-79	115	1.9	5	< 1	< 1	1	2	4	6	13
80-84	71	1.9	2	< 1	< 1	1	2	4	5	7
85 +	45	2.7	5	< 1	< 1	2	3	7	8	10
GRAND TOTAL	**568**	**2.2**	**14**	**<1**	**< 1**	**1**	**2**	**4**	**6**	**11**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	54	4.4	11	1	1	3	6	8	11	15
70-74	49	5.1	17	1	1	4	8	10	16	16
75-79	28	5.1	35	1	1	3	7	12	19	26
80-84	17	4.4	16	1	1	3	5	10	14	16
85 +	9	9.0	283	1	1	2	8	36	53	53
B. Operated										
65-69 YRS	154	3.4	16	1	1	2	4	8	10	26
70-74	132	3.7	37	< 1	1	2	3	8	10	40
75-79	76	2.7	6	< 1	1	2	3	7	8	10
80-84	42	2.4	4	< 1	1	2	2	4	6	11
85 +	15	2.9	5	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	373	7.3	59	1	2	5	9	14	22	44
70-74	404	7.4	66	1	2	5	9	15	20	43
75-79	320	7.5	54	1	2	5	9	16	21	45
80-84	244	7.4	59	1	2	5	9	15	22	31
85 +	152	7.3	65	2	2	5	9	13	18	83
B. Operated										
65-69 YRS	334	7.5	133	1	1	4	8	20	29	87
70-74	264	7.4	126	1	1	4	9	17	27	99
75-79	226	10.0	147	1	1	6	11	27	39	74
80-84	126	10.7	119	1	1	7	14	29	35	66
85 +	59	8.0	82	1	2	5	9	20	30	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	157	5.0	32	1	1	3	7	10	15	25
B. Operated	419	3.2	19	< 1	1	2	3	8	9	28
2. MULTIPLE DX										
A. Not Operated	1493	7.4	60	1	2	5	9	15	21	43
B. Operated	1009	8.5	131	1	1	4	10	22	33	92
1. SINGLE DX	576	3.7	23	1	1	2	4	8	11	27
2. MULTIPLE DX	2502	7.8	89	1	1	5	9	17	26	61
A. Not Operated	1650	7.1	58	1	2	5	9	14	20	42
B. Operated	1428	6.9	104	1	1	3	8	17	28	68
TOTAL										
65-69 YRS	915	6.5	78	1	1	4	8	14	22	47
70-74	849	6.7	79	1	1	4	8	14	20	60
75-79	650	7.7	85	1	1	5	9	18	27	54
80-84	429	7.8	75	1	1	5	10	17	26	47
85 +	235	7.2	73	1	2	5	9	14	21	87
GRAND TOTAL	**3078**	**7.0**	**79**	**1**	**1**	**4**	**8**	**15**	**24**	**53**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.3	6	1	1	3	5	6	6	6
70-74	4	2.5	2	1	1	2	3	4	4	4
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	374	2.8	3	1	1	2	3	5	6	8
70-74	264	2.4	2	1	1	2	3	4	5	8
75-79	174	2.8	3	1	1	3	3	5	5	10
80-84	81	2.7	2	1	1	2	3	5	6	8
85 +	36	2.6	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	1.5	1	< 1	< 1	1	2	3	3	3
70-74	8	2.4	3	1	1	2	3	5	6	6
75-79	11	2.7	7	< 1	< 1	2	3	6	10	10
80-84	4	3.3	11	1	1	2	5	8	8	8
85 +	5	2.6	3	< 1	< 1	3	4	5	5	5
B. Operated										
65-69 YRS	656	3.4	5	1	1	3	4	6	7	12
70-74	556	3.4	6	1	1	3	4	6	8	14
75-79	410	3.5	7	1	1	3	4	6	8	13
80-84	245	3.7	6	1	1	3	5	6	8	12
85 +	102	3.8	9	< 1	1	3	4	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.9	3	1	1	3	4	6	6	6
B. Operated	929	2.7	2	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. Not Operated	39	2.4	4	< 1	< 1	2	3	5	7	10
B. Operated	1969	3.5	6	1	1	3	4	6	8	12
1. SINGLE DX	936	2.7	2	1	1	2	3	5	5	8
2. MULTIPLE DX	2008	3.5	6	1	1	3	4	6	8	12
A. Not Operated	46	2.4	4	< 1	< 1	2	3	5	7	10
B. Operated	2898	3.2	5	1	1	3	4	6	7	12
TOTAL										
65-69 YRS	1044	3.1	4	1	1	3	4	5	7	10
70-74	832	3.1	5	1	1	3	4	6	7	11
75-79	595	3.3	6	1	1	3	4	5	7	11
80-84	330	3.5	5	1	1	3	4	6	7	12
85 +	143	3.5	7	< 1	1	3	4	7	9	13
GRAND TOTAL	**2944**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	1.6	1	1	1	2	2	3	3	3
70-74	12	1.2		< 1	< 1	1	1	2	3	3
75-79	8	1.4		1	1	1	2	2	2	2
80-84	6	1.8	2	1	1	1	3	4	4	4
85 +	8	1.6	1	1	1	2	2	3	3	3
B. Operated										
65-69 YRS	43	2.3	2	< 1	1	2	3	4	5	5
70-74	55	2.7	2	1	1	3	4	4	5	5
75-79	63	2.3	2	1	1	2	3	4	5	7
80-84	36	2.6	2	1	1	2	4	5	5	6
85 +	16	2.0	1	< 1	< 1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	4.1	21	< 1	1	2	4	13	13	13
70-74	20	2.2	1	1	1	2	3	4	5	5
75-79	25	2.7	3	< 1	1	2	4	5	6	6
80-84	20	2.9	7	1	1	2	3	7	10	10
85 +	14	3.3	5	1	1	3	6	7	7	7
B. Operated										
65-69 YRS	163	3.1	10	< 1	1	2	4	6	8	19
70-74	170	3.6	10	1	1	2	4	7	10	17
75-79	161	3.7	29	1	1	3	4	7	10	18
80-84	130	3.5	8	1	1	3	4	7	9	15
85 +	89	4.3	34	1	1	3	4	7	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.5	1	< 1	1	1	2	3	3	4
B. Operated	213	2.4	2	< 1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	97	3.0	7	1	1	2	3	6	10	13
B. Operated	713	3.6	17	1	1	2	4	7	10	19
1. SINGLE DX	255	2.3	2	< 1	1	2	3	4	5	6
2. MULTIPLE DX	810	3.5	16	1	1	2	4	7	10	19
A. Not Operated	139	2.5	6	1	1	2	3	5	7	13
B. Operated	926	3.3	14	1	1	2	4	6	9	18
TOTAL										
65-69 YRS	232	3.0	9	< 1	1	2	3	6	8	17
70-74	257	3.1	7	1	1	2	4	6	9	16
75-79	257	3.2	19	1	1	2	4	6	8	14
80-84	192	3.2	7	1	1	2	4	6	9	14
85 +	127	3.7	25	1	1	2	4	6	14	25
GRAND TOTAL	**1065**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	4	1.3		1	1	1	2	2	2	2
75-79	2	1.0		< 1	< 1	< 1	1	1	1	1
80-84	3	1.3		1	1	1	2	2	2	2
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	40	2.5	3	1	1	2	3	4	6	8
70-74	37	2.4	3	< 1	< 1	2	3	5	6	7
75-79	28	1.8	1	< 1	< 1	1	2	4	4	5
80-84	23	1.9	1	< 1	< 1	2	3	3	4	4
85 +	13	2.2	2	1	1	2	2	4	6	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	2.4	1	1	1	3	3	3	3	3
70-74	13	4.8	32	1	1	3	5	14	19	20
75-79	13	3.8	17	1	1	2	4	12	13	13
80-84	18	2.5	3	1	1	2	4	5	6	6
85 +	5	2.2	1	1	1	2	3	4	4	4
B. Operated										
65-69 YRS	82	3.3	9	< 1	1	2	4	6	11	15
70-74	84	2.8	4	< 1	1	2	4	5	7	12
75-79	69	3.0	4	1	1	2	4	5	8	11
80-84	66	3.5	11	1	1	3	4	7	12	17
85 +	35	3.6	29	1	1	3	4	6	12	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.3		< 1	< 1	1	2	2	2	2
B. Operated	141	2.2	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	57	3.3	13	1	1	2	4	6	12	20
B. Operated	336	3.2	9	1	1	2	4	6	9	15
1. SINGLE DX	153	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	393	3.2	10	1	1	2	4	6	10	15
A. Not Operated	69	2.9	11	1	1	2	4	5	12	19
B. Operated	477	2.9	7	< 1	1	2	3	5	7	14
TOTAL										
65-69 YRS	132	2.9	7	1	1	2	4	5	9	14
70-74	138	2.8	7	< 1	1	2	3	6	7	14
75-79	112	2.7	5	< 1	1	2	4	5	8	12
80-84	110	3.0	8	1	1	2	3	6	7	16
85 +	54	3.1	20	1	1	2	3	5	7	30
GRAND TOTAL	**546**	**2.9**	**8**	**< 1**	**1**	**2**	**3**	**5**	**7**	**14**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	4	1.3		< 1	< 1	< 1	1	2	2	2
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	399	1.2		< 1	< 1	< 1	1	2	2	3
70-74	543	1.2		< 1	< 1	< 1	1	2	2	3
75-79	680	1.2		< 1	< 1	< 1	1	2	2	2
80-84	587	1.2		< 1	< 1	< 1	1	2	2	3
85 +	439	1.3		< 1	< 1	< 1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	24	1.6	1	< 1	< 1	1	2	3	5	5
70-74	36	1.5	1	< 1	< 1	1	2	2	4	7
75-79	51	2.4	6	< 1	< 1	1	3	7	9	10
80-84	46	1.5	1	< 1	< 1	1	2	3	4	5
85 +	31	2.1	5	< 1	< 1	1	3	4	8	11
B. Operated										
65-69 YRS	787	2.0	10	< 1	< 1	2	2	3	4	9
70-74	1147	1.8	1	< 1	< 1	2	2	3	3	7
75-79	1450	1.8	2	< 1	< 1	2	2	3	3	8
80-84	1203	1.9	4	< 1	< 1	2	2	3	4	9
85 +	1038	1.9	3	< 1	< 1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		< 1	< 1	< 1	1	2	2	2
B. Operated	2648	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	188	1.9	3	< 1	< 1	1	2	4	5	10
B. Operated	5625	1.9	4	< 1	< 1	2	2	3	4	8
1. SINGLE DX	2653	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	5813	1.9	4	< 1	< 1	2	2	3	4	8
A. Not Operated	193	1.9	3	< 1	< 1	1	2	3	5	10
B. Operated	8273	1.7	3	< 1	< 1	1	2	2	3	7
TOTAL										
65-69 YRS	1210	1.7	7	< 1	< 1	1	2	2	3	7
70-74	1726	1.6	1	< 1	< 1	1	2	2	3	7
75-79	2185	1.6	2	< 1	< 1	1	2	2	3	7
80-84	1836	1.7	3	< 1	< 1	1	2	2	3	7
85 +	1509	1.7	2	< 1	< 1	1	2	2	3	8
GRAND TOTAL	**8466**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**2**	**3**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	1.2		< 1	< 1	1	1	2	2	2
70-74	10	2.0	2	< 1	< 1	1	2	4	5	5
75-79	11	1.4		< 1	< 1	1	2	2	2	2
80-84	15	1.7	1	< 1	< 1	1	2	3	4	5
85 +	11	1.5		< 1	< 1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	3	7.7	54	2	2	5	13	16	16	16
B. Operated										
65-69 YRS	71	1.4	1	< 1	< 1	1	2	2	3	5
70-74	69	1.7	1	< 1	< 1	1	2	3	4	8
75-79	81	1.7	2	< 1	< 1	1	2	3	4	9
80-84	62	2.5	15	< 1	< 1	2	2	5	8	26
85 +	45	2.0	1	< 1	< 1	2	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	52	1.6	1	< 1	< 1	1	2	2	4	5
2. MULTIPLE DX										
A. Not Operated	6	5.0	32	< 1	< 1	3	5	15	16	16
B. Operated	328	1.8	4	< 1	< 1	1	2	3	4	10
1. SINGLE DX	52	1.6	1	< 1	< 1	1	2	2	4	5
2. MULTIPLE DX	334	1.9	5	< 1	< 1	1	2	3	4	11
A. Not Operated	6	5.0	32	< 1	< 1	3	5	15	16	16
B. Operated	380	1.8	4	< 1	< 1	1	2	3	4	10
TOTAL										
65-69 YRS	77	1.4	1	< 1	< 1	1	2	2	3	5
70-74	80	1.8	2	< 1	< 1	1	2	3	4	8
75-79	92	1.7	2	< 1	< 1	1	2	3	4	8
80-84	78	2.4	12	< 1	< 1	1	2	5	6	24
85 +	59	2.2	4	< 1	< 1	2	2	3	5	15
GRAND TOTAL	**386**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	3	2.3		2	2	2	3	3	3	3
75-79	3	1.7		1	1	2	2	2	2	2
80-84	4	3.5	19	1	1	2	6	10	10	10
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	4	1.5		1	1	1	2	2	2	2
70-74	9	2.3	11	< 1	< 1	1	2	8	11	11
75-79	6	1.2		1	1	1	1	2	2	2
80-84	2	1.0		1	1	1	1	1	1	1
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	25	3.8	5	1	2	3	5	7	8	10
70-74	28	4.9	7	2	2	4	7	7	11	11
75-79	25	4.6	10	1	1	4	5	7	10	17
80-84	11	4.4	19	1	1	3	5	10	16	17
85 +	4	4.8	17	1	1	4	8	10	10	10
B. Operated										
65-69 YRS	27	4.3	17	< 1	1	2	5	12	14	14
70-74	25	4.6	23	< 1	1	3	6	9	14	23
75-79	13	4.4	29	< 1	< 1	2	6	15	16	16
80-84	7	6.4	50	1	1	2	11	17	19	19
85 +	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.7	6	1	1	2	3	6	9	10
B. Operated	22	1.7	5	< 1	< 1	1	1	3	6	11
2. MULTIPLE DX										
A. Not Operated	93	4.4	9	1	2	4	6	7	10	17
B. Operated	74	4.6	23	1	1	2	5	11	15	22
1. SINGLE DX	35	2.1	5	< 1	1	1	2	3	9	11
2. MULTIPLE DX	167	4.5	15	1	1	3	6	10	12	19
A. Not Operated	106	4.2	9	1	1	3	6	7	10	17
B. Operated	96	3.9	20	< 1	1	2	5	11	14	21
TOTAL										
65-69 YRS	58	3.8	11	1	1	3	5	9	12	14
70-74	65	4.3	14	1	1	3	6	8	11	21
75-79	47	3.9	14	< 1	1	3	5	8	15	17
80-84	24	4.5	26	1	1	2	5	12	18	19
85 +	8	3.8	10	< 1	< 1	3	5	9	10	10
GRAND TOTAL	**202**	**4.1**	**14**	**1**	**1**	**3**	**5**	**9**	**11**	**18**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	4.9	10	< 1	1	5	6	9	11	11
70-74	13	3.7	10	1	1	4	4	7	12	13
75-79	12	5.4	21	< 1	1	4	8	12	15	15
80-84	13	3.2	6	1	1	3	4	7	9	9
85 +	9	5.0	3	2	2	5	6	7	8	8
B. Operated										
65-69 YRS	129	1.9	2	< 1	< 1	1	2	3	4	7
70-74	156	2.2	4	< 1	< 1	1	3	4	5	12
75-79	161	2.1	2	< 1	< 1	2	3	4	5	8
80-84	137	2.4	4	< 1	< 1	2	3	4	5	10
85 +	116	2.4	3	< 1	1	2	3	5	5	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	32	6.9	55	1	1	6	8	11	18	41
70-74	46	6.2	28	1	1	5	9	12	14	31
75-79	49	6.5	21	1	1	5	9	13	16	20
80-84	39	7.1	30	1	1	6	10	15	19	23
85 +	47	7.0	15	2	3	6	10	13	16	16
B. Operated										
65-69 YRS	362	2.7	9	< 1	1	2	3	5	7	20
70-74	457	2.5	5	< 1	1	2	3	4	6	11
75-79	483	3.0	11	< 1	1	2	3	5	8	20
80-84	388	2.7	6	1	1	2	3	5	6	17
85 +	246	3.5	24	< 1	1	2	4	6	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	4.4	10	1	1	4	6	9	11	15
B. Operated	699	2.2	3	< 1	< 1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	213	6.7	28	1	1	6	9	13	16	26
B. Operated	1936	2.8	10	< 1	1	2	3	5	7	19
1. SINGLE DX	760	2.4	4	< 1	< 1	2	3	4	6	11
2. MULTIPLE DX	2149	3.2	13	< 1	1	2	4	6	9	20
A. Not Operated	274	6.2	25	1	1	5	8	12	15	23
B. Operated	2635	2.7	8	< 1	1	2	3	5	6	17
TOTAL										
65-69 YRS	537	2.8	11	< 1	1	2	3	5	8	19
70-74	672	2.7	7	< 1	1	2	3	5	7	13
75-79	705	3.1	11	< 1	1	2	4	6	9	18
80-84	577	3.0	8	< 1	1	2	3	5	8	19
85 +	418	3.6	18	< 1	1	2	4	7	11	20
GRAND TOTAL	**2909**	**3.0**	**11**	**< 1**	**1**	**2**	**3**	**6**	**8**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	3.6	5	< 1	1	4	5	7	7	7
70-74	21	3.3	5	1	1	3	5	6	8	9
75-79	10	5.3	6	1	1	6	7	8	9	9
80-84	9	3.0	5	1	1	2	4	6	8	8
85 +	5	4.6	2	3	3	5	6	6	6	6
B. Operated										
65-69 YRS	98	2.3	3	< 1	< 1	2	3	5	7	9
70-74	99	2.2	2	< 1	< 1	2	3	4	5	9
75-79	111	2.5	6	< 1	< 1	2	3	5	9	13
80-84	55	2.7	5	< 1	< 1	2	4	7	7	10
85 +	41	2.5	4	< 1	< 1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	126	4.7	12	1	1	4	6	9	11	20
70-74	96	5.2	18	1	1	4	7	10	12	24
75-79	96	4.8	15	1	1	4	6	10	14	21
80-84	82	6.2	24	1	2	5	8	13	17	25
85 +	40	5.9	23	1	2	4	8	13	14	24
B. Operated										
65-69 YRS	361	3.5	18	< 1	1	2	4	8	10	17
70-74	390	3.9	19	< 1	1	3	5	8	12	18
75-79	326	4.1	29	< 1	1	3	4	8	12	30
80-84	215	4.2	34	< 1	1	3	4	8	14	22
85 +	134	4.0	21	< 1	1	2	5	10	15	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	3.8	5	1	1	4	5	7	8	9
B. Operated	404	2.4	4	< 1	< 1	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	440	5.2	17	1	1	4	7	10	13	22
B. Operated	1426	3.9	23	< 1	1	2	4	8	11	21
1. SINGLE DX	469	2.6	4	< 1	< 1	2	3	6	7	9
2. MULTIPLE DX	1866	4.2	22	< 1	1	3	5	9	12	22
A. Not Operated	505	5.0	16	1	1	4	6	10	12	20
B. Operated	1830	3.6	20	< 1	1	2	4	8	11	19
TOTAL										
65-69 YRS	605	3.5	14	< 1	1	2	4	8	10	17
70-74	606	3.8	16	< 1	1	3	5	8	11	17
75-79	543	3.9	22	< 1	1	3	5	8	11	20
80-84	361	4.4	27	< 1	1	3	5	9	14	22
85 +	220	4.1	19	< 1	1	3	5	9	14	26
GRAND TOTAL	**2335**	**3.9**	**19**	**< 1**	**1**	**3**	**5**	**8**	**11**	**19**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	3	2.7	2	1	1	3	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85 +	3	3.0	7	1	1	2	5	6	6	6
B. Operated										
65-69 YRS	4	1.3		< 1	< 1	1	1	2	2	2
70-74	4	2.0	2	1	1	2	3	4	4	4
75-79	2	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85 +	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	34	5.0	10	1	1	5	8	10	11	11
70-74	36	5.0	21	1	1	3	7	11	16	20
75-79	33	4.9	21	1	1	3	6	11	13	22
80-84	16	4.2	10	1	1	3	5	10	11	12
85 +	24	5.4	23	1	2	4	6	13	17	20
B. Operated										
65-69 YRS	26	4.7	43	< 1	1	3	4	8	20	32
70-74	29	2.9	3	1	1	2	4	6	7	8
75-79	18	3.2	15	< 1	1	2	3	10	13	14
80-84	15	3.1	7	< 1	1	2	5	6	9	10
85 +	11	2.7	13	< 1	< 1	1	2	8	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.7	3	1	1	2	3	5	6	6
B. Operated	14	2.1	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	143	4.9	17	1	1	4	6	10	13	20
B. Operated	99	3.4	17	1	1	2	4	7	11	25
1. SINGLE DX	23	2.3	2	< 1	1	2	3	4	5	6
2. MULTIPLE DX	242	4.3	18	1	1	3	5	10	13	20
A. Not Operated	152	4.8	16	1	1	3	6	10	13	20
B. Operated	113	3.3	16	< 1	1	2	4	6	10	23
TOTAL										
65-69 YRS	64	4.6	23	< 1	1	3	6	9	11	30
70-74	71	3.9	13	1	1	3	4	8	11	20
75-79	56	4.1	18	1	1	3	4	11	13	22
80-84	33	3.6	8	1	1	3	5	7	10	12
85 +	41	4.3	18	< 1	1	3	5	10	14	20
GRAND TOTAL	**265**	**4.1**	**17**	**1**	**1**	**3**	**5**	**9**	**12**	**20**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.8	2	2	2	2	4	5	5	5
70-74	3	1.7		1	1	2	2	2	2	2
75-79	3	6.0	48	2	2	2	11	14	14	14
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	65	1.3		< 1	1	1	2	2	3	3
70-74	26	1.4		< 1	1	1	2	2	3	3
75-79	13	1.5		1	1	1	2	2	3	3
80-84	11	1.3		1	1	1	2	2	2	2
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	20	4.9	13	1	1	4	6	10	13	15
70-74	16	5.1	12	1	2	4	6	10	13	15
75-79	14	4.4	9	1	1	4	6	8	11	12
80-84	8	4.1	5	2	2	3	6	8	8	8
85 +	12	7.3	22	1	3	5	12	14	15	15
B. Operated										
65-69 YRS	115	1.8	3	1	1	1	2	3	4	12
70-74	83	1.9	6	1	1	2	2	2	4	17
75-79	52	2.2	4	1	1	2	3	4	7	97
80-84	21	5.2	236	< 1	1	2	2	4	36	72
85 +	7	3.4	8	< 1	< 1	3	7	72	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.4	15	1	1	2	4	48	96	99 +
B. Operated	117	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	70	5.2	13	1	1	4	7	11	14	15
B. Operated	278	2.2	22	1	1	2	2	3	6	57
1. SINGLE DX	127	1.5	2	1	1	1	2	2	3	33
2. MULTIPLE DX	348	2.8	22	1	1	2	3	6	8	23
A. Not Operated	80	4.9	13	1	1	4	6	11	14	74
B. Operated	395	2.0	16	1	1	1	2	3	4	19
TOTAL										
65-69 YRS	204	2.0	4	1	1	1	2	3	6	13
70-74	128	2.2	7	1	1	2	2	4	5	17
75-79	82	2.6	7	1	1	2	3	6	9	72
80-84	40	3.9	125	1	1	2	3	5	7	72
85 +	21	5.4	20	< 1	1	5	10	32	99 +	99 +
GRAND TOTAL	**475**	**2.5**	**17**	**1**	**1**	**2**	**2**	**5**	**7**	**21**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	4.0	7	1	1	3	5	8	10	10
70-74	5	5.6	5	3	3	6	7	9	9	9
75-79	3	4.0	1	3	3	4	5	5	5	5
80-84	6	8.2	27	3	3	7	14	15	15	15
85 +	4	4.5	4	2	2	4	6	7	7	7
B. Operated										
65-69 YRS	13	2.7	4	< 1	< 1	2	4	6	7	7
70-74	8	4.9	53	1	1	1	6	17	22	22
75-79	8	2.9	7	1	1	2	4	7	8	8
80-84	2	4.0	18	1	1	4	7	7	7	7
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	47	8.0	59	2	2	6	8	17	27	41
70-74	49	6.9	39	2	3	5	8	12	14	43
75-79	44	8.3	103	1	2	5	8	18	42	43
80-84	26	6.2	17	2	3	5	7	10	18	20
85 +	29	9.6	101	2	2	5	11	24	30	47
B. Operated										
65-69 YRS	65	7.1	109	1	1	2	8	21	32	46
70-74	38	5.9	64	1	1	3	8	14	17	45
75-79	32	12.3	234	1	1	7	18	29	55	60
80-84	21	12.6	199	1	1	7	16	38	44	50
85 +	14	24.4	405	1	2	21	42	48	62	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	5.3	12	2	2	4	7	10	14	15
B. Operated	32	3.3	17	1	1	2	5	7	8	22
2. MULTIPLE DX										
A. Not Operated	195	7.8	65	2	2	5	8	15	25	43
B. Operated	170	9.9	179	1	1	4	11	26	44	59
1. SINGLE DX	58	4.2	15	1	1	3	6	8	12	21
2. MULTIPLE DX	365	8.8	119	1	1	5	9	21	39	50
A. Not Operated	221	7.5	59	2	2	5	8	14	21	43
B. Operated	202	8.9	159	1	1	3	10	23	43	58
TOTAL										
65-69 YRS	133	6.8	77	1	1	4	7	17	26	44
70-74	100	6.3	47	1	1	5	8	13	16	44
75-79	87	9.1	145	1	1	5	9	22	43	59
80-84	55	8.7	94	1	1	6	9	20	35	49
85 +	48	13.3	228	2	2	7	18	41	46	66
GRAND TOTAL	**423**	**8.1**	**107**	**1**	**1**	**5**	**8**	**19**	**32**	**48**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	128	2.8	4	1	1	2	3	4	6	12
70-74	109	2.8	5	1	1	2	3	6	7	11
75-79	81	2.7	4	1	1	2	3	5	7	9
80-84	56	3.2	5	1	1	3	4	7	8	10
85 +	36	3.2	4	1	1	3	4	5	7	10
B. Operated										
65-69 YRS	40	2.4	4	1	1	2	3	4	6	12
70-74	18	1.9	2	1	1	2	2	3	5	6
75-79	14	3.1	3	1	1	3	4	6	7	7
80-84	6	4.0	7	1	1	3	6	8	8	8
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	908	3.7	8	1	1	3	4	7	8	14
70-74	1000	3.8	8	1	1	3	5	7	9	13
75-79	873	4.0	8	1	2	3	5	7	9	15
80-84	624	4.3	9	1	2	4	5	8	10	17
85 +	401	4.5	10	1	2	4	6	8	10	17
B. Operated										
65-69 YRS	83	5.0	28	1	1	3	6	10	17	29
70-74	75	5.5	18	1	1	4	8	12	13	22
75-79	70	7.1	40	1	2	6	10	13	17	38
80-84	34	7.5	59	1	2	6	7	14	26	37
85 +	27	7.1	21	2	2	6	8	14	18	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	410	2.9	4	1	1	2	4	5	7	10
B. Operated	78	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	3806	4.0	8	1	1	3	5	7	9	15
B. Operated	289	6.1	32	1	1	5	8	12	16	30
1. SINGLE DX	488	2.8	4	1	1	2	4	5	7	10
2. MULTIPLE DX	4095	4.1	10	1	1	3	5	8	10	17
A. Not Operated	4216	3.9	8	1	1	3	5	7	9	14
B. Operated	367	5.3	28	1	1	4	7	11	15	26
TOTAL										
65-69 YRS	1159	3.6	10	1	1	3	4	7	9	16
70-74	1202	3.8	8	1	1	3	5	7	9	14
75-79	1038	4.1	10	1	1	3	5	8	10	17
80-84	720	4.3	11	1	2	4	5	8	10	18
85 +	464	4.5	11	1	2	4	6	8	10	18
GRAND TOTAL	**4583**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	1.7		1	1	2	2	2	2	2
70-74	8	2.0		1	1	2	2	3	3	3
75-79	2	2.0		2	2	2	2	2	2	2
80-84	2	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	69	1.6	1	1	1	1	2	2	3	9
70-74	45	1.6	1	< 1	1	1	2	3	3	5
75-79	23	1.6		1	1	2	2	3	3	3
80-84	4	2.3	6	< 1	< 1	1	4	6	6	6
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	4	1.8		< 1	< 1	2	2	2	2	2
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	67	1.9	1	1	1	2	2	3	3	4
70-74	31	2.3	9	1	1	2	2	3	3	18
75-79	36	1.8	1	1	1	2	2	3	4	4
80-84	8	1.9		1	1	2	2	3	3	3
85 +	3	1.7		1	1	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	1.8		1	1	2	2	2	3	3
B. Operated	143	1.6	1	1	1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	10	1.7		< 1	< 1	2	2	2	2	2
B. Operated	145	1.9	2	1	1	2	2	3	4	5
1. SINGLE DX	167	1.6	1	1	1	1	2	2	3	6
2. MULTIPLE DX	155	1.9	2	1	1	2	2	3	3	4
A. Not Operated	34	1.8		< 1	1	2	2	2	2	3
B. Operated	288	1.8	2	1	1	2	2	3	3	6
TOTAL										
65-69 YRS	152	1.7	1	1	1	2	2	3	3	4
70-74	85	1.9	4	1	1	2	2	3	3	13
75-79	65	1.7	1	1	1	2	2	3	3	4
80-84	15	1.9	2	< 1	< 1	2	2	3	5	6
85 +	5	1.4		1	1	1	2	2	2	2
GRAND TOTAL	**322**	**1.8**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	4.1	2	2	2	4	5	6	6	6
70-74	6	2.0	2	1	1	2	3	4	4	4
75-79	2	2.0		2	2	2	2	2	2	2
80-84	2	3.5	5	2	2	3	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	78	1.4	1	< 1	< 1	1	2	2	3	7
70-74	45	1.4		< 1	< 1	1	2	2	3	4
75-79	18	1.8	3	< 1	1	1	2	4	6	8
80-84	7	1.9	1	< 1	< 1	1	3	4	4	4
85 +	3	6.3	85	1	1	1	13	17	17	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	25	4.5	10	< 1	2	4	5	10	11	12
70-74	30	4.2	5	2	2	4	5	8	9	9
75-79	17	5.3	12	2	2	4	6	11	13	14
80-84	22	3.6	6	< 1	1	3	5	7	9	10
85 +	9	4.8	11	1	1	6	6	9	11	11
B. Operated										
65-69 YRS	142	2.2	8	1	1	1	2	4	6	17
70-74	79	1.7	3	< 1	1	1	2	3	4	11
75-79	57	2.8	18	< 1	1	1	2	4	11	26
80-84	20	2.1	2	< 1	1	2	3	4	5	5
85 +	13	6.3	23	1	1	6	12	21	82	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.2	2	1	1	3	4	5	6	6
B. Operated	151	1.6	3	< 1	< 1	1	2	2	3	8
2. MULTIPLE DX										
A. Not Operated	103	4.4	8	1	2	4	6	9	10	13
B. Operated	311	2.3	10	1	1	1	2	4	9	20
1. SINGLE DX	171	1.8	3	< 1	1	1	2	3	4	8
2. MULTIPLE DX	414	2.8	10	1	1	2	3	6	10	16
A. Not Operated	123	4.2	7	1	2	4	5	8	10	13
B. Operated	462	2.1	7	< 1	1	1	2	4	7	16
TOTAL										
65-69 YRS	255	2.2	7	< 1	1	1	2	4	7	12
70-74	160	2.1	3	< 1	1	1	2	4	6	9
75-79	94	3.0	15	1	1	2	3	7	11	22
80-84	51	2.7	4	< 1	1	2	4	5	7	10
85 +	25	5.8	23	1	1	5	11	12	34	99 +
GRAND TOTAL	**585**	**2.5**	**8**	**< 1**	**1**	**2**	**3**	**5**	**8**	**15**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	9.0		9	9	9	9	9	9	9
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	19	9.1	174	1	2	3	10	19	42	59
70-74	13	7.5	17	3	3	7	10	14	15	15
75-79	9	7.7	28	1	2	6	10	16	19	19
80-84	9	7.7	34	3	4	6	7	18	22	22
85 +	4	26.5	608	11	11	16	41	63	63	63
B. Operated										
65-69 YRS	9	10.9	93	1	1	8	17	26	26	26
70-74	15	11.7	85	1	2	8	15	29	30	30
75-79	3	20.3	156	8	8	20	30	33	33	33
80-84	2	26.0	162	17	17	26	35	35	35	35
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	54	9.5	130	2	3	6	11	19	22	63
B. Operated	29	13.3	106	1	2	9	21	30	33	35
1. SINGLE DX	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX	83	10.9	124	2	2	7	13	24	31	62
A. Not Operated	54	9.5	130	2	3	6	11	19	22	63
B. Operated	30	13.2	103	1	2	9	20	29	33	35
TOTAL										
65-69 YRS	28	9.7	144	1	2	6	12	24	29	59
70-74	29	9.8	54	2	3	8	12	21	29	30
75-79	12	10.8	81	1	3	7	15	24	32	33
80-84	11	11.0	98	3	4	6	15	27	34	35
85 +	4	26.5	608	11	11	16	41	63	63	63
GRAND TOTAL	**84**	**10.8**	**122**	**2**	**2**	**7**	**13**	**24**	**31**	**62**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.7	4	< 1	< 1	2	4	5	5	5
70-74	1	9.0		9	9	9	9	9	9	9
75-79	3	6.3	16	2	2	7	9	10	10	10
80-84	4	5.8	7	2	2	6	7	8	8	8
85 +	0									
B. Operated										
65-69 YRS	32	5.5	36	< 1	1	2	10	15	18	20
70-74	23	6.0	61	< 1	1	2	11	16	22	31
75-79	12	3.2	9	1	1	2	4	8	11	11
80-84	6	2.7	3	1	1	2	3	6	6	6
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	139	7.3	54	1	2	5	8	15	21	38
70-74	174	7.3	37	1	2	6	9	14	20	35
75-79	163	7.7	51	2	3	6	9	13	18	38
80-84	120	7.4	30	2	3	6	9	14	16	31
85 +	105	8.9	69	3	3	6	10	16	26	51
B. Operated										
65-69 YRS	447	11.3	142	1	1	9	15	26	34	64
70-74	366	11.7	137	1	1	10	16	26	34	69
75-79	249	12.0	139	1	1	10	17	27	34	56
80-84	79	13.6	233	1	2	9	17	31	49	81
85 +	41	10.6	79	1	2	8	14	23	28	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.4	10	< 1	1	6	8	9	10	10
B. Operated	73	5.0	38	< 1	1	2	7	15	17	28
2. MULTIPLE DX										
A. Not Operated	701	7.6	47	2	3	6	9	14	20	36
B. Operated	1182	11.7	143	1	1	9	16	26	34	65
1. SINGLE DX	84	5.1	34	< 1	1	2	8	14	16	27
2. MULTIPLE DX	1883	10.2	112	1	2	7	14	22	31	56
A. Not Operated	712	7.6	47	2	2	6	9	14	20	36
B. Operated	1255	11.3	140	1	1	9	15	26	34	64
TOTAL										
65-69 YRS	621	10.1	120	1	1	7	14	22	31	60
70-74	564	10.1	108	1	1	8	14	22	31	55
75-79	427	10.1	106	1	1	7	14	22	31	54
80-84	209	9.6	115	2	2	6	11	19	30	54
85 +	146	9.3	72	3	3	7	11	18	27	44
GRAND TOTAL	**1967**	**10.0**	**109**	**1**	**2**	**7**	**13**	**22**	**31**	**55**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	97	3.4	5	1	2	3	4	5	8	14
70-74	90	3.3	4	1	1	3	4	6	8	10
75-79	67	4.0	10	1	1	3	5	8	12	15
80-84	43	3.2	4	1	1	3	4	5	7	11
85 +	25	3.3	6	< 1	1	3	4	5	9	12
B. Operated										
65-69 YRS	22	3.0	7	< 1	1	2	4	8	9	9
70-74	10	3.7	16	< 1	< 1	3	5	10	14	14
75-79	5	6.2	35	1	1	4	12	13	13	13
80-84	5	3.8	18	1	1	2	6	11	11	11
85 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1213	4.8	15	1	2	4	6	9	11	16
70-74	1055	5.3	21	1	2	4	7	10	12	22
75-79	906	5.2	19	1	2	4	6	10	13	24
80-84	675	5.6	28	1	2	4	7	11	14	21
85 +	419	6.1	43	1	2	5	7	11	15	38
B. Operated										
65-69 YRS	237	8.2	90	1	1	5	10	18	28	60
70-74	190	7.2	63	1	1	5	9	15	23	55
75-79	125	9.9	132	1	2	7	12	23	29	98
80-84	99	8.6	65	1	1	6	11	22	28	35
85 +	45	11.6	150	1	1	8	15	25	32	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	322	3.5	6	1	1	3	4	6	8	13
B. Operated	43	3.8	13	< 1	1	2	5	10	12	14
2. MULTIPLE DX										
A. Not Operated	4268	5.3	22	1	2	4	6	10	12	22
B. Operated	696	8.5	92	1	1	6	11	20	27	61
1. SINGLE DX	365	3.5	7	1	1	3	4	7	9	14
2. MULTIPLE DX	4964	5.7	33	1	2	4	7	11	15	32
A. Not Operated	4590	5.1	21	1	2	4	6	9	12	22
B. Operated	739	8.2	88	1	1	5	10	19	27	60
TOTAL										
65-69 YRS	1569	5.2	27	1	2	4	6	9	13	29
70-74	1345	5.4	27	1	2	4	7	10	13	26
75-79	1103	5.7	34	1	2	4	7	11	15	30
80-84	822	5.8	32	1	2	4	7	11	15	29
85 +	490	6.5	53	1	2	5	7	12	18	40
GRAND TOTAL	**5329**	**5.6**	**32**	**1**	**2**	**4**	**7**	**10**	**14**	**30**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	39	5.0	7	2	2	5	6	9	10	14
70-74	49	4.9	7	2	2	4	6	8	10	13
75-79	35	5.5	12	2	2	4	8	10	13	16
80-84	36	5.2	20	1	2	4	6	11	15	24
85 +	28	5.5	18	1	2	4	7	11	26	99 +
B. Operated										
65-69 YRS	10	4.0	11	1	1	3	5	9	11	11
70-74	12	4.0	12	1	1	2	6	10	11	11
75-79	2	4.0	8	2	2	4	6	6	6	6
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1011	7.0	24	2	3	6	9	13	16	25
70-74	1173	7.5	28	2	3	6	9	14	18	30
75-79	1244	7.7	36	2	3	6	9	14	18	35
80-84	1140	8.2	52	2	3	6	10	15	20	37
85 +	910	8.9	63	2	3	7	10	17	24	55
B. Operated										
65-69 YRS	221	10.7	131	1	2	8	13	21	36	60
70-74	223	11.7	152	1	2	9	15	21	32	94
75-79	162	13.2	106	2	4	11	17	26	34	52
80-84	119	17.7	242	2	4	13	22	40	53	72
85 +	59	14.1	110	3	5	11	20	29	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	5.2	12	2	2	4	6	9	12	23
B. Operated	25	4.1	10	1	1	2	6	9	11	11
2. MULTIPLE DX										
A. Not Operated	5478	7.8	40	2	3	6	9	14	19	35
B. Operated	784	12.8	152	1	2	10	16	27	37	74
1. SINGLE DX	212	5.0	12	1	2	4	6	9	11	23
2. MULTIPLE DX	6262	8.5	57	2	3	7	10	16	21	43
A. Not Operated	5665	7.8	40	2	3	6	9	14	18	34
B. Operated	809	12.5	150	1	2	10	16	26	37	73
TOTAL										
65-69 YRS	1281	7.6	44	2	2	6	9	14	18	36
70-74	1457	8.0	49	2	2	6	10	15	19	36
75-79	1443	8.3	46	2	3	6	10	15	19	38
80-84	1295	9.0	76	2	3	7	11	16	24	53
85 +	998	9.1	66	2	3	7	11	18	25	65
GRAND TOTAL	**6474**	**8.4**	**56**	**2**	**3**	**6**	**10**	**16**	**21**	**43**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.8	10	1	1	4	7	9	9	9
70-74	6	2.7	4	1	1	2	4	6	6	6
75-79	8	8.5	85	2	2	5	12	24	28	28
80-84	4	4.0	7	2	2	3	6	8	8	8
85 +	0									
B. Operated										
65-69 YRS	28	3.9	29	1	1	2	4	8	14	28
70-74	21	3.8	16	1	1	2	4	11	13	14
75-79	7	4.4	10	1	1	4	7	9	9	9
80-84	5	2.6	6	1	1	2	3	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	147	7.7	48	2	2	6	10	16	21	29
70-74	151	8.2	47	2	3	7	10	15	20	57
75-79	155	9.4	74	2	3	7	11	19	25	62
80-84	118	10.2	98	2	3	8	13	20	25	53
85 +	84	10.9	50	3	4	9	13	17	27	39
B. Operated										
65-69 YRS	265	9.8	93	1	2	7	13	22	28	56
70-74	219	10.5	115	1	2	8	13	23	29	53
75-79	158	11.3	136	1	2	8	15	28	35	63
80-84	85	14.9	206	2	4	10	19	32	39	83
85 +	21	17.4	406	3	3	12	18	37	71	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	5.4	37	1	1	3	7	10	20	28
B. Operated	61	3.8	20	1	1	2	5	9	12	26
2. MULTIPLE DX										
A. Not Operated	655	9.1	64	2	3	7	11	18	23	48
B. Operated	748	11.1	132	1	2	8	15	24	32	64
1. SINGLE DX	84	4.3	25	1	1	2	5	9	13	28
2. MULTIPLE DX	1403	10.2	101	2	2	7	13	[illegible]	28	56
A. Not Operated	678	8.9	63	2	3	7	11	18	23	46
B. Operated	809	10.6	128	1	2	7	14	23	32	60
TOTAL										
65-69 YRS	445	8.7	75	1	2	6	11	19	24	49
70-74	397	9.2	86	1	2	7	11	19	27	50
75-79	328	10.2	104	2	2	7	13	22	30	63
80-84	212	11.8	145	2	3	8	15	24	33	66
85 +	105	12.2	125	3	4	10	14	20	29	71
GRAND TOTAL	**1487**	**9.8**	**99**	**1**	**2**	**7**	**12**	**20**	**28**	**56**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	536	7.9	8	2	4	8	10	11	12	15
70-74	448	7.7	9	2	4	8	10	11	12	16
75-79	333	8.1	10	3	4	8	10	12	14	18
80-84	228	8.5	12	3	5	8	10	12	14	19
85 +	130	8.1	14	2	4	8	10	12	13	26
B. Operated										
65-69 YRS	156	7.8	12	2	4	8	10	12	14	18
70-74	107	8.6	25	2	4	8	11	13	17	29
75-79	40	9.6	18	3	5	9	12	14	18	22
80-84	13	9.9	12	7	7	9	11	14	19	20
85 +	2	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6827	9.5	24	4	5	9	11	14	17	28
70-74	7323	10.0	25	4	5	9	12	15	19	28
75-79	7350	10.3	29	4	5	9	12	16	20	31
80-84	5678	10.7	36	4	6	10	12	17	21	33
85 +	4226	11.1	47	4	5	10	13	18	23	40
B. Operated										
65-69 YRS	3275	12.3	75	4	5	10	14	22	29	55
70-74	2691	13.5	90	4	6	11	16	23	29	56
75-79	1743	15.3	107	5	7	13	18	27	36	62
80-84	871	16.0	106	6	7	14	20	28	35	64
85 +	451	17.5	175	6	7	14	20	32	47	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1675	8.0	10	3	4	8	10	12	13	17
B. Operated	318	8.4	17	2	4	8	10	13	15	22
2. MULTIPLE DX										
A. Not Operated	31404	10.2	31	4	5	9	12	16	20	32
B. Operated	9031	13.9	96	4	6	11	16	24	32	62
1. SINGLE DX	1993	8.1	11	3	4	8	10	12	13	18
2. MULTIPLE DX	40435	11.0	48	4	5	10	13	18	23	40
A. Not Operated	33079	10.1	30	4	5	9	12	16	19	31
B. Operated	9349	13.7	94	4	6	11	16	24	31	61
TOTAL										
65-69 YRS	10794	10.2	40	3	5	9	12	16	21	37
70-74	10569	10.7	44	4	5	9	12	17	22	37
75-79	9466	11.1	47	4	5	10	13	18	23	39
80-84	6790	11.3	47	4	6	10	13	18	23	39
85 +	4809	11.6	62	4	5	10	13	19	25	48
GRAND TOTAL	**42428**	**10.9**	**46**	**4**	**5**	**9**	**13**	**18**	**22**	**39**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	358	2.6	2	1	1	2	3	5	5	7
70-74	279	3.0	3	1	1	3	4	5	6	10
75-79	213	3.0	3	1	1	3	4	5	6	8
80-84	154	3.4	10	1	1	3	4	5	7	15
85 +	114	3.2	4	1	1	3	4	7	8	9
B. Operated										
65-69 YRS	144	2.4	7	1	1	2	3	5	7	9
70-74	80	2.1	7	1	1	1	2	4	5	17
75-79	43	2.5	5	1	1	2	2	5	8	11
80-84	11	2.1	2	< 1	< 1	2	3	4	5	5
85 +	2	21.0	648	3	3	21	39	39	39	39
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4897	3.9	8	1	2	3	5	7	8	13
70-74	5078	4.1	11	1	2	3	5	7	9	15
75-79	4701	4.2	9	1	2	4	5	7	9	15
80-84	3513	4.6	17	1	2	4	6	8	10	18
85 +	2541	4.7	20	1	2	4	6	8	11	19
B. Operated										
65-69 YRS	2790	4.9	30	1	1	3	7	11	14	26
70-74	1997	5.2	31	1	1	3	8	12	15	28
75-79	1076	6.3	49	1	1	4	9	14	19	30
80-84	376	7.4	59	1	1	6	10	16	21	54
85 +	149	8.7	47	1	2	7	11	17	22	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1118	3.0	4	1	1	3	4	5	6	9
B. Operated	280	2.5	11	1	1	2	2	5	7	18
2. MULTIPLE DX										
A. Not Operated	20730	4.3	12	1	2	3	5	7	9	15
B. Operated	6388	5.5	36	1	1	3	8	12	16	28
1. SINGLE DX	1398	2.9	5	1	1	2	4	5	6	9
2. MULTIPLE DX	27118	4.6	18	1	1	3	5	9	11	20
A. Not Operated	21848	4.2	12	1	2	3	5	7	9	15
B. Operated	6668	5.4	36	1	1	3	8	12	16	28
TOTAL										
65-69 YRS	8189	4.2	15	1	1	3	5	8	11	18
70-74	7434	4.4	17	1	1	3	5	9	11	20
75-79	6033	4.6	17	1	2	4	6	8	11	19
80-84	4054	4.8	22	1	2	4	6	9	11	22
85 +	2806	4.9	22	1	2	4	6	9	12	21
GRAND TOTAL	**28516**	**4.5**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES [illegible]	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	609	3.5	7	1	1	3	4	6	8	11
70-74	544	3.7	5	1	2	3	5	6	8	13
75-79	475	4.0	15	1	1	3	5	6	8	12
80-84	335	3.7	3	1	2	3	5	6	7	10
85 +	208	4.0	7	1	2	3	5	7	9	16
B. Operated										
65-69 YRS	172	4.3	12	1	1	3	6	9	12	16
70-74	138	5.2	35	1	1	3	7	11	14	34
75-79	85	4.9	16	1	1	4	7	10	12	20
80-84	28	6.6	27	1	2	5	8	13	18	24
85 +	9	6.0	10	1	2	7	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9222	4.8	10	2	2	4	6	8	10	16
70-74	9887	5.1	14	2	2	4	6	9	11	18
75-79	9308	5.4	15	2	2	4	7	9	12	20
80-84	7125	5.7	19	2	2	5	7	10	13	22
85 +	4877	6.0	25	2	2	5	7	10	14	23
B. Operated										
65-69 YRS	4764	8.4	57	1	2	7	11	16	20	39
70-74	4058	9.1	63	1	2	7	12	18	23	38
75-79	2580	10.1	77	1	2	8	13	20	26	47
80-84	1005	11.0	89	2	3	9	14	21	28	48
85 +	375	13.0	147	3	4	9	15	28	38	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2171	3.7	8	1	2	3	5	6	8	12
B. Operated	432	4.9	21	1	1	3	7	10	13	25
2. MULTIPLE DX										
A. Not Operated	40419	5.3	16	2	2	4	6	9	12	20
B. Operated	12782	9.3	69	1	2	8	12	18	23	43
1. SINGLE DX	2603	3.9	10	1	1	3	5	7	9	14
2. MULTIPLE DX	53201	6.3	32	2	2	5	8	12	16	28
A. Not Operated	42590	5.2	16	2	2	4	6	9	12	20
B. Operated	13214	9.2	68	1	2	7	12	18	23	43
TOTAL										
65-69 YRS	14767	5.9	28	1	2	4	7	11	15	26
70-74	14627	6.2	31	2	2	5	8	12	16	27
75-79	12448	6.3	31	2	2	5	8	12	16	29
80-84	8493	6.2	30	2	2	5	7	12	15	28
85 +	5469	6.4	36	2	2	5	7	11	15	31
GRAND TOTAL	**55804**	**6.2**	**31**	**2**	**2**	**5**	**7**	**12**	**15**	**28**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	36	3.2	10	< 1	1	3	4	4	10	18
70-74	48	3.8	7	1	1	3	5	6	11	12
75-79	19	4.8	10	1	2	4	6	9	12	14
80-84	17	5.5	23	1	2	4	5	13	18	20
85 +	9	5.2	19	1	1	5	8	12	14	14
B. Operated										
65-69 YRS	1204	3.9	17	1	1	2	5	10	12	19
70-74	771	4.0	17	1	1	2	5	10	13	17
75-79	328	3.9	15	1	1	2	5	11	13	16
80-84	77	4.7	19	1	1	3	7	11	14	19
85 +	11	6.1	40	< 1	< 1	3	10	16	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	756	4.5	14	1	1	4	6	8	10	19
70-74	777	4.9	15	1	1	4	6	9	12	20
75-79	739	5.4	20	1	2	4	7	10	12	22
80-84	568	6.1	32	1	2	5	7	11	15	29
85 +	454	6.3	27	2	2	5	8	13	16	28
B. Operated										
65-69 YRS	8570	7.0	57	1	1	5	10	15	20	36
70-74	6102	8.0	72	1	1	6	11	17	22	41
75-79	2798	9.1	94	1	1	7	12	19	25	51
80-84	674	10.1	98	1	2	8	14	22	27	47
85 +	148	9.8	58	1	2	9	15	21	23	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	4.1	11	1	1	3	5	8	11	18
B. Operated	2391	4.0	17	1	1	2	5	10	13	18
2. MULTIPLE DX										
A. Not Operated	3294	5.3	21	1	2	4	7	10	13	25
B. Operated	18292	7.8	70	1	1	6	11	17	22	40
1. SINGLE DX	2520	4.0	17	1	1	2	5	10	13	18
2. MULTIPLE DX	21586	7.4	63	1	1	5	10	16	21	39
A. Not Operated	3423	5.2	21	1	2	4	6	10	13	24
B. Operated	20683	7.4	65	1	1	5	10	16	21	39
TOTAL										
65-69 YRS	10566	6.5	51	1	1	4	9	14	18	33
70-74	7698	7.3	62	1	1	5	10	16	21	38
75-79	3884	7.9	77	1	1	5	11	17	22	43
80-84	1336	8.0	69	1	2	5	10	17	24	42
85 +	622	7.1	36	1	2	5	9	16	20	29
GRAND TOTAL	**24106**	**7.1**	**60**	**1**	**1**	**4**	**10**	**15**	**20**	**37**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	69	8.5	18	3	4	8	10	12	18	26
70-74	61	9.1	17	3	4	9	12	13	15	27
75-79	45	7.5	5	4	5	8	9	11	11	12
80-84	28	8.9	13	4	4	9	10	14	16	20
85 +	24	8.9	12	5	6	9	10	11	16	22
B. Operated										
65-69 YRS	14	8.3	12	2	4	8	11	13	14	14
70-74	11	7.8	9	< 1	3	9	10	11	11	11
75-79	6	7.2	13	1	1	7	9	12	12	12
80-84	5	9.6	1	8	8	10	10	11	11	11
85 +	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	844	10.4	21	5	6	10	12	16	19	24
70-74	838	10.6	27	5	6	10	12	16	19	32
75-79	815	11.1	33	5	6	10	13	18	21	33
80-84	600	11.8	44	5	6	10	14	19	22	33
85 +	462	11.9	38	5	6	11	14	19	22	36
B. Operated										
65-69 YRS	287	13.7	89	6	7	11	15	27	36	90
70-74	287	14.6	107	6	6	12	18	24	33	55
75-79	252	16.4	137	5	7	13	20	30	43	64
80-84	157	17.9	163	6	8	14	21	33	46	85
85 +	105	17.1	133	8	8	14	21	31	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	8.6	14	4	5	8	10	12	15	23
B. Operated	37	8.3	11	1	4	8	10	12	14	15
2. MULTIPLE DX										
A. Not Operated	3559	11.0	32	5	6	10	13	17	21	32
B. Operated	1088	15.5	122	6	7	12	18	29	41	74
1. SINGLE DX	264	8.5	14	3	5	8	10	12	14	22
2. MULTIPLE DX	4647	12.1	56	5	6	10	14	20	24	47
A. Not Operated	3786	10.9	31	5	6	10	13	17	21	32
B. Operated	1125	15.3	120	6	7	12	18	28	40	73
TOTAL										
65-69 YRS	1214	11.1	39	5	6	10	13	17	21	40
70-74	1197	11.5	49	5	6	10	13	18	22	43
75-79	1118	12.1	61	5	6	10	14	20	25	47
80-84	790	12.9	73	5	6	11	15	21	26	56
85 +	592	12.7	58	5	7	11	15	21	25	53
GRAND TOTAL	**4911**	**11.9**	**55**	**5**	**6**	**10**	**14**	**19**	**24**	**46**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	3	7.3		7	7	7	8	8	8	8
75-79	0									
80-84	3	10.0	57	3	3	9	16	18	18	18
85 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
65-69 YRS	1	20.0		20	20	20	20	20	20	20
70-74	0									
75-79	1	27.0		27	27	27	27	27	27	27
80-84	1	19.0		19	19	19	19	19	19	19
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	78	24.2	195	5	6	25	34	45	47	62
70-74	89	22.0	156	4	6	20	30	42	45	50
75-79	81	24.4	226	5	9	21	32	45	53	71
80-84	59	24.0	159	7	10	23	31	41	50	61
85 +	54	23.5	223	6	8	19	31	41	56	70
B. Operated										
65-69 YRS	50	31.0	369	6	9	29	45	55	68	86
70-74	64	30.1	273	7	11	29	40	53	64	76
75-79	48	28.8	236	8	9	27	39	51	55	99 +
80-84	33	29.4	209	10	12	31	36	56	58	99 +
85 +	12	29.4	263	9	11	35	45	66	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	9.1	22	3	4	8	11	17	18	18
B. Operated	3	22.0	19	19	19	20	25	27	27	27
2. MULTIPLE DX										
A. Not Operated	361	23.6	189	5	7	21	31	43	48	62
B. Operated	207	29.9	272	8	10	29	40	54	63	99 +
1. SINGLE DX	10	13.0	58	3	5	10	19	23	27	27
2. MULTIPLE DX	568	25.8	228	6	8	24	34	47	55	76
A. Not Operated	368	23.3	190	5	7	21	31	43	48	62
B. Operated	210	29.7	270	8	11	29	40	54	62	99 +
TOTAL										
65-69 YRS	129	26.8	270	5	7	26	36	48	55	75
70-74	156	25.1	222	5	7	23	32	45	50	73
75-79	130	26.0	230	7	9	23	34	47	53	90
80-84	96	25.4	184	8	10	24	32	46	56	82
85 +	67	24.4	230	7	8	20	34	49	57	95
GRAND TOTAL	**578**	**25.6**	**228**	**6**	**8**	**23**	**34**	**46**	**55**	**76**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	43	2.4	3	< 1	1	2	3	5	7	7
70-74	36	2.2	3	1	1	2	3	5	7	7
75-79	34	2.7	6	1	1	2	3	5	8	12
80-84	12	1.8	1	< 1	< 1	2	2	3	3	3
85 +	9	2.4	4	1	1	2	3	5	7	7
B. Operated										
65-69 YRS	4	2.0	4	< 1	< 1	1	3	5	5	5
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	548	3.9	11	1	1	3	5	7	9	20
70-74	526	4.1	8	1	1	3	5	8	10	14
75-79	508	4.4	11	1	1	4	5	8	11	17
80-84	376	5.1	26	1	2	4	6	8	11	27
85 +	281	5.9	36	1	2	5	7	11	13	23
B. Operated										
65-69 YRS	34	7.5	58	1	2	5	7	16	29	32
70-74	37	9.3	72	1	2	8	11	19	22	47
75-79	43	8.1	34	2	2	6	11	18	22	99 +
80-84	24	7.8	25	2	3	7	11	19	41	99 +
85 +	18	9.6	21	3	4	9	13	16	19	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	2.4	3	1	1	2	3	5	7	9
B. Operated	5	2.2	3	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	2239	4.5	16	1	1	4	6	8	11	19
B. Operated	156	8.4	45	2	2	7	11	18	22	95
1. SINGLE DX	139	2.4	3	1	1	2	3	5	7	9
2. MULTIPLE DX	2395	4.8	19	1	1	4	6	9	12	22
A. Not Operated	2373	4.4	16	1	1	3	5	8	11	18
B. Operated	161	8.2	45	1	2	6	11	17	22	93
TOTAL										
65-69 YRS	629	4.0	14	1	1	3	5	7	9	25
70-74	599	4.3	14	1	1	3	5	8	10	18
75-79	586	4.6	13	1	1	4	6	9	12	18
80-84	412	5.1	26	1	2	4	6	9	12	32
85 +	308	6.0	35	1	2	5	7	11	14	23
GRAND TOTAL	**2534**	**4.6**	**19**	**1**	**1**	**4**	**6**	**9**	**11**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	372	2.4	3	<1	<1	2	3	5	6	8
70-74	297	2.5	3	<1	1	2	3	5	6	8
75-79	235	2.9	8	<1	1	2	4	6	7	10
80-84	131	3.1	7	<1	1	2	4	6	7	17
85 +	100	3.9	10	1	1	3	5	9	11	15
B. Operated										
65-69 YRS	13	2.7	8	<1	<1	1	3	8	9	9
70-74	10	3.5	13	<1	<1	1	8	9	9	9
75-79	10	6.8	43	1	1	5	11	17	22	22
80-84	2	4.5	1	4	4	4	5	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3940	4.3	12	1	1	3	5	8	11	18
70-74	4358	4.8	18	1	1	4	6	9	12	21
75-79	4191	5.4	23	1	2	4	7	10	13	23
80-84	3216	5.9	32	1	2	5	7	11	14	27
85 +	2582	6.4	37	1	2	5	8	12	16	32
B. Operated										
65-69 YRS	402	8.1	63	1	2	6	10	16	21	42
70-74	458	9.9	102	1	2	7	12	19	30	63
75-79	409	10.5	86	2	3	8	14	21	26	46
80-84	328	12.7	152	2	3	9	15	27	40	95
85 +	295	12.8	151	2	3	9	15	28	38	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1135	2.8	5	<1	1	2	3	5	7	10
B. Operated	35	4.2	20	<1	1	2	7	9	11	22
2. MULTIPLE DX										
A. Not Operated	18287	5.3	24	1	2	4	7	10	13	23
B. Operated	1892	10.6	109	2	2	8	13	21	31	62
1. SINGLE DX	1170	2.8	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	20179	5.8	34	1	2	4	7	11	15	29
A. Not Operated	19422	5.1	23	1	1	4	6	10	13	23
B. Operated	1927	10.5	108	1	2	8	13	21	31	61
TOTAL										
65-69 YRS	4727	4.5	17	1	1	3	6	9	12	20
70-74	5123	5.1	27	1	1	4	6	10	13	25
75-79	4845	5.7	30	1	2	4	7	11	15	26
80-84	3677	6.4	46	1	2	5	8	12	16	36
85 +	2977	7.0	51	1	2	5	8	13	18	40
GRAND TOTAL	**21349**	**5.6**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	224	3.5	9	1	1	3	5	7	8	14
70-74	209	3.6	8	1	1	3	4	7	9	15
75-79	175	4.0	8	1	1	3	5	7	9	13
80-84	138	3.5	8	1	1	3	4	7	8	17
85 +	98	4.0	9	1	1	3	5	7	9	17
B. Operated										
65-69 YRS	106	4.0	12	1	1	3	5	8	12	19
70-74	149	4.5	14	1	1	3	6	9	11	22
75-79	132	4.1	11	1	1	3	5	7	11	18
80-84	120	4.3	13	1	1	3	5	8	12	18
85 +	117	4.9	13	1	1	4	7	9	12	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4167	5.1	18	1	2	4	6	9	12	21
70-74	4638	5.3	17	1	2	4	7	10	13	22
75-79	4505	5.7	20	1	2	5	7	10	14	22
80-84	3523	6.1	31	1	2	5	7	11	14	30
85 +	2975	6.6	34	2	2	5	8	13	16	28
B. Operated										
65-69 YRS	1824	8.0	61	1	2	6	10	16	22	45
70-74	2392	8.2	53	2	2	6	10	15	21	39
75-79	2649	8.4	62	2	3	6	10	15	20	42
80-84	2210	8.6	57	2	3	7	10	16	21	38
85 +	2081	9.3	67	2	3	7	11	17	23	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	844	3.7	8	1	1	3	5	7	9	15
B. Operated	624	4.4	13	1	1	3	5	8	12	19
2. MULTIPLE DX										
A. Not Operated	19808	5.7	23	1	2	4	7	10	14	24
B. Operated	11156	8.5	60	2	2	7	10	16	21	41
1. SINGLE DX	1468	4.0	10	1	1	3	5	8	10	17
2. MULTIPLE DX	30964	6.7	38	2	2	5	8	13	17	32
A. Not Operated	20652	5.6	23	1	2	4	7	10	14	24
B. Operated	11780	8.3	58	2	2	6	10	16	21	40
TOTAL										
65-69 YRS	6321	5.9	32	1	2	4	7	11	15	30
70-74	7388	6.2	30	1	2	5	8	12	15	29
75-79	7461	6.6	36	2	2	5	8	12	16	28
80-84	5991	6.9	42	2	2	5	8	13	18	35
85 +	5271	7.6	48	2	2	6	9	14	19	37
GRAND TOTAL	**32432**	**6.6**	**37**	**1**	**2**	**5**	**8**	**13**	**16**	**31**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	187	4.9	16	1	2	4	6	9	12	22
70-74	246	5.7	26	1	2	4	7	12	14	26
75-79	310	5.0	10	1	2	4	7	9	11	16
80-84	306	5.4	16	2	2	4	7	10	12	23
85 +	424	5.1	11	1	2	4	6	9	11	18
B. Operated										
65-69 YRS	7	3.0	6	< 1	< 1	2	5	7	7	7
70-74	13	6.7	61	1	1	4	8	20	26	27
75-79	4	5.0	11	1	1	5	7	9	9	9
80-84	3	4.7	1	4	4	4	6	6	6	6
85 +	8	9.0	35	4	4	7	11	19	22	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12144	7.5	33	2	3	6	9	14	17	29
70-74	15733	7.6	35	2	3	6	9	14	18	31
75-79	17277	7.8	40	2	3	6	10	14	19	33
80-84	15926	8.1	45	2	3	6	10	15	19	34
85 +	16837	8.5	53	2	3	7	10	16	21	39
B. Operated										
65-69 YRS	1880	13.0	118	2	3	10	17	25	33	67
70-74	2073	13.7	125	3	4	11	17	26	36	65
75-79	1942	14.7	131	3	5	12	18	29	39	75
80-84	1572	14.9	134	3	5	12	19	28	39	90
85 +	1416	15.5	153	4	5	12	19	30	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1473	5.2	15	1	2	4	7	9	12	20
B. Operated	35	6.1	35	1	1	5	7	12	21	27
2. MULTIPLE DX										
A. Not Operated	77917	7.9	42	2	3	6	10	15	19	34
B. Operated	8883	14.3	131	3	4	11	18	28	37	78
1. SINGLE DX	1508	5.2	16	1	2	4	7	9	12	21
2. MULTIPLE DX	86800	8.6	55	2	3	7	10	16	21	40
A. Not Operated	79390	7.9	41	2	3	6	10	14	19	33
B. Operated	8918	14.2	131	3	4	11	18	28	37	78
TOTAL										
65-69 YRS	14218	8.2	48	2	3	6	10	15	20	36
70-74	18065	8.2	49	2	3	6	10	15	21	37
75-79	19533	8.5	53	2	3	7	10	16	21	39
80-84	17807	8.7	56	2	3	7	10	16	21	42
85 +	18685	9.0	63	2	3	7	11	17	23	46
GRAND TOTAL	**88308**	**8.5**	**54**	**2**	**3**	**7**	**10**	**16**	**21**	**40**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	76	4.4	18	< 1	< 1	3	6	9	13	24
70-74	55	4.1	8	1	2	3	5	8	11	14
75-79	33	5.5	24	1	2	4	6	13	19	21
80-84	19	3.6	4	1	1	3	5	7	8	8
85 +	17	4.0	6	< 1	1	3	5	8	9	10
B. Operated										
65-69 YRS	182	4.0	19	1	1	2	6	11	13	17
70-74	121	4.2	22	1	1	2	6	12	15	19
75-79	87	5.1	33	< 1	1	2	8	13	16	26
80-84	31	2.6	5	1	1	2	4	5	8	10
85 +	16	5.8	24	1	1	5	8	13	17	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1664	7.0	37	2	2	5	9	13	17	28
70-74	1542	7.6	37	2	2	6	10	14	18	32
75-79	1267	7.8	48	2	2	6	10	15	19	34
80-84	842	7.8	34	2	2	6	10	16	19	29
85 +	616	8.2	57	2	2	6	10	16	22	45
B. Operated										
65-69 YRS	1584	9.4	99	1	1	8	12	19	26	54
70-74	1473	9.6	84	1	1	8	13	20	26	44
75-79	1163	11.1	126	1	1	8	15	24	32	57
80-84	553	10.5	110	1	2	8	14	23	30	62
85 +	216	11.4	90	1	2	9	16	24	30	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	200	4.4	14	< 1	1	3	5	8	12	20
B. Operated	437	4.2	22	1	1	2	6	12	14	20
2. MULTIPLE DX										
A. Not Operated	5931	7.6	41	2	2	6	9	15	19	3[illegible]
B. Operated	4989	10.1	102	1	1	8	14	21	28	5[illegible]
1. SINGLE DX	637	4.3	20	1	1	2	6	11	14	20
2. MULTIPLE DX	10920	8.7	70	1	2	7	11	18	24	44
A. Not Operated	6131	7.5	41	2	2	6	9	14	19	31
B. Operated	5426	9.6	98	1	1	8	13	21	27	50
TOTAL										
65-69 YRS	3506	7.8	66	1	1	6	10	16	21	42
70-74	3191	8.4	60	1	2	7	11	17	22	41
75-79	2550	9.2	86	1	2	7	12	20	26	50
80-84	1445	8.7	65	1	2	7	11	18	23	41
85 +	865	8.9	66	2	2	7	11	18	25	43
GRAND TOTAL	**11557**	**8.5**	**69**	**1**	**2**	**6**	**11**	**17**	**23**	**43**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	53	5.7	37	1	1	4	7	10	13	39
70-74	43	6.8	61	2	2	5	7	14	17	49
75-79	63	10.3	231	2	2	6	9	21	43	89
80-84	57	7.6	84	2	2	5	8	15	22	57
85 +	55	6.8	47	1	2	4	8	15	20	38
B. Operated										
65-69 YRS	37	4.8	45	1	1	2	6	12	16	37
70-74	35	6.6	58	1	1	4	9	13	16	42
75-79	36	6.6	57	1	1	5	8	11	23	39
80-84	7	6.3	13	2	2	6	8	12	13	13
85 +	4	6.0	6	3	3	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	271	7.6	99	1	2	5	8	14	23	55
B. Operated	119	6.0	49	1	1	3	8	12	17	40
1. SINGLE DX	3	2.3	5	< 1	< 1	1	4	5	5	5
2. MULTIPLE DX	390	7.1	84	1	2	5	8	14	20	49
A. Not Operated	273	7.5	98	1	2	5	8	14	22	55
B. Operated	120	6.0	48	1	1	3	8	12	16	40
TOTAL										
65-69 YRS	91	5.3	40	1	1	4	6	10	13	39
70-74	78	6.7	59	1	2	4	9	13	17	47
75-79	100	8.9	168	1	2	6	9	17	38	75
80-84	64	7.5	76	2	2	5	8	14	19	55
85 +	60	6.6	44	1	1	4	8	15	19	37
GRAND TOTAL	**393**	**7.1**	**84**	**1**	**2**	**5**	**8**	**14**	**20**	**49**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.6	20	1	1	4	7	12	12	12
70-74	2	5.5	41	1	1	5	10	10	10	10
75-79	2	13.0	98	6	6	13	20	20	20	20
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	2	6.5	41	2	2	6	11	11	11	11
B. Operated										
65-69 YRS	12	20.4	142	6	7	21	26	37	46	47
70-74	8	16.4	88	2	4	15	23	29	31	31
75-79	4	25.3	687	7	7	15	43	63	63	63
80-84	1	12.0		12	12	12	12	12	12	12
85 +	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	13.8	267	< 1	1	12	17	42	84	99 +
70-74	29	15.1	252	1	1	13	21	26	34	84
75-79	36	14.6	179	1	2	11	20	30	42	59
80-84	26	14.8	214	1	3	10	20	31	48	63
85 +	41	20.0	328	4	5	16	24	34	59	97
B. Operated										
65-69 YRS	96	22.1	179	6	7	19	30	43	51	99 +
70-74	68	26.3	295	6	9	25	33	48	58	89
75-79	45	31.2	399	8	11	27	47	60	85	99 +
80-84	14	36.4	765	12	15	22	61	77	93	98
85 +	8	27.5	110	13	14	29	38	77	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	6.2	36	< 1	< 1	4	10	14	19	20
B. Operated	26	19.8	182	5	7	18	25	33	50	63
2. MULTIPLE DX										
A. Not Operated	154	16.0	250	1	2	13	20	32	49	96
B. Operated	231	26.2	301	7	9	22	34	50	65	99 +
1. SINGLE DX	38	15.5	174	1	1	11	23	30	41	63
2. MULTIPLE DX	385	22.1	305	2	5	18	30	47	61	99 +
A. Not Operated	166	15.3	241	1	1	12	20	32	45	95
B. Operated	257	25.5	292	6	8	21	33	50	62	99 +
TOTAL										
65-69 YRS	135	19.9	199	2	5	17	29	42	51	99 +
70-74	107	22.2	292	2	4	20	30	46	53	87
75-79	87	23.6	368	2	5	19	33	52	62	97
80-84	42	21.6	490	1	3	16	26	62	72	98
85 +	52	20.7	289	4	5	16	29	38	66	99 +
GRAND TOTAL	**423**	**21.5**	**296**	**2**	**5**	**18**	**30**	**47**	**61**	**99 +**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	28.0		28	28	28	28	28	28	28
70-74	4	15.5	274	< 1	< 1	14	54	99 +	99 +	99 +
75-79	4	12.5	50	6	6	12	18	20	20	20
80-84	6	14.2	76	5	5	12	22	26	27	27
85 +	4	12.0	51	5	5	11	18	20	20	20
B. Operated										
65-69 YRS	15	34.1	361	15	19	26	58	73	92	99 +
70-74	11	30.2	70	19	20	27	36	42	44	44
75-79	6	33.5	349	12	13	29	36	65	68	68
80-84	1	81.0		81	81	81	81	81	81	81
85 +	1	46.0		46	46	46	46	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	19	14.4	96	2	5	14	21	33	69	99 +
B. Operated	34	34.4	303	15	19	28	43	68	79	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	53	27.2	320	5	7	25	36	61	79	99 +
A. Not Operated	19	14.4	96	2	5	14	21	33	69	99 +
B. Operated	34	34.4	303	15	19	28	43	68	79	99 +
TOTAL										
65-69 YRS	16	33.7	339	16	19	27	57	71	91	99 +
70-74	15	26.3	154	2	9	26	37	44	83	99 +
75-79	10	25.1	328	6	6	23	30	52	68	68
80-84	7	23.7	701	5	5	14	26	70	81	81
85 +	5	18.8	270	5	5	16	26	46	46	46
GRAND TOTAL	**53**	**27.2**	**320**	**5**	**7**	**25**	**36**	**61**	**79**	**99 +**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	8.3	120	1	2	6	8	14	35	51
70-74	38	8.4	44	2	2	7	12	17	19	34
75-79	42	7.4	20	1	2	7	9	15	17	18
80-84	24	7.7	30	1	1	6	11	16	19	20
85 +	30	9.1	39	3	3	7	11	19	24	28
B. Operated										
65-69 YRS	43	7.4	15	1	2	7	9	11	15	19
70-74	46	8.7	32	3	3	7	11	13	22	29
75-79	37	11.9	78	3	5	9	14	20	35	42
80-84	31	9.9	50	3	4	8	11	19	29	33
85 +	21	9.4	24	2	3	9	12	16	18	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	313	12.0	98	3	4	9	15	24	32	47
70-74	401	11.8	91	3	4	9	14	24	31	52
75-79	412	12.0	118	2	3	10	15	22	29	47
80-84	369	13.2	89	4	4	11	16	26	31	52
85 +	379	13.6	163	3	5	10	16	27	35	78
B. Operated										
65-69 YRS	211	18.7	248	4	5	14	22	42	57	83
70-74	241	21.0	301	5	6	15	26	48	61	89
75-79	223	19.4	224	5	7	15	24	39	49	97
80-84	171	19.6	238	5	7	16	24	45	69	99 +
85 +	120	20.9	259	6	8	15	30	54	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	8.1	43	1	2	6	10	16	19	34
B. Operated	178	9.4	41	2	3	8	11	17	21	39
2. MULTIPLE DX										
A. Not Operated	1874	12.5	113	3	4	10	15	25	33	53
B. Operated	966	19.9	255	5	6	15	25	45	59	99 +
1. SINGLE DX	331	8.8	42	2	3	7	11	17	20	35
2. MULTIPLE DX	2840	15.0	173	3	4	11	19	31	43	87
A. Not Operated	2027	12.2	109	3	4	9	15	24	31	52
B. Operated	1144	18.2	236	4	6	14	23	42	57	99 +
TOTAL										
65-69 YRS	586	13.9	160	3	4	10	17	28	41	64
70-74	726	14.5	176	3	4	10	18	30	44	82
75-79	714	14.1	157	3	4	11	18	28	39	87
80-84	595	14.7	139	4	5	12	19	30	41	96
85 +	550	14.8	184	3	5	11	18	32	45	94
GRAND TOTAL	**3171**	**14.4**	**163**	**3**	**4**	**11**	**18**	**29**	**42**	**85**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	96	15.2	240	3	4	10	17	34	43	90
70-74	164	13.4	124	3	4	11	17	23	29	62
75-79	155	15.1	146	3	5	12	18	27	45	76
80-84	159	15.7	157	3	5	12	21	33	43	69
85 +	150	16.7	210	4	5	12	20	36	48	67
B. Operated										
65-69 YRS	52	24.6	299	7	9	20	36	55	67	99 +
70-74	60	24.4	224	7	10	21	37	57	77	99 +
75-79	47	26.9	347	6	7	21	43	55	66	99 +
80-84	53	27.1	304	9	10	25	34	58	83	99 +
85 +	30	22.1	304	4	7	16	27	47	68	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	724	15.2	170	4	5	11	18	30	43	71
B. Operated	242	25.2	289	7	9	21	36	55	73	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	966	17.7	218	4	5	13	22	39	54	88
A. Not Operated	724	15.2	170	4	5	11	18	30	43	71
B. Operated	242	25.2	289	7	9	21	36	55	73	99 +
TOTAL										
65-69 YRS	148	18.5	279	4	5	13	23	40	55	96
70-74	224	16.4	174	4	5	13	21	37	48	99 +
75-79	202	17.8	217	4	6	13	22	42	55	87
80-84	212	18.6	217	4	6	14	25	39	50	90
85 +	180	17.6	228	4	5	13	21	37	52	71
GRAND TOTAL	**966**	**17.7**	**218**	**4**	**5**	**13**	**22**	**39**	**54**	**88**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	3.6	7	< 1	1	3	5	8	9	9
70-74	22	2.5	4	< 1	1	2	3	6	7	9
75-79	25	3.4	6	< 1	1	3	6	6	7	10
80-84	11	2.9	4	1	1	2	4	6	7	7
85 +	9	3.7	2	2	2	4	5	6	6	6
B. Operated										
65-69 YRS	533	4.0	6	1	1	4	5	7	9	13
70-74	531	4.3	8	1	1	4	5	8	9	14
75-79	400	4.4	8	1	1	4	6	8	9	14
80-84	159	4.1	8	1	1	4	5	7	9	17
85 +	59	4.7	32	1	1	4	5	8	12	38
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	273	5.6	26	1	1	4	7	10	14	21
70-74	285	5.8	27	1	2	5	7	11	15	30
75-79	349	6.5	32	1	2	5	8	13	18	37
80-84	246	8.0	135	2	2	5	8	13	21	76
85 +	210	7.9	77	2	2	6	8	14	20	50
B. Operated										
65-69 YRS	2840	6.2	27	1	2	5	8	12	15	26
70-74	3039	6.6	34	1	2	5	8	12	16	30
75-79	2379	6.9	38	1	2	5	8	13	16	31
80-84	1064	7.6	58	1	2	6	9	15	19	40
85 +	314	7.6	41	1	2	6	9	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	3.2	5	< 1	1	2	5	6	8	10
B. Operated	1682	4.2	8	1	1	4	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	1363	6.7	56	1	2	5	8	12	16	40
B. Operated	9636	6.7	36	1	2	5	8	13	16	29
1. SINGLE DX	1775	4.2	8	1	1	4	5	7	9	14
2. MULTIPLE DX	10999	6.7	39	1	2	5	8	13	16	31
A. Not Operated	1456	6.4	54	1	2	5	7	11	16	37
B. Operated	11318	6.3	33	1	2	5	8	12	16	28
TOTAL										
65-69 YRS	3672	5.9	24	1	2	5	7	11	15	23
70-74	3877	6.2	31	1	2	5	7	12	15	28
75-79	3153	6.5	34	1	2	5	8	12	16	29
80-84	1480	7.3	66	1	2	5	8	14	18	42
85 +	592	7.4	53	2	2	5	8	15	19	38
GRAND TOTAL	**12774**	**6.3**	**35**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	7.7	20	2	3	7	11	14	17	18
70-74	37	10.9	97	1	2	8	13	22	36	44
75-79	35	8.5	25	3	4	8	11	13	15	29
80-84	28	8.5	53	2	2	5	12	20	23	28
85 +	19	8.7	24	4	4	6	12	15	18	21
B. Operated										
65-69 YRS	153	9.1	56	2	3	7	11	17	23	38
70-74	164	10.2	122	2	3	7	13	20	28	70
75-79	124	10.0	64	3	3	8	12	19	29	40
80-84	50	10.9	95	2	3	9	14	19	24	61
85 +	9	13.0	40	3	4	13	18	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	142	9.0	48	2	3	7	12	18	22	41
B. Operated	500	9.9	83	2	3	7	12	19	27	48
1. SINGLE DX	0									
2. MULTIPLE DX	642	9.7	75	2	3	7	12	19	26	44
A. Not Operated	142	9.0	48	2	3	7	12	18	22	41
B. Operated	500	9.9	83	2	3	7	12	19	27	48
TOTAL										
65-69 YRS	176	8.9	51	2	3	7	11	16	20	38
70-74	201	10.3	117	2	3	7	13	20	28	66
75-79	159	9.7	56	3	3	8	11	18	28	39
80-84	78	10.1	81	2	3	8	13	20	24	54
85 +	28	10.1	32	4	4	10	14	20	21	21
GRAND TOTAL	**642**	**9.7**	**75**	**2**	**3**	**7**	**12**	**19**	**26**	**44**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	153	6.8	35	2	2	5	8	13	20	35
70-74	188	6.3	22	2	2	5	8	11	14	28
75-79	195	7.9	73	2	2	6	9	13	16	51
80-84	156	7.7	20	3	3	7	9	14	18	94
85 +	152	8.1	36	2	3	7	10	15	18	36
B. Operated										
65-69 YRS	32	6.7	80	1	1	5	8	11	17	51
70-74	23	6.8	38	1	2	5	8	14	20	28
75-79	11	7.4	35	2	2	4	11	17	20	20
80-84	7	8.6	59	1	2	5	13	21	23	23
85 +	4	9.3	47	3	3	8	15	17	17	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2974	9.0	60	2	3	7	11	16	23	42
70-74	3841	9.9	85	2	3	7	12	19	26	55
75-79	4456	10.3	79	3	3	8	13	20	27	57
80-84	4010	11.0	101	3	3	8	13	22	31	63
85 +	3694	11.3	93	3	4	9	14	22	30	68
B. Operated										
65-69 YRS	633	14.9	167	2	4	11	20	36	49	99 +
70-74	726	16.6	242	3	4	12	21	42	59	99 +
75-79	691	18.2	302	3	4	12	23	48	70	99 +
80-84	516	21.4	304	4	6	17	29	54	75	99 +
85 +	424	23.3	316	5	8	18	32	55	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	844	7.4	39	2	2	6	9	13	18	36
B. Operated	77	7.1	55	1	2	5	9	15	19	45
2. MULTIPLE DX										
A. Not Operated	18975	10.4	85	3	3	8	12	20	28	58
B. Operated	2990	18.4	269	3	5	13	24	45	67	99 +
1. SINGLE DX	921	7.3	40	2	2	6	9	13	18	36
2. MULTIPLE DX	21965	11.4	118	3	3	8	14	23	34	76
A. Not Operated	19819	10.2	84	3	3	8	12	20	27	57
B. Operated	3067	18.1	267	3	4	13	24	45	65	99 +
TOTAL										
65-69 YRS	3792	9.9	82	2	3	7	12	19	28	58
70-74	4778	10.8	113	2	3	8	13	22	31	74
75-79	5353	11.2	115	3	3	8	13	22	33	74
80-84	4689	12.0	131	3	4	9	14	25	36	85
85 +	4274	12.3	127	3	4	9	15	25	37	79
GRAND TOTAL	**22886**	**11.3**	**115**	**3**	**3**	**8**	**13**	**23**	**33**	**75**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1444	11.4	94	3	4	9	14	22	31	54
70-74	1751	12.2	106	3	4	9	14	24	33	63
75-79	2056	12.8	114	3	4	10	15	24	33	66
80-84	1803	12.8	112	3	4	10	15	25	34	74
85 +	1781	13.3	128	3	4	10	16	25	37	64
B. Operated										
65-69 YRS	251	19.5	351	4	5	13	25	53	76	99 +
70-74	290	20.3	330	4	5	14	27	50	75	99 +
75-79	288	21.8	278	5	7	16	30	49	62	99 +
80-84	210	21.0	280	6	7	17	30	53	89	99 +
85 +	201	23.9	331	6	8	18	33	64	92	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8835	12.5	112	3	4	10	15	24	34	65
B. Operated	1240	21.2	315	5	6	16	29	53	76	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	10075	13.6	145	3	4	10	16	28	39	85
A. Not Operated	8835	12.5	112	3	4	10	15	24	34	65
B. Operated	1240	21.2	315	5	6	16	29	53	76	99 +
TOTAL										
65-69 YRS	1695	12.6	140	3	4	9	15	25	36	80
70-74	2041	13.3	146	3	4	10	16	28	39	80
75-79	2344	13.9	143	3	5	10	16	27	38	73
80-84	2013	13.7	136	3	5	10	17	28	39	99 +
85 +	1982	14.3	159	3	5	11	17	29	42	90
GRAND TOTAL	**10075**	**13.6**	**145**	**3**	**4**	**10**	**16**	**28**	**39**	**85**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	281	3.2	6	1	1	3	4	6	7	12
70-74	304	3.4	6	1	1	3	4	6	8	14
75-79	264	3.5	4	1	1	3	5	7	7	10
80-84	254	3.5	6	1	1	3	5	6	7	13
85 +	250	3.4	5	1	1	3	5	6	7	13
B. Operated										
65-69 YRS	91	3.6	12	1	1	3	4	7	9	20
70-74	82	3.3	8	1	1	2	5	7	9	14
75-79	57	3.3	7	1	1	2	4	7	8	15
80-84	31	2.8	5	1	1	2	4	6	7	11
85 +	12	2.8	3	< 1	1	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3060	4.7	13	1	2	4	6	8	11	17
70-74	3979	5.2	19	1	2	4	6	9	12	20
75-79	4717	5.5	29	1	2	4	7	10	13	24
80-84	4578	6.1	31	2	2	5	7	11	15	33
85 +	4774	6.5	53	2	2	5	7	12	17	48
B. Operated										
65-69 YRS	774	6.7	38	1	2	5	8	13	16	32
70-74	845	7.3	45	1	2	6	9	14	19	38
75-79	745	8.9	74	2	2	7	11	17	25	48
80-84	519	9.9	119	2	2	7	12	19	27	87
85 +	368	12.6	168	2	3	8	15	31	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1353	3.4	6	1	1	3	4	6	8	12
B. Operated	273	3.3	9	1	1	2	4	7	8	15
2. MULTIPLE DX										
A. Not Operated	21108	5.7	31	1	2	4	7	10	14	30
B. Operated	3251	8.5	79	1	2	6	10	16	24	56
1. SINGLE DX	1626	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX	24359	6.1	38	1	2	5	7	11	15	35
A. Not Operated	22461	5.6	30	1	2	4	7	10	13	29
B. Operated	3524	8.1	76	1	2	6	10	16	23	53
TOTAL										
65-69 YRS	4206	4.9	18	1	2	4	6	9	12	21
70-74	5210	5.4	23	1	2	4	7	10	13	22
75-79	5783	5.8	35	1	2	4	7	11	14	30
80-84	5382	6.3	40	1	2	5	7	12	16	38
85 +	5404	6.8	61	2	2	5	8	13	19	55
GRAND TOTAL	**25985**	**5.9**	**37**	**1**	**2**	**4**	**7**	**11**	**15**	**34**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	101	6.8	55	1	2	5	8	12	15	49
70-74	108	5.6	17	1	2	5	7	11	14	23
75-79	140	6.8	72	1	2	5	8	11	16	29
80-84	145	7.7	32	2	2	7	10	13	15	35
85 +	155	7.5	33	2	3	6	10	13	16	22
B. Operated										
65-69 YRS	10	4.8	9	< 1	1	4	7	9	11	11
70-74	10	7.6	32	2	3	5	9	17	20	20
75-79	20	6.8	52	< 1	1	5	8	15	25	31
80-84	8	12.5	179	4	4	5	21	34	34	34
85 +	6	25.2	1064	3	3	10	30	83	89	89
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1107	8.0	51	2	3	6	10	15	20	44
70-74	1602	8.6	60	2	3	7	10	16	23	50
75-79	1943	9.0	66	2	3	7	11	16	23	48
80-84	1964	9.4	78	2	3	7	11	18	25	52
85 +	2224	9.5	3	2	3	7	11	17	23	59
B. Operated										
65-69 YRS	201	13.0	166	3	3	9	16	30	44	85
70-74	239	11.9	92	2	3	9	16	27	34	99 +
75-79	281	16.6	247	3	5	11	20	41	54	99 +
80-84	217	16.1	164	4	4	12	22	38	45	99 +
85 +	185	17.5	213	4	5	13	24	38	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	649	6.9	42	2	2	6	9	12	15	29
B. Operated	54	9.4	186	1	[illegible]	5	9	21	33	87
2. MULTIPLE DX										
A. Not Operated	8840	9.0	68	2		7	11	17	23	50
B. Operated	1123	15.0	182	3	4	11	19	36	48	99 +
1. SINGLE DX	703	7.1	54	1	2	6	9	12	16	35
2. MULTIPLE DX	9963	9.7	84	2	3	7	11	18	27	60
A. Not Operated	9489	8.9	66	2	3	7	11	16	23	50
B. Operated	1177	14.7	183	3	4	10	19	34	48	99 +
TOTAL										
65-69 YRS	1419	8.6	70	2	3	6	10	16	24	54
70-74	1959	8.8	63	2	3	7	11	17	24	50
75-79	2384	9.7	94	2	3		11	18	27	61
80-84	2334	9.9	88	2	3		12	19	28	58
85 +	2570	10.0	87	2	3		[illegible]	19	26	66
GRAND TOTAL	**10666**	**9.5**	**82**	**2**	**3**			**18**	**26**	**59**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	454	9.2	67	2	3	7	11	17	22	36
70-74	624	9.5	64	3	3	7	11	16	24	39
75-79	770	10.3	79	3	3	8	12	18	25	52
80-84	723	10.7	86	3	4	8	13	19	25	67
85 +	788	10.6	76	3	4	9	13	19	28	63
B. Operated										
65-69 YRS	70	18.4	285	4	4	11	26	39	63	96
70-74	87	15.5	217	3	4	11	17	33	43	81
75-79	98	15.2	113	4	5	11	20	32	36	49
80-84	66	18.8	217	4	6	15	27	36	59	96
85 +	65	17.2	215	5	6	13	21	46	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3359	10.1	76	3	3	8	12	18	24	53
B. Operated	386	16.8	202	4	5	12	21	36	49	95
1. SINGLE DX	0									
2. MULTIPLE DX	3745	10.8	93	3	3	8	13	20	29	63
A. Not Operated	3359	10.1	76	3	3	8	12	18	24	53
B. Operated	386	16.8	202	4	5	12	21	36	49	95
TOTAL										
65-69 YRS	524	10.5	105	2	3	8	12	20	32	63
70-74	711	10.2	86	3	3	8	12	19	26	54
75-79	868	10.8	85	3	4	8	13	20	29	52
80-84	789	11.3	102	3	4	9	14	21	28	76
85 +	853	11.1	90	3	4	9	13	21	29	67
GRAND TOTAL	**3745**	**10.8**	**93**	**3**	**3**	**8**	**13**	**20**	**29**	**63**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	39	4.1	12	1	1	3	5	7	11	19
70-74	51	4.5	14	1	1	3	6	9	10	21
75-79	35	3.7	5	1	1	3	5	8	8	9
80-84	26	5.2	31	1	1	4	6	9	15	29
85 +	25	5.1	19	1	1	4	7	11	16	18
B. Operated										
65-69 YRS	21	5.8	21	1	1	4	10	12	14	17
70-74	25	2.3	4	< 1	1	2	3	6	7	8
75-79	11	1.2		1	1	1	1	2	2	2
80-84	7	1.9	2	1	1	1	2	4	5	5
85 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	618	5.7	16	2	2	5	7	11	14	23
70-74	720	6.3	38	2	2	5	8	12	16	29
75-79	767	7.0	56	2	2	5	8	13	18	42
80-84	731	7.8	73	2	2	6	9	15	22	68
85 +	706	8.8	91	2	2	6	10	18	26	66
B. Operated										
65-69 YRS	216	9.8	91	1	2	7	13	21	29	58
70-74	197	10.1	131	1	2	7	11	24	33	55
75-79	173	9.9	126	1	1	7	13	23	30	76
80-84	104	12.8	242	1	2	10	16	29	48	99 +
85 +	64	11.8	127	2	3	9	14	26	44	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	4.4	15	1	1	3	5	9	11	20
B. Operated	66	3.2	12	1	1	2	4	8	11	16
2. MULTIPLE DX										
A. Not Operated	3542	7.1	57	2	2	5	8	13	19	46
B. Operated	754	10.5	134	1	2	7	13	24	33	87
1. SINGLE DX	242	4.1	14	1	1	3	5	8	11	19
2. MULTIPLE DX	4296	7.7	72	2	2	5	9	15	22	58
A. Not Operated	3718	7.0	55	2	2	5	8	13	19	43
B. Operated	820	9.9	128	1	1	7	12	23	31	86
TOTAL										
65-69 YRS	894	6.6	37	1	2	5	8	14	18	35
70-74	993	6.9	57	1	2	5	8	13	18	38
75-79	986	7.3	68	1	2	5	9	14	20	49
80-84	868	8.2	95	2	2	6	9	16	25	87
85 +	797	8.9	92	2	2	6	10	18	27	66
GRAND TOTAL	**4538**	**7.5**	**70**	**1**	**2**	**5**	**9**	**15**	**21**	**54**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	2.6	5	1	1	2	3	6	7	7
70-74	7	1.9	2	1	1	1	2	4	5	5
75-79	3	1.0		< 1	< 1	1	1	1	1	1
80-84	3	8.0	93	1	1	4	15	19	19	19
85 +	3	4.7	10	1	1	6	7	7	7	7
B. Operated										
65-69 YRS	99	4.2	22	1	1	2	6	9	13	27
70-74	117	4.3	19	1	1	2	7	11	14	18
75-79	73	4.7	15	1	1	3	8	11	12	14
80-84	27	6.2	30	< 1	1	5	9	14	17	20
85 +	14	6.3	34	1	1	4	11	14	18	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	53	7.2	96	1	1	4	9	15	24	57
70-74	85	5.2	22	< 1	1	4	6	10	14	25
75-79	89	5.5	23	1	1	4	8	12	16	21
80-84	70	7.7	99	1	1	5	9	14	16	67
85 +	120	7.5	38	1	2	6	9	15	20	31
B. Operated										
65-69 YRS	1599	10.4	107	1	1	8	13	20	28	59
70-74	1564	11.5	124	1	2	9	15	24	33	62
75-79	1289	12.6	140	1	2	10	16	27	39	69
80-84	842	14.4	189	1	2	11	18	29	41	92
85 +	715	13.4	118	2	4	10	17	27	36	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	3.1	16	< 1	1	1	4	7	11	19
B. Operated	330	4.6	21	1	1	2	7	11	14	19
2. MULTIPLE DX										
A. Not Operated	417	6.6	50	1	1	5	8	14	18	33
B. Operated	6009	12.1	133	1	2	9	15	25	35	66
1. SINGLE DX	353	4.5	20	1	1	2	7	11	14	19
2. MULTIPLE DX	6426	11.7	129	1	2	9	15	24	34	65
A. Not Operated	440	6.4	49	1	1	5	8	14	18	33
B. Operated	6339	11.7	130	1	2	9	15	24	34	65
TOTAL										
65-69 YRS	1758	9.9	104	1	1	8	13	20	28	58
70-74	1773	10.7	116	1	1	8	14	23	31	57
75-79	1454	11.7	132	1	1	9	15	26	37	63
80-84	942	13.7	182	1	2	10	18	28	40	91
85 +	852	12.5	110	2	3	10	16	25	35	63
GRAND TOTAL	**6779**	**11.3**	**126**	**1**	**1**	**9**	**15**	**24**	**33**	**64**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	2.5	3	< 1	< 1	2	3	5	6	6
70-74	12	5.9	65	< 1	< 1	3	6	19	27	28
75-79	10	4.1	37	< 1	< 1	1	2	15	19	19
80-84	6	3.3	15	< 1	< 1	1	6	10	10	[illegible]
85 +	6	6.5	77	< 1	< 1	3	6	22	24	[illegible]
B. Operated										
65-69 YRS	116	8.4	32	1	2	9	10	12	13	32
70-74	127	8.9	20	1	2	9	11	13	16	22
75-79	83	9.3	28	1	2	9	11	14	18	31
80-84	48	10.0	42	1	2	10	12	14	28	35
85 +	17	11.6	38	3	4	10	13	19	25	29
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	112	4.3	21	< 1	< 1	3	6	10	15	23
70-74	129	4.8	21	< 1	1	3	6	11	14	24
75-79	143	6.4	45	1	1	5	8	12	17	40
80-84	113	7.7	101	1	2	5	9	12	21	69
85 +	132	6.7	44	1	2	5	8	13	19	35
B. Operated										
65-69 YRS	1487	12.4	83	2	6	10	14	21	28	56
70-74	1584	13.3	94	2	6	11	15	23	31	60
75-79	1176	14.7	147	2	6	12	17	26	37	83
80-84	534	14.9	103	2	7	13	18	25	32	78
85 +	189	14.9	124	2	4	13	19	26	37	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	4.5	39	< 1	< 1	2	5	12	21	28
B. Operated	391	9.1	29	1	2	9	11	13	16	29
2. MULTIPLE DX										
A. Not Operated	629	6.0	47	< 1	1	4	8	11	16	33
B. Operated	4970	13.6	106	2	6	11	16	23	32	69
1. SINGLE DX	433	8.7	31	1	1	9	11	13	17	28
2. MULTIPLE DX	5599	12.7	105	2	3	11	15	[illegible]	31	66
A. Not Operated	671	5.9	46	< 1	1	4	7	11	17	32
B. Operated	5361	13.2	102	2	5	11	15	23	31	67
TOTAL										
65-69 YRS	1723	11.5	80	1	3	10	13	20	26	54
70-74	1852	12.3	90	2	3	10	14	22	30	58
75-79	1412	13.5	136	2	3	11	16	24	36	80
80-84	701	13.3	106	1	3	11	17	24	30	77
85 +	344	11.4	103	2	2	10	15	21	30	67
GRAND TOTAL	**6032**	**12.4**	**101**	**2**	**3**	**10**	**15**	**22**	**30**	**64**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	48	6.1	15	1	1	6	9	11	13	18
70-74	31	5.4	13	1	1	5	7	10	13	16
75-79	19	4.3	7	1	1	4	7	8	9	9
80-84	9	6.9	29	1	1	7	8	15	19	19
85 +	6	5.5	22	1	1	4	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	3.5	10	1	1	2	7	8	8	8
70-74	9	7.0	55	1	1	4	8	19	25	25
75-79	10	4.8	17	1	1	3	8	11	13	13
80-84	6	5.8	7	2	2	6	7	10	10	10
85 +	9	5.4	15	2	2	4	7	12	13	13
B. Operated										
65-69 YRS	291	11.2	129	2	3	8	12	23	30	63
70-74	241	11.0	95	2	3	8	13	22	30	59
75-79	197	12.6	149	2	4	10	14	23	34	73
80-84	105	12.1	126	2	3	9	14	23	41	57
85 +	55	16.1	331	1	3	9	20	39	57	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	113	5.6	15	1	1	5	8	10	12	18
2. MULTIPLE DX										
A. Not Operated	40	5.4	22	1	1	4	7	11	13	25
B. Operated	889	11.9	137	2	3	9	13	24	33	68
1. SINGLE DX	114	5.6	15	1	1	5	8	10	12	18
2. MULTIPLE DX	929	11.6	134	2	3	8	13	23	32	65
A. Not Operated	41	5.3	22	1	1	4	7	11	13	25
B. Operated	1002	11.2	127	1	3	8	13	22	31	63
TOTAL										
65-69 YRS	345	10.4	115	1	2	8	12	21	28	54
70-74	282	10.3	88	1	2	8	13	21	29	58
75-79	226	11.5	138	1	2	9	14	21	32	68
80-84	120	11.4	116	2	2	8	14	21	38	56
85 +	70	13.8	282	1	2	8	14	29	54	87
GRAND TOTAL	**1043**	**10.9**	**124**	**1**	**2**	**8**	**13**	**22**	**30**	**63**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	3.8	17	< 1	< 1	1	6	12	13	13
70-74	13	4.0	13	< 1	< 1	3	6	8	12	13
75-79	16	4.3	14	1	1	3	6	10	12	13
80-84	7	5.6	23	< 1	< 1	3	9	12	13	13
85 +	7	4.6	20	1	1	4	5	12	14	14
B. Operated										
65-69 YRS	239	5.7	17	1	1	5	8	11	13	19
70-74	217	6.0	20	1	1	6	9	12	14	20
75-79	133	6.2	30	1	1	5	9	13	15	29
80-84	90	6.8	31	1	1	6	9	13	20	27
85 +	64	6.2	19	1	1	5	9	12	15	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	127	6.4	24	1	1	6	8	11	15	25
70-74	209	7.2	43	1	1	6	10	14	21	36
75-79	172	6.9	23	1	2	6	9	13	16	24
80-84	116	7.6	23	1	2	7	10	14	17	24
85 +	136	8.1	46	2	2	7	10	14	20	40
B. Operated										
65-69 YRS	2194	11.3	122	1	2	9	13	22	28	64
70-74	2212	11.6	107	1	2	9	14	23	31	59
75-79	1703	12.1	122	1	2	9	15	25	35	58
80-84	1067	12.4	104	2	3	10	15	25	33	59
85 +	849	12.7	117	2	3	10	15	24	34	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	4.3	15	< 1	< 1	3	6	11	13	14
B. Operated	743	6.1	22	1	1	5	9	12	14	21
2. MULTIPLE DX										
A. Not Operated	760	7.2	33	1	1	6	9	14	17	30
B. Operated	8025	11.8	115	1	2	9	14	23	32	62
1. SINGLE DX	802	5.9	22	1	1	5	9	12	14	21
2. MULTIPLE DX	8785	11.4	110	1	2	9	14	23	31	60
A. Not Operated	819	7.0	32	1	1	6	9	13	17	30
B. Operated	8768	11.3	110	1	2	9	14	22	31	60
TOTAL										
65-69 YRS	2576	10.5	110	1	2	8	12	20	27	62
70-74	2651	10.7	98	1	2	8	13	21	30	55
75-79	2024	11.2	111	1	2	9	14	23	32	56
80-84	1280	11.5	95	2	3	9	14	24	30	58
85 +	1056	11.6	106	2	3	9	14	22	31	59
GRAND TOTAL	**9587**	**11.0**	**105**	**1**	**2**	**9**	**13**	**22**	**30**	**59**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	2.0	2	< 1	1	2	2	5	5	5
70-74	16	3.3	9	< 1	< 1	2	4	7	11	13
75-79	12	5.8	21	1	1	4	9	13	14	14
80-84	15	5.1	23	< 1	1	4	7	14	16	17
85 +	10	6.0	42	2	2	3	6	18	18	18
B. Operated										
65-69 YRS	174	4.3	15	< 1	1	3	6	9	12	17
70-74	142	4.0	18	< 1	1	2	6	9	12	18
75-79	122	3.9	17	< 1	1	2	6	10	12	19
80-84	50	3.6	11	< 1	1	2	5	9	10	13
85 +	34	6.0	37	1	1	3	9	14	19	24
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	203	5.8	37	1	1	4	7	12	14	31
70-74	225	6.7	50	1	1	5	8	12	18	29
75-79	204	7.0	53	1	2	5	8	15	20	38
80-84	184	7.7	48	1	2	6	9	17	22	35
85 +	160	8.4	103	1	2	6	10	18	24	35
B. Operated										
65-69 YRS	1044	9.5	113	1	1	7	12	20	30	63
70-74	1001	9.8	116	1	1	7	12	21	30	62
75-79	802	10.0	102	1	1	7	13	22	30	56
80-84	471	12.3	149	1	2	9	15	26	38	89
85 +	295	12.4	113	1	3	9	16	26	36	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	4.3	19	< 1	1	2	5	12	15	18
B. Operated	522	4.2	18	< 1	1	2	6	10	12	19
2. MULTIPLE DX										
A. Not Operated	976	7.1	57	1	2	5	9	14	20	35
B. Operated	3613	10.3	117	1	1	7	13	22	32	62
1. SINGLE DX	589	4.2	18	< 1	1	2	6	10	13	18
2. MULTIPLE DX	4589	9.6	106	1	1	7	12	21	30	59
A. Not Operated	1043	6.9	55	1	2	5	8	14	20	34
B. Operated	4135	9.5	109	1	1	7	12	21	30	60
TOTAL										
65-69 YRS	1435	8.3	94	1	1	5	10	17	26	56
70-74	1384	8.6	98	1	1	6	11	19	26	56
75-79	1140	8.7	87	1	1	6	11	20	26	53
80-84	720	10.4	119	1	2	7	13	22	33	61
85 +	499	10.6	108	1	2	8	14	23	31	62
GRAND TOTAL	**5178**	**9.0**	**99**	**1**	**1**	**6**	**11**	**20**	**28**	**56**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	169	6.9	11	2	3	7	8	11	13	19
70-74	157	7.0	10	3	4	7	8	11	13	19
75-79	111	7.1	12	2	3	7	9	11	13	19
80-84	62	6.7	9	2	3	6	9	11	11	16
85 +	53	6.7	20	2	3	6	8	10	12	30
B. Operated										
65-69 YRS	78	6.6	14	1	2	7	9	11	13	19
70-74	93	6.8	12	1	3	6	9	11	13	18
75-79	66	6.3	9	2	2	6	9	10	11	14
80-84	33	6.7	12	1	2	7	8	12	14	16
85 +	22	7.9	10	2	5	7	9	13	14	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1052	8.1	16	3	4	7	10	13	15	21
70-74	1091	8.5	23	4	4	8	10	13	16	26
75-79	905	8.8	34	3	4	8	11	13	16	29
80-84	615	9.0	27	3	4	8	11	15	18	31
85 +	564	8.9	22	3	4	8	11	14	18	26
B. Operated										
65-69 YRS	691	9.1	27	2	4	8	11	15	18	27
70-74	640	9.5	47	3	4	8	11	15	19	39
75-79	568	10.0	42	3	4	9	12	17	21	38
80-84	439	10.5	43	3	4	9	12	18	23	43
85 +	293	11.3	63	4	5	9	13	19	29	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	552	6.9	12	2	3	7	8	11	13	19
B. Operated	292	6.7	12	1	2	7	9	11	13	17
2. MULTIPLE DX										
A. Not Operated	4227	8.6	24	3	4	8	10	14	16	25
B. Operated	2631	9.9	42	3	4	9	12	17	21	38
1. SINGLE DX	844	6.8	12	2	3	7	9	11	13	18
2. MULTIPLE DX	6858	9.1	31	3	4	8	11	15	18	31
A. Not Operated	4779	8.4	23	3	4	8	10	13	16	25
B. Operated	2923	9.5	40	3	4	8	11	16	20	37
TOTAL										
65-69 YRS	1990	8.2	20	3	4	8	10	13	16	24
70-74	1981	8.6	30	3	4	8	10	14	17	27
75-79	1650	9.0	35	3	4	8	11	14	18	35
80-84	1149	9.4	33	3	4	8	11	16	20	34
85 +	932	9.5	36	3	4	8	11	16	20	36
GRAND TOTAL	**7702**	**8.8**	**30**	**3**	**4**	**8**	**11**	**14**	**18**	**29**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	6.1	20	1	2	5	8	12	17	18
70-74	12	7.5	24	2	2	6	11	14	17	18
75-79	12	8.3	25	2	3	8	12	15	18	19
80-84	14	9.6	44	2	3	6	16	20	21	21
85 +	16	7.9	22	2	3	6	11	15	16	17
B. Operated										
65-69 YRS	160	3.5	17	1	1	2	4	6	10	26
70-74	86	5.2	48	1	1	3	5	9	18	41
75-79	63	7.4	57	1	1	4	11	18	23	33
80-84	30	13.4	180	1	2	7	18	37	41	46
85 +	15	15.9	123	3	4	14	21	30	41	45
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	142	9.7	53	2	3	8	12	19	24	34
70-74	191	10.1	52	3	4	9	12	18	23	34
75-79	206	11.1	93	3	4	9	14	20	24	51
80-84	207	11.1	107	3	4	9	13	21	31	71
85 +	231	11.3	92	3	4	8	13	23	33	68
B. Operated										
65-69 YRS	331	10.5	143	1	2	5	14	27	38	67
70-74	285	12.9	192	1	2	9	18	30	36	93
75-79	260	14.2	166	1	2	11	20	29	40	68
80-84	201	17.5	180	2	4	15	23	35	47	75
85 +	150	18.9	168	4	5	17	26	35	47	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	7.9	27	2	2	6	11	16	18	21
B. Operated	354	6.0	61	1	1	3	6	16	22	41
2. MULTIPLE DX										
A. Not Operated	977	10.8	82	3	4	8	13	20	27	52
B. Operated	1227	14.0	177	1	2	11	20	31	41	75
1. SINGLE DX	422	6.3	56	1	1	4	7	16	20	39
2. MULTIPLE DX	2204	12.6	137	2	3	9	16	27	35	68
A. Not Operated	1045	10.6	79	3	3	8	13	20	26	51
B. Operated	1581	12.2	162	1	2	8	17	29	37	70
TOTAL										
65-69 YRS	647	8.5	98	1	1	4	11	21	28	51
70-74	574	10.7	128	1	2	7	14	23	31	69
75-79	541	12.1	127	1	2	9	16	25	33	53
80-84	452	14.1	151	2	3	10	18	30	40	63
85 +	412	14.1	132	3	4	11	19	30	37	71
GRAND TOTAL	**2626**	**11.6**	**129**	**1**	**2**	**8**	**15**	**26**	**35**	**64**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	2.2	4	< 1	< 1	1	3	5	7	7
70-74	11	3.0	2	< 1	1	3	4	5	5	5
75-79	6	2.3	2	< 1	< 1	2	3	5	5	5
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	7	1.7	1	< 1	< 1	1	2	4	4	4
B. Operated										
65-69 YRS	80	2.8	2	1	1	2	4	5	5	6
70-74	63	3.0	2	1	1	3	4	5	5	6
75-79	33	2.7	2	1	1	2	4	5	5	5
80-84	12	4.6	14	2	2	3	5	11	14	14
85 +	3	5.3	5	4	4	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	104	4.4	21	< 1	1	3	6	8	10	26
70-74	108	4.3	11	1	1	4	6	8	10	18
75-79	96	4.4	12	1	1	3	5	9	11	18
80-84	87	5.0	17	1	2	4	6	10	17	21
85 +	106	4.7	16	1	1	4	6	9	10	22
B. Operated										
65-69 YRS	948	3.8	9	1	1	3	5	7	8	16
70-74	593	4.1	9	1	1	3	5	7	9	17
75-79	369	4.8	29	1	1	4	5	9	12	26
80-84	181	5.6	26	1	2	4	7	11	15	35
85 +	105	7.3	33	2	2	5	10	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.4	2	< 1	< 1	2	4	4	5	7
B. Operated	191	3.0	3	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. Not Operated	501	4.6	15	1	1	4	6	9	11	18
B. Operated	2196	4.3	15	1	1	3	5	8	11	20
1. SINGLE DX	227	2.9	3	1	1	3	4	5	5	8
2. MULTIPLE DX	2697	4.4	15	1	1	3	5	8	11	20
A. Not Operated	537	4.4	15	1	1	3	5	8	11	18
B. Operated	2387	4.2	15	1	1	3	5	8	10	20
TOTAL										
65-69 YRS	1142	3.8	9	1	1	3	5	7	8	16
70-74	775	4.0	8	1	1	3	5	7	9	17
75-79	504	4.5	24	1	1	3	5	9	11	22
80-84	282	5.4	23	1	2	4	6	11	15	27
85 +	221	5.9	26	1	2	4	7	11	14	32
GRAND TOTAL	**2924**	**4.3**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	151	6.7	16	1	2	7	9	10	11	22
70-74	102	6.4	9	2	3	6	8	11	12	14
75-79	84	6.9	21	1	2	6	9	12	14	25
80-84	58	6.9	12	2	2	7	8	12	14	16
85 +	69	7.2	16	2	2	7	10	12	13	21
B. Operated										
65-69 YRS	99	7.1	15	1	2	7	9	12	14	20
70-74	87	7.7	21	1	2	7	10	12	19	23
75-79	60	7.1	10	1	2	7	9	11	12	14
80-84	42	7.3	9	2	3	7	10	11	12	16
85 +	30	8.5	30	1	4	7	10	14	17	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1513	6.6	24	1	2	6	9	12	15	22
70-74	1667	6.8	25	1	2	6	9	12	15	26
75-79	1707	7.0	33	1	2	6	9	12	15	28
80-84	1372	7.1	36	2	2	6	9	13	16	33
85 +	1135	7.3	45	2	2	6	9	13	16	30
B. Operated										
65-69 YRS	965	10.0	54	2	3	9	12	18	24	45
70-74	891	10.3	70	2	3	8	12	18	25	49
75-79	731	10.6	75	2	4	9	12	20	27	55
80-84	559	11.0	64	2	4	9	13	20	26	48
85 +	464	11.2	73	3	5	9	13	19	26	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	464	6.8	15	1	2	6	9	11	13	21
B. Operated	318	7.4	17	1	2	7	9	12	14	21
2. MULTIPLE DX										
A. Not Operated	7394	6.9	32	2	2	6	9	12	15	28
B. Operated	3610	10.5	66	2	3	9	12	18	25	49
1. SINGLE DX	782	7.0	16	1	2	7	9	11	13	21
2. MULTIPLE DX	11004	8.1	46	2	2	7	10	14	19	37
A. Not Operated	7858	6.9	31	2	2	6	9	12	15	27
B. Operated	3928	10.3	63	2	3	9	12	18	25	49
TOTAL										
65-69 YRS	2728	7.9	36	1	2	7	10	14	18	32
70-74	2747	7.9	41	2	2	7	10	14	18	32
75-79	2582	8.0	46	2	2	7	10	14	19	37
80-84	2031	8.2	46	2	2	7	10	15	20	38
85 +	1698	8.4	54	2	2	7	10	15	19	45
GRAND TOTAL	**11786**	**8.0**	**44**	**2**	**2**	**7**	**10**	**14**	**18**	**36**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	3.6	3	1	2	3	4	6	7	9
70-74	10	3.2	2	1	1	3	4	5	6	6
75-79	14	2.6	2	< 1	1	2	4	4	5	5
80-84	13	3.2	3	1	1	3	4	6	8	8
85 +	12	2.7	2	1	1	3	4	4	4	4
B. Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	6	2.8	7	1	1	2	5	7	7	7
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85 +	3	4.3	16	2	2	2	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	415	5.6	15	2	2	5	7	10	12	18
70-74	345	6.0	18	2	2	5	7	12	15	22
75-79	293	6.3	26	2	2	5	7	12	15	30
80-84	223	6.3	31	2	2	5	8	12	14	29
85 +	223	6.3	24	2	2	5	8	12	15	26
B. Operated										
65-69 YRS	61	7.3	50	1	1	6	10	16	19	37
70-74	66	6.6	38	1	1	5	8	15	19	33
75-79	45	6.9	23	< 1	1	6	10	12	16	20
80-84	30	9.7	78	1	2	7	12	20	35	36
85 +	20	14.2	251	1	3	9	15	37	57	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	3.1	3	1	1	3	4	5	6	9
B. Operated	13	2.8	7	1	1	2	4	7	9	9
2. MULTIPLE DX										
A. Not Operated	1499	6.0	22	2	2	5	7	11	14	23
B. Operated	222	8.0	66	1	1	6	10	16	20	42
1. SINGLE DX	88	3.1	3	1	1	3	4	5	7	9
2. MULTIPLE DX	1721	6.3	28	2	2	5	8	12	15	28
A. Not Operated	1574	5.9	21	2	2	5	7	11	14	23
B. Operated	235	7.7	64	1	1	6	10	16	20	40
TOTAL										
65-69 YRS	504	5.7	19	1	2	4	7	11	13	19
70-74	427	6.0	21	2	2	5	7	12	15	23
75-79	353	6.2	25	1	2	5	8	12	15	28
80-84	267	6.5	37	2	2	5	8	12	15	36
85 +	258	6.7	44	1	2	5	8	13	18	36
GRAND TOTAL	**1809**	**6.1**	**27**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	88	5.2	13	1	2	4	6	9	13	21
70-74	83	5.6	12	2	2	5	7	10	12	20
75-79	54	4.4	3	2	2	4	5	6	7	12
80-84	39	4.6	10	< 1	1	4	6	7	9	19
85 +	57	4.5	4	2	2	4	6	8	8	9
B. Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	10.0		10	10	10	10	10	10	10
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5242	7.1	28	2	3	6	9	12	15	26
70-74	5458	7.2	27	2	3	6	9	12	16	27
75-79	4499	7.2	28	2	3	6	9	13	16	29
80-84	2956	7.3	30	2	3	6	9	12	16	27
85 +	2344	7.4	32	2	3	6	9	13	16	28
B. Operated										
65-69 YRS	405	11.7	109	3	3	9	14	23	33	99
70-74	383	13.2	140	3	4	10	16	24	37	67
75-79	325	13.6	162	3	4	10	16	26	40	98
80-84	186	13.3	127	4	4	10	16	27	34	85
85 +	135	13.3	102	3	4	12	16	24	33	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	321	5.0	9	2	2	4	6	8	10	16
B. Operated	4	4.3	16	1	1	3	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	20499	7.2	28	2	3	6	9	13	16	27
B. Operated	1434	12.9	131	3	4	10	15	25	36	75
1. SINGLE DX	325	4.9	9	2	2	4	6	8	10	16
2. MULTIPLE DX	21933	7.6	37	2	3	6	9	13	17	32
A. Not Operated	20820	7.2	28	2	3	6	9	12	16	27
B. Operated	1438	12.9	131	3	4	10	15	25	36	75
TOTAL										
65-69 YRS	5736	7.4	35	2	3	6	9	13	17	31
70-74	5925	7.5	36	2	3	6	9	13	17	32
75-79	4879	7.6	39	2	3	6	9	14	18	35
80-84	3181	7.6	38	2	3	6	9	13	17	31
85 +	2537	7.7	37	2	3	6	9	13	18	33
GRAND TOTAL	**22258**	**7.6**	**37**	**2**	**3**	**6**	**9**	**13**	**17**	**32**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	37	1.2		1	1	1	1	2	3	3
70-74	8	1.3		1	1	1	2	2	2	2
75-79	8	1.4	1	1	1	1	2	3	3	3
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	7.5	41	3	3	7	12	12	12	12
70-74	0									
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	229	1.8	3	1	1	1	2	3	4	8
70-74	117	1.6	1	1	1	1	2	3	3	6
75-79	56	2.1	2	1	1	1	3	4	5	8
80-84	9	2.2	2	1	1	2	3	5	5	5
85 +	11	3.3	5	1	1	2	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	55	1.3		1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	3	6.3	24	3	3	4	10	12	12	12
B. Operated	422	1.8	3	1	1	1	2	3	5	8
1. SINGLE DX	55	1.3		1	1	1	1	2	3	3
2. MULTIPLE DX	425	1.8	3	1	1	1	2	3	5	8
A. Not Operated	3	6.3	24	3	3	4	10	12	12	12
B. Operated	477	1.7	2	1	1	1	2	3	4	8
TOTAL										
65-69 YRS	268	1.7	3	1	1	1	2	3	4	10
70-74	125	1.6	1	1	1	1	2	3	3	5
75-79	65	2.0	2	1	1	1	3	4	5	8
80-84	10	2.1	2	< 1	< 1	2	3	4	5	5
85 +	12	3.1	5	1	1	2	5	6	7	7
GRAND TOTAL	**480**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**	**8**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	16	1.3	1	1	1	1	1	2	3	4
70-74	10	1.9	4	< 1	< 1	1	2	5	7	7
75-79	14	1.6	1	1	1	1	2	3	4	4
80-84	3	1.3		< 1	< 1	1	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	3	2.0		2	2	2	2	2	2	2
75-79	3	2.3	2	< 1	< 1	2	3	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	137	2.1	3	1	1	1	2	4	6	10
70-74	92	2.0	3	1	1	1	3	3	4	12
75-79	51	2.3	3	1	1	2	3	4	7	10
80-84	20	1.8	2	< 1	1	1	2	4	5	6
85 +	8	3.0	2	1	1	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	43	1.6	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	8	2.0	1	< 1	< 1	2	2	4	4	4
B. Operated	308	2.1	3	1	1	2	3	4	5	10
1. SINGLE DX	43	1.6	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	316	2.1	3	1	1	2	2	4	5	10
A. Not Operated	8	2.0	1	< 1	< 1	2	2	4	4	4
B. Operated	351	2.0	3	1	1	1	2	4	5	10
TOTAL										
65-69 YRS	155	2.0	3	1	1	1	2	4	5	10
70-74	105	2.0	3	1	1	1	2	3	4	11
75-79	68	2.2	3	1	1	2	3	4	6	10
80-84	23	1.7	2	< 1	< 1	1	2	3	5	6
85 +	8	3.0	2	1	1	3	4	5	5	5
GRAND TOTAL	**359**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**	**10**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	9	1.1		< 1	< 1	1	1	2	2	2
70-74	7	3.0	24	1	1	1	2	12	14	14
75-79	2	1.0		1	1	1	1	1	1	1
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	8	2.6	8	1	1	2	3	7	9	9
70-74	7	2.6	4	1	1	2	3	6	7	7
75-79	9	3.1	6	< 1	< 1	2	4	7	8	8
80-84	3	1.7	1	< 1	< 1	1	2	3	3	3
85 +	3	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	25	1.8	7	< 1	1	1	2	2	6	14
2. MULTIPLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	30	2.5	5	< 1	1	2	3	6	8	9
1. SINGLE DX	25	1.8	7	< 1	1	1	2	2	6	14
2. MULTIPLE DX	32	2.6	5	< 1	1	2	3	6	8	9
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	55	2.2	6	< 1	1	1	2	4	8	14
TOTAL										
65-69 YRS	17	1.8	4	< 1	< 1	1	2	4	7	9
70-74	15	2.9	12	1	1	2	3	7	12	14
75-79	11	2.7	5	< 1	< 1	2	4	6	8	8
80-84	5	2.0	2	< 1	< 1	1	3	4	4	4
85 +	9	1.4	1	1	1	1	2	3	3	3
GRAND TOTAL	**57**	**2.2**	**6**	**< 1**	**1**	**1**	**2**	**4**	**8**	**14**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	2.3	1	1	1	2	3	4	4	4
70-74	15	4.5	19	< 1	< 1	3	5	10	16	18
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85 +	4	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated										
65-69 YRS	148	1.8	3	< 1	< 1	1	2	4	6	10
70-74	87	1.7	2	< 1	1	1	2	3	4	9
75-79	68	2.0	3	< 1	1	1	2	4	4	10
80-84	39	2.1	5	< 1	< 1	1	2	4	6	13
85 +	14	1.6	1	< 1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	145	4.8	20	1	1	4	5	9	12	23
70-74	108	4.9	15	1	2	4	6	7	10	26
75-79	88	5.4	27	1	1	4	7	10	14	30
80-84	47	5.0	16	1	1	4	7	11	13	18
85 +	40	5.1	19	1	1	4	6	12	16	19
B. Operated										
65-69 YRS	555	3.8	38	1	1	2	3	9	14	35
70-74	362	4.0	41	1	1	2	4	10	16	36
75-79	201	4.5	34	1	1	2	5	11	17	35
80-84	104	6.8	88	< 1	1	3	9	15	28	47
85 +	44	7.4	86	< 1	1	3	10	19	33	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	3.2	10	< 1	1	3	4	5	9	18
B. Operated	356	1.8	3	< 1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	428	5.0	19	1	1	4	6	9	13	24
B. Operated	1266	4.3	45	1	1	2	4	10	17	39
1. SINGLE DX	391	2.0	4	< 1	1	1	2	4	5	10
2. MULTIPLE DX	1694	4.5	39	1	1	2	5	10	15	36
A. Not Operated	463	4.8	19	1	1	4	6	9	13	22
B. Operated	1622	3.8	37	1	1	2	4	9	14	36
TOTAL										
65-69 YRS	860	3.6	29	1	1	2	4	8	12	32
70-74	572	3.8	30	1	1	2	4	8	13	29
75-79	360	4.2	27	1	1	2	5	10	14	29
80-84	191	5.4	56	1	1	3	7	12	18	45
85 +	102	5.5	48	1	1	3	6	14	19	36
GRAND TOTAL	**2085**	**4.0**	**33**	**1**	**1**	**2**	**4**	**9**	**14**	**32**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	490	5.4	6	2	3	5	7	8	10	13
70-74	496	6.0	13	2	3	5	8	10	12	17
75-79	491	6.0	10	2	3	5	7	10	13	16
80-84	388	6.1	11	2	3	6	8	10	13	17
85 +	555	6.5	20	2	3	6	8	11	13	20
B. Operated										
65-69 YRS	38	8.2	33	1	2	7	11	17	20	26
70-74	41	10.2	58	2	3	8	13	19	25	40
75-79	31	9.8	40	2	3	8	12	20	23	28
80-84	21	10.7	48	2	3	9	14	21	26	26
85 +	13	10.2	34	< 1	2	11	15	17	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9175	8.2	31	3	3	7	10	14	18	29
70-74	11084	8.6	35	3	4	7	10	15	20	31
75-79	12372	9.0	40	3	4	7	11	16	20	34
80-84	11391	9.5	49	3	4	8	11	16	21	39
85 +	14304	9.9	52	3	4	8	12	17	22	41
B. Operated										
65-69 YRS	1635	15.9	154	4	6	13	19	31	44	99 +
70-74	1896	16.4	149	5	6	13	21	32	44	99
75-79	1951	16.8	175	4	6	13	20	33	46	85
80-84	1537	18.1	201	5	6	14	22	35	54	99 +
85 +	1427	18.8	185	6	7	15	23	36	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2420	6.0	12	2	3	5	7	10	12	16
B. Operated	144	9.7	43	1	3	8	13	19	23	29
2. MULTIPLE DX										
A. Not Operated	58326	9.1	43	3	4	8	11	16	20	35
B. Operated	8446	17.1	173	5	6	13	21	33	47	99
1. SINGLE DX	2564	6.2	15	2	3	5	8	11	13	19
2. MULTIPLE DX	66772	10.1	66	3	4	8	12	18	24	48
A. Not Operated	60746	9.0	42	3	4	7	11	16	20	34
B. Operated	8590	17.0	171	5	6	13	21	33	46	99
TOTAL										
65-69 YRS	11338	9.2	56	3	3	7	11	17	22	42
70-74	13517	9.6	58	3	4	8	11	18	23	44
75-79	14845	9.9	65	3	4	8	12	18	23	46
80-84	13337	10.4	74	3	4	8	12	18	25	54
85 +	16299	10.6	70	3	4	8	13	19	25	51
GRAND TOTAL	**69336**	**10.0**	**65**	**3**	**4**	**8**	**12**	**18**	**24**	**47**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	4.3	4	2	2	4	6	7	8	8
70-74	18	3.6	8	1	1	3	4	6	11	13
75-79	9	5.1	13	2	2	4	5	11	14	14
80-84	10	4.3	7	< 1	1	4	5	8	10	10
85 +	11	4.3	11	< 1	< 1	2	7	9	9	9
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	197	5.6	22	1	2	4	6	9	13	26
70-74	233	5.3	13	1	2	5	7	9	11	19
75-79	243	5.9	15	2	2	5	7	10	13	19
80-84	205	6.0	19	2	2	5	7	11	14	25
85 +	203	6.5	26	2	2	5	9	12	14	33
B. Operated										
65-69 YRS	14	11.8	41	4	4	10	17	20	24	25
70-74	9	11.1	26	2	4	11	16	17	18	18
75-79	8	11.0	65	4	5	9	11	25	30	30
80-84	10	11.7	37	4	5	11	13	21	26	26
85 +	3	67.0	37	60	60	70	71	71	71	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	4.2	8	1	1	4	5	8	10	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1081	5.8	19	2	2	5	7	10	13	24
B. Operated	44	15.3	238	4	4	10	16	26	63	71
1. SINGLE DX	61	4.2	8	1	1	4	5	8	10	14
2. MULTIPLE DX	1125	6.2	30	2	2	5	7	11	14	27
A. Not Operated	1142	5.8	18	2	2	5	7	10	13	23
B. Operated	44	15.3	238	4	4	10	16	26	63	71
TOTAL										
65-69 YRS	224	5.9	25	2	2	4	7	10	[illegible]	26
70-74	260	5.4	14	1	2	5	7	10	[illegible]	19
75-79	260	6.0	17	2	2	5	7	10	[illegible]	20
80-84	225	6.2	20	2	2	5	8	11	[illegible]	26
85 +	217	7.3	75	2	2	5	9	13	14	63
GRAND TOTAL	**1186**	**6.1**	**29**	**2**	**2**	**5**	**7**	**11**	**14**	**27**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	76	5.5	32	2	2	4	6	9	11	40
70-74	68	5.6	9	2	3	5	7	10	12	15
75-79	43	5.8	12	2	2	5	8	10	14	14
80-84	30	5.0	9	1	2	4	6	9	12	14
85 +	17	4.9	8	2	2	4	6	9	12	13
B. Operated										
65-69 YRS	7	6.1	29	< 1	< 1	5	7	15	17	17
70-74	6	7.2	17	4	4	6	8	14	15	15
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	931	7.0	24	2	3	6	9	13	16	26
70-74	1051	7.4	40	2	3	6	9	13	18	34
75-79	797	7.6	33	2	3	6	9	14	18	31
80-84	493	7.6	46	2	3	6	9	14	18	36
85 +	390	8.0	55	2	3	6	10	15	19	46
B. Operated										
65-69 YRS	144	8.4	44	1	2	8	11	15	19	49
70-74	129	11.5	118	1	3	9	15	22	39	99 +
75-79	91	11.5	103	2	4	9	13	27	45	99 +
80-84	55	10.7	64	3	3	10	16	20	42	99 +
85 +	45	11.3	89	2	2	10	13	23	32	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	234	5.5	17	2	2	4	7	10	12	15
B. Operated	19	5.1	21	< 1	< 1	4	7	12	16	17
2. MULTIPLE DX										
A. Not Operated	3662	7.4	37	2	3	6	9	14	18	32
B. Operated	464	10.5	84	1	3	9	13	20	30	99 +
1. SINGLE DX	253	5.5	17	1	2	4	7	10	12	16
2. MULTIPLE DX	4126	7.8	43	2	3	6	9	14	19	38
A. Not Operated	3896	7.3	36	2	3	6	9	13	17	32
B. Operated	483	10.2	83	1	2	9	13	20	30	99 +
TOTAL										
65-69 YRS	1158	7.1	27	2	3	6	9	13	17	29
70-74	1254	7.8	48	2	3	6	9	14	19	40
75-79	933	7.9	40	2	3	6	10	14	19	34
80-84	579	7.8	47	2	3	6	9	15	19	44
85 +	455	8.2	58	2	3	6	10	15	20	44
GRAND TOTAL	**4379**	**7.6**	**42**	**2**	**3**	**6**	**9**	**14**	**18**	**36**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	92	6.2	23	1	2	5	8	12	16	27
70-74	67	6.5	16	2	2	6	8	11	16	21
75-79	62	6.6	20	2	2	6	7	11	16	27
80-84	19	5.8	8	1	2	6	8	10	11	11
85 +	12	9.4	74	4	4	7	11	19	33	35
B. Operated										
65-69 YRS	3	9.7	26	4	4	11	13	14	14	14
70-74	1	7.0		7	7	7	7	7	7	7
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	978	8.0	47	2	3	7	10	14	18	36
70-74	1069	8.3	41	2	3	7	10	15	20	33
75-79	795	8.4	43	2	3	7	10	16	21	44
80-84	399	8.5	49	2	3	7	10	16	21	66
85 +	184	8.1	35	2	3	7	11	15	19	43
B. Operated										
65-69 YRS	111	17.0	172	4	5	14	24	37	57	99 +
70-74	105	15.5	168	4	5	12	19	32	42	99
75-79	68	19.4	316	4	5	15	22	44	74	99
80-84	37	14.5	64	3	5	15	20	29	33	99 +
85 +	13	23.1	450	6	8	13	31	49	77	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	252	6.5	22	2	2	6	8	12	15	27
B. Operated	5	7.4	27	1	1	7	12	14	14	14
2. MULTIPLE DX										
A. Not Operated	3425	8.2	44	2	3	7	10	15	19	36
B. Operated	334	17.0	200	4	5	13	21	35	49	99 +
1. SINGLE DX	257	6.5	22	2	2	6	8	12	15	27
2. MULTIPLE DX	3759	9.0	64	2	3	7	11	17	23	48
A. Not Operated	3677	8.1	42	2	3	7	10	15	19	36
B. Operated	339	16.9	199	4	5	13	21	34	49	99 +
TOTAL										
65-69 YRS	1184	8.7	64	2	3	7	10	16	23	51
70-74	1242	8.8	55	2	3	7	10	16	21	38
75-79	926	9.1	69	2	3	7	10	17	23	54
80-84	455	8.9	52	2	3	7	11	17	23	75
85 +	209	9.1	73	2	3	7	11	16	24	64
GRAND TOTAL	**4016**	**8.9**	**61**	**2**	**3**	**7**	**10**	**17**	**22**	**47**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	574	4.7	7	1	2	4	6	8	10	14
70-74	481	4.8	10	1	2	4	6	9	10	13
75-79	268	5.0	9	2	2	5	6	8	10	16
80-84	137	5.1	7	1	2	5	7	9	10	13
85 +	83	5.2	10	1	2	5	7	9	11	17
B. Operated										
65-69 YRS	5	2.8	9	1	1	2	4	8	8	8
70-74	4	7.5	50	3	3	4	11	18	18	18
75-79	3	11.0	127	4	4	5	19	24	24	24
80-84	4	5.8	24	1	1	6	10	10	10	10
85 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4393	6.6	25	2	3	5	8	11	14	25
70-74	3834	6.7	21	2	3	6	8	12	15	24
75-79	2863	7.0	28	2	3	6	9	12	15	26
80-84	1569	7.4	28	2	3	6	9	13	16	25
85 +	1011	8.3	48	2	3	7	10	13	20	41
B. Operated										
65-69 YRS	239	12.8	96	3	4	10	16	24	32	58
70-74	204	13.8	128	4	5	10	17	28	36	68
75-79	156	15.2	219	3	4	11	17	30	48	95
80-84	88	13.7	84	4	5	11	18	27	42	99 +
85 +	43	14.4	97	4	6	12	18	24	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1543	4.8	8	1	2	4	6	8	10	14
B. Operated	17	6.6	43	1	1	4	10	17	22	24
2. MULTIPLE DX										
A. Not Operated	13670	6.9	27	2	3	6	8	12	15	26
B. Operated	730	13.8	130	3	4	11	17	26	37	85
1. SINGLE DX	1560	4.9	9	1	2	4	6	9	10	14
2. MULTIPLE DX	14400	7.3	34	2	3	6	9	13	17	30
A. Not Operated	15213	6.7	25	2	3	6	8	12	15	26
B. Operated	747	13.6	129	3	4	11	17	26	37	84
TOTAL										
65-69 YRS	5211	6.7	28	2	2	5	8	12	15	27
70-74	4523	6.8	27	2	3	6	8	12	15	28
75-79	3290	7.2	39	2	3	6	9	[illegible]	17	31
80-84	1798	7.6	32	2	3	6	9	14	17	29
85 +	1138	8.3	49	2	3	7	10	14	20	42
GRAND TOTAL	**15960**	**7.0**	**32**	**2**	**3**	**6**	**9**	**13**	**16**	**29**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	337	5.6	14	2	2	5	7	10	13	23
70-74	296	5.8	13	2	2	5	8	10	12	15
75-79	209	6.3	39	2	2	5	7	10	13	33
80-84	105	5.8	13	2	2	5	8	11	12	19
85 +	58	6.0	15	2	2	5	7	12	14	20
B. Operated										
65-69 YRS	14	4.5	12	< 1	1	4	6	9	12	13
70-74	12	3.6	10	1	1	2	5	9	10	10
75-79	8	5.6	24	< 1	1	3	9	13	14	14
80-84	4	2.8	4	< 1	< 1	2	4	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3110	7.5	36	2	3	6	9	14	18	32
70-74	3328	7.8	37	2	3	6	10	14	18	31
75-79	2520	7.8	40	2	3	6	10	14	18	32
80-84	1415	8.0	42	2	3	6	10	14	20	37
85 +	722	8.6	63	2	3	7	10	15	21	53
B. Operated										
65-69 YRS	367	15.3	271	2	3	11	18	37	67	99 +
70-74	341	13.6	156	2	4	10	16	29	46	99 +
75-79	288	15.9	193	3	5	12	20	36	49	77
80-84	140	16.1	226	2	5	12	19	35	63	99 +
85 +	75	14.0	121	4	5	11	21	33	80	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1005	5.8	19	2	2	5	7	10	12	23
B. Operated	38	4.3	13	< 1	1	3	6	10	13	14
2. MULTIPLE DX										
A. Not Operated	11095	7.8	40	2	3	6	10	14	19	33
B. Operated	1211	15.0	206	2	4	11	18	34	51	99 +
1. SINGLE DX	1043	5.8	19	2	2	5	7	10	12	22
2. MULTIPLE DX	12306	8.5	61	2	3	7	10	16	22	48
A. Not Operated	12100	7.7	38	2	3	6	9	14	18	32
B. Operated	1249	14.6	203	2	3	11	18	34	51	99 +
TOTAL										
65-69 YRS	3828	8.1	62	2	3	6	9	15	21	47
70-74	3977	8.2	48	2	3	6	10	15	20	40
75-79	3025	8.5	61	2	3	7	10	16	21	46
80-84	1664	8.5	61	2	3	6	10	16	22	60
85 +	855	8.9	68	2	3	7	11	16	24	74
GRAND TOTAL	**13349**	**8.3**	**58**	**2**	**3**	**6**	**10**	**15**	**21**	**46**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.8	27	1	1	2	8	13	13	13
70-74	1	4.0		4	4	4	4	4	4	4
75-79	4	2.3	1	1	1	2	3	3	3	3
80-84	2	3.0	8	1	1	3	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	24	4.9	5	2	2	5	6	8	34	99 +
70-74	23	6.0	24	< 1	1	5	7	12	16	23
75-79	14	6.4	17	2	2	5	8	13	15	15
80-84	12	7.3	75	3	3	5	6	17	32	34
85 +	8	4.9	10	2	2	4	5	10	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	68	7.0	51	1	2	5	8	15	21	40
70-74	49	5.2	21	1	1	4	6	11	15	26
75-79	49	7.6	29	1	2	6	10	15	21	25
80-84	31	8.8	80	1	2	5	10	21	26	42
85 +	29	7.0	23	1	2	5	10	15	16	17
B. Operated										
65-69 YRS	300	11.5	104	2	3	8	14	24	30	54
70-74	294	10.6	89	2	3	7	13	21	30	49
75-79	235	11.2	97	3	4	8	13	22	31	48
80-84	140	12.3	124	3	4	9	15	22	35	58
85 +	87	12.3	100	3	4	8	15	27	35	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.6	12	1	1	2	4	9	12	13
B. Operated	81	5.8	23	1	2	5	6	12	14	79
2. MULTIPLE DX										
A. Not Operated	226	7.0	41	1	2	5	9	15	19	33
B. Operated	1056	11.4	100	3	3	8	14	23	31	52
1. SINGLE DX	93	5.5	22	1	2	5	6	12	13	71
2. MULTIPLE DX	1282	10.6	93	2	3	7	13	22	29	50
A. Not Operated	238	6.8	40	1	1	5	9	15	19	31
B. Operated	1137	11.0	97	3	3	8	13	22	31	52
TOTAL										
65-69 YRS	397	10.2	93	2	3	7	13	23	29	54
70-74	367	9.6	80	2	3	7	12	21	27	45
75-79	302	10.3	84	3	3	7	13	20	28	47
80-84	185	11.3	115	2	3	8	14	22	34	55
85 +	124	10.5	83	2	3	8	13	21	29	49
GRAND TOTAL	**1375**	**10.2**	**89**	**2**	**3**	**7**	**13**	**21**	**29**	**50**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	71	4.1	14	1	1	3	5	7	9	23
70-74	68	4.9	13	1	1	4	6	9	11	21
75-79	84	4.8	10	1	2	4	6	10	13	14
80-84	53	5.4	22	1	2	4	7	10	14	24
85 +	61	5.1	35	1	1	4	5	8	13	41
B. Operated										
65-69 YRS	93	6.8	38	< 1	1	6	9	14	18	33
70-74	72	5.8	22	1	1	5	8	13	15	22
75-79	59	5.6	24	< 1	< 1	4	7	12	16	25
80-84	22	9.0	188	< 1	1	4	9	24	48	55
85 +	23	7.7	58	< 1	1	7	10	17	24	33
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2860	7.4	36	2	2	6	9	14	18	30
70-74	3194	7.9	42	2	3	6	10	15	19	34
75-79	3084	8.5	52	2	3	7	11	16	21	38
80-84	2625	9.1	58	2	3	7	11	16	22	38
85 +	2735	9.6	54	2	3	8	12	18	23	40
B. Operated										
65-69 YRS	1410	13.0	154	1	2	10	16	26	38	81
70-74	1329	14.0	173	2	3	11	18	30	45	99 +
75-79	1200	14.9	179	2	3	11	19	31	44	94
80-84	841	15.8	173	3	4	12	20	31	43	85
85 +	713	17.3	199	3	5	14	21	34	44	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	337	4.8	18	1	1	4	6	9	12	23
B. Operated	269	6.5	45	< 1	1	5	8	13	17	36
2. MULTIPLE DX										
A. Not Operated	14498	8.5	49	2	3	7	11	16	20	37
B. Operated	5493	14.7	175	2	3	11	19	30	42	90
1. SINGLE DX	606	5.6	30	1	1	4	7	11	15	27
2. MULTIPLE DX	19991	10.2	91	2	3	8	12	20	27	58
A. Not Operated	14835	8.4	49	2	3	7	10	16	20	37
B. Operated	5762	14.3	172	2	3	11	18	29	41	88
TOTAL										
65-69 YRS	4434	9.1	81	1	2	7	11	18	24	50
70-74	4663	9.6	87	2	2	7	12	19	27	60
75-79	4427	10.1	94	2	3	7	12	20	28	61
80-84	3541	10.6	94	2	3	8	13	21	28	54
85 +	3532	11.1	93	2	3	9	14	21	28	51
GRAND TOTAL	**20597**	**10.0**	**90**	**2**	**3**	**7**	**12**	**20**	**27**	**57**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.2	9	< 1	< 1	5	7	7	7	7
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	9.5	85	3	3	9	16	16	16	16
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	60	2.4	3	< 1	1	2	3	4	6	9
70-74	37	1.9	1	< 1	1	2	2	4	4	6
75-79	18	2.7	7	< 1	< 1	2	3	5	9	12
80-84	7	1.7	1	< 1	< 1	2	2	3	3	3
85 +	10	2.0	1	< 1	< 1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	42	4.5	13	1	1	3	6	11	13	14
70-74	33	4.3	9	1	1	3	6	10	10	11
75-79	16	6.9	47	< 1	< 1	4	10	15	23	27
80-84	23	5.7	19	1	2	4	8	12	15	19
85 +	13	6.8	21	2	3	6	8	14	17	18
B. Operated										
65-69 YRS	236	3.0	12	1	1	2	3	5	9	18
70-74	171	3.4	19	1	1	2	4	7	10	22
75-79	152	3.5	35	1	1	2	3	6	13	34
80-84	99	3.1	11	< 1	1	2	3	6	9	20
85 +	69	3.4	21	< 1	1	2	4	7	11	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.6	19	< 1	< 1	4	6	11	16	16
B. Operated	132	2.2	3	< 1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	127	5.2	19	1	1	4	7	11	13	21
B. Operated	727	3.3	19	1	1	2	3	6	10	25
1. SINGLE DX	143	2.4	4	< 1	1	2	3	4	6	12
2. MULTIPLE DX	854	3.5	20	1	1	2	4	7	11	24
A. Not Operated	138	5.2	18	1	1	4	7	11	14	20
B. Operated	859	3.1	17	1	1	2	3	6	9	23
TOTAL										
65-69 YRS	343	3.1	11	1	1	2	3	6	9	15
70-74	243	3.3	15	1	1	2	4	6	10	17
75-79	187	3.7	34	< 1	1	2	3	8	13	34
80-84	131	3.6	14	< 1	1	2	4	8	12	20
85 +	93	3.8	20	< 1	1	2	4	7	13	27
GRAND TOTAL	**997**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**11**	**22**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	3.8	4	1	1	4	4	7	8	8
70-74	9	3.4	2	2	2	3	4	6	6	6
75-79	5	4.4	3	3	3	4	5	7	7	7
80-84	3	6.7	20	2	2	7	10	11	11	11
85 +	9	4.7	11	2	2	4	5	10	13	13
B. Operated										
65-69 YRS	57	2.1	3	< 1	1	2	2	3	5	10
70-74	63	2.3	4	< 1	1	2	3	4	6	11
75-79	35	2.3	4	1	1	2	3	3	7	10
80-84	27	1.9	2	< 1	< 1	1	2	3	6	7
85 +	13	1.6	1	< 1	< 1	1	2	3	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	93	6.5	22	2	2	6	8	13	17	24
70-74	92	5.6	19	2	2	4	7	11	14	25
75-79	76	8.1	43	2	3	6	10	16	24	34
80-84	79	6.8	13	1	2	7	9	11	14	16
85 +	104	7.4	17	2	3	7	10	14	17	56
B. Operated										
65-69 YRS	154	4.8	80	1	1	3	4	8	14	38
70-74	129	3.8	22	1	1	2	4	8	12	31
75-79	104	6.1	64	1	1	3	6	14	25	68
80-84	65	5.1	23	1	1	3	7	11	15	23
85 +	45	9.9	88	1	1	8	13	22	29	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	4.2	6	1	2	4	5	7	9	13
B. Operated	195	2.1	3	< 1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	444	6.9	23	2	2	6	9	13	16	27
B. Operated	497	5.3	57	1	1	3	6	12	19	40
1. SINGLE DX	235	2.5	4	< 1	1	2	3	5	7	11
2. MULTIPLE DX	941	6.0	42	1	1	4	8	12	17	35
A. Not Operated	484	6.7	22	2	2	6	8	12	16	27
B. Operated	692	4.4	44	1	1	2	4	11	15	38
TOTAL										
65-69 YRS	318	4.8	48	1	1	3	6	10	14	33
70-74	293	4.1	18	1	1	3	5	8	12	25
75-79	220	6.2	49	1	1	4	8	13	21	41
80-84	174	5.4	18	1	1	4	8	11	14	19
85 +	171	7.5	38	1	1	6	10	16	19	41
GRAND TOTAL	**1176**	**5.3**	**36**	**1**	**1**	**3**	**7**	**11**	**16**	**32**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	71	3.1	7	1	1	2	4	5	6	17
70-74	56	2.7	5	< 1	1	2	3	7	8	9
75-79	28	2.4	1	< 1	1	2	3	4	5	5
80-84	30	2.7	5	< 1	1	2	4	4	5	13
85 +	16	5.1	79	1	1	3	5	6	28	38
B. Operated										
65-69 YRS	56	4.2	8	< 1	1	4	5	7	11	13
70-74	46	3.8	5	< 1	< 1	4	6	6	8	9
75-79	44	4.5	19	< 1	< 1	4	6	9	11	25
80-84	38	4.3	9	< 1	1	4	6	8	11	14
85 +	24	5.3	13	1	1	4	6	13	13	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1185	4.3	13	1	1	3	5	8	10	19
70-74	1096	4.4	12	1	2	4	5	8	10	18
75-79	961	5.3	27	1	2	4	6	9	13	27
80-84	766	5.5	24	1	2	4	7	10	14	28
85 +	681	6.2	35	1	2	5	7	11	15	34
B. Operated										
65-69 YRS	869	7.9	70	1	2	5	9	16	24	46
70-74	852	8.7	85	1	2	6	10	17	25	59
75-79	728	8.3	50	1	2	7	10	16	22	43
80-84	575	9.2	87	1	2	6	11	20	26	51
85 +	513	9.8	92	2	2	7	12	22	28	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	201	3.0	11	< 1	1	2	4	5	7	16
B. Operated	208	4.3	11	< 1	1	4	6	8	11	14
2. MULTIPLE DX										
A. Not Operated	4689	5.0	21	1	2	4	6	9	12	24
B. Operated	3537	8.7	76	1	2	6	10	18	25	49
1. SINGLE DX	409	3.7	11	< 1	1	3	5	7	9	14
2. MULTIPLE DX	8226	6.6	48	1	2	5	8	13	19	39
A. Not Operated	4890	4.9	21	1	2	4	6	9	12	24
B. Operated	3745	8.4	73	1	2	6	10	17	25	48
TOTAL										
65-69 YRS	2181	5.7	38	1	1	4	7	11	16	33
70-74	2050	6.2	47	1	2	4	7	12	17	38
75-79	1761	6.5	38	1	2	5	8	13	18	37
80-84	1409	6.9	53	1	2	5	8	14	21	42
85 +	1234	7.6	62	1	2	5	9	15	23	43
GRAND TOTAL	**8635**	**6.4**	**46**	**1**	**2**	**5**	**8**	**13**	**18**	**38**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	23	3.6	6	< 1	< 1	3	5	7	9	9
70-74	13	4.0	5	1	2	3	5	8	9	9
75-79	15	3.7	5	< 1	< 1	4	5	7	8	9
80-84	6	4.2	1	3	3	4	5	5	5	5
85 +	5	4.4	9	2	2	3	7	9	9	9
B. Operated										
65-69 YRS	22	6.1	10	1	2	6	8	10	12	14
70-74	5	3.2	3	1	1	3	5	5	5	5
75-79	10	4.5	5	2	2	4	6	7	8	8
80-84	5	5.4	2	3	3	6	6	7	7	7
85 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	259	5.1	10	2	2	4	6	8	11	18
70-74	269	5.4	16	2	2	5	7	9	12	23
75-79	236	6.1	26	2	2	5	7	11	14	23
80-84	197	6.1	23	2	2	5	7	12	14	26
85 +	182	6.9	32	2	3	5	8	14	19	41
B. Operated										
65-69 YRS	261	7.6	26	2	3	7	10	13	16	28
70-74	281	7.4	27	2	3	6	9	14	16	28
75-79	263	8.5	45	2	3	7	10	16	22	33
80-84	241	8.6	38	2	3	7	10	15	21	28
85 +	155	9.3	62	3	3	7	11	15	24	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.8	5	< 1	1	3	5	7	9	9
B. Operated	43	5.3	8	1	2	5	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	1143	5.8	21	2	2	5	7	10	14	24
B. Operated	1201	8.2	38	2	3	7	10	15	19	31
1. SINGLE DX	105	4.4	7	< 1	1	4	6	8	9	12
2. MULTIPLE DX	2344	7.0	31	2	3	6	8	13	16	29
A. Not Operated	1205	5.7	20	2	2	5	7	10	14	23
B. Operated	1244	8.1	37	2	3	7	10	14	19	31
TOTAL										
65-69 YRS	565	6.2	19	2	2	5	8	11	14	25
70-74	568	6.4	22	2	2	5	8	11	15	25
75-79	524	7.2	36	2	3	6	8	14	17	32
80-84	449	7.4	32	2	3	6	9	14	17	28
85 +	343	7.9	46	2	3	6	9	14	20	45
GRAND TOTAL	**2449**	**6.9**	**30**	**2**	**2**	**6**	**8**	**13**	**16**	**29**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	69	4.4	5	2	2	4	6	7	9	11
70-74	65	4.7	5	2	3	4	5	8	9	13
75-79	59	4.3	4	2	2	4	5	7	8	11
80-84	32	4.3	3	2	2	4	5	7	8	8
85 +	33	5.8	14	2	3	5	7	10	11	20
B. Operated										
65-69 YRS	35	5.7	11	2	2	5	9	10	12	13
70-74	61	5.9	9	2	3	5	7	11	12	16
75-79	46	6.9	11	3	3	6	8	12	14	17
80-84	32	6.8	17	2	2	6	9	10	15	22
85 +	28	7.4	15	2	3	6	10	13	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	810	5.6	18	2	2	5	7	9	12	20
70-74	787	6.0	21	2	3	5	7	10	11	24
75-79	810	6.3	22	2	3	5	7	10	14	22
80-84	678	7.2	35	3	3	6	8	13	17	32
85 +	651	7.4	23	3	3	6	9	13	17	27
B. Operated										
65-69 YRS	781	9.9	100	3	3	7	12	17	23	75
70-74	970	10.3	88	3	3	8	12	20	28	54
75-79	946	11.0	98	3	4	8	14	21	29	61
80-84	771	11.4	87	3	4	9	14	22	30	52
85 +	593	11.5	98	3	4	9	14	22	31	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	4.6	6	2	2	4	6	8	9	13
B. Operated	202	6.4	12	2	3	6	9	11	13	17
2. MULTIPLE DX										
A. Not Operated	3736	6.4	24	2	3	5	8	11	15	25
B. Operated	4061	10.8	94	3	3	8	13	20	28	59
1. SINGLE DX	460	5.4	9	2	2	5	7	9	11	16
2. MULTIPLE DX	7797	8.7	65	2	3	6	10	17	22	46
A. Not Operated	3994	6.3	23	2	3	5	7	11	14	24
B. Operated	4263	10.6	91	3	3	8	13	20	28	58
TOTAL										
65-69 YRS	1695	7.6	60	2	3	6	9	14	17	38
70-74	1883	8.2	60	2	3	6	9	15	22	42
75-79	1861	8.6	66	2	3	6	10	17	22	48
80-84	1513	9.3	65	3	3	7	11	18	24	42
85 +	1305	9.2	61	3	3	7	11	17	23	47
GRAND TOTAL	**8257**	**8.5**	**63**	**2**	**3**	**6**	**10**	**16**	**22**	**44**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	48	2.8	3	< 1	1	3	4	5	6	8
70-74	29	4.1	7	< 1	1	3	6	7	8	14
75-79	26	3.2	2	1	2	3	4	5	6	8
80-84	15	3.8	5	1	1	3	5	7	8	9
85 +	9	3.0	1	2	2	3	3	4	4	4
B. Operated										
65-69 YRS	11	6.3	9	< 1	1	7	8	10	11	11
70-74	7	8.3	46	< 1	< 1	8	13	18	19	19
75-79	6	4.3	4	2	2	4	5	8	8	8
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	516	4.8	11	2	2	4	6	8	10	18
70-74	496	5.4	15	2	2	5	6	10	12	19
75-79	452	5.2	14	1	2	4	6	9	11	18
80-84	348	6.3	19	2	2	5	8	12	14	23
85 +	289	7.1	35	2	3	6	8	13	18	35
B. Operated										
65-69 YRS	167	7.9	57	2	3	6	9	13	16	37
70-74	169	9.2	75	3	3	7	10	17	29	52
75-79	125	8.9	42	2	3	7	11	17	23	30
80-84	79	9.8	39	3	4	9	12	16	24	31
85 +	69	10.7	85	3	3	8	13	20	25	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	3.3	4	< 1	1	3	4	6	7	10
B. Operated	25	6.2	20	< 1	< 1	5	8	11	16	19
2. MULTIPLE DX										
A. Not Operated	2101	5.6	18	2	2	5	7	10	13	21
B. Operated	609	9.0	60	2	3	7	10	16	22	39
1. SINGLE DX	152	3.8	7	< 1	1	3	5	7	9	15
2. MULTIPLE DX	2710	6.4	29	2	2	5	8	11	15	29
A. Not Operated	2228	5.5	17	2	2	5	7	10	12	21
B. Operated	634	8.9	59	2	3	7	10	16	22	39
TOTAL										
65-69 YRS	742	5.4	23	1	2	4	6	9	12	22
70-74	701	6.3	32	2	2	5	7	11	15	30
75-79	609	5.8	21	1	2	5	7	11	14	24
80-84	443	6.8	24	2	2	6	9	13	16	26
85 +	367	7.6	46	2	3	6	9	14	20	36
GRAND TOTAL	**2862**	**6.2**	**28**	**2**	**2**	**5**	**7**	**11**	**15**	**29**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	86	4.2	7	1	2	4	5	7	8	16
70-74	79	4.3	4	2	2	4	5	6	8	11
75-79	75	4.4	4	2	2	4	6	7	9	11
80-84	49	4.7	6	2	2	4	6	8	10	12
85 +	43	5.0	8	1	2	4	6	9	12	13
B. Operated										
65-69 YRS	55	8.8	17	2	3	8	11	13	18	21
70-74	46	8.1	24	2	3	7	9	13	18	29
75-79	51	8.7	15	4	5	8	10	12	17	24
80-84	23	10.1	37	3	4	10	12	21	23	26
85 +	23	9.1	11	3	4	9	11	13	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	990	5.6	13	2	2	5	7	10	12	20
70-74	1075	6.0	21	2	3	5	7	10	13	25
75-79	1057	6.7	37	2	3	5	8	11	15	28
80-84	885	7.1	22	2	3	6	9	13	16	24
85 +	851	8.3	64	3	3	6	9	14	19	42
B. Operated										
65-69 YRS	595	12.3	144	3	4	9	14	22	31	80
70-74	675	12.6	113	3	4	10	15	23	33	66
75-79	667	13.8	151	4	4	10	16	27	39	79
80-84	567	14.6	151	3	4	11	17	29	43	68
85 +	490	14.5	119	4	5	12	18	27	36	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	332	4.4	6	2	2	4	6	7	9	12
B. Operated	198	8.8	20	3	4	8	11	13	17	25
2. MULTIPLE DX										
A. Not Operated	4858	6.7	32	2	3	5	8	11	15	27
B. Operated	2994	13.5	137	3	4	10	16	26	36	70
1. SINGLE DX	530	6.1	15	2	2	5	8	11	12	21
2. MULTIPLE DX	7852	9.3	82	2	3	7	11	18	25	52
A. Not Operated	5190	6.5	30	2	3	5	8	11	14	27
B. Operated	3192	13.2	131	3	4	10	16	25	35	69
TOTAL										
65-69 YRS	1726	7.9	69	2	3	6	9	15	20	48
70-74	1875	8.4	64	2	3	6	9	16	22	44
75-79	1850	9.2	88	2	3	6	11	17	25	55
80-84	1524	9.9	83	3	3	7	12	18	26	56
85 +	1407	10.4	90	3	4	8	12	19	27	54
GRAND TOTAL	**8382**	**9.1**	**79**	**2**	**3**	**7**	**11**	**17**	**24**	**51**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	5.0	4	3	3	6	6	7	7	7
70-74	11	5.7	6	< 1	2	6	8	9	9	9
75-79	7	5.9	9	2	2	5	8	10	10	10
80-84	5	4.2	2	3	3	4	5	6	6	6
85 +	9	5.4	6	1	2	6	7	9	9	9
B. Operated										
65-69 YRS	16	12.4	102	2	2	9	17	25	35	40
70-74	13	11.5	81	2	2	9	14	27	32	33
75-79	11	11.3	41	3	4	10	15	21	26	26
80-84	6	7.8	9	3	3	8	11	11	11	11
85 +	4	9.8	7	6	6	10	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	80	6.3	11	2	3	6	8	10	12	18
70-74	73	7.2	25	2	3	6	9	11	13	34
75-79	87	6.8	13	3	3	6	8	11	15	19
80-84	69	7.0	13	2	3	6	8	12	14	20
85 +	78	8.9	40	3	4	7	10	15	18	42
B. Operated										
65-69 YRS	182	14.3	125	4	5	12	17	26	35	86
70-74	171	15.5	122	4	6	13	21	27	37	62
75-79	154	16.2	125	4	6	13	21	28	43	55
80-84	113	16.8	206	5	6	14	20	29	44	83
85 +	78	16.0	135	6	6	12	20	28	44	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	5.4	6	1	3	5	7	9	9	10
B. Operated	50	11.1	63	2	3	9	13	23	26	40
2. MULTIPLE DX										
A. Not Operated	387	7.2	21	2	3	6	9	12	15	20
B. Operated	698	15.6	139	4	6	13	19	28	40	69
1. SINGLE DX	87	8.7	46	2	3	7	10	17	25	37
2. MULTIPLE DX	1085	12.6	113	3	4	10	16	24	32	58
A. Not Operated	424	7.1	20	2	3	6	8	12	14	20
B. Operated	748	15.3	135	4	6	12	19	27	39	65
TOTAL										
65-69 YRS	283	11.7	102	3	4	9	15	21	30	66
70-74	268	12.6	104	3	4	10	16	25	30	51
75-79	259	12.6	100	3	4	9	16	25	35	54
80-84	193	12.7	149	3	4	9	15	24	31	69
85 +	169	12.0	95	4	5	9	14	22	29	57
GRAND TOTAL	**1172**	**12.3**	**109**	**3**	**4**	**9**	**15**	**24**	**31**	**57**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	84	3.2	6	< 1	1	3	4	6	8	12
70-74	62	2.9	3	< 1	1	3	4	5	6	8
75-79	38	2.8	7	< 1	1	2	3	5	9	13
80-84	40	3.0	5	1	1	2	3	5	9	11
85 +	31	3.4	4	1	1	3	5	6	8	9
B. Operated										
65-69 YRS	20	3.9	16	< 1	< 1	2	5	10	13	15
70-74	16	4.1	18	< 1	< 1	2	6	7	14	17
75-79	12	5.1	17	< 1	2	4	6	10	16	17
80-84	6	4.0	11	< 1	< 1	3	7	9	9	9
85 +	4	4.5	8	< 1	< 1	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1574	4.8	13	1	2	4	6	9	10	20
70-74	1570	5.1	19	1	2	4	6	9	12	21
75-79	1382	5.6	23	2	2	4	7	10	13	25
80-84	1138	6.1	31	2	2	5	7	11	15	26
85 +	959	6.2	24	2	2	5	7	11	14	29
B. Operated										
65-69 YRS	528	7.9	59	2	3	6	9	14	20	39
70-74	501	8.4	65	2	3	6	10	15	19	49
75-79	482	8.4	38	2	3	7	11	16	20	39
80-84	362	9.2	46	2	3	7	12	16	23	49
85 +	244	9.9	70	3	3	8	12	17	24	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	255	3.0	5	< 1	1	2	4	5	8	11
B. Operated	58	4.2	15	< 1	< 1	4	6	8	14	17
2. MULTIPLE DX										
A. Not Operated	6623	5.5	21	2	2	4	7	10	13	23
B. Operated	2117	8.6	55	2	3	7	11	16	21	43
1. SINGLE DX	313	3.3	7	< 1	1	3	4	6	8	14
2. MULTIPLE DX	8740	6.2	31	2	2	5	7	12	15	28
A. Not Operated	6878	5.4	21	1	2	4	7	10	13	22
B. Operated	2175	8.4	54	2	3	7	11	16	20	42
TOTAL										
65-69 YRS	2206	5.5	26	1	2	4	7	10	13	25
70-74	2149	5.8	31	1	2	4	7	11	15	25
75-79	1914	6.2	28	1	2	5	7	12	16	28
80-84	1546	6.8	36	2	2	5	8	13	16	29
85 +	1238	6.9	35	2	2	5	8	13	16	31
GRAND TOTAL	**9053**	**6.1**	**31**	**1**	**2**	**5**	**7**	**11**	**15**	**28**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	3.4	7	1	1	3	5	7	9	11
70-74	15	2.9	5	< 1	1	2	4	6	8	9
75-79	14	4.4	11	< 1	1	3	6	10	12	12
80-84	9	1.9	1	< 1	< 1	2	3	3	3	3
85 +	9	3.6	4	2	2	3	4	7	8	8
B. Operated										
65-69 YRS	9	10.7	44	< 1	2	9	14	21	23	23
70-74	14	9.4	48	< 1	1	10	13	20	24	25
75-79	9	10.2	40	1	2	11	14	19	21	21
80-84	2	4.5	25	1	1	4	8	8	8	8
85 +	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	322	5.0	16	1	1	4	7	10	13	19
70-74	319	5.3	18	1	2	4	6	10	15	21
75-79	306	6.8	53	1	2	5	8	13	19	46
80-84	220	5.8	20	1	2	4	7	11	14	23
85 +	208	7.8	108	1	2	5	8	16	20	68
B. Operated										
65-69 YRS	209	12.4	118	1	3	9	15	25	36	57
70-74	210	13.5	128	2	4	11	16	26	37	65
75-79	185	14.5	197	3	4	10	17	29	43	87
80-84	139	13.6	138	3	4	11	15	27	37	63
85 +	100	16.9	231	4	5	12	21	37	43	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	3.3	6	1	1	3	4	7	9	12
B. Operated	36	9.6	40	< 1	1	9	13	19	22	25
2. MULTIPLE DX										
A. Not Operated	1375	6.0	40	1	2	4	7	11	16	29
B. Operated	843	13.9	156	3	4	10	16	28	40	76
1. SINGLE DX	103	5.5	27	< 1	1	4	8	12	17	24
2. MULTIPLE DX	2218	9.0	99	1	2	6	11	19	26	54
A. Not Operated	1442	5.9	39	1	2	4	7	11	15	29
B. Operated	879	13.7	151	2	4	10	16	27	39	73
TOTAL										
65-69 YRS	560	7.8	67	1	1	5	10	16	23	45
70-74	558	8.4	76	1	2	6	10	19	24	52
75-79	514	9.6	117	2	2	7	11	19	29	64
80-84	370	8.6	79	1	2	6	11	18	23	47
85 +	319	10.5	162	2	2	6	12	21	38	72
GRAND TOTAL	**2321**	**8.9**	**96**	**1**	**2**	**6**	**11**	**19**	**25**	**52**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.0	4	1	1	3	4	5	5	5
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	143	4.1	3	2	2	4	5	6	8	11
70-74	80	4.5	3	2	3	4	5	7	8	10
75-79	41	4.8	4	2	2	5	6	7	9	12
80-84	13	3.9	5	2	2	3	5	7	9	10
85 +	12	3.4	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	7.0	3	6	6	6	8	9	9	9
75-79	4	5.8	8	3	3	5	8	9	9	9
80-84	2	4.0	8	2	2	4	6	6	6	6
85 +	4	10.3	11	8	8	9	12	15	15	15
B. Operated										
65-69 YRS	174	5.9	9	3	3	5	7	10	11	15
70-74	131	6.5	16	2	3	6	8	11	13	22
75-79	96	7.5	31	3	4	6	8	13	15	37
80-84	60	9.1	58	3	3	7	10	21	29	36
85 +	23	9.4	37	4	5	8	11	17	24	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.6	4	1	1	3	5	6	6	6
B. Operated	289	4.3	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	14	6.9	12	2	3	7	9	10	14	15
B. Operated	484	6.9	24	3	3	6	8	11	15	31
1. SINGLE DX	294	4.3	4	2	2	4	5	6	8	11
2. MULTIPLE DX	498	6.9	24	3	3	6	8	11	15	31
A. Not Operated	19	6.0	11	1	2	6	8	10	13	15
B. Operated	773	5.9	18	2	3	5	7	10	12	27
TOTAL										
65-69 YRS	321	5.1	7	2	3	4	6	9	10	13
70-74	215	5.8	12	2	3	5	7	9	11	18
75-79	141	6.6	24	3	3	5	7	11	14	34
80-84	76	8.0	51	2	3	6	9	15	27	35
85 +	39	7.6	31	3	3	6	9	14	18	31
GRAND TOTAL	**792**	**5.9**	**18**	**2**	**3**	**5**	**7**	**10**	**12**	**27**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	8.0		8	8	8	8	8	8	8
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
65-69 YRS	123	7.9	12	3	4	7	10	11	14	20
70-74	70	7.6	8	4	5	7	9	11	13	18
75-79	53	6.2	4	3	4	6	8	9	9	12
80-84	25	8.6	14	4	5	8	10	14	17	20
85 +	14	11.6	36	6	7	10	15	18	26	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	11.3	10	6	6	12	13	15	15	15
70-74	10	8.9	13	2	3	10	12	13	13	13
75-79	9	11.9	22	5	6	11	16	19	19	19
80-84	4	12.0	5	10	10	12	14	14	14	14
85 +	2	17.0	98	10	10	17	24	24	24	24
B. Operated										
65-69 YRS	410	11.1	41	5	6	9	13	19	22	36
70-74	367	11.9	68	5	6	10	14	19	25	42
75-79	274	12.5	63	5	6	11	14	20	27	53
80-84	153	14.9	147	6	7	11	18	27	34	78
85 +	103	15.9	118	6	7	13	18	27	40	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	7.3	11	3	3	7	9	11	11	11
B. Operated	285	7.7	12	3	4	7	9	11	14	20
2. MULTIPLE DX										
A. Not Operated	33	11.2	19	5	6	11	13	16	19	24
B. Operated	1307	12.4	74	5	6	10	14	20	27	58
1. SINGLE DX	289	7.7	12	3	4	7	9	11	14	20
2. MULTIPLE DX	1340	12.4	73	5	6	10	14	20	27	57
A. Not Operated	37	10.7	19	4	5	11	13	15	19	24
B. Operated	1592	11.6	66	5	5	10	13	19	25	46
TOTAL										
65-69 YRS	542	10.4	36	4	5	9	12	18	21	33
70-74	448	11.2	60	5	5	10	13	18	23	42
75-79	336	11.5	58	4	5	10	13	19	24	47
80-84	183	13.9	130	5	6	10	16	26	31	74
85 +	120	15.4	108	6	7	13	18	27	37	79
GRAND TOTAL	**1629**	**11.6**	**65**	**5**	**5**	**10**	**13**	**19**	**25**	**46**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENT'LES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.3	2	1	1	2	3	4	4	4
70-74	0									
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
65-69 YRS	11	5.2	4	2	2	5	6	8	9	9
70-74	4	7.3	5	5	5	7	9	10	10	10
75-79	5	4.8	6	3	3	3	7	8	8	8
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	5.5	7	2	2	6	8	8	8	8
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	5	5.2	16	2	2	3	9	10	10	10
80-84	2	6.0	2	5	5	6	7	7	7	7
85 +	4	9.8	41	5	5	7	14	19	19	19
B. Operated										
65-69 YRS	29	7.6	23	1	3	7	11	14	17	21
70-74	23	8.0	21	2	3	8	10	15	16	17
75-79	8	8.1	21	3	4	7	9	16	18	18
80-84	5	5.2	5	3	3	5	7	8	8	8
85 +	3	7.7	10	4	4	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.0	7	< 1	< 1	2	5	7	7	7
B. Operated	20	5.5	5	2	3	5	7	9	9	10
2. MULTIPLE DX										
A. Not Operated	19	6.1	17	2	2	5	8	10	15	19
B. Operated	68	7.6	20	2	3	7	10	14	17	20
1. SINGLE DX	25	5.0	6	1	2	5	7	8	9	10
2. MULTIPLE DX	87	7.3	19	2	3	7	9	14	17	20
A. Not Operated	24	5.5	16	1	2	5	8	9	13	19
B. Operated	88	7.2	17	2	3	6	9	13	16	20
TOTAL										
65-69 YRS	49	6.5	17	1	2	5	8	12	14	21
70-74	29	7.6	19	2	2	7	10	15	16	17
75-79	19	6.1	17	1	2	6	8	11	15	18
80-84	7	5.4	4	3	3	5	7	8	8	8
85 +	8	8.6	22	4	4	8	10	16	19	19
GRAND TOTAL	**112**	**6.8**	**17**	**2**	**2**	**6**	**9**	**12**	**16**	**20**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	2.0	1	1	1	2	3	3	4	4
70-74	10	1.8	3	< 1	< 1	1	2	4	6	6
75-79	6	5.7	19	1	1	5	8	12	12	12
80-84	5	2.4	1	1	1	2	3	4	4	4
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	1543	2.0	2	1	1	2	3	4	4	5
70-74	1252	2.2	2	< 1	1	2	3	4	5	7
75-79	868	2.3	3	1	1	2	3	4	5	8
80-84	480	2.4	2	1	1	2	3	4	5	8
85 +	228	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	45	2.3	6	< 1	< 1	1	3	4	7	15
70-74	54	2.9	13	< 1	< 1	2	3	6	8	20
75-79	47	3.3	21	< 1	< 1	1	4	7	14	25
80-84	29	2.7	5	< 1	< 1	2	3	6	7	9
85 +	25	4.5	38	< 1	1	3	5	10	18	30
B. Operated										
65-69 YRS	2784	3.0	6	1	1	2	4	5	7	14
70-74	2761	3.2	9	1	1	3	4	6	7	13
75-79	2250	3.5	10	1	1	3	4	6	9	16
80-84	1318	4.0	18	1	1	3	5	8	10	16
85 +	646	4.4	18	1	1	3	5	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.6	6	1	1	2	3	6	8	12
B. Operated	4371	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	200	3.0	15	< 1	< 1	2	3	6	9	22
B. Operated	9759	3.4	10	1	1	3	4	6	8	15
1. SINGLE DX	4407	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	9959	3.4	10	1	1	3	4	6	8	16
A. Not Operated	236	2.9	14	< 1	< 1	2	3	6	8	21
B. Operated	14130	3.0	8	1	1	2	4	5	7	14
TOTAL										
65-69 YRS	4386	2.6	5	1	1	2	3	5	6	11
70-74	4077	2.9	7	1	1	2	4	5	7	12
75-79	3171	3.2	9	1	1	3	4	6	8	15
80-84	1832	3.6	14	1	1	3	4	7	9	15
85 +	900	3.9	16	1	1	3	5	8	10	22
GRAND TOTAL	**14366**	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**14**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.0		2	2	2	2	2	2	2
70-74	5	1.6	1	< 1	< 1	1	2	3	3	3
75-79	7	6.9	108	< 1	< 1	3	6	25	30	30
80-84	2	1.5	1	< 1	< 1	1	2	2	2	2
85 +	6	4.2	6	1	1	4	6	8	8	8
B. Operated										
65-69 YRS	158	3.1	4	1	1	3	4	6	7	10
70-74	130	3.5	5	1	1	3	5	6	8	11
75-79	120	3.2	4	1	1	3	5	6	7	11
80-84	95	3.8	10	1	1	3	5	7	8	19
85 +	97	4.5	14	1	1	3	6	8	10	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	2.5	5	< 1	1	1	4	5	7	8
70-74	14	4.2	9	1	1	3	8	8	10	10
75-79	26	4.3	29	1	1	3	4	10	14	27
80-84	19	5.7	20	1	1	4	8	14	15	15
85 +	40	6.6	38	1	2	6	9	18	26	99 +
B. Operated										
65-69 YRS	414	5.2	27	1	1	4	6	11	15	27
70-74	477	6.3	33	1	2	5	8	13	17	33
75-79	523	6.7	49	1	2	4	8	13	19	39
80-84	468	7.2	40	2	2	5	9	13	19	37
85 +	428	8.5	56	2	2	6	11	18	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.8	35	< 1	< 1	2	4	7	15	30
B. Operated	600	3.5	7	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	114	5.1	27	1	1	3	7	10	16	53
B. Operated	2310	6.8	42	1	2	5	8	14	19	36
1. SINGLE DX	624	3.5	8	1	1	3	5	7	8	12
2. MULTIPLE DX	2424	6.7	42	1	2	5	8	14	19	36
A. Not Operated	138	4.9	28	1	1	3	6	10	16	38
B. Operated	2910	6.1	37	1	2	4	7	12	17	33
TOTAL										
65-69 YRS	591	4.6	21	1	1	3	5	9	12	25
70-74	626	5.6	28	1	2	4	7	11	16	29
75-79	676	6.0	43	1	2	4	7	12	17	34
80-84	584	6.6	36	1	2	5	8	12	17	36
85 +	571	7.7	49	1	2	6	9	17	21	38
GRAND TOTAL	**3048**	**6.1**	**36**	**1**	**2**	**4**	**7**	**12**	**17**	**33**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	43	2.1	2	< 1	1	2	3	4	5	5
70-74	34	2.1	2	1	1	1	3	5	5	5
75-79	18	2.1	4	< 1	< 1	1	3	4	7	9
80-84	10	1.7	1	< 1	< 1	1	3	3	3	3
85 +	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
70-74	2	4.0	18	1	1	4	7	7	7	7
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	3	5.7	14	3	3	4	8	10	10	10
85 +	0									
B. Operated										
65-69 YRS	121	3.8	7	1	1	3	5	7	9	13
70-74	131	3.7	11	1	1	3	4	7	9	20
75-79	69	4.6	18	1	1	4	6	8	11	25
80-84	20	3.5	5	1	1	3	4	6	8	10
85 +	15	6.9	54	1	2	5	11	15	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	110	2.0	2	< 1	1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	10	3.7	8	< 1	< 1	3	4	8	10	10
B. Operated	356	4.1	12	1	1	3	5	8	10	20
1. SINGLE DX	110	2.0	2	< 1	1	1	3	4	5	7
2. MULTIPLE DX	366	4.1	12	1	1	3	5	8	10	20
A. Not Operated	10	3.7	8	< 1	< 1	3	4	8	10	10
B. Operated	466	3.6	11	1	1	3	5	7	9	18
TOTAL										
65-69 YRS	167	3.4	6	1	1	3	4	6	8	13
70-74	167	3.4	9	1	1	3	4	7	8	19
75-79	89	4.1	16	< 1	1	3	6	8	10	24
80-84	33	3.2	5	< 1	1	3	4	6	9	10
85 +	20	5.5	46	1	1	2	6	14	21	28
GRAND TOTAL	**476**	**3.6**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	5.2	8	2	2	5	8	8	8	8
70-74	2	5.0	8	3	3	5	7	7	7	7
75-79	3	3.7		3	3	4	4	4	4	4
80-84	2	8.5	25	5	5	8	12	12	12	12
85 +	4	3.3	4	1	1	3	5	5	5	5
B. Operated										
65-69 YRS	327	3.7	4	1	1	3	5	7	8	9
70-74	269	3.8	5	1	1	3	5	7	8	10
75-79	157	3.9	6	1	1	4	5	7	8	11
80-84	80	3.8	5	1	1	3	5	7	8	10
85 +	34	4.2	4	1	1	4	6	6	8	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	37	3.1	6	< 1	< 1	2	4	7	7	10
70-74	32	4.4	20	< 1	< 1	4	7	9	22	99 +
75-79	26	3.7	7	< 1	1	3	5	8	9	11
80-84	15	4.2	9	1	1	3	6	10	11	11
85 +	20	6.4	55	1	2	4	5	19	26	27
B. Operated										
65-69 YRS	1012	5.6	22	1	2	5	7	9	12	22
70-74	817	5.7	28	1	2	5	7	10	13	23
75-79	571	6.1	21	1	2	5	8	10	13	24
80-84	269	6.9	46	2	2	6	8	11	16	42
85 +	112	8.4	60	2	2	6	11	15	22	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.8	8	1	2	4	6	8	11	12
B. Operated	867	3.8	5	1	1	3	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	130	4.2	18	< 1	1	3	6	8	11	41
B. Operated	2781	6.0	28	1	2	5	7	10	13	25
1. SINGLE DX	883	3.8	5	1	1	3	5	7	8	10
2. MULTIPLE DX	2911	5.9	27	1	2	5	7	10	13	25
A. Not Operated	146	4.2	17	< 1	1	3	6	8	11	29
B. Operated	3648	5.5	23	1	2	5	7	9	12	22
TOTAL										
65-69 YRS	1381	5.1	18	1	2	4	6	9	11	19
70-74	1120	5.2	23	1	2	4	6	9	12	21
75-79	757	5.6	18	1	2	5	7	10	12	21
80-84	366	6.1	37	1	2	5	8	10	14	33
85 +	170	7.2	50	1	2	5	9	14	20	42
GRAND TOTAL	**3794**	**5.4**	**23**	**1**	**2**	**5**	**7**	**9**	**12**	**23**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	23	2.8	3	< 1	< 1	3	4	5	6	6
70-74	20	4.1	3	2	2	4	5	6	7	9
75-79	12	2.8	5	< 1	< 1	2	4	7	8	8
80-84	7	3.7	5	< 1	< 1	3	6	7	7	7
85 +	6	4.7	15	< 1	< 1	4	5	11	12	12
B. Operated										
65-69 YRS	14	6.5	4	3	4	6	8	9	9	9
70-74	15	7.3	7	2	5	7	9	10	11	11
75-79	7	10.6	44	5	5	9	10	22	25	25
80-84	0									
85 +	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	395	4.0	8	1	2	3	5	7	9	13
70-74	401	4.3	9	1	2	4	5	8	10	14
75-79	362	5.1	29	1	2	4	6	8	10	21
80-84	241	5.1	14	1	2	4	6	9	11	21
85 +	219	5.9	22	2	2	5	7	11	17	29
B. Operated										
65-69 YRS	225	8.2	26	2	2	7	10	14	19	27
70-74	202	9.3	68	2	3	8	11	16	22	69
75-79	131	8.9	33	2	4	7	11	17	20	29
80-84	76	12.1	111	1	3	9	15	29	35	51
85 +	35	11.7	153	2	3	8	17	22	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	3.4	5	< 1	< 1	3	5	6	7	11
B. Operated	38	7.7	13	3	5	7	9	10	11	25
2. MULTIPLE DX										
A. Not Operated	1618	4.7	16	1	2	4	6	8	11	19
B. Operated	669	9.3	58	2	3	8	11	17	23	46
1. SINGLE DX	106	5.0	12	< 1	1	5	7	9	10	18
2. MULTIPLE DX	2287	6.1	32	1	2	5	7	11	15	30
A. Not Operated	1686	4.7	15	1	2	4	6	8	10	19
B. Operated	707	9.2	55	2	3	8	11	17	22	45
TOTAL										
65-69 YRS	657	5.4	18	1	2	4	7	10	13	23
70-74	638	5.9	33	1	2	5	7	11	14	28
75-79	512	6.1	33	1	2	5	7	11	15	27
80-84	324	6.7	45	1	2	5	8	13	18	36
85 +	262	6.6	43	2	2	5	8	13	18	65
GRAND TOTAL	**2393**	**6.0**	**32**	**1**	**2**	**5**	**7**	**11**	**15**	**29**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	0									
75-79	0									
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
B. Operated										
65-69 YRS	34	2.2	2	1	1	2	3	4	5	6
70-74	35	2.6	2	1	1	2	3	5	6	7
75-79	29	2.4	3	< 1	1	2	3	5	6	8
80-84	21	2.8	3	< 1	1	2	4	6	6	7
85 +	3	5.0	9	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
70-74	5	4.6	17	1	1	2	8	10	10	10
75-79	4	6.0	21	2	2	5	9	12	12	12
80-84	2	5.0	2	4	4	5	6	6	6	6
85 +	5	7.2	5	5	5	7	9	10	10	10
B. Operated										
65-69 YRS	83	4.0	11	1	1	3	5	6	10	20
70-74	90	3.9	18	1	1	3	4	8	10	27
75-79	79	4.1	27	1	1	3	5	8	9	35
80-84	42	3.9	6	1	2	4	5	6	8	16
85 +	29	6.5	31	1	1	5	8	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	7.5	1	7	7	7	8	8	8	8
B. Operated	122	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	18	5.4	12	< 1	1	5	8	10	11	12
B. Operated	323	4.2	18	1	1	3	5	8	10	23
1. SINGLE DX	124	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	341	4.3	18	1	1	3	5	8	10	22
A. Not Operated	20	5.6	11	< 1	1	6	8	10	11	12
B. Operated	445	3.7	15	1	1	3	4	7	9	19
TOTAL										
65-69 YRS	120	3.5	9	1	1	3	4	6	8	20
70-74	130	3.5	14	1	1	3	4	7	10	19
75-79	112	3.7	21	1	1	3	4	7	8	24
80-84	66	3.7	6	1	1	3	5	6	7	15
85 +	37	6.5	26	1	2	5	8	11	15	28
GRAND TOTAL	**465**	**3.8**	**15**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	4.3	8	2	2	3	5	9	10	10
70-74	12	3.3	7	< 1	< 1	2	5	7	9	9
75-79	12	2.9	5	1	1	2	4	7	7	7
80-84	3	2.7	2	< 1	< 1	3	4	4	4	4
85 +	7	3.1	3	1	1	3	5	5	5	5
B. Operated										
65-69 YRS	176	3.9	7	1	1	3	5	8	9	11
70-74	143	4.2	8	1	1	4	5	7	9	14
75-79	117	5.1	12	1	2	4	6	11	13	16
80-84	86	5.9	43	1	2	5	7	11	13	43
85 +	53	6.6	19	2	2	5	9	13	15	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	4.4	9	1	2	4	6	9	10	15
70-74	58	5.3	15	2	2	4	7	12	13	19
75-79	72	6.3	24	1	2	5	8	10	18	26
80-84	83	5.9	18	1	2	5	8	10	14	24
85 +	77	5.4	11	1	2	5	7	10	12	15
B. Operated										
65-69 YRS	687	7.9	43	1	2	6	10	15	20	34
70-74	655	9.9	89	2	3	8	12	18	27	55
75-79	661	10.2	86	2	3	8	12	18	24	59
80-84	532	12.0	106	2	4	9	15	23	32	60
85 +	466	11.7	78	3	4	10	14	21	28	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.3	5	< 1	1	3	5	7	8	10
B. Operated	575	4.8	15	1	1	4	6	9	12	15
2. MULTIPLE DX										
A. Not Operated	336	5.6	16	1	2	5	7	10	13	19
B. Operated	3001	10.2	81	2	3	8	13	19	26	52
1. SINGLE DX	617	4.7	15	1	1	4	6	9	11	15
2. MULTIPLE DX	3337	9.7	77	2	3	8	12	18	25	51
A. Not Operated	378	5.3	15	1	2	4	7	10	13	19
B. Operated	3576	9.3	74	2	2	7	12	18	24	50
TOTAL										
65-69 YRS	917	7.0	37	1	2	5	9	13	17	32
70-74	868	8.5	75	1	2	6	10	16	24	46
75-79	862	9.1	74	2	2	7	11	17	22	56
80-84	704	10.5	94	2	3	8	13	21	28	56
85 +	603	10.3	70	2	3	8	13	19	25	44
GRAND TOTAL	**3954**	**8.9**	**70**	**1**	**2**	**7**	**11**	**17**	**23**	**46**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	310	3.9	6	1	1	3	5	7	8	12
70-74	290	4.4	23	1	2	3	5	7	10	21
75-79	261	4.4	8	1	2	4	6	8	10	16
80-84	167	4.7	12	1	2	4	6	8	9	24
85 +	146	4.8	11	1	2	4	6	8	10	20
B. Operated										
65-69 YRS	128	10.7	27	5	6	9	13	17	23	28
70-74	131	10.5	43	5	5	9	12	17	21	38
75-79	94	11.3	24	6	7	10	14	18	21	30
80-84	74	11.6	32	7	7	10	13	18	26	33
85 +	47	11.6	46	2	6	10	12	21	29	34
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1861	5.8	16	2	2	5	7	11	14	21
70-74	2250	6.2	22	2	2	5	8	11	14	22
75-79	2119	6.7	27	2	2	5	8	12	16	26
80-84	1686	7.1	34	2	2	6	9	13	17	30
85 +	1831	7.8	36	2	3	6	10	15	19	35
B. Operated										
65-69 YRS	1279	15.4	131	6	6	12	18	29	37	78
70-74	1356	15.7	126	6	7	13	18	28	38	71
75-79	1318	16.1	116	6	7	13	19	28	37	60
80-84	1113	16.5	113	6	7	14	20	30	37	63
85 +	960	17.0	133	6	7	14	20	30	39	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1174	4.4	12	1	2	4	5	7	9	17
B. Operated	474	11.0	34	5	6	10	13	17	23	34
2. MULTIPLE DX										
A. Not Operated	9747	6.7	27	2	2	5	8	12	16	27
B. Operated	6026	16.1	124	6	7	13	19	29	38	71
1. SINGLE DX	1648	6.3	27	1	2	5	8	12	15	26
2. MULTIPLE DX	15773	10.3	85	2	3	8	13	20	27	50
A. Not Operated	10921	6.4	26	2	2	5	8	12	15	26
B. Operated	6500	15.7	119	6	7	13	19	28	37	69
TOTAL										
65-69 YRS	3578	9.2	79	2	2	7	11	18	25	48
70-74	4027	9.4	78	2	3	7	12	18	25	51
75-79	3792	9.9	78	2	3	7	13	20	26	44
80-84	3040	10.5	83	2	3	8	13	21	28	48
85 +	2984	10.7	85	2	3	8	14	21	28	56
GRAND TOTAL	**17421**	**9.9**	**81**	**2**	**3**	**7**	**12**	**19**	**26**	**48**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	180	2.6	3	1	1	2	3	5	5	9
70-74	134	3.3	15	1	1	3	4	5	7	15
75-79	111	3.0	4	1	1	3	4	6	7	10
80-84	75	2.9	3	1	1	2	4	5	6	9
85 +	83	3.3	4	1	1	3	4	6	7	11
B. Operated										
65-69 YRS	18	4.6	12	< 1	< 1	4	6	10	12	13
70-74	9	6.2	4	4	4	6	7	9	10	10
75-79	12	5.7	49	< 1	1	4	5	14	25	27
80-84	4	4.5	6	2	2	4	6	7	7	7
85 +	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1855	4.6	16	1	2	4	5	8	11	18
70-74	1989	4.9	16	1	2	4	6	9	12	19
75-79	1926	5.2	21	1	2	4	6	10	13	22
80-84	1614	5.7	29	1	2	4	7	11	13	27
85 +	1673	6.0	36	2	2	5	7	11	15	33
B. Operated										
65-69 YRS	352	10.3	84	2	3	7	12	22	28	42
70-74	328	10.1	89	2	3	7	11	20	28	54
75-79	266	11.5	130	3	4	8	13	24	33	65
80-84	208	11.1	91	2	4	8	13	21	27	52
85 +	157	13.0	122	3	5	10	16	27	35	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	583	3.0	6	1	1	3	4	5	6	10
B. Operated	45	5.3	19	< 1	1	4	7	10	11	27
2. MULTIPLE DX										
A. Not Operated	9057	5.2	23	1	2	4	6	10	13	23
B. Operated	1311	10.9	101	3	4	8	13	22	31	55
1. SINGLE DX	628	3.2	7	1	1	3	4	5	7	11
2. MULTIPLE DX	10368	6.0	37	1	2	4	7	11	15	32
A. Not Operated	9640	5.1	22	1	2	4	6	9	12	23
B. Operated	1356	10.7	99	2	3	8	13	22	30	54
TOTAL										
65-69 YRS	2405	5.2	29	1	2	4	6	10	14	29
70-74	2460	5.5	29	1	2	4	7	10	14	28
75-79	2315	5.8	37	1	2	4	7	11	14	31
80-84	1901	6.2	38	1	2	5	7	12	16	35
85 +	1915	6.4	45	1	2	5	8	12	17	39
GRAND TOTAL	**10996**	**5.8**	**35**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	400	4.7	6	1	2	4	6	8	10	12
70-74	333	4.5	9	1	2	4	6	8	10	13
75-79	246	5.3	9	1	2	5	7	9	11	15
80-84	175	5.0	8	1	2	5	7	8	10	13
85 +	131	5.2	10	1	2	5	7	10	11	15
B. Operated										
65-69 YRS	111	9.7	15	4	6	9	11	15	18	21
70-74	89	9.7	19	3	6	9	11	15	17	27
75-79	64	10.1	21	4	6	9	13	15	18	26
80-84	24	12.0	47	4	6	10	15	22	29	31
85 +	14	8.4	14	5	5	8	9	11	18	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2048	5.9	12	2	3	5	7	10	12	17
70-74	2411	6.0	17	2	2	5	7	10	12	21
75-79	2439	6.2	17	2	3	5	8	11	13	21
80-84	2101	6.8	22	2	3	6	8	12	15	24
85 +	2216	7.2	33	2	3	6	9	13	16	29
B. Operated										
65-69 YRS	1401	13.1	82	4	6	11	15	23	29	53
70-74	1438	13.4	95	4	5	11	16	24	31	59
75-79	1233	14.2	119	4	5	11	17	27	36	67
80-84	905	14.5	116	4	5	12	18	26	34	88
85 +	621	15.1	120	3	4	12	19	30	38	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1285	4.8	8	1	2	4	6	8	10	14
B. Operated	302	9.9	20	4	6	9	11	16	19	27
2. MULTIPLE DX										
A. Not Operated	11215	6.4	20	2	3	5	8	11	14	22
B. Operated	5598	13.9	104	4	5	11	17	25	33	60
1. SINGLE DX	1587	5.8	14	1	2	5	8	10	13	19
2. MULTIPLE DX	16813	8.9	61	2	3	7	11	17	23	42
A. Not Operated	12500	6.2	19	2	2	5	8	11	13	22
B. Operated	5900	13.7	100	4	5	11	16	25	32	59
TOTAL										
65-69 YRS	3960	8.4	49	2	3	7	10	15	20	37
70-74	4271	8.5	56	2	3	7	10	16	21	40
75-79	3982	8.7	62	2	3	7	10	17	23	42
80-84	3205	8.9	60	2	3	7	11	17	23	44
85 +	2982	8.7	61	2	3	7	10	17	23	42
GRAND TOTAL	**18400**	**8.6**	**57**	**2**	**3**	**7**	**10**	**16**	**22**	**41**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.5	3	1	1	2	4	5	5	5
70-74	3	1.3		< 1	< 1	1	2	2	2	2
75-79	4	4.5	4	2	2	4	6	7	7	7
80-84	4	8.8	26	3	3	8	12	15	15	15
85 +	0									
B. Operated										
65-69 YRS	126	2.5	4	1	1	2	3	5	6	11
70-74	72	2.9	8	1	1	2	3	5	7	16
75-79	30	3.5	6	1	1	3	4	7	8	12
80-84	11	2.4	3	1	1	2	3	5	7	7
85 +	8	3.9	8	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	39	6.7	29	< 1	1	6	9	15	19	23
70-74	35	6.1	19	1	2	6	8	10	14	22
75-79	33	4.8	18	< 1	1	4	8	10	20	99 +
80-84	16	10.2	62	2	3	7	16	27	75	99 +
85 +	28	6.6	11	1	2	7	8	11	13	15
B. Operated										
65-69 YRS	472	5.1	42	1	1	3	6	10	15	31
70-74	318	5.1	43	1	1	3	5	12	17	32
75-79	212	7.0	49	1	2	5	9	15	22	36
80-84	112	9.5	157	1	2	5	11	19	29	83
85 +	97	10.9	173	2	2	7	13	22	31	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.5	16	< 1	1	3	6	10	14	15
B. Operated	247	2.8	6	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	151	6.5	26	1	1	6	8	13	20	98
B. Operated	1211	6.3	68	1	1	4	7	14	19	37
1. SINGLE DX	262	2.9	6	1	1	2	3	5	7	15
2. MULTIPLE DX	1362	6.3	63	1	1	4	8	14	19	37
A. Not Operated	166	6.3	25	1	1	6	8	13	19	87
B. Operated	1458	5.7	59	1	1	3	6	13	18	35
TOTAL										
65-69 YRS	641	4.7	35	1	1	3	5	9	14	29
70-74	428	4.8	36	1	1	3	5	10	15	30
75-79	279	6.4	41	1	2	4	8	14	21	38
80-84	143	9.0	134	1	2	5	11	19	28	88
85 +	133	9.6	134	2	2	7	11	19	26	78
GRAND TOTAL	**1624**	**5.8**	**56**	**1**	**1**	**3**	**7**	**13**	**18**	**36**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	131	4.6	18	< 1	1	4	6	10	13	25
70-74	136	4.3	18	< 1	1	3	5	8	13	22
75-79	105	3.5	9	< 1	1	3	5	7	8	16
80-84	102	3.6	10	1	1	3	5	8	9	16
85 +	83	3.8	11	1	1	3	5	8	11	16
B. Operated										
65-69 YRS	143	6.5	32	1	1	5	9	12	17	30
70-74	140	6.3	24	1	1	5	8	13	15	24
75-79	112	7.0	32	1	2	6	9	14	18	32
80-84	68	6.0	13	1	2	5	8	11	13	16
85 +	46	6.7	44	1	2	4	9	15	19	37
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1383	5.6	20	1	2	5	7	11	14	23
70-74	1642	6.2	33	1	2	5	8	12	15	30
75-79	1775	6.7	48	1	2	5	8	13	17	38
80-84	1622	6.6	35	1	2	5	8	12	16	30
85 +	1829	7.1	49	1	2	5	9	13	19	42
B. Operated										
65-69 YRS	1698	12.4	146	2	3	9	15	26	37	69
70-74	1750	12.7	137	2	3	9	16	27	38	65
75-79	1609	13.4	139	2	3	10	17	28	37	72
80-84	1180	14.1	155	3	4	11	17	28	42	87
85 +	955	14.4	148	2	4	11	19	31	41	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	557	4.0	14	< 1	1	3	5	8	11	21
B. Operated	509	6.5	28	1	1	5	9	13	16	28
2. MULTIPLE DX										
A. Not Operated	8251	6.5	38	1	2	5	8	12	16	32
B. Operated	7192	13.3	145	2	3	10	17	28	39	74
1. SINGLE DX	1066	5.2	22	1	1	4	7	11	14	22
2. MULTIPLE DX	15443	9.6	99	2	2	7	12	20	29	58
A. Not Operated	8808	6.3	37	1	2	5	8	12	16	31
B. Operated	7701	12.8	140	2	3	9	16	27	37	73
TOTAL										
65-69 YRS	3355	9.1	96	1	2	6	11	19	26	55
70-74	3668	9.2	93	1	2	6	11	19	28	54
75-79	3601	9.6	99	1	2	7	12	20	29	55
80-84	2972	9.4	96	2	2	7	11	19	27	61
85 +	2913	9.4	93	1	2	7	11	20	29	65
GRAND TOTAL	**16509**	**9.3**	**96**	**1**	**2**	**6**	**11**	**20**	**28**	**56**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.5	6	1	1	2	4	6	6	6
70-74	2	5.0		5	5	5	5	5	5	5
75-79	1	11.0		11	11	11	11	11	11	11
80-84	2	6.5	25	3	3	6	10	10	10	10
85 +	0									
B. Operated										
65-69 YRS	5	4.4	14	1	1	4	7	10	10	10
70-74	3	5.7	17	1	1	7	8	9	9	9
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	392	10.1	88	2	3	8	12	19	26	52
70-74	294	9.9	63	2	3	8	13	19	24	47
75-79	127	10.0	58	3	4	8	13	19	21	42
80-84	38	11.1	99	3	3	9	14	22	48	99 +
85 +	16	12.9	227	5	6	9	12	17	53	68
B. Operated										
65-69 YRS	212	12.2	95	2	3	9	15	27	32	48
70-74	114	11.5	87	2	3	9	14	21	29	51
75-79	42	11.3	111	1	2	8	15	21	38	52
80-84	16	10.7	27	2	3	12	14	16	19	20
85 +	6	14.2	112	3	3	14	18	31	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.9	13	1	1	5	7	11	11	11
B. Operated	9	4.4	14	1	1	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	867	10.1	78	2	3	8	12	19	25	53
B. Operated	390	11.8	91	2	3	9	15	25	32	48
1. SINGLE DX	18	4.7	13	1	1	4	7	10	11	11
2. MULTIPLE DX	1257	10.6	83	2	3	8	13	20	28	52
A. Not Operated	876	10.1	78	2	3	8	12	19	25	53
B. Operated	399	11.7	91	2	3	9	15	25	32	48
TOTAL										
65-69 YRS	613	10.7	91	2	3	8	13	22	30	51
70-74	413	10.3	69	2	3	8	13	19	26	46
75-79	171	10.2	71	2	3	8	13	19	22	49
80-84	56	10.8	75	3	3	10	14	16	36	97
85 +	22	13.2	189	3	4	9	14	22	46	68
GRAND TOTAL	**1275**	**10.6**	**82**	**2**	**3**	**8**	**13**	**20**	**28**	**52**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	5.8	19	< 1	1	5	8	13	15	15
70-74	6	6.0	12	2	2	6	8	11	11	11
75-79	2	11.0	72	5	5	11	17	17	17	17
80-84	1	3.0		3	3	3	3	3	3	3
85 +	3	8.3	24	5	5	6	12	14	14	14
B. Operated										
65-69 YRS	46	3.3	35	1	1	1	3	7	12	37
70-74	25	2.5	5	< 1	1	2	3	6	7	11
75-79	9	3.1	14	< 1	< 1	1	5	9	12	12
80-84	2	1.0		< 1	< 1	< 1	1	1	1	1
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	244	8.9	44	2	3	7	11	17	21	34
70-74	244	9.6	51	3	3	8	12	18	20	47
75-79	190	9.2	52	2	3	7	12	20	25	35
80-84	117	10.1	64	2	3	8	14	20	23	47
85 +	54	13.0	55	4	5	11	16	22	31	37
B. Operated										
65-69 YRS	308	8.6	74	1	1	7	11	18	25	41
70-74	226	10.1	114	1	1	8	14	22	28	49
75-79	141	12.8	153	1	1	10	17	28	37	58
80-84	87	13.5	121	1	3	10	19	27	35	54
85 +	42	11.2	99	1	2	9	14	23	35	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	6.6	20	1	2	6	8	14	16	17
B. Operated	83	3.0	23	< 1	1	1	3	6	11	29
2. MULTIPLE DX										
A. Not Operated	849	9.6	54	2	3	8	12	18	23	37
B. Operated	804	10.4	108	1	1	8	14	23	30	51
1. SINGLE DX	104	3.7	24	< 1	1	2	5	9	13	26
2. MULTIPLE DX	1653	10.0	81	1	2	8	13	20	27	45
A. Not Operated	870	9.5	54	2	3	8	12	18	23	37
B. Operated	887	9.7	105	1	1	7	13	22	30	48
TOTAL										
65-69 YRS	607	8.2	60	1	1	7	11	17	23	38
70-74	501	9.4	79	1	1	7	13	18	24	46
75-79	342	10.5	97	1	2	8	14	22	29	49
80-84	207	11.4	102	1	3	9	15	23	28	54
85 +	100	12.0	72	2	3	10	15	21	32	42
GRAND TOTAL	**1757**	**9.6**	**79**	**1**	**1**	**7**	**13**	**19**	**26**	**45**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	4.5	7	1	2	4	6	8	9	10
70-74	13	4.3	5	1	2	4	6	7	9	9
75-79	13	6.5	31	1	2	4	9	17	18	18
80-84	3	2.3	2	1	1	2	3	4	4	4
85 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
65-69 YRS	21	6.6	62	1	1	4	9	13	25	36
70-74	13	6.9	51	< 1	< 1	3	11	18	21	22
75-79	9	12.2	303	1	1	7	12	40	57	57
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	515	8.6	81	2	3	6	10	16	22	49
70-74	446	8.6	50	2	3	7	11	16	21	31
75-79	318	9.1	82	2	3	7	11	19	25	57
80-84	160	9.5	75	3	3	8	10	17	26	39
85 +	89	9.7	39	3	3	8	12	20	22	28
B. Operated										
65-69 YRS	199	14.5	178	1	2	10	20	31	41	79
70-74	171	14.9	231	1	2	10	18	32	52	78
75-79	143	14.5	196	1	2	10	18	31	48	75
80-84	65	17.5	161	2	3	15	26	34	46	93
85 +	33	12.0	33	3	5	13	15	19	23	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	4.8	13	1	2	4	6	9	12	18
B. Operated	45	7.7	103	1	1	4	10	16	25	57
2. MULTIPLE DX										
A. Not Operated	1528	8.9	69	2	3	7	11	17	22	41
B. Operated	611	14.8	188	1	2	11	20	32	45	77
1. SINGLE DX	91	6.3	59	1	1	4	7	13	17	48
2. MULTIPLE DX	2139	10.6	110	2	3	7	13	22	29	63
A. Not Operated	1574	8.8	68	2	3	7	10	17	22	41
B. Operated	656	14.3	185	1	2	10	18	31	45	77
TOTAL										
65-69 YRS	750	10.1	112	2	2	7	12	21	29	62
70-74	643	10.2	106	2	3	7	13	21	26	64
75-79	483	10.7	124	2	3	7	12	23	31	71
80-84	229	11.7	112	2	3	8	14	28	33	61
85 +	125	10.2	38	3	4	8	14	19	23	27
GRAND TOTAL	**2230**	**10.4**	**109**	**2**	**3**	**7**	**13**	**22**	**29**	**62**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	99	2.8	4	<1	1	2	4	5	7	10
70-74	93	3.2	7	1	1	2	4	6	8	15
75-79	67	3.6	6	1	1	3	5	7	8	12
80-84	67	4.1	9	1	1	3	5	9	11	14
85 +	51	4.3	7	1	1	4	5	8	10	13
B. Operated										
65-69 YRS	1335	5.7	9	3	3	5	7	8	10	14
70-74	841	6.1	7	3	4	6	7	9	11	14
75-79	503	6.5	7	3	4	6	8	10	12	15
80-84	195	7.1	8	4	4	7	8	11	13	18
85 +	87	8.6	18	4	5	7	9	15	19	24
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	847	4.9	20	1	1	4	6	9	11	17
70-74	899	5.1	14	1	2	4	7	10	13	19
75-79	864	5.8	20	1	2	5	7	10	13	22
80-84	764	6.6	27	2	2	5	8	12	15	23
85 +	815	7.4	31	2	3	6	9	13	17	32
B. Operated										
65-69 YRS	6024	8.2	26	4	4	7	10	14	17	26
70-74	5089	9.2	42	4	4	8	11	15	19	36
75-79	3789	10.3	44	4	5	9	12	17	22	37
80-84	2269	11.7	57	5	5	10	14	20	25	44
85 +	1397	13.8	84	5	6	11	16	24	31	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	377	3.5	7	1	1	3	4	7	9	13
B. Operated	2961	6.1	8	3	4	6	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	4189	5.9	23	1	2	5	7	11	14	23
B. Operated	18568	9.8	45	4	4	8	12	16	21	37
1. SINGLE DX	3338	5.8	9	2	3	5	7	9	11	15
2. MULTIPLE DX	22757	9.1	43	3	4	8	11	16	20	36
A. Not Operated	4566	5.7	22	1	2	5	7	11	13	22
B. Operated	21529	9.3	41	4	4	8	11	16	20	36
TOTAL										
65-69 YRS	8305	7.4	24	3	3	6	9	12	16	25
70-74	6922	8.2	36	3	3	7	10	14	17	31
75-79	5223	9.1	40	3	4	8	11	16	20	35
80-84	3295	10.1	52	3	4	8	12	18	22	40
85 +	2350	11.2	72	3	4	9	14	20	27	45
GRAND TOTAL	**26095**	**8.7**	**40**	**3**	**4**	**7**	**10**	**15**	**19**	**34**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	42	3.5	6	1	1	3	4	7	9	12
70-74	39	3.8	5	1	2	3	5	7	9	10
75-79	28	3.8	3	1	1	4	5	5	7	10
80-84	16	3.9	3	1	2	4	5	7	8	8
85 +	18	5.6	7	1	2	6	7	9	11	11
B. Operated										
65-69 YRS	67	6.6	8	3	3	6	9	10	12	13
70-74	54	7.0	11	3	4	7	8	12	15	16
75-79	32	8.7	15	4	4	8	11	14	15	19
80-84	16	9.8	38	4	5	8	12	13	25	30
85 +	14	8.0	17	3	4	7	10	12	17	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	247	5.8	17	1	2	5	7	11	14	20
70-74	282	6.3	25	1	2	5	8	12	14	26
75-79	242	6.4	27	2	2	5	8	11	13	29
80-84	206	7.9	71	2	2	6	9	13	18	40
85 +	223	8.2	49	2	3	7	10	15	19	47
B. Operated										
65-69 YRS	531	9.8	52	4	4	8	11	16	21	39
70-74	436	10.9	60	4	5	9	13	19	24	43
75-79	385	12.2	60	4	5	10	15	20	28	44
80-84	241	13.9	83	4	6	11	17	26	33	44
85 +	166	13.4	60	5	6	11	16	24	29	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	3.9	5	1	1	4	5	7	9	11
B. Operated	183	7.5	14	3	4	7	9	12	14	19
2. MULTIPLE DX										
A. Not Operated	1200	6.8	37	2	2	5	9	12	15	31
B. Operated	1759	11.5	63	4	5	9	14	20	26	43
1. SINGLE DX	326	5.9	13	1	2	5	8	11	12	17
2. MULTIPLE DX	2959	9.6	58	2	3	8	12	17	23	41
A. Not Operated	1343	6.5	34	1	2	5	8	12	15	30
B. Operated	1942	11.1	60	4	5	9	13	19	26	42
TOTAL										
65-69 YRS	887	8.1	41	2	3	7	10	14	18	35
70-74	811	8.7	48	2	3	7	11	15	22	34
75-79	687	9.7	53	2	3	8	12	17	24	41
80-84	479	10.9	83	2	3	8	14	21	29	44
85 +	421	10.1	57	2	3	8	13	18	25	41
GRAND TOTAL	**3285**	**9.2**	**54**	**2**	**3**	**8**	**11**	**17**	**22**	**39**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	3.0	3	1	1	3	4	4	7	8
70-74	14	4.4	11	1	2	3	6	11	11	11
75-79	12	3.7	6	1	1	3	5	7	8	8
80-84	9	3.4	6	1	1	3	5	7	7	7
85 +	6	6.7	42	1	1	5	7	18	19	19
B. Operated										
65-69 YRS	86	7.2	18	1	1	7	10	13	15	19
70-74	98	7.5	45	1	1	7	10	13	17	39
75-79	70	7.2	15	1	2	7	9	11	14	21
80-84	56	6.8	21	1	1	7	9	13	16	19
85 +	43	9.8	54	1	1	9	14	18	24	34
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	92	4.6	9	1	1	4	6	8	11	17
70-74	101	5.2	9	1	2	5	7	9	10	17
75-79	101	6.4	24	2	2	5	8	12	15	28
80-84	116	6.6	22	2	2	5	8	13	16	23
85 +	153	8.2	54	2	3	6	9	15	18	38
B. Operated										
65-69 YRS	527	11.1	63	2	4	9	13	19	25	42
70-74	558	11.3	42	3	5	10	14	19	24	39
75-79	650	12.6	86	3	5	11	15	23	29	48
80-84	529	12.9	69	2	4	12	16	23	27	41
85 +	489	14.9	103	4	6	13	18	25	33	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.9	10	1	1	3	5	7	10	18
B. Operated	353	7.5	30	1	1	7	10	13	17	23
2. MULTIPLE DX										
A. Not Operated	563	6.4	28	2	2	5	8	12	15	30
B. Operated	2753	12.5	74	3	5	11	15	22	28	48
1. SINGLE DX	410	7.0	29	1	1	7	9	13	16	23
2. MULTIPLE DX	3316	11.5	72	2	3	10	14	21	26	45
A. Not Operated	620	6.2	27	1	2	5	8	11	15	30
B. Operated	3106	12.0	72	2	4	10	15	21	27	47
TOTAL										
65-69 YRS	721	9.6	56	1	2	8	12	18	23	38
70-74	771	9.9	43	2	3	9	13	17	22	36
75-79	833	11.3	78	2	3	9	14	20	27	46
80-84	710	11.3	64	2	3	10	15	21	25	37
85 +	691	13.1	97	2	4	11	16	24	31	63
GRAND TOTAL	**3726**	**11.0**	**69**	**2**	**3**	**9**	**14**	**20**	**25**	**43**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	3.1	3	1	1	3	4	5	6	7
70-74	11	2.6	3	1	1	2	3	5	7	7
75-79	11	5.3	12	1	2	4	7	10	14	14
80-84	16	4.8	5	1	2	4	7	8	9	9
85 +	7	8.9	40	1	2	7	12	19	20	20
B. Operated										
65-69 YRS	16	7.5	36	1	1	7	10	16	19	21
70-74	22	6.0	82	< 1	< 1	3	5	14	30	41
75-79	14	8.0	59	< 1	1	6	10	23	25	25
80-84	7	9.4	84	1	1	5	16	23	25	25
85 +	6	6.7	78	1	1	3	7	22	24	24
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	135	6.0	17	1	2	5	8	11	14	20
70-74	148	6.9	27	2	3	6	9	14	16	33
75-79	134	7.1	27	1	2	6	9	14	17	26
80-84	139	8.1	75	2	3	7	10	13	18	93
85 +	152	7.4	22	2	3	6	10	13	17	26
B. Operated										
65-69 YRS	257	12.6	127	1	2	10	15	26	33	67
70-74	271	11.9	118	1	2	10	15	25	32	50
75-79	233	13.7	150	2	2	10	17	26	37	68
80-84	185	14.2	114	2	3	11	19	29	40	52
85 +	177	13.9	145	2	3	12	17	27	37	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	4.5	12	1	1	4	6	8	12	19
B. Operated	65	7.2	62	< 1	1	5	10	21	24	39
2. MULTIPLE DX										
A. Not Operated	708	7.1	34	2	2	6	9	13	16	29
B. Operated	1123	13.1	131	1	2	10	17	27	35	67
1. SINGLE DX	126	5.9	40	1	1	4	7	13	21	29
2. MULTIPLE DX	1831	10.8	102	1	2	8	14	21	29	60
A. Not Operated	769	6.9	32	2	2	6	9	13	16	29
B. Operated	1188	12.8	129	1	2	10	16	26	35	66
TOTAL										
65-69 YRS	424	10.0	95	1	2	7	12	20	28	61
70-74	452	9.7	91	1	2	7	13	20	28	47
75-79	392	11.0	111	1	2	9	14	22	29	62
80-84	347	11.3	103	2	3	8	14	24	34	53
85 +	342	10.8	97	2	3	9	13	21	28	65
GRAND TOTAL	**1957**	**10.5**	**99**	**1**	**2**	**8**	**13**	**21**	**29**	**57**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	116	5.0	9	1	2	5	7	8	10	16
70-74	97	5.6	8	2	2	5	7	8	11	17
75-79	74	5.9	28	1	2	5	7	10	12	36
80-84	38	6.6	33	2	2	6	7	10	14	36
85 +	38	5.3	7	2	2	5	7	9	11	12
B. Operated										
65-69 YRS	22	5.6	13	< 1	1	6	9	10	11	11
70-74	26	10.3	233	1	1	7	10	17	36	80
75-79	7	15.1	635	1	2	7	8	59	72	72
80-84	10	9.1	73	< 1	< 1	8	14	21	28	28
85 +	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	958	7.1	30	2	3	6	9	13	16	27
70-74	945	7.3	28	2	3	6	9	13	17	29
75-79	813	7.0	21	2	3	6	9	13	16	23
80-84	654	7.7	32	3	3	6	9	14	17	28
85 +	564	7.6	29	2	3	6	9	13	17	27
B. Operated										
65-69 YRS	458	14.9	191	3	4	11	17	32	50	82
70-74	439	16.9	227	3	5	12	21	34	58	99
75-79	375	14.8	118	4	5	12	18	28	36	59
80-84	259	15.5	150	3	5	12	19	31	41	70
85 +	156	14.8	126	4	5	12	18	28	44	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	363	5.5	15	2	2	5	7	9	11	17
B. Operated	67	8.9	170	1	1	7	10	14	25	79
2. MULTIPLE DX										
A. Not Operated	3934	7.3	28	2	3	6	9	13	16	27
B. Operated	1687	15.5	172	3	5	12	18	31	45	81
1. SINGLE DX	430	6.1	40	1	2	5	7	10	12	30
2. MULTIPLE DX	5621	9.8	85	2	3	7	12	18	26	58
A. Not Operated	4297	7.2	27	2	3	6	9	13	16	27
B. Operated	1754	15.2	174	3	5	12	18	30	44	80
TOTAL										
65-69 YRS	1554	9.2	89	2	3	7	11	17	26	65
70-74	1507	10.1	107	2	3	7	12	20	28	66
75-79	1269	9.3	66	2	3	7	11	17	24	49
80-84	961	9.8	76	3	3	7	12	18	25	47
85 +	760	8.9	57	3	3	7	10	17	23	49
GRAND TOTAL	**6051**	**9.5**	**83**	**2**	**3**	**7**	**11**	**18**	**25**	**58**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	81	3.7	6	1	1	3	5	6	7	16
70-74	86	4.2	8	1	1	4	5	7	8	17
75-79	103	4.2	10	1	2	3	5	8	10	18
80-84	69	4.4	11	1	1	4	6	8	12	17
85 +	81	4.2	12	1	1	3	6	8	10	76
B. Operated										
65-69 YRS	13	6.1	29	1	1	4	8	15	18	19
70-74	15	5.2	15	1	1	5	7	9	14	16
75-79	14	7.9	38	3	3	6	8	13	25	28
80-84	9	4.1	7	1	1	4	5	8	10	10
85 +	10	6.2	10	2	3	5	9	11	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1919	5.4	18	1	2	4	7	10	13	22
70-74	2303	5.8	21	2	2	5	7	11	14	24
75-79	2648	6.1	22	2	2	5	7	11	14	24
80-84	2276	6.7	32	2	2	5	8	12	16	31
85 +	2958	7.2	40	2	3	6	8	13	17	34
B. Operated										
65-69 YRS	771	8.8	57	2	3	7	11	16	23	38
70-74	888	9.2	69	2	3	7	11	19	25	43
75-79	963	10.1	81	3	3	7	12	20	29	56
80-84	763	10.0	71	3	3	8	12	20	26	51
85 +	673	10.9	89	3	4	8	13	22	29	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	420	4.1	9	1	1	4	5	7	9	19
B. Operated	61	6.0	21	1	1	5	8	11	15	27
2. MULTIPLE DX										
A. Not Operated	12104	6.3	28	2	2	5	8	11	15	28
B. Operated	4058	9.8	74	2	3	7	12	20	26	52
1. SINGLE DX	481	4.4	11	1	1	4	6	8	10	20
2. MULTIPLE DX	16162	7.2	42	2	2	5	8	13	18	36
A. Not Operated	12524	6.2	27	2	2	5	7	11	15	28
B. Operated	4119	9.7	73	2	3	7	12	20	26	52
TOTAL										
65-69 YRS	2784	6.3	31	1	2	5	8	12	16	32
70-74	3292	6.7	36	2	2	5	8	13	18	31
75-79	3728	7.1	41	2	2	5	8	13	18	38
80-84	3117	7.4	43	2	3	6	9	14	19	36
85 +	3722	7.8	50	2	3	6	9	14	20	43
GRAND TOTAL	**16643**	**7.1**	**41**	**2**	**2**	**5**	**8**	**13**	**18**	**36**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.7	2	2	2	4	5	5	5	5
70-74	1	17.0		17	17	17	17	17	17	17
75-79	0									
80-84	1	10.0		10	10	10	10	10	10	10
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	25.5	365	12	12	25	39	39	39	39
75-79	0									
80-84	1	9.0		9	9	9	9	9	9	9
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	40	9.4	106	2	2	7	12	19	26	59
70-74	30	11.2	134	1	2	9	14	20	26	63
75-79	28	12.6	235	1	2	7	12	32	59	62
80-84	17	9.4	98	3	3	6	8	21	36	43
85 +	22	9.2	39	1	2	8	12	20	23	24
B. Operated										
65-69 YRS	40	18.3	261	2	5	13	22	45	54	74
70-74	42	15.4	151	4	5	13	18	29	46	62
75-79	24	15.6	327	4	7	10	16	26	51	94
80-84	16	15.6	69	3	5	16	23	26	27	27
85 +	14	21.7	328	2	3	19	24	52	65	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	7.6	36	2	2	5	12	17	17	17
B. Operated	4	15.5	263	2	2	10	25	39	39	39
2. MULTIPLE DX										
A. Not Operated	137	10.4	125	2	2	7	13	22	27	62
B. Operated	136	17.0	220	3	5	13	20	29	52	77
1. SINGLE DX	9	11.1	134	2	2	9	13	30	39	39
2. MULTIPLE DX	273	13.7	183	2	3	9	16	26	43	68
A. Not Operated	142	10.3	122	2	2	7	13	22	27	62
B. Operated	140	16.9	220	3	5	13	20	31	52	76
TOTAL										
65-69 YRS	84	13.3	197	2	2	9	16	28	53	69
70-74	75	14.0	149	2	4	12	16	26	42	63
75-79	52	14.0	274	1	3	8	14	28	56	93
80-84	35	12.3	87	3	3	8	18	24	27	43
85 +	36	14.1	184	2	2	10	20	24	43	69
GRAND TOTAL	**282**	**13.6**	**181**	**2**	**3**	**9**	**16**	**26**	**43**	**67**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	6.5	5	5	5	6	8	8	8	8
70-74	3	2.7	4	1	1	2	4	5	5	5
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	24	1.9	2	< 1	1	2	2	4	5	5
70-74	4	2.3	6	1	1	1	4	6	6	6
75-79	4	1.5		1	1	1	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	57	7.4	26	2	2	6	10	15	20	22
70-74	49	10.0	53	1	2	9	14	20	21	37
75-79	51	9.3	24	2	3	9	12	15	18	25
80-84	44	8.1	37	2	3	7	10	16	21	31
85 +	24	9.6	37	3	4	9	13	22	46	99 +
B. Operated										
65-69 YRS	112	8.1	144	1	1	3	10	20	30	63
70-74	80	9.4	76	1	1	7	12	23	28	38
75-79	56	12.4	149	1	2	9	16	25	44	55
80-84	35	11.7	49	2	3	11	18	21	23	24
85 +	9	11.7	32	5	5	11	16	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.0	7	1	1	5	6	8	8	8
B. Operated	32	1.9	2	< 1	1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	225	8.8	35	2	3	7	12	17	21	32
B. Operated	292	9.8	113	1	1	6	14	22	30	51
1. SINGLE DX	39	2.3	3	< 1	1	2	2	5	6	8
2. MULTIPLE DX	517	9.4	79	1	2	7	13	20	25	47
A. Not Operated	232	8.6	35	2	3	7	12	17	21	32
B. Operated	324	9.1	108	1	1	5	12	21	28	51
TOTAL										
65-69 YRS	195	7.1	94	1	1	4	8	17	25	41
70-74	136	9.3	66	1	1	7	13	21	26	37
75-79	112	10.5	90	1	2	8	14	20	25	53
80-84	79	9.7	45	2	3	8	14	21	22	29
85 +	34	9.9	37	3	4	9	13	21	26	99 +
GRAND TOTAL	**556**	**8.9**	**77**	**1**	**1**	**6**	**12**	**20**	**25**	**46**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	7.4	39	2	2	6	9	14	23	28
70-74	24	7.3	25	2	3	6	10	14	20	21
75-79	31	10.4	52	3	3	8	15	21	24	33
80-84	19	8.1	40	4	4	7	9	13	24	31
85 +	18	9.1	24	2	4	9	13	18	63	99 +
B. Operated										
65-69 YRS	21	18.6	452	1	2	12	28	41	66	92
70-74	24	11.3	137	1	1	8	15	31	41	42
75-79	15	15.5	112	2	6	14	20	25	40	45
80-84	9	15.0	208	2	3	9	21	38	48	48
85 +	3	16.7	40	13	13	13	21	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	110	8.6	38	2	3	7	11	17	21	59
B. Operated	72	15.0	227	1	2	10	19	38	44	82
1. SINGLE DX	4	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX	182	11.1	121	2	3	8	14	24	35	77
A. Not Operated	112	8.5	38	2	3	7	10	17	21	58
B. Operated	74	14.6	226	1	1	10	18	38	44	81
TOTAL										
65-69 YRS	41	12.9	279	1	2	7	13	34	41	92
70-74	50	9.0	82	1	2	7	10	20	30	42
75-79	46	12.1	75	3	4	10	17	23	27	45
80-84	28	10.3	99	3	4	7	9	23	33	48
85 +	21	10.2	32	3	4	10	13	20	54	99 +
GRAND TOTAL	**186**	**10.9**	**121**	**1**	**2**	**8**	**13**	**24**	**34**	**76**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	5.8	27	1	1	5	10	12	12	12
70-74	4	4.5	33	< 1	< 1	2	8	13	13	13
75-79	4	4.5	32	< 1	< 1	2	8	13	13	13
80-84	0									
85 +	3	3.0	7	1	1	2	5	6	6	6
B. Operated										
65-69 YRS	35	2.9	7	1	1	2	3	6	8	14
70-74	30	4.5	24	< 1	1	2	4	13	15	17
75-79	29	3.6	15	< 1	1	2	4	7	12	19
80-84	9	3.2	7	1	1	2	5	8	8	8
85 +	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	182	7.5	50	2	2	6	9	15	19	41
70-74	187	8.7	79	1	2	7	11	17	23	48
75-79	213	9.9	115	2	2	7	11	19	27	78
80-84	168	9.0	51	2	3	7	11	17	22	39
85 +	201	10.3	75	2	3	8	13	19	27	49
B. Operated										
65-69 YRS	516	11.8	165	1	2	8	15	26	37	71
70-74	473	11.9	134	1	2	9	16	26	34	69
75-79	362	12.7	166	1	2	9	17	27	37	79
80-84	170	15.0	224	2	2	11	19	33	43	68
85 +	71	17.0	275	2	3	13	22	45	59	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.5	22	< 1	< 1	2	7	13	13	13
B. Operated	106	3.5	14	1	1	2	4	8	13	18
2. MULTIPLE DX										
A. Not Operated	951	9.1	76	2	2	7	11	17	25	50
B. Operated	1592	12.6	168	1	2	9	16	28	37	75
1. SINGLE DX	121	3.7	15	< 1	1	2	4	10	13	18
2. MULTIPLE DX	2543	11.3	137	2	2	8	15	24	33	68
A. Not Operated	966	9.1	76	2	2	7	11	17	24	50
B. Operated	1698	12.1	164	1	2	8	16	27	37	72
TOTAL										
65-69 YRS	737	10.3	134	1	2	7	13	22	32	63
70-74	694	10.7	118	1	2	8	14	24	32	60
75-79	608	11.3	145	1	2	8	15	24	31	78
80-84	347	11.8	145	2	2	8	14	24	35	52
85 +	278	11.8	134	2	3	8	15	26	36	66
GRAND TOTAL	**2664**	**11.0**	**134**	**1**	**2**	**8**	**14**	**24**	**32**	**65**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	10.4	75	1	2	9	14	25	27	27
70-74	6	5.5	30	< 1	< 1	4	6	15	16	16
75-79	1	8.0		8	8	8	8	8	8	8
80-84	2	2.0	2	1	1	2	3	3	3	3
85 +	4	3.0	1	2	2	3	4	4	4	4
B. Operated										
65-69 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
70-74	7	3.0	4	1	1	2	5	5	5	5
75-79	3	6.3	21	1	1	9	9	9	9	9
80-84	4	5.5	9	3	3	5	8	9	9	9
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	379	9.1	32	2	3	8	12	16	19	26
70-74	451	9.4	52	3	3	7	12	18	23	45
75-79	523	10.4	80	3	3	8	13	19	25	45
80-84	496	10.9	72	3	4	9	13	20	28	49
85 +	605	10.7	82	3	3	8	13	19	27	56
B. Operated										
65-69 YRS	320	15.6	119	3	5	13	20	30	38	61
70-74	351	16.7	150	3	5	14	22	32	42	99
75-79	296	18.3	202	4	6	14	24	39	53	99 +
80-84	270	18.9	267	5	6	14	22	38	61	92
85 +	183	18.1	148	4	6	15	24	34	38	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	6.5	43	< 1	1	4	8	16	22	27
B. Operated	18	3.7	9	< 1	< 1	2	5	9	9	9
2. MULTIPLE DX										
A. Not Operated	2454	10.2	67	3	3	8	13	19	24	44
B. Operated	1420	17.4	177	4	5	14	22	34	44	92
1. SINGLE DX	38	5.2	28	< 1	< 1	3	7	9	16	27
2. MULTIPLE DX	3874	12.8	119	3	4	10	16	25	34	67
A. Not Operated	2474	10.2	67	3	3	8	13	19	24	44
B. Operated	1430	17.2	177	3	5	14	22	33	44	92
TOTAL										
65-69 YRS	710	12.0	82	2	3	10	15	23	30	51
70-74	815	12.5	108	3	4	9	16	25	33	66
75-79	823	13.2	138	3	4	10	16	26	38	84
80-84	772	13.7	154	3	4	10	16	26	37	79
85 +	792	12.4	107	3	4	9	15	24	33	61
GRAND TOTAL	**3912**	**12.8**	**119**	**3**	**4**	**10**	**16**	**25**	**34**	**66**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	4.7	11	2	2	4	6	8	12	17
70-74	30	4.7	5	2	3	4	5	8	10	11
75-79	26	4.9	8	1	2	4	7	10	11	12
80-84	13	6.1	14	3	3	5	6	11	16	17
85 +	23	5.7	18	1	2	5	7	11	17	17
B. Operated										
65-69 YRS	3	5.3	1	4	4	6	6	6	6	6
70-74	4	5.0	3	3	3	5	6	7	7	7
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	719	6.4	20	3	3	5	8	10	12	21
70-74	726	6.7	13	3	3	6	8	12	14	18
75-79	739	7.2	29	3	3	6	9	12	15	28
80-84	575	7.3	26	3	3	6	9	12	15	26
85 +	613	7.7	37	3	3	6	9	12	18	32
B. Operated										
65-69 YRS	173	11.7	65	4	5	10	14	21	27	43
70-74	165	12.7	103	4	5	10	15	24	32	55
75-79	145	13.4	94	5	6	10	16	23	33	56
80-84	97	14.4	96	4	5	11	18	29	35	47
85 +	74	14.6	142	5	6	11	17	23	40	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	5.1	11	2	2	4	6	9	11	17
B. Operated	10	5.4	2	3	3	6	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	3372	7.0	25	3	3	6	8	12	15	25
B. Operated	654	13.0	95	4	5	10	16	24	32	55
1. SINGLE DX	130	5.1	10	2	2	4	6	9	11	17
2. MULTIPLE DX	4026	8.0	41	3	3	6	9	14	18	35
A. Not Operated	3492	6.9	24	3	3	6	8	12	14	24
B. Operated	664	12.9	94	4	5	10	16	23	32	55
TOTAL										
65-69 YRS	923	7.3	32	3	3	6	9	12	17	29
70-74	925	7.7	34	3	3	6	9	13	17	31
75-79	912	8.1	44	3	3	7	9	14	18	38
80-84	685	8.3	41	3	3	7	10	15	19	40
85 +	711	8.3	52	3	3	7	10	14	20	42
GRAND TOTAL	**4156**	**7.9**	**40**	**3**	**3**	**6**	**9**	**14**	**18**	**34**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	3.8	2	1	2	4	5	6	6	7
70-74	26	5.2	9	2	2	4	7	10	11	12
75-79	13	3.5	3	1	1	3	4	6	7	7
80-84	9	5.8	6	2	3	6	7	9	10	10
85 +	13	4.2	11	1	2	3	4	9	13	14
B. Operated										
65-69 YRS	3	13.7	34	7	7	16	17	18	18	18
70-74	2	8.0	2	7	7	8	9	9	9	9
75-79	3	8.7	4	7	7	8	10	11	11	11
80-84	1	17.0		17	17	17	17	17	17	17
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	267	6.5	21	2	3	6	8	11	14	22
70-74	346	6.8	23	2	3	6	8	12	15	22
75-79	341	6.8	19	2	3	6	8	12	15	22
80-84	264	7.6	26	3	4	6	9	13	17	25
85 +	284	8.2	43	3	3	7	9	13	18	38
B. Operated										
65-69 YRS	123	12.7	133	3	4	10	15	21	32	84
70-74	116	13.6	124	4	5	10	16	25	32	68
75-79	117	14.0	164	2	5	10	15	29	41	68
80-84	81	14.1	80	4	5	12	17	28	32	47
85 +	53	16.6	195	4	6	13	18	33	57	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	4.5	7	1	2	4	5	8	10	13
B. Operated	10	10.3	26	3	5	8	16	17	18	18
2. MULTIPLE DX										
A. Not Operated	1502	7.2	26	2	3	6	9	12	16	27
B. Operated	490	13.9	136	3	5	11	16	26	34	68
1. SINGLE DX	93	5.1	12	1	2	4	7	10	12	18
2. MULTIPLE DX	1992	8.8	62	2	3	7	10	16	22	45
A. Not Operated	1585	7.0	26	2	3	6	8	12	15	26
B. Operated	500	13.8	134	3	5	11	16	26	34	67
TOTAL										
65-69 YRS	415	8.3	62	2	3	6	10	15	20	56
70-74	490	8.3	55	2	3	6	9	15	21	37
75-79	474	8.5	64	2	3	6	10	15	21	45
80-84	355	9.1	46	3	4	7	11	17	24	36
85 +	351	9.3	74	3	3	7	10	16	26	59
GRAND TOTAL	**2085**	**8.6**	**60**	**2**	**3**	**7**	**10**	**16**	**21**	**44**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	147	1.8	2	1	1	1	2	3	4	8
70-74	110	1.7	1	1	1	1	2	3	4	5
75-79	70	2.1	2	1	1	2	3	4	5	6
80-84	24	1.8	1	1	1	1	2	3	4	5
85 +	7	2.4	2	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	174	3.1	7	1	1	2	4	7	8	13
70-74	85	4.3	31	1	1	2	5	10	13	32
75-79	50	3.0	5	< 1	1	2	4	7	8	10
80-84	35	3.5	6	< 1	1	3	5	8	8	9
85 +	5	10.8	109	2	2	10	15	28	28	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	341	2.9	6	1	1	2	3	6	8	14
70-74	281	3.5	8	1	1	2	4	7	9	16
75-79	176	3.6	6	1	1	3	5	7	9	11
80-84	105	4.2	12	1	1	3	6	9	12	16
85 +	47	5.7	65	1	1	4	6	11	12	55
B. Operated										
65-69 YRS	473	6.7	39	1	1	5	9	14	19	29
70-74	369	7.4	53	1	2	5	9	16	23	36
75-79	256	7.8	51	1	2	6	10	16	28	95
80-84	135	7.7	43	1	2	6	10	14	18	34
85 +	62	10.1	143	1	2	7	11	17	26	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	358	1.8	2	1	1	1	2	3	4	6
B. Operated	349	3.5	15	1	1	2	4	8	10	20
2. MULTIPLE DX										
A. Not Operated	950	3.5	11	1	1	3	4	7	9	15
B. Operated	1295	7.4	51	1	2	5	10	15	21	40
1. SINGLE DX	707	2.7	9	1	1	2	3	6	8	13
2. MULTIPLE DX	2245	5.7	38	1	1	4	8	12	17	32
A. Not Operated	1308	3.0	9	1	1	2	4	6	8	14
B. Operated	1644	6.6	46	1	1	5	9	14	20	35
TOTAL										
65-69 YRS	1135	4.3	24	1	1	3	5	10	14	24
70-74	845	5.1	34	1	1	3	6	11	17	31
75-79	552	5.3	32	1	1	3	7	11	16	37
80-84	299	5.5	29	1	1	3	8	12	15	28
85 +	121	8.0	108	1	1	5	10	15	19	64
GRAND TOTAL	**2952**	**5.0**	**33**	**1**	**1**	**3**	**7**	**11**	**15**	**30**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	351	1.9	1	1	1	2	2	3	4	5
70-74	195	2.2	3	< 1	1	2	3	4	5	8
75-79	99	2.0	1	< 1	1	2	3	3	4	6
80-84	48	2.2	2	1	1	2	3	4	5	7
85 +	17	2.6	4	< 1	1	2	3	5	8	9
B. Operated										
65-69 YRS	398	3.6	11	1	1	3	5	7	9	14
70-74	249	3.7	9	1	1	3	5	7	9	12
75-79	120	4.1	10	1	1	3	6	8	11	16
80-84	50	4.1	13	1	1	3	5	8	10	22
85 +	14	6.6	36	1	2	5	8	16	21	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	638	2.6	7	1	1	2	3	5	6	9
70-74	440	2.9	4	1	1	2	4	5	7	10
75-79	263	3.0	5	1	1	2	4	6	7	11
80-84	119	3.4	9	1	1	2	4	7	8	18
85 +	59	4.8	20	1	2	3	6	8	13	29
B. Operated										
65-69 YRS	960	5.9	24	1	1	5	8	11	14	27
70-74	746	6.4	23	1	2	5	8	13	15	23
75-79	472	6.7	28	1	2	6	9	13	17	27
80-84	246	8.4	48	1	2	6	11	18	23	31
85 +	78	8.1	32	2	2	6	11	17	19	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	710	2.1	2	1	1	2	3	4	4	6
B. Operated	831	3.8	11	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. Not Operated	1519	2.9	7	1	1	2	4	6	7	11
B. Operated	2502	6.5	27	1	2	5	9	13	16	27
1. SINGLE DX	1541	3.0	7	1	1	2	4	6	8	13
2. MULTIPLE DX	4021	5.2	23	1	1	4	7	11	14	24
A. Not Operated	2229	2.6	5	1	1	2	3	5	6	10
B. Operated	3333	5.8	25	1	1	5	8	12	15	25
TOTAL										
65-69 YRS	2347	4.0	16	1	1	3	5	9	11	20
70-74	1630	4.5	16	1	1	3	6	10	12	21
75-79	954	4.9	20	1	1	3	6	10	14	22
80-84	463	6.0	36	1	1	4	8	13	18	29
85 +	168	6.3	29	1	2	5	8	14	17	29
GRAND TOTAL	**5562**	**4.6**	**19**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	2.5	1	1	1	2	3	4	4	4
70-74	10	4.9	30	1	1	3	6	13	19	19
75-79	5	3.2	8	1	1	2	4	8	8	8
80-84	7	2.9	3	1	1	2	5	5	5	5
85 +	5	4.4	6	2	2	3	6	8	8	8
B. Operated										
65-69 YRS	64	3.8	11	< 1	1	3	6	9	11	13
70-74	53	4.5	16	1	1	3	6	12	13	16
75-79	22	4.9	47	< 1	< 1	2	7	10	19	32
80-84	16	4.2	19	< 1	1	2	5	12	14	15
85 +	9	1.9	1	< 1	< 1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	138	6.1	29	1	1	5	8	12	16	29
70-74	144	5.5	20	1	1	4	8	10	14	22
75-79	144	6.1	23	1	2	5	8	12	14	35
80-84	123	8.3	57	2	3	6	10	15	21	44
85 +	85	7.6	34	2	2	6	9	14	17	35
B. Operated										
65-69 YRS	500	8.6	60	1	1	7	11	18	24	41
70-74	535	8.6	60	1	2	6	11	19	27	40
75-79	344	9.1	68	1	1	7	11	19	25	42
80-84	213	9.7	93	1	1	7	12	21	28	51
85 +	155	10.3	73	1	2	8	14	21	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	3.6	10	1	1	3	4	7	8	19
B. Operated	164	4.1	18	< 1	1	3	6	9	13	16
2. MULTIPLE DX										
A. Not Operated	634	6.6	33	1	2	5	8	13	17	31
B. Operated	1747	9.0	67	1	1	7	11	19	25	42
1. SINGLE DX	202	4.0	16	< 1	1	3	5	9	12	17
2. MULTIPLE DX	2381	8.3	59	1	2	6	10	17	24	40
A. Not Operated	672	6.4	32	1	2	5	8	13	17	31
B. Operated	1911	8.6	65	1	1	7	11	18	25	41
TOTAL										
65-69 YRS	713	7.6	52	1	1	6	10	16	23	37
70-74	742	7.6	51	1	1	6	10	17	24	35
75-79	515	8.0	56	1	1	6	10	16	24	40
80-84	359	8.8	78	1	1	7	11	19	23	49
85 +	254	8.9	60	2	2	7	11	18	23	41
GRAND TOTAL	**2583**	**8.0**	**57**	**1**	**1**	**6**	**10**	**17**	**23**	**40**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	2.7	5	< 1	< 1	2	4	5	8	10
70-74	13	2.0	2	< 1	< 1	2	2	4	6	6
75-79	2	6.5	1	6	6	6	7	7	7	7
80-84	2	4.0	2	3	3	4	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	22	4.0	21	< 1	1	2	5	8	14	21
70-74	20	2.9	5	< 1	< 1	2	4	5	8	10
75-79	20	2.7	5	< 1	1	2	4	7	8	8
80-84	19	2.6	6	< 1	1	2	3	5	8	11
85 +	6	4.3	5	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	45	3.3	9	1	1	2	4	8	9	15
70-74	26	3.1	6	< 1	1	3	4	8	8	9
75-79	14	3.8	6	1	1	3	5	6	10	11
80-84	12	3.4	3	2	2	3	3	7	8	8
85 +	13	3.6	10	1	1	2	5	8	11	12
B. Operated										
65-69 YRS	181	5.5	32	1	1	4	7	11	13	23
70-74	245	5.0	18	1	1	4	6	11	13	20
75-79	209	6.0	38	1	1	4	8	12	14	39
80-84	143	7.1	42	1	2	6	9	13	16	29
85 +	86	8.0	70	2	2	5	9	21	27	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.7	4	< 1	1	2	4	6	7	10
B. Operated	87	3.1	9	< 1	1	2	4	7	8	17
2. MULTIPLE DX										
A. Not Operated	110	3.3	7	1	1	3	4	7	9	13
B. Operated	864	6.0	36	1	1	4	8	12	15	37
1. SINGLE DX	122	3.0	8	< 1	1	2	4	6	8	14
2. MULTIPLE DX	974	5.7	33	1	1	4	7	11	14	35
A. Not Operated	145	3.2	6	1	1	2	4	7	8	12
B. Operated	951	5.7	34	1	1	4	7	11	14	37
TOTAL										
65-69 YRS	266	4.8	26	1	1	3	6	10	13	22
70-74	304	4.6	16	1	1	4	6	9	12	19
75-79	245	5.6	34	1	1	4	7	11	13	37
80-84	176	6.3	37	1	2	5	8	12	16	26
85 +	105	7.2	61	1	2	5	8	16	26	71
GRAND TOTAL	**1096**	**5.4**	**31**	**1**	**1**	**4**	**7**	**11**	**13**	**28**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	5	2.2	2	1	1	2	3	4	4	4
75-79	8	3.1	4	1	1	3	4	6	7	7
80-84	5	4.0	2	2	2	4	5	5	5	5
85 +	6	3.2	4	1	1	3	5	6	6	6
B. Operated										
65-69 YRS	46	2.3	4	< 1	< 1	2	3	5	6	10
70-74	47	3.0	11	< 1	< 1	2	4	6	11	18
75-79	34	3.4	13	< 1	< 1	2	5	9	10	15
80-84	24	3.5	13	< 1	1	2	4	8	12	17
85 +	13	5.5	8	1	2	5	7	10	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	133	5.3	19	2	2	5	6	9	11	26
70-74	138	6.4	41	2	2	5	8	10	13	36
75-79	160	6.2	20	2	2	5	8	10	12	19
80-84	154	7.4	56	2	3	6	9	13	16	35
85 +	181	7.7	52	2	3	6	9	14	19	61
B. Operated										
65-69 YRS	360	6.6	75	1	1	4	8	13	19	57
70-74	397	7.1	85	1	1	4	8	15	23	60
75-79	412	6.8	57	1	1	5	8	14	18	45
80-84	338	7.7	82	1	1	5	9	15	23	56
85 +	325	8.2	48	2	2	7	10	15	21	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.1	3	1	1	3	4	5	6	7
B. Operated	164	3.2	10	< 1	< 1	2	4	8	10	17
2. MULTIPLE DX										
A. Not Operated	766	6.7	39	2	2	5	8	12	15	34
B. Operated	1832	7.2	70	1	1	5	9	14	21	54
1. SINGLE DX	190	3.2	9	< 1	1	2	4	7	10	16
2. MULTIPLE DX	2598	7.1	61	1	2	5	8	13	19	49
A. Not Operated	792	6.6	33	2	2	5	8	11	15	34
B. Operated	1996	6.9	66	1	1	5	8	14	20	51
TOTAL										
65-69 YRS	541	5.9	57	1	1	4	7	12	16	49
70-74	587	6.6	69	1	1	4	8	12	20	56
75-79	614	6.4	45	1	1	5	8	12	16	43
80-84	521	7.4	71	1	1	5	9	14	19	50
85 +	525	7.9	48	2	3	6	9	15	20	54
GRAND TOTAL	**2788**	**6.8**	**58**	**1**	**1**	**5**	**8**	**13**	**18**	**47**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.0	3	< 1	< 1	4	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	3	2.0	3	1	1	1	3	4	4	4
80-84	4	4.8	23	1	1	4	8	11	11	11
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	71	2.8	6	< 1	1	2	4	6	8	13
70-74	72	2.0	2	1	1	2	2	4	5	8
75-79	59	2.4	3	< 1	1	2	3	5	7	9
80-84	39	2.4	4	1	1	2	3	5	5	11
85 +	27	2.4	3	< 1	< 1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	3.2	8	< 1	< 1	2	4	8	9	10
70-74	17	4.0	10	< 1	1	3	5	8	12	14
75-79	21	5.4	22	1	1	3	8	12	15	18
80-84	23	4.3	23	< 1	1	3	4	12	18	19
85 +	28	3.9	10	1	1	3	5	7	13	13
B. Operated										
65-69 YRS	325	3.5	12	1	1	3	4	6	9	16
70-74	372	4.1	19	1	1	3	5	8	12	20
75-79	363	4.5	16	1	1	3	5	10	13	19
80-84	264	5.4	73	1	1	4	6	10	12	39
85 +	222	5.7	26	1	2	4	7	11	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.1	9	< 1	< 1	2	4	7	10	11
B. Operated	268	2.4	4	< 1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	104	4.2	15	< 1	1	3	5	10	13	18
B. Operated	1546	4.5	28	1	1	3	5	9	12	24
1. SINGLE DX	280	2.4	4	< 1	1	2	3	5	6	11
2. MULTIPLE DX	1650	4.5	27	1	1	3	5	9	12	23
A. Not Operated	116	4.1	14	< 1	1	3	5	10	13	18
B. Operated	1814	4.2	25	1	1	3	5	9	11	22
TOTAL										
65-69 YRS	414	3.4	11	1	1	2	4	6	9	14
70-74	462	3.7	17	1	1	3	4	7	10	19
75-79	446	4.2	15	1	1	3	5	9	12	19
80-84	330	5.0	62	1	1	3	6	9	12	27
85 +	278	5.2	23	1	1	4	7	10	14	29
GRAND TOTAL	**1930**	**4.2**	**24**	**1**	**1**	**3**	**5**	**9**	**11**	**22**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	71	5.1	29	1	1	4	6	8	15	33
70-74	104	4.4	23	1	1	3	5	8	13	30
75-79	74	4.7	13	1	2	4	6	8	10	24
80-84	70	5.5	21	1	1	4	7	10	13	27
85 +	73	5.6	26	1	1	4	7	9	12	32
B. Operated										
65-69 YRS	188	2.5	5	< 1	1	2	3	5	7	13
70-74	190	2.9	14	1	1	2	3	5	8	15
75-79	129	3.0	5	< 1	1	2	4	6	8	29
80-84	85	4.6	84	1	1	3	5	7	10	61
85 +	69	4.3	13	1	1	3	5	9	12	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2373	6.9	35	2	2	6	8	12	16	32
70-74	3358	7.3	36	2	3	6	9	13	17	31
75-79	4132	8.0	50	2	3	6	10	14	19	39
80-84	4397	8.2	48	2	3	7	10	15	19	38
85 +	5518	8.8	58	2	3	7	11	15	20	46
B. Operated										
65-69 YRS	1572	7.7	66	1	1	5	10	16	22	42
70-74	1843	8.9	104	1	2	6	11	18	26	66
75-79	1911	9.8	104	1	2	7	12	20	29	74
80-84	1445	11.0	103	2	2	8	14	23	33	61
85 +	1365	12.4	142	2	3	9	16	25	38	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	392	5.0	23	1	1	4	6	9	12	28
B. Operated	661	3.2	19	< 1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated	19778	8.0	48	2	3	6	10	14	19	37
B. Operated	8136	9.8	105	1	2	7	12	21	29	64
1. SINGLE DX	1053	3.9	21	1	1	3	5	7	10	24
2. MULTIPLE DX	27914	8.6	65	2	3	7	10	16	22	48
A. Not Operated	20170	8.0	48	2	3	6	10	14	18	37
B. Operated	8797	9.3	102	1	2	6	12	20	28	62
TOTAL										
65-69 YRS	4204	7.0	46	1	2	5	9	14	18	35
70-74	5495	7.6	59	1	2	6	9	14	19	41
75-79	6246	8.4	66	2	2	6	10	16	22	50
80-84	5997	8.8	63	2	3	7	11	17	22	46
85 +	7025	9.4	76	2	3	7	11	17	24	59
GRAND TOTAL	**28967**	**8.4**	**65**	**2**	**2**	**6**	**10**	**16**	**21**	**47**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	2.0	2	1	1	1	3	4	4	4
70-74	8	3.0	9	< 1	< 1	2	4	8	9	9
75-79	3	2.0	3	1	1	1	3	4	4	4
80-84	3	4.7	14	2	2	3	7	9	9	9
85 +	3	5.0	7	3	3	4	7	8	8	8
B. Operated										
65-69 YRS	2020	4.1	4	1	2	4	5	6	7	10
70-74	1846	4.2	4	1	2	4	5	6	8	11
75-79	1226	4.4	5	1	2	4	5	7	8	11
80-84	551	4.6	5	2	2	4	6	7	9	12
85 +	222	4.7	6	2	2	4	5	7	8	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	198	3.6	20	< 1	< 1	2	4	7	10	25
70-74	207	3.6	13	< 1	< 1	3	5	8	9	22
75-79	196	4.1	13	< 1	1	3	5	8	10	20
80-84	142	5.1	31	< 1	1	3	6	11	22	99 +
85 +	154	6.0	25	1	1	5	8	12	17	24
B. Operated										
65-69 YRS	9427	5.1	12	2	2	4	6	8	11	18
70-74	9848	5.6	15	2	3	5	6	9	12	20
75-79	7886	6.0	20	2	3	5	7	10	14	23
80-84	4362	6.8	38	2	3	5	8	12	16	30
85 +	2264	8.1	42	3	3	6	10	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.0	6	< 1	1	2	4	8	9	9
B. Operated	5865	4.3	4	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	897	4.4	20	< 1	1	3	5	9	12	26
B. Operated	33787	5.9	21	2	3	5	7	10	13	23
1. SINGLE DX	5891	4.2	4	1	2	4	5	7	8	11
2. MULTIPLE DX	34684	5.9	21	2	3	5	7	10	13	23
A. Not Operated	923	4.3	20	< 1	1	3	5	9	12	25
B. Operated	39652	5.6	19	2	3	5	6	10	12	22
TOTAL										
65-69 YRS	11654	4.9	11	2	2	4	6	8	10	17
70-74	11909	5.3	14	2	2	5	6	9	12	19
75-79	9311	5.8	18	2	3	5	7	10	13	22
80-84	5058	6.5	35	2	3	5	7	11	15	29
85 +	2643	7.7	39	2	3	6	9	14	18	32
GRAND TOTAL	**40575**	**5.6**	**19**	**2**	**2**	**5**	**6**	**10**	**12**	**22**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.6	2	1	1	4	5	5	6	6
70-74	16	3.5	2	1	2	3	5	6	6	6
75-79	5	3.2	1	2	2	3	4	5	5	5
80-84	1	3.0		3	3	3	3	3	3	3
85 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
65-69 YRS	8	2.8	3	1	1	3	4	5	5	5
70-74	16	3.1	6	< 1	< 1	2	5	6	7	8
75-79	9	7.3	80	< 1	< 1	3	11	23	27	27
80-84	5	4.8	6	3	3	3	7	8	8	8
85 +	4	4.0	3	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	186	4.8	7	2	2	4	6	8	9	12
70-74	146	5.2	10	2	2	4	6	9	11	17
75-79	99	5.2	10	1	2	5	6	8	10	21
80-84	77	6.0	45	1	2	5	7	10	15	45
85 +	36	6.9	110	3	3	4	7	10	13	66
B. Operated										
65-69 YRS	165	5.7	21	1	2	5	7	11	14	24
70-74	183	5.8	35	1	1	4	7	11	13	32
75-79	143	5.6	30	1	1	4	7	11	14	23
80-84	89	7.7	79	1	2	5	8	17	24	53
85 +	61	7.4	82	2	2	5	8	10	17	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.5	2	1	2	3	5	5	6	6
B. Operated	42	4.2	22	< 1	1	3	5	8	12	27
2. MULTIPLE DX										
A. Not Operated	544	5.3	21	2	2	5	6	8	10	19
B. Operated	641	6.2	41	1	2	5	7	11	16	33
1. SINGLE DX	79	3.9	13	< 1	1	3	5	6	8	24
2. MULTIPLE DX	1185	5.8	32	1	2	5	7	10	14	27
A. Not Operated	581	5.2	20	2	2	4	6	8	10	18
B. Operated	683	6.0	40	1	1	5	7	11	16	32
TOTAL										
65-69 YRS	372	5.1	14	1	2	4	6	9	11	23
70-74	361	5.3	23	1	2	4	6	9	12	20
75-79	256	5.4	24	1	1	4	7	10	14	22
80-84	172	6.8	62	1	2	5	7	14	18	52
85 +	103	7.0	87	2	3	5	7	10	15	66
GRAND TOTAL	**1264**	**5.6**	**31**	**1**	**2**	**4**	**7**	**10**	**13**	**27**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	76	1.8	2	< 1	1	1	2	3	4	8
70-74	70	1.9	2	< 1	1	1	3	4	4	9
75-79	30	2.2	6	< 1	< 1	2	2	3	4	14
80-84	18	2.5	3	< 1	1	2	3	5	7	8
85 +	6	1.3	1	< 1	< 1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	4	2.5	2	1	1	2	3	4	4	4
75-79	3	1.0		< 1	< 1	1	1	1	1	1
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	153	3.2	20	1	1	2	3	5	7	26
70-74	133	3.2	12	1	1	2	4	7	9	17
75-79	86	3.2	9	< 1	1	2	4	6	10	15
80-84	40	3.2	7	1	1	2	5	7	9	12
85 +	16	3.3	3	< 1	1	3	4	5	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	200	1.9	3	< 1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	9	2.3	4	< 1	< 1	1	3	6	7	7
B. Operated	428	3.2	13	1	1	2	4	6	9	19
1. SINGLE DX	203	1.9	3	< 1	1	1	2	3	4	9
2. MULTIPLE DX	437	3.2	13	1	1	2	4	6	9	19
A. Not Operated	12	2.1	3	< 1	< 1	1	3	5	7	7
B. Operated	628	2.8	10	< 1	1	2	3	5	8	15
TOTAL										
65-69 YRS	232	2.7	14	1	1	2	3	5	7	21
70-74	208	2.8	8	< 1	1	2	3	5	8	13
75-79	119	2.9	8	< 1	1	2	3	6	9	14
80-84	58	2.9	6	1	1	2	3	6	8	12
85 +	23	2.7	3	< 1	1	2	4	5	6	8
GRAND TOTAL	**640**	**2.8**	**10**	**< 1**	**1**	**2**	**3**	**5**	**8**	**15**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	[illegible]	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	4.6	3	2	3	4	6	7	8	9
70-74	28	5.1	3	2	3	5	6	7	9	10
75-79	12	4.8	2	2	3	5	6	7	7	7
80-84	11	5.3	5	3	3	5	6	8	11	11
85 +	3	4.0	3	2	2	5	5	5	5	5
B. Operated										
65-69 YRS	17	4.0	10	< 1	1	3	7	9	10	10
70-74	14	4.3	7	1	1	4	7	8	9	9
75-79	16	4.9	21	< 1	1	3	7	13	14	15
80-84	3	2.0	1	1	1	2	3	3	3	3
85 +	3	4.0	19	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	169	5.8	7	2	3	5	7	9	11	14
70-74	124	7.4	52	3	3	6	8	12	15	45
75-79	109	6.0	10	2	3	5	8	10	12	17
80-84	52	6.5	23	2	2	6	7	12	16	98
85 +	34	8.2	30	2	3	7	11	14	22	24
B. Operated										
65-69 YRS	87	6.4	30	1	1	5	9	15	19	21
70-74	100	7.7	51	1	2	6	10	16	19	41
75-79	74	8.1	51	1	1	6	9	18	24	35
80-84	46	9.5	103	2	3	8	11	16	22	66
85 +	24	12.5	122	2	3	10	14	22	39	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	4.9	3	2	3	5	6	7	8	11
B. Operated	53	4.2	12	1	1	3	7	9	10	15
2. MULTIPLE DX										
A. Not Operated	488	6.5	23	2	3	6	8	11	13	24
B. Operated	331	8.0	59	1	1	6	10	16	20	41
1. SINGLE DX	134	4.6	7	1	1	4	6	8	9	13
2. MULTIPLE DX	819	7.1	38	2	2	6	9	13	17	34
A. Not Operated	569	6.3	20	2	3	5	7	10	13	24
B. Operated	384	7.5	55	1	1	6	10	16	20	40
TOTAL										
65-69 YRS	300	5.8	14	1	2	5	7	10	13	20
70-74	266	7.1	45	2	2	6	9	13	16	40
75-79	211	6.6	26	1	2	6	8	12	15	26
80-84	112	7.5	57	2	2	6	9	13	16	79
85 +	64	9.5	68	2	2	8	12	16	24	50
GRAND TOTAL	**953**	**6.8**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**32**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	2.0	2	< 1	< 1	1	3	3	3	3
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	9	1.1		< 1	< 1	1	1	2	2	2
70-74	9	1.1		< 1	< 1	1	1	2	2	2
75-79	7	1.1		< 1	< 1	1	1	2	2	2
80-84	2	1.0		< 1	< 1	< 1	1	1	1	1
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	2.6	7	< 1	< 1	1	4	7	7	7
70-74	3	3.3	16	< 1	< 1	1	6	8	8	8
75-79	5	6.6	42	2	2	4	8	18	18	18
80-84	5	2.6	7	1	1	1	4	7	7	7
85 +	4	3.5	2	2	2	3	4	5	5	5
B. Operated										
65-69 YRS	36	1.8	3	1	1	1	2	4	6	8
70-74	31	3.3	20	< 1	< 1	2	3	10	17	17
75-79	24	2.3	5	< 1	1	2	3	4	7	11
80-84	24	4.6	27	< 1	1	3	6	8	14	26
85 +	20	5.3	70	1	1	2	6	11	26	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	1	< 1	< 1	1	2	3	3	3
B. Operated	28	1.1		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	22	3.8	15	< 1	< 1	3	5	7	12	18
B. Operated	135	3.2	22	< 1	1	2	3	7	10	28
1. SINGLE DX	32	1.2		< 1	< 1	1	1	2	2	3
2. MULTIPLE DX	157	3.3	21	< 1	1	2	4	7	10	25
A. Not Operated	26	3.5	13	< 1	< 1	2	4	7	10	18
B. Operated	163	2.9	19	< 1	< 1	1	3	6	9	25
TOTAL										
65-69 YRS	50	1.8	3	< 1	< 1	1	2	3	7	8
70-74	43	2.8	16	< 1	< 1	1	2	8	14	17
75-79	37	2.6	10	< 1	< 1	2	3	5	9	13
80-84	33	3.9	21	< 1	< 1	3	5	7	9	26
85 +	26	4.7	55	1	1	2	5	8	19	38
GRAND TOTAL	**189**	**3.0**	**18**	**< 1**	**< 1**	**1**	**3**	**7**	**8**	**23**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	3.5	10	1	1	2	5	8	8	8
70-74	5	3.4	6	1	1	4	5	7	7	7
75-79	1	13.0		13	13	13	13	13	13	13
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	155	2.5	3	1	1	2	4	5	6	8
70-74	92	2.5	6	1	1	2	3	5	8	14
75-79	39	2.1	2	1	1	2	3	4	5	5
80-84	11	2.7	9	< 1	< 1	2	3	7	11	11
85 +	6	2.5	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	35	3.9	12	< 1	1	2	4	9	11	14
70-74	27	6.6	36	1	1	5	8	18	21	22
75-79	17	7.1	26	< 1	1	7	10	13	18	20
80-84	19	5.9	22	2	2	4	7	12	18	21
85 +	22	7.1	12	3	3	7	9	13	13	13
B. Operated										
65-69 YRS	473	3.9	32	1	1	3	4	7	12	35
70-74	274	4.0	17	1	1	3	4	8	13	24
75-79	164	5.6	88	1	1	3	5	10	20	65
80-84	87	5.7	31	1	1	3	9	14	15	30
85 +	35	7.2	86	1	1	5	7	15	21	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.4	15	1	1	3	7	10	13	13
B. Operated	303	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	120	5.8	22	1	1	4	8	12	14	21
B. Operated	1033	4.5	40	1	1	3	5	9	14	33
1. SINGLE DX	313	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1153	4.6	38	1	1	3	5	9	14	32
A. Not Operated	130	5.7	21	1	1	4	8	12	14	21
B. Operated	1336	4.0	32	1	1	3	4	8	13	29
TOTAL										
65-69 YRS	667	3.6	25	1	1	2	4	6	9	27
70-74	398	3.8	17	1	1	3	4	8	12	23
75-79	221	5.1	70	1	1	3	5	10	17	54
80-84	117	5.5	28	1	1	3	7	13	15	27
85 +	63	6.7	53	1	1	5	9	13	16	47
GRAND TOTAL	**1466**	**4.2**	**31**	**1**	**1**	**3**	**5**	**8**	**13**	**29**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	2	1.0		< 1	< 1	< 1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	116	1.5	1	< 1	< 1	1	2	2	4	5
70-74	79	1.4		< 1	< 1	1	2	2	3	4
75-79	44	1.2		< 1	< 1	< 1	1	2	2	3
80-84	20	1.6	1	< 1	< 1	1	2	3	4	5
85 +	17	1.8	2	< 1	< 1	1	2	4	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	2	1.0		< 1	< 1	< 1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	226	2.8	18	< 1	< 1	2	3	5	6	13
70-74	153	2.3	3	< 1	1	2	3	4	6	9
75-79	123	2.6	7	< 1	< 1	2	3	5	7	14
80-84	55	2.3	2	< 1	1	2	3	4	4	10
85 +	21	3.2	7	< 1	1	2	4	6	9	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	276	1.4	1	< 1	< 1	1	2	2	4	5
2. MULTIPLE DX										
A. Not Operated	6	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	578	2.6	10	< 1	< 1	2	3	5	6	12
1. SINGLE DX	279	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	584	2.6	9	< 1	< 1	2	3	5	6	12
A. Not Operated	9	1.3	1	< 1	< 1	1	2	3	3	3
B. Operated	854	2.2	7	< 1	< 1	2	2	4	6	9
TOTAL										
65-69 YRS	345	2.3	12	< 1	< 1	2	3	4	6	8
70-74	236	2.0	2	< 1	< 1	2	2	4	5	8
75-79	169	2.2	5	< 1	< 1	2	2	5	6	11
80-84	75	2.1	2	< 1	< 1	2	2	4	4	9
85 +	38	2.6	5	< 1	< 1	2	3	6	7	12
GRAND TOTAL	**863**	**2.2**	**7**	**<1**	**<1**	**2**	**2**	**4**	**5**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	5.7	3	4	4	5	7	8	8	8
70-74	0									
75-79	0									
80-84	2	3.0	8	1	1	3	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	103	2.3	1	< 1	< 1	2	3	4	5	6
70-74	55	1.8	1	< 1	< 1	2	2	3	4	5
75-79	31	2.3	3	< 1	< 1	2	3	5	5	9
80-84	12	2.1	1	< 1	< 1	2	3	4	4	4
85 +	11	1.6	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	5.3	20	< 1	1	4	9	11	14	18
70-74	18	3.5	4	< 1	< 1	3	5	7	8	8
75-79	11	4.9	14	1	1	4	7	11	13	13
80-84	10	3.7	15	< 1	< 1	3	4	9	14	14
85 +	10	6.3	14	2	2	6	8	12	13	13
B. Operated										
65-69 YRS	226	3.1	8	< 1	1	2	3	6	8	16
70-74	136	3.2	10	< 1	1	2	4	7	9	18
75-79	73	3.0	6	< 1	1	2	4	6	7	14
80-84	37	4.7	61	< 1	< 1	2	5	9	11	48
85 +	21	8.1	215	< 1	< 1	2	9	18	41	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.0	5	1	2	5	6	8	8	8
B. Operated	212	2.1	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	71	4.7	14	< 1	1	4	7	10	13	17
B. Operated	493	3.5	21	< 1	1	2	4	6	9	18
1. SINGLE DX	220	2.2	2	< 1	< 1	2	3	4	5	7
2. MULTIPLE DX	564	3.6	21	< 1	1	2	4	7	11	18
A. Not Operated	79	4.7	13	< 1	1	4	7	10	12	17
B. Operated	705	3.1	16	< 1	< 1	2	3	5	8	18
TOTAL										
65-69 YRS	357	3.1	7	< 1	1	2	4	6	8	15
70-74	209	2.9	7	< 1	< 1	2	3	6	8	16
75-79	115	3.0	6	< 1	< 1	2	4	6	8	14
80-84	61	4.0	40	< 1	< 1	2	4	7	11	44
85 +	42	6.0	115	< 1	< 1	2	7	13	18	67
GRAND TOTAL	**784**	**3.2**	**16**	**<1**	**<1**	**2**	**4**	**6**	**9**	**18**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	24	5.2	3	3	4	5	5	8	9	11
70-74	24	5.1	8	2	2	5	6	7	10	15
75-79	9	6.7	2	4	4	7	8	8	8	8
80-84	10	8.0	6	4	5	8	10	11	11	11
85 +	4	4.5	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	6.0	7	3	3	6	8	9	9	9
70-74	7	5.0	14	< 1	< 1	7	8	9	9	9
75-79	5	4.0	12	< 1	< 1	3	7	9	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85 +	2	8.0	8	6	6	8	10	10	10	10
B. Operated										
65-69 YRS	127	7.0	13	4	4	6	8	12	14	20
70-74	112	7.6	18	4	4	6	8	13	18	26
75-79	85	8.5	35	3	4	7	10	15	19	36
80-84	44	8.8	29	2	4	8	10	13	19	29
85 +	17	9.0	30	2	3	9	12	20	69	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	71	5.7	6	3	3	5	7	9	11	14
2. MULTIPLE DX										
A. Not Operated	19	5.2	11	< 1	< 1	6	8	9	10	10
B. Operated	385	7.8	22	4	4	6	9	13	17	28
1. SINGLE DX	73	5.6	6	2	3	5	7	8	11	14
2. MULTIPLE DX	404	7.7	22	3	4	6	9	13	16	28
A. Not Operated	21	4.9	10	< 1	< 1	5	8	9	10	10
B. Operated	456	7.5	20	3	4	6	9	13	16	27
TOTAL										
65-69 YRS	155	6.7	12	4	4	6	7	11	13	17
70-74	144	7.0	17	3	4	6	8	12	15	25
75-79	99	8.1	32	3	4	7	9	14	18	33
80-84	55	8.6	24	3	4	8	10	12	16	29
85 +	24	7.8	26	1	3	7	11	17	41	99 +
GRAND TOTAL	**477**	**7.4**	**20**	**3**	**4**	**6**	**9**	**13**	**16**	**27**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.2	11	1	1	3	7	9	9	9
70-74	0									
75-79	2	5.0	32	1	1	5	9	9	9	9
80-84	0									
85 +	4	6.0	37	2	2	3	9	15	15	15
B. Operated										
65-69 YRS	8	5.4	5	2	3	5	7	9	9	9
70-74	3	3.3	1	2	2	4	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	25	7.2	27	1	2	6	10	13	19	21
70-74	16	6.8	9	3	3	7	8	12	13	13
75-79	12	7.1	8	2	3	7	9	11	12	12
80-84	5	10.8	40	3	3	11	17	17	17	17
85 +	9	5.9	13	2	2	6	9	11	12	12
B. Operated										
65-69 YRS	52	8.8	33	3	4	7	11	18	21	27
70-74	47	11.2	86	3	3	8	15	24	26	52
75-79	45	11.3	75	2	5	9	14	21	28	44
80-84	16	11.4	88	3	4	8	13	28	33	35
85 +	11	16.3	254	2	3	14	18	38	58	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.0	19	1	1	3	8	12	15	15
B. Operated	14	4.7	5	1	2	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated	67	7.2	18	2	2	7	10	13	17	20
B. Operated	171	10.9	79	3	4	8	14	21	25	50
1. SINGLE DX	25	4.8	11	1	1	4	6	9	11	15
2. MULTIPLE DX	238	9.8	64	2	3	7	13	19	24	45
A. Not Operated	78	6.9	19	2	2	6	9	13	16	20
B. Operated	185	10.4	76	2	4	7	14	21	25	49
TOTAL										
65-69 YRS	90	7.8	29	2	3	6	9	17	19	25
70-74	66	9.8	69	3	3	7	12	20	25	48
75-79	60	10.1	63	1	3	8	13	18	23	44
80-84	21	11.3	74	3	4	8	14	24	32	35
85 +	26	10.3	138	2	2	7	14	19	30	60
GRAND TOTAL	**263**	**9.4**	**61**	**2**	**3**	**7**	**12**	**18**	**22**	**44**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	3.5	3	< 1	< 1	4	5	5	5	5
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	1	13.0		13	13	13	13	13	13	13
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	7.0		7	7	7	7	7	7	7
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	67	6.7	17	3	3	6	8	11	16	25
70-74	32	6.8	23	3	3	6	7	10	14	29
75-79	9	9.7	67	3	3	7	13	24	25	25
80-84	8	7.9	33	2	[illegible]	7	10	18	20	20
85 +	9	4.6	6	1	1	5	5	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	5.4	14	< 1	1	4	6	12	13	13
2. MULTIPLE DX										
A. Not Operated	3	4.7	10	1	1	6	7	7	7	7
B. Operated	125	6.9	22	2	3	6	7	12	17	27
1. SINGLE DX	7	5.4	14	< 1	1	4	6	12	13	13
2. MULTIPLE DX	128	6.8	22	2	3	6	7	12	16	27
A. Not Operated	3	4.7	10	1	1	6	7	7	7	7
B. Operated	132	6.8	22	2	3	6	7	12	16	27
TOTAL										
65-69 YRS	72	6.6	16	2	3	6	7	11	15	25
70-74	34	6.8	22	3	4	6	7	9	14	29
75-79	9	9.7	67	3	3	7	13	24	25	25
80-84	10	7.7	34	1	1	7	12	16	20	20
85 +	10	4.8	6	1	1	5	5	8	10	10
GRAND TOTAL	**135**	**6.8**	**22**	**2**	**3**	**6**	**7**	**12**	**16**	**27**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	18	4.1	10	< 1	< 1	4	6	8	10	12
70-74	10	6.1	7	2	2	6	7	10	10	10
75-79	14	4.5	9	1	2	4	5	10	11	11
80-84	5	5.4	4	2	2	6	7	7	7	7
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	2.3	4	< 1	< 1	1	3	6	6	6
2. MULTIPLE DX										
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	47	4.8	9	1	1	4	7	9	10	12
1. SINGLE DX	6	2.3	4	< 1	< 1	1	3	6	6	6
2. MULTIPLE DX	49	4.7	9	1	1	4	7	9	10	12
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	53	4.5	9	< 1	1	4	7	9	10	12
TOTAL										
65-69 YRS	20	3.8	10	< 1	< 1	3	6	8	10	12
70-74	12	5.8	7	2	2	6	7	10	10	10
75-79	17	4.0	9	1	1	3	5	10	11	11
80-84	5	5.4	4	2	2	6	7	7	7	7
85 +	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**55**	**4.5**	**9**	**< 1**	**1**	**4**	**7**	**8**	**10**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	2	5.5	5	4	4	5	7	7	7	7
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	5	3.0	4	1	1	3	4	6	6	6
70-74	6	2.2	6	< 1	< 1	1	2	6	7	7
75-79	5	3.2	24	1	1	1	4	12	12	12
80-84	2	11.0	200	1	1	11	21	21	21	21
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	17	4.9	6	2	2	4	6	8	10	11
70-74	13	7.3	7	4	4	7	9	10	13	14
75-79	11	5.5	8	1	1	7	7	9	9	9
80-84	13	8.2	15	2	3	8	9	15	15	15
85 +	17	8.7	38	2	2	8	13	18	20	21
B. Operated										
65-69 YRS	30	5.9	51	1	1	3	6	13	24	33
70-74	27	6.8	37	1	1	5	9	12	22	28
75-79	24	6.7	33	< 1	1	6	8	14	20	24
80-84	21	6.6	24	1	1	5	10	13	16	20
85 +	21	8.4	57	1	2	7	11	17	26	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.0	3	4	4	4	6	7	7	7
B. Operated	18	3.7	27	< 1	< 1	1	3	10	17	21
2. MULTIPLE DX										
A. Not Operated	71	7.0	17	2	2	7	9	13	15	20
B. Operated	123	6.8	40	1	1	5	9	13	21	33
1. SINGLE DX	21	3.9	24	< 1	< 1	2	5	9	16	21
2. MULTIPLE DX	194	6.9	32	1	2	6	9	13	19	31
A. Not Operated	74	6.9	17	2	2	6	9	13	15	20
B. Operated	141	6.4	39	1	1	5	8	13	21	33
TOTAL										
65-69 YRS	52	5.3	32	1	1	4	6	10	16	33
70-74	46	6.3	27	1	1	5	8	11	15	28
75-79	42	5.9	24	< 1	1	6	7	12	15	24
80-84	36	7.4	26	1	2	7	10	15	19	21
85 +	39	8.4	46	2	2	7	12	18	21	33
GRAND TOTAL	**215**	**6.6**	**32**	**1**	**1**	**5**	**8**	**13**	**19**	**30**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.3		< 1	< 1	1	2	2	2	2
70-74	3	1.3		< 1	< 1	< 1	2	2	2	2
75-79	3	4.3	9	1	1	5	6	7	7	7
80-84	1	7.0		7	7	7	7	7	7	7
85 +	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
65-69 YRS	769	5.0	4	2	3	5	6	7	8	11
70-74	546	5.1	4	2	3	5	6	7	9	11
75-79	313	5.2	6	2	3	5	6	7	10	15
80-84	135	5.3	5	2	3	5	6	8	9	12
85 +	41	5.9	12	2	2	5	7	9	13	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	37	2.5	8	< 1	< 1	1	3	6	10	12
70-74	44	3.2	12	< 1	< 1	1	5	8	11	15
75-79	34	3.0	11	< 1	< 1	2	4	6	10	17
80-84	26	3.9	13	< 1	< 1	2	6	9	11	13
85 +	13	3.2	7	1	1	2	5	7	9	9
B. Operated										
65-69 YRS	2525	5.8	6	3	3	5	7	8	10	13
70-74	2134	6.1	8	3	3	6	7	9	11	16
75-79	1430	6.4	9	3	4	6	7	9	11	16
80-84	598	6.7	11	3	4	6	8	10	13	19
85 +	210	7.4	41	2	3	6	8	10	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.1	7	< 1	< 1	2	6	7	7	7
B. Operated	1804	5.1	5	2	3	5	6	7	9	12
2. MULTIPLE DX										
A. Not Operated	154	3.1	10	< 1	< 1	2	4	8	11	15
B. Operated	6897	6.1	9	3	3	6	7	9	11	16
1. SINGLE DX	1816	5.1	5	2	3	5	6	7	9	12
2. MULTIPLE DX	7051	6.1	9	3	3	6	7	9	11	16
A. Not Operated	166	3.1	10	< 1	< 1	2	4	8	11	15
B. Operated	8701	5.9	8	3	3	6	7	9	10	16
TOTAL										
65-69 YRS	3334	5.6	6	2	3	5	7	8	9	13
70-74	2727	5.9	7	3	3	6	7	9	10	15
75-79	1780	6.1	9	3	3	6	7	9	11	16
80-84	760	6.3	10	2	3	6	8	10	12	18
85 +	266	6.9	35	2	3	6	8	10	15	26
GRAND TOTAL	**8867**	**5.9**	**8**	**2**	**3**	**5**	**7**	**9**	**10**	**16**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	43	1.6	2	< 1	< 1	1	1	5	5	6
70-74	34	1.6	2	< 1	< 1	1	2	3	4	7
75-79	19	2.4	6	< 1	< 1	1	3	6	8	10
80-84	9	1.4	1	< 1	< 1	1	2	3	3	3
85 +	9	2.3	4	< 1	< 1	2	3	5	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	14	2.5	3	1	1	2	3	5	6	7
70-74	11	3.5	3	1	1	3	5	6	6	6
75-79	13	2.7	3	1	1	2	4	6	6	6
80-84	17	4.2	7	1	1	3	6	9	10	10
85 +	17	4.9	16	< 1	1	4	5	9	15	18
B. Operated										
65-69 YRS	226	3.7	11	< 1	< 1	2	5	7	10	16
70-74	210	4.0	19	< 1	1	2	5	8	10	26
75-79	167	3.3	9	< 1	1	2	4	7	9	15
80-84	94	4.1	89	< 1	1	2	4	7	10	58
85 +	58	4.2	19	< 1	1	2	5	10	15	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		1	1	1	2	2	2	2
B. Operated	114	1.8	3	< 1	< 1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	72	3.6	7	1	1	3	5	7	9	16
B. Operated	755	3.8	23	< 1	1	2	5	8	10	19
1. SINGLE DX	119	1.7	2	< 1	< 1	1	2	4	6	8
2. MULTIPLE DX	827	3.8	22	< 1	1	2	5	8	10	18
A. Not Operated	77	3.5	7	1	1	3	5	7	8	16
B. Operated	869	3.5	21	< 1	< 1	2	5	7	10	18
TOTAL										
65-69 YRS	285	3.3	9	< 1	< 1	2	5	7	8	16
70-74	256	3.7	16	< 1	< 1	2	5	8	10	25
75-79	201	3.1	9	< 1	1	2	4	7	9	14
80-84	120	3.9	71	< 1	< 1	2	4	7	10	39
85 +	84	4.2	17	< 1	1	3	5	9	15	19
GRAND TOTAL	**946**	**3.5**	**20**	**< 1**	**< 1**	**2**	**5**	**7**	**9**	**18**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	4	1.3		1	1	1	2	2	2	2
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85 +	6	2.5	3	1	1	2	4	5	5	5
B. Operated										
65-69 YRS	56	3.0	6	< 1	< 1	2	5	6	7	11
70-74	52	2.8	4	< 1	< 1	2	4	6	6	8
75-79	29	3.8	7	< 1	1	4	5	7	9	11
80-84	14	3.2	10	< 1	< 1	2	4	7	11	12
85 +	8	2.5	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	16	3.4	9	< 1	< 1	2	6	8	9	9
70-74	16	6.8	37	1	2	5	10	11	22	26
75-79	22	5.7	22	1	2	4	7	14	16	18
80-84	19	4.9	14	1	2	4	6	8	13	18
85 +	37	5.1	17	1	1	4	8	11	17	99 +
B. Operated										
65-69 YRS	535	5.9	25	1	1	5	7	11	15	29
70-74	388	7.1	50	1	1	5	9	13	18	46
75-79	238	7.3	65	1	1	5	9	15	23	52
80-84	114	8.4	63	1	2	6	11	19	22	40
85 +	88	8.6	71	1	1	6	12	22	28	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.0	2	1	1	2	3	4	5	5
B. Operated	159	3.1	6	< 1	< 1	2	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	110	5.2	20	1	1	4	7	11	15	55
B. Operated	1363	6.9	46	1	1	5	8	14	19	34
1. SINGLE DX	171	3.0	5	< 1	< 1	2	5	6	7	11
2. MULTIPLE DX	1473	6.7	44	1	1	5	8	14	19	34
A. Not Operated	122	4.9	19	1	1	3	7	11	14	46
B. Operated	1522	6.5	43	< 1	1	5	8	13	19	33
TOTAL										
65-69 YRS	607	5.5	24	< 1	1	5	7	10	14	27
70-74	460	6.5	46	< 1	1	5	8	13	17	44
75-79	290	6.8	57	1	1	5	8	14	22	42
80-84	148	7.4	54	1	2	5	9	19	21	37
85 +	139	7.1	54	1	1	5	9	18	25	43
GRAND TOTAL	**1644**	**6.3**	**41**	**1**	**1**	**5**	**8**	**13**	**18**	**33**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	2	2.0	2	< 1	< 1	1	3	3	3	3
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	233	5.0	7	2	3	5	6	8	9	10
70-74	130	5.5	8	2	2	5	7	8	9	17
75-79	71	5.2	5	2	2	5	6	8	10	11
80-84	29	5.7	7	2	2	5	7	9	10	12
85 +	17	4.6	9	< 1	< 1	4	7	9	10	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	3.2	30	1	1	1	2	10	19	20
70-74	10	4.4	20	< 1	< 1	2	9	11	13	13
75-79	8	3.8	2	1	2	4	5	5	5	5
80-84	2	2.0	2	1	1	2	3	3	3	3
85 +	5	2.8	4	1	1	2	4	6	6	6
B. Operated										
65-69 YRS	541	5.8	7	2	3	6	7	9	10	14
70-74	323	6.1	10	3	3	6	7	9	12	22
75-79	248	6.8	13	3	3	6	8	11	14	20
80-84	92	6.4	10	2	3	6	8	10	11	19
85 +	42	7.5	8	3	4	7	9	11	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.0	4	< 1	< 1	3	5	5	5	5
B. Operated	480	5.2	7	2	2	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	37	3.5	16	< 1	1	2	4	8	12	20
B. Operated	1246	6.2	10	3	3	6	8	9	12	17
1. SINGLE DX	485	5.1	7	2	2	5	6	8	9	12
2. MULTIPLE DX	1283	6.1	10	2	3	6	7	9	12	18
A. Not Operated	42	3.5	14	< 1	1	2	5	7	11	20
B. Operated	1726	5.9	9	2	3	5	7	9	11	16
TOTAL										
65-69 YRS	788	5.5	8	2	3	5	7	8	10	14
70-74	463	5.9	10	2	3	6	7	9	11	19
75-79	329	6.4	12	2	3	6	8	10	13	20
80-84	123	6.2	9	2	3	6	8	10	11	16
85 +	65	6.3	11	1	2	6	8	11	12	15
GRAND TOTAL	**1768**	**5.8**	**10**	**2**	**3**	**5**	**7**	**9**	**11**	**16**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX	—									
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	174	5.4	18	2	2	4	6	9	12	18
70-74	154	5.7	10	2	3	5	7	10	12	14
75-79	114	5.6	12	2	3	5	7	9	12	20
80-84	91	5.9	10	2	2	6	8	10	11	17
85 +	96	5.2	7	2	2	4	7	9	10	14
B. Operated										
65-69 YRS	53	5.7	18	2	2	4	7	11	15	21
70-74	56	6.6	29	1	2	5	7	14	20	26
75-79	35	6.9	14	2	3	6	8	11	13	20
80-84	36	7.5	24	3	3	6	10	14	17	26
85 +	26	6.1	17	2	2	5	9	12	14	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1926	7.7	28	3	3	6	9	14	17	28
70-74	1930	8.0	36	3	3	7	10	14	17	29
75-79	1881	8.5	43	3	3	7	10	15	19	35
80-84	1651	8.5	38	3	3	7	10	15	19	38
85 +	1825	9.1	65	3	3	7	11	16	22	54
B. Operated										
65-69 YRS	934	12.0	100	3	4	9	14	23	31	56
70-74	864	13.4	123	3	4	10	17	28	37	64
75-79	798	13.3	134	3	4	10	17	27	39	73
80-84	609	14.6	167	3	4	10	19	33	44	94
85 +	570	14.3	146	3	4	11	18	28	39	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	629	5.6	12	2	2	5	7	10	11	18
B. Operated	206	6.5	21	2	2	5	8	13	16	24
2. MULTIPLE DX										
A. Not Operated	9213	8.3	42	3	3	7	10	14	19	34
B. Operated	3775	13.4	131	3	4	10	17	27	37	67
1. SINGLE DX	835	5.8	15	2	2	5	7	10	13	20
2. MULTIPLE DX	12988	9.8	73	3	3	7	12	18	25	51
A. Not Operated	9842	8.2	41	3	3	7	10	14	19	33
B. Operated	3981	13.0	127	3	4	10	16	27	36	67
TOTAL										
65-69 YRS	3087	8.9	54	2	3	7	11	16	22	39
70-74	3004	9.4	67	3	3	7	11	18	25	45
75-79	2828	9.7	73	3	3	7	11	18	25	49
80-84	2387	9.9	77	3	3	7	12	19	27	54
85 +	2517	10.1	86	3	3	8	12	20	26	64
GRAND TOTAL	**13823**	**9.6**	**71**	**3**	**3**	**7**	**11**	**18**	**25**	**49**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	4.6	3	2	3	4	6	7	8	8
70-74	11	7.6	117	1	1	3	8	22	38	39
75-79	12	4.8	4	2	2	5	6	8	8	8
80-84	4	6.0	6	3	3	6	8	9	9	9
85 +	8	4.6	6	1	2	4	6	8	9	9
B. Operated										
65-69 YRS	17	6.8	20	3	3	5	8	12	18	21
70-74	16	3.3	9	< 1	< 1	3	4	9	10	11
75-79	6	5.3	25	1	1	4	8	13	14	14
80-84	7	3.6	10	< 1	< 1	3	5	9	10	10
85 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	208	7.3	20	3	3	6	9	12	16	25
70-74	163	7.8	45	2	3	6	9	12	21	39
75-79	148	6.9	28	2	2	6	8	12	15	29
80-84	132	8.2	34	2	3	6	10	14	19	32
85 +	126	7.7	42	3	3	6	8	13	19	43
B. Operated										
65-69 YRS	167	11.3	153	2	3	8	12	24	35	96
70-74	184	10.1	70	2	3	8	13	20	27	40
75-79	114	9.5	69	2	2	7	12	17	25	43
80-84	105	11.8	133	2	3	8	15	23	37	62
85 +	80	9.5	37	3	3	8	12	18	24	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	5.5	29	2	2	4	6	8	9	39
B. Operated	48	4.9	16	< 1	< 1	4	7	10	12	21
2. MULTIPLE DX										
A. Not Operated	777	7.5	33	2	3	6	9	13	16	32
B. Operated	650	10.5	97	2	3	8	13	20	29	67
1. SINGLE DX	96	5.2	23	< 1	1	4	6	9	11	31
2. MULTIPLE DX	1427	8.9	64	2	3	7	11	16	24	47
A. Not Operated	825	7.4	33	2	3	6	9	13	16	33
B. Operated	698	10.1	94	2	3	8	12	19	28	65
TOTAL										
65-69 YRS	405	8.9	79	2	3	7	10	15	23	73
70-74	374	8.7	60	2	2	7	10	17	24	40
75-79	280	7.8	45	2	2	6	10	14	18	29
80-84	248	9.6	79	2	3	7	11	17	27	53
85 +	216	8.2	40	3	3	7	10	16	20	44
GRAND TOTAL	**1523**	**8.7**	**63**	**2**	**3**	**7**	**10**	**16**	**23**	**44**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	3.1	2	1	1	3	4	6	6	6
70-74	6	2.2	1	< 1	< 1	2	2	4	4	4
75-79	0									
80-84	1	20.0		20	20	20	20	20	20	20
85 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74	0									
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	13	4.9	30	1	1	3	6	12	19	21
70-74	9	7.0	118	1	1	2	7	25	35	35
75-79	7	4.6	18	1	1	2	8	11	12	12
80-84	2	8.5	5	7	7	8	10	10	10	10
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	16	3.6	21	< 1	1	2	4	6	16	20
2. MULTIPLE DX										
A. Not Operated	4	4.8	7	1	1	5	6	7	7	7
B. Operated	31	5.7	49	1	1	3	7	11	21	35
1. SINGLE DX	16	3.6	21	< 1	1	2	4	6	16	20
2. MULTIPLE DX	35	5.6	44	1	1	3	7	10	19	35
A. Not Operated	4	4.8	7	1	1	5	6	7	7	7
B. Operated	47	5.0	40	1	1	2	6	10	20	35
TOTAL										
65-69 YRS	22	4.3	19	1	1	3	6	8	14	21
70-74	15	5.1	74	< 1	1	2	4	9	28	35
75-79	8	4.6	15	1	1	3	7	11	12	12
80-84	4	10.8	41	6	6	8	15	20	20	20
85 +	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**51**	**5.0**	**37**	**1**	**1**	**3**	**6**	**10**	**20**	**35**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	1.0		< 1	< 1	< 1	1	1	1	1
70-74	6	3.3	19	< 1	< 1	1	3	11	12	12
75-79	11	2.0	3	< 1	< 1	1	2	5	6	6
80-84	3	3.0	3	< 1	< 1	4	4	4	4	4
85 +	4	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	3.5	13	< 1	< 1	3	6	6	6	6
70-74	2	13.0	162	4	4	13	22	22	22	22
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	34	3.4	7	< 1	< 1	3	4	7	8	13
70-74	19	3.3	7	< 1	< 1	3	5	7	9	10
75-79	15	3.1	7	< 1	< 1	2	5	8	8	8
80-84	12	3.3	6	< 1	< 1	3	4	8	9	9
85 +	6	3.5	5	1	1	3	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	31	2.0	5	< 1	< 1	1	2	5	6	12
2. MULTIPLE DX										
A. Not Operated	5	7.0	74	< 1	< 1	4	10	22	22	22
B. Operated	86	3.3	6	< 1	< 1	3	4	7	8	12
1. SINGLE DX	32	2.0	5	< 1	< 1	1	2	4	6	12
2. MULTIPLE DX	91	3.5	10	< 1	< 1	3	4	7	8	18
A. Not Operated	6	6.0	65	< 1	< 1	3	6	20	22	22
B. Operated	117	3.0	6	< 1	< 1	2	4	7	8	12
TOTAL										
65-69 YRS	43	3.0	7	< 1	< 1	3	4	7	8	13
70-74	28	3.9	21	< 1	< 1	2	4	9	13	22
75-79	26	2.7	6	< 1	< 1	1	4	7	8	8
80-84	16	3.2	5	< 1	< 1	3	4	7	8	9
85 +	10	2.5	4	< 1	< 1	2	3	6	7	7
GRAND TOTAL	**123**	**3.1**	**9**	**< 1**	**< 1**	**2**	**4**	**7**	**8**	**15**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	40	7.5	32	1	1	7	11	16	18	21
70-74	24	7.5	28	2	2	5	11	16	19	20
75-79	22	14.8	392	2	3	9	20	27	55	95
80-84	22	7.7	42	< 1	1	6	13	17	21	21
85 +	20	9.2	75	1	2	7	13	21	28	34
B. Operated										
65-69 YRS	138	4.7	40	< 1	< 1	2	5	14	19	30
70-74	110	5.8	59	< 1	< 1	2	8	14	18	41
75-79	74	6.1	34	< 1	1	4	8	14	18	26
80-84	62	9.4	100	< 1	1	7	15	20	25	50
85 +	65	8.5	77	< 1	1	6	12	16	26	45
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	641	9.8	72	2	3	7	13	20	25	42
70-74	731	9.8	76	2	3	7	12	20	25	43
75-79	713	10.8	92	2	3	8	13	21	28	60
80-84	671	10.3	79	3	3	8	13	19	24	54
85 +	784	11.3	118	2	3	8	14	22	29	95
B. Operated										
65-69 YRS	938	14.9	209	1	2	11	21	34	50	99 +
70-74	1020	16.5	254	1	2	12	22	39	58	99 +
75-79	1052	17.8	261	2	4	14	23	39	57	99 +
80-84	963	19.3	293	2	4	14	25	44	64	99 +
85 +	1093	18.4	248	3	5	14	24	42	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	9.0	105	1	2	7	13	20	22	47
B. Operated	449	6.4	60	< 1	< 1	3	9	16	21	43
2. MULTIPLE DX										
A. Not Operated	3540	10.4	89	2	3	8	13	21	26	59
B. Operated	5066	17.4	255	2	3	13	23	40	58	99 +
1. SINGLE DX	577	7.0	71	< 1	1	4	10	16	22	42
2. MULTIPLE DX	8606	14.6	199	2	3	10	19	32	47	99
A. Not Operated	3668	10.4	89	2	3	8	13	21	26	58
B. Operated	5515	16.5	249	1	2	12	22	38	55	99 +
TOTAL										
65-69 YRS	1757	12.1	153	1	2	8	16	27	38	88
70-74	1885	13.2	185	1	2	9	17	29	44	95
75-79	1861	14.6	203	2	3	10	19	32	45	95
80-84	1718	15.3	220	2	3	11	19	34	51	92
85 +	1962	15.2	202	2	4	11	19	33	49	99 +
GRAND TOTAL	**9183**	**14.1**	**194**	**1**	**3**	**10**	**18**	**31**	**46**	**98**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.6	7	1	1	4	6	8	8	8
70-74	0									
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	5.0		5	5	5	5	5	5	5
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	7	3.6	6	1	1	3	5	7	8	8
70-74	3	1.7	1	1	1	1	3	3	3	3
75-79	4	7.3	19	3	3	6	10	13	13	13
80-84	1	22.0		22	22	22	22	22	22	22
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	129	8.9	86	2	2	7	10	18	27	49
70-74	95	9.6	57	2	3	7	13	18	26	38
75-79	66	8.2	39	2	3	6	9	17	25	29
80-84	38	13.3	176	2	3	10	15	35	42	65
85 +	25	11.1	64	2	3	9	16	27	27	27
B. Operated										
65-69 YRS	88	16.0	279	3	3	11	17	32	50	91
70-74	56	15.7	172	4	4	12	19	31	38	99
75-79	61	13.3	113	2	3	10	17	28	36	51
80-84	22	13.2	49	2	4	13	16	22	27	29
85 +	13	15.6	65	5	7	12	23	27	29	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.4	9	1	2	5	7	10	11	11
B. Operated	15	5.4	32	1	1	3	7	13	20	22
2. MULTIPLE DX										
A. Not Operated	353	9.6	79	2	3	7	11	19	27	42
B. Operated	240	15.0	179	3	4	11	18	29	39	87
1. SINGLE DX	23	5.4	23	1	1	4	7	11	16	22
2. MULTIPLE DX	593	11.8	126	2	3	9	15	25	31	65
A. Not Operated	361	9.5	77	2	3	7	11	19	27	42
B. Operated	255	14.4	175	2	3	11	17	28	39	86
TOTAL										
65-69 YRS	229	11.4	170	2	3	8	13	24	33	76
70-74	154	11.7	107	2	3	9	15	25	33	84
75-79	132	10.5	78	2	3	8	13	24	28	43
80-84	62	13.3	126	2	3	11	16	25	39	62
85 +	39	12.4	67	3	3	11	17	26	27	30
GRAND TOTAL	**616**	**11.5**	**123**	**2**	**3**	**8**	**14**	**25**	**30**	**65**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	34	5.1	11	1	2	4	7	9	13	15
70-74	37	5.3	14	1	2	4	8	12	13	14
75-79	23	6.9	23	1	2	6	10	12	16	21
80-84	5	4.6	3	2	2	5	6	7	7	7
85 +	7	6.4	24	2	2	4	8	15	16	16
B. Operated										
65-69 YRS	244	6.1	19	1	1	5	9	12	13	16
70-74	150	7.1	19	1	2	7	10	13	15	18
75-79	81	7.7	26	1	2	7	11	14	15	25
80-84	24	9.6	73	2	3	8	12	15	25	45
85 +	5	7.6	29	1	1	9	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	234	7.0	28	1	2	6	8	12	18	30
70-74	268	7.5	39	2	3	5	9	14	19	32
75-79	236	8.1	43	2	3	6	10	14	20	31
80-84	137	7.6	21	2	3	7	10	14	17	22
85 +	65	10.0	97	2	2	8	11	23	39	92
B. Operated										
65-69 YRS	632	8.9	52	2	2	7	12	17	23	37
70-74	471	9.4	56	2	2	8	13	17	20	38
75-79	258	11.4	84	2	3	10	15	21	27	45
80-84	99	12.8	139	2	3	10	16	23	30	71
85 +	25	10.4	34	2	3	11	14	18	22	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	5.6	15	1	2	4	8	11	14	18
B. Operated	504	6.8	23	1	1	6	10	13	14	18
2. MULTIPLE DX										
A. Not Operated	940	7.7	39	2	2	6	9	14	19	32
B. Operated	1485	9.8	66	2	2	9	13	18	23	43
1. SINGLE DX	610	6.6	22	1	2	6	10	13	14	18
2. MULTIPLE DX	2425	9.0	56	2	2	7	12	17	22	39
A. Not Operated	1046	7.5	37	2	2	6	9	14	18	32
B. Operated	1989	9.0	57	1	2	8	12	17	21	39
TOTAL										
65-69 YRS	1144	7.8	40	1	2	6	10	15	20	32
70-74	926	8.3	45	2	2	7	11	16	19	31
75-79	598	9.4	61	2	3	8	12	17	22	44
80-84	265	9.7	75	2	3	8	12	17	22	45
85 +	102	9.7	73	2	2	8	12	19	27	73
GRAND TOTAL	**3035**	**8.5**	**50**	**2**	**2**	**7**	**11**	**16**	**20**	**38**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	5.2	16	1	1	4	8	12	13	14
70-74	32	7.2	31	2	2	5	11	16	19	22
75-79	32	6.7	22	1	1	5	11	15	15	15
80-84	19	6.2	14	< 1	1	6	9	12	13	13
85 +	18	6.2	38	2	2	4	8	11	21	28
B. Operated										
65-69 YRS	2065	9.3	15	2	5	9	11	14	15	19
70-74	1819	9.7	14	4	6	10	12	14	16	20
75-79	1324	10.5	15	5	6	10	13	15	17	21
80-84	640	11.0	23	5	7	11	13	16	18	28
85 +	225	11.3	18	6	7	11	14	17	19	26
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	250	5.0	28	< 1	1	3	7	12	14	27
70-74	345	5.1	24	< 1	1	4	7	11	14	23
75-79	355	6.2	67	< 1	1	5	7	12	16	49
80-84	335	7.2	55	1	1	6	9	14	19	40
85 +	376	7.3	56	1	2	5	9	15	22	99 +
B. Operated										
65-69 YRS	4700	10.9	34	3	5	10	13	16	20	33
70-74	5136	11.5	30	5	7	11	14	17	20	33
75-79	4244	12.3	39	5	7	11	15	18	22	35
80-84	2276	13.0	47	6	7	12	15	19	24	41
85 +	847	13.6	62	5	7	13	16	21	26	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	6.3	24	1	1	5	9	13	15	23
B. Operated	6073	9.9	16	4	6	10	12	15	16	21
2. MULTIPLE DX										
A. Not Operated	1661	6.2	48	< 1	1	5	8	13	17	43
B. Operated	17203	11.8	38	4	6	11	14	18	21	36
1. SINGLE DX	6202	9.8	16	3	5	10	12	15	16	21
2. MULTIPLE DX	18864	11.3	41	3	5	11	14	17	21	36
A. Not Operated	1790	6.3	46	1	1	5	8	13	17	40
B. Operated	23276	11.3	33	4	6	11	13	17	20	32
TOTAL										
65-69 YRS	7043	10.2	30	2	4	10	12	15	18	28
70-74	7332	10.8	28	3	5	10	13	16	19	30
75-79	5955	11.5	38	3	6	11	14	17	21	32
80-84	3270	12.0	47	4	6	11	14	18	22	37
85 +	1466	11.5	61	2	4	11	15	19	24	62
GRAND TOTAL	**25066**	**11.0**	**36**	**3**	**5**	**10**	**13**	**16**	**20**	**32**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	5.2	23	1	2	3	6	11	16	20
70-74	19	5.4	11	2	2	4	7	10	13	15
75-79	8	4.8	9	2	2	3	7	10	10	10
80-84	9	4.8	15	2	2	3	5	12	14	14
85 +	14	7.6	37	< 1	1	6	11	16	20	21
B. Operated										
65-69 YRS	105	6.7	34	1	1	6	10	13	15	34
70-74	69	7.6	24	1	1	9	11	13	15	20
75-79	47	9.1	34	1	1	10	12	14	16	31
80-84	16	11.0	25	1	2	11	15	17	18	18
85 +	11	15.9	108	4	6	11	22	34	35	35
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	147	8.5	71	1	2	5	10	19	30	40
70-74	133	8.9	72	1	2	7	11	17	24	46
75-79	150	7.7	40	2	2	6	10	15	20	34
80-84	133	9.8	104	2	2	7	11	20	28	56
85 +	107	8.8	93	2	2	6	9	17	27	56
B. Operated										
65-69 YRS	312	12.6	134	1	2	9	16	28	41	56
70-74	270	14.3	149	2	3	11	17	32	41	62
75-79	200	15.6	142	3	5	12	18	32	42	71
80-84	117	15.5	165	2	3	11	20	34	45	81
85 +	65	18.0	184	3	5	14	24	40	53	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	5.6	20	2	2	4	7	12	15	21
B. Operated	248	8.1	37	1	1	8	11	14	18	33
2. MULTIPLE DX										
A. Not Operated	670	8.7	74	2	2	6	10	17	27	43
B. Operated	964	14.4	149	2	3	11	18	31	42	66
1. SINGLE DX	317	7.5	35	1	2	7	11	14	17	33
2. MULTIPLE DX	1634	12.1	126	2	2	9	15	27	37	57
A. Not Operated	739	8.4	70	2	2	6	10	16	26	42
B. Operated	1212	13.1	132	1	2	10	16	28	39	59
TOTAL										
65-69 YRS	583	10.2	103	1	2	8	12	22	32	48
70-74	491	11.6	114	1	2	9	14	25	35	55
75-79	405	11.7	104	2	3	9	14	26	33	55
80-84	275	12.1	131	2	2	9	15	27	36	68
85 +	197	12.1	138	2	3	8	15	28	41	63
GRAND TOTAL	**1951**	**11.3**	**114**	**1**	**2**	**9**	**14**	**25**	**34**	**56**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	5.0	3	4	4	4	6	7	7	7
70-74	2	10.0	2	9	9	10	11	11	11	11
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	29	2.4	9	< 1	< 1	1	2	6	9	14
70-74	20	1.4	1	< 1	< 1	1	1	3	4	4
75-79	17	2.2	4	< 1	< 1	1	3	5	7	8
80-84	12	1.3		< 1	< 1	1	2	2	2	2
85 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	5.4	68	1	1	3	4	20	24	24
70-74	10	5.9	12	< 1	< 1	6	8	10	12	12
75-79	3	2.7	2	< 1	< 1	3	4	4	4	4
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
65-69 YRS	181	2.0	3	< 1	< 1	2	2	4	5	10
70-74	140	2.6	5	< 1	1	2	3	5	7	13
75-79	83	3.3	18	< 1	< 1	2	4	6	10	24
80-84	35	4.2	25	< 1	1	2	5	9	14	25
85 +	18	6.0	42	< 1	1	4	8	17	21	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.9	10	2	2	4	8	11	11	11
B. Operated	81	1.9	4	< 1	< 1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated	24	5.0	25	< 1	< 1	4	6	9	16	24
B. Operated	457	2.8	10	< 1	< 1	2	3	5	8	20
1. SINGLE DX	88	2.2	6	< 1	< 1	1	2	5	8	13
2. MULTIPLE DX	481	2.9	11	< 1	< 1	2	3	5	8	21
A. Not Operated	31	5.2	21	< 1	1	4	7	10	12	24
B. Operated	538	2.6	9	< 1	< 1	2	3	5	8	19
TOTAL										
65-69 YRS	220	2.2	6	< 1	< 1	1	2	4	5	13
70-74	172	2.8	6	< 1	< 1	2	3	6	8	13
75-79	103	3.1	15	< 1	< 1	2	4	6	9	23
80-84	50	3.4	19	< 1	1	2	4	8	12	25
85 +	24	5.3	34	< 1	1	3	6	14	20	22
GRAND TOTAL	**569**	**2.8**	**10**	**< 1**	**< 1**	**2**	**3**	**5**	**8**	**20**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	3.7	15	< 1	1	2	4	8	13	18
70-74	25	3.4	5	< 1	1	4	4	7	8	9
75-79	13	5.5	16	1	1	5	8	11	13	14
80-84	15	4.8	15	1	2	3	6	12	13	14
85 +	18	3.3	5	1	1	3	4	7	8	9
B. Operated										
65-69 YRS	75	4.1	10	1	1	4	6	9	10	14
70-74	39	3.5	12	< 1	< 1	2	5	9	12	15
75-79	24	4.5	22	< 1	< 1	2	8	13	14	15
80-84	16	5.8	37	1	1	3	8	14	20	23
85 +	13	6.9	50	1	1	5	7	19	24	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	137	6.5	60	1	1	4	7	12	26	40
70-74	128	6.0	35	1	1	4	7	13	17	56
75-79	170	6.7	41	1	2	5	8	14	18	35
80-84	167	6.8	48	1	2	5	9	15	22	91
85 +	174	6.9	55	1	2	5	8	14	21	85
B. Operated										
65-69 YRS	232	5.5	28	1	1	4	8	12	15	22
70-74	204	7.0	41	1	1	5	10	14	17	30
75-79	141	8.1	57	1	1	6	10	21	25	45
80-84	73	9.5	90	2	2	7	10	18	24	60
85 +	58	12.9	189	1	2	9	13	31	42	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	4.0	11	1	1	3	5	8	10	16
B. Operated	167	4.4	18	< 1	1	3	6	10	13	22
2. MULTIPLE DX										
A. Not Operated	776	6.6	48	1	2	5	8	14	20	46
B. Operated	708	7.4	61	1	1	5	10	15	21	42
1. SINGLE DX	260	4.3	15	< 1	1	3	6	9	12	18
2. MULTIPLE DX	1484	7.0	54	1	1	5	9	15	21	45
A. Not Operated	869	6.3	45	1	1	4	8	14	20	45
B. Operated	875	6.9	54	1	1	5	9	14	20	37
TOTAL										
65-69 YRS	466	5.5	35	1	1	4	7	12	15	34
70-74	396	6.1	35	1	1	4	9	13	16	32
75-79	348	7.1	46	1	1	5	9	15	22	37
80-84	271	7.3	58	1	2	5	9	15	22	66
85 +	263	8.0	88	1	2	5	9	18	30	69
GRAND TOTAL	**1744**	**6.6**	**49**	**1**	**1**	**5**	**9**	**14**	**20**	**44**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	4.3	9	1	1	5	6	7	7	7
70-74	0									
75-79	1	27.0		27	27	27	27	27	27	27
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	5.0	3	3	3	5	6	8	8	8
70-74	20	9.7	71	2	3	8	10	18	30	39
75-79	6	6.2	19	2	2	5	8	13	14	14
80-84	3	7.0	19	4	4	5	10	12	12	12
85 +	4	6.0	18	2	2	5	9	11	11	11
B. Operated										
65-69 YRS	8	10.0	90	1	1	8	16	25	26	26
70-74	2	11.5	61	6	6	11	17	17	17	17
75-79	4	9.5	9	8	8	8	11	14	14	14
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	10.0	135	1	1	6	17	27	27	27
2. MULTIPLE DX										
A. Not Operated	40	7.8	44	2	3	6	9	14	18	39
B. Operated	14	10.1	55	1	2	8	14	23	25	26
1. SINGLE DX	4	10.0	135	1	1	6	17	27	27	27
2. MULTIPLE DX	54	8.4	47	2	3	8	9	15	23	38
A. Not Operated	40	7.8	44	2	3	6	9	14	18	39
B. Operated	18	10.1	66	1	1	8	14	25	27	27
TOTAL										
65-69 YRS	18	7.1	46	1	1	5	8	19	25	26
70-74	22	9.9	67	2	3	8	11	18	29	39
75-79	11	9.3	50	2	3	8	12	19	26	27
80-84	3	7.0	19	4	4	5	10	12	12	12
85 +	4	6.0	18	2	2	5	9	11	11	11
GRAND TOTAL	**58**	**8.5**	**51**	**2**	**2**	**7**	**9**	**16**	**25**	**38**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	51	3.9	5	1	1	4	5	7	8	11
70-74	56	3.9	9	< 1	1	3	5	9	10	15
75-79	41	4.3	11	< 1	1	4	6	9	10	15
80-84	28	5.0	13	< 1	< 1	5	7	9	11	17
85 +	19	4.6	7	1	2	4	6	8	10	11
B. Operated										
65-69 YRS	239	4.6	14	1	1	4	7	9	11	18
70-74	168	5.0	21	1	1	4	7	11	14	22
75-79	117	5.3	27	1	1	4	7	12	14	29
80-84	34	6.2	34	1	1	5	9	13	19	24
85 +	10	6.5	31	1	1	6	10	15	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	462	6.2	23	1	2	5	8	12	14	20
70-74	535	6.8	27	2	2	6	9	12	16	26
75-79	502	7.1	40	2	2	6	9	13	17	33
80-84	487	7.4	29	2	2	6	10	14	17	27
85 +	437	8.1	57	2	3	6	10	15	21	48
B. Operated										
65-69 YRS	786	7.5	47	1	1	6	9	14	18	39
70-74	633	8.9	69	1	1	7	11	18	23	38
75-79	454	10.5	95	1	1	9	13	21	30	51
80-84	191	10.5	90	1	1	8	14	22	28	56
85 +	85	14.1	168	1	3	11	18	28	39	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	4.2	9	< 1	1	4	6	8	10	15
B. Operated	568	5.0	20	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. Not Operated	2423	7.1	35	2	2	6	9	13	17	29
B. Operated	2149	9.1	75	1	1	7	11	18	25	48
1. SINGLE DX	763	4.8	17	1	1	4	7	10	12	20
2. MULTIPLE DX	4572	8.0	55	1	2	6	10	15	20	41
A. Not Operated	2618	6.9	34	1	2	5	9	13	16	28
B. Operated	2717	8.2	66	1	1	7	11	17	22	43
TOTAL										
65-69 YRS	1538	6.5	35	1	1	5	9	13	16	29
70-74	1392	7.4	47	1	1	6	10	15	19	33
75-79	1114	8.2	64	1	1	6	11	16	22	44
80-84	740	8.0	46	1	2	6	10	16	19	37
85 +	551	8.9	77	2	2	7	10	17	23	53
GRAND TOTAL	**5335**	**7.6**	**51**	**1**	**1**	**6**	**10**	**15**	**19**	**38**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	167	5.3	11	1	1	5	7	10	11	16
70-74	83	5.7	22	< 1	1	4	8	12	15	24
75-79	59	6.7	24	1	1	6	9	12	16	25
80-84	20	6.6	25	1	1	5	12	14	15	15
85 +	16	5.4	9	1	2	5	8	9	10	10
B. Operated										
65-69 YRS	696	5.5	16	1	1	5	8	10	13	17
70-74	426	5.7	20	1	1	5	8	12	15	20
75-79	159	6.2	21	1	1	5	9	13	15	22
80-84	59	6.6	29	< 1	1	6	9	13	18	26
85 +	23	6.0	32	< 1	1	3	10	14	16	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	656	7.4	22	2	2	7	9	14	17	24
70-74	567	7.5	19	2	3	7	10	13	15	22
75-79	476	7.8	27	2	3	7	10	14	18	27
80-84	312	8.3	27	2	3	7	10	16	18	27
85 +	218	8.5	39	2	3	7	10	15	20	41
B. Operated										
65-69 YRS	1532	9.0	49	1	2	7	11	17	22	37
70-74	1122	9.6	58	1	2	8	13	18	22	42
75-79	612	10.2	69	1	2	8	13	19	24	50
80-84	260	12.1	66	1	3	10	16	23	28	38
85 +	80	15.5	124	2	5	13	20	30	34	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	345	5.7	17	1	1	5	8	11	13	19
B. Operated	1363	5.7	19	1	1	5	8	11	14	20
2. MULTIPLE DX										
A. Not Operated	2229	7.7	25	2	3	7	10	14	17	26
B. Operated	3606	9.7	60	1	2	8	13	18	24	40
1. SINGLE DX	1708	5.7	18	1	1	5	8	11	14	19
2. MULTIPLE DX	5835	9.0	47	1	3	8	11	17	21	35
A. Not Operated	2574	7.5	24	2	3	7	9	14	17	25
B. Operated	4969	8.6	52	1	1	7	11	17	21	36
TOTAL										
65-69 YRS	3051	7.6	36	1	1	6	10	15	18	30
70-74	2198	8.2	42	1	2	7	10	16	19	31
75-79	1306	8.7	48	1	2	7	11	16	21	34
80-84	651	9.6	47	1	3	8	13	18	23	35
85 +	337	9.8	67	2	2	8	12	19	28	47
GRAND TOTAL	**7543**	**8.2**	**42**	**1**	**2**	**7**	**10**	**16**	**20**	**33**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	5.0	11	1	1	4	7	11	12	12
70-74	10	4.0	6	1	1	4	6	7	8	8
75-79	6	3.2	3	1	1	3	4	6	6	6
80-84	1	5.0		5	5	5	5	5	5	5
85 +	2	5.5	5	4	4	7	77	99 +	99 +	99 +
B. Operated										
65-69 YRS	90	4.3	14	1	1	3	6	9	12	18
70-74	40	7.0	52	1	1	5	10	14	18	39
75-79	13	4.8	13	1	1	4	7	10	12	13
80-84	7	4.0	17	1	1	2	6	11	12	12
85 +	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	109	5.9	13	1	2	5	8	12	13	16
70-74	92	6.3	16	1	2	6	8	11	15	19
75-79	71	6.4	16	2	2	6	7	12	16	19
80-84	35	6.5	13	2	3	5	10	11	12	16
85 +	29	7.6	15	2	3	6	11	13	14	14
B. Operated										
65-69 YRS	224	7.1	40	1	1	5	9	15	19	30
70-74	116	8.3	83	1	1	6	10	15	18	53
75-79	72	11.1	115	1	2	8	13	24	36	53
80-84	30	13.1	170	3	3	10	14	21	54	60
85 +	10	16.2	98	4	4	16	19	31	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	4.4	8	1	1	4	6	8	12	99 +
B. Operated	152	5.0	25	1	1	4	7	11	13	21
2. MULTIPLE DX										
A. Not Operated	336	6.3	15	2	2	5	8	12	14	18
B. Operated	452	8.6	77	1	1	6	11	17	23	49
1. SINGLE DX	187	4.9	22	1	1	4	7	11	13	32
2. MULTIPLE DX	788	7.6	52	1	2	6	10	15	18	38
A. Not Operated	371	6.1	14	1	2	5	8	11	14	18
B. Operated	604	7.7	66	1	1	6	10	16	21	43
TOTAL										
65-69 YRS	439	6.1	28	1	1	5	8	13	16	25
70-74	258	7.2	52	1	1	6	9	14	17	38
75-79	162	8.2	66	1	2	6	10	15	23	48
80-84	73	9.0	88	2	3	7	11	15	20	59
85 +	43	9.3	47	2	3	7	13	18	29	99 +
GRAND TOTAL	**975**	**7.1**	**47**	**1**	**1**	**5**	**9**	**14**	**18**	**38**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	3	2.7	1	2	2	2	4	4	4	4
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	5	3.0	16	1	1	1	4	10	10	10
70-74	0									
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	30	6.4	11	2	3	6	7	12	12	13
70-74	27	7.1	19	2	3	6	11	13	15	19
75-79	16	7.4	13	2	3	7	10	12	13	14
80-84	18	5.9	16	1	2	5	9	10	13	15
85 +	19	5.9	15	2	3	5	7	9	15	20
B. Operated										
65-69 YRS	12	5.6	41	1	1	8	13	17	20	21
70-74	10	17.2	119	4	5	15	19	36	37	37
75-79	4	12.5	114	1	1	13	21	23	23	23
80-84	4	9.8	40	1	1	11	14	16	16	16
85 +	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.6	2	1	1	2	4	4	4	4
B. Operated	6	2.7	13	< 1	< 1	1	2	9	10	10
2. MULTIPLE DX										
A. Not Operated	110	6.6	15	2	3	6	9	12	13	19
B. Operated	31	12.2	80	1	1	11	16	22	34	37
1. SINGLE DX	15	2.6	6	< 1	1	2	3	4	9	10
2. MULTIPLE DX	141	7.8	34	2	2	6	11	14	19	35
A. Not Operated	119	6.3	15	2	2	6	9	12	13	19
B. Operated	37	10.6	81	1	1	10	16	21	31	37
TOTAL										
65-69 YRS	48	6.5	20	1	1	6	10	12	14	21
70-74	39	9.4	64	2	3	7	13	18	28	37
75-79	22	7.9	33	1	2	7	11	16	21	23
80-84	26	5.9	20	1	1	4	10	11	15	16
85 +	21	6.1	17	2	3	5	7	11	16	20
GRAND TOTAL	**156**	**7.3**	**34**	**1**	**2**	**6**	**10**	**14**	**18**	**34**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	4.4	6	< 1	1	4	6	8	9	9
70-74	9	5.6	7	2	2	5	7	9	11	11
75-79	13	6.1	19	< 1	< 1	6	9	11	15	16
80-84	6	6.2	16	3	3	5	6	13	14	14
85 +	6	2.8	4	1	1	2	4	6	6	6
B. Operated										
65-69 YRS	11	2.5	8	1	1	2	2	6	11	11
70-74	10	2.4	14	< 1	< 1	1	2	8	13	13
75-79	2	6.5	61	1	1	6	12	12	12	12
80-84	2	5.5	41	1	1	5	10	10	10	10
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	105	6.8	17	2	2	6	9	12	13	22
70-74	99	7.2	26	2	3	6	9	13	16	26
75-79	92	7.1	21	2	2	6	9	14	17	22
80-84	92	9.2	34	3	3	8	12	15	19	31
85 +	56	7.6	32	2	2	6	10	14	16	35
B. Operated										
65-69 YRS	28	6.2	42	1	1	3	8	16	23	25
70-74	40	10.3	176	1	2	7	13	15	25	83
75-79	24	8.7	48	1	2	8	11	19	25	26
80-84	21	10.8	148	1	1	8	13	24	38	55
85 +	4	17.0	121	7	7	14	25	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	5.0	11	< 1	1	4	6	9	11	16
B. Operated	25	3.0	15	< 1	1	1	2	11	12	13
2. MULTIPLE DX										
A. Not Operated	444	7.6	26	2	3	6	10	13	17	27
B. Operated	117	9.3	112	1	1	7	12	19	25	64
1. SINGLE DX	78	4.4	13	< 1	1	3	6	10	12	15
2. MULTIPLE DX	561	7.9	44	1	2	6	10	14	19	31
A. Not Operated	497	7.3	25	2	2	6	9	13	16	26
B. Operated	142	8.2	101	1	1	6	11	17	24	57
TOTAL										
65-69 YRS	163	6.1	21	1	1	5	8	11	13	25
70-74	158	7.6	65	1	2	6	10	13	17	31
75-79	131	7.3	26	1	2	6	9	15	17	24
80-84	121	9.3	53	1	3	8	12	16	22	40
85 +	66	7.7	41	1	2	6	10	14	17	35
GRAND TOTAL	**639**	**7.5**	**41**	**1**	**2**	**6**	**10**	**14**	**17**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	125	3.9	13	< 1	1	3	5	8	11	19
70-74	141	4.2	13	< 1	1	3	6	9	11	18
75-79	76	4.9	15	1	1	4	6	10	14	17
80-84	46	5.0	23	1	1	4	6	11	18	21
85 +	33	4.8	19	1	1	3	7	13	15	16
B. Operated										
65-69 YRS	542	5.3	19	1	1	5	8	11	14	21
70-74	423	5.4	22	1	1	5	8	11	14	19
75-79	265	5.6	21	1	1	5	8	11	14	22
80-84	102	6.9	27	1	1	7	10	13	16	22
85 +	31	8.1	47	< 1	< 1	8	12	18	21	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	825	6.5	30	1	2	5	8	12	16	27
70-74	825	6.8	28	1	2	6	9	13	16	31
75-79	732	6.9	29	1	2	6	8	13	17	27
80-84	585	7.5	54	1	2	6	9	14	18	33
85 +	518	7.1	30	2	2	6	9	14	18	32
B. Operated										
65-69 YRS	1401	8.1	43	1	1	7	10	15	19	34
70-74	1372	9.3	55	1	1	8	11	17	23	38
75-79	1050	10.4	79	1	2	9	13	19	25	51
80-84	431	12.4	114	1	2	10	16	23	28	67
85 +	184	12.7	84	1	3	11	15	23	33	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	421	4.4	15	1	1	3	6	9	12	18
B. Operated	1363	5.6	22	1	1	5	8	11	14	21
2. MULTIPLE DX										
A. Not Operated	3485	6.9	34	1	2	6	9	13	17	29
B. Operated	4438	9.6	66	1	1	8	12	18	23	43
1. SINGLE DX	1784	5.3	21	1	1	4	8	11	14	21
2. MULTIPLE DX	7923	8.4	54	1	2	7	11	16	21	38
A. Not Operated	3906	6.6	32	1	2	5	8	13	17	28
B. Operated	5801	8.7	59	1	1	7	11	17	22	39
TOTAL										
65-69 YRS	2893	6.9	35	1	1	6	9	13	17	31
70-74	2761	7.7	43	1	1	7	10	15	19	33
75-79	2123	8.4	56	1	1	7	11	16	21	40
80-84	1164	9.2	79	1	2	7	12	18	23	47
85 +	766	8.4	49	1	2	7	11	16	22	35
GRAND TOTAL	**9707**	**7.8**	**49**	**1**	**1**	**7**	**10**	**15**	**20**	**35**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	4.3	14	1	1	3	5	10	13	15
70-74	15	4.2	8	1	1	3	6	9	9	9
75-79	16	4.6	5	1	2	4	6	8	9	9
80-84	8	3.5	5	1	1	3	5	7	7	7
85 +	7	5.4	36	2	2	3	4	16	19	19
B. Operated										
65-69 YRS	164	2.4	4	< 1	< 1	2	3	4	6	13
70-74	93	2.9	5	< 1	< 1	2	4	5	7	10
75-79	44	2.9	6	< 1	< 1	2	4	6	8	13
80-84	30	2.8	4	< 1	< 1	2	4	6	7	8
85 +	9	3.9	14	< 1	< 1	3	5	10	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	132	5.4	14	1	2	4	7	11	14	18
70-74	155	5.8	14	1	2	5	8	11	14	18
75-79	120	5.5	23	1	2	4	7	10	11	25
80-84	111	6.2	28	2	2	5	8	12	17	30
85 +	101	5.8	20	1	2	5	7	12	15	21
B. Operated										
65-69 YRS	431	4.3	18	1	1	3	5	9	13	20
70-74	258	4.2	16	1	1	3	5	10	12	21
75-79	166	6.2	53	1	1	3	8	15	21	38
80-84	77	7.9	113	1	2	5	9	16	28	65
85 +	35	8.4	71	1	1	6	13	19	28	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	4.4	11	1	1	3	5	9	11	18
B. Operated	340	2.7	5	< 1	< 1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	519	5.7	19	1	2	5	7	11	14	21
B. Operated	967	5.0	35	1	1	3	6	11	15	30
1. SINGLE DX	414	3.0	6	< 1	< 1	2	4	6	8	13
2. MULTIPLE DX	1586	5.3	29	1	1	4	6	11	15	29
A. Not Operated	693	5.6	19	1	2	4	7	10	13	20
B. Operated	1307	4.4	28	< 1	1	3	5	10	13	29
TOTAL										
65-69 YRS	755	4.1	15	< 1	1	3	5	9	12	19
70-74	521	4.4	14	< 1	1	3	6	9	12	18
75-79	346	5.5	35	1	1	4	7	11	15	34
80-84	226	6.2	55	1	1	4	7	12	17	36
85 +	152	6.3	33	1	2	5	8	14	19	29
GRAND TOTAL	**2000**	**4.8**	**25**	**< 1**	**1**	**3**	**6**	**10**	**13**	**27**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	159	1.9	1	< 1	< 1	2	3	4	4	5
70-74	104	2.0	2	< 1	< 1	2	2	4	5	7
75-79	56	1.8	1	< 1	< 1	1	2	3	4	6
80-84	33	1.8	1	< 1	< 1	1	3	4	4	5
85 +	13	2.0	3	< 1	< 1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	2.6	12	< 1	< 1	1	2	9	11	11
70-74	10	2.0	2	< 1	< 1	1	3	4	5	5
75-79	5	1.6	2	< 1	< 1	1	2	4	4	4
80-84	4	2.0	2	< 1	< 1	1	3	4	4	4
85 +	4	1.8	1	< 1	< 1	1	2	3	3	3
B. Operated										
65-69 YRS	970	2.6	3	1	1	2	3	5	5	9
70-74	736	2.7	6	< 1	1	2	3	5	6	10
75-79	415	3.2	13	1	1	3	4	5	7	14
80-84	156	3.1	5	1	1	3	4	5	6	11
85 +	74	3.4	6	1	1	3	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7		2	2	3	3	3	3	3
B. Operated	365	1.9	2	< 1	< 1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	34	2.1	5	< 1	< 1	1	2	4	7	11
B. Operated	2351	2.8	6	1	1	2	4	5	6	10
1. SINGLE DX	368	1.9	2	< 1	< 1	2	2	4	4	6
2. MULTIPLE DX	2385	2.8	6	1	1	2	4	5	6	10
A. Not Operated	37	2.2	5	< 1	< 1	1	3	4	7	11
B. Operated	2716	2.7	5	< 1	1	2	3	5	6	9
TOTAL										
65-69 YRS	1142	2.5	3	< 1	1	2	3	4	5	9
70-74	851	2.6	5	< 1	1	2	3	5	6	9
75-79	476	3.0	11	< 1	1	2	3	5	6	13
80-84	193	2.8	4	< 1	1	2	4	5	6	10
85 +	91	3.1	6	1	1	2	4	6	7	12
GRAND TOTAL	**2753**	**2.7**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**	**10**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	0									
75-79	0									
80-84	1	5.0		5	5	5	5	5	5	5
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	31	1.7	1	< 1	< 1	1	3	4	4	[illegible]
70-74	30	2.3	5	< 1	< 1	2	3	4	6	13
75-79	12	2.0	2	< 1	< 1	2	3	4	5	5
80-84	7	3.0	5	< 1	< 1	3	4	6	7	7
85 +	4	2.8	5	< 1	< 1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	3.6	10	1	1	3	5	8	11	12
70-74	8	2.8	2	1	1	3	4	5	5	5
75-79	5	4.0	7	1	1	3	6	8	8	8
80-84	4	4.3		4	4	4	5	5	5	5
85 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
65-69 YRS	67	4.0	26	< 1	1	2	4	10	12	33
70-74	54	4.0	7	1	1	3	5	8	9	11
75-79	41	3.7	8	< 1	1	3	5	7	8	15
80-84	18	5.8	25	< 1	< 1	4	9	14	16	17
85 +	12	3.6	4	< 1	< 1	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.3	4	1	1	3	5	5	5	5
B. Operated	84	2.1	3	< 1	< 1	1	3	4	5	11
2. MULTIPLE DX										
A. Not Operated	30	3.8	7	1	1	3	5	7	11	12
B. Operated	192	4.1	15	< 1	1	3	5	9	10	17
1. SINGLE DX	88	2.2	3	< 1	< 1	2	3	4	5	11
2. MULTIPLE DX	222	4.0	14	< 1	1	3	5	8	10	17
A. Not Operated	34	3.7	7	1	1	3	5	6	10	12
B. Operated	276	3.5	12	< 1	< 1	2	4	7	10	16
TOTAL										
65-69 YRS	112	3.3	18	< 1	< 1	2	4	6	11	24
70-74	92	3.3	7	< 1	1	3	4	7	9	12
75-79	58	3.4	7	< 1	1	3	5	7	8	14
80-84	30	4.9	17	< 1	< 1	4	7	10	15	17
85 +	18	3.9	7	< 1	< 1	4	5	7	9	11
GRAND TOTAL	**310**	**3.5**	**12**	**< 1**	**< 1**	**3**	**4**	**7**	**10**	**16**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	9.8	165	1	1	3	14	30	42	43
70-74	13	12.7	142	[illegible]	2	6	25	30	36	37
75-79	10	11.4	46	3	3	10	18	21	22	22
80-84	5	7.0	14	4	4	5	10	12	12	12
85 +	5	7.6	53	2	2	5	11	20	20	20
B. Operated										
65-69 YRS	34	7.9	71	< 1	1	5	11	14	22	47
70-74	30	9.7	79	2	2	8	12	20	25	44
75-79	22	11.2	168	1	2	7	11	38	42	48
80-84	10	7.3	22	1	1	7	10	14	15	15
85 +	11	9.1	45	< 1	1	10	12	19	24	24
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	160	14.2	138	3	4	11	18	30	40	55
70-74	129	18.0	222	3	5	13	25	38	45	73
75-79	116	16.2	199	3	5	12	19	34	45	75
80-84	92	15.5	157	2	4	11	22	33	42	57
85 +	84	13.0	89	3	5	11	18	24	35	83
B. Operated										
65-69 YRS	459	17.3	211	3	4	13	22	37	47	78
70-74	418	18.1	236	2	4	14	23	42	51	93
75-79	311	19.7	265	4	6	14	27	44	58	99 +
80-84	205	18.8	223	3	5	15	23	42	46	72
85 +	187	18.9	275	3	5	14	24	41	56	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	10.5	98	2	2	6	15	25	31	43
B. Operated	107	9.1	85	1	2	7	11	16	27	47
2. MULTIPLE DX										
A. Not Operated	581	15.5	167	3	4	11	20	33	42	70
B. Operated	1580	18.4	238	3	5	14	23	42	52	86
1. SINGLE DX	151	9.5	89	1	2	6	12	22	28	47
2. MULTIPLE DX	2161	17.6	220	3	4	13	22	40	49	81
A. Not Operated	625	15.1	163	3	4	11	19	32	42	69
B. Operated	1687	17.8	233	3	4	13	22	42	50	85
TOTAL										
65-69 YRS	664	16.0	191	3	4	12	20	35	44	74
70-74	590	17.5	226	2	4	13	22	38	48	87
75-79	459	18.2	244	3	5	13	22	42	55	86
80-84	312	17.3	201	2	4	13	22	38	45	65
85 +	287	16.6	217	3	4	12	21	37	51	93
GRAND TOTAL	**2312**	**17.1**	**215**	**3**	**4**	**13**	**21**	**38**	**48**	**80**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	46	4.5	16	1	1	3	6	10	12	18
70-74	63	6.4	92	1	2	4	7	10	19	66
75-79	75	5.6	13	1	2	5	8	11	13	16
80-84	66	6.0	23	1	1	4	8	12	14	25
85 +	51	5.3	16	1	1	5	7	11	15	18
B. Operated										
65-69 YRS	136	5.6	20	1	1	4	8	12	14	21
70-74	129	7.6	28	1	2	7	10	14	17	30
75-79	95	7.9	24	1	2	8	11	14	16	23
80-84	55	8.9	25	2	3	8	14	16	16	20
85 +	51	8.7	95	2	2	7	11	13	19	68
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1023	7.6	46	1	2	6	9	14	19	35
70-74	1375	8.3	59	2	2	6	10	16	22	41
75-79	1796	8.5	48	2	3	7	11	16	19	38
80-84	1699	8.5	40	2	3	7	11	16	20	36
85 +	1837	8.7	62	2	3	7	11	16	21	41
B. Operated										
65-69 YRS	863	11.6	99	2	2	9	15	22	30	53
70-74	869	12.5	100	2	3	10	15	22	32	61
75-79	877	13.7	99	3	4	12	17	25	32	56
80-84	676	15.1	145	4	6	12	18	27	41	87
85 +	474	15.0	104	4	6	12	18	26	34	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	301	5.6	33	1	1	4	7	11	14	24
B. Operated	466	7.4	33	1	2	7	10	14	16	25
2. MULTIPLE DX										
A. Not Operated	7730	8.4	51	2	3	7	10	16	20	39
B. Operated	3759	13.3	110	2	4	11	16	24	34	63
1. SINGLE DX	767	6.7	34	1	2	5	9	13	16	24
2. MULTIPLE DX	11489	10.0	76	2	3	8	12	19	25	49
A. Not Operated	8031	8.3	51	2	3	7	10	15	20	39
B. Operated	4225	12.7	105	2	3	11	16	23	32	58
TOTAL										
65-69 YRS	2068	9.1	70	1	2	7	12	18	24	44
70-74	2436	9.7	78	2	3	8	12	18	26	50
75-79	2843	10.0	68	2	3	8	13	18	24	45
80-84	2496	10.3	76	2	3	8	13	19	24	49
85 +	2413	9.9	76	2	3	8	12	18	24	52
GRAND TOTAL	**12256**	**9.8**	**74**	**2**	**3**	**8**	**12**	**18**	**24**	**48**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	16	4.3	24	1	1	2	5	13	16	17
70-74	11	3.5	6	1	1	3	4	7	10	10
75-79	7	5.0	30	1	1	3	5	15	17	17
80-84	8	4.6	30	< 1	< 1	1	7	14	16	16
85 +	2	11.0	2	10	10	11	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	6.9	26	< 1	< 1	6	9	15	16	16
70-74	15	8.7	39	< 1	1	7	14	19	20	20
75-79	7	13.4	196	2	3	8	16	38	43	43
80-84	3	2.3	2	1	1	2	3	4	4	4
85 +	4	7.3	9	4	4	7	9	11	11	11
B. Operated										
65-69 YRS	95	6.1	38	1	1	4	7	12	20	32
70-74	73	5.3	14	1	1	5	8	10	11	20
75-79	41	6.7	39	< 1	1	5	8	15	21	28
80-84	20	9.4	45	< 1	1	8	16	19	20	21
85 +	7	9.7	76	1	1	6	17	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	44	4.6	21	< 1	1	3	6	12	16	17
2. MULTIPLE DX										
A. Not Operated	36	8.6	64	< 1	1	7	11	18	20	43
B. Operated	236	6.4	33	1	1	5	8	13	19	28
1. SINGLE DX	44	4.6	21	< 1	1	3	6	12	16	17
2. MULTIPLE DX	272	6.6	37	1	1	5	8	14	19	30
A. Not Operated	36	8.6	64	< 1	1	7	11	18	20	43
B. Operated	280	6.1	31	1	1	4	8	13	18	27
TOTAL										
65-69 YRS	118	5.9	35	1	1	4	7	13	17	32
70-74	99	5.6	18	1	1	4	8	11	13	21
75-79	55	7.4	60	1	1	5	8	17	23	42
80-84	31	7.5	43	< 1	< 1	6	12	17	20	21
85 +	13	9.2	42	1	2	8	12	20	22	23
GRAND TOTAL	**316**	**6.4**	**35**	**1**	**1**	**5**	**8**	**14**	**19**	**29**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	2.1	1	< 1	< 1	2	3	4	4	4
70-74	7	2.6	6	< 1	< 1	2	3	7	8	8
75-79	5	4.4	7	2	2	4	5	9	9	9
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	2.7	8	1	1	1	5	6	6	6
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	29	6.3	24	1	1	5	9	13	17	20
70-74	35	6.3	14	2	2	6	9	10	13	19
75-79	25	6.9	16	2	3	6	10	13	14	16
80-84	18	9.1	58	3	3	7	10	18	29	34
85 +	13	5.8	10	1	2	7	8	9	10	10
B. Operated										
65-69 YRS	10	4.6	9	1	1	4	7	9	9	9
70-74	10	4.0	19	1	1	2	7	11	14	14
75-79	5	5.2	9	1	1	6	7	9	9	9
80-84	6	5.2	11	1	1	6	6	10	10	10
85 +	2	17.5	145	9	9	17	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.8	5	< 1	< 1	2	3	6	8	9
B. Operated	5	2.4	5	1	1	1	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	120	6.8	23	1	2	6	9	12	15	25
B. Operated	33	5.4	25	1	1	4	7	9	13	26
1. SINGLE DX	26	2.7	4	< 1	< 1	2	3	6	8	9
2. MULTIPLE DX	153	6.5	24	1	2	6	9	12	14	26
A. Not Operated	141	6.2	23	1	2	5	9	11	14	22
B. Operated	38	5.0	23	1	1	4	7	9	12	26
TOTAL										
65-69 YRS	48	5.2	19	1	1	4	7	11	14	20
70-74	55	5.2	16	1	1	4	8	10	13	19
75-79	36	6.2	15	1	2	5	9	12	14	16
80-84	25	7.8	47	2	2	6	10	12	24	34
85 +	15	7.3	36	1	2	8	9	10	22	26
GRAND TOTAL	**179**	**5.9**	**23**	**1**	**1**	**5**	**8**	**11**	**14**	**25**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	43	3.6	8	1	1	2	4	9	10	11
70-74	33	4.4	21	1	1	2	5	9	12	25
75-79	24	4.3	12	1	1	3	5	9	12	16
80-84	13	2.2	1	1	1	2	3	4	5	5
85 +	23	3.7	33	< 1	1	2	4	5	15	29
B. Operated										
65-69 YRS	224	2.4	5	< 1	< 1	2	3	5	7	11
70-74	152	2.7	7	< 1	1	2	3	6	7	17
75-79	84	2.6	5	< 1	1	2	3	5	8	12
80-84	28	3.4	6	1	1	3	5	7	8	10
85 +	14	2.9	4	1	1	2	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	369	5.3	28	1	1	4	6	11	14	27
70-74	331	5.8	46	1	1	4	7	11	16	54
75-79	325	6.0	26	1	2	5	8	12	16	22
80-84	252	6.6	47	1	2	5	8	13	16	49
85 +	198	7.0	33	1	2	5	10	13	17	32
B. Operated										
65-69 YRS	618	6.1	62	1	1	4	8	13	21	45
70-74	429	6.5	59	1	1	4	8	15	20	41
75-79	341	6.8	64	1	1	4	9	14	22	50
80-84	157	8.8	81	1	2	6	12	19	25	46
85 +	96	9.0	69	1	2	6	13	20	24	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	3.8	15	1	1	2	4	8	10	26
B. Operated	502	2.6	6	< 1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	1475	6.0	36	1	2	4	7	12	16	32
B. Operated	1641	6.8	65	1	1	4	9	15	22	45
1. SINGLE DX	638	2.9	8	< 1	1	2	3	6	8	13
2. MULTIPLE DX	3116	6.4	51	1	1	4	8	13	19	41
A. Not Operated	1611	5.8	34	1	2	4	7	12	15	31
B. Operated	2143	5.8	54	1	1	3	7	13	19	40
TOTAL										
65-69 YRS	1254	5.1	42	1	1	3	6	11	15	38
70-74	945	5.6	46	1	1	3	7	12	17	40
75-79	774	5.9	42	1	1	4	8	12	17	30
80-84	450	7.1	58	1	1	5	9	14	20	47
85 +	331	7.2	45	1	2	5	9	16	20	37
GRAND TOTAL	**3754**	**5.8**	**46**	**1**	**1**	**4**	**7**	**12**	**17**	**38**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	0									
75-79	1	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	2.8	2	1	1	3	3	5	5	5
70-74	4	4.5	1	4	4	4	5	6	6	6
75-79	5	3.0	9	1	1	2	4	8	8	8
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	0									
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	1	5	5	5	6	6	6	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	16	3.4	4	1	1	3	4	6	7	8
B. Operated	5	2.2	3	1	1	1	3	5	5	5
1. SINGLE DX	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX	21	3.1	4	1	1	3	4	6	7	8
A. Not Operated	18	3.6	4	1	1	3	5	6	7	8
B. Operated	5	2.2	3	1	1	1	3	5	5	5
TOTAL										
65-69 YRS	9	3.2	3	1	1	3	5	6	6	6
70-74	6	3.7	3	1	1	4	4	6	6	6
75-79	6	3.3	7	1	1	2	5	8	8	8
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**23**	**3.3**	**4**	**1**	**1**	**3**	**5**	**6**	**7**	**8**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	5.5	25	2	2	5	9	9	9	9
70-74	0									
75-79	2	4.0	18	< 1	< 1	3	7	7	7	7
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	9.0	39	2	2	8	13	17	17	17
70-74	4	4.0	18	1	1	3	7	10	10	10
75-79	5	10.2	82	2	2	7	18	23	23	23
80-84	4	3.5	1	2	2	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	9	12.2	56	4	4	9	18	24	26	26
70-74	7	10.4	56	5	5	8	14	23	25	25
75-79	8	10.1	97	3	3	7	11	27	33	33
80-84	4	26.8	594	3	3	26	47	52	52	52
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	4	4.8	15	< 1	< 1	4	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	17	6.9	41	1	1	4	10	17	21	23
B. Operated	28	13.3	152	3	4	8	16	31	44	52
1. SINGLE DX	6	3.8	11	< 1	< 1	2	7	9	9	9
2. MULTIPLE DX	45	10.8	118	2	2	7	14	25	35	52
A. Not Operated	19	6.4	39	1	1	4	9	17	20	23
B. Operated	32	12.2	142	2	3	8	15	28	42	52
TOTAL										
65-69 YRS	15	10.5	48	2	2	9	15	21	25	26
70-74	12	7.5	49	1	1	6	9	19	24	25
75-79	16	8.9	75	1	2	7	11	22	30	33
80-84	8	15.1	409	2	2	4	26	49	52	52
85 +	0									
GRAND TOTAL	**51**	**10.0**	**110**	**1**	**2**	**7**	**10**	**24**	**33**	**52**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	6	2.0	2	< 1	< 1	1	4	4	4	4
70-74	6	1.7	1	1	1	1	2	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	1.0		1	1	1	1	1	1	1
85 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	2	2.0	2	< 1	< 1	1	3	3	3	3
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	15	2.3	2	1	1	1	4	4	5	5
70-74	17	4.6	22	< 1	1	2	7	13	15	15
75-79	4	2.0	2	1	1	2	3	4	4	4
80-84	6	2.3	2	< 1	< 1	2	4	4	4	4
85 +	7	4.7	47	1	1	3	4	17	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	17	1.6	1	< 1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated	5	2.2	1	< 1	< 1	3	3	3	3	3
B. Operated	49	3.4	16	1	1	2	4	8	14	20
1. SINGLE DX	18	1.6	1	< 1	< 1	1	2	4	4	4
2. MULTIPLE DX	54	3.3	14	< 1	1	2	4	6	13	20
A. Not Operated	6	2.0	1	< 1	< 1	1	3	3	3	3
B. Operated	66	3.0	13	< 1	1	2	4	5	11	19
TOTAL										
65-69 YRS	22	2.2	2	< 1	1	1	4	4	5	5
70-74	24	3.8	18	< 1	1	2	4	11	14	15
75-79	5	1.8	2	1	1	1	2	4	4	4
80-84	10	2.0	2	< 1	< 1	2	3	4	4	4
85 +	11	3.5	31	< 1	< 1	1	3	10	19	20
GRAND TOTAL	**72**	**2.9**	**12**	**<1**	**1**	**2**	**4**	**5**	**10**	**19**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	15	5.3	25	< 1	1	3	8	14	14	14
70-74	10	4.1	18	< 1	< 1	3	6	11	15	15
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	6.8	87	1	2	4	7	12	31	43
70-74	22	3.4	7	1	1	3	4	7	9	11
75-79	16	5.3	9	1	1	5	7	10	11	11
80-84	14	5.3	10	2	2	5	7	11	11	11
85 +	14	6.5	24	2	2	5	7	15	17	17
B. Operated										
65-69 YRS	73	9.7	112	1	1	7	12	20	35	54
70-74	74	9.7	81	1	1	9	13	17	28	50
75-79	24	12.3	145	1	2	10	18	35	62	99 +
80-84	31	9.9	66	1	2	8	15	20	21	37
85 +	12	10.1	76	1	2	7	15	23	29	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	28	4.4	21	< 1	1	2	6	14	14	15
2. MULTIPLE DX										
A. Not Operated	89	5.4	32	1	1	4	7	10	13	36
B. Operated	214	10.0	95	1	1	8	13	21	30	56
1. SINGLE DX	29	4.3	20	< 1	1	2	6	14	14	15
2. MULTIPLE DX	303	8.7	81	1	1	6	11	19	27	53
A. Not Operated	90	5.4	31	1	1	4	7	10	13	36
B. Operated	242	9.4	90	1	1	7	13	20	28	56
TOTAL										
65-69 YRS	111	8.5	97	1	1	6	11	20	27	49
70-74	106	7.9	67	1	1	6	11	16	25	43
75-79	42	9.1	99	1	2	6	12	24	40	99 +
80-84	46	8.3	52	1	2	6	11	19	21	37
85 +	27	7.9	49	1	2	5	12	18	21	30
GRAND TOTAL	**332**	**8.3**	**77**	**1**	**1**	**6**	**11**	**18**	**26**	**51**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	0									
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	14.0		14	14	14	14	14	14	14
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	6	3.5	15	1	1	2	4	10	11	11
70-74	0									
75-79	4	4.0	13	1	1	4	7	8	8	8
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	4.7	8	1	1	4	7	9	9	9
70-74	7	4.3	8	< 1	< 1	4	7	8	8	8
75-79	19	5.7	11	1	1	4	8	11	12	12
80-84	9	8.0	57	1	1	6	11	21	24	24
85 +	3	4.3	4	2	2	5	6	6	6	6
B. Operated										
65-69 YRS	34	14.4	255	1	2	9	15	34	56	70
70-74	45	3.5	90	1	1	8	12	20	28	53
75-79	37	11.4	66	3	3	9	15	21	30	35
80-84	25	10.3	106	1	1	8	12	25	34	44
85 +	11	25.3	362	1	4	17	40	53	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	8.0	72	2	2	8	14	14	14	14
B. Operated	11	3.6	11	1	1	2	5	9	11	11
2. MULTIPLE DX										
A. Not Operated	47	5.6	19	1	1	4	8	10	13	24
B. Operated	152	12.3	155	1	2	9	15	30	41	60
1. SINGLE DX	13	4.3	18	1	1	2	6	12	14	14
2. MULTIPLE DX	199	10.8	131	1	2	8	12	23	34	58
A. Not Operated	49	5.7	19	1	1	4	8	11	14	24
B. Operated	163	11.7	150	1	2	8	14	28	39	59
TOTAL										
65-69 YRS	49	11.3	201	1	1	8	11	29	43	70
70-74	52	8.8	82	1	1	8	11	19	27	52
75-79	61	9.1	53	1	2	8	12	19	23	35
80-84	35	9.5	90	1	1	7	12	24	29	44
85 +	15	19.5	356	1	2	12	36	51	55	56
GRAND TOTAL	**212**	**10.4**	**126**	**1**	**1**	**8**	**12**	**22**	**33**	**58**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	4	2.0	1	1	1	2	3	3	3	3
1. SINGLE DX	0									
2. MULTIPLE DX	4	2.0	1	1	1	2	3	3	3	3
A. Not Operated	0									
B. Operated	4	2.0	1	1	1	2	3	3	3	3
TOTAL										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
GRAND TOTAL	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	5.8	4	3	3	6	7	8	8	8
70-74	5	3.4	8	< 1	< 1	2	6	7	7	7
75-79	2	2.0		2	2	2	2	2	2	2
80-84	2	3.5	5	2	2	3	5	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	3.8	6	1	1	3	6	7	7	7
70-74	13	5.6	24	1	2	4	7	14	17	18
75-79	8	5.4	21	1	1	4	7	13	15	15
80-84	4	3.5	1	2	2	4	4	4	4	4
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	37	7.6	61	< 1	1	5	10	15	27	35
70-74	32	7.2	32	1	2	6	9	12	17	30
75-79	29	7.2	60	< 1	1	6	9	14	18	41
80-84	13	14.2	235	1	3	10	17	30	55	61
85 +	15	11.0	95	3	3	7	13	21	36	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	3.9	6	< 1	1	3	6	7	8	8
2. MULTIPLE DX										
A. Not Operated	34	4.7	16	1	1	4	5	9	15	18
B. Operated	126	8.5	77	1	1	6	10	17	24	46
1. SINGLE DX	13	3.9	6	< 1	1	3	6	7	8	8
2. MULTIPLE DX	160	7.7	66	1	1	6	9	15	20	41
A. Not Operated	34	4.7	16	1	1	4	5	9	15	18
B. Operated	139	8.1	72	1	1	6	10	16	22	43
TOTAL										
65-69 YRS	49	6.8	49	1	1	5	9	13	20	35
70-74	50	6.4	28	1	1	5	7	12	18	30
75-79	39	6.5	50	< 1	1	5	8	14	16	41
80-84	19	10.8	183	1	2	6	13	20	43	61
85 +	16	10.4	95	2	3	7	13	20	35	41
GRAND TOTAL	**173**	**7.4**	**63**	**1**	**1**	**6**	**9**	**15**	**19**	**41**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	25	2.8	4	1	1	2	3	6	8	8
70-74	16	2.1	2	1	1	2	2	4	5	6
75-79	10	2.5	2	< 1	< 1	2	3	5	6	6
80-84	3	5.7	22	2	2	4	9	11	11	11
85 +	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	55	2.7	4	1	1	2	3	6	7	11
1. SINGLE DX	6	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX	56	2.8	4	1	1	2	3	6	7	11
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	61	2.7	4	1	1	2	3	5	7	11
TOTAL										
65-69 YRS	26	2.8	4	1	1	2	3	6	8	8
70-74	19	2.3	2	1	1	2	3	5	6	6
75-79	11	2.6	2	< 1	1	2	3	5	6	6
80-84	3	5.7	22	2	2	4	9	11	11	11
85 +	3	3.3	2	2	2	3	4	5	5	5
GRAND TOTAL	**62**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	5.7	17	< 1	< 1	7	8	9	9	9
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	22	3.2	4	< 1	1	3	4	6	7	9
70-74	9	3.6	10	1	1	2	7	8	9	9
75-79	9	3.8	7	1	1	3	5	8	9	9
80-84	3	1.7	1	1	1	1	3	3	3	3
85 +	2	2.5	5	< 1	< 1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	24	5.1	10	1	2	5	7	9	12	13
70-74	27	5.6	13	2	2	5	7	9	14	17
75-79	22	6.8	38	2	3	5	8	16	24	24
80-84	13	9.3	54	< 1	1	8	14	18	25	27
85 +	14	7.7	36	2	3	6	9	19	21	22
B. Operated										
65-69 YRS	85	7.6	41	1	1	7	10	14	17	38
70-74	74	8.4	46	1	1	7	13	21	23	81
75-79	37	10.5	128	1	1	8	13	22	40	51
80-84	9	6.9	18	2	2	8	10	12	13	13
85 +	5	5.2	22	2	2	3	8	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.8	11	< 1	< 1	2	7	9	9	9
B. Operated	45	3.2	6	< 1	1	3	4	7	9	9
2. MULTIPLE DX										
A. Not Operated	100	6.5	27	1	2	5	8	13	18	26
B. Operated	210	8.3	57	1	1	7	11	18	22	48
1. SINGLE DX	51	3.3	6	< 1	1	3	5	7	9	9
2. MULTIPLE DX	310	7.7	48	1	1	6	10	16	22	41
A. Not Operated	106	6.4	26	1	2	5	8	13	17	25
B. Operated	255	7.4	52	1	1	6	10	16	22	46
TOTAL										
65-69 YRS	134	6.4	32	1	1	5	9	12	15	37
70-74	111	7.3	38	1	1	6	10	18	22	52
75-79	69	8.3	87	1	2	5	9	20	24	50
80-84	25	7.5	39	< 1	1	7	11	14	19	27
85 +	22	6.4	30	1	2	4	8	15	20	22
GRAND TOTAL	**361**	**7.1**	**45**	**1**	**1**	**5**	**9**	**15**	**21**	**38**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	89	3.6	12	1	1	3	5	7	8	22
70-74	87	3.3	9	1	1	3	4	6	7	19
75-79	65	3.1	4	1	1	3	4	6	7	10
80-84	46	3.3	5	1	1	3	4	6	7	11
85 +	27	4.7	18	1	2	3	5	12	15	18
B. Operated										
65-69 YRS	5	4.4	7	2	2	4	6	8	8	8
70-74	1	7.0		7	7	7	7	7	7	7
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1017	6.0	30	1	2	5	7	11	16	30
70-74	1085	6.1	31	1	2	5	7	12	15	31
75-79	1048	6.5	49	2	2	5	8	12	16	39
80-84	855	7.0	47	2	2	5	9	12	17	36
85 +	675	7.3	68	2	2	5	8	13	18	58
B. Operated										
65-69 YRS	98	11.8	119	2	3	9	13	23	36	61
70-74	119	13.7	222	2	3	8	18	34	49	99 +
75-79	92	13.2	148	2	3	10	17	29	34	97
80-84	50	18.1	296	3	4	12	23	40	55	75
85 +	53	14.9	176	2	3	11	20	46	87	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	314	3.5	9	1	1	3	4	6	8	19
B. Operated	7	5.0	6	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	4680	6.5	43	2	2	5	8	12	16	35
B. Operated	412	13.8	186	2	3	10	18	32	45	99 +
1. SINGLE DX	321	3.5	9	1	1	3	4	6	8	19
2. MULTIPLE DX	5092	7.1	59	2	2	5	8	13	19	46
A. Not Operated	4994	6.3	42	1	2	5	7	12	16	34
B. Operated	419	13.7	184	2	3	10	18	31	44	99 +
TOTAL										
65-69 YRS	1209	6.3	39	1	2	5	7	12	17	35
70-74	1292	6.6	52	1	2	5	7	13	18	42
75-79	1206	6.8	58	2	2	5	8	13	18	41
80-84	951	7.4	65	2	2	5	9	13	19	48
85 +	755	7.8	78	2	2	5	9	15	20	64
GRAND TOTAL	**5413**	**6.9**	**57**	**1**	**2**	**5**	**8**	**13**	**18**	**44**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	25	4.6	9	1	1	4	6	8	10	14
70-74	26	3.8	5	1	1	4	5	6	9	10
75-79	16	4.6	6	2	2	4	5	8	11	12
80-84	19	6.1	57	1	2	4	6	9	24	36
85 +	8	3.9	1	3	3	4	5	5	5	5
B. Operated										
65-69 YRS	6	8.5	11	3	3	9	11	12	12	12
70-74	2	10.0	8	8	8	10	12	12	12	12
75-79	2	8.5	25	5	5	8	12	12	12	12
80-84	1	5.0		5	5	5	5	5	5	5
85 +	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	633	6.0	15	2	2	5	8	11	14	19
70-74	679	6.2	19	2	2	5	8	11	14	22
75-79	624	6.7	29	2	2	5	8	12	15	28
80-84	453	7.0	35	2	2	6	8	12	17	34
85 +	442	7.7	84	2	2	6	9	14	17	69
B. Operated										
65-69 YRS	131	13.1	123	3	4	10	15	26	36	68
70-74	119	13.2	95	2	4	11	17	28	34	46
75-79	121	14.1	161	3	5	11	17	25	31	80
80-84	78	14.1	78	4	5	13	18	25	36	84
85 +	57	15.2	216	2	3	14	19	33	98	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	4.6	16	1	2	4	5	8	10	26
B. Operated	12	9.5	22	3	4	9	12	15	20	21
2. MULTIPLE DX										
A. Not Operated	2831	6.6	33	2	2	5	8	12	15	28
B. Operated	506	13.8	129	3	4	11	17	27	35	92
1. SINGLE DX	106	5.2	19	1	2	4	6	10	12	28
2. MULTIPLE DX	3337	7.7	54	2	2	6	9	15	19	42
A. Not Operated	2925	6.6	33	2	2	5	8	12	15	28
B. Operated	518	13.7	127	3	4	11	17	26	35	91
TOTAL										
65-69 YRS	795	7.2	39	2	2	6	9	13	17	32
70-74	826	7.1	36	2	2	5	9	14	17	34
75-79	763	7.8	57	2	3	6	10	15	19	38
80-84	551	8.0	48	2	3	6	9	15	22	43
85 +	508	8.5	103	2	2	6	9	16	22	95
GRAND TOTAL	**3443**	**7.6**	**53**	**2**	**2**	**6**	**9**	**14**	**19**	**40**

1,178 Hospitals, United States, January-December 1987

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	3.4	3	1	1	3	4	5	7	7
70-74	12	1.7	1	< 1	< 1	1	2	3	4	4
75-79	6	3.7	3	1	1	4	5	6	6	6
80-84	5	2.4	3	1	1	2	3	5	5	5
85 +	2	4.0	18	1	1	4	7	7	7	7
B. Operated										
65-69 YRS	4	3.3	2	2	2	3	4	5	5	5
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	0									
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	164	4.2	11	1	1	3	6	9	11	20
70-74	136	3.9	6	1	1	3	5	7	8	13
75-79	122	4.1	11	1	1	3	5	8	10	18
80-84	91	3.9	8	1	1	3	5	7	8	15
85 +	67	4.7	12	1	1	4	6	10	11	17
B. Operated										
65-69 YRS	32	7.0	25	1	2	6	9	15	16	19
70-74	28	5.6	29	1	1	4	7	10	12	29
75-79	23	6.7	29	1	2	6	9	13	18	25
80-84	14	7.1	18	2	3	6	9	13	16	17
85 +	15	7.5	74	1	1	5	8	21	30	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.8	3	1	1	3	4	5	6	7
B. Operated	8	2.5	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	580	4.1	10	1	1	3	5	8	10	16
B. Operated	112	6.7	32	1	1	5	8	13	17	31
1. SINGLE DX	47	2.8	3	1	1	3	4	5	6	7
2. MULTIPLE DX	692	4.5	14	1	1	3	6	9	11	20
A. Not Operated	619	4.0	9	1	1	3	5	8	10	16
B. Operated	120	6.4	31	1	1	5	8	13	17	30
TOTAL										
65-69 YRS	214	4.6	13	1	1	3	6	10	12	20
70-74	179	4.0	10	1	1	3	5	8	9	15
75-79	151	4.4	14	1	1	3	6	9	10	25
80-84	110	4.3	10	1	1	4	5	8	12	17
85 +	85	5.1	24	1	1	4	6	10	13	29
GRAND TOTAL	**739**	**4.4**	**13**	**1**	**1**	**3**	**6**	**9**	**11**	**19**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	32	2.6	3	< 1	< 1	2	3	6	6	7
70-74	40	2.8	4	< 1	1	2	4	5	6	8
75-79	51	2.7	4	1	1	2	4	5	5	10
80-84	24	3.2	6	< 1	1	2	5	7	8	9
85 +	20	3.1	4	1	1	3	4	6	7	8
B. Operated										
65-69 YRS	74	3.4	4	< 1	1	3	5	6	7	9
70-74	57	3.3	4	1	1	3	4	6	7	12
75-79	34	3.6	6	< 1	1	3	5	6	6	12
80-84	28	4.2	5	1	1	4	6	6	9	10
85 +	16	2.8	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	223	3.9	25	1	1	3	5	7	9	15
70-74	236	4.1	12	1	1	3	5	7	11	16
75-79	236	4.0	18	1	1	3	4	7	10	28
80-84	169	4.0	9	1	1	3	5	8	10	14
85 +	173	4.1	9	1	1	3	5	8	10	16
B. Operated										
65-69 YRS	285	5.5	17	1	2	5	7	10	14	22
70-74	251	5.5	28	1	2	4	7	9	11	20
75-79	233	5.6	20	1	2	4	7	11	15	26
80-84	163	5.1	22	1	2	4	6	9	13	28
85 +	122	5.6	27	1	1	4	7	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	2.8	4	< 1	1	2	4	5	7	10
B. Operated	209	3.5	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	1037	4.0	15	1	1	3	5	7	10	16
B. Operated	1054	5.4	22	1	2	4	7	10	14	25
1. SINGLE DX	376	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2091	4.7	19	1	1	4	6	9	12	21
A. Not Operated	1204	3.8	14	1	1	3	5	7	9	16
B. Operated	1263	5.1	20	1	1	4	6	9	12	23
TOTAL										
65-69 YRS	614	4.5	18	1	1	4	6	8	11	19
70-74	584	4.5	18	1	1	4	6	8	10	17
75-79	554	4.5	18	1	1	3	5	8	12	25
80-84	384	4.4	15	1	1	4	6	8	10	20
85 +	331	4.5	16	1	1	3	6	9	12	20
GRAND TOTAL	**2467**	**4.5**	**17**	**1**	**1**	**4**	**6**	**8**	**11**	**19**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	4.9	99	1	1	2	4	7	30	43
70-74	7	2.9	4	1	1	3	4	6	6	6
75-79	9	2.9	4	1	1	2	5	5	5	5
80-84	1	3.0		3	3	3	3	3	3	3
85 +	3	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated										
65-69 YRS	17	3.1	17	< 1	< 1	1	4	7	13	17
70-74	12	2.2	7	< 1	< 1	1	2	6	9	10
75-79	11	1.4		< 1	< 1	< 1	2	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	181	5.3	27	1	1	3	7	11	17	26
70-74	188	6.3	35	1	1	4	9	14	18	30
75-79	188	6.4	33	1	2	4	8	13	19	30
80-84	157	7.0	53	1	1	5	9	13	18	43
85 +	137	7.6	26	1	2	7	10	16	17	24
B. Operated										
65-69 YRS	77	8.7	124	1	1	6	11	21	27	66
70-74	72	9.1	111	1	1	6	15	24	27	91
75-79	56	11.6	179	1	1	7	18	38	51	97
80-84	44	12.5	126	1	1	10	16	31	36	46
85 +	28	12.1	60	2	3	11	16	19	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.7	47	1	1	2	4	5	7	43
B. Operated	41	2.3	9	< 1	< 1	1	2	6	8	17
2. MULTIPLE DX										
A. Not Operated	851	6.5	35	1	1	5	9	14	18	30
B. Operated	277	10.[illegible]	127	1	1	7	15	23	37	71
1. SINGLE DX	78	3.0	27	< 1	< 1	1	3	6	7	36
2. MULTIPLE DX	1128	7.4	60	1	1	5	10	17	21	43
A. Not Operated	888	6.3	36	1	1	4	9	13	18	30
B. Operated	318	9.3	119	< 1	1	6	13	22	33	66
TOTAL										
65-69 YRS	292	6.0	59	1	1	3	7	13	20	39
70-74	279	6.8	55	1	1	4	9	17	21	39
75-79	264	7.2	68	1	1	4	9	17	22	52
80-84	203	8.1	73	1	1	5	10	17	28	45
85 +	168	8.3	35	1	2	7	11	16	19	27
GRAND TOTAL	**1206**	**7.1**	**59**	**1**	**1**	**5**	**9**	**16**	**21**	**43**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74	2	11.0	32	7	7	11	15	15	15	15
75-79	0									
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	4	5.3	3	3	3	5	6	7	7	7
B. Operated										
65-69 YRS	21	10.4	41	1	2	11	13	16	23	30
70-74	19	9.8	43	2	3	9	14	19	22	25
75-79	27	8.5	27	2	2	7	10	16	21	22
80-84	16	10.4	20	4	5	10	14	16	17	18
85 +	33	9.2	30	3	3	8	12	17	20	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	43	8.3	52	1	1	7	9	20	24	29
70-74	45	9.5	67	3	3	8	11	15	25	50
75-79	55	8.9	61	1	3	6	11	17	24	48
80-84	64	10.0	124	2	2	7	11	18	33	71
85 +	88	9.5	71	1	2	8	13	19	24	45
B. Operated										
65-69 YRS	385	18.7	214	3	5	14	25	41	47	80
70-74	479	17.8	209	4	5	13	24	37	51	79
75-79	419	16.5	161	3	5	13	21	33	44	70
80-84	383	17.6	191	4	6	15	22	34	47	95
85 +	544	14.5	130	4	5	12	18	28	39	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.8	15	1	2	5	7	11	15	15
B. Operated	116	9.5	32	2	3	9	12	17	20	27
2. MULTIPLE DX										
A. Not Operated	295	9.3	77	1	2	7	11	18	26	50
B. Operated	2210	16.9	180	4	5	13	21	34	46	83
1. SINGLE DX	126	9.2	31	2	3	8	12	17	19	26
2. MULTIPLE DX	2505	16.0	174	3	4	12	20	33	45	80
A. Not Operated	305	9.2	75	1	2	7	11	18	25	49
B. Operated	2326	16.5	175	3	5	13	21	33	45	81
TOTAL										
65-69 YRS	451	17.3	202	2	4	13	23	36	46	80
70-74	545	16.8	198	3	5	12	22	35	49	78
75-79	501	15.2	151	3	4	12	19	31	40	63
80-84	465	16.3	184	3	4	13	21	33	45	87
85 +	669	13.5	121	3	4	11	17	25	35	86
GRAND TOTAL	**2631**	**15.7**	**169**	**3**	**4**	**12**	**20**	**32**	**44**	**80**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	658	2.5	6	1	1	2	3	4	5	9
70-74	455	2.5	3	1	1	2	3	4	5	9
75-79	249	2.5	2	1	1	2	3	4	5	8
80-84	149	2.9	6	1	1	2	3	5	6	14
85 +	113	2.5	3	1	1	2	3	4	6	9
B. Operated										
65-69 YRS	327	2.0	2	< 1	1	2	2	3	5	9
70-74	164	2.2	3	< 1	1	2	2	4	6	9
75-79	69	2.1	1	< 1	1	2	3	4	5	5
80-84	12	2.8	3	1	1	2	4	5	6	6
85 +	6	2.7	2	< 1	< 1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5285	3.3	5	1	1	3	4	6	7	12
70-74	4368	3.5	9	1	1	3	4	6	8	13
75-79	3227	3.8	12	1	1	3	5	7	9	16
80-84	2024	4.0	10	1	2	3	5	7	9	15
85 +	1344	4.0	9	1	2	3	5	7	9	17
B. Operated										
65-69 YRS	1522	3.7	19	1	1	2	5	8	10	17
70-74	1009	4.1	18	1	1	3	5	8	11	17
75-79	546	4.8	18	1	1	4	6	10	13	19
80-84	177	7.8	108	2	2	6	9	14	17	68
85 +	58	6.7	32	1	1	6	8	13	17	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1624	2.5	4	1	1	2	3	4	5	9
B. Operated	578	2.1	2	< 1	1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	16248	3.6	9	1	1	3	4	6	8	14
B. Operated	3312	4.3	24	1	1	3	5	9	11	19
1. SINGLE DX	2202	2.4	4	1	1	2	3	4	5	9
2. MULTIPLE DX	19560	3.7	11	1	1	3	5	7	9	15
A. Not Operated	17872	3.5	8	1	1	3	4	6	8	14
B. Operated	3890	4.0	22	1	1	2	5	8	11	18
TOTAL										
65-69 YRS	7792	3.3	8	1	1	3	4	6	8	12
70-74	5996	3.5	10	1	1	3	4	6	8	14
75-79	4091	3.8	12	1	1	3	5	7	9	17
80-84	2362	4.2	19	1	1	3	5	8	10	17
85 +	1521	4.0	10	1	1	3	5	7	9	17
GRAND TOTAL	**21762**	**3.6**	**11**	**1**	**1**	**3**	**4**	**7**	**8**	**15**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	3.0	6	< 1	1	3	4	7	8	8
70-74	19	2.8	9	1	1	1	4	6	10	13
75-79	22	4.1	22	1	1	3	4	8	15	23
80-84	8	4.9	27	1	1	3	7	14	15	15
85 +	9	2.8	1	1	1	3	4	4	4	4
B. Operated										
65-69 YRS	38	2.8	5	< 1	< 1	2	4	7	8	10
70-74	24	2.5	6	< 1	< 1	1	3	8	8	9
75-79	23	2.9	6	< 1	< 1	2	4	7	9	9
80-84	7	1.6	1	< 1	< 1	1	2	4	4	4
85 +	7	4.0	9	1	1	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	467	5.3	30	1	1	4	7	10	13	32
70-74	471	5.2	19	1	1	4	6	10	14	22
75-79	410	5.2	24	1	1	4	7	10	12	23
80-84	278	6.2	32	1	1	5	8	12	16	31
85 +	266	5.7	29	1	2	4	7	11	18	28
B. Operated										
65-69 YRS	264	6.2	38	1	1	4	8	14	18	33
70-74	234	6.6	46	1	1	5	8	14	18	36
75-79	197	7.4	61	1	2	5	9	15	20	40
80-84	95	8.5	55	1	1	7	12	18	26	32
85 +	66	7.3	25	2	2	6	10	14	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.4	13	1	1	2	4	7	10	21
B. Operated	99	2.8	6	< 1	< 1	2	4	7	8	10
2. MULTIPLE DX										
A. Not Operated	1892	5.5	26	1	1	4	7	10	14	28
B. Operated	856	6.9	47	1	1	5	9	14	19	36
1. SINGLE DX	175	3.1	9	< 1	1	2	4	7	9	14
2. MULTIPLE DX	2748	5.9	33	1	1	4	7	12	16	31
A. Not Operated	1968	5.4	26	1	1	4	7	10	14	27
B. Operated	955	6.5	44	1	1	5	8	14	18	36
TOTAL										
65-69 YRS	787	5.4	32	1	1	4	7	11	14	32
70-74	748	5.5	28	1	1	4	7	11	16	28
75-79	652	5.8	36	1	1	4	7	12	15	36
80-84	388	6.7	38	1	1	5	9	13	18	31
85 +	348	5.9	28	1	2	4	7	11	15	28
GRAND TOTAL	**2923**	**5.7**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	62	1.8	1	1	1	1	2	3	4	7
70-74	38	2.4	3	< 1	1	2	3	5	6	7
75-79	36	2.4	3	1	1	2	3	5	5	9
80-84	6	3.7	5	1	1	4	5	7	7	7
85 +	12	2.7	8	< 1	< 1	2	3	6	10	11
B. Operated										
65-69 YRS	26	4.2	9	1	1	4	5	8	11	12
70-74	25	4.8	11	< 1	1	4	7	9	12	14
75-79	16	3.8	5	< 1	1	3	6	7	7	7
80-84	11	3.0	8	< 1	< 1	2	3	6	10	10
85 +	11	5.5	39	< 1	< 1	4	5	17	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	271	3.9	13	1	1	3	5	8	11	18
70-74	302	5.1	55	1	1	4	5	9	15	61
75-79	318	4.9	20	1	1	4	6	10	14	19
80-84	246	5.9	30	1	2	4	7	12	15	36
85 +	266	6.5	34	1	2	5	7	13	18	34
B. Operated										
65-69 YRS	236	5.8	26	1	1	4	7	12	17	23
70-74	280	7.3	48	1	1	5	9	16	20	35
75-79	278	7.1	36	1	2	6	9	13	18	37
80-84	199	8.0	39	1	2	6	11	16	19	32
85 +	170	8.8	78	2	2	7	11	14	17	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	2.2	3	1	1	2	3	4	5	9
B. Operated	89	4.3	12	< 1	1	4	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	1403	5.2	31	1	1	4	6	10	14	31
B. Operated	1163	7.3	44	1	2	6	9	14	19	35
1. SINGLE DX	243	3.0	7	1	1	2	4	6	8	14
2. MULTIPLE DX	2566	6.2	38	1	1	4	8	13	17	34
A. Not Operated	1557	4.9	29	1	1	4	6	10	14	27
B. Operated	1252	7.1	43	1	1	5	9	14	19	34
TOTAL										
65-69 YRS	595	4.4	19	1	1	3	6	9	13	21
70-74	645	5.9	49	1	1	4	7	12	18	40
75-79	648	5.7	27	1	1	4	7	12	15	29
80-84	462	6.7	34	1	2	5	8	14	18	34
85 +	459	7.2	52	1	2	6	9	13	17	36
GRAND TOTAL	**2809**	**5.9**	**36**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE-DX										
A. Not Operated										
65-69 YRS	167	2.8	12	< 1	1	2	3	5	6	12
70-74	140	2.7	3	< 1	1	2	4	5	6	9
75-79	125	3.0	8	< 1	1	2	4	6	10	15
80-84	75	3.8	13	1	1	3	5	7	10	23
85 +	64	2.7	12	< 1	1	3	5	6	7	23
B. Operated										
65-69 YRS	14	3.7	5	1	1	4	5	6	7	7
70-74	16	3.4	8	< 1	< 1	3	4	9	10	10
75-79	7	6.0	12	2	2	6	8	[illegible]	12	12
80-84	9	4.7	7	< 1	< 1	6	6	8	8	8
85 +	3	8.7	114	2	2	3	16	21	21	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1206	4.5	15	1	1	4	5	8	11	17
70-74	125[illegible]	4.5	12	1	1	4	6	8	11	17
75-79	1024	4.8	17	1	2	4	6	9	11	18
80-84	833	5.1	22	1	1	4	6	10	13	22
85 +	737	5.5	31	1	2	4	7	10	14	24
B. Operated										
65-69 YRS	244	7.1	43	1	1	6	9	14	16	51
70-74	233	7.4	52	1	2	6	10	13	19	44
75-79	214	8.0	42	1	2	7	10	16	21	29
80-84	147	10.3	125	1	2	7	13	21	27	88
85 +	93	8.6	24	2	3	8	11	16	17	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	571	3.1	9	< 1	1	2	4	6	7	14
B. Operated	49	4.4	13	< 1	1	4	6	8	10	21
2. MULTIPLE DX										
A. Not Operated	5051	4.8	18	1	1	4	6	9	12	19
B. Operated	931	8.0	57	1	2	7	10	15	21	50
1. SINGLE DX	620	3.2	10	< 1	1	2	4	6	8	14
2. MULTIPLE DX	5982	5.3	26	1	1	4	7	10	13	25
A. Not Operated	5622	4.6	17	1	1	4	6	9	11	18
B. Operated	980	7.9	56	1	2	6	10	15	21	49
TOTAL										
65-69 YRS	1631	4.7	20	1	1	4	6	9	12	21
70-74	1640	4.8	18	1	1	4	6	9	11	22
75-79	1370	5.1	21	1	1	4	6	10	13	23
80-84	1064	5.7	39	1	1	4	7	11	15	28
85 +	897	5.7	30	1	2	4	7	11	15	25
GRAND TOTAL	**6602**	**5.1**	**24**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	3.5	13	< 1	< 1	2	5	7	12	15
70-74	18	2.5	2	1	1	2	4	5	5	5
75-79	17	2.6	7	< 1	< 1	2	3	7	9	10
80-84	18	3.7	8	< 1	1	3	6	8	10	11
85 +	9	4.2	8	1	1	3	8	8	8	8
B. Operated										
65-69 YRS	17	3.1	4	< 1	1	2	5	5	7	8
70-74	12	6.1	46	1	1	3	11	15	22	23
75-79	9	3.7	6	1	1	3	6	7	7	7
80-84	5	7.6	50	2	2	4	12	19	19	19
85 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	677	5.3	27	1	1	4	7	10	15	25
70-74	720	5.6	37	1	1	4	7	11	14	28
75-79	688	5.4	21	1	2	4	7	10	14	23
80-84	581	5.8	20	1	2	5	7	11	14	25
85 +	490	5.9	33	1	2	5	7	11	15	31
B. Operated										
65-69 YRS	34	7.4	92	1	1	4	10	16	22	60
70-74	270	8.1	111	1	1	5	10	17	27	56
75-79	213	8.8	74	1	1	6	12	18	27	40
80-84	177	7.9	58	1	1	6	10	16	24	47
85 +	173	8.2	48	1	2	6	13	19	23	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	[illegible]	3.2	8	< 1	1	2	4	7	8	14
B. Operated	46	4.4	21	1	1	3	5	11	13	23
2. MULTIPLE DX										
A. Not Operated	3156	5.6	28	1	2	4	7	11	14	25
B. Operated	1067	8.1	80	1	1	6	11	17	24	54
1. SINGLE DX	127	3.6	13	< 1	1	2	5	8	11	20
2. MULTIPLE DX	4223	6.2	42	1	1	4	7	13	17	32
A. Not Operated	3237	5.5	27	1	2	4	7	11	14	25
B. Operated	1113	7.9	78	1	1	5	10	17	23	51
TOTAL										
65-69 YRS	947	5.8	43	1	1	4	7	11	17	27
70-74	1020	6.2	57	1	1	4	7	12	18	36
75-79	927	6.1	35	1	1	5	7	13	17	31
80-84	781	6.2	29	1	2	5	8	13	16	29
85 +	675	6.4	38	1	2	5	8	14	18	36
GRAND TOTAL	**4350**	**6.1**	**41**	**1**	**1**	**4**	**7**	**13**	**17**	**30**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	331	3.3	31	1	1	2	3	6	8	28
70-74	335	3.1	7	1	1	2	4	6	7	13
75-79	294	3.5	30	1	1	2	4	6	9	16
80-84	250	3.3	9	1	1	3	4	6	8	19
85 +	237	3.6	10	1	1	3	4	7	10	16
B. Operated										
65-69 YRS	71	2.7	7	< 1	1	2	3	5	9	14
70-74	54	4.2	70	< 1	1	2	4	6	16	56
75-79	29	5.4	98	< 1	1	3	6	8	13	55
80-84	19	4.0	18	< 1	1	2	5	11	15	16
85 +	11	5.2	51	1	1	3	5	14	25	26
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4280	4.9	28	1	1	4	6	9	13	24
70-74	5054	5.2	29	1	2	4	6	10	14	25
75-79	5327	5.3	25	1	2	4	6	10	13	25
80-84	4762	5.6	28	1	2	4	7	10	14	27
85 +	4559	6.1	42	1	2	5	7	11	15	35
B. Operated										
65-69 YRS	810	8.9	106	1	1	6	12	20	28	72
70-74	842	9.2	113	1	1	6	11	21	29	71
75-79	806	9.5	98	1	2	7	12	20	31	57
80-84	589	10.7	121	1	2	7	14	24	37	88
85 +	538	10.2	111	1	2	7	13	21	31	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1447	3.4	18	1	1	2	4	6	8	19
B. Operated	184	3.9	44	< 1	1	2	4	7	12	45
2. MULTIPLE DX										
A. Not Operated	23982	5.4	30	1	2	4	7	10	14	27
B. Operated	3585	9.6	109	1	1	7	12	21	31	70
1. SINGLE DX	1631	3.4	21	1	1	2	4	6	9	20
2. MULTIPLE DX	27567	6.0	43	1	2	4	7	12	16	35
A. Not Operated	25429	5.3	30	1	2	4	6	10	14	26
B. Operated	3769	9.3	108	1	1	6	12	21	30	68
TOTAL										
65-69 YRS	5492	5.4	42	1	1	4	6	11	16	32
70-74	6285	5.7	42	1	1	4	7	11	15	34
75-79	6456	5.8	37	1	2	4	7	11	15	35
80-84	5620	6.0	40	1	2	4	7	12	17	35
85 +	5345	6.4	49	1	2	5	7	12	16	42
GRAND TOTAL	**29198**	**5.8**	**42**	**1**	**2**	**4**	**7**	**11**	**16**	**35**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	2	6.0	50	1	1	6	11	11	11	11
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	0									
75-79	2	17.0	72	11	11	17	23	23	23	23
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	19	9.4	66	1	1	3	12	24	28	29
70-74	19	8.9	43	2	2	6	14	19	21	21
75-79	15	9.7	44	1	1	11	13	17	22	23
80-84	17	16.5	404	2	3	10	18	41	70	83
85 +	14	4.9	10	1	1	5	7	8	11	12
B. Operated										
65-69 YRS	19	18.7	354	1	2	12	30	51	58	63
70-74	10	22.6	377	4	4	18	38	52	64	64
75-79	9	13.0	88	1	1	14	23	64	99 +	99 +
80-84	14	13.9	168	1	2	9	24	43	86	99 +
85 +	9	10.0	43	3	3	8	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.0	16	< 1	< 1	1	3	10	11	11
B. Operated	3	15.3	44	11	11	12	20	23	23	23
2. MULTIPLE DX										
A. Not Operated	84	10.0	124	1	2	7	13	21	24	70
B. Operated	61	16.1	234	2	3	12	23	44	63	99 +
1. SINGLE DX	9	7.1	59	< 1	< 1	3	11	19	23	23
2. MULTIPLE DX	145	12.6	178	1	2	8	17	29	47	99 +
A. Not Operated	90	9.5	120	1	1	7	12	20	23	68
B. Operated	64	16.1	224	2	3	12	23	43	63	99 +
TOTAL										
65-69 YRS	40	13.7	219	1	2	8	16	35	50	63
70-74	29	13.6	193	2	2	10	18	32	41	64
75-79	28	11.0	60	1	1	11	17	23	32	99 +
80-84	32	14.8	287	1	2	9	21	44	77	99 +
85 +	25	6.4	28	< 1	1	5	8	16	18	19
GRAND TOTAL	**154**	**12.3**	**172**	**1**	**2**	**8**	**16**	**29**	**45**	**99**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.2	6	1	1	2	5	7	7	7
70-74	3	5.0	7	3	3	4	7	8	8	8
75-79	0									
80-84	5	4.6	34	1	1	2	6	15	15	15
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	0									
80-84	1	18.0		18	18	18	18	18	18	18
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	41	8.7	68	1	2	6	12	18	21	46
70-74	30	9.7	97	2	2	7	10	18	34	48
75-79	33	14.6	362	2	3	9	14	36	67	87
80-84	24	13.4	262	2	2	11	16	22	43	82
85 +	23	9.4	52	1	2	9	13	19	24	25
B. Operated										
65-69 YRS	22	20.6	466	2	2	16	31	71	90	99 +
70-74	25	22.3	493	1	3	18	45	96	99 +	99 +
75-79	23	24.3	672	2	3	16	33	71	81	96
80-84	12	14.2	133	1	2	13	19	34	35	35
85 +	16	16.1	394	2	3	8	18	28	67	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	4.2	15	1	1	3	5	9	14	15
B. Operated	3	10.3	44	6	6	7	15	18	18	18
2. MULTIPLE DX										
A. Not Operated	151	11.0	168	2	2	8	13	20	33	82
B. Operated	98	20.4	464	2	3	14	31	69	91	99 +
1. SINGLE DX	16	5.3	24	1	1	3	7	14	17	18
2. MULTIPLE DX	249	14.7	304	2	2	9	18	35	70	99 +
A. Not Operated	164	10.5	159	1	2	7	12	20	28	80
B. Operated	101	20.1	454	2	3	14	30	68	90	99 +
TOTAL										
65-69 YRS	68	12.1	224	1	2	7	16	31	47	97
70-74	60	14.6	293	2	3	8	19	50	92	99 +
75-79	56	18.6	502	2	3	10	20	49	72	95
80-84	42	12.7	196	1	2	11	17	23	34	82
85 +	39	12.1	197	1	2	9	15	25	28	84
GRAND TOTAL	**265**	**14.1**	**292**	**2**	**2**	**9**	**17**	**34**	**68**	**99 +**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.0	18	< 1	< 1	3	7	7	7	7
70-74	5	2.4	2	1	1	2	4	4	4	4
75-79	6	3.7	8	1	1	3	4	8	9	9
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
65-69 YRS	15	2.5	4	< 1	1	2	3	6	7	8
70-74	11	3.8	18	1	1	2	4	12	14	14
75-79	17	2.5	3	1	1	2	3	6	6	6
80-84	8	5.8	37	1	1	2	12	14	15	15
85 +	6	2.3	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	33	3.9	10	1	1	3	5	8	11	15
70-74	33	3.9	9	1	1	3	6	9	11	11
75-79	37	4.8	16	1	1	4	7	9	15	17
80-84	44	7.0	49	1	2	5	8	15	23	34
85 +	57	6.7	35	1	2	5	10	15	22	94
B. Operated										
65-69 YRS	122	7.3	98	1	1	4	8	16	28	53
70-74	115	6.5	55	1	1	4	8	17	25	60
75-79	92	9.6	128	1	1	6	11	25	29	62
80-84	59	8.2	93	1	2	5	9	19	27	56
85 +	55	8.2	80	1	2	6	11	14	21	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.1	5	< 1	1	3	4	7	8	9
B. Operated	57	3.2	11	1	1	2	3	8	12	15
2. MULTIPLE DX										
A. Not Operated	204	5.5	28	1	1	4	7	11	16	32
B. Operated	443	7.8	91	1	1	5	9	18	28	58
1. SINGLE DX	73	3.2	10	1	1	2	4	7	11	15
2. MULTIPLE DX	647	7.1	72	1	1	4	8	15	25	47
A. Not Operated	220	5.4	26	1	1	4	7	11	16	32
B. Operated	500	7.3	84	1	1	4	8	16	27	52
TOTAL										
65-69 YRS	172	6.2	75	1	1	3	6	14	25	46
70-74	164	5.7	43	1	1	3	7	13	20	39
75-79	152	7.4	89	1	1	4	8	17	29	41
80-84	112	7.5	71	1	1	5	9	16	26	44
85 +	120	7.1	55	1	1	5	10	14	22	72
GRAND TOTAL	**720**	**6.7**	**67**	**1**	**1**	**4**	**8**	**14**	**23**	**43**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	118	5.6	19	1	2	4	7	10	13	23
70-74	117	6.4	14	2	2	5	9	12	14	16
75-79	116	6.2	17	1	2	6	7	10	15	22
80-84	94	6.5	22	1	2	5	7	12	17	25
85 +	101	6.5	29	1	2	5	8	14	16	29
B. Operated										
65-69 YRS	10	5.8	22	2	2	4	10	13	14	14
70-74	8	8.0	16	1	2	9	11	12	12	12
75-79	5	12.2	52	7	7	9	16	24	24	24
80-84	4	9.0	30	1	1	11	12	13	13	13
85 +	2	18.5	113	11	11	18	26	26	26	26
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	662	7.9	30	2	3	7	10	15	18	32
70-74	944	8.4	38	2	3	7	11	16	19	31
75-79	1178	8.7	48	2	3	7	11	16	19	36
80-84	1207	9.2	63	3	3	7	11	17	22	45
85 +	1402	9.3	61	2	3	7	11	17	22	44
B. Operated										
65-69 YRS	116	16.3	251	2	3	12	21	32	58	90
70-74	173	14.4	165	2	4	10	18	31	41	66
75-79	145	18.1	201	4	5	14	23	36	46	68
80-84	130	17.8	216	5	6	13	24	43	63	99 +
85 +	134	16.5	220	3	5	12	21	34	59	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	546	6.2	20	1	2	5	8	12	14	25
B. Operated	29	8.8	38	1	2	9	12	14	24	26
2. MULTIPLE DX										
A. Not Operated	5393	8.8	51	2	3	7	11	16	21	41
B. Operated	698	16.5	208	3	5	12	21	35	49	92
1. SINGLE DX	575	6.3	21	1	2	5	8	12	14	25
2. MULTIPLE DX	6091	9.7	75	2	3	7	12	18	24	50
A. Not Operated	5939	8.6	49	2	3	7	11	16	20	39
B. Operated	727	16.2	203	3	4	12	21	35	48	89
TOTAL										
65-69 YRS	906	8.6	66	2	2	7	10	16	21	40
70-74	1242	9.1	58	2	3	7	11	17	22	42
75-79	1444	9.5	69	2	3	7	11	18	23	44
80-84	1435	9.8	81	2	3	7	12	19	25	61
85 +	1639	9.8	76	2	3	7	12	18	24	50
GRAND TOTAL	**6666**	**9.4**	**71**	**2**	**3**	**7**	**11**	**18**	**23**	**48**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	15.5	113	8	8	15	23	23	23	23
70-74	2	6.5	41	2	2	6	11	11	11	11
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	13.0		13	13	13	13	13	13	13
85 +	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	15.3	72	6	6	13	23	27	27	27
70-74	15	9.1	79	2	3	7	10	18	32	37
75-79	15	10.5	97	3	3	8	13	39	82	99 +
80-84	16	9.0	46	2	5	7	11	13	26	31
85 +	14	17.0	466	3	4	10	13	54	74	80
B. Operated										
65-69 YRS	11	15.3	71	4	7	15	23	52	93	99 +
70-74	13	26.9	368	7	8	19	46	57	60	61
75-79	14	25.7	352	6	7	17	38	54	62	64
80-84	5	38.2	709	10	10	40	56	76	76	76
85 +	4	26.3	355	8	8	23	40	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	9.6	68	2	2	8	14	23	23	23
B. Operated	5	12.8	7	10	10	13	14	17	17	17
2. MULTIPLE DX										
A. Not Operated	67	11.7	157	3	3	8	12	26	42	96
B. Operated	47	25.0	339	7	8	17	39	55	65	99 +
1. SINGLE DX	10	11.2	36	2	3	11	13	20	23	23
2. MULTIPLE DX	114	17.2	273	3	5	11	20	49	59	99 +
A. Not Operated	72	11.5	150	3	3	8	12	25	40	95
B. Operated	52	23.8	319	7	8	16	36	54	64	99
TOTAL										
65-69 YRS	21	15.2	63	5	7	14	23	29	59	99 +
70-74	31	16.5	268	2	3	10	19	47	56	61
75-79	30	17.6	264	3	4	12	22	51	63	99 +
80-84	23	15.3	314	3	4	10	13	42	58	76
85 +	19	18.9	411	3	4	10	17	51	67	80
GRAND TOTAL	**124**	**16.7**	**256**	**3**	**4**	**11**	**19**	**48**	**57**	**99 +**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	43	3.0	4	1	1	3	4	5	7	9
70-74	35	3.0	3	1	1	3	4	6	6	8
75-79	37	3.1	5	1	1	2	4	7	8	10
80-84	31	4.4	12	1	1	3	6	9	11	16
85 +	39	4.4	15	1	1	3	6	7	12	21
B. Operated										
65-69 YRS	2	12.5	13	10	10	12	15	15	15	15
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	1	9.0		9	9	9	9	9	9	9
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	503	5.7	20	1	2	4	7	11	14	21
70-74	559	6.0	26	1	2	5	8	12	15	28
75-79	631	6.9	38	2	2	5	9	14	17	33
80-84	574	7.0	33	2	2	6	9	13	15	30
85 +	714	8.1	65	2	2	6	10	15	23	70
B. Operated										
65-69 YRS	117	11.1	91	2	3	9	14	23	28	48
70-74	124	12.7	175	2	3	9	17	24	38	86
75-79	114	11.5	107	2	3	9	16	23	38	99 +
80-84	89	13.0	111	2	3	11	18	30	47	99 +
85 +	87	15.7	310	3	4	10	18	36	68	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	3.5	8	1	1	3	5	7	8	15
B. Operated	4	9.5	20	4	4	9	12	15	15	15
2. MULTIPLE DX										
A. Not Operated	2981	6.8	39	1	2	5	9	13	17	34
B. Operated	531	12.6	154	2	3	9	16	25	38	99 +
1. SINGLE DX	189	3.7	9	1	1	3	5	7	9	16
2. MULTIPLE DX	3512	7.7	61	1	2	6	9	15	21	46
A. Not Operated	3166	6.6	38	1	2	5	8	13	16	33
B. Operated	535	12.6	153	2	3	9	16	24	38	99 +
TOTAL										
65-69 YRS	665	6.5	36	1	2	5	8	13	17	30
70-74	719	7.0	57	1	2	5	9	14	19	41
75-79	782	7.4	50	1	2	6	9	15	20	39
80-84	695	7.7	46	2	2	6	10	14	20	52
85 +	840	8.7	94	2	2	6	10	16	25	75
GRAND TOTAL	**3701**	**7.5**	**59**	**1**	**2**	**6**	**9**	**15**	**20**	**43**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	73	7.0	24	2	2	6	9	13	16	27
70-74	91	6.5	21	1	2	6	8	12	14	28
75-79	113	7.1	42	1	2	5	9	13	16	41
80-84	122	7.7	32	2	2	7	10	14	17	34
85 +	177	7.6	23	2	3	6	10	13	18	23
B. Operated										
65-69 YRS	4	16.0	285	4	4	9	25	41	41	41
70-74	1	3.0		3	3	51	99 +	99 +	99 +	99 +
75-79	3	25.7	592	4	4	21	44	52	52	52
80-84	2	7.0	8	5	5	7	9	9	9	9
85 +	4	15.0	77	9	9	11	20	28	28	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	355	10.2	56	2	3	9	13	18	24	36
70-74	502	10.3	74	3	4	8	12	18	23	57
75-79	751	10.5	69	3	4	9	13	19	26	54
80-84	1009	11.0	80	3	4	9	13	21	27	51
85 +	1506	11.1	105	3	3	8	14	21	29	81
B. Operated										
65-69 YRS	84	22.1	259	5	6	18	34	52	74	99 +
70-74	111	22.6	295	5	7	18	29	47	62	98
75-79	115	18.9	176	5	6	15	25	39	52	99 +
80-84	111	19.9	290	4	6	15	24	43	59	92
85 +	158	19.6	224	4	6	16	24	48	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	576	7.3	28	2	2	6	9	13	16	29
B. Operated	14	15.6	222	3	4	10	26	52	88	99 +
2. MULTIPLE DX										
A. Not Operated	4123	10.8	84	3	4	9	13	20	26	61
B. Operated	579	20.5	246	5	6	16	27	46	59	99 +
1. SINGLE DX	590	7.5	34	2	2	6	9	13	17	34
2. MULTIPLE DX	4702	12.0	114	3	4	9	14	23	34	77
A. Not Operated	4699	10.4	79	3	3	8	13	19	25	55
B. Operated	593	20.3	246	5	6	16	27	47	59	99 +
TOTAL										
65-69 YRS	516	11.7	108	2	3	9	14	24	36	65
70-74	705	11.7	125	3	4	9	14	22	36	77
75-79	982	11.1	89	3	3	9	14	22	30	58
80-84	1244	11.5	101	3	4	9	14	22	30	68
85 +	1845	11.5	114	3	4	9	14	22	32	86
GRAND TOTAL	**5292**	**11.5**	**107**	**3**	**4**	**9**	**14**	**22**	**32**	**72**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	33	3.7	26	1	1	3	3	6	10	30
70-74	35	3.0	3	< 1	1	3	4	5	6	7
75-79	58	3.8	8	1	1	3	6	8	10	12
80-84	49	3.6	11	1	1	3	4	5	11	20
85 +	60	4.3	12	< 1	1	3	6	9	12	15
B. Operated										
65-69 YRS	135	4.0	11	1	1	3	5	8	11	17
70-74	127	4.3	11	1	1	3	5	9	11	18
75-79	122	4.5	11	1	1	3	6	10	11	14
80-84	75	7.7	130	1	2	5	8	14	20	77
85 +	70	5.3	40	1	2	4	6	10	11	44
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	166	6.0	54	1	1	4	7	12	18	27
70-74	250	5.9	41	1	1	4	8	11	17	30
75-79	303	7.7	69	1	1	5	9	17	24	52
80-84	393	6.9	42	1	2	5	8	13	22	31
85 +	506	8.9	142	1	2	5	10	18	29	90
B. Operated										
65-69 YRS	337	7.5	62	1	2	5	9	17	26	44
70-74	368	8.1	62	1	2	6	10	16	22	48
75-79	445	8.8	71	2	2	6	11	18	27	56
80-84	376	9.7	89	2	2	7	12	20	28	62
85 +	347	11.3	133	2	2	8	15	24	38	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	235	3.7	12	1	1	3	5	8	10	16
B. Operated	529	4.9	33	1	1	4	6	10	12	21
2. MULTIPLE DX										
A. Not Operated	1618	7.4	80	1	2	5	8	15	23	51
B. Operated	1873	9.1	84	1	2	6	11	19	28	57
1. SINGLE DX	764	4.5	27	1	1	3	5	9	12	20
2. MULTIPLE DX	3491	8.3	83	1	2	6	10	17	25	55
A. Not Operated	1853	7.0	73	1	1	5	8	14	21	48
B. Operated	2402	8.1	76	1	2	6	10	17	24	51
TOTAL										
65-69 YRS	671	6.3	50	1	1	4	7	13	20	37
70-74	780	6.5	47	1	2	5	8	13	18	40
75-79	928	7.6	61	1	2	5	9	15	24	49
80-84	893	8.0	70	1	2	6	10	16	23	45
85 +	983	9.2	127	1	2	6	11	20	31	81
GRAND TOTAL	**4255**	**7.6**	**75**	**1**	**2**	**5**	**9**	**16**	**23**	**50**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	4.8	91	1	1	1	3	20	30	30
70-74	5	2.2	2	1	1	2	3	4	4	4
75-79	7	4.3	43	1	1	2	4	16	19	19
80-84	4	1.3		1	1	1	2	2	2	2
85 +	7	2.0	2	< 1	< 1	1	3	5	5	5
B. Operated										
65-69 YRS	282	2.2	2	1	1	2	3	4	4	7
70-74	243	2.4	3	1	1	2	3	4	6	8
75-79	194	2.6	4	1	1	2	3	6	7	12
80-84	128	3.0	11	1	1	2	3	6	8	19
85 +	87	3.6	25	1	1	3	4	7	9	32
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	49	4.9	19	1	1	3	6	11	13	21
70-74	61	4.1	12	< 1	1	3	5	9	12	17
75-79	71	5.4	31	1	1	4	6	11	15	31
80-84	66	8.2	107	1	2	4	8	21	35	51
85 +	89	6.3	46	1	1	4	7	12	21	36
B. Operated										
65-69 YRS	444	4.9	35	1	1	3	6	10	15	30
70-74	459	5.1	34	1	1	4	6	10	14	29
75-79	423	5.8	65	1	1	3	7	12	18	42
80-84	315	6.4	63	1	1	4	8	13	20	49
85 +	325	6.9	57	1	2	5	9	14	21	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	3.2	34	< 1	1	1	3	5	18	30
B. Operated	934	2.6	6	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	336	5.9	46	1	1	4	7	12	20	35
B. Operated	1966	5.7	50	1	1	4	7	11	17	34
1. SINGLE DX	966	2.6	7	1	1	2	3	5	7	12
2. MULTIPLE DX	2302	5.7	49	1	1	4	7	11	17	35
A. Not Operated	368	5.7	46	1	1	4	6	12	19	35
B. Operated	2900	4.7	38	1	1	3	5	10	14	29
TOTAL										
65-69 YRS	784	3.9	24	1	1	2	4	8	12	27
70-74	768	4.1	24	1	1	3	5	9	11	21
75-79	695	4.8	46	1	1	3	6	10	14	30
80-84	513	5.7	58	1	1	3	7	12	20	36
85 +	508	6.2	50	1	1	4	7	12	17	35
GRAND TOTAL	**3268**	**4.8**	**39**	**1**	**1**	**3**	[illegible]	**10**	**14**	**30**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	4.3	3	2	2	4	5	6	6	6
70-74	4	3.0	5	1	1	2	4	6	6	6
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	30	1.9	1	< 1	< 1	2	2	4	5	5
70-74	24	2.0	2	< 1	1	2	2	3	5	8
75-79	12	2.2	3	< 1	< 1	2	3	5	6	6
80-84	5	2.0	3	< 1	< 1	1	3	5	5	5
85 +	5	3.6	9	2	2	2	4	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	2.5	3	< 1	< 1	2	4	5	5	5
70-74	11	4.5	14	2	2	3	4	10	15	15
75-79	12	7.8	89	< 1	1	4	8	21	33	35
80-84	12	4.3	11	1	2	3	5	11	12	12
85 +	17	7.0	33	1	2	6	8	14	21	24
B. Operated										
65-69 YRS	125	3.5	16	< 1	1	2	4	7	9	25
70-74	69	3.3	12	1	1	2	4	6	10	20
75-79	46	4.1	22	< 1	1	3	5	10	14	24
80-84	35	5.9	110	1	1	3	6	14	26	57
85 +	32	6.9	182	2	2	4	6	10	15	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.3	3	1	1	3	5	6	6	6
B. Operated	76	2.1	2	< 1	< 1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	62	5.5	33	1	1	4	7	12	15	34
B. Operated	307	4.1	45	1	1	3	4	7	11	28
1. SINGLE DX	86	2.2	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX	369	4.4	43	1	1	3	5	8	14	29
A. Not Operated	72	5.2	29	1	1	4	6	11	15	33
B. Operated	383	3.7	37	< 1	1	2	4	7	10	27
TOTAL										
65-69 YRS	169	3.1	13	< 1	1	2	4	6	8	24
70-74	108	3.1	10	1	1	2	4	6	8	19
75-79	71	4.4	32	< 1	1	3	5	9	15	33
80-84	53	5.1	76	1	1	3	5	11	16	56
85 +	54	6.6	118	2	2	4	7	11	15	77
GRAND TOTAL	**455**	**4.0**	**36**	**< 1**	**1**	**2**	**4**	**7**	**11**	**28**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	30	6.2	23	1	2	5	8	12	19	21
70-74	39	7.6	57	1	2	5	9	15	20	42
75-79	50	6.8	26	1	1	6	10	15	17	20
80-84	59	8.4	28	1	2	8	11	15	20	21
85 +	122	7.5	56	1	1	5	9	17	25	34
B. Operated										
65-69 YRS	500	9.7	21	4	5	9	12	14	17	23
70-74	644	10.5	24	5	6	10	12	15	18	26
75-79	920	11.3	28	5	6	11	14	17	19	28
80-84	1085	11.5	31	5	6	11	14	18	20	33
85 +	1498	11.9	39	6	6	11	14	18	22	36
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	156	10.4	89	2	3	8	13	19	25	66
70-74	235	11.1	109	2	3	8	14	22	35	53
75-79	351	11.1	116	2	3	8	14	23	34	78
80-84	485	11.5	135	2	3	8	14	24	37	99 +
85 +	785	10.6	92	2	3	8	13	22	30	66
B. Operated										
65-69 YRS	2407	14.2	99	6	7	12	16	23	32	72
70-74	3847	14.5	95	6	7	12	17	24	32	67
75-79	5808	14.9	95	6	7	13	17	25	34	76
80-84	7207	15.3	109	6	7	13	17	26	36	76
85 +	10880	15.6	115	6	7	13	18	27	37	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	300	7.4	42	1	1	6	10	15	20	28
B. Operated	4647	11.3	31	5	6	10	13	17	20	31
2. MULTIPLE DX										
A. Not Operated	2012	10.9	108	2	3	8	13	22	32	86
B. Operated	30149	15.1	106	6	7	13	17	26	35	75
1. SINGLE DX	4947	11.0	33	4	6	10	13	17	20	31
2. MULTIPLE DX	32161	14.9	107	6	7	12	17	26	35	76
A. Not Operated	2312	10.5	101	2	3	8	13	21	30	79
B. Operated	34796	14.6	98	6	7	12	17	25	33	71
TOTAL										
65-69 YRS	3093	13.2	89	5	6	11	15	22	29	66
70-74	4765	13.8	89	5	6	11	16	23	31	60
75-79	7129	14.1	89	5	7	12	16	23	32	68
80-84	8836	14.6	103	6	7	12	17	25	34	74
85 +	13285	14.8	107	5	7	12	17	26	35	73
GRAND TOTAL	**37108**	**14.3**	**99**	**5**	**7**	**12**	**16**	**24**	**33**	**71**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	10.0	120	1	2	5	10	30	33	33
70-74	19	13.3	196	1	2	7	18	38	44	45
75-79	15	12.2	219	2	3	6	21	55	88	99 +
80-84	17	12.3	216	1	1	5	22	34	46	51
85 +	44	8.5	117	1	2	6	8	16	29	65
B. Operated										
65-69 YRS	41	13.0	59	6	7	11	15	19	28	47
70-74	39	11.8	86	4	5	10	14	20	27	56
75-79	37	17.0	144	7	7	14	21	31	35	69
80-84	57	11.5	30	2	5	11	16	18	22	26
85 +	57	11.6	55	3	4	10	15	20	27	39
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	83	20.3	556	2	3	9	28	59	75	99 +
70-74	112	14.8	288	2	3	9	16	41	60	93
75-79	142	15.7	317	2	3	9	18	40	65	98
80-84	152	15.5	291	2	3	9	18	43	69	99
85 +	289	12.5	219	1	2	7	14	32	47	86
B. Operated										
65-69 YRS	249	16.6	163	5	7	14	19	30	48	75
70-74	279	17.7	172	6	7	14	22	32	52	93
75-79	362	20.4	249	6	8	16	24	45	56	99 +
80-84	375	18.4	248	5	7	14	21	33	54	98
85 +	500	16.3	132	5	6	13	20	30	42	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	10.6	159	1	2	6	13	30	43	80
B. Operated	231	12.7	71	4	5	11	16	22	28	49
2. MULTIPLE DX										
A. Not Operated	778	14.8	301	2	3	8	16	40	61	99
B. Operated	1765	17.8	193	5	7	14	21	35	51	99
1. SINGLE DX	336	12.1	99	2	3	10	15	24	31	60
2. MULTIPLE DX	2543	16.9	228	3	5	13	20	37	53	99
A. Not Operated	883	14.3	285	2	2	8	16	40	59	99
B. Operated	1996	17.3	182	5	7	14	20	33	49	94
TOTAL										
65-69 YRS	383	16.9	24[illegible]	4	5	12	19	35	54	92
70-74	449	16.3	197	3	5	12	19	33	52	89
75-79	556	18.7	263	4	5	14	23	42	58	99 +
80-84	601	16.8	241	3	5	13	20	33	53	97
85 +	890	14.4	160	2	4	11	18	30	42	80
GRAND TOTAL	**2879**	**16.4**	**215**	**3**	**5**	**12**	**19**	**35**	**51**	**98**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	30	4.0	7	1	1	4	5	7	10	12
70-74	43	5.9	18	1	2	6	7	11	16	20
75-79	40	5.6	23	1	1	4	8	10	18	20
80-84	34	6.0	21	2	2	5	7	11	11	26
85 +	25	7.7	78	1	2	6	8	12	22	47
B. Operated										
65-69 YRS	132	7.0	27	2	3	6	9	13	17	48
70-74	79	7.8	32	1	2	6	10	16	22	28
75-79	47	7.2	24	1	2	6	9	14	17	26
80-84	29	6.6	12	2	2	7	9	12	13	14
85 +	25	8.3	163	1	1	5	8	12	29	67
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	137	8.8	107	1	2	6	10	17	26	65
70-74	132	10.0	96	2	3	6	12	22	29	50
75-79	160	8.4	34	2	3	7	11	16	18	28
80-84	162	9.2	94	2	3	7	11	16	22	57
85 +	186	9.7	125	1	3	6	12	20	27	62
B. Operated										
65-69 YRS	348	11.9	126	3	3	9	4	24	33	65
70-74	311	12.2	133	2	3	10	14	22	33	66
75-79	222	13.9	139	3	4	11	18	29	54	99 +
80-84	143	14.1	151	3	4	10	18	27	46	78
85 +	140	13.2	107	2	3	10	18	28	38	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	5.8	27	1	2	5	7	11	14	25
B. Operated	312	7.3	37	2	2	6	9	13	17	32
2. MULTIPLE DX										
A. Not Operated	777	9.2	91	2	3	6	11	18	[illegible]	[illegible]
B. Operated	1164	12.8	131	3	4	10	16	26	[illegible]	[illegible]
1. SINGLE DX	484	6.8	34	1	2	5	8	12	[illegible]	28
2. MULTIPLE DX	1941	11.4	118	2	3	8	14	23	33	68
A. Not Operated	949	8.6	81	2	2	6	10	17	23	47
B. Operated	1476	11.6	116	2	3	9	14	23	34	69
TOTAL										
65-69 YRS	647	9.9	102	2	3	7	12	20	27	63
70-74	565	10.6	105	2	3	8	13	20	29	63
75-79	469	10.7	91	2	3	8	14	21	29	99 +
80-84	368	10.6	111	2	3	8	12	21	28	[illegible]
85 +	376	10.8	120	1	2	7	14	24	33	[illegible]
GRAND TOTAL	**2425**	**10.4**	**105**	**2**	**3**	**8**	**13**	**21**	**29**	[illegible]

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	39	3.3	9	< 1	1	3	4	7	9	16
70-74	39	3.6	9	< 1	1	3	4	8	10	15
75-79	31	5.3	27	1	1	4	7	11	16	25
80-84	26	4.9	26	1	1	4	5	10	15	26
85 +	36	6.2	25	1	2	5	9	13	16	22
B. Operated										
65-69 YRS	566	4.8	7	2	2	4	6	8	10	15
70-74	339	5.2	28	2	2	4	6	8	11	18
75-79	244	5.8	43	2	2	5	7	9	11	17
80-84	104	7.4	31	2	3	6	9	12	18	33
85 +	63	6.3	12	< 1	2	6	8	10	12	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	145	5.7	39	1	2	4	6	10	14	29
70-74	195	6.7	39	1	2	5	8	13	19	36
75-79	175	6.5	29	1	2	5	8	14	20	29
80-84	157	6.3	30	2	2	5	8	12	16	35
85 +	175	8.7	126	2	2	6	10	14	24	70
B. Operated										
65-69 YRS	960	7.2	36	2	3	6	8	13	18	32
70-74	795	7.8	44	2	3	6	9	14	18	39
75-79	557	9.7	85	3	3	7	11	19	26	70
80-84	358	10.5	103	3	3	8	12	20	28	55
85 +	248	10.7	78	3	4	8	12	20	31	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	4.6	19	1	1	3	6	10	13	24
B. Operated	1316	5.4	22	2	2	5	6	9	11	17
2. MULTIPLE DX										
A. Not Operated	847	6.8	54	1	2	5	8	13	19	39
B. Operated	2918	8.5	61	2	3	6	10	15	22	46
1. SINGLE DX	1487	5.3	21	1	2	4	6	9	11	18
2. MULTIPLE DX	3765	8.1	60	2	3	6	10	15	21	45
A. Not Operated	1018	6.4	49	1	2	5	8	12	17	36
B. Operated	4234	7.5	51	2	3	6	9	13	19	41
TOTAL										
65-69 YRS	1710	6.2	28	2	2	5	7	11	15	28
70-74	1368	6.9	40	2	2	5	8	13	16	36
75-79	1007	8.1	66	2	3	6	9	15	21	51
80-84	645	8.8	74	2	3	6	10	16	24	44
85 +	522	9.2	85	2	2	7	11	16	23	54
GRAND TOTAL	**5252**	**7.3**	**51**	**2**	**2**	**6**	**9**	**13**	**19**	**41**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	1.6	1	< 1	< 1	1	2	4	4	4
70-74	4	1.5		1	1	1	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	3	11.3	146	2	2	7	20	25	25	25
85 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	59	5.5	21	1	1	4	8	13	14	20
70-74	51	6.2	29	2	2	5	6	12	23	26
75-79	58	6.2	23	1	1	5	9	14	17	93
80-84	53	8.0	151	1	2	4	9	14	23	85
85 +	59	8.0	82	1	1	6	11	14	21	96
B. Operated										
65-69 YRS	15	8.1	43	2	2	5	12	15	22	25
70-74	19	7.1	24	1	2	7	12	16	59	99 +
75-79	14	7.9	41	< 1	1	6	15	17	19	19
80-84	8	12.6	60	4	4	12	18	24	25	25
85 +	10	16.2	292	1	1	10	29	74	98	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.4	33	< 1	< 1	2	3	6	19	25
B. Operated	6	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	280	6.8	61	1	1	5	9	13	17	80
B. Operated	66	9.5	82	1	2	7	14	20	35	99 +
1. SINGLE DX	23	3.0	25	< 1	< 1	2	3	5	13	25
2. MULTIPLE DX	346	7.3	66	1	2	5	10	15	21	99 +
A. Not Operated	297	6.6	60	1	1	5	8	13	18	76
B. Operated	72	8.9	79	1	2	7	13	19	31	99 +
TOTAL										
65-69 YRS	83	5.5	26	1	1	4	8	13	15	24
70-74	76	6.1	27	1	2	5	7	13	22	80
75-79	74	6.4	26	1	1	5	10	15	17	81
80-84	65	8.6	138	1	2	5	10	18	25	78
85 +	71	9.0	115	1	1	6	12	18	53	99 +
GRAND TOTAL	**369**	**7.0**	**64**	**1**	**1**	**5**	**10**	**15**	**21**	**97**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	14.5	265	3	3	14	26	26	26	26
70-74	1	5.0		5	5	5	5	5	5	5
75-79	5	13.6	24	10	10	13	15	22	22	22
80-84	4	5.5	6	3	3	5	7	8	8	8
85 +	5	8.0	17	2	2	9	11	12	12	12
B. Operated										
65-69 YRS	2	12.5	1	12	12	12	13	13	13	13
70-74	1	23.0		23	23	23	23	23	23	23
75-79	3	18.7	142	5	5	24	26	27	27	27
80-84	3	21.7	217	5	5	27	31	33	33	33
85 +	5	12.8	59	4	4	14	19	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	17	9.6	42	2	3	9	12	20	25	26
B. Operated	14	16.6	92	4	5	16	24	28	32	33
1. SINGLE DX	3	6.0	16	2	2	6	9	10	10	10
2. MULTIPLE DX	31	12.8	75	3	4	11	21	26	27	33
A. Not Operated	18	9.2	43	2	2	8	12	19	24	26
B. Operated	16	15.6	89	4	5	13	23	27	31	33
TOTAL										
65-69 YRS	4	13.5	90	3	3	12	19	26	26	26
70-74	3	10.0	129	2	2	5	18	23	23	23
75-79	8	15.5	61	5	6	13	23	26	27	27
80-84	8	11.6	134	3	3	6	17	31	33	33
85 +	11	10.4	36	2	3	10	13	20	22	22
GRAND TOTAL	**34**	**12.2**	**73**	**2**	**3**	**10**	**18**	**26**	**27**	**33**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	2	1.5	1	< 1	< 1	1	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	14	1.6	1	< 1	< 1	1	2	3	3	3
70-74	17	2.0	3	< 1	< 1	1	2	5	7	7
75-79	16	1.6	3	< 1	< 1	1	1	3	6	8
80-84	15	3.1	28	< 1	1	2	2	5	18	22
85 +	11	1.7	1	< 1	< 1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	3.7	6	< 1	1	3	5	8	9	9
70-74	4	3.5	14	1	1	2	6	9	9	9
75-79	12	5.4	13	1	1	5	8	11	12	12
80-84	5	3.0	4	1	1	2	4	6	6	6
85 +	9	6.6	27	1	1	5	11	14	15	15
B. Operated										
65-69 YRS	37	3.5	11	1	1	3	4	6	13	14
70-74	32	3.9	16	1	1	2	5	11	13	13
75-79	43	3.8	6	1	1	3	5	7	8	11
80-84	33	8.9	217	1	2	3	12	22	24	82
85 +	34	6.0	36	1	1	4	7	12	20	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	73	2.0	8	< 1	< 1	1	2	3	6	19
2. MULTIPLE DX										
A. Not Operated	41	4.7	14	1	1	4	7	10	12	15
B. Operated	179	5.1	55	1	1	3	6	12	13	28
1. SINGLE DX	75	2.0	7	< 1	< 1	1	2	3	6	18
2. MULTIPLE DX	220	5.0	48	1	1	3	6	11	13	26
A. Not Operated	43	4.6	14	< 1	1	3	7	10	12	15
B. Operated	252	4.2	44	< 1	1	2	5	9	13	24
TOTAL										
65-69 YRS	62	3.1	8	< 1	1	2	4	6	10	14
70-74	53	3.2	12	< 1	1	2	3	9	12	13
75-79	73	3.5	8	< 1	1	3	5	8	9	12
80-84	53	6.7	150	1	1	3	6	19	23	80
85 +	54	5.2	30	< 1	1	4	6	12	15	30
GRAND TOTAL	**295**	**4.3**	**40**	**< 1**	**1**	**3**	**5**	**9**	**13**	**24**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	29	2.2	3	< 1	< 1	2	3	5	5	8
70-74	18	2.7	6	< 1	< 1	2	4	6	8	9
75-79	11	3.3	10	< 1	< 1	2	4	8	12	12
80-84	7	3.6	22	1	1	2	3	12	14	14
85 +	4	6.8	8	4	4	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	5.0	24	1	1	3	8	13	13	13
70-74	5	7.8	44	2	2	4	13	18	18	18
75-79	5	8.4	21	5	5	7	11	16	16	16
80-84	3	12.3	186	3	3	6	22	28	28	28
85 +	4	3.3	4	2	2	3	4	6	6	6
B. Operated										
65-69 YRS	143	3.6	61	< 1	1	2	4	7	9	21
70-74	105	3.7	36	1	1	2	4	8	10	39
75-79	61	4.2	78	1	1	2	4	8	12	62
80-84	29	3.8	17	1	1	2	4	10	13	17
85 +	10	5.9	31	1	1	5	9	51	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5		< 1	< 1	1	2	2	2	2
B. Operated	69	2.9	8	< 1	< 1	2	4	6	9	14
2. MULTIPLE DX										
A. Not Operated	22	7.1	43	1	2	5	9	17	22	28
B. Operated	348	3.8	52	1	1	2	4	8	10	52
1. SINGLE DX	73	2.8	7	< 1	< 1	2	4	6	9	14
2. MULTIPLE DX	370	4.0	52	1	1	2	4	8	11	47
A. Not Operated	26	6.2	41	1	1	4	7	16	20	28
B. Operated	417	3.7	44	< 1	1	2	4	8	10	36
TOTAL										
65-69 YRS	178	3.4	50	< 1	1	2	4	7	9	16
70-74	129	3.7	32	1	1	2	4	8	10	34
75-79	79	4.3	64	1	1	2	4	9	13	53
80-84	39	4.4	31	1	1	2	4	12	16	28
85 +	18	5.5	20	1	1	5	8	15	63	99 +
GRAND TOTAL	**443**	**3.8**	**44**	**< 1**	**1**	**2**	**4**	**8**	**11**	**30**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	3.6	8	< 1	< 1	3	5	8	9	9
70-74	1	8.0		8	8	8	8	8	8	8
75-79	4	3.5	11	1	1	3	6	8	8	8
80-84	0									
85 +	2	13.5	221	3	3	13	24	24	24	24
B. Operated										
65-69 YRS	39	3.2	13	< 1	< 1	1	5	8	13	15
70-74	13	2.2	3	< 1	< 1	1	3	5	7	7
75-79	10	4.6	24	1	1	2	6	13	15	15
80-84	8	3.9	13	1	1	3	4	10	12	12
85 +	5	2.8	3	2	2	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	24	5.4	23	1	2	4	7	8	14	25
70-74	13	5.3	12	1	1	5	8	10	11	11
75-79	22	7.2	38	1	2	5	10	15	22	25
80-84	16	6.4	19	1	2	6	8	12	16	18
85 +	19	11.6	158	3	4	7	12	32	46	48
B. Operated										
65-69 YRS	81	7.3	39	1	2	5	10	17	21	27
70-74	63	9.0	216	1	2	4	9	18	28	85
75-79	58	7.7	75	1	1	4	8	21	28	36
80-84	23	8.7	88	1	1	4	12	25	29	36
85 +	26	7.2	22	1	2	7	9	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	5.2	35	< 1	1	3	8	9	20	24
B. Operated	75	3.2	12	< 1	1	2	4	7	12	15
2. MULTIPLE DX										
A. Not Operated	94	7.2	55	1	2	5	9	13	20	46
B. Operated	251	7.9	94	1	1	5	10	18	23	40
1. SINGLE DX	90	3.6	16	< 1	1	2	5	8	12	20
2. MULTIPLE DX	345	7.8	83	1	2	5	9	18	22	44
A. Not Operated	109	7.0	52	1	1	5	8	12	20	46
B. Operated	326	6.9	79	1	1	4	8	16	21	37
TOTAL										
65-69 YRS	152	5.8	31	1	1	4	7	14	19	25
70-74	90	7.5	159	1	1	3	8	15	20	82
75-79	94	7.1	59	1	1	5	8	18	23	36
80-84	47	7.1	53	1	1	4	9	17	25	36
85 +	52	8.6	80	2	2	6	10	17	23	48
GRAND TOTAL	**435**	**6.9**	**72**	**1**	**1**	**5**	**8**	**16**	**21**	**41**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.4	1	2	2	2	3	4	4	4
70-74	5	6.6	10	1	1	8	8	9	9	9
75-79	4	4.0	12	1	1	3	6	9	9	9
80-84	5	4.6	12	< 1	< 1	3	7	10	10	10
85 +	4	2.3		2	2	2	3	3	3	3
B. Operated										
65-69 YRS	21	3.4	4	1	1	3	4	6	8	9
70-74	19	3.7	5	1	1	4	5	7	8	8
75-79	11	6.6	44	2	2	4	7	19	22	22
80-84	6	5.0	10	1	1	4	7	10	10	10
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	31	6.3	27	1	2	5	7	12	16	25
70-74	66	5.9	14	1	2	5	8	10	13	19
75-79	53	6.6	47	2	2	4	8	13	18	43
80-84	46	5.9	15	1	2	5	8	11	14	20
85 +	59	6.7	60	1	1	5	8	13	26	95
B. Operated										
65-69 YRS	45	6.2	16	1	2	5	10	12	13	16
70-74	43	6.5	20	2	2	6	8	11	18	21
75-79	39	8.7	25	3	3	8	12	16	18	24
80-84	16	8.3	22	2	2	9	10	13	19	21
85 +	11	8.9	36	2	3	8	11	17	23	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.0	9	< 1	1	3	7	9	10	10
B. Operated	58	4.3	13	1	1	3	5	7	10	22
2. MULTIPLE DX										
A. Not Operated	255	6.3	33	1	2	5	8	12	15	43
B. Operated	154	7.3	22	2	2	7	10	13	17	24
1. SINGLE DX	81	4.2	12	1	1	3	5	8	10	20
2. MULTIPLE DX	409	6.7	29	1	2	5	9	13	16	28
A. Not Operated	278	6.1	31	1	2	5	8	11	15	41
B. Operated	212	6.5	21	1	2	5	9	13	17	23
TOTAL										
65-69 YRS	102	5.5	18	1	2	4	8	11	13	20
70-74	133	5.8	15	1	2	5	8	10	13	20
75-79	107	7.3	38	2	2	5	9	15	18	33
80-84	73	6.3	17	1	2	5	9	11	14	21
85 +	75	6.8	54	1	1	5	8	13	23	87
GRAND TOTAL	**490**	**6.3**	**27**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	46	5.2	9	2	2	5	6	8	10	17
70-74	35	4.2	6	1	1	4	5	8	8	11
75-79	17	5.5	11	1	2	5	8	11	12	13
80-84	15	5.5	6	3	3	5	6	9	11	11
85 +	14	5.6	15	< 1	2	4	8	11	13	14
B. Operated										
65-69 YRS	2	5.5	41	1	1	5	10	10	10	10
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	275	6.1	12	2	2	5	8	11	13	17
70-74	237	6.3	21	2	3	5	8	11	13	31
75-79	247	6.5	21	2	2	6	8	12	15	23
80-84	229	7.0	26	2	2	6	9	12	16	24
85 +	211	7.5	30	2	3	6	9	14	18	24
B. Operated										
65-69 YRS	31	8.0	30	1	2	8	11	16	17	24
70-74	16	8.9	19	2	4	9	11	15	18	19
75-79	13	14.0	56	3	7	11	19	27	27	27
80-84	12	10.6	22	2	3	11	15	16	16	16
85 +	9	11.1	56	2	2	11	17	62	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	5.0	9	1	2	4	7	9	11	15
B. Operated	2	5.5	41	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	1199	6.6	22	2	2	6	8	12	15	23
B. Operated	81	9.9	37	2	2	10	13	18	24	77
1. SINGLE DX	129	5.0	9	1	2	4	7	9	11	15
2. MULTIPLE DX	1280	6.8	23	2	2	6	9	12	16	25
A. Not Operated	1326	6.5	21	2	2	5	8	11	15	23
B. Operated	83	9.7	37	1	2	10	13	17	24	75
TOTAL										
65-69 YRS	354	6.1	13	2	2	5	8	11	13	17
70-74	288	6.2	20	2	2	5	8	11	13	27
75-79	277	6.8	25	2	2	6	8	12	16	27
80-84	256	7.0	25	2	2	6	9	13	16	23
85 +	234	7.5	30	2	3	6	9	15	19	28
GRAND TOTAL	**1409**	**6.7**	**22**	**2**	**2**	**6**	**8**	**12**	**15**	**24**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	3.7	4	1	2	3	6	7	7	7
70-74	22	4.4	12	< 1	1	4	6	8	12	16
75-79	8	3.6	2	1	2	4	4	6	6	6
80-84	11	2.8	6	< 1	< 1	2	4	7	8	8
85 +	15	4.1	7	1	2	4	6	9	10	10
B. Operated										
65-69 YRS	3	1.7	1	1	1	1	3	3	3	3
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	262	5.5	21	1	2	5	7	10	12	18
70-74	228	5.8	16	1	2	5	8	10	12	23
75-79	179	5.5	16	1	2	5	7	10	13	18
80-84	173	6.2	18	1	2	5	8	12	13	23
85 +	177	6.8	51	1	2	5	8	13	19	60
B. Operated										
65-69 YRS	22	7.6	20	< 1	1	7	12	14	16	17
70-74	21	9.8	96	1	2	8	12	16	31	48
75-79	19	9.0	31	2	3	7	11	18	20	22
80-84	15	16.9	124	1	1	17	24	32	38	40
85 +	14	9.7	99	1	2	9	12	40	85	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	3.9	7	1	1	3	5	7	9	14
B. Operated	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	1019	5.9	24	1	2	5	8	11	14	25
B. Operated	91	10.3	75	1	2	8	13	19	32	78
1. SINGLE DX	81	3.8	7	1	1	3	5	7	8	14
2. MULTIPLE DX	1110	6.3	30	1	2	5	8	11	15	29
A. Not Operated	1096	5.8	23	1	2	5	7	10	13	25
B. Operated	95	9.9	75	1	2	8	13	19	31	76
TOTAL										
65-69 YRS	308	5.5	20	1	2	5	7	10	13	18
70-74	271	6.0	23	1	2	5	8	10	14	25
75-79	207	5.7	18	1	2	5	7	10	14	20
80-84	199	6.8	34	1	2	5	8	13	19	30
85 +	206	6.8	51	1	2	5	8	13	19	84
GRAND TOTAL	**1191**	**6.1**	**28**	**1**	**2**	**5**	**8**	**11**	**15**	**28**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	3.6	4	< 1	1	3	5	6	7	8
70-74	11	4.5	9	1	1	3	7	9	10	10
75-79	6	1.8	1	1	1	2	2	3	3	3
80-84	11	3.0	3	1	1	3	4	5	6	6
85 +	13	4.1	4	1	2	4	5	7	8	8
B. Operated										
65-69 YRS	257	3.0	2	1	1	3	4	5	6	8
70-74	155	3.3	3	1	1	3	4	5	7	8
75-79	93	3.4	3	1	2	3	4	6	6	8
80-84	30	4.1	5	1	2	4	5	8	9	10
85 +	6	4.5	6	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	87	5.0	22	< 1	1	4	6	11	18	21
70-74	86	3.7	6	1	1	3	5	7	8	12
75-79	115	4.3	6	1	1	4	6	7	8	13
80-84	90	5.9	52	1	2	4	7	11	14	46
85 +	117	7.2	112	1	2	5	8	12	16	72
B. Operated										
65-69 YRS	403	3.7	6	1	1	3	4	6	8	15
70-74	306	4.4	16	1	2	4	5	8	9	19
75-79	167	4.9	14	1	2	4	6	9	11	21
80-84	69	8.6	111	1	2	5	9	18	26	65
85 +	23	9.1	118	1	2	4	11	19	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	3.6	5	1	1	3	5	7	8	10
B. Operated	541	3.2	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	495	5.3	44	1	1	4	6	9	13	21
B. Operated	968	4.6	22	1	2	4	5	8	10	21
1. SINGLE DX	599	3.3	3	1	1	3	4	6	7	9
2. MULTIPLE DX	1463	4.8	30	1	2	4	6	8	12	21
A. Not Operated	553	5.1	40	1	1	4	6	9	12	21
B. Operated	1509	4.1	16	1	2	3	5	7	9	18
TOTAL										
65-69 YRS	764	3.6	7	1	1	3	4	6	8	16
70-74	558	4.0	11	1	2	3	5	7	8	13
75-79	381	4.3	9	1	2	4	6	7	9	17
80-84	200	6.4	65	1	2	4	7	11	18	52
85 +	159	7.1	101	1	2	5	8	13	17	58
GRAND TOTAL	**2062**	**4.4**	**22**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	1.9	1	1	1	2	3	3	4	5
70-74	26	2.0	2	< 1	< 1	2	2	4	5	6
75-79	20	2.9	6	1	1	2	3	5	9	12
80-84	9	2.2	2	1	1	2	3	5	5	5
85 +	19	2.8	4	1	1	2	4	6	7	7
B. Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	309	3.4	7	1	1	2	5	7	8	13
70-74	280	4.0	13	1	1	3	5	8	12	19
75-79	273	4.7	31	1	1	3	6	10	15	29
80-84	285	5.3	30	1	1	4	6	11	16	38
85 +	346	6.6	80	1	1	4	7	14	20	78
B. Operated										
65-69 YRS	104	4.8	41	1	1	3	6	10	13	40
70-74	120	4.6	19	1	1	3	6	11	13	22
75-79	135	7.0	91	1	1	4	8	15	27	99 +
80-84	101	[illegible].1	55	1	1	4	7	13	21	44
85 +	112	8.9	146	1	1	5	11	20	32	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	2.3	3	1	1	2	3	5	6	10
B. Operated	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	1493	4.9	35	1	1	3	6	10	14	36
B. Operated	572	6.3	73	1	1	4	7	14	21	61
1. SINGLE DX	98	2.3	3	1	1	2	3	5	6	10
2. MULTIPLE DX	2065	5.3	46	1	1	3	6	11	16	47
A. Not Operated	1589	4.7	34	1	1	3	6	9	14	35
B. Operated	574	6.3	73	1	1	4	7	14	21	61
TOTAL										
65-69 YRS	435	3.7	15	1	1	3	5	7	9	15
70-74	427	4.0	15	1	1	3	5	9	12	20
75-79	428	5.4	50	1	1	3	6	12	16	62
80-84	396	5.5	36	1	1	4	6	12	16	38
85 +	477	7.0	94	1	1	4	8	16	24	84
GRAND TOTAL	**2163**	**5.1**	**45**	**1**	**1**	**3**	**6**	**11**	**15**	**44**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	2.3	3	< 1	< 1	2	3	5	6	6
70-74	15	6.7	77	1	1	2	12	17	27	31
75-79	16	3.4	16	< 1	1	2	4	6	14	17
80-84	19	6.7	70	< 1	1	3	8	22	26	28
85 +	14	3.2	8	< 1	1	2	6	8	8	8
B. Operated										
65-69 YRS	23	6.1	15	< 1	1	6	8	12	14	15
70-74	22	9.0	36	2	3	8	11	18	24	24
75-79	21	8.1	21	2	2	7	11	15	16	18
80-84	19	10.9	45	4	4	9	13	22	24	25
85 +	16	12.6	41	6	7	11	16	19	27	31
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	188	6.4	61	1	1	4	8	14	18	36
70-74	198	7.3	59	1	1	5	9	17	25	77
75-79	272	7.6	76	1	1	5	10	16	22	54
80-84	268	8.4	86	1	1	6	11	19	27	67
85 +	322	8.3	88	1	2	6	10	17	25	61
B. Operated										
65-69 YRS	171	12.9	187	2	2	9	16	33	50	99 +
70-74	220	14.5	205	1	2	10	19	35	44	77
75-79	207	16.5	296	1	3	12	19	44	68	99 +
80-84	182	15.3	199	2	3	11	19	35	59	91
85 +	193	16.4	259	1	2	12	23	42	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	4.5	37	< 1	1	2	5	13	19	30
B. Operated	101	9.1	34	2	3	8	12	18	22	28
2. MULTIPLE DX										
A. Not Operated	1248	7.7	77	1	1	5	10	16	24	58
B. Operated	973	15.2	232	2	2	11	19	37	55	99 +
1. SINGLE DX	184	7.0	41	< 1	1	6	9	15	21	30
2. MULTIPLE DX	2221	11.0	158	1	2	7	14	26	39	84
A. Not Operated	1331	7.5	75	1	1	5	10	16	23	57
B. Operated	1074	14.6	216	2	2	10	18	35	53	99 +
TOTAL										
65-69 YRS	401	9.0	122	1	1	6	11	20	33	74
70-74	455	10.8	141	1	2	7	14	27	37	75
75-79	516	11.0	180	1	1	7	14	23	42	98
80-84	488	11.0	137	1	2	7	14	25	39	72
85 +	545	11.2	161	1	2	7	14	26	40	82
GRAND TOTAL	**2405**	**10.7**	**150**	**1**	**2**	**7**	**13**	**25**	**38**	**81**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	5.5	33	2	2	3	9	14	14	14
70-74	6	2.7	3	< 1	< 1	2	4	5	5	5
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	4	5.3	15	1	1	5	8	9	9	9
70-74	3	3.7	2	2	2	4	5	5	5	5
75-79	3	7.0	28	3	3	5	11	13	13	13
80-84	1	5.0		5	5	5	5	5	5	5
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	136	5.8	16	1	2	5	7	12	14	18
70-74	100	6.0	17	1	2	6	8	11	15	20
75-79	107	6.7	18	2	2	6	9	12	14	22
80-84	76	7.5	29	2	2	6	11	15	20	24
85 +	70	7.5	36	2	3	6	9	15	26	86
B. Operated										
65-69 YRS	136	11.8	110	3	4	9	14	25	30	55
70-74	128	12.5	145	3	4	9	15	24	36	59
75-79	102	12.4	136	3	3	9	16	23	34	65
80-84	75	12.0	72	3	4	10	15	24	29	43
85 +	59	11.3	92	2	3	10	14	19	24	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.4	10	< 1	1	3	4	5	11	14
B. Operated	12	5.3	11	1	2	5	7	10	13	13
2. MULTIPLE DX										
A. Not Operated	489	6.6	22	1	2	5	8	13	16	25
B. Operated	500	12.0	116	3	4	9	15	23	32	50
1. SINGLE DX	28	4.2	11	1	1	3	5	9	13	14
2. MULTIPLE DX	989	9.3	77	2	3	7	11	19	25	45
A. Not Operated	505	6.5	22	1	2	5	8	12	16	25
B. Operated	512	11.9	114	3	3	9	15	23	31	50
TOTAL										
65-69 YRS	280	8.7	70	2	2	6	11	17	24	45
70-74	237	9.4	97	1	2	7	11	19	24	46
75-79	215	9.3	82	2	3	7	11	18	23	41
80-84	154	9.6	55	2	3	7	13	20	24	33
85 +	131	9.2	64	2	3	8	11	18	25	70
GRAND TOTAL	**1017**	**9.2**	**76**	**2**	**3**	**7**	**11**	**19**	**24**	**44**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	4	2.0	2	1	1	2	3	4	4	4
80-84	2	6.5	1	6	6	6	7	7	7	7
85 +	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
65-69 YRS	3	6.3	12	3	3	6	9	10	10	10
70-74	5	5.6	24	1	1	3	9	13	13	13
75-79	0									
80-84	3	4.7	8	3	3	3	7	8	8	8
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	43	5.2	17	1	2	4	7	10	15	19
70-74	33	6.5	26	1	2	5	9	15	16	23
75-79	59	5.7	17	1	2	4	7	12	16	17
80-84	53	7.1	101	1	2	5	8	11	19	70
85 +	49	8.7	114	2	2	5	8	28	37	45
B. Operated										
65-69 YRS	96	16.1	204	4	5	11	18	37	48	92
70-74	88	15.2	222	2	3	11	18	35	59	99 +
75-79	70	14.8	182	2	4	10	18	31	42	69
80-84	46	13.0	87	1	2	12	18	28	32	39
85 +	51	13.2	146	2	2	11	18	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.1	5	1	1	2	4	7	7	7
B. Operated	12	5.4	13	1	2	4	8	11	13	13
2. MULTIPLE DX										
A. Not Operated	237	6.7	58	1	2	5	8	13	17	40
B. Operated	351	14.8	180	2	4	11	18	31	41	90
1. SINGLE DX	25	4.2	10	1	1	3	6	8	11	13
2. MULTIPLE DX	588	11.5	146	2	2	8	14	26	37	79
A. Not Operated	250	6.5	56	1	2	5	8	12	17	39
B. Operated	363	14.5	177	2	3	11	18	31	40	89
TOTAL										
65-69 YRS	146	12.3	167	2	2	9	15	26	41	83
70-74	127	12.5	178	2	2	9	16	29	39	99 +
75-79	133	10.4	125	1	2	7	12	24	32	62
80-84	104	9.7	99	1	2	7	12	20	28	54
85 +	103	10.8	131	2	2	6	14	28	37	53
GRAND TOTAL	**613**	**11.2**	**143**	**2**	**2**	**8**	**14**	**26**	**37**	**78**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	1	16.0		16	16	16	16	16	16	16
85 +	0									
B. Operated										
65-69 YRS	11	3.2	4	< 1	< 1	3	4	6	7	7
70-74	6	3.2	3	1	1	3	5	5	5	5
75-79	5	2.8	6	1	1	1	5	6	6	6
80-84	4	2.5	4	1	1	2	4	5	5	5
85 +	3	4.3	5	3	3	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	4	2.3	2	1	1	2	3	4	4	4
80-84	4	4.8	3	3	3	4	6	7	7	7
85 +	0									
B. Operated										
65-69 YRS	36	4.4	36	< 1	1	2	5	10	12	34
70-74	34	4.6	16	1	1	3	6	11	15	16
75-79	36	5.5	69	< 1	1	4	6	10	12	51
80-84	30	6.1	64	1	1	4	6	9	22	43
85 +	31	7.2	188	1	1	5	7	11	12	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	9.5	85	3	3	9	16	16	16	16
B. Operated	29	3.1	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	8	3.5	4	1	1	3	5	6	7	7
B. Operated	167	5.5	72	1	1	4	6	10	12	50
1. SINGLE DX	31	3.5	9	1	1	3	5	6	7	16
2. MULTIPLE DX	175	5.4	69	1	1	4	6	10	12	49
A. Not Operated	10	4.7	19	1	1	3	5	11	16	16
B. Operated	196	5.2	62	1	1	4	6	9	12	47
TOTAL										
65-69 YRS	48	4.1	28	< 1	1	3	5	8	12	34
70-74	40	4.4	15	1	1	3	5	10	14	16
75-79	45	4.9	57	< 1	1	3	5	9	11	51
80-84	39	5.8	53	1	1	4	6	9	19	43
85 +	34	6.9	172	1	1	4	7	10	12	79
GRAND TOTAL	**206**	**5.1**	**60**	**1**	**1**	**4**	**6**	**9**	**12**	**47**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	4.3	45	1	1	2	3	16	18	18
70-74	5	1.2		1	1	1	2	2	2	2
75-79	0									
80-84	2	4.5	25	1	1	4	8	8	8	8
85 +	4	1.8		1	1	2	2	2	2	2
B. Operated										
65-69 YRS	5	2.6	2	< 1	< 1	2	4	4	4	4
70-74	6	2.8	9	1	1	2	2	8	9	9
75-79	6	1.7	1	1	1	2	2	3	3	3
80-84	3	2.3	2	1	1	2	3	4	4	4
85 +	5	3.2	15	1	1	1	5	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	35	3.5	10	< 1	1	2	5	9	10	14
70-74	43	4.2	11	< 1	1	3	6	9	11	16
75-79	47	3.9	9	1	1	3	5	8	11	14
80-84	57	5.8	22	1	1	4	8	12	16	22
85 +	74	3.9	9	1	1	3	5	8	11	13
B. Operated										
65-69 YRS	124	4.6	42	1	1	2	5	9	15	43
70-74	125	4.8	36	1	1	3	5	9	15	29
75-79	123	4.8	22	1	1	3	6	10	13	51
80-84	97	5.9	79	1	1	4	7	12	17	53
85 +	170	5.8	96	1	1	4	7	10	16	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.8	18	1	1	1	2	7	14	18
B. Operated	25	2.5	5	< 1	1	2	3	4	9	10
2. MULTIPLE DX										
A. Not Operated	256	4.3	13	1	1	3	6	9	12	17
B. Operated	639	5.2	57	1	1	3	6	10	15	54
1. SINGLE DX	42	2.6	10	1	1	2	2	5	9	18
2. MULTIPLE DX	895	4.9	45	1	1	3	6	10	13	39
A. Not Operated	273	4.2	13	1	1	3	6	9	12	18
B. Operated	664	5.1	55	1	1	3	6	10	14	52
TOTAL										
65-69 YRS	170	4.3	34	1	1	2	5	9	14	37
70-74	179	4.5	29	1	1	3	5	9	12	21
75-79	176	4.5	19	1	1	3	6	9	13	31
80-84	159	5.7	56	1	1	4	7	12	17	23
85 +	253	5.2	68	1	1	3	6	9	13	87
GRAND TOTAL	**937**	**4.8**	**43**	**1**	**1**	**3**	**6**	**9**	**13**	**30**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	4	1.8	2	1	1	1	3	4	4	4
B. Operated										
65-69 YRS	7	2.6	4	< 1	< 1	2	4	6	6	6
70-74	2	6.0	2	5	5	6	7	7	7	7
75-79	3	4.7	2	3	3	5	6	6	6	6
80-84	2	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	6.0	22	1	1	5	8	13	14	14
70-74	7	6.4	44	2	2	5	6	18	21	21
75-79	10	4.8	6	1	1	5	7	8	9	9
80-84	11	6.6	22	2	2	4	10	14	16	16
85 +	4	6.0	29	2	2	4	9	14	14	14
B. Operated										
65-69 YRS	12	10.8	235	1	1	4	9	42	45	45
70-74	18	5.5	21	1	2	3	10	13	15	15
75-79	14	9.4	115	1	1	5	10	28	34	36
80-84	5	8.0	43	2	2	6	11	19	19	19
85 +	14	10.2	102	1	1	6	17	22	33	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	2	1	1	1	3	4	4	4
B. Operated	14	3.3	5	< 1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	38	5.9	20	1	2	4	7	14	15	21
B. Operated	63	8.6	100	1	1	5	10	20	36	44
1. SINGLE DX	20	2.9	4	< 1	1	2	5	6	7	7
2. MULTIPLE DX	101	7.6	71	1	2	5	9	18	24	43
A. Not Operated	44	5.4	20	1	1	4	7	13	15	21
B. Operated	77	7.6	87	1	1	5	9	20	33	44
TOTAL										
65-69 YRS	26	7.2	122	< 1	1	3	7	14	42	45
70-74	28	5.6	24	1	2	4	7	13	16	21
75-79	27	7.1	65	1	1	5	7	18	28	36
80-84	18	6.4	27	1	1	5	9	15	18	19
85 +	22	7.9	79	1	1	4	14	20	27	36
GRAND TOTAL	**121**	**6.8**	**63**	**1**	**1**	**4**	**8**	**15**	**21**	**42**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.0	2	2	2	2	4	5	6	6
70-74	12	4.2	2	2	2	4	5	6	6	6
75-79	5	4.6	17	2	2	3	5	12	12	12
80-84	1	3.0		3	3	3	3	3	3	3
85 +	3	3.0	4	1	1	3	4	5	5	5
B. Operated										
65-69 YRS	69	1.9	4	< 1	< 1	1	2	3	4	11
70-74	53	2.2	7	< 1	1	1	2	3	7	18
75-79	34	2.1	5	< 1	1	1	2	4	6	13
80-84	17	2.0	2	< 1	1	1	3	4	5	6
85 +	21	2.3	4	< 1	1	1	3	5	7	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	33	3.6	4	1	1	4	5	7	8	8
70-74	29	6.6	78	1	2	4	6	12	29	44
75-79	25	5.2	10	1	2	5	8	10	11	12
80-84	25	4.6	7	1	1	4	7	9	9	9
85 +	18	4.9	10	1	1	4	7	9	11	12
B. Operated										
65-69 YRS	195	5.5	109	1	1	2	5	11	19	63
70-74	144	4.2	35	1	1	2	5	9	15	36
75-79	92	4.8	49	1	1	3	5	11	15	44
80-84	48	4.5	14	< 1	1	3	7	10	12	16
85 +	59	6.9	103	1	1	4	8	11	17	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.6	4	2	2	3	5	6	6	12
B. Operated	194	2.0	5	< 1	1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated	130	5.0	24	1	1	4	6	9	10	31
B. Operated	538	5.1	70	1	1	3	5	10	16	40
1. SINGLE DX	228	2.3	5	< 1	1	1	3	4	6	12
2. MULTIPLE DX	668	5.1	61	1	1	3	6	10	14	40
A. Not Operated	164	4.7	20	1	2	4	6	8	10	26
B. Operated	732	4.3	54	1	1	2	4	9	13	39
TOTAL										
65-69 YRS	310	4.4	72	1	1	2	4	8	12	37
70-74	238	4.1	34	1	1	2	4	8	13	36
75-79	156	4.3	34	1	1	3	5	10	13	38
80-84	91	4.1	11	< 1	1	3	6	9	10	15
85 +	101	5.5	66	1	1	4	7	11	12	54
GRAND TOTAL	**896**	**4.4**	**48**	**1**	**1**	**2**	**5**	**9**	**12**	**37**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	4.4	10	1	1	5	6	9	11	11
70-74	7	5.1	27	< 1	< 1	2	9	13	14	14
75-79	3	2.7		2	2	3	3	3	3	3
80-84	2	6.5	1	6	6	6	7	7	7	7
85 +	4	4.8	13	2	2	3	7	10	10	10
B. Operated										
65-69 YRS	24	4.1	11	< 1	1	3	6	8	11	15
70-74	23	6.2	54	1	1	4	7	14	23	35
75-79	11	5.4	25	< 1	1	3	9	14	14	14
80-84	8	7.5	27	2	2	6	12	15	16	16
85 +	12	6.5	21	< 1	1	5	8	15	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	43	5.3	8	2	2	4	7	9	12	13
70-74	36	7.6	54	2	3	6	8	15	19	43
75-79	42	8.6	136	2	2	5	9	16	29	68
80-84	30	6.3	21	2	2	4	9	12	15	22
85 +	30	10.0	98	1	2	7	10	23	36	44
B. Operated										
65-69 YRS	91	9.8	109	1	2	7	12	21	34	55
70-74	80	11.6	146	2	2	9	14	26	45	90
75-79	77	13.9	186	1	3	9	16	30	37	75
80-84	65	12.4	96	1	2	11	16	26	35	42
85 +	43	12.9	205	2	3	8	16	25	41	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.6	13	< 1	1	3	6	10	12	14
B. Operated	78	5.6	29	< 1	1	4	7	13	15	30
2. MULTIPLE DX										
A. Not Operated	181	7.5	65	2	3	5	8	14	20	44
B. Operated	356	11.9	144	1	2	8	15	26	36	68
1. SINGLE DX	103	5.4	25	< 1	1	4	7	12	15	25
2. MULTIPLE DX	537	10.4	122	1	2	7	12	23	34	61
A. Not Operated	206	7.1	60	1	2	5	8	13	19	43
B. Operated	434	10.8	129	1	2	7	13	24	35	61
TOTAL										
65-69 YRS	167	7.5	69	1	1	5	9	14	22	48
70-74	146	9.5	108	1	2	7	11	19	35	70
75-79	133	11.3	162	2	2	7	14	25	36	70
80-84	105	10.2	75	1	2	7	13	22	28	40
85 +	89	10.7	140	1	2	7	12	24	36	67
GRAND TOTAL	**640**	**9.6**	**109**	**1**	**2**	**7**	**12**	**21**	**31**	**59**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	2.0	2	1	1	2	3	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	5.5	25	2	2	5	9	9	9	9
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	4.0	3	2	2	4	4	7	8	8
70-74	3	8.3	34	4	4	6	13	15	15	15
75-79	3	8.0	25	3	3	8	12	13	13	13
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	20.0		20	20	20	20	20	20	20
B. Operated										
65-69 YRS	29	11.0	294	1	1	5	14	22	26	92
70-74	12	11.2	472	2	2	4	8	34	73	79
75-79	11	4.6	11	1	1	4	8	9	10	10
80-84	8	12.3	335	2	2	6	9	43	57	57
85 +	9	6.4	31	1	1	5	8	15	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	8	2.8	7	1	1	2	3	7	9	9
2. MULTIPLE DX										
A. Not Operated	16	6.4	28	1	2	4	8	15	18	20
B. Operated	69	9.6	245	1	1	5	9	20	25	90
1. SINGLE DX	9	3.1	8	1	1	2	4	8	9	9
2. MULTIPLE DX	85	9.0	205	1	1	5	9	19	22	87
A. Not Operated	17	6.4	26	1	2	4	8	15	18	20
B. Operated	77	8.9	224	1	1	4	9	19	23	88
TOTAL										
65-69 YRS	41	8.8	219	1	1	4	8	21	23	92
70-74	17	9.8	335	2	2	4	7	15	57	79
75-79	15	5.1	15	1	1	4	8	10	12	13
80-84	11	10.0	253	1	1	6	9	29	55	57
85 +	10	7.8	46	1	1	6	10	19	20	20
GRAND TOTAL	**94**	**8.4**	**188**	**1**	**1**	**4**	**9**	**19**	**22**	**86**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	5	3.8	6	1	1	4	5	7	7	7
70-74	3	3.0	4	1	1	3	4	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	3.7	2	2	2	4	5	5	5	5
70-74	6	7.8	27	2	2	7	11	15	15	15
75-79	7	8.4	20	3	3	9	11	14	15	15
80-84	2	4.0	8	2	2	4	6	6	6	6
85 +	3	20.3	706	4	4	6	40	51	51	51
B. Operated										
65-69 YRS	14	5.9	67	1	1	3	7	30	82	99 +
70-74	8	10.6	53	2	3	8	16	22	23	23
75-79	2	10.5	1	10	10	10	11	11	11	11
80-84	5	2.4	3	1	1	2	3	5	5	5
85 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated	10	3.5	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	21	8.9	110	2	2	6	11	15	31	51
B. Operated	30	6.9	52	1	1	5	9	21	30	99 +
1. SINGLE DX	15	3.0	3	< 1	1	3	4	5	7	7
2. MULTIPLE DX	51	7.7	75	1	2	5	11	18	29	99
A. Not Operated	26	7.5	96	1	1	4	11	14	22	51
B. Operated	40	6.1	42	1	1	4	7	18	26	99 +
TOTAL										
65-69 YRS	22	5.1	44	1	1	4	5	20	54	99 +
70-74	19	7.7	39	1	1	5	11	17	21	23
75-79	12	7.3	20	1	2	8	11	12	15	15
80-84	8	2.6	4	< 1	< 1	2	4	6	6	6
85 +	5	14.2	426	3	3	6	18	51	51	51
GRAND TOTAL	**66**	**6.7**	**63**	**1**	**1**	**4**	**8**	**15**	**24**	**92**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	6	4.2	20	1	1	3	4	12	13	13
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	4.4	5	2	2	4	6	8	8	8
70-74	10	3.2	2	1	1	3	4	5	5	5
75-79	11	3.4	19	1	1	2	3	9	15	16
80-84	14	5.8	51	1	1	4	7	10	25	29
85 +	9	5.2	7	2	2	6	7	9	10	10
B. Operated										
65-69 YRS	7	5.1	30	< 1	< 1	4	5	15	17	17
70-74	5	5.0	21	2	2	4	6	13	13	13
75-79	7	5.6	14	1	1	5	8	11	12	12
80-84	2	10.0	32	6	6	10	14	14	14	14
85 +	4	6.5	46	1	1	5	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.1	15	1	1	2	5	11	13	13
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	51	4.5	20	1	1	3	6	8	10	29
B. Operated	25	5.8	23	< 1	1	4	9	14	15	17
1. SINGLE DX	10	3.8	15	1	1	2	4	10	13	13
2. MULTIPLE DX	76	4.9	21	1	1	4	6	10	15	26
A. Not Operated	60	4.4	19	1	1	3	6	8	11	28
B. Operated	26	5.7	23	< 1	1	4	9	14	15	17
TOTAL										
65-69 YRS	15	4.6	16	< 1	< 1	4	6	8	15	17
70-74	21	3.9	11	1	1	3	4	8	13	13
75-79	19	4.1	16	1	1	3	5	11	14	16
80-84	18	6.1	44	1	1	5	7	12	23	29
85 +	13	5.6	17	1	1	6	8	11	14	15
GRAND TOTAL	**86**	**4.8**	**21**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	45	2.8	4	1	1	2	4	7	7	8
70-74	49	2.8	4	< 1	1	2	4	5	6	12
75-79	48	3.5	8	1	1	3	5	8	9	12
80-84	51	3.4	14	1	1	2	5	8	13	17
85 +	65	3.7	11	< 1	1	3	5	8	9	18
B. Operated										
65-69 YRS	16	2.8	4	< 1	< 1	2	5	5	7	7
70-74	12	5.0	11	< 1	1	5	8	9	11	11
75-79	7	4.3	8	1	1	4	6	8	9	9
80-84	7	6.0	22	< 1	< 1	6	10	13	13	13
85 +	8	3.3	5	< 1	< 1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	490	4.3	12	1	1	3	5	8	12	18
70-74	580	5.0	33	1	1	4	6	10	12	22
75-79	671	6.0	44	1	1	4	7	12	17	38
80-84	784	6.1	38	1	2	4	7	13	17	41
85 +	1085	6.8	52	1	2	5	8	14	18	39
B. Operated										
65-69 YRS	101	7.2	53	1	1	5	10	17	25	66
70-74	99	9.2	113	1	2	6	11	17	24	68
75-79	123	10.7	169	1	1	6	13	25	36	67
80-84	92	11.0	161	1	2	7	13	27	36	93
85 +	117	10.3	160	1	2	6	13	25	34	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	3.3	9	1	1	2	4	7	8	16
B. Operated	50	4.1	10	< 1	< 1	3	6	8	11	13
2. MULTIPLE DX										
A. Not Operated	3610	5.9	40	1	1	4	7	12	16	33
B. Operated	532	9.7	134	1	1	6	12	22	31	84
1. SINGLE DX	308	3.4	9	< 1	1	2	5	7	9	15
2. MULTIPLE DX	4142	6.4	53	1	1	4	8	13	18	41
A. Not Operated	3868	5.7	38	1	1	4	7	11	15	32
B. Operated	582	9.2	126	1	1	6	11	21	30	83
TOTAL										
65-69 YRS	652	4.6	19	1	1	3	6	9	13	24
70-74	740	5.5	44	1	1	4	7	11	14	25
75-79	849	6.5	62	1	1	4	8	13	18	48
80-84	934	6.5	51	1	1	5	8	13	19	50
85 +	1275	6.9	61	1	2	5	8	14	20	45
GRAND TOTAL	**4450**	**6.2**	**51**	**1**	**1**	**4**	**7**	**12**	**17**	**40**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	3.5	13	1	1	3	6	6	6	6
70-74	1	20.0		20	20	20	20	20	20	20
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	10.5	85	4	4	10	17	17	17	17
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	2.5	1	< 1	< 1	3	3	3	3	3
70-74	4	8.0	35	2	2	8	13	14	14	14
75-79	5	7.8	55	1	1	5	14	18	18	18
80-84	3	3.3	2	2	2	3	4	5	5	5
85 +	4	9.5	108	3	3	5	15	25	25	25
B. Operated										
65-69 YRS	14	4.7	12	1	1	4	6	10	12	13
70-74	6	17.3	164	2	2	20	24	34	35	35
75-79	5	10.6	176	< 1	< 1	6	14	34	34	34
80-84	3	12.0	273	1	1	4	24	31	31	31
85 +	2	11.5	61	6	6	11	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0		2	2	2	2	2	2	2
B. Operated	6	8.3	66	1	1	5	17	20	20	20
2. MULTIPLE DX										
A. Not Operated	20	6.5	42	< 1	1	4	9	16	21	25
B. Operated	30	9.4	104	1	1	5	13	27	34	35
1. SINGLE DX	9	6.2	51	1	1	2	9	19	20	20
2. MULTIPLE DX	50	8.2	80	1	1	4	12	23	31	35
A. Not Operated	23	5.9	39	1	1	3	5	15	20	25
B. Operated	36	9.2	96	1	1	5	15	24	33	35
TOTAL										
65-69 YRS	22	4.0	9	< 1	1	3	5	9	11	13
70-74	12	13.2	119	2	2	13	21	27	34	35
75-79	11	8.5	99	< 1	1	5	11	24	33	34
80-84	8	8.4	109	1	1	4	11	27	31	31
85 +	6	10.2	78	3	3	6	17	24	25	25
GRAND TOTAL	**59**	**7.9**	**75**	**1**	**1**	**4**	**11**	**21**	**28**	**35**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**0**									

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	1.3		< 1	< 1	1	1	2	3	4
70-74	24	1.2		< 1	< 1	1	1	2	2	2
75-79	35	1.4	1	< 1	< 1	1	1	2	4	6
80-84	21	1.2		< 1	< 1	1	1	2	3	4
85 +	20	1.7	2	< 1	1	1	2	3	5	7
B. Operated										
65-69 YRS	9	3.9	22	< 1	< 1	1	5	12	15	15
70-74	10	2.5	3	1	1	2	4	5	5	5
75-79	8	1.5	1	< 1	< 1	1	2	3	3	3
80-84	9	2.8	6	< 1	< 1	2	3	7	9	9
85 +	3	1.7	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	117	3.1	25	1	1	2	3	7	10	28
70-74	158	3.4	14	1	1	2	4	8	10	21
75-79	142	3.9	16	< 1	1	2	5	10	14	17
80-84	112	5.6	66	1	1	3	6	11	20	82
85 +	140	3.9	10	1	1	3	5	9	11	15
B. Operated										
65-69 YRS	89	6.2	69	1	1	4	8	13	18	49
70-74	111	6.4	63	1	1	3	7	17	28	36
75-79	112	6.4	63	1	1	3	9	15	21	43
80-84	70	7.8	181	1	1	4	7	18	26	86
85 +	55	8.0	108	1	1	4	10	21	31	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	1.4	1	< 1	< 1	1	1	2	4	6
B. Operated	39	2.6	8	< 1	< 1	2	3	5	8	15
2. MULTIPLE DX										
A. Not Operated	669	3.9	25	1	1	2	5	9	11	23
B. Operated	437	6.8	88	1	1	4	7	16	25	45
1. SINGLE DX	167	1.6	3	< 1	< 1	1	2	3	4	9
2. MULTIPLE DX	1106	5.1	52	1	1	3	6	11	17	39
A. Not Operated	797	3.5	22	1	1	2	4	8	11	21
B. Operated	476	6.4	83	1	1	3	7	15	23	45
TOTAL										
65-69 YRS	243	4.1	41	< 1	1	2	5	9	14	42
70-74	303	4.3	33	1	1	2	5	9	16	32
75-79	297	4.5	34	< 1	1	2	5	12	15	31
80-84	212	5.8	98	1	1	3	6	11	22	80
85 +	218	4.7	38	1	1	3	5	10	14	36
GRAND TOTAL	**1273**	**4.6**	**47**	**1**	**1**	**2**	**5**	**10**	**15**	**34**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	14.0		14	14	14	14	14	14	14
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	1	73.0		73	73	73	73	73	73	73
B. Operated										
65-69 YRS	6	5.5	10	2	2	5	7	11	11	11
70-74	5	10.0	61	1	1	7	17	20	20	20
75-79	8	10.1	83	1	1	8	16	24	25	25
80-84	3	12.0	91	3	3	11	19	22	22	22
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	25	11.8	139	1	1	8	15	27	38	54
70-74	21	9.9	31	2	3	9	12	19	22	23
75-79	17	10.5	135	3	3	8	10	14	40	54
80-84	17	14.1	201	1	2	10	17	43	48	48
85 +	20	7.7	40	2	2	6	11	22	60	99 +
B. Operated										
65-69 YRS	72	22.9	340	3	4	18	40	52	66	99 +
70-74	58	15.7	133	2	4	15	21	35	52	99 +
75-79	44	25.3	441	4	5	19	36	65	79	99 +
80-84	44	22.9	370	4	6	17	34	54	71	99 +
85 +	29	28.1	324	2	3	26	41	52	62	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	24.0	1095	1	1	11	43	73	73	73
B. Operated	22	9.1	56	1	2	7	11	22	24	25
2. MULTIPLE DX										
A. Not Operated	100	10.7	106	1	3	8	13	22	39	77
B. Operated	247	22.3	324	3	4	18	33	52	65	99 +
1. SINGLE DX	26	11.4	208	1	1	7	14	23	35	73
2. MULTIPLE DX	347	18.9	288	3	4	14	25	49	61	99 +
A. Not Operated	104	11.3	141	1	3	8	13	23	47	85
B. Operated	269	21.2	315	3	4	17	29	50	64	99 +
TOTAL										
65-69 YRS	104	19.0	305	2	3	13	26	49	56	99 +
70-74	85	13.9	108	1	3	12	19	28	43	99 +
75-79	70	19.7	368	3	4	12	26	51	69	96
80-84	64	20.0	325	2	4	15	24	50	57	98
85 +	50	20.8	358	2	3	16	36	51	63	99 +
GRAND TOTAL	**373**	**18.4**	**285**	**2**	**3**	**14**	**24**	**49**	**59**	**99 +**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	8.3	32	< 1	< 1	8	12	16	17	17
70-74	4	6.3	29	1	1	5	10	13	13	13
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84	2	7.5	1	7	7	7	8	8	8	8
85 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	0									
70-74	2	5.5	13	3	3	5	8	8	8	8
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	67	8.3	64	2	2	6	10	19	25	42
70-74	66	10.2	81	1	2	8	13	18	31	44
75-79	43	9.6	62	1	2	7	14	20	28	30
80-84	44	9.2	83	1	2	7	12	16	18	58
85 +	41	13.3	276	2	3	6	15	34	43	87
B. Operated										
65-69 YRS	29	15.4	169	2	2	13	27	36	39	39
70-74	20	14.8	121	2	3	13	20	29	38	46
75-79	29	15.0	142	4	5	11	16	35	45	49
80-84	15	19.2	180	4	8	15	30	47	84	99 +
85 +	21	23.1	392	4	5	18	33	56	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	6.6	24	< 1	1	7	9	14	16	17
B. Operated	4	4.5	7	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	261	9.9	105	1	2	7	12	20	30	46
B. Operated	114	17.1	199	3	4	14	25	39	46	99 +
1. SINGLE DX	22	6.2	21	< 1	1	6	8	13	15	17
2. MULTIPLE DX	375	12.1	145	1	2	9	15	30	39	79
A. Not Operated	279	9.7	101	1	2	7	12	19	30	46
B. Operated	118	16.7	198	2	3	13	25	38	45	99 +
TOTAL										
65-69 YRS	104	10.3	100	1	2	6	14	27	33	42
70-74	92	10.9	90	1	2	9	14	23	31	46
75-79	76	11.4	98	1	2	9	15	26	31	48
80-84	61	11.6	121	1	2	10	15	21	45	95
85 +	64	16.2	328	2	3	9	26	38	56	99
GRAND TOTAL	**397**	**11.8**	**139**	**1**	**2**	**8**	**15**	**29**	**38**	**73**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	3	5.7	20	1	1	6	9	10	10	10
70-74	3	11.7	89	1	1	15	18	19	19	19
75-79	3	1.7	1	1	1	1	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	26	6.9	28	1	1	6	8	13	16	26
70-74	22	8.0	46	1	2	6	10	16	23	30
75-79	29	9.9	97	1	2	6	13	22	33	41
80-84	15	6.8	62	1	1	5	8	11	27	33
85 +	21	11.0	114	2	3	9	12	21	36	51
B. Operated										
65-69 YRS	20	6.7	35	1	1	6	9	21	57	99 +
70-74	16	14.0	492	1	1	5	9	49	71	79
75-79	16	6.8	54	1	1	4	10	16	24	28
80-84	7	19.3	79	2	5	20	25	29	30	30
85 +	4	13.3	58	3	3	14	18	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	1	1	1	2	3	3	3	3
B. Operated	9	6.3	47	1	1	3	11	17	19	19
2. MULTIPLE DX										
A. Not Operated	113	8.6	70	1	2	6	11	19	26	45
B. Operated	63	10.4	174	1	2	6	15	26	40	97
1. SINGLE DX	13	5.0	36	1	1	2	7	16	18	19
2. MULTIPLE DX	176	9.3	107	1	2	6	12	21	30	71
A. Not Operated	117	8.4	69	1	2	6	10	18	25	44
B. Operated	72	9.9	159	1	1	6	14	23	35	95
TOTAL										
65-69 YRS	50	6.6	29	1	1	6	9	13	22	99
70-74	42	10.4	218	1	1	6	10	22	42	79
75-79	49	8.2	79	1	1	5	11	21	28	41
80-84	23	10.4	98	1	2	6	19	27	31	33
85 +	25	11.4	103	2	3	9	14	21	30	51
GRAND TOTAL	**189**	**9.0**	**103**	**1**	**1**	**6**	**11**	**21**	**30**	**68**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	3.5	5	< 1	< 1	3	6	7	7	7
70-74	13	3.2	4	< 1	< 1	3	5	6	7	7
75-79	12	2.4	2	1	1	2	4	4	4	4
80-84	9	4.8	7	1	2	4	6	9	10	10
85 +	11	3.9	14	1	1	3	5	9	14	14
B. Operated										
65-69 YRS	9	4.6	11	1	1	4	5	10	12	12
70-74	4	4.8	15	1	1	4	8	9	9	9
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	119	4.8	13	1	1	4	7	10	12	17
70-74	131	6.1	26	1	2	4	7	14	19	23
75-79	146	6.4	21	1	2	5	8	13	16	23
80-84	138	6.8	24	1	2	6	9	13	16	24
85 +	162	8.9	91	1	2	6	10	19	24	45
B. Operated										
65-69 YRS	57	10.3	69	1	2	8	13	23	27	43
70-74	56	13.1	120	2	2	9	17	29	37	47
75-79	59	15.8	350	2	2	10	19	36	65	92
80-84	37	14.2	296	2	3	9	14	42	74	99 +
85 +	36	14.8	171	2	2	10	22	34	37	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	3.5	6	< 1	1	3	5	6	7	14
B. Operated	16	4.1	10	1	1	3	6	9	11	12
2. MULTIPLE DX										
A. Not Operated	696	6.7	39	1	2	5	8	13	19	30
B. Operated	245	13.5	198	2	2	9	17	30	41	92
1. SINGLE DX	72	3.6	7	1	1	3	5	7	9	14
2. MULTIPLE DX	941	8.5	89	1	2	6	10	18	24	46
A. Not Operated	752	6.5	37	1	2	5	8	13	18	28
B. Operated	261	12.9	192	2	2	9	16	29	39	90
TOTAL										
65-69 YRS	196	6.3	35	1	1	5	8	13	18	28
70-74	204	7.8	61	1	2	5	10	18	22	41
75-79	219	8.6	127	1	2	5	10	17	26	72
80-84	184	8.2	86	1	2	6	10	15	22	76
85 +	210	9.6	107	1	2	6	11	21	32	50
GRAND TOTAL	**1013**	**8.1**	**85**	**1**	**2**	**5**	**10**	**17**	**24**	**46**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	1.8	2	< 1	< 1	1	2	3	5	7
70-74	29	3.4	5	< 1	< 1	3	6	7	7	9
75-79	25	2.4	3	< 1	< 1	2	3	5	6	8
80-84	12	3.3	5	1	1	3	4	6	9	9
85 +	21	3.4	6	1	1	3	4	6	9	12
B. Operated										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	0									
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	725	5.5	47	1	1	4	6	11	15	36
70-74	696	6.2	72	1	1	4	7	11	17	53
75-79	708	5.5	22	1	2	4	7	11	14	24
80-84	556	6.0	27	1	2	4	7	11	15	28
85 +	466	5.9	37	1	1	4	7	11	15	34
B. Operated										
65-69 YRS	82	11.5	119	1	2	8	14	25	38	52
70-74	60	14.8	213	2	3	10	19	41	54	97
75-79	57	13.8	178	2	3	11	18	30	69	99 +
80-84	45	13.0	147	3	4	9	16	34	40	57
85 +	33	15.0	186	2	3	10	24	44	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	2.9	5	< 1	1	2	4	6	7	10
B. Operated	4	4.0	13	< 1	< 1	3	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	3151	5.8	42	1	1	4	7	11	15	32
B. Operated	277	13.3	163	2	3	10	17	30	49	99 +
1. SINGLE DX	111	2.9	5	< 1	< 1	2	4	6	7	10
2. MULTIPLE DX	3428	6.4	56	1	1	4	7	13	18	43
A. Not Operated	3258	5.7	41	1	1	4	7	11	15	31
B. Operated	281	13.2	162	2	3	9	17	30	49	99 +
TOTAL										
65-69 YRS	828	6.0	56	1	1	4	7	12	17	40
70-74	785	6.7	86	1	1	4	7	13	19	58
75-79	790	6.0	37	1	2	4	7	12	17	33
80-84	614	6.4	38	1	2	5	8	12	17	34
85 +	522	6.3	50	1	1	4	8	12	18	43
GRAND TOTAL	**3539**	**6.3**	**55**	**1**	**1**	**4**	**7**	**12**	**18**	**43**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	39	1.9	2	1	1	1	2	4	5	6
70-74	25	1.5	1	< 1	1	1	2	3	3	4
75-79	15	1.3		< 1	1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85 +	5	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	1	11.0		11	11	11	11	11	11	11
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	163	3.6	14	1	1	2	4	8	11	18
70-74	128	4.1	29	1	1	3	5	7	8	40
75-79	98	4.0	13	1	1	2	5	10	12	17
80-84	76	5.0	44	1	1	3	7	10	12	42
85 +	42	5.0	25	< 1	1	4	6	9	17	24
B. Operated										
65-69 YRS	18	8.8	125	< 1	1	6	14	37	75	99 +
70-74	19	15.0	261	< 1	1	11	28	49	78	99 +
75-79	8	20.8	225	4	5	18	32	43	44	44
80-84	5	14.8	243	3	3	12	21	41	41	41
85 +	6	18.5	409	8	8	9	18	55	59	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	1.6	1	< 1	1	1	2	3	4	6
B. Operated	2	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	507	4.1	23	1	1	3	5	9	11	25
B. Operated	56	14.2	225	1	1	9	22	44	58	99 +
1. SINGLE DX	87	1.8	3	< 1	1	1	2	4	5	11
2. MULTIPLE DX	563	5.1	52	1	1	3	6	11	17	45
A. Not Operated	592	3.8	21	1	1	2	5	8	11	23
B. Operated	58	14.1	218	1	1	9	20	43	57	99 +
TOTAL										
65-69 YRS	221	3.8	23	1	1	2	4	9	12	31
70-74	173	4.9	63	1	1	3	5	8	19	53
75-79	121	4.8	43	1	1	2	5	11	14	41
80-84	82	5.5	58	1	1	3	7	11	17	44
85 +	53	6.2	80	< 1	1	4	8	11	19	58
GRAND TOTAL	**650**	**4.7**	**47**	**1**	**1**	**2**	**5**	**10**	**15**	**44**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	45	2.5	3	< 1	1	2	3	4	6	9
70-74	36	2.6	3	1	1	2	3	6	7	8
75-79	42	3.0	6	< 1	1	2	4	7	9	10
80-84	31	2.6	6	1	1	2	3	5	9	11
85 +	25	2.8	5	1	1	2	3	6	8	10
B. Operated										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	2	10.0	32	6	6	10	14	14	14	14
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	623	4.8	22	1	1	4	6	10	13	23
70-74	636	5.5	36	1	1	4	7	11	14	34
75-79	598	5.9	32	1	2	5	7	12	15	26
80-84	561	6.[illegible]	35	1	2	5	7	11	16	34
85 +	502	7.2	74	2	2	5	8	12	18	53
B. Operated										
65-69 YRS	104	8.0	92	1	1	5	10	18	26	46
70-74	106	9.2	108	1	1	6	11	22	30	54
75-79	85	11.7	188	1	1	8	13	31	42	63
80-84	60	14.7	372	1	1	7	19	43	58	95
85 +	47	12.7	186	1	2	9	16	27	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	2.7	4	1	1	2	3	6	8	10
B. Operated	5	6.8	23	1	1	6	9	14	14	14
2. MULTIPLE DX										
A. Not Operated	2920	5.8	39	1	1	4	7	11	15	33
B. Operated	402	10.6	173	1	1	7	13	25	41	65
1. SINGLE DX	184	2.8	5	1	1	2	4	6	8	11
2. MULTIPLE DX	3322	6.4	58	1	1	4	8	12	19	44
A. Not Operated	3099	5.7	38	1	1	4	7	11	15	32
B. Operated	407	10.6	171	1	1	7	13	25	41	65
TOTAL										
65-69 YRS	773	5.1	32	1	1	4	6	10	15	27
70-74	780	5.9	47	1	1	4	7	12	16	36
75-79	727	6.4	53	1	1	5	8	12	19	42
80-84	652	6.7	71	1	2	4	7	13	21	52
85 +	574	7.5	84	1	2	5	9	14	20	68
GRAND TOTAL	**3506**	**6.2**	**56**	**1**	**1**	**4**	**7**	**12**	**18**	**43**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	41	5.5	28	1	1	3	8	12	13	28
70-74	36	5.3	31	< 1	< 1	4	6	11	17	29
75-79	38	4.6	25	< 1	1	3	7	9	11	28
80-84	14	5.1	31	< 1	1	3	6	15	19	20
85 +	26	5.6	19	< 1	< 1	5	8	13	14	15
B. Operated										
65-69 YRS	636	6.9	39	1	1	5	10	14	17	29
70-74	630	6.3	30	1	1	5	9	13	16	26
75-79	545	6.4	30	1	1	5	9	14	16	24
80-84	406	6.2	47	1	1	4	9	14	16	29
85 +	303	5.1	33	1	1	3	7	13	16	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	398	7.1	51	1	2	5	9	14	20	40
70-74	372	6.8	40	1	1	5	9	14	19	31
75-79	388	6.6	59	1	1	5	8	13	18	51
80-84	326	8.3	71	1	2	6	10	16	24	43
85 +	294	7.7	53	1	2	6	10	15	24	42
B. Operated										
65-69 YRS	3821	9.6	100	1	1	7	13	21	28	53
70-74	3649	10.3	120	1	1	8	13	22	32	57
75-79	3099	10.1	117	1	2	7	13	22	30	62
80-84	1992	10.1	106	1	2	7	13	21	29	53
85 +	1411	9.7	111	1	2	7	13	21	29	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	5.2	26	< 1	1	4	7	11	14	28
B. Operated	2520	6.3	36	1	1	4	9	14	16	27
2. MULTIPLE DX										
A. Not Operated	1778	7.2	55	1	1	5	9	14	20	42
B. Operated	13972	10.0	111	1	2	7	13	21	30	56
1. SINGLE DX	2675	6.2	35	1	1	4	9	13	16	27
2. MULTIPLE DX	15750	9.7	106	1	2	7	12	21	29	55
A. Not Operated	1933	7.1	53	1	1	5	9	14	20	41
B. Operated	16492	9.4	101	1	1	7	12	20	28	53
TOTAL										
65-69 YRS	4896	9.0	89	1	1	7	12	19	26	49
70-74	4687	9.4	104	1	1	7	12	20	28	53
75-79	4070	9.2	101	1	1	6	12	20	27	57
80-84	2738	9.3	95	1	1	7	12	19	27	49
85 +	2034	8.7	93	1	1	6	12	19	27	51
GRAND TOTAL	**18425**	**9.2**	**97**	**1**	**1**	**7**	**12**	**19**	**27**	**52**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	149	2.9	6	1	1	3	4	5	7	14
70-74	118	3.1	3	1	1	3	4	5	6	8
75-79	106	2.8	4	1	1	2	3	5	6	11
80-84	62	3.4	4	1	1	3	4	6	7	11
85 +	40	3.3	8	1	1	2	4	7	10	13
B. Operated										
65-69 YRS	72	3.2	8	1	1	2	4	8	9	16
70-74	60	3.1	4	1	1	3	4	6	7	11
75-79	47	3.1	15	1	1	2	4	5	9	26
80-84	27	3.0	3	1	1	2	4	5	6	7
85 +	10	10.0	100	1	1	6	16	27	28	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	366	3.6	7	1	1	3	4	6	8	14
70-74	383	4.0	11	1	1	3	5	8	10	15
75-79	340	4.0	8	1	1	3	5	8	10	16
80-84	188	4.7	30	1	1	3	6	8	11	20
85 +	120	4.2	9	1	2	3	5	7	8	17
B. Operated										
65-69 YRS	480	4.3	37	1	1	2	5	11	15	29
70-74	520	4.6	34	1	1	3	6	11	15	31
75-79	423	4.8	36	1	1	3	6	11	16	29
80-84	248	5.3	57	1	1	3	6	12	15	49
85 +	142	4.8	83	1	1	2	5	8	13	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	3.0	5	1	1	3	4	5	7	11
B. Operated	216	3.5	14	1	1	2	4	6	9	26
2. MULTIPLE DX										
A. Not Operated	1397	4.0	12	1	1	3	5	7	10	16
B. Operated	1813	4.7	42	1	1	2	5	11	15	36
1. SINGLE DX	691	3.2	7	1	1	3	4	6	8	14
2. MULTIPLE DX	3210	4.4	29	1	1	3	5	9	13	27
A. Not Operated	1872	3.8	10	1	1	3	4	7	9	15
B. Operated	2029	4.6	39	1	1	2	5	10	15	31
TOTAL										
65-69 YRS	1067	3.8	20	1	1	3	4	8	11	22
70-74	1081	4.1	21	1	1	3	5	8	12	25
75-79	916	4.2	22	1	1	3	5	9	11	24
80-84	525	4.7	39	1	1	3	5	9	13	38
85 +	312	4.5	46	1	1	3	5	8	13	32
GRAND TOTAL	**3901**	**4.2**	**25**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	61	6.2	14	2	2	5	7	12	14	19
70-74	59	6.2	28	1	2	5	7	11	14	35
75-79	41	6.9	17	1	2	7	9	12	16	19
80-84	11	7.1	61	2	2	5	7	16	29	30
85 +	13	5.5	5	2	2	6	7	8	9	9
B. Operated										
65-69 YRS	57	6.7	34	1	1	5	10	14	18	29
70-74	45	9.0	70	1	2	7	11	19	24	47
75-79	25	7.6	51	1	1	6	10	17	23	32
80-84	17	11.3	120	1	4	7	13	30	39	43
85 +	8	8.4	14	2	3	9	11	12	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	347	8.2	51	2	3	6	10	15	18	37
70-74	367	8.4	44	2	3	7	10	16	20	37
75-79	260	8.7	67	2	3	6	11	17	23	44
80-84	147	7.7	25	2	3	7	10	13	18	27
85 +	111	9.3	64	2	3	8	11	16	20	50
B. Operated										
65-69 YRS	578	15.5	176	2	4	11	20	34	44	73
70-74	473	15.2	197	2	3	11	20	34	45	93
75-79	327	15.4	187	3	4	12	20	30	41	89
80-84	192	16.7	226	3	4	12	21	37	50	86
85 +	115	15.1	193	3	5	11	19	29	44	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	6.3	21	2	2	5	7	11	15	26
B. Operated	152	8.1	57	1	1	6	11	16	22	43
2. MULTIPLE DX										
A. Not Operated	1232	8.4	50	2	3	7	10	15	20	37
B. Operated	1685	15.5	191	2	4	11	20	34	44	86
1. SINGLE DX	337	7.2	38	1	2	6	9	13	18	34
2. MULTIPLE DX	2917	12.5	144	2	3	9	15	27	37	71
A. Not Operated	1417	8.1	47	2	3	6	10	15	19	37
B. Operated	1837	14.9	184	2	3	11	19	33	43	85
TOTAL										
65-69 YRS	1043	12.0	132	2	3	8	15	27	37	65
70-74	944	11.7	133	2	3	8	14	26	37	69
75-79	653	11.9	136	2	3	9	15	24	32	78
80-84	367	12.6	154	2	3	8	14	29	40	64
85 +	247	11.8	129	2	3	9	14	24	34	75
GRAND TOTAL	**3254**	**12.0**	**135**	**2**	**3**	**8**	**15**	**26**	**36**	**69**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	55	3.6	4	1	2	3	5	7	8	8
70-74	43	5.8	33	1	2	4	7	12	15	34
75-79	30	4.5	134	< 1	1	2	4	7	7	65
80-84	20	4.0	9	1	1	3	5	9	10	11
85 +	17	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated										
65-69 YRS	109	4.9	17	1	1	4	6	10	11	21
70-74	79	5.4	72	1	1	3	7	11	16	56
75-79	64	5.3	14	< 1	1	5	7	10	11	17
80-84	45	7.1	83	< 1	< 1	4	10	14	19	54
85 +	24	5.0	16	< 1	1	4	7	12	13	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	685	5.6	33	1	1	4	7	11	14	27
70-74	611	5.8	27	1	1	4	7	11	15	26
75-79	465	5.8	30	1	1	5	7	11	14	29
80-84	316	6.6	44	1	1	5	8	12	17	39
85 +	217	7.6	59	1	2	5	9	15	23	42
B. Operated										
65-69 YRS	1642	7.5	101	1	1	4	9	18	27	52
70-74	1433	7.8	89	1	1	4	10	19	28	45
75-79	1134	7.9	106	1	1	4	10	19	29	50
80-84	658	8.5	117	1	1	5	11	20	29	51
85 +	430	7.4	73	1	1	4	11	18	26	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	4.2	36	1	1	3	5	8	10	31
B. Operated	321	5.4	39	< 1	1	4	7	11	14	30
2. MULTIPLE DX										
A. Not Operated	2294	6.0	35	1	1	5	8	12	15	29
B. Operated	5297	7.8	99	1	1	4	10	19	28	50
1. SINGLE DX	486	5.0	38	1	1	3	6	10	14	30
2. MULTIPLE DX	7591	7.2	80	1	1	4	9	16	24	47
A. Not Operated	2459	5.9	35	1	1	4	8	11	15	29
B. Operated	5618	7.6	95	1	1	4	10	[illegible]	27	50
TOTAL										
65-69 YRS	2491	6.8	77	1	1	4	8	15	23	48
70-74	2166	7.1	71	1	1	4	9	16	24	41
75-79	1693	7.2	83	1	1	4	9	16	24	47
80-84	1039	7.8	92	1	1	5	9	17	25	50
85 +	688	7.3	65	1	1	5	10	17	24	45
GRAND TOTAL	**8077**	**7.1**	**78**	**1**	**1**	**4**	**9**	**16**	**24**	**46**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	4.8	14	1	1	5	8	8	8	8
70-74	1	7.0		7	7	7	7	7	7	7
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84	2	7.5	85	1	1	7	14	14	14	14
85 +	2	8.5	85	2	2	8	15	15	15	15
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	66	5.6	66	1	1	3	7	11	14	56
70-74	64	4.8	26	1	1	3	6	12	18	22
75-79	44	3.7	21	1	1	3	5	6	9	30
80-84	47	5.3	20	1	1	4	8	13	14	21
85 +	31	5.0	46	1	1	3	6	11	12	37
B. Operated										
65-69 YRS	26	11.4	238	1	2	6	8	29	44	72
70-74	20	9.8	293	1	1	5	8	20	52	78
75-79	18	9.1	97	1	1	8	10	14	33	45
80-84	8	4.8	4	3	3	4	6	8	8	8
85 +	5	15.4	121	3	3	17	22	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.6	24	1	1	3	8	14	15	15
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	252	4.9	37	1	1	3	6	10	14	30
B. Operated	77	10.0	186	1	2	6	10	24	35	76
1. SINGLE DX	13	5.5	22	1	1	4	8	14	15	15
2. MULTIPLE DX	329	6.1	76	1	1	4	7	12	19	49
A. Not Operated	264	5.0	36	1	1	3	6	11	14	29
B. Operated	78	9.9	183	1	2	6	10	24	35	76
TOTAL										
65-69 YRS	97	7.1	114	1	1	4	7	13	24	67
70-74	85	6.0	90	1	1	4	7	12	19	60
75-79	65	5.1	46	1	1	3	6	10	13	43
80-84	57	5.3	18	1	1	4	7	13	14	21
85 +	38	6.5	65	1	1	3	8	16	26	37
GRAND TOTAL	**342**	**6.1**	**74**	**1**	**1**	**4**	**7**	**12**	**19**	**46**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**1**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**<1**	**<1**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499		CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility								
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499			CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility							
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.7	4	1	1	2	4	5	5	5
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	92	2.4	4	< 1	< 1	2	3	4	5	14
70-74	62	2.2	3	< 1	< 1	2	3	4	5	12
75-79	49	2.5	4	< 1	< 1	2	3	5	7	10
80-84	42	3.0	6	< 1	1	2	4	6	8	12
85 +	20	4.1	10	< 1	< 1	3	5	9	11	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	2.0	1	1	1	2	3	3	3	3
70-74	2	4.5	25	< 1	< 1	4	8	8	8	8
75-79	4	10.5	313	< 1	< 1	2	20	37	37	37
80-84	3	4.3	33	< 1	< 1	1	8	11	11	11
85 +	4	26.5	600	2	2	27	47	50	50	50
B. Operated										
65-69 YRS	82	4.0	19	< 1	1	2	4	10	13	23
70-74	74	3.9	13	1	1	3	5	8	13	16
75-79	52	4.4	23	< 1	1	3	4	9	17	25
80-84	45	4.9	41	< 1	1	3	5	9	16	40
85 +	26	7.6	55	2	2	6	8	15	22	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.3	3	1	1	3	5	6	6	6
B. Operated	265	2.6	5	< 1	< 1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	16	11.0	284	< 1	< 1	2	10	44	48	50
B. Operated	279	4.5	26	< 1	1	3	6	10	15	26
1. SINGLE DX	271	2.6	5	< 1	< 1	2	3	5	7	12
2. MULTIPLE DX	295	4.9	41	< 1	1	3	6	10	15	39
A. Not Operated	22	8.9	216	< 1	< 1	3	8	39	47	50
B. Operated	544	3.6	16	< 1	1	2	4	8	11	18
TOTAL										
65-69 YRS	180	3.1	11	< 1	< 1	2	3	7	10	17
70-74	140	3.2	9	< 1	1	2	3	7	9	15
75-79	106	3.7	25	< 1	< 1	2	4	7	11	30
80-84	90	4.0	25	< 1	1	2	5	8	11	31
85 +	50	7.7	103	< 1	2	4	8	14	37	50
GRAND TOTAL	**566**	**3.8**	**25**	**< 1**	**1**	**2**	**4**	**8**	**11**	**26**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	26	3.3	32	1	1	2	2	7	12	30
70-74	31	2.1	8	1	1	2	2	2	6	16
75-79	41	1.9		1	1	2	2	2	2	4
80-84	11	1.1		1	1	1	1	2	2	2
85 +	0									
B. Operated										
65-69 YRS	71	6.4	58	1	1	3	8	15	23	40
70-74	55	6.5	56	1	1	4	8	13	25	39
75-79	58	5.3	34	1	1	3	6	12	20	28
80-84	15	9.5	148	< 1	1	4	16	42	83	99 +
85 +	4	16.0	122	5	5	16	25	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	109	2.2	10	1	1	2	2	2	4	22
B. Operated	203	6.5	59	1	1	4	8	16	26	43
1. SINGLE DX	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX	312	5.0	46	1	1	2	5	12	20	41
A. Not Operated	109	2.2	10	1	1	2	2	2	4	22
B. Operated	206	6.5	59	1	1	3	8	16	26	43
TOTAL										
65-69 YRS	97	5.6	52	1	1	3	6	14	21	37
70-74	88	4.9	42	1	1	2	5	11	16	36
75-79	100	3.9	23	1	1	2	4	8	15	26
80-84	26	5.9	101	< 1	1	2	5	25	52	99 +
85 +	4	16.0	122	5	5	16	25	26	26	26
GRAND TOTAL	**315**	**5.0**	**46**	**1**	**1**	**2**	**5**	**12**	**20**	**41**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	260	3.0	38	< 1	< 1	1	3	5	6	45
70-74	201	3.3	35	< 1	< 1	2	3	6	13	29
75-79	152	3.9	31	< 1	< 1	2	4	11	14	23
80-84	92	6.7	117	< 1	1	2	8	20	28	60
85 +	110	8.1	126	< 1	1	3	11	31	41	99 +
B. Operated										
65-69 YRS	175	4.9	16	< 1	< 1	3	8	10	12	15
70-74	158	5.1	24	< 1	< 1	4	8	11	14	21
75-79	111	5.7	18	< 1	1	6	9	11	12	18
80-84	48	5.5	42	< 1	< 1	4	8	10	11	41
85 +	26	4.3	20	< 1	< 1	2	8	12	13	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11401	4.9	63	1	1	2	5	10	21	43
70-74	9295	6.0	83	1	1	3	5	15	25	48
75-79	5939	8.1	121	1	1	4	9	23	32	53
80-84	2978	10.8	154	1	1	5	15	28	36	58
85 +	1858	12.8	174	1	1	9	18	30	39	79
B. Operated										
65-69 YRS	2862	6.9	97	1	1	4	8	14	24	53
70-74	2375	7.6	108	1	1	4	9	16	28	58
75-79	1707	8.3	131	1	1	4	9	20	34	65
80-84	851	9.1	141	1	1	5	11	23	37	69
85 +	484	9.4	142	1	1	5	12	26	33	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	815	4.3	60	< 1	< 1	2	4	11	18	49
B. Operated	518	5.2	22	< 1	< 1	4	8	11	13	18
2. MULTIPLE DX										
A. Not Operated	31471	6.9	100	1	1	3	6	19	29	51
B. Operated	8279	7.8	115	1	1	4	9	17	29	60
1. SINGLE DX	1333	4.7	45	< 1	< 1	2	6	11	14	41
2. MULTIPLE DX	39750	7.1	104	1	1	3	7	19	29	53
A. Not Operated	32286	6.8	99	1	1	3	6	19	29	51
B. Operated	8797	7.6	110	1	1	4	9	17	28	59
TOTAL										
65-69 YRS	14698	5.3	69	1	1	3	5	11	22	44
70-74	12029	6.2	87	1	1	3	6	15	25	49
75-79	7909	8.1	121	1	1	4	9	22	32	55
80-84	3969	10.3	150	1	1	5	14	26	36	58
85 +	2478	11.8	167	1	1	8	17	30	38	79
GRAND TOTAL	**41083**	**7.0**	**102**	**1**	**1**	**3**	**7**	**18**	**29**	**52**

Length of Stay Tables
Operation Groups

1,178 Hospitals, United States, January-December 1987, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	35859	4.8	19	1	1	4	7	10	12	19
70-74	29595	5.1	22	1	1	4	7	11	13	21
75-79	21368	5.5	24	< 1	1	4	8	11	14	21
80-84	12751	6.0	31	< 1	1	4	8	12	16	26
85 +	9192	6.6	37	1	1	5	9	14	17	28
2. MULTIPLE DX										
65-69 YRS	249442	8.5	73	1	2	6	10	17	23	47
70-74	250378	9.0	79	1	2	7	11	18	25	50
75-79	220871	9.7	87	2	2	7	12	19	27	53
80-84	161109	10.3	96	2	3	8	13	21	28	58
85 +	136656	11.0	104	2	3	8	14	22	30	65
TOTAL SINGLE DX	108765	5.3	24	1	1	4	7	11	14	22
TOTAL MULTIPLE DX	1018456	9.5	86	1	2	7	12	19	26	53
TOTAL										
65-69 YRS	285301	8.0	68	1	2	6	10	16	22	45
70-74	279973	8.6	74	1	2	6	11	17	24	48
75-79	242239	9.3	83	1	2	7	12	18	26	51
80-84	173860	10.0	93	2	2	7	12	20	28	56
85 +	145848	10.7	101	2	3	8	13	21	29	63
GRAND TOTAL	**1127221**	**9.1**	**82**	**1**	**2**	**7**	**11**	**18**	**25**	**51**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	150	9.5	33	2	4	8	13	15	19	33
70-74	110	9.2	24	2	4	9	12	15	21	25
75-79	78	10.8	43	2	4	9	14	20	21	36
80-84	58	11.5	60	2	4	9	14	23	26	34
85 +	38	13.3	87	2	4	11	17	24	36	43
2. MULTIPLE DX										
65-69 YRS	627	18.4	218	5	7	14	23	41	57	99 +
70-74	621	18.8	189	5	6	15	23	38	51	99
75-79	492	20.2	232	5	7	16	25	43	55	96
80-84	315	19.5	208	5	7	15	24	39	54	91
85 +	179	21.4	236	6	8	17	27	48	55	95
TOTAL SINGLE DX	434	10.3	43	2	4	9	13	19	22	35
TOTAL MULTIPLE DX	2234	19.3	214	5	7	15	24	41	55	99 +
TOTAL										
65-69 YRS	777	16.7	195	4	6	13	20	37	52	99 +
70-74	731	17.3	176	4	6	14	22	36	47	89
75-79	570	18.9	217	4	6	15	23	42	53	90
80-84	373	18.2	194	4	6	15	23	35	52	87
85 +	217	19.9	219	5	7	16	25	43	54	89
GRAND TOTAL	**2668**	**17.8**	**197**	**4**	**6**	**14**	**22**	**38**	**51**	**92**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	37	9.6	17	4	5	9	11	16	19	20
70-74	27	7.9	24	2	2	8	10	13	20	24
75-79	14	9.6	28	2	3	8	14	18	20	20
80-84	14	10.1	45	4	4	8	12	19	27	29
85 +	10	10.7	61	2	4	9	12	22	31	31
2. MULTIPLE DX										
65-69 YRS	129	18.7	221	5	6	13	26	41	57	99 +
70-74	126	19.7	285	4	6	15	23	41	65	97
75-79	101	18.2	200	5	6	14	25	35	66	99 +
80-84	59	20.1	199	5	6	17	26	41	50	61
85 +	76	19.8	194	5	7	17	25	44	54	92
TOTAL SINGLE DX	102	9.3	28	3	4	8	11	17	19	30
TOTAL MULTIPLE DX	491	19.2	225	5	6	15	25	40	55	99 +
TOTAL										
65-69 YRS	166	16.7	190	5	6	12	20	36	49	96
70-74	153	17.6	259	3	5	12	22	38	52	95
75-79	115	17.2	187	4	6	13	23	34	57	99 +
80-84	73	18.2	185	4	5	13	24	38	44	61
85 +	86	18.8	187	5	7	14	24	39	54	89
GRAND TOTAL	**593**	**17.5**	**205**	**4**	**6**	**13**	**23**	**37**	**50**	**98**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	9	5.3	14	1	2	4	8	11	12	12
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	3	6.0	19	3	3	4	9	11	11	11
80-84	2	4.5	1	4	4	4	5	5	5	5
85 +	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	26	11.8	161	2	3	7	12	33	46	50
70-74	5	14.4	226	5	5	6	22	40	40	40
75-79	8	7.3	18	< 1	1	7	8	14	16	16
80-84	2	48.0	4050	3	3	48	93	93	93	93
85 +	2	6.0	2	5	5	6	7	7	7	7
TOTAL SINGLE DX	18	5.0	10	1	2	4	5	11	12	12
TOTAL MULTIPLE DX	43	12.7	285	2	3	7	11	35	47	93
TOTAL										
65-69 YRS	35	10.1	130	1	3	6	10	23	42	50
70-74	7	11.0	185	2	2	5	13	35	40	40
75-79	11	6.9	17	< 1	2	7	9	13	16	16
80-84	4	26.3	1981	3	3	4	49	93	93	93
85 +	4	5.5	1	5	5	5	6	7	7	7
GRAND TOTAL	**61**	**10.4**	**215**	**2**	**3**	**6**	**9**	**20**	**42**	**88**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	13	6.5	19	< 1	1	6	8	11	17	18
70-74	30	7.5	17	3	4	7	8	11	15	24
75-79	20	9.5	21	3	4	8	12	16	18	19
80-84	9	9.3	42	4	4	7	13	20	22	22
85 +	3	22.3	752	6	6	7	42	54	54	54
2. MULTIPLE DX										
65-69 YRS	130	15.0	97	3	6	12	20	25	37	69
70-74	166	18.6	268	4	5	13	23	38	60	85
75-79	130	19.6	277	4	5	16	26	53	69	99 +
80-84	66	20.0	211	5	7	18	26	43	60	99 +
85 +	26	20.6	193	6	9	17	30	39	49	62
TOTAL SINGLE DX	75	8.6	49	2	4	7	9	16	19	46
TOTAL MULTIPLE DX	518	18.2	219	4	6	14	23	38	58	99 +
TOTAL										
65-69 YRS	143	14.3	96	3	5	12	19	24	36	64
70-74	196	16.9	246	4	5	11	21	36	58	82
75-79	150	18.3	255	4	5	14	23	48	67	99 +
80-84	75	18.7	203	4	5	15	25	41	57	99 +
85 +	29	20.8	227	6	7	16	31	43	54	62
GRAND TOTAL	**593**	**17.0**	**208**	**4**	**5**	**12**	**21**	**36**	**56**	**99 +**

1,178 Hospitals, United States, January-December 1987, by Operation

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	30TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	9	10.2	69	2	2	7	13	23	29	29
70-74	11	4.6	9	1	1	3	8	9	9	9
75-79	8	12.5	50	3	4	12	18	23	23	23
80-84	8	7.6	41	1	2	5	10	19	21	21
85 +	3	8.7	64	1	1	8	15	17	17	17
2. MULTIPLE DX										
65-69 YRS	94	16.8	295	2	3	12	20	37	51	99
70-74	96	18.2	290	3	4	13	26	46	63	99 +
75-79	64	21.1	289	4	5	16	33	44	54	74
80-84	34	13.9	80	4	5	12	21	29	34	99 +
85 +	19	14.7	149	2	3	14	20	41	74	99 +
TOTAL SINGLE DX	39	8.5	46	1	1	7	12	19	23	29
TOTAL MULTIPLE DX	307	17.7	262	3	4	13	23	41	56	99 +
TOTAL										
65-69 YRS	103	16.2	279	2	3	12	20	36	50	98
70-74	107	16.8	278	2	3	10	25	44	58	99 +
75-79	72	20.2	269	4	5	14	27	43	50	74
80-84	42	12.7	78	3	4	10	19	28	34	99 +
85 +	22	13.9	139	1	2	13	19	37	66	99 +
GRAND TOTAL	**346**	**16.6**	**246**	**2**	**3**	**12**	**22**	**39**	**51**	**99 +**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	372	7.4	14	3	4	7	9	12	14	21
70-74	291	8.1	16	3	4	7	10	14	17	22
75-79	180	8.4	17	3	4	8	10	13	16	25
80-84	73	9.5	19	4	4	9	11	14	20	24
85 +	19	12.7	33	5	6	11	16	20	24	27
2. MULTIPLE DX										
65-69 YRS	1213	10.8	68	4	5	8	12	18	26	48
70-74	1168	11.9	79	4	5	9	14	22	29	52
75-79	883	13.3	109	5	6	10	15	24	35	65
80-84	316	14.6	98	5	6	12	18	26	33	74
85 +	131	15.9	125	5	6	13	18	33	36	59
TOTAL SINGLE DX	935	8.1	17	3	4	7	10	13	16	22
TOTAL MULTIPLE DX	3711	12.3	88	4	5	9	14	22	30	55
TOTAL										
65-69 YRS	1585	10.0	58	4	4	8	11	17	23	44
70-74	1459	11.2	70	4	5	9	13	20	27	50
75-79	1063	12.5	97	4	5	10	14	22	33	63
80-84	389	13.6	88	5	6	11	16	24	30	70
85 +	150	15.5	115	5	6	13	18	31	35	54
GRAND TOTAL	**4646**	**11.4**	**77**	**4**	**5**	**9**	**13**	**21**	**28**	**52**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	37	5.5	13	< 1	1	5	8	11	12	14
70-74	24	7.2	16	2	3	7	10	11	15	18
75-79	10	7.6	30	1	1	6	12	16	16	16
80-84	8	4.5	15	< 1	< 1	3	8	10	10	10
85 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	213	13.5	146	1	4	11	16	27	43	94
70-74	141	15.5	222	2	3	11	19	33	42	86
75-79	107	16.3	187	1	3	11	23	37	51	56
80-84	54	16.8	243	3	4	12	25	37	44	81
85 +	30	16.9	201	4	4	15	19	30	49	72
TOTAL SINGLE DX	81	6.1	17	1	1	5	9	11	14	17
TOTAL MULTIPLE DX	545	15.1	187	2	3	11	19	32	43	82
TOTAL										
65-69 YRS	250	12.4	135	1	2	10	15	25	39	90
70-74	165	14.3	201	2	3	10	17	31	40	84
75-79	117	15.6	179	1	3	11	21	35	48	56
80-84	62	15.2	230	1	3	10	20	36	43	79
85 +	32	16.1	199	3	4	14	19	30	47	72
GRAND TOTAL	**626**	**13.5**	**174**	**1**	**3**	**10**	**17**	**30**	**42**	**79**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	30	2.5	6	< 1	< 1	1	3	6	7	12
70-74	40	2.9	6	< 1	1	2	4	6	8	12
75-79	30	2.6	5	< 1	1	2	3	7	8	10
80-84	19	3.2	8	< 1	< 1	2	4	7	11	13
85 +	8	4.5	9	1	1	4	6	9	10	10
2. MULTIPLE DX										
65-69 YRS	106	7.1	89	1	1	3	9	17	26	50
70-74	91	7.4	80	1	1	4	10	16	33	42
75-79	62	9.2	105	1	1	5	13	26	33	40
80-84	31	6.8	41	1	1	4	11	16	18	26
85 +	16	8.0	62	1	1	4	12	23	24	24
TOTAL SINGLE DX	127	2.9	7	< 1	1	2	3	7	8	12
TOTAL MULTIPLE DX	306	7.6	83	1	1	4	10	19	28	42
TOTAL										
65-69 YRS	136	6.1	75	< 1	1	3	7	14	21	50
70-74	131	6.0	62	1	1	3	7	13	17	41
75-79	92	7.1	82	1	1	3	8	22	28	39
80-84	50	5.4	32	1	1	3	8	14	16	26
85 +	24	6.8	46	1	1	4	9	19	23	24
GRAND TOTAL	**433**	**6.2**	**66**	**1**	**1**	**3**	**8**	**15**	**24**	**40**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	134	1.9	2	<1	<1	1	2	4	5	9
70-74	126	2.3	5	<1	<1	1	2	5	8	13
75-79	90	2.0	3	<1	<1	1	2	4	8	10
80-84	45	1.3		<1	<1	1	2	2	2	3
85 +	16	1.8	2	<1	<1	1	2	3	6	7
2. MULTIPLE DX										
65-69 YRS	277	3.3	16	<1	1	2	3	7	12	22
70-74	235	3.5	36	<1	1	2	3	8	10	24
75-79	153	4.3	33	<1	1	2	4	12	16	32
80-84	76	4.1	20	1	1	2	5	9	12	25
85 +	60	5.0	35	<1	1	2	7	11	14	33
TOTAL SINGLE DX	411	2.0	4	<1	<1	1	2	4	6	10
TOTAL MULTIPLE DX	801	3.8	27	<1	1	2	4	8	13	26
TOTAL										
65-69 YRS	411	2.8	12	<1	<1	2	3	6	8	19
70-74	301	3.1	26	<1	<1	2	3	7	9	22
75-79	243	3.5	24	<1	<1	2	3	8	13	29
80-84	121	3.1	15	<1	<1	2	3	7	10	21
85 +	76	4.3	30	<1	<1	2	6	9	14	32
GRAND TOTAL	1212	3.2	20	<1	<1	2	3	7	11	23

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	5.4	17	1	1	5	7	12	12	12
70-74	2	12.0	98	5	5	12	19	19	19	19
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	2	9.0		9	9	9	9	9	9	9
85 +	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	72	10.7	54	3	4	9	13	18	25	42
70-74	55	10.7	42	3	4	9	13	19	22	37
75-79	57	14.6	195	4	5	9	17	31	37	87
80-84	38	10.8	51	4	4	10	13	16	25	41
85 +	19	11.8	66	4	6	9	14	24	32	36
TOTAL SINGLE DX	12	8.3	29	1	2	7	11	18	19	19
TOTAL MULTIPLE DX	241	11.7	87	4	4	9	14	21	31	44
TOTAL										
65-69 YRS	77	10.3	53	3	4	8	12	18	24	42
70-74	57	10.7	43	3	4	9	13	19	22	37
75-79	59	14.3	190	4	5	9	17	31	37	86
80-84	40	10.7	49	4	4	10	13	16	24	41
85 +	20	12.1	64	4	6	9	15	23	32	36
GRAND TOTAL	253	11.5	84	4	4	9	14	20	30	44

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	3.4	15	1	1	2	4	9	14	14
70-74	7	3.1	13	1	1	1	4	10	11	11
75-79	5	1.2		<1	<1	1	1	2	2	2
80-84	4	5.5	11	3	3	5	8	10	10	10
85 +	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	43	8.7	69	1	2	6	11	21	27	37
70-74	37	8.6	38	1	1	8	12	17	20	26
75-79	32	7.3	34	1	2	6	9	16	27	99 +
80-84	20	10.6	129	1	2	9	14	16	36	54
85 +	10	12.5	122	1	2	8	19	30	32	32
TOTAL SINGLE DX	29	3.3	12	1	1	2	4	9	11	14
TOTAL MULTIPLE DX	142	8.9	65	1	2	7	12	19	27	57
TOTAL										
65-69 YRS	53	7.7	63	1	1	5	10	19	25	37
70-74	44	7.8	38	1	1	7	11	16	20	26
75-79	37	6.5	34	1	1	5	9	16	24	99 +
80-84	24	9.7	112	1	2	8	12	15	29	54
85 +	13	10.5	109	1	1	7	17	30	32	32
GRAND TOTAL	171	7.9	60	1	1	6	10	17	25	50

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	268	2.6	1	1	1	2	3	4	5	7
70-74	162	3.1	3	1	2	3	4	5	5	8
75-79	82	3.5	2	2	2	3	4	5	6	10
80-84	28	2.8	1	1	2	3	4	4	5	5
85 +	16	5.4	36	1	1	4	5	18	21	22
2. MULTIPLE DX										
65-69 YRS	477	4.8	28	1	2	3	5	9	13	35
70-74	380	5.3	39	2	2	3	5	9	15	35
75-79	261	6.4	54	2	2	4	6	13	22	39
80-84	107	8.5	119	2	2	5	10	16	24	65
85 +	45	9.0	93	2	3	7	11	14	30	51
TOTAL SINGLE DX	556	3.0	3	1	1	3	4	4	5	8
TOTAL MULTIPLE DX	1270	5.7	48	2	2	4	6	11	17	40
TOTAL										
65-69 YRS	745	4.0	20	1	2	3	4	7	11	28
70-74	542	4.6	30	1	2	3	5	8	11	32
75-79	343	5.7	43	2	2	4	6	10	19	38
80-84	135	7.3	100	1	2	4	8	15	21	60
85 +	61	8.1	81	1	2	5	10	16	26	50
GRAND TOTAL	**1826**	**4.9**	**36**	**1**	**2**	**3**	**5**	**9**	**14**	**35**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	49	2.9	1	1	2	3	4	4	4	6
70-74	31	3.4	3	1	1	3	4	6	8	9
75-79	21	3.0	3	1	1	3	4	6	7	8
80-84	6	3.0	7	1	1	2	4	8	8	8
85 +	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	215	6.4	32	2	2	4	8	15	18	30
70-74	219	7.4	67	1	2	4	8	18	25	46
75-79	134	8.8	147	2	2	4	9	19	36	56
80-84	84	11.1	132	2	2	6	15	26	33	56
85 +	44	11.6	65	3	3	10	20	24	28	99 +
TOTAL SINGLE DX	109	3.1	3	1	1	3	4	5	6	9
TOTAL MULTIPLE DX	696	8.1	82	2	2	5	9	19	26	50
TOTAL										
65-69 YRS	264	5.8	29	2	2	4	7	12	17	29
70-74	250	6.9	61	1	2	4	7	17	22	44
75-79	155	8.0	132	2	2	4	8	16	34	50
80-84	90	10.5	128	2	2	5	14	25	33	55
85 +	46	11.3	64	3	3	9	19	24	28	99 +
GRAND TOTAL	**805**	**7.4**	**74**	**2**	**2**	**4**	**8**	**18**	**25**	**49**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	18	7.3	26	1	2	6	8	10	19	25
70-74	11	7.8	12	4	4	7	10	14	15	15
75-79	10	7.1	7	2	3	7	9	10	11	11
80-84	3	18.7	160	9	9	14	28	33	33	33
85 +	0									
2. MULTIPLE DX										
65-69 YRS	124	12.9	105	3	5	9	16	28	39	46
70-74	94	13.1	139	3	4	9	15	31	45	86
75-79	58	12.6	56	4	6	10	16	26	33	94
80-84	21	16.1	126	6	6	14	17	35	42	49
85 +	2	36.0	18	33	33	36	39	39	39	39
TOTAL SINGLE DX	42	8.2	32	2	4	7	9	13	19	33
TOTAL MULTIPLE DX	299	13.3	110	3	5	10	16	29	38	62
TOTAL										
65-69 YRS	142	12.2	98	2	5	9	14	24	38	44
70-74	105	12.6	128	3	4	9	14	27	36	83
75-79	68	11.8	53	4	5	10	15	22	32	87
80-84	24	16.4	124	6	7	14	18	34	41	49
85 +	2	36.0	18	33	33	36	39	39	39	39
GRAND TOTAL	**341**	**12.7**	**103**	**3**	**5**	**9**	**15**	**28**	**35**	**56**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	8	1.8	3	< 1	< 1	1	2	5	6	6
70-74	11	1.4		< 1	< 1	1	2	3	3	3
75-79	6	1.3		< 1	< 1	1	2	2	2	2
80-84	11	1.5		< 1	< 1	1	2	3	3	3
85 +	12	1.5		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	24	5.9	50	< 1	1	2	8	16	23	27
70-74	31	4.6	26	< 1	< 1	2	7	11	17	22
75-79	34	9.2	283	< 1	< 1	3	7	27	55	73
80-84	25	5.0	29	1	1	3	6	16	39	99 +
85 +	36	7.9	169	1	1	4	9	12	41	64
TOTAL SINGLE DX	48	1.5	1	< 1	< 1	1	2	3	3	6
TOTAL MULTIPLE DX	150	6.7	124	< 1	1	3	8	14	25	73
TOTAL										
65-69 YRS	32	4.9	41	< 1	< 1	2	6	14	20	27
70-74	42	3.8	22	< 1	< 1	2	5	9	15	22
75-79	40	8.0	248	< 1	< 1	2	7	19	52	73
80-84	36	3.9	23	< 1	< 1	2	5	12	21	99 +
85 +	48	6.3	135	< 1	1	3	7	11	20	64
GRAND TOTAL	**198**	**5.4**	**99**	**< 1**	**< 1**	**2**	**6**	**12**	**22**	**69**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	33	1.4		< 1	< 1	1	2	2	3	4
70-74	36	1.6	2	< 1	< 1	< 1	1	3	5	9
75-79	29	1.2		< 1	< 1	< 1	1	2	2	5
80-84	22	1.3		< 1	< 1	1	2	2	2	2
85 +	17	1.9	5	< 1	< 1	< 1	1	5	9	10
2. MULTIPLE DX										
65-69 YRS	170	6.2	177	< 1	1	2	5	11	28	81
70-74	162	5.2	87	< 1	1	2	5	14	31	96
75-79	159	6.5	90	< 1	1	3	8	15	28	99 +
80-84	133	8.3	172	< 1	1	4	10	17	38	83
85 +	144	7.5	145	< 1	1	4	8	14	35	78
TOTAL SINGLE DX	137	1.4	2	< 1	< 1	< 1	1	2	4	9
TOTAL MULTIPLE DX	768	6.7	134	< 1	1	3	7	15	32	90
TOTAL										
65-69 YRS	203	5.4	152	< 1	< 1	2	4	10	23	78
70-74	198	4.6	74	< 1	< 1	2	4	10	24	86
75-79	188	5.6	81	< 1	< 1	2	7	14	25	99 +
80-84	155	7.3	154	< 1	< 1	2	8	16	35	80
85 +	161	6.9	134	< 1	< 1	3	7	13	33	76
GRAND TOTAL	**905**	**5.9**	**118**	**< 1**	**< 1**	**2**	**6**	**13**	**25**	**81**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	29	1.3		< 1	< 1	1	2	2	2	3
70-74	22	1.8	3	< 1	< 1	1	2	3	6	10
75-79	27	1.4		< 1	1	1	2	2	3	3
80-84	18	1.6	1	< 1	< 1	1	2	3	4	5
85 +	10	1.5	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	53	1.8	3	< 1	< 1	1	2	3	6	11
70-74	67	3.0	87	< 1	1	1	2	4	6	66
75-79	66	2.8	10	< 1	< 1	2	2	8	11	16
80-84	49	2.1	8	< 1	< 1	1	2	3	4	21
85 +	39	2.7	16	< 1	< 1	2	3	5	7	26
TOTAL SINGLE DX	106	1.5	1	< 1	1	1	2	2	3	7
TOTAL MULTIPLE DX	274	2.5	28	< 1	1	1	2	4	8	20
TOTAL										
65-69 YRS	82	1.7	3	< 1	< 1	1	2	2	3	11
70-74	89	2.7	67	< 1	1	1	2	3	6	51
75-79	93	2.4	8	< 1	1	1	2	5	9	15
80-84	67	1.9	7	< 1	< 1	1	2	3	4	18
85 +	49	2.5	14	< 1	1	1	3	4	6	26
GRAND TOTAL	**380**	**2.2**	**21**	**< 1**	**1**	**1**	**2**	**3**	**6**	**15**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	4.5	25	1	1	4	8	8	8	8
70-74	3	1.0		< 1	< 1	< 1	1	1	1	1
75-79	3	8.7	6	6	6	9	10	11	11	11
80-84	1	18.0		18	18	18	18	18	18	18
85 +	3	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	8	10.9	108	1	1	8	14	28	33	33
70-74	8	4.6	14	1	1	4	7	11	12	12
75-79	11	5.5	20	1	1	4	9	13	14	14
80-84	7	3.6	6	1	1	2	5	7	8	8
85 +	5	5.0	70	< 1	< 1	1	6	20	20	20
TOTAL SINGLE DX	12	5.7	28	< 1	< 1	5	8	13	17	18
TOTAL MULTIPLE DX	39	6.0	43	1	1	4	8	13	19	33
TOTAL										
65-69 YRS	10	9.6	94	1	1	7	11	25	33	33
70-74	11	3.6	13	< 1	< 1	2	5	10	12	12
75-79	14	6.2	18	1	1	5	9	12	14	14
80-84	8	5.4	31	1	1	4	7	15	18	18
85 +	8	4.6	43	< 1	< 1	2	5	16	20	20
GRAND TOTAL	**51**	**5.9**	**39**	**< 1**	**1**	**4**	**8**	**13**	**18**	**33**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	85	2.2	1	1	1	2	3	3	4	7
70-74	109	2.5	3	1	1	2	3	5	5	11
75-79	131	2.4	1	1	1	2	3	4	5	8
80-84	108	2.6	2	1	1	2	3	4	5	8
85 +	91	2.6	2	1	1	2	4	5	5	8
2. MULTIPLE DX										
65-69 YRS	268	2.7	5	1	1	2	3	4	5	11
70-74	357	2.8	4	1	1	2	3	5	6	11
75-79	394	2.8	5	1	1	2	3	5	6	13
80-84	317	2.9	14	1	1	2	3	5	5	15
85 +	201	3.4	17	1	1	2	4	6	8	25
TOTAL SINGLE DX	524	2.5	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1537	2.9	9	1	1	2	3	5	6	14
TOTAL										
65-69 YRS	353	2.5	4	1	1	2	3	4	5	10
70-74	466	2.7	4	1	1	2	3	5	6	11
75-79	525	2.7	5	1	1	2	3	4	6	10
80-84	425	2.8	11	1	1	2	3	4	5	13
85 +	292	3.2	13	1	1	2	4	5	7	23
GRAND TOTAL	2061	2.8	7	1	1	2	3	5	6	11

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	9	2.0	2	<1	<1	1	3	5	5	5
70-74	11	2.3	12	<1	<1	1	2	7	12	13
75-79	9	2.2	3	<1	<1	1	3	6	6	6
80-84	13	2.0	2	<1	<1	1	3	5	5	5
85 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	35	4.5	25	<1	<1	3	5	12	17	20
70-74	27	3.9	22	<1	<1	2	5	13	16	17
75-79	29	3.4	25	<1	<1	2	3	6	9	28
80-84	33	4.3	53	<1	<1	1	5	9	10	42
85 +	26	5.0	16	<1	1	4	8	9	12	19
TOTAL SINGLE DX	45	2.1	5	<1	<1	1	2	5	6	13
TOTAL MULTIPLE DX	150	4.2	29	<1	<1	2	5	10	15	28
TOTAL										
65-69 YRS	44	4.0	21	<1	<1	2	4	11	14	20
70-74	38	3.4	20	<1	<1	1	3	11	16	17
75-79	38	3.2	20	<1	<1	2	3	6	7	28
80-84	46	3.6	40	<1	<1	1	5	7	10	42
85 +	29	4.7	16	<1	1	4	7	9	10	19
GRAND TOTAL	195	3.7	24	<1	<1	2	5	9	12	24

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	72	2.5	2	<1	1	2	3	4	5	8
70-74	83	2.6	2	<1	1	2	4	4	5	7
75-79	83	2.2	1	<1	1	2	3	4	5	7
80-84	49	2.5	2	<1	1	2	4	5	5	6
85 +	23	2.1	1	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
65-69 YRS	216	3.1	7	<1	1	2	4	6	8	19
70-74	225	3.2	8	1	1	2	4	6	9	17
75-79	195	3.4	9	1	1	2	4	8	10	16
80-84	167	4.7	81	1	1	3	5	8	12	47
85 +	91	3.9	28	1	1	2	4	6	15	29
TOTAL SINGLE DX	310	2.4	2	<1	1	2	3	4	5	7
TOTAL MULTIPLE DX	894	3.6	24	1	1	2	4	7	10	20
TOTAL										
65-69 YRS	288	2.9	6	<1	1	2	4	6	7	17
70-74	308	3.1	7	1	1	2	4	6	8	15
75-79	278	3.0	8	1	1	2	4	6	9	14
80-84	216	4.2	64	1	1	3	4	7	12	39
85 +	114	3.5	24	1	1	2	3	5	14	28
GRAND TOTAL	1204	3.3	19	1	1	2	4	6	8	18

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	3.1	7	<1	<1	2	5	8	8	9
70-74	21	2.7	2	<1	<1	3	4	5	6	6
75-79	22	3.0	9	<1	<1	2	3	9	10	11
80-84	16	2.3	4	<1	1	1	3	5	8	9
85 +	7	2.7	2	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	74	3.4	12	<1	1	2	4	8	11	17
70-74	114	4.5	15	<1	1	3	6	10	12	19
75-79	96	5.3	25	<1	1	4	8	11	16	25
80-84	74	4.3	22	1	1	3	5	11	13	26
85 +	55	4.3	30	1	1	2	5	11	16	30
TOTAL SINGLE DX	87	2.8	6	<1	<1	2	4	7	9	10
TOTAL MULTIPLE DX	413	4.4	21	<1	1	3	6	10	13	20
TOTAL										
65-69 YRS	95	3.4	11	<1	<1	2	4	8	10	16
70-74	135	4.2	14	<1	1	3	5	9	12	18
75-79	118	4.9	23	<1	1	3	7	11	14	23
80-84	90	4.0	20	1	1	2	5	10	12	24
85 +	62	4.1	27	1	1	2	5	10	16	29
GRAND TOTAL	500	4.1	18	<1	1	3	5	9	12	19

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	26	1.5		< 1	< 1	1	2	2	3	3
70-74	40	1.5		< 1	< 1	1	2	2	2	2
75-79	56	1.5		< 1	< 1	1	2	2	2	3
80-84	61	1.5		< 1	< 1	1	2	2	2	3
85 +	43	1.6		< 1	< 1	2	2	2	2	5
2. MULTIPLE DX										
65-69 YRS	124	3.4	77	< 1	1	2	3	5	10	95
70-74	174	2.3	5	< 1	1	2	2	4	5	15
75-79	182	3.2	73	< 1	1	2	2	4	5	54
80-84	184	2.4	4	< 1	1	2	2	5	7	11
85 +	120	2.2	5	1	1	2	2	3	6	15
TOTAL SINGLE DX	226	1.5		< 1	< 1	1	2	2	2	3
TOTAL MULTIPLE DX	734	2.7	33	< 1	1	2	2	4	6	19
TOTAL										
65-69 YRS	150	3.0	64	< 1	< 1	2	2	5	9	92
70-74	214	2.1	4	< 1	< 1	2	2	4	5	13
75-79	238	2.8	57	< 1	< 1	2	2	3	5	38
80-84	245	2.2	4	< 1	1	2	2	4	6	10
85 +	163	2.0	4	< 1	1	2	2	3	5	13
GRAND TOTAL	1010	2.4	26	<1	<1	2	2	4	5	18

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	379	1.2		< 1	< 1	< 1	1	2	2	3
70-74	503	1.2		< 1	< 1	< 1	1	2	2	2
75-79	625	1.2		< 1	< 1	< 1	1	2	2	2
80-84	533	1.2		< 1	< 1	< 1	1	2	2	3
85 +	401	1.3		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
65-69 YRS	877	2.5	33	< 1	< 1	2	2	4	7	20
70-74	1236	2.4	24	< 1	< 1	2	2	3	7	23
75-79	1584	2.4	17	< 1	< 1	2	2	3	6	20
80-84	1306	2.9	49	< 1	< 1	2	2	4	8	48
85 +	1146	2.5	25	< 1	1	2	2	4	7	30
TOTAL SINGLE DX	2441	1.2		< 1	< 1	< 1	1	2	2	3
TOTAL MULTIPLE DX	6149	2.5	30	< 1	< 1	2	2	4	7	29
TOTAL										
65-69 YRS	1256	2.1	24	< 1	< 1	1	2	3	5	18
70-74	1739	2.1	18	< 1	< 1	1	2	3	5	18
75-79	2209	2.0	13	< 1	< 1	1	2	3	4	17
80-84	1839	2.4	36	< 1	< 1	1	2	3	6	38
85 +	1547	2.2	19	< 1	< 1	1	2	3	5	18
GRAND TOTAL	8590	2.2	22	<1	<1	1	2	3	5	20

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	27	1.1		< 1	< 1	1	1	2	2	2
70-74	39	1.3		< 1	< 1	< 1	1	2	3	5
75-79	49	1.3		< 1	< 1	< 1	2	2	2	3
80-84	29	1.4		< 1	< 1	1	2	2	3	4
85 +	21	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
65-69 YRS	67	1.9	7	< 1	< 1	1	2	3	4	20
70-74	75	2.4	9	< 1	< 1	1	2	7	9	16
75-79	77	2.7	41	< 1	< 1	1	2	5	9	87
80-84	59	3.5	80	< 1	< 1	2	2	5	9	64
85 +	57	2.6	6	< 1	< 1	2	3	6	9	13
TOTAL SINGLE DX	165	1.3		< 1	< 1	1	1	2	2	4
TOTAL MULTIPLE DX	335	2.6	28	< 1	< 1	1	2	5	9	27
TOTAL										
65-69 YRS	94	1.7	6	< 1	< 1	1	2	2	3	16
70-74	114	2.0	7	< 1	< 1	1	2	3	8	16
75-79	126	2.2	26	< 1	< 1	1	2	3	6	65
80-84	88	2.8	55	< 1	< 1	2	2	4	7	48
85 +	78	2.3	5	< 1	< 1	2	2	4	8	12
GRAND TOTAL	500	2.2	19	<1	<1	1	2	3	7	16

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	371	2.8	2	1	1	2	3	5	6	8
70-74	260	2.4	1	1	1	2	3	4	5	8
75-79	166	2.8	2	1	1	3	4	5	5	10
80-84	77	2.8	2	1	1	2	4	5	6	8
85 +	36	2.4	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
65-69 YRS	656	3.5	6	1	1	3	4	6	8	14
70-74	567	3.5	5	1	1	3	4	6	8	14
75-79	424	3.5	7	1	1	3	4	6	7	15
80-84	250	3.6	4	1	1	3	5	6	7	11
85 +	105	3.9	8	< 1	1	3	5	8	11	14
TOTAL SINGLE DX	910	2.7	2	1	1	2	3	5	5	8
TOTAL MULTIPLE DX	2002	3.5	6	1	1	3	4	6	8	13
TOTAL										
65-69 YRS	1027	3.2	5	1	1	3	4	6	7	12
70-74	827	3.2	5	1	1	3	4	6	7	11
75-79	590	3.3	6	1	1	3	4	5	7	12
80-84	327	3.4	4	1	1	3	4	6	7	11
85 +	141	3.5	8	1	1	3	4	7	9	13
GRAND TOTAL	2912	3.3	5	1	1	3	4	6	7	12

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	64	2.4	2	1	1	2	3	5	6	9
70-74	59	2.6	2	1	1	2	3	4	6	11
75-79	66	2.5	2	1	1	2	3	5	5	9
80-84	39	3.1	4	1	1	2	4	7	7	10
85 +	35	2.7	3	<1	<1	2	4	5	6	9
2. MULTIPLE DX										
65-69 YRS	321	3.2	7	1	1	2	4	6	9	14
70-74	303	3.7	22	1	1	2	4	7	10	20
75-79	231	3.9	22	<1	1	3	4	8	11	25
80-84	172	4.1	34	1	1	3	5	8	11	21
85 +	79	3.3	7	<1	1	3	4	5	10	16
TOTAL SINGLE DX	263	2.6	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	1106	3.6	19	<1	1	3	4	7	10	18
TOTAL										
65-69 YRS	385	3.0	7	1	1	2	4	6	8	13
70-74	362	3.5	19	1	1	2	4	7	10	17
75-79	297	3.6	18	<1	1	2	4	7	10	23
80-84	211	3.9	29	1	1	3	4	8	10	20
85 +	114	3.2	7	<1	1	3	4	5	8	14
GRAND TOTAL	1369	3.4	16	1	1	2	4	7	9	17

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	5	1.0		<1	<1	1	1	1	1	1
75-79	4	1.5		1	1	1	2	2	2	2
80-84	2	1.0		1	1	1	1	1	1	1
85 +	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	13	1.7	1	<1	<1	1	2	3	5	5
70-74	11	1.6		<1	<1	1	2	3	4	4
75-79	8	1.4		1	1	1	2	2	2	2
80-84	3	2.0	1	1	1	2	3	3	3	3
85 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	15	1.2		<1	<1	1	1	2	2	2
TOTAL MULTIPLE DX	36	1.6	1	<1	1	1	2	3	4	5
TOTAL										
65-69 YRS	15	1.7	1	<1	1	1	2	3	4	5
70-74	16	1.4	1	<1	<1	1	2	2	4	4
75-79	12	1.4		1	1	1	2	2	2	2
80-84	5	1.6	1	1	1	1	2	3	3	3
85 +	3	1.0		<1	<1	1	1	1	1	1
GRAND TOTAL	51	1.5	1	<1	1	1	2	2	3	5

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	2	1.5	1	1	1	1	2	2	2	2
TOTAL										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
GRAND TOTAL	2	1.5	1	1	1	1	2	2	2	2

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	24	2.3	2	<1	1	2	3	5	6	6
70-74	24	2.3	1	<1	1	2	3	3	4	5
75-79	21	2.8	12	<1	1	2	2	6	12	16
80-84	11	2.5	3	1	1	3	3	5	7	7
85 +	10	2.2	4	1	1	1	3	5	7	7
2. MULTIPLE DX										
65-69 YRS	89	5.3	38	1	1	3	6	13	17	35
70-74	104	5.7	60	1	1	3	6	13	19	45
75-79	96	6.0	79	1	1	3	6	14	19	54
80-84	79	5.3	41	1	1	3	7	12	17	37
85 +	74	6.4	92	1	1	4	8	15	16	95
TOTAL SINGLE DX	90	2.4	4	<1	1	2	3	4	6	13
TOTAL MULTIPLE DX	442	5.7	62	1	1	3	6	14	17	49
TOTAL										
65-69 YRS	113	4.7	32	1	1	3	5	10	16	34
70-74	128	5.0	51	1	1	3	5	12	17	43
75-79	117	5.4	68	1	1	3	5	13	17	53
80-84	90	5.0	38	1	1	3	6	11	15	35
85 +	84	5.9	84	1	1	3	7	14	16	93
GRAND TOTAL	532	5.2	54	1	1	3	6	12	16	44

533: Misc. diagnostic and therapeutic procedures on eye (08.19, 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	2.7	8	<1	<1	1	3	7	9	12
70-74	18	1.6		<1	<1	1	2	3	4	4
75-79	13	1.6	1	<1	<1	1	2	4	5	5
80-84	12	2.0	2	<1	<1	1	2	4	7	7
85 +	5	3.2	14	1	1	2	4	10	10	10
2. MULTIPLE DX										
65-69 YRS	80	5.8	82	<1	<1	2	6	14	23	45
70-74	83	7.5	94	1	1	4	10	16	29	51
75-79	77	6.9	59	1	1	4	9	17	19	87
80-84	59	9.1	69	1	1	7	13	17	29	38
85 +	61	7.0	48	1	2	5	8	14	27	93
TOTAL SINGLE DX	68	2.1	5	<1	<1	1	2	5	7	12
TOTAL MULTIPLE DX	360	7.2	73	1	1	4	9	16	24	52
TOTAL										
65-69 YRS	100	5.2	69	<1	<1	2	6	13	18	45
70-74	101	6.5	83	<1	1	4	7	14	19	48
75-79	90	6.2	55	1	1	4	9	16	18	81
80-84	71	7.9	65	1	1	5	11	16	28	38
85 +	66	6.7	47	1	1	5	8	13	26	90
GRAND TOTAL	**428**	**6.4**	**65**	**<1**	**1**	**4**	**8**	**15**	**20**	**47**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	78	1.6	1	1	1	1	2	2	3	8
70-74	49	1.6		1	1	1	2	3	3	5
75-79	25	1.6		1	1	1	2	2	3	3
80-84	5	2.0	5	<1	<1	1	2	6	6	6
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	83	1.9	1	1	1	2	2	3	4	8
70-74	44	1.6		1	1	2	2	2	3	3
75-79	45	1.7		1	1	2	2	3	4	4
80-84	13	1.7		<1	<1	2	2	3	3	3
85 +	4	1.5		1	1	1	2	2	2	2
TOTAL SINGLE DX	159	1.6	1	1	1	1	2	2	3	6
TOTAL MULTIPLE DX	189	1.8	1	1	1	2	2	3	3	4
TOTAL										
65-69 YRS	161	1.8	1	1	1	1	2	3	4	9
70-74	93	1.6	1	1	1	1	2	3	3	5
75-79	70	1.7	1	1	1	2	2	3	3	4
80-84	18	1.8	1	<1	<1	1	2	3	5	6
85 +	6	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**348**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	69	1.2		<1	<1	1	1	2	2	3
70-74	29	1.1		<1	<1	1	1	2	2	2
75-79	12	1.9	4	<1	<1	1	2	4	7	8
80-84	4	1.5		1	1	1	2	2	2	2
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	116	1.8	2	<1	1	1	2	3	3	11
70-74	66	2.2	10	<1	1	1	2	3	6	21
75-79	43	1.8	1	<1	1	1	2	3	4	6
80-84	8	1.3		1	1	1	2	2	2	2
85 +	5	4.4	20	1	1	4	11	91	99 +	99 +
TOTAL SINGLE DX	116	1.3	1	<1	<1	1	1	2	2	5
TOTAL MULTIPLE DX	238	1.9	5	<1	1	1	2	3	5	18
TOTAL										
65-69 YRS	185	1.5	2	<1	1	1	2	2	3	9
70-74	95	1.9	8	<1	1	1	2	2	5	20
75-79	55	1.8	2	<1	1	1	2	3	5	8
80-84	12	1.3		1	1	1	2	2	2	2
85 +	7	3.4	16	1	1	2	9	73	99 +	99 +
GRAND TOTAL	**354**	**1.7**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**11**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	3.7	51	< 1	< 1	1	2	14	24	24
70-74	4	1.3		1	1	1	2	2	2	2
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	25	6.9	41	1	1	5	12	16	17	21
70-74	25	9.4	133	1	1	4	13	25	37	46
75-79	23	12.5	383	< 1	1	2	18	33	66	76
80-84	11	8.5	51	< 1	< 1	7	15	19	20	20
85 +	7	10.6	43	3	3	11	14	20	22	22
TOTAL SINGLE DX	17	2.8	31	< 1	< 1	1	2	4	17	24
TOTAL MULTIPLE DX	91	9.5	153	1	1	5	14	21	26	69
TOTAL										
65-69 YRS	35	6.0	45	< 1	1	2	10	16	20	24
70-74	29	8.2	123	1	1	2	12	22	35	46
75-79	25	11.6	360	< 1	1	2	17	26	64	76
80-84	12	7.9	52	< 1	< 1	6	14	19	20	20
85 +	7	10.6	44	3	3	11	14	20	22	22
GRAND TOTAL	108	8.4	140	1	1	3	13	21	25	67

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	47	1.6	1	1	1	1	2	3	3	7
70-74	23	1.8		1	1	2	2	3	4	4
75-79	17	1.9	2	1	1	1	2	5	6	6
80-84	10	1.7	2	1	1	1	2	4	6	6
85 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	147	3.1	21	1	1	2	3	6	11	27
70-74	87	3.7	38	1	1	2	3	10	13	37
75-79	54	5.3	91	1	1	2	4	12	25	55
80-84	27	6.6	257	1	1	2	4	6	53	72
85 +	12	14.3	216	1	1	10	21	41	44	45
TOTAL SINGLE DX	100	1.7	1	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	327	4.3	67	1	1	2	3	10	17	46
TOTAL										
65-69 YRS	194	2.7	17	1	1	2	2	5	9	25
70-74	110	3.3	31	1	1	2	2	6	12	32
75-79	71	4.5	72	1	1	2	4	10	16	52
80-84	37	5.3	191	1	1	2	3	6	35	72
85 +	15	11.7	199	1	1	6	18	39	43	45
GRAND TOTAL	427	3.7	53	1	1	2	3	6	13	45

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	53	2.2	5	1	1	1	2	5	7	12
70-74	32	1.6		1	1	1	2	2	3	6
75-79	21	3.0	4	1	1	2	4	6	8	9
80-84	5	3.2	8	1	1	2	5	8	8	8
85 +	0									
2. MULTIPLE DX										
65-69 YRS	78	2.6	9	1	1	2	2	6	8	18
70-74	49	3.2	17	1	1	2	3	6	12	23
75-79	35	5.7	213	1	1	2	3	8	34	79
80-84	12	2.4	2	< 1	< 1	2	3	5	5	5
85 +	9	16.2	522	< 1	< 1	7	22	56	66	66
TOTAL SINGLE DX	111	2.2	4	1	1	2	2	4	7	11
TOTAL MULTIPLE DX	183	4.0	81	1	1	2	3	7	13	58
TOTAL										
65-69 YRS	131	2.4	8	1	1	1	2	6	7	17
70-74	81	2.5	12	1	1	2	2	4	9	21
75-79	56	4.7	135	1	1	2	3	7	9	77
80-84	17	2.6	4	< 1	1	2	4	5	7	8
85 +	9	16.2	523	< 1	< 1	7	22	56	66	66
GRAND TOTAL	294	3.3	52	1	1	2	3	6	9	43

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	13	1.2		< 1	< 1	1	1	2	2	2
70-74	7	1.7	1	1	1	1	2	4	4	4
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
2. MULTIPLE DX										
65-69 YRS	109	2.2	5	1	1	2	2	4	5	15
70-74	55	1.9	1	1	1	1	2	3	4	7
75-79	23	3.1	8	1	1	2	5	8	9	10
80-84	9	3.6	14	1	1	2	4	10	13	13
85 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	25	1.6	1	< 1	1	1	2	3	4	6
TOTAL MULTIPLE DX	197	2.3	5	1	1	2	3	5	7	14
TOTAL										
65-69 YRS	122	2.1	5	1	1	1	2	4	5	15
70-74	62	1.9	2	1	1	1	2	3	4	7
75-79	27	2.9	7	1	1	2	4	8	9	10
80-84	10	3.8	14	1	1	3	5	9	13	13
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	222	2.2	5	1	1	1	2	4	6	14

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	1.4	1	< 1	1	1	1	2	3	9
70-74	16	1.8	4	< 1	1	1	2	3	7	9
75-79	19	2.0	3	< 1	1	1	2	5	7	8
80-84	5	1.0		< 1	< 1	1	1	1	1	1
85 +	4	2.3	6	1	1	1	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	246	2.2	5	< 1	1	1	2	5	7	13
70-74	143	3.3	18	1	1	2	3	8	16	20
75-79	79	3.9	38	< 1	1	2	4	7	14	39
80-84	52	3.4	14	1	1	3	4	7	9	26
85 +	49	6.6	41	1	1	5	9	17	18	29
TOTAL SINGLE DX	88	1.6	3	< 1	1	1	2	3	5	9
TOTAL MULTIPLE DX	569	3.2	18	1	1	2	3	7	12	22
TOTAL										
65-69 YRS	290	2.1	5	1	1	1	2	4	7	13
70-74	159	3.1	17	1	1	1	3	7	14	20
75-79	98	3.5	32	< 1	1	2	3	7	11	38
80-84	57	3.2	14	< 1	1	2	4	7	8	25
85 +	53	6.3	40	1	1	5	8	16	18	29
GRAND TOTAL	657	3.0	17	1	1	1	3	7	11	22

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	38	1.4		< 1	< 1	1	1	2	3	4
70-74	28	1.6	1	< 1	< 1	1	2	3	4	5
75-79	42	1.7	3	< 1	< 1	1	2	3	5	11
80-84	16	2.1	3	< 1	< 1	1	3	5	6	7
85 +	13	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	166	3.4	18	1	1	2	3	8	13	24
70-74	162	3.6	20	1	1	2	4	9	12	21
75-79	114	5.3	93	< 1	1	2	6	13	19	48
80-84	77	5.5	66	< 1	1	3	6	11	19	47
85 +	82	5.5	26	1	1	4	8	13	17	22
TOTAL SINGLE DX	137	1.7	2	< 1	< 1	1	2	3	4	8
TOTAL MULTIPLE DX	601	4.4	41	1	1	2	5	10	15	23
TOTAL										
65-69 YRS	204	3.0	16	< 1	1	1	3	7	10	23
70-74	190	3.4	18	1	1	2	3	8	11	20
75-79	156	4.4	72	< 1	< 1	2	5	10	16	23
80-84	93	4.9	57	< 1	1	2	5	10	17	47
85 +	95	5.1	25	1	1	3	7	12	16	22
GRAND TOTAL	738	3.9	35	< 1	1	2	4	10	14	22

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	71	3.1	3	< 1	1	3	4	6	7	7
70-74	53	3.2	3	1	1	3	4	6	6	7
75-79	37	3.2	5	< 1	1	3	5	6	6	12
80-84	27	3.9	5	1	1	4	5	6	9	10
85 +	19	2.6	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
65-69 YRS	316	5.5	39	1	2	4	7	10	14	22
70-74	313	5.5	32	1	1	4	7	10	12	27
75-79	270	6.3	28	1	2	5	8	13	16	29
80-84	200	5.0	17	1	1	4	6	9	11	26
85 +	147	5.9	27	1	2	4	7	13	20	30
TOTAL SINGLE DX	207	3.2	4	1	1	3	4	6	6	9
TOTAL MULTIPLE DX	1246	5.6	30	1	2	4	7	10	15	28
TOTAL										
65-69 YRS	387	5.1	34	1	1	4	6	9	12	21
70-74	366	5.2	29	1	1	4	6	9	11	24
75-79	307	5.9	27	1	2	4	7	13	16	29
80-84	227	4.8	16	1	1	4	6	9	10	25
85 +	166	5.5	25	1	1	4	7	12	19	28
GRAND TOTAL	1453	5.3	27	1	1	4	6	10	14	25

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	48	2.2	2	1	1	2	2	5	7	7
70-74	25	1.8	5	< 1	1	1	2	3	7	12
75-79	13	1.6	1	< 1	< 1	1	2	4	4	4
80-84	11	1.6	1	< 1	< 1	1	2	3	4	4
85 +	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	156	2.9	18	1	1	2	3	5	12	17
70-74	112	3.9	22	1	1	2	4	9	14	24
75-79	76	3.5	20	1	1	2	3	7	15	24
80-84	25	10.0	146	1	1	4	17	30	37	43
85 +	8	12.8	325	1	1	4	18	44	53	53
TOTAL SINGLE DX	101	1.9	3	1	1	1	2	4	5	10
TOTAL MULTIPLE DX	377	4.0	38	1	1	2	3	9	16	34
TOTAL										
65-69 YRS	204	2.7	15	1	1	2	3	5	9	16
70-74	137	3.5	20	1	1	2	4	9	13	23
75-79	89	3.2	18	1	1	2	3	5	13	24
80-84	36	7.4	116	< 1	1	3	6	25	33	43
85 +	12	9.1	236	1	1	2	9	33	50	53
GRAND TOTAL	**478**	**3.6**	**31**	**1**	**1**	**2**	**3**	**7**	**14**	**29**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	42	2.4	6	1	1	1	3	6	9	12
70-74	40	2.9	6	1	1	2	4	7	7	12
75-79	21	2.5	6	< 1	1	1	3	5	8	11
80-84	9	3.2	3	< 1	< 1	3	5	6	6	6
85 +	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	296	4.9	63	1	1	2	5	13	17	38
70-74	186	5.2	56	1	1	2	6	13	23	35
75-79	95	5.2	34	1	1	2	8	15	19	65
80-84	46	6.5	71	1	1	3	9	18	30	99 +
85 +	21	7.0	85	< 1	1	4	8	18	29	40
TOTAL SINGLE DX	114	2.7	6	1	1	2	4	6	7	12
TOTAL MULTIPLE DX	644	5.2	58	1	1	2	6	14	20	41
TOTAL										
65-69 YRS	338	4.6	57	1	1	2	5	12	16	35
70-74	226	4.8	48	1	1	2	5	12	20	32
75-79	116	4.7	31	1	1	2	6	14	18	49
80-84	55	5.9	62	1	1	3	7	17	25	97
85 +	23	7.0	78	< 1	1	4	9	17	27	40
GRAND TOTAL	**758**	**4.9**	**51**	**1**	**1**	**2**	**5**	**13**	**18**	**40**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	1.4		< 1	< 1	1	2	2	2	2
70-74	10	1.3		< 1	< 1	1	2	2	2	2
75-79	3	1.7		< 1	< 1	2	2	2	2	2
80-84	4	1.5		< 1	< 1	1	2	2	2	2
85 +	6	2.0		< 1	< 1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	190	5.9	52	1	1	3	8	14	26	39
70-74	151	6.6	116	1	1	3	7	15	21	81
75-79	155	7.7	170	1	1	3	9	19	33	93
80-84	108	7.7	106	1	1	3	10	20	31	81
85 +	121	9.1	124	1	1	5	13	19	40	75
TOTAL SINGLE DX	33	1.5		< 1	< 1	1	2	2	3	3
TOTAL MULTIPLE DX	725	7.2	111	1	1	3	9	16	29	81
TOTAL										
65-69 YRS	200	5.7	50	1	1	3	7	14	22	38
70-74	161	6.3	111	1	1	3	7	14	21	80
75-79	158	7.6	168	1	1	2	9	18	33	93
80-84	112	7.4	104	1	1	3	9	20	30	80
85 +	127	8.7	121	1	1	5	12	18	40	73
GRAND TOTAL	**758**	**7.0**	**108**	**1**	**1**	**3**	**9**	**16**	**27**	**80**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	3	1.0		< 1	< 1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	1	2.0		2	2	[illegible]	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	8	3.3	15	1	1	2	2	10	13	13
70-74	5	2.2	7	1	1	1	3	7	7	7
75-79	5	13.0	256	1	1	2	30	32	32	32
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
TOTAL SINGLE DX	5	1.2		< 1	< 1	1	1	2	2	2
TOTAL MULTIPLE DX	19	5.5	86	1	1	2	2	23	31	32
TOTAL										
65-69 YRS	11	2.6	12	< 1	< 1	2	2	7	12	13
70-74	6	2.0	6	1	1	1	1	6	7	7
75-79	5	13.0	257	1	1	2	30	32	32	32
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**24**	**4.6**	**71**	**< 1**	**1**	**2**	**2**	**15**	**30**	**32**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	18	2.5	2	<1	1	2	3	5	6	6
70-74	10	3.6	6	1	1	3	6	7	8	8
75-79	7	3.0	5	1	1	2	3	7	8	8
80-84	2	1.0		1	1	1	1	1	1	1
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	72	4.0	26	1	1	2	4	12	16	26
70-74	51	6.2	168	1	1	2	7	14	17	89
75-79	40	3.7	16	1	1	2	4	7	12	22
80-84	32	6.3	60	<1	1	3	8	17	27	31
85 +	18	5.6	31	1	1	4	10	18	63	99 +
TOTAL SINGLE DX	38	2.8	4	1	1	2	3	6	7	8
TOTAL MULTIPLE DX	213	4.9	64	1	1	2	5	13	17	52
TOTAL										
65-69 YRS	90	3.7	22	1	1	2	4	7	16	25
70-74	61	5.8	142	1	1	2	6	13	16	83
75-79	47	3.6	15	1	1	2	4	8	11	22
80-84	34	5.9	58	<1	1	3	7	16	27	31
85 +	19	5.4	30	1	1	3	10	17	59	99 +
GRAND TOTAL	251	4.6	56	1	1	2	5	12	16	31

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	208	2.3	2	1	1	2	3	4	5	9
70-74	188	2.3	2	1	1	2	3	4	5	8
75-79	111	2.3	1	1	1	2	3	4	5	6
80-84	50	2.3	1	1	1	2	3	4	4	7
85 +	27	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
65-69 YRS	334	3.8	12	1	1	3	4	8	11	18
70-74	324	4.0	24	1	1	3	4	8	10	30
75-79	195	4.5	20	1	1	3	5	9	13	25
80-84	141	4.3	14	1	1	3	5	8	11	23
85 +	87	6.7	30	1	1	5	10	14	17	26
TOTAL SINGLE DX	584	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1081	4.3	20	1	1	3	5	9	12	[illegible]
TOTAL										
65-69 YRS	542	3.2	9	1	1	2	4	6	10	16
70-74	512	3.4	17	1	1	2	4	6	9	24
75-79	306	3.7	14	1	1	3	4	7	11	22
80-84	191	3.8	12	1	1	3	4	7	10	21
85 +	114	5.7	27	1	1	4	8	12	15	25
GRAND TOTAL	1665	3.6	14	1	1	2	4	7	10	21

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
65-69 YRS	13	4.5	29	1	1	2	4	11	19	21
70-74	6	1.3		1	1	1	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	7.0		7	7	7	7	7	7	7
85 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	3	1.7	1	1	1	1	3	3	3	3
TOTAL MULTIPLE DX	22	3.5	20	1	1	2	3	8	14	21
TOTAL										
65-69 YRS	15	4.1	27	1	1	2	3	9	18	21
70-74	6	1.3		1	1	1	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	5.0	8	3	3	5	7	7	7	7
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	25	3.3	18	1	1	2	3	7	12	21

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	101	3.3	12	<1	1	2	4	9	11	17
70-74	84	2.7	6	<1	1	2	3	5	8	13
75-79	55	3.9	21	<1	1	2	5	8	14	27
80-84	41	3.8	11	<1	1	3	6	8	10	16
85 +	29	3.8	24	<1	<1	2	5	7	9	27
2. MULTIPLE DX										
65-69 YRS	371	9.0	134	1	1	5	10	24	34	66
70-74	298	7.9	95	1	1	4	10	19	29	59
75-79	227	8.0	101	1	1	5	10	19	26	58
80-84	147	8.0	65	1	1	6	11	19	23	43
85 +	128	9.4	131	1	1	6	11	23	38	55
TOTAL SINGLE DX	310	3.4	13	<1	1	2	4	7	10	18
TOTAL MULTIPLE DX	1171	8.5	109	1	1	5	10	21	29	54
TOTAL										
65-69 YRS	472	7.8	114	1	1	4	9	20	29	53
70-74	382	6.8	80	1	1	4	8	17	25	51
75-79	282	7.2	89	1	1	4	9	17	26	50
80-84	188	7.1	56	1	1	5	9	17	22	40
85 +	157	8.4	116	1	1	5	9	22	30	53
GRAND TOTAL	1481	7.4	93	1	1	4	9	18	26	50

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	1.4		<1	<1	1	2	3	3	3
70-74	8	1.3		1	1	1	1	3	3	3
75-79	4	2.8	4	1	1	3	4	5	5	5
80-84	5	2.0	1	1	1	2	3	4	4	4
85+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	21	2.7	5	<1	1	2	4	6	8	9
70-74	13	5.8	57	1	1	2	7	14	26	29
75-79	12	4.0	4	1	1	4	5	7	8	8
80-84	0									
85+	2	4.5	1	4	4	4	5	5	5	5
TOTAL SINGLE DX	31	1.6	1	1	1	1	2	3	4	5
TOTAL MULTIPLE DX	48	3.9	20	1	1	2	5	7	9	29
TOTAL										
65-69 YRS	32	2.3	4	<1	1	1	3	5	7	9
70-74	21	4.0	40	1	1	2	4	8	19	29
75-79	16	3.7	5	1	1	4	5	6	7	8
80-84	5	2.0	2	1	1	2	3	4	4	4
85+	5	2.8	3	1	1	2	4	5	5	5
GRAND TOTAL	79	3.0	13	1	1	2	4	6	8	23

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84	0									
85+	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	3	4.0	13	1	1	3	7	8	8	8
70-74	0									
75-79	3	1.7	1	1	1	1	3	3	3	3
80-84	1	7.0		7	7	7	7	7	7	7
85+	5	2.4	10	<1	<1	1	3	8	8	8
TOTAL SINGLE DX	9	1.0		<1	<1	1	1	1	1	1
TOTAL MULTIPLE DX	12	3.0	9	<1	<1	1	5	8	8	8
TOTAL										
65-69 YRS	5	2.8	9	<1	<1	1	4	8	8	8
70-74	1	1.0		1	1	1	1	1	1	1
75-79	5	1.4	1	<1	<1	1	2	3	3	3
80-84	1	7.0		7	7	7	7	7	7	7
85+	9	1.8	5	<1	<1	1	1	5	8	8
GRAND TOTAL	21	2.1	6	<1	<1	1	2	7	8	8

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	0									
75-79	2	6.0	50	<1	<1	5	11	11	11	11
80-84	0									
85+	0									
TOTAL SINGLE DX	2	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	2	6.0	50	<1	<1	11	78	99+	99+	99+
TOTAL										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	4.3	33	<1	<1	1	8	11	11	11
80-84	0									
85+	0									
GRAND TOTAL	4	3.5	25	<1	<1	1	33	99+	99+	99+

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	39	2.7	6	<1	1	2	3	5	8	15
70-74	34	3.5	16	<1	1	2	4	10	14	16
75-79	21	3.4	4	1	1	3	4	7	8	9
80-84	22	2.8	4	1	1	2	4	6	7	8
85+	11	4.2	11	1	1	4	4	9	13	13
2. MULTIPLE DX										
65-69 YRS	146	6.6	58	1	1	3	9	17	23	43
70-74	105	8.2	78	1	1	4	11	21	26	40
75-79	88	7.9	84	1	1	4	10	22	31	40
80-84	37	9.5	148	1	2	5	8	29	36	60
85+	38	15.8	324	1	1	9	23	34	65	72
TOTAL SINGLE DX	127	3.2	9	1	1	2	4	7	10	15
TOTAL MULTIPLE DX	414	8.4	106	1	1	4	11	22	30	57
TOTAL										
65-69 YRS	185	5.8	50	1	1	3	8	15	21	39
70-74	139	7.1	67	1	1	4	10	19	24	39
75-79	109	7.0	72	1	1	4	8	18	29	37
80-84	59	7.0	104	1	1	4	7	13	31	58
85+	49	13.2	276	1	1	7	16	31	57	72
GRAND TOTAL	541	7.2	88	1	1	4	9	19	28	45

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	3.9	20	<1	<1	2	4	7	15	21
70-74	25	3.8	15	<1	1	3	5	9	12	18
75-79	21	2.9	5	<1	1	2	4	6	8	10
80-84	5	3.8	7	1	1	4	5	8	8	8
85 +	13	3.4	4	1	1	4	4	6	8	8
2. MULTIPLE DX										
65-69 YRS	129	5.0	44	1	1	3	5	9	12	41
70-74	125	4.9	18	1	1	4	6	10	15	23
75-79	108	5.8	76	1	1	3	6	9	15	57
80-84	90	6.6	47	1	1	5	7	13	24	79
85 +	95	6.1	42	1	2	4	7	12	15	42
TOTAL SINGLE DX	83	3.5	11	<1	1	2	4	7	9	20
TOTAL MULTIPLE DX	547	5.6	45	1	1	4	6	11	15	42
TOTAL										
65-69 YRS	148	4.8	41	1	1	3	5	9	12	36
70-74	150	4.7	18	1	1	3	6	10	14	23
75-79	129	5.3	66	1	1	3	6	9	14	51
80-84	95	6.4	45	1	1	4	7	13	22	77
85 +	108	5.7	38	1	1	4	7	10	14	42
GRAND TOTAL	630	5.3	41	1	1	4	6	10	14	42

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	47	1.4	1	<1	<1	1	1	2	4	7
70-74	54	1.4		<1	<1	1	2	2	3	5
75-79	25	4.1	158	<1	<1	1	2	4	22	64
80-84	15	4.7	54	<1	<1	1	3	16	23	26
85 +	6	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
65-69 YRS	167	5.7	116	<1	1	2	6	12	23	63
70-74	124	4.7	73	1	1	2	4	13	19	66
75-79	79	6.3	96	1	1	3	10	14	20	62
80-84	33	5.3	87	<1	1	2	5	17	33	41
85 +	16	4.9	24	<1	1	2	8	14	15	15
TOTAL SINGLE DX	147	2.2	34	<1	<1	1	2	3	5	27
TOTAL MULTIPLE DX	419	5.5	94	<1	1	2	6	13	20	59
TOTAL										
65-69 YRS	214	4.8	94	<1	<1	2	4	10	17	60
70-74	178	3.7	53	<1	1	1	3	8	16	54
75-79	104	5.8	111	1	1	2	8	14	20	70
80-84	48	5.1	76	<1	1	2	4	16	27	41
85 +	22	3.9	21	<1	<1	1	7	11	15	15
GRAND TOTAL	566	4.6	80	<1	1	2	4	11	17	57

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	9.9	58	1	1	9	14	20	25	29
70-74	14	8.1	29	1	1	10	13	14	15	15
75-79	4	4.3	27	<1	<1	2	7	12	12	12
80-84	2	2.0	2	1	1	2	3	3	3	3
85 +	2	12.0	128	4	4	12	20	20	20	20
2. MULTIPLE DX										
65-69 YRS	62	11.6	66	1	2	10	17	24	29	92
70-74	39	18.0	458	1	2	11	21	38	80	92
75-79	29	10.3	160	1	1	7	13	24	33	63
80-84	8	13.9	265	1	1	7	23	41	43	43
85 +	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	42	8.5	47	1	1	8	13	18	21	29
TOTAL MULTIPLE DX	139	13.2	212	1	2	10	16	28	40	93
TOTAL										
65-69 YRS	82	11.2	64	1	1	10	16	24	29	79
70-74	53	15.4	362	1	1	11	16	28	68	92
75-79	33	9.6	147	1	1	7	12	19	31	63
80-84	10	11.5	232	1	1	5	11	39	43	43
85 +	3	8.7	97	2	2	4	16	20	20	20
GRAND TOTAL	181	12.1	177	1	1	10	15	25	33	90

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	26	10.3	5	6	7	10	11	13	15	16
70-74	17	14.6	63	7	8	13	16	26	33	37
75-79	5	13.0	33	9	9	10	15	23	23	23
80-84	3	13.3	20	9	9	13	17	18	18	18
85 +	0									
2. MULTIPLE DX										
65-69 YRS	170	18.0	140	8	9	14	21	32	43	90
70-74	132	17.9	140	8	9	14	21	31	40	77
75-79	60	23.2	228	8	9	19	29	45	52	84
80-84	25	22.3	372	8	9	15	24	49	72	90
85 +	10	20.9	77	9	10	21	23	34	37	37
TOTAL SINGLE DX	51	12.2	31	6	8	11	13	17	25	37
TOTAL MULTIPLE DX	397	19.1	169	8	9	15	23	33	48	86
TOTAL										
65-69 YRS	196	17.0	129	8	9	13	19	31	40	83
70-74	149	17.5	132	8	9	14	20	30	37	75
75-79	65	22.4	221	8	9	18	27	39	52	83
80-84	28	21.3	341	8	9	15	24	43	68	90
85 +	10	20.9	77	9	10	21	23	34	37	37
GRAND TOTAL	448	18.3	158	8	9	14	22	32	43	85

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	4	6.8	8	3	3	7	9	10	10	10
70-74	2	14.5	365	1	1	14	28	28	28	28
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	119	29.6	623	2	5	29	61	99 +	99 +	99 +
70-74	95	33.8	544	4	7	35	61	99 +	99 +	99 +
75-79	75	35.1	546	4	6	36	60	99 +	99 +	99 +
80-84	49	40.9	848	6	11	36	76	99	99 +	99 +
85 +	27	29.0	403	5	7	29	46	93	99 +	99 +
TOTAL SINGLE DX	7	8.4	84	1	1	7	9	24	28	28
TOTAL MULTIPLE DX	365	33.3	609	4	6	33	61	99 +	99 +	99 +
TOTAL										
65-69 YRS	123	28.9	619	2	4	28	56	99 +	99 +	99 +
70-74	97	33.4	545	4	7	35	61	99 +	99 +	99 +
75-79	76	34.7	553	4	5	36	60	99 +	99 +	99 +
80-84	49	40.9	848	6	11	36	76	99	99 +	99 +
85 +	27	29.0	403	5	7	29	46	93	99 +	99 +
GRAND TOTAL	**372**	**32.8**	**610**	**4**	**6**	**32**	**61**	**99 +**	**99 +**	**99 +**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	13	8.5	93	< 1	1	5	11	27	29	29
70-74	9	7.1	161	1	1	2	5	28	40	40
75-79	8	9.1	189	1	1	4	9	33	42	42
80-84	2	9.0	128	1	1	9	17	17	17	17
85 +	0									
2. MULTIPLE DX										
65-69 YRS	283	28.0	51[illegible]	1	2	26	47	74	99 +	99 +
70-74	236	30.3	608	1	2	30	51	82	99 +	99 +
75-79	139	36.9	564	2	10	38	60	98	99 +	99 +
80-84	99	32.6	496	2	4	33	59	87	99 +	99 +
85 +	50	34.1	466	5	7	33	61	98	99 +	99 +
TOTAL SINGLE DX	32	8.3	125	1	1	3	10	28	39	42
TOTAL MULTIPLE DX	807	31.2	555	1	3	31	53	84	99 +	99 +
TOTAL										
65-69 YRS	296	27.2	517	1	2	24	46	72	99 +	99 +
70-74	245	29.5	610	1	1	30	50	80	99 +	99 +
75-79	147	35.4	583	2	5	37	58	97	99 +	99 +
80-84	101	32.2	499	2	4	33	58	86	99 +	99 +
85 +	50	34.1	467	5	7	33	61	98	99 +	99 +
GRAND TOTAL	**839**	**30.3**	**558**	**1**	**2**	**30**	**52**	**83**	**99 +**	**99 +**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	96	6.1	41	< 1	< 1	4	9	14	17	35
70-74	90	5.7	42	< 1	< 1	3	8	13	17	36
75-79	69	5.3	21	< 1	< 1	4	7	12	15	22
80-84	27	7.4	78	< 1	1	4	11	17	28	40
85 +	17	7.9	72	< 1	< 1	4	15	19	26	30
2. MULTIPLE DX										
65-69 YRS	1791	11.5	95	2	3	9	15	22	28	51
70-74	1837	11.8	98	2	3	9	15	23	30	55
75-79	1442	12.7	107	2	3	10	16	24	33	55
80-84	[illegible]42	13.6	114	2	3	11	17	26	34	[illegible]2
85 +	485	14.1	121	3	4	12	18	26	38	59
TOTAL SINGLE DX	299	6.0	42	< 1	< 1	4	8	14	17	35
TOTAL MULTIPLE DX	6397	12.3	104	2	3	10	16	24	31	56
TOTAL										
65-69 YRS	1887	11.3	94	1	2	9	14	22	28	51
70-74	1927	11.5	98	1	2	9	15	23	30	55
75-79	1511	12.4	106	2	3	10	16	24	33	54
80-84	869	13.4	115	2	3	11	17	26	33	62
85 +	502	13.9	121	2	4	11	18	26	38	59
GRAND TOTAL	**6696**	**12.1**	**103**	**1**	**3**	**10**	**15**	**23**	**31**	**55**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.4[illegible], 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	3	10.7	24	5	5	13	14	14	14	14
70-74	6	12.7	209	1	1	7	30	31	31	31
75-79	1	22.0		22	22	22	22	22	22	22
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	10	13.0	132	1	1	12	22	30	31	31
TOTAL										
65-69 YRS	3	10.7	24	5	5	13	14	14	14	14
70-74	6	12.7	209	1	1	7	30	31	31	31
75-79	1	22.0		22	22	22	22	22	22	22
80-84	0									
85 +	0									
GRAND TOTAL	**10**	**13.0**	**132**	**1**	**1**	**12**	**22**	**30**	**31**	**31**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	150	6.9	22	1	1	7	9	13	15	23
70-74	104	7.0	22	1	1	7	9	13	17	23
75-79	59	6.1	17	1	1	6	9	11	13	18
80-84	38	6.9	43	< 1	< 1	6	10	13	19	34
85 +	11	5.3	24	1	1	3	9	13	16	16
2. MULTIPLE DX										
65-69 YRS	1371	11.5	90	1	3	9	14	22	28	59
70-74	1232	12.2	99	2	3	10	15	23	31	56
75-79	900	12.5	104	2	3	10	16	24	30	54
80-84	418	12.9	139	1	2	10	16	25	36	75
85 +	150	15.3	152	3	5	12	20	31	37	76
TOTAL SINGLE DX	362	6.7	24	< 1	1	6	9	13	15	23
TOTAL MULTIPLE DX	4071	12.2	104	2	3	10	15	24	31	59
TOTAL										
65-69 YRS	1521	11.1	86	1	2	9	14	22	27	56
70-74	1336	11.8	95	1	3	9	15	23	30	55
75-79	959	12.1	102	1	3	10	15	23	30	53
80-84	456	12.4	134	1	2	10	16	24	34	70
85 +	161	14.7	150	2	3	11	19	30	37	75
GRAND TOTAL	4433	11.8	100	1	3	9	15	23	30	56

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	105	10.0	14	5	6	9	12	15	17	23
70-74	48	10.1	15	6	6	9	11	15	21	24
75-79	39	9.6	10	5	6	9	12	14	15	19
80-84	10	11.0	27	8	8	9	10	19	25	25
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	850	14.5	97	6	7	11	17	26	35	75
70-74	707	14.6	74	6	7	12	17	25	33	47
75-79	352	15.6	107	7	8	13	18	27	38	70
80-84	95	14.5	58	7	8	12	17	26	30	42
85 +	20	15.6	50	8	9	12	20	24	30	35
TOTAL SINGLE DX	203	10.0	14	6	6	9	12	14	17	24
TOTAL MULTIPLE DX	2024	14.7	89	7	7	12	17	26	34	65
TOTAL										
65-69 YRS	955	14.0	91	6	7	11	16	25	34	72
70-74	755	14.3	72	6	7	12	17	24	31	46
75-79	391	15.0	101	7	8	12	17	26	37	70
80-84	105	14.2	56	7	8	12	17	25	30	41
85 +	21	15.1	52	8	8	12	20	24	29	35
GRAND TOTAL	2227	14.3	84	6	7	12	17	25	33	61

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	85	5.2	26	< 1	< 1	4	7	11	16	27
70-74	65	5.8	23	< 1	< 1	4	8	12	17	20
75-79	53	6.4	37	< 1	1	4	9	14	19	28
80-84	27	6.0	31	< 1	< 1	4	9	15	18	20
85 +	18	6.1	43	< 1	< 1	4	9	13	21	27
2. MULTIPLE DX										
65-69 YRS	1584	12.1	115	2	3	9	15	23	32	57
70-74	1460	12.3	94	2	3	10	16	24	31	49
75-79	1199	13.1	110	2	3	10	17	26	34	62
80-84	748	14.6	138	3	4	12	18	28	40	68
85 +	529	14.9	132	3	4	12	19	30	39	66
TOTAL SINGLE DX	248	5.7	30	< 1	< 1	4	8	13	18	27
TOTAL MULTIPLE DX	5520	13.0	114	2	3	10	17	26	33	60
TOTAL										
65-69 YRS	1669	11.8	113	1	2	9	15	23	31	56
70-74	1525	12.0	93	2	3	10	16	24	30	48
75-79	1252	12.8	109	2	3	10	16	25	34	61
80-84	775	14.3	137	2	4	12	18	27	39	67
85 +	547	14.6	132	2	4	12	19	30	39	66
GRAND TOTAL	5768	12.7	113	2	3	10	16	25	33	59

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	6.0	16	1	1	7	11	91	99 +	99 +
70-74	8	3.8	9	< 1	< 1	3	6	9	9	9
75-79	7	7.0	72	< 1	< 1	3	9	22	25	25
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	87	14.2	120	3	4	11	18	30	38	53
70-74	56	13.4	195	2	4	10	17	29	35	89
75-79	41	13.8	313	2	2	8	16	33	60	86
80-84	21	18.0	276	3	6	13	17	45	61	68
85 +	19	14.2	191	2	4	10	18	48	79	99 +
TOTAL SINGLE DX	21	5.4	31	< 1	1	4	9	15	55	99 +
TOTAL MULTIPLE DX	224	14.3	193	2	4	10	17	31	42	87
TOTAL										
65-69 YRS	92	13.8	118	3	4	11	18	30	40	80
70-74	64	12.2	182	1	2	9	14	26	34	84
75-79	48	12.8	282	2	2	8	15	28	58	86
80-84	21	18.0	277	3	6	13	17	45	61	68
85 +	20	13.7	186	2	4	10	17	46	77	99 +
GRAND TOTAL	245	13.5	185	2	3	10	16	30	41	92

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	65	7.1	33	2	2	6	8	12	19	30
70-74	52	8.0	38	2	3	6	9	13	17	37
75-79	31	7.4	51	2	2	5	8	14	20	39
80-84	30	7.6	22	2	3	6	10	15	19	19
85 +	13	6.3	19	1	2	5	8	14	16	17
2. MULTIPLE DX										
65-69 YRS	1058	11.3	80	2	3	9	14	23	29	47
70-74	996	12.0	95	3	3	9	16	23	34	52
75-79	774	13.0	118	3	4	10	16	25	32	60
80-84	492	12.9	84	3	4	10	17	24	32	54
85 +	361	13.8	107	3	4	11	18	28	36	79
TOTAL SINGLE DX	196	7.4	34	2	2	6	9	13	17	34
TOTAL MULTIPLE DX	3681	12.3	96	3	4	10	16	24	32	53
TOTAL										
65-69 YRS	1123	11.1	79	2	3	8	14	22	29	47
70-74	1048	11.8	93	3	3	9	15	23	33	52
75-79	805	12.8	117	3	4	10	16	25	32	60
80-84	522	12.6	82	3	4	10	17	24	31	52
85 +	379	13.4	106	3	4	10	17	27	35	77
GRAND TOTAL	3877	12.1	94	3	4	9	16	24	32	53

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	68	5.2	22	1	1	4	8	10	11	25
70-74	64	5.8	19	< 1	1	3	7	14	22	38
75-79	36	4.6	24	< 1	< 1	2	6	13	16	20
80-84	13	4.2	9	< 1	1	4	5	9	11	11
85 +	10	5.6	35	< 1	< 1	3	9	15	19	19
2. MULTIPLE DX										
65-69 YRS	643	10.9	102	1	2	8	14	23	29	56
70-74	613	12.3	130	1	2	9	16	27	35	73
75-79	449	11.9	118	1	2	10	17	25	32	84
80-84	231	14.0	171	1	2	11	18	30	44	65
85 +	166	14.9	153	2	3	11	19	33	48	94
TOTAL SINGLE DX	191	5.2	32	< 1	1	3	8	11	17	26
TOTAL MULTIPLE DX	2102	12.2	127	1	2	10	16	26	34	67
TOTAL										
65-69 YRS	711	10.4	98	1	1	8	14	22	28	56
70-74	677	11.7	126	1	2	9	15	26	34	70
75-79	485	11.4	115	1	1	9	16	24	31	78
80-84	244	13.5	168	1	2	10	18	28	43	64
85 +	176	14.3	151	1	3	11	19	31	47	91
GRAND TOTAL	2293	11.6	123	1	2	9	16	25	33	65

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	57	11.0	20	3	5	11	13	17	20	23
70-74	33	11.8	26	4	7	11	15	17	18	31
75-79	32	11.3	35	3	4	11	14	19	21	29
80-84	10	4.7	6	2	2	4	6	9	10	10
85 +	8	8.6	25	3	3	7	11	17	18	18
2. MULTIPLE DX										
65-69 YRS	991	16.7	138	7	8	13	19	31	42	73
70-74	922	16.9	122	7	8	14	20	30	40	64
75-79	682	18.0	151	5	8	15	22	33	43	76
80-84	281	17.4	171	4	5	14	22	35	43	84
85 +	102	15.1	99	3	4	13	21	28	34	46
TOTAL SINGLE DX	140	10.7	27	3	4	10	14	17	20	29
TOTAL MULTIPLE DX	2978	17.1	138	5	8	14	20	31	41	70
TOTAL										
65-69 YRS	1048	16.4	134	7	8	13	19	29	40	73
70-74	955	16.7	120	7	8	14	20	30	40	64
75-79	714	17.7	148	5	7	14	21	33	42	76
80-84	291	16.9	171	3	4	14	21	35	43	81
85 +	110	14.6	96	3	4	12	20	28	34	46
GRAND TOTAL	3118	16.8	135	5	8	14	20	31	40	70

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	229	11.2	16	7	8	10	13	16	19	28
70-74	151	11.9	22	7	8	11	14	16	20	34
75-79	64	11.6	11	7	8	11	14	16	17	21
80-84	15	12.7	11	9	9	11	16	17	19	19
85 +	0									
2. MULTIPLE DX										
65-69 YRS	5565	14.0	78	7	8	11	16	23	30	57
70-74	4227	15.0	86	8	8	12	17	25	32	62
75-79	2122	17.0	124	8	8	14	20	28	37	75
80-84	484	18.4	111	8	9	16	22	30	39	69
85 +	67	17.9	44	9	10	17	22	28	31	88
TOTAL SINGLE DX	459	11.5	18	7	8	11	13	16	19	29
TOTAL MULTIPLE DX	12465	15.0	92	7	8	12	17	25	32	64
TOTAL										
65-69 YRS	5794	13.9	76	7	8	11	15	23	29	56
70-74	4378	14.9	85	8	8	12	17	24	32	62
75-79	2186	16.8	122	8	8	14	20	28	37	74
80-84	499	18.2	110	8	9	15	22	30	38	68
85 +	67	17.9	45	9	10	17	22	28	31	88
GRAND TOTAL	12924	14.9	90	7	8	12	17	25	32	63

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1485	2.3	5	1	1	2	2	5	7	12
70-74	950	2.5	7	1	1	2	2	6	8	13
75-79	427	2.7	8	1	1	2	3	7	8	14
80-84	105	2.9	9	1	1	2	4	6	8	17
85 +	27	3.8	13	< 1	1	2	6	9	11	15
2. MULTIPLE DX										
65-69 YRS	12872	4.7	24	1	1	3	7	11	14	23
70-74	9315	5.3	31	1	1	3	7	12	15	26
75-79	5052	6.0	34	1	1	4	8	13	17	28
80-84	1557	7.2	46	1	1	5	10	16	20	31
85 +	378	9.7	98	1	2	7	13	20	27	46
TOTAL SINGLE DX	2994	2.5	7	1	1	2	2	6	8	13
TOTAL MULTIPLE DX	29174	5.3	31	1	1	3	7	12	16	26
TOTAL										
65-69 YRS	14357	4.5	23	1	1	2	6	10	13	22
70-74	10265	5.0	30	1	1	3	7	11	15	25
75-79	5479	5.7	34	1	1	4	8	13	17	28
80-84	1662	6.9	45	1	1	5	9	16	20	31
85 +	405	9.3	94	1	1	7	12	20	25	45
GRAND TOTAL	32168	5.0	30	1	1	3	7	11	15	25

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	183	3.3	9	1	1	2	4	6	9	15
70-74	263	3.4	12	1	1	2	4	7	9	22
75-79	267	3.2	7	1	1	2	4	6	8	16
80-84	259	3.3	9	< 1	1	2	4	7	9	15
85 +	270	3.5	9	1	1	2	4	8	9	17
2. MULTIPLE DX										
65-69 YRS	2191	8.5	58	1	2	7	11	17	22	38
70-74	3229	8.8	60	2	2	7	11	18	23	40
75-79	3823	8.9	60	2	2	7	11	17	23	41
80-84	3368	9.2	61	2	2	7	12	18	24	42
85 +	3170	9.7	82	2	2	8	12	18	24	54
TOTAL SINGLE DX	1242	3.3	10	1	1	2	4	7	9	16
TOTAL MULTIPLE DX	15781	9.0	65	2	2	7	12	18	23	42
TOTAL										
65-69 YRS	2374	8.1	56	1	2	6	11	18	21	37
70-74	3492	8.4	59	1	2	6	11	17	22	39
75-79	4090	8.6	59	1	2	7	11	17	23	39
80-84	3627	8.7	60	1	2	7	11	18	23	42
85 +	3440	9.2	80	1	2	7	12	18	24	52
GRAND TOTAL	17023	8.6	63	1	2	7	11	17	23	41

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 3[illegible].2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	472	4.1	8	1	2	3	5	8	10	15
70-74	284	4.5	15	1	2	3	6	8	11	21
75-79	135	4.3	9	1	2	3	6	9	10	16
80-84	33	5.8	17	1	2	5	8	11	13	20
85 +	10	4.2	10	1	1	3	5	9	11	11
2. MULTIPLE DX										
65-69 YRS	3609	6.3	33	2	2	5	8	12	16	27
70-74	2660	6.8	40	2	2	5	9	13	17	30
75-79	1315	8.1	61	2	2	6	10	16	23	41
80-84	418	8.9	49	2	2	7	11	18	22	34
85 +	112	11.4	73	2	3	9	14	24	29	38
TOTAL SINGLE DX	934	4.3	11	1	2	3	5	8	10	19
TOTAL MULTIPLE DX	8114	7.0	43	2	2	5	9	13	18	33
TOTAL										
65-69 YRS	4081	6.0	31	2	2	4	8	12	15	26
70-74	2944	6.6	39	2	2	5	8	13	17	29
75-79	1450	7.7	58	2	2	6	9	15	21	39
80-84	451	8.7	48	2	2	7	11	18	21	33
85 +	122	10.8	72	2	3	8	14	23	28	37
GRAND TOTAL	9048	6.7	40	2	2	5	9	13	17	31

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	110	4.1	27	< 1	< 1	2	5	11	13	28
70-74	98	3.2	9	< 1	< 1	2	5	8	9	15
75-79	58	3.4	13	< 1	< 1	2	4	8	10	21
80-84	41	3.5	17	< 1	< 1	2	5	7	12	22
85 +	30	4.6	9	1	1	4	7	9	10	11
2. MULTIPLE DX										
65-69 YRS	1997	9.9	76	1	2	8	13	20	27	41
70-74	2002	10.6	87	1	2	8	14	22	27	48
75-79	1932	11.7	107	2	2	9	15	23	29	59
80-84	1577	12.4	109	2	3	10	16	24	31	60
85 +	1601	12.8	98	3	4	10	17	25	32	58
TOTAL SINGLE DX	337	3.7	17	< 1	< 1	2	5	9	11	20
TOTAL MULTIPLE DX	9109	11.4	96	2	2	9	15	23	29	51
TOTAL										
65-69 YRS	2107	9.6	76	1	2	7	13	20	27	41
70-74	2100	10.2	87	1	2	8	13	21	26	47
75-79	1990	11.5	107	1	2	9	15	23	29	58
80-84	1618	12.2	109	2	3	10	16	24	31	58
85 +	1631	12.7	98	2	4	10	16	25	32	58
GRAND TOTAL	9446	11.1	96	1	2	9	14	23	29	51

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	150	2.8	4	1	1	2	3	5	6	9
70-74	66	3.0	6	< 1	1	2	4	5	7	17
75-79	42	4.1	16	1	1	3	5	10	14	18
80-84	11	4.4	7	1	1	4	6	9	10	10
85 +	5	8.0	63	3	3	4	11	22	22	22
2. MULTIPLE DX										
65-69 YRS	214	4.6	31	1	1	3	5	9	16	31
70-74	143	6.0	68	1	1	4	6	13	20	46
75-79	82	8.0	136	1	1	4	9	19	26	72
80-84	38	7.8	71	1	1	5	9	18	26	43
85 +	21	12.7	143	2	3	9	16	28	42	50
TOTAL SINGLE DX	274	3.2	9	1	1	2	4	5	8	19
TOTAL MULTIPLE DX	498	6.1	70	1	1	3	6	14	20	44
TOTAL										
65-69 YRS	364	3.9	21	1	1	3	4	7	11	22
70-74	209	5.0	51	1	1	3	5	11	18	36
75-79	124	6.7	99	1	1	3	8	14	25	47
80-84	49	7.0	59	1	1	5	8	15	19	43
85 +	26	11.8	129	2	3	7	14	24	38	50
GRAND TOTAL	772	5.1	50	1	1	3	5	11	18	34

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	237	7.5	17	2	2	7	9	13	15	21
70-74	206	7.7	15	2	3	7	10	13	14	20
75-79	131	7.8	18	1	2	8	10	13	16	20
80-84	66	8.8	22	2	2	8	12	15	20	20
85 +	31	9.1	26	2	2	9	12	15	20	24
2. MULTIPLE DX										
65-69 YRS	3448	13.8	135	3	5	10	16	26	36	69
70-74	3186	14.7	136	4	5	11	18	29	38	67
75-79	2254	15.4	151	4	5	12	19	30	41	75
80-84	1187	17.4	190	5	6	13	21	35	47	92
85 +	517	18.0	176	6	8	14	21	35	50	83
TOTAL SINGLE DX	671	7.8	18	2	2	7	10	13	15	20
TOTAL MULTIPLE DX	10592	15.0	149	4	5	11	18	29	40	74
TOTAL										
65-69 YRS	3685	13.4	130	3	5	10	16	26	35	66
70-74	3392	14.2	132	4	5	11	17	28	37	66
75-79	2385	15.0	147	4	5	11	18	30	40	75
80-84	1253	16.9	185	5	6	13	21	35	46	91
85 +	548	17.5	172	5	7	14	21	34	48	79
GRAND TOTAL	11263	14.6	144	4	5	11	17	29	38	72

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	3	10.0	3	9	9	9	11	12	12	12
70-74	2	13.0	18	10	10	13	16	16	16	16
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	5	11.2	9	9	9	10	13	16	16	16
TOTAL										
65-69 YRS	3	10.0	3	9	9	9	11	12	12	12
70-74	2	13.0	18	10	10	13	16	16	16	16
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	5	11.2	9	9	9	10	13	16	16	16

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	6	1.8	1	< 1	< 1	< 1	3	4	4	4
70-74	8	7.8	60	1	1	5	11	21	24	24
75-79	5	2.[illegible]	2	1	1	2	4	4	4	4
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	1259	7.0	59	1	2	5	8	14	19	34
70-74	1087	7.3	50	1	2	5	9	15	20	40
75-79	793	7.5	60	2	2	5	9	16	24	46
80-84	406	7.9	66	2	2	5	9	16	27	43
85 +	125	8.6	90	2	2	5	9	18	27	53
TOTAL SINGLE DX	20	4.7	31	< 1	< 1	3	5	11	18	24
TOTAL MULTIPLE DX	3670	7.4	59	1	2	5	9	15	21	41
TOTAL										
65-69 YRS	1265	7.0	60	1	2	5	8	14	19	34
70-74	1095	7.3	50	1	2	5	9	15	20	40
75-79	798	7.5	60	2	2	5	9	16	24	46
80-84	406	7.9	66	2	2	5	9	16	27	43
85 +	126	8.[illegible]	90	2	2	5	9	18	27	53
GRAND TOTAL	3690	7.3	59	1	2	5	9	15	21	41

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	842	5.7	22	1	2	5	8	11	12	23
70-74	777	5.8	18	1	2	5	8	11	13	22
75-79	551	6.0	21	1	2	5	8	11	13	22
80-84	260	5.9	21	1	1	5	8	11	13	26
85 +	118	7.6	44	2	2	5	9	15	19	39
2. MULTIPLE DX										
65-69 YRS	7805	10.0	93	1	2	8	12	20	28	57
70-74	7761	10.7	101	2	3	8	13	22	30	58
75-79	6079	11.2	110	2	3	8	14	22	32	58
80-84	3043	11.7	108	2	3	9	15	23	30	61
85 +	1545	12.9	137	2	3	10	16	25	35	73
TOTAL SINGLE DX	2548	5.9	22	1	2	5	8	11	13	23
TOTAL MULTIPLE DX	26233	10.8	105	2	3	8	13	22	30	59
TOTAL										
65-69 YRS	8647	9.6	88	1	2	7	12	19	27	56
70-74	8538	10.2	96	2	3	8	12	20	29	56
75-79	6630	10.7	106	2	3	8	13	21	31	56
80-84	3303	11.3	104	2	3	9	14	23	29	58
85 +	1663	12.5	133	2	3	10	15	24	34	72
GRAND TOTAL	28781	10.4	99	2	3	8	13	21	29	57

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	135	4.0	13	< 1	1	3	5	8	14	17
70-74	123	4.0	13	< 1	1	3	6	9	10	20
75-79	68	4.9	43	< 1	< 1	3	6	9	14	42
80-84	30	3.3	11	< 1	< 1	2	5	7	10	16
85 +	19	9.4	191	< 1	1	6	9	18	43	63
2. MULTIPLE DX										
65-69 YRS	736	8.8	89	1	2	6	11	18	25	53
70-74	635	8.9	79	1	1	6	11	19	26	49
75-79	456	9.3	93	1	1	7	12	22	26	82
80-84	248	10.3	82	1	2	8	14	22	30	42
85 +	160	12.1	170	2	3	9	15	23	34	90
TOTAL SINGLE DX	375	4.4	29	< 1	1	3	6	9	13	21
TOTAL MULTIPLE DX	2235	9.4	93	1	2	7	12	20	27	51
TOTAL										
65-69 YRS	871	8.1	81	1	1	6	10	16	23	49
70-74	758	8.1	72	1	1	6	10	18	25	45
75-79	524	8.8	89	1	1	6	11	21	25	68
80-84	278	9.5	80	1	1	7	13	21	29	41
85 +	179	11.8	172	2	3	9	14	22	34	89
GRAND TOTAL	2610	8.6	87	1	1	6	11	19	25	50

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	90	4.8	9	1	2	4	6	9	11	16
70-74	70	4.9	15	1	1	4	6	10	13	21
75-79	35	5.0	11	1	2	4	5	8	14	17
80-84	15	4.6	5	2	3	4	5	8	10	11
85 +	4	4.3	11	1	1	3	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	415	8.3	81	1	2	6	9	15	20	51
70-74	327	8.8	83	2	2	6	10	17	24	60
75-79	228	9.3	83	2	3	6	10	20	29	59
80-84	76	8.5	36	3	3	7	10	14	23	32
85 +	52	8.0	28	2	3	6	10	17	21	22
TOTAL SINGLE DX	214	4.9	12	1	2	4	6	9	12	17
TOTAL MULTIPLE DX	1098	8.6	77	2	3	6	10	17	23	58
TOTAL										
65-69 YRS	505	7.7	70	1	2	6	8	14	19	45
70-74	397	8.1	73	1	2	6	9	16	22	59
75-79	263	8.7	76	2	3	6	9	18	26	59
80-84	91	7.9	33	3	3	6	10	13	22	32
85 +	56	7.7	28	1	3	6	9	16	20	22
GRAND TOTAL	1312	8.0	68	2	2	6	9	16	22	56

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	3	2.7	4	1	1	2	4	5	5	5
70-74	4	10.8	169	2	2	5	18	30	30	30
75-79	0									
80-84	3	34.7	408	13	13	38	49	53	53	53
85 +	0									
TOTAL SINGLE DX	3	7.0	21	2	2	8	10	11	11	11
TOTAL MULTIPLE DX	10	15.5	335	1	1	6	30	45	53	53
TOTAL										
65-69 YRS	4	2.5	3	1	1	2	4	5	5	5
70-74	5	10.8	127	2	2	7	16	30	30	30
75-79	1	8.0		8	8	8	8	8	8	8
80-84	3	34.7	408	13	13	38	49	53	53	53
85 +	0									
GRAND TOTAL	13	13.5	269	1	2	7	17	41	51	53

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	0									
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	0									

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	91	6.4	25	1	2	5	8	14	18	23
70-74	84	8.5	65	2	2	6	10	15	24	48
75-79	62	6.4	23	1	2	6	8	12	17	22
80-84	43	7.8	40	2	2	6	9	14	21	36
85 +	36	8.3	34	1	2	7	11	18	20	21
2. MULTIPLE DX										
65-69 YRS	1807	12.0	106	2	3	9	15	24	32	54
70-74	2082	12.2	122	3	4	9	15	24	33	60
75-79	2120	12.0	96	3	4	9	15	23	31	56
80-84	1716	12.3	99	3	4	10	15	23	31	56
85 +	1435	12.3	109	3	4	9	15	23	32	58
TOTAL SINGLE DX	316	7.4	39	1	2	6	9	15	20	31
TOTAL MULTIPLE DX	9160	12.1	107	3	4	9	15	24	32	57
TOTAL										
65-69 YRS	1898	11.7	104	2	3	9	14	23	32	54
70-74	2166	12.1	121	3	3	9	15	24	33	59
75-79	2182	11.8	95	3	4	9	15	23	31	56
80-84	1759	12.2	98	3	4	10	15	23	30	56
85 +	1471	12.2	109	3	4	9	15	23	31	58
GRAND TOTAL	9476	12.0	105	3	4	9	15	23	32	56

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	48	8.5	72	1	1	6	12	22	27	31
70-74	29	7.9	83	1	1	5	8	21	24	44
75-79	28	8.1	97	< 1	< 1	4	12	25	29	40
80-84	14	4.7	13	1	1	3	8	11	11	11
85 +	8	9.8	58	1	1	9	15	21	22	22
2. MULTIPLE DX										
65-69 YRS	1597	12.8	160	1	2	9	16	29	38	68
70-74	1364	13.7	155	1	3	10	18	29	40	66
75-79	1017	14.3	138	2	3	11	19	30	39	62
80-84	669	17.1	178	3	4	14	23	34	44	72
85 +	589	16.5	159	3	4	13	22	32	42	72
TOTAL SINGLE DX	127	7.9	73	1	1	5	11	21	27	41
TOTAL MULTIPLE DX	5236	14.3	160	2	3	11	19	31	40	68
TOTAL										
65-69 YRS	1645	12.7	159	1	2	9	16	29	37	68
70-74	1393	13.6	155	1	2	10	18	29	40	65
75-79	1045	14.1	139	2	3	11	18	30	39	62
80-84	683	16.9	178	3	4	14	22	34	43	72
85 +	597	16.4	159	3	4	13	22	32	41	72
GRAND TOTAL	5363	14.1	158	2	3	11	19	30	40	67

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	47	4.7	16	< 1	1	4	6	10	12	22
70-74	55	5.7	35	< 1	1	4	6	12	17	35
75-79	42	5.7	27	< 1	< 1	4	7	13	19	20
80-84	28	5.4	20	< 1	1	4	8	13	15	16
85 +	15	5.0	16	1	1	3	6	13	14	14
2. MULTIPLE DX										
65-69 YRS	930	10.6	120	1	2	7	13	23	32	62
70-74	913	10.5	131	1	2	7	13	20	30	72
75-79	805	9.8	99	1	2	7	12	21	28	50
80-84	638	10.4	91	2	3	8	13	23	31	52
85 +	504	10.2	84	2	2	8	13	22	28	55
TOTAL SINGLE DX	187	5.3	25	< 1	1	4	7	11	15	21
TOTAL MULTIPLE DX	3790	10.3	109	1	2	7	13	21	30	60
TOTAL										
65-69 YRS	977	10.3	117	1	2	7	12	23	32	62
70-74	968	10.2	127	1	2	7	13	20	29	71
75-79	847	9.6	97	1	2	7	12	20	28	49
80-84	666	10.1	90	2	2	7	13	22	30	51
85 +	519	10.1	83	1	2	7	13	21	27	55
GRAND TOTAL	3977	10.1	106	1	2	7	12	21	30	59

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	3	8.7	12	5	5	9	11	12	12	12
75-79	3	7.3	2	6	6	7	8	9	9	9
80-84	0									
85 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	33	14.7	131	4	6	11	16	29	47	54
70-74	27	15.4	71	7	8	14	17	30	36	38
75-79	23	14.6	74	4	7	13	18	27	32	40
80-84	29	21.5	263	6	9	15	32	50	73	99 +
85 +	25	17.6	86	5	9	15	24	30	37	41
TOTAL SINGLE DX	8	8.9	8	5	5	9	11	13	13	13
TOTAL MULTIPLE DX	137	16.8	133	6	7	13	20	34	40	76
TOTAL										
65-69 YRS	34	14.6	128	4	7	11	16	28	46	54
70-74	30	14.7	69	6	7	13	16	28	36	38
75-79	26	13.8	71	4	6	12	16	27	30	40
80-84	29	21.5	264	6	9	15	32	50	73	99 +
85 +	26	17.3	85	6	9	14	24	30	37	41
GRAND TOTAL	145	16.3	130	6	7	13	19	32	39	74

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	9	7.6	39	3	3	5	9	18	23	23
70-74	10	13.6	51	[illegible]	3	14	19	22	23	23
75-79	10	6.8	77	1	1	2	12	21	27	27
80-84	14	13.1	239	< 1	1	6	20	36	51	55
85 +	17	13.0	493	< 1	1	4	13	32	69	89
2. MULTIPLE DX										
65-69 YRS	469	19.7	291	2	4	15	27	45	60	99 +
70-74	692	20.7	305	3	4	16	27	47	66	99 +
75-79	923	19.7	306	3	4	15	26	45	69	99 +
80-84	1010	20.3	306	3	5	16	27	48	70	99 +
85 +	1448	18.3	244	2	4	14	24	42	57	99 +
TOTAL SINGLE DX	60	11.3	219	1	1	6	16	26	33	86
TOTAL MULTIPLE DX	4542	19.5	286	3	4	15	26	45	65	99 +
TOTAL										
65-69 YRS	478	19.5	289	3	4	14	27	45	60	99 +
70-74	702	20.6	303	3	4	16	27	47	66	99 +
75-79	933	19.5	306	2	4	15	26	45	69	99 +
80-84	1024	20.2	306	3	5	16	27	48	70	99 +
85 +	1465	18.2	248	2	4	14	24	41	57	99 +
GRAND TOTAL	4602	19.4	286	3	4	15	26	45	65	99 +

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	42	4.8	18	< 1	< 1	4	6	9	13	23
70-74	57	4.5	6	< 1	< 1	5	6	8	9	11
75-79	45	6.1	13	1	2	5	8	12	13	17
80-84	24	4.8	11	< 1	1	4	6	9	11	15
85 +	20	6.6	7	2	3	7	8	10	11	12
2. MULTIPLE DX										
65-69 YRS	1266	8.3	47	2	3	7	10	16	21	41
70-74	1385	8.7	53	2	3	7	11	16	21	44
75-79	1362	9.8	64	3	3	8	12	19	24	42
80-84	1213	10.0	64	3	4	8	12	18	24	44
85 +	891	10.7	67	3	4	8	13	20	26	47
TOTAL SINGLE DX	188	5.2	12	< 1	1	5	7	9	12	16
TOTAL MULTIPLE DX	6117	9.4	60	2	3	7	11	18	23	43
TOTAL										
65-69 YRS	1308	8.2	47	2	3	6	10	15	21	40
70-74	1442	8.6	53	2	3	7	10	16	21	43
75-79	1407	9.7	63	3	3	8	12	19	24	41
80-84	1237	9.9	64	3	4	8	12	18	24	44
85 +	911	10.6	67	3	4	8	13	20	26	47
GRAND TOTAL	6305	[illegible]	59	2	3	7	11	17	23	43

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	56	10.3	14	7	7	9	11	18	19	22
70-74	29	12.4	55	6	7	10	14	19	26	43
75-79	27	12.7	35	7	7	11	15	20	27	32
80-84	16	13.4	35	7	8	11	18	22	25	26
85 +	12	13.3	17	9	9	12	15	19	22	23
2. MULTIPLE DX										
65-69 YRS	541	18.0	201	7	8	14	20	32	52	85
70-74	545	18.0	135	7	8	15	21	31	40	68
75-79	508	19.2	164	8	9	15	23	36	47	85
80-84	297	21.1	148	9	10	18	25	36	50	85
85 +	202	22.5	201	8	10	18	28	40	55	75
TOTAL SINGLE DX	140	11.8	31	7	7	10	13	19	22	33
TOTAL MULTIPLE DX	2093	19.2	170	8	9	15	22	35	48	80
TOTAL										
65-69 YRS	597	17.3	189	7	8	13	19	31	50	85
70-74	574	17.7	133	7	8	15	21	31	40	67
75-79	535	18.8	159	8	9	15	22	35	46	82
80-84	313	20.7	146	9	10	17	24	36	50	81
85 +	214	22.0	196	9	10	17	28	37	55	75
GRAND TOTAL	2233	18.7	164	7	8	15	22	34	47	79

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	13.1	23	7	8	13	14	21	22	22
70-74	6	16.0	78	7	7	14	16	31	33	33
75-79	2	14.5	13	12	12	14	17	17	17	17
80-84	3	17.7	26	12	12	19	21	22	22	22
85 +	0									
2. MULTIPLE DX										
65-69 YRS	120	22.3	241	9	10	16	28	40	57	78
70-74	132	20.4	145	9	10	16	23	44	50	67
75-79	82	23.8	199	9	11	21	29	41	54	99
80-84	38	24.5	149	11	12	22	[illegible]	41	45	66
85 +	14	27.6	69	16	18	26	[illegible]	38	40	41
TOTAL SINGLE DX	21	14.7	37	7	8	14	17	[illegible]	27	33
TOTAL MULTIPLE DX	386	22.4	186	9	10	19	[illegible]	41	50	79
TOTAL										
65-69 YRS	130	21.6	230	9	10	15	27	39	54	78
70-74	138	20.3	142	9	10	16	23	43	50	65
75-79	84	23.6	196	9	11	20	29	40	53	99
80-84	41	24.0	143	11	12	21	30	40	44	66
85 +	14	27.6	70	16	18	26	35	38	40	41
GRAND TOTAL	407	22.0	181	9	10	18	27	40	50	79

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	11	10.4	26	6	7	9	11	17	24	25
70-74	10	11.6	41	7	7	10	12	21	29	29
75-79	9	11.4	16	8	8	10	12	18	21	21
80-84	1	8.0		8	8	8	8	8	8	8
85 +	4	9.8	1	8	8	10	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	147	15.1	87	7	7	12	18	27	35	51
70-74	134	18.4	168	7	8	15	24	32	51	85
75-79	109	19.7	191	8	9	16	22	37	55	92
80-84	78	20.6	187	8	9	16	25	40	49	73
85 +	46	19.1	186	7	8	15	21	37	52	77
TOTAL SINGLE DX	35	10.9	24	7	7	10	11	14	24	29
TOTAL MULTIPLE DX	514	18.1	158	7	8	14	22	34	48	78
TOTAL										
65-69 YRS	158	14.8	85	6	7	12	18	26	35	51
70-74	144	17.9	162	7	8	14	23	32	51	83
75-79	118	19.1	183	8	9	15	21	35	53	91
80-84	79	20.5	187	8	9	15	25	40	49	73
85 +	50	18.3	178	7	8	14	21	33	52	77
GRAND TOTAL	549	17.7	152	7	8	14	21	32	46	77

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	61	8.5	15	4	5	8	10	13	18	21
70-74	51	9.7	27	5	5	9	10	16	18	33
75-79	40	11.2	35	4	5	10	14	19	24	29
80-84	18	11.7	33	7	7	10	12	19	27	31
85 +	28	10.0	30	4	5	9	11	15	18	33
2. MULTIPLE DX										
65-69 YRS	598	15.6	179	5	6	11	18	29	40	81
70-74	615	16.6	175	6	7	12	20	33	45	91
75-79	533	18.5	180	6	8	15	22	38	50	99 +
80-84	431	18.6	189	6	8	15	22	35	48	91
85 +	368	18.9	177	7	8	15	22	35	50	83
TOTAL SINGLE DX	198	9.9	27	5	5	9	11	16	21	32
TOTAL MULTIPLE DX	2545	17.4	181	6	7	13	20	33	47	84
TOTAL										
65-69 YRS	659	14.9	168	5	6	11	17	27	39	80
70-74	666	16.1	167	5	7	12	19	31	44	88
75-79	573	17.9	174	6	7	14	21	37	49	98
80-84	449	18.4	185	6	8	14	22	34	47	91
85 +	396	18.3	172	6	8	15	22	33	47	82
GRAND TOTAL	2743	16.9	174	6	7	13	20	33	45	82

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	99	3.8	10	< 1	< 1	3	6	9	9	14
70-74	94	5.1	60	< 1	< 1	2	6	11	16	49
75-79	87	4.4	16	< 1	< 1	3	7	9	10	21
80-84	55	4.5	13	< 1	< 1	4	7	10	11	16
85 +	31	5.0	50	< 1	< 1	3	7	10	11	39
2. MULTIPLE DX										
65-69 YRS	1793	8.6	64	1	2	7	10	17	24	43
70-74	2053	8.8	58	1	2	7	11	17	23	42
75-79	2036	9.4	65	2	3	7	12	18	24	43
80-84	1587	10.6	99	2	3	8	13	20	29	58
85 +	1278	11.1	97	2	3	8	13	22	30	56
TOTAL SINGLE DX	366	4.5	28	< 1	< 1	3	7	9	11	22
TOTAL MULTIPLE DX	8747	9.6	75	1	2	7	12	19	26	48
TOTAL										
65-69 YRS	1892	8.4	63	1	2	7	10	17	24	42
70-74	2147	8.7	59	1	2	7	11	17	23	42
75-79	2123	9.2	64	1	2	7	12	18	24	42
80-84	1642	10.4	98	1	2	8	13	20	28	55
85 +	1309	11.0	97	2	3	8	13	22	30	55
GRAND TOTAL	9113	9.4	74	1	2	7	12	19	25	48

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	26	10.1	16	6	6	9	11	17	19	21
70-74	29	11.5	32	6	6	10	13	20	23	31
75-79	27	11.3	18	5	6	11	14	18	19	20
80-84	17	9.5	8	6	6	9	11	14	15	16
85 +	6	10.2	17	3	3	11	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	585	18.7	195	6	8	14	22	38	50	86
70-74	583	18.6	185	7	8	14	23	36	48	82
75-79	556	18.6	137	7	8	15	22	35	46	70
80-84	463	18.6	141	7	8	15	22	36	45	99 +
85 +	334	17.2	101	8	9	14	20	29	35	68
TOTAL SINGLE DX	105	10.7	20	5	6	10	13	17	19	27
TOTAL MULTIPLE DX	2521	18.4	158	7	8	15	22	35	46	82
TOTAL										
65-69 YRS	611	18.4	191	6	8	14	22	37	49	85
70-74	612	18.3	181	7	8	14	22	35	47	81
75-79	583	18.2	134	7	8	15	22	34	45	69
80-84	480	18.3	139	7	8	15	22	35	45	99 +
85 +	340	17.0	101	8	9	14	20	29	35	68
GRAND TOTAL	2626	18.1	155	7	8	14	22	34	46	81

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	476	9.4	11	6	6	9	10	13	16	21
70-74	431	9.7	15	6	6	9	11	14	16	22
75-79	296	10.6	19	6	7	10	12	16	20	28
80-84	152	11.6	49	6	7	10	13	16	21	38
85 +	95	12.5	28	7	8	11	15	19	23	30
2. MULTIPLE DX										
65-69 YRS	4172	13.8	87	7	7	11	15	23	31	59
70-74	4604	14.3	87	7	8	11	16	24	33	59
75-79	4266	15.7	105	7	8	13	18	27	35	66
80-84	2934	16.9	112	8	8	14	20	29	37	76
85 +	1914	18.5	123	8	9	15	22	32	42	71
TOTAL SINGLE DX	1450	10.2	20	6	7	9	11	15	18	27
TOTAL MULTIPLE DX	17890	15.4	102	7	8	12	18	27	35	65
TOTAL										
65-69 YRS	4648	13.4	81	7	7	11	15	22	30	58
70-74	5035	13.9	83	7	7	11	16	23	32	57
75-79	4562	15.4	102	7	8	12	18	27	34	65
80-84	3086	16.6	111	7	8	14	20	28	37	75
85 +	2009	18.2	120	8	9	15	22	31	41	70
GRAND TOTAL	19340	15.0	98	7	8	12	17	26	34	63

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	23	9.6	38	4	5	8	10	19	25	29
70-74	7	8.3	1	6	6	8	9	10	10	10
75-79	11	12.9	31	7	7	11	16	21	26	26
80-84	3	8.3	2	7	7	8	9	10	10	10
85 +	0									
2. MULTIPLE DX										
65-69 YRS	180	18.8	277	6	8	13	21	35	59	87
70-74	201	16.7	125	7	8	14	20	29	39	78
75-79	193	17.0	158	6	7	14	21	30	36	93
80-84	144	18.0	131	7	8	14	22	32	42	63
85 +	137	19.0	159	8	8	16	22	31	46	81
TOTAL SINGLE DX	44	10.1	30	5	6	9	11	18	24	29
TOTAL MULTIPLE DX	855	17.8	171	7	8	14	21	32	42	84
TOTAL										
65-69 YRS	203	17.8	258	6	7	12	20	33	54	86
70-74	208	16.5	124	7	8	14	20	29	39	75
75-79	204	16.8	152	6	7	14	20	29	36	93
80-84	147	17.6	131	7	8	14	22	32	41	63
85 +	137	19.0	160	8	8	16	22	31	46	81
GRAND TOTAL	899	17.4	167	6	8	14	21	31	41	83

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	117	7.9	9	2	4	8	9	12	13	17
70-74	115	7.4	11	2	3	7	9	12	14	18
75-79	93	8.0	11	2	4	8	10	12	14	17
80-84	44	9.2	51	3	4	8	10	14	24	41
85 +	21	6.5	16	1	1	8	10	11	13	14
2. MULTIPLE DX										
65-69 YRS	901	13.0	108	5	6	10	14	24	35	61
70-74	896	13.1	92	4	5	10	15	24	32	61
75-79	686	14.1	123	4	6	11	17	25	34	62
80-84	493	13.7	95	4	5	11	16	27	34	52
85 +	280	15.0	124	4	6	12	17	28	41	70
TOTAL SINGLE DX	390	7.9	16	2	3	8	10	12	14	21
TOTAL MULTIPLE DX	3256	13.5	107	4	6	10	16	25	34	62
TOTAL										
65-69 YRS	1018	12.5	100	4	6	10	14	22	31	58
70-74	1011	12.4	86	4	5	10	14	23	31	59
75-79	779	13.4	114	4	5	10	15	24	31	58
80-84	537	13.3	94	4	5	10	16	26	34	50
85 +	301	14.4	121	3	5	12	17	28	39	70
GRAND TOTAL	3646	12.9	100	4	5	10	15	24	33	59

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	5	11.8	27	8	8	10	13	21	21	21
70-74	16	10.4	38	1	5	9	12	16	25	29
75-79	12	12.1	69	4	4	9	14	24	33	34
80-84	11	12.5	17	7	7	14	15	18	20	20
85 +	6	15.0	142	6	6	10	20	35	37	37
2. MULTIPLE DX										
65-69 YRS	342	17.2	129	6	7	14	22	33	43	99 +
70-74	349	18.8	173	6	8	15	23	35	55	99 +
75-79	349	20.4	229	7	8	16	25	42	58	99 +
80-84	288	21.2	206	7	8	17	26	44	51	99 +
85 +	287	19.3	162	6	8	17	24	36	42	76
TOTAL SINGLE DX	50	11.9	50	4	5	10	14	20	[illegible]	37
TOTAL MULTIPLE DX	1615	19.3	182	6	8	16	24	38	51	99 +
TOTAL										
65-69 YRS	347	17.1	128	6	7	14	21	32	43	99
70-74	365	18.4	171	5	7	15	23	35	55	99 +
75-79	361	20.2	226	6	8	16	25	41	57	99
80-84	299	20.8	202	7	8	17	25	43	51	99 +
85 +	293	19.2	162	6	7	16	24	36	42	76
GRAND TOTAL	1665	19.1	179	6	8	16	24	37	50	99 +

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	275	5.7	10	2	3	5	7	10	11	19
70-74	158	5.9	7	3	3	5	8	9	10	15
75-79	100	5.6	4	2	3	5	7	9	9	12
80-84	38	6.8	15	2	2	6	9	11	15	20
85 +	28	6.7	18	3	3	5	9	14	16	17
2. MULTIPLE DX										
65-69 YRS	595	9.2	44	3	4	8	11	17	19	36
70-74	505	10.0	59	3	4	9	12	16	20	40
75-79	366	10.4	49	4	4	9	12	18	22	39
80-84	210	12.1	105	3	4	9	14	24	29	62
85 +	118	13.2	87	4	5	11	17	24	32	79
TOTAL SINGLE DX	599	5.8	10	2	3	5	7	10	11	18
TOTAL MULTIPLE DX	1794	10.3	61	3	4	9	12	18	22	43
TOTAL										
65-69 YRS	870	8.1	36	3	3	7	10	14	18	30
70-74	663	9.0	50	3	4	8	11	15	19	37
75-79	466	9.3	44	3	4	8	11	16	20	33
80-84	248	11.3	95	3	4	8	13	21	28	59
85 +	146	12.0	81	3	4	10	15	20	29	71
GRAND TOTAL	2393	9.2	52	3	3	8	11	16	20	37

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	0									
80-84	0									
85 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	4	8.3	23	3	3	8	12	14	14	14
70-74	8	9.1	21	5	5	8	14	15	15	15
75-79	1	12.0		12	12	12	12	12	12	12
80-84	3	9.0	13	5	5	10	11	12	12	12
85 +	1	7.0		7	7	7	7	7	7	7
TOTAL SINGLE DX	4	3.5	2	2	2	3	4	5	5	5
TOTAL MULTIPLE DX	17	8.9	16	4	5	10	12	15	15	15
TOTAL										
65-69 YRS	4	8.3	23	3	3	8	12	14	14	14
70-74	10	8.0	23	3	3	5	13	15	15	15
75-79	1	12.0		12	12	12	12	12	12	12
80-84	3	9.0	13	5	5	10	11	12	12	12
85 +	3	4.7	6	2	2	5	6	7	7	7
GRAND TOTAL	21	7.9	18	2	3	6	12	14	15	15

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	4	9.8	7	6	6	10	11	12	12	12
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	11	14.1	44	6	7	11	17	25	27	27
70-74	1	11.0		11	11	11	11	11	11	11
75-79	5	17.6	128	9	9	12	25	36	36	36
80-84	2	11.5	13	9	9	11	14	14	14	14
85 +	1	25.0		25	25	25	25	25	25	25
TOTAL SINGLE DX	4	9.8	7	6	6	10	11	12	12	12
TOTAL MULTIPLE DX	20	15.1	61	7	8	12	19	26	31	36
TOTAL										
65-69 YRS	15	12.9	37	6	6	11	16	24	26	27
70-74	1	11.0		11	11	11	11	11	11	11
75-79	5	17.6	128	9	9	12	25	36	36	36
80-84	2	11.5	13	9	9	11	14	14	14	14
85 +	1	25.0		25	25	25	25	25	25	25
GRAND TOTAL	24	14.2	55	6	8	11	17	25	30	36

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	80	2.9	8	< 1	1	2	3	5	9	16
70-74	89	3.0	6	1	1	2	4	6	7	14
75-79	71	2.9	6	< 1	< 1	2	4	5	9	13
80-84	56	2.8	3	1	1	2	4	5	7	8
85 +	45	3.4	3	< 1	1	3	5	6	6	8
2. MULTIPLE DX										
65-69 YRS	309	6.7	79	1	1	4	7	14	23	52
70-74	384	7.2	62	1	1	5	9	16	20	37
75-79	399	7.7	85	1	1	5	9	15	23	56
80-84	346	8.7	64	1	2	6	11	20	26	55
85 +	319	9.4	86	1	2	7	12	20	30	99 +
TOTAL SINGLE DX	341	3.0	6	< 1	1	2	4	6	7	13
TOTAL MULTIPLE DX	1757	7.9	76	1	2	5	10	17	24	54
TOTAL										
65-69 YRS	389	5.9	67	1	1	3	7	12	19	39
70-74	473	6.4	54	1	1	4	8	14	18	34
75-79	470	7.0	76	1	1	4	8	14	22	51
80-84	402	7.8	60	1	2	5	10	18	24	46
85 +	364	8.6	80	1	2	6	11	19	26	94
GRAND TOTAL	2098	7.1	68	1	1	5	9	15	22	49

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	36	3.3	7	1	1	3	5	6	7	15
70-74	17	4.2	14	1	1	3	5	10	14	15
75-79	5	5.4	6	2	2	6	7	8	8	8
80-84	3	4.7	4	3	3	4	6	7	7	7
85 +	3	5.7	12	2	2	6	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	118	7.0	58	1	2	5	8	13	21	47
70-74	86	8.9	124	1	1	5	10	19	32	58
75-79	73	8.8	69	2	3	6	10	16	29	46
80-84	37	8.9	68	1	2	7	15	24	74	99 +
85 +	30	13.1	238	2	3	9	15	29	45	76
TOTAL SINGLE DX	64	3.9	9	1	1	3	5	7	10	15
TOTAL MULTIPLE DX	344	8.6	95	1	2	6	10	18	29	60
TOTAL										
65-69 YRS	154	6.1	49	1	1	5	7	11	16	42
70-74	103	8.1	109	1	1	5	10	18	31	57
75-79	78	8.6	66	2	3	6	10	16	29	45
80-84	40	8.6	64	1	2	7	14	22	66	99 +
85 +	33	12.4	221	2	3	9	15	25	43	76
GRAND TOTAL	408	7.9	85	1	2	5	9	16	26	58

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	117	10.8	24	6	7	10	12	16	18	30
70-74	114	11.4	23	6	7	11	13	17	18	32
75-79	81	11.5	20	6	8	11	13	18	21	24
80-84	39	13.0	37	5	7	11	15	23	27	31
85 +	21	13.9	70	5	7	12	19	22	32	42
2. MULTIPLE DX										
65-69 YRS	1052	15.6	101	7	8	13	17	26	36	58
70-74	1033	16.2	124	7	9	13	18	28	36	74
75-79	842	17.1	132	7	8	14	19	31	40	71
80-84	538	18.6	128	8	9	15	22	33	47	99 +
85 +	340	18.4	117	8	9	16	23	33	44	99 +
TOTAL SINGLE DX	372	11.5	28	6	7	11	13	17	21	30
TOTAL MULTIPLE DX	3805	16.8	121	7	9	14	19	29	39	76
TOTAL										
65-69 YRS	1169	15.1	96	7	8	12	17	25	34	54
70-74	1147	15.8	117	7	8	13	18	27	34	72
75-79	923	16.7	125	7	8	13	19	29	39	71
80-84	577	18.2	124	8	9	15	22	32	46	99 +
85 +	361	18.1	116	8	9	16	22	33	44	99 +
GRAND TOTAL	4177	16.3	115	7	8	13	19	28	38	73

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	381	4.5	22	< 1	< 1	4	6	8	11	21
70-74	355	5.0	18	< 1	1	4	6	9	12	22
75-79	310	4.9	15	< 1	1	4	6	10	12	20
80-84	181	5.3	20	< 1	1	4	7	10	13	27
85 +	147	5.4	15	1	1	5	7	9	12	20
2. MULTIPLE DX										
65-69 YRS	8173	7.6	46	2	2	6	9	14	19	37
70-74	8836	8.1	53	2	3	6	10	15	21	41
75-79	8691	8.6	58	2	3	7	10	16	22	43
80-84	7026	9.3	70	2	3	7	11	18	24	46
85 +	6107	9.7	73	2	3	7	12	18	25	49
TOTAL SINGLE DX	1374	4.9	19	< 1	1	4	6	9	12	21
TOTAL MULTIPLE DX	38833	8.6	60	2	3	6	10	16	22	43
TOTAL										
65-69 YRS	8554	7.5	46	2	2	6	9	14	19	37
70-74	9191	8.0	53	2	3	6	9	15	21	40
75-79	9001	8.4	58	2	3	6	10	16	22	42
80-84	7207	9.2	70	2	3	7	11	18	24	45
85 +	6254	9.6	72	2	3	7	12	18	25	49
GRAND TOTAL	40207	8.4	59	2	3	6	10	16	22	42

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	50	1.9	1	1	1	2	2	4	4	5
70-74	30	2.2	1	< 1	1	2	3	4	5	5
75-79	9	2.6	2	1	1	2	3	5	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	126	3.5	10	1	1	2	4	7	11	16
70-74	97	3.3	11	1	1	3	3	5	8	22
75-79	43	5.6	38	1	1	4	6	13	20	29
80-84	26	5.3	26	1	1	3	5	13	18	19
85 +	21	6.7	41	2	2	4	8	17	23	26
TOTAL SINGLE DX	92	2.1	1	1	1	2	[illegible]	4	4	6
TOTAL MULTIPLE DX	313	4.1	19	1	1	3	4	8	13	26
TOTAL										
65-69 YRS	176	3.0	8	1	1	2	4	6	9	16
70-74	127	3.0	10	1	1	2	3	5	7	17
75-79	52	5.0	33	1	1	3	5	12	17	29
80-84	27	5.2	26	1	1	3	5	13	18	19
85 +	23	6.3	40	1	2	4	8	15	23	26
GRAND TOTAL	405	3.6	16	1	1	2	4	7	12	23

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	34	2.2	2	< 1	1	2	2	3	4	10
70-74	12	2.6	1	1	1	3	4	4	4	4
75-79	17	2.2	2	1	1	2	3	5	6	6
80-84	7	2.3	3	< 1	< 1	1	3	5	6	6
85 +	8	3.8	7	1	1	3	5	8	9	9
2. MULTIPLE DX										
65-69 YRS	167	3.7	8	1	1	3	5	7	9	17
70-74	118	4.4	33	1	1	3	4	8	15	36
75-79	91	4.9	22	1	1	4	6	11	13	28
80-84	47	6.1	28	1	1	4	8	14	18	20
85 +	39	11.1	302	1	1	5	9	27	60	77
TOTAL SINGLE DX	78	2.4	3	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	462	5.0	48	1	1	3	5	10	14	35
TOTAL										
65-69 YRS	201	3.5	8	1	1	3	4	7	9	16
70-74	130	4.3	31	1	1	3	4	7	14	36
75-79	108	4.5	20	1	1	3	5	10	12	25
80-84	54	5.6	27	1	1	4	6	14	18	20
85 +	47	9.8	259	1	1	5	9	23	45	77
GRAND TOTAL	540	4.6	42	1	1	3	5	9	13	35

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	79	2.8	1	1	1	2	4	5	5	6
70-74	64	3.0	1	1	1	3	4	5	5	6
75-79	33	2.7	2	1	1	2	4	5	5	5
80-84	12	3.6	5	2	2	3	5	7	10	10
85 +	4	5.0	4	4	4	4	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	970	3.9	11	1	1	3	5	7	10	17
70-74	607	4.4	22	1	1	3	5	7	11	22
75-79	391	5.1	35	1	1	4	6	9	14	34
80-84	179	6.1	26	1	2	5	8	13	18	27
85 +	91	7.9	46	2	2	6	10	17	29	99 +
TOTAL SINGLE DX	192	2.9	2	1	1	3	4	5	5	7
TOTAL MULTIPLE DX	2238	4.6	22	1	1	3	5	9	12	24
TOTAL										
65-69 YRS	1049	3.8	11	1	1	3	4	7	9	16
70-74	671	4.3	20	1	1	3	5	7	10	21
75-79	424	4.9	34	1	1	4	5	9	13	33
80-84	191	6.0	26	1	2	4	7	12	18	27
85 +	95	7.7	45	2	2	6	10	17	29	99 +
GRAND TOTAL	2430	4.5	21	1	1	3	5	8	11	23

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	46	2.7	4	1	1	2	4	5	7	10
70-74	41	3.4	8	1	1	2	4	8	10	14
75-79	20	4.6	12	<1	1	3	6	10	13	15
80-84	19	3.7	5	1	1	3	5	7	8	9
85 +	14	3.5	7	<1	1	3	5	9	9	9
2. MULTIPLE DX										
65-69 YRS	200	6.0	61	1	1	4	7	12	19	38
70-74	157	5.4	45	1	1	3	6	12	16	43
75-79	113	7.3	67	1	2	5	9	19	25	67
80-84	87	9.6	181	1	2	5	10	17	37	81
85 +	68	8.8	55	2	2	7	11	18	22	43
TOTAL SINGLE DX	140	3.4	8	1	1	3	5	7	9	14
TOTAL MULTIPLE DX	625	6.9	76	1	1	4	8	15	22	46
TOTAL										
65-69 YRS	246	5.4	52	1	1	3	6	10	17	33
70-74	198	5.0	39	1	1	3	5	10	15	42
75-79	133	6.9	60	1	2	4	8	17	23	56
80-84	106	8.5	154	1	1	5	10	16	31	80
85 +	82	7.9	51	1	2	6	9	17	21	40
GRAND TOTAL	765	6.3	65	1	1	4	7	13	19	45

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	6.3	31	1	1	4	10	15	16	16
70-74	4	14.5	27	10	10	13	18	22	22	22
75-79	3	2.7	2	1	1	3	4	4	4	4
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	60	19.4	188	2	5	16	25	44	50	55
70-74	54	16.7	127	1	5	15	21	32	39	54
75-79	40	24.0	347	2	4	17	38	56	61	66
80-84	24	22.2	216	4	5	19	32	44	52	56
85 +	21	17.1	131	4	6	15	24	33	41	50
TOTAL SINGLE DX	14	7.9	42	1	1	7	12	17	21	22
TOTAL MULTIPLE DX	199	19.7	205	2	5	16	25	44	51	61
TOTAL										
65-69 YRS	67	18.0	188	2	3	15	23	42	49	55
70-74	58	16.5	120	2	5	15	21	30	39	54
75-79	43	22.5	353	2	3	16	32	54	61	66
80-84	24	22.2	216	4	5	19	32	44	52	56
85 +	21	17.1	132	4	6	15	24	33	41	50
GRAND TOTAL	213	18.9	203	2	4	15	24	43	51	61

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	90	3.8	27	1	1	1	6	10	13	29
70-74	59	2.8	9	<1	1	1	3	7	9	17
75-79	31	6.4	115	1	1	2	7	15	18	57
80-84	13	4.5	33	<1	<1	2	5	15	17	18
85 +	3	5.0	21	1	1	4	8	10	10	10
2. MULTIPLE DX										
65-69 YRS	793	10.0	93	1	1	8	13	21	30	54
70-74	730	10.3	93	1	1	8	14	21	27	51
75-79	530	11.5	115	1	2	9	15	22	31	54
80-84	296	11.1	71	1	2	9	15	23	30	42
85 +	137	11.7	82	1	2	10	14	22	26	43
TOTAL SINGLE DX	196	4.0	37	1	1	1	5	10	14	28
TOTAL MULTIPLE DX	2486	10.6	95	1	1	8	14	22	29	51
TOTAL										
65-69 YRS	883	9.3	90	1	1	7	13	21	29	52
70-74	789	9.7	91	1	1	8	13	20	25	51
75-79	561	11.2	117	1	1	9	14	22	30	56
80-84	309	10.9	72	1	2	9	15	23	29	42
85 +	140	11.5	82	1	2	10	14	22	26	42
GRAND TOTAL	2682	10.1	94	1	1	8	14	21	28	51

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1442	5.9	8	3	3	5	7	9	10	15
70-74	925	6.3	7	3	4	6	8	10	11	14
75-79	570	6.8	7	3	4	6	8	11	12	16
80-84	229	7.5	11	4	4	7	9	12	13	19
85 +	111	9.5	29	4	5	8	11	18	20	29
2. MULTIPLE DX										
65-69 YRS	7078	8.8	35	4	4	7	10	15	19	33
70-74	6089	10.1	57	4	5	8	12	17	22	45
75-79	4709	11.4	59	4	5	9	14	19	25	43
80-84	2908	12.8	63	5	6	11	15	22	28	45
85 +	1833	14.9	92	6	7	12	17	26	34	57
TOTAL SINGLE DX	3277	6.4	10	3	4	6	8	10	12	17
TOTAL MULTIPLE DX	22617	10.7	58	4	5	9	13	18	24	44
TOTAL										
65-69 YRS	8520	8.3	32	3	4	7	10	14	18	31
70-74	7014	9.6	52	4	4	8	11	16	21	43
75-79	5279	10.9	56	4	5	9	13	18	24	42
80-84	3137	12.4	62	5	6	10	15	21	27	44
85 +	1944	14.6	90	6	7	12	17	26	33	56
GRAND TOTAL	25894	10.1	54	4	4	8	12	18	23	42

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	81	6.1	22	1	1	5	9	14	15	18
70-74	92	6.6	60	1	1	5	9	13	16	49
75-79	61	7.2	38	< 1	1	7	9	14	22	29
80-84	47	6.8	28	1	1	5	10	13	17	21
85 +	39	7.6	43	1	1	6	12	17	21	24
2. MULTIPLE DX										
65-69 YRS	881	11.8	101	1	2	9	15	24	31	59
70-74	918	13.2	111	1	2	11	17	26	33	58
75-79	1007	13.3	116	1	3	11	17	25	32	59
80-84	746	13.6	115	2	3	11	18	27	34	58
85 +	696	14.8	136	2	4	12	19	29	36	73
TOTAL SINGLE DX	320	6.7	40	1	1	5	9	14	17	27
TOTAL MULTIPLE DX	4248	13.3	116	2	3	11	17	26	34	60
TOTAL										
65-69 YRS	962	11.3	97	1	2	9	14	22	30	57
70-74	1010	12.6	111	1	2	10	16	25	33	58
75-79	1068	13.0	114	1	2	11	16	25	32	59
80-84	793	13.2	113	1	3	11	17	26	33	58
85 +	735	14.4	134	2	3	12	18	28	36	72
GRAND TOTAL	4568	12.8	114	1	2	10	16	25	33	60

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	35	5.7	37	< 1	1	4	8	11	15	32
70-74	44	6.4	46	< 1	1	3	10	16	21	29
75-79	22	10.1	231	1	1	6	10	24	43	72
80-84	17	9.2	77	1	1	7	15	24	25	25
85 +	10	8.4	33	1	2	7	10	17	21	21
2. MULTIPLE DX										
65-69 YRS	464	15.9	224	2	3	11	21	36	50	89
70-74	423	16.0	233	1	3	12	21	35	48	86
75-79	358	13.5	127	2	3	10	19	29	37	92
80-84	263	13.2	130	1	3	10	16	28	41	53
85 +	175	12.4	131	2	3	9	15	24	43	69
TOTAL SINGLE DX	128	7.4	79	1	1	5	10	17	24	41
TOTAL MULTIPLE DX	1683	14.6	183	2	3	11	19	32	44	81
TOTAL										
65-69 YRS	499	15.2	218	1	3	10	20	35	47	86
70-74	467	15.1	223	1	2	11	20	33	47	85
75-79	380	13.3	134	2	2	10	19	29	37	87
80-84	280	13.0	128	1	2	10	16	27	41	53
85 +	185	12.2	127	2	3	9	15	24	41	67
GRAND TOTAL	1811	14.1	179	1	2	10	18	31	43	80

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	154	4.6	26	< 1	< 1	3	5	9	12	36
70-74	151	4.9	40	< 1	< 1	4	6	8	11	34
75-79	158	5.3	39	< 1	< 1	4	6	10	17	38
80-84	105	4.5	15	< 1	1	4	6	9	11	21
85 +	81	4.6	11	< 1	1	4	6	10	11	16
2. MULTIPLE DX										
65-69 YRS	2600	7.7	50	1	2	6	9	14	20	42
70-74	2972	7.9	47	2	2	6	10	15	20	38
75-79	3062	8.6	63	2	3	7	10	16	21	46
80-84	2674	9.1	77	2	3	7	11	17	24	54
85 +	2535	9.3	72	2	3	7	11	17	24	51
TOTAL SINGLE DX	649	4.8	29	< 1	< 1	4	6	9	12	30
TOTAL MULTIPLE DX	13843	8.5	62	2	3	7	10	16	22	46
TOTAL										
65-69 YRS	2754	7.6	50	1	2	6	9	14	19	41
70-74	3123	7.8	47	2	2	6	9	14	20	38
75-79	3220	8.4	63	2	2	6	10	16	21	45
80-84	2779	9.0	76	2	2	7	11	17	23	53
85 +	2616	9.1	72	2	3	7	11	17	24	50
GRAND TOTAL	14492	8.3	61	2	2	6	10	16	21	45

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1486	2.1	1	1	1	2	3	4	5	7
70-74	1221	2.3	2	< 1	1	2	3	4	5	9
75-79	889	2.4	3	1	1	2	3	4	5	9
80-84	518	2.6	3	1	1	2	3	4	6	8
85 +	287	3.0	6	1	1	2	4	6	7	11
2. MULTIPLE DX										
65-69 YRS	2953	3.3	13	1	1	2	4	6	8	17
70-74	3029	3.5	12	1	1	3	4	7	9	18
75-79	2614	4.1	19	1	1	3	5	8	12	22
80-84	1695	4.8	27	1	1	3	6	10	13	27
85 +	1036	6.2	51	1	1	4	8	13	18	38
TOTAL SINGLE DX	4401	2.3	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	11327	4.0	21	1	1	3	5	8	12	22
TOTAL										
65-69 YRS	4439	2.9	10	1	1	2	3	5	7	15
70-74	4250	3.2	10	1	1	2	4	6	8	16
75-79	3503	3.7	16	1	1	3	4	7	10	20
80-84	2213	4.3	23	1	1	3	5	9	12	23
85 +	1323	5.5	44	1	1	4	7	12	16	34
GRAND TOTAL	15728	3.5	17	1	1	3	4	7	10	20

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	217	2.2	1	1	1	2	3	4	5	7
70-74	158	2.5	1	1	1	2	3	4	5	7
75-79	99	2.8	2	1	1	3	4	5	5	10
80-84	55	2.8	2	1	1	2	4	5	6	8
85 +	36	3.2	10	< 1	1	2	4	6	9	18
2. MULTIPLE DX										
65-69 YRS	469	3.2	6	1	1	3	4	6	8	14
70-74	434	4.2	17	1	1	3	5	7	10	23
75-79	363	4.2	14	1	1	3	5	8	12	19
80-84	214	5.2	30	1	1	4	7	10	12	22
85 +	117	6.4	46	1	1	4	7	13	22	34
TOTAL SINGLE DX	565	2.5	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1597	4.2	18	1	1	3	5	8	11	22
TOTAL										
65-69 YRS	686	2.9	5	1	1	2	4	5	7	11
70-74	592	3.7	14	1	1	3	4	7	9	20
75-79	462	3.9	12	1	1	3	5	7	11	18
80-84	269	4.7	25	1	1	3	6	9	12	22
85 +	153	5.6	40	1	1	4	6	12	19	30
GRAND TOTAL	**2162**	**3.8**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	75	2.3	2	1	1	2	3	4	6	8
70-74	82	2.8	2	1	1	2	3	5	6	8
75-79	68	2.9	4	1	1	2	4	5	7	11
80-84	57	3.9	6	1	1	3	5	7	8	14
85 +	27	6.0	12	2	2	5	8	10	13	15
2. MULTIPLE DX										
65-69 YRS	169	4.5	14	1	1	3	6	9	12	18
70-74	189	5.4	35	1	1	3	6	12	14	34
75-79	247	7.4	57	1	2	5	9	16	22	44
80-84	189	8.1	64	2	2	6	11	17	22	62
85 +	190	11.4	116	2	3	9	13	21	32	62
TOTAL SINGLE DX	309	3.2	5	1	1	3	4	6	8	12
TOTAL MULTIPLE DX	984	7.4	64	1	2	5	9	15	22	45
TOTAL										
65-69 YRS	244	3.8	11	1	1	3	5	7	11	16
70-74	271	4.6	27	1	1	3	5	10	13	28
75-79	315	6.5	49	1	1	4	8	13	20	37
80-84	246	7.2	54	1	2	5	9	16	20	51
85 +	217	10.7	107	2	3	8	13	20	31	60
GRAND TOTAL	**1293**	**6.4**	**53**	**1**	**1**	**4**	**8**	**13**	**19**	**43**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	87	2.6	3	1	1	2	4	5	6	9
70-74	70	2.9	3	1	1	3	4	5	7	8
75-79	44	3.2	4	< 1	1	3	5	6	7	9
80-84	20	3.6	16	< 1	< 1	3	4	8	11	13
85 +	13	3.0	5	1	1	2	4	6	8	8
2. MULTIPLE DX										
65-69 YRS	314	5.3	22	1	1	4	7	12	15	22
70-74	291	6.0	43	1	1	4	7	12	15	30
75-79	188	6.6	38	1	1	5	8	14	19	30
80-84	109	8.8	175	1	2	5	10	16	19	82
85 +	70	8.1	68	2	2	6	11	16	22	92
TOTAL SINGLE DX	234	2.9	4	1	1	2	4	5	7	9
TOTAL MULTIPLE DX	972	6.4	53	1	1	4	8	13	16	32
TOTAL										
65-69 YRS	401	4.7	19	1	1	3	6	10	14	21
70-74	361	5.4	37	1	1	4	7	11	14	29
75-79	232	6.0	34	1	1	4	7	13	17	28
80-84	129	8.0	153	1	1	5	9	14	19	81
85 +	83	7.3	62	1	2	5	9	15	21	86
GRAND TOTAL	**1206**	**5.7**	**46**	**1**	**1**	**4**	**7**	**12**	**15**	**29**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	397	3.8	4	1	1	4	5	7	8	10
70-74	311	4.0	5	1	1	3	5	7	8	12
75-79	192	4.2	6	1	1	4	5	8	9	13
80-84	112	4.8	34	1	1	4	6	8	12	33
85 +	47	4.5	6	1	2	4	6	7	9	14
2. MULTIPLE DX										
65-69 YRS	1335	6.0	25	1	2	5	7	11	15	25
70-74	1126	6.9	48	1	2	5	8	13	17	36
75-79	794	7.2	44	1	2	6	9	12	17	34
80-84	432	8.3	57	2	2	6	10	16	22	48
85 +	239	9.3	54	2	3	7	12	18	21	45
TOTAL SINGLE DX	1059	4.1	9	1	1	4	5	7	8	12
TOTAL MULTIPLE DX	3926	6.9	42	1	2	5	8	13	17	33
TOTAL										
65-69 YRS	1732	5.5	21	1	2	5	7	10	13	23
70-74	1437	6.2	40	1	2	5	7	11	15	31
75-79	986	6.6	39	1	2	5	8	11	15	33
80-84	544	7.5	55	1	2	6	9	15	21	45
85 +	286	8.5	50	2	2	6	11	16	20	40
GRAND TOTAL	**4985**	**6.3**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	17	7.8	5	2	6	8	9	11	12	12
70-74	15	6.3	8	2	2	6	9	10	11	11
75-79	12	8.8	11	5	6	8	10	13	17	18
80-84	5	7.4	2	6	6	7	9	9	9	9
85 +	7	11.3	37	1	3	10	14	20	21	21
2. MULTIPLE DX										
65-69 YRS	135	11.0	66	4	5	9	13	19	24	45
70-74	151	11.1	75	4	5	9	12	18	22	63
75-79	109	12.0	73	3	5	10	14	21	25	55
80-84	82	17.4	147	5	7	14	21	30	44	71
85 +	43	16.0	78	7	7	13	20	24	37	51
TOTAL SINGLE DX	56	8.0	13	2	5	8	10	11	14	21
TOTAL MULTIPLE DX	520	12.6	90	4	5	10	15	22	27	55
TOTAL										
65-69 YRS	152	10.6	60	4	5	9	12	18	23	40
70-74	166	10.6	72	3	5	9	12	18	22	59
75-79	121	11.7	68	4	5	10	13	20	25	54
80-84	87	16.8	144	6	6	14	20	30	43	70
85 +	50	15.3	74	7	7	13	19	23	36	51
GRAND TOTAL	**576**	**12.2**	**84**	**4**	**5**	**10**	**14**	**21**	**26**	**53**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	103	6.3	23	1	1	5	9	13	16	20
70-74	59	5.7	17	<1	1	5	8	11	14	22
75-79	45	7.9	71	1	1	6	10	15	17	55
80-84	20	6.3	18	1	1	6	8	11	15	19
85 +	15	8.9	62	1	3	6	9	25	26	26
2. MULTIPLE DX										
65-69 YRS	1263	11.6	107	2	3	9	15	23	32	55
70-74	1085	11.5	89	2	3	9	14	23	32	50
75-79	863	13.0	132	2	3	10	16	26	35	64
80-84	565	13.0	124	2	3	10	16	25	33	64
85 +	360	13.9	118	3	4	12	18	25	32	67
TOTAL SINGLE DX	242	6.6	33	1	1	6	9	13	17	25
TOTAL MULTIPLE DX	4136	12.3	112	2	3	9	15	24	32	57
TOTAL										
65-69 YRS	1366	11.2	103	2	2	8	14	22	30	55
70-74	1144	11.2	88	2	3	9	14	23	31	49
75-79	908	12.7	131	2	3	9	15	25	35	64
80-84	585	12.8	122	2	3	10	16	24	32	64
85 +	375	13.7	117	3	4	11	18	25	32	66
GRAND TOTAL	**4378**	**11.9**	**109**	**2**	**3**	**9**	**15**	**23**	**32**	**56**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	59	8.8	57	2	3	7	11	16	23	48
70-74	43	10.0	145	2	4	7	10	16	23	80
75-79	41	8.8	19	3	4	7	13	15	17	20
80-84	23	9.5	31	2	3	9	11	15	20	28
85 +	10	11.6	74	2	4	11	12	23	34	34
2. MULTIPLE DX										
65-69 YRS	629	15.4	178	4	5	11	19	32	42	81
70-74	599	15.7	148	4	6	12	20	33	44	67
75-79	471	17.2	160	5	7	14	21	33	40	64
80-84	277	17.8	166	5	7	15	21	35	47	99 +
85 +	192	19.7	185	6	8	16	24	34	47	92
TOTAL SINGLE DX	176	9.4	67	2	4	7	11	15	20	46
TOTAL MULTIPLE DX	2168	16.6	167	4	6	13	21	33	43	82
TOTAL										
65-69 YRS	688	14.8	171	4	5	11	18	30	41	80
70-74	642	15.3	150	4	5	11	19	32	44	69
75-79	512	16.5	155	5	6	13	20	31	40	63
80-84	300	17.2	161	5	6	14	21	35	46	99 +
85 +	202	19.3	183	6	8	16	23	34	47	91
GRAND TOTAL	**2344**	**16.0**	**163**	**4**	**5**	**12**	**20**	**32**	**42**	**80**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	9	4.9	26	<1	<1	3	6	13	17	17
70-74	6	6.5	55	<1	<1	5	6	19	21	21
75-79	2	1.0		1	1	1	1	1	1	1
80-84	4	4.5	49	<1	<1	1	8	15	15	15
85 +	0									
2. MULTIPLE DX										
65-69 YRS	55	7.1	51	<1	1	6	10	15	21	37
70-74	51	8.2	50	[illegible]	1	5	13	19	20	31
75-79	36	9.4	54	1	1	9	13	20	25	28
80-84	18	8.8	75	<1	1	6	12	19	30	36
85 +	6	22.7	556	2	3	15	22	64	69	69
TOTAL SINGLE DX	21	4.9	34	<1	<1	2	6	16	19	21
TOTAL MULTIPLE DX	166	8.7	76	1	1	6	12	19	21	37
TOTAL										
65-69 YRS	64	6.8	48	<1	<1	5	10	15	20	36
70-74	57	8.0	50	1	1	5	12	19	21	30
75-79	38	9.0	55	1	1	8	13	20	25	28
80-84	22	8.0	71	<1	1	6	12	17	26	36
85 +	6	22.7	557	2	3	15	22	64	69	69
GRAND TOTAL	**187**	**8.3**	**73**	**<1**	**1**	**6**	**12**	**19**	**21**	**37**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	131	8.9	22	2	3	8	11	15	18	24
70-74	113	9.1	30	1	3	9	11	16	18	31
75-79	86	9.5	25	3	4	9	12	14	19	29
80-84	61	11.0	30	5	7	9	12	18	25	32
85 +	31	11.5	25	7	7	10	12	20	22	28
2. MULTIPLE DX										
65-69 YRS	1172	13.0	115	2	4	10	16	26	34	80
70-74	1105	14.2	111	3	5	12	17	26	36	67
75-79	896	15.4	120	4	6	13	19	29	37	80
80-84	673	16.0	111	5	7	13	19	30	38	69
85 +	492	17.4	151	6	8	14	19	31	39	74
TOTAL SINGLE DX	422	9.6	27	2	4	9	12	15	20	29
TOTAL MULTIPLE DX	4338	14.8	121	3	5	12	18	28	36	72
TOTAL										
65-69 YRS	1303	12.6	107	2	4	10	15	25	33	75
70-74	1218	13.7	106	3	5	11	17	25	35	61
75-79	982	14.9	115	4	6	12	19	28	36	72
80-84	734	15.6	106	5	7	13	19	29	36	66
85 +	523	17.0	146	6	8	14	19	30	39	73
GRAND TOTAL	4760	14.3	115	3	5	12	17	27	35	70

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	96	8.4	12	5	6	8	9	12	14	26
70-74	63	9.8	23	5	6	9	11	13	19	33
75-79	52	9.2	10	6	6	8	10	14	16	22
80-84	25	9.9	10	6	7	9	11	16	17	18
85 +	9	9.8	25	7	7	8	9	18	23	23
2. MULTIPLE DX										
65-69 YRS	595	12.7	71	6	7	10	15	22	32	55
70-74	573	13.9	95	6	7	11	16	26	33	56
75-79	415	14.7	111	6	7	11	17	28	36	62
80-84	268	15.5	94	6	7	12	19	30	38	49
85 +	101	16.3	100	7	8	14	19	27	36	57
TOTAL SINGLE DX	245	9.1	15	5	6	8	10	13	16	24
TOTAL MULTIPLE DX	1952	14.1	93	6	7	11	16	26	34	57
TOTAL										
65-69 YRS	691	12.1	65	6	6	10	14	21	31	50
70-74	636	13.5	90	6	7	10	15	24	32	54
75-79	467	14.1	103	6	7	11	16	26	35	60
80-84	293	15.1	90	6	7	12	18	28	37	48
85 +	110	15.7	97	7	8	13	19	27	33	56
GRAND TOTAL	2197	13.5	86	6	7	10	16	24	33	54

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	97	4.9	11	1	1	5	7	9	12	16
70-74	51	6.2	58	1	1	4	7	13	25	38
75-79	33	5.2	12	< 1	1	5	8	10	10	14
80-84	22	5.7	19	1	1	5	8	14	15	16
85 +	3	10.0	169	2	2	3	19	25	25	25
2. MULTIPLE DX										
65-69 YRS	729	10.3	97	1	1	8	13	21	27	51
70-74	677	11.3	106	1	2	8	15	24	31	51
75-79	469	12.7	132	1	2	9	16	28	36	56
80-84	272	13.9	140	2	3	11	18	27	41	68
85 +	165	14.9	173	2	3	11	20	31	43	96
TOTAL SINGLE DX	206	5.4	26	1	1	4	7	10	14	29
TOTAL MULTIPLE DX	2312	11.8	120	1	2	9	15	25	32	61
TOTAL										
65-69 YRS	826	9.6	91	1	1	8	12	20	27	44
70-74	728	11.0	105	1	2	8	15	24	31	50
75-79	502	12.2	128	1	2	9	[illegible]	27	35	55
80-84	294	13.3	136	2	3	11	[illegible]	26	37	67
85 +	168	14.8	173	2	3	11	[illegible]	31	43	96
GRAND TOTAL	2518	11.3	115	1	2	8	15	24	32	59

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	42	6.1	26	1	2	5	7	11	14	31
70-74	33	6.5	14	2	2	6	9	11	12	19
75-79	13	6.2	15	1	2	6	8	12	14	15
80-84	12	5.3	31	1	1	4	6	11	20	22
85 +	4	10.5	93	2	2	9	18	22	22	22
2. MULTIPLE DX										
65-69 YRS	196	9.6	51	2	3	8	11	17	23	46
70-74	163	10.4	51	3	4	9	13	20	22	61
75-79	105	9.8	39	1	2	9	13	18	22	29
80-84	56	11.4	48	2	3	11	16	22	24	31
85 +	27	13.3	93	2	3	11	17	31	35	38
TOTAL SINGLE DX	104	6.3	24	1	2	5	8	12	15	26
TOTAL MULTIPLE DX	547	10.3	51	2	3	9	13	18	23	40
TOTAL										
65-69 YRS	238	9.0	49	2	3	8	11	15	21	44
70-74	196	9.8	47	2	4	8	12	17	22	53
75-79	118	9.4	38	1	2	9	12	18	21	29
80-84	68	10.4	51	1	2	9	15	21	23	30
85 +	31	12.9	91	2	3	11	17	27	34	38
GRAND TOTAL	**651**	**9.6**	**49**	**2**	**3**	**8**	**12**	**18**	**23**	**38**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	8	13.3	106	1	1	12	18	29	33	33
70-74	3	11.0	16	7	7	11	14	15	15	15
75-79	6	9.2	14	5	5	9	11	15	15	15
80-84	3	6.0	13	3	3	5	9	10	10	10
85 +	0									
2. MULTIPLE DX										
65-69 YRS	81	15.9	140	4	6	13	20	29	33	72
70-74	97	18.9	227	5	7	14	23	39	51	82
75-79	75	16.9	110	5	8	14	21	30	44	51
80-84	37	18.2	100	5	6	16	25	35	37	38
85 +	14	19.5	147	4	11	16	28	52	88	99 +
TOTAL SINGLE DX	20	10.6	53	1	2	10	14	18	26	33
TOTAL MULTIPLE DX	304	17.6	156	5	7	14	22	32	44	79
TOTAL										
65-69 YRS	89	15.7	137	2	5	13	20	29	33	71
70-74	100	18.7	223	5	7	14	23	37	51	82
75-79	81	16.4	108	5	7	14	20	30	41	50
80-84	40	17.3	104	4	5	15	24	34	37	38
85 +	14	19.5	148	4	11	16	28	52	88	99 +
GRAND TOTAL	**324**	**17.2**	**153**	**4**	**6**	**14**	**22**	**31**	**44**	**79**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	204	3.0	5	1	1	2	4	6	8	12
70-74	130	3.3	4	1	1	3	5	6	7	10
75-79	68	4.1	11	1	1	3	6	9	12	16
80-84	28	4.1	11	< 1	1	3	6	9	10	15
85 +	7	4.7	9	2	2	4	7	9	9	9
2. MULTIPLE DX										
65-69 YRS	565	5.8	32	1	1	4	7	11	15	33
70-74	422	6.6	44	1	1	5	9	14	17	38
75-79	290	6.6	28	1	2	5	9	13	17	29
80-84	186	7.4	33	1	2	6	9	16	20	25
85 +	71	11.1	166	1	2	7	13	25	34	73
TOTAL SINGLE DX	437	3.4	7	1	1	3	4	7	9	13
TOTAL MULTIPLE DX	1534	6.6	42	1	1	5	9	13	18	34
TOTAL										
65-69 YRS	769	5.1	27	1	1	4	7	10	13	27
70-74	552	5.8	37	1	1	4	8	12	15	30
75-79	358	6.1	26	1	1	5	8	12	16	28
80-84	214	7.0	31	1	1	5	9	15	19	25
85 +	78	10.6	156	1	2	7	13	23	33	72
GRAND TOTAL	**1971**	**5.9**	**36**	**1**	**1**	**4**	**8**	**12**	**16**	**30**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	290	3.1	9	< 1	< 1	2	4	7	8	15
70-74	239	3.0	8	< 1	< 1	2	4	6	8	14
75-79	172	3.2	11	< 1	< 1	2	4	7	8	14
80-84	102	4.0	13	< 1	< 1	3	5	9	11	18
85 +	78	4.8	15	< 1	1	4	7	11	13	17
2. MULTIPLE DX										
65-69 YRS	2246	7.8	68	1	1	6	10	16	22	44
70-74	2522	8.5	71	1	2	6	11	17	24	54
75-79	2546	9.5	90	1	2	7	12	19	27	50
80-84	1989	10.9	115	1	2	8	14	23	32	64
85 +	1726	11.0	113	2	3	8	14	21	32	77
TOTAL SINGLE DX	881	3.3	11	< 1	< 1	2	4	7	9	15
TOTAL MULTIPLE DX	11029	9.4	91	1	2	7	12	19	27	56
TOTAL										
65-69 YRS	2536	7.3	64	1	1	5	9	15	21	43
70-74	2761	8.0	69	1	1	6	10	17	23	53
75-79	2718	9.1	88	1	1	7	11	19	26	48
80-84	2091	10.6	113	1	2	8	13	22	31	62
85 +	1804	10.7	111	2	2	8	13	21	32	76
GRAND TOTAL	**11910**	**9.0**	**88**	**1**	**2**	**6**	**11**	**19**	**26**	**54**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	568	2.4	2	< 1	1	2	3	5	5	8
70-74	653	2.5	4	< 1	1	2	3	5	6	9
75-79	505	2.9	7	< 1	1	2	3	5	8	14
80-84	360	2.9	6	1	1	2	4	5	7	14
85 +	228	3.6	12	1	1	3	5	6	7	25
2. MULTIPLE DX										
65-69 YRS	2108	4.6	31	1	1	3	5	9	14	28
70-74	2624	5.0	38	1	1	3	6	11	15	31
75-79	2506	5.8	62	1	1	4	6	12	17	46
80-84	1905	6.3	52	1	1	4	8	14	18	34
85 +	1528	7.2	55	1	2	5	9	15	19	38
TOTAL SINGLE DX	2314	2.7	6	1	1	2	3	5	7	12
TOTAL MULTIPLE DX	10671	5.7	48	1	1	4	7	12	17	36
TOTAL										
65-69 YRS	2676	4.2	26	1	1	3	5	8	12	26
70-74	3277	4.5	32	1	1	3	5	9	14	29
75-79	3011	5.3	54	1	1	3	6	11	16	43
80-84	2265	5.7	47	1	1	4	7	12	17	32
85 +	1756	6.7	51	1	2	5	8	14	18	37
GRAND TOTAL	12985	5.1	42	1	1	3	6	11	16	32

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	160	5.2	23	< 1	1	3	8	12	15	21
70-74	156	5.3	32	1	1	3	7	12	14	28
75-79	91	5.0	22	< 1	1	3	8	11	14	21
80-84	57	3.4	9	1	1	2	4	8	11	15
85 +	36	4.8	16	1	1	4	6	9	14	20
2. MULTIPLE DX										
65-69 YRS	950	9.6	108	1	2	6	13	20	28	66
70-74	1096	10.6	130	1	2	8	13	21	32	68
75-79	1006	10.5	117	1	2	7	13	23	30	58
80-84	713	11.7	141	1	2	8	15	23	35	62
85 +	527	11.9	140	2	2	8	15	25	37	61
TOTAL SINGLE DX	500	5.0	24	1	1	3	7	12	14	22
TOTAL MULTIPLE DX	4292	10.7	126	1	2	8	14	23	31	63
TOTAL										
65-69 YRS	1110	8.9	98	1	1	6	12	19	26	60
70-74	1252	10.0	122	1	1	7	13	20	29	66
75-79	1097	10.0	112	1	2	7	13	22	30	54
80-84	770	11.1	136	1	2	8	14	23	33	62
85 +	563	11.4	136	1	2	8	14	24	37	60
GRAND TOTAL	4792	10.1	119	1	2	7	13	21	30	62

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	8	4.8	26	< 1	< 1	2	8	13	13	13
70-74	12	7.3	50	1	2	6	8	15	26	28
75-79	9	10.9	152	1	1	7	14	33	35	35
80-84	13	9.7	106	2	2	5	12	22	37	40
85 +	5	6.0	41	1	1	3	9	17	17	17
TOTAL SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
TOTAL MULTIPLE DX	47	8.1	79	1	1	5	10	18	30	40
TOTAL										
65-69 YRS	9	4.3	25	< 1	< 1	2	6	13	13	13
70-74	12	7.3	51	1	2	6	8	15	26	28
75-79	10	10.0	144	1	1	5	9	32	35	35
80-84	13	9.7	107	2	2	5	12	22	37	40
85 +	5	6.0	41	1	1	3	9	17	17	17
GRAND TOTAL	49	7.8	77	1	1	5	9	18	29	40

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	41	3.4	7	< 1	1	3	5	7	9	13
70-74	22	2.5	3	< 1	1	2	3	5	7	8
75-79	18	3.1	3	< 1	< 1	3	5	6	6	6
80-84	18	7.3	364	1	1	2	3	11	55	83
85 +	15	4.0	11	1	1	3	4	7	13	15
2. MULTIPLE DX										
65-69 YRS	146	5.1	27	1	1	4	7	9	11	33
70-74	98	4.7	17	1	1	4	6	11	13	22
75-79	97	5.7	26	1	1	4	8	14	17	24
80-84	64	5.5	26	1	1	4	7	12	17	27
85 +	59	7.5	79	1	1	5	9	16	20	58
TOTAL SINGLE DX	114	3.9	62	1	1	3	4	6	8	39
TOTAL MULTIPLE DX	464	5.5	32	1	1	4	7	11	15	28
TOTAL										
65-69 YRS	187	4.7	23	1	1	4	6	9	11	29
70-74	120	4.3	16	1	1	3	6	10	12	21
75-79	115	5.3	24	1	1	4	7	11	16	23
80-84	82	5.9	98	1	1	4	6	12	17	66
85 +	74	6.8	68	1	1	4	8	15	18	53
GRAND TOTAL	578	5.2	38	1	1	4	6	11	15	28

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	14	2.6	2	< 1	< 1	2	4	4	6	6
70-74	16	2.6	2	< 1	< 1	2	4	5	5	5
75-79	14	4.4	9	1	2	3	7	10	10	10
80-84	3	5.7	25	1	1	5	9	11	11	11
85 +	5	4.0	9	1	1	3	5	9	9	9
2. MULTIPLE DX										
65-69 YRS	278	7.9	58	1	1	6	11	16	25	42
70-74	348	8.1	57	1	1	6	11	18	24	56
75-79	372	9.7	79	1	2	8	12	20	26	56
80-84	284	9.9	97	2	2	7	12	20	26	64
85 +	331	10.6	86	2	3	8	14	22	33	70
TOTAL SINGLE DX	52	3.4	6	< 1	1	3	4	7	10	11
TOTAL MULTIPLE DX	1613	9.3	76	1	2	7	12	19	26	55
TOTAL										
65-69 YRS	292	7.7	57	1	1	6	10	16	24	41
70-74	364	7.8	56	1	1	6	10	17	23	53
75-79	386	9.5	78	1	2	7	12	20	26	55
80-84	287	9.8	96	2	2	7	12	20	26	63
85 +	336	10.5	86	2	2	8	14	22	32	68
GRAND TOTAL	**1665**	**9.1**	**75**	**1**	**2**	**7**	**11**	**19**	**26**	**54**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	62	2.7	4	< 1	1	2	4	5	7	10
70-74	66	2.2	4	1	1	2	3	4	5	13
75-79	52	2.5	3	1	1	2	3	5	6	9
80-84	33	2.5	4	1	1	2	3	5	6	10
85 +	23	2.1	2	< 1	1	2	3	3	5	9
2. MULTIPLE DX										
65-69 YRS	362	4.9	24	1	1	4	6	10	13	23
70-74	441	5.7	67	1	1	4	6	11	17	38
75-79	418	5.7	41	1	1	4	7	12	15	36
80-84	264	7.5	89	1	1	5	9	15	25	42
85 +	196	6.8	46	1	2	5	8	14	20	38
TOTAL SINGLE DX	236	2.4	4	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	1681	5.9	53	1	1	4	7	12	16	38
TOTAL										
65-69 YRS	424	4.6	22	1	1	3	6	9	12	23
70-74	507	5.2	60	1	1	3	6	10	16	32
75-79	470	5.4	38	1	1	4	6	11	14	34
80-84	297	6.9	82	1	1	4	8	15	23	41
85 +	219	6.3	44	1	1	4	8	14	18	36
GRAND TOTAL	**1917**	**5.5**	**48**	**1**	**1**	**4**	**6**	**11**	**15**	**37**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	108	5.6	11	2	3	5	7	8	9	20
70-74	66	5.7	3	3	3	5	7	8	9	11
75-79	33	6.5	8	3	4	6	8	10	11	17
80-84	11	6.4	8	2	3	6	8	11	12	12
85 +	9	5.8	9	2	2	4	8	10	11	11
2. MULTIPLE DX										
65-69 YRS	301	6.6	8	3	4	6	8	10	11	18
70-74	176	7.2	11	3	4	6	8	11	14	27
75-79	145	7.9	18	3	4	7	9	13	15	24
80-84	39	8.6	45	3	3	8	9	12	18	44
85 +	17	8.5	9	4	5	8	10	12	15	17
TOTAL SINGLE DX	227	5.8	9	2	3	5	7	9	10	13
TOTAL MULTIPLE DX	678	7.2	14	3	4	7	8	11	13	23
TOTAL										
65-69 YRS	409	6.3	9	3	3	6	8	9	11	18
70-74	242	6.8	10	3	4	6	8	10	13	23
75-79	178	7.6	17	3	4	7	9	12	15	23
80-84	50	8.1	38	3	3	7	9	11	14	44
85 +	26	7.6	11	3	4	7	10	11	13	17
GRAND TOTAL	**905**	**6.8**	**13**	**3**	**4**	**6**	**8**	**10**	**12**	**22**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	105	4.4	3	2	2	4	5	7	9	10
70-74	61	5.4	13	2	2	5	6	9	12	23
75-79	38	4.3	3	1	2	4	6	7	7	7
80-84	14	5.4	4	2	3	5	7	8	9	9
85 +	7	5.1	7	1	1	5	7	9	9	9
2. MULTIPLE DX										
65-69 YRS	277	5.1	5	2	2	5	6	8	9	14
70-74	192	5.8	11	2	3	5	7	9	12	16
75-79	150	6.3	15	3	3	5	8	11	15	19
80-84	62	6.1	7	2	3	6	8	9	11	15
85 +	30	6.7	26	2	2	6	8	10	15	30
TOTAL SINGLE DX	225	4.7	6	2	2	4	6	7	9	13
TOTAL MULTIPLE DX	711	5.7	10	2	3	5	7	9	12	16
TOTAL										
65-69 YRS	382	4.9	5	2	2	5	6	8	9	13
70-74	253	5.7	12	2	2	5	7	9	12	16
75-79	188	5.9	13	2	3	5	7	10	13	18
80-84	76	6.0	7	2	3	6	7	9	10	15
85 +	37	6.4	23	2	2	6	8	9	13	30
GRAND TOTAL	**936**	**5.5**	**10**	**2**	**3**	**5**	**7**	**9**	**11**	**16**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	68	2.9	3	1	1	2	4	6	7	9
70-74	39	3.5	12	1	1	2	4	7	9	20
75-79	21	3.0	3	<1	<1	3	4	6	7	7
80-84	5	5.4	24	1	1	4	10	12	12	12
85+	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	274	7.6	51	1	1	5	11	16	21	37
70-74	300	7.4	45	1	2	5	10	15	20	35
75-79	183	8.4	81	1	1	6	11	18	22	46
80-84	109	10.6	89	1	2	8	16	22	28	49
85+	80	11.5	88	1	2	9	17	24	29	42
TOTAL SINGLE DX	135	3.3	7	1	1	3	4	6	8	13
TOTAL MULTIPLE DX	946	8.4	65	1	2	6	11	18	23	40
TOTAL										
65-69 YRS	342	6.7	45	1	1	4	9	15	20	35
70-74	339	7.0	43	1	1	5	9	15	19	34
75-79	204	7.9	76	1	1	5	10	17	22	45
80-84	114	10.4	88	1	2	8	16	22	28	49
85+	82	11.4	87	1	2	9	17	24	29	42
GRAND TOTAL	**1081**	**7.7**	**60**	**1**	**1**	**5**	**10**	**17**	**22**	**40**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	199	2.0	2	1	1	1	2	4	5	10
70-74	122	2.2	9	1	1	1	2	4	6	18
75-79	85	2.0	1	1	1	2	3	4	5	66
80-84	32	1.8	1	<1	1	2	2	3	5	5
85+	6	6.8	111	<1	<1	3	6	26	28	28
2. MULTIPLE DX										
65-69 YRS	334	4.1	24	1	1	2	5	9	13	33
70-74	252	4.3	17	1	1	2	6	10	13	19
75-79	151	5.5	44	1	1	3	7	13	21	52
80-84	88	6.7	78	1	1	3	9	20	30	39
85+	25	8.7	79	1	1	5	14	24	27	32
TOTAL SINGLE DX	444	2.1	6	1	1	1	2	4	5	13
TOTAL MULTIPLE DX	850	4.8	34	1	1	2	6	11	15	32
TOTAL										
65-69 YRS	533	3.3	17	1	1	2	3	8	10	24
70-74	374	3.6	16	1	1	2	4	9	12	19
75-79	236	4.3	32	1	1	2	5	10	17	59
80-84	120	5.4	62	1	1	2	5	12	28	36
85+	31	8.3	83	1	1	4	14	24	28	32
GRAND TOTAL	**1294**	**3.9**	**26**	**1**	**1**	**2**	**4**	**9**	**13**	**30**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation - length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2084	4.2	3	2	2	4	5	6	7	10
70-74	2029	4.3	4	2	2	4	5	6	7	11
75-79	1431	4.5	6	2	2	4	5	7	8	12
80-84	712	4.8	5	2	3	4	6	7	8	13
85+	323	5.2	8	2	2	5	6	8	12	17
2. MULTIPLE DX										
65-69 YRS	10787	5.6	21	2	3	4	6	9	13	25
70-74	12118	6.1	27	2	3	5	7	11	15	28
75-79	10409	6.8	35	2	3	5	8	12	17	32
80-84	6374	7.7	48	2	3	6	9	15	20	36
85+	3748	9.6	74	3	3	7	12	19	25	49
TOTAL SINGLE DX	6579	4.4	5	2	2	4	5	7	8	12
TOTAL MULTIPLE DX	43436	6.7	36	2	3	5	7	12	17	32
TOTAL										
65-69 YRS	12871	5.4	19	2	3	4	6	9	12	23
70-74	14147	5.9	24	2	3	5	6	10	14	27
75-79	11840	6.5	33	2	3	5	7	12	16	30
80-84	7086	7.4	45	2	3	5	8	14	19	35
85+	4071	9.3	71	3	3	7	11	18	24	46
GRAND TOTAL	**50015**	**6.4**	**33**	**2**	**3**	**5**	**7**	**12**	**16**	**30**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	273	8.6	7	5	6	8	10	12	14	16
70-74	176	8.6	8	5	5	8	10	13	15	17
75-79	62	8.1	7	4	5	8	10	11	13	15
80-84	24	9.3	11	4	5	9	12	13	15	17
85 +	3	5.0	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	972	10.5	26	5	6	9	12	16	19	30
70-74	902	11.0	45	5	6	9	12	17	21	41
75-79	520	11.4	59	5	6	10	13	17	24	41
80-84	255	12.9	56	5	7	11	15	22	30	67
85 +	132	14.7	107	5	7	12	17	26	37	75
TOTAL SINGLE DX	538	8.6	8	5	5	8	10	12	14	16
TOTAL MULTIPLE DX	2781	11.2	46	5	6	10	13	18	22	40
TOTAL										
65-69 YRS	1245	10.1	23	5	6	9	12	16	18	28
70-74	1078	10.6	40	5	6	9	12	17	20	39
75-79	582	11.1	55	5	6	9	13	16	22	39
80-84	279	12.6	53	5	6	11	15	21	29	61
85 +	135	14.5	108	5	6	12	17	26	37	74
GRAND TOTAL	**3319**	**10.8**	**41**	**5**	**6**	**9**	**12**	**17**	**21**	**38**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	171	1.7	1	< 1	< 1	1	2	3	4	8
70-74	178	1.9	2	< 1	< 1	1	2	4	5	8
75-79	92	2.0	8	< 1	< 1	1	2	3	4	19
80-84	48	2.9	10	< 1	< 1	2	4	5	8	19
85 +	18	3.0	13	< 1	1	2	4	6	12	16
2. MULTIPLE DX										
65-69 YRS	515	4.3	30	< 1	1	2	5	10	15	25
70-74	561	5.3	51	1	1	3	7	12	16	35
75-79	490	6.1	41	1	1	4	8	14	19	29
80-84	299	6.7	46	1	1	4	9	15	19	38
85 +	190	9.1	75	1	1	7	12	20	26	55
TOTAL SINGLE DX	507	2.0	4	< 1	< 1	1	2	4	5	11
TOTAL MULTIPLE DX	2055	5.8	47	1	1	3	8	14	18	35
TOTAL										
65-69 YRS	686	3.7	25	< 1	1	2	4	8	13	20
70-74	739	4.5	42	< 1	1	2	6	10	15	29
75-79	582	5.5	38	< 1	1	3	7	13	17	29
80-84	347	6.1	43	1	1	4	8	14	19	37
85 +	208	8.6	73	1	1	7	11	19	25	51
GRAND TOTAL	**2562**	**5.0**	**41**	**<1**	**1**	**3**	**6**	**12**	**17**	**29**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	45	1.8	2	< 1	1	1	2	3	4	9
70-74	44	2.7	9	< 1	1	1	3	4	10	17
75-79	15	2.9	10	< 1	< 1	2	3	5	12	14
80-84	9	3.6	10	< 1	< 1	3	4	9	11	11
85 +	8	2.1	2	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	120	5.0	31	1	1	3	7	13	16	58
70-74	122	5.4	39	1	1	3	7	13	21	51
75-79	81	6.3	76	1	1	4	7	11	17	57
80-84	52	6.0	30	1	1	4	8	15	18	22
85 +	27	6.2	30	1	1	5	7	13	16	28
TOTAL SINGLE DX	121	2.4	7	< 1	1	1	3	4	7	15
TOTAL MULTIPLE DX	402	5.6	43	1	1	3	7	13	18	37
TOTAL										
65-69 YRS	165	4.1	26	1	1	2	5	12	14	38
70-74	166	4.7	33	1	1	3	5	11	18	33
75-79	96	5.7	67	1	1	4	7	11	16	50
80-84	61	5.6	28	1	1	3	8	13	18	22
85 +	35	5.3	27	< 1	1	5	6	11	14	28
GRAND TOTAL	**523**	**4.8**	**36**	**1**	**1**	**3**	**6**	**11**	**17**	**32**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	82	2.6	5	1	1	2	3	7	9	11
70-74	128	2.1	2	< 1	1	2	3	4	6	9
75-79	106	2.8	10	< 1	1	1	3	7	10	15
80-84	72	2.3	4	< 1	1	2	3	4	5	13
85 +	31	2.3	4	1	1	2	2	4	7	11
2. MULTIPLE DX										
65-69 YRS	498	6.7	80	1	1	3	9	17	25	48
70-74	681	5.8	56	1	1	3	8	13	19	37
75-79	696	6.3	57	1	1	3	8	16	20	49
80-84	499	7.6	81	1	1	4	10	18	24	48
85 +	301	8.7	113	1	1	5	11	20	30	59
TOTAL SINGLE DX	419	2.4	6	< 1	1	2	3	5	7	13
TOTAL MULTIPLE DX	2675	6.8	73	1	1	4	9	16	22	46
TOTAL										
65-69 YRS	580	6.1	72	1	1	3	8	15	22	45
70-74	809	5.2	50	1	1	3	7	12	17	29
75-79	802	5.8	52	1	1	3	8	15	19	43
80-84	571	6.9	75	1	1	4	9	17	23	45
85 +	332	8.1	107	1	1	4	11	19	28	55
GRAND TOTAL	**3094**	**6.2**	**66**	**1**	**1**	**3**	**8**	**15**	**21**	**44**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	4.0	7	2	2	3	6	7	7	7
75-79	0									
80-84	0									
85 +	2	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL MULTIPLE DX	6	3.2	4	2	2	3	3	7	7	7
TOTAL										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	4.0	7	2	2	3	6	7	7	7
75-79	0									
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85 +	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**7**	**2.9**	**4**	**<1**	**<1**	**2**	**3**	**6**	**7**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	4	5.5	15	2	2	4	8	11	11	11
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	14	3.9	9	1	1	3	5	9	11	11
70-74	2	4.0		4	4	4	4	4	4	4
75-79	7	5.4	43	1	1	2	9	17	18	18
80-84	3	4.3	10	2	2	3	7	8	8	8
85 +	0									
TOTAL SINGLE DX	6	4.0	14	1	1	3	5	10	11	11
TOTAL MULTIPLE DX	26	4.3	16	1	1	3	5	11	13	18
TOTAL										
65-69 YRS	18	4.2	10	1	1	3	5	10	11	11
70-74	3	3.0	3	1	1	4	4	4	4	4
75-79	7	5.4	43	1	1	2	9	17	18	18
80-84	3	4.3	10	2	2	3	7	8	8	8
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**32**	**4.3**	**16**	**1**	**1**	**3**	**5**	**11**	**11**	**18**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	20.0		20	20	20	20	20	20	20
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL MULTIPLE DX	2	12.5	113	5	5	12	20	20	20	20
TOTAL										
65-69 YRS	2	10.5	181	<1	<1	10	20	20	20	20
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**3**	**8.7**	**100**	**<1**	**<1**	**5**	**16**	**20**	**20**	**20**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	61	1.8	1	<1	1	1	2	3	5	8
70-74	54	1.7	1	<1	1	1	2	3	4	6
75-79	25	1.7		<1	1	1	2	3	3	4
80-84	14	2.6	3	1	1	2	3	4	7	8
85 +	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	186	2.9	11	1	1	2	3	5	8	20
70-74	118	3.5	13	1	1	2	4	8	11	18
75-79	84	4.2	33	<1	1	3	4	7	14	37
80-84	35	4.1	14	1	1	2	6	8	11	19
85 +	20	4.8	39	1	1	3	4	8	19	30
TOTAL SINGLE DX	158	1.8	2	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	443	3.5	18	1	1	2	4	7	10	23
TOTAL										
65-69 YRS	247	2.6	9	1	1	2	3	5	7	19
70-74	172	3.0	10	1	1	2	3	6	10	16
75-79	109	3.6	27	1	1	2	4	7	13	34
80-84	49	3.7	12	1	1	2	4	8	10	19
85 +	24	4.2	34	1	1	3	4	8	15	30
GRAND TOTAL	**601**	**3.1**	**14**	**1**	**1**	**2**	**3**	**6**	**9**	**20**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	1.5	1	<1	<1	1	1	3	4	5
70-74	10	1.1		<1	<1	1	1	2	2	2
75-79	9	1.2		<1	<1	1	1	2	2	2
80-84	3	1.0		<1	<1	<1	1	1	1	1
85 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	56	4.1	29	1	1	2	5	11	18	25
70-74	58	4.3	25	<1	1	2	7	12	15	24
75-79	52	5.9	87	1	1	2	8	15	19	60
80-84	49	5.5	30	<1	1	3	8	15	17	24
85 +	36	9.8	108	1	1	5	15	26	33	38
TOTAL SINGLE DX	39	1.3	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	251	5.6	55	1	1	2	8	15	19	34
TOTAL										
65-69 YRS	71	3.5	25	<1	<1	1	3	10	17	24
70-74	68	3.9	23	<1	<1	2	5	11	15	24
75-79	61	5.2	78	<1	<1	2	7	14	18	56
80-84	52	5.2	30	<1	<1	3	7	15	17	24
85 +	38	9.3	106	1	1	5	14	25	33	38
GRAND TOTAL	**290**	**5.0**	**50**	**<1**	**1**	**2**	**7**	**14**	**19**	**33**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	161	2.7	3	1	1	2	4	5	6	8
70-74	89	2.6	2	1	1	2	3	5	5	9
75-79	41	2.4	2	<1	1	2	3	4	5	6
80-84	7	2.4	4	1	1	2	2	6	7	7
85 +	6	4.5	8	1	1	4	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	480	3.8	20	1	1	3	4	7	8	19
70-74	284	4.0	18	1	1	3	4	7	10	27
75-79	135	5.1	60	1	1	3	5	10	18	47
80-84	44	7.9	100	1	1	4	9	20	31	46
85 +	20	6.8	42	1	1	5	8	14	22	29
TOTAL SINGLE DX	304	2.7	3	1	1	2	4	5	6	9
TOTAL MULTIPLE DX	963	4.3	31	1	1	3	5	8	11	3
TOTAL										
65-69 YRS	641	3.5	16	1	1	3	4	6	8	17
70-74	373	3.6	15	1	1	3	4	6	9	19
75-79	176	4.5	48	1	1	3	5	8	14	39
80-84	51	7.1	90	1	1	3	8	18	26	46
85 +	26	6.2	35	1	1	5	7	13	19	29
GRAND TOTAL	**1267**	**3.9**	**24**	**1**	**1**	**3**	**4**	**7**	**10**	**26**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	6	8.3	24	3	3	7	10	16	17	17
70-74	2	4.0		4	4	4	4	4	4	4
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	2	8.5	1	8	8	8	9	9	9	9
85 +	3	7.7	16	4	4	7	11	12	12	12
2. MULTIPLE DX										
65-69 YRS	54	12.0	66	4	5	10	15	22	28	45
70-74	39	12.5	91	4	5	10	12	28	36	43
75-79	43	12.6	105	4	5	9	15	25	35	55
80-84	23	13.7	163	5	6	11	14	21	38	68
85 +	14	8.1	14	2	3	9	10	12	14	15
TOTAL SINGLE DX	15	7.3	14	3	4	7	9	12	16	17
TOTAL MULTIPLE DX	173	12.2	90	4	5	10	14	23	31	53
TOTAL										
65-69 YRS	60	11.7	63	4	4	9	15	22	27	44
70-74	41	12.1	90	3	4	10	12	27	35	43
75-79	45	12.3	102	4	5	9	14	25	34	55
80-84	25	13.2	152	5	6	10	14	21	33	68
85 +	17	8.0	14	2	4	9	10	12	14	15
GRAND TOTAL	**188**	**11.8**	**86**	**4**	**5**	**9**	**13**	**22**	**30**	**51**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	5.7	7	2	3	5	6	10	12	13
70-74	14	5.8	5	2	3	6	8	9	9	9
75-79	10	6.9	7	4	4	6	7	11	14	14
80-84	4	6.0	2	4	4	6	7	7	7	7
85 +	4	6.0	4	4	4	5	7	9	9	9
2. MULTIPLE DX										
65-69 YRS	122	9.8	63	4	4	7	12	16	30	64
70-74	127	11.1	73	4	4	9	13	21	29	49
75-79	95	11.5	83	3	4	8	15	23	32	82
80-84	57	13.6	102	5	6	10	16	27	29	65
85 +	46	16.1	187	5	6	12	20	35	53	62
TOTAL SINGLE DX	53	6.0	6	2	3	5	7	9	11	14
TOTAL MULTIPLE DX	447	11.7	91	4	4	9	14	22	30	62
TOTAL										
65-69 YRS	143	9.2	57	4	4	7	11	16	26	54
70-74	141	10.6	69	3	4	8	12	20	28	48
75-79	105	11.1	78	4	4	8	14	23	28	79
80-84	61	13.1	100	5	5	10	15	26	28	64
85 +	50	15.3	180	4	5	11	18	32	53	62
GRAND TOTAL	500	11.1	85	4	4	8	13	21	29	58

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	53	5.6	5	3	3	5	6	8	11	14
70-74	32	5.8	5	3	3	5	7	10	11	11
75-79	14	6.7	7	4	4	6	7	10	14	15
80-84	10	7.1	3	6	6	6	7	10	11	11
85 +	5	10.0	34	5	5	8	12	20	20	20
2. MULTIPLE DX										
65-69 YRS	264	9.8	45	4	4	7	12	18	21	41
70-74	193	11.0	115	4	4	8	12	19	28	81
75-79	146	10.2	44	4	5	8	12	18	24	37
80-84	84	11.3	60	4	5	9	13	20	25	48
85 +	54	13.0	88	4	5	10	16	23	29	54
TOTAL SINGLE DX	114	6.1	7	3	4	5	7	10	11	17
TOTAL MULTIPLE DX	741	10.6	69	4	5	8	13	19	25	45
TOTAL										
65-69 YRS	317	9.1	41	4	4	7	11	17	20	39
70-74	225	10.2	103	4	4	7	12	18	27	80
75-79	160	9.9	42	4	5	8	12	17	24	37
80-84	94	10.9	56	4	5	9	13	19	23	46
85 +	59	12.7	84	4	5	10	16	23	28	54
GRAND TOTAL	855	10.0	63	4	4	8	12	18	24	44

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	3	7.7	10	4	4	9	10	10	10	10
70-74	8	17.9	523	1	2	9	21	58	71	71
75-79	3	20.0	75	10	10	25	25	25	25	25
80-84	7	5.1	28	< 1	< 1	3	9	13	14	14
85 +	2	9.0	128	1	1	9	17	17	17	17
TOTAL SINGLE DX	3	2.3	1	1	1	3	3	3	3	3
TOTAL MULTIPLE DX	23	12.2	227	< 1	1	9	15	26	42	71
TOTAL										
65-69 YRS	3	7.7	10	4	4	9	10	10	10	10
70-74	9	16.0	490	1	1	9	18	53	71	71
75-79	4	15.8	122	3	3	17	25	25	25	25
80-84	7	5.1	28	< 1	< 1	3	9	13	14	14
85 +	3	7.0	76	1	1	3	13	17	17	17
GRAND TOTAL	26	11.0	210	<1	1	7	14	25	36	71

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	0									
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	3	5.3	16	1	1	6	8	9	9	9
70-74	4	9.8	91	4	4	5	15	24	24	24
75-79	3	5.0	1	4	4	5	6	6	6	6
80-84	3	19.3	57	14	14	16	25	28	28	28
85 +	2	8.0	18	5	5	8	11	11	11	11
TOTAL SINGLE DX	2	4.5	5	3	3	4	6	6	6	6
TOTAL MULTIPLE DX	15	9.6	61	2	4	6	13	24	27	28
TOTAL										
65-69 YRS	4	5.5	11	1	1	6	8	9	9	9
70-74	4	9.8	91	4	4	5	15	24	24	24
75-79	3	5.0	1	4	4	5	6	6	6	6
80-84	3	19.3	57	14	14	16	25	28	28	28
85 +	3	6.3	17	3	3	5	9	11	11	11
GRAND TOTAL	17	9.0	56	2	3	6	12	22	27	28

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	15	1.7	2	< 1	< 1	1	2	3	6	7
70-74	17	1.6	2	< 1	< 1	1	2	2	6	8
75-79	5	1.0		< 1	< 1	1	1	1	1	1
80-84	3	2.0	1	1	1	2	3	3	3	3
85 +	0									
2. MULTIPLE DX										
65-69 YRS	37	3.4	57	< 1	1	2	2	6	8	47
70-74	23	4.0	72	< 1	1	2	2	7	21	42
75-79	21	3.0	23	1	1	2	2	8	17	18
80-84	12	2.5	1	1	1	2	3	4	6	6
85 +	4	14.5	659	1	1	2	28	53	53	53
TOTAL SINGLE DX	40	1.6	2	< 1	< 1	1	2	3	5	8
TOTAL MULTIPLE DX	97	3.8	69	1	1	2	2	6	14	50
TOTAL										
65-69 YRS	52	2.9	42	< 1	< 1	1	2	5	7	46
70-74	40	3.0	43	< 1	< 1	1	2	5	8	42
75-79	26	2.6	19	< 1	1	1	2	2	17	18
80-84	15	2.4	1	1	1	2	3	3	5	6
85 +	4	14.5	660	1	1	2	28	53	53	53
GRAND TOTAL	137	3.2	50	< 1	1	2	2	5	8	48

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	22	4.0	6	< 1	< 1	4	7	7	8	8
70-74	13	2.7	4	< 1	< 1	2	3	6	8	8
75-79	17	4.9	8	1	1	5	7	9	10	10
80-84	4	3.5	5	1	1	3	5	6	6	6
85 +	4	5.8	41	1	1	3	10	15	15	15
2. MULTIPLE DX										
65-69 YRS	112	5.1	37	< 1	1	3	7	12	21	99 +
70-74	134	6.2	51	< 1	1	4	7	14	20	39
75-79	98	6.2	33	1	1	5	7	12	16	31
80-84	71	7.9	46	2	2	6	11	16	22	38
85 +	43	7.3	54	2	2	5	8	17	24	36
TOTAL SINGLE DX	60	4.1	9	< 1	< 1	3	6	8	9	14
TOTAL MULTIPLE DX	458	6.3	44	1	1	4	8	14	21	40
TOTAL										
65-69 YRS	134	4.9	32	< 1	1	3	7	[illegible]	20	99 +
70-74	147	5.9	49	< 1	1	4	7	[illegible]	18	38
75-79	115	6.0	30	1	1	5	7	11	15	30
80-84	75	7.6	46	1	2	6	10	16	21	37
85 +	47	7.2	52	2	2	5	8	16	22	36
GRAND TOTAL	518	6.0	41	1	1	4	7	13	13	39

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	4	1.8	1	1	1	2	2	3	3	3
TOTAL										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
GRAND TOTAL	5	1.6	1	1	1	1	2	3	3	3

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	4	4.0	12	<1	<1	3	7	8	8	8
70-74	5	1.4		1	1	1	2	2	2	2
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	42	6.6	42	1	1	4	8	16	18	34
70-74	30	6.3	29	1	1	5	8	13	21	21
75-79	25	7.7	103	1	1	4	10	12	23	52
80-84	14	17.9	288	2	2	12	32	45	52	54
85 +	10	11.2	54	3	3	9	15	22	25	25
TOTAL SINGLE DX	12	2.7	6	<1	<1	2	4	7	8	8
TOTAL MULTIPLE DX	121	8.4	91	1	1	5	11	18	28	53
TOTAL										
65-69 YRS	46	6.3	40	1	1	4	8	16	18	34
70-74	35	5.6	28	1	1	4	8	12	19	21
75-79	26	7.6	99	1	1	5	9	12	22	52
80-84	16	15.9	279	2	2	8	28	43	51	54
85 +	10	11.2	54	3	3	9	15	22	25	25
GRAND TOTAL	133	7.9	86	1	1	5	10	17	25	52

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	296	5.9	4	4	4	5	7	8	10	13
70-74	217	6.4	9	3	4	6	7	9	11	16
75-79	107	6.7	5	4	4	6	8	9	11	16
80-84	46	6.9	5	4	4	7	8	11	11	13
85 +	17	9.0	101	4	4	6	8	12	35	47
2. MULTIPLE DX										
65-69 YRS	2178	7.7	25	4	4	6	8	13	17	28
70-74	1539	8.4	37	4	5	7	9	14	19	40
75-79	945	9.5	45	4	5	7	10	17	23	39
80-84	427	9.9	45	4	5	8	11	17	24	42
85 +	210	10.9	48	4	5	9	13	21	28	66
TOTAL SINGLE DX	683	6.3	9	4	4	6	7	9	11	15
TOTAL MULTIPLE DX	5299	8.5	36	4	4	7	9	15	20	35
TOTAL										
65-69 YRS	2474	7.5	23	4	4	6	8	12	16	27
70-74	1756	8.2	34	4	4	7	9	13	18	36
75-79	1052	9.3	42	4	5	7	10	16	22	37
80-84	473	9.6	42	4	5	8	11	16	23	40
85 +	227	10.7	53	4	5	8	13	20	28	58
GRAND TOTAL	5982	8.3	33	4	4	7	9	14	19	34

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	329	5.5	4	3	4	5	6	8	8	11
70-74	212	5.8	3	3	4	6	7	8	9	12
75-79	125	5.7	3	3	4	5	6	8	9	13
80-84	39	6.3	3	4	4	6	7	9	10	13
85 +	17	6.3	4	3	3	7	7	9	10	11
2. MULTIPLE DX										
65-69 YRS	1300	6.1	10	3	4	6	7	8	10	14
70-74	1087	6.4	6	3	4	6	7	9	11	16
75-79	712	6.4	6	4	4	6	7	9	11	15
80-84	279	7.4	15	4	4	6	8	12	15	22
85 +	104	7.5	12	4	4	7	9	11	14	23
TOTAL SINGLE DX	722	5.7	4	3	4	5	7	8	9	12
TOTAL MULTIPLE DX	3482	6.4	9	4	4	6	7	9	11	17
TOTAL										
65-69 YRS	1629	6.0	10	3	4	6	7	8	10	13
70-74	1299	6.3	6	3	4	6	7	9	10	16
75-79	837	6.3	7	4	4	6	7	9	11	15
80-84	318	7.3	14	4	4	6	8	11	14	22
85 +	121	7.3	12	4	4	7	8	11	13	22
GRAND TOTAL	4204	6.3	8	3	4	6	7	9	10	16

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	9.5	3	7	7	9	11	12	13	13
70-74	5	10.8	25	5	5	10	12	19	19	19
75-79	1	14.0		14	14	14	14	14	14	14
80-84	1	11.0		11	11	11	11	11	11	11
85 +	0									
2. MULTIPLE DX										
65-69 YRS	41	14.1	93	6	7	12	14	22	35	59
70-74	37	17.1	224	5	6	12	18	39	46	80
75-79	28	16.9	101	7	8	14	18	28	36	57
80-84	11	18.4	142	4	8	15	22	36	48	49
85 +	4	14.0	66	6	6	14	21	21	21	21
TOTAL SINGLE DX	17	10.2	10	6	7	10	11	14	17	19
TOTAL MULTIPLE DX	121	16.1	137	5	7	13	17	28	40	65
TOTAL										
65-69 YRS	51	13.2	79	6	7	12	14	18	31	59
70-74	42	16.4	204	5	6	12	18	38	44	80
75-79	29	16.8	98	7	8	14	18	27	35	57
80-84	12	17.8	134	5	9	14	20	34	47	49
85 +	4	14.0	66	6	6	14	21	21	21	21
GRAND TOTAL	138	15.4	125	5	7	12	1[illegible]	26	40	61

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	77	1.7	3	< 1	< 1	1	1	3	7	10
70-74	63	1.6	2	< 1	< 1	1	1	3	6	10
75-79	36	2.1	3	< 1	< 1	1	3	6	7	8
80-84	26	2.2	7	< 1	< 1	1	2	3	10	12
85 +	19	1.9	2	< 1	< 1	1	2	4	6	7
2. MULTIPLE DX										
65-69 YRS	401	4.3	29	< 1	< 1	2	5	12	17	24
70-74	394	5.2	56	< 1	1	2	6	12	18	40
75-79	311	4.9	44	1	1	2	6	12	16	26
80-84	221	6.8	132	< 1	1	3	7	16	25	67
85 +	149	6.3	60	1	1	4	7	15	23	39
TOTAL SINGLE DX	221	1.8	4	< 1	< 1	1	2	3	7	10
TOTAL MULTIPLE DX	1476	5.2	59	< 1	1	2	6	12	18	39
TOTAL										
65-69 YRS	478	3.9	26	< 1	< 1	2	4	10	16	23
70-74	457	4.7	51	< 1	< 1	2	5	11	17	39
75-79	347	4.6	41	< 1	1	2	6	11	15	26
80-84	247	6.3	122	< 1	1	2	7	15	22	66
85 +	168	5.8	56	1	1	3	7	14	21	37
GRAND TOTAL	1697	4.8	53	<1	<1	2	5	12	17	34

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	2	8.0	98	1	1	8	15	15	15	15
70-74	5	8.8	117	1	1	2	17	25	25	25
75-79	1	1.0		1	1	1	1	1	1	1
80-84	4	9.5	17	5	5	9	12	15	15	15
85+	3	6.7	9	4	4	6	9	10	10	10
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	15	7.9	50	1	1	6	14	15	23	25
TOTAL										
65-69 YRS	2	8.0	98	1	1	8	15	15	15	15
70-74	6	7.5	104	1	1	2	15	24	25	25
75-79	1	1.0		1	1	1	1	1	1	1
80-84	4	9.5	18	5	5	9	12	15	15	15
85+	3	6.7	9	4	4	6	9	10	10	10
GRAND TOTAL	16	7.5	50	1	1	5	12	15	22	25

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	7.5	5	6	6	7	9	9	9	9
70-74	3	3.3	5	2	2	2	5	6	6	6
75-79	0									
80-84	1	7.0		7	7	7	7	7	7	7
85+	0									
2. MULTIPLE DX										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	7	5.1	4	2	2	5	7	8	8	8
75-79	12	7.8	24	2	2	7	10	14	18	19
80-84	3	4.3		4	4	4	5	5	5	5
85+	3	4.3	10	2	2	3	7	8	8	8
TOTAL SINGLE DX	6	5.3	8	2	2	6	7	9	9	9
TOTAL MULTIPLE DX	26	6.2	15	2	2	5	8	10	13	19
TOTAL										
65-69 YRS	3	7.0	3	6	6	6	8	9	9	9
70-74	10	4.6	5	2	2	5	6	7	8	8
75-79	12	7.8	24	2	2	7	10	14	18	19
80-84	4	5.0	2	4	4	5	6	7	7	7
85+	3	4.3	10	2	2	3	7	8	8	8
GRAND TOTAL	32	6.0	13	2	2	6	8	10	12	19

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	2.9		1	1	3	3	4	4	4
70-74	7	1.9		1	1	2	2	2	2	2
75-79	4	2.8		2	2	3	3	3	3	3
80-84	3	1.3		1	1	1	2	2	2	2
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	34	5.2	65	<1	2	3	4	8	21	45
70-74	31	7.5	239	1	1	3	6	8	55	71
75-79	20	3.8	2	1	2	4	4	6	8	9
80-84	15	3.9	6	2	2	3	4	6	10	12
85+	7	11.0	99	2	2	4	19	25	26	26
TOTAL SINGLE DX	22	2.5	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	107	5.8	99	1	2	3	4	8	21	64
TOTAL										
65-69 YRS	41	4.8	55	1	1	3	4	8	15	45
70-74	38	6.4	199	1	1	3	4	8	38	71
75-79	24	3.6	3	2	2	3	4	5	8	9
80-84	18	3.4	6	1	1	3	4	5	10	12
85+	8	10.5	87	2	2	6	19	24	26	26
GRAND TOTAL	129	5.2	84	1	2	3	4	8	18	61

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	362	4.6	4	2	2	4	6	7	8	11
70-74	263	4.7	4	2	2	5	6	7	8	11
75-79	140	4.8	6	2	2	4	6	7	10	15
80-84	59	4.9	4	2	2	5	6	8	10	10
85+	12	4.4	2	1	2	4	6	6	7	7
2. MULTIPLE DX										
65-69 YRS	873	5.4	8	2	3	5	7	8	9	13
70-74	732	5.6	7	3	3	5	7	8	10	15
75-79	451	6.0	8	3	3	6	7	9	11	16
80-84	202	6.0	6	2	3	6	7	9	11	15
85+	57	7.1	24	2	2	6	9	12	16	30
TOTAL SINGLE DX	836	4.7	5	2	2	4	6	7	8	11
TOTAL MULTIPLE DX	2315	5.7	8	2	3	5	7	9	10	15
TOTAL										
65-69 YRS	1235	5.2	7	2	3	5	6	8	9	12
70-74	995	5.4	7	2	3	5	7	8	9	14
75-79	591	5.7	8	2	3	5	7	9	11	16
80-84	261	5.8	7	2	3	5	7	9	10	14
85+	69	6.6	22	2	2	6	8	10	15	29
GRAND TOTAL	3151	5.4	8	2	3	5	7	8	10	14

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	24	4.8	4	1	2	5	6	8	8	9
70-74	22	4.5	3	1	2	5	5	7	8	8
75-79	12	4.0	4	1	2	4	5	6	9	9
80-84	10	4.9	9	1	1	5	6	9	12	12
85 +	3	14.0	39	7	7	16	18	19	19	19
2. MULTIPLE DX										
65-69 YRS	94	6.9	25	1	3	6	9	11	15	31
70-74	82	7.9	37	2	3	7	9	13	18	39
75-79	54	8.3	63	2	4	7	9	13	18	55
80-84	22	10.2	104	2	2	6	13	24	37	41
85 +	9	8.3	66	2	2	4	12	22	26	26
TOTAL SINGLE DX	71	5.0	9	1	2	5	6	8	9	18
TOTAL MULTIPLE DX	261	7.8	45	2	3	6	9	14	19	40
TOTAL										
65-69 YRS	118	6.5	22	1	3	5	8	10	15	28
70-74	104	7.1	32	2	3	6	9	12	17	33
75-79	66	7.5	55	2	3	6	8	12	15	51
80-84	32	8.5	80	2	2	6	11	19	33	41
85 +	12	9.8	62	2	3	6	16	21	25	26
GRAND TOTAL	**332**	**7.2**	**39**	**2**	**3**	**6**	**9**	**13**	**18**	**37**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	33	5.2	17	2	2	5	6	8	9	26
70-74	46	3.4	3	1	1	3	4	6	6	11
75-79	37	4.4	7	1	2	4	5	9	11	12
80-84	24	5.0	14	1	1	5	6	7	11	21
85 +	17	4.9	15	1	2	5	6	8	14	18
2. MULTIPLE DX										
65-69 YRS	188	6.3	56	1	2	4	7	11	17	48
70-74	216	6.4	63	1	2	5	7	10	18	42
75-79	169	6.6	70	1	1	4	7	11	18	46
80-84	121	6.3	27	1	2	5	8	14	18	24
85 +	69	8.5	79	1	1	6	10	18	24	54
TOTAL SINGLE DX	157	4.4	10	1	1	4	5	7	9	21
TOTAL MULTIPLE DX	763	6.6	59	1	2	5	7	13	19	44
TOTAL										
65-69 YRS	221	6.1	51	1	2	4	6	10	16	45
70-74	262	5.9	55	1	2	4	6	9	17	37
75-79	206	6.2	60	1	2	4	7	10	17	45
80-84	145	6.1	25	1	2	5	7	13	18	23
85 +	86	7.8	68	1	2	5	8	17	22	48
GRAND TOTAL	**920**	**6.2**	**52**	**1**	**2**	**4**	**7**	**11**	**18**	**41**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	1.9	1	< 1	< 1	1	2	4	5	6
70-74	15	2.4	1	< 1	1	2	3	4	5	5
75-79	17	3.4	7	< 1	1	3	5	8	9	9
80-84	8	3.8	5	1	1	3	4	8	9	9
85 +	9	3.0	5	< 1	< 1	2	4	7	8	8
2. MULTIPLE DX										
65-69 YRS	69	7.1	65	1	1	4	8	21	28	36
70-74	60	7.2	72	< 1	1	4	9	23	29	31
75-79	66	4.9	14	1	1	3	8	10	12	15
80-84	45	6.9	49	1	1	4	10	17	20	33
85 +	50	9.0	217	1	1	5	11	16	24	98
TOTAL SINGLE DX	65	2.8	4	< 1	< 1	2	4	6	8	9
TOTAL MULTIPLE DX	290	6.9	80	1	1	4	9	16	24	35
TOTAL										
65-69 YRS	85	6.1	57	< 1	1	3	7	17	26	34
70-74	75	6.2	62	< 1	1	3	7	17	28	31
75-79	83	4.6	13	< 1	1	3	7	10	12	15
80-84	53	6.5	44	1	1	4	9	16	20	33
85 +	59	8.1	189	1	1	4	9	15	23	93
GRAND TOTAL	**355**	**6.2**	**68**	**1**	**1**	**3**	**8**	**14**	**22**	**33**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	18	6.1	23	1	1	4	11	14	15	15
70-74	12	8.0	20	1	2	9	11	13	16	16
75-79	18	7.6	25	1	2	6	11	15	16	16
80-84	10	7.9	37	1	1	7	11	17	20	20
85 +	7	4.4	12	< 1	< 1	4	6	10	11	11
2. MULTIPLE DX										
65-69 YRS	38	12.3	142	2	3	10	15	19	38	63
70-74	54	11.5	73	3	4	9	13	22	28	47
75-79	35	14.0	224	3	4	9	15	24	53	71
80-84	32	12.5	142	1	4	9	15	25	36	60
85 +	48	9.6	57	1	2	8	13	19	24	39
TOTAL SINGLE DX	65	7.0	24	1	1	6	11	15	15	19
TOTAL MULTIPLE DX	207	11.8	118	2	3	9	14	22	36	61
TOTAL										
65-69 YRS	56	10.3	112	1	2	9	13	18	20	62
70-74	66	10.9	65	2	3	9	12	21	27	45
75-79	53	11.8	164	2	3	8	13	23	38	71
80-84	42	11.4	120	1	3	8	15	20	36	60
85 +	55	9.0	55	1	2	7	12	18	23	38
GRAND TOTAL	**272**	**10.6**	**100**	**1**	**2**	**9**	**13**	**20**	**26**	**59**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85+	0									
2. MULTIPLE DX										
65-69 YRS	7	10.9	226	3	3	5	11	38	44	44
70-74	1	10.0		10	10	10	10	10	10	10
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	3	5.3		5	5	5	6	6	6	6
85+	0									
TOTAL SINGLE DX	4	2.0	1	<1	<1	2	3	3	3	3
TOTAL MULTIPLE DX	13	8.4	124	2	3	5	7	19	39	44
TOTAL										
65-69 YRS	9	9.0	183	2	2	3	7	32	44	44
70-74	2	5.5	41	<1	<1	5	10	10	10	10
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	4	4.5	3	2	2	5	6	6	6	6
85+	0									
GRAND TOTAL	**17**	**6.9**	**101**	**1**	**2**	**5**	**6**	**12**	**33**	**44**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	4	11.5	91	1	1	12	19	21	21	21
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	4	7.8	182	<1	<1	1	15	28	28	28
80-84	3	8.0	1	7	7	8	9	9	9	9
85+	2	8.5	5	7	7	8	10	10	10	10
TOTAL SINGLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL MULTIPLE DX	15	8.1	69	<1	1	7	10	21	26	28
TOTAL										
65-69 YRS	4	11.5	91	1	1	12	19	21	21	21
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	5	6.6	143	<1	<1	1	8	28	28	28
80-84	3	8.0	1	7	7	8	9	9	9	9
85+	2	8.5	5	7	7	8	10	10	10	10
GRAND TOTAL	**16**	**7.7**	**66**	**<1**	**1**	**6**	**9**	**21**	**26**	**28**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	16	4.8	11	1	1	4	7	9	11	12
70-74	13	5.0	6	2	2	4	7	8	10	10
75-79	13	4.3	12	1	1	3	7	10	12	12
80-84	5	3.6	13	1	1	2	5	10	10	10
85 +	5	4.6	20	1	1	4	7	12	12	12
2. MULTIPLE DX										
65-69 YRS	84	8.6	75	1	1	6	11	21	29	84
70-74	48	11.4	117	1	2	8	16	28	33	49
75-79	35	10.1	94	1	1	7	15	22	32	42
80-84	27	10.4	175	1	1	9	11	20	45	60
85 +	10	11.4	151	2	3	7	15	30	44	44
TOTAL SINGLE DX	52	4.6	11	1	1	4	7	10	12	12
TOTAL MULTIPLE DX	204	9.9	104	1	1	7	13	22	33	56
TOTAL										
65-69 YRS	100	8.0	67	1	1	5	11	18	26	76
70-74	61	10.1	101	1	2	6	13	25	31	48
75-79	48	8.6	78	1	1	5	12	17	28	42
80-84	32	9.3	155	1	1	5	11	20	40	60
85 +	15	9.1	114	1	1	6	11	16	37	44
GRAND TOTAL	**256**	**8.8**	**90**	**1**	**1**	**6**	**12**	**20**	**29**	**53**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	28	2.5	3	1	1	2	3	4	6	10
70-74	17	2.6	9	1	1	2	3	4	10	14
75-79	9	2.8	1	1	1	3	4	4	4	4
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	42	2.6	2	1	1	2	4	5	6	7
70-74	33	6.3	61	1	1	3	7	19	25	29
75-79	15	2.9	4	1	1	2	4	6	7	8
80-84	4	3.8	8	2	2	3	5	8	8	8
85 +	3	8.7	54	3	3	6	14	17	17	17
TOTAL SINGLE DX	55	2.6	5	1	1	2	3	4	6	14
TOTAL MULTIPLE DX	97	4.2	27	1	1	2	4	8	18	28
TOTAL										
65-69 YRS	70	2.6	3	1	1	2	3	4	6	9
70-74	50	5.0	46	1	1	2	4	16	21	29
75-79	24	2.8	3	1	1	3	4	5	7	8
80-84	4	3.8	8	2	2	3	5	8	8	8
85 +	4	7.0	47	2	2	4	11	17	17	17
GRAND TOTAL	**152**	**3.6**	**19**	**1**	**1**	**2**	**4**	**6**	**13**	**26**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	4	4.0	16	1	1	2	6	10	10	10
75-79	5	3.6	5	1	1	3	6	6	6	6
80-84	3	2.0	1	1	1	2	3	3	3	3
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	21	5.0	11	1	2	4	7	11	12	12
70-74	14	6.9	44	1	2	4	11	14	23	25
75-79	16	12.0	332	1	1	8	11	18	60	78
80-84	5	11.8	101	3	3	7	18	28	28	28
85 +	8	6.4	14	< 1	1	6	9	12	13	13
TOTAL SINGLE DX	15	2.9	7	1	1	2	3	6	9	10
TOTAL MULTIPLE DX	64	7.9	109	1	2	5	10	13	21	71
TOTAL										
65-69 YRS	23	4.7	12	1	1	4	6	11	12	12
70-74	18	6.3	39	1	1	3	10	13	20	25
75-79	21	10.0	264	1	1	6	10	15	45	78
80-84	8	8.1	84	1	1	5	11	24	28	28
85 +	9	5.8	16	< 1	< 1	5	8	12	13	13
GRAND TOTAL	**79**	**6.9**	**93**	**1**	**1**	**5**	**9**	**13**	**17**	**63**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	2.7	5	< 1	< 1	2	3	7	8	8
70-74	6	3.5	11	1	1	2	4	9	10	10
75-79	6	2.3	2	1	1	2	3	5	5	5
80-84	3	6.0	61	1	1	2	12	15	15	15
85 +	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	70	9.2	120	1	2	5	12	19	32	62
70-74	57	8.2	63	1	2	5	12	20	32	95
75-79	45	11.5	172	1	1	7	14	29	32	73
80-84	28	11.7	126	2	3	8	14	22	29	58
85 +	17	7.9	20	1	2	[illegible]	12	14	15	16
TOTAL SINGLE DX	29	3.2	10	1	1	2	3	7	10	15
TOTAL MULTIPLE DX	217	9.6	109	1	2	6	12	21	29	69
TOTAL										
65-69 YRS	82	8.2	108	1	1	5	10	18	29	59
70-74	63	7.7	60	1	2	5	11	19	28	91
75-79	51	10.4	161	1	1	6	12	28	29	73
80-84	31	11.1	121	2	2	8	14	22	26	58
85 +	19	7.4	20	1	2	6	12	14	15	16
GRAND TOTAL	246	8.9	102	1	1	6	12	19	29	67

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	2.3	2	< 1	< 1	2	3	5	6	6
70-74	5	1.2		1	1	1	2	2	2	2
75-79	3	1.0		< 1	< 1	< 1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	27	4.6	17	1	1	3	5	11	15	18
70-74	14	5.7	60	< 1	1	2	7	14	26	30
75-79	15	6.3	81	1	1	3	6	18	30	34
80-84	7	3.1	6	1	1	2	5	7	7	7
85 +	4	8.3	85	1	1	5	15	21	21	21
TOTAL SINGLE DX	20	1.8	2	< 1	< 1	1	2	4	5	6
TOTAL MULTIPLE DX	67	5.3	42	1	1	3	6	12	19	33
TOTAL										
65-69 YRS	39	3.8	14	< 1	1	3	4	9	13	18
70-74	19	4.5	48	< 1	1	2	6	10	22	30
75-79	18	5.4	71	< 1	< 1	2	5	16	28	34
80-84	7	3.1	6	1	1	2	5	7	7	7
85 +	4	8.3	85	1	1	5	15	21	21	21
GRAND TOTAL	87	4.5	35	<1	1	2	5	11	18	33

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	55	3.8	4	1	1	4	5	5	8	10
70-74	37	3.9	6	1	1	4	6	8	9	10
75-79	26	5.8	17	1	1	4	9	11	14	16
80-84	10	7.2	19	< 1	1	8	11	12	12	12
85 +	5	8.0	41	3	3	4	14	16	16	16
2. MULTIPLE DX										
65-69 YRS	193	7.8	75	1	2	5	8	17	24	45
70-74	125	9.3	109	1	1	6	10	20	31	50
75-79	62	10.0	91	1	2	7	12	24	35	43
80-84	31	14.6	350	2	3	8	13	47	52	83
85 +	28	18.4	176	2	3	15	26	36	44	59
TOTAL SINGLE DX	133	4.6	11	1	1	4	5	10	11	16
TOTAL MULTIPLE DX	439	9.7	120	1	2	6	11	23	37	53
TOTAL										
65-69 YRS	248	6.9	62	1	2	5	7	14	20	42
70-74	162	8.1	91	1	1	5	9	18	27	47
75-79	88	8.8	73	1	2	7	11	16	29	42
80-84	41	12.8	278	1	2	8	12	40	50	83
85 +	33	16.8	169	2	3	15	25	31	42	59
GRAND TOTAL	572	8.5	99	1	2	5	10	18	29	49

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	103	2.2	1	< 1	1	2	3	4	5	6
70-74	65	2.3	1	1	1	2	3	4	5	8
75-79	35	2.2	1	< 1	< 1	2	3	4	5	6
80-84	12	2.2	1	1	1	2	3	4	4	4
85 +	8	2.6	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
65-69 YRS	806	2.6	3	1	1	2	3	5	5	10
70-74	580	3.0	17	1	1	2	4	5	6	20
75-79	340	3.3	16	1	1	3	4	5	7	30
80-84	124	3.5	12	1	1	3	4	6	8	21
85 +	56	4.4	13	1	1	4	5	10	13	18
TOTAL SINGLE DX	223	2.2	2	< 1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1906	3.0	11	1	1	2	4	5	6	16
TOTAL										
65-69 YRS	909	2.6	4	1	1	2	3	4	5	9
70-74	645	3.0	16	1	1	2	3	5	6	18
75-79	375	3.2	15	1	1	3	4	5	7	27
80-84	136	3.4	12	1	1	3	4	6	7	19
85 +	64	4.2	13	1	1	3	5	8	12	18
GRAND TOTAL	2129	2.9	10	1	1	2	4	5	6	15

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	232	4.2	25	<1	1	3	5	8	11	26
70-74	147	4.3	18	1	1	3	5	8	12	23
75-79	102	5.1	50	<1	1	3	6	8	13	43
80-84	51	5.5	26	1	1	4	7	13	15	26
85 +	26	4.9	12	<1	1	4	7	11	12	12
2. MULTIPLE DX										
65-69 YRS	964	9.5	123	1	1	5	13	22	32	56
70-74	827	10.8	166	1	1	6	14	27	40	78
75-79	617	12.5	203	1	2	8	16	30	44	71
80-84	305	14.3	166	2	3	11	18	31	41	72
85 +	212	13.7	159	2	3	11	18	26	51	99 +
TOTAL SINGLE DX	558	4.5	28	<1	1	3	6	9	13	32
TOTAL MULTIPLE DX	2925	11.3	162	1	1	7	15	26	40	73
TOTAL										
65-69 YRS	1196	8.5	109	1	1	5	11	21	30	53
70-74	974	9.8	150	1	1	5	12	24	37	73
75-79	719	11.5	188	1	1	7	14	27	42	70
80-84	356	13.0	156	1	2	9	17	29	39	70
85 +	238	12.7	151	1	2	9	16	25	51	99 +
GRAND TOTAL	**3483**	**10.2**	**147**	**1**	**1**	**6**	**13**	**24**	**36**	**70**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	79	6.3	15	2	2	6	9	11	13	19
70-74	77	7.6	19	1	2	7	10	14	16	20
75-79	77	9.0	23	2	2	9	12	15	17	25
80-84	75	9.8	18	4	5	9	13	16	18	20
85 +	81	9.7	22	3	4	8	13	16	17	23
2. MULTIPLE DX										
65-69 YRS	303	12.8	136	3	4	10	15	24	38	82
70-74	327	12.1	100	3	3	9	15	24	30	63
75-79	403	12.7	101	4	5	10	15	22	30	53
80-84	400	14.0	113	4	6	11	17	26	36	96
85 +	526	14.1	112	5	6	11	16	24	34	71
TOTAL SINGLE DX	389	8.5	22	2	3	8	11	15	17	21
TOTAL MULTIPLE DX	1959	13.2	112	4	5	11	16	24	33	75
TOTAL										
65-69 YRS	382	11.4	118	2	3	9	13	22	32	76
70-74	404	11.2	88	2	3	9	14	21	28	57
75-79	480	12.1	91	3	5	10	15	21	29	49
80-84	475	13.3	101	4	5	11	16	24	32	90
85 +	607	13.5	103	5	6	11	16	23	31	67
GRAND TOTAL	**2348**	**12.4**	**101**	**3**	**4**	**10**	**15**	**22**	**30**	**66**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	155	2.7	5	<1	<1	2	3	5	7	12
70-74	129	3.3	12	<1	1	2	4	9	12	17
75-79	97	3.6	16	<1	1	2	4	7	11	24
80-84	73	4.3	27	<1	1	3	6	9	12	33
85 +	53	5.6	23	<1	1	4	8	13	15	22
2. MULTIPLE DX										
65-69 YRS	292	8.1	106	1	1	4	10	18	30	52
70-74	293	8.1	100	1	1	4	10	18	35	56
75-79	255	9.2	128	1	2	5	12	22	31	87
80-84	200	10.0	112	1	1	6	14	22	33	50
85 +	210	12.6	197	1	2	8	16	29	40	96
TOTAL SINGLE DX	507	3.6	15	<1	1	2	4	8	12	18
TOTAL MULTIPLE DX	1250	9.4	128	1	1	6	12	22	34	66
TOTAL										
65-69 YRS	447	6.2	78	<1	1	3	7	13	24	51
70-74	422	6.7	78	1	1	3	8	16	25	54
75-79	352	7.7	104	1	1	4	9	18	27	67
80-84	273	8.5	95	1	1	5	11	18	31	48
85 +	263	11.1	170	1	2	7	14	24	36	92
GRAND TOTAL	**1757**	**7.7**	**102**	**1**	**1**	**4**	**9**	**18**	**28**	**58**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	40	8.9	98	3	4	7	9	13	14	67
70-74	51	9.5	18	4	5	9	11	16	18	24
75-79	67	10.8	72	4	4	9	13	18	30	49
80-84	72	11.2	26	5	6	11	13	17	20	31
85 +	96	10.5	35	4	5	9	13	16	22	35
2. MULTIPLE DX										
65-69 YRS	225	12.4	48	5	6	11	15	22	28	37
70-74	310	13.7	112	5	6	11	16	21	31	77
75-79	439	14.3	145	5	6	11	15	22	36	86
80-84	522	14.1	120	5	6	11	15	25	35	57
85 +	802	14.3	119	5	7	12	16	25	33	92
TOTAL SINGLE DX	326	10.4	46	4	5	9	12	16	20	37
TOTAL MULTIPLE DX	2298	14.0	117	5	6	11	15	24	33	80
TOTAL										
65-69 YRS	265	11.9	57	5	6	10	14	20	28	41
70-74	361	13.1	101	5	6	11	15	20	29	75
75-79	506	13.8	137	5	6	11	15	22	35	84
80-84	594	13.8	110	5	6	11	15	24	34	54
85 +	898	13.9	111	5	6	11	16	24	31	86
GRAND TOTAL	**2624**	**13.5**	**109**	**5**	**6**	**11**	**15**	**22**	**32**	**75**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	280	9.7	18	5	5	9	12	14	17	25
70-74	355	10.8	32	5	6	10	13	16	21	30
75-79	479	11.4	23	5	6	11	14	17	19	30
80-84	576	11.8	38	5	6	10	14	18	24	34
85 +	871	12.1	43	6	6	11	14	18	23	41
2. MULTIPLE DX										
65-69 YRS	1466	15.0	120	6	7	12	17	25	35	84
70-74	2196	15.2	113	6	7	13	17	26	35	74
75-79	3274	15.7	112	6	7	13	18	27	38	88
80-84	3977	15.9	124	6	7	13	18	28	38	81
85 +	6376	15.8	117	6	7	13	18	27	38	79
TOTAL SINGLE DX	2561	11.4	35	5	6	10	14	17	21	34
TOTAL MULTIPLE DX	17289	15.6	118	6	7	13	18	27	37	82
TOTAL										
65-69 YRS	1746	14.1	108	6	7	12	16	24	34	81
70-74	2551	14.6	105	6	7	12	17	24	33	69
75-79	3753	15.1	103	6	7	13	17	26	36	82
80-84	4553	15.3	115	6	7	13	17	26	36	74
85 +	7247	15.4	110	6	7	13	18	26	37	76
GRAND TOTAL	19850	15.1	109	6	7	12	17	26	35	76

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	7	6.6	15	1	1	6	10	12	12	12
70-74	9	6.9	18	1	2	6	10	13	15	15
75-79	7	17.9	555	1	2	9	20	60	69	69
80-84	17	9.0	54	1	1	7	14	16	25	29
85 +	17	6.9	21	1	2	6	11	13	15	16
2. MULTIPLE DX										
65-69 YRS	48	18.6	358	2	3	10	22	47	56	82
70-74	55	16.2	202	3	4	11	21	32	48	69
75-79	68	18.9	313	4	4	13	23	47	56	82
80-84	64	17.4	407	3	4	12	18	30	71	98
85 +	128	14.1	183	2	3	10	19	32	36	75
TOTAL SINGLE DX	57	8.8	98	1	1	6	11	16	21	66
TOTAL MULTIPLE DX	363	16.5	274	2	4	11	21	35	53	82
TOTAL										
65-69 YRS	55	17.0	330	2	3	10	18	46	53	82
70-74	64	14.9	186	3	4	11	17	29	41	69
75-79	75	18.8	329	3	4	11	23	47	60	82
80-84	81	15.7	344	2	4	10	16	27	68	97
85 +	145	13.2	170	2	2	9	17	30	35	74
GRAND TOTAL	420	15.4	257	2	3	10	18	34	50	81

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	97	2.6	5	1	1	2	3	5	7	13
70-74	70	2.6	7	< 1	1	2	3	5	6	15
75-79	57	2.7	4	1	1	2	3	6	7	10
80-84	38	3.6	8	< 1	1	3	6	8	10	12
85 +	28	4.7	85	1	1	3	4	6	11	51
2. MULTIPLE DX										
65-69 YRS	160	6.6	67	1	1	4	7	14	22	46
70-74	134	6.7	83	1	1	3	8	13	23	56
75-79	114	8.1	85	1	2	5	9	24	34	99 +
80-84	89	8.9	117	1	2	6	10	22	29	62
85 +	63	7.4	50	1	2	6	9	13	17	47
TOTAL SINGLE DX	290	2.9	14	1	1	2	3	6	8	13
TOTAL MULTIPLE DX	560	7.4	81	1	1	5	9	17	26	56
TOTAL										
65-69 YRS	257	5.1	48	1	1	3	6	10	17	42
70-74	204	5.3	61	1	1	3	6	11	19	50
75-79	171	6.3	65	1	1	4	7	15	26	99 +
80-84	127	7.3	90	1	1	4	8	17	26	50
85 +	91	6.5	62	1	1	4	8	12	15	51
GRAND TOTAL	850	5.9	63	1	1	3	7	12	21	51

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	726	4.6	9	1	2	4	6	8	10	15
70-74	479	4.9	11	1	2	4	6	9	11	19
75-79	339	5.5	36	1	2	4	7	10	12	18
80-84	169	6.5	58	1	2	5	7	11	15	23
85 +	114	6.3	28	1	2	5	9	11	13	28
2. MULTIPLE DX										
65-69 YRS	1398	7.9	60	2	2	6	9	15	22	44
70-74	1263	8.5	69	2	3	6	10	15	21	52
75-79	920	9.7	78	2	3	7	12	19	27	48
80-84	623	10.5	103	2	3	8	12	21	30	63
85 +	456	10.6	76	2	3	8	13	21	26	49
TOTAL SINGLE DX	1827	5.1	21	1	2	4	6	9	11	18
TOTAL MULTIPLE DX	4660	9.0	75	2	3	7	11	17	24	49
TOTAL										
65-69 YRS	2124	6.8	46	1	2	5	8	13	18	38
70-74	1742	7.5	56	2	2	6	9	14	19	44
75-79	1259	8.5	70	2	2	6	10	17	23	45
80-84	792	9.6	96	2	3	7	11	19	27	60
85 +	570	9.7	70	2	3	8	12	18	25	46
GRAND TOTAL	6487	7.9	63	2	2	6	9	15	21	44

713: Other reduction of fracture without internal fixation, except maxillo- facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	241	3.5	13	< 1	1	2	4	7	11	24
70-74	217	3.8	44	1	1	2	4	7	9	22
75-79	190	3.2	7	1	1	2	4	7	9	11
80-84	111	4.8	43	1	1	2	5	10	14	40
85 +	102	4.7	62	1	1	3	5	8	10	55
2. MULTIPLE DX										
65-69 YRS	573	7.0	78	1	1	4	8	16	24	51
70-74	614	7.8	71	1	1	5	9	17	25	48
75-79	658	7.9	71	1	2	5	10	16	25	66
80-84	503	8.7	103	1	2	6	11	18	28	90
85 +	568	9.4	110	1	2	6	11	21	31	60
TOTAL SINGLE DX	861	3.8	30	1	1	2	4	7	10	24
TOTAL MULTIPLE DX	2916	8.1	87	1	1	5	10	18	26	60
TOTAL										
65-69 YRS	814	6.0	62	1	1	3	7	14	22	45
70-74	831	6.7	67	1	1	4	8	15	22	47
75-79	848	6.8	61	1	1	4	9	15	22	58
80-84	614	8.0	95	1	1	5	10	17	27	80
85 +	670	8.7	106	1	2	5	10	19	30	60
GRAND TOTAL	3777	7.1	77	1	1	4	9	16	24	54

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	88	3.8	23	< 1	1	2	5	8	10	30
70-74	106	4.4	26	< 1	1	2	5	11	13	28
75-79	89	4.2	16	< 1	1	3	6	9	15	18
80-84	79	4.6	25	1	1	2	6	13	16	22
85 +	44	4.8	40	< 1	1	3	4	11	23	29
2. MULTIPLE DX										
65-69 YRS	151	7.1	71	1	1	4	9	16	23	37
70-74	185	8.4	126	1	1	5	9	17	34	61
75-79	192	6.6	53	1	1	4	8	15	21	42
80-84	150	7.9	69	1	2	6	9	18	23	69
85 +	161	7.2	30	1	2	5	10	17	19	91
TOTAL SINGLE DX	406	4.3	25	< 1	1	2	5	9	15	23
TOTAL MULTIPLE DX	839	7.4	71	1	1	5	9	17	22	43
TOTAL										
65-69 YRS	239	5.9	56	1	1	4	7	13	21	37
70-74	291	6.9	94	1	1	4	8	14	25	44
75-79	281	5.9	43	1	1	4	7	14	18	38
80-84	229	6.8	56	1	1	4	8	16	21	47
85 +	205	6.7	33	1	1	5	9	17	19	60
GRAND TOTAL	1245	6.4	58	1	1	4	8	15	21	42

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	19	3.4	3	1	1	3	5	6	7	7
70-74	11	2.5	2	< 1	< 1	2	4	5	5	5
75-79	8	9.1	21	1	2	9	12	15	15	15
80-84	7	4.3	18	1	1	2	7	11	12	12
85 +	5	4.8	2	3	3	4	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	37	7.0	33	1	2	5	8	17	19	25
70-74	37	11.8	212	2	3	7	13	20	48	75
75-79	33	11.4	168	1	1	6	16	27	39	57
80-84	21	13.0	146	3	4	11	13	22	40	61
85 +	28	11.7	51	2	4	11	15	27	32	99 +
TOTAL SINGLE DX	50	4.4	12	1	1	3	6	9	12	15
TOTAL MULTIPLE DX	156	10.7	124	2	2	8	13	23	30	74
TOTAL										
65-69 YRS	56	5.8	26	1	2	4	6	14	17	25
70-74	48	9.7	179	1	2	5	11	16	39	75
75-79	41	11.0	139	1	1	8	15	26	35	57
80-84	28	10.8	127	1	2	10	12	19	27	61
85 +	33	10.6	50	2	3	9	13	27	28	99 +
GRAND TOTAL	206	9.2	104	1	2	6	12	18	27	67

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	71	6.8	49	1	1	4	9	16	19	35
70-74	48	6.9	38	1	1	5	11	17	20	25
75-79	32	7.3	61	1	1	5	10	14	16	42
80-84	19	11.3	110	< 1	1	11	16	23	35	43
85 +	14	9.0	90	< 1	1	6	12	26	31	33
2. MULTIPLE DX										
65-69 YRS	288	13.6	255	1	1	8	18	34	47	86
70-74	265	16.6	288	1	2	11	23	43	57	80
75-79	222	16.2	269	1	2	11	22	41	62	86
80-84	141	17.1	309	1	2	12	22	47	71	99 +
85 +	106	18.0	192	3	4	14	25	35	45	67
TOTAL SINGLE DX	184	7.5	59	1	1	5	11	17	22	40
TOTAL MULTIPLE DX	1022	15.9	270	1	2	10	22	41	55	87
TOTAL										
65-69 YRS	359	12.3	222	1	1	7	16	30	43	85
70-74	313	15.1	262	1	2	10	19	41	55	78
75-79	254	15.1	252	1	2	10	20	38	51	81
80-84	160	16.4	289	1	2	12	22	46	63	99 +
85 +	120	17.0	188	2	4	13	23	34	43	67
GRAND TOTAL	1206	14.6	246	1	2	9	20	36	50	86

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	582	7.0	15	3	3	6	9	12	15	21
70-74	348	7.6	19	3	3	7	9	13	16	22
75-79	159	7.9	22	3	3	7	10	13	16	27
80-84	50	8.9	24	4	4	8	11	15	21	26
85 +	17	9.4	17	3	4	9	12	15	18	19
2. MULTIPLE DX										
65-69 YRS	1519	9.9	53	3	4	8	12	18	23	42
70-74	1110	11.2	70	4	5	9	14	20	26	51
75-79	631	12.5	99	4	5	10	15	22	30	59
80 84	272	14.5	102	5	6	11	17	26	35	56
85 +	67	16.5	152	6	7	14	19	29	34	80
TOTAL SINGLE DX	1156	7.4	18	3	3	7	9	13	16	23
TOTAL MULTIPLE DX	3599	11.2	74	4	4	9	14	20	27	51
TOTAL										
65-69 YRS	2101	9.1	44	3	4	7	11	16	21	38
70-74	1458	10.3	61	3	4	8	12	18	23	47
75-79	790	11.6	87	3	4	9	14	21	28	56
80-84	322	13.6	95	4	6	11	17	25	32	55
85 +	84	15.1	133	5	6	12	17	27	33	75
GRAND TOTAL	4755	10.3	63	3	4	8	12	18	24	47

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	44	1.7	2	< 1	< 1	1	2	4	5	8
70-74	29	1.7	1	< 1	< 1	1	2	3	4	7
75-79	18	1.7	1	< 1	< 1	1	2	4	5	5
80-84	15	1.7		< 1	< 1	2	2	3	4	4
85 +	4	2.8	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	291	2.3	5	< 1	< 1	2	3	5	7	10
70-74	241	2.7	16	1	1	2	3	5	7	17
75-79	130	2.6	5	< 1	1	2	3	5	8	13
80-84	57	3.5	20	1	1	2	3	9	13	24
85 +	32	5.4	45	1	1	2	6	18	19	26
TOTAL SINGLE DX	110	1.7	2	< 1	< 1	1	2	4	5	7
TOTAL MULTIPLE DX	751	2.7	12	< 1	1	2	3	5	8	18
TOTAL										
65-69 YRS	335	2.2	5	< 1	< 1	1	2	5	7	9
70-74	270	2.6	15	< 1	1	2	3	4	7	15
75-79	148	2.5	5	< 1	< 1	2	3	5	7	13
80-84	72	3.2	17	1	1	2	3	8	12	23
85 +	36	5.1	42	1	1	2	5	18	19	26
GRAND TOTAL	861	2.6	11	<1	1	2	3	5	8	17

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	114	3.4	15	< 1	< 1	2	4	8	13	19
70-74	64	3.9	43	< 1	< 1	2	4	8	15	39
75-79	46	2.7	5	< 1	< 1	2	4	7	8	9
80-84	18	8.0	351	< 1	< 1	3	6	11	54	82
85 +	9	6.8	121	1	1	2	5	25	35	35
2. MULTIPLE DX										
65-69 YRS	449	6.1	87	< 1	1	3	6	15	24	45
70-74	335	7.7	98	1	1	3	10	22	29	42
75-79	229	8.6	116	< 1	1	4	12	23	32	49
80-84	115	13.1	179	1	1	8	21	33	41	57
85 +	68	10.8	111	< 1	1	6	18	29	32	89
TOTAL SINGLE DX	251	3.9	49	< 1	< 1	2	4	8	14	35
TOTAL MULTIPLE DX	1196	8.0	110	< 1	1	3	10	23	31	46
TOTAL										
65-69 YRS	563	5.5	74	< 1	1	2	6	14	21	44
70-74	399	7.1	92	< 1	1	3	9	19	28	42
75-79	275	7.6	102	< 1	1	3	9	20	28	47
80-84	133	12.4	203	1	1	7	18	33	42	62
85 +	77	10.3	112	< 1	1	5	17	29	33	84
GRAND TOTAL	1447	7.3	102	<1	1	3	9	20	29	45

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	56	7.3	10	3	4	7	9	12	15	16
70-74	23	8.2	34	2	2	7	10	14	20	29
75-79	8	6.4	16	3	3	5	8	13	15	15
80-84	5	7.2	18	2	2	6	11	13	13	13
85 +	2	14.5	265	3	3	14	26	26	26	26
2. MULTIPLE DX										
65-69 YRS	233	12.7	108	3	4	10	14	22	33	87
70-74	163	14.8	108	5	6	12	18	27	38	52
75-79	99	16.2	123	4	6	13	20	37	41	50
80-84	28	16.9	335	5	5	13	22	97	99 +	99 +
85 +	15	15.5	147	2	2	13	20	35	43	46
TOTAL SINGLE DX	94	7.6	21	2	3	7	10	13	15	28
TOTAL MULTIPLE DX	538	14.2	125	4	5	11	17	28	39	96
TOTAL										
65-69 YRS	289	11.6	94	3	4	9	14	21	31	84
70-74	186	14.0	104	4	5	11	17	27	37	51
75-79	107	15.5	122	3	5	12	19	36	40	50
80-84	33	15.4	298	3	5	12	19	91	99 +	99 +
85 +	17	15.4	145	2	2	13	22	33	42	46
GRAND TOTAL	632	13.3	115	3	5	10	16	26	38	86

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	97	3.1	6	< 1	1	2	4	7	9	11
70-74	56	3.2	7	< 1	< 1	2	4	6	8	15
75-79	31	3.9	14	< 1	< 1	2	7	9	11	15
80-84	12	1.8	1	< 1	< 1	1	2	4	5	5
85 +	6	1.7	2	1	1	1	1	5	5	5
2. MULTIPLE DX										
65-69 YRS	249	5.3	54	1	1	4	6	10	16	53
70-74	176	5.8	67	1	1	4	7	10	16	56
75-79	99	5.8	63	1	1	3	6	12	20	49
80-84	43	6.0	31	< 1	1	4	8	13	17	29
85 +	15	4.0	12	1	1	3	6	11	12	12
TOTAL SINGLE DX	202	3.1	7	< 1	< 1	2	4	7	9	13
TOTAL MULTIPLE DX	582	5.6	57	1	1	4	6	10	16	54
TOTAL										
65-69 YRS	346	4.7	42	1	1	3	5	9	14	33
70-74	232	5.2	54	1	1	3	6	10	14	55
75-79	130	5.4	52	1	1	3	6	11	18	46
80-84	55	5.1	28	< 1	< 1	3	7	12	15	28
85 +	21	3.3	10	1	1	2	5	8	11	12
GRAND TOTAL	784	5.0	45	1	1	3	6	10	14	40

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1058	10.2	15	6	7	10	12	14	16	26
70-74	969	10.3	11	6	7	10	12	14	16	22
75-79	755	11.0	11	6	7	10	13	15	18	21
80-84	405	11.6	27	6	7	11	13	16	18	35
85 +	219	12.2	26	6	7	11	14	18	22	33
2. MULTIPLE DX										
65-69 YRS	2852	12.6	55	6	7	11	14	19	24	47
70-74	3111	13.2	53	7	8	11	15	20	26	47
75-79	2832	14.0	62	7	8	12	16	22	27	51
80-84	1878	15.0	86	7	8	13	16	24	31	58
85 +	1282	16.0	97	7	8	14	19	27	35	81
TOTAL SINGLE DX	3406	10.7	16	6	7	10	12	15	17	24
TOTAL MULTIPLE DX	11955	13.8	67	7	8	12	15	22	28	52
TOTAL										
65-69 YRS	3910	12.0	45	6	7	11	13	17	22	43
70-74	4080	12.5	45	6	7	11	14	18	24	44
75-79	3587	13.3	53	7	8	12	15	20	25	47
80-84	2283	14.4	78	7	8	12	16	22	29	57
85 +	1501	15.4	89	7	8	13	18	26	33	71
GRAND TOTAL	15361	13.1	57	7	7	11	15	20	26	49

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	188	10.5	11	6	7	10	12	15	17	21
70-74	244	10.7	24	5	6	10	13	15	17	26
75-79	325	11.9	39	6	7	11	14	16	21	29
80-84	371	11.7	20	6	7	11	14	17	20	28
85 +	441	12.1	37	6	6	11	14	19	22	33
2. MULTIPLE DX										
65-69 YRS	879	14.9	97	6	7	12	17	25	33	73
70-74	1404	14.5	80	7	8	12	16	24	32	59
75-79	2018	15.2	89	7	8	13	17	26	35	64
80-84	2452	15.3	96	7	8	13	17	26	35	75
85 +	3137	15.9	114	6	8	13	18	28	37	78
TOTAL SINGLE DX	1569	11.6	29	6	7	11	14	17	20	28
TOTAL MULTIPLE DX	9890	15.3	99	6	8	13	17	26	35	71
TOTAL										
65-69 YRS	1067	14.1	85	6	7	12	16	24	30	67
70-74	1648	14.0	74	6	7	12	15	23	30	58
75-79	2343	14.8	84	6	8	13	16	24	33	61
80-84	2823	14.8	88	6	7	13	17	24	33	71
85 +	3578	15.4	107	6	7	13	18	27	35	73
GRAND TOTAL	11459	14.8	91	6	7	12	17	25	33	68

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1186	9.8	11	5	6	9	12	14	16	19
70-74	1065	10.1	11	5	6	10	12	14	16	20
75-79	806	10.7	14	6	7	10	13	15	17	24
80-84	400	11.1	18	6	7	11	13	16	18	24
85 +	129	11.9	18	6	7	11	14	17	20	27
2. MULTIPLE DX										
65-69 YRS	2862	11.7	39	5	7	11	13	17	21	34
70-74	3267	11.8	28	6	7	11	14	17	21	32
75-79	2686	12.6	36	6	7	11	15	18	22	36
80-84	1468	13.2	48	7	8	12	15	20	24	41
85 +	512	13.9	58	7	7	13	16	21	25	52
TOTAL SINGLE DX	3586	10.3	14	5	6	10	12	15	16	22
TOTAL MULTIPLE DX	10795	12.3	38	6	7	11	14	18	22	36
TOTAL										
65-69 YRS	4048	11.1	32	5	6	10	13	16	19	30
70-74	4332	11.4	25	6	7	11	13	16	19	30
75-79	3492	12.2	32	6	7	11	14	17	21	32
80-84	1868	12.8	43	6	7	12	15	19	23	37
85 +	641	13.5	51	7	7	13	16	20	24	49
GRAND TOTAL	14381	11.8	33	6	7	11	14	17	20	32

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	342	3.1	4	1	1	3	4	6	8	11
70-74	187	3.8	7	1	1	3	5	7	9	13
75-79	111	4.6	11	1	1	4	6	10	12	16
80-84	48	5.6	15	1	1	5	8	12	13	16
85+	25	6.4	14	1	2	6	8	12	14	15
2. MULTIPLE DX										
65-69 YRS	754	4.1	19	1	1	3	5	7	9	19
70-74	561	4.8	15	1	1	4	6	10	14	20
75-79	315	6.5	41	1	2	5	8	14	19	34
80-84	164	8.3	51	2	3	6	10	15	20	44
85+	56	9.3	72	1	2	7	13	23	31	96
TOTAL SINGLE DX	713	3.8	8	1	1	3	5	8	10	14
TOTAL MULTIPLE DX	1850	5.2	29	1	1	4	6	11	15	27
TOTAL										
65-69 YRS	1096	3.8	15	1	1	3	5	7	9	17
70-74	748	4.6	14	1	1	3	6	9	12	18
75-79	426	6.0	34	1	1	4	7	13	17	28
80-84	212	7.7	44	1	2	6	10	14	18	43
85+	81	8.4	56	1	2	6	11	17	23	82
GRAND TOTAL	2563	4.9	23	1	1	4	6	10	13	23

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	58	3.5	10	<1	<1	2	5	9	11	13
70-74	46	3.3	9	<1	<1	2	5	7	11	13
75-79	23	3.7	10	<1	<1	3	5	8	10	13
80-84	15	5.9	60	<1	<1	2	7	17	25	28
85+	8	5.1	31	<1	<1	3	6	15	18	18
2. MULTIPLE DX										
65-69 YRS	181	8.3	70	<1	1	5	11	19	28	38
70-74	177	8.0	76	1	1	5	10	17	24	49
75-79	115	9.4	70	1	1	7	12	21	29	40
80-84	76	11.8	215	2	3	6	14	28	32	87
85+	50	11.5	99	1	2	9	16	23	36	44
TOTAL SINGLE DX	150	3.8	16	<1	<1	2	5	9	12	18
TOTAL MULTIPLE DX	599	9.1	94	1	1	6	11	21	29	43
TOTAL										
65-69 YRS	239	7.1	60	<1	<1	4	9	16	26	37
70-74	223	7.0	66	<1	1	5	9	14	21	40
75-79	138	8.5	65	<1	1	6	11	19	28	39
80-84	91	10.9	194	<1	1	6	13	27	32	84
85+	58	10.6	94	1	1	8	14	22	33	44
GRAND TOTAL	749	8.1	83	<1	1	5	10	19	27	39

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	96	2.6	4	<1	<1	2	3	5	7	13
70-74	70	2.9	9	<1	<1	2	3	6	10	18
75-79	36	3.3	9	<1	<1	2	4	7	11	12
80-84	16	3.0	4	<1	<1	3	4	7	7	7
85+	9	4.3	14	<1	<1	2	7	11	11	11
2. MULTIPLE DX										
65-69 YRS	230	9.0	146	1	1	5	11	20	41	82
70-74	212	8.0	74	1	1	5	11	18	25	43
75-79	164	10.3	118	1	1	7	13	27	34	51
80-84	107	11.8	211	2	2	7	14	28	37	82
85+	70	12.0	235	1	2	7	15	30	45	98
TOTAL SINGLE DX	227	2.9	7	<1	<1	2	3	6	9	13
TOTAL MULTIPLE DX	783	9.7	139	1	1	6	12	22	34	73
TOTAL										
65-69 YRS	326	7.1	113	<1	1	3	8	16	24	68
70-74	282	6.7	63	<1	1	4	9	17	22	41
75-79	200	9.0	106	<1	1	5	12	23	32	48
80-84	123	10.7	194	1	2	7	12	24	36	80
85+	79	11.1	215	1	1	6	14	28	38	97
GRAND TOTAL	1010	8.1	117	<1	1	4	10	19	28	64

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	107	1.4		<1	<1	1	2	2	3	4
70-74	71	1.5		<1	<1	1	2	3	3	6
75-79	37	1.5		<1	1	1	2	2	3	3
80-84	11	2.2	2	<1	<1	2	3	4	6	6
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	122	2.2	4	<1	1	2	3	4	7	10
70-74	91	2.5	6	1	1	1	3	5	9	13
75-79	64	2.5	11	1	1	2	3	4	7	21
80-84	30	3.1	9	1	1	2	3	6	9	16
85+	5	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	228	1.5	1	<1	<1	1	2	3	3	5
TOTAL MULTIPLE DX	312	2.4	7	1	1	2	3	4	8	14
TOTAL										
65-69 YRS	229	1.8	3	<1	<1	1	2	3	4	10
70-74	162	2.0	4	<1	<1	1	2	4	7	12
75-79	101	2.1	8	1	1	1	2	3	4	20
80-84	41	2.9	7	<1	1	2	3	6	8	16
85+	7	1.3		1	1	1	2	2	2	2
GRAND TOTAL	540	2.0	4	<1	1	1	2	3	5	11

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	24	1.8		<1	1	2	2	3	4	4
70-74	12	1.8	1	1	1	2	2	4	4	4
75-79	5	3.4	29	1	1	1	4	13	13	13
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	66	2.5	3	<1	1	2	3	5	6	11
70-74	33	5.4	136	1	1	2	4	7	37	57
75-79	28	3.3	16	<1	1	2	3	9	11	20
80-84	18	7.6	335	<1	<1	2	4	11	52	80
85+	4	3.5	14	1	1	2	6	9	9	9
TOTAL SINGLE DX	44	1.9	4	<1	1	1	2	3	4	13
TOTAL MULTIPLE DX	149	3.9	76	<1	1	2	3	6	10	57
TOTAL										
65-69 YRS	90	2.3	3	<1	1	2	3	4	5	10
70-74	45	4.5	102	1	1	2	3	6	18	57
75-79	33	3.3	17	<1	1	2	3	10	13	20
80-84	19	7.3	319	<1	<1	2	4	11	49	80
85+	6	2.7	10	<1	<1	1	3	8	9	9
GRAND TOTAL	**193**	**3.5**	**60**	**<1**	**1**	**2**	**3**	**5**	**10**	**51**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	248	2.9	3	1	1	3	4	5	8	9
70-74	160	3.1	3	1	1	3	4	5	6	11
75-79	82	3.8	8	1	2	3	4	6	7	20
80-84	36	4.0	10	1	1	3	5	6	12	16
85+	10	4.1	5	<1	1	4	6	7	8	8
2. MULTIPLE DX										
65-69 YRS	447	4.2	13	1	1	3	5	8	11	20
70-74	345	5.4	50	1	2	4	5	10	16	37
75-79	198	6.7	78	1	2	4	7	14	31	50
80-84	67	7.0	24	1	1	6	10	14	18	22
85+	37	8.8	66	1	2	5	12	17	31	32
TOTAL SINGLE DX	536	3.2	5	1	1	3	4	5	7	11
TOTAL MULTIPLE DX	1094	5.4	40	1	1	4	6	11	16	37
TOTAL										
65-69 YRS	695	3.8	10	1	1	3	4	7	9	18
70-74	505	4.7	36	1	1	3	5	8	12	34
75-79	280	5.8	59	1	2	4	6	10	21	48
80-84	103	6.0	22	1	1	5	9	13	16	21
85+	47	7.8	57	1	2	5	11	17	29	32
GRAND TOTAL	**1630**	**4.7**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**32**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	62	3.3	5	1	1	3	4	7	7	14
70-74	42	4.1	13	<1	1	3	5	8	9	22
75-79	24	4.3	9	1	1	3	5	10	12	12
80-84	14	6.9	31	2	2	5	10	12	21	23
85+	6	4.8	11	1	1	4	7	10	10	10
2. MULTIPLE DX										
65-69 YRS	144	6.4	69	1	1	4	7	14	29	99+
70-74	117	6.4	53	1	2	4	8	12	19	65
75-79	77	9.3	101	1	2	6	11	22	28	54
80-84	35	13.5	260	1	2	8	15	36	53	70
85+	17	9.2	48	2	3	8	14	20	24	25
TOTAL SINGLE DX	148	4.1	12	1	1	3	5	8	10	22
TOTAL MULTIPLE DX	390	7.7	91	1	2	5	8	17	29	68
TOTAL										
65-69 YRS	206	5.5	52	1	1	4	6	11	21	80
70-74	159	5.8	44	1	1	4	7	10	17	48
75-79	101	8.1	84	1	2	5	9	16	26	51
80-84	49	11.7	202	2	2	7	13	27	52	70
85+	23	8.1	41	1	2	6	10	19	22	25
GRAND TOTAL	**538**	**6.7**	**72**	**1**	**1**	**4**	**8**	**14**	**24**	**57**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	20	1.9	5	<1	<1	1	2	3	7	11
70-74	18	1.4		<1	<1	1	2	3	3	3
75-79	17	2.8	4	1	1	2	4	6	7	8
80-84	4	1.8		<1	<1	2	2	2	2	2
85+	5	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	67	5.9	75	<1	1	2	7	14	20	51
70-74	66	6.5	44	1	1	3	11	16	24	27
75-79	46	7.9	97	1	1	5	10	22	30	50
80-84	27	12.9	162	2	2	10	18	37	58	99+
85+	27	12.3	372	1	1	7	13	24	50	98
TOTAL SINGLE DX	64	1.9	3	<1	1	1	2	4	5	11
TOTAL MULTIPLE DX	233	8.0	119	1	1	4	11	18	29	63
TOTAL										
65-69 YRS	87	5.0	62	<1	1	2	6	13	15	46
70-74	84	5.4	39	<1	1	3	7	14	19	27
75-79	63	6.5	77	1	1	3	9	13	26	48
80-84	31	11.5	155	1	2	8	16	34	52	99+
85+	32	10.5	329	1	1	5	12	21	40	98
GRAND TOTAL	**297**	**6.7**	**101**	**1**	**1**	**3**	**9**	**15**	**25**	**55**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	0									
70-74	3	11.0	27	8	8	8	15	17	17	17
75-79	1	16.0		16	16	16	16	16	16	16
80-84	0									
85 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	7	13.4	118	6	6	10	15	33	37	37
70-74	10	15.4	185	2	2	12	28	36	43	43
75-79	9	23.2	851	1	1	15	30	70	95	95
80-84	9	8.0	15	3	4	7	10	14	16	16
85 +	7	10.9	48	4	4	9	14	22	24	24
TOTAL SINGLE DX	5	11.8	19	8	8	10	16	17	17	17
TOTAL MULTIPLE DX	42	14.4	263	2	3	9	16	31	39	95
TOTAL										
65-69 YRS	7	13.4	119	6	6	10	15	33	37	37
70-74	13	14.4	147	2	2	11	20	32	41	43
75-79	10	22.5	762	1	1	15	30	63	95	95
80-84	9	8.0	15	3	4	7	10	14	16	16
85 +	8	10.8	42	4	4	9	13	21	24	24
GRAND TOTAL	**47**	**14.1**	**237**	**2**	**3**	**9**	**16**	**30**	**38**	**95**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	21	5.0	15	< 1	1	5	6	12	14	15
70-74	16	5.4	20	< 1	< 1	4	8	11	15	17
75-79	15	4.3	10	1	1	4	7	9	10	10
80-84	12	5.8	32	< 1	< 1	2	10	15	15	15
85 +	14	6.3	32	< 1	1	4	10	15	17	18
2. MULTIPLE DX										
65-69 YRS	656	14.7	158	2	3	11	19	31	41	66
70-74	631	14.4	165	2	3	11	19	28	38	81
75-79	470	15.0	179	2	3	12	19	30	43	79
80-84	284	15.8	163	2	4	13	20	33	43	64
85 +	297	15.3	153	3	4	12	19	30	42	62
TOTAL SINGLE DX	78	5.3	20	< 1	< 1	4	8	12	15	18
TOTAL MULTIPLE DX	2338	14.9	165	2	3	11	19	30	41	71
TOTAL										
65-69 YRS	677	14.4	157	2	3	11	19	31	41	66
70-74	647	14.1	164	2	3	11	19	28	38	81
75-79	485	14.7	177	1	2	11	19	30	43	78
80-84	296	15.4	162	2	3	12	19	32	43	64
85 +	311	14.9	152	2	4	11	19	29	41	61
GRAND TOTAL	**2416**	**14.6**	**163**	**2**	**3**	**11**	**19**	**30**	**41**	**71**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	9	13.2	45	7	8	12	14	24	30	30
70-74	10	15.1	55	9	9	12	15	28	32	32
75-79	12	10.5	34	4	5	9	13	21	21	21
80-84	8	14.5	58	6	6	14	17	26	30	30
85 +	12	10.8	28	3	5	10	14	19	20	20
2. MULTIPLE DX										
65-69 YRS	530	21.5	261	6	7	17	27	43	59	93
70-74	604	21.7	240	7	8	18	29	43	61	99 +
75-79	587	20.5	215	6	8	16	26	42	51	99 +
80-84	419	21.1	273	6	7	17	26	43	61	99 +
85 +	436	16.8	170	5	6	14	21	34	45	99 +
TOTAL SINGLE DX	51	12.6	43	5	6	11	16	21	30	32
TOTAL MULTIPLE DX	2576	20.4	235	6	7	16	26	42	56	99 +
TOTAL										
65-69 YRS	539	21.4	259	6	7	17	26	43	59	93
70-74	614	21.5	238	7	8	17	28	43	59	99 +
75-79	599	20.3	214	6	8	16	25	42	50	99 +
80-84	427	21.0	270	6	7	17	26	43	60	99 +
85 +	448	16.7	168	5	6	13	21	34	44	99 +
GRAND TOTAL	**2627**	**20.3**	**233**	**6**	**7**	**16**	**25**	**42**	**55**	**99 +**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	12	10.4	26	4	5	9	12	19	22	23
70-74	9	15.0	80	7	7	11	21	29	31	31
75-79	16	11.1	36	6	7	9	12	21	26	28
80-84	5	10.8	11	6	6	11	14	14	14	14
85 +	19	8.8	27	3	4	7	12	15	20	24
2. MULTIPLE DX										
65-69 YRS	332	20.2	273	6	7	15	24	42	61	97
70-74	434	19.7	239	5	7	15	27	46	71	99 +
75-79	532	18.7	209	5	6	14	25	41	57	99 +
80-84	619	18.5	230	5	6	14	23	40	59	99 +
85 +	895	15.0	149	4	5	12	18	29	46	99 +
TOTAL SINGLE DX	61	10.8	38	4	6	9	13	20	25	31
TOTAL MULTIPLE DX	2812	17.8	211	5	6	14	22	39	58	99 +
TOTAL										
65-69 YRS	344	19.9	268	6	7	15	24	41	61	97
70-74	443	19.6	236	5	7	15	26	46	71	99 +
75-79	548	18.5	206	5	6	14	24	41	57	99 +
80-84	624	18.5	230	5	6	14	23	40	59	99 +
85 +	914	14.8	148	4	5	12	18	29	44	99 +
GRAND TOTAL	**2873**	**17.7**	**209**	**5**	**6**	**14**	**22**	**38**	**58**	**99 +**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2	16.0	98	9	9	16	23	23	23	23
70-74	9	10.1	53	1	2	10	13	21	25	25
75-79	1	6.0		6	6	6	6	6	6	6
80-84	3	12.7	24	7	7	15	16	16	16	16
85 +	2	12.0	128	4	4	12	20	20	20	20
2. MULTIPLE DX										
65-69 YRS	213	21.4	290	5	7	17	27	43	63	99
70-74	201	21.3	275	4	6	16	29	45	57	94
75-79	136	20.4	180	4	6	17	28	41	52	99 +
80-84	87	20.4	265	5	6	18	23	39	81	99 +
85 +	75	20.3	287	4	6	15	25	49	68	94
TOTAL SINGLE DX	17	11.2	50	2	3	10	15	22	24	25
TOTAL MULTIPLE DX	712	21.0	261	4	6	17	27	43	60	99 +
TOTAL										
65-69 YRS	215	21.4	288	5	7	17	27	43	63	99
70-74	210	20.8	271	4	6	16	27	44	57	94
75-79	137	20.3	181	4	6	17	28	41	52	99 +
80-84	90	20.2	259	5	6	17	23	39	80	99 +
85 +	77	20.0	284	4	5	15	24	48	68	94
GRAND TOTAL	729	20.7	258	4	6	16	27	43	60	99 +

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	6	3.7	5	1	1	4	6	6	6	6
70-74	3	3.0	7	< 1	< 1	2	5	6	6	6
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	7.0		7	7	7	7	7	7	7
85 +	1	19.0		19	19	19	19	19	19	19
TOTAL SINGLE DX	3	1.3		< 1	< 1	1	2	2	2	2
TOTAL MULTIPLE DX	12	5.0	24	< 1	1	4	6	11	18	19
TOTAL										
65-69 YRS	7	3.3	5	< 1	< 1	2	6	6	6	6
70-74	4	2.8	5	< 1	< 1	2	4	6	6	6
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	4.0	18	1	1	4	7	7	7	7
85 +	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	15	4.3	21	<1	<1	2	6	7	16	19

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	13	3.2	4	1	1	2	5	6	6	6
70-74	12	12.7	326	1	1	5	16	33	61	66
75-79	9	6.8	21	1	1	7	9	14	16	16
80-84	7	3.9	5	< 1	< 1	3	5	8	8	8
85 +	10	5.2	8	1	1	5	8	9	10	10
2. MULTIPLE DX										
65-69 YRS	156	12.1	135	2	3	9	15	25	36	65
70-74	116	14.5	221	2	2	10	19	32	51	91
75-79	101	11.4	112	1	2	8	16	23	27	56
80-84	74	10.8	101	2	3	8	13	24	35	48
85 +	58	10.1	86	3	4	8	12	15	23	57
TOTAL SINGLE DX	51	6.5	92	1	1	4	8	14	18	65
TOTAL MULTIPLE DX	505	12.1	141	2	3	8	15	24	39	66
TOTAL										
65-69 YRS	169	11.4	131	1	2	8	14	23	35	63
70-74	128	14.3	229	2	2	9	18	32	52	89
75-79	110	11.1	107	1	2	8	15	23	26	54
80-84	81	10.2	97	1	2	8	12	22	34	48
85 +	68	9.3	78	3	3	7	11	14	22	56
GRAND TOTAL	556	11.6	139	1	2	8	14	24	36	66

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	13.0	32	9	9	13	17	17	17	17
75-79	3	11.3	24	8	8		15	17	17	17
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	2	15.5	113	8	8	23	81	99 +	99 +	99 +
70-74	6	5.3	26	1	1	3	7	14	15	15
75-79	4	13.0	56	5	5	12	18	23	23	23
80-84	4	10.0	32	3	3	10	14	17	17	17
85 +	6	9.8	19	5	5	9	13	16	16	16
TOTAL SINGLE DX	6	10.3	33	2	3	9	17	17	17	17
TOTAL MULTIPLE DX	22	9.7	40	2	3	10	15	23	50	99 +
TOTAL										
65-69 YRS	3	11.0	117	2	2	15	61	99 +	99 +	99 +
70-74	8	7.3	36	1	1	5	12	16	17	17
75-79	7	12.3	37	5	6	11	16	22	23	23
80-84	4	10.0	33	3	3	10	14	17	17	17
85 +	6	9.8	20	5	5	9	13	16	16	16
GRAND TOTAL	28	9.9	37	2	2	9	15	21	27	99 +

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	400	2.3	3	<1	<1	2	3	5	6	9
70-74	312	2.5	4	<1	<1	2	3	5	7	11
75-79	193	2.3	3	<1	<1	2	3	5	6	9
80-84	107	2.4	2	<1	<1	2	3	5	6	8
85 +	78	2.4	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
65-69 YRS	906	4.9	41	<1	1	3	5	12	17	32
70-74	761	5.6	53	<1	1	3	7	13	19	46
75-79	645	6.2	59	<1	1	4	8	15	22	39
80-84	416	6.9	90	1	1	4	8	15	21	73
85 +	335	8.8	107	1	1	6	10	19	26	62
TOTAL SINGLE DX	1090	2.4	4	<1	<1	2	3	5	6	[illegible]
TOTAL MULTIPLE DX	3063	6.0	63	<1	1	3	7	14	21	45
TOTAL										
65-69 YRS	1306	4.1	31	<1	<1	2	4	9	15	28
70-74	1073	4.7	41	<1	<1	3	6	11	15	41
75-79	838	5.3	49	<1	<1	3	6	12	20	34
80-84	523	6.0	75	<1	1	3	7	14	20	59
85 +	413	7.6	94	1	1	4	9	18	25	58
GRAND TOTAL	**4153**	**5.1**	**50**	**<1**	**<1**	**3**	**6**	**12**	**18**	**40**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	97	3.8	4	1	1	4	5	7	8	10
70-74	72	3.5	2	1	1	3	5	6	7	8
75-79	62	4.4	6	1	2	4	5	7	11	89
80-84	55	4.5	4	1	2	5	6	7	8	9
85 +	64	4.6	4	2	3	4	5	6	7	15
2. MULTIPLE DX										
65-69 YRS	216	6.0	46	2	2	4	6	11	15	43
70-74	214	5.7	26	2	2	5	7	10	13	28
75-79	197	7.6	65	1	2	5	9	17	22	62
80-84	184	6.5	27	2	2	6	8	11	15	39
85 +	236	7.4	52	1	2	6	9	16	22	99 +
TOTAL SINGLE DX	350	4.1	5	1	2	4	5	7	8	12
TOTAL MULTIPLE DX	1047	6.6	44	1	2	5	8	12	19	52
TOTAL										
65-69 YRS	313	5.3	34	1	2	4	6	9	12	28
70-74	286	5.2	21	1	2	4	6	8	12	27
75-79	259	6.8	53	1	2	5	7	15	20	69
80-84	239	6.1	23	2	2	5	7	10	13	34
85 +	300	6.8	43	2	2	5	8	13	20	99 +
GRAND TOTAL	**1397**	**6.0**	**35**	**1**	**2**	**5**	**7**	**11**	**17**	**41**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	929	4.6	3	2	2	4	6	7	8	10
70-74	795	4.5	4	2	2	4	6	7	8	11
75-79	536	4.8	6	2	2	4	6	8	9	13
80-84	276	4.8	5	2	2	5	6	8	9	13
85 +	119	4.5	3	2	2	4	6	8	8	9
2. MULTIPLE DX										
65-69 YRS	2401	5.8	18	2	3	5	7	9	11	22
70-74	2281	6.1	17	2	3	5	7	9	13	23
75-79	1742	6.5	21	2	3	6	8	10	13	27
80-84	1000	6.7	17	3	3	6	8	11	14	25
85 +	495	7.1	25	2	3	6	8	11	17	32
TOTAL SINGLE DX	2655	4.6	5	2	2	4	6	7	8	11
TOTAL MULTIPLE DX	7919	6.2	19	2	3	5	7	10	13	24
TOTAL										
65-69 YRS	3330	5.5	14	2	3	5	6	8	10	19
70-74	3076	5.7	15	2	3	5	7	9	11	21
75-79	2278	6.1	18	2	3	5	7	10	12	23
80-84	1276	6.3	16	2	3	5	7	10	13	23
85 +	614	6.6	22	2	3	5	8	11	16	30
GRAND TOTAL	**10574**	**5.8**	**16**	**2**	**3**	**5**	**7**	**9**	**11**	**21**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	90	2.7	2	1	1	2	3	4	5	11
70-74	33	2.4	1	1	1	2	3	4	5	6
75-79	14	3.0	4	1	1	2	4	6	8	9
80-84	9	3.4	9	1	1	2	4	9	11	11
85+	4	3.5	6	<1	<1	3	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	313	3.4	8	1	1	3	4	6	9	15
70-74	127	4.2	15	1	1	3	5	9	13	21
75-79	80	4.5	24	1	1	3	5	9	16	24
80-84	17	5.8	43	<1	1	3	6	18	22	24
85+	17	11.4	156	2	3	9	14	45	80	99+
TOTAL SINGLE DX	150	2.7	3	1	1	2	3	5	5	11
TOTAL MULTIPLE DX	554	4.1	20	1	1	3	4	8	13	24
TOTAL										
65-69 YRS	403	3.2	7	1	1	3	4	6	8	14
70-74	160	3.9	13	1	1	3	4	8	12	20
75-79	94	4.3	22	1	1	3	5	8	16	24
80-84	26	5.0	32	<1	1	3	5	12	20	24
85+	21	9.9	136	1	2	6	14	36	71	99+
GRAND TOTAL	704	3.8	16	1	1	3	4	7	11	24

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	9	3.0	2	1	1	3	4	5	6	6
70-74	7	3.7	17	<1	<1	2	4	11	13	13
75-79	0									
80-84	1	20.0		20	20	20	20	20	20	20
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	14	5.5	32	1	1	3	6	14	19	21
70-74	14	6.3	81	1	1	3	7	15	31	35
75-79	7	4.6	18	1	1	2	8	11	12	12
80-84	1	10.0		10	10	55	99+	99+	99+	99+
85+	0									
TOTAL SINGLE DX	19	4.0	22	<1	1	2	4	10	17	20
TOTAL MULTIPLE DX	36	5.8	46	1	1	3	9	13	30	99+
TOTAL										
65-69 YRS	23	4.5	22	1	1	3	5	11	16	21
70-74	21	5.4	60	<1	1	2	7	13	23	35
75-79	7	4.6	18	1	1	2	8	11	12	12
80-84	2	15.0	50	10	10	20	80	99+	99+	99+
85+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	55	5.1	38	1	1	3	7	13	21	96

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	146	3.0	22	<1	<1	1	3	7	15	26
70-74	97	2.9	11	<1	<1	1	4	8	10	18
75-79	88	3.4	21	<1	<1	2	4	7	12	29
80-84	65	4.5	38	<1	<1	2	5	11	13	34
85+	63	3.6	15	<1	<1	2	5	9	13	18
2. MULTIPLE DX										
65-69 YRS	746	9.6	106	1	1	6	12	22	30	54
70-74	686	9.9	107	1	1	8	13	21	26	54
75-79	641	10.1	117	1	2	7	12	21	31	71
80-84	574	11.8	169	1	2	8	15	25	36	96
85+	589	11.0	136	1	2	8	14	26	3[illegible]	99+
TOTAL SINGLE DX	459	3.4	21	<1	<1	1	4	8	12	26
TOTAL MULTIPLE DX	3236	10.4	126	1	1	7	13	22	32	74
TOTAL										
65-69 YRS	892	8.5	99	<1	1	5	11	21	29	51
70-74	783	9.1	101	<1	1	7	12	19	24	51
75-79	729	9.3	111	<1	1	6	11	20	30	65
80-84	639	11.1	161	1	1	8	14	24	35	91
85+	652	10.3	130	1	1	7	13	24	35	99+
GRAND TOTAL	3695	9.5	119	<1	1	7	12	21	30	70

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	339	5.8	49	1	1	4	7	12	15	45
70-74	286	6.1	42	<1	1	4	8	13	17	35
75-79	210	6.6	45	1	1	5	8	14	18	31
80-84	161	7.6	83	<1	1	4	9	17	26	50
85+	132	7.0	68	<1	1	4	9	14	23	45
2. MULTIPLE DX										
65-69 YRS	3455	13.4	182	1	2	9	17	30	43	86
70-74	3495	14.1	203	1	2	10	19	33	46	88
75-79	3310	14.8	238	2	2	10	19	35	50	99+
80-84	2771	15.8	232	2	3	11	21	39	57	99+
85+	3053	15.3	235	2	3	11	20	37	55	99+
TOTAL SINGLE DX	1128	6.4	54	1	1	4	8	14	18	45
TOTAL MULTIPLE DX	16084	14.6	218	2	2	10	19	35	50	99+
TOTAL										
65-69 YRS	3794	12.7	176	1	2	9	16	29	42	80
70-74	3781	13.5	196	1	2	9	18	32	44	87
75-79	3520	14.3	230	1	2	10	18	34	49	99+
80-84	2932	15.4	228	2	3	11	20	38	55	99+
85+	3185	15.0	231	2	3	11	19	36	53	99+
GRAND TOTAL	17212	14.1	211	1	2	10	18	34	48	99+

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	49	7.0	42	1	1	5	10	15	24	28
70-74	57	8.9	92	< 1	1	5	13	22	33	43
75-79	51	6.0	36	1	1	4	8	16	19	23
80-84	37	11.6	102	1	2	9	16	24	34	46
85 +	36	9.4	46	1	2	8	14	17	21	30
2. MULTIPLE DX										
65-69 YRS	346	17.8	224	2	3	14	25	38	49	79
70-74	361	17.8	257	1	3	13	25	41	54	99
75-79	315	17.7	210	3	4	14	26	39	52	99 +
80-84	272	19.6	221	3	5	16	26	39	51	99 +
85 +	240	20.4	252	2	3	17	28	40	55	78
TOTAL SINGLE DX	230	8.4	66	1	1	6	13	18	24	39
TOTAL MULTIPLE DX	1534	18.5	234	2	3	15	25	40	51	99 +
TOTAL										
65-69 YRS	395	16.5	215	1	3	12	23	36	49	78
70-74	418	16.6	244	1	2	12	23	38	51	98
75-79	366	16.1	203	1	3	12	23	37	50	99 +
80-84	309	18.6	214	2	4	15	24	37	50	99 +
85 +	276	18.9	239	2	3	15	26	39	51	77
GRAND TOTAL	1764	17.2	224	1	3	14	24	37	50	96

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	8	1.4		1	1	1	2	2	2	2
70-74	8	4.8	11	1	1	4	7	9	10	10
75-79	7	6.3	65	< 1	< 1	2	13	19	19	19
80-84	6	3.5	27	< 1	< 1	1	3	13	14	14
85 +	4	2.5	9	1	1	1	4	7	7	7
2. MULTIPLE DX										
65-69 YRS	102	17.7	452	1	2	9	22	57	72	99 +
70-74	77	17.8	369	1	1	11	26	48	60	98
75-79	63	17.3	299	1	1	13	29	45	69	99 +
80-84	54	21.6	375	1	2	16	32	51	70	99
85 +	61	21.4	333	2	2	16	29	52	58	98
TOTAL SINGLE DX	33	3.8	23	< 1	1	1	4	11	17	19
TOTAL MULTIPLE DX	357	18.9	375	1	2	13	28	50	69	99 +
TOTAL										
65-69 YRS	110	16.5	437	1	1	8	21	55	70	99 +
70-74	85	16.6	350	1	1	10	22	47	57	97
75-79	70	16.2	286	1	1	11	26	44	63	99 +
80-84	60	19.8	369	1	1	14	31	49	70	98
85 +	65	20.2	334	1	2	15	27	51	58	98
GRAND TOTAL	390	17.6	363	1	1	11	26	49	65	99 +

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.93; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	61	1.6	1	< 1	< 1	1	2	3	4	8
70-74	51	1.5	1	< 1	1	1	2	3	4	6
75-79	14	1.8	1	< 1	< 1	1	3	3	4	4
80-84	9	4.6	46	< 1	< 1	1	5	16	22	22
85 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	238	6.1	77	1	1	3	7	16	26	99 +
70-74	165	8.7	165	1	1	5	11	19	27	91
75-79	131	10.1	171	1	1	6	12	22	45	83
80-84	108	13.2	142	1	4	10	17	32	45	99 +
85 +	76	11.7	103	2	3	9	15	23	28	91
TOTAL SINGLE DX	138	1.8	4	< 1	< 1	1	2	3	5	10
TOTAL MULTIPLE DX	718	9.1	133	1	1	6	12	23	35	99 +
TOTAL										
65-69 YRS	299	5.2	65	1	1	2	6	14	24	99 +
70-74	216	7.0	136	1	1	3	8	17	25	89
75-79	145	9.3	161	1	1	5	11	21	42	80
80-84	117	12.5	140	1	2	9	16	29	43	99 +
85 +	79	11.3	103	2	2	8	15	23	28	90
GRAND TOTAL	856	7.9	120	1	1	4	10	20	28	99 +

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	10	6.5	117	1	1	3	5	21	37	37
70-74	6	4.7	31	<1	<1	2	7	14	15	15
75-79	3	3.0	4	1	1	3	4	5	5	5
80-84	4	2.0		1	1	2	3	3	3	3
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	71	8.3	109	1	2	5	11	16	20	70
70-74	85	9.0	78	1	3	7	12	17	21	55
75-79	74	10.5	59	2	3	8	14	21	28	35
80-84	72	9.6	59	2	3	7	11	19	23	43
85+	37	9.6	35	3	3	8	13	16	22	29
TOTAL SINGLE DX	24	4.9	57	<1	1	3	5	9	22	37
TOTAL MULTIPLE DX	339	9.4	72	2	3	7	12	18	23	39
TOTAL										
65-69 YRS	81	8.1	109	1	2	5	11	16	21	67
70-74	91	8.7	76	1	2	7	11	16	20	53
75-79	77	10.2	59	2	3	7	13	21	28	35
80-84	76	9.2	59	2	3	7	11	19	23	42
85+	38	9.6	35	3	4	8	13	16	22	29
GRAND TOTAL	363	9.1	72	2	2	7	12	17	23	38

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	640	2.0	5	1	1	1	2	4	7	12
70-74	463	2.4	18	<1	1	1	2	5	9	20
75-79	236	2.0	4	<1	1	1	2	5	8	11
80-84	88	2.4	[illegible]	<1	1	1	2	4	9	19
85+	34	1.8	2	<1	<1	1	2	4	6	7
2. MULTIPLE DX										
65-69 YRS	1520	5.3	48	1	1	3	7	13	17	31
70-74	1244	6.3	69	1	1	3	8	15	21	41
75-79	876	6.6	60	1	1	4	9	15	21	34
80-84	359	8.2	77	1	1	5	12	19	26	44
85+	125	9.1	88	1	1	7	11	21	28	47
TOTAL SINGLE DX	1461	2.2	10	<1	1	1	2	5	8	14
TOTAL MULTIPLE DX	4124	6.2	62	1	1	3	8	15	20	37
TOTAL										
65-69 YRS	2160	4.3	38	1	1	2	5	11	15	26
70-74	1707	5.2	58	1	1	2	7	13	18	37
75-79	1112	5.6	52	1	1	3	8	14	19	31
80-84	447	7.1	69	1	1	4	10	17	23	43
85+	159	7.5	79	1	1	5	10	19	23	43
GRAND TOTAL	5585	5.2	51	1	1	2	7	13	18	33

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	313	2.8	12	1	1	2	3	6	8	12
70-74	280	2.8	9	1	1	2	3	6	8	15
75-79	205	3.0	13	<1	1	2	3	7	9	19
80-84	102	2.6	8	1	1	2	3	5	7	17
85+	34	2.8	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
65-69 YRS	1906	6.0	37	1	1	4	8	12	16	30
70-74	1879	6.1	43	1	1	4	8	12	16	32
75-79	1441	6.3	45	1	1	5	8	13	17	29
80-84	770	6.6	39	1	1	5	9	13	18	33
85+	282	6.9	40	1	2	6	9	13	17	29
TOTAL SINGLE DX	934	2.9	11	1	1	2	3	6	9	15
TOTAL MULTIPLE DX	6278	6.2	41	1	1	5	8	13	17	31
TOTAL										
65-69 YRS	2219	5.5	35	1	1	4	7	11	15	30
70-74	2159	5.7	40	1	1	4	7	12	15	31
75-79	1646	5.9	42	1	1	4	8	12	16	28
80-84	872	6.1	37	1	1	5	8	12	17	31
85+	316	6.5	39	1	1	5	8	13	17	28
GRAND TOTAL	7212	5.8	39	1	1	4	8	12	16	30

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	45	2.4	5	<1	<1	1	3	6	8	12
70-74	22	2.7	7	<1	<1	1	4	8	9	9
75-79	16	1.9	2	<1	<1	1	2	5	6	6
80-84	3	1.7		<1	<1	2	2	2	2	2
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
65-69 YRS	472	5.0	36	<1	1	3	7	11	15	36
70-74	334	5.4	24	<1	1	4	7	12	15	24
75-79	175	5.2	23	1	1	3	7	12	15	20
80-84	52	7.3	50	1	1	4	11	18	21	30
85+	14	10.9	217	1	1	5	11	37	48	51
TOTAL SINGLE DX	87	2.5	7	<1	<1	1	3	6	9	14
TOTAL MULTIPLE DX	1047	5.4	34	<1	1	3	7	12	15	28
TOTAL										
65-69 YRS	517	4.8	34	<1	1	3	7	11	14	31
70-74	356	5.2	24	<1	1	4	7	12	14	24
75-79	191	5.0	23	<1	1	3	7	12	15	20
80-84	55	7.0	49	1	1	4	11	18	21	30
85+	15	11.1	203	1	1	5	14	35	47	51
GRAND TOTAL	1134	5.2	32	<1	1	3	7	12	15	27

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	485	3.9	12	1	1	2	6	9	11	14
70-74	506	3.9	12	1	1	2	6	9	11	15
75-79	336	4.0	13	1	1	3	6	9	11	19
80-84	177	4.8	16	1	1	4	7	10	12	18
85 +	105	5.4	21	1	1	5	8	11	14	23
2. MULTIPLE DX										
65-69 YRS	3930	6.8	37	1	1	6	9	14	17	30
70-74	3733	7.1	48	1	1	6	9	14	18	[illegible]
75-79	2990	7.5	53	1	1	6	10	15	20	37
80-84	1916	8.7	61	1	2	7	11	17	22	47
85 +	1277	9.4	64	1	2	8	12	18	24	51
TOTAL SINGLE DX	1609	4.1	14	1	1	2	6	9	11	16
TOTAL MULTIPLE DX	13846	7.5	50	1	1	6	10	15	20	36
TOTAL										
65-69 YRS	4415	6.5	36	1	1	5	9	13	17	29
70-74	4239	6.7	45	1	1	5	9	14	17	30
75-79	3326	7.1	50	1	1	6	9	14	19	36
80-84	2093	8.4	59	1	1	7	11	16	21	44
85 +	1382	9.1	62	1	2	8	11	17	23	44
GRAND TOTAL	**15455**	**7.2**	**48**	**1**	**1**	**6**	**10**	**14**	**19**	**34**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	2662	4.9	22	1	1	4	6	9	12	25
70-74	2389	5.4	25	1	1	4	7	10	13	27
75-79	1972	5.4	20	1	2	4	7	10	13	23
80-84	1412	6.0	27	1	2	5	7	11	15	29
85 +	1227	6.0	28	1	2	5	7	11	15	28
2. MULTIPLE DX										
65-69 YRS	41290	7.5	45	2	2	6	9	14	19	35
70-74	45904	8.0	50	2	3	6	10	15	20	38
75-79	46244	8.5	58	2	3	7	10	16	21	42
80-84	38387	8.9	64	2	3	7	11	17	22	47
85 +	35272	9.5	75	2	3	7	11	18	24	56
TOTAL SINGLE DX	9662	5.4	25	1	1	4	7	10	13	26
TOTAL MULTIPLE DX	207097	8.4	58	2	3	7	10	16	21	43
TOTAL										
65-69 YRS	43952	7.4	45	2	2	6	9	14	18	35
70-74	48293	7.8	49	2	2	6	10	15	20	37
75-79	48216	8.4	57	2	3	6	10	16	21	42
80-84	39799	8.8	63	2	3	7	11	16	22	46
85 +	36499	9.4	74	2	3	7	11	18	24	55
GRAND TOTAL	**216759**	**8.3**	**57**	**2**	**3**	**6**	**10**	**15**	**21**	**42**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	628	6.9	61	1	1	5	8	15	23	44
70-74	538	6.9	60	1	2	5	8	13	18	45
75-79	417	7.3	66	1	2	5	8	15	20	45
80-84	317	7.1	44	1	2	5	9	14	18	38
85 +	339	7.0	40	1	2	5	9	14	17	49
2. MULTIPLE DX										
65-69 YRS	8344	9.2	81	2	3	7	11	18	25	53
70-74	9235	9.4	81	2	3	7	11	18	26	50
75-79	8948	9.9	91	2	3	7	12	20	28	57
80-84	7696	10.3	93	2	3	8	12	20	29	64
85 +	7742	10.6	100	2	3	8	13	20	30	64
TOTAL SINGLE DX	2239	7.0	56	1	2	5	8	14	20	44
TOTAL MULTIPLE DX	41965	9.9	90	2	3	7	12	19	28	57
TOTAL										
65-69 YRS	8972	9.1	81	2	2	7	11	18	25	52
70-74	9773	9.3	80	2	3	7	11	18	26	50
75-79	9365	9.8	90	2	3	7	12	20	27	56
80-84	8013	10.2	92	2	3	8	12	20	29	62
85 +	8081	10.4	99	2	3	8	12	20	29	64
GRAND TOTAL	**44204**	**9.7**	**88**	**2**	**3**	**7**	**12**	**19**	**27**	**56**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.6; 99.8-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
65-69 YRS	1551	4.6	21	1	1	3	6	9	11	25
70-74	1377	4.6	14	1	1	4	6	9	11	21
75-79	1079	4.8	18	1	1	4	6	9	11	19
80-84	675	5.1	21	1	2	4	6	10	12	25
85 +	689	5.3	19	1	1	4	7	10	13	24
2. MULTIPLE DX										
65-69 YRS	27111	6.8	38	1	2	5	8	13	17	32
70-74	29359	7.2	41	2	2	5	9	14	18	35
75-79	27914	7.6	49	2	2	6	9	14	19	38
80-84	22667	8.1	56	2	2	6	10	15	21	42
85 +	21154	8.8	69	2	3	7	11	16	22	50
TOTAL SINGLE DX	5371	4.8	19	1	1	4	6	9	12	2[illegible]
TOTAL MULTIPLE DX	128205	7.6	50	2	2	6	9	14	19	39
TOTAL										
65-69 YRS	28662	6.7	38	1	2	5	8	13	17	32
70-74	30736	7.0	41	2	2	5	9	13	18	34
75-79	28993	7.5	48	2	2	6	9	14	19	38
80-84	23342	8.0	55	2	2	6	10	15	21	41
85 +	21843	8.7	68	2	3	7	10	16	22	49
GRAND TOTAL	**133576**	**7.5**	**49**	**2**	**2**	**6**	**9**	**14**	**19**	**38**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29; 37.79
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index.* New *ICD-9-CM* codes added in 1987 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
211	angina
165	aortic aneurysm
338	pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	elective
256	illegal
258	missed
256	self-induced
257	spontaneous
255	therapeutic
259	threatened
	Abscess
210	anal
312	bone
292	digit
188	mouth
188	salivary gland
291	skin and subcutaneous tissue, except digit
188	tongue
81	Acidosis, except diabetic
72	diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
	Alcohol
107	abuse
104	dependence
107	intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis

Group No.	Title
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
90	Alzheimer's dementia
1	Amebiasis
140	AMI
340	Amnesia
	Amputation, traumatic
372	lower limb
371	upper limb
79	Amyloidosis
210	Anal abscess, fissure, fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	aplastic
82	iron deficiency
267	of pregnancy
269	with delivery
83	sickle cell
166	Aneurysm, except aorta
165	aorta
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	central nervous system
320	circulatory system
323	digestive system, except cleft palate and lip, and pyloric stenosis
319	ear
319	eye
327	generalized
325	genitourinary system, except undescended testis and urethral stenosis
320	heart

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
317	musculoskeletal system, except clubfoot
323	respiratory system
340	Anorexia, except nervosa
111	nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	depression
165	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	acute, without peritonitis
198	with peritonitis
199	recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
163	cerebral
143	coronary
164	lower limb
	Arteriosclerotic
151	cardiovascular disease
91	dementia or psychosis
143	heart disease
164	vascular disease
299	Arthritis, except osteo- and rheumatoid
298	osteo-, except spine
303	spine
299	pyogenic
297	rheumatoid, except spine
302	spine
339	Ascites
151	ASCVD
143	ASHD

Group No.	Title
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	menopausal
251	postmenopausal
250	uterine, dysfunctional
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
242	Breast disease, except fibrocystic
241	fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis
174	acute
181	chronic
179	Bronchopneumonia
6	Brucellosis

DIAGNOSIS INDEX (continued)

Group No.	Title
376	Bruise, except eye and orbit
375	eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	third degree
309	Bursitis
	Calculus
217	bile duct, except cystic
231	bladder
215	cystic bile duct
215	gallbladder
228	renal
188	salivary gland
229	ureter
231	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	cervix
148	Cardiac arrest
390	postoperative
150	Cardiomyopathy
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	diabetic
124	senile
221	Celiac disease
	Cellulitis
292	digit
291	skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis

Group No.	Title
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
	Chemical
340	diabetes mellitus
385	poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis
212	alcoholic
213	biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
	Colic
215	biliary
337	renal
208	Colitis, except mucous and ulcerative
211	mucous
211	ulcerative
296	Collagen disease, NOS

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Coma, except diabetic and hepatic
72	diabetic
214	hepatic
11	Common warts
	Complication of
390	amputation stump
387	cardiac pacemaker
	drugs-*see Effect, adverse*
387	grafts
387	internal orthopedic device
391	medical care, except drugs
387	prosthesis, any
390	surgery, not elsewhere classified
387	transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	eye and orbit
329	Convulsions, except epileptic
116	epileptic
184	COPD
	Coronary
143	artery disease
142	insufficiency, except chronic
143	chronic
140	occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	chest
377	limbs
75	Cushing's syndrome

Group No.	Title
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	mouth
243	ovarian
293	pilonidal
121	retinal
294	sebaceous
311	synovial
	Cystic
241	breast
218	duct remnant
77	fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
12	Cytomegalic inclusion disease
134	Deafness
295	Decubitus
	Deficiency
112	mental
76	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
316	musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	acute or subacute
	Delivery, complicated by:
278	abnormality, bony pelvis
272	abruptio placentae
287	acute toxemia

DIAGNOSIS INDEX (continued)

Group No.	Title
	Delivery, complicated by: (continued)
276	breech presentation
278	cephalopelvic disproportion
287	complication, not elsewhere classified
287	eclampsia
278	fetopelvic disproportion
287	hypertensive disorder
277	malpresentation, except breech
275	multiple fetation
	placenta
272	abruptio
271	previa
287	pre-eclampsia
	premature
282	rupture of membranes
272	separation of placenta
281	previous cesarean section
279	prolonged labor, not otherwise specified
287	toxemia
279	uterine inertia
270	Delivery, normal or uncomplicated
	Dementia
90	Alzheimer's
91	arteriosclerotic
90	presenile
90	senile
	Dependence
104	alcoholic
106	amphetamine
106	barbiturate
106	cocaine
105	heroin
106	LSD
106	marijuana
105	methadone
105	morphine
105	opioid

Group No.	Title
111	Depression, except neurotic, postpartum, and psychotic
102	neurotic
267	postpartum
98	psychotic
	Depressive
102	neurosis
98	psychosis
102	reaction
301	Derangement, joint except knee
300	knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	chemical
71	uncomplicated
73	uncontrolled
	Diabetic complications
72	acidosis
73	cataract
73	circulatory disorder
72	coma
73	gangrene
73	nephropathy
73	neuropathy
73	retinopathy
73	ulcer
	Dialysis
397	peritoneal
397	renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	functional
1	infectious
6	Diphtheria

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease
199	appendix, except acute appendicitis
151	arteriosclerotic cardiovascular
168	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	arthropod-borne
79	autoimmune, except AIDS
12	AIDS
6	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	biliary ducts
234	bladder, except calculus and cystitis
313	bone, except osteomyelitis and osteoarthritis
242	breast, except fibrocystic
241	fibrocystic
221	celiac
	central nervous system
7	enteroviral
113	inflammatory, except enteroviral
117	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
136	chronic rheumatic heart
296	connective tissue, diffuse
143	coronary artery
211	Crohn's
75	Cushing's
12	cytomegalic inclusion
187	dental
209	diverticular
196	duodenum, except ulcer and inflammatory
134	ear, except inflammatory and otosclerosis
145	endocarditis, bacterial
75	endocrine, except ovary, thyroid, and diabetes mellitus
189	esophagus
129	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment

Group No.	Title
	Disease **(continued)**
	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment (continued)
128	inflammatory, except lacrimal tract
252	fallopian tube, except endometriosis
316	fascia
252	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	gallbladder
252	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
138	hypertensive
143	ischemic, except infarction and angina pectoris
136	rheumatic, chronic
150	other, except arrhythmia and bacterial endocarditis
86	hematopoietic, except anemia, hemophilia, and leukemia
328	hemolytic, newborn
12	HIV infection (AIDS)
46	Hodgkin's
137	hypertensive, except heart and renal
138	heart
139	renal
17	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	infectious
143	ischemic heart, except acute infarction and angina pectoris
187	jaw
301	joint, except internal derangement, ruptured disc, and sacroiliac
306	sacroiliac
230	kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	lacrimal tract, inflammation
188	lip

DIAGNOSIS INDEX (continued)

Group No. Title

- Disease (continued)
  - 214 liver, except infectious and serum hepatitis, and cirrhosis
  - 186 lung, except pneumonia, obstructive, and pneumothorax
    - 184 obstructive, except asthma, bronchitis, and emphysema
  - 240 male genitalia, except prostate, hydrocele, and inflammatory
  - 132 Meniere's
  - 188 mouth, except dental
  - 117 muscle, except deformity
  - 120 nervous system, except CNS and sciatica
  - 184 obstructive lung, except asthma, bronchitis, and emphysema
  - 252 ovary, except endometriosis
  - Paget's
    - 313 bone
    - 32 breast
  - 219 pancreas
  - 252 parametrium, except endometriosis
  - 17 parasitic, except helminthiasis
  - 114 Parkinson's
  - 244 pelvic inflammatory
  - 196 peptic
  - 328 perinatal
  - 120 peripheral nervous system, except sciatica
  - 211 peritoneum
  - 186 pleura
  - 236 prostate, except hypertrophy
  - 186 respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
  - rheumatic
    - 135 active
    - 136 chronic
  - 188 salivary gland
  - 83 sickle-cell
  - 295 skin, except infective, pilonidal and sebaceous cysts
  - 196 stomach, except ulcer and inflammatory
  - 187 teeth
  - 316 tendon, except tenosynovitis

Group No. Title

- Disease (continued)
  - 188 tongue
  - 340 undiagnosed
  - 186 upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
  - 230 ureter, except calculus
  - 234 urethra, except calculus and stricture
  - 14 venereal
  - 12 viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
    - 8 with exanthem
- 359 Dislocation, joint, except knee and shoulder
  - 358 knee
  - 357 shoulder
- Disorder
  - 111 behavior
  - 81 electrolyte
  - 79 immunodeficiency, except AIDS
    - 12 AIDS
  - 250 menstruation, except metrorrhagia
  - 103 personality
  - 109 psychophysiologic
- 305 Displacement of intervertebral disc, except lumbar
  - 304 lumbar
- 165 Dissecting aortic aneurysm
- 209 Diverticulitis
- 209 Diverticulosis
- Diverticulum
  - 189 esophagus
  - 209 intestine
- Drug
  - 108 abuse, except alcohol
  - 106 dependence, except opioid
    - 105 opioid
  - 93 induced psychosis
  - 384 poisoning or overdose
  - 93 withdrawal syndrome or symptoms

DIAGNOSIS INDEX (continued)

Group No.	Title
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
	Dysfunction
74	ovarian
317	somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
102	Dysthymia
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	with delivery
254	Ectopic pregnancy
	Effect, adverse
386	drugs, not otherwise specified
384	overdose or wrong substance given or taken
386	external conditions
385	nonmedical substance
386	radiation
386	temperature
268	Elderly primigravida
287	with delivery
	Elective
255	abortion
392	sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	arterial, except cerebral and precerebral
	cerebral
158	without paralysis
159	with paralysis
	Embolism **(continued)**
167	lower limb
	precerebral
156	without paralysis
157	with paralysis
144	pulmonary, except postoperative
390	postoperative
172	vein
182	Emphysema
113	Encephalitis, except viral
12	viral
18	late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	bacterial
208	noninfectious
211	regional
1	viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	follow-up
298	medical

DIAGNOSIS INDEX (continued)

Group No.	Title
	Failure
149	heart
390	postoperative
225	renal, except chronic
224	chronic
186	respiratory (acute)
340	Fainting
263	False labor
	Fever
135	active rheumatic
330	of undetermined origin (FUO)
1	paratyphoid
288	puerperal
4	scarlet
1	typhoid
12	yellow
	Fibrillation or flutter
147	atrial
148	ventricular
	Fibrocystic disease
241	breast
77	pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	in eye
	Fracture
354	ankle
349	arm, except upper
348	upper
354	bimalleolar
350	carpal
355	clavicle
	Fracture **(continued)**
349	Colles'
343	face bone
352	femur, except upper end
351	upper end
353	fibula, except lateral malleolus
350	finger
354	foot
350	hand
398	healed, aftercare, except removal of fixation device
396	removal of fixation device
351	hip
348	humerus
354	knee
354	lateral malleolus
353	leg, lower, except ankle and upper
352	upper, except hip
343	mandible
354	medial malleolus
350	metacarpal
354	metatarsal
356	multiple bones
343	nose
354	patella
347	pelvis
349	radius
346	rib
355	scapula
	skull
342	base
341	vault
	spine
344	without cord injury
345	with cord injury
346	sternum
354	tarsal
346	thorax

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
353	tibia
354	toe
354	trimalleolar
349	ulna
	vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	gas
	Gastric ulcer-*see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	infectious
208	noninfectious
1	viral
220	Gastrointestinal hemorrhage
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	acute
122	closed-angle
122	open-angle
222	Glomerulonephritis, except acute
223	acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	bone marrow

Group No.	Title
116	Grand mal epilepsy
268	Grand multiparity
392	without pregnancy
268	Habitual aborter
252	without pregnancy
310	Hallux valgus or varus, except congenital
327	congenital
310	Hammer toe
331	Headache, except migraine and tension
118	migraine
111	tension
398	Healed fracture aftercare, except removal of fixation device
396	removal of fixation device
	Heart
140	attack
149	failure
390	postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma-*see also Contusion*
388	postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	hereditary
328	newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	antepartum, except early
260	early
172	blood vessel, spontaneous
250	dysfunctional uterine
220	gastrointestinal
	intracerebral, except subarachnoid
155	with paralysis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hemorrhage **(continued)**
	intracerebral, except subarachnoid (continued)
154	without paralysis
258	postabortal
388	postoperative wound
274	postpartum, except delayed or secondary
289	delayed or secondary
260	pregnancy, early
289	puerperal, after 24 hours
	subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	chronic
9	infectious
9	serum
9	viral
	Hernia
205	abdominal, except inguinal
206	with complication
204	diaphragmatic
206	with complication
205	femoral
206	with complication
204	hiatal
206	with complication
203	incisional
206	with complication
200	inguinal
206	with complication
203	postoperative
206	with complication
202	umbilical
206	with complication
203	ventral
206	with complication

Group No.	Title
105	Heroin dependence or addiction
8	Herpes simplex
18	late effect
8	Herpes zoster
18	late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	with delivery
139	renal
139	renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Ill-defined conditions
328	Immaturity of newborn
79	Immunodeficiency disorder, except AIDS
12	AIDS
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
140	Infarction, acute myocardial
	Infection
232	bladder
312	bone
246	cervix
227	kidney, except nephritis, nephrosis, and acute pyelonephritis
6	meningococcal
389	postoperative wound
288	puerperal, major
292	skin and subcutaneous tissue, except cellulitis and abscess
173	upper respiratory, except streptococcal
234	urinary tract
266	in pregnancy
247	uterine, except cervix
247	vaginal
247	vulvar
389	wound, postoperative
10	Infectious mononucleosis
	Infertility
252	female
240	male
	Inflammation
113	central nervous system
129	eye, except lacrimal tract
127	lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
	Inguinal hernia **(continued)**
201	with complication
	Injury
328	birth
373	blood vessel
377	crush, except abdomen and chest
367	abdomen
366	chest
365	head, except concussion
367	internal, except chest
366	chest
358	knee ligament or meniscus
374	late effect
363	musculoskeletal, except back and sacroiliac region
362	back
361	sacroiliac region
382	nerve
386	radiation
374	late effect
382	spinal cord
376	superficial
	Insufficiency
	heart valve-*see Valvular disease*
186	respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ischemic
163	cerebrovascular disease, generalized
143	heart disease, except acute or subacute
142	acute or subacute, except infarction
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	abdominal wall
371	arm
370	back
365	cerebral
370	chest
368	eye
371	hand
369	head, except eye
372	leg
372	lower limb
370	multiple sites
369	neck
285	perineum, in delivery, except first and second degree
284	first and second degree
370	trunk
371	upper limb
212	Laennec's cirrhosis
255	Legal abortion
48	Leukemia, except lymphocytic

Group No.	Title
	Leukemia, except lymphocytic **(continued)**
47	lymphocytic
214	Liver disease, except infectious and serum hepatitis and cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia and obstructive
179	pneumonia
184	obstructive
88	Lymphadenitis, except acute and mesenteric
292	acute
87	mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
242	Mastitis, except puerperal
290	puerperal
8	Measles
18	late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	tuberculous
7	viral
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	bladder
53	bone
63	brain
55	breast
52	bronchus
50	buccal cavity
57	cervix
53	connective tissue
51	digestive
	Neoplasm, benign **(continued)**
65	endocrine, except thyroid
62	eye
	genitalia
59	female, except uterus and ovary
60	male
61	kidney
52	larynx
52	lung
53	muscle
63	nervous system
58	ovary
50	pharynx
60	prostate
52	respiratory
60	scrotum
54	skin
52	thymus
64	thyroid
61	ureter
61	urethra
61	urinary
57	uterus, except fibroma
56	fibroma
59	vagina
59	vulva
	Neoplasm, malignant
44	adrenal gland
39	bladder
29	bone
42	brain
32	breast
27	bronchus
19	buccal cavity
43	cerebral meninges
33	cervix uteri
23	colon

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
29	connective tissue
44	endocrine glands
20	esophagus
41	eye
36	fallopian tube
	genitalia
36	female, except uterus and ovary
38	male, except prostate
45	ill-defined sites
25	intestine, except colon and rectum
23	large, except rectum
22	small
40	kidney
23	large intestine, except rectum
27	lung
49	lymphatic, except Hodgkin's disease
45	metastatic
19	mouth
43	nervous system, except brain
35	ovary
26	pancreas
19	pharynx
44	pituitary gland
36	placenta
37	prostate
24	rectum
28	respiratory system, except bronchus and lung
38	scrotum
45	secondary
31	skin, except genitalia
22	small intestine
43	spinal cord and meninges
21	stomach
44	thyroid gland
40	ureter
40	urethra
	Neoplasm, malignant **(continued)**
40	urinary tract, except bladder
34	uterus, except cervix
36	vagina
36	vulva
68	Neoplasm, uncertain behavior or unspecified type, any site
222	Nephritis, except acute
223	acute
222	Nephrosis, except tubular
225	tubular
222	Nephropathy, except diabetic
73	diabetic
315	Neuralgia, except sciatic and trigeminal
307	sciatic
120	trigeminal
315	Neuritis, except median and sciatic
119	median
307	sciatic
120	Neuroma, except amputation stump
390	amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	anxiety
109	cardiac
102	depressive
	Nevus
54	skin
327	vascular
	Newborn, hospital
394	multiple
393	single term
394	twin
	Newborn, nonhospital
395	multiple
395	single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia

DIAGNOSIS INDEX (continued)

Group No.	Title
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	bile duct, except calculus
207	intestinal, except postoperative
390	postoperative
172	portal vein
172	vena cava
184	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
158	cerebral, without paralysis
159	with paralysis
156	precerebral, without paralysis
157	with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
	Organic brain syndrome
89	acute
90	Alzheimer's dementia
91	arteriosclerotic
89	transient
298	Osteoarthritis
298	hip
298	knee
303	spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	chronic and unspecified
131	acute
133	Otosclerosis
	Ovarian
243	cyst
252	disease, except endometriosis
74	dysfunction
254	pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
338	abdominal
335	chest
253	female genital organ
331	head
335	precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except in appendicitis
198	in appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID

DIAGNOSIS INDEX (continued)

Group No.	Title
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
17	Pneumocystosis
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	spontaneous
366	traumatic
385	Poisoning, except food and drug
384	drug
1	food
7	Poliomyelitis
18	late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	secondary
268	Polyhydramnios
287	with delivery
	Polyp
211	anal
68	bladder
252	cervix
211	intestinal
178	laryngeal
176	nasal
211	rectal
176	sinus
178	vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome

Group No.	Title
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
	Postoperative wound
390	dehiscence
388	hemorrhage
389	infection
	Postpartum
290	complication, not elsewhere classified
267	depression
269	with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	ectopic
254	ovarian
268	post-term
287	with delivery
254	tubal
398	undelivered
268	Premature rupture of membranes
282	with delivery
328	Prematurity of newborn
253	Premenstrual tension
90	Presenile dementia or psychosis
	Prolapse
128	iris
248	uterovaginal
236	Prostatic disease, except hypertrophy
235	hypertrophy
	Proteinuria
340	except postural

DIAGNOSIS INDEX (continued)

Group No.	Title
	Proteinuria **(continued)**
223	postural or orthostatic
	Psychogenic
109	diarrhea
109	hyperventilation
109	paralysis
109	vomiting
116	Psychomotor epilepsy
100	Psychosis
92	alcoholic
90	Alzheimer's
91	arteriosclerotic
98	depressive
93	drug-induced
99	manic-depressive
89	organic, acute or transient
90	chronic, except arteriosclerotic
90	senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
	Pulmonary
144	embolism
182	emphysema
1	tuberculosis
	valve disease-*see Valvular disease*
227	Pyelitis, except acute
226	acute
227	Pyelonephritis, except acute
226	acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash

Group No.	Title
	Reaction
101	anxiety
102	depressive
386	drug, not elsewhere classified
391	transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
	Renal
228	calculus
397	dialysis treatment
225	failure, except chronic
224	chronic
139	hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	cyst
121	detachment
121	hemorrhage
121	tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	spine
13	Rickettsiosis
8	Rubella
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
	Rupture
172	blood vessel
305	intervertebral disc, except lumbar
304	lumbar disc
243	ovarian cyst
268	uterus
290	postpartum
286	with delivery
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute episode
95	acute episode
97	childhood
94	paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	puerperal
5	Septicemia
288	puerperal
9	Serum hepatitis
391	Serum sickness

Group No.	Title
	Shock
391	anaphylactic, except due to drug
386	due to drug
333	nontraumatic
390	postoperative
383	traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
	Spontaneous
257	abortion
185	pneumothorax
363	Sprain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
322	pyloric, congenital
233	urethral, except congenital
325	congenital
392	Sterilization, elective

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	paroxysmal, except atrial
146	atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	medial meniscus, current injury
300	old
121	retinal
309	Tenosynovitis, except spine
308	spine
111	Tension headache
255	Termination of pregnancy

Group No.	Title
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	migrans
	Thrombosis
167	arterial, except cerebral and precerebral
158	cerebral, without paralysis
159	with paralysis
172	portal vein
156	precerebral, without paralysis
157	with paralysis
172	vein
70	Thyroid disease, except nodule or goiter
69	nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	chemotherapy
397	dialysis
398	physical therapy
398	radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
120	Trigeminal neuralgia

DIAGNOSIS INDEX (continued)

Group No. Title
232 Trigonitis
254 Tubal pregnancy
Tuberculosis
  3 bone
  18 late effect
  2 lung
  3 nonrespiratory
  2 respiratory
13 Typhus

Ulcer
  192 duodenal
    193 with hemorrhage or perforation
    194 with obstruction
  190 gastric
    191 with hemorrhage or perforation
    194 with obstruction
  192 gastrojejunal
    193 with hemorrhage or perforation
    194 with obstruction
  192 peptic, except gastric
    193 with hemorrhage or perforation
    194 with obstruction
  295 skin
  170 varicose, lower extremity
211 Ulcerative colitis
73 Uncontrolled diabetes mellitus
324 Undescended testis
340 Undiagnosed disease
306 Unstable low back
173 Upper respiratory infection, acute, except streptococcal
  4 streptococcal
225 Uremia, except chronic
  224 chronic
Ureteral
  230 disease, except calculus
    229 calculus

Group No. Title
Urethral
  230 disease, except calculus
    229 calculus
  234 disease, except calculus and stricture
    231 calculus
  233 stenosis, except congenital
    325 congenital
  233 stricture, except congenital
    325 congenital
234 Urethritis
  266 in pregnancy
173 URI
234 Urinary tract infection
  266 in pregnancy
Uterine
  57 fibroma
  248 prolapse
128 Uveitis

247 Vaginitis, except atrophic and senile
  251 atrophic or senile
314 Valgus deformity, limb
Valvular disease
  150 nonrheumatic
  136 rheumatic
172 Varices, esophagus
170 Varicose veins of lower extremities
314 Varus deformity, limb
Veneral
  14 disease
  11 wart
308 Vertebrogenic pain syndrome
340 Vertigo
Viral
  12 encephalitis
    18 late effect
  1 gastroenteritis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Viral (continued)
9	hepatitis
7	meningitis
18	late effect
11	wart
	Vitreous
128	abscess
128	prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	of pregnancy
247	Vulvar infection
247	Vulvitis

Group No.	Title
11	Warts, viral
6	Whooping cough
	Withdrawal
92	alcohol
93	drug
	Wound
390	dehiscence
	infection
389	postoperative
383	posttraumatic
	open-*see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	cervix
732	finger
737	foot
733	forearm
733	hand
737	hip
736	leg, above knee
735	below knee
739	revision (any site)
732	thumb
734	toe
733	upper arm
	Anastomosis
617	bile duct
581	blood vessel
617	gallbladder
601	intestine
609	rectum
757	Angiocardiography, except coronary vessels
756	coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	cardiac vessels
755	cerebral vessels
581	Angioplasty, except coronary
575	coronary artery
581	percutaneous transluminal, except coronary
	Angioplasty, except coronary **(continued)**
	percutaneous transluminal, except coronary (continued)
575	coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	incidental
	Arteriography
757	aorta
755	cerebral
756	coronary
757	femoral
755	head
756	heart
757	renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	hip, except total replacement
722	total replacement
724	knee
699	temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	insemination
690	rupture of membranes for delivery
	Aspiration
752	breast, except for biopsy
742	biopsy
741	bursa
682	cul-de-sac

OPERATION INDEX (continued)

Group No. **Title**

- Aspiration **(continued)**
  - 677 curettage, uterus, except for termination of pregnancy
    - 674 termination of pregnancy
  - 651 hydrocele, except of spermatic cord
    - 656 spermatic cord
  - 632 kidney
  - 614 liver, percutaneous, except for biopsy
    - 615 biopsy
  - 537 middle ear
  - 546 nasal sinus
  - 663 ovary
  - 752 skin
  - 656 spermatocele
  - 529 vitreous
- Augmentation
  - 745 breast
  - 699 chin

- Balloon
  - 581 angioplasty, except coronary
    - 575 coronary
  - 571 valvuloplasty, heart
- Biopsy
  - 515 adrenal gland
  - 611 anus
  - 638 bladder, except transurethral approach
    - 637 transurethral approach
  - 705 bone, except facial
    - 698 facial
  - 586 bone marrow
  - 501 brain
  - 742 breast
  - 563 bronchus
  - 501 cerebral meninges
  - 668 cervix
  - 597 colon
  - 597 duodenum

Group No. **Title**

- Biopsy **(continued)**
  - 668 endocervical
  - 588 esophagus
  - 532 eyeball
  - 517 eyelid
  - 666 fallopian tubes
  - 597 intestine (large) (small)
  - 719 joint structure
  - 632 kidney
  - 597 large intestine
  - 558 larynx
  - 552 lip
  - 615 liver
  - 565 lung
  - 582 lymph nodes
  - 570 mediastinum
  - meninges
    - 501 cerebral
    - 507 spinal
  - 727 muscle
  - 543 nose
  - 532 orbit
  - 660 ovary, except by aspiration
    - 663 aspiration
  - 618 pancreas
  - 658 penis
  - 508 peripheral nerve
  - 626 peritoneum
  - 556 pharynx
  - 570 pleura
  - 650 prostate
  - 606 rectum
  - 651 scrotum
  - 747 skin
  - 597 small intestine
  - 507 spinal meninges
  - 654 testes

OPERATION INDEX (continued)

Group No. **Title**

- Biopsy **(continued)**
  - 514 thyroid
  - 552 tongue
  - 559 trachea
  - 635 ureter
  - 670 uterine ligaments
  - 670 uterus
  - 552 uvula
  - 682 vagina
  - 558 vocal cord
  - 683 vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery
- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 aortocoronary
  - 578 blood vessels (systemic)
  - 572 coronary
  - 596 gastric
  - 572 heart
  - 579 heart-lung
  - 601 intestine
  - 596 stomach
  - 634 urinary
- 763 Cancer chemotherapy
- Cardiac
  - 573 catheterization
  - 576 electrophysiologic stimulation studies

Group No. **Title**

- Cardiac **(continued)**
  - 764 function tests
  - 576 mapping studies
  - massage
    - 763 closed
    - 575 open
  - 574 pacemaker insertion or replacement
  - 575 revascularization, except coronary bypass
    - 572 coronary bypass
  - 764 stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 intracapsular
- Catheterization
  - 647 bladder, except suprapubic approach
    - 638 suprapubic approach
  - 581 blood vessel
  - 573 cardiac
  - 512 spinal canal (for infusion of agents)
  - 645 ureteral
  - 647 urethral, indwelling
  - 587 vein, except umbilical
    - 581 umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 low cervical
- 717 Chemonucleolysis
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn

OPERATION INDEX (continued)

Group No.	Title
	Closure
617	cholecystostomy
601	colostomy
	fistula-*see Fistulectomy*
596	gastric anastomosis
601	sigmoidostomy
570	thoracostomy
635	ureterostomy
640	urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	surgical approach (transabdominal)
602	Colostomy, except loop
600	loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
760	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
638	bladder
581	blood vessel
569	chest
627	laparotomy site
544	nose, except by anterior packing
557	anterior packing
569	pleura
581	postoperative, not elsewhere classified
650	prostate
590	stomach
556	tonsil
521	Corneal transplant
572	Coronary bypass
760	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	tubal ligation
523	Cyclocryotherapy (eye)
52[illegible]	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	burn (skin)
705	fracture, except of skull
503	skull
752	nail, nail bed, nail fold
748	skin (infection) (wound)
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
690	artificial rupture of membranes
688	breech extraction
692	cesarean section, except low cervical
691	low cervical
689	forceps, except low forceps
687	low forceps
689	internal and combined version
751	Dermabrasion

OPERATION INDEX (continued)

Group No.	Title
601	Derotation, intestine
580	Dialysis, except peritoneal
629	peritoneal
	Dilation
638	bladder (neck)
635	ureteral meatus
645	ureterovesical orifice
641	urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	closed
715	open
702	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
726	fascia, except of hand
728	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
647	bladder, except surgical approach
638	surgical approach (suprapubic)
569	chest
537	middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
579	ECMO (extracorporeal membrane oxygenation)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)

Group No.	Title
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
617	biliary tract
636	bladder
567	bronchus
619	colon, except surgical approach
609	surgical approach (transabdominal)
682	cul-de-sac, except for tubal ligation
664	tubal ligation
589	esophagus
589	gastric, except surgical approach
596	surgical approach (transabdominal)
647	ileal conduit
576	larynx
628	peritoneum
557	pharynx
609	small intestine
589	stomach, except surgical approach
596	surgical approach (transabdominal)
570	thorax, transpleural
636	urethra
679	uterus
686	vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	low forceps
689	other forceps
544	Epistaxis control, except by anterior packing
557	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac

OPERATION INDEX (continued)

Group No. Title

- 618 ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
  - 617 biliary tract
- 763 Erythrocytapheresis
- 588 Esophagectomy
- 589 Esophagoscopy, except surgical approach
  - 619 surgical approach
- 588 Esophagotomy
- 508 ESWL (extracorporeal shock wave lithotripsy)
- 613 Evacuation, hemorrhoids
- Evisceration
  - 532 eyeball
  - 673 pelvic
- Examination
  - 764 eye
  - 764 general physical
  - 764 gynecologic
  - 764 pelvic
  - 761 psychiatric
- 763 Exchange transfusion, except intrauterine
  - 696 intrauterine
- Excision-*see also Excision of lesion (and destruction of tissue)*
  - 610 anal fistula
  - 727 Baker's cyst
  - 705 bone, except facial
    - 699 facial, except partial
      - 698 partial
  - 556 branchial cleft cyst
  - 704 bunion
  - 517 chalazion, eyelid
  - 599 colon
  - 665 fallopian tubes, bilateral, except endoscopic approach
    - 664 endoscopic approach
  - 670 fibroid, uterine
  - 616 gallbladder
  - 508 ganglion, except of tendon
    - 727 tendon (of hand)

Group No. Title

- Excision **(continued)**
  - 612 hemorrhoids
  - hydrocele
    - 679 round ligament
    - 656 spermatic cord
    - 651 tunica vaginalis
  - 717 intervertebral disc or cartilage
  - 719 joint, except intervertebral disc and cartilage of knee
    - 717 intervertebral disc
    - 718 knee cartilage
  - 631 kidney, except partial
    - 632 partial
  - 718 knee cartilage (semilunar)
  - 582 lymph nodes, except radical
    - 583 radical
  - 508 neuroma, peripheral nerve
  - ovary
    - 662 bilateral
    - 661 unilateral
  - 550 parotid gland
  - 746 pilonidal cyst or sinus
  - 515 pituitary gland
  - 649 prostate, except transurethral approach
    - 648 transurethral approach
  - 522 pterygium
  - 747 sebaceous cyst, except of eyelid
    - 517 eyelid, eyebrow
  - 718 semilunar cartilage, knee
  - 586 spleen
  - 514 thyroglossal duct or tract
  - 513 thyroid
  - 751 toenail
  - 552 tongue
  - 553 tonsil, except with adenoids
    - 554 with adenoids
  - 556 tonsil tag

OPERATION INDEX (continued)

Group No.	Title
	Excision **(continued)**
	tubes and ovaries
662	bilateral
661	unilateral
670	uterine fibroid
577	varicocele, except of spermatic cord
656	spermatic cord
	Excision of lesion (and destruction of tissue)
626	abdominal wall
611	anus
617	bile duct
638	bladder, except transurethral approach
637	transurethral approach
705	bone, except facial
698	facial
501	brain
742	breast
563	bronchus
501	cerebral meninges
668	cervix, except by conization
667	conization
597	colon
520	conjunctiva
522	cornea
597	duodenum
534	ear, external
588	esophagus
532	eye
517	eyelid
666	fallopian tube
549	gingiva, gums
597	intestine
524	iris
632	kidney
597	large intestine
558	larynx
552	lip

Group No.	Title
	Excision of lesion **(continued)**
565	lung
	meninges
501	cerebral
507	spinal
727	muscle
	nerve
508	peripheral
511	sympathetic
543	nose, except submucous resection
541	submucous resection
660	ovary
550	parotid gland
658	penis
	perineum
683	female
747	male
508	peripheral nerve
607	perirectal tissue
626	peritoneum
606	rectum
550	salivary gland
524	sclera
651	scrotum
747	skin, except radical and of pilonidal cyst or sinus
746	pilonidal cyst or sinus
748	radical
501	skull
597	small intestine
507	spinal meninges
592	stomach
727	tendon
654	testis
552	tongue
559	trachea
635	ureter
640	urethra

OPERATION INDEX (continued)

Group No. Title

- Excision of lesion **(continued)**
  - 679 uterine ligament
  - 670 uterus
  - 682 vagina
  - 559 vocal cord
  - 683 vulva
- Exenteration
  - 532 eyeball, orbit
  - 673 pelvic
- Exploration
  - 627 abdominal cavity
  - 617 bile duct
  - 632 kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- Extracorporeal
  - 579 circulation
  - 579 membrane oxygenation (ECMO)
  - 508 shock wave lithotripsy (ESWL)
- Extraction
  - 688 breech, for delivery
  - 547 dental
  - 686 menstrual
  - 547 teeth
  - 689 vacuum, for delivery

- 751 Face lift
- 730 Fasciectomy, except of hand
  - 728 hand
- 726 Fasciotomy, except of hand
  - 728 hand
- Fistulectomy
  - 610 anal
  - 638 bladder
  - 556 branchial cleft
  - 564 bronchus
  - 601 intestine

Group No. Title

- Fistulectomy **(continued)**
  - 542 nasal
  - 542 nasolabial
  - 546 oroantral
  - 609 perirectal
  - 556 pharynx
  - 640 rectourethral
  - 679 rectouterine
  - 681 rectovaginal
  - 638 rectovesical
  - 609 rectum
  - 562 tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 741 Fitting, limb prosthesis
- 706 Fixation, internal, of bone, except with fracture-reduction
  - with fracture-reduction-*see Fracture-reduction*
- 689 Forceps delivery, except low forceps
  - 687 low forceps
- Formation
  - 581 arteriovenous shunt for dialysis
  - 601 endoileal rectal pouch
  - 634 ileal conduit or bladder
- Fracture-reduction
  - 701 facial bone, except closed reduction
    - 700 closed reduction
  - femur
    - 710 closed, except with internal fixation
      - 708 with internal fixation
    - 710 open, except with internal fixation
      - 709 with internal fixation
  - 701 mandible, except closed reduction
    - 700 closed reduction
  - 701 maxillofacial, except closed reduction
    - 700 closed reduction
  - 544 nose
  - other sites
    - 713 closed, except with internal fixation

OPERATION INDEX (continued)

Group No. **Title**

- Fracture-reduction **(continued)**
  - other sites (continued)
    - closed, except with internal fixation (continued)
      - 711 with internal fixation
    - 713 open, except with internal fixation
      - 712 with internal fixation
- 552 Frenectomy (labial) (tongue)
- 557 Frenotomy (labial) (tongue)
- 721 Fusion, joint, except spinal
  - 720 spinal

- 508 Ganglionectomy, except of tendon
  - 727 tendon (of hand)
- 508 Gasserian ganglionectomy
- 593 Gastrectomy, except total
  - 594 total
- 589 Gastroscopy, except surgical approach
  - 596 surgical approach (transabdominal)
- 591 Gastrostomy
- 590 Gastrotomy
- 699 Genioplasty
- 758 G.I. series x-ray
- 549 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 552 Glossectomy
- Graft
  - 706 bone, except facial and skull
    - 702 facial
    - 503 skull
  - 749 free, of skin
  - 552 lip
  - 731 muscle, except of hand
    - 729 hand
  - 750 pedicle, of skin
  - skin
    - 749 free
    - 750 pedicle

Group No. **Title**

- Graft **(continued)**
  - 731 tendon, except of hand
    - 729 hand
- 573 Heart catheterization
- 579 Heart-lung bypass
- 599 Hemicolectomy
- 580 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 625 diaphragmatic
  - 624 epigastric
  - 622 femoral
  - 624 incisional
  - inguinal
    - 621 bilateral
    - 620 unilateral
  - 623 umbilical
  - 624 ventral
- 723 Hip replacement, except total
  - 722 total
- 576 His bundle study
- 763 Hyperalimentation
- 760 Hyperthermia, except localized
  - 763 localized, for treatment of malignancy and other lesions
- 515 Hypophysectomy
- 671 Hysterectomy, except radical and vaginal
  - 673 radical
  - 672 vaginal
- 678 Hysteropexy
- 679 Hysteroscopy
- 670 Hysterotomy, except for termination of pregnancy
  - 693 termination of pregnancy

- 602 Ileostomy, except loop
  - 600 loop
- 634 Ileoureterostomy

OPERATION INDEX (continued)

Group No. **Title**

- Implant, implantation
  - 642 artificial urinary sphincter
  - 745 breast
  - 574 cardiac pacemaker (electrodes) (pulse generator)
  - 575 cardioverter/defibrillator
  - 539 cochlear prosthetic device
  - 539 electromagnetic hearing device (bone) (cochlea)
  - 740 limb prosthesis
- Incision (and drainage)
  - 626 abdominal wall
  - 610 anal fistula
  - 605 appendix
  - 683 Bartholin's gland or abscess
  - 703 bone, except facial
    - 702 facial
  - 501 brain
  - 745 breast
  - 501 cerebral meninges
  - 569 chest (wall)
  - 522 cornea
  - 502 cranial sinus
  - 534 ear, external
  - 518 eyelid
  - 552 floor of mouth
  - 617 gallbladder
  - 549 gingiva, gums
  - 600 intestine
  - 716 joint
  - 519 lacrimal gland or sac
  - 614 liver
  - 582 lymph nodes
  - 539 mastoid
  - meninges
    - 501 cerebral
    - 506 spinal
  - 537 middle ear
  - 726 muscle

Group No. **Title**

- Incision (and drainage) **(continued)**
  - nasal sinus-*see Sinusotomy*
  - 726 palmar space (hand)
  - 618 pancreas
  - 613 perianal tissue
  - perineum
    - 683 female
    - 748 male
  - 607 perirectal tissue
  - 627 peritoneum, except via cul-de-sac
    - 682 via cul-de-sac
  - 746 pilonidal cyst or sinus
  - 569 pleura
  - 607 rectovaginal septum
  - 607 rectum
  - 626 retroperitoneal abscess
  - 651 scrotum
  - sinus (nasal)-*see Sinusotomy*
  - 748 skin, except pilonidal cyst or sinus
    - 746 pilonidal cyst or sinus
  - 506 spinal meninges
  - 726 tendon
  - 569 thorax
  - 633 ureter
  - 682 vagina
  - 683 vulva
- 690 Induction of labor (medical or surgical) for delivery
- Infusion
  - concentrated nutritional substances
    - 764 enteral
    - 763 parenteral (PPN) (TPN)
- Injection
  - 694 intra-amniotic, for termination of pregnancy
  - 763 therapeutic agent (drugs)
    - 745 breast
    - 741 bursa
    - 741 joint

OPERATION INDEX (continued)

Group No.	Title
	Injection **(continued)**
	therapeutic agent (drugs) (continued)
741	tendon
686	Insemination, artificial
	Insertion
706	bone growth stimulator
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
748	infusion pump
686	intrauterine contraceptive device
679	laminaria, uterus
658	penile prosthesis
751	tissue expander, except breast
745	breast
645	ureteral stent, except by incision
633	by incision
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular

Group No.	Title
	Lens extraction, except intracapsular **(continued)**
525	intracapsular
763	Leukopheresis
	Ligation
665	fallopian tubes (bilateral), except endoscopic approach
664	endoscopic approach
612	hemorrhoids
577	varicose veins
655	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	bladder
646	extracorporeal shock wave (ESWL)
635	kidney
646	ultrasonic
635	ureter
	Lobectomy
501	brain
615	liver
566	lung, except partial
565	partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	abdominal
741	hand
524	iris
716	joint
731	muscle, except of hand
741	hand
630	pelvis
630	peritoneum
731	tendon, except of hand
741	hand
758	Magnetic resonance imaging (MRI)
745	Mammectomy

OPERATION INDEX (continued)

Group No.	Title
758	Mammography
745	Mammoplasty, augmentation or reduction
699	Mandibulectomy, except partial
698	partial
699	Mandibulotomy
	Mastectomy
743	complete
743	simple, except extended
744	extended
742	subtotal
744	radical
743	partial
538	Mastoidectomy, except revision
539	revision
745	Mastotomy
	Meatotomy
635	ureteral
639	urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
758	MRI (magnetic resonance imaging)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
764	enteral
763	parenteral (PPN) (TPN)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	bilateral
661	unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	suspension
705	Ostectomy, except facial bone
699	facial bone, except partial
698	partial
706	Osteoplasty, except facial bone
699	facial bone
703	Osteotomy, except facial bone
699	facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
763	Photopheresis

OPERATION INDEX (continued)

Group No.	Title
540	Piercing, ear
763	Plasmapheresis
763	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
570	Pleurosclerosis
	Plication
644	urethral, urethrovesical
581	vena cava
753	Pneumoencephalography
566	Pneumonectomy
764	Polysomnogram
763	PPN (peripheral parenteral nutrition)
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	arteries, except cerebral and coronary
755	cerebral
756	coronary
758	breast
755	cerebral
755	arteries
753	ventricles
758	chest
758	gallbladder
758	kidney
758	skeletal
758	spine, except myelogram
754	myelogram
757	veins
	Reattachment
738	extremity
528	retina
731	tendon, except of hand
729	hand
530	Recession, ocular muscle
	Reconstruction
535	ear ossicles
699	mandible
729	thumb
680	Rectocele repair
	Reduction
	dislocation, except temporomandibular
714	closed
715	open
702	temporomandibular (joint)
	fracture
701	facial bone, except closed reduction
700	closed reduction
	femur
710	closed, except with internal fixation
708	with internal fixation

OPERATION INDEX (continued)

Group No. **Title**

- Reduction **(continued)**
  - fracture (continued)
    - femur (continued)
      - 710 open, except with internal fixation
        - 709 with internal fixation
    - 701 mandible, except closed reduction
      - 700 closed reduction
    - 701 maxillofacial, except closed reduction
      - 700 closed reduction
    - 544 nose
    - site, other than above
      - 713 closed, except with internal fixation
        - 711 with internal fixation
      - 713 open, except with internal fixation
        - 712 with internal fixation
  - 619 hemorrhoids
  - hernia-*see also Herniorrhaphy*
    - 764 manual
  - 601 intestinal torsion
  - 601 intussusception, intestine
  - 745 mammoplasty
  - 601 volvulus, intestine
- Release
  - adhesions-*see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 scar contracture, skin
  - 642 urethral stricture
- Removal
  - 707 bone growth stimulator
  - calculus
    - 617 biliary tract
    - 638 bladder
    - 632 kidney, except transurethral approach
      - 635 transurethral approach
    - 519 lacrimal tract (by incision)
      - 533 without incision
    - 633 ureter, except transurethral approach

Group No. **Title**

- Removal **(continued)**
  - calculus (continued)
    - ureter, except transurethral approach (continued)
      - 635 transurethral approach
  - 764 catheter, nonoperatively
  - 764 cholecystotomy tube
  - 693 ectopic fetus
  - 707 fixation device, internal
  - foreign body
    - 762 bronchus, except with incision
      - 563 with incision
    - 532 eye, except as below
      - 524 anterior chamber
      - 520 conjunctiva
      - 524 iris
      - 527 lens
    - prosthesis
      - 745 breast
      - 716 joint
  - 596 gastric balloon
  - 658 penile prosthesis
  - 697 retained placenta, manually
  - 764 sutures
  - 764 t-tube, gallbladder
  - 764 therapeutic device, nonoperatively
  - 748 tissue expander, except breast
    - 745 breast
  - 529 vitreous
- 580 Renal dialysis
- Repair
  - 630 abdominal wall
  - 613 anal fistula, except by excision
    - 610 excision
  - 581 aneurysm (arteriovenous)
  - 638 bladder, except obstetric laceration
    - 697 obstetric laceration
  - 518 blepharoptosis

OPERATION INDEX (continued)

Group No.	Title
	Repair **(continued)**
581	blood vessel
706	bone, except facial
699	facial
745	breast
564	bronchial fistula
704	bunion
571	cardiac septal defect
669	cervix, except obstetric laceration
697	obstetric laceration
570	chest wall
551	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
680	cystocele, vagina
730	diastasis recti
534	ear, external
518	ectropion or entropion, eyelid
697	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
704	hallux valgus
729	hand
	hernia-*see Herniorrhaphy*
723	hip, except total replacement
722	total replacement
	hydrocephalus, by ventricular shunt
504	extracranial
505	intracranial (ventriculostomy)
601	intestine
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
724	knee (joint)

Group No.	Title
	Repair **(continued)**
	Laceration-*see also Repair, by site*
697	obstetric
562	larynx
552	lip
615	liver
568	lung
731	muscle, except extraocular and of hand
531	extraocular
729	hand
556	nasopharyngeal atresia
542	nose
663	ovary
551	palate
658	penis
685	perineum, female, except obstetric laceration
697	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
680	rectocele, vagina
609	rectum
528	retinal detachment or tear
730	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
596	stomach
644	stress incontinence, except urethral suspension
643	urethral suspension
731	tendon, except of hand
729	hand
654	testis
562	trachea
635	ureter
640	urethra
679	uterus, except obstetric laceration and supporting structures
697	obstetric laceration

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
	uterus, except obstetric laceration and supporting structures (continued)
678	supporting structures
681	vagina, except for cystocele and rectocele, and obstetric laceration
680	cystocele and rectocele
697	obstetric laceration
552	vestibular arch (mouth)
685	vulva, except obstetric laceration
697	obstetric laceration
	Replacement
574	cardiac pacemaker
571	heart valve
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
658	penile prosthesis
647	urinary catheter
	Resection
638	bladder
581	blood vessel
564	bronchus
599	large intestine
730	muscle, except of hand
728	hand
541	nasal septum, submucous
530	ocular muscle
660	ovary
608	rectum (abdominoperineal) (pull-through)
549	root of tooth
598	small intestine
730	tendon, except of hand
728	hand
548	Restoration, tooth
758	Retrograde pyelogram

Group No.	Title
	Revision
739	amputation stump
581	arteriovenous shunt for dialysis
596	gastric anastomosis
601	intestinal anastomosis
539	mastoidectomy
562	tracheostomy
539	tympanoplasty
505	ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	bilateral
666	unilateral
	Salpingo-oophorectomy
662	bilateral
661	unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt-*see also Bypass*
504	cerebral ventricles, except intracranial and revision
505	intracranial
505	revision
578	peripheral vessels
630	peritoneovenous
578	systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy

OPERATION INDEX (continued)

Group No.	Title
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	radical maxillary
751	Size-reduction, skin tissue except breast
745	breast
	Sphincterotomy
617	ampullary (of Vater) (pancreas)
613	anus
638	bladder neck
	Spinal
720	fusion
512	tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	foot
724	knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	urethral suspension
	Stress test
764	cardiac
764	fetal
764	uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	urethra, except with bladder neck
644	with bladder neck
644	urethrovesical
	Suture-*see also Repair, by site*
730	muscle, except of hand
729	hand
748	skin
730	tendon, except of hand
729	hand
510	Sympathectomy

Group No.	Title
719	Synovectomy
554	T and A
	Takedown-*see Closure*
730	Tenosynovectomy, except of hand
728	hand
726	Tenotomy, except of hand
728	hand
	Termination of pregnancy
676	aspiration curettage
674	dilation and curettage
691	hysterotomy
694	intra-amniotic injection
	Therapy
761	behavior
763	cancer (chemical)
761	electroconvulsive (ECT)
760	occupational
760	physical
761	psychiatric
759	radiation
761	shock (EST)
760	speech
760	ventilation
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
581	Thromboendarterectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	with adenoidectomy
548	Tooth restoration
763	TPN (total parenteral nutrition)
562	Tracheostomy, except permanent

OPERATION INDEX (continued)

Group No.	Title
	Tracheostomy, except permanent **(continued)**
561	permanent
760	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
763	blood, except intrauterine exchange
696	intrauterine
585	bone marrow
763	coagulation factor
763	gamma globulin
763	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
571	heart
632	kidney
731	muscle, except of hand
729	hand
731	tendon, except of hand
729	hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	revision
537	Tympanotomy
	Ultrasonic fragmentation of calculus
617	biliary
646	urinary, except by percutaneous nephrostomy
632	percutaneous nephrostomy

Group No.	Title
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
571	Valvuloplasty, cardiac
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	revision
753	Ventriculography
684	Vulvectomy
	X-ray-*see Radiography*
751	Z-plasty, skin

R3850-1.7-4

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Pediatric Length of Stay by Diagnosis and Operation, United States, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1988

LENGTH OF STAY

Copyright 1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0895-982x

Length of Stay by Diagnosis and Operation, Northeastern Region, 1987
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1987
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1987
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1987
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1987
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. The first edition of the Psychiatric Length of Stay series was introduced in 1987. Length of Stay by Psychiatric Diagnosis is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data v
Data Quality v
Geographic Coverage vi
1987 Length of Stay Hospital Characteristics viii

Organization of Length of Stay Tables ix

Patient Data Assignment
Definition of Multiple Diagnoses Patients
Definition of Operated Patients

Explanation of Statistics x

Application of Length of Stay Tables xi

Length of Stay Trends xii

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-398 4
Length of Stay Operation Groups 203
Summary of All Patients in Operation Groups 204
Operation Groups 501-764 205

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 271

Indexes 275

Diagnosis Index 277
Operation Index 299

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1987 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other sources are included in the 1987 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1987 LENGTH OF STAY BOOKS

Research Services
Linda Vanek, Product Manager
Jeanine DeLay, Assistant Director
James Chesney, Director

Development Services
Marion S. Morris, Senior Programmer Analyst
Joyce Beach, Senior Programmer Analyst

Operations
Lale A. Olson, Forms Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to Research Services staff: Carol Prevost, Research Associate, for her Length of Stay expertise, technical advice and patience; Roger Wroblewski, Statistician, for data analysis; Dorothy Kempter and Nancy Cauthen for reviewing the AIDS text; Rhonda Gregory and Kathy Lundquist for clerical and technical support.

Appreciation is extended to other individuals at CPHA: Robert Seeman, Senior Nosologist, for his explanation of coding issues and valuable assistance in producing the AIDS Supplement; John Hallfrisch, MD, Consultant, for his interpretation of clinical data; Robert Travis, Librarian, for meticulously checking the text through its many stages; and the staff of Operations, Client Services, and Word Processing.

INTRODUCTION

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

The regional volumes of the Length of Stay series are defined by four census regions as described in the map below.



Most data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These data enhance CPHA as a national health information center.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

1987 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	342	43	12.6
25-49	1,196	208	17.4
50-99	1,254	281	22.4
100-199	1,251	281	22.4
200-299	721	188	26.1
300-399	434	102	23.5
400-499	213	55	25.8
500+	306	70	22.9
Total	**5,717**	**1,228**	**21.5**
Region and Census Division			
Northeast	811	295	36.4
New England	241	111	46.1
Middle Atlantic	570	184	32.3
North Central	1,660	333	20.0
East North Central	878	267	30.4
West North Central	782	66	8.4
South	2,120	269	12.7
South Atlantic	814	142	17.4
East South Central	491	65	13.2
West South Central	815	62	7.6
West	1,126	331	29.4
Mountain	378	146	38.6
Pacific	748	185	24.7
Location			
Rural	2,691	549	20.4
Urban	3,026	679	22.4
Teaching Intensity			
Low	4,702	934	19.9
Medium	611	156	25.5
High	340	74	21.8
Unknown	64	64	100.0

The Pediatric book was compiled from the data of 1,119 hospitals. The Geriatric book was compiled from the data of 1,178 hospitals.

---

[1] Hospitals with average stay less than 30 days.

[2] 1986 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

ORGANIZATION OF LENGTH OF STAY TABLES

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnoses, operated or nonoperated status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnoses and age.

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1987, are reflected in the index at the back of the book.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. The principal procedure is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Diagnoses Patients

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. The Class 1 procedure may or may not relate to the principal diagnosis (Dx). Patients with only Class 2-4 procedures are considered nonoperated.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one UHDDS Class 1 procedure was present. These tables contain procedures which are either therapeutic to the principal Dx or the only procedure.

While most List B groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. These miscellaneous groups are included for informational purposes only.

List B tables which contain no significant Class 1 procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay. Several tables which, as of October 1987, contain a single low volume Class 1 procedure continue to be identified with a disclaimer.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

[2] UHDDS Classes of Procedures, *ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM); Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple Dx, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

LENGTH OF STAY TRENDS

The Length of Stay series sets the industry standard for normative patient stay data from short-term, nonfederal hospitals. First created with 1963-1964 PAS data, the series currently incorporates PAS as well as data from other sources, e.g., hospital associations. The 1987 Length of Stay series is based on over six million patient records, representing 21.5 percent of the short-term, nonfederal hospitals in the United States.

CPHA's annual publication of a reliable, extensive database allows for analysis of length of stay trends. The following table illustrates hospital stay data for the nine year period, 1979-1987.

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1987

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8

All Patients Except Newborn

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0

Source: 1979-1987 *Length of Stay by Diagnosis*, U.S. and Regions

For the total United States the average length of stay fell 13% during the nine year period, from 6.7 days in 1979 to 5.8 days in 1987. While the largest decrease occurred between 1983 and 1984, average stay appears to have levelled off since 1986. Regional variations have remained consistent; hospital stays are highest in the Northeast region and lowest in the West (1.8 day difference).

In the following table the length of stay for normal delivery (*ICD-9-CM* Code 650, List A group 270) is displayed for the five years between 1983 and 1987. This example illustrates the overall decline in length of stay, as well as the regional variations described above.

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1983-1987

	1983	1984	1985	1986	1987
U.S.	2.8	2.6	2.5	2.3	2.2
Northeast	3.1	3.0	2.9	2.8	2.7
North Central	3.1	2.9	2.7	2.5	2.4
South	2.7	2.6	2.5	2.4	2.3
West	2.0	1.9	1.9	1.8	1.7

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1983 for frequently performed surgeries in the United States.

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1983-1987

	1983	1984	1985	1986	1987
Appendectomy	5.3	5.1	4.8	4.7	4.6
Cervical Cesarean Section	5.8	5.6	5.3	5.0	4.8
Cholecystectomy	9.9	9.1	8.2	7.7	7.2
Transurethral Prostatectomy	9.3	8.2	7.1	6.5	6.1
Unilateral Repair of Inguinal Hernia	4.1	3.7	3.2	2.8	2.6
Vaginal Hysterectomy	6.7	6.3	5.8	5.2	4.8

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	366813	2.5	2	1	1	2	3	4	5	6
1-11 MOS	30615	3.3	7	1	1	3	4	6	8	13
1-5 YRS	52683	2.8	8	1	1	2	3	5	7	14
6-12 YRS	35290	3.4	31	1	1	2	4	6	9	30
13-19 YRS	75733	3.5	38	<1	1	2	3	6	10	35
B. Operated										
0-27 DYS	2064	4.9	67	1	1	3	4	9	15	59
1-11 MOS	10170	3.5	18	<1	1	2	4	7	10	21
1-5 YRS	26258	2.8	15	<1	<1	1	3	6	9	19
6-12 YRS	36799	2.8	15	<1	1	1	3	6	8	20
13-19 YRS	82757	2.7	7	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	252986	4.0	24	1	2	3	4	6	9	26
1-11 MOS	60280	4.3	18	1	1	3	5	8	11	21
1-5 YRS	93222	3.6	15	1	1	3	4	6	9	19
6-12 YRS	48707	4.8	62	1	1	3	5	9	15	52
13-19 YRS	91475	6.7	116	1	1	3	6	17	30	59
B. Operated										
0-27 DYS	11021	18.8	444	2	3	10	28	60	85	99+
1-11 MOS	13143	8.2	127	1	1	4	10	20	32	90
1-5 YRS	33197	5.3	74	<1	1	2	6	13	20	50
6-12 YRS	30796	5.2	69	1	1	2	6	12	20	45
13-19 YRS	80958	4.9	46	1	1	3	5	9	15	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	561134	2.8	10	1	1	2	3	4	5	12
B. Operated	158048	2.9	12	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. Not Operated	546670	4.5	42	1	1	3	5	7	12	38
B. Operated	169115	6.2	100	1	1	3	6	14	24	67
1. SINGLE DX	719182	2.8	10	1	1	2	3	5	6	14
2. MULTIPLE DX	715785	4.9	56	1	1	3	5	9	15	45
A. Not Operated	1107804	3.6	26	1	1	3	4	6	9	28
B. Operated	327163	4.6	60	<1	1	2	5	9	16	47
TOTAL										
0-27 DYS	632884	3.4	23	1	1	3	4	5	7	24
1-11 MOS	114208	4.4	30	1	1	3	5	8	12	29
1-5 YRS	205360	3.6	24	<1	1	2	4	7	10	24
6-12 YRS	151592	4.1	46	1	1	2	4	8	13	39
13-19 YRS	330923	4.5	56	1	1	3	4	8	15	43
GRAND TOTAL	**1434967**	**3.8**	**34**	**1**	**1**	**3**	**4**	**6**	**10**	**33**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	11219	3.1	10	1	1	2	3	5	8	16
1-11 MOS	30615	3.3	7	1	1	3	4	6	8	13
1-5 YRS	52683	2.8	8	1	1	2	3	5	7	14
6-12 YRS	35290	3.4	31	1	1	2	4	6	9	30
13-19 YRS	75733	3.5	38	< 1	1	2	3	6	10	35
B. Operated										
0-27 DYS	1884	4.2	30	1	1	3	4	8	12	29
1-11 MOS	10170	3.5	18	< 1	1	2	4	7	10	21
1-5 YRS	26258	2.8	15	< 1	< 1	1	3	6	9	19
6-12 YRS	36799	2.8	15	< 1	1	1	3	6	8	20
13-19 YRS	82757	2.7	7	< 1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11145	6.5	75	1	2	4	7	14	21	48
1-11 MOS	60280	4.3	18	1	1	3	5	8	11	21
1-5 YRS	93222	3.6	15	1	1	3	4	6	9	19
6-12 YRS	48707	4.8	62	1	1	3	5	9	15	52
13-19 YRS	91475	6.7	116	1	1	3	6	17	30	59
B. Operated										
0-27 DYS	2284	16.4	377	1	2	10	22	54	85	99 +
1-11 MOS	13143	8.2	127	1	1	4	10	20	32	90
1-5 YRS	33197	5.3	74	< 1	1	2	6	13	20	50
6-12 YRS	30796	5.2	69	1	1	2	6	12	20	45
13-19 YRS	80958	4.9	46	1	1	3	5	9	15	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205540	3.3	23	1	1	2	3	6	8	25
B. Operated	157868	2.8	11	< 1	1	2	3	6	8	16
2. MULTIPLE DX										
A. Not Operated	304829	4.9	57	1	1	3	5	9	16	44
B. Operated	160378	5.5	70	1	1	3	6	12	20	51
1. SINGLE DX	363408	3.1	18	< 1	1	2	3	6	8	21
2. MULTIPLE DX	465207	5.1	62	1	1	3	5	10	18	46
A. Not Operated	510369	4.3	44	1	1	3	4	8	13	40
B. Operated	318246	4.2	43	< 1	1	2	4	8	14	36
TOTAL										
0-27 DYS	26532	5.8	83	1	1	3	5	12	20	61
1-11 MOS	114208	4.4	30	1	1	3	5	8	12	29
1-5 YRS	205360	3.6	24	< 1	1	2	4	7	10	24
6-12 YRS	151592	4.1	46	1	1	2	4	8	13	39
13-19 YRS	330923	4.5	56	1	1	3	4	8	15	43
GRAND TOTAL	**828615**	**4.2**	**44**	**1**	**1**	**3**	**4**	**8**	**13**	**38**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	142	3.2	3	1	1	3	4	5	6	11
1-11 MOS	1160	3.4	6	1	1	3	4	6	8	14
1-5 YRS	1076	2.6	3	1	1	2	3	5	6	8
6-12 YRS	755	2.2	2	1	1	2	3	4	5	7
13-19 YRS	700	2.3	3	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	20	8.8	72	2	3	6	9	22	31	35
1-5 YRS	14	7.2	123	1	1	3	8	16	37	43
6-12 YRS	17	4.1	5	1	2	3	5	8	9	10
13-19 YRS	41	4.7	40	1	2	3	5	6	11	42
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	209	5.1	43	2	2	4	5	9	14	32
1-11 MOS	2849	3.9	11	1	2	3	4	6	9	17
1-5 YRS	3635	3.1	8	1	1	3	4	5	6	11
6-12 YRS	1184	2.7	3	1	1	2	3	5	6	9
13-19 YRS	951	2.7	4	1	1	2	3	5	6	11
B. Operated										
0-27 DYS	4	25.3	390	9	9	22	41	49	49	49
1-11 MOS	81	14.6	298	3	4	8	21	45	89	99 +
1-5 YRS	62	13.0	339	1	2	5	11	40	56	84
6-12 YRS	27	8.7	177	1	2	5	8	20	36	67
13-19 YRS	63	5.5	23	1	2	4	6	14	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3833	2.7	4	1	1	2	3	5	6	10
B. Operated	93	5.8	54	1	2	4	6	9	17	43
2. MULTIPLE DX										
A. Not Operated	8828	3.3	9	1	1	3	4	6	7	14
B. Operated	237	11.3	237	2	2	5	11	32	56	99 +
1. SINGLE DX	3926	2.8	6	1	1	2	3	5	6	1[illegible]
2. MULTIPLE DX	9065	3.5	17	1	1	3	4	6	8	17
A. Not Operated	12661	3.1	8	1	1	3	4	5	7	13
B. Operated	330	9.7	191	1	2	5	9	27	43	99 +
TOTAL										
0-27 DYS	356	4.6	36	1	2	3	5	8	12	34
1-11 MOS	4110	4.0	18	1	1	3	4	7	9	21
1-5 YRS	4787	3.1	12	1	1	3	4	5	6	12
6-12 YRS	1983	2.6	6	1	1	2	3	4	6	10
13-19 YRS	1755	2.7	6	1	1	2	3	5	6	12
GRAND TOTAL	**12991**	**3.3**	**13**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	7.2	73	1	1	3	11	22	22	22
1-5 YRS	14	3.8	5	1	2	3	4	6	9	10
6-12 YRS	4	3.0	5	1	1	2	4	6	6	6
13-19 YRS	10	7.7	10	3	3	7	10	12	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	4	4.8	23	1	1	4	8	11	11	11
6-12 YRS	0									
13-19 YRS	7	4.6	6	2	2	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	7.3	14	3	3	8	10	12	13	13
1-5 YRS	14	6.1	25	1	2	4	8	14	17	18
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	9	9.2	33	3	4	7	13	19	19	19
B. Operated										
0-27 DYS	0									
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	5	10.8	107	4	4	8	13	29	29	29
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	9	9.3	26	1	3	8	14	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	5.4	18	1	2	4	7	10	13	22
B. Operated	12	4.8	10	1	1	5	6	10	11	11
2. MULTIPLE DX										
A. Not Operated	32	7.1	25	1	2	6	9	15	18	19
B. Operated	16	10.1	4[illegible]	2	4	8	14	18	26	29
1. SINGLE DX	45	5.2	16	1	1	4	7	10	11	22
2. MULTIPLE DX	48	8.1	34	1	2	7	10	17	18	29
A. Not Operated	65	6.2	22	1	2	5	8	13	18	22
B. Operated	28	7.8	38	1	1	6	9	16	19	29
TOTAL										
0-27 DYS	0									
1-11 MOS	14	7.9	38	1	2	6	10	18	21	22
1-5 YRS	37	5.7	30	1	1	4	7	11	17	29
6-12 YRS	7	3.7	7	1	1	3	6	7	7	7
13-19 YRS	35	7.9	21	2	3	7	10	15	18	19
GRAND TOTAL	**93**	**6.7**	**27**	**1**	**2**	**6**	**9**	**14**	**18**	**26**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	7.3	50	2	2	5	12	17	17	17
6-12 YRS	2	6.5	13	4	4	6	9	9	9	9
13-19 YRS	3	5.3	10	3	3	4	8	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	4	8.5	58	1	1	8	15	16	16	16
1-5 YRS	15	3.2	7	< 1	1	2	4	8	9	9
6-12 YRS	6	7.8	67	1	1	6	9	22	23	23
13-19 YRS	3	4.7	6	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	5	17.8	175	2	2	15	25	38	38	38
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	15.0	91	4	4	20	21	21	21	21
B. Operated										
0-27 DYS	0									
1-11 MOS	2	13.5	313	1	1	13	26	26	26	26
1-5 YRS	5	14.6	305	1	1	11	22	44	44	44
6-12 YRS	2	11.5	61	6	6	11	17	17	17	17
13-19 YRS	1	45.0		45	45	45	45	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	6.4	24	2	2	4	9	14	17	17
B. Operated	28	5.1	28	1	1	3	7	13	17	23
2. MULTIPLE DX										
A. Not Operated	10	14.4	126	2	2	14	21	30	38	38
B. Operated	10	16.8	277	1	1	13	26	44	45	45
1. SINGLE DX	37	5.4	27	1	1	3	8	13	17	23
2. MULTIPLE DX	20	15.6	192	1	1	14	21	41	44	45
A. Not Operated	19	10.6	90	2	2	8	16	21	30	38
B. Operated	38	8.2	115	1	1	4	9	21	37	45
TOTAL										
0-27 DYS	0									
1-11 MOS	7	9.9	87	1	1	8	15	24	26	26
1-5 YRS	29	8.2	115	1	1	3	11	19	38	44
6-12 YRS	11	7.7	47	1	1	6	9	19	23	23
13-19 YRS	10	12.0	181	2	2	6	20	33	45	45
GRAND TOTAL	**57**	**9.0**	**106**	**1**	**1**	**4**	**13**	**21**	**34**	**45**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	17	4.2	28	1	2	3	4	7	18	24
1-5 YRS	141	2.4	2	1	1	2	3	4	6	7
6-12 YRS	184	2.3	2	1	1	2	3	4	5	7
13-19 YRS	137	2.7	2	1	1	3	3	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	19	1.1		< 1	< 1	1	1	2	2	2
6-12 YRS	63	1.0		1	1	1	1	1	1	2
13-19 YRS	35	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	59	3.2	3	1	1	3	4	6	7	10
1-5 YRS	460	2.8	3	1	1	2	3	5	6	10
6-12 YRS	510	2.6	3	1	1	2	3	4	6	7
13-19 YRS	331	3.1	16	1	1	3	4	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	30	1.4	1	1	1	1	1	3	4	4
6-12 YRS	57	1.5	1	1	1	1	1	3	4	6
13-19 YRS	22	1.8	1	1	1	1	2	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	480	2.5	3	1	1	2	3	4	5	8
B. Operated	117	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	1361	2.8	6	1	1	2	3	5	6	9
B. Operated	109	1.5	1	1	1	1	2	3	4	6
1. SINGLE DX	597	2.2	3	1	1	2	3	4	5	7
2. MULTIPLE DX	1470	2.7	6	1	1	2	3	5	6	8
A. Not Operated	1841	2.7	5	1	1	2	3	5	6	8
B. Operated	226	1.3	1	1	1	1	1	2	3	5
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	76	3.5	9	1	1	3	4	6	7	20
1-5 YRS	650	2.6	3	1	1	2	3	5	6	8
6-12 YRS	814	2.4	2	1	1	2	3	4	5	7
13-19 YRS	525	2.8	11	1	1	2	3	4	5	8
GRAND TOTAL	**2067**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**8**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	198	5.3	12	2	2	4	7	11	11	17
1-11 MOS	641	4.5	8	2	2	4	5	9	11	14
1-5 YRS	318	3.8	6	1	2	3	5	7	10	13
6-12 YRS	43	4.8	23	1	1	3	5	11	15	26
13-19 YRS	26	5.8	23	1	1	4	9	10	16	22
B. Operated										
0-27 DYS	5	12.0	142	4	4	6	18	32	32	32
1-11 MOS	13	7.2	30	2	2	6	8	16	20	21
1-5 YRS	6	18.0	168	3	3	15	33	34	34	34
6-12 YRS	3	9.7	4	8	8	9	11	12	12	12
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	250	5.9	18	2	2	4	8	11	14	21
1-11 MOS	1197	5.3	14	2	2	4	7	10	12	17
1-5 YRS	941	5.8	17	2	2	4	8	11	13	21
6-12 YRS	201	7.8	48	2	2	7	11	14	17	36
13-19 YRS	204	7.4	27	2	2	6	9	14	17	29
B. Operated										
0-27 DYS	15	9.6	24	3	4	11	13	14	19	21
1-11 MOS	91	15.4	258	3	4	10	17	34	52	87
1-5 YRS	86	13.8	111	3	4	11	18	31	40	83
6-12 YRS	36	15.3	196	3	5	12	18	29	41	79
13-19 YRS	55	16.1	200	3	4	13	19	35	43	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1226	4.5	9	1	2	4	5	9	11	15
B. Operated	27	10.7	88	2	3	8	14	30	33	34
2. MULTIPLE DX										
A. Not Operated	2793	5.8	20	2	2	4	8	11	13	21
B. Operated	283	14.7	182	3	4	11	17	31	41	84
1. SINGLE DX	1253	4.6	12	1	2	4	5	9	11	15
2. MULTIPLE DX	3076	6.7	41	2	2	5	9	12	16	33
A. Not Operated	4019	5.4	17	2	2	4	7	11	13	19
B. Operated	310	14.4	175	3	4	11	17	31	40	82
TOTAL										
0-27 DYS	468	5.8	18	2	2	4	8	11	14	21
1-11 MOS	1942	5.5	28	2	2	4	7	10	12	26
1-5 YRS	1351	5.9	27	1	2	4	7	11	15	30
6-12 YRS	283	8.3	70	1	2	7	11	15	19	46
13-19 YRS	285	9.0	72	2	2	7	11	17	22	42
GRAND TOTAL	**4329**	**6.1**	**33**	**2**	**2**	**4**	**8**	**11**	**14**	**30**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	27	8.1	24	2	3	7	12	14	17	21
1-11 MOS	357	6.2	17	1	2	6	8	11	13	22
1-5 YRS	187	5.9	15	1	2	6	8	10	11	16
6-12 YRS	48	6.3	20	1	2	6	8	11	13	27
13-19 YRS	62	5.7	11	2	2	5	8	11	12	13
B. Operated										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	5	8.2	17	2	2	10	11	12	12	12
1-5 YRS	15	5.4	34	< 1	1	4	6	11	21	24
6-12 YRS	7	6.3	37	< 1	< 1	5	9	16	18	18
13-19 YRS	9	19.7	254	2	4	13	26	45	55	55
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	25	10.0	28	3	5	10	14	16	21	23
1-11 MOS	269	7.3	24	2	2	7	10	12	15	30
1-5 YRS	201	8.4	37	2	3	8	11	14	17	31
6-12 YRS	76	7.0	20	2	2	6	10	12	16	22
13-19 YRS	126	6.1	14	2	2	5	9	11	14	19
B. Operated										
0-27 DYS	6	25.8	329	10	10	21	40	52	53	53
1-11 MOS	21	19.2	170	4	7	15	27	35	49	57
1-5 YRS	31	18.1	315	2	4	14	21	66	96	99 +
6-12 YRS	23	12.7	132	1	2	10	14	26	42	47
13-19 YRS	31	10.6	35	4	4	10	15	18	23	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	681	6.1	17	1	2	6	8	11	13	21
B. Operated	37	9.8	117	< 1	1	6	12	23	29	55
2. MULTIPLE DX										
A. Not Operated	697	7.5	26	2	2	7	10	13	16	25
B. Operated	112	15.5	185	2	4	11	19	39	53	99 +
1. SINGLE DX	718	6.3	22	1	2	6	8	11	13	24
2. MULTIPLE DX	809	8.6	56	2	3	7	11	15	20	49
A. Not Operated	1378	6.8	22	2	2	6	9	12	14	22
B. Operated	149	14.1	173	2	2	11	17	30	51	99 +
TOTAL										
0-27 DYS	59	10.9	80	3	3	8	14	21	27	52
1-11 MOS	652	7.1	30	2	2	6	9	12	15	29
1-5 YRS	434	7.9	56	2	2	7	10	14	17	58
6-12 YRS	154	7.6	41	1	2	6	10	14	19	39
13-19 YRS	228	7.1	33	2	2	6	10	13	17	27
GRAND TOTAL	**1527**	**7.5**	**41**	**2**	**2**	**6**	**10**	**13**	**16**	**36**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	267	3.8	3	2	2	3	4	6	7	11
1-11 MOS	1183	3.4	3	2	2	3	4	5	6	10
1-5 YRS	547	3.2	4	1	1	3	4	5	7	10
6-12 YRS	582	2.6	3	1	1	2	3	4	5	8
13-19 YRS	437	3.0	3	1	1	3	4	5	6	10
B. Operated										
0-27 DYS	8	5.3	13	1	1	4	8	11	11	11
1-11 MOS	21	5.0	6	2	2	4	6	9	11	12
1-5 YRS	5	5.6	33	1	1	3	9	15	15	15
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	166	4.6	8	2	2	4	5	9	10	16
1-11 MOS	799	4.2	6	2	2	4	5	7	10	13
1-5 YRS	358	4.0	11	1	2	3	4	7	10	14
6-12 YRS	263	3.3	6	1	1	3	4	5	7	11
13-19 YRS	237	3.8	8	1	1	3	4	7	10	14
B. Operated										
0-27 DYS	6	5.7	13	3	3	4	8	12	12	12
1-11 MOS	22	8.3	26	3	4	7	10	14	19	25
1-5 YRS	4	22.0	1202	4	4	5	40	74	74	74
6-12 YRS	7	9.6	45	3	3	9	11	21	23	23
13-19 YRS	6	8.7	33	4	4	6	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3016	3.2	3	1	1	3	4	5	6	10
B. Operated	36	5.0	10	1	2	4	6	10	12	15
2. MULTIPLE DX										
A. Not Operated	1823	4.0	8	1	2	3	5	7	10	14
B. Operated	45	9.4	123	3	3	6	11	15	23	74
1. SINGLE DX	3052	3.2	3	1	1	3	4	5	6	10
2. MULTIPLE DX	1368	4.2	11	1	2	3	5	7	10	15
A. Not Operated	4839	3.5	5	1	2	3	4	6	8	11
B. Operated	81	7.5	77	2	3	5	9	13	16	59
TOTAL										
0-27 DYS	447	4.1	6	2	2	3	4	7	10	14
1-11 MOS	2025	3.8	5	2	2	3	4	6	8	12
1-5 YRS	914	3.6	12	1	1	3	4	6	9	12
6-12 YRS	853	2.9	4	1	1	2	3	5	6	10
13-19 YRS	681	3.3	5	1	1	3	4	6	8	13
GRAND TOTAL	**4920**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	5.0	9	1	2	4	6	10	11	11
1-11 MOS	131	2.9	4	1	1	3	3	4	5	12
1-5 YRS	210	3.3	5	1	1	3	4	6	8	11
6-12 YRS	86	4.2	11	1	1	3	6	8	10	17
13-19 YRS	95	4.3	10	1	1	4	5	7	10	19
B. Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	3	14.7	254	4	4	7	26	33	33	33
6-12 YRS	6	21.2	1134	1	1	9	15	82	89	89
13-19 YRS	2	11.5	1	11	11	11	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	24	6.7	21	2	2	5	9	15	16	16
1-11 MOS	334	3.6	8	1	2	3	4	6	9	16
1-5 YRS	881	3.8	7	1	1	3	5	7	8	12
6-12 YRS	408	4.6	8	1	2	4	6	8	10	14
13-19 YRS	275	4.9	19	1	2	4	6	8	11	15
B. Operated										
0-27 DYS	3	12.0	7	10	10	11	14	15	15	15
1-11 MOS	10	6.4	24	< 1	1	5	6	15	17	17
1-5 YRS	28	18.7	557	2	3	9	16	56	85	86
6-12 YRS	20	19.4	440	3	4	10	25	55	67	78
13-19 YRS	24	7.4	37	1	1	6	9	15	19	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	535	3.6	7	1	1	3	4	7	8	14
B. Operated	13	15.5	556	1	3	7	13	44	81	89
2. MULTIPLE DX										
A. Not Operated	1922	4.1	10	1	2	3	5	8	9	15
B. Operated	85	14.0	325	2	3	8	14	35	57	86
1. SINGLE DX	548	3.9	22	1	1	3	4	7	9	17
2. MULTIPLE DX	2007	4.6	27	1	2	3	5	8	10	19
A. Not Operated	2457	4.0	9	1	1	3	5	7	9	15
B. Operated	98	14.2	350	1	3	8	14	34	58	88
TOTAL										
0-27 DYS	40	6.6	18	2	2	5	10	14	15	16
1-11 MOS	477	3.5	8	1	2	3	4	5	9	16
1-5 YRS	1122	4.1	26	1	1	3	5	7	9	20
6-12 YRS	520	5.3	46	1	1	4	6	9	11	32
13-19 YRS	396	4.9	18	1	2	4	6	9	12	17
GRAND TOTAL	**2555**	**4.4**	**26**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	19	3.6	5	< 1	1	3	4	7	8	8
6-12 YRS	59	3.5	5	1	1	3	5	7	7	10
13-19 YRS	78	4.1	6	1	1	4	6	8	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	3	2.7	8	1	1	1	5	6	6	6
13-19 YRS	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	4.0	11	2	2	2	5	10	11	11
1-5 YRS	17	4.7	12	1	2	4	6	9	13	15
6-12 YRS	50	3.4	3	1	2	3	4	5	7	9
13-19 YRS	111	4.6	9	1	2	4	6	8	10	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	8.5	13	6	6	8	11	11	11	11
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	10	7.8	33	1	1	8	10	16	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	3.8	5	1	1	3	5	7	8	10
B. Operated	8	3.6	11	1	1	2	5	9	11	11
2. MULTIPLE DX										
A. Not Operated	185	4.3	8	1	2	4	5	7	9	15
B. Operated	14	7.4	26	1	2	6	10	13	18	20
1. SINGLE DX	168	3.8	5	1	1	3	5	7	8	11
2. MULTIPLE DX	199	4.5	10	1	2	4	6	8	10	18
A. Not Operated	345	4.1	7	1	1	4	5	7	8	12
B. Operated	22	6.0	23	1	1	5	10	11	15	20
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	11	3.5	7	2	2	2	4	7	11	11
1-5 YRS	41	4.2	9	1	2	3	6	8	10	15
6-12 YRS	114	3.5	4	1	1	3	5	6	7	9
13-19 YRS	200	4.6	9	1	1	4	6	8	10	17
GRAND TOTAL	**367**	**4.2**	**8**	**1**	**1**	**4**	**6**	**7**	**9**	**14**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	64	3.0	2	1	1	3	4	5	5	7
6-12 YRS	96	2.9	3	1	1	2	4	5	6	9
13-19 YRS	549	3.5	4	1	2	3	4	6	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.5	5	5	5	6	8	8	8	8
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	7	3.1	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	4.8	7	2	2	4	7	8	8	8
1-5 YRS	172	3.8	5	1	2	3	5	7	8	11
6-12 YRS	227	3.4	3	1	1	3	4	6	7	9
13-19 YRS	1396	3.7	4	1	2	3	5	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	10	10.1	87	1	1	10	14	23	32	32
6-12 YRS	6	5.7	13	2	2	5	9	11	11	11
13-19 YRS	42	5.6	6	2	3	6	7	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	709	3.4	4	1	1	3	4	6	7	10
B. Operated	10	3.9	4	1	1	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	1801	3.6	4	1	2	3	5	6	7	11
B. Operated	59	6.4	22	2	2	6	8	11	13	30
1. SINGLE DX	719	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1860	3.7	5	1	2	3	5	6	8	11
A. Not Operated	2510	3.6	4	1	2	3	4	6	7	10
B. Operated	69	6.0	20	2	2	6	8	11	12	29
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	5.0	6	2	2	5	7	8	8	8
1-5 YRS	248	3.9	9	1	2	3	5	7	8	14
6-12 YRS	330	3.3	3	1	1	3	4	6	7	9
13-19 YRS	1994	3.7	4	1	2	3	5	6	7	11
GRAND TOTAL	**2579**	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**8**	**11**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	16	2.3	7	< 1	< 1	1	2	7	9	10
6-12 YRS	11	1.1		< 1	< 1	< 1	< 1	1	2	2
13-19 YRS	62	1.5	2	< 1	< 1	< 1	1	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	3.3	4	1	1	4	5	5	5	5
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	8	4.0	20	1	1	2	6	12	13	13
6-12 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
13-19 YRS	31	2.5	9	< 1	< 1	1	2	7	11	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.3	7	1	1	2	5	7	7	7
B. Operated	90	1.6	2	< 1	< 1	< 1	1	3	5	9
2. MULTIPLE DX										
A. Not Operated	8	3.3	7	1	1	2	4	8	9	9
B. Operated	42	3.2	18	< 1	< 1	1	3	10	13	20
1. SINGLE DX	94	1.7	3	< 1	< 1	< 1	1	3	5	9
2. MULTIPLE DX	50	3.2	16	< 1	< 1	2	3	9	13	20
A. Not Operated	12	3.3	7	1	1	2	4	8	9	9
B. Operated	132	2.1	8	< 1	< 1	1	2	4	9	14
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	11.0	162	2	2	11	20	20	20	20
1-5 YRS	29	3.0	10	< 1	< 1	1	4	8	10	13
6-12 YRS	14	1.9	5	< 1	< 1	< 1	1	4	8	9
13-19 YRS	98	1.9	4	< 1	< 1	1	2	4	5	12
GRAND TOTAL	**144**	**2.2**	**8**	**<1**	**<1**	**1**	**2**	**5**	**9**	**14**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	810	3.1	1	1	2	3	4	4	5	7
1-11 MOS	2142	2.9	2	1	1	3	3	4	5	6
1-5 YRS	816	2.5	8	1	1	2	3	4	5	11
6-12 YRS	464	2.4	3	1	1	2	3	4	5	11
13-19 YRS	417	2.5	2	< 1	1	2	3	5	5	8
B. Operated										
0-27 DYS	21	4.0	8	2	2	3	4	7	11	14
1-11 MOS	39	3.6	4	1	2	3	5	7	9	99 +
1-5 YRS	23	2.5	7	< 1	< 1	1	3	5	9	12
6-12 YRS	18	3.2	7	< 1	< 1	3	3	6	10	12
13-19 YRS	27	4.0	14	< 1	1	3	5	9	11	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	571	3.7	5	2	2	3	4	6	7	13
1-11 MOS	2308	3.3	8	1	2	3	4	5	7	13
1-5 YRS	1866	3.1	8	1	1	2	4	5	7	14
6-12 YRS	887	3.1	20	1	1	2	3	5	7	18
13-19 YRS	784	3.0	13	1	1	2	3	5	7	12
B. Operated										
0-27 DYS	17	6.6	125	2	2	3	5	38	80	99 +
1-11 MOS	63	13.1	324	2	2	6	18	32	63	99 +
1-5 YRS	74	13.1	275	1	2	6	19	54	64	99 +
6-12 YRS	42	11.2	297	< 1	1	5	10	28	55	83
13-19 YRS	39	7.1	75	1	1	4	7	27	33	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4649	2.8	3	1	1	3	3	4	5	8
B. Operated	128	3.5	8	< 1	1	3	4	7	10	35
2. MULTIPLE DX										
A. Not Operated	6416	3.2	10	1	1	3	4	5	7	13
B. Operated	235	11.3	251	1	2	5	13	35	60	99 +
1. SINGLE DX	4777	2.8	3	1	1	3	3	4	5	8
2. MULTIPLE DX	6651	3.5	21	1	1	3	4	5	7	23
A. Not Operated	11065	3.0	7	1	1	3	4	5	6	11
B. Operated	363	8.6	179	1	1	4	8	25	49	99 +
TOTAL										
0-27 DYS	1419	3.4	5	1	2	3	4	5	6	10
1-11 MOS	4552	3.3	11	1	1	3	4	5	6	13
1-5 YRS	2779	3.2	18	1	1	2	3	5	7	21
6-12 YRS	1411	3.1	24	1	1	2	3	5	7	20
13-19 YRS	1267	3.0	12	1	1	2	3	5	6	14
GRAND TOTAL	**11428**	**3.2**	**14**	**1**	**1**	**3**	**4**	**5**	**6**	**14**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	40	4.1	8	1	1	3	5	7	11	14
6-12 YRS	39	5.0	14	1	1	4	7	11	13	14
13-19 YRS	30	4.8	14	1	2	3	7	10	14	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	7.0	29	1	1	5	12	14	14	14
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	27	3.7	7	1	1	3	5	7	10	11
6-12 YRS	36	6.8	47	1	2	4	10	14	17	38
13-19 YRS	29	4.7	13	1	1	4	6	10	11	15
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	9.7	14	7	7	8	12	14	14	14
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	4.6	12	1	2	4	6	10	12	15
B. Operated	7	6.1	21	1	2	4	9	13	14	14
2. MULTIPLE DX										
A. Not Operated	95	5.2	25	1	1	4	6	11	13	29
B. Operated	6	8.5	16	3	3	8	12	14	14	14
1. SINGLE DX	116	4.7	12	1	2	4	6	11	13	15
2. MULTIPLE DX	101	5.4	25	1	1	4	7	11	14	28
A. Not Operated	204	4.9	18	1	2	4	6	11	12	17
B. Operated	13	7.2	19	1	3	7	11	14	14	14
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	3.7	4	2	2	3	5	6	6	6
1-5 YRS	75	4.4	10	1	1	4	5	10	11	14
6-12 YRS	78	5.9	30	1	2	4	9	12	14	32
13-19 YRS	60	4.8	13	1	1	4	7	10	13	15
GRAND TOTAL	**217**	**5.0**	**18**	**1**	**2**	**4**	**6**	**11**	**14**	**16**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	27	7.5	10	3	3	7	10	11	12	15
1-11 MOS	13	9.1	4	4	6	10	10	11	11	11
1-5 YRS	9	4.6	8	1	1	4	7	8	9	9
6-12 YRS	9	5.3	20	2	2	4	6	13	16	16
13-19 YRS	171	4.8	7	2	2	4	6	8	10	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	4.8	9	1	1	5	7	8	8	8
6-12 YRS	0									
13-19 YRS	16	4.8	20	< 1	1	3	6	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	9.8	38	3	4	8	11	20	25	26
1-11 MOS	9	7.7	23	2	2	8	11	14	16	16
1-5 YRS	19	6.0	25	< 1	1	4	9	14	17	19
6-12 YRS	9	7.2	24	2	3	5	10	15	17	17
13-19 YRS	221	5.9	23	2	2	5	7	10	13	21
B. Operated										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	4	15.8	227	6	6	9	25	38	38	38
1-5 YRS	0									
6-12 YRS	2	17.5	481	2	2	17	33	33	33	33
13-19 YRS	32	6.4	22	< 1	1	6	8	14	16	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	5.4	9	2	2	5	7	10	11	16
B. Operated	20	4.8	17	< 1	1	4	7	11	14	15
2. MULTIPLE DX										
A. Not Operated	271	6.2	24	2	2	5	8	11	14	23
B. Operated	39	8.5	72	< 1	1	6	10	18	31	38
1. SINGLE DX	249	5.3	10	2	2	4	7	10	11	16
2. MULTIPLE DX	310	6.5	31	1	2	5	8	12	14	30
A. Not Operated	500	5.8	17	2	2	5	7	10	12	19
B. Operated	59	7.2	56	< 1	1	5	8	15	24	38
TOTAL										
0-27 DYS	41	8.8	29	3	4	7	10	13	22	28
1-11 MOS	26	9.6	44	3	3	9	11	12	20	38
1-5 YRS	32	5.4	18	1	1	4	7	11	15	19
6-12 YRS	20	7.4	56	2	2	5	9	16	25	33
13-19 YRS	440	5.5	17	1	2	5	7	10	12	19
GRAND TOTAL	**559**	**6.0**	**22**	**1**	**2**	**5**	**7**	**11**	**13**	**24**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	5.3	26	1	1	4	9	11	11	11
1-11 MOS	10	3.7	7	1	1	3	5	8	10	10
1-5 YRS	9	4.3	11	2	2	4	5	10	12	12
6-12 YRS	12	4.1	12	1	1	3	6	10	11	11
13-19 YRS	7	5.4	20	< 1	< 1	5	7	13	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	2	7.0		7	7	7	7	7	7	7
1-5 YRS	0									
6-12 YRS	7	6.7	23	2	2	5	9	15	16	16
13-19 YRS	5	12.6	171	2	2	9	18	35	35	35
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	5.9	35	1	1	3	11	15	15	15
1-11 MOS	43	3.9	9	1	1	3	4	9	11	14
1-5 YRS	37	7.7	99	1	1	4	8	18	37	41
6-12 YRS	22	4.2	11	< 1	< 1	3	6	10	11	11
13-19 YRS	29	5.1	16	< 1	< 1	4	7	11	15	15
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	29.8	681	9	9	24	37	75	75	75
1-5 YRS	9	25.6	704	5	6	17	29	72	87	87
6-12 YRS	12	25.7	309	2	5	21	43	50	53	54
13-19 YRS	12	19.2	221	3	4	17	26	43	51	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	4.4	12	1	1	3	5	10	12	14
B. Operated	14	8.9	72	2	2	6	10	18	31	35
2. MULTIPLE DX										
A. Not Operated	140	5.3	38	< 1	1	3	6	12	15	41
B. Operated	39	23.6	397	3	4	18	28	51	66	87
1. SINGLE DX	55	5.5	30	1	1	4	7	11	14	34
2. MULTIPLE DX	179	9.3	172	1	1	4	11	23	40	69
A. Not Operated	181	5.1	32	< 1	1	3	6	11	14	37
B. Operated	53	19.7	351	2	4	13	25	48	54	87
TOTAL										
0-27 DYS	13	5.6	28	1	1	4	10	15	15	15
1-11 MOS	60	6.1	106	1	1	3	6	11	20	70
1-5 YRS	55	10.1	221	1	2	5	12	23	41	85
6-12 YRS	53	9.4	155	< 1	1	4	11	26	46	54
13-19 YRS	53	9.0	106	< 1	1	5	12	20	34	52
GRAND TOTAL	**234**	**8.4**	**141**	**1**	**1**	**4**	**10**	**18**	**34**	**57**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	3.6	8	1	1	3	6	7	7	7
6-12 YRS	3	2.3	1	1	1	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	3.6	1	2	2	4	4	5	5	5
13-19 YRS	7	7.9	145	2	2	3	5	29	35	35
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	2.8	4	< 1	< 1	2	4	6	6	6
6-12 YRS	8	2.9	3	1	1	3	4	5	5	5
13-19 YRS	8	5.1	15	2	2	4	6	12	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	4.3	7	2	2	4	6	7	7	7
6-12 YRS	8	4.9	16	1	1	3	6	12	13	13
13-19 YRS	5	14.8	564	2	2	3	21	57	57	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.1	5	1	1	3	5	7	7	7
B. Operated	17	5.4	59	2	2	3	4	6	25	35
2. MULTIPLE DX										
A. Not Operated	25	3.6	8	< 1	1	3	4	6	9	14
B. Operated	17	7.6	172	1	2	3	7	12	42	57
1. SINGLE DX	25	4.6	42	1	1	3	4	6	14	35
2. MULTIPLE DX	42	5.2	76	1	1	3	5	9	13	57
A. Not Operated	33	3.5	7	1	1	3	4	6	7	14
B. Operated	34	6.5	114	2	2	3	5	10	31	57
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	18	3.3	6	< 1	1	3	6	7	7	7
6-12 YRS	29	3.6	6	1	1	3	4	5	9	13
13-19 YRS	20	8.5	185	2	2	3	6	24	46	57
GRAND TOTAL	**67**	**5.0**	**63**	**1**	**1**	**3**	**5**	**7**	**13**	**53**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	3.4	10	1	1	2	3	9	10	10
1-5 YRS	7	3.0	3	1	1	3	4	5	5	5
6-12 YRS	11	8.4	118	2	2	4	7	30	32	32
13-19 YRS	11	3.7	12	2	2	3	4	8	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	31.3	485	10	10	30	48	54	54	54
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	17	5.1	17	1	2	3	7	11	15	17
1-5 YRS	44	5.5	54	1	2	4	6	10	14	48
6-12 YRS	25	6.1	15	1	2	5	8	12	14	16
13-19 YRS	35	5.6	18	2	2	4	7	12	13	22
B. Operated										
0-27 DYS	0									
1-11 MOS	6	20.5	386	3	3	17	26	52	55	55
1-5 YRS	6	46.3	1193	9	10	61	87	98	99+	99+
6-12 YRS	10	9.8	41	2	3	8	13	19	25	25
13-19 YRS	11	14.5	126	3	4	12	22	59	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	4.7	41	1	1	3	4	9	20	32
B. Operated	7	15.4	385	1	1	6	25	49	54	54
2. MULTIPLE DX										
A. Not Operated	121	5.6	30	1	2	4	7	12	14	30
B. Operated	33	19.9	471	3	4	13	25	77	98	99+
1. SINGLE DX	48	6.3	98	1	1	3	5	13	30	54
2. MULTIPLE DX	154	8.7	157	1	2	5	9	17	37	99
A. Not Operated	162	5.4	32	1	2	4	6	11	14	32
B. Operated	40	19.2	448	2	3	11	25	66	94	99+
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	34	7.3	109	1	2	3	7	18	26	55
1-5 YRS	60	10.6	335	1	1	4	9	37	68	99
6-12 YRS	47	7.4	44	1	2	5	8	14	25	32
13-19 YRS	60	6.8	48	2	2	4	8	15	23	94
GRAND TOTAL	**202**	**8.1**	**143**	**1**	**2**	**4**	**8**	**17**	**31**	**95**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	12.0	2	11	11	12	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	2	12.0	2	11	11	12	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	3	4.0	3	3	3	3	5	6	6	6
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	3	9.0	28	3	3	11	12	13	13	13
2. MULTIPLE DX	4	3.3	4	1	1	3	5	6	6	6
A. Not Operated	4	3.8	2	3	3	3	5	6	6	6
B. Operated	3	8.3	41	1	1	11	12	13	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	6.6	25	3	3	3	11	13	13	13
GRAND TOTAL	**7**	**5.7**	**21**	**1**	**1**	**3**	**10**	**13**	**13**	**13**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	0									
6-12 YRS	7	6.9	16	3	3	6	8	14	15	15
13-19 YRS	7	3.1	16	<1	<1	2	3	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	15	10.1	100	<1	<1	6	12	31	32	32
6-12 YRS	6	3.0	2	1	1	4	4	4	4	4
13-19 YRS	6	8.5	20	3	3	8	12	15	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	1	23.0		23	23	23	23	23	23	23
1-5 YRS	9	18.7	527	2	3	12	26	88	99+	99+
6-12 YRS	7	3.7	13	1	1	2	5	10	11	11
13-19 YRS	14	9.0	122	1	1	5	10	25	37	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	15	5.3	18	<1	<1	4	8	12	14	15
2. MULTIPLE DX										
A. Not Operated	27	8.2	66	<1	1	6	9	20	31	32
B. Operated	31	11.1	233	1	1	6	13	30	73	99+
1. SINGLE DX	16	5.3	17	<1	<1	4	7	12	14	15
2. MULTIPLE DX	58	9.7	155	1	1	6	12	25	37	98
A. Not Operated	28	8.1	64	<1	1	5	9	19	31	32
B. Operated	46	9.2	168	1	1	5	12	23	46	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	2	16.0	98	9	9	16	23	23	23	23
1-5 YRS	25	13.0	254	<1	2	8	16	32	82	99+
6-12 YRS	20	4.6	13	1	1	4	6	9	13	15
13-19 YRS	27	7.4	75	<1	1	5	10	15	26	41
GRAND TOTAL	**74**	**8.8**	**128**	**<1**	**1**	**5**	**11**	**23**	**32**	**94**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX	0									
2. MULTIPLE DX	1	10.0		10	10	10	10	10	10	10
A. Not Operated	0									
B. Operated	1	10.0		10	10	10	10	10	10	10
TOTAL										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	27.5	61	22	22	27	33	33	33	33
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	8.0		8	8	8	8	8	8	8
B. Operated	4	18.3	134	9	9	16	27	33	33	33
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	5	16.2	122	8	8	9	25	33	33	33
A. Not Operated	2	4.5	25	1	1	4	8	8	8	8
B. Operated	4	18.3	134	9	9	16	27	33	33	33
TOTAL										
0-27 DYS	0									
1-11 MOS	2	27.5	61	22	22	27	33	33	33	33
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	6.8	15	1	1	8	9	9	9	9
GRAND TOTAL	**6**	**13.7**	**136**	**1**	**2**	**9**	**22**	**32**	**33**	**33**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	16.0		16	16	16	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	16.0		16	16	16	16	16	16	16
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	1	16.0		16	16	16	16	16	16	16
A. Not Operated	0									
B. Operated	2	10.5	61	5	5	10	16	16	16	16
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**2**	**10.5**	**61**	**5**	**5**	**10**	**16**	**16**	**16**	**16**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	9.0	4	7	7	9	10	11	11	11
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	0									
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	2	11.0		11	11	11	11	11	11	11
1-5 YRS	2	13.5	41	9	9	13	18	18	18	18
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	17.5	1	17	17	17	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	7.5	12	3	3	8	10	11	11	11
2. MULTIPLE DX										
A. Not Operated	3	7.7	37	1	1	9	12	13	13	13
B. Operated	7	12.4	31	3	4	11	18	18	18	18
1. SINGLE DX	4	7.5	12	3	3	8	10	11	11	11
2. MULTIPLE DX	10	11.0	34	1	2	11	17	18	18	18
A. Not Operated	3	7.7	37	1	1	9	12	13	13	13
B. Operated	11	10.6	28	3	3	11	16	18	18	18
TOTAL										
0-27 DYS	0									
1-11 MOS	2	11.0		11	11	11	11	11	11	11
1-5 YRS	3	13.3	20	9	9	13	17	18	18	18
6-12 YRS	4	7.5	12	3	3	8	10	11	11	11
13-19 YRS	5	9.6	61	1	1	9	17	18	18	18
GRAND TOTAL	**14**	**10.0**	**29**	**1**	**3**	**10**	**13**	**18**	**18**	**18**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	16.0	32	12	12	16	20	20	20	20
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	4	16.3	164	8	8	11	24	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	2	6.0		6	6	6	6	6	6	6
B. Operated	9	14.0	83	5	6	12	16	29	35	35
1. SINGLE DX	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX	11	12.5	76	5	5	9	15	26	34	35
A. Not Operated	2	6.0		6	6	6	6	6	6	6
B. Operated	10	13.6	75	5	6	11	15	27	35	35
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	12.7	49	6	6	12	18	20	20	20
1-5 YRS	2	10.5	41	6	6	10	15	15	15	15
6-12 YRS	2	7.5	13	5	5	7	10	10	10	10
13-19 YRS	4	16.3	164	8	8	11	24	35	35	35
GRAND TOTAL	**12**	**12.3**	**70**	**5**	**6**	**9**	**14**	**24**	**33**	**35**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	2.6	3	1	1	2	4	5	7	7
6-12 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	11	9.5	15	4	5	9	13	15	16	16
1-5 YRS	21	8.6	75	1	2	7	9	16	30	41
6-12 YRS	9	9.6	50	2	3	8	12	21	25	25
13-19 YRS	5	6.8	17	3	3	7	9	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	11.8	82	1	1	12	19	23	23	23
1-5 YRS	21	6.9	52	1	1	5	8	14	23	33
6-12 YRS	15	4.0	7	< 1	< 1	3	7	8	8	8
13-19 YRS	10	4.3	11	1	1	4	7	9	11	11
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	20.8	504	2	4	11	26	60	71	71
1-5 YRS	29	13.9	42	6	7	12	19	24	28	99 +
6-12 YRS	13	17.8	232	6	7	12	34	59	91	99 +
13-19 YRS	12	21.3	269	2	4	19	30	47	54	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.4	3	< 1	1	2	3	4	6	7
B. Operated	47	8.9	47	2	3	7	11	16	22	41
2. MULTIPLE DX										
A. Not Operated	51	6.0	37	< 1	1	5	7	13	18	33
B. Operated	63	16.9	180	5	6	12	22	40	59	99 +
1. SINGLE DX	63	7.3	44	1	1	6	9	14	18	39
2. MULTIPLE DX	114	12.0	144	1	2	8	17	29	42	99 +
A. Not Operated	67	5.2	31	< 1	1	4	7	12	15	31
B. Operated	110	13.5	138	3	4	10	17	30	43	99 +
TOTAL										
0-27 DYS	2	10.5	13	8	8	10	13	13	13	13
1-11 MOS	24	13.8	201	2	4	10	15	24	45	71
1-5 YRS	82	9.2	61	1	2	7	13	21	26	80
6-12 YRS	40	9.6	123	< 1	1	7	11	29	47	99 +
13-19 YRS	29	11.6	181	1	1	5	18	30	44	55
GRAND TOTAL	**177**	**10.3**	**113**	**1**	**2**	**7**	**13**	**24**	**34**	**91**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	7.5	13	5	5	7	10	10	10	10
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	5.3	9	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	3	6.7	8	5	5	5	9	10	10	10
B. Operated	3	8.3	42	2	2	8	13	15	15	15
1. SINGLE DX	3	5.3	9	2	2	6	7	8	8	8
2. MULTIPLE DX	6	7.5	21	2	2	7	10	14	15	15
A. Not Operated	3	6.7	8	5	5	5	9	10	10	10
B. Operated	6	6.8	23	2	2	7	8	14	15	15
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	6.3	12	2	2	6	9	10	10	10
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	8.5	20	5	5	7	11	15	15	15
GRAND TOTAL	**9**	**6.8**	**17**	**2**	**2**	**6**	**9**	**13**	**15**	**15**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	6	8.0	7	5	5	7	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	7.3	25	3	3	6	11	14	14	14
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	4	3.0	3	1	1	3	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	5	18.8	148	4	4	21	27	35	35	35
1-5 YRS	0									
6-12 YRS	5	6.6	15	1	1	7	9	11	11	11
13-19 YRS	2	17.0	18	14	14	17	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	8.3	6	5	5	8	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	12	4.3	13	1	1	3	5	10	13	14
B. Operated	12	13.4	97	1	3	10	20	27	34	35
1. SINGLE DX	8	8.3	6	5	5	8	10	12	12	12
2. MULTIPLE DX	24	8.8	75	1	2	5	12	21	27	35
A. Not Operated	12	4.3	13	1	1	3	5	10	13	14
B. Operated	20	11.4	65	2	4	9	13	22	29	35
TOTAL										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	9	13.7	120	3	3	10	22	31	35	35
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	8	5.8	12	1	1	6	8	10	11	11
13-19 YRS	12	7.8	29	1	2	6	11	16	19	20
GRAND TOTAL	**32**	**8.7**	**57**	**1**	**2**	**7**	**11**	**20**	**24**	**35**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	5.3		5	5	5	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	6	8.3	16	4	4	7	12	14	14	14
1-5 YRS	11	5.8	22	1	1	5	8	13	16	16
6-12 YRS	8	4.9	12	1	1	4	8	9	9	9
13-19 YRS	11	7.7	16	1	3	7	10	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	7	8.9	90	1	1	3	15	23	25	25
6-12 YRS	8	12.8	290	2	2	5	18	43	49	49
13-19 YRS	6	6.3	65	1	1	3	7	20	22	22
B. Operated										
0-27 DYS	0									
1-11 MOS	8	11.3	57	4	4	10	14	24	27	27
1-5 YRS	8	10.4	32	1	2	13	14	15	16	16
6-12 YRS	7	7.1	48	2	2	4	8	19	22	22
13-19 YRS	10	11.4	136	2	2	8	12	30	41	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.3	2	2	2	5	5	6	6	6
B. Operated	36	6.6	17	1	1	6	9	13	15	16
2. MULTIPLE DX										
A. Not Operated	23	9.2	140	1	1	5	13	26	35	49
B. Operated	33	10.2	70	2	3	9	14	20	26	41
1. SINGLE DX	43	6.2	16	1	1	5	9	12	14	16
2. MULTIPLE DX	56	9.8	97	1	2	6	14	22	28	49
A. Not Operated	30	8.1	111	1	1	5	7	23	28	49
B. Operated	69	8.3	45	1	2	7	11	15	20	38
TOTAL										
0-27 DYS	0									
1-11 MOS	17	8.9	38	3	4	7	12	16	23	27
1-5 YRS	28	7.7	42	1	1	6	14	16	17	25
6-12 YRS	24	8.2	116	1	2	5	9	23	34	49
13-19 YRS	30	8.4	64	1	2	6	10	17	22	41
GRAND TOTAL	**99**	**8.3**	**64**	**1**	**1**	**6**	**11**	**16**	**24**	**45**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	6.0	1	5	5	6	7	7	7	7
1-5 YRS	18	2.4	4	1	1	2	3	6	7	7
6-12 YRS	39	4.1	5	1	2	4	5	8	9	10
13-19 YRS	67	3.3	8	< 1	1	3	4	6	9	16
B. Operated										
0-27 DYS	0									
1-11 MOS	15	4.9	14	< 1	1	4	8	9	12	13
1-5 YRS	54	6.6	90	1	1	4	7	14	18	59
6-12 YRS	94	7.2	48	1	1	5	9	14	18	38
13-19 YRS	164	5.1	15	1	1	4	7	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	11	6.5	44	< 1	< 1	4	9	18	19	19
1-5 YRS	35	5.9	20	1	1	5	10	11	12	19
6-12 YRS	90	5.0	31	< 1	1	4	5	11	15	32
13-19 YRS	135	3.8	11	1	1	3	5	7	9	18
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	11	11.3	76	4	4	8	14	25	32	33
1-5 YRS	44	9.2	63	2	3	8	11	16	24	43
6-12 YRS	43	11.0	102	2	3	8	13	19	29	55
13-19 YRS	102	10.1	68	2	2	8	14	23	31	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	3.5	7	1	1	3	4	7	8	15
B. Operated	327	5.9	38	1	1	4	8	12	16	34
2. MULTIPLE DX										
A. Not Operated	272	4.6	21	1	1	3	5	10	12	25
B. Operated	201	10.2	73	2	3	8	12	20	31	49
1. SINGLE DX	455	5.3	30	1	1	4	6	11	14	32
2. MULTIPLE DX	473	7.0	51	1	1	5	9	16	20	38
A. Not Operated	400	4.2	17	1	1	3	5	9	11	21
B. Operated	528	7.6	55	1	1	5	9	16	20	41
TOTAL										
0-27 DYS	3	6.7	6	4	4	7	8	9	9	9
1-11 MOS	40	7.2	43	< 1	1	6	9	16	19	33
1-5 YRS	151	6.7	59	1	1	5	9	12	19	43
6-12 YRS	266	6.6	49	1	1	4	8	13	19	40
13-19 YRS	468	5.6	31	1	1	4	7	12	17	32
GRAND TOTAL	**928**	**6.1**	**41**	**1**	**1**	**4**	**8**	**12**	**18**	**35**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	7	3.6	6	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	4.3	16	1	1	3	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	9	3.0	6	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	1	8.0		8	8	8	8	8	8	8
B. Operated	6	4.3	9	1	1	4	5	9	10	10
1. SINGLE DX	9	3.0	6	1	1	2	5	7	7	7
2. MULTIPLE DX	7	4.9	10	1	1	4	7	10	10	10
A. Not Operated	1	8.0		8	8	8	8	8	8	8
B. Operated	15	3.5	7	1	1	3	5	7	9	10
TOTAL										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	4.3	12	1	1	4	7	8	8	8
13-19 YRS	11	3.8	8	1	1	3	6	8	10	10
GRAND TOTAL	**16**	**3.8**	**8**	**1**	**1**	**3**	**6**	**8**	**9**	**10**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.0	50	1	1	6	11	11	11	11
6-12 YRS	4	1.0		1	1	1	1	1	1	1
13-19 YRS	5	5.6	18	1	1	5	8	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	0									
13-19 YRS	6	6.0	1	5	5	6	6	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	7.0	50	2	2	7	12	12	12	12
1-5 YRS	3	4.7	40	1	1	1	9	12	12	12
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	10.0	58	2	2	9	13	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	4.0	18	1	1	1	6	11	12	12
2. MULTIPLE DX										
A. Not Operated	7	6.7	5	5	5	6	8	10	11	11
B. Operated	12	7.5	46	1	1	5	12	16	22	23
1. SINGLE DX	11	4.0	18	1	1	1	6	11	12	12
2. MULTIPLE DX	19	7.2	30	1	1	6	11	13	18	23
A. Not Operated	7	6.7	5	5	5	6	8	10	11	11
B. Operated	23	5.8	35	1	1	3	11	12	16	23
TOTAL										
0-27 DYS	0									
1-11 MOS	2	7.0	50	2	2	7	12	12	12	12
1-5 YRS	6	6.2	32	1	1	6	11	12	12	12
6-12 YRS	5	1.2		1	1	1	2	2	2	2
13-19 YRS	17	7.3	27	1	2	6	9	13	19	23
GRAND TOTAL	**30**	**6.0**	**27**	**1**	**1**	**5**	**11**	**12**	**13**	**23**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	5	3.2	3	1	1	3	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.0	18	<1	<1	3	7	7	7	7
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	4	9.8	13	7	7	8	12	15	15	15
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	9.0	50	4	4	9	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	2.7	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	4	2.5	9	<1	<1	1	4	7	7	7
B. Operated	11	7.0	17	3	3	5	9	14	15	15
1. SINGLE DX	7	2.7	3	1	1	2	4	5	5	5
2. MULTIPLE DX	15	5.8	19	<1	1	4	8	14	15	15
A. Not Operated	4	2.5	9	<1	<1	1	4	7	7	7
B. Operated	18	5.3	16	1	1	4	7	12	15	15
TOTAL										
0-27 DYS	4	4.0	6	<1	<1	4	6	7	7	7
1-11 MOS	9	6.1	18	1	1	5	8	13	15	15
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	6	3.8	26	1	1	2	4	13	14	14
GRAND TOTAL	**22**	**4.8**	**15**	**<1**	**1**	**4**	**7**	**10**	**14**	**15**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	2	1.5	1	1	1	1	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.7		1	1	2	2	2	2	2
GRAND TOTAL	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	4	2.0	4	< 1	< 1	< 1	3	5	5	5
2. MULTIPLE DX	1	9.0		9	9	9	9	9	9	9
A. Not Operated	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	2	7.0	8	5	5	7	9	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**5**	**3.4**	**13**	**<1**	**<1**	**<1**	**6**	**9**	**9**	**9**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	3.8	4	1	1	4	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	8	7.6	55	1	2	5	8	20	25	25
13-19 YRS	17	6.2	7	3	4	6	8	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	3	6.7	2	5	5	7	8	8	8	8
13-19 YRS	26	2.7	4	< 1	1	1	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	4	9.5	36	4	4	8	13	18	18	18
6-12 YRS	6	9.2	3	7	7	9	11	11	11	11
13-19 YRS	22	8.2	39	3	4	7	8	15	24	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.8	4	1	1	4	5	5	5	5
B. Operated	27	6.6	21	1	3	5	8	10	15	25
2. MULTIPLE DX										
A. Not Operated	31	3.1	5	1	1	4	4	6	8	9
B. Operated	33	8.5	30	3	4	8	9	15	19	31
1. SINGLE DX	31	6.2	20	1	2	5	8	10	13	25
2. MULTIPLE DX	64	5.9	25	1	1	5	8	10	15	29
A. Not Operated	35	3.2	5	1	1	4	5	6	8	9
B. Operated	60	7.7	27	3	4	7	9	12	18	30
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	6	8.0	33	1	1	8	9	17	18	18
6-12 YRS	17	8.0	27	2	4	7	9	11	20	25
13-19 YRS	69	5.4	21	1	1	4	7	9	13	29
GRAND TOTAL	**95**	**6.0**	**23**	**1**	**1**	**5**	**8**	**10**	**14**	**28**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	5	5.8	27	3	3	3	7	15	15	15
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	0									
13-19 YRS	3	3.7	2	2	2	4	5	5	5	5
B. Operated										
0-27 DYS	1	43.0		43	43	43	43	43	43	43
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	4	5.8	78	1	1	2	10	19	19	19
6-12 YRS	0									
13-19 YRS	2	8.0	2	7	7	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	6	6.0	22	3	3	4	7	14	15	15
2. MULTIPLE DX										
A. Not Operated	5	4.0	2	2	2	4	5	5	5	5
B. Operated	8	11.4	199	1	1	8	14	36	43	43
1. SINGLE DX	7	5.3	22	1	1	3	6	13	15	15
2. MULTIPLE DX	13	8.5	130	1	1	5	9	24	39	43
A. Not Operated	6	3.5	3	1	1	4	5	5	5	5
B. Operated	14	9.1	123	1	1	6	9	21	38	43
TOTAL										
0-27 DYS	1	43.0		43	43	43	43	43	43	43
1-11 MOS	2	8.0	2	7	7	8	9	9	9	9
1-5 YRS	11	5.5	35	1	1	3	5	17	19	19
6-12 YRS	0									
13-19 YRS	6	4.7	9	1	1	4	7	9	9	9
GRAND TOTAL	**20**	**7.4**	**92**	**1**	**1**	**4**	**8**	**17**	**31**	**43**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	7.3	33	4	4	4	12	14	14	14
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	13.5	5	12	12	13	15	15	15	15
6-12 YRS	4	2.5	3	1	1	2	4	4	4	4
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	4	6.8	30	2	2	5	11	14	14	14
1-5 YRS	5	12.2	73	2	2	10	20	22	22	22
6-12 YRS	5	9.0	49	1	1	9	12	20	20	20
13-19 YRS	3	8.0	16	4	4	8	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	10	5.9	11	3	3	5	7	11	14	14
2. MULTIPLE DX										
A. Not Operated	7	5.9	30	1	1	4	10	14	15	15
B. Operated	17	9.2	43	1	2	8	12	20	21	22
1. SINGLE DX	11	5.8	10	3	3	5	7	10	14	14
2. MULTIPLE DX	24	8.3	40	1	1	7	12	20	21	22
A. Not Operated	8	5.8	26	1	1	4	8	14	15	15
B. Operated	27	8.0	33	2	2	7	10	19	21	22
TOTAL										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	5	6.4	23	2	2	5	9	14	14	14
1-5 YRS	11	10.5	46	2	3	10	15	21	22	22
6-12 YRS	10	6.2	33	1	1	5	9	15	20	20
13-19 YRS	7	5.4	11	3	3	4	7	11	12	12
GRAND TOTAL	**35**	**7.5**	**31**	**1**	**2**	**6**	**10**	**15**	**20**	**22**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	3	4.7		4	4	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	14	3.6	6	< 1	< 1	3	5	7	9	9
6-12 YRS	5	2.4	3	1	1	2	3	5	5	5
13-19 YRS	38	3.0	10	1	1	1	4	8	11	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	3.9	5	1	1	5	5	6	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	3.0	7	1	1	2	5	6	6	6
6-12 YRS	3	6.0	9	3	3	6	8	9	9	9
13-19 YRS	16	5.2	18	1	1	3	9	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.3	1	3	3	4	5	5	5	5
B. Operated	60	3.0	8	< 1	1	2	4	8	9	13
2. MULTIPLE DX										
A. Not Operated	15	3.9	5	1	1	5	5	6	8	8
B. Operated	22	5.0	15	1	1	4	8	11	12	13
1. SINGLE DX	64	3.1	8	< 1	1	2	4	8	9	13
2. MULTIPLE DX	37	[illegible]	11	1	1	4	6	10	11	13
A. Not Operated	19	4.0	4	1	1	5	5	6	7	8
B. Operated	82	3.5	11	1	1	2	5	9	11	13
TOTAL										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	18	3.4	6	< 1	< 1	3	5	7	8	9
6-12 YRS	8	3.8	8	1	1	3	5	8	9	9
13-19 YRS	72	3.7	11	1	1	2	5	9	11	13
GRAND TOTAL	**101**	**3.6**	**9**	**1**	**1**	**2**	**5**	**8**	**10**	**13**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	6.2	20	1	1	6	8	13	13	13
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	3	5.3	44	1	1	2	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	3.7	26	1	1	2	3	13	15	15
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	5.3	16	1	1	6	8	9	9	9
1-5 YRS	17	10.2	96	1	2	10	11	14	34	45
6-12 YRS	0									
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	11	5.1	20	1	1	4	7	13	13	13
2. MULTIPLE DX										
A. Not Operated	7	3.7	26	1	1	2	3	13	15	15
B. Operated	23	8.9	78	1	1	8	11	14	25	45
1. SINGLE DX	12	4.8	19	1	1	3	7	13	13	13
2. MULTIPLE DX	30	7.7	70	1	1	6	11	14	15	45
A. Not Operated	8	3.5	22	1	1	2	3	11	15	15
B. Operated	34	7.6	61	1	1	6	11	13	14	45
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	4.3	16	1	1	4	7	9	9	9
1-5 YRS	30	7.8	70	1	1	6	11	14	15	45
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	5	4.4	26	1	1	2	7	13	13	13
GRAND TOTAL	**42**	**6.9**	**56**	**1**	**1**	**5**	**11**	**13**	**15**	**45**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	2.3	3	1	1	2	3	5	6	6
6-12 YRS	6	2.0	6	< 1	< 1	1	1	6	7	7
13-19 YRS	4	3.5	6	1	1	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	7	8.9	17	6	6	7	9	16	18	18
1-5 YRS	67	8.7	13	2	5	8	12	14	14	18
6-12 YRS	22	8.8	30	2	2	8	12	18	20	20
13-19 YRS	5	9.2	38	2	2	8	15	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	32	4.9	14	1	1	3	8	10	13	14
6-12 YRS	11	7.6	36	1	2	5	13	17	18	18
13-19 YRS	6	3.8	11	1	1	3	6	9	9	9
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	20	11.2	42	2	5	9	12	22	25	27
1-5 YRS	63	13.4	128	2	4	11	14	25	39	66
6-12 YRS	16	19.2	344	6	6	14	22	42	67	77
13-19 YRS	11	15.5	222	2	3	12	19	43	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.4	4	< 1	1	2	3	6	7	7
B. Operated	101	8.8	17	2	4	8	12	14	17	20
2. MULTIPLE DX										
A. Not Operated	49	5.4	20	1	1	4	8	12	15	18
B. Operated	111	14.0	153	2	5	11	15	27	43	72
1. SINGLE DX	121	7.7	21	1	1	7	11	14	16	20
2. MULTIPLE DX	160	11.3	128	1	2	9	13	22	33	67
A. Not Operated	69	4.5	17	1	1	3	7	9	14	18
B. Operated	212	11.5	95	2	4	9	13	19	28	55
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	28	10.2	38	1	4	9	11	21	23	27
1-5 YRS	171	9.4	67	1	2	8	12	15	20	47
6-12 YRS	55	10.8	147	1	1	8	14	20	29	75
13-19 YRS	26	9.8	127	1	1	6	12	20	42	46
GRAND TOTAL	**281**	**9.8**	**84**	**1**	**2**	**8**	**12**	**16**	**24**	**47**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	1.1		<1	<1	1	1	2	2	2
1-5 YRS	17	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	3.7	8	1	1	3	5	8	10	10
1-5 YRS	36	2.0	2	<1	<1	2	3	4	6	6
6-12 YRS	4	4.5	7	1	1	5	6	7	7	7
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	10	3.1	6	<1	<1	2	4	7	7	7
6-12 YRS	5	4.0	4	2	2	4	6	6	6	6
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	4	11.0	165	2	2	6	18	30	30	30
1-5 YRS	7	15.1	264	1	1	3	32	35	36	36
6-12 YRS	4	2.8	1	2	2	3	3	4	4	4
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	1.3		<1	<1	1	1	2	3	4
B. Operated	53	2.6	4	<1	<1	2	3	6	7	10
2. MULTIPLE DX										
A. Not Operated	16	3.3	5	<1	<1	3	5	7	7	7
B. Operated	15	10.7	177	1	2	3	23	33	35	36
1. SINGLE DX	79	2.1	3	<1	<1	1	3	5	6	9
2. MULTIPLE DX	31	6.9	99	<1	1	3	6	29	33	36
A. Not Operated	42	2.0	3	<1	<1	1	2	5	6	7
B. Operated	68	4.4	52	<1	<1	2	4	7	28	35
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	25	3.9	36	<1	<1	2	5	7	15	30
1-5 YRS	70	3.3	41	<1	<1	1	3	5	7	35
6-12 YRS	14	3.6	4	1	2	3	6	6	7	7
13-19 YRS	0									
GRAND TOTAL	**110**	**3.5**	**34**	**<1**	**<1**	**2**	**3**	**6**	**7**	**34**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	4.6	6	1	1	5	6	8	8	8
1-5 YRS	33	6.4	174	<1	1	3	4	11	43	63
6-12 YRS	50	3.6	13	1	1	3	5	7	10	20
13-19 YRS	22	7.5	298	1	1	3	6	9	40	84
B. Operated										
0-27 DYS	0									
1-11 MOS	5	8.2	50	1	1	8	12	19	19	19
1-5 YRS	79	9.7	61	1	2	8	12	21	27	35
6-12 YRS	96	8.3	37	1	1	7	10	16	18	29
13-19 YRS	67	7.6	44	1	1	7	10	14	20	40
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	4.6	56	<1	<1	1	6	18	18	18
1-5 YRS	89	5.4	54	<1	1	3	6	11	16	44
6-12 YRS	69	6.3	121	1	1	3	6	14	21	96
13-19 YRS	43	4.5	38	1	1	3	5	8	13	38
B. Operated										
0-27 DYS	2	11.5	1	11	11	11	12	12	12	12
1-11 MOS	24	21.2	205	3	8	18	28	39	50	67
1-5 YRS	154	15.8	187	1	3	12	21	34	41	87
6-12 YRS	133	12.5	96	1	2	10	16	26	35	60
13-19 YRS	82	16.3	269	2	4	11	21	36	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	5.3	117	1	1	3	5	8	12	71
B. Operated	247	8.6	47	1	1	7	11	18	21	32
2. MULTIPLE DX										
A. Not Operated	206	5.5	72	1	1	3	5	12	17	66
B. Operated	395	15.1	177	1	3	11	20	32	42	96
1. SINGLE DX	357	7.6	71	1	1	6	10	16	21	43
2. MULTIPLE DX	601	11.8	162	1	1	8	16	28	38	90
A. Not Operated	316	5.4	88	1	1	3	5	11	17	69
B. Operated	642	12.6	137	1	2	9	16	27	35	74
TOTAL										
0-27 DYS	2	11.5	1	11	11	11	12	12	12	12
1-11 MOS	39	15.3	194	1	1	12	22	31	41	67
1-5 YRS	355	11.0	143	1	1	7	14	26	35	63
6-12 YRS	348	8.8	82	1	1	7	12	20	27	52
13-19 YRS	214	10.3	177	1	1	7	12	22	36	95
GRAND TOTAL	**958**	**10.2**	**132**	**1**	**1**	**7**	**13**	**23**	**32**	**73**

1,199 Hospitals, United States, January-December 1987

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	7	9.0	8	7	7	8	11	14	14	14
6-12 YRS	12	12.3	299	1	2	8	11	32	60	65
13-19 YRS	7	10.4	23	3	4	10	15	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	8	4.0	24	< 1	< 1	2	5	13	15	15
6-12 YRS	8	7.4	76	1	1	3	11	22	26	26
13-19 YRS	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	3	22.0	175	12	12	17	32	37	37	37
1-5 YRS	14	9.9	70	1	2	7	20	22	23	23
6-12 YRS	11	13.4	86	1	4	11	21	28	29	29
13-19 YRS	8	11.0	173	1	2	5	22	76	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	1	1	1	2	2	4	4	4
B. Operated	27	10.7	136	2	3	8	12	16	25	65
2. MULTIPLE DX										
A. Not Operated	18	6.1	45	< 1	1	3	9	15	22	26
B. Operated	36	12.2	106	1	2	10	20	29	40	99 +
1. SINGLE DX	33	9.1	123	1	1	7	11	15	18	65
2. MULTIPLE DX	54	10.2	93	1	1	7	15	26	35	97
A. Not Operated	24	5.0	37	< 1	1	2	7	14	18	26
B. Operated	63	11.6	118	1	3	8	15	24	38	95
TOTAL										
0-27 DYS	0									
1-11 MOS	7	12.1	149	2	2	9	16	33	37	37
1-5 YRS	30	7.8	47	1	1	7	11	21	22	23
6-12 YRS	33	10.8	157	1	1	8	13	26	29	65
13-19 YRS	17	10.1	90	1	2	9	15	34	76	99 +
GRAND TOTAL	**87**	**9.8**	**103**	**1**	**1**	**7**	**13**	**23**	**30**	**87**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	25.5	1013	3	3	25	48	48	48	48
1-5 YRS	23	3.6	43	< 1	< 1	1	3	6	18	32
6-12 YRS	7	3.9	10	1	1	3	5	9	10	10
13-19 YRS	7	3.0	5	1	1	2	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	14	5.4	10	< 1	1	5	7	10	11	11
1-5 YRS	37	10.5	109	1	2	7	11	31	38	39
6-12 YRS	14	3.6	6	1	1	3	5	7	9	9
13-19 YRS	30	3.4	5	2	2	3	3	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	10	5.2	22	< 1	< 1	3	9	12	15	15
1-5 YRS	67	5.3	42	1	1	3	7	9	18	33
6-12 YRS	30	1.9	2	< 1	< 1	1	2	4	5	6
13-19 YRS	9	3.1	1	1	1	3	4	4	4	4
B. Operated										
0-27 DYS	1	48.0		48	48	48	48	48	48	48
1-11 MOS	14	21.1	237	7	8	14	31	45	56	59
1-5 YRS	77	11.6	136	1	2	8	13	29	42	51
6-12 YRS	27	12.5	258	2	2	7	13	25	56	74
13-19 YRS	48	4.6	17	1	1	3	6	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	4.6	78	< 1	< 1	2	4	9	23	48
B. Operated	95	6.5	57	1	2	4	7	12	22	39
2. MULTIPLE DX										
A. Not Operated	116	4.2	28	< 1	1	3	5	9	11	33
B. Operated	167	10.8	155	1	2	7	12	26	44	58
1. SINGLE DX	134	5.9	63	1	1	3	7	11	23	40
2. MULTIPLE DX	283	8.1	113	1	1	4	9	16	32	53
A. Not Operated	155	4.3	41	< 1	1	2	5	9	12	33
B. Operated	262	9.2	123	1	2	6	10	22	35	53
TOTAL										
0-27 DYS	1	48.0		48	48	48	48	48	48	48
1-11 MOS	40	11.8	180	< 1	1	8	13	31	46	59
1-5 YRS	204	8.4	99	1	1	6	9	23	33	47
6-12 YRS	78	6.1	113	< 1	1	3	6	12	18	68
13-19 YRS	94	4.0	11	1	1	3	4	8	11	19
GRAND TOTAL	**417**	**7.4**	**98**	**1**	**1**	**4**	**9**	**15**	**31**	**50**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	17	3.8	8	< 1	< 1	3	5	7	10	11
6-12 YRS	5	3.4	2	1	1	4	4	4	4	4
13-19 YRS	5	8.2	102	< 1	< 1	5	10	26	26	26
B. Operated										
0-27 DYS	0									
1-11 MOS	7	7.1	28	2	2	6	8	16	18	18
1-5 YRS	28	7.0	43	< 1	1	7	9	12	15	35
6-12 YRS	9	5.1	14	1	1	4	8	11	11	11
13-19 YRS	16	7.1	20	< 1	1	7	9	13	16	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	6.1	18	1	1	6	8	12	14	14
1-5 YRS	35	4.1	26	< 1	1	3	5	6	9	31
6-12 YRS	31	5.5	57	< 1	1	4	5	10	16	42
13-19 YRS	60	4.9	33	< 1	1	4	6	9	12	38
B. Operated										
0-27 DYS	4	12.8	36	5	5	14	17	18	18	18
1-11 MOS	26	15.6	326	1	1	9	16	52	62	63
1-5 YRS	78	14.0	325	1	2	8	14	39	52	92
6-12 YRS	52	8.0	70	1	1	6	10	19	26	46
13-19 YRS	128	8.0	30	1	2	7	10	16	18	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	4.6	24	< 1	< 1	4	5	7	13	26
B. Operated	60	6.8	30	< 1	1	6	9	12	15	33
2. MULTIPLE DX										
A. Not Operated	134	4.9	36	< 1	1	3	6	9	13	41
B. Operated	288	10.4	152	1	2	7	12	19	31	67
1. SINGLE DX	87	6.1	29	< 1	1	5	8	11	14	32
2. MULTIPLE DX	422	8.6	121	1	1	6	10	16	27	62
A. Not Operated	161	4.9	33	< 1	1	3	5	9	12	40
B. Operated	348	9.8	132	1	1	7	11	18	28	63
TOTAL										
0-27 DYS	4	12.8	36	5	5	14	17	18	18	18
1-11 MOS	41	12.3	230	1	2	7	13	28	58	63
1-5 YRS	158	9.5	194	1	1	6	10	16	39	83
6-12 YRS	97	6.7	58	1	1	4	9	13	19	44
13-19 YRS	209	7.0	33	1	1	6	9	14	18	29
GRAND TOTAL	**509**	**8.2**	**106**	**1**	**1**	**6**	**9**	**16**	**26**	**57**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	5	2.8	1	2	2	3	3	4	4	4
13-19 YRS	16	2.7	3	1	1	2	4	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	4.1	10	1	1	3	5	9	11	11
6-12 YRS	59	6.0	16	1	1	5	8	12	14	19
13-19 YRS	168	5.6	22	1	1	5	7	9	11	31
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	13	5.2	12	1	2	5	7	9	13	14
13-19 YRS	36	4.3	13	1	1	3	6	11	12	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	11.5	44	2	2	14	16	16	16	16
6-12 YRS	22	11.5	130	< 1	1	7	14	31	37	45
13-19 YRS	95	10.2	108	1	2	7	12	29	31	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.5	3	< 1	1	2	4	5	6	6
B. Operated	235	5.6	20	1	1	5	7	10	12	30
2. MULTIPLE DX										
A. Not Operated	49	4.6	12	1	1	4	6	10	12	14
B. Operated	121	10.4	109	1	2	7	12	29	31	51
1. SINGLE DX	259	5.3	19	1	1	5	7	10	12	29
2. MULTIPLE DX	170	8.7	88	1	1	6	11	17	30	44
A. Not Operated	73	3.9	10	1	1	3	6	8	11	14
B. Operated	356	7.3	55	1	1	6	8	13	21	38
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	15	5.5	30	< 1	1	3	10	16	16	16
6-12 YRS	99	6.9	46	1	1	6	8	14	18	38
13-19 YRS	315	6.7	51	1	1	5	8	12	17	37
GRAND TOTAL	**429**	**6.7**	**49**	**1**	**1**	**5**	**8**	**12**	**17**	**37**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	6	1	1	3	5	6	6	6
1-5 YRS	107	4.1	12	1	1	3	5	8	10	19
6-12 YRS	75	4.4	11	< 1	< 1	4	6	9	11	16
13-19 YRS	45	4.7	16	1	1	3	6	10	12	21
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	13	9.2	44	2	2	7	14	19	21	21
1-5 YRS	200	7.4	35	1	2	6	10	14	20	29
6-12 YRS	127	6.5	51	< 1	1	5	8	13	19	38
13-19 YRS	53	11.4	171	1	1	6	13	32	40	54
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	9.5	24	1	2	10	11	16	16	16
1-5 YRS	204	5.6	29	1	1	4	7	13	16	28
6-12 YRS	211	5.2	27	1	1	4	7	11	16	28
13-19 YRS	104	6.5	46	1	1	4	8	14	22	35
B. Operated										
0-27 DYS	0									
1-11 MOS	13	13.6	70	1	2	13	23	33	85	99 +
1-5 YRS	202	15.7	167	2	4	11	24	34	44	99 +
6-12 YRS	150	16.8	292	1	2	10	23	39	53	85
13-19 YRS	91	18.9	310	3	3	12	28	43	59	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	230	4.3	12	< 1	1	3	6	9	11	19
B. Operated	394	7.7	60	1	1	6	9	17	24	40
2. MULTIPLE DX										
A. Not Operated	525	5.7	32	1	1	4	7	13	17	29
B. Operated	456	16.7	235	2	3	11	25	38	50	99
1. SINGLE DX	624	6.4	45	1	1	5	8	12	19	36
2. MULTIPLE DX	981	10.8	156	1	1	7	13	28	37	77
A. Not Operated	755	5.2	26	1	1	4	7	11	15	28
B. Operated	850	12.5	174	1	2	8	15	30	41	84
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	35	10.4	53	1	2	10	16	23	25	99 +
1-5 YRS	713	8.7	88	1	2	6	11	22	29	53
6-12 YRS	563	8.5	126	1	1	5	9	21	30	61
13-19 YRS	293	11.0	177	1	1	6	12	29	39	76
GRAND TOTAL	**1605**	**9.1**	**117**	**1**	**1**	**6**	**11**	**23**	**31**	**61**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.8	1	4	4	5	5	6	6	6
1-5 YRS	39	4.8	16	< 1	1	4	6	10	14	17
6-12 YRS	44	4.3	17	< 1	< 1	3	6	9	13	19
13-19 YRS	22	6.9	67	< 1	1	4	7	18	26	36
B. Operated										
0-27 DYS	0									
1-11 MOS	8	8.8	110	1	2	6	8	26	34	34
1-5 YRS	37	11.7	163	1	1	8	15	37	42	43
6-12 YRS	39	9.8	178	1	1	6	10	24	44	63
13-19 YRS	21	9.2	172	1	1	2	12	33	40	42
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	10	8.4	81	< 1	1	5	7	25	27	27
1-5 YRS	74	5.8	42	< 1	1	4	7	12	20	36
6-12 YRS	59	6.0	23	1	1	4	10	12	15	22
13-19 YRS	44	6.6	73	1	1	4	7	16	29	41
B. Operated										
0-27 DYS	0									
1-11 MOS	9	17.1	184	2	4	9	26	38	44	44
1-5 YRS	74	20.3	347	2	3	14	30	46	54	99
6-12 YRS	70	23.9	500	3	5	16	34	61	82	99
13-19 YRS	71	29.8	427	3	6	29	45	62	66	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	5.0	26	< 1	< 1	4	6	11	16	26
B. Operated	105	10.3	163	1	1	6	11	32	42	58
2. MULTIPLE DX										
A. Not Operated	188	6.2	45	1	1	4	8	13	22	37
B. Operated	224	24.3	426	2	4	18	38	56	68	99 +
1. SINGLE DX	214	7.6	100	< 1	1	4	8	17	34	47
2. MULTIPLE DX	412	16.1	333	1	1	9	23	44	57	96
A. Not Operated	297	5.8	38	< 1	1	4	7	12	18	34
B. Operated	329	19.8	384	1	2	12	30	49	63	97
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	31	10.5	119	1	2	6	9	27	34	44
1-5 YRS	224	11.4	201	1	1	6	14	35	43	85
6-12 YRS	212	12.3	275	1	1	6	13	31	52	95
13-19 YRS	158	17.4	368	1	1	8	30	48	62	83
GRAND TOTAL	**626**	**13.2**	**269**	**1**	**1**	**7**	**16**	**39**	**50**	**86**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	19	4.8	22	1	1	4	6	13	16	17
6-12 YRS	41	2.8	3	< 1	1	3	4	6	6	7
13-19 YRS	28	2.3	3	< 1	1	2	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	6	7.8	83	1	1	3	15	22	23	23
1-5 YRS	36	5.4	29	< 1	1	4	7	11	13	29
6-12 YRS	59	6.3	23	1	1	5	9	13	17	18
13-19 YRS	49	5.8	28	1	1	4	8	13	17	25
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	9.3	31	3	3	9	13	16	16	16
1-5 YRS	41	5.4	16	2	2	4	8	11	12	21
6-12 YRS	61	5.0	27	< 1	1	4	6	10	13	29
13-19 YRS	52	4.1	10	1	1	3	6	8	10	17
B. Operated										
0-27 DYS	0									
1-11 MOS	2	28.5	221	18	18	28	39	39	39	39
1-5 YRS	42	15.1	218	1	2	9	23	39	49	55
6-12 YRS	61	15.3	257	2	3	9	17	34	46	[illegible]
13-19 YRS	58	16.2	306	2	2	10	16	43	51	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	3.1	8	1	1	2	4	6	7	16
B. Operated	150	6.0	28	1	1	4	8	13	17	25
2. MULTIPLE DX										
A. Not Operated	158	4.9	19	1	1	4	6	10	12	25
B. Operated	163	15.8	262	2	2	9	21	39	48	85
1. SINGLE DX	240	4.9	22	1	1	3	7	11	15	23
2. MULTIPLE DX	321	10.4	171	1	1	6	12	25	39	66
A. Not Operated	248	4.2	16	1	1	3	5	9	11	21
B. Operated	313	11.1	173	1	2	7	13	26	40	67
TOTAL										
0-27 DYS	0									
1-11 MOS	14	10.6	118	1	1	6	16	25	36	39
1-5 YRS	138	8.3	101	1	1	4	10	22	28	55
6-12 YRS	222	7.8	107	1	1	5	9	16	26	56
13-19 YRS	187	8.0	136	1	1	4	9	16	32	59
GRAND TOTAL	**561**	**8.0**	**115**	**1**	**1**	**4**	**9**	**17**	**28**	**55**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	7.0	108	< 1	< 1	1	14	19	19	19
1-5 YRS	11	1.6	1	< 1	< 1	1	2	3	4	4
6-12 YRS	19	2.1	4	< 1	< 1	2	2	4	7	10
13-19 YRS	54	2.8	4	< 1	1	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	8	2.1	6	< 1	< 1	1	2	6	8	8
6-12 YRS	11	2.5	5	< 1	< 1	2	3	7	8	8
13-19 YRS	15	4.0	7	1	1	3	5	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	87	2.7	7	< 1	< 1	2	3	6	7	16
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	35	3.2	7	< 1	< 1	2	4	8	9	10
1. SINGLE DX	88	2.7	7	< 1	< 1	2	3	6	7	16
2. MULTIPLE DX	36	3.2	7	< 1	< 1	2	4	8	9	10
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	122	2.8	7	< 1	< 1	2	3	6	8	13
TOTAL										
0-27 DYS	0									
1-11 MOS	5	6.4	58	< 1	< 1	3	11	19	19	19
1-5 YRS	19	1.8	3	< 1	< 1	1	2	4	6	8
6-12 YRS	30	2.3	5	< 1	< 1	2	2	5	8	10
13-19 YRS	70	3.0	5	< 1	1	2	4	6	8	10
GRAND TOTAL	**124**	**2.8**	**7**	**< 1**	**< 1**	**2**	**3**	**6**	**8**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	6	3.5	6	< 1	< 1	3	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	20	2.7	6	< 1	< 1	2	3	6	8	10
6-12 YRS	18	4.3	20	< 1	1	3	7	8	15	19
13-19 YRS	26	7.9	19	1	2	8	10	14	16	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	6	4.0	12	1	1	2	8	9	9	9
13-19 YRS	5	2.0	2	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	8	13.3	87	3	4	11	18	28	31	31
1-5 YRS	21	5.3	40	< 1	1	3	8	18	56	99 +
6-12 YRS	21	6.5	43	1	1	4	9	19	20	21
13-19 YRS	25	11.6	85	2	3	9	14	23	29	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.0	5	< 1	< 1	2	4	7	7	7
B. Operated	65	5.4	21	< 1	1	4	8	11	15	19
2. MULTIPLE DX										
A. Not Operated	17	2.9	5	1	1	2	3	7	9	9
B. Operated	75	8.6	68	1	1	7	13	22	25	85
1. SINGLE DX	73	5.2	20	< 1	1	3	8	11	15	19
2. MULTIPLE DX	92	7.5	61	1	1	4	10	20	24	76
A. Not Operated	25	3.0	5	< 1	1	2	3	7	8	9
B. Operated	140	7.1	48	1	1	5	10	16	22	49
TOTAL										
0-27 DYS	0									
1-11 MOS	12	10.9	77	3	3	8	15	25	30	31
1-5 YRS	44	3.9	23	< 1	1	2	5	10	18	99 +
6-12 YRS	47	5.1	29	1	1	3	8	14	19	21
13-19 YRS	62	8.5	52	1	2	8	10	15	22	42
GRAND TOTAL	**165**	**6.5**	**44**	**1**	**1**	**4**	**9**	**15**	**21**	**42**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	10	2.0	3	< 1	< 1	1	3	5	6	6
6-12 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	9	1.4	1	< 1	< 1	1	2	3	4	4
1-5 YRS	196	1.8	4	< 1	1	1	2	3	6	14
6-12 YRS	73	1.6	3	< 1	< 1	1	1	2	4	12
13-19 YRS	46	3.3	8	< 1	1	2	5	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	3.3	1	2	2	3	4	4	4	4
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	11	6.9	46	< 1	< 1	7	8	18	22	22
1-5 YRS	74	2.4	8	1	1	1	3	6	8	15
6-12 YRS	46	5.0	44	< 1	1	2	6	11	20	32
13-19 YRS	19	5.2	47	1	1	3	6	8	22	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.7	2	< 1	< 1	1	2	3	5	6
B. Operated	326	1.9	5	< 1	1	1	2	4	7	12
2. MULTIPLE DX										
A. Not Operated	10	3.3	1	2	2	3	4	5	5	5
B. Operated	151	4.0	29	< 1	1	2	5	8	16	32
1. SINGLE DX	341	1.9	5	< 1	1	1	2	4	7	12
2. MULTIPLE DX	161	3.9	27	< 1	1	2	5	8	15	31
A. Not Operated	25	2.3	2	< 1	1	2	3	4	5	6
B. Operated	477	2.6	13	< 1	1	1	2	6	8	18
TOTAL										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	22	4.1	30	< 1	< 1	1	7	11	18	22
1-5 YRS	287	2.0	5	< 1	1	1	2	4	7	14
6-12 YRS	123	2.9	21	< 1	< 1	1	2	6	11	30
13-19 YRS	69	3.8	19	1	1	2	5	7	9	28
GRAND TOTAL	**502**	**2.6**	**13**	**< 1**	**1**	**1**	**2**	**6**	**8**	**17**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	4	3.3	1	2	2	3	4	4	4	4
13-19 YRS	8	2.6	4	<1	<1	2	4	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	37	2.4	5	<1	<1	2	3	6	7	9
1-5 YRS	92	2.7	10	<1	<1	1	3	7	9	15
6-12 YRS	316	2.5	7	<1	<1	2	3	5	7	14
13-19 YRS	539	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	0									
6-12 YRS	6	2.0	6	<1	<1	1	1	6	7	7
13-19 YRS	5	4.4	30	<1	<1	2	6	14	14	14
B. Operated										
0-27 DYS	6	12.3	140	3	3	8	15	33	35	35
1-11 MOS	21	6.7	15	1	1	8	9	11	12	14
1-5 YRS	33	6.5	62	<1	1	4	8	16	25	38
6-12 YRS	60	4.2	17	<1	1	3	5	11	12	19
13-19 YRS	116	3.6	41	1	1	2	4	8	12	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.4	3	<1	<1	2	3	5	6	6
B. Operated	984	2.4	5	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	13	2.8	15	<1	<1	1	2	8	13	14
B. Operated	236	4.7	40	1	1	3	6	11	14	35
1. SINGLE DX	1001	2.4	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	249	4.6	39	<1	1	2	6	11	14	35
A. Not Operated	30	2.5	8	<1	<1	1	3	5	7	14
B. Operated	1220	2.8	12	<1	1	2	3	6	8	15
TOTAL										
0-27 DYS	6	12.3	140	3	3	8	15	33	35	35
1-11 MOS	62	3.8	12	<1	<1	2	6	9	10	14
1-5 YRS	128	3.6	26	<1	<1	2	4	9	13	29
6-12 YRS	386	2.8	8	<1	1	2	3	6	8	15
13-19 YRS	668	2.5	10	<1	1	2	3	5	6	13
GRAND TOTAL	**1250**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	19	4.1	17	<1	1	3	6	11	15	15
1-5 YRS	21	4.3	25	1	1	3	4	12	18	20
6-12 YRS	6	2.2	2	<1	<1	2	4	4	4	4
13-19 YRS	7	5.9	52	1	1	3	7	18	21	21
B. Operated										
0-27 DYS	12	5.2	38	<1	1	3	6	15	21	22
1-11 MOS	197	2.8	29	<1	<1	1	3	5	10	21
1-5 YRS	401	2.2	6	<1	<1	1	2	5	7	14
6-12 YRS	250	2.1	3	<1	<1	1	2	5	6	9
13-19 YRS	162	2.3	7	<1	<1	1	3	5	6	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	31	4.1	13	<1	<1	2	6	10	12	13
1-5 YRS	26	2.8	5	<1	<1	2	4	7	8	9
6-12 YRS	7	4.3	5	<1	1	4	6	8	8	8
13-19 YRS	6	4.7	19	1	1	3	6	12	13	13
B. Operated										
0-27 DYS	5	24.4	1455	1	1	11	33	92	92	92
1-11 MOS	69	8.4	203	<1	1	3	9	18	32	74
1-5 YRS	125	3.8	19	<1	1	2	4	10	12	23
6-12 YRS	70	3.2	16	<1	<1	1	3	9	11	20
13-19 YRS	60	2.9	8	<1	<1	2	4	6	10	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	4.1	22	1	1	3	5	9	16	21
B. Operated	1022	2.4	10	<1	<1	1	2	5	7	16
2. MULTIPLE DX										
A. Not Operated	73	3.7	10	<1	<1	2	5	8	11	13
B. Operated	329	4.8	82	<1	<1	2	5	11	16	61
1. SINGLE DX	1077	2.4	11	<1	<1	1	3	5	7	17
2. MULTIPLE DX	402	4.6	69	<1	<1	2	5	10	14	44
A. Not Operated	128	3.9	15	<1	<1	3	5	8	13	20
B. Operated	1351	2.9	29	<1	<1	1	3	6	10	21
TOTAL										
0-27 DYS	22	9.0	372	<1	1	3	7	16	50	92
1-11 MOS	316	4.2	69	<1	<1	2	4	9	15	60
1-5 YRS	573	2.7	10	<1	<1	1	3	6	9	17
6-12 YRS	333	2.4	6	<1	<1	1	3	6	7	12
13-19 YRS	235	2.6	9	<1	<1	1	3	6	7	21
GRAND TOTAL	**1479**	**3.0**	**28**	**<1**	**<1**	**1**	**3**	**6**	**10**	**21**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	1.8	3	< 1	< 1	< 1	2	5	5	5
13-19 YRS	93	1.5	1	< 1	< 1	1	2	2	3	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	15	1.9	1	< 1	< 1	2	2	3	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	98	1.5	2	< 1	< 1	1	2	2	3	9
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	17	1.9	1	< 1	< 1	2	2	3	4	5
1. SINGLE DX	98	1.5	2	< 1	< 1	1	2	2	3	9
2. MULTIPLE DX	17	1.9	1	< 1	< 1	2	2	3	4	5
A. Not Operated	0									
B. Operated	115	1.6	2	< 1	< 1	1	2	3	3	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	1.9	2	< 1	< 1	< 1	2	5	5	5
13-19 YRS	108	1.6	1	< 1	< 1	1	2	3	3	8
GRAND TOTAL	**115**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**3**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	6	5.7	14	1	1	5	7	11	12	12
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	2	6.0	8	4	4	6	8	8	8	8
13-19 YRS	12	6.0	12	1	3	5	8	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	7	4.1	3	1	1	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	21	6.2	13	1	3	5	8	12	13	14
1. SINGLE DX	8	4.1	3	1	2	4	5	6	6	6
2. MULTIPLE DX	21	6.2	13	1	3	5	8	12	13	14
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	28	5.7	11	1	2	5	7	11	13	14
TOTAL										
0-27 DYS	0									
1-11 MOS	9	5.2	9	1	2	4	6	10	12	12
1-5 YRS	2	9.5	25	6	6	9	13	13	13	13
6-12 YRS	3	6.0	4	4	4	6	7	8	8	8
13-19 YRS	15	5.3	12	1	1	4	7	9	13	14
GRAND TOTAL	**29**	**5.7**	**11**	**1**	**2**	**4**	**7**	**11**	**13**	**14**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	2.7	2	<1	<1	3	4	4	4	4
1. SINGLE DX	0									
2. MULTIPLE DX	3	2.7	2	<1	<1	3	4	4	4	4
A. Not Operated	0									
B. Operated	3	2.7	2	<1	<1	3	4	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
GRAND TOTAL	**3**	**2.7**	**2**	**<1**	**<1**	**3**	**4**	**4**	**4**	**4**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	9	3.8	1	2	2	4	5	5	5	5
6-12 YRS	25	4.4	2	2	3	4	6	6	7	8
13-19 YRS	212	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		[illegible]	2	2	2	2	2	2
13-19 YRS	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	11	4.4	4	2	2	4	5	7	9	9
13-19 YRS	214	4.5	3	3	3	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	248	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	4	2.5	2	1	1	2	3	4	4	4
B. Operated	229	4.5	3	3	3	4	5	6	8	11
1. SINGLE DX	248	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX	233	4.5	3	3	3	4	5	6	8	11
A. Not Operated	4	2.5	2	1	1	2	3	4	4	4
B. Operated	477	4.3	2	3	3	4	5	6	7	10
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	11	4.4	3	2	2	4	5	7	9	9
6-12 YRS	37	4.4	3	2	3	4	6	6	7	9
13-19 YRS	429	4.3	2	3	3	4	5	6	7	10
GRAND TOTAL	**481**	**4.3**	**2**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	4.5		4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	2.0	4	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	4	4.5		4	4	4	5	5	5	5
1. SINGLE DX	4	2.0	4	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX	5	3.8	3	1	1	4	5	5	5	5
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	8	3.3	4	< 1	< 1	4	5	5	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	7	3.6	3	1	1	4	5	5	5	5
GRAND TOTAL	**9**	**3.0**	**4**	**<1**	**<1**	**4**	**5**	**5**	**5**	**5**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	7	2.9	13	< 1	< 1	1	3	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	4.7	14	2	2	3	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	9	2.4	11	< 1	< 1	1	2	8	11	11
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	8	2.8	7	1	1	2	3	7	9	9
1. SINGLE DX	9	2.4	11	< 1	< 1	1	2	8	11	11
2. MULTIPLE DX	8	2.8	7	1	1	2	3	7	9	9
A. Not Operated	0									
B. Operated	17	2.6	9	< 1	1	1	3	8	10	11
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	10	3.4	13	< 1	< 1	2	3	10	11	11
GRAND TOTAL	**17**	**2.6**	**9**	**<1**	**1**	**1**	**3**	**8**	**10**	**11**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	0									
13-19 YRS	4	5.3	11	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	6.5	10	2	2	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	2	5.0		5	5	5	5	5	5	5
B. Operated	6	4.0	6	1	1	3	6	8	8	8
1. SINGLE DX	6	6.5	10	2	2	8	9	9	9	9
2. MULTIPLE DX	8	4.3	5	1	1	4	6	7	8	8
A. Not Operated	2	5.0		5	5	5	5	5	5	5
B. Operated	12	5.3	9	1	2	5	8	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	3	4.3	17	1	1	3	7	9	9	9
6-12 YRS	2	4.5	5	3	3	4	6	6	[illegible]	6
13-19 YRS	7	5.6	7	2	2	5	8	9	[illegible]	9
GRAND TOTAL	14	5.2	8	1	2	5	8	9	9	9

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	4	4.3	5	2	2	4	6	7	7	7
1-5 YRS	8	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	7	1.9	2	< 1	< 1	< 1	2	4	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.2		< 1	< 1	1	1	2	2	2
6-12 YRS	6	2.5	4	< 1	< 1	1	4	6	6	6
13-19 YRS	3	5.7	12	2	2	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	20	2.0	3	< 1	< 1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	14	2.7	7	< 1	< 1	1	4	7	8	9
1. SINGLE DX	20	2.0	3	< 1	< 1	1	2	5	6	7
2. MULTIPLE DX	14	2.7	7	< 1	< 1	1	4	7	8	9
A. Not Operated	0									
B. Operated	34	2.3	4	< 1	< 1	1	2	6	7	9
TOTAL										
0-27 DYS	0									
1-11 MOS	4	4.3	5	2	2	4	6	7	7	7
1-5 YRS	13	1.1		< 1	< 1	1	1	2	2	2
6-12 YRS	13	2.2	3	< 1	< 1	1	3	5	6	6
13-19 YRS	4	4.8	12	2	2	4	7	9	9	9
GRAND TOTAL	34	2.3	4	< 1	< 1	1	2	6	7	9

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	6.0	19	3	3	4	9	11	11	11
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	4	10.5	90	1	1	9	17	23	23	23
1-5 YRS	11	8.7	39	2	2	8	11	17	23	24
6-12 YRS	11	10.2	30	2	4	9	14	18	21	21
13-19 YRS	12	8.1	20	2	3	8	10	14	17	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	5.5	14	2	2	5	8	10	10	10
6-12 YRS	3	1.7		< 1	< 1	2	2	2	2	2
13-19 YRS	3	3.0	3	1	1	4	4	4	4	4
B. Operated										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	6	21.3	359	5	6	15	23	54	58	58
1-5 YRS	13	11.8	28	4	6	11	15	19	21	22
6-12 YRS	11	15.0	78	8	8	12	20	28	35	36
13-19 YRS	22	9.4	21	2	5	8	11	16	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.0	19	3	3	4	9	11	11	11
B. Operated	38	9.1	33	2	2	8	12	17	22	24
2. MULTIPLE DX										
A. Not Operated	10	3.6	8	< 1	< 1	3	4	8	10	10
B. Operated	53	12.7	80	4	6	11	15	21	23	57
1. SINGLE DX	41	8.9	32	2	2	8	12	17	22	24
2. MULTIPLE DX	63	11.2	79	2	2	9	14	21	23	55
A. Not Operated	13	4.2	10	< 1	1	3	5	10	11	11
B. Operated	91	11.2	63	2	4	9	14	21	23	49
TOTAL										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	10	17.0	260	1	3	13	23	41	58	58
1-5 YRS	31	9.3	32	2	3	8	13	17	22	24
6-12 YRS	25	11.3	64	1	2	9	15	21	25	36
13-19 YRS	37	8.5	21	2	2	8	11	14	19	21
GRAND TOTAL	**104**	**10.3**	**61**	**2**	**2**	**9**	**13**	**19**	**22**	**46**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	7	1.9		1	1	2	2	3	3	3
13-19 YRS	76	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	21	2.7	1	1	1	3	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	86	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	23	2.7	1	1	1	3	3	4	5	5
1. SINGLE DX	87	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX	23	2.7	1	1	1	3	3	4	5	5
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	109	2.1	1	1	1	2	3	4	4	5
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	9	2.1	1	1	1	2	3	4	4	4
13-19 YRS	98	2.2	1	1	1	2	3	4	5	5
GRAND TOTAL	**110**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	5.0	4	2	2	5	6	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	7.0	18	4	4	7	10	10	10	10
13-19 YRS	12	15.4	532	2	2	8	11	53	76	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.5	5	3	3	4	6	6	6	6
B. Operated	10	5.0	4	2	2	5	6	7	8	8
2. MULTIPLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	16	13.1	408	2	2	7	10	39	69	80
1. SINGLE DX	12	4.9	3	2	2	5	6	7	8	8
2. MULTIPLE DX	18	11.9	372	2	2	6	10	33	65	80
A. Not Operated	4	3.5	3	2	2	3	5	6	6	6
B. Operated	26	10.0	263	2	2	6	9	13	50	80
TOTAL										
0-27 DYS	0									
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	7.0	18	4	4	7	10	10	10	10
13-19 YRS	25	9.7	277	2	2	5	8	13	51	80
GRAND TOTAL	**30**	**9.1**	**232**	**2**	**2**	**5**	**8**	**12**	**42**	**80**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	6	3.5	23	1	1	1	4	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	1.6	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	8	4.0	18	1	1	3	6	11	13	13
1. SINGLE DX	8	1.6	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX	8	4.0	18	1	1	3	6	11	13	13
A. Not Operated	0									
B. Operated	16	2.8	11	<1	<1	1	4	7	11	13
TOTAL										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	14	2.4	11	<1	<1	1	2	6	11	13
GRAND TOTAL	**16**	**2.8**	**11**	**<1**	**<1**	**1**	**4**	**7**	**11**	**13**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	12.5	265	1	1	12	24	24	24	24
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	6	11.0	117	1	1	8	23	24	24	24
1. SINGLE DX	0									
2. MULTIPLE DX	7	10.1	103	1	1	5	21	24	24	24
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	6	11.0	117	1	1	8	23	24	24	24
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	12.5	265	1	1	12	24	24	24	24
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**7**	**10.1**	**103**	**1**	**1**	**5**	**21**	**24**	**24**	**24**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	15	3.8	23	< 1	1	2	5	6	16	20
1-5 YRS	25	1.8	1	< 1	< 1	1	2	4	4	5
6-12 YRS	26	1.9	3	< 1	< 1	1	2	3	7	8
13-19 YRS	11	4.2	6	1	1	4	5	8	10	10
B. Operated										
0-27 DYS	4	3.3	3	1	1	3	4	5	5	5
1-11 MOS	38	2.9	4	1	1	2	4	6	8	10
1-5 YRS	86	4.1	14	< 1	1	2	6	11	12	15
6-12 YRS	100	4.4	21	1	1	3	6	9	11	24
13-19 YRS	117	3.8	9	1	1	3	5	8	9	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	21.0	676	5	5	7	40	51	51	51
1-11 MOS	19	4.2	49	< 1	< 1	2	4	7	22	32
1-5 YRS	32	3.4	6	< 1	< 1	3	4	7	10	10
6-12 YRS	34	2.4	4	< 1	1	2	3	5	7	11
13-19 YRS	38	3.4	9	< 1	1	2	5	9	12	99 +
B. Operated										
0-27 DYS	7	8.6	80	1	1	5	11	24	27	27
1-11 MOS	13	13.3	293	2	2	7	16	34	58	64
1-5 YRS	54	8.5	138	< 1	1	5	9	17	32	69
6-12 YRS	79	13.0	348	1	1	7	14	28	68	92
13-19 YRS	92	7.2	83	1	1	5	8	14	25	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	2.6	8	< 1	< 1	2	3	5	8	17
B. Operated	345	3.9	13	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. Not Operated	126	3.7	31	< 1	< 1	2	4	8	10	62
B. Operated	245	9.7	196	1	1	6	10	22	38	98
1. SINGLE DX	424	3.7	12	1	1	2	5	8	10	19
2. MULTIPLE DX	371	7.7	148	< 1	1	4	8	16	29	93
A. Not Operated	205	3.3	22	< 1	< 1	2	4	7	10	40
B. Operated	590	6.3	97	1	1	4	7	12	20	72
TOTAL										
0-27 DYS	16	9.2	164	1	1	5	9	25	44	51
1-11 MOS	85	5.0	71	< 1	1	2	4	10	20	53
1-5 YRS	197	4.9	50	< 1	1	3	6	11	14	38
6-12 YRS	239	6.7	144	1	1	3	7	13	20	74
13-19 YRS	258	5.0	38	1	1	3	6	10	13	97
GRAND TOTAL	**795**	**5.5**	**79**	**1**	**1**	**3**	**7**	**11**	**18**	**71**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	9	2.8	2	1	1	3	4	5	5	5
13-19 YRS	56	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	2.4	7	< 1	< 1	1	3	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	3	3.7	2	2	2	4	5	5	5	5
13-19 YRS	19	2.5	2	< 1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	66	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	6	2.3	5	< 1	< 1	1	2	7	7	7
B. Operated	23	2.7	2	< 1	1	2	4	5	5	6
1. SINGLE DX	68	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	29	2.7	2	< 1	1	2	4	5	6	7
A. Not Operated	8	2.0	4	< 1	< 1	1	2	6	7	7
B. Operated	89	2.4	1	1	1	2	3	4	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	0									
6-12 YRS	14	2.8	2	< 1	1	3	4	5	5	5
13-19 YRS	81	2.3	1	1	1	2	3	4	4	7
GRAND TOTAL	**97**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	3.5	3	2	2	3	4	6	7	7
1-11 MOS	7	2.3	9	< 1	< 1	1	2	8	9	9
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	15	2.4	3	< 1	1	2	4	5	6	6
13-19 YRS	20	2.4	5	< 1	1	2	3	6	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	12	3.0	1	1	1	3	4	5	5	5
13-19 YRS	58	3.6	6	1	1	3	4	5	11	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	4.1	5	1	1	4	5	7	8	8
1-11 MOS	10	12.8	596	1	1	4	11	48	81	81
1-5 YRS	10	2.9	4	< 1	< 1	2	3	6	7	7
6-12 YRS	11	2.8	2	1	1	3	4	5	5	5
13-19 YRS	35	4.7	30	1	1	3	5	10	12	31
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	6	5.0	13	2	2	3	9	10	10	10
6-12 YRS	4	7.8	25	3	3	7	12	13	13	13
13-19 YRS	21	4.9	32	1	1	3	5	10	19	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.5	4	< 1	1	2	3	5	8	9
B. Operated	73	3.5	5	1	1	3	4	5	9	13
2. MULTIPLE DX										
A. Not Operated	73	5.2	100	1	1	3	5	9	13	69
B. Operated	33	5.3	25	1	2	3	7	11	14	26
1. SINGLE DX	126	3.1	5	1	1	3	4	5	8	12
2. MULTIPLE DX	106	5.3	76	1	1	3	5	10	13	53
A. Not Operated	126	4.1	61	1	1	2	4	8	10	43
B. Operated	106	4.0	12	1	1	3	4	7	12	19
TOTAL										
0-27 DYS	15	3.8	4	1	2	4	5	7	8	8
1-11 MOS	19	8.1	327	< 1	1	2	6	13	51	81
1-5 YRS	22	3.2	7	< 1	1	2	4	8	9	10
6-12 YRS	42	3.2	6	1	1	3	4	5	8	13
13-19 YRS	134	3.9	17	1	1	3	4	8	12	27
GRAND TOTAL	**232**	**4.1**	**39**	**1**	**1**	**3**	**4**	**7**	**11**	**27**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	94	5.1	5	2	2	5	7	8	8	12
6-12 YRS	252	5.1	5	2	3	5	6	7	8	21
13-19 YRS	189	5.9	81	1	2	4	6	8	11	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	83	4.7	7	1	1	4	7	8	9	14
6-12 YRS	253	4.8	7	1	1	5	7	8	9	14
13-19 YRS	251	5.6	60	1	1	4	7	8	10	70
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	6	7.8	36	1	1	7	8	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	538	5.4	32	2	2	5	6	7	9	82
B. Operated	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	589	5.1	30	1	1	4	7	8	9	18
B. Operated	10	7.0	25	1	2	7	8	14	19	19
1. SINGLE DX	541	5.4	32	2	2	5	6	7	9	82
2. MULTIPLE DX	599	5.2	30	1	1	4	7	8	9	19
A. Not Operated	1127	5.2	31	1	2	5	6	8	9	51
B. Operated	13	6.5	20	1	2	6	8	11	17	19
TOTAL										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	4	4.3	6	1	1	5	6	6	6	6
1-5 YRS	178	4.9	6	1	2	5	7	8	9	13
6-12 YRS	509	4.9	6	1	2	5	6	8	9	15
13-19 YRS	447	5.8	69	1	2	4	7	8	10	81
GRAND TOTAL	**1140**	**5.3**	**31**	**1**	**2**	**5**	**6**	**8**	**9**	**50**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	4.5	18	1	1	3	7	11	12	12
1-5 YRS	86	6.1	15	2	3	6	8	9	12	24
6-12 YRS	626	3.9	6	1	1	3	5	7	8	13
13-19 YRS	1221	3.3	5	1	1	3	4	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	7	5.1	16	2	2	4	7	12	13	13
13-19 YRS	12	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	6.8	21	1	2	6	9	13	16	17
1-5 YRS	128	6.0	14	1	2	5	8	11	12	18
6-12 YRS	785	4.2	9	1	1	3	5	7	10	15
13-19 YRS	1759	4.1	18	1	1	3	5	7	9	21
B. Operated										
0-27 DYS	0									
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	5	11.4	58	5	5	8	16	24	24	24
6-12 YRS	20	9.0	192	< 1	2	5	8	18	43	64
13-19 YRS	68	8.7	52	2	3	6	10	20	25	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1939	3.6	6	1	1	3	5	7	8	12
B. Operated	20	3.8	8	1	1	3	4	7	10	13
2. MULTIPLE DX										
A. Not Operated	2685	4.2	16	1	1	3	5	8	10	18
B. Operated	94	8.9	80	2	3	6	10	20	25	51
1. SINGLE DX	1959	3.6	6	1	1	3	5	7	8	12
2. MULTIPLE DX	2779	4.4	18	1	1	3	5	8	10	21
A. Not Operated	4624	4.0	12	1	1	3	5	7	9	15
B. Operated	114	8.0	71	1	2	5	9	18	24	45
TOTAL										
0-27 DYS	0									
1-11 MOS	20	6.4	21	1	1	6	10	12	15	17
1-5 YRS	220	6.1	15	1	2	5	8	11	13	21
6-12 YRS	1438	4.1	11	1	1	3	5	7	9	15
13-19 YRS	3060	3.9	14	1	1	3	5	7	9	18
GRAND TOTAL	**4738**	**4.1**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	115	5.1	5	2	2	5	7	8	9	11
6-12 YRS	397	5.0	6	2	2	5	6	8	9	13
13-19 YRS	485	4.7	15	1	2	4	6	8	10	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.0	3	1	1	1	3	5	5	5
13-19 YRS	10	4.0	5	2	2	3	6	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	4.3	2	3	3	4	5	6	6	6
1-11 MOS	9	4.0	2	2	2	4	5	6	7	7
1-5 YRS	101	6.2	22	1	2	5	7	12	15	26
6-12 YRS	348	5.0	13	1	2	4	7	9	11	22
13-19 YRS	720	5.0	19	1	2	4	6	9	12	39
B. Operated										
0-27 DYS	0									
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS	2	5.5	41	< 1	< 1	5	10	10	10	10
6-12 YRS	10	7.8	43	2	2	6	10	17	24	24
13-19 YRS	41	6.7	75	1	1	4	8	14	20	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	998	4.9	10	1	2	5	6	8	9	14
B. Operated	15	3.3	5	1	1	2	5	6	8	8
2. MULTIPLE DX										
A. Not Operated	1182	5.1	18	1	2	4	6	9	12	26
B. Operated	55	6.9	64	1	1	4	9	12	21	50
1. SINGLE DX	1013	4.9	10	1	2	4	6	8	9	13
2. MULTIPLE DX	1237	5.2	20	1	2	4	6	10	12	27
A. Not Operated	2180	5.0	14	1	2	4	6	9	11	21
B. Operated	70	6.2	53	1	1	4	8	10	19	46
TOTAL										
0-27 DYS	4	4.3	2	3	3	4	5	6	6	6
1-11 MOS	12	5.3	8	2	3	4	7	10	10	10
1-5 YRS	218	5.6	13	1	2	5	7	9	12	23
6-12 YRS	760	5.0	10	1	2	5	6	8	10	18
13-19 YRS	1256	4.9	19	1	2	4	6	9	11	24
GRAND TOTAL	**2250**	**5.0**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**22**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	2.6	1	2	2	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	22	3.5	3	< 1	1	3	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	2.8	4	1	1	2	4	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	39	3.8	3	< 1	1	4	5	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.6	1	2	2	2	3	4	4	4
B. Operated	23	3.7	4	< 1	1	3	5	7	8	9
2. MULTIPLE DX										
A. Not Operated	9	2.8	4	1	1	2	4	6	7	7
B. Operated	40	3.8	3	< 1	1	4	5	6	7	9
1. SINGLE DX	28	3.5	4	< 1	1	3	4	7	8	9
2. MULTIPLE DX	49	3.6	4	1	1	4	5	6	7	9
A. Not Operated	14	2.7	3	1	1	2	3	5	7	7
B. Operated	63	3.7	4	< 1	1	4	5	6	8	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	75	3.5	3	< 1	1	3	5	6	7	9
GRAND TOTAL	**77**	**3.6**	**4**	**< 1**	**1**	**3**	**5**	**6**	**7**	**9**

1,199 Hospitals, United States, January-December 1987

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	5.0	13	1	1	4	7	11	11	11
1-11 MOS	23	4.2	20	1	1	3	4	10	15	20
1-5 YRS	182	2.2	14	< 1	< 1	1	2	3	6	20
6-12 YRS	210	1.6	1	< 1	< 1	1	2	3	4	6
13-19 YRS	117	2.2	3	< 1	1	2	2	4	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	10	3.6	6	1	1	3	6	7	8	8
1-5 YRS	12	3.6	7	< 1	1	3	5	7	9	9
6-12 YRS	14	4.3	5	1	2	4	6	7	8	8
13-19 YRS	17	3.9	7	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	22	8.5	38	1	2	7	12	16	23	25
1-11 MOS	80	4.5	23	1	1	3	6	10	15	25
1-5 YRS	338	2.7	11	1	1	2	3	5	7	16
6-12 YRS	302	2.6	8	< 1	1	2	3	5	8	14
13-19 YRS	290	3.0	8	< 1	1	2	3	6	8	16
B. Operated										
0-27 DYS	4	13.5	104	5	5	10	20	28	28	28
1-11 MOS	16	11.9	236	1	1	6	19	88	99 +	99 +
1-5 YRS	17	5.8	20	< 1	1	5	9	13	14	15
6-12 YRS	15	10.4	169	1	2	6	9	39	43	44
13-19 YRS	23	4.0	11	1	1	3	6	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	538	2.1	7	< 1	< 1	1	2	4	5	11
B. Operated	53	3.9	6	1	1	3	6	7	8	9
2. MULTIPLE DX										
A. Not Operated	1032	3.0	12	1	1	2	3	6	9	17
B. Operated	75	7.9	104	1	1	5	9	19	42	99 +
1. SINGLE DX	591	2.2	7	< 1	< 1	1	2	4	7	11
2. MULTIPLE DX	1107	3.4	19	1	1	2	4	7	10	26
A. Not Operated	1570	2.7	10	< 1	1	2	3	5	8	16
B. Operated	128	6.2	67	1	1	4	7	14	28	99 +
TOTAL										
0-27 DYS	32	8.5	44	1	2	7	12	16	25	28
1-11 MOS	129	5.3	52	1	1	3	6	15	20	99 +
1-5 YRS	549	2.7	13	< 1	1	2	3	5	7	16
6-12 YRS	541	2.5	12	< 1	1	2	3	5	7	14
13-19 YRS	447	2.9	7	< 1	1	2	3	6	8	14
GRAND TOTAL	1698	3.0	16	< 1	1	2	3	6	9	20

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	7	5.6	17	1	1	5	8	12	13	13
1-5 YRS	5	2.0	1	1	1	2	2	3	3	3
6-12 YRS	3	15.3	534	1	1	3	32	42	42	42
13-19 YRS	12	30.4	281	14	15	22	45	53	59	60
B. Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	3	9.0	93	2	2	5	16	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	4.8	7	1	2	4	5	9	10	10
1-11 MOS	81	8.9	72	1	2	6	10	19	30	41
1-5 YRS	50	8.5	78	1	2	6	9	15	28	42
6-12 YRS	20	18.3	392	2	3	11	23	50	64	71
13-19 YRS	63	28.7	421	2	3	28	44	57	68	73
B. Operated										
0-27 DYS	0									
1-11 MOS	8	25.1	413	3	3	23	43	52	53	53
1-5 YRS	14	25.2	746	2	3	11	46	73	76	77
6-12 YRS	11	13.1	358	3	3	6	11	40	66	68
13-19 YRS	15	12.9	194	1	3	5	18	38	42	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	16.0	319	1	1	8	20	46	50	60
B. Operated	5	8.2	50	2	2	5	12	20	20	20
2. MULTIPLE DX										
A. Not Operated	225	15.0	275	2	2	8	17	41	53	70
B. Operated	48	18.6	439	3	3	7	31	52	68	77
1. SINGLE DX	34	14.8	284	1	1	7	19	43	50	60
2. MULTIPLE DX	273	15.6	304	2	2	8	19	42	55	72
A. Not Operated	254	15.1	279	1	2	8	18	42	53	70
B. Operated	53	17.6	410	2	3	7	26	51	66	77
TOTAL										
0-27 DYS	13	4.3	7	1	1	4	5	9	10	10
1-11 MOS	97	10.0	113	1	2	6	11	22	35	52
1-5 YRS	70	11.3	248	1	2	6	10	31	46	76
6-12 YRS	34	16.4	373	2	3	8	15	44	66	71
13-19 YRS	93	25.8	394	2	3	19	41	54	63	72
GRAND TOTAL	307	15.5	301	2	2	8	19	42	64	72

77. Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	7.6	31	1	1	8	11	15	18	18
1-11 MOS	37	7.4	35	1	2	5	12	15	20	23
1-5 YRS	101	8.5	24	1	2	9	11	14	16	24
6-12 YRS	159	10.4	22	2	4	10	13	15	17	29
13-19 YRS	225	11.1	27	3	5	10	14	17	21	29
B. Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	8	10.4	23	1	3	11	14	15	16	16
6-12 YRS	11	15.9	35	7	9	15	19	25	26	26
13-19 YRS	16	12.9	33	2	3	13	16	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	6.7	49	1	1	3	11	18	19	19
1-11 MOS	172	9.3	72	2	3	7	12	20	28	43
1-5 YRS	193	9.1	59	< 1	1	9	13	16	20	25
6-12 YRS	376	10.0	26	2	3	10	14	16	18	22
13-19 YRS	474	11.6	35	2	4	11	14	18	22	30
B. Operated										
0-27 DYS	6	15.5	68	7	8	13	27	86	99 +	99 +
1-11 MOS	21	26.8	558	5	6	16	39	61	81	94
1-5 YRS	25	14.5	248	2	3	10	17	20	55	75
6-12 YRS	51	16.2	95	5	7	15	19	26	35	57
13-19 YRS	77	14.3	66	3	6	13	17	26	32	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	531	10.1	27	2	3	10	13	15	18	28
B. Operated	38	12.8	36	1	4	13	16	21	23	26
2. MULTIPLE DX										
A. Not Operated	1221	10.4	42	2	3	10	14	17	21	31
B. Operated	180	16.4	167	3	6	14	19	31	41	88
1. SINGLE DX	569	10.3	28	2	3	10	13	16	19	28
2. MULTIPLE DX	1401	11.1	62	2	3	10	14	19	23	41
A. Not Operated	1752	10.3	38	2	3	10	14	17	20	30
B. Operated	218	15.8	146	3	5	14	18	27	39	81
TOTAL										
0-27 DYS	22	9.9	56	1	1	11	15	21	55	99 +
1-11 MOS	232	10.6	134	2	3	7	13	22	32	58
1-5 YRS	327	9.4	63	< 1	2	9	12	16	18	34
6-12 YRS	597	10.7	34	2	3	10	14	17	20	30
13-19 YRS	792	11.7	36	3	4	11	14	19	22	33
GRAND TOTAL	**1970**	**10.9**	**52**	**2**	**3**	**10**	**14**	**18**	**22**	**36**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	4.0	4	3	3	3	5	7	7	7
6-12 YRS	7	4.9	5	2	2	5	7	8	8	8
13-19 YRS	3	6.0	3	4	4	7	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	19	6.4	5	2	4	6	8	8	10	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	4.9	13	2	2	3	6	11	12	12
6-12 YRS	17	12.7	241	1	1	7	19	41	47	49
13-19 YRS	22	12.8	344	1	2	5	13	58	79	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	42	6.2	5	3	4	6	7	9	12	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.9	4	2	2	5	7	7	8	8
B. Operated	21	6.2	5	2	3	6	8	8	10	12
2. MULTIPLE DX										
[illegible] Not Operated	48	11.3	248	1	1	4	11	42	57	99 +
[illegible] Operated	45	6.1	5	3	4	6	7	9	11	99 +
[illegible] SINGLE DX	35	5.7	5	2	2	6	7	8	8	12
2. MULTIPLE DX	93	8.8	136	1	2	6	9	22	47	99 +
A. Not Operated	62	9.8	199	1	2	4	10	36	51	96
B. Operated	66	6.2	5	3	4	6	7	9	10	86
TOTAL										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	13	4.6	10	2	2	3	5	10	12	12
6-12 YRS	28	9.6	160	1	1	5	8	31	44	49
13-19 YRS	86	7.9	97	2	2	6	8	12	42	99 +
GRAND TOTAL	**128**	**7.9**	**102**	**1**	**2**	**6**	**8**	**13**	**41**	**99 +**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	33	4.1	13	1	1	3	4	10	14	15
1-11 MOS	33	3.6	10	1	1	2	5	8	11	14
1-5 YRS	121	3.5	38	< 1	< 1	2	3	7	11	37
6-12 YRS	71	2.5	8	< 1	< 1	2	3	5	10	82
13-19 YRS	63	3.1	6	< 1	< 1	2	4	7	8	12
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	21	6.8	57	1	1	5	8	14	26	34
1-5 YRS	49	4.6	46	1	1	3	5	9	11	47
6-12 YRS	41	4.3	58	< 1	1	3	4	8	11	49
13-19 YRS	31	4.1	16	1	1	3	5	8	14	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	22	8.8	161	1	2	4	9	30	41	51
1-11 MOS	105	6.0	50	1	2	4	6	13	20	40
1-5 YRS	249	5.3	47	< 1	1	3	6	10	20	28
6-12 YRS	133	3.3	12	< 1	1	2	4	7	10	18
13-19 YRS	112	5.5	58	1	1	4	5	10	16	45
B. Operated										
0-27 DYS	6	9.8	123	1	1	4	19	27	28	28
1-11 MOS	28	13.8	126	2	3	9	27	99 +	99 +	99 +
1-5 YRS	74	12.7	214	1	2	7	18	32	52	93
6-12 YRS	41	12.1	305	1	1	5	12	38	62	66
13-19 YRS	38	9.7	164	1	1	6	12	24	34	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	321	3.3	20	< 1	< 1	2	4	7	10	23
B. Operated	143	4.8	44	1	1	3	5	10	12	47
2. MULTIPLE DX										
A. Not Operated	621	5.2	47	< 1	1	3	6	10	17	33
B. Operated	187	12.0	205	1	2	7	17	32	63	99 +
1. SINGLE DX	464	3.7	28	< 1	< 1	2	4	8	11	33
2. MULTIPLE DX	808	6.7	92	1	1	4	7	17	26	67
A. Not Operated	942	4.5	38	< 1	< 1	3	5	9	14	33
B. Operated	330	8.9	148	1	1	5	10	24	44	99 +
TOTAL										
0-27 DYS	62	6.4	79	1	1	3	6	14	28	49
1-11 MOS	187	6.8	63	1	2	4	8	20	29	99 +
1-5 YRS	493	5.9	78	< 1	1	3	6	13	21	55
6-12 YRS	286	4.5	68	< 1	< 1	2	4	9	15	62
13-19 YRS	244	5.4	59	< 1	1	3	6	10	17	39
GRAND TOTAL	**1272**	**5.6**	**70**	**< 1**	**1**	**3**	**6**	**12**	**21**	**61**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	8.0	8	6	6	8	10	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	2	8.0	8	6	6	8	10	10	10	10
B. Operated	0									
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	2	8.0	8	6	6	8	10	10	10	10
A. Not Operated	2	8.0	8	6	6	8	10	10	10	10
B. Operated	1	1.0		1	1	1	1	1	1	1
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	2	8.0	8	6	6	8	10	10	10	10
GRAND TOTAL	**3**	**5.7**	**20**	**1**	**1**	**6**	**9**	**10**	**10**	**10**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	19	3.6	5	< 1	< 1	3	5	7	8	8
1-11 MOS	79	3.3	14	1	1	2	4	6	8	23
1-5 YRS	147	2.7	10	1	1	2	3	4	7	15
6-12 YRS	63	2.2	2	1	1	2	2	4	5	8
13-19 YRS	53	2.5	3	< 1	1	2	3	5	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	3	9.0	25	4	4	9	13	14	14	14
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	160	5.0	23	1	2	4	6	10	15	23
1-11 MOS	2213	3.6	10	1	1	3	4	6	8	18
1-5 YRS	4091	2.8	5	1	1	2	3	5	6	12
6-12 YRS	1403	2.8	12	1	1	2	3	5	6	12
13-19 YRS	1088	3.1	7	1	1	2	4	6	7	13
B. Operated										
0-27 DYS	12	10.4	66	2	3	6	16	24	26	26
1-11 MOS	63	16.3	263	2	3	10	25	41	53	98
1-5 YRS	87	10.7	199	1	1	4	15	33	42	67
6-12 YRS	32	10.6	166	1	1	3	17	29	39	49
13-19 YRS	56	8.8	96	1	1	5	12	23	26	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	361	2.8	8	1	1	2	3	5	7	15
B. Operated	7	5.1	22	1	1	3	8	13	14	14
2. MULTIPLE DX										
A. Not Operated	8955	3.1	8	1	1	2	4	5	7	14
B. Operated	250	11.7	187	1	1	6	17	31	41	78
1. SINGLE DX	368	2.8	9	1	1	2	3	5	7	15
2. MULTIPLE DX	9205	3.3	15	1	1	2	4	6	8	20
A. Not Operated	9316	3.1	8	1	1	2	4	5	7	14
B. Operated	257	11.5	183	1	1	6	17	30	41	76
TOTAL										
0-27 DYS	191	5.2	26	1	1	4	6	11	17	25
1-11 MOS	2358	3.9	21	1	1	3	4	7	10	25
1-5 YRS	4326	2.9	10	1	1	2	3	5	6	15
6-12 YRS	1500	2.9	16	1	1	2	3	5	6	18
13-19 YRS	1198	3.3	12	1	1	2	4	6	8	19
GRAND TOTAL	**9573**	**3.3**	**15**	**1**	**1**	**2**	**4**	**5**	**8**	**20**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	25	4.1	12	1	2	3	4	11	13	15
1-5 YRS	43	3.0	4	1	1	3	4	6	7	8
6-12 YRS	5	3.8	3	2	2	3	5	6	6	6
13-19 YRS	7	4.3	6	1	1	3	6	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	6	4.7	15	1	1	3	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	33	3.9	8	< 1	1	3	5	8	10	11
1-5 YRS	63	5.5	120	< 1	1	3	5	9	12	78
6-12 YRS	13	4.2	17	< 1	1	3	4	8	15	17
13-19 YRS	73	3.5	5	< 1	1	3	5	7	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	4	5.3	32	1	1	4	9	13	13	13
1-5 YRS	9	12.3	97	5	5	11	13	28	37	37
6-12 YRS	2	13.0	128	5	5	13	21	21	21	21
13-19 YRS	17	4.3	8	< 1	1	4	5	8	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	3.5	7	1	1	3	4	7	8	14
B. Operated	10	4.1	10	1	1	3	6	9	10	10
2. MULTIPLE DX										
A. Not Operated	182	4.3	47	< 1	1	3	5	8	10	19
B. Operated	32	7.2	51	1	1	5	10	13	20	37
1. SINGLE DX	90	3.6	7	1	1	3	4	7	9	14
2. MULTIPLE DX	214	4.7	48	< 1	1	3	5	9	12	27
A. Not Operated	262	4.1	34	1	1	3	5	7	9	17
B. Operated	42	6.5	43	1	1	5	9	13	17	37
TOTAL										
0-27 DYS	0									
1-11 MOS	64	4.0	10	1	1	3	5	9	12	15
1-5 YRS	116	5.0	79	1	1	3	5	9	13	54
6-12 YRS	21	5.0	24	1	1	4	5	11	19	21
13-19 YRS	103	3.8	6	< 1	1	3	5	7	9	11
GRAND TOTAL	**304**	**4.4**	**36**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	35	3.1	3	1	1	3	4	6	7	8
1-5 YRS	367	3.3	5	1	1	3	4	6	8	10
6-12 YRS	569	3.5	7	1	1	3	4	7	9	12
13-19 YRS	993	4.7	11	1	1	4	6	9	11	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	7.0	24	2	2	5	11	14	16	16
6-12 YRS	3	1.7		< 1	< 1	2	2	2	2	2
13-19 YRS	14	6.8	52	1	1	6	8	14	26	29
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	95	4.3	7	2	2	4	5	8	10	15
1-5 YRS	520	4.1	8	1	2	3	5	8	9	13
6-12 YRS	494	4.9	10	1	1	4	7	9	11	15
13-19 YRS	786	6.0	17	1	2	5	8	11	15	23
B. Operated										
0-27 DYS	0									
1-11 MOS	5	6.6	49	3	3	3	8	19	19	19
1-5 YRS	13	6.6	14	1	1	7	9	11	13	13
6-12 YRS	21	16.2	331	1	2	9	17	51	59	65
13-19 YRS	34	9.6	37	2	2	9	14	18	21	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1965	4.1	9	1	1	3	5	8	9	14
B. Operated	26	6.3	38	1	1	5	8	12	19	29
2. MULTIPLE DX										
A. Not Operated	1896	5.1	13	1	2	4	7	9	12	19
B. Operated	73	10.8	128	1	2	9	13	21	28	62
1. SINGLE DX	1991	4.1	9	1	1	3	5	8	10	15
2. MULTIPLE DX	1969	5.3	18	1	2	4	7	10	12	22
A. Not Operated	3861	4.6	11	1	1	4	6	9	11	17
B. Operated	99	9.6	107	1	2	7	12	19	27	60
TOTAL										
0-27 DYS	2	2.0	2	< 1	< 1	1	3	3	3	3
1-11 MOS	135	4.1	8	1	2	3	5	7	9	16
1-5 YRS	909	3.9	7	1	1	3	5	7	9	13
6-12 YRS	1087	4.4	18	1	1	3	5	8	10	15
13-19 YRS	1827	5.4	15	1	2	4	7	10	13	21
GRAND TOTAL	**3960**	**4.7**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	20	2.3	5	< 1	< 1	1	3	5	7	10
1-11 MOS	75	2.2	5	< 1	1	1	2	5	7	13
1-5 YRS	153	2.5	4	< 1	1	2	3	5	7	9
6-12 YRS	167	2.6	6	< 1	< 1	2	3	5	7	11
13-19 YRS	89	3.1	13	< 1	1	2	4	7	10	22
B. Operated										
0-27 DYS	0									
1-11 MOS	24	4.0	58	< 1	1	2	4	5	17	39
1-5 YRS	70	3.6	7	1	1	3	5	7	9	13
6-12 YRS	63	7.0	53	2	3	5	7	12	21	48
13-19 YRS	29	6.4	24	1	2	5	7	15	16	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	20	3.9	12	< 1	1	3	5	8	12	15
1-11 MOS	100	3.5	12	< 1	1	2	4	8	10	19
1-5 YRS	297	3.6	21	< 1	< 1	2	4	8	12	17
6-12 YRS	214	3.6	25	< 1	1	2	4	8	10	[illegible]
13-19 YRS	192	3.7	15	1	1	3	5	7	12	19
B. Operated										
0-27 DYS	0									
1-11 MOS	22	7.9	44	< 1	1	6	12	16	23	25
1-5 YRS	90	13.5	297	1	2	7	15	38	58	86
6-12 YRS	91	10.3	142	2	2	5	10	27	42	52
13-19 YRS	70	8.5	84	1	2	5	9	17	28	[illegible]
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	504	2.6	6	< 1	1	2	3	5	7	11
B. Operated	186	5.3	34	1	1	4	6	9	13	35
2. MULTIPLE DX										
A. Not Operated	823	3.6	19	< 1	1	2	4	8	11	19
B. Operated	273	10.7	173	1	2	6	13	25	41	62
1. SINGLE DX	690	3.3	15	< 1	1	2	4	7	9	19
2. MULTIPLE DX	1096	5.4	67	< 1	1	3	6	12	17	47
A. Not Operated	1327	3.2	15	< 1	1	2	4	7	9	16
B. Operated	459	8.5	124	1	2	5	9	19	30	58
TOTAL										
0-27 DYS	40	3.1	9	< 1	1	2	4	7	9	[illegible]
1-11 MOS	221	3.5	20	< 1	1	2	4	8	12	[illegible]
1-5 YRS	610	4.8	69	< 1	1	2	5	9	14	[illegible]
6-12 YRS	535	4.8	50	< 1	1	3	5	9	15	[illegible]
13-19 YRS	380	4.6	32	1	1	3	5	10	15	29
GRAND TOTAL	**1786**	**4.6**	**48**	**< 1**	**1**	**3**	**5**	**9**	**14**	**40**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	21	2.3	3	<1	1	2	3	4	6	9
6-12 YRS	27	3.3	3	1	2	3	4	6	7	8
13-19 YRS	25	5.0	21	1	2	3	6	13	16	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	9.2	6	6	6	9	11	12	12	12
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	6	4.5	24	1	1	3	5	13	14	14
1-5 YRS	29	3.0	3	<1	<1	3	4	6	6	6
6-12 YRS	45	4.5	14	1	1	4	5	11	14	15
13-19 YRS	23	6.3	33	1	2	5	6	17	21	22
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	5.8	7	2	2	6	7	9	9	9
6-12 YRS	5	1.8		1	1	2	2	2	2	2
13-19 YRS	7	6.9	35	2	2	4	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.6	10	1	1	2	4	6	10	17
B. Operated	6	8.2	11	3	3	8	11	12	12	12
2. MULTIPLE DX										
A. Not Operated	105	4.5	16	1	1	4	5	10	14	21
B. Operated	17	5.1	20	1	2	3	7	12	16	17
1. SINGLE DX	82	3.9	11	1	1	3	5	8	12	17
2. MULTIPLE DX	122	4.6	17	1	1	4	5	10	14	21
A. Not Operated	181	4.1	14	1	1	3	5	8	13	20
B. Operated	23	5.9	19	1	2	5	9	12	14	17
TOTAL										
0-27 DYS	3	5.0	1	4	4	5	6	6	6	6
1-11 MOS	8	3.8	19	1	1	2	4	11	14	14
1-5 YRS	55	3.0	4	<1	1	2	4	6	7	9
6-12 YRS	82	4.2	11	1	1	3	5	9	12	15
13-19 YRS	56	5.7	27	1	2	4	6	15	18	22
GRAND TOTAL	**204**	**4.3**	**15**	**1**	**1**	**3**	**5**	**9**	**13**	**19**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	37	2.9	4	<1	1	2	4	6	7	9
1-5 YRS	352	3.0	5	1	1	2	4	5	8	10
6-12 YRS	271	3.2	9	1	1	3	4	6	8	17
13-19 YRS	118	3.5	7	<1	1	3	4	7	9	14
B. Operated										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	12	5.1	38	1	1	3	7	12	21	23
1-5 YRS	161	3.2	6	1	1	3	4	6	9	11
6-12 YRS	123	4.4	13	1	1	4	6	8	10	20
13-19 YRS	121	5.5	13	1	2	5	7	9	11	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	4.6	17	1	1	3	7	11	12	12
1-11 MOS	111	3.7	12	1	1	3	4	8	9	19
1-5 YRS	762	4.4	16	1	1	3	5	8	11	22
6-12 YRS	570	5.0	20	1	1	4	6	10	14	22
13-19 YRS	384	5.2	22	1	1	4	7	10	13	23
B. Operated										
0-27 DYS	6	25.8	1067	1	1	15	37	80	85	85
1-11 MOS	31	9.2	162	1	1	5	11	29	44	46
1-5 YRS	135	8.0	66	1	2	5	11	18	22	66
6-12 YRS	102	8.8	79	2	2	6	11	17	27	50
13-19 YRS	134	10.7	151	1	2	7	13	25	34	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	779	3.1	7	1	1	2	4	6	8	13
B. Operated	419	4.3	12	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	1835	4.7	18	1	1	4	6	9	12	22
B. Operated	408	9.4	121	1	2	6	12	19	32	60
1. SINGLE DX	1198	3.5	9	1	1	3	5	7	9	15
2. MULTIPLE DX	2243	5.6	40	1	1	4	7	11	15	34
A. Not Operated	2614	4.2	16	1	1	3	5	8	11	20
B. Operated	827	6.8	72	1	1	5	8	14	21	47
TOTAL										
0-27 DYS	17	12.1	451	1	1	4	10	35	68	85
1-11 MOS	191	4.5	40	1	1	3	5	9	14	44
1-5 YRS	1410	4.2	19	1	1	3	5	8	11	22
6-12 YRS	1066	4.8	24	1	1	3	6	9	13	26
13-19 YRS	757	6.0	46	1	1	4	7	11	15	37
GRAND TOTAL	**3441**	**4.9**	**30**	**1**	**1**	**3**	**6**	**10**	**13**	**29**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	74	2.0	2	<1	1	2	2	3	5	8
6-12 YRS	548	1.7	1	1	1	1	2	3	3	4
13-19 YRS	544	1.8	1	1	1	2	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	51	2.8	1	2	2	3	3	4	4	7
6-12 YRS	319	2.9	1	1	2	3	3	4	5	7
13-19 YRS	429	3.2	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	91	2.3	2	1	1	2	3	4	6	9
6-12 YRS	359	2.0	2	1	1	2	2	3	4	7
13-19 YRS	329	2.1	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	38	5.0	11	2	2	4	6	10	13	17
6-12 YRS	153	3.8	3	2	2	3	5	6	8	9
13-19 YRS	260	3.9	4	2	2	3	5	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1167	1.7	1	1	1	1	2	3	4	6
B. Operated	799	3.1	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	780	2.1	2	1	1	2	3	4	5	7
B. Operated	453	4.0	4	2	2	4	5	6	8	11
1. SINGLE DX	1966	2.3	2	1	1	2	3	4	4	7
2. MULTIPLE DX	1233	2.8	3	1	1	2	4	5	6	10
A. Not Operated	1947	1.9	1	1	1	2	2	3	4	6
B. Operated	1252	3.4	3	2	2	3	4	5	6	10
TOTAL										
0-27 DYS	0									
1-11 MOS	4	2.5	3	1	1	2	4	5	5	5
1-5 YRS	254	2.7	4	1	1	2	3	5	6	13
6-12 YRS	1379	2.3	2	1	1	2	3	4	5	7
13-19 YRS	1562	2.6	3	1	1	2	3	4	5	8
GRAND TOTAL	**3199**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	56	4.3	4	1	2	4	6	7	8	9
1-5 YRS	188	4.1	4	1	2	4	5	7	8	11
6-12 YRS	76	3.9	4	1	2	3	5	7	8	10
13-19 YRS	34	4.1	8	1	1	3	6	8	11	12
B. Operated										
0-27 DYS	0									
1-11 MOS	17	4.9	24	1	1	4	6	18	68	99+
1-5 YRS	62	4.5	16	<1	<1	4	6	9	14	17
6-12 YRS	43	3.5	11	<1	<1	2	6	8	9	16
13-19 YRS	18	2.0	4	<1	<1	1	2	3	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	30	4.6	6	2	2	5	5	7	8	13
1-5 YRS	189	4.3	4	2	2	4	5	7	8	12
6-12 YRS	88	3.9	4	1	1	4	5	7	8	10
13-19 YRS	26	3.4	4	1	1	3	4	6	7	10
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	27	7.7	9	3	3	7	10	12	12	13
1-5 YRS	45	5.2	10	1	1	5	7	10	11	12
6-12 YRS	20	4.3	13	1	1	3	5	11	12	12
13-19 YRS	23	4.0	13	<1	1	3	6	9	12	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	355	4.1	5	1	2	4	5	7	8	11
B. Operated	140	3.9	14	<1	<1	2	6	8	14	28
2. MULTIPLE DX										
A. Not Operated	335	4.2	4	1	2	4	5	7	8	11
B. Operated	116	5.4	13	1	1	5	7	11	12	14
1. SINGLE DX	495	4.0	7	1	1	3	5	7	9	15
2. MULTIPLE DX	451	4.5	7	1	2	4	6	8	10	13
A. Not Operated	690	4.1	4	1	2	4	5	7	8	11
B. Operated	256	4.6	14	<1	1	4	7	10	12	17
TOTAL										
0-27 DYS	4	3.8	2	2	2	4	5	5	5	5
1-11 MOS	130	5.1	9	1	2	5	6	9	11	36
1-5 YRS	484	4.3	6	1	2	4	6	7	9	14
6-12 YRS	227	3.8	6	1	1	3	5	7	9	12
13-19 YRS	101	3.5	8	<1	1	3	4	7	10	14
GRAND TOTAL	**946**	**4.2**	**7**	**1**	**1**	**4**	**6**	**7**	**9**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.3	10	1	1	2	6	7	7	7
13-19 YRS	23	7.0	112	< 1	1	3	9	14	29	50
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	12	21.4	448	< 1	< 1	13	43	46	49	50
13-19 YRS	53	13.7	185	1	1	11	20	35	38	99
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	6.6	100	< 1	1	3	8	13	24	50
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	67	14.8	234	1	1	11	23	40	45	95
B. Operated	0									
1. SINGLE DX	26	6.6	100	< 1	1	3	8	13	24	50
2. MULTIPLE DX	67	14.8	234	1	1	11	23	40	45	95
A. Not Operated	93	12.5	209	1	1	7	18	38	44	87
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	15	17.8	409	< 1	1	5	42	44	49	50
13-19 YRS	76	11.7	171	1	1	8	17	30	38	92
GRAND TOTAL	**93**	**12.5**	**209**	**1**	**1**	**7**	**18**	**38**	**44**	**87**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	1.7	1	< 1	< 1	1	3	3	3	3
1-5 YRS	60	1.4	1	< 1	1	1	1	2	4	5
6-12 YRS	129	2.2	25	< 1	1	1	2	3	4	31
13-19 YRS	84	2.5	16	1	1	2	3	4	7	26
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	5.2	52	< 1	< 1	2	14	60	99 +	99 +
1-5 YRS	53	5.5	135	1	1	2	6	22	64	99 +
6-12 YRS	93	5.9	150	1	1	1	3	23	50	99 +
13-19 YRS	220	10.1	237	1	1	4	11	38	62	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	5	2.4	5	1	1	3	76	99 +	99 +	99 +
13-19 YRS	15	12.5	663	< 1	< 1	2	9	84	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	2.1	16	< 1	1	1	2	3	5	23
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	376	8.3	200	1	1	3	9	30	58	99 +
B. Operated	23	8.9	449	< 1	1	2	8	98	99 +	99 +
1. SINGLE DX	282	2.1	16	< 1	1	1	2	3	5	23
2. MULTIPLE DX	399	8.3	213	1	1	3	9	31	68	99 +
A. Not Operated	656	5.7	131	1	1	2	4	17	38	99 +
B. Operated	25	8.3	416	< 1	1	2	7	96	99 +	99 +
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	3.7	32	< 1	< 1	2	3	20	72	99 +
1-5 YRS	117	3.2	65	< 1	1	1	2	8	17	99 +
6-12 YRS	227	3.7	79	1	1	1	2	7	26	99 +
13-19 YRS	320	8.2	208	1	1	3	8	30	53	99 +
GRAND TOTAL	**681**	**5.8**	**141**	**1**	**1**	**2**	**4**	**18**	**41**	**99 +**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	2.2	3	< 1	< 1	1	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	2	4.5	25	< 1	< 1	4	8	8	8	8
13-19 YRS	61	6.4	65	1	1	3	6	22	25	36
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.2	3	< 1	< 1	1	4	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	64	6.3	63	1	1	3	6	22	24	36
B. Operated	0									
1. SINGLE DX	9	2.2	3	< 1	< 1	1	4	5	5	5
2. MULTIPLE DX	64	6.3	63	1	1	3	6	22	24	36
A. Not Operated	73	5.8	57	1	1	3	5	18	23	36
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	2	4.5	25	< 1	< 1	4	8	8	8	8
13-19 YRS	70	5.9	59	1	1	3	5	19	23	36
GRAND TOTAL	**73**	**5.8**	**57**	**1**	**1**	**3**	**5**	**18**	**23**	**36**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	1.6	1	< 1	< 1	1	2	3	3	3
6-12 YRS	7	1.3	1	1	1	1	1	3	3	3
13-19 YRS	42	6.4	93	< 1	1	2	6	17	20	54
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	9.0	18	6	6	9	12	12	12	12
1-5 YRS	7	2.4	3	1	1	2	4	5	5	5
6-12 YRS	5	5.0	71	1	1	1	6	20	20	20
13-19 YRS	181	6.4	46	1	1	5	7	13	23	46
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	11.0	175	1	1	6	21	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	5.3	75	< 1	1	2	4	17	19	52
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	195	6.3	45	1	1	5	7	13	23	44
B. Operated	3	11.0	175	1	1	6	21	26	26	26
1. SINGLE DX	56	5.2	74	< 1	1	2	4	16	19	52
2. MULTIPLE DX	198	6.3	46	1	1	5	7	13	23	43
A. Not Operated	250	6.0	51	1	1	4	7	14	21	52
B. Operated	4	8.8	137	1	1	4	16	26	26	26
TOTAL										
0-27 DYS	0									
1-11 MOS	3	7.3	17	4	4	6	10	12	12	12
1-5 YRS	12	2.1	2	< 1	< 1	2	3	4	5	5
6-12 YRS	13	2.8	27	1	1	1	2	6	17	20
13-19 YRS	226	6.5	55	1	1	5	7	14	23	52
GRAND TOTAL	**254**	**6.1**	**52**	**1**	**1**	**4**	**7**	**14**	**22**	**51**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	30.5	481	15	15	30	46	46	46	46
13-19 YRS	139	16.1	186	1	3	12	24	32	37	65
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	37.0	882	16	16	37	58	58	58	58
1-5 YRS	0									
6-12 YRS	2	57.0	2738	20	20	94	98	99 +	99 +	99 +
13-19 YRS	119	21.2	360	2	3	15	31	50	74	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	19.7	104	8	8	24	26	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	16.2	189	1	3	12	24	32	41	65
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	124	21.9	402	3	3	16	32	56	88	99 +
B. Operated	3	19.7	104	8	8	24	26	27	27	27
1. SINGLE DX	142	16.2	189	1	3	12	24	32	41	65
2. MULTIPLE DX	127	21.8	394	3	3	16	31	55	86	99 +
A. Not Operated	266	18.8	295	2	3	14	27	45	61	99 +
B. Operated	3	19.7	104	8	8	24	26	27	27	27
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	37.0	882	16	16	37	58	58	58	58
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	43.8	1307	15	15	46	95	99 +	99 +	99 +
13-19 YRS	261	18.4	270	2	3	14	26	40	56	99
GRAND TOTAL	**269**	**18.9**	**293**	**2**	**3**	**14**	**27**	**45**	**61**	**99 +**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	17.3	140	10	10	11	26	31	31	31
13-19 YRS	41	17.1	254	3	3	13	22	44	64	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	56.8	208	43	43	57	65	79	79	79
13-19 YRS	48	27.0	434	6	7	20	35	56	72	95
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	17.1	243	3	3	13	22	38	62	99+
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	53	29.8	486	6	7	22	40	61	78	95
B. Operated	0									
1. SINGLE DX	44	17.1	243	3	3	13	22	38	62	99+
2. MULTIPLE DX	53	29.8	486	6	7	22	40	61	78	95
A. Not Operated	97	24.0	412	3	4	17	32	60	70	98
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	42.0	576	10	10	44	58	73	79	79
13-19 YRS	89	22.4	372	3	4	17	29	52	70	98
GRAND TOTAL	**97**	**24.0**	**412**	**3**	**4**	**17**	**32**	**60**	**70**	**98**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	14	32.1	547	1	6	31	55	77	94	99+
13-19 YRS	352	19.6	331	2	3	14	27	46	63	95
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	15.0	32	11	11	15	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	14	36.6	485	9	13	36	47	88	97	99+
13-19 YRS	378	21.2	390	2	3	15	31	53	74	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	43.0		43	43	43	43	43	43	43
13-19 YRS	8	32.9	1037	5	10	28	98	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	367	20.0	343	2	3	14	29	48	63	99
B. Operated	2	15.0	32	11	11	15	19	19	19	19
2. MULTIPLE DX										
A. Not Operated	392	21.7	400	2	3	15	32	54	75	99+
B. Operated	9	34.0	919	6	11	35	96	99+	99+	99+
1. SINGLE DX	369	20.0	341	2	3	14	28	48	63	99
2. MULTIPLE DX	401	22.0	413	2	3	16	32	58	87	99+
A. Not Operated	759	20.9	373	2	3	15	30	51	71	99+
B. Operated	11	30.5	797	6	10	23	92	99+	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	29	34.7	486	6	8	33	52	81	99	99+
13-19 YRS	740	20.5	368	2	3	14	29	50	72	99+
GRAND TOTAL	**770**	**21.0**	**379**	**2**	**3**	**15**	**30**	**52**	**74**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	20	15.2	249	< 1	1	8	25	43	50	50
6-12 YRS	22	26.5	648	< 1	2	14	49	64	72	74
13-19 YRS	5	22.8	421	3	4	28	45	94	99 +	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	28	22.6	746	1	1	10	44	72	98	99 +
6-12 YRS	94	27.9	579	1	2	30	45	89	99 +	99 +
13-19 YRS	9	28.8	544	3	6	19	43	66	74	74
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	32.0	633	3	3	51	66	99 +	99 +	99 +
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	21.3	465	< 1	2	10	45	54	70	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	131	26.8	607	1	2	27	45	88	99 +	99 +
B. Operated	4	32.0	633	3	3	51	66	99 +	99 +	99 +
1. SINGLE DX	47	21.3	465	< 1	2	10	45	54	70	99 +
2. MULTIPLE DX	135	27.0	604	1	2	28	45	89	99 +	99 +
A. Not Operated	178	25.4	573	1	2	20	45	74	99 +	99 +
B. Operated	4	32.0	633	3	3	51	66	99 +	99 +	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	48	19.5	543	1	1	9	37	57	80	99 +
6-12 YRS	120	27.8	584	1	2	30	47	88	99 +	99 +
13-19 YRS	14	26.6	473	3	3	19	45	74	93	99 +
GRAND TOTAL	**182**	**25.5**	**572**	**1**	**2**	**20**	**45**	**75**	**99 +**	**99 +**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	15.4	76	4	6	15	18	29	35	35
6-12 YRS	95	25.5	309	2	5	24	32	53	73	99 +
13-19 YRS	803	18.3	299	1	3	13	25	43	61	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	26.0		26	26	26	26	26	26	26
13-19 YRS	3	20.3	306	3	3	20	33	38	38	38
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	33.0	415	13	13	25	41	65	79	79
6-12 YRS	203	31.6	470	2	7	29	43	62	86	99 +
13-19 YRS	1963	23.4	395	2	3	18	36	57	73	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	48.2	643	15	15	56	66	78	78	78
13-19 YRS	50	28.6	450	1	6	28	42	79	98	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	907	19.0	302	1	3	14	27	44	61	99 +
B. Operated	4	21.8	212	3	3	23	32	38	38	38
2. MULTIPLE DX										
A. Not Operated	2175	24.2	407	2	4	19	37	57	74	99 +
B. Operated	55	30.4	488	2	6	29	44	79	95	99 +
1. SINGLE DX	911	19.0	302	1	3	14	27	44	61	99 +
2. MULTIPLE DX	2230	24.3	410	2	4	20	37	58	75	99 +
A. Not Operated	3082	22.6	382	2	3	18	34	54	71	99 +
B. Operated	59	29.8	470	2	5	28	43	78	92	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	18	24.2	312	6	10	18	35	42	65	79
6-12 YRS	304	29.9	431	2	5	28	42	61	82	99 +
13-19 YRS	2819	22.0	374	2	3	16	33	53	70	99 +
GRAND TOTAL	**3141**	**22.8**	**384**	**2**	**3**	**18**	**34**	**54**	**71**	**99 +**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	4	13.0	150	1	1	13	23	25	25	25
6-12 YRS	25	34.6	559	6	7	29	50	79	86	99+
13-19 YRS	321	18.7	280	2	3	13	27	44	52	95
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	15.0	243	6	6	6	26	33	33	33
1-5 YRS	2	35.5	61	30	30	35	41	41	41	41
6-12 YRS	50	27.7	305	4	8	28	43	61	69	99+
13-19 YRS	551	23.3	385	3	4	18	35	54	72	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	35.5	1	35	35	35	36	36	36	36
13-19 YRS	13	26.2	274	2	8	26	36	46	60	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	351	19.7	313	1	3	14	28	46	59	95
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	607	23.7	378	3	4	19	35	54	72	99+
B. Operated	15	27.5	245	3	10	28	36	42	58	63
1. SINGLE DX	351	19.7	313	1	3	14	28	46	59	95
2. MULTIPLE DX	622	23.7	375	3	4	19	35	54	72	99+
A. Not Operated	958	22.2	357	2	4	17	32	51	67	99+
B. Operated	15	27.5	245	3	10	28	36	42	58	63
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	14.8	162	6	6	10	23	33	33	33
1-5 YRS	6	20.5	237	1	1	23	30	40	41	41
6-12 YRS	77	30.1	384	5	8	29	45	66	81	99+
13-19 YRS	885	21.7	350	2	3	16	31	50	65	99+
GRAND TOTAL	**973**	**22.3**	**356**	**2**	**4**	**17**	**32**	**51**	**66**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	17.0	633	1	1	4	35	46	46	46
6-12 YRS	13	8.3	39	<1	1	9	13	17	17	17
13-19 YRS	191	12.8	210	1	1	9	18	27	37	90
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	11.8	279	1	1	3	19	41	43	43
6-12 YRS	36	22.6	356	1	3	21	36	51	59	63
13-19 YRS	294	15.3	242	1	2	10	22	41	55	72
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	10.3	142	3	3	5	17	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	12.6	204	1	1	9	17	27	38	89
B. Operated	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	336	16.0	259	1	2	10	24	42	56	69
B. Operated	4	10.3	142	3	3	5	17	28	28	28
1. SINGLE DX	209	12.5	202	1	1	9	17	27	37	88
2. MULTIPLE DX	340	15.9	257	1	2	10	24	42	56	69
A. Not Operated	543	14.7	240	1	1	10	20	36	49	76
B. Operated	6	8.7	93	3	3	5	8	26	28	28
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	13.6	339	1	1	4	25	45	46	46
6-12 YRS	49	18.8	310	1	1	13	28	48	56	63
13-19 YRS	491	14.2	229	1	1	9	20	33	46	82
GRAND TOTAL	**549**	**14.6**	**239**	**1**	**1**	**9**	**20**	**36**	**49**	**76**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	17	15.5	395	1	1	2	31	47	54	58
13-19 YRS	51	6.8	114	< 1	< 1	2	6	26	38	41
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	26	28.1	1060	1	2	13	38	92	94	96
13-19 YRS	134	10.1	220	< 1	1	3	12	28	44	68
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	11.0	200	1	1	11	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	9.0	194	< 1	1	2	8	34	41	56
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	160	13.0	395	< 1	1	3	18	40	56	93
B. Operated	3	8.7	116	1	1	4	17	21	21	21
1. SINGLE DX	68	9.0	194	< 1	1	2	8	34	41	56
2. MULTIPLE DX	163	12.9	390	< 1	1	3	18	39	56	93
A. Not Operated	228	11.8	337	< 1	1	3	15	38	48	93
B. Operated	3	8.7	116	1	1	4	17	21	21	21
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	44	22.7	810	1	1	7	37	61	93	96
13-19 YRS	187	9.2	191	< 1	< 1	3	10	27	42	64
GRAND TOTAL	**231**	**11.8**	**334**	**< 1**	**1**	**3**	**15**	**38**	**48**	**93**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	32.0	2053	< 1	< 1	11	66	84	84	84
6-12 YRS	74	24.0	337	4	7	20	33	50	81	99 +
13-19 YRS	461	16.6	272	1	2	10	27	41	49	75
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	15.0	118	5	5	13	23	29	29	29
1-5 YRS	4	32.3	84	24	24	30	39	44	44	44
6-12 YRS	204	32.4	439	6	9	31	45	68	86	99 +
13-19 YRS	1396	21.8	395	2	3	16	34	53	68	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	32	27.6	623	2	3	19	47	61	92	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	538	17.7	294	1	2	11	28	42	53	88
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1609	23.1	411	2	3	17	37	56	72	99 +
B. Operated	32	27.6	623	2	3	24	51	69	99	99 +
1. SINGLE DX	538	17.7	294	1	2	11	28	42	53	88
2. MULTIPLE DX	1641	23.2	415	2	3	17	37	56	72	99 +
A. Not Operated	2147	21.8	387	2	3	16	34	52	67	99 +
B. Operated	32	27.6	623	2	3	24	51	69	99	99 +
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	15.0	118	5	5	13	23	29	29	29
1-5 YRS	7	32.1	726	< 1	2	26	42	76	84	84
6-12 YRS	278	30.2	424	5	8	28	42	66	86	99 +
13-19 YRS	1889	20.6	374	1	2	14	32	50	64	99 +
GRAND TOTAL	**2179**	**21.9**	**391**	**2**	**3**	**16**	**34**	**53**	**68**	**99 +**

1,199 Hospitals, United States, January-December 1987

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	2.3	5	1	1	2	2	6	8	8
6-12 YRS	83	11.6	328	1	1	4	12	41	73	99 +
13-19 YRS	386	11.2	267	1	1	4	12	35	51	91
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	4	9.0	181	1	1	3	17	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	16	7.9	412	1	1	2	4	13	62	83
6-12 YRS	128	17.3	490	1	1	6	31	64	97	99 +
13-19 YRS	773	12.7	284	1	1	6	17	39	54	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	32	12.4	313	< 1	1	5	13	42	53	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	478	11.1	273	1	1	4	12	35	51	98
B. Operated	6	8.8	109	1	1	6	9	27	29	29
2. MULTIPLE DX										
A. Not Operated	917	13.3	317	1	1	6	18	42	63	99 +
B. Operated	32	12.4	313	< 1	1	5	13	42	53	72
1. SINGLE DX	484	11.1	271	1	1	4	12	35	51	98
2. MULTIPLE DX	949	13.3	316	1	1	6	18	42	62	99 +
A. Not Operated	1395	12.5	303	1	1	5	16	40	59	99 +
B. Operated	38	11.9	279	< 1	1	5	13	37	52	72
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	26	6.0	256	1	1	2	4	8	28	83
6-12 YRS	212	15.0	431	1	1	5	25	60	91	99 +
13-19 YRS	1195	12.2	279	1	1	5	16	37	53	99 +
GRAND TOTAL	**1433**	**12.5**	**302**	**1**	**1**	**5**	**16**	**40**	**58**	**99 +**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	232	11.1	200	< 1	1	3	22	33	38	48
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	22.0	800	2	2	22	42	42	42	42
1-11 MOS	13	12.5	116	< 1	1	8	24	28	28	28
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	14	14.3	167	1	2	10	19	38	42	43
13-19 YRS	2379	23.3	222	1	3	25	32	42	45	61
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	36	22.8	329	1	2	24	30	44	51	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	11.1	199	< 1	1	3	22	33	38	48
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2410	23.2	222	1	3	25	32	42	45	61
B. Operated	36	22.8	329	1	2	24	30	44	51	92
1. SINGLE DX	236	11.1	199	< 1	1	3	22	33	38	48
2. MULTIPLE DX	2446	23.2	224	1	3	25	32	42	45	61
A. Not Operated	2646	22.1	232	1	2	23	31	42	45	61
B. Operated	36	22.8	329	1	2	24	30	44	51	92
TOTAL										
0-27 DYS	3	23.7	408	2	2	27	38	42	42	42
1-11 MOS	15	11.2	112	< 1	1	6	23	28	28	28
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	15	13.4	167	1	1	10	18	37	41	43
13-19 YRS	2647	22.2	233	1	2	24	31	42	45	61
GRAND TOTAL	**2682**	**22.1**	**233**	**1**	**2**	**23**	**31**	**42**	**45**	**61**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	17	16.7	346	1	2	4	31	38	56	65
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	88	23.8	232	1	3	28	35	40	45	59
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	16.0	334	1	2	4	30	38	55	65
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	90	23.4	237	1	3	28	35	39	45	59
B. Operated	0									
1. SINGLE DX	18	16.0	334	1	2	4	30	38	55	65
2. MULTIPLE DX	90	23.4	237	1	3	28	35	39	45	59
A. Not Operated	108	22.1	258	1	2	26	35	39	45	63
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	105	22.7	254	1	2	27	35	39	46	63
GRAND TOTAL	**108**	**22.1**	**258**	**1**	**2**	**26**	**35**	**39**	**45**	**63**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	23.7	325	3	3	24	43	43	43	43
13-19 YRS	170	16.2	254	1	2	8	29	40	45	69
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	11.8	124	1	1	12	18	29	29	29
1-5 YRS	0									
6-12 YRS	6	20.8	324	2	2	19	30	47	49	49
13-19 YRS	1497	24.9	228	2	4	27	34	44	49	64
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	26	36.2	248	16	21	35	45	51	59	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	16.4	256	1	2	9	29	42	45	68
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	1508	24.9	228	2	4	27	34	44	49	64
B. Operated	26	36.2	248	16	21	35	45	51	59	90
1. SINGLE DX	177	16.4	255	1	2	9	29	42	45	68
2. MULTIPLE DX	1534	25.1	230	2	4	27	35	44	50	64
A. Not Operated	1684	24.0	238	2	3	25	33	44	48	64
B. Operated	27	35.2	264	10	19	35	44	51	57	90
TOTAL										
0-27 DYS	0									
1-11 MOS	5	11.8	124	1	1	12	18	29	29	29
1-5 YRS	0									
6-12 YRS	12	22.3	297	2	3	23	36	45	48	49
13-19 YRS	1694	24.2	239	2	3	26	34	44	49	65
GRAND TOTAL	**1711**	**24.2**	**240**	**2**	**3**	**26**	**34**	**44**	**49**	**64**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	23	1.2		< 1	< 1	1	1	2	3	3
13-19 YRS	454	1.4	6	< 1	< 1	1	1	2	3	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.2		< 1	< 1	1	1	2	2	2
6-12 YRS	20	2.9	36	1	1	1	2	4	16	28
13-19 YRS	672	7.2	153	< 1	< 1	1	6	28	37	53
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	21	4.6	148	< 1	< 1	1	2	7	31	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	481	1.4	6	< 1	< 1	1	1	2	3	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	697	7.1	149	< 1	< 1	1	5	28	37	53
B. Operated	22	4.5	141	< 1	< 1	1	2	6	28	57
1. SINGLE DX	481	1.4	6	< 1	< 1	1	1	2	3	11
2. MULTIPLE DX	719	7.0	149	< 1	< 1	1	5	28	37	54
A. Not Operated	1178	4.8	98	< 1	< 1	1	2	13	29	51
B. Operated	22	4.5	141	< 1	< 1	1	2	6	28	57
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	1.1		< 1	< 1	1	1	2	2	2
6-12 YRS	44	1.9	17	< 1	< 1	1	1	2	4	28
13-19 YRS	1147	4.9	103	< 1	< 1	1	2	14	30	52
GRAND TOTAL	**1200**	**4.8**	**99**	**< 1**	**< 1**	**1**	**2**	**13**	**29**	**51**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	100	8.4	170	< 1	< 1	2	8	30	41	54
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	32.0		32	32	32	32	32	32	32
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	5	21.8	560	2	2	23	56	96	99 +	99 +
13-19 YRS	566	16.9	286	1	1	10	28	42	50	75
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	24.7	276	1	2	28	36	45	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	8.4	169	< 1	< 1	2	7	30	41	54
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	574	16.9	287	1	1	10	28	42	51	76
B. Operated	9	24.7	276	1	2	28	36	45	50	50
1. SINGLE DX	101	8.4	169	< 1	< 1	2	7	30	41	54
2. MULTIPLE DX	583	17.0	287	1	1	10	28	42	50	76
A. Not Operated	675	15.6	278	1	1	8	28	41	50	75
B. Operated	9	24.7	276	1	2	28	36	45	50	50
TOTAL										
0-27 DYS	0									
1-11 MOS	1	32.0		32	32	32	32	32	32	32
1-5 YRS	3	3.0	12	1	1	1	6	7	7	7
6-12 YRS	5	21.8	560	2	2	23	56	96	99 +	99 +
13-19 YRS	675	15.7	278	1	1	8	28	41	49	70
GRAND TOTAL	**684**	**15.7**	**279**	**1**	**1**	**8**	**28**	**41**	**50**	**74**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	7.5	57	2	2	5	13	18	18	18
6-12 YRS	19	2.8	8	1	1	2	3	7	10	12
13-19 YRS	34	3.5	24	<1	1	2	4	5	9	29
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	51	99+	99+	99+	99+
6-12 YRS	30	11.4	385	1	1	4	10	52	85	99+
13-19 YRS	86	6.5	105	1	1	3	6	15	33	51
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	8.3	15	6	6	7	10	14	14	14
13-19 YRS	5	6.2	7	3	3	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.5	21	1	1	2	4	7	11	28
B. Operated	3	4.3	5	3	3	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	117	7.8	178	1	1	3	7	26	47	99+
B. Operated	9	7.1	10	3	3	7	8	12	14	14
1. SINGLE DX	60	3.6	20	1	1	2	4	7	11	28
2. MULTIPLE DX	126	7.7	166	1	1	3	7	20	44	99+
A. Not Operated	174	6.4	130	1	1	3	6	14	38	96
B. Operated	12	6.4	10	3	3	6	8	10	13	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	6.7	37	2	2	7	15	84	99+	99+
6-12 YRS	53	8.1	235	1	1	3	7	16	53	99+
13-19 YRS	127	5.7	79	1	1	3	6	10	28	46
GRAND TOTAL	**186**	**6.4**	**122**	**1**	**1**	**3**	**6**	**14**	**35**	**95**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	17	9.3	95	1	1	5	15	21	31	37
6-12 YRS	202	15.3	262	1	1	10	23	43	57	99+
13-19 YRS	1473	10.7	165	1	1	6	14	28	37	75
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	9.2	120	1	1	5	8	29	30	30
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	29	21.1	388	1	3	16	37	65	99	99+
6-12 YRS	352	19.7	338	1	2	14	29	47	60	99+
13-19 YRS	2917	12.6	196	1	2	8	17	31	42	77
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	11.5	221	1	1	11	22	22	22	22
6-12 YRS	4	35.3	1669	1	1	54	88	99+	99+	99+
13-19 YRS	71	12.3	214	<1	1	8	20	37	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1692	11.3	178	1	1	7	14	29	40	88
B. Operated	10	9.2	120	1	1	5	8	29	30	30
2. MULTIPLE DX										
A. Not Operated	3298	13.4	218	1	2	8	18	34	45	88
B. Operated	77	13.5	292	<1	1	8	22	49	91	99+
1. SINGLE DX	1702	11.2	177	1	1	7	14	29	40	88
2. MULTIPLE DX	3375	13.4	220	1	2	8	18	34	46	90
A. Not Operated	4990	12.7	206	1	1	8	17	32	44	88
B. Operated	87	13.0	273	1	1	7	22	41	84	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	48	16.5	301	1	1	12	22	50	77	99+
6-12 YRS	558	18.2	323	1	2	12	28	45	59	99+
13-19 YRS	4471	12.0	187	1	1	7	16	30	41	78
GRAND TOTAL	**5077**	**12.7**	**207**	**1**	**1**	**8**	**17**	**32**	**44**	**89**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	10	3.7	38	< 1	< 1	2	2	12	21	21
1-5 YRS	87	11.4	250	1	1	3	22	34	42	71
6-12 YRS	413	22.0	537	1	2	14	34	65	85	99 +
13-19 YRS	1096	18.4	341	1	2	12	29	46	59	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	20.5	579	1	2	10	52	75	96	99 +
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	28	9.5	304	1	1	2	6	41	56	66
1-5 YRS	193	19.6	418	1	2	10	35	53	69	99 +
6-12 YRS	1064	25.5	439	2	3	23	42	64	94	99 +
13-19 YRS	2889	22.3	414	1	2	17	35	56	71	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	3	9.3	30	4	4	9	13	15	15	15
1-5 YRS	9	12.6	286	1	2	7	46	99 +	99 +	99 +
6-12 YRS	18	26.2	452	2	2	30	43	66	88	99 +
13-19 YRS	63	21.2	345	1	2	20	36	75	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1608	18.8	391	1	1	12	29	50	66	99 +
B. Operated	11	20.5	579	1	2	10	52	75	96	99 +
2. MULTIPLE DX										
A. Not Operated	4175	22.9	423	1	2	18	37	57	77	99 +
B. Operated	93	21.0	358	1	2	19	38	76	99 +	99 +
1. SINGLE DX	1619	18.8	392	1	1	11	29	50	66	99 +
2. MULTIPLE DX	4268	22.9	421	1	2	18	37	58	77	99 +
A. Not Operated	5783	21.8	417	1	2	16	35	56	73	99 +
B. Operated	104	20.9	376	1	2	18	39	75	99 +	99 +
TOTAL										
0-27 DYS	3	7.7	58	1	1	6	13	16	16	16
1-11 MOS	41	8.0	222	< 1	1	2	5	24	50	66
1-5 YRS	289	16.9	375	1	1	7	29	49	63	99 +
6-12 YRS	1495	24.5	468	2	3	21	41	64	91	99 +
13-19 YRS	4059	21.2	396	1	2	15	33	54	69	99 +
GRAND TOTAL	**5887**	**21.8**	**417**	**1**	**2**	**16**	**35**	**56**	**74**	**99 +**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	9.0	39	2	2	11	13	14	14	14
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS	13	11.0	238	1	2	6	12	25	53	60
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	54	99 +	99 +	99 +	99 +
1-5 YRS	5	6.6	27	2	2	6	15	91	99 +	99 +
6-12 YRS	26	12.2	173	3	3	7	26	81	99 +	99 +
13-19 YRS	43	19.9	632	1	2	10	25	71	91	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	3	5.7	17	1	1	7	8	9	9	9
13-19 YRS	7	5.0	44	1	1	1	6	16	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	11.7	204	1	2	8	14	26	49	60
B. Operated	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	75	16.2	439	1	2	9	26	79	99 +	99 +
B. Operated	11	6.2	40	1	1	6	8	17	19	19
1. SINGLE DX	20	10.4	182	1	2	6	12	22	44	60
2. MULTIPLE DX	86	14.9	398	1	1	8	20	71	99 +	99 +
A. Not Operated	92	15.4	396	1	2	9	21	70	99 +	99 +
B. Operated	14	5.5	33	1	1	3	7	16	18	19
TOTAL										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	54	99 +	99 +	99 +	99 +
1-5 YRS	9	8.4	33	2	2	9	15	58	99 +	99 +
6-12 YRS	31	11.8	162	2	3	7	26	57	99 +	99 +
13-19 YRS	65	16.0	497	1	1	8	19	60	76	99
GRAND TOTAL	**106**	**14.1**	**358**	**1**	**2**	**8**	**19**	**63**	**99**	**99 +**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	66	10.3	33	3	4	10	14	20	21	27
1-11 MOS	490	9.7	16	3	4	10	11	14	15	20
1-5 YRS	430	9.4	14	2	4	10	11	13	14	19
6-12 YRS	84	6.2	29	1	1	5	9	11	12	33
13-19 YRS	59	6.7	17	1	2	6	10	12	14	16
B. Operated										
0-27 DYS	6	11.2	48	<1	1	11	14	21	22	22
1-11 MOS	21	12.1	17	8	9	11	12	17	23	25
1-5 YRS	15	9.8	10	2	7	10	11	12	15	16
6-12 YRS	10	9.8	61	2	3	7	10	23	34	34
13-19 YRS	7	9.9	54	1	1	8	16	20	21	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	87	13.3	35	3	5	14	17	21	22	28
1-11 MOS	722	10.7	23	3	4	10	12	16	20	24
1-5 YRS	471	10.1	27	3	4	10	12	14	16	27
6-12 YRS	93	7.4	34	1	2	6	11	13	16	30
13-19 YRS	78	8.8	42	1	2	7	13	17	22	31
B. Operated										
0-27 DYS	11	24.0	213	7	9	21	31	48	54	55
1-11 MOS	155	18.3	183	6	7	14	21	41	51	66
1-5 YRS	63	20.7	344	5	9	14	23	43	61	92
6-12 YRS	38	17.6	185	3	4	15	23	39	59	99+
13-19 YRS	35	29.9	613	5	8	19	42	75	79	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1129	9.2	18	2	3	10	11	14	15	21
B. Operated	59	10.8	32	2	5	10	12	17	22	33
2. MULTIPLE DX										
A. Not Operated	1451	10.3	28	2	3	10	12	16	20	27
B. Operated	302	20.3	278	5	7	14	23	44	56	89
1. SINGLE DX	1188	9.3	19	2	3	10	11	14	15	22
2. MULTIPLE DX	1753	12.0	85	3	4	10	14	19	25	55
A. Not Operated	2580	9.8	24	2	3	10	12	15	17	25
B. Operated	361	18.7	250	4	7	13	21	42	54	86
TOTAL										
0-27 DYS	170	12.8	55	3	4	12	16	21	23	41
1-11 MOS	1388	11.2	45	3	4	10	13	16	21	44
1-5 YRS	979	10.5	49	3	4	10	11	14	17	41
6-12 YRS	225	8.7	75	1	2	7	11	18	27	52
13-19 YRS	179	12.3	220	1	2	9	14	26	42	79
GRAND TOTAL	**2941**	**10.9**	**60**	**2**	**3**	**10**	**12**	**16**	**21**	**47**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	29.0		29	29	29	29	29	29	29
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	29.0		29	29	29	29	29	29	29
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	6.5	25	3	3	6	10	10	10	10
B. Operated	0									
1. SINGLE DX	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX	2	6.5	25	3	3	6	10	10	10	10
A. Not Operated	3	14.0	181	3	3	10	24	29	29	29
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	0									
13-19 YRS	2	16.0	338	3	3	16	29	29	29	29
GRAND TOTAL	**3**	**14.0**	**181**	**3**	**3**	**10**	**24**	**29**	**29**	**29**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	17	4.9	18	1	1	4	6	13	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	12.5	13	10	10	12	15	15	15	15
6-12 YRS	0									
13-19 YRS	15	11.7	267	1	1	7	13	25	55	65
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	18.7	596	3	3	10	13	62	68	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.7	18	1	1	3	6	12	15	15
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	17	11.8	235	1	1	9	13	24	51	65
B. Operated	6	18.7	596	3	3	10	13	62	68	68
1. SINGLE DX	18	4.7	18	1	1	3	6	12	15	15
2. MULTIPLE DX	23	13.6	316	1	2	9	13	33	66	68
A. Not Operated	35	8.1	132	1	1	4	10	15	23	65
B. Operated	6	18.7	596	3	3	10	13	62	68	68
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	12.5	13	10	10	12	15	15	15	15
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	38	9.7	215	1	1	5	11	18	49	68
GRAND TOTAL	**41**	**9.7**	**201**	**1**	**1**	**5**	**11**	**17**	**43**	**68**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	15	4.0	4	1	2	3	6	7	8	8
1-11 MOS	204	4.1	13	1	1	3	5	8	11	16
1-5 YRS	656	3.0	11	1	1	2	3	5	8	16
6-12 YRS	593	2.8	8	1	1	2	3	5	8	16
13-19 YRS	517	2.9	16	1	1	2	3	5	7	14
B. Operated										
0-27 DYS	0									
1-11 MOS	6	18.3	365	2	2	9	41	44	44	44
1-5 YRS	15	3.4	7	1	1	2	5	8	9	9
6-12 YRS	12	6.8	32	1	1	5	11	16	17	17
13-19 YRS	33	9.9	70	1	2	8	14	22	30	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	11.3	524	1	2	4	7	37	76	80
1-11 MOS	400	5.9	45	1	2	4	7	12	16	29
1-5 YRS	1497	3.9	20	1	1	3	4	8	11	23
6-12 YRS	921	4.2	30	1	1	3	5	9	13	25
13-19 YRS	771	4.6	35	1	1	3	5	9	15	35
B. Operated										
0-27 DYS	3	9.0	13	5	5	10	11	12	12	12
1-11 MOS	34	14.4	112	3	4	11	21	28	36	47
1-5 YRS	63	8.6	88	1	2	5	10	28	33	92
6-12 YRS	45	15.0	151	1	2	13	22	31	34	58
13-19 YRS	63	13.4	142	1	2	10	18	35	44	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1985	3.0	12	1	1	2	3	6	8	15
B. Operated	66	8.6	86	1	1	6	11	17	31	44
2. MULTIPLE DX										
A. Not Operated	3600	4.4	30	1	1	3	5	9	13	28
B. Operated	208	12.4	126	1	2	9	18	29	37	75
1. SINGLE DX	2051	3.2	15	1	1	2	4	6	9	18
2. MULTIPLE DX	3808	4.8	39	1	1	3	5	10	15	34
A. Not Operated	5585	3.9	24	1	1	3	4	8	11	25
B. Operated	274	11.5	119	1	2	8	16	28	37	57
TOTAL										
0-27 DYS	29	7.3	203	1	2	4	6	10	15	80
1-11 MOS	644	5.9	47	1	2	4	7	12	17	33
1-5 YRS	2231	3.8	20	1	1	3	4	7	11	25
6-12 YRS	1571	4.0	29	1	1	2	4	8	13	28
13-19 YRS	1384	4.5	39	1	1	3	5	9	15	36
GRAND TOTAL	**5859**	**4.2**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	2.8	6	1	1	2	4	7	7	7
1-11 MOS	78	3.0	10	<1	1	2	3	6	8	19
1-5 YRS	171	3.0	35	<1	<1	2	3	5	6	61
6-12 YRS	153	3.5	27	<1	1	2	4	6	9	16
13-19 YRS	141	3.5	28	<1	1	2	4	6	9	35
B. Operated										
0-27 DYS	4	4.0	2	3	3	4	5	6	6	6
1-11 MOS	116	4.5	15	1	2	4	5	7	9	24
1-5 YRS	248	4.9	45	<1	1	3	6	9	14	30
6-12 YRS	277	5.2	48	1	1	3	7	9	14	31
13-19 YRS	172	5.3	46	1	1	4	6	9	14	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	7.1	30	2	3	5	7	17	20	21
1-11 MOS	164	7.3	186	1	1	4	7	13	23	95
1-5 YRS	432	4.9	66	1	1	3	5	12	42	99+
6-12 YRS	458	6.5	149	1	1	4	7	88	99+	99+
13-19 YRS	371	6.9	155	1	1	4	6	14	56	99+
B. Operated										
0-27 DYS	17	19.1	217	6	7	16	21	42	56	61
1-11 MOS	215	9.9	112	2	3	7	11	20	36	61
1-5 YRS	408	7.5	104	1	1	5	8	20	35	99+
6-12 YRS	429	7.3	96	1	1	5	9	16	27	99+
13-19 YRS	309	10.2	151	1	2	7	11	25	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	551	3.3	27	<1	1	2	4	6	8	24
B. Operated	817	5.0	42	1	1	4	6	8	13	31
2. MULTIPLE DX										
A. Not Operated	1437	6.2	129	1	1	4	6	18	99+	99+
B. Operated	1378	8.6	117	1	2	6	10	20	36	99+
1. SINGLE DX	1368	4.3	36	<1	1	3	5	8	11	31
2. MULTIPLE DX	2815	7.4	125	1	1	4	8	19	59	99+
A. Not Operated	1988	5.4	103	1	1	3	5	12	59	99+
B. Operated	2195	7.3	92	1	1	5	8	15	26	99+
TOTAL										
0-27 DYS	41	10.9	147	1	2	7	15	22	36	61
1-11 MOS	573	7.1	106	1	1	4	8	13	22	78
1-5 YRS	1259	5.5	72	<1	1	3	6	13	26	99+
6-12 YRS	1317	6.1	97	1	1	4	7	16	64	99+
13-19 YRS	993	7.1	122	1	1	4	8	14	31	99+
GRAND TOTAL	**4183**	**6.4**	**98**	**1**	**1**	**4**	**7**	**14**	**31**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	17	2.2	1	1	1	2	3	4	4	4
6-12 YRS	137	2.0	2	1	1	2	2	4	5	7
13-19 YRS	294	2.1	2	1	1	2	3	4	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	9	3.0	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	22	1.8	1	1	1	2	2	3	4	4
6-12 YRS	152	2.8	8	1	1	2	3	5	6	13
13-19 YRS	299	3.2	7	1	1	2	4	6	9	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	3.9	9	1	1	3	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	450	2.1	2	1	1	2	3	4	5	7
B. Operated	13	2.8	2	1	1	3	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	474	3.0	7	1	1	2	4	6	8	12
B. Operated	12	3.9	9	1	1	3	6	8	9	9
1. SINGLE DX	463	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	486	3.1	7	1	1	2	4	6	8	12
A. Not Operated	924	2.6	5	1	1	2	3	5	6	11
B. Operated	25	3.3	5	1	1	3	4	8	8	9
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	39	2.0	1	1	1	2	3	3	4	4
6-12 YRS	293	2.4	5	1	1	2	3	4	6	9
13-19 YRS	614	2.7	5	1	1	2	3	5	7	11
GRAND TOTAL	**949**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	20	1.4	1	<1	<1	1	1	2	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	4.3	17	1	1	3	7	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	0									
6-12 YRS	5	1.6		1	1	2	2	2	2	2
13-19 YRS	16	2.1	4	1	1	1	2	4	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	22	1.5	1	<1	<1	1	1	3	4	6
2. MULTIPLE DX										
A. Not Operated	3	4.3	17	1	1	3	7	9	9	9
B. Operated	22	2.4	7	1	1	2	2	5	10	11
1. SINGLE DX	22	1.5	1	<1	<1	1	1	3	4	6
2. MULTIPLE DX	25	2.6	8	1	1	2	3	9	10	11
A. Not Operated	3	4.3	17	1	1	3	7	9	9	9
B. Operated	44	1.9	4	<1	<1	1	2	3	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	0									
6-12 YRS	7	1.7	1	<1	<1	2	2	3	3	3
13-19 YRS	39	1.9	4	<1	<1	1	2	4	8	9
GRAND TOTAL	**47**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**9**	**11**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	41	5.5	45	<1	<1	3	7	16	19	32
6-12 YRS	72	5.1	93	<1	<1	3	5	8	16	64
13-19 YRS	92	5.4	45	<1	1	3	6	16	20	33
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	5.2	67	1	1	2	4	19	27	28
6-12 YRS	40	3.1	7	1	1	2	4	6	9	12
13-19 YRS	137	4.2	54	<1	1	2	4	7	16	46
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	3.3	6	1	1	3	5	6	6	6
1-11 MOS	8	4.5	11	<1	1	3	6	10	11	11
1-5 YRS	35	6.6	40	<1	1	6	8	16	22	25
6-12 YRS	52	5.9	53	<1	1	4	7	13	22	42
13-19 YRS	85	7.0	61	1	2	4	8	21	25	78
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	28.8	1674	6	6	9	51	90	90	90
1-5 YRS	14	9.8	442	1	1	4	8	17	68	82
6-12 YRS	32	12.3	284	1	1	4	11	39	54	63
13-19 YRS	103	6.2	75	<1	1	3	6	16	23	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	5.3	61	<1	<1	3	6	14	19	34
B. Operated	189	4.0	45	1	1	2	4	7	15	40
2. MULTIPLE DX										
A. Not Operated	183	6.5	52	1	1	4	7	16	24	41
B. Operated	154	8.3	196	1	1	4	7	22	40	81
1. SINGLE DX	397	4.7	53	<1	1	2	5	9	18	35
2. MULTIPLE DX	337	7.3	118	1	1	4	7	18	27	65
A. Not Operated	391	5.8	57	<1	1	3	7	15	23	38
B. Operated	343	6.0	117	1	1	3	5	12	25	57
TOTAL										
0-27 DYS	4	2.8	6	1	1	2	4	6	6	6
1-11 MOS	15	10.5	496	<1	1	3	7	12	70	90
1-5 YRS	102	6.4	97	<1	1	3	8	16	22	56
6-12 YRS	196	6.1	103	<1	1	3	6	11	26	59
13-19 YRS	417	5.5	60	1	1	3	6	15	23	42
GRAND TOTAL	**734**	**5.9**	**85**	**<1**	**1**	**3**	**6**	**14**	**23**	**52**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	3.8	25	1	1	2	3	13	14	14
6-12 YRS	48	3.0	4	1	1	2	4	5	7	11
13-19 YRS	104	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	5	2.0	5	1	1	1	3	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	16	2.8	3	1	2	2	3	4	8	9
1-5 YRS	20	2.4	3	< 1	< 1	2	3	5	6	8
6-12 YRS	48	3.5	7	1	1	3	4	7	8	15
13-19 YRS	92	3.6	6	1	1	3	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.4	1	< 1	< 1	1	2	3	3	3
B. Operated	159	2.6	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	10	1.5	3	< 1	< 1	1	1	4	6	6
B. Operated	176	3.3	6	1	1	3	4	6	8	13
1. SINGLE DX	166	2.6	3	1	1	2	3	4	6	11
2. MULTIPLE DX	186	3.2	6	1	1	3	4	6	8	13
A. Not Operated	17	1.5	2	< 1	< 1	1	1	3	5	6
B. Operated	335	3.0	5	1	1	2	4	5	7	12
TOTAL										
0-27 DYS	0									
1-11 MOS	20	2.5	3	1	1	2	3	4	7	9
1-5 YRS	28	2.6	8	< 1	< 1	2	3	5	9	14
6-12 YRS	101	3.2	5	1	1	3	4	6	7	13
13-19 YRS	203	2.9	4	1	1	2	4	5	6	11
GRAND TOTAL	**352**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	7	2.0		1	1	2	2	3	3	3
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	5	1.4	1	1	1	1	2	3	3	3
13-19 YRS	8	2.1	4	1	1	1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	4	1.3		< 1	< 1	1	1	2	2	2
1-5 YRS	7	1.1		< 1	< 1	1	1	2	2	2
6-12 YRS	6	2.5	2	< 1	< 1	2	4	4	4	4
13-19 YRS	5	4.4	21	1	1	3	7	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.0		< 1	< 1	1	1	1	1	1
B. Operated	24	1.9	1	1	1	2	2	3	5	6
2. MULTIPLE DX										
A. Not Operated	7	1.3	1	< 1	< 1	1	1	3	3	3
B. Operated	22	2.3	6	< 1	< 1	1	3	4	8	12
1. SINGLE DX	32	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	29	2.0	5	< 1	< 1	1	2	4	5	12
A. Not Operated	15	1.1		< 1	< 1	1	1	1	3	3
B. Operated	46	2.1	4	< 1	< 1	1	2	4	5	12
TOTAL										
0-27 DYS	0									
1-11 MOS	14	1.7	1	< 1	< 1	2	2	3	3	3
1-5 YRS	20	1.2		< 1	< 1	1	1	2	2	2
6-12 YRS	12	1.9	2	< 1	< 1	1	3	4	4	4
13-19 YRS	15	2.7	9	1	1	1	4	6	10	12
GRAND TOTAL	**61**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	9	2.0	2	< 1	< 1	2	3	4	4	4
13-19 YRS	8	4.9	16	2	2	4	5	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		< 1	< 1	1	2	2	2	2
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	4	1.3		< 1	< 1	< 1	1	2	2	2
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	7	5.1	19	< 1	< 1	3	8	12	13	13
13-19 YRS	16	3.9	8	1	1	3	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	21	2.9	9	< 1	< 1	2	4	5	10	14
2. MULTIPLE DX										
A. Not Operated	11	1.5		< 1	< 1	1	2	3	3	3
B. Operated	28	3.9	10	1	1	3	6	9	10	13
1. SINGLE DX	24	2.7	8	< 1	< 1	2	4	5	8	14
2. MULTIPLE DX	39	3.2	8	< 1	< 1	2	4	8	9	13
A. Not Operated	14	1.4		< 1	< 1	1	2	2	3	3
B. Operated	49	3.5	9	< 1	1	2	5	8	9	14
TOTAL										
0-27 DYS	0									
1-11 MOS	10	1.3		< 1	< 1	1	1	2	3	3
1-5 YRS	5	1.8	2	< 1	< 1	1	2	4	4	4
6-12 YRS	21	2.9	9	< 1	< 1	2	3	7	11	13
13-19 YRS	27	4.0	9	1	1	3	6	8	10	14
GRAND TOTAL	**63**	**3.0**	**8**	**< 1**	**< 1**	**2**	**4**	**6**	**9**	**14**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.4	1	1	1	1	2	3	3	3
1-5 YRS	20	1.3		< 1	< 1	1	1	2	3	3
6-12 YRS	18	1.4	1	< 1	< 1	1	2	3	3	3
13-19 YRS	8	1.4	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	20	2.5	5	< 1	1	1	4	6	7	7
6-12 YRS	30	3.1	28	< 1	1	1	3	5	6	30
13-19 YRS	18	1.7	1	1	1	1	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	51	1.4		< 1	< 1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	71	2.5	14	1	1	1	3	5	6	25
1. SINGLE DX	51	1.4		< 1	< 1	1	1	3	3	3
2. MULTIPLE DX	72	2.5	13	1	1	1	3	5	6	25
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	122	2.0	8	< 1	< 1	1	2	4	5	14
TOTAL										
0-27 DYS	0									
1-11 MOS	8	1.5	1	1	1	1	2	3	3	3
1-5 YRS	40	1.9	3	< 1	< 1	1	2	5	6	7
6-12 YRS	49	2.4	18	< 1	< 1	1	3	4	6	30
13-19 YRS	26	1.6	1	< 1	< 1	1	2	3	4	5
GRAND TOTAL	**123**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.8	3	< 1	< 1	1	2	5	5	5
6-12 YRS	8	1.6	1	1	1	1	2	3	4	4
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	86	1.0		< 1	< 1	< 1	1	1	2	2
1-5 YRS	516	1.1		< 1	< 1	< 1	1	1	2	2
6-12 YRS	299	1.1		< 1	< 1	1	1	1	2	2
13-19 YRS	75	1.3	2	< 1	< 1	1	1	2	2	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	16.0	288	4	4	16	28	28	28	28
1-5 YRS	19	1.6	2	< 1	< 1	1	2	3	5	7
6-12 YRS	10	3.1	2	< 1	< 1	3	4	5	5	5
13-19 YRS	6	2.5	1	2	2	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	20	1.1		< 1	< 1	< 1	1	2	2	2
1-5 YRS	238	1.1		< 1	< 1	1	1	2	2	3
6-12 YRS	113	1.1		< 1	< 1	1	1	2	2	4
13-19 YRS	38	1.1		< 1	< 1	1	1	1	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.8	2	< 1	1	1	2	4	5	5
B. Operated	976	1.1		< 1	< 1	< 1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	37	2.9	20	< 1	< 1	2	3	5	6	28
B. Operated	409	1.1		< 1	< 1	1	1	2	2	3
1. SINGLE DX	992	1.1		< 1	< 1	1	1	1	2	2
2. MULTIPLE DX	446	1.3	2	< 1	< 1	1	1	2	2	5
A. Not Operated	53	2.6	15	< 1	< 1	2	3	4	5	27
B. Operated	1385	1.1		< 1	< 1	1	1	1	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	108	1.3	7	< 1	< 1	< 1	1	1	2	14
1-5 YRS	779	1.1		< 1	< 1	1	1	2	2	3
6-12 YRS	430	1.1		< 1	< 1	1	1	1	2	4
13-19 YRS	121	1.3	1	< 1	< 1	1	1	2	2	7
GRAND TOTAL	**1438**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	35	3.1	5	<1	1	3	3	5	9	11
1-11 MOS	63	2.8	3	<1	<1	2	4	5	6	10
1-5 YRS	115	2.6	3	<1	<1	2	3	5	7	8
6-12 YRS	40	3.1	6	1	1	2	4	6	7	14
13-19 YRS	38	3.8	6	<1	1	3	5	8	9	11
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	68	1.4	3	<1	<1	<1	1	2	3	12
6-12 YRS	56	1.3	1	<1	<1	1	1	2	3	6
13-19 YRS	53	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	29	3.7	3	1	1	3	5	6	7	8
1-11 MOS	115	3.6	5	1	2	3	4	6	7	14
1-5 YRS	150	2.9	4	<1	1	2	4	5	7	9
6-12 YRS	51	3.4	4	1	1	3	5	6	7	8
13-19 YRS	31	4.0	8	<1	1	3	5	8	10	12
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	17	3.6	12	<1	<1	3	5	6	12	15
1-5 YRS	43	2.8	6	<1	<1	1	5	7	7	9
6-12 YRS	46	2.8	9	<1	<1	1	4	8	11	12
13-19 YRS	54	3.2	35	<1	1	2	3	6	7	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	291	2.9	4	<1	<1	2	4	6	7	11
B. Operated	182	1.5	2	<1	<1	1	1	3	4	6
2. MULTIPLE DX										
A. Not Operated	376	3.3	4	1	1	3	4	6	7	12
B. Operated	161	3.1	17	<1	<1	2	4	7	8	15
1. SINGLE DX	473	2.4	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX	537	3.3	8	<1	1	3	4	6	7	13
A. Not Operated	667	3.2	4	<1	1	3	4	6	7	11
B. Operated	343	2.2	10	<1	<1	1	2	5	7	12
TOTAL										
0-27 DYS	65	3.4	4	1	1	3	4	6	8	11
1-11 MOS	200	3.3	5	<1	1	3	4	6	7	14
1-5 YRS	376	2.5	4	<1	<1	2	3	5	7	9
6-12 YRS	193	2.6	5	<1	<1	2	3	6	7	12
13-19 YRS	176	3.1	15	<1	1	2	4	5	8	12
GRAND TOTAL	**1010**	**2.8**	**6**	**<1**	**<1**	**2**	**4**	**6**	**7**	**12**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	16	2.8	2	<1	1	3	4	4	6	6
1-11 MOS	306	3.5	4	1	2	3	4	6	7	11
1-5 YRS	618	3.2	3	1	2	3	4	5	7	10
6-12 YRS	188	3.3	4	1	1	3	4	5	7	10
13-19 YRS	71	3.5	7	1	1	3	4	6	7	16
B. Operated										
0-27 DYS	0									
1-11 MOS	45	2.0	1	1	1	2	2	2	4	6
1-5 YRS	50	2.2	4	<1	<1	2	2	5	8	10
6-12 YRS	34	3.9	17	<1	<1	2	5	11	14	15
13-19 YRS	30	2.9	5	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	19	3.8	3	2	2	3	5	7	8	8
1-11 MOS	391	4.1	7	2	2	3	5	7	9	11
1-5 YRS	753	3.8	5	2	2	3	5	7	8	12
6-12 YRS	250	4.1	7	1	2	4	5	7	9	13
13-19 YRS	114	4.3	13	1	2	3	5	8	11	20
B. Operated										
0-27 DYS	2	20.0	288	8	8	20	32	32	32	32
1-11 MOS	50	5.6	34	1	1	3	8	12	14	31
1-5 YRS	78	6.4	96	1	1	4	7	11	19	60
6-12 YRS	79	4.7	15	<1	1	3	7	9	11	20
13-19 YRS	87	5.1	20	1	1	4	6	9	14	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1199	3.3	4	1	1	3	4	6	7	10
B. Operated	159	2.6	6	<1	1	2	2	6	8	14
2. MULTIPLE DX										
A. Not Operated	1527	4.0	7	1	2	3	5	7	9	13
B. Operated	296	5.5	43	1	1	4	7	10	14	36
1. SINGLE DX	1358	3.2	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1823	4.2	13	1	2	3	5	8	10	17
A. Not Operated	2726	3.7	5	1	2	3	4	6	8	11
B. Operated	455	4.5	32	<1	1	3	6	9	13	31
TOTAL										
0-27 DYS	37	4.3	25	1	2	3	4	7	8	32
1-11 MOS	792	3.8	7	1	2	3	5	7	9	12
1-5 YRS	1499	3.7	10	1	2	3	4	6	8	12
6-12 YRS	551	3.9	8	1	1	3	5	7	9	14
13-19 YRS	302	4.2	13	1	1	3	5	8	11	20
GRAND TOTAL	**3181**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	1.6	1	1	1	1	2	3	4	4
1-5 YRS	9	1.7	1	<1	<1	1	2	3	4	4
6-12 YRS	3	2.3	5	1	1	1	4	5	5	5
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	5	1.8	2	1	1	1	2	4	4	4
6-12 YRS	7	1.7	1	<1	<1	1	3	3	3	3
13-19 YRS	6	2.0	2	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	1.8	1	<1	<1	2	3	3	3	3
1-5 YRS	11	2.5	2	<1	<1	2	4	5	5	5
6-12 YRS	13	2.4	2	1	1	2	3	4	6	6
13-19 YRS	12	2.9	4	1	1	2	4	6	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	2.3	4	<1	<1	1	3	6	6	6
6-12 YRS	11	1.7	1	<1	<1	2	2	3	3	3
13-19 YRS	14	1.7	1	<1	1	1	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	1.8	1	<1	1	1	2	4	5	5
B. Operated	21	1.8	1	<1	<1	1	2	4	4	5
2. MULTIPLE DX										
A. Not Operated	43	2.5	2	<1	1	2	3	5	6	8
B. Operated	33	1.8	2	<1	<1	1	2	3	5	6
1. SINGLE DX	43	1.8	1	<1	<1	1	2	4	4	5
2. MULTIPLE DX	76	2.2	2	<1	1	2	3	4	5	8
A. Not Operated	65	2.3	2	<1	1	2	3	4	5	8
B. Operated	54	1.8	1	<1	<1	1	2	3	5	6
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	17	1.7	1	<1	1	1	2	3	4	4
1-5 YRS	33	2.1	2	<1	<1	2	3	4	5	6
6-12 YRS	34	2.0	1	<1	<1	2	3	3	5	6
13-19 YRS	34	2.2	2	<1	1	2	3	5	5	8
GRAND TOTAL	**119**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	86	3.0	2	1	1	3	4	4	6	8
1-11 MOS	570	2.5	2	1	1	2	3	4	5	8
1-5 YRS	314	2.8	6	1	1	2	3	5	7	12
6-12 YRS	40	3.3	8	<1	<1	2	4	7	11	12
13-19 YRS	12	4.3	4	1	2	4	6	7	7	7
B. Operated										
0-27 DYS	9	3.7	2	1	2	4	4	6	6	6
1-11 MOS	324	1.2	1	<1	<1	1	1	2	3	5
1-5 YRS	1124	1.1	1	<1	<1	<1	1	1	1	5
6-12 YRS	525	1.2	1	<1	<1	1	1	1	2	6
13-19 YRS	219	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	163	3.5	3	2	2	3	4	5	7	10
1-11 MOS	1768	2.9	3	1	1	3	4	5	6	10
1-5 YRS	1758	2.9	5	1	1	2	3	5	6	11
6-12 YRS	217	3.6	9	1	1	3	4	7	9	13
13-19 YRS	65	4.1	22	<1	1	3	5	8	10	32
B. Operated										
0-27 DYS	13	6.5	27	1	1	4	11	15	17	17
1-11 MOS	182	3.4	16	<1	<1	3	4	6	9	21
1-5 YRS	1457	1.6	6	<1	<1	1	1	2	5	13
6-12 YRS	1007	1.4	3	<1	<1	1	1	2	2	10
13-19 YRS	361	1.5	3	<1	1	1	1	2	4	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1022	2.7	4	1	1	2	3	4	6	9
B. Operated	2201	1.2	1	<1	<1	1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated	3971	3.0	5	1	1	3	4	5	6	11
B. Operated	3020	1.7	6	<1	<1	1	1	3	5	12
1. SINGLE DX	3223	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	6991	2.4	6	<1	1	2	3	4	6	11
A. Not Operated	4993	2.9	5	1	1	3	3	5	6	11
B. Operated	5221	1.5	4	<1	<1	1	1	2	4	10
TOTAL										
0-27 DYS	271	3.5	4	1	2	3	4	5	7	13
1-11 MOS	2844	2.7	4	<1	1	2	3	4	5	9
1-5 YRS	4653	2.1	5	<1	<1	1	2	4	6	11
6-12 YRS	1789	1.6	3	<1	<1	1	1	3	5	11
13-19 YRS	657	1.7	5	<1	1	1	2	3	5	10
GRAND TOTAL	**10214**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

1,199 Hospitals, United States, January-December 1987

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	10	3.5	2	2	2	3	4	5	6	6
1-11 MOS	84	2.9	2	1	2	3	4	5	5	9
1-5 YRS	87	3.3	4	1	2	3	4	5	8	11
6-12 YRS	91	3.3	5	1	1	3	4	6	7	12
13-19 YRS	43	3.8	3	1	2	3	5	6	8	9
B. Operated										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	13	3.5	7	< 1	< 1	3	4	8	10	10
1-5 YRS	87	2.1	4	< 1	< 1	1	3	5	6	11
6-12 YRS	104	2.4	10	< 1	< 1	1	2	6	11	17
13-19 YRS	48	2.5	7	< 1	1	1	3	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	18	3.6	6	1	1	3	4	7	9	10
1-11 MOS	258	3.4	4	1	2	3	4	6	7	12
1-5 YRS	378	3.5	5	1	1	3	4	7	8	12
6-12 YRS	169	4.1	7	1	2	4	5	8	10	14
13-19 YRS	90	4.4	12	1	2	4	5	7	11	21
B. Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	58	5.2	25	1	1	4	6	11	15	30
1-5 YRS	185	3.7	17	< 1	< 1	2	5	8	13	19
6-12 YRS	170	3.0	18	1	1	1	3	8	10	23
13-19 YRS	109	3.3	35	1	1	1	3	7	10	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	315	3.3	4	1	2	3	4	5	7	11
B. Operated	255	2.4	7	< 1	< 1	1	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	913	3.7	6	1	1	3	4	7	9	13
B. Operated	524	3.5	22	< 1	1	2	4	8	12	27
1. SINGLE DX	570	2.9	5	< 1	< 1	2	4	5	7	12
2. MULTIPLE DX	1437	3.6	12	1	1	3	4	7	10	17
A. Not Operated	1228	3.6	6	1	1	3	4	6	8	12
B. Operated	779	3.2	18	< 1	< 1	1	4	7	10	19
TOTAL										
0-27 DYS	33	3.4	4	1	1	3	4	6	8	10
1-11 MOS	413	3.5	7	1	1	3	4	6	8	14
1-5 YRS	737	3.4	8	< 1	1	3	4	7	9	16
6-12 YRS	534	3.3	11	< 1	1	2	4	7	10	16
13-19 YRS	290	3.6	19	1	1	2	4	7	9	27
GRAND TOTAL	**2007**	**3.4**	**10**	**< 1**	**1**	**3**	**4**	**7**	**9**	**16**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	6	2.0	1	1	1	2	3	3	3	3
6-12 YRS	6	2.7	1	1	1	3	3	4	4	4
13-1[illegible]	24	2.2	1	< 1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	14	1.0		1	1	1	1	1	1	1
6-12 YRS	13	1.1		< 1	< 1	1	1	2	2	2
13-19 YRS	12	2.8	23	< 1	< 1	1	2	8	17	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	7	2.3	1	< 1	< 1	2	3	4	4	4
6-12 YRS	13	3.2	3	1	1	3	4	5	7	7
13-19 YRS	33	2.7	3	1	1	2	3	4	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	1.8	4	1	1	1	2	5	7	7
6-12 YRS	16	1.3	1	< 1	1	1	1	2	3	4
13-19 YRS	10	1.7	1	< 1	< 1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.2	1	1	1	2	3	3	3	4
B. Operated	41	1.6	7	< 1	< 1	1	1	2	3	18
2. MULTIPLE DX										
A. Not Operated	54	2.8	3	1	1	3	4	4	6	9
B. Operated	35	1.5	1	< 1	1	1	2	3	4	7
1. SINGLE DX	80	1.9	4	< 1	1	1	2	3	3	14
2. MULTIPLE DX	89	2.3	2	1	1	2	3	4	5	8
A. Not Operated	93	2.6	2	1	1	2	3	4	5	8
B. Operated	76	1.5	4	< 1	1	1	1	2	3	15
TOTAL										
0-27 DYS	0									
1-11 MOS	6	2.2	2	1	1	2	2	5	5	5
1-5 YRS	36	1.6	2	1	1	1	2	3	4	7
6-12 YRS	48	1.9	2	< 1	1	1	3	4	4	7
13-19 YRS	79	2.4	5	1	1	2	3	4	4	15
GRAND TOTAL	**169**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**9**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	1.2		< 1	< 1	1	1	2	2	2
13-19 YRS	29	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	1.0		1	1	1	1	1	1	1
13-19 YRS	8	1.1		< 1	< 1	1	1	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	2	1	1	2	3	4	4	4
B. Operated	35	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	12	1.1		< 1	< 1	1	1	2	2	2
1. SINGLE DX	39	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX	14	1.2		< 1	< 1	1	1	2	2	2
A. Not Operated	6	2.2	1	1	1	2	3	4	4	4
B. Operated	47	1.2		< 1	1	1	1	2	2	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	11	1.2		< 1	< 1	1	1	2	2	2
13-19 YRS	42	1.4		1	1	1	2	2	3	4
GRAND TOTAL	**53**	**1.3**		**1**	**1**	**1**	**2**	**2**	**3**	**4**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	1.2		< 1	< 1	1	1	2	2	2
1-5 YRS	22	2.0	3	< 1	1	1	3	5	6	7
6-12 YRS	8	2.1	2	< 1	< 1	2	3	5	5	5
13-19 YRS	8	2.8	3	1	1	3	4	5	5	5
B. Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	190	1.3	1	< 1	< 1	1	1	2	2	9
6-12 YRS	594	1.1		< 1	< 1	1	1	1	2	4
13-19 YRS	361	1.2		< 1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	5.0	19	2	2	3	8	10	10	10
1-11 MOS	8	2.4	1	1	1	2	3	4	4	4
1-5 YRS	28	3.5	15	< 1	< 1	2	4	9	11	18
6-12 YRS	20	3.3	15	< 1	< 1	1	4	10	13	14
13-19 YRS	11	3.0	7	< 1	< 1	2	4	7	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	7	2.9	8	1	1	2	4	8	9	9
1-5 YRS	128	1.9	5	< 1	< 1	1	2	5	6	14
6-12 YRS	506	1.3	1	< 1	1	1	1	2	2	5
13-19 YRS	371	1.4	3	< 1	1	1	1	2	3	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.0	3	< 1	< 1	1	3	4	6	7
B. Operated	1150	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	70	3.3	12	< 1	< 1	2	4	9	10	17
B. Operated	1012	1.4	3	< 1	1	1	1	2	3	9
1. SINGLE DX	1193	1.2	1	< 1	< 1	1	1	2	2	5
2. MULTIPLE DX	1082	1.6	3	< 1	1	1	1	2	4	11
A. Not Operated	113	2.8	9	< 1	< 1	2	3	6	10	15
B. Operated	2162	1.3	1	< 1	1	1	1	2	2	6
TOTAL										
0-27 DYS	5	3.4	14	1	1	2	5	10	10	10
1-11 MOS	23	2.1	3	< 1	< 1	2	2	4	6	9
1-5 YRS	368	1.7	4	< 1	< 1	1	1	3	5	12
6-12 YRS	1128	1.3	1	< 1	1	1	1	2	2	6
13-19 YRS	751	1.4	2	< 1	1	1	1	2	3	6
GRAND TOTAL	**2275**	**1.4**	**2**	**<1**	**1**	**1**	**1**	**2**	**3**	**8**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	23	4.6	18	<1	1	4	5	10	15	20
6-12 YRS	77	6.9	34	2	2	5	9	15	19	28
13-19 YRS	47	4.9	7	2	2	4	6	8	10	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	14	4.4	5	1	1	4	6	7	9	9
6-12 YRS	72	6.2	48	2	2	4	7	12	22	38
13-19 YRS	33	5.9	23	2	2	5	7	13	18	22
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	28.5	234	2	4	30	42	44	44	44
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	5.9	24	2	2	4	7	12	15	27
B. Operated	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	121	5.9	36	2	2	4	7	11	19	37
B. Operated	7	25.0	280	2	2	28	39	44	44	44
1. SINGLE DX	150	5.8	23	2	2	4	7	12	15	27
2. MULTIPLE DX	128	7.0	66	2	2	4	7	16	24	42
A. Not Operated	269	5.9	29	2	2	4	7	12	17	29
B. Operated	9	20.3	297	2	2	23	34	43	44	44
TOTAL										
0-27 DYS	0									
1-11 MOS	3	4.3	16	2	2	2	7	9	9	9
1-5 YRS	38	4.5	13	<1	1	4	5	8	11	20
6-12 YRS	157	7.4	64	2	2	4	8	17	26	42
13-19 YRS	80	5.3	14	2	2	4	7	9	13	21
GRAND TOTAL	**278**	**6.4**	**43**	**2**	**2**	**4**	**7**	**13**	**20**	**37**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	3	9.3	64	<1	<1	10	15	17	17	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	5.5	10	1	1	6	7	8	8	8
6-12 YRS	4	6.5	14	1	1	8	9	9	9	9
13-19 YRS	14	4.9	10	1	2	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	5.0	4	3	3	5	6	7	7	7
6-12 YRS	4	7.3	25	2	2	7	11	12	12	12
13-19 YRS	8	2.8	3	1	1	2	4	5	6	6
B. Operated										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	3	12.7	408	1	1	1	27	36	36	36
1-5 YRS	10	8.0	97	<1	<1	3	16	23	30	30
6-12 YRS	13	7.1	41	2	2	3	12	18	19	19
13-19 YRS	26	8.2	46	1	1	8	11	14	22	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	7.6	38	<1	<1	6	12	17	17	17
B. Operated	22	5.3	10	1	1	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	16	4.3	11	1	1	3	5	11	12	12
B. Operated	53	8.3	67	1	1	7	12	18	28	36
1. SINGLE DX	27	5.7	15	1	1	7	8	9	11	17
2. MULTIPLE DX	69	7.4	57	1	1	4	11	17	20	35
A. Not Operated	21	5.0	18	<1	1	4	6	11	14	17
B. Operated	75	7.4	52	1	1	7	10	17	20	35
TOTAL										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	4	10.0	301	1	1	2	19	36	36	36
1-5 YRS	17	6.9	59	<1	1	5	7	17	25	30
6-12 YRS	23	6.8	28	1	2	6	11	14	18	19
13-19 YRS	51	6.5	34	1	1	6	9	12	17	30
GRAND TOTAL	**96**	**6.9**	**45**	**1**	**1**	**5**	**9**	**16**	**19**	**33**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	11	3.1	12	1	1	2	3	8	13	13
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	17	3.0	3	< 1	< 1	3	4	5	6	6
13-19 YRS	31	2.7	2	1	1	2	3	5	5	7
B. Operated										
0-27 DYS	165	2.6	3	1	1	2	3	5	5	9
1-11 MOS	0									
1-5 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
6-12 YRS	5	1.6		1	1	2	2	2	2	2
13-19 YRS	28	2.4	9	< 1	1	2	2	4	6	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	4.7		4	4	5	5	5	5	5
1-11 MOS	17	5.9	34	1	1	4	7	18	20	20
1-5 YRS	13	3.4	6	1	1	2	5	8	8	8
6-12 YRS	36	3.4	4	< 1	1	3	4	6	7	9
13-19 YRS	64	3.6	5	1	1	3	5	6	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	3	8.0	63	2	2	5	14	17	17	17
1-5 YRS	6	4.5	33	< 1	< 1	2	4	15	16	16
6-12 YRS	11	6.8	63	1	1	3	9	18	27	28
13-19 YRS	26	7.4	172	< 1	1	4	7	15	28	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	2.9	4	1	1	2	3	5	6	12
B. Operated	200	2.6	4	1	1	2	3	4	5	13
2. MULTIPLE DX										
A. Not Operated	133	3.8	9	1	1	3	5	7	9	20
B. Operated	46	6.9	117	1	1	3	7	16	20	68
1. SINGLE DX	266	2.6	4	1	1	2	3	5	5	12
2. MULTIPLE DX	179	4.6	38	1	1	3	5	8	11	26
A. Not Operated	199	3.5	7	1	1	3	4	6	8	16
B. Operated	246	3.4	28	1	1	2	4	5	8	18
TOTAL										
0-27 DYS	170	2.7	4	1	1	2	4	5	5	9
1-11 MOS	31	5.1	29	1	1	3	6	15	20	20
1-5 YRS	26	3.2	11	< 1	1	2	3	8	10	16
6-12 YRS	69	3.7	14	< 1	1	3	4	7	9	25
13-19 YRS	149	3.8	36	1	1	3	4	7	9	18
GRAND TOTAL	**445**	**3.4**	**19**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	12.0	72	6	6	12	18	18	18	18
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	8.3	18	3	3	8	11	13	13	13
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	7.0	29	1	1	7	11	12	12	12
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	6.0	18	3	3	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	12.0	72	6	6	12	18	18	18	18
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	11	6.6	19	1	1	6	11	12	13	13
B. Operated	3	5.0	12	3	3	3	8	9	9	9
1. SINGLE DX	2	12.0	72	6	6	12	18	18	18	18
2. MULTIPLE DX	14	6.3	17	1	1	5	10	12	13	13
A. Not Operated	13	7.5	26	1	1	6	11	14	17	18
B. Operated	3	5.0	12	3	3	3	8	9	9	9
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	9.5	29	3	3	8	13	17	18	18
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	6.7	21	1	1	6	11	12	12	12
GRAND TOTAL	**16**	**7.0**	**23**	**1**	**1**	**6**	**10**	**13**	**16**	**18**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	3	3.7		3	3	4	4	4	4	4
6-12 YRS	5	5.4	6	2	2	6	7	8	8	8
13-19 YRS	8	4.0	11	< 1	< 1	3	6	9	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	3	2.0	3	1	1	1	3	4	4	4
13-19 YRS	10	6.5	47	1	1	5	9	17	24	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	7.2	53	1	1	6	8	19	25	25
1-5 YRS	18	4.8	13	< 1	1	4	7	11	13	13
6-12 YRS	41	4.1	10	1	1	3	6	9	10	14
13-19 YRS	43	4.7	19	< 1	1	3	6	10	14	20
B. Operated										
0-27 DYS	0									
1-11 MOS	2	9.5	1	9	9	9	10	10	10	10
1-5 YRS	14	10.9	118	2	2	7	13	33	37	38
6-12 YRS	32	11.3	169	1	2	7	13	30	41	59
13-19 YRS	41	8.8	114	1	2	4	13	24	41	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.4	7	< 1	1	4	6	8	9	10
B. Operated	15	4.9	37	< 1	1	2	7	9	20	24
2. MULTIPLE DX										
A. Not Operated	112	4.7	18	1	1	3	7	9	12	22
B. Operated	89	10.0	130	1	2	6	13	30	38	84
1. SINGLE DX	33	4.6	20	< 1	1	4	6	9	10	24
2. MULTIPLE DX	201	7.1	74	1	1	4	9	16	27	55
A. Not Operated	130	4.7	16	1	1	3	7	9	12	21
B. Operated	104	9.3	120	1	1	6	11	24	[illegible]	[illegible]
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	14	6.7	38	1	1	6	9	12	22	25
1-5 YRS	36	7.0	61	< 1	1	5	8	13	27	38
6-12 YRS	81	6.9	84	1	1	4	8	14	25	54
13-19 YRS	102	6.5	62	1	1	4	8	17	22	74
GRAND TOTAL	**234**	**6.7**	**67**	**1**	**1**	**4**	**8**	**14**	**23**	**52**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	0									
13-19 YRS	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	6.6	15	1	1	7	9	11	11	11
1-11 MOS	15	7.9	17	2	3	7	10	15	16	17
1-5 YRS	8	8.3	4	5	5	8	10	11	11	11
6-12 YRS	5	7.4	4	6	6	7	8	11	11	11
13-19 YRS	12	8.1	26	2	2	7	10	16	19	19
B. Operated										
0-27 DYS	2	9.0	8	7	7	9	11	11	11	11
1-11 MOS	3	10.7	1	10	10	10	12	12	12	12
1-5 YRS	2	8.0	72	2	2	8	14	14	14	14
6-12 YRS	5	8.2	31	3	3	8	11	17	17	17
13-19 YRS	5	10.2	10	7	7	10	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	9.8	12	6	6	9	12	15	15	15
B. Operated	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	45	7.8	14	2	3	7	10	11	16	19
B. Operated	17	9.3	16	2	3	10	11	15	16	17
1. SINGLE DX	7	8.7	13	4	4	8	10	14	15	15
2. MULTIPLE DX	62	8.2	15	2	3	8	10	14	16	19
A. Not Operated	50	8.0	14	2	3	7	10	13	15	19
B. Operated	19	8.9	16	2	3	9	11	15	16	17
TOTAL										
0-27 DYS	8	7.8	13	1	2	8	11	11	11	11
1-11 MOS	20	8.2	14	2	3	8	10	13	16	17
1-5 YRS	11	8.8	14	2	4	9	11	14	15	15
6-12 YRS	10	7.8	16	3	3	7	9	14	17	17
13-19 YRS	20	8.5	19	2	3	8	10	15	17	19
GRAND TOTAL	**69**	**8.3**	**15**	**2**	**3**	**8**	**10**	**14**	**15**	**19**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	3.9	3	1	2	4	5	6	7	7
1-5 YRS	4	4.8	6	2	2	4	6	8	8	8
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	5	3.4	2	2	2	4	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	1	1	1	2	51	99+	99+	99+
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	3	5.7	20	1	1	6	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.4	3	2	2	3	4	6	6	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	29	3.8	3	2	2	4	5	6	7	8
B. Operated	7	3.4	12	1	1	2	8	73	99+	99+
1. SINGLE DX	5	3.4	3	2	2	3	4	6	6	6
2. MULTIPLE DX	36	3.7	4	1	1	3	5	7	9	99+
A. Not Operated	34	3.7	3	2	2	3	5	6	7	8
B. Operated	7	3.4	12	1	1	2	8	73	99+	99+
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	22	3.6	3	1	2	3	6	6	39	99+
1-5 YRS	5	4.0	8	1	1	4	6	8	8	8
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	11	3.9	6	1	1	4	5	8	10	10
GRAND TOTAL	**41**	**3.7**	**4**	**1**	**1**	**3**	**5**	**7**	**9**	**99+**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	22	4.1	10	1	2	3	5	7	11	16
1-5 YRS	4	5.8	18	3	3	4	8	12	12	12
6-12 YRS	5	2.0	1	1	1	2	3	3	3	3
13-19 YRS	8	7.0	64	2	2	3	10	21	23	23
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	9.0	43	3	3	8	14	16	16	16
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	1	<1	<1	1	2	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	41	4.6	20	1	2	3	5	10	16	23
B. Operated	5	9.0	26	3	3	8	13	16	16	16
1. SINGLE DX	4	1.8	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	46	5.0	22	1	2	3	5	12	16	23
A. Not Operated	45	4.3	19	1	1	3	4	8	16	23
B. Operated	5	9.0	26	3	3	8	13	16	16	16
TOTAL										
0-27 DYS	3	4.3	4	2	2	5	6	6	6	6
1-11 MOS	25	4.7	15	1	2	3	5	8	16	16
1-5 YRS	5	7.0	21	3	3	4	12	12	12	12
6-12 YRS	5	2.0	1	1	1	2	3	3	3	3
13-19 YRS	12	5.3	47	<1	1	3	4	18	22	23
GRAND TOTAL	**50**	**4.8**	**21**	**1**	**1**	**3**	**5**	**12**	**16**	**23**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.5	85	2	2	8	15	15	15	15
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	7	1.7	2	< 1	< 1	1	2	4	5	5
13-19 YRS	4	6.5	14	3	3	6	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	2.7	4	< 1	< 1	2	4	5	5	5
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	4.6	12	1	1	4	8	9	9	9
1-5 YRS	12	2.4	9	< 1	< 1	1	2	7	10	11
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	15	4.3	20	< 1	1	2	7	11	14	15
2. MULTIPLE DX										
A. Not Operated	7	2.3	2	< 1	< 1	2	3	5	5	5
B. Operated	23	3.0	9	< 1	< 1	2	4	8	10	11
1. SINGLE DX	16	4.1	19	< 1	1	2	6	11	14	15
2. MULTIPLE DX	30	2.8	7	< 1	< 1	2	3	7	9	11
A. Not Operated	8	2.1	2	< 1	< 1	2	3	4	5	5
B. Operated	38	3.5	13	< 1	1	2	5	9	11	15
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	5.2	20	1	1	3	8	12	15	15
1-5 YRS	17	2.5	9	< 1	< 1	1	2	8	10	11
6-12 YRS	9	1.8	2	< 1	< 1	1	2	4	5	5
13-19 YRS	9	4.2	11	< 1	1	3	6	10	11	11
GRAND TOTAL	**46**	**3.3**	**11**	**< 1**	**1**	**2**	**4**	**9**	**11**	**15**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	8.6	9	5	5	9	11	13	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	3	9.3	16	5	5	10	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	6.5	1	6	6	6	7	7	7	7
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	26	7.3	14	2	3	7	10	12	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	36.0		36	36	36	36	36	36	36
6-12 YRS	2	11.0	32	7	7	11	15	15	15	15
13-19 YRS	13	8.3	20	2	2	8	14	24	83	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	8.6	9	5	5	9	11	13	14	14
B. Operated	4	7.3	28	1	1	7	11	13	13	13
2. MULTIPLE DX										
A. Not Operated	32	7.3	12	2	3	7	9	12	14	15
B. Operated	16	10.4	66	2	3	8	14	32	78	99 +
1. SINGLE DX	19	8.3	12	3	5	9	11	13	14	14
2. MULTIPLE DX	48	8.3	31	2	3	7	11	15	17	99 +
A. Not Operated	47	7.7	11	3	4	7	10	12	14	15
B. Operated	20	9.8	58	1	2	8	14	24	65	99 +
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	4	12.5	252	1	1	6	21	36	36	36
6-12 YRS	4	8.5	20	5	5	7	11	15	15	15
13-19 YRS	57	8.0	14	2	3	8	11	14	15	93
GRAND TOTAL	**67**	**8.3**	**25**	**2**	**3**	**8**	**11**	**14**	**15**	**88**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	31.0		31	31	31	31	31	31	31
1-5 YRS	2	18.0	512	2	2	18	34	34	34	34
6-12 YRS	3	25.0	457	1	1	32	39	42	42	42
13-19 YRS	4	13.8	88	5	5	11	19	27	27	27
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	16	17.9	130	1	3	18	25	31	39	43
6-12 YRS	21	19.4	138	2	3	19	29	35	40	41
13-19 YRS	18	15.1	112	3	3	12	27	31	34	36
B. Operated										
0-27 DYS	0									
1-11 MOS	4	33.5	411	8	8	35	49	55	55	55
1-5 YRS	9	28.3	[illegible]	15	15	29	35	44	45	45
6-12 YRS	4	28.5	[illegible]	14	14	26	40	47	47	47
13-19 YRS	12	31.4	351	13	14	27	37	66	69	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	19.7	228	1	1	19	32	38	42	42
B. Operated	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated	56	17.3	128	2	3	15	27	31	38	43
B. Operated	29	30.3	243	13	14	29	43	52	65	69
1. SINGLE DX	11	19.6	205	1	2	19	32	37	42	42
2. MULTIPLE DX	85	21.7	203	3	4	19	30	43	45	68
A. Not Operated	66	17.6	140	2	3	15	28	33	39	43
B. Operated	30	30.0	239	13	14	28	43	51	65	69
TOTAL										
0-27 DYS	0									
1-11 MOS	6	27.8	408	2	3	29	43	54	55	55
1-5 YRS	27	21.4	157	2	4	20	31	41	44	45
6-12 YRS	29	21.2	166	2	3	19	30	40	42	47
13-19 YRS	34	20.7	247	3	5	15	30	37	61	69
GRAND TOTAL	**96**	**21.5**	**202**	**2**	**4**	**19**	**31**	**42**	**45**	**67**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0	2.9	3	1	1	2	4	6	7	7
1-11 MOS	27	2.9	5	< 1	1	2	4	7	8	8
1-5 YRS	13	2.8	24	< 1	< 1	1	2	6	17	19
6-12 YRS	9	2.1	2	1	1	2	3	4	5	5
13-19 YRS	17	2.3	2	< 1	1	2	3	4	6	7
B. Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	2.7	4	1	1	2	4	6	6	6
1-11 MOS	25	3.9	10	1	1	4	5	7	10	15
1-5 YRS	17	3.4	17	< 1	< 1	2	3	11	14	15
6-12 YRS	18	2.6	4	1	1	2	3	5	7	8
13-19 YRS	21	2.1	2	< 1	1	2	3	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.5	25	5	5	8	12	12	12	12
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	5.5	25	2	2	5	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	2.6	7	< 1	1	2	3	4	8	16
B. Operated	3	4.3	33	< 1	< 1	< 1	8	11	11	11
2. MULTIPLE DX										
A. Not Operated	87	3.0	8	1	1	2	4	6	8	15
B. Operated	7	5.0	18	1	1	5	8	11	12	12
1. SINGLE DX	79	2.7	7	< 1	1	2	3	5	8	17
2. MULTIPLE DX	94	3.2	9	1	1	2	4	7	9	15
A. Not Operated	163	2.8	7	1	1	2	4	6	8	15
B. Operated	10	4.8	19	< 1	< 1	3	9	11	12	12
TOTAL										
0-27 DYS	17	3.3	7	1	1	2	4	7	10	11
1-11 MOS	54	3.6	8	1	1	3	4	8	8	15
1-5 YRS	32	3.0	19	< 1	< 1	1	2	8	15	19
6-12 YRS	28	2.5	3	1	1	2	3	5	6	8
13-19 YRS	42	2.3	3	< 1	< 1	2	3	4	6	9
GRAND TOTAL	**173**	**3.0**	**8**	**< 1**	**1**	**2**	**4**	**6**	**8**	**15**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	< 1	< 1	1	2	2	2	2
1-11 MOS	6	2.3	3	1	1	2	4	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.0	1	< 1	< 1	2	3	3	3	3
13-19 YRS	18	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	6.2	66	< 1	< 1	3	7	20	27	28
1-5 YRS	8	5.4	20	< 1	< 1	5	8	12	13	13
6-12 YRS	25	4.0	14	1	1	3	5	8	12	17
13-19 YRS	57	3.3	6	1	1	3	5	6	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	5	6.6	26	2	2	6	9	15	15	15
1-5 YRS	0									
6-12 YRS	8	4.5	13	1	1	3	8	10	10	10
13-19 YRS	11	6.6	39	1	2	4	8	17	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	1.8	1	< 1	< 1	1	2	4	4	5
B. Operated	5	4.0	6	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated	103	4.0	16	1	1	3	5	8	12	22
B. Operated	24	5.9	27	1	1	4	8	14	17	22
1. SINGLE DX	36	2.1	2	< 1	< 1	2	3	4	5	8
2. MULTIPLE DX	127	4.3	18	1	1	3	6	9	13	23
A. Not Operated	134	3.5	14	< 1	1	2	4	7	10	19
B. Operated	29	5.6	23	1	1	4	7	12	15	22
TOTAL										
0-27 DYS	3	1.7		< 1	< 1	2	2	2	2	2
1-11 MOS	23	5.3	42	< 1	1	3	6	15	20	28
1-5 YRS	11	4.9	18	< 1	< 1	2	8	11	13	13
6-12 YRS	38	3.9	12	1	1	3	5	9	11	17
13-19 YRS	88	3.4	11	1	1	3	4	6	9	19
GRAND TOTAL	**163**	**3.8**	**16**	**< 1**	**1**	**2**	**5**	**8**	**12**	**21**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	34	3.1	3	1	1	3	4	6	6	7
1-11 MOS	53	3.5	10	1	1	2	4	9	11	14
1-5 YRS	43	3.0	11	< 1	< 1	2	4	6	7	20
6-12 YRS	40	3.2	6	< 1	1	2	4	7	9	11
13-19 YRS	93	2.6	6	< 1	1	2	3	5	9	12
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	4.3	19	< 1	< 1	3	5	11	15	15
6-12 YRS	23	3.8	7	1	1	3	5	8	9	11
13-19 YRS	38	3.4	5	< 1	1	3	4	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	49	5.5	43	1	1	4	6	10	13	39
1-11 MOS	119	5.2	32	1	1	3	6	11	19	27
1-5 YRS	78	3.3	10	< 1	1	2	4	7	10	15
6-12 YRS	78	3.1	10	< 1	1	2	4	6	9	18
13-19 YRS	188	3.4	9	1	1	3	4	6	8	17
B. Operated										
0-27 DYS	3	8.7	32	4	4	7	13	15	15	15
1-11 MOS	23	10.3	77	1	1	10	17	23	55	99 +
1-5 YRS	39	9.1	200	1	2	4	7	22	45	71
6-12 YRS	62	6.2	39	1	1	3	9	16	19	31
13-19 YRS	95	4.4	24	1	1	3	5	9	12	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	263	3.0	7	< 1	1	2	4	6	9	13
B. Operated	71	3.6	7	1	1	3	4	8	8	14
2. MULTIPLE DX										
A. Not Operated	512	4.0	18	1	1	3	5	8	11	25
B. Operated	222	6.4	68	1	1	4	7	15	21	56
1. SINGLE DX	334	3.2	7	< 1	1	2	4	6	9	13
2. MULTIPLE DX	734	4.7	34	1	1	3	5	10	15	31
A. Not Operated	775	3.6	15	1	1	2	4	7	11	21
B. Operated	293	5.7	54	1	1	4	6	12	19	45
TOTAL										
0-27 DYS	86	4.7	28	1	1	3	5	8	11	35
1-11 MOS	196	5.3	34	1	1	3	6	12	20	33
1-5 YRS	169	4.6	59	< 1	1	3	5	8	15	48
6-12 YRS	203	4.2	19	< 1	1	2	5	9	15	20
13-19 YRS	414	3.5	11	1	1	3	4	7	9	17
GRAND TOTAL	**1068**	**4.2**	**26**	**1**	**1**	**3**	**5**	**9**	**12**	**27**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	2.8	5	1	1	2	4	7	7	7
1-5 YRS	6	3.8	3	2	2	3	4	7	7	7
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	5.3	6	3	3	5	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	5	26.8	968	4	4	16	37	81	81	81
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	24	5.2	18	<1	1	4	8	11	13	18
1-11 MOS	250	5.9	47	1	2	4	7	11	18	34
1-5 YRS	133	6.1	27	1	2	4	8	13	16	42
6-12 YRS	49	5.8	18	1	2	4	9	13	14	18
13-19 YRS	84	6.6	42	1	1	5	8	12	17	41
B. Operated										
0-27 DYS	7	14.3	327	5	5	8	10	46	55	55
1-11 MOS	53	17.9	[illegible]	1	2	11	23	50	75	99
1-5 YRS	25	15.6	403	3	3	9	15	26	77	83
6-12 YRS	7	8.3	31	2	2	9	11	17	18	18
13-19 YRS	15	13.9	273	1	1	9	19	23	56	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.7	5	1	1	3	5	7	8	8
B. Operated	6	22.7	877	2	2	13	23	75	81	81
2. MULTIPLE DX										
A. Not Operated	540	6.0	37	1	2	4	7	12	17	33
B. Operated	107	15.9	330	2	2	10	20	39	72	90
1. SINGLE DX	22	8.9	287	1	2	4	7	18	46	81
2. MULTIPLE DX	647	7.7	99	1	2	5	9	15	23	72
A. Not Operated	556	6.0	36	1	2	4	7	12	17	33
B. Operated	113	16.3	354	2	2	10	20	42	74	89
TOTAL										
0-27 DYS	31	7.2	94	<1	1	5	9	11	18	55
1-11 MOS	314	8.2	136	1	2	5	9	19	28	77
1-5 YRS	164	7.4	93	2	2	5	9	14	21	82
6-12 YRS	57	6.1	20	1	2	4	9	13	16	18
13-19 YRS	103	7.5	79	1	1	5	9	15	20	57
GRAND TOTAL	**669**	**7.7**	**105**	**1**	**2**	**5**	**9**	**15**	**23**	**74**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	14	4.2	15	<1	1	3	5	11	13	14
1-5 YRS	12	4.3	11	<1	1	3	6	10	11	11
6-12 YRS	26	3.7	13	1	1	3	4	7	10	19
13-19 YRS	90	3.3	5	1	1	3	4	6	8	11
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	9	5.7	45	1	1	2	7	17	22	22
1-5 YRS	56	4.8	119	1	1	2	4	8	15	77
6-12 YRS	53	4.1	13	1	1	2	6	9	12	15
13-19 YRS	66	3.9	10	1	1	2	5	8	11	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15	10.3	84	1	3	8	13	24	31	34
1-11 MOS	47	5.6	26	1	1	4	7	13	18	21
1-5 YRS	68	5.9	25	1	2	5	7	10	14	27
6-12 YRS	70	4.2	11	1	1	3	5	9	10	16
13-19 YRS	158	5.0	28	1	2	3	6	11	14	34
B. Operated										
0-27 DYS	12	16.8	161	5	7	12	20	42	43	43
1-11 MOS	46	12.4	172	1	2	9	17	30	53	99+
1-5 YRS	121	7.2	64	1	1	3	10	20	25	33
6-12 YRS	106	7.6	105	1	1	3	9	17	29	52
13-19 YRS	133	8.3	169	1	1	3	9	20	33	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	3.5	8	1	1	3	4	7	9	14
B. Operated	185	4.3	45	1	1	2	5	9	13	21
2. MULTIPLE DX										
A. Not Operated	358	5.3	27	1	1	4	7	11	15	32
B. Operated	418	8.5	125	1	1	4	11	21	30	[illegible]
1. SINGLE DX	330	4.0	29	1	1	2	5	8	10	[illegible]
2. MULTIPLE DX	776	7.0	83	1	1	4	8	17	24	[illegible]
A. Not Operated	503	4.8	22	1	1	3	6	10	13	[illegible]
B. Operated	603	7.2	104	1	1	3	9	17	25	57
TOTAL										
0-27 DYS	31	12.0	119	1	3	9	15	28	41	43
1-11 MOS	116	8.1	95	1	1	4	11	19	28	75
1-5 YRS	257	6.2	64	1	1	3	7	15	21	30
6-12 YRS	255	5.5	53	1	1	3	7	12	17	40
13-19 YRS	447	5.5	66	1	1	3	6	11	17	39
GRAND TOTAL	**1106**	**6.1**	**68**	**1**	**1**	**3**	**7**	**14**	**21**	**41**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	14.2	101	5	5	11	19	31	31	31
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	4.7	12	1	1	5	7	8	8	8
1-11 MOS	3	8.7	16	4	4	11	11	11	11	11
1-5 YRS	2	9.5	41	5	5	9	14	14	14	14
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	0									
1-5 YRS	2	11.5	41	7	7	11	16	16	16	16
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	10	11.3	70	1	1	12	16	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.8	4	< 1	< 1	2	4	6	6	6
B. Operated	6	12.5	98	4	4	10	15	29	31	31
2. MULTIPLE DX										
A. Not Operated	9	6.8	20	1	1	5	11	13	14	14
B. Operated	14	10.9	54	1	2	11	16	22	24	25
1. SINGLE DX	12	7.7	72	< 1	1	5	10	20	29	31
2. MULTIPLE DX	23	9.3	44	1	2	8	14	17	23	25
A. Not Operated	15	5.2	17	< 1	1	4	7	11	13	14
B. Operated	20	11.4	64	1	3	10	15	23	28	31
TOTAL										
0-27 DYS	4	4.8	8	1	1	5	7	8	8	8
1-11 MOS	5	6.8	17	2	2	6	11	11	11	11
1-5 YRS	4	10.5	28	5	5	10	15	16	16	16
6-12 YRS	3	6.3	24	3	3	4	10	12	12	12
13-19 YRS	19	10.1	78	< 1	1	9	15	24	28	31
GRAND TOTAL	**35**	**8.7**	**52**	**1**	**1**	**6**	**13**	**16**	**24**	**31**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	56.0		56	56	56	56	56	56	56
13-19 YRS	5	26.2	265	13	13	24	53	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	8.0		8	8	8	8	8	8	8
B. Operated	6	31.2	360	13	14	30	55	91	99+	99+
1. SINGLE DX	0									
2. MULTIPLE DX	7	27.9	376	8	9	24	54	87	99+	99+
A. Not Operated	1	8.0		8	8	8	8	8	8	8
B. Operated	6	31.2	360	13	14	30	55	91	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	56.0		56	56	56	56	56	56	56
13-19 YRS	6	23.2	267	8	9	18	47	91	99+	99+
GRAND TOTAL	**7**	**27.9**	**376**	**8**	**9**	**24**	**54**	**87**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	3.8	4	2	2	3	5	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	8	8.1	86	1	2	6	8	13	31	43
1-5 YRS	2	9.0	32	5	5	9	13	13	13	13
6-12 YRS	4	4.5	26	<1	<1	2	7	12	12	12
13-19 YRS	7	5.9	23	1	1	4	8	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	11.6	37	3	3	12	15	20	20	20
1-11 MOS	11	5.2	13	<1	1	4	6	11	13	13
1-5 YRS	15	7.8	37	<1	1	7	12	14	20	22
6-12 YRS	4	6.0	44	1	1	4	11	15	15	15
13-19 YRS	11	5.5	68	<1	<1	2	7	16	28	29
B. Operated										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	22	16.0	195	3	4	11	18	29	44	66
1-5 YRS	21	14.3	194	5	5	10	14	31	50	63
6-12 YRS	26	22.8	464	4	6	18	32	46	72	96
13-19 YRS	18	12.6	237	2	2	7	13	40	53	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.8	4	1	1	2	4	6	7	7
B. Operated	31	7.2	59	<1	1	5	9	13	15	43
2. MULTIPLE DX										
A. Not Operated	46	6.9	40	<1	1	5	10	14	20	29
B. Operated	88	16.9	288	3	4	11	22	38	58	85
1. SINGLE DX	42	6.0	48	<1	1	4	7	12	14	43
2. MULTIPLE DX	134	13.5	225	1	2	9	16	29	45	71
A. Not Operated	57	6.1	35	<1	1	4	9	14	18	29
B. Operated	119	14.4	246	2	3	9	17	34	47	75
TOTAL										
0-27 DYS	6	12.7	37	3	4	12	18	20	20	20
1-11 MOS	57	10.1	126	2	2	7	11	24	30	64
1-5 YRS	39	11.2	129	1	2	8	13	23	33	63
6-12 YRS	37	17.3	403	1	1	10	23	42	[illegible]	96
13-19 YRS	37	18.9	149	1	1	6	9	20	41	57
GRAND TOTAL	**176**	**11.7**	**192**	**1**	**2**	**7**	**13**	**26**	**42**	**66**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	2	15.0	200	5	5	15	25	25	25	25
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	10.5	25	7	7	10	14	14	14	14
6-12 YRS	2	8.0	32	4	4	56	99 +	99 +	99 +	99 +
13-19 YRS	6	32.3	229	10	13	34	51	91	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	13.0	96	5	5	11	21	25	25	25
B. Operated	10	23.1	277	4	6	31	68	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	14	20.2	236	4	5	25	40	99 +	99 +	99 +
A. Not Operated	4	13.0	96	5	5	11	21	25	25	25
B. Operated	10	23.1	277	4	6	31	68	99 +	99 +	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	3	8.7	22	5	5	7	12	14	14	14
6-12 YRS	2	8.0	32	4	4	56	99 +	99 +	99 +	99 +
13-19 YRS	8	28.0	257	5	7	31	40	83	99 +	99 +
GRAND TOTAL	**14**	**20.2**	**236**	**4**	**5**	**25**	**40**	**99 +**	**99 +**	**99 +**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	46.0		46	46	46	46	46	46	46
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	4	13.3	198	4	4	7	22	34	34	34
6-12 YRS	0									
13-19 YRS	3	6.0	1	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	3	17.0	631	2	2	3	35	46	46	46
B. Operated	9	9.2	91	3	3	6	9	24	34	34
1. SINGLE DX	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX	12	11.2	194	2	3	6	9	38	45	46
A. Not Operated	3	17.0	631	2	2	3	35	46	46	46
B. Operated	10	8.4	88	< 1	1	6	9	22	34	34
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.7	14	2	2	3	7	9	9	9
1-5 YRS	5	19.8	363	4	4	10	37	46	46	46
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	3	6.0	1	5	5	6	7	7	7	7
GRAND TOTAL	**13**	**10.4**	**185**	**< 1**	**2**	**5**	**9**	**36**	**44**	**46**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	17.0		17	17	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	12.7	16	9	9	12	16	17	17	17
1. SINGLE DX	0									
2. MULTIPLE DX	3	12.7	16	9	9	12	16	17	17	17
A. Not Operated	0									
B. Operated	3	12.7	16	9	9	12	16	17	17	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	17.0		17	17	17	17	17	17	17
GRAND TOTAL	**3**	**12.7**	**16**	**9**	**9**	**12**	**16**	**17**	**17**	**17**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	3	4.3	9	1	1	5	6	7	7	7
6-12 YRS	0									
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	7	5.9	7	1	2	6	7	9	10	10
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	14.3	184	6	6	7	24	30	30	30
1-11 MOS	12	9.4	91	1	2	5	16	25	28	29
1-5 YRS	12	7.4	35	1	2	7	12	35	88	99+
6-12 YRS	7	8.4	31	3	3	7	12	17	18	18
13-19 YRS	13	5.7	9	2	2	6	7	9	12	13
B. Operated										
0-27 DYS	0									
1-11 MOS	2	15.0		15	15	15	15	15	15	15
1-5 YRS	6	10.2	92	3	3	7	10	27	29	29
6-12 YRS	6	22.3	597	2	2	15	33	63	66	66
13-19 YRS	9	15.8	180	3	3	10	20	37	47	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	5.3	11	1	1	6	7	10	10	10
B. Operated	12	4.8	8	1	1	5	7	8	10	10
2. MULTIPLE DX										
A. Not Operated	47	8.0	49	2	2	6	10	20	29	99+
B. Operated	23	16.0	243	2	3	10	20	36	54	66
1. SINGLE DX	18	4.9	8	1	1	5	7	9	10	10
2. MULTIPLE DX	70	10.6	124	2	2	7	15	25	33	93
A. Not Operated	53	7.7	45	1	2	6	10	19	28	97
B. Operated	35	12.1	189	1	2	7	15	29	43	66
TOTAL										
0-27 DYS	3	14.3	184	6	6	7	24	30	30	30
1-11 MOS	16	9.8	74	1	2	6	15	23	27	29
1-5 YRS	24	7.0	44	1	1	5	10	19	47	99+
6-12 YRS	20	11.7	222	1	2	7	12	27	49	66
13-19 YRS	25	9.3	90	2	2	7	10	19	28	47
GRAND TOTAL	**88**	**9.5**	**105**	**1**	**2**	**7**	**10**	**22**	**30**	**87**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	11.0	100	1	1	11	18	21	24	21
1-5 YRS	7	7.4	26	3	3	5	9	16	18	18
6-12 YRS	4	9.0	19	4	4	9	12	14	14	14
13-19 YRS	6	19.0	486	5	5	12	17	58	63	63
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	17.0	441	2	2	8	33	41	41	41
6-12 YRS	4	24.8	665	5	5	17	44	60	60	60
13-19 YRS	5	9.2	4	7	7	10	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	20	11.8	175	2	3	8	13	19	42	63
B. Operated	12	16.3	312	2	4	9	20	47	58	60
1. SINGLE DX	0									
2. MULTIPLE DX	32	13.5	223	2	4	9	13	32	58	63
A. Not Operated	20	11.8	175	2	3	8	13	19	42	63
B. Operated	12	16.3	312	2	4	9	20	47	58	60
TOTAL										
0-27 DYS	0									
1-11 MOS	3	11.0	100	1	1	11	18	21	21	21
1-5 YRS	10	10.3	137	2	2	6	9	29	41	41
6-12 YRS	8	16.9	364	4	4	9	21	50	60	60
13-19 YRS	11	14.5	271	5	5	11	12	35	61	63
GRAND TOTAL	**32**	**13.5**	**223**	**2**	**4**	**9**	**13**	**32**	**58**	**63**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	5	3.2	1	2	2	3	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	6	4.7	3	2	2	5	6	7	7	7
1-5 YRS	7	5.6	9	3	3	5	7	10	11	11
6-12 YRS	7	3.3	3	1	1	3	4	6	6	6
13-19 YRS	17	3.4	9	< 1	1	2	5	6	11	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	3.2	7	1	1	3	7	82	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.9	1	1	1	3	4	4	4	4
B. Operated	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	39	4.0	7	1	1	3	6	7	10	13
B. Operated	7	3.3	6	1	1	3	6	72	99 +	99 +
1. SINGLE DX	11	3.1	3	1	1	3	4	5	7	7
2. MULTIPLE DX	46	3.9	7	1	1	3	6	8	11	99 +
A. Not Operated	48	3.8	6	1	1	3	5	6	8	13
B. Operated	9	3.4	7	1	1	3	7	54	99 +	99 +
TOTAL										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	6	4.7	3	2	2	5	6	7	7	7
1-5 YRS	8	5.0	11	1	1	4	7	10	11	11
6-12 YRS	11	3.3	2	1	1	3	4	5	6	6
13-19 YRS	30	3.3	7	1	1	3	5	7	13	99 +
GRAND TOTAL	**57**	**3.7**	**6**	**1**	**1**	**3**	**5**	**7**	**10**	**93**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	11.7	206	1	1	6	22	28	28	28
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	8.2	37	3	3	6	9	19	20	20
1-5 YRS	10	7.3	31	2	2	5	12	15	18	18
6-12 YRS	6	4.3	4	1	1	4	5	7	7	7
13-19 YRS	5	10.6	167	1	1	7	15	33	33	33
B. Operated										
0-27 DYS	0									
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	4	9.0	34	3	3	8	13	17	17	17
6-12 YRS	3	12.3	76	5	5	10	19	22	22	22
13-19 YRS	3	8.0	4	6	6	8	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	8.4	124	1	1	[illegible]	11	28	28	28
B. Operated	2	6.5	41	2	2	[illegible]	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	32	7.5	46	1	2	[illegible]	9	18	20	33
B. Operated	11	10.5	36	3	4	8	15	20	22	22
1. SINGLE DX	7	7.9	90	1	1	5	10	25	28	28
2. MULTIPLE DX	43	8.3	44	2	3	6	10	18	21	33
A. Not Operated	37	7.6	53	1	2	5	9	18	25	33
B. Operated	13	9.8	35	2	3	8	12	19	21	22
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	11	9.1	42	3	3	[illegible]	[illegible]	19	20	20
1-5 YRS	15	7.6	28	2	2	[illegible]	[illegible]	17	18	18
6-12 YRS	12	8.2	69	1	1	[illegible]	[illegible]	24	27	28
13-19 YRS	11	8.4	79	1	1	[illegible]	[illegible]	20	32	33
GRAND TOTAL	**50**	**8.2**	**49**	**1**	**2**	**6**	**10**	**18**	**22**	**33**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	13.3	208	5	5	5	24	30	30	30
1-5 YRS	7	9.1	34	4	4	7	14	18	19	19
6-12 YRS	2	14.5	25	11	11	14	18	18	18	18
13-19 YRS	2	6.0	50	< 1	< 1	5	11	11	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	14.0	32	10	10	14	18	18	18	18
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	15	9.9	61	1	3	7	14	19	27	30
B. Operated	3	11.3	37	6	6	10	16	18	18	18
1. SINGLE DX	0									
2. MULTIPLE DX	18	10.1	55	1	3	8	15	19	26	30
A. Not Operated	15	9.9	61	1	3	7	14	19	27	30
B. Operated	3	11.3	37	6	6	10	16	18	18	18
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	13.3	208	5	5	5	24	30	30	30
1-5 YRS	8	8.8	31	4	4	6	12	18	19	19
6-12 YRS	4	14.3	19	10	10	14	18	18	18	18
13-19 YRS	2	6.0	50	< 1	< 1	5	11	11	11	11
GRAND TOTAL	**18**	**10.1**	**55**	**1**	**3**	**8**	**15**	**19**	**26**	**30**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	4.0	4	2	2	4	5	6	6	6
6-12 YRS	3	5.3	8	2	2	7	7	7	7	7
13-19 YRS	8	1.9	2	< 1	< 1	1	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.3	1	1	1	3	3	3	3	3
6-12 YRS	7	3.6	8	1	1	4	4	8	9	9
13-19 YRS	7	8.0	14	1	2	9	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	7.3	37	2	2	6	12	14	14	14
1-5 YRS	6	7.2	46	2	2	5	8	19	20	20
6-12 YRS	12	4.2	8	< 1	1	3	6	9	9	9
13-19 YRS	25	5.1	21	< 1	1	3	6	12	15	18
B. Operated										
0-27 DYS	0									
1-11 MOS	3	17.7	312	6	6	9	31	38	38	38
1-5 YRS	7	4.4	8	< 1	< 1	4	7	8	8	8
6-12 YRS	14	7.7	146	1	1	4	7	47	87	99 +
13-19 YRS	8	7.6	31	1	2	6	11	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.1	5	< 1	< 1	2	4	7	7	7
B. Operated	17	5.2	14	1	1	4	9	11	12	12
2. MULTIPLE DX										
A. Not Operated	46	5.3	21	1	1	4	7	12	15	20
B. Operated	32	7.9	102	1	1	5	8	22	46	99 +
1. SINGLE DX	31	4.2	11	< 1	< 1	4	7	10	11	12
2. MULTIPLE DX	78	6.3	55	1	1	4	8	14	19	85
A. Not Operated	60	4.8	18	< 1	1	3	6	10	14	20
B. Operated	49	7.0	72	1	1	4	9	15	38	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	6	12.5	172	2	2	8	14	36	38	38
1-5 YRS	19	4.9	19	< 1	1	4	7	8	15	20
6-12 YRS	36	5.5	62	1	1	4	7	9	37	99 +
13-19 YRS	48	5.4	21	< 1	1	4	8	12	14	18
GRAND TOTAL	**109**	**5.7**	**43**	**< 1**	**1**	**4**	**7**	**12**	**18**	**68**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	0									
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	4	4.3	22	< 1	< 1	2	7	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	16.0	52	8	8	18	21	22	22	22
1-5 YRS	11	8.3	47	2	2	7	10	17	26	27
6-12 YRS	7	5.1	31	1	1	2	6	15	17	17
13-19 YRS	4	6.0	14	2	2	5	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	4.7	16	< 1	< 1	4	8	11	11	11
2. MULTIPLE DX										
A. Not Operated	2	4.5	1	4	4	4	5	5	5	5
B. Operated	25	8.0	45	1	2	6	10	18	23	27
1. SINGLE DX	7	4.7	16	< 1	< 1	4	8	11	11	11
2. MULTIPLE DX	27	7.7	42	1	2	6	10	18	23	27
A. Not Operated	2	4.5	1	4	4	4	5	5	5	5
B. Operated	32	7.3	39	1	1	6	9	17	22	27
TOTAL										
0-27 DYS	0									
1-11 MOS	6	11.0	54	4	4	8	18	22	22	22
1-5 YRS	11	8.3	47	2	2	7	10	17	26	27
6-12 YRS	9	4.8	25	1	1	2	6	13	17	17
13-19 YRS	8	5.1	16	< 1	< 1	4	8	11	11	11
GRAND TOTAL	**34**	**7.1**	**38**	**1**	**2**	**6**	**9**	**17**	**21**	**27**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	4	13.0	195	1	1	9	22	33	33	33
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	10.5	100	2	2	7	16	25	25	25
13-19 YRS	4	9.5	8	6	6	9	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	13	10.2	86	1	1	8	11	27	32	33
1. SINGLE DX	2	2.0		2	2	2	2	[illegible]	2	2
2. MULTIPLE DX	14	9.6	85	< 1	1	8	11	26	31	33
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	14	9.6	84	1	1	8	11	26	31	33
TOTAL										
0-27 DYS	0									
1-11 MOS	5	10.6	175	< 1	< 1	7	16	33	33	33
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	7.7	79	2	2	5	8	23	25	25
13-19 YRS	4	9.5	8	6	6	9	11	13	13	13
GRAND TOTAL	**16**	**8.6**	**81**	**< 1**	**1**	**7**	**10**	**24**	**31**	**33**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.8	1	1	1	2	2	3	3	3
6-12 YRS	5	1.2		1	1	1	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	9	3.9	9	1	1	3	5	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	14	4.0	8	1	1	3	5	9	10	10
1. SINGLE DX	11	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX	15	3.8	8	1	1	3	5	9	10	10
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	25	2.9	6	1	1	2	3	7	9	10
TOTAL										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	7	2.0	1	1	1	2	3	3	3	3
6-12 YRS	8	2.3	8	1	1	1	2	7	9	9
13-19 YRS	10	3.6	9	1	1	3	5	8	10	10
GRAND TOTAL	**26**	**2.8**	**6**	**1**	**1**	**2**	**3**	**7**	**9**	**10**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	2	9.5	1	9	9	9	10	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	0									
6-12 YRS	3	5.0	13	< 1	< 1	6	7	8	8	8
13-19 YRS	2	3.5	13	< 1	< 1	3	6	6	6	6
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	9.3	28	2	2	11	13	16	17	17
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	3	8.0	13	4	4	9	10	11	11	11
13-19 YRS	15	9.1	31	1	1	9	13	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	7.8	10	3	3	9	10	10	10	10
B. Operated	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	8	4.0	9	< 1	< 1	4	7	8	8	8
B. Operated	28	8.7	25	1	2	9	12	16	17	18
1. SINGLE DX	6	6.5	10	3	3	7	9	10	10	10
2. MULTIPLE DX	36	7.6	25	< 1	1	7	11	15	17	18
A. Not Operated	12	5.3	12	< 1	< 1	6	8	9	10	10
B. Operated	30	8.4	25	1	2	8	12	16	17	18
TOTAL										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	9	8.1	28	1	1	7	12	15	17	17
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	9	6.0	12	< 1	1	6	9	10	11	11
13-19 YRS	20	8.4	27	< 1	1	8	12	16	17	18
GRAND TOTAL	**42**	**7.5**	**23**	**< 1**	**1**	**7**	**11**	**14**	**17**	**18**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	35	6.0	39	1	1	5	7	11	14	37
1-5 YRS	242	4.9	7	2	2	4	6	8	10	15
6-12 YRS	46	4.8	25	1	1	4	5	8	14	30
13-19 YRS	12	4.8	20	1	1	3	6	11	16	17
B. Operated										
0-27 DYS	0									
1-11 MOS	8	4.3	13	2	2	3	5	10	12	12
1-5 YRS	14	4.6	16	< 1	1	3	7	12	12	12
6-12 YRS	11	4.1	9	1	1	3	6	9	10	10
13-19 YRS	19	4.1	12	< 1	< 1	4	5	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	4.0	2	2	2	4	5	5	5	5
1-11 MOS	41	6.8	25	1	2	5	10	15	17	22
1-5 YRS	161	6.1	15	2	2	5	7	10	13	24
6-12 YRS	46	5.2	15	< 1	1	4	6	11	14	16
13-19 YRS	29	6.9	35	< 1	1	4	8	17	21	22
B. Operated										
0-27 DYS	0									
1-11 MOS	4	33.0	1850	4	4	16	60	96	96	96
1-5 YRS	21	7.8	58	< 1	1	4	14	20	24	25
6-12 YRS	22	7.6	91	1	1	4	10	16	30	43
13-19 YRS	29	10.3	101	1	1	7	14	29	30	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	335	5.0	13	1	2	4	6	8	11	17
B. Operated	52	4.3	12	< 1	1	3	6	10	12	13
2. MULTIPLE DX										
A. Not Operated	281	6.1	18	1	2	5	7	11	15	22
B. Operated	76	10.0	184	1	1	6	13	25	30	82
1. SINGLE DX	387	4.9	13	1	2	4	6	8	12	17
2. MULTIPLE DX	357	6.9	56	1	2	5	8	14	18	30
A. Not Operated	616	5.5	16	1	2	4	7	10	14	21
B. Operated	128	7.7	121	< 1	1	4	9	17	26	55
TOTAL										
0-27 DYS	4	4.0	2	2	2	4	5	5	5	5
1-11 MOS	88	7.5	123	1	2	5	7	14	18	74
1-5 YRS	438	5.5	13	2	2	5	7	9	13	19
6-12 YRS	125	5.4	32	1	1	4	6	11	14	33
13-19 YRS	89	7.1	54	< 1	1	4	9	17	25	32
GRAND TOTAL	**744**	**5.9**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	0									
6-12 YRS	3	8.0	13	5	5	7	11	12	12	12
13-19 YRS	43	6.0	13	1	1	6	8	10	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	3	8.7	32	4	4	7	13	15	15	15
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	30	5.2	9	1	2	5	7	9	9	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	11.0	50	6	6	11	16	16	16	16
1-11 MOS	2	7.5	5	6	6	7	9	9	9	9
1-5 YRS	6	6.3	14	2	2	6	7	12	13	13
6-12 YRS	8	7.0	17	1	1	8	9	12	13	13
13-19 YRS	47	8.1	28	2	2	7	10	15	21	25
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	3	18.3	494	5	5	6	34	44	44	44
13-19 YRS	29	7.9	20	2	2	9	11	13	15	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	6.1	13	1	1	6	8	10	15	15
B. Operated	33	5.5	11	1	2	5	7	9	14	15
2. MULTIPLE DX										
A. Not Operated	65	7.8	25	2	2	7	10	14	17	25
B. Operated	35	8.4	56	2	2	8	11	14	18	44
1. SINGLE DX	80	5.9	12	1	2	6	8	10	15	15
2. MULTIPLE DX	100	8.1	35	2	2	7	10	14	17	34
A. Not Operated	112	7.1	20	1	2	7	9	13	15	23
B. Operated	68	7.0	36	2	2	6	9	12	15	39
TOTAL										
0-27 DYS	2	11.0	50	6	6	11	16	16	16	16
1-11 MOS	7	7.6	13	4	4	7	9	14	15	15
1-5 YRS	8	5.5	13	2	2	5	7	11	13	13
6-12 YRS	14	9.6	109	1	2	7	10	16	38	44
13-19 YRS	149	6.9	19	1	2	6	9	13	15	22
GRAND TOTAL	**180**	**7.1**	**26**	**1**	**2**	**6**	**9**	**13**	**15**	**24**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	31	1.7	1	< 1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	13	2.8	4	1	1	2	3	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	32	1.8	1	< 1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	3	5.7	16	2	2	5	9	10	10	10
B. Operated	16	2.9	5	1	1	2	4	7	8	8
1. SINGLE DX	33	1.9	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX	19	3.3	7	1	1	2	5	8	9	10
A. Not Operated	4	5.8	11	2	2	5	8	10	10	10
B. Operated	48	2.1	2	< 1	1	2	3	4	6	8
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	8.5	5	7	7	8	10	10	10	10
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	47	2.2	2	< 1	1	2	3	4	6	8
GRAND TOTAL	**52**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**10**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	13	1.8	1	< 1	< 1	2	2	3	4	4
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	0									
13-19 YRS	22	2.2	2	< 1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	2.1	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	49	2.4	2	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.1	5	< 1	< 1	2	2	4	8	10
B. Operated	27	2.4	3	< 1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	12	2.1		1	1	2	3	3	3	3
B. Operated	52	2.3	2	1	1	2	3	4	5	9
1. SINGLE DX	44	2.3	4	< 1	1	2	3	5	6	10
2. MULTIPLE DX	64	2.3	2	1	1	2	3	4	5	8
A. Not Operated	29	2.1	3	< 1	1	2	2	3	4	10
B. Operated	79	2.3	2	1	1	2	3	4	5	9
TOTAL										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	3	5.3	6	3	3	5	7	8	8	8
1-5 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	95	2.2	2	1	1	2	3	4	5	7
GRAND TOTAL	**108**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	8	2.5	4	< 1	< 1	2	3	6	7	7
6-12 YRS	23	3.6	10	< 1	1	3	5	6	10	15
13-19 YRS	72	5.5	22	1	1	4	7	11	18	21
B. Operated										
0-27 DYS	0									
1-11 MOS	4	6.5	94	< 1	< 1	2	12	21	21	21
1-5 YRS	13	3.8	13	1	1	2	5	10	11	11
6-12 YRS	24	2.9	60	< 1	< 1	1	1	3	15	39
13-19 YRS	190	3.1	15	< 1	< 1	1	3	9	11	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	18	4.4	8	< 1	< 1	4	7	8	9	9
1-5 YRS	32	5.2	48	1	1	3	5	10	25	32
6-12 YRS	36	5.2	32	1	1	3	7	14	19	21
13-19 YRS	134	4.6	30	< 1	1	3	5	11	14	31
B. Operated										
0-27 DYS	5	21.0	226	7	7	24	43	94	99 +	99 +
1-11 MOS	9	23.8	742	3	3	12	31	70	88	88
1-5 YRS	39	9.2	248	1	1	3	10	23	49	71
6-12 YRS	41	5.5	78	< 1	1	2	6	15	19	51
13-19 YRS	116	5.5	33	< 1	1	4	7	13	18	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	4.7	18	1	1	3	6	9	15	20
B. Operated	231	3.2	21	< 1	< 1	1	3	9	11	22
2. MULTIPLE DX										
A. Not Operated	222	4.7	30	< 1	1	3	6	11	15	31
B. Operated	210	7.3	130	1	1	3	8	18	26	92
1. SINGLE DX	339	3.7	20	< 1	1	2	5	9	12	21
2. MULTIPLE DX	432	6.0	80	< 1	1	3	7	14	21	68
A. Not Operated	330	4.7	26	< 1	1	3	6	10	15	30
B. Operated	441	5.2	77	< 1	1	2	7	12	19	68
TOTAL										
0-27 DYS	9	12.9	206	1	1	7	26	71	99 +	99 +
1-11 MOS	34	9.6	268	< 1	1	4	8	22	40	88
1-5 YRS	92	6.5	128	1	1	3	6	16	25	70
6-12 YRS	124	4.5	48	< 1	1	2	5	11	17	42
13-19 YRS	512	4.4	25	< 1	1	2	6	10	14	29
GRAND TOTAL	**771**	**5.0**	**55**	**< 1**	**1**	**2**	**6**	**11**	**18**	**42**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	144	2.5	1	1	1	2	3	4	5	6
1-11 MOS	2190	2.5	3	1	1	2	3	4	5	9
1-5 YRS	4548	2.0	2	< 1	1	2	2	4	4	7
6-12 YRS	695	2.1	2	< 1	1	2	3	4	5	7
13-19 YRS	465	2.7	2	1	1	2	3	5	5	6
B. Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	22	4.5	22	< 1	< 1	3	6	9	16	21
1-5 YRS	164	2.3	11	< 1	1	1	2	5	7	22
6-12 YRS	221	1.3	2	< 1	1	1	1	2	2	9
13-19 YRS	251	1.6	3	< 1	1	1	1	3	4	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	241	3.3	4	1	1	3	4	6	7	11
1-11 MOS	3509	3.2	5	1	1	3	4	6	7	12
1-5 YRS	5824	2.8	4	1	1	2	3	5	6	10
6-12 YRS	1363	2.8	4	1	1	2	3	5	6	10
13-19 YRS	1327	3.1	3	1	1	3	4	5	6	10
B. Operated										
0-27 DYS	8	4.8	26	< 1	1	3	5	13	17	17
1-11 MOS	80	10.9	157	1	2	8	13	21	38	97
1-5 YRS	298	3.4	19	< 1	1	1	5	9	12	23
6-12 YRS	317	1.9	9	< 1	1	1	2	3	6	14
13-19 YRS	289	3.5	44	1	1	1	4	7	10	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8042	2.2	2	1	1	2	3	4	5	8
B. Operated	660	1.8	6	< 1	1	1	1	3	5	14
2. MULTIPLE DX										
A. Not Operated	12264	2.9	4	1	1	2	4	5	6	10
B. Operated	992	3.6	40	< 1	1	1	4	8	13	38
1. SINGLE DX	8702	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	13256	3.0	7	1	1	2	4	5	7	12
A. Not Operated	20306	2.7	3	1	1	2	3	5	6	10
B. Operated	1652	2.8	27	< 1	1	1	2	7	10	25
TOTAL										
0-27 DYS	395	3.0	3	1	1	3	4	5	6	11
1-11 MOS	5801	3.0	7	1	1	2	4	5	7	12
1-5 YRS	10834	2.5	3	1	1	2	3	4	6	10
6-12 YRS	2596	2.4	4	1	1	2	3	4	5	10
13-19 YRS	2332	2.9	8	1	1	2	4	5	6	11
GRAND TOTAL	**21958**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	143	3.6	6	1	1	3	5	6	8	11
1-11 MOS	4459	3.3	4	1	1	3	4	6	7	10
1-5 YRS	2471	2.5	2	1	1	2	3	4	5	7
6-12 YRS	318	2.4	2	1	1	2	3	4	5	6
13-19 YRS	167	3.1	2	1	1	3	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	18	7.4	194	1	1	3	6	10	42	62
1-5 YRS	18	3.1	10	< 1	< 1	2	3	8	11	12
6-12 YRS	5	3.8	5	1	1	3	5	7	7	7
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	225	4.7	8	2	2	4	6	8	11	16
1-11 MOS	8225	4.0	6	1	2	3	5	7	8	13
1-5 YRS	3576	3.2	4	1	1	3	4	5	7	10
6-12 YRS	557	3.5	6	1	1	3	4	6	8	14
13-19 YRS	436	4.2	9	1	2	3	5	7	12	15
B. Operated										
0-27 DYS	8	21.1	763	5	5	10	22	69	87	87
1-11 MOS	95	12.7	251	2	2	7	15	28	48	86
1-5 YRS	50	10.2	273	1	1	5	10	18	31	93
6-12 YRS	12	8.3	29	1	2	8	10	15	20	21
13-19 YRS	10	9.4	28	2	2	11	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7558	3.0	3	1	1	3	4	5	6	9
B. Operated	42	5.0	90	< 1	< 1	2	6	9	11	62
2. MULTIPLE DX										
A. Not Operated	13019	3.8	6	1	2	3	5	7	8	13
B. Operated	175	11.9	253	1	2	7	13	25	42	91
1. SINGLE DX	7600	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	13194	3.9	10	1	2	3	5	7	8	14
A. Not Operated	20577	3.5	5	1	1	3	4	6	8	11
B. Operated	217	10.5	228	1	1	6	12	21	32	89
TOTAL										
0-27 DYS	376	4.6	28	1	2	4	6	8	10	18
1-11 MOS	12797	3.8	8	1	2	3	5	7	8	12
1-5 YRS	6115	3.0	6	1	1	3	4	5	6	10
6-12 YRS	892	3.2	5	1	1	3	4	5	7	14
13-19 YRS	614	4.0	8	1	2	3	5	7	11	15
GRAND TOTAL	**20794**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	22	1.2		< 1	1	1	1	2	3	3
13-19 YRS	447	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	1.0		< 1	< 1	< 1	< 1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	84	1.1		< 1	< 1	1	1	2	2	3
13-19 YRS	1240	1.3		1	1	1	1	2	2	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	472	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	6	1.0		< 1	< 1	< 1	< 1	1	1	1
B. Operated	1327	1.3		1	1	1	1	2	2	3
1. SINGLE DX	474	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX	1333	1.3		1	1	1	1	2	2	3
A. Not Operated	8	1.3	1	< 1	< 1	< 1	1	2	3	3
B. Operated	1799	1.3		< 1	1	1	1	2	2	3
TOTAL										
0-27 DYS	0									
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	106	1.2		< 1	1	1	1	2	2	3
13-19 YRS	1695	1.3		< 1	1	1	1	2	2	3
GRAND TOTAL	**1807**	**1.3**		**<1**	**1**	**1**	**1**	**2**	**2**	**3**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	13	1.5	1	< 1	< 1	1	2	3	4	4
13-19 YRS	30	1.5	1	< 1	< 1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	7.3	120	< 1	< 1	< 1	15	20	20	20
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	8	1.9	1	< 1	< 1	2	3	4	4	4
6-12 YRS	72	2.6	9	< 1	< 1	1	2	7	8	15
13-19 YRS	65	2.0	4	< 1	1	1	2	3	5	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	44	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	4	6.0	87	< 1	< 1	1	11	20	20	20
B. Operated	147	2.3	6	< 1	1	1	2	5	8	14
1. SINGLE DX	44	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX	151	2.4	8	< 1	< 1	1	2	5	8	15
A. Not Operated	4	6.0	87	< 1	< 1	1	11	20	20	20
B. Operated	191	2.1	5	< 1	1	1	2	4	7	14
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	9	1.8	1	< 1	< 1	1	2	4	4	4
6-12 YRS	88	2.6	11	< 1	< 1	1	2	6	9	18
13-19 YRS	96	1.8	3	< 1	1	1	2	3	4	12
GRAND TOTAL	**195**	**2.2**	**7**	**<1**	**1**	**1**	**2**	**4**	**7**	**15**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	19	1.6	1	< 1	< 1	1	2	3	3	3
6-12 YRS	31	1.4	1	< 1	1	1	2	2	3	4
13-19 YRS	68	1.7	1	1	1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	17	1.9	10	1	1	1	2	2	10	14
1-5 YRS	4618	1.1		< 1	1	1	1	1	2	2
6-12 YRS	8075	1.1		< 1	1	1	1	1	2	2
13-19 YRS	6442	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	136	1.8	2	< 1	< 1	1	2	4	5	8
6-12 YRS	102	1.6	1	< 1	< 1	1	2	3	4	5
13-19 YRS	69	2.2	27	< 1	< 1	1	2	3	4	37
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	44	2.3	18	< 1	1	1	2	6	13	99 +
1-5 YRS	6325	1.2	1	< 1	1	1	1	2	2	5
6-12 YRS	5760	1.1	1	< 1	1	1	1	1	2	3
13-19 YRS	2286	1.2	3	1	1	1	1	2	2	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	1.7	1	< 1	1	1	2	3	4	6
B. Operated	19152	1.1		< 1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	310	1.8	7	< 1	< 1	1	2	3	5	7
B. Operated	14416	1.2	1	< 1	1	1	1	2	2	4
1. SINGLE DX	19274	1.1		< 1	1	1	1	1	2	2
2. MULTIPLE DX	14726	1.2	1	< 1	1	1	1	2	2	4
A. Not Operated	432	1.8	6	< 1	< 1	1	2	3	4	6
B. Operated	33568	1.1	1	< 1	1	1	1	1	2	3
TOTAL										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	67	2.3	15	1	1	1	2	5	9	87
1-5 YRS	11098	1.2	1	< 1	1	1	1	1	2	4
6-12 YRS	13968	1.1		< 1	1	1	1	1	2	3
13-19 YRS	8865	1.1	1	1	1	1	1	1	2	3
GRAND TOTAL	**34000**	**1.1**	**1**	**< 1**	**1**	**1**	**1**	**1**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	16	2.1	2	< 1	< 1	2	3	4	5	5
1-11 MOS	94	2.4	2	1	1	2	3	5	6	6
1-5 YRS	334	2.5	3	< 1	1	2	3	4	5	9
6-12 YRS	225	2.7	4	< 1	1	2	3	4	5	11
13-19 YRS	443	3.0	3	1	1	3	4	5	6	9
B. Operated										
0-27 DYS	5	8.0	28	2	2	6	13	14	14	14
1-11 MOS	67	6.5	174	< 1	1	2	6	19	28	83
1-5 YRS	287	2.5	11	< 1	< 1	1	3	5	7	13
6-12 YRS	300	2.3	6	< 1	1	1	2	4	7	14
13-19 YRS	655	2.2	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	26	2.7	3	< 1	< 1	2	4	5	6	8
1-11 MOS	193	3.8	19	1	1	3	5	7	8	37
1-5 YRS	499	3.2	6	1	1	3	4	6	7	17
6-12 YRS	288	3.4	7	1	1	3	4	7	9	14
13-19 YRS	409	3.3	4	1	1	3	4	6	7	10
B. Operated										
0-27 DYS	4	17.3	118	< 1	< 1	22	23	23	23	23
1-11 MOS	120	8.8	98	1	1	6	13	24	28	78
1-5 YRS	512	4.4	54	< 1	1	2	5	9	17	39
6-12 YRS	462	2.6	10	< 1	1	1	3	6	9	14
13-19 YRS	736	2.5	10	1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1112	2.7	3	1	1	2	3	5	5	9
B. Operated	1314	2.5	15	< 1	1	2	3	5	6	15
2. MULTIPLE DX										
A. Not Operated	1415	3.4	7	1	1	3	4	6	8	14
B. Operated	1834	3.5	31	1	1	2	3	8	12	28
1. SINGLE DX	2426	2.6	9	1	1	2	3	5	6	12
2. MULTIPLE DX	3249	3.4	21	1	1	2	4	7	10	24
A. Not Operated	2527	3.1	6	1	1	3	4	5	7	11
B. Operated	3148	3.1	25	< 1	1	2	3	6	10	25
TOTAL										
0-27 DYS	51	4.2	29	< 1	< 1	2	4	10	22	23
1-11 MOS	474	5.2	63	1	1	3	6	12	20	48
1-5 YRS	1632	3.3	22	< 1	1	2	4	6	9	24
6-12 YRS	1275	2.7	7	< 1	1	2	3	5	8	14
13-19 YRS	2243	2.7	6	1	1	2	3	5	6	10
GRAND TOTAL	**5675**	**3.1**	**16**	**1**	**1**	**2**	**3**	**6**	**8**	**21**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	93TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	318	4.8	8	1	2	4	6	8	10	15
1-11 MOS	3626	3.8	5	1	2	3	5	6	8	11
1-5 YRS	5647	3.3	3	1	2	3	4	5	6	9
6-12 YRS	2312	3.8	4	1	2	3	5	6	7	10
13-19 YRS	1139	4.1	5	2	2	4	5	7	8	12
B. Operated										
0-27 DYS	5	9.2	6	7	7	9	11	13	13	13
1-11 MOS	29	6.4	33	1	2	5	7	12	24	24
1-5 YRS	38	4.1	15	< 1	1	3	5	10	13	18
6-12 YRS	12	6.7	25	< 1	1	5	10	14	15	15
13-19 YRS	14	8.4	104	3	3	5	8	20	36	41
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	427	5.8	12	2	3	5	7	10	12	16
1-11 MOS	7645	4.7	11	2	2	4	6	8	11	17
1-5 YRS	12576	4.0	8	1	2	3	5	7	9	14
6-12 YRS	4126	4.7	14	1	2	4	5	9	11	17
13-19 YRS	2112	6.2	25	2	2	5	7	12	15	24
B. Operated										
0-27 DYS	21	13.3	147	4	6	11	13	19	39	63
1-11 MOS	182	14.4	187	3	4	10	19	29	46	99 +
1-5 YRS	308	13.0	200	2	3	9	16	27	39	88
6-12 YRS	129	12.0	86	2	3	11	16	22	30	78
13-19 YRS	175	13.8	143	3	3	10	18	29	49	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13042	3.6	4	1	2	3	4	6	7	11
B. Operated	98	6.0	35	< 1	1	4	7	12	17	33
2. MULTIPLE DX										
A. Not Operated	26886	4.5	12	1	2	4	5	8	10	17
B. Operated	815	13.4	165	2	3	10	16	27	40	90
1. SINGLE DX	13140	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX	27701	4.8	18	1	2	4	6	9	11	21
A. Not Operated	39928	4.2	9	1	2	3	5	7	9	15
B. Operated	913	12.6	156	2	3	9	16	25	39	89
TOTAL										
0-27 DYS	771	5.6	16	2	2	5	7	10	12	19
1-11 MOS	11482	4.6	14	1	2	4	5	8	10	18
1-5 YRS	18569	3.9	11	1	2	3	5	7	8	15
6-12 YRS	6579	4.5	13	1	2	4	5	8	11	18
13-19 YRS	3440	5.9	29	2	2	4	7	11	15	27
GRAND TOTAL	**40841**	**4.4**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	4.0	13	1	1	3	7	8	8	8
1-11 MOS	43	3.2	4	1	2	3	4	6	8	11
1-5 YRS	48	2.6	3	1	1	2	3	5	6	8
6-12 YRS	57	2.3	1	1	1	2	3	4	5	6
13-19 YRS	72	2.1	1	1	1	2	3	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	90	4.5	14	1	2	3	6	9	12	20
1-5 YRS	162	3.5	7	1	1	3	4	6	8	17
6-12 YRS	137	2.8	3	1	1	2	3	4	6	11
13-19 YRS	162	3.2	5	1	1	3	4	5	7	14
B. Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	3	8.3	56	4	4	4	14	17	17	17
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	2.5	2	1	1	2	3	4	5	8
B. Operated	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	553	3.4	7	1	1	3	4	6	8	15
B. Operated	10	6.2	33	1	1	4	7	16	17	17
1. SINGLE DX	226	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	563	3.4	7	1	1	3	4	6	8	17
A. Not Operated	776	3.1	6	1	1	2	4	6	7	14
B. Operated	13	5.8	26	1	1	4	6	16	17	17
TOTAL										
0-27 DYS	6	6.8	32	1	1	6	10	15	16	16
1-11 MOS	137	4.2	12	1	2	3	5	8	11	19
1-5 YRS	213	3.3	6	1	1	3	4	6	8	14
6-12 YRS	196	2.7	3	1	1	2	3	4	5	9
13-19 YRS	237	2.8	4	1	1	2	4	5	6	11
GRAND TOTAL	**789**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	3.8	3	2	2	3	5	6	6	6
1-11 MOS	281	3.1	3	1	1	3	4	6	6	8
1-5 YRS	470	2.3	2	< 1	1	2	3	4	5	7
6-12 YRS	72	2.5	2	< 1	1	2	3	4	6	7
13-19 YRS	25	3.2	2	1	1	3	4	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	13	1.5	1	< 1	< 1	1	2	3	4	4
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	3.2	1	2	2	3	4	5	5	5
1-11 MOS	494	3.7	11	1	1	3	4	6	8	12
1-5 YRS	708	3.1	4	1	1	3	4	5	7	11
6-12 YRS	164	3.8	10	1	1	3	4	9	12	17
13-19 YRS	99	4.8	12	2	2	3	5	10	13	18
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	13	7.6	40	< 1	1	6	11	16	21	22
1-5 YRS	32	6.5	37	< 1	1	4	8	18	24	99 +
6-12 YRS	11	3.7	10	< 1	< 1	2	6	9	10	10
13-19 YRS	9	9.0	15	4	4	9	10	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	853	2.6	2	1	1	2	3	5	6	7
B. Operated	19	2.3	5	< 1	< 1	1	2	5	8	10
2. MULTIPLE DX										
A. Not Operated	1471	3.5	8	1	1	3	4	6	9	14
B. Operated	66	6.6	31	< 1	1	6	9	16	21	87
1. SINGLE DX	872	2.6	2	1	1	2	3	5	6	8
2. MULTIPLE DX	1537	3.6	9	1	1	3	4	7	9	15
A. Not Operated	2324	3.2	6	1	1	3	4	6	7	12
B. Operated	85	5.7	28	< 1	1	4	8	14	18	73
TOTAL										
0-27 DYS	12	3.8	3	2	2	3	5	6	7	7
1-11 MOS	790	3.5	9	1	1	3	4	6	8	12
1-5 YRS	1223	2.9	5	1	1	2	3	5	6	12
6-12 YRS	248	3.4	8	1	1	3	4	7	11	15
13-19 YRS	136	4.7	12	2	2	3	5	9	12	18
GRAND TOTAL	**2409**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	5	7.6	22	< 1	< 1	8	10	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	51	99 +	99 +	99 +	99 +
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	0									
13-19 YRS	4	2.8	2	1	1	3	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	49.5	3281	9	9	49	90	90	90	90
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	0									
13-19 YRS	13	10.5	41	5	5	9	13	20	26	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	8	7.0	14	< 1	1	7	8	12	14	14
2. MULTIPLE DX										
A. Not Operated	7	2.9	3	1	1	3	5	72	99 +	99 +
B. Operated	16	15.3	429	5	5	9	13	26	71	90
1. SINGLE DX	10	6.1	15	< 1	1	6	8	11	14	14
2. MULTIPLE DX	23	11.5	328	1	2	7	12	33	93	99 +
A. Not Operated	9	2.8	2	1	1	3	4	53	99 +	99 +
B. Operated	24	12.5	300	3	5	8	12	19	46	90
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	22.4	1435	2	2	8	90	99	99 +	99 +
1-5 YRS	3	6.0	9	3	3	6	8	9	9	9
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	23	8.2	37	1	2	6	11	15	21	27
GRAND TOTAL	**33**	**9.9**	**236**	**1**	**2**	**7**	**9**	**19**	**77**	**99 +**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	2.3	2	1	1	2	3	4	5	5
1-11 MOS	1375	3.4	4	1	1	3	4	6	7	10
1-5 YRS	10729	2.6	2	1	1	2	3	4	5	7
6-12 YRS	7186	2.7	2	1	1	2	3	4	5	7
13-19 YRS	3838	2.9	4	1	1	3	4	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	8	3.6	9	1	1	3	5	9	10	10
1-5 YRS	53	5.5	75	1	2	4	6	9	12	62
6-12 YRS	22	3.7	5	1	1	4	5	7	8	8
13-19 YRS	25	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	4.8	12	2	2	4	5	11	13	13
1-11 MOS	2338	4.0	8	1	2	3	5	7	9	13
1-5 YRS	9821	3.1	5	1	1	3	4	5	6	10
6-12 YRS	4076	3.2	5	1	1	3	4	5	7	10
13-19 YRS	2432	3.6	8	1	1	3	4	6	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	44	9.2	45	2	3	7	13	18	21	34
1-5 YRS	121	8.1	73	1	2	6	10	15	23	54
6-12 YRS	48	6.7	37	2	2	6	8	11	15	41
13-19 YRS	51	5.6	19	1	1	4	8	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23137	2.7	2	1	1	2	3	5	5	7
B. Operated	108	4.6	40	1	1	4	5	7	11	37
2. MULTIPLE DX										
A. Not Operated	18675	3.3	6	1	1	3	4	6	7	11
B. Operated	264	7.5	52	1	2	6	9	15	19	40
1. SINGLE DX	23245	2.7	3	1	1	2	3	5	5	7
2. MULTIPLE DX	18939	3.4	7	1	1	3	4	6	7	11
A. Not Operated	41812	3.0	4	1	1	3	4	5	6	9
B. Operated	372	6.7	50	1	2	5	9	13	18	39
TOTAL										
0-27 DYS	17	3.5	8	1	1	3	4	5	10	13
1-11 MOS	3765	3.9	7	1	2	3	5	7	8	13
1-5 YRS	20724	2.9	4	1	1	2	3	5	6	9
6-12 YRS	11332	2.9	3	1	1	3	4	5	6	8
13-19 YRS	6346	3.2	5	1	1	3	4	5	7	10
GRAND TOTAL	**42184**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	3.2	1	2	2	3	4	4	4	4
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	3.7	4	2	2	3	5	6	6	6
13-19 YRS	7	5.6	32	1	1	3	8	15	17	17
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	3.3	15	1	1	2	5	9	9	9
13-19 YRS	3	5.0	12	< 1	< 1	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	14	6.0	13	2	2	5	7	12	14	14
1-5 YRS	25	6.8	29	2	2	5	9	14	19	24
6-12 YRS	46	11.1	63	2	2	10	13	19	28	43
13-19 YRS	81	10.4	76	2	2	11	13	15	19	59
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.0	72	2	2	14	78	99 +	99 +	99 +
1-5 YRS	19	11.1	205	1	1	8	15	23	45	63
6-12 YRS	23	12.8	170	< 1	1	11	15	28	40	60
13-19 YRS	21	17.1	390	2	3	13	22	27	58	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.1	15	1	1	3	4	8	14	17
B. Operated	9	3.8	10	< 1	< 1	2	7	8	9	9
2. MULTIPLE DX										
A. Not Operated	168	9.6	62	2	2	9	12	16	19	41
B. Operated	65	13.5	246	1	1	10	16	27	61	99
1. SINGLE DX	26	4.0	13	< 1	1	3	5	9	11	17
2. MULTIPLE DX	233	10.7	116	1	2	9	13	19	26	79
A. Not Operated	185	9.1	60	2	2	9	12	16	19	39
B. Operated	74	12.4	227	1	1	8	15	26	52	99
TOTAL										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	22	5.5	14	2	2	4	7	14	44	99 +
1-5 YRS	47	8.2	103	1	1	5	10	17	24	63
6-12 YRS	76	10.9	95	1	1	9	13	21	29	56
13-19 YRS	112	11.2	137	2	2	10	13	19	24	83
GRAND TOTAL	**259**	**10.1**	**109**	**1**	**2**	**9**	**13**	**19**	**25**	**75**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	109	2.5	4	1	1	2	3	5	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	3	11.7	133	5	5	5	20	25	25	25
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	5	13.6	122	4	4	7	22	30	30	30
13-19 YRS	350	5.8	12	2	2	5	7	11	14	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	3.3	7	< 1	< 1	2	5	8	8	8
13-19 YRS	48	3.9	11	1	1	3	4	7	11	17
B. Operated										
0-27 DYS	3	7.0	13	4	4	6	10	11	11	11
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	11.7	156	3	3	6	21	26	26	26
6-12 YRS	6	7.8	16	4	4	7	11	14	14	14
13-19 YRS	146	10.0	52	3	4	7	14	19	23	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	2.5	4	1	1	2	3	5	7	9
B. Operated	359	6.0	15	2	2	5	7	11	14	19
2. MULTIPLE DX										
A. Not Operated	59	3.8	9	< 1	1	3	4	7	10	17
B. Operated	159	9.9	51	3	4	7	14	19	24	33
1. SINGLE DX	469	5.2	15	1	2	4	7	10	13	18
2. MULTIPLE DX	218	8.2	47	2	2	6	11	18	22	32
A. Not Operated	169	2.9	6	1	1	2	4	6	8	13
B. Operated	518	7.2	29	2	3	5	9	14	18	27
TOTAL										
0-27 DYS	4	6.3	11	4	4	5	8	11	11	11
1-11 MOS	6	8.0	70	3	3	5	5	23	25	25
1-5 YRS	7	7.0	72	2	2	4	6	22	26	26
6-12 YRS	17	7.9	56	< 1	1	5	9	19	26	30
13-19 YRS	653	6.1	25	1	2	5	8	13	16	24
GRAND TOTAL	**687**	**6.1**	**27**	**1**	**2**	**5**	**8**	**13**	**16**	**25**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	22	2.8	2	1	1	2	4	5	6	7
1-11 MOS	311	3.2	6	1	1	3	4	6	7	14
1-5 YRS	752	2.4	3	1	1	2	3	4	5	10
6-12 YRS	298	2.7	5	1	1	2	3	4	6	12
13-19 YRS	182	3.3	8	1	1	2	4	7	10	14
B. Operated										
0-27 DYS	0									
1-11 MOS	39	3.9	23	< 1	< 1	2	5	7	15	23
1-5 YRS	129	3.5	23	< 1	1	2	4	8	13	53
6-12 YRS	53	4.5	24	< 1	1	2	6	11	14	21
13-19 YRS	34	7.8	45	1	1	6	10	17	19	32
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	35	4.3	8	1	1	4	5	7	9	16
1-11 MOS	895	5.2	57	1	1	4	6	10	14	49
1-5 YRS	1516	4.1	22	1	1	3	5	8	12	24
6-12 YRS	630	5.7	48	1	1	3	7	13	17	29
13-19 YRS	532	7.0	50	1	1	4	9	16	21	31
B. Operated										
0-27 DYS	4	9.3	134	1	1	5	17	26	26	26
1-11 MOS	173	12.7	237	1	1	8	18	46	76	99 +
1-5 YRS	545	8.8	159	1	1	4	11	27	41	99 +
6-12 YRS	246	8.6	184	1	1	3	10	22	34	78
13-19 YRS	226	14.0	310	1	1	8	19	30	56	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1565	2.7	4	1	1	2	3	5	6	12
B. Operated	255	4.3	28	< 1	1	2	5	11	15	31
2. MULTIPLE DX										
A. Not Operated	3608	5.1	40	1	1	3	6	11	15	30
B. Operated	1194	10.3	208	1	1	5	14	29	48	99 +
1. SINGLE DX	1820	3.0	8	1	1	2	3	5	8	15
2. MULTIPLE DX	4802	6.4	87	1	1	3	7	15	23	66
A. Not Operated	5173	4.4	31	1	1	3	5	9	13	26
B. Operated	1449	9.3	182	1	1	4	12	26	41	99 +
TOTAL										
0-27 DYS	61	4.1	15	1	1	4	5	7	8	25
1-11 MOS	1418	5.7	74	1	1	3	6	11	18	75
1-5 YRS	2942	4.5	47	1	1	3	4	9	15	46
6-12 YRS	1227	5.5	68	1	1	3	5	13	19	47
13-19 YRS	974	8.0	115	1	1	4	10	19	25	66
GRAND TOTAL	**6622**	**5.4**	**68**	**1**	**1**	**3**	**6**	**12**	**19**	**55**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	1.8		1	1	2	2	2	2	2
1-5 YRS	18	2.7	2	< 1	< 1	3	4	5	5	5
6-12 YRS	15	3.4	18	< 1	< 1	2	3	5	15	18
13-19 YRS	25	2.4	4	< 1	1	2	3	5	6	9
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	300	1.2	1	< 1	< 1	< 1	1	2	3	5
6-12 YRS	155	1.7	2	< 1	< 1	1	2	3	4	6
13-19 YRS	1531	2.2	2	< 1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	15	3.6	4	2	2	3	5	6	8	8
1-5 YRS	119	2.9	5	1	1	2	4	5	7	11
6-12 YRS	60	2.7	2	< 1	< 1	3	4	4	5	8
13-19 YRS	74	2.5	2	< 1	< 1	2	4	4	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	5	6.8	18	2	2	7	11	11	11	11
1-5 YRS	504	1.8	10	< 1	< 1	1	2	2	4	12
6-12 YRS	379	2.3	4	< 1	< 1	2	3	4	5	13
13-19 YRS	1608	2.6	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.7	6	< 1	1	2	3	5	5	17
B. Operated	1989	2.0	2	< 1	< 1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	268	2.8	3	< 1	1	3	4	5	6	8
B. Operated	2496	2.4	4	< 1	< 1	2	3	4	5	9
1. SINGLE DX	2053	2.0	2	< 1	< 1	2	3	4	4	6
2. MULTIPLE DX	2764	2.5	4	< 1	< 1	2	3	4	5	8
A. Not Operated	332	2.8	4	< 1	1	2	4	5	6	9
B. Operated	4485	2.2	3	< 1	< 1	2	3	4	5	7
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	28	3.8	7	1	2	3	5	8	11	11
1-5 YRS	941	1.8	7	< 1	< 1	1	2	3	4	9
6-12 YRS	609	2.2	4	< 1	< 1	2	3	4	5	13
13-19 YRS	3238	2.4	2	< 1	1	2	3	4	5	7
GRAND TOTAL	**4817**	**2.3**	**3**	**< 1**	**< 1**	**2**	**3**	**4**	**5**	**8**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	41	3.1	2	2	2	3	4	5	6	7
1-5 YRS	90	3.1	3	1	1	3	4	5	7	9
6-12 YRS	54	3.7	5	1	1	3	5	7	8	11
13-19 YRS	53	3.5	4	1	2	3	4	6	9	11
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	17	2.4	9	< 1	< 1	1	2	6	11	13
1-5 YRS	89	2.5	3	< 1	< 1	2	3	4	6	10
6-12 YRS	102	2.3	3	< 1	< 1	2	3	4	5	10
13-19 YRS	77	2.6	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	2.7	1	2	2	2	4	4	4	4
1-11 MOS	102	3.9	4	1	2	3	5	7	8	11
1-5 YRS	231	3.6	4	1	2	3	4	6	8	11
6-12 YRS	68	3.5	4	1	2	3	5	6	7	11
13-19 YRS	92	3.9	4	1	2	3	5	7	8	9
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	8.9	213	1	1	3	10	17	47	60
1-5 YRS	112	3.6	9	1	1	3	4	6	7	17
6-12 YRS	100	3.0	5	1	1	2	4	6	7	13
13-19 YRS	83	3.1	7	1	1	2	3	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	240	3.4	4	1	1	3	4	6	7	10
B. Operated	286	2.5	4	< 1	1	2	3	4	7	11
2. MULTIPLE DX										
A. Not Operated	496	3.7	4	1	2	3	5	7	8	11
B. Operated	312	3.5	18	1	1	3	4	7	9	16
1. SINGLE DX	526	2.9	4	< 1	1	2	4	5	7	11
2. MULTIPLE DX	808	3.6	10	1	1	3	4	7	8	12
A. Not Operated	736	3.6	4	1	2	3	4	6	8	10
B. Operated	598	3.0	12	< 1	1	2	4	6	8	14
TOTAL										
0-27 DYS	7	3.1	2	2	2	3	4	6	6	6
1-11 MOS	176	4.0	25	1	1	3	4	7	9	17
1-5 YRS	522	3.3	5	1	1	3	4	6	7	11
6-12 YRS	324	3.0	4	1	1	3	4	5	7	11
13-19 YRS	305	3.3	6	1	1	3	4	7	8	11
GRAND TOTAL	**1334**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**11**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	205	2.8	3	1	1	2	3	5	6	7
1-11 MOS	634	2.9	8	1	1	2	4	5	7	12
1-5 YRS	81	1.8	2	1	1	1	2	3	4	8
6-12 YRS	41	2.6	21	< 1	1	1	3	4	6	30
13-19 YRS	63	2.8	4	< 1	1	2	4	6	7	11
B. Operated										
0-27 DYS	5	4.6	30	1	1	2	7	14	14	14
1-11 MOS	102	5.3	35	1	1	4	7	10	15	34
1-5 YRS	112	4.9	14	< 1	1	5	7	10	13	15
6-12 YRS	63	5.1	16	1	1	5	7	9	12	22
13-19 YRS	67	4.5	16	< 1	1	4	6	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	226	3.9	10	1	1	3	5	7	10	17
1-11 MOS	1063	4.3	22	1	1	3	5	8	11	17
1-5 YRS	211	4.4	56	1	1	2	5	9	14	51
6-12 YRS	111	3.6	23	1	1	2	4	7	9	29
13-19 YRS	207	3.7	18	1	1	3	4	7	9	15
B. Operated										
0-27 DYS	11	10.4	91	2	2	7	22	50	93	99 +
1-11 MOS	292	14.4	212	1	3	10	18	31	48	99 +
1-5 YRS	406	11.2	133	1	1	8	14	25	41	54
6-12 YRS	211	11.1	144	1	2	8	14	22	29	79
13-19 YRS	184	10.5	125	1	1	7	12	26	31	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1024	2.7	7	1	1	2	3	5	7	10
B. Operated	349	5.0	21	1	1	4	7	10	13	23
2. MULTIPLE DX										
A. Not Operated	1818	4.2	24	1	1	3	5	8	11	20
B. Operated	1104	11.9	156	1	2	8	15	26	40	85
1. SINGLE DX	1373	3.3	11	1	1	2	4	7	8	15
2. MULTIPLE DX	2922	7.1	88	1	1	4	8	16	24	53
A. Not Operated	2842	3.6	18	1	1	3	4	7	9	17
B. Operated	1453	10.2	132	1	1	7	13	23	34	72
TOTAL										
0-27 DYS	447	3.6	10	1	1	3	4	6	9	19
1-11 MOS	2091	5.3	59	1	1	3	6	11	17	45
1-5 YRS	810	7.6	97	1	1	5	10	16	29	48
6-12 YRS	426	7.4	95	1	1	5	9	17	25	41
13-19 YRS	521	6.1	64	1	1	4	7	12	22	53
GRAND TOTAL	**4295**	**5.9**	**67**	**1**	**1**	**3**	**7**	**13**	**19**	**46**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	9	3.0	3	< 1	1	2	4	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.3	6	1	1	3	5	6	6	6
13-19 YRS	6	2.5	3	< 1	< 1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	5.0	7	3	3	4	7	8	8	8
1-11 MOS	5	7.2	92	1	1	3	10	24	24	24
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	8	3.8	1	2	2	4	5	5	5	5
13-19 YRS	28	3.8	8	1	1	3	4	8	11	12
B. Operated										
0-27 DYS	0									
1-11 MOS	2	11.0	2	10	10	11	12	12	12	12
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	4.6	15	1	1	4	6	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.8	3	< 1	1	2	3	6	6	6
B. Operated	9	2.8	4	< 1	< 1	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	46	4.3	15	1	2	3	5	8	11	24
B. Operated	12	5.3	18	1	1	4	8	12	13	13
1. SINGLE DX	22	2.8	3	< 1	1	2	4	6	6	6
2. MULTIPLE DX	58	4.5	15	1	1	3	5	9	12	23
A. Not Operated	59	4.0	12	1	1	3	5	7	10	23
B. Operated	21	4.2	13	< 1	1	3	5	11	12	13
TOTAL										
0-27 DYS	3	5.0	7	3	3	4	7	8	8	8
1-11 MOS	7	8.3	65	1	1	6	11	22	24	24
1-5 YRS	4	4.0	8	2	2	3	6	8	8	8
6-12 YRS	15	3.2	2	1	1	3	4	5	6	6
13-19 YRS	51	3.6	7	1	1	3	4	7	11	13
GRAND TOTAL	**80**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	5	3.0	9	1	1	2	4	8	8	8
13-19 YRS	14	3.1	2	1	1	3	4	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	5	8.6	4	7	7	8	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	4	4.3	2	3	3	4	5	6	6	6
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	27	3.5	4	1	1	3	5	7	8	8
B. Operated										
0-27 DYS	2	12.5	145	4	4	12	21	21	21	21
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	3	2.7	8	1	1	1	5	6	6	6
6-12 YRS	4	7.5	6	4	4	8	9	10	10	10
13-19 YRS	15	10.1	77	2	3	8	11	28	30	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.9	3	1	1	2	4	5	7	8
B. Operated	8	6.6	10	3	3	7	8	11	12	12
2. MULTIPLE DX										
A. Not Operated	37	3.6	4	1	1	3	5	7	8	8
B. Operated	26	8.6	58	1	2	7	10	21	29	31
1. SINGLE DX	31	3.8	7	1	1	3	5	8	9	12
2. MULTIPLE DX	63	5.7	32	1	2	4	7	10	18	31
A. Not Operated	60	3.4	4	1	1	3	4	6	8	8
B. Operated	34	8.1	47	1	3	7	9	17	27	31
TOTAL										
0-27 DYS	3	9.7	96	4	4	4	17	21	21	21
1-11 MOS	5	3.8	6	1	1	4	5	7	7	7
1-5 YRS	11	2.9	4	1	1	2	5	6	6	6
6-12 YRS	14	4.6	9	1	1	4	8	9	10	10
13-19 YRS	61	5.5	30	1	2	4	7	10	14	31
GRAND TOTAL	**94**	**5.1**	**25**	**1**	**1**	**4**	**7**	**9**	**12**	**30**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	28	3.6	7	1	2	3	4	5	8	15
13-19 YRS	87	2.5	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS	4	6.0	12	3	3	6	9	9	9	9
13-19 YRS	7	4.4	4	< 1	1	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	3.7	6	1	1	4	5	6	6	6
1-5 YRS	2	4.0	18	< 1	< 1	3	7	7	7	7
6-12 YRS	28	3.9	5	1	2	3	6	7	8	10
13-19 YRS	110	3.7	5	1	2	3	5	6	8	12
B. Operated										
0-27 DYS	0									
1-11 MOS	2	10.0	32	6	6	10	14	14	14	14
1-5 YRS	0									
6-12 YRS	6	7.8	40	2	2	6	11	18	19	19
13-19 YRS	14	10.1	153	< 1	2	6	7	31	42	45
SUBTOTALS:										
1 SINGLE DX										
A. Not Operated	116	2.8	3	1	1	2	4	4	5	10
B. Operated	13	4.7	6	< 1	2	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated	143	3.7	5	1	2	3	5	7	8	11
B. Operated	22	9.5	107	1	2	6	11	22	36	45
1. SINGLE DX	129	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	165	4.5	22	1	2	3	5	7	10	28
A. Not Operated	259	3.3	4	1	1	3	4	6	7	11
B. Operated	35	7.7	74	1	2	5	7	14	27	45
TOTAL										
0-27 DYS	0									
1-11 MOS	5	6.2	23	1	1	6	8	14	14	14
1-5 YRS	5	3.2	5	< 1	< 1	3	4	7	7	7
6-12 YRS	66	4.3	10	1	2	3	5	7	10	18
13-19 YRS	218	3.6	16	1	1	3	4	6	7	19
GRAND TOTAL	**294**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	5	4.0	4	2	2	3	5	7	7	7
13-19 YRS	37	3.4	2	1	2	3	4	6	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	19	6.6	5	3	3	7	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	6.0	7	4	4	5	8	9	9	9
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	5	4.4	3	2	2	4	5	7	7	7
6-12 YRS	15	3.7	7	< 1	1	3	4	6	10	12
13-19 YRS	62	4.2	7	1	2	4	5	7	9	15
B. Operated										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	5	7.4	23	3	3	5	12	14	14	14
1-5 YRS	4	8.3	62	1	1	8	15	16	16	16
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	19	6.9	7	3	3	7	9	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.3	3	1	2	3	4	6	6	8
B. Operated	22	6.1	6	2	3	6	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	87	4.2	7	1	2	4	5	8	9	15
B. Operated	30	7.6	24	2	3	7	10	14	16	24
1. SINGLE DX	68	4.3	5	2	2	3	6	7	9	10
2. MULTIPLE DX	117	5.1	13	1	2	4	6	9	12	19
A. Not Operated	133	3.9	5	1	2	3	5	7	8	13
B. Operated	52	7.0	17	2	3	6	9	11	14	24
TOTAL										
0-27 DYS	4	10.5	86	4	4	7	16	24	24	24
1-11 MOS	9	6.1	18	2	2	5	9	13	14	14
1-5 YRS	12	5.2	24	1	1	3	6	15	16	16
6-12 YRS	23	3.7	6	1	1	3	5	6	9	12
13-19 YRS	137	4.7	7	2	2	4	6	9	10	13
GRAND TOTAL	**185**	**4.8**	**10**	**1**	**2**	**4**	**6**	**9**	**10**	**16**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	3.5	6	2	2	3	5	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	5.0	3	3	3	5	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	2	7.5	41	3	3	7	12	12	12	12
13-19 YRS	2	11.0	50	6	6	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.5	6	2	2	3	5	7	7	7
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	5	5.2	3	3	3	6	6	7	7	7
B. Operated	5	9.6	26	3	3	11	13	16	16	16
1. SINGLE DX	5	4.0	6	2	2	3	6	7	7	7
2. MULTIPLE DX	10	7.4	18	3	3	6	11	14	16	16
A. Not Operated	9	4.4	4	2	2	4	6	7	7	7
B. Operated	6	9.0	23	3	3	9	12	16	16	16
TOTAL										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	2	7.5	41	3	3	7	12	12	12	12
13-19 YRS	11	5.6	15	2	2	6	7	11	16	16
GRAND TOTAL	**15**	**6.3**	**16**	**2**	**2**	**6**	**7**	**12**	**15**	**16**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	12	2.3	2	1	1	2	3	4	5	5
1-11 MOS	53	2.2	1	1	1	2	3	4	4	5
1-5 YRS	132	1.8	1	1	1	2	2	3	3	6
6-12 YRS	170	2.2	3	1	1	2	3	4	5	9
13-19 YRS	299	2.4	2	1	1	2	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	9	1.9	1	< 1	< 1	2	3	3	3	3
6-12 YRS	19	2.2	1	< 1	1	2	3	4	4	4
13-19 YRS	24	3.5	7	1	1	3	4	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	2.7	2	1	1	2	4	5	6	6
1-11 MOS	169	3.0	7	1	1	2	3	5	6	15
1-5 YRS	604	2.4	2	1	1	2	3	4	5	8
6-12 YRS	468	2.4	2	1	1	2	3	4	5	8
13-19 YRS	672	2.8	5	1	1	2	3	5	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	9	5.0	10	2	2	4	7	10	11	11
1-5 YRS	15	5.5	16	1	1	5	7	13	14	15
6-12 YRS	35	7.0	227	1	2	4	6	11	14	92
13-19 YRS	68	5.0	27	1	1	4	6	8	17	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	666	2.2	2	1	1	2	3	4	5	9
B. Operated	53	2.8	4	1	1	2	3	5	9	9
2. MULTIPLE DX										
A. Not Operated	1926	2.6	3	1	1	2	3	4	6	9
B. Operated	127	5.6	79	1	2	4	6	10	15	49
1. SINGLE DX	719	2.2	2	1	1	2	3	4	5	9
2. MULTIPLE DX	2053	2.8	9	1	1	2	3	5	6	11
A. Not Operated	2592	2.5	3	1	1	2	3	4	5	9
B. Operated	180	4.8	58	1	1	3	5	8	11	30
TOTAL										
0-27 DYS	25	2.5	2	1	1	2	4	4	5	6
1-11 MOS	232	2.9	6	1	1	2	3	5	6	14
1-5 YRS	760	2.4	2	1	1	2	3	4	5	8
6-12 YRS	692	2.6	14	1	1	2	3	4	5	10
13-19 YRS	1063	2.8	6	1	1	2	3	5	6	11
GRAND TOTAL	**2772**	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	22	2.5	3	< 1	< 1	2	3	5	6	7
1-5 YRS	27	2.9	6	1	1	2	4	7	8	11
6-12 YRS	53	2.8	5	1	1	2	4	6	7	12
13-19 YRS	42	3.4	27	1	1	2	3	5	7	35
B. Operated										
0-27 DYS	30	3.3	1	2	2	3	4	5	5	6
1-11 MOS	110	3.0	1	2	2	3	4	4	5	7
1-5 YRS	9	8.9	156	2	2	4	10	29	41	41
6-12 YRS	4	8.0	5	5	5	8	9	10	10	10
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	3.4	7	2	2	2	4	8	9	9
1-11 MOS	81	3.9	30	1	1	3	4	6	11	37
1-5 YRS	85	4.2	62	1	1	2	4	8	12	52
6-12 YRS	133	3.0	5	1	1	2	4	5	8	13
13-19 YRS	178	4.9	50	1	1	3	5	8	18	43
B. Operated										
0-27 DYS	8	3.8		3	3	4	4	4	4	4
1-11 MOS	69	6.4	70	2	2	4	7	13	20	93
1-5 YRS	43	11.0	288	1	2	4	12	27	79	99 +
6-12 YRS	22	11.0	139	1	1	8	16	29	39	44
13-19 YRS	23	14.9	608	1	2	7	11	34	90	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	3.0	11	1	1	2	3	6	7	13
B. Operated	155	3.5	12	2	2	3	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	484	4.1	37	1	1	3	4	7	11	39
B. Operated	165	9.3	213	1	2	4	10	21	36	99
1. SINGLE DX	301	3.3	12	1	1	3	4	5	7	12
2. MULTIPLE DX	649	5.4	86	1	1	3	5	10	18	68
A. Not Operated	630	3.8	31	1	1	2	4	6	9	35
B. Operated	320	6.5	123	1	2	3	6	12	23	89
TOTAL										
0-27 DYS	47	3.4	2	2	2	3	4	4	5	9
1-11 MOS	282	4.1	28	1	2	3	4	6	10	40
1-5 YRS	164	6.0	125	1	1	3	5	12	24	80
6-12 YRS	212	3.9	25	1	1	2	4	8	11	29
13-19 YRS	245	5.6	105	1	1	3	5	10	19	47
GRAND TOTAL	**950**	**4.7**	**64**	**1**	**1**	**3**	**4**	**8**	**13**	**45**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	43	2.1	2	< 1	1	2	3	4	5	5
13-19 YRS	62	2.1	1	< 1	1	2	3	3	4	6
B. Operated										
0-27 DYS	4	3.5	1	3	3	3	4	5	5	5
1-11 MOS	11	3.5	2	2	2	3	4	5	7	7
1-5 YRS	366	3.5	6	1	2	3	4	6	7	11
6-12 YRS	4642	2.9	2	1	2	3	3	4	5	8
13-19 YRS	6925	3.0	1	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	20	2.6	14	< 1	< 1	2	2	4	11	18
13-19 YRS	29	2.2	1	1	1	2	3	4	5	5
B. Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	3	5.7	16	2	2	5	9	10	10	10
1-5 YRS	104	4.5	7	2	2	4	5	8	11	13
6-12 YRS	805	4.1	8	2	2	3	5	7	9	16
13-19 YRS	1321	4.1	8	2	2	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	2.1	1	< 1	1	2	3	3	4	6
B. Operated	11948	3.0	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	53	2.3	6	< 1	1	2	2	4	5	18
B. Operated	2235	4.1	8	2	2	3	5	7	9	16
1. SINGLE DX	12053	3.0	2	1	2	3	3	4	5	7
2. MULTIPLE DX	2288	4.1	8	2	2	3	5	7	9	16
A. Not Operated	158	2.2	3	< 1	1	2	3	4	5	6
B. Operated	14183	3.2	3	1	2	3	4	5	6	9
TOTAL										
0-27 DYS	6	2.8	2	1	1	3	3	5	5	5
1-11 MOS	15	3.7	5	< 1	2	3	4	7	9	10
1-5 YRS	473	3.7	6	1	2	3	4	6	8	12
6-12 YRS	5510	3.1	3	1	2	3	4	5	6	9
13-19 YRS	8337	3.2	3	1	2	3	4	5	6	9
GRAND TOTAL	**14341**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	6	5.8	30	< 1	< 1	5	10	13	13	13
6-12 YRS	19	6.4	8	1	2	7	8	10	11	12
13-19 YRS	24	8.0	16	3	4	7	10	14	16	18
B. Operated										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	3	9.3	4	7	7	10	11	11	11	11
1-5 YRS	340	7.3	10	3	4	7	9	11	12	17
6-12 YRS	1233	6.4	10	3	3	6	8	10	12	16
13-19 YRS	1156	6.0	8	2	3	6	8	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	5.7	20	< 1	< 1	5	11	11	11	11
6-12 YRS	8	7.8	14	2	3	7	9	13	15	15
13-19 YRS	9	4.7	4	1	2	4	6	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	6	12.0	61	1	1	13	19	20	20	20
1-5 YRS	255	9.8	42	4	5	8	11	16	20	32
6-12 YRS	835	8.9	27	3	4	8	10	15	19	29
13-19 YRS	787	8.8	29	3	4	7	10	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	7.3	16	1	2	7	9	13	15	18
B. Operated	2734	6.4	9	2	3	6	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	23	6.0	12	< 1	1	5	8	11	13	15
B. Operated	1883	9.0	30	3	4	8	10	15	19	31
1. SINGLE DX	2784	6.4	9	2	3	6	8	10	11	16
2. MULTIPLE DX	1906	8.9	30	3	4	8	10	15	19	31
A. Not Operated	73	6.9	15	1	2	7	9	12	[illegible]	18
B. Operated	4617	7.4	19	3	3	7	9	12	15	24
TOTAL										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	10	11.6	39	1	3	10	17	19	20	20
1-5 YRS	607	8.3	25	3	4	7	10	13	16	28
6-12 YRS	2095	7.4	18	3	3	7	9	12	15	24
13-19 YRS	1976	7.1	18	3	3	6	8	11	15	23
GRAND TOTAL	**4690**	**7.4**	**19**	**3**	**3**	**7**	**9**	**12**	**15**	**24**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	3.0	11	1	1	2	3	9	11	11
6-12 YRS	45	1.7	2	< 1	1	1	2	3	4	7
13-19 YRS	78	1.9	2	< 1	< 1	1	2	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	41	3.4	4	1	2	3	5	6	7	10
6-12 YRS	299	2.9	1	2	2	3	3	5	5	7
13-19 YRS	509	3.1	2	1	2	3	4	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.2		1	1	1	1	2	2	2
6-12 YRS	33	2.2	5	< 1	1	2	2	4	8	11
13-19 YRS	41	2.9	4	1	1	2	3	6	8	9
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	20	5.6	41	2	2	4	6	9	20	31
6-12 YRS	116	3.6	3	2	2	3	4	5	7	11
13-19 YRS	329	3.9	5	2	2	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	1.9	2	< 1	1	1	2	3	5	9
B. Operated	851	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	80	2.4	4	1	1	2	3	5	8	10
B. Operated	466	3.9	6	2	2	3	4	6	8	14
1. SINGLE DX	982	2.9	2	1	1	3	3	5	6	8
2. MULTIPLE DX	546	3.7	6	1	2	3	4	6	8	13
A. Not Operated	211	2.1	3	< 1	1	2	2	4	6	10
B. Operated	1317	3.4	4	2	2	3	4	5	6	10
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	75	3.8	15	1	1	3	5	6	10	26
6-12 YRS	493	2.9	2	1	1	3	3	5	6	8
13-19 YRS	957	3.3	4	1	2	3	4	5	7	10
GRAND TOTAL	**1528**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	1.5	1	< 1	< 1	1	1	3	5	6
1-5 YRS	10	1.2		< 1	< 1	1	1	2	2	2
6-12 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-27 DYS	46	1.4	1	< 1	< 1	1	2	2	3	5
1-11 MOS	1300	1.3		< 1	< 1	1	1	2	2	4
1-5 YRS	796	1.2		< 1	< 1	1	1	2	2	3
6-12 YRS	430	1.2		< 1	< 1	1	1	2	2	3
13-19 YRS	820	1.5	1	< 1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	92	1.6	3	< 1	< 1	1	1	3	4	11
1-5 YRS	42	1.2		< 1	< 1	1	1	2	3	3
6-12 YRS	9	1.1		< 1	< 1	< 1	1	2	2	2
13-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
B. Operated										
0-27 DYS	36	2.8	53	< 1	1	1	2	3	5	45
1-11 MOS	1389	1.8	6	< 1	< 1	1	2	3	4	10
1-5 YRS	754	1.5	1	< 1	< 1	1	2	2	3	7
6-12 YRS	268	1.5	1	< 1	< 1	1	2	2	3	6
13-19 YRS	278	1.7	2	1	1	1	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.4	1	< 1	< 1	1	1	2	3	6
B. Operated	3392	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	151	1.4	2	< 1	< 1	1	1	2	4	11
B. Operated	2725	1.7	4	< 1	< 1	1	2	3	4	9
1. SINGLE DX	3427	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	2876	1.7	4	< 1	< 1	1	2	3	4	9
A. Not Operated	186	1.4	2	< 1	< 1	1	1	2	3	9
B. Operated	6117	1.5	2	< 1	< 1	1	2	2	3	6
TOTAL										
0-27 DYS	85	2.0	23	< 1	< 1	1	2	3	4	31
1-11 MOS	2800	1.5	3	< 1	< 1	1	2	2	3	8
1-5 YRS	1602	1.3	1	< 1	< 1	1	1	2	3	5
6-12 YRS	709	1.3		< 1	< 1	1	1	2	2	5
13-19 YRS	1107	1.5	1	< 1	1	1	2	3	3	5
GRAND TOTAL	**6303**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

1,199 Hospitals, United States, January-December 1987

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG, STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.0		< 1	< 1	1	1	1	1	1
1-11 MOS	17	1.3		< 1	< 1	1	2	2	2	2
1-5 YRS	12	1.5	1	< 1	< 1	1	2	3	5	5
6-12 YRS	0									
13-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
0-27 DYS	37	2.4	3	1	1	2	4	5	5	8
1-11 MOS	397	1.6	1	< 1	1	1	2	3	3	5
1-5 YRS	205	1.3	1	< 1	< 1	1	1	2	3	4
6-12 YRS	36	1.4		< 1	< 1	1	2	2	3	3
13-19 YRS	74	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	30	1.7	2	< 1	< 1	1	2	3	5	7
1-5 YRS	9	1.8	1	< 1	< 1	1	3	4	4	4
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	49	2.7	6	1	1	2	3	4	6	17
1-11 MOS	431	2.4	10	< 1	1	2	3	4	6	12
1-5 YRS	151	1.8	2	< 1	< 1	1	2	4	5	7
6-12 YRS	30	1.7	1	< 1	< 1	1	2	3	3	4
13-19 YRS	32	3.0	4	1	1	2	4	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.3	1	< 1	< 1	1	1	2	2	5
B. Operated	749	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	41	1.7	2	< 1	< 1	1	2	3	5	7
B. Operated	693	2.3	7	< 1	1	2	3	4	6	11
1. SINGLE DX	784	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	734	2.2	7	< 1	1	2	3	4	6	10
A. Not Operated	76	1.5	1	< 1	< 1	1	2	3	4	7
B. Operated	1442	1.9	4	< 1	1	1	2	3	5	8
TOTAL										
0-27 DYS	90	2.5	5	1	1	2	3	5	5	13
1-11 MOS	875	2.0	6	< 1	1	1	2	3	5	10
1-5 YRS	377	1.5	1	< 1	< 1	1	2	3	4	7
6-12 YRS	66	1.5	1	< 1	< 1	1	2	3	3	4
13-19 YRS	110	2.3	2	1	1	2	3	4	5	8
GRAND TOTAL	**1518**	**1.9**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	7	6.7	22	< 1	< 1	5	11	13	13	13
1-11 MOS	42	1.4	1	< 1	< 1	1	1	3	4	5
1-5 YRS	188	1.3	1	< 1	< 1	1	1	2	3	4
6-12 YRS	105	1.8	10	< 1	< 1	1	2	3	3	17
13-19 YRS	31	1.6	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	5	< 1	< 1	2	4	4	4	4
1-5 YRS	9	1.2		< 1	< 1	< 1	1	2	3	3
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	0									
B. Operated										
0-27 DYS	8	18.1	391	3	3	9	32	50	52	52
1-11 MOS	37	1.5	1	< 1	< 1	1	2	3	4	4
1-5 YRS	67	2.4	11	< 1	1	1	2	4	8	18
6-12 YRS	30	1.8	2	< 1	< 1	1	2	4	5	6
13-19 YRS	18	2.1	3	< 1	< 1	1	2	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	373	1.6	4	< 1	< 1	1	2	2	3	10
2. MULTIPLE DX										
A. Not Operated	12	1.4	1	< 1	< 1	< 1	1	3	4	4
B. Operated	160	2.8	35	< 1	< 1	1	2	5	7	43
1. SINGLE DX	376	1.6	4	< 1	< 1	1	2	2	3	10
2. MULTIPLE DX	172	2.7	33	< 1	< 1	1	2	4	6	40
A. Not Operated	15	1.3	1	< 1	< 1	< 1	1	3	4	4
B. Operated	533	2.0	14	< 1	< 1	1	2	3	4	16
TOTAL										
0-27 DYS	15	12.8	239	< 1	2	5	13	46	50	52
1-11 MOS	82	1.5	1	< 1	< 1	1	2	3	4	5
1-5 YRS	266	1.6	3	< 1	< 1	1	2	3	3	13
6-12 YRS	136	1.8	8	< 1	< 1	1	2	3	4	10
13-19 YRS	49	1.8	1	< 1	< 1	1	2	4	5	6
GRAND TOTAL	**548**	**1.9**	**13**	**<1**	**<1**	**1**	**2**	**3**	**4**	**16**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	19	2.6	4	< 1	< 1	2	3	6	8	8
1-5 YRS	29	2.1	4	< 1	< 1	1	2	5	6	9
6-12 YRS	24	1.3		< 1	< 1	1	2	2	3	3
13-19 YRS	38	1.9	3	< 1	< 1	1	2	3	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	1	1	1	1	1
1-5 YRS	4	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	2	5.5	25	2	2	5	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	18	4.5	7	1	1	4	6	9	10	10
1-5 YRS	37	5.1	42	< 1	1	3	6	10	15	37
6-12 YRS	14	1.9	3	< 1	< 1	1	2	3	6	7
13-19 YRS	24	3.3	4	< 1	1	3	4	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	111	1.9	3	< 1	< 1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	9	2.1	7	< 1	< 1	1	2	6	9	9
B. Operated	93	4.0	21	< 1	1	3	5	8	10	28
1. SINGLE DX	112	1.9	3	< 1	< 1	1	2	4	6	9
2. MULTIPLE DX	102	3.8	20	< 1	1	3	5	8	10	27
A. Not Operated	10	2.1	6	< 1	< 1	1	2	6	9	9
B. Operated	204	2.9	12	< 1	< 1	2	3	6	9	14
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	40	3.4	6	< 1	1	3	5	7	9	10
1-5 YRS	71	3.6	26	< 1	< 1	2	4	8	10	33
6-12 YRS	38	1.5	1	< 1	< 1	1	2	2	3	7
13-19 YRS	64	2.5	4	< 1	< 1	2	3	5	8	9
GRAND TOTAL	**214**	**2.8**	**12**	**< 1**	**< 1**	**2**	**3**	**6**	**9**	**13**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	4	6.8	6	5	5	6	8	10	10	10
1-5 YRS	5	6.4	1	5	5	7	7	7	7	7
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	6.3	46	1	1	4	11	14	14	14
1-5 YRS	4	3.5	10	1	1	2	5	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	12	2.4	3	1	1	2	3	5	7	7
B. Operated										
0-27 DYS	2	29.5	1201	5	5	29	54	54	54	54
1-11 MOS	17	11.4	72	3	5	9	11	24	33	37
1-5 YRS	14	8.0	24	2	4	7	8	15	19	20
6-12 YRS	6	13.0	38	8	8	11	22	85	99 +	99 +
13-19 YRS	14	11.9	75	3	4	9	18	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0		2	2	2	2	2	2	2
B. Operated	12	7.2	11	2	4	7	9	12	15	15
2. MULTIPLE DX										
A. Not Operated	20	3.2	10	1	1	2	4	7	11	14
B. Operated	53	11.5	90	3	5	9	13	26	35	98
1. SINGLE DX	16	5.9	13	2	2	6	7	10	14	15
2. MULTIPLE DX	73	9.2	81	1	2	7	11	22	29	89
A. Not Operated	24	3.0	9	1	1	2	3	7	10	14
B. Operated	65	10.7	78	2	5	8	12	24	31	93
TOTAL										
0-27 DYS	2	29.5	1201	5	5	29	54	54	54	54
1-11 MOS	25	9.6	60	2	2	9	11	17	29	37
1-5 YRS	23	6.9	19	1	2	6	8	13	17	20
6-12 YRS	9	10.8	49	2	2	11	16	62	99 +	99 +
13-19 YRS	30	7.1	58	1	1	4	10	20	27	29
GRAND TOTAL	**89**	**8.6**	**71**	**1**	**2**	**7**	**10**	**19**	**27**	**82**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	4	1.3		< 1	< 1	1	2	2	2	2
13-19 YRS	10	2.0	1	< 1	< 1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.4		< 1	< 1	1	2	2	2	2
1-5 YRS	4	4.0	15	1	1	3	7	9	9	9
6-12 YRS	3	7.3	120	< 1	< 1	1	15	20	20	20
13-19 YRS	5	5.0	9	2	2	4	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	19	1.6	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	3	2.3	5	< 1	< 1	1	4	5	5	5
B. Operated	17	4.1	25	< 1	< 1	2	5	10	16	20
1. SINGLE DX	21	1.7	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX	20	3.9	22	< 1	< 1	2	5	9	15	20
A. Not Operated	5	2.4	3	< 1	< 1	2	3	5	5	5
B. Operated	36	2.8	13	< 1	< 1	1	3	5	10	20
TOTAL										
0-27 DYS	0									
1-11 MOS	7	1.3		< 1	< 1	1	2	2	2	2
1-5 YRS	9	2.4	8	1	1	1	3	7	9	9
6-12 YRS	8	3.8	44	< 1	< 1	1	2	15	20	20
13-19 YRS	17	3.0	5	< 1	< 1	2	4	5	8	10
GRAND TOTAL	**41**	**2.7**	**12**	**< 1**	**< 1**	**1**	**3**	**5**	**9**	**20**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	9	2.7	5	< 1	< 1	2	3	7	7	7
1-5 YRS	28	2.1	13	< 1	1	1	2	2	6	20
6-12 YRS	11	2.6	5	< 1	< 1	2	4	6	7	7
13-19 YRS	17	2.2	5	1	1	2	2	5	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	14	4.6	21	1	1	3	5	8	17	19
1-5 YRS	8	4.9	16	1	1	3	8	11	12	12
6-12 YRS	6	6.8	12	3	3	6	10	12	12	12
13-19 YRS	17	5.1	37	< 1	1	3	5	10	21	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	67	2.3	8	< 1	1	1	2	5	7	18
2. MULTIPLE DX										
A. Not Operated	3	2.7	4	1	1	2	4	5	5	5
B. Operated	45	5.1	24	1	1	3	6	11	14	26
1. SINGLE DX	69	2.3	8	< 1	1	1	2	5	7	18
2. MULTIPLE DX	48	5.0	23	1	1	3	6	11	13	26
A. Not Operated	5	2.0	3	1	1	1	3	5	5	5
B. Operated	112	3.4	16	< 1	1	2	4	7	11	22
TOTAL										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	24	3.8	14	< 1	1	3	5	7	11	19
1-5 YRS	37	2.7	14	< 1	1	1	2	7	11	20
6-12 YRS	19	4.0	11	< 1	1	3	6	9	11	12
13-19 YRS	35	3.6	22	1	1	2	4	8	11	26
GRAND TOTAL	**117**	**3.4**	**16**	**< 1**	**1**	**2**	**4**	**7**	**11**	**22**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	2.0	1	< 1	< 1	2	3	3	3	3
1-11 MOS	169	1.7	1	< 1	1	1	2	3	4	7
1-5 YRS	189	1.8	2	< 1	1	1	2	3	4	8
6-12 YRS	53	3.6	14	1	1	2	5	6	7	25
13-19 YRS	110	3.4	4	1	1	3	4	6	7	10
B. Operated										
0-27 DYS	4	9.0	37	5	5	6	12	18	18	18
1-11 MOS	210	4.8	7	2	2	4	6	8	10	14
1-5 YRS	120	4.9	9	1	2	4	6	9	11	41
6-12 YRS	66	7.9	24	2	3	7	9	13	16	30
13-19 YRS	87	7.3	8	3	4	7	8	11	12	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	4.9	52	< 1	< 1	3	5	14	25	26
1-11 MOS	112	3.3	16	1	1	2	4	7	10	24
1-5 YRS	185	4.0	60	< 1	1	2	4	6	11	51
6-12 YRS	78	4.8	17	1	1	3	6	9	14	21
13-19 YRS	143	3.8	7	1	1	3	5	7	8	14
B. Operated										
0-27 DYS	10	21.9	182	6	6	22	35	37	38	38
1-11 MOS	195	8.8	69	3	4	6	10	16	27	88
1-5 YRS	184	9.0	74	4	4	7	9	16	22	71
6-12 YRS	113	9.5	35	3	4	8	11	17	22	32
13-19 YRS	176	10.5	72	4	4	8	12	18	23	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	524	2.3	4	< 1	1	2	3	5	6	9
B. Operated	487	5.7	12	2	2	5	7	9	12	18
2. MULTIPLE DX										
A. Not Operated	529	3.9	30	1	1	3	4	7	10	22
B. Operated	678	9.6	69	3	4	7	11	17	25	56
1. SINGLE DX	1011	3.9	10	1	1	3	6	8	10	16
2. MULTIPLE DX	1207	7.1	60	1	1	5	8	14	19	44
A. Not Operated	1053	3.1	18	< 1	1	2	4	6	8	17
B. Operated	1165	8.0	49	2	3	6	9	14	19	42
TOTAL										
0-27 DYS	28	11.3	153	< 1	1	6	16	35	36	38
1-11 MOS	686	4.9	32	1	1	4	6	10	14	31
1-5 YRS	678	4.9	46	1	1	3	6	9	13	46
6-12 YRS	310	7.0	30	1	2	6	9	13	17	27
13-19 YRS	516	6.6	38	1	2	5	8	12	16	28
GRAND TOTAL	**2218**	**5.7**	**40**	**1**	**1**	**4**	**7**	**11**	**15**	**33**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	187	3.1	18	1	1	3	4	4	5	9
1-11 MOS	1457	2.8	3	1	1	2	3	5	5	8
1-5 YRS	1726	2.3	2	1	1	2	3	4	5	7
6-12 YRS	1393	1.9	1	< 1	1	2	2	3	4	6
13-19 YRS	1613	1.9	2	< 1	1	2	2	3	4	7
B. Operated										
0-27 DYS	3	12.3	129	3	3	9	21	25	25	25
1-11 MOS	18	8.0	59	1	2	5	9	23	27	27
1-5 YRS	34	5.3	28	1	1	4	5	12	16	27
6-12 YRS	45	3.5	6	1	2	3	4	5	7	17
13-19 YRS	102	3.3	3	1	2	3	4	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	323	4.3	16	1	2	3	5	8	10	23
1-11 MOS	5149	3.4	7	1	1	3	4	6	7	13
1-5 YRS	7335	2.7	4	1	1	2	3	4	5	9
6-12 YRS	2494	2.4	3	1	1	2	3	4	5	8
13-19 YRS	1818	2.5	3	1	1	2	3	4	6	9
B. Operated										
0-27 DYS	14	18.4	248	1	3	16	36	44	86	99 +
1-11 MOS	114	11.4	202	2	2	6	14	27	47	99 +
1-5 YRS	107	11.4	181	1	2	6	13	29	42	65
6-12 YRS	60	6.8	64	1	2	5	7	10	19	48
13-19 YRS	136	5.8	32	2	2	4	7	10	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6376	2.2	2	1	1	2	3	4	5	7
B. Operated	202	4.2	17	1	2	3	4	7	11	26
2. MULTIPLE DX										
A. Not Operated	17119	2.9	5	1	1	2	3	5	6	10
B. Operated	431	9.2	134	2	2	5	10	24	37	71
1. SINGLE DX	6578	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	17550	3.0	9	1	1	2	4	5	6	13
A. Not Operated	23495	2.7	4	1	1	2	3	5	6	10
B. Operated	633	7.6	102	1	2	4	8	17	28	65
TOTAL										
0-27 DYS	527	4.3	29	1	1	3	4	7	10	37
1-11 MOS	6738	3.4	11	1	1	3	4	5	7	15
1-5 YRS	9202	2.8	7	1	1	2	3	4	5	10
6-12 YRS	3992	2.3	4	1	1	2	3	4	5	9
13-19 YRS	3669	2.4	4	1	1	2	3	4	5	9
GRAND TOTAL	**24128**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	10.0	8	8	8	10	12	12	12	12
13-19 YRS	4	11.3	157	4	4	5	18	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	8	4.5	8	1	1	4	7	8	9	9
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	4.7	2	3	3	5	6	6	6	6
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	9.8	17	5	5	11	13	14	14	14
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	10.8	52	5	5	9	14	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.5	1	4	4	4	5	6	6	6
B. Operated	8	9.6	74	4	4	6	10	25	30	30
2. MULTIPLE DX										
A. Not Operated	14	6.0	18	1	2	5	7	13	15	16
B. Operated	13	9.7	25	5	5	9	12	16	22	23
1. SINGLE DX	12	7.9	54	4	4	6	7	17	28	30
2. MULTIPLE DX	27	7.8	24	2	2	6	10	14	17	23
A. Not Operated	18	5.7	14	1	2	5	6	12	15	16
B. Operated	21	9.7	41	4	5	8	11	18	26	30
TOTAL										
0-27 DYS	3	9.7	36	4	4	9	14	16	16	16
1-11 MOS	16	6.3	15	1	2	6	8	13	14	14
1-5 YRS	3	9.0	13	6	6	8	12	13	13	13
6-12 YRS	4	7.8	10	5	5	7	10	12	12	12
13-19 YRS	13	9.0	67	3	4	6	9	24	29	30
GRAND TOTAL	**39**	**7.8**	**32**	**2**	**3**	**6**	**9**	**14**	**20**	**30**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	1.8	1	< 1	< 1	2	2	3	3	3
1-11 MOS	9	3.0	21	< 1	< 1	1	3	10	15	15
1-5 YRS	9	3.3	6	1	1	3	5	7	7	7
6-12 YRS	5	1.4		1	1	1	2	2	2	2
13-19 YRS	6	2.7	1	1	1	3	3	4	4	4
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	60	1.7	2	< 1	< 1	1	2	4	5	6
1-5 YRS	32	2.6	6	< 1	< 1	1	3	6	8	11
6-12 YRS	27	2.2	2	1	1	2	3	3	4	7
13-19 YRS	124	2.3	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	4.2	11	1	1	3	6	10	11	11
1-11 MOS	21	3.0	3	1	1	2	4	6	7	7
1-5 YRS	17	4.6	12	< 1	1	4	6	8	13	15
6-12 YRS	10	7.1	27	1	1	6	13	15	16	16
13-19 YRS	18	4.2	12	< 1	1	3	5	11	11	11
B. Operated										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	37	3.5	13	1	1	2	4	7	13	16
1-5 YRS	39	6.3	78	< 1	1	3	7	15	23	47
6-12 YRS	19	7.1	104	1	1	3	7	16	33	45
13-19 YRS	117	4.2	19	1	1	3	4	7	13	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.5	7	< 1	1	2	3	5	7	15
B. Operated	244	2.2	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	78	4.3	12	1	1	3	6	10	12	16
B. Operated	215	4.7	36	1	1	3	5	10	15	33
1. SINGLE DX	281	2.3	3	< 1	1	2	3	4	5	10
2. MULTIPLE DX	293	4.6	30	1	1	3	5	10	15	27
A. Not Operated	115	3.7	11	1	1	3	4	8	11	16
B. Operated	459	3.4	20	1	1	2	4	6	10	24
TOTAL										
0-27 DYS	24	3.3	7	< 1	1	2	4	7	10	11
1-11 MOS	127	2.6	7	< 1	1	2	3	5	6	15
1-5 YRS	97	4.5	38	< 1	1	3	5	10	14	37
6-12 YRS	61	4.4	42	1	1	3	4	11	14	42
13-19 YRS	265	3.3	11	1	1	3	4	6	9	22
GRAND TOTAL	**574**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	12	2.2	3	< 1	< 1	2	3	5	7	7
1-11 MOS	57	2.0	2	< 1	1	2	2	4	5	8
1-5 YRS	187	2.4	4	< 1	1	2	3	4	6	10
6-12 YRS	299	2.8	15	< 1	1	2	3	5	8	14
13-19 YRS	460	3.8	9	1	1	3	5	8	10	15
B. Operated										
0-27 DYS	5	5.4	13	2	2	4	8	11	11	11
1-11 MOS	32	4.6	20	< 1	< 1	3	6	11	13	20
1-5 YRS	110	4.4	20	1	1	3	6	9	13	24
6-12 YRS	108	6.1	45	1	1	4	7	12	16	42
13-19 YRS	276	7.5	52	1	2	6	9	14	19	32
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	30	5.1	65	1	1	3	4	11	18	43
1-11 MOS	140	4.4	34	1	1	2	5	10	14	29
1-5 YRS	377	4.1	30	1	1	3	4	8	12	29
6-12 YRS	441	3.8	12	1	1	3	5	7	10	18
13-19 YRS	722	4.9	22	1	1	3	6	10	13	27
B. Operated										
0-27 DYS	12	21.0	219	4	5	18	35	41	47	48
1-11 MOS	84	11.2	184	1	2	7	14	28	39	97
1-5 YRS	176	10.9	159	1	2	7	13	26	48	91
6-12 YRS	209	9.6	126	1	1	6	12	19	30	57
13-19 YRS	554	10.7	114	2	3	8	13	23	32	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1015	3.1	10	1	1	2	4	7	9	14
B. Operated	531	6.4	43	1	1	5	8	12	17	29
2. MULTIPLE DX										
A. Not Operated	1710	4.4	23	1	1	3	5	9	12	26
B. Operated	1035	10.7	132	1	2	7	13	23	35	86
1. SINGLE DX	1546	4.2	24	1	1	3	5	9	12	23
2. MULTIPLE DX	2745	6.7	73	1	1	4	8	15	22	49
A. Not Operated	2725	3.9	19	1	1	3	5	8	11	22
B. Operated	1566	9.2	106	1	2	6	11	20	29	59
TOTAL										
0-27 DYS	59	7.8	122	1	1	3	7	21	37	48
1-11 MOS	313	5.8	78	1	1	3	6	13	22	52
1-5 YRS	850	5.2	58	1	1	3	6	11	17	55
6-12 YRS	1057	4.9	45	1	1	3	6	10	15	34
13-19 YRS	2012	6.6	56	1	1	4	8	14	20	41
GRAND TOTAL	**4291**	**5.8**	**57**	**1**	**1**	**3**	**7**	**12**	**19**	**42**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	7.3	102	1	1	2	15	19	19	19
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	7.3	102	1	1	2	15	19	19	19
B. Operated	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX	0									
2. MULTIPLE DX	4	7.0	69	1	1	4	12	19	19	19
A. Not Operated	3	7.3	102	1	1	2	15	19	19	19
B. Operated	1	6.0		6	6	6	6	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	7.0	69	1	1	4	12	19	19	19
GRAND TOTAL	**4**	**7.0**	**69**	**1**	**1**	**4**	**12**	**19**	**19**	**19**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	5	5.8	66	1	1	2	9	20	20	20
6-12 YRS	4	2.3	6	1	1	1	4	6	6	6
13-19 YRS	6	5.0	41	2	2	3	3	17	18	18
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	13	2.4	6	1	1	1	3	5	9	10
6-12 YRS	19	3.3	56	< 1	1	2	2	3	20	34
13-19 YRS	24	2.0	2	1	1	2	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	4.0	8	1	1	4	6	8	9	9
1-5 YRS	22	3.9	8	< 1	1	3	5	8	10	11
6-12 YRS	23	5.2	13	1	1	5	7	8	12	18
13-19 YRS	29	6.3	21	1	2	5	7	15	17	18
B. Operated										
0-27 DYS	0									
1-11 MOS	7	11.0	84	2	2	10	18	25	26	26
1-5 YRS	33	5.6	77	1	1	2	4	16	29	39
6-12 YRS	42	5.6	107	1	1	2	5	11	26	54
13-19 YRS	42	8.3	154	1	1	4	7	27	36	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.2	31	1	1	2	3	14	19	20
B. Operated	59	2.5	20	1	1	2	2	4	5	32
2. MULTIPLE DX										
A. Not Operated	83	5.1	14	1	1	4	6	9	14	18
B. Operated	124	6.8	114	1	1	3	6	20	32	56
1. SINGLE DX	77	2.9	22	1	1	2	2	5	9	30
2. MULTIPLE DX	207	6.1	75	1	1	4	6	13	26	48
A. Not Operated	101	4.9	17	1	1	4	6	9	16	19
B. Operated	183	5.4	87	1	1	2	5	12	27	51
TOTAL										
0-27 DYS	0									
1-11 MOS	22	5.7	41	1	1	3	6	14	22	26
1-5 YRS	73	4.5	43	1	1	2	4	9	19	37
6-12 YRS	88	4.8	67	1	1	2	5	9	14	50
13-19 YRS	101	6.0	78	1	1	3	6	15	23	48
GRAND TOTAL	**284**	**5.3**	**62**	**1**	**1**	**3**	**5**	**11**	**20**	**42**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	5.0	25	1	1	3	8	12	12	12
1-5 YRS	16	3.3	7	< 1	1	3	4	8	10	11
6-12 YRS	24	4.5	14	1	1	3	6	10	12	16
13-19 YRS	42	3.6	5	1	1	3	5	6	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.6	2	1	1	1	2	4	4	4
1-5 YRS	11	9.1	317	1	1	2	6	36	58	60
6-12 YRS	10	2.8	7	1	1	2	3	7	10	10
13-19 YRS	22	5.2	59	1	1	2	4	14	23	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	16	4.2	15	< 1	1	3	5	9	14	16
1-5 YRS	42	5.0	23	< 1	1	4	6	10	13	28
6-12 YRS	43	4.9	22	1	1	4	6	9	14	25
13-19 YRS	60	4.6	9	1	2	4	6	8	10	19
B. Operated										
0-27 DYS	0									
1-11 MOS	8	12.6	160	1	1	15	27	73	99 +	99 +
1-5 YRS	39	15.1	510	1	1	3	26	68	92	99 +
6-12 YRS	39	9.1	258	1	1	3	7	28	43	83
13-19 YRS	42	12.5	265	1	2	7	16	29	35	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	3.9	9	1	1	3	5	8	11	15
B. Operated	48	5.2	101	1	1	2	3	13	21	60
2. MULTIPLE DX										
A. Not Operated	162	4.7	17	1	1	4	6	9	11	24
B. Operated	128	12.3	330	1	1	4	16	39	78	99 +
1. SINGLE DX	134	4.3	42	1	1	2	4	10	12	37
2. MULTIPLE DX	290	8.1	168	1	1	4	8	21	36	97
A. Not Operated	248	4.4	14	1	1	4	5	8	11	20
B. Operated	176	10.3	277	1	1	3	13	34	57	99 +
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	33	5.9	60	1	1	3	7	21	31	99 +
1-5 YRS	108	8.8	245	1	1	3	8	31	60	99 +
6-12 YRS	116	6.1	102	1	1	3	6	11	23	57
13-19 YRS	166	6.4	91	1	1	4	6	14	22	36
GRAND TOTAL	**424**	**6.9**	**131**	**1**	**1**	**4**	**6**	**16**	**30**	**88**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	66	2.3	2	< 1	1	2	3	4	5	7
B. Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	10	4.8	4	3	3	4	5	8	10	10
1-5 YRS	10	3.7	3	1	2	3	4	6	7	7
6-12 YRS	24	4.6	2	2	3	5	5	6	7	9
13-19 YRS	686	4.7	4	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	2.7	4	< 1	< 1	2	4	6	6	6
1-5 YRS	5	7.8	75	2	2	5	10	23	23	23
6-12 YRS	12	3.2	7	1	1	2	4	7	10	10
13-19 YRS	73	3.4	6	1	1	3	4	6	8	13
B. Operated										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	21	7.4	31	3	3	5	10	13	19	26
1-5 YRS	15	6.3	20	1	3	5	8	9	17	20
6-12 YRS	49	8.2	28	3	4	7	10	15	18	30
13-19 YRS	658	6.3	13	3	3	5	7	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	2.3	2	1	1	2	3	4	5	7
B. Operated	732	4.7	4	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	96	3.5	10	1	1	3	4	6	9	19
B. Operated	745	6.4	15	3	3	5	8	10	13	24
1. SINGLE DX	804	4.5	4	2	2	4	5	7	8	11
2. MULTIPLE DX	841	6.1	15	2	3	5	7	10	13	23
A. Not Operated	168	3.0	7	1	1	2	4	6	7	13
B. Operated	1477	5.6	10	3	3	5	6	9	11	19
TOTAL										
0-27 DYS	5	4.8	8	1	1	5	6	9	9	9
1-11 MOS	37	5.9	22	1	2	4	7	12	14	26
1-5 YRS	32	5.4	23	1	2	4	6	9	19	23
6-12 YRS	88	6.3	22	2	2	5	8	11	15	28
13-19 YRS	1483	5.2	9	2	3	5	6	8	10	17
GRAND TOTAL	**1645**	**5.3**	**10**	**2**	**3**	**5**	**6**	**9**	**10**	**18**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	3.3	1	2	2	4	4	4	4	4
13-19 YRS	40	2.7	4	< 1	1	2	3	5	6	12
B. Operated										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	6	2.5	8	1	1	2	2	7	8	8
1-5 YRS	1	12.0		12	12	56	99 +	99 +	99 +	99 +
6-12 YRS	3	5.0	9	2	2	5	7	8	8	8
13-19 YRS	42	4.8	4	2	3	4	6	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	0									
1-5 YRS	3	9.3		9	9	9	10	10	10	10
6-12 YRS	6	3.0	6	1	1	2	5	7	7	7
13-19 YRS	50	4.4	6	2	2	4	5	8	10	12
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	9.3	62	2	2	7	15	20	20	20
1-5 YRS	6	10.3	141	2	2	5	14	31	33	33
6-12 YRS	7	9.7	34	3	4	8	13	19	20	20
13-19 YRS	66	5.9	10	3	3	5	7	11	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.7	4	< 1	1	2	4	5	6	12
B. Operated	54	4.8	7	1	2	5	6	8	12	96
2. MULTIPLE DX										
A. Not Operated	61	4.5	7	1	2	4	6	8	10	12
B. Operated	84	6.7	24	2	3	5	8	13	15	29
1. SINGLE DX	100	3.8	7	1	1	3	5	7	10	55
2. MULTIPLE DX	145	5.8	18	2	2	4	7	11	14	21
A. Not Operated	107	3.7	6	1	1	3	5	7	9	12
B. Operated	138	5.9	18	2	2	5	7	12	14	40
TOTAL										
0-27 DYS	5	5.6	11	2	2	5	7	11	11	11
1-11 MOS	12	4.7	32	1	1	2	6	13	19	20
1-5 YRS	11	9.7	74	2	3	9	13	53	93	99 +
6-12 YRS	19	5.8	24	1	1	5	8	13	18	20
13-19 YRS	198	4.6	8	1	2	4	6	8	11	14
GRAND TOTAL	**245**	**5.0**	**14**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

1,199 Hospitals, United States, January-December 1987

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.7	1	2	2	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	30	6.2	13	2	2	5	8	11	12	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	6	4.7	12	1	1	4	6	10	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	4	11.5	60	3	3	12	18	19	19	19
1-5 YRS	4	11.0	9	7	7	11	13	14	14	14
6-12 YRS	6	11.8	34	6	6	10	18	20	20	20
13-19 YRS	51	8.8	19	4	5	8	10	16	18	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7	1	2	2	2	4	4	4	4
B. Operated	31	6.1	13	2	2	5	8	11	12	16
2. MULTIPLE DX										
A. Not Operated	7	4.7	10	1	1	4	6	10	11	11
B. Operated	65	9.4	22	4	5	8	11	17	19	23
1. SINGLE DX	34	5.8	13	2	2	5	8	11	12	16
2. MULTIPLE DX	72	8.9	23	3	4	8	11	17	19	23
A. Not Operated	10	4.1	8	1	1	3	5	8	11	11
B. Operated	96	8.3	21	3	3	7	10	16	18	22
TOTAL										
0-27 DYS	0									
1-11 MOS	4	11.5	60	3	3	12	18	19	19	19
1-5 YRS	4	11.0	9	7	7	11	13	14	14	14
6-12 YRS	8	10.0	36	4	4	8	14	19	20	20
13-19 YRS	90	7.4	18	2	3	7	10	13	16	22
GRAND TOTAL	**106**	**7.9**	**21**	**2**	**3**	**7**	**10**	**15**	**18**	**22**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	8.3	17	5	5	7	9	16	17	17
1-5 YRS	6	7.8	21	1	1	8	9	14	15	15
6-12 YRS	0									
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	4	10.3	12	6	6	10	13	14	14	14
1-5 YRS	6	7.7	26	1	1	9	10	14	14	14
6-12 YRS	4	12.8	74	3	3	14	20	20	20	20
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	47	7.5	21	2	3	7	10	14	15	24
1-5 YRS	43	8.3	37	1	2	7	12	17	19	30
6-12 YRS	10	8.6	35	2	2	7	11	18	21	21
13-19 YRS	14	3.5	5	< 1	1	3	6	6	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	18	19.0	120	5	7	16	26	35	42	46
1-5 YRS	20	23.7	516	2	4	16	29	73	95	99 +
6-12 YRS	9	12.9	99	1	1	14	22	24	24	24
13-19 YRS	10	7.5	18	1	1	8	9	13	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	6.9	20	1	1	6	9	14	16	17
B. Operated	15	9.6	33	1	2	9	13	20	20	20
2. MULTIPLE DX										
A. Not Operated	115	7.4	28	1	2	6	10	15	18	26
B. Operated	57	17.7	264	1	3	15	23	37	61	99
1. SINGLE DX	31	8.2	27	1	2	7	10	16	20	20
2. MULTIPLE DX	172	10.8	129	1	2	8	14	22	30	84
A. Not Operated	131	7.3	27	1	2	6	10	15	17	25
B. Operated	72	16.0	226	1	2	13	20	31	58	98
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	76	10.4	66	2	4	8	13	19	28	44
1-5 YRS	75	12.3	204	1	2	9	15	25	53	98
6-12 YRS	23	11.0	65	1	2	8	20	22	24	24
13-19 YRS	28	4.9	13	1	1	4	7	9	11	16
GRAND TOTAL	**203**	**10.4**	**114**	**1**	**2**	**8**	**14**	**20**	**27**	**75**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	9	5.4	29	1	2	3	6	14	19	19
6-12 YRS	35	4.3	5	1	1	4	6	8	8	10
13-19 YRS	137	4.2	4	1	2	4	5	7	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	13.5	52	3	3	17	19	20	21	21
6-12 YRS	9	12.3	168	1	1	8	16	33	43	43
13-19 YRS	17	7.8	26	3	4	5	12	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	6	6.8	1	6	6	7	7	8	8	8
1-5 YRS	28	4.6	12	1	1	4	6	9	12	17
6-12 YRS	43	6.9	78	2	2	4	7	13	26	48
13-19 YRS	198	5.5	26	1	2	4	6	11	13	27
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	15	20.8	315	2	3	16	27	50	63	67
6-12 YRS	21	24.6	231	3	5	29	37	45	46	47
13-19 YRS	63	19.0	246	4	5	13	24	49	53	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	4.3	5	1	2	4	6	7	8	11
B. Operated	35	10.2	70	2	3	8	16	18	20	43
2. MULTIPLE DX										
A. Not Operated	277	5.6	32	1	2	4	6	11	14	36
B. Operated	99	20.5	253	3	5	16	30	47	52	62
1. SINGLE DX	219	5.2	20	1	2	4	6	9	15	20
2. MULTIPLE DX	376	9.5	132	2	2	5	10	24	39	53
A. Not Operated	461	5.1	22	1	2	4	6	9	12	20
B. Operated	134	17.8	225	3	4	13	24	43	51	58
TOTAL										
0-27 DYS	3	6.3	17	3	3	5	9	11	11	11
1-11 MOS	9	5.7	4	3	3	6	7	8	8	8
1-5 YRS	60	10.0	139	1	2	5	14	21	28	65
6-12 YRS	108	9.9	145	1	2	5	10	32	42	47
13-19 YRS	415	7.2	77	2	2	5	7	14	22	52
GRAND TOTAL	**595**	**8.0**	**95**	**2**	**2**	**5**	**8**	**17**	**30**	**51**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	1.9	2	1	1	1	3	4	5	5
1-11 MOS	37	2.2	3	< 1	< 1	2	3	4	5	10
1-5 YRS	41	2.1	2	< 1	1	2	3	4	5	7
6-12 YRS	40	2.7	2	1	1	2	3	5	6	7
13-19 YRS	53	2.9	12	1	1	2	3	6	8	22
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	6	3.8	3	1	1	4	5	6	6	6
13-19 YRS	6	4.7	26	< 1	< 1	3	3	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	36	4.3	17	1	2	3	5	7	15	20
1-11 MOS	106	3.6	11	1	1	3	4	6	10	19
1-5 YRS	129	3.5	11	1	1	3	4	7	10	17
6-12 YRS	109	3.3	11	1	1	2	4	6	9	21
13-19 YRS	187	3.7	8	1	1	3	5	7	9	14
B. Operated										
0-27 DYS	3	21.7	361	3	3	21	36	41	41	41
1-11 MOS	15	6.7	83	1	1	4	5	16	32	37
1-5 YRS	23	10.1	220	1	1	6	13	18	41	72
6-12 YRS	18	5.3	22	1	1	4	8	12	16	18
13-19 YRS	36	5.2	38	1	1	3	7	11	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	2.5	5	< 1	1	2	3	5	6	12
B. Operated	14	4.2	12	< 1	1	3	5	7	13	15
2. MULTIPLE DX										
A. Not Operated	567	3.6	10	1	1	3	4	7	10	18
B. Operated	95	7.2	101	1	1	4	8	16	23	58
1. SINGLE DX	198	2.6	6	< 1	1	2	3	5	6	14
2. MULTIPLE DX	662	4.1	25	1	1	3	5	8	12	22
A. Not Operated	751	3.3	9	1	1	2	4	6	9	18
B. Operated	109	6.8	90	1	1	4	7	15	22	54
TOTAL										
0-27 DYS	52	4.7	45	1	1	3	5	9	20	41
1-11 MOS	159	3.5	17	1	1	3	4	6	10	20
1-5 YRS	194	4.0	38	1	1	2	4	8	14	22
6-12 YRS	173	3.4	10	1	1	3	4	6	9	18
13-19 YRS	282	3.8	13	1	1	3	5	7	10	21
GRAND TOTAL	**860**	**3.8**	**21**	**1**	**1**	**3**	**4**	**7**	**11**	**21**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	35	3.1	9	1	1	2	3	5	9	17
1-11 MOS	59	5.3	137	1	1	3	4	6	9	76
1-5 YRS	16	5.1	32	1	1	4	5	8	20	25
6-12 YRS	5	7.6	8	4	4	7	10	11	11	11
13-19 YRS	11	1.7	3	< 1	< 1	1	1	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	5	14.8	241	2	2	6	30	35	35	35
1-5 YRS	15	3.6	14	1	1	2	4	5	13	16
6-12 YRS	3	6.0	16	2	2	6	9	10	10	10
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	43	3.9	6	1	2	3	5	7	8	14
1-11 MOS	160	5.1	29	1	1	4	6	11	14	26
1-5 YRS	67	9.4	90	1	1	6	14	26	32	90
6-12 YRS	11	6.6	59	1	1	3	7	21	24	24
13-19 YRS	36	2.1	6	1	1	1	2	5	9	12
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	28	25.8	586	3	4	17	59	85	99 +	99 +
1-5 YRS	48	19.5	538	2	2	11	30	82	99 +	99 +
6-12 YRS	7	6.0	20	1	1	6	8	13	14	14
13-19 YRS	5	15.4	207	3	3	7	30	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	4.4	73	1	1	3	4	6	10	58
B. Operated	24	6.5	73	1	1	3	6	17	30	35
2. MULTIPLE DX										
A. Not Operated	317	5.6	42	1	1	4	6	13	20	40
B. Operated	89	20.1	506	2	2	12	32	75	99 +	99 +
1. SINGLE DX	150	4.7	73	1	1	3	4	7	11	51
2. MULTIPLE DX	406	8.8	179	1	1	4	9	24	43	99 +
A. Not Operated	443	5.2	51	1	1	3	6	11	17	43
B. Operated	113	17.2	444	1	2	9	28	70	98	99 +
TOTAL										
0-27 DYS	79	3.6	8	1	1	3	4	7	10	16
1-11 MOS	252	7.7	160	1	2	4	7	16	42	99
1-5 YRS	146	11.6	254	1	2	5	15	32	58	99 +
6-12 YRS	26	6.6	31	1	2	5	9	14	20	24
13-19 YRS	53	3.4	37	1	1	1	3	8	12	33
GRAND TOTAL	**556**	**7.7**	**153**	**1**	**1**	**4**	**7**	**20**	**36**	**99 +**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	4.3	8	1	1	4	6	9	9	9
1-5 YRS	158	3.5	7	< 1	< 1	3	5	7	8	14
6-12 YRS	99	3.7	5	1	1	3	5	6	8	13
13-19 YRS	54	2.9	5	< 1	1	2	3	6	9	10
B. Operated										
0-27 DYS	0									
1-11 MOS	5	6.4	13	3	3	5	9	12	12	12
1-5 YRS	69	2.6	5	1	1	2	3	5	10	11
6-12 YRS	92	2.8	8	1	1	2	2	5	9	17
13-19 YRS	105	2.6	6	1	1	2	3	5	9	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	16	10.1	74	< 1	< 1	11	14	19	28	32
1-5 YRS	191	5.4	29	< 1	1	4	7	12	15	29
6-12 YRS	143	5.4	34	1	1	4	7	10	14	29
13-19 YRS	109	4.6	45	< 1	< 1	3	5	8	11	43
B. Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	3	21.0	327	2	4	69	99 +	99 +	99 +	99 +
1-5 YRS	50	8.3	81	1	1	5	15	20	29	99 +
6-12 YRS	80	6.3	50	1	1	3	8	16	21	36
13-19 YRS	114	6.3	60	1	1	4	9	15	17	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	318	3.4	6	< 1	1	3	5	7	8	13
B. Operated	271	2.7	7	1	1	2	3	5	9	14
2. MULTIPLE DX										
A. Not Operated	459	5.4	37	< 1	1	4	7	11	15	35
B. Operated	248	6.9	65	1	1	4	9	17	24	99 +
1. SINGLE DX	589	3.1	7	1	1	2	4	6	9	13
2. MULTIPLE DX	707	5.9	47	< 1	1	4	8	14	19	49
A. Not Operated	777	4.6	25	< 1	1	3	6	9	13	25
B. Operated	519	4.7	39	1	1	2	5	12	17	49
TOTAL										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	31	9.2	83	< 1	1	7	14	44	99 +	99 +
1-5 YRS	468	4.7	26	< 1	1	3	6	10	15	28
6-12 YRS	414	4.6	26	1	1	3	5	9	14	25
13-19 YRS	382	4.3	35	< 1	1	2	5	10	12	34
GRAND TOTAL	**1296**	**4.6**	**31**	**< 1**	**1**	**3**	**5**	**10**	**15**	**36**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	21	3.9	6	1	1	3	4	7	10	11
6-12 YRS	47	3.7	7	1	1	3	5	7	10	12
13-19 YRS	10	4.2	6	< 1	1	4	5	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	6	4.2	11	1	1	3	6	10	10	10
13-19 YRS	5	3.2	9	1	1	1	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	51	5.5	18	1	2	5	7	10	11	28
6-12 YRS	95	5.0	19	1	2	4	6	9	12	26
13-19 YRS	38	4.2	3	1	2	4	5	7	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	7.7	105	1	1	3	9	25	33	33
6-12 YRS	12	9.4	58	2	2	6	15	20	25	26
13-19 YRS	17	9.4	75	2	2	6	12	22	30	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.8	6	1	1	3	5	7	10	12
B. Operated	13	3.5	9	1	1	2	6	8	10	10
2. MULTIPLE DX										
A. Not Operated	184	5.0	16	1	2	4	6	8	11	24
B. Operated	38	9.0	73	2	2	6	13	22	30	34
1. SINGLE DX	91	3.8	7	1	1	3	5	7	10	12
2. MULTIPLE DX	222	5.7	27	1	2	5	6	11	14	33
A. Not Operated	262	4.7	13	1	2	4	6	8	10	16
B. Operated	51	7.6	62	1	1	5	11	17	26	34
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	83	5.2	24	1	2	4	6	10	12	31
6-12 YRS	160	5.0	20	1	1	4	6	10	13	25
13-19 YRS	70	5.4	26	1	2	4	6	8	14	32
GRAND TOTAL	**313**	**5.1**	**22**	**1**	**2**	**4**	**6**	**10**	**12**	**30**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	2.0	2	1	1	2	3	4	4	4
1-5 YRS	4	2.8	8	< 1	< 1	1	4	7	7	7
6-12 YRS	7	1.9	1	< 1	< 1	1	3	4	4	4
13-19 YRS	7	12.0	657	< 1	< 1	2	5	57	70	70
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	9.9	90	1	1	9	13	25	30	30
6-12 YRS	28	13.2	229	1	2	7	16	28	52	66
13-19 YRS	57	8.2	46	1	2	6	13	18	20	28
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	8.5	1	8	8	8	9	9	9	9
1-11 MOS	10	5.7	43	1	1	4	7	15	23	23
1-5 YRS	33	4.5	21	< 1	1	4	6	9	18	20
6-12 YRS	45	3.9	17	< 1	1	2	4	10	14	17
13-19 YRS	65	3.9	14	< 1	1	2	5	9	14	17
B. Operated										
0-27 DYS	0									
1-11 MOS	18	17.5	144	5	6	16	29	72	99 +	99 +
1-5 YRS	74	17.6	239	2	4	14	22	48	66	99 +
6-12 YRS	136	15.7	175	1	2	13	21	37	44	56
13-19 YRS	231	11.2	84	1	2	9	16	23	30	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	5.1	203	< 1	< 1	2	3	6	29	70
B. Operated	93	9.8	107	1	2	7	14	21	28	59
2. MULTIPLE DX										
A. Not Operated	155	4.2	18	< 1	1	3	5	10	14	20
B. Operated	459	13.8	145	2	2	11	19	32	43	95
1. SINGLE DX	116	8.9	128	1	1	5	13	20	27	67
2. MULTIPLE DX	614	11.4	130	1	1	8	16	28	38	64
A. Not Operated	178	4.3	41	< 1	1	2	5	9	14	22
B. Operated	552	13.2	140	1	2	10	18	30	42	68
TOTAL										
0-27 DYS	2	8.5	1	8	8	8	9	9	9	9
1-11 MOS	33	11.6	134	1	1	8	17	42	86	99 +
1-5 YRS	119	12.9	197	1	1	8	19	38	55	99 +
6-12 YRS	216	12.4	168	1	1	7	17	31	42	56
13-19 YRS	360	9.5	82	1	1	7	14	21	27	41
GRAND TOTAL	**730**	**11.0**	**130**	**1**	**1**	**7**	**16**	**26**	**37**	**66**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	6	4.0	20	< 1	< 1	3	3	12	13	13
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	3.0	3	1	1	3	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	7.0	50	2	2	7	12	12	12	12
6-12 YRS	2	10.0	162	1	1	10	19	19	19	19
13-19 YRS	3	4.3	9	1	1	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	15.0	128	7	7	15	23	23	23	23
1-11 MOS	9	7.4	17	2	2	9	11	12	13	13
1-5 YRS	8	7.8	25	2	3	6	12	15	16	16
6-12 YRS	10	7.6	40	1	1	7	9	17	22	22
13-19 YRS	21	5.0	25	1	1	4	7	12	16	21
B. Operated										
0-27 DYS	2	10.5	5	9	9	10	12	12	12	12
1-11 MOS	8	16.1	214	3	3	12	20	41	48	48
1-5 YRS	13	17.9	244	3	5	14	23	34	57	62
6-12 YRS	16	16.6	94	5	6	14	21	32	37	39
13-19 YRS	26	17.8	384	3	3	12	22	37	62	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.2	10	< 1	1	2	3	7	12	13
B. Operated	7	6.7	45	1	1	5	11	18	19	19
2. MULTIPLE DX										
A. Not Operated	50	6.8	31	1	1	5	10	13	21	23
B. Operated	65	17.1	243	3	4	13	22	33	49	87
1. SINGLE DX	20	4.4	24	< 1	1	3	5	12	16	19
2. MULTIPLE DX	115	12.6	176	1	2	9	16	25	37	72
A. Not Operated	63	6.1	29	1	1	4	9	13	18	23
B. Operated	72	16.1	232	2	3	12	21	32	47	85
TOTAL										
0-27 DYS	4	12.8	51	7	7	10	17	23	23	23
1-11 MOS	19	10.5	117	2	2	9	13	21	37	48
1-5 YRS	29	11.5	153	1	2	8	14	24	29	62
6-12 YRS	29	12.5	92	1	1	10	19	24	33	39
13-19 YRS	54	11.0	235	1	1	6	13	24	37	90
GRAND TOTAL	**135**	**11.4**	**162**	**1**	**1**	**8**	**14**	**23**	**33**	**66**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	21	4.3	6	1	2	4	6	8	9	10
1-5 YRS	131	3.8	3	2	2	4	5	6	7	9
6-12 YRS	153	3.7	2	1	2	3	5	6	6	8
13-19 YRS	405	3.5	3	1	2	3	5	6	6	9
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	4	6.8	6	5	5	6	8	10	10	10
6-12 YRS	10	5.0	2	3	3	5	6	7	8	8
13-19 YRS	16	4.9	7	1	2	4	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	6.8	8	3	3	6	9	11	12	12
1-11 MOS	90	5.3	8	2	2	5	7	9	11	14
1-5 YRS	321	4.3	5	2	2	4	5	7	8	12
6-12 YRS	368	4.0	4	2	2	4	5	7	8	10
13-19 YRS	976	4.2	5	2	2	4	5	7	8	12
B. Operated										
0-27 DYS	6	10.0	16	4	4	10	13	15	15	15
1-11 MOS	20	10.2	67	3	4	10	10	11	27	43
1-5 YRS	30	8.4	20	3	4	8	10	13	16	25
6-12 YRS	33	7.1	35	3	3	5	8	12	19	33
13-19 YRS	71	6.4	9	3	3	6	8	11	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	712	3.6	3	1	2	3	5	6	7	9
B. Operated	33	5.1	5	2	3	5	6	8	10	10
2. MULTIPLE DX										
A. Not Operated	1767	4.2	5	2	2	4	5	7	8	12
B. Operated	160	7.5	25	3	3	7	10	12	14	32
1. SINGLE DX	745	3.7	3	1	2	3	5	6	7	9
2. MULTIPLE DX	1927	4.5	7	2	2	4	5	7	9	13
A. Not Operated	2479	4.1	4	2	2	4	5	7	8	11
B. Operated	193	7.1	23	3	3	6	9	11	14	30
TOTAL										
0-27 DYS	21	7.5	12	3	3	7	10	12	14	15
1-11 MOS	133	5.9	19	2	2	5	7	10	11	20
1-5 YRS	486	4.4	6	2	2	4	5	7	9	13
6-12 YRS	564	4.1	6	2	2	4	5	7	8	11
13-19 YRS	1468	4.1	5	2	2	4	5	7	8	12
GRAND TOTAL	**2672**	**4.3**	**6**	**2**	**2**	**4**	**5**	**7**	**9**	**12**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	6.3	30	2	2	4	10	14	14	14
1-11 MOS	34	3.7	3	2	2	3	4	6	8	8
1-5 YRS	155	3.6	3	1	2	3	4	5	7	11
6-12 YRS	153	3.5	3	1	2	3	4	5	7	9
13-19 YRS	327	3.3	2	1	2	3	4	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	11	5.6	12	< 1	< 1	5	9	10	11	11
6-12 YRS	16	6.2	7	3	4	5	7	11	12	12
13-19 YRS	22	5.6	11	1	2	6	8	9	12	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	6.5	4	5	5	6	7	10	10	10
1-11 MOS	94	4.8	8	2	2	4	6	8	11	15
1-5 YRS	274	4.3	5	2	2	4	5	7	9	13
6-12 YRS	207	4.6	11	1	2	4	6	8	11	19
13-19 YRS	585	4.1	4	1	2	4	5	7	8	11
B. Operated										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	11	7.5	9	4	4	7	10	11	11	11
1-5 YRS	51	7.8	25	3	3	7	10	15	20	24
6-12 YRS	41	6.2	7	3	4	6	7	10	12	15
13-19 YRS	75	6.7	26	2	3	5	8	12	16	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	673	3.4	3	1	2	3	4	5	7	9
B. Operated	51	5.8	9	< 1	2	5	8	10	11	14
2. MULTIPLE DX										
A. Not Operated	1166	4.3	6	2	2	4	5	7	9	13
B. Operated	180	7.0	20	3	3	6	8	12	16	34
1. SINGLE DX	724	3.6	4	1	2	3	4	6	7	10
2. MULTIPLE DX	1346	4.7	9	2	2	4	6	8	10	16
A. Not Operated	1839	4.0	5	1	2	4	5	7	8	12
B. Operated	231	6.7	18	2	3	6	8	12	15	27
TOTAL										
0-27 DYS	12	6.5	10	2	3	6	8	11	14	14
1-11 MOS	141	4.7	8	2	2	4	6	8	11	15
1-5 YRS	491	4.5	8	2	2	4	5	7	10	17
6-12 YRS	417	4.4	8	1	2	4	5	7	10	15
13-19 YRS	1009	4.1	6	1	2	4	5	7	8	13
GRAND TOTAL	**2070**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.0	1	< 1	< 1	2	3	3	3	3
1-5 YRS	5	3.4	2	2	2	3	5	5	5	5
6-12 YRS	14	1.6	1	< 1	1	1	2	3	4	4
13-19 YRS	110	1.8	1	< 1	< 1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
	2	3.0	[illegible]	3	3	3	3	3	3	3
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	12	8.0	119	2	2	4	6	27	36	38
13-19 YRS	35	3.7	10	1	1	3	4	7	8	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	5.5	16	2	2	5	9	9	9	9
1-5 YRS	8	2.4	1	< 1	< 1	2	3	4	4	4
6-12 YRS	15	2.1	2	< 1	1	2	3	5	6	6
13-19 YRS	93	2.5	4	< 1	1	2	3	5	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS	8	5.1	3	3	3	5	6	8	8	8
6-12 YRS	9	9.3	174	1	1	5	10	31	43	43
13-19 YRS	65	8.4	53	2	2	7	10	20	24	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	1.9	1	< 1	< 1	2	2	3	4	6
B. Operated	51	4.6	37	1	1	3	5	7	18	38
2. MULTIPLE DX										
A. Not Operated	120	2.5	4	< 1	1	2	3	5	7	10
B. Operated	84	8.2	59	2	2	6	9	18	24	41
1. SINGLE DX	184	2.6	13	< 1	1	2	3	5	6	21
2. MULTIPLE DX	204	4.8	34	1	1	3	6	10	16	31
A. Not Operated	253	2.2	3	< 1	1	2	3	4	5	9
B. Operated	135	6.8	53	1	2	4	8	15	23	39
TOTAL										
0-27 DYS	0									
1-11 MOS	12	3.9	9	< 1	1	3	6	9	9	9
1-5 YRS	23	3.5	3	1	1	3	5	6	7	8
6-12 YRS	50	4.7	67	1	1	2	4	8	22	43
13-19 YRS	303	3.7	21	< 1	1	2	4	8	11	25
GRAND TOTAL	**388**	**3.8**	**25**	**< 1**	**1**	**2**	**4**	**8**	**11**	**27**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	8	1.4		< 1	< 1	1	2	2	2	2
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	29	1.9	1	< 1	< 1	2	2	4	4	4
13-19 YRS	362	1.8	1	< 1	1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	2.6	3	< 1	< 1	2	4	5	5	5
6-12 YRS	23	3.2	3	< 1	1	3	4	5	6	6
13-19 YRS	218	3.0	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	5	3.2	2	2	2	3	4	5	5	5
6-12 YRS	19	2.1	1	< 1	< 1	2	3	4	4	4
13-19 YRS	167	2.2	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	21.0	1038	1	1	7	39	69	69	69
1-5 YRS	5	7.8	25	2	2	6	12	14	14	14
6-12 YRS	11	6.1	29	< 1	1	3	9	15	16	16
13-19 YRS	123	4.5	11	1	1	3	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	403	1.8	1	< 1	1	2	2	3	4	5
B. Operated	250	3.0	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	194	2.2	2	1	1	2	3	4	5	7
B. Operated	144	5.3	41	1	1	4	7	9	14	22
1. SINGLE DX	653	2.3	2	< 1	1	2	3	4	6	8
2. MULTIPLE DX	338	3.5	21	1	1	2	4	7	9	16
A. Not Operated	597	1.9	1	< 1	1	2	2	3	4	6
B. Operated	394	3.9	18	1	1	3	5	7	9	15
TOTAL										
0-27 DYS	2	5.0	32	< 1	< 1	4	9	9	9	9
1-11 MOS	16	6.6	283	< 1	1	2	4	9	51	69
1-5 YRS	21	4.0	12	< 1	1	3	5	8	13	14
6-12 YRS	82	2.9	7	< 1	1	2	4	5	7	16
13-19 YRS	870	2.6	4	1	1	2	3	5	7	10
GRAND TOTAL	**991**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	6	3.5	13	< 1	< 1	2	7	9	9	9
1-5 YRS	23	2.4	4	< 1	1	2	3	5	7	8
6-12 YRS	12	2.5	1	1	1	2	3	4	4	[illegible]
13-19 YRS	26	2.5	3	< 1	1	2	3	4	5	10
B. Operated										
0-27 DYS	6	3.3	5	1	1	3	5	7	7	7
1-11 MOS	94	5.3	9	1	1	5	8	9	10	15
1-5 YRS	415	5.3	7	1	2	5	7	9	10	13
6-12 YRS	394	5.4	7	1	2	5	7	9	10	14
13-19 YRS	132	5.2	7	1	1	5	7	8	10	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	5.1	14	< 1	< 1	4	7	10	13	13
1-11 MOS	56	5.3	26	1	1	4	7	11	18	26
1-5 YRS	94	3.3	11	< 1	< 1	2	4	7	10	18
6-12 YRS	56	3.2	12	< 1	< 1	2	4	6	8	22
13-19 YRS	38	3.0	12	1	1	2	3	4	6	22
B. Operated										
0-27 DYS	7	9.1	37	2	2	8	11	19	21	21
1-11 MOS	146	6.7	30	1	2	6	9	12	16	31
1-5 YRS	470	6.2	18	1	2	6	8	10	12	21
6-12 YRS	381	6.8	33	1	2	6	8	11	14	23
13-19 YRS	201	6.5	21	1	1	6	9	12	16	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.6	4	1	1	2	3	5	7	10
B. Operated	1041	5.3	7	1	2	5	7	9	10	13
2. MULTIPLE DX										
A. Not Operated	254	3.7	15	< 1	1	3	4	7	11	22
B. Operated	1205	6.5	25	1	2	6	8	11	14	22
1. SINGLE DX	1110	5.1	7	1	2	5	7	9	10	13
2. MULTIPLE DX	1459	6.0	24	1	1	5	8	10	13	22
A. Not Operated	323	3.5	13	< 1	1	2	4	7	10	20
B. Operated	2246	5.9	17	1	2	5	7	10	12	19
TOTAL										
0-27 DYS	25	5.6	22	< 1	1	4	8	11	15	21
1-11 MOS	302	5.9	23	1	1	5	8	10	14	23
1-5 YRS	1002	5.5	13	1	1	5	7	9	11	18
6-12 YRS	843	5.8	20	1	2	5	7	10	12	18
13-19 YRS	397	5.5	16	1	1	5	7	10	13	20
GRAND TOTAL	**2569**	**5.6**	**17**	**1**	**1**	**5**	**7**	**10**	**12**	**19**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	18	2.4	8	< 1	1	2	3	4	10	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	6	2.2	3	1	1	1	4	5	5	5
13-19 YRS	7	3.1	6	< 1	< 1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.5	4	1	1	2	4	5	5	5
13-19 YRS	17	2.4	2	1	1	2	3	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	6	3.3	5	1	1	3	6	6	6	6
6-12 YRS	16	3.0	5	< 1	1	2	4	7	7	7
13-19 YRS	20	9.2	167	1	2	7	10	15	38	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.3	7	< 1	1	1	3	4	9	13
B. Operated	16	2.4	4	< 1	1	1	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	22	2.4	2	1	1	2	3	4	5	6
B. Operated	43	6.1	88	1	1	4	7	12	15	61
1. SINGLE DX	36	2.3	6	< 1	1	1	3	5	7	13
2. MULTIPLE DX	65	4.9	62	1	1	3	6	8	13	54
A. Not Operated	42	2.3	4	1	1	2	3	4	6	13
B. Operated	59	5.1	68	1	1	3	7	10	14	57
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	10	2.4	4	1	1	1	4	6	6	6
6-12 YRS	27	2.7	4	< 1	1	2	4	6	7	7
13-19 YRS	62	4.7	65	1	1	2	5	9	14	55
GRAND TOTAL	**101**	**4.0**	**43**	**1**	**1**	**2**	**5**	**7**	**12**	**38**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	18	3.1	9	< 1	< 1	2	3	5	10	14
6-12 YRS	18	2.2	2	< 1	< 1	2	3	4	5	5
13-19 YRS	26	2.0	2	< 1	1	2	3	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	10	2.6	3	< 1	< 1	2	4	5	6	6
6-12 YRS	10	3.4	3	< 1	1	3	4	6	7	7
13-19 YRS	18	2.8	3	< 1	< 1	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	12	3.8	5	1	1	3	5	6	9	9
1-5 YRS	37	3.4	4	1	2	3	4	6	7	8
6-12 YRS	40	3.1	3	1	1	3	4	6	7	8
13-19 YRS	80	3.3	5	1	1	3	4	6	7	12
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	4.3	6	3	3	3	6	8	8	8
1-5 YRS	19	3.9	27	< 1	< 1	2	4	7	17	24
6-12 YRS	23	4.0	13	< 1	1	3	5	11	13	13
13-19 YRS	46	4.8	21	< 1	1	3	6	10	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	2.4	4	< 1	1	2	3	4	5	13
B. Operated	39	2.9	3	< 1	< 1	3	4	6	6	7
2. MULTIPLE DX										
A. Not Operated	171	3.3	4	1	1	3	4	6	7	11
B. Operated	93	4.4	19	< 1	1	3	5	10	13	24
1. SINGLE DX	102	2.6	3	< 1	< 1	2	3	5	6	10
2. MULTIPLE DX	264	3.7	10	1	1	3	4	7	9	17
A. Not Operated	234	3.0	4	1	1	3	4	6	7	12
B. Operated	132	3.9	15	< 1	1	3	5	7	12	24
TOTAL										
0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	18	3.8	4	1	2	3	5	7	9	9
1-5 YRS	84	3.3	10	< 1	1	2	4	6	7	21
6-12 YRS	91	3.2	5	< 1	1	3	4	6	7	13
13-19 YRS	170	3.4	9	< 1	1	3	4	6	8	16
GRAND TOTAL	**366**	**3.4**	**8**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	1	1	1	1	1
1-5 YRS	95	1.2		< 1	< 1	< 1	1	2	3	5
6-12 YRS	88	1.5	2	< 1	< 1	1	1	3	4	7
13-19 YRS	61	2.1	4	< 1	< 1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	1.8	2	< 1	< 1	1	3	4	4	4
13-19 YRS	4	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	8	5.6	63	1	1	3	5	19	25	25
1-5 YRS	88	2.1	6	< 1	< 1	1	2	4	7	15
6-12 YRS	76	1.9	7	< 1	< 1	1	2	4	6	17
13-19 YRS	84	3.5	18	< 1	1	2	4	6	9	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	247	1.5	2	< 1	< 1	1	1	3	4	8
2. MULTIPLE DX										
A. Not Operated	12	1.5	1	< 1	< 1	1	2	3	4	4
B. Operated	256	2.6	13	< 1	< 1	1	3	5	8	24
1. SINGLE DX	249	1.5	2	< 1	< 1	1	1	3	4	8
2. MULTIPLE DX	268	2.6	12	< 1	< 1	1	3	5	7	23
A. Not Operated	14	1.7	2	< 1	< 1	1	2	4	5	5
B. Operated	503	2.1	8	< 1	< 1	1	2	4	6	18
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	12	4.1	46	< 1	< 1	2	4	11	23	25
1-5 YRS	187	1.6	3	< 1	< 1	1	1	3	4	10
6-12 YRS	168	1.7	4	< 1	< 1	1	1	3	5	10
13-19 YRS	149	2.9	12	< 1	1	2	3	6	8	24
GRAND TOTAL	**517**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	49	4.4	5	1	2	4	5	7	9	11
1-11 MOS	225	3.6	4	1	2	3	5	6	8	10
1-5 YRS	245	2.8	4	< 1	1	2	4	5	6	9
6-12 YRS	205	2.5	3	1	1	2	3	4	5	9
13-19 YRS	213	2.6	3	1	1	2	3	5	6	8
B. Operated										
0-27 DYS	6	3.8	5	1	1	5	5	6	6	6
1-11 MOS	24	4.8	10	1	2	4	5	10	12	13
1-5 YRS	115	2.2	3	< 1	< 1	2	3	5	6	9
6-12 YRS	121	2.1	3	< 1	< 1	1	2	4	6	8
13-19 YRS	86	2.3	4	< 1	< 1	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	196	5.6	9	2	3	5	7	10	11	15
1-11 MOS	994	4.4	7	2	2	4	5	8	10	13
1-5 YRS	1007	3.9	9	1	2	3	5	7	9	14
6-12 YRS	595	3.6	7	1	1	3	4	6	8	14
13-19 YRS	724	3.8	17	1	1	3	4	7	8	15
B. Operated										
0-27 DYS	43	8.5	15	5	5	8	11	12	15	24
1-11 MOS	138	7.7	51	2	3	6	8	14	19	44
1-5 YRS	257	4.9	37	< 1	1	3	6	10	14	26
6-12 YRS	205	4.7	48	< 1	< 1	3	6	8	10	36
13-19 YRS	218	5.7	36	1	1	4	7	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	937	3.0	4	1	1	3	4	5	7	10
B. Operated	352	2.4	4	< 1	< 1	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	3516	4.0	10	1	2	3	5	7	9	14
B. Operated	861	5.7	42	< 1	1	4	7	11	15	32
1. SINGLE DX	1289	2.8	4	< 1	1	2	4	5	7	10
2. MULTIPLE DX	4377	4.4	17	1	1	3	5	8	10	18
A. Not Operated	4453	3.8	9	1	1	3	5	7	9	13
B. Operated	1213	4.7	33	< 1	1	3	6	10	13	27
TOTAL										
0-27 DYS	294	5.8	10	2	3	5	7	10	11	15
1-11 MOS	1381	4.6	12	2	2	4	5	8	10	16
1-5 YRS	1624	3.8	13	1	1	3	4	7	9	16
6-12 YRS	1126	3.4	14	< 1	1	3	4	6	8	15
13-19 YRS	1241	3.8	18	1	1	3	4	7	10	19
GRAND TOTAL	**5666**	**4.0**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	7	4.9	2	3	3	5	6	7	7	7
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	2	9.5	1	9	9	9	10	10	10	10
1-11 MOS	10	4.4	3	2	2	4	5	7	7	7
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	2	10.0	72	4	4	10	16	16	16	16
13-19 YRS	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	4.9	2	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	16	6.4	14	2	2	5	8	11	14	16
1. SINGLE DX	7	4.9	2	3	3	5	6	7	7	7
2. MULTIPLE DX	16	6.4	14	2	2	5	8	11	[illegible]	16
A. Not Operated	0									
B. Operated	23	5.9	11	2	3	5	7	10	13	16
TOTAL										
0-27 DYS	2	9.5	1	9	9	9	10	10	10	10
1-11 MOS	17	4.6	3	2	2	5	6	7	7	7
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	2	10.0	72	4	4	10	16	16	16	16
13-19 YRS	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**23**	**5.9**	**11**	**2**	**3**	**5**	**7**	**10**	**13**	**16**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	3.4	7	1	1	3	4	7	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	2.8	3	1	1	2	4	5	6	7
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	7	3.9	12	< 1	< 1	3	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.4	7	1	1	3	4	7	10	10
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	21	2.8	3	1	1	2	4	5	6	7
B. Operated	9	3.2	11	< 1	< 1	1	5	9	10	10
1. SINGLE DX	11	3.3	7	1	1	2	4	7	10	10
2. MULTIPLE DX	30	2.9	5	< 1	< 1	2	4	6	7	10
A. Not Operated	31	3.0	4	1	1	2	4	5	7	10
B. Operated	10	3.1	10	< 1	< 1	2	4	8	10	10
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	39	3.1	5	< 1	1	2	4	6	9	10
GRAND TOTAL	**41**	**3.0**	**5**	**< 1**	**1**	**2**	**4**	**6**	**8**	**10**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	1.0		< 1	< 1	1	1	1	1	1
1-5 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	57	1.3	1	< 1	< 1	1	1	2	3	4
1-5 YRS	121	1.2		< 1	< 1	1	1	2	2	4
6-12 YRS	40	1.2		< 1	< 1	1	1	2	2	3
13-19 YRS	94	1.4		< 1	< 1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	2.3	4	< 1	< 1	1	3	6	7	7
1-5 YRS	6	1.8	1	< 1	< 1	1	2	4	4	4
6-12 YRS	3	1.3		< 1	< 1	1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	2	2.0	2	< 1	< 1	1	3	3	3	3
1-11 MOS	93	1.6	2	< 1	1	1	2	3	4	9
1-5 YRS	117	1.3		< 1	< 1	1	1	2	3	4
6-12 YRS	42	1.3		< 1	< 1	1	1	2	3	4
13-19 YRS	46	1.9	2	< 1	1	1	3	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.0		< 1	< 1	1	1	1	1	1
B. Operated	312	1.3		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	19	1.9	2	< 1	< 1	1	2	4	6	7
B. Operated	300	1.5	1	< 1	< 1	1	2	3	4	5
1. SINGLE DX	319	1.3		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	319	1.5	1	< 1	< 1	1	2	3	4	6
A. Not Operated	26	1.7	2	< 1	< 1	1	2	3	5	7
B. Operated	612	1.4	1	< 1	< 1	1	1	2	3	4
TOTAL										
0-27 DYS	3	1.7	1	< 1	< 1	1	2	3	3	3
1-11 MOS	163	1.5	2	< 1	< 1	1	2	3	4	7
1-5 YRS	246	1.3		< 1	< 1	1	1	2	3	4
6-12 YRS	85	1.2		< 1	< 1	1	1	2	3	4
13-19 YRS	141	1.5	1	< 1	< 1	1	2	3	4	5
GRAND TOTAL	**638**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	4.0	7	1	1	5	6	6	6	6
1-5 YRS	5	2.4	1	1	1	2	3	4	4	4
6-12 YRS	44	2.9	2	1	1	3	4	5	6	7
13-19 YRS	161	3.7	5	1	1	3	5	7	8	10
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.0	1	1	1	2	2	4	4	4
1-5 YRS	10	2.1	3	< 1	< 1	2	2	5	7	7
6-12 YRS	25	1.9	2	< 1	1	1	2	3	5	6
13-19 YRS	57	2.6	3	< 1	1	2	4	6	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	5.3	4	4	4	5	6	8	8	8
1-5 YRS	5	3.2	5	1	1	3	5	6	6	6
6-12 YRS	19	3.0	4	< 1	1	3	4	6	8	8
13-19 YRS	75	4.6	8	1	2	4	6	8	10	15
B. Operated										
0-27 DYS	2	6.5	61	1	1	6	12	12	12	12
1-11 MOS	10	3.0	2	< 1	1	3	4	5	5	5
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	20	3.3	9	< 1	< 1	2	5	8	9	10
13-19 YRS	31	4.5	21	1	1	3	5	8	12	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	213	3.5	5	1	1	3	5	7	8	10
B. Operated	99	2.3	3	< 1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	103	4.3	7	1	1	4	5	8	9	14
B. Operated	65	4.0	15	< 1	1	3	5	9	11	23
1. SINGLE DX	312	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX	168	4.1	10	1	1	3	5	8	10	15
A. Not Operated	316	3.8	6	1	1	3	5	7	8	12
B. Operated	164	3.0	8	< 1	1	2	4	6	8	12
TOTAL										
0-27 DYS	3	4.7	40	1	1	1	9	12	12	12
1-11 MOS	23	3.3	3	< 1	1	3	5	5	7	8
1-5 YRS	22	2.7	5	< 1	1	2	3	6	8	9
6-12 YRS	108	2.7	4	1	1	2	4	5	7	9
13-19 YRS	324	3.8	7	1	1	3	5	7	9	13
GRAND TOTAL	**480**	**3.5**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**12**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	12	2.0	2	<1	<1	1	3	4	5	5
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	64	1.1		<1	<1	<1	1	1	2	2
1-5 YRS	251	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	102	1.0		<1	<1	<1	1	1	1	2
13-19 YRS	31	1.2		<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.4	4	<1	<1	<1	4	5	5	5
1-5 YRS	21	1.5	1	<1	<1	1	2	3	4	5
6-12 YRS	5	1.8	2	<1	<1	1	2	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	29	1.4	1	<1	<1	1	1	2	5	6
1-5 YRS	73	1.4		<1	<1	1	2	2	3	5
6-12 YRS	24	1.4	1	<1	<1	1	2	2	3	4
13-19 YRS	12	1.6		1	1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.7	2	<1	<1	1	2	4	5	5
B. Operated	448	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	32	1.7	2	<1	<1	1	2	4	5	5
B. Operated	138	1.4	1	<1	<1	1	2	2	3	5
1. SINGLE DX	467	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX	170	1.5	1	<1	<1	1	2	2	3	5
A. Not Operated	51	1.7	1	<1	<1	1	2	4	5	5
B. Operated	586	1.2		<1	<1	<1	1	2	2	4
TOTAL										
0-27 DYS	4	1.3		<1	<1	<1	1	2	2	2
1-11 MOS	100	1.2	1	<1	<1	<1	1	2	2	6
1-5 YRS	357	1.2		<1	<1	<1	1	2	2	5
6-12 YRS	133	1.1		<1	<1	<1	1	1	2	4
13-19 YRS	43	1.3		<1	<1	1	1	2	3	4
GRAND TOTAL	**637**	**1.2**		**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	2.3	1	1	1	2	3	4	4	4
1-11 MOS	4	2.0		2	2	2	2	2	2	2
1-5 YRS	26	2.4	1	<1	1	2	3	4	5	6
6-12 YRS	44	1.7	1	<1	1	1	2	3	4	5
13-19 YRS	32	1.7	1	<1	<1	1	2	3	4	5
B. Operated										
0-27 DYS	10	1.9	1	1	1	2	2	3	4	4
1-11 MOS	34	1.6	1	<1	<1	1	2	3	5	6
1-5 YRS	119	1.3		<1	<1	1	1	2	2	5
6-12 YRS	504	1.2		<1	<1	1	1	2	2	3
13-19 YRS	821	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	4.0	2	1	2	4	5	6	6	6
1-11 MOS	11	2.8	2	1	1	3	4	5	5	5
1-5 YRS	38	3.2	7	<1	<1	3	4	7	8	14
6-12 YRS	27	2.4	3	<1	1	2	3	5	6	8
13-19 YRS	25	3.0	7	<1	1	2	4	7	9	12
B. Operated										
0-27 DYS	21	2.0	3	1	1	1	2	4	6	9
1-11 MOS	36	1.9	3	<1	1	1	2	4	6	8
1-5 YRS	92	2.4	10	<1	<1	1	2	5	8	19
6-12 YRS	181	1.6	2	<1	1	1	2	3	3	5
13-19 YRS	304	2.6	16	1	1	1	3	4	8	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	1.9	1	<1	<1	2	2	3	4	6
B. Operated	1488	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	110	3.0	5	<1	1	2	4	6	8	13
B. Operated	634	2.2	10	<1	1	1	2	4	6	14
1. SINGLE DX	1600	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	744	2.3	9	<1	1	1	2	4	7	14
A. Not Operated	222	2.5	3	<1	1	2	3	5	6	9
B. Operated	2122	1.6	4	<1	1	1	2	3	4	8
TOTAL										
0-27 DYS	46	2.4	3	1	1	2	3	4	5	9
1-11 MOS	85	1.9	2	<1	1	1	2	4	5	7
1-5 YRS	275	2.0	5	<1	<1	1	2	4	6	14
6-12 YRS	756	1.4	1	<1	1	1	2	2	3	5
13-19 YRS	1182	1.8	5	<1	1	1	2	3	4	9
GRAND TOTAL	**2344**	**1.7**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	0									
13-19 YRS	31	1.9	1	< 1	< 1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	16	1.6	1	< 1	< 1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	33	1.8	1	< 1	< 1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	19	1.9	3	< 1	< 1	1	2	3	6	8
1. SINGLE DX	33	1.8	1	< 1	< 1	2	2	4	4	6
2. MULTIPLE DX	20	2.0	3	< 1	< 1	1	3	4	6	8
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	52	1.9	2	< 1	< 1	1	2	3	4	8
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	48	1.8	1	< 1	< 1	1	2	4	4	6
GRAND TOTAL	**53**	**1.9**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**4**	**6**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	3.5	3	< 1	1	4	4	6	7	7
1-11 MOS	10	3.5	7	1	1	3	5	8	9	9
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	3.2	5	1	1	3	5	6	6	6
13-19 YRS	30	3.7	4	1	1	3	5	6	8	9
B. Operated										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.7	12	1	1	5	7	8	8	8
1-5 YRS	3	2.0	3		1	1	3	4	4	4
6-12 YRS	26	1.9	2	< 1	< 1	1	3	3	5	7
13-19 YRS	787	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	3.1	2	2	2	3	3	5	6	6
1-11 MOS	4	3.5		3	3	3	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	17	2.5	4	< 1	< 1	2	3	6	7	8
B. Operated										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	9	1.6	1	1	1	1	2	3	3	3
13-19 YRS	259	2.4	3	1	1	2	3	4	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	3.5	4	1	1	3	5	7	8	9
B. Operated	821	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	31	3.1	5	< 1	< 1	3	4	6	8	10
B. Operated	272	2.5	4	1	1	2	3	4	5	13
1. SINGLE DX	880	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	303	2.5	4	1	1	2	3	4	5	12
A. Not Operated	90	3.4	4	1	1	3	5	6	8	10
B. Operated	1093	2.2	2	1	1	2	3	4	4	7
TOTAL										
0-27 DYS	23	3.9	12	< 1	1	3	4	6	11	18
1-11 MOS	19	3.7	5	1	1	3	5	8	9	9
1-5 YRS	6	3.2	7	1	1	3	5	7	7	7
6-12 YRS	42	2.2	4	< 1	1	2	3	4	6	10
13-19 YRS	1093	2.2	2	1	1	2	3	4	4	7
GRAND TOTAL	**1183**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	46	2.0	1	1	1	2	2	3	4	5
13-19 YRS	746	1.9	1	1	1	2	2	3	4	6
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.5	4	1	1	4	5	5	5	5
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	31	3.5	3	1	2	3	5	6	7	7
13-19 YRS	818	3.4	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		< 1	< 1	1	2	2	2	2
1-5 YRS	0									
6-12 YRS	28	2.4	2	1	1	2	3	5	5	5
13-19 YRS	475	2.4	2	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	3	11.0	93	4	4	7	18	22	22	22
1-5 YRS	4	4.0	1	3	3	4	5	5	5	5
6-12 YRS	37	3.6	2	2	2	3	4	6	6	7
13-19 YRS	933	3.9	6	1	1	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	792	1.9	1	1	1	2	2	3	4	6
B. Operated	856	3.4	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	506	2.4	2	1	1	2	3	4	5	8
B. Operated	979	3.9	6	1	1	4	5	6	7	12
1. SINGLE DX	1648	2.7	3	1	1	2	4	5	6	7
2. MULTIPLE DX	1485	3.4	5	1	1	3	4	6	7	10
A. Not Operated	1298	2.1	2	1	1	2	3	4	4	7
B. Operated	1835	3.7	5	1	1	3	5	6	7	10
TOTAL										
0-27 DYS	3	4.0	3	3	3	3	5	6	6	6
1-11 MOS	10	5.1	39	< 1	< 1	3	5	14	22	22
1-5 YRS	6	3.3	1	2	2	3	4	5	5	5
6-12 YRS	142	2.8	2	1	1	3	4	5	6	7
13-19 YRS	2972	3.0	4	1	1	3	4	5	6	9
GRAND TOTAL	**3133**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.0		4	4	4	4	4	4	4
1-5 YRS	3	8.3	26	4	4	7	12	14	14	14
6-12 YRS	11	4.8	19	1	1	3	6	13	13	13
13-19 YRS	1895	3.8	4	1	2	3	5	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	5	8.6	46	3	3	7	12	20	20	20
13-19 YRS	286	4.7	9	1	2	4	6	8	9	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	6.3	9	3	3	7	8	9	9	9
1-5 YRS	3	6.0	4	4	4	6	7	8	8	8
6-12 YRS	7	4.0	3	2	2	3	5	7	7	7
13-19 YRS	1640	4.5	7	1	2	4	6	8	10	14
B. Operated										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	3	5.3	6	3	3	5	7	8	8	8
1-5 YRS	4	5.5	14	3	3	4	8	11	11	11
6-12 YRS	15	6.0	7	3	4	5	8	10	11	11
13-19 YRS	712	5.7	14	1	2	5	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1913	3.8	4	1	2	3	5	6	7	12
B. Operated	293	4.8	10	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	1653	4.5	7	1	2	4	6	8	10	14
B. Operated	736	5.7	14	2	2	5	7	10	12	21
1. SINGLE DX	2206	3.9	5	1	2	4	5	6	8	13
2. MULTIPLE DX	2389	4.9	10	1	2	4	6	8	10	16
A. Not Operated	3566	4.1	6	1	2	4	5	7	9	14
B. Operated	1029	5.4	13	1	2	5	7	9	11	20
TOTAL										
0-27 DYS	3	4.3	2	3	3	4	5	6	6	6
1-11 MOS	10	5.4	5	3	3	5	7	8	9	9
1-5 YRS	11	7.0	15	3	3	6	10	13	14	14
6-12 YRS	38	5.6	15	2	2	4	7	11	13	20
13-19 YRS	4533	4.4	8	1	2	4	5	7	9	14
GRAND TOTAL	**4595**	**4.4**	**8**	**1**	**2**	**4**	**5**	**8**	**9**	**14**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	2.7	5	1	1	2	4	5	8	9
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	59	2.6	3	< 1	< 1	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	3.3	5	< 1	1	3	4	7	8	8
B. Operated										
0-27 DYS	5	3.8	2	2	2	4	5	5	5	5
1-11 MOS	4	6.[illegible]	12	4	4	6	9	11	11	11
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	154	3.8	7	< 1	1	3	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.8	4	1	1	2	4	4	8	9
B. Operated	60	2.6	3	< 1	< 1	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	15	3.3	5	< 1	1	3	4	7	8	8
B. Operated	166	3.9	7	< 1	1	4	5	7	9	13
1. SINGLE DX	75	2.6	3	< 1	< 1	2	4	5	6	9
2. MULTIPLE DX	181	3.8	7	< 1	1	4	5	7	8	13
A. Not Operated	30	3.1	5	1	1	3	4	6	8	9
B. Operated	226	3.5	6	< 1	< 1	3	5	7	8	12
TOTAL										
0-27 DYS	6	3.7	1	2	2	4	5	5	5	5
1-11 MOS	5	6.2	10	4	4	4	9	11	11	11
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	242	3.4	6	< 1	< 1	3	5	7	8	12
GRAND TOTAL	**256**	**3.5**	**6**	**< 1**	**1**	**3**	**5**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	6	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	2.3	1	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	2.4	2	< 1	< 1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.5	5	3	3	4	6	6	6	6
B. Operated	7	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	12	2.3	1	1	1	2	3	4	4	4
B. Operated	18	2.6	2	< 1	< 1	2	4	4	5	6
1. SINGLE DX	9	2.6	2	1	1	2	3	5	[illegible]	[illegible]
2. MULTIPLE DX	30	2.5	2	< 1	< 1	2	4	4	[illegible]	[illegible]
A. Not Operated	14	2.6	2	1	1	2	4	4	[illegible]	[illegible]
B. Operated	25	2.4	2	< 1	< 1	2	3	4	[illegible]	[illegible]
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	36	2.4	2	< 1	1	2	3	4	5	6
GRAND TOTAL	**39**	**2.5**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**	**6**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	4.0	27	<1	<1	<1	8	10	10	10
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	70	3.0	3	1	1	3	4	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	2.3	2	1	1	2	3	4	4	4
6-12 YRS	5	3.2	5	2	2	2	4	7	7	7
13-19 YRS	62	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	8	5.0	14	1	1	4	7	11	12	12
1-5 YRS	26	3.6	6	1	1	3	5	7	9	10
6-12 YRS	13	4.5	12	1	1	3	6	10	12	12
13-19 YRS	117	3.9	5	1	2	3	5	7	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	13.5	1	13	13	13	14	14	14	14
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	68	3.4	5	1	1	3	5	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	3.1	4	<1	1	2	4	5	8	10
B. Operated	71	2.3	3	<1	<1	2	3	4	7	9
2. MULTIPLE DX										
A. Not Operated	167	3.9	6	1	1	3	5	7	10	12
B. Operated	74	3.7	8	1	1	3	5	7	9	14
1. SINGLE DX	148	2.7	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	241	3.8	6	1	1	3	5	7	9	12
A. Not Operated	244	3.7	5	1	1	3	4	7	9	11
B. Operated	145	3.0	6	<1	1	2	4	7	8	13
TOTAL										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	10	5.3	12	1	1	4	8	10	12	12
1-5 YRS	35	4.1	-12	<1	1	3	5	10	12	14
6-12 YRS	24	3.8	8	1	1	3	5	8	11	12
13-19 YRS	317	3.3	5	1	1	3	4	6	8	10
GRAND TOTAL	**389**	**3.4**	**6**	**1**	**1**	**3**	**4**	**7**	**9**	**12**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	8	11.1	166	4	4	6	11	34	42	42
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	11	4.0	6	1	1	4	6	7	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	3.3	3	<1	<1	4	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	22	6.7	70	1	2	5	6	10	25	42
1. SINGLE DX	7	3.3	3	<1	<1	4	4	6	6	6
2. MULTIPLE DX	23	6.5	68	1	2	5	6	10	24	42
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	29	5.9	56	1	1	4	6	9	15	42
TOTAL										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	9	10.0	157	<1	1	5	9	31	42	42
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	14	4.0	5	1	1	4	5	7	8	9
GRAND TOTAL	**30**	**5.7**	**54**	**1**	**1**	**4**	**6**	**8**	**14**	**42**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	2.7	4	1	1	2	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	4	2.5	2	< 1	< 1	2	3	4	4	4
B. Operated	7	2.9	3	1	1	3	5	5	5	5
1. SINGLE DX	6	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX	11	2.7	3	< 1	< 1	3	4	5	5	5
A. Not Operated	7	2.4	2	< 1	< 1	2	4	4	4	4
B. Operated	10	2.3	3	1	1	1	4	5	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	15	2.2	2	< 1	1	1	4	5	5	5
GRAND TOTAL	**17**	**2.4**	**2**	**< 1**	**1**	**2**	**4**	**5**	**5**	**5**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	2.2	2	1	1	2	3	4	5	5
13-19 YRS	84	2.0	2	< 1	1	2	2	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	1.6		< 1	< 1	2	2	2	2	2
13-19 YRS	87	1.6	1	< 1	< 1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	18	2.6	2	1	1	3	3	5	5	5
13-19 YRS	172	2.3	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	2.4		2	2	2	3	3	3	3
13-19 YRS	151	2.4	3	< 1	1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.0	2	< 1	1	2	3	4	5	7
B. Operated	94	1.6	1	< 1	< 1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	190	2.3	2	1	1	2	3	4	5	7
B. Operated	161	2.4	3	< 1	1	2	3	5	6	10
1. SINGLE DX	187	1.8	1	< 1	< 1	1	2	3	5	6
2. MULTIPLE DX	351	2.4	2	< 1	1	2	3	4	5	8
A. Not Operated	283	2.2	2	1	1	2	3	4	5	7
B. Operated	255	2.1	3	< 1	< 1	2	3	4	5	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	44	2.3	1	< 1	1	2	3	4	5	5
13-19 YRS	494	2.2	2	< 1	1	2	3	4	5	8
GRAND TOTAL	**538**	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**	**8**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. Not Operated	0									
B. Operated	2	1.5	1	1	1	1	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	5	2.8	7	< 1	< 1	1	5	7	7	7
6-12 YRS	9	1.7	1	< 1	< 1	1	2	4	4	4
13-19 YRS	43	2.1	2	< 1	< 1	2	3	4	6	7
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	2.5	3	< 1	< 1	2	4	4	4	4
1-5 YRS	8	3.4	9	< 1	< 1	2	6	8	8	8
6-12 YRS	24	3.7	3	1	2	4	5	6	7	8
13-19 YRS	137	3.0	4	< 1	< 1	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	2.3	3	< 1	< 1	2	3	5	6	6
6-12 YRS	4	2.0	2	< 1	< 1	1	3	4	4	4
13-19 YRS	53	2.4	4	< 1	1	2	3	5	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	6	4.0	10	2	2	3	5	9	10	10
1-5 YRS	10	3.3	5	< 1	< 1	3	5	6	6	6
6-12 YRS	36	4.6	3	2	3	4	5	7	9	10
13-19 YRS	185	3.8	6	1	1	4	5	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.1	2	< 1	< 1	1	3	4	6	7
B. Operated	174	3.1	4	< 1	< 1	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	66	2.3	4	< 1	< 1	2	3	5	6	10
B. Operated	237	3.9	6	1	1	4	5	6	8	13
1. SINGLE DX	233	2.9	4	< 1	< 1	3	4	5	7	9
2. MULTIPLE DX	303	3.6	6	< 1	1	3	5	6	8	12
A. Not Operated	125	2.2	3	< 1	< 1	2	3	5	6	8
B. Operated	411	3.6	5	< 1	1	3	5	6	8	11
TOTAL										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	12	3.0	7	< 1	< 1	2	4	6	9	10
1-5 YRS	30	3.0	6	< 1	< 1	2	5	7	8	8
6-12 YRS	73	3.8	4	< 1	1	4	5	6	8	10
13-19 YRS	418	3.2	5	< 1	1	3	4	6	7	11
GRAND TOTAL	**536**	**3.2**	**5**	**< 1**	**< 1**	**3**	**4**	**6**	**7**	**10**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	17	1.4		1	1	1	2	2	3	3
13-19 YRS	261	1.8	1	<1	1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	134	2.5	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	15	2.6	2	1	1	2	3	5	5	5
13-19 YRS	217	2.4	9	<1	1	2	3	4	5	18
B. Operated										
0-27 DYS	0									
1-11 MOS	3	4.7		4	4	5	5	5	5	5
1-5 YRS	3	3.3	6	1	1	3	5	6	6	6
6-12 YRS	6	2.0	2	<1	<1	2	3	4	4	4
13-19 YRS	164	3.3	5	<1	<1	3	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	1.8	1	<1	1	1	2	3	4	6
B. Operated	138	2.5	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	234	2.4	8	<1	1	2	3	4	5	16
B. Operated	176	3.3	5	<1	<1	3	5	6	7	11
1. SINGLE DX	418	2.0	3	<1	<1	1	3	4	5	8
2. MULTIPLE DX	410	2.8	7	<1	1	2	4	5	6	12
A. Not Operated	514	2.1	4	<1	1	2	2	3	4	7
B. Operated	314	2.9	6	<1	<1	2	4	5	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	8	3.1	3	1	1	3	4	5	5	5
1-5 YRS	5	2.6	4	<1	<1	2	4	6	6	6
6-12 YRS	39	2.0	1	1	1	2	3	4	5	5
13-19 YRS	776	2.4	5	<1	1	2	3	5	6	10
GRAND TOTAL	**828**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**5**	**5**	**9**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	17	1.6	1	<1	<1	1	2	2	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	417	3.7	2	2	2	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	2.1	1	<1	<1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	383	4.2	2	2	3	4	5	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.6	1	<1	<1	1	2	2	5	6
B. Operated	417	3.7	2	2	2	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	18	2.1	1	<1	<1	2	3	4	4	4
B. Operated	383	4.2	2	2	3	4	5	6	7	9
1. SINGLE DX	434	3.6	2	1	2	4	4	5	6	7
2. MULTIPLE DX	401	4.1	2	1	2	4	5	6	7	9
A. Not Operated	35	1.9	1	<1	<1	1	2	4	4	6
B. Operated	800	3.9	2	2	2	4	5	6	6	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	835	3.9	2	1	2	4	5	6	6	8
GRAND TOTAL	**835**	**3.9**	**2**	**1**	**2**	**4**	**5**	**6**	**6**	**8**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	41	1.4	1	< 1	< 1	1	2	2	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	1.2		< 1	< 1	< 1	1	2	2	2
13-19 YRS	506	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	36	2.1	3	< 1	< 1	2	2	4	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.5	4	< 1	< 1	2	4	5	5	5
13-19 YRS	721	1.4	3	< 1	< 1	< 1	< 1	2	3	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	1.4	1	< 1	< 1	1	2	2	3	4
B. Operated	511	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	36	2.1	3	< 1	< 1	2	2	4	6	10
B. Operated	725	1.4	3	< 1	< 1	< 1	< 1	2	3	10
1. SINGLE DX	552	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	761	1.4	3	< 1	< 1	< 1	< 1	2	4	10
A. Not Operated	77	1.8	2	< 1	< 1	1	2	3	4	9
B. Operated	1236	1.4	2	< 1	< 1	< 1	1	2	3	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	1.8	2	< 1	< 1	< 1	2	4	5	5
13-19 YRS	1304	1.4	2	< 1	< 1	< 1	1	2	3	8
GRAND TOTAL	**1313**	**1.4**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**	**8**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. Not Operated	0									
B. Operated	3	2.7	2	1	1	3	4	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.7	2	1	1	3	4	4	4	4
GRAND TOTAL	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	413	1.4	1	<1	<1	1	2	2	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3	2	<1	<1	2	3	4	4	4
13-19 YRS	2446	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	117	2.1	3		1	2	3	4	5	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	550	1.9	3	<1	<1	1	2	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	413	1.4	1	<1	<1	1	2	2	3	4
B. Operated	2449	1.3	1	<1	<1	1		2	3	4
2. MULTIPLE DX										
A. Not Operated	118	2.1	3	<1	1	2		4	5	11
B. Operated	551	1.9	3	<1	<1	1	2	4	5	8
1. SINGLE DX	2862	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	669	2.0	3	<1	<1	1	2	4	5	8
A. Not Operated	531	1.5	1	<1	<1	1	2	3	3	5
B. Operated	3000	1.4	1	<1	<1	1	1	2	3	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.2	2	<1	<1	2			4	4
13-19 YRS	3526	1.4	1	<1	<1	1			3	5
GRAND TOTAL	**3531**	**1.4**	**1**	**<1**	**<1**	**1**			**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	161	2.4	3	<1	1	2	3	4	5	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	357	1.6	4	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	83	3.4	10	1	1	3	4	6	8	20
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	193	2.5	5	<1	1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	2.4	3	<1	1	2	3	4	5	11
B. Operated	357	1.6	4	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	83	3.4	10	1	1	3	4	6	8	20
B. Operated	194	2.5	5	<1	1	2	3	5	6	11
1. SINGLE DX	518	1.9	4	<1	<1	1	2	4	4	9
2. MULTIPLE DX	277	2.8	6	<1	1	2	3	5	7	12
A. Not Operated	244	2.7	6	<1	1	2	4	5	6	11
B. Operated	551	1.9	5	<1	<1	1	2	4	5	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	794	2.2	5	<1	<1	1	3	4	5	11
GRAND TOTAL	**795**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	302	1.7	1	< 1	< 1	1	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	23	1.6	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	109	2.2	2	< 1	< 1	2	3	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	2.2	1	< 1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	302	1.7	1	< 1	< 1	1	2	3	3	5
B. Operated	23	1.6	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	109	2.2	2	< 1	< 1	2	3	4	5	8
B. Operated	14	2.2	1	< 1	1	2	3	4	5	5
1. SINGLE DX	325	1.7	1	< 1	< 1	1	2	3	3	5
2. MULTIPLE DX	123	2.2	2	< 1	< 1	2	3	4	5	7
A. Not Operated	411	1.8	1	< 1	< 1	1	2	3	4	6
B. Operated	37	1.8	1	< 1	< 1	2	2	3	4	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	448	1.8	1	< 1	< 1	1	2	3	4	6
GRAND TOTAL	**448**	**1.8**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	25	1.3		< 1	1	1	2	2	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	1.6	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.5	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	1.3		< 1	1	1	2	2	3	3
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	16	1.6	1	< 1	< 1	1	2	3	3	3
B. Operated	4	1.5	1	1	1	1	2	3	3	3
1. SINGLE DX	27	1.3		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX	20	1.6	1	< 1	< 1	1	2	3	3	3
A. Not Operated	41	1.4		< 1	< 1	1	2	3	3	3
B. Operated	6	1.3	1	< 1	< 1	1	1	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	47	1.4		< 1	< 1	1	2	3	3	3
GRAND TOTAL	**47**	**1.4**		**<1**	**<1**	**1**	**2**	**3**	**3**	**3**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	620	2.7	4	< 1	1	2	3	5	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	52	3.5	20	< 1	< 1	2	4	7	13	27
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	207	2.8	4	< 1	1	2	3	5	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	79	3.0	7	< 1	< 1	2	4	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	621	2.7	4	< 1	1	2	3	5	6	11
B. Operated	52	3.5	20	< 1	< 1	2	4	7	13	27
2. MULTIPLE DX										
A. Not Operated	208	2.8	4	< 1	1	2	3	5	7	11
B. Operated	79	3.0	7	< 1	< 1	2	4	7	8	13
1. SINGLE DX	673	2.8	5	< 1	1	2	3	5	6	13
2. MULTIPLE DX	287	2.9	5	< 1	< 1	2	4	6	7	11
A. Not Operated	829	2.7	4	< 1	1	2	3	5	6	11
B. Operated	131	3.2	12	< 1	< 1	2	4	7	10	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	958	2.8	5	< 1	1	2	3	5	7	11
GRAND TOTAL	**960**	**2.8**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**	**11**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	834	2.9	3	1	1	3	3	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	4.4	19	< 1	< 1	2	7	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	555	3.1	7	1	1	2	4	5	7	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	4.7	15	1	1	4	6	9	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	834	2.9	3	1	1	3	3	5	6	10
B. Operated	8	4.4	19	< 1	< 1	2	7	11	12	12
2. MULTIPLE DX										
A. Not Operated	557	3.1	7	1	1	2	4	5	7	13
B. Operated	13	4.7	15	1	1	4	6	9	14	15
1. SINGLE DX	842	2.9	4	1	1	3	3	5	6	11
2. MULTIPLE DX	570	3.2	7	1	1	2	4	5	7	14
A. Not Operated	1391	3.0	5	1	1	3	4	5	7	11
B. Operated	21	4.6	15	< 1	1	3	6	11	13	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	1410	3.0	5	1	1	3	4	5	7	12
GRAND TOTAL	**1412**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2184	1.1	1	<1	<1	<1	1	1	2	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	393	1.1		<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	304	1.5	2	<1	<1	1	1	2	3	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	62	1.5	1	<1	<1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2186	1.1	1	<1	<1	<1	1	1	2	3
B. Operated	393	1.1		<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated	305	1.5	2	<1	<1	1	1	2	3	8
B. Operated	62	1.5	1	<1	<1	1	2	3	4	7
1. SINGLE DX	2579	1.1	1	<1	<1	<1	1	1	2	3
2. MULTIPLE DX	367	1.5	1	<1	<1	1	2	2	3	7
A. Not Operated	2491	1.1	1	<1	<1	<1	1	1	2	4
B. Operated	455	1.2	1	<1	<1	<1	1	1	2	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	1.3		<1	<1	<1	2	2	2	2
13-19 YRS	2943	1.2	1	<1	<1	<1	1	1	2	4
GRAND TOTAL	**2946**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	71	2.6	7	<1	<1	2	3	4	7	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	3.2	8	<1	<1	2	4	7	10	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	40	3.1	13	<1	<1	2	4	5	6	23
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	16.5	185	3	3	14	26	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	2.6	7	<1	<1	2	3	4	7	18
B. Operated	12	3.2	8	<1	<1	2	4	7	10	11
2. MULTIPLE DX										
A. Not Operated	40	3.1	13	<1	<1	2	4	5	6	23
B. Operated	4	16.5	185	3	3	14	26	35	35	35
1. SINGLE DX	83	2.7	7	<1	<1	2	3	4	7	18
2. MULTIPLE DX	44	4.3	40	<1	<1	3	4	7	19	35
A. Not Operated	111	2.8	9	<1	<1	2	3	5	7	22
B. Operated	16	6.5	78	<1	<1	3	8	16	30	35
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	127	3.2	19	<1	<1	2	3	5	9	26
GRAND TOTAL	**127**	**3.2**	**19**	**<1**	**<1**	**2**	**3**	**5**	**9**	**26**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	255	1.8	2	< 1	< 1	1	2	3	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	22	1.3		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	143	2.6	7	< 1	< 1	2	3	6	8	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	22	3.3	24	< 1	1	2	3	6	14	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	255	1.8	2	< 1	< 1	1	2	3	5	8
B. Operated	22	1.3		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	143	2.6	7	< 1	< 1	2	3	6	8	14
B. Operated	22	3.3	24	< 1	1	2	3	6	14	24
1. SINGLE DX	277	1.8	2	< 1	< 1	1	2	3	5	8
2. MULTIPLE DX	165	2.7	9	< 1	< 1	2	3	6	8	17
A. Not Operated	398	2.1	4	< 1	< 1	1	2	4	6	11
B. Operated	44	2.3	13	< 1	< 1	1	2	4	6	24
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	442	2.1	5	< 1	< 1	1	2	4	6	12
GRAND TOTAL	**442**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	441	3.0	3	< 1	1	3	4	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	38	2.1	3	< 1	< 1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1466	3.2	3	< 1	1	3	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	80	4.2	12	< 1	1	3	5	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	441	3.0	3	< 1	1	3	4	5	6	7
B. Operated	39	2.1	3	< 1	< 1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated	1466	3.2	3	< 1	1	3	4	5	6	9
B. Operated	80	4.2	12	< 1	1	3	5	9	11	16
1. SINGLE DX	480	2.9	3	< 1	< 1	3	4	5	6	7
2. MULTIPLE DX	1546	3.3	4	< 1	1	3	4	6	7	10
A. Not Operated	1907	3.2	3	< 1	1	3	4	5	6	9
B. Operated	119	3.5	10	< 1	< 1	3	5	8	10	16
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2025	3.2	4	< 1	1	3	4	5	6	10
GRAND TOTAL	**2026**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	189	2.9	4	<1	<1	2	4	6	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	2.4	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1233	2.9	11	<1	<1	2	3	6	8	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	174	3.6	12	<1	<1	3	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	2.9	4	<1	<1	2	4	6	8	9
B. Operated	21	2.4	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	1234	2.9	11	<1	<1	2	3	6	8	14
B. Operated	175	3.5	12	<1	<1	3	4	7	10	18
1. SINGLE DX	210	2.9	4	<1	<1	2	4	6	8	9
2. MULTIPLE DX	1409	3.0	11	<1	<1	2	4	6	8	14
A. Not Operated	1423	2.9	10	<1	<1	2	3	6	8	13
B. Operated	196	3.4	11	<1	<1	3	4	7	10	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1617	3.0	10	<1	<1	2	4	6	8	14
GRAND TOTAL	**1619**	**3.0**	**10**	**<1**	**<1**	**2**	**4**	**6**	**8**	**14**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	13	<1	<1	3	6	6	6	6
13-19 YRS	2731	2.0	8	<1	<1	1	2	4	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	809	2.3	7	<1	<1	1	3	4	6	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1609	2.9	11	<1	<1	2	3	6	8	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	558	3.2	17	<1	<1	2	4	7	10	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2733	2.0	8	<1	<1	1	2	4	5	10
B. Operated	809	2.3	7	<1	<1	1	3	4	6	15
2. MULTIPLE DX										
A. Not Operated	1610	2.9	11	<1	<1	2	3	6	8	18
B. Operated	558	3.2	17	<1	<1	2	4	7	10	24
1. SINGLE DX	3542	2.0	8	<1	<1	1	2	4	5	11
2. MULTIPLE DX	2168	3.0	12	<1	<1	2	3	6	8	20
A. Not Operated	4343	2.3	9	<1	<1	1	3	4	6	14
B. Operated	1367	2.7	11	<1	<1	1	3	5	8	20
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.7	6	<1	<1	4	5	6	6	6
13-19 YRS	5707	2.4	10	<1	<1	1	3	5	6	15
GRAND TOTAL	**5710**	**2.4**	**10**	**<1**	**<1**	**1**	**3**	**5**	**6**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	305	2.3	1	1	1	2	3	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	170	2.9	4	1	1	3	3	4	5	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	632	2.5	2	1	1	2	3	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	852	3.9	19	1	2	3	4	6	8	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	305	2.3	1	1	1	2	3	3	4	4
B. Operated	170	2.9	4	1	1	3	3	4	5	13
2. MULTIPLE DX										
A. Not Operated	632	2.5	2	1	1	2	3	3	4	6
B. Operated	853	3.9	19	1	2	3	4	6	8	24
1. SINGLE DX	475	2.5	2	1	1	2	3	4	4	5
2. MULTIPLE DX	1485	3.3	13	1	1	3	4	5	7	19
A. Not Operated	937	2.4	2	1	1	2	3	3	4	5
B. Operated	1023	3.7	17	1	2	3	4	6	7	21
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1959	3.1	10	1	1	3	3	5	6	16
GRAND TOTAL	**1960**	**3.1**	**10**	**1**	**1**	**3**	**3**	**5**	**6**	**16**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.2	1	1	1	2	3	3	3	3
13-19 YRS	14517	2.1	1	1	1	2	3	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	4939	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	601	2.4	1	1	1	2	3	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	381	2.4	1	1	1	2	3	3	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14522	2.1	1	1	1	2	3	3	3	4
B. Operated	4942	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	601	2.4	1	1	1	2	3	3	4	6
B. Operated	381	2.4	1	1	1	2	3	3	4	4
1. SINGLE DX	19464	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	982	2.4	1	1	1	2	3	3	4	5
A. Not Operated	15123	2.2	1	1	1	2	3	3	3	4
B. Operated	5323	2.2	1	1	1	2	3	3	3	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	2.1	1	1	1	2	3	3	3	3
13-19 YRS	20438	2.2	1	1	1	2	3	3	3	4
GRAND TOTAL	**20446**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	19	7.1	114	1	2	4	5	14	33	49
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	2.6	3	1	1	2	3	5	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	62	8.9	161	2	3	5	7	17	42	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated	19	7.1	114	1	2	4	5	14	33	49
2. MULTIPLE DX										
A. Not Operated	16	2.6	3	1	1	2	3	5	7	8
B. Operated	62	8.9	161	2	3	5	7	17	42	63
1. SINGLE DX	26	5.7	88	1	1	3	5	12	21	49
2. MULTIPLE DX	78	7.6	135	1	2	4	6	14	32	62
A. Not Operated	23	2.4	2	< 1	1	2	3	4	6	8
B. Operated	81	8.5	149	2	2	5	7	15	41	62
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	104	7.1	123	1	2	4	6	13	30	60
GRAND TOTAL	**104**	**7.1**	**123**	**1**	**2**	**4**	**6**	**13**	**30**	**60**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	56	2.0	1	1	1	2	2	3	3	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	81	3.5	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	91	2.2	2	< 1	1	2	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	279	4.1	6	1	2	4	5	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.0	1	1	1	2	2	3	3	6
B. Operated	81	3.5	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	91	2.2	2	< 1	1	2	3	4	5	9
B. Operated	279	4.1	6	1	2	4	5	6	8	15
1. SINGLE DX	137	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX	370	3.7	6	1	1	3	5	6	8	14
A. Not Operated	147	2.1	2	< 1	1	2	2	3	4	8
B. Operated	360	4.0	5	1	2	4	5	6	7	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	507	3.4	5	1	1	3	4	5	7	12
GRAND TOTAL	**507**	**3.4**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	140	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	2.4	1	1	1	2	3	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	140	2.5	2	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated	140	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	13	2.4	1	1	1	2	3	4	5	5
B. Operated	140	2.5	2	1	1	2	3	4	5	7
1. SINGLE DX	151	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	153	2.5	1	1	1	2	3	4	5	7
A. Not Operated	24	2.2	1	< 1	1	2	3	3	4	5
B. Operated	280	2.3	1	1	1	2	3	4	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	304	2.3	1	1	1	2	3	4	4	6
GRAND TOTAL	**304**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	91	2.1	1	1	1	2	3	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	62	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	69	2.5	1	1	1	3	3	4	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	91	2.6	2	< 1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	2.1	1	1	1	2	3	3	4	5
B. Operated	62	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	69	2.5	1	1	1	3	3	4	4	7
B. Operated	92	2.6	2	< 1	1	2	3	4	5	10
1. SINGLE DX	153	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	161	2.6	2	1	1	2	3	4	5	9
A. Not Operated	160	2.3	1	1	1	2	3	3	4	5
B. Operated	154	2.5	2	1	1	2	3	4	5	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	313	2.4	1	1	1	2	3	4	4	7
GRAND TOTAL	**314**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	2.6	1	1	2	3	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	19	3.7	6	1	1	3	4	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	43	3.1	3	1	1	3	4	5	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	170	4.5	7	2	2	4	5	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.6	1	1	2	3	3	4	4	4
B. Operated	19	3.7	6	1	1	3	4	8	10	10
2. MULTIPLE DX										
A. Not Operated	43	3.1	3	1	1	3	4	5	7	8
B. Operated	170	4.5	7	2	2	4	5	7	10	18
1. SINGLE DX	40	3.2	4	1	1	3	4	5	8	10
2. MULTIPLE DX	213	4.2	7	1	2	4	5	7	8	17
A. Not Operated	64	2.9	2	1	1	3	4	5	6	8
B. Operated	189	4.5	7	2	2	4	5	7	10	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	253	4.1	6	1	2	4	5	7	8	16
GRAND TOTAL	**253**	**4.1**	**6**	**1**	**2**	**4**	**5**	**7**	**8**	**16**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	24	2.1	1	1	1	2	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	615	4.0	1	3	3	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	26	2.2	2	< 1	1	2	3	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	740	4.7	5	2	3	4	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.1	1	1	1	2	2	3	4	6
B. Operated	615	4.0	1	3	3	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	26	2.2	2	< 1	1	2	3	4	5	6
B. Operated	741	4.7	5	2	3	4	5	7	8	14
1. SINGLE DX	639	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX	767	4.6	5	2	3	4	5	7	8	14
A. Not Operated	50	2.1	1	1	1	2	3	4	4	6
B. Operated	1356	4.4	3	2	3	4	5	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1405	4.3	4	2	3	4	5	6	7	11
GRAND TOTAL	**1406**	**4.3**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	149	2.2	1	1	1	2	3	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	294	3.1	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	117	2.4	1	1	1	2	3	4	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1232	3.9	4	1	2	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149	2.2	1	1	1	2	3	3	3	4
B. Operated	294	3.1	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	117	2.4	1	1	1	2	3	4	4	6
B. Operated	1232	3.9	4	1	2	4	5	6	7	11
1. SINGLE DX	443	2.8	2	1	1	3	4	5	5	6
2. MULTIPLE DX	1349	3.7	4	1	2	4	5	6	7	10
A. Not Operated	266	2.3	1	1	1	2	3	3	4	6
B. Operated	1526	3.7	4	1	2	4	5	6	7	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1792	3.5	4	1	2	3	4	5	7	10
GRAND TOTAL	**1792**	**3.5**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	2.4	2	1	1	2	3	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	771	4.4	1	3	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	3.5	3	1	1	3	5	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	4.7	2	3	3	5	6	6	6	6
13-19 YRS	2696	4.9	3	3	3	5	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.4	2	1	1	2	3	5	5	5
B. Operated	772	4.4	1	3	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	11	3.5	3	1	1	3	5	6	7	7
B. Operated	2699	4.9	3	3	3	5	5	7	8	12
1. SINGLE DX	779	4.4	1	3	3	4	5	6	6	8
2. MULTIPLE DX	2710	4.9	3	3	3	5	5	7	8	12
A. Not Operated	18	3.1	3	1	1	3	4	5	6	7
B. Operated	3471	4.8	3	3	3	4	5	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	4.5	2	3	3	4	5	6	6	6
13-19 YRS	3485	4.7	3	3	3	4	5	6	7	11
GRAND TOTAL	**3489**	**4.7**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.[illegible]-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	322	2.4	1	1	1	2	3	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	639	3.5	2	1	2	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	260	2.7	2	1	1	3	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1819	4.2	6	2	2	4	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	322	2.4	1	1	1	2	3	3	4	4
B. Operated	639	3.5	2	1	2	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	260	2.7	2	1	1	3	3	4	5	9
B. Operated	1820	4.2	6	2	2	4	5	6	8	13
1. SINGLE DX	961	3.1	2	1	1	3	4	5	6	7
2. MULTIPLE DX	2080	4.0	5	1	2	4	5	6	7	13
A. Not Operated	582	2.5	1	1	1	2	3	4	4	6
B. Operated	2459	4.0	5	1	2	4	5	6	7	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3040	3.7	4	1	2	3	5	6	7	12
GRAND TOTAL	**3041**	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**12**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	33	2.5	1	1	1	3	3	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	153	4.0	2	1	2	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	29	2.4	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	346	4.2	6	2	2	4	5	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.5	1	1	1	3	3	3	4	4
B. Operated	153	4.0	2	1	2	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	29	2.4	2	1	1	2	3	4	5	7
B. Operated	347	4.2	6	2	2	4	5	6	7	9
1. SINGLE DX	186	3.7	2	1	2	4	5	6	6	7
2. MULTIPLE DX	376	4.1	6	1	2	4	5	6	7	9
A. Not Operated	62	2.5	1	1	1	2	3	3	4	7
B. Operated	500	4.2	5	1	2	4	5	6	7	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	561	4.0	5	1	2	4	5	6	7	9
GRAND TOTAL	**562**	**4.0**	**5**	**1**	**2**	**4**	**5**	**6**	**7**	**9**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	23	2.3	1	< 1	1	2	3	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	946	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	17	2.1	1	< 1	1	2	2	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	868	4.3	2	2	3	4	5	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.3	1	< 1	1	2	3	4	5	6
B. Operated	946	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	17	2.1	1	< 1	1	2	2	4	5	5
B. Operated	868	4.3	2	2	3	4	5	6	7	9
1. SINGLE DX	969	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX	885	4.3	2	2	3	4	5	6	7	9
A. Not Operated	40	2.2	1	< 1	1	2	3	4	5	6
B. Operated	1814	4.2	2	2	3	4	5	6	6	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1854	4.1	2	2	3	4	5	6	6	8
GRAND TOTAL	**1854**	**4.1**	**2**	**2**	**3**	**4**	**5**	**6**	**6**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	469	2.7	2	1	2	3	3	4	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	380	2.7	3	1	1	2	3	4	4	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	529	3.2	8	1	2	3	3	5	6	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1390	3.9	6	1	2	3	5	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	469	2.7	2	1	2	3	3	4	4	7
B. Operated	380	2.7	3	1	1	2	3	4	4	10
2. MULTIPLE DX										
A. Not Operated	529	3.2	8	1	2	3	3	5	6	13
B. Operated	1391	3.9	6	1	2	3	5	6	8	14
1. SINGLE DX	849	2.7	2	1	1	2	3	4	4	7
2. MULTIPLE DX	1920	3.7	7	1	2	3	4	6	8	14
A. Not Operated	998	2.9	5	1	2	3	3	4	5	11
B. Operated	1771	3.6	6	1	2	3	4	6	8	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2768	3.4	6	1	2	3	4	5	7	12
GRAND TOTAL	**2769**	**3.4**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1577	2.1	1	1	1	2	3	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	966	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	537	2.2	1	1	1	2	3	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1125	2.5	1	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1578	2.1	1	1	1	2	3	3	3	[illegible]
B. Operated	967	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	537	2.2	1	1	1	2	3	3	4	5
B. Operated	1125	2.5	1	1	1	2	3	4	5	7
1. SINGLE DX	2545	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	1662	2.4	1	1	1	2	3	4	4	6
A. Not Operated	2115	2.1	1	1	1	2	3	3	3	4
B. Operated	2092	2.4	1	1	1	2	3	3	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	4205	2.2	1	1	1	2	3	3	4	5
GRAND TOTAL	**4207**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	396	2.0	1	1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3361	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	255	2.8	24	1	1	2	3	3	4	28
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2123	2.3	2	1	1	2	3	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	396	2.0	1	1	1	2	2	3	3	4
B. Operated	3362	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	255	2.8	24	1	1	2	3	3	4	28
B. Operated	2123	2.3	2	1	1	2	3	3	4	6
1. SINGLE DX	3758	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	2378	2.3	4	1	1	2	3	3	4	6
A. Not Operated	651	2.3	10	1	1	2	3	3	4	5
B. Operated	5485	2.1	1	1	1	2	3	3	4	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6135	2.2	2	1	1	2	3	3	4	5
GRAND TOTAL	**6136**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	127	2.2	1	1	1	2	3	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2529	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	85	2.5	2	1	1	2	3	4	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	1944	2.6	2	1	1	2	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	2.2	1	1	1	2	3	3	4	4
B. Operated	2530	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	85	2.5	2	1	1	2	3	4	5	10
B. Operated	1946	2.6	2	1	1	2	3	4	4	7
1. SINGLE DX	2657	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX	2031	2.6	2	1	1	2	3	4	4	7
A. Not Operated	212	2.3	1	1	1	2	3	3	4	6
B. Operated	4476	2.4	1	1	1	2	3	3	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	4.0	13	1	1	3	7	8	8	8
13-19 YRS	4685	2.4	1	1	1	2	3	3	4	6
GRAND TOTAL	**4688**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	178	2.1	1	1	1	2	3	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	899	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	93	2.5	2	1	1	2	3	3	4	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	822	2.6	5	1	1	2	3	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	178	2.1	1	1	1	2	3	3	3	4
B. Operated	900	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	93	2.5	2	1	1	2	3	3	4	11
B. Operated	822	2.6	5	1	1	2	3	4	4	6
1. SINGLE DX	1078	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX	915	2.6	5	1	1	2	3	4	4	7
A. Not Operated	271	2.2	1	1	1	2	3	3	3	5
B. Operated	1722	2.4	3	1	1	2	3	3	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1992	2.4	3	1	1	2	3	3	4	6
GRAND TOTAL	**1993**	**2.4**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	3133	2.3	2	1	1	2	3	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	3.2	3	1	1	3	5	5	5	5
13-19 YRS	5822	2.8	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2543	2.7	8	1	1	2	3	4	5	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	4.3	11	1	1	3	7	9	11	11
13-19 YRS	11350	3.7	9	1	2	3	5	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3137	2.3	2	1	1	2	3	3	4	7
B. Operated	5828	2.8	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	2543	2.7	8	1	1	2	3	4	5	11
B. Operated	11360	3.7	9	1	2	3	5	6	8	14
1. SINGLE DX	8965	2.6	3	1	1	2	3	4	5	7
2. MULTIPLE DX	13903	3.5	9	1	1	3	4	6	8	14
A. Not Operated	5680	2.5	5	1	1	2	3	4	5	9
B. Operated	17188	3.4	7	1	1	3	4	6	7	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	20	3.5	7	1	1	3	5	7	9	11
13-19 YRS	22848	3.2	7	1	1	3	4	5	7	12
GRAND TOTAL	**22868**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	152	3.4	3	1	2	3	4	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	3.7	7	< 1	< 1	3	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	119	3.6	2	2	2	3	4	6	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	4.5	9	1	1	4	5	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	3.4	3	1	2	3	4	5	6	10
B. Operated	7	3.7	7	< 1	< 1	3	5	8	9	9
2. MULTIPLE DX										
A. Not Operated	119	3.6	2	2	2	3	4	6	7	9
B. Operated	18	4.5	9	1	1	4	5	10	12	12
1. SINGLE DX	159	3.4	3	1	2	3	4	6	7	10
2. MULTIPLE DX	137	3.7	3	1	2	3	4	6	7	11
A. Not Operated	271	3.5	3	2	2	3	4	6	6	9
B. Operated	25	4.3	9	1	1	4	5	9	11	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	296	3.5	3	1	2	3	4	6	7	10
GRAND TOTAL	**296**	**3.5**	**3**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	1.2		< 1	< 1	1	1	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	56	1.3		< 1	< 1	1	2	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	1.8	1	< 1	< 1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	48	1.9	2	< 1	1	2	2	3	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.2		< 1	< 1	1	1	2	2	2
B. Operated	56	1.3		< 1	< 1	1	2	2	2	4
2. MULTIPLE DX										
A. Not Operated	18	1.8	1	< 1	< 1	2	3	3	3	3
B. Operated	48	1.9	2	< 1	1	2	2	3	5	7
1. SINGLE DX	72	1.3		< 1	< 1	1	2	2	2	4
2. MULTIPLE DX	66	1.9	1	< 1	1	2	2	3	4	7
A. Not Operated	34	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	104	1.6	1	< 1	< 1	1	2	3	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	138	1.6	1	< 1	< 1	1	2	3	3	5
GRAND TOTAL	**138**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**	**5**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	49	3.2	5	1	1	3	4	6	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	94	2.6	6	1	1	2	3	4	5	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	58	4.0	10	1	1	3	5	8	9	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	85	3.8	9	1	2	3	5	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.2	5	1	1	3	4	6	8	13
B. Operated	94	2.6	6	1	1	2	3	4	5	16
2. MULTIPLE DX										
A. Not Operated	58	4.0	10	1	1	3	5	8	9	16
B. Operated	85	3.8	9	1	2	3	5	7	10	18
1. SINGLE DX	143	2.8	6	1	1	2	3	5	6	14
2. MULTIPLE DX	143	3.9	10	1	1	3	5	8	10	16
A. Not Operated	107	3.7	8	1	1	3	4	8	9	15
B. Operated	179	3.2	8	1	1	2	3	6	8	18
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	286	3.4	8	1	1	3	4	6	8	16
GRAND TOTAL	**286**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	24	4.1	8	1	2	4	5	7	10	15
1-11 MOS	194	3.5	3	1	2	3	4	5	7	11
1-5 YRS	653	3.2	4	1	2	3	4	5	7	11
6-12 YRS	620	3.6	5	1	2	3	4	6	7	11
13-19 YRS	578	3.6	5	2	2	3	4	6	7	11
B. Operated										
0-27 DYS	7	5.3	10	< 1	1	5	8	9	9	9
1-11 MOS	76	5.1	24	< 1	1	4	7	10	12	31
1-5 YRS	247	3.6	7	< 1	1	3	5	7	8	13
6-12 YRS	196	4.4	13	1	1	3	5	8	10	22
13-19 YRS	224	4.9	13	1	1	4	6	8	12	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	32	5.0	10	2	2	4	7	11	12	12
1-11 MOS	299	4.5	6	2	2	4	5	8	10	13
1-5 YRS	857	4.0	8	1	2	3	5	7	8	14
6-12 YRS	688	4.0	5	2	2	3	5	7	9	12
13-19 YRS	757	4.4	10	2	2	4	5	7	10	16
B. Operated										
0-27 DYS	14	5.6	3	3	3	6	7	8	9	9
1-11 MOS	128	6.6	26	2	2	5	8	13	17	29
1-5 YRS	314	5.2	15	1	2	4	6	9	13	20
6-12 YRS	252	6.5	40	1	2	5	8	13	16	34
13-19 YRS	376	6.6	37	2	2	5	8	13	16	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2069	3.5	4	1	2	3	4	6	7	11
B. Operated	750	4.3	12	1	1	4	6	8	10	19
2. MULTIPLE DX										
A. Not Operated	2633	4.2	8	2	2	3	5	7	9	14
B. Operated	1084	6.2	30	1	2	5	7	12	16	28
1. SINGLE DX	2819	3.7	7	1	2	3	4	7	8	13
2. MULTIPLE DX	3717	4.8	15	2	2	4	6	8	11	20
A. Not Operated	4702	3.9	6	1	2	3	5	7	8	13
B. Operated	1834	5.4	24	1	1	4	7	10	14	24
TOTAL										
0-27 DYS	77	4.9	8	1	2	4	6	9	11	14
1-11 MOS	697	4.7	12	2	2	4	5	8	11	18
1-5 YRS	2071	3.9	8	1	2	3	5	7	8	15
6-12 YRS	1756	4.2	12	1	2	3	5	7	10	16
13-19 YRS	1935	4.7	15	1	2	4	5	8	11	20
GRAND TOTAL	**6535**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	64	3.5	3	1	1	3	5	6	7	9
1-11 MOS	100	3.5	4	1	1	3	4	6	8	9
1-5 YRS	204	3.8	4	1	2	3	5	7	8	12
6-12 YRS	116	3.5	3	1	2	3	4	6	7	9
13-19 YRS	99	3.9	8	1	1	3	5	7	9	17
B. Operated										
0-27 DYS	0									
1-11 MOS	51	3.9	8	< 1	< 1	4	5	7	11	13
1-5 YRS	135	3.8	14	< 1	< 1	3	5	8	10	17
6-12 YRS	97	3.4	10	< 1	< 1	2	4	8	10	17
13-19 YRS	102	3.4	8	< 1	1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	80	4.1	5	2	2	3	5	7	9	11
1-11 MOS	117	4.6	9	1	2	4	6	8	11	19
1-5 YRS	349	4.1	9	1	2	3	5	7	9	12
6-12 YRS	195	3.8	10	1	2	3	4	6	7	16
13-19 YRS	176	4.3	11	1	2	3	5	8	10	19
B. Operated										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	78	5.6	10	2	2	5	7	10	11	19
1-5 YRS	131	5.7	20	1	2	5	7	10	12	29
6-12 YRS	105	4.9	20	1	1	4	6	11	12	24
13-19 YRS	138	5.6	31	< 1	1	4	7	11	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	583	3.7	5	1	1	3	5	7	8	10
B. Operated	385	3.6	11	< 1	< 1	3	5	8	10	14
2. MULTIPLE DX										
A. Not Operated	917	4.1	9	1	2	3	5	7	9	14
B. Operated	454	5.5	22	1	1	4	7	10	12	28
1. SINGLE DX	968	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX	1371	4.6	14	1	2	4	6	8	10	20
A. Not Operated	1500	4.0	7	1	2	3	5	7	8	12
B. Operated	839	4.6	17	< 1	1	4	6	9	11	21
TOTAL										
0-27 DYS	146	3.9	4	1	2	3	5	7	8	11
1-11 MOS	346	4.4	8	1	1	4	6	8	10	13
1-5 YRS	819	4.2	11	1	1	3	5	8	10	14
6-12 YRS	513	3.9	11	1	1	3	5	7	9	15
13-19 YRS	515	4.4	16	1	1	3	5	8	11	21
GRAND TOTAL	**2339**	**4.2**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	10	1.9	1	< 1	< 1	2	2	3	4	4
B. Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	17	2.5	2	1	1	2	3	4	6	7
1-5 YRS	7	2.6	3	1	1	2	4	5	5	5
6-12 YRS	16	1.9	1	< 1	1	2	3	3	4	4
13-19 YRS	1084	2.0	2	< 1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	6.0	12	2	2	8	8	8	8	8
1-5 YRS	3	5.0	7	2	2	6	7	7	7	7
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	12	1.8	2	< 1	< 1	< 1	2	4	5	5
B. Operated										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	4	4.0	6	2	2	4	6	7	7	7
6-12 YRS	4	4.8	7	1	1	5	6	7	7	7
13-19 YRS	168	2.8	5	1	1	2	4	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.9	1	< 1	1	2	3	3	4	4
B. Operated	1126	2.0	2	< 1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	19	3.1	6	< 1	< 1	2	5	7	8	8
B. Operated	181	2.9	5	1	1	2	4	5	7	13
1. SINGLE DX	1140	2.0	2	< 1	1	2	3	4	4	7
2. MULTIPLE DX	200	2.9	5	1	1	2	4	6	7	12
A. Not Operated	33	2.6	4	< 1	< 1	2	3	6	8	8
B. Operated	1307	2.2	3	1	1	2	3	4	5	8
TOTAL										
0-27 DYS	6	3.8	15	1	1	2	5	10	11	11
1-11 MOS	24	2.8	4	1	1	2	3	7	8	8
1-5 YRS	15	3.3	5	1	1	2	5	7	7	7
6-12 YRS	21	2.5	3	< 1	1	2	3	5	6	7
13-19 YRS	1274	2.1	2	< 1	1	2	3	4	5	7
GRAND TOTAL	**1340**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**8**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	18	1.8	3	< 1	< 1	1	2	5	6	6
1-5 YRS	43	1.2		< 1	< 1	< 1	1	2	2	3
6-12 YRS	29	1.6	2	< 1	< 1	1	2	3	4	7
13-19 YRS	37	1.3		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	8	2.3	4	1	1	2	2	6	7	7
6-12 YRS	6	1.5	1	< 1	< 1	1	2	3	3	3
13-19 YRS	18	2.3	14	< 1	< 1	1	2	4	12	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	127	1.4	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	5	3.2	11	< 1	< 1	2	4	9	9	9
B. Operated	33	2.1	9	< 1	< 1	1	2	3	7	17
1. SINGLE DX	129	1.4	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX	38	2.2	9	< 1	< 1	1	2	4	8	17
A. Not Operated	7	3.4	9	< 1	< 1	2	5	8	9	[illegible]
B. Operated	160	1.5	3	< 1	< 1	1	2	2	3	[illegible]
TOTAL										
0-27 DYS	0									
1-11 MOS	22	2.4	5	< 1	< 1	1	2	6	7	9
1-5 YRS	52	1.3	1	< 1	< 1	1	1	2	3	7
6-12 YRS	36	1.6	1	< 1	< 1	1	2	3	4	7
13-19 YRS	57	1.6	5	< 1	< 1	1	2	2	3	16
GRAND TOTAL	**167**	**1.6**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**9**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	15	3.2	4	< 1	1	2	5	6	7	7
1-11 MOS	91	3.1	14	1	1	3	3	5	7	25
1-5 YRS	238	3.1	9	1	1	2	4	6	8	16
6-12 YRS	164	4.9	36	1	1	3	5	13	19	29
13-19 YRS	168	6.2	49	1	1	3	8	17	20	34
B. Operated										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	11	1.5		< 1	< 1	1	2	3	3	3
1-5 YRS	121	3.2	15	< 1	< 1	2	3	8	12	20
6-12 YRS	163	2.8	13	< 1	< 1	1	2	7	10	16
13-19 YRS	245	2.9	22	< 1	< 1	1	3	5	11	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	36	3.4	3	1	2	3	4	5	6	10
1-11 MOS	165	3.9	16	1	1	3	5	6	8	25
1-5 YRS	443	3.6	9	1	1	3	5	7	8	17
6-12 YRS	218	5.1	63	1	1	3	5	10	13	39
13-19 YRS	273	5.7	38	< 1	1	4	7	14	19	32
B. Operated										
0-27 DYS	3	9.0	52	3	3	7	14	17	17	17
1-11 MOS	23	9.8	209	< 1	1	8	10	20	43	68
1-5 YRS	160	6.1	70	< 1	1	2	7	17	25	43
6-12 YRS	223	5.3	78	< 1	1	2	6	12	19	56
13-19 YRS	407	10.7	231	1	1	4	13	32	50	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	676	4.3	27	1	1	3	4	9	16	26
B. Operated	542	2.9	17	< 1	< 1	1	3	6	11	19
2. MULTIPLE DX										
A. Not Operated	1135	4.4	28	1	1	3	5	8	13	24
B. Operated	816	8.3	162	< 1	1	3	9	24	40	73
1. SINGLE DX	1218	3.7	23	< 1	< 1	2	4	8	14	25
2. MULTIPLE DX	1951	6.0	88	1	1	3	6	14	23	58
A. Not Operated	1811	4.4	28	1	1	3	5	9	14	25
B. Operated	1358	6.2	111	< 1	< 1	2	6	16	28	61
TOTAL										
0-27 DYS	56	3.7	7	1	2	3	4	6	7	17
1-11 MOS	290	4.0	32	1	1	3	5	7	10	29
1-5 YRS	962	3.8	21	< 1	1	2	4	7	11	25
6-12 YRS	768	4.6	52	< 1	1	2	5	10	15	41
13-19 YRS	1093	7.0	117	< 1	< 1	3	7	19	29	61
GRAND TOTAL	**3169**	**5.1**	**64**	**< 1**	**1**	**3**	**5**	**11**	**19**	**47**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.8	1	1	1	2	2	3	3	3
6-12 YRS	34	3.2	4	1	1	3	4	7	8	9
13-19 YRS	84	3.7	36	1	1	2	4	8	12	81
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	6.0	7	2	3	6	8	10	10	10
6-12 YRS	14	6.0	132	1	1	3	4	13	38	45
13-19 YRS	26	3.4	10	1	1	2	4	7	10	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	7.9	11	4	4	6	11	12	12	12
6-12 YRS	66	5.1	31	1	1	3	6	13	16	31
13-19 YRS	183	7.0	80	1	1	4	8	16	22	49
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	14.3	233	1	1	11	26	31	31	31
6-12 YRS	28	13.9	303	1	1	7	18	49	74	99 +
13-19 YRS	64	11.1	139	1	2	7	13	27	38	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	3.5	26	1	1	2	4	8	10	61
B. Operated	48	4.6	44	1	1	3	5	9	11	45
2. MULTIPLE DX										
A. Not Operated	257	6.5	66	1	1	4	8	14	20	43
B. Operated	95	12.0	186	1	2	7	14	35	45	88
1. SINGLE DX	171	3.8	31	1	1	2	4	8	10	47
2. MULTIPLE DX	352	8.0	104	1	1	5	10	17	32	57
A. Not Operated	380	5.5	55	1	1	3	6	12	17	46
B. Operated	143	9.5	151	1	1	5	11	26	38	75
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	23	6.7	41	1	1	5	10	11	19	31
6-12 YRS	142	6.5	100	1	1	3	7	13	29	75
13-19 YRS	357	6.7	81	1	1	4	8	16	24	52
GRAND TOTAL	**523**	**6.6**	**84**	**1**	**1**	**4**	**8**	**15**	**25**	**56**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	53	5.2	29	< 1	1	4	5	11	13	34
6-12 YRS	93	5.0	10	1	2	4	7	10	12	15
13-19 YRS	46	5.8	20	1	1	4	8	12	15	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	3.6	2	2	2	3	5	5	6	6
6-12 YRS	11	5.5	38	< 1	1	3	7	15	21	22
13-19 YRS	22	7.6	87	< 1	1	3	9	25	30	32
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	7.0	1	6	6	7	8	8	8	8
1-5 YRS	49	6.5	43	1	1	4	8	14	19	31
6-12 YRS	81	6.6	113	1	2	4	7	12	16	71
13-19 YRS	68	8.3	72	2	2	5	9	21	29	42
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	16	11.3	66	2	2	9	14	20	30	35
6-12 YRS	16	14.3	442	2	4	6	11	60	68	70
13-19 YRS	38	7.6	91	1	1	4	9	21	31	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	5.2	17	1	2	4	7	11	13	18
B. Operated	45	6.0	53	1	1	3	6	16	25	32
2. MULTIPLE DX										
A. Not Operated	202	7.1	80	1	2	4	8	14	22	40
B. Operated	71	9.9	165	1	1	6	11	21	35	69
1. SINGLE DX	238	5.4	24	1	1	4	7	11	14	28
2. MULTIPLE DX	273	7.9	103	1	2	5	9	15	28	60
A. Not Operated	395	6.2	50	1	2	4	8	12	16	35
B. Operated	116	8.4	124	1	1	5	9	20	31	67
TOTAL										
0-27 DYS	0									
1-11 MOS	6	6.3	3	3	3	7	8	8	8	8
1-5 YRS	130	6.3	40	1	2	4	8	13	18	35
6-12 YRS	201	6.4	91	1	2	4	7	11	14	67
13-19 YRS	174	7.4	64	1	1	4	9	17	27	41
GRAND TOTAL	**511**	**6.7**	**68**	**1**	**2**	**4**	**8**	**13**	**20**	**40**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	0									
13-19 YRS	3	7.3	12	4	4	7	10	11	11	11
B. Operated										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	4	9.3	24	3	3	9	12	15	15	15
1-5 YRS	0									
6-12 YRS	3	5.3	16	< 1	< 1	6	8	9	9	9
13-19 YRS	20	2.6	5	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	2	7.0	32	3	3	7	11	11	11	11
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	7	10.0	25	1	2	10	14	16	16	16
1-5 YRS	4	12.0	118	4	4	8	18	28	28	28
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	24	6.0	41	< 1	1	4	8	14	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.2	12	2	2	7	8	11	11	11
B. Operated	29	4.1	14	1	1	3	5	10	11	15
2. MULTIPLE DX										
A. Not Operated	5	4.8	12	3	3	3	6	11	11	11
B. Operated	36	7.3	48	< 1	1	6	10	15	24	29
1. SINGLE DX	34	4.4	14	1	1	3	7	10	11	15
2. MULTIPLE DX	41	7.0	44	< 1	1	4	10	15	21	29
A. Not Operated	10	5.5	11	2	2	4	7	11	11	11
B. Operated	65	5.9	35	< 1	1	4	9	14	15	29
TOTAL										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	12	9.3	23	1	2	9	13	15	16	16
1-5 YRS	6	9.5	88	2	2	7	9	26	28	28
6-12 YRS	6	5.2	18	< 1	< 1	4	9	11	11	11
13-19 YRS	49	4.6	25	1	1	3	6	11	14	29
GRAND TOTAL	**75**	**5.8**	**31**	**1**	**1**	**4**	**9**	**13**	**15**	**29**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	21	6.9	20	1	2	7	8	10	16	23
1-5 YRS	125	6.8	30	1	1	5	9	15	17	24
6-12 YRS	82	5.7	17	1	2	4	8	13	14	16
13-19 YRS	50	5.5	17	1	2	4	7	11	14	23
B. Operated										
0-27 DYS	2	23.0	18	20	20	23	26	26	26	26
1-11 MOS	37	12.6	34	4	6	13	16	20	21	31
1-5 YRS	87	11.2	42	4	4	10	15	21	23	31
6-12 YRS	83	10.3	30	3	4	10	12	19	22	27
13-19 YRS	73	6.1	38	1	1	4	8	15	18	31
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	18.0	97	10	10	15	25	29	29	29
1-11 MOS	35	9.4	38	1	3	8	13	16	21	29
1-5 YRS	95	7.1	34	1	1	5	11	14	21	23
6-12 YRS	74	6.8	35	1	2	5	8	15	19	32
13-19 YRS	76	7.0	33	1	2	5	9	16	22	80
B. Operated										
0-27 DYS	5	26.4	416	7	7	21	33	61	61	61
1-11 MOS	57	14.2	79	5	6	11	18	23	28	51
1-5 YRS	106	13.8	74	5	6	12	15	22	28	52
6-12 YRS	94	13.7	88	2	3	12	18	23	28	52
13-19 YRS	89	10.4	93	1	1	7	14	24	33	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	279	6.3	24	1	2	5	8	14	16	23
B. Operated	282	9.9	42	1	2	9	13	19	22	30
2. MULTIPLE DX										
A. Not Operated	283	7.4	36	1	2	5	10	15	20	29
B. Operated	351	13.1	91	2	4	11	17	23	29	52
1. SINGLE DX	561	8.1	36	1	2	7	11	16	21	28
2. MULTIPLE DX	634	10.6	75	1	2	9	14	21	27	43
A. Not Operated	562	6.8	30	1	2	5	9	14	19	28
B. Operated	633	11.7	72	2	3	10	15	22	28	43
TOTAL										
0-27 DYS	11	22.8	202	7	9	20	25	42	59	61
1-11 MOS	150	11.7	56	3	4	10	15	21	23	40
1-5 YRS	413	9.6	53	1	2	8	14	20	22	31
6-12 YRS	333	9.3	54	2	2	8	13	19	22	32
13-19 YRS	288	7.5	54	1	1	5	10	17	24	40
GRAND TOTAL	**1195**	**9.4**	**58**	**1**	**2**	**7**	**13**	**20**	**23**	**36**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	2.0	2	< 1	< 1	1	2	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	21	2.0	9	< 1	< 1	1	2	3	9	15
13-19 YRS	687	2.3	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	18	2.1	5	< 1	< 1	1	2	4	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.7	2	< 1	< 1	3	4	4	4	4
6-12 YRS	23	1.7	1	< 1	< 1	1	2	3	4	4
13-19 YRS	724	2.7	3	< 1	< 1	3	4	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.0	2	< 1	< 1	2	3	4	5	5
B. Operated	711	2.3	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	20	2.1	5	< 1	< 1	1	2	4	7	10
B. Operated	751	2.7	3	< 1	< 1	2	4	5	5	8
1. SINGLE DX	719	2.3	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX	771	2.7	3	< 1	< 1	2	4	5	5	8
A. Not Operated	28	2.0	4	< 1	< 1	1	2	4	5	10
B. Operated	1462	2.5	3	< 1	< 1	2	3	4	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	2.0	1	< 1	< 1	2	3	4	4	4
6-12 YRS	47	1.9	5	< 1	< 1	1	2	3	4	15
13-19 YRS	1435	2.5	3	< 1	< 1	2	3	4	5	7
GRAND TOTAL	**1490**	**2.5**	**3**	**< 1**	**< 1**	**2**	**3**	**4**	**5**	**7**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	2.0	1	1	1	2	2	4	4	4
1-5 YRS	93	2.5	3	1	1	2	3	4	5	10
6-12 YRS	86	2.9	5	1	1	2	4	6	8	12
13-19 YRS	53	3.8	10	< 1	< 1	3	4	8	10	19
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.3	1	1	1	2	3	3	3	3
1-5 YRS	58	2.7	8	< 1	1	2	3	4	8	16
6-12 YRS	112	2.8	5	1	1	2	3	6	7	12
13-19 YRS	2022	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	6	3.3	4	1	1	3	4	7	7	7
1-5 YRS	93	3.2	9	< 1	1	2	4	7	9	16
6-12 YRS	110	4.7	25	1	1	3	6	9	14	29
13-19 YRS	108	3.2	11	< 1	1	2	4	6	7	21
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	321	3.7	16	1	1	3	4	6	9	26
6-12 YRS	354	4.7	27	1	1	3	5	9	11	33
13-19 YRS	938	3.0	11	1	1	2	3	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	2.9	6	< 1	1	2	4	5	8	11
B. Operated	2196	2.3	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	319	3.7	15	< 1	1	3	4	7	10	22
B. Operated	1616	3.5	16	1	1	3	4	6	9	21
1. SINGLE DX	2435	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	1935	3.5	16	1	1	3	4	7	9	21
A. Not Operated	558	3.4	11	< 1	1	2	4	7	9	19
B. Operated	3812	2.8	9	1	1	2	3	5	7	14
TOTAL										
0-27 DYS	3	4.3	2	3	3	4	5	6	6	6
1-11 MOS	19	2.5	2	1	1	2	3	4	6	7
1-5 YRS	565	3.3	12	1	1	3	4	6	9	19
6-12 YRS	662	4.1	21	1	1	3	5	8	11	29
13-19 YRS	3121	2.5	5	1	1	2	3	4	6	11
GRAND TOTAL	**4370**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0		5	5	5	5	5	5	5
B. Operated	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	0									
1. SINGLE DX	4	6.5	4	5	5	6	8	9	9	9
2. MULTIPLE DX	1	7.0		7	7	7	7	7	7	7
A. Not Operated	3	5.7	1	5	5	5	7	7	7	7
B. Operated	2	8.0	2	7	7	8	9	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	6.6	3	5	5	7	8	9	9	9
GRAND TOTAL	**5**	**6.6**	**3**	**5**	**5**	**7**	**8**	**9**	**9**	**9**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	10	4.7	6	1	1	5	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	8.3	20	4	4	8	12	13	13	13
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	5.7	50	2	2	3	4	18	20	20
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	6	12.0	22	7	7	12	18	84	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.5	27	1	1	3	8	12	12	12
B. Operated	11	4.8	6	1	1	5	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	11	5.8	34	1	1	4	7	16	20	20
B. Operated	7	11.0	26	5	6	11	17	75	99+	99+
1. SINGLE DX	15	4.7	10	1	1	4	6	8	11	12
2. MULTIPLE DX	18	7.8	36	1	2	7	13	19	64	99+
A. Not Operated	15	5.5	30	1	1	4	7	13	18	20
B. Operated	18	7.2	22	1	2	6	10	18	63	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	7.3	18	4	4	6	10	13	13	13
6-12 YRS	4	6.0	21	1	1	5	9	12	12	12
13-19 YRS	24	6.5	30	1	1	5	9	18	40	99+
GRAND TOTAL	**33**	**6.4**	**26**	**1**	**1**	**5**	**8**	**17**	**20**	**99+**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	6.5	27	<1	<1	6	9	14	16	16
6-12 YRS	4	4.0	13	1	1	3	6	9	9	9
13-19 YRS	71	5.8	15	1	1	5	8	10	13	22
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	3	8.0	4	6	6	8	9	10	10	10
6-12 YRS	4	5.3	4	4	4	5	6	8	8	8
13-19 YRS	391	4.3	11	1	1	4	6	7	9	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	25	<1	<1	4	8	8	8	8
1-5 YRS	5	6.8	5	4	4	7	9	9	9	9
6-12 YRS	2	9.0	72	3	3	9	15	15	15	15
13-19 YRS	31	6.5	43	1	2	5	8	10	18	36
B. Operated										
0-27 DYS	0									
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	2	11.5	5	10	10	11	13	13	13	13
6-12 YRS	4	3.8	10	1	1	3	6	8	8	8
13-19 YRS	106	6.4	31	1	2	5	7	12	16	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	5.8	16	<1	1	5	8	10	13	21
B. Operated	402	4.4	11	1	1	4	6	8	9	19
2. MULTIPLE DX										
A. Not Operated	40	6.5	37	1	1	5	8	10	16	36
B. Operated	114	6.4	30	1	2	5	7	12	16	31
1. SINGLE DX	485	4.6	12	1	1	4	6	8	10	19
2. MULTIPLE DX	154	6.4	31	1	2	5	8	12	16	36
A. Not Operated	123	6.0	22	1	1	5	8	10	14	27
B. Operated	516	4.8	16	1	1	4	6	8	11	20
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	4.9	11	<1	<1	4	7	10	10	10
1-5 YRS	18	7.4	16	<1	1	8	10	12	15	16
6-12 YRS	14	5.0	15	1	1	4	8	10	14	15
13-19 YRS	599	5.0	17	1	1	4	6	9	12	21
GRAND TOTAL	**639**	**5.0**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	5	3.6	8	1	1	3	6	7	7	7
6-12 YRS	2	7.0	2	6	6	7	8	8	8	8
13-19 YRS	6	5.8	5	2	2	6	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	21	2.9	5	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	11.3	89	4	4	8	18	22	22	22
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	5.2	10	1	1	6	8	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	10	7.3	12	1	3	7	9	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.9	7	1	1	6	7	8	8	8
B. Operated	22	3.1	6	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. Not Operated	9	7.1	37	1	2	6	8	17	22	22
B. Operated	12	6.5	14	1	2	6	8	12	14	14
1. SINGLE DX	37	3.8	7	1	1	3	6	8	8	9
2. MULTIPLE DX	21	6.8	23	1	2	6	8	12	18	22
A. Not Operated	24	5.8	18	1	1	6	7	8	12	22
B. Operated	34	4.3	11	1	1	3	6	9	11	14
TOTAL										
0-27 DYS	0									
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	8	6.5	46	1	1	5	7	18	22	22
6-12 YRS	6	5.2	7	2	2	5	8	8	8	8
13-19 YRS	42	4.6	10	1	1	4	7	9	10	14
GRAND TOTAL	**58**	**4.9**	**14**	**1**	**1**	**4**	**7**	**8**	**10**	**21**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	9	4.9	7	2	2	4	7	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	7.0	72	1	1	7	13	13	13	13
13-19 YRS	4	4.0	13	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	17.5	25	14	14	17	21	21	21	21
6-12 YRS	2	13.0	200	3	3	13	23	23	23	23
13-19 YRS	3	15.0	172	3	3	13	25	29	29	29
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	5.6	42	< 1	< 1	2	10	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	4.5	8	1	2	3	7	9	9	9
B. Operated	8	6.0	21	1	1	7	9	12	13	13
2. MULTIPLE DX										
A. Not Operated	7	15.1	98	3	3	14	22	28	29	29
B. Operated	5	5.6	42	< 1	< 1	2	10	16	16	16
1. SINGLE DX	21	5.1	13	1	1	4	8	10	11	13
2. MULTIPLE DX	12	11.2	93	< 1	1	10	18	25	28	29
A. Not Operated	20	8.3	63	1	2	4	11	22	26	29
B. Operated	13	5.8	26	< 1	< 1	6	9	14	16	16
TOTAL										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	15.0	31	10	10	14	19	21	21	21
6-12 YRS	6	8.5	72	1	1	6	13	22	23	23
13-19 YRS	21	6.3	44	< 1	1	4	8	14	22	29
GRAND TOTAL	**33**	**7.3**	**49**	**1**	**1**	**5**	**9**	**17**	**23**	**29**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	6.0	12	3	3	5	7	12	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	3.2	4	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	13	7.4	10	3	4	7	10	12	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	6.0	12	3	3	5	7	12	14	14
B. Operated	6	3.2	4	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	14	6.9	13	1	3	6	10	11	13	14
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	14	4.8	10	1	1	4	6	8	13	14
2. MULTIPLE DX	15	6.7	12	1	3	6	10	11	13	14
A. Not Operated	22	6.6	12	2	3	6	9	12	14	14
B. Operated	7	3.3	3	1	1	4	4	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	27	6.0	12	1	3	6	7	11	14	14
GRAND TOTAL	**29**	**5.8**	**12**	**1**	**2**	**5**	**7**	**11**	**14**	**14**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	7	1.4	1	< 1	< 1	1	2	3	3	3
1-5 YRS	22	2.5	3	< 1	< 1	2	3	5	6	7
6-12 YRS	33	3.3	15	1	1	3	3	6	7	23
13-19 YRS	129	3.3	9	1	1	2	4	7	10	14
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	5.6	7	1	2	5	7	9	10	10
1-5 YRS	6	3.2	3	1	1	3	5	5	5	5
6-12 YRS	19	4.3	12	1	1	3	7	9	12	14
13-19 YRS	100	2.8	10	1	1	1	3	7	9	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	7.5	61	2	2	7	13	13	13	13
1-11 MOS	5	4.0	5	2	2	4	5	7	7	7
1-5 YRS	17	2.3	3	1	1	2	3	4	7	8
6-12 YRS	51	2.9	9	1	1	2	3	5	7	18
13-19 YRS	160	4.6	31	< 1	1	3	5	9	14	35
B. Operated										
0-27 DYS	3	3.3	5	2	2	2	5	6	6	6
1-11 MOS	4	7.5	94	2	2	3	13	22	22	22
1-5 YRS	12	5.5	12	2	2	5	8	10	11	11
6-12 YRS	23	6.2	8	1	2	6	8	10	11	11
13-19 YRS	83	5.1	25	1	1	3	7	10	16	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	194	3.1	9	1	1	2	4	6	9	16
B. Operated	133	3.2	10	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. Not Operated	235	4.1	25	1	1	3	5	8	14	27
B. Operated	125	5.4	22	1	1	4	7	10	13	24
1. SINGLE DX	327	3.1	10	1	1	2	4	7	9	17
2. MULTIPLE DX	360	4.5	24	1	1	3	6	9	13	25
A. Not Operated	429	3.6	18	1	1	2	4	7	11	20
B. Operated	258	4.3	17	1	1	3	6	9	11	22
TOTAL										
0-27 DYS	9	3.9	15	1	1	2	6	10	13	13
1-11 MOS	23	4.3	21	< 1	1	3	5	8	14	22
1-5 YRS	57	3.1	6	< 1	1	2	4	7	9	11
6-12 YRS	126	3.8	12	1	1	3	5	8	10	19
13-19 YRS	472	3.9	20	1	1	2	5	9	12	23
GRAND TOTAL	**687**	**3.9**	**18**	**1**	**1**	**2**	**5**	**8**	**11**	**22**

309: Bursitis and syncvitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	2.8	7	< 1	1	2	3	5	10	11
1-5 YRS	228	2.6	2	1	1	2	3	5	6	8
6-12 YRS	157	3.3	4	1	1	3	4	6	7	11
13-19 YRS	49	3.7	10	1	1	3	4	7	9	16
B. Operated										
0-27 DYS	0									
1-11 MOS	4	6.5	38	< 1	< 1	5	11	15	15	15
1-5 YRS	44	2.2	3	< 1	< 1	1	2	5	6	7
6-12 YRS	55	3.0	13	< 1	< 1	2	4	7	9	22
13-19 YRS	254	2.1	6	< 1	< 1	1	2	4	6	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	3.4	4	< 1	< 1	3	5	6	6	6
1-5 YRS	97	2.9	3	1	1	3	4	4	7	9
6-12 YRS	96	3.4	5	1	1	3	4	7	10	11
13-19 YRS	46	4.7	8	1	2	4	6	9	10	14
B. Operated										
0-27 DYS	0									
1-11 MOS	3	6.0	49	1	1	3	11	14	14	14
1-5 YRS	21	5.8	39	< 1	< 1	5	7	9	19	30
6-12 YRS	43	5.9	32	1	1	4	7	12	22	23
13-19 YRS	153	2.9	7	< 1	< 1	2	4	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	447	3.0	4	1	1	3	4	5	7	11
B. Operated	357	2.3	7	< 1	< 1	1	2	5	7	15
2. MULTIPLE DX										
A. Not Operated	247	3.4	5	1	1	3	4	6	9	11
B. Operated	220	3.8	17	< 1	1	2	5	8	11	23
1. SINGLE DX	804	2.7	6	< 1	1	2	3	5	7	13
2. MULTIPLE DX	467	3.6	11	< 1	1	3	4	7	10	16
A. Not Operated	694	3.2	4	1	1	3	4	6	7	11
B. Operated	577	2.9	12	< 1	< 1	2	3	6	9	22
TOTAL										
0-27 DYS	0									
1-11 MOS	28	3.9	14	< 1	< 1	3	4	10	14	15
1-5 YRS	390	2.8	5	1	1	2	3	5	6	9
6-12 YRS	351	3.6	10	1	1	3	4	7	10	22
13-19 YRS	502	2.7	8	< 1	< 1	2	3	6	8	14
GRAND TOTAL	**1271**	**3.0**	**8**	**< 1**	**1**	**2**	**4**	**6**	**8**	**14**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	51	2.0	1	< 1	1	2	2	3	4	6
13-19 YRS	330	1.8	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	2.2	1	1	1	2	3	3	3	3
6-12 YRS	40	2.4	2	< 1	1	2	3	5	5	6
13-19 YRS	421	2.2	2	< 1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	385	1.9	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	4	1.0		1	1	1	1	1	1	1
B. Operated	466	2.2	2	< 1	1	2	3	4	5	6
1. SINGLE DX	387	1.9	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX	470	2.2	2	< 1	1	2	3	4	5	6
A. Not Operated	6	1.5	1	1	1	1	2	3	3	3
B. Operated	851	2.1	1	< 1	1	2	3	4	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	8	1.9	1	< 1	< 1	2	3	3	3	3
6-12 YRS	92	2.2	1	< 1	1	2	3	4	5	6
13-19 YRS	756	2.1	1	< 1	1	2	3	4	4	6
GRAND TOTAL	**857**	**2.1**	**1**	**< 1**	**1**	**2**	**3**	**4**	**4**	**6**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	49	1.2	1	<1	<1	1	1	2	3	5
6-12 YRS	68	1.3	1	<1	<1	1	1	2	3	5
13-19 YRS	84	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.8	1	1	1	2	2	3	3	3
6-12 YRS	7	2.1	3	<1	<1	2	2	5	6	6
13-19 YRS	24	2.7	24	<1	<1	1	2	5	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	201	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	4	1.0		<1	<1	<1	1	1	1	1
B. Operated	37	2.4	16	<1	<1	1	2	5	8	24
1. SINGLE DX	201	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	41	2.3	15	<1	<1	1	2	4	7	24
A. Not Operated	4	1.0		<1	<1	<1	1	1	1	1
B. Operated	238	1.5	3	<1	<1	1	1	2	3	7
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	55	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	76	1.4	1	<1	<1	1	1	2	3	6
13-19 YRS	110	1.6	6	<1	<1	<1	1	2	4	15
GRAND TOTAL	**242**	**1.5**	**3**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	23	8.7	60	1	1	6	12	21	25	29
1-5 YRS	72	9.5	41	2	3	8	13	20	23	28
6-12 YRS	87	10.9	71	3	3	8	15	21	26	44
13-19 YRS	50	9.7	65	2	2	8	12	18	28	41
B. Operated										
0-27 DYS	2	17.0	338	4	4	17	30	30	30	30
1-11 MOS	10	14.0	61	1	3	15	16	24	29	29
1-5 YRS	55	11.8	85	2	3	9	15	24	32	43
6-12 YRS	108	10.3	64	1	2	8	14	21	28	38
13-19 YRS	95	10.1	71	2	3	8	12	20	27	45
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	17.5	25	14	14	17	21	21	21	21
1-11 MOS	22	12.1	68	1	2	11	17	24	27	29
1-5 YRS	90	13.3	86	3	4	11	18	27	33	43
6-12 YRS	115	12.2	73	3	4	10	15	22	30	41
13-19 YRS	82	13.8	126	2	3	9	21	33	38	41
B. Operated										
0-27 DYS	9	28.3	62	16	18	30	33	38	42	42
1-11 MOS	31	18.6	149	5	7	15	20	37	42	55
1-5 YRS	74	18.3	114	5	7	16	25	32	40	47
6-12 YRS	168	18.3	194	3	4	16	23	36	48	59
13-19 YRS	202	15.8	206	1	3	11	22	36	47	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	233	10.0	59	2	3	8	13	20	26	41
B. Operated	270	10.7	72	2	3	8	14	22	28	42
2. MULTIPLE DX										
A. Not Operated	311	13.0	90	2	3	10	17	27	34	42
B. Operated	484	17.5	184	3	4	14	23	34	44	61
1. SINGLE DX	503	10.4	66	2	3	8	14	21	28	42
2. MULTIPLE DX	795	15.7	152	2	4	12	21	32	41	57
A. Not Operated	544	11.7	79	2	3	9	15	23	30	41
B. Operated	754	15.0	154	2	3	11	21	31	42	58
TOTAL										
0-27 DYS	14	23.9	108	5	9	25	30	34	40	42
1-11 MOS	86	13.8	107	1	2	12	19	29	33	50
1-5 YRS	291	13.3	91	3	4	11	18	28	32	43
6-12 YRS	478	13.7	125	2	3	11	18	28	36	53
13-19 YRS	429	13.4	150	2	3	9	17	31	40	60
GRAND TOTAL	**1298**	**13.6**	**125**	**2**	**3**	**10**	**18**	**29**	**37**	**52**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	72	4.8	15	< 1	1	4	7	9	12	20
6-12 YRS	135	5.4	30	< 1	1	4	7	10	14	28
13-19 YRS	83	4.4	116	< 1	< 1	2	4	7	12	70
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	1.3		< 1	< 1	1	2	2	2	2
1-5 YRS	120	3.5	10	< 1	1	3	4	8	10	16
6-12 YRS	837	4.4	16	1	1	3	5	9	11	17
13-19 YRS	1203	3.4	16	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	13	7.6	61	2	3	4	7	22	27	28
1-5 YRS	37	4.8	22	1	1	3	6	10	15	24
6-12 YRS	96	5.1	28	< 1	1	3	6	12	16	25
13-19 YRS	99	5.7	85	< 1	< 1	3	6	12	18	59
B. Operated										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	6	9.7	64	1	1	8	18	20	20	20
1-5 YRS	78	5.0	22	1	1	3	6	13	15	21
6-12 YRS	284	6.0	48	1	1	4	7	13	19	33
13-19 YRS	667	4.4	29	1	1	3	5	9	13	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	4.9	50	< 1	1	3	6	9	13	23
B. Operated	2165	3.8	16	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	247	5.4	52	< 1	1	3	6	12	17	29
B. Operated	1036	5.0	35	1	1	3	6	11	15	29
1. SINGLE DX	2458	3.9	20	1	1	3	5	8	11	18
2. MULTIPLE DX	1283	5.1	38	1	1	3	6	11	16	29
A. Not Operated	540	5.1	51	< 1	1	3	6	10	15	26
B. Operated	3201	4.2	22	1	1	3	5	8	12	21
TOTAL										
0-27 DYS	5	8.0	129	1	1	3	11	28	28	28
1-11 MOS	25	6.7	53	< 1	1	4	7	20	23	28
1-5 YRS	307	4.3	16	< 1	1	3	5	9	14	20
6-12 YRS	1352	4.9	25	1	1	4	6	10	13	25
13-19 YRS	2052	3.9	28	1	1	3	4	8	11	21
GRAND TOTAL	**3741**	**4.3**	**27**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	2.5	4	1	1	2	4	5	5	5
6-12 YRS	2	8.0	50	3	3	8	13	13	13	13
13-19 YRS	4	3.5	6	1	1	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	27	3.0	1	2	2	3	3	4	4	5
1-5 YRS	114	3.3	29	1	1	3	4	5	6	41
6-12 YRS	224	3.1	12	1	1	3	4	5	6	21
13-19 YRS	253	3.2	7	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.3		< 1	< 1	1	1	2	2	2
1-5 YRS	14	4.6	67	< 1	< 1	1	2	16	27	30
6-12 YRS	15	2.5	24	< 1	< 1	1	1	4	16	20
13-19 YRS	13	14.8	974	< 1	< 1	1	6	76	93	97
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	13	2.5	2	< 1	< 1	2	3	4	5	5
1-5 YRS	215	2.9	9	< 1	1	2	3	5	7	19
6-12 YRS	461	3.9	28	1	1	3	4	6	8	33
13-19 YRS	384	3.6	5	1	1	3	5	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.7	13	1	1	3	5	9	13	13
B. Operated	618	3.2	12	1	1	3	4	5	7	17
2. MULTIPLE DX										
A. Not Operated	46	6.5	316	< 1	< 1	1	2	13	38	97
B. Operated	1074	3.6	16	1	1	3	4	6	8	21
1. SINGLE DX	629	3.2	12	1	1	3	4	5	7	17
2. MULTIPLE DX	1120	3.7	28	< 1	1	3	4	6	8	25
A. Not Operated	57	6.0	257	< 1	< 1	1	3	12	26	95
B. Operated	1692	3.4	15	1	1	3	4	6	8	20
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	45	2.6	1	< 1	1	3	3	4	4	5
1-5 YRS	347	3.1	18	1	1	2	3	5	7	28
6-12 YRS	702	3.6	23	1	1	3	4	6	8	31
13-19 YRS	654	3.7	26	1	1	3	5	6	8	13
GRAND TOTAL	**1749**	**3.5**	**22**	**1**	**1**	**3**	**4**	**6**	**8**	**23**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	5	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.1	1	1	1	2	3	3	3	3
B. Operated	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	3	3.0		3	3	3	3	3	3	3
B. Operated	4	1.0		1	1	1	1	1	1	1
1. SINGLE DX	10	2.6	2	1	1	2	3	4	5	5
2. MULTIPLE DX	7	1.9	1	1	1	1	3	3	3	3
A. Not Operated	11	2.4	1	1	1	3	3	3	3	3
B. Operated	6	2.2	3	1	1	1	4	5	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	5	2.6		2	2	3	3	3	3	3
13-19 YRS	11	2.1	2	1	1	1	3	4	5	5
GRAND TOTAL	**17**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**5**	**5**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	11	2.9	3	1	1	3	4	5	6	6
1-5 YRS	28	2.4	3	< 1	< 1	2	3	5	6	6
6-12 YRS	115	2.0	2	< 1	< 1	1	2	4	5	7
13-19 YRS	133	2.0	3	< 1	< 1	1	3	4	5	9
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.5	8	< 1	< 1	1	2	7	8	8
1-5 YRS	121	2.3	3	< 1	< 1	2	3	5	6	9
6-12 YRS	314	5.4	18	1	1	5	8	10	12	17
13-19 YRS	848	6.1	19	< 1	1	7	9	10	13	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	1.7	1	< 1	< 1	1	2	3	3	3
1-11 MOS	17	4.6	20	< 1	< 1	3	5	12	15	16
1-5 YRS	82	3.4	20	< 1	1	2	3	7	15	22
6-12 YRS	130	3.7	21	< 1	< 1	2	4	8	12	25
13-19 YRS	213	3.2	14	< 1	1	2	4	7	10	21
B. Operated										
0-27 DYS	4	4.3	21	1	1	2	7	11	11	11
1-11 MOS	11	14.3	809	1	1	3	12	52	94	98
1-5 YRS	385	2.8	13	< 1	1	2	3	5	7	21
6-12 YRS	584	6.7	61	1	1	4	9	15	25	44
13-19 YRS	971	7.0	64	1	1	5	9	15	23	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	2.1	2	< 1	< 1	1	3	4	5	7
B. Operated	1290	5.5	18	< 1	1	6	8	10	12	19
2. MULTIPLE DX										
A. Not Operated	445	3.4	18	< 1	< 1	2	4	7	12	23
B. Operated	1955	6.1	60	1	1	3	8	14	21	36
1. SINGLE DX	1579	4.9	17	< 1	1	4	8	10	11	17
2. MULTIPLE DX	2400	5.6	53	1	1	3	8	12	19	33
A. Not Operated	734	2.9	12	< 1	< 1	2	3	6	9	20
B. Operated	3245	5.9	43	1	1	4	8	12	17	32
TOTAL										
0-27 DYS	10	2.8	9	< 1	< 1	2	3	7	11	11
1-11 MOS	45	6.3	214	< 1	1	3	5	13	17	98
1-5 YRS	616	2.7	11	< 1	1	2	3	5	7	20
6-12 YRS	1143	5.5	41	< 1	1	3	8	11	17	33
13-19 YRS	2165	6.0	40	< 1	1	4	8	12	16	30
GRAND TOTAL	**3979**	**5.3**	**39**	**<1**	**1**	**3**	**8**	**11**	**16**	**30**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	3.5	13	< 1	< 1	3	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	3	3.3	6	< 1	< 1	3	5	6	6	6
B. Operated	0									
1. SINGLE DX	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX	3	3.3	6	< 1	< 1	3	5	6	6	6
A. Not Operated	3	3.3	6	< 1	< 1	3	5	6	6	6
B. Operated	2	3.5	13	1	1	3	6	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	3.5	8	< 1	< 1	3	6	6	6	6
GRAND TOTAL	**5**	**3.4**	**6**	**< 1**	**< 1**	**3**	**6**	**6**	**6**	**6**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	11.3	192	< 1	< 1	4	21	34	35	35
1-11 MOS	26	2.2	2	< 1	< 1	2	3	4	5	6
1-5 YRS	16	1.8	2	< 1	< 1	1	3	4	5	5
6-12 YRS	8	1.8	1	< 1	< 1	1	3	3	3	3
13-19 YRS	10	2.7	8	1	1	1	5	7	9	9
B. Operated										
0-27 DYS	40	6.2	19	2	2	5	7	10	17	23
1-11 MOS	133	4.7	7	1	2	4	6	8	9	15
1-5 YRS	75	4.8	8	1	2	5	6	9	10	12
6-12 YRS	42	5.3	32	1	1	4	7	11	18	29
13-19 YRS	27	5.1	11	1	1	5	7	9	12	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15	6.2	26	1	1	4	10	11	18	20
1-11 MOS	101	5.4	46	< 1	1	3	6	10	20	39
1-5 YRS	96	6.9	324	< 1	< 1	2	4	12	92	99 +
6-12 YRS	58	8.8	366	1	1	3	5	24	74	99 +
13-19 YRS	22	11.7	609	< 1	1	3	14	99 +	99 +	99 +
B. Operated										
0-27 DYS	72	19.4	323	3	4	15	25	53	76	99 +
1-11 MOS	146	8.9	109	2	2	5	9	21	36	65
1-5 YRS	181	7.2	87	1	1	5	7	13	26	51
6-12 YRS	132	6.8	67	1	2	6	9	11	14	41
13-19 YRS	79	10.6	148	1	2	7	11	19	33	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	3.2	31	< 1	< 1	1	3	5	9	34
B. Operated	317	5.0	13	1	1	4	6	9	11	21
2. MULTIPLE DX										
A. Not Operated	292	7.1	242	< 1	1	3	6	15	75	99 +
B. Operated	610	9.4	137	1	2	6	10	20	35	75
1. SINGLE DX	385	4.7	16	1	1	4	6	8	11	23
2. MULTIPLE DX	902	8.7	172	1	1	5	9	20	40	99 +
A. Not Operated	360	6.4	204	< 1	1	3	5	11	48	99 +
B. Operated	927	7.9	99	1	2	5	9	16	25	64
TOTAL										
0-27 DYS	135	13.6	230	2	2	8	18	34	54	99 +
1-11 MOS	406	6.2	58	1	1	4	7	11	20	47
1-5 YRS	368	6.4	130	< 1	1	4	7	10	25	98
6-12 YRS	240	6.9	132	1	1	4	7	11	20	87
13-19 YRS	138	9.1	188	1	1	6	9	19	56	99 +
GRAND TOTAL	**1287**	**7.5**	**129**	**1**	**1**	**5**	**8**	**14**	**29**	**94**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	1.3		< 1	< 1	1	2	2	2	2
1-11 MOS	46	1.3	4	< 1	< 1	< 1	< 1	1	2	14
1-5 YRS	51	1.2	1	< 1	< 1	< 1	1	1	2	7
6-12 YRS	4	2.0	4	< 1	< 1	1	3	5	5	5
13-19 YRS	4	3.0	2	2	2	3	4	5	5	5
B. Operated										
0-27 DYS	31	1.8	6	< 1	< 1	1	2	3	5	14
1-11 MOS	156	1.5	1	< 1	< 1	1	2	3	4	5
1-5 YRS	255	1.9	6	< 1	< 1	1	2	3	6	15
6-12 YRS	294	1.9	10	< 1	< 1	1	2	3	5	9
13-19 YRS	151	1.9	3	< 1	< 1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	2.0	1	< 1	< 1	2	3	3	3	3
1-11 MOS	22	2.5	6	< 1	< 1	1	3	7	9	10
1-5 YRS	41	1.5	2	< 1	< 1	1	1	3	4	9
6-12 YRS	15	2.0	6	< 1	< 1	1	1	6	8	9
13-19 YRS	3	2.0	3	< 1	< 1	< 1	3	4	4	4
B. Operated										
0-27 DYS	13	1.8	1	1	1	2	2	3	3	3
1-11 MOS	74	2.8	43	< 1	< 1	1	2	4	7	88
1-5 YRS	148	1.9	4	< 1	1	1	2	4	6	11
6-12 YRS	146	2.3	5	< 1	< 1	1	3	5	7	8
13-19 YRS	68	2.4	6	1	1	2	3	5	6	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	1.3	2	< 1	< 1	< 1	1	2	2	10
B. Operated	887	1.8	6	< 1	< 1	1	2	3	5	11
2. MULTIPLE DX										
A. Not Operated	85	1.9	4	< 1	< 1	1	2	4	7	10
B. Operated	449	2.3	11	< 1	1	1	2	5	6	15
1. SINGLE DX	996	1.8	6	< 1	< 1	1	2	3	5	11
2. MULTIPLE DX	534	2.2	10	< 1	< 1	1	2	5	6	14
A. Not Operated	194	1.6	3	< 1	< 1	< 1	1	3	5	10
B. Operated	1336	2.0	8	< 1	< 1	1	2	4	5	11
TOTAL										
0-27 DYS	52	1.8	4	< 1	< 1	1	2	3	3	14
1-11 MOS	298	1.9	12	< 1	< 1	1	2	3	5	19
1-5 YRS	495	1.8	5	< 1	< 1	1	2	3	6	13
6-12 YRS	459	2.0	8	< 1	< 1	1	2	4	6	9
13-19 YRS	226	2.0	4	< 1	1	1	2	4	6	11
GRAND TOTAL	**1530**	**1.9**	**7**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	45	2.1	2	< 1	< 1	2	3	4	5	7
1-11 MOS	41	3.1	11	1	1	2	3	6	10	19
1-5 YRS	32	2.3	6	< 1	< 1	2	2	4	7	13
6-12 YRS	11	1.4	1	< 1	< 1	1	1	3	4	4
13-19 YRS	25	2.6	3	< 1	< 1	2	3	6	7	7
B. Operated										
0-27 DYS	35	8.9	49	1	2	7	11	18	25	32
1-11 MOS	580	5.0	25	1	1	4	7	10	13	23
1-5 YRS	1352	4.3	13	1	1	4	6	8	9	15
6-12 YRS	513	3.8	8	1	1	2	6	8	9	12
13-19 YRS	254	4.2	20	1	1	2	6	9	10	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	166	7.3	113	1	1	4	7	17	33	51
1-11 MOS	412	4.3	36	< 1	1	3	5	9	12	34
1-5 YRS	293	2.7	27	< 1	< 1	1	2	4	7	34
6-12 YRS	80	2.3	6	< 1	< 1	2	2	4	6	15
13-19 YRS	84	3.0	8	< 1	1	2	4	6	8	15
B. Operated										
0-27 DYS	352	15.5	207	2	3	11	20	35	50	84
1-11 MOS	1991	9.4	130	1	1	7	12	22	34	77
1-5 YRS	2762	6.7	66	1	1	5	9	14	21	42
6-12 YRS	946	6.2	61	1	1	3	8	13	19	40
13-19 YRS	463	5.7	48	1	1	3	8	11	16	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	2.4	5	< 1	< 1	2	3	5	7	13
B. Operated	2734	4.4	16	1	1	3	6	9	10	17
2. MULTIPLE DX										
A. Not Operated	1035	4.1	44	< 1	1	2	4	8	13	36
B. Operated	6514	7.9	96	1	1	6	10	17	26	59
1. SINGLE DX	2888	4.3	16	1	1	3	6	8	10	17
2. MULTIPLE DX	7549	7.3	91	1	1	5	9	16	25	56
A. Not Operated	1189	3.8	39	< 1	< 1	2	4	8	12	36
B. Operated	9248	6.8	75	1	1	5	8	14	22	50
TOTAL										
0-27 DYS	598	11.8	177	1	1	8	15	28	41	75
1-11 MOS	3024	7.7	100	1	1	5	10	17	28	63
1-5 YRS	4439	5.7	49	1	1	4	7	12	16	37
6-12 YRS	1550	5.2	42	1	1	2	7	11	15	32
13-19 YRS	826	4.9	35	1	1	2	7	10	14	32
GRAND TOTAL	**10437**	**6.5**	**72**	**1**	**1**	**4**	**8**	**14**	**21**	**48**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	3.0	4	1	1	3	4	5	5	5
1-11 MOS	3	3.3	6	< 1	< 1	3	5	6	6	6
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	17	2.6	2	1	1	3	3	4	6	7
1-11 MOS	761	2.9	2	1	1	3	4	5	6	7
1-5 YRS	500	2.9	3	1	1	3	4	5	6	9
6-12 YRS	204	2.3	1	1	1	2	3	4	4	6
13-19 YRS	129	2.1	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	4.0	8	1	1	3	5	8	11	11
1-11 MOS	39	1.3	1	< 1	< 1	1	1	2	4	5
1-5 YRS	43	1.6	9	< 1	< 1	1	1	2	2	21
6-12 YRS	9	1.0		< 1	< 1	1	1	1	1	1
13-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-27 DYS	12	6.7	192	1	1	2	5	21	46	50
1-11 MOS	643	3.2	9	1	1	3	4	5	6	12
1-5 YRS	644	3.3	7	1	1	3	4	6	7	12
6-12 YRS	235	2.6	2	1	1	2	3	4	5	7
13-19 YRS	162	2.6	3	1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.3	4	< 1	< 1	1	3	5	6	6
B. Operated	1611	2.8	2	1	1	3	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	104	1.7	5	< 1	< 1	1	1	3	5	16
B. Operated	1696	3.1	8	1	1	3	4	5	7	11
1. SINGLE DX	1621	2.8	2	1	1	3	3	5	6	7
2. MULTIPLE DX	1800	3.0	8	1	1	3	4	5	7	11
A. Not Operated	114	1.7	5	< 1	< 1	1	1	3	5	15
B. Operated	3307	3.0	5	1	1	3	4	5	6	9
TOTAL										
0-27 DYS	43	4.1	56	1	1	3	3	7	9	50
1-11 MOS	1446	3.0	5	1	1	3	4	5	6	9
1-5 YRS	1191	3.1	5	1	1	3	4	5	7	12
6-12 YRS	448	2.4	2	1	1	2	3	4	4	7
13-19 YRS	293	2.4	2	1	1	2	3	4	5	8
GRAND TOTAL	**3421**	**2.9**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	28	1.8	1	< 1	< 1	2	2	4	4	4
1-11 MOS	34	2.0	1	< 1	< 1	2	3	3	3	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	460	3.2	1	2	2	3	4	5	5	6
1-11 MOS	1105	3.2	2	2	2	3	4	5	6	8
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	4.0	21	1	1	3	4	12	15	15
1-11 MOS	27	3.3	5	1	1	3	4	6	7	10
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	162	4.4	7	2	2	4	5	7	9	13
1-11 MOS	389	4.3	5	2	2	4	5	7	9	14
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	1.9	1	< 1	< 1	2	3	3	4	6
B. Operated	1565	3.2	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	35	3.5	8	1	1	3	4	6	9	15
B. Operated	552	4.4	6	2	2	4	5	7	9	14
1. SINGLE DX	1627	3.1	2	2	2	3	4	5	5	7
2. MULTIPLE DX	587	4.3	6	2	2	4	5	7	9	15
A. Not Operated	97	2.5	4	< 1	1	2	3	4	6	13
B. Operated	2117	3.5	3	2	2	3	4	5	6	10
TOTAL										
0-27 DYS	658	3.4	3	2	2	3	4	5	6	10
1-11 MOS	1555	3.4	3	2	2	3	4	5	6	10
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**2214**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	39	3.2	22	< 1	< 1	2	3	5	10	28
1-11 MOS	88	3.1	21	< 1	< 1	2	4	5	8	28
1-5 YRS	65	5.2	107	< 1	< 1	2	4	12	31	51
6-12 YRS	14	2.5	2	< 1	1	2	4	5	5	5
13-19 YRS	10	1.7		< 1	< 1	2	2	3	3	3
B. Operated										
0-27 DYS	112	8.6	57	1	2	7	10	17	20	42
1-11 MOS	371	6.3	45	1	1	5	8	14	17	36
1-5 YRS	307	5.7	28	< 1	1	5	8	11	14	25
6-12 YRS	145	3.8	8	1	1	3	5	8	9	12
13-19 YRS	108	3.3	7	1	1	3	5	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	54	4.5	33	1	1	3	5	12	17	31
1-11 MOS	233	5.9	60	1	1	3	7	13	20	53
1-5 YRS	150	6.0	101	< 1	1	3	6	13	24	71
6-12 YRS	38	3.1	6	< 1	< 1	3	4	7	7	11
13-19 YRS	21	3.3	3	< 1	1	3	4	5	6	8
B. Operated										
0-27 DYS	179	18.9	399	2	4	11	27	54	84	99 +
1-11 MOS	519	10.6	142	1	2	7	13	26	36	99 +
1-5 YRS	490	8.9	145	1	1	6	10	19	32	99 +
6-12 YRS	229	7.3	155	1	1	4	7	15	27	76
13-19 YRS	158	5.1	33	1	1	3	6	10	16	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	216	3.7	45	< 1	< 1	2	3	5	14	44
B. Operated	1043	5.7	34	1	1	4	8	11	15	31
2. MULTIPLE DX										
A. Not Operated	496	5.5	64	< 1	1	3	6	12	19	55
B. Operated	1575	10.0	176	1	1	6	11	24	38	99 +
1. SINGLE DX	1259	5.4	37	< 1	1	4	7	11	15	31
2. MULTIPLE DX	2071	8.9	153	1	1	5	10	21	34	94
A. Not Operated	712	4.9	59	< 1	1	3	5	10	18	50
B. Operated	2618	8.3	124	1	1	5	9	18	30	87
TOTAL										
0-27 DYS	384	12.3	250	1	1	7	14	31	52	99 +
1-11 MOS	1211	7.9	94	1	1	5	9	18	28	77
1-5 YRS	1012	7.2	103	1	1	5	9	15	24	87
6-12 YRS	426	5.6	90	1	1	3	6	10	15	68
13-19 YRS	297	4.2	21	1	1	3	5	9	11	27
GRAND TOTAL	**3330**	**7.6**	**112**	**1**	**1**	**5**	**9**	**16**	**28**	**82**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	27	1.3		< 1	< 1	1	1	2	3	4
1-5 YRS	408	1.5	1	< 1	< 1	1	2	2	3	6
6-1[illegible]	346	1.3	1	< 1	< 1	1	1	2	3	4
13-19 YRS	109	1.6	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	24	1.1		< 1	< 1	< 1	1	1	2	3
6-12 YRS	6	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	5	1.4	1	< 1	< 1	< 1	1	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	40	1.4	2	< 1	< 1	1	1	2	4	8
1-5 YRS	457	1.6	2	< 1	< 1	1	2	3	4	7
6-12 YRS	291	1.5	1	< 1	< 1	1	2	3	4	5
13-19 YRS	85	1.6	1	< 1	1	1	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	890	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	37	1.1		< 1	< 1	< 1	1	1	2	3
B. Operated	873	1.6	2	< 1	< 1	1	2	3	4	6
1. SINGLE DX	898	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	910	1.6	2	< 1	< 1	1	2	3	4	6
A. Not Operated	45	1.2		< 1	< 1	1	1	2	3	3
B. Operated	1763	1.5	1	< 1	< 1	1	2	3	3	6
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	68	1.3	1	< 1	< 1	1	1	2	3	8
1-5 YRS	892	1.5	2	< 1	< 1	1	2	3	4	7
6-12 YRS	647	1.4	1	< 1	< 1	1	2	2	3	4
13-19 YRS	200	1.6	1	< 1	1	1	2	3	3	6
GRAND TOTAL	**1808**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	20	1.9	2	< 1	< 1	1	2	4	5	5
1-11 MOS	19	1.7	1	< 1	1	1	2	3	4	4
1-5 YRS	12	2.1	4	< 1	< 1	1	3	6	7	7
6-12 YRS	7	1.9	2	1	1	1	2	4	5	5
13-19 YRS	7	1.7	2	1	1	1	3	4	4	4
B. Operated										
0-27 DYS	45	6.3	17	1	2	6	7	11	16	20
1-11 MOS	444	3.8	11	1	1	3	5	8	10	14
1-5 YRS	1200	3.3	9	< 1	1	2	5	7	9	14
6-12 YRS	236	3.3	9	< 1	1	2	5	8	10	13
13-19 YRS	177	3.8	11	< 1	1	3	5	8	11	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	20	5.7	56	< 1	1	3	5	16	27	29
1-11 MOS	43	2.4	3	< 1	1	2	4	5	6	99 +
1-5 YRS	75	2.2	9	< 1	< 1	1	2	4	7	20
6-12 YRS	20	3.8	33	< 1	< 1	2	3	8	18	26
13-19 YRS	17	3.1	4	< 1	< 1	3	4	6	7	7
B. Operated										
0-27 DYS	82	10.7	172	2	3	7	12	25	36	77
1-11 MOS	298	6.0	36	1	1	4	8	12	16	28
1-5 YRS	702	5.4	33	1	1	4	7	12	15	27
6-12 YRS	234	5.7	55	< 1	1	4	7	11	16	40
13-19 YRS	210	5.7	28	1	1	4	7	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	1.8	2	< 1	1	1	2	4	5	7
B. Operated	2102	3.5	10	< 1	1	2	5	8	10	14
2. MULTIPLE DX										
A. Not Operated	175	2.9	16	< 1	< 1	2	3	5	8	28
B. Operated	1526	5.9	45	1	1	4	8	12	16	32
1. SINGLE DX	2167	3.5	10	< 1	1	2	5	8	10	14
2. MULTIPLE DX	1701	5.6	43	< 1	1	4	7	12	16	31
A. Not Operated	240	2.6	12	< 1	< 1	2	3	5	7	26
B. Operated	3628	4.5	26	1	1	3	6	10	13	24
TOTAL										
0-27 DYS	167	7.8	105	1	1	5	9	16	26	54
1-11 MOS	804	4.5	21	1	1	3	6	10	12	23
1-5 YRS	1989	4.0	18	< 1	1	3	5	9	12	22
6-12 YRS	497	4.4	33	< 1	1	3	6	10	12	25
13-19 YRS	411	4.7	20	1	1	4	6	10	13	23
GRAND TOTAL	**3868**	**4.4**	**25**	**<1**	**1**	**3**	**6**	**10**	**12**	**24**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	4.4	1	3	3	4	5	6	6	6
1-11 MOS	6	1.7	1	< 1	< 1	1	2	4	4	4
1-5 YRS	6	1.2		< 1	< 1	1	1	2	2	2
6-12 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	531	2.6	3	1	1	2	3	4	5	8
1-5 YRS	374	2.5	2	1	1	2	3	4	5	7
6-12 YRS	153	2.5	3	1	1	2	3	5	5	9
13-19 YRS	90	2.9	3	1	1	2	4	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	25	1.7	3	< 1	< 1	1	2	3	6	8
1-5 YRS	22	1.5	3	< 1	< 1	1	1	3	6	7
6-12 YRS	8	1.9	2	< 1	< 1	1	3	4	4	4
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	141	3.4	14	1	1	2	4	6	10	19
1-5 YRS	253	2.9	6	1	1	2	4	5	6	10
6-12 YRS	165	2.8	6	1	1	2	3	5	7	14
13-19 YRS	135	2.9	7	1	1	2	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.7	8	< 1	< 1	1	4	5	9	13
B. Operated	1148	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	59	1.7	2	< 1	< 1	1	1	4	6	8
B. Operated	694	3.0	8	1	1	2	4	5	6	15
1. SINGLE DX	1168	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	753	2.9	7	< 1	1	2	4	5	6	15
A. Not Operated	79	1.9	4	< 1	< 1	1	2	4	6	12
B. Operated	1842	2.7	5	1	1	2	3	5	6	10
TOTAL										
0-27 DYS	7	4.0	2	2	2	4	5	6	6	6
1-11 MOS	703	2.7	5	1	1	2	3	5	5	11
1-5 YRS	655	2.6	4	1	1	2	3	4	5	8
6-12 YRS	328	2.6	5	1	1	2	3	5	6	11
13-19 YRS	228	2.9	6	1	1	2	4	5	6	9
GRAND TOTAL	**1921**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	25	4.3	22	1	1	4	5	6	13	25
1-11 MOS	144	2.7	12	< 1	< 1	1	2	7	11	18
1-5 YRS	124	2.6	26	< 1	< 1	1	2	5	8	27
6-12 YRS	39	2.2	3	< 1	1	2	3	4	6	7
13-19 YRS	31	3.8	81	< 1	< 1	1	3	5	11	51
B. Operated										
0-27 DYS	28	9.9	105	1	2	6	12	26	31	42
1-11 MOS	800	4.6	20	< 1	1	4	6	8	14	23
1-5 YRS	1146	3.3	14	< 1	1	2	4	7	9	22
6-12 YRS	818	3.3	12	< 1	1	2	5	7	8	15
13-19 YRS	769	3.7	17	1	1	2	5	7	9	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	72	9.0	85	1	1	6	13	18	22	52
1-11 MOS	216	5.2	64	< 1	< 1	3	6	10	19	61
1-5 YRS	209	3.9	56	< 1	< 1	2	4	8	13	41
6-12 YRS	120	3.3	41	< 1	< 1	2	3	6	9	33
13-19 YRS	94	3.7	17	< 1	1	3	4	7	13	68
B. Operated										
0-27 DYS	60	29.0	433	3	5	29	58	99 +	99 +	99 +
1-11 MOS	404	7.9	125	1	1	4	8	18	28	77
1-5 YRS	773	4.6	34	1	1	3	5	9	13	26
6-12 YRS	534	5.8	78	1	1	4	6	11	16	53
13-19 YRS	482	5.6	43	1	1	4	7	11	16	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	363	2.8	22	< 1	< 1	1	3	5	9	21
B. Operated	3561	3.7	17	< 1	1	2	5	7	10	23
2. MULTIPLE DX										
A. Not Operated	711	4.7	56	< 1	< 1	3	5	10	16	56
B. Operated	2253	6.3	88	1	1	4	7	12	23	63
1. SINGLE DX	3924	3.6	17	< 1	1	2	5	7	10	22
2. MULTIPLE DX	2964	5.9	81	1	1	3	6	12	21	62
A. Not Operated	1074	4.0	45	< 1	< 1	2	4	8	15	43
B. Operated	5814	4.7	46	1	1	3	6	9	15	39
TOTAL										
0-27 DYS	185	15.0	288	1	2	7	23	55	68	99 +
1-11 MOS	1564	5.3	55	< 1	1	3	6	11	17	42
1-5 YRS	2252	3.8	26	< 1	1	2	4	8	11	25
6-12 YRS	1511	4.2	39	1	1	3	5	8	11	28
13-19 YRS	1376	4.4	28	1	1	3	6	9	12	28
GRAND TOTAL	**6888**	**4.6**	**46**	**< 1**	**1**	**3**	**5**	**9**	**15**	**39**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6498	2.9	11	1	1	2	3	5	8	18
1-11 MOS	577	3.9	30	1	1	2	4	8	15	31
1-5 YRS	16	4.9	140	< 1	< 1	1	3	5	36	49
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	94	7.2	146	1	1	4	7	12	21	97
1-11 MOS	45	4.5	20	< 1	1	3	6	11	14	20
1-5 YRS	7	2.0	1	1	1	2	3	3	3	3
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5259	8.3	126	1	2	4	10	20	31	64
1-11 MOS	1049	8.8	124	1	1	4	10	23	33	58
1-5 YRS	87	5.5	24	< 1	1	4	7	15	19	99 +
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	679	24.2	651	3	4	14	46	91	99 +	99 +
1-11 MOS	161	18.1	397	1	2	12	29	73	99 +	99 +
1-5 YRS	28	11.8	272	1	1	7	16	57	99 +	99 +
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7091	3.0	13	1	1	2	3	5	8	19
B. Operated	146	6.1	102	1	1	4	7	12	16	94
2. MULTIPLE DX										
A. Not Operated	6395	8.4	124	1	2	4	10	20	31	62
B. Operated	868	22.6	600	2	3	13	40	88	99 +	99 +
1. SINGLE DX	7237	3.0	15	1	1	2	3	5	9	20
2. MULTIPLE DX	7263	10.1	202	1	2	5	12	26	45	99 +
A. Not Operated	13486	5.5	73	1	1	3	5	13	21	47
B. Operated	1014	20.3	562	1	2	11	32	83	99 +	99 +
TOTAL										
0-27 DYS	12530	6.4	120	1	1	3	6	15	26	78
1-11 MOS	1832	8.0	131	1	1	4	9	22	33	81
1-5 YRS	138	6.6	91	< 1	1	4	7	16	45	99 +
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**14500**	**6.6**	**121**	**1**	**1**	**3**	**6**	**15**	**28**	**79**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	91	3.4	6	1	1	3	4	6	8	14
1-11 MOS	654	2.8	7	1	1	2	3	5	7	10
1-5 YRS	1749	2.2	3	1	1	2	3	4	5	9
6-12 YRS	796	2.4	6	1	1	2	3	4	6	9
13-19 YRS	674	2.4	3	< 1	1	2	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	3	26.3	1925	1	1	1	58	77	77	77
1-5 YRS	10	3.5	9	1	1	2	5	8	10	10
6-12 YRS	10	3.5	9	1	1	3	5	8	11	11
13-19 YRS	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	59	3.9	9	1	1	3	5	9	11	15
1-11 MOS	1409	3.4	10	1	1	3	4	6	8	16
1-5 YRS	4511	2.7	6	1	1	2	3	5	6	11
6-12 YRS	914	3.4	17	1	1	2	4	6	9	19
13-19 YRS	726	3.6	15	1	1	2	4	7	10	18
B. Operated										
0-27 DYS	0									
1-11 MOS	46	9.8	151	2	2	5	9	20	42	55
1-5 YRS	86	9.7	240	1	2	4	9	26	47	96
6-12 YRS	32	9.1	81	1	2	8	10	25	39	99 +
13-19 YRS	47	6.3	37	1	1	4	8	16	20	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3964	2.4	5	1	1	2	3	4	6	9
B. Operated	27	5.9	209	1	1	2	5	9	21	77
2. MULTIPLE DX										
A. Not Operated	7619	3.0	9	1	1	2	4	5	7	14
B. Operated	211	8.9	152	1	2	5	9	20	38	92
1. SINGLE DX	3991	2.4	6	1	1	2	3	4	6	10
2. MULTIPLE DX	7830	3.2	14	1	1	2	4	6	8	16
A. Not Operated	11583	2.8	7	1	1	2	3	5	7	12
B. Operated	238	8.5	158	1	1	4	9	18	37	89
TOTAL										
0-27 DYS	150	3.6	7	1	1	3	5	7	9	15
1-11 MOS	2112	3.4	16	1	1	3	4	6	8	17
1-5 YRS	6356	2.7	9	1	1	2	3	5	6	12
6-12 YRS	1752	3.0	14	1	1	2	3	6	8	17
13-19 YRS	1451	3.1	11	1	1	2	4	6	9	17
GRAND TOTAL	**11821**	**2.9**	**11**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	241	2.9	2	1	2	3	3	4	5	7
1-11 MOS	646	2.7	2	1	1	3	3	4	5	8
1-5 YRS	374	2.6	3	1	1	2	3	5	6	10
6-12 YRS	104	3.0	3	1	1	2	4	5	6	10
13-19 YRS	61	3.9	7	1	1	3	5	8	10	13
B. Operated										
0-27 DYS	5	3.6	4	2	2	3	5	7	7	7
1-11 MOS	7	3.3	4	1	1	3	5	6	6	6
1-5 YRS	4	10.3	211	2	2	3	18	32	32	32
6-12 YRS	5	11.2	109	2	2	11	16	28	28	28
13-19 YRS	4	12.8	71	3	3	13	19	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	316	3.4	3	1	2	3	4	5	6	11
1-11 MOS	1415	3.1	4	1	2	3	4	5	6	10
1-5 YRS	1467	3.4	9	1	1	3	4	6	8	15
6-12 YRS	617	4.0	9	1	2	3	5	7	9	16
13-19 YRS	377	4.3	9	1	2	4	5	8	10	17
B. Operated										
0-27 DYS	6	3.8	3	1	1	4	5	6	6	6
1-11 MOS	38	4.7	17	1	2	3	6	8	13	23
1-5 YRS	69	8.9	104	1	1	6	12	18	27	63
6-12 YRS	45	8.8	86	1	1	5	12	27	30	37
13-19 YRS	38	11.1	88	2	3	9	14	18	26	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1426	2.8	2	1	1	3	3	4	6	8
B. Operated	25	7.6	72	1	2	4	9	22	29	32
2. MULTIPLE DX										
A. Not Operated	4192	3.5	7	1	1	3	4	6	8	13
B. Operated	196	8.3	80	1	2	6	11	18	27	47
1. SINGLE DX	1451	2.9	4	1	1	3	3	4	6	10
2. MULTIPLE DX	4388	3.7	11	1	1	3	4	6	9	17
A. Not Operated	5618	3.3	6	1	1	3	4	5	7	12
B. Operated	221	8.2	79	1	2	5	11	18	27	42
TOTAL										
0-27 DYS	568	3.2	2	1	2	3	4	5	6	10
1-11 MOS	2106	3.0	3	1	1	3	4	5	6	10
1-5 YRS	1914	3.5	13	1	1	3	4	6	8	18
6-12 YRS	771	4.2	15	1	2	3	5	7	10	25
13-19 YRS	480	4.9	19	1	2	4	6	9	12	21
GRAND TOTAL	**5839**	**3.5**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	18	1.5	1	< 1	< 1	1	2	3	4	4
6-12 YRS	68	2.5	4	1	1	2	3	5	7	11
13-19 YRS	159	2.3	3	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	15	3.0	4	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	61	2.1	2	1	1	2	2	4	5	7
6-12 YRS	146	2.3	2	< 1	1	2	3	4	5	6
13-19 YRS	288	3.0	5	1	1	2	4	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	16	2.6	3	< 1	1	2	4	5	6	6
13-19 YRS	20	3.5	6	1	1	3	5	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	2.3	3	1	1	2	3	4	5	11
B. Operated	17	3.0	4	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	497	2.7	4	1	1	2	3	5	6	9
B. Operated	37	3.1	4	1	1	2	4	6	7	9
1. SINGLE DX	262	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX	534	2.7	4	1	1	2	3	5	7	9
A. Not Operated	742	2.6	4	1	1	2	3	5	6	10
B. Operated	54	3.1	4	1	1	2	4	6	7	9
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	80	2.0	2	< 1	1	2	2	4	5	7
6-12 YRS	232	2.4	3	1	1	2	3	4	6	9
13-19 YRS	482	2.8	4	1	1	2	3	5	7	10
GRAND TOTAL	**796**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	10	1.5		< 1	< 1	1	2	2	2	2
13-19 YRS	18	2.9	4	< 1	1	2	5	6	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	9	1.9	3	< 1	< 1	1	2	5	6	6
13-19 YRS	26	3.4	5	< 1	1	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	29	2.0	2	< 1	< 1	1	2	5	6	6
6-12 YRS	37	2.3	3	< 1	1	2	3	5	6	7
13-19 YRS	18	2.9	3	< 1	1	2	3	6	7	7
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	7	3.1	12	1	1	1	5	9	10	10
6-12 YRS	16	2.9	5	1	1	2	5	6	7	7
13-19 YRS	24	3.8	9	< 1	1	3	5	8	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.3	3	< 1	< 1	2	3	5	6	8
B. Operated	39	2.8	5	< 1	< 1	2	4	6	8	8
2. MULTIPLE DX										
A. Not Operated	87	2.3	3	< 1	1	2	3	5	6	7
B. Operated	49	3.4	8	1	1	3	5	7	10	12
1. SINGLE DX	72	2.6	4	< 1	< 1	2	4	6	7	8
2. MULTIPLE DX	136	2.7	5	< 1	1	2	4	6	7	10
A. Not Operated	120	2.3	3	< 1	1	2	3	5	6	8
B. Operated	88	3.1	6	< 1	1	2	5	7	8	11
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	3.6	3	1	1	4	5	6	6	6
1-5 YRS	44	2.0	4	< 1	< 1	1	2	5	6	10
6-12 YRS	72	2.3	3	< 1	1	2	3	5	6	7
13-19 YRS	86	3.3	6	< 1	1	3	5	7	8	11
GRAND TOTAL	**208**	**2.7**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**	**10**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	1.8	1	1	1	2	2	3	3	3
1-11 MOS	10	2.8	3	1	1	2	3	5	6	6
1-5 YRS	21	3.0	5	< 1	1	2	3	6	8	10
6-12 YRS	20	3.6	5	< 1	1	3	4	7	9	10
13-19 YRS	13	2.2	3	< 1	< 1	1	3	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	7	3.4	10	< 1	< 1	2	4	9	10	10
1-5 YRS	41	2.3	8	< 1	< 1	1	2	6	9	13
6-12 YRS	60	2.4	7	< 1	< 1	1	2	6	10	14
13-19 YRS	71	2.1	8	< 1	< 1	1	2	5	9	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	8.6	65	2	3	5	11	22	28	28
1-11 MOS	34	5.7	34	< 1	1	4	6	17	18	24
1-5 YRS	44	4.4	10	1	1	4	6	8	11	16
6-12 YRS	35	3.8	9	< 1	1	3	5	7	11	14
13-19 YRS	36	3.5	13	1	1	2	4	7	9	20
B. Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	9	17.9	404	1	1	13	53	99 +	99 +	99 +
1-5 YRS	47	5.6	46	< 1	1	3	8	13	19	37
6-12 YRS	28	6.4	100	< 1	< 1	3	7	11	39	41
13-19 YRS	40	5.0	28	1	1	3	8	11	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.9	4	< 1	1	2	3	6	7	10
B. Operated	179	2.3	8	< 1	< 1	1	2	6	10	14
2. MULTIPLE DX										
A. Not Operated	158	4.6	20	1	1	3	5	10	15	24
B. Operated	125	6.5	85	< 1	1	3	9	14	37	99 +
1. SINGLE DX	248	2.5	7	< 1	< 1	1	3	6	9	14
2. MULTIPLE DX	283	5.4	49	1	1	3	6	12	18	53
A. Not Operated	227	4.1	15	1	1	3	5	8	12	21
B. Operated	304	4.0	44	< 1	< 1	1	5	10	14	49
TOTAL										
0-27 DYS	15	6.8	54	1	1	4	10	16	25	28
1-11 MOS	60	6.8	99	< 1	1	4	7	20	46	99 +
1-5 YRS	153	4.0	21	< 1	< 1	2	5	9	12	22
6-12 YRS	143	3.7	27	< 1	< 1	2	4	8	10	39
13-19 YRS	160	3.2	15	< 1	< 1	1	4	8	11	19
GRAND TOTAL	**531**	**4.1**	**31**	**< 1**	**< 1**	**2**	**5**	**10**	**13**	**38**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	1[illegible] (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.3	5	1	1	1	4	5	5	5
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	3	4.0	9	< 1	< 1	4	6	7	7	7
13-19 YRS	11	2.5	4	< 1	< 1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	8.3	57	3	3	5	14	17	17	17
B. Operated										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	12	7.9	45	1	1	9	11	16	23	24
6-12 YRS	8	17.0	161	1	1	18	25	35	37	37
13-19 YRS	14	5.0	31	< 1	< 1	3	6	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	5	1	1	1	4	5	5	5
B. Operated	18	2.9	7	< 1	< 1	2	4	7	8	9
2. MULTIPLE DX										
A. Not Operated	5	7.2	32	3	3	5	9	17	17	17
B. Operated	38	8.4	79	< 1	1	4	12	21	27	37
1. SINGLE DX	21	2.8	6	< 1	< 1	2	4	7	8	9
2. MULTIPLE DX	43	8.3	73	< 1	1	4	12	21	26	37
A. Not Operated	8	5.4	26	1	1	4	6	14	17	17
B. Operated	56	6.7	62	< 1	1	3	10	18	23	37
TOTAL										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	6	2.0	2	< 1	< 1	2	3	4	4	4
1-5 YRS	17	6.6	38	1	1	5	10	12	20	24
6-12 YRS	12	12.9	141	< 1	1	9	21	31	36	37
13-19 YRS	28	4.4	24	< 1	< 1	2	5	14	17	18
GRAND TOTAL	**64**	**6.5**	**57**	**< 1**	**1**	**3**	**9**	**17**	**22**	**36**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	5	3.8	4	2	2	3	5	7	7	7
1-5 YRS	7	3.1	3	1	1	3	5	5	5	5
6-12 YRS	27	2.0	1	1	1	2	3	3	4	6
13-19 YRS	117	2.4	2	1	1	2	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	2.4	2	1	1	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	3.6	7	1	1	3	4	8	10	11
1-5 YRS	12	3.1	6	1	1	2	3	6	9	10
6-12 YRS	42	2.5	3	< 1	1	2	4	5	6	7
13-19 YRS	208	2.6	5	< 1	1	2	3	5	6	18
B. Operated										
0-27 DYS	0									
1-11 MOS	3	14.0	433	1	1	3	29	38	38	38
1-5 YRS	0									
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	16	3.0	5	< 1	1	2	5	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	2.4	2	1	1	2	3	4	5	8
B. Operated	6	3.7	11	1	1	3	4	9	10	10
2. MULTIPLE DX										
A. Not Operated	276	2.6	5	< 1	1	2	3	5	6	13
B. Operated	22	4.5	60	< 1	1	3	4	7	20	38
1. SINGLE DX	164	2.4	3	1	1	2	3	4	5	10
2. MULTIPLE DX	298	2.8	9	< 1	1	2	3	5	7	19
A. Not Operated	434	2.5	4	1	1	2	3	4	6	10
B. Operated	28	4.3	49	1	1	3	4	7	13	38
TOTAL										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	22	5.4	60	1	1	3	4	10	22	38
1-5 YRS	19	3.1	5	1	1	3	4	5	8	10
6-12 YRS	72	2.3	2	1	1	2	3	4	5	7
13-19 YRS	346	2.5	4	< 1	1	2	3	4	6	10
GRAND TOTAL	**462**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	111	2.9	6	1	1	2	4	6	7	14
1-11 MOS	857	2.9	6	1	1	2	4	6	7	10
1-5 YRS	184	1.9	2	< 1	1	1	2	3	4	6
6-12 YRS	54	2.5	16	1	1	1	3	4	5	28
13-19 YRS	33	1.9	2	< 1	< 1	1	2	4	5	5
B. Operated										
0-27 DYS	4	4.3	7	2	2	3	6	8	8	8
1-11 MOS	28	4.6	31	< 1	1	2	6	14	19	21
1-5 YRS	35	1.9	3	< 1	1	1	2	3	5	9
6-12 YRS	21	1.7	2	< 1	< 1	1	2	4	5	6
13-19 YRS	18	3.1	5	< 1	1	2	5	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	136	4.5	42	1	1	3	6	8	12	23
1-11 MOS	1540	4.3	24	1	1	3	5	8	11	29
1-5 YRS	598	4.1	20	1	1	3	5	9	13	26
6-12 YRS	146	5.0	33	1	1	3	6	13	22	31
13-19 YRS	159	4.5	29	1	1	3	5	11	19	23
B. Operated										
0-27 DYS	6	21.2	701	2	2	9	28	68	72	72
1-11 MOS	118	11.5	188	1	1	7	17	29	50	99 +
1-5 YRS	150	7.4	97	1	1	4	9	20	32	62
6-12 YRS	58	7.7	231	1	1	2	6	21	41	76
13-19 YRS	40	10.5	312	< 1	1	4	8	59	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1239	2.7	6	1	1	2	3	5	7	10
B. Operated	106	2.9	12	< 1	1	2	3	6	8	20
2. MULTIPLE DX										
A. Not Operated	2579	4.3	25	1	1	3	5	8	12	27
B. Operated	372	9.3	182	1	1	4	11	25	44	99 +
1. SINGLE DX	1345	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX	2951	4.9	47	1	1	3	6	10	16	43
A. Not Operated	3818	3.8	19	1	1	3	4	7	10	23
B. Operated	478	7.9	151	1	1	3	9	21	36	93
TOTAL										
0-27 DYS	257	4.2	46	1	1	3	5	7	11	27
1-11 MOS	2543	4.2	29	1	1	3	5	8	11	30
1-5 YRS	967	4.1	31	1	1	2	5	9	14	31
6-12 YRS	279	4.8	71	1	1	2	4	11	22	64
13-19 YRS	250	5.0	75	1	1	2	5	10	19	61
GRAND TOTAL	**4296**	**4.3**	**36**	**1**	**1**	**3**	**5**	**8**	**13**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	6	1.3		1	1	1	2	2	2	2
1-5 YRS	25	2.0	7	< 1	1	1	2	3	6	14
6-12 YRS	22	2.4	4	< 1	< 1	2	2	6	7	8
13-19 YRS	78	1.7	1	< 1	1	1	2	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.7	1	< 1	< 1	1	2	3	3	3
1-5 YRS	19	1.8	3	< 1	< 1	1	2	3	6	8
6-12 YRS	36	3.2	11	< 1	< 1	1	5	8	10	13
13-19 YRS	21	3.3	5	1	1	3	4	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	44	3.0	23	< 1	1	2	3	4	6	33
6-12 YRS	36	3.4	25	< 1	1	2	4	6	10	30
13-19 YRS	102	2.9	10	< 1	1	2	3	5	7	19
B. Operated										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	44	3.9	16	< 1	1	2	5	10	13	17
6-12 YRS	61	7.0	105	< 1	< 1	3	9	19	25	62
13-19 YRS	32	5.3	29	1	1	3	8	12	17	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	1.9	3	< 1	1	1	2	3	5	9
B. Operated	79	2.8	7	< 1	< 1	2	4	7	9	12
2. MULTIPLE DX										
A. Not Operated	186	3.0	16	< 1	1	2	3	5	7	29
B. Operated	139	5.6	59	< 1	< 1	2	8	13	19	32
1. SINGLE DX	212	2.2	5	< 1	< 1	1	2	5	7	12
2. MULTIPLE DX	325	4.1	36	< 1	1	2	4	9	13	29
A. Not Operated	319	2.5	10	< 1	1	2	3	5	6	18
B. Operated	218	4.6	42	< 1	< 1	2	6	11	14	27
TOTAL										
0-27 DYS	5	4.4	30	1	1	2	6	14	14	14
1-11 MOS	12	1.8	1	< 1	< 1	2	3	3	4	4
1-5 YRS	132	2.9	15	< 1	1	2	3	6	10	20
6-12 YRS	155	4.6	53	< 1	< 1	2	5	11	16	30
13-19 YRS	233	2.9	10	1	1	2	3	6	8	18
GRAND TOTAL	**537**	**3.4**	**24**	**< 1**	**1**	**2**	**4**	**7**	**11**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	1.7	1	1	1	1	2	4	4	4
1-11 MOS	64	2.5	16	< 1	< 1	2	2	4	5	29
1-5 YRS	330	1.6	1	< 1	< 1	1	2	3	4	6
6-12 YRS	1415	1.7	1	< 1	1	1	2	3	4	6
13-19 YRS	2378	2.0	2	< 1	1	2	2	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	20	3.3	4	1	1	3	5	6	7	7
6-12 YRS	145	2.7	2	1	1	2	3	4	5	8
13-19 YRS	373	3.2	3	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	2.4	2	< 1	< 1	2	3	5	5	5
1-11 MOS	65	2.2	2	1	1	2	3	4	5	6
1-5 YRS	320	2.1	2	1	1	2	3	4	5	7
6-12 YRS	993	2.1	3	1	1	2	3	4	5	8
13-19 YRS	1795	2.4	4	< 1	1	2	3	5	6	9
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	6.3	33	3	3	3	11	13	13	13
1-5 YRS	21	4.7	21	2	2	4	5	6	15	24
6-12 YRS	133	3.5	4	1	2	3	4	6	7	13
13-19 YRS	342	3.9	8	1	1	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4196	1.9	2	< 1	1	1	2	3	4	7
B. Operated	541	3.0	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	3180	2.3	4	< 1	1	2	3	4	6	9
B. Operated	500	3.8	8	1	1	3	5	7	8	15
1. SINGLE DX	4737	2.0	2	< 1	1	2	2	4	5	7
2. MULTIPLE DX	3680	2.5	5	1	1	2	3	5	6	10
A. Not Operated	7376	2.1	3	< 1	1	2	3	4	5	8
B. Operated	1041	3.4	5	1	1	3	4	6	7	12
TOTAL										
0-27 DYS	17	2.0	2	< 1	1	2	3	4	5	5
1-11 MOS	135	2.4	9	< 1	1	2	3	4	5	16
1-5 YRS	691	2.0	3	< 1	1	1	2	4	5	7
6-12 YRS	2686	2.0	2	< 1	1	2	3	4	5	7
13-19 YRS	4888	2.4	4	< 1	1	2	3	4	6	9
GRAND TOTAL	**8417**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**8**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	45	2.1	3	< 1	1	2	2	4	6	9
1-11 MOS	115	2.1	2	< 1	1	2	3	4	5	7
1-5 YRS	82	2.4	4	< 1	1	2	3	4	6	12
6-12 YRS	91	2.9	7	1	1	2	4	6	8	13
13-19 YRS	58	3.2	40	1	1	2	4	5	6	46
B. Operated										
0-27 DYS	0									
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	21	2.5	4	1	1	2	3	6	7	7
6-12 YRS	14	3.5	3	< 1	1	4	5	6	6	6
13-19 YRS	14	3.[illegible]	6	< 1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	63	3.1	3	< 1	1	3	4	5	7	8
1-11 MOS	294	3.3	9	1	1	3	4	6	9	17
1-5 YRS	499	2.7	8	1	1	2	3	5	7	12
6-12 YRS	393	3.1	20	1	1	2	3	5	9	17
13-19 YRS	343	3.3	27	1	1	2	3	6	9	25
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	30	8.8	99	1	2	5	10	22	33	43
1-5 YRS	91	4.0	26	1	1	1	5	12	15	24
6-12 YRS	137	3.9	30	1	1	1	5	10	14	30
13-19 YRS	151	3.9	34	1	1	1	4	11	15	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	391	2.5	9	1	1	2	3	5	6	10
B. Operated	53	3.1	4	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	1592	3.1	15	1	1	2	3	6	8	17
B. Operated	410	4.3	37	1	1	2	5	12	15	33
1. SINGLE DX	444	2.6	9	1	1	2	3	5	7	10
2. MULTIPLE DX	2002	3.3	20	1	1	2	4	6	10	22
A. Not Operated	1983	3.0	14	1	1	2	3	5	8	16
B. Operated	463	4.1	33	1	1	2	5	11	15	32
TOTAL										
0-27 DYS	109	2.7	3	1	1	2	3	5	7	9
1-11 MOS	443	3.4	15	1	1	2	4	6	9	21
1-5 YRS	693	2.8	10	1	1	2	3	5	8	15
6-12 YRS	635	3.3	20	1	1	2	4	6	9	20
13-19 YRS	566	3.5	30	1	1	2	4	7	11	31
GRAND TOTAL	**2446**	**3.2**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	337	2.8	12	1	1	2	3	5	6	8
1-11 MOS	927	3.9	13	1	1	3	5	7	10	17
1-5 YRS	623	3.4	24	< 1	1	2	4	7	10	28
6-12 YRS	425	2.4	9	< 1	1	1	2	5	8	16
13-19 YRS	564	2.5	11	< 1	1	2	3	4	6	22
B. Operated										
0-27 DYS	4	8.5	83	3	3	5	14	22	22	22
1-11 MOS	38	5.7	49	1	1	3	7	11	24	32
1-5 YRS	87	2.9	16	< 1	1	1	3	7	10	23
6-12 YRS	67	2.0	4	< 1	< 1	1	2	3	7	11
13-19 YRS	94	2.2	4	< 1	1	1	3	4	6	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	365	4.6	18	1	1	3	5	8	11	25
1-11 MOS	2067	5.9	38	1	2	4	7	12	16	31
1-5 YRS	1388	5.0	41	1	1	3	6	10	15	30
6-12 YRS	686	3.5	20	1	1	2	4	7	10	21
13-19 YRS	1134	3.5	31	1	1	2	4	6	9	29
B. Operated										
0-27 DYS	9	15.8	292	2	2	11	34	76	99 +	99 +
1-11 MOS	213	15.2	272	1	2	11	20	43	71	99 +
1-5 YRS	223	8.4	160	1	1	4	9	26	37	99 +
6-12 YRS	105	6.7	184	1	1	3	6	12	27	89
13-19 YRS	168	4.4	64	1	1	2	4	9	14	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2876	3.2	15	1	1	2	4	6	8	20
B. Operated	290	2.9	16	< 1	1	1	3	6	10	23
2. MULTIPLE DX										
A. Not Operated	5640	4.8	35	1	1	3	6	10	14	30
B. Operated	718	9.3	192	1	1	4	11	26	43	99 +
1. SINGLE DX	3166	3.2	15	1	1	2	4	6	9	21
2. MULTIPLE DX	6358	5.3	55	1	1	3	6	11	17	42
A. Not Operated	8516	4.3	29	1	1	3	5	9	12	28
B. Operated	1008	7.5	150	1	1	3	8	21	34	98
TOTAL										
0-27 DYS	715	3.9	21	1	1	3	4	7	10	26
1-11 MOS	3245	5.9	53	1	1	4	7	12	17	43
1-5 YRS	2321	4.8	49	1	1	3	5	10	17	36
6-12 YRS	1283	3.3	30	1	1	2	3	7	10	26
13-19 YRS	1960	3.2	27	1	1	2	3	6	8	27
GRAND TOTAL	**9524**	**4.6**	**43**	**1**	**1**	**3**	**5**	**9**	**14**	**34**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	37	1.5	1	1	1	1	2	2	3	4
1-11 MOS	508	1.6	3	< 1	1	1	2	3	3	8
1-5 YRS	307	1.7	2	< 1	1	1	2	3	4	9
6-12 YRS	160	2.3	4	1	1	2	3	4	5	9
13-19 YRS	50	2.9	7	< 1	1	2	4	5	9	13
B. Operated										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	28	3.3	3	1	1	3	4	6	6	8
1-5 YRS	67	4.7	61	1	2	3	5	7	10	56
6-12 YRS	79	5.3	48	1	2	4	6	7	13	48
13-19 YRS	52	6.3	87	1	1	4	8	10	13	67
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	25	3.6	27	1	1	2	4	5	13	27
1-11 MOS	286	3.6	21	1	1	2	4	7	11	27
1-5 YRS	293	3.4	34	1	1	2	3	7	10	19
6-12 YRS	178	3.2	15	1	1	2	3	6	9	32
13-19 YRS	106	4.6	19	1	1	3	5	10	11	24
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	28	11.3	200	1	1	7	15	38	65	99 +
1-5 YRS	138	9.0	140	1	1	5	10	22	29	61
6-12 YRS	130	9.2	124	1	1	5	10	23	32	59
13-19 YRS	182	11.9	181	1	2	8	15	31	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1062	1.8	3	< 1	1	1	2	3	4	9
B. Operated	229	5.1	55	1	1	4	5	8	12	59
2. MULTIPLE DX										
A. Not Operated	888	3.6	24	1	1	2	4	7	11	25
B. Operated	479	10.3	155	1	1	6	13	25	39	93
1. SINGLE DX	1291	2.4	14	< 1	1	1	3	4	6	13
2. MULTIPLE DX	1367	5.9	80	1	1	3	6	14	23	61
A. Not Operated	1950	2.6	13	< 1	1	2	3	5	8	17
B. Operated	708	8.6	129	1	1	5	9	21	33	76
TOTAL										
0-27 DYS	66	2.4	11	1	1	2	2	4	5	24
1-11 MOS	850	2.6	19	< 1	1	1	3	5	8	22
1-5 YRS	805	3.8	49	< 1	1	2	4	8	12	37
6-12 YRS	547	4.6	50	1	1	3	5	9	16	40
13-19 YRS	390	8.0	115	1	1	5	9	19	30	91
GRAND TOTAL	**2658**	**4.2**	**51**	**1**	**1**	**2**	**4**	**9**	**15**	**44**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	1.7		1	1	2	2	2	2	2
1-11 MOS	72	1.6	2	1	1	1	2	3	4	9
1-5 YRS	198	1.9	4	1	1	1	2	3	5	10
6-12 YRS	151	2.0	2	1	1	2	3	4	4	7
13-19 YRS	101	2.7	5	1	1	2	3	5	6	13
B. Operated										
0-27 DYS	0									
1-11 MOS	6	9.8	148	1	1	6	9	31	34	34
1-5 YRS	14	5.4	18	1	1	4	7	13	15	15
6-12 YRS	24	5.7	22	1	1	5	7	9	14	24
13-19 YRS	25	5.0	17	1	1	3	7	11	13	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	6.5	61	1	1	6	12	12	12	12
1-11 MOS	53	3.0	11	< 1	1	2	3	7	11	18
1-5 YRS	196	3.4	12	1	1	2	4	7	10	20
6-12 YRS	237	3.7	13	1	1	3	4	8	12	20
13-19 YRS	289	5.0	35	1	1	3	6	10	15	41
B. Operated										
0-27 DYS	0									
1-11 MOS	5	15.4	118	2	2	14	21	32	32	32
1-5 YRS	48	12.9	256	1	1	7	18	32	62	99 +
6-12 YRS	74	11.6	154	1	2	7	16	32	39	92
13-19 YRS	236	14.3	259	1	2	8	18	37	55	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	529	2.0	3	1	1	1	2	4	5	9
B. Operated	69	5.8	29	1	1	4	7	11	15	32
2. MULTIPLE DX										
A. Not Operated	777	4.0	21	1	1	3	5	9	12	23
B. Operated	353	13.6	235	1	2	8	18	34	53	98
1. SINGLE DX	598	2.5	8	1	1	2	3	5	7	13
2. MULTIPLE DX	1140	7.1	109	1	1	3	8	17	28	66
A. Not Operated	1306	3.2	15	1	1	2	4	7	10	1[illegible]
B. Operated	432	12.3	210	1	2	7	16	32	48	9[illegible]
TOTAL										
0-27 DYS	9	2.8	12	1	1	2	2	8	12	12
1-11 MOS	136	3.0	23	1	1	1	2	7	12	32
1-5 YRS	456	3.8	44	1	1	2	4	8	15	33
6-12 YRS	486	4.5	41	1	1	3	4	10	16	37
13-19 YRS	651	8.0	134	1	1	4	9	18	34	77
GRAND TOTAL	**1738**	**5.5**	**79**	**1**	**1**	**3**	**6**	**12**	**21**	**56**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	1.6	1	1	1	1	2	3	3	3
1-5 YRS	17	1.9	2	1	1	1	3	4	5	5
6-12 YRS	22	1.5	1	1	1	1	2	3	4	5
13-19 YRS	42	1.5	1	<1	<1	1	2	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.8	2	<1	<1	1	2	4	4	4
1-5 YRS	38	1.8	1	<1	<1	1	2	4	5	99+
6-12 YRS	183	1.6	2	<1	<1	1	2	3	4	7
13-19 YRS	803	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.0	6	1	1	3	5	6	6	6
1-5 YRS	28	2.2	2	<1	1	2	3	4	5	7
6-12 YRS	55	2.8	16	1	1	2	3	5	7	29
13-19 YRS	172	2.1	3	<1	<1	1	2	4	5	11
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	77	4.9	52	1	1	3	6	9	14	48
6-12 YRS	294	3.6	23	<1	1	2	4	7	11	27
13-19 YRS	1283	3.7	19	1	1	2	4	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	1.6	1	<1	1	1	2	3	4	5
B. Operated	1029	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	259	2.2	6	<1	<1	2	3	5	5	11
B. Operated	1658	3.7	21	1	1	2	4	8	11	23
1. SINGLE DX	1117	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1917	3.5	19	1	1	2	4	7	11	22
A. Not Operated	347	2.1	5	<1	1	1	2	4	5	10
B. Operated	2687	2.9	14	<1	1	2	3	6	9	19
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	2.0	2	<1	<1	1	3	4	5	6
1-5 YRS	160	3.4	28	1	1	2	4	7	9	51
6-12 YRS	554	2.8	15	<1	<1	2	3	6	8	23
13-19 YRS	2300	2.8	12	<1	1	2	3	6	9	17
GRAND TOTAL	**3034**	**2.8**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**18**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	20	3.9	20	<1	1	2	5	10	15	18
6-12 YRS	90	2.9	4	1	1	2	4	5	7	11
13-19 YRS	390	3.5	8	1	1	3	4	7	10	13
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	17.7	439	1	1	6	42	46	47	47
6-12 YRS	9	5.3	13	1	1	5	7	11	12	12
13-19 YRS	87	8.9	46	1	2	7	11	17	23	36
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	4.4	6	2	2	3	6	8	8	8
1-5 YRS	14	4.4	3	2	3	4	6	7	8	8
6-12 YRS	52	4.3	11	1	1	3	6	9	12	15
13-19 YRS	437	4.5	31	1	1	3	5	8	10	29
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	13.9	275	2	3	7	15	43	50	50
6-12 YRS	16	8.4	43	1	2	7	10	22	23	23
13-19 YRS	241	10.8	112	2	3	8	14	22	32	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	504	3.4	8	1	1	3	4	7	9	13
B. Operated	104	9.0	66	1	2	7	11	17	24	45
2. MULTIPLE DX										
A. Not Operated	509	4.4	28	1	1	3	5	8	10	27
B. Operated	264	10.8	112	2	3	8	14	22	32	64
1. SINGLE DX	608	4.4	22	1	1	3	5	9	12	23
2. MULTIPLE DX	773	6.6	66	1	1	4	8	14	20	49
A. Not Operated	1013	3.9	18	1	1	3	5	7	10	18
B. Operated	368	10.3	99	1	2	8	12	21	29	59
TOTAL										
0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	10	3.2	5	<1	<1	3	4	7	8	8
1-5 YRS	47	7.3	121	1	1	4	7	16	43	50
6-12 YRS	167	4.0	13	1	1	3	5	9	11	21
13-19 YRS	1155	5.8	50	1	1	4	7	12	17	43
GRAND TOTAL	**1381**	**5.6**	**48**	**1**	**1**	**4**	**7**	**11**	**17**	**43**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	16	4.8	26	< 1	1	3	6	14	18	19
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	32	14.3	106	3	4	13	18	26	41	45
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	0									
1-5 YRS	2	12.5	25	9	9	12	16	16	16	16
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	16	11.0	186	1	1	6	15	29	46	53
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	18.3	542	2	2	8	36	45	45	45
6-12 YRS	2	27.5	145	19	19	36	84	99 +	99 +	99 +
13-19 YRS	78	24.7	294	4	6	20	33	56	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	5.0	24	< 1	1	3	6	13	17	19
B. Operated	32	14.3	106	3	4	13	18	26	41	45
2. MULTIPLE DX										
A. Not Operated	20	10.8	154	1	1	7	15	23	41	53
B. Operated	83	24.6	292	4	6	20	35	58	72	99 +
1. SINGLE DX	52	10.7	94	1	2	7	16	21	27	45
2. MULTIPLE DX	103	21.9	294	2	4	18	30	53	63	99 +
A. Not Operated	40	7.9	95	1	1	5	10	16	24	53
B. Operated	115	21.7	260	4	5	18	29	51	61	99 +
TOTAL										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	15.2	234	2	3	10	16	42	45	45
6-12 YRS	5	13.0	217	1	1	13	36	94	99 +	99 +
13-19 YRS	142	18.6	259	1	3	16	25	46	58	99 +
GRAND TOTAL	**155**	**18.1**	**254**	**1**	**2**	**16**	**25**	**46**	**59**	**99 +**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	12	1.7	1	< 1	< 1	1	2	3	4	4
13-19 YRS	43	1.7	1	< 1	< 1	1	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	5.8	29	1	2	4	7	16	18	19
1-5 YRS	20	3.8	5	1	1	3	5	7	8	9
6-12 YRS	29	2.9	5	1	1	2	4	7	8	9
13-19 YRS	158	3.0	6	1	1	2	4	6	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	3	4.7	2	3	3	5	6	6	6	6
6-12 YRS	6	7.7	71	2	2	3	12	22	23	23
13-19 YRS	81	5.4	15	1	1	5	7	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	1.6	1	< 1	< 1	1	2	3	3	4
B. Operated	4	6.0	13	3	3	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	220	3.2	7	1	1	2	4	6	8	16
B. Operated	91	5.7	20	1	1	5	7	11	15	22
1. SINGLE DX	65	1.9	2	< 1	< 1	1	2	3	4	10
2. MULTIPLE DX	311	3.9	12	1	1	3	5	8	10	19
A. Not Operated	281	2.9	6	< 1	1	2	4	6	8	14
B. Operated	95	5.7	20	1	1	5	7	11	15	22
TOTAL										
0-27 DYS	0									
1-11 MOS	18	5.6	38	1	1	3	7	18	20	20
1-5 YRS	25	3.6	5	1	1	3	5	6	7	9
6-12 YRS	49	3.3	14	1	1	2	3	7	9	23
13-19 YRS	284	3.5	9	< 1	1	3	5	7	10	16
GRAND TOTAL	**376**	**3.6**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	19	3.2	7	1	1	2	5	6	9	11
6-12 YRS	31	3.6	8	< 1	1	3	5	8	10	12
13-19 YRS	126	4.2	10	1	1	3	5	9	11	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.5	5	5	5	6	8	8	8	8
6-12 YRS	5	8.6	22	1	1	9	12	13	13	13
13-19 YRS	19	12.7	163	1	2	10	14	36	44	47
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	9.4	32	4	4	8	11	19	19	19
1-5 YRS	45	4.7	32	1	1	3	5	8	17	31
6-12 YRS	94	6.3	43	1	2	4	7	13	17	37
13-19 YRS	308	8.2	77	1	2	5	9	17	26	44
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	14	13.9	434	1	3	8	12	27	71	84
6-12 YRS	31	10.6	50	2	4	9	15	20	22	33
13-19 YRS	212	15.4	176	3	4	11	19	37	46	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	177	4.0	10	1	1	3	5	8	11	16
B. Operated	26	11.4	126	1	2	9	12	28	41	47
2. MULTIPLE DX										
A. Not Operated	452	7.4	66	1	2	5	8	16	22	43
B. Operated	258	14.7	175	3	4	11	19	34	44	65
1. SINGLE DX	203	4.9	30	1	1	3	6	10	12	34
2. MULTIPLE DX	710	10.1	118	1	2	6	12	23	34	52
A. Not Operated	629	6.5	53	1	1	4	8	13	21	41
B. Operated	284	14.4	171	3	4	10	18	33	44	65
TOTAL										
0-27 DYS	0									
1-11 MOS	7	7.9	30	2	2	7	9	17	19	19
1-5 YRS	80	6.0	105	1	1	3	6	11	18	68
6-12 YRS	161	6.7	41	1	1	5	8	14	18	33
13-19 YRS	665	9.9	115	1	2	6	12	24	36	52
GRAND TOTAL	**913**	**8.9**	**103**	**1**	**2**	**5**	**11**	**21**	**32**	**50**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	29	2.4	4	1	1	2	3	5	6	10
1-5 YRS	133	2.4	10	< 1	< 1	1	2	5	12	16
6-12 YRS	130	2.6	15	< 1	1	1	2	5	14	19
13-19 YRS	63	3.4	37	< 1	1	1	2	8	19	31
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	10	1.8	1	< 1	< 1	1	3	4	4	4
1-5 YRS	1057	2.4	9	1	1	2	2	4	8	17
6-12 YRS	1419	2.7	15	1	1	1	2	5	12	20
13-19 YRS	606	2.5	8	1	1	2	3	5	8	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	10.5	145	2	2	10	19	19	19	19
1-11 MOS	29	6.3	32	1	1	4	10	15	20	21
1-5 YRS	50	3.4	21	1	1	2	3	8	19	19
6-12 YRS	44	3.7	27	< 1	1	2	3	8	15	29
13-19 YRS	60	4.2	33	1	1	2	4	11	19	28
B. Operated										
0-27 DYS	0									
1-11 MOS	6	3.7	6	1	1	3	6	7	7	7
1-5 YRS	198	4.4	24	1	1	2	5	14	16	20
6-12 YRS	397	4.7	35	1	1	2	4	15	19	27
13-19 YRS	334	5.3	53	1	1	3	5	11	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	356	2.6	16	< 1	< 1	1	2	5	13	20
B. Operated	3093	2.6	11	1	1	2	2	5	9	19
2. MULTIPLE DX										
A. Not Operated	185	4.3	29	1	1	2	4	11	19	27
B. Operated	935	4.8	39	1	1	3	5	13	18	27
1. SINGLE DX	3449	2.6	12	1	1	1	2	5	10	19
2. MULTIPLE DX	1120	4.7	37	1	1	2	5	13	18	27
A. Not Operated	541	3.2	21	< 1	1	1	3	8	14	23
B. Operated	4028	3.1	19	1	1	2	3	6	13	21
TOTAL										
0-27 DYS	4	6.3	73	< 1	< 1	2	11	19	19	19
1-11 MOS	74	3.9	18	1	1	2	4	10	13	21
1-5 YRS	1438	2.7	12	1	1	2	3	5	11	19
6-12 YRS	1990	3.1	20	1	1	2	3	7	15	22
13-19 YRS	1063	3.5	27	1	1	2	3	7	13	26
GRAND TOTAL	**4569**	**3.1**	**19**	**1**	**1**	**2**	**3**	**6**	**13**	**22**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	46	1.6	1	1	1	1	2	3	3	8
6-12 YRS	121	1.5		< 1	< 1	1	2	2	3	4
13-19 YRS	47	1.9	1	< 1	1	1	3	3	4	6
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	541	1.3	1	< 1	< 1	1	1	2	2	6
6-12 YRS	2335	1.5	1	< 1	1	1	2	3	3	5
13-19 YRS	1381	1.9	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	21	2.2	4	< 1	1	2	3	4	7	9
6-12 YRS	41	1.9	2	1	1	1	2	4	5	7
13-19 YRS	68	2.8	4	1	1	2	4	5	7	10
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	91	2.1	5	1	1	1	2	4	5	14
6-12 YRS	485	2.6	15	1	1	1	3	5	8	20
13-19 YRS	590	3.8	23	1	1	2	4	8	11	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	216	1.6	1	< 1	1	1	2	3	3	5
B. Operated	4262	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	132	2.4	4	1	1	2	3	5	6	9
B. Operated	1169	3.2	19	1	1	2	3	6	10	25
1. SINGLE DX	4478	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	1301	3.1	17	1	1	2	3	6	9	23
A. Not Operated	348	1.9	2	< 1	1	1	2	4	5	8
B. Operated	5431	1.9	6	< 1	1	1	2	3	5	11
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	10	2.0	2	< 1	< 1	1	3	4	5	5
1-5 YRS	699	1.4	2	< 1	< 1	1	1	2	3	7
6-12 YRS	2982	1.7	4	< 1	1	1	2	3	4	8
13-19 YRS	2086	2.5	8	1	1	2	3	5	6	14
GRAND TOTAL	**5779**	**1.9**	**5**	[illegible]	**1**	**1**	**2**	**3**	**5**	**10**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	1.7	2	< 1	< 1	1	2	4	5	5
6-12 YRS	9	2.4	6	< 1	< 1	2	2	6	9	9
13-19 YRS	27	1.8	1	< 1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	8	1.3		1	1	1	2	2	2	2
1-5 YRS	88	1.5	1	< 1	< 1	1	2	3	3	8
6-12 YRS	164	1.7	2	< 1	< 1	1	2	3	5	8
13-19 YRS	551	1.6	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	10	2.6	5	< 1	< 1	2	4	6	7	7
6-12 YRS	15	2.2	7	< 1	< 1	1	2	4	9	11
13-19 YRS	46	2.1	2	< 1	1	2	3	3	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	5	5.2	34	1	1	2	8	15	15	15
1-5 YRS	53	2.2	5	1	1	1	2	5	7	11
6-12 YRS	84	2.4	6	1	1	2	3	4	8	14
13-19 YRS	330	3.0	11	< 1	1	2	3	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	1.9	2	< 1	1	2	2	3	4	9
B. Operated	811	1.6	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	71	2.2	3	< 1	< 1	2	3	4	6	10
B. Operated	472	2.9	9	< 1	1	2	3	6	9	17
1. SINGLE DX	858	1.6	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX	543	2.8	9	< 1	1	2	3	6	8	16
A. Not Operated	118	2.1	3	< 1	1	2	2	3	5	10
B. Operated	1283	2.1	5	< 1	< 1	1	2	4	6	11
TOTAL										
0-27 DYS	0									
1-11 MOS	13	2.8	15	1	1	1	2	8	14	15
1-5 YRS	162	1.8	3	< 1	< 1	1	2	4	6	9
6-12 YRS	272	2.0	4	< 1	< 1	1	2	4	6	10
13-19 YRS	954	2.1	5	< 1	< 1	1	2	4	6	12
GRAND TOTAL	**1401**	**2.1**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**11**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	12	6.8	50	1	1	4	12	19	20	20
1-5 YRS	34	8.4	73	< 1	1	3	17	21	26	29
6-12 YRS	25	15.9	192	1	1	12	28	34	38	48
13-19 YRS	11	6.0	154	1	1	2	4	21	41	43
B. Operated										
0-27 DYS	3	8.7	44	3	3	7	14	16	16	16
1-11 MOS	10	10.6	119	< 1	< 1	9	14	27	35	35
1-5 YRS	37	8.3	56	1	2	5	13	20	23	24
6-12 YRS	136	7.8	58	2	2	5	9	20	26	34
13-19 YRS	140	6.9	53	1	2	5	8	12	15	54
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	6.8	32	1	1	6	11	14	14	14
1-5 YRS	27	12.3	191	1	1	10	17	22	36	69
6-12 YRS	24	20.4	198	1	1	24	34	46	99 +	99 +
13-19 YRS	20	12.9	307	< 1	1	6	10	47	56	57
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	20	12.3	55	5	6	10	16	21	28	35
1-5 YRS	52	14.4	132	3	4	12	21	26	28	71
6-12 YRS	70	17.0	312	2	4	10	21	34	59	86
13-19 YRS	139	13.3	164	3	4	10	15	24	45	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	10.1	128	1	1	4	18	28	33	46
B. Operated	326	7.6	57	1	2	5	9	17	23	38
2. MULTIPLE DX										
A. Not Operated	75	14.7	226	1	1	9	23	40	56	99 +
B. Operated	282	14.4	188	3	4	11	19	28	45	83
1. SINGLE DX	408	8.1	72	1	2	5	10	20	25	44
2. MULTIPLE DX	357	14.4	195	2	3	10	19	30	47	86
A. Not Operated	157	12.3	179	1	1	7	21	32	43	97
B. Operated	608	10.7	129	2	2	7	13	23	30	66
TOTAL										
0-27 DYS	4	8.3	30	3	3	7	12	16	16	16
1-11 MOS	46	10.0	67	1	1	8	14	20	24	35
1-5 YRS	150	11.1	116	1	1	8	18	24	27	69
6-12 YRS	255	12.3	176	2	2	7	19	30	38	86
13-19 YRS	310	10.1	132	1	2	7	12	20	31	66
GRAND TOTAL	**765**	**11.0**	**139**	**1**	**2**	**7**	**14**	**25**	**33**	**71**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	8.7	86	1	1	6	16	19	19	19
1-11 MOS	127	5.8	43	< 1	1	2	10	16	18	30
1-5 YRS	560	12.0	87	1	1	12	19	22	27	42
6-12 YRS	354	20.5	138	1	3	22	27	35	41	53
13-19 YRS	76	19.4	278	1	1	22	32	41	44	64
B. Operated										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	41	4.3	26	1	1	2	4	15	16	18
1-5 YRS	413	8.3	75	1	1	3	14	22	26	30
6-12 YRS	422	16.3	167	1	2	17	25	32	38	52
13-19 YRS	451	8.4	70	1	2	6	10	16	26	45
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	19.5	685	1	1	19	38	38	38	38
1-11 MOS	65	7.1	42	1	1	5	10	16	19	32
1-5 YRS	238	14.1	88	1	2	15	21	25	28	42
6-12 YRS	239	23.0	242	2	3	23	29	40	54	76
13-19 YRS	72	16.6	305	1	1	6	31	41	49	95
B. Operated										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	28	7.9	41	1	2	6	10	19	22	25
1-5 YRS	195	12.8	104	1	2	10	20	25	32	45
6-12 YRS	376	21.0	202	2	3	21	29	38	47	72
13-19 YRS	830	15.0	158	3	4	11	18	31	42	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1120	14.5	136	1	1	14	22	29	35	47
B. Operated	1329	10.7	115	1	1	6	17	26	32	45
2. MULTIPLE DX										
A. Not Operated	616	17.1	196	1	2	17	24	34	42	71
B. Operated	1430	16.1	170	2	3	13	22	33	42	65
1. SINGLE DX	2449	12.4	128	1	1	9	20	27	33	47
2. MULTIPLE DX	2046	16.4	178	2	3	13	23	33	42	67
A. Not Operated	1736	15.4	159	1	1	15	23	30	37	56
B. Operated	2759	13.5	151	1	2	10	20	30	37	56
TOTAL										
0-27 DYS	8	11.9	183	1	1	6	21	33	38	38
1-11 MOS	261	6.1	40	1	1	4	10	15	18	30
1-5 YRS	1406	11.4	90	1	1	10	19	23	27	41
6-12 YRS	1391	19.8	187	1	2	21	27	35	43	64
13-19 YRS	1429	13.2	155	1	2	9	17	30	40	61
GRAND TOTAL	**4495**	**14.3**	**154**	**1**	**2**	**11**	**22**	**30**	**37**	**56**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	10	1.7	1	1	1	2	2	3	3	3
1-5 YRS	152	1.7	3	< 1	1	1	2	3	5	11
6-12 YRS	223	2.4	9	1	1	2	3	4	6	15
13-19 YRS	248	2.4	4	< 1	1	2	3	4	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.0	4	1	1	3	4	5	5	5
1-5 YRS	179	2.2	5	1	1	1	2	4	7	15
6-12 YRS	703	2.9	10	1	1	2	3	5	7	15
13-19 YRS	1083	3.4	9	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	4.2	7	< 1	2	3	7	8	9	9
1-5 YRS	74	2.4	3	1	1	2	3	5	6	8
6-12 YRS	86	2.9	9	1	1	2	3	6	7	18
13-19 YRS	116	4.1	29	1	1	3	5	9	12	29
B. Operated										
0-27 DYS	0									
1-11 MOS	3	7.0	19	4	4	5	10	12	12	12
1-5 YRS	97	4.7	66	1	1	3	5	9	15	50
6-12 YRS	310	7.2	79	1	1	4	8	15	28	45
13-19 YRS	714	8.3	104	1	2	5	10	16	25	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	633	2.2	5	< 1	1	2	3	4	6	11
B. Operated	1968	3.1	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	292	3.3	16	1	1	2	4	[illegible]	9	19
B. Operated	1124	7.7	94	1	1	5	9	[illegible]	25	54
1. SINGLE DX	2601	2.9	8	1	1	2	4	[illegible]	7	14
2. MULTIPLE DX	1416	6.8	81	1	1	4	8	[illegible]	22	50
A. Not Operated	925	2.6	9	< 1	1	2	3	[illegible]	7	12
B. Operated	3092	4.8	45	1	1	3	5	10	14	37
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	31	3.5	8	1	1	3	5	8	9	12
1-5 YRS	502	2.6	17	1	1	1	3	5	7	17
6-12 YRS	1322	3.8	30	1	1	2	4	7	11	32
13-19 YRS	2161	5.0	46	1	1	3	5	10	14	37
GRAND TOTAL	**4017**	**4.3**	**37**	**1**	**1**	**3**	**5**	[illegible]	[illegible]	**32**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	51	1.6		< 1	< 1	1	2	3	3	3
6-12 YRS	108	2.2	4	< 1	1	2	3	4	6	11
13-19 YRS	153	2.5	6	< 1	1	2	3	5	6	10
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	50	3.0	10	< 1	1	2	4	6	8	18
6-12 YRS	535	2.6	9	1	1	2	3	4	6	19
13-19 YRS	1886	2.8	6	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	3.2	5	1	1	4	5	6	6	6
1-5 YRS	32	2.5	5	< 1	1	2	3	6	8	10
6-12 YRS	64	4.6	113	1	1	2	4	6	11	64
13-19 YRS	135	4.1	87	< 1	1	2	3	7	10	70
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	81	5.0	27	1	1	3	6	11	17	26
6-12 YRS	229	5.8	46	1	1	4	6	13	22	35
13-19 YRS	1152	5.0	29	1	1	3	6	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	316	2.3	4	< 1	1	2	3	4	6	10
B. Operated	2475	2.8	6	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	237	4.0	81	< 1	1	2	3	7	10	66
B. Operated	1463	5.1	32	1	1	3	6	10	15	31
1. SINGLE DX	2791	2.7	6	1	1	2	3	5	6	12
2. MULTIPLE DX	1700	5.0	39	1	1	3	6	10	15	32
A. Not Operated	553	3.0	38	< 1	1	2	3	5	7	24
B. Operated	3938	3.6	17	1	1	3	4	7	10	24
TOTAL										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	12	2.4	5	1	1	1	4	6	7	7
1-5 YRS	214	3.3	15	< 1	1	2	3	7	11	22
6-12 YRS	936	3.4	26	1	1	2	4	6	10	25
13-19 YRS	3326	3.6	18	1	1	3	4	7	9	23
GRAND TOTAL	**4491**	**3.6**	**20**	**1**	**1**	**2**	**4**	**7**	**9**	**24**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	10	1.5		< 1	< 1	1	2	2	2	2
6-12 YRS	14	1.5	1	< 1	< 1	1	2	3	3	3
13-19 YRS	23	2.4	14	< 1	< 1	1	2	4	12	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	11	1.3		< 1	< 1	1	2	2	2	2
13-19 YRS	66	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	3.8	12	2	2	2	5	10	10	10
1-5 YRS	32	2.2	3	1	1	2	3	5	5	7
6-12 YRS	52	2.7	7	1	1	2	3	5	5	19
13-19 YRS	140	2.5	3	< 1	1	2	3	4	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	2.8	1	2	2	3	3	4	4	4
6-12 YRS	17	2.9	12	1	1	2	3	4	12	16
13-19 YRS	101	3.6	11	1	1	3	4	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	2.1	8	< 1	< 1	1	2	3	7	18
B. Operated	77	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	229	2.5	4	< 1	1	2	3	5	6	11
B. Operated	122	3.5	11	1	1	3	4	7	10	17
1. SINGLE DX	126	1.8	3	< 1	1	1	2	3	4	11
2. MULTIPLE DX	351	2.9	7	1	1	2	3	5	7	16
A. Not Operated	278	2.4	5	< 1	1	2	3	4	6	12
B. Operated	199	2.8	8	1	1	2	3	6	8	16
TOTAL										
0-27 DYS	0									
1-11 MOS	7	4.3	10	2	2	3	6	9	10	10
1-5 YRS	46	2.1	2	1	1	2	2	4	5	7
6-12 YRS	94	2.4	7	< 1	1	2	3	4	5	18
13-19 YRS	330	2.7	6	1	1	2	3	5	7	14
GRAND TOTAL	**477**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	1.7	2	< 1	< 1	1	2	4	5	5
1-5 YRS	9	2.9	2	1	1	2	4	5	5	5
6-12 YRS	4	3.3	5	1	1	3	5	6	6	6
13-19 YRS	4	5.5	59	1	1	2	10	17	17	17
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	3	2.3	5	< 1	< 1	1	4	5	5	5
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	2.8	5	1	1	2	4	6	7	7
1-5 YRS	10	5.7	130	< 1	< 1	2	3	21	38	38
6-12 YRS	8	6.5	78	1	1	2	8	22	27	27
13-19 YRS	9	5.0	7	1	1	6	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	21.6	274	5	5	21	31	46	51	51
6-12 YRS	4	12.3	98	3	3	10	20	25	25	25
13-19 YRS	23	22.2	596	1	3	15	36	73	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.0	11	< 1	1	2	4	5	9	17
B. Operated	8	3.1	4	< 1	< 1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	35	5.0	55	1	1	2	6	8	23	38
B. Operated	35	20.9	460	2	3	15	29	58	86	99 +
1. SINGLE DX	32	3.1	9	< 1	1	2	4	5	6	17
2. MULTIPLE DX	70	13.0	318	1	1	6	16	40	59	98
A. Not Operated	59	4.2	37	1	1	2	5	7	14	37
B. Operated	43	17.6	422	1	1	10	25	52	77	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	16	2.4	4	< 1	1	2	3	5	6	7
1-5 YRS	29	9.1	174	1	1	4	6	32	39	51
6-12 YRS	19	6.4	61	< 1	1	3	6	21	26	27
13-19 YRS	38	15.3	435	1	1	7	17	56	83	99 +
GRAND TOTAL	**102**	**9.9**	**241**	**1**	**1**	**4**	**10**	**28**	**51**	**96**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	5	1.8	1	< 1	< 1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	228	1.9	2	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	14	2.2	2	1	1	2	3	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	65	3.1	12	1	1	2	3	5	9	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	1	< 1	< 1	2	2	3	3	3
B. Operated	233	1.9	2	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	15	2.1	2	1	1	2	3	4	5	5
B. Operated	66	3.1	11	1	1	2	3	5	9	22
1. SINGLE DX	240	1.9	2	1	1	2	2	3	4	6
2. MULTIPLE DX	81	2.9	10	1	1	2	3	5	7	21
A. Not Operated	22	2.0	1	< 1	< 1	2	3	4	4	5
B. Operated	299	2.2	4	1	1	2	3	4	4	12
TOTAL										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	5	2.2	2	1	1	2	3	4	4	4
13-19 YRS	312	2.2	4	1	1	2	3	4	4	12
GRAND TOTAL	**321**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**12**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	6	1.3		< 1	< 1	1	2	2	2	2
13-19 YRS	15	2.1	3	< 1	1	1	2	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	26	2.1	2	< 1	< 1	2	3	4	5	5
13-19 YRS	564	2.1	4	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	18	2.1	2	< 1	< 1	1	3	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	12	2.4	2	1	1	2	3	5	6	6
13-19 YRS	604	2.6	3	< 1	1	2	3	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.2	5	< 1	< 1	1	2	5	7	10
B. Operated	592	2.1	4	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	20	2.3	3	< 1	< 1	2	3	5	6	7
B. Operated	617	2.5	3	< 1	1	2	3	5	6	8
1. SINGLE DX	614	2.1	4	< 1	< 1	2	3	4	5	7
2. MULTIPLE DX	637	2.5	3	< 1	1	2	3	5	6	8
A. Not Operated	42	2.3	4	< 1	< 1	1	3	5	6	10
B. Operated	1209	2.3	3	< 1	< 1	2	3	4	5	8
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	4.7	22	1	1	3	8	10	10	10
6-12 YRS	46	2.2	2	< 1	1	2	3	4	5	7
13-19 YRS	1201	2.3	3	< 1	< 1	2	3	4	5	8
GRAND TOTAL	**1251**	**2.3**	**3**	**< 1**	**< 1**	**2**	**3**	**4**	**5**	**8**

359: Other dislocation (830; 832 835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	13	2.5	2	<1	1	2	3	5	5	5
6-12 YRS	35	2.2	9	<1	1	1	2	4	6	18
13-19 YRS	35	3.1	8	<1	<1	2	5	6	10	12
B. Operated										
0-27 DYS	0									
1-11 MOS	4	4.5	8	1	1	4	6	8	8	8
1-5 YRS	56	3.1	10	1	1	2	4	6	11	14
6-12 YRS	134	2.5	14	<1	<1	1	2	5	8	24
13-19 YRS	278	3.3	19	<1	1	2	3	7	13	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	3.2	5	1	1	3	4	7	7	7
1-5 YRS	9	6.9	96	<1	<1	3	8	24	31	31
6-12 YRS	21	5.4	25	<1	1	4	8	14	15	16
13-19 YRS	43	4.3	10	<1	1	4	7	8	11	13
B. Operated										
0-27 DYS	0									
1-11 MOS	4	11.3	65	2	2	12	18	18	18	18
1-5 YRS	60	5.3	21	1	1	3	6	13	15	20
6-12 YRS	103	4.7	15	1	1	4	6	8	12	23
13-19 YRS	227	6.7	64	1	1	4	9	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	2.6	7	<1	<1	2	3	6	7	16
B. Operated	472	3.0	17	<1	1	1	3	7	10	23
2. MULTIPLE DX										
A. Not Operated	79	4.8	23	<1	1	3	7	11	14	27
B. Operated	394	6.0	46	1	1	4	7	14	19	36
1. SINGLE DX	555	3.0	15	<1	1	1	3	6	9	22
2. MULTIPLE DX	473	5.8	42	1	1	4	7	13	18	33
A. Not Operated	162	3.7	16	<1	1	2	5	8	12	18
B. Operated	866	4.4	32	<1	1	2	5	10	15	26
TOTAL										
0-27 DYS	0									
1-11 MOS	14	5.9	32	1	1	4	7	18	18	18
1-5 YRS	138	4.3	20	1	1	3	5	11	14	21
6-12 YRS	293	3.4	16	<1	1	2	4	7	11	22
13-19 YRS	583	4.7	38	<1	1	2	6	11	17	30
GRAND TOTAL	**1028**	**4.3**	**30**	**<1**	**1**	**2**	**5**	**10**	**14**	**25**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.6		<1	<1	2	2	2	2	2
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	32	1.9	1	<1	<1	2	3	4	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	28	2.6	2	<1	1	2	4	5	5	7
13-19 YRS	759	2.8	2	<1	<1	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	4.0	7	2	2	3	6	8	8	8
6-12 YRS	9	3.7	4	1	1	3	4	7	8	8
13-19 YRS	43	2.7	7	<1	<1	2	3	5	8	15
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	24	2.9	4	1	1	2	4	5	8	9
13-19 YRS	1072	3.3	4	1	1	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.9	1	<1	<1	2	2	3	4	6
B. Operated	788	2.7	2	<1	<1	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	58	3.0	6	<1	<1	2	4	5	8	15
B. Operated	1097	3.3	4	1	1	3	4	5	6	10
1. SINGLE DX	830	2.7	2	<1	<1	3	4	5	5	7
2. MULTIPLE DX	1155	3.3	4	1	1	3	4	5	6	10
A. Not Operated	100	2.5	4	<1	<1	2	3	4	6	12
B. Operated	1885	3.1	3	<1	1	3	4	5	6	9
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	11	2.6	4	<1	<1	2	3	6	8	8
6-12 YRS	65	2.8	3	1	1	2	4	5	7	9
13-19 YRS	1906	3.0	3	<1	1	3	4	5	6	9
GRAND TOTAL	**1985**	**3.0**	**3**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.7	1	1	1	2	2	3	3	3
13-19 YRS	106	3.6	5	1	1	3	5	7	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	3.7	2	< 1	1	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	4.0	7	2	2	3	6	7	7	7
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	9	3.7	12	1	1	3	4	9	12	12
13-19 YRS	107	3.9	7	1	1	3	5	7	9	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	12.0	67	5	5	10	18	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	3.4	5	1	1	3	5	7	8	10
B. Operated	9	3.7	2	< 1	1	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	121	3.9	7	1	1	3	5	7	9	13
B. Operated	4	10.3	57	5	5	8	15	21	21	21
1. SINGLE DX	125	3.5	5	1	1	3	5	6	8	10
2. MULTIPLE DX	125	4.1	10	1	1	4	5	8	10	16
A. Not Operated	237	3.7	6	1	1	3	5	7	9	12
B. Operated	13	5.7	25	< 1	2	4	5	12	19	21
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	4.8	7	2	2	5	7	7	7	7
1-5 YRS	3	3.0	12	1	1	1	6	7	7	7
6-12 YRS	17	2.9	7	1	1	2	4	5	10	12
13-19 YRS	225	3.8	7	1	1	3	5	7	9	13
GRAND TOTAL	**250**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**13**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	< 1	< 1	1	3	3	3	3
1-5 YRS	18	1.5	1	< 1	< 1	1	2	3	3	3
6-12 YRS	75	2.1	10	< 1	1	1	2	4	5	22
13-19 YRS	209	2.4	6	< 1	< 1	2	3	5	7	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	10	2.4	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	5.0	2	3	3	5	7	91	99 +	99 +
1-5 YRS	13	1.9	2	< 1	< 1	1	2	4	6	6
6-12 YRS	42	2.1	3	< 1	1	1	3	4	6	8
13-19 YRS	374	3.0	5	1	1	2	4	6	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	30	4.8	26	< 1	< 1	2	7	13	17	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	304	2.3	7	< 1	1	1	3	5	6	13
B. Operated	11	2.3	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	434	2.9	5	1	1	2	4	6	8	11
B. Operated	32	5.2	29	< 1	< 1	3	7	16	17	19
1. SINGLE DX	315	2.3	6	< 1	1	2	3	5	6	13
2. MULTIPLE DX	466	3.1	7	1	1	2	4	6	8	15
A. Not Operated	738	2.7	6	< 1	1	2	3	5	7	12
B. Operated	43	4.4	24	< 1	1	2	6	13	17	19
TOTAL										
0-27 DYS	0									
1-11 MOS	8	4.4	4	< 1	1	5	6	63	99 +	99 +
1-5 YRS	31	1.7	1	< 1	< 1	1	2	3	4	6
6-12 YRS	119	2.2	9	< 1	1	1	3	4	5	20
13-19 YRS	623	2.9	7	< 1	1	2	4	6	8	13
GRAND TOTAL	**781**	**2.8**	**7**	**< 1**	**1**	**2**	**3**	**6**	**8**	**14**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	< 1	< 1	1	2	2	2	2
1-5 YRS	17	2.3	2	1	1	2	3	5	6	6
6-12 YRS	22	3.5	6	< 1	1	3	5	7	9	11
13-19 YRS	62	2.1	3	< 1	< 1	2	2	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.4	1	< 1	< 1	1	2	3	3	3
6-12 YRS	21	1.7	1	< 1	< 1	1	2	3	4	5
13-19 YRS	226	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	7	3.3	15	< 1	< 1	2	3	10	12	12
6-12 YRS	20	2.2	3	< 1	1	2	3	4	6	8
13-19 YRS	61	2.6	4	< 1	1	2	3	5	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	7	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	7	2.0	1	< 1	< 1	2	3	4	4	4
13-19 YRS	114	2.2	6	< 1	1	2	2	4	6	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	2.4	4	< 1	< 1	2	3	5	7	10
B. Operated	253	1.8	1	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	90	2.5	5	< 1	1	2	3	5	8	11
B. Operated	130	2.2	5	< 1	1	2	2	4	6	14
1. SINGLE DX	356	2.0	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX	220	2.4	5	< 1	1	2	3	4	7	13
A. Not Operated	193	2.5	4	< 1	1	2	3	5	7	11
B. Operated	383	1.9	3	< 1	1	1	2	3	4	11
TOTAL										
0-27 DYS	0									
1-11 MOS	7	2.9	3	< 1	< 1	3	4	6	6	6
1-5 YRS	36	2.2	4	< 1	1	2	2	4	6	12
6-12 YRS	70	2.4	4	< 1	1	2	3	5	7	10
13-19 YRS	463	2.0	3	< 1	1	1	2	4	5	10
GRAND TOTAL	**576**	**2.1**	**3**	**< 1**	**1**	**2**	**2**	**4**	**5**	**11**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.0		< 1	< 1	1	1	1	1	1
1-11 MOS	123	1.5	5	1	1	1	1	2	3	13
1-5 YRS	911	1.2		< 1	< 1	1	1	2	2	3
6-12 YRS	1580	1.3	1	< 1	1	1	1	2	2	3
13-19 YRS	1392	1.4	1	< 1	< 1	1	2	2	3	5
B. Operated										
0-27 DYS	504	3.2	29	1	1	2	3	4	7	30
1-11 MOS	2	15.0	392	< 1	< 1	14	29	29	29	29
1-5 YRS	0									
6-12 YRS	11	1.6	1	< 1	< 1	1	2	3	4	4
13-19 YRS	6	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	73	2.0	6	1	1	1	2	4	6	14
1-5 YRS	787	1.7	3	< 1	1	1	2	3	4	9
6-12 YRS	1491	1.7	2	1	1	1	2	3	4	8
13-19 YRS	2660	1.9	3	< 1	1	1	2	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	8	2.1	4	1	1	2	2	6	7	7
1-5 YRS	98	2.6	21	1	1	1	2	4	8	28
6-12 YRS	307	2.9	30	1	1	1	2	5	7	37
13-19 YRS	960	2.6	13	< 1	1	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4009	1.3	1	< 1	1	1	1	2	2	4
B. Operated	523	3.2	30	1	1	2	3	4	7	30
2. MULTIPLE DX										
A. Not Operated	5013	1.8	3	< 1	1	1	2	3	4	9
B. Operated	1373	2.7	17	< 1	1	1	3	5	7	23
1. SINGLE DX	4532	1.5	5	< 1	1	1	2	2	3	6
2. MULTIPLE DX	6386	2.0	6	< 1	1	1	2	4	5	11
A. Not Operated	9022	1.6	2	< 1	1	1	2	3	4	7
B. Operated	1896	2.8	21	< 1	1	2	3	5	7	24
TOTAL										
0-27 DYS	509	3.2	29	1	1	2	3	4	6	30
1-11 MOS	206	1.8	9	1	1	1	2	3	4	19
1-5 YRS	1796	1.5	3	< 1	1	1	1	2	3	7
6-12 YRS	3389	1.6	4	< 1	1	1	2	2	3	7
13-19 YRS	5018	1.9	4	< 1	1	1	2	3	5	9
GRAND TOTAL	**10918**	**1.8**	**5**	**< 1**	**1**	**1**	**2**	**3**	**4**	**9**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	15	1.8	4	< 1	1	1	2	3	7	9
1-11 MOS	167	1.7	4	< 1	< 1	1	1	3	5	12
1-5 YRS	602	1.4	2	< 1	< 1	1	1	2	3	5
6-12 YRS	628	1.5	2	< 1	1	1	2	2	3	9
13-19 YRS	496	2.0	8	< 1	< 1	1	2	4	6	15
B. Operated										
0-27 DYS	0									
1-11 MOS	23	7.7	19	2	3	7	9	11	17	23
1-5 YRS	30	8.3	201	1	2	4	7	15	33	76
6-12 YRS	25	7.7	152	1	1	4	6	21	37	58
13-19 YRS	51	8.9	95	1	1	5	9	27	34	43
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	4.8	27	1	1	4	6	13	17	17
1-11 MOS	208	3.6	22	< 1	1	1	4	8	17	22
1-5 YRS	772	2.5	15	< 1	1	1	2	5	8	26
6-12 YRS	888	2.5	15	1	1	1	2	5	9	22
13-19 YRS	1245	3.7	46	< 1	1	2	3	8	14	39
B. Operated										
0-27 DYS	3	17.7	212	1	1	24	27	28	28	28
1-11 MOS	52	14.2	73	2	4	14	18	28	32	34
1-5 YRS	137	10.4	238	1	1	4	13	32	42	77
6-12 YRS	229	12.8	278	1	1	6	18	38	59	84
13-19 YRS	659	11.6	221	< 1	1	5	17	35	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1908	1.6	4	< 1	< 1	1	2	3	4	10
B. Operated	129	8.3	115	1	1	5	8	19	30	62
2. MULTIPLE DX										
A. Not Operated	3122	3.0	28	< 1	1	1	3	6	11	30
B. Operated	1080	11.8	228	1	1	5	17	34	48	85
1. SINGLE DX	2037	2.0	14	< 1	< 1	1	2	4	6	17
2. MULTIPLE DX	4202	5.3	94	< 1	1	2	4	15	25	61
A. Not Operated	5030	2.5	20	< 1	1	1	2	5	8	24
B. Operated	1209	11.5	217	1	1	5	16	33	46	79
TOTAL										
0-27 DYS	27	4.6	51	< 1	1	1	4	15	25	28
1-11 MOS	450	4.3	35	< 1	1	1	5	12	18	29
1-5 YRS	1541	2.9	40	< 1	1	1	2	5	10	33
6-12 YRS	1770	3.6	59	< 1	1	1	2	7	16	47
13-19 YRS	2451	5.6	101	< 1	1	2	5	15	28	61
GRAND TOTAL	**6239**	**4.2**	**70**	**< 1**	**1**	**1**	**3**	**10**	**20**	**51**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	2.0	1	1	1	2	3	3	3	3
6-12 YRS	16	2.1	3	< 1	< 1	1	3	4	5	6
13-19 YRS	57	2.0	2	< 1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	9	4.2	4	2	2	4	5	8	8	8
13-19 YRS	81	4.7	8	2	2	4	6	7	10	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	3.4	8	1	1	3	5	8	8	8
1-5 YRS	37	2.7	3	1	1	2	3	4	7	8
6-12 YRS	40	3.2	5	1	1	3	4	6	7	10
13-19 YRS	175	3.2	8	1	1	3	4	6	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	3	35.0	2623	2	2	9	73	94	94	94
1-5 YRS	27	10.2	186	2	3	6	10	19	35	72
6-12 YRS	34	6.3	16	1	2	5	8	13	14	17
13-19 YRS	332	8.3	77	2	3	6	9	16	21	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	2.0	2	< 1	1	2	3	4	5	7
B. Operated	93	4.6	8	2	2	4	6	7	9	16
2. MULTIPLE DX										
A. Not Operated	257	3.1	6	1	1	3	4	6	8	10
B. Operated	396	8.5	98	2	2	6	9	16	21	67
1. SINGLE DX	173	3.4	7	1	1	3	4	7	7	12
2. MULTIPLE DX	653	6.4	68	1	1	4	7	12	17	53
A. Not Operated	337	2.9	6	1	1	2	4	6	7	9
B. Operated	489	7.7	83	2	2	5	8	13	19	61
TOTAL										
0-27 DYS	0									
1-11 MOS	10	12.5	828	1	1	3	8	51	94	94
1-5 YRS	72	5.5	83	1	1	3	5	10	17	62
6-12 YRS	99	4.2	10	1	1	4	5	8	12	16
13-19 YRS	645	5.9	49	1	1	4	7	11	17	49
GRAND TOTAL	**826**	**5.7**	**57**	**1**	**1**	**4**	**7**	**10**	**16**	**50**

367: Internal Injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		< 1	< 1	1	2	2	2	2
1-5 YRS	75	3.7	9	1	1	2	6	8	10	11
6-12 YRS	208	3.7	9	1	1	3	6	8	9	12
13-19 YRS	314	3.2	7	1	1	2	5	7	9	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	26	5.9	9	2	3	5	8	10	12	15
6-12 YRS	85	6.4	41	2	3	5	7	9	10	44
13-19 YRS	175	5.8	5	2	3	6	7	9	9	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	3.0	6	< 1	< 1	2	4	7	7	7
1-5 YRS	134	5.1	19	< 1	1	4	7	11	14	21
6-12 YRS	280	4.8	20	1	1	3	7	10	13	22
13-19 YRS	538	4.0	13	1	1	3	5	9	11	17
B. Operated										
0-27 DYS	0									
1-11 MOS	5	9.4	18	3	3	12	12	13	13	13
1-5 YRS	98	12.2	175	2	3	8	14	25	45	74
6-12 YRS	198	10.2	71	3	4	7	11	23	28	44
13-19 YRS	777	10.6	92	3	4	8	12	20	30	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	600	3.5	8	1	1	2	5	8	9	12
B. Operated	286	6.0	16	2	3	5	7	9	10	18
2. MULTIPLE DX										
A. Not Operated	957	4.4	16	1	1	3	6	9	13	20
B. Operated	1078	10.7	95	3	4	8	12	21	31	66
1. SINGLE DX	886	4.3	12	1	1	4	6	8	9	13
2. MULTIPLE DX	2035	7.7	68	1	1	6	9	16	22	48
A. Not Operated	1557	4.0	13	1	1	3	6	9	10	17
B. Operated	1364	9.7	82	2	4	7	10	18	27	58
TOTAL										
0-27 DYS	0									
1-11 MOS	13	5.1	21	< 1	< 1	3	8	12	13	13
1-5 YRS	333	6.9	73	1	1	5	8	14	19	46
6-12 YRS	771	6.1	39	1	1	5	8	11	18	32
13-19 YRS	1804	6.9	56	1	1	5	8	13	18	47
GRAND TOTAL	**2921**	**6.7**	**53**	**1**	**1**	**5**	**8**	**13**	**18**	**44**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	10	1.6	1	< 1	< 1	1	2	3	3	3
6-12 YRS	15	2.3	2	< 1	< 1	2	3	4	5	5
13-19 YRS	11	2.5	2	1	1	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	9	1.9	2	1	1	1	2	4	5	5
1-5 YRS	168	1.9	2	< 1	1	1	2	4	5	7
6-12 YRS	137	2.7	6	1	1	2	4	5	6	15
13-19 YRS	123	2.6	3	< 1	1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	14	2.9	3	< 1	< 1	3	4	6	6	6
6-12 YRS	19	2.6	3	< 1	< 1	2	4	6	7	7
13-19 YRS	24	2.2	2	< 1	1	2	3	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	8	3.4	15	< 1	< 1	1	5	10	11	11
1-5 YRS	167	3.2	7	1	1	2	4	6	8	14
6-12 YRS	189	3.1	7	1	1	2	4	6	8	15
13-19 YRS	238	3.1	5	1	1	3	4	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.2	2	< 1	1	2	3	4	5	5
B. Operated	437	2.3	4	< 1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	57	2.5	3	< 1	< 1	2	3	5	6	7
B. Operated	602	3.1	6	1	1	2	4	6	8	12
1. SINGLE DX	473	2.3	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX	659	3.1	6	1	1	2	4	6	7	12
A. Not Operated	93	2.4	2	< 1	1	2	3	5	6	7
B. Operated	1039	2.8	5	1	1	2	4	6	7	12
TOTAL										
0-27 DYS	0									
1-11 MOS	17	2.6	8	< 1	1	1	3	7	10	11
1-5 YRS	359	2.5	5	< 1	1	2	3	5	6	11
6-12 YRS	360	2.9	6	1	1	2	4	6	7	15
13-19 YRS	396	2.9	4	1	1	2	4	5	6	10
GRAND TOTAL	**1132**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	14	1.9	1	1	1	2	2	3	4	4
1-5 YRS	110	2.1	2	< 1	1	2	3	4	5	8
6-12 YRS	58	2.3	2	1	1	2	3	4	6	8
13-19 YRS	68	2.2	3	< 1	1	2	3	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	15	1.4	1	< 1	1	1	1	3	4	4
1-5 YRS	330	1.5	2	< 1	< 1	1	1	3	4	7
6-12 YRS	159	1.7	2	< 1	1	1	2	4	4	7
13-19 YRS	148	1.9	4	< 1	< 1	1	2	3	5	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	5.0	5	< 1	< 1	5	7	7	7	7
1-11 MOS	26	1.9	2	< 1	1	1	2	4	5	5
1-5 YRS	123	2.7	17	< 1	1	2	3	4	6	21
6-12 YRS	102	2.3	3	< 1	1	2	3	5	5	10
13-19 YRS	185	2.1	3	< 1	1	2	3	4	5	8
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	26	2.6	8	< 1	1	2	2	7	10	12
1-5 YRS	391	2.3	10	< 1	1	1	3	4	6	14
6-12 YRS	347	2.6	10	1	1	2	3	5	8	19
13-19 YRS	847	3.0	18	< 1	1	2	3	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	251	2.2	2	< 1	1	2	3	4	5	8
B. Operated	652	1.6	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	442	2.4	7	< 1	1	2	3	4	5	10
B. Operated	1612	2.8	14	< 1	1	2	3	6	8	19
1. SINGLE DX	903	1.8	2	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX	2054	2.7	13	< 1	1	2	3	5	8	18
A. Not Operated	693	2.3	5	< 1	1	2	3	4	5	9
B. Operated	2264	2.4	11	< 1	1	1	3	5	7	16
TOTAL										
0-27 DYS	8	5.5	12	< 1	1	5	7	11	12	12
1-11 MOS	81	2.0	3	< 1	1	1	2	4	5	11
1-5 YRS	954	2.1	7	< 1	1	1	2	4	5	11
6-12 YRS	666	2.3	6	< 1	1	1	3	5	6	14
13-19 YRS	1248	2.7	13	< 1	1	2	3	5	7	19
GRAND TOTAL	**2957**	**2.4**	**10**	**<1**	**1**	**1**	**3**	**5**	**7**	**15**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		< 1	< 1	1	2	2	2	2
1-5 YRS	31	1.5	1	< 1	1	1	2	2	3	4
6-12 YRS	52	1.8	2	< 1	1	1	2	3	4	8
13-19 YRS	182	1.9	3	< 1	< 1	1	2	3	4	7
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	78	1.5	1	< 1	< 1	1	2	3	4	5
6-12 YRS	132	1.9	2	< 1	1	1	2	4	5	9
13-19 YRS	163	2.8	4	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	29	2.6	3	< 1	< 1	2	3	4	5	10
6-12 YRS	33	2.0	2	< 1	1	1	2	5	5	6
13-19 YRS	126	3.5	47	1	1	2	4	6	7	50
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	42	5.6	66	1	1	2	6	14	25	40
6-12 YRS	85	3.8	26	1	1	2	5	9	12	31
13-19 YRS	291	5.9	65	< 1	1	4	7	12	19	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268	1.9	3	< 1	< 1	1	2	3	4	8
B. Operated	377	2.2	3	< 1	1	1	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	193	3.1	32	< 1	1	2	3	5	6	35
B. Operated	420	5.4	58	1	1	3	6	12	17	40
1. SINGLE DX	645	2.1	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX	613	4.7	50	1	1	3	5	9	14	40
A. Not Operated	461	2.4	15	< 1	1	2	3	4	5	10
B. Operated	797	3.9	34	< 1	1	2	4	8	12	36
TOTAL										
0-27 DYS	3	4.3	1	3	3	5	5	5	5	5
1-11 MOS	11	2.6	8	< 1	< 1	1	4	7	10	10
1-5 YRS	180	2.6	19	< 1	1	1	2	5	8	28
6-12 YRS	302	2.4	10	< 1	1	1	3	5	7	13
13-19 YRS	762	3.9	37	< 1	1	2	4	8	11	36
GRAND TOTAL	**1258**	**3.3**	**28**	**<1**	**1**	**2**	**4**	**7**	**9**	**32**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	66	2.6	2	1	1	2	3	5	5	9
6-12 YRS	74	2.9	3	1	1	3	4	5	6	10
13-19 YRS	204	2.5	2	< 1	1	2	3	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	18	2.3	6	< 1	< 1	1	2	7	8	8
1-5 YRS	259	1.9	3	< 1	< 1	1	2	4	5	8
6-12 YRS	360	2.1	4	< 1	< 1	1	3	4	6	10
13-19 YRS	832	2.1	4	< 1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	7.5	134	< 1	< 1	3	4	28	31	31
1-5 YRS	50	3.9	11	1	1	3	5	6	11	17
6-12 YRS	45	3.0	4	1	1	3	4	5	7	8
13-19 YRS	195	3.9	42	< 1	1	2	4	7	10	31
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	4.7	22	1	1	3	7	12	13	13
1-5 YRS	194	2.2	6	< 1	1	1	2	4	8	15
6-12 YRS	267	2.7	7	1	1	2	3	6	8	12
13-19 YRS	980	3.2	14	< 1	1	2	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	345	2.6	3	1	1	2	3	5	6	8
B. Operated	1469	2.0	3	< 1	< 1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	296	3.9	33	< 1	1	3	4	7	9	29
B. Operated	1448	3.0	12	< 1	1	2	3	6	9	16
1. SINGLE DX	1814	2.1	3	< 1	1	1	3	4	6	10
2. MULTIPLE DX	1744	3.1	15	< 1	1	2	4	6	9	18
A. Not Operated	641	3.2	17	< 1	1	2	4	6	7	17
B. Operated	2917	2.5	8	< 1	1	2	3	5	7	14
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	31	4.0	34	< 1	< 1	2	4	8	13	31
1-5 YRS	569	2.3	5	< 1	1	1	3	5	6	12
6-12 YRS	746	2.4	5	< 1	1	2	3	5	7	10
13-19 YRS	2211	2.8	12	< 1	1	2	3	5	8	15
GRAND TOTAL	**3558**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	3.2	11	< 1	< 1	2	2	9	10	10
1-5 YRS	65	2.5	2	< 1	1	2	3	4	5	9
6-12 YRS	154	3.1	4	1	1	3	4	6	7	11
13-19 YRS	231	2.5	4	< 1	< 1	2	3	5	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	5	3.2	4	1	1	4	5	5	5	5
1-5 YRS	166	3.7	22	< 1	1	2	4	8	11	23
6-12 YRS	452	3.6	19	< 1	1	2	4	8	10	21
13-19 YRS	652	3.1	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	0									
1-5 YRS	34	3.3	3	1	1	3	4	6	7	7
6-12 YRS	108	4.6	36	1	1	3	5	8	12	35
13-19 YRS	134	3.6	15	< 1	1	3	4	7	8	24
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	106	7.4	117	< 1	1	4	7	18	32	59
6-12 YRS	249	5.8	56	1	1	3	7	12	18	34
13-19 YRS	552	5.6	45	1	1	4	6	12	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	456	2.7	4	< 1	1	2	3	5	7	11
B. Operated	1275	3.3	14	< 1	1	2	4	7	9	19
2. MULTIPLE DX										
A. Not Operated	277	4.0	22	1	1	3	5	7	9	20
B. Operated	909	5.9	57	1	1	4	6	12	20	42
1. SINGLE DX	1731	3.2	11	< 1	1	2	4	6	9	17
2. MULTIPLE DX	1186	5.4	49	1	1	3	6	11	18	38
A. Not Operated	733	3.2	11	< 1	1	2	4	6	8	13
B. Operated	2184	4.4	33	1	1	3	5	9	14	31
TOTAL										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	13	3.2	6	< 1	1	2	4	6	9	10
1-5 YRS	371	4.5	48	< 1	1	3	5	8	14	39
6-12 YRS	963	4.2	29	1	1	3	5	8	12	29
13-19 YRS	1569	3.9	23	< 1	1	3	4	8	11	25
GRAND TOTAL	**2917**	**4.1**	**28**	**<1**	**1**	**3**	**5**	**8**	**12**	**26**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.7	8	< 1	< 1	< 1	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	2.3	4	1	1	2	3	5	5	5
6-12 YRS	12	2.8	6	< 1	< 1	1	5	7	8	8
13-19 YRS	27	3.1	17	< 1	< 1	2	4	13	25	99 +
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	7	2.1	9	< 1	< 1	1	1	7	9	9
13-19 YRS	8	4.8	30	< 1	< 1	2	7	14	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	12	9.1	278	1	1	3	7	32	55	59
6-12 YRS	29	4.6	22	1	1	2	6	12	15	18
13-19 YRS	148	9.1	211	1	1	4	8	22	41	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	6	< 1	< 1	1	4	6	6	6
B. Operated	43	3.0	13	< 1	< 1	1	4	7	16	99 +
2. MULTIPLE DX										
A. Not Operated	17	3.2	19	< 1	< 1	1	2	11	14	15
B. Operated	190	8.4	186	1	1	4	8	19	40	75
1. SINGLE DX	47	2.9	12	< 1	< 1	1	4	7	16	99 +
2. MULTIPLE DX	207	8.0	174	1	1	4	8	18	31	75
A. Not Operated	21	3.1	16	< 1	< 1	1	3	10	13	15
B. Operated	233	7.4	159	1	1	4	7	17	29	78
TOTAL										
0-27 DYS	0									
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	18	6.7	193	1	1	2	5	17	43	59
6-12 YRS	48	3.8	17	< 1	1	2	5	9	14	18
13-19 YRS	186	7.9	177	< 1	1	4	8	18	40	88
GRAND TOTAL	**254**	**7.0**	**148**	**< 1**	**1**	**3**	**7**	**16**	**27**	**75**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.2		< 1	< 1	1	1	2	2	2
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	6	4.8	31	1	1	3	4	15	16	16
B. Operated										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	16	4.1	28	< 1	1	2	5	8	18	22
6-12 YRS	22	2.8	6	< 1	< 1	2	4	7	8	9
13-19 YRS	40	3.5	13	< 1	1	2	5	8	11	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	23.7	1346	< 1	< 1	35	83	99 +	99 +	99 +
6-12 YRS	6	2.0	3	1	1	1	3	5	5	5
13-19 YRS	13	8.7	234	< 1	< 1	4	9	21	51	58
B. Operated										
0-27 DYS	0									
1-11 MOS	2	15.0	162	6	6	15	24	24	24	24
1-5 YRS	17	5.8	23	1	1	4	8	15	15	15
6-12 YRS	15	4.2	16	< 1	< 1	3	5	8	14	16
13-19 YRS	33	2.3	4	1	1	1	3	5	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.1	15	< 1	1	2	3	6	14	16
B. Operated	79	3.5	14	< 1	1	2	5	8	11	21
2. MULTIPLE DX										
A. Not Operated	22	8.9	307	< 1	< 1	3	8	60	78	99 +
B. Operated	67	4.0	19	1	1	3	5	9	15	23
1. SINGLE DX	93	3.4	14	< 1	1	2	4	8	11	20
2. MULTIPLE DX	89	5.2	92	< 1	1	3	5	11	16	86
A. Not Operated	36	6.6	198	< 1	< 1	2	5	15	63	99 +
B. Operated	146	3.7	16	< 1	1	2	5	8	12	22
TOTAL										
0-27 DYS	0									
1-11 MOS	3	13.7	86	6	6	11	21	24	24	24
1-5 YRS	41	5.9	115	< 1	1	3	6	15	40	99 +
6-12 YRS	46	3.2	9	< 1	1	2	4	8	8	16
13-19 YRS	92	3.9	44	< 1	1	2	4	9	11	41
GRAND TOTAL	**182**	**4.3**	**53**	**< 1**	**1**	**2**	**5**	**9**	**15**	**63**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.8	14	1	1	3	6	9	9	9
1-5 YRS	47	3.7	2	<1	2	4	4	5	6	8
6-12 YRS	176	3.8	3	1	2	4	5	5	7	9
13-19 YRS	170	4.0	4	1	1	4	5	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	7.0	72	<1	<1	6	13	13	13	13
6-12 YRS	6	5.5	22	1	1	4	7	13	14	14
13-19 YRS	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	3.0	4	1	1	3	4	5	5	5
1-5 YRS	47	3.8	3	1	2	4	5	7	7	10
6-12 YRS	106	3.8	5	1	1	4	5	6	8	11
13-19 YRS	134	3.6	4	1	1	3	5	6	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	3.6	6	1	1	4	6	6	6	6
6-12 YRS	26	5.8	14	1	2	6	7	11	13	17
13-19 YRS	43	3.7	11	1	1	2	5	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	397	3.8	3	1	1	4	5	6	7	9
B. Operated	10	5.9	26	<1	<1	4	11	13	14	14
2. MULTIPLE DX										
A. Not Operated	290	3.7	4	1	1	4	5	6	7	10
B. Operated	75	4.4	13	1	1	4	6	10	11	17
1. SINGLE DX	407	3.9	4	1	1	4	5	6	7	11
2. MULTIPLE DX	365	3.8	6	1	1	4	5	7	8	12
A. Not Operated	687	3.8	4	1	1	4	5	6	7	10
B. Operated	85	4.6	14	1	1	4	6	10	12	17
TOTAL										
0-27 DYS	0									
1-11 MOS	8	3.1	8	1	1	2	4	8	9	9
1-5 YRS	101	3.8	4	1	1	4	5	6	7	11
6-12 YRS	314	4.0	5	1	1	4	5	6	8	12
13-19 YRS	349	3.8	5	1	1	4	5	6	7	11
GRAND TOTAL	**772**	**3.9**	**5**	**1**	**1**	**4**	**5**	**6**	**7**	**11**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	1.8		1	1	2	2	2	2	2
1-11 MOS	74	1.5	1	<1	1	1	1	3	4	6
1-5 YRS	294	1.7	2	<1	1	1	2	3	4	9
6-12 YRS	340	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	514	1.6	1	<1	<1	1	2	3	4	6
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	34	1.7	2	<1	<1	1	2	3	4	7
6-12 YRS	69	2.5	7	<1	<1	1	3	7	9	11
13-19 YRS	91	1.8	1	<1	<1	1	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	2.2	3	1	1	1	3	5	5	5
1-11 MOS	103	2.6	7	1	1	1	3	5	7	14
1-5 YRS	437	2.0	2	<1	1	1	2	4	5	8
6-12 YRS	541	1.8	2	1	1	1	2	3	5	8
13-19 YRS	1173	2.0	3	<1	<1	1	2	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.5	6	1	1	2	4	6	6	6
1-5 YRS	53	3.7	19	1	1	2	5	8	15	22
6-12 YRS	85	3.1	10	1	1	2	4	6	10	17
13-19 YRS	196	3.3	38	<1	1	2	4	6	8	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1226	1.6	1	<1	<1	1	2	3	4	6
B. Operated	198	2.0	3	<1	<1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	2259	2.0	3	<1	1	1	2	4	5	8
B. Operated	338	3.3	28	1	1	2	4	6	9	19
1. SINGLE DX	1424	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2597	2.1	6	<1	1	1	2	4	5	10
A. Not Operated	3485	1.8	2	<1	1	1	2	3	5	8
B. Operated	536	2.8	19	<1	1	2	3	5	8	18
TOTAL										
0-27 DYS	10	2.0	2	1	1	2	2	4	5	5
1-11 MOS	184	2.2	5	1	1	1	3	5	6	12
1-5 YRS	818	2.0	3	<1	1	1	2	4	5	9
6-12 YRS	1035	1.9	3	<1	1	1	2	4	5	9
13-19 YRS	1974	2.0	6	<1	<1	1	2	4	5	9
GRAND TOTAL	**4021**	**2.0**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	53	1.7	2	1	1	1	2	3	4	8
6-12 YRS	31	2.5	7	1	1	2	3	5	7	15
13-19 YRS	27	2.2	5	< 1	1	2	3	4	6	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	16	1.8	1	< 1	< 1	1	2	3	4	5
6-12 YRS	17	3.5	17	< 1	1	2	3	11	13	14
13-19 YRS	35	3.5	17	< 1	1	2	4	8	11	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	29	1.7	1	1	1	1	2	3	4	4
6-12 YRS	18	3.1	25	< 1	1	2	2	6	16	22
13-19 YRS	29	2.4	3	1	1	2	3	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	17	5.2	22	1	1	4	7	14	16	16
6-12 YRS	26	5.0	22	1	1	4	6	13	14	16
13-19 YRS	57	7.1	120	1	1	4	7	15	19	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	2.1	4	1	1	1	2	4	5	13
B. Operated	68	3.1	13	< 1	1	2	3	8	11	20
2. MULTIPLE DX										
A. Not Operated	76	2.3	7	1	1	2	2	4	6	18
B. Operated	101	6.2	77	1	1	4	7	14	16	54
1. SINGLE DX	179	2.5	8	< 1	1	2	3	5	8	15
2. MULTIPLE DX	177	4.5	51	1	1	2	5	11	15	30
A. Not Operated	187	2.1	5	1	1	2	2	4	5	14
B. Operated	169	5.0	53	1	1	3	5	12	15	31
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	115	2.2	6	1	1	1	2	4	7	15
6-12 YRS	92	3.5	17	1	1	2	4	10	14	19
13-19 YRS	148	4.5	56	1	1	2	5	11	14	34
GRAND TOTAL	**356**	**3.5**	**30**	**1**	**1**	**2**	**4**	**7**	**13**	**21**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	8	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	3.5	22	< 1	< 1	1	3	12	13	13
6-12 YRS	0									
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	3.0	3	< 1	< 1	3	4	5	5	5
6-12 YRS	4	2.5	6	1	1	2	4	6	6	6
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.8	2	< 1	< 1	1	3	4	4	4
B. Operated	17	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	8	2.9	17	< 1	< 1	1	2	10	13	13
B. Operated	10	3.1	4	< 1	< 1	3	5	6	6	6
1. SINGLE DX	25	1.2	1	< 1	< 1	< 1	1	1	4	4
2. MULTIPLE DX	18	3.0	9	< 1	< 1	2	4	6	10	13
A. Not Operated	16	2.3	9	< 1	< 1	1	2	4	10	13
B. Operated	27	1.8	2	< 1	< 1	1	2	5	5	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	23	2.0	7	< 1	< 1	< 1	2	4	8	13
6-12 YRS	14	1.6	2	< 1	< 1	1	1	4	6	6
13-19 YRS	6	2.7	3	1	1	3	4	5	5	5
GRAND TOTAL	**43**	**2.0**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**13**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	55	1.7	1	< 1	1	2	2	3	3	6
1-11 MOS	269	1.3		< 1	< 1	1	1	2	3	4
1-5 YRS	761	1.1		< 1	< 1	1	1	1	2	4
6-12 YRS	262	1.3	4	< 1	< 1	1	1	2	2	7
13-19 YRS	96	1.3	1	< 1	< 1	1	1	2	3	7
B. Operated										
0-27 DYS	2	1.5	1	< 1	< 1	1	2	2	2	2
1-11 MOS	59	1.5	1	< 1	1	1	2	2	3	6
1-5 YRS	379	1.6	1	< 1	< 1	1	2	2	4	7
6-12 YRS	81	1.8	4	< 1	< 1	1	2	4	7	11
13-19 YRS	39	1.9	3	< 1	< 1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	40	2.1	2	< 1	< 1	2	3	4	5	7
1-11 MOS	157	2.3	3	< 1	1	2	3	5	6	9
1-5 YRS	201	2.1	8	< 1	1	1	2	4	5	13
6-12 YRS	63	2.0	7	< 1	< 1	1	2	3	5	18
13-19 YRS	43	2.6	13	< 1	< 1	1	2	6	7	22
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	29	3.8	17	1	1	3	5	8	10	21
1-5 YRS	165	3.7	33	< 1	1	2	4	8	10	36
6-12 YRS	38	4.4	37	< 1	1	2	4	12	17	31
13-19 YRS	37	4.9	81	< 1	1	3	5	9	15	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1443	1.2	1	< 1	< 1	1	1	2	2	4
B. Operated	560	1.6	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	504	2.2	6	< 1	1	1	2	4	5	10
B. Operated	270	4.0	38	< 1	1	2	4	8	13	36
1. SINGLE DX	2003	1.3	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX	774	2.8	18	< 1	1	2	3	5	8	23
A. Not Operated	1947	1.5	3	< 1	< 1	1	1	2	3	6
B. Operated	830	2.4	15	< 1	< 1	1	2	5	7	18
TOTAL										
0-27 DYS	98	2.0	2	< 1	1	2	2	3	5	10
1-11 MOS	514	1.8	3	< 1	< 1	1	2	3	5	8
1-5 YRS	1506	1.6	6	< 1	< 1	1	2	3	4	9
6-12 YRS	444	1.8	8	< 1	< 1	1	1	3	5	17
13-19 YRS	215	2.3	19	< 1	< 1	1	2	5	7	19
GRAND TOTAL	**2777**	**1.7**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	11	3.5	8	1	1	2	5	8	9	9
1-5 YRS	31	5.5	15	1	1	5	8	9	10	20
6-12 YRS	16	6.0	21	< 1	1	5	9	12	15	16
13-19 YRS	10	5.6	13	1	1	5	9	11	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	19	9.0	107	< 1	< 1	6	11	24	36	41
1-5 YRS	63	8.9	74	1	1	5	14	23	27	36
6-12 YRS	64	8.0	41	1	1	6	12	18	21	26
13-19 YRS	53	6.4	49	1	1	4	8	14	22	34
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	28	7.8	57	1	1	5	11	19	22	32
1-5 YRS	83	6.7	26	< 1	1	6	10	14	18	75
6-12 YRS	34	5.3	32	< 1	1	4	7	16	24	99 +
13-19 YRS	35	6.3	39	1	1	4	8	14	19	29
B. Operated										
0-27 DYS	0									
1-11 MOS	37	12.8	185	1	1	9	20	28	36	65
1-5 YRS	161	18.3	295	1	2	15	26	44	60	99 +
6-12 YRS	126	16.5	182	1	2	15	23	33	41	98
13-19 YRS	137	15.8	181	1	2	12	24	34	44	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	5.3	15	1	1	5	8	10	12	19
B. Operated	199	8.0	60	1	1	5	11	20	24	36
2. MULTIPLE DX										
A. Not Operated	181	6.6	34	1	1	5	10	14	20	77
B. Operated	461	16.6	222	1	2	13	24	35	46	99
1. SINGLE DX	267	7.3	50	1	1	5	9	16	22	33
2. MULTIPLE DX	642	13.8	190	1	1	10	20	32	43	99 +
A. Not Operated	249	6.2	29	1	1	5	9	14	19	32
B. Operated	660	14.0	189	1	1	10	20	32	41	96
TOTAL										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	95	9.5	118	1	1	5	13	24	31	54
1-5 YRS	338	12.5	193	1	1	8	18	29	44	99 +
6-12 YRS	240	12.0	136	1	1	9	17	28	36	97
13-19 YRS	235	11.8	144	1	1	8	16	30	36	64
GRAND TOTAL	**909**	**11.9**	**157**	**1**	**1**	**8**	**17**	**29**	**37**	**92**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	101	3.9	19	< 1	1	2	5	8	11	26
1-5 YRS	304	4.1	16	1	1	2	6	10	12	19
6-12 YRS	91	3.9	10	1	1	3	6	9	10	12
13-19 YRS	101	3.7	13	1	1	2	5	9	11	18
B. Operated										
0-27 DYS	0									
1-11 MOS	16	6.9	143	1	1	3	6	12	39	50
1-5 YRS	79	6.7	47	1	1	4	9	16	20	37
6-12 YRS	35	5.6	33	1	1	5	7	10	16	30
13-19 YRS	26	5.5	21	< 1	1	4	8	13	14	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	9.8	110	2	2	6	14	28	28	28
1-11 MOS	289	5.9	36	1	1	4	9	13	17	30
1-5 YRS	902	5.7	26	1	1	4	8	12	16	24
6-12 YRS	231	4.8	18	1	1	3	7	11	13	20
13-19 YRS	294	4.4	20	1	1	3	6	11	12	23
B. Operated										
0-27 DYS	0									
1-11 MOS	65	11.8	102	2	2	10	18	25	35	92
1-5 YRS	266	11.0	100	1	2	8	16	24	29	49
6-12 YRS	87	10.2	64	1	2	8	14	21	23	40
13-19 YRS	101	9.0	70	1	1	6	12	21	25	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	598	3.9	15	1	1	2	5	9	11	19
B. Operated	156	6.3	48	1	1	4	8	14	16	41
2. MULTIPLE DX										
A. Not Operated	1721	5.4	26	1	1	4	8	12	15	24
B. Operated	519	10.6	89	1	2	8	15	22	28	48
1. SINGLE DX	754	4.4	23	1	1	3	6	10	13	22
2. MULTIPLE DX	2240	6.6	46	1	1	4	9	15	20	31
A. Not Operated	2319	5.0	24	1	1	3	7	11	14	22
B. Operated	675	9.6	83	1	1	7	13	21	27	47
TOTAL										
0-27 DYS	6	8.3	101	1	1	5	9	26	28	28
1-11 MOS	471	6.3	50	1	1	4	9	14	19	40
1-5 YRS	1551	6.3	43	1	1	4	8	14	19	30
6-12 YRS	444	5.8	32	1	1	4	8	12	18	25
13-19 YRS	522	5.2	32	1	1	3	7	12	17	26
GRAND TOTAL	**2994**	**6.1**	**41**	**1**	**1**	**4**	**8**	**14**	**19**	**30**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	8	2.5	5	1	1	2	3	6	7	7
6-12 YRS	18	2.7	3	1	1	2	3	6	6	6
13-19 YRS	71	2.5	5	< 1	< 1	2	3	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	8	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	16	2.1	6	< 1	< 1	1	2	3	9	11
13-19 YRS	68	2.2	3	< 1	< 1	1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	7	6.6	23	1	1	6	8	14	16	16
6-12 YRS	20	2.6	6	1	1	2	3	6	8	11
13-19 YRS	60	4.0	36	< 1	< 1	2	4	8	13	34
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	11.0	112	1	1	9	19	26	26	26
1-5 YRS	33	4.3	59	< 1	1	1	3	15	24	35
6-12 YRS	45	3.5	37	1	1	2	3	6	13	37
13-19 YRS	164	3.1	34	< 1	1	2	3	5	10	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	2.5	4	< 1	1	2	3	6	7	11
B. Operated	93	2.3	6	< 1	< 1	1	3	5	6	15
2. MULTIPLE DX										
A. Not Operated	88	4.0	30	< 1	1	2	5	8	16	33
B. Operated	248	3.5	39	< 1	1	2	3	6	14	36
1. SINGLE DX	192	2.4	5	< 1	< 1	1	3	5	6	12
2. MULTIPLE DX	336	3.6	37	< 1	1	2	3	8	14	35
A. Not Operated	187	3.2	17	< 1	1	2	4	7	9	25
B. Operated	341	3.2	31	< 1	1	2	3	5	11	35
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	10.1	89	< 1	< 1	9	17	23	26	26
1-5 YRS	56	3.9	40	< 1	1	1	4	8	16	34
6-12 YRS	99	2.9	20	1	1	2	3	6	10	29
13-19 YRS	363	3.0	23	< 1	1	2	3	6	8	28
GRAND TOTAL	**528**	**3.2**	**26**	**< 1**	**1**	**2**	**3**	**6**	**10**	**31**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	26	1.6	1	< 1	1	1	2	3	4	6
1-5 YRS	147	2.1	4	1	1	1	2	4	6	11
6-12 YRS	215	1.7	2	< 1	1	1	2	3	4	9
13-19 YRS	270	1.9	2	< 1	< 1	1	2	3	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	28	4.3	28	< 1	< 1	2	5	11	18	23
6-12 YRS	27	3.7	11	1	1	2	5	7	11	15
13-19 YRS	99	4.7	26	< 1	1	2	6	12	15	27
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	23	3.9	21	< 1	1	2	3	10	17	18
1-5 YRS	146	2.8	10	< 1	1	2	3	5	8	21
6-12 YRS	212	2.4	3	1	1	2	3	5	6	8
13-19 YRS	412	2.4	4	< 1	1	2	3	5	7	11
B. Operated										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	15.3	212	5	5	9	26	32	32	32
1-5 YRS	46	6.7	63	1	1	3	9	17	21	42
6-12 YRS	82	7.4	49	1	1	5	11	17	21	33
13-19 YRS	204	8.2	92	1	1	5	10	20	33	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	660	1.9	2	< 1	1	1	2	3	5	8
B. Operated	155	4.4	24	< 1	1	2	6	11	15	24
2. MULTIPLE DX										
A. Not Operated	794	2.6	5	< 1	1	2	3	5	7	13
B. Operated	336	7.9	78	1	1	5	10	19	27	44
1. SINGLE DX	815	2.3	7	< 1	1	1	2	4	7	15
2. MULTIPLE DX	1130	4.1	33	1	1	2	4	9	14	35
A. Not Operated	1454	2.2	4	< 1	1	2	3	4	6	10
B. Operated	491	6.8	64	1	1	4	9	15	23	41
TOTAL										
0-27 DYS	4	6.5	30	2	2	5	10	14	14	14
1-11 MOS	53	3.4	28	1	1	2	3	8	15	32
1-5 YRS	367	3.1	17	1	1	2	3	6	10	21
6-12 YRS	536	3.0	14	1	1	2	3	6	10	20
13-19 YRS	985	3.7	30	< 1	1	2	4	8	13	34
GRAND TOTAL	**1945**	**3.4**	**23**	**<1**	**1**	**2**	**4**	**7**	**11**	**25**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	102	1.4	1	< 1	< 1	1	2	2	3	5
1-5 YRS	1884	1.3	1	< 1	< 1	1	1	2	3	4
6-12 YRS	215	1.8	5	< 1	1	1	2	3	3	11
13-19 YRS	1820	1.9	8	< 1	< 1	1	2	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	2.3	3	< 1	< 1	2	3	5	5	5
6-12 YRS	3	15.7	482	2	2	4	32	41	41	41
13-19 YRS	14	2.6	3	< 1	< 1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	2.1	3	< 1	< 1	2	2	5	7	7
1-11 MOS	115	2.3	5	< 1	1	1	3	5	7	12
1-5 YRS	941	2.0	11	< 1	< 1	1	2	3	5	12
6-12 YRS	341	3.0	15	< 1	1	2	3	6	8	19
13-19 YRS	5603	3.3	29	< 1	1	2	3	6	10	28
B. Operated										
0-27 DYS	0									
1-11 MOS	6	7.8	76	< 1	< 1	5	11	23	24	24
1-5 YRS	12	5.2	17	< 1	1	4	7	12	13	13
6-12 YRS	6	10.2	177	1	1	6	7	34	37	37
13-19 YRS	87	7.2	158	< 1	1	4	7	16	26	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4024	1.6	4	< 1	< 1	1	2	3	3	6
B. Operated	25	4.1	62	< 1	< 1	2	4	5	15	41
2. MULTIPLE DX										
A. Not Operated	7010	3.1	26	< 1	1	2	3	6	9	26
B. Operated	111	7.2	138	< 1	1	4	7	15	26	65
1. SINGLE DX	4049	1.6	5	< 1	< 1	1	2	3	3	6
2. MULTIPLE DX	7121	3.1	28	< 1	1	2	3	6	10	27
A. Not Operated	11034	2.5	18	< 1	1	1	2	4	7	21
B. Operated	136	6.6	125	< 1	1	4	6	13	25	52
TOTAL										
0-27 DYS	13	1.9	3	< 1	< 1	1	2	4	6	7
1-11 MOS	223	2.0	6	< 1	< 1	1	2	4	6	12
1-5 YRS	2845	1.5	4	< 1	< 1	1	2	2	3	7
6-12 YRS	565	2.7	16	< 1	1	2	3	5	7	23
13-19 YRS	7524	3.0	26	< 1	1	2	3	5	9	26
GRAND TOTAL	**11170**	**2.6**	**20**	**<1**	**1**	**1**	**2**	**4**	**7**	**23**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	1.3		<1	<1	1	2	2	2	2
1-11 MOS	112	1.5	1	<1	<1	1	2	2	4	6
1-5 YRS	1396	2.5	6	<1	1	1	4	6	6	10
6-12 YRS	236	1.8	2	<1	1	1	2	5	6	6
13-19 YRS	312	1.5	2	<1	<1	1	2	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	19	3.8	13	<1	1	3	5	9	13	14
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	71	2.2	4	<1	1	2	2	5	6	11
1-5 YRS	846	3.1	8	1	1	2	5	6	7	13
6-12 YRS	144	2.6	6	1	1	2	3	5	7	11
13-19 YRS	436	2.4	7	<1	1	1	3	5	7	15
B. Operated										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	5	16.8	133	2	2	20	25	30	30	30
1-5 YRS	35	7.3	89	1	1	4	8	31	32	99+
6-12 YRS	4	34.3	1085	11	11	21	53	83	83	83
13-19 YRS	23	6.0	35	<1	1	4	8	14	19	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2062	2.2	5	<1	1	1	3	6	6	9
B. Operated	30	3.2	9	1	1	2	4	6	11	14
2. MULTIPLE DX										
A. Not Operated	1498	2.8	8	<1	1	2	4	6	7	14
B. Operated	69	9.1	158	1	1	5	11	27	32	97
1. SINGLE DX	2092	2.2	5	<1	1	1	3	6	6	9
2. MULTIPLE DX	1567	3.1	16	<1	1	2	4	6	8	19
A. Not Operated	3560	2.5	6	<1	1	1	3	6	6	11
B. Operated	99	7.3	120	1	1	4	8	22	31	91
TOTAL										
0-27 DYS	9	3.2	9	<1	<1	2	6	8	9	9
1-11 MOS	190	2.2	11	<1	<1	1	2	4	6	22
1-5 YRS	2296	2.8	8	<1	1	1	5	6	7	12
6-12 YRS	389	2.5	23	<1	1	1	2	5	6	16
13-19 YRS	775	2.1	6	<1	<1	1	2	4	6	15
GRAND TOTAL	**3659**	**2.6**	**10**	**<1**	**1**	**1**	**3**	**6**	**7**	**13**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	2.5	1	<1	1	3	3	4	4	4
1-11 MOS	92	1.9	3	<1	1	1	2	3	6	11
1-5 YRS	390	1.7	2	<1	1	1	2	3	4	8
6-12 YRS	190	2.0	2	1	1	1	2	4	5	8
13-19 YRS	217	2.1	6	<1	1	1	2	4	5	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	3	5.7	65	<1	<1	1	11	15	15	15
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	3.5	5	1	1	3	4	7	9	9
1-11 MOS	187	5.2	38	1	1	3	6	11	22	30
1-5 YRS	421	3.5	31	1	1	2	3	7	11	32
6-12 YRS	229	3.4	48	1	1	2	3	6	9	27
13-19 YRS	323	3.2	16	<1	1	2	4	6	9	21
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	19	15.2	332	1	1	9	19	61	84	99+
1-5 YRS	44	13.8	375	<1	1	5	18	40	63	82
6-12 YRS	23	3.1	18	1	1	1	3	8	14	19
13-19 YRS	36	8.0	406	<1	1	1	4	16	67	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	902	1.9	3	<1	1	1	2	4	5	9
B. Operated	8	2.9	24	<1	<1	1	2	11	15	15
2. MULTIPLE DX										
A. Not Operated	1173	3.6	31	1	1	2	4	8	12	28
B. Operated	123	10.2	320	1	1	3	10	32	62	93
1. SINGLE DX	910	1.9	4	<1	1	1	2	4	5	9
2. MULTIPLE DX	1296	4.3	62	1	1	2	4	8	15	40
A. Not Operated	2075	2.9	20	<1	1	2	3	6	8	23
B. Operated	131	9.8	305	<1	1	3	9	30	59	93
TOTAL										
0-27 DYS	27	3.2	4	1	1	3	4	6	8	9
1-11 MOS	298	4.8	55	1	1	2	5	11	20	47
1-5 YRS	858	3.2	42	1	1	1	3	6	10	36
6-12 YRS	445	2.8	27	1	1	2	3	5	8	19
13-19 YRS	578	3.1	38	<1	1	2	3	5	8	25
GRAND TOTAL	**2206**	**3.3**	**39**	**<1**	**1**	**2**	**3**	**6**	**10**	**31**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	5.0	7	2	2	6	7	7	7	7
1-11 MOS	19	3.3	11	< 1	1	1	6	8	11	12
1-5 YRS	55	2.7	13	< 1	1	1	3	7	10	20
6-12 YRS	55	4.1	19	< 1	1	3	6	8	13	24
13-19 YRS	61	4.9	21	1	1	4	7	10	15	23
B. Operated										
0-27 DYS	11	4.9	9	1	2	5	7	10	10	10
1-11 MOS	178	5.2	25	1	2	4	6	12	16	24
1-5 YRS	373	4.2	19	1	1	3	5	8	11	23
6-12 YRS	339	4.9	44	1	1	3	5	9	15	34
13-19 YRS	325	3.7	12	< 1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	3.8	12	1	1	3	6	8	8	8
1-11 MOS	106	5.7	34	1	1	4	7	16	20	60
1-5 YRS	335	5.9	28	1	1	4	8	13	17	25
6-12 YRS	194	5.8	42	1	1	4	7	14	17	30
13-19 YRS	219	6.4	39	1	1	4	8	13	17	32
B. Operated										
0-27 DYS	18	14.5	99	1	2	17	20	29	31	31
1-11 MOS	466	11.1	176	1	2	6	15	28	40	84
1-5 YRS	975	8.5	110	1	2	5	10	21	30	79
6-12 YRS	867	7.1	73	1	1	4	8	16	23	46
13-19 YRS	869	7.7	87	1	1	5	9	18	26	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	3.9	17	< 1	1	2	5	9	13	22
B. Operated	1226	4.4	25	1	1	3	5	8	13	25
2. MULTIPLE DX										
A. Not Operated	858	6.0	34	1	1	4	8	13	18	29
B. Operated	3195	8.3	105	1	1	5	10	20	30	57
1. SINGLE DX	1419	4.4	24	1	1	3	5	8	13	24
2. MULTIPLE DX	4053	7.8	91	1	1	5	9	18	26	53
A. Not Operated	1051	5.6	32	1	1	4	7	12	17	26
B. Operated	4421	7.2	86	1	1	4	8	17	25	50
TOTAL										
0-27 DYS	36	9.6	77	1	1	6	17	25	29	31
1-11 MOS	769	8.8	126	1	1	4	11	22	32	76
1-5 YRS	1738	6.9	75	1	1	4	8	16	23	44
6-12 YRS	1455	6.3	61	1	1	4	7	14	21	45
13-19 YRS	1474	6.5	63	1	1	4	8	14	21	42
GRAND TOTAL	**5472**	**6.9**	**76**	**1**	**1**	**4**	**8**	**16**	**24**	**47**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	1.3	1	< 1	< 1	1	1	3	3	3
1-11 MOS	8	1.8	1	< 1	< 1	1	2	4	4	4
1-5 YRS	116	1.4	1	< 1	< 1	1	2	2	3	4
6-12 YRS	190	1.4	1	< 1	< 1	1	1	2	3	6
13-19 YRS	187	1.6	1	< 1	< 1	1	2	2	4	5
B. Operated										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.1		< 1	< 1	1	1	2	2	2
1-5 YRS	95	1.5	1	< 1	< 1	1	2	3	3	8
6-12 YRS	198	1.5	1	< 1	< 1	1	2	3	3	5
13-19 YRS	257	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	1.8	1	< 1	< 1	1	2	3	3	3
1-11 MOS	10	2.2	2	1	1	2	3	4	5	5
1-5 YRS	46	2.0	1	1	1	2	3	4	4	6
6-12 YRS	58	1.7	2	< 1	< 1	1	2	3	4	9
13-19 YRS	56	2.1	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	1.8	1	< 1	< 1	1	2	4	4	4
1-5 YRS	84	1.7	3	< 1	1	1	2	3	6	10
6-12 YRS	106	1.7	2	1	1	1	2	4	5	9
13-19 YRS	152	2.7	11	1	1	1	3	6	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	507	1.4	1	< 1	< 1	1	2	2	3	5
B. Operated	561	1.5	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	174	1.9	2	< 1	1	1	2	4	4	7
B. Operated	352	2.1	6	1	1	1	2	4	7	13
1. SINGLE DX	1068	1.5	1	< 1	< 1	1	2	3	3	5
2. MULTIPLE DX	526	2.0	5	< 1	1	1	2	4	6	11
A. Not Operated	681	1.6	1	< 1	< 1	1	2	3	4	5
B. Operated	913	1.8	3	< 1	1	1	2	3	5	11
TOTAL										
0-27 DYS	14	1.5	1	< 1	< 1	1	2	3	3	3
1-11 MOS	35	1.7	1	< 1	< 1	1	2	4	4	5
1-5 YRS	341	1.6	1	< 1	1	1	2	3	4	7
6-12 YRS	552	1.5	2	< 1	< 1	1	2	3	4	7
13-19 YRS	652	1.9	4	< 1	1	1	2	4	5	11
GRAND TOTAL	**1594**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**3**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	3.5	15	1	1	2	4	10	11	11
1-11 MOS	17	3.4	2	< 1	1	3	4	5	6	6
1-5 YRS	40	3.5	4	1	1	3	4	7	7	9
6-12 YRS	62	5.3	12	2	2	4	7	11	13	14
13-19 YRS	110	5.0	11	1	2	4	7	10	11	16
B. Operated										
0-27 DYS	0									
1-11 MOS	14	6.1	15	3	3	5	9	16	79	99 +
1-5 YRS	26	3.7	10	< 1	1	3	5	8	12	14
6-12 YRS	53	8.1	71	1	2	5	9	19	26	42
13-19 YRS	90	7.0	28	1	2	5	9	14	18	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	20	3.5	5	1	2	3	4	7	9	10
1-11 MOS	33	5.3	11	2	2	5	7	9	13	15
1-5 YRS	77	5.7	19	1	2	4	7	11	14	24
6-12 YRS	68	5.4	20	1	1	4	7	12	13	24
13-19 YRS	121	6.3	31	1	2	5	8	11	15	30
B. Operated										
0-27 DYS	4	14.5	148	4	4	14	25	26	26	26
1-11 MOS	27	9.8	156	2	2	5	10	32	45	47
1-5 YRS	56	8.6	101	1	1	6	10	16	20	58
6-12 YRS	97	11.6	148	2	3	8	14	25	39	64
13-19 YRS	162	10.2	86	2	3	8	13	21	28	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	235	4.7	10	1	2	4	6	9	11	14
B. Operated	183	6.8	38	1	2	5	8	15	21	40
2. MULTIPLE DX										
A. Not Operated	319	5.7	23	1	2	4	7	11	14	23
B. Operated	346	10.3	112	1	2	7	13	22	31	59
1. SINGLE DX	418	5.6	23	1	2	4	7	11	15	26
2. MULTIPLE DX	665	8.1	74	1	2	6	10	16	24	47
A. Not Operated	554	5.3	17	1	2	4	7	10	12	20
B. Operated	529	9.1	89	1	2	6	11	20	27	53
TOTAL										
0-27 DYS	30	5.0	36	1	1	3	4	10	24	26
1-11 MOS	91	6.4	57	2	2	4	7	12	16	78
1-5 YRS	199	5.8	41	1	1	4	7	12	16	36
6-12 YRS	280	8.0	79	1	2	5	9	16	24	48
13-19 YRS	483	7.4	48	1	2	6	9	15	21	37
GRAND TOTAL	**1083**	**7.1**	**56**	**1**	**2**	**5**	**9**	**14**	**21**	**45**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	3.2	5	1	1	3	4	7	7	7
1-11 MOS	19	2.8	6	1	1	2	3	6	9	11
1-5 YRS	41	2.1	3	< 1	< 1	1	3	5	6	9
6-12 YRS	28	2.5	7	1	1	1	3	5	7	14
13-19 YRS	56	3.1	9	1	1	2	3	7	10	15
B. Operated										
0-27 DYS	0									
1-11 MOS	18	4.4	22	< 1	1	3	5	14	16	16
1-5 YRS	61	3.4	12	< 1	1	2	5	8	10	19
6-12 YRS	43	3.7	15	< 1	1	2	5	7	11	21
13-19 YRS	57	4.6	21	< 1	1	3	7	9	10	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	59	4.2	46	< 1	1	2	4	7	15	45
1-5 YRS	200	3.0	11	1	1	2	4	6	8	17
6-12 YRS	133	2.4	7	< 1	1	1	2	6	9	30
13-19 YRS	268	2.9	18	1	1	2	3	6	8	15
B. Operated										
0-27 DYS	10	14.9	304	1	1	10	16	43	59	59
1-11 MOS	105	7.3	154	< 1	1	3	7	20	37	84
1-5 YRS	391	4.0	59	1	1	1	4	10	15	35
6-12 YRS	326	2.9	24	1	1	1	2	7	12	26
13-19 YRS	553	3.4	45	1	1	1	3	7	15	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149	2.7	7	1	1	2	3	6	7	14
B. Operated	179	3.9	16	< 1	1	3	5	8	11	23
2. MULTIPLE DX										
A. Not Operated	663	2.9	16	1	1	2	3	6	9	17
B. Operated	1385	3.8	56	1	1	1	3	9	16	39
1. SINGLE DX	328	3.4	12	< 1	1	2	4	7	10	20
2. MULTIPLE DX	2048	3.5	43	1	1	1	3	8	13	35
A. Not Operated	812	2.9	15	1	1	2	3	6	9	16
B. Operated	1564	3.8	51	1	1	1	4	9	15	37
TOTAL										
0-27 DYS	18	9.7	198	1	1	4	11	24	47	59
1-11 MOS	201	5.7	99	< 1	1	2	6	13	23	66
1-5 YRS	693	3.6	38	1	1	2	4	8	12	26
6-12 YRS	530	2.8	18	1	1	1	2	7	10	24
13-19 YRS	934	3.3	34	1	1	1	3	7	11	30
GRAND TOTAL	**2376**	**3.5**	**39**	**1**	**1**	**1**	**3**	**8**	**13**	**31**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	1.9	1	< 1	< 1	2	2	4	5	5
1-5 YRS	31	2.1	2	1	1	2	2	4	4	7
6-12 YRS	9	1.9	1	< 1	< 1	2	2	3	4	4
13-19 YRS	14	2.5	3	1	1	2	3	5	6	6
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	33	3.1	5	1	1	3	4	7	7	9
1-5 YRS	41	2.6	5	1	1	2	3	5	8	11
6-12 YRS	40	2.8	5	1	1	2	3	6	8	10
13-19 YRS	38	3.3	5	1	1	3	4	6	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	4	18.0	113	5	5	18	25	31	31	31
1-5 YRS	7	9.9	74	< 1	1	6	16	23	24	24
6-12 YRS	3	7.7	42	1	1	8	12	14	14	14
13-19 YRS	7	9.7	55	1	1	7	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	2.1	2	< 1	1	2	2	4	5	7
B. Operated	5	3.0	9	1	1	2	4	8	8	8
2. MULTIPLE DX										
A. Not Operated	154	3.0	5	1	1	2	3	6	8	10
B. Operated	21	11.0	72	< 1	1	8	17	21	27	31
1. SINGLE DX	77	2.2	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX	175	3.9	20	1	1	2	4	8	14	23
A. Not Operated	226	2.7	4	1	1	2	3	6	7	10
B. Operated	26	9.5	70	< 1	1	7	17	19	25	31
TOTAL										
0-27 DYS	4	5.5	17	2	2	5	9	10	10	10
1-11 MOS	55	3.8	26	< 1	1	2	4	7	15	30
1-5 YRS	81	3.0	13	1	1	2	3	5	10	22
6-12 YRS	52	2.9	7	1	1	2	3	7	9	14
13-19 YRS	60	3.9	14	1	1	3	5	7	13	18
GRAND TOTAL	**252**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	8	1.1		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	13	2.1	2	< 1	< 1	1	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	12	1.1		< 1	< 1	< 1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	14	2.1	2	< 1	1	2	3	4	5	5
1. SINGLE DX	12	1.1		< 1	< 1	< 1	1	1	2	2
2. MULTIPLE DX	14	2.1	2	< 1	1	2	3	4	5	5
A. Not Operated	0									
B. Operated	26	1.6	1	< 1	< 1	1	2	3	4	5
TOTAL										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	21	1.7	1	< 1	< 1	1	2	4	4	5
GRAND TOTAL	**26**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	2	56.0	338	43	43	84	99 +	99 +	99 +	99 +
1000-1499	10	42.3	239	21	24	42	51	63	74	74
1500-1749	10	28.7	142	8	14	27	31	47	51	51
1750-2499	4896	2.8	5	1	1	2	3	5	5	10
2500 +	345665	2.5	1	1	1	2	3	4	5	6
B. Operated										
1-999 G	3	70.7	9	68	68	74	99 +	99 +	99 +	99 +
1000-1499	8	50.5	191	25	29	59	61	99 +	99 +	99 +
1500-1749	2	39.0	162	30	30	39	48	48	48	48
1750-2499	16	23.1	355	< 1	1	21	30	54	61	64
2500 +	138	4.9	69	1	1	3	4	9	13	57
2. MULTIPLE DX										
A. Not Operated										
1-999 G	113	67.0	349	34	44	76	99	99 +	99 +	99 +
1000-1499	790	38.9	256	15	20	37	48	62	73	99 +
1500-1749	1095	23.6	123	10	12	22	29	38	44	64
1750-2499	17677	6.8	45	1	2	5	8	15	20	33
2500 +	214521	3.3	5	1	2	3	4	5	6	10
B. Operated										
1-999 G	298	74.5	254	50	57	88	99 +	99 +	99 +	99 +
1000-1499	809	50.4	330	25	29	50	64	85	99 +	99 +
1500-1749	473	33.3	195	16	19	31	40	53	67	99 +
1750-2499	1743	17.8	184	3	5	15	23	35	47	98
2500 +	4592	7.7	78	1	2	5	9	15	21	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350583	2.5	2	1	1	2	3	4	5	6
B. Operated	167	10.4	292	1	1	3	8	48	64	99 +
2. MULTIPLE DX										
A. Not Operated	234196	3.8	18	1	2	3	4	6	8	22
B. Operated	7915	18.3	444	2	3	10	27	59	83	99 +
1. SINGLE DX	350750	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	242111	4.3	39	1	2	3	4	6	10	37
A. Not Operated	584779	3.0	9	1	1	2	4	5	6	12
B. Operated	8082	18.2	442	2	2	9	27	59	82	99 +
TOTAL										
1-999 G	416	72.3	289	44	54	85	99 +	99 +	99 +	99 +
1000-1499	1617	44.7	325	19	24	44	57	76	89	99 +
1500-1749	1580	26.6	164	11	13	24	32	43	52	82
1750-2499	24332	6.8	59	1	2	4	8	16	21	39
2500 +	564916	2.8	4	1	1	2	3	5	5	8
GRAND TOTAL	**592861**	**3.2**	**18**	**1**	**1**	**2**	**4**	**5**	**6**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	3	72.7	92	64	64	71	80	83	83	83
1000-1499	2	40.5	545	24	24	40	57	57	57	57
1500-1749	4	17.8	84	8	8	18	25	27	27	27
1750-2499	722	4.1	7	2	2	4	5	6	7	15
2500 +	3338	3.8	2	2	2	4	5	5	6	8
B. Operated										
1-999 G	3	77.0	148	69	69	71	86	91	91	91
1000-1499	4	60.0	50	52	52	59	65	69	69	69
1500-1749	0									
1750-2499	1	3.0		3	3	3	3	3	3	3
2500 +	3	8.0	49	3	3	5	13	16	16	16
2. MULTIPLE DX										
A. Not Operated										
1-999 G	20	69.6	455	32	38	76	90	96	99 +	99 +
1000-1499	168	37.3	213	17	21	37	47	61	78	99 +
1500-1749	308	23.3	116	11	12	22	28	37	43	66
1750-2499	3295	8.3	45	2	3	6	11	17	20	30
2500 +	3084	4.6	5	2	3	4	5	6	8	13
B. Operated										
1-999 G	40	71.0	289	47	55	93	99 +	99 +	99 +	99 +
1000-1499	181	48.8	328	23	29	46	60	84	92	99 +
1500-1749	145	32.3	157	15	20	30	39	48	56	76
1750-2499	295	19.0	188	4	6	16	23	35	46	76
2500 +	94	10.5	136	3	3	7	10	21	43	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4069	3.9	8	2	2	4	5	6	6	9
B. Operated	11	45.3	1039	3	3	58	69	79	90	91
2. MULTIPLE DX										
A. Not Operated	6875	8.2	83	2	3	5	9	18	25	49
B. Operated	755	30.4	483	4	6	27	46	75	97	99 +
1. SINGLE DX	4080	4.0	15	2	2	4	5	6	6	10
2. MULTIPLE DX	7630	10.4	167	2	3	5	12	25	40	83
A. Not Operated	10944	6.6	59	2	2	4	6	13	20	43
B. Operated	766	30.6	492	4	6	27	46	75	96	99 +
TOTAL										
1-999 G	66	70.9	316	40	52	84	99 +	99 +	99 +	99 +
1000-1499	355	43.4	305	19	23	42	55	75	90	99 +
1500-1749	457	26.1	146	11	13	24	32	41	48	66
1750-2499	4313	8.3	59	2	3	6	11	18	22	37
2500 +	6519	4.3	6	2	2	4	5	6	7	13
GRAND TOTAL	**11710**	**8.2**	**123**	**2**	**2**	**5**	**7**	**18**	**30**	**71**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	46	3.3	12	1	1	2	3	6	14	18
2500 +	896	2.1	1	1	1	2	3	3	4	6
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
1-999 G	2	46.0	242	35	35	46	57	57	57	57
1000-1499	17	33.6	170	17	19	31	40	56	57	57
1500-1749	14	31.4	270	18	20	27	33	49	75	83
1750-2499	200	8.7	63	1	2	6	13	20	25	36
2500 +	537	4.3	40	1	1	3	5	8	13	39
B. Operated										
1-999 G	6	67.5	934	27	30	88	99 +	99 +	99 +	99 +
1000-1499	7	44.3	259	27	29	38	60	68	68	68
1500-1749	6	46.7	251	30	30	46	56	69	71	71
1750-2499	18	15.8	181	1	2	16	26	76	99 +	99 +
2500 +	30	10.6	133	1	2	6	11	32	41	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	942	2.2	2	1	1	2	3	3	4	7
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	770	6.7	89	1	1	3	7	18	27	54
B. Operated	67	23.8	581	1	3	17	40	74	99 +	99 +
1. SINGLE DX	944	2.2	2	1	1	2	3	3	4	7
2. MULTIPLE DX	837	8.1	149	1	1	3	8	23	35	84
A. Not Operated	1712	4.2	46	1	1	2	3	8	16	36
B. Operated	69	23.2	578	1	2	16	39	72	99 +	99 +
TOTAL										
1-999 G	8	62.1	801	27	31	71	99	99 +	99 +	99 +
1000-1499	24	36.8	210	17	21	35	44	58	67	68
1500-1749	20	36.0	302	18	21	30	43	63	77	83
1750-2499	264	8.3	70	1	1	5	13	20	27	50
2500 +	1465	3.1	20	1	1	2	3	5	7	28
GRAND TOTAL	**1781**	**4.9**	**80**	**1**	**1**	**2**	**4**	**11**	**22**	**56**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	11	1.8	1	< 1	< 1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	56	1.4	1	< 1	< 1	1	2	2	3	5
6-12 YRS	186	1.7	2	< 1	< 1	1	2	3	4	7
13-19 YRS	764	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.3	1	< 1	< 1	< 1	1	3	3	3
6-12 YRS	14	1.5	1	< 1	< 1	1	1	3	5	5
13-19 YRS	10	2.1	3	< 1	< 1	1	4	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	93	1.9	2	< 1	< 1	1	2	4	5	8
6-12 YRS	239	2.2	5	< 1	1	2	3	4	5	14
13-19 YRS	336	2.5	12	< 1	1	2	3	4	6	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.8	1	< 1	< 1	2	3	3	3	3
B. Operated	1011	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	30	1.7	2	< 1	< 1	1	1	4	5	6
B. Operated	673	2.3	8	< 1	1	2	3	4	5	14
1. SINGLE DX	1025	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	703	2.3	8	< 1	1	2	3	4	5	14
A. Not Operated	44	1.7	2	< 1	< 1	1	2	3	4	6
B. Operated	1684	1.9	4	< 1	< 1	1	2	4	4	8
TOTAL										
0-27 DYS	0									
1-11 MOS	10	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	157	1.7	2	< 1	< 1	1	2	3	4	8
6-12 YRS	440	2.0	3	< 1	< 1	1	2	4	4	11
13-19 YRS	1121	2.0	5	< 1	< 1	1	2	4	4	8
GRAND TOTAL	**1728**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**4**	**8**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	0									
6-12 YRS	7	1.6	1	1	1	1	2	3	3	3
13-19 YRS	7	2.3	3	1	1	2	2	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	5	17.8	959	1	1	4	24	73	73	73
13-19 YRS	15	5.3	22	1	1	5	6	8	17	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	17	2.1	2	1	1	2	2	5	6	6
B. Operated	21	8.7	238	1	1	5	7	16	44	73
1. SINGLE DX	0									
2. MULTIPLE DX	38	5.7	141	1	1	3	6	8	18	73
A. Not Operated	17	2.1	2	1	1	2	2	5	6	6
B. Operated	21	8.7	238	1	1	5	7	16	44	73
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	12	8.3	419	1	1	2	4	27	66	73
13-19 YRS	22	4.3	17	1	1	3	6	7	13	20
GRAND TOTAL	**38**	**5.7**	**141**	**1**	**1**	**3**	**6**	**8**	**18**	**73**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	291	3.2	11	< 1	1	2	4	6	10	19
1-11 MOS	359	2.3	4	< 1	1	2	3	4	5	11
1-5 YRS	557	2.5	15	< 1	< 1	1	3	5	6	24
6-12 YRS	376	2.6	15	< 1	< 1	1	3	4	8	29
13-19 YRS	679	1.9	6	< 1	< 1	1	2	4	5	8
B. Operated										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	91	4.8	12	< 1	1	5	7	9	10	17
1-5 YRS	220	3.7	33	< 1	< 1	2	5	8	9	41
6-12 YRS	176	2.7	9	< 1	< 1	2	3	7	8	11
13-19 YRS	364	3.3	19	< 1	< 1	2	4	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	268	5.2	27	1	1	3	7	12	16	28
1-11 MOS	720	3.2	20	< 1	1	2	4	6	8	21
1-5 YRS	3281	3.3	23	< 1	1	2	4	6	7	25
6-12 YRS	2646	3.6	39	1	1	2	4	6	8	39
13-19 YRS	3420	4.1	60	< 1	1	2	4	6	13	53
B. Operated										
0-27 DYS	14	8.3	92	1	1	5	12	25	30	32
1-11 MOS	436	4.7	43	1	1	2	6	11	16	45
1-5 YRS	1184	3.7	26	< 1	1	2	4	8	11	33
6-12 YRS	740	3.9	50	1	1	2	4	8	12	48
13-19 YRS	942	4.8	94	1	1	2	5	10	15	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2262	2.4	10	< 1	< 1	1	3	4	6	15
B. Operated	853	3.5	20	< 1	< 1	2	5	8	9	15
2. MULTIPLE DX										
A. Not Operated	10335	3.7	39	< 1	1	2	4	6	9	39
B. Operated	3316	4.2	53	1	1	2	5	9	13	48
1. SINGLE DX	3115	2.7	13	< 1	< 1	2	3	6	8	15
2. MULTIPLE DX	13651	3.8	43	< 1	1	2	4	7	11	39
A. Not Operated	12597	3.5	34	< 1	1	2	4	6	8	36
B. Operated	4169	4.1	47	< 1	1	2	5	9	12	44
TOTAL										
0-27 DYS	575	4.3	22	1	1	3	5	10	14	25
1-11 MOS	1606	3.5	23	< 1	1	2	4	7	10	25
1-5 YRS	5242	3.3	24	< 1	1	2	4	6	8	27
6-12 YRS	3938	3.5	37	< 1	1	2	4	6	9	39
13-19 YRS	5405	3.9	57	< 1	1	2	4	7	11	52
GRAND TOTAL	**16766**	**3.6**	**38**	**<1**	**1**	**2**	**4**	**6**	**10**	**38**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8008	3.5	27	1	1	3	4	5	7	27
1-11 MOS	16563	3.5	15	< 1	1	2	4	7	9	18
1-5 YRS	37676	2.9	14	< 1	< 1	2	3	6	9	20
6-12 YRS	45157	3.1	20	< 1	1	2	3	6	9	24
13-19 YRS	116470	2.8	11	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-27 DYS	29902	10.7	249	1	2	5	11	32	53	99 +
1-11 MOS	26285	6.6	79	1	1	4	7	14	22	60
1-5 YRS	52559	4.9	55	1	1	3	5	11	17	42
6-12 YRS	42435	5.1	65	1	1	2	6	11	19	44
13-19 YRS	109379	5.0	54	1	1	3	5	10	16	43
TOTAL SINGLE DX	223874	2.9	14	< 1	1	2	3	5	8	18
TOTAL MULTIPLE DX	260560	5.8	84	1	1	3	6	12	21	58
TOTAL										
0-27 DYS	37910	9.2	210	1	2	4	8	26	46	99 +
1-11 MOS	42848	5.4	56	1	1	3	6	11	17	46
1-5 YRS	90235	4.1	39	< 1	1	2	4	9	14	33
6-12 YRS	87592	4.1	43	< 1	1	2	4	8	14	35
13-19 YRS	225849	3.9	33	1	1	2	4	7	11	31
GRAND TOTAL	**484434**	**4.5**	**54**	**1**	**1**	**2**	**4**	**9**	**15**	**43**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	64	5.7	30	1	1	5	7	10	15	35
1-5 YRS	124	7.5	51	1	1	6	9	18	24	34
6-12 YRS	147	7.9	30	1	2	7	10	15	18	29
13-19 YRS	111	8.6	67	1	2	8	10	14	20	53
2. MULTIPLE DX										
0-27 DYS	10	14.1	76	4	5	11	20	60	97	99+
1-11 MOS	153	12.1	111	1	2	10	16	27	33	47
1-5 YRS	300	13.5	192	1	2	9	17	30	41	71
6-12 YRS	243	14.9	211	2	2	12	20	33	46	99+
13-19 YRS	258	16.3	315	2	3	10	19	47	72	99+
TOTAL SINGLE DX	447	7.6	46	1	2	6	9	14	19	34
TOTAL MULTIPLE DX	964	14.4	218	2	2	10	18	32	51	99
TOTAL										
0-27 DYS	11	13.4	75	4	5	11	20	53	93	99+
1-11 MOS	217	10.2	96	1	2	7	13	22	31	44
1-5 YRS	424	11.7	159	1	2	8	15	25	38	65
6-12 YRS	390	12.3	155	1	2	9	16	26	38	98
13-19 YRS	369	14.0	253	2	3	9	16	33	63	99+
GRAND TOTAL	1411	12.2	173	1	2	8	15	26	40	88

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	4.4	1	3	3	4	5	6	6	6
1-11 MOS	75	5.3	11	2	3	5	6	8	10	22
1-5 YRS	70	8.8	145	2	2	5	9	14	30	74
6-12 YRS	52	8.3	157	2	3	5	9	16	23	88
13-19 YRS	65	7.2	11	3	3	7	9	12	14	15
2. MULTIPLE DX										
0-27 DYS	9	18.4	586	3	3	7	25	59	77	77
1-11 MOS	61	15.8	158	4	5	13	20	35	50	96
1-5 YRS	104	15.9	345	4	4	9	17	40	67	96
6-12 YRS	86	14.3	284	3	4	9	16	29	64	99
13-19 YRS	155	17.4	294	4	5	11	19	51	60	89
TOTAL SINGLE DX	267	7.3	76	2	3	5	8	11	16	60
TOTAL MULTIPLE DX	415	16.2	290	4	4	10	18	40	61	99
TOTAL										
0-27 DYS	14	13.4	410	3	3	5	12	37	68	77
1-11 MOS	136	10.0	105	3	3	6	13	22	33	68
1-5 YRS	174	13.1	276	3	3	7	12	32	56	92
6-12 YRS	138	12.0	243	2	3	8	13	23	48	98
13-19 YRS	220	14.4	232	4	4	9	15	34	55	81
GRAND TOTAL	682	12.7	225	3	3	8	14	29	52	90

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	2.5	1	1	1	2	3	4	5	5
1-11 MOS	336	4.3	5	2	2	4	5	7	8	10
1-5 YRS	125	4.0	5	1	1	4	5	6	8	13
6-12 YRS	106	5.2	37	1	2	4	6	7	12	38
13-19 YRS	71	4.6	11	1	1	4	6	9	12	18
2. MULTIPLE DX										
0-27 DYS	7	16.4	382	3	3	6	35	45	45	45
1-11 MOS	125	6.0	18	2	3	5	7	9	15	27
1-5 YRS	148	7.8	89	1	2	5	8	17	22	61
6-12 YRS	109	8.1	61	2	2	6	9	16	25	43
13-19 YRS	115	10.9	118	2	3	7	14	24	36	78
TOTAL SINGLE DX	646	4.4	12	1	2	4	5	7	8	14
TOTAL MULTIPLE DX	504	8.3	79	2	2	6	9	17	25	51
TOTAL										
0-27 DYS	15	9.0	217	1	1	3	6	45	45	45
1-11 MOS	461	4.8	10	2	2	4	6	8	9	17
1-5 YRS	273	6.1	55	1	2	4	7	10	17	46
6-12 YRS	215	6.7	51	2	2	5	7	12	20	43
13-19 YRS	186	8.5	87	1	2	5	11	18	29	60
GRAND TOTAL	1150	6.1	45	2	2	4	7	11	17	42

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	30	7.1	126	2	2	4	7	11	62	99+
1-11 MOS	215	4.8	15	2	2	4	5	8	10	20
1-5 YRS	108	4.5	8	1	2	4	6	8	9	16
6-12 YRS	64	5.3	39	2	2	4	6	8	12	40
13-19 YRS	34	5.9	26	2	2	4	7	12	15	28
2. MULTIPLE DX										
0-27 DYS	113	31.6	655	4	6	25	60	94	99+	99+
1-11 MOS	290	10.7	173	2	2	6	11	24	38	74
1-5 YRS	200	10.6	215	1	2	6	11	24	38	90
6-12 YRS	138	9.2	99	1	3	6	10	22	39	99+
13-19 YRS	81	12.1	201	3	4	7	11	35	56	91
TOTAL SINGLE DX	451	5.1	25	2	2	4	6	8	13	33
TOTAL MULTIPLE DX	822	13.4	292	2	3	7	15	41	65	99+
TOTAL										
0-27 DYS	143	26.5	643	3	4	18	54	86	99+	99+
1-11 MOS	505	8.2	114	2	2	5	8	16	29	67
1-5 YRS	308	8.5	151	1	2	5	8	18	31	80
6-12 YRS	202	7.9	83	2	2	5	9	18	30	79
13-19 YRS	115	10.3	157	2	3	6	10	28	39	81
GRAND TOTAL	1273	10.5	214	2	2	5	10	28	52	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	13	5.3	8	2	2	5	7	10	10	10
1-11 MOS	149	5.2	23	1	2	4	6	10	13	25
1-5 YRS	315	4.3	20	1	1	3	5	8	11	24
6-12 YRS	219	5.2	46	1	2	3	5	8	15	37
13-19 YRS	145	6.1	53	1	2	4	6	13	22	43
2. MULTIPLE DX										
0-27 DYS	45	25.2	447	4	4	22	55	99+	99+	99+
1-11 MOS	396	11.8	208	1	2	6	15	30	47	82
1-5 YRS	649	8.4	110	1	2	4	10	21	29	61
6-12 YRS	575	7.3	90	1	2	4	8	16	28	60
13-19 YRS	366	11.6	192	1	2	6	15	33	50	99+
TOTAL SINGLE DX	841	5.0	34	1	2	3	5	9	15	33
TOTAL MULTIPLE DX	2031	9.7	155	1	2	5	12	26	39	99
TOTAL										
0-27 DYS	58	20.8	417	3	3	18	48	99+	99+	99+
1-11 MOS	545	10.0	167	1	2	5	12	26	36	78
1-5 YRS	964	7.1	85	1	2	4	7	17	25	46
6-12 YRS	794	6.7	79	1	2	4	7	14	23	57
13-19 YRS	511	10.0	159	1	2	5	12	27	42	99+
GRAND TOTAL	2872	8.3	124	1	2	4	9	21	32	78

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	7.0	28	1	1	6	9	16	18	18
1-5 YRS	21	7.9	10	4	4	8	9	12	15	16
6-12 YRS	25	8.2	18	4	4	7	8	15	18	22
13-19 YRS	38	9.3	49	3	4	8	11	15	19	43
2. MULTIPLE DX										
0-27 DYS	6	11.5	104	2	2	8	18	28	29	29
1-11 MOS	11	13.7	305	2	2	7	15	44	57	58
1-5 YRS	52	8.1	83	2	4	6	9	11	14	68
6-12 YRS	45	9.8	53	4	5	8	10	17	29	38
13-19 YRS	76	16.8	205	4	5	12	21	36	45	75
TOTAL SINGLE DX	93	8.5	30	3	4	7	10	14	17	34
TOTAL MULTIPLE DX	190	12.4	150	3	4	8	14	28	37	65
TOTAL										
0-27 DYS	7	10.7	91	2	2	8	16	27	29	29
1-11 MOS	19	10.9	192	1	2	7	9	28	48	58
1-5 YRS	73	8.0	62	3	4	6	9	11	14	57
6-12 YRS	70	9.3	41	4	5	7	9	16	27	36
13-19 YRS	114	14.3	165	4	4	10	16	34	43	65
GRAND TOTAL	283	11.1	114	3	4	8	12	22	35	57

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	14	10.1	55	2	3	7	14	23	25	25
1-11 MOS	28	6.5	14	2	3	6	8	13	15	18
1-5 YRS	69	9.5	39	2	2	7	9	25	30	40
6-12 YRS	94	9.9	90	2	4	7	9	25	30	53
13-19 YRS	99	7.6	37	1	1	6	10	15	19	33
2. MULTIPLE DX										
0-27 DYS	99	20.0	203	6	8	15	27	39	47	70
1-11 MOS	63	9.6	63	2	3	7	10	19	31	36
1-5 YRS	128	10.5	126	2	3	7	11	21	28	66
6-12 YRS	135	10.3	102	1	4	8	10	19	26	65
13-19 YRS	130	13.1	175	2	3	9	16	31	40	76
TOTAL SINGLE DX	304	8.8	61	1	3	7	9	18	26	36
TOTAL MULTIPLE DX	555	12.7	151	2	3	9	15	27	38	68
TOTAL										
0-27 DYS	113	18.8	195	5	7	14	23	38	47	68
1-11 MOS	91	8.6	50	2	3	7	10	17	27	35
1-5 YRS	197	10.1	106	2	3	7	10	24	29	53
6-12 YRS	229	10.2	97	1	4	7	10	22	27	64
13-19 YRS	229	10.7	123	1	2	7	12	23	34	69
GRAND TOTAL	859	11.3	122	2	3	8	13	25	33	63

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	3.8	15	1	1	2	4	11	12	12
6-12 YRS	13	2.4	9	1	1	1	2	5	11	12
13-19 YRS	32	3.3	10	<1	1	2	5	6	6	18
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	28.8	1681	4	4	10	51	90	90	90
1-5 YRS	31	3.0	8	1	1	2	4	10	10	99+
6-12 YRS	23	5.7	97	1	1	3	6	15	64	99+
13-19 YRS	42	5.8	37	1	1	4	7	12	22	28
TOTAL SINGLE DX	57	3.2	11	1	1	2	4	6	11	18
TOTAL MULTIPLE DX	100	5.8	114	1	1	3	6	12	25	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	4	28.8	1681	4	4	10	51	90	90	90
1-5 YRS	43	3.2	10	1	1	2	4	10	11	99+
6-12 YRS	36	4.5	67	1	1	2	5	11	36	99+
13-19 YRS	74	4.7	27	1	1	3	6	11	17	27
GRAND TOTAL	157	4.9	78	1	1	3	5	11	16	99

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	7.0		6	6	7	7	8	8	8
1-5 YRS	27	1.3		<1	<1	1	1	2	3	4
6-12 YRS	55	1.6	4	<1	<1	1	1	2	5	15
13-19 YRS	164	2.1	2	<1	<1	1	3	5	6	7
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	7.2	77	1	1	2	13	21	21	21
1-5 YRS	66	2.1	7	<1	<1	1	2	4	7	15
6-12 YRS	89	2.7	17	1	1	1	3	5	9	27
13-19 YRS	258	2.6	11	<1	1	2	3	5	8	35
TOTAL SINGLE DX	251	2.0	3	<1	<1	1	2	5	6	8
TOTAL MULTIPLE DX	419	2.6	13	<1	1	1	3	5	9	24
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	7.1	35	1	1	7	8	16	21	21
1-5 YRS	93	1.8	5	<1	<1	1	2	3	6	15
6-12 YRS	144	2.3	13	<1	1	1	2	4	7	21
13-19 YRS	422	2.4	8	<1	<1	2	3	5	6	17
GRAND TOTAL	670	2.4	9	<1	<1	1	3	5	7	19

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	4.6	2	2	2	4	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	6.5	24	1	1	5	9	14	15	15
TOTAL SINGLE DX	9	4.3	3	2	2	4	6	7	7	7
TOTAL MULTIPLE DX	7	6.9	21	1	1	6	9	14	15	15
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	14	5.4	12	1	2	5	6	10	14	15
GRAND TOTAL	16	5.4	12	1	2	5	7	9	13	15

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.5	3	1	1	2	4	4	4	4
13-19 YRS	5	5.8	31	1	1	3	9	15	15	15
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	11.5	221	1	1	11	22	22	22	22
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	12	5.7	42	1	1	3	8	14	23	24
TOTAL SINGLE DX	9	4.3	20	1	1	3	5	12	15	15
TOTAL MULTIPLE DX	16	6.0	52	1	1	3	8	21	23	24
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	11.5	221	1	1	11	22	22	22	22
6-12 YRS	6	2.5	2	1	1	2	4	4	4	4
13-19 YRS	17	5.7	37	1	1	3	8	14	21	24
GRAND TOTAL	25	5.4	40	1	1	3	7	15	22	24

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	7	2.4	3	< 1	< 1	1	4	5	5	5
6-12 YRS	33	2.6	1	1	1	2	3	4	5	5
13-19 YRS	212	2.5	2	1	1	2	3	4	4	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	5	3.8	6	1	1	3	5	8	8	8
6-12 YRS	15	6.1	14	2	2	4	9	13	13	13
13-19 YRS	95	3.4	6	1	1	3	4	6	7	15
TOTAL SINGLE DX	255	2.5	2	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	117	3.8	8	1	1	3	4	7	10	15
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	3.8	6	2	2	3	5	7	7	7
1-5 YRS	12	3.0	5	< 1	< 1	3	4	6	8	8
6-12 YRS	48	3.7	8	1	1	3	4	7	11	13
13-19 YRS	307	2.8	4	1	1	2	3	4	5	13
GRAND TOTAL	372	2.9	5	1	1	3	4	5	6	13

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	18	1.8	2	< 1	< 1	1	2	4	5	6
1-5 YRS	209	1.3		< 1	1	1	2	2	2	5
6-12 YRS	174	1.6	1	< 1	1	1	2	3	4	8
13-19 YRS	87	1.8	1	< 1	1	1	3	3	4	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	7	3.6	4	1	1	3	5	7	7	7
1-5 YRS	50	2.6	10	< 1	1	1	3	7	9	17
6-12 YRS	32	3.9	32	1	1	1	4	9	19	26
13-19 YRS	43	4.7	26	1	1	3	6	11	16	26
TOTAL SINGLE DX	488	1.5	1	< 1	1	1	2	3	3	7
TOTAL MULTIPLE DX	132	3.7	21	1	1	2	4	9	12	26
TOTAL										
0-27 DYS	0									
1-11 MOS	25	2.3	3	< 1	1	1	3	5	6	7
1-5 YRS	259	1.6	3	< 1	1	1	2	2	4	9
6-12 YRS	206	1.9	7	< 1	1	1	2	3	6	14
13-19 YRS	130	2.8	12	1	1	2	3	6	9	20
GRAND TOTAL	620	2.0	6	<1	1	1	2	4	6	13

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	8	6.1	9	2	3	5	8	11	11	11
1-5 YRS	16	7.6	16	2	4	7	9	14	16	17
6-12 YRS	10	5.7	8	< 1	< 1	6	8	9	9	9
13-19 YRS	30	5.6	5	1	2	5	7	8	9	13
2. MULTIPLE DX										
0-27 DYS	2	9.0	32	5	5	9	13	13	13	13
1-11 MOS	8	15.9	78	5	6	14	22	29	31	31
1-5 YRS	19	11.3	96	2	4	7	13	29	35	38
6-12 YRS	15	14.9	331	5	5	8	12	33	64	74
13-19 YRS	21	8.5	20	2	4	9	11	18	51	99 +
TOTAL SINGLE DX	66	6.1	9	1	2	6	8	9	11	17
TOTAL MULTIPLE DX	65	11.7	123	3	4	8	13	26	34	96
TOTAL										
0-27 DYS	4	6.5	19	4	4	5	9	13	13	13
1-11 MOS	16	11.0	66	3	4	8	14	23	29	31
1-5 YRS	35	9.6	62	2	4	7	11	17	30	38
6-12 YRS	25	11.2	218	1	4	7	9	26	43	74
13-19 YRS	51	6.8	13	1	3	6	9	12	18	98
GRAND TOTAL	131	8.9	73	1	4	7	10	16	26	79

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	16	1.1		<1	<1	1	1	2	2	2
1-5 YRS	42	1.1		<1	<1	<1	1	1	2	4
6-12 YRS	21	1.0		<1	<1	<1	1	1	2	2
13-19 YRS	12	2.4	5	<1	<1	1	3	7	8	8
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	9	1.6	1	<1	<1	1	2	4	5	5
6-12 YRS	11	3.0	7	<1	<1	1	6	7	7	7
13-19 YRS	8	2.4	7	<1	<1	1	2	7	9	9
TOTAL SINGLE DX	91	1.3	1	<1	<1	<1	1	2	3	7
TOTAL MULTIPLE DX	33	2.2	5	<1	<1	1	2	6	7	9
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	20	1.1		<1	<1	1	1	2	2	2
1-5 YRS	51	1.2	1	<1	<1	<1	1	1	2	5
6-12 YRS	32	1.7	3	<1	<1	1	1	5	7	7
13-19 YRS	20	2.4	6	<1	<1	1	3	7	8	9
GRAND TOTAL	124	1.5	2	<1	<1	1	1	2	5	8

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	9	1.8	4	<1	<1	1	1	5	7	7
1-5 YRS	140	1.2		<1	<1	1	1	2	2	3
6-12 YRS	94	1.4	1	<1	<1	1	1	2	3	9
13-19 YRS	51	1.5	1	<1	<1	1	2	2	4	8
2. MULTIPLE DX										
0-27 DYS	8	3.5	1	2	2	4	5	5	5	5
1-11 MOS	19	2.8	16	<1	<1	1	3	6	13	18
1-5 YRS	140	2.6	6	<1	1	2	3	6	8	13
6-12 YRS	151	2.6	13	<1	1	2	2	6	9	21
13-19 YRS	330	2.8	6	<1	1	2	4	6	8	12
TOTAL SINGLE DX	294	1.3	1	<1	<1	1	1	2	3	7
TOTAL MULTIPLE DX	648	2.7	8	<1	1	2	3	6	8	13
TOTAL										
0-27 DYS	8	3.5	2	2	2	4	5	5	5	5
1-11 MOS	28	2.5	12	<1	<1	1	2	6	8	18
1-5 YRS	280	1.9	4	<1	<1	1	2	4	6	9
6-12 YRS	245	2.2	9	<1	<1	1	2	4	7	13
13-19 YRS	381	2.6	6	<1	1	2	3	6	7	12
GRAND TOTAL	942	2.3	6	<1	<1	1	2	5	7	12

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	1.2		1	1	1	1	2	2	2
1-5 YRS	27	1.4	1	<1	<1	1	1	2	3	8
6-12 YRS	22	1.2		<1	<1	1	1	2	3	3
13-19 YRS	22	1.3		<1	1	1	1	2	3	3
2. MULTIPLE DX										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	3	7.0	19	2	2	9	10	10	10	10
1-5 YRS	21	1.4	1	<1	<1	1	1	3	4	6
6-12 YRS	19	1.8	5	<1	<1	1	1	6	9	9
13-19 YRS	22	1.9	5	<1	1	1	2	3	7	12
TOTAL SINGLE DX	78	1.4	1	<1	<1	1	1	2	3	8
TOTAL MULTIPLE DX	67	2.1	6	<1	<1	1	2	6	9	12
TOTAL										
0-27 DYS	3	5.7	5	3	3	7	7	7	7	7
1-11 MOS	9	3.1	13	1	1	1	4	10	10	10
1-5 YRS	48	1.4	2	<1	<1	1	1	2	3	8
6-12 YRS	41	1.5	3	<1	<1	1	1	2	5	9
13-19 YRS	44	1.6	3	<1	1	1	2	3	4	12
GRAND TOTAL	145	1.7	4	<1	<1	1	1	3	7	10

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	9	1.0		<1	<1	1	1	1	1	1
6-12 YRS	13	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	7	1.7	1	<1	<1	1	3	3	3	3
6-12 YRS	10	1.9	1	1	1	1	3	4	5	5
13-19 YRS	8	5.0	27	1	1	3	6	14	17	17
TOTAL SINGLE DX	26	1.2		<1	<1	1	1	2	2	3
TOTAL MULTIPLE DX	28	2.6	10	<1	1	1	3	5	8	17
TOTAL										
0-27 DYS	0									
1-11 MOS	5	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	16	1.3	1	<1	<1	1	1	3	3	3
6-12 YRS	23	1.4	1	<1	<1	1	1	3	4	5
13-19 YRS	10	4.3	24	1	1	3	5	12	17	17
GRAND TOTAL	54	1.9	6	<1	<1	1	2	3	5	17

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	1.6	1	1	1	1	2	3	3	3
1-5 YRS	17	2.2	3	1	1	2	3	4	7	8
6-12 YRS	13	3.2	15	< 1	< 1	2	3	8	14	15
13-19 YRS	21	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	18	3.4	10	1	1	3	4	5	11	15
1-5 YRS	16	2.3	1	1	1	2	3	4	5	5
6-12 YRS	16	3.1	8	< 1	1	2	4	7	10	12
13-19 YRS	25	4.4	67	1	1	3	4	6	16	43
TOTAL SINGLE DX	57	2.4	5	1	1	2	3	5	6	15
TOTAL MULTIPLE DX	75	3.4	27	1	1	3	4	5	7	36
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	23	3.0	9	1	1	3	3	5	9	15
1-5 YRS	33	2.3	2	1	1	2	3	4	5	8
6-12 YRS	29	3.1	11	< 1	1	2	4	7	12	15
13-19 YRS	46	3.5	38	1	1	2	3	6	6	43
GRAND TOTAL	132	3.0	18	1	1	2	3	5	7	20

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	2.4	2	< 1	< 1	2	3	5	5	5
1-5 YRS	80	2.3	2	< 1	< 1	2	3	4	5	8
6-12 YRS	67	3.0	4	< 1	1	3	4	5	6	13
13-19 YRS	51	2.7	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	9	1.2		< 1	< 1	< 1	1	2	3	3
1-5 YRS	83	3.5	9	1	1	3	4	7	9	18
6-12 YRS	79	3.6	7	< 1	1	3	5	7	8	15
13-19 YRS	78	3.8	3	1	1	4	5	6	6	10
TOTAL SINGLE DX	206	2.7	3	< 1	1	2	4	5	6	8
TOTAL MULTIPLE DX	249	3.5	7	< 1	1	3	5	6	7	12
TOTAL										
0-27 DYS	0									
1-11 MOS	17	1.8	2	< 1	< 1	< 1	2	4	5	5
1-5 YRS	163	2.9	6	< 1	1	2	4	5	7	12
6-12 YRS	146	3.3	6	< 1	1	3	4	6	7	14
13-19 YRS	129	3.4	3	1	1	3	4	6	6	9
GRAND TOTAL	455	3.1	5	<1	1	3	4	6	7	12

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	1.3		< 1	< 1	1	2	2	2	2
1-11 MOS	60	1.7	1	< 1	< 1	1	2	3	5	5
1-5 YRS	16	1.4		< 1	< 1	1	2	2	2	2
6-12 YRS	22	1.9	1	< 1	1	1	3	4	4	4
13-19 YRS	24	2.9	8	1	1	2	4	6	9	14
2. MULTIPLE DX										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	19	2.3	8	< 1	< 1	1	2	4	9	14
1-5 YRS	17	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	13	4.5	24	< 1	1	3	6	11	17	19
13-19 YRS	22	3.3	6	< 1	1	3	5	7	8	9
TOTAL SINGLE DX	130	1.9	3	< 1	< 1	1	2	4	5	8
TOTAL MULTIPLE DX	75	2.7	9	< 1	< 1	2	3	6	9	18
TOTAL										
0-27 DYS	12	1.4		< 1	< 1	1	2	3	3	3
1-11 MOS	79	1.8	3	< 1	< 1	1	2	3	5	11
1-5 YRS	33	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	35	2.9	11	< 1	1	2	3	6	8	19
13-19 YRS	46	3.1	7	1	1	2	4	6	8	14
GRAND TOTAL	205	2.2	5	<1	<1	1	2	4	6	14

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	2.0	1	< 1	< 1	2	3	3	3	3
1-5 YRS	14	3.1	10	< 1	1	2	3	7	12	13
6-12 YRS	25	3.4	9	1	1	2	5	6	9	15
13-19 YRS	19	3.6	7	1	1	3	5	6	9	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	10	2.5	7	< 1	< 1	1	2	7	8	8
1-5 YRS	17	3.9	11	1	1	4	5	6	12	15
6-12 YRS	55	4.5	11	< 1	1	4	6	8	11	17
13-19 YRS	47	4.9	11	1	1	4	6	10	12	17
TOTAL SINGLE DX	62	3.3	8	1	1	2	5	6	9	15
TOTAL MULTIPLE DX	129	4.4	11	< 1	1	4	6	8	11	17
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	13	2.4	6	< 1	< 1	1	2	7	8	8
1-5 YRS	31	3.5	11	1	1	2	5	6	13	15
6-12 YRS	80	4.1	11	< 1	1	3	6	8	11	16
13-19 YRS	66	4.5	11	1	1	4	6	9	11	16
GRAND TOTAL	191	4.0	10	1	1	3	6	8	11	16

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	1.6		1	1	1	2	3	3	3
1-11 MOS	30	1.6	1	<1	<1	1	2	4	4	4
1-5 YRS	13	1.2		<1	<1	1	1	2	3	3
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	16	2.3	4	<1	1	2	3	5	8	9
1-5 YRS	18	2.5	3	<1	<1	2	3	6	7	7
6-12 YRS	15	4.3	52	<1	<1	3	3	6	24	30
13-19 YRS	7	2.9	2	1	1	3	4	5	5	5
TOTAL SINGLE DX	57	1.5	1	<1	<1	1	2	3	4	4
TOTAL MULTIPLE DX	58	2.9	16	<1	1	2	3	5	7	28
TOTAL										
0-27 DYS	11	1.6	1	1	1	1	2	3	3	3
1-11 MOS	46	1.8	2	<1	<1	1	2	4	4	9
1-5 YRS	31	2.0	3	<1	<1	1	3	4	6	7
6-12 YRS	19	3.6	43	<1	<1	2	3	5	19	30
13-19 YRS	8	3.0	2	1	1	3	4	5	5	5
GRAND TOTAL	115	2.2	9	<1	<1	1	3	4	5	16

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	5.4	177	<1	<1	1	1	25	41	41
1-11 MOS	43	1.5		<1	<1	1	2	3	3	5
1-5 YRS	33	1.4		<1	<1	1	2	2	2	3
6-12 YRS	20	1.4		<1	1	1	2	3	3	3
13-19 YRS	14	2.1	4	<1	<1	1	3	5	7	8
2. MULTIPLE DX										
0-27 DYS	4	1.8		1	1	2	2	2	2	2
1-11 MOS	28	3.6	57	<1	1	1	2	4	24	36
1-5 YRS	25	1.6	1	<1	1	1	2	3	5	6
6-12 YRS	29	1.9	2	<1	<1	1	2	4	6	6
13-19 YRS	17	2.6	6	1	1	2	3	7	9	10
TOTAL SINGLE DX	119	1.8	14	<1	<1	1	2	3	3	18
TOTAL MULTIPLE DX	103	2.4	18	<1	1	1	2	4	6	29
TOTAL										
0-27 DYS	13	4.3	122	<1	<1	1	2	10	35	41
1-11 MOS	71	2.3	24	<1	<1	1	2	3	4	33
1-5 YRS	58	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	49	1.7	2	<1	1	1	2	4	4	6
13-19 YRS	31	2.4	5	<1	<1	1	3	6	8	10
GRAND TOTAL	222	2.1	16	<1	<1	1	2	3	5	27

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	5.7	52	<1	<1	2	11	14	14	14
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	5	2.0	2	1	1	1	3	4	4	4
13-19 YRS	2	4.0	18	1	1	4	7	7	7	7
TOTAL SINGLE DX	6	3.5	27	<1	<1	1	2	13	14	14
TOTAL MULTIPLE DX	11	2.4	3	<1	<1	2	3	5	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	5	4.2	30	<1	<1	2	5	14	14	14
6-12 YRS	6	2.0	2	1	1	2	3	4	4	4
13-19 YRS	4	2.5	9	<1	<1	1	4	7	7	7
GRAND TOTAL	17	2.8	11	<1	<1	2	3	6	12	14

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	11	2.3		2	2	2	2	3	5	5
1-5 YRS	10	3.1	8	<1	<1	2	2	8	10	10
6-12 YRS	46	3.1	4	1	1	3	4	5	7	11
13-19 YRS	98	2.4	1	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	1	86.0		86	86	86	86	86	86	86
1-11 MOS	25	3.7	57	1	1	2	3	7	16	39
1-5 YRS	32	4.4	130	<1	1	2	3	7	9	66
6-12 YRS	47	3.1	4	1	1	3	4	6	7	11
13-19 YRS	101	3.4	5	1	1	3	4	6	7	13
TOTAL SINGLE DX	165	2.6	3	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	206	3.9	63	1	1	3	4	6	8	51
TOTAL										
0-27 DYS	1	86.0		86	86	86	86	86	86	86
1-11 MOS	36	3.3	40	1	1	2	3	5	8	39
1-5 YRS	42	4.1	101	<1	1	2	3	7	9	66
6-12 YRS	93	3.1	4	1	1	3	4	6	7	11
13-19 YRS	199	2.9	4	1	1	2	4	6	6	11
GRAND TOTAL	371	3.4	37	1	1	2	3	6	7	14

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	1.0		1	1	1	26	99+	99+	99+
1-11 MOS	22	1.8	1	<1	1	2	2	2	4	6
1-5 YRS	21	2.5	9	<1	<1	1	2	6	11	14
6-12 YRS	16	2.8	3	<1	1	2	3	5	7	8
13-19 YRS	19	2.2	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	4	43.5	2132	2	3	82	99+	99+	99+	99+
1-11 MOS	29	3.4	21	1	1	2	3	8	14	22
1-5 YRS	21	3.8	18	1	1	2	5	10	14	17
6-12 YRS	34	3.2	7	1	1	3	4	5	7	15
13-19 YRS	44	3.0	2	1	1	3	4	5	6	8
TOTAL SINGLE DX	82	2.2	4	<1	1	2	2	4	7	72
TOTAL MULTIPLE DX	132	4.5	107	1	1	2	4	8	15	99+
TOTAL										
0-27 DYS	8	22.3	1430	1	1	8	99	99+	99+	99+
1-11 MOS	51	2.7	13	1	1	2	2	4	11	22
1-5 YRS	42	3.1	14	<1	<1	2	3	9	12	17
6-12 YRS	50	3.0	6	1	1	3	4	5	8	15
13-19 YRS	63	2.7	2	1	1	2	3	5	6	8
GRAND TOTAL	214	3.6	68	1	1	2	3	6	11	99+

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	86	1.0		<1	<1	<1	1	1	2	2
1-5 YRS	515	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	299	1.1		<1	<1	1	1	1	2	2
13-19 YRS	73	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	28	1.4	2	<1	<1	1	1	2	4	9
1-5 YRS	281	1.2		<1	<1	1	1	2	2	4
6-12 YRS	131	1.1		<1	<1	1	1	1	2	3
13-19 YRS	39	1.5	2	<1	<1	1	1	2	5	10
TOTAL SINGLE DX	973	1.1		<1	<1	<1	1	1	2	2
TOTAL MULTIPLE DX	479	1.2	1	<1	<1	1	1	2	2	5
TOTAL										
0-27 DYS	0									
1-11 MOS	114	1.1	1	<1	<1	<1	1	1	2	5
1-5 YRS	796	1.1		<1	<1	1	1	2	2	3
6-12 YRS	430	1.1		<1	<1	1	1	1	2	2
13-19 YRS	112	1.2	1	<1	<1	1	1	2	2	8
GRAND TOTAL	1452	1.1		<1	<1	1	1	1	2	3

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	3	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
TOTAL SINGLE DX	3	2.7	8	1	1	1	5	6	6	6
TOTAL MULTIPLE DX	8	1.6	3	<1	<1	1	1	5	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS	3	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	4	3.5	8	<1	<1	3	6	6	6	6
GRAND TOTAL	11	1.9	4	<1	<1	1	1	6	6	6

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	42	4.5	6	1	1	5	6	8	8	10
1-5 YRS	92	2.9	4	<1	<1	2	5	6	7	61
6-12 YRS	59	4.2	12	<1	<1	3	6	9	12	16
13-19 YRS	52	2.6	5	1	1	2	3	6	7	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	22	8.6	108	1	1	6	8	27	35	41
1-5 YRS	63	5.8	46	<1	1	4	7	11	17	38
6-12 YRS	60	5.0	23	<1	1	3	8	13	16	91
13-19 YRS	91	4.3	14	1	1	3	6	9	13	18
TOTAL SINGLE DX	245	3.4	8	<1	1	2	6	7	8	14
TOTAL MULTIPLE DX	236	5.3	35	1	1	3	7	11	16	39
TOTAL										
0-27 DYS	0									
1-11 MOS	64	5.9	44	1	1	5	7	9	15	40
1-5 YRS	155	4.1	24	<1	1	2	6	7	11	39
6-12 YRS	119	4.6	18	<1	1	3	7	11	15	46
13-19 YRS	143	3.7	12	1	1	3	5	9	10	16
GRAND TOTAL	481	4.3	22	<1	1	3	6	9	12	32

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	2.6	1	1	1	3	3	4	5	5
1-11 MOS	10	1.5	2	<1	<1	<1	1	4	6	6
1-5 YRS	133	1.9	3	<1	<1	1	2	4	6	11
6-12 YRS	233	1.7	2	<1	<1	1	2	3	4	7
13-19 YRS	105	2.4	8	<1	<1	1	3	4	7	17
2. MULTIPLE DX										
0-27 DYS	208	3.1	5	1	1	3	4	5	6	14
1-11 MOS	13	4.0	11	<1	1	3	6	10	10	10
1-5 YRS	89	3.2	23	<1	1	1	3	7	17	26
6-12 YRS	104	2.6	5	<1	1	2	3	6	8	11
13-19 YRS	150	3.9	35	<1	1	2	4	8	15	28
TOTAL SINGLE DX	490	1.9	4	<1	<1	1	2	4	6	11
TOTAL MULTIPLE DX	564	3.3	17	<1	1	2	4	6	9	24
TOTAL										
0-27 DYS	217	3.1	6	1	1	3	4	5	6	14
1-11 MOS	23	2.9	9	<1	<1	1	4	8	10	10
1-5 YRS	222	2.4	12	<1	<1	1	2	5	8	19
6-12 YRS	337	2.0	4	<1	<1	1	2	4	6	9
13-19 YRS	255	3.3	25	<1	<1	2	3	7	11	26
GRAND TOTAL	1054	2.6	11	<1	<1	2	3	5	7	18

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	3.0	20	1	1	1	4	11	11	11
6-12 YRS	27	1.1		<1	1	1	1	1	2	2
13-19 YRS	52	1.3		<1	1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	[illegible]	1.3		1	1	1	2	2	2	2
6-12 YRS	35	1.4	1	1	1	1	2	2	2	7
13-19 YRS	36	1.2		<1	1	1	1	2	2	5
TOTAL SINGLE DX	84	1.3	1	<1	1	1	1	2	2	8
TOTAL MULTIPLE DX	75	1.3	1	1	1	1	1	2	2	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	2.2	11	1	1	1	2	7	11	11
6-12 YRS	62	1.3	1	<1	1	1	1	2	2	6
13-19 YRS	88	1.3		<1	1	1	1	2	2	4
GRAND TOTAL	159	1.3	1	<1	1	1	1	2	2	7

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	79	1.1		<1	<1	1	1	2	2	2
6-12 YRS	500	1.1		<1	<1	1	1	1	2	2
13-19 YRS	319	1.1		<1	1	1	1	1	2	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	95	1.1		<1	1	1	1	1	2	5
6-12 YRS	493	1.2		<1	1	1	1	2	2	3
13-19 YRS	334	1.3	1	<1	1	1	1	2	2	6
TOTAL SINGLE DX	900	1.1		<1	<1	1	1	1	2	2
TOTAL MULTIPLE DX	924	1.2	1	<1	1	1	1	2	2	4
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	174	1.1		<1	<1	1	1	1	2	2
6-12 YRS	993	1.1		<1	1	1	1	1	2	3
13-19 YRS	653	1.2	1	<1	1	1	1	2	2	4
GRAND TOTAL	1824	1.1		<1	1	1	1	2	2	3

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	3.1	1	1	1	4	4	4	4	4
1-11 MOS	323	1.2		<1	<1	1	1	2	3	5
1-5 YRS	1138	1.1		<1	<1	<1	1	1	1	5
6-12 YRS	341	1.2	1	<1	<1	<1	1	1	2	7
13-19 YRS	55	1.5	2	<1	<1	1	1	2	5	12
2. MULTIPLE DX										
0-27 DYS	26	6.7	41	2	2	4	7	14	20	32
1-11 MOS	355	4.9	32	<1	1	4	6	10	14	44
1-5 YRS	1800	2.0	11	<1	<1	1	1	4	7	16
6-12 YRS	855	1.5	7	<1	<1	1	1	2	5	11
13-19 YRS	127	2.8	25	<1	<1	1	2	9	11	29
TOTAL SINGLE DX	1864	1.2	1	<1	<1	<1	1	1	2	6
TOTAL MULTIPLE DX	3163	2.3	15	<1	<1	<1	2	5	8	17
TOTAL										
0-27 DYS	33	5.9	35	1	2	4	7	12	17	32
1-11 MOS	678	3.1	20	<1	<1	1	4	7	10	22
1-5 YRS	2938	1.7	7	<1	<1	1	1	3	6	13
6-12 YRS	1196	1.5	6	<1	<1	1	1	2	4	10
13-19 YRS	182	2.4	19	<1	<1	1	2	5	10	25
GRAND TOTAL	5027	1.9	10	<1	<1	1	1	4	7	14

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	2	5.5	41	1	1	5	10	10	10	10
1-5 YRS	73	1.4	1	<1	1	1	1	3	4	5
6-12 YRS	214	1.5	2	1	1	1	1	2	3	11
13-19 YRS	159	1.4	1	1	1	1	1	2	3	8
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	7.5	24	1	1	7	13	41	91	99+
1-5 YRS	103	4.4	33	1	1	1	6	11	18	28
6-12 YRS	380	1.9	9	1	1	1	2	3	5	17
13-19 YRS	321	1.9	9	1	1	1	2	3	6	13
TOTAL SINGLE DX	450	1.5	2	1	1	1	1	2	3	8
TOTAL MULTIPLE DX	816	2.3	13	1	1	1	2	5	9	20
TOTAL										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	13	7.2	25	1	1	7	11	24	83	99+
1-5 YRS	176	3.2	22	1	1	1	3	7	14	25
6-12 YRS	594	1.8	7	1	1	1	2	3	5	14
13-19 YRS	480	1.7	7	1	1	1	1	3	5	11
GRAND TOTAL	1266	2.0	10	1	1	1	2	3	7	18

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	1.6	2	1	1	1	2	4	4	4
1-5 YRS	94	1.8	4	<1	<1	1	1	4	6	13
6-12 YRS	147	1.3	1	<1	<1	1	1	2	3	7
13-19 YRS	85	1.2		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	1.8	3	<1	<1	1	2	5	5	5
1-5 YRS	99	3.2	19	<1	<1	1	3	9	11	25
6-12 YRS	155	1.7	5	<1	<1	1	1	3	6	14
13-19 YRS	104	2.2	17	<1	1	1	2	3	6	29
TOTAL SINGLE DX	333	1.4	2	<1	<1	1	1	2	4	11
TOTAL MULTIPLE DX	364	2.3	13	<1	<1	1	2	5	9	23
TOTAL										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	10	1.7	2	<1	<1	1	1	4	5	5
1-5 YRS	193	2.5	13	<1	<1	1	2	7	11	19
6-12 YRS	302	1.5	4	<1	<1	1	1	2	4	13
13-19 YRS	189	1.8	10	<1	<1	1	1	3	4	23
GRAND TOTAL	697	1.9	8	<1	<1	1	1	3	6	14

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	151	1.3		<1	1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	46	1.4		1	1	1	2	3	3	4
13-19 YRS	575	1.4		1	1	1	2	2	3	4
TOTAL SINGLE DX	158	1.3	1	<1	1	1	2	2	2	3
TOTAL MULTIPLE DX	621	1.4	1	1	1	1	2	2	3	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	53	1.4	1	<1	1	1	2	2	3	4
13-19 YRS	726	1.4	1	1	1	1	2	2	3	4
GRAND TOTAL	779	1.4	1	1	1	1	2	2	3	4

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	16	2.4	1	<1	1	2	3	5	5	5
1-5 YRS	72	1.8	4	<1	<1	1	2	3	4	15
6-12 YRS	89	1.9	1	1	1	1	2	4	4	7
13-19 YRS	559	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX										
0-27 DYS	11	9.7	147	1	2	3	11	32	37	37
1-11 MOS	13	3.2	11	1	1	1	5	8	11	12
1-5 YRS	99	2.4	8	1	1	2	3	4	5	20
6-12 YRS	198	1.8	1	<1	1	1	2	3	4	7
13-19 YRS	1220	1.4	1	1	1	1	2	2	3	5
TOTAL SINGLE DX	736	1.5	1	<1	1	1	2	2	3	5
TOTAL MULTIPLE DX	1541	1.6	3	1	1	1	2	3	4	7
TOTAL										
0-27 DYS	11	9.7	147	1	2	3	11	32	37	37
1-11 MOS	29	2.7	6	1	1	2	3	6	7	12
1-5 YRS	171	2.1	7	<1	1	1	2	4	5	17
6-12 YRS	287	1.8	1	<1	1	1	2	3	4	7
13-19 YRS	1779	1.4	1	<1	1	1	2	2	3	4
GRAND TOTAL	2277	1.6	3	<1	1	1	2	3	3	6

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	3.4	41	<1	<1	1	1	15	18	18
1-5 YRS	35	1.5	1	<1	<1	1	2	2	4	7
6-12 YRS	28	2.0	1	<1	1	2	3	4	5	6
13-19 YRS	56	1.9	3	<1	<1	1	2	4	5	12
2. MULTIPLE DX										
0-27 DYS	3	5.0	37	1	1	2	9	12	12	12
1-11 MOS	10	6.1	48	1	1	4	8	16	24	24
1-5 YRS	33	3.5	13	<1	1	2	4	11	13	13
6-12 YRS	114	2.6	8	<1	1	1	3	6	8	14
13-19 YRS	238	1.7	3	1	1	1	2	3	6	10
TOTAL SINGLE DX	127	1.9	4	<1	<1	1	2	4	5	13
TOTAL MULTIPLE DX	398	2.2	8	1	1	1	2	5	8	14
TOTAL										
0-27 DYS	4	4.0	29	1	1	2	7	12	12	12
1-11 MOS	17	5.0	45	<1	1	1	7	16	22	24
1-5 YRS	68	2.5	8	<1	<1	1	2	6	11	13
6-12 YRS	142	2.4	7	<1	1	1	3	5	8	14
13-19 YRS	294	1.7	3	1	1	1	2	3	5	11
GRAND TOTAL	525	2.2	7	<1	1	1	2	5	7	14

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	1.5		<1	<1	1	2	3	3	3
1-5 YRS	13	1.3		<1	<1	1	1	3	3	3
6-12 YRS	95	1.3		<1	<1	1	1	2	3	5
13-19 YRS	313	1.4	1	<1	<1	1	1	3	4	8
2. MULTIPLE DX										
0-27 DYS	15	3.2	4	1	1	3	4	6	7	8
1-11 MOS	2	28.0	800	8	8	28	48	48	48	48
1-5 YRS	34	3.6	21	<1	1	2	5	8	11	24
6-12 YRS	86	4.3	57	<1	<1	2	4	9	14	44
13-19 YRS	369	2.6	24	<1	1	1	2	5	7	18
TOTAL SINGLE DX	427	1.4	1	<1	<1	1	1	2	3	7
TOTAL MULTIPLE DX	506	3.1	33	<1	1	1	3	6	9	30
TOTAL										
0-27 DYS	15	3.2	4	1	1	3	4	6	7	8
1-11 MOS	8	8.1	265	<1	<1	1	5	36	48	48
1-5 YRS	47	2.9	16	<1	<1	1	3	7	10	24
6-12 YRS	181	2.7	29	<1	<1	1	2	5	9	39
13-19 YRS	682	2.1	14	<1	<1	1	2	4	6	13
GRAND TOTAL	933	2.3	19	<1	<1	1	2	5	7	19

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	18	1.7	1	<1	1	1	2	4	4	4
13-19 YRS	68	1.8	4	<1	1	1	2	3	4	14
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	3	3.7	21	<1	<1	1	7	9	9	9
6-12 YRS	30	3.5	21	1	1	2	3	11	15	20
13-19 YRS	112	3.6	48	<1	1	1	2	9	15	45
TOTAL SINGLE DX	93	1.8	3	<1	1	1	2	3	4	12
TOTAL MULTIPLE DX	147	3.6	41	<1	1	1	2	9	15	42
TOTAL										
0-27 DYS	0									
1-11 MOS	5	2.6	7	1	1	1	4	7	7	7
1-5 YRS	7	2.6	9	<1	<1	1	3	8	9	9
6-12 YRS	48	2.8	15	1	1	2	2	6	13	20
13-19 YRS	180	2.9	32	<1	1	1	2	5	14	35
GRAND TOTAL	240	2.9	27	<1	1	1	2	6	13	22

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	28	2.1	2	<1	<1	1	3	5	6	7
6-12 YRS	59	2.2	6	<1	1	1	2	5	9	14
13-19 YRS	95	3.4	15	<1	1	2	5	8	13	19
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	8	6.6	16	1	1	8	9	11	12	12
1-5 YRS	110	5.3	81	<1	<1	1	7	12	18	54
6-12 YRS	205	4.2	55	<1	1	2	4	10	14	45
13-19 YRS	257	5.2	57	1	1	2	7	13	18	42
TOTAL SINGLE DX	185	2.8	11	<1	1	1	3	6	9	15
TOTAL MULTIPLE DX	582	4.9	61	<1	1	2	6	12	15	43
TOTAL										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	11	5.5	15	1	1	5	8	11	12	12
1-5 YRS	138	4.6	67	<1	<1	1	6	11	15	54
6-12 YRS	264	3.8	46	<1	1	1	4	9	14	40
13-19 YRS	352	4.7	47	1	1	2	6	11	15	39
GRAND TOTAL	767	4.4	50	<1	1	2	5	10	14	41

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	57	1.4	2	<1	<1	<1	1	2	4	11
6-12 YRS	62	1.8	6	<1	<1	1	2	2	6	15
13-19 YRS	248	1.2	3	<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	31	4.2	12	2	2	3	5	9	12	16
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	183	3.0	43	<1	<1	1	3	5	7	34
6-12 YRS	171	2.5	26	<1	<1	1	2	4	7	17
13-19 YRS	326	2.5	18	<1	<1	1	2	4	7	29
TOTAL SINGLE DX	367	1.4	4	<1	<1	1	1	2	2	10
TOTAL MULTIPLE DX	713	2.7	27	<1	<1	1	2	5	7	29
TOTAL										
0-27 DYS	31	4.2	12	2	2	3	5	9	12	16
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	240	2.6	34	<1	<1	1	2	4	6	32
6-12 YRS	233	2.4	21	<1	<1	1	2	4	7	17
13-19 YRS	574	2.0	12	<1	<1	1	2	3	5	23
GRAND TOTAL	1080	2.3	19	<1	<1	1	2	4	6	23

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	142	1.0		<1	<1	<1	1	1	1	2
6-12 YRS	20	1.0		<1	<1	<1	<1	1	1	1
13-19 YRS	10	2.0	4	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	275	1.6	5	<1	<1	1	2	2	3	18
6-12 YRS	102	3.1	80	<1	1	2	2	3	7	92
13-19 YRS	71	2.8	16	<1	<1	2	2	8	18	99+
TOTAL SINGLE DX	173	1.1		<1	<1	<1	1	1	1	4
TOTAL MULTIPLE DX	448	2.1	25	<1	<1	1	2	2	6	83
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	417	1.4	4	<1	<1	1	1	2	2	10
6-12 YRS	122	2.7	68	<1	<1	1	2	2	5	88
13-19 YRS	81	2.7	15	<1	<1	1	2	7	15	99+
GRAND TOTAL	621	1.9	18	<1	<1	1	2	2	4	33

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	94	1.1		<1	<1	1	1	1	2	4
6-12 YRS	49	2.0	3	<1	<1	2	2	4	4	13
13-19 YRS	29	2.3	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
0-27 DYS	6	2.7	2	1	1	3	4	4	4	4
1-11 MOS	3	3.3	4	<1	<1	4	5	5	5	5
1-5 YRS	107	1.9	10	<1	<1	1	2	3	5	19
6-12 YRS	99	2.5	6	<1	<1	2	3	4	6	17
13-19 YRS	94	2.6	10	<1	<1	2	3	5	12	99+
TOTAL SINGLE DX	173	1.6	2	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	309	2.3	9	<1	<1	1	3	4	6	27
TOTAL										
0-27 DYS	6	2.7	2	1	1	3	4	4	4	4
1-11 MOS	4	3.3	3	<1	<1	3	4	5	5	5
1-5 YRS	201	1.5	6	<1	<1	1	1	2	4	9
6-12 YRS	148	2.3	5	<1	<1	2	3	4	5	15
13-19 YRS	123	2.5	8	<1	<1	2	3	5	9	99+
GRAND TOTAL	482	2.1	6	<1	<1	1	2	4	5	18

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	16	2.6	19	1	1	1	2	3	14	19
1-5 YRS	40	2.5	5	<1	<1	2	3	4	8	11
6-12 YRS	63	1.8	1	<1	1	1	2	3	4	5
13-19 YRS	99	2.1	3	1	1	2	2	4	5	11
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	27	3.3	11	<1	1	2	4	7	12	15
6-12 YRS	57	4.0	24	1	1	2	4	10	14	25
13-19 YRS	73	3.2	8	1	1	2	3	8	10	13
TOTAL SINGLE DX	218	2.1	4	1	1	2	3	4	4	11
TOTAL MULTIPLE DX	159	3.5	14	1	1	2	4	8	11	22
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	17	2.5	19	1	1	1	2	3	14	19
1-5 YRS	67	2.9	8	<1	1	2	3	5	11	14
6-12 YRS	120	2.8	13	1	1	2	3	5	9	24
13-19 YRS	172	2.6	5	1	1	2	3	5	8	12
GRAND TOTAL	377	2.7	9	1	1	2	3	5	9	15

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	231	3.0	2	1	1	3	3	5	7	8
1-5 YRS	497	2.9	2	1	1	3	4	5	6	8
6-12 YRS	155	2.6	2	1	1	2	3	4	5	10
13-19 YRS	58	2.6	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS	4	2.5	1	1	1	2	3	4	4	4
1-11 MOS	273	3.2	13	1	2	3	3	4	6	11
1-5 YRS	650	3.6	16	1	1	3	4	6	7	16
6-12 YRS	192	2.9	2	1	1	3	4	5	6	8
13-19 YRS	63	2.4	2	1	1	2	3	4	5	9
TOTAL SINGLE DX	941	2.9	2	1	1	3	4	5	6	8
TOTAL MULTIPLE DX	1182	3.3	12	1	1	3	4	5	7	13
TOTAL										
0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	504	3.1	8	1	2	3	3	5	6	9
1-5 YRS	1147	3.3	10	1	1	3	4	5	7	12
6-12 YRS	347	2.8	2	1	1	3	3	4	5	8
13-19 YRS	121	2.5	2	1	1	2	3	4	5	7
GRAND TOTAL	2123	3.1	8	1	1	3	4	5	6	11

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	21	2.6	2	1	1	3	3	4	5	7
1-11 MOS	547	2.9	2	1	1	3	4	5	6	7
1-5 YRS	287	2.0	3	<1	<1	1	2	4	6	11
6-12 YRS	163	2.1	3	<1	<1	1	2	4	5	9
13-19 YRS	123	2.5	5	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	76	5.3	59	1	1	3	5	10	19	46
1-11 MOS	410	3.9	26	1	1	3	4	6	9	26
1-5 YRS	316	2.8	6	<1	1	2	3	7	8	11
6-12 YRS	284	2.9	7	<1	1	2	3	6	8	14
13-19 YRS	365	3.0	24	<1	1	2	3	6	8	15
TOTAL SINGLE DX	1141	2.5	3	<1	1	2	3	5	6	9
TOTAL MULTIPLE DX	1451	3.3	20	1	1	2	4	6	9	19
TOTAL										
0-27 DYS	97	4.7	48	1	1	3	4	8	17	43
1-11 MOS	957	3.3	13	1	1	3	4	5	6	14
1-5 YRS	603	2.4	5	<1	<1	1	3	5	7	11
6-12 YRS	447	2.6	6	<1	1	2	3	5	8	13
13-19 YRS	488	2.9	20	<1	1	2	3	6	8	15
GRAND TOTAL	2592	3.0	13	<1	1	2	4	6	7	14

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	1.0		1	1	1	1	1	1	1
1-5 YRS	454	1.2	1	1	1	1	1	1	2	3
6-12 YRS	1970	1.1		<1	1	1	1	1	2	3
13-19 YRS	5104	1.1		<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	425	1.5	4	<1	1	1	1	2	3	12
6-12 YRS	823	1.2		1	1	1	1	1	2	4
13-19 YRS	1633	1.4	4	1	1	1	1	2	3	7
TOTAL SINGLE DX	7533	1.1		<1	1	1	1	1	2	3
TOTAL MULTIPLE DX	2884	1.4	3	1	1	1	1	2	3	7
TOTAL										
0-27 DYS	0									
1-11 MOS	8	1.4	1	1	1	1	1	3	4	4
1-5 YRS	879	1.3	3	<1	1	1	1	2	2	9
6-12 YRS	2793	1.1		<1	1	1	1	1	2	3
13-19 YRS	6737	1.2	1	1	1	1	1	2	2	4
GRAND TOTAL	10417	1.2	1	1	1	1	1	2	2	4

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	12	2.4	13	1	1	1	2	31	87	99+
1-5 YRS	4232	1.1	1	<1	1	1	1	1	2	2
6-12 YRS	6299	1.1		<1	1	1	1	1	2	2
13-19 YRS	1726	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	24	7.2	341	<1	1	1	4	12	45	90
1-5 YRS	5842	1.3	2	<1	1	1	1	2	2	7
6-12 YRS	5204	1.2	1	<1	1	1	1	1	2	4
13-19 YRS	1051	1.3	2	1	1	1	1	2	3	5
TOTAL SINGLE DX	12269	1.1	1	<1	1	1	1	1	2	2
TOTAL MULTIPLE DX	12122	1.3	3	<1	1	1	1	2	2	6
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	36	5.6	234	1	1	1	3	13	68	99+
1-5 YRS	10074	1.2	2	<1	1	1	1	2	2	5
6-12 YRS	11503	1.1	1	<1	1	1	1	1	2	3
13-19 YRS	2777	1.2	1	1	1	1	1	2	2	4
GRAND TOTAL	24391	1.2	2	<1	1	1	1	1	2	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	1.2		1	1	1	2	2	2	2
1-5 YRS	154	1.1		<1	<1	1	1	1	1	7
6-12 YRS	210	1.1		<1	<1	[illegible]	1	1	1	4
13-19 YRS	49	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	32	7.2	160	1	1	1	9	40	91	99+
1-5 YRS	784	1.5	8	<1	<1	1	1	1	3	14
6-12 YRS	419	1.3	3	<1	<1	1	1	1	2	9
13-19 YRS	75	1.2		<1	1	1	1	2	2	4
TOTAL SINGLE DX	418	1.1		<1	<1	1	1	1	1	4
TOTAL MULTIPLE DX	1310	1.6	11	<1	<1	1	1	1	3	23
TOTAL										
0-27 DYS	0									
1-11 MOS	37	6.4	142	1	1	1	8	34	80	99+
1-5 YRS	938	1.4	7	<1	<1	1	1	1	2	13
6-12 YRS	629	1.2	2	<1	<1	1	1	1	2	5
13-19 YRS	124	1.1		<1	<1	1	1	1	2	3
GRAND TOTAL	1728	1.4	8	<1	<1	1	1	1	2	14

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	10.5	63	3	3	9	17	20	20	20
1-11 MOS	32	2.4	4	<1	<1	2	3	6	9	9
1-5 YRS	182	2.4	15	<1	<1	1	2	4	9	15
6-12 YRS	336	1.9	2	<1	1	1	2	4	4	9
13-19 YRS	577	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	8	26.5	435	4	4	22	38	59	67	67
1-11 MOS	28	9.4	174	<1	1	5	9	40	51	99+
1-5 YRS	135	3.2	10	<1	1	2	5	7	9	15
6-12 YRS	159	2.7	10	1	1	2	3	6	7	12
13-19 YRS	274	3.3	34	1	1	3	4	5	7	21
TOTAL SINGLE DX	1131	2.1	5	<1	1	1	3	4	5	10
TOTAL MULTIPLE DX	604	3.7	42	1	1	2	4	7	9	40
TOTAL										
0-27 DYS	12	21.2	356	3	4	17	29	48	64	67
1-11 MOS	60	5.7	95	<1	<1	2	7	11	40	94
1-5 YRS	317	2.7	13	<1	1	1	3	6	9	15
6-12 YRS	495	2.1	5	<1	1	1	3	4	6	11
13-19 YRS	851	2.5	13	1	1	2	3	4	6	9
GRAND TOTAL	1735	2.7	19	<1	1	2	3	5	7	17

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	2.8	1	2	2	2	4	5	5	5
1-11 MOS	10	1.9	1	<1	<1	1	3	4	4	4
1-5 YRS	22	1.3	1	<1	<1	1	1	2	4	6
6-12 YRS	16	1.7	1	<1	1	1	2	3	4	5
13-19 YRS	16	2.8	4	<1	<1	2	4	5	7	8
2. MULTIPLE DX										
0-27 DYS	176	3.3	3	1	2	3	4	5	6	12
1-11 MOS	14	5.4	33	1	2	3	7	14	20	22
1-5 YRS	33	3.5	22	<1	1	2	5	8	23	99+
6-12 YRS	20	4.3	13	<1	1	3	6	11	12	13
13-19 YRS	27	9.2	241	<1	1	4	7	28	54	63
TOTAL SINGLE DX	73	2.0	2	<1	<1	1	2	4	5	8
TOTAL MULTIPLE DX	270	4.1	34	1	1	3	4	7	11	47
TOTAL										
0-27 DYS	185	3.2	4	1	2	3	4	5	6	12
1-11 MOS	24	4.0	23	<1	<1	2	5	8	16	22
1-5 YRS	55	2.7	15	<1	<1	1	3	7	11	95
6-12 YRS	36	3.1	9	<1	1	2	4	7	11	13
13-19 YRS	43	6.8	161	<1	1	3	5	13	37	63
GRAND TOTAL	**343**	**3.6**	**28**	**<1**	**1**	**3**	**4**	**6**	**9**	**30**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	27	2.9	29	<1	1	1	2	6	13	28
1-5 YRS	187	1.6	2	<1	1	1	2	2	4	7
6-12 YRS	73	1.4	2	<1	<1	1	1	2	2	12
13-19 YRS	36	2.6	13	<1	<1	1	3	5	8	22
2. MULTIPLE DX										
0-27 DYS	7	8.7	24	4	4	8	10	17	19	19
1-11 MOS	36	7.6	58	1	1	6	10	22	29	99+
1-5 YRS	144	3.3	21	<1	1	2	3	8	11	30
6-12 YRS	50	3.0	24	<1	<1	1	3	7	10	32
13-19 YRS	15	4.2	60	<1	1	2	3	6	25	32
TOTAL SINGLE DX	324	1.8	6	<1	1	1	2	3	5	15
TOTAL MULTIPLE DX	252	4.1	32	<1	1	2	5	10	17	32
TOTAL										
0-27 DYS	8	9.3	23	4	4	8	11	17	19	19
1-11 MOS	63	5.6	51	1	1	2	8	19	25	90
1-5 YRS	331	2.3	12	<1	1	1	2	5	8	17
6-12 YRS	123	2.1	12	<1	<1	1	2	3	6	20
13-19 YRS	51	3.1	27	<1	<1	2	3	5	9	32
GRAND TOTAL	**576**	**2.8**	**19**	**<1**	**1**	**1**	**2**	**7**	**10**	**29**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	11.8	121	1	2	11	13	29	36	36
1-5 YRS	33	2.2	4	1	1	1	2	4	7	12
6-12 YRS	7	1.7	2	<1	<1	1	2	4	5	5
13-19 YRS	6	3.3	18	1	1	2	3	11	12	12
2. MULTIPLE DX										
0-27 DYS	2	48.5	1301	23	23	48	74	74	74	74
1-11 MOS	15	13.1	187	1	1	9	23	31	43	47
1-5 YRS	74	4.5	29	1	1	2	5	15	19	81
6-12 YRS	25	3.1	8	1	1	2	4	10	30	99+
13-19 YRS	10	6.9	53	1	1	3	14	18	21	21
TOTAL SINGLE DX	54	3.6	33	<1	1	2	3	12	13	35
TOTAL MULTIPLE DX	126	6.1	92	1	1	3	6	18	25	99+
TOTAL										
0-27 DYS	2	48.5	1301	23	23	48	74	74	74	74
1-11 MOS	23	12.6	159	1	1	11	17	32	40	47
1-5 YRS	107	3.8	23	1	1	2	4	11	16	56
6-12 YRS	32	2.8	8	<1	1	2	4	6	13	99+
13-19 YRS	16	5.6	42	1	1	2	9	16	19	21
GRAND TOTAL	**180**	**5.4**	**75**	**1**	**1**	**2**	**5**	**15**	**23**	**91**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	1	4.0		4	4	4	4	4	4	4
TOTAL MULTIPLE DX	1	9.0		9	9	9	9	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**2**	**6.5**	**13**	**4**	**4**	**6**	**9**	**9**	**9**	**9**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	3	23.3	356	7	7	19	38	44	44	44
2. MULTIPLE DX										
0-27 DYS	1	23.0		23	23	99+	99+	99+	99+	99+
1-11 MOS	17	35.0	604	7	10	43	99+	99+	99+	99+
1-5 YRS	10	38.2	575	7	8	38	66	84	99	99+
6-12 YRS	9	21.4	239	2	3	21	46	99+	99+	99+
13-19 YRS	11	41.7	443	10	12	55	99+	99+	99+	99+
TOTAL SINGLE DX	5	19.0	229	7	7	18	25	44	44	44
TOTAL MULTIPLE DX	48	34.4	502	6	10	40	99+	99+	99+	99+
TOTAL										
0-27 DYS	1	23.0		23	23	99+	99+	99+	99+	99+
1-11 MOS	18	34.1	585	7	11	37	99+	99+	99+	99+
1-5 YRS	11	35.4	606	7	7	36	66	81	97	99+
6-12 YRS	9	21.4	240	2	3	21	46	99+	99+	99+
13-19 YRS	14	37.8	458	8	10	53	94	99+	99+	99+
GRAND TOTAL	53	33.0	492	7	8	37	88	99+	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	13.8	87	6	6	11	14	28	38	38
1-11 MOS	28	12.6	353	< 1	1	6	16	25	50	93
1-5 YRS	83	6.2	53	< 1	1	4	7	13	19	42
6-12 YRS	33	7.8	182	1	1	4	8	12	32	73
13-19 YRS	13	11.9	258	1	1	4	16	38	47	49
2. MULTIPLE DX										
0-27 DYS	43	27.2	483	9	11	26	73	99+	99+	99+
1-11 MOS	104	20.5	358	1	2	17	34	77	99+	99+
1-5 YRS	253	11.1	206	1	1	6	14	34	55	99+
6-12 YRS	101	11.5	274	1	1	6	14	32	45	90
13-19 YRS	96	20.9	578	1	1	10	30	69	85	99+
TOTAL SINGLE DX	167	8.5	151	1	1	5	9	20	34	69
TOTAL MULTIPLE DX	597	15.6	351	1	1	9	23	54	91	99+
TOTAL										
0-27 DYS	53	24.7	433	8	10	19	52	99+	99+	99+
1-11 MOS	132	18.8	365	1	1	15	26	65	99+	99+
1-5 YRS	336	9.9	173	1	1	6	12	27	46	99+
6-12 YRS	134	10.6	253	1	1	5	10	31	43	85
13-19 YRS	109	19.8	546	1	1	9	30	67	80	99+
GRAND TOTAL	764	14.0	316	1	1	8	20	47	76	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	3.0	4	1	1	3	4	5	5	5
1-5 YRS	18	4.1	9	< 1	1	4	5	7	11	13
6-12 YRS	6	5.3	61	< 1	< 1	2	4	19	21	21
13-19 YRS	13	7.4	27	< 1	1	6	9	16	18	18
2. MULTIPLE DX										
0-27 DYS	4	17.3	323	2	2	12	29	43	43	43
1-11 MOS	17	7.6	47	< 1	1	6	11	19	23	24
1-5 YRS	17	9.8	155	< 1	1	4	16	28	39	44
6-12 YRS	18	5.7	15	1	1	5	7	11	15	17
13-19 YRS	36	11.0	219	2	2	6	12	24	30	86
TOTAL SINGLE DX	40	5.3	23	< 1	1	4	6	13	16	21
TOTAL MULTIPLE DX	92	9.4	141	1	1	5	11	23	29	68
TOTAL										
0-27 DYS	4	17.3	323	2	2	12	29	43	43	43
1-11 MOS	20	6.9	43	< 1	1	4	10	17	22	24
1-5 YRS	35	6.8	86	< 1	1	4	7	18	28	44
6-12 YRS	24	5.6	24	< 1	1	4	6	12	18	21
13-19 YRS	49	10.0	170	2	2	6	12	20	29	86
GRAND TOTAL	132	8.1	108	1	1	5	10	18	25	52

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	8.0	2	7	7	8	9	9	9	9
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	5	6.8	14	1	1	7	9	11	11	11
TOTAL MULTIPLE DX	3	3.7	8	2	2	2	6	7	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	3	7.7	1	7	7	7	9	9	9	9
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	8	5.6	13	1	1	6	8	10	11	11

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	5.1	1	3	3	5	6	7	7	7
1-5 YRS	10	12.0	258	2	3	6	7	39	54	54
6-12 YRS	15	7.5	4	4	5	7	9	11	11	11
13-19 YRS	52	7.9	13	2	4	7	10	13	16	19
2. MULTIPLE DX										
0-27 DYS	9	17.7	356	1	2	14	20	49	63	63
1-11 MOS	17	23.0	521	4	5	16	32	79	96	99+
1-5 YRS	47	15.2	334	4	4	8	16	39	61	93
6-12 YRS	49	15.2	253	3	3	9	18	45	60	99+
13-19 YRS	123	12.3	[illegible]30	4	5	9	14	23	47	99+
TOTAL SINGLE DX	85	8.0	40	3	4	7	9	12	16	44
TOTAL MULTIPLE DX	245	14.4	232	4	4	9	16	38	59	99+
TOTAL										
0-27 DYS	9	17.7	356	1	2	14	20	49	63	63
1-11 MOS	25	17.3	420	4	4	9	22	54	92	99+
1-5 YRS	57	14.6	318	3	4	7	15	39	59	91
6-12 YRS	64	13.4	205	3	4	8	15	42	55	95
13-19 YRS	175	11.0	100	4	5	8	13	19	33	93
GRAND TOTAL	330	12.7	190	3	4	8	14	29	53	99+

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	3	3.7		3	3	4	4	4	4	4
1-5 YRS	6	7.8	5	5	5	7	10	11	11	11
6-12 YRS	5	11.4	29	7	7	9	16	19	19	19
13-19 YRS	5	14.4	141	6	6	9	19	35	35	35
2. MULTIPLE DX										
0-27 DYS	2	11.5	1	11	11	56	99+	99+	99+	99+
1-11 MOS	7	18.0	618	5	5	10	43	92	99+	99+
1-5 YRS	11	23.5	502	9	9	14	38	86	98	99+
6-12 YRS	10	12.3	57	5	5	10	15	24	29	29
13-19 YRS	21	32.8	931	5	7	19	57	96	98	99+
TOTAL SINGLE DX	20	9.9	51	3	4	8	11	17	27	35
TOTAL MULTIPLE DX	51	23.9	628	5	6	12	50	97	99+	99+
TOTAL										
0-27 DYS	3	11.3		11	11	12	99+	99+	99+	99+
1-11 MOS	10	13.7	460	3	3	9	12	84	99	99+
1-5 YRS	17	18.0	376	5	6	12	23	72	92	99+
6-12 YRS	15	12.0	45	5	8	9	15	20	27	29
13-19 YRS	26	29.2	822	6	7	16	52	91	97	99+
GRAND TOTAL	71	20.0	503	4	5	12	23	79	99+	99+

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	13	3.2	4	<1	1	2	5	6	8	8
1-11 MOS	164	3.3	20	<1	<1	2	4	8	10	25
1-5 YRS	481	2.0	5	<1	<1	1	2	4	5	15
6-12 YRS	109	2.7	14	<1	<1	1	2	7	11	20
13-19 YRS	63	5.4	48	<1	1	2	7	17	19	32
2. MULTIPLE DX										
0-27 DYS	49	17.7	497	1	1	11	22	83	98	99+
1-11 MOS	362	8.1	103	1	1	6	10	18	24	92
1-5 YRS	668	6.5	90	1	1	3	8	16	25	67
6-12 YRS	180	8.4	154	<1	1	4	9	19	31	67
13-19 YRS	150	11.0	188	1	2	8	12	24	51	99+
TOTAL SINGLE DX	830	2.6	14	<1	<1	1	2	5	10	19
TOTAL MULTIPLE DX	1409	8.0	131	1	1	4	10	19	29	89
TOTAL										
0-27 DYS	62	14.6	427	1	1	7	18	57	89	99+
1-11 MOS	526	6.6	82	1	1	4	9	16	22	73
1-5 YRS	1149	4.6	60	<1	1	2	5	11	18	47
6-12 YRS	289	6.2	109	<1	1	2	7	15	25	56
13-19 YRS	213	9.3	153	1	1	6	11	21	32	93
GRAND TOTAL	2239	6.0	94	<1	1	2	7	15	22	72

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	2.2		1	1	2	3	3	3	3
6-12 YRS	4	4.0	8	1	1	3	6	8	8	8
13-19 YRS	24	5.5	12	1	2	5	7	11	14	14
2. MULTIPLE DX										
0-27 DYS	30	12.5	366	2	3	5	12	33	37	98
1-11 MOS	3	8.3	49	1	1	9	13	15	15	15
1-5 YRS	11	5.8	12	1	1	6	8	11	12	12
6-12 YRS	4	9.8	24	4	4	9	13	16	16	16
13-19 YRS	35	8.9	36	2	3	7	12	17	20	29
TOTAL SINGLE DX	34	4.7	11	1	2	4	6	9	13	14
TOTAL MULTIPLE DX	83	9.8	153	2	2	6	10	18	30	78
TOTAL										
0-27 DYS	30	12.5	366	2	3	5	12	33	37	98
1-11 MOS	4	6.8	43	1	1	5	12	15	15	15
1-5 YRS	16	4.7	11	1	1	4	7	10	11	12
6-12 YRS	8	6.9	24	1	2	6	9	14	16	16
13-19 YRS	59	7.5	29	2	2	6	10	15	18	28
GRAND TOTAL	117	8.3	117	1	2	5	9	15	26	57

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	45.4	794	8	10	52	64	80	91	91
1-11 MOS	9	6.8	56	1	1	5	7	20	25	25
1-5 YRS	16	3.3	6	< 1	< 1	3	4	8	9	9
6-12 YRS	18	10.4	99	2	3	7	11	27	35	39
13-19 YRS	386	5.3	9	2	2	5	7	9	12	16
2. MULTIPLE DX										
0-27 DYS	303	21.9	517	2	4	12	36	64	89	99+
1-11 MOS	17	21.7	458	3	4	16	27	46	74	88
1-5 YRS	98	13.8	203	2	4	10	16	26	41	75
6-12 YRS	74	13.9	175	3	4	11	17	25	36	86
13-19 YRS	433	8.6	52	2	3	6	11	18	22	41
TOTAL SINGLE DX	439	6.4	67	2	2	5	7	11	14	57
TOTAL MULTIPLE DX	925	14.2	272	2	3	8	16	38	58	99+
TOTAL										
0-27 DYS	313	22.6	541	2	4	12	39	68	89	99+
1-11 MOS	26	16.5	364	2	2	10	20	42	55	88
1-5 YRS	114	12.4	189	1	2	7	15	24	39	74
6-12 YRS	92	13.2	161	3	4	11	17	25	36	75
13-19 YRS	819	7.0	35	2	3	5	8	14	18	35
GRAND TOTAL	1364	11.7	219	2	3	7	13	27	49	99

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	21.5	841	< 1	< 1	21	42	42	42	42
1-11 MOS	13	7.7	56	1	2	6	8	17	28	30
1-5 YRS	148	5.0	6	1	2	5	6	8	10	14
6-12 YRS	120	5.0	4	1	2	5	6	7	8	10
13-19 YRS	195	5.4	6	1	2	5	7	8	9	14
2. MULTIPLE DX										
0-27 DYS	5	18.0	289	2	2	19	45	94	99+	99+
1-11 MOS	19	23.4	582	3	5	16	27	62	79	92
1-5 YRS	62	12.8	259	3	4	7	13	30	42	92
6-12 YRS	77	7.8	30	3	4	6	8	16	20	29
13-19 YRS	154	8.9	50	1	2	7	11	18	26	35
TOTAL SINGLE DX	478	5.3	10	1	2	5	6	8	9	14
TOTAL MULTIPLE DX	317	10.4	134	2	3	7	11	21	31	78
TOTAL										
0-27 DYS	7	19.0	336	< 1	1	19	43	83	99+	99+
1-11 MOS	32	17.0	422	2	2	8	22	43	63	92
1-5 YRS	210	7.3	93	1	3	5	7	12	17	57
6-12 YRS	197	6.1	16	1	3	5	7	9	14	25
13-19 YRS	349	6.9	29	1	2	6	8	12	18	31
GRAND TOTAL	795	7.3	66	1	2	6	7	13	19	44

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	7.8	21	2	2	8	10	14	17	17
1-11 MOS	135	10.1	78	2	4	9	11	14	22	50
1-5 YRS	475	6.9	27	2	4	6	8	10	12	21
6-12 YRS	171	6.3	8	1	3	6	8	9	12	15
13-19 YRS	93	6.9	27	2	2	6	8	9	12	35
2. MULTIPLE DX										
0-27 DYS	92	18.2	234	3	4	14	24	43	50	72
1-11 MOS	676	15.6	174	6	7	11	18	33	46	99+
1-5 YRS	1135	11.7	102	4	5	9	13	22	31	69
6-12 YRS	373	11.6	97	4	5	8	13	22	29	50
13-19 YRS	213	12.4	154	3	5	8	13	23	35	82
TOTAL SINGLE DX	884	7.3	33	2	3	6	8	11	13	25
TOTAL MULTIPLE DX	2489	13.0	135	4	5	9	15	25	37	77
TOTAL										
0-27 DYS	102	17.2	223	3	3	12	22	39	49	71
1-11 MOS	811	14.6	163	5	6	10	17	31	44	98
1-5 YRS	1610	10.3	85	3	5	8	11	17	26	57
6-12 YRS	544	9.9	75	2	4	8	11	17	24	43
13-19 YRS	306	10.7	122	2	4	8	11	19	30	71
GRAND TOTAL	3373	11.5	114	3	5	8	13	22	33	73

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	6	19.8	169	7	7	20	31	33	33	33
1-5 YRS	3	7.7	20	3	3	8	11	12	12	12
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	4	10.8	23	4	4	12	14	15	15	15
TOTAL SINGLE DX	4	5.5	18	1	1	5	9	10	10	10
TOTAL MULTIPLE DX	15	13.1	103	3	4	9	14	31	33	33
TOTAL										
0-27 DYS	0									
1-11 MOS	6	19.8	169	7	7	20	31	33	33	33
1-5 YRS	4	6.5	19	3	3	6	10	12	12	12
6-12 YRS	3	4.3	9	1	1	5	6	7	7	7
13-19 YRS	6	10.2	15	4	4	10	13	15	15	15
GRAND TOTAL	19	11.5	83	2	3	8	13	31	32	33

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	13	7.8	63	<1	1	5	9	23	26	27
1-11 MOS	269	2.4	23	<1	1	2	2	3	6	22
1-5 YRS	583	1.7	1	<1	1	2	2	2	3	7
6-12 YRS	268	1.8	1	<1	1	2	2	2	3	7
13-19 YRS	188	2.3	4	<1	1	2	2	4	7	13
2. MULTIPLE DX										
0-27 DYS	91	8.1	81	1	2	6	11	17	25	87
1-11 MOS	945	3.5	43	<1	1	2	2	7	13	32
1-5 YRS	1438	2.1	9	<1	1	2	2	2	4	14
6-12 YRS	608	2.4	20	<1	1	2	2	3	6	14
13-19 YRS	416	2.9	15	1	1	2	2	6	10	21
TOTAL SINGLE DX	1321	2.0	7	<1	1	2	2	2	4	12
TOTAL MULTIPLE DX	3498	2.8	24	<1	1	2	2	5	9	23
TOTAL										
0-27 DYS	104	8.1	79	1	2	6	11	17	26	83
1-11 MOS	1214	3.2	39	<1	1	2	2	6	12	32
1-5 YRS	2021	2.0	7	<1	1	2	2	2	4	11
6-12 YRS	876	2.2	14	<1	1	2	2	2	5	12
13-19 YRS	604	2.7	12	<1	1	2	2	5	9	19
GRAND TOTAL	4819	2.6	20	<1	1	2	2	4	8	21

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	18	3.9	6	1	1	3	6	8	9	9
6-12 YRS	26	3.7	4	1	1	3	5	6	7	8
13-19 YRS	30	3.1	2	1	1	3	4	4	5	9
2. MULTIPLE DX										
0-27 DYS	3	31.7	817	7	7	25	53	63	63	63
1-11 MOS	13	8.4	22	1	3	9	11	14	18	19
1-5 YRS	70	6.1	23	1	2	5	8	12	18	24
6-12 YRS	87	6.2	45	1	2	4	8	14	18	39
13-19 YRS	76	5.3	37	1	1	3	6	11	14	38
TOTAL SINGLE DX	75	3.5	4	1	1	3	4	6	8	9
TOTAL MULTIPLE DX	249	6.3	50	1	2	4	7	13	19	39
TOTAL										
0-27 DYS	3	31.7	817	7	7	25	53	63	63	63
1-11 MOS	14	7.9	24	1	2	7	11	14	18	19
1-5 YRS	88	5.6	21	1	2	4	7	10	16	23
6-12 YRS	113	5.6	37	1	2	4	6	11	17	39
13-19 YRS	106	4.7	28	1	1	3	5	9	13	31
GRAND TOTAL	324	5.7	41	1	2	4	7	11	16	39

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	18	4.2	9	1	1	3	7	9	10	10
1-5 YRS	29	3.8	5	1	1	3	6	7	9	9
6-12 YRS	33	4.7	10	1	1	5	8	9	10	11
13-19 YRS	35	4.7	8	<1	1	5	7	8	9	13
2. MULTIPLE DX										
0-27 DYS	23	23.0	619	2	6	11	28	62	89	90
1-11 MOS	48	11.7	141	1	2	8	16	29	48	99+
1-5 YRS	96	8.1	59	<1	1	6	12	20	27	71
6-12 YRS	77	9.8	103	1	1	7	12	23	37	46
13-19 YRS	82	8.6	64	1	2	7	10	18	22	41
TOTAL SINGLE DX	116	4.5	8	1	1	4	7	8	9	12
TOTAL MULTIPLE DX	326	10.2	134	1	1	7	12	23	37	89
TOTAL										
0-27 DYS	24	22.4	600	2	6	10	27	58	89	90
1-11 MOS	66	9.7	116	1	1	7	11	25	39	92
1-5 YRS	125	7.1	50	<1	1	5	9	16	24	53
6-12 YRS	110	8.3	81	1	1	6	10	16	27	45
13-19 YRS	117	7.5	51	1	1	6	9	15	20	41
GRAND TOTAL	442	8.7	107	1	1	6	10	19	29	57

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	414	2.9	14	1	1	2	3	5	5	7
1-11 MOS	126	3.1	14	<1	1	1	4	7	10	20
1-5 YRS	362	2.3	4	<1	<1	2	3	5	7	12
6-12 YRS	113	2.8	8	<1	<1	2	4	7	9	14
13-19 YRS	102	3.4	10	<1	1	2	4	9	11	14
2. MULTIPLE DX										
0-27 DYS	1851	4.4	49	2	2	3	4	6	9	62
1-11 MOS	242	8.1	82	1	1	5	11	21	29	99+
1-5 YRS	485	5.6	45	1	1	3	7	13	18	31
6-12 YRS	231	6.3	48	1	1	4	8	14	21	39
13-19 YRS	247	8.0	67	1	1	5	11	18	24	39
TOTAL SINGLE DX	1117	2.8	10	<1	1	2	3	5	7	13
TOTAL MULTIPLE DX	3056	5.3	55	1	1	3	5	11	17	52
TOTAL										
0-27 DYS	2265	4.1	44	1	2	3	4	5	8	51
1-11 MOS	368	6.4	65	1	1	3	8	17	25	60
1-5 YRS	847	4.2	30	<1	1	2	5	9	14	27
6-12 YRS	344	5.2	38	<1	1	3	7	12	17	38
13-19 YRS	349	6.7	56	1	1	4	9	16	21	34
GRAND TOTAL	4173	4.6	44	1	1	3	5	9	15	40

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	31	1.7		< 1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	11.0	32	7	7	11	15	15	15	15
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	17	3.5	9	1	1	3	4	8	11	12
TOTAL SINGLE DX	35	2.0	2	< 1	1	2	3	3	4	7
TOTAL MULTIPLE DX	20	4.4	15	1	1	3	6	10	13	15
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	11.0	32	7	7	11	15	15	15	15
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	48	2.4	4	< 1	1	2	3	4	6	12
GRAND TOTAL	55	2.9	8	1	1	2	3	6	9	15

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	16.6	161	6	6	11	24	38	42	42
1-11 MOS	35	7.8	8	5	5	7	8	13	14	15
1-5 YRS	29	6.9	5	4	4	6	8	10	11	12
6-12 YRS	17	5.8	9	2	3	6	8	10	11	12
13-19 YRS	20	6.2	24	2	2	3	10	17	55	99 +
2. MULTIPLE DX										
0-27 DYS	50	21.3	414	5	6	13	27	58	74	99 +
1-11 MOS	145	12.4	90	5	5	9	13	26	37	55
1-5 YRS	161	11.1	66	4	5	8	12	22	28	43
6-12 YRS	55	10.1	116	1	2	7	12	17	22	69
13-19 YRS	117	9.6	83	2	2	7	12	19	28	51
TOTAL SINGLE DX	110	7.7	29	2	3	7	9	13	17	65
TOTAL MULTIPLE DX	528	12.0	124	3	4	9	13	25	36	71
TOTAL										
0-27 DYS	59	20.6	375	5	6	13	26	48	74	99 +
1-11 MOS	180	11.5	78	5	5	9	12	24	35	52
1-5 YRS	190	10.4	60	4	5	8	12	19	26	42
6-12 YRS	72	9.1	94	1	3	7	10	16	21	64
13-19 YRS	137	9.1	76	2	2	7	11	19	28	59
GRAND TOTAL	638	11.2	110	3	4	8	12	22	35	70

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	47	17.8	203	7	7	13	21	29	58	75
1-11 MOS	3	19.3	149	6	6	22	28	30	30	30
1-5 YRS	1	31.0		31	31	31	31	31	31	31
6-12 YRS	3	11.0	112	3	3	7	19	23	23	23
13-19 YRS	1	7.0		7	7	7	7	7	7	7
TOTAL SINGLE DX	3	10.0	16	6	6	10	13	14	14	14
TOTAL MULTIPLE DX	55	17.5	191	6	7	13	22	30	54	74
TOTAL										
0-27 DYS	48	17.6	200	7	7	13	20	28	57	75
1-11 MOS	4	18.0	107	6	6	18	26	30	30	30
1-5 YRS	2	18.5	313	6	6	18	31	31	31	31
6-12 YRS	3	11.0	112	3	3	7	1[illegible]	23	23	23
13-19 YRS	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	58	17.1	184	6	7	13	22	30	52	74

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	4.0	27	1	1	1	8	10	10	10
6-12 YRS	5	20.0	722	1	1	13	31	66	66	66
13-19 YRS	9	5.0	24	1	1	3	6	14	14	14
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	9.2	19	4	4	11	12	14	14	14
1-5 YRS	10	4.8	20	1	1	3	8	12	14	14
6-12 YRS	30	4.4	13	1	1	3	5	7	12	19
13-19 YRS	125	5.8	51	1	1	3	6	11	17	39
TOTAL SINGLE DX	17	9.2	247	1	1	3	13	18	50	66
TOTAL MULTIPLE DX	170	5.6	42	1	1	3	6	12	15	37
TOTAL										
0-27 DYS	0									
1-11 MOS	5	9.2	20	4	4	11	12	14	14	14
1-5 YRS	13	4.6	20	1	1	2	8	11	13	14
6-12 YRS	35	6.6	127	1	1	3	6	13	19	66
13-19 YRS	134	5.7	50	1	1	3	6	12	16	39
GRAND TOTAL	187	5.9	61	1	1	3	7	13	16	42

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	88	13.2	390	1	1	5	11	57	68	90
1-11 MOS	216	6.5	29	2	3	5	7	11	16	35
1-5 YRS	402	5.2	17	1	2	5	6	8	11	29
6-12 YRS	159	4.6	10	1	1	4	6	8	9	13
13-19 YRS	143	4.2	15	1	1	3	6	9	11	18
2. MULTIPLE DX										
0-27 DYS	4832	20.9	465	2	3	12	32	63	87	99+
1-11 MOS	607	13.0	173	2	3	9	15	28	41	97
1-5 YRS	635	9.1	82	1	2	7	11	17	27	58
6-12 YRS	316	8.4	72	1	1	7	11	18	24	39
13-19 YRS	539	9.5	155	1	1	5	11	22	36	76
TOTAL SINGLE DX	1008	5.9	56	1	1	5	6	10	13	53
TOTAL MULTIPLE DX	6929	17.7	388	2	3	10	24	53	77	99+
TOTAL										
0-27 DYS	4920	20.8	465	2	3	12	31	63	88	99+
1-11 MOS	823	11.3	144	2	3	8	13	24	36	89
1-5 YRS	1037	7.6	61	1	2	5	8	15	23	55
6-12 YRS	475	7.1	55	1	1	5	9	15	21	32
13-19 YRS	682	8.4	131	1	1	5	9	19	29	73
GRAND TOTAL	7937	16.2	361	1	2	9	21	49	73	99+

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	6.7	45	1	1	4	9	18	22	22
1-11 MOS	75	4.4	60	<1	1	3	5	11	13	90
1-5 YRS	240	3.6	16	<1	<1	2	4	8	12	17
6-12 YRS	193	3.0	9	<1	<1	2	4	7	9	15
13-19 YRS	208	3.2	10	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
0-27 DYS	2	51.5	3281	11	11	51	92	92	92	92
1-11 MOS	70	8.3	127	1	2	5	8	15	21	72
1-5 YRS	147	6.4	45	<1	1	5	9	13	18	29
6-12 YRS	112	5.4	57	1	1	4	8	11	13	38
13-19 YRS	157	6.3	43	<1	1	5	9	14	17	37
TOTAL SINGLE DX	725	3.5	18	<1	<1	2	4	8	11	21
TOTAL MULTIPLE DX	488	6.6	74	1	1	5	8	13	17	50
TOTAL										
0-27 DYS	11	14.8	693	1	1	5	12	50	88	92
1-11 MOS	145	6.3	96	1	1	4	7	13	19	76
1-5 YRS	387	4.6	29	<1	1	3	6	11	14	23
6-12 YRS	305	3.9	28	<1	<1	2	5	9	11	16
13-19 YRS	365	4.5	27	<1	1	2	7	10	14	25
GRAND TOTAL	1213	4.7	43	<1	1	3	6	10	14	26

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	15.7	22	12	12	14	19	21	21	21
1-5 YRS	8	2.3	2	1	1	2	3	4	5	5
6-12 YRS	6	2.5	1	1	1	2	3	4	4	4
13-19 YRS	15	4.1	8	1	1	4	7	8	10	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	4.7	10	1	1	6	7	7	7	7
1-5 YRS	10	3.8	9	1	1	2	7	8	9	9
6-12 YRS	4	4.0	3	2	2	4	5	6	6	6
13-19 YRS	22	7.0	14	1	2	7	9	11	14	18
TOTAL SINGLE DX	32	4.4	20	1	1	3	5	11	14	21
TOTAL MULTIPLE DX	39	5.7	13	1	1	6	8	10	11	18
TOTAL										
0-27 DYS	0									
1-11 MOS	6	10.2	49	1	1	9	14	20	21	21
1-5 YRS	18	3.1	6	1	1	2	4	8	9	9
6-12 YRS	10	3.1	2	1	1	3	4	5	6	6
13-19 YRS	37	5.9	14	1	1	6	8	10	11	18
GRAND TOTAL	71	5.1	17	1	1	4	8	10	12	20

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	1	48.0		48	48	48	48	48	48	48
1-5 YRS	2	8.5	13	6	6	8	11	11	11	11
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	0									
TOTAL SINGLE DX	2	3.0	8	1	1	3	5	5	5	5
TOTAL MULTIPLE DX	5	19.2	330	5	5	11	31	48	48	48
TOTAL										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	1	48.0		48	48	48	48	48	48	48
1-5 YRS	2	8.5	13	6	6	8	11	11	11	11
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	7	14.6	284	1	2	6	22	44	48	48

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	39.6	21	35	35	39	42	47	47	47
6-12 YRS	6	42.0	133	28	28	42	52	54	54	54
13-19 YRS	4	36.3	157	25	25	33	44	54	54	54
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	46.0		46	46	99+	99+	99+	99+	99+
1-5 YRS	28	49.5	249	34	35	45	58	84	90	99+
6-12 YRS	31	46.2	262	23	27	41	54	69	83	85
13-19 YRS	27	45.8	315	27	30	41	54	82	89	99+
TOTAL SINGLE DX	16	37.3	180	8	25	36	49	54	54	54
TOTAL MULTIPLE DX	87	47.1	268	28	31	44	57	84	89	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	2	23.5	1013	1	1	73	99+	99+	99+	99+
1-5 YRS	33	48.0	226	34	35	44	53	84	88	99+
6-12 YRS	37	45.5	240	24	28	41	53	66	80	85
13-19 YRS	31	44.6	299	25	30	40	53	80	88	99+
GRAND TOTAL	103	45.6	265	26	30	43	54	82	88	99+

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.8	7	1	1	3	6	7	7	7
1-11 MOS	52	3.9	16	1	1	3	4	8	14	23
1-5 YRS	388	5.1	29	1	1	3	6	11	14	31
6-12 YRS	354	5.3	25	1	1	5	7	9	11	28
13-19 YRS	375	6.0	24	1	2	5	7	9	12	31
2. MULTIPLE DX										
0-27 DYS	16	13.2	196	1	2	11	20	51	85	99+
1-11 MOS	93	8.7	141	1	1	6	12	17	20	99
1-5 YRS	512	9.2	105	1	2	6	11	20	27	61
6-12 YRS	423	9.8	130	1	2	6	11	21	31	64
13-19 YRS	731	10.1	90	2	3	7	11	20	30	53
TOTAL SINGLE DX	1173	5.4	26	1	1	4	7	10	13	30
TOTAL MULTIPLE DX	1775	9.7	108	1	2	7	11	20	29	60
TOTAL										
0-27 DYS	20	11.3	171	1	2	7	15	39	76	99+
1-11 MOS	145	7.0	102	1	1	5	9	15	19	97
1-5 YRS	900	7.4	77	1	1	5	9	16	23	43
6-12 YRS	777	7.8	88	1	2	5	9	15	24	56
13-19 YRS	1106	8.7	72	2	2	6	9	17	27	47
GRAND TOTAL	2948	8.0	80	1	2	6	9	16	25	51

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	20	11.4	358	1	1	4	11	63	84	99+
1-11 MOS	45	11.2	97	1	2	8	16	27	30	39
1-5 YRS	203	7.1	71	1	1	5	9	15	21	43
6-12 YRS	135	7.4	80	1	1	4	8	17	26	45
13-19 YRS	131	8.4	119	1	1	4	11	19	30	59
2. MULTIPLE DX										
0-27 DYS	300	18.8	483	2	3	10	28	61	81	99+
1-11 MOS	229	22.0	356	2	3	18	35	60	99	99+
1-5 YRS	559	16.1	305	1	2	10	23	43	59	99+
6-12 YRS	312	13.4	209	1	1	9	19	36	42	83
13-19 YRS	439	13.5	185	1	2	9	17	31	40	62
TOTAL SINGLE DX	534	8.0	99	1	1	5	10	18	27	57
TOTAL MULTIPLE DX	1839	16.2	304	1	2	10	23	43	61	99+
TOTAL										
0-27 DYS	320	18.3	478	2	3	9	27	81	81	99+
1-11 MOS	274	20.3	330	2	3	16	31	55	82	99+
1-5 YRS	762	13.7	259	1	2	8	17	37	50	95
6-12 YRS	447	11.6	178	1	1	7	15	29	40	69
13-19 YRS	570	12.3	175	1	2	8	16	30	39	62
GRAND TOTAL	2373	14.4	259	1	2	9	19	39	56	99+

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	54	2.8	8	<1	1	2	3	7	10	13
1-5 YRS	68	3.1	17	<1	<1	1	3	9	14	21
6-12 YRS	40	4.6	67	<1	1	1	6	10	13	50
13-19 YRS	49	3.4	18	1	1	2	3	10	15	20
2. MULTIPLE DX										
0-27 DYS	6	41.5	496	4	6	49	57	62	63	63
1-11 MOS	72	9.7	154	1	1	5	11	30	36	57
1-5 YRS	194	6.1	65	1	1	2	8	15	26	44
6-12 YRS	98	4.5	33	1	1	2	5	11	16	30
13-19 YRS	111	8.2	111	1	1	4	10	22	31	55
TOTAL SINGLE DX	213	3.4	24	<1	1	2	3	9	12	21
TOTAL MULTIPLE DX	481	7.2	104	1	1	3	9	19	30	56
TOTAL										
0-27 DYS	8	32.3	648	4	4	35	55	61	63	63
1-11 MOS	126	6.8	103	1	1	3	7	15	31	51
1-5 YRS	262	5.3	54	<1	1	2	7	14	21	43
6-12 YRS	138	4.5	43	1	1	2	6	10	15	36
13-19 YRS	160	6.7	87	1	1	3	8	16	27	51
GRAND TOTAL	694	6.0	83	1	1	2	7	15	26	51

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	487	3.2	1	2	2	3	4	5	5	6
1-11 MOS	1185	3.1	1	2	2	3	4	5	5	8
1-5 YRS	9	3.7	2	2	2	4	5	6	6	6
6-12 YRS	4	4.5	3	3	3	4	6	6	6	6
13-19 YRS	3	7.3	5	6	6	6	9	10	10	10
2. MULTIPLE DX										
0-27 DYS	177	5.9	85	2	2	4	5	8	12	52
1-11 MOS	445	4.4	5	2	2	4	5	7	9	18
1-5 YRS	3	7.3	9	4	4	8	9	10	10	10
6-12 YRS	3	5.7	22	2	2	4	9	11	11	11
13-19 YRS	4	12.5	49	6	6	12	18	20	20	20
TOTAL SINGLE DX	1688	3.2	2	2	2	3	4	5	5	7
TOTAL MULTIPLE DX	632	4.9	29	2	2	4	5	7	10	32
TOTAL										
0-27 DYS	664	3.9	25	2	2	3	4	5	6	23
1-11 MOS	1630	3.5	3	2	2	3	4	5	7	10
1-5 YRS	12	4.6	6	2	2	4	6	9	10	10
6-12 YRS	7	5.0	9	2	2	4	6	10	11	11
13-19 YRS	7	10.3	34	6	6	7	15	19	20	20
GRAND TOTAL	2320	3.6	10	2	2	3	4	5	7	11

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	39.0	882	18	18	39	60	60	60	60
1-11 MOS	5	3.0	3	1	1	3	4	6	6	6
1-5 YRS	8	5.6	10	2	2	6	8	10	11	11
6-12 YRS	6	10.2	[illegible]	1	1	7	11	28	30	30
13-19 YRS	4	13.5	101	3	3	13	22	24	24	24
2. MULTIPLE DX										
0-27 DYS	21	39.8	593	12	13	37	68	94	99+	99+
1-11 MOS	76	19.0	411	2	3	15	27	56	91	99+
1-5 YRS	142	14.7	237	2	2	9	22	34	45	90
6-12 YRS	68	16.4	338	2	3	11	22	60	85	99+
13-19 YRS	58	14.6	200	1	3	10	22	29	51	62
TOTAL SINGLE DX	25	10.1	164	1	2	6	11	24	37	60
TOTAL MULTIPLE DX	365	17.3	337	2	3	12	25	45	74	99+
TOTAL										
0-27 DYS	23	39.7	579	13	13	37	63	93	99+	99+
1-11 MOS	81	18.0	401	2	3	13	25	53	91	99+
1-5 YRS	150	14.2	230	2	2	8	20	34	45	89
6-12 YRS	74	15.9	321	1	3	10	21	54	82	99+
13-19 YRS	62	14.5	192	2	3	10	22	29	49	62
GRAND TOTAL	390	16.9	328	2	3	11	24	44	73	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	17.0	128	9	9	17	25	25	25	25
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	7	5.1	21	< 1	< 1	3	10	12	12	12
6-12 YRS	9	6.2	56	1	1	3	7	19	25	25
13-19 YRS	12	4.7	8	< 1	1	4	6	9	10	10
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	13.7	171	< 1	1	13	29	81	99+	99+
1-5 YRS	16	10.1	99	1	2	8	12	25	34	36
6-12 YRS	18	7.1	50	1	2	5	7	15	25	31
13-19 YRS	52	6.0	26	1	2	4	7	12	17	31
TOTAL SINGLE DX	33	5.8	35	< 1	1	4	7	11	23	25
TOTAL MULTIPLE DX	94	7.4	57	1	2	5	9	17	30	72
TOTAL										
0-27 DYS	3	11.7	149	1	1	9	21	25	25	25
1-11 MOS	10	10.4	144	< 1	< 1	6	21	62	97	99+
1-5 YRS	23	8.6	79	< 1	1	6	12	17	30	38
6-12 YRS	27	6.8	50	1	1	5	7	15	26	31
13-19 YRS	64	5.7	24	1	2	4	7	10	15	29
GRAND TOTAL	127	7.0	51	1	1	5	8	15	25	52

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	4	12.8	103	7	7	8	18	28	28	28
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	18.0	199	5	5	16	29	33	33	33
1-5 YRS	3	22.3	321	11	11	13	35	43	43	43
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	6	13.0	22	7	7	13	16	20	20	20
TOTAL SINGLE DX	7	8.9	82	1	1	8	9	24	28	28
TOTAL MULTIPLE DX	13	15.8	118	5	6	13	17	35	41	43
TOTAL										
0-27 DYS	0									
1-11 MOS	4	13.8	205	1	1	10	24	33	33	33
1-5 YRS	4	17.0	328	1	1	12	28	43	43	43
6-12 YRS	2	8.0	2	7	7	[illegible]	9	9	9	9
13-19 YRS	10	12.9	47	7	7	1	16	24	28	28
GRAND TOTAL	20	13.4	112	1	3	10	16	30	38	43

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	8.0	2	7	7	8	9	9	9	9
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	2	8.0	2	7	7	8	9	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	8.0	2	7	7	8	9	9	9	9
GRAND TOTAL	2	8.0	2	7	7	8	9	9	9	9

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	9.0		9	9	9	9	9	9	9
13-19 YRS	7	7.3	6	5	5	7	9	11	12	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	2	11.5	1	11	11	11	12	12	12	12
13-19 YRS	4	16.0	302	6	6	8	25	42	42	42
TOTAL SINGLE DX	9	7.7	5	5	5	7	9	11	12	12
TOTAL MULTIPLE DX	7	15.1	158	6	6	11	17	37	42	42
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	4	10.3	2	9	9	10	11	12	12	12
13-19 YRS	11	10.5	114	5	5	7	9	24	40	42
GRAND TOTAL	16	10.9	81	5	5	9	11	18	35	42

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	17.7	1148	2	2	4	12	78	94	94
1-11 MOS	67	7.3	43	2	2	5	8	17	23	35
1-5 YRS	76	7.2	31	1	2	6	8	11	15	36
6-12 YRS	33	7.0	15	3	3	7	9	11	13	23
13-19 YRS	61	7.1	13	4	4	6	8	11	14	25
2. MULTIPLE DX										
0-27 DYS	24	35.2	808	4	7	32	92	99+	99+	99+
1-11 MOS	274	19.4	282	4	5	15	27	56	99+	99+
1-5 YRS	404	16.4	226	2	4	12	22	40	53	99+
6-12 YRS	191	15.9	209	4	6	11	19	31	41	84
13-19 YRS	194	13.4	156	4	5	9	16	30	42	99+
TOTAL SINGLE DX	244	7.5	59	2	3	6	8	12	19	36
TOTAL MULTIPLE DX	1087	16.9	248	3	5	12	23	42	68	99+
TOTAL										
0-27 DYS	31	31.2	904	3	3	27	90	99+	99+	99+
1-11 MOS	341	17.0	259	3	4	12	24	49	81	99+
1-5 YRS	480	14.9	207	2	3	10	19	37	47	99+
6-12 YRS	224	14.6	190	4	5	10	18	29	39	79
13-19 YRS	255	11.9	129	4	5	8	12	27	36	99
GRAND TOTAL	1331	15.2	226	3	4	10	20	37	59	99+

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	6.9	28	2	2	5	9	16	18	18
1-11 MOS	23	7.8	49	1	1	5	10	19	23	28
1-5 YRS	76	3.3	6	1	1	3	5	6	8	12
6-12 YRS	56	4.5	7	1	1	4	6	8	11	13
13-19 YRS	103	5.0	15	1	2	4	6	9	13	22
2. MULTIPLE DX										
0-27 DYS	11	14.2	73	4	5	13	23	51	93	99+
1-11 MOS	71	10.6	103	2	3	6	17	25	38	87
1-5 YRS	144	7.6	164	1	2	4	7	14	25	90
6-12 YRS	97	6.2	46	1	1	5	7	11	13	45
13-19 YRS	209	7.2	42	2	2	5	9	15	20	34
TOTAL SINGLE DX	266	4.7	16	1	1	4	6	9	12	20
TOTAL MULTIPLE DX	532	7.7	87	1	2	5	9	17	25	71
TOTAL										
0-27 DYS	19	11.1	65	2	3	9	18	28	65	99+
1-11 MOS	94	10.0	91	1	2	6	15	22	37	74
1-5 YRS	220	6.1	114	1	1	4	6	11	17	86
6-12 YRS	153	5.6	33	1	1	4	7	10	13	44
13-19 YRS	312	6.5	35	1	2	5	8	13	17	32
GRAND TOTAL	**798**	**6.7**	**65**	**1**	**2**	**5**	**7**	**14**	**20**	**45**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	12.7	102	2	2	11	16	29	30	30
1-11 MOS	19	6.9	3	4	5	7	8	9	11	12
1-5 YRS	13	8.1	12	4	5	7	10	13	16	17
6-12 YRS	17	7.5	7	3	4	7	10	11	12	12
13-19 YRS	24	7.4	3	4	5	7	9	10	11	11
2. MULTIPLE DX										
0-27 DYS	59	42.3	849	7	12	45	90	99+	99+	99+
1-11 MOS	46	16.6	337	5	6	11	17	60	86	99+
1-5 YRS	63	14.1	209	5	6	9	17	29	58	97
6-12 YRS	56	14.1	326	5	5	9	12	27	67	90
13-19 YRS	126	13.9	191	5	6	10	14	26	38	97
TOTAL SINGLE DX	79	7.8	14	4	5	7	9	11	14	26
TOTAL MULTIPLE DX	350	19.1	452	5	6	11	25	80	99+	99+
TOTAL										
0-27 DYS	65	39.6	853	6	9	36	88	99+	99+	99+
1-11 MOS	65	13.8	258	5	5	8	14	32	82	99+
1-5 YRS	76	13.1	181	5	5	9	16	26	45	95
6-12 YRS	73	12.6	259	4	5	8	10	21	37	89
13-19 YRS	150	12.9	167	5	6	9	13	25	36	96
GRAND TOTAL	**429**	**17.1**	**390**	**5**	**6**	**10**	**19**	**65**	**94**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	23	7.1	12	2	3	6	10	12	14	15
1-5 YRS	16	8.4	39	3	4	6	9	15	24	28
6-12 YRS	17	11.4	72	5	6	9	12	18	33	41
13-19 YRS	80	9.5	25	4	5	8	10	15	21	29
2. MULTIPLE DX										
0-27 DYS	36	43.6	495	8	14	51	67	99+	99+	99+
1-11 MOS	55	12.8	161	5	5	9	13	27	43	73
1-5 YRS	39	12.9	123	4	5	9	12	32	39	51
6-12 YRS	35	15.7	175	6	7	11	17	28	53	59
13-19 YRS	174	14.1	116	5	6	10	17	25	34	54
TOTAL SINGLE DX	137	9.2	31	3	4	8	10	15	19	31
TOTAL MULTIPLE DX	339	17.0	253	5	6	10	21	42	56	99+
TOTAL										
0-27 DYS	37	42.6	520	7	9	51	66	99+	99+	99+
1-11 MOS	78	11.1	123	4	4	8	11	18	38	67
1-5 YRS	55	11.6	102	4	4	9	11	28	36	50
6-12 YRS	52	14.3	144	6	6	10	16	27	45	59
13-19 YRS	254	12.6	92	5	6	9	15	24	31	47
GRAND TOTAL	**476**	**14.8**	**202**	**4**	**5**	**10**	**17**	**34**	**52**	**97**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	16	9.9	45	4	5	8	11	17	27	31
1-11 MOS	8	7.6	42	3	3	6	8	19	23	23
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS	5	6.0	6	3	3	6	8	9	9	9
13-19 YRS	3	5.0	9	2	2	5	7	8	8	8
2. MULTIPLE DX										
0-27 DYS	28	26.3	748	4	6	15	36	89	92	99+
1-11 MOS	15	8.9	11	3	4	9	11	13	15	16
1-5 YRS	18	15.3	125	4	5	11	24	33	40	42
6-12 YRS	9	7.3	16	1	2	7	8	13	16	16
13-19 YRS	33	14.4	238	4	5	8	13	45	57	59
TOTAL SINGLE DX	34	8.2	35	3	3	7	9	16	22	31
TOTAL MULTIPLE DX	103	16.4	341	4	5	10	16	43	63	95
TOTAL										
0-27 DYS	44	20.4	550	4	5	11	19	72	91	99+
1-11 MOS	23	8.5	21	3	3	8	10	14	18	23
1-5 YRS	20	14.6	119	4	5	11	22	31	39	42
6-12 YRS	14	6.9	12	1	3	7	8	10	15	16
13-19 YRS	36	13.6	225	4	4	8	13	42	56	59
GRAND TOTAL	**137**	**14.4**	**276**	**3**	**4**	**8**	**15**	**33**	**57**	**92**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	9.6	21	2	3	9	12	15	19	20
1-11 MOS	229	5.0	6	2	2	4	6	8	10	14
1-5 YRS	132	5.7	8	1	2	6	8	9	11	30
6-12 YRS	47	7.0	7	3	4	7	8	11	12	16
13-19 YRS	95	7.5	10	4	4	7	9	10	12	22
2. MULTIPLE DX										
0-27 DYS	59	29.3	489	6	8	28	44	91	99+	99+
1-11 MOS	325	10.4	116	3	4	7	12	22	31	99+
1-5 YRS	268	8.9	51	4	4	7	9	13	18	59
6-12 YRS	105	9.4	50	3	4	8	10	17	23	43
13-19 YRS	182	10.4	60	4	5	8	12	17	24	63
TOTAL SINGLE DX	515	5.9	9	2	3	6	8	10	11	16
TOTAL MULTIPLE DX	939	11.0	125	3	4	8	12	23	38	99+
TOTAL										
0-27 DYS	71	26.0	465	5	7	20	41	80	99+	99+
1-11 MOS	554	8.1	78	2	3	6	9	15	25	97
1-5 YRS	400	7.8	39	2	3	7	9	12	16	58
6-12 YRS	152	8.7	38	3	4	7	10	13	21	43
13-19 YRS	277	9.4	45	4	5	8	10	14	22	43
GRAND TOTAL	1454	9.2	90	3	3	7	10	16	28	97

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	15	11.7	77	5	5	9	10	28	32	34
1-11 MOS	29	9.4	33	4	4	8	12	17	20	30
1-5 YRS	16	7.6	9	5	5	6	10	11	14	15
6-12 YRS	7	11.3	41	2	3	11	16	19	20	20
13-19 YRS	8	6.6	8	1	2	7	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	39	22.4	272	6	7	16	40	54	80	99+
1-11 MOS	25	15.8	121	4	5	14	20	41	60	99+
1-5 YRS	24	10.8	51	3	4	9	14	24	47	99+
6-12 YRS	23	17.6	416	5	6	9	21	37	65	98
13-19 YRS	39	17.7	161	5	6	13	27	35	54	99+
TOTAL SINGLE DX	75	9.4	36	4	5	8	11	17	21	33
TOTAL MULTIPLE DX	150	17.5	214	4	6	13	24	42	56	99+
TOTAL										
0-27 DYS	54	19.4	240	5	6	12	32	51	61	99+
1-11 MOS	54	12.4	83	4	4	9	17	21	40	97
1-5 YRS	40	9.5	36	4	4	7	12	22	26	99+
6-12 YRS	30	16.1	332	4	6	10	20	29	47	98
13-19 YRS	47	15.8	152	4	5	12	23	35	52	99+
GRAND TOTAL	225	14.8	169	4	5	10	20	35	52	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	8.4	110	3	3	5	7	27	32	32
1-11 MOS	22	4.0	6	1	2	3	4	8	10	11
1-5 YRS	801	5.0	10	2	2	4	7	9	11	14
6-12 YRS	6560	3.5	4	1	2	3	4	6	8	11
13-19 YRS	9364	3.4	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
0-27 DYS	3	2.7	4	1	1	2	4	5	5	5
1-11 MOS	13	9.5	75	1	2	5	17	22	27	28
1-5 YRS	436	7.5	35	2	3	6	10	13	17	31
6-12 YRS	1997	6.0	20	2	2	5	7	11	15	25
13-19 YRS	3022	5.2	16	2	2	4	6	9	13	21
TOTAL SINGLE DX	16754	3.5	4	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	5471	5.7	20	2	2	4	7	10	14	24
TOTAL										
0-27 DYS	10	6.7	82	1	1	4	6	19	32	32
1-11 MOS	35	6.1	37	1	2	4	7	17	20	28
1-5 YRS	1237	5.9	21	2	2	5	8	11	13	24
6-12 YRS	8557	4.1	10	2	2	3	5	8	10	17
13-19 YRS	12386	3.8	7	2	2	3	4	7	8	14
GRAND TOTAL	22225	4.1	9	2	2	3	5	7	9	16

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	5.0	3	3	3	6	6	6	6	6
1-5 YRS	10	3.6	1	2	2	4	5	5	5	5
6-12 YRS	41	4.4	11	1	2	3	5	8	13	16
13-19 YRS	80	3.8	8	2	2	3	4	5	7	20
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	0									
1-5 YRS	4	5.0	2	4	4	5	6	7	7	7
6-12 YRS	22	5.9	39	1	2	4	6	11	24	28
13-19 YRS	47	4.9	10	2	2	4	6	7	12	20
TOTAL SINGLE DX	134	4.0	9	2	2	3	5	6	8	19
TOTAL MULTIPLE DX	74	5.3	19	2	2	4	6	7	14	26
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	5.0	3	3	3	6	6	6	6	6
1-5 YRS	14	4.0	2	2	2	4	5	6	7	7
6-12 YRS	63	4.9	21	1	2	4	5	8	15	27
13-19 YRS	127	4.2	10	2	2	3	5	7	8	20
GRAND TOTAL	208	4.5	13	2	2	4	5	7	9	21

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	10.5	1	10	10	10	11	11	11	11
6-12 YRS	13	7.5	17	2	3	6	10	12	17	18
13-19 YRS	18	7.5	9	3	4	7	10	12	14	14
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	7.0	8	3	3	6	10	11	11	11
6-12 YRS	13	7.5	14	2	3	8	9	13	15	16
13-19 YRS	25	9.6	26	2	4	9	11	18	20	23
TOTAL SINGLE DX	33	7.7	12	2	4	7	10	12	14	18
TOTAL MULTIPLE DX	45	8.6	21	2	4	8	11	14	18	23
TOTAL										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	7.9	9	3	4	8	10	11	11	11
6-12 YRS	26	7.5	15	2	3	7	10	12	16	18
13-19 YRS	43	8.7	20	2	4	8	11	14	18	23
GRAND TOTAL	**78**	**8.2**	**17**	**2**	**4**	**8**	**11**	**13**	**17**	**22**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	11	5.4	11	1	2	4	8	10	12	12
1-11 MOS	28	4.0	12	<1	<1	2	7	9	12	13
1-5 YRS	56	2.6	4	1	1	2	4	6	7	8
6-12 YRS	22	3.3	7	<1	1	2	5	7	9	10
13-19 YRS	21	3.8	7	1	1	2	6	8	9	10
2. MULTIPLE DX										
0-27 DYS	39	17.7	437	2	3	8	21	44	75	86
1-11 MOS	45	6.8	58	1	2	4	8	12	27	37
1-5 YRS	45	6.0	32	1	1	4	8	13	21	24
6-12 YRS	45	5.1	40	1	1	3	5	10	18	33
13-19 YRS	31	6.1	85	<1	1	4	6	10	14	53
TOTAL SINGLE DX	138	3.4	8	<1	1	2	5	8	9	12
TOTAL MULTIPLE DX	205	8.2	144	1	1	4	8	19	31	74
TOTAL										
0-27 DYS	50	15.0	368	1	2	7	17	35	71	86
1-11 MOS	73	5.7	42	<1	1	4	7	11	14	37
1-5 YRS	101	4.1	19	1	1	3	5	9	13	23
6-12 YRS	67	4.5	30	1	1	3	5	9	11	32
13-19 YRS	52	5.2	54	1	1	3	6	9	12	52
GRAND TOTAL	**343**	**6.3**	**95**	**1**	**1**	**3**	**7**	**12**	**21**	**54**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	19	2.5	3	1	1	2	4	6	7	7
1-5 YRS	19	3.5	11	<1	<1	2	4	9	12	12
6-12 YRS	13	2.2		1	1	2	3	3	4	4
13-19 YRS	49	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	12	4.3	8	1	1	3	6	9	11	11
1-5 YRS	17	8.2	71	1	1	4	12	19	28	32
6-12 YRS	11	4.8	8	1	2	3	7	9	10	10
13-19 YRS	46	4.2	14	1	1	3	5	7	15	17
TOTAL SINGLE DX	100	2.7	5	1	1	2	3	5	7	12
TOTAL MULTIPLE DX	89	5.0	25	1	1	4	6	11	15	27
TOTAL										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	31	3.2	6	1	1	2	5	7	8	11
1-5 YRS	36	5.7	44	<1	1	3	8	14	18	32
6-12 YRS	24	3.4	6	1	2	3	4	8	9	10
13-19 YRS	95	3.3	9	1	1	3	4	7	9	17
GRAND TOTAL	**189**	**3.8**	**16**	**1**	**1**	**3**	**4**	**8**	**11**	**19**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	49	8.4	9	4	5	8	10	12	15	18
1-5 YRS	57	9.0	11	4	6	9	10	14	15	17
6-12 YRS	5	10.0	2	8	8	10	11	12	12	12
13-19 YRS	10	12.7	114	8	8	9	11	27	43	43
2. MULTIPLE DX										
0-27 DYS	2	18.0	162	9	9	18	27	27	27	27
1-11 MOS	75	9.8	36	5	5	8	12	13	19	42
1-5 YRS	80	11.3	31	6	6	9	13	19	24	30
6-12 YRS	20	13.3	75	6	7	10	15	26	36	39
13-19 YRS	20	11.0	26	5	6	9	13	20	23	23
TOTAL SINGLE DX	121	9.1	19	4	6	9	10	14	15	25
TOTAL MULTIPLE DX	197	11.0	39	5	6	9	12	18	24	36
TOTAL										
0-27 DYS	2	18.0	162	9	9	18	27	27	27	27
1-11 MOS	124	9.3	26	5	5	8	11	13	18	33
1-5 YRS	137	10.4	24	5	6	9	12	17	19	29
6-12 YRS	25	12.6	62	6	7	10	14	20	34	39
13-19 YRS	30	11.6	54	6	7	9	12	20	23	43
GRAND TOTAL	**318**	**10.3**	**32**	**5**	**6**	**9**	**11**	**16**	**20**	**35**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	4.3	17	<1	<1	3	7	9	9	9
1-11 MOS	64	3.7	24	<1	1	2	4	7	11	31
1-5 YRS	149	2.3	4	<1	1	1	3	5	7	10
6-12 YRS	152	3.2	9	<1	1	2	4	6	8	13
13-19 YRS	360	3.6	6	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS	14	5.0	17	1	1	4	7	10	15	16
1-11 MOS	192	7.6	66	1	1	5	9	16	24	58
1-5 YRS	260	6.8	105	1	1	4	7	15	24	76
6-12 YRS	307	5.7	70	1	1	3	6	10	16	48
13-19 YRS	996	5.9	71	1	2	4	6	10	18	65
TOTAL SINGLE DX	728	3.3	9	1	1	2	4	7	8	14
TOTAL MULTIPLE DX	1769	6.2	75	1	1	4	7	12	19	62
TOTAL										
0-27 DYS	17	4.9	16	<1	1	4	7	9	14	16
1-11 MOS	256	6.6	59	1	1	4	8	14	22	50
1-5 YRS	409	5.1	73	1	1	2	5	12	18	59
6-12 YRS	459	4.9	52	1	1	3	5	8	12	41
13-19 YRS	1356	5.3	55	1	1	4	6	9	14	53
GRAND TOTAL	2497	5.3	58	1	1	3	6	10	16	49

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	21	1.2		<1	<1	1	1	2	3	3
1-5 YRS	5	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	5	1.0		1	1	1	1	1	1	1
13-19 YRS	27	2.2	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	11	3.0	21	<1	<1	1	2	11	16	16
1-5 YRS	3	2.3	5	<1	<1	1	4	5	5	5
6-12 YRS	3	3.0	12	1	1	1	6	7	7	7
13-19 YRS	24	2.8	1	<1	1	3	4	4	5	6
TOTAL SINGLE DX	58	1.7	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	43	2.8	7	<1	1	2	4	5	7	16
TOTAL										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	32	1.8	8	<1	<1	1	1	3	7	16
1-5 YRS	8	1.9	2	<1	<1	1	2	4	5	5
6-12 YRS	8	1.8	5	1	1	1	1	5	7	7
13-19 YRS	51	2.5	2	1	1	2	3	4	5	6
GRAND TOTAL	101	2.2	4	<1	1	1	3	4	5	12

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.2		1	1	1	1	2	2	2
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	19	1.9	2	<1	<1	2	2	4	6	7
2. MULTIPLE DX										
0-27 DYS	3	13.7	252	4	4	5	25	32	32	32
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	3	4.0	19	1	1	2	7	9	9	9
6-12 YRS	7	5.4	39	1	1	3	6	17	19	19
13-19 YRS	23	3.9	14	<1	1	2	5	11	13	14
TOTAL SINGLE DX	29	1.8	2	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	38	4.8	38	1	1	3	5	12	17	32
TOTAL										
0-27 DYS	3	13.7	252	4	4	5	25	32	32	32
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	9	2.1	7	1	1	1	2	6	9	9
6-12 YRS	10	4.4	29	1	1	3	4	13	19	19
13-19 YRS	42	3.0	10	<1	<1	2	3	7	12	14
GRAND TOTAL	67	3.5	24	<1	1	2	4	7	13	30

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	16	2.6	1	<1	1	2	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	50	2.3	1	1	1	2	3	4	4	5
TOTAL SINGLE DX	19	2.9	4	<1	<1	2	4	5	7	8
TOTAL MULTIPLE DX	53	2.3	1	1	1	2	3	4	5	5
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	2	3.0	8	<1	<1	2	5	5	5	5
6-12 YRS	0									
13-19 YRS	66	2.3	1	1	1	2	3	4	5	5
GRAND TOTAL	72	2.4	2	1	1	2	3	4	5	7

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	11	3.7	8	1	1	3	4	7	12	12
1-11 MOS	58		3	< 1	1	2	4	6	7	9
1-5 YRS	35	3.8	7	< 1	1	3	6	8	9	10
6-12 YRS	23	3.8	8	1	1	3	5	8	10	10
13-19 YRS	59	2.7	3	< 1	1	2	4	5	7	8
2. MULTIPLE DX										
0-27 DYS	20	8.9	59	1	2	6	13	16	25	34
1-11 MOS	76	5.6	17	1	2	5	7	10	15	79
1-5 YRS	65	4.9	11	< 1	1	4	6	11	14	86
6-12 YRS	30	7.2	30	1	1	6	12	15	17	20
13-19 YRS	59	6.1	30	1	2	4	8	12	15	28
TOTAL SINGLE DX	186	3.2	5	< 1	1	3	4	7	8	10
TOTAL MULTIPLE DX	250	6.0	24	1	1	5	7	14	15	34
TOTAL										
0-27 DYS	31	7.0	46	1	2	4	10	15	16	34
1-11 MOS	134	4.4	13	1	1	4	6	8	11	35
1-5 YRS	100	4.5	10	< 1	1	4	6	9	12	57
6-12 YRS	53	5.7	23	1	1	4	7	14	16	20
13-19 YRS	118	4.4	20	1	1	3	5	10	12	27
GRAND TOTAL	436	4.8	18	1	1	4	6	10	14	27

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	8.0	109	1	1	3	16	20	20	20
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	9.5	45	2	2	9	15	17	17	17
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	19.4	244	6	6	14	30	44	44	44
13-19 YRS	16	11.9	68	2	5	10	14	26	30	32
TOTAL SINGLE DX	8	8.3	54	1	1	5	15	19	20	20
TOTAL MULTIPLE DX	21	13.7	110	3	5	10	16	29	37	44
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	8.0	109	1	1	3	16	20	20	20
6-12 YRS	6	16.8	235	4	4	11	25	42	44	44
13-19 YRS	20	11.5	62	1	3	10	14	24	29	32
GRAND TOTAL	29	12.2	99	1	2	9	15	26	33	44

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	7.5	25	1	1	8	12	14	14	14
1-11 MOS	64	4.8	32	1	1	2	6	10	16	32
1-5 YRS	66	4.9	80	1	1	2	4	10	13	57
6-12 YRS	64	4.9	63	1	1	2	6	9	19	47
13-19 YRS	80	4.1	30	1	1	2	5	10	13	32
2. MULTIPLE DX										
0-27 DYS	20	27.4	440	3	4	27	57	77	99+	99+
1-11 MOS	98	12.6	196	1	2	9	16	33	49	86
1-5 YRS	161	14.0	385	1	1	6	18	52	86	99+
6-12 YRS	132	14.5	357	1	1	6	20	50	61	86
13-19 YRS	192	11.3	198	1	1	7	14	29	41	99+
TOTAL SINGLE DX	282	4.7	50	1	1	2	6	10	15	39
TOTAL MULTIPLE DX	603	13.5	297	1	1	7	18	40	63	99+
TOTAL										
0-27 DYS	28	21.7	400	2	3	15	31	66	99+	99+
1-11 MOS	162	9.5	146	1	1	5	11	23	35	70
1-5 YRS	227	11.4	314	1	1	4	13	42	77	99+
6-12 YRS	196	11.4	282	1	1	4	13	36	56	79
13-19 YRS	272	9.2	160	1	1	5	11	24	35	99
GRAND TOTAL	885	10.7	235	1	1	5	13	31	56	99+

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	4.7		4	4	5	5	5	5	5
1-11 MOS	14	7.4	38	1	2	5	10	19	20	20
1-5 YRS	14	6.4	14	3	3	6	10	14	78	99+
6-12 YRS	30	5.2	11	2	2	5	6	8	9	20
13-19 YRS	752	4.8	4	2	3	4	6	7	8	12
2. MULTIPLE DX										
0-27 DYS	3	6.3	5	5	5	9	99+	99+	99+	99+
1-11 MOS	29	7.8	34	3	3	5	12	16	20	26
1-5 YRS	29	8.3	53	1	1	6	11	20	33	99+
6-12 YRS	68	9.3	35	3	4	7	11	19	22	29
13-19 YRS	805	6.7	17	3	3	6	8	11	14	23
TOTAL SINGLE DX	813	4.9	6	2	3	4	6	7	9	15
TOTAL MULTIPLE DX	934	6.9	21	3	3	6	8	12	16	28
TOTAL										
0-27 DYS	6	5.5	3	4	4	5	54	99+	99+	99+
1-11 MOS	43	7.7	35	2	3	5	11	17	20	26
1-5 YRS	43	7.7	41	1	3	6	11	20	50	99+
6-12 YRS	98	8.0	32	3	3	6	10	17	21	28
13-19 YRS	1557	5.7	12	3	3	5	7	9	11	20
GRAND TOTAL	1747	6.0	15	3	3	5	7	10	13	23

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	22	13.8	87	2	5	11	15	32	35	37
1-5 YRS	10	14.2	138	2	2	12	14	32	44	44
6-12 YRS	3	10.0	84	2	2	8	17	20	20	20
13-19 YRS	12	4.5	11	1	1	4	7	9	12	12
2. MULTIPLE DX										
0-27 DYS	3	38.3	1460	11	11	22	67	82	82	82
1-11 MOS	52	19.2	208	5	7	16	25	33	44	86
1-5 YRS	13	21.0	207	3	6	18	27	55	90	99+
6-12 YRS	9	12.1	73	1	2	12	19	24	24	24
13-19 YRS	30	10.4	74	1	2	8	12	27	31	32
TOTAL SINGLE DX	47	11.3	90	1	2	10	14	21	34	44
TOTAL MULTIPLE DX	107	16.9	209	2	4	13	23	31	47	92
TOTAL										
0-27 DYS	3	38.3	1460	11	11	22	67	82	82	82
1-11 MOS	74	17.6	177	3	7	14	23	32	39	78
1-5 YRS	23	18.0	182	2	3	15	26	47	65	99+
6-12 YRS	12	11.6	70	1	2	10	19	24	24	24
13-19 YRS	42	8.7	63	1	1	7	9	19	31	32
GRAND TOTAL	154	15.2	179	1	3	12	20	31	43	87

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	3	15.0	21	10	10	16	18	19	19	19
6-12 YRS	9	8.8	31	1	2	8	13	17	18	18
13-19 YRS	13	6.8	19	< 1	2	6	9	14	16	16
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	17.0	2	16	16	17	18	18	18	18
1-5 YRS	10	24.8	392	4	5	23	31	56	67	67
6-12 YRS	21	25.1	246	2	5	23	39	46	48	49
13-19 YRS	45	18.0	233	1	3	12	22	45	54	56
TOTAL SINGLE DX	26	8.3	29	1	2	7	13	16	18	19
TOTAL MULTIPLE DX	79	20.6	255	1	4	18	28	46	52	64
TOTAL										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	2	17.0	2	16	16	17	18	18	18	18
1-5 YRS	13	22.5	317	4	6	19	29	50	64	67
6-12 YRS	30	20.2	236	1	2	16	32	45	47	49
13-19 YRS	58	15.5	206	1	2	12	20	43	52	56
GRAND TOTAL	105	17.5	226	1	3	12	23	45	49	61

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	2.8	1	1	1	3	4	4	4	4
1-11 MOS	54	3.3	8	1	1	2	5	7	9	13
1-5 YRS	64	3.8	27	< 1	1	2	5	7	11	34
6-12 YRS	80	3.6	12	1	1	3	5	7	10	22
13-19 YRS	154	4.7	42	1	1	4	6	8	9	13
2. MULTIPLE DX										
0-27 DYS	30	8.4	65	1	2	5	11	23	27	31
1-11 MOS	99	5.7	52	1	1	4	7	11	17	43
1-5 YRS	116	5.4	113	1	1	3	6	10	13	70
6-12 YRS	114	5.2	34	1	1	3	6	11	18	33
13-19 YRS	304	6.1	54	1	2	4	7	11	16	32
TOTAL SINGLE DX	360	4.0	27	1	1	3	5	8	9	17
TOTAL MULTIPLE DX	663	5.9	62	1	1	4	7	11	17	33
TOTAL										
0-27 DYS	38	7.2	57	1	1	4	9	19	27	31
1-11 MOS	153	4.9	38	1	1	3	6	10	14	24
1-5 YRS	180	4.8	83	1	1	3	5	9	13	50
6-12 YRS	194	4.6	26	1	1	3	5	10	14	29
13-19 YRS	458	5.6	51	1	1	4	7	9	13	31
GRAND TOTAL	1023	5.2	50	1	1	4	6	10	13	31

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	38	1.9	1	< 1	1	1	2	4	5	5
1-11 MOS	701	1.4		< 1	< 1	1	2	2	3	5
1-5 YRS	756	1.2		< 1	< 1	1	1	2	2	4
6-12 YRS	394	1.2		< 1	< 1	1	1	2	2	3
13-19 YRS	852	1.5		< 1	1	1	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	60	18.6	815	1	1	4	63	99+	99+	99+
1-11 MOS	774	2.4	18	< 1	< 1	1	2	4	7	21
1-5 YRS	663	1.5	1	< 1	< 1	1	2	2	4	7
6-12 YRS	285	1.5		< 1	< 1	1	2	2	3	5
13-19 YRS	338	1.8	2	1	1	1	2	3	5	9
TOTAL SINGLE DX	2741	1.4	1	< 1	< 1	1	2	2	3	4
TOTAL MULTIPLE DX	2120	2.3	38	< 1	< 1	1	2	3	5	52
TOTAL										
0-27 DYS	98	12.1	563	1	1	2	5	84	99+	99+
1-11 MOS	1475	1.9	10	< 1	< 1	1	2	3	5	13
1-5 YRS	1419	1.4	1	< 1	< 1	1	1	2	3	6
6-12 YRS	679	1.3		< 1	< 1	1	1	2	3	4
13-19 YRS	1190	1.6	1	< 1	1	1	2	3	3	6
GRAND TOTAL	4861	1.8	17	<1	<1	1	2	3	4	11

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	43	1.6	1	<1	1	1	2	3	6	99+
1-11 MOS	1000	1.3		<1	<1	1	1	2	2	4
1-5 YRS	254	1.2		<1	<1	1	1	2	2	3
6-12 YRS	74	1.1		<1	<1	1	1	2	2	3
13-19 YRS	40	1.6		1	1	1	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	101	28.7	1058	1	1	28	77	99+	99+	99+
1-11 MOS	1237	2.2	15	<1	1	1	2	4	7	18
1-5 YRS	281	1.7	5	<1	<1	1	2	3	5	25
6-12 YRS	45	2.2	7	<1	<1	1	2	3	9	15
13-19 YRS	39	1.9	1	1	1	1	3	3	5	7
TOTAL SINGLE DX	1411	1.3	1	<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	1703	3.7	114	<1	<1	1	2	5	14	99+
TOTAL										
0-27 DYS	144	20.6	895	<1	1	3	56	99+	99+	99+
1-11 MOS	2237	1.8	9	<1	<1	1	2	3	4	12
1-5 YRS	535	1.5	3	<1	<1	1	2	2	3	9
6-12 YRS	119	1.5	3	<1	<1	1	1	2	3	12
13-19 YRS	79	1.8	1	1	1	1	2	3	3	7
GRAND TOTAL	**3114**	**2.6**	**64**	**<1**	**<1**	**1**	**2**	**3**	**6**	**78**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	8	1.1		<1	<1	1	1	2	2	2
13-19 YRS	14	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	6	3.7	15	1	1	2	5	10	11	11
TOTAL SINGLE DX	27	1.7	2	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	12	2.4	9	1	1	1	2	7	10	11
TOTAL										
0-27 DYS	0									
1-11 MOS	4	3.0	8	1	1	2	5	7	7	7
1-5 YRS	5	1.0		1	1	1	1	1	1	1
6-12 YRS	10	1.2		<1	<1	1	1	2	2	2
13-19 YRS	20	2.4	5	<1	<1	2	3	4	8	11
GRAND TOTAL	**39**	**1.9**	**4**	**<1**	**1**	**1**	**2**	**4**	**6**	**11**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	11	12.3	235	<1	1	10	13	32	54	56
1-11 MOS	45	1.3		<1	<1	1	1	2	3	5
1-5 YRS	210	1.3		<1	<1	1	1	2	2	4
6-12 YRS	106	1.8	10	<1	<1	1	2	3	4	17
13-19 YRS	34	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	31	24.0	608	3	4	13	41	71	87	99+
1-11 MOS	54	1.8	1	<1	1	1	2	4	4	6
1-5 YRS	84	2.3	5	<1	1	1	3	4	8	13
6-12 YRS	39	2.3	10	<1	<1	1	2	4	6	20
13-19 YRS	29	2.1	2	<1	<1	1	3	5	6	6
TOTAL SINGLE DX	406	1.8	12	<1	<1	1	2	2	3	13
TOTAL MULTIPLE DX	237	5.0	136	<1	1	2	3	8	27	76
TOTAL										
0-27 DYS	42	20.9	530	2	3	11	33	69	79	99+
1-11 MOS	99	1.6	1	<1	<1	1	2	3	4	6
1-5 YRS	294	1.6	2	<1	<1	1	2	3	4	10
6-12 YRS	145	1.9	10	<1	<1	1	2	3	4	21
13-19 YRS	63	1.8	2	<1	<1	1	2	3	5	6
GRAND TOTAL	**643**	**3.0**	**60**	**<1**	**<1**	**1**	**2**	**4**	**8**	**54**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	21	2.5	4	<1	<1	2	3	6	7	8
1-5 YRS	31	2.7	14	<1	<1	1	3	6	9	20
6-12 YRS	25	1.4		<1	<1	1	2	2	3	3
13-19 YRS	47	1.9	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
0-27 DYS	1	52.0		52	52	52	52	52	52	52
1-11 MOS	18	5.1	13	1	1	5	6	9	14	16
1-5 YRS	42	4.5	15	<1	1	3	6	10	13	17
6-12 YRS	17	2.1	3	<1	<1	1	2	5	7	7
13-19 YRS	29	3.3	7	1	1	3	4	5	9	14
TOTAL SINGLE DX	125	2.1	5	<1	<1	1	2	4	6	12
TOTAL MULTIPLE DX	107	4.3	33	1	1	3	5	9	12	32
TOTAL										
0-27 DYS	2	27.0	1250	2	2	27	52	52	52	52
1-11 MOS	39	3.7	10	<1	1	3	5	8	9	16
1-5 YRS	73	3.8	15	<1	<1	2	5	9	11	19
6-12 YRS	42	1.7	2	<1	<1	1	2	3	4	7
13-19 YRS	76	2.4	5	<1	<1	2	3	4	6	13
GRAND TOTAL	**232**	**3.1**	**19**	**<1**	**<1**	**2**	**4**	**6**	**9**	**18**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	12.7	126	3	3	10	21	25	25	25
1-11 MOS	15	5.1	5	1	2	5	6	7	9	10
1-5 YRS	9	6.3	2	4	4	7	7	8	9	9
6-12 YRS	4	7.5	29	2	2	6	11	15	15	15
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	25	35.1	368	9	12	30	56	65	99+	99+
1-11 MOS	36	10.9	117	2	3	8	12	25	35	56
1-5 YRS	22	8.7	19	4	5	7	12	15	18	20
6-12 YRS	15	10.3	34	2	4	10	14	16	22	24
13-19 YRS	12	7.6	37	4	4	5	8	15	24	26
TOTAL SINGLE DX	33	6.3	19	1	2	5	7	10	14	25
TOTAL MULTIPLE DX	110	15.5	245	3	4	9	18	49	58	99+
TOTAL										
0-27 DYS	28	32.7	386	5	10	28	54	64	99+	99+
1-11 MOS	51	9.2	91	2	2	7	10	17	29	56
1-5 YRS	31	8.0	15	4	5	7	9	14	16	20
6-12 YRS	19	9.7	33	1	3	8	14	16	21	24
13-19 YRS	14	6.9	35	2	3	5	7	12	23	26
GRAND TOTAL	143	13.4	208	2	4	7	15	37	56	99+

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	4.9	24	1	1	2	6	13	15	15
1-11 MOS	46	3.8	18	<1	<1	2	5	8	15	19
1-5 YRS	142	4.6	37	<1	<1	3	7	10	13	24
6-12 YRS	98	4.5	20	<1	1	3	5	9	14	26
13-19 YRS	108	4.4	22	1	1	3	6	9	13	27
2. MULTIPLE DX										
0-27 DYS	24	10.0	148	1	2	5	8	24	44	47
1-11 MOS	53	9.7	128	1	2	6	12	17	33	63
1-5 YRS	132	7.9	45	1	2	7	10	16	24	46
6-12 YRS	110	8.5	80	1	2	6	10	17	27	53
13-19 YRS	183	8.1	96	1	1	5	9	17	32	54
TOTAL SINGLE DX	401	4.4	27	<1	1	3	6	9	14	25
TOTAL MULTIPLE DX	502	8.4	85	1	2	6	10	17	28	53
TOTAL										
0-27 DYS	31	8.8	123	1	1	5	8	21	42	47
1-11 MOS	99	7.0	85	<1	1	4	8	16	19	56
1-5 YRS	274	6.2	44	<1	1	5	8	13	17	35
6-12 YRS	208	6.6	56	1	1	4	8	14	21	40
13-19 YRS	291	6.8	72	1	1	4	7	15	23	48
GRAND TOTAL	903	6.6	63	1	1	4	8	15	21	47

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	509	3.3	30	1	1	2	3	5	7	31
1-11 MOS	23	6.3	45	<1	1	4	8	15	21	29
1-5 YRS	53	6.0	30	1	2	5	6	12	19	28
6-12 YRS	131	5.1	14	1	2	4	6	11	14	19
13-19 YRS	296	5.0	8	2	2	4	6	9	10	17
2. MULTIPLE DX										
0-27 DYS	13	28.8	576	4	5	21	45	92	98	99+
1-11 MOS	42	20.2	544	2	2	11	21	58	78	94
1-5 YRS	82	11.5	137	1	2	8	13	28	36	61
6-12 YRS	126	9.8	107	2	3	7	11	20	31	54
13-19 YRS	486	8.2	62	2	3	6	9	15	23	45
TOTAL SINGLE DX	1012	4.2	23	1	1	3	5	8	12	24
TOTAL MULTIPLE DX	749	9.9	127	2	3	7	10	20	33	66
TOTAL										
0-27 DYS	522	3.9	59	1	1	2	4	5	16	40
1-11 MOS	65	15.3	409	1	2	9	17	37	64	94
1-5 YRS	135	9.4	102	1	2	6	11	19	30	61
6-12 YRS	257	7.4	65	2	2	5	9	15	21	44
13-19 YRS	782	7.0	45	2	2	5	8	12	17	41
GRAND TOTAL	1761	6.6	75	1	2	4	7	13	20	46

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	3.0	12	1	1	1	6	7	7	7
1-5 YRS	3	3.0	12	<1	<1	1	5	7	7	7
6-12 YRS	11	4.0	29	1	1	2	4	11	19	20
13-19 YRS	587	2.9	4	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	2	8.0	72	2	2	8	14	14	14	14
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	14	3.8	13	<1	1	2	6	8	13	14
13-19 YRS	726	3.6	8	<1	1	3	5	7	8	12
TOTAL SINGLE DX	604	2.9	5	<1	<1	2	4	6	7	11
TOTAL MULTIPLE DX	743	3.6	9	<1	1	3	5	7	8	13
TOTAL										
0-27 DYS	2	8.0	72	2	2	8	14	14	14	14
1-11 MOS	4	4.3	14	1	1	4	7	8	8	8
1-5 YRS	3	3.0	12	<1	<1	1	5	7	7	7
6-12 YRS	25	3.9	19	<1	1	2	4	7	15	20
13-19 YRS	1313	3.3	7	<1	1	3	5	6	8	11
GRAND TOTAL	1347	3.3	7	<1	1	3	5	6	8	12

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	19	11.9	127	4	4	7	16	25	39	49
1-11 MOS	25	10.0	133	3	4	7	9	14	29	63
1-5 YRS	56	6.3	15	1	3	6	8	10	13	26
6-12 YRS	65	7.0	20	1	2	6	8	12	14	29
13-19 YRS	132	7.1	19	2	3	7	8	12	17	24
2. MULTIPLE DX										
0-27 DYS	77	26.9	431	6	7	22	39	64	89	99 +
1-11 MOS	69	15.8	231	3	4	10	26	55	95	99 +
1-5 YRS	182	11.9	111	2	4	8	15	26	38	59
6-12 YRS	148	12.6	171	3	3	8	14	25	39	77
13-19 YRS	337	8.7	80	1	3	6	10	17	23	59
TOTAL SINGLE DX	297	7.5	37	2	3	6	8	12	18	30
TOTAL MULTIPLE DX	813	12.5	176	2	3	8	15	28	44	99 +
TOTAL										
0-27 DYS	96	23.9	405	4	6	19	36	63	82	99 +
1-11 MOS	94	14.3	210	3	4	9	19	43	67	99 +
1-5 YRS	238	10.6	95	2	3	7	13	22	30	55
6-12 YRS	213	10.9	131	2	3	8	13	20	32	64
13-19 YRS	469	8.3	64	2	3	6	9	16	22	49
GRAND TOTAL	1110	11.1	143	2	3	7	13	24	38	91

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	171	2.8	6	1	1	2	4	5	5	18
1-11 MOS	43	4.5	11	1	1	4	7	9	10	18
1-5 YRS	66	7.5	13	2	3	7	10	12	14	16
6-12 YRS	31	6.7	14	1	3	6	9	11	13	20
13-19 YRS	21	5.7	6	3	3	5	6	8	12	15
2. MULTIPLE DX										
0-27 DYS	16	12.1	254	2	3	5	11	40	52	57
1-11 MOS	67	7.2	47	1	2	6	10	22	38	99 +
1-5 YRS	118	10.5	91	3	3	8	13	19	33	78
6-12 YRS	90	9.8	122	3	4	6	11	16	29	69
13-19 YRS	104	9.6	61	3	4	8	11	19	29	72
TOTAL SINGLE DX	332	4.5	13	1	1	4	6	9	12	18
TOTAL MULTIPLE DX	395	9.6	90	2	3	7	11	20	32	99 +
TOTAL										
0-27 DYS	187	3.6	33	1	1	2	4	5	9	36
1-11 MOS	110	6.2	35	1	1	5	8	13	23	99 +
1-5 YRS	184	9.4	65	2	3	7	12	15	23	60
6-12 YRS	121	9.0	96	3	3	6	10	15	24	62
13-19 YRS	125	9.0	54	3	4	7	10	16	25	61
GRAND TOTAL	727	7.3	61	1	2	5	9	14	21	59

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	29	6.0	8	1	2	6	7	10	11	16
1-11 MOS	136	5.3	7	2	2	5	7	9	11	13
1-5 YRS	184	4.3	9	1	1	3	6	8	12	15
6-12 YRS	271	4.8	29	1	1	3	6	10	14	28
13-19 YRS	293	4.3	17	1	1	2	6	9	14	18
2. MULTIPLE DX										
0-27 DYS	37	13.6	151	3	4	10	16	28	44	57
1-11 MOS	133	8.4	83	2	2	6	9	17	28	71
1-5 YRS	234	9.5	106	1	2	6	12	21	37	67
6-12 YRS	337	10.5	149	1	2	7	14	26	37	73
13-19 YRS	491	9.3	78	1	1	7	13	20	27	42
TOTAL SINGLE DX	913	4.6	18	1	1	3	6	9	12	19
TOTAL MULTIPLE DX	1232	9.7	107	1	2	7	13	21	31	57
TOTAL										
0-27 DYS	66	10.3	102	2	3	7	12	18	31	56
1-11 MOS	269	6.8	47	2	2	5	8	11	17	45
1-5 YRS	418	7.2	71	1	1	5	8	15	22	59
6-12 YRS	608	7.9	104	1	1	5	9	18	28	54
13-19 YRS	784	7.5	62	1	1	5	10	17	22	36
GRAND TOTAL	2145	7.5	75	1	1	5	9	17	24	48

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	3.0	8	<1	<1	2	5	5	5	5
6-12 YRS	6	3.0	4	1	1	3	4	6	6	6
13-19 YRS	20	4.9	9	1	1	5	7	9	11	12
2. MULTIPLE DX										
0-27 DYS	5	17.8	406	1	1	8	38	43	43	43
1-11 MOS	4	20.8	1049	1	1	6	39	69	69	69
1-5 YRS	9	8.1	26	1	2	7	14	15	15	15
6-12 YRS	4	9.5	15	6	6	8	12	15	15	15
13-19 YRS	18	7.1	16	[illegible]	2	7	8	14	16	16
TOTAL SINGLE DX	30	4.2	8	1	1	4	6	8	10	12
TOTAL MULTIPLE DX	40	10.3	161	1	1	7	11	16	39	69
TOTAL										
0-27 DYS	6	15.0	372	1	1	5	36	42	43	43
1-11 MOS	5	17.0	858	1	1	3	25	69	69	69
1-5 YRS	11	7.2	26	<1	1	6	12	15	15	15
6-12 YRS	10	5.6	18	1	1	5	8	12	15	15
13-19 YRS	38	5.9	14	1	1	6	7	11	14	16
GRAND TOTAL	**70**	**7.7**	**104**	**1**	**1**	**6**	**8**	**14**	**16**	**64**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	57	6.7	13	1	2	7	9	12	13	18
1-5 YRS	312	5.9	7	3	3	5	7	9	10	15
6-12 YRS	257	5.8	5	2	3	6	7	8	10	14
13-19 YRS	44	6.5	11	3	3	6	8	9	10	24
2. MULTIPLE DX										
0-27 DYS	14	12.4	65	4	5	9	16	27	28	28
1-11 MOS	89	8.6	25	2	3	7	12	16	19	23
1-5 YRS	335	7.3	22	3	4	6	8	12	14	21
6-12 YRS	251	7.9	19	3	4	7	9	12	16	26
13-19 YRS	84	10.4	44	3	3	9	13	19	24	35
TOTAL SINGLE DX	671	5.9	8	2	3	6	7	9	10	16
TOTAL MULTIPLE DX	773	8.1	26	3	4	7	9	14	17	27
TOTAL										
0-27 DYS	15	11.9	65	4	5	9	15	27	28	28
1-11 MOS	146	7.9	22	2	3	7	10	14	18	21
1-5 YRS	647	6.6	16	3	3	6	8	10	13	20
6-12 YRS	508	6.8	14	3	3	6	8	10	14	23
13-19 YRS	128	9.1	36	3	3	8	10	17	22	32
GRAND TOTAL	**1444**	**7.1**	**19**	**3**	**3**	**6**	**8**	**11**	**15**	**24**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	18	6.0	14	1	1	6	8	11	14	15
1-5 YRS	25	5.4	12	<1	1	5	8	9	10	13
6-12 YRS	25	4.4	11	<1	1	4	6	11	12	13
13-19 YRS	123	3.0	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
0-27 DYS	7	5.1	5	1	1	6	7	8	8	8
1-11 MOS	34	7.3	24	1	1	7	11	15	17	19
1-5 YRS	85	7.4	39	1	1	7	9	14	16	37
6-12 YRS	40	8.2	85	<1	1	6	10	15	21	55
13-19 YRS	83	5.0	18	1	1	4	6	11	12	24
TOTAL SINGLE DX	192	3.8	8	1	1	3	5	8	9	13
TOTAL MULTIPLE DX	249	6.6	38	1	1	5	8	13	16	27
TOTAL										
0-27 DYS	8	5.3	5	1	2	6	7	8	8	8
1-11 MOS	52	6.8	21	1	1	7	9	13	15	19
1-5 YRS	110	6.9	34	1	1	6	9	13	15	32
6-12 YRS	65	6.8	60	<1	1	4	9	13	17	50
13-19 YRS	206	3.8	11	1	1	3	5	8	10	16
GRAND TOTAL	**441**	**5.4**	**27**	**1**	**1**	**4**	**8**	**11**	**14**	**23**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	5.5	41	1	1	5	10	10	10	10
1-11 MOS	28	2.2	5	<1	<1	1	2	4	8	12
1-5 YRS	116	3.0	10	<1	<1	1	4	8	11	15
6-12 YRS	137	2.4	4	<1	<1	1	3	5	6	11
13-19 YRS	160	2.9	4	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
0-27 DYS	10	12.2	89	2	2	9	19	26	26	26
1-11 MOS	38	5.3	24	1	1	4	7	10	18	22
1-5 YRS	196	3.7	15	<1	<1	2	5	8	11	28
6-12 YRS	206	3.5	9	<1	<1	2	5	8	10	13
13-19 YRS	330	5.3	34	<1	1	4	7	10	16	45
TOTAL SINGLE DX	443	2.7	6	<1	<1	2	4	6	8	12
TOTAL MULTIPLE DX	780	4.5	25	<1	<1	3	6	9	13	31
TOTAL										
0-27 DYS	12	11.1	84	1	2	8	18	26	26	26
1-11 MOS	66	4.0	19	<1	1	2	5	9	13	22
1-5 YRS	312	3.4	14	<1	<1	2	5	8	11	16
6-12 YRS	343	3.0	8	<1	<1	2	4	7	9	13
13-19 YRS	490	4.5	26	<1	<1	3	6	8	12	36
GRAND TOTAL	**1223**	**3.8**	**19**	**<1**	**<1**	**3**	**5**	**8**	**11**	**23**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	3.8	9	1	1	3	6	8	8	8
1-5 YRS	9	2.8	5	1	1	2	4	7	7	7
6-12 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
13-19 YRS	8	2.0		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	2	21.5	221	11	11	21	32	32	32	32
1-11 MOS	4	7.0	2	6	6	7	8	9	9	9
1-5 YRS	22	6.4	30	2	2	5	9	12	18	25
6-12 YRS	7	2.9	8	1	1	2	4	8	9	9
13-19 YRS	21	3.2	6	< 1	1	2	4	7	9	10
TOTAL SINGLE DX	25	2.5	4	< 1	1	2	3	6	7	8
TOTAL MULTIPLE DX	56	5.3	32	1	1	3	7	11	13	32
TOTAL										
0-27 DYS	2	21.5	221	11	11	21	32	32	32	32
1-11 MOS	8	5.4	8	1	2	6	7	9	9	9
1-5 YRS	31	5.3	25	1	1	4	7	11	14	25
6-12 YRS	11	2.4	6	< 1	< 1	1	3	6	9	9
13-19 YRS	29	2.9	5	1	1	2	3	6	9	10
GRAND TOTAL	**81**	**4.4**	**25**	**1**	**1**	**3**	**6**	**10**	**11**	**30**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	25	4.3	15	1	2	3	4	6	14	20
1-11 MOS	42	4.1	14	< 1	1	3	6	8	9	23
1-5 YRS	45	5.3	18	1	1	5	8	13	15	15
6-12 YRS	37	5.1	15	1	1	4	7	10	13	20
13-19 YRS	40	5.2	11	< 1	1	5	7	10	12	13
2. MULTIPLE DX										
0-27 DYS	145	11.2	231	2	3	6	11	28	57	99 +
1-11 MOS	113	7.3	87	1	2	4	8	14	24	55
1-5 YRS	171	9.1	70	1	1	7	12	20	30	39
6-12 YRS	117	9.1	76	1	2	7	11	18	22	51
13-19 YRS	107	11.2	83	2	2	10	15	22	26	50
TOTAL SINGLE DX	189	4.8	15	1	1	4	6	9	13	20
TOTAL MULTIPLE DX	653	9.6	114	1	2	7	12	20	30	66
TOTAL										
0-27 DYS	170	10.2	205	1	2	5	11	24	52	96
1-11 MOS	155	6.5	70	1	1	4	7	12	22	52
1-5 YRS	216	8.3	62	1	1	6	11	16	25	38
6-12 YRS	154	8.1	65	1	1	6	10	16	21	43
13-19 YRS	147	9.6	71	1	2	8	13	20	25	46
GRAND TOTAL	**842**	**8.5**	**95**	**1**	**2**	**6**	**11**	**18**	**25**	**60**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	49	1.0		< 1	< 1	< 1	< 1	< 1	1	3
6-12 YRS	30	1.2		< 1	< 1	< 1	< 1	2	2	4
13-19 YRS	5	5.6	26	1	1	5	9	13	13	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	24	3.1	9	< 1	< 1	1	4	9	11	12
6-12 YRS	17	1.4	1	< 1	< 1	1	1	3	4	5
13-19 YRS	7	4.1	5	1	2	4	7	72	99 +	99 +
TOTAL SINGLE DX	84	1.4	3	< 1	< 1	< 1	< 1	1	3	11
TOTAL MULTIPLE DX	48	2.7	7	< 1	< 1	1	4	7	10	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	73	1.7	4	< 1	< 1	< 1	1	4	5	12
6-12 YRS	47	1.3	1	< 1	< 1	< 1	1	2	3	5
13-19 YRS	12	4.8	13	1	1	4	8	30	87	99 +
GRAND TOTAL	**132**	**1.8**	**5**	**<1**	**<1**	**<1**	**1**	**4**	**7**	**28**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	221	2.9	7	1	1	2	4	6	7	14
1-5 YRS	1047	3.2	7	1	1	2	4	7	9	12
6-12 YRS	209	3.0	7	< 1	1	2	4	7	10	12
13-19 YRS	67	3.1	6	< 1	1	2	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	13	9.6	36	2	2	10	15	29	84	99 +
1-11 MOS	82	4.6	45	< 1	1	2	5	11	20	35
1-5 YRS	544	4.1	34	1	1	2	5	10	13	26
6-12 YRS	141	4.2	18	< 1	1	3	6	9	11	21
13-19 YRS	93	5.1	30	1	1	3	7	12	19	25
TOTAL SINGLE DX	1546	3.1	7	1	1	2	4	7	9	12
TOTAL MULTIPLE DX	873	4.3	33	1	1	2	5	10	14	27
TOTAL										
0-27 DYS	15	9.7	31	2	2	10	14	20	76	99 +
1-11 MOS	303	3.4	18	1	1	2	5	6	9	26
1-5 YRS	1591	3.5	17	1	1	2	5	8	10	16
6-12 YRS	350	3.4	12	< 1	1	2	5	8	10	17
13-19 YRS	160	4.2	21	< 1	1	3	5	9	14	24
GRAND TOTAL	**2419**	**3.6**	**17**	**1**	**1**	**2**	**5**	**8**	**11**	**18**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	24	1.3		<1	<1	1	2	2	3	3
6-12 YRS	21	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	18	3.2	9	<1	<1	2	4	8	10	12
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	50	2.6	6	<1	<1	1	4	6	8	13
6-12 YRS	46	2.3	3	<1	<1	1	4	5	6	8
13-19 YRS	41	5.0	19	<1	1	4	6	12	16	18
TOTAL SINGLE DX	67	1.7	3	<1	<1	1	2	3	5	11
TOTAL MULTIPLE DX	140	3.2	11	<1	<1	2	4	6	10	17
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.0	6	<1	<1	1	1	6	7	7
1-5 YRS	74	2.2	5	<1	<1	1	3	5	6	12
6-12 YRS	67	1.9	3	<1	<1	1	2	4	6	8
13-19 YRS	59	4.5	17	<1	<1	3	6	11	14	18
GRAND TOTAL	207	2.7	9	<1	<1	1	4	6	9	16

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	1	1	1	1	1	1
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	30	1.3		<1	<1	1	1	3	3	4
6-12 YRS	23	1.9	5	<1	<1	1	1	4	7	11
13-19 YRS	34	2.0	2	1	1	1	2	3	6	9
2. MULTIPLE DX										
0-27 DYS	4	7.3	36	2	2	6	12	15	15	15
1-11 MOS	4	9.8	20	6	6	8	13	16	16	16
1-5 YRS	28	1.8	3	<1	1	1	2	4	7	9
6-12 YRS	40	2.5	4	<1	1	2	3	6	8	8
13-19 YRS	60	4.3	87	1	1	2	4	6	11	62
TOTAL SINGLE DX	90	1.7	3	<1	<1	1	2	3	5	10
TOTAL MULTIPLE DX	136	3.5	44	1	1	2	4	7	10	41
TOTAL										
0-27 DYS	5	6.0	35	1	1	3	10	15	15	15
1-11 MOS	6	7.5	26	1	1	6	10	15	16	16
1-5 YRS	58	1.6	2	<1	<1	1	1	3	4	9
6-12 YRS	63	2.3	5	<1	<1	1	3	5	8	11
13-19 YRS	94	3.5	58	1	1	2	3	6	9	53
GRAND TOTAL	226	2.8	29	<1	1	1	3	6	8	21

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	6.0		6	6	6	6	6	6	6
TOTAL SINGLE DX	1	6.0		6	6	6	6	6	6	6
TOTAL MULTIPLE DX	5	4.4	3	2	2	5	6	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	2	6.0		6	6	6	6	6	6	6
GRAND TOTAL	6	4.7	3	2	2	5	6	6	6	6

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	6	5.7	29	1	1	3	12	13	13	13
13-19 YRS	4	8.3	19	4	4	8	12	12	12	12
TOTAL SINGLE DX	5	1.8	2	1	1	1	2	4	4	4
TOTAL MULTIPLE DX	13	6.1	20	1	2	4	12	12	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	4	2.8	2	1	1	3	4	4	4	4
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	8	4.5	25	1	1	2	8	13	13	13
13-19 YRS	5	7.0	22	2	2	5	12	12	12	12
GRAND TOTAL	18	4.9	19	1	1	4	6	12	13	13

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.7	8	1	1	1	5	6	6	6
6-12 YRS	11	3.3	6	<1	<1	2	6	7	7	7
13-19 YRS	27	3.7	6	1	1	3	5	8	10	10
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	9.5	145	1	1	9	18	18	18	18
1-5 YRS	14	3.8	10	<1	1	3	5	8	11	12
6-12 YRS	12	5.2	44	<1	<1	2	6	16	22	23
13-19 YRS	57	5.1	15	1	1	4	7	12	14	15
TOTAL SINGLE DX	41	3.5	7	1	1	2	6	7	9	10
TOTAL MULTIPLE DX	86	5.0	20	1	1	3	6	12	15	21
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	9.5	145	1	1	9	18	18	18	18
1-5 YRS	17	3.6	9	<1	1	3	5	8	11	12
6-12 YRS	23	4.3	26	<1	<1	2	6	9	16	23
13-19 YRS	84	4.6	13	1	1	3	6	10	13	15
GRAND TOTAL	**127**	**4.5**	**16**	**1**	**1**	**3**	**6**	**10**	**13**	**19**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	4.0	10	1	1	4	6	9	9	9
6-12 YRS	6	2.8	3	1	1	2	4	6	6	6
13-19 YRS	47	2.4	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	5	5.0	2	4	4	4	6	7	7	7
6-12 YRS	7	5.6	23	1	1	5	9	13	14	14
13-19 YRS	22	6.0	24	<1	1	4	11	14	15	15
TOTAL SINGLE DX	60	2.6	4	1	1	2	3	6	7	9
TOTAL MULTIPLE DX	35	6.0	21	1	1	4	10	14	15	15
TOTAL										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	12	4.4	7	1	1	4	6	8	9	9
6-12 YRS	13	4.3	15	1	1	2	5	11	13	14
13-19 YRS	69	3.6	13	1	1	2	4	9	12	15
GRAND TOTAL	**95**	**3.9**	**13**	**1**	**1**	**2**	**5**	**9**	**13**	**15**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	4.9	1	3	3	5	6	7	7	7
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	2	9.0	2	8	8	9	10	10	10	10
1-11 MOS	14	6.1	22	1	2	5	7	14	17	18
1-5 YRS	5	15.8	286	2	2	11	22	45	45	45
6-12 YRS	5	11.0	46	4	4	9	17	20	20	20
13-19 YRS	3	6.7	5	4	4	8	8	8	8	8
TOTAL SINGLE DX	10	4.0	3	<1	1	4	5	6	7	7
TOTAL MULTIPLE DX	29	8.9	72	2	2	7	10	17	21	45
TOTAL										
0-27 DYS	2	9.0	2	8	8	9	10	10	10	10
1-11 MOS	21	5.7	15	1	2	5	7	10	16	18
1-5 YRS	6	13.3	266	<1	<1	9	14	42	45	45
6-12 YRS	7	8.6	48	2	2	6	14	19	20	20
13-19 YRS	3	6.7	5	4	4	8	8	8	8	8
GRAND TOTAL	**39**	**7.6**	**58**	**1**	**2**	**5**	**8**	**15**	**19**	**45**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	2	3.0	2	2	2	4	76	99+	99+	99+
1-11 MOS	0									
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	2	4.5	13	2	2	4	7	7	7	7
TOTAL MULTIPLE DX	3	8.7	97	2	2	12	60	99+	99+	99+
TOTAL										
0-27 DYS	3	4.3	6	2	2	5	53	99+	99+	99+
1-11 MOS	0									
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	5	7.0	57	2	2	5	20	92	99+	99+

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	6.0	3	4	4	7	7	8	8	8
TOTAL SINGLE DX	4	7.5	22	3	3	6	10	14	14	14
TOTAL MULTIPLE DX	7	5.9	9	1	2	7	8	10	10	10
TOTAL										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	12.0	8	10	10	12	14	14	14	14
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	6	5.5	4	3	3	5	7	8	8	8
GRAND TOTAL	11	6.5	13	1	2	7	8	12	14	14

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	31	1.6	1	<1	<1	1	2	3	4	5
1-5 YRS	76	1.3		<1	<1	1	1	2	3	4
6-12 YRS	74	1.4		<1	<1	1	1	2	3	6
13-19 YRS	107	1.9	1	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
0-27 DYS	12	5.1	9	1	2	4	6	10	12	12
1-11 MOS	34	2.5	7	<1	<1	1	3	5	6	15
1-5 YRS	63	2.2	8	<1	<1	1	2	4	8	17
6-12 YRS	44	2.2	3	<1	<1	1	3	5	6	9
13-19 YRS	58	3.5	20	1	1	2	4	6	11	25
TOTAL SINGLE DX	290	1.6	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	211	2.8	11	<1	<1	2	3	5	9	20
TOTAL										
0-27 DYS	14	4.6	9	1	2	4	6	9	11	12
1-11 MOS	65	2.0	4	<1	<1	1	2	4	5	14
1-5 YRS	139	1.7	4	<1	<1	1	2	3	4	13
6-12 YRS	118	1.7	2	<1	<1	1	2	3	6	8
13-19 YRS	165	2.4	9	<1	1	2	3	4	6	22
GRAND TOTAL	501	2.1	6	<1	<1	1	2	4	6	12

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	2.0	1	1	1	2	3	4	4	4
1-11 MOS	12	1.4		1	1	1	2	2	2	2
1-5 YRS	62	1.5		<1	1	1	2	3	3	4
6-12 YRS	70	1.3		<1	<1	1	1	2	2	4
13-19 YRS	204	1.8	2	1	1	1	2	3	5	9
2. MULTIPLE DX										
0-27 DYS	33	3.1	5	1	1	3	4	5	6	13
1-11 MOS	22	1.6	1	<1	<1	1	2	3	4	5
1-5 YRS	59	1.7	3	<1	<1	1	2	3	4	13
6-12 YRS	58	1.8	2	<1	<1	1	2	3	5	9
13-19 YRS	171	2.5	12	1	1	2	3	5	9	13
TOTAL SINGLE DX	356	1.6	2	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	343	2.3	8	<1	1	1	2	4	6	13
TOTAL										
0-27 DYS	41	2.9	5	1	1	2	4	5	6	13
1-11 MOS	34	1.6	1	<1	1	1	2	3	4	5
1-5 YRS	121	1.6	2	<1	<1	1	2	3	4	8
6-12 YRS	128	1.5	1	<1	<1	1	2	3	3	7
13-19 YRS	375	2.1	7	1	1	1	2	4	6	13
GRAND TOTAL	699	1.9	5	<1	1	1	2	3	5	12

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	34	1.3		<1	<1	1	1	2	3	4
1-5 YRS	398	1.4		<1	<1	1	1	2	3	5
6-12 YRS	497	1.3		<1	<1	1	1	2	3	4
13-19 YRS	584	1.3		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	6	8.3	216	1	1	2	7	35	38	38
1-11 MOS	51	2.0	10	<1	<1	1	1	4	6	22
1-5 YRS	472	1.6	2	<1	<1	1	2	3	4	7
6-12 YRS	331	1.8	29	<1	1	1	2	3	3	6
13-19 YRS	162	1.8	1	<1	1	1	2	3	4	8
TOTAL SINGLE DX	1514	1.4	1	<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	1022	1.7	13	<1	<1	1	2	3	4	7
TOTAL										
0-27 DYS	7	7.3	188	1	1	1	6	32	38	38
1-11 MOS	85	1.7	6	<1	<1	1	1	3	5	17
1-5 YRS	870	1.5	2	<1	<1	1	2	3	3	6
6-12 YRS	828	1.5	12	<1	<1	1	1	2	3	5
13-19 YRS	746	1.4	1	<1	1	1	2	2	3	5
GRAND TOTAL	2536	1.5	6	<1	<1	1	2	2	3	6

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.0	4	1	1	3	4	5	5	5
1-11 MOS	11	1.8	3	<1	<1	1	2	5	7	7
1-5 YRS	42	1.4	1	<1	<1	1	1	3	4	6
6-12 YRS	215	1.2		<1	1	1	1	2	2	4
13-19 YRS	115	1.5		<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	4	2.3	1	1	1	2	3	4	4	4
1-11 MOS	8	2.3	6	1	1	1	3	7	8	8
1-5 YRS	22	1.7	3	<1	<1	1	2	3	7	9
6-12 YRS	94	1.5	1	<1	1	1	2	3	4	6
13-19 YRS	58	3.7	94	<1	1	2	2	4	6	61
TOTAL SINGLE DX	386	1.4	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	186	2.3	31	<1	1	1	2	3	5	31
TOTAL										
0-27 DYS	7	2.6	2	1	1	2	4	5	5	5
1-11 MOS	19	2.0	4	<1	1	1	2	6	8	8
1-5 YRS	64	1.5	2	<1	<1	1	1	2	5	9
6-12 YRS	309	[illegible]	1	<1	1	1	1	2	3	5
13-19 YRS	173	2.2	33	<1	<1	1	2	3	4	35
GRAND TOTAL	572	1.7	11	<1	1	1	2	3	4	6

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	1	48.0		48	48	48	48	48	48	48
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	1	7.0		7	7	7	7	7	7	7
TOTAL MULTIPLE DX	1	48.0		48	48	48	48	48	48	48
TOTAL										
0-27 DYS	1	48.0		48	48	48	48	48	48	48
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	2	27.5	841	7	7	27	48	48	48	48

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	38	1.3		<1	<1	1	1	2	3	4
1-5 YRS	83	1.2		<1	<1	1	1	2	2	4
6-12 YRS	95	1.2		<1	<1	1	1	2	2	3
13-19 YRS	263	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	4	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	92	1.8	3	<1	1	1	2	3	5	12
1-5 YRS	83	2.1	43	<1	<1	1	1	3	4	42
6-12 YRS	66	1.6	4	<1	1	1	1	2	4	15
13-19 YRS	103	2.0	2	<1	1	1	2	4	6	9
TOTAL SINGLE DX	479	1.3		<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	348	1.9	13	<1	<1	1	2	3	4	11
TOTAL										
0-27 DYS	4	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	130	1.6	3	<1	<1	1	1	3	4	11
1-5 YRS	166	1.7	22	<1	<1	1	1	2	3	5
6-12 YRS	161	1.4	2	<1	<1	1	1	2	3	4
13-19 YRS	366	1.6	1	<1	<1	1	2	3	3	6
GRAND TOTAL	827	1.6	6	<1	<1	1	2	3	3	8

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	72	1.5	3	<1	<1	<1	1	2	4	13
1-5 YRS	264	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	103	1.0		<1	<1	<1	1	1	1	2
13-19 YRS	34	1.2		<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	72	9.4	146	<1	<1	5	15	22	33	62
1-5 YRS	104	1.8	4	<1	<1	1	2	4	5	55
6-12 YRS	35	1.8	5	<1	<1	1	2	3	4	15
13-19 YRS	16	4.1	82	1	1	2	3	31	78	99+
TOTAL SINGLE DX	473	1.1	1	<1	<1	<1	1	1	2	4
TOTAL MULTIPLE DX	227	4.4	66	<1	<1	1	3	15	21	74
TOTAL										
0-27 DYS	0									
1-11 MOS	144	5.4	90	<1	<1	1	6	16	22	46
1-5 YRS	368	1.3	1	<1	<1	<1	1	2	2	6
6-12 YRS	138	1.2	2	<1	<1	<1	1	2	2	6
13-19 YRS	50	2.1	27	<1	<1	1	2	3	4	99
GRAND TOTAL	700	2.2	24	<1	<1	<1	1	3	8	30

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	2.3	2	1	1	2	3	5	5	5
1-11 MOS	34	1.4		<1	<1	1	1	2	3	6
1-5 YRS	90	2.4	5	<1	<1	1	2	7	8	11
6-12 YRS	19	1.9	2	<1	<1	1	3	4	6	6
13-19 YRS	32	3.1	9	1	1	2	4	5	12	14
2. MULTIPLE DX										
0-27 DYS	50	3.0	5	1	1	2	3	5	6	15
1-11 MOS	14	3.3	16	<1	<1	2	3	10	14	15
1-5 YRS	73	3.5	25	<1	<1	2	4	8	13	30
6-12 YRS	31	3.7	17	1	1	2	5	10	11	19
13-19 YRS	32	9.4	265	1	1	6	9	17	32	90
TOTAL SINGLE DX	181	2.2	5	<1	<1	1	3	5	7	13
TOTAL MULTIPLE DX	200	4.4	61	<1	1	2	5	9	13	32
TOTAL										
0-27 DYS	56	2.9	5	1	1	2	3	5	6	15
1-11 MOS	48	1.9	6	<1	<1	1	2	3	6	15
1-5 YRS	163	2.9	15	<1	<1	1	3	7	9	22
6-12 YRS	50	3.0	12	<1	<1	1	3	7	11	19
13-19 YRS	64	6.3	146	1	1	3	7	11	18	82
GRAND TOTAL	381	3.4	35	<1	<1	2	4	8	10	26

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.7	1	3	3	3	5	5	5	5
1-11 MOS	5	3.0	3	1	1	4	4	5	5	5
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	20	5.7	25	2	3	4	7	9	17	25
13-19 YRS	556	4.0	2	2	2	4	5	6	7	8
2. MULTIPLE DX										
0-27 DYS	5	8.0	20	4	4	6	11	15	15	15
1-11 MOS	3	9.7	114	3	3	4	17	22	22	22
1-5 YRS	6	6.2	34	3	3	4	5	17	18	18
6-12 YRS	21	4.1	4	2	2	4	5	6	9	11
13-19 YRS	660	4.4	4	2	2	4	5	7	8	13
TOTAL SINGLE DX	587	4.0	3	2	2	4	5	6	7	9
TOTAL MULTIPLE DX	695	4.4	5	2	2	4	5	7	8	14
TOTAL										
0-27 DYS	8	6.4	17	3	3	5	8	13	15	15
1-11 MOS	8	5.5	47	1	1	4	5	17	22	22
1-5 YRS	9	5.2	24	2	2	4	5	13	18	18
6-12 YRS	41	4.9	15	2	3	4	6	8	10	25
13-19 YRS	1216	4.2	4	2	2	4	5	6	7	11
GRAND TOTAL	1282	4.3	4	2	2	4	5	6	7	12

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	5	3.8		3	3	4	4	5	5	5
1-5 YRS	11	4.6	4	2	2	4	6	8	8	8
6-12 YRS	45	4.4	2	2	3	4	5	6	7	9
13-19 YRS	218	4.4	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	3	28.3	1704	4	4	5	58	76	76	76
1-11 MOS	8	5.1	7	2	2	5	7	9	10	10
1-5 YRS	10	5.8	6	1	2	6	8	9	9	9
6-12 YRS	38	5.1	3	3	3	5	6	8	9	9
13-19 YRS	400	5.3	7	3	3	5	6	8	11	15
TOTAL SINGLE DX	282	4.4	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	459	5.4	18	3	3	5	6	8	10	16
TOTAL										
0-27 DYS	6	16.0	864	3	3	4	5	69	76	76
1-11 MOS	13	4.6	5	2	2	4	6	8	10	10
1-5 YRS	21	5.2	5	2	2	5	8	8	9	9
6-12 YRS	83	4.7	3	2	3	4	5	7	8	9
13-19 YRS	618	5.0	6	3	3	4	6	7	9	14
GRAND TOTAL	741	5.0	12	3	3	4	6	7	9	14

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	4	4.0	8	<1	<1	3	6	8	8	8
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	0									
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	19	5.8	7	3	3	5	7	10	12	13
TOTAL SINGLE DX	5	4.4	7	<1	<1	4	6	8	8	8
TOTAL MULTIPLE DX	23	5.9	10	2	3	5	7	11	13	14
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	0									
6-12 YRS	3	4.0	7	1	1	5	6	6	6	6
13-19 YRS	23	5.5	8	2	3	5	7	9	11	13
GRAND TOTAL	28	5.6	10	1	3	5	7	10	13	14

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	3.3	4	2	2	3	4	7	7	7
13-19 YRS	123	2.7	5	<1	<1	2	3	5	6	15
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	3.0		2	2	3	4	4	4	4
13-19 YRS	174	3.9	9	<1	1	3	5	8	10	14
TOTAL SINGLE DX	129	2.8	6	<1	<1	2	3	5	6	15
TOTAL MULTIPLE DX	181	3.9	9	<1	1	3	5	8	10	14
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	12	3.2	2	2	2	3	4	5	7	7
13-19 YRS	297	3.4	8	<1	1	3	4	7	9	14
GRAND TOTAL	310	3.4	8	<1	1	3	4	7	8	14

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
TOTAL SINGLE DX	3	1.7	1	<1	<1	1	2	3	3	3
TOTAL MULTIPLE DX	5	1.6	1	<1	<1	1	2	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
GRAND TOTAL	8	1.6	1	<1	<1	1	2	3	3	3

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	2.0	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	39	3.3	5	1	1	3	4	6	9	11
TOTAL SINGLE DX	10	2.0	2	<1	<1	1	3	4	5	5
TOTAL MULTIPLE DX	39	3.3	6	1	1	3	4	6	9	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	49	3.0	5	<1	1	2	4	5	7	11
GRAND TOTAL	49	3.0	5	<1	1	2	4	5	7	11

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	5.0	3	4	4	4	6	7	7	7
13-19 YRS	372	3.9	1	2	3	4	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	4.0	1	2	2	4	4	6	6	6
13-19 YRS	366	4.8	28	2	3	4	5	6	8	15
TOTAL SINGLE DX	376	3.9	2	2	3	4	4	5	6	9
TOTAL MULTIPLE DX	373	4.7	28	2	3	4	5	6	8	14
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	4.3	2	2	3	4	4	6	7	7
13-19 YRS	738	4.3	15	2	3	4	5	6	7	11
GRAND TOTAL	749	4.3	15	2	3	4	5	6	7	11

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	19	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	1.6	1	1	1	1	2	3	4	4
TOTAL SINGLE DX	19	1.2		<1	<1	1	1	2	2	2
TOTAL MULTIPLE DX	13	1.6	1	1	1	1	2	3	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	32	1.3	1	<1	<1	1	1	2	3	4
GRAND TOTAL	32	1.3	1	<1	<1	1	1	2	3	4

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	19	1.2		<1	<1	<1	<1	2	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	39	3.8	42	<1	<1	2	3	8	17	35
TOTAL SINGLE DX	21	1.6	3	<1	<1	<1	1	3	5	8
TOTAL MULTIPLE DX	39	3.8	43	<1	<1	2	3	8	17	35
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	58	2.9	30	<1	<1	1	2	6	9	34
GRAND TOTAL	60	3.0	30	<1	<1	1	3	7	9	34

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	82	2.4	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	32	3.2	4	1	1	3	4	6	9	10
TOTAL SINGLE DX	82	2.4	3	1	1	2	3	4	6	8
TOTAL MULTIPLE DX	32	3.2	5	1	1	3	4	6	9	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	114	2.6	3	1	1	2	3	5	7	9
GRAND TOTAL	114	2.6	3	1	1	2	3	5	7	9

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	12	2.6	3	< 1	< 1	2	3	5	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	35	3.8	6	1	1	3	5	7	9	11
TOTAL SINGLE DX	13	2.7	3	< 1	< 1	3	3	5	7	7
TOTAL MULTIPLE DX	37	3.9	7	1	1	3	5	8	9	11
TOTAL										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	0									
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	47	3.5	6	< 1	1	3	5	7	8	11
GRAND TOTAL	50	3.6	6	< 1	1	3	5	7	9	11

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	3.5	1	2	2	3	4	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	4.3	2	3	3	4	5	6	6	6
13-19 YRS	9	5.9	7	3	3	5	7	10	11	11
2. MULTIPLE DX										
0-27 DYS	4	4.5	1	3	3	4	5	6	6	6
1-11 MOS	15	6.5	7	4	4	5	8	11	12	12
1-5 YRS	6	5.8	15	< 1	< 1	5	6	12	13	13
6-12 YRS	4	4.5	6	2	2	4	6	8	8	8
13-19 YRS	78	6.5	40	2	3	5	8	10	13	45
TOTAL SINGLE DX	17	5.1	5	2	3	4	6	9	10	11
TOTAL MULTIPLE DX	107	6.3	32	2	3	5	8	10	13	34
TOTAL										
0-27 DYS	4	4.5	2	3	3	4	5	6	6	6
1-11 MOS	19	5.8	8	2	3	5	8	11	12	12
1-5 YRS	7	5.9	13	< 1	1	6	6	12	13	13
6-12 YRS	7	4.4	4	2	2	4	6	8	8	8
13-19 YRS	87	6.5	37	3	3	5	8	10	13	41
GRAND TOTAL	124	6.2	28	2	3	5	7	10	12	28

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	6	4.7	8	2	2	4	5	10	10	10
2. MULTIPLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	10	5.7	13	1	1	5	7	11	14	14
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	8	2.6	2	1	1	3	4	4	4	4
TOTAL SINGLE DX	8	4.8	11	1	1	4	7	10	10	10
TOTAL MULTIPLE DX	22	4.0	9	1	1	4	5	7	10	14
TOTAL										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	10	5.7	13	1	1	5	7	11	14	14
1-5 YRS	0									
6-12 YRS	4	3.3	15	1	1	2	5	9	9	9
13-19 YRS	14	3.5	6	1	1	3	4	6	9	10
GRAND TOTAL	30	4.2	9	1	1	4	5	8	10	14

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	89	1.3		< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	52	2.8	12	< 1	< 1	1	4	6	9	20
TOTAL SINGLE DX	90	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	52	2.8	12	< 1	< 1	1	4	6	9	20
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	141	1.9	5	< 1	< 1	1	2	4	5	14
GRAND TOTAL	142	1.9	5	<1	<1	1	2	4	5	14

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	2.0	1	< 1	< 1	2	3	4	4	4
13-19 YRS	2480	1.4	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	3.4	12	1	1	2	3	9	12	12
13-19 YRS	1084	2.4	8	< 1	< 1	2	3	5	6	14
TOTAL SINGLE DX	2489	1.4	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	1092	2.4	9	< 1	< 1	2	3	5	6	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	17	2.6	7	< 1	< 1	2	3	4	9	12
13-19 YRS	3564	1.7	4	< 1	< 1	1	2	3	4	8
GRAND TOTAL	3581	1.7	4	<1	<1	1	2	3	4	8

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	182	1.2		< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.2	3	< 1	< 1	1	3	5	5	5
13-19 YRS	641	1.4	5	< 1	< 1	< 1	< 1	1	3	13
TOTAL SINGLE DX	184	1.2	1	< 1	< 1	< 1	1	1	3	6
TOTAL MULTIPLE DX	646	1.4	6	< 1	< 1	< 1	< 1	1	3	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	1.9	2	< 1	< 1	< 1	2	5	5	5
13-19 YRS	823	1.4	5	< 1	< 1	< 1	< 1	1	3	10
GRAND TOTAL	830	1.4	5	<1	<1	<1	<1	1	3	10

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	511	1.4	2	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	157	2.5	8	<1	1	2	3	4	7	13
TOTAL SINGLE DX	511	1.4	3	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	157	2.5	9	<1	1	2	3	4	7	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	668	1.6	5	<1	<1	1	2	3	4	9
GRAND TOTAL	668	1.6	5	<1	<1	1	2	3	4	9

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	3.3	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	19	4.2	3	1	2	4	5	6	8	9
TOTAL SINGLE DX	4	3.3	1	2	2	3	4	4	4	4
TOTAL MULTIPLE DX	19	4.2	3	1	2	4	5	6	8	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	23	4.0	3	1	2	4	5	6	7	9
GRAND TOTAL	23	4.0	3	1	2	4	5	6	7	9

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	2.8	3	1	1	2	4	5	5	5
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	60	2.7	3	<1	<1	2	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	78	3.8	5	1	1	4	5	7	9	11
TOTAL SINGLE DX	66	2.7	3	<1	1	2	4	5	6	8
TOTAL MULTIPLE DX	84	3.7	5	1	1	3	5	7	8	11
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	2.8	2	1	1	3	4	5	5	5
6-12 YRS	6	3.2	6	1	1	2	3	8	8	8
13-19 YRS	138	3.3	5	<1	1	3	4	6	8	10
GRAND TOTAL	150	3.3	4	<1	1	3	4	6	8	10

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
TOTAL SINGLE DX	3	2.0	3	<1	<1	1	3	4	4	4
TOTAL MULTIPLE DX	3	3.7	5	1	1	5	5	5	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	3.3	4	1	1	4	5	5	5	5
GRAND TOTAL	6	2.8	4	<1	<1	3	5	5	5	5

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	5.0	14	1	1	5	9	10	10	10
1-5 YRS	12	3.2	12	< 1	< 1	2	4	8	12	13
6-12 YRS	15	1.9	5	< 1	1	1	2	3	8	10
13-19 YRS	56	3.3	15	< 1	1	2	3	9	13	19
2. MULTIPLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	7	7.0	6	4	4	6	10	10	10	10
1-5 YRS	23	7.2	61	1	1	4	9	20	25	32
6-12 YRS	24	4.2	6	1	1	4	5	8	10	10
13-19 YRS	63	3.5	11	< 1	1	2	5	8	10	17
TOTAL SINGLE DX	90	3.2	13	< 1	1	2	3	9	12	17
TOTAL MULTIPLE DX	118	4.7	23	1	1	3	6	10	13	25
TOTAL										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	14	6.0	11	1	1	5	10	10	10	10
1-5 YRS	35	5.8	48	< 1	1	3	7	13	21	32
6-12 YRS	39	3.3	7	1	1	3	4	8	10	10
13-19 YRS	119	3.4	13	< 1	1	2	4	9	12	18
GRAND TOTAL	208	4.0	19	1	1	2	5	10	13	20

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	4.5	28	1	1	3	4	14	15	15
6-12 YRS	13	1.8	2	1	1	1	2	3	6	7
13-19 YRS	106	2.9	16	< 1	< 1	2	4	6	9	23
2. MULTIPLE DX										
0-27 DYS	19	3.2		2	2	3	4	4	5	5
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	5	2.2	2	< 1	< 1	1	4	4	4	4
6-12 YRS	18	4.0	14	< 1	< 1	2	7	11	11	11
13-19 YRS	154	4.5	23	< 1	1	3	6	10	15	25
TOTAL SINGLE DX	128	2.9	15	< 1	< 1	2	3	6	9	19
TOTAL MULTIPLE DX	199	4.2	20	< 1	1	3	5	9	13	24
TOTAL										
0-27 DYS	21	3.0	1	1	2	3	4	4	5	5
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	11	3.5	16	< 1	< 1	3	4	9	14	15
6-12 YRS	31	3.1	11	< 1	1	1	3	9	11	11
13-19 YRS	260	3.9	21	< 1	< 1	2	4	9	13	25
GRAND TOTAL	327	3.7	19	<1	1	2	4	9	12	23

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.0	5	2	2	4	6	6	6	6
1-5 YRS	12	2.0	3	< 1	< 1	1	2	5	6	6
6-12 YRS	24	2.8	3	< 1	1	2	3	5	8	9
13-19 YRS	92	2.1	2	< 1	< 1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	11	5.3	37	< 1	< 1	3	7	16	20	20
1-5 YRS	19	5.6	22	1	1	5	8	14	15	16
6-12 YRS	16	3.0	4	< 1	< 1	3	4	6	8	9
13-19 YRS	98	3.6	21	< 1	1	2	4	6	8	31
TOTAL SINGLE DX	133	2.2	3	< 1	< 1	2	3	4	6	8
TOTAL MULTIPLE DX	146	3.9	21	< 1	1	3	5	8	10	23
TOTAL										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	15	4.9	28	< 1	1	3	6	13	18	20
1-5 YRS	31	4.2	18	< 1	< 1	2	6	11	14	16
6-12 YRS	40	2.9	4	< 1	< 1	2	3	6	8	9
13-19 YRS	190	2.9	13	< 1	1	2	3	6	7	17
GRAND TOTAL	279	3.1	13	<1	<1	2	4	6	8	19

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	1	43.0		43	43	43	43	43	43	43
1-11 MOS	0									
1-5 YRS	2	10.0	162	1	1	10	19	19	19	19
6-12 YRS	0									
13-19 YRS	3	3.7	21	< 1	< 1	1	7	9	9	9
TOTAL SINGLE DX	2	3.0	8	1	1	3	5	5	5	5
TOTAL MULTIPLE DX	6	12.3	276	< 1	< 1	5	19	41	43	43
TOTAL										
0-27 DYS	1	43.0		43	43	43	43	43	43	43
1-11 MOS	0									
1-5 YRS	2	10.0	162	1	1	10	19	19	19	19
6-12 YRS	0									
13-19 YRS	5	3.4	13	< 1	< 1	1	6	9	9	9
GRAND TOTAL	8	10.0	217	<1	<1	3	14	36	43	43

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	33	1.4	1	<1	<1	1	1	2	4	7
6-12 YRS	45	1.3		<1	<1	1	2	2	3	3
13-19 YRS	16	2.5	2	<1	1	2	3	5	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	7	1.1		1	1	1	1	2	2	2
6-12 YRS	25	2.3	4	<1	1	1	3	5	8	10
13-19 YRS	20	2.9	2	<1	1	3	4	5	6	6
TOTAL SINGLE DX	94	1.6	1	<1	<1	1	2	2	4	7
TOTAL MULTIPLE DX	54	2.4	4	1	1	2	3	5	6	10
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	40	1.4	1	<1	<1	1	1	2	3	7
6-12 YRS	70	1.7	2	<1	<1	1	2	3	4	9
13-19 YRS	36	2.7	2	<1	1	2	4	5	6	6
GRAND TOTAL	148	1.9	2	<1	1	1	2	4	5	7

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	0									
1-5 YRS	5	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	6	2.2	5	<1	<1	1	2	6	7	7
13-19 YRS	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	11	3.9	12	<1	<1	3	5	10	11	11
6-12 YRS	8	2.0		<1	<1	2	3	3	3	3
13-19 YRS	4	33.8	723	5	5	32	55	65	65	65
TOTAL SINGLE DX	14	1.5	3	<1	<1	1	1	2	6	7
TOTAL MULTIPLE DX	25	8.2	228	<1	<1	3	6	19	51	65
TOTAL										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	16	3.0	10	<1	<1	1	5	9	10	11
6-12 YRS	14	2.1	3	<1	<1	1	3	4	6	7
13-19 YRS	6	22.8	720	1	1	12	46	63	65	05
GRAND TOTAL	39	5.8	155	<1	<1	1	5	10	34	65

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2497	2.4	2	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3073	2.8	4	1	2	3	3	4	5	8
TOTAL SINGLE DX	2498	2.4	3	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	3074	2.8	4	1	2	3	3	4	5	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	5570	2.6	3	1	2	2	3	4	4	7
GRAND TOTAL	5572	2.6	3	1	2	2	3	4	4	7

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	22	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	105	2.3	2	1	1	2	3	4	5	9
TOTAL SINGLE DX	22	2.1	1	1	1	2	3	3	3	3
TOTAL MULTIPLE DX	105	2.3	2	1	1	2	3	4	5	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	127	2.3	2	1	1	2	3	4	5	8
GRAND TOTAL	127	2.3	2	1	1	2	3	4	5	8

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1217	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	1877	2.6	1	1	1	2	3	4	5	7
TOTAL SINGLE DX	1217	2.3	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	1879	2.6	2	1	1	2	3	4	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	3094	2.4	2	1	1	2	3	4	4	7
GRAND TOTAL	**3096**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	17	2.1		1	1	2	3	3	3	3
13-19 YRS	29468	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	2.1		1	1	2	3	3	3	3
13-19 YRS	12269	2.7	4	1	1	2	3	4	5	10
TOTAL SINGLE DX	29485	2.2	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	12277	2.7	5	1	1	2	3	4	5	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	25	2.1	1	1	1	2	3	3	3	3
13-19 YRS	41737	2.3	2	1	1	2	3	3	4	7
GRAND TOTAL	**41762**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	4.3	1	3	3	5	5	5	5	5
13-19 YRS	3683	4.4	1	3	3	4	5	6	6	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	5.5	2	3	3	5	6	7	8	8
13-19 YRS	10566	5.2	7	3	3	5	6	7	9	15
TOTAL SINGLE DX	3686	4.4	2	3	3	4	5	6	6	8
TOTAL MULTIPLE DX	10576	5.2	8	3	3	5	6	7	9	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	13	5.2	2	3	3	5	6	7	8	8
13-19 YRS	14249	5.0	6	3	3	4	5	7	8	14
GRAND TOTAL	**14262**	**5.0**	**6**	**3**	**3**	**4**	**5**	**7**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	181	4.3	1	3	3	4	5	6	6	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	382	5.7	19	3	3	5	6	9	11	23
TOTAL SINGLE DX	182	4.3	1	3	3	4	5	6	6	8
TOTAL MULTIPLE DX	382	5.7	19	3	3	5	6	9	11	23
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	563	5.3	14	3	3	5	6	7	10	18
GRAND TOTAL	**564**	**5.3**	**14**	**3**	**3**	**4**	**6**	**7**	**10**	**18**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	41	3.3	1	1	2	3	4	5	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	39	3.8	1	2	2	4	4	5	6	7
TOTAL SINGLE DX	41	3.3	1	1	2	3	4	5	5	6
TOTAL MULTIPLE DX	39	3.8	1	2	2	4	4	5	6	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	80	3.6	1	2	2	4	4	5	6	7
GRAND TOTAL	**80**	**3.6**	**1**	**2**	**2**	**4**	**4**	**5**	**6**	**7**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	239	1.5		< 1	1	1	2	2	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	41	2.5	5	< 1	1	2	2	6	8	11
TOTAL SINGLE DX	241	1.5		< 1	1	1	2	2	3	3
TOTAL MULTIPLE DX	41	2.5	6	< 1	1	2	2	6	8	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	280	1.7	1	< 1	1	1	2	2	3	7
GRAND TOTAL	**282**	**1.7**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**7**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	158	4.1	27	< 1	1	2	4	8	17	29
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	197	5.2	33	1	1	3	6	11	14	36
TOTAL SINGLE DX	158	4.1	28	< 1	1	2	4	8	17	29
TOTAL MULTIPLE DX	197	5.2	34	1	1	3	6	11	14	36
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	355	4.7	31	< 1	1	3	5	10	15	30
GRAND TOTAL	**355**	**4.7**	**31**	**<1**	**1**	**3**	**5**	**10**	**15**	**30**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2271	1.9	1	< 1	< 1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1120	2.3	4	< 1	1	2	3	4	5	10
TOTAL SINGLE DX	2273	1.9	2	< 1	< 1	2	2	3	4	6
TOTAL MULTIPLE DX	1120	2.3	4	< 1	1	2	3	4	5	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	3391	2.1	2	< 1	< 1	2	3	3	4	7
GRAND TOTAL	**3393**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**3**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	4537	2.2		1	1	2	3	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	5.2	16	2	2	3	9	11	11	11
13-19 YRS	5095	2.5	2	1	1	2	3	4	5	7
TOTAL SINGLE DX	4539	2.2	1	1	1	2	3	3	3	4
TOTAL MULTIPLE DX	5100	2.5	2	1	1	2	3	4	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	4.1	14	1	1	2	7	10	11	11
13-19 YRS	9632	2.3	2	1	1	2	3	3	4	6
GRAND TOTAL	9639	2.3	2	1	1	2	3	3	4	6

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	14	4.1	24	< 1	< 1	2	6	9	17	19
6-12 YRS	20	3.2	21	< 1	< 1	1	3	10	16	18
13-19 YRS	25	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	6	5.8	6	3	3	6	8	9	9	9
6-12 YRS	21	7.0	26	1	1	5	12	14	16	17
13-19 YRS	53	4.1	19	1	1	3	4	7	9	30
TOTAL SINGLE DX	62	3.1	13	< 1	1	2	3	7	11	19
TOTAL MULTIPLE DX	81	4.9	21	1	1	3	6	11	14	26
TOTAL										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	20	4.7	19	< 1	< 1	3	7	9	14	19
6-12 YRS	41	5.1	27	< 1	1	3	8	14	16	18
13-19 YRS	78	3.5	14	1	1	3	4	6	8	26
GRAND TOTAL	143	4.1	18	1	1	3	5	8	13	20

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.7	8	2	2	2	6	7	7	7
1-11 MOS	8	6.5	5	5	5	6	6	10	12	12
1-5 YRS	13	6.8	3	4	4	7	8	9	11	11
6-12 YRS	25	5.2	7	1	1	5	7	9	10	10
13-19 YRS	1238	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	6.8	14	1	1	7	9	11	11	11
1-5 YRS	19	6.8	16	2	2	6	9	12	15	18
6-12 YRS	49	5.9	27	1	2	4	8	13	18	24
13-19 YRS	1206	2.9	2	1	1	3	4	5	5	8
TOTAL SINGLE DX	1287	2.6	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1279	3.1	4	1	1	3	4	5	6	11
TOTAL										
0-27 DYS	3	3.7	8	2	2	2	6	7	7	7
1-11 MOS	13	6.6	8	2	4	6	7	11	12	12
1-5 YRS	32	6.8	11	2	3	6	8	11	12	18
6-12 YRS	74	5.6	20	1	2	4	7	11	13	24
13-19 YRS	2444	2.7	2	1	1	2	3	4	5	7
GRAND TOTAL	2566	2.9	3	1	1	3	3	5	6	10

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	21	2.0	2	< 1	1	2	2	4	5	6
6-12 YRS	59	1.8	1	< 1	1	2	2	3	4	7
13-19 YRS	199	2.0	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	34	4.1	17	1	2	3	5	6	9	25
6-12 YRS	123	3.9	38	1	1	2	3	6	11	36
13-19 YRS	291	4.0	28	1	1	2	4	8	13	25
TOTAL SINGLE DX	281	2.0	2	1	1	2	2	4	4	6
TOTAL MULTIPLE DX	449	4.0	30	1	1	2	4	7	12	30
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	55	3.3	12	1	1	2	4	6	7	24
6-12 YRS	182	3.2	27	1	1	2	3	6	8	31
13-19 YRS	490	3.2	19	1	1	2	3	6	8	23
GRAND TOTAL	730	3.2	20	1	1	2	3	6	8	25

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	2.0	1	1	1	2	2	4	5	5
6-12 YRS	31	2.0	5	< 1	1	1	2	4	5	14
13-19 YRS	291	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	25	7.4	85	1	1	5	7	11	34	41
6-12 YRS	94	7.4	97	1	1	4	8	17	26	54
13-19 YRS	625	6.0	54	1	1	4	7	13	19	39
TOTAL SINGLE DX	333	2.2	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	746	6.3	61	1	1	4	7	13	21	41
TOTAL										
0-27 DYS	0									
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	34	6.0	68	1	1	4	7	9	28	41
6-12 YRS	125	6.1	80	1	1	3	7	13	23	48
13-19 YRS	916	4.8	41	1	1	3	5	11	14	35
GRAND TOTAL	1079	5.0	46	1	1	3	5	11	15	38

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	10	1.9		1	1	2	2	3	4	4
1-5 YRS	5	3.2	11	1	1	2	4	9	9	9
6-12 YRS	34	3.2	6	1	1	2	3	6	10	12
13-19 YRS	30	2.6	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	7	2.4		2	2	2	3	3	3	3
1-5 YRS	9	5.7	84	1	1	3	4	20	30	30
6-12 YRS	59	3.7	21	1	1	3	4	6	7	34
13-19 YRS	41	6.1	107	1	1	4	6	11	19	65
TOTAL SINGLE DX	79	2.8	5	1	1	2	3	5	8	11
TOTAL MULTIPLE DX	116	4.6	56	1	1	3	4	7	12	46
TOTAL										
0-27 DYS	0									
1-11 MOS	17	2.1	1	1	1	2	3	3	4	4
1-5 YRS	14	4.8	57	1	1	3	4	11	26	30
6-12 YRS	93	3.5	16	1	1	3	4	5	9	26
13-19 YRS	71	4.6	66	1	1	3	5	7	13	56
GRAND TOTAL	195	3.9	36	1	1	3	4	6	9	33

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	8.7	100	1	1	5	16	20	20	20
1-11 MOS	9	7.9	52	< 1	< 1	5	14	17	19	19
1-5 YRS	234	3.9	14	1	1	3	4	7	10	23
6-12 YRS	417	4.7	24	1	1	4	5	9	14	25
13-19 YRS	370	4.3	14	1	1	3	6	9	11	22
2. MULTIPLE DX										
0-27 DYS	3	22.0	247	4	4	29	32	33	33	33
1-11 MOS	10	12.2	274	1	1	5	19	73	98	99 +
1-5 YRS	277	5.2	32	1	1	4	5	10	17	32
6-12 YRS	514	6.2	43	1	2	4	6	12	20	32
13-19 YRS	388	5.4	43	1	1	4	6	10	14	35
TOTAL SINGLE DX	1033	4.4	19	1	1	3	5	8	12	23
TOTAL MULTIPLE DX	1192	5.8	44	1	2	4	6	11	18	37
TOTAL										
0-27 DYS	6	15.3	192	1	1	12	29	33	33	33
1-11 MOS	19	10.2	165	< 1	< 1	5	15	37	77	99 +
1-5 YRS	511	4.6	24	1	1	3	5	8	14	28
6-12 YRS	931	5.5	35	1	2	4	6	10	17	29
13-19 YRS	758	4.9	30	1	1	4	6	9	12	24
GRAND TOTAL	2225	5.2	33	1	1	4	6	10	15	29

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	39	1.9		1	1	2	2	3	3	5
13-19 YRS	306	1.9	1	< 1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	48	2.4	2	< 1	1	2	3	5	5	8
13-19 YRS	460	2.2	1	< 1	1	2	3	4	5	7
TOTAL SINGLE DX	346	1.9	1	< 1	1	2	2	3	4	6
TOTAL MULTIPLE DX	509	2.2	2	< 1	1	2	3	4	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	87	2.2	2	< 1	1	2	3	4	5	7
13-19 YRS	766	2.1	1	< 1	1	2	3	4	4	6
GRAND TOTAL	855	2.1	2	<1	1	2	3	4	4	6

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	5.0	3	3	3	6	6	6	6	6
1-11 MOS	12	4.2	27	< 1	< 1	2	6	35	88	99 +
1-5 YRS	183	4.4	39	< 1	1	2	4	9	12	38
6-12 YRS	832	3.3	18	< 1	1	2	4	6	10	22
13-19 YRS	1465	3.0	16	< 1	1	2	3	6	8	21
2. MULTIPLE DX										
0-27 DYS	7	18.0	462	2	2	6	31	54	58	58
1-11 MOS	27	10.6	193	1	1	5	15	34	43	55
1-5 YRS	144	8.0	115	1	1	4	9	20	29	55
6-12 YRS	365	8.1	117	1	1	4	10	22	35	54
13-19 YRS	992	7.9	138	1	1	3	9	21	35	72
TOTAL SINGLE DX	2495	3.2	19	< 1	1	2	3	6	9	24
TOTAL MULTIPLE DX	1535	8.0	134	1	1	3	9	22	35	60
TOTAL										
0-27 DYS	10	14.1	348	2	2	6	18	47	58	58
1-11 MOS	39	8.6	149	< 1	1	3	10	30	48	99 +
1-5 YRS	327	5.9	76	1	1	3	6	12	24	44
6-12 YRS	1197	4.8	54	1	1	2	5	11	18	40
13-19 YRS	2457	5.0	71	< 1	1	2	5	11	20	50
GRAND TOTAL	4030	5.0	68	1	1	2	5	11	20	47

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	11	3.6	12	1	1	3	3	8	13	14
1-5 YRS	77	7.4	85	< 1	1	3	11	23	26	38
6-12 YRS	612	5.6	45	1	1	4	6	10	21	35
13-19 YRS	740	3.8	14	1	1	3	5	7	10	17
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	10	10.2	133	1	1	5	14	29	37	37
1-5 YRS	67	9.2	84	1	1	5	15	21	25	47
6-12 YRS	291	8.3	126	1	1	4	8	24	33	63
13-19 YRS	490	6.0	56	1	1	4	7	13	19	41
TOTAL SINGLE DX	1440	4.8	33	1	1	3	5	9	14	31
TOTAL MULTIPLE DX	858	7.1	85	1	1	4	8	18	25	51
TOTAL										
0-27 DYS	0									
1-11 MOS	21	6.8	78	1	1	3	7	17	29	37
1-5 YRS	144	8.2	85	< 1	1	4	11	22	25	41
6-12 YRS	903	6.5	74	1	1	4	6	15	26	45
13-19 YRS	1230	4.7	33	1	1	3	5	9	13	28
GRAND TOTAL	2298	5.6	54	1	1	3	6	11	21	39

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	84	2.8	26	< 1	< 1	1	2	5	11	31
6-12 YRS	252	3.2	27	< 1	< 1	1	3	5	19	26
13-19 YRS	888	2.0	3	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	8	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	132	2.8	24	< 1	< 1	1	3	4	8	25
6-12 YRS	299	3.5	33	< 1	1	2	3	6	15	29
13-19 YRS	555	4.1	64	1	1	2	4	8	13	51
TOTAL SINGLE DX	1230	2.3	10	< 1	< 1	1	2	4	5	21
TOTAL MULTIPLE DX	994	3.7	50	< 1	1	2	3	7	14	45
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	216	2.8	25	< 1	< 1	1	2	5	8	26
6-12 YRS	551	3.4	31	< 1	< 1	2	3	6	16	26
13-19 YRS	1443	2.8	28	< 1	1	2	3	5	7	33
GRAND TOTAL	2224	2.9	28	< 1	< 1	2	3	5	8	29

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	15.7	284	4	4	8	28	35	35	35
1-5 YRS	58	13.1	89	1	1	14	19	26	28	34
6-12 YRS	109	17.4	170	2	3	18	24	37	42	53
13-19 YRS	142	9.8	85	2	3	7	12	18	32	48
2. MULTIPLE DX										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	6	6.0	40	1	1	4	7	17	18	18
1-5 YRS	29	17.3	101	3	4	20	25	28	31	41
6-12 YRS	72	22.2	177	5	6	22	29	35	45	75
13-19 YRS	220	13.2	105	4	6	10	15	22	33	57
TOTAL SINGLE DX	313	13.1	128	1	3	9	19	29	37	48
TOTAL MULTIPLE DX	328	15.4	134	4	5	12	20	30	35	58
TOTAL										
0-27 DYS	2	13.0	200	3	3	13	23	23	23	23
1-11 MOS	9	9.2	120	1	1	6	10	28	35	35
1-5 YRS	87	14.5	96	1	2	16	22	27	28	38
6-12 YRS	181	19.3	178	2	4	20	26	36	43	56
13-19 YRS	362	11.9	100	3	4	9	14	21	32	52
GRAND TOTAL	641	14.3	132	2	3	11	20	30	36	52

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	5	12.4	24	7	7	11	15	20	20	20
1-5 YRS	13	4.9	11	1	1	4	7	10	12	12
6-12 YRS	117	6.0	20	1	2	5	7	11	15	24
13-19 YRS	267	7.1	23	2	3	6	9	12	15	20
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	14.0	88	7	7	9	19	29	35	35
1-5 YRS	30	9.8	38	3	3	8	13	19	24	27
6-12 YRS	96	11.6	193	2	3	7	13	22	32	82
13-19 YRS	500	14.1	132	4	5	11	17	25	37	70
TOTAL SINGLE DX	404	6.8	22	2	2	6	9	12	15	21
TOTAL MULTIPLE DX	636	13.5	138	3	4	11	16	25	36	73
TOTAL										
0-27 DYS	3	6.7		6	6	7	7	7	7	7
1-11 MOS	14	13.4	63	7	7	10	19	22	32	35
1-5 YRS	43	8.3	35	2	3	7	12	16	21	27
6-12 YRS	213	8.5	105	2	2	6	10	16	22	69
13-19 YRS	767	11.6	106	3	4	9	14	22	30	64
GRAND TOTAL	1040	10.9	104	2	3	8	13	20	28	63

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	53	4.4	25	1	1	2	4	15	15	18
1-5 YRS	340	6.8	58	1	1	3	10	20	23	29
6-12 YRS	266	12.8	147	1	1	7	22	29	34	48
13-19 YRS	140	6.9	94	1	1	3	6	20	29	47
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	22	5.6	11	1	2	5	7	11	13	15
1-5 YRS	158	9.5	81	1	2	6	15	21	26	44
6-12 YRS	188	18.4	220	1	2	18	27	37	47	76
13-19 YRS	115	15.2	237	2	2	8	24	42	52	76
TOTAL SINGLE DX	800	8.6	101	1	1	4	14	23	28	41
TOTAL MULTIPLE DX	484	14.1	186	1	2	8	21	34	44	62
TOTAL										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	75	4.8	21	1	1	3	6	12	15	17
1-5 YRS	498	7.6	67	1	1	4	12	20	24	33
6-12 YRS	454	15.1	185	1	2	12	24	33	39	59
13-19 YRS	255	10.6	176	1	2	5	12	31	44	58
GRAND TOTAL	1284	10.7	140	1	1	5	17	27	34	53

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	326	2.3	8	1	1	1	2	3	8	18
6-12 YRS	433	2.9	17	1	1	2	2	6	14	21
13-19 YRS	274	2.6	6	< 1	1	2	3	5	7	15
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	56	5.4	36	1	1	2	8	16	19	20
6-12 YRS	109	5.9	71	1	1	2	5	18	25	41
13-19 YRS	153	6.6	48	1	1	4	10	15	21	39
TOTAL SINGLE DX	1035	2.6	12	1	1	2	2	5	9	19
TOTAL MULTIPLE DX	320	6.1	54	1	1	3	9	16	21	38
TOTAL										
0-27 DYS	0									
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	382	2.7	14	1	1	2	2	6	12	20
6-12 YRS	542	3.5	29	1	1	2	3	9	16	25
13-19 YRS	427	4.0	25	< 1	1	2	5	10	13	29
GRAND TOTAL	1355	3.5	24	1	1	2	3	9	15	25

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	12	2.2	1	1	1	2	3	4	5	5
1-5 YRS	399	2.2	3	1	1	2	3	4	5	10
6-12 YRS	1188	2.3	3	1	1	2	3	4	5	11
13-19 YRS	3150	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	6.9	48	1	1	4	13	17	18	18
1-5 YRS	144	3.5	17	1	1	2	4	7	14	25
6-12 YRS	464	4.6	33	1	1	3	5	10	18	31
13-19 YRS	1801	5.4	45	1	1	3	6	11	16	38
TOTAL SINGLE DX	4750	2.5	4	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	2417	5.1	42	1	1	3	6	11	16	33
TOTAL										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	19	3.9	23	1	1	2	4	12	17	18
1-5 YRS	543	2.6	8	1	1	2	3	4	7	17
6-12 YRS	1652	2.9	13	1	1	2	3	5	7	22
13-19 YRS	4951	3.6	21	1	1	2	4	7	10	24
GRAND TOTAL	7167	3.4	18	1	1	2	4	6	9	23

713: Other reduction of fracture without internal fixation, except maxillo- facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	< 1	< 1	1	2	2	2	2
1-11 MOS	16	1.5		< 1	1	1	2	3	4	4
1-5 YRS	1148	1.8	5	< 1	1	1	2	3	5	15
6-12 YRS	3338	1.9	6	< 1	1	1	2	3	4	16
13-19 YRS	1950	2.1	4	< 1	1	1	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	7	4.6	11	2	2	3	5	11	12	12
1-11 MOS	7	8.0	45	3	3	5	13	19	20	20
1-5 YRS	300	3.7	23	1	1	2	4	9	15	23
6-12 YRS	932	4.2	40	1	1	2	4	10	17	32
13-19 YRS	1015	4.9	48	1	1	3	6	11	16	36
TOTAL SINGLE DX	6454	1.9	6	< 1	1	1	2	3	5	15
TOTAL MULTIPLE DX	2261	4.5	42	1	1	2	5	10	16	32
TOTAL										
0-27 DYS	9	3.9	11	< 1	1	3	4	9	12	12
1-11 MOS	23	3.5	22	< 1	1	1	4	8	17	20
1-5 YRS	1448	2.2	10	< 1	1	1	2	4	7	19
6-12 YRS	4270	2.4	15	< 1	1	1	2	4	7	21
13-19 YRS	2965	3.1	22	< 1	1	2	3	6	10	25
GRAND TOTAL	**8715**	**2.6**	**17**	**<1**	**1**	**1**	**2**	**5**	**8**	**21**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	13.3	224	< 1	< 1	9	25	30	30	30
1-11 MOS	94	7.4	41	< 1	1	7	11	17	21	24
1-5 YRS	88	4.8	38	1	1	2	6	13	17	31
6-12 YRS	116	2.7	20	< 1	1	1	2	6	9	28
13-19 YRS	225	3.3	23	< 1	1	2	3	7	14	25
2. MULTIPLE DX										
0-27 DYS	32	6.1	115	2	2	4	5	6	32	56
1-11 MOS	29	9.3	62	1	1	8	16	19	23	27
1-5 YRS	23	7.3	39	1	1	7	11	17	20	21
6-12 YRS	41	4.1	39	1	1	2	5	7	14	38
13-19 YRS	151	7.5	152	1	1	4	9	16	24	79
TOTAL SINGLE DX	526	4.2	32	< 1	1	2	5	11	17	28
TOTAL MULTIPLE DX	276	7.0	113	1	1	3	8	16	22	56
TOTAL										
0-27 DYS	35	6.7	122	1	2	4	5	9	34	56
1-11 MOS	123	7.9	47	< 1	1	7	12	18	21	26
1-5 YRS	111	5.3	39	1	1	2	8	14	20	30
6-12 YRS	157	3.1	25	< 1	1	1	3	6	9	32
13-19 YRS	376	5.0	79	< 1	1	2	5	13	18	49
GRAND TOTAL	**802**	**5.2**	**62**	**<1**	**1**	**2**	**6**	**14**	**19**	**34**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	47	4.4	21	1	1	3	5	11	15	23
1-5 YRS	110	4.7	22	1	1	4	5	9	15	27
6-12 YRS	57	3.1	7	< 1	< 1	2	4	8	9	12
13-19 YRS	175	2.6	9	1	1	2	3	4	7	14
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	20	6.6	49	1	1	3	9	19	22	24
1-5 YRS	59	5.1	26	1	1	4	5	10	15	31
6-12 YRS	52	5.5	25	1	2	4	6	11	13	27
13-19 YRS	85	4.4	19	1	1	3	5	12	14	21
TOTAL SINGLE DX	389	3.5	15	1	1	2	4	7	11	24
TOTAL MULTIPLE DX	217	5.1	25	1	1	4	6	12	15	26
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	67	5.1	30	1	1	3	5	14	19	24
1-5 YRS	169	4.8	24	1	1	4	5	9	15	27
6-12 YRS	109	4.3	17	< 1	1	3	5	9	12	26
13-19 YRS	260	3.2	14	1	1	2	3	7	12	16
GRAND TOTAL	**606**	**4.1**	**19**	**1**	**1**	**3**	**4**	**9**	**13**	**25**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	28.0	8	26	26	28	30	30	30	30
1-11 MOS	158	4.3	21	1	1	3	4	11	15	20
1-5 YRS	207	5.4	32	1	1	3	7	13	18	26
6-12 YRS	177	5.8	33	1	1	4	8	13	18	28
13-19 YRS	549	2.5	7	< 1	< 1	2	3	5	7	15
2. MULTIPLE DX										
0-27 DYS	7	42.7	1056	6	7	31	69	88	92	92
1-11 MOS	105	8.0	59	1	1	5	11	21	26	62
1-5 YRS	226	7.6	57	1	1	4	11	19	22	33
6-12 YRS	196	10.0	138	1	1	6	14	22	32	73
13-19 YRS	490	4.1	37	< 1	1	2	4	10	16	37
TOTAL SINGLE DX	1093	3.9	21	< 1	1	2	4	10	14	23
TOTAL MULTIPLE DX	1024	6.6	84	1	1	3	8	17	23	47
TOTAL										
0-27 DYS	9	39.4	836	6	9	30	64	84	92	92
1-11 MOS	263	5.8	40	1	1	3	8	15	21	31
1-5 YRS	433	6.5	46	1	1	4	9	16	21	30
6-12 YRS	373	8.0	93	1	1	5	11	19	26	52
13-19 YRS	1039	3.2	22	< 1	1	2	3	7	11	23
GRAND TOTAL	**2117**	**5.2**	**53**	**<1**	**1**	**3**	**6**	**14**	**20**	**33**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	3.8	3	2	2	3	5	6	6	6
1-5 YRS	2	17.5	181	8	8	17	27	27	27	27
6-12 YRS	6	4.5	5	1	1	4	5	8	8	8
13-19 YRS	299	5.1	13	1	2	4	6	8	10	25
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	5	16.4	232	2	2	13	22	42	42	42
6-12 YRS	12	20.2	182	7	8	19	24	35	55	58
13-19 YRS	119	9.0	84	2	3	6	10	17	22	55
TOTAL SINGLE DX	312	5.1	15	1	2	4	6	8	10	25
TOTAL MULTIPLE DX	137	10.2	106	2	3	7	12	20	26	59
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	4.8	8	2	2	4	7	9	9	9
1-5 YRS	7	16.7	185	2	3	13	24	39	42	42
6-12 YRS	18	14.9	177	2	4	12	21	25	45	58
13-19 YRS	418	6.2	37	2	2	5	7	10	16	30
GRAND TOTAL	**449**	**6.7**	**48**	**2**	**2**	**5**	**7**	**12**	**19**	**42**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	3.0	7	1	1	2	5	7	7	7
6-12 YRS	14	1.6		< 1	< 1	1	2	3	4	4
13-19 YRS	303	1.7	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
6-12 YRS	9	1.8	1	1	1	2	2	3	4	4
13-19 YRS	561	2.4	2	< 1	< 1	2	3	4	5	7
TOTAL SINGLE DX	321	1.7	1	< 1	< 1	1	2	3	4	6
TOTAL MULTIPLE DX	572	2.3	3	< 1	< 1	2	3	4	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	2.5	5	< 1	< 1	2	2	7	7	7
6-12 YRS	23	1.7	1	< 1	< 1	1	2	3	4	4
13-19 YRS	864	2.1	2	< 1	< 1	2	3	4	5	6
GRAND TOTAL	**893**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	7.3	55	< 1	< 1	5	13	19	20	20
1-5 YRS	54	5.1	56	< 1	1	2	6	14	21	42
6-12 YRS	128	3.7	30	< 1	< 1	1	3	10	13	29
13-19 YRS	817	2.1	11	< 1	< 1	1	2	4	5	18
2. MULTIPLE DX										
0-27 DYS	2	29.0	338	16	16	29	42	42	42	42
1-11 MOS	7	17.4	327	1	1	11	26	47	52	52
1-5 YRS	47	12.8	158	2	2	9	16	30	43	62
6-12 YRS	82	6.6	60	< 1	1	2	11	21	23	31
13-19 YRS	784	3.0	25	< 1	< 1	1	3	5	10	27
TOTAL SINGLE DX	1007	2.5	17	< 1	< 1	1	2	5	7	22
TOTAL MULTIPLE DX	922	4.0	46	< 1	< 1	2	3	10	18	32
TOTAL										
0-27 DYS	3	20.3	394	3	3	16	35	42	42	42
1-11 MOS	14	12.4	205	< 1	1	8	20	30	47	52
1-5 YRS	101	8.7	118	< 1	1	5	12	21	30	53
6-12 YRS	210	4.9	44	< 1	< 1	2	6	13	22	30
13-19 YRS	1601	2.5	19	< 1	< 1	1	2	4	7	24
GRAND TOTAL	**1929**	**3.2**	**31**	**<1**	**<1**	**1**	**3**	**7**	**13**	**29**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	7.6	18	2	3	8	8	14	16	16
1-5 YRS	21	6.2	6	2	3	7	8	9	10	12
6-12 YRS	213	8.2	9	5	6	8	9	11	13	17
13-19 YRS	657	8.9	15	5	6	8	10	13	17	24
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	7	13.1	507	1	2	5	7	53	64	64
1-5 YRS	53	9.3	28	4	4	8	11	17	24	26
6-12 YRS	281	12.2	71	5	6	9	14	24	30	63
13-19 YRS	644	12.4	86	5	6	9	14	22	30	60
TOTAL SINGLE DX	898	8.6	14	5	6	8	10	13	16	24
TOTAL MULTIPLE DX	985	12.1	82	5	6	9	14	23	30	62
TOTAL										
0-27 DYS	0									
1-11 MOS	14	10.4	251	1	2	6	8	21	54	64
1-5 YRS	74	8.4	24	3	4	8	10	13	19	26
6-12 YRS	494	10.5	48	5	6	8	11	18	25	44
13-19 YRS	1301	10.6	54	5	6	9	11	17	24	46
GRAND TOTAL	**1883**	**10.5**	**53**	**5**	**6**	**9**	**11**	**17**	**24**	**45**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	5	2.0	1	1	1	2	3	3	3	3
6-12 YRS	35	3.1	3	1	1	3	4	5	7	8
13-19 YRS	154	3.2	3	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	3.0	4	1	1	3	4	6	8	8
6-12 YRS	91	3.5	3	1	1	3	4	6	7	9
13-19 YRS	201	4.1	8	1	1	3	5	7	8	17
TOTAL SINGLE DX	195	3.1	4	1	1	3	4	5	7	10
TOTAL MULTIPLE DX	303	3.9	7	1	1	3	5	7	8	13
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	16	2.7	3	1	1	3	3	4	7	8
6-12 YRS	126	3.4	4	1	1	3	4	6	7	9
13-19 YRS	355	3.7	7	1	1	3	5	6	8	13
GRAND TOTAL	**498**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	14	12.0	90	3	3	9	16	28	31	32
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	10.5	25	7	7	10	14	14	14	14
1-5 YRS	3	8.0	31	2	2	9	12	13	13	13
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	22	14.5	102	3	5	11	18	27	35	44
TOTAL SINGLE DX	18	11.4	70	3	3	9	12	27	30	32
TOTAL MULTIPLE DX	28	13.2	90	2	4	10	16	26	30	44
TOTAL										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	10.7	12	7	7	11	13	14	14	14
1-5 YRS	4	8.0	21	2	2	8	11	13	13	13
6-12 YRS	2	7.0	8	5	5	7	9	9	9	9
13-19 YRS	36	13.6	97	3	4	10	17	28	31	44
GRAND TOTAL	**46**	**12.5**	**82**	**3**	**4**	**10**	**15**	**26**	**30**	**44**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	0									
1-5 YRS	4	4.5	16	1	1	3	7	10	10	10
6-12 YRS	10	6.3	17	2	2	5	8	13	16	16
13-19 YRS	15	5.5	9	<1	1	5	8	9	10	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	7	11.6	24	6	6	11	13	19	21	21
1-5 YRS	12	3.8	31	2	3	7	13	17	19	19
6-12 YRS	15	5.7	11	1	3	5	8	12	13	13
13-19 YRS	16	12.7	120	3	4	9	17	34	38	39
TOTAL SINGLE DX	30	6.0	15	1	1	5	8	11	16	16
TOTAL MULTIPLE DX	50	9.5	58	3	3	8	12	19	21	39
TOTAL										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	7	11.6	24	6	6	11	13	19	21	21
1-5 YRS	16	7.7	30	1	2	6	11	16	18	19
6-12 YRS	25	6.0	13	2	3	5	8	12	14	16
13-19 YRS	31	9.2	78	1	2	7	11	20	34	39
GRAND TOTAL	**80**	**8.2**	**45**	**1**	**2**	**6**	**11**	**16**	**20**	**38**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	11.3	10	9	9	10	14	15	15	15
1-5 YRS	7	2.1	1	1	1	3	3	3	3	3
6-12 YRS	48	2.8	6	<1	1	2	3	5	5	17
13-19 YRS	1403	3.0	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	11.4	9	9	9	10	14	16	16	16
1-5 YRS	7	6.9	93	1	1	2	7	24	28	28
6-12 YRS	31	3.3	5	1	1	2	5	7	9	10
13-19 YRS	1503	3.5	5	1	2	3	4	5	6	11
TOTAL SINGLE DX	1461	3.0	3	1	1	3	4	5	6	8
TOTAL MULTIPLE DX	1546	3.5	6	1	2	3	4	5	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	8	11.4	8	9	9	10	14	16	16	16
1-5 YRS	14	4.5	50	1	1	2	3	9	24	28
6-12 YRS	79	3.0	6	1	1	2	3	5	6	15
13-19 YRS	2906	3.2	4	1	1	3	4	5	6	9
GRAND TOTAL	**3007**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	2.7	2	1	1	3	3	5	5	5
1-5 YRS	31	2.9	8	<1	<1	2	4	6	7	15
6-12 YRS	50	1.9	1	1	1	1	2	4	4	6
13-19 YRS	1451	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	8	9.6	114	<1	<1	7	14	27	32	32
1-5 YRS	20	2.9	6	<1	1	2	3	5	9	12
6-12 YRS	24	2.5	5	<1	1	2	3	5	8	12
13-19 YRS	398	2.4	5	1	1	2	3	4	6	11
TOTAL SINGLE DX	1538	2.0	2	1	1	2	3	3	4	6
TOTAL MULTIPLE DX	450	2.6	8	1	1	2	3	4	6	12
TOTAL										
0-27 DYS	0									
1-11 MOS	14	6.6	75	<1	1	3	10	18	29	32
1-5 YRS	51	2.9	7	<1	<1	2	4	5	7	15
6-12 YRS	74	2.1	3	1	1	1	2	4	6	11
13-19 YRS	1849	2.1	2	1	1	2	3	3	4	7
GRAND TOTAL	1988	2.2	3	1	1	2	3	4	4	8

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	122	4.7	35	<1	1	3	4	10	18	30
1-5 YRS	199	3.4	15	<1	<1	2	4	6	12	22
6-12 YRS	195	3.6	23	<1	1	2	4	7	10	23
13-19 YRS	295	3.5	34	<1	1	2	4	7	11	20
2. MULTIPLE DX										
0-27 DYS	2	24.0	338	11	11	37	84	99+	99+	99+
1-11 MOS	46	6.3	145	1	1	3	6	12	19	79
1-5 YRS	458	3.5	13	1	1	3	4	6	9	21
6-12 YRS	418	5.4	40	1	1	3	6	11	16	35
13-19 YRS	362	6.8	86	1	1	4	8	14	23	55
TOTAL SINGLE DX	812	3.7	27	<1	1	2	4	7	12	24
TOTAL MULTIPLE DX	1286	5.2	50	1	1	3	5	10	16	42
TOTAL										
0-27 DYS	3	17.7	289	5	5	24	68	99+	99+	99+
1-11 MOS	168	5.1	66	1	1	3	5	11	18	41
1-5 YRS	657	3.4	14	<1	1	3	4	6	10	21
6-12 YRS	613	4.8	36	1	1	3	5	10	14	34
13-19 YRS	657	5.3	65	1	1	3	6	11	16	46
GRAND TOTAL	2098	4.6	42	<1	1	3	5	9	14	36

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	5.3	26	1	1	4	9	11	11	11
1-11 MOS	41	2.8	7	<1	<1	2	3	7	9	13
1-5 YRS	139	2.2	4	<1	<1	1	3	5	6	12
6-12 YRS	163	2.4	17	<1	<1	1	2	4	6	23
13-19 YRS	191	2.0	3	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
0-27 DYS	8	17.8	91	8	8	14	26	32	32	32
1-11 MOS	39	9.6	83	1	2	7	13	22	25	47
1-5 YRS	68	4.9	41	<1	1	2	6	11	16	39
6-12 YRS	55	5.1	55	<1	1	2	5	15	24	96
13-19 YRS	99	7.8	139	<1	1	3	9	24	29	65
TOTAL SINGLE DX	537	2.3	9	<1	<1	1	2	5	6	12
TOTAL MULTIPLE DX	269	7.1	94	<1	1	3	9	17	27	60
TOTAL										
0-27 DYS	11	14.4	103	1	3	13	20	31	32	32
1-11 MOS	80	6.1	56	<1	1	3	8	14	21	41
1-5 YRS	207	3.1	18	<1	<1	2	4	6	10	20
6-12 YRS	218	3.1	28	<1	<1	2	3	6	12	43
13-19 YRS	290	4.0	58	<1	<1	1	3	9	14	41
GRAND TOTAL	806	3.9	42	<1	<1	2	4	9	14	41

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	4	6.8	61	1	1	4	12	18	18	18
6-12 YRS	4	1.3		<1	<1	1	2	2	2	2
13-19 YRS	12	2.7	7	1	1	2	3	6	9	10
2. MULTIPLE DX										
0-27 DYS	3	7.0	39	2	2	5	12	14	14	14
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	6	2.0	1	1	1	2	3	4	4	4
6-12 YRS	8	3.3	13	<1	<1	2	3	9	12	12
13-19 YRS	10	3.1	6	1	1	2	5	7	8	8
TOTAL SINGLE DX	22	3.0	16	<1	<1	2	3	7	13	18
TOTAL MULTIPLE DX	29	3.2	11	1	1	2	4	7	12	14
TOTAL										
0-27 DYS	3	7.0	39	2	2	5	12	14	14	14
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	10	3.9	27	1	1	2	4	12	18	18
6-12 YRS	12	2.6	9	<1	<1	2	3	6	11	12
13-19 YRS	22	2.9	6	1	1	2	4	7	9	10
GRAND TOTAL	51	3.1	13	<1	1	2	3	7	12	18

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	20	1.5		<1	<1	1	2	3	3	3
1-5 YRS	124	1.5		<1	<1	1	2	3	3	4
6-12 YRS	128	1.6	2	<1	<1	1	2	3	4	10
13-19 YRS	295	1.7	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	2.4	3	1	1	2	3	6	7	7
1-5 YRS	111	1.6	1	<1	<1	1	2	2	3	8
6-12 YRS	124	1.6	1	<1	1	1	2	3	4	6
13-19 YRS	364	2.4	6	<1	1	2	3	5	7	14
TOTAL SINGLE DX	567	1.6	2	<1	<1	1	2	3	4	8
TOTAL MULTIPLE DX	611	2.1	4	<1	1	1	2	4	6	12
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	31	1.8	2	<1	1	1	2	3	5	7
1-5 YRS	235	1.6	1	<1	<1	1	2	2	3	5
6-12 YRS	252	1.6	2	<1	<1	1	2	3	4	8
13-19 YRS	659	2.1	4	<1	1	1	2	4	6	12
GRAND TOTAL	**1178**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	1.8	1	<1	<1	1	2	4	4	4
1-5 YRS	36	2.4	7	<1	<1	1	3	6	9	13
6-12 YRS	107	2.0	1	<1	1	2	2	4	5	7
13-19 YRS	249	2.3	6	<1	1	2	3	4	5	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	24	2.0	2	1	1	2	2	5	5	6
6-12 YRS	61	4.1	48	1	1	2	4	8	10	48
13-19 YRS	223	4.2	48	<1	1	2	4	7	17	41
TOTAL SINGLE DX	398	2.2	5	<1	1	2	2	4	6	12
TOTAL MULTIPLE DX	310	4.0	45	1	1	2	4	7	13	41
TOTAL										
0-27 DYS	0									
1-11 MOS	8	1.6	1	<1	<1	1	2	3	4	4
1-5 YRS	60	2.3	5	<1	<1	1	3	5	7	13
6-12 YRS	168	2.8	20	<1	1	2	3	5	7	20
13-19 YRS	472	3.2	27	<1	1	2	3	6	9	33
GRAND TOTAL	**708**	**3.0**	**23**	**<1**	**1**	**2**	**3**	**5**	**8**	**31**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	357	2.5	2	1	1	2	3	5	5	9
1-5 YRS	362	2.4	6	1	1	2	3	4	5	7
6-12 YRS	256	2.7	8	1	1	2	3	4	6	16
13-19 YRS	316	2.8	7	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	97	3.3	7	1	1	3	4	6	10	16
1-5 YRS	597	2.4	3	1	1	2	3	4	5	9
6-12 YRS	588	2.9	6	1	1	2	3	5	8	13
13-19 YRS	365	4.1	33	1	1	3	4	7	12	33
TOTAL SINGLE DX	1291	2.6	6	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	1648	3.0	12	1	1	2	3	5	7	16
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	454	2.7	4	1	1	2	3	5	6	11
1-5 YRS	959	2.4	5	1	1	2	3	4	5	8
6-12 YRS	844	2.8	7	1	1	2	3	5	7	15
13-19 YRS	681	3.5	21	1	1	2	4	6	8	28
GRAND TOTAL	**2939**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	11	1.1		<1	<1	1	1	2	2	2
1-5 YRS	29	1.2		<1	<1	1	1	2	2	4
6-12 YRS	34	2.4	10	1	1	1	2	4	11	16
13-19 YRS	68	1.5	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	7	6.9	38	1	1	5	9	17	19	19
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	23	4.4	99	<1	<1	2	4	7	24	49
6-12 YRS	15	8.3	339	1	1	2	5	18	59	73
13-19 YRS	58	4.1	18	1	1	2	5	11	15	21
TOTAL SINGLE DX	142	1.6	4	<1	<1	1	1	3	4	13
TOTAL MULTIPLE DX	107	4.9	80	1	1	2	5	10	16	59
TOTAL										
0-27 DYS	7	6.9	39	1	1	5	9	17	19	19
1-11 MOS	15	1.2		<1	<1	1	1	2	2	2
1-5 YRS	52	2.6	46	<1	<1	1	2	4	6	48
6-12 YRS	49	4.2	114	1	1	1	3	6	16	73
13-19 YRS	126	2.7	11	<1	1	1	3	6	9	17
GRAND TOTAL	**249**	**3.0**	**39**	**<1**	**<1**	**1**	**2**	**5**	**10**	**21**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	6	5.3	14	< 1	< 1	4	7	11	12	12
13-19 YRS	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	1	31.0		31	31	31	31	31	31	31
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	9	9.9	74	1	1	8	17	23	23	23
TOTAL SINGLE DX	12	4.0	10	< 1	1	4	5	8	11	12
TOTAL MULTIPLE DX	13	9.5	106	1	1	4	17	25	30	31
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	4	9.8	204	1	1	3	18	31	31	31
6-12 YRS	8	4.3	14	< 1	< 1	4	6	10	12	12
13-19 YRS	12	8.1	65	1	1	4	12	23	23	23
GRAND TOTAL	**25**	**6.8**	**65**	**< 1**	**1**	**4**	**8**	**23**	**25**	**31**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	1.0		1	1	1	1	1	1	1
1-5 YRS	13	1.5		< 1	< 1	1	2	3	4	4
6-12 YRS	10	6.7	147	< 1	< 1	3	4	23	41	41
13-19 YRS	21	2.7	4	1	1	2	3	5	8	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	6	2.7	13	1	1	1	2	9	10	10
1-5 YRS	18	6.2	129	1	1	2	7	37	76	99 +
6-12 YRS	11	8.3	173	1	1	4	7	27	44	46
13-19 YRS	35	5.4	27	1	1	4	7	12	17	25
TOTAL SINGLE DX	49	3.0	33	< 1	1	2	3	4	7	41
TOTAL MULTIPLE DX	70	5.8	73	1	1	3	7	14	25	89
TOTAL										
0-27 DYS	0									
1-11 MOS	11	1.9	7	1	1	1	1	5	10	10
1-5 YRS	31	4.2	79	< 1	< 1	2	3	14	44	99 +
6-12 YRS	21	7.5	154	< 1	1	3	6	25	43	46
13-19 YRS	56	4.4	20	1	1	3	4	9	13	25
GRAND TOTAL	**119**	**4.7**	**58**	**1**	**1**	**2**	**4**	**10**	**19**	**63**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	7.0	19	4	4	5	10	12	12	12
13-19 YRS	3	7.3	12	4	4	7	10	11	11	11
2. MULTIPLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	17.5	41	13	13	17	22	22	22	22
1-5 YRS	3	29.7	1630	2	2	43	88	99 +	99 +	99 +
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	12	14.4	98	6	6	9	25	28	31	32
TOTAL SINGLE DX	7	7.3	11	4	4	7	10	12	12	12
TOTAL MULTIPLE DX	20	15.8	283	2	3	11	25	50	87	99 +
TOTAL										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	17.5	41	13	13	17	22	22	22	22
1-5 YRS	4	24.3	1204	2	2	11	82	99 +	99 +	99 +
6-12 YRS	5	5.0	18	1	1	4	7	12	12	12
13-19 YRS	15	13.0	88	4	6	8	22	27	31	32
GRAND TOTAL	**27**	**13.6**	**224**	**2**	**3**	**9**	**18**	**30**	**78**	**99 +**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	6.3	33	3	3	3	11	13	13	13
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	7	7.0	5	5	5	6	9	11	11	11
13-19 YRS	11	7.8	7	4	4	8	10	12	12	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	14.4	242	3	3	8	23	40	40	40
1-5 YRS	11	13.6	553	1	3	7	10	40	80	84
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	10	18.8	226	2	3	13	31	42	46	46
TOTAL SINGLE DX	22	7.1	10	3	3	7	9	12	12	13
TOTAL MULTIPLE DX	28	15.1	330	2	2	9	15	39	50	84
TOTAL										
0-27 DYS	0									
1-11 MOS	8	11.4	165	3	3	6	15	33	40	40
1-5 YRS	12	12.8	513	1	2	6	10	33	77	84
6-12 YRS	9	6.8	8	2	3	6	9	11	11	11
13-19 YRS	21	13.0	137	3	4	9	12	34	42	46
GRAND TOTAL	**50**	**11.6**	**202**	**2**	**3**	**8**	**11**	**27**	**40**	**84**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	2.4	1	2	2	2	3	4	4	4
1-5 YRS	7	3.7	2	1	1	4	5	6	6	6
6-12 YRS	0									
13-19 YRS	7	12.0	46	2	3	12	17	20	21	21
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	7	2.4		2	2	2	3	3	3	3
1-5 YRS	9	6.1	23	1	1	3	11	13	13	13
6-12 YRS	6	12.0	281	3	3	5	9	42	46	46
13-19 YRS	7	10.1	62	4	4	7	13	24	26	26
TOTAL SINGLE DX	19	6.4	36	1	2	4	8	17	19	21
TOTAL MULTIPLE DX	29	7.4	84	2	2	4	9	14	27	46
TOTAL										
0-27 DYS	0									
1-11 MOS	12	2.4		2	2	2	3	4	4	4
1-5 YRS	16	5.1	15	1	1	4	7	12	13	13
6-12 YRS	6	12.0	282	3	3	5	9	42	46	46
13-19 YRS	14	11.1	51	2	4	9	17	21	25	26
GRAND TOTAL	48	7.0	64	2	2	4	9	16	21	46

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	24	4.0	6	<1	1	4	6	7	9	10
6-12 YRS	18	5.4	15	<1	1	4	7	10	14	16
13-19 YRS	10	4.0	6	<1	<1	3	7	8	8	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	1.9	1	1	1	1	3	4	4	4
6-12 YRS	11	6.2	17	1	1	6	9	12	15	15
13-19 YRS	16	5.9	21	<1	1	5	7	11	17	20
TOTAL SINGLE DX	53	4.4	10	<1	1	4	7	8	10	16
TOTAL MULTIPLE DX	36	5.0	18	1	1	4	7	10	14	20
TOTAL										
0-27 DYS	0									
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	32	3.5	6	1	1	3	5	7	8	10
6-12 YRS	29	5.7	16	1	1	5	8	11	15	16
13-19 YRS	26	5.2	16	<1	1	4	7	8	13	20
GRAND TOTAL	89	4.7	13	<1	1	4	7	9	11	18

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	1.5		<1	<1	1	2	3	3	3
6-12 YRS	8	4.3	41	1	1	2	3	15	20	20
13-19 YRS	22	2.5	3	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	11	2.2	3	<1	<1	2	3	5	7	7
13-19 YRS	20	4.4	40	<1	<1	3	5	6	18	30
TOTAL SINGLE DX	41	2.6	10	<1	1	2	3	5	6	20
TOTAL MULTIPLE DX	36	3.6	25	<1	<1	2	4	7	8	30
TOTAL										
0-27 DYS	0									
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	14	1.8	1	<1	1	1	3	3	4	4
6-12 YRS	19	3.1	19	<1	1	2	3	6	14	20
13-19 YRS	42	3.4	21	<1	<1	2	5	6	7	30
GRAND TOTAL	77	3.1	17	<1	1	2	3	5	7	27

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	2	37.0	8	35	35	37	39	39	39	39
1-11 MOS	2	10.0		10	10	10	10	10	10	10
1-5 YRS	0									
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
TOTAL SINGLE DX	2	3.5	1	3	3	3	4	4	4	4
TOTAL MULTIPLE DX	7	15.1	236	1	1	10	29	38	39	39
TOTAL										
0-27 DYS	2	37.0	8	35	35	37	39	39	39	39
1-11 MOS	2	10.0		10	10	10	10	10	10	10
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	9	12.6	203	1	2	8	18	37	39	39

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	9	1.8	2	<1	<1	<1	2	4	5	5
13-19 YRS	144	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	2	6.0	18	3	3	6	9	9	9	9
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	51	2.6	14	<1	<1	1	3	6	9	25
TOTAL SINGLE DX	156	1.5	1	<1	<1	1	2	3	3	5
TOTAL MULTIPLE DX	61	2.7	13	<1	<1	1	3	6	9	23
TOTAL										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	3	3.7	9	1	1	3	6	7	7	7
1-5 YRS	4	3.5	14	<1	<1	2	6	9	9	9
6-12 YRS	12	1.8	2	<1	<1	1	2	4	5	5
13-19 YRS	195	1.8	5	<1	<1	1	2	3	4	10
GRAND TOTAL	**217**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	40	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	1.9	1	1	1	2	2	4	4	4
TOTAL SINGLE DX	42	1.7	1	<1	<1	1	2	3	3	6
TOTAL MULTIPLE DX	8	1.9	1	1	1	2	2	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	47	1.7	1	<1	<1	1	2	3	4	6
GRAND TOTAL	**50**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	4.4	12	1	1	4	6	10	10	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	2	7.5	85	<1	<1	7	14	14	14	14
TOTAL SINGLE DX	5	4.4	12	1	1	4	6	10	10	10
TOTAL MULTIPLE DX	4	5.5	35	<1	<1	3	9	14	14	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	7	5.3	25	<1	<1	4	9	13	14	14
GRAND TOTAL	**9**	**4.9**	**20**	**<1**	**<1**	**4**	**6**	**12**	**14**	**14**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	3.6	7	2	2	2	5	8	8	8
1-11 MOS	3	4.7	12	<1	<1	5	7	8	8	8
1-5 YRS	4	1.8	2	1	1	1	3	4	4	4
6-12 YRS	25	2.0	2	<1	1	1	3	4	5	7
13-19 YRS	770	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS	6	4.8	10	2	2	4	5	10	11	11
1-11 MOS	6	3.5	2	1	1	4	5	5	5	5
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	12	2.0	5	1	1	1	2	5	8	9
13-19 YRS	299	2.6	9	1	1	2	3	4	5	14
TOTAL SINGLE DX	807	2.1	1	1	1	2	3	3	4	6
TOTAL MULTIPLE DX	325	2.6	9	1	1	2	3	4	5	13
TOTAL										
0-27 DYS	11	4.3	8	2	2	4	5	9	11	11
1-11 MOS	9	3.9	5	<1	<1	4	5	7	8	8
1-5 YRS	6	1.7	1	<1	<1	1	2	4	4	4
6-12 YRS	37	2.0	3	<1	1	1	2	4	6	9
13-19 YRS	1069	2.2	3	1	1	2	3	4	4	7
GRAND TOTAL	1132	2.2	4	1	1	2	3	4	4	7

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	3.0	3	1	1	2	4	6	7	7
1-5 YRS	6	2.0	2	<1	<1	1	2	5	5	5
6-12 YRS	15	1.9	1	<1	1	2	3	3	4	4
13-19 YRS	1055	2.0	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	194	2.6	4	1	1	2	3	5	6	9
TOTAL SINGLE DX	1088	2.0	2	<1	1	2	3	4	4	7
TOTAL MULTIPLE DX	199	2.6	4	1	1	2	3	5	6	9
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	2.9	3	1	1	2	3	6	7	7
1-5 YRS	7	2.0	2	<1	<1	2	2	4	5	5
6-12 YRS	18	2.0	1	<1	1	2	3	4	5	5
13-19 YRS	1249	2.1	2	<1	1	2	3	4	5	8
GRAND TOTAL	1287	2.1	2	<1	1	2	3	4	5	8

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	4.1	17	1	1	2	5	11	14	14
1-11 MOS	165	2.4	36	<1	<1	1	2	3	7	9
1-5 YRS	363	2.1	5	<1	<1	1	2	5	7	13
6-12 YRS	330	2.0	4	<1	<1	1	2	4	6	11
13-19 YRS	299	2.4	25	<1	<1	1	2	4	7	19
2. MULTIPLE DX										
0-27 DYS	135	4.5	29	1	1	3	4	7	17	35
1-11 MOS	84	6.5	72	1	1	3	8	16	20	49
1-5 YRS	169	4.8	49	1	1	2	6	11	17	53
6-12 YRS	183	4.3	32	<1	<1	2	5	10	17	78
13-19 YRS	285	7.7	136	<1	1	3	8	23	38	59
TOTAL SINGLE DX	1167	2.2	15	<1	<1	1	2	4	7	14
TOTAL MULTIPLE DX	856	5.8	76	<1	1	3	6	15	23	51
TOTAL										
0-27 DYS	145	4.4	29	1	1	3	4	8	16	35
1-11 MOS	249	3.8	52	<1	<1	2	3	8	14	23
1-5 YRS	532	3.0	21	<1	<1	1	3	7	10	23
6-12 YRS	513	2.8	16	<1	<1	1	3	7	10	26
13-19 YRS	584	5.0	86	<1	<1	2	4	12	24	51
GRAND TOTAL	2023	3.7	44	<1	<1	2	3	8	14	40

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	5.0	7	<1	1	4	7	8	9	9
1-11 MOS	174	4.4	16	1	1	4	6	9	11	17
1-5 YRS	883	3.5	17	<1	1	2	4	7	11	22
6-12 YRS	993	3.7	21	<1	1	2	4	8	11	23
13-19 YRS	1391	3.5	12	<1	1	2	4	7	10	18
2. MULTIPLE DX										
0-27 DYS	153	8.2	157	2	2	4	7	21	35	85
1-11 MOS	295	7.2	61	1	1	5	8	14	21	40
1-5 YRS	1385	6.0	73	1	1	3	7	14	21	51
6-12 YRS	1622	6.0	78	1	1	3	7	15	22	53
13-19 YRS	4163	5.4	71	<1	1	3	6	12	21	51
TOTAL SINGLE DX	3453	3.6	16	<1	1	2	4	8	11	21
TOTAL MULTIPLE DX	7618	5.8	75	1	1	3	6	13	22	52
TOTAL										
0-27 DYS	165	8.0	147	2	2	4	7	20	32	84
1-11 MOS	469	6.2	46	1	1	5	7	12	17	35
1-5 YRS	2268	5.0	53	1	1	3	6	11	18	39
6-12 YRS	2615	5.1	58	1	1	3	5	11	19	43
13-19 YRS	5554	4.9	57	<1	1	3	5	10	17	46
GRAND TOTAL	11071	5.1	58	1	1	3	5	11	18	44

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.5	13	<1	<1	3	6	6	6	6
1-11 MOS	27	8.4	156	<1	1	2	10	26	42	50
1-5 YRS	139	5.8	55	<1	1	3	7	16	23	38
6-12 YRS	138	5.4	27	1	1	4	7	12	16	26
13-19 YRS	156	4.6	25	<1	1	3	6	10	14	27
2. MULTIPLE DX										
0-27 DYS	4	32.0	244	17	17	28	41	54	54	54
1-11 MOS	58	17.1	268	1	2	12	24	39	60	68
1-5 YRS	225	15.4	210	1	1	12	22	33	45	84
6-12 YRS	190	12.6	132	1	1	10	18	29	39	60
13-19 YRS	228	12.2	191	1	1	7	17	30	44	93
TOTAL SINGLE DX	462	5.4	43	1	1	3	7	13	18	34
TOTAL MULTIPLE DX	705	13.8	192	1	1	10	20	30	43	80
TOTAL										
0-27 DYS	6	22.5	366	<1	1	22	29	51	54	54
1-11 MOS	85	14.3	247	1	1	11	19	37	51	67
1-5 YRS	364	11.7	173	1	1	7	18	28	39	63
6-12 YRS	328	9.6	100	1	1	6	14	22	30	47
13-19 YRS	384	9.1	138	1	1	5	11	24	34	76
GRAND TOTAL	1167	10.5	150	1	1	6	15	26	37	65

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	41	2.8	18	<1	<1	1	3	6	9	26
6-12 YRS	36	2.7	9	<1	<1	2	3	7	9	15
13-19 YRS	72	3.7	24	<1	1	2	4	9	16	25
2. MULTIPLE DX										
0-27 DYS	1	62.0		62	62	62	62	62	62	62
1-11 MOS	2	18.0	32	14	14	18	22	22	22	22
1-5 YRS	41	3.3	15	<1	1	2	4	9	12	19
6-12 YRS	40	6.8	123	<1	1	3	5	20	28	59
13-19 YRS	103	10.7	223	1	1	5	13	28	59	99+
TOTAL SINGLE DX	151	3.2	19	<1	<1	2	3	8	10	26
TOTAL MULTIPLE DX	187	8.6	177	1	1	3	10	24	48	91
TOTAL										
0-27 DYS	1	62.0		62	62	62	62	62	62	62
1-11 MOS	4	10.0	96	2	2	8	18	22	22	22
1-5 YRS	82	3.1	17	<1	<1	1	3	7	10	24
6-12 YRS	76	4.8	73	<1	<1	2	4	10	23	51
13-19 YRS	175	7.8	153	1	1	3	9	21	38	94
GRAND TOTAL	338	6.2	114	<1	1	2	6	16	26	70

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.93; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	56	1.3		<1	<1	1	2	2	3	4
1-5 YRS	242	1.8	1	<1	1	1	2	3	4	8
6-12 YRS	143	2.3	5	<1	<1	1	2	5	9	12
13-19 YRS	141	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
0-27 DYS	4	4.3	3	3	3	4	5	7	7	7
1-11 MOS	44	2.1	2	<1	<1	2	3	4	5	8
1-5 YRS	174	3.3	28	<1	1	2	3	7	11	37
6-12 YRS	136	2.5	8	<1	1	2	3	6	7	16
13-19 YRS	204	5.1	81	<1	1	2	4	11	29	75
TOTAL SINGLE DX	582	1.9	3	<1	<1	1	2	4	5	10
TOTAL MULTIPLE DX	562	3.7	42	<1	1	2	3	7	12	45
TOTAL										
0-27 DYS	4	4.3	4	3	3	4	5	7	7	7
1-11 MOS	100	1.7	1	<1	<1	1	2	3	4	7
1-5 YRS	416	2.4	14	<1	1	1	2	4	7	17
6-12 YRS	279	2.4	7	<1	<1	1	2	6	8	12
13-19 YRS	345	3.8	51	<1	<1	2	4	7	15	51
GRAND TOTAL	1144	2.8	23	<1	<1	2	3	5	8	35

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	7	3.1	7	1	1	2	6	7	7	7
1-5 YRS	15	2.6	13	1	1	1	3	4	12	15
6-12 YRS	16	3.9	13	1	1	3	4	9	13	15
13-19 YRS	16	2.8	6	1	1	2	4	5	9	11
2. MULTIPLE DX										
0-27 DYS	4	10.3	66	3	3	8	16	21	21	21
1-11 MOS	10	6.5	39	1	1	4	7	17	21	21
1-5 YRS	29	4.0	31	<1	1	2	4	8	13	30
6-12 YRS	25	12.2	500	<1	1	3	8	48	75	79
13-19 YRS	35	7.3	137	1	1	3	7	14	33	62
TOTAL SINGLE DX	55	3.4	16	1	1	2	4	7	14	21
TOTAL MULTIPLE DX	103	7.6	187	1	1	3	7	15	38	76
TOTAL										
0-27 DYS	5	12.4	73	3	3	12	21	21	21	21
1-11 MOS	17	5.1	28	1	1	3	7	13	19	21
1-5 YRS	44	3.5	25	<1	1	2	4	7	13	30
6-12 YRS	41	9.0	322	1	1	3	6	24	60	79
13-19 YRS	51	5.9	100	1	1	3	6	12	16	62
GRAND TOTAL	158	6.2	131	1	1	3	6	13	21	73

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	16	2.7	7	<1	1	1	5	6	9	10
1-5 YRS	49	2.8	17	<1	1	2	2	5	7	28
6-12 YRS	68	2.9	15	<1	1	2	2	8	9	25
13-19 YRS	286	2.4	8	1	1	1	3	5	7	18
2. MULTIPLE DX										
0-27 DYS	3	2.7	1	2	2	2	4	4	4	4
1-11 MOS	18	4.7	23	1	1	2	6	12	15	17
1-5 YRS	89	2.3	5	<1	1	2	2	5	7	14
6-12 YRS	89	2.9	8	1	1	2	3	6	9	16
13-19 YRS	169	4.3	41	1	1	2	5	9	15	33
TOTAL SINGLE DX	419	2.5	10	<1	1	1	3	5	8	19
TOTAL MULTIPLE DX	368	3.5	24	1	1	2	4	8	12	23
TOTAL										
0-27 DYS	3	2.7	1	2	2	2	4	4	4	4
1-11 MOS	34	3.7	16	1	1	2	5	11	12	17
1-5 YRS	138	2.5	10	<1	1	2	2	5	7	16
6-12 YRS	157	2.9	11	1	1	2	3	7	9	17
13-19 YRS	455	3.1	22	1	1	2	3	7	10	23
GRAND TOTAL	787	3.0	17	1	1	2	3	7	9	20

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	12	3.7	12	1	1	2	5	10	11	11
1-5 YRS	34	3.9	30	<1	1	2	3	11	18	26
6-12 YRS	63	2.6	6	1	1	2	3	6	9	13
13-19 YRS	97	3.5	11	1	1	2	4	9	11	15
2. MULTIPLE DX										
0-27 DYS	5	14.2	91	5	5	10	22	28	28	28
1-11 MOS	9	12.6	190	1	1	8	[illegible]	34	44	44
1-5 YRS	34	5.5	36	1	1	4	7	11	13	34
6-12 YRS	84	6.3	87	1	1	3	6	14	28	51
13-19 YRS	119	6.4	84	1	1	4	7	14	24	55
TOTAL SINGLE DX	206	3.3	13	1	1	2	3	8	11	17
TOTAL MULTIPLE DX	251	6.6	84	1	1	4	7	14	28	49
TOTAL										
0-27 DYS	5	14.2	91	5	5	10	22	28	28	28
1-11 MOS	21	7.5	103	1	1	3	10	20	31	44
1-5 YRS	68	4.7	34	1	1	2	6	11	16	33
6-12 YRS	147	4.7	56	1	1	2	5	10	18	34
13-19 YRS	216	5.1	54	1	1	3	6	11	14	38
GRAND TOTAL	457	5.1	55	1	1	2	6	11	18	34

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	5.0	8	3	3	5	7	7	7	7
TOTAL SINGLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL MULTIPLE DX	2	5.0	8	3	3	5	7	7	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	4.0	7	2	2	3	6	7	7	7
GRAND TOTAL	3	4.0	7	2	2	3	6	7	7	7

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2 0		2	2	2	2	2	2	2
1-11 MOS	11	5 8	35	< 1	< 1	3	10	16	17	17
1-5 YRS	42	2 5	9	< 1	< 1	1	2	7	10	16
6-12 YRS	53	2 5	8	< 1	1	2	2	4	10	15
13-19 YRS	285	3 5	12	< 1	1	2	4	9	10	16
2. MULTIPLE DX										
0-27 DYS	5	8 6	64	2	2	7	12	22	22	22
1-11 MOS	45	5 8	126	< 1	< 1	3	8	10	13	75
1-5 YRS	84	3 3	25	< 1	< 1	2	4	5	10	32
6-12 YRS	68	5 5	66	< 1	1	2	6	14	21	49
13-19 YRS	287	6 8	103	1	1	4	9	15	22	81
TOTAL SINGLE DX	392	3 3	12	< 1	1	2	4	8	11	16
TOTAL MULTIPLE DX	489	6 0	88	< 1	1	3	7	13	19	71
TOTAL										
0-27 DYS	6	7 5	59	2	2	5	9	21	22	22
1-11 MOS	56	5 8	108	< 1	< 1	3	8	11	16	71
1-5 YRS	126	3 0	20	< 1	< 1	2	3	6	9	24
6-12 YRS	121	4 2	43	< 1	1	2	5	10	15	36
13-19 YRS	572	5.2	60	1	1	3	7	11	16	54
GRAND TOTAL	881	4.8	56	<1	1	2	5	10	15	50

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1066	4 0	44	1	1	3	4	6	9	41
1-11 MOS	2256	3 4	10	1	1	3	4	7	9	15
1-5 YRS	3811	3 1	13	1	1	2	4	6	8	16
6-12 YRS	3948	3 1	19	1	1	2	4	6	8	20
13-19 YRS	8275	3.7	34	1	1	2	4	6	9	31
2. MULTIPLE DX										
0-27 DYS	4265	9.6	156	2	2	5	10	24	36	69
1-11 MOS	5072	5.4	29	1	1	4	7	11	15	28
1-5 YRS	7190	4.4	26	1	1	3	5	8	12	25
6-12 YRS	5893	4.6	40	1	1	3	5	9	14	33
13-19 YRS	13354	5.2	58	1	1	3	5	10	16	45
TOTAL SINGLE DX	19356	3.4	25	1	1	2	4	6	9	23
TOTAL MULTIPLE DX	35774	5.5	59	1	1	3	6	11	17	43
TOTAL										
0-27 DYS	5331	8.5	139	1	2	4	8	21	33	65
1-11 MOS	7328	4.8	24	1	1	3	6	10	13	25
1-5 YRS	11001	3.9	22	1	1	3	5	8	11	22
6-12 YRS	9841	4.0	32	1	1	3	4	8	12	30
13-19 YRS	21629	4.6	50	1	1	3	5	8	13	41
GRAND TOTAL	55130	4.8	48	1	1	3	5	9	14	39

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1590	2 8	3	1	1	2	3	5	5	8
1-11 MOS	2078	3 8	9	1	1	3	4	7	8	16
1-5 YRS	4754	3 7	19	1	1	2	4	6	14	23
6-12 YRS	2678	5 7	64	1	1	3	5	16	25	40
13-19 YRS	2077	6 9	105	1	1	3	6	17	33	47
2. MULTIPLE DX										
0-27 DYS	4957	7.1	133	1	2	4	6	16	31	75
1-11 MOS	3594	5.0	24	1	2	4	6	9	12	24
1-5 YRS	5863	4.4	20	1	1	3	5	8	13	24
6-12 YRS	2651	6.8	81	1	1	3	7	18	27	45
13-19 YRS	3195	11.0	204	1	1	5	13	31	44	77
TOTAL SINGLE DX	13177	4.5	41	1	1	3	4	8	17	35
TOTAL MULTIPLE DX	20260	6.5	91	1	1	4	6	14	24	56
TOTAL										
0-27 DYS	6547	6.0	105	1	1	3	5	11	24	65
1-11 MOS	5672	4.5	20	1	2	3	5	8	11	21
1-5 YRS	10617	4.1	21	1	1	3	4	8	13	23
6-12 YRS	5329	6.2	73	1	1	3	6	17	26	42
13-19 YRS	5272	9.4	170	1	1	4	10	28	40	66
GRAND TOTAL	33437	5.7	72	1	1	3	5	12	21	47

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.6; 99.8-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3010	2.9	5	1	1	3	4	5	6	11
1-11 MOS	2188	3.3	12	1	1	3	4	6	8	14
1-5 YRS	2903	2.8	7	< 1	1	2	3	5	7	12
6-12 YRS	1814	4.2	57	1	1	3	4	6	10	58
13-19 YRS	3315	3.5	37	< 1	< 1	2	4	6	10	33
2. MULTIPLE DX										
0-27 DYS	10266	7.5	135	1	2	4	7	18	31	80
1-11 MOS	4875	5.0	35	1	2	3	5	9	13	30
1-5 YRS	6722	4.2	28	1	1	3	5	7	11	31
6-12 YRS	3364	5.5	76	1	1	3	5	10	18	54
13-19 YRS	6264	6.3	105	1	1	3	6	15	29	60
TOTAL SINGLE DX	13230	3.3	22	< 1	1	2	4	5	8	23
TOTAL MULTIPLE DX	31491	6.0	86	1	1	3	6	12	22	58
TOTAL										
0-27 DYS	13276	6.5	109	1	1	3	6	14	26	70
1-11 MOS	7063	4.5	29	1	1	3	5	8	12	28
1-5 YRS	9625	3.8	23	1	1	3	4	7	10	27
6-12 YRS	5178	5.0	70	1	1	3	5	9	16	55
13-19 YRS	9579	5.3	84	< 1	1	3	5	11	23	53
GRAND TOTAL	44721	5.2	69	1	1	3	5	10	17	51

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29; 37.79
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index.* New *ICD-9-CM* codes added in 1987 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
211	angina
165	aortic aneurysm
338	pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	elective
256	illegal
258	missed
256	self-induced
257	spontaneous
255	therapeutic
259	threatened
	Abscess
210	anal
312	bone
292	digit
188	mouth
188	salivary gland
291	skin and subcutaneous tissue, except digit
188	tongue
81	Acidosis, except diabetic
72	diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
	Alcohol
107	abuse
104	dependence
107	intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis

Group No.	Title
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
90	Alzheimer's dementia
1	Amebiasis
140	AMI
340	Amnesia
	Amputation, traumatic
372	lower limb
371	upper limb
79	Amyloidosis
210	Anal abscess, fissure, fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	aplastic
82	iron deficiency
267	of pregnancy
269	with delivery
83	sickle cell
166	Aneurysm, except aorta
165	aorta
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	central nervous system
320	circulatory system
323	digestive system, except cleft palate and lip, and pyloric stenosis
319	ear
319	eye
327	generalized
325	genitourinary system, except undescended testis and urethral stenosis
320	heart

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital (continued)
317	musculoskeletal system, except clubfoot
323	respiratory system
340	Anorexia, except nervosa
111	nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	depression
165	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	acute, without peritonitis
198	with peritonitis
199	recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
163	cerebral
143	coronary
164	lower limb
	Arteriosclerotic
151	cardiovascular disease
91	dementia or psychosis
143	heart disease
164	vascular disease
299	Arthritis, except osteo- and rheumatoid
298	osteo-, except spine
303	spine
299	pyogenic
297	rheumatoid, except spine
302	spine
339	Ascites
151	ASCVD
143	ASHD

Group No.	Title
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	menopausal
251	postmenopausal
250	uterine, dysfunctional
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
242	Breast disease, except fibrocystic
241	fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis
174	acute
181	chronic
179	Bronchopneumonia
6	Brucellosis

DIAGNOSIS INDEX (continued)

Group No.	Title
376	Bruise, except eye and orbit
375	eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	third degree
309	Bursitis
	Calculus
217	bile duct, except cystic
231	bladder
215	cystic bile duct
215	gallbladder
228	renal
188	salivary gland
229	ureter
231	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	cervix
148	Cardiac arrest
390	postoperative
150	Cardiomyopathy
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	diabetic
124	senile
221	Celiac disease
	Cellulitis
292	digit
291	skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
	Chemical
340	diabetes mellitus
385	poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis
212	alcoholic
213	biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
	Colic
215	biliary
337	renal
208	Colitis, except mucous and ulcerative
211	mucous
211	ulcerative
296	Collagen disease, NOS

DIAGNOSIS INDEX (continued)

Group No. Title
- 340 Coma, except diabetic and hepatic
  - 72 diabetic
  - 214 hepatic
- 11 Common warts
- Complication of
  - 390 amputation stump
  - 387 cardiac pacemaker
  - drugs-*see Effect, adverse*
  - 387 grafts
  - 387 internal orthopedic device
  - 391 medical care, except drugs
  - 387 prosthesis, any
  - 390 surgery, not elsewhere classified
  - 387 transplanted organ
- 364 Concussion, current or unspecified
- 149 Congestive heart failure
- 127 Conjunctivitis
- 376 Contusion, except eye or orbit
  - 375 eye and orbit
- 329 Convulsions, except epileptic
  - 116 epileptic
- 184 COPD
- Coronary
  - 143 artery disease
  - 142 insufficiency, except chronic
    - 143 chronic
  - 140 occlusion, acute
- 336 Cough
- 8 Cowpox
- 314 Coxa valgum, varum
- 83 Crisis, sickle cell
- 211 Crohn's disease
- 174 Croupous bronchitis
- 367 Crush injury, except chest and limbs
  - 366 chest
  - 377 limbs
- 75 Cushing's syndrome

Group No. Title
- CVA
  - 161 without paralysis
  - 162 with paralysis
- 128 Cyclitis
- Cyst
  - 311 Baker's
  - 188 mouth
  - 243 ovarian
  - 293 pilonidal
  - 121 retinal
  - 294 sebaceous
  - 311 synovial
- Cystic
  - 241 breast
  - 218 duct remnant
  - 77 fibrosis
- 232 Cystitis
  - 266 of pregnancy
- 248 Cystocele
- 12 Cytomegalic inclusion disease

- 134 Deafness
- 295 Decubitus
- Deficiency
  - 112 mental
  - 76 nutritional
- Deformity
  - congenital-*see Anomaly, congenital*
  - 316 musculoskeletal, acquired
- 128 Degeneration, globe of eye
- 81 Dehydration
- 340 Delirium, except acute and subacute
  - 89 acute or subacute
- Delivery, complicated by:
  - 278 abnormality, bony pelvis
  - 272 abruptio placentae
  - 287 acute toxemia

DIAGNOSIS INDEX (continued)

Group No.	Title
	Delivery, complicated by: (continued)
276	breech presentation
278	cephalopelvic disproportion
287	complication, not elsewhere classified
287	eclampsia
278	fetopelvic disproportion
287	hypertensive disorder
277	malpresentation, except breech
275	multiple fetation
	placenta
272	abruptio
271	previa
287	pre-eclampsia
	premature
282	rupture of membranes
272	separation of placenta
281	previous cesarean section
279	prolonged labor, not otherwise specified
287	toxemia
279	uterine inertia
270	Delivery, normal or uncomplicated
	Dementia
90	Alzheimer's
91	arteriosclerotic
90	presenile
90	senile
	Dependence
104	alcoholic
106	amphetamine
106	barbiturate
106	cocaine
105	heroin
106	LSD
106	marijuana
105	methadone
105	morphine
105	opioid

Group No.	Title
111	Depression, except neurotic, postpartum, and psychotic
102	neurotic
267	postpartum
98	psychotic
	Depressive
102	neurosis
98	psychosis
102	reaction
301	Derangement, joint except knee
300	knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	chemical
71	uncomplicated
73	uncontrolled
	Diabetic complications
72	acidosis
73	cataract
73	circulatory disorder
72	coma
73	gangrene
73	nephropathy
73	neuropathy
73	retinopathy
73	ulcer
	Dialysis
397	peritoneal
397	renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	functional
1	infectious
6	Diphtheria

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease
199	appendix, except acute appendicitis
151	arteriosclerotic cardiovascular
168	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	arthropod-borne
79	autoimmune, except AIDS
12	AIDS
6	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	biliary ducts
234	bladder, except calculus and cystitis
313	bone, except osteomyelitis and osteoarthritis
242	breast, except fibrocystic
241	fibrocystic
221	celiac
	central nervous system
7	enteroviral
113	inflammatory, except enteroviral
117	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
136	chronic rheumatic heart
296	connective tissue, diffuse
143	coronary artery
211	Crohn's
75	Cushing's
12	cytomegalic inclusion
187	dental
209	diverticular
196	duodenum, except ulcer and inflammatory
134	ear, except inflammatory and otosclerosis
145	endocarditis, bacterial
75	endocrine, except ovary, thyroid, and diabetes mellitus
189	esophagus
129	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
	Disease **(continued)**
	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment (continued)
128	inflammatory, except lacrimal tract
252	fallopian tube, except endometriosis
316	fascia
252	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	gallbladder
252	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
138	hypertensive
143	ischemic, except infarction and angina pectoris
136	rheumatic, chronic
150	other, except arrhythmia and bacterial endocarditis
86	hematopoietic, except anemia, hemophilia, and leukemia
328	hemolytic, newborn
12	HIV infection (AIDS)
46	Hodgkin's
137	hypertensive, except heart and renal
138	heart
139	renal
17	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	infectious
143	ischemic heart, except acute infarction and angina pectoris
187	jaw
301	joint, except internal derangement, ruptured disc, and sacroiliac
306	sacroiliac
230	kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	lacrimal tract, inflammation
188	lip

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
214	liver, except infectious and serum hepatitis, and cirrhosis
186	lung, except pneumonia, obstructive, and pneumothorax
184	obstructive, except asthma, bronchitis, and emphysema
240	male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	mouth, except dental
117	muscle, except deformity
120	nervous system, except CNS and sciatica
184	obstructive lung, except asthma, bronchitis, and emphysema
252	ovary, except endometriosis
	Paget's
313	bone
32	breast
219	pancreas
252	parametrium, except endometriosis
17	parasitic, except helminthiasis
114	Parkinson's
244	pelvic inflammatory
196	peptic
328	perinatal
120	peripheral nervous system, except sciatica
211	peritoneum
186	pleura
236	prostate, except hypertrophy
186	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	rheumatic
135	active
136	chronic
188	salivary gland
83	sickle-cell
295	skin, except infective, pilonidal and sebaceous cysts
196	stomach, except ulcer and inflammatory
187	teeth
316	tendon, except tenosynovitis

Group No.	Title
	Disease (continued)
188	tongue
340	undiagnosed
186	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	ureter, except calculus
234	urethra, except calculus and stricture
14	venereal
12	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	with exanthem
359	Dislocation, joint, except knee and shoulder
358	knee
357	shoulder
	Disorder
111	behavior
81	electrolyte
79	immunodeficiency, except AIDS
12	AIDS
250	menstruation, except metrorrhagia
103	personality
109	psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	lumbar
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
	Diverticulum
189	esophagus
209	intestine
	Drug
108	abuse, except alcohol
106	dependence, except opioid
105	opioid
93	induced psychosis
384	poisoning or overdose
93	withdrawal syndrome or symptoms

DIAGNOSIS INDEX (continued)

Group No.	Title
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
	Dysfunction
74	ovarian
317	somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
102	Dysthymia
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	with delivery
254	Ectopic pregnancy
	Effect, adverse
386	drugs, not otherwise specified
384	overdose or wrong substance given or taken
386	external conditions
385	nonmedical substance
386	radiation
386	temperature
268	Elderly primigravida
287	with delivery
	Elective
255	abortion
392	sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	arterial, except cerebral and precerebral
	cerebral
158	without paralysis
159	with paralysis
	Embolism **(continued)**
167	lower limb
	precerebral
156	without paralysis
157	with paralysis
144	pulmonary, except postoperative
390	postoperative
172	vein
182	Emphysema
113	Encephalitis, except viral
12	viral
18	late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	bacterial
208	noninfectious
211	regional
1	viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	follow-up
298	medical

DIAGNOSIS INDEX (continued)

Group No.	Title
	Failure
149	heart
390	postoperative
225	renal, except chronic
224	chronic
186	respiratory (acute)
340	Fainting
263	False labor
	Fever
135	active rheumatic
330	of undetermined origin (FUO)
1	paratyphoid
288	puerperal
4	scarlet
1	typhoid
12	yellow
	Fibrillation or flutter
147	atrial
148	ventricular
	Fibrocystic disease
241	breast
77	pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	in eye
	Fracture
354	ankle
349	arm, except upper
348	upper
354	bimalleolar
350	carpal
355	clavicle
	Fracture (continued)
349	Colles'
343	face bone
352	femur, except upper end
351	upper end
353	fibula, except lateral malleolus
350	finger
354	foot
350	hand
398	healed, aftercare, except removal of fixation device
396	removal of fixation device
351	hip
348	humerus
354	knee
354	lateral malleolus
353	leg, lower, except ankle and upper
352	upper, except hip
343	mandible
354	medial malleolus
350	metacarpal
354	metatarsal
356	multiple bones
343	nose
354	patella
347	pelvis
349	radius
346	rib
355	scapula
	skull
342	base
341	vault
	spine
344	without cord injury
345	with cord injury
346	sternum
354	tarsal
346	thorax

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
353	tibia
354	toe
354	trimalleolar
349	ulna
	vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	gas
	Gastric ulcer-*see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	infectious
208	noninfectious
1	viral
220	Gastrointestinal hemorrhage
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	acute
122	closed-angle
122	open-angle
222	Glomerulonephritis, except acute
223	acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	bone marrow

Group No.	Title
116	Grand mal epilepsy
268	Grand multiparity
392	without pregnancy
268	Habitual aborter
252	without pregnancy
310	Hallux valgus or varus, except congenital
327	congenital
310	Hammer toe
331	Headache, except migraine and tension
118	migraine
111	tension
398	Healed fracture aftercare, except removal of fixation device
396	removal of fixation device
	Heart
140	attack
149	failure
390	postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma-*see also Contusion*
388	postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	hereditary
328	newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	antepartum, except early
260	early
172	blood vessel, spontaneous
250	dysfunctional uterine
220	gastrointestinal
	intracerebral, except subarachnoid
155	with paralysis

DIAGNOSIS INDEX (continued)

Group No. Title

- Hemorrhage **(continued)**
  - intracerebral, except subarachnoid (continued)
    - 154 without paralysis
  - 258 postabortal
  - 388 postoperative wound
  - 274 postpartum, except delayed or secondary
    - 289 delayed or secondary
  - 260 pregnancy, early
  - 289 puerperal, after 24 hours
  - subarachnoid
    - 152 without paralysis
    - 153 with paralysis
- 171 Hemorrhoids
- 214 Hepatitis, except chronic and viral
  - 213 chronic
  - 9 infectious
  - 9 serum
  - 9 viral
- Hernia
  - 205 abdominal, except inguinal
    - 206 with complication
  - 204 diaphragmatic
    - 206 with complication
  - 205 femoral
    - 206 with complication
  - 204 hiatal
    - 206 with complication
  - 203 incisional
    - 206 with complication
  - 200 inguinal
    - 206 with complication
  - 203 postoperative
    - 206 with complication
  - 202 umbilical
    - 206 with complication
  - 203 ventral
    - 206 with complication

Group No. Title

- 105 Heroin dependence or addiction
- 8 Herpes simplex
  - 18 late effect
- 8 Herpes zoster
  - 18 late effect
- 79 Histiocytosis
- 12 HIV infection
- 46 Hodgkin's disease
- 12 Human immunodeficiency virus (disease) (illness)
- 237 Hydrocele
- 318 Hydrocephaly
- 79 Hyperbilirubinemia, except neonatal
  - 328 neonatal
- 79 Hypercalcemia
- 262 Hyperemesis gravidarum
- 75 Hyperinsulinism
- 79 Hyperlipoproteinemia
- 75 Hyperparathyroidism
- 235 Hyperplasia of prostate
- 81 Hyperpotassemia
- 137 Hypertension, except renal and of pregnancy
  - 261 of pregnancy
    - 287 with delivery
  - 139 renal
  - 139 renovascular
- 128 Hypertensive retinopathy
- 70 Hyperthyroidism
- 177 Hypertrophy of tonsils and adenoids
- 79 Hypogammaglobulinemia
- 75 Hypoparathyroidism
- 81 Hypopotassemia
- 172 Hypotension
- 70 Hypothyroidism
- 81 Hypovolemia

- 211 Ileitis, regional
- 207 Ileus, paralytic or adynamic

DIAGNOSIS INDEX (continued)

Group No.	Title
340	Ill-defined conditions
328	Immaturity of newborn
79	Immunodeficiency disorder, except AIDS
12	AIDS
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
140	Infarction, acute myocardial
	Infection
232	bladder
312	bone
246	cervix
227	kidney, except nephritis, nephrosis, and acute pyelonephritis
6	meningococcal
389	postoperative wound
288	puerperal, major
292	skin and subcutaneous tissue, except cellulitis and abscess
173	upper respiratory, except streptococcal
234	urinary tract
266	in pregnancy
247	uterine, except cervix
247	vaginal
247	vulvar
389	wound, postoperative
10	Infectious mononucleosis
	Infertility
252	female
240	male
	Inflammation
113	central nervous system
129	eye, except lacrimal tract
127	lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
	Inguinal hernia **(continued)**
201	with complication
	Injury
328	birth
373	blood vessel
377	crush, except abdomen and chest
367	abdomen
366	chest
365	head, except concussion
367	internal, except chest
366	chest
358	knee ligament or meniscus
374	late effect
363	musculoskeletal, except back and sacroiliac region
362	back
361	sacroiliac region
382	nerve
386	radiation
374	late effect
382	spinal cord
376	superficial
	Insufficiency
	heart valve-*see Valvular disease*
186	respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ischemic
163	cerebrovascular disease, generalized
143	heart disease, except acute or subacute
142	acute or subacute, except infarction
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	abdominal wall
371	arm
370	back
365	cerebral
370	chest
368	eye
371	hand
369	head, except eye
372	leg
372	lower limb
370	multiple sites
369	neck
285	perineum, in delivery, except first and second degree
284	first and second degree
370	trunk
371	upper limb
212	Laennec's cirrhosis
255	Legal abortion
48	Leukemia, except lymphocytic

Group No.	Title
	Leukemia, except lymphocytic **(continued)**
47	lymphocytic
214	Liver disease, except infectious and serum hepatitis and cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia and obstructive
179	pneumonia
184	obstructive
88	Lymphadenitis, except acute and mesenteric
292	acute
87	mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
242	Mastitis, except puerperal
290	puerperal
8	Measles
18	late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	tuberculous
7	viral
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	bladder
53	bone
63	brain
55	breast
52	bronchus
50	buccal cavity
57	cervix
53	connective tissue
51	digestive

Group No.	Title
	Neoplasm, benign **(continued)**
65	endocrine, except thyroid
62	eye
	genitalia
59	female, except uterus and ovary
60	male
61	kidney
52	larynx
52	lung
53	muscle
63	nervous system
58	ovary
50	pharynx
60	prostate
52	respiratory
60	scrotum
54	skin
52	thymus
64	thyroid
61	ureter
61	urethra
61	urinary
57	uterus, except fibroma
56	fibroma
59	vagina
59	vulva
	Neoplasm, malignant
44	adrenal gland
39	bladder
29	bone
42	brain
32	breast
27	bronchus
19	buccal cavity
43	cerebral meninges
33	cervix uteri
23	colon

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
29	connective tissue
44	endocrine glands
20	esophagus
41	eye
36	fallopian tube
	genitalia
36	female, except uterus and ovary
38	male, except prostate
45	ill-defined sites
25	intestine, except colon and rectum
23	large, except rectum
22	small
40	kidney
23	large intestine, except rectum
27	lung
49	lymphatic, except Hodgkin's disease
45	metastatic
19	mouth
43	nervous system, except brain
35	ovary
26	pancreas
19	pharynx
44	pituitary gland
36	placenta
37	prostate
24	rectum
28	respiratory system, except bronchus and lung
38	scrotum
45	secondary
31	skin, except genitalia
22	small intestine
43	spinal cord and meninges
21	stomach
44	thyroid gland
40	ureter
40	urethra

Group No.	Title
	Neoplasm, malignant **(continued)**
40	urinary tract, except bladder
34	uterus, except cervix
36	vagina
36	vulva
68	Neoplasm, uncertain behavior or unspecified type, any site
222	Nephritis, except acute
223	acute
222	Nephrosis, except tubular
225	tubular
222	Nephropathy, except diabetic
73	diabetic
315	Neuralgia, except sciatic and trigeminal
307	sciatic
120	trigeminal
315	Neuritis, except median and sciatic
119	median
307	sciatic
120	Neuroma, except amputation stump
390	amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	anxiety
109	cardiac
102	depressive
	Nevus
54	skin
327	vascular
	Newborn, hospital
394	multiple
393	single term
394	twin
	Newborn, nonhospital
395	multiple
395	single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia

DIAGNOSIS INDEX (continued)

Group No.	Title
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	bile duct, except calculus
207	intestinal, except postoperative
390	postoperative
172	portal vein
172	vena cava
184	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
158	cerebral, without paralysis
159	with paralysis
156	precerebral, without paralysis
157	with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
	Organic brain syndrome
89	acute
90	Alzheimer's dementia
91	arteriosclerotic
89	transient
298	Osteoarthritis
298	hip
298	knee
303	spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	chronic and unspecified
131	acute
133	Otosclerosis

Group No.	Title
	Ovarian
243	cyst
252	disease, except endometriosis
74	dysfunction
254	pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
338	abdominal
335	chest
253	female genital organ
331	head
335	precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except in appendicitis
198	in appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID

DIAGNOSIS INDEX (continued)

Group No.	Title
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
17	Pneumocystosis
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	spontaneous
366	traumatic
385	Poisoning, except food and drug
384	drug
1	food
7	Poliomyelitis
18	late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	secondary
268	Polyhydramnios
287	with delivery
	Polyp
211	anal
68	bladder
252	cervix
211	intestinal
178	laryngeal
176	nasal
211	rectal
176	sinus
178	vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
	Postoperative wound
390	dehiscence
388	hemorrhage
389	infection
	Postpartum
290	complication, not elsewhere classified
267	depression
269	with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	ectopic
254	ovarian
268	post-term
287	with delivery
254	tubal
398	undelivered
268	Premature rupture of membranes
282	with delivery
328	Prematurity of newborn
253	Premenstrual tension
90	Presenile dementia or psychosis
	Prolapse
128	iris
248	uterovaginal
236	Prostatic disease, except hypertrophy
235	hypertrophy
	Proteinuria
340	except postural

DIAGNOSIS INDEX (continued)

Group No.	Title
	Proteinuria (continued)
223	postural or orthostatic
	Psychogenic
109	diarrhea
109	hyperventilation
109	paralysis
109	vomiting
116	Psychomotor epilepsy
100	Psychosis
92	alcoholic
90	Alzheimer's
91	arteriosclerotic
98	depressive
93	drug-induced
99	manic-depressive
89	organic, acute or transient
90	chronic, except arteriosclerotic
90	senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
	Pulmonary
144	embolism
182	emphysema
1	tuberculosis
	valve disease-*see Valvular disease*
227	Pyelitis, except acute
226	acute
227	Pyelonephritis, except acute
226	acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash

Group No.	Title
	Reaction
101	anxiety
102	depressive
386	drug, not elsewhere classified
391	transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
	Renal
228	calculus
397	dialysis treatment
225	failure, except chronic
224	chronic
139	hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	cyst
121	detachment
121	hemorrhage
121	tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	spine
13	Rickettsiosis
8	Rubella
18	late effect

DIAGNOSIS INDEX (continued)

Group No.	Title
	Rupture
172	blood vessel
305	intervertebral disc, except lumbar
304	lumbar disc
243	ovarian cyst
268	uterus
290	postpartum
286	with delivery
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute episode
95	acute episode
97	childhood
94	paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	puerperal
5	Septicemia
288	puerperal
9	Serum hepatitis
391	Serum sickness

Group No.	Title
	Shock
391	anaphylactic, except due to drug
386	due to drug
333	nontraumatic
390	postoperative
383	traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
	Spontaneous
257	abortion
185	pneumothorax
363	Sprain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
322	pyloric, congenital
233	urethral, except congenital
325	congenital
392	Sterilization, elective

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except back, knee, and sacroiliac region
362	back
360	knee
361	sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	paroxysmal, except atrial
146	atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	medial meniscus, current injury
300	old
121	retinal
309	Tenosynovitis, except spine
308	spine
111	Tension headache
255	Termination of pregnancy

Group No.	Title
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	migrans
	Thrombosis
167	arterial, except cerebral and precerebral
158	cerebral, without paralysis
159	with paralysis
172	portal vein
156	precerebral, without paralysis
157	with paralysis
172	vein
70	Thyroid disease, except nodule or goiter
69	nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	chemotherapy
397	dialysis
398	physical therapy
398	radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
120	Trigeminal neuralgia

DIAGNOSIS INDEX (continued)

Group No.	Title
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	bone
18	late effect
2	lung
3	nonrespiratory
2	respiratory
13	Typhus
	Ulcer
192	duodenal
193	with hemorrhage or perforation
194	with obstruction
190	gastric
191	with hemorrhage or perforation
194	with obstruction
192	gastrojejunal
193	with hemorrhage or perforation
194	with obstruction
192	peptic, except gastric
193	with hemorrhage or perforation
194	with obstruction
295	skin
170	varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
4	streptococcal
225	Uremia, except chronic
224	chronic
	Ureteral
230	disease, except calculus
229	calculus
	Urethral
230	disease, except calculus
229	calculus
234	disease, except calculus and stricture
231	calculus
233	stenosis, except congenital
325	congenital
233	stricture, except congenital
325	congenital
234	Urethritis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
	Uterine
57	fibroma
248	prolapse
128	Uveitis
247	Vaginitis, except atrophic and senile
251	atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	nonrheumatic
136	rheumatic
172	Varices, esophagus
170	Varicose veins of lower extremities
314	Varus deformity, limb
	Veneral
14	disease
11	wart
308	Vertebrogenic pain syndrome
340	Vertigo
	Viral
12	encephalitis
18	late effect
1	gastroenteritis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Viral (continued)
9	hepatitis
7	meningitis
18	late effect
11	wart
	Vitreous
128	abscess
128	prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	of pregnancy
247	Vulvar infection
247	Vulvitis

Group No.	Title
11	Warts, viral
6	Whooping cough
	Withdrawal
92	alcohol
93	drug
	Wound
390	dehiscence
	infection
389	postoperative
383	posttraumatic
	open-*see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	cervix
732	finger
737	foot
733	forearm
733	hand
737	hip
736	leg, above knee
735	below knee
739	revision (any site)
732	thumb
734	toe
733	upper arm
	Anastomosis
617	bile duct
581	blood vessel
617	gallbladder
601	intestine
609	rectum
757	Angiocardiography, except coronary vessels
756	coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	cardiac vessels
755	cerebral vessels
581	Angioplasty, except coronary
575	coronary artery
581	percutaneous transluminal, except coronary

Group No.	Title
	Angioplasty, except coronary **(continued)**
	percutaneous transluminal, except coronary (continued)
575	coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	incidental
	Arteriography
757	aorta
755	cerebral
756	coronary
757	femoral
755	head
756	heart
757	renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	hip, except total replacement
722	total replacement
724	knee
699	temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	insemination
690	rupture of membranes for delivery
	Aspiration
752	breast, except for biopsy
742	biopsy
741	bursa
682	cul-de-sac

OPERATION INDEX (continued)

Group No. **Title**

- Aspiration **(continued)**
  - 677 curettage, uterus, except for termination of pregnancy
    - 674 termination of pregnancy
  - 651 hydrocele, except of spermatic cord
    - 656 spermatic cord
  - 632 kidney
  - 614 liver, percutaneous, except for biopsy
    - 615 biopsy
  - 537 middle ear
  - 546 nasal sinus
  - 663 ovary
  - 752 skin
  - 656 spermatocele
  - 529 vitreous
- Augmentation
  - 745 breast
  - 699 chin

- Balloon
  - 581 angioplasty, except coronary
    - 575 coronary
  - 571 valvuloplasty, heart
- Biopsy
  - 515 adrenal gland
  - 611 anus
  - 638 bladder, except transurethral approach
    - 637 transurethral approach
  - 705 bone, except facial
    - 698 facial
  - 586 bone marrow
  - 501 brain
  - 742 breast
  - 563 bronchus
  - 501 cerebral meninges
  - 668 cervix
  - 597 colon
  - 597 duodenum

Group No. **Title**

- Biopsy **(continued)**
  - 668 endocervical
  - 588 esophagus
  - 532 eyeball
  - 517 eyelid
  - 666 fallopian tubes
  - 597 intestine (large) (small)
  - 719 joint structure
  - 632 kidney
  - 597 large intestine
  - 558 larynx
  - 552 lip
  - 615 liver
  - 565 lung
  - 582 lymph nodes
  - 570 mediastinum
  - meninges
    - 501 cerebral
    - 507 spinal
  - 727 muscle
  - 543 nose
  - 532 orbit
  - 660 ovary, except by aspiration
    - 663 aspiration
  - 618 pancreas
  - 658 penis
  - 508 peripheral nerve
  - 626 peritoneum
  - 556 pharynx
  - 570 pleura
  - 650 prostate
  - 606 rectum
  - 651 scrotum
  - 747 skin
  - 597 small intestine
  - 507 spinal meninges
  - 654 testes

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
514	thyroid
552	tongue
559	trachea
635	ureter
670	uterine ligaments
670	uterus
552	uvula
682	vagina
558	vocal cord
683	vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	hand
726	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic)
572	coronary
596	gastric
572	heart
579	heart-lung
601	intestine
596	stomach
634	urinary
763	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies

Group No.	Title
	Cardiac (continued)
764	function tests
576	mapping studies
	massage
763	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
764	stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
647	bladder, except suprapubic approach
638	suprapubic approach
581	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
645	ureteral
647	urethral, indwelling
587	vein, except umbilical
581	umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn

OPERATION INDEX (continued)

Group No.	Title
	Closure
617	cholecystostomy
601	colostomy
	fistula-*see Fistulectomy*
596	gastric anastomosis
601	sigmoidostomy
570	thoracostomy
635	ureterostomy
640	urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	surgical approach (transabdominal)
602	Colostomy, except loop
600	loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
760	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
638	bladder
581	blood vessel
569	chest
627	laparotomy site
544	nose, except by anterior packing
557	anterior packing
569	pleura
581	postoperative, not elsewhere classified
650	prostate
590	stomach
556	tonsil
521	Corneal transplant
572	Coronary bypass
760	CPAP (continuous positive airway pressure)

Group No.	Title
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	burn (skin)
705	fracture, except of skull
503	skull
752	nail, nail bed, nail fold
748	skin (infection) (wound)
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
690	artificial rupture of membranes
688	breech extraction
692	cesarean section, except low cervical
691	low cervical
689	forceps, except low forceps
687	low forceps
689	internal and combined version
751	Dermabrasion

OPERATION INDEX (continued)

Group No. Title
601 Derotation, intestine
580 Dialysis, except peritoneal
629   peritoneal
    Dilation
638   bladder (neck)
635   ureteral meatus
645   ureterovesical orifice
641   urethra, urethrovesical junction
675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
674   termination of pregnancy
    Dislocation-reduction, except temporomandibular
714   closed
715   open
702   temporomandibular (joint)
    Division
      adhesions-*see Lysis, adhesions*
613   anal sphincter
726   fascia, except of hand
728   hand
508   peripheral nerve
511   sympathetic nerve or ganglion
659 Dorsal or lateral slit of prepuce
    Drainage-*see also Incision (and drainage)*
647   bladder, except surgical approach
638   surgical approach (suprapubic)
569   chest
537   middle ear
763 Drug therapy
598 Duodenectomy

764 ECG (electrocardiogram)
579 ECMO (extracorporeal membrane oxygenation)
758 Echoencephalography
764 EEG (electroencephalogram)
764 EKG (electrocardiogram)
764 Electrocardiogram (ECG) (EKG)

Group No. Title
764 Electroencephalogram (EEG)
752 Electrolysis, skin
753 Encephalography
    Endoscopy
617   biliary tract
636   bladder
567   bronchus
619   colon, except surgical approach
609   surgical approach (transabdominal)
682   cul-de-sac, except for tubal ligation
664   tubal ligation
589   esophagus
589   gastric, except surgical approach
596   surgical approach (transabdominal)
647   ileal conduit
576   larynx
628   peritoneum
557   pharynx
609   small intestine
589   stomach, except surgical approach
596   surgical approach (transabdominal)
570   thorax, transpleural
636   urethra
679   uterus
686   vagina
602 Enterostomy
532 Enucleation, eyeball
533 Epilation, eyelid
697 Episioperinorrhaphy
697 Episiorrhaphy
690 Episiotomy, except with forceps delivery
687   low forceps
689   other forceps
544 Epistaxis control, except by anterior packing
557   anterior packing
576 EPS (electrophysiologic stimulation studies), cardiac

OPERATION INDEX (continued)

Group No.	Title
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	biliary tract
763	Erythrocytapheresis
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	eyeball
673	pelvic
	Examination
764	eye
764	general physical
764	gynecologic
764	pelvic
761	psychiatric
763	Exchange transfusion, except intrauterine
696	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
727	Baker's cyst
705	bone, except facial
699	facial, except partial
698	partial
556	branchial cleft cyst
704	bunion
517	chalazion, eyelid
599	colon
665	fallopian tubes, bilateral, except endoscopic approach
664	endoscopic approach
670	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
727	tendon (of hand)

Group No.	Title
	Excision (continued)
612	hemorrhoids
	hydrocele
679	round ligament
656	spermatic cord
651	tunica vaginalis
717	intervertebral disc or cartilage
719	joint, except intervertebral disc and cartilage of knee
717	intervertebral disc
718	knee cartilage
631	kidney, except partial
632	partial
718	knee cartilage (semilunar)
582	lymph nodes, except radical
583	radical
508	neuroma, peripheral nerve
	ovary
662	bilateral
661	unilateral
550	parotid gland
746	pilonidal cyst or sinus
515	pituitary gland
649	prostate, except transurethral approach
648	transurethral approach
522	pterygium
747	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
718	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
751	toenail
552	tongue
553	tonsil, except with adenoids
554	with adenoids
556	tonsil tag

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
	tubes and ovaries
662	bilateral
661	unilateral
670	uterine fibroid
577	varicocele, except of spermatic cord
656	spermatic cord
	Excision of lesion (and destruction of tissue)
626	abdominal wall
611	anus
617	bile duct
638	bladder, except transurethral approach
637	transurethral approach
705	bone, except facial
698	facial
501	brain
742	breast
563	bronchus
501	cerebral meninges
668	cervix, except by conization
667	conization
597	colon
520	conjunctiva
522	cornea
597	duodenum
534	ear, external
588	esophagus
532	eye
517	eyelid
666	fallopian tube
549	gingiva, gums
597	intestine
524	iris
632	kidney
597	large intestine
558	larynx
552	lip

Group No.	Title
	Excision of lesion (continued)
565	lung
	meninges
501	cerebral
507	spinal
727	muscle
	nerve
508	peripheral
511	sympathetic
543	nose, except submucous resection
541	submucous resection
660	ovary
550	parotid gland
658	penis
	perineum
683	female
747	male
508	peripheral nerve
607	perirectal tissue
626	peritoneum
606	rectum
550	salivary gland
524	sclera
651	scrotum
747	skin, except radical and of pilonidal cyst or sinus
746	pilonidal cyst or sinus
748	radical
501	skull
597	small intestine
507	spinal meninges
592	stomach
727	tendon
654	testis
552	tongue
559	trachea
635	ureter
640	urethra

OPERATION INDEX (continued)

Group No. **Title**

- Excision of lesion (continued)
  - 679 uterine ligament
  - 670 uterus
  - 682 vagina
  - 559 vocal cord
  - 683 vulva
- Exenteration
  - 532 eyeball, orbit
  - 673 pelvic
- Exploration
  - 627 abdominal cavity
  - 617 bile duct
  - 632 kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- Extracorporeal
  - 579 circulation
  - 579 membrane oxygenation (ECMO)
  - 508 shock wave lithotripsy (ESWL)
- Extraction
  - 688 breech, for delivery
  - 547 dental
  - 686 menstrual
  - 547 teeth
  - 689 vacuum, for delivery

- 751 Face lift
- 730 Fasciectomy, except of hand
  - 728 hand
- 726 Fasciotomy, except of hand
  - 728 hand
- Fistulectomy
  - 610 anal
  - 638 bladder
  - 556 branchial cleft
  - 564 bronchus
  - 601 intestine

Group No. **Title**

- Fistulectomy (continued)
  - 542 nasal
  - 542 nasolabial
  - 546 oroantral
  - 609 perirectal
  - 556 pharynx
  - 640 rectourethral
  - 679 rectouterine
  - 681 rectovaginal
  - 638 rectovesical
  - 609 rectum
  - 562 tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 741 Fitting, limb prosthesis
- 706 Fixation, internal, of bone, except with fracture-reduction
  - with fracture-reduction-*see Fracture-reduction*
- 689 Forceps delivery, except low forceps
  - 687 low forceps
- Formation
  - 581 arteriovenous shunt for dialysis
  - 601 endoileal rectal pouch
  - 634 ileal conduit or bladder
- Fracture-reduction
  - 701 facial bone, except closed reduction
    - 700 closed reduction
  - femur
    - 710 closed, except with internal fixation
      - 708 with internal fixation
    - 710 open, except with internal fixation
      - 709 with internal fixation
  - 701 mandible, except closed reduction
    - 700 closed reduction
  - 701 maxillofacial, except closed reduction
    - 700 closed reduction
  - 544 nose
  - other sites
    - 713 closed, except with internal fixation

OPERATION INDEX (continued)

Group No.	Title
	Fracture-reduction **(continued)**
	other sites (continued)
	closed, except with internal fixation (continued)
711	with internal fixation
713	open, except with internal fixation
712	with internal fixation
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	spinal
508	Ganglionectomy, except of tendon
727	tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	total
589	Gastroscopy, except surgical approach
596	surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	bone, except facial and skull
702	facial
503	skull
749	free, of skin
552	lip
731	muscle, except of hand
729	hand
750	pedicle, of skin
	skin
749	free
750	pedicle

Group No.	Title
	Graft **(continued)**
731	tendon, except of hand
729	hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	diaphragmatic
624	epigastric
622	femoral
624	incisional
	inguinal
621	bilateral
620	unilateral
623	umbilical
624	ventral
723	Hip replacement, except total
722	total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	radical
672	vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	termination of pregnancy
602	Ileostomy, except loop
600	loop
634	Ileoureterostomy

OPERATION INDEX (continued)

Group No.	Title
	Implant, implantation
642	artificial urinary sphincter
745	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
539	cochlear prosthetic device
539	electromagnetic hearing device (bone) (cochlea)
740	limb prosthesis
	Incision (and drainage)
626	abdominal wall
610	anal fistula
605	appendix
683	Bartholin's gland or abscess
703	bone, except facial
702	facial
501	brain
745	breast
501	cerebral meninges
569	chest (wall)
522	cornea
502	cranial sinus
534	ear, external
518	eyelid
552	floor of mouth
617	gallbladder
549	gingiva, gums
600	intestine
716	joint
519	lacrimal gland or sac
614	liver
582	lymph nodes
539	mastoid
	meninges
501	cerebral
506	spinal
537	middle ear
726	muscle

Group No.	Title
	Incision (and drainage) **(continued)**
	nasal sinus-*see Sinusotomy*
726	palmar space (hand)
618	pancreas
613	perianal tissue
	perineum
683	female
748	male
607	perirectal tissue
627	peritoneum, except via cul-de-sac
682	via cul-de-sac
746	pilonidal cyst or sinus
569	pleura
607	rectovaginal septum
607	rectum
626	retroperitoneal abscess
651	scrotum
	sinus (nasal)-*see Sinusotomy*
748	skin, except pilonidal cyst or sinus
746	pilonidal cyst or sinus
506	spinal meninges
726	tendon
569	thorax
633	ureter
682	vagina
683	vulva
690	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
764	enteral
763	parenteral (PPN) (TPN)
	Injection
694	intra-amniotic, for termination of pregnancy
763	therapeutic agent (drugs)
745	breast
741	bursa
741	joint

OPERATION INDEX (continued)

Group No.	Title
	Injection **(continued)**
	therapeutic agent (drugs) (continued)
741	tendon
686	Insemination, artificial
	Insertion
706	bone growth stimulator
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
748	infusion pump
686	intrauterine contraceptive device
679	laminaria, uterus
658	penile prosthesis
751	tissue expander, except breast
745	breast
645	ureteral stent, except by incision
633	by incision
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
	Lens extraction, except intracapsular **(continued)**
525	intracapsular
763	Leukopheresis
	Ligation
665	fallopian tubes (bilateral), except endoscopic approach
664	endoscopic approach
612	hemorrhoids
577	varicose veins
655	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	bladder
646	extracorporeal shock wave (ESWL)
635	kidney
646	ultrasonic
635	ureter
	Lobectomy
501	brain
615	liver
566	lung, except partial
565	partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	abdominal
741	hand
524	iris
716	joint
731	muscle, except of hand
741	hand
630	pelvis
630	peritoneum
731	tendon, except of hand
741	hand
758	Magnetic resonance imaging (MRI)
745	Mammectomy

OPERATION INDEX (continued)

Group No.	Title
758	Mammography
745	Mammoplasty, augmentation or reduction
699	Mandibulectomy, except partial
698	partial
699	Mandibulotomy
	Mastectomy
743	complete
743	simple, except extended
744	extended
742	subtotal
744	radical
743	partial
538	Mastoidectomy, except revision
539	revision
745	Mastotomy
	Meatotomy
635	ureteral
639	urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
758	MRI (magnetic resonance imaging)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
764	enteral
763	parenteral (PPN) (TPN)
682	Obliteration, vagina or vaginal vault
751	Onychectomy

Group No.	Title
751	Onychoplasty
	Oophorectomy
662	bilateral
661	unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	suspension
705	Ostectomy, except facial bone
699	facial bone, except partial
698	partial
706	Osteoplasty, except facial bone
699	facial bone
703	Osteotomy, except facial bone
699	facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
763	Photopheresis

OPERATION INDEX (continued)

Group No. Title
540 Piercing, ear
763 Plasmapheresis
763 Plateletpheresis
576 Pleurocentesis
576 Pleurodesis, chemical
570 Pleurosclerosis
Plication
644   urethral, urethrovesical
581   vena cava
753 Pneumoencephalography
566 Pneumonectomy
764 Polysomnogram
763 PPN (peripheral parenteral nutrition)
659 Preputiotomy
608 Proctectomy
609 Proctopexy
619 Proctosigmoidoscopy, except surgical approach
609   surgical approach (transabdominal)
607 Proctotomy
649 Prostatectomy, except transurethral approach
648   transurethral approach
761 Psychiatric testing and evaluation
761 Psychotherapy
575 PTCA (percutaneous transluminal coronary angioplasty)
Puncture
501   cranial
512   lumbar
501   skull, for drainage
512   spinal
758 Pyelogram (intravenous) (retrograde)
636 Pyeloscopy
632 Pyelotomy
590 Pyloromyotomy
596 Pyloroplasty

759 Radiation therapy

Group No. Title
Radiography
757   arteries, except cerebral and coronary
755   cerebral
756   coronary
758   breast
755   cerebral
755   arteries
753   ventricles
758   chest
758   gallbladder
758   kidney
758   skeletal
758   spine, except myelogram
754   myelogram
757   veins
Reattachment
738   extremity
528   retina
731   tendon, except of hand
729   hand
530 Recession, ocular muscle
Reconstruction
535   ear ossicles
699   mandible
729   thumb
680 Rectocele repair
Reduction
  dislocation, except temporomandibular
714   closed
715   open
702   temporomandibular (joint)
  fracture
701   facial bone, except closed reduction
700   closed reduction
    femur
710   closed, except with internal fixation
708   with internal fixation

OPERATION INDEX (continued)

Group No.	Title
	Reduction **(continued)**
	fracture (continued)
	femur (continued)
710	open, except with internal fixation
709	with internal fixation
701	mandible, except closed reduction
700	closed reduction
701	maxillofacial, except closed reduction
700	closed reduction
544	nose
	site, other than above
713	closed, except with internal fixation
711	with internal fixation
713	open, except with internal fixation
712	with internal fixation
619	hemorrhoids
	hernia-*see also Herniorrhaphy*
764	manual
601	intestinal torsion
601	intussusception, intestine
745	mammoplasty
601	volvulus, intestine
	Release
	adhesions-*see Lysis, adhesions*
728	Dupuytren's contracture
749	scar contracture, skin
642	urethral stricture
	Removal
707	bone growth stimulator
	calculus
617	biliary tract
638	bladder
632	kidney, except transurethral approach
635	transurethral approach
519	lacrimal tract (by incision)
533	without incision
633	ureter, except transurethral approach

Group No.	Title
	Removal **(continued)**
	calculus (continued)
	ureter, except transurethral approach (continued)
635	transurethral approach
764	catheter, nonoperatively
764	cholecystotomy tube
693	ectopic fetus
707	fixation device, internal
	foreign body
762	bronchus, except with incision
563	with incision
532	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
745	breast
716	joint
596	gastric balloon
658	penile prosthesis
697	retained placenta, manually
764	sutures
764	t-tube, gallbladder
764	therapeutic device, nonoperatively
748	tissue expander, except breast
745	breast
529	vitreous
580	Renal dialysis
	Repair
630	abdominal wall
613	anal fistula, except by excision
610	excision
581	aneurysm (arteriovenous)
638	bladder, except obstetric laceration
697	obstetric laceration
518	blepharoptosis

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
581	blood vessel
706	bone, except facial
699	facial
745	breast
564	bronchial fistula
704	bunion
571	cardiac septal defect
669	cervix, except obstetric laceration
697	obstetric laceration
570	chest wall
551	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
680	cystocele, vagina
730	diastasis recti
534	ear, external
518	ectropion or entropion, eyelid
697	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
704	hallux valgus
729	hand
	hernia-*see Herniorrhaphy*
723	hip, except total replacement
722	total replacement
	hydrocephalus, by ventricular shunt
504	extracranial
505	intracranial (ventriculostomy)
601	intestine
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
724	knee (joint)
	Repair (continued)
	Laceration-*see also Repair, by site*
697	obstetric
562	larynx
552	lip
615	liver
568	lung
731	muscle, except extraocular and of hand
531	extraocular
729	hand
556	nasopharyngeal atresia
542	nose
663	ovary
551	palate
658	penis
685	perineum, female, except obstetric laceration
697	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
680	rectocele, vagina
609	rectum
528	retinal detachment or tear
730	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
596	stomach
644	stress incontinence, except urethral suspension
643	urethral suspension
731	tendon, except of hand
729	hand
654	testis
562	trachea
635	ureter
640	urethra
679	uterus, except obstetric laceration and supporting structures
697	obstetric laceration

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
	uterus, except obstetric laceration and supporting structures (continued)
678	supporting structures
681	vagina, except for cystocele and rectocele, and obstetric laceration
680	cystocele and rectocele
697	obstetric laceration
552	vestibular arch (mouth)
685	vulva, except obstetric laceration
697	obstetric laceration
	Replacement
574	cardiac pacemaker
571	heart valve
725	joint, except hip and knee
723	hip, except total replacement
722	total replacement
724	knee
658	penile prosthesis
647	urinary catheter
	Resection
638	bladder
581	blood vessel
564	bronchus
599	large intestine
730	muscle, except of hand
728	hand
541	nasal septum, submucous
530	ocular muscle
660	ovary
608	rectum (abdominoperineal) (pull-through)
549	root of tooth
598	small intestine
730	tendon, except of hand
728	hand
548	Restoration, tooth
758	Retrograde pyelogram

Group No.	Title
	Revision
739	amputation stump
581	arteriovenous shunt for dialysis
596	gastric anastomosis
601	intestinal anastomosis
539	mastoidectomy
562	tracheostomy
539	tympanoplasty
505	ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	bilateral
666	unilateral
	Salpingo-oophorectomy
662	bilateral
661	unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt-*see also Bypass*
504	cerebral ventricles, except intracranial and revision
505	intracranial
505	revision
578	peripheral vessels
630	peritoneovenous
578	systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy

OPERATION INDEX (continued)

Group No.	Title
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	radical maxillary
751	Size-reduction, skin tissue except breast
745	breast
	Sphincterotomy
617	ampullary (of Vater) (pancreas)
613	anus
638	bladder neck
	Spinal
720	fusion
512	tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	foot
724	knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	urethral suspension
	Stress test
764	cardiac
764	fetal
764	uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	urethra, except with bladder neck
644	with bladder neck
644	urethrovesical
	Suture-*see also Repair, by site*
730	muscle, except of hand
729	hand
748	skin
730	tendon, except of hand
729	hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown-*see Closure*
730	Tenosynovectomy, except of hand
728	hand
726	Tenotomy, except of hand
728	hand
	Termination of pregnancy
676	aspiration curettage
674	dilation and curettage
691	hysterotomy
694	intra-amniotic injection
	Therapy
761	behavior
763	cancer (chemical)
761	electroconvulsive (ECT)
760	occupational
760	physical
761	psychiatric
759	radiation
761	shock (EST)
760	speech
760	ventilation
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
581	Thromboendarterectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	with adenoidectomy
548	Tooth restoration
763	TPN (total parenteral nutrition)
562	Tracheostomy, except permanent

OPERATION INDEX (continued)

Group No.	Title
	Tracheostomy, except permanent **(continued)**
561	permanent
760	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
763	blood, except intrauterine exchange
696	intrauterine
585	bone marrow
763	coagulation factor
763	gamma globulin
763	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
571	heart
632	kidney
731	muscle, except of hand
729	hand
731	tendon, except of hand
729	hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	revision
537	Tympanotomy
	Ultrasonic fragmentation of calculus
617	biliary
646	urinary, except by percutaneous nephrostomy
632	percutaneous nephrostomy

Group No.	Title
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
571	Valvuloplasty, cardiac
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	revision
753	Ventriculography
684	Vulvectomy
	X-ray-*see Radiography*
751	Z-plasty, skin